

# Environmental Technology Verification

## Dust Suppressant Products

SynTech Products Corporation's TechSuppress

Prepared by

Midwest Research Institute



RTI International



Under a Cooperative Agreement with  
U.S. Environmental Protection Agency



**THE ENVIRONMENTAL TECHNOLOGY VERIFICATION  
PROGRAM**



**ETV Joint Verification Statement**

**TECHNOLOGY TYPE:** DUST SUPPRESSANT

**APPLICATION:** CONTROL OF DUST ON UNPAVED ROADS

**TECHNOLOGY NAME:** TechSuppress

**COMPANY:** SYNTECH PRODUCTS CORPORATION  
**ADDRESS:** 520 E. WOODRUFF  
TOLEDO, OH 43624  
**PHONE:** 419-241-1215  
800-537-0288  
**FAX:** 419-241-6943

**WEB SITE:** <http://www.syntechproducts.com/>  
**E-MAIL:** [solutions@syntechproducts.com](mailto:solutions@syntechproducts.com)

The U.S. Environmental Protection Agency (EPA) has created the Environmental Technology Verification (ETV) Program to facilitate the deployment of innovative or improved environmental technologies through performance verification and dissemination of information. The goal of the ETV Program is to further environmental protection by accelerating the acceptance and use of improved and cost-effective technologies. ETV seeks to achieve this goal by providing high-quality, peer-reviewed data on technology performance to those involved in the design, distribution, financing, permitting, purchase, and use of environmental technologies.

ETV works in partnership with recognized standards and testing organizations; stakeholder groups, which consist of buyers, vendor organizations, permittees, and other interested parties; and with the full participation of individual technology developers. The program evaluates the performance of innovative technologies by developing test plans that are responsive to the needs of stakeholders, conducting field or laboratory tests (as appropriate), collecting and analyzing data, and preparing peer-reviewed reports. All evaluations are conducted in accordance with rigorous quality assurance (QA) protocols to ensure that data of known and adequate quality are generated and that the results are defensible.

The Air Pollution Control Technology (APCT) Verification Center, a center under the ETV Program, is operated by RTI International (RTI) in cooperation with EPA's National Risk Management Research Laboratory. The APCT Center has evaluated the performance of a dust suppressant product for control of dust on an unpaved road.

## ETV TEST DESCRIPTION

A field test program was designed by RTI and Midwest Research Institute (MRI) to evaluate the performance of dust suppressant products. Five dust suppressants manufactured or distributed by three firms were tested in this program. The field test for SynTech Products Corporation's TechSuppress was conducted at Fort Leonard Wood, Missouri (FLW). A July 2003 test/QA plan for the field testing was developed and approved by EPA. The test/QA plan describes the procedures and methods used for the tests. The July 2003 version of the test/QA plan was based on an October 2002 version and a subsequent test/QA plan addendum (dated February 19, 2003). The goal of each test was to measure the performance of the products relative to uncontrolled sections of road over a 1-year period. Field testing was planned quarterly over a 1-year period; however, some logistical difficulties related to winter weather and then maintenance activities on the roads of interest arose, and the test/QA plan was revised (Rev 3) to address those issues. Testing occurred per the test/QA plan for roughly three 6-month periods. Two of those test periods are summarized below and are considered most representative of product performance; the third testing period occurred after unexpected road maintenance, and those data may be seen in the verification report. The verification report also contains 90 percent confidence limits for the data collected during all of the test periods. Emissions measurements were made for total particulate (TP), particulate matter less than or equal to 10 micrometers ( $\mu\text{m}$ ) in aerodynamic diameter ( $\text{PM}_{10}$ ), and for particulate matter less than or equal to 2.5  $\mu\text{m}$  in aerodynamic diameter ( $\text{PM}_{2.5}$ ).

The host facility for the field test program, FLW, is a U.S. Army base. The test site used unpaved Roads P and PA in training area (TA) 236. Roads P and PA are the main access routes to TA 236 and are traveled by truck convoys, as well as traffic into and out of TA 236. TechSuppress was applied to test section D, located on Road PA; test section F, located on Road P, was left untreated as the experimental control. Section 3.1 of the verification report provides a figure showing the test locations. Testing was conducted during October 2002, May 2003, and October 2003.

Table 1 presents test conditions for key parameters that may affect the performance of dust suppressants on unpaved roads.

**Table 1. Summary of Test Conditions**

Parameter	FLW, October 2003	FLW, May 2003
Initial application rate, $\text{l/m}^2$	2.3	2.3
Follow-up application rate, $\text{l/m}^2$	2.4	1.4
Time between application and testing, days	105	79
Precipitation during test week, cm	2.0	3.7
Precipitation during week before testing, cm	1.7	3.2
Precipitation between application and testing, total, cm	32	24
Soil moisture during test weeks, %—uncontrolled road	0.62–1.5	0.01–1.8
Soil moisture during test weeks, %—controlled road	0.47	0.16–0.31
Soil silt during test weeks, %—uncontrolled road	1.7–5.3	1.6–4.3
Soil silt during test weeks, %—controlled road	2.5	1.8–2.1

## VERIFIED TECHNOLOGY DESCRIPTION

This verification statement is applicable to *SynTech Products Corporation's TechSuppress*, which is a dust suppressant product that integrates water-emulsified resins with wetting agents, surfactants, and emulsifiers. The material safety data sheet (MSDS) for TechSuppress is retained in the RTI project files and may be requested from the company's Web site at <http://www.syntechproducts.com/orderform/orderform.htm> [accessed July 2005].

## VERIFICATION OF PERFORMANCE

The overall reduction in particulate matter emissions achieved by the TechSuppress dust suppressant compared to uncontrolled sections of road is shown in Table 2.

**Table 2. Summary of Test Results**

Test location	Average control efficiency, %			Noted events
	TP	PM <sub>10</sub>	PM <sub>2.5</sub>	
FLW, October 2003	62	43	<sup>a</sup>	Rain events the day before test. <sup>b</sup>
FLW, May 2003	84	76	>90	Rain events the morning of test. <sup>c</sup>

<sup>a</sup> No emissions reduction was observed.

<sup>b</sup> All test sections were wet from rain the previous day. The uncontrolled section was heavily potholed and another section was used for the test. MRI used traffic to dry the road before testing.

<sup>c</sup> Rainfall in the morning meant that the uncontrolled section of the road was wet and another section was used for the test.

The APCT Center QA officer has reviewed the test results and quality control data and has concluded that the data quality objectives given in the generic verification protocol and test/QA plan have been attained. EPA and APCT Center QA staff have conducted technical assessments at the test organization and of the data handling. These confirm that the ETV tests were conducted in accordance with the EPA-approved test/QA plan.

This verification statement verifies the effectiveness of *SynTech Products Corporation's TechSuppress* to control dust on unpaved roads as described above. Extrapolation outside that range should be done with caution and an understanding of the scientific principles that control the performance of the technologies. This verification focused on emissions. Potential technology users may obtain other types of performance information from the manufacturer.

In accordance with the generic verification protocol, this verification statement is valid, commencing on the date below, indefinitely for application of *SynTech Products Corporation's TechSuppress* to control dust on unpaved roads.

Signed by Sally Gutierrez

9/25/2005

Signed by Andrew Trenholm

9/16/2005

Sally Gutierrez, Director  
National Risk Management Research  
Laboratory  
Office of Research and Development  
United States Environmental Protection  
Agency

Date

Andrew R. Trenholm, Director  
Air Pollution Control Technology  
Verification Center

Date

# **Environmental Technology Verification Draft Report**

## **Dust Suppressant Products**

### **SynTech Products Corporation's TechSuppress**

Prepared by:

RTI International  
Midwest Research Institute

EPA Cooperative Agreement No. CR829434-01-1  
RTI Project No. 09309

EPA Project Manager:  
Michael Kosusko  
National Risk Management Research Laboratory  
Air Pollution Prevention and Control Division  
Office of Research and Development  
U.S. Environmental Protection Agency  
Research Triangle Park, NC 27711

January 2006

## **Notice**

RTI International\* (RTI) and Midwest Research Institute (MRI) prepared this document with funding from RTI's Cooperative Agreement No. CR829434-01-1 with the U.S. Environmental Protection Agency (EPA). Mention of corporation names, trade names, or commercial products does not constitute endorsement or recommendation for use of specific products.

---

\* RTI International is a trade name of Research Triangle Institute.

## **Acknowledgments**

The authors acknowledge the support of all of those who helped plan and conduct the verification activities. In particular, we would like to thank Michael Kosusko, U.S. Environmental Protection Agency's (EPA's) project manager, and Paul Groff, EPA's quality assurance manager, both of EPA's National Risk Management Research Laboratory in Research Triangle Park, North Carolina. We would also like to acknowledge the assistance and participation of Joe Proffitt and staff at Fort Leonard Wood, and of all the SynTech Products Corporation personnel who supported the test effort. Funding for this verification effort was provided from multiple sources, including EPA's Environmental Technology Verification Program, U.S. Army Corps of Engineers, and SynTech Products Corporation (the participating vendor).

For more information on TechSuppress dust suppressant, contact:

Mr. John Leslie  
SynTech Products Corporation  
520 E. Woodruff Avenue  
Toledo, Ohio 43624  
Telephone: (419) 241-1215  
(800) 537-0288 (toll free)  
Fax: (419) 241-6943  
Email: [solutions@syntechproducts.com](mailto:solutions@syntechproducts.com)  
Web site: <http://www.syntechproducts.com/>

Additional information on analysis of TechSuppress, bioassay data, and previous dust suppressant evaluation reports may be obtained from SynTech Products Corporation.

For more information on verification testing of dust suppressant and soil stabilization products, contact:

Ms. Debbie Franke  
RTI International  
P.O. Box 12194  
Research Triangle Park, North Carolina 27709-2194  
Telephone: (919) 541-6826  
Email: [dlf@rti.org](mailto:dlf@rti.org)  
Web site: <http://etv.rti.org/apct/index.html>

## **Abstract**

Dust suppressant products used to control particulate emissions from unpaved roads are among the technologies evaluated by the Air Pollution Control Technology (APCT) Verification Center, part of the U.S. Environmental Protection Agency's Environmental Technology Verification (ETV) Program. The critical performance factor for dust suppressant verification is the dust control efficiency (CE). CE was evaluated in terms of total particulate (TP), particulate matter less than or equal to 10 micrometers ( $\mu\text{m}$ ) in aerodynamic diameter ( $\text{PM}_{10}$ ), and particulate matter less than or equal to 2.5  $\mu\text{m}$  in aerodynamic diameter ( $\text{PM}_{2.5}$ ).

SynTech Products Corporation submitted the TechSuppress dust suppressant to the APCT Center for testing. The test and quality assurance (QA) plan, prepared in accordance with the Generic Verification Protocol (GVP), addressed the site-specific issues associated with these 1-year verification tests. The 1-year testing was conducted at Fort Leonard Wood, Missouri, during October 2002, May 2003, and October 2003. This verification report summarizes the results of the 1-year test. The verified CE will be based on all tests at each site, as specified in the test/QA plan. Test conditions were measured and documented.



## Table of Contents

<b>Section</b>	<b>Page</b>
Notice.....	v
Acknowledgments.....	vi
Abstract.....	vii
List of Figures.....	ix
List of Tables.....	ix
List of Acronyms and Abbreviations.....	x
1.0 Introduction.....	1
2.0 Summary and Discussion of Results.....	2
2.1 Verification Results.....	2
2.2 Discussion of QA/QC.....	4
2.3 Deviations from Test Plan.....	5
3.0 Test Conditions.....	6
3.1 General Test Site Conditions.....	6
3.1.1 Traffic.....	7
3.1.2 Area Climatic Conditions.....	9
3.1.3 Background Particulate Concentration.....	11
3.2 Application of Dust Suppressant.....	12
3.3 Conditions During Dust Suppressant Test Runs.....	14
4.0 References.....	15

**List of Figures**

1 Test locations at FLW. .... 8  
2 Application of TechSuppress product at FLW..... 13

**List of Tables**

1 Summary of Test Results for TechSuppress (No Road Maintenance)..... 3  
2 Summary of Test Results for TechSuppress (After Road Maintenance Occurred) ..... 3  
3 DQO versus Final Control Efficiency Variability for TechSuppress ..... 4  
4 Summary of Test Event Deviations for FLW..... 5  
5 Weekly Weather for FLW..... 9  
6 Summary of Precipitation for All Test Periods at FLW..... 11  
7 Measured Background PM Concentrations at FLW ..... 11  
8 Estimated Background Contribution to Sampler Catch at FLW Compared to Mean  
Blank Filter Data..... 12  
9 Application History ..... 13  
10 Test Run Parameters..... 14  
11 Road Surface Properties ..... 15

## **List of Acronyms and Abbreviations**

ADT	average daily traffic
APCT	air pollution control technology
CE	control efficiency
cfm	cubic feet per minute
CI	confidence interval
cm	centimeters
DQO	data quality objective
DPW	Directorate of Public Works
EPA	U.S. Environmental Protection Agency
ETV	environmental technology verification
FLW	Fort Leonard Wood, Missouri
ft	feet
g	grams
gal	gallons
GVP	generic verification protocol
hi-vol	high volume
in	inches
km	kilometer
l or L	liters
lb	pounds
lpm	liters per minute
µg	micrograms
µm	micrometer
m	meters
mg	milligrams
min	minutes
ml	milliliters
mph	miles per hour
MRI	Midwest Research Institute
MSDS	material safety data sheet
NA	not applicable
PM	particulate matter
PM <sub>10</sub>	particulate matter equal to or less than 10 µm in aerodynamic diameter
PM <sub>2.5</sub>	particulate matter equal to or less than 2.5 µm in aerodynamic diameter
QA	quality assurance
QC	quality control
RSD	relative standard deviation
RTI	RTI International
s	seconds
TA	training area
TP	total particulate
yd	yard

## 1.0 Introduction

The objective of the Air Pollution Control Technology (APCT) Verification Center, part of the U.S. Environmental Protection Agency's (EPA's) Environmental Technology Verification (ETV) Program, is to verify, with high data quality, the performance of air pollution control technologies. One such set of air pollution control technologies consists of products used to control dust emissions from unpaved roads. Dust suppressant products, in general, are designed to alter the roadway by lightly cementing the particles together or by forming a surface that attracts and retains moisture. Control of dust emissions from unpaved roads is of increasing interest, particularly related to attainment of the ambient particulate matter (PM) standard. EPA issued a new ambient standard for PM in 1997 that specifies new air quality levels for particulate matter less than or equal to 2.5 micrometers ( $\mu\text{m}$ ) in aerodynamic diameter ( $\text{PM}_{2.5}$ ).<sup>1</sup>

The APCT Center's verification of dust suppression products started with a preliminary 3-month testing program at Fort Leonard Wood, Missouri (FLW). The objective of this preliminary test program was to develop a cost-effective technique to measure the relative performance of dust suppressant products. The more common, but resource intensive, exposure profiling method to measure fugitive dust was compared to a mobile dust sampler. It was concluded that the mobile dust sampler could be used for future testing. A total of seven dust suppressant products were evaluated in the preliminary testing. Seven reports documenting the performance of these products were finalized in November 2002.<sup>2</sup>

After completion of the preliminary study, a 1-year field test program was designed by RTI and Midwest Research Institute (MRI) to evaluate the performance of dust suppressant products. Five dust suppressants manufactured or distributed by three firms were tested in this program. One of those dust suppressants was TechSuppress, developed by SynTech Products Corporation. TechSuppress is a dust suppressant product that integrates water-emulsified resins with wetting agents, surfactants, and emulsifiers. The material safety data sheet (MSDS) for TechSuppress is retained in the RTI project files and may be requested on SynTech Products Corporation's Web site (<http://www.syntechproducts.com/orderform/orderform.htm>) [accessed July 2005].

The field test program for TechSuppress was conducted at FLW. In July 2003, the test and quality assurance (QA) plan for the field testing was developed and approved by EPA.<sup>3</sup> The July 2003 version of the test/QA plan was based on an October 2002 version and a subsequent test/QA plan addendum (dated February 19, 2003). This test/QA plan describes the procedures and methods used for the tests. The goal was to measure the performance of the products relative to uncontrolled sections of road over a 1-year period. Field testing was planned quarterly over a 1-year period; however, some logistical difficulties related to winter weather conditions and then maintenance activities on the roads of interest arose, and the test/QA plan was modified (Rev 3) to address those issues. Testing occurred per the test/QA plan for three roughly 6-month periods during October 2002, May 2003, and October 2003. Emissions measurements were made for total particulate (TP), particulate matter less than or equal to 10  $\mu\text{m}$  in aerodynamic diameter ( $\text{PM}_{10}$ ), and for  $\text{PM}_{2.5}$ .

This report contains only summary information and data from the 1-year test program, as well as the verification statement related to the dust control efficiency (CE) measured for TechSuppress during testing at FLW. Complete documentation of the FLW test results is provided in a separate test report<sup>4</sup> and a data quality audit report.<sup>5</sup> Those reports include the raw test data from product testing and supplemental testing, equipment calibration results, and QA and quality control (QC) activities and results. Complete documentation of QA/QC activities and results, raw test data, and equipment calibration results are retained in MRI's files for 7 years.

The results of the tests are summarized and discussed in Section 2. The conditions in which the tests were conducted are presented in Section 3, and references are presented in Section 4.

## **2.0 Summary and Discussion of Results**

Verification tests were conducted over a 1-year period on SynTech Products Corporation's TechSuppress dust suppressant as applied to unpaved roads at FLW. Original plans called for testing to occur on a quarterly basis; however, one quarterly test was abandoned due to persistently unfavorable wintertime weather at FLW.

The mobile dust sampling system used in this test program provides quantitative information on relative emissions levels. The mobile system consists of a high-volume (hi-vol) PM<sub>10</sub> cyclone combined with a PM<sub>2.5</sub> cyclone. The sampler inlet sits above the densest portion of the dust plume, immediately behind the test vehicle. In this location, the sampler collects PM that is truly airborne. The hi-vol sampler is operated with a nozzle matched to the test vehicle's travel speed to best approximate isokinetic sampling. The test plan provides additional details on the construction and operation of the mobile sampler.

The results of the quarterly tests are summarized in Section 2.1. The results of QC checks performed during these quarterly tests are summarized in Section 2.2. Deviations from the test plan are discussed in Section 2.3.

### **2.1 Verification Results**

Tables 1 and 2 present summary statistics for results from each test period. The mobile sampler provides a test result in terms of particulate mass collected per distance traveled [milligrams per 1,000 feet (mg/1,000 ft)]. The tables show the number of days after product application, the mean controlled and uncontrolled emissions values, and the resulting CEs. The relative standard deviation (RSD) for the emissions values is shown in parentheses.

The uncontrolled and controlled emissions values for the mobile dust sampler are means of five replicate measurements. Each of the five replicate measurements consisted of twelve passes over a 500-ft length test section of the treated road segment, to total approximately 6,000 ft of distance covered. Detection limits were set at two standard deviations above the average filter blank correction for sample mass. Values below the detection limits (quantification level) were included in the averaging process at half the detection limit.

Table 1 presents data for the test periods when no unexpected road maintenance occurred between product application and testing. These data are considered the most representative of the product's performance. Table 2 presents data when unexpected road maintenance occurred. These data provide an example of performance under the described circumstances.

**Table 1. Summary of Test Results for TechSuppress (No Road Maintenance)**

Test period	Uncontrolled emissions, mg/1,000 ft (RSD, %)			Time since last application, days	Controlled emissions, mg/1,000 ft (RSD, %)			Control efficiency, %		
	TP	PM <sub>10</sub>	PM <sub>2.5</sub>		TP	PM <sub>10</sub>	PM <sub>2.5</sub>	TP	PM <sub>10</sub>	PM <sub>2.5</sub>
October 2003 <sup>a</sup>	7.9	0.68	1.5	105	3.0	0.39	1.6	62	43	b
	(59)	(78)	(27)		(30)	(20)	(12)			
May 2003 <sup>c</sup>	9.1	1.2	0.71	79	1.4	0.28	<0.069 <sup>d</sup>	84	76	>90
	(14)	(21)	(29)		(21)	(81)	(0.0)			

<sup>a</sup> All test sections were wet from rain the previous day. The uncontrolled section was heavily potholed and another section was used for the test. MRI used traffic to dry the road before testing.

<sup>b</sup> No emissions reduction was observed.

<sup>c</sup> Rainfall in the morning meant that the uncontrolled section of the road was wet and another section was used for the test.

<sup>d</sup> All values were below the detection limit.

**Table 2. Summary of Test Results for TechSuppress (After Road Maintenance Occurred)**

Test period	Uncontrolled emissions, mg/1,000 ft (RSD, %)			Time since last application, days	Controlled emissions, mg/1,000 ft (RSD, %)			Control efficiency, %		
	TP	PM <sub>10</sub>	PM <sub>2.5</sub>		TP	PM <sub>10</sub>	PM <sub>2.5</sub>	TP	PM <sub>10</sub>	PM <sub>2.5</sub>
October 2002 <sup>a</sup>	9.5	2.3	2.5	127	10	2.5	2.2	b	b	b
	(36)	(51)	(41)		(31)	(25)	(34)			

<sup>a</sup> Unexpected road maintenance activity occurred at FLW in September 2002 prior to the October 2002 test period. After consideration, it was decided to continue with planned testing; however, in retrospect, the treated surface evaluated during this test period was not representative, and control efficiency values from the test period should be viewed as conservatively low.

<sup>b</sup> No emissions reduction was observed.

The dust emissions CE is calculated as follows:

$$CE = 100 \times (e_{um} - e_{cm})/e_{um} \quad \text{Eq. 1}$$

where

CE = control efficiency (percent)

$e_{um}$  = uncontrolled emissions value, expressed as sample mass divided by the cumulative length of road traveled by the mobile sampler (mg/1,000 ft)

$e_{cm}$  = controlled emissions value, expressed as sample mass divided by the cumulative length of road traveled by the mobile sampler (mg/1,000 ft).

Control efficiencies can vary considerably between test periods, and some of the variation can be related to two factors: (1) the time since the most recent application and (2) the application rate of the dust suppressant. A complete history of the test road treatment is given in Section 3.2. The time since the most recent application is shown in Tables 1 and 2, in addition to information on road maintenance activities and rainfall. Beyond the application rate and the time since application factors, additional variation can arise from changing site conditions. For example, unplanned road maintenance occurred, as noted in Table 2. In addition, precipitation before or during a field test could cause variation in both uncontrolled and controlled test results. That is to say, measured emissions could change after precipitation so that back-to-back tests would not necessarily be “replicates” in the sense of having identical test conditions. MRI always attempted to dry the road with traffic to the point that it appeared visibly dry before beginning a test period.

## 2.2 Discussion of QA/QC

The testing process was based on the approved *Generic Verification Protocol for Dust Suppression and Soil Stabilization Products (GVP)*;<sup>6</sup> and the *Test/QA Plan for Testing of Dust Suppressant Products at Fort Leonard Wood, Missouri, Rev 3 (July 24, 2003)*.<sup>3</sup> The MRI task leader and QA manager verified that the quality criteria specified in the test plan (Sections 3.4 and A4, respectively) were met for the overall test (the within-suppressant and -particle size fraction variability was often higher than planned). Assessments specified in Section 8 of the GVP were performed. Reconciliation of the data quality objectives (DQOs) with test results is summarized in Table 3. Data from all three test periods are included in the analysis, including those data collected during the test period following unexpected road maintenance.

**Table 3. DQO versus Final Control Efficiency Variability for TechSuppress**

	Number of test periods	Final CE, fractional	90% confidence interval			DQO <sup>a</sup>	Is the half-width interval less than the DQO (i.e., DQO met)?
			Lower limit	Upper limit	Half width		
TP	3	0.47	0.37	0.56	0.093	0.12	Yes
PM <sub>10</sub>	3	0.35	0.23	0.48	0.12	0.15	Yes
PM <sub>2.5</sub>	3	b	b	b	b	b	b

<sup>a</sup> Final CE DQO is interpolated from Table 6 of the test/QA plans using the equation:

$$\text{Half width DQO} = -0.2295 \text{ CE} + 0.22972.$$

<sup>b</sup> The DQO was not calculated because the CE is less than zero.

In all cases, the testing process and the resulting data for PM<sub>10</sub> and TP were determined by the MRI QA manager to have met the specified quality criteria, although there were significant uncontrollable plan deviations related to field conditions. For PM<sub>2.5</sub>, low and variable CE values resulted in “no reduction observed.”

The RTI quality manager has reviewed the above information (including the deviations from the test plan, noted in Section 2.3), has sampled the data against the specified criteria, and concurs with the MRI assessment that the DQOs were met for the overall test. The APCT director has determined that the data are usable as intended in the planning documents.

## 2.3 Deviations from Test Plan

Significant deviations from the test/QA plan are discussed below and are shown in Table 4. Changes in the application dates are also summarized in the table.

**Table 4. Summary of Test Event Deviations for FLW**

Project activities	Planned date	Actual date	Test periods <sup>a</sup>
Unexpected road maintenance	Not planned	September 16, 2002	Not applicable (NA)
End of 1 <sup>st</sup> test period	September 2002	October 12–14, 2002	5U, 5C
Suppressant reapplication	September 2002	October 18–28, 2002	NA
End of 2 <sup>nd</sup> test period	January 2003	Not performed because of consistently bad weather	None, per modified Test/QA Plan
Suppressant reapplication	January 2003	March 8, 2003	NA
End of 3 <sup>rd</sup> test period	April 2003	May 24–26, 2003	5U, 5C
Suppressant reapplication	April 2003	June 14, 2003	NA
Road traffic increased with construction	Not planned	July 21–October 10, 2003	NA
End of 4 <sup>th</sup> test period	July 2003	October 10–12, 2003	5U, 5C

<sup>a</sup> 5U means five uncontrolled replicate measurements; 5C means five controlled replicate measurements.

The test/QA plan stated that background PM concentration values would be collected from an ambient PM monitor; however, the monitoring station in question collects only meteorological data and does not contain a PM monitor. Therefore, MRI operated a background PM sampler at the Range 12 building [located approximately 1 kilometer (km) east of the test section] where line electrical power was available.

The test/QA plan stated that the CE “will be determined relative to its decay over time and with traffic.” Because the vendor chose to reapply the dust suppressants following each test period, this was not achievable. At least three test periods between applications would have been required to calculate a CE decay rate. Moreover, the decay rate would have changed from application to application because of the increasing inventory of dust suppressant in a specific road segment.

The projected schedule for the dust suppressant tests called for four quarters of planned tests starting in June 2002. The time between test periods was originally planned to be approximately 90 days, to represent seasonal differences in CE; however, not all of the planned four quarters of testing were conducted. Testing was conducted for three 6-month periods.

The test plan mentioned a pneumatic traffic counter and a data logger for on-site wind measurements; however, neither of these was deployed during the test program. Instead, training records supplied by the Army were used to estimate the total convoy traffic during the field program. Traffic data are described in Section 3.1.1. The Army supplied meteorological records for both the Forney Army Airfield (located within 5 km of the test site) and the Bailey wind station (located immediately west of the test site). Meteorological data are described in Section 3.1.2.



Deviations during the individual test period are discussed in the following paragraphs.

**October 2002 Test Period.** Both the field tests and the reporting of results occurred later than originally called for in the test/QA plan. The delay in testing was directly due to the unexpected road maintenance during the week of September 16, 2002, which occurred at the request of a Directorate of Public Works (DPW) contractor. This action required a delay of approximately 2 weeks to assess the extent to which the treated surface had been affected and whether testing of the surface would produce results useful to the program. Based on anecdotal information from the grader operator as well as photographs of the surface, it was determined that the surface has been covered with loose material (pulled from the side of the road). Subsequent discussions between DPW, the product vendors, RTI, and MRI led to general agreement to continue with conducting a first period of tests in October 2002.

**January 2003 Test Period.** As noted above, persistently unfavorable winter weather during January and February 2003 forced the abandonment of the second quarterly test.

**May 2003 Test Period.** During the field audit conducted on May 26, 2003, it was determined that the PM<sub>2.5</sub> background monitor operated at a flow of approximately 9 liters per minute (lpm) [0.32 cubic feet per minute (cfm)] rather than the target of 16.7 lpm (0.59 cfm). Because the background concentration was used only to estimate the maximum contribution that ambient PM levels could contribute to the mass collected by the mobile sampler, the contribution for PM<sub>2.5</sub> was conservatively estimated using the PM<sub>10</sub> background level. This point is discussed further in Section 3.1.

Another deviation concerned the location of the uncontrolled test section during the May 26, 2003, tests. On that day, a portion of uncontrolled test section (Section F in the test plan) was still damp from rain during the morning of May 25. For that reason, an uncontrolled 150-m (500-ft) section farther west along the same road was substituted.

**October 2003 Test Period.** Both the field tests and the reporting of results occurred later than originally called for in the test/QA plan. The delay in testing was due to rainfall over Labor Day weekend. Testing was rescheduled for Columbus Day weekend. No quarterly test report was prepared pending preparation of the final report.

Rainfall on the day before MRI's arrival left all sections damp. In addition, the uncontrolled test site (Section F) was so heavily potholed that the mobile sampler could not be safely operated at the designated vehicle speed. Uncontrolled tests were moved to an untreated section of the same road to the west that exhibited better drainage than Section F. As noted earlier, MRI used traffic to dry the road before beginning a test period.

## 3.0 Test Conditions

### 3.1 General Test Site Conditions

The test/QA plan documents the site and road sections used during dust suppressant testing. The host facility for the field test program is a U.S. Army base. The test site used

unpaved Roads P and PA in training area (TA) 236. Roads P and PA are the main access routes to TA 236 and are traveled by truck convoys, as well as traffic into and out of TA 236. Test sections A, B, C, and D are located on Road PA, while test section E is located along Road P. TechSuppress was applied to test section D. Other products tested during this program were applied to other test sections. The sixth test section (F), also located on Road P, was left untreated as the experimental control. Figure 1 shows the test locations at FLW.<sup>3</sup>

### **3.1.1 Traffic**

All sections of the test site at FLW were exposed to military traffic, consisting of 2.5- and 5-ton trucks, as well as sport-utility type vehicles (such as Chevrolet Blazers). This traffic occurred during training days (typically Monday through Friday). Based on records supplied by the Army, an estimated 3,650 convoy vehicles traveled over the test surface during the entire field program. This does not include other Army-related traffic, for which records are not kept. Furthermore, additional light-duty vehicular traffic took place due to recreational use of the fort during weekends. Finally, an additional 60 passes by a Ford F-250 pickup occurred during each of the test periods. (Note that testing took place on days with no scheduled Army training activities.)



Figure 1. Test locations at FLW

From July 21, 2003, to the final test period in October 2003, the TechSuppress test section at FLW experienced additional traffic associated with construction activities in TA 236. This traffic, which occurred Monday through Friday, averaged 40 loaded (27 ton) dump truck passes, 40 empty (11 ton) dump truck passes, and 30 to 50 car/pickup passes per day.

### 3.1.2 Area Climatic Conditions

Table 5 presents the weekly weather over the entire verification period (i.e., from June 2002 when the product was first applied until the final set of tests in October 2003). These data were collected at Forney Airfield, which is located approximately 5 km (3 miles) north-northeast from the test section. (Note that the Forney station operating hours were 0600–2100 Monday through Friday, 0700–1500 Saturday, and 1100–1900 Sunday. The temperature extremes are officially valid for those timeframes.) A summary of the precipitation for all the test periods is shown in Table 6.

**Table 5. Weekly Weather for FLW**

Site weather				
Week beginning	Air temp, °C (°F)		Precipitation, cm (in.)	
	Maximum	Minimum	Liquid	Frozen
06/02/02	32 (90)	13 (56)	2.2 (0.88)	0 (0)
06/09/02	31 (87)	14 (58)	1.2 (0.48)	0 (0)
06/16/02	33 (91)	13 (56)	0 (0)	0 (0)
06/23/02	33 (92)	19 (66)	0.61 (0.24)	0 (0)
06/30/02	33 (92)	20 (68)	2.0 (0.79)	0 (0)
07/07/02	36 (97)	20 (68)	1.0 (0.41)	0 (0)
07/14/02	35 (95)	18 (64)	0.03 (0.01)	0 (0)
07/21/02	37 (98)	19 (67)	2.6 (1.0)	0 (0)
07/28/02	37 (99)	21 (69)	0.03 (0.01)	0 (0)
08/04/02	36 (97)	16 (61)	0.2 (0.07)	0 (0)
08/11/02	31 (87)	18 (64)	4.1 (1.6)	0 (0)
08/18/02	33 (92)	20 (68)	0.89 (0.35)	0 (0)
08/25/02	29 (85)	17 (62)	0 (0)	0 (0)
09/01/02	31 (88)	17 (63)	0 (0)	0 (0)
09/08/02	32 (90)	14 (58)	0 (0)	0 (0)
09/15/02	31 (87)	17 (63)	3.6 (1.4)	0 (0)
09/22/02	27 (81)	8 (46)	0 (0)	0 (0)
09/29/02	32 (89)	16 (60)	0.58 (0.23)	0 (0)
10/06/02	20 (68)	5 (41)	0.48 (0.19)	0 (0)
10/13/02	18 (64)	1 (33)	0.56 (0.22)	0 (0)
10/20/02	19 (67)	2 (36)	5.0 (2.0)	0 (0)
10/27/02	11 (52)	0 (32)	4.1 (1.6)	0 (0)
11/03/02	22 (71)	2 (36)	1.8 (0.72)	0 (0)
11/10/02	18 (64)	-2 (28)	1.7 (0.65)	0 (0)
11/17/02	18 (65)	0 (32)	0 (0)	0 (0)

(continued)

Table 5. (continued)

Week beginning	Site weather			
	Air temp, °C (°F)		Precipitation, cm (in.)	
	Maximum	Minimum	Liquid	Frozen
11/24/02	16 (61)	-6 (21)	0.03 (0.01)	0 (0)
12/01/02	15 (59)	-9 (15)	1.7 (0.68)	16 (6.2)
12/08/02	11 (52)	-4 (24)	0.38 (0.15)	0 (0)
12/15/02	18 (65)	1 (33)	3.7 (1.4)	0 (0)
12/22/02	4 (40)	-12 (11)	3.4 (1.4)	34 (14)
12/29/02	18 (65)	-7 (19)	1.3 (0.52)	0.8 (0.3)
01/05/03	21 (70)	-6 (22)	0.43 (0.17)	0 (0)
01/12/03	6 (43)	-14 (7)	0.33 (0.13)	4.8 (1.9)
01/19/03	13 (56)	-19 (-2)	0.43 (0.17)	4.3 (1.7)
01/26/03	19 (67)	-10 (14)	0.38 (0.15)	0 (0)
02/02/03	23 (74)	-15 (5)	0.69 (0.27)	7.9 (3.1)
02/09/03	14 (57)	-4 (24)	2.7 (1.1)	2.3 (0.9)
02/16/03	12 (54)	-6 (22)	2.1 (0.83)	0.3 (0.1)
02/23/03	4 (40)	-14 (6)	1.7 (0.66)	18 (7.2)
03/02/03	24 (76)	-7 (20)	0.05 (0.02)	0 (0)
03/09/03	25 (77)	-8 (17)	1.7 (0.66)	0 (0)
03/16/03	22 (72)	4 (39)	3.6 (1.4)	0 (0)
03/23/03	25 (77)	0 (32)	2.0 (0.7)	0 (0)
03/30/03	29 (85)	2 (35)	0.03 (0.01)	0 (0)
04/06/03	27 (81)	0 (32)	4.7 (1.8)	0 (0)
04/13/03	29 (85)	9 (48)	0.91 (0.36)	0 (0)
04/20/03	22 (71)	5 (41)	4.2 (1.7)	0 (0)
04/27/03	30 (86)	10 (50)	1.7 (0.67)	0 (0)
05/04/03	30 (86)	14 (57)	2.3 (0.92)	0 (0)
05/11/03	26 (79)	9 (48)	3.2 (1.3)	0 (0)
05/18/03	26 (79)	9 (48)	2.1 (0.83)	0 (0)
05/25/03	31 (87)	9 (48)	1.6 (0.63)	0 (0)
06/01/03	25 (77)	9 (48)	3.7 (1.4)	0 (0)
06/08/03	28 (83)	13 (56)	6.6 (2.6)	0 (0)
06/15/03	29 (84)	14 (57)	1.5 (0.6)	0 (0)
06/22/03	32 (90)	13 (56)	2.6 (1.0)	0 (0)
06/29/03	34 (94)	19 (66)	0 (0)	0 (0)
07/06/03	34 (93)	17 (63)	1.2 (0.46)	0 (0)
07/13/03	36 (96)	21 (69)	3.9 (1.5)	0 (0)
07/20/03	35 (95)	14 (58)	0.03 (0.01)	0 (0)
07/27/03	37 (98)	17 (63)	4.0 (1.6)	0 (0)
08/03/03	33 (91)	18 (64)	0.1 (0.04)	0 (0)
08/10/03	34 (94)	18 (65)	0.03 (0.01)	0 (0)
08/17/03	39 (102)	21 (69)	1.5 (0.59)	0 (0)
08/24/03	37 (98)	21 (69)	4.2 (1.6)	0 (0)

(continued)

**Table 5. (continued)**

Site weather				
Week beginning	Air temp, °C (°F)		Precipitation, cm (in.)	
	Maximum	Minimum	Liquid	Frozen
08/31/03	28 (82)	12 (54)	6.4 (2.5)	0 (0)
09/07/03	31 (87)	14 (57)	2.0 (0.78)	0 (0)
09/14/03	29 (84)	7 (45)	3.3 (1.3)	0 (0)
09/21/03	29 (85)	11 (52)	3.8 (1.5)	0 (0)
09/28/03	20 (68)	4 (39)	1.7 (0.68)	0 (0)
10/05/03	24 (76)	8 (47)	1.8 (0.72)	0 (0)
10/12/03	23 (74)	8 (46)	0.2 (0.07)	0 (0)

**Table 6. Summary of Precipitation for All Test Periods at FLW**

Parameter	Weekly precipitation range, cm
Precipitation during test week	1.0–3.7
Precipitation during week before testing	0.58–3.2
Precipitation between application and testing, total	17–32

### 3.1.3 Background Particulate Concentration

During the test period, TP and PM<sub>10</sub> background concentrations were measured approximately 1 km (0.6 miles) east of the test site. Background concentration data are presented in Table 7.

**Table 7. Measured Background PM Concentrations at FLW**

Date	Concentration, µg/m <sup>3</sup>	
	PM <sub>10</sub>	TP
10/12/02	7.1	14
10/13/02	6.5	16
10/14/02	9.1	28
5/24/03	19	23
5/26/03	19	38
10/11/03	13	19
10/12/03	5.7	7.9
10/13/03	7.2	14
<b>Average</b>	11	20
<b>Maximum</b>	19	38

Because of the previously mentioned problem with the PM<sub>2.5</sub> background monitor at FLW (see Section 2.3), it was not possible to measure background PM<sub>2.5</sub> concentrations accurately. Therefore, the PM<sub>2.5</sub> concentration was assumed equal to the PM<sub>10</sub> concentration value. This yielded a conservatively high estimate for the contribution of background PM concentrations to the PM<sub>2.5</sub> sample mass catches at FLW.

Estimates made of the contributions to net sampler catches at FLW by background concentrations of TP and PM<sub>10</sub> are also conservatively high because estimates assume a 30-minute (min) sampling period. As noted in the test/QA plan, the hi-vol sampler is activated only when passing over the test section; 12 passes over a 500-ft test section at 25 mph is only 160 s or 2.7 min. The conservatively high estimates of background contributions to sampler catches at FLW are compared to blank filter data in Table 8. Background mass contributions were estimated by multiplying background concentration times flow rate and sampling time to arrive at a mass collected that could have been contributed by ambient air.

**Table 8. Estimated Background Contribution to Sampler Catch at FLW Compared to Mean Blank Filter Data**

	Weight, mg		
	TP	PM <sub>10</sub>	PM <sub>2.5</sub>
Average estimated background contribution	0.67	0.37	0.0055
Average blank filter weight	2.5	2.2	0.029

The estimated background contributions are significantly lower than the mean blank filter masses collected at FLW. Thus, background PM contributed negligibly to the net catches for the mobile sampler.

### 3.2 Application of Dust Suppressant

MRI observed and documented all steps in the various applications of the dust suppressant to the road test section. TechSuppress is mixed at approximately three parts water to one part product prior to application. Table 9 presents the application intensity as determined through use of sampling pans located on a grid each time the product was applied.

**Table 9. Application History**

Date	Application intensity		Comments
	Mean, l/m <sup>2</sup> (gal/yd <sup>2</sup> ) <sup>a</sup>	Standard deviation, l/m <sup>2</sup> (gal/yd <sup>2</sup> )	
June 7, 2002	2.3 (0.52)	1.3 (0.29)	Applied in five passes, overlapped along center of road.
October 19, 2002	2.5 (0.55)	0.42 (0.092)	Applied in four passes, extreme edges of road not covered by spray.
March 8, 2003	1.4 (0.31)	0.48 (0.11)	Applied in three passes, overlapped along center of road. West half of road less heavily treated than centerline, which is less heavily treated than east half of road.
June 13, 2003	1.1 (0.24)	0.09 (0.02)	Applied in five passes, very even spray pattern.
June 28, 2003	1.3 (0.28)	0.39 (0.09)	Applied in five passes.

<sup>a</sup> The mean is based on the total amount applied to the surface of the road summed over all passes.

A spray truck was used to apply the product. Treatment of the 270-m (900-ft) road segment required approximately 1 man-hour to mix the product with water and then apply the solution using the spray truck. Note that two applications were made during June 2003. As allowed by the test/QA plan, the vendor requested the opportunity to reapply after the June 13, 2003, treatment. Figure 2 shows application of TechSuppress product at FLW.

**Figure 2. Application of TechSuppress product at FLW**



### 3.3 Conditions During Dust Suppressant Test Runs

Table 10 presents the dates and times when dust suppressant testing was conducted at FLW, including the length of road measured and meteorological conditions during each test run. As discussed previously, Table 5 presents the climatic conditions for the week during which the dust emissions tests were conducted.

**Table 10. Test Run Parameters**

Run	Test section	Date	Test start time	Total distance, m (ft)	Temperature, °C (°F)	Barometric pressure, mm Hg (in. Hg)
CKO-2	Uncontrolled	10/12/02	10:36	1,800 (6,000)	22 (72)	745 (29.4)
CKO-13	Uncontrolled	10/12/02	16:50	1,800 (6,000)	23 (74)	744 (29.3)
CKO-23	Uncontrolled	10/13/02	17:14	1,800 (6,000)	13 (56)	753 (29.6)
CKO-24	Uncontrolled	10/14/02	9:28	1,800 (6,000)	13 (55)	749 (29.5)
CKO-35	Uncontrolled	10/14/02	16:21	1,800 (6,000)	19 (66)	747 (29.4)
CKO-211	Uncontrolled	5/24/03	16:15	1,800 (6,000)	24 (75)	733 (28.8)
CKO-212	Uncontrolled	5/24/03	16:40	1,800 (6,000)	26 (78)	733 (28.8)
CKO-230	Uncontrolled	5/26/03	16:16	1,800 (6,000)	26 (78)	735 (29.0)
CKO-231	Uncontrolled	5/26/03	16:45	1,800 (6,000)	26 (78)	735 (29.0)
CKO-232	Uncontrolled	5/26/03	17:08	1,800 (6,000)	24 (76)	737 (29.0)
CKO-1022	Uncontrolled	10/12/03	15:35	1,800 (6,000)	24 (76)	734 (28.9)
CKO-1028	Uncontrolled	10/13/03	11:07	1,800 (6,000)	21 (69)	729 (28.7)
CKO-1029	Uncontrolled	10/13/03	11:28	1,800 (6,000)	23 (73)	729 (28.7)
CKO-1030	Uncontrolled	10/13/03	11:49	1,800 (6,000)	23 (74)	729 (28.7)
CKO-1031	Uncontrolled	10/13/03	12:12	1,800 (6,000)	24 (76)	730 (28.8)
CKO-8	TechSuppress, D	10/12/02	14:28	1,800 (6,000)	27 (80)	744 (29.3)
CKO-9	TechSuppress, D	10/12/02	14:50	1,800 (6,000)	26 (79)	744 (29.3)
CKO-10	TechSuppress, D	10/12/02	15:21	1,800 (6,000)	25 (77)	744 (29.3)
CKO-11	TechSuppress, D	10/12/02	15:41	1,800 (6,000)	24 (74)	744 (29.3)
CKO-12	TechSuppress, D	10/12/02	16:03	1,800 (6,000)	23 (74)	744 (29.3)
CKO-225	TechSuppress, D	5/26/03	13:02	1,800 (6,000)	24 (75)	737 (29.0)
CKO-226	TechSuppress, D	5/26/03	13:31	1,800 (6,000)	24 (75)	737 (29.0)
CKO-227	TechSuppress, D	5/26/03	13:49	1,800 (6,000)	24 (76)	737 (29.0)
CKO-228	TechSuppress, D	5/26/03	13:19	1,800 (6,000)	22 (72)	735 (29.0)
CKO-229	TechSuppress, D	5/26/03	14:40	1,800 (6,000)	22 (72)	735 (29.0)
CKO-1007	TechSuppress, D	10/11/03	14:06	1,800 (6,000)	22 (72)	732 (28.8)
CKO-1008	TechSuppress, D	10/11/03	14:27	1,800 (6,000)	22 (72)	732 (28.8)
CKO-1009	TechSuppress, D	10/11/03	14:46	1,800 (6,000)	22 (71)	732 (28.8)
CKO-1010	TechSuppress, D	10/11/03	15:08	1,800 (6,000)	23 (74)	732 (28.8)
CKO-1011	TechSuppress, D	10/11/03	15:31	1,800 (6,000)	25 (77)	728 (28.6)

Road surface samples were collected on a section each day that section was tested. The surface samples were analyzed for moisture and silt (i.e., fraction passing 200 mesh upon dry sieving). Table 11 presents the moisture content and silt content.

**Table 11. Road Surface Properties**

Test section	Date	Moisture content, %	Silt content, %
Uncontrolled	10/12/02 <sup>a</sup>	0.4	1.6
	10/13/02 <sup>a</sup>	0.63	1.5
	10/14/02 <sup>a</sup>	0.75	1.7
	5/24/03	1.8	4.3
	5/26/03	0.01	1.6
	10/12/03	1.4	3.0
	10/13/03	1.5	5.3
	10/13/03	0.62	1.7
TechSuppress	10/12/02 <sup>a</sup>	0.43	3.7
	5/26/03	0.31	1.8
	5/26/03	0.16	2.1
	10/11/03	0.47	2.5

<sup>a</sup> Unexpected road maintenance activity occurred at FLW in September 2002 prior to the October 2002 test period.

## 4.0 References

1. Code of Federal Regulations, Title 40, Part 50.7, National Primary and Secondary Ambient Air Quality Standards for Particulate Matter. July 18, 1997.
2. ETV. 2002. *Reports of 3-Month Test of Dust Suppression Products, Preliminary Testing*. RTI International, Research Triangle Park, NC and Midwest Research Institute, Kansas City, MO. November. <http://etv.rti.org/apct/documents.cfm>
3. ETV. 2003. *Test/QA Plan for Testing of Dust Suppressant Products at Fort Leonard Wood, Missouri*, Rev 3 dated July 24, 2003. RTI International, Research Triangle Park, NC and Midwest Research Institute, Kansas City, MO. <http://etv.rti.org/apct/documents.cfm>
4. MRI. 2005. *Test Report for TechSuppress, Section D at Fort Leonard Wood, Missouri*. Midwest Research Institute, Kansas City, MO. Report may be obtained from RTI International.
5. MRI. 2005. *Audit of Data from Testing of Dust Suppressant Products at Fort Leonard Wood, Missouri and Maricopa County, Arizona*. Midwest Research Institute, Kansas City, MO. Report may be obtained from RTI International.
6. ETV. 2004. *Generic Verification Protocol for Dust Suppression and Soil Stabilization Products*. RTI International, Research Triangle Park, NC.