United States
Environmental Protection
Agency

Office of
Solid Waste and
Emergency Response

Publication 9200.6-303(94-1)
EPA540/R-94/020
PB94-921199
March 1994

Superfund

EPA

Health Effects Assessment Summary Tables

FY-1994 Annual

9200.6-303(94-1)
EPA 540-R-94-020
PB94-921199
March 1994

HEALTH EFFECTS ASSESSMENT

SUMMARY TABLES

FY-1994 Annual

U.S. Environmental Protection Agency
Region 5, Library (PL-12J)
77 West Jackson Boulevard, 12th Floor
Chicago, IL 60604-3590

Office of Research and Development
Office of Emergency and Remedial Response
U.S. Environmental Protection Agency
Washington, DC 20460

DISCLAIMER

This report has been prepared by the U.S. Environmental Protection Agency. The information contained herein has been taken from final documents prepared by the Office of Health and Environmental Assessment for the Office of Solid Waste and Emergency Response and the Office of Water, Washington, DC and the Office of Air Quality Planning and Standards, Research Triangle Park, NC. These documents were reviewed in accordance with Agency policy and approved for publication. Mention of trade names or commercial products does not constitute endorsement or recommendation for use.

TABLE OF CONTENTS

Page

INTRODUCTION 1

WHAT'S NEW IN THE ANNUAL FY94 HEAST. 11

USER'S GUIDE: CHEMICAL TOXICITY 19

USER'S GUIDE: RADIONUCLIDE CARCINOGENICITY 32

HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY) 1-1

REFERENCES FOR HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY) R1-1

HEAST TABLE 2: ALTERNATE METHODS - SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY) 2-1

REFERENCES FOR HEAST TABLE 2: ALTERNATE METHODS - SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY) R2-1

HEAST TABLE 3: CARCINOGENICITY 3-1

REFERENCES FOR HEAST TABLE 3: CARCINOGENICITY R3-1

HEAST TABLE 4A: RADIONUCLIDE CARCINOGENICITY - SLOPE FACTORS (IN PICOCURIES) 4A-1

HEAST TABLE 4B: RADIONUCLIDE CARCINOGENICITY - SLOPE FACTORS (IN BECQUERELS) 4B-1

APPENDIX A: TECHNICAL INFORMATION A-1

INTRODUCTION

This document is the FY94 Annual Update of the Health Effects Assessment Summary Tables (HEAST) prepared by EPA's Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office, Cincinnati, OH for use at both Superfund and RCRA sites. It **completely** replaces all former editions of the HEAST.

This version of the HEAST will be updated in 1994 by a July 1994 Supplement No. 1 and a November 1994 Supplement No. 2. These supplements will supercede the information in this document, the March 1994 HEAST Annual Update. Therefore, if the supplement(s) are available they should be checked whenever this document is consulted. These supplements, however, will not be produced to stand alone and will not contain the User's Guides or Appendix that are available in the annual update. Thus, the user is strongly encouraged to refer to the March 1994 HEAST Annual Update for this information.

The HEAST is a comprehensive listing consisting almost entirely of PROVISIONAL RISK ASSESSMENT INFORMATION relative to oral and inhalation routes for chemicals of interest to Superfund, the Resource Conservation and Recovery Act (RCRA), and the EPA in general. These entries in the HEAST are limited to chemicals that have undergone review and have the concurrence of individual Agency Program Offices, and each is supported by an Agency reference. This risk assessment information has not, however, had enough review to be recognized as high quality, Agency-wide consensus information.

The Integrated Risk Information System (IRIS) is the Agency's official repository of Agency-wide consensus chronic human health risk information. IRIS evaluations are conducted by the Agency's Work Group Review process, i.e., they have been examined by either the Reference Dose/Reference Concentration (RfD/RfC) Work Group or the Carcinogen Risk Assessment Verification Endeavor (CRAVE) Work Group. These Agency Work Groups conduct a process that leads to internal Agency scientific consensus regarding risk assessment information on a chemical. This information is recorded on IRIS, is considered to be "Work Group Verified", and does not appear on the HEAST. Thus, provisional risk assessment information on the HEAST is subject to possible review and revision by these Agency Work Groups.

There are two exceptions to the above discussion. The HEAST also contains information on chemicals that are a part of the National Ambient Air Quality Standards (NAAQS) or the Drinking Water Criteria Document (DWCD) series. In each of these cases, the chemicals are subject to extensive scientific peer review processes of extremely high quality.

CHEMICAL STATUS DEFINITIONS

Chemicals reviewed by the Agency Work Groups are classified according to their status as either "verified", "not verifiable", or "under review". The toxicity values (other than NAAQS or DWCD values) listed on the HEAST are considered to be "provisional". The Agency has no official definitions for these terms, but the HEAST user may interpret them as follows:

Provisional: A toxicity value or a cancer value is "provisional" if the value has had some form of Agency review, but it does not appear on the IRIS system. These values are generated in several ways. Often they are determined in the course of developing an Agency document on a chemical or on a class of chemicals. Some have been generated through the Work Group process, but have not yet been input to the IRIS system. At the time each value was derived, all available information on the chemical was evaluated, the value was calculated using the most current methodology, and a consensus was reached on the value by Agency scientists.

Brackets are placed around the names of toxicity and carcinogenicity values on the HEAST to distinguish these "provisional" values from information on IRIS. The following names are affected: RfD to [RfD], RfC to [RfC], slope factor to [slope factor], EPA group to [EPA Group] and unit risk to [unit risk].

These "provisional" values are found on the HEAST. They do not appear on IRIS.

Verified: A toxicity value or a cancer value is "Work Group Verified" if all available information on the value has been examined by an Agency Work Group, the value has been calculated using current Work Group methodology, a unanimous consensus has been reached on the value by the Work Group, and the value appears on IRIS.

Some numbers that have achieved unanimous concensus by the Work Group may appear on the HEAST for a short time until they are loaded onto IRIS, at which time they are termed, "verified." During the interim, they are considered to be "provisional" values that are still "under review" by the Work Group.

These "verified" numbers only appear on IRIS. They do not appear on the HEAST.

Not verifiable: A toxicity value is "not verifiable" if an Agency Work Group has considered all available data on a chemical and has unanimously determined that data are inadequate to generate a value that would be suitable for inclusion on IRIS. No toxicity value is calculated; no toxicity value is available for IRIS or the HEAST.

This "not verifiable" status is noted on IRIS, and is sometimes found on the HEAST, with a pointer to the IRIS system.

Under Review: A toxicity value is "under review" if an Agency Work Group is in the process of considering all available data on a chemical. All Work Group chemicals will have this status until the toxicity value is placed on the IRIS system. Toxicity values that have been withdrawn from IRIS by a Work Group for further review will have this status.

This "under review" status may be indicated on IRIS or on the HEAST. During this time, "provisional" toxicity values may appear on the HEAST.

In all cases, the status of a chemical may change as new data become available, and the assessment is revisited.

CAUTION

It is imperative for each user of the HEAST to recognize that the values listed in the toxicity tables and the cancer table are generally considered to be PROVISIONAL RISK ASSESSMENT INFORMATION. The user is referred to IRIS for "Work Group Verified" values. It is also important to remember that the numbers in these tables alone tell very little about the adverse effects of a chemical or the quality of evidence on which risk assessment information is based. Original assessment documents must be consulted by users of the HEAST in order to fully appreciate the strengths and limitations of a specific data base. Original source documents will allow for the most complete characterization of potential toxicity associated with the range of exposure pathways generally evaluated at Superfund and RCRA sites. The Reference Tables point the user to these sources.

CONTRIBUTORS

Chemicals commonly found at RCRA sites as identified by the Office of Solid Waste's (OSW) Technical Assessment Branch are included in the HEAST. The Office of Radiation Programs has provided data on radionuclide carcinogenicity for Tables 4A and 4B of the HEAST. Finally, the Office of Air Quality Planning and Standards (OAQPS) has provided information on chemicals for which Air Quality Criteria Documents and National Ambient Air Quality Standards have been developed.

CHEMICALS LISTED

Most of the chemicals included on the toxicity tables and carcinogenicity table are those for which at least one of the following EPA documents has been written: Health Effects Assessment Document (HEA), Health and Environmental Effects Profile (HEEP), Health and Environmental Effects Document (HEED), Health Assessment Document (HAD), Air Quality Criteria Document (AQCD), Drinking Water Criteria Document (DWCD). A description of each is provided in Appendix A, Section I. In a few cases, the values are supported by other written material, such as Work Group meeting notes or Carcinogen Assessment Group (CAG) Profiles. Radionuclide slope factor values are calculated by the EPA's Office of Radiation Programs.

The names of criteria pollutants that are regulated as National Ambient Air Quality Standards (NAAQS) under the Clean Air Act are listed in the main body of the HEAST, but the actual criteria are included as Section V of Appendix A: Technical Information. The NAAQS were not included in the tables in order to distinguish them from the reference concentration ([RfC]) values. The NAAQS and [RfC]s represent different levels

of review and different methods of calculation and thus, must be interpreted and used differently.

HIERARCHY OF SOURCES

It is recognized that at any point in time there may be multiple old and new Agency documents or data bases that present different values on a specific chemical. For chemicals other than those represented by the NAAQS or DWCDs, the following hierarchy of sources is recommended in evaluating chemical toxicity for Superfund sites:

1. The Agency's Integrated Risk Information System (IRIS) and cited references. Changes are made in this data base on a monthly basis, but there may be data gaps. Call IRIS USER SUPPORT at (513)569-7254 for further information.

2. The Health Effects Assessment Summary Tables (HEAST) and cited references.

3. Consultation with the Superfund Health Risk Technical Support Center (TSC) at (513)569-7300.

4. Do not consult either the toxicity tables (Appendix A) in the Superfund Public Health Evaluation Manual (SPHEM, U.S. EPA, 1986) or the September 1988 Public Health Risk Evaluation Data Base (PHRED) as these sources are likely to contain numerous values that have since become out-of-date.

QUESTIONS

Chemical Toxicity and Carcinogenicity

Regional EPA Superfund Staff may direct questions regarding the contents of the chemical toxicity and carcinogenicity tables on the HEAST (e.g., chemicals not covered, chemicals with pending [RfD]s) to EPA's Superfund Health Risk Technical Support

Center (TSC) in Cincinnati, OH at (513)569-7300. Questions from other users must be submitted to the TSC in writing and must contain the following information:

- Superfund site name, site location and twelve-digit site number;
- Name and phone number of the site Remedial Project Manager (RPM) or Regional Risk Assessor/Toxicologist;
- Detailed description of the risk assessment related question.

Please send requests via mail or FAX to:

Superfund Health Risk Technical Support Center
US EPA
26 W. ML King Dr.
Environmental Criteria and Assessment Office
MS 117
Cincinnati, OH 45268
FAX#: (513)569-7159

RCRA Chemicals

Questions about RCRA chemicals may be addressed by calling the Office of Solid Waste at (202)260-4761.

Radionuclide Carcinogenicity

Questions concerning radionuclide carcinogenicity should first be addressed by contacting the appropriate Regional Radiation Program Manager. A listing of these managers and several contacts in the Office of Radiation Programs can be found in Exhibit 2 of the User's Guide - Radionuclide Carcinogenicity.

REFERENCES

Most cited Agency references (e.g., HEAs, HEEPs, HEEDs), are (or will soon be) available through the National Technical Information Service (NTIS), 5285 Port Royal

Road, Springfield, VA 22161 [(703)487-4650]. Carcinogen Assessment Group (CAG) Profiles cited in Table 3 are available through the RCRA docket (202)260-9327.

Drinking water documents are available by calling the Drinking Water Docket at (202)260-3027.

ORDERING INFORMATION

Limited copies of the HEAST are available for EPA Superfund staff, State Superfund programs and other Federal agencies working on Superfund sites, and EPA contractors working for the EPA Superfund program. Users in these groups can call Syracuse Research Corporation (202)479-0881 to be put on the mailing list.

EPA's Office of Solid Waste (OSW) requests that their users (i.e., OSW staff, contractors, State solid waste programs) call the Health Assessment Section (202)260-4761 to obtain copies of the HEAST. Regional OSW staff are reminded that copies are sent to all EPA Regional libraries.

Users of the HEAST in EPA's Office of Air and Radiation and State air programs should call Kelly Rimer of EPA's Office of Air Quality Planning and Standards at (919)541-2962.

All other users must purchase the document from:

National Technical Information Service (NTIS)
5285 Port Royal Road
Springfield, VA 22161
(703)487-4650

For ordering information, call the NTIS Subscriptions Department at (703)487-4630. NTIS normally ships 4th class United States mail. When ordering the

1994 Health Effects Assessment Summary Table annual update from NTIS refer to the folowing order number:

PB94-963310: Annual HEAST update

STRUCTURE OF THE HEAST

The HEAST Introduction contains explanatory material relative to the quality of information on the HEAST, its sources, and its availability. This is followed by a listing of changes since the last HEAST was published and then by User's Guides for both Chemical Toxicity and Carcinogenicity, and Radionuclide Carcinogenicity. The values on the HEAST are presented in a series of five tables that contain toxicity information and three tables of references. The information contained in each table and their designations are as follows:

HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)
Table 1 lists subchronic and chronic non-cancer toxicity values that were calculated using the current methodology practiced by the RfD/RfC Work Group.

HEAST TABLE 2: ALTERNATE METHODS - SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)
Table 2 lists subchronic and chronic non-cancer toxicity values that are found in Agency documents, but were calculated by alternative methods that are not currently practiced by the RfD/RfC Work Group. These values are considered to be adequate provisional values for risk assessment purposes at Superfund and RCRA sites, but are subject to being reviewed by the RfD/RfC Work Group and revised when necessary to reflect current work group practices.

HEAST TABLE 3: CARCINOGENICITY
Table 3 lists carcinogenicity values that were calculated using the current methodology of the CRAVE Work Group.

HEAST TABLES 4A AND 4B: RADIONUCLIDE CARCINOGENICITY – SLOPE FACTORS
Tables 4A and 4B list ingestion, inhalation and external exposure carcinogenicity slope factors for radionuclides in two equivalent, but different units, picocuries and becquerels, respectively.

HEAST TABLE 1 REFERENCES: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)
The references for Table 1 are numerically coded to associate each toxicity value clearly with its corresponding reference.

HEAST TABLE 2 REFERENCES: ALTERNATE METHODS – SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)
The references for Table 2 are numerically coded to associate each toxicity value clearly with its corresponding reference.

HEAST TABLE 3 REFERENCES: CARCINOGENICITY
The references for Table 3 are numerically coded to associate each toxicity value clearly with its corresponding reference.

Following the tables, a Technical Appendix (Appendix A) is available, containing the following sections:

I. Data Sources and Selection Criteria Used in HEAST

II. Dose Conversions on HEAST

III. Chemical Name and Chemical Abstracts Service Registry Number Cross Reference

IV. Effect Level Definitions

V. National Ambient Air Quality Standards (NAAQS)

WHAT'S NEW IN THE FY94 HEAST

GENERAL CHANGES - CHEMICAL TOXICITY AND CARCINOGENICITY

The changes in this version of the HEAST reflect changes in IRIS through Januray 1, 1994. It is also current with RfD/RfC and CRAVE Work Group activities through January 1, 1994.

CHEMICAL-SPECIFIC CHANGES -- CHEMICAL TOXICITY AND CARCINOGENICITY

A. CHEMICAL-SPECIFIC CHANGES ON HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)

Aldicarb 000116-06-3
The chronic oral RfD has been replaced on IRIS. The chronic oral RfD on IRIS was adopted as the subchronic oral [RfD].

Bromoform 000075-25-2
A comment was added to indicate that the chronic inhalation RfC is considered not verifiable by the RfD/RfC (02/11/93) Work Group.

Dichlorobenzene, 1,4- 000106-46-7
An indicator was added to show that the inhalation RfC is now available on IRIS. The chronic inhalation RfC on IRIS was modified to derive the subchronic inhalation [RfC].

Dichloroethane, 1,2- 000107-06-2
The CAS Registry Number was corrected from 106-06-2 to 107-06-2. No other changes in the table.

Glycidaldehyde 000765-34-4
The NOAEL which was inadvertently omitted from the 1993 HEAST has been replaced and converted from 10 ppm to 29 mg/cu m.

Hexachlorocyclopentadiene 000077-47-4
No change in the tables. Reference to one of two studies used in the HEED to derive the RfC (Batelle Northwest Laboratories, 1984) was replaced in the reference section.

Manganese 007439-96-5
The chronic inhalation RfC has been replaced on IRIS. A subchronic inhalation [RfC] has not been derived.

Methoxychlor 000072-43-5
A comment was added to indicate that the chronic inhalation RfC is considered not verifiable by the RfD/RfC (11/07/91) Work Group.

Trichloro-2'-hydroxydiphenylether, 2,2,4'- 003380-34-5
The Target and Critical effect which were inadvertently omitted from the 1993 Annual HEAST have been replaced.

B. CHEMICAL-SPECIFIC CHANGES ON HEAST TABLE 2: ALTERNATE METHODS - SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)

Dichlorobenzene, 1,2- 000095-50-1
The subchronic inhalation [RfC] which had inadvertently been omitted from the 1993 Annual HEAST has been replaced.

Ethoxyethanol acetate, 2- 000111-15-9
The NOEL units were corrected.

C. CHEMICAL-SPECIFIC CHANGES ON HEAST TABLE 3: CARCINOGENICITY

Dimethyl hydrazine, 1,1- 000057-14-7
No EPA Group Classification was provided in the reference document, therefore this compound was removed from Table 3.

Methyl hydrazine 000060-34-4
No EPA Group Classification was provided in the reference document, therefore this compound was removed from Table 3.

Metholachlor 051218-45-2
An indicator was added to show that the EPA Group Classification is now available on IRIS.

D. CHEMICAL-SPECIFIC CHANGES IN THE JULY 1993 AND NOVEMBER 1993 SUPPLEMENTS ON HEAST TABLE 4A AND 4B: RADIONUCLIDE CARCINOGENICITY -- SLOPE FACTORS

Uranium (92) U-238 +D
The ingestion, inhalation, and external slope factors in Tables 4A and 4B have changed to correct an error in summation for the +D values of U-238.

Annnouncement of Upcoming Changes to Radionuclide Slope Factors

Slope factors for radionuclides are currently being revised to incorporate EPA's revised methodology for estimating radiogenic cancer risk. The new methodology is being reviewed by experts within and outside the EPA. Users of the HEAST should expect revised radionuclide slope factors to be available sometime during 1994. The new

values and a synopsis of the revised methodology will be published in the HEAST quarterly update when available.

CHEMICAL SPECIFIC CHANGES MADE IN THE JULY 1993 SUPPLEMENT NO. 1 AND THE NOVEMBER 1993 SUPPLEMENT NO. 2 TO THE MARCH 1993 HEAST ANNUAL UPDATE

The following changes were made in the July 1993 and November 1993 supplemental editions of the March 1993 Heast Annual Update and represent those changes that have occurred between the publication of the March 1993 HEAST Annual Update and this document, the March 1994 Heast Annual Update. Because some HEAST users may have been unaware of the publications of these supplements, the following information will indicate additional changes in toxicity information that should be noted. Note: These changes have been incorporated into the March 1994 Annual Update.

A. CHEMICAL-SPECIFIC CHANGES IN THE JULY 1993 AND NOVEMBER 1993 SUPPLEMENTS ON HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)

Acrylonitrile 000107-13-1
Added to Table 1. The chronic oral [RfD] under review by the RfD/RfC Work Group was modified to derive the subchronic oral [RfD].

Arochlor 1248 012672-29-6
Added to Table 1. A comment was added to indicate that the chronic oral RfD is considered not verifiable (07/20/93) by the RfD/RfC Work Group.

Atrazine 001912-24-9
An indicator was added to show that the chronic oral RfD is now available on IRIS. The chronic oral RfD on IRIS was adopted as the subchronic oral [RfD].

Barium cyanide 000542-62-1
A comment was added to indicate that the chronic oral RfD is considered not verifiable (07/20/93) by the RfD/RfC Work Group.

Benzenethiol / (Thiophenol) 000108-98-5
Added to Table 1. The chronic oral [RfD] under review by the RfD/RfD Work Group was modified to derive the subchronic oral [RfD].

Boron 007440-42-8
No change in the tables. Reference to 1993 Revised and Updated Drinking Water Quantification of Toxicologic Effects for Boron was added.

Bromoethene / (Vinyl bromide) 000593-60-2
Added to Table 1. An indicator was added to show that the chronic inhalation RfC is now available on IRIS. The chronic inhalation RfC on IRIS was adopted as the subchronic inhalation [RfC].

Bromoform 000075-25-2
A comment was added to indicate that the chronic inhalation RfC is considered not verifiable (02/11/93) by the RfD/RfC Work Group.

Bromomethane 000074-83-9
No change in the tables. Reference to 1993 Revised and Updated Drinking Water Quantification of Toxicologic Effects for Bromomethane was added.

Chlorobenzilate 000510-15-6
A comment was added to indicate that the chronic inhalation RfC is considered not verifiable (02/11/93) by the RfD/RfC Work Group.

Chromium(III) 016065-83-1
The subchronic oral [RfD] was changed to agree with IRIS. The uncertainty factor was changed to incorporate an additional Modifying Factor of 10 as on IRIS.

Cresol, p- / (Methylphenol, 4-) 000106-44-5
Study information was changed to be consistent with information under review by the RfD/RfC work group. The NOEL is changed to a NOAEL, critical effects are changed, and the chronic oral [RfD] is adopted as the subchronic oral [RfD].

Cyanazine 021725-46-2
No change in the tables. Reference to 1993 Revised and Updated Drinking Water Quantification of Toxicologic Effects for Cyanazine was added.

Dicamba 001918-00-9
Added to Table 1. An indicator was added to show that the chronic oral RfD is available on IRIS. The chronic oral RfD was adopted as the subchronic oral [RfD].

Dichloropropene, 1,3- / (Telone II) 000542-75-6
No change in the tables. Reference to 1993 Revised and Updated Drinking Water Quantification of Toxicologic Effects for 1,3-Dichloropropene was added.

Dinitro-o-cresol, 4,6- 000534-52-1
A comment was added to indicate that the chronic inhalation RfC is considered not verifiable (02/11/93) by the RfD/RfC Work Group.

Endosulfan 000115-29-7
The chronic oral RfD was withdrawn from IRIS (12/01/92). The chronic oral [RfD] was changed to reflect the value currently under review by the RfD/RfC Work Group (11/04/92). The chronic oral [RfD] was adopted as the subchronic oral [RfD].

Hexachlorobutadiene 000087-59-1
The chronic oral RfD was withdrawn from IRIS (05/01/93). The chronic oral [RfD] was changed to reflect the value currently under review by the RfD/RfC Work Group (04/01/93).

Isophorone 000078-59-1
No change in the tables. Reference to 1993 Revised and Updated Drinking Water Quantification of Toxicologic Effects for Isophorone was added.

Manganese 007439-96-5
No change in the tables. Reference to 1993 Revised and Updated Drinking Water Criteria Document for Manganese was added.

Methoxyethanol, 2- 000109-86-4
The chronic oral [RfD] and the subchronic oral [RfD] were moved from Table 1 to Table 2 because they were derived from methodology that is not current with the interim methodology used by the RfD/RfC Work Group.

Methyl ethyl ketone 000078-93-3
An indicator was added to show that the chronic oral RfD is now available on IRIS. The subchronic oral [RfD] and the subchronic inhalation [RfC] were changed to be consistent with IRIS.

Methyl ethyl ketone peroxide 001338-23-4
Added to Table 1. A comment was added to indicate that the chronic oral RfD is considered not verifiable (07/20/93) by the RfD/RfC Work Group

Methylene-bis(2-chloroaniline), 4,4'- 000101-14-4
A comment was added to indicate that the chronic inhalation RfC is considered not verifiable (02/10/93) by the RfD/RfC Work Group.

Methyl isobutyl ketone 000108-10-1
The chronic oral [RfD] was changed to reflect the value currently under review by the RfD/RfC Work Group (07/22/93). The chronic oral [RfD] was modified to derive the subchronic oral [RfD].

Metolachlor 051218-45-2
Added to Table 1 from the 1993 Revised and Updated Drinking Water Quantification of Toxicologic Effects for Metolachlor. The chronic oral [RfD] was adopted as the subchronic oral [RfD].

Metribuzin 021087-64-9
Added to Table 1. An indicator was added to show that the chronic oral RfD is now available on IRIS. The chronic oral RfD on IRIS was adopted as the subchronic oral [RfD].

Naphthalene 000091-20-3
The record for Naphthalene, which was inadvertently omitted from Table 1 of the Annual HEAST, has been replaced.

Nickel cyanide 000557-19-7
Added to Table 1. A comment was added to indicate that the chronic oral RfD is considered not verifiable (07/20/93) by the RfD/RfC Work Group

Nitroaniline, 2- 000088-74-4
The record for Nitroaniline, 2-, which was inadvertently omitted from Table 1 of the Annual HEAST, has been replaced.

Osmium tetroxide 020816-12-0
Added to Table 1. A comment was added to indicate that the chronic oral RfD is considered not verifiable (07/22/93) by the RfD/RfC Work Group

Simazine 000122-34-9
An indicator was added to show that the chronic oral RfD is now available on IRIS. The chronic oral RfD on IRIS was adopted as the subchronic oral [RfD].

Tetrachloroethane,1,1,1,2- 000630-20-6
No change in the tables. Reference to 1993 Revised and Updated Drinking Water Quantification of Toxicologic Effects for
1,1,1,2-Tetrachloroethane was added.

Thallic oxide 001314-32-5
A comment was added to indicate that the chronic oral RfD is considered not verifiable (07/20/93) by the RfD/RfC Work Group.

Thallium Selenite 012039-52-0
The chronic oral RfD was withdrawn from IRIS (08/93). A comment was added to indicate that the chronic oral RfD is considered not verifiable (07/20/93) by the RfD/RfC Work Group

Trichlorobenzene, 1,2,4- 000120-82-1
The chronic inhalation [RfC] was removed from Table 2. The chronic inhalation [RfC] under review by the RfD/RfC Work Group was added to Table 1. The chronic inhalation [RfC] under review by the RfD/RfC Work Group was modified to derive the subchronic inhalation [RfC].

Trifluralin 001582-09-8
No change in the tables. Reference to 1993 Revised and Updated Drinking Water Quantification of Toxicologic Effects for Trifluralin was added.

Zinc (metallic) 007440-66-6
The record for Zinc (metallic), which was inadvertently omitted from Table 1 of the Annual HEAST, has been replaced.

B. CHEMICAL-SPECIFIC CHANGES IN THE JULY 1993 AND NOVEMBER 1993 SUPPLEMENTS ON HEAST TABLE 2. SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)

Methoxyethanol, 2- 000109-86-4
The chronic oral [RfD] and the subchronic oral [RfD] were moved from Table 1 to Table 2 because they were derived from methodology that is not current with the interim methodology used by the RfD/RfC Work Group.

Trichlorobenzene, 1,2,4 000120-82-1
The chronic inhalation [RfC] was removed from Table 2 and the chronic inhalation [RfC] under review by the RfD/RfC Work Group was added to Table 1.

C. CHEMICAL-SPECIFIC CHANGES IN THE JULY 1993 AND NOVEMBER 1993 SUPPLEMENTS ON HEAST TABLE 3: CARCINOGENICITY

Chloromethane / (Methyl chloride) 000074-87-3
The record for Chloromethane, which was inadvertently omitted from Table 3 of the Annual HEAST, has been replaced.

Coke Oven Emissions 008007-45-2
An indicator was added to show that the EPA Group classification is now on IRIS.

Cyanazine 021725-46-2
Carcinogenicity information was added to Table 3 of the July 1993 Supplement from the 1993 Revised and Updated Drinking Water Quantification of Toxicologic Effects for Cyanazine. The record was revised (cancers reported and the references changed) on the November 1993 Supplement to reflect CRAVE Work Group review. There was no change in quantitative values.

Dibromo-3-chloropropane, 1,2- 000096-12-8
The inhalation [slope] and the inhalation [unit risk] were inadvertently reversed on the July 1992 Supplement 1.

Dichloropropene, 1,3- / (Telone II) 000542-75-6
The record was revised (cancers reported and the references changed) to reflect the information currently under review by the CRAVE Work Group.

Ethylene thiourea 000096-45-7
The oral [slope] and the oral [unit risk] were changed to reflect the values currently under review by the CRAVE Work Group.

Methylenebis(benzeneamine), 4,4- 000101-77-9
No [EPA Group] classification was provided in the reference document, therefore the compound was removed from Table 3.

Metolachlor 051218-45-2
Added to Table 3 from the 1993 Revised and Updated Drinking Water Quantification of Toxicologic Effects for Metolachlor.

Mirex 002385-85-5
The oral [slope] and the oral [unit risk] are under review by the CRAVE Work Group and were removed from Table 3.

TCDD, 2,3,7,8- 001746-01-6
The units for the inhalation [unit risk] were added to Table 3. There are no additional changes to the Table.

Tetrachloroethane,1,1,1,2- 000630-20-6
No change in the tables. Reference to 1993 Revised and Updated Drinking Water Quantification of Toxicologic Effects for 1,1,1,2-Tetrachloroethane was added.

Trichloropropane, 1,2,3- 000096-18-4
The oral [slope] and the oral [unit risk] being considered by the CRAVE Work Group and were added to Table 3.

D. CHEMICAL-SPECIFIC CHANGES IN THE JULY 1993 AND NOVEMBER 1993 SUPPLEMENTS ON HEAST TABLE 4A AND 4B: RADIONUCLIDE CARCINOGENICITY -- SLOPE FACTORS

No new radionuclide slope factors were added to Tables 4A and 4B, and none of the slope factors listed in the March 1993 HEAST Annual Update were changed.

USER'S GUIDE: CHEMICAL TOXICITY

The HEAST summarizes provisional toxicity and cancer values as well as values developed for the NAAQS and DWCD chemicals. The provisional status of the toxicity and cancer values is indicated by placing brackets around the title of the value. These include provisional reference concentrations ([RfC]) and provisional reference doses ([RfD]) for toxicity from subchronic and chronic inhalation and oral exposure (Tables 1 and 2) and provisional slope factors ([slope factor]), provisional cancer classifications ([EPA Group]) and provisional unit risk values ([unit risk]) for carcinogenicity, based on lifetime inhalation and oral exposure (Table 3). Brackets should be included with the acronym whenever a user quotes the value in an assessment document, and the provisional nature of the value should be noted. A more complete discussion of how Superfund develops and considers the toxicity assessment in hazardous waste sites is presented in Chapter 7 of Risk Assessment Guidance for Superfund Volume 1: Human Health Evaluation Manual, Part A, EPA/540/1-89/002.

The references listed for each chemical in the Reference Tables for Tables 1, 2 and 3 represent the study or studies that are the basis for the [RfC], [RfD], [slope factor], [EPA Group], or [unit risk], as well as the EPA reference that is the source of the Agency analysis or risk assessment information. In some cases, additional EPA documents are also listed as a source of information on the chemical. Work Group verified values found on IRIS are not found on the HEAST, but are indicated in the tables by the word "IRIS" in place of the number.

TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)

The [RfC] or [RfD] is a provisional estimate (with uncertainty spanning perhaps an order of magnitude) of the daily exposure to the human population (including sensitive subgroups) that is likely to be without an appreciable risk of deleterious effects during a portion of the lifetime, in the case of a subchronic [RfC] or [RfD], or during a lifetime, in the case of a chronic [RfC] or [RfD]. The [RfC] and [RfD] values are listed in Tables 1 and 2 in columns with the headings "Subchronic" and "Chronic". The critical dose or concentration level is usually a No-Observed-Adverse-Effect Level (NOAEL) or a Lowest-Observed-Adverse-Effect Level (LOAEL) (See Appendix A, Section IV: Effect Level Definitions, for more information). The [RfC] or [RfD] is derived by dividing the NOAEL or LOAEL by an uncertainty factor (UF) times a modifying factor (MF):

$$[RfC] \text{ or } [RfD] = \frac{NOAEL \text{ or } LOAEL}{UF \times MF}$$

In Tables 1 and 2, the information listed is the following:

Chemical	=	Chemical Name/CASRN
Level	=	Effect Level
Dose	=	Administered Dose or Concentration
Route	=	Route of Administration
Species	=	Tested Species
Experiment Length	=	Length of Exposure
Target	=	Target Organ(s) Affected at Critical Level
Critical Effect	=	Effect(s) Observed at Critical Level
Subchronic [RfC]	=	Subchronic Inhalation [Reference Concentration]
UF	=	Uncertainty Factor for the Subchronic Inhalation [Reference Concentration]
Subchronic [RfD]	=	Subchronic Oral [Reference Dose]
UF	=	Uncertainty Factor for the Subchronic Oral [Reference Dose]
Chronic [RfC]	=	Chronic Inhalation [Reference Concentration]

UF	=	Uncertainty Factor for the Chronic Inhalation [Reference Concentration]
Chronic [RfD]	=	Chronic Oral [Reference Dose]
UF	=	Uncertainty Factor for the Chronic Oral [Reference Dose]
Reference	=	Reference Identification Number for All Toxicity Values on the Same Line.

An example of this information is shown in Figure 1, HEAST Table 1:

Chemical	=	GLYCIDALDEHYDE/000765-34-4
Level	=	NOAEL
Dose	=	10 PPM
Route	=	INHALATION: INTERMITTENT
Species	=	RAT
Experiment Length	=	12 WEEKS
Target	=	WHOLE BODY, BLOOD, KIDNEY
Critical Effect	=	DECREASED WEIGHT GAIN, HEMATOPOIETIC EFFECTS, EFFECTS
Subchronic [RfC]	=	1E-2 mg/cu.m
UF	=	300
Subchronic [RfD]	=	4E-3 mg/kg/day
UF	=	300
Chronic [RfC]	=	1E-3 mg/cu.m
UF	=	3000
Chronic [RfD]	=	IRIS
UF	=	IRIS
Reference	=	005968

Notice that a Chronic RfD for Glycidaldehyde is available on IRIS, so it is not listed here. Also notice that there are footnotes for this chemical that indicate a route-to-route extrapolation was performed and that there is information available on Table 3: Carcinogenicity.

Also given in Figure 1 is an example of the References for Table 1 for the same chemical. The reference is identified by the chemical name (Glycidaldehyde), the CASRN (00765-34-4), and the reference number that links it with the toxicity values (005968).

The uncertainty factor used in calculating the [RfC] or [RfD] reflects scientific judgment regarding the various types of data used to estimate [RfC] or [RfD] values. An

FIGURE 1

Example Data and References for Chemical Toxicity

HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY) January 1992

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT	LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
GLYCIDALDEHYDE		000765-34-4								
NOAEL	10 PPM	RAT				1E-2	4E-3	1E-3	IRIS	005968
	INHALATION		12 WEEKS	WHOLE BODY	DECREASED WEIGHT GAIN	300	300	3000		
	INTERMITTENT			BLOOD	HEMATOPOIETIC EFFECTS					
				KIDNEY	EFFECTS					

SUBCHRONIC [RfD] COMMENT BASED ON ROUTE TO ROUTE EXTRAPOLATION USING AN ABSORPTION FACTOR OF 0 5
CHRONIC [RfD] COMMENT. BASED ON ROUTE TO ROUTE EXTRAPOLATION USING AN ABSORPTION FACTOR OF 0 5
GENERAL COMMENT· ALSO SEE TABLE 3 CARCINOGENICITY

REFERENCES FOR HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)

January 1992

GLYCIDALDEHYDE 000765-34-4

005968 HINE CH, RJ GUZMAN, MK DUNLAP, R LIMA AND GS LOQUVAM 1961 STUDIES ON THE TOXICITY OF GLYCIDALDEHYDE ARCH ENVIRON HEALTH 2· 23-30

US EPA 1989 HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENTFOR GLYCIDALDEHYDE PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC

uncertainty factor of 10 is usually used to account for variation in human sensitivity among populations. An additional 10-fold factor is usually used to account for each of the uncertainties assumed when extrapolating from animal data to humans, when extrapolating from a LOAEL to a NOAEL, and when extrapolating from subchronic to chronic exposure. In order to reflect professional assessment of the uncertainties of the study and the data base not explicitly addressed by the above uncertainty factors (e.g., completeness of the overall data base), an additional uncertainty factor or modifying factor ranging from greater than 0 to less than or equal to 10 is applied. The default value for this modifying factor is 1.

For chemicals for which a chronic [RfC] or [RfD] is presented in Tables 1 and 2, a subchronic [RfC] or [RfD] is usually derived, if not previously derived in the Agency documents that originally addressed the chemical. Subchronic toxicity values are not evaluated by the RfD/RfC Work Group. The subchronic [RfC] or [RfD] is derived in either of two ways: 1) If an uncertainty factor was used to account for extrapolation from subchronic to chronic exposure in the derivation of the chronic [RfC] or [RfD], then, the subchronic [RfC] or [RfD] is derived from the same benchmark concentration or dose without applying the uncertainty factor for subchronic to chronic exposure extrapolation. 2) If the chronic [RfC] or [RfD] was derived without use of an uncertainty factor for extrapolating from subchronic to chronic exposure (e.g., if chronic data were available), then, the chronic [RfC] or [RfD] is adopted as the subchronic [RfC] or [RfD].

Tables 1 and 2 list the uncertainty factor and modifying factor, multiplied together, to form a single factor under the heading "Uncertainty Factor." For example, the uncertainty factor of 3000 listed for the chronic inhalation [RfC] for Glycidaldehyde reflects an uncertainty factor of 1000 (10 for human sensitivity, 10 for extrapolation from

animal to human, and 10 for extrapolation from subchronic to chronic) and a modifying factor of 3 (for an inadequate data base); the uncertainty factor of 500 listed for the subchronic oral [RfD] for cyanide reflects an uncertainty factor of 100 (10 for human sensitivity, and 10 for extrapolation from animal to human) and a modifying factor of 5 (to account for tolerance to cyanide when ingested by food rather than administration by gavage or by drinking water).

[RfC] and [RfD] values are specific for the route of exposure for which they are listed on Tables 1 and 2. In the few instances where an [RfD] or [RfC] has been determined from another exposure route, route-to-route extrapolation is indicated by a footnote.

The current methodology for the derivation of inhalation RfCs is detailed in the document, "Interim Methods for Development of Inhalation Reference Doses" (U.S. EPA, 1990, EPA/600/8-88/066F, NTIS PB90-145723). These methods are different from those used for oral RfDs because of (1) the dynamics of the respiratory system and its diversity across species, and (2) differences in the physicochemical properties of contaminants (such as the size and shape of a particle or whether the contaminant is an aerosol or a gas). Parameters such as deposition, clearance mechanisms and the physicochemical properties of the inhaled agent are considered in the determination of the effective dose delivered to the target organ.

An RfC value calculated using this interim methodology is generally reported as a concentration in air (mg/m^3), although it may be converted to a corresponding inhaled dose (mg/kg/day) by dividing by 70 kg (an assumed human body weight), multiplying by 20 m^3/day (an assumed human inhalation rate), and adjusting by an appropriate absorption factor. This conversion, however, may often be technically incorrect, and the

appropriateness of doing this must be evaluated on a case-by-case basis. It is recommended that HEAST users that plan to use this technique read a further discussion of the difficulties inherent in this dose conversion that can be found in Appendix A, Section II: Dose Conversions On HEAST.

Inhalation [RfC] values reported in HEAs and early HEEDs that were finalized prior to the implementation of the interim methods were calculated using methods similar in concept to those used for oral [RfD]s. These values are reported both as a concentration in air (in mg/m^3 for continuous, 24 hours/day exposure) under the column [RfC], and as a corresponding inhaled dose (in mg/kg/day) in the footnotes called, Chronic (Subchronic) [RfC] Comment. These chemicals are listed in Table 2: Alternate Methods - Subchronic and Chronic Toxicity (Other Than Carcinogenicity).

[RfD] values for oral exposure are reported as mg/kg/day. An oral [RfD] value can be converted to a corresponding concentration in drinking water, assuming human body weight of 70 kg and water consumption of 2 L/day, as follows:

$$mg/L \text{ in water} = \frac{\text{oral [RfD] (in mg/kg/day)} \times 70 \text{ kg}}{2 \text{ L/day}}$$

The [RfC] or [RfD] is used as a reference point for gauging the potential effects of other exposures. Usually, exposures that are less than the [RfC] or [RfD] are not likely to be associated with health risks. As the frequency of exposures exceeding the [RfC] or [RfD] increases and as the size of the excess increases, the probability increases that adverse health effects may be observed in a human population. Nonetheless, a clear distinction that would categorize all exposures below the [RfC] or [RfD] as "acceptable" (risk-free) and all exposures in excess of the [RfC] or [RfD] as

"unacceptable" (causing adverse effects) cannot be made. In addition, [RfC] and [RfD] values, and particularly those with limitations in the quality or quantity of supporting data, are subject to change as additional information becomes available.

When [RfC] or [RfD] values are listed in Tables 1 or 2 for chemicals that are carcinogens, a footnote will refer to Table 3 if additional information concerning carcinogenicity is available in that table. [RfC] and [RfD] values that have been derived for carcinogens are based on noncancer endpoints only and should not be assumed to be protective against carcinogenicity.

TABLE 2: ALTERNATE METHODS – SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)

Chemicals are listed in Table 2 when the [RfD] or [RfC] was derived from alternative methods that are not currently practiced by the RfD/RfC Work Group. The table consists primarily of inhalation [RfC] values determined from methodology that does not follow the interim inhalation methods adopted by the Agency, and [RfC] or [RfD] values based on route-to-route extrapolation with inadequate pharmacokinetic and toxicity data. A footnote is added to each chemical to provide a short explanation of the specific methodology used in calculating these provisional toxicity values. Most of these toxicity values were formerly listed in Table 1. In some instances, the chemical may be listed in both Tables 1 and 2 if the chemical has more than one toxicity value. Table 2 follows the same format as Table 1 (refer to Figure 1).

TABLE 3: CARCINOGENICITY

In assessing the carcinogenic potential of a chemical, the Human Health Assessment Group (HHAG) of EPA classifies the chemical into one of the following groups, according to the weight of evidence from epidemiologic and animal studies:

Group A - Human Carcinogen (sufficient evidence of carcinogenicity in humans)

Group B - Probable Human Carcinogen (B1 - limited evidence of carcinogenicity in humans; B2 - sufficient evidence of carcinogenicity in animals with inadequate or lack of evidence in humans)

Group C - Possible Human Carcinogen (limited evidence of carcinogenicity in animals and inadequate or lack of human data)

Group D - Not Classifiable as to Human Carcinogenicity (inadequate or no evidence)

Group E - Evidence of Noncarcinogenicity for Humans (no evidence of carcinogenicity in adequate studies).

These classifications are shown under [EPA Group] on Table 3.

Quantitative carcinogenic risk assessments are performed for chemicals in Groups A and B, and on a case-by-case basis for chemicals in Group C. Cancer [slope factors] (formerly called cancer potency factors in the Superfund Public Health Evaluation Manual) are estimated through the use of mathematical extrapolation models, most commonly the linearized multistage model, for estimating the largest possible linear slope (within the 95% confidence limit) at low extrapolated doses that is consistent with the data. The [slope factor] or risk is characterized as an upper-bound estimate, i.e., the true risk to humans, while not identifiable, is not likely to exceed the upper-bound estimate and in fact may be lower.

Quantitative carcinogenic estimates listed in Table 3 include the following:

[slope factor] = risk per unit dose = risk per mg/kg/day

[unit risk] for inhalation exposure = risk per concentration unit in air = risk per $\mu g/m^3$

[unit risk] for oral exposure = risk per concentration unit in water = risk per $\mu g/L$

[Unit risk] estimates for inhalation and oral exposure can be calculated by dividing the appropriate [slope factor] by 70 kg and multiplying by the inhalation rate (20 m^3/day) or the water consumption rate (2 L/day), respectively, for risk associated with unit concentration in air or water. Hence,

$$\text{risk per } \mu g/m^3 \text{ (air)} = (\text{risk per mg/kg/day}) \times \frac{1}{70\text{ kg}} \times 20\ m^3/\text{day} \times 10^{-3}(\text{mg}/\mu g)$$

$$\text{risk per } \mu g/L \text{ (water)} = (\text{risk per mg/kg/day}) \times \frac{1}{70\text{ kg}} \times 2\ L/\text{day} \times 10^{-3}\ (\text{mg}/\mu g)$$

Quantitative estimates of carcinogenic risk are listed under [Unit Risk] or [Slope Factor] in Table 3. Information on the study and data set used for estimation of the [slope factor] is given in the other columns of Table 3.

In Table 3, the information listed is the following:

Chemical	=	Chemical Name/CASRN
Route	=	Route of Administration
Species	=	Tested Species
Experiment Length	=	Length of Exposure
Target	=	Target Organ(s) Affected at Critical Level
Cancer	=	Tumors Observed at Critical Level (Not Specified if More Than One Type of Tumor)
[EPA Group]	=	EPA Classification by Weight of Evidence
Oral [Slope Factor]	=	Risk Per Unit Dose
Inhalation [Slope Factor]	=	Risk Per Unit Dose
Oral [Unit Risk]	=	Risk Per Concentration Unit in Water
Inhalation [Unit Risk]	=	Risk Per Concentration Unit in Air
Reference	=	Reference Identification Number for All Toxicity Values on the Same Line.

An example of this information is shown in Figure 2, HEAST Table 3:

Chemical	=	DIMETHYLHYDRAZINE, 1,2-/000077-78-1
Route	=	ORAL: DRINKING WATER
Species	=	MOUSE
Experiment Length	=	LIFETIME
Target	=	CARDIOVASCULAR SYSTEM
Cancer	=	TUMORS
[EPA Group]	=	B2
Oral [Slope Factor]	=	3.7E+1 (MG/KG/DAY)-1
Inhalation [Slope Factor]	=	3.7E+1 (MG/KG/DAY)-1
Oral [Unit Risk]	=	1.1E-3 (UG/L)-1
Inhalation [Unit Risk]	=	1.1E-2 (UG/CU M)-1
Reference	=	009993

Notice that the inhalation values for 1,2-Dimethylhydrazine was extrapolated from the oral data.

Also given in Figure 2 is an example of the References for Table 3 for the same chemical. The reference is identified by the chemical name (Dimethylhydrazine, 1,2-), the CASRN (000077-78-1), and the reference number that links it with the toxicity values (009993).

Quantitative carcinogenic estimates are specific for the route of exposure for which they are listed on Table 3. Footnotes are used to indicate those instances in which the values for inhalation or oral exposure are based on extrapolation from another route of exposure. The route-to-route conversion required to present inhalation [slope factors] in the units of mg/kg/day is considered by the CRAVE Work Group to be technically incorrect. It is recommended that HEAST users who plan to use this information read a further discussion of the difficulties inherent in this dose conversion which can be found in Appendix A, Section II: Dose Conversions On HEAST.

To estimate risk-specific concentrations in air from the [unit risk] in air as presented in Table 3, the specified level of risk is divided by the [unit

FIGURE 2

Example Data and References for Carcinogenicity

HEAST TABLE 3: CARCINOGENICITY

January 1992

CHEMICAL ROUTE	EXPERIMENT LENGTH SPECIES	TARGET	CANCER	[EPA GROUP]	[SLOPE FACTOR] ORAL (mg/kg/day) [1]	[SLOPE FACTOR] INHALATION (mg/kg/day) [1]	[UNIT RISK] ORAL (ug/L) [1]	[UNIT RISK] INHALATION (ug/cu m) [1]	REFERENCE
DIMETHYLHYDRAZINE,1,2- 000077 78-1									
ORAL DRINKING WATER	LIFETIME			B2	3 7E+1	3 7E+1	1 1E-3	1 1E-2	009993
	MOUSE	CARDIOVASCULAR SYSTEM	TUMORS						
Inhalation [Slope] Comment		BASED ON ROUTE TO ROUTE EXTRAPOLATION							

REFERENCES FOR HEAST TABLE 3: CARCINOGENICITY

January 1992

DIMETHYLHYDRAZINE, 1,2- 000077-78-1

009993 TOTH B AND K PATEL 1982 CARCINOGENICITY DOSE-RESPONSE STUDY BY CONTINUOUS ADMINISTRATION OF 1,2-DIMETHYLHYDRAZINE DI-HYDROCHLORIDE IN MICE I LIGHT AND TRANSMISSION ELECTRON MICROSCOPIC STUDY OF COLONOIC NEOPLASMS AM. J OF PATH 84 69-86.

US EPA 1988 CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP

risk] for air. Hence, the air concentration (in $\mu g/m^3$) corresponding to an upper-bound increased lifetime cancer risk of $1x10^{-5}$ is calculated as follows:

$$\mu g/m^3 \ in \ air = \frac{1x10^{-5}}{[unit \ risk] \ in \ (\mu g/m^3)^{-1}}$$

To estimate risk-specific concentrations in drinking water from the oral [slope factor] values presented in Table 3, the specified level of risk is multiplied by 70 kg and divided by the [slope factor] times 2 L/day. Hence, the water concentration corresponding to an upper-bound increased lifetime cancer risk of $1x10^{-5}$ is calculated as follows:

$$mg/L \ in \ water = \frac{1x10^{-5} \ x \ 70 \ kg}{[slope \ factor] \ in \ (mg/kg/day)^{-1} \ x \ 2 \ L/day}$$

USER'S GUIDE: RADIONUCLIDE CARCINOGENICITY

INTRODUCTION

EPA classifies all radionuclides as Group A (known human) carcinogens. HEAST Tables 4A and 4B list ingestion, inhalation and external exposure cancer slope factors for radionuclides in units of picocuries and becquerels, respectively.[1] Ingestion and inhalation slope factors are best estimates (i.e., median or 50th percentile values) of the age-averaged, lifetime excess cancer incidence (fatal and nonfatal cancer) risk per unit of activity inhaled or ingested, expressed as risk/pCi or risk/Bq. External exposure slope factors are best estimates of the lifetime excess cancer incidence risk for each year of exposure to external radiation from photon-emitting radionuclides distributed uniformly in a thick layer of soil, and are expressed as risk/yr per pCi (or Bq)/gram of soil. When combined with site-specific media concentration data and appropriate exposure assumptions[2], slope factors can be used to estimate lifetime cancer risks to members of the general population due to radionuclide exposures.

---

1 Slope factors are reported in Tables 4A and 4B in two different units of activity. Table 4A presents slope factors in the customary units of picocuries (1 pCi = 10^{-12} curies (Ci) = 3.7×10^{-2} nuclear transformations per second) for consistency with the system used for radionuclides in the IRIS database; Table 4B presents slope factors in the International System (SI) units of becquerels (1 Bq = 1 nuclear transformation per second; approximately 27 pCi). Users can calculate cancer risks using slope factors expressed in either customary units or SI units with equivalent results, provided that they also use air, water and soil concentration values in the same system of units.

2 Agency standardized default exposure scenarios and assumptions for use in baseline risk assessment are provided in EPA (1991), *Human Health Evaluation Manual, Supplemental Guidance:* "Standard Default Exposure Factors" (Interim Final), Office of Emergency and Remedial Response, OSWER Directive 9285.6-03. [NTIS order number: PB 91-921314.]

INTENDED USERS AND APPLICATIONS

HEAST users include individuals from the EPA, other Federal agencies, States and contractors who are responsible for the identification, characterization and remediation of sites contaminated with radioactive materials. Radionuclide slope factors are calculated by EPA's Office of Radiation and Indoor Air (ORIA) to assist HEAST users with risk-related evaluations and decision-making at various stages of the remediation process. During site assessment, for example, slope factors are used in EPA's Hazard Ranking System (HRS) to assign toxicity factor values to radionuclides to calculate site scores. During the remedial investigation and feasibility study (RI/FS), slope factors are used to determine baseline site risk, to develop preliminary remediation goals, and to evaluate cleanup alternatives. For further examples on the application of radionuclide slope factors in risk evaluations, users are referred to the following EPA documents:

- Hazard Ranking System (HRS), *Federal Register* (55 FR 515320), December 1990.
- *Risk Assessment Guidance for Superfund; Volume I - Human Health Evaluation Manual* (RAGS/HHEM), Part A, Baseline Risk Assessment (EPA/540/1-89/002).
- RAGS/HHEM Part B, Development of Risk-Based Preliminary Remediation Goals (OSWER Directive 9285.7-01B). [NTIS order number: PB 92-963333.]
- RAGS/HHEM Part C, Risk Evaluation of Remedial Alternatives (OSWER Directive 9285.7-01C). [NTIS order number: PB 92-963334.]

Copies of RAGS/HHEM Parts A, B and C are available to the public from the National Technical Information Service (NTIS) at (703)487-4650. Copies are available to EPA staff by calling the Superfund Documents Center at (202)260-9760.

RADIATION EFFECTS

Ionizing radiation has been shown to be a carcinogen, a mutagen, and a teratogen. At sufficiently high doses, radiation acts as a complete carcinogen, serving as both an initiator and promoter, and can induce cancers in nearly any tissue or organ in both humans and animals. At lower doses and dose rates, radiation produces delayed responses in the form of increased incidence of cancer long after the exposure period. These delayed responses have been documented extensively in epidemiological studies of Japanese atomic bomb survivors, underground uranium miners, radium dial painters, and patients subject to a variety of radiation treatments. Laboratory animal research and mammalian tissue culture studies have provided additional, collaborative data.

Mutagenic effects of radiation have been demonstrated primarily in animal and tissue culture studies; limited data from studies of A-bomb survivors indicate that humans may be as sensitive or less sensitive than animals to radiogenic mutagenicity. Data are also available from both human and animal studies on the teratogenic effects of radiation. These data show that the fetus is most sensitive to radiation injury during the early stages of organ development (between 8 and 15 weeks for the human fetus). Resultant radiation-induced malformations depend on which cells are most actively differentiating at the time of exposure.

EPA classifies all radionuclides as Group A carcinogens, based on their property of emitting ionizing radiation and on the extensive weight of evidence provided by epidemiological studies of radiogenic cancers in humans. At Superfund radiation sites, EPA generally evaluates potential human health risks based on the radiotoxicity, i.e., adverse health effects caused by ionizing radiation, rather than on the chemical toxicity, of each radionuclide present. These evaluations consider the carcinogenic effects of

radionuclides only. In most cases, cancer risks are limiting, exceeding both mutagenic and teratogenic risks.

DERIVATION OF RADIONUCLIDE SLOPE FACTORS

EPA's Office of Radiation and Indoor Air (ORIA) calculates radionuclide slope factor values using health effects data and dose and risk models from a number of national and international scientific advisory commissions and organizations, including the National Academy of Sciences (NAS), the National Council on Radiation Protection and Measurements (NCRP), the United Nations Scientific Committee on the Effects of Atomic Radiation (UNSCEAR), and the International Commission on Radiological Protection (ICRP). A detailed discussion of ORP's approach and assumptions is provided in *Risk Assessment Methodology, Environmental Impact Statement, NESHAPS for Radionuclides, Background Information Document - Volume I* (EPA 520/1-89-005: September 1989).

Radionuclide slope factors are calculated for each radionuclide individually, based on its unique chemical, metabolic and radioactive properties. The calculation uses EPA's computer code RADRISK[3], life table analyses (described in EPA 520/1-89-005), and cancer risk estimates based largely on the results of the NAS BEIR III report.[4] Ingestion and inhalation slope factors for radionuclides account for:

---

3 Dunning, D.E. Jr., Leggett, R.W., and Yalcinatas, M.G. (1980). "A Combined Methodology for Estimating Dose Rates and Health Effects from Exposure to Radioactive Pollutants." ORNL/TM-7105.

4 National Academy of Sciences (1980). The Effects on Populations of Exposure to Low Levels of Ionizing Radiation, Report of the Committee on the Biological Effects of Ionizing Radiation (BEIR III), National Research Council, Washington, D.C. EPA anticipates that the slope factors for radionuclides in HEAST will be modified in the future to incorporate the results of BEIR V (1990) and/or other relevant sources.

- the amount of radionuclide transported into the bloodstream from either the gastrointestinal (GI) tract following ingestion, or from the lungs following inhalation;

- the ingrowth and decay of radioactive progeny produced within the body subsequent to intake;

- the distribution and retention of each radionuclide (and its associated progeny, if appropriate) in body tissues and organs;

- the radiation dose delivered to body tissues and organs from the radionuclide (and its associated progeny, if appropriate); and

- the sex, age, and organ-specific risk factors over the lifetime of exposure.

The slope factors are the average risk per unit intake or exposure for an individual in a stationary population with vital statistics (mortality rates) of the United States in 1970. (The expected lifetime for an individual in this population is about 70 years.) Consequently, radionuclide ingestion and inhalation slope factors are <u>not</u> expressed as a function of body weight and time, and do <u>not</u> require corrections for gastrointestinal absorption or lung transfer efficiencies.

NOTE: ***The GI absorption values (f_1), ICRP lung classifications (D, W, Y) and radioactive half-lives are provided in HEAST Tables 4A and 4B for reference only and should not be used to correct, modify, or in any way adjust radionuclide slope factors or intake assumptions in risk calculations.***

External slope factors provide cancer risk estimates per unit exposure to a uniform radionuclide concentration in soil. These factors, which account for photon energy flux attenuation and buildup in soil, are calculated for each radionuclide using volume and surface dose factors derived using the computer code DFSOIL.[5]

Because of the radiation risk models employed for both internal and external exposures, slope factors for radionuclides are characterized as best estimates (i.e., median or 50th percentile values) of the age-averaged lifetime total excess cancer incidence risk per unit intake or exposure.

ABOUT THE INFORMATION PROVIDED IN TABLES 4A AND 4B:

Tables 4A and 4B list ingestion, inhalation and external exposure slope factors of principal radionuclides, and provide key parameter values used in the derivation of slope factor values. In both tables, radionuclides are presented alphabetically by element and atomic weight.

Selected radionuclides that have radioactive Decay products are designated within the HEAST tables with the suffix "+D" (e.g., U-238+D, Ra-226+D, Cs-137+D) to indicate

---

Sjoreen, A.L., Kocher, D.C., Killough, G.G. and Miller C.W. (1984). "MLSOIL and DFSOIL - Computer Codes to Estimate Effective Ground Surface Concentrations for Dose Computations." Oak Ridge National Laboratory, Oak Ridge, TN, ORNL-5974.

that the cancer risk estimates for such radionuclides include the contributions from either all, or only some, of their decay products. The slope factor for a radionuclide marked with a "+D" accounts for risk from all direct progeny with half-lives of less than one year. The slope factor for U-238+D, for example, includes the risk from U-238, Th-234, and Pa-234, but not from U-234 or any of its progeny.

Decay sub-chains included in the HEAST Tables 4A and 4B are identified in Exhibit 1, and members of such sub-chains are noted in the HEAST tables with a dagger ("†"). The rationale for the one year half-life cutoff for members of a sub-chain is that such radionuclides are likely to achieve secular equilibrium with the parent over the time scales commonly encountered in environmental remediation, while radionuclides with longer half-lives may not.

When a radionuclide is in secular equilibrium with all its progeny, one should add the slope factors for all the relevant sub-chains. To assess risk from Ra-226 in equilibrium with all its progeny, for example, one adds the slope factors for Ra-226+D and Pb-210+D.

In most cases, site-specific analytical data should be used to establish the actual degree of equilibrium between each parent radionuclide and its decay products in each media sampled. However, in the absence of empirical data, the "+D" values for radionuclides should be used unless there are compelling reasons not to. For example, the external slope factors for Cs-137 and Cs-137+D are 0.0 and $2x10^{-6}$ (risk per year per pCi/gram), respectively. The value for Cs-137+D is higher because it includes the risk contribution from cesium's short-lived gamma-emitting decay product Ba-137m (half-life, 25.5 minutes) which, under most environmental conditions, will be in secular equilibrium with Cs-137.

Note that there may be circumstances, such as long disposal times or technologically enhanced concentrations of naturally occurring radionuclides, that may necessitate the combination of the risks of a parent radionuclide and its decay products over several contiguous subchains. For example, Ra-226 soil analyses at a site might show that all radium decay products are present in secular equilibrium down to stable Pb-206 (See Exhibit 1). In this case, Ra-226 risk calculations should be based on the ingestion, inhalation and external exposure slope factors for the Ra-226+D subchain, plus the ingestion, inhalation and external exposure factors for the Pb-210+D subchain. For actual sites, users should consult with a health physicist or radiochemist (1) to evaluate the site-specific analytical data to determine the degree of equilibrium between parent radionuclides and decay members of contiguous decay chains, and (2) to assist in the combination of appropriate slope factor values. For health physics and radioanalytical support, HEAST users may contact EPA's Regional Radiation Program Staff, ORIA's National Air and Radiation Laboratory (NAREL) in Montgomery, Alabama, ORIA's Las Vegas Laboratory (ORP-LV) in Las Vegas, Nevada, or the ORIA staff at EPA Headquarters in Washington, DC, listed in Exhibit 2.

A Chemical Abstract System Reference Number (CASRN) is assigned to each radionuclide for identification and reporting accuracy during risk assessments. Users should report a CASRN for all radionuclides (both parent and decay product radionuclides) included in risk calculations. Radioactive half-lives are provided in the HEAST tables for reference.

The designations "D", "W", and "Y" presented under the heading "ICRP Lung Class" in the tables refer to the lung clearance times for inhaled particulate radionuclides, expressed as days (D), weeks (W), or years (Y), as recommended by the International

Commission on Radiological Protection (ICRP). Gaseous radionuclides, e.g., Rn-222, are designated with an asterisk ("*"). "GI Absorption Factors, f_1" are the fractional amounts of each radionuclide that may be absorbed from the gastrointestinal (GI) tract into blood following an oral intake. The ICRP lung clearance classifications and GI absorption factors provided in Tables 4A and 4B are the default values that EPA used to calculate radionuclide slope factors for inhalation and ingestion exposures, respectively. These factors are provided for reference only (see the Note Box on the previous page).

WHERE TO ADDRESS QUESTIONS ABOUT RADIONUCLIDE SLOPE FACTORS

EPA continuously reviews the scientific literature on radiation effects to ensure that the Agency's risk assessment methodologies are consistent with current models and assumptions. As risk assessment methodologies are refined, the slope factors in Tables 4A and 4B will be revised and updated.

HEAST users with questions about radionuclide slope factor values and their use in radiation risk assessments should contact the Remedial Guidance Section of the Radiation Assessment Branch of ORIA at (202)233-9350. Written requests for assistance can be sent by fax to (202)233-9650.

Exhibit 1: Radioactive Decay Chains Included in HEAST Tables 4A and 4B*

Principal Decay Chain	Subchain[a]	Members[b]	Half-life[c]
Uranium-238	U-238+D	U-238	4.468E+09 Y
		Th-234	2.410E+01 D
		Pa-234	1.170E+00 M
	U-234	U-234	2.445E+05 Y
	Th-230	Th-230	7.700E+04 Y
	Ra-226+D	Ra-226	1.600E+03 Y
		Rn-222[11]	3.823E+00 D
		Po-218	3.050E+00 M
		Pb-214	2.680E+01 M
		Bi-214	1.990E+01 M
		Po-214	1.637E-04 S
	Pb-210+D	Pb-210	2.226E+01 Y
		Bi-210	5.013E+00 D
		Po-210	1.384E+02 D
	Pb-206	Pb-206	[Stable]
Uranium-235	U-235+D	U-235	7.038E+08 Y
		Th-231	2.552E+01 H
	Pa-231	Pa-231	3.726E+04 Y
	Ac-227+D	Ac-227	2.177E+01 Y
		Th-227 [99%]	1.872E+01 D
		Ra-233	1.143E+01 D
		Rn-219	3.960E+00 S
		Po-215	1.778E-03 S
		Pb-211	3.610E+01 M
		Bi-211	2.130E+00 M
		Tl-207	4.770E+00 M
	Pb-207	Pb-207	[Stable]
Thorium-232	Th-232	Th-232	1.405E+10 Y
	Ra-228+D	Ra-228	5.750E+00 Y
		Ac-228	6.130E+00 H
	Th-228+D	Th-228	1.913E+00 Y
		Ra-224	3.620E+00 D
		Rn-220	5.561E+01 S
		Po-216	1.460E-01 S
		Pb-212	1.064E+01 H
		Bi-212	6.055E+01 M
		Po-212 [64%]	2.980E-07 S
		Tl-208 [36%]	3.053E+00 M
	Pb-208	Pb-208	[Stable]

Exhibit 1: Radioactive Decay Chains Included in HEAST Tables 4A and 4B

(Continued)*

Principal Decay Chain	Subchain[a]	Members[b]	Half-life[c]
Neptunium-237	Np-237+D	Np-237	2.140E+06 Y
		Pa-233	2.700E+01 D
	U-233	U-233	1.592E+05 Y
	Th-229+D	Th-229	7.340E+03 Y
		Ra-225	1.480E+01 D
		Ac-225	1.000E+01 D
		Fr-221	4.800E+00 M
		At-217	3.230E-02 S
		Bi-213	4.565E+01 M
		Po-213 [98%]	4.200E-06 S
		Tl-209 [2%]	2.200E+00 M
		Pd-209	3.253E+00 H
	Bi-209	Bi-209	[Stable]
Americium-243	Am-243+D	Am-243	7.380E+03 Y
		Np-239	2.355E+00 D
Cesium-137	Cs-137+D	Cs-137	3.017E+01 Y
		Ba-137m	2.552E+00 M
Strontium-90	Sr-90+D	Sr-90	2.860E+01 Y
		Y-90	6.410E+01 H

* See the discussion on radioactive decay chains in the User's Guide.

[a] Radioactive decay chains included in HEAST Tables 4A and 4B. Radionuclides marked with the suffix "+D" include risks from decay chain members, assuming secular equilibrium (i.e., equal activity concentrations) in the environment.

[b] The chain of decay products of a parent radionuclide extends to (but does not include) members of the next subchain (e.g., U-238+D includes U-238, Th-234 and Pa-234, but not U-234). Note that there may be circumstances when it may be necessary to combine the risks for a parent radionuclide over several contiguous subchains, depending on the conditions of equilibrium. Branches in the decay chain are indicated in square brackets with branching percentages in parentheses.

[†] A radon-222 decay subchain, Rn-222+D, is also included in the HEAST tables, comprised of ingestion, inhalation and external exposure slope factors for Rn-222 plus the corresponding slope factors for each of its decay products (Po-218, Pb-214, Bi-214 and Po-214). For the ingestion and external exposure slope factors for Rn-222+D, decay products are assumed to be in secular equilibrium. For the inhalation slope factor, decay products are assumed to be in 50% equilibrium.

[c] Radioactive half-life in years (Y), days (D), hours (H), minutes (M) or seconds (S).

Exhibit 2. EPA Radiation Program Staff

Tom D'Avanzo (617) 565-4502
Radiation Program Manager, Region 1
U.S. Environmental Protection Agency
John F. Kennedy Federal Building
Room 2311
Boston, MA 02203

Paul A. Giardina (212) 264-4110
Radiation Branch Chief, Region 2
U.S. Environmental Protection Agency
Room 1005 (AWM-RAD)
26 Federal Plaza
New York, NY 10278

Lewis K. Felleisen (215) 597-8326
Radiation Program Manager, Region 3
Special Program Section (3AM12)
U.S. Environmental Protection Agency
841 Chestnut Street
Philadelphia, PA 19107

Chuck Wakamo (404) 347-3907
Radiation Program Manager, Region 4
U.S. Environmental Protection Agency
345 Courtland Street, NE
Atlanta, GA 30365

Jack Barnette (312) 886-6175
Radiation Program Manager, Region 5
(5AR26)
U.S. Environmental Protection Agency
230 S. Dearborn Street
Chicago, IL 60604

Donna M. Ascenzi (214) 655-7224
Radiation Program Manger, Region 6
U.S. Environmental Protection Agency
Air Enforcement Branch (6T-E)
Air, Pesticides and Toxics Division
1445 Ross Avenue
Dallas, TX 75202-2733

Robert Dye (913) 551-7605
Radiation Program Manager, Region 7
U.S. Environmental Protection Agency
726 Minnesota Avenue
Kansas City, KS 66101

Exhibit 2. EPA Radiation Program Staff (Continued)

Milton W. Lammering (303) 293-1440
Radiation and Indoor Air Program
Branch Chief, Region 8
(8HWM-RP)
U.S. Environmental Protection Agency
Suite 500
999 18th Street
Denver, CO 80202-2405

Michael S. Bandrowski (415) 744-1048
Radiation and Indoor Air Office
Director, Region 9
(A1-1)
U.S. Environmental Protection Agency
75 Hawthorne Street
San Francisco, CA 94105

Jerry Leitch (206) 553-7660
Radiation Program Manager, Region 10
(AT-082)
U.S. Environmental Protection Agency
1200 Sixth Avenue
Seattle, WA 98101

Samuel T. Windham, Director (205) 270-3400
National Air and Radiation
Environmental Laboratory (NAREL)
Office of Radiation and Indoor Air
U.S. Environmental Protection Agency
1504 Avenue A
Montgomery, AL 36115-2601

Jed Harrison, Acting Director (702) 798-2476
Office of Radiation and Indoor Air
Las Vegas Facility (ORP/LVF)
U.S. Environmental Protection Agency
P.O. Box 98517
Las Vegas, NV 89193-8517

Nicholas Lailas, Chief (202) 233-9350
Office of Radiation and Indoor Air
Radiation Assessment Branch
Radiation Studies Division (6603-J)
U.S. Environmental Protection Agency
401 M Street, SW
Washington, DC 20460

Exhibit 2. EPA Radiation Program Staff (Concluded)

Anthony B. Wolbarst, Chief (202) 233-9392
Office of Radiation and Indoor Air
Remedial Guidance Section
Radiation Assessment Branch
Radiation Studies Division (6603-J)
U.S. Environmental Protection Agency
401 M Street, SW
Washington, DC 20460

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
ACENAPHTHENE		**000083-32-9**							
NOAEL 175 MG/KG/DAY	ORAL: GAVAGE	MOUSE 90 DAYS	LIVER	HEPATOTOXICITY		6E-1 300		IRIS	010165
ACENAPTHYLENE		**000208-96-8**							
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT									005202
ACEPHATE		**030560-19-1**							
LOAEL 2 PPM	ORAL: DIET	RAT 13 WEEKS	BRAIN	DECREASED CHOLINESTERASE ACTIVITY		4E-3 30		IRIS	005833
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.									
ACETONE		**000067-64-1**							
NOEL 100 MG/KG/DAY	ORAL: GAVAGE	RAT 90 DAYS	LIVER KIDNEY KIDNEY	INCREASED WEIGHT INCREASED WEIGHT NEPHROTOXICITY		1E+0 100		IRIS	005204
ACETONE CYANOHYDRIN		**000075-86-5**							
NOEL 10.8 MG CN/KG/DAY	ORAL: DIET	RAT 104 WEEKS	WHOLE BODY THYROID CENTRAL NERVOUS SYSTEM	ALTERED WEIGHT EFFECTS EFFECTS		7E-2 500		7E-2 500	005776

SUBCHRONIC [RfC] COMMENT: ALSO SEE HEAST TABLE 2: ALTERNATE METHODS -- SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)
SUBCHRONIC [RfD] COMMENT: CALCULATED BY ANALOGY TO FREE CYANIDE BY CORRECTING FOR DIFFERENCES IN MOLECULAR WEIGHT.
CHRONIC [RfC] COMMENT: ALSO SEE HEAST TABLE 2: ALTERNATE METHODS -- SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)
CHRONIC [RfD] COMMENT: CALCULATED BY ANALOGY TO FREE CYANIDE BY CORRECTING FOR DIFFERENCES IN MOLECULAR WEIGHT.

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
ACETONITRILE		**000075-05-8**							
NOAEL 100 PPM	INHALATION: INTERMITTENT	MOUSE 92 DAYS	ERYTHROCYTES	DECREASED CELL COUNT		6E-2		IRIS	005210
			BLOOD	DECREASED HEMATOCRIT		300			
			LIVER	HEPATIC LESIONS					

SUBCHRONIC [RfC] COMMENT: ALSO SEE HEAST TABLE 2: ALTERNATE METHODS -- SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)
SUBCHRONIC [RfD] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION USING AN ABSORPTION FACTOR OF 0.5.
CHRONIC [RfC] COMMENT: ALSO SEE HEAST TABLE 2: ALTERNATE METHODS -- SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)
CHRONIC [RfD] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION USING AN ABSORPTION FACTOR OF 0.5. UNDER REVIEW, CURRENT NUMBER SUBJECT TO CHANGE.

ACETOPHENONE		**000098-86-2**							
NOAEL 10,000 PPM	ORAL: DIET	RAT 17 WEEKS		NONE OBSERVED		1E+0		IRIS	005212
						300			
									010874

CHRONIC [RfC] COMMENT: THE CHRONIC INHALATION [RfC] IS CONSIDERED NOT VERIFIABLE (06/25/92) BY THE RfD/RfC WORK GROUP.

ACROLEIN		**000107-02-8**							
NOAEL 15.6 MG/KG/DAY	ORAL: WATER	RAT 90 DAYS						2E-2	010390
								1000	
							IRIS		010856

GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.

SUBCHRONIC [RfC] COMMENT: CONTACT THE SUPERFUND HEALTH RISK TECHNICAL SUPPORT CENTER: (513) 569-7300.
SUBCHRONIC [RfD] COMMENT: CONTACT THE SUPERFUND HEALTH RISK TECHNICAL SUPPORT CENTER: (513) 569-7300.

ACRYLAMIDE		**000079-06-1**							
NOEL 0.2 MG/KG/DAY	ORAL: DRINKING WATER	RAT 90 DAYS	NERVE	DAMAGE		2E-3		IRIS	005835
						100			
							IRIS		010876

GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.

CHRONIC RfC COMMENT: THE CHRONIC INHALATION RfC IS CONSIDERED NOT VERIFIABLE (09/20/90) BY THE RfD/RfC WORK GROUP.

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
ACRYLIC ACID		**000079-10-7**							
NOAEL 83 MG/KG/DAY	ORAL: DRINKING WATER	RAT 3 MONTHS	WHOLE BODY ORGANS, MAJOR	DECREASED WEIGHT ALTERED WEIGHT		8E-1 100		IRIS	005836
LOAEL 5 PPM	INHALATION: INTERMITTENT	MOUSE 13 WEEKS	NASAL MUCOSA	LESIONS	3E-3 100		IRIS		010346
ACRYLONITRILE		**000107-13-1**							
NOAEL 1 MG/(KG-DAY)	ORAL: GAVAGE	MOUSE 60 DAYS	TESTES TESTES	DECREASED SPERM COUNTS SEMINIFEROUS TUBULE DEGENERATION		1E-2 100		1E-3 1000	010939

SUBCHRONIC [RfD] COMMENT: THE CHRONIC [RfD] UNDER REVIEW BY THE RfD/RfC WORK GROUP WAS MODIFIED TO DERIVE THE SUBCHRONIC [RfD].
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY

ADIPONITRILE 000111-69-3

GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT 005157

ALACHLOR		**015972-60-8**							
NOEL 1 MG/KG/DAY	ORAL: CAPSULE	DOG 1 YEAR	BLOOD SITES, MULTIPLE	ANEMIA HEMOSIDEROSIS		1E-2 100		IRIS	005837

SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
ALDICARB		**000116-06-3**							
NOAEL 0.01 MG/KG-DAY	ORAL	HUMAN ACUTE	CENTRAL NERVOUS SYSTEM	SWEATING		1E-3 10		IRIS	010960
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].									
GENERAL COMMENT: CLINICAL SIGNS OF ACETYL CHOLINESTERASE INHIBITION INCLUDING SWEATING, PINPOINT PUPILS, LEG WEAKNESS, NAUSEA, DIARRHEA AND OTHER EFFECTS WERE OBSERVED IN THE PRINCIPAL AND SUPPORTING STUDIES.									
ALDRIN		**000309-00-2**							
LOAEL 0.025 MG/KG/DAY	ORAL: DIET	RAT 2 YEARS	LIVER	LESIONS		3E-5 1000		IRIS	005159
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].									
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.									
ALLIDOCHLOR		**000093-71-0**							
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT.									005838
ALLYL ALCOHOL		**000107-18-6**							
NOEL 50 PPM	ORAL: DRINKING WATER	RAT 15 WEEKS	LIVER KIDNEY	EFFECTS EFFECTS		5E-2 100		IRIS	005839
ALLYL CHLORIDE		**000107-05-1**							
NOAEL 17 MG/CU M	INHALATION: INTERMITTENT	RABBIT 5 MONTHS	NERVOUS SYSTEM	NEUROTOXICITY	1E-2 300		IRIS		010369
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.									
ALUMINUM		**007429-90-5**							
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT									005162

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
ALUMINUM PHOSPHIDE 020859-73-8									
NOAEL 0.43 MG/KG/DAY		RAT							
	ORAL: DIET	2 YEARS	WHOLE BODY	ALTERED WEIGHT		4E-4		IRIS	010255
			UNSPECIFIED	ALTERED CLINICAL PARAMETERS		100			
AMETRYN 000834-12-8									
NOEL 10 MG/KG/DAY		RAT							
	ORAL: GAVAGE	13 WEEKS	LIVER	EFFECTS		9E-2		IRIS	005841
						100			
AMINO-2-NAPHTHOL, 1- 002834-92-6									
	GENERAL COMMENT:	DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT.							005842
AMINO-2-NAPHTOL HYDROCHLORIDE, 1- 001198-27-2									
	GENERAL COMMENT:	DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT.							005843
AMINOPHENOL, M- 000591-27-5									
NOAEL 1300 PPM		RAT							
	ORAL: DIET	13 WEEKS	WHOLE BODY	ALTERED WEIGHT		7E-1		7E-2	005844
			THYROID	ALTERED WEIGHT		100		1000	
AMINOPHENOL, O- 000095-55-6									
	GENERAL COMMENT:	DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT.							005845
AMINOPHENOL, P- 000123-30-8									
	GENERAL COMMENT:	DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT.							005846
AMINOPYRIDINE, 4- 000504-24-5									
NOAEL 3 PPM		RAT							
	ORAL: DIET	90 DAYS	LIVER	INCREASED WEIGHT		2E-4		2E-5	005847
			BRAIN	INCREASED WEIGHT		1000		10000	

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
AMMONIA		007664-41-7							
NOAEL 34 MG/L		HUMAN							
	ORAL: DRINKING WATER		SENSORY	TASTE THRESHOLD		34 MG/L 1		34 MG/L 1	005166
	SUBCHRONIC [RfD] COMMENT: GIVEN AS CONCENTRATION IN DRINKING WATER. SPECIFICALLY RELATED TO ORGANOLEPTIC THRESHOLD. SAFE CONCENTRATION MAY BE HIGHER, BUT DATA ARE INADEQUATE TO ASSESS.								
	CHRONIC [RfD] COMMENT: GIVEN AS CONCENTRATION IN DRINKING WATER. SPECIFICALLY RELATED TO ORGANOLEPTIC THRESHOLD. SAFE CONCENTRATION MAY BE HIGHER, BUT DATA ARE INADEQUATE TO ASSESS.								
NOAEL 6.4 MG/CU M		HUMAN							
	INHALATION: INTERMITTENT		NASAL CAVITY	RHINITIS	1E-1		IRIS		010392
			LUNGS	PNEUMONIA	30				
			LUNGS	LESIONS					
ANILINE		000062-53-3							
NOAEL 19 MG/CU M		MOUSE							
	INHALATION: INTERMITTENT	20-26 WEEKS	SPLEEN	PATHOLOGY	1E-2 300		IRIS		010370
		RAT							
		20-26 WEEKS	SPLEEN	PATHOLOGY					
		GUINEA PIG							
		20-26 WEEKS	SPLEEN	PATHOLOGY					
	GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.								
ANTHRACENE		000120-12-7							
NOEL 1000 MG/KG/DAY		MOUSE							
	ORAL: GAVAGE	90 DAYS		NONE OBSERVED		3E+0 300		IRIS	010166
ANTIMONY PENTOXIDE		001314-60-9							
LOAEL 0.46 MG/KG/DAY		RAT							
	ORAL: DRINKING WATER	LIFETIME	WHOLE BODY	INCREASED MORTALITY		5E-4		5E-4	005174
			BLOOD	ALTERED CHEMISTRIES		1000		1000	
	SUBCHRONIC [RfD] COMMENT: CALCULATED BY ANALOGY TO ANTIMONY BY CORRECTING FOR DIFFERENCES IN MOLECULAR WEIGHT.								
	CHRONIC [RfD] COMMENT: CALCULATED BY ANALOGY TO ANTIMONY BY CORRECTING FOR DIFFERENCES IN MOLECULAR WEIGHT.								

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT	LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
ANTIMONY POTASSIUM TARTRATE 000304-61-0										
LOAEL 0.91 MG/KG/DAY		RAT								
	ORAL: DRINKING WATER		LIFETIME	WHOLE BODY	INCREASED MORTALITY		9E-4		9E-4	005234
				BLOOD	ALTERED CHEMISTRIES		1000		1000	
SUBCHRONIC [RfD] COMMENT: CALCULATED BY ANALOGY TO ANTIMONY BY CORRECTING FOR DIFFERENCES IN MOLECULAR WEIGHT.										
CHRONIC [RfD] COMMENT: CALCULATED BY ANALOGY TO ANTIMONY BY CORRECTING FOR DIFFERENCES IN MOLECULAR WEIGHT.										
ANTIMONY TETROXIDE 001332-81-6										
LOAEL 0.44 MG/KG/DAY		RAT								
	ORAL: DRINKING WATER		LIFETIME	WHOLE BODY	INCREASED MORTALITY		4E-4		4E-4	005238
				BLOOD	ALTERED CHEMISTRIES		1000		1000	
SUBCHRONIC [RfD] COMMENT: CALCULATED BY ANALOGY TO ANTIMONY BY CORRECTING FOR DIFFERENCES IN MOLECULAR WEIGHT.										
CHRONIC [RfD] COMMENT: CALCULATED BY ANALOGY TO ANTIMONY BY CORRECTING FOR DIFFERENCES IN MOLECULAR WEIGHT.										
ANTIMONY TRIOXIDE 001309-64-4										
LOAEL 0.42 MG/KG/DAY		RAT								
	ORAL: DRINKING WATER		LIFETIME	WHOLE BODY	INCREASED MORTALITY		4E-4		4E-4	005242
				BLOOD	ALTERED CHEMISTRIES		1000		1000	
SUBCHRONIC [RfD] COMMENT: CALCULATED BY ANALOGY TO ANTIMONY BY CORRECTING FOR DIFFERENCES IN MOLECULAR WEIGHT.										
CHRONIC [RfD] COMMENT: CALCULATED BY ANALOGY TO ANTIMONY BY CORRECTING FOR DIFFERENCES IN MOLECULAR WEIGHT.										
ANTIMONY, METALLIC 007440-36-0										
LOAEL 0.35 MG SB/KG/DAY		RAT								
	ORAL: DRINKING WATER		LIFETIME	WHOLE BODY	INCREASED MORTALITY		4E-4		IRIS	005170
				BLOOD	ALTERED CHEMISTRIES		1000			

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
ARAMITE		**000140-57-8**							
NOAEL 100 PPM	ORAL: DIET	RAT 104 WEEKS	LIVER	INCREASED WEIGHT				5E-2 100	005850
NOAEL 500 PPM	ORAL: DIET	DOG 52 WEEKS	LIVER	DEGENERATION		1E-1 100			005849
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.									
AROCHLOR 1248		**012672-29-6**							
CHRONIC [RfD] COMMENT: THE CHRONIC ORAL [RfD] IS CONSIDERED NOT VERIFIABLE (07/20/93) BY THE RfD/RfC WORK GROUP.									010940
ARSENIC, INORGANIC		**007440-38-2**							
NOAEL 0.009 MG/L	ORAL	HUMAN	SKIN	KERATOSIS		3E-4		IRIS	010434
			SKIN	HYPERPIGMENTATION		3			
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD]. GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.									
ATRAZINE		**001912-24-9**							
NOEL 3.5 MG/KG/DAY	ORAL: DIET	RAT 2 YEARS	WHOLE BODY	DECREASED WEIGHT GAIN		3.5E-2 100		IRIS	010855
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD]. GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.									
BARIUM		**007440-39-3**							
NOAEL 0.21 MG/KG/DAY	ORAL: WATER	HUMAN 10 WEEKS	CARDIOVASCULAR SYSTEM	INCREASED BLOOD PRESSURE		7E-2 3		IRIS	010348
SUBCHRONIC [RfC] COMMENT: ALSO SEE HEAST TABLE 2: ALTERNATE METHODS -- SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY) SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD]. CHRONIC [RfC] COMMENT: ALSO SEE HEAST TABLE 2: ALTERNATE METHODS -- SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)									

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
BARIUM CYANIDE 000542-62-1									
CHRONIC [RfD] COMMENT: THE CHRONIC ORAL [RfD] IS CONSIDERED NOT VERIFIABLE (07/20/93) BY THE RfD/RfC WORK GROUP.									010941
BENEFIN 001861-40-1									
NOAEL 25 MG/KG/DAY	ORAL: DIET	DOG 1 YEAR	ERYTHROCYTE	DECREASED COUNT		3E-1 100		IRIS	005852
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].									
BENZAL CHLORIDE 000098-87-3									
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT.									005853
BENZALDEHYDE 000100-52-7									
NOEL 200 MG/KG/DAY	ORAL: GAVAGE	RAT 13 WEEKS	KIDNEY FORESTOMACH	EFFECTS LESIONS		1E+0 100		IRIS	005854
SUBCHRONIC [RfD] CPMMENT: THE CHRONIC ORAL RfD WAS MODIFIED TO DERIVE THE SUBCHRONIC ORAL [RfD].									
BENZALDEHYDE CYANOHYDRIN 000532-28-5									
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT									005781
BENZENE 000071-43-2									
SUBCHRONIC [RfC] COMMENT: CONTACT THE SUPERFUND HEALTH RISK TECHNICAL SUPPORT CENTER: (513) 569-7300. GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.									
BENZENETHIOL / (THIOPHENOL) 000108-98-5									
LOAEL 0.1 MG/(KG-DAY)	ORAL: GAVAGE	RAT 90 DAYS	LIVER	CENTRILOBULAR EOSINOPHILIC CHANGES		1E-4 1000		1E-5 10,000	010942
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL [RfD] UNDER REVIEW BY THE RfD/RfC WORKGROUP WAS MODIFIED TO DERIVE THE SUBCHRONIC [RfD].									

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
BENZIDINE		**000092-87-5**							
LOAEL 2.7 MG/KG/DAY		MOUSE							
	ORAL: DRINKING WATER	33 MONTHS	BRAIN	CELLULAR CHANGES		3E-3		IRIS	005830
			LIVER	CELLULAR CHANGES		1000			
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].									
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.									
							IRIS		010877
CHRONIC RfC COMMENT: THE CHRONIC INHALATION RfC IS CONSIDERED NOT VERIFIABLE (03/28/91) BY THE RfD/RfC WORK GROUP.									
BENZOIC ACID		**000065-85-0**							
NOAEL 312 MG/DAY		HUMAN							
	ORAL: DIET			NONE OBSERVED		4E+0		IRIS	005260
						1			
SUBCHRONIC [RfD] COMMENT: THE HUMAN DAILY PER CAPITA INTAKE WAS USED AS THE CRITICAL DOSE LEVEL. THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].									
CHRONIC [RfD] COMMENT: THE HUMAN DAILY PER CAPITA INTAKE WAS USED AS THE CRITICAL DOSE LEVEL.									
BENZO[B]FLUORANTHENE		**000205-99-2**							
SUBCHRONIC [RfC] COMMENT: CONTACT THE SUPERFUND HEALTH RISK TECHNICAL SUPPORT CENTER: (513) 569-7300.									
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.									
BENZYL ALCOHOL		**000100-51-6**							
LOAEL 286 MG/KG/DAY		RAT							
	ORAL: GAVAGE	103 WEEKS	FORESTOMACH	EPITHELIAL HYPERPLASIA				3E-1	005855
								1000	
NOAEL 143 MG/KG/DAY		RAT							
	ORAL: GAVAGE	13 WEEKS	WHOLE BODY	DECREASED WEIGHT		1E+0			005856
						100			

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT	LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
BERYLLIUM		**007440-41-7**								
NOAEL 0.54 MG/KG/DAY	ORAL: DRINKING WATER	RAT	LIFETIME		NONE OBSERVED		5E-3 100		IRIS	005262
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].										
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.										
BIPHENYL, 1,1'		**000092-52-4**								
NOAEL 50 MG/KG/DAY	ORAL: DIET	RAT	700 DAYS	KIDNEY	DAMAGE		5E-2 1000		IRIS	005857
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].										
CHRONIC RfC COMMENT: THE CHRONIC INHALATION RfC IS CONSIDERED NOT VERIFIABLE (09/20/90) BY THE RfD/RfC WORK GROUP.								IRIS		010878
BIS(2-CHLOROISOPROPYL) ETHER		**039638-32-9**								
NOAEL 35.8 MG/KG/DAY	ORAL: DIET	MOUSE	2 YEARS	ERYTHROCYTES	DECREASED HEMOGLOBIN		4E-2 1000		IRIS	010257
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.										
BIS(2-ETHYLHEXYL) PHTHALATE / (DEHP)		**000117-81-7**								
									IRIS	010859
SUBCHRONIC [RfC] COMMENT: CONTACT THE SUPERFUND HEALTH RISK TECHNICAL SUPPORT CENTER: (513) 569-7300.										
SUBCHRONIC [RfD] COMMENT: CONTACT THE SUPERFUND HEALTH RISK TECHNICAL SUPPORT CENTER: (513) 569-7300.										
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.										
BISPHENOL A		**000080-05-7**								
									IRIS	005268
NOAEL 750 PPM	ORAL	RAT	13 WEEKS	WHOLE BODY	DECREASED WEIGHT		6E-1 100			005266

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT	LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
BORON TRIFLUORIDE		**007637-07-2**								
NOAEL 6 MG/CU M		RAT								
	INHALATION:		13 WEEKS	KIDNEY	NECROSIS	7E-3		7E-4		010395
	INTERMITTENT					300		3000		
BORON, ELEMENTAL		**007440-42-8**								
NOAEL 8.8 MG/KG/DAY		DOG								
	ORAL: DIET		2 YEARS	TESTIS	LESIONS		9E-2		IRIS	005272
							100			
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].										
LOAEL 4.5 MG/CU M		HUMAN								
	INHALATION:			RESPIRATORY	IRRITATION	2E-2		2E-2		005269
	INTERMITTENT			TRACT		100		100		
				BRONCHUS	BRONCHITIS					
SUBCHRONIC [RfC] COMMENT: THE SUBCHRONIC INHALATION [RfC] IS SPECIFICALLY FOR ANHYDROUS BORAX.										
CHRONIC [RfC] COMMENT: THE CHRONIC INHALATION [RfC] IS SPECIFICALLY FOR ANHYDROUS BORAX.										
BROMINATED DIBENZO-P-DIOXINS										
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT.										005858
BROMINATED DIBENZOFURANS										
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT.										005859
BROMOACETONE		**000598-31-2**								
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT.										005860
BROMOCHLOROETHANES										
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT.										005861

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
BROMODICHLOROMETHANE 000075-27-4									
LOAEL 17.9 MG/KG/DAY		MOUSE							
	ORAL: GAVAGE	102 WEEKS	KIDNEY	CYTOMEGALY		2E-2 1000		IRIS	005715
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].									
BROMOETHENE / (VINYL BROMIDE) 000593-60-2									
LOAEL 9.7 PPM		RAT							
	INHALATION: INTERMITTENT	24 MONTHS	LIVER	HYPERTROPHY	3E-3		IRIS		010929
			LIVER	BASOPHILIC FOCI	3000				
			LIVER	EOSINOPHILIC FOCI					
SUBCHRONIC [RfC] COMMENT: THE CHRONIC INHALATION RfC WAS ADOPTED AS THE SUBCHRONIC INHALATION [RfC].									
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.									
BROMOFORM 000075-25-2									
NOEL 17.9 MG/KG/DAY		RAT							
	ORAL: GAVAGE	13 WEEKS	LIVER	EFFECTS		2E-1 100		IRIS	005722
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.									
							IRIS		010961
CHRONIC RfC COMMENT: THE CHRONIC INHALATION RfC IS CONSIDERED NOT VERIFIABLE (02/11/93) BY THE RfD/RfC WORK GROUP.									
BROMOMETHANE 000074-83-9									
								IRIS	010861
							IRIS		010860
SUBCHRONIC [RfC] COMMENT: CONTACT THE SUPERFUND HEALTH RISK TECHNICAL SUPPORT CENTER: (513) 569-7300.									
SUBCHRONIC [RfD] COMMENT: CONTACT THE SUPERFUND HEALTH RISK TECHNICAL SUPPORT CENTER: (513) 569-7300.									
BROMOPHENYL PHENYL ETHER, 4- 000101-55-3									
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT.									005864

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
BROMOPHOS		**002104-96-3**							
NOAEL 5 MG/KG/DAY	ORAL: DIET	RAT 3 GENERATIONS	BLOOD	DECREASED CHOLINESTERASE ACTIVITY		5E-2 100		5E-3 1000	005865
			LIVER	DECREASED CHOLINESTERASE ACTIVITY					
SUBCHRONIC [RfD] COMMENT: BASED ON A REPRODUCTION STUDY.									
CHRONIC [RfD] COMMENT: BASED ON A REPRODUCTION STUDY.									
BROMOXYNIL		**001689-84-5**							
NOEL 5 MG/KG/DAY	ORAL: DIET	RAT 2 YEARS		NONE OBSERVED		2E-2 300		IRIS	005866
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].									
BROMOXYNIL OCTANOATE		**001689-99-2**							
NOEL 7.3 MG/KG/DAY	ORAL: DIET	RAT 2 YEARS		NONE OBSERVED		2E-2 300		IRIS	005867
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].									
BUSAN 77		**031512-74-0**							
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT.									005868
BUSAN 90		**002491-38-5**							
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT.									005869
BUTANOL, 1-		**000071-36-3**							
NOAEL 125 MG/KG/DAY	ORAL: GAVAGE	RAT 13 WEEKS	CENTRAL NERVOUS SYSTEM	HYPOACTIVITY		1E+0 100		IRIS	005870
			CENTRAL NERVOUS SYSTEM	ATAXIA					

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
BUTYL BENZYL PHTHALATE, N- 000085-68-7									
NOAEL 159 MG/KG/DAY	ORAL: DIET	RAT 26 WEEKS	LIVER	ALTERED WEIGHT		2E+0 100		IRIS	005616
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.									
BUTYLATE 002008-41-5									
NOEL 5 MG/KG/DAY	ORAL: CAPSULE	DOG 12 MONTHS	LIVER	INCREASED RELATIVE WEIGHT		5E-2 100		IRIS	005871
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].									
BUTYLCHLORIDE, T- 000507-20-0									
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT.									005810
BUTYROLACTONE, GAMMA- 000096-48-0									
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT.									005872
CACODYLIC ACID 000075-60-5									
NOEL 9.2 MG/KG/DAY	ORAL: DIET	RAT 90 DAYS		NONE OBSERVED		3E-2 300		3E-3 3000	005873
SUBCHRONIC [RfD] COMMENT: CALCULATED BY ANALOGY TO ARSENIC BY CORRECTING FOR DIFFERENCES IN MOLECULAR WEIGHT. CHRONIC [RfD] COMMENT: CALCULATED BY ANALOGY TO ARSENIC BY CORRECTING FOR DIFFERENCES IN MOLECULAR WEIGHT.									
CADMIUM 007440-43-9									
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.							IRIS	005280	

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
CALCIUM CYANIDE		**000592-01-8**							
NOAEL 19.1 MG/KG/DAY		RAT							
	ORAL: DIET	2 YEARS	WHOLE BODY	DECREASED WEIGHT		4E-2		IRIS	010258
			THYROID	EFFECTS		500			
			NERVE	MYELIN DEGENERATION					

SUBCHRONIC [RfD] COMMENT: CALCULATED BY ANALOGY TO FREE CYANIDE BY CORRECTING FOR DIFFERENCES IN MOLECULAR WEIGHT. THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].
CHRONIC [RfD] COMMENT: CALCULATED BY ANALOGY TO FREE CYANIDE BY CORRECTING FOR DIFFERENCES IN MOLECULAR WEIGHT.

CAPROLACTAM		**000105-60-2**							
								IRIS	005284
NOAEL 50 MG/KG/DAY		RAT							
	ORAL: DIET	90 DAYS	KIDNEY	EFFECTS		5E-1			005282
						100			

CAPTAFOL		**002425-06-1**							
LOAEL 2 MG/KG/DAY		DOG							
	ORAL: CAPSULE	12 MONTHS	KIDNEY	EFFECTS		2E-3		IRIS	005874
			BLADDER	EFFECTS		1000			

SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.

CAPTAN		**000133-06-2**							
NOEL 12.5 MG/KG/DAY		RAT							
	ORAL: DIET		WHOLE BODY	DECREASED WEIGHT		1.3E-1		IRIS	005875
						100			

SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].
CHRONIC [RfC] COMMENT: THE CHRONIC INHALATION [RfC] IS CONSIDERED NOT VERIFIABLE (05/27/92) BY THE RfD/RfC WORK GROUP.
CHRONIC [RfD] COMMENT: BASED ON A MULTI-GENERATION REPRODUCTION STUDY.
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
CARBARYL		**000063-25-2**							
NOAEL 9.6 MG/KG/DAY	ORAL: DIET	RAT 2 YEARS	KIDNEY	TOXICITY		1E-1		IRIS	005876
			LIVER	TOXICITY		100			
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].									
							IRIS		010882
CHRONIC RfC COMMENT: THE CHRONIC INHALATION RfC IS CONSIDERED NOT VERIFIABLE (08/15/91) BY THE RfD/RfC WORK GROUP.									
CARBOFURAN		**001563-66-2**							
NOEL 0.5 MG/KG/DAY	ORAL: DIET	DOG 1 YEAR	BLOOD	CHOLINESTERASE INHIBITION		5E-3		IRIS	005877
			TESTIS	EFFECTS		100			
			UTERUS	EFFECTS					
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].									
CARBON DISULFIDE		**000075-15-0**							
NOEL 11 MG/KG/DAY	INHALATION: INTERMITTENT	RABBIT	FETUS	TOXICITY		1E-1 100		IRIS	010259
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD]. CHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS DETERMINED FROM A TERATOLOGY STUDY WITH EXPOSURES BEFORE AND DURING THE ENTIRE GESTATION PERIOD.									
NOAEL 10 MG/CU M	INHALATION: INTERMITTENT	RAT GESTATION	FETUS	TOXICITY	1E-2 1000		1E-2 1000		010430
SUBCHRONIC [RfC] COMMENT: THE CHRONIC INHALATION [RfC] WAS ADOPTED AS THE SUBCHRONIC INHALATION [RfC].									
CARBON MONOXIDE		**000630-05-0**							
CHRONIC [RfC] COMMENT: REFER TO APPENDIX A: TECHNICAL INFORMATION, SECTION V ON NATIONAL AMBIENT AIR QUALITY STANDARDS.									010493

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
CARBON TETRACHLORIDE		**000056-23-5**							
								IRIS	010862
SUBCHRONIC [RfC] COMMENT: CONTACT THE SUPERFUND HEALTH RISK TECHNICAL SUPPORT CENTER: (513) 569-7300.									
SUBCHRONIC [RfD] COMMENT: CONTACT THE SUPERFUND HEALTH RISK TECHNICAL SUPPORT CENTER: (513) 569-7300.									
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.									
CHLORAL		**000075-87-6**							
LOAEL 15.7 MG/KG/DAY		MOUSE							
	ORAL: DRINKING WATER	90 DAYS	LIVER	EFFECTS		2E-2 1000		IRIS	005290
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].									
CHLORDANE		**000057-74-9**							
NOEL 0.055 MG/KG/DAY		RAT							
	ORAL: DIET	130 WEEKS	LIVER	HYPERTROPHY		6E-5 1000		IRIS	005296
SUBCHRONIC [RfC] COMMENT: CONTACT THE SUPERFUND HEALTH RISK TECHNICAL SUPPORT CENTER: (513) 569-7300.									
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].									
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.									
CHLORINE CYANIDE		**000506-77-4**							
NOAEL 25.3 MG/KG/DAY		RAT							
	ORAL: DIET	2 YEARS	WHOLE BODY THYROID NERVE	DECREASED WEIGHT EFFECTS MYELIN DEGENERATION		5E-2 500		IRIS	010261
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].									

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
CHLORO-1,3-BUTADIENE, 2- / (CHLOROPRENE) 000126-99-8									
NOAEL 32 PPM	INHALATION	RAT 90 DAYS	OLFACTORY EPITHELIUM	DEGENERATION	7E-2 30		7E-3 300		010515
SUBCHRONIC [RfD] COMMENT: ALSO SEE HEAST TABLE 2: ALTERNATE METHODS -- SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)									
CHRONIC [RfD] COMMENT: ALSO SEE HEAST TABLE 2: ALTERNATE METHODS -- SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)									
GENERAL COMMENT: ALSO SEE HEAST TABLE 2: ALTERNATE METHODS -- SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)									010491
CHLORO-M-CRESOL, P- 000059-50-7									
NOAEL 200 MG/KG/DAY	ORAL: GAVAGE	RAT 28 DAYS	WHOLE BODY	DECREASED WEIGHT GAIN		2E+0 100			005366
CHLOROACETALDEHYDE 000107-20-0									
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT.									005342
CHLOROACETIC ACID 000079-11-8									
LOAEL 30 MG/KG	ORAL: GAVAGE	RAT 13 WEEKS	HEART	MYOCARDITIS		2E-2 1000		2E-3 10000	005346
CHLOROANILINE, 2- 000095-51-2									
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT									005347
CHLOROANILINE, 3- 000108-42-9									
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT									005348
CHLOROANILINE, 4- 000106-47-8									
LOAEL 12.5 MG/KG/DAY	ORAL: DIET	RAT 78 WEEKS	SPLEEN	PROLIFERATIVE LESIONS		4E-3 3000		IRIS	005349
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].									

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
CHLOROBENZENE		**000108-90-7**							
								IRIS	010863

SUBCHRONIC [RfC] COMMENT: CONTACT THE SUPERFUND HEALTH RISK TECHNICAL SUPPORT CENTER: (513) 569-7300.
SUBCHRONIC [RfD] COMMENT: CONTACT THE SUPERFUND HEALTH RISK TECHNICAL SUPPORT CENTER: (513) 569-7300.
CHRONIC [RfC] COMMENT: ALSO SEE HEAST TABLE 2: ALTERNATE METHODS -- SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).

CHLOROBENZILATE		**000510-15-6**							
NOEL	5 MG/KG/DAY	RABBIT							
	ORAL: GAVAGE	13 DAYS	GASTRO-INTESTINAL SYSTEM	DECREASED STOOL QUANTITY		2E-2 300		IRIS	010260
			WHOLE BODY	DECREASED FOOD CONSUMPTION					
			WHOLE BODY	DECREASED WEIGHT GAIN					
			NERVOUS SYSTEM	HYPERIRRITABILITY					

SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD]. BASED ON A TERATOLOGY STUDY WITH EXPOSURES DURING DAYS 7-19 OF GESTATION.
CHRONIC [RfD] COMMENT: BASED ON A TERATOLOGY STUDY WITH EXPOSURES DURING DAYS 7-19 OF GESTATION. 010931
CHRONIC [RfC] COMMENT: THE CHRONIC INHALATION [RfC] IS CONSIDERED NOT VERIFIABLE (02/11/93) BY THE RfD/RfC WORK GROUP.

CHLOROBENZOIC ACID, P-		**000074-11-3**							
NOAEL	26 MG/DAY	RAT							
	ORAL: DIET	5 MONTHS		NONE OBSERVED		2E+0 100		2E-1 1000	005360

CHLOROBENZOTRIFLUORIDE, 4-		**000098-56-6**							
NOAEL	15 MG/KG/DAY	RAT							
	ORAL: GAVAGE		KIDNEY	TUBULAR DEGENERATION		2E-1 100		2E-2 1000	005364

SUBCHRONIC [RfD] COMMENT: BASED ON A 2-GENERATION REPRODUCTION STUDY WITH EXPOSURES 4 WEEKS PRIOR TO MATING, DURING GESTATION, AND FOR 90 DAYS POST-WEANING.
CHRONIC [RfD] COMMENT: BASED ON A 2-GENERATION REPRODUCTION STUDY WITH EXPOSURES 4 WEEKS PRIOR TO MATING, DURING GESTATION, AND FOR 90 DAYS POST-WEANING.

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT	LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
CHLOROBUTANE, 1- 000109-69-3										
NOAEL 43 MG/KG/DAY	ORAL: GAVAGE	RAT	103 WEEKS	WHOLE BODY	INCREASED MORTALITY				4E-1	005808
				CENTRAL NERVOUS SYSTEM	EFFECTS				100	
				BLOOD	HEMATOLOGIC EFFECTS					
NOAEL 86 MG/KG/DAY	ORAL: GAVAGE	RAT	13 WEEKS	WHOLE BODY	DECREASED WEIGHT GAIN		9E-1			005806
				CENTRAL NERVOUS SYSTEM	EFFECTS		100			
				SPLEEN	HEMATOPOIESIS					
CHLOROBUTANE, 2- 000078-86-4										
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT.										005809
CHLOROCYCLOPENTADIENE 041851-50-7										
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT										005297
CHLOROFORM 000067-66-3										
LOAEL 12.9 MG/KG/DAY	ORAL: CAPSULE	DOG	7.5 YEARS	LIVER	LESIONS		1E-2		IRIS	005372
							1000			

SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.

SUBCHRONIC [RfC] COMMENT: CONTACT THE SUPERFUND HEALTH RISK TECHNICAL SUPPORT CENTER: (513) 569-7300.

CHLOROMETHANE / (METHYL CHLORIDE) 000074-87-3 010005

SUBCHRONIC [RfC] COMMENT: CONTACT THE SUPERFUND HEALTH RISK TECHNICAL SUPPORT CENTER: (513) 569-7300.
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT	LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
CHLORONITROBENZENE, M- 000121-73-3										
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT.										005879
CHLOROPHENOL, 2- 000095-57-8										
NOAEL 50 PPM	ORAL: DRINKING WATER	RAT		REPRODUCTION	REPRODUCTIVE EFFECTS		5E-2 100		IRIS	010436
SUBCHRONIC [RfD] COMMENT: BASED ON A REPRODUCTIVE STUDY WITH EXPOSURE 10 WEEKS PRIOR TO AND DURING MATING, GESTATION AND WEANING. CHRONIC [RfD] COMMENT: BASED ON A REPRODUCTIVE STUDY WITH EXPOSURE 10 WEEKS PRIOR TO AND DURING MATING, GESTATION AND WEANING.										
CHLOROPHENOL, 3- 000108-43-0										
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT										005309
CHLOROPHENOL, 4- 000106-48-9										
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT										005310
CHLOROPROPANE, 2- 000075-29-6										
NOAEL 91.4 MG/KG/DAY	INHALATION: INTERMITTENT	RAT	4 WEEKS	LIVER	EFFECTS	1E+0 100		1E-1 1000		010444
CHLOROTOLUENE, M- 000108-41-8										
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT.										005880
CHLOROTOLUENE, O- 000095-49-8										
NOAEL 20 MG/KG/DAY	ORAL: GAVAGE	RAT	103 DAYS	WHOLE BODY	DECREASED WEIGHT GAIN		2E-1 100		IRIS	010167
CHLOROTOLUENE, P- 000106-43-4										
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT.										010200

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT	LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
CHLORPYRIFOS		**002921-88-2**								
NOEL	0.03 MG/KG/DAY	HUMAN								
	ORAL: CAPSULE	20 DAYS OR 9 DAYS		BLOOD	DECREASED CHOLINESTERASE ACTIVITY		3E-3 10		IRIS	005881
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].										
CHLORPYRIFOS METHYL		**005598-13-0**								
NOAEL	1 MG/KG/DAY	RAT								
	ORAL: DIET	3 GENERATIONS		REPRODUCTION	DECREASED FERTILITY		1E-2 100		1E-2 100	005882
		RAT 2 YEARS		LIVER	EFFECTS					
CHLOROTHALONIL		**001897-45-6**								
NOEL	1.5 MG/KG/DAY	DOG								
	ORAL: DIET	2 YEARS		KIDNEY	EFFECTS		1.5E-2 100		IRIS	005883
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].										
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.										
CHLORTHIOPHOS		**060238-56-4**								
NOAEL	0.08 MG/KG/DAY	RAT								
	ORAL: DIET	2 YEARS			NONE OBSERVED		8E-4 100		8E-4 100	005884
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL [RfD] WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].										
CHROMIUM(III)		**016065-83-1**								
NOEL	5 % (CR2O3)	RAT								
	ORAL: DIET	840 DAYS			NONE OBSERVED		1E+0 1000		IRIS	005731
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].										
CHRONIC [RfC] COMMENT: INHALATION ISSUES ARE UNDER REVIEW BY THE RFD/RFC WORK GROUP.										
SUBCHRONIC [RfC] COMMENT: CONTACT THE SUPERFUND HEALTH RISK TECHNICAL SUPPORT CENTER: (513) 569-7300.										

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
CHROMIUM(VI)		**018540-29-9**							
NOAEL 2.4 MG/KG/DAY		RAT							
	ORAL: DRINKING WATER	1 YEAR		NONE OBSERVED		2E-2 100		IRIS	005522
CHRONIC [RfC] COMMENT: INHALATION ISSUES ARE UNDER REVIEW BY THE RFD/RFC WORK GROUP.									
SUBCHRONIC [RfC] COMMENT: CONTACT THE SUPERFUND HEALTH RISK TECHNICAL SUPPORT CENTER: (513) 569-7300.									
CHRYSENE		**000218-01-9**							
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT. ALSO SEE HEAST TABLE 3: CARCINOGENICITY.									005885
COPPER		**007440-50-8**							
LOAEL 5.3 MG		HUMAN							
	ORAL	SINGLE DOSE	GASTRO-INTESTINAL SYSTEM	IRRITATION		1.3 MG/L		1.3 MG/L	005374
SUBCHRONIC [RfD] COMMENT: CURRENT DRINKING WATER STANDARD OF 1.3 MG/L. DWCD (1987) CONCLUDED TOXICITY DATA WERE INADEQUATE FOR CALCULATION OF AN RfD FOR COPPER.									
CHRONIC [RfD] COMMENT: CURRENT DRINKING WATER STANDARD OF 1.3 MG/L. DWCD (1987) CONCLUDED TOXICITY DATA WERE INADEQUATE FOR CALCULATION OF AN RfD FOR COPPER.									
COPPER CYANIDE		**000544-92-3**							
NOAEL 5 MG/KG/DAY		RAT							
	ORAL: GAVAGE	90 DAYS	LIVER	HISTOPATHOLOGY		5E-2		IRIS	010262
			KIDNEY	HISTOPATHOLOGY		100			
			WHOLE BODY	DECREASED WEIGHT					
			ORGANS	DECREASED WEIGHT					

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT	LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
CRESOL, M- / (3-METHYLPHENOL) 000108-39-4										
NOAEL 50 MG/KG/DAY		RAT								
	ORAL: GAVAGE		90 DAYS	WHOLE BODY	DECREASED WEIGHT GAIN		5E-1		IRIS	005380
				NERVOUS SYSTEM	NEUROTOXICITY		100			
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.										
								IRIS		010888
CHRONIC RfC COMMENT: THE CHRONIC INHALATION RfC IS CONSIDERED NOT VERIFIABLE (12/11/91) BY THE RfD/RfC WORK GROUP.										
CRESOL, O- / (2-METHYLPHENOL) 000095-48-7										
NOAEL 50 MG/KG/DAY		RAT								
	ORAL: GAVAGE		90 DAYS	WHOLE BODY	DECREASED WEIGHT GAIN		5E-1		IRIS	005384
				NERVOUS SYSTEM	NEUROTOXICITY		100			
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.										
								IRIS		010889
CHRONIC RfC COMMENT: THE CHRONIC INHALATION RfC IS CONSIDERED NOT VERIFIABLE (12/11/91) BY THE RfD/RfC WORK GROUP.										
CRESOL, P- / (4-METHYLPHENOL) 000106-44-5										
NOAEL 5 MG/(KG-DAY)		RABBIT								
	ORAL: GAVAGE		GESTATION DAYS 6-18	CENTRAL NERVOUS SYSTEM	HYPOACTIVITY		5E-3		5E-3	010516
							1000		1000	
				RESPIRATORY SYSTEM	DISTRESS					
				WHOLE BODY	MATERNAL DEATH					
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL [RfD] WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].										
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.										
								IRIS		010890
CHRONIC RfC COMMENT: THE CHRONIC INHALATION RfC IS CONSIDERED NOT VERIFIABLE (12/11/91) BY THE RfD/RfC WORK GROUP.										

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
CUMENE		**000098-82-8**							
NOAEL 154 MG/KG/DAY	ORAL: GAVAGE	RAT 194 DAYS	KIDNEY	INCREASED WEIGHT		4E-1 300		IRIS	005392
NOAEL 105.1 PPM	INHALATION: INTERMITTENT	RAT 4 WEEKS	CENTRAL NERVOUS SYSTEM	INVOLVEMENT	9E-2 1000		9E-3 10000		005908
			NOSE	IRRITATION					
CYANAZINE		**021725-46-2**							
NOEL 0.625 MG/KG/DAY	ORAL: DIET	DOG 1 YEAR	WHOLE BODY	DECREASED WEIGHT		2E-3 300		2E-3 300	010411
			BLOOD	INCREASED PLATELET COUNT					
			BLOOD	ALTERED CLINICAL CHEMISTRY PARAMETERS					

SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL [RfD] WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].
CHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS WITHDRAWN FROM IRIS (07/01/92). UNDER REVIEW, CURRENT NUMBER SUBJECT TO CHANGE.
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.

CYANIDE		**000057-12-5**							
NOAEL 10.8 MG/KG/DAY	ORAL: DIET	RAT 104 WEEKS	WHOLE BODY	DECREASED WEIGHT		2E-2 500		IRIS	005396
			THYROID	EFFECTS					
			NERVE	MYELIN DEGENERATION					

SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].
GENERAL COMMENT: THE CASRN FOR CN- IS 000057-12-5; THE CASRN FOR HCN IS 000074-90-8.

CYANOGEN		**000460-19-5**							
NOAEL 21.6 MG/KG/DAY	ORAL: DIET	RAT 2 YEARS	WHOLE BODY	DECREASED WEIGHT		4E-2 500		IRIS	010263
			THYROID	EFFECTS					
			NERVE	MYELIN DEGENERATION					

SUBCHRONIC [RfD] COMMENT: CALCULATED BY ANALOGY TO FREE CYANIDE BY CORRECTING FOR DIFFERENCES IN MOLECULAR WEIGHT. THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT	LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
CYANOGEN BROMIDE		**000506-68-3**								
NOAEL 44 MG/KG/DAY		RAT								
	ORAL: DIET		2 YEARS	WHOLE BODY	DECREASED WEIGHT		9E-2		IRIS	010264
				THYROID	EFFECTS		500			
				NERVE	MYELIN DEGENERATION					
SUBCHRONIC [RfD] COMMENT: CALCULATED BY ANALOGY TO FREE CYANIDE BY CORRECTING FOR DIFFERENCES IN MOLECULAR WEIGHT. THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].										
CYCLOATE		**001134-23-2**								
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT.										005886
CYCLOHEXANOL		**000108-93-0**								
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT.										005887
CYCLOHEXYLAMINE		**000108-91-8**								
									IRIS	005400
NOAEL 30 MG/KG/DAY		RAT								
	ORAL: DIET		90 DAYS	WHOLE BODY	DECREASED WEIGHT GAIN		3E-1			005398
				TESTIS	DECREASED WEIGHT		100			
CYCLOPENTADIENE		**000542-92-7**								
										010494
GENERAL COMMENT: ALSO SEE HEAST TABLE 2: ALTERNATE METHODS -- SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)										
DACTHAL		**001861-32-1**								
NOEL 50 MG/KG/DAY		RAT								
	ORAL: DIET		2 YEARS	KIDNEY	INCREASED WEIGHT		5E-1		IRIS	005888
				ADRENAL	INCREASED RELATIVE WEIGHT		100			
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].										

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
DALAPON		**000075-99-0**							
NOEL	8.45 MG/KG/DAY	RAT							
	ORAL: DIET	2 YEARS	KIDNEY	INCREASED RELATIVE WEIGHT		3E-2 300		IRIS	005889
	SUBCHRONIC [RfD] COMMENT: CALCULATED BY ANALOGY TO DALAPON SODIUM BY CORRECTING FOR DIFFERENCES IN MOLECULAR WEIGHT. THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].								
DDT		**000050-29-3**							
NOEL	0.05 MG/KG/DAY	RAT							
	ORAL: DIET	27 WEEKS	LIVER	LESIONS		5E-4 100		IRIS	005408
	SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD]. GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.								
DECABROMODIPHENYL ETHER		**001163-19-5**							
NOEL	1 MG/KG/DAY	RAT							
	ORAL: DIET	2 YEARS	LIVER	INCREASED WEIGHT		1E-2 100		IRIS	005891
	SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD]. GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.								
DI-N-OCTYL PHTHALATE		**000117-84-0**							
LOAEL	175 MG/KG/DAY	RAT							
	ORAL: DIET	7-12 MONTHS	KIDNEY	INCREASED WEIGHT		2E-2 1000		2E-2 1000	010275
			LIVER	INCREASED WEIGHT					
			LIVER	INCREASED SGOT ACTIVITY					
			LIVER	INCREASED SGPT ACTIVITY					
DIAZINON		**000333-41-5**							
NOAEL	0.09 MG/KG/DAY	RAT							
	ORAL: DIET	35-42 DAYS	BLOOD	DECREASED CHOLINESTERASE ACTIVITY		9E-4 100		9E-4 100	005892

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT	LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
DIBENZOFURAN		000132-64-9								
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT.										005409
DIBROMOBENZENE, 1,4-		000106-37-6								
NOAEL 10 MG/KG/DAY	ORAL: GAVAGE	RAT	45 OR 90 DAYS	LIVER	INCREASED RELATIVE WEIGHT		1E-1		IRIS	005893
				LIVER	ALTERED ENZYME ACTIVITIES		100			
DIBROMOCHLOROMETHANE		000124-48-1								
NOEL 21.4 MG/KG/DAY	ORAL: GAVAGE	RAT	13 WEEKS	LIVER	LESIONS		2E-1		IRIS	005894
							100			
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.										
DIBROMOETHANE, 1,2-		000106-93-4								
LOAEL 88 PPB	INHALATION: INTERMITTENT	HUMAN		SPERM	EFFECTS	8E-4 300		2E-4 1000		010854
SUBCHRONIC [RfC] COMMENT: THE CHRONIC INHALATION [RfC] WAS MODIFIED TO ESTIMATE THE SUBCHRONIC INHALATION [RfC].										
CHRONIC [RfC] COMMENT: UNDER REVIEW, CURRENT NUMBER SUBJECT TO CHANGE.										
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.										
DIBUTYL PHTHALATE		000084-74-2								
NOAEL 125 MG/KG/DAY	ORAL: DIET	RAT	52 WEEKS	WHOLE BODY	INCREASED MORTALITY		1E+0		IRIS	005622
							100			
								IRIS		010892
CHRONIC RfC COMMENT: THE CHRONIC INHALATION RfC IS CONSIDERED NOT VERIFIABLE (07/26/90) BY THE RfD/RfC WORK GROUP.										

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
DICAMBA		001918-00-9							
NOAEL 3	MG/KG/DAY	RABBIT							
	ORAL: GAVAGE	GESTATION	FETUS	DECREASED WEIGHT		3E-2		IRIS	010945
		DAYS 6-18	FETUS	INCREASED POST-IMPLANTATION LOSSES		100			
			FETUS	INCREASED MORTALITY					
			DAM	DECREASED WEIGHT GAIN					

SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].

DICHLOROBENZENE, 1,2- 000095-50-1

IRIS 010864

SUBCHRONIC [RfD] COMMENT: CONTACT THE SUPERFUND HEALTH RISK TECHNICAL SUPPORT CENTER: (513) 569-7300.
GENERAL COMMENT: ALSO SEE HEAST TABLE 2: ALTERNATE METHODS -- SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)

DICHLOROBENZENE, 1,3- 000541-73-1

005414

CHRONIC [RfD] COMMENT: THE CHRONIC ORAL [RfD] IS CONSIDERED NOT VERIFIABLE (06/23/92) BY THE RfD/RfC WORK GROUP.

DICHLOROBENZENE, 1,4- 000106-46-7

NOAEL 75	MG/CU M	RAT						
	INHALATION:	MULTI-GENERA	LIVER	INCREASED WEIGHT IN MALE	2.5E+0		IRIS	010840
	INTERMITTENT	TION		PARENTS	30			

SUBCHRONIC [RfC] COMMENT: THE CHRONIC INHALATION RfC WAS MODIFIED TO DERIVE THE SUBCHRONIC INHALATION [RfC].
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.

DICHLOROBUTENES

GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT. 005415

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
DICHLORODIFLUOROMETHANE 000075-71-8									
								IRIS	005498
NOAEL 90 MG/KG/DAY		DOG							
	ORAL: DIET	90 DAYS		NONE OBSERVED		9E-1			005496
						100			
SUBCHRONIC [RfC] COMMENT: ALSO SEE HEAST TABLE 2: ALTERNATE METHODS -- SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)									
CHRONIC [RfC] COMMENT: ALSO SEE HEAST TABLE 2: ALTERNATE METHODS -- SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)									
DICHLOROETHANE, 1,1- 000075-34-3									
NOEL 115 MG/KG/DAY		RAT							
	INHALATION:	13 WEEKS		NONE OBSERVED		1E+0		1E-1	005790
	INTERMITTENT					100		1000	
SUBCHRONIC [RfC] COMMENT: ALSO SEE HEAST TABLE 2: ALTERNATE METHODS -- SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)									
SUBCHRONIC [RfD] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION.									
CHRONIC [RfC] COMMENT: ALSO SEE HEAST TABLE 2: ALTERNATE METHODS -- SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)									
CHRONIC [RfD] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION.									
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.									
DICHLOROETHANE, 1,2- 000107-06-2									
SUBCHRONIC [RfC] COMMENT: CONTACT THE SUPERFUND HEALTH RISK TECHNICAL SUPPORT CENTER: (513) 569-7300.									
SUBCHRONIC [RfD] COMMENT: CONTACT THE SUPERFUND HEALTH RISK TECHNICAL SUPPORT CENTER: (513) 569-7300.									
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.									
DICHLOROETHYLENE, 1,1- 000075-35-4									
LOAEL 9 MG/KG/DAY		RAT							
	ORAL: DRINKING	2 YEARS	LIVER	LESIONS		9E-3		IRIS	005419
	WATER					1000			
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].									
CHRONIC [RfD] COMMENT: UNDER REVIEW, CURRENT NUMBER SUBJECT TO CHANGE.									
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.									

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
DICHLOROETHYLENE, 1,2- (MIXED ISOMERS) 000540-59-0									
LOAEL 50 PPM	ORAL: DRINKING WATER	RAT 2 YEARS	LIVER	LESIONS		9E-3 1000		9E-3 1000	010509
SUBCHRONIC [RfD] COMMENT: VALUES DERIVED FOR 1,1-DICHLOROETHYLENE WERE ADOPTED FOR 1,2- DICHLOROETHYLENE MIXED ISOMERS BASED ON ANALOGY. CHRONIC [RfD] COMMENT: VALUES DERIVED FOR 1,1-DICHLOROETHYLENE (000075-35-4) WERE ADOPTED FOR 1,2-DICHLOROETHYLENE MIXED ISOMERS BASED ON ANALOGY.									
DICHLOROETHYLENE, 1,2-C- 000156-59-2									
NOAEL 32 MG/KG/DAY	ORAL: GAVAGE	RAT 90 DAYS	BLOOD	DECREASED HEMATOCRIT		1E-1		1E-2	005420
			BLOOD	DECREASED HEMOGLOBIN		300		3000	
CHRONIC [RfD] COMMENT: UNDER REVIEW, CURRENT NUMBER SUBJECT TO CHANGE.									
DICHLOROETHYLENE, 1,2-T- 000156-60-5									
NOAEL 17 MG/KG/DAY	ORAL: DRINKING WATER	MOUSE 90 DAYS	BLOOD	INCREASED ALKALINE PHOSPHATASE		2E-1 100		IRIS	005895
DICHLOROPHENOL, 2,3- 000576-24-9									
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT									005315
DICHLOROPHENOL, 2,4- 000120-83-2									
NOEL 3 PPM	ORAL: DRINKING WATER	RAT 2 GENERATIONS	IMMUNE SYSTEM	ALTERED IMMUNE FUNCTION		3E-3 100		IRIS	005314
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD]. CHRONIC [RfD] COMMENT: BASED ON A 2-GENERATION REPRODUCTION STUDY WITH EXPOSURES BEFORE AND DURING GESTATION, PARTURITION, AND WEANING OF PUPS.									
DICHLOROPHENOL, 2,5- 000583-78-8									
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT									005316

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
DICHLOROPHENOL, 2,6- 000087-65-0									
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT									005317
DICHLOROPHENOL, 3,4- 000095-77-2									
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT									005318
DICHLOROPHENOL, 3,5- 000591-35-5									
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT									005319
DICHLOROPHENOXY ACETIC ACID, 2,4- 000094-75-7									
NOAEL 1 MG/KG/DAY		RAT							
	ORAL: DIET	91 DAYS	BLOOD	TOXICITY		1E-2		IRIS	010265
			LIVER	TOXICITY		100			
			KIDNEY	TOXICITY					
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].									
DICHLOROPHENOXY) BUTYRIC ACID, 4-(2,4- / (2,4-DB) 000094-82-6									
NOAEL 8 MG/KG/DAY		DOG							
	ORAL: DIET	90 DAYS	CARDIOVASCULAR SYSTEM	HEMORRHAGE		8E-2		IRIS	005890
						100			
			WHOLE BODY	INCREASED MORTALITY					
DICHLOROPROPANE, 1,1- 000078-99-9									
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT.									005897
DICHLOROPROPANE, 1,2- 000078-87-5									
NOAEL 69.3 MG/CU		MRAT							
	INHALATION: INTERMITTENT	13 WEEKS	NASAL MUCOSA	HYPERPLASIA	1.3E-2		IRIS		005898
					100				
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.									

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT	LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
DICHLOROPROPANE, 1,3- 000142-28-9										
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT.										005899
DICHLOROPROPANE, 2,2- 000594-20-7										
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT.										005900
DICHLOROPROPENE, 1,3- / (TELONE II) 000542-75-6										
NOEL 3 MG/KG/DAY	ORAL: DIET	RAT	90 DAYS	ORGANS	INCREASED WEIGHT		3E-3 1000		IRIS	005901
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.										
NOAEL 5 PPM	INHALATION: INTERMITTENT	MOUSE	2 YEARS	NASAL MUCOSA	HYPERTROPHY	2E-2		IRIS		010351
				NASAL MUCOSA	HYPERPLASIA	30				
SUBCHRONIC [RfC] COMMENT: THE CHRONIC INHALATION RfC WAS ADOPTED AS THE SUBCHRONIC INHALATION [RfC].										
DICHLORPROP 000120-36-5										
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT.										005896
DICYCLOPENTADIENE 000077-73-6										
NOEL 32 MG/KG/DAY	ORAL: DIET	RAT	3 GENERATIONS		NONE OBSERVED		3E-1 100		3E-2 1000	005425

SUBCHRONIC [RfC] COMMENT: ALSO SEE HEAST TABLE 2: ALTERNATE METHODS -- SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)
SUBCHRONIC [RfD] COMMENT: BASED ON A 3-GENERATION REPRODUCTION STUDY.
CHRONIC [RfC] COMMENT: ALSO SEE HEAST TABLE 2: ALTERNATE METHODS -- SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)
CHRONIC [RfD] COMMENT: BASED ON A 3-GENERATION REPRODUCTION STUDY.

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
DIELDRIN		**000060-57-1**							
NOAEL 0.005 MG/KG/DAY	ORAL: DIET	RAT 2 YEARS	LIVER	LESIONS		5E-5 100		IRIS	005429
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].									
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.									
DIETHYL PHTHALATE		**000084-66-2**							
NOAEL 750 MG/KG/DAY	ORAL: DIET	RAT 16 WEEKS	WHOLE BODY ORGANS	DECREASED GROWTH DECREASED WEIGHT		8E+0 100		IRIS	005620
DIETHYL-P-NITROPHENYL PHOSPHATE		**000311-45-5**							
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT									005922
DIETHYLANILINE, N,N-		**000091-66-7**							
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT.									005903
DIETHYLENE GLYCOL MONOBUTYL ETHER		**000112-34-5**							
NOAEL 18 PPM		RAT		NONE OBSERVED	2E-1 100		2E-2 1000		005482
CHRONIC [RfC] COMMENT: UNDER REVIEW.									
DIETHYLENE GLYCOL MONOETHYL ETHER		**000111-90-0**							
NOEL 200 MG/KG/DAY	ORAL: DRINKING WATER	RAT	KIDNEY	HISTOPATHOLOGY				2E+0 100	005478
CHRONIC [RfD] COMMENT: BASED ON A 3-GENERATION REPRODUCTION STUDY.									
NOEL 500 MG/KG/DAY	ORAL: DIET	RAT 90 DAYS	KIDNEY TESTIS	IMPAIRED FUNCTION INCREASED WEIGHT		5E+0 100			005476

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT	LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
DIETHYLFORMAMIDE 000617-84-5										
NOEL 0.546 MG/DAY, 5 DAYS/WEEK	ORAL: GAVAGE	RAT	73 WEEKS	RAT	NONE OBSERVED		1.1E-2 100		1.1E-2 100	010437
DIETHYLHYDRAZINE, 1,2- 001615-80-1										
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT. ALSO SEE HEAST TABLE 3: CARCINOGENICITY.										005921
DIMETHOATE 000060-51-5										
NOEL 0.05 MG/KG/DAY	ORAL: DIET	RAT	2 YEARS	BRAIN	DECREASED CHOLINESTERASE ACTIVITY		2E-4 300		IRIS	005923
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].										
DIMETHYLANILINE, N,N- 000121-69-7										
LOAEL 22.32 MG/KG/DAY	ORAL: GAVAGE	MOUSE	13 WEEKS	SPLEEN	EFFECTS		2E-2 1000		IRIS	005924
DIMETHYLFORMAMIDE, N,N- 000068-12-2										
NOAEL 96 MG/KG/DAY	ORAL: DIET	RAT	119 DAYS	LIVER	EFFECTS		1E+0 100		1E-1 1000	005925
LOAEL 22 MG/CU M	INHALATION: INTERMITTENT	HUMAN		LIVER GASTRO INTESTINAL SYSTEM	EFFECTS EFFECTS	3E-2 300		IRIS		010352
SUBCHRONIC [RfC] COMMENT: THE CHRONIC INHALATION RFC WAS ADOPTED AS THE SUBCHRONIC INHALATION [RFC].										
DIMETHYLPHENOL, 2,3- 000526-75-0										
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT										005926

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
DIMETHYLPHENOL, 2,4- 000105-67-9									
NOAEL 50 MG/KG/DAY		MOUSE							
	ORAL: GAVAGE	90 DAYS	NERVOUS SYSTEM	EFFECTS		2E-1		IRIS	010266
			BLOOD	ALTERATIONS		300			
DIMETHYLPHENOL, 2,5- 000095-87-4									
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT.									005928
DIMETHYLPHENOL, 2,6- 000576-26-1									
NOEL 0.6 MG/KG/DAY		RAT							
	ORAL	8 MONTHS	WHOLE BODY	INCREASED WEIGHT		6E-3		IRIS	005431
			ORGANS, MAJOR	LESIONS		100			
DIMETHYLPHENOL, 3,4- 000095-65-8									
NOEL 1.4 MG/KG/DAY		RAT							
	ORAL	8 MONTHS	WHOLE BODY	DECREASED WEIGHT		1E-2		IRIS	005437
			ORGANS, MAJOR	LESIONS		100			
			CARDIOVASCULAR SYSTEM	ALTERED BLOOD PRESSURE					
DIMETHYLPHTHALATE 000131-11-3									
NOEL 1000 MG/KG/DAY		RAT							
	ORAL: DIET	2 YEARS	KIDNEY	EFFECTS		1E+1		1E+1	010267
						100		100	
							IRIS		010894
CHRONIC RfC COMMENT: THE CHRONIC INHALATION RfC IS CONSIDERED NOT VERIFIABLE (07/26/90) BY THE RfD/RfC WORK GROUP.									
DIMETHYLTEREPHTHALATE 000120-61-6									
LOAEL 125 MG/KG/DAY		RAT							
	ORAL: DIET	103 WEEKS	KIDNEY	INFLAMMATION		1E-1		IRIS	005930
						1000			
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].									

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT	LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
DIMETHYLUREA, N,N- 000598-94-7										
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT										005931
DINITRO-O-CRESOL, 4,6- 000534-52-1										
CHRONIC [RfC] COMMENT: THE CHRONIC INHALATION [RfC] IS CONSIDERED NOT VERIFIABLE (02/11/93) BY THE RfD/RfC WORK GROUP.										010470
DINITRO-P-CRESOL, 2,6- 000609-93-8										
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT										005934
DINITROBENZENE, 1,2- 000528-29-0										
NOAEL 0.4 MG/KG/DAY		RAT								
	ORAL: DRINKING WATER		16 WEEKS	SPLEEN	INCREASED WEIGHT		4E-3 100		4E-4 1000	010201
SUBCHRONIC [RfD] COMMENT: DERIVED BY ANALOGY TO 1,3-DINITROBENZENE. CHRONIC [RfD] COMMENT: DERIVED BY ANALOGY TO 1,3-DINITROBENZENE.										
DINITROBENZENE, 1,3- 000099-65-0										
NOAEL 0.4 MG/KG/DAY		RAT								
	ORAL: DRINKING WATER			SPLEEN	INCREASED WEIGHT		1E-3 100		IRIS	010471
DINITROBENZENE, 1,4- 000100-25-4										
NOAEL 0.4 MG/KG/DAY		RAT								
	ORAL: DRINKING WATER		16 WEEKS	SPLEEN	INCREASED WEIGHT		4E-3 100		4E-4 1000	010202
SUBCHRONIC [RfD] COMMENT: DERIVED BY ANALOGY TO 1,3-DINITROBENZENE. CHRONIC [RfD] COMMENT: DERIVED BY ANALOGY TO 1,3-DINITROBENZENE.										
DINITROPHENOL, 2,3- 000066-56-8										
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT										005936

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT	LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
DINITROPHENOL, 2,4- 000051-28-5										
LOAEL 2 MG/KG/DAY	ORAL	HUMAN		EYE	CATARACT		2E-3 1000		IRIS	010438
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].										
CHRONIC RfC COMMENT: THE CHRONIC INHALATION RfC IS CONSIDERED NOT VERIFIABLE (06/13/91) BY THE RfD/RfC WORK GROUP.								IRIS		010895
DINITROPHENOL, 2,5- 000329-71-5										
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT										005937
DINITROPHENOL, 2,6- 000573-56-8										
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT										005938
DINITROPHENOL, 3,5- 000586-11-8										
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT										005939
DINITROTOLUENE, 2,3- 000602-01-7										
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT										005940
DINITROTOLUENE, 2,4- 000121-14-2										
NOAEL 0.2 MG/KG/DAY	ORAL: GELATIN CAPSULE	DOG	UP TO 2 YEARS	CENTRAL NERVOUS SYSTEM	NEUROTOXICITY		2E-3 100		IRIS	005941
				ERYTHROCYTES	HEINZ BODIES					
				BILIARY TRACT	HYPERPLASIA					
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD IS ADOPTED AS THE SUBCHRONIC ORAL [RfD].										
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.										
CHRONIC RfC COMMENT: THE CHRONIC INHALATION RfC IS CONSIDERED NOT VERIFIABLE (12/20/90) BY THE RfD/RfC WORK GROUP.								IRIS		010896
DINITROTOLUENE, 2,5- 000619-15-8										
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT										005942

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
DINITROTOLUENE, 2,6- 000606-20-2									
NOAEL 4 MG/KG/DAY		DOG							
	ORAL: DIET	13 WEEKS	WHOLE BODY	MORTALITY		1E-2		1E-3	005943
			CENTRAL NERVOUS SYSTEM	NEUROTOXICITY		300		3000	
			BLOOD	HEINZ BODIES					
			BLOOD	METHEMOGLOBINEMIA					
			BILE DUCT	HYPERPLASIA					
			KIDNEY	HISTOPATHOLOGY					
CHRONIC [RfD] COMMENT: UNDER REVIEW, CURRENT NUMBER SUBJECT TO CHANGE.									
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.									
DINITROTOLUENE, 3,4- 000610-39-9									
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT									005944
DINOSEB 000088-85-7									
LOAEL 1 MG/KG/DAY		RAT							
	ORAL: DIET	29 WEEKS	FETUS	DECREASED WEIGHT		1E-3		IRIS	005945
						1000			
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RFD WAS ADOPTED AS THE SUBCHRONIC ORAL [RFD].									
CHRONIC [RfD] COMMENT: THE CHRONIC ORAL RFD WAS DETERMINED FROM A 3-GENERATION REPRODUCTION STUDY.									
DIPHENYLAMINE, N,N- 000122-39-4									
NOEL 2.5 MG/KG/DAY		DOG							
	ORAL: DIET	2 YEARS	WHOLE BODY	DECREASED WEIGHT GAIN		2.5E-2		IRIS	005946
			LIVER	INCREASED WEIGHT		100			
			KIDNEY	INCREASED WEIGHT					
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].									
DIRECT LIGHTFAST BLUE 004399-55-7									
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT									005947

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
DISULFOTON		**000298-04-4**							
LOAEL 0.04 MG/KG/DAY		RAT							
	ORAL: DIET	2 YEARS	EYE	DEGENERATION		4E-5		IRIS	010412
			BLOOD	CHOLINESTERASE INHIBITION		1000			
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].									
ENDOSULFAN		**000115-29-7**							
NOAEL 15 PPM		RAT							
	ORAL: DIET	2 YEARS	WHOLE BODY	DECREASED WEIGHT GAIN		6E-3		6E-3	010926
			KIDNEY	GLOMERULONEPHROSIS		100		100	
			BLOOD VESSEL	ANEURYSMS					
NOAEL 10 PPM		DOG							
	ORAL: DIET	1 YEAR	WHOLE BODY	DECREASED WEIGHT GAIN					010938
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL [RfD] IS ADOPTED AS THE SUBCHORNIC ORAL [RfD]. CHRONIC [RfD] COMMENT: WITHDRAWN FROM IRIS (12/01/92). UNDER REVIEW, CURRENT NUMBER SUBJECT TO CHANGE. BASED ON CO-CRITICAL RAT AND DOG STUDIES.									
ENDOTHALL		**000145-73-3**							
NOEL 2 MG/KG/DAY		DOG							
	ORAL: DIET	2 YEARS	STOMACH	INCREASED WEIGHT		2E-2		IRIS	005948
			SMALL INTESTINE	INCREASED WEIGHT		100			
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].									
ENDRIN		**000072-20-8**							
NOEL 0.025 MG/KG/DAY		DOG							
	ORAL: DIET	2 YEARS	CENTRAL NERVOUS SYSTEM	CONVULSIONS		3E-4		IRIS	005445
			LIVER	LESIONS		100			
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].									

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
EPICHLOROHYDRIN		**000106-89-8**							
LOAEL 37.8 MG/CU M	INHALATION: INTERMITTENT	RAT 136 WEEKS	KIDNEY	LESIONS		2E-3 1000		2E-3 1000	010440
SUBCHRONIC [RfD] COMMENT: BASED ON ROUTE-TO-ROUTE EXTRAPOLATION. THE CHRONIC ORAL [RfD] WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD]. CHRONIC [RfD] COMMENT: WITHDRAWN FROM IRIS (04/01/92). GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.									
NOAEL 19 MG/CU M	INHALATION: INTERMITTENT	RAT 90 DAYS	NASAL EPITHELIUM	LESIONS	1E-2 100		IRIS		010492
EPTC		**000759-94-4**							
NOEL 2.5 MG/KG/DAY	ORAL: DIET	RAT 2 GENERATIONS	HEART	DEGENERATIVE CARDIOMYOPATHY		2.5E-2 100		IRIS	005959
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD]. CHRONIC [RfD] COMMENT: THE CHRONIC ORAL RFD WAS DETERMINED FROM A 2-GENERATION REPRODUCTION STUDY.									
ETHOPROP		**013194-48-4**							
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT									005951
ETHOXYETHANOL ACETATE, 2-		**000111-15-9**							
									010507
SUBCHRONIC [RfD] COMMENT: ALSO SEE HEAST TABLE 2: ALTERNATE METHODS -- SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY) CHRONIC [RfD] COMMENT: ALSO SEE HEAST TABLE 2: ALTERNATE METHODS -- SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)									
ETHOXYETHANOL ACRYLATE, 2-		**000106-74-1**							
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT									005953
ETHOXYETHANOL DODECANOATE, 2-		**000106-13-8**							
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT									005956

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
ETHOXYETHANOL PHOSPHATE, 2- 068554-00-7									
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT									005955
ETHOXYETHANOL, 2- 000110-80-5									
LOAEL 357 MG/KG/DAY	ORAL: GAVAGE	RAT 103 WEEKS	WHOLE BODY	DECREASED WEIGHT				4E-1 1000	005470
NOEL 50 UL/KG/DAY	ORAL: GAVAGE	RAT 21 DAYS	FETUS	SKELETAL MALFORMATIONS		5E-1 100			005468
SUBCHRONIC [RfD] COMMENT: BASED ON A REPRODUCTION STUDY WITH EXPOSURES DURING DAYS 1-21 OF GESTATION.									
NOAEL 380 MG/CU M	INHALATION: INTERMITTENT	RABBIT 13 WEEKS	BLOOD	ALTERED HEMATOLOGY	2E+0 30		IRIS		010441
ETHOXYETHYL METHACRYLATE, 2- 002370-63-0									
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT									005954
ETHYL ACETATE 000141-78-6									
NOEL 900 MG/KG/DAY	ORAL: GAVAGE	RAT 90 DAYS	WHOLE BODY	INCREASED MORTALITY		9E+0		IRIS	005957
			WHOLE BODY	DECREASED WEIGHT		100			
ETHYL BENZENE 000100-41-4									
								IRIS	010867
							IRIS		010866
SUBCHRONIC [RfC] COMMENT: CONTACT THE SUPERFUND HEALTH RISK TECHNICAL SUPPORT CENTER: (513) 569-7300.									
SUBCHRONIC [RfD] COMMENT: CONTACT THE SUPERFUND HEALTH RISK TECHNICAL SUPPORT CENTER: (513) 569-7300.									

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
ETHYL CHLORIDE		000075-00-3							
NOAEL 1504 PPM	INHALATION: INTERMITTENT	MOUSE 10 DAYS	FETUS	DEVELOPMENTAL TOXICITY	1E+1 300		IRIS		010371
SUBCHRONIC [RfC] COMMENT: THE CHRONIC INHALATION RfC WAS ADOPTED AS THE SUBCHRONIC INHALATION [RfC]. CHRONIC [RfC] COMMENT: BASED ON A DEVELOPMENTAL STUDY WITH EXPOSURES DURING DAYS 6-15 OF GESTATION.									
ETHYL ETHER		000060-29-7							
NOAEL 500 MG/KG/DAY	ORAL: GAVAGE	RAT 90 DAYS	LIVER	EFFECTS		2E+0 300		IRIS	010396
ETHYL METHACRYLATE		000097-63-2							
NOEL 7.5 MG/KG/DAY	ORAL: DRINKING WATER	RAT 2 YEARS	KIDNEY	INCREASED RELATIVE WEIGHT		9E-2 100		9E-2 100	005961
CHRONIC [RfD] COMMENT: CALCULATED FROM METHYL METHACRYLATE DATA BY MULTIPLYING BY THE RATIO OF THE MOLECULAR WEIGHTS (114.5/100.13).									
ETHYL-O-XYLENE, 4-		000934-80-5							
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT.									010472
ETHYLANILINE, N-		000103-69-5							
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT									005958
ETHYLENE CYANOHYDRIN		000109-78-4							
NOEL 30 MG/KG/DAY	ORAL: DRINKING WATER	RAT 90 DAYS	HEART BRAIN	DECREASED WEIGHT DECREASED WEIGHT		3E-1 100		3E-1 100	005780

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT	LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
ETHYLENE DIAMINE		**000107-15-3**								
NOAEL 22.6 MG/KG/DAY		RAT								
	ORAL: DIET		3 MONTHS	HEART	DECREASED WEIGHT		2E-1		2E-2	005796
				BLOOD	HEMATOLOGIC CHANGES		100		1000	
								IRIS		010898
CHRONIC RfC COMMENT: THE CHRONIC INHALATION RfC IS CONSIDERED NOT VERIFIABLE (12/18/90) BY THE RfD/RfC WORK GROUP.										
ETHYLENE GLYCOL		**000107-21-1**								
									IRIS	005454
NOEL 200 MG/KG/DAY		RAT								
	ORAL: DIET			FETUS	FETOTOXICITY		2E+0			005452
							100			
SUBCHRONIC [RfD] COMMENT: BASED ON A REPRODUCTION STUDY WITH EXPOSURES DURING DAYS 6-15 OF GESTATION.										
ETHYLENE GLYCOL MONOBUTYL ETHER		**000111-76-2**								
NOAEL 121 MG/CU M		RAT								
	INHALATION: INTERMITTENT		13 WEEKS	BLOOD	ALTERED HEMATOLOGY	2E-1		2E-2		010353
						100		1000		
CHRONIC [RfC] COMMENT: UNDER REVIEW, CURRENT NUMBER SUBJECT TO CHANGE.										
ETHYLENE THIOUREA		**000096-45-7**								
LOAEL 0.25 MG/KG/DAY		RAT								
	ORAL: DIET		24 MONTHS	THYROID	HYPERPLASIA		8E-5		IRIS	010397
							3000			
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].										
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.										
										010899
CHRONIC [RfC] COMMENT: THE CHRONIC INHALATION [RfC] IS CONSIDERED NOT VERIFIABLE (08/12/92) BY THE RfD/RfC WORK GROUP.										
ETHYLTOLUENE, M-		**000620-14-4**								
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT										005963

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT	LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
ETHYLTOLUENE, O-		000611-14-3								
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT										005962
ETHYLTOLUENE, P-		000622-96-8								
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT										005964
FLUORANTHENE		000206-44-0								
NOAEL 125 MG/KG/DAY		MOUSE								
	ORAL: GAVAGE		90 DAYS	KIDNEY	NEPHROPATHY		4E-1		IRIS	010168
				LIVER	WEIGHT CHANGES		300			
				BLOOD	HEMATOLOGICAL CHANGES					
FLUORENE		000086-73-7								
NOAEL 125 MG/KG/DAY		MOUSE								
	ORAL: GAVAGE		13 WEEKS	ERYTHROCYTES	DECREASED COUNTS		4E-1		IRIS	010169
							300			
FLUORINE / (SOLUBLE FLUORIDE)		007782-41-4								
NOAEL 0.06 MG/KG/DAY		HUMAN								
	ORAL: DRINKING WATER			TOOTH	FLUOROSIS		6E-2		IRIS	005965
							1			
FLURIDONE		059756-60-4								
NOEL 200 PPM		RAT								
	ORAL: DIET		2 YEARS	KIDNEY	GLOMERULONEPHRITIS		8E-2		IRIS	005966
				TESTIS	ATROPHY		100			
				WHOLE BODY	DECREASED WEIGHT					
				ORGANS	DECREASED WEIGHT					
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].										

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT	LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
FOLPET		**000133-07-3**								
NOEL	10 MG/KG/DAY	DOG								
	ORAL: CAPSULE		1 YEAR	WHOLE BODY	ALTERED WEIGHT GAIN		1E-1		IRIS	005967
				BLOOD	ALTERED CHEMISTRY		100			
	SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].									
	GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.									
FORMALDEHYDE		**000050-00-0**								
NOAEL	15 MG/KG/DAY	RAT								
	ORAL: WATER		2 YEARS	GASTRO-INTESTINAL TRACT	LESIONS		2E-1 100		IRIS	010398
	GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.									
FORMALDEHYDE CYANOHYDRIN		**000107-16-4**								
	GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT									005782
FORMIC ACID		**000064-18-6**								
NOAEL	200 MG/KG/DAY	RAT								
	ORAL: WATER		MULTI-GENERATION	WHOLE BODY	DECREASED GROWTH		2E+0 100		2E+0 100	010268
	CHRONIC [RfD] COMMENT: BASED ON A MULTI-GENERATION STUDY. WITHDRAWN FROM IRIS (12/01/90). UNDER REVIEW, CURRENT NUMBER SUBJECT TO CHANGE.									
FURAN		**000110-00-9**								
NOAEL	1.4 MG/KG/DAY	MOUSE								
	ORAL: GAVAGE		13 WEEKS	LIVER	LESIONS		1E-2 100		IRIS	005462

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
FURFURAL		000098-01-1							
LOAEL 7.9 MG/KG/DAY	ORAL: GAVAGE	RAT 13 WEEKS	LIVER	HEPATOTOXICITY		3E-2 300		IRIS	005466
SUBCHRONIC [RfC] COMMENT: ALSO SEE HEAST TABLE 2: ALTERNATE METHODS - SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)									
CHRONIC [RfC] COMMENT: ALSO SEE HEAST TABLE 2: ALTERNATE METHODS - SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)									
GLYCIDALDEHYDE		000765-34-4							
NOAEL 29 MG/CU M	INHALATION: INTERMITTENT	RAT 12 WEEKS	WHOLE BODY KIDNEY	DECREASED WEIGHT EFFECTS	1E-2 300	4E-3 300	1E-3 3000	IRIS	005968
SUBCHRONIC [RfD] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION USING AN ABSORPTION FACTOR OF 0.5.									
CHRONIC [RfD] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION USING AN ABSORPTION FACTOR OF 0.5.									
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.									
HEPTACHLOR		000076-44-8							
NOEL 0.15 MG/KG/DAY	ORAL: DIET	RAT 2 YEARS	LIVER	INCREASED WEIGHT		5E-4 300		IRIS	005506
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].									
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY									
HEPTACHLOR EPOXIDE		001024-57-3							
LOAEL 0.0125 MG/KG/DAY	ORAL: DIET	DOG 60 WEEKS	LIVER	INCREASED RELATIVE WEIGHT		1.3E-5 1000		IRIS	010399
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].									
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.									
HEPTANE, N-		000142-82-5							
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT									005969

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT	LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
HEXABROMOBENZENE		000087-82-1								
NOAEL 2 MG/KG/DAY	ORAL: DIET	RAT	12 WEEKS	LIVER	INDUCED CARBOXYLESTERASE ACTIVITY		2E-2 100		IRIS	005970
HEXACHLOROBENZENE		000118-74-1								
									IRIS	010868
								IRIS		010900

CHRONIC RfC COMMENT: THE CHRONIC INHALATION RfC IS CONSIDERED NOT VERIFIABLE (11/15/90) BY THE RfD/RfC WORK GROUP.

SUBCHRONIC [RfC] COMMENT: CONTACT THE SUPERFUND HEALTH RISK TECHNICAL SUPPORT CENTER: (513) 569-7300.
SUBCHRONIC [RfD] COMMENT: CONTACT THE SUPERFUND HEALTH RISK TECHNICAL SUPPORT CENTER: (513) 569-7300.
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.

HEXACHLOROBUTADIENE		000087-68-3								
LOAEL 0.5 MG/KG/DAY	ORAL: DIET	MOUSE	13 WEEKS	RENAL TUBULES	REGENERATION				2E-4 1000	010927

CHRONIC [RfD] COMMENT: WITHDRAWN FROM IRIS (05/01/93). UNDER REVIEW, CURRENT NUMBER SUBJECT TO CHANGE.

SUBCHRONIC [RfC] COMMENT: CONTACT THE SUPERFUND HEALTH RISK TECHNICAL SUPPORT CENTER: (513) 569-7300.
SUBCHRONIC [RfD] COMMENT: CONTACT THE SUPERFUND HEALTH RISK TECHNICAL SUPPORT CENTER: (513) 569-7300.

HEXACHLOROCYCLOHEXANE, DELTA- 000319-86-8

GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT. ALSO SEE HEAST TABLE 3: CARCINOGENICITY. 010495

HEXACHLOROCYCLOHEXANE, EPSILON- 006108-10-7

GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT. ALSO SEE HEAST TABLE 3: CARCINOGENICITY. 010496

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
HEXACHLOROCYCLOHEXANE, GAMMA- 000058-89-9									
NOAEL 0.33 MG/KG/DAY	ORAL: DIET	RAT 12 WEEKS	LIVER	TOXICITY		3E-3		IRIS	005537
			KIDNEY	TOXICITY		100			
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.									010903
CHRONIC [RfC] COMMENT: THE CHRONIC INHALATION [RfC] IS CONSIDERED NOT VERIFIABLE (05/27/92) BY THE RfD/RfC WORK GROUP.									
HEXACHLOROCYCLOPENTADIENE 000077-47-4									
NOAEL 7.1 MG/KG/DAY	ORAL	RAT 13 WEEKS	FORESTOMACH	LESIONS		7E-2		IRIS	005299
						100			
NOAEL 0.15 PPM	INHALATION: INTERMITTENT	RAT 13 WEEKS	NASAL CAVITY	SQUAMOUS METAPLASIA	7E-4		7E-5		010445
					100		1000		
HEXACHLOROETHANE 000067-72-1									
NOAEL 1 MG/KG/DAY	ORAL: DIET	RAT 16 WEEKS	KIDNEY	DEGENERATION		1E-2		IRIS	005518
						100			
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.									010904
CHRONIC [RfC] COMMENT: THE CHRONIC INHALATION [RfC] IS CONSIDERED NOT VERIFIABLE (11/05/92), BY THE RfD/RfC WORK GROUP.									
HEXACHLOROPHENE 000070-30-4									
LOAEL 0.75 MG/KG/DAY	ORAL: DIET	DOG 13 WEEKS	NERVOUS SYSTEM	EFFECTS		3E-3		IRIS	005972
						300			
HEXAMETHYLENE DIAMINE 000124-09-4									
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT									005973

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
HEXANE, N-		000110-54-3							
LOAEL 570 MG/KG/DAY	ORAL	RAT	NERVOUS SYSTEM	NEUROPATHY		6E-1		6E-2	005974
			TESTIS	ATROPHY		1000		10000	
LOAEL 73 MG/CU M	INHALATION: INTERMITTENT	HUMAN	NERVOUS SYSTEM	NEUROTOXICITY	2E-1 300		IRIS		010273
SUBCHRONIC [RfC] COMMENT: THE CHRONIC INHALATION RfC WAS ADOPTED AS THE SUBCHRONIC INHALATION [RfC].									
HEXANONE, 2-		000591-78-6							
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT									005976
HYDROGEN SULFIDE		007783-06-4							
NOAEL 3.1 MG/KG/DAY	ORAL: FOOD	PIG 105 DAYS	GASTRO-INTESTINAL SYSTEM	DISTURBANCE		3E-2 100		IRIS	010269
NOAEL 42 MG/CU M	INHALATION: INTERMITTENT	MOUSE 13 WEEKS	NASAL MUCOSA	INFLAMMATION	9E-3 100		IRIS		010354
HYDROQUINONE		000123-31-9							
NOAEL 4.29 MG/KG/DAY	ORAL	HUMAN 3-5 MONTHS	BLOOD	HEMATOLOGICAL EFFECTS		4E-1 10		4E-2 100	005526
							IRIS		010905
CHRONIC RfC COMMENT: THE CHRONIC INHALATION RfC IS CONSIDERED NOT VERIFIABLE (10/01/90) BY THE RfD/RfC WORK GROUP.									
IRON		007439-89-6							
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT									005527

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
ISOBUTYL ALCOHOL		**000078-83-1**							
NOEL	316 MG/KG/DAY	RAT							
	ORAL: GAVAGE	13 WEEKS	NERVOUS SYSTEM	HYPOACTIVITY		3E+0		IRIS	005977
			NERVOUS SYSTEM	ATAXIA		100			
ISOPHORONE		**000078-59-1**							
NOEL	150 MG/KG/DAY	DOG							
	ORAL: CAPSULE	90 DAYS	KIDNEY	LESIONS		2E+0		IRIS	005910
						100			
	GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.								
	CHRONIC RfC COMMENT: THE CHRONIC INHALATION RfC IS CONSIDERED NOT VERIFIABLE (11/15/90) BY THE RfD/RfC WORK GROUP.						IRIS		010906
ISOPROPALIN		**033820-53-0**							
NOEL	15 MG/KG/DAY	RAT							
	ORAL: DIET	90 DAYS	BLOOD	HEMATOLIGICAL EFFECTS		1.5E-1		IRIS	005978
			ORGANS, UNSPECIFIED	ALTERED WEIGHTS		100			
LACTONITRILE		**000078-97-7**							
	GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT								005783
LEAD		**007439-92-1**							
	CHRONIC [RfC] COMMENT: REFER TO APPENDIX A: TECHNICAL INFORMATION, SECTION V ON NATIONAL AMBIENT AIR QUALITY STANDARDS.								010447
	CHRONIC [RfD] COMMENT: REFER TO IRIS								
	GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.								
LEAD ALKYLS									
	CHRONIC [RfC] COMMENT: REFER TO APPENDIX A: TECHNICAL INFORMATION, SECTION V ON NATIONAL AMBIENT AIR QUALITY STANDARDS.								010448
	CHRONIC [RfD] COMMENT: REFER TO IRIS								
	GENERAL COMMENT: DIMETHYLETHYL LEAD; METHYLTRIETHYL LEAD; TETRABUTYL LEAD; TETRAETHYL LEAD; TETRAMETHYL LEAD; TETRAPROPYL LEAD; TRIETHYL LEAD; TRIMETHYL LEAD; TRIMETHYLETHYL LEAD; TRIPROPYL LEAD								

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
LINURON		**000330-55-2**							
LOAEL 0.625 MG/KG/DAY	ORAL: DIET	DOG 2 YEARS	BLOOD	HEMATOLOGICAL EFFECTS		2E-3 300		IRIS	005990
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD]. GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.									
MALATHION		**000121-75-5**							
NOEL 0.23 MG/KG/DAY	ORAL: CAPSULE	HUMAN 47 DAYS	BLOOD	HEMATOLOGICAL EFFECTS		2E-2 10		IRIS	005991
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD]. CHRONIC [RfC] COMMENT: UNDER REVIEW.									
MALEIC ANHYDRIDE		**000108-31-6**							
NOAEL 10 MG/KG/DAY	ORAL: DIET	RAT 2 YEARS	KIDNEY	LESIONS		1E-1 100		IRIS	005992
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].									
MALEIC HYDRAZIDE		**000123-33-1**							
LOAEL 500 MG/KG/DAY	ORAL: DIET	RAT 28 MONTHS	KIDNEY	ALTERED FUNCTION		5E-1 1000		IRIS	005993
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].									
MALONONITRILE		**000109-77-3**							
LOAEL 0.21 MG/KG/DAY	ORAL: GAVAGE	RAT 120 DAYS	LIVER	EFFECTS		2E-4		2E-5	005994
			SPLEEN	EFFECTS		1000		10000	

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
MANCOZEB		**008018-01-7**							
NOEL	2.9 MG/KG/DAY	RAT							
	ORAL: DIET	90 WEEKS	THYROID	GOITROGENIC EFFECTS		3E-2		3E-2	005995
						100		100	
MANEB		**012427-38-2**							
NOEL	5 MG/KG/DAY	MONKEY							
	ORAL: DIET	6 MONTHS	THYROID	INCREASED WEIGHT		5E-2		IRIS	005996
						100			
MANGANESE		**007439-96-5**							
NOAEL	0.005 MG/KG/DAY	HUMAN							
	ORAL: DRINKING WATER	CHRONIC	CENTRAL NERVOUS SYSTEM	EFFECTS		5E-3		IRIS	010850
						1			
	SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL WATER RfD WAS ADOPTED AS THE SUBCHRONIC ORAL WATER [RfD]. SEE IRIS FOR SPECIFIC DIETARY INFORMATION.								
NOAEL	0.14 MG/KG/DAY	HUMAN							
	ORAL: DIET	CHRONIC	CENTRAL NERVOUS SYSTEM	EFFECTS		1.4E-1		IRIS	010851
						1			
	SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL FOOD RfD WAS ADOPTED AS THE SUBCHRONIC ORAL FOOD [RfD]. SEE IRIS FOR SPECIFIC DIETARY INFORMATION.								
							IRIS		010959
	SUBCHRONIC [RfC] COMMENT: A SUBCHRONIC [RfC] HAS NOT BEEN DERIVED FOR MANGANESE.								
MEPHOSFOLAN		**000950-10-7**							
NOEL	0.09 MG/KG/DAY	RAT							
	ORAL: DIET	17 WEEKS	LIVER	ALTERED WEIGHT		9E-4		9E-5	005997
			KIDNEY	ALTERED WEIGHT		100		1000	
			BLOOD	DECREASED CHOLINESTERASE ACTIVITY					
			ERYTHROCYTES	DECREASED CHOLINESTERASE ACTIVITY					
			BRAIN	DECREASED CHOLINESTERASE ACTIVITY					

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT	LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
MERCURY, ELEMENTAL VAPOR 007439-97-6										
SUBCHRONIC [RfC] COMMENT: CONTACT THE SUPERFUND HEALTH RISK TECHNICAL SUPPORT CENTER: (513) 569-7300.										
MERCURY, INORGANIC 007439-97-6										
	ORAL: PARENTERAL	RAT		KIDNEY	EFFECTS		3E-4 1000		3E-4 1000	005800
CHRONIC [RfD] COMMENT: UNDER REVIEW, CURRENT NUMBER SUBJECT TO CHANGE.										
NOAEL 0.009 MG/CU M	INHALATION:	HUMAN		NERVOUS SYSTEM	NEUROTOXICITY	3E-4 30		3E-4 30		010270
SUBCHRONIC [RfC] COMMENT: THIS VALUE IS SPECIFICALLY FOR ELEMENTAL MERCURY. CHRONIC [RfC] COMMENT: THIS VALUE IS SPECIFICALLY FOR ELEMENTAL MERCURY. UNDER REVIEW, CURRENT NUMBER SUBJECT TO CHANGE.										
MERPHOS 000150-50-5										
NOEL 0.1 MG/KG/DAY	ORAL: CAPSULE	HEN	3 MONTHS	NERVOUS SYSTEM NERVOUS SYSTEM WHOLE BODY	ATAXIA DELAYED NEUROTOXICITY DECREASED WEIGHT		3E-4 300		IRIS	005998
										010907
CHRONIC [RfC] COMMENT: THE CHRONIC INHALATION [RfC] IS CONSIDERED NOT VERIFIABLE (06/25/92) BY THE RfD/RfC WORK GROUP. SUBCHRONIC [RfD] CPMMENT: THE CHRONIC ORAL RfD WAS MODIFIED TO ESTIMATE THE SUBCHRONIC ORAL [RfD].										
MERPHOS OXIDE 000078-48-8										
NOEL 0.1 MG/KG/DAY	ORAL: CAPSULE	HEN	3 MONTHS	NERVOUS SYSTEM NERVOUS SYSTEM WHOLE BODY	ATAXIA DELAYED NEUROTOXICITY DECREASED WEIGHT		3E-4 300		IRIS	005999
										010908
CHRONIC [RfC] COMMENT: THE CHRONIC INHALATION [RfC] IS CONSIDERED NOT VERIFIABLE (06/25/92) BY THE RfD/RfC WORK GROUP. SUBCHRONIC [RfD] CPMMENT: THE CHRONIC ORAL RfD WAS MODIFIED TO ESTIMATE THE SUBCHRONIC ORAL [RfD].										

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
METHACRYLONITRILE		**000126-98-7**							
NOAEL 3.2 PPM		DOG							
	INHALATION:	90 DAYS	LIVER	INCREASED SGOT		1E-3		IRIS	005812
	INTERMITTENT		LIVER	INCREASED SGPT		300			
			CENTRAL NERVOUS SYSTEM	LOSS OF HINDLIMB MOTOR CONTROL					
			BRAIN	LESIONS					
SUBCHRONIC [RfC] COMMENT: ALSO SEE HEAST TABLE 2: ALTERNATE METHODS - SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)									
SUBCHRONIC [RfD] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION.									
CHRONIC [RfC] COMMENT: ALSO SEE HEAST TABLE 2: ALTERNATE METHODS - SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)									
CHRONIC [RfD] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION.									
METHANOL		**000067-56-1**							
NOEL 500 MG/KG/DAY		RAT							
	ORAL: GAVAGE	90 DAYS	BLOOD	INCREASED ALKALINE PHOSPHATASE		5E+0		IRIS	010271
			BLOOD	INCREASED SGPT		100			
			BRAIN	DECREASED WEIGHT					
METHOMYL		**016752-77-5**							
NOEL 2.5 MG/KG/DAY		DOG							
	ORAL: DIET	24 MONTHS	KIDNEY	LESIONS		2.5E-2		IRIS	005802
						100			
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].									
METHOXYCHLOR		**000072-43-5**							
NOEL 5.01 MG/KG/DAY		RABBIT							
	ORAL: GAVAGE	13 DAYS	REPRODUCTION	LOSS OF LITTERS		5E-3		IRIS	010357
						1000			
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].									
							IRIS		010909
CHRONIC RfC COMMENT: THE CHRONIC INHALATION RfC IS CONSIDERED NOT VERIFIABLE (11/07/91) BY THE RfD/RfC WORK GROUP.									

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
METHOXYETHANOL ACETATE, 2- 000110-49-6									
									010497

CHRONIC [RfD] COMMENT: ALSO SEE HEAST TABLE 2: ALTERNATE METHODS -- SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)
SUBCHRONIC [RfD] COMMENT: ALSO SEE HEAST TABLE 2: ALTERNATE METHODS -- SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)

METHOXYETHANOL, 2- 000109-86-4									
NOAEL 93 MG/CU M		RABBIT							
	INHALATION:	13 WEEKS	TESTICLE	EFFECTS	2E-1		IRIS		010372
	INTERMITTENT				100				

SUBCHRONIC [RfD] COMMENT: ALSO SEE HEAST TABLE 2: ALTERNATE METHODS -- SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).
CHRONIC [RfD] COMMENT: ALSO SEE HEAST TABLE 2: ALTERNATE METHODS -- SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).

METHYL ACETATE 000079-20-9									
NOEL 1156 MG/KG/DAY		RAT							
	ORAL: GAVAGE	90 DAYS	LIVER	INCREASED ALKALINE PHOSPHATASE		1E+1		1E+0	010002
			LIVER	INCREASED SGPT		100		1000	

CHRONIC [RfD] COMMENT: CALCULATED FROM DATA OBTAINED WITH METHANOL BY MULTIPLYING BY THE MOLECULAR WEIGHT RATIO (74.08/32.04).

METHYL ACRYLATE 000096-33-3									
									010498

CHRONIC [RfD] COMMENT: ALSO SEE HEAST TABLE 2: ALTERNATE METHODS -- SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)
GENERAL COMMENT: ALSO SEE HEAST TABLE 2: ALTERNATE METHODS -- SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)

METHYL CHLOROCARBONATE 000079-22-1

CHRONIC [RfD] COMMENT: WITHDRAWN FROM IRIS (05/01/89).
GENERAL COMMENT: CONTACT THE SUPERFUND HEALTH RISK TECHNICAL SUPPORT CENTER: (513) 569-7300.

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
METHYL ETHYL KETONE 000078-93-3									
NOAEL 1711 MG/KG/DAY	ORAL: DRINKING WATER	RAT MULTI-GENERATION	FETUS	DECREASED BIRTH WEIGHT		2E+0 1000		IRIS	010853
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS MODIFIED TO ESTIMATE THE SUBCHRONIC ORAL [RfD]. GENERAL COMMENT: MULTI-GENERATION DEVELOPMENTAL STUDY PERFORMED WHT THE SURROGATE 2-BUTANOL, A METABOLITE OF METHYL ETHYL KETONE.									
NOAEL 1010 PPM	INHALATION: INTERMITTENT	MOUSE 10 DAYS	FETUS	DECREASED BIRTH WEIGHT	1E+0 3000		IRIS		010845
SUBCHRONIC [RfC] COMMENT: THE CHRONIC INHALATION RfC WAS ADOPTED AS THE SUBCHRONIC INHALATION [RfC].									
METHYL ETHYL KETONE PEROXIDE 001338-23-4									
CHRONIC [RfD] COMMENT: THE CHRONIC ORAL [RfD] IS CONSIDERED NOT VERIFIABLE (07/22/93) BY THE RfD/RfC WORK GROUP.									010948
METHYL ISOBUTYL KETONE 000108-10-1									
NOAEL 250 MG/(KG-DAY)	ORAL: GAVAGE	RAT 13 WEEKS	WHOLE BODY	LETHARGY		8E-1		8E-2	010949
			LIVER	INCREASED RELATIVE WEIGHT IN FEMALES		300		3000	
			LIVER	INCREASED ABSOLUTE WEIGHT IN FEMALES					
			KIDNEY	INCREASED RELATIVE WEIGHT IN FEMALES					
			KIDNEY	INCREASED ABSOLUTE WEIGHT IN FEMALES					
			KIDNEY	INCREASED URINARY PROTEIN LEVELS IN FEMALES					
SUBCHRONIC [RfC] COMMENT: ALSO SEE HEAST TABLE 2: ALTERNATE METHODS - SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY) CHRONIC [RfC] COMMENT: ALSO SEE HEAST TABLE 2: ALTERNATE METHODS - SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY) CHRONIC [RfD] COMMENT: WITHDRAWN FROM IRIS (03/01/91), UNDER REVIEW, CURRENT NUMBER SUBJECT TO CHANGE.									
METHYL ISOCYANATE 000624-83-9									
							IRIS		010013
CHRONIC RfC COMMENT: THE CHRONIC INHALATION RfC IS CONSIDERED NOT VERIFIABLE (12/18/90) BY THE RfD/RfC WORK GROUP.									

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
METHYL MERCURY		022967-92-6							
LOAEL 0.003 MG HG/KG/DAY	ORAL	HUMAN	CENTRAL NERVOUS SYSTEM	EFFECTS		3E-4 10		IRIS	005547
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].									
CHRONIC [RfD] COMMENT: THE ADMINISTERED DOSE WAS CALCULATED FROM 200 NG HG/ML OF BLOOD.									
METHYL METHACRYLATE		000080-62-6							
NOEL 7.5 MG/KG/DAY	ORAL: WATER	RAT 24 MONTHS	KIDNEY	INCREASED RELATIVE WEIGHT		8E-2 100		8E-2 100	010014
METHYL PARATHION		000298-00-0							
								IRIS	010015
NOAEL 2.5 PPM	ORAL: DIET	RAT 90 DAYS	ERYTHROCYTES	CHOLINESTERASE INHIBITION		2E-3 100			010846
METHYL STYRENE (MIXED ISOMERS)		025013-15-4							
									010500
CHRONIC [RfD] COMMENT: UNDER REVIEW. ALSO SEE HEAST TABLE 2: ALTERNATE METHODS -- SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)									
GENERAL COMMENT: ALSO SEE HEAST TABLE 2: ALTERNATE METHODS -- SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)									
METHYL STYRENE, ALPHA		000098-83-9							
									010499
GENERAL COMMENT: ALSO SEE HEAST TABLE 2: ALTERNATE METHODS -- SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)									

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
METHYL-4-CHLOROPHENOXY) BUTYRIC ACID, 4-(2- 000094-81-5									
NOEL	12 MG/KG/DAY	RAT							
	ORAL: DIET	13 WEEKS	LIVER	EFFECTS		1E-1		IRIS	010008
			KIDNEY	EFFECTS		100			
		DOG							
	ORAL: DIET	13 WEEKS	LIVER	EFFECTS					
			KIDNEY	EFFECTS					
METHYL-4-CHLOROPHENOXY) PROPIONIC ACID, 2-(2- 000093-65-2									
NOEL	3 MG/KG/DAY	RAT							
	ORAL: DIET	90 DAYS	KIDNEY	ALTERED WEIGHT		1E-2		IRIS	010009
						300			
METHYL-4-CHLOROPHENOXYACETIC ACID, 2- 000094-74-6									
NOEL	0.15 MG/KG/DAY	DOG							
	ORAL: DIET	52 WEEKS	KIDNEY	EFFECTS		5E-4		IRIS	010007
			LIVER	EFFECTS		300			
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].									
METHYLCYCLOHEXANE 000108-87-2									
NOAEL	287 MG/CU M	RAT							
	INHALATION:	1 YEAR	KIDNEY	MINERALIZATION	3E+0		3E+0		010431
	INTERMITTENT		KIDNEY	PAPILLARY HYPERPLASIA	100		100		
METHYLENE BROMIDE 000074-95-3									010501
GENERAL COMMENT: ALSO SEE HEAST TABLE 2: ALTERNATE METHODS -- SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)									

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
METHYLENE CHLORIDE / (DICHLOROMETHANE) 000075-09-2									
NOAEL 5.85 MG/KG/DAY	ORAL: DRINKING WATER	RAT 24 MONTHS	LIVER	TOXICITY		6E-2 100		IRIS	005553
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].									
NOAEL 694.8 MG/CU M	INHALATION: INTERMITTENT	RAT 2 YEARS	LIVER	TOXICITY	3E+0 100		3E+0 100		005552
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.									
METHYLENE-BIS(2-CHLOROANILINE), 4,4'- 000101-14-4									
LOAEL 7.3 MG/KG/DAY	ORAL	DOG 9 YEARS	LIVER	EFFECTS		7E-4		7E-4	010413
			BLADDER	EFFECTS		10000		10000	
									010933
CHRONIC [RfC] COMMENT: THE CHRONIC INHALATION [RfC] IS CONSIDERED NOT VERIFIABLE 02/10/93) BY THE RfD/RfC WORK GROUP.									
METHYLENEDIPHENYL ISOCYANATE, 4,4- / (DIPEHNYLMETHANE DIISOCYANATE) 000101-68-8									
NOAEL 0.2 MG/CU M	INHALATION: INTERMITTENT	RAT 24 MONTHS	NASAL CAVITY	LESIONS	2E-5 300		2E-5 300		010449
CHRONIC [RfC] COMMENT: UNDER REVIEW, CURRENT NUMBER SUBJECT TO CHANGE.									
METOLACHLOR 051218-45-2									
NOAEL 300 PPM	ORAL: DIET	RAT 2 YEARS	WHOLE BODY	DECREASED WEIGHT GAIN		1.5E-1 100		1.5E-1 100	010950
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL [RfD] WAS ADOPTED AS THE SUCHRONIC ORAL [RfD].									

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
METRIBUZIN		021087-64-9							
NOAEL 100 PPM		DOG							
	ORAL: DIET	2 YEARS	LIVER	EFFECTS		2.5E-2		IRIS	010928
			KIDNEY	EFFECTS		100			
			WHOLE BODY	MORTALITY					
			WHOLE BODY	DECREASED WEIGHT					
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].									
MIREX		002385-85-5							
NOAEL 0.07 MG/KG/DAY		RAT							
	ORAL: DIET	2 YEARS	LIVER	CYTOMEGALY		2E-4		IRIS	010841
			LIVER	FATTY METAMORPHOSIS		300			
			LIVER	ANGIECTASIS					
			THYROID	CYSTIC FOLLICLES					
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].									
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.									
MOLINATE		002212-67-1							
NOEL 0.2 MG/KG/DAY		RAT							
	ORAL: GAVAGE		REPRODUCTIVE SYSTEM	TOXICITY		2E-3		IRIS	010017
						100			
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].									
CHRONIC [RfD] COMMENT: BASED ON A REPRODUCTION STUDY.									
MOLYBDENUM		007439-98-7							
LOAEL 0.14 MG/KG/DAY		HUMAN							
	ORAL: WATER, DIET		URINE	INCREASED URIC ACID		5E-3		IRIS	010489
			JOINTS	PAIN, SWELLING		30			
			BLOOD	DECREASED COPPER LEVELS					
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RFD].									

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
MONOCHLORAMINE		**010599-90-3**							
NOAEL 9.5 MG/KG/DAY		RAT							
	ORAL: DRINKING WATER	2 YEARS	WHOLE BODY	WEIGHT CHANGES		1E-1		IRIS	010517
			LIVER	WEIGHT CHANGES		100			
			KIDNEY	WEIGHT CHANGES					
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].									
NAPHTHALENE		**000091-20-3**							
CHRONIC [RfD] COMMENT: CONTACT THE SUPERFUND HEALTH RISK TECHNICAL SUPPORT CENTER: (513) 569-7300.									
NAPHTHOQUINONE, 1,4-		**000130-15-4**							
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT									010020
NICKEL (METALLIC)		**007440-02-0**							
NOAEL 100 PPM		RAT							
	ORAL: DIET	2 YEARS	WHOLE BODY	DECREASED WEIGHT		2E-2		IRIS	005579
			ORGANS, MAJOR	DECREASED WEIGHT		300			
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].									
NICKEL CYANIDE		**000557-19-7**							
CHRONIC [RfD] COMMENT: THE CHRONIC ORAL [RfD] IS CONSIDERED NOT VERIFIABLE (07/20/93) BY THE RfD/RfC WORK GROUP.									010953
NICOTINONITRILE		**000100-54-9**							
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT									005584
NITRIC OXIDE		**010102-43-9**							
CHRONIC [RfC] COMMENT: REFER TO APPENDIX A: TECHNICAL INFORMATION, SECTION V ON NATIONAL AMBIENT AIR QUALITY STANDARDS.									010451

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
NITRITE		014797-65-0							
NOEL	10 PPM ORAL: WATER	HUMAN	BLOOD	METHEMOGLOBINEMIA		1E-1 10		IRIS	010021
SUBCHRONIC [RfD] COMMENT: THIS VALUE IS BASED ON NITRATE (NITROGEN) DATA FROM THE MOST SENSITIVE HUMAN POPULATION (INFANTS). THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].									
CHRONIC [RfD] COMMENT: THIS VALUE IS BASED ON NITRATE (NITROGEN) DATA FROM THE MOST SENSITIVE HUMAN POPULATION (INFANTS).									
NITROANILINE, 2-		000088-74-4							
									010936
CHRONIC [RfD] COMMENT: THE CHRONIC ORAL [RFD] IS CONSIDERED NOT VERIFIABLE (06/23/92) BY THE RFD/RFC WORK GROUP.									
LOAEL	9.8 MG/CU M INHALATION: INTERMITTENT	RAT 4 WEEKS	BLOOD	HEMATOLOGICAL EFFECTS	2E-3 1000		2E-4 10000		010935
NITROANILINE, M-		000099-09-2							
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT									010400
NITROANILINE, P-		000100-01-6							
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT									010024

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT	LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
NITROBENZENE		**000098-95-3**								
LOAEL 25 MG/CU M		MOUSE								
	INHALATION: INTERMITTENT		90 DAYS	BLOOD	HEMATOLOGICAL EFFECTS		5E-3		IRIS	005589
				ADRENAL	LESIONS		1000			
				KIDNEY	LESIONS					
				LIVER	LESIONS					
		RAT								
	INHALATION: INTERMITTENT		90 DAYS	BLOOD	HEMATOLOGICAL EFFECTS					
				ADRENAL	LESIONS					
				KIDNEY	LESIONS					
				LIVER	LESIONS					

SUBCHRONIC [RfC] COMMENT: ALSO SEE HEAST TABLE 2: ALTERNATE METHODS - SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).
SUBCHRONIC [RfD] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION.
CHRONIC [RfC] COMMENT: ALSO SEE HEAST TABLE 2: ALTERNATE METHODS SUBCHRONIC AND CHRONICTOXICITY (OTHER THAN CARCINOGENICITY)
CHRONIC [RfD] COMMENT: THE ORAL RFD, WHILE STILL AVAILABLE ON IRIS, IS BEING RECONSIDERED BY THE RFD WORKGROUP. BASED ON ROUTE TO ROUTE EXTRAPOLATION.

NITROFURANTOIN		**000067-20-9**								
NOAEL 300 PPM		MOUSE								
	ORAL: DIET		13 WEEKS	TESTIS	DAMAGE		7E-1		7E-2	005593
							100		1000	
NITROGEN DIOXIDE		**010102-44-0**								
NOEL 10 PPM		HUMAN								
	ORAL: WATER			BLOOD	METHEMOGLOBINEMIA		1E+0		IRIS	010402
							1			

SUBCHRONIC [RfD] COMMENT: THIS VALUE IS BASED ON NITRATE (NITROGEN) DATA FROM THE MOST SENSITIVE HUMAN POPULATION (INFANTS). THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].
CHRONIC [RfD] COMMENT: THIS VALUE IS BASED ON NITRATE (NITROGEN) DATA FROM THE MOST SENSITIVE HUMAN POPULATION (INFANTS).

010912

CHRONIC [RfC] COMMENT: REFER TO APPENDIX A: TECHNICAL INFORMATION, SECTION V ON NATIONAL AMBIENT AIR QUALITY STANDARDS.

NITROGEN OXIDES

CHRONIC [RfC] COMMENT: REFER TO APPENDIX A: TECHNICAL INFORMATION, SECTION V ON NATIONAL AMBIENT AIR QUALITY STANDARDS. 010170

HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)

March 1994

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
NITROMETHANE		000075-52-5							
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT									010026
NITROPHENOLS									
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT									005594
NITROPROPANE, 2-		000079-46-9							
LOAEL 78 MG/CU M		RAT							
	INHALATION: INTERMITTENT	22 MONTHS	LIVER	LESIONS	2E-2 1000		IRIS		010374
SUBCHRONIC [RfC] COMMENT: THE CHRONIC INHALATION RfC WAS ADOPTED AS THE SUBCHRONIC INHALATION [RfC].									
NITROSODIPHENYLAMINE, P-		000156-10-5							
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT									010027
NITROTOLUENE, M-		000099-08-1							
LOAEL 200 MG/KG/DAY		RAT							
	ORAL: GAVAGE	6 MONTHS	SPLEEN	LESIONS		1E-1 1000		1E-2 10000	010029
SUBCHRONIC [RfD] COMMENT: BASED ON DATA OBTAINED WITH O-NITROTOLUENE.									
CHRONIC [RfD] COMMENT: BASED ON DATA OBTAINED WITH O-NITROTOLUENE.									
NITROTOLUENE, O-		000088-72-2							
LOAEL 200 MG/KG/DAY		RAT							
	ORAL: GAVAGE	6 MONTHS	SPLEEN	LESIONS		1E-1 1000		1E-2 10000	010028

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT	LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
NITROTOLUENE, P- 000099-99-0										
LOAEL 200 MG/KG/DAY		RAT								
	ORAL: GAVAGE		6 MONTHS	SPLEEN	LESIONS		1E-1 1000		1E-2 10000	010030
SUBCHRONIC [RfD] COMMENT: BASED ON DATA OBTAINED WITH O-NITROTOLUENE.										
CHRONIC [RfD] COMMENT: BASED ON DATA OBTAINED WITH O-NITROTOLUENE.										
OCTABROMODIPHENYL ETHER 032536-52-0										
NOAEL 2.5 MG/KG/DAY		RAT								
	ORAL: GAVAGE		90 DAYS	LIVER	HISTOLOGICAL CHANGES		3E-2 100		IRIS	010032
OCTAMETHYLPYROPHOSPHORAMIDE 000152-16-9										
NOAEL 0.02 MG/KG/DAY		HUMAN								
	ORAL		AT LEAST 30 DAYS	BLOOD	DECREASED CHOLINESTERASE ACTIVITY		2E-3 10		2E-3 10	010031
OSMIUM TETROXIDE 020816-12-0										
CHRONIC [RfD] COMMENT: THE CHRONIC ORAL [RfD] IS CONSIDERED NOT VERIFIABLE (07/22/93) BY THE RfD/RfC WORK GROUP.										010954
OZONE 010028-15-6										
CHRONIC [RfC] COMMENT: REFER TO APPENDIX A: TECHNICAL INFORMATION, SECTION V ON NATIONAL AMBIENT AIR QUALITY STANDARDS.										010171
PARALDEHYDE 000123-63-7										
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT.										010033
PARATHION 000056-38-2										
NOAEL 0.064 MG/KG/DAY		HUMAN								
	ORAL			CHOLINESTERASE	DECREASED CHOLINESTERASE ACTIVITY		6E-3 10		6E-3 10	005598
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL [RfD] WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].										
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.										

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
PARTICULATE MATTER									
CHRONIC [RfC] COMMENT: REFER TO APPENDIX A: TECHNICAL INFORMATION, SECTION V ON NATIONAL AMBIENT AIR QUALITY STANDARDS.									010034
PEBULATE		001114-71-2							
NOEL 5 MG/KG/DAY	ORAL: DIET	RAT SUBCHRONIC	BLOOD	INCREASED CLOTTING TIME		5E-2 100		5E-2 100	010036
PENDIMETHALIN		040487-42-1							
NOEL 12.5 MG/KG/DAY	ORAL: CAPSULE	DOG 2 YEARS	LIVER	EFFECTS		4E-2 300		IRIS	010037
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].									
PENTABROMODIPHENYL ETHER		032534-81-9							
NOAEL 1.8 MG/KG/DAY	ORAL: GAVAGE	RAT 90 DAYS	LIVER	ALTERED ENZYME ACTIVITIES		2E-2 100		IRIS	010038
PENTACHLOROBENZENE		000608-93-5							
LOAEL 8.3 MG/KG/DAY	ORAL: DIET	RAT 100 DAYS	LIVER	TOXICITY		8E-3		IRIS	010039
			KIDNEY	TOXICITY		1000			
PENTACHLOROCYCLOPENTADIENE		025329-35-5							
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT.									005302
PENTACHLORONITROBENZENE		000082-68-8							
NOEL 0.75 MG/KG/DAY	ORAL: DIET	DOG 2 YEARS	LIVER	TOXICITY		3E-3 300		IRIS	010040
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].									
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.									

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
PENTACHLOROPHENOL 000087-86-5									
NOEL	3 MG/KG/DAY ORAL: GAVAGE	RAT 62 DAYS	FETUS	FETOTOXICITY		3E-2 100		IRIS	005600
SUBCHRONIC [RfD] COMMENT: BASED ON A TERATOLOGY STUDY WITH EXPOSURE 62 DAYS PRIOR TO MATING AND THROUGHOUT GESTATION AND LACTATION. GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.									
PENTACHLOROPROPENE, 1,1,2,3,3,- 001600-37-9									
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT									010041
PENTANE, N- 000109-66-0									
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT									005603
PHENANTHRENE 000085-01-8									
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT									005604
PHENOL 000108-95-2									
NOAEL	60 MG/KG/DAY ORAL: GAVAGE	RAT	FETUS	DECREASED WEIGHT		6E-1 100		IRIS	005824
SUBCHRONIC [RfD] COMMENT: BASED ON A DEVELOPMENTAL STUDY WITH EXPOSURES DURING DAYS 6-15 OF GESTATION. THE ORAL CHRONIC RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD]. CHRONIC [RfD] COMMENT: BASED ON A DEVELOPMENTAL STUDY WITH EXPOSURES DURING DAYS 6-15 OF GESTATION.									
							IRIS		010913
CHRONIC RfC COMMENT: THE CHRONIC INHALATION RfC IS CONSIDERED NOT VERIFIABLE (02/22/90) BY THE RfD/RfC WORK GROUP.									
PHENYLENEDIAMINE, M- 000108-45-2									
NOEL	6 MG/KG/DAY ORAL	RAT 90 DAYS	LIVER	LESIONS		6E-2 100		IRIS	010044

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT	LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
PHENYLENEDIAMINE, O- 000095-54-5										
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT. ALSO SEE HEAST TABLE 3: CARCINOGENICITY.										010042
PHENYLENEDIAMINE, P- 000106-50-3										
NOAEL 18.7 MG/KG/DAY	ORAL: DIET	RAT	2 YEARS	WHOLE BODY	EFFECTS				1.9E-1 100	010043
PHENYLMERCURIC ACETATE 000062-38-4										
NOAEL 0.0084 MG/KG/DAY	ORAL: DIET	RAT	2 YEARS	KIDNEY	DAMAGE		8E-5 100		IRIS	010277
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD]. CALCULATED BY ANALOGY TO MERCURY BY CORRECTING FOR DIFFERENCES IN MOLECULAR WEIGHT. CHRONIC [RfD] COMMENT: CALCULATED BY ANALOGY TO MERCURY BY CORRECTING FOR DIFFERENCES IN MOLECULAR WEIGHT.										
PHORATE 000298-02-2										
NOAEL 0.033 MG/KG/DAY	ORAL: DIET	RAT	13 WEEKS	CHOLINESTERASE	INHIBITION		2E-4 200		2E-4 200	010403
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL [RfD] WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].										
PHOSGENE 000075-44-5								IRIS		010045
CHRONIC RfC COMMENT: THE CHRONIC INHALATION RfC IS CONSIDERED NOT VERIFIABLE (10/01/90) BY THE RfD/RfC WORK GROUP.										

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
PHOSPHINE		007803-51-2							
NOEL	0.026 MG/KG/DAY	RAT							
	ORAL: DIET	2 YEARS				3E-4		IRIS	010174
						100			
	SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].								
NOAEL	1.4 MG/CU M	RAT							
	INHALATION:	24 WKS	KIDNEY	RENAL EFFECTS	3E-4		3E-5		010173
	INTERMITTENT				1000		10000		
PHOSPHORUS, WHITE		007723-14-0							
								IRIS	010452
	GENERAL COMMENT: FORMERLY LISTED AS PHOSPHORUS (INORGANIC COMPOUNDS).								
PHOTOCHEMICAL OXIDANTS									
	GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT.								010172
PHTHALIC ACID, M-		000121-91-5							
	GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT								010047
PHTHALIC ACID, O-		000088-99-3							
	GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT								010046
PHTHALIC ACID, P-		000100-21-0							
NOEL	142 MG/KG/DAY	RAT							
	ORAL: DIET	2 YEARS	BLADDER	HYPERPLASIA		1E+0		1E+0	010048
						100		100	

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
PHTHALIC ANHYDRIDE		**000085-44-9**							
LOAEL 1562 MG/KG/DAY		MOUSE							
	ORAL: DIET	104 WEEKS	LUNG	HISTOPATHOLOGY		2E+0		IRIS	010049
			KIDNEY	HISTOPATHOLOGY		1000			
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].									
LOAEL 0.1 MG/CU M		HUMAN							
	INHALATION: INTERMITTENT	12 YEARS	NOSE	RHINITIS	1.2E-1		1.2E-1		010847
			LUNGS	BRONCHITIS	300		300		
SUBCHRONIC [RfC] COMMENT: THE CHRONIC INHALATION [RfC] WAS ADOPTED AS THE SUBCHRONIC INHALATION [RfC].									
POLYBROMINATED BIPHENYLS									
LOAEL 0.07 MG/KG/DAY		RAT							
	ORAL: GAVAGE	25 WEEKS	LIVER	INCREASED WEIGHT		7E-5		7E-6	010050
			LIVER	LESIONS		1000		10000	
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.									
POTASSIUM CYANIDE		**000151-50-8**							
NOAEL 27 MG/KG/DAY		RAT							
	ORAL: DIET	2 YEARS	WHOLE BODY	DECREASED WEIGHT		5E-2		IRIS	010278
			THYROID	EFFECTS		500			
			NERVE	MYELIN DEGENERATION					
SUBCHRONIC [RfD] COMMENT: CALCULATED BY ANALOGY TO FREE CYANIDE BY CORRECTING FOR DIFFERENCES IN MOLECULAR WEIGHT. THE ORAL CHRONIC RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].									
CHRONIC [RfD] COMMENT: CALCULATED BY ANALOGY TO FREE CYANIDE BY CORRECTING FOR DIFFERENCES IN MOLECULAR WEIGHT.									

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
POTASSIUM SILVER CYANIDE 000506-61-6									
NOAEL 82.7 MG/KG/DAY		RAT							
	ORAL: DIET	2 YEARS	WHOLE BODY	DECREASED WEIGHT		2E-1		IRIS	010279
			THYROID	EFFECTS		500			
			NERVE	MYELIN DEGENERATION					
SUBCHRONIC [RfD] COMMENT: CALCULATED BY ANALOGY TO FREE CYANIDE BY CORRECTING FOR DIFFERENCES IN MOLECULAR WEIGHT. THE ORAL CHRONIC RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].									
CHRONIC [RfD] COMMENT: CALCULATED BY ANALOGY TO FREE CYANIDE BY CORRECTING FOR DIFFERENCES IN MOLECULAR WEIGHT.									
PROFLURALIN 026399-36-0									
NOEL 3 MG/KG/DAY		RAT							
	ORAL: DIET	SUBCHRONIC		NONE OBSERVED		6E-3		6E-3	010051
						500		500	
PRONAMIDE 023950-58-5									
NOEL 7.5 MG/KG/DAY		DOG							
	ORAL: DIET	2 YEARS		NONE OBSERVED		7.5E-2		IRIS	010280
						100			
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].									
PROPACHLOR 001918-16-7									
NOEL 13.3 MG/KG/DAY		RAT							
	ORAL: DIET	90 DAYS	WHOLE BODY	DECREASED WEIGHT GAIN		1.3E-1		IRIS	010175
						100			
PROPAZINE 000139-40-2									
NOEL 5 MG/KG/DAY		RAT							
	ORAL: DIET	2 YEARS	WHOLE BODY	DECREASED WEIGHT GAIN		2E-2		IRIS	010052
						300			
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].									
PROPIONITRILE 000107-12-0									
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT									010053

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT	LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
PROPYL ALCOHOL, N- 000071-23-8										
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT										005627
PROPYLENE GLYCOL 000057-55-6										
NOEL	50000 PPM	DOG								
	ORAL: DIET	2 YEARS		ERYTHROCYTES	DECREASED COUNT				2E+1	005631
				BLOOD	DECREASED HEMATOCRIT				100	
				BLOOD	DECREASED HEMOGLOBIN					
NOEL	6 %	RAT								
	ORAL: DIET	20 WEEKS		KIDNEY	LESIONS		3E+1			005629
							100			
								IRIS		010914
CHRONIC RfC COMMENT: THE CHRONIC INHALATION RfC IS CONSIDERED NOT VERIFIABLE (04/25/91) BY THE RfD/RfC WORK GROUP.										
PROPYLENE GLYCOL MONOETHYL ETHER 001569-02-4										
NOEL	680 MG/KG/DAY	RAT								
	ORAL: DRINKING	30 DAYS		WHOLE BODY	DECREASED WEIGHT GAIN		7E+0		7E-1	005488
	WATER						100		1000	
								IRIS		010915
CHRONIC RfC COMMENT: THE CHRONIC INHALATION RfC IS CONSIDERED NOT VERIFIABLE (04/25/91) BY THE RfD/RfC WORK GROUP.										
PROPYLENE GLYCOL MONOMETHYL ETHER 000107-98-2										
NOEL	947 MG/KG/DAY	RAT								
	ORAL: GAVAGE	35 DAYS		LIVER	HISTOPATHOLOGY		7E+0		7E-1	005486
				KIDNEY	HISTOPATHOLOGY		100		1000	
NOAEL	1000 PPM	RAT, RABBIT								
	INHALATION:	13 WEEKS		CENTRAL NERVOUS	EFFECTS	2E+1		IRIS		010276
	INTERMITTENT			SYSTEM		30				

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
PROPYLENE OXIDE		**000075-56-9**							
LOAEL 71 MG/CU M	INHALATION: INTERMITTENT	RAT 2 YEARS	EPITHELIUM	UNSPECIFIED	3E-2 100		IRIS		010375
SUBCHRONIC [RfC] COMMENT: THE CHRONIC INHALATION RfC WAS ADOPTED AS THE SUBCHRONIC INHALATION [RFC].									
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.									
PYRENE		**000129-00-0**							
NOAEL 75 MG/KG/DAY	ORAL: GAVAGE	MOUSE 13 WKS	KIDNEY	EFFECTS		3E-1 300		IRIS	010176
PYRIDINE		**000110-86-1**							
NOAEL 1 MG/KG/DAY	ORAL: GAVAGE	RAT 90 DAYS	LIVER	INCREASED WEIGHT		1E-2		IRIS	010055
			LIVER	INCREASED RELATIVE WEIGHT		100			
RDX / (CYCLONITE)		**000121-82-4**							
NOEL 0.3 MG/KG/DAY	ORAL	RAT 105 WEEKS	PROSTATE	INFLAMMATION		3E-3		IRIS	010056
			PROSTATE	HEMOSIDEROSIS		100			
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].									
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.									
RONNEL		**000299-84-3**							
NOAEL 5 MG/KG/DAY	ORAL: DIET	RAT 2 YEARS	LIVER	EFFECTS		5E-2 100		5E-2 100	010057

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
SELENIOUS ACID		**007783-00-8**							
NOAEL 0.046 MG/KG/DAY	ORAL: DIET	HUMAN	WHOLE BODY	SELENOSIS, CLINICAL		5E-3 3		IRIS	010504
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].									
SELENIUM		**007782-49-2**							
NOAEL 0.853 MG/DAY	ORAL: DIET	HUMAN	WHOLE BODY	SELENOSIS, CLINICAL		5E-3 3		IRIS	010404
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].									
SELENOUREA		**000630-10-4**							
NOAEL 0.072 MG/KG/DAY	ORAL: DIET	HUMAN	WHOLE BODY	SELENOSIS		5E-3 15		5E-3 15	010473
CHRONIC [RfD] COMMENT: WITHDRAWN FROM IRIS (05/01/91). UNDER REVIEW, CURRENT NUMBER SUBJECT TO CHANGE.									
SILVER		**007440-22-4**							
LOAEL 0.014 MG/KG/DAY	IV	HUMAN 2-9 YEARS	SKIN	ARGYRIA		5E-3 3		IRIS	010453
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD]. CHRONIC [RfD] COMMENT: BASED ON A TOTAL IV DOSE OF 1 GRAM.									

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
SILVER CYANIDE		**000506-64-9**							
NOAEL 55.7 MG/KG/DAY		RAT							
	ORAL: DIET	2 YEARS	WHOLE BODY	DECREASED WEIGHT		1E-1		IRIS	010283
			THYROID	EFFECTS		500			
			NERVE	MYELIN DEGENERATION					

SUBCHRONIC [RfD] COMMENT: CALCULATED BY ANALOGY TO FREE CYANIDE BY CORRECTING FOR DIFFERENCES IN MOLECULAR WEIGHT. THE ORAL CHRONIC RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].
CHRONIC [RfD] COMMENT: CALCULATED BY ANALOGY TO FREE CYANIDE BY CORRECTING FOR DIFFERENCES IN MOLECULAR WEIGHT.

SIMAZINE		**000122-34-9**							
NOAEL 0.52 MG/(KG-DAY)		RAT							
	ORAL: DIET	2 YEARS	WHOLE BODY	DECREASED WEIGHT GAIN		5E-3		IRIS	010955
			BLOOD	HEMATOLOGICAL EFFECTS		100			

SUBCHRONIC [RfD] COMMENT: THE ORAL CHRONIC RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY

SODIUM CYANIDE		**000143-33-9**							
NOAEL 20.4 MG/KG/DAY		RAT							
	ORAL: DIET		CENTRAL NERVOUS SYSTEM	EFFECTS		4E-2 500		IRIS	005640

SUBCHRONIC [RfD] COMMENT: CALCULATED BY ANALOGY TO FREE CYANIDE BY CORRECTING FOR DIFFERENCES IN MOLECULAR WEIGHT. THE ORAL CHRONIC RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].
CHRONIC [RfD] COMMENT: CALCULATED BY ANALOGY TO FREE CYANIDE BY CORRECTING FOR DIFFERENCES IN MOLECULAR WEIGHT.

SODIUM DIETHYLDITHIOCARBAMATE		**000148-18-5**							
NOEL 30 MG/KG/DAY		RAT							
	ORAL	90 DAYS	EYE	CATARACTS		3E-1		IRIS	005644
			WHOLE BODY	DECREASED WEIGHT		100			

GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.

SODIUM METAVANADATE		**013718-26-8**							
NOAEL 10 PPM		RAT							
	ORAL: DRINKING WATER	3 MONTHS	KIDNEY	IMPAIRED FUNCTION		1E-2 100		1E-3 1000	005735

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
STRONTIUM, STABLE		007440-24-6							
NOAEL 190 MG/KG/DAY	ORAL: DRINKING WATER	RAT, YOUNG 20 DAYS	BONE	RACHITIC CHANGES		6E-1 300		IRIS	010842
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].									
STRYCHNINE		000057-24-9							
LOAEL 2.5 MG/KG/DAY	ORAL: GAVAGE	RAT 28 DAYS	UNSPECIFIED	TOXICITY		3E-3		IRIS	010285
			UNSPECIFIED	HISTOPATHOLOGY		1000			
GENERAL COMMENT: THE LOAEL IS ALSO THE FEL.									
STYRENE		000100-42-5							
								IRIS	010059
SUBCHRONIC [RfD] COMMENT: CONTACT THE SUPERFUND HEALTH RISK TECHNICAL SUPPORT CENTER: (513) 569-7300.									
NOAEL 22 PPM	INHALATION: OCCUPATIONAL	HUMAN	CENTRAL NERVOUS SYSTEM	EFFECTS	3E+0 10		IRIS		010511
CHRONIC [RfC] COMMENT: THE MEAN DURATION OF EXPOSURE FOR 50 WORKERS WAS 8.6 YEARS. AIR EXPOSURE CONCENTRATIONS WERE ESTIMATED FROM THE SUMMATION OF THE PRINCIPLE URINARY METABOLITES OF STYRENE, MANDELIC ACID AND PHENYLGLYOXYLIC ACID. SEE IRIS FOR MORE INFORMATION.									
GENERAL COMMENT: ALSO SEE TABLE 3: CARCINOGENICITY.									
SUCCINONITRILE		000110-61-2							
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT									005585
SULFUR DIOXIDE		007446-09-5							
CHRONIC [RfC] COMMENT: REFER TO APPENDIX A: TECHNICAL INFORMATION, SECTION V ON NATIONAL AMBIENT AIR QUALITY STANDARDS.									010505

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
SULFUR OXIDES									
CHRONIC [RfC] COMMENT: REFER TO APPENDIX A: TECHNICAL INFORMATION, SECTION V ON NATIONAL AMBIENT AIR QUALITY STANDARDS.									010035
SULFURIC ACID		007664-93-9							
NOAEL 0.066-0.098 MG/CU M		HUMAN							
	INHALATION		RESPIRATORY SYSTEM	RESPIRATORY EFFECTS					005647
CHRONIC [RfC] COMMENT: REPORTED EFFECTS OCCURRED AT PORTAL OF ENTRY. ESTIMATES OF MG/DAY REFERENCE DOSES ARE INAPPROPRIATE BECAUSE EFFECTS AT PORTAL OF ENTRY DEPEND ON CONCENTRATION IN AIR. AN ACCEPTABLE AIR CONCENTRATION OF 0.07 MG/CU M WAS ESTIMATED BY CARSON ET AL (1981) FROM AVAILABLE DATA.									
TEMEPHOS		003383-96-8							
NOAEL 200 PPM		RAT							
	ORAL: DIET	99 DAYS				2E-1 100		2E-2 1000	010060
TERBUFOS		013071-79-9							
NOAEL 0.0025 MG/KG/DAY		DOG							
	ORAL: DIET	6 MONTHS	CHOLINESTERASE	INHIBITION		2.5E-5 100		2.5E-5 100	010408
TEREPHTHALIC ACID		000100-21-0							
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT.									010474
TETRACHLOROAZOXYBENZENE		021232-47-3							
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT									010064
TETRACHLOROBENZENE, 1,2,4,5-		000095-94-3							
NOAEL 0.34 MG/KG/DAY		RAT							
	ORAL: DIET	13 WEEKS	KIDNEY	LESIONS		3E-3 100		IRIS	010286

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
TETRACHLOROCYCLOPENTADIENE 000695-77-2									
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT									005303
TETRACHLOROETHANE, 1,1,1,2- 000630-20-6									
LOAEL 89.3 MG/KG/DAY		RAT							
	ORAL: GAVAGE	103 WEEKS	LIVER	LESIONS		3E-2		IRIS	010407
			KIDNEY	LESIONS		3000			
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].									
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.									
TETRACHLOROETHYLENE 000127-18-4									
NOAEL 14 MG/KG/DAY		MOUSE							
	ORAL	6 WEEKS	LIVER	HEPATOTOXICITY		1E-1		IRIS	005650
						100			
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.									
TETRACHLOROHYDRAZOBENZENE 071753-42-9									
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT									010065
TETRACHLOROPHENOL, 2,3,4,5- 004901-51-3									
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT									005324
TETRACHLOROPHENOL, 2,3,4,6- 000058-90-2									
NOAEL 25 MG/KG/DAY		RAT							
	ORAL: GAVAGE	90 DAYS	LIVER	INCREASED WEIGHT		3E-1		IRIS	005323
			LIVER	CENTRILOBULAR HYPERTROPHY		100			
TETRACHLOROPHENOL, 2,3,5,6- 000935-95-5									
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT									005325
TETRACHLOROPROPENE, 1,1,2,3- 010436-39-2									
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT									010066

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
TETRACHLOROVINPHOS / (STIROPHOS) 000961-11-5									
NOEL 3.1 MG/KG/DAY		DOG							
	ORAL: DIET	2 YEARS	LIVER	INCREASED WEIGHT		3E-2		IRIS	010067
			KIDNEY	INCREASED WEIGHT		100			
			WHOLE BODY						
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].									
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.									
TETRAETHYL DITHIOPYROPHOSPHATE 003689-24-5									
NOEL 0.5 MG/KG/DAY		RAT							
	ORAL: DIET	3 MONTHS	ERYTHROCYTES	DECREASED CHOLINESTERASE ACTIVITY		5E-3		IRIS	010287
						100			
			BLOOD	DECREASED CHOLINESTERASE ACTIVITY					
THALLIC OXIDE 001314-32-5									
CHRONIC [RfD] COMMENT: THE CHRONIC ORAL [RfD] IS CONSIDERED NOT VERIFIABLE (07/22/93) BY THE RfD/RfC WORK GROUP.									010956
THALLIUM (I) ACETATE 000563-68-8									
NOAEL 0.26 MG/KG/DAY		RAT							
	ORAL	90 DAYS	LIVER	INCREASED SGOT		9E-4		IRIS	005664
			BLOOD	INCREASED SERUM LDH		300			
			HAIR	ALOPECIA					
SUBCHRONIC [RfD] COMMENT: CALCULATED BY ANALOGY TO THALLIUM (I) SULFATE BY CORRECTING FOR MOLECULAR WEIGHT DIFFERENCES.									
CHRONIC [RfD] COMMENT: CALCULATED BY ANALOGY TO THALLIUM (I) SULFATE BY CORRECTING FOR MOLECULAR WEIGHT DIFFERENCES.									
THALLIUM (I) CARBONATE 006533-73-9									
NOAEL 0.23 MG/KG/DAY		RAT							
	ORAL	90 DAYS	LIVER	INCREASED SGOT		8E-4		IRIS	005668
			BLOOD	INCREASED SERUM LDH		300			
			HAIR	ALOPECIA					
SUBCHRONIC [RfD] COMMENT: CALCULATED BY ANALOGY TO THALLIUM (I) SULFATE BY CORRECTING FOR MOLECULAR WEIGHT DIFFERENCES.									
CHRONIC [RfD] COMMENT: CALCULATED BY ANALOGY TO THALLIUM (I) SULFATE BY CORRECTING FOR MOLECULAR WEIGHT DIFFERENCES.									

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
THALLIUM (I) CHLORIDE		007791-12-0							
NOAEL 0.23 MG/KG/DAY		RAT							
	ORAL	90 DAYS	LIVER	INCREASED SGOT		8E-4		IRIS	005672
			BLOOD	INCREASED SERUM LDH		300			
			HAIR	ALOPECIA					
SUBCHRONIC [RfD] COMMENT: CALCULATED BY ANALOGY TO THALLIUM (I) SULFATE BY CORRECTING FOR MOLECULAR WEIGHT DIFFERENCES.									
CHRONIC [RfD] COMMENT: CALCULATED BY ANALOGY TO THALLIUM (I) SULFATE BY CORRECTING FOR MOLECULAR WEIGHT DIFFERENCES.									
THALLIUM (I) NITRATE		010102-45-1							
NOAEL 0.26 MG/KG/DAY		RAT							
	ORAL	90 DAYS	LIVER	INCREASED SGOT		9E-4		IRIS	005676
			BLOOD	INCREASED SERUM LDH		300			
			HAIR	ALOPECIA					
SUBCHRONIC [RfD] COMMENT: CALCULATED BY ANALOGY TO THALLIUM (I) SULFATE BY CORRECTING FOR MOLECULAR WEIGHT DIFFERENCES.									
CHRONIC [RfD] COMMENT: CALCULATED BY ANALOGY TO THALLIUM (I) SULFATE BY CORRECTING FOR MOLECULAR WEIGHT DIFFERENCES.									
THALLIUM (I) SULFATE		007446-18-6							
NOAEL 0.25 MG/KG/DAY		RAT							
	ORAL	90 DAYS	LIVER	INCREASED SGOT		8E-4		IRIS	005682
			BLOOD	INCREASED SERUM LDH		300			
			HAIR	ALOPECIA					
THALLIUM (IN SOLUBLE SALTS)									
CHRONIC [RfD] COMMENT: REFER TO IRIS FOR OTHER THALLIUM SALTS.									010458
THALLIUM SELENITE		012039-52-0							
									010957
CHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS WITHDRAWN FROM IRIS (08/01/93). THE CHRONIC ORAL [RfD] IS CONSIDERED NOT VERIFIABLE (07/22/93) BY THE RfD/RfC WORK GROUP.									

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
THIOCYANOMETHYLTHIO)BENZOTHIAZOLE, 2-(021564-17-0									
NOEL	25 MG/KG/DAY	RAT							
	ORAL: DIET	SUBCHRONIC	STOMACH	LESIONS		3E-1		3E-2	010068
						100		1000	
SUBCHRONIC [RfD] COMMENT: BASED ON CONFIDENTIAL BUSINESS INFORMATION DATA									
CHRONIC [RfD] COMMENT: BASED ON CONFIDENTIAL BUSINESS INFORMATION DATA									
THIOFANOX 013196-18-4									
NOAEL	0.025 MG/KG/DAY	DOG							
	ORAL	8 DAYS	CHOLINESTERASE	DECREASED CHOLINESTERASE ACTIVITY		3E-4		3E-4	010069
						100		100	
SUBCHRONIC [RfD] COMMENT: BASED ON CONFIDENTIAL BUSINESS INFORMATION DATA.									
CHRONIC [RfD] COMMENT: BASED ON CONFIDENTIAL BUSINESS INFORMATION DATA.									
THIRAM 000137-26-8									
								IRIS	01045[9]
NOAEL	0.61 MG/KG/DAY	FERRET							
	ORAL	24 WEEKS	REPRODUCTION	IMPAIRED		6E-3			010070
						100			
TIN AND COMPOUNDS									
NOAEL	2000 PPM	RAT							
	ORAL: DIET	2 YEARS	LIVER	LESIONS		6E-1		6E-1	005688
			KIDNEY	LESIONS		100		100	
SUBCHRONIC [RfD] COMMENT: CALCULATED BY ANALOGY TO STANNOUS CHLORIDE BY CORRECTING FOR DIFFERENCES IN MOLECULAR WEIGHT.									
CHRONIC [RfD] COMMENT: CALCULATED BY ANALOGY TO STANNOUS CHLORIDE BY CORRECTING FOR DIFFERENCES IN MOLECULAR WEIGHT.									

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
TOLUENE		000108-88-3							
NOAEL 223 MG/KG/DAY	ORAL: GAVAGE	RAT 13 WEEKS	LIVER	ALTERED WEIGHT		2E+0		IRIS	010469
			KIDNEY	ALTERED WEIGHT		100			
							IRIS		010844
SUBCHRONIC [RfC] COMMENT: CONTACT THE SUPERFUND HEALTH RISK TECHNICAL SUPPORT CENTER: (513) 569-7300.									
TOLUENE-2,5-DIAMINE		000095-70-5							
NOAEL 56 MG/KG/DAY	ORAL: DIET	RAT 78 WEEKS				6E-1		6E-1	010073
						100		100	
SUBCHRONIC [RfD] COMMENT: DETERMINED FROM DATA OBTAINED WITH THE SULFATE SALT.									
CHRONIC [RfD] COMMENT: DETERMINED FROM DATA OBTAINED WITH THE SULFATE SALT.									
TOLUENE-2,6-DIAMINE		000823-40-5							
NOAEL 16 MG/KG/DAY	ORAL: DIET	RAT 2 YEARS				2E-1		2E-1	010074
						100		100	
SUBCHRONIC [RfD] COMMENT: DETERMINED FROM DATA OBTAINED WITH THE DIHYDROCHLORIDE.									
CHRONIC [RfD] COMMENT: DETERMINED FROM DATA OBTAINED WITH THE DIHYDROCHLORIDE.									
TOLUENEDIAMINE, 2,3-		002687-25-4							
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT									010071
TOLUENEDIAMINE, 3,4-		000496-72-0							
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT									010072
TOLUIDINE, M-		000108-44-1							
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT									010075

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT	LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
TRIALLATE		**002303-17-5**								
NOAEL 1.275 MG/KG/DAY		DOG								
	ORAL: DIET		24 MONTHS	SPLEEN	EFFECTS		1.3E-2		IRIS	010076
				LIVER	EFFECTS		100			
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].										
TRIBROMOBENZENE, 1,2,4-		**000615-54-3**								
NOAEL 5 MG/KG/DAY		RAT								
	ORAL: DIET		45 OR 90 DAYS	LIVER	ALTERED WEIGHT		5E-2		IRIS	010077
				LIVER	ENZYME INDUCTION		100			
TRICHLORO-1,2,2-TRIFLUOROETHANE, 1,1,2-		**000076-13-1**								
									IRIS	010460
NOEL 2000 PPM		RAT								
	INHALATION: INTERMITTENT		24 MONTHS	WHOLE BODY	DECREASED WEIGHT	3E+1	3E+0	3E+1		010376
						100	100	100		
SUBCHRONIC [RfD] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION USING AN ABSORPTION FACTOR OF 0.2.										
TRICHLORO-2'-HYDROXYDIPHENYLETHER, 2,2,4'-		**003380-34-5**								
NOEL 500 MG/KG/DAY		RAT								
	ORAL		4 WEEKS	WHOLE BODY	DECREASED WEIGHT		4E+0			005492
							100			
TRICHLOROBENZENE, 1,2,4-		**000120-82-1**								
NOAEL 100 PPM		RAT								
	ORAL: DRINKING WATER			ADRENAL	INCREASED WEIGHT		1E-2		IRIS	010506
							1000			
SUBCHRONIC [RfD] COMMENT: BASED ON A MULTIGENERATION REPRODUCTION STUDY.										
NOAEL 104 PPM		RAT, RABBIT, DOG, MONKEY								
	INHALATION		6 AND 26 WEEKS	LIVER	NON-ADVERSE WEIGHT CHANGES	2E+0		2E-1		010958
						100		1000		

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT	LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
TRICHLOROCYCLOPENTADIENE 077323-84-3										
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT										005304
TRICHLOROETHANE, 1,1,1- 000071-55-6										
SUBCHRONIC [RfD] COMMENT: CONTACT THE SUPERFUND HEALTH RISK TECHNICAL SUPPORT CENTER: (513) 569-7300.										
TRICHLOROETHANE, 1,1,2- 000079-00-5										
NOAEL 3.9 MG/KG/DAY	ORAL: DRINKING WATER	MOUSE	90 DAYS	BLOOD	CLINICAL CHEMISTRY ALTERATIONS		4E-2 100		IRIS	005702
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.										
TRICHLOROFLUOROMETHANE 000075-69-4										
									IRIS	005502
LOAEL 1000 MG/KG/DAY	ORAL	RAT	6 WEEKS	WHOLE BODY	INCREASED MORTALITY		7E-1 1000			005500
SUBCHRONIC [RfC] COMMENT: ALSO SEE HEAST TABLE 2: ALTERNATE METHODS - SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY) CHRONIC [RfC] COMMENT: ALSO SEE HEAST TABLE 2: ALTERNATE METHODS - SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)										
TRICHLOROPHENOL, 2,3,4- 015950-66-0										
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT										005330
TRICHLOROPHENOL, 2,3,5- 000933-78-8										
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT										005331
TRICHLOROPHENOL, 2,3,6- 000933-75-5										
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT										005332

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
TRICHLOROPHENOL, 2,4,5- 000095-95-4									
NOEL	1000 PPM ORAL: DIET	RAT 98 DAYS	LIVER KIDNEY	HEPATOTOXICITY EFFECTS		1E+0 100		IRIS	005329
							IRIS		010919
CHRONIC RfC COMMENT: THE CHRONIC INHALATION RfC IS CONSIDERED NOT VERIFIABLE (04/24/91) BY THE RfD/RfC WORK GROUP.									
TRICHLOROPHENOL, 2,4,6- 000088-06-2									
							IRIS		010461
CHRONIC RfC COMMENT: THE CHRONIC INHALATION RfC IS CONSIDERED NOT VERIFIABLE (04/24/91) BY THE RfD/RfC WORK GROUP.									
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.									
TRICHLOROPHENOL, 3,4,5- 000609-19-8									
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT									005333
TRICHLOROPHENOXY) PROPIONIC ACID, 2(2,4,5- 000093-72-1									
NOEL	0.75 MG/KG/DAY ORAL: DIET	DOG 2 YEARS	LIVER	HISTOPATHOLOGY		8E-3 100		IRIS	010284
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].									
TRICHLOROPHENOXYACETIC ACID, 2,4,5- 000093-76-5									
								IRIS	010178
NOEL	10 MG/KG/DAY ORAL: DIET	RAT 90 DAYS	KIDNEY LIVER	WEIGHT EFFECTS WEIGHT EFFECTS		1E-1 100			010179
TRICHLOROPROPANE, 1,1,1- 007789-89-1									
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT									005705

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT	LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
TRICHLOROPROPANE, 1,1,2- 000598-77-6										
NOEL 100 MG/L		RAT								
	ORAL: DRINKING WATER		13 WEEKS	LIVER	HISTOPATHOLOGY		5E-2		IRIS	005708
				KIDNEY	HISTOPATHOLOGY		300			
				THYROID	HISTOPATHOLOGY					
TRICHLOROPROPANE, 1,2,2- 003175-23-3										
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT										005706
TRICHLOROPROPANE, 1,2,3- 000096-18-4										
NOAEL 8 MG/KG/DAY		RAT								
	ORAL		120 DAYS	WHOLE BODY	TOXICITY		6E-2		IRIS	005714
				LIVER	LESIONS		100			
				KIDNEY	LESIONS					
				ERYTHROCYTES	DECREASED COUNT					
				BLOOD	DECREASED HEMATOCRIT					
				BLOOD	DECREASED HEMOGLOBIN					
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.										
TRICHLOROPROPENE, 1,2,3- 000096-19-5										
NOEL 18 MG/CU M		DOG								
	INHALATION: INTERMITTENT		66 WEEKS	EYE	IRRITATION		5E-3		5E-3	010078
							100		100	
SUBCHRONIC [RfD] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION USING AN ABSORPTION FACTOR OF 0.5.										
CHRONIC [RfD] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION USING AN ABSORPTION FACTOR OF 0.5.										
TRICHLOROTOLUENE, 2,3,6- 002077-46-5										
LOAEL 0.5 PPM		RAT								
	ORAL: DIET		28 DAYS	LIVER	LESIONS		5E-5			005335
				KIDNEY	LESIONS		1000			
				THYROID	LESIONS					

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
TRICHLOROTOLUENE, ALPHA,2,6- 002014-83-7									
LOAEL 0.5 PPM		RAT							
	ORAL: DIET	28 DAYS	LIVER	LESIONS		5E-5			005339
			KIDNEY	LESIONS		1000			
			THYROID	LESIONS					
TRIFLURALIN 001582-09-8									
NOEL 0.75 MG/KG/DAY		DOG							
	ORAL: DIET	12 MONTHS	LIVER	INCREASED WEIGHT		7.5E-3		IRIS	010080
			BLOOD	METHEMOGLOBINEMIA		100			
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].									
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.									
TRIMETHYLBENZENES									
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT									005727
TRINITROBENZENE, 1,3,5- 000099-35-4									
NOAEL 0.51 MG/KG/DAY		RAT							
	ORAL: WATER	16 WEEKS	SPLEEN	INCREASED WEIGHT		5E-4		IRIS	010081
						1000			
SUBCHRONIC [RfD] COMMENT: CALCULATED FROM DATA OBTAINED WITH 1,3-DINITROBENZENE.									
CHRONIC [RfD] COMMENT: CALCULATED FROM DATA OBTAINED WITH 1,3-DINITROBENZENE.									
TRINITROPHENOLS									
GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT									010082
TRINITROPHENYLMETHYLNITRAMINE 000479-45-8									
LOAEL 125 MG/KG/DAY		RABBIT							
	ORAL: GAVAGE	9 MONTHS	LIVER	HISTOPATHOLOGICAL EFFECTS		1E-1		1E-2	010377
			KIDNEY	HISTOPATHOLOGICAL EFFECTS		1000		10000	
			SPLEEN	HISTOPATHOLOGICAL EFFECTS					

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
TRINITROTOLUENE, 2,4,6- 000118-96-7									
LOAEL 0.5 MG/KG/DAY	ORAL: GAVAGE	DOG	LIVER	EFFECTS		5E-4 1000		IRIS	010416
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD]. GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.									
URANIUM, SOLUBLE SALTS									
SUBCHRONIC [RfD] COMMENT: CONTACT THE SUPERFUND HEALTH RISK TECHNICAL SUPPORT CENTER: (513) 569-7300.									
VANADIUM 007440-62-2									
NOAEL 5 PPM	ORAL: DRINKING WATER	RAT LIFETIME				7E-3 100		7E-3 100	005739
VANADIUM PENTOXIDE 001314-62-1									
NOAEL 17.85 PPM	ORAL: DIET	RAT LIFETIME				9E-3 100		IRIS	005743
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].									
VANADIUM SULFATE 036907-42-3									
NOAEL 2.24 MG/KG/DAY	ORAL: DRINKING WATER	RAT LIFETIME				2E-2 100		2E-2 100	005747
VERNAM / (VERNOLATE) 001929-77-7									
NOEL 1 MG/KG/DAY	ORAL: DIET	RAT	WHOLE BODY	DECREASED WEIGHT		1E-2 100		IRIS	010083

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
VINYL ACETATE		**000108-05-4**							
NOAEL 100 MG/KG/DAY	ORAL: WATER	RAT 2 YEARS	WHOLE BODY	ALTERED WEIGHT		1E+0		1E+0	010417
			KIDNEY	ALTERED WEIGHT		100		100	
NOAEL 176 MG/CU M	INHALATION: INTERMITTENT	MOUSE 104 WEEKS	NASAL CAVITY	LESIONS	2E-1 30		IRIS		010418

SUBCHRONIC [RfC] COMMENT: THE CHRONIC INHALATION RfC WAS ADOPTED AS THE SUBCHRONIC INHALATION [RfC].

VINYL CHLORIDE 000075-01-4

SUBCHRONIC [RfC] COMMENT: CONTACT THE SUPERFUND HEALTH RISK TECHNICAL SUPPORT CENTER: (513) 569-7300.
SUBCHRONIC [RfD] COMMENT: CONTACT THE SUPERFUND HEALTH RISK TECHNICAL SUPPORT CENTER: (513) 569-7300.
GENERAL COMMENT: ALSO SEE HEAST TABLE 3: CARCINOGENICITY.

VINYL-1-CYCLOHEXENE, 4- 000100-40-3

GENERAL COMMENT: DATA INADEQUATE FOR QUANTITATIVE RISK ASSESSMENT 010084

WARFARIN 000081-81-2

LOAEL 2 MG/DAY	ORAL	HUMAN	BLOOD	INCREASED PROTHROMBIN TIME		3E-4 100		IRIS	010409

SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
XYLENE, M-		**000108-38-3**							
NOAEL 250 MG/KG	ORAL: GAVAGE	RAT 103 WEEKS	CENTRAL NERVOUS SYSTEM	HYPERACTIVITY				2E+0 100	005755
			WHOLE BODY	DECREASED WEIGHT					
			WHOLE BODY						

SUBCHRONIC [RfD] COMMENT: CONTACT THE SUPERFUND HEALTH RISK TECHNICAL SUPPORT CENTER: (513) 569-7300.

CHRONIC [RfC] COMMENT: THE CHRONIC INHALATION [RfC] IS CONSIDERED NOT VERIFIABLE (12/11/91) BY THE RfD/RfC WORK GROUP. 010920

XYLENE, MIXTURE 001330-20-7

IRIS 010872

SUBCHRONIC [RfD] COMMENT: CONTACT THE SUPERFUND HEALTH RISK TECHNICAL SUPPORT CENTER: (513) 569-7300.

CHRONIC [RfC] COMMENT: THE CHRONIC INHALATION [RfC] IS CONSIDERED NOT VERIFIABLE (12/11/91) BY THE RfD/RfC WORK GROUP. 010921

XYLENE, O- 000095-47-6

NOEL 250 MG/KG	ORAL: GAVAGE	RAT 103 WEEKS	CENTRAL NERVOUS SYSTEM	HYPERACTIVITY				2E+0 100	005751
			WHOLE BODY	DECREASED WEIGHT					

SUBCHRONIC [RfD] COMMENT: CONTACT THE SUPERFUND HEALTH RISK TECHNICAL SUPPORT CENTER: (513) 569-7300.

CHRONIC [RfC] COMMENT: THE CHRONIC INHALATION [RfC] IS CONSIDERED NOT VERIFIABLE (12/11/91) BY THE RfD/RfC WORK GROUP. 010922

XYLENE, P- 000106-42-3

SUBCHRONIC [RfD] COMMENT: CONTACT THE SUPERFUND HEALTH RISK TECHNICAL SUPPORT CENTER: (513) 569-7300.

CHRONIC [RfC] COMMENT: THE CHRONIC INHALATION [RfC] IS CONSIDERED NOT VERIFIABLE (12/11/91) BY THE RfD/RfC WORK GROUP. 010923

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT	LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
ZINC (METALLIC)		**007440-66-6**								
LOAEL 1.0 MG/KG/DAY	ORAL: DIET SUPPLEMENT	HUMAN	10 WEEKS	BLOOD	DECREASED BLOOD ENZYME		3E-1 3		IRIS	010937
CHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].										
ZINC CYANIDE		**000557-21-1**								
NOAEL 24.3 MG/KG/DAY	ORAL: DIET	RAT	2 YEARS	WHOLE BODY	DECREASED WEIGHT		5E-2		IRIS	010289
				THYROID	EFFECTS		500			
				NERVE	MYELIN DEGENERATION					
SUBCHRONIC [RfD] COMMENT: CALCULATED BY ANALOGY TO FREE CYANIDE BY CORRECTING FOR DIFFERENCES IN MOLECULAR WEIGHT. CHRONIC [RfD] COMMENT: CALCULATED BY ANALOGY TO FREE CYANIDE BY CORRECTING FOR DIFFERENCES IN MOLECULAR WEIGHT.										
ZINC PHOSPHIDE		**001314-84-7**								
LOAEL 3.48 MG/KG/DAY	ORAL: DIET	RAT	13 WEEKS	WHOLE BODY	DECREASED WEIGHT		3E-3		IRIS	010290
				WHOLE BODY	DECREASED FOOD INTAKE		1000			
ZINEB		**012122-67-7**								
LOAEL 25 MG/KG/DAY	ORAL: DIET	RAT	2 YEARS	THYROID	HYPERPLASIA		5E-2 500		IRIS	010085
SUBCHRONIC [RfD] COMMENT: THE CHRONIC ORAL RfD WAS ADOPTED AS THE SUBCHRONIC ORAL [RfD].										

REFERENCES FOR HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)

March 1994

ACENAPHTHENE 000083-32-9

010165 US EPA. 1989. MOUSE ORAL SUBCHRONIC STUDY WITH ACENAPHTHENE. STUDY CONDUCTED BY HAZELTON LABORATORIES, INC., FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

US EPA. 1989. RfD/RfC WORK GROUP.

ACENAPTHYLENE 000208-96-8

005202 US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR ACENAPHTHYLENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

ACEPHATE 030560-19-1

005833 CHEVRON CHEMICAL COMPANY. 1987. CONFIDENTIAL BUSINESS INFORMATION UNPUBLISHED DATA. MRID NO. 40504819

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR ACEPHATE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1989. RfD/RfC WORK GROUP.

ACETONE 000067-64-1

005204 US EPA. 1986. NINETY-DAY GAVAGE STUDY IN ALBINO RATS USING ACETONE. OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1988. UPDATED HEALTH EFFECTS ASSESSMENT FOR ACETONE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1986. RfD/RfC WORK GROUP.

ACETONE CYANOHYDRIN 000075-86-5

005776 US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR ACETONE CYANOHYDRIN. PREPARED BY THE ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1988. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR CYANOHYDRINS. PREPARED BY THE ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

ACETONITRILE 000075-05-8

005210 NATIONAL TOXICOLOGY PROGRAM (NTP). 1983. 90-DAY SUBCHRONIC TOXICITY STUDIES OF ACETONITRILE IN RATS AND MICE. REPORT TO NATIONAL TOXICOLOGY PROGRAM.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR ACETONITRILE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1987. RfD/RfC WORK GROUP.

REFERENCES FOR HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)

March 1994

ACETOPHENONE 000098-86-2

005212 HAGAN, EC, WH HANSEN, DG FITZHUGH, ET AL. 1967. FOOD FLAVORINGS AND COMPOUNDS OF RELATED STRUCTURE. II. SUBACUTE AND CHRONIC TOXICITY. FOOD COSMET. TOXICOL. 5(2): 141-157.

US EPA. 1987. RfD/RfC WORK GROUP.

010874 US EPA. 1992. RfD/RfC WORK GROUP.

ACROLEIN 000107-02-8

010390 NEWELL GW. 1958. ACUTE AND SUBACUTE TOXICITY OF ACROLEIN. STANFORD RESEARCH INSTITUTE. SRI PROJECT NO. 5-868-2.

NAS (NATIONAL ACADEMY OF SCIENCES). 1977. DRINKING WATER AND HUMAN HEALTH. WASHINGTON, DC.

US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR ACROLEIN. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

010856 FERON VJ, A KRUYSSE, HP TIL, AND HR IMMEL. 1978. REPEATED EXPOSURE TO ACROLEIN VAPOR: SUBACUTE STUDIES IN HAMSTERS, RATS AND RABBITS. TOXICOLOGY. 9: 47-57.

US EPA. 1991. RfD/RfC WORK GROUP.

ACRYLAMIDE 000079-06-1

005835 BUREK JD, RR ALBEE, JE BEYER, ET AL. 1980. SUBCHRONIC TOXICITY OF ACRYLAMIDE ADMINISTERED TO RATS IN THE DRINKING WATER FOLLOWED BY UP TO 144 DAYS OF RECOVERY. J ENVIRON PATHOL TOXICOL. 4: 157-182.

US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR ACRYLAMIDE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1988. RFD/RFC WORK GROUP.

010876 US EPA. 1990. RfD/RfC WORK GROUP.

REFERENCES FOR HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)

March 1994

ACRYLIC ACID 000079-10-7

005836 DEPASS LR, MD WOODSIDE, RH GARMAN AND CS WEIL. 1983. SUBCHRONIC AND REPRODUCTIVE TOXICOLOGY STUDIES ON ACRYLIC ACID IN DRINKING WATER OF THE RAT. DRUG CHEM TOXICOL. 6(1): 1-20.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR ACRYLIC ACID. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1985. RfD/RfC WORK GROUP.

010346 MILLER, RR, JA AYERS, GC JERSEY AND MJ MCKENNA. 1981. INHALATION TOXICITY OF ACRYLIC ACID. FUND APPL TOXICOL. 1(3): 271-277.

MILLER, RR, JA AYERS, GC JERSEY. 1979. ACRYLIC ACID 90-DAY VAPOR INHALATION STUDY WITH RATS AND MICE. FINAL REPORT #79RC-1024. TOXICOLOGY RESEARCH LABORATORY, HEALTH AND ENVIRONMENTAL SCIENCE, DOW CHEMICAL COMPANY, MIDLAND, MI.

US EPA. 1990. RfD/RfC WORK GROUP.

ACRYLONITRILE 000107-13-1

010939 TANDON R, DK SAXENA, SV CHANDRA, PK SETH, SP SRIVASTAVA. 1988. TESTICULAR EFFECTS OF ACRYLONITRILE IN MICE. TOXICOLOGY LETTERS. 42: 55-63.

BIODYNAMICS. 1980. A TWENTY-FOUR MONTH ORAL TOXICITY/CARCINOGENICITY STUDY OF ACRYLONITRILE ADMINISTERED TO SPARTAN RATS IN THE DRINKING WATER, VOL 1-2. PREPARED BY BIODYNAMICS, INC., DIVISION OF BIOLOGY AND SAFETY EVALUATION, EAST MILLSTONE, NJ, FOR MONSANTO COMPANY, ST. LOUIS, MO.

US EPA. 1993. RfD/RfC WORK GROUP.

ADIPONITRILE 000111-69-3

005157 US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR ADIPONITRILE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

ALACHLOR 015972-60-8

005837 MONSANTO CO. 1984. MRID NO 00148923. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC, 20460.

US EPA. 1992. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR ALACHLOR. PREPARED BY THE ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE OF THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, CINCINNATI, OH, FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR ALACHLOR. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1991. RfD/RfC WORK GROUP.

ALDICARB 000116-06-3

010960 RHONE-POULENC AG COMPANY. 1992. MRID NO 423730-01. HED DOC NO 010459. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

UNION CARBIDE CORP. 1971. R HAINES, JB DERNEHL, JB BLOCK, SUPERVISING PHYSICIANS. INGESTION OF ALDICARB BY HUMAN VOLUNTEERS: A CONTROLLED STUDY OF THE EFFECTS OF ALDICARB ON MAN. ALD-03-77-2215. FEB 11, 1971. MRID NO 00101911. HED DOC NO 010450. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

GOLDMAN LR, M BELLER, RJ JACKSON. 1990. ALDICARB FOOD POISONING IN CALIFORNIA, 1985-1988: TOXICITY ESTIMATES FOR HUMANS. ARCH ENVIRON HEALTH. 45(3): 141-147. HED DOC NO 010451, 010455, 010458. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

GOLDMAN, LR, DF SMITH, RR NEUTRA ET AL. 1990. PESTICIDE FOOD POISONING FROM CONTAMINATED WATERMELONS IN CALIFORNIA, 1985. ARCH ENVIRON HEALTH. 45(4): 229-236.

HIRSCH GH, BT MORI, GB MORGAN, PR BENNET, BC WILLIAMS. 1987. REPORT OF ILLNESSES CAUSED BY ALDICARB-CONTAMINATED CUCUMBERS. FOOD ADDITIVES AND CONTAMINANTS. 5(2): 155-60. HED DOC NO 010455, 010458. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 020460.

US EPA. 1992. RfD/RfC WORK GROUP.

ALDRIN 000309-00-2

005159 FITZHUGH OG, AA NELSON AND ML QUAIFE. 1964. CHRONIC ORAL TOXICITY OF ALDRIN AND DIELDRIN IN RATS AND DOGS. FOOD COSMET TOXICOL. 2: 551-562.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR ALDRIN. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1985. RfD/RfC WORK GROUP.

ALLIDOCHLOR 000093-71-0

005838 US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR ALLIDOCHLOR. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

ALLYL ALCOHOL 000107-18-6

005839 CARPANINI FMB, IF GAUNT, J HARDY, ET AL. 1978. SHORT-TERM TOXICITY OF ALLYL ALCOHOL IN RATS. TOXICOLOGY. 9: 29-45.

US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR ALLYL ALCOHOL. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1986. RfD/RfC WORK GROUP.

REFERENCES FOR HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)

March 1994

ALLYL CHLORIDE 000107-05-1

010369 BOQUIN, L, D SHUWEI, Y AIRU, ET AL. 1982. STUDIES ON THE TOXICITY OF ALLYL CHLORIDE. ECOTOXICOL ENVIRON SAF. 6: 19-27.

US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR ALLYL CHLORIDE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

ALUMINUM 007429-90-5

005162 US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR ALUMINUM. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

ALUMINUM PHOSPHIDE 020859-73-8

010255 HACKENBURG U. 1972. CHRONIC INGESTION BY RATS OF STANDARD DIET TREATED WITH ALUMINUM PHOSPHIDE. TOXICOL APPL PHARMACOL. 23(1): 147-158.

US EPA. 1985. RfD/RfC WORK GROUP.

AMETRYN 000834-12-8

005841 CIBA-GEIGY CORPORATION. 1961. CONFIDENTIAL BUSINESS INFORMATION, UNPUBLISHED STUDY. MRID NO. 00034843. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR AMETRYN. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1987. RfD/RfC WORK GROUP.

AMINO-2-NAPHTHOL, 1- 002834-92-6

005842 US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR 1-AMINO-2-NAPHTOL AND 1-AMINO-2-NAPHTOL HYDROCHLORIDE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

AMINO-2-NAPHTOL HYDROCHLORIDE, 1- 001198-27-2

005843 US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR 1-AMINO-2-NAPHTOL AND 1-AMINO-2-NAPHTOL HYDROCHLORIDE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

AMINOPHENOL, M- 000591-27-5

005844 RE TA, RF LOEHR, SC RODRIGUEZ, ET AL. 1984. RESULTS OF TERATOGENICITY TESTING OF M-AMINOPHENOL IN SPRAGUE-DAWLEY RATS. FUND APPL TOXICOL. 4(1): 98-104.

US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR AMINOPHENOLS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

AMINOPHENOL, O- 000095-55-6

005845 US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR AMINOPHENOLS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

AMINOPHENOL, P- 000123-30-8

005846 US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR AMINOPHENOLS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

AMINOPYRIDINE, 4- 000504-24-5

005847 KOHN FE. 1968. FOUR-WEEK SUBACUTE ORAL TOXICITY OF COMPOUND 1861 HYDROCHLORIDE --ALBINO RATS. (UNPUBLISHED STUDY). PREPARED BY INDUSTRIAL BIOTEST LABORATORIES, INC. UNDER 224-12. SUBMITTED BY PHILLIPS PETROLEUM CO., BARTLESVILLE, OK. CDL: 229844-E.

US EPA. 1980. 4-AMINOPYRIDINE. AVITROL PESTICIDE REGISTRATION STANDARD. PREPARED BY THE OFFICE OF PESTICIDE PROGRAMS, US EPA, WASHINGTON, DC. NTIS PB84-209907.

US EPA. 1989. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR 4-AMINOPYRIDINE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

AMMONIA 007664-41-7

005166 CAMPBELL CL, RK DAWES, S DEOLALKAR AND MC MERRITT. 1958. EFFECT OF CERTAIN CHEMICALS IN WATER ON THE FLAVOR OF BREWED COFFEE. FOOD RES. 23: 575-579. CITED IN US EPA, 1981.

WHO (WORLD HEALTH ORGANIZATION). 1986. ENVIRONMENTAL HEALTH CRITERIA. 54. AMMONIA. WHO, GENEVA, SWITZERLAND.

US EPA. 1981. AMBIENT WATER QUALITY CRITERION FOR THE PROTECTION OF HUMAN HEALTH: AMMONIA. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF WATER REGULATIONS AND STANDARDS, WASHINGTON, DC.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR AMMONIA. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

010392 HOLNESS DL, JT PURDHAM AND JR NETHERCOTT. 1989. ACUTE AND CHRONIC RESPIRATORY EFFECTS OF OCCUPATIONAL EXPOSURE TO AMMONIA. AMIND HYG ASSOC J. 50: 646-650.

BRODERSON JR, JR LINDSEY AND JE CRAWFORD. 1976. THE ROLE OF ENVIRONMENTAL AMMONIA IN RESPIRATORY MYCOPLASMOSIS OF RATS. AM J PATHOL. 85: 115-130.

US EPA. 1991. RfD/RfC WORK GROUP.

REFERENCES FOR HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)

March 1994

ANILINE 000062-53-3

010370 OBERST FW, E HACKLEY, C COMSTOCK. 1956. CHRONIC TOXICITY OF ANILINE VAPOR (5PPM) BY INHALATION. ARCH IND HEALTH 13:379-384.

US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR ANILINE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1990. RfD/RfC WORK GROUP.

ANTHRACENE 000120-12-7

010166 US EPA. 1989. SUBCHRONIC TOXICITY IN MICE WITH ANTHRACENE. FINAL REPORT. HAZELTON LABORATORIES AMERICA, INC. PREPARED FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

US EPA. 1991. DRINKING WATER CRITERIA DOCUMENT FOR ANTHRACENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF DRINKING WATER, WASHINGTON, DC.

US EPA. 1989. RfD/RfC WORK GROUP.

ANTIMONY PENTOXIDE 001314-60-9

005174 SCHROEDER HA, M MITCHENER AND AP NASON. 1970. ZIRCONIUM, NIOBIUM, ANTIMONY AND LEAD IN RATS: LIFE-TIME STUDIES. J. NUTR. 100: 59-66.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR ANTIMONY AND COMPOUNDS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR ANTIMONY OXIDES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

ANTIMONY POTASSIUM TARTRATE 000304-61-0

005234 SCHROEDER HA, M MITCHENER AND AP NASON. 1970. ZIRCONIUM, NIOBIUM, ANTIMONY AND LEAD IN RATS: LIFE-TIME STUDIES. J. NUTR. 100: 59-69.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR ANTIMONY AND COMPOUNDS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR ANTIMONY OXIDES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

ANTIMONY TETROXIDE 001332-81-6

005238 SCHROEDER HA, M MITCHENER AND AP NASON. 1970. ZIRCONIUM, NIOBIUM, ANTIMONY AND LEAD IN RATS: LIFE-TIME STUDIES. J. NUTR. 100: 59-69.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR ANTIMONY AND COMPOUNDS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR ANTIMONY OXIDES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

REFERENCES FOR HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)

March 1994

ANTIMONY TRIOXIDE 001309-64-4

005242 SCHROEDER HA, M MITCHENER AND AP NASON. 1970. ZIRCONIUM, NIOBIUM, ANTIMONY AND LEAD IN RATS: LIFE-TIME STUDIES. J. NUTR. 100: 59-69.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR ANTIMONY AND COMPOUNDS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR ANTIMONY OXIDES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

ANTIMONY, METALLIC 007440-36-0

005170 SCHROEDER HA, M MITCHENER AND AP NASON. 1970. ZIRCONIUM, NIOBIUM, ANTIMONY AND LEAD IN RATS: LIFE-TIME STUDIES. J. NUTR. 100: 59-66.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR ANTIMONY AND COMPOUNDS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR ANTIMONY OXIDES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

ARAMITE 000140-57-8

005849 OSER BL, M OSER. 1962. 2-(P-TERT-BUTYLPHENOXY)ISOPROPYL 2-CHLOROETHYL SULFITE (ARAMITE) II. CARCINOGENICITY. TOXICOL APPL PHARMACOL. 4: 70-88.

US EPA. 1989. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR ARAMITE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

005850 POPPER H, SS STERNBERG, BL OSER AND M OSER. 1960. THE CARCINOGENIC EFFECT OF ARAMITE IN RATS. CANCER. 13(5): 1035-1046.

OSER BL AND M OSER. 1962. 2-(P-TERT-BUTYLPHENOXY)ISOPROPYL 2-CHLOROETHYL SULFITE (ARAMITE). CARCINOGENICITY. TOXICOL APPL PHARMACOL. 4: 70-88.

US EPA. 1989. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR ARAMITE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

AROCHLOR 1248 012672-29-6

010940 US EPA. 1993. RfD/RfC WORK GROUP.

REFERENCES FOR HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)

March 1994

ARSENIC, INORGANIC 007440-38-2

010434 TSENG WP. 1977. EFFECTS AND DOSE-RESPONSE RELATIONSHIPS OF SKIN CANCER AND BLACKFOOT DISEASE WITH ARSENIC. ENVIRON. HEALTH PERSPECT. 19: 109-119.

TSENG, WP, HM CHU, SW HOU, JM FONG, CS LIN, S YEH. 1968. PREVALENCE OF SKIN CANCER IN AN ENDEMIC AREA OF CHRONIC ARSENICISM IN TAIWAN. J. NATL. CANCER INST. 40: 453-463.

US EPA. 1990. RfD/RfC WORK GROUP.

ATRAZINE 001912-24-9

010855 CIBA-GEIGY CORP. 1986. MRID NO 00141874, 00157875, 00158930, 40629302. HED DOC NO 005940, 006937. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

CIBA-GEIGY CORP. AGRICULTURAL DIVISION. 1987. MRID NO 40431301, 41293801.HED DOC NO 006718, 006937, 007647. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1992. RfD/RfC WORK GROUP.

BARIUM 007440-39-3

010348 WONES, RG, BL STADLER, LA FROHMAN. 1990. LACK OF EFFECT OF DRINKING WATER BARIUM ON CARDIOVASCULAR RISK FACTOR. ENVIRON HEALTH PERSPECT. 85: 1-13.

BRENNIMAN, GR, PS LEVY. 1984. HIGH BARIUM LEVELS IN PUBLIC DRINKING WATER AND ITS ASSOCIATION WITH ELEVATED BLOOD PRESSURE. IN: ADVANCES IN MODERN TOXICOLOGY IX, EJ CLALBRESE, ED. PRINCETON SCIENTIFIC PUBLICATIONS, PRINCETON, NJ. P231-249.

US EPA. 1985. DRINKING WATER CRITERIA DOCUMENT FOR BARIUM. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF DRINKING WATER, WASHINGTON, DC. EXT REVIEW DRAFT. FINAL DRAFT (ON PUBLIC COMMENT). NTIS PB 86-118031/AS.

US EPA. 1990. RfD/RfC WORK GROUP.

BARIUM CYANIDE 000542-62-1

010941 US EPA. 1993. RfD/RfC WORK GROUP.

BENEFIN 001861-40-1

005852 ELI LILLY AND CO. 1972. CONFIDENTIAL BUSINESS INFORMATION, UNPUBLISHED STUDY. MRID NO. 00037678. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR BENEFIN. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1985. RfD/RfC WORK GROUP.

BENZAL CHLORIDE 000098-87-3

005853 US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR BENZAL CHLORIDE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

BENZALDEHYDE 000100-52-7

005854 KLUWE WM, CA MONTGOMERY, HD GILES AND JD PREJEAU. 1983. ENCEPHALOPATHY IN RATS AND NEPHROPATHY IN RATS AND MICE AFTER SUBCHRONIC ORAL EXPOSURE TO BENZALDEHYDE. FOOD CHEM TOXICOL. 21(3): 245-250.

US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR BENZALDEHYDE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1987. RfD/RfC WORK GROUP.

BENZALDEHYDE CYANOHYDRIN 000532-28-5

005781 US EPA. 1988. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR CYANOHYDRINS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

BENZENE 000071-43-2

010857 US EPA. 1989. RfD/RfC WORK GROUP.

BENZENETHIOL / (THIOPHENOL) 000108-98-5

010942 AMERICAN BIOGENICS CORP. 1989. NINETY-DAY GAVAGE STUDY IN ALBINO RATS USING THIOPHENOL. PREPARED BY DYNAMAC CORP OF ROCKVILLE, MD FOR THE US EPA OFFICE OF SOLID WASTE.

FAIRCHILD EJ AND HE STOKINGER. 1958. TOXICOLOGIC STUDIES ON ORGANIC SULFUR COMPOUNDS. 1. ACUTE TOXICITY OF SOME ALIPHATIC AND AROMATIC THIOLS (MERCAPTANS). AM IND HYG ASSOC J. 19: 171-189.

US EPA. 1993. RfD/RfC WORK GROUP.

BENZIDINE 000092-87-5

005830 LITTLEFIELD NA, CJ NELSON AND CH FRITH. 1983. BENZIDINE DIHYDROCHLORIDE: TOXICOLOGICAL ASSESSMENTS IN MICE DURING CHRONIC EXPOSURE. J. TOXICOL. ENVIRON. HEALTH. 12: 671-685.

US EPA. 1987. RfD/RfC WORK GROUP.

010877 US EPA. 1991. RfD/RfC WORK GROUP.

REFERENCES FOR HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)

March 1994

BENZOIC ACID 000065-85-0

005260 FDA (FOOD AND DRUG ADMINISTRATION). 1973. EVALUATION OF THE HEALTH ASPECTS OF BENZOIC ACID AND SODIUM BENZOATE AS FOOD INGREDIENTS. DHEW, WASHINGTON, DC. REPORT NO. SCOGS-7 NTIS PB-223 837/6. P.17.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR BENZOIC ACID. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1987. RfD/RfC WORK GROUP.

BENZYL ALCOHOL 000100-51-6

005855 NTP (NATIONAL TOXICOLOGY PROGRAM). 1988. TOXICOLOGY AND CARCINOGENESIS STUDIES OF BENZYL ALCOHOL (CAS NO 100-51-6) IN F344/NRATS AND B6C3F1 MICE (GAVAGE STUDIES). NTP TECHNICAL REPORT, NTP TR 343. P 1-161.

005856 NTP (NATIONAL TOXICOLOGY PROGRAM). 1988. TOXICOLOGY AND CARCINOGENESIS STUDIES OF BENZYL ALCOHOL (CAS NO 100-51-6) IN F344/NRATS AND B6C3F1 MICE (GAVAGE STUDIES). NTP TECHNICAL REPORT, NTP TR 343. P 1-161.

US EPA. 1989. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR BENZYL ALCOHOL. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

BERYLLIUM 007440-41-7

005262 SCHROEDER HA AND M MITCHNER. 1975. LIFE-TERM STUDIES IN RATS: EFFECTS OF ALUMINUM, BARIUM, BERYLLIUM AND TUNGSTEN. J NUTR. 105: 421-427.

US EPA. 1991. DRINKING WATER CRITERIA DOCUMENT FOR BERYLLIUM. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF DRINKING WATER, WASHINGTON, DC.

US EPA. 1985. RfD/RfC WORK GROUP.

BIPHENYL, 1,1' 000092-52-4

005857 AMBROSE AM, AN BOOTH, F DE EDS AND AJ COS JR. 1960. A TOXICOLOGICAL STUDY OF BIPHENYL, A CITRUS FUNGISTAT. FOOD RES. 25: 328-336.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR 1,1'-BIPHENYL. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1985. RfD/RfC WORK GROUP.

010878 US EPA. 1990. RfD/RfC WORK GROUP.

BIS(2-CHLOROISOPROPYL) ETHER 039638-32-9

010257 MITSUMORI K, T USUI, K TAKAHASHI, AND Y SHIRASU. 1979. TWENTY-FOUR MONTH CHRONIC TOXICITY STUDIES OF DICHLORODIISOPROPYL ETHER IN MICE. NIPPON NOYAKU GAKKAISHI. 4(3): 323-335.

US EPA. 1989. RfD/RfC WORK GROUP.

BIS(2-ETHYLHEXYL) PHTHALATE / (DEHP) 000117-81-7

010859 CARPENTER, CP, CS WEIL AND HF SMYTH. 1953. CHRONIC ORAL TOXICITY OF DI(2-ETHYLHEXYL) PHTHALATE FOR RATS, GUINEA PIGS AND DOGS. ARCH IND HYG OCC MED. 8: 219-226.

US EPA. 1991. DRINKING WATER CRITERIA DOCUMENT FOR PHTHALIC ACID ESTERS. PREPARED BY THE ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, CINCINNATI, OH FOR THE OFFICE OF WATER, WASHINGTON, DC.

US EPA. 1986. RfD/RfC WORK GROUP.

BISPHENOL A 000080-05-7

005268 NTP (NATIONAL TOXICOLOGY PROGRAM). 1982. CARCINOGENESIS BIOASSAY OF BISPHENOL A IN F344 RATS AND B6C3F1 MICE (FEED STUDY). NTP TECH REP SER. NO. 80-35 NTIS PB 84-1555308 P. 192.

US EPA. 1988. RfD/RfC WORK GROUP.

005266 NTP (NATIONAL TOXICOLOGY PROGRAM). 1982. CARCINOGENESIS BIOASSAY OF BISPHENOL A IN F344 RATS AND B6C3F1 MICE (FEED STUDY). NTP TECH REP SER. NO. 80-35 NTIS PB 84-1555308 P. 192.

US EPA. 1988. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR BISPHENOL A. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

BORON TRIFLUORIDE 007637-07-2

010395 RUSCH GM, GM HOFFMAN, RF MCCONNELL ET AL. 1986. INHALATION TOXICITY STUDIES WITH BORON TRIFLUORIDE. TOXICOL APPL PHARMACOL. 83: 69-78.

US EPA. 1991. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR BORON AND BORON COMPOUNDS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

REFERENCES FOR HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)

March 1994

BORON, ELEMENTAL 007440-42-8

005272 WEIR RJ, JR AND RS FISHER. 1972. TOXICOLOGIC STUDIES ON BORAX AND BORIC ACID. TOXICOL APPL PHARMACOL. 23(3): 351-364.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR BORON AND COMPOUNDS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1989. RfD/RfC WORK GROUP.

US EPA. 1993. REVISED AND UPDATED DRINKING WATER QUANTIFICATION OF TOXICOLOGIC EFFECTS FOR BORON. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF WATER, WASHINGTON, DC.

005269 GARABRANT DH, L BERNSTEIN, JM PETERS ET AL. 1985. RESPIRATORY EFFECTS OF BORAX DUST. BR J IND MED. 42: 831-837.

US EPA. 1991. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR BORON AND BORON COMPOUNDS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH, FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

BROMINATED DIBENZO-P-DIOXINS

005858 US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR BROMINATED DIBENZO-P-DIOXINS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR BROMINATED DIBENZOFURANS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

BROMINATED DIBENZOFURANS

005859 US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR BROMINATED DIBENZOFURANS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR BROMINATED DIBENZO-P-DIOXINS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

BROMOACETONE 000598-31-2

005860 US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR BROMOACETONE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

BROMOCHLOROETHANES

005861 US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR BROMOCHLOROETHANES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

BROMODICHLOROMETHANE 000075-27-4

005715 NTP (NATIONAL TOXICOLOGY PROGRAM). 1986. TOXICITY AND CARCINOGENICITY STUDIES OF BROMODICHLOROMETHANE IN F344/N RATS AND B6C3F1 MICE (GAVAGE STUDIES). NTP TECH REPORT, SER NO 321, NIH PUB NO 87-2537.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR TRIHALOGENATED METHANES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1987. RfD/RfC WORK GROUP.

BROMOETHENE / (VINYL BROMIDE) 000593-60-2

010929 BENYA TJ, WM BUSEY, MA DORATO AND PE BERTEAU. 1982. INHALATION CARCINOGENICITY BIOASSAY OF VINYL BROMIDE IN RATS. TOXICOL APPL PHARMACOL. 64(3): 367-379.

BUSEY WM. 1979. ONCOGENIC POTENTIAL OF VINYL BROMIDE DURING CHRONIC INHALATION EXPOSURE -- RATS: PATHOLOGY REPORT. EPA/OTS 8EHQ-0479-0281.

US EPA. 1993. RfD/RfC WORK GROUP.

BROMOFORM 000075-25-2

005722 NTP (NATIONAL TOXICOLOGY PROGRAM). 1989. TOXICOLOGY AND CARCINOGENICITY STUDIES OF TRIBROMOMETHANE AND BROMOFORM IN F344 RATS AND B6C3F1 MICE (GAVAGE STUDIES). NTP-350.

US EPA. 1989. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR BROMOFORM. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1987. HEALTH AND ENVIRONMENTAL ASSESSMENT FOR TRIHALOGENATED METHANES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1987. RfD/RfC WORK GROUP.

010961 US EPA. 1993. RfD/RfC WORK GROUP.

REFERENCES FOR HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)

March 1994

BROMOMETHANE 000074-83-9

010861 DANSE LH, FL VAN VELSEN AND CA VAN DER HEIJDEN. 1984. METHYL BROMIDE: CARCINOGENIC EFFECTS IN THE RAT FORESTOMACH. TOXICOL APPL PHARMACOL. 72: 262-271.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR BROMOMETHANE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR METHYL BROMIDE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1988. RfD/RfC WORK GROUP.

US EPA. 1993. REVISED AND UPDATED DRINKING WATER QUANTIFICATION OF TOXICOLOGIC EFFECTS FOR BROMOMETHANE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF WATER, WASHINGTON, DC.

010860 REUZEL, PGJ, CF KUPER, HC DREEF-VAN DER MEULEN, VMH HOLLANDERS. 1987. CHRONIC (29 MONTH) INHALATION TOXICITY AND CARCINOGENICITY STUDY OF METHYL BROMIDE IN RATS. REPORT NO. V86.469/221044. NETHERLANDS ORGANIZATION FOR APPLIED SCIENTIFIC RESEARCH, DIVISION FOR NUTRITION AND FOOD RESEARCH, TNO. EPA/OTS DOCUMENT #86-8700001202.

REUZEL, PGJ, HC DREEF-VANDER MEULEN, VMH HOLLANDERS, CF KUPER, VJ FERON, CA VAN DER HEIJDEN. 1991. CHRONIC INHALATION TOXICITY AND CARCINOGENICITY STUDY OF METHYL BROMIDE IN WISTAR RATS. FOOD CHEM. TOXICOL. 29(1): 31-39.

US EPA. 1991. RfD/RfC WORK GROUP.

BROMOPHENYL PHENYL ETHER, 4- 000101-55-3

005864 US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR 4-BROMOPHENYL PHENYL ETHER. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

BROMOPHOS 002104-96-3

005865 LEUSCHNER F, A LEUSCHNER AND E POPPE. 1967. CHRONISCHER REPRODUKTIONSVERSUCH UBER 3 GENERATIONEN AN WISTAR-RATTEN BEI FORTDAUERNER VERABREICHUNG VON BROMOPHOS. REPORT CH BOEHRINGER SOHN. (UNPUBLISHED).

US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR BROMOPHOS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

BROMOXYNIL 001689-84-5

005866 UNION CARBIDE AGRICULTURE PRODUCTS, INC. 1982. CONFIDENTIAL BUSINESS INFORMATION, UNPUBLISHED STUDY. MRID NO. 00096521. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR BROMOXYNIL. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1987. RfD/RfC WORK GROUP.

BROMOXYNIL OCTANOATE 001689-99-2

005867 UNION CARBIDE AGRICULTURE PRODUCTS, INC. 1982. CONFIDENTIAL BUSINESS INFORMATION, UNPUBLISHED STUDY. MRID NO. 00096521. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR BROMOXYNIL OCTANOATE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1987. RfD/RfC WORK GROUP.

BUSAN 77 031512-74-0

005868 US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR BUSAN 77. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

BUSAN 90 002491-38-5

005869 US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR BUSAN 90. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

BUTANOL, 1- 000071-36-3

005870 US EPA. 1986. BUTANOL: RAT ORAL SUBCHRONIC TOXICITY STUDY. OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1989. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR 1-BUTANOL. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1986. RfD/RfC WORK GROUP.

BUTYL BENZYL PHTHALATE, N- 000085-68-7

005616 NTP (NATIONAL TOXICOLOGY PROGRAM). 1985. PROJECT NO 12307-02, -03. HAZELTON LABORATORIES AMERICA, INC, UNPUBLISHED STUDY.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR SELECTED PHTHALIC ACID ESTERS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1991. DRINKING WATER CRITERIA DOCUMENT FOR PHTHALIC ACID ESTERS (PAE)S. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF DRINKING WATER, WASHINGTON, DC.

US EPA. 1989. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR BUTYL BENZYL PHTHALATE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1989. RfD/RfC WORK GROUP.

BUTYLATE 002008-41-5

005871 STAUFFER CHEMICAL COMPANY. 1987. CONFIDENTIAL BUSINESS INFORMATION, UNPUBLISHED STUDY. MRID NO. 4028910[1]. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR BUTYLATE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1989. RfD/RfC WORK GROUP.

BUTYLCHLORIDE, T- 000507-20-0

005810 US EPA. 1988. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR MONOCHLOROBUTANES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

BUTYROLACTONE, GAMMA- 000096-48-0

005872 US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR BUTYROLACTONE, GAMMA. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

CACODYLIC ACID 000075-60-5

005873 NEES PO. 1968. REPORT ON CACODYLIC ACID TOXICITY TO ANIMALS. WISCONSIN ALUMNI RES FOUND. EPA PESTICIDE PETITION NO OF 0911.

US EPA. 1989. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR CACODYLIC ACID. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

CADMIUM 007440-43-9

005280 US EPA. 1985. DRINKING WATER CRITERIA DOCUMENT ON CADMIUM. OFFICE OF DRINKING WATER, WASHINGTON, DC. FINAL DRAFT.

US EPA. 1980. AMBIENT WATER QUALITY CRITERIA DOCUMENT FOR CADMIUM. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF WATER REGULATIONS AND STANDARDS, WASHINGTON, DC. EPA-440/5-80-025.

US EPA. 1988. RfD/RfC WORK GROUP.

CALCIUM CYANIDE 000592-01-8

010258 HOWARD JW AND RF HANZAL. 1955. CHRONIC TOXICITY FOR RATS OF FOOD TREATED WITH HYDROGEN CYANIDE. AGRIC FOOD CHEM. 3: 325-329.

PHILBRICK DJ, JB HOPKINS, DC HILL, JC ALEXANDER AND RG THOMSON. 1979. EFFECTS OF PROLONGED CYANIDE AND THIOCYANATE FEEDING IN RATS. J TOXICOL ENVIRON HEALTH. 5: 579-592.

US EPA. 1985. RfD/RfC WORK GROUP.

CAPROLACTAM 000105-60-2

005284 SEROTA DG, AM HOBERMAN AND SC GAD. 1984. A THREE GENERATION REPRODUCTION STUDY WITH CAPROLACTAM IN RATS. PROC SYMP IND APPROACH CHEM RISK ASSESSMENT: CAPROLACTAM RELAT COMPD CASE STUDY 191-204 IND, HEALTH FOUND PITTSBURGH, PA.

US EPA. 1988. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR CAPROLACTAM. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1988. RfD/RfC WORK GROUP.

005282 POWERS WJJ, JC PECKHAM, KM SIINO AND SC GAD. 1984. EFFECTS OF SUBCHRONIC DIETARY CAPROLACTAM ON RENAL FUNCTION. PROC SYMP IND APPROACH CHEM RISK ASSESSMENT. CAPROLACTAM RELAT COMPD CASE STUDY 77-96 IND HEALTH FOUND, PITTSBURGH, PA.

US EPA. 1988. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR CAPROLACTAM. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

CAPTAFOL 002425-06-1

005874 ORTHO-CHEVRON CHEMICAL COMPANY. 1985. CONFIDENTIAL BUSINESS INFORMATION, UNPUBLISHED STUDY. ACCESSION NO 260671, MRID NO. 00149488, 00155196. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR CAPTAFOL. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1987. RFD/RFC WORK GROUP.

REFERENCES FOR HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)

March 1994

CAPTAN 000133-06-2

005875 CHEVRON CHEMICAL COMPANY. 1982. CONFIDENTIAL BUSINESS INFORMATION, UNPUBLISHED STUDY. MRID NO. 00125293. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

STAUFFER CHEMICAL COMPANY. 1982. CONFIDENTIAL BUSINESS INFORMATION, UNPUBLISHED STUDY. MRID NO. 00120315. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR CAPTAN. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1989. RfD/RfC WORK GROUP.

CARBARYL 000063-25-2

005876 CARPENTER CP, CW WEIL, PE POLIN, ET AL. 1961. MAMMALIAN TOXICITY OF 1-NAPHTHYL-N-METHYLCARBAMATE (SEVIN INSECTICIDE). J AGRIC FOOD CHEM. 9: 30-39.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR CARBARYL. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1985. RfD/RfC WORK GROUP.

010882 US EPA. 1991. RfD/RfC WORK GROUP.

CARBOFURAN 001563-66-2

005877 FMC CORPORATION. 1983. CONFIDENTIAL BUSINESS INFORMATION, UNPUBLISHED STUDY. ACCESSION NO 250740-250755, MRID NO. 00129507. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR CARBOFURAN. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1987. RfD/RfC WORK GROUP.

CARBON DISULFIDE 000075-15-0

010259 HARDIN BD, GP BOND, MR SIKOR, FD ANDREW, RP BELILES AND RW NIEMEIR. 1981. TESTING OF SELECTED WORKPLACE CHEMICALS FOR TERATOGENIC POTENTIAL. SCAND J WORK ENVIRON HEALTH. 7(SUPPL 4): 66-75.

US EPA. 1985. RfD/RfC WORK GROUP.

010430 TABACOVA S, LA HINKOVA, L BALABAEVA. 1978. CARBON DISULFIDE TERATOGENICITY AND POSTNATAL EFFECTS IN RATS. TOXICOL LETT. 2(3): 129-133.

TABACOVA S, B NIKIFOROV, L BALABAEVA. 1983. CARBON DISLUFIDE INTRAUTERINE SENSITIZATION. J APPL TOXICOL. 3(5): 233-239.

US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR CARBON DISULFIDE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

CARBON MONOXIDE 000630-05-0

010493 REFER TO APPENDIX A: TECHNICAL INFORMATION, SECTION V ON NATIONAL AMBIENT AIR QUALITY STANDARDS.

CARBON TETRACHLORIDE 000056-23-5

010862 BRUCKNER, JV, WF MACKENZIE, S MURALIDHARA, ET AL. 1986. ORAL TOXICITY OF CARBON TETRACHLORIDE: ACUTE, SUBACUTE AND SUBCHRONIC STUDIES IN RATS. FUND APPL TOXICOL. 6(1): 16-34.

US EPA. 1985. RfD/RfC WORK GROUP.

CHLORAL 000075-87-6

005290 SANDERS VM, BM KAUFFMANN, KL WHITE, JR. 1982. TOXICOLOGY OF CHLORAL HYDRATE IN THE MOUSE. ENVIRON HEALTH PERSPECT. 44: 146-173.

US EPA. 1988. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR CHLORAL. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1988. RfD/RfC WORK GROUP.

CHLORDANE 000057-74-9

005296 VELSICOL CHEMICAL CORP. 1983. ACC NO 252267, MRID NO. 00138591, 00144313. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1989. RFD/RFC WORK GROUP.

CHLORINE CYANIDE 000506-77-4

010261 HOWARD JW AND RF HANZAL. 1955. CHRONIC TOXICITY FOR RATS OF FOOD TREATED WITH HYDROGEN CYANIDE. AGRIC FOOD CHEM. 3: 325-329.

PHILBRICK DJ, JB HOPKINS, DC HILL, JC ALEXANDER AND RG THOMSON. 1979. EFFECTS OF PROLONGED CYANIDE AND THIOCYANATE FEEDING IN RATS. J TOXICOL ENVIRON HEALTH. 5: 579-592.

US EPA. 1985. RfD/RfC WORK GROUP.

CHLORO-1,3-BUTADIENE, 2- / (CHLOROPRENE) 000126-99-8

010515 NTP (NATIONAL TOXICOLOGY PROGRAM). 1988. SUBCHRONIC INHALATION TOXICITY STUDY OF CHLOROPRENE IN MICE AND RATS. CONDUCTED BY BATELLE PACIFIC NORTHWEST LABORATORY, RICHLAND, WA.

US EPA. 1992. RfD/RfC WORK GROUP.

CHLORO-M-CRESOL, P- 000059-50-7

005366 MADSEN C, PH ANDERSEN, O MEYER AND G WURTZEN. 1986. 4-CHLORO-E-METHYLPHENOL: SALMONELLA/MAMMALIAN-MICROSOME MUTAGENICITY TEST AND SUBACUTE TOXICITY TEST IN RATS. BULL ENVIRON CONTAM TOXICOL. 37(5): 651-654.

US EPA. 1988. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR P-CHLORO-M-CRESOL. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

CHLOROACETALDEHYDE 000107-20-0

005342 US EPA. 1988. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR CHLOROACETALDEHYDE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

CHLOROACETIC ACID 000079-11-8

005346 IRDC (INTERNATIONAL RESEARCH AND DEVELOPMENT CORPORATION). 1982. SUBCHRONIC ORAL TOXICITY TEST WITH MONOCHLOROACETIC ACID IN RATS. NATIONAL TOXICOLOGY PROGRAM, BETHESDA, MD P 1-101.

US EPA. 1988. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR CHLOROACETIC ACID. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

CHLOROANILINE, 2- 000095-51-2

005347 US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR CHLOROANILINES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

CHLOROANILINE, 3- 000108-42-9

005348 US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR CHLOROANILINES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

CHLOROANILINE, 4- 000106-47-8

005349 NCI (NATIONAL CANCER INSTITUTE). 1979. BIOASSAY OF P-CHLOROANILINE FOR POSSIBLE CARCINOGENICITY. NCI CARC. TECH. REP. SER.NO. 189. NTIS PB-295896.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR CHLOROANILINES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1987. RfD/RfC WORK GROUP.

CHLOROBENZENE 000108-90-7

010863 MONSANTO COMPANY. 1967. 13-WEEK ORAL ADMINISTRATION--DOGS. MONOCHLOROBENZENES. FINAL REPORT. PROJECT NO. 241-105. FEBRUARY 24. PREPARED BY HAZELTON LABORATORIES.

KNAPP, WK, WM BUSEY, AND W KUNDZINS. 1971. SUBACUTE ORAL TOXICITY OF MONOCHLOROBENZINE IN DOGS AND RATS. TOXICOL APPL PHARMACOL. 19: 393 (ABSTRACT).

US EPA. 1985. HEALTH ASSESSMENT DOCUMENT FOR CHLORINATED BENZENES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH. EPA 600/8-84-015F. NTIS PB85-150332.

US EPA. 1989. UPDATED HEALTH EFFECTS ASSESSMENT FOR CHOLOROBENZENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1989. RfD/RfC WORK GROUP.

CHLOROBENZILATE 000510-15-6

010260 CIBA-GEIGY CORPORATION. 1984. MRID NO 00144691. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1991. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR CHLOROBENZILATE. PREPARED BY THE ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, OFFICE OF HEATH AND ENVIRONMENTAL ASSESSMENT, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE.

US EPA. 1989. RfD/RfC WORK GROUP.

010931 US EPA. 1993. RfD/RfC WORK GROUP.

CHLOROBENZOIC ACID, P- 000074-11-3

005360 KIECKEBUSCH W, W GRIEM AND K LANG. 1960. THE TOLERABILITY OF P-CHLOROBENZOIC ACID. ARZNEIMI HEL-FORSCH. 10: 999-10001.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR P-CHLOROBENZOIC ACID. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

CHLOROBENZOTRIFLUORIDE, 4- 000098-56-6

005364 HOOKER CHEMICAL CORP. 1981. MODIFIED 90-DAY GAVAGE AND REPRODUCTION STUDY IN RATS PCBTF. CONDUCTED BY ELARS BIORESEARCH LABORATORIES, INC, FORT COLLINS, CO, US EPA/OPTS PUBLIC FILES. MICROFICHE #OTS0508148.

US EPA. 1988. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR 4-CHLOROBENZOTRIFLUORIDE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

REFERENCES FOR HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)

March 1994

CHLOROBUTANE, 1- 000109-69-3

005808 NTP (NATIONAL TOXICOLOGY PROGRAM). 1986. TOXICOLOGY AND CARCINOGENESIS STUDIES OF N-BUTYL CHLORIDE IN F344/N RATS AND B6C3F1 MICE (GAVAGE STUDIES). CAS NO 109-69-3. NTP-TR-312, 198 P.

US EPA. 1988. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR MONOCHLOROBUTANES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

005806 NTP (NATIONAL TOXICOLOGY PROGRAM). 1986. TOXICOLOGY AND CARCINOGENESIS STUDIES OF N-BUTYL CHLORIDE IN F344/N RATS AND B6C3F1 MICE (GAVAGE STUDIES). CAS NO 109-69-3. NTP-TR-312, 198 P.

US EPA. 1988. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR MONOCHLOROBUTANES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

CHLOROBUTANE, 2- 000078-86-4

005809 US EPA. 1988. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR MONOCHLOROBUTANES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

CHLOROCYCLOPENTADIENE 041851-50-7

005297 US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR CHLORINATED CYCLOPENTADIENES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

CHLOROFORM 000067-66-3

005372 US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR CHLORINATED CYCLOPENTIDIENES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

CHLOROMETHANE (METHYL CHLORIDE) 000074-87-3

010005 US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR METHYL CHLORIDE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

CHLORONITROBENZENE, M- 000121-73-3

005879 US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR CHLORONITROBENZENES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

CHLOROPHENOL, 2- 000095-57-8

010436 EXON JH, LD KOELLER. 1982. EFFECTS OF TRANSPLACENTAL EXPOSURE TO CHLORINATED PHENOLS. ENVIRON HEALTH PERSPECT. 46: 137-140.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR 2-CHLOROPHENOL AND 2,4-DICHLOROPHENOL. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR CHLORINATED PHENOLS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1990. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR 2-CHLOROPHENOL. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1988. RfD/RfC WORK GROUP.

CHLOROPHENOL, 3- 000108-43-0

005309 US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR CHLORINATED PHENOLS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

CHLOROPHENOL, 4- 000106-48-9

005310 US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR CHLORINATED PHENOLS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

CHLOROPROPANE, 2- 000075-29-6

010444 GAGE JC. 1970. THE SUBACUTE INHALATION TOXICITY OF 109 INDUSTRIAL CHEMICALS. BR J IND MED. 27(1): 1-18.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR 2-CHLOROPROPANE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

CHLOROTHALONIL 001897-45-6

005883 DIAMOND SHAMROCK CHEMICAL COMPANY. 1970. CONFIDENTIAL BUSINESS INFORMATION, UNPUBLISHED STUDY. ACCESSION NO 111253, MRID NO. 00057702, 00114034. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1986. RfD/RfC WORK GROUP.

CHLOROTOLUENE, M- 000108-41-8

005880 US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR CHLOROTOLUENES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

CHLOROTOLUENE, O- 000095-49-8

010167 GIBSON, WR, FO GOSSETT, GR KOENIG, F MARROQUIN. 1974. THE TOXICITY OF DAILY ORAL DOSES OF O-CHLOROTOLUENE IN THE RAT. TOXICOLOGY DIVISION, LILLY RESEARCH LABORATORIES. SUBMITTED TO TEST RULES DEVELOPMENT BRANCH, OFFICE OF TOXIC SUBSTANCES, US EPA, WASHINGTON, DC.

US EPA. 1989. RfD/RfC WORK GROUP.

CHLOROTOLUENE, P- 000106-43-4

010200 US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR CHOROTOLUENES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

CHLORPYRIFOS 002921-88-2

005881 DOW CHEMICAL COMPANY. 1972. CONFIDENTIAL BUSINESS INFORMATION, UNPUBLISHED STUDY. ACCESSION NO 112118.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR CHLORPYRIFOS AND CHLOROPYRIFOS-METHYL. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1986. RfD/RfC WORK GROUP.

CHLORPYRIFOS METHYL 005598-13-0

005882 US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR CHLORPYRIFOS AND CHLORPYRIFOS-METHYL. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

CHLORTHIOPHOS 060238-56-4

005884 WORTHING CR AND SB WALKER, ED. 1983. THE PESTICIDE MANUAL, 7TH ED. BRITISH CROP PROTECTION COUNCIL, THE LAVENHAM PRESS LTD. SUFFOLK, ENGLAND. P 130.

US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR CHLORTHIOPHOS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

CHROMIUM(III) 016065-83-1

005731 IVANKOVIC S AND R PREUSSMAN. 1975. ABSENCE OF TOXIC AND CARCINOGENIC EFFECTS AFTER ADMINISTRATIONS OF HIGH DOSES OF CHROMIC OXIDE PIGMENT IN SUBACUTE AND LONG-TERM FEEDING EXPERIMENTS IN RATS. FOOD COSMET TOXICOL. 13: 347-351.

US EPA. 1984. HEALTH EFFECTS ASSESSMENT FOR TRIVALENT CHROMIUM. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1986. RfD/RfC WORK GROUP.

CHROMIUM(VI) 018540-29-9

005522 MACKENZIE RD, RU BYERRUM, CF DECKER ET AL. 1958. CHRONIC TOXICITY STUDIES, II. HEXAVALENT AND TRIVALENT CHROMIUM ADMINISTERED IN DRINKING WATER TO RATS. AM MED ASSOC ARCH IND HEALTH. 18: 232-234.

US EPA. 1984. HEALTH EFFECTS ASSESSMENT FOR HEXAVALENT CHROMIUM. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1986. RfD/RfC WORK GROUP.

CHRYSENE 000218-01-9

005885 US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR CHRYSENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

COPPER 007440-50-8

005374 US EPA. 1987. DRINKING WATER CRITERIA DOCUMENT FOR COPPER. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF DRINKING WATER, WASHINGTON, DC.

COPPER CYANIDE 000544-92-3

010262 US EPA. 1986. 90 DAY ORAL TOXICITY STUDY OF COPPER CYANIDE. OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1987. RfD/RfC WORK GROUP.

CRESOL, M- / (3-METHYLPHENOL) 000108-39-4

005380 US EPA. 1986. O,M,P-CRESOL. 90-DAY ORAL SUBCHRONIC TOXICITY STUDIES IN RATS. OFFICE OF SOLID WASTE, WASHINGTON, DC.

US EPA. 1987. O,M,P-CRESOL. 90-DAY ORAL SUBCHRONIC NEUROTOXICITY STUDY IN RATS. OFFICE OF SOLID WASTE, WASHINGTON, DC.

US EPA. 1987. RfD/RfC WORK GROUP.

010888 US EPA. 1991. RfD/RfC WORK GROUP.

CRESOL, O- / (2-METHYLPHENOL) 000095-48-7

005384 US EPA. 1986. O,M,P-CRESOL. 90-DAY ORAL SUBCHRONIC TOXICITY STUDIES IN RATS. OFFICE OF SOLID WASTE, WASHINGTON, DC.

US EPA. 1987. O,M,P-CRESOL. 90-DAY ORAL SUBCHRONIC NEUROTOXICITY STUDY IN RATS. OFFICE OF SOLID WASTE, WASHINGTON, DC.

US EPA. 1987. RfD/RfC WORK GROUP.

010889 US EPA. 1991. RfD/RfC WORK GROUP.

REFERENCES FOR HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)

March 1994

CRESOL, P- / (4-METHYLPHENOL) 000106-44-5

010516 CMA (CHEMICAL MANUFACTURERS' ASSOCIATION). 1988. DEVELOPMENTAL TOXICITY EVALUATION OF O-, M- OR P-CRESOL ADMINISTERED BY GAVAGE TO NEW ZEALAND WHITE RABBITS. FINAL PROJECT REPORT 51-508. FICHE NO. OTS0517695.

DEITZ D, AND LT MULLIGAN. 1988. SUBCHRONIC TOXICITY OF P-CRESOL IN SPRAGUE-DAWLEY RATS: MBA CHEMICAL NO 25. PREPARED BY RESEARCH TRIANGLE INSTITUTE, RESEARCH TRIANGLE PARK, NC. PREPARED FOR EPA, WASHINGTON, DC.

US EPA. 1993. RfD/RfC WORK GROUP.

010890 US EPA. 1991. RfD/RfC WORK GROUP.

CUMENE 000098-82-8

005392 WOLF MA, VK ROWE, DD MCCOLLISTER, RL HOLLINGSWORTH AND F OYEN. 1956. TOXICOLOGICAL STUDIES OF CERTAIN ALKYLATED BENZENE AND BENZENES. AMA ARCH IND HEALTH. 14: 387-398.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR CUMENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1987. RfD/RfC WORK GROUP.

005908 MONSANTO COMPANY. 1986. ONE MONTH STUDY OF CUMENE VAPOR ADMINISTERED TO MALE AND FEMALE SPRAGUE-DAWLEY RATS BY INHALATION. US EPA/OTS PUBLIC FILES, 8D SUBMISSION. MICROFICHE# OTS 0513229.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR CUMENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

CYANAZINE 021725-46-2

010411 EI DU PONT DE NEMOURS AND COMPANY, INC. 1986. CONFIDENTIAL BUSINESS INFORMATION, UNPUBLISHED STUDY. MRID NO. 40081901 AND 40229001. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR CYANAZINE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

US EPA. 1992. RfD/RfC WORK GROUP.

US EPA. 1993. REVISED AND UPDATED DRINKING WATER QUANTIFICATION OF TOXICOLOGIC EFFECTS FOR CYANAZINE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF WATER, WASHINGTON, DC.

CYANIDE 000057-12-5

005396 HOWARD JW AND RF HANZAL. 1955. CHRONIC TOXICITY FOR RATS OF FOOD TREATED WITH HYDROGEN CYANIDE. J AGRIC FOOD CHEM. 3: 325-329.

US EPA. 1984. HEALTH EFFECTS ASSESSMENT FOR CYANIDE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1991. DRINKING WATER CRITERIA DOCUMENT FOR CYANIDE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF DRINKING WATER, WASHINGTON, DC.

US EPA. 1985. RfD/RfC WORK GROUP.

CYANOGEN 000460-19-5

010263 HOWARD JW AND RF HANZAL. 1955. CHRONIC TOXICITY FOR RATS OF FOOD TREATED WITH HYDROGEN CYANIDE. AGRIC FOOD CHEM. 3: 325-329.

US EPA. 1985. RfD/RfC WORK GROUP.

CYANOGEN BROMIDE 000506-68-3

010264 HOWARD JW AND RF HANZAL. 1955. CHRONIC TOXICITY FOR RATS OF FOOD TREATED WITH HYDROGEN CYANIDE. AGRIC FOOD CHEM. 3: 325-329.

US EPA. 1987. RfD/RfC WORK GROUP.

CYCLOATE 001134-23-2

005886 US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR CYCLOATE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

CYCLOHEXANOL 000108-93-0

005887 US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR CYCLOHEXANOL. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

CYCLOHEXYLAMINE 000108-91-8

005400 GAUNT IF, J HARDY, P GRASSO, SD GANGOLLI AND KR BUTTERWORTH. 1976. LONG-TERM TOXICITY OF CYCLOHEXYLAMINE HYDROCHLORIDE IN THE RAT. FOOD COSMET TOXICOL. 14(4): 255-268.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR CYCLOHEXYLAMINE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1987. RfD/RfC WORK GROUP.

005398 GAUNT IF, M SHARRATT, PG GRASSO, AB LANSDOWN AND SD GANGOLLI. 1974. SHORT-TERM TOXICITY OF CYCLOHEXYLAMINE HCL IN THE RAT. FOOD COSMET TOXICOL. 12: 609-624.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR CYCLOHEXYLAMINE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

CYCLOPENTADIENE 000542-92-7

010494 DOW. 1987. UNPUBLISHED DATA. DOW CHEMICAL. USA, MIDLAND, MI.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR CYCLOPENTADIENE AND DICYCLOPENTADIENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

DACTHAL 001861-32-1

005888 DIAMOND SHAMROCK AGRICULTURAL CHEMICALS. 1963. CONFIDENTIAL BUSINESS INFORMATION, UNPUBLISHED STUDY. MRID NO. 00083584. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR DACTHAL. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC

US EPA. 1988. RfD/RfC WORK GROUP.

DALAPON 000075-99-0

005889 PAYNTER OE, TW TUSING, DD MCCOLLISTER AND VK ROWE. 1960. TOXICOLOGY OF DALAPON SODIUM (2,2-DICHLOROPROPIONIC ACID, SODIUM SALT). J AGRIC FOOD CHEM. 8: 47-51.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR DALAPON. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1988. RfD/RfC WORK GROUP.

REFERENCES FOR HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)

March 1994

DDT 000050-29-3

005408 LAUG, EP, AA NELSON, OG FITZHUGH AND FM KUNZE. 1950. LIVER CELL ALTERATION AND DDT STORAGE IN THE FAT OF THE RAT INDUCED BY DIETARY LEVELS OF 1-50 PPM DDT. J PHARMACOL EXP THERAP. 98: 268-273.

US EPA. 1985. RfD/RfC WORK GROUP.

DECABROMODIPHENYL ETHER 001163-19-5

005891 KOCIBA RJ, LO FRAUSON, CG HUMISTON, ET AL. 1975. RESULTS OF A TWO-YEAR DIETARY FEEDING STUDY WITH DECABROMODIPHENYL OXIDE (DCDPO) IN RATS. COMBUST TOXICOL. 2(4): 267-285.

NORRIS JM, JW EHRMANTRAUT, CL GIBBONS, ET AL. 1975. TOXICOLOGY OF OCTABROMOBIPHENYL AND DECABROMODIPHENYL OXIDE. ENVIRON HEALTH PERSPECT. 11:153-161.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR BROMINATED DIPHENYL ETHER. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1985. RfD/RfC WORK GROUP.

DI-N-OCTYL PHTHALATE 000117-84-0

010275 PIEKACZ H. 1971. EFFECT OF DIOCTYL AND DIBUTYL PHTHALATES ON THE ORGANISM OF RATS AFTER ORAL ADMINISTRATION IN PROLONGED EXPERIMENT. II. SUBACUTE AND CHRONIC TOXICITY. ROCZ PANSTW ZAKL HIG. 22(3): 295-307.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR PHTHALIC ACID, ALKYL, ARYL, AND ALKYL/ARYL ESTERS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

DIAZINON 000333-41-5

005892 DAVIES DB AND BJ HOLUB. 1979. COMPARATIVE SUSCEPTIBILITY OF MALE AND FEMALE RATS TO DIETARY DIAZINON TOXICITY. J NUTR. 109(6): XXVIII.

DAVIES DB AND BJ HOLUB. 1980. COMPARATIVE SUBACUTE TOXICITY OF DIETARY DIAZINON IN THE MALE AND FEMALE RAT. TOXICOL APPL PHARMACOL. 54(3): 359-367.

DAVIES DB AND BJ HOLUB. 1980. TOXICOLOGICAL EVALUATION OF DIETARY DIAZINON IN THE RAT. ARCH ENVIRON CONTAM TOXICOL. 9(6): 637-650.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR DIAZINON. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

DIBENZOFURAN 000132-64-9

005409 US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR DIBENZOFURAN. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

DIBROMOBENZENE, 1,4- 000106-37-6

005893 CARLSON GP AND RG TARDIFF. 1977. EFFECT OF 1,4-DIBROMOBENZENE AND 1,2,4-TRIBROMOBENZENE ON XENOBIOTIC METABOLISM. TOXICOL APPL PHARMACOL. 42(1): 189-196.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR BROMOBENZENES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1986. RfD/RfC WORK GROUP.

DIBROMOCHLOROMETHANE 000124-48-1

005894 NTP (NATIONAL TOXICOLOGY PROGRAM). 1985. TOXICOLOGY AND CARCINOGENESIS STUDIES OF CHLORODIBROMOMETHANE IN F344/N RATS AND B6C3F1 MICE (GAVAGE STUDIES). NTP TR282. NTIS PB86-166675.

US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR BROMOCHLOROMETHANES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1989. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR DIBROMOCHLOROMETHANE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1987. RfD/RfC WORK GROUP.

DIBROMOETHANE, 1,2- 000106-93-4

010854 RATCLIFFE JM, SM SCHRADER, K STEENLAND, DE CLAPP, T TURNER AND RW HORNUNG. 1987. SEMEN QUALITY IN PAPAYA WORKERS WITH LONG-TERM EXPOSURE TO ETHYLENE BROMIDE. BR J IND MED. 44: 317-326.

SCHRADER SM, TW TURNER AND JM RATCLIFFE. 1988. THE EFFECTS OF ETHYLENE BROMIDE ON SEMEN QUALITY: A COMPARISON OF SHORT-TERM AND CHRONIC EXPOSURE. REPROD TOXICOLOGY. 2: 191-198.

US EPA. 1992. RFD/RFC WORK GROUP.

DIBUTYL PHTHALATE 000084-74-2

005622 SMITH CC. 1953. TOXICITY OF BUTYL STEARATE, DIBUTYL SEBACATE, DIBUTYL PHTHALATE AND METHOXYETHYL OLEATE. ARCH HYG OCCUP MED. 7: 310-318.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR SELECTED PHTHALIC ACID ESTERS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1991. DRINKING WATER CRITERIA DOCUMENT FOR PHTHALIC ACID ESTERS (PAE)S. PREPARED BY THE ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, CINCINNATI, OH, FOR THE OFFICE OF DRINKING WATER, WASHINGTON, DC.

US EPA. 1990. RfD/RfC WORK GROUP.

010892 US EPA. 1990. RfD/RfC WORK GROUP.

DICAMBA 001918-00-9

010945 GOLDENTHAL, EI, DC JESSUP AND DE RODWELL. 1978. TERATOLOGY STUDY IN RABBITS: IRDC NO. 163-436. (UNPUBLISHED STUDY RECEIVED MARCH 6, 1979 UNDER 876-36. PREPARED BY INTERNATIONAL RESEARCH AND DEVELOPMENT CORP., SUBMITTED BY VELSICOL CHEMICAL CORP., CHICAGO, IL. CDL:237995-E). CITED AS VELSICOL CHEMICAL CORPORATION (1978) IN U.S. EPA (1993). MRID 00028236. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1993. REVISED AND UPDATED DRINKING WATER QUANTIFICATION OF TOXICOLOGIC EFFECTS FOR DICAMBA. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF WATER, WASHINGTON, DC.

US EPA. 1988. RfD/RfC WORK GROUP.

DICHLOROBENZENE, 1,2- 000095-50-1

010864 US EPA. 1989. RfD/RfC WORK GROUP.

DICHLOROBENZENE, 1,3- 000541-73-1

005414 US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR DICHLOROBENZENES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1992. RfD/RfC WORK GROUP.

DICHLOROBENZENE, 1,4- 000106-46-7

010840 CHLOROBENZENE PRODUCERS ASSN. 1986. PARADICHLOROBENZENE: TWO-GENERATION REPRODUCTION STUDY IN SPRAGUE-DAWLEY RATS. STUDY N086-81-90605. MRID NO 411088-1. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

NTP (NATIONAL TOXICOLOGY PROGRAM). 1987. TOXICOLOGY AND CARCINOGENESIS STUDIES OF 1,4-DICHLOROBENZENE IN F344/N RATS AND B6C3F1 MICE (GAVAGE STUDIES). NTP TR 319. NIH PUBL NO 87-2575.

US EPA. 1992. RfD/RfC WORK GROUP.

DICHLOROBUTENES

005415 US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR DICHLOROBUTENES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

DICHLORODIFLUOROMETHANE 000075-71-8

005498 SHERMAN H. 1974. LONG-TERM FEEDING STUDIES IN RATS AND DOGS WITH DICHLORODIFLUOROMETHANE (FREON 12 FOOD FREEZANT). HASKELL LABORATORY REPORT NO 24-74, UNPUBLISHED, COURTESY DU PONT DE NEMOURS CO.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR FULLY HALOGENATED METHANES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1985. RfD/RfC WORK GROUP.

005496 CLAYTON WJ, JR. 1967. FLUOROCARBON TOXICITY AND BIOLOGICAL ACTION. FLUORINE CHEM REV. 1(2): 197-252.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR FULLY HALOGENATED METHANES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

DICHLOROETHANE, 1,1- 000075-34-3

005790 HOFMANN HT, H BIRNSTIEL AND P JOBST. 1971. ON THE INHALATION TOXICITY OF 1,1- AND 1,2-DICHLOROETHANE. ARCH TOXIKOL. 27: 248-265.

US EPA. 1984. HEALTH EFFECTS ASSESSMENT FOR 1,1-DICHLOROETHANE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

DICHLOROETHYLENE, 1,1- 000075-35-4

005419 QUAST JF, CG HUMISTON, CE WADE, ET AL. 1983. A CHRONIC TOXICITY AND ONCOGENICITY STUDY IN RATS AND SUBCHRONIC TOXICITY STUDY IN DOGS ON INGESTED VINYLIDENE CHLORIDE. FUND APPL TOXICOL. 3(1): 55-62.

US EPA. 1988. UPDATED HEALTH EFFECTS ASSESSMENT FOR 1,1-DICHLOROETHYLENE (VINYLIDINE CHLORIDE). PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1989. RfD/RfC WORK GROUP.

DICHLOROETHYLENE, 1,2- (MIXED ISOMERS) 000540-59-0

010509 QUAST, JF, CG HUMISTON, CE WADE, ET AL. 1983. A CHRONIC TOXICITY AND ONCOGENICITY STUDY IN RATS AND SUBCHRONIC TOXICITY STUDY IN DOGS ON INGESTED VINYLIDINE CHLORIDE. FUND APPL TOXICOL. 3: 55-62.

US EPA. 1991. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR 1,2-DICHLOROETHYLENE (MIXED ISOMERS). PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

DICHLOROETHYLENE, 1,2-C- 000156-59-2

005420 MCCAULEY PT, M ROBINSON, LW CONDIE, ET AL. NO DATE. THE EFFECTS OF SUBACUTE AND SUBCHRONIC ORAL EXPOSURE TOCIS-1,2-DICHLOROETHYLENE IN RATS. HEALTH EFFECTS RESEARCH LABORATORY, US EPA, CINCINNATI, OH.

US EPA. 1984. HEALTH EFFECTS ASSESSMENT FOR 1,2-C-DICHLOROETHYLENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1990. RfD/RfC WORK GROUP.

DICHLOROETHYLENE, 1,2-T- 000156-60-5

005895 BARNES DW, WM SANDERS, KL SHITE JR, ET AL. 1985. TOXICOLOGY OF TRANS-1,2-DICHLOROETHYLENE IN THE MOUSE. DRUG CHEM TOXICOL. 8: 373-392.

US EPA. 1984. HEALTH EFFECTS ASSESSMENT FOR 1,2-T-DICHLOROETHYLENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

DICHLOROPHENOL, 2,3- 000576-24-9

005315 US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR CHLORINATED PHENOLS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

DICHLOROPHENOL, 2,4- 000120-83-2

005314 EXON JH, AND LD KOLLER. 1985. TOXICITY OF 2-CHLOROPHENOL,2,4-DICHLOROPHENOL AND 2,4,6-TRICHLOROPHENOL. IN: WATER CHLORINATION: CHEM, ENVIRON IMPACT AND HEALTH EFF, JOLLEY ET AL., ED. VOL. 5.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR CHLORINATED PHENOLS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR 2-CHLOROPHENOL AND 2,4-DICHLOROPHENOL. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1986. RfD/RfC WORK GROUP.

DICHLOROPHENOL, 2,5- 000583-78-8

005316 US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR CHLORINATED PHENOLS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

DICHLOROPHENOL, 2,6- 000087-65-0

005317 US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR CHLORINATED PHENOLS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1988. RfD/RfC WORK GROUP.

DICHLOROPHENOL, 3,4- 000095-77-2

005318 US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR CHLORINATED PHENOLS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

DICHLOROPHENOL, 3,5- 000591-35-5

005319 US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR CHLORINATED PHENOLS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

DICHLOROPHENOXY ACETIC ACID, 2,4- 000094-75-7

010265 DOW CHEMICAL CO. 1983. ACC NO. 251473.

US EPA. 1988. RfD/RfC WORK GROUP.

DICHLOROPHENOXY) BUTYRIC ACID, 4-(2,4- / (2,4-DB) 000094-82-6

005890 RHODIA INC. 1969. CONFIDENTIAL BUSINESS INFORMATION, UNPUBLISHED STUDY. MRID NO. 0092165. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR 2,4-DB. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

DICHLOROPROPANE, 1,1- 000078-99-9

005897 US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR DICHLOROPROPANES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

DICHLOROPROPANE, 1,2- 000078-87-5

005898 NITSCHKE KD, KA JOHNSON, DL WACKERLE, JE PHILLIPS, DA DITTENBER. 1988. PROPYLENE DICHLORIDE: A 13 WEEK INHALATION TOXICITY STUDY WITH RATS, MICE AND RABBITS. DOW CHEMICAL CO, MAMMALIAN AND ENVIRONMENTAL TOXICOLOGY RESEARCH LABORATORY, MIDLAND, MI.

US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR DICHLOROPROPANES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1991. RfD/RfC WORK GROUP.

DICHLOROPROPANE, 1,3- 000142-28-9

005899 US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR DICHLOROPROPANES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

DICHLOROPROPANE, 2,2- 000594-20-7

005900 US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR DICHLOROPROPANES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

DICHLOROPROPENE, 1,3- / (TELONE II) 000542-75-6

005901 DOW CHEMICAL CO. 1973. MRID NOS. 00067977, 0039684. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1989. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR 1,3-DICHLOROPROPENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1987. RfD/RfC WORK GROUP.

US EPA. 1993. REVISED AND UPDATED DRINKING WATER QUANTIFICATION OF TOXICOLOGIC EFFECTS FOR 1,3-DICHLOROPROPENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF WATER, WASHINGTON, DC.

010351 LOMAX, LG, WT STOTT, KA JOHNSON, ET AL. 1989. THE CHRONIC TOXICITY AND ONCOGENICITY OF INHALED TECHNICAL-GRADE 1,3-DICHLOROPROPENE IN RATS AND MICE. FUND APPL TOXICOL. 10: 214.

US EPA. 1989. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR 1,3-DICHLOROPROPENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1990. RfD/RfC WORK GROUP.

DICHLORPROP 000120-36-5

005896 US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR DICHLOROPROP. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

DICYCLOPENTADIENE 000077-73-6

005425 LITTON BIONETICS, INC. 1980. MAMMALIAN TOXICOLOGICAL EVALUATION OF DIMP AND DCPD, (PHASE 2). LITTON BIONETICS, INC., KENSINGTON, MD CONTRACT DAMB. 17-77-C-7003. NTIS AD-A082685.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR CYCLOPENTADIENE AND DICYCLOPENTADIENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

DIELDRIN 000060-57-1

005429 WALKER AIT, DE STEVENSON, J ROBINSON, ET AL. 1969. THE TOXICOLOGY AND PHARMACODYNAMICS OF DIELDRIN (HEOD): TWO-YEAR ORAL EXPOSURE OF RATS AND DOGS. TOXICOL APPL PHARMACOL. 15: 345-373.

US EPA. 1987. RfD/RfC WORK GROUP.

DIETHYL PHTHALATE 000084-66-2

005620 BROWN D, KR BUTTERWORTH, IF GAUNT ET AL. 1978. SHORT-TERMORAL TOXICITY STUDY OF DIETHYL PHTHALATE IN THE RAT. FOOD COSMET TOXICOL. 16: 415-422.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR SELECTED PHTHALIC ACID ESTERS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

U.S. EPA. 1991. DRINKING WATER CRITERIA DOCUMENT FOR PHTHALIC ACID ESTERS (PAE)S. PREPARED BY THE ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, CINCINNATI, OH, FOR THE OFFICE OF DRINKING WATER, WASHINGTON, DC.

US EPA. 1987. RfD/RfC WORK GROUP.

DIETHYL-P-NITROPHENYL PHOSPHATE 000311-45-5

005922 US EPA. 1989. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR DIETHYL-P-NITROPHENYL PHOSPHATE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

DIETHYLANILINE, N,N- 000091-66-7

005903 US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR N,N-DIETHYLANILINE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

DIETHYLENE GLYCOL MONOBUTYL ETHER 000112-34-5

005482 US EPA. 1984. HEALTH EFFECTS ASSESSMENT FOR GLYCOL ETHERS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC. EPA 540/1-86-052.

US EPA. 1992. RfD/RfC WORK GROUP.

DIETHYLENE GLYCOL MONOETHYL ETHER 000111-90-0

005478 SMYTH HF, CP CARPENTER AND CB SHAFFER. 1964. A 2-YEAR STUDY OF DIETHYLENE GLYCOL MONOETHYL ETHER IN RATS. FOOD COSMET TOXICOL. 2: 641-642.

US EPA. 1984. HEALTH EFFECTS ASSESSMENT FOR GLYCOL ETHERS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC. EPA 540/1-86-052.

005476 HALL DE, FS LEE, P AUSTIN AND FA FAIRWEATHER. 1966. SHORT-TERM FEEDING STUDY WITH DIETHYLENE GLYCOL MONOETHYL ETHER IN RATS. FOOD COSMET TOXICOL. 4: 263.

US EPA. 1984. HEALTH EFFECTS ASSESSMENT FOR GLYCOL ETHERS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC. EPA 540/1-86-052.

DIETHYLFORMAMIDE 000617-84-5

010437 ARGUS MF, JC ARCOS AND C HOCH-LIGETI. 1965. THE CARCINOGENIC ACTIVITY OF PROTEIN-DENATURING AGENTS: HEPATOCARCINOGENICITY OF DIOXANE. J. NATL CANCER INST. 35: 949-958.

US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR DIETHYLFORMAMIDE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

DIETHYLHYDRAZINE, 1,2- 001615-80-1

005921 US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR 1,2-DIETHYLHYDRAZINE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

DIMETHOATE 000060-51-5

005923 AMERICAN CYANAMID COMPANY. 1986. MRID NO 00164177. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR DIMETHOATE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1988. RfD/RfC WORK GROUP.

DIMETHYLANILINE, N,N- 000121-69-7

005924 ABDO K, M WOLFE AND R HILES. 1984. SUBCHRONIC TOXICITY OF N,N-DIMETHYLANILINE TO F-344 RATS AND B6C3F1 MICE. FED PROC. 43(3): 1698.

US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR N,N-DIMETHYLANILINE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

DIMETHYLFORMAMIDE, N,N- 000068-12-2

005925 BECCI, PJ, KA VOSS, WD JOHNSON, ET AL. 1983. SUBCHRONIC FEEDING STUDY OF N,N-DIMETHYLFORMAMIDE IN RATS AND MICE. J AM COLL TOXICOL. 2(6): 371-378.

US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR N,N-DIMETHYLFORMAMIDE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH, FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

010352 CIRLA, AM, G PISATI, E INVERNIZZI ET AL. 1984. EPIDEMIOLOGICAL STUDY ON WORKERS EXPOSED TO LOW DIMETHYLFORMAMIDE CONCENTRATIONS. G ITAL MED LAV. 6: 149-156.

CATENACCI, G, D GRAMPELLA, R TERZI, ET AL. 1984. HEPATIC FUNCTION IN SUBJECTS EXPOSED TO ENVIRONMENTAL CONCENTRATIONS OF DMF LOWER THAN THE ACTUALLY PROPOSED TLV. G ITAL MED LAV. 6: 157-158.

US EPA. 1990. RfD/RfC WORK GROUP.

DIMETHYLPHENOL, 2,3- 000526-75-0

005926 US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR DIMETHYLPHENOLS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

DIMETHYLPHENOL, 2,4- 000105-67-9

010266 US EPA. 1989. NINETY-DAY GAVAGE STUDY IN ALBINO MICE USING 2,4-DIMETHYLPHENOL. STUDY 410-2831, PREPARED BY DYNAMAC CORPORATION, ROCKVILLE, MD, FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR DIMETHYLPHENOLS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH, FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1990. RfD/RfC WORK GROUP.

DIMETHYLPHENOL, 2,5- 000095-87-4

005928 US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR DIMETHYLPHENOLS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

DIMETHYLPHENOL, 2,6- 000576-26-1

005431 VELDRE IA AND HJ JANES. 1979. TOXICOLOGICAL STUDIES OF SHALE OILS, SOME OF THEIR COMPONENTS AND COMMERCIAL PRODUCTS. ENVIRON HEALTH PERSPECT. 30: 141-146.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR DIMETHYLPHENOLS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

DIMETHYLPHENOL, 3,4- 000095-65-8

005437 VELDRE IA AND HJ JANES. 1979. TOXICOLOGICAL STUDIES OF SHALE OILS, SOME OF THEIR COMPONENTS AND COMMERCIAL PRODUCTS. ENVIRON HEALTH PERSPECT. 30: 141-146.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR DIMETHYLPHENOLS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1986. RfD/RfC WORK GROUP.

DIMETHYLPHTHALATE 000131-11-3

010267 LEHMAN AJ. 1955. INSECT REPELLANTS. ASSOC FOOD DRUG OFFICE, US QUART BULL. 19: 87.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR PHTHALIC ACID, ALKYL, ARYL, AND ALKYL/ARYL ESTERS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH, FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

010894 US EPA. 1990. RfD/RfC WORK GROUP.

DIMETHYLTEREPHTHALATE 000120-61-6

005930 NCI (NATIONAL CANCER INSTITUTE). 1979. BIOASSAY OF DIMETHYL TEREPHTHALATE FOR POSSIBLE CARCINOGENICITY. DHEW/PUB/NIH 79-1376, NCI-CG-TR121.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR DIMETHYL AND METHYL TEREPHTHALATE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

DIMETHYLUREA, N,N- 000598-94-7

005931 US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR N,N-DIMETHYLUREA. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

DINITRO-O-CRESOL, 4,6- 000534-52-1

010470 US EPA. 1993. RfD/RfC WORK GROUP.

US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR DINITROCRESOLS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

DINITRO-P-CRESOL, 2,6- 000609-93-8

005934 US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR 2,6-DINITRO-P-CRESOL. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

DINITROBENZENE, 1,2- 000528-29-0

010201 CODY TE, S WITHERUP, L HASTINGS, K STEMMER AND RT CHRISTIAN. 1981. 1,3-DINITROBENZENE: TOXIC EFFECT IN VIVO AND IN VITRO. J TOXICOL ENVIRON HEALTH. 7(5): 829-847.

US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR DINITROBENZENES (O-, M-, P-). PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

DINITROBENZENE, 1,3- 000099-65-0

010471 CODY TE, S WITHERUP, L HASTINGS, K STEMMER AND RT CHRISTIAN. 1981. 1,3-DINITROBENZENE. TOXIC EFFECT IN VIVO AND IN VITRO. J TOXICOL ENVIRON HEALTH. 7(5): 829-847.

US EPA. RfD/RfC WORK GROUP.

DINITROBENZENE, 1,4- 000100-25-4

010202 CODY TE, S WITHERUP, L HASTINGS, K STEMMER AND RT CHRISTIAN. 1981. 1,3-DINITROBENZENE: TOXIC EFFECT IN VIVO AND IN VITRO. J TOXICOL ENVIRON HEALTH. 7(5): 829-847.

US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR DINITROBENZENES (O-, M-, P-). PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

DINITROPHENOL, 2,3- 000066-56-8

005936 US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR DINITROPHENOLS (SELECTED). PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

DINITROPHENOL, 2,4- 000051-28-5

010438 HORNER WD. 1942. DINITROPHENOL AND ITS RELATION TO FORMATION OF CATARACTS. ARCH OPHTHALMOL. 27: 1097-1121.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR DINITROPHENOLS (SELECTED). PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON DC.

US EPA. 1991. RfD/RfC WORK GROUP.

010895 US EPA. 1991. RfD/RfC WORK GROUP.

DINITROPHENOL, 2,5- 000329-71-5

005937 US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR DINITROPHENOLS (SELECTED). PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

DINITROPHENOL, 2,6- 000573-56-8

005938 US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR DINITROPHENOLS (SELECTED). PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

DINITROPHENOL, 3,5- 000586-11-8

005939 US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR DINITROPHENOLS (SELECTED). PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

DINITROTOLUENE, 2,3- 000602-01-7

005940 US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR DINITROTOLUENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

DINITROTOLUENE, 2,4 000121-14-2

005941 ELLIS HV, CB HONG, CC LEE, ET AL. 1985. SUBCHRONIC AND CHRONIC TOXICITY STUDIES OF 2,4-DINITROTOLUENE. PART I. BEAGLE DOGS. J AM COLLEGE TOXICOL. 4(4): 233-242.

US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR DINITROTOLUENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1991. RfD/RfC WORK GROUP.

DINITROTOLUENE, 2,4- 000121-14-2

010896 US EPA. 1990. RfC WORK GROUP.

DINITROTOLUENE, 2,5- 000619-15-8

005942 US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR DINITROTOLUENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

DINITROTOLUENE, 2,6- 000606-20-2

005943 LEE C-C ET AL. 1976. MAMMALIAN TOXICITY OF MUNITIONS COMPOUNDS. PHASE II: EFFECTS OF MULTIPLE DOSES. PART III: 2,6-DITINROTOLUENE. US ARMY MEDICAL RESEARCH AND DEVELOPMENT COMMAND, FORT DETRICK, MD.

US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR DINITROTOLUENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1991. RfD/RfC WORK GROUP.

DINITROTOLUENE, 3,4- 000610-39-9

005944 US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR DINITROTOLUENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

DINOSEB 000088-85-7

005945 DOW CHEMICAL COMPANY. 1981. CONFIDENTIAL BUSINESS INFORMATION, UNPUBLISHED STUDY. MRID NO 00152675. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR DINOSEB. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1986. RfD/RfC WORK GROUP.

DIPHENYLAMINE, N,N- 000122-39-4

005946 THOMAS JO, WE RIBELIN, JR WOODWARD AND F DEEDS. 1967. THE CHRONIC TOXICITY OF DIPHENYLAMINE FOR DOGS. TOXICOL APPL PHARMACOL. 11: 184-194.

US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR N,N-DIPHENYLAMINE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1986. RfD/RfC WORK GROUP.

DIRECT LIGHTFAST BLUE 004399-55-7

005947 US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR DIRECT LIGHTFAST BLUE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

DISULFOTON 000298-04-4

010412 MOBAY CHEMICAL COMPANY. 1985. MRID NO. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1990. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR DISULFOTON. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON DC.

US EPA. 1986. RfD/RfC WORK GROUP.

ENDOSULFAN 000115-29-7

010926 HOECHST CELANESE CORP. 1989. ENDOSULFAN: 2-YEAR FEEDING/ONCOGENICITY STUDY IN RATS. MRID NO. 40256502, 42099502. HED DOC. NO. 007937. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1992. RfD/RfC WORK GROUP.

010938 HOECHST CELANESE CORP. 1989. ENDOSULFAN: 1-YEAR FEEDING STUDY IN DOGS. MRID. NO 41099501. HED NO. 007937. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1992. RfD/RfC WORK GROUP.

ENDOTHALL 000145-73-3

005948 PENNWALT AGCHEM. ND MRID NO 00101735. AVAILABLE FROM US EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1989. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR ENDOTHALL. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

ENDRIN 000072-20-8

005445 VELSICOL CHEMICAL CORPORATION. 1969. MRID NO. 00030198. AVAILABLE FROM EPA. WRITE FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1991. DRINKING WATER CRITERIA DOCUMENT FOR ENDRIN. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF DRINKING WATER, WASHINGTON, DC.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR ENDRIN. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1988. RfD/RfC WORK GROUP.

EPICHLOROHYDRIN 000106-89-8

010440 LASKIN S, AR SELLAKUMAR, M KUSCHNER, ET AL. 1980. INHALATION CARCINOGENICITY OF EPICHLOROHYDRIN IN NON-INBRED SPRAGUE-DAWLEY RATS. J NATL CANCER INST. 65(4): 751-757.

US EPA. 1984. HEALTH ASSESSMENT DOCUMENT FOR EPICHLOROHYDRIN. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, RESEARCH TRIANGLE PARK, NC. EPA 600/8-83-032F. NTIS PB85-132363.

US EPA. 1991. RfD/RfC WORK GROUP.

010492 QUAST JF, JW HENCK, BJ POSTMA, DJ SCHUETZ AND MJ MCKENNA.1979. EPICHLOROHYDRIN - SUBCHRONIC STUDIES. I. A 90-DAY INHALATION STUDY IN LABORATORY RODENTS. (FISCHER 344 RATS, SPRAGUE-DAWLEY RATS AND B6C3F1 MICE). DOW CHEMICAL USA, MIDLAND, MI.

US EPA. 1991. RfD/RfC WORK GROUP.

EPTC 000759-94-4

005959 PPG INDUSTRIES, INC. 1986. CONFIDENTIAL BUSINESS INFORMATION: UNPUBLISHED STUDY. ACCESSION NO. 263695, 262696. MRID NO. 00161597. AVAILABLE FROM EPA. WRITE FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR EPTC. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

ETHOPROP 013194-48-4

005951 US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR ETHOPROP. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

ETHOXYETHANOL ACETATE, 2- 000111-15-9

010507 UNION CARBIDE. 1984. A TERATOGENIC EVALUATION OF CELLOSOLVE ACETATE IN FISHER 344 RATS AND NEW ZEALAND WHITE RABBITS FOLLOWING INHALATION EXPOSURE. BUSHY RUN RESEARCH CENTER, EXPORT, PA, OCTOBER 1984. FYI-AX-1184-0360.

US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR 2-ETHOXYETHANOL ESTERS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

ETHOXYETHANOL ACRYLATE, 2- 000106-74-1

005953 US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR 2-ETHOXYETHANOL ESTERS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

ETHOXYETHANOL DODECANOATE, 2- 000106-13-8

005956 US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR 2-ETHOXYETHANOL ESTERS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

ETHOXYETHANOL PHOSPHATE, 2- 068554-00-7

005955 US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR 2-ETHOXYETHANOL ESTERS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

ETHOXYETHANOL, 2- 000110-80-5

005470 MELNICK RL. 1984. TOXICITIES OF ETHYLENE GLYCOL AND ETHYLENE GLYCOL MONOETHYL ETHER IN FISCHER 344/N RATS AND B6C3F1 MICE. ENVIRON HEALTH PERSPECT. 57: 147-155.

US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR 2-ETHOXY-ETHANOL. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

005468 STENGER EG, A LISLOTT, D MUELLER ET AL. 1971. TOXICOLOGY OF ETHYLENE GLYCOL MONOETHYL ETHER. ARZNEIM-FORSCH. 21(6): 880-885.

US EPA. 1984. HEALTH EFFECTS ASSESSMENT FOR GLYCOL ETHERS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC. EPA 540/1-86-052.

010441 BARBEE SJ, JB TERRILL, DJ DESOUSA AND CC CONAWAY. 1984. SUBCHRONIC INHALATION TOXICOLOGY OF ETHYLENE GLYCOL MONOETHYL ETHER IN THE RAT AND RABBIT. ENVIRON HEALTH PERSPECT. 57: 157-163.

US EPA. 1984. HEALTH EFFECTS ASSESSMENT FOR GLYCOL ETHERS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC. EPA 540/1-86-052.

US EPA. 1990. RfD/RfC WORK GROUP.

ETHOXYETHYL METHACRYLATE, 2- 002370-63-0

005954 US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR 2-ETHOXYETHANOL ESTERS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

ETHYL ACETATE 000141-78-6

005957 US EPA. 1986. RAT ORAL SUBCHRONIC STUDY WITH ETHYL ACETATE. OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR ETHYL ACETATE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1986. RfD/RfC WORK GROUP.

ETHYL BENZENE 000100-41-4

010867 WOLF MA, VK ROWE, DD MCCOLLISTER, RL HOLLINGSWORTH AND F OYEN. 1956. TOXICOLOGICAL STUDIES OF CERTAIN ALKYLATED BENZENE AND BENZENES. AMA ARCH IND HEALTH. 14: 387-398. CITED IN US EPA, 1985.

US EPA. 1984. HEALTH EFFECTS ASSESSMENT FOR ETHYLBENZENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR ETHYLBENZENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1985. RfD/RfC WORK GROUP.

010866 ANDREW FD, RL BUSHCOHBOM, WC CANNON, ET AL. 1981. TERATOLOGIC ASSESSMENT OF ETHYLBENZENE AND 2-ETHOXYETHANOL. BATTELLE PACIFIC NORTHWEST LABORATORY, RICHLAND, WA. NTIS PB83-208074. P 108.

HARDIN BD, GP BOND, MR SIKOV, ET AL. 1981. TESTING OF SELECTED WORKPLACE CHEMICALS FOR TERATOGENIC POTENTIAL. SCANDJ WORK ENVIRON HEALTH. 7: 66-75.

US EPA. 1990. RfD/RfC WORK GROUP.

ETHYL CHLORIDE 000075-00-3

010371 SCORTICHINI BH, KA JOHNSON, JJ MOMANY-PFRUENDER ET AL. 1986. ETHYL CHLORIDE: INHALATION TERATOLOGY STUDY IN CF-1 MICE. DOW CHEMICAL CO. EPA 86-870002248.

US EPA. 1990. RfD/RfC WORK GROUP.

ETHYL ETHER 000060-29-7

010396 AMERICAN BIOGENICS CORP. 1986. 90-DAY GAVAGE STUDY IN RATS USING ETHYL ETHER. STATUS REPORT FOR ABC STUDY NO. 410-2343 3/18/86.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR ETHYL ETHER. ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH. OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1989. RfD/RfC WORK GROUP.

ETHYL METHACRYLATE 000097-63-2

005961 BORZELLECA JF, PS LARSON, GR HENNIGAR, ET AL. 1964. STUDIES ON THE CHRONIC ORAL TOXICITY OF MONOMERIC ETHYL ACRYLATE AND METHYL METHACRYLATE. TOXICOL APPL PHARMACOL. 6: 29-36.

US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR ETHYL METHACRYLATE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

ETHYL-O-XYLENE, 4- 000934-80-5

010472 US EPA. 1984. HEALTH AND ENVIRONMENTAL PROFILE FOR METHYLETHYL BENZENES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

ETHYLANILINE, N- 000103-69-5

005958 US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR N-ETHYLANILINE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

ETHYLENE CYANOHYDRIN 000109-78-4

005780 SAUERHOFF MW, WH BRAUN, JC RAMSEY ET AL. 1976. TOXICOLOGICAL EVALUATION AND PHARMACOKINETIC PROFILE OF B-HYDROXYPROPIONITRILE IN RATS. J. TOXICOL. ENVIRON. HEALTH. 2(1): 31-44.

US EPA. 1988. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR CYANOHYDRINS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

ETHYLENE DIAMINE 000107-15-3

005796 YANG RS, RH GARMAN, RR MARONPOT, ET AL. 1983. ACUTE AND SUBCHRONIC TOXICITY OF ETHYLENEDIAMINE IN LABORATORY ANIMALS. APPL TOXICOL. 3(6): 512-520.

US EPA. 1988. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR ETHYLENEDIAMINE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

010898 US EPA. 1990. RfD/RfC WORK GROUP.

ETHYLENE GLYCOL 000107-21-1

005454 DEPASS LR, RH GARMAN, MD WOODSIDE ET AL. 1986. CHRONIC TOXICITY AND ONCOGENICITY STUDIES OF ETHYLENE GLYCOL IN RATS AND MICE. FUND APPL TOXICOL. 7: 547-565.

US EPA. 1987. RfD/RfC WORK GROUP.

005452 MARONPOT RR, JP ZELENAK, EV WEAVER AND NJ SMITH. 1983. TERATOGENICITY STUDY OF ETHYLENE GLYCOL IN RATS. DRUG CHEM TOXICOL. 6(6): 579-594.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR ETHYLENE GLYCOL. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

ETHYLENE GLYCOL MONOBUTYL ETHER 000111-76-2

010353 DODD DE, WM SNELLINGS, RR MAROMPOT, ET AL. 1983. ETHYLENE GLYCOL MONOBUTYL ETHER: ACUTE, 9-DAY AND 90-DAY VAPOR INHALATION STUDIES IN FISCHER 344 RATS. TOXICOL APPL PHARMACOL. 68: 405-414.

US EPA. 1991. RfD/RfC WORK GROUP.

ETHYLENE THIOUREA 000096-45-7

010397 GRAHAM SL, KJ DAVIS, WH HANSEN AND CH GRAHAM. 1975. EFFECTS OF PROLONGED ETHYLENE THIOUREA INGESTION ON THE THYROID OF THE RAT. FOOD COSMET TOXICOL. 13: 493-499.

US EPA. 1991. RfD/RfC WORK GROUP.

010899 US EPA. 1992. RfD/RfC WORK GROUP.

ETHYLTOLUENE, M- 000620-14-4

005963 US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR METHYL ETHYL BENZENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

ETHYLTOLUENE, O- 000611-14-3

005962 US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR METHYL ETHYL BENZENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

ETHYLTOLUENE, P- 000622-96-8

005964 US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR METHYL ETHYL BENZENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

FLUORANTHENE 000206-44-0

010168 US EPA. 1988. 13-WEEK MOUSE ORAL SUBCHRONIC TOXICITY STUDY. PREPARED BY TOXICITY RESEARCH LABORATORIES, LTD, MUSKEGON, MI FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

US EPA. 1989. RfD/RfC WORK GROUP.

FLUORENE 000086-73-7

010169 US EPA. 1989. MOUSE ORAL SUBCHRONIC STUDY. PREPARED BY TOXICITY RESEARCH LABORATORIES, LTD, MUSKEGON, MI, FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

US EPA. 1991. DRINKING WATER CRITERIA DOCUMENT FOR FLUORENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF DRINKING WATER, WASHINGTON, DC.

US EPA. 1989. RfD/RfC WORK GROUP.

FLUORINE / (SOLUBLE FLUORIDE) 007782-41-4

005965 HODGE HC. 1950. THE CONCENTRATION OF FLUORIDES IN DRINKING WATER TO GIVE THE POINT OF MINIMUM CARIES WITH MAXIMUM SAFETY. J.AM. DENT. ASSOC. 40: 436.

US EPA. 1989. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR FLUORIDE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1986. RfD/RfC WORK GROUP.

FLURIDONE 059756-60-4

005966 ELANCO PRODUCTS COMPANY, DIVISION OF ELI LILLY AND COMPANY. 1980. CONFIDENTIAL BUSINESS INFORMATION, UNPUBLISHED STUDY. ACCESSION NOS 070933, 070939. MRID NO. 00103251, 00103305. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR FLURIDONE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1988. RfD/RfC WORK GROUP.

FOLPET 000133-07-3

005967 CHEVRON CHEMICAL CORPORATION. 1986. CONFIDENTIAL BUSINESS INFORMATION, UNPUBLISHED STUDY. ACCESSION NO 263772. MRID NO. 00161315. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR FOLPET. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1987. RFD/RFC WORK GROUP.

FORMALDEHYDE 000050-00-0

010398 TIL HP, RA WOUTERSEN, VJ FERON ET AL. 1989. TWO-YEAR DRINKING WATER STUDY OF FORMALDEHYDE IN RATS. FOOD CHEM TOXICOL. 27: 77-87.

US EPA. 1989. DRAFT DRINKING WATER HEALTH ADVISORY FOR FORMALDEHYDE. OFFICE OF DRINKING WATER, WASHINGTON, DC.

US EPA. 1990. RfD/RfC WORK GROUP.

FORMALDEHYDE CYANOHYDRIN 000107-16-4

005782 US EPA. 1988. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR CYANOHYDRINS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

FORMIC ACID 000064-18-6

010268 MALORNY G. 1969. ACUTE AND CHRONIC TOXICITY OF FORMIC ACID AND FORMATE. Z ERNACHRUNGSWISS. 9: 332-339.

US EPA. 1990. RfD/RfC WORK GROUP.

FURAN 000110-00-9

005462 SRI (SOUTHERN RESEARCH INSTITUTE). 1982. SUBCHRONIC TOXICITY REPORT ON FURAN (C56202) IN B6C3F1 MICE. PREPARED FOR NATIONAL TOXICOLOGY PROGRAM UNDER CONTRACT NO. 1-CP-95641-01, BETHESDA, MD.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR FURAN. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1986. RfD/RfC WORK GROUP.

FURFURAL 000098-01-1

005466 SRI (SOUTHERN RESEARCH INSTITUTE). 1981. 90 DAY RAT REPORT. UNPUBLISHED STUDY PERFORMED FOR NTP.

US EPA. 1987. RfD/RfC WORK GROUP.

GLYCIDALDEHYDE 000765-34-4

005968 HINE CH, RJ GUZMAN, MK DUNLAP, R LIMA AND GS LOQUVAM. 1961. STUDIES ON THE TOXICITY OF GLYCIDALDEHYDE. ARCH ENVIRON HEALTH. 2: 23-30.

US EPA. 1989. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR GLYCIDALDEHYDE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1987. RfD/RfC WORK GROUP.

HEPTACHLOR 000076-44-8

005506 VELSICOL CHEMICAL CORP. 1955. MRID NO 00062599. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1987. RfD/RfC WORK GROUP.

HEPTACHLOR EPOXIDE 001024-57-3

010399 DOW CHEMICAL CO. 1958. MRID NO 00061912. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1986. RfD/RfC WORK GROUP.

HEPTANE, N- 000142-82-5

005969 US EPA. 1989. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR N HEPTANE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

HEXABROMOBENZENE 000087-82-1

005970 MENDOZA CE, HM VIJAY, JB SHIELDS AND GW LAVER. 1977. EFFECTS OF HEXABROMOBENZENE ON THE MALE RAT. TOXICOL APPL PHARMACOL. 41: 127-130.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR BROMOBENZENES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

US EPA. 1985. RfD/RfC WORK GROUP.

HEXACHLOROBENZENE 000118-74-1

010868 ARNOLD, DL, CA MOODIE, SM CHARBONNEAU ET AL. 1985. LONG-TERM TOXICITY OF HEXACHLOROBENZENE IN THE RAT AND THE EFFECT OF DIETARY VITAMIN A. FOOD CHEM TOXICOL. 23(9): 779-793.

US EPA. 1991. DRINKING WATER CRITERIA DOCUMENT FOR HEXACHLOROBENZENE. PREPARED BY THE ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, CINCINNATI, OH FOR THE OFFICE OF WATER, WASHINGTON, DC.

US EPA. 1988. RfD/RfC WORK GROUP.

010900 US EPA. 1990. RfD/RfC WORK GROUP.

HEXACHLOROBUTADIENE 000087-68-3

010927 NTP (NATIONAL TOXICOLOGY PROGRAM). 1991. NTP REPORT ON THE TOXICITY STUDIES OF HEXACHLORO-1,3-BUTADIENE IN B6C3F1 MICE (FEED STUDIES).

YANG ET AL. 1989. HEXACHLOROBUTADIENE - SUBCHRONIC TOXICOLOGY STUDIES OF HEXACHLORO-1,3-BUTADIENE (HCBD) IN B6C3F1 MICE BY DIETARY INCORPORATION. J ENVIRON PATHOL TOXICOL ONCOL. P. 323-332.

KOCIBA RJ, DG KEYS, GC JERESEY, ET AL. 1977. RESULTS OF A 2-YEAR CHRONIC TOXICITY STUDY WITH HEXACHLOROBUTADIENE IN RATS. AM IND HYG ASSOC J. 38: 589-602.

US EPA. 1993. RfD/RfC WORK GROUP.

HEXACHLOROCYCLOHEXANE, DELTA- 000319-86-8

010495 US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR HEXACHLOROCYCLOHEXANES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

HEXACHLOROCYCLOHEXANE, EPSILON- 006108-10-7

010496 US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR HEXACHLOROCYCLOHEXANES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

HEXACHLOROCYCLOHEXANE, GAMMA- 000058-89-9

005537 ZOECON CORPORATION. 1983. MRID NO 00128356. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1986. RfD/RfC WORK GROUP.

010903 US EPA. 1992. RfD/RfC WORK GROUP.

HEXACHLOROCYCLOPENTADIENE 000077-47-4

005299 ABDO, KM, CA MONTGOMERY, WM KLUWE ET AL. 1984. TOXICITY OF HEXACHLOROCYCLOPENTADIENE: SUBCHRONIC (13-WEEK) ADMINISTRATION BY GAVAGE TO F344 RATS AND B6C3F1 MICE. J APPL TOXICOL. 4: 75-81.

US EPA. 1991. DRINKING WATER CRITERIA DOCUMENT FOR HEXACHLOROCYCLOPENTANE. PREPARED BY THE ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, CINCINNATI, OH FOR THE OFFICE OF WATER, WASHINGTON, DC.

US EPA. 1985. RfD/RfC WORK GROUP.

010445 ABDO, KM, CA MONTGOMERY, J ROYCROFT, HA RAGAN, RA RENNE, WE GIDDINS. 1986. SUBCHRONIC (13-WEEK) OINHALATION TOXCICITY OF HEXACHLOROCYCLOPENTADIENE (HCCPD) IN F344 RATS AND B6C3F1 MICE. ABSTRACT SUBMITTED TO THE SOCIETY OF TOXICOLOGY FROM THE 1986 MEETING.

BATTELLE NORTHWEST LABORATORIES. 1984. INHALATION CARCINOGENESIS BIOASSAY STUDY: SUBCHRONIC STUDY REPORT ON HEXACHLOROCYCLOPENTADIENE IN RATS. SUBMITTED TO THE NATIONAL TOXICOLOGY PROGRAM.

US EPA. 1988. HEALTH AND DNVIRONMENTAL EFFECTS DOCUMENT FOR HEXACHLOROCYCLOPENTADIENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1991. DRINKING WATER CRITERIA DOCUMENT FOR HEXACHLOROCYCLOPENTADIENE. PREPARED BY THE ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF WATER, WASHINGTON, DC.

HEXACHLOROETHANE 000067-72-1

005518 GORZINSKI, SJ, RJ NOLAN, SB MCCOLLISTER, ET AL. 1985. SUBCHRONIC ORAL TOXICITY, TISSUE DISTRIBUTION AND CLEARANCE OF HEXACHLOROETHANE IN THE RAT. DRUG CHEM TOXICOL. 8(3): 155-169.

US EPA. 1989. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR HEXACHLOROETHANE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH, FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1987. RfD/RfC WORK GROUP.

010904 US EPA. 1992. RfD/RfC WORK GROUP.

HEXACHLOROPHENE 000070-30-4

005972 NATIONWIDE CHEMICAL CORPORATION. 1974. CONFIDENTIAL BUSINESS INFORMATION, UNPUBLISHED STUDY. MRID NO 00055365. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR HEXACHLOROPHENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

US EPA. 1988. RfD/RfC WORK GROUP.

HEXAMETHYLENE DIAMINE 000124-09-4

005973 US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR HEXAMETHYLENEDIAMINE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

HEXANE, N- 000110-54-3

005974 KRASAVAGE WJ, JL O'DONOGHUE, GD DIVINCENZO AND TERHAAR. 1980. RELATIVE NEUROTOXICITY OF METHYL-N-BUTYL KETONE, N-HEXANE AND THEIR METABOLITES. TOXICOL APPL PHARMACOL. 52(3): 433-441.

US EPA. 1989. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR N-HEXANE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

010273 SANAGI S, Y SEKI, K SUGIMOTO AND M HIRATA. 1980. PERIPHERAL NERVOUS SYSTEM FUNCTIONS OF WORKERS EXPOSED TO N-HEXANE AT A LOW LEVEL. INT ARCH OCCUP ENVIRON HEALTH. 47: 69-79.

HEXANONE, 2- 000591-78-6

005976 US EPA. 1989. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR N-HEXANONE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

HYDROGEN SULFIDE 007783-06-4

010269 WATTERAU H, W OECKERT AND UG KNAPE. 1964. TESTS FOR THE APPLICATION OF DRIED GREEN FODDER WITH HIGH H2S CONTENT (EXPERIMENTS WITH POULTRY AND FATTENED PIGS). LETTIN FEEDS TESTING CENTER AND FEEDING HALL. FEEDS SCIENCE. FETTERUNG. 5: 383-393.

US EPA. 1985. RfD/RfC WORK GROUP.

010354 CIIT. 1983. 90 DAY VAPOR INHALATION TOXICITY STUDY OF HYDROGEN SULFIDE IN B6C3F1 MICE. EPA OTS PUBLIC FILES. FICHE NO0000255-0. DOCUMENT NO FYI-OTS-0883-0255.

US EPA. 1990. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR HYDROGEN SULFIDE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH, FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1990. RfD/RfC WORK GROUP.

HYDROQUINONE 000123-31-9

005526 CARLSON, AJ AND NR BREWER. 1953. TOXICITY STUDIES ON HYDROQUINONE. PROC SOC EXP BIOL MED. 84: 684-688.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR HYDROQUINONE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

010905 US EPA. 1990. RfD/RfC WORK GROUP.

REFERENCES FOR HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)

March 1994

IRON 007439-89-6

005527 US EPA. 1984. HEALTH EFFECTS ASSESSMENT FOR IRON. ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH. OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

ISOBUTYL ALCOHOL 000078-83-1

005977 US EPA. 1986. RAT ORAL SUBCHRONIC TOXICITY WITH ISOBUTYL ALCOHOL. OFFICE OF SOLID WASTE, WASHINGTON, DC.

US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR ISOBUTANOL. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

US EPA. 1986. RfD/RfC WORK GROUP.

ISOPHORONE 000078-59-1

005910 NOR-AM AGRICULTURAL PRODUCTS, INC. 1972. MRID NO 00123976. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

NTP (NATIONAL TOXICOLOGY PROGRAM). 1986. TOXICOLOGY AND CARCINOGENESIS STUDIES OF ISOPHORONE (CAS NO 78-59-1) IN F344/N RATS AND B6C3F1 MICE (GAVAGE STUDIES). NTP TECH REPORT SER NO 291, NIH PUBL NO 86-2547.

US EPA. 1993. REVISED AND UPDATED DRINKING WATER QUANTIFICATION OF TOXICOLOGIC EFFECTS FOR ISOPHORONE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF WATER, WASHINGTON, DC.

US EPA. 1989. RfD/RfC WORK GROUP.

010906 US EPA. 1990. RfD/RfC WORK GROUP.

ISOPROPALIN 033820-53-0

005978 ELI LILY CO. 1985. CONFIDENTIAL BUSINESS INFORMATION. UNPUBLISHED STUDY.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR ISOPROPALIN. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

US EPA. 1986. RfD/RfC WORK GROUP.

LACTONITRILE 000078-97-7

005783 US EPA. 1988. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR SELECTED NITRILES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

LEAD 007439-92-1

010447 REFER TO IRIS.

LEAD ALKYLS

010448 REFER TO IRIS.

LINURON 000330-55-2

005990 DU PONT DE NEMOURS AND COMPANY, INC. 1962. CONFIDENTIAL BUSINESS INFORMATION, UNPUBLISHED STUDY. MRID NO 00018374. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR LINURON. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1986. RfD/RfC WORK GROUP.

MALATHION 000121-75-5

005991 MOELLER HC AND JA RIDER. 1962. PLASMA AND RED BLOOD CELL-CHOLINESTERASE ACTIVITY AS INDICATIONS OF THE THRESHOLD OF INCIPIENT TOXICITY OF ETHYL-P-NITROPHENOL THIONEBENZENEPHOSPHORATE (EPN) AND MALATHION IN HUMAN BEINGS. TOXICOL APPL PHARMACOL. 4: 123-130.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR MALATHION. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

US EPA. 1987. RfD/RfC WORK GROUP.

MALEIC ANHYDRIDE 000108-31-6

005992 JESSUP DC, D ALDRIDGE, JL SCHARDEIN AND M BLAIR. 1982. THREE-GENERATION REPRODUCTION STUDY IN RATS (MODIFIED TO A2-GENERATION STUDY). MALEIC ANHYDRIDE IR-79-358. INTERNATIONAL RESEARCH AND DEVELOPMENT CORP. FOR MONSANTO CO., ST. LOUIS,MO. UNPUBLISHED 8D SUBMISSION. MICROFICHE NO OTS 0206655. DOCUMENT ID 878214777

PREACHE M. 1983. CHRONIC DIETARY ADMINISTRATION OF MALEIC ANHYDRIDE. VOL. 1: NARRATIVE. FYI-OTS SUBMISSION 1283-0277. PREPARED BY ITT RESEARCH INSTITUTE FOR CHEMICAL INDUSTRY INSTITUTE OF TECHNOLOGY, RESEARCH TRIANGLE PARK, NC.

US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR MALEIC ANHYDRIDE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1988. RfD/RfC WORK GROUP.

MALEIC HYDRAZIDE 000123-33-1

005993 UNIROYAL CHEMICAL CO. 1981. ACCESSION NO. 250523.

US EPA. 1989. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR MALEIC ANHYDRIDE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1986. RfD/RfC WORK GROUP.

REFERENCES FOR HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)

March 1994

MALONONITRILE 000109-77-3

005994 PANOV I, M ZLATEVA AND G ANTOV. 1972. TOXICOLOGICAL CHARACTERISTICS OF DICYANOMETHANE. CHRONIC EFFECTS IN WHITE RATS. KHIG. ZDRAVEOPAZVANE. 15(6): 553-562.

US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR MALONONITRILE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

MANCOZEB 008018-01-7

005995 US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR MANCOZEB. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

MANEB 012427-38-2

005996 MANEB DATA TASK FORCE. 1986. MRID NO 00161552. (CITED IN US EPA 1987.) AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

ROHM AND HAAS CO. 1977. MRID NO 00129980. (CITED IN US EPA 1987.) AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR MANEB. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

MANGANESE 007439-96-5

010850 KONDAKIS XG, N MAKRIS, M LEOTSINIDIS, M PRINOU AND T PAPAPETROPOULOS. 1989. POSSIBLE HEALTH EFFECTS OF HIGH MANGANESE CONCENTRATION IN DRINKING WATER. ARCH ENVIRON HEALTH. 44: 175-178.

US EPA. 1993. DRINKING WATER CRITERIA DOCUMENT FOR MANGANESE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF WATER, WASHINGTON, DC.

US EPA. 1992. RfD/RfC WORK GROUP.

010851 WHO (WORLD HEALTH ORGANIZATION). 1973. TRACE ELEMENTS IN HUMAN NUTRITION: MANGANESE. REPORT OF A WHO EXPERT COMMITTEE. TECHNICAL REPORT SERVICE, 532, WHO, GENEVA, SWITZERLAND. PP 34-36.

SCHROEDER HA, JJ BALASSA, IH TIPTON. 1966. ESSENTIAL TRACE METALS IN MAN: MANGANESE, A STUDY IN HOMEOSTASIS. J CHRON DIS. 19: 545-571.

NRC (NATIONAL RESEARCH COUNCIL). 1989. RECOMMENDED DIETARY ALLOWANCES, 10TH ED. FOOD AND NUTRITION BOARD, NATIONAL RESEARCH COUNCIL, NATIONAL ACADEMY PRESS, WASHINGTON, DC. PP 230-235.

US EPA. 1993. DRINKING WATER CRITERIA DOCUMENT FOR MANGANESE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF WATER, WASHINGTON, DC.

US EPA. 1992. RfD/RfC WORK GROUP.

010959 ROELS HA, P GHYSELEN, JP BUCHET, E CEULEMANS, RR LAUWERYS. 1992. ASSESSMENT OF THE PERMISSIBLE EXPOSURE LEVEL TO MANGANESE IN WORKERS EXPOSED TO MANGANESE DIOXIDE DUST. BR J IND MED. 49: 25-34.

ROELS H, R LAUWERYS, JP BUCHET ET AL. 1987. EPIDEMIOLOGICAL SURVEY AMONG WORKERS EXPOSED TO MANGANESE: EFFECTS ON LUNG, CENTRAL NERVOUS SYSTEM, AND SOME BIOLOGICAL INDICES. AM J IND MED. 11: 307-327.

US EPA. 1993. RfD/RfC WORK GROUP.

MEPHOSFOLAN 000950-10-7

005997 US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR MEPHOSFOLAN. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

MERCURY, INORGANIC 007439-97-6

005800 ANDRES, P. 1984. IGA-AGG DISEASE IN THE INTESTINE OF BROWN-NORWAY RATS INGESTING MERCURIC CHLORIDE. CLIN IMMUNOL IMMUNOPATHOL. 20: 488-494.

BERNAUDIN, JF, E DRUET, P DRUET, R MASSE. 1981. INHALATION OR INGESTION OF ORGANIC OR INORGANIC MERCURIALS PRODUCES AUTO-IMMUNE DISEASE IN RATS. CLIN IMMUNOL IMMUNOPATHOL. 20: 129-135.

DRUET, P, E DRUET, F POTDEVIN, C SAPIN. 1978. IMMUNE TYPE GLOMERULONEPHRITIS INDUCED BY HG CL2 IN THE BROWN NORWAY RAT. ANN IMMUNOL. 129C: 777-792.

US EPA. 1987. PEER REVIEW WORKSHOP ON MERCURY ISSUES, OCTOBER 26-27, 1987. ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH.

US EPA. 1988. RfD/RfC WORK GROUP.

010270 FAWER RF, V DERIBAUPIERRE, MP GUILLEMIN ET AL. 1983. MEASUREMENT OF HAND TREMOR INDUCED BY INDUSTRIAL EXPOSURE TO METALLIC MERCURY. J IND MED. 40: 204-208.

PIIKIVI L. 1989. CARDIOVASCULAR REFLEXES AND LONG-TERM EXPOSURE TO MERCURY VAPOR. INT ARCH OCCUP ENVIRON HEALTH. 61: 391-395.

PIIKIVI L AND H HANNINEN. 1989. SUBJECTIVE SYMPTOMS AND PSYCHOLOGICAL PERFORMANCE OF CHLORINE-ALKALI WORKERS. SCANDJ WORK ENVIRON HEALTH. 15: 69-74.

PIIKIVI L AND V TOLONEN. 1989. EEG FINDINGS IN CHLOR-ALKALI WORKERS SUBJECTED TO LONG-TERM EXPOSURE TO MERCURY VAPOR. BR J IND MED. 46: 370-375.

US EPA. 1984. HEALTH EFFECTS ASSESSMENT FOR MERCURY. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH, FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1990. RfD/RfC WORK GROUP.

MERPHOS 000150-50-5

005998 ABOU-DONIA MB, DG GRAHAM PR TIMMONS AND BL REICHERT. 1980. LATE ACUTE, DELAYED NEUROTOXIC AND CHOLINERGIC EFFECTS OF S,S,S-TRIBUTYLPHOSPHOROTRITHIOITE (MERPHOS) IN HENS. TOXICOL APPL PHARMACOL. 53: 439-457.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR MERPHOS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

US EPA. 1987. RfD/RfC WORK GROUP.

010907 US EPA. 1992. RfD/RfC WORK GROUP.

MERPHOS OXIDE 000078-48-8

005999 ABOU-DONIA MB, DG GRAHAM, KM ABDO AND AA KOMEIL. 1979. DELAYED NEUROTOXIC, LATE ACUTE AND CHOLINERGIC EFFECTS OF S,S,S-TRIBUTYLPHOSPHOROTRITHIOATE (DEF): SUBCHRONIC (90 DAYS) ADMINISTRATION IN HENS. TOXICOLOGY. 14: 229-243.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR MERPHOS OXIDE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

US EPA. 1987. RfD/RfC WORK GROUP.

010908 US EPA. 1992. RfD/RfC WORK GROUP.

METHACRYLONITRILE 000126-98-7

005812 POZZANI, UC, CR KINKEAD AND JM KING. 1968. THE MAMMALIAN TOXICITY OF METHACRYLONITRILE. AM IND HYG ASSOC J. 29(3): 202-210.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR SELECTED NITRILES, PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH, FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE.

US EPA. 1987. RfD/RfC WORK GROUP.

METHANOL 000067-56-1

010271 US EPA. 1986. RAT ORAL SUBCHRONIC TOXICITY STUDY WITH METHANOL. OFFICE OF SOLID WASTE. WASHINGTON, DC.

US EPA. 1988. RfD/RfC WORK GROUP.

METHOMYL 016752-77-5

005802 E.I. DU PONT DE NEMOURS AND COMPANY, INC. 1968. MRID 0007091, 00009012. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1988. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR METHOMYL. ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH.

US EPA. 1986. RFD/RFC WORK GROUP.

METHOXYCHLOR 000072-43-5

010357 KINCAID ENTERPRISES, INC. 1989. MRID NO 0015992. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1990. RfD/RfC WORK GROUP.

010909 US EPA. 1991. RfD/RfC WORK GROUP.

METHOXYETHANOL ACETATE, 2- 000110-49-6

010497 MILLER RR, LL CALHOUN AND BL YANO. 1982. ETHYLENE GLYCOL MONOMETHYL ETHER: 13-WEEK VAPOR INHALATION STUDY IN MALE RABBITS. REPORT PREPARED FOR THE CHEMICAL MANUFACTURERS ASSOCIATION, MARCH 25, 1982.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR 2-METHOXYETHANOL ACETATE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

METHOXYETHANOL, 2- 000109-86-4

010372 MILLER RR, JA AYRES, JL YOUNG ET AL. 1983. ETHYLENE GLYCOL MONOMETHYL ETHER. I. SUBCHRONIC VAPOR INHALATION STUDY WITH RATS AND RABBITS. FUND APPL TOXICOL. 3(1): 49-54.

US EPA. 1990. RfD/RfC WORK GROUP.

METHYL ACETATE 000079-20-9

010002 TOXICITY RESEARCH LABORATORY. 1986. RAT ORAL SUBCHRONIC TOXICITY STUDY WITH METHANOL. SPONSORED BY OFFICE OF SOLID WASTE, US EPA, WASHINGTON, DC.

US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR METHYL ACETATE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

METHYL ACRYLATE 000096-33-3

010498 KLIMISCH HJ AND W REININGHAUS. 1984. CARCINOGENICITY OF ACRYLATES: LONG-TERM INHALATION STUDIES ON METHYL ACRYLATE (MA) AND N-BUTYL ACRYLATE (BA) IN RATS. TOXICOLOGIST. 4(1): 53.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR METHYL ACRYLATE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

METHYL ETHYL KETONE 000078-93-3

010853 COX, GE. 1975. TOXICITY STUDIES IN RATS WITH 2-BUTANOL: INCLUDING GROWTH, REPRODUCTION, AND TERATOGENIC OBSERVATIONS. FOOD AND DRUG RESEARCH LABORATORIES, INC. (91MR R 1673)

US EPA. 1992. RfD/RfC WORK GROUP.

010845 SCHWETZ BA, TJ MAST, RJ WEIGEL, ET AL. 1991. DEVELOPMENTAL TOXICITY OF INHALED METHYL ETHYL KETONE IN MICE. FUND APPL TOXICOL. 16: 742-748.

MAST, TJ, JA DILL, JJ EVANOFF, ET AL. 1989. INHALATION DEVELOPMENTAL TOXICOLOGY STUDIES: TERATOLOGY STUDY OF METHYLETHYL KETONE IN MICE. FINAL REPORT. PREPARED BY PACIFIC NORTHWEST LABORATORY, BATELLE MEMORIAL INSTITUTE, FOR THE NATIONAL TOXICOLOGY PROGRAM, WASHINGTON, DC. PNL-6833 UC-408.

US EPA. 1991. RfD/RfC WORK GROUP.

METHYL ETHYL KETONE PEROXIDE 001338-23-4

010948 US EPA. 1993. RfD/RfC WORK GROUP.

METHYL ISOBUTYL KETONE 000108-10-1

010949 MICROBIOLOGICAL ASSOCIATES. 1986. SUBCHRONIC TOXICITY OF METHYL ISOBUTYL KETONE IN SPRAGUE-DAWLEY RATS. PERFORMED FOR RESEARCH TRIANGLE INSTITUTE, PO BOX 12194, RESEARCH TRIANGLE PARK, NC, 27709. FINAL REPORT. STUDY NO 522104.

US EPA. 1993. RfD/RfC WORK GROUP.

METHYL ISOCYANATE 000624-83-9

010013 US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR METHYL ISOCYANATE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1990. RfD/RfC WORK GROUP.

METHYL MERCURY 022967-92-6

005547 CLARKSON, TW, L AMIN-ZAKI, SK AL-TIKRITI. 1976. FEDERATION PROCEEDINGS. 35(12): 2395-2399.

NORDBERG, GF, P STRANGERT. 1976. ESTIMATIONS OF A DOSE-RESPONSE CURVE FOR LONG-TERM EXPOSURE TO METHYLMERCURIC COMPOUNDS IN HUMAN BEINGS TAKING INTO ACCOUNT VARIABILITY OF CRITICAL ORGAN CONCENTRATIONS AND BIOLOGICAL HALF-TIME: A PRELIMINARY COMMUNICATION. IN: EFFECTS AND DOSE-RESPONSE RELATIONSHIPS OF TOXIC METALS. GF NORDBERG, ED. ELSEVIER, AMSTERDAM. P. 273-282.

WHO (WORLD HEALTH ORGANIZATION). 1976. ENVIRONMENTAL HEALTH CRITERIA FOR MERCURY. IN: ENVIRONMENTAL HEALTH CRITERIA 1. WHO, GENEVA.

US EPA. 1984. HEALTH EFFECTS ASSESSMENT FOR MERCURY. ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH. OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1980. AMBIENT WATER QUALITY CRITERIA DOCUMENT FOR MERCURY. ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH. OFFICE OF WATER REGULATIONS AND STANDARDS, WASHINGTON, DC.

US EPA. 1992. RfD/RfC WORK GROUP.

METHYL METHACRYLATE 000080-62-6

010014 BORZELLECA JF, PS LARSON, GR HENNIGAR, ET AL. 1964. STUDIES ON THE CHRONIC ORAL TOXICITY OF MONOMERIC ETHYL ACRYLATE AND METHYL METHACRYLATE. TOXICOL APPL PHARMACOL. 6: 29-36.

US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR METHYL METHACRYLATE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

METHYL PARATHION 000298-00-0

010015 MONSANTO CO. 1983. ACCESSION NO 252501-252503, 253346, 253372-253374. MRID NO. 000139023, 00143965, 00145507. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR METHYL PARATHION. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

US EPA. 1986. RfD/RfC WORK GROUP.

010846 DALY, IW AND WE RINEHART. 1980. A THREE-MONTH FEEDING STUDY OF METHYL PARATHION IN RATS: PROJECT 77-2054. MRID NO. 74299. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1991. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR METHYL PARATHION. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

METHYL STYRENE (MIXED ISOMERS) 025013-15-4

010500 FINAL CHRONIC REPORT PERFORMED FOR THE NTP UNDER CONTRACT NO N01-ES-38042.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR METHYL STYRENES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

METHYL-4-CHLOROPHENOXY) BUTYRIC ACID, 4-(2- 000094-81-5

010008 RHODIA, INC. 1970. CONFIDENTIAL BUSINESS INFORMATION, UNPUBLISHED STUDY. MRID NO 00116345. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR MCPA AND MCPB. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

US EPA. 1990. INTEGRATED RISK INFORMATION SYSTEM (IRIS). ONLINE. OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH.

US EPA. 1987. RfD/RfC WORK GROUP.

METHYL-4-CHLOROPHENOXY) PROPIONIC ACID, 2-(2- 000093-65-2

010009 BASF AKTIEGERELLSCHAFT. 1985. CONFIDENTIAL BUSINESS INFORMATION, UNPUBLISHED STUDY. MRID NO 00158359. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR MCPP. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

US EPA. 1988. RfD/RfC WORK GROUP.

METHYL-4-CHLOROPHENOXYACETIC ACID, 2- 000094-74-6

010007 INDUSTRY TASK FORCE ON MCPA RESEARCH DATA. 1986. CONFIDENTIAL BUSINESS INFORMATION, UNPUBLISHED STUDY. MRID NO 00164352. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR MCPA AND MCPB. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

US EPA. 1988. RfD/RfC WORK GROUP.

METHYLCYCLOHEXANE 000108-87-2

010431 KINKEAD ER, CC HAUN MG SCHNEIDER, ET AL. 1985. CHRONIC INHALATION EXPOSURE OF EXPERIMENTAL ANIMALS TO METHYLCYCLOHEXANE. GOVT REPORTS ANNOUNCEMENTS AND INDEX, ISSUE 21. 29 P.

US EPA. 1991. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR METHYLCYCLOHEXANE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

METHYLENE BROMIDE 000074-95-3

010501 KEYES DG, JW HENCK, GC JERSEY, RJ KOCIBA, DJ SCHWETZ AND TD LANDRY. 1982. METHYLENE BROMIDE: A 90-DAY REPEATED INHALATION TOXICITY STUDY IN RATS AND DOGS WITH A SUBSEQUENT TWO-YEAR HOLDING PERIOD FOR RATS. TOXICOLOGY RESEARCH LAB, HEALTH AND ENVIRONMENTAL SCIENCES, DOW CHEMICAL CO., MIDLAND, MI.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR METHYLENE BROMIDE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

METHYLENE CHLORIDE / (DICHLOROMETHANE) 000075-09-2

005553 NATIONAL COFFEE ASSOCIATION. 1982. 24-MONTH CHRONIC TOXICITY AND ONCOGENICITY STUDY OF METHYLENE CHLORIDE IN RATS FINAL REPORT. PREPARED BY HAZLETON LABORATORIES AMERICA, INC., VIENNA, VA. UNPUBLISHED

US EPA. 1985. DRINKING WATER CRITERIA DOCUMENT FOR METHYLENE CHLORIDE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF DRINKING WATER, WASHINGTON, DC.

US EPA. 1985. RfD/RfC WORK GROUP.

005552 NITSCHKE KD, JD BUREK, TJ BELL, RJ KOCIBA, LW RAMPEY AND MJ MCKENNA. 1988. METHYLENE CHLORIDE: A 2-YEAR INHALATION TOXICITY AND ONCOGENICITY STUDY IN RATS. FUND APPL TOXICOL. 10: 1-12.

US EPA. 1989. UPDATED HEALTH EFFECTS ASSESSMENT FOR METHYLENE CHLORIDE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

METHYLENE-BIS(2-CHLOROANILINE), 4,4'- 000101-14-4

010413 STULA EF, JR BARNES, H SHERMAN, CF REINHARDY AND JA ZAPP.1977. URINARY BLADDER TUMORS IN DOGS FROM 4,4'-METHYLENE-BIS(2-CHLOROANILINE) (MOCA). J ENVIRON PATHOL TOXICOL. 1(1): 31-50.

US EPA. 1990. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR 4,4'-METHYLENE-BIS(2-CHLOROANILINE). PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON DC.

010933 US EPA. 1993. RfD/RfC WORK GROUP.

METHYLENEDIPHENYL ISOCYANATE, 4,4- / (DIPHENYLMETHANE DIISOCYANATE) 000101-68-8

010449 REUZEL PGJ, JHG ARTS, MHM KUYPERS, ET AL. 1990. CHRONIC TOXICITY/CARCINOGENICITY INHALATION STUDY OF POLYMERIC METHYLENEDIPHENYL DIISOCYANATE AEROSOL IN RATS. FINAL REPORT. PREPARED BY CIVO INSTITUTE FOR THE INTERNATIONAL ISOCYANATE INSTITUTE.

US EPA. 1993. RfD/RfC WORK GROUP.

METOLACHLOR 051218-45-2

010950 TISDEL M, T JACKSON, P MACWILLIAMS ET AL. 1983. TWO-YEAR CHRONIC ORAL TOXICITY AND ONCOGENICITY STUDY WITH METOLACHLOR IN ALBINO RATS: STUDY NO. 80030. FINAL REPORT. (UNPUBLISHED STUDY RECEIVED MAY 24, 1983 UNDER 100-587. PREPARED BY HAZLETON RALTECH, INC., SUBMITTED BY CIBA-GEIGY CORP., GREENSBORO, NC: CDL:250369-A, 250370, 250371, 250272, 259373, 259374, 259375.) REFERRED TO AS CIBA-GEIGY, 1983 IN U.S. EPA (1993). MRID 00129377. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

SMITH SH, CK O'LOUGHLIN, CM SALAMON ET AL. 1981. TWO-GENERATION REPRODUCTION STUDY IN ALBINO RATS WITH METOLACHLOR TECHNICAL: STUDY NO. 450-0272. FINAL REPORT. (UNPUBLISHED STUDY RECEIVED SEPTEMBER 30, 1981 UNDER 100-597. PREPARED BY WHITTAKER CORP., SUBMITTED BY CIBA-GEIGY CORP., GREENSBORO, NC. CDL:245959-A, 245960, 245961.) REFERRED TO AS CIBA-GEIGY (1981) IN U.S. EPA (1993). MRID 00080897. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1993. REVISED AND UPDATED DRINKING WATER QUANTIFICATION OF TOXICOLOGIC EFFECTS FOR METOLACHLOR. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF WATER, WASHINGTON, DC.

METRIBUZIN 021087-64-9

010928 MOBAY CHEMICAL CORPORATION. 1974. MRID 000061260. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1986. RfD/RfC WORK GROUP.

US EPA. 1993. REVISED AND UPDATED DRINKING WATER QUANTIFICATION OF TOXICOLOGIC EFFECTS FOR METRIBUZIN. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL EFFECTS, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF WATER, WASHINGTON, DC.

MIREX 002385-85-5

010841 NTP (NATIONAL TOXICOLOGY PROGRAM). 1990. TOXICOLOGY AND CARCINOGENESIS STUDIES OF MIREX (CAS NO 2385-85-5) IN F344/N RATS. (FEED STUDIES). NTP TR 313.

US EPA. 1992. RFD/RFC WORK GROUP.

MOLINATE 002212-67-1

010017 STAUFFER CHEMICAL COMPANY. 1981. MRID NO 00079209. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR MOLINATE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

US EPA. 1988. RfD/RfC WORK GROUP.

MOLYBDENUM 007439-98-7

010489 KOLVAL'SKIY VV, GA YAROVAYA AND DM SHMAVONYAN. 1961. CHANGES OF PURINE METABOLISM IN MAN AND ANIMALS UNDER CONDITIONS OF MOLYBDENUM BIOGEOCHEMICAL PROVINCES. ZH OBSHCH BIOL. 22: 179-191. (IN RUSSIAN, TRANSLATION)

US EPA. 1991. RfD/RfC WORK GROUP.

MONOCHLORAMINE 010599-90-3

010517 NTP (NATIONAL TOXICOLOGY PROGRAM). 1990. NTP TECHNICAL REPORT ON THE TOXICOLOGY AND CARCINOGENESIS STUDIES OF CHLORINATED AND CHLORAMINATED WATER IN F344/N RATS AND B6C3F1 MICE (DRINKING WATER STUDIES). NTP TR 392, NATIONAL INSTITUTES OF HEALTH.

US EPA. 1992. DRINKING WATER CRITERIA DOCUMENT FOR CHLORAMINES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE HEALTH AND ECOLOGICAL CRITERIA DIVISION, OFFICE OF SCIENCE AND TECHNOLOGY, OFFICE OF WATER, WASHINGTON, DC.

US EPA. 1992. RfD/RfC WORK GROUP.

NAPHTHOQUINONE, 1,4- 000130-15-4

010020 US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR 1,4-NAPHTHOQUINONE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1991. RfD/RfC WORK GROUP.

NICKEL (METALLIC) 007440-02-0

005579 AMBROSE, AM, DS LARSON, JR BORZELLECA AND GR HENNIGAR, JR. 1976. LONG-TERM TOXICOLOGIC ASSESSMENT OF NICKEL IN RATS AND DOGS. J GOOD SCI TECHNOL. 13: 181-187.

US EPA. 1991. DRINKING WATER QUANTIFICATION OF TOXICOLOGIC EFFECTS FOR NICKEL. PREPARED BY THE ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, CINCINNATI, OH FOR THE OFFICE OF WATER, WASHINGTON, DC.

US EPA. 1991. RfD/RfC WORK GROUP.

NICKEL CYANIDE 000557-19-7

010953 US EPA. 1993. RfD/RfC WORK GROUP.

NICOTINONITRILE 000100-54-9

005584 US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR SELECTED NITRILES. ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH. OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

NITRIC OXIDE 010102-43-9

010451 REFER TO APPENDIX A: TECHNICAL INFORMATION, SECTION V ON NATIONAL AMBIENT AIR QUALITY STANDARDS.

NITRITE 014797-65-0

010021 WALTON G. 1951. SURVEY OF LITERATURE RELATING TO INFANT METHEMOGLOBINEMIA DUE TO NITRATE-CONTAMINATED WATER. AM J PUB HEALTH. 41: 986-996.

US EPA. 1989. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR NITRITE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1992. RfD/RfC WORK GROUP.

NITROANILINE, 2- 000088-74-4

010936 US EPA. 1992. RfD/RfC WORK GROUP.

010935 BIO/DYNAMICS. 1983. PROJECT NO. (BD-82-270). A FOUR WEEK INHALATION STUDY OF ORTHO-NITROANILINE IN MALE RATS. FINAL REPORT. SUBMITTED TO DR. RASHMI NAIR, MONSANTO CO., AUGUST 16, 1983. EPA 87821478. #OTS0206486. P. 1A-17, 32-42, 46-48, 55-58, 62-67.

US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR NITROANILINE (O-, M-, P-). PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1991. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR 2-NITROANILINE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

NITROANILINE, M- 000099-09-2

010400 US EPA. 1991. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR 3-NITROANILINE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

NITROANILINE, P- 000100-01-6

010024 US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR NITROANILINE (O-, M-, P-). PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

NITROBENZENE 000098-95-3

005589 CIIT (CHEMICAL INDUSTRY INSTITUTE OF TOXICOLOGY). 1984. NINETY-DAY INHALATION STUDY OF NITROBENZENE IN F-344 RATS, CD RATS AND B6C3F1 MICE WITH COVER LETTER DATED 6/24/84 AND EPA RESPONSE DATED 8/06/84, UNPUBLISHED STUDY. FYI-OTS-0784-0333 AND COMPUTER PRINT-OUT OF PATHOLOGY FINDING.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR NITROBENZENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1985. RfD/RfC WORK GROUP.

NITROFURANTOIN 000067-20-9

005593 SRI (SOUTHERN RESEARCH INSTITUTE). 1980. SUBCHRONIC TOXICITY REPORT ON NITROFURANTOIN (C55196) IN FISCHER-344 RATS AND B6C3F1 MICE. TRACOR JIT CO, INC, ROCKVILLE, MD, CONTRACT NOS N01-CP-43350 AND 78-65-106002 US EPA.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR NITROFURANS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

NITROGEN DIOXIDE 010102-44-0

010402 WALTON G. 1951. SURVEY OF LITERATURE RELATING TO INFANT METHEMOGLOBINEMIA DUE TO NITRATE-CONTAMINATED WATER. AM J PUBLIC HEALTH. 41: 986-996.

US EPA. 1992. RfD/RfC WORK GROUP.

010912 REFER TO APPENDIX A: TECHNICAL INFORMATION, SECTION V ON NATIONAL AMBIENT AIR QUALITY STANDARDS.

NITROGEN OXIDES

010170 US EPA. 1982. AIR QUALITY CRITERIA FOR OXIDES OF NITROGEN. OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, RESEARCH TRIANGLE PARK, NC. EPA 600/8-82-026F. NTIS PB83-163337.

NITROMETHANE 000075-52-5

010026 US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR NITROMETHANE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

NITROPHENOLS

005594 US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR NITROPHENOLS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

NITROPROPANE, 2- 000079-46-9

010374 ANGUS CHEMICAL CO. 1985. FINAL REPORT: CHRONIC INHALATION EXPOSURE TO RATS TO VAPORS OF 2-NITROPROPANE AT 100 PPM. PREPARED BY COULSTON INTERNATIONAL CORP FOR ANGUS CHEMICAL CO. OTS NO 204292. DOC NO 8EHQ-0985-0170. FICHE NO 0200504.

ANGUS CHEMICAL CO. 1985. CHRONIC INHALATION OF 200 PPM OF2-NITROPROPANE IN RATS. PREPARED BY COULSTON INTERNATIONAL CORP (MAY 1978) FOR ANGUS CHEMICAL CO. OTS NO 204292. DOC NO 8EHQ-0985-0170. FICHE NO 0200504

GRIFFIN TB, F COULSTON AND AA STEIN. 1980. CHRONIC INHALATION EXPOSURE OF RATS TO VAPORS OF 2-NITROPROPANE AT 25 PPM. ECOTOXICOL ENVIRON SAF. 4(3): 267-281.

GRIFFIN TB, AA STEIN, F COULSTON. 1981. HISTOLOGICAL STUDY OF TISSUES AND ORGANS FROM RATS EXPOSED TO VAPORS OF 2-NITROPROPANE AT 25 PPM. ECOTOXOCOL ENVIRON SAF. 5(2): 194-201.

US EPA. 1990. RfD/RfC WORK GROUP.

NITROSODIPHENYLAMINE, P- 000156-10-5

010027 US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR NITROSAMINES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

NITROTOLUENE, M- 000099-08-1

010029 CISS M, N HUYEN, H DUTERTRE, N PHU-LICH AND R TRUHAUT. 1980. TOXICOLOGICAL STUDY OF NITROTOLUENES: LONG-TERM TOXICITY. DAKAR MEDICAL. 25: 293-302.

US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR NITROTOLUENES (O-, M-, P-). PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

NITROTOLUENE, O- 000088-72-2

010028 CISS M, N HUYEN, H DUTERTRE, N PHU-LICH AND R TRUHAUT. 1980. TOXICOLOGICAL STUDY OF NITROTOLUENES: LONG-TERM TOXICITY. DAKAR MEDICAL. 25: 293-302.

US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR NITROTOLUENES (O-, M-, P-). PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

NITROTOLUENE, P- 000099-99-0

010030 CISS M, N HUYEN, H DUTERTRE, N PHU-LICH AND R TRUHAUT. 1980. TOXICOLOGICAL STUDY OF NITROTOLUENES: LONG-TERM TOXICITY. DAKAR MEDICAL. 25: 293-302.

US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR NITROTOLUENES (O-, M-, P-). PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

OCTABROMODIPHENYL ETHER 032536-52-0

010032 CARLSON GP. 1980. INDUCTION OF XENOBIOTIC METABOLISM IN RATS BY BROMINATED DIPHENYL ETHERS ADMINISTERED FOR 90 DAYS. TOXICOL LETT. 6: 207-212.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR BROMINATED DIPHENYL ETHERS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

US EPA. 1986. RfD/RfC WORK GROUP.

OCTAMETHYLPYROPHOSPHORAMIDE 000152-16-9

010031 RIDER JA, HC MOELLER, EJ PULETTI AND JI SWADER. 1969. TOXICITY OF PARATHION, SYSTOX, OCTAMETHYLPYROPHOSPHORAMINE AND METHYL PARATHION IN MAN. TOXICOL APPL PHARMACOL. 14(3): 603-611.

US EPA. 1989. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR OCTAMETHYLPYROPHOSPHORAMIDE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

OSMIUM TETROXIDE 020816-12-0

010954 US EPA. 1993. RfD/RfC WORK GROUP.

OZONE 010028-15-6

010171 US EPA. 1986. AIR QUALITY CRITERIA FOR OZONE AND OTHER PHOTOCHEMICAL OXIDANTS. OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, RESEARCH TRIANGLE PARK, NC. EPA 600/8-84-020F. NTIS PB87-142949.

PARALDEHYDE 000123-63-7

010033 US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR PARALDEHYDE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

PARATHION 000056-38-2

005598 US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR PARATHION. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

PARTICULATE MATTER

010034 US EPA. 1987. AIR QUALITY CRITERIA FOR PARTICULATE MATTER AND SULFUR OXIDES. OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, RESEARCH TRIANGLE PARK, NC. EPA 600/8-82-029F.NTIS PB84-156777.

PEBULATE 001114-71-2

010036 US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR PEBULATE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

PENDIMETHALIN 040487-42-1

010037 AMERICAN CYANAMID COMPANY. 1979. CONFIDENTIAL BUSINESS INFORMATION, UNPUBLISHED STUDY. MRID NO 0058657. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR PENDIMETHALIN. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

US EPA. 1987. RfD/RfC WORK GROUP.

PENTABROMODIPHENYL ETHER 032534-81-9

010038 CARLSON GP. 1980. INDUCTION OF XENOBIOTIC METABOLISM IN RATS BY BROMINATED DIPHENYL ETHERS ADMINISTERED FOR 90 DAYS. TOXICOL LETT. 6: 207-212.

US EPA. 1983. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR BROMINATED DIPHENYL ETHERS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

US EPA. 1986. RfD/RfC WORK GROUP.

PENTACHLOROBENZENE 000608-93-5

010039 LINDER R, T SCOTTI J GOLDSTEIN AND K MCELROY. 1980. ACUTE AND SUBCHRONIC TOXICITY OF PENTACHLOROBENZENE. J ENVIRON PATHOL TOXICOL. 4(5-6): 183-196.

US EPA. 1989. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR PENTACHLOROBENZENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1985. RfD/RfC WORK GROUP.

PENTACHLOROCYCLOPENTADIENE 025329-35-5

005302 US EPA. 1988. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR CHLORINATED CYCLOPENTADIENES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

PENTACHLORONITROBENZENE 000082-68-8

010040 OLIN CORPORATION. 1968. MRID NO. 000114201. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR PENTACHLORONITROBENZENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1987. RfD/RfC WORK GROUP.

PENTACHLOROPHENOL 000087-86-5

005600 SCHWETZ, BA, JF QUAST, PA KEELER ET AL. 1978. RESULTS OF TWO-YEAR TOXICITY AND REPRODUCTION STUDIES ON PENTACHLOROPHENOL IN RATS. IN: PENTACHLOROPHENOL: CHEMISTRY, PHARMACOLOGY AND ENVIRONMENTAL TOXICOLOGY, KR RAO, ED. PLENUM PRESS, NEW YORK, P301. CITED IN US EPA, 1985.

US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR PENTACHLOROPHENOL. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1984. HEALTH EFFECTS ASSESSMENT FOR PENTACHLOROPHENOL. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1985. RfD/RfC WORK GROUP.

PENTACHLOROPROPENE, 1,1,2,3,3,- 001600-37-9

010041 US EPA. 1983. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR CHLOROPROPENES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

PENTANE, N- 000109-66-0

005603 US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR N-PENTANE. ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH. OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

PHENANTHRENE 000085-01-8

005604 US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR PHENANTHRENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

PHENOL 000108-95-2

005824 NTP (NATIONAL TOXICOLOGY PROGRAM). 1983. TERATOLOGIC EVALUATION OF PHENOL IN CD RATS. REPORT PREPARED BY THE RESEARCH TRIANGLE INSTITUTE, RESEARCH TRIANGLE PARK, NC. NTIS PB83-247726. GOVT REP ANNOUNCE INDEX. 83(25): 6247.

US EPA. 1989. UPDATED HEALTH EFFECTS ASSESSMENT FOR PHENOL. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH, FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1989. RfD/RfC WORK GROUP.

010913 US EPA. 1990. RfD/RfC WORK GROUP.

PHENYLENEDIAMINE, M- 000108-45-2

010044 HOFER H AND R HRUBY. 1982. NINETY-DAY TOXICITY STUDY WITH M-PHENYLENEDIAMINE ON RATS. OESTERR FORSCHUNGS ZENT SEIBERSDORF (BER.) OEFZS BER. NO. 4155. P 50.

US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR PHENYLENEDIAMINES (O-, M-, P-). PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1986. RfD/RfC WORK GROUP.

PHENYLENEDIAMINE, O- 000095-54-5

010042 US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR PHENYLENEDIAMINES (O-, M-, P-). PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

PHENYLENEDIAMINE, P- 000106-50-3

010043 US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR PHENYLENEDIAMINES (O-, M-, P-). PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

PHENYLMERCURIC ACETATE 000062-38-4

010277 FITZHUGH OG, AA NELSON, EP LAUG AND IM KUNZE. 1950. CHRONIC ORAL TOXICITIES OF MERCURIC PHENYL AND MERCURIC SALTS. ARCH IND HYG OCCUP MED. 2: 433-442.

US EPA. 1986. RfD/RfC WORK GROUP.

PHORATE 000298-02-2

010403 TUSING TW. 1956. 13-WEEK SUBACUTE THIMET FEEDING STUDY IN MALE AND FEMALE RATS. UNPUBLISHED REPORT OF THE AMERICAN CYANAMID CO. INITIAL SCIENTIFIC AND MINI-ECONOMIC REVIEW OF PHORATE (THIMET). OFFICE OF PESTICIDE PROGRAMS, US EPA, WASHINGTON, DC.

US EPA. 1985. SUMMARY OF ACCEPTABLE DAILY INTAKES (ADIS) FOR ORAL EXPOSURE. PREPARED BY ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH. INTERNAL REVIEW DRAFT, MAY, 1985. ECAO-CIN-432.

NAS (NATIONAL ACADEMY OF SCIENCES). 1977. DRINKING WATER AND HEALTH. SAFE DRINKING WATER COMMITTEE, NATIONAL RESEARCH COUNCIL. NAS, WASHINGTON, DC. P 613-620.

PHOSGENE 000075-44-5

010045 US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR PHOSGENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

US EPA. 1990. RfD/RfC WORK GROUP.

PHOSPHINE 007803-51-2

010174 HACKENBERG, J. 1972. CHRONIC INGESTION BY RATS OF STANDARD DIET TREATED WITH ALUMINUM PHOSPHIDE. TOXICOL APPL PHARMACOL. 23: 147-158.

US EPA. 1989. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR PHOSPHINE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1985. RfD/RfC WORK GROUP.

010173 KLIMMER, OR. 1969. CONTRIBUTION TO THE STUDY OF ACTION OF PHOSPHINE (PH3). ON THE QUESTION OF SO-CALLED CHRONIC PHOSPHINE POISONING. ARCH TOXICOL. 24: 164-187.

US EPA. 1989. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR PHOSPHINE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

PHOSPHORUS, WHITE 007723-14-0

010452 CONDRAY JR. 1985. ELEMENTAL YELLOW PHOSPHORUS ONE-GENERATION REPRODUCTION STUDY IN RATS. IR-82-215 MRID NO. 401-189. MONSANTO CO. ST. LOUIS, MO. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1990. RfD/RfC WORK GROUP.

PHOTOCHEMICAL OXIDANTS

010172 US EPA. 1986. AIR QUALITY CRITERIA FOR OZONE AND OTHER PHOTOCHEMICAL OXIDANTS. OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, RESEARCH TRIANGLE PARK, NC. EPA 600/8-84-020F. NTIS PB87-142949.

PHTHALIC ACID, M- 000121-91-5

010047 US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR PHTHALIC ACIDS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

PHTHALIC ACID, O- 000088-99-3

010046 US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR PHTHALIC ACIDS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

PHTHALIC ACID, P- 000100-21-0

010048 CIIT (CHEMICAL INDUSTRY INSTITUTE OF TECHNOLOGY). 1982. A NINETY-DAY STUDY OF TEREPHTHALIC ACID-INDUCED UROLITHIASIS AND REPRODUCTIVE PERFORMANCE IN WISTAR AND CD RATS. CIIT, RESEARCH TRIANGLE PARK, NC

GROSS, J. 1974. THE EFFECTS OF PROLONGED FEEDING OF TEREPHTHALIC ACID (TPA) TO RATS. PROJECT FG-IS-175. AGRICULTURAL RESEARCH SERVICE, US DEPARTMENT OF AGRICULTURE, WASHINGTON, DC.

US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR PHTHALIC ACIDS (O-, M-, P-). PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

PHTHALIC ANHYDRIDE 000085-44-9

010049 NCI (NATIONAL CANCER INSTITUTE). 1979. BIOASSAY OF PHTHALIC ANHYDRIDE FOR POSSIBLE CARCINOGENICITY. NCI CARCINOGENESIS TECH REP SER NO. 159. NTIS PB293594.

US EPA. 1988. RfD/RfC WORK GROUP.

010847 NIELSEN, J, H WELINDER, A SCHUTZ AND S SKERFVING. 1988.SPECIFIC SERUM ANTIBODIES AGAINST PHTHALIC ANHYDRIDE IN OCCUPATIONALLY EXPOSED SUBJECTS. J ALLERGY CLIN IMMUNOL. 82: 126-33.

US EPA. 1992. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR PHTHALIC ANHYDRIDE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

POLYBROMINATED BIPHENYLS

010050 NTP (NATIONAL TOXICOLOGY PROGRAM). 1983. CARCINOGENESIS STUDIES OF POLYBROMINATED BIPHENYL MIXTURE IN F344/N RATS AND B6C3F1 MICE (GAVAGE STUDIES). FIREMASTER FF-1. CASE NO 67774-32-7. NTP, RESEARCH TRIANGLE PARK, NC.

US EPA. 1989. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR POLYBROMINATED BIPHENYLS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

POTASSIUM CYANIDE 000151-50-8

010278 HOWARD JW AND RF HANZAL. 1955. CHRONIC TOXICITY FOR RATS OF FOOD TREATED WITH HYDROGEN CYANIDE. AGRIC FOOD CHEM. 3: 325-329.

PHILBRICK DJ, JB HOPKINS, DC HILL, JC ALEXANDER AND RG THOMSON. 1979. EFFECTS OF PROLONGED CYANIDE AND THIOCYANATE FEEDING IN RATS. J TOXICOL ENVIRON HEALTH. 5: 579-592.

US EPA. 1985. RfD/RfC WORK GROUP.

POTASSIUM SILVER CYANIDE 000506-61-6

010279 HOWARD JW AND RF HANZAL. 1955. CHRONIC TOXICITY FOR RATS OF FOOD TREATED WITH HYDROGEN CYANIDE. AGRIC FOOD CHEM. 3: 325-329.

PHILBRICK DJ, JB HOPKINS, DC HILL, JC ALEXANDER AND RG THOMSON. 1979. EFFECTS OF PROLONGED CYANIDE AND THIOCYANATE FEEDING IN RATS. J TOXICOL ENVIRON HEALTH. 5: 579-592.

US EPA. 1985. RfD/RfC WORK GROUP.

PROFLURALIN 026399-36-0

010051 US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR PROFLURALIN. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

PRONAMIDE 023950-58-5

010280 ROHM & HAAS, CO. 1970. ACC NOS 000967, 004417.

US EPA. 1986. RfD/RfC WORK GROUP.

PROPACHLOR 001918-16-7

010175 MONSANTO COMPANY. 1964. CONFIDENTIAL BUSINESS INFORMATION UNPUBLISHED STUDY. MRID NO 0093270. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR PROPACHLOR. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1986. RfD/RfC WORK GROUP.

PROPAZINE 000139-40-2

010052 GEIGY COMPANY. 1980. CONFIDENTIAL BUSINESS INFORMATION, UNPUBLISHED STUDY. ACCESSION NO 243353.

US EPA. 1987. RfD/RfC WORK GROUP.

PROPIONITRILE 000107-12-0

010053 US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR PROPIONITRILE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

PROPYL ALCOHOL, N- 000071-23-8

005627 US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR N-PROPYL ALCOHOL. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

PROPYLENE GLYCOL 000057-55-6

005631 GAUNT, IF, RMB CARPANINI, P GRASSO AND ABG LANSDOWN. 1972. LONG-TERM TOXICITY OF PROPYLENE GLYCOL IN RATS. FOOD COSMET TOXICOL. 10: 151-162.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR PROPYLENE GLYCOL. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

005629 GUERRANT, NB, GP WHITLOCK, ML WOLFF AND RA DUTCHER. 1947.RESPONSE OF RATS TO DIETS CONTAINING VARYING AMOUNTS OF GLYCEROL AND PROPYLENE GLYCOL. BULL NATL FORMULARY COMM. 15: 204-229. CITED IN INFORMATICS, INC, 1973.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR PROPYLENE GLYCOL. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

010914 US EPA. 1991. RfD/RfC WORK GROUP.

PROPYLENE GLYCOL MONOETHYL ETHER 001569-02-4

005488 SMYTH, HF, JR AND CP CARPENTER. 1948. FURTHER EXPERIENCE WITH THE RANGE FINDING TEST IN THE INDUSTRIAL TOXICOLOGY LABORATORY. J IND HYG TOXICOL. 30: 63-68.

US EPA. 1984. HEALTH EFFECTS ASSESSMENT FOR GLYCOL ETHERS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

010915 US EPA. 1991. RfD/RfC WORK GROUP.

PROPYLENE GLYCOL MONOMETHYL ETHER 000107-98-2

005486 ROWE, VK, DD MCCOLLISTER, HC SPENCER ET AL. 1954. TOXICOLOGY OF MONO-, DI-, AND TRI-PROPYLENE GLYCOL METHYL ETHERS.ARCH IND HYG OCCUP MED. 9: 509-525.

US EPA. 1984. HEALTH EFFECTS ASSESSMENT FOR GLYCOL ETHERS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC. EPA 540/1-86-052.

US EPA. 1991. RfD/RfC WORK GROUP.

010276 LANDRY TD, TS GUNSHOW AND BL YANO. 1983. PROPYLENE GLYCOL MONOMETHYL ETHER: A 13-WEEK INHALATION STUDY IN RATS AND RABBITS. FUND APPL TOXICOL. 3: 627-630.

MILLER RR, EA HERMAN, JT YOUNG ET AL. 1984. ETHYLENE GLYCOL MONOMETHYL ETHER: METABOLISM, DISPOSITION, AND SUBCHRONIC INHALATION TOXICITY STUDIES. ENVIRON HEALTH PERSPECT. 57: 233-239.

US EPA. 1984. HEALTH EFFECTS ASSESSMENT FOR GLYCOL ETHERS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH, FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC. EPA 540/1-86-052.

PROPYLENE OXIDE 000075-56-9

010375 KUPER CF, PGJ REUZEL, VJ FERON, ET AL. 1988. CHRONIC INHALATION TOXICITY AND CARCINOGENICITY OF PROPYLENE OXIDE IN WISTAR RATS. FOOD CHEM TOXICOL. 26(2): 159-167.

US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR PROPYLENE OXIDE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1990. RfD/RfC WORK GROUP.

PYRENE 000129-00-0

010176 US EPA. 1989. MOUSE ORAL SUBCHRONIC TOXICITY STUDY OF PYRENE. STUDY CONDUCTED BY TOXICITY RESEARCH LABORATORIES, MUSKEGON,MI FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

US EPA. 1984. HEALTH EFFECTS ASSESSMENT FOR PYRENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1991. DRINKING WATER CRITERIA DOCUMENT FOR PYRENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF DRINKING WATER, WASHINGTON, DC.

US EPA. 1989. RfD/RfC WORK GROUP.

PYRIDINE 000110-86-1

010055 US EPA. 1986. PYRIDINE. 90-DAY SUBCHRONIC ORAL TOXICITY IN RATS. SPONSORED BY OFFICE OF SOLID WASTE, WASHINGTON, DC.

US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR PYRIDINE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

US EPA. 1987. RfD/RfC WORK GROUP.

RDX / (CYCLONITE) 000121-82-4

010056 LEVINE BS. EM FUREDI, VS RAE, DE GORDON AND DM LISH. 1984. DETERMINATION OF THE CHRONIC MAMMALIAN TOXICOLOGICAL EFFECTS OF RDX: TWENTY-FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE (RDX) IN THE FISCHER 344 RAT. NTIS AD-A160774. VOL 1. 347 P.

US EPA. 1989. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR RDX (CYCLONITE). PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1988. RfD/RfC WORK GROUP.

RONNEL 000299-84-3

010057 MCCOLLISTER DD, F OYEN AND VK ROWE. 1959. TOXICOLOGICAL STUDIES OF O,O-DIMETHYL-O-(2,4,5-TRICHLOROPHENYL)PHOSPHOTHIOATE (RONNEL) IN LABORATORY ANIMALS. J AGRIC FOOD CHEM. 7: 689.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR RONNEL. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

SELENIOUS ACID 007783-00-8

010504 YANG G, S YIN, L ZHOU, ET AL. 1989. STUDIES OF SAFE MAXIMAL DAILY DIETARY SE-INTAKE IN A SELENIFEROUS AREA IN CHINA. II. RELATION BETWEEN SE-INTAKE AND THE MANIFESTATION OF CLINICAL SIGNS AND CERTAIN BIOCHEMICAL ALTERATIONS IN BLOOD AND URINE. J TRACE ELEM. ELECTROLYTES HEALTH DIS. 3: 123-130.

US EPA. 1989. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR SELENIUM AND COMPOUNDS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON DC.

US EPA. 1991. RfD/RfC WORK GROUP.

SELENIUM 007782-49-2

010404 YANG G, S YIN, L ZHOU, ET AL. 1989. STUDIES OF SAFE MAXIMAL DAILY DIETARY SE-INTAKE IN A SELENIFEROUS AREA IN CHINA. II. RELATION BETWEEN SE-INTAKE AND THE MANIFESTATION OF CLINICAL SIGNS AND CERTAIN BIOCHEMICAL ALTERATIONS IN BLOOD AND URINE. J TRACE ELEM ELECTROLYTES HEALTH DIS. 3: 123-130.

US EPA. 1989. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR SELENIUM AND COMPOUNDS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1991. RfD/RfC WORK GROUP.

SELENOUREA 000630-10-4

010473 YANG C, S WANG, R ZHOU, AND S SUN. 1983. ENDEMIC SELENIUM INTOXICATION OF HUMANS IN CHINA. AM J CLIN NUTR. 37: 872-888.

SILVER 007440-22-4

010453 GAUL LE AND AN STAUD. 1935. CLINICAL SPECTROSCOPY. SEVENTY CASES OF GENERALIZED ARGYRIA FOLLOWING ORGANIC AND COLLOIDAL SILVER MEDICATION. J AM MED ASSOC. 104: 1387-1390.

BLUMBERG H AND TN CAREY. 1934. ARGYREMIA: DETECTION OF UNSUSPECTED AND OBSCURE ARGYRIA BY THE SPECTROGRAPHIC DEMONSTRATION OF HIGH BLOOD SILVER. J AM MED ASSOC. 103: 1521-1524.

EAST BW, K BODDY, ED WILLIAMS, D MACINTYRE AND ALC MCLAY.1980. SILVER RETENTION, TOTAL BODY SILVER AND TISSUE SILVER CONCENTRATIONS IN ARGYRIA ASSOCIATED WITH EXPOSURE TO AN ANTI-SMOKING REMEDY CONTAINING SILVER ACETATE. CLIN EXP DERMATOL. 5: 305-311.

SILVER CYANIDE 000506-64-9

010283 HOWARD JW AND RF HANZAL. 1955. CHRONIC TOXICITY FOR RATS OF FOOD TREATED WITH HYDROGEN CYANIDE. AGRIC FOOD CHEM. 3: 325-329.

PHILBRICK DJ, JB HOPKINS, DC HILL, JC ALEXANDER AND RG THOMSON. 1979. EFFECTS OF PROLONGED CYANIDE AND THIOCYANATE FEEDING IN RATS. J TOXICOL ENVIRON HEALTH. 5: 579-592.

US EPA. 1984. HEALTH EFFECTS ASSESSMENT FOR SODIUM CYANIDE. ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH. OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1985. RfD/RfC WORK GROUP.

SIMAZINE 000122-34-9

010955 CIBA-GEIGY CORP. 1988. MRID NO 40614405, HED DOCUMENT NO 007240, 007449. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1991. RfD/RfC WORK GROUP.

SODIUM CYANIDE 000143-33-9

005640 HOWARD, JW AND RF HANZAL. 1955. CHRONIC TOXICITY FOR RATS OF FOOD TREATED WITH HYDROGEN CYANIDE. J AGRIC FOOD CHEM. 3: 325-329.CITED IN US EPA, 1985.

US EPA. 1984. HEALTH EFFECTS ASSESSMENT FOR SODIUM CYANIDE. ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH. OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1985. INTEGRATED RISK INFORMATION SYSTEM (IRIS): REFERENCE DOSE (RFD) FOR ORAL EXPOSURE FOR SODIUM CYANIDE. ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH.

US EPA. 1985. RfD/RfC WORK GROUP.

SODIUM DIETHYLDITHIOCARBAMATE 000148-18-5

005644 SUNDERMAN, FW, OE PAYNTER AND RB GEORGE. 1967. THE EFFECTS OF THE PROTRACTED ADMINISTRATION OF THE CHELATING AGENT, SODIUM DIETHYLDITHIOCARBAMATE (DITHIOCARB). AM J MED SCI. 254: 46-56.

US EPA. 1988. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR SODIUM DIETHYLDITHIOCARBAMATE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1985. RfD/RfC WORK GROUP.

SODIUM METAVANADATE 013718-26-8

005735 DOMINGO, JL, JL LLOBET, JM TOMAS AND J CORBELLA. 1985. SHORT-TERM TOXICITY STUDIES OF VANADIUM IN RATS. J APPL TOXICOL. 5(6): 418-421.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR VANADIUM AND COMPOUNDS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

STRONTIUM, STABLE 007440-24-6

010842 STOREY E. 1961. STRONTIUM 'RICKETS' BONE CALCIUM AND STRONTIUM CHANGES. AUSTRAL ANN MED. 10: 2132-222.

SKORYNA SC. 1981. EFFECTS OF ORAL SUPPLEMENTATION WITH STABLE STRONTIUM. CAN MED ASSOC J. 125: 703-712.

MARIE PJ, MT GARBA, M HOTT AND L MIRAVET. 1985. EFFECT OF LOW DOSES OF STABLE STRONTIUM ON BONE METABOLISM IN RATS. MINER ELECTROLYTE METAB. 11: 5-13.

US EPA. 1990. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR STABLE STRONTIUM. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1992. RfD/RfC WORK GROUP.

STRYCHNINE 000057-24-9

010285 SEIDL I AND G ZBINDEN. 1982. SUBCHRONIC ORAL TOXICITY OF STRYCHNINE IN RATS. ARCH TOXICOL. 51(3): 267-271.

US EPA. 1985. RfD/RfC WORK GROUP.

STYRENE 000100-42-5

010059 QUAST JF, CG HUMISTON, RT KALNINS, ET AL. 1979. RESULTS OF A TOXICITY STUDY OF MONOMERIC STYRENE ADMINISTERED TO BEAGLE DOGS BY ORAL INTUBATION FOR 19 MONTHS. TOXICOLOGY RESEARCH LABORATORY, HEALTH AND ENVIRONMENTAL SCIENCES, DOW CHEMICAL CO., MIDLAND, MI. FINAL REPORT.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR STYRENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

US EPA. 1989. HEALTH EFFECTS ASSESSMENT FOR STYRENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1985. RfD/RfC WORK GROUP.

010511 MUTTI A, A MAZZUCCHI, P RUSTICHELLI, G FRIZERI, G ARFINI, I FRANCHINI. 1984. EXPOSURE EFFECT AND EXPOSURE RESPONSE. THE RELATIONSHIP BETWEEN OCCUPATIONAL EXPOSURE TO STYRENE AND NEUROPSYCHOLOGICAL FUNCTION. AMER J IND MED. 5: 275-286.

US EPA. 1992. RfD/RfC WORK GROUP.

SUCCINONITRILE 000110-61-2

005585 US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR SELECTED NITRILES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

SULFUR DIOXIDE 007446-09-5

010505 REFER TO APPENDIX A: TECHNICAL INFORMATION, SECTION V ON NATIONAL AMBIENT AIR QUALITY STANDARDS.

SULFUR OXIDES

010035 US EPA. 1987. AIR QUALITY CRITERIA FOR PARTICULATE MATTER AND SULFUR OXIDES. OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, RESEARCH TRIANGLE PARK, NC. EPA 600/8-82-029F.NTIS PB84-156777.

SULFURIC ACID 007664-93-9

005647 CARSON, BL, BL HERNDON, HV ELLIS III, ET AL. 1981. SULFURIC ACID HEALTH EFFECTS. PREPARED UNDER CONTRACT 68-03-2928 BY MIDWEST RESEARCH INSTITUTE, KANSAS CITY, MO. PREPARED FOR EMISSION CONTROL TECHNOLOGY DIVISION, OFFICE OF MOBILE SOURCE AIR POLLUTION CONTROL. US EPA, ANN ARBOR, MI. EPA 460/3-81-025. NTIS PB82-113135.

US EPA. 1984. HEALTH EFFECTS ASSESSMENT FOR SULFURIC ACID. ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH. OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

TEMEPHOS 003383-96-8

010060 GAINES TB, RD KIMBROUGH AND ER LAW, JR. 1967. TOXICOLOGY OF ABATE IN LABORATORY ANIMALS. ARCH ENVIRON HEALTH. 14: 283-288.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR TEMEPHOS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

TERBUFOS 013071-79-9

010408 MORGAREIDGE K, S SISTNER, M DANIELS ET AL. 1973. FINAL REPORT: SIX-MONTH FEEDING STUDY IN DOGS ON AC-92,100. LABORATORY NO. 1193. FEBRUARY 14. UNPUBLISHED STUDY. FOOD AND DRUG LABORATORIES, INC. MRID NO. 41139. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1987. HEALTH ASSESSMENT DOCUMENT FOR TERBUFOS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

TEREPHTHALIC ACID 000100-21-0

010474 US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR TEREPHTHALIC ACID. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

TETRACHLOROAZOXYBENZENE 021232-47-3

010064 US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR TCAB, TCAOB AND TCHB. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

TETRACHLOROBENZENE, 1,2,4,5- 000095-94-3

010286 CHU I, DC VILLENEUVE, VE VALLI AND VE SECOURS. 1984. TOXICITY OF 1,2,3,4-, 1,2,3,5- AND 1,2,4,5-TETRACHLOROBENZENE IN THE RAT: RESULTS OF A 90-DAY FEEDING STUDY. DRUG CHEM TOXICOL. 7: 113-127.

US EPA. 1985. RfD/RfC WORK GROUP.

TETRACHLOROCYCLOPENTADIENE 000695-77-2

005303 US EPA. 1988. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR CHLORINATED CYCLOPENTADIENES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

TETRACHLOROETHANE, 1,1,1,2- 000630-20-6

010407 NTP (NATIONAL TOXICOLOGY PROGRAM). 1983. CARCINOGENESIS STUDIES OF 1,1,1,2-TETRACHLOROETHANE IN F344/N RATS AND B6C3F1 MICE. NTP, WASHINGTON, DC.

US EPA. 1987. RfD/RfC WORK GROUP.

US EPA. 1993. REVISED AND UPDATED DRINKING WATER QUANTIFICATION OF TOXICOLOGIC EFFECTS FOR TETRACHLOROETHANE, 1,1,1,2-. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF WATER, WASHINGTON, DC.

TETRACHLOROETHYLENE 000127-18-4

005650 BUBEN, JA AND EJ O'FLAHERTY. 1985. DELINEATION OF THE ROLE OF METABOLISM IN THE HEPATOXICITY OF TRICHLOROETHYLENE AND PERCHLOROETHYLENE: A DOSE-EFFECT STUDY. TOXICOL APPL PHARMACOL. 78: 105-122.

US EPA. 1987. RfD/RfC WORK GROUP.

TETRACHLOROHYDRAZOBENZENE 071753-42-9

010065 US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR TCAB, TCAOB AND TCHB. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

TETRACHLOROPHENOL, 2,3,4,5- 004901-51-3

005324 US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR CHLORINATED PHENOLS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON DC.

TETRACHLOROPHENOL, 2,3,4,6- 000058-90-2

005323 US EPA. 1986. 2,3,4,6-TETRACHLOROPHENOL, 90-DAY SUBCHRONIC ORAL TOXICITY STUDY IN RATS. OFFICE OF SOLID WASTE, WASHINGTON, DC.

TETRACHLOROPHENOL, 2,3,5,6- 000935-95-5

005325 US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR CHLORINATED PHENOLS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON DC.

US EPA. 1987. RfD/RfC WORK GROUP.

TETRACHLOROPROPENE, 1,1,2,3- 010436-39-2

010066 US EPA. 1983. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR CHLOROPROPENES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

TETRACHLOROVINPHOS / (STIROPHOS) 000961-11-5

010067 SHELL CHEMICAL COMPANY. 1968. CONFIDENTIAL BUSINESS INFORMATION, UNPUBLISHED STUDY. ACCESSION NO 115684.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR STIROFOS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

US EPA. 1986. RfD/RfC WORK GROUP.

TETRAETHYL DITHIOPYROPHOSPHATE 003689-24-5

010287 KIMMERLE G AND OR KLIMMER. 1974. ACUTE AND SUBCHRONIC TOXICITY OF SULFOTEP. ARCH TOXICOL. 33(1): 1-16.

US EPA. 1988. RfD/RfC WORK GROUP.

THALLIC OXIDE 001314-32-5

010956 US EPA. 1993. RfD/RfC WORK GROUP.

THALLIUM (I) ACETATE 000563-68-8

005664 US EPA. 1986. SUBCHRONIC (90 DAY) TOXICITY OF THALLIUM (I) SULFATE (CA NO. 7446-18-6) IN SPRAGUE-DAWLEY RATS. FINAL REPORT. ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1988. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR THALLIUM AND COMPOUNDS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1988. RfD/RfC WORK GROUP.

THALLIUM (I) CARBONATE 006533-73-9

005668 US EPA. 1986. SUBCHRONIC (90 DAY) TOXICITY OF THALLIUM (I) SULFATE (CA NO. 7446-18-6) IN SPRAGUE-DAWLEY RATS. FINAL REPORT. ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1988. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR THALLIUM AND COMPOUNDS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1988. RfD/RfC WORK GROUP.

THALLIUM (I) CHLORIDE 007791-12-0

005672 US EPA. 1986. SUBCHRONIC (90 DAY) TOXICITY OF THALLIUM (I) SULFATE (CA NO. 7446-18-6) IN SPRAGUE-DAWLEY RATS. FINAL REPORT. ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1988. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR THALLIUM AND COMPOUNDS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1988. RfD/RfC WORK GROUP.

SELENIOUS ACID 007783-00-8

010504 YANG G, S YIN, L ZHOU, ET AL. 1989. STUDIES OF SAFE MAXIMAL DAILY DIETARY SE-INTAKE IN A SELENIFEROUS AREA IN CHINA. II. RELATION BETWEEN SE-INTAKE AND THE MANIFESTATION OF CLINICAL SIGNS AND CERTAIN BIOCHEMICAL ALTERATIONS IN BLOOD AND URINE. J TRACE ELEM. ELECTROLYTES HEALTH DIS. 3: 123-130.

US EPA. 1989. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR SELENIUM AND COMPOUNDS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON DC.

US EPA. 1991. RfD/RfC WORK GROUP.

SELENIUM 007782-49-2

010404 YANG G, S YIN, L ZHOU, ET AL. 1989. STUDIES OF SAFE MAXIMAL DAILY DIETARY SE-INTAKE IN A SELENIFEROUS AREA IN CHINA. II. RELATION BETWEEN SE-INTAKE AND THE MANIFESTATION OF CLINICAL SIGNS AND CERTAIN BIOCHEMICAL ALTERATIONS IN BLOOD AND URINE. J TRACE ELEM ELECTROLYTES HEALTH DIS. 3: 123-130.

US EPA. 1989. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR SELENIUM AND COMPOUNDS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1991. RfD/RfC WORK GROUP.

SELENOUREA 000630-10-4

010473 YANG C, S WANG, R ZHOU, AND S SUN. 1983. ENDEMIC SELENIUM INTOXICATION OF HUMANS IN CHINA. AM J CLIN NUTR. 37: 872-888.

SILVER 007440-22-4

010453 GAUL LE AND AN STAUD. 1935. CLINICAL SPECTROSCOPY. SEVENTY CASES OF GENERALIZED ARGYRIA FOLLOWING ORGANIC AND COLLOIDAL SILVER MEDICATION. J AM MED ASSOC. 104: 1387-1390.

BLUMBERG H AND TN CAREY. 1934. ARGYREMIA: DETECTION OF UNSUSPECTED AND OBSCURE ARGYRIA BY THE SPECTROGRAPHIC DEMONSTRATION OF HIGH BLOOD SILVER. J AM MED ASSOC. 103: 1521-1524.

EAST BW, K BODDY, ED WILLIAMS, D MACINTYRE AND ALC MCLAY.1980. SILVER RETENTION, TOTAL BODY SILVER AND TISSUE SILVER CONCENTRATIONS IN ARGYRIA ASSOCIATED WITH EXPOSURE TO AN ANTI-SMOKING REMEDY CONTAINING SILVER ACETATE. CLIN EXP DERMATOL. 5: 305-311.

SILVER CYANIDE 000506-64-9

010283 HOWARD JW AND RF HANZAL. 1955. CHRONIC TOXICITY FOR RATS OF FOOD TREATED WITH HYDROGEN CYANIDE. AGRIC FOOD CHEM. 3: 325-329.

PHILBRICK DJ, JB HOPKINS, DC HILL, JC ALEXANDER AND RG THOMSON. 1979. EFFECTS OF PROLONGED CYANIDE AND THIOCYANATE FEEDING IN RATS. J TOXICOL ENVIRON HEALTH. 5: 579-592.

US EPA. 1984. HEALTH EFFECTS ASSESSMENT FOR SODIUM CYANIDE. ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH. OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1985. RfD/RfC WORK GROUP.

SIMAZINE 000122-34-9

010955 CIBA-GEIGY CORP. 1988. MRID NO 40614405, HED DOCUMENT NO 007240, 007449. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1991. RfD/RfC WORK GROUP.

SODIUM CYANIDE 000143-33-9

005640 HOWARD, JW AND RF HANZAL. 1955. CHRONIC TOXICITY FOR RATS OF FOOD TREATED WITH HYDROGEN CYANIDE. J AGRIC FOOD CHEM. 3: 325-329.CITED IN US EPA, 1985.

US EPA. 1984. HEALTH EFFECTS ASSESSMENT FOR SODIUM CYANIDE. ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH. OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1985. INTEGRATED RISK INFORMATION SYSTEM (IRIS): REFERENCE DOSE (RFD) FOR ORAL EXPOSURE FOR SODIUM CYANIDE. ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH.

US EPA. 1985. RfD/RfC WORK GROUP.

SODIUM DIETHYLDITHIOCARBAMATE 000148-18-5

005644 SUNDERMAN, FW, OE PAYNTER AND RB GEORGE. 1967. THE EFFECTS OF THE PROTRACTED ADMINISTRATION OF THE CHELATING AGENT, SODIUM DIETHYLDITHIOCARBAMATE (DITHIOCARB). AM J MED SCI. 254: 46-56.

US EPA. 1988. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR SODIUM DIETHYLDITHIOCARBAMATE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1985. RfD/RfC WORK GROUP.

SODIUM METAVANADATE 013718-26-8

005735 DOMINGO, JL, JL LLOBET, JM TOMAS AND J CORBELLA. 1985. SHORT-TERM TOXICITY STUDIES OF VANADIUM IN RATS. J APPL TOXICOL. 5(6): 418-421.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR VANADIUM AND COMPOUNDS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

STRONTIUM, STABLE 007440-24-6

010842 STOREY E. 1961. STRONTIUM 'RICKETS' BONE CALCIUM AND STRONTIUM CHANGES. AUSTRAL ANN MED. 10: 2132-222.

SKORYNA SC. 1981. EFFECTS OF ORAL SUPPLEMENTATION WITH STABLE STRONTIUM. CAN MED ASSOC J. 125: 703-712.

MARIE PJ, MT GARBA, M HOTT AND L MIRAVET. 1985. EFFECT OF LOW DOSES OF STABLE STRONTIUM ON BONE METABOLISM IN RATS. MINER ELECTROLYTE METAB. 11: 5-13.

US EPA. 1990. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR STABLE STRONTIUM. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1992. RfD/RfC WORK GROUP.

STRYCHNINE 000057-24-9

010285 SEIDL I AND G ZBINDEN. 1982. SUBCHRONIC ORAL TOXICITY OF STRYCHNINE IN RATS. ARCH TOXICOL. 51(3): 267-271.

US EPA. 1985. RfD/RfC WORK GROUP.

STYRENE 000100-42-5

010059 QUAST JF, CG HUMISTON, RT KALNINS, ET AL. 1979. RESULTS OF A TOXICITY STUDY OF MONOMERIC STYRENE ADMINISTERED TO BEAGLE DOGS BY ORAL INTUBATION FOR 19 MONTHS. TOXICOLOGY RESEARCH LABORATORY, HEALTH AND ENVIRONMENTAL SCIENCES, DOW CHEMICAL CO., MIDLAND, MI. FINAL REPORT.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR STYRENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

US EPA. 1989. HEALTH EFFECTS ASSESSMENT FOR STYRENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1985. RfD/RfC WORK GROUP.

010511 MUTTI A, A MAZZUCCHI, P RUSTICHELLI, G FRIZERI, G ARFINI, I FRANCHINI. 1984. EXPOSURE EFFECT AND EXPOSURE RESPONSE. THE RELATIONSHIP BETWEEN OCCUPATIONAL EXPOSURE TO STYRENE AND NEUROPSYCHOLOGICAL FUNCTION. AMER J IND MED. 5: 275-286.

US EPA. 1992. RfD/RfC WORK GROUP.

SUCCINONITRILE 000110-61-2

005585 US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR SELECTED NITRILES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

SULFUR DIOXIDE 007446-09-5

010505 REFER TO APPENDIX A: TECHNICAL INFORMATION, SECTION V ON NATIONAL AMBIENT AIR QUALITY STANDARDS.

SULFUR OXIDES

010035 US EPA. 1987. AIR QUALITY CRITERIA FOR PARTICULATE MATTER AND SULFUR OXIDES. OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, RESEARCH TRIANGLE PARK, NC. EPA 600/8-82-029F.NTIS PB84-156777.

SULFURIC ACID 007664-93-9

005647 CARSON, BL, BL HERNDON, HV ELLIS III, ET AL. 1981. SULFURIC ACID HEALTH EFFECTS. PREPARED UNDER CONTRACT 68-03-2928 BY MIDWEST RESEARCH INSTITUTE, KANSAS CITY, MO. PREPARED FOR EMISSION CONTROL TECHNOLOGY DIVISION, OFFICE OF MOBILE SOURCE AIR POLLUTION CONTROL. US EPA, ANN ARBOR, MI. EPA 460/3-81-025. NTIS PB82-113135.

US EPA. 1984. HEALTH EFFECTS ASSESSMENT FOR SULFURIC ACID. ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH. OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

TEMEPHOS 003383-96-8

010060 GAINES TB, RD KIMBROUGH AND ER LAW, JR. 1967. TOXICOLOGY OF ABATE IN LABORATORY ANIMALS. ARCH ENVIRON HEALTH. 14: 283-288.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR TEMEPHOS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

TERBUFOS 013071-79-9

010408 MORGAREIDGE K, S SISTNER, M DANIELS ET AL. 1973. FINAL REPORT: SIX-MONTH FEEDING STUDY IN DOGS ON AC-92,100. LABORATORY NO. 1193. FEBRUARY 14. UNPUBLISHED STUDY. FOOD AND DRUG LABORATORIES, INC. MRID NO. 41139. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1987. HEALTH ASSESSMENT DOCUMENT FOR TERBUFOS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

TEREPHTHALIC ACID 000100-21-0

010474 US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR TEREPHTHALIC ACID. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

TETRACHLOROAZOXYBENZENE 021232-47-3

010064 US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR TCAB, TCAOB AND TCHB. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

TETRACHLOROBENZENE, 1,2,4,5- 000095-94-3

010286 CHU I, DC VILLENEUVE, VE VALLI AND VE SECOURS. 1984. TOXICITY OF 1,2,3,4-, 1,2,3,5- AND 1,2,4,5-TETRACHLOROBENZENE IN THE RAT: RESULTS OF A 90-DAY FEEDING STUDY. DRUG CHEM TOXICOL. 7: 113-127.

US EPA. 1985. RfD/RfC WORK GROUP.

TETRACHLOROCYCLOPENTADIENE 000695-77-2

005303 US EPA. 1988. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR CHLORINATED CYCLOPENTADIENES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

TETRACHLOROETHANE, 1,1,1,2- 000630-20-6

010407 NTP (NATIONAL TOXICOLOGY PROGRAM). 1983. CARCINOGENESIS STUDIES OF 1,1,1,2-TETRACHLOROETHANE IN F344/N RATS AND B6C3F1 MICE. NTP, WASHINGTON, DC.

US EPA. 1987. RfD/RfC WORK GROUP.

US EPA. 1993. REVISED AND UPDATED DRINKING WATER QUANTIFICATION OF TOXICOLOGIC EFFECTS FOR TETRACHLOROETHANE, 1,1,1,2-. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF WATER, WASHINGTON, DC.

TETRACHLOROETHYLENE 000127-18-4

005650 BUBEN, JA AND EJ O'FLAHERTY. 1985. DELINEATION OF THE ROLE OF METABOLISM IN THE HEPATOXICITY OF TRICHLOROETHYLENE AND PERCHLOROETHYLENE: A DOSE-EFFECT STUDY. TOXICOL APPL PHARMACOL. 78: 105-122.

US EPA. 1987. RfD/RfC WORK GROUP.

TETRACHLOROHYDRAZOBENZENE 071753-42-9

010065 US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR TCAB, TCAOB AND TCHB. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

TETRACHLOROPHENOL, 2,3,4,5- 004901-51-3

005324 US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR CHLORINATED PHENOLS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON DC.

TETRACHLOROPHENOL, 2,3,4,6- 000058-90-2

005323 US EPA. 1986. 2,3,4,6-TETRACHLOROPHENOL, 90-DAY SUBCHRONIC ORAL TOXICITY STUDY IN RATS. OFFICE OF SOLID WASTE, WASHINGTON, DC.

TETRACHLOROPHENOL, 2,3,5,6- 000935-95-5

005325 US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR CHLORINATED PHENOLS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON DC.

US EPA. 1987. RfD/RfC WORK GROUP.

TETRACHLOROPROPENE, 1,1,2,3- 010436-39-2

010066 US EPA. 1983. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR CHLOROPROPENES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

THALLIUM (I) NITRATE 010102-45-1

005676 US EPA. 1986. SUBCHRONIC (90 DAY) TOXICITY OF THALLIUM (I) SULFATE (CA NO. 7446-18-6) IN SPRAGUE-DAWLEY RATS. FINAL REPORT. ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1988. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR THALLIUM AND COMPOUNDS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1988. RfD/RfC WORK GROUP.

THALLIUM (I) SULFATE 007446-18-6

005682 US EPA. 1986. SUBCHRONIC (90 DAY) TOXICITY OF THALLIUM (I) SULFATE (CA NO. 7446-18-6) IN SPRAGUE-DAWLEY RATS. FINAL REPORT. ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1988. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR THALLIUM AND COMPOUNDS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1988. RfD/RfC WORK GROUP.

THALLIUM (IN SOLUBLE SALTS)

010458 US EPA. 1988. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR THALLIUM AND COMPOUNDS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

THALLIUM SELENITE 012039-52-0

010957 US EPA. 1993. RfD/RfC WORK GROUP.

THIOCYANOMETHYLTHIO)BENZOTHIAZOLE, 2-(021564-17-0

010068 US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR TCMTB. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

THIOFANOX 013196-18-4

010069 US EPA. 1989. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR THIOFANOX. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

REFERENCES FOR HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)

March 1994

THIRAM 000137-26-8

010459 E.I. DU PONT DE NEMOURS AND COMPANY, INC. 1954. MRID NO. 0045162. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1987. RfD/RfC WORK GROUP.

010070 HORNSHAW TC, RJ AULERICH AND RK RINGER. 1987. TOXICITY OF THIRAM (TETRAMETHYLTHINORAM DISULFIDE) TO MINK AND EUROPEAN FERRETS. BULL ENVIRON CONTAM TOXICOL. 38(4): 618-626.

US EPA. 1989. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR THIRAM. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

TIN AND COMPOUNDS

005688 NTP (NATIONAL TOXICOLOGY PROGRAM). 1982. CARCINOGENESIS BIOASSAY OF STANNOUS CHLORIDE (CAS NO 7772-99-8) IN F344/N RATS AND B6C3F1/N MICE (FEED STUDY). NCI/NTP TECH REP SER NO 231. ALSO PUBL AS DHHS (NIH) PUBL ISS NIH 82-1787 AND NTIS PB 82-242-553.

US EPA. 1986. SUBCHRONIC (90 DAY) TOXICITY OF THALLIUM (I) SULFATE (CAS NO. 7446-18-6) IN SPRAGUE-DAWLEY RATS. FINAL REPORT. ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH. OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR TIN. ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH. OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

TOLUENE 000108-88-3

010469 NTP (NATIONAL TOXICOLOGY PROGRAM). 1989. TOXICOLOGY AND CARCINOGENESIS STUDIES OF TOLUENE IN F344 RATS AND B6C3F1 MICE. TECHNICAL REPORT SERIES NO 371.

US EPA. 1984. HEALTH EFFECTS ASSESSMENT FOR TOLUENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1990. RfD/RfC WORK GROUP.

010844 FOO S, J JEYARATHAM AND D KOH. 1990. CHRONIC NEUROBEHAVIORAL EFFECTS OF TOLUENE. BR J IND MED. 47(7): 480-484.

NTP (NATIONAL TOXICOLOGY PROGRAM). 1990. TOXICOLOGY AND CARCINOGENESIS STUDIES OF TOLUENE IN F344/N RATS AND B6C3F1 MICE (INHALATION STUDIES). NTP TR 371. 253 P.

US EPA. 1991. RfD/RfC WORK GROUP.

TOLUENE-2,5-DIAMINE 000095-70-5

010073 NCI (NATIONAL CANCER INSTITUTE). 1978. BIOASSAY OF TOLUENE-2,5-DIAMINE SULFATE FOR POSSIBLE CARCINOGENICITY. NCI CARCINOGENESIS TECH REP SER NO 126.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR SELECTED TOLUENEDIAMINES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

TOLUENE-2,6-DIAMINE 000823-40-5

010074 NCI (NATIONAL CANCER INSTITUTE). 1980. BIOASSAY OF 2,6-TOLUENEDIAMINE DIHYDROCHLORIDE FOR POSSIBLE CARCINOGENICITY. NCI CARCINOGENESIS TECH REP SER NO 200.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR SELECTED TOLUENEDIAMINES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

TOLUENEDIAMINE, 2,3- 002687-25-4

010071 US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR SELECTED TOLUENEDIAMINES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

TOLUENEDIAMINE, 3,4- 000496-72-0

010072 US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR SELECTED TOLUENEDIAMINES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

TOLUIDINE, M- 000108-44-1

010075 US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR TOLUIDINES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

TRIALLATE 002303-17-5

010076 MONSANTO COMPANY. 1979. CONFIDENTIAL BUSINESS INFORMATION, UNPUBLISHED STUDY. ACCESSION NO 242057.

US EPA. 1986. RfD/RfC WORK GROUP.

TRIBROMOBENZENE, 1,2,4- 000615-54-3

010077 CARLSON GP AND RG TARDIFF. 1977. EFFECT OF 1,4-DIBROMODIBENZENE AND 1,2,4-TRIBROMOBENZENE ON XENOBIOTIC METABOLISM. TOXICOL APPL PHARMACOL. 42: 189-196.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR BROMOBENZENES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1986. RfD/RfC WORK GROUP.

TRICHLORO-1,2,2-TRIFLUOROETHANE, 1,1,2- 000076-13-1

010460 INBUS HR AND C ATKINS. 1972. PHYSICAL EXAMINATION OF WORKERS EXPOSED TO TRICHLOROTRIFLUOROETHANE. ARCH ENVIRON HEALTH. 24(4): 257-261.

010376 TRACHIMOWICZ HJ, GM RUSCH, T CHIU, ET AL. 1988. CHRONIC INHALATION TOXICITY/CARCINOGENICITY STUDY IN RATS EXPOSED TO FLUOROCARBON 113 (FC-113). FUND APPL TOXICOL. 11(1): 68-75.

US EPA. 1990. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

REFERENCES FOR HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)

March 1994

TRICHLORO-2'-HYDROXYDIPHENYLETHER, 2,2,4'- 003380-34-5

005492 LYMAN, FL AND T FURIA. 1969. TOXICOLOGY OF 2,4,4'-TRICHLORO-2'-HYDROXYDIPHENYL ETHER. IND MED. 38: 45-52.

US EPA. 1987. HEALTH EFFECTS AND ENVIRONMENTAL DOCUMENT FOR HALOETHERS. ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH. OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

TRICHLOROBENZENE, 1,2,4- 000120-82-1

010506 ROBINSON, KS, RJ KAVLOCK, N CHERNOFF AND E GRAY. 1981. MULTIGENERATION STUDY OF TRICHLOROBENZENE IN RATS. J. TOXICOL. ENVIRON. HEALTH. 8: 489-500.

US EPA. 1991. DRINKING WATER CRITERIA DOCUMENT FOR 1,2,4-TRICHLOROBENZENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF DRINKING WATER, WASHINGTON, DC.

010958 KOCIBA RJ, BKL LEONG, RE HEFNER, JR. 1981. SUBCHRONIC TOXICITY STUDY OF 1,2,4-TRICHLOROBENZENE IN THE RAT, RABBIT AND BEAGLE DOG. DRUG AND CHEMICAL TOXICOLOGY. 4(3): 229-249.

COATE WB, TR LEWIS, WM BUSEY. 1977. CHRONIC INHALATION EXPOSURE OF RATS, RABBITS AND MONKEYS TO 1,2,4-TRICHLOROBENZENE. ARCHIVES OF ENVIRONMENTAL HEALTH. 32(6): 249-255.

COTE M, I CHU, DC VELLENEUVE, VE SECOURS, VE VALLI. 1988. TRICHLOROBENZENES: RESULTS OF A THIRTEEN WEEK FEEDING STUDY IN THE RAT. DRUG AND CHEMICAL TOXICOLOGY. 11(1): 11-28.

US EPA. 1993. RfD/RfC WORK GROUP.

TRICHLOROCYCLOPENTADIENE 077323-84-3

005304 US EPA. 1988. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR CHLORINATED CYCLOPENTADIENES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

TRICHLOROETHANE, 1,1,2- 000079-00-5

005702 WHITE, KL JR, VM SANDERS, VW BARNES, GM SHOPP AND AE MUNSON. 1985. TOXICOLOGY OF 1,1,2 TRICHLOROETHANE IN THE MOUSE. DRUG CHEM TOXICOL. 8(5): 333-355.

SANDERS, VM, KL WHITE JR, GM SHOPP JR AND AE MUNSON. 1985. HUMORAL AND CELL MEDIATED IMMUNE STATUS OF MICE EXPOSED TO 1,1,2 TRICHLOROETHANE. DRUG CHEM TOXICOL. 8(5): 357-372.

US EPA. 1990. RfD/RfC WORK GROUP.

TRICHLOROFLUOROMETHANE 000075-69-4

005502 NCI (NATIONAL CANCER INSTITUTE). 1978. BIOASSAY OF TRICHLOROFLUOROMETHANE FOR POSSIBLE CARCINOGENICITY. NCI CARCINOGENESIS TECH REP SER NO 106. ALSO PUBL AS DHEW (NIH) 78-1356.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR FULLY HALOGENATED METHANES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1985. RfD/RfC WORK GROUP.

005500 NCI (NATIONAL CANCER INSTITUTE). 1978. BIOASSAY OF TRICHLOROFLUOROMETHANE FOR POSSIBLE CARCINOGENICITY. NCI CARCINOGENESIS TECH REP SER NO 106. ALSO PUBL AS DHEW (NIH) 78-1356.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR FULLY HALOGENATED METHANES. ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH. OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

TRICHLOROPHENOL, 2,3,4- 015950-66-0

005330 US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR CHLORINATED PHENOLS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENT ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

TRICHLOROPHENOL, 2,3,5- 000933-78-8

005331 US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR CHLORINATED PHENOLS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENT ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

TRICHLOROPHENOL, 2,3,6- 000933-75-5

005332 US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR CHLORINATED PHENOLS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENT ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

TRICHLOROPHENOL, 2,4,5- 000095-95-4

005329 MCCOLLISTER, DD, DT LOCKWOOD AND VK ROWE. 1961. TOXICOLOGIC INFORMATION ON 2,4,5-TRICHLOROPHENOL. TOXICOL APPL PHARMACOL. 3: 63-70.

US EPA. 1984. HEALTH EFFECTS ASSESSMENT FOR 2,4,5-TRICHLOROPHENOL. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR CHLORINATED PHENOLS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1985. RfD/RfC WORK GROUP.

010919 US EPA. 1991. RfD/RfC WORK GROUP.

TRICHLOROPHENOL, 2,4,6- 000088-06-2

010461 US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR CHLORINATED PHENOLS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1991. RfD/RfC WORK GROUP.

TRICHLOROPHENOL, 3,4,5- 000609-19-8

005333 US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR CHLORINATED PHENOLS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENT ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

TRICHLOROPHENOXY) PROPIONIC ACID, 2(2,4,5- 000093-72-1

010284 GEHRING PJ AND JE BETSO. 1978. PHENOXY ACIDS: EFFECTS AND FATE IN MAMMALS. IN: CHLORINATED PHENOXY ACIDS AND THEIR DIOXINS,VOL 27. C RAMEL ED. ECOL BULL, STOCKHOLM. P. 122-133.

MULLISON WR. 1966. SOME TOXICOLOGICAL ASPECTS OF SILVEX. IN: PROC 19TH ANN MEET SOUTHERN WEED CONFERENCE, JACKSONVILLE, FL. P. 420-435.

US EPA. 1988. RfD/RfC WORK GROUP.

TRICHLOROPHENOXYACETIC ACID, 2,4,5- 000093-76-5

010178 KOCIBA, RS, DG KEYES, RW LISOWE, ET AL. 1979. RESULTS OF 2-YEAR CHRONIC TOXICITY AND ONCOGENICITY STUDY OF RATS INGESTING DIETS CONTAINING 2,4,5-T. FOOD COSMET TOXICOL. 17: 205 -222.

SMITH FA, FJ MURRAY, JA JOHN, ET AL. 1981. THREE-GENERATION REPRODUCTION STUDY OF RATS INGESTING 2,4,5-TRICHLOROPHENOXYACETIC ACID IN THE DIET. TOXICO RES LAB., DOW CHEMICAL, MIDLAND, MI.

US EPA. 1989. HEALTH EFFECTS ASSESSMENT FOR 2,4,5-TRICHLOROPHENOXY ACETIC ACID. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1988. RfD/RfC WORK GROUP.

010179 GEHRING, PJ, AND JE BETSO. 1978. PHENOXY ACIDS: EFFECTS AND FATE IN MAMMALS. ECO BULL. 27: 122-123.

US EPA. 1989. HEALTH EFFECTS ASSESSMENT FOR 2,4,5-TRICHLOROPHENOXY ACETIC ACID. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

TRICHLOROPROPANE, 1,1,1- 007789-89-1

005705 US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR TRICHLOROPROPANES. ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH. OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

TRICHLOROPROPANE, 1,1,2- 000598-77-6

005708 VILLANEUVE, DC, I CHU, VE SECOURS, MG COTIE, GL PLAA AND VE VALLI. 1985. RESULTS OF A 90-DAY TOXICITY STUDY ON 1,2,3- AND 1,1,2-TRICHLOROPROPANE ADMINISTERED VIA THE DRINKING WATER. SCI TOTAL ENVIRON. 47: 421-426.

US EPA. 1987. RfD/RfC WORK GROUP.

TRICHLOROPROPANE, 1,2,2- 003175-23-3

005706 US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR TRICHLOROPROPANES. ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH. OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

TRICHLOROPROPANE, 1,2,3- 000096-18-4

005714 NTP (NATIONAL TOXICOLOGY PROGRAM). 1983. FINAL REPORT 120-DAY TOXICITY GAVAGE STUDY OF 1,2,3-TRICHLOROPROPANE IN FISCHER 344 RATS. PERFORMED BY HAZELTON LABORATORIES.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR TRICHLOROPROPANES. ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH. OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1986. RfD/RfC WORK GROUP.

TRICHLOROPROPENE, 1,2,3- 000096-19-5

010078 MCKENNA MJ, JF QUAST AND GA STEVENS. 1978. RESULTS OF A90-DAY INHALATION TOXICITY STUDY OF 1,2,3-TRICHLOROPROPENE IN LABORATORY ANIMALS. TOXICOL APPL PHARMACOL. 45: 249.

US EPA. 1983. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR CHLOROPROPENES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

TRICHLOROTOLUENE, 2,3,6- 002077-46-5

005335 CHU I, SY SHEN, DC VILLENEUVE, VE SECOURS AND VE VALLI. 1984. TOXICITY OF TRICHLOROTOLUENE ISOMERS: A 28-DAY FEEDING STUDY IN THE RAT. J ENVIRON SCI HEALTH PART B PESTIC FOOD CONTAM AGRIC WASTES. 19(2): 183-192.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR CHLORINATED TOLUENES. ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH. OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

TRICHLOROTOLUENE, ALPHA,2,6- 002014-83-7

005339 CHU I, SY SHEN, DC VILLENEUVE, VE SECOURS AND VE VALLI. 1984. TOXICITY OF TRICHLOROTOLUENE ISOMERS: A 28-DAY FEEDING STUDY IN THE RAT. J ENVIRON SCI HEALTH PART B PESTIC FOOD CONTAM AGRIC WASTES. 19(2): 183-192.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR CHLORINATED TOLUENES. ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH. OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

REFERENCES FOR HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)

March 1994

TRIFLURALIN 001582-09-8

010080 HOECHST AKTIENGESELLSCHAFT. 1984. CONFIDENTIAL BUSINESS INFORMATION, UNPUBLISHED STUDY. MRID NO 00151908. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR TRIFLURALIN. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

US EPA. 1989. RfD/RfC WORK GROUP.

US EPA. 1993. REVISED AND UPDATED DRINKING WATER QUANTIFICATION OF TOXICOLOGIC EFFECTS FOR TRIFLURALIN. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF WATER, WASHINGTON, DC.

TRIMETHYLBENZENES

005727 US EPA. 1987. HEALTH AND ENVIRONMENTAL ASSESSMENT FOR TRIMETHYLBENZENES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENT ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

TRINITROBENZENE, 1,3,5- 000099-35-4

010081 CODY TE, S WITHERUP, L HASTINGS, K STEMMER AND RT CHUSTION. 1981. 1,3-DINITROBENZENE: TOXIC EFFECTS IN VITRO. J TOXICOL ENVIRON HEALTH. 7: 829-847.

US EPA. 1989. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR 1,3,5-TRINITROBENZENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1988. RfD/RfC WORK GROUP.

TRINITROPHENOLS

010082 US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR TRINITROPHENOLS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

TRINITROPHENYLMETHYLNITRAMINE 000479-45-8

010377 FATI S, E DANIELE. 1965. HISTOPATHOLOGICAL CHANGES IN EXPERIMENTAL CHRONIC TETRYL POISONING. FOLIA MED. 48(4): 260-276.

US EPA. 1990. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR TRINITROPHENYLMETHYLNITRAMINE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

TRINITROTOLUENE, 2,4,6- 000118-96-7

010416 US DOD (DEPARTMENT OF DEFENSE). 1983. AD-A157-002. DEFENSE TECHNICAL CENTER, CAMERON STATION, ALEXANDRIA, VA.

US EPA. 1990. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR 2,4,6-TRINITROTOLUENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON DC.

US EPA. 1988. RfD/RfC WORK GROUP.

VANADIUM 007440-62-2

005739 SCHROEDER, HA, M MITCHENER AND AP NASON. 1970. ZIRCONIUM, NIOBIUM, ANTIMONY AND LEAD IN RATS: LIFE-TIME STUDIES. J. NUTR. 100: 59-69.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR VANADIUM AND COMPOUNDS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

VANADIUM PENTOXIDE 001314-62-1

005743 STOKINGER, HE, WD WAGNER, JT MOUNTAIN ET AL. 1953. UNPUBLISHED RESULTS. DIV OCCUP HEALTH, CINCINNATI, OH. CITED IN STOKINGER, 1981.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR VANADIUM AND COMPOUNDS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RFSPONSE, WASHINGTON, DC.

US EPA. 1986. RfD/RfC WORK GROUP.

VANADIUM SULFATE 036907-42-3

005747 SCHROEDER, HA, M MITCHENER AND AP NASON. 1970. ZIRCONIUM, NIOBIUM, ANTIMONY AND LEAD IN RATS: LIFE-TIME STUDIES. J. NUTR. 100: 59-69.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR VANADIUM AND COMPOUNDS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH. FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

VERNAM / (VERNOLATE) 001929-77-7

010083 STAUFFER CHEMICAL COMPANY. 1983. CONFIDENTIAL BUSINESS INFORMATION, UNPUBLISHED STUDY. ACCESSION NOS 249703-249704.

US EPA. 1983. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR VERNOLATE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

US EPA. 1986. RfD/RfC WORK GROUP.

REFERENCES FOR HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)

March 1994

VINYL ACETATE 000108-05-4

010417 SHAW DC. 1988. VINYL ACETATE: 104-WEEK ORAL (DRINKING WATER) COMBINED CHRONIC TOXICITY AND CARCINOGENICITY STUDY IN THE RAT FOLLOWING IN VITRO EXPOSURE, VOLUME I. HAZELETON LABORATORIES, UK. REPORT NO. 5531-5/16. EPA DOC. NO. 86-0000265. FICHE NO OTS0514156.

US EPA. 1989. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR VINYL ACETATE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON DC.

010418 OWEN, PE. 1988. VINYL ACETATE: 104 WEEK INHALATION COMBINED CHRONIC TOXICITY AND CARCINOGENICITY STUDY IN THE RAT AND MOUSE. REPORT PREPARED BY HAZELTON LABORATORIES EUROPE, LTD., HARROGATE, ENGLAND FOR THE SOCIETY OF THE PLASTICS INDUSTRY, INC., NEW YORK. REPORT NO. 5547-51/15. NOVEMBER, 1988.

BEEMS, RB. 1988. REPORT NO V88-133: HISTOPATHOLOGY OF THE RESPIRATORY TRACT OF MICE USED IN A 104-WEEK INHALATION STUDY (OWEN, 1988) WITH VINYL ACETATE. (TNO-CIVO INSTITUTES, APRIL, 1988).

DREEF, VAN DER MEULEN, HC. 1988. REPORT NO. V88, 033/270836: HISTOPATHOLOGY OF THE RESPIRATORY TRACT OF RATS USED IN A 104 WEEK INHALATION STUDY (OWEN, 1988) WITH VINYL ACETATE: REVISED VERSION (TNO-CIVO INSTITUTES, OCTOBER, 1988).

US EPA. 1990. RfD/RfC WORK GROUP.

VINYL-1-CYCLOHEXENE, 4- 000100-40-3

010084 US EPA. 1983. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR 4-VINYL-1-CYCLOHEXENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

WARFARIN 000081-81-2

010409 HUFF, BB, ED. 1985. PHYSICIANS DESK REFERENCE, 39TH ED. MEDICAL ECONOMICS CO., INC., ORADELL, NJ.

US EPA. 1986. RfD/RfC WORK GROUP.

XYLENE, M- 000108-38-3

005755 NTP (NATIONAL TOXICOLOGY PROGRAM). 1986. NTP TECHNICAL REPORT ON THE TOXICOLOGY AND CARCINOGENESIS OF XYLENES (MIXED) (60.2%M-XYLENE, 13.6% P-XYLENE, 17.0% ETHYLBENZENE AND 9.1% O-XYLENE) (CAS NO. 1330-20-7) IN F344/N RATS AND B6C3F1 MICE (GAVAGE STUDIES). US DHHS, PHS, NIH, NTP, RESEARCH TRIANGLE PARK, NC, NTP TR 327, NIH PUBL NO 86-2583.

US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR XYLENES (O-, M-, P-). ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH. OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

010920 US EPA. 1991. RfD/RfC WORK GROUP.

XYLENE, MIXTURE 001330-20-7

010872 NTP (NATIONAL TOXICOLOGY PROGRAM). 1986. NTP TECHNICAL REPORT ON THE TOXICOLOGY AND CARCINOGENESIS OF XYLENES (MIXED) (60.2%M-XYLENE, 13.6% P-XYLENE, 17.0% ETHYLBENZENE AND 9.1% O-XYLENE) (CAS NO. 1330-20-7) IN F344/N RATS AND B6C3F1 MICE (GAVAGE STUDIES). US DHHS, PHS, NIH, NTP, RESEARCH TRIANGLE PARK, NC, NTP TR 327, NIH PUBL NO 86-2583.

US EPA. 1989. UPDATED HEALTH EFFECTS ASSESSMENT FOR XYLENES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH, FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1987. RfD WORK GROUP.

010921 US EPA. 1991. RfD/RfC WORK GROUP.

XYLENE, O- 000095-47-6

005751 NTP (NATIONAL TOXICOLOGY PROGRAM). 1986. NTP TECHNICAL REPORT ON THE TOXICOLOGY AND CARCINOGENESIS OF XYLENES (MIXED) (60.2% M-XYLENE, 13.6% P-XYLENE, 17.0% ETHYLBENZENE AND 9.1% O-XYLENE) (CAS NO. 1330-20-7) IN F344/N RATS AND B6C3F1 MICE (GAVAGE STUDIES). US DHHS, PHS, NIH, NTP, RESEARCH TRIANGLE PARK, NC, NTP TR 327, NIH PUBL NO 86-2583.

US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR XYLENES (O-, M-, P-). ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH. OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

010922 US EPA. 1991. RfD/RfC WORK GROUP.

XYLENE, P- 000106-42-3

010923 US EPA. 1991. RfD/RfC WORK GROUP.

ZINC (METALLIC) 007440-66-6

010937 YADRICK, MF, MA KENNEY AND EA WINTERFELDT. 1989. IRON, COPPER AND ZINC STATUS: RESPONSE TO SUPPLEMENTATION WITH ZINC OR ZINC AND IRON IN ADULT FEMALES. AM J CLIN NUTR. 49: 145-150.

US EPA. 1991. RfD/RfC WORK GROUP.

ZINC CYANIDE 000557-21-1

010289 HOWARD JW AND RF HANZAL. 1955. CHRONIC TOXICITY FOR RATS OF FOOD TREATED WITH HYDROGEN CYANIDE. AGRIC FOOD CHEM. 3: 325-329.

PHILBRICK DJ, JB HOPKINS, DC HILL, JC ALEXANDER AND RG THOMSON. 1979. EFFECTS OF PROLONGED CYANIDE AND THIOCYANATE FEEDING IN RATS. J TOXICOL ENVIRON HEALTH. 5: 579-592.

US EPA. 1985. RfD/RfC WORK GROUP.

ZINC PHOSPHIDE 001314-84-7

010290 BAI KM, MK KRISHNAKUMARI, JP RAMESH, T SHIVANANDAPPA AND SK MAJUNDER. 1980. SHORT-TERM TOXICITY STUDY OF ZINC PHOSPHIDE IN ALBINO RATS. INDIAN J EXPTL BIOL. 18: 854-857.

US EPA. 1986. RfD/RfC WORK GROUP.

REFERENCES FOR HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)

March 1994

ZINEB 012122-67-7

010085 BLACKWELL-SMITH RJ JR, JK FINNEGAN, PS LARSON, ET AL. 1953. TOXICOLOGIC STUDIES ON ZINC AND DISODIUM ETHYLENE BISDITHIOCARBAMATES. J PHARMACOL EXP THER. 109: 159-166.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR ZINEB. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

US EPA. 1986. RfD/RfC WORK GROUP.

HEAST TABLE 2: ALTERNATE METHODS - SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)

March 1994

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT	LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
ACETONE CYANOHYDRIN 000075-86-5										
NOEL 4.0 MG/KG/DAY	INHALATION: INTERMITTENT	RAT	14 WEEKS	CENTRAL NERVOUS SYSTEM	EFFECTS	1E-1 100		1E-2 1000		010432
SUBCHRONIC [RfC] COMMENT: 4E-2 MG/KG/DAY (SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST). AN ERROR IN THE UNCERTAINTY FACTOR THAT WAS REPORTED IN HEED (1988) WAS CORRECTED.										
CHRONIC [RfC] COMMENT: 4E-2 MG/KG/DAY (SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST).										
GENERAL COMMENT: THE SUBCHRONIC AND CHRONIC INHALATION [RfC] VALUES WERE DERIVED FROM METHODOLOGY THAT IS NOT CURRENT WITH THE INTERIM INHALATION METHODOLOGY USED BY THE RfD/RfC WORK GROUP. ALSO SEE TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY.										
ACETONITRILE 000075-05-8										
NOAEL 100 PPM	INHALATION: INTERMITTENT	MOUSE	92 DAYS	LIVER	INCREASED RELATIVE WEIGHT	5E-1 300		5E-2 3000		005208
SUBCHRONIC [RfC] COMMENT: 1E-1 MG/KG/DAY (SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST).										
CHRONIC [RfC] COMMENT: 1E-2 MG/KG/DAY. (SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST). UNDER REVIEW, CURRENT NUMBER SUBJECT TO CHANGE.										
GENERAL COMMENT: THE SUBCHRONIC AND CHRONIC INHALATION [RfC] VALUES WERE DERIVED FROM METHODOLOGY THAT IS NOT CURRENT WITH THE INTERIM INHALATION METHODOLOGY USED BY THE RfD/RfC WORK GROUP. ALSO SEE TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY.										
BARIUM 007440-39-3										
NOEL 0.8 MG/CU M	INHALATION: INTERMITTENT	RAT	4 MONTHS	FETUS	FETOTOXICITY	5E-3 100		5E-4 1000		005249
SUBCHRONIC [RfC] COMMENT: 1E-3 MG/KG/DAY (SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST). BASED ON A REPRODUCTION STUDY.										
CHRONIC [RfC] COMMENT: 1E-4 MG/KG/DAY (SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST). BASED ON A REPRODUCTION STUDY.										
GENERAL COMMENT: THE SUBCHRONIC AND CHRONIC INHALATION [RfC] VALUES WERE DERIVED FROM METHODOLOGY THAT IS NOT CURRENT WITH THE INTERIM INHALATION METHODOLOGY USED BY THE RfD/RfC WORK GROUP. ALSO SEE TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY.										
CHLORO-1,3-BUTADIENE / (CHLOROPRENE) 000126-99-8										
NOAEL 10 PPM	INHALATION: INTERMITTENT	RAT	2 YEARS	HAIR WHOLE BODY	ALOPECIA DECREASED WEIGHT GAIN		2E-2 100		2E-2 100	005878
SUBCHRONIC [RfD] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION ASSUMING AN INHALATION ABSORPTION FACTOR OF 0.5.										
CHRONIC [RfD] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION ASSUMING AN INHALATION ABSORPTION FACTOR OF 0.5.										
GENERAL COMMENT: SEE ALSO HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).										

HEAST TABLE 2: ALTERNATE METHODS - SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)

March 1994

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
CHLOROBENZENE		**000108-90-7**							
LOAEL 75 PPM		RAT							
	INHALATION:	120 DAYS	LIVER	EFFECTS			2E-2		005353
	INTERMITTENT		KIDNEY	EFFECTS			10000		

CHRONIC [RfC] COMMENT: 5E-3 MG/KG/DAY (SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST). UNDER REVIEW, CURRENT NUMBER SUBJECT TO CHANGE.
GENERAL COMMENT: THE SUBCHRONIC AND CHRONIC INHALATION [RfC] VALUES WERE DERIVED FROM METHODOLOGY THAT IS NOT CURRENT WITH THE INTERIM INHALATION METHODOLOGY USED BY THE RfD/RfC WORK GROUP. ALSO SEE TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY.

CYCLOPENTADIENE		**000542-92-7**							
NOEL 87.3 MG/KG/DAY		RAT							
	INHALATION:	194 DAYS	LIVER	LESIONS		3E+0			005401
	INTERMITTENT		KIDNEY	LESIONS		100			

SUBCHRONIC [RfC] COMMENT: 9E-1 MG/KG/DAY (SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST).
GENERAL COMMENT: THE SUBCHRONIC INHALATION [RfC] VALUE WAS DERIVED FROM METHODOLOGY THAT IS NOT CURRENT WITH THE INTERIM INHALATION METHODOLOGY USED BY THE RfD/RfC WORK GROUP.

DICHLOROBENZENE, 1,2-		**000095-50-1**							
NOEL 49 PPM		RAT							
	INHALATION:	UP TO 7	WHOLE BODY	DECREASED WEIGHT GAIN		2E+0		2E-1	005412
	INTERMITTENT	MONTHS				100		1000	

CHRONIC [RfC] COMMENT: 4E-2 MG/KG/DAY (SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST).
GENERAL COMMENT: THE SUBCHRONIC AND CHRONIC INHALATION [RfC] VALUES WERE DERIVED FROM METHODOLOGY THAT IS NOT CURRENT WITH THE INTERIM INHALATION METHODOLOGY USED BY THE RfD/RfC WORK GROUP. ALSO SEE TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY.

DICHLORODIFLUOROMETHANE		**000075-71-8**							
LOAEL 482.3 MG/KG/DAY		GUINEA PIG							
	INHALATION:	6 WEEKS	LIVER	LESIONS		2E+0		2E-1	005497
	INTERMITTENT					1000		10000	

SUBCHRONIC [RfC] COMMENT: 5E-1 MG/KG/DAY (SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST).
CHRONIC [RfC] COMMENT: 5E-2 MG/KG/DAY (SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST).
GENERAL COMMENT: THE SUBCHRONIC AND CHRONIC INHALATION [RfC] VALUES WERE DERIVED FROM METHODOLOGY THAT IS NOT CURRENT WITH THE INTERIM INHALATION METHODOLOGY USED BY THE RfD/RfC WORK GROUP. ALSO SEE TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY.

HEAST TABLE 2: ALTERNATE METHODS - SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)

March 1994

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT	LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
DICHLOROETHANE, 1,1- 000075-34-3										
NOEL	138 MG/KG/DAY	CAT								
	INHALATION:		13 WEEKS	KIDNEY	DAMAGE	5E+0		5E-1		005789
	INTERMITTENT					100		1000		
DICYCLOPENTADIENE 000077-73-6										
LOAEL	1 PPM	RAT								
	INHALATION:		90 DAYS	LIVER	DYSFUNCTION	2E-3		2E-4		005424
	INTERMITTENT					1000		10000		
ETHOXYETHANOL ACETATE, 2- 000111-15-9										
NOEL	30.1 MG/KG/DAY	RAT								
	INHALATION:		DAY 6-18 OF	FETUS	DECREASED OSSIFICATION		3E-1		3E-1	005952
	INTERMITTENT		GESTATION				100		100	

DICHLOROETHANE, 1,1-

SUBCHRONIC [RfC] COMMENT: 1E+0 MG/KG/DAY (SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST).
CHRONIC [RfC] COMMENT: 1E-1 MG/KG/DAY (SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST).
GENERAL COMMENT: THE SUBCHRONIC AND CHRONIC INHALATION [RfC] VALUES WERE DERIVED FROM METHODOLOGY THAT IS NOT CURRENT WITH THE INTERIM INHALATION METHODOLOGY USED BY THE RfD/RfC WORK GROUP. ALSO SEE HEAST TABLE 1: CHRONIC AND SUBCHRONIC TOXICITY AND

DICYCLOPENTADIENE

SUBCHRONIC [RfC] COMMENT: 6E-4 MG/KG/DAY (SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST).
CHRONIC [RfC] COMMENT: 6E-5 MG/KG/DAY (SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST).
GENERAL COMMENT: THE SUBCHRONIC AND CHRONIC INHALATION [RfC] VALUES WERE DERIVED FROM METHODOLOGY THAT IS NOT CURRENT WITH THE INTERIM INHALATION METHODOLOGY USED BY THE RfD/RfC WORK GROUP. ALSO SEE TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY.

ETHOXYETHANOL ACETATE, 2-

SUBCHRONIC [RfD] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION. THE SUBCHRONIC ORAL [RfD]WAS BASED ON A REPRODUCTION STUDY WITH EXPOSURES DURING DAYS 6-18 OF GESTATION.
CHRONIC [RfD] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION. THE CHRONIC ORAL [RfD] WAS BASED ON A REPRODUCTION STUDY WITH EXPOSURES DURING DAYS 6-18 OF GESTATION.
GENERAL COMMENT: NO PHARMACOKINETIC DATA WERE PROVIDED TO JUSTIFY ROUTE TO ROUTE EXTRAPOLATION FOR THE ORAL [RfD] VALUES. ALSO SEE TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY VALUES.

HEAST TABLE 2: ALTERNATE METHODS - SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)

March 1994

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
FURFURAL		**000098-01-1**							
NOAEL 20 PPM		HAMSTER							
	INHALATION:	13 WEEKS	NASAL CAVITY	OLFACTORY DEGENERATION	5E-1		5E-2		005465
	INTERMITTENT				100		1000		

SUBCHRONIC [RfC] COMMENT: 1E-1 MG/KG/DAY (SEE APPENDIX A-11, DOSE CONVERSIONS ON HEAST).
CHRONIC [RfC] COMMENT: 1E-2 MG/KG/DAY (SEE APPENDIX A-11, DOSE CONVERSIONS ON HEAST).
GENERAL COMMENT: THE SUBCHRONIC AND CHRONIC INHALATION [RfC] VALUES WERE DERIVED FROM METHODOLOGY THAT IS NOT CURRENT WITH THE INTERIM INHALATION METHODOLOGY USED BY THE RfD/RfC WORK GROUP. ALSO SEE TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY.

METHACRYLONITRILE		**000126-98-7**							
NOEL 3.2 PPM		DOG							
	INHALATION:	90 DAYS	LIVER	INCREASED SGOT	7E-3		7E-4		005811
	INTERMITTENT		LIVER	INCREASED SGPT	300		3000		

SUBCHRONIC [RfC] COMMENT: 2E-3 MG/KG/DAY (SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST). THESE VALUES DIFFER FROM THOSE IN THE 1987 HEED.
CHRONIC [RfC] COMMENT: 2E-4 MG/KG/DAY (SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST). THESE VALUES DIFFER FROM THOSE IN THE 1987 HEED.
GENERAL COMMENT: THE SUBCHRONIC AND CHRONIC INHALATION [RfC] VALUES WERE DERIVED FROM METHODOLOGY THAT IS NOT CURRENT WITH THE INTERIM INHALATION METHODOLOGY USED BY THE RfD/RfC WORK GROUP. ALSO SEE TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY.

METHOXYETHANOL ACETATE, 2-		**000110-49-6**							
NOAEL 10 PPM		RABBIT							
	INHALATION:	13 WEEKS	TESTIS	DEGENERATION		2E-2		2E-3	010001
	INTERMITTENT					100		1000	

SUBCHRONIC [RfD] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION USING AN ABSORPTION FACTOR OF 0.5. CALCULATED FROM DATA OBTAINED WITH METHOXYETHANOL CONVERTED BY MULTIPLYING BY THE MOLECULAR WEIGHT RATIO (118.13/76.09).
CHRONIC [RfD] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION USING AN ABSORPTION FACTOR OF 0.5. CALCULATED FROM DATA OBTAINED WITH METHOXYETHANOL CONVERTED BY MULTIPLYING BY THE MOLECULAR WEIGHT RATIO (118.13/76.09).
GENERAL COMMENT: NO PHARMACOKINETIC DATA WERE PROVIDED TO JUSTIFY ROUTE TO ROUTE EXTRAPOLATION FOR THE ORAL [RfD] VALUES.

HEAST TABLE 2: ALTERNATE METHODS - SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)

March 1994

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT	LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
METHOXYETHANOL, 2-		**000109-86-4**								
NOAEL 31 MG/CU M		RABBIT								
	INHALATION:		13 WEEKS	TESTICLE	EFFECTS		1E-2		1E-3	010910
	INTERMITTENT						100		1000	

SUBCHRONIC [RfD] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION.
CHRONIC [RfD] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION.
GENERAL COMMENT: ALSO SEE TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).

METHYL ACRYLATE		**000096-33-3**								
NOEL 15 PPM		RAT								
	INHALATION:		2 YEARS		NONE OBSERVED		3E-2		3E-2	010003
	INTERMITTENT						100		100	

SUBCHRONIC [RfD] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION.
CHRONIC [RfD] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION.
GENERAL COMMENT: NO PHARMACOKINETIC DATA WERE PROVIDED TO JUSTIFY ROUTE TO ROUTE EXTRAPOLATION FOR THE ORAL [RfD] VALUES.

METHYL ISOBUTYL KETONE		**000108-10-1**								
NOEL 50 PPM		RAT								
	INHALATION:		90 DAYS	LIVER	INCREASED WEIGHT	8E-1		8E-2		005562
	INTERMITTENT			KIDNEY	EFFECTS	100		1000		

SUBCHRONIC [RfC] COMMENT: 2E-1 MG/KG/DAY (SEE APPENDIX A-II, DOSE CONVERSION ON HEAST).
CHRONIC [RfC] COMMENT: 2E-2 MG/KG/DAY (SEE APPENDIX A-II, DOSE CONVERSION ON HEAST).
GENERAL COMMENT: THE SUBCHRONIC AND CHRONIC INHALATION [RfC] VALUES WERE DERIVED FROM METHODOLOGY THAT IS NOT CURRENT WITH THE INTERIM INHALATION METHODOLOGY USED BY THE RfD/RfC WORK GROUP. ALSO SEE TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY.

HEAST TABLE 2: ALTERNATE METHODS - SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)

March 1994

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT	LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
METHYL STYRENE (MIXED ISOMERS) 025013-15-4										
LOAEL 5.6 MG/KG/DAY		MOUSE								
	INHALATION:		103 WEEKS	NASAL CAVITY	LESIONS		6E-3		6E-3	005567
	INTERMITTENT						1000		1000	
SUBCHRONIC [RfD] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION WITH AN ABSORPTION FACTOR OF 0.5.										
CHRONIC [RfD] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION WITH AN ABSORPTION FACTOR OF 0.5.										
GENERAL COMMENT: NO PHARMACOKINETIC DATA WERE PROVIDED TO JUSTIFY ROUTE TO ROUTE EXTRAPOLATION FOR THE ORAL [RfD] VALUES.										
LOAEL 11.2 MG/KG/DAY		MOUSE								
	INHALATION:		103 WEEKS	NASAL CAVITY	LESIONS	4E-2		4E-2		005566
	INTERMITTENT					1000		1000		
SUBCHRONIC [RfC] COMMENT: 1E-2 MG/KG/DAY (SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST).										
CHRONIC [RfC] COMMENT: 1E-2 MG/KG/DAY (SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST).										
GENERAL COMMENT: THE SUBCHRONIC AND CHRONIC INHALATION [RfC] VALUES WERE DERIVED FROM METHODOLOGY THAT IS NOT CURRENT WITH THE INTERIM INHALATION METHODOLOGY USED BY THE RfD/RfC WORK GROUP.										
METHYL STYRENE, ALPHA 000098-83-9										
NOEL 970 MG/CU M		RAT								
	INHALATION:		197 DAYS	LIVER	INCREASED WEIGHT		7E-1		7E-2	010016
	INTERMITTENT			KIDNEY	INCREASED WEIGHT		100		1000	
SUBCHRONIC [RfD] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION USING AN ABSORPTION FACTOR OF 0.5.										
CHRONIC [RfD] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION USING AN ABSORPTION FACTOR OF 0.5.										
GENERAL COMMENT: NO PHARMACOKINETIC DATA WERE PROVIDED TO JUSTIFY ROUTE TO ROUTE EXTRAPOLATION FOR THE ORAL [RfD] VALUES.										
METHYLENE BROMIDE 000074-95-3										
NOAEL 11 MG/KG/DAY		RAT								
	INHALATION:		90 DAYS	BLOOD	INCREASED CARBOXYHEMOGLOBIN		1E-1		1E-2	010011
	INTERMITTENT						100		1000	
SUBCHRONIC [RfD] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION, INCLUDING AN ABSORPTION FACTOR OF 0.5.										
CHRONIC [RfD] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION, INCLUDING AN ABSORPTION FACTOR OF 0.5.										
GENERAL COMMENT: NO PHARMACOKINETIC DATA WERE PROVIDED TO JUSTIFY ROUTE TO ROUTE EXTRAPOLATION FOR THE ORAL [RfD] VALUES.										

HEAST TABLE 2: ALTERNATE METHODS - SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)

March 1994

CHEMICAL LEVEL	DOSE ROUTE	SPECIES EXPERIMENT	LENGTH	TARGET	CRITICAL EFFECT	Subchronic [RfC] (mg/cu m) UF	Subchronic [RfD] (mg/kg/day) UF	Chronic [RfC] (mg/cu m) UF	Chronic [RfD] (mg/kg/day) UF	REFERENCE
NITROBENZENE		**000098-95-3**								
LOAEL 25 MG/CU M		MOUSE								
	INHALATION:		90 DAYS	BLOOD	HEMATOLOGICAL EFFECTS	2E-2		2E-3		010518
	INTERMITTENT			ADRENAL	LESIONS	1000		10000		
				KIDNEY	LESIONS					
				LIVER	LESIONS					
		RAT								
	INHALATION:		90 DAYS	BLOOD	HEMATOLOGICAL EFFECTS					
	INTERMITTENT			ADRENAL	LESIONS					
				KIDNEY	LESIONS					
				LIVER	LESIONS					

SUBCHRONIC [RfC] COMMENT: 6E-4 MG/KG/DAY (SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST).
CHRONIC [RfC] COMMENT: 6E-4 MG/KG/DAY (SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST).
GENERAL COMMENT: THE SUBCHRONIC AND CHRONIC INHALATION [RfC] VALUES WERE DERIVED FROM METHODOLOGY THAT IS NOT CURRENT WITH THE INTERIM INHALATION METHODOLOGY USED BY THE RfD/RfC WORK GROUP. ALSO SEE TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY.

TRICHLOROBENZENE, 1,2,4- **000120-82-1**

GENERAL COMMENT: INFORMATION REMOVED FROM THIS TABLE. SEE TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).

TRICHLOROFLUOROMETHANE **000075-69-4**

LOAEL 1940 MG/KG/DAY		DOG								
	INHALATION:		90 DAYS	KIDNEY	INCREASED BUN	7E+0		7E-1		005501
	CONTINUOUS			LUNG	INFLAMMATION	1000		10000		

SUBCHRONIC [RfC] COMMENT: 2E+0 MG/KG/DAY (SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST).
CHRONIC [RfC] COMMENT: 2E-1 MG/KG/DAY (SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST).
GENERAL COMMENT: THE SUBCHRONIC AND CHRONIC INHALATION [RfC] VALUES WERE DERIVED FROM METHODOLOGY THAT IS NOT CURRENT WITH THE INTERIM INHALATION METHODOLOGY USED BY THE RfD/RfC WORK GROUP. ALSO SEE TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY.

REFERENCES FOR HEAST TABLE 2: ALTERNATE METHODS -- SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)

March 1994

ACETONE CYANOHYDRIN 000075-86-5

010432 BLANK TL AND DC THAKE. 1984. THREE-MONTH INHALATION TOXICITY OF ACETONE CYANOHYDRIN IN MALE AND FEMALE SPRAGUE-DAWLEY RATS. MONSANTO REPORT NOP. MSL-4423. TSCA 8(D) SUBMISSION 878216397 (OTS 0510325).

US EPA. 1988. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR CYANOHYDRINS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

ACETONITRILE 000075-05-8

005208 COATE WB. 1983. 90-DAY SUBCHRONIC TOXICITY STUDY OF ACETONITRILE IN B6C3F1 MICE. FINAL REPORT (REVISED).

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR ACETONITRILE.PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

BARIUM 007440-39-3

005249 TARASENKO M, O PROMIN AND A SILAYEV. 1977. BARIUM COMPOUNDS AS INDUSTRIAL POISONS (AN EXPERIMENTAL STUDY). J HYG EPIDEM MICROBIOL IMMUNOL. 21: 361.

US EPA. 1984. HEALTH EFFECTS ASSESSMENT FOR BARIUM. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

CHLORO-1,3-BUTADIENE / (CHLOROPRENE) 000126-99-8

005878 DU PONT DE NEMOURS AND COMPANY, INC. 1985. 2-YEAR INHALATION CARCINOGENICITY STUDY OF CHLOROPRENE IN RATS. EI DU PONT DE NEMOURS AND CO., INC., WILMINGTON, DE.

US EPA. 1989. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR 2-CHLORO-1,3-BUTADIENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

CHLOROBENZENE 000108-90-7

005353 DILLEY, JV. 1977. TOXIC EVALUATION OF INHALED CHLOROBENZENE. NIOSH, DHEW, CINCINNATI, OH, CONTRACT 210-76-0126. CITED IN US EPA, 1985.

US EPA. 1989. UPDATED HEALTH EFFECTS ASSESSMENT FOR CHLOROBENZENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

CYCLOPENTADIENE 000542-92-7

005401 DOW. 1987. UNPUBLISHED DATA. DOW CHEMICAL. USA, MIDLAND, MI.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR CYCLOPENTADIENE AND DICYCLOPENTADIENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

DICHLOROBENZENE, 1,2- 000095-50-1

005412 HOLLINGSWORTH RL, VK ROWE, F OYEN, TR TORKELSON AND EM ADAMS. 1958. TOXICITY OF O-DICHLOROBENZENE. AM MED ASSOC ARCH IND HEALTH. 17(1): 180-187.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR DICHLOROBENZENES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

DICHLORODIFLUOROMETHANE 000075-71-8

005497 PRENDERGAST JA, RA JONES, LJ JENKINS AND J SIEGAL. 1967. EFFECTS ON EXPERIMENTAL ANIMALS OF LONG-TERM INHALATION OF TRICHLOROETHYLENE, CARBON TETRACHLORIDE, 1,1,1-TRICHLOROETHANE, DICHLORODIFLUOROMETHANE AND 1,1-DICHLOROETHYLENE. TOXICOL APPL PHARMACOL. 10: 270-289.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR FULLY HALOGENATED METHANES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

DICHLOROETHANE, 1,1- 000075-34-3

005789 HOFMANN HT, H BIRNSTIEL AND P JOBST. 1971. ON THE INHALATION TOXICITY OF 1,1- AND 1,2-DICHLOROETHANE. ARCH TOXIKOL. 27: 248-265.

US EPA. 1984. HEALTH EFFECTS ASSESSMENT FOR 1,1-DICHLOROETHANE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

DICYCLOPENTADIENE 000077-73-6

005424 DODD DE, LC LONGO AND DL EISLER. 1982. DICYCLOPENTADIENE VAPOR NINETY-DAY INHALATION STUDY ON RATS AND MICE. BUSHY RUN RESEARCH CENTER, EXPORT, PA, TSCA 8E SUBMISSION BY EXXON CHEM AMER DOC ID 88-8300464, ODD DOC ID 8EHQ-0283-0364,MICROFICHE NO. OTS 204864.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR CYCLOPENTADIENE AND DICYCLOPENTADIENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

ETHOXYETHANOL ACETATE, 2- 000111-15-9

005952 UNION CARBIDE. 1984. A TERATOGENIC EVALUATION OF CELLOSOLVE ACETATE IN FISHER 344 RATS AND NEW ZEALAND WHITE RABBITS FOLLOWING INHALATION EXPOSURE. BUSHY RUN RESEARCH CENTER, EXPORT, PA, OCTOBER 1984. FYI-AX-1184-0360.

US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR 2- ETHOXYETHANOL ESTERS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

FURFURAL 000098-01-1

005465 FERON VJ, A KRUYSSE AND HC DREEF VANDER MEULEN. 1979. REPEATED EXPOSURE TO FURFURAL VAPOR: 13 WEEK STUDY IN SYRIAN GOLDEN HAMSTERS. ZENTRASE. BAKTEVIOL PAVASITEN KD INFECTION SKV HYG ABT 1 ORIG REIHE B. 168(5-6): 442-451.

US EPA. 1988. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR FURFURAL. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON,DC.

METHACRYLONITRILE 000126-98-7

005811 POZZANI, UC, CR KINKEAD AND JM KING. 1968. THE MAMMALIAN TOXICITY OF METHACRYLONITRILE. AM IND HYG ASSOC J. 29(3): 202-210.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR SELECTED NITRILES, PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

METHOXYETHANOL ACETATE, 2- 000110-49-6

010001 MILLER RR, LL CALHOUN AND BL YANO. 1982. ETHYLENE GLYCOL MONOMETHYL ETHER: 13-WEEK VAPOR INHALATION STUDY IN MALE RABBITS. REPORT PREPARED FOR THE CHEMICAL MANUFACTURERS ASSOCIATION, MARCH 25, 1982.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR 2- METHOXYETHANOL ACETATE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

METHOXYETHANOL, 2- 000109-86-4

010910 MILLER RR, LL CALHOUN, BL YANO. 1982. ETHYLENE GLYCOL MONOETHYL ETHER: 13 WEEK VAPOR INHALATION STUDY IN MALE RABBITS. REPORT PREPARED FOR THE CMA MARCH 25, 1982.

US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR 2-METHOXYETHANOL. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

METHYL ACRYLATE 000096-33-3

010003 KLIMISCH HJ AND W REININGHAUS. 1984. CARCINOGENICITY OF ACRYLATES: LONG-TERM INHALATION STUDIES ON METHYL ACRYLATE (MA) AND N-BUTYL ACRYLATE (BA) IN RATS. TOXICOLOGIST. 4(1): 53.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR METHYL ACRYLATE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

METHYL ISOBUTYL KETONE 000108-10-1

005562 UNION CARBIDE CORP. 1983. NINETY-DAY INHALATION STUDY IN RATS AND MICE SPONSORED BY CMA. US EPA/OTS PUBLIC FILES 0750507469.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR METHYL ETHYL KETONE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE,CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

METHYL STYRENE (MIXED ISOMERS) 025013-15-4

005567 MRI (MIDWEST RESEARCH INSTITUTE). 1984. STUDY OF THE INHALATION CARCINOGENICITY (BIOASSAY) OF VINYL TOLUENE IN B6C3F1 MICE.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR METHYL STYRENES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

005566 FINAL CHRONIC REPORT PERFORMED FOR THE NTP UNDER CONTRACT NO N01-ES-38042.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR METHYL STYRENES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

METHYL STYRENE, ALPHA 000098-83-9

010016 WOLF MA, VK ROWE, DD MCCOLLISTER, ET AL. 1956. TOXICOLOGICAL STUDIES OF CERTAIN ALKYLATED BENZENES AND BENZENE. ARCH IND HEALTH. 14: 387-398.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR ALPHA- METHYL STYRENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

METHYLENE BROMIDE 000074-95-3

010011 KEYES DG, JW HENCK, GC JERSEY, RJ KOCIBA, DJ SCHWETZ AND TD LANDRY. 1982. METHYLENE BROMIDE: A 90-DAY REPEATED INHALATION TOXICITY STUDY IN RATS AND DOGS WITH A SUBSEQUENT TWO-YEAR HOLDING PERIOD FOR RATS. TOXICOLOGY RESEARCH LAB, HEALTH AND ENVIRONMENTAL SCIENCES, DOW CHEMICAL CO., MIDLAND, MI.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR METHYLENE BROMIDE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

NITROBENZENE 000098-95-3

010518 CIIT (CHEMICAL INDUSTRY INSTITUTE OF TOXICOLOGY). 1984. NINETY- DAY INHALATION STUDY OF NITROBENZENE IN F-344 RATS,CD RATS AND B6C3F1 MICE WITH COVER LETTER DATED 6/24/84 AND EPA RESPONSE DATED 8/06/84, UNPUBLISHED STUDY. FYI-OTS-0784-0333 AND COMPUTER PRINT-OUT OF PATHOLOGY FINDING.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR NITROBENZENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

TRICHLOROFLUOROMETHANE 000075-69-4

005501 JENKINS, LJ, RA JONES, RA COON AND J SIEGAL. 1970. REPEATED AND CONTINUOUS EXPOSURES OF LABORATORY ANIMALS TO TRICHLOROFLUORMETHANE. TOXICOL APPL PHARMACOL. 16: 133-142.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR FULLY HALOGENATED METHANES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

HEAST TABLE 3: CARCINOGENICITY

March 1994

CHEMICAL	ROUTE	EXPERIMENT LENGTH / SPECIES	TARGET	CANCER	[EPA GROUP]	[SLOPE FACTOR] ORAL $(mg/kg/day)^{-1}$	[SLOPE FACTOR] INHALATION $(mg/kg/day)^{-1}$	[UNIT RISK] ORAL $(ug/L)^{-1}$	[UNIT RISK] INHALATION (ug/cu m)-1	REFERENCE
ACEPHATE		**030560-19-1**								
					IRIS	IRIS		IRIS		010086
	GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).									
ACROLEIN		**000107-02-8**								
					IRIS					005001
	GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).									
ACRYLAMIDE		**000079-06-1**								
	ORAL: DRINKING WATER	2 YEARS RAT	MAMMARY	TUMORS	IRIS	IRIS	4.5E+0	IRIS	IRIS	010087
			THYROID	TUMORS						
			UTERUS	TUMORS						
			ORAL CAVITY	TUMORS						
			CENTRAL NERVOUS SYSTEM	TUMORS						
	INHALATION [SLOPE] COMMENT: SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST.									
	GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).									
ACRYLONITRILE		**000107-13-1**								
					IRIS	IRIS		IRIS		005004
	INHALATION: OCCUPATIONAL	HUMAN	LUNG	TUMORS	IRIS		2.4E-1		IRIS	005003
	INHALATION [SLOPE] COMMENT: SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST.									
ALACHLOR		**015972-60-8**								
	ORAL: DIET	MULTIPLE SITES	TUMORS		B2	8E-2		2.3E-6		010180
	ORAL [SLOPE] COMMENT: UNDER REVIEW, NUMBER SUBJECT TO CHANGE.									
	GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).									

HEAST TABLE 3: CARCINOGENICITY

March 1994

CHEMICAL	ROUTE	EXPERIMENT LENGTH / SPECIES	TARGET	CANCER	[EPA GROUP]	[SLOPE FACTOR] ORAL (mg/kg/day)$^{-1}$	[SLOPE FACTOR] INHALATION (mg/kg/day)$^{-1}$	[UNIT RISK] ORAL (ug/L)$^{-1}$	[UNIT RISK] INHALATION (ug/cu m)-1	REFERENCE
ALDRIN		000309-00-2								
	ORAL: DIET	MOUSE	LIVER	CARCINOMA	IRIS	IRIS	1.7E+1	IRIS	IRIS	005006

INHALATION [SLOPE] COMMENT: SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST.
INHALATION [UNIT RISK] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION.
GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).

ALLYL CHLORIDE		000107-05-1								
					IRIS					010181

GENERAL COMMENT: FOR RCRA ACTIVITIES ONLY, CONTACT THE HEALTH ASSESSMENT SECTION (202) 260-4761 FOR RCRA APPROVED NUMERIC ASSESSMENT OF THIS COMPOUND.
GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)

ANILINE		000062-53-3								
					IRIS	IRIS		IRIS		010088

GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).

ARAMITE		000140-57-8								
	ORAL: DIET	104 WKS RAT	LIVER	TUMORS	IRIS	IRIS	2.5E-2	IRIS	IRIS	010206

INHALATION [SLOPE] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION. SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST.
GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).

ARSENIC, INORGANIC		007440-38-2								
								IRIS		010925
	INHALATION: OCCUPATIONAL	HUMAN	RESPIRATORY SYSTEM	TUMORS	IRIS		5.0E+1		IRIS	005007

INHALATION [SLOPE] COMMENT: SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST.
GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).

HEAST TABLE 3: CARCINOGENICITY

March 1994

CHEMICAL	ROUTE	EXPERIMENT LENGTH / SPECIES	TARGET	CANCER	[EPA GROUP]	[SLOPE FACTOR] ORAL $(mg/kg/day)^{-1}$	[SLOPE FACTOR] INHALATION $(mg/kg/day)^{-1}$	[UNIT RISK] ORAL $(ug/L)^{-1}$	[UNIT RISK] INHALATION $(ug/cu\ m)^{-1}$	REFERENCE
ASBESTOS		**001332-21-4**								
					IRIS					005010
					IRIS				IRIS	005919
ATRAZINE		**001912-24-9**								
	ORAL: DIET	2 YEARS			C	2.22E-1		6.3E-6		010380
		RAT	MAMMARY GLAND	ADENOMA						
			MAMMARY GLAND	FIBROADENOMA						
			MAMMARY GLAND	ADENOCARCINOMA						
			MAMMARY GLAND	CARCINOSARCOMA						
	ORAL [SLOPE] COMMENT: UNDER REVIEW, NUMBER SUBJECT TO CHANGE.									
	GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)									
AZOBENZENE		**000103-33-3**								
	ORAL: DIET	2 YEARS			IRIS	IRIS	1.1E-1	IRIS	IRIS	010089
		RAT	ABDOMINAL CAVITY	SARCOMA						
	INHALATION [SLOPE] COMMENT: SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST.									
BENZENE		**000071-43-2**								
	INHALATION:				IRIS	IRIS	2.9E-2	IRIS	IRIS	005011
	OCCUPATIONAL	HUMAN	BLOOD	LEUKEMIA						
	ORAL [SLOPE] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION.									
	INHALATION [SLOPE] COMMENT: SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST.									
	GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)									
BENZIDINE		**000092-87-5**								
					IRIS	IRIS	IRIS	IRIS	IRIS	005014
	GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).									
BENZOTRICHLORIDE		**000098-07-7**								
					IRIS	IRIS		IRIS		010092

HEAST TABLE 3: CARCINOGENICITY

March 1994

CHEMICAL	ROUTE	EXPERIMENT LENGTH / SPECIES	TARGET	CANCER	[EPA GROUP]	[SLOPE FACTOR] ORAL (mg/kg/day)$^{-1}$	[SLOPE FACTOR] INHALATION (mg/kg/day)$^{-1}$	[UNIT RISK] ORAL (ug/L)$^{-1}$	[UNIT RISK] INHALATION (ug/cu m)-1	REFERENCE
BENZO[A]ANTHRACENE		**000056-55-3**								
					IRIS					010182
BENZO[A]PYRENE		**000050-32-8**								
					IRIS	IRIS		IRIS		010508
BENZO[B]FLUORANTHENE		**000205-99-2**								
					IRIS					010183
GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).										
BENZO[K]FLUORANTHENE		**000207-08-9**								
					IRIS					010090
GENERAL COMMENT: FOR RCRA ACTIVITIES ONLY, CONTACT THE HEALTH ASSESSMENT SECTION (202) 260-4761 FOR RCRA APPROVED NUMERIC ASSESSMENT OF THIS COMPOUND.										
BENZYL CHLORIDE		**000100-44-7**								
					IRIS	IRIS		IRIS		010093
BERYLLIUM		**007440-41-7**								
					IRIS	IRIS		IRIS		005018
GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).										
INHALATION:					IRIS		8.4E+0		IRIS	005017
OCCUPATIONAL		HUMAN	LUNG	TUMORS						
INHALATION [SLOPE] COMMENT: SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST.										
BIS(2-CHLOROETHYL) ETHER		**000111-44-4**								
	ORAL	560 DAYS			IRIS	IRIS	1.1E+0	IRIS	IRIS	005076
		MOUSE	LIVER	TUMORS						
INHALATION [SLOPE] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION. SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST.										

CHEMICAL	ROUTE	EXPERIMENT LENGTH / SPECIES	TARGET	CANCER	[EPA GROUP]	[SLOPE FACTOR] ORAL $(mg/kg/day)^{-1}$	[SLOPE FACTOR] INHALATION $(mg/kg/day)^{-1}$	[UNIT RISK] ORAL $(ug/L)^{-1}$	[UNIT RISK] INHALATION (ug/cu m)-1	REFERENCE
BIS(2-CHLOROISOPROPYL) ETHER 039638-32-9										
	ORAL: GAVAGE	2 YEARS			C	7E-2	3.5E-2	2E-6	1E-5	005079
		MOUSE	LIVER	TUMORS						
			LUNG	TUMORS						
	INHALATION [SLOPE] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION (50% RESPIRATORY ABSORPTION). SEE APPENDIX A-II: DOSE CONVERSIONS ON HEAST.									
	GENERAL COMMENT: FORMERLY LISTED AS BIS(2-CHLORO-1-METHYL(ETHYL)ETHER). ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).									
BIS(2-ETHYLHEXYL) PHTHALATE / (DEHP) 000117-81-7										
					IRIS	IRIS		IRIS		005120
	GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).									
BIS(CHLOROMETHYL) ETHER 000542-88-1										
	INHALATION: INTERMITTENT	10-100 DAYS			IRIS	IRIS	2.2E+2	IRIS	IRIS	005077
		RAT	RESPIRATORY SYSTEM	TUMORS						
	ORAL [SLOPE] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION.									
	INHALATION [SLOPE] COMMENT: SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST.									
BROMODICHLOROMETHANE 000075-27-4										
					IRIS	IRIS		IRIS		005148
	GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).									
BROMOETHENE / (VINYL BROMIDE) 000593-60-2										
	INHALATION: INTERMITTENT	2 YEARS			B2		1.1E-1		3.2E-5	010094
		RAT	LIVER	TUMORS						
	INHALATION [SLOPE] COMMENT: SEE APPENDIX A-II: DOSE CONVERSIONS ON HEAST.									
	GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)									

CHEMICAL	ROUTE	EXPERIMENT LENGTH / SPECIES	TARGET	CANCER	[EPA GROUP]	[SLOPE FACTOR] ORAL (mg/kg/day)$^{-1}$	[SLOPE FACTOR] INHALATION (mg/kg/day)$^{-1}$	[UNIT RISK] ORAL (ug/L)$^{-1}$	[UNIT RISK] INHALATION (ug/cu m)-1	REFERENCE
BROMOFORM		**000075-25-2**								
	ORAL: GAVAGE	2 YEARS RAT	INTESTINE, LARGE	ADENOMATOUS POLYP ADENOCARCINOMA	IRIS	IRIS	3.9E-3	IRIS	IRIS	005150
	INHALATION [SLOPE] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION. SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST.									
	GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).									
BUTADIENE, 1,3-		**000106-99-0**								
	INHALATION: INTERMITTENT	MOUSE	MULTIPLE SITES	TUMORS	IRIS		1.8E+0		IRIS	010477
	INHALATION [SLOPE] COMMENT: SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST.									
BUTYL BENZYL PHTHALATE, N-		**000085-68-7**								
					IRIS					005122
	GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)									
CADMIUM		**007440-43-9**								
					IRIS				IRIS	005019
	ORAL [SLOPE] COMMENT: THERE IS INADEQUATE EVIDENCE FOR THE CARCINOGENICITY OF THIS COMPOUND BY THE ORAL ROUTE.									
	GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).									
CAPTAFOL		**002425-06-1**								
	ORAL: DIET	MOUSE	LYMPHATIC SYSTEM	LYMPHOSARCOMA	C	8.6E-3		2.4E-7		010095
	ORAL [SLOPE] COMMENT: UNDER REVIEW, NUMBER SUBJECT TO CHANGE.									
	GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).									
CAPTAN		**000133-06-2**								
					B2	3.5E-3		1.0E-7		010184
	ORAL [SLOPE] COMMENT: UNDER REVIEW, NUMBER SUBJECT TO CHANGE.									
	GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).									

CHEMICAL	ROUTE	EXPERIMENT LENGTH / SPECIES	TARGET	CANCER	[EPA GROUP]	[SLOPE FACTOR] ORAL (mg/kg/day)$^{-1}$	[SLOPE FACTOR] INHALATION (mg/kg/day)$^{-1}$	[UNIT RISK] ORAL (ug/L)$^{-1}$	[UNIT RISK] INHALATION (ug/cu m)-1	REFERENCE
CARBAZOLE		**000086-74-8**								
	ORAL: DIET	96 WEEKS			B2	2E-2		5.7E-7		010096
		MOUSE	LIVER	TUMORS						
CARBON TETRACHLORIDE		**000056-23-5**								
	ORAL: DIET		LIVER	TUMORS	IRIS	IRIS	5.3E-2	IRIS	IRIS	005022
	INHALATION [SLOPE] COMMENT: SEE APPENDIX A-II: DOSE CONVERSIONS ON HEAST.									
	INHALATION [UNIT RISK] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION. INCORPORATES AN ABSORPTION FACTOR OF 0.4.									
	GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).									
CHLORANIL		**000118-75-2**								
	ORAL: DIET	82 WEEKS			C	4.03E-1		1.2E-5		010097
		MOUSE	LIVER	TUMORS						
			LUNG	TUMORS						
CHLORDANE		**000057-74-9**								
	ORAL: DIET				IRIS	IRIS	1.3E+0	IRIS	IRIS	005024
		MOUSE	LIVER	CARCINOMA						
	INHALATION [SLOPE] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION. SEE APPENDIX A-II: DOSE CONVERSIONS ON HEAST.									
	GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).									
CHLORO-2-METHYLANILINE HYDROCHLORIDE, 4-		**003165-93-3**								
	ORAL: DIET	18 MONTHS			B2	4.6E-1		1.3E-5		010419
		MOUSE	CARDIOVASCULAR SYSTEM	HEMANGIOMA						
			CARDIOVASCULAR SYSTEM	HEMANGIOSARCOMA						

CHEMICAL	ROUTE	EXPERIMENT LENGTH / SPECIES	TARGET	CANCER	[EPA GROUP]	[SLOPE FACTOR] ORAL (mg/kg/day)$^{-1}$	[SLOPE FACTOR] INHALATION (mg/kg/day)$^{-1}$	[UNIT RISK] ORAL (ug/L)$^{-1}$	[UNIT RISK] INHALATION (ug/cu m)-1	REFERENCE
CHLORO-2-METHYLANILINE, 4- 000095-69-2										
	ORAL: DIET	18 MONTHS MOUSE	CARDIOVASCULAR SYSTEM	HEMANGIOMA	B2	5.8E-1		1.6E-5		010098
			CARDIOVASCULAR SYSTEM	HEMANGIOSARCOMA						
ORAL [SLOPE] COMMENT: BASED ON VASCULAR TUMORS IN MICE TREATED WITH 4- CHLORO-2-METHYLANILINE HYDROCHLORIDE.										
CHLOROBENZILATE 000510-15-6										
	ORAL: GAVAGE, DIET	82 WEEKS MOUSE	LIVER	HEPATOMA	B2	2.7E-1	2.7E-1	7.8E-6	7.8E-5	010848
INHALATION [SLOPE] COMMENT: ABSORBANCE BY THE INHALATION ROUTE WAS ASSUMED TO EQUAL ORAL ABSORPTION SINCE THERE WERE NO PHARMACOKINETIC DATA TO THE CONTRARY. SEE APPENDIX A-II: DOSE CONVERSIONS ON HEAST.										
INHALATION [UNIT RISK] COMMENT: ABSORBANCE BY THE INHALATION ROUTE WAS ASSUMED TO EQUAL ORAL ABSORPTION SINCE THERE WERE NO PHARMACOKINETIC DATA TO THE CONTRARY.										
GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).										
CHLOROFORM 000067-66-3										
					IRIS	IRIS		IRIS		005036
	ORAL: GAVAGE	78 WEEKS MOUSE	LIVER	CARCINOMA	IRIS		8.1E-2		IRIS	005035
INHALATION [SLOPE] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION. SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST.										
GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).										
CHLOROMETHANE 000074-87-3										
	INHALATION: INTERMITTENT	24 MONTHS MOUSE	KIDNEY	TUMORS	C	1.3E-2	6.3E-3	3.7E-7	1.8E-6	005038
ORAL [SLOPE] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION.										
GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENCIITY).										

CHEMICAL	ROUTE	EXPERIMENT LENGTH / SPECIES	TARGET	CANCER	[EPA GROUP]	[SLOPE FACTOR] ORAL (mg/kg/day)$^{-1}$	[SLOPE FACTOR] INHALATION (mg/kg/day)$^{-1}$	[UNIT RISK] ORAL (ug/L)$^{-1}$	[UNIT RISK] INHALATION (ug/cu m)-1	REFERENCE
CHLOROMETHYL METHYL ETHER 000107-30-2										
					IRIS					005081
GENERAL COMMENT: FOR RCRA ACTIVITIES ONLY, CONTACT THE HEALTH ASSESSMENT SECTION (202) 260-4761 FOR RCRA APPROVED NUMERIC ASSESSMENT OF THIS COMPOUND.										
CHLORONITROBENZENE, O- 000088-73-3										
	ORAL: DIET	18 MONTHS MOUSE	LIVER	TUMORS	B2	2.5E-2		7.1E-7		010099
CHLORONITROBENZENE, P- 000100-00-5										
	ORAL: DIET	18 MONTHS MOUSE	CARDIOVASCULAR SYSTEM	TUMORS	B2	1.8E-2		5.1E-7		010100
CHLOROTHALONIL 001897-45-6										
	ORAL: DIET	27-32 MONTHS RAT	KIDNEY	TUMOR	B2	1.1E-2		3.1E-7		010384
ORAL [SLOPE] COMMENT: UNDER REVIEW, NUMBER SUBJECT TO CHANGE. GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).										
CHROMIUM(VI) 018540-29-9										
	INHALATION: OCCUPATIONAL	HUMAN	LUNG	TUMORS	IRIS		4.1E+1		IRIS	005091
INHALATION [SLOPE] COMMENT: SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST. GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).										
CHRYSENE 000218-01-9										
					IRIS					010185
GENERAL COMMENT: FOR RCRA ACTIVITIES ONLY, CONTACT THE HEALTH ASSESSMENT SECTION (202) 260-4761 FOR RCRA APPROVED NUMERIC ASSESSMENT OF THIS COMPOUND. ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).										

CHEMICAL	ROUTE	EXPERIMENT LENGTH / SPECIES	TARGET	CANCER	[EPA GROUP]	[SLOPE FACTOR] ORAL (mg/kg/day)$^{-1}$	[SLOPE FACTOR] INHALATION (mg/kg/day)$^{-1}$	[UNIT RISK] ORAL (ug/L)$^{-1}$	[UNIT RISK] INHALATION (ug/cu m)-1	REFERENCE
COKE OVEN EMISSIONS 008007-45-2										
	INHALATION: OCCUPATIONAL	HUMAN	LUNG	TUMORS	IRIS		2.2E+0		IRIS	005039
	INHALATION [SLOPE] COMMENT: SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST. GENERAL COMMENT: FORMERLY LISTED UNDER COAL TARS.									
CREOSOTE, COAL TAR 008001-58-9										
					IRIS					005042
CRESOL, M- / (3-METHYLPHENOL) 000108-39-4										
					IRIS					010187
	GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).									
CRESOL, O- / (2-METHYLPHENOL) 000095-48-7										
					IRIS					010186
	GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).									
CRESOL, P- / (4-METHYLPHENOL) 000106-44-5										
					IRIS					010188
	GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).									
CROTONALDEHYDE 000123-73-9										
	ORAL: DRINKING WATER	113 WKS RAT	LIVER	TUMOR	IRIS	1.9E+0		5.4E-5		010190
	ORAL [SLOPE] COMMENT: UNDER REVIEW, NUMBER SUBJECT TO CHANGE.									

CHEMICAL	ROUTE	EXPERIMENT LENGTH / SPECIES	TARGET	CANCER	[EPA GROUP]	[SLOPE FACTOR] ORAL (mg/kg/day)$^{-1}$	[SLOPE FACTOR] INHALATION (mg/kg/day)$^{-1}$	[UNIT RISK] ORAL (ug/L)$^{-1}$	[UNIT RISK] INHALATION (ug/cu m)-1	REFERENCE
CYANAZINE		**021725-46-2**								
	ORAL: DIET	2 YEARS RAT	MAMMARY GLAND	ADENOMA/ CARCINOMA, COMBINED	C	8.4E-1		2.4E-5		010944
	GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).									
DDD		**000072-54-8**								
					IRIS	IRIS		IRIS		010291
DDE		**000072-55-9**								
					IRIS	IRIS		IRIS		010292
DDT		**000050-29-3**								
	ORAL: DIET	MOUSE, RAT	LIVER	TUMORS	IRIS	IRIS	3.4E-1	IRIS	IRIS	005044
	INHALATION [SLOPE] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION. SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST. GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).									
DECABROMODIPHENYL ETHER		**001163-19-5**								
					IRIS					010102
	GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).									
DIALLATE		**002303-16-4**								
	ORAL	19 MONTHS MOUSE	LIVER	TUMORS	B2	6.1E-2		1.7E-6		010103
DIBENZO[A,H]ANTHRACENE		**000053-70-3**								
					IRIS					010191
	GENERAL COMMENT: FOR RCRA ACTIVITIES ONLY, CONTACT THE HEALTH ASSESSMENT SECTION (202) 260-4761 FOR RCRA APPROVED NUMERIC ASSESSMENT OF THIS COMPOUND.									

CHEMICAL	ROUTE	EXPERIMENT LENGTH / SPECIES	TARGET	CANCER	[EPA GROUP]	[SLOPE FACTOR] ORAL (mg/kg/day)$^{-1}$	[SLOPE FACTOR] INHALATION (mg/kg/day)$^{-1}$	[UNIT RISK] ORAL (ug/L)$^{-1}$	[UNIT RISK] INHALATION (ug/cu m)-1	REFERENCE
DIBROMO-3-CHLOROPROPANE, 1,2 000096-12-8										
	ORAL: DIET				B2	1.4E+0		4E-5		010484
			STOMACH	TUMORS						
			KIDNEY	TUMORS						
			LIVER	TUMORS						
	[EPA GROUP] COMMENT: UNDER REVIEW, CLASSIFICATION SUBJECT TO CHANGE.									
	INHALATION [SLOPE] COMMENT: SEE APPENDIX A-II: DOSE CONVERSIONS ON HEAST.									
	INHALATION:				B2		2.4E-3		6.9E-7	010519
	INTERMITTENT	RAT, MOUSE	NASAL CAVITY	TUMORS						
DIBROMOCHLOROMETHANE 000124-48-1										
					IRIS	IRIS		IRIS		010891
	GENERAL COMMENT: FORMERLY LISTED AS CHLORODIBROMOMETHANE. ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).									
DIBROMOETHANE, 1,2- 000106-93-4										
					IRIS	IRIS		IRIS		005818
	GENERAL COMMENT: FORMERLY LISTED UNDER ETHYLENE DIBROMIDE									
	INHALATION:	88-103 WEEKS			IRIS		7.6E-1		IRIS	005071
	INTERMITTENT	RAT	NASAL CAVITY	TUMORS						
	INHALATION [SLOPE] COMMENT: SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST.									
	GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).									
DICHLORO-2-BUTENE, 1,4- 000764-41-0										
	INHALATION:	90 DAYS			B2		9.3E+0		2.6E-3	005053
	INTERMITTENT	RAT	NASAL PASSAGES	TUMORS						
	INHALATION [SLOPE] COMMENT: SEE APPENDIX A-II: DOSE CONVERSIONS ON HEAST.									
	GENERAL COMMENT: FORMERLY LISTED UNDER DICHLOROBUTENES									

CHEMICAL	ROUTE	EXPERIMENT LENGTH / SPECIES	TARGET	CANCER	[EPA GROUP]	[SLOPE FACTOR] ORAL (mg/kg/day)$^{-1}$	[SLOPE FACTOR] INHALATION (mg/kg/day)$^{-1}$	[UNIT RISK] ORAL (ug/L)$^{-1}$	[UNIT RISK] INHALATION (ug/cu m)-1	REFERENCE
DICHLOROBENZENE, 1,4- 000106-46-7										
	ORAL: GAVAGE	103 WEEKS MOUSE	LIVER	TUMORS	B2	2.4E-2		6.8E-7		005050
	ORAL [SLOPE] COMMENT: UNDER REVIEW, NUMBER SUBJECT TO CHANGE.									
	GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).									
DICHLOROBENZIDINE, 3,3'- 000091-94-1										
					IRIS	IRIS		IRIS		005815
DICHLOROETHANE, 1,1- 000075-34-3										
					IRIS					005055
	GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).									
DICHLOROETHANE, 1,2- 000107-06-2										
	ORAL: GAVAGE	78 WEEKS. RAT	CIRCULATORY SYSTEM	SARCOMA	IRIS	IRIS	9.1E-2	IRIS	IRIS	005058
	INHALATION [SLOPE] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION. SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST.									
	GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)									
DICHLOROETHYLENE, 1,1- 000075-35-4										
					IRIS	IRIS		IRIS		005060
	INHALATION	12 MONTHS MOUSE	KIDNEY	ADENOCARCINOMA	IRIS		1.2E+0		IRIS	005059
	INHALATION [SLOPE] COMMENT: SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST.									
	GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).									

CHEMICAL	ROUTE	EXPERIMENT LENGTH / SPECIES	TARGET	CANCER	[EPA GROUP]	[SLOPE FACTOR] ORAL (mg/kg/day)$^{-1}$	[SLOPE FACTOR] INHALATION (mg/kg/day)$^{-1}$	[UNIT RISK] ORAL (ug/L)$^{-1}$	[UNIT RISK] INHALATION (ug/cu m)-1	REFERENCE
DICHLOROPROPANE, 1,2- 000078-87-5										
	ORAL: GAVAGE	MOUSE	LIVER	TUMORS	B2	6.8E-2		1.9E-6		005062
	ORAL [SLOPE] COMMENT: UNDER REVIEW, NUMBER SUBJECT TO CHANGE.									
	GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)									
DICHLOROPROPENE, 1,3- / (TELONE II) 000542-75-6										
	ORAL: GAVAGE	104 WEEKS MOUSE	BLADDER	CARCINOMA	IRIS	1.8E-1		5E-6		010946
			RESPIRATORY SYSTEM	ALVEOLAR/ BRONCHIOLAR ADENOMA						
			FORESTOMACH	PAPILLOMA/ CARCINOMA						
	ORAL: GAVAGE	104 WEEKS RAT	LIVER	NEOPLASTIC NODULE/CARCINOMA						
			FORESTOMACH	PAPILLOMA/ CARCINOMA						
	ORAL [SLOPE] COMMENT: THE [SLOPE] IS THE GEOMETRIC MEAN OF SLOPE FACTORS OF COMBINED TUMORS LISTED.									
	GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)									
	INHALATION: INTERMITTENT	2 YEARS MOUSE	LUNG	ADENOMA	IRIS		1.3E-1		3.7E-5	010104
	INHALATION [SLOPE] COMMENT: SEE APPENDIX A-II: DOSE CONVERSIONS ON HEAST.									
	GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).									
DIELDRIN 000060-57-1										
	ORAL: DIET	MOUSE	LIVER	CARCINOMA	IRIS	IRIS	1.6E+1	IRIS	IRIS	005816
	INHALATION [SLOPE] COMMENT: SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST.									
	INHALATION [UNIT RISK] COMMENT: BASED ON ROUTE-TO-ROUTE EXTRAPOLATION.									
	GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).									

HEAST TABLE 3: CARCINOGENICITY

March 1994

CHEMICAL	ROUTE	EXPERIMENT LENGTH / SPECIES	TARGET	CANCER	[EPA GROUP]	[SLOPE FACTOR] ORAL (mg/kg/day)$^{-1}$	[SLOPE FACTOR] INHALATION (mg/kg/day)$^{-1}$	[UNIT RISK] ORAL (ug/L)$^{-1}$	[UNIT RISK] INHALATION (ug/cu m)-1	REFERENCE
DIETHYLSTILBESTROL 000056-53-1										
	ORAL: DIET	MOUSE	MAMMARY GLAND	CARCINOMA	A	4.7E+3		1.3E-1		010485
DIMETHOXYBENZIDINE, 3,3'- 000119-90-4										
	ORAL: DIET	LIFETIME HAMSTER	FORESTOMACH	PAPILLOMA	B2	1.4E-2		4E-7		010106
DIMETHYLANILINE HYDROCHLORIDE, 2,4- 021436-96-4										
	ORAL: DIET	18 MONTHS MOUSE	LUNG	TUMORS	C	5.8E-1		1.7E-5		010108
DIMETHYLANILINE, 2,4- 000095-68-1										
	ORAL: DIET	18 MONTHS MOUSE	LUNG	TUMORS	C	7.5E-1		2.1E-5		010107
DIMETHYLBENZIDINE, 3,3'- 000119-93-7										
	ORAL: GAVAGE	30 DAYS RAT	MAMMARY	TUMORS	B2	9.2E+0		2.6E-4		010109
DIMETHYLBENZ[A]ANTHRACENE, 7,12- 000057-97-6										
	GENERAL COMMENT: FOR RCRA ACTIVITIES ONLY, CONTACT THE HEALTH ASSESSMENT SECTION (202) 260-4761 FOR RCRA APPROVED NUMERIC ASSESSMENT OF THIS COMPOUND.									010297
DIMETHYLHYDRAZINE, 1,1- 000057-14-7										
	GENERAL COMMENT: NO EPA GROUP CLASSIFICATION WAS PROVIDED IN THE REFERENCE DOCUMENT, THEREFORE THIS COMPOUND WAS REMOVED FROM TABLE 3.									
DIMETHYLHYDRAZINE, 1,2- 000540-73-8										
	GENERAL COMMENT: CONTACT THE SUPERFUND HEALTH RISK TECHNICAL SUPPORT CENTER: (513) 569-7300.				B2					010962
DIMETHYLSULFATE 000077-78-1										
					IRIS					010112

IRIS, EPA'S INTEGRATED RISK INFORMATION SYSTEM, IS UPDATED MONTHLY. FURTHER INFORMATION: RISK INFORMATION HOTLINE: (513) 569-7254.

CHEMICAL	ROUTE	EXPERIMENT LENGTH / SPECIES	TARGET	CANCER	[EPA GROUP]	[SLOPE FACTOR] ORAL (mg/kg/day)$^{-1}$	[SLOPE FACTOR] INHALATION (mg/kg/day)$^{-1}$	[UNIT RISK] ORAL (ug/L)$^{-1}$	[UNIT RISK] INHALATION (ug/cu m)-1	REFERENCE
DINITROTOLUENE, 2,4- 000121-14-2										
					IRIS	IRIS		IRIS		005066
GENERAL COMMENT: LISTED AS "DINITROTOLUENE MIXTURE, 2,4-/2,6-" ON IRIS. ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).										
DINITROTOLUENE, 2,6- 000606-20-2										
					IRIS	IRIS		IRIS		005068
GENERAL COMMENT: LISTED AS "DINITROTOLUENE MIXTURE, 2,4-/2,6-" ON IRIS. ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).										
DIOXANE, 1,4- 000123-91-1										
					IRIS	IRIS		IRIS		010298
DIPHENYLHYDRAZINE, 1,2- 000122-66-7										
	ORAL: DIET	2 YEARS RAT	LIVER	TUMORS	IRIS	IRIS	8.0E-1	IRIS	IRIS	005070
INHALATION [SLOPE] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION. SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST.										
DIRECT BLACK 38 001937-37-7										
	ORAL: DIET	93 DAYS RAT	LIVER	TUMORS	A	8.6E+0		2.4E-4		010113
ORAL [SLOPE] COMMENT: UNDER REVIEW, NUMBER SUBJECT TO CHANGE.										
DIRECT BLUE 6 002602-46-2										
	ORAL: DIET	91 DAYS RAT	LIVER	TUMORS	A	8.1E+0		2.3E-4		010114
ORAL [SLOPE] COMMENT: UNDER REVIEW, NUMBER SUBJECT TO CHANGE.										

CHEMICAL	ROUTE	EXPERIMENT LENGTH / SPECIES	TARGET	CANCER	[EPA GROUP]	[SLOPE FACTOR] ORAL (mg/kg/day)$^{-1}$	[SLOPE FACTOR] INHALATION (mg/kg/day)$^{-1}$	[UNIT RISK] ORAL (ug/L)$^{-1}$	[UNIT RISK] INHALATION (ug/cu m)-1	REFERENCE
DIRECT BROWN 95		**016071-86-6**								
	ORAL: DIET	91 DAYS			A	9.3E+0		2.6E-4		010115
		RAT	LIVER	TUMORS						
	ORAL [SLOPE] COMMENT: UNDER REVIEW, NUMBER SUBJECT TO CHANGE.									
DIRECT SKY BLUE 6B		**002610-05-1**								
					B2					010116
	[EPA GROUP] COMMENT: BASED ON THE FACT THAT 3,3-DIMETHOXYBENZIDINE, A KNOWN EPA GROUP B2 CARCINOGEN, IS A METABOLITE OF DIRECT SKY BLUE 6B.									
EPICHLOROHYDRIN		**000106-89-8**								
					IRIS	IRIS		IRIS		010198
	INHALATION: INTERMITTENT	30 DAYS, OBSERVED LIFETIME			IRIS		4.2E-3		IRIS	010117
		RAT	NASAL CAVITY	TUMORS						
	INHALATION [SLOPE] COMMENT: SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST.									
	GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).									
ETHYL ACRYLATE		**000140-88-5**								
	ORAL: GAVAGE	104 WEEKS			B2	4.8E-2		1.4E-6		010118
		RAT	FORESTOMACH	TUMORS						
ETHYLENE OXIDE		**000075-21-8**								
	ORAL: GAVAGE	LIFETIME, TWICE WEEKLY			B1	1.02E+0		2.9E-5		010421
		RAT	STOMACH	TUMORS						
	ORAL [SLOPE] COMMENT: UNDER REVIEW, NUMBER SUBJECT TO CHANGE.									
	INHALATION: INTERMITTENT	2 YEARS			B1		3.5E-1		1E-4	010422
		RAT	BLOOD	LEUKEMIA						
			BRAIN	GLIOMA						
	INHALATION [UNIT RISK] COMMENT: UNDER REVIEW, NUMBER SUBJECT TO CHANGE.									

CHEMICAL	ROUTE	EXPERIMENT LENGTH / SPECIES	TARGET	CANCER	[EPA GROUP]	[SLOPE FACTOR] ORAL (mg/kg/day)$^{-1}$	[SLOPE FACTOR] INHALATION (mg/kg/day)$^{-1}$	[UNIT RISK] ORAL (ug/L)$^{-1}$	[UNIT RISK] INHALATION (ug/cu m)-1	REFERENCE
ETHYLENE THIOUREA		**000096-45-7**								
	ORAL: GAVAGE	2 YEARS MOUSE	LIVER	ADENOMA/ CARCINOMA, COMBINED	B2	1.1E-1		3.4E-6		010947
	GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)									
FOLPET		**000133-07-3**								
					IRIS	IRIS		IRIS		010120
	GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).									
FORMALDEHYDE		**000050-00-0**								
	INHALATION	24 MONTHS RAT	NASAL CAVITY	TUMORS	IRIS		4.5E-2		IRIS	010121
	INHALATION [SLOPE] COMMENT: SEE APPENDIX A-II: DOSE CONVERSIONS ON HEAST. GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).									
FURAZOLIDONE		**000067-45-8**								
	ORAL: DIET	45 WEEKS RAT	MAMMARY	TUMORS	B2	3.8E+0		1E-4		005106
	GENERAL COMMENT: FORMERLY LISTED UNDER NITROFURANS									
FURIUM		**000531-82-8**								
	ORAL: DIET	28 WEEKS MOUSE	BLOOD	LEUKEMIA	B2	5.0E+1		1.4E-3		005108
	GENERAL COMMENT: FORMERLY LISTED UNDER NITROFURANS									
GLYCIDALDEHYDE		**000765-34-4**								
					IRIS					010122
	GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).									

CHEMICAL	ROUTE	EXPERIMENT LENGTH / SPECIES	TARGET	CANCER	[EPA GROUP]	[SLOPE FACTOR] ORAL (mg/kg/day)$^{-1}$	[SLOPE FACTOR] INHALATION (mg/kg/day)$^{-1}$	[UNIT RISK] ORAL (ug/L)$^{-1}$	[UNIT RISK] INHALATION (ug/cu m)-1	REFERENCE
HEPTACHLOR		**000076-44-8**								
	ORAL: DIET				IRIS	IRIS	4.5E+0	IRIS	IRIS	005820
		MOUSE	LIVER	CARCINOMA						

INHALATION [SLOPE] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION. SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST.
GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).

HEPTACHLOR EPOXIDE		**001024-57-3**								
	ORAL: DIET	18-24 MONTHS			IRIS	IRIS	9.1E+0	IRIS	IRIS	010424
		MOUSE	LIVER	CARCINOMA						

INHALATION [SLOPE] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION. SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST.
GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).

HEXACHLOROBENZENE		**000118-74-1**								
	ORAL: DIET				IRIS	IRIS	1.6E+0	IRIS	IRIS	010365
		RAT	LIVER	TUMORS						

INHALATION [SLOPE] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION. SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST.
GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).

HEXACHLOROBUTADIENE		**000087-68-3**								
	ORAL: DIET	22-24 MONTHS			IRIS	IRIS	7.8E-2	IRIS	IRIS	005088
		RAT	KIDNEY	TUMORS						

INHALATION [SLOPE] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION. SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST.
GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).

HEXACHLOROCYCLOHEXANE, ALPHA-		**000319-84-6**								
	ORAL: DIET	24 WEEKS			IRIS	IRIS	6.3E+0	IRIS	IRIS	010123
		MOUSE	LIVER	TUMORS						

INHALATION [SLOPE] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION. SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST.

CHEMICAL	ROUTE	EXPERIMENT LENGTH / SPECIES	TARGET	CANCER	[EPA GROUP]	[SLOPE FACTOR] ORAL $(mg/kg/day)^{-1}$	[SLOPE FACTOR] INHALATION $(mg/kg/day)^{-1}$	[UNIT RISK] ORAL $(ug/L)^{-1}$	[UNIT RISK] INHALATION (ug/cu m)-1	REFERENCE
HEXACHLOROCYCLOHEXANE, BETA- 000319-85-7										
	ORAL: DIET	110 WEEKS MOUSE	LIVER	TUMORS	IRIS	IRIS	1.8E+0	IRIS	IRIS	010124
	INHALATION [SLOPE] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION. SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST.									
HEXACHLOROCYCLOHEXANE, DELTA- 000319-86-8										
					IRIS					010125
	GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).									
HEXACHLOROCYCLOHEXANE, EPSILON- 006108-10-7										
					IRIS					010126
	GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).									
HEXACHLOROCYCLOHEXANE, GAMMA- 000058-89-9										
	ORAL: DIET	110 WEEKS MOUSE	LIVER	TUMORS	B2-C	1.3E+0		3.7E-5		005098
	ORAL [SLOPE] COMMENT: UNDER REVIEW, NUMBER SUBJECT TO CHANGE.									
	GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).									
HEXACHLOROCYCLOHEXANE-TECHNICAL 000608-73-1										
	ORAL: DIET	6-20 MONTHS MOUSE	LIVER	TUMORS	IRIS	IRIS	1.8E+0	IRIS	IRIS	010127
	INHALATION [SLOPE] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION. SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST.									
HEXACHLOROETHANE 000067-72-1										
	ORAL: GAVAGE	78 WEEKS MOUSE	LIVER	CARCINOMA	IRIS	IRIS	1.4E-2	IRIS	IRIS	005090
	INHALATION [SLOPE] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION. SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST.									
	GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).									

CHEMICAL	ROUTE	EXPERIMENT LENGTH / SPECIES	TARGET	CANCER	[EPA GROUP]	[SLOPE FACTOR] ORAL (mg/kg/day)$^{-1}$	[SLOPE FACTOR] INHALATION (mg/kg/day)$^{-1}$	[UNIT RISK] ORAL (ug/L)$^{-1}$	[UNIT RISK] INHALATION (ug/cu m)-1	REFERENCE
HYDRAZINE		**000302-01-2**								
					IRIS	IRIS		IRIS		010129
	INHALATION: INTERMITTENT	1 YEAR RAT	NASAL CAVITY	TUMORS	IRIS		1.7E+1		IRIS	010128
	INHALATION [SLOPE] COMMENT: SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST.									
HYDRAZINE SULFATE		**010034-93-2**								
					IRIS	IRIS		IRIS		010131
	INHALATION: INTERMITTENT	1 YEAR RAT	NASAL CAVITY	TUMORS	IRIS		1.7E+1		IRIS	010130
	INHALATION [SLOPE] COMMENT: SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST.									
	GENERAL COMMENT: LISTED UNDER "HYDRAZINE" ON IRIS.									
INDENO[1,2,3-CD]PYRENE		**000193-39-5**								
					IRIS					010192
ISOPHORONE		**000078-59-1**								
					IRIS	IRIS		IRIS		005094
	GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).									
LEAD		**007439-92-1**								
					IRIS					005096
	GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).									
LINURON		**000330-55-2**								
					IRIS					010383
	GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).									

CHEMICAL	ROUTE	EXPERIMENT LENGTH / SPECIES	TARGET	CANCER	[EPA GROUP]	[SLOPE FACTOR] ORAL (mg/kg/day)$^{-1}$	[SLOPE FACTOR] INHALATION (mg/kg/day)$^{-1}$	[UNIT RISK] ORAL (ug/L)$^{-1}$	[UNIT RISK] INHALATION (ug/cu m)-1	REFERENCE
METHOXY-5-NITROANILINE, 2- 000099-59-2										
	ORAL: DIET	104 WEEKS RAT	SKIN	CARCINOMA	B2	4.6E-2		1.3E-6		010132
METHYL HYDRAZINE 000060-34-4										
GENERAL COMMENT: NO EPA GROUP CLASSIFICATION WAS PROVIDED IN THE REFERENCE DOCUMENT, THEREFORE THIS COMPOUND WAS REMOVED FROM TABLE 3.										
METHYL-5-NITROANILINE, 2- 000099-55-8										
	ORAL: DIET	98 WEEKS MOUSE	LIVER	CARCINOMA	C	3.3E-2		9.4E-7		010140
METHYLANILINE HYDROCHLORIDE, 2- 000636-21-5										
	ORAL: DIET	93 WEEKS RAT	SKIN	FIBROMA	B2	1.8E-1		5.1E-6		010134
METHYLANILINE, 2- 000095-53-4										
	ORAL: DIET	93 WEEKS RAT	SKIN	FIBROMA	B2	2.4E-1		6.9E-6		010133
GENERAL COMMENT: THE 1984 HEEP CALLED THIS COMPOUND O-TOLUIDINE, THE 1987 HEEP CALLED IT 2-METHYLANILINE.										
METHYLCHOLANTHRACENE, 3- 000056-49-5										010299
GENERAL COMMENT: FOR RCRA ACTIVITIES ONLY, CONTACT THE HEALTH ASSESSMENT SECTION (202) 260-4761 FOR RCRA APPROVED NUMERIC ASSESSMENT OF THIS COMPOUND.										
METHYLENE CHLORIDE / (DICHLOROMETHANE) 000075-09-2										
					IRIS	IRIS		IRIS		005100
					IRIS				IRIS	005904
GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)										

CHEMICAL	ROUTE	EXPERIMENT LENGTH / SPECIES	TARGET	CANCER	[EPA GROUP]	[SLOPE FACTOR] ORAL (mg/kg/day)$^{-1}$	[SLOPE FACTOR] INHALATION (mg/kg/day)$^{-1}$	[UNIT RISK] ORAL (ug/L)$^{-1}$	[UNIT RISK] INHALATION (ug/cu m)-1	REFERENCE
METHYLENE-BIS(BENZENEAMINE), 4,4- / (4,4'-METHYLENEDIANILINE) 000101-77-9										
GENERAL COMMENT: NO EPA GROUP CLASSIFICATION WAS PROVIDED IN THE REFERENCE DOCUMENT, THEREFORE THIS COMPOUND WAS REMOVED FROM TABLE 3.										
METHYLENE-BIS(2-CHLOROANILINE), 4,4'- 000101-14-4										
	ORAL: DIET	2 YEARS RAT	LUNG	TUMORS	B2	1.3E-1	1.3E-1	3.7E-6	3.7E-5	010425
INHALATION [SLOPE] COMMENT: SEE APPENDIX A-II: DOSE CONVERSIONS ON HEAST. BASED ON ROUTE TO ROUTE EXTRAPOLATION.										
METHYLENE-BIS(N,N'-DIMETHYL)ANILINE, 4,4'- 000101-61-1										
					IRIS	IRIS		IRIS		010137
GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).										
METOLACHLOR 051218-45-2										
					IRIS					010951
MIREX 002385-85-5										
	ORAL: DIET	2 YEARS RAT	LIVER	ADENOMA	B2					010952
			LIVER	CARCINOMA						
[EPA GROUP] COMMENT: UNDER REVIEW, CLASSIFICATION SUBJECT TO CHANGE.										
GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)										
NIAGARA BLUE 4B 002429-74-5										
					B2					010141
[EPA GROUP] COMMENT: BASED ON THE FACT THAT 3,3-DIMETHOXYBENZIDINE, A KNOWN EPA GROUP B2 CARCINOGEN, IS A METABOLITE OF NIAGARA BLUE 4B.										

CHEMICAL	ROUTE	EXPERIMENT LENGTH / SPECIES	TARGET	CANCER	[EPA GROUP]	[SLOPE FACTOR] ORAL (mg/kg/day)$^{-1}$	[SLOPE FACTOR] INHALATION (mg/kg/day)$^{-1}$	[UNIT RISK] ORAL (ug/L)$^{-1}$	[UNIT RISK] INHALATION (ug/cu m)-1	REFERENCE
NICKEL REFINERY DUST										
	INHALATION: OCCUPATIONAL	HUMAN	RESPIRATORY SYSTEM	TUMORS	IRIS		8.4E-1		IRIS	005103
	INHALATION [SLOPE] COMMENT: SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST.									
	GENERAL COMMENT: FORMERLY LISTED AS NICKEL. ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (UNDER NICKEL).									
NICKEL SUBSULFIDE 012035-72-2										
	INHALATION: OCCUPATIONAL	HUMAN	RESPIRATORY SYSTEM	TUMORS	IRIS		1.7E+0		IRIS	005768
	INHALATION [SLOPE] COMMENT: SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST.									
	GENERAL COMMENT: FORMERLY LISTED AS NICKEL. ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (UNDER NICKEL).									
NITROFURAZONE 000059-87-0										
	ORAL: DIET	46 WEEKS RAT	MAMMARY	TUMORS	B2	1.5E+0		4.3E-5		005110
NITROPROPANE, 2- 000079-46-9										
	INHALATION: INTERMITTENT	22 MONTHS RAT	LIVER	TUMORS	B2		9.4E+0		2.7E-3	010142
	INHALATION [SLOPE] COMMENT: SEE APPENDIX A-II: DOSE CONVERSIONS ON HEAST.									
NITROSO-DI-N-BUTYLAMINE, N- 000924-16-3										
	ORAL: DRINKING WATER	LIFETIME MOUSE	BLADDER	TUMORS	IRIS	IRIS	5.4E+0	IRIS	IRIS	010143
			ESOPHAGUS	TUMORS						
	INHALATION [SLOPE] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION. SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST.									

CHEMICAL	ROUTE	EXPERIMENT LENGTH / SPECIES	TARGET	CANCER	[EPA GROUP]	[SLOPE FACTOR] ORAL (mg/kg/day)$^{-1}$	[SLOPE FACTOR] INHALATION (mg/kg/day)$^{-1}$	[UNIT RISK] ORAL (ug/L)$^{-1}$	[UNIT RISK] INHALATION (ug/cu m)-1	REFERENCE
NITROSO-DI-N-PROPYLAMINE, N- 000621-64-7										
					IRIS	IRIS		IRIS		010147
NITROSO-N-ETHYLUREA, N- 000759-73-9										
	ORAL: DRINKING WATER	203 DAYS RAT	INTESTINE	GASTROINTESTINAL TUMORS	B2	1.4E+2				010426
	[EPA GROUP] COMMENT: UNDER REVIEW, CLASSIFICATION SUBJECT TO CHANGE.									
	GENERAL COMMENT: FOR RCRA ACTIVITIES ONLY, CONTACT THE HEALTH ASSESSMENT SECTION (202) 382-4761 FOR RCRA-APPROVED NUMERIC ASSESSMENT FOR THIS COMPOUND. UNDER REVIEW.									
NITROSO-N-METHYLUREA, N- 000684-93-5										
	ORAL: GAVAGE	308 DAYS GUINEA PIG	PANCREAS	ADENOCARCINOMA	B2					010427
	[EPA GROUP] COMMENT: UNDER REVIEW, CLASSIFICATION SUBJECT TO CHANGE.									
	GENERAL COMMENT: THE CRAVE WORK GROUP (04/01/92) STATES THERE IS NO ACCEPTABLE QUANTITATION FOR NITROSO-N-METHYLUREA, N-.									
NITROSODIETHANOLAMINE, N- 001116-54-7										
					IRIS	IRIS		IRIS		010144
NITROSODIETHYLAMINE, N- 000055-18-5										
	ORAL: DRINKING WATER	6 OR 12 MONTHS RAT	LIVER	TUMORS	IRIS	IRIS	1.5E+2	IRIS	IRIS	010145
	INHALATION [SLOPE] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION. SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST.									
NITROSODIMETHYLAMINE, N- 000062-75-9										
	ORAL: DRINKING WATER	RAT	LIVER	TUMORS	IRIS	IRIS	5.1E+1	IRIS	IRIS	010146
	INHALATION [SLOPE] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION. SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST.									

CHEMICAL	ROUTE	EXPERIMENT LENGTH / SPECIES	TARGET	CANCER	[EPA GROUP]	[SLOPE FACTOR] ORAL (mg/kg/day)$^{-1}$	[SLOPE FACTOR] INHALATION (mg/kg/day)$^{-1}$	[UNIT RISK] ORAL (ug/L)$^{-1}$	[UNIT RISK] INHALATION (ug/cu m)-1	REFERENCE
NITROSODIPHENYLAMINE, N- 000086-30-6										
					IRIS	IRIS		IRIS		005112
NITROSOMETHYLETHYLAMINE, N- 010595-95-6										
					IRIS	IRIS		IRIS		010148
NITROSOMETHYLVINYLAMINE, N 004549-40-0										
	INHALATION	RAT	UPPER RESPIRATORY TRACT	CARCINOMAS	B2					010149
	ORAL: DRINKING WATER		UPPER DIGESTIVE TRACT	CARCINOMAS						
NITROSOPYRROLIDINE, N- 000930-55-2										
	ORAL: DIET	LIFETIME RAT	LIVER	TUMORS	IRIS	IRIS	2.1E+0	IRIS	IRIS	010300
	INHALATION [SLOPE] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION. SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST.									
PARATHION 000056-38-2										
					IRIS					005116
	GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).									
PENTABROMO-6-CHLOROCYCLOHEXANE, 1,2,3,4,5- 000087-84-3										
	ORAL: DIET	2 YEARS RAT	INTESTINE, LARGE	TUMORS	C	2.3E-2		6.6E-7		010150
	ORAL [SLOPE] COMMENT: BASED ON RESULTS WITH THE ALPHA ISOMER.									

CHEMICAL	ROUTE	EXPERIMENT LENGTH / SPECIES	TARGET	CANCER	[EPA GROUP]	[SLOPE FACTOR] ORAL (mg/kg/day)$^{-1}$	[SLOPE FACTOR] INHALATION (mg/kg/day)$^{-1}$	[UNIT RISK] ORAL (ug/L)$^{-1}$	[UNIT RISK] INHALATION (ug/cu m)-1	REFERENCE
PENTACHLORONITROBENZENE 000082-68-8										
	ORAL	72 WEEKS			C	2.6E-1		7.4E-6		010151
		MOUSE	LIVER	TUMORS						
ORAL [SLOPE] COMMENT: UNDER REVIEW, NUMBER SUBJECT TO CHANGE.										
GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).										
PENTACHLOROPHENOL 000087-86-5										
					IRIS	IRIS		IRIS		010381
GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).										
PHENYLENEDIAMINE, O- 000095-54-5										
	ORAL: DIET	548 DAYS			B2	4.7E-2		1.3E-6		010152
		RAT	LIVER	TUMORS						
ORAL [SLOPE] COMMENT: BASED ON LIVER TUMORS IN RATS TREATED WITH O-PHENYLENEDIAMINE DIHYDROCHLORIDE.										
GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY.										
PHENYLPHENOL, 2- 000090-43-7										
	ORAL: DIET	637 DAYS			C	1.94E-3		5.5E-8		010153
		RAT	URINARY BLADDER	TUMORS						
POLYBROMINATED BIPHENYLS										
	ORAL: GAVAGE	25 WEEKS			B2	8.9E+0		2.5E-4		010154
		RAT	LIVER	CARCINOMA						
			LIVER	NEOPLASTIC NODULE						
GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY)										
POLYCHLORINATED BIPHENYLS 001336-36-3										
					IRIS	IRIS		IRIS		005118

CHEMICAL	ROUTE	EXPERIMENT LENGTH / SPECIES	TARGET	CANCER	[EPA GROUP]	[SLOPE FACTOR] ORAL (mg/kg/day)$^{-1}$	[SLOPE FACTOR] INHALATION (mg/kg/day)$^{-1}$	[UNIT RISK] ORAL (ug/L)$^{-1}$	[UNIT RISK] INHALATION (ug/cu m)-1	REFERENCE
PROPYLENE OXIDE		**000075-56-9**								
					IRIS	IRIS		IRIS		010156
	INHALATION: INTERMITTENT	2 YEARS MOUSE	NASAL CAVITY	TUMORS	IRIS		1.3E-2		IRIS	010155
	INHALATION [SLOPE] COMMENT: SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST.									
	GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).									
QUINOLINE		**000091-22-5**								
	ORAL: DIET	20-40 WEEKS RAT	LIVER	TUMORS	C	1.2E+1		3.5E-4		010158
RDX / (CYCLONITE)		**000121-82-4**								
					IRIS	IRIS		IRIS		010157
	GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).									
SELENIUM SULFIDE		**007446-34-6**								
					IRIS					010194
	ORAL [SLOPE] COMMENT: STUDY RESULTS WERE CONSIDERED INCONCLUSIVE FOR QUANTITATIVE RISK ASSESSMENT.									
SIMAZINE		**000122-34-9**								
	ORAL: DIET	2 YEARS RAT	MAMMARY	CARCINOMA	C	1.2E-1		3.4E-6		010195
	ORAL [SLOPE] COMMENT: UNDER REVIEW, NUMBER SUBJECT TO CHANGE.									
	GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).									
SODIUM DIETHYLDITHIOCARBAMATE		**000148-18-5**								
	ORAL: DIET	77 WEEKS MOUSE	LIVER	TUMORS	C	2.7E-1		7.7E-6		005126
	GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).									

CHEMICAL	ROUTE	EXPERIMENT LENGTH / SPECIES	TARGET	CANCER	[EPA GROUP]	[SLOPE FACTOR] ORAL (mg/kg/day)$^{-1}$	[SLOPE FACTOR] INHALATION (mg/kg/day)$^{-1}$	[UNIT RISK] ORAL (ug/L)$^{-1}$	[UNIT RISK] INHALATION (ug/cu m)-1	REFERENCE
STYRENE		**000100-42-5**								
										010480
	GENERAL COMMENT: CONTACT THE SUPERFUND HEALTH RISK TECHNICAL SUPPORT CENTER: (513) 569-7300. ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).									
TCDD, 2,3,7,8-		**001746-01-6**								
	ORAL: DIET	720 DAYS			B2	1.5E+5	1.5E+5	4.5E+0	3.3E-5 (PG/CU M)-1	005128
		RAT	RESPIRATORY SYSTEM	TUMORS						
			LIVER	TUMORS						
	ORAL [SLOPE] COMMENT: UNDER REVIEW, NUMBER SUBJECT TO CHANGE. INHALATION [SLOPE] COMMENT: SEE APPENDIX A-II: DOSE CONVERSIONS ON HEAST. INHALATION [UNIT RISK] COMMENT: UNDER REVIEW, NUMBER SUBJECT TO CHANGE. BASED ON ROUTE TO ROUTE EXTRAPOLATION. AN ABSORPTION FACTOR OF 75% IS USED TO CALCULATE THE UNIT RISK FROM THE SLOPE FACTOR.									
TETRACHLOROETHANE, 1,1,1,2-		**000630-20-6**								
	ORAL: GAVAGE	103 WEEKS			IRIS	IRIS	2.6E-2	IRIS	IRIS	010302
			LIVER	TUMOR						
	INHALATION [SLOPE] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION. SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST.									
TETRACHLOROETHANE, 1,1,2,2-		**000079-34-5**								
	ORAL: GAVAGE	75 WEEKS			IRIS	IRIS	2.0E-1	IRIS	IRIS	005130
		MOUSE	LIVER	CARCINOMA						
	INHALATION [SLOPE] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION. SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST.									
TETRACHLOROETHYLENE		**000127-18-4**								
										010482
	GENERAL COMMENT: CONTACT THE SUPERFUND HEALTH RISK TECHNICAL SUPPORT CENTER: (513) 569-7300. ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).									

CHEMICAL	ROUTE	EXPERIMENT LENGTH / SPECIES	TARGET	CANCER	[EPA GROUP]	[SLOPE FACTOR] ORAL (mg/kg/day)$^{-1}$	[SLOPE FACTOR] INHALATION (mg/kg/day)$^{-1}$	[UNIT RISK] ORAL (ug/L)$^{-1}$	[UNIT RISK] INHALATION (ug/cu m)-1	REFERENCE
TETRACHLOROTOLUENE, PARA, ALPHA, ALPHA, ALPHA- 005216-25-1										
	ORAL: GAVAGE	17.5 WEEKS MOUSE	LUNG	ADENOCARCINOMA	B2	2.0E+1		5.7E-4		005028
TETRACHLOROVINPHOS / (STIROFOS) 000961-11-5										
	ORAL: DIET	560 DAYS MOUSE	LIVER	TUMORS	C	2.4E-2		6.9E-7		010159
	[EPA GROUP] COMMENT: UNDER REVIEW, CLASSIFICATION SUBJECT TO CHANGE.									
	GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).									
TOLUENE-2,4-DIAMINE 000095-80-7										
	ORAL: DIET	84-103 WEEKS RAT	MAMMARY	TUMORS	B2	3.2E+0		9.1E-5		010160
TOLUIDINE, P- 000106-49-0										
	ORAL: DIET	18 MONTHS MOUSE	LIVER	TUMORS	C	1.9E-1		5.4E-6		010162
TOXAPHENE 008001-35-2										
	ORAL: DIET	18 MONTHS MOUSE	LIVER	TUMORS	IRIS	IRIS	1.1E+0	IRIS	IRIS	005134
	INHALATION [SLOPE] COMMENT: SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST.									
	INHALATION [UNIT RISK] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION.									
TRICHLOROANILINE HYDROCHLORIDE, 2,4,6- 033663-50-2										
	ORAL: DIET	18 MONTHS MOUSE	VASCULAR SYSTEM	TUMORS	C	2.9E-2		8.2E-7		005142
TRICHLOROANILINE, 2,4,6- 000634-93-5										
	ORAL: DIET	18 MONTHS MOUSE	VASCULAR SYSTEM	TUMORS	C	3.4E-2		1E-6		010487

CHEMICAL	ROUTE	EXPERIMENT LENGTH / SPECIES	TARGET	CANCER	[EPA GROUP]	[SLOPE FACTOR] ORAL (mg/kg/day)$^{-1}$	[SLOPE FACTOR] INHALATION (mg/kg/day)$^{-1}$	[UNIT RISK] ORAL (ug/L)$^{-1}$	[UNIT RISK] INHALATION (ug/cu m)-1	REFERENCE
TRICHLOROETHANE, 1,1,2- 000079-00-5										
	ORAL: GAVAGE	78 WEEKS MOUSE	LIVER	CARCINOMA	IRIS	IRIS	5.7E-2	IRIS	IRIS	005144
	INHALATION [SLOPE] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION. SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST.									
	GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).									
TRICHLOROETHYLENE 000079-01-6										
										010483
	GENERAL COMMENT: CONTACT THE SUPERFUND HEALTH RISK TECHNICAL SUPPORT CENTER: (513) 569-7300.									
TRICHLOROPHENOL, 2,4,6- 000088-06-2										
	ORAL: DIET	107 WEEKS MOUSE	BLOOD	LEUKEMIA	IRIS	IRIS	1E-2	IRIS	IRIS	010428
	INHALATION [SLOPE] COMMENT: BASED ON ROUTE TO ROUTE EXTRAPOLATION. SEE APPENDIX A-II, DOSE CONVERSIONS ON HEAST.									
	GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).									
TRICHLOROPROPANE, 1,2,3- 000096-18-4										
	ORAL: GAVAGE	RAT	MULTIPLE SITES	TUMORS, BENIGN/MALIGNANT, COMBINED	B2	7E+0		2E-4		010849
	[EPA GROUP] COMMENT: UNDER REVIEW, CLASSIFICATION SUBJECT TO CHANGE.									
	GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).									
TRIFLURALIN 001582-09-8										
					IRIS	IRIS		IRIS		010163
	GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).									
TRIMETHYL PHOSPHATE 000512-56-1										
	ORAL: GAVAGE	103 WEEKS MOUSE	UTERUS	TUMORS	B2	3.7E-2		1.1E-6		010164

CHEMICAL	ROUTE	EXPERIMENT LENGTH / SPECIES	TARGET	CANCER	[EPA GROUP]	[SLOPE FACTOR] ORAL (mg/kg/day)$^{-1}$	[SLOPE FACTOR] INHALATION (mg/kg/day)$^{-1}$	[UNIT RISK] ORAL (ug/L)$^{-1}$	[UNIT RISK] INHALATION (ug/cu m)-1	REFERENCE
TRINITROTOLUENE, 2,4,6- 000118-96-7										
					IRIS	IRIS		IRIS		010476
GENERAL COMMENT: ALSO SEE HEAST TABLE 1: SUBCHRONIC AND CHRONIC TOXICITY (OTHER THAN CARCINOGENICITY).										
VINYL CHLORIDE 000075-01-4										
	ORAL: DIET	1001 DAYS			A	1.9E+0		5.4E-5		010368
		RAT	LUNG	TUMORS						
			LIVER	TUMORS						
ORAL [SLOPE] COMMENT: UNDER REVIEW, NUMBER SUBJECT TO CHANGE.										
	INHALATION:	1 YEAR			A		3.0E-1		8.4E-5	010367
	INTERMITTENT	RAT	LIVER	TUMORS						

INHALATION [SLOPE] COMMENT: SEE APPENDIX A-II: DOSE CONVERSIONS ON HEAST.
INHALATION [UNIT RISK] COMMENT: UNDER REVIEW, NUMBER SUBJECT TO CHANGE.
GENERAL COMMENT: THE MOST RECENTLY REVIEWED QUANTITATIVE TOXICITY VALUES LISTED HERE APPEAR IN EPA DOCUMENTS PUBLISHED IN 1984 AND 1985. THE AGENCY IS AWARE THAT THESE VALUES DO NOT INCORPORATE CONSIDERABLE INFORMATION THAT IS NOW AVAILABLE. THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT'S POSITION IS THAT THESE TOXICITY VALUES DO NOT REFLECT STATE-OF-THE-ART SCIENCE FOR VINYL CHLORIDE. EPA NOW HAS INDIVIDUAL ANIMAL DATA, NOT AVAILABLE WHEN THE ORAL UNIT RISK WAS CALCULATED, THAT MAY INFLUENCE THIS VALUE. ADDITIONAL INFORMATION THAT MAY BE FACTORED INTO A REVISED QUANTITATIVE TOXICITY VALUE INCLUDES DATA ON INCREASED SENSITIVITY OBSERVED IN YOUNG ANIMALS AND DATA ON METABOLISM/PHARMACOKINETICS. A UNIT RISK FOR AIR THAT CONSIDERS INFORMATION ON YOUNG AGE EXPOSURE INCREASES THE RISK (I.E., LOWERS THE RISK SPECIFIC DOSE) BY AT LEAST 3-FOLD. THE CONSIDERATION OF METABOLISM PHARMACOKINETICS WILL FURTHER INCREASE THE RISK. ONE UNPUBLISHED PHYSIOLOGICALLY-BASED PHARMACOKINETIC MODEL PREDICTION RESULTS IN A 100-FOLD INCREASED RISK.

ACEPHATE 030560-19-1

010086 CHEVRON CHEMICAL COMPANY. 1982. MRID NO 00105197. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR ACEPHATE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

US EPA. 1988. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

ACROLEIN 000107-02-8

005001 US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR ACROLEIN. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON DC.

US EPA. 1992. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

ACRYLAMIDE 000079-06-1

010087 JOHNSON K, S GORZINSKI, KM BODNER, ET AL. 1986. CHRONIC TOXICITY AND ONCOGENICITY STUDY ON ACRYLAMIDE INCORPORATED IN THE DRINKING WATER OF FISCHER 344 RATS. DOW CHEMICAL, USA, MIDLAND, MI.

US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR ACRYLAMIDE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1988. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

ACRYLONITRILE 000107-13-1

005004 BIO/DYNAMICS, INC. 1980. A 24-MONTH ORAL TOXICITY/CARCINOGENICITY STUDY OF ACRYLONITRILE ADMINISTERED IN DRINKING WATER TO FISCHER 344 RATS. FINAL REPORT, VOL 1-4. PREPARED BY BIO/DYNAMICS, INC., DIVISION OF BIOLOGY AND SAFETY EVALUATION, EAST MILLSTONE, NJ, UNDER PROJECT NO 77-1744 (BDN-77-27) FOR MONSANTO COMPANY, ST LOUIS, MO.

BIO/DYNAMICS, INC. 1980. A 24-MONTH ORAL TOXICITY/CARCINOGENICITY STUDY OF ACRYLONITRILE ADMINISTERED TO SPARTAN RATS IN THE DRINKING WATER, FINAL REPORT, VOL 1 AND 2. PREPARED BY BIO/DYNAMICS, INC., DIVISION OF BIOLOGY AND SAFETY EVALUATION, EAST MILLSTONE, NJ, UNDER PROJECT NO 77-1745 FOR MONSANTO COMPANY, ST LOUIS, MO.

QUAST, JF, CE WADE, CG HUMISTON ET AL. 1980. A 2-YEAR TOXICITY AND ONCOGENICITY STUDY WITH ACRYLONITRILE INCORPORATED IN THE DRINKING WATER OF RATS. PREPARED BY THE TOXICOLOGY RESEARCH LABORATORY, HEALTH AND ENVIRONMENTAL RESEARCH, DOW CHEMICAL USA, MIDLAND, MI FOR THE CHEMICAL MANUFACTURERS ASSOCIATION, WASHINGTON, DC.

US EPA. 1983. HEALTH ASSESSMENT DOCUMENT FOR ACRYLONITRILE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, RESEARCH TRIANGLE PARK, NC.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR ACRYLONITRILE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1987. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

005003 O'BERG, M. 1980. EPIDEMIOLOGIC STUDY OF WORKERS EXPOSED TO ACRYLONITRILE. J OCCUP MED. 22: 245-252.

US EPA. 1983. HEALTH ASSESSMENT DOCUMENT FOR ACRYLONITRILE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, RESEARCH TRIANGLE PARK, NC.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR ACRYLONITRILE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON DC.

US EPA. 1987. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

ALACHLOR 015972-60-8

010180 STOUT, LD, ET AL. 1983. A CHRONIC STUDY OF ALACHLOR ADMINISTERED IN FEED TO LONG-EVANS RATS. EHL #800218, PROJECT NO. ML-80-186, REPORT MSL-3282/3284. VOL. I AND II. UNPUBLISHED STUDY RECEIVED FEB. 28, 1984 UNDER U.S. EPA REG. NO. 524-316, PREPARED BY MONSANTO ENVIRONMENTAL HEALTH LABORATORY (EHL), SUBMITTED BY MONSANTO CO., WASHINGTON, DC. CDL:252496-7.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR ALACHLOR. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1992. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR ALACHLOR. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1988. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

ALDRIN 000309-00-2

005006 EPSTEIN, SS. 1975. THE CARCINOGENICITY OF DIELDRIN, PART I. SCI TOTAL ENVIRON. 4: 1-52.

NCI (NATIONAL CANCER INSTITUTE). 1977. BIOASSAYS OF ALDRIN AND DIELDRIN FOR POSSIBLE CARCINOGENICITY. NCI CARCINOGENESIS TECH REP SER NO 21. NCI-C6-TR-66 DHEW PUBLICATION NO. (NIH) 78-821.

DAVIS, KJ, AND OG FITZHUGH. 1962. TUMORIGENIC POTENTIAL OF ALDRIN AND DIELDRIN FOR MICE. TOXICOL APPL PHARMACOL. 4: 187-189.

DAVIS, KJ. 1965. PATHOLOGY REPORT ON MICE FOR ALDRIN, DIELDRIN, HEPTACHLOR, OR HEPTACHLOR EPOXIDE FOR TWO YEARS. INT FOOD DRUG ADMIN.

US EPA. 1986. CARCINOGENICITY ASSESSMENT OF ALDRIN AND DIELDRIN. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, CARCINOGEN ASSESSMENT GROUP, WASHINGTON, DC.

US EPA. 1987. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

ALLYL CHLORIDE 000107-05-1

010181 US EPA. 1983. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR CHLOROPROPENES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1989. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

ANILINE 000062-53-3

010088 CIIT (CHEMICAL INDUSTRY INSTITUTE OF TOXICOLOGY). 1982. 104-WEEK CHRONIC TOXICITY STUDY IN RATS: ANILINE HYDROCHLORIDE. FINAL REPORT.

US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR ANILINE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1987. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

ARAMITE 000140-57-8

010206 OSER BL, AND M OSER. 1962. 2-(P-TERT-BUTYLPHENOXY)ISOPROPYL 2-CHLOROETHYL SULFITE (ARAMITE). II. CARCINOGENICITY. TOXICOL APPL PHARMACOL. 4: 70-88.

POPPER H, SS STEINBERG, BL OSER, AND M OSER. 1960. THE CARCINOGENIC EFFECT OF ARAMITE IN RATS. CANCER. 13(5): 1035-1046.

US EPA. 1989. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR ARAMITE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH, FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1991. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

ARSENIC, INORGANIC 007440-38-2

005007 BROWN, CC AND KC CHU. 1983. APPROACHES TO EPIDEMIOLOGIC ANALYSIS OF PROSPECTIVE AND RETROSPECTIVE STUDIES: EXAMPLE OF LUNG CANCER AND EXPOSURE TO ARSENIC. IN: RISK ASSESSMENT: PROC SIMS CONFERENCE ON ENVIRONMENTAL EPIDEMIOLOGY, JUNE 28-JULY 2, 1982, ALTA UT. SIAM PUBLICATION.

BROWN, CC AND KC CHU. 1983. IMPLICATIONS OF THE MULTISTAGE THEORY OF CARCINOGENESIS APPLIED TO OCCUPATIONAL ARSENIC EXPOSURE. J NAT CANCER INST. 70: 455-463.

LEE-FELDSTEIN, A. 1983. ARSENIC AND RESPIRATORY CANCER IN MAN: FOLLOW-UP OF AN OCCUPATIONAL STUDY. IN: ARSENIC: INDUSTRIAL, BIOMEDICAL, AND ENVIRONMENTAL PERSPECTIVES, W LEDERER AND R FENSTERHEIM, EDS, VAN NOSTRAND REINHOLD, NEW YORK.

BROWN, CC AND KC CHU. 1983. A NEW METHOD FOR THE ANALYSIS OF COHORT STUDIES: IMPLICATIONS OF THE MULTISTAGE THEORY OF CARCINOGENESIS APPLIED TO OCCUPATIONAL ARSENIC EXPOSURE. ENVIRON HEALTH PERSP. 50: 293-308.

HIGGINS, I. 1982. ARSENIC AND RESPIRATORY CANCER AMONG A SAMPLE OF ANACONDA SMELTER WORKERS. REPORT SUBMITTED TO THE OCCUPATIONAL SAFETY HEALTH ADMINISTRATION IN THE COMMENTS OF THE KENNECOTT MINERALS ON THE INORGANIC ARSENIC RULE MAKING, EXHIBIT 203-5.

ENTERLINE, PE AND GM MARSH. 1982. CANCER AMONG WORKERS EXPOSED TO ARSENIC AND OTHER SUBSTANCES IN A COPPER SMELTER. AM J EPIDEMIOL. 116: 895-911.

US EPA. 1984. HEALTH EFFECTS ASSESSMENT FOR ARSENIC. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON DC.

US EPA. 1980. HEALTH ASSESSMENT DOCUMENT FOR INORGANIC ARSENIC. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, RESEARCH TRIANGLE PARK, NC.

US EPA. 1988. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

010925 TSENG WP. 1977. EFFECTS AND DOSE RESPONSE RELATIONSHIPS OF SKIN CANCER AND BLACKFOOT DISEASE WITH ARSENIC. ENVIRON HEALTH PERSPECT. 19: 108-119.

US EPA. 1989. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

ASBESTOS 001332-21-4

005010 NTP (NATIONAL TOXICOLOGY PROGRAM). 1985. TOXICOLOGY AND CARCINOGENESIS STUDIES OF CHRYSOTILE ASBESTOS (CAS NO 1200-29-5) IN F344/N RATS (FEED STUDIES). TECHNICAL REPORT SERIES NO 295.

US EPA. 1988. DRINKING WATER CRITERIA DOCUMENT FOR ASBESTOS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF DRINKING WATER, WASHINGTON, DC.

US EPA. 1988. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

005919 US EPA. 1986. AIRBORNE ASBESTOS HEALTH ASSESSMENT UPDATE. PREPARED BY THE ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, RESEARCH TRIANGLE PARK, NC. EPA 600/8-84/003F.

US EPA. 1988. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

ATRAZINE 001912-24-9

010380 CIBA-GEIGY. 1986. TWO-YEAR FEEDING STUDY IN THE RAT. CONDUCTED BY AMERICAN BIOGENICS CORP. MRID NO 262714-262727. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR ATRAZINE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1990. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

AZOBENZENE 000103-33-3

010089 NCI (NATIONAL CANCER INSTITUTE). 1979. BIOASSAY OF AZOBENZENE FOR POSSIBLE CARCINOGENICITY. NCI CARCINOGENESIS TECHNICAL REPORT SERIES. NO. 154. US DHEW PUBL NO. (NIH) 79-1710. P 112.

US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR AZOBENZENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1988. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

BENZENE 000071-43-2

005011 WONG, O, RW MORGAN AND MD WHORTON. 1983. COMMENTS ON THE NIOSH STUDY OF LEUKEMIA IN BENZENE WORKERS. TECHNICAL REPORT SUBMITTED TO GULF CANADA, LTD, BY ENVIRONMENTAL HEALTH ASSOCIATES, AUGUST 31. CITED IN US EPA, 1985.

OTT, MG, JC TOWNSEND, WA FISHBECK AND RA LANGNER. 1978. MORTALITY AMONG WORKERS OCCUPATIONALLY EXPOSED TO BENZENE. ARCH ENVIRON HEALTH. 33: 3-10.

RINSKY, RA, RJ YOUNG AND AB SMITH. 1981. LEUKEMIA IN BENZENE WORKERS. AM J IND MED. 2: 217-245.

US EPA. 1987. MEMORANDUM FROM J. ORME HEB, CSD/ODW TO C. VOGT, JUNE, 1987. CRITERIA AND STANDARDS DIVISION, ODW.

US EPA. 1985. INTERIM QUANTITATIVE CANCER UNIT RISK ESTIMATES DUE TO INHALATION OF BENZENE. OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, CARCINOGEN ASSESSMENT GROUP, WASHINGTON, DC. OFFICE OF AIR QUALITY PLANNING AND STANDARDS, WASHINGTON, DC.

US EPA. 1987. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

BENZIDINE 000092-87-5

005014 ZAVON, MR, U HOEGG AND E BINGHAM. 1973. BENZIDINE EXPOSURE AS A CAUSE OF BLADDER TUMORS. ARCH ENVIRON HEALTH. 27: 1-73.

US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR BENZIDINE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1980. AMBIENT WATER QUALITY CRITERIA DOCUMENT FOR BENZIDINE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF WATER REGULATIONS AND STANDARDS, WASHINGTON, DC.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR BENZIDINE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1986. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

BENZOTRICHLORIDE 000098-07-7

010092 FUKUDA K, H METSUSHITA AND K TAKEMOTO. 1978. CARCINOGENICITY OF BENZOTRICHLORIDE BY THE ORAL ROUTE OF ADMINISTRATION (J-4774). IN: PROC 52ND ANN MEET JAPANESE INDUSTRIAL HEALTH ASSOC. TSCA 8E SUBMISSION DOCUMENT NO 88-8000360, FICHE #204867. P 516-517.

US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR BENZOTRICHLORIDE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1989. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

BENZO[A]ANTHRACENE 000056-55-3

010182 REFER TO IRIS.

US EPA. 1990. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

BENZO[A]PYRENE 000050-32-8

010508 NEAL J, RH RIGDON. 1967. GASTRIC TUMORS IN MICE FED BENZO[A]PYRENE. A QUANTITATIVE STUDY. TEX REP BIOL MED. 25: 553.

US EPA. 1991. DRINKING WATER CRITERIA DOCUMENT FOR POLYCYCLIC AROMATIC HYDROCARBONS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, FOR THE OFFICE OF WATER, WASHINGTON, DC.

US EPA. 1991. DRINKING WATER CRITERIA DOCUMENT FOR POLYCYCLIC AROMATIC HYDROCARBONS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF DRINKING WATER, WASHINGTON, DC.

BENZO[B]FLUORANTHENE 000205-99-2

010183 REFER TO IRIS.

US EPA. 1990. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

BENZO[K]FLUORANTHENE 000207-08-9

010090 REFER TO IRIS.

US EPA. 1990. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

BENZYL CHLORIDE 000100-44-7

010093 LIJINSKI W. 1986. CHRONIC BIOASSAY OF BENZYL CHLORIDE IN F344 RATS AND (C57BL/6J X BALB/C)F1 MICE. J NATL CANCER INST. 76: 1231-1236.

US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR BENZYL CHLORIDE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1989. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

BERYLLIUM 007440-41-7

005018 SCHROEDER, HA AND M MITCHNER. 1975. LIFE-TIME STUDIES IN RATS: EFFECTS OF ALUMINUM, BARIUM, BERYLLIUM AND TUNGSTEN. J NUTR. 105: 421-427.

US EPA. 1991. DRINKING WATER CRITERIA DOCUMENT FOR BERYLLIUM. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF DRINKING WATER, WASHINGTON, DC.

US EPA. 1989. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

005017 WAGONER, JK, PF INFANTE AND DL BAYLISS. 1980. BERYLLIUM: AN ETIOLOGIC AGENT IN THE INDUCTION OF LUNG CANCER, NONNEOPLASTIC RESPIRATORY DISEASE, AND HEART DISEASE AMONG INDUSTRIALLY EXPOSED WORKERS. ENVIRON RES. 21: 15-34.

US EPA. 1987. HEALTH ASSESSMENT DOCUMENT FOR BERYLLIUM. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, RESEARCH TRIANGLE PARK, NC.

US EPA. 1988. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

BIS(2-CHLOROETHYL) ETHER 000111-44-4

005076 INNES, JRM, BM ULLAND, MG VALERIO ET AL. 1969. BIOASSAY OF PESTICIDES AND INDUSTRIAL CHEMICALS FOR TUMORIGENICITY IN MICE: A PRELIMINARY NOTE. J NATL CANCER INST. 42: 1101-1114.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR BIS(2-CHLOROETHYL)ETHER. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1980. AMBIENT WATER QUALITY CRITERIA DOCUMENT FOR CHLOROALKYL ETHERS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF WATER REGULATIONS AND STANDARDS, WASHINGTON, DC.

US EPA. 1986. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

BIS(2-CHLOROISOPROPYL) ETHER 039638-32-9

005079 NTP (NATIONAL TOXICOLOGY PROGRAM). 1982. CARCINOGENIC BIOASSAY OF BIS(2-CHLORO-1-METHYLETHYL) ETHER (70%) CONTAINING 2-CHLORO-1-ETHYLETHYL-(2-CHLOROPROPYL) ETHER (30%) IN B6C3F1 MICE (GAVAGE STUDY). NCI CARCINOGEN TECH REP SER NO 239. 105 P. ALSO PUBL AS DHHS (NIH) 83-1795

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR HALOETHERS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

BIS(2-ETHYLHEXYL) PHTHALATE / (DEHP) 000117-81-7

005120 NTP (NATIONAL TOXICOLOGY PROGRAM). 1982. CARCINOGENESIS BIOASSAY OF DI(2-ETHYLHEXYL) PHTHALATE (CAS NO 117-81-7) IN F344 RATS AND B6C3F1 MICE (FEED STUDY). NTP TECH REPORT SER NO 217, NIH/PUB-82-1773. NTP-80-37, NTIS PB82-184011.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR PHTHALIC ACID ALKYL, ARYL AND ALKYL/ARYL ESTERS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR SELECTED PHTHALIC ACID ESTERS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1991. DRINKING WATER CRITERIA DOCUMENT FOR PHTHALIC ACID ESTERS. PREPARED BY THE ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, CINCINNATI, OH FOR THE OFFICE OF WATER, WASHINGTON, DC.

BIS(CHLOROMETHYL) ETHER 000542-88-1

005077 KUSCHNER, M, S LASKIN, RT DREW, ET AL. 1975. INHALATION CARCINOGENICITY OF ALPHA HALO ETHERS: III. LIFETIME AND LIMITED PERIOD INHALATION STUDIES WITH BIS(CHLOROMETHYL) ETHER AT 0.1 PPM. ARCH ENVIRON HEALTH. 30(2): 73-77.

US EPA. 1988. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

BROMODICHLOROMETHANE 000075-27-4

005148 NTP (NATIONAL TOXICOLOGY PROGRAM). 1987. NTP TECHNICAL REPORT ON THE TOXICOLOGY AND CARCINOGENESIS STUDIES OF BROMODICHLOROMETHANE (CAS NO 75-27-4) IN F344 RATS AND B6C3F1 MICE (GAVAGE STUDIES). NTP, RESEARCH TRIANGLE PARK, NC. NTP TR 321. US DEPT OF HEALTH AND HUMAN SERVICES, PUBLIC HEALTH SERVICE, NATIONAL INSTITUTE OF HEALTH.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR TRIHALOGENATED METHANES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH, FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC. ECAO-CIN-H083.

US EPA. 1992. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

BROMOETHENE / (VINYL BROMIDE) 000593-60-2

010094 BENYA TJ, WM BASEY, MA DORATO AND PE BERTEAU. 1982. INHALATION CARCINOGENICITY BIOASSAY OF VINYL BROMIDE IN RATS. TOXICOL APPL PHARMACOL. 64: 367-379.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR BROMOETHENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

BROMOFORM 000075-25-2

005150 NTP (NATIONAL TOXICOLOGY PROGRAM). 1988. TECHNICAL REPORT ON THE TOXICOLOGY AND CARCINOGENESIS STUDIES OF TRIHALOMETHANE (BROMOFORM) (CAS NO 75-25-2) IN F344 RATS AND B6C3F1 MICE (GAVAGE STUDIES). NTP-TR 350.

US EPA. 1989. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR BROMOFORM. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH, FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1989. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

BUTADIENE, 1,3- 000106-99-0

010477 NTP (NATIONAL TOXICOLOGY PROGRAM). 1984. TOXICOLOGY AND CARCINOGENESIS STUDIES OF 1,3-BUTADIENE (CAS 106-99-0) IN B6C3F1 MICE (INHALATION STUDIES).

US EPA. 1985. MUTAGENICITY AND CARCINOGENICITY ASSESSMENT OF 1,3-BUTADIENE. OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, WASHINGTON, DC. EPA 600/8-85-004F. NTIS-PB86-12507.

US EPA. 1989. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR 1,3-BUTADIENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1987. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

BUTYL BENZYL PHTHALATE, N- 000085-68-7

005122 NTP (NATIONAL TOXICOLOGY PROGRAM). 1982. CARCINOGENESIS BIOASSAY OF BUTYLBENZYL PHTHALATE (CAS. NO. 85-68-7) IN F344 RATS AND B6C3F1 MICE (FEED STUDY). NTP TECH REP. NTIS PB83-118398, RESEARCH TRIANGLE PARK, NC.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR SELECTED PHTHALIC ACID ESTERS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON DC.

US EPA. 1991. DRINKING WATER CRITERIA DOCUMENT FOR PHTHALIC ACID ESTERS (PAE)S. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF DRINKING WATER, WASHINGTON, DC.

US EPA. 1987. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

CADMIUM 007440-43-9

005019 THUN, MJ, TM SCHNORR, AB SMITH AND WE HALPERIN. 1985. MORTALITY AMONG A COHORT OF US CADMIUM PRODUCTION WORKERS: AN UPDATE. J NATL CANCER INST. 74(2): 325-333.

US EPA. 1985. UPDATED MUTAGENICITY AND CARCINOGENICITY ASSESSMENT OF CADMIUM: ADDENDUM TO THE HEALTH ASSESSMENT DOCUMENT FOR CADMIUM. (MAY 1981, EPA 600/8-81-023) EPA 600/8-83-025F.

US EPA. 1986. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

CAPTAFOL 002425-06-1

010095 US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR CAPTAFOL. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

CAPTAN 000133-06-2

010184 NCI (NATIONAL CANCER INSTITUTE). 1977. BIOASSAY OF CAPTAN FOR POSSIBLE CARCINOGENICITY. CAS NO. 133-06-2. NTIS PB-273475.

CHEVRON. 1982. UNPUBLISHED STUDY.

BIODYNAMICS. 1983. SUBMITTED CHEVRON CHEMICAL CORPORATION. UNPUBLISHED STUDY.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR CAPTAN. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1988. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

CARBAZOLE 000086-74-8

010096 TSUDA H, A HAZIWARA, M SHIBATA, M OHSIMA AND N ITO. 1982. CARCINOGENIC EFFECT OF CARBAZOLE IN THE LIVER OF (C57BL/6N X C3G/HEN)F1 MICE. J NATL CANCER INST. 69: 1383-1389.

US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR CARBAZOLE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

CARBON TETRACHLORIDE 000056-23-5

005022 DELLA PORTA, GB, B TERRACINI AND KP SHUBIK. 1961. INDUCTION WITH CARBON TETRACHLORIDE OF LIVER CELL CARCINOMAS IN HAMSTERS. J NATL CANCER INST. 26: 855-863.

EDWARDS, J, WE HESTON AND HA DALTON. 1942. INDUCTION OF THE CARBON TETRACHLORIDE HEPATOMA IN STRAIN L MICE. J NATL CANCER INST. 3: 297-301.

NCI (NATIONAL CANCER INSTITUTE). 1976. REPORT ON CARCINOGENESIS BIOASSAY OF CHLOROFORM. NTIS PB264-018. NCI-CG-TR-3.

US EPA. 1984. HEALTH ASSESSMENT DOCUMENT FOR CARBON TETRACHLORIDE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH.

US EPA. 1984. HEALTH EFFECTS ASSESSMENT FOR CARBON TETRACHLORIDE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1986. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

CHLORANIL 000118-75-2

010097 BRL (BIONETICS RESEARCH LABS, INC.). 1968. EVALUATION OF CARCINOGENIC, TERATOGENIC AND MUTAGENIC ACTIVITIES OF SELECTED PESTICIDES AND INDUSTRIAL CHEMICALS. VOLUME I: CARCINOGENIC STUDY. NTIS PB 223159.

US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR CHLORANIL. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

CHLORDANE 000057-74-9

005024 VELSICOL. 1973. EIGHTEEN MONTH ORAL CARCINOGENIC STUDY IN MICE, DECEMBER 14, 1973. MRID NO. 00067568. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

NCI (NATIONAL CANCER INSTITUTE). 1977. BIOASSAY OF CHLORDANE FOR POSSIBLE CARCINOGENICITY. NCI CARCINOGENESIS TECH REP SER NO 8. ALSO PUBL AS DHEW PUBL NO (NIH) 77-808.

US EPA. 1988. UPDATED HEALTH EFFECTS ASSESSMENT FOR CHLORDANE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1986. CARCINOGENICITY ASSESSMENT OF CHLORDANE AND HEPTACHLOR/HEPTACHLOR EPOXIDE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, CARCINOGEN ASSESSMENT GROUP, WASHINGTON, DC.

US EPA. 1987. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

CHLORO-2-METHYLANILINE HYDROCHLORIDE, 4- 003165-93-3

010419 WEISBURGER EK, AB RUSSFIELD, F HOMBURGER, ET AL. 1978. TESTING OF TWENTY-ONE ENVIRONMENTAL AROMATIC AMINES OR DERIVATIVES FOR LONG-TERM TOXICITY OR CARCINOGENICITY. J ENVIRON PATHOL TOXICOL. 2: 325-356.

US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR 4-CHLORO-2-METHYLANILINE AND 4-CHLORO-2-METHYLANILINE HYDROCHLORIDE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

CHLORO-2-METHYLANILINE, 4- 000095-69-2

010098 WEISBURGER EK, AB RUSSFIELD, F HOMBURGER, ET AL. 1978. TESTING OF TWENTY-ONE ENVIRONMENTAL AROMATIC AMINES OR DERIVATIVES FOR LONG-TERM TOXICITY OR CARCINOGENICITY. J ENVIRON PATHOL TOXICOL. 2: 325-356.

US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR 4-CHLORO-2-METHYLANILINE AND 4-CHLORO-2-METHYLANILINE HYDROCHLORIDE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

CHLOROBENZILATE 000510-15-6

010848 BRL (BIONETICS RESEARCH LABORATORIES). 1968. EVALUATION OF CARCINOGENIC, TERATOGENIC AND MUTAGENIC ACTIVITIES OF SELECTED AND INDUSTRIAL CHEMICALS. I. CARCINOGENIC STUDY. PREPARED FOR NATIONAL CANCER INSTITUTE, REPORT NO. NCI DCCP-C6 1973-1-1. NTIS PB-223-157. P. 17, 27-31, 35, 39, 56-57, 68.

US EPA. 1991. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR CHLOROBENZILATE. PREPARED BY THE OFFICE OF HEATH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

CHLOROFORM 000067-66-3

005036 JORGENSON, TA, EF MEIERHENRY, CJ RUSHBROOK ET AL. 1985. CARCINOGENICITY OF CHLOROFORM IN DRINKING WATER TO MALE OSBORNE-MENDEL RATS AND FEMALE B6C3F1 MICE. FUND APPL TOXICOL(USA). 5(4): 760-769.

US EPA. 1988. UPDATED HEALTH EFFECTS ASSESSMENT FOR CHLOROFORM. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1987. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

005035 NCI (NATIONAL CANCER INSTITUTE). 1976. REPORT ON CARCINOGENESIS BIOASSAY OF CHLOROFORM. NTIS PB264-018.

US EPA. 1988. UPDATED HEALTH EFFECTS ASSESSMENT FOR CHLOROFORM. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1985. HEALTH ASSESSMENT DOCUMENT FOR CHLOROFORM. PREPARED BY THE OFFICE OF HEALTH AND BENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, RESEARCH TRIANGLE PARK, NC.

US EPA. 1987. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

CHLOROMETHANE 000074-87-3

005038 CIIT (CHEMICAL INDUSTRY INSTITUTE OF TOXICOLOGY). 1981. FINAL REPORT ON 24-MONTH INHALATION STUDY ON METHYL CHLORIDE. PREPARED BY BATTELLE-COLUMBUS LABORATORIES, COLUMBUS, OH DECEMBER 31.

NIOSH (NATIONAL INSTITUTE FOR OCCUPATIONAL SAFETY AND HEALTH). 1984. CARCINOGENIC RISK ASSESSMENT FOR OCCUPATIONAL EXPOSURE TO MONOHALOMETHANES. NTIS PB85-111623.

US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR METHYL CHLORIDE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR CHLOROMETHANE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

CHLOROMETHYL METHYL ETHER 000107-30-2

005081 US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR HALOETHERS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1987. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

CHLORONITROBENZENE, O- 000088-73-3

010099 WEISBURGER EK, AB RUSSFIELD, F HOMBURGER, ET AL. 1978. TESTING OF TWENTY-ONE ENVIRONMENTAL AROMATIC AMINES OR DERIVATIVES FOR LONG-TERM TOXICITY OR CARCINOGENICITY. J ENVIRON PATHOL TOXICOL. 2: 325-356.

US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR CHLORONITROBENZENES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

CHLORONITROBENZENE, P- 000100-00-5

010100 WEISBURGER EK, AB RUSSFIELD, F HOMBURGER, ET AL. 1978. TESTING OF TWENTY-ONE ENVIRONMENTAL AROMATIC AMINES OR DERIVATIVES FOR LONG-TERM TOXICITY OR CARCINOGENICITY. J ENVIRON PATHOL TOXICOL. 2: 325-356.

US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR CHLORONITROBENZENES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

CHLOROTHALONIL 001897-45-6

010384 IRDC. 1985. TUMORIGENICITY STUDY IN RATS. CHLOROTHALONIL. 099-5TX-80-234-008.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR CHLOROTHALONIL. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

CHROMIUM(VI) 018540-29-9

005091 MANCUSO, TF. 1975. INTERNATIONAL CONFERENCE ON HEAVY METALS IN THE ENVIRONMENT, TORONTO, CANADA, OCT 27-31. CITED IN US EPA, 1984.

US EPA. 1984. HEALTH EFFECTS ASSESSMENT FOR HEXAVALENT CHROMIUM. ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1984. HEALTH ASSESSMENT DOCUMENT FOR CHROMIUM. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE US ENVIRONMENTAL PROTECTION AGENCY, RESEARCH TRIANGLE PARK, NC.

US EPA. 1986. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

CHRYSENE 000218-01-9

010185 REFER TO IRIS.

US EPA. 1990. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

COKE OVEN EMISSIONS 008007-45-2

005039 MAZUMDAR S, C REDMOND, W SOLLECITO AND N SUSSMAN. 1975. AN EPIDEMIOLOGICAL STUDY OF EXPOSURE TO COAL-TAR-PITCH VOLATILES AMONG COKE OVEN WORKERS. APCA J. 25(4): 382-389.

LAND, CE. 1976. PRESENTATION AT OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION HEARINGS ON COKE OVEN STANDARDS.

US EPA. 1984. CARCINOGEN ASSESSMENT OF COKE OVEN EMISSIONS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, CARCINOGEN ASSESSMENT GROUP, WASHINGTON, DC.

US EPA. 1989. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

CREOSOTE, COAL TAR 008001-58-9

005042 REFER TO IRIS.

US EPA. 1987. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

CRESOL, M- / (3-METHYLPHENOL) 000108-39-4

010187 US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR CRESOLS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1989. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

CRESOL, O- / (2-METHYLPHENOL) 000095-48-7

010186 US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR CRESOLS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1989. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

CRESOL, P- / (4-METHYLPHENOL) 000106-44-5

010188 US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR CRESOLS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1989. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

CROTONALDEHYDE 000123-73-9

010190 CHUNG, FL, T TAMAKA, SS HECHT. 1986. INDUCTION OF LIVER TUMORS IN F344 RATS BY CROTONALDEHYDE. CANCER RES. 46: 1285-1289.

US EPA. 1989. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR CROTONALDEHYDE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1991. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

CYANAZINE 021725-46-2

010944 BOGDANFFY MS. 1990. COMBINED CHRONIC TOXICITY/ONCOGENICITY STUDY WITH CYANAZINE (INR-1957) 2-YEAR FEEDING STUDY IN RATS. PREPARED BY E.I. DU PONT DE NEMOURS AND CO.

US EPA. 1993. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

DDD 000072-54-8

010291 TOMATIS, L, V TURUSOV, RT CHARLES AND M BOICCHI. 1974. EFFECT OF LONG-TERM EXPOSURE TO 1,1-DICHLORO-2,2-BIS(P-CHLOROPHENYL)ETHYLENE, TO 1,1-DICHLORO-2,2-BIS(P-CHLOROPHENYL)ETHANE, AND TO THE TWO CHEMICALS COMBINED ON CF-1 MICE. J NATL CANCER INST. 52(3): 883-891.

US EPA. 1987. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

DDE 000072-55-9

010292 TOMATIS, L, V TURUSOV, RT CHARLES AND M BOICCHI. 1974. EFFECT OF LONG-TERM EXPOSURE TO 1,1-DICHLORO-2,2-BIS(P-CHLOROPHENYL)ETHYLENE, TO 1,1-DICHLORO-2,2-BIS(P-CHLOROPHENYL)ETHANE, AND TO THE TWO CHEMICALS COMBINED ON CF-1 MICE. J NATL CANCER INST. 52(3): 883-891

NCI (NATIONAL CANCER INSTITUTE). 1978. BIOASSAY OF DDT, TDE AND P,P'-DDE FOR POSSIBLE CARCINOGENICITY. NCI REPORT NO 131. DHEW PUBL NO (NIH) 78-1386

ROSSI L, O BARBIERI, M SANGUINETI, JRP CABRAL, P BRUZZI AND L SANTI. 1983. CARCINOGENICITY STUDY WITH TECHNICAL-GRADE DDT AND DDE IN HAMSTERS. CANCER RES. 43: 776-781.

US EPA. 1987. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

DDT 000050-29-3

005044 US EPA. 1986. THE CARCINOGEN ASSESSMENT GROUP'S EVALUATION OF THE CARCINOGENICITY OF DICOFOL (KELTHANE), DDT, DDE, AND DDD (TDE). PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, CARCINOGEN ASSESSMENT GROUP, WASHINGTON, DC, FOR THE HAZARD EVALUATION DIVISION, OFFICE OF PESTICIDE PROGRAMS, OFFICE OF PESTICIDES AND TOXIC SUBSTANCES, WASHINGTON, DC.

US EPA. 1988. UPDATED HEALTH EFFECTS ASSESSMENT FOR DDT. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC. EPA 540/1-86-026.

US EPA. 1987. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

DECABROMODIPHENYL ETHER 001163-19-5

010102 US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR DECABROMODIPHENYL OXIDE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON,

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR BROMINATED DIPHENYL ETHERS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1989. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

DIALLATE 002303-16-4

010103 BRL (BIONETICS RESEARCH LABS, INC.). 1968. EVALUATION OF CARCINOGENIC, TERATOGENIC, AND MUTAGENIC ACTIVITIES OF SELECTED PESTICIDES AND INDUSTRIAL CHEMICALS, VOL 1, CARCINOGENIC STUDY. PREPARED FOR NATIONAL CANCER INSTITUTE, US DEPARTMENT OF COMMERCE, WASHINGTON, DC. NTIS PB-223159.

INNES, JRM, BM ULLAND, MG VALERIO, ET AL. 1969. BIOASSAY OF PESTICIDES AND INDUSTRIAL CHEMICALS FOR TUMORIGENICITY IN MICE: A PRELIMINARY NOTE. J NATL CANCER INST. 42: 1101-1114.

US EPA. 1983. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR DIALLATE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

DIBENZO[A,H]ANTHRACENE 000053-70-3

010191 REFER TO IRIS.

US EPA. 1990. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

DIBROMO-3-CHLOROPROPANE, 1,2 000096-12-8

010519 NTP (NATIONAL TOXICOLOGY PROGRAM). 1982. CARCINOGENESIS BIOASSAY OF 1,2-DIBROMO-3-CHLOROPROPANE (CAS NO 96-12-8) IN F344 RATS AND B6C3F1 MICE (INHALATION STUDY). NTP-TR-NO 81-21.

US EPA. 1989. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

010484 HAZELTON LABORATORIES, INC. 1977. 104 WEEK DIETARY STUDY IN RATS, 1,2-DIBROMO-3-CHLOROPROPANE (DBCP). FINAL REPORT. UNPUBLISHED REPORT SUBMITTED TO DOW CHEMICAL CO., MIDLAND, MI. OCTOBER 29, 1977.

US EPA. 1988. DRINKING WATER CRITERIA DOCUMENT FOR DIBROMOCHLOROPROPANE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF DRINKING WATER, WASHINGTON DC. ECAO-CIN-410.

US EPA. 1988. ASSESSMENT OF THE CARCINOGENIC POTENTIAL OF 1,2-DIBROMO-3-CHLOROPROPANE (DBCP). PREPARED BY THE CARCINOGEN ASSESSMENT GROUP. AVAILABLE THROUGH RCRA/SUPERFUND DOCKET.

DIBROMOCHLOROMETHANE 000124-48-1

010891 NTP (NATIONAL TOXICOLOGY PROGRAM). 1985. TOXICOLOGY AND CARCINOGENESIS STUDIES OF CHLORODIBROMOMETHANE (CAS NO 124-48-1) IN F/344/N RATS AND B6C3F1 MICE. NTP TECH REP SER NO 282, DHHS NO NIH 85-2538.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR TRIHALOGENATED METHANES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1989. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

DIBROMOETHANE, 1,2- 000106-93-4

005071 NTP (NATIONAL TOXICOLOGY PROGRAM). 1982. CARCINOGENESIS BIOASSAY OF 1,2-DIBROMOETHANE (ETHYLENE DIBROMIDE) (CAS NO 106-93-4) IN F344 RATS AND B6C3F1 MICE (INHALATION STUDY). NTP TECH REP SER NO 210, NIH PUBL NO 82-1766.

US EPA. 1987. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

005818 NCI (NATIONAL CANCER INSTITUTE). 1978. BIOASSAY OF 1,2-DIBROMOETHANE FOR POSSIBLE CARCINOGENICITY. NCI CARCINOGENESIS REPORT SERIES NO 86. PB-288-428.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR ETHYLENE DIBROMIDE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR 1,2-DIBROMOETHANE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH, FOR THE OFFICE OF SOLID WASTE, WASHINGTON, DC.

US EPA. 1987. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

DICHLORO-2-BUTENE, 1,4- 000764-41-0

005053 EI DUPONT DE NEMOURS AND CO. 1986. LONG-TERM INHALATION STUDY WITH 1,4-DICHLOROBUTENE-2 (DCB) IN RATS. FINAL REPORT OTS 8(E) FICHE 0509754.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR DICHLOROBUTENES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

DICHLOROBENZENE, 1,4- 000106-46-7

005050 NTP (NATIONAL TOXICOLOGY PROGRAM). 1986. TOXICOLOGY AND CARCINOGENESIS STUDIES OF 1,4-DICHLOROBENZENE IN F344/N RATS AND B6C3F1 MICE -- GALLEY DRAFT. US DHHS, PHS, NIH TECH REP SER NO 319.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR DICHLOROBENZENES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

DICHLOROBENZIDINE, 3,3'- 000091-94-1

005815 STULA, EF, H SHERMAN, JA ZAPP, ET AL. 1975. EXPERIMENTAL NEOPLASIA IN RATS FROM ORAL ADMINISTRATION OF 3,3'-DICHLOROBENZIDINE, 4,4'-METHYLENE-BIS(2-CHLOROANILINE) AND 4,4'-METHYLENE-BIS (2-METHYLANILINE). TOXICOL APPL PHARMACOL. 31: 159-175.

US EPA. 1988. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

DICHLOROETHANE, 1,1- 000075-34-3

005055 US EPA. 1984. HEALTH EFFECTS ASSESSMENT FOR 1,1-DICHLOROETHANE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1989. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

DICHLOROETHANE, 1,2- 000107-06-2

005058 NCI (NATIONAL CANCER INSTITUTE). 1978. BIOASSAY OF 1,2-DICHLOROETHANE FOR POSSIBLE CARCINOGENICITY. NCI CARCINOGENESIS TECH REP SER NO 55, DHEW PUBL NO (NIH) 78-1361.

US EPA. 1985. HEALTH ASSESSMENT DOCUMENT FOR 1,2-DICHLOROETHANE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, WASHINGTON, DC. EPA 600/8-84-006F.

US EPA. 1986. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

DICHLOROETHYLENE, 1,1- 000075-35-4

005060 NTP (NATIONAL TOXICOLOGY PROGRAM). 1982. CARCINOGENESIS BIOASSAY OF VINYLIDENE CHLORIDE (CAS NO 75-35-4) IN F344 RATS AND B6C3F1 MICE (GAVAGE STUDY). NTP TECH REP SER NO 228, DHHS NO NIH 82-1784.

US EPA. 1985. HEALTH ASSESSMENT DOCUMENT FOR VINYLIDENE CHLORIDE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, RESEARCH TRIANGLE PARK, NC.

US EPA. 1988. UPDATED HEALTH EFFECTS ASSESSMENT FOR 1,1-DICHLOROETHYLENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH, FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1987. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

005059 MALTONI, C, G LEFEMINE, P CHIECO ET AL. 1985. EXPERIMENTAL RESEARCH ON VINYLIDENE CHLORIDE CARCINOGENESIS. IN: ARCHIVES OF RESEARCH ON INDUSTRIAL CARCINOGENESIS, VOL 3, C. MALTONI AND M. MEHLMAN, ED, PRINCETON SCIENTIFIC PUBLISHERS, PRINCETON, NJ.

US EPA. 1985. HEALTH ASSESSMENT DOCUMENT FOR VINYLIDENE CHLORIDE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, RESEARCH TRIANGLE PARK, NC.

US EPA. 1987. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

DICHLOROPROPANE, 1,2- 000078-87-5

005062 NTP (NATIONAL TOXICOLOGY PROGRAM). 1986. NTP TECHNICAL REPORT ON THE CARCINOGENESIS STUDIES OF 1,2-DICHLOROPROPANE (PROPYLENE DICHLORIDE). (CAS NO. 78-87-5) IN F344/N RATS AND B6C3F1 MICE (GAVAGE STUDIES). NTP-82-092, NIH PUBL NO 84-2519, NTP TR 263. US DHHS, PHS, NIH. AUGUST, 1986 DRAFT.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR 1,2-DICHLOROPROPANE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH, FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

DICHLOROPROPENE, 1,3- / (TELONE II) 000542-75-6

010946 NTP (NATIONAL TOXICOLOGY PROGRAM). 1985. TOXICOLOGY AND CARCINOGENESIS STUDIES OF TELONE II IN F344/N RATS AND B6C3F1 MICE. US DEPT HEALTH AND HUMAN SERVICES, TECH REPORT SER NO 269.

US EPA. 1993. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

US EPA. 1993. REVISED AND UPDATED DRINKING WATER QUANTIFICATION OF TOXICOLOGIC EFFECTS FOR 1,3-DICHLOROPROPENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF WATER, WASHINGTON, DC.

010104 LOMAX LG, WT STOTT, KA JOHNSON, LL CALHOUN, BL YANO AND JF QUAST. 1989. THE CHRONIC TOXICITY AND ONCOGENICITY OF INHALED TECHNICAL GRADE 1,3-DICHLOROPROPENE IN RATS AND MICE. FUND APPL TOXICOL. 12: 418-431.

US EPA. 1989. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR 1,3-DICHLOROPROPENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1987. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

DIELDRIN 000060-57-1

005816 NCI (NATIONAL CANCER INSTITUTE). 1978. BIOASSAYS OF ALDRIN AND DIELDRIN FOR POSSIBLE CARCINOGENICITY. NATIONAL CANCER INSTITUTE CARCINOGEN TECH REP SER NO 22 NCI-CG-TR-22. ALSO PUBL AS DHEW PUBL NO (NIH) 78-882.

WALKER, AIT, E THORPE AND DE STEVENSON. 1972. THE TOXICOLOGY OF DIELDRIN (HEOD): I. LONG-TERM ORAL TOXICITY STUDIES IN MICE. FOOD COSMET TOXICOL. 11: 415-432.

MEIERHENREY, EF, BH REUBER, ME GERSHWIN ET AL. 1983. DIELDRIN INDUCED MALLORY BODIES IN HEPATIC TUMORS OF MICE OF DIFFERENT STRAINS. HEPATOLOGY. 3: 90-95.

TENNEKES, HA, AS WRIGHT, KM DIX AND JH KOEMAN. 1981. EFFECTS OF DIELDRIN, DIET AND BEDDING ON ENZYME FUNCTION AND TUMOR INCIDENCE IN LIVERS OF MALE CF-1 MICE. CANCER RES. 41: 3615-3620.

THORPE, E AND AIT WALKER. 1973. THE TOXICOLOGY OF DIELDRIN (HEOD). II. COMPARATIVE LONG-TERM ORAL TOXICITY STUDIES IN MICE WITH DIELDRIN, DDT, PHENOBARBITONE, BETA-BHC AND GAMMA-BHC. FOOD COSMET TOXICOL. 11: 433-442.

DAVIS, KJ. 1965. PATHOLOGY REPORT ON MICE FED ALDRIN, DIELDRIN, HEPTACHLOR OR HEPATOCHLOR EPOXIDE FOR TWO YEARS. INTERNAL FDA MEMORANDUM TO DR. AJ LEHMAN, JULY 19.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR DIELDRIN. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1987. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

DIETHYLSTILBESTROL 000056-53-1

010485 GASS, ET AL. 1964. CARCINOGENIC DOSE-RESPONSE CURVE TO ORAL DIETHYLSTILBESTEROL. J NATL CANCER INST. 33: 971-977.

US EPA. 1988. EVALUATION OF THE POTENTIAL CARCINOGENICITY OF DIETHYLSTILBESTEROL. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON DC.

DIMETHOXYBENZIDINE, 3,3'- 000119-90-4

010106 SELLAKUMAR AR, R MONTESANO AND A SAFFIOTI. 1969. AROMATIC AMINES CARCINOGENICITY IN HAMSTERS. PROC AM ASSOC CANCER RES. 10: 78.

OSHA/NIOSH (OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION/NATIONAL INSTITUTE FOR OCCUPATIONAL SAFETY AND HEALTH). 1980. HEALTH HAZARD, ALERT BENZIDINE, O-TOLIDINE AND O-DIANISIDINE BASED DYES. DHHS (NIOSH) PUBL NO. 81-106.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR 3,3'-DIMETHOXYBENZIDINE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

DIMETHYLANILINE HYDROCHLORIDE, 2,4- 021436-96-4

010108 WEISBURGER EK, AB RUSSFIELD, F HOMBURGER, ET AL. 1978. TESTING OF TWENTY-ONE ENVIRONMENTAL AROMATIC AMINES OR DERIVATIVES FOR LONG-TERM TOXICITY OR CARCINOGENICITY. J ENVIRON PATHOL TOXICOL. 2: 325-356.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR 2,4-DIMETHYLANILINE AND 2,4-DIMETHYLANILINE HYDROCHLORIDE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

DIMETHYLANILINE, 2,4- 000095-68-1

010107 WEISBURGER EK, AB RUSSFIELD, F HOMBURGER, ET AL. 1978. TESTING OF TWENTY-ONE ENVIRONMENTAL AROMATIC AMINES OR DERIVATIVES FOR LONG-TERM TOXICITY OR CARCINOGENICITY. J ENVIRON PATHOL TOXICOL. 2: 325-356.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR 2,4-DIMETHYLANILINE AND 2,4-DIMETHYLANILINE HYDROCHLORIDE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

DIMETHYLBENZIDINE, 3,3'- 000119-93-7

010109 GRISWOLD DP JR, AE CASEY, EK WEISBURGER AND JH WEISBURGER. 1968. THE CARCINOGENICITY OF MULTIPLE INTRA-GASTRIC DOSES OF AROMATIC AND HETEROCYCLIC NITRO OR AMINO DERIVATIVES IN YOUNG FEMALE SPRAGUE-DAWLEY RATS. CANCER RES. 28(5): 924-933.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR 3,3'-DIMETHYLBENZIDINE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

DIMETHYLBENZ[A]ANTHRACENE, 7,12- 000057-97-6

010297 FOR RCRA ACTIVITIES ONLY, CONTACT THE HEALTH ASSESSMENT SECTION (202) 260-4761 FOR RCRA APPROVED NUMERIC ASSESSMENT OF THIS COMPOUND.

DIMETHYLHYDRAZINE, 1,2- 000540-73-8

010479 TOTH B AND K PATEL. 1982. CARCINOGENICITY DOSE RESPONSE STUDY BY CONTINUOUS ADMINISTRATION OF 1,2-DIMETHYL HYDRAZINE DIHYDROCHLORIDE IN MICE. I. LIGHT AND TRANSMISSION ELECTRON MICROSCOPIC STUDY OF COLONIC NEOPLASMS. AM J PATH. 84: 69-86.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR 1,2-DIMETHYLHYDRAZINE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1989. EVALUATION OF THE POTENTIAL CARCINOGENICITY OF 1,2-DIMETHYLHYDRAZINE. PREPARED BY THE CARCINOGEN ASSESSMENT GROUP, OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE AND OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

DIMETHYLSULFATE 000077-78-1

010112 US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR DIMETHYL SULFATE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1987. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

DINITROTOLUENE, 2,4- 000121-14-2

005066 ELLIS, HV, SH HAGEUSEN, JR JODGSON ET AL. 1979. MAMMALIAN TOXICITY OF MUNITIONS COMPOUNDS. PHASE III. EFFECTS OF LIFETIME EXPOSURE. PART I. 2,4-DINITROTOLUENE. NTIS AD-A077692. 281 P.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR 2,4- AND 2,6-DINITROTOLUENES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1989. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

DINITROTOLUENE, 2,6- 000606-20-2

005068 ELLIS HV, SH HAGUESEN, JR JODGSON, ET AL. 1979. MAMMALIAN TOXICITY OF MUNITION COMPOUNDS. PHASE III. EFFECTS OF LIFETIME EXPOSURE. PART I. 2,4-DINITROTOLUENE. NTIS AD-A077692. 281 P.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR 2,4- AND 2,6-DINITROTOLUENES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1989. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

DIOXANE, 1,4- 000123-91-1

010298 NCI (NATIONAL CANCER INSTITUTE). 1978. BIOASSAY OF 1,4-DIOXANE FOR POSSIBLE CARCINOGENICITY. NCI CARCINOGENESIS TECH REP SER NO 80. DHEW PUBLICATION NO (NIH) PB-285-711.

US EPA. 1988. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

DIPHENYLHYDRAZINE, 1,2- 000122-66-7

005070 NCI (NATIONAL CANCER INSTITUTE). 1978. BIOASSAY OF HYDRAZOBENZENE FOR POSSIBLE CARCINOGENICITY. NCI CARCINOGENESIS TECH REP SER NO 92. DHEW PUBL NO (NIH) 78-1342.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR 1,2-DIPHENYLHYDRAZINE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1988. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR 1,2-DIPHENYLHYDRAZINE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1980. AMBIENT WATER QUALITY CRITERIA DOCUMENT FOR 1,2-DIPHENYLHYDRAZINE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF WATER REGULATIONS AND STANDARDS, WASHINGTON, DC.

US EPA. 1986. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

DIRECT BLACK 38 001937-37-7

010113 NCI (NATIONAL CANCER INSTITUTE). 1978. 13-WEEK SUBCHRONIC TOXICITY STUDIES ON DIRECT BLUE 6, DIRECT BLACK 38 AND DIRECT BROWN 95 DYES. NCI CARCINOGENESIS TECH REP SER NO. 108. P 127.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR DIRECT BLACK 38. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

DIRECT BLUE 6 002602-46-2

010114 NCI (NATIONAL CANCER INSTITUTE). 1978. 13-WEEK SUBCHRONIC TOXICITY STUDIES OF DIRECT BLUE 6, DIRECT BLACK 38, AND DIRECT BROWN 95 DYES. NCI CARCINOGENESIS. TECH REP SER NO. 108. P 127.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR DIRECT BLUE 6. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

DIRECT BROWN 95 016071-86-6

010115 NCI (NATIONAL CANCER INSTITUTE). 1978. 13-WEEK SUBCHRONIC TOXICITY STUDIES OF DIRECT BLUE 6, DIRECT BLACK 38, AND DIRECT BROWN 95 DYES. NCI CARCINOGENESIS. TECH REP SER NO. 108. P 127.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR DIRECT BROWN 95. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

METOLACHLOR 051218-45-2

010951 US EPA. 1993. REVISED AND UPDATED DRINKING WATER QUANTIFICATION OF TOXICOLOGIC EFFECTS FOR METOLACHLOR. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF WATER, WASHINGTON, DC.

MIREX 002385-85-5

010952 NTP (NATIONAL TOXICOLOGY PROGRAM). 1990. NTP TECHNICAL REPORT ON THE TOXICOLOGY AND CARCINOGENESIS STUDIES OF MIREX (CAS NO 2385-85-5) IN F344/N RATS. (FEED STUDIES). NTP TR 313. US DEPT OF HEALTH AND HUMAN SERVICES. PUBLIC HEALTH SERVICE. NATIONAL INSTITUTES OF HEALTH.

US EPA. 1993. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

NIAGARA BLUE 4B 002429-74-5

010141 US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR NIAGARA BLUE 4B. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

NICKEL REFINERY DUST

005103 CHOVIL, A, RB SUTHERLAND AND M HALLIDAY. 1981. RESPIRATORY CANCER IN A COHORT OF NICKEL SINTER PLANT WORKERS. BR J IND MED. 38: 327-333.

PETO, J, H CUCKLE, R DOOL, ET AL. 1984. RESPIRATORY CANCER MORTALITY OF WELSH NICKEL REFINERY WORKERS. IN: NICKEL IN THE HUMAN ENVIRONMENT: PROCEEDINGS OF A JOINT SYMPOSIUM, MARCH, 1983. IARC SCIENTIFIC PUBL NO 53, IARC, LYON, FRANCE. P. 36-46.

ENTERLINE, PE AND GM MARSH. 1982. MORTALITY AMONG WORKERS IN A NICKEL REFINERY AND ALLOY MANUFACTURING PLANT IN WEST VIRGINIA. J NAT CANCER INST. 68: 925-933.

MAGNUS, K, A ANDERSEN AND A HOGETVEIT. 1982. CANCER OF RESPIRATORY ORGANS AMONG WORKERS AT A NICKEL REFINERY IN NORWAY. INT J CANCER. 30: 681-685.

US EPA. 1985. HEALTH ASSESSMENT DOCUMENT FOR NICKEL. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, RESEARCH TRIANGLE PARK, NC.

US EPA. 1987. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

DIRECT SKY BLUE 6B 002610-05-1

010116 US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR DIRECT SKY BLUE 6B. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

EPICHLOROHYDRIN 000106-89-8

010117 LASKIN S, AR SELLAKUMAR, M KUSCHNER, ET AL. 1980. INHALATION CARCINOGENICITY OF EPICHLOROHYDRIN IN NON-INBRED SPRAGUE-DAWLEY RATS. J NATL CANCER INST. 65(4): 751-757.

US EPA. 1984. HEALTH ASSESSMENT DOCUMENT FOR EPICHLOROHYDRIN. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, RESEARCH TRIANGLE PARK, NC. EPA 600/8-83-032F. NTIS PB85-132363.

US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR EPICHLOROHYDRIN. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1986. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

010198 KONISHI, T, A KAWABATA, A DENDA, ET AL. 1980. FORESTOMACH TUMORS INDUCED BY ORALLY ADMINISTERED EPICHLOROHYDRIN IN MALE WISTAR RATS. GANN. 71: 922-923.

US EPA. 1984. HEALTH ASSESSMENT DOCUMENT FOR EPICHLOROHYDRIN. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, RESEARCH TRIANGLE PARK, NC. EPA 600/8-83-032F. NTIS PB85-132363.

US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR EPICHLOROHYDRIN. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1986. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

ETHYL ACRYLATE 000140-88-5

010118 NTP (NATIONAL TOXICOLOGY PROGRAM). 1986. CARCINOGENESIS STUDIES OF ETHYL ACRYLATE IN F344/N RATS AND B6C3F1 MICE (GAVAGE STUDIES).

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR ETHYL ACRYLATE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

ETHYLENE OXIDE 000075-21-8

010421 DUNKELBERG H. 1982. CARCINOGENICITY OF ETHYLENE OXIDE AND 1,2-PROPYLENE OXIDE UPON INTRA-GASTRIC ADMINISTRATION TO RATS. BR J CANCER. 46: 924-933.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR OXIRANE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

010422 SNELLINGS WM, CS WEIL AND RR MORONPOT. 1981. FINAL REPORT, ETHYLENE OXIDE, TWO YEAR INHALATION STUDY. SUBMITTED TO THE US ENVIRONMENTAL PROTECTION AGENCY BY BUSHEY RUN RESEARCH CENTER, PITTSBURGH PA.

US EPA. 1985. HEALTH ASSESSMENT DOCUMENT FOR ETHYLENE OXIDE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, RESEARCH TRIANGLE PARK, NC. EPA 600/8-84-009F. NTIS PB86-102597.

ETHYLENE THIOUREA 000096-45-7

010947 NTP (NATIONAL TOXICOLOGY PROGRAM). 1992. NTP TECHNICAL REPORT ON THE PERINATAL TOXICOLOGY AND CARCINOGENESIS STUDIES OF ETHYLENE THIOUREA (CAS NO 96-45-7) IN F344/N RATS AND B6C3F1 MICE. (FEED STUDIES). NTP TR 388. US DEPT OF HEALTH AND HUMAN SERVICES. PUBLIC HEALTH SERVICE. NATIONAL INSTITUTES OF HEALTH.

US EPA. 1993. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

FOLPET 000133-07-3

010120 CHEVRON CHEMICAL COMPANY. 1982. CHEVRON STUDY: LIFETIME ONCOGENICITY FEEDING STUDY OF PHOLTON TECHNICAL (SX-946, FOLPET) IN CD-1 (ICR DERIVED) MICE. AUGUST 24. SOCIAL STUDY NO. 1331.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR FOLPET. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1987. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

FORMALDEHYDE 000050-00-0

010121 KERNS ET AL., 1983. CARCINOGENICITY OF FORMALDEHYDE IN RATS AND MICE AFTER LONG-TERM INHALATION EXPOSURE. CANCER RES. 43(9): 4382-4392.

US EPA. 1988. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR FORMALDEHYDE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH. FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

FURAZOLIDONE 000067-45-8

005106 US DHEW. 1976. FUROZOLIDONE (NF-180): NOTICE OF OPPORTUNITY FOR HEARING ON PROPOSAL TO WITHDRAW APPROVAL OF CERTAIN NEW ANIMAL DRUG APPLICATIONS. FEDERAL REGISTER. 41: 19907-19921.

US DHEW. 1976. FUROZOLIDONE, NIHYDRAZONE, FURALTADONE, NITROFURAZONE. WITHDRAWAL OF PROPOSALS AND NOTICE OF PROPOSED RULE MAKING. FEDERAL REGISTER. 41: 34884-34921.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR NITROFURANS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

FURIUM 000531-82-8

005108 COHEN, SM, E ERTURK AND GT BRYAN. 1970. PRODUCTION OF LEUKEMIA AND STOMACH NEOPLASMS IN SWISS, RF, BALB/C AND C3H FEMALE MICE BY FEEDING N-(4,5-NITRO-2-FURYL-2-THIAZOLYL)ACETAMIDE. CANCER RES. 30(9): 2320-2325.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR SELECTED NITROFURANS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

GLYCIDALDEHYDE 000765-34-4

010122 US EPA. 1989. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR GLYCIDALDEHYDE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1991. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

HEPTACHLOR 000076-44-8

005820 DAVIS K. 1965. PATHOLOGY REPORT ON MICE FED ALDRIN, DIELDRIN, HEPTACHLOR, AND HEPTACHLOR EPOXIDE FOR TWO YEARS. INTERNAL FDA MEMORANDUM TO DR. AJ LEHMAN, JULY 19.

NCI (NATIONAL CANCER INSTITUTE). 1977. BIOASSAY OF HEPTACHLOR FOR POSSIBLE CARCINOGENICITY. NCI CARCINOGENESIS TECH REP SER NO 9, DHEW NO (NIH) 77-809.

EPSTEIN, SS. 1976. CARCINOGENICITY OF HEPTACHLOR AND CHLORDANE. SCI TOTAL ENVIRON. 6: 103-154.

REUBER, MD. 1977. HISTOPATHOLOGY OF CARCINOMAS OF THE LIVER IN MICE INGESTING HEPTACHLOR OR HEPTACHLOR EPOXIDE. EXP CELL BIOL. 45: 147-157.

US EPA. 1986. CARCINOGENICITY ASSESSMENT OF CHLORDANE AND HEPTACHLOR/HEPTACHLOR EPOXIDE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, CARCINOGEN ASSESSMENT GROUP, WASHINGTON, DC.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR HEPTACHLOR. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1987. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

HEPTACHLOR EPOXIDE 001024-57-3

010424 DAVIS KJ. 1965. PATHOLOGY REPORT ON MICE FED ALDRIN, DIELDRIN, HEPTACHLOR AND HEPTACHLOR EPOXIDE FOR TWO YEARS. INTERNAL FDA MEMORANDUM TO DR. A.J. LEHMAN. JULY 19.

VELSICOL CHEMICAL CORPORATION. 1973. MRID NO. 00062678. AVAILABLE FROM EPA. WRITE TO FOI, EPA, WASHINGTON, DC 20460.

US EPA. 1987. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

HEXACHLOROBENZENE 000118-74-1

010365 ERTURK E, RW LAMBRECHT, HA PETERS, DJ CRIPPS ET AL. 1986. ONCOGENICITY OF HEXACHLROBENZENE. IN: HEXACHLROBENZENE: PROC INT SYMP, CR MORRIS AND JRP CABRAL, ED. IARC SCIENTIFIC PUBL NO. 77, OXFORD UNIVERSITY PRESS, OXFORD. P 417-423.

US EPA. 1991. DRINKING WATER CRITERIA DOCUMENT FOR HEXACHLOROBENZENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF DRINKING WATER, WASHINGTON, DC.

US EPA. 1984. HEALTH EFFECTS ASSESSMENT FOR HEXACHLOROBENZENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1989. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

HEXACHLOROBUTADIENE 000087-68-3

005088 KOCIBA, RJ, DG KEYS, GC JERSEY, ET AL. 1977. RESULTS OF A2-YEAR CHRONIC TOXICITY STUDY WITH HEXACHLOROBUTADIENE IN RATS. AM IND HYG ASSOC J. 38: 589-602.

US EPA. 1980. AMBIENT WATER QUALITY CRITERIA DOCUMENT FOR HEXACHLOROBUTADIENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF WATER REGULATIONS AND STANDARDS, WASHINGTON, DC.

US EPA. 1984. HEALTH EFFECTS ASSESSMENT FOR HEXACHLOROBUTADIENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1986. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

HEXACHLOROCYCLOHEXANE, ALPHA- 000319-84-6

010123 ITO N, H NAGASAKI, M ARIA, ET AL. 1973. HISTOLOGICAL AND ULTRASTRUCTURAL STUDIES ON THE HEPATOCARCINOGENICITY OF BENZENE HEXACHLORIDE IN MICE. J NATL CANCER INST. 51: 817-826.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR HEXACHLOROCYCLOHEXANES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1986. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

HEXACHLOROCYCLOHEXANE, BETA 000319-85-7

010124 THORPE E AND AIT WALKER. 1973. TOXICOLOGY OF DIELDRIN (HEOD) II. COMPARATIVE LONG-TERM ORAL TOXICITY STUDIES IN MICE WITH DIELDRIN, DDT, PHENOBARBITONE, BETA-HCH AND GAMMA-HCH. FOOD COSMET TOXICOL. 11: 433-442.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR HEXACHLOROCYCLOHEXANES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1987. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

HEXACHLOROCYCLOHEXANE, DELTA- 000319-86-8

010125 ITO N, H NAGASAKI, H AOE, ET AL. 1975. BRIEF COMMUNICATION: DEVELOPMENT OF HEPATOCELLULAR CARCINOMAS IN RATS TREATED WITH BENZENEHEXACHLORIDE. J NATL CANCER INST. 54: 801-805.

ITO N, H NAGASAKI, M ARIA, ET AL. 1973. HISTOLOGICAL AND ULTRASTRUCTURAL STUDIES ON THE HEPATOCARCINOGENICITY OF BENZENE HEXACHLORIDE IN MICE. J NATL CANCER INST. 51: 817-826.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR HEXACHLOROCYCLOHEXANES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1986. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

HEXACHLOROCYCLOHEXANE, EPSILON- 006108-10-7

010126 GOTO M, M HATTORI, T MIYAGAWA AND M ENOMOTO. 1972. ECOLOGICAL CHEMISTRY. II. HEPATOMA FORMATION IN MICE AFTER ADMINISTRATION OF HIGH DOSES OF HEXACHLOROCYCLOHEXANE ISOMERS. CHEMOSPHERE. 1: 279-282.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR HEXACHLOROCYCLOHEXANES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1986. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

HEXACHLOROCYCLOHEXANE, GAMMA- 000058-89-9

005098 THORPE, E AND AIT WALKER. 1973. THE TOXICOLOGY OF DIELDRIN (HEOD). II. COMPARATIVE LONG-TERM ORAL TOXICITY STUDIES IN MICE WITH DIELDRIN, DDT, PHENOBARBITONE, BETA-BHC AND GAMMA-BHC. FOOD COSMET TOXICOL. 11: 433-442.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR HEXACHLOROCYCLOHEXANES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON DC.

US EPA. 1984. HEALTH EFFECTS ASSESSMENT FOR LINDANE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH, FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

HEXACHLOROCYCLOHEXANE-TECHNICAL 000608-73-1

010127 MUNIR KM, CS SOMAN AND V SUMATI. 1983. HEXACHLOROCYCLOHEXANE-INDUCED TUMORIGENICITY IN MICE UNDER DIFFERENT EXPERIMENTAL CONDITIONS. TUMORIGENICITY. 69: 383-386.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR HEXACHLOROCYCLOHEXANES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1986. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

HEXACHLOROETHANE 000067-72-1

005090 NCI (NATIONAL CANCER INSTITUTE). 1978. BIOASSAY OF HEXACHLOROETHANE FOR POSSIBLE CARCINOGENICITY. NCI CARCINOGENESIS TECH REP SER NO 68, DHEW NO (NIH) 78-1318.

US EPA. 1989. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR HEXACHLOROETHANE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1980. AMBIENT WATER QUALITY CRITERIA DOCUMENT FOR CHLORINATED ETHANES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF WATER REGULATIONS AND STANDARDS, WASHINGTON, DC.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR HEXACHLOROETHANE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1986. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

HYDRAZINE 000302-01-2

010129 BIANCIFIORI C. 1970. HEPATOMAS IN CBA/CB/SE MICE AND LIVER LESIONS IN GOLDEN HAMSTERS INDUCED BY HYDRAZINE SULFATE. J NATL CANCER INST. 44: 943.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR HYDRAZINE AND HYDRAZINE SULFATE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE. WASHINGTON, DC.

US EPA. 1987. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

010128 MACEWEN JD, EH VERNOT, CC HAUN, ER KINKEAD AND A HALL, III. 1981. CHRONIC INHALATION TOXICITY OF HYDRAZINE: ONCOGENIC EFFECTS. AIR FORCE AEROSPACE MEDICAL RESEARCH LABORATORY, WRIGHT-PATTERSON AIR FORCE BASE, OH.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR HYDRAZINE AND HYDRAZINE SULFATE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1987. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

HYDRAZINE SULFATE 010034-93-2

010131 BIANCIFIORI C. 1970. HEPATOMAS IN CBA/CB/SE MICE AND LIVER LESIONS IN GOLDEN HAMSTERS INDUCED BY HYDRAZINE SULFATE. J NATL CANCER INST. 44: 943.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR HYDRAZINE AND HYDRAZINE SULFATE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1987. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

010130 MACEWEN JD, EH VERNOT, CC HAUN, ER KINKEAD AND A HALL, III. 1981. CHRONIC INHALATION TOXICITY OF HYDRAZINE: ONCOGENIC EFFECTS. AIR FORCE AEROSPACE MEDICAL RESEARCH LABORATORY, WRIGHT-PATTERSON AIR FORCE BASE, OH.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR HYDRAZINE AND HYDRAZINE SULFATE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1987. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

INDENO[1,2,3-CD]PYRENE 000193-39-5

010192 REFER TO IRIS.

US EPA. 1990. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

ISOPHORONE 000078-59-1

005094 NTP (NATIONAL TOXICOLOGY PROGRAM). 1986. TOXICOLOGY AND CARCINOGENESIS STUDIES OF ISOPHORONE (CAS NO 78-59-1) IN F344/N RATS AND B6C3F1 MICE (GAVAGE STUDIES). NTP TECH REP SER NO 291, DHHS (NIH)86-2547.

US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR ISOPHORONE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR ISOPHORONE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1992. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

LEAD 007439-92-1

005096 US EPA. 1989. EVALUATION OF THE POTENTIAL CARCINOGENICITY OF LEAD AND LEAD COMPOUNDS. PREPARED BY THE CARCINOGEN ASSESSMENT GROUP, OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, WASHINGTON DC FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON DC.

US EPA. 1984. HEALTH EFFECTS ASSESSMENT FOR LEAD. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1988. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

LINURON 000330-55-2

010383 REFER TO IRIS.

US EPA. 1989. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

METHOXY-5-NITROANILINE, 2- 000099-59-2

010132 NCI (NATIONAL CANCER INSTITUTE). 1978. BIOASSAY OF 5-NITRO-O-ANISIDINE FOR POSSIBLE CARCINOGENICITY. NCI CARCINOGENESIS TECH REP SER NO. 127. 123 P.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR 2-METHOXY-5-NITROANILINE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

METHYL-5-NITROANILINE, 2- 000099-55-8

010140 NCI (NATIONAL CANCER INSTITUTE). 1978. BIOASSAY OF 5-NITRO-O-TOLUIDINE FOR POSSIBLE CARCINOGENICITY. NCI CARCINOGEN TECH REP SER NO. 107. 102 P.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR 2-METHYL-5-NITROANILINE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

METHYLANILINE HYDROCHLORIDE, 2- 000636-21-5

010134 HECHT SS, A EL-BOYOUMY, A RIVENSON AND E FIALA. 1982. COMPARATIVE CARCINOGENICITY OF O-TOLUIDINE HYDROCHLORIDE AND O-NITROSOTOLUENE IN F-344 RATS. CANCER LETT. 16(1): 103-108.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR 2-METHYLANILINE AND 2-METHYLANILINE HYDROCHLORIDE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

METHYLANILINE, 2- 000095-53-4

010133 HECHT SS, A EL-BOYOUMY, A RIVENSON AND E FIALA. 1982. COMPARATIVE CARCINOGENICITY OF O-TOLUIDINE HYDROCHLORIDE AND O-NITROTOLUENE IN F-344 RATS. CANCER LETT. 16(1): 103-108.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR 2-METHYLANILINE AND 2-METHYLANILINE HYDROCHLORIDE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR TOLUIDINES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

METHYLCHOLANTHRACENE, 3- 000056-49-5

010299 FOR RCRA ACTIVITIES ONLY, CONTACT THE HEALTH ASSESSMENT SECTION (202) 260-4761 FOR RCRA APPROVED NUMERIC ASSESSMENT OF THIS COMPOUND.

METHYLENE CHLORIDE / (DICHLOROMETHANE) 000075-09-2

005100 NCA (NATIONAL COFFEE ASSOCIATION). 1983. TWENTY-FOUR MONTH ONCOGENICITY STUDY OF METHYLENE CHLORIDE IN MICE. PREPARED BY HAZELTON LABORATORIES, AMERICA INC, VIENNA, VA.

NTP (NATIONAL TOXICOLOGY PROGRAM). 1986. TOXICOLOGY AND CARCINOGENESIS STUDIES OF DICHLOROMETHANE (METHYLENE CHLORIDE) (CAS NO 75-09-2) IN F344/N RATS AND B6C3F1 MICE (INHALATION STUDIES). NTP TECH REP SER NO 306, DHHS (NIH) 86-2562.

US EPA. 1985. ADDENDUM TO THE HEALTH ASSESSMENT DOCUMENT FOR DICHLOROMETHANE (METHYLENE CHLORIDE). UPDATED CARCINOGENICITY ASSESSMENT OF DICHLOROMETHANE (METHYLENE CHLORIDE). OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, CARCINOGEN ASSESSMENT GROUP, WASHINGTON, DC.

US EPA. 1989. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

005904 NTP (NATIONAL TOXICOLOGY PROGRAM). 1986. TOXICOLOGY AND CARCINOGENESIS STUDIES OF DICHLOROMETHANE (METHYLENE CHLORIDE) (CAS NO 75-09-2) IN F344/N RATS AND B6C3F1 MICE (INHALATION STUDIES). NTP TECH REP SER NO 306, DHHS (NIH) 86-2562.

US EPA. 1989. UPDATED HEALTH EFFECTS ASSESSMENT FOR METHYLENE CHLORIDE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1989. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

METHYLENE-BIS(2-CHLOROANILINE), 4,4'- 000101-14-4

010425 KOMMINENI C, DH GROTH, IJ FROCKT, RW VOELKER AND RP STANOVICK. 1979. DETERMINATION OF THE TUMORIGENIC POTENTIAL OF METHYLENE-BIS-ORTHO-CHLOROANILINE. J ENVIRON PATH TOXICOL. 2(5): 149-171.

STULA EF, H SHERMAN, JP ZAPP, JR AND JW CLAYTON. 1975. EXPERIMENTAL NEOPLASIA IN RAT FROM ORAL ADMINISTRATION OF 3,3-DICHLOROBENZIDINE, 4,4-METHYLENE-BIS(2-CHLOROANILINE) AND 4,4-METHYLENE-BIS(2-METHYLANILINE). TOXICOL APPL PHARMACOL. 31(1): 159-176.

US EPA. 1990. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR 4,4-METHYLENE-BIS(2-CHLOROANILINE). PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

METHYLENE-BIS(N,N'-DIMETHYL)ANILINE, 4,4'- 000101-61-1

010137 NCI (NATIONAL CANCER INSTITUTE). 1979. BIOASSAY OF 4,4'-METHYLENE-BIS(N,N'-DIMETHYL)BENZENAMINE FOR POSSIBLE CARCINOGENICITY. NCI CARCINOGEN. TECH REP SER NO. 186. CAS 101-61-1.

US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR 4,4'-METHYLENE-BIS(N,N'-DIMETHYL)ANILINE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1989. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

METOLACHLOR 051218-45-2

010951 US EPA. 1993. REVISED AND UPDATED DRINKING WATER QUANTIFICATION OF TOXICOLOGIC EFFECTS FOR METOLACHLOR. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF WATER, WASHINGTON, DC.

MIREX 002385-85-5

010952 NTP (NATIONAL TOXICOLOGY PROGRAM). 1990. NTP TECHNICAL REPORT ON THE TOXICOLOGY AND CARCINOGENESIS STUDIES OF MIREX (CAS NO 2385-85-5) IN F344/N RATS. (FEED STUDIES). NTP TR 313. US DEPT OF HEALTH AND HUMAN SERVICES. PUBLIC HEALTH SERVICE. NATIONAL INSTITUTES OF HEALTH.

US EPA. 1993. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

NIAGARA BLUE 4B 002429-74-5

010141 US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR NIAGARA BLUE 4B. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

NICKEL REFINERY DUST

005103 CHOVIL, A, RB SUTHERLAND AND M HALLIDAY. 1981. RESPIRATORY CANCER IN A COHORT OF NICKEL SINTER PLANT WORKERS. BR J IND MED. 38: 327-333.

PETO, J, H CUCKLE, R DOOL, ET AL. 1984. RESPIRATORY CANCER MORTALITY OF WELSH NICKEL REFINERY WORKERS. IN: NICKEL IN THE HUMAN ENVIRONMENT: PROCEEDINGS OF A JOINT SYMPOSIUM, MARCH, 1983. IARC SCIENTIFIC PUBL NO 53, IARC, LYON, FRANCE. P. 36-46.

ENTERLINE, PE AND GM MARSH. 1982. MORTALITY AMONG WORKERS IN A NICKEL REFINERY AND ALLOY MANUFACTURING PLANT IN WEST VIRGINIA. J NAT CANCER INST. 68: 925-933.

MAGNUS, K, A ANDERSEN AND A HOGETVEIT. 1982. CANCER OF RESPIRATORY ORGANS AMONG WORKERS AT A NICKEL REFINERY IN NORWAY. INT J CANCER. 30: 681-685.

US EPA. 1985. HEALTH ASSESSMENT DOCUMENT FOR NICKEL. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, RESEARCH TRIANGLE PARK, NC.

US EPA. 1987. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

NITROSODIETHYLAMINE, N- 000055-18-5

010145 PETO R, R GRAY, P BRANTOM AND P GRASSO. 1984. NITROSAMINE CARCINOGENESIS IN 5120 RODENTS: CHRONIC ADMINISTRATION OF 16 DIFFERENT CONCENTRATIONS OF NDEA, NDMA, NPYR AND NPIP IN THE WATER OF 4440 INBRED RATS, WITH PARALLEL STUDIES ON NDEA ALONE OF THE EFFECT OF AGE OF STARTING (3, 6 OR 20 WEEKS) AND OF SPECIES (RATS, MICE OR HAMSTERS). IARC SCI PUBL. 57: 627-665.

US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR NITROSAMINES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1986. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

NITROSODIMETHYLAMINE, N- 000062-75-9

010146 PETO R, R GRAY, P BRANTOM AND P GRASSO. 1984. NITROSAMINE CARCINOGENESIS IN 5120 RODENTS: CHRONIC ADMINISTRATION OF 16 DIFFERENT CONCENTRATIONS OF NDEA, NDMA, NPYR AND NPIP IN THE WATER OF 4440 INBRED RATS, WITH PARALLEL STUDIES ON NDEA ALONE OF THE EFFECT OF AGE OF STARTING (3, 6 OR 20 WEEKS) AND OF SPECIES (RATS, MICE OR HAMSTERS). IARC SCI PUBL. 57: 627-665.

US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR NITROSAMINES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1986. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

NITROSODIPHENYLAMINE, N- 000086-30-6

005112 NCI (NATIONAL CANCER INSTITUTE). 1979. BIOASSAY OF N-NITROSODIPHENYLAMINE (CAS NO 86-30-6) FOR POSSIBLE CARCINOGENICITY. NCI CARCINOGENESIS TECH REP SER NO 164, NIH 79-1720. NTIS PB 298-275.

US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR NITROSAMINES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR N-NITROSODIPHENYLAMINE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1987. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

NITROSOMETHYLETHYLAMINE, N- 010595-95-6

010148 DRUCKREY H. 1967. QUANTITATIVE ASPECTS IN CHEMICAL CARCINOGENS. IN: POTENTIAL CARCINOGENIC HAZARDS FROM DRUGS. UICC MONOGRAPH, SERIES 7. SPRINGER-VERLAG, BERLIN. P 60-78.

DRUCKREY H, R PURESSMAN, S IVANKOVIC AND D SCHMAHL. 1967. ORGANOTROPIC CARCINOGENIC EFFECT OF 65 DIFFERENT N-NITROSO COMPOUNDS ON BD RATS. Z KREBSFORSCH. 69: 103-201.

US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR NITROSAMINES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1987. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

NITROSOMETHYLVINYLAMINE, N 004549-40-0

010149 DRUCKREY H. 1967. QUANTITATIVE ASPECTS IN CHEMICAL CARCINOGENS. IN: POTENTIAL CARCINOGENIC HAZARDS FROM DRUGS. UICC MONOGRAPH, SERIES 7. SPRINGER-VERLAG, BERLIN. P 60-78.

DRUCKREY H, R PURESSMAN, S IVANKOVIC AND D SCHMAHL. 1967. ORGANOTROPIC CARCINOGENIC EFFECT OF 65 DIFFERENT N-NITROSO COMPOUNDS ON BD RATS. Z KREBSFORSCH. 69: 103-201.

US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR NITROSAMINES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1988. EVALUATION OF THE POTENTIAL CARCINOGENICITY OF N-NITROSOMETHYLVINYLAMINE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, CARCINOGEN ASSESSMENT GROUP, WASHINGTON DC.

NITROSOPYRROLIDINE, N- 000930-55-2

010300 PREUSSMAN R, D SCHMAHL AND G EISENBRAND. 1977. CARCINOGENICITY OF N-NITROSOPYRROLIDINE: DOSE-RESPONSE STUDY IN RATS. Z KREBSFORSCH. 90: 161-166.

US EPA. 1986. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

PARATHION 000056-38-2

005116 US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR PARATHION. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1987. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

PENTABROMO-6-CHLOROCYCLOHEXANE, 1,2,3,4,5- 000087-84-3

010150 BLAIR EH. 1981. TSCA SEC 8(E) SUBMISSION 8E HQ-0381-0393, 88-8100295 BY DOW CHEMICAL CO. OFFICE OF TOXIC SUBSTANCES, US EPA, WASHINGTON, DC.

US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR 1,2,3,4,5-PENTABROMO-6-CHLOROCYCLOHEXANE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

PENTACHLORONITROBENZENE 000082-68-8

010151 INNES, JRM, BM ULLAND, MG VALERIA, ET AL. 1969. BIOASSAY OF PESTICIDES AND INDUSTRIAL CHEMICALS FOR TUMORIGENICITY IN MICE: A PRELIMINARY NOTE. J NATL CANCER INST. 41: 1101-1114.

US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR PENTACHLORONITROBENZENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

PENTACHLOROPHENOL 000087-86-5

010381 NTP (NATIONAL TOXICOLOGY PROGRAM). 1989. TECHNICAL REPORT ON THE TOXICOLOGY AND CARCINOGENESIS STUDIES OF PENTACHLOROPHENOL (CAS NO 87-86-5) IN B6C3F1 MICE (FEED STUDIES). NTP TECH REPORT NO 349. NIH PUBL NO 89-2804.

US EPA. 1990. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

PHENYLENEDIAMINE, O- 000095-54-5

010152 WEISBURGER EK, AB RUSSFIELD AND F HOMBURGER, ET AL. 1978. TESTING OF TWENTY-ONE ENVIRONMENTAL AROMATIC AMINES OR DERIVATIVES FOR LONG-TERM TOXICITY OR CARCINOGENICITY. J ENVIRON PATHOL TOXICOL. 2(2): 325-356.

US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR O-PHENYLENEDIAMINE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

PHENYLPHENOL, 2- 000090-43-7

010153 HIRAGA K AND U FUJII. 1981. INDUCTION OF TUMOURS OF THE URINARY SYSTEM IN F344 RATS BY DIETARY ADMINISTRATION OF SODIUM O-PHENYLPHENATE. FOOD COSMET TOXICOL. 19(3): 303-310.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR 2-PHENYLPHENOL. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

POLYBROMINATED BIPHENYLS

010154 NTP (NATIONAL TOXICOLOGY PROGRAM). 1983. CARCINOGENESIS STUDIES OF POLYBROMINATED BIPHENYL MIXTURE IN F344/N RATS AND B6C3F1 MICE (GAVAGE STUDIES). FIREMASTER FF-1. CASE NO 67774-32-7. NTP, RESEARCH TRIANGLE PARK, NC.

US EPA. 1989. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR POLYBROMINATED BIPHENYLS (PBBS). PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

POLYCHLORINATED BIPHENYLS 001336-36-3

005118 NORBACK, DH, AND RH WELTMAN. 1985. POLYCHLORINATED BIPHENYL INDUCTION OF HEPATOCELLULAR CARCINOMA IN THE SPRAGUE-DAWLEY RAT. ENVIRON HEALTH PERSPECT. 60: 97-105.

US EPA. 1990. DRINKING WATER CRITERIA DOCUMENT FOR POLYCHLORINATED BIPHENYLS (PCBS). PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF DRINKING WATER, WASHINGTON, DC.

US EPA. 1990. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

PROPYLENE OXIDE 000075-56-9

010156 DUNKELBERG H. 1982. CARCINOGENICITY OF ETHYLENE OXIDE AND 1,2-PROPYLENE OXIDE UPON INTRAGASTRIC ADMINISTRATION TO RATS. BR J CANCER. 46: 924-933.

US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR PROPYLENE OXIDE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1990. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

010155 NTP (NATIONAL TOXICOLOGY PROGRAM). 1985. TOXICOLOGY AND CARCINOGENESIS STUDIES OF PROPYLENE OXIDE (CAS NO 75-56-9) IN F344/N RATS AND B6C3F1 MICE (INHALATION STUDIES). NTP TECH REP SER NO. 267. NTP, RESEARCH TRIANGLE PARK, NC. NIH PUB NO 85-2527.

RENNE RA, WE GIDDENS, GA BOORMAN, R KOVATCH, JE HASEMAN AND WJ CLARKE. 1986. NASAL CAVITY NEOPLASIA IN F344/N RATS AND (C57BL/6XC3H)F1 MICE INHALING PROPYLENE OXIDE FOR UP TO TWO YEARS. J NATL CANCER INST. 77: 573-582.

US EPA. 1990. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

QUINOLINE 000091-22-5

010158 HIRAO K, Y SHINOHARA, H TSUDA, ET AL. 1976. CARCINOGENIC ACTIVITY OF QUINOLINE ON RAT LIVER. CANCER RES. 36: 329-335.

US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR QUINOLINE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

RDX / (CYCLONITE) 000121-82-4

010157 LISH PM, BS LEVINE, EM FUREDI, EM SAGARTZ AND VS RAC. 1984. DETERMINATION OF THE CHRONIC MAMMALIAN TOXICOLOGICAL EFFECT OF RDX: TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF HEXAHYDRA-1,2,5-TRINITRO-1,3,5-TRIAZINE (RDX) IN THE B6C3F1 HYBRID MOUSE. PHASE VI. VOL 1. ITT RESEARCH INSTITUTE, CHICAGO, IL. US ARMY MEDICAL RESEARCH AND DEVELOPMENT COMMAND, CONTRACT NO. DAMD 17-79-C-9161. NTIS AD-A181766.

US EPA. 1989. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR RDX (CYCLONITE). PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1988. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

SELENIUM SULFIDE 007446-34-6

010194 NCI/NTP (NATIONAL CANCER INSTITUTE/NATIONAL TOXICOLOGY PROGRAM). 1980. BIOASSAY OF SELENIUM SULFIDE (GAVAGE) FOR POSSIBLE CARCINOGENICITY. NCI TECHNICAL REPORT SERIES NO. 194. NTP NO. 80-17.

US EPA. 1989. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR SELENIUM AND COMPOUNDS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1990. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

SIMAZINE 000122-34-9

010195 US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR SIMAZINE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1989. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

SODIUM DIETHYLDITHIOCARBAMATE 000148-18-5

005126 BRL (BIONETICS RESEARCH LABORATORIES). 1968. EVALUATION OF CARCINOGENIC TERATOGENIC AND MUTAGENIC ACTIVITIES OF SELECTED PESTICIDES ON INDUSTRIAL CHEMICALS. VOL. I. CARCINOGENIC STUDY. PREPARED FOR NATIONAL CANCER INSTITUTE. US DEPT COMMERCE, NAT TECH INFO SERV, WASHINGTON, DC NTIS PB223159.

US EPA. 1988. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR SODIUM DIETHYLDITHIOCARBAMATE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

STYRENE 000100-42-5

010480 CONTACT THE SUPERFUND HEALTH RISK TECHNICAL SUPPORT CENTER: (513) 569-7300.

TCDD, 2,3,7,8- 001746-01-6

005128 KOCIBA, RJ, DG KEYES, JE BOWER ET AL. 1978. RESULTS OF A TWO-YEAR CHRONIC TOXICITY AND ONCOGENICITY STUDY OF 2,3,7,8-TETRACHLORODIBENZO-P-DIOXIN IN RATS. TOXICOL APPL PHARMACOL. 46(2): 279-303.

US EPA. 1985. HEALTH ASSESSMENT DOCUMENT FOR POLYCHLORINATED DIBENZO-P-DIOXIN. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH. EPA 600/8-84-014F. NTIS PB86-122546.

US EPA. 1984. HEALTH EFFECTS ASSESSMENT FOR 2,3,7,8-TCDD. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1989. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

TETRACHLOROETHANE, 1,1,1,2- 000630-20-6

010302 NTP (NATIONAL TOXICOLOGY PROGRAM). 1983. CARCINOGENESIS STUDIES OF 1,1,1,2-TETRACHLOROETHANE (CAS NO 630-20-6) IN F344/N RATS AND B6C3F1 MICE (GAVAGE STUDIES). NTP-81-53. NIH PUBL NO 83-1793, NTP TECHNICAL REPORT SERIES NO 237. NTIS, SPRINGFIELD, VA.

US EPA. 1988. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

US EPA. 1993. REVISED AND UPDATED DRINKING WATER QUANTIFICATION OF TOXICOLOGIC EFFECTS FOR 1,1,1,2-TETRACHLOROETHANE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF WATER, WASHINGTON, DC.

TETRACHLOROETHANE, 1,1,2,2- 000079-34-5

005130 NCI (NATIONAL CANCER INSTITUTE). 1978. BIOASSAY OF 1,1,2,2-TETRACHLOROETHANE FOR POSSIBLE CARCINOGENICITY. NCI CARCINOGENESIS TECH REP SER NO 27, DHEW NO (NIH) 78-827.

US EPA. 1980. AMBIENT WATER QUALITY CRITERIA DOCUMENT FOR CHLORINATED ETHANES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF WATER REGULATIONS AND STANDARDS, WASHINGTON, DC.

US EPA. 1986. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

TETRACHLOROETHYLENE 000127-18-4

010482 CONTACT THE SUPERFUND HEALTH RISK TECHNICAL SUPPORT CENTER: (513) 569-7300.

TETRACHLOROTOLUENE, PARA, ALPHA, ALPHA, ALPHA- 005216-25-1

005028 FUKADA, KS, MATSASHITA AND K TAKEMOTO. 1979. CARCINOGENICITY OF P-CHLOROBENZOTRICHLORIDE. PROC OF JAPAN ASSOC OF IND HEALTH. P 330-331.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR SELECTED CHLORINATED TOLUENES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

TETRACHLOROVINPHOS / (STIROFOS) 000961-11-5

010159 NCI (NATIONAL CANCER INSTITUTE). 1978. BIOASSAY OF TETRACHLOROVINPHOS FOR POSSIBLE CARCINOGENICITY. NCI CARCINOGEN TECH REP SER NO. 33. NTIS PB278650.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR STIROFOS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

TOLUENE-2,4-DIAMINE 000095-80-7

010160 NCI (NATIONAL CANCER INSTITUTE). 1979. BIOASSAY OF 2,4-DIAMINOTOLUENE FOR POSSIBLE CARCINOGENICITY. NCI CARCINOGEN TECH REP SER NO. 162.

US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR 2,4-TOLUENEDIAMINE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

TOLUIDINE, P- 000106-49-0

010162 WEISBURGER EK, AB RUSSFIELD AND F HOMBURGER, ET AL. 1978. TESTING OF TWENTY-ONE ENVIRONMENTAL AROMATIC AMINES OR DERIVATIVES FOR LONG-TERM TOXICITY OR CARCINOGENICITY. J ENVIRON PATHOL TOXICOL. 2(2): 325-356.

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR TOLUIDINES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

TOXAPHENE 008001-35-2

005134 LITTON BIONETICS, INC. 1978. CARCINOGENIC EVALUATION IN MICE: TOXAPHENE. PREPARED BY LITTON BIONETICS, INC., KENSINGTON, MD FOR HERCULES, INC, WILMINGTON, DE. LBI PROJECT NO. 20602.

US EPA. 1987. HEALTH EFFECTS ASSESSMENT FOR TOXAPHENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1980. AMBIENT WATER QUALITY CRITERIA DOCUMENT FOR TOXAPHENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF WATER REGULATIONS AND STANDARDS, WASHINGTON, DC.

US EPA. 1987. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

TRICHLOROANILINE HYDROCHLORIDE, 2,4,6- 033663-50-2

005142 WEISBURGER, EL, AB RUSSFIELD, R HOMBURGER, ET AL. 1978. TESTING OF 21 ENVIRONMENTAL AROMATIC AMINES OR DERIVATIVES FOR LONG-TERM TOXICITY OR CARCINOGENICITY. J ENVIRON PATHOL TOXICOL. 2: 325-356.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR TRICHLOROANILINES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

TRICHLOROANILINE, 2,4,6- 000634-93-5

010487 WEISBURGER, EL, AB RUSSFIELD, F HOMBURGER, ET AL. 1978. TESTING OF 21 ENVIRONMENTAL AROMATIC AMINES OR DERIVATIVES FOR LONG TERM TOXICITY OR CARCINOGENICITY. J ENVIRON PATHOL TOXICOL. 2: 325-356.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR TRICHLOROANILINES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

TRICHLOROETHANE, 1,1,2- 000079-00-5

005144 NCI (NATIONAL CANCER INSTITUTE). 1978. BIOASSAY OF 1,1,2-TRICHLOROETHANE FOR POSSIBLE CARCINOGENICITY. NCI CARCINOGENESIS TECH REP SER NO 74, DHEW NO NIH 78-1324.

US EPA. 1980. AMBIENT WATER QUALITY CRITERIA DOCUMENT FOR CHLORINATED ETHANES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF WATER REGULATIONS AND STANDARDS, WASHINGTON, DC.

US EPA. 1984. HEALTH EFFECTS ASSESSMENT FOR 1,1,2-TRICHLOROETHANE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1986. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

TRICHLOROETHYLENE 000079-01-6

010483 CONTACT THE SUPERFUND HEALTH RISK TECHNICAL SUPPORT CENTER: (513) 569-7300.

TRICHLOROPHENOL, 2,4,6- 000088-06-2

010428 NCI (NATIONAL CANCER INSTITUTE). 1979. BIOASSAY OF 2,4,6-TRICHLOROPHENOL FOR POSSIBLE CARCINOGENICITY. NCI CARCINOGENESIS TECH REP SER NO 155, DHEW NO NIH 79-1711.

US EPA. 1980. AMBIENT WATER QUALITY CRITERIA DOCUMENT FOR CHLORINATED PHENOLS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF WATER REGULATIONS AND STANDARDS, WASHINGTON, DC.

US EPA. 1984. HEALTH EFFECTS ASSESSMENT FOR 2,4,6-TRICHLOROPHENOL. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR CHLORINATED PHENOLS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1989. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

TRICHLOROPROPANE, 1,2,3- 000096-18-4

010849 NTP (NATIONAL TOXICOLOGY PROGRAM). 1991. NTP TECHNICAL REPORT ON THE TOXICOLOGY AND CARCINOGENESIS STUDIES OF 1,2,3-TRICHLOROPROPANE (CAS NO 96-18-4) IN F344/N RATS AND B6C3F1 MICE (GAVAGE STUDIES). BOARD DRAFT NTP TR 384. NIH PUB NO 91-2839. US DEPT OF HEALTH AND HUMAN SERVICES, PUBLIC HEALTH SERVICE, NIH, RESEARCH TRIANGLE PARK, NC.

US EPA. 1993. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

TRIFLURALIN 001582-09-8

010163 EMMERSON JL, EC PIERCE, JP MCGRATH, ET AL. 1980. THE CHRONIC TOXICITY OF COMPOUND 36352 (TRIFLURALIN) GIVEN AS A COMPOUND OF THE DIET TO FISCHER 344 RATS FOR TWO YEARS. STUDIES R-87 AND R-97 (UNPUBLISHED STUDY RECEIVED SEPTEMBER 18, 1980 UNDER 1471-35, SUBMITTED BY ELANCO PRODUCTS CO., DIVISION OF ELI LILLY AND CO., INDIANAPOLIS, IN).

US EPA. 1984. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR TRIFLURALIN. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1987. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

TRIMETHYL PHOSPHATE 000512-56-1

010164 NCI (NATIONAL CANCER INSTITUTE). 1978. BIOASSAY OF TRIMETHYLPHOSPHATE FOR POSSIBLE CARCINOGENICITY. NCI CARCINOGEN TECH REP SER NO. 81.

US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR TRIMETHYL PHOSPHATE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

TRINITROTOLUENE, 2,4,6- 000118-96-7

010476 US DOD (DEPARTMENT OF DEFENSE). 1984. AD-A168637. DEFENSE TECHNICAL CENTER. CAMERON STATION, ALEXANDRIA, VA.

US EPA. 1990. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR 2,4,6-TRINITROTOLUENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1988. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

VINYL CHLORIDE 000075-01-4

010368 FERON, VJ, CFM HENDRIKSEN, AJ SPEEK, ET AL. 1981. LIFESPAN ORAL TOXICITY STUDY OF VINYL CHLORIDE IN RATS. FOOD COSMET TOXICOL. 19(3): 317-333.

US EPA. 1984. HEALTH EFFECTS ASSESSMENT FOR VINYL CHLORIDE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON, DC.

US EPA. 1985. DRINKING WATER CRITERIA DOCUMENT FOR VINYL CHLORIDE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI OH FOR THE OFFICE OF DRINKING WATER, WASHINGTON, DC.

US EPA. 1990. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

010367 MALTONI, C, G LEFEMINE, A CILIBERTI ET AL. 1980. VINYL CHLORIDE CARCINOGENICITY BIOASSAYS (BT PROJECT) AS AN EXPERIMENTAL MODEL FOR RISK IDENTIFICATION AND ASSESSMENT IN ENVIRONMENTAL AND OCCUPATIONAL CARCINOGENESIS. EPIDEMIOL ANIM EPIDEMIOL HUM: CAS CHLORURE VINYLE MONOMERE, (REUN CLUB CANCEROG CHIM), 20TH, MEETING DATE 1979, P. 11-112. PUBL ESSENT, PARIS, FRANCE.

MALTONI, C, G LEFEMINE, A CILIBERTI ET AL. 1981. CARCINOGENICITY BIOASSAYS OF VINYL CHLORIDE MONOMER: A MODEL OF RISK ASSESSMENT ON AN EXPERIMENTAL BASIS. ENVIRON HEALTH PERSPECT. 41: 329.

US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR CHLOROETHENE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1990. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

Table 4A: Radionuclide Carcinogenicity -- Slope Factors[a] (In Units of Picocuries[b])

MARCH 1994

Element (Atomic Number)	Isotope[c]	CASRN[d]	Radioactive Half-life[e]		ICRP Lung Class[f]	GI Absorption Factor (f_1)[g]	Slope Factor Lifetime Excess Total Cancer Risk Per Unit Intake or Exposure: Ingestion (Risk/pCi)	Inhalation (Risk/pCi)	External Exposure (Risk/yr per pCi/g soil)
Actinium (89)	Ac-225†	014265-85-1	1.000E+01	D	Y	1.0E-03	1.7E-11	2.4E-09	7.6E-09
	Ac-227†	014952-40-0	2.180E+01	Y	Y	1.0E-03	2.8E-10	8.0E-08	2.6E-11
	Ac-227+D	014952-40-0(+D)	2.180E+01	Y	Y	1.0E-03	3.5E-10	8.8E-08	8.5E-07
	Ac-228†	014331-83-0	6.130E+00	H	Y	1.0E-03	5.0E-13	2.6E-11	2.9E-06
Americium (95)	Am-241†	014596-10-2	4.320E+02	Y	W	1.0E-03	2.4E-10	3.2E-08	4.9E-09
	Am-242	013981-54-9	1.600E+01	H	W	1.0E-03	3.6E-13	1.2E-11	5.8E-09
	Am-242m	013981-54-9(m)	1.520E+02	Y	W	1.0E-03	2.3E-10	2.8E-08	1.2E-10
	Am-243†	014993-75-0	7.380E+03	Y	W	1.0E-03	2.4E-10	3.2E-08	2.4E-08
	Am-243+D	014993-75-0(+D)	7.380E+03	Y	W	1.0E-03	2.4E-10	3.2E-08	2.5E-07
Antimony (51)	Sb-122	014374-79-9	2.700E+00	D	W	1.0E-01	2.0E-12	3.4E-12	1.4E-06
	Sb-124	014683-10-4	6.020E+01	D	W	1.0E-01	2.9E-12	2.2E-11	6.5E-06
	Sb-125	014234-35-6	2.770E+00	Y	W	1.0E-01	8.4E-13	1.1E-11	1.2E-06
	Sb-126	015756-32-8	1.240E+01	D	W	1.0E-01	2.8E-12	8.8E-12	9.1E-06
	Sb-126m	015756-32-8(m)	1.900E+01	M	W	1.0E-01	7.2E-14	2.6E-14	5.1E-06
	Sb-127	013968-50-8	3.850E+00	D	W	1.0E-01	2.0E-12	4.1E-12	2.1E-06
	Sb-129	014331-88-5	4.400E+00	H	W	1.0E-01	5.9E-13	5.1E-13	4.9E-06
Argon (18)	Ar-41	014163-25-8	1.830E+00	H	*	1.0E+00	----------	5.8E-16	4.4E-06
Astatine (85)	At-217†	017239-90-6	3.230E-02	S	D	1.0E+00	4.5E-18	5.6E-17	7.7E-10

[Table 4A continues on the following page: Refer to Endnotes on the last page.]

Table 4A: Radionuclide Carcinogenicity -- Slope Factors[a] (In Units of Picocuries[b])

MARCH 1994

Element (Atomic Number)	Isotope[c]	CASRN[d]	Radioactive Half-life[e]		ICRP Lung Class[f]	GI Absorption Factor (f_1)[g]	Slope Factor Lifetime Excess Total Cancer Risk Per Unit Intake or Exposure		
							Ingestion (Risk/pCi)	Inhalation (Risk/pCi)	External Exposure (Risk/yr per pCi/g soil)
Barium (56)	Ba-131	014914-75-1	1.180E+01	D	D	1.0E-01	4.8E-13	3.6E-13	1.2E-06
	Ba-133	013981-41-4	1.050E+01	Y	D	1.0E-01	1.2E-12	3.6E-12	8.4E-07
	Ba-133m	013981-41-4(m)	3.890E+01	H	D	1.0E-01	6.2E-13	3.5E-13	9.5E-08
	Ba-137m[†]	013981-97-0(m)	2.550E+00	M	D	1.0E-01	2.4E-15	6.0E-16	2.0E-06
	Ba-139	014378-25-7	8.310E+01	M	D	1.0E-01	2.1E-13	1.5E-13	7.7E-08
	Ba-140	014798-08-4	1.280E+01	D	D	1.0E-01	2.7E-12	2.0E-12	5.4E-07
Beryllium (4)	Be-7	013966-02-4	5.340E+01	D	Y	5.0E-03	3.0E-14	2.7E-13	1.5E-07
Bismuth (83)	Bi-206	015776-19-9	6.240E+00	D	W	5.0E-02	2.2E-12	4.3E-12	1.1E-05
	Bi-207	013982-38-2	3.340E+01	Y	W	5.0E-02	1.4E-12	1.8E-11	4.9E-06
	Bi-210[†]	014331-79-4	5.010E+00	D	W	5.0E-02	1.6E-12	8.0E-11	0.0E+00
	Bi-211[†]	015229-37-5	2.130E+00	M	W	5.0E-02	1.2E-14	1.9E-13	1.3E-07
	Bi-212[†]	014913-49-6	6.055E+01	M	W	5.0E-02	3.1E-13	6.6E-12	5.9E-07
	Bi-213[†]	015776-20-2	4.570E+01	M	W	5.0E-02	2.3E-13	3.0E-13	4.1E-07
	Bi-214[†]	014733-03-0	1.990E+01	M	W	5.0E-02	1.3E-13	2.1E-12	5.3E-06
Bromine (35)	Br-82	014686-69-2	3.530E+01	H	D	1.0E+00	1.1E-12	8.7E-13	8.9E-06
Cadmium (20)	Cd-109	014109-32-1	4.640E+02	D	Y	5.0E-02	7.9E-12	6.5E-11	7.3E-10
	Cd-115	014336-68-6	5.350E+01	H	Y	5.0E-02	1.7E-12	2.6E-12	6.3E-07
	Cd-115m	014336-68-6(m)	4.460E+01	D	Y	5.0E-02	5.2E-12	3.9E-11	7.5E-08

[Table 4A continues on the following page: Refer to Endnotes on the last page.]

Table 4A: Radionuclide Carcinogenicity -- Slope Factors[a] (In Units of Picocuries[b])

MARCH 1994

Element (Atomic Number)	Isotope[c]	CASRN[d]	Radioactive Half-life[e]		ICRP Lung Class[f]	GI Absorption Factor (f_1)[g]	Slope Factor Lifetime Excess Total Cancer Risk Per Unit Intake or Exposure: Ingestion (Risk/pCi)	Inhalation (Risk/pCi)	External Exposure (Risk/yr per pCi/g soil)
Calcium (20)	Ca-45	013966-05-7	1.630E+02	D	W	3.0E-01	9.9E-13	5.1E-12	5.8E-18
	Ca-47	001439-99-2	4.540E+00	D	W	3.0E-01	2.0E-12	4.6E-12	3.6E-06
Carbon (6)	C-11	014333-33-6	2.050E+01	M	D	1.0E+00	4.9E-14	2.1E-14	3.2E-06
	C-14	014762-75-5	5.730E+03	Y	*	1.0E+00	9.0E-13	6.4E-15	0.0E+00
	C-15	015929-23-4	2.450E+00	S	D	1.0E+00	8.1E-16	2.1E-16	----------
Cerium (58)	Ce-141	013967-74-3	3.250E+01	D	Y	3.0E-04	8.3E-13	8.4E-12	1.3E-07
	Ce-143	014119-19-8	3.300E+01	H	Y	3.0E-04	1.3E-12	2.2E-12	6.7E-07
	Ce-144	014762-78-8	2.840E+02	D	Y	3.0E-04	6.1E-12	3.4E-10	2.5E-08
Cesium (55)	Cs-131	014914-76-2	9.690E+00	D	D	1.0E+00	1.4E-13	1.0E-13	2.8E-09
	Cs-134	013967-70-9	2.060E+00	Y	D	1.0E+00	4.1E-11	2.8E-11	5.2E-06
	Cs-134m	013967-70-9(m)	2.900E+00	H	D	1.0E+00	4.1E-14	3.9E-14	2.0E-08
	Cs-135	015726-30-4	2.300E+06	Y	D	1.0E+00	4.0E-12	2.7E-12	0.0E+00
	Cs-136	014234-29-8	1.320E+01	D	D	1.0E+00	6.7E-12	4.6E-12	7.2E-06
	Cs-137[†]	010045-97-3	3.020E+01	Y	D	1.0E+00	2.8E-11	1.9E-11	0.0E+00
	Cs-137+D	010045-97-3(+D)	3.020E+01	Y	D	1.0E+00	2.8E-11	1.9E-11	2.0E-06
	Cs-138	015758-29-9	3.220E+01	M	D	1.0E+00	1.9E-13	9.6E-14	8.3E-06
Chlorine (17)	Cl-36	013981-43-6	3.010E+05	Y	D	1.0E+00	1.8E-12	1.4E-12	0.0E+00
	Cl-38	014158-34-0	3.720E+01	M	D	1.0E+00	2.3E-13	1.3E-13	5.7E-06

[Table 4A continues on the following page: Refer to Endnotes on the last page.]

Table 4A: Radionuclide Carcinogenicity -- Slope Factors[a] (In Units of Picocuries[b])

MARCH 1994

Element (Atomic Number)	Isotope[c]	CASRN[d]	Radioactive Half-life[e]		ICRP Lung Class[f]	GI Absorption Factor (f_1)[g]	Slope Factor Lifetime Excess Total Cancer Risk Per Unit Intake or Exposure: Ingestion (Risk/pCi)	Inhalation (Risk/pCi)	External Exposure (Risk/yr per pCi/g soil)
Chromium (24)	Cr-51	014392-02-0	2.770E+01	D	Y	1.0E-01	4.3E-14	3.0E-13	9.2E-08
Cobalt (27)	Co-57	013981-50-5	2.710E+02	D	Y	3.0E-01	5.8E-13	8.2E-12	1.9E-07
	Co-58	01381-38-9	7.080E+01	D	Y	3.0E-01	1.6E-12	9.8E-12	3.3E-06
	Co-58m	01381-38-9(m)	9.150E+00	H	Y	3.0E-01	3.2E-14	7.3E-14	4.8E-11
	Co-60	010198-40-0	5.270E+00	Y	Y	3.0E-01	1.5E-11	1.5E-10	8.6E-06
Copper (29)	Cu-64	013981-25-4	1.270E+01	H	Y	5.0E-01	1.7E-13	2.0E-13	6.0E-07
Curium (96)	Cm-242	015510-73-3	1.630E+02	D	W	1.0E-03	1.3E-11	3.9E-09	3.4E-11
	Cm-243	015757-87-6	2.850E+01	Y	W	1.0E-03	1.9E-10	2.6E-08	1.6E-07
	Cm-244	013981-15-2	1.810E+01	Y	W	1.0E-03	1.6E-10	2.2E-08	3.0E-11
	Cm-245	015621-76-8	8.500E+03	Y	W	1.0E-03	2.4E-10	3.2E-08	5.3E-08
	Cm-246	015757-90-1	4.750E+03	Y	W	1.0E-03	2.4E-10	3.2E-08	2.7E-11
	Cm-247	015758-32-4	1.560E+07	Y	W	1.0E-03	2.2E-10	3.0E-08	9.2E-07
	Cm-248	015758-33-5	3.390E+05	Y	W	1.0E-03	9.1E-10	1.2E-07	2.2E-11
Dysprosium (66)	Dy-165	013967-64-1	2.330E+00	H	W	3.0E-04	1.5E-13	1.1E-13	5.7E-08
	Dy-166	015840-01-4	8.160E+01	H	W	3.0E-04	1.9E-12	5.0E-12	2.7E-08
Erbium (63)	Er-169	015840-13-8	9.400E+00	D	W	3.0E-04	4.4E-13	1.5E-12	8.4E-12
	Er-171	014391-45-8	7.520E+00	H	W	3.0E-04	4.6E-13	3.9E-13	9.4E-07
Europium (63)	Eu-152	014683-23-9	1.360E+01	Y	W	1.0E-03	2.1E-12	1.1E-10	3.6E-06

[Table 4A continues on the following page: Refer to Endnotes on the last page.]

Table 4A: Radionuclide Carcinogenicity -- Slope Factors[a] (In Units of Picocuries[b])

MARCH 1994

Element (Atomic Number)	Isotope[c]	CASRN[d]	Radioactive Half-life[e]		ICRP Lung Class[f]	GI Absorption Factor (f_1)[g]	Slope Factor Lifetime Excess Total Cancer Risk Per Unit Intake or Exposure: Ingestion (Risk/pCi)	Inhalation (Risk/pCi)	External Exposure (Risk/yr per pCi/g soil)
	Eu-154	015585-10-1	8.800E+00	Y	W	1.0E-03	3.0E-12	1.4E-10	4.1E-06
	Eu-155	014391-16-3	4.960E+00	Y	W	1.0E-03	4.5E-13	1.8E-11	5.9E-08
	Eu-156	014280-35-4	1.520E+01	D	W	1.0E-03	2.5E-12	1.1E-11	4.8E-06
Fluorine (9)	F-18	013981-56-1	1.100E+02	M	D	1.0E+00	9.8E-14	7.1E-14	3.1E-06
Francium (87)	Fr-221[†]	015756-41-9	4.800E+00	M	D	1.0E+00	5.9E-14	9.2E-13	6.2E-08
	Fr-223[†]	015756-98-6	2.180E+00	M	D	1.0E+00	1.7E-13	4.2E-13	4.1E-08
Gadolinium (64)	Gd-153	014276-65-4	2.420E+02	D	W	3.0E-04	3.1E-13	5.8E-12	7.3E-08
	Gd-159	014041-42-0	1.860E+01	H	W	3.0E-04	5.9E-13	6.3E-13	8.9E-08
Gallium (31)	Ga-67	014119-09-6	3.260E+00	D	W	1.0E-03	2.1E-13	3.6E-13	3.3E-07
	Ga-72	013982-22-4	1.410E+01	H	W	1.0E-03	1.3E-12	1.2E-12	9.8E-06
Germanium (32)	Ge-71	014374-81-3	1.180E+01	D	W	1.0E+00	6.8E-15	1.3E-13	2.3E-11
Gold (79)	Au-196	014914-16-0	6.180E+00	D	Y	1.0E-01	3.9E-13	8.7E-13	1.3E-06
	Au-198	010043-49-0	2.700E+00	D	Y	1.0E-01	1.2E-12	2.1E-12	1.2E-06
Holmium (67)	Ho-166	013967-65-2	2.680E+01	H	W	3.0E-04	1.7E-12	2.2E-12	6.5E-08
Hydrogen (1)	H-3	010028-17-8	1.230E+01	Y	*	1.0E+00	5.4E-14	7.8E-14	0.0E+00
Indium (49)	In-113m	014885-78-0(m)	1.660E+00	H	W	2.0E-02	4.9E-14	2.9E-14	7.0E-07
	In-114	013981-55-0	7.190E+01	S	W	2.0E-02	5.5E-15	1.5E-15	1.0E-07
	In-114m	013981-55-0(m)	4.950E+01	D	W	2.0E-02	5.4E-12	4.2E-11	1.8E-07

[Table 4A continues on the following page: Refer to Endnotes on the last page.]

Table 4A: Radionuclide Carcinogenicity -- Slope Factors[a] (In Units of Picocuries[b])

MARCH 1994

Element (Atomic Number)	Isotope[c]	CASRN[d]	Radioactive Half-life[e]	ICRP Lung Class[f]	GI Absorption Factor (f_1)[g]	Slope Factor Lifetime Excess Total Cancer Risk Per Unit Intake or Exposure: Ingestion (Risk/pCi)	Inhalation (Risk/pCi)	External Exposure (Risk/yr per pCi/g soil)
	In-115	014191-71-0	4.600E+15 Y	W	2.0E-02	3.2E-11	2.2E 10	0.0E+00
	In-115m	014191-71-0(m)	4.360E+00 H	W	2.0E-02	1.2E-13	9.4E-14	3.9E-07
Iodine (53)	I-122	018287-75-7	3.620E+00 M	D	1.0E+00	2.5E-14	7.9E-15	3.0E-06
	I-123	015715-08-9	1.310E+01 H	D	1.0E+00	1.0E-12	5.7E-13	2.4E-07
	I-125	014158-31-7	6.010E+01 D	D	1.0E+00	7.9E-12	5.3E-12	2.9E-09
	I-126	014158-32-8	1.290E+01 D	D	1.0E+00	1.5E-11	9.8E-12	1.3E-06
	I-129	015046-84-1	1.570E+07 Y	D	1.0E+00	1.9E-10	1.2E-10	4.1E-09
	I-130	014914-02-4	1.240E+01 H	D	1.0E+00	9.1E-12	5.1E 12	7.0E-06
	I-131	010043-66-0	8.040E+00 D	D	1.0E+00	3.6E-11	2.4E-11	1.5E-06
	I-132	014683-16-0	2.300E+00 H	D	1.0E+00	1.0E-12	5.8E-13	7.7E-06
	I-133	014834-67-4	2.080E+01 H	D	1.0E+00	2.1E-11	1.2E-11	2.0E-06
	I-134	014914-27-3	5.260E+01 M	D	1.0E+00	2.8E-13	1.6E-13	9.0E-06
	I-135	014834-68-5	6.610E+00 H	D	1.0E+00	4.2E-12	2.4E-12	5.5E-06
	Ir-190	014981-91-0	1.180E+01 D	Y	1.0E-02	1.4E-12	4.8E-12	4.2E-06
Iridium (77)	Ir-192	014694-69-0	7.400E+01 D	Y	1.0E-02	1.7E-12	2.7E-11	2.4E-06
	Ir-194	014158-35-1	1.920E+01 H	Y	1.0E-02	1.6E-12	1.8E-12	2.8E-07
Iron (26)	Fe-55	014681-59-5	2.700E+00 Y	W	1.0E-01	2.7E-13	8.4E-13	0.0E+00
	Fe-59	014596-12-4	4.460E+01 D	W	1.0E-01	2.8E-12	9.7E-12	4.1E-06

[Table 4A continues on the following page: Refer to Endnotes on the last page.]

Table 4A: Radionuclide Carcinogenicity -- Slope Factors[a] (In Units of Picocuries[b])

MARCH 1994

Element (Atomic Number)	Isotope[c]	CASRN[d]	Radioactive Half-life[e]		ICRP Lung Class[f]	GI Absorption Factor (f_1)[g]	Slope Factor Lifetime Excess Total Cancer Risk Per Unit Intake or Exposure: Ingestion (Risk/pCi)	Inhalation (Risk/pCi)	External Exposure (Risk/yr per pCi/g soil)
Krypton (36)	Kr-83m	013965-98-5(m)	1.830E+00	H	*	1.0E+00	----------	6.2E-17	3.4E-11
	Kr-85	013983-27-2	1.070E+01	Y	*	1.0E+00	----------	4.7E-17	7.0E-09
	Kr-85m	013983-27-2(m)	4.480E+00	H	*	1.0E+00	----------	4.9E-16	3.4E-07
	Kr-87	014809-68-8	7.630E+01	M	*	1.0E+00	----------	2.2E-15	2.8E-06
	Kr-88	014995-61-0	2.840E+00	H	*	1.0E+00	----------	4.7E-15	7.3E-06
	Kr-89	016316-03-3	3.160E+00	M	*	1.0E+00	----------	2.6E-15	6.5E-06
	Kr-90	015741-13-6	3.230E+01	S	*	1.0E+00	----------	2.4E-15	4.2E-06
Lanthanum (57)	La-140	013981-28-7	4.020E+01	H	W	1.0E-03	2.3E-12	3.0E-12	8.0E-06
Lead (82)	Pb-203	014687-25-3	5.200E+01	H	D	2.0E-01	3.2E-13	2.6E-13	5.9E-07
	Pb-209†	014119-30-3	3.250E+00	H	D	2.0E-01	8.5E-14	7.0E-14	0.0E+00
	Pb-210†	014255-04-0	2.230E+01	Y	D	2.0E-01	5.1E-10	1.3E-09	1.3E-10
	Pb-210+D	014255-04-0(+D)	2.230E+01	Y	D	2.0E-01	6.6E-10	4.0E-09	1.6E-10
	Pb-211†	015816-77-0	3.610E+01	M	D	2.0E-01	1.8E-13	2.8E-12	1.6E-07
	Pb-212†	015092-94-1	1.060E+01	H	D	2.0E-01	5.5E-12	4.3E-11	2.8E-07
	Pb-214†	015067-28-4	2.680E+01	M	D	2.0E-01	1.7E-13	2.9E-12	6.4E-07
Lutetium (71)	Lu-177	014265-75-9	6.710E+00	D	Y	3.0E-04	6.2E-13	1.9E-12	6.7E-08
Manganese (25)	Mn-52	014092-99-0	5.590E+00	D	W	1.0E-01	2.2E-12	3.7E-12	1.2E-05
	Mn-54	013966-31-9	3.130E+02	D	W	1.0E-01	1.1E-12	5.3E-12	2.9E-06

[Table 4A continues on the following page: Refer to Endnotes on the last page.]

Table 4A: Radionuclide Carcinogenicity -- Slope Factors[a] (In Units of Picocuries[b])

MARCH 1994

Element (Atomic Number)	Isotope[c]	CASRN[d]	Radioactive Half-life[e]		ICRP Lung Class[f]	GI Absorption Factor (f_1)[g]	Slope Factor Lifetime Excess Total Cancer Risk Per Unit Intake or Exposure: Ingestion (Risk/pCi)	Inhalation (Risk/pCi)	External Exposure (Risk/yr per pCi/g soil)
	Mn-56	014681-52-8	2.580E+00	H	W	1.0E-01	4.0E-13	2.8E-13	6.1E-06
Mercury (80)	Hg-197	013981-51-6	6.410E+01	H	W	2.0E-02	2.7E-13	4.5E-13	5.5E-08
	Hg-203	013982-78-0	4.660E+01	D	W	2.0E-02	6.6E-13	4.8E-12	5.7E-07
Molybdenum (42)	Mo-99	014119-15-4	6.600E+01	H	Y	8.0E-01	1.5E-12	2.6E-12	4.9E-07
Neodymium (60)	Nd-147	014269-74-0	1.100E+01	D	Y	3.0E-04	1.3E-12	5.5E-12	3.0E-07
	Nd-149	015749-81-2	1.730E+00	H	Y	3.0E-04	1.9E-13	1.6E-13	9.8E-07
Neptunium (93)	Np-236	015700-36-4	1.150E+05	Y	W	1.0E-03	2.3E-13	3.9E-12	8.9E-08
	Np-237[1]	013994-20-2	2.140E+06	Y	W	1.0E-03	2.2E-10	2.9E-08	7.8E-09
	Np-237+D	013994-20-2(+D)	2.140E+06	Y	W	1.0E-03	2.2E-10	2.9E-08	4.3E-07
	Np-238	015766-25-3	2.120E+00	D	W	1.0E-03	1.1E-12	3.3E-12	1.7E-06
	Np-239[1]	013968-59-7	2.360E+00	D	W	1.0E-03	9.4E-13	1.5E-12	2.3E-07
	Np-240	015690-84-3	6.500E+01	M	W	1.0E-03	1.3E-13	6.5E-14	3.2E-06
	Np-240m	015690-84-3(m)	7.400E+00	M	W	1.0E-03	2.9E-14	9.0E-15	9.3E-07
Nickel (28)	Ni-59	014336-70-0	7.500E+04	Y	W	5.0E-02	9.1E-14	7.0E-13	0.0E+00
	Ni-63	013981-37-8	1.000E+02	Y	W	5.0E-02	2.4E-13	1.8E-12	0.0E+00
	Ni-65	014833-49-9	2.520E+00	H	W	5.0E-02	2.6E-13	1.9E-13	1.9E-06
Niobium (41)	Nb-93m	007440-03-1(m)	1.460E+01	Y	Y	1.0E-02	1.5E-13	1.9E-11	5.3E-11
	Nb-94	014681-63-1	2.030E+04	Y	Y	1.0E-02	2.1E-12	2.1E-10	5.4E-06

[Table 4A continues on the following page: Refer to Endnotes on the last page.]

Table 4A: Radionuclide Carcinogenicity -- Slope Factors[a] (In Units of Picocuries[b])

MARCH 1994

Element (Atomic Number)	Isotope[c]	CASRN[d]	Radioactive Half-life[e]		ICRP Lung Class[f]	GI Absorption Factor (f_1)[g]	Slope Factor Lifetime Excess Total Cancer Risk Per Unit Intake or Exposure: Ingestion (Risk/pCi)	Inhalation (Risk/pCi)	External Exposure (Risk/yr per pCi/g soil)
	Nb-95	013967-76-5	3.510E+01	D	Y	1.0E-02	6.5E-13	5.1E-12	2.6E-06
	Nb-95m	013967-76-5(m)	8.660E+01	H	Y	1.0E-02	6.6E-13	1.6E-12	8.1E-08
	Nb-97	018496-04-3	7.210E+01	M	Y	1.0E-02	1.2E-13	6.9E-14	2.2E-06
	Nb-97m	018496-04-3(m)	6.000E+01	S	Y	1.0E-02	2.4E-15	1 1E-15	2.5E-06
Osmium (76)	Os-185	015766-50-4	9.360E+01	D	Y	1.0E-02	6.3E-13	8.9E-12	2.2E-06
	Os-191	014119-24-5	1.540E+01	D	Y	1.0E-02	6.7E-13	3.6E-12	8.5E-08
	Os-191m	014119-24-5(m)	1.300E+01	H	Y	1.0E-02	1.2E-13	2.1E-13	3.4E-09
	Os-193	016057-77-5	3.000E+01	H	Y	1.0E-02	9.6E-13	1.2E-12	1.7E-07
Palladium (46)	Pd-100	015690-69-4	3.640E+00	D	Y	5.0E-03	1.0E-12	2.3E-12	---------
	Pd-101	015749-54-9	8.480E+00	H	Y	5.0E-03	1.2E-13	1.1E-13	---------
	Pd-103	014967-68-1	1.700E+01	D	Y	5.0E-03	2.2E-13	1.4E-12	7.3E-10
	Pd-107	017637-99-9	6.500E+06	Y	Y	5.0E-03	4.4E-14	6.4E-12	0.0E+00
	Pd-109	014981-64-7	1.350E+01	H	Y	5.0E-03	7.9E-13	8.1E-13	2.2E-09
Phosphorus (15)	P-32	014596-37-3	1.430E+01	D	D	8.0E-01	3.5E-12	3.0E-12	0.0E+00
	P-33	015749-66-3	2.540E+01	D	D	8.0E-01	5.6E-13	4.6E-13	0.0E+00
Platinum (78)	Pt-191	015706-36-2	2.710E+00	D	D	1.0E-02	3.8E-13	3.0E-13	6.3E-07
	Pt-193	015735-70-3	5.000E+01	Y	D	1.0E-02	3.5E-14	8.2E-14	0.0E+00
	Pt-193m	015735-70-3(m)	4.330E+00	D	D	1.0E-02	5.3E-13	4.0E-13	7.6E-09

[Table 4A continues on the following page: Refer to Endnotes on the last page.]

Table 4A: Radionuclide Carcinogenicity -- Slope Factors[a] (In Units of Picocuries[b])

MARCH 1994

Element (Atomic Number)	Isotope[c]	CASRN[d]	Radioactive Half-life[e]		ICRP Lung Class[f]	GI Absorption Factor (f_1)[g]	Slope Factor Lifetime Excess Total Cancer Risk Per Unit Intake or Exposure: Ingestion (Risk/pCi)	Inhalation (Risk/pCi)	External Exposure (Risk/yr per pCi/g soil)
	Pt-197	015735-74-7	1.830E+01	H	D	1.0E-02	4.9E-13	3.2E-13	3.1E-08
	Pt-197m	015735-74-7(m)	9.440E+01	M	D	1.0E-02	1.2E-13	8.7E-14	1.6E-07
Plutonium (94)	Pu-236	015411-92-4	2.850E+00	Y	Y	1.0E-03	5.0E-11	2.4E-08	3.4E-11
	Pu-238	013981-16-3	8.780E+01	Y	Y	1.0E-03	2.2E-10	3.9E-08	2.8E-11
	Pu-239	015117-48-3	2.410E+04	Y	Y	1.0E-03	2.3E-10	3.8E-08	1.7E-11
	Pu-240	014119-33-6	6.570E+03	Y	Y	1.0E-03	2.3E-10	3.8E-08	2.7E-11
	Pu-241	014119-32-5	1.440E+01	Y	Y	1.0E-03	3.6E-12	2.3E-10	0.0E+00
	Pu-242	013982-10-0	3.760E+05	Y	Y	1.0E-03	2.2E-10	3.6E-08	2.3E-11
	Pu-243	015706-37-3	4.960E+00	H	Y	1.0E-03	1.1E-13	1.0E-13	1.8E-08
	Pu-244	014119-34-7	8.260E+07	Y	Y	1.0E-03	2.2E-10	3.6E-08	1.9E-11
Polonium (84)	Po-210[†]	013981-52-7	1.380E+02	D	W	1.0E-01	1.5E-10	2.6E-09	2.9E-11
	Po-212[†]	015389-34-1	2.980E-07	S	W	1.0E-01	2.2E-23	6.1E-22	0.0E+00
	Po-213[†]	015756-57-7	4.200E-06	S	W	1.0E-01	3.2E-22	8.0E-21	1.0E-10
	Po-214[†]	015735-67-8	1.640E-04	S	W	1.0E-01	1.0E-20	2.8E-19	2.8E-10
	Po-215[†]	015706-52-2	1.780E-03	S	W	1.0E-01	2.8E-19	5.7E-18	4.6E-10
	Po-216[†]	015756-58-8	1.460E-01	S	W	1.0E-01	3.0E-17	4.8E-16	5.0E-11
	Po-218[†]	015422-24-9	3.050E+00	M	W	1.0E-01	2.8E-14	5.8E-13	0.0E+00
Potassium (19)	K-40	013966-00-2	1.280E+09	Y	D	1.0E+00	1.1E-11	7.6E-12	5.4E-07

[Table 4A continues on the following page: Refer to Endnotes on the last page.]

Table 4A: Radionuclide Carcinogenicity -- Slope Factors[a] (In Units of Picocuries[b])

MARCH 1994

Element (Atomic Number)	Isotope[c]	CASRN[d]	Radioactive Half-life[e]		ICRP Lung Class[f]	GI Absorption Factor (f_1)[g]	Slope Factor Lifetime Excess Total Cancer Risk Per Unit Intake or Exposure: Ingestion (Risk/pCi)	Inhalation (Risk/pCi)	External Exposure (Risk/yr per pCi/g soil)
	K-42	014378-21-3	1.240E+01	H	D	1.0E+00	8.9E-13	1.2E-12	9.6E-07
Praseodymium (59)	Pr-142	014191-64-1	1.910E+01	H	Y	3.0E-04	1.6E-12	1.8E-12	2.1E-07
	Pr-143	014981-79-4	1.360E+01	D	Y	3.0E-04	1.4E-12	7.0E-12	3.0E-14
	Pr-144	014119-05-2	1.730E+01	M	Y	3.0E-04	9.5E-14	3.6E-14	1.2E-07
	Pr-144m	014119-05-2(m)	7.200E+00	M	Y	3.0E-04	3.7E-14	1.6E-14	2.1E-09
Promethium (61)	Pm-147	014380-75-7	2.620E+00	Y	Y	3.0E-04	3.1E-13	3.0E-11	6.0E-12
	Pm-148	014683-19-3	5.370E+00	D	Y	3.0E-04	3.1E-12	7.9E-12	1.9E-06
	Pm-148m	014683-19-3(m)	4.130E+01	D	Y	3.0E-04	2.5E-12	4.8E-11	6.5E-06
	Pm-149	015765-31-8	5.310E+01	H	Y	3.0E-04	1.2E-12	1.9E-12	3.3E-08
Protactinium (91)	Pa-231[†]	014331-85-2	3.730E+04	Y	Y	1.0E-03	9.2E-11	3.6E-08	2.6E-08
	Pa-233[†]	013981-14-1	2.700E+01	D	Y	1.0E-03	1.0E-12	8.6E-12	4.2E-07
	Pa-234	015100-28-4	6.700E+00	H	Y	1.0E-03	6.8E-13	5.4E-13	5.9E-06
	Pa-234m[†]	015100-28-4(m)	1.170E+00	M	Y	1.0E-03	5.8E-15	1.6E-15	3.6E-08
Radium (88)	Ra-223[†]	015623-45-7	1.140E+01	D	W	2.0E-01	6.4E-11	3.1E-09	2.3E-07
	Ra-224[†]	013233-32-4	3.620E+00	D	W	2.0E-01	3.8E-11	1.2E-09	2.3E-08
	Ra-225[†]	013981-53-8	1.480E+01	D	W	2.0E-01	5.1E-11	1.5E-09	1.9E-09
	Ra-226[†]	013982-63-3	1.600E+03	Y	W	2.0E-01	1.2E-10	3.0E-09	1.2E-08
	Ra-226+D	013982-63-3(+D)	1.600E+03	Y	W	2.0E-01	1.2E-10	3.0E-09	6.0E-06

[Table 4A continues on the following page: Refer to Endnotes on the last page.]

Table 4A: Radionuclide Carcinogenicity -- Slope Factors[a] (In Units of Picocuries[b])

MARCH 1994

Element (Atomic Number)	Isotope[c]	CASRN[d]	Radioactive Half-life[e]		ICRP Lung Class[f]	GI Absorption Factor (f_1)[g]	Slope Factor Lifetime Excess Total Cancer Risk Per Unit Intake or Exposure: Ingestion (Risk/pCi)	Inhalation (Risk/pCi)	External Exposure (Risk/yr per pCi/g soil)
	Ra-228†	015262-20-1	5.750E+00	Y	W	2.0E-01	1.0E-10	6.6E-10	0.0E+00
	Ra-228+D	015262-20-1(+D)	5.750E+00	Y	W	2.0E-01	1.0E-10	6.9E-10	2.9E-06
Radon (86)	Rn-219†	014835-02-0	3.960E+00	S	*	1.0E+00	---------	4.6E-14	1.6E-07
	Rn-220†	022481-48-7	5.560E+01	S	*	1.0E+00	---------	1.2E-13	1.7E-09
	Rn-222†	014859-67-7	3.820E+00	D	*	1.0E+00	1.4E-12	7.3E-13	1.2E-09
	Rn-222+D	014859-67-7(+D)	3.820E+00	D	*	1.0E+00	1.7E-12	7.7E-12	5.9E-06
Rhodium (45)	Rh-103m	007440-16-6(m)	5.610E+01	M	Y	5.0E-02	6.9E-15	3.9E-15	7.9E-11
	Rh-105	014913-89-4	3.540E+01	H	Y	5.0E-02	4.3E-13	5.9E-13	2.2E-07
	Rh-105m	014913-89-4(m)	4.500E+01	S	Y	5.0E-02	6.2E-16	3.4E-16	2.2E-08
	Rh-106	014234-34-5	2.990E+01	S	Y	5.0E-02	4.4E-15	1.2E-15	6.7E-07
Rubidium (37)	Rb-82	014391-63-0	1.250E+00	M	D	1.0E+00	1.2E-14	3.5E-15	3.5E-06
	Rb-86	014932-53-7	1.870E+01	D	D	1.0E+00	5.9E-12	4.5E-12	3.3E-07
	Rb-87	013982-13-3	4.730E+10	Y	D	1.0E+00	3.4E-12	2.4E-12	0.0E+00
	Rb-88	014928-36-0	1.780E+01	M	D	1.0E+00	1.7E-13	7.9E-14	2.4E-06
	Rb-89	014191-65-2	1.540E+01	M	D	1.0E+00	9.3E-14	3.9E-14	7.4E-06
Ruthenium (44)	Ru-97	015758-35-7	2.900E+00	D	Y	5.0E-02	1.7E-13	2.6E-13	4.2E-07
	Ru-103	013968-53-1	3.940E+01	D	Y	5.0E-02	9.0E-13	8.4E-12	1.5E-06
	Ru-105	014331-95-4	4.440E+00	H	Y	5.0E-02	3.7E-13	3.3E-13	2.6E-06

[Table 4A continues on the following page: Refer to Endnotes on the last page.]

Table 4A: Radionuclide Carcinogenicity -- Slope Factors[a] (In Units of Picocuries[b])

MARCH 1994

Element (Atomic Number)	Isotope[c]	CASRN[d]	Radioactive Half-life[e]		ICRP Lung Class[f]	GI Absorption Factor (f_1)[g]	Slope Factor Lifetime Excess Total Cancer Risk Per Unit Intake or Exposure		
							Ingestion (Risk/pCi)	Inhalation (Risk/pCi)	External Exposure (Risk/yr per pCi/g soil)
	Ru-106	013967-48-1	3.680E+02	D	Y	5.0E-02	9.5E-12	4.4E-10	0.0E+00
Samarium (62)	Sm-147	014392-33-7	1.060E+11	Y	W	3.0E-04	1.6E-11	7.2E-09	0.0E+00
	Sm-151	015715-94-3	9.000E+01	Y	W	3.0E-04	1.1E-13	8.7E-12	4.0E-13
	Sm-153	015766-00-4	4.670E+01	H	W	3.0E-04	8.7E-13	1.3E-12	4.6E-08
Scandium (21)	Sc-46	013967-63-0	8.380E+01	D	Y	1.0E-04	1.6E-12	2.7E-11	6.9E-06
	Sc-47	014391-96-9	3.420E+00	D	Y	1.0E-04	6.4E-13	1.2E-12	2.3E-07
	Sc-48	014391-86-7	4.370E+01	H	Y	1.0E-04	1.9E-12	2.3E-12	1.2E-05
Selenium (34)	Se-75	014265-71-5	1.200E+02	D	W	8.0E-01	5.8E-12	6.0E-12	8.1E-07
Silicon (14)	Si-31	014276-49-4	1.570E+02	M	W	1.0E-02	2.2E-13	1.7E-13	3.0E-09
Silver (47)	Ag-105	014928-14-4	4.130E+01	D	Y	5.0E-02	7.3E-13	4.0E-12	---------
	Ag-108	014391-65-2	2.370E+00	M	Y	5.0E-02	8.5E-15	2.4E-15	5.1E-08
	Ag-108m	014391-65-2(m)	1.270E+02	Y	Y	5.0E-02	3.5E-12	1.5E-10	5.0E-06
	Ag-109m	014378-38-2(m)	3.960E+01	S	Y	5.0E-02	3.3E-16	8.9E-17	1.3E-09
	Ag-110	014391-76-5	2.460E+01	S	Y	5.0E-02	3.0E-15	8.1E-16	1.0E-07
	Ag-110m	014391-76-5(m)	2.500E+02	D	Y	5.0E-02	4.7E-12	6.9E-11	9.3E-06
	Ag-111	157690-04-0	7.460E+00	D	Y	5.0E-02	1.6E-12	4.8E-12	7.7E-08
Sodium (11)	Na-22	013966-32-0	2.600E+00	Y	D	1.0E+00	6.8E-12	4.8E-12	7.2E-06
	Na-24	013982-04-2	1.500E+01	H	D	1.0E+00	1.0E-12	9.6E-13	1.6E-05

[Table 4A continues on the following page: Refer to Endnotes on the last page.]

Table 4A: Radionuclide Carcinogenicity -- Slope Factors[a] (In Units of Picocuries[b])

MARCH 1994

Element (Atomic Number)	Isotope[c]	CASRN[d]	Radioactive Half-life[e]		ICRP Lung Class[f]	GI Absorption Factor (f_1)[g]	Slope Factor Lifetime Excess Total Cancer Risk Per Unit Intake or Exposure: Ingestion (Risk/pCi)	Inhalation (Risk/pCi)	External Exposure (Risk/yr per pCi/g soil)
Strontium (38)	Sr-82	014809-50-8	2.500E+01	D	D	3.0E-01	7.5E-12	6.9E-12	1.3E-10
	Sr-85	013967-73-2	6.480E+01	D	D	3.0E-01	7.7E-13	1.0E-12	1.4E-06
	Sr-85m	013967-73-2(m)	6.770E+01	M	D	3.0E-01	1.2E-14	6.1E-15	4.8E-07
	Sr-89	014158-27-1	5.060E+01	D	D	3.0E-01	3.0E-12	2.9E-12	4.7E-10
	Sr-90†	010098-97-2	2.860E+01	Y	D	3.0E-01	3.3E-11	5.6E-11	0.0E+00
	Sr-90+D	010098-97-2(+D)	2.860E+01	Y	D	3.0E-01	3.6E-11	6.2E-11	0.0E+00
	Sr-91	014331-91-0	9.500E+00	H	D	3.0E-01	8.5E-13	6.9E-13	2.4E-06
	Sr-92	014928-29-1	2.710E+00	H	D	3.0E-01	5.7E-13	4.5E-13	4.6E-06
Sulfur (16)	S-35	015117-53-0	8.740E+01	D	D	8.0E-01	2.2E-13	1.9E-13	0.0E+00
Tantalum (73)	Ta-182	013982-00-8	1.150E+02	D	Y	1.0E-03	1.7E-12	4.3E-11	4.1E-06
Technetium (43)	Tc-95	014809-56-4	2.000E+01	H	W	8.0E-01	5.6E-14	2.3E-14	2.4E-06
	Tc-95m	014809-56-4(m)	6.100E+01	D	W	8.0E-01	1.8E-12	4.0E-12	1.9E-06
	Tc-96	014808-44-7	4.280E+00	D	W	8.0E-01	1.8E-12	2.1E-12	8.3E-06
	Tc-96m	014808-44-7(m)	5.150E+01	M	W	8.0E-01	2.3E-14	2.1E-14	7.0E-08
	Tc-97	015759-35-0	2.600E+06	Y	W	8.0E-01	1.5E-13	9.8E-13	3.5E-10
	Tc-97m	015759-35-0(m)	8.900E+01	D	W	8.0E-01	1.1E-12	5.0E-12	3.7E-10
	Tc-99	014133-76-7	2.130E+05	Y	W	8.0E-01	1.3E-12	8.3E-12	6.0E-13
	Tc-99m	014133-76-7(m)	6.020E+00	H	W	8.0E-01	5.0E-14	2.7E-14	2.3E-07

[Table 4A continues on the following page: Refer to Endnotes on the last page.]

Table 4A: Radionuclide Carcinogenicity -- Slope Factors[a] (In Units of Picocuries[b])

MARCH 1994

Element (Atomic Number)	Isotope[c]	CASRN[d]	Radioactive Half-life[e]		ICRP Lung Class[f]	GI Absorption Factor (f_1)[g]	Slope Factor Lifetime Excess Total Cancer Risk Per Unit Intake or Exposure: Ingestion (Risk/pCi)	Inhalation (Risk/pCi)	External Exposure (Risk/yr per pCi/g soil)
Tellurium (52)	Te-125m	014390-73-9(m)	5.800E+01	D	W	2.0E-01	8.5E-13	5.4E-12	2.6E-09
	Te-127	013981-49-2	9.350E+00	H	W	2.0E-01	2.3E-13	2.3E-13	1.4E-08
	Te-127m	013981-49-2(m)	1.090E+02	D	W	2.0E-01	2.2E-12	1.6E-11	8.4E-10
	Te-129	014269-71-7	6.960E+01	M	W	2.0E-01	1.1E-13	6.8E-14	1.3E-07
	Te-129m	014269-71-7(m)	3.360E+01	D	W	2.0E-01	3.2E-12	2.0E-11	6.3E-08
	Te-131	014683-12-6	2.500E+01	M	W	2.0E-01	2.8E-13	1.4E-13	1.2E-06
	Te-131m	014683-12-6(m)	3.000E+01	H	W	2.0E-01	3.8E-12	5.4E-12	4.7E-06
	Te-132	014234-28-7	7.820E+01	H	W	2.0E-01	3.0E-12	5.3E-12	4.0E-07
Terbium (65)	Tb-158	015759-55-4	1.500E+02	Y	W	3.0E-04	1.2E-12	9.4E-11	---------
	Tb-160	013981-29-8	7.230E+01	D	W	3.0E-04	1.8E-12	1.9E-11	3.6E-06
Thallium (81)	Tl-202	015720-57-7	1.220E+01	D	D	1.0E+00	8.4E-13	6.0E-13	1.3E-06
	Tl-204	013968-51-9	3.780E+00	Y	D	1.0E+00	1.7E-12	1.3E-12	8.7E-10
	Tl-207[†]	014133-67-6	4.770E+00	M	D	1.0E+00	1.3E-14	4.5E-15	7.5E-09
	Tl-208[†]	014913-50-9	3.050E+00	M	D	1.0E+00	1.8E-14	5.0E-15	1.3E-05
	Tl-209[†]	015690-73-0	2.200E+00	M	D	1.0E+00	1.4E-14	4.3E-15	6.9E-06
Thorium (90)	Th-227[†]	015623-47-9	1.870E+01	D	Y	2.0E-04	4.5E-12	4.9E-09	1.6E-07
	Th-228[†]	014274-82-9	1.910E+00	Y	Y	2.0E-04	1.1E-11	7.7E-08	5.5E-10
	Th-228+D	014274-82-9(+D)	1.910E+00	Y	Y	2.0E-04	5.5E-11	7.8E-08	5.6E-06

[Table 4A continues on the following page: Refer to Endnotes on the last page.]

Table 4A: Radionuclide Carcinogenicity -- Slope Factors[a] (In Units of Picocuries[b])

MARCH 1994

Element (Atomic Number)	Isotope[c]	CASRN[d]	Radioactive Half-life[e]		ICRP Lung Class[f]	GI Absorption Factor (f_1)[g]	Slope Factor Lifetime Excess Total Cancer Risk Per Unit Intake or Exposure: Ingestion (Risk/pCi)	Inhalation (Risk/pCi)	External Exposure (Risk/yr per pCi/g soil)
	Th-229[t]	015594-54-4	7.340E+03	Y	Y	2.0E-04	2.1E-11	7.3E-08	5.8E-08
	Th-229+D	015594-54-4(+D)	7.340E+03	Y	Y	2.0E-04	8.9E-11	7.7E-08	6.8E-07
	Th-230[t]	014269-63-7	7.700E+04	Y	Y	2.0E-04	1.3E-11	2.9E-08	5.4E-11
	Th-231[t]	014932-40-2	2.550E+01	H	Y	2.0E-04	4.0E-13	4.9E-13	2.3E-09
	Th-232[t]	007440-29-1	1.410E+10	Y	Y	2.0E-04	1.2E-11	2.8E-08	2.6E-11
	Th-234[t]	015065-10-8	2.410E+01	D	Y	2.0E-04	4.0E-12	3.2E-11	3.5E-09
Thulium (69)	Tm-170	013981-30-1	1.290E+02	D	W	3.0E-04	1.5E-12	2.1E-11	3.8E-09
	Tm-171	014333-45-0	1.920E+00	Y	W	3.0E-04	1.2E-13	3.1E-12	3.3E-10
Tin (50)	Sn-113	013966-06-8	1.150E+02	D	W	2.0E-02	8.7E-13	9.4E-12	3.3E-09
	Sn-121	014683-06-8	2.710E+01	H	W	2.0E-02	2.7E-13	3.2E-13	----------
	Sn-121m	014683-06-8(m)	5.550E+01	Y	W	2.0E-02	5.4E-13	9.3E-12	----------
	Sn-125	014683-08-0	9.640E+00	D	W	2.0E-02	3.6E-12	1.2E-11	1.1E-06
	Sn-126	015832-50-5	1.000E+05	Y	W	2.0E-02	5.6E-12	7.7E-11	3.3E-08
Tungsten (74)	W-181	015749-46-9	1.210E+02	D	D	3.0E-01	8.3E-14	6.4E-14	2.2E-08
	W-185	014932-41-3	7.510E+01	D	D	3.0E-01	4.7E-13	3.0E-13	4.7E-11
	W-187	014983-48-3	2.380E+01	H	D	3.0E-01	6.3E-13	3.9E-13	1.5E-06
Uranium (92)	U-232	014158-29-3	7.200E+01	Y	Y	5.0E-02	3.7E-11	6.0E-08	4.6E-11
	U-233	013968-55-3	1.590E+05	Y	Y	5.0E-02	1.6E-11	2.7E-08	4.2E-11

[Table 4A continues on the following page: Refer to Endnotes on the last page.]

Table 4A: Radionuclide Carcinogenicity -- Slope Factors[a] (In Units of Picocuries[b])

MARCH 1994

Element (Atomic Number)	Isotope[c]	CASRN[d]	Radioactive Half-life[e]		ICRP Lung Class[f]	GI Absorption Factor (f_1)[g]	Slope Factor Lifetime Excess Total Cancer Risk Per Unit Intake or Exposure: Ingestion (Risk/pCi)	Inhalation (Risk/pCi)	External Exposure (Risk/yr per pCi/g soil)
	U-234[t]	013966-29-5	2.450E+05	Y	Y	5.0E-02	1.6E-11	2.6E-08	3.0E-11
	U-235[t]	015117-96-1	7.040E+08	Y	Y	5.0E-02	1.6E-11	2.5E-08	2.4E-07
	U-235+D	015117-96-1(+D)	7.040E+08	Y	Y	5.0E-02	1.6E-11	2.5E-08	2.4E-07
	U-236	013982-70-2	2.340E+07	Y	Y	5.0E-02	1.5E-11	2.5E-08	2.4E-11
	U-237	014269-75-1	6.750E+00	D	Y	5.0E-02	8.9E-13	2.6E-12	1.3E-07
	U-238[t]	007440-61-1	4.470E+09	Y	Y	5.0E-02	1.6E-11	2.4E-08	2.1E-11
	U-238+D	007440-61-1(+D)	4.470E+09	Y	Y	5.0E-02	2.0E-11	2.4E-08	5.1E-08
	U-240	015687-53-3	1.410E+01	H	Y	5.0E-02	1.2E-12	1.2E-12	1.5E-10
Vanadium (23)	V-48	014331-97-6	1.600E+01	D	W	1.0E-02	2.2E-12	7.6E-12	9.9E-06
Xenon (54)	Xe-122	015151-09-4	2.010E+01	H	*	1.0E+00	----------	3.3E-15	8.4E-08
	Xe-123	015700-10-4	2.140E+00	H	*	1.0E+00	----------	7.4E-16	1.7E-06
	Xe-125	013994-18-8	1.680E+01	H	*	1.0E+00	----------	4.2E-16	4.7E-07
	Xe-127	013994-19-9	3.640E+01	D	*	1.0E+00	----------	4.0E-16	5.0E-07
	Xe-129m	013965-99-6(m)	8.890E+00	D	*	1.0E+00	----------	6.0E-16	1.3E-08
	Xe-131m	014683-11-5(m)	1.180E+01	D	*	1.0E+00	----------	4.3E-16	4.5E-09
	Xe-133	014932-42-4	5.250E+00	D	*	1.0E+00	----------	4.3E-16	2.3E-08
	Xe-133m	014932-42-4(m)	2.190E+00	D	*	1.0E+00	----------	5.4E-16	3.3E-08
	Xe-135	014995-62-1	9.110E+00	H	*	1.0E+00	----------	8.0E-16	6.2E-07

[Table 4A continues on the following page: Refer to Endnotes on the last page.]

Table 4A: Radionuclide Carcinogenicity -- Slope Factors[a] (In Units of Picocuries[b])

MARCH 1994

Element (Atomic Number)	Isotope[c]	CASRN[d]	Radioactive Half-life[e]		ICRP Lung Class[f]	GI Absorption Factor (f_1)[g]	Slope Factor Lifetime Excess Total Cancer Risk Per Unit Intake or Exposure: Ingestion (Risk/pCi)	Inhalation (Risk/pCi)	External Exposure (Risk/yr per pCi/g soil)
	Xe-135m	014995-62-1(m)	1.540E+01	M	*	1.0E+00	----------	2.1E-16	1.3E-06
	Xe-137	014835-21-3	3.830E+00	M	*	1.0E+00	----------	1.8E-15	6.0E-07
	Xe-138	015751-81-2	1.410E+01	M	*	1.0E+00	----------	2.8E-15	4.0E-06
Yttrium (39)	Y-90[†]	010098-91-6	6.410E+01	H	Y	1.0E-04	3.2E-12	5.5E-12	0.0E+00
	Y-91	014234-24-3	5.850E+01	D	Y	1.0E-04	2.8E-12	4.3E-11	1.2E-08
	Y-91m	014234-24-3(m)	4.970E+01	M	Y	1.0E-04	2.2E-14	3.5E-14	1.7E-06
	Y-92	015751-59-4	3.540E+00	H	Y	1.0E-04	7.1E-13	5.3E-13	8.6E-07
	Y-93	014981-70-5	1.010E+01	H	Y	1.0E-04	1.4E-12	1.4E-12	3.0E-07
Zinc (30)	Zn-65	013982-39-3	2.440E+02	D	Y	5.0E-01	8.5E-12	1.6E-11	2.0E-06
	Zn-69	013982-23-5	5.560E+01	M	Y	5.0E-01	5.6E-14	3.2E-14	1.8E-11
	Zn-69m	013982-23-5(m)	1.380E+01	H	Y	5.0E-01	4.3E-13	5.7E-13	1.3E-06
Zirconium (40)	Zr-93	015751-77-6	1.530E+06	Y	W	2.0E-03	1.7E-13	6.5E-12	0.0E+00
	Zr-95	013967-71-0	6.400E+01	D	W	2.0E-03	9.9E-13	1.0E-11	2.5E-06
	Zr-97	014928-30-4	1.690E+01	H	W	2.0E-03	2.4E-12	2.5E-12	6.1E-07

[Table 4A continues on the following page: Refer to Endnotes on the last page.]

Table 4A: Radionuclide Carcinogenicity -- Slope Factors[a] (In Units of Picocuries[b])

MARCH 1994

Element (Atomic Number)	Isotope[c]	CASRN[d]	Radioactive Half-life[e]	ICRP Lung Class[f]	GI Absorption Factor (f_1)[g]	Slope Factor Lifetime Excess Total Cancer Risk Per Unit Intake or Exposure: Ingestion (Risk/pCi)	Inhalation (Risk/pCi)	External Exposure (Risk/yr per pCi/g soil)

ENDNOTES:

[a] EPA classifies all radionuclides as Group A (known human) carcinogens. Radionuclide slope factors are calculated by EPA's Office of Radiation and Indoor Air (ORIA) to assist HEAST users with risk-related evaluations and decision-making at various stages of the remediation process. Ingestion and inhalation slope factors are best estimates (i.e., median or 50th percentile values) of the age-averaged, lifetime excess cancer incidence (fatal and nonfatal cancer) risk per unit of activity inhaled or ingested, expressed as risk/picocurie (pCi) in Table 4A or as risk/becquerel (Bq) in Table 4B. External exposure slope factors are best estimates of the lifetime excess cancer incidence risk for each year of exposure to external radiation from photon-emitting radionuclides distributed uniformly in a thick layer of soil, and are expressed as risk/yr per pCi/gram of soil (Table 4A) or as risk/yr per Bq/gram of soil (Table 4B). For a discussion on the derivation of radionuclide slope factors and guidance on their use, refer to the User's Guide section on radionuclide carcinogenicity.

[b] A curie (Ci), the customary unit of activity, is equal to 3.7×10^{10} nuclear transformations per second. 1 picocurie (pCi) = 10^{-12} Ci.

[c] For each radionuclide listed, slope factors correspond to the risks per unit intake or exposure for that radionuclide only, except when marked with a "+D" to indicate that the risks from radioactive decay chain products are also included. Radionuclides designated with a "†" are members of a decay chain. Refer to Exhibit 1 in the User's Guide section on radionuclide carcinogenicity for guidance on determining slope factors for partial or complete radioactive decay chains.

[d] Chemical Abstract Service Reference Number (CASRN). For risk calculations involving decay chains, a CASRN should be reported for the parent radionuclide and each chain member.

[e] Radioactive half-life: S = Second, M = Minute, D = Day, Y = Year. For those radionuclides with decay products (+D), half-lives are listed for the parent radionuclide.

[f] Lung clearance classification recommended by the International Commission on Radiological Protection (ICRP): Y = Year, W = Week, D = Day, * = Gas.

[g] Gastrointestinal (GI) absorption factors are the fractional amounts of each radionuclide absorbed across the GI tract into the bloodstream. Lung clearance classifications and GI absorption factors are provided for reference only. Do not use these factors to adjust (i.e., multiply or divide) inhalation or ingestion slope factors. See the User's Guide for instructions.

[Table 4A concluded.]

Table 4B: Radionuclide Carcinogenicity -- Slope Factors[a] (In Units of Becquerels[b])

MARCH 1994

Element (Atomic Number)	Isotope[c]	CASRN[d]	Radioactive Half-life[e]		ICRP Lung Class[f]	GI Absorption Factor (f_1)[g]	Slope Factor Lifetime Excess Total Cancer Risk Per Unit Intake or Exposure: Ingestion (Risk/Bq)	Inhalation (Risk/Bq)	External Exposure (Risk/yr per Bq/g soil)
Actinium (89)	Ac-225†	014265-85-1	1.000E+01	D	Y	1.0E-03	4.6E-10	6.5E-08	2.1E-07
	Ac-227†	014952-40-0	2.180E+01	Y	Y	1.0E-03	7.6E-09	2.2E-06	7.0E-10
	Ac-227+D	014952-40-0(+D)	2.180E+01	Y	Y	1.0E-03	9.5E-09	2.4E-06	2.3E-05
	Ac-228	014331-83-0	6.130E+00	H	Y	1.0E-03	1.4E-11	7.0E-10	7.8E-05
Americium (95)	Am-241†	014596-10-2	4.320E+02	Y	W	1.0E-03	6.5E-09	8.6E-07	1.3E-07
	Am-242	013981-54-9	1.600E+01	H	W	1.0E-03	9.7E-12	3.2E-10	1.6E-07
	Am-242m	013981-54-9(m)	1.520E+02	Y	W	1.0E-03	6.2E-09	7.6E-07	3.2E-09
	Am-243†	014993-75-0	7.380E+03	Y	W	1.0E-03	6.5E-09	8.6E-07	6.5E-07
	Am-243+D	014993-75-0(+D)	7.380E+03	Y	W	1.0E-03	6.5E-09	8.6E-07	6.8E-06
Antimony (51)	Sb-122	014374-79-9	2.700E+00	D	W	1.0E-01	5.4E-11	9.2E-11	3.8E-05
	Sb-124	014683-10-4	6.020E+01	D	W	1.0E-01	7.8E-11	5.9E-10	1.8E-04
	Sb-125	014234-35-6	2.770E+00	Y	W	1.0E-01	2.3E-11	3.0E-10	3.2E-05
	Sb-126	015756-32-8	1.240E+01	D	W	1.0E-01	7.6E-11	2.4E-10	2.5E-04
	Sb-126m	015756-32-8(m)	1.900E+01	M	W	1.0E-01	1.9E-12	7.0E-13	1.4E-04
	Sb-127	013968-50-8	3.850E+00	D	W	1.0E-01	5.4E-11	1.1E-10	5.7E-05
	Sb-129	014331-88-5	4.400E+00	H	W	1.0E-01	1.6E-11	1.4E-11	1.3E-04
Argon (18)	Ar-41	014163-25-8	1.830E+00	H	*	1.0E+00	---------	1.6E-14	1.2E-04
Astatine (85)	At-217†	017239-90-6	3.230E-02	S	D	1.0E+00	1.2E-16	1.5E-15	2.1E-08

[Table 4B continues on the following page: Refer to Endnotes on the last page.]

Table 4B: Radionuclide Carcinogenicity -- Slope Factors[a] (In Units of Becquerels[b])

MARCH 1994

Element (Atomic Number)	Isotope[c]	CASRN[d]	Radioactive Half-life[e]		ICRP Lung Class[f]	GI Absorption Factor (f_1)[g]	Slope Factor Lifetime Excess Total Cancer Risk Per Unit Intake or Exposure: Ingestion (Risk/Bq)	Inhalation (Risk/Bq)	External Exposure (Risk/yr per Bq/g soil)
Barium (56)	Ba-131	014914-75-1	1.180E+01	D	D	1.0E-01	1.3E-11	9.7E-12	3.2E-05
	Ba-133	013981-41-4	1.050E+01	Y	D	1.0E-01	3.2E-11	9.7E-11	2.3E-05
	Ba-133m	013981-41-4(m)	3.890E+01	H	D	1.0E-01	1.7E-11	9.5E-12	2.6E-06
	Ba-137m[1]	013981-97-0(m)	2.550E+00	M	D	1.0E-01	6.5E-14	1.6E-14	5.4E-05
	Ba-139	014378-25-7	8.310E+01	M	D	1.0E-01	5.7E-12	4.1E-12	2.1E-06
	Ba-140	014798-08-4	1.280E+01	D	D	1.0E-01	7.3E-11	5.4E-11	1.5E-05
Beryllium (4)	Be-7	013966-02-4	5.340E+01	D	Y	5.0E-03	8.1E-13	7.3E-12	4.1E-06
Bismuth (83)	Bi-206	015776-19-9	6.240E+00	D	W	5.0E-02	5.9E-11	1.2E-10	3.0E-04
	Bi-207	013982-38-2	3.340E+01	Y	W	5.0E-02	3.8E-11	4.9E-10	1.3E-04
	Bi-210[1]	014331-79-4	5.010E+00	D	W	5.0E-02	4.3E-11	2.2E-09	0.0E+00
	Bi-211[1]	015229-37-5	2.130E+00	M	W	5.0E-02	3.3E-13	5.2E-12	3.6E-06
	Bi-212[1]	014913-49-6	6.055E+01	M	W	5.0E-02	8.4E-12	1.8E-10	1.6E-05
	Bi-213[1]	015776-20-2	4.570E+01	M	W	5.0E-02	6.2E-12	8.1E-12	1.1E-05
	Bi-214[1]	014733-03-0	1.990E+01	M	W	5.0E-02	3.5E-12	5.7E-11	1.4E-04
Bromine (35)	Br-82	014686-69-2	3.530E+01	H	D	1.0E+00	3.0E-11	2.4E-11	2.4E-04
Cadmium (20)	Cd-109	014109-32-1	4.640E+02	D	Y	5.0E-02	2.1E-10	1.8E-09	2.0E-08
	Cd-115	014336-68-6	5.350E+01	H	Y	5.0E-02	4.6E-11	7.0E-11	1.7E-05
	Cd-115m	014336-68-6(m)	4.460E+01	D	Y	5.0E-02	1.4E-10	1.1E-09	2.0E-06

[Table 4B continues on the following page: Refer to Endnotes on the last page.]

Table 4B: Radionuclide Carcinogenicity -- Slope Factors[a] (In Units of Becquerels[b])

MARCH 1994

Element (Atomic Number)	Isotope[c]	CASRN[d]	Radioactive Half-life[e]		ICRP Lung Class[f]	GI Absorption Factor (f_1)[g]	Slope Factor Lifetime Excess Total Cancer Risk Per Unit Intake or Exposure: Ingestion (Risk/Bq)	Inhalation (Risk/Bq)	External Exposure (Risk/yr per Bq/g soil)
Calcium (20)	Ca-45	013966-05-7	1.630E+02	D	W	3.0E-01	2.7E-11	1.4E-10	1.6E-16
	Ca-47	001439-99-2	4.540E+00	D	W	3.0E-01	5.4E-11	1.2E-10	9.7E-05
Carbon (6)	C-11	014333-33-6	2.050E+01	M	D	1.0E+00	1.3E-12	5.7E-13	8.6E-05
	C-14	014762-75-5	5.730E+03	Y	*	1.0E+00	2.4E-11	1.7E-13	0.0E+00
	C-15	015929-23-4	2.450E+00	S	D	1.0E+00	2.2E-14	5.7E-15	----------
Cerium (58)	Ce-141	013967-74-3	3.250E+01	D	Y	3.0E-04	2.2E-11	2.3E-10	3.5E-06
	Ce-143	014119-19-8	3.300E+01	H	Y	3.0E-04	3.5E-11	5.9E-11	1.8E-05
	Ce-144	014762-78-8	2.840E+02	D	Y	3.0E-04	1.6E-10	9.2E 09	6.8E-07
Cesium (55)	Cs-131	014914-76-2	9.690E+00	D	D	1.0E+00	3.8E-12	2.7E-12	7.6E-08
	Cs-134	013967-70-9	2.060E+00	Y	D	1.0E+00	1.1E-09	7.6E-10	1.4E-04
	Cs-134m	013967-70-9(m)	2.900E+00	H	D	1.0E+00	1.1E-12	1.1E-12	5.4E-07
	Cs-135	015726-30-4	2.300E+06	Y	D	1.0E+00	1.1E-10	7.3E-11	0.0E+00
	Cs-136	014234-29-8	1.320E+01	D	D	1.0E+00	1.8E-10	1.2E-10	1.9E-04
	Cs-137[†]	010045-97-3	3.020E+01	Y	D	1.0E+00	7.6E-10	5.1E-10	0.0E+00
	Cs-137+D	010045-97-3(+D)	3.020E+01	Y	D	1.0E+00	7.6E-10	5.1E-10	5.4E-05
	Cs-138	015758-29-9	3.220E+01	M	D	1.0E+00	5.1E-12	2.6E-12	2.2E-04
Chlorine (17)	Cl-36	013981-43-6	3.010E+05	Y	D	1.0E+00	4.9E-11	3.8E-11	0.0E+00
	Cl-38	014158-34-0	3.720E+01	M	D	1.0E+00	6.2E-12	3.5E-12	1.5E-04

[Table 4B continues on the following page: Refer to Endnotes on the last page.]

Table 4B: Radionuclide Carcinogenicity -- Slope Factors[a] (In Units of Becquerels[b])

MARCH 1994

Element (Atomic Number)	Isotope[c]	CASRN[d]	Radioactive Half-life[e]		ICRP Lung Class[f]	GI Absorption Factor (f_1)[g]	Slope Factor Lifetime Excess Total Cancer Risk Per Unit Intake or Exposure: Ingestion (Risk/Bq)	Inhalation (Risk/Bq)	External Exposure (Risk/yr per Bq/g soil)
Chromium (24)	Cr-51	014392-02-0	2.770E+01	D	Y	1.0E-01	1.2E-12	8.1E-12	2.5E-06
Cobalt (27)	Co-57	013981-50-5	2.710E+02	D	Y	3.0E-01	1.6E-11	2.2E-10	5.1E-06
	Co-58	01381-38-9	7.080E+01	D	Y	3.0E-01	4.3E-11	2.6E-10	8.9E-05
	Co-58m	01381-38-9(m)	9.150E+00	H	Y	3.0E-01	8.6E-13	2.0E-12	1.3E-09
	Co-60	010198-40-0	5.270E+00	Y	Y	3.0E-01	4.1E-10	4.1E-09	2.3E-04
Copper (29)	Cu-64	013981-25-4	1.270E+01	H	Y	5.0E-01	4.6E-12	5.4E-12	1.6E-05
Curium (96)	Cm-242	015510-73-3	1.630E+02	D	W	1.0E-03	3.5E-10	1.1E-07	9.2E-10
	Cm-243	015757-87-6	2.850E+01	Y	W	1.0E-03	5.1E-09	7.0E-07	4.3E-06
	Cm-244	013981-15-2	1.810E+01	Y	W	1.0E-03	4.3E-09	5.9E-07	8.1E-10
	Cm-245	015621-76-8	8.500E+03	Y	W	1.0E-03	6.5E-09	8.6E-07	1.4E-06
	Cm-246	015757-90-1	4.750E+03	Y	W	1.0E-03	6.5E-09	8.6E-07	7.3E-10
	Cm-247	015758-32-4	1.560E+07	Y	W	1.0E-03	5.9E-09	8.1E-07	2.5E-05
	Cm-248	015758-33-5	3.390E+05	Y	W	1.0E-03	2.5E-08	3.2E-06	5.9E-10
Dysprosium (66)	Dy-165	013967-64-1	2.330E+00	H	W	3.0E-04	4.1E-12	3.0E-12	1.5E-06
	Dy-166	015840-01-4	8.160E+01	H	W	3.0E-04	5.1E-11	1.4E-10	7.3E-07
Erbium (63)	Er-169	015840-13-8	9.400E+00	D	W	3.0E-04	1.2E-11	4.1E-11	2.3E-10
	Er-171	014391-45-8	7.520E+00	H	W	3.0E-04	1.2E-11	1.1E-11	2.5E-05
Europium (63)	Eu-152	014683-23-9	1.360E+01	Y	W	1.0E-03	5.7E-11	3.0E-09	9.7E-05

[Table 4B continues on the following page: Refer to Endnotes on the last page.]

Table 4B: Radionuclide Carcinogenicity -- Slope Factors[a] (In Units of Becquerels[b])

MARCH 1994

Element (Atomic Number)	Isotope[c]	CASRN[d]	Radioactive Half-life[e]		ICRP Lung Class[f]	GI Absorption Factor (f_1)[g]	Slope Factor Lifetime Excess Total Cancer Risk Per Unit Intake or Exposure: Ingestion (Risk/Bq)	Inhalation (Risk/Bq)	External Exposure (Risk/yr per Bq/g soil)
	Eu-154	015585-10-1	8.800E+00	Y	W	1.0E-03	8.1E-11	3.8E-09	1.1E-04
	Eu-155	014391-16-3	4.960E+00	Y	W	1.0E-03	1.2E-11	4.9E-10	1.6E-06
	Eu-156	014280-35-4	1.520E+01	D	W	1.0E-03	6.8E-11	3.0E-10	1.3E-04
Florin (9)	F-18	013981-56-1	1.100E+02	M	D	1.0E+00	2.6E-12	1.9E-12	8.4E-05
Francium (87)	Fr-221[t]	015756-41-9	4.800E+00	M	D	1.0E+00	1.6E-12	2.5E-11	1.7E-06
	Fr-223[t]	015756-98-6	2.180E+00	M	D	1.0E+00	4.6E-12	1.1E-11	1.1E-06
Gadolinium (64)	Gd-153	014276-65-4	2.420E+02	D	W	3.0E-04	8.4E-12	1.6E-10	2.0E-06
	Gd-159	014041-42-0	1.860E+01	H	W	3.0E-04	1.6E-11	1.7E-11	2.4E-06
Gallium (31)	Ga-67	014119-09-6	3.260E+00	D	W	1.0E-03	5.7E-12	9.7E-12	8.9E-06
	Ga-72	013982-22-4	1.410E+01	H	W	1.0E-03	3.5E-11	3.2E-11	2.6E-04
Germanium (32)	Ge-71	014374-81-3	1.180E+01	D	W	1.0E+00	1.8E-13	3.5E-12	6.2E-10
Gold (79)	Au-196	014914-16-0	6.180E+00	D	Y	1.0E-01	1.1E-11	2.4E-11	3.5E-05
	Au-198	010043-49-0	2.700E+00	D	Y	1.0E-01	3.2E-11	5.7E-11	3.2E-05
Holmium (67)	Ho-166	013967-65-2	2.680E+01	H	W	3.0E-04	4.6E-11	5.9E-11	1.8E-06
Hydrogen (1)	H-3	010028-17-8	1.230E+01	Y	*	1.0E+00	1.5E-12	2.1E-12	0.0E+00
Indium (49)	In-113m	014885-78-0(m)	1.660E+00	H	W	2.0E-02	1.3E-12	7.8E-13	1.9E-05
	In-114	013981-55-0	7.190E+01	S	W	2.0E-02	1.5E-13	4.1E-14	2.7E-06
	In-114m	013981-55-0(m)	4.950E+01	D	W	2.0E-02	1.5E-10	1.1E-09	4.9E-06

[Table 4B continues on the following page: Refer to Endnotes on the last page.]

Table 4B: Radionuclide Carcinogenicity -- Slope Factors[a] (In Units of Becquerels[b])

MARCH 1994

Element (Atomic Number)	Isotope[c]	CASRN[d]	Radioactive Half-life[e]		ICRP Lung Class[f]	GI Absorption Factor (f_1)[g]	Slope Factor Lifetime Excess Total Cancer Risk Per Unit Intake or Exposure: Ingestion (Risk/Bq)	Inhalation (Risk/Bq)	External Exposure (Risk/yr per Bq/g soil)
	In-115	014191-71-0	4.600E+15	Y	W	2.0E-02	8.6E-10	5.9E-09	0.0E+00
	In-115m	014191-71-0(m)	4.360E+00	H	W	2.0E-02	3.2E-12	2.5E-12	1.1E-05
Iodine (53)	I-122	018287-75-7	3.620E+00	M	D	1.0E+00	6.8E-13	2.1E-13	8.1E-05
	I-123	015715-08-9	1.310E+01	H	D	1.0E+00	2.7E-11	1.5E-11	6.5E-06
	I-125	014158-31-7	6.010E+01	D	D	1.0E+00	2.1E-10	1.4E-10	7.8E-08
	I-126	014158-32-8	1.290E+01	D	D	1.0E+00	4.1E-10	2.6E-10	3.5E-05
	I-129	015046-84-1	1.570E+07	Y	D	1.0E+00	5.1E-09	3.2E-09	1.1E-07
	I-130	014914-02-4	1.240E+01	H	D	1.0E+00	2.5E-10	1.4E-10	1.9E-04
	I-131	010043-66-0	8.040E+00	D	D	1.0E+00	9.7E-10	6.5E-10	4.1E-05
	I-132	014683-16-0	2.300E+00	H	D	1.0E+00	2.7E-11	1.6E-11	2.1E-04
	I-133	014834-67-4	2.080E+01	H	D	1.0E+00	5.7E-10	3.2E-10	5.4E-05
	I-134	014914-27-3	5.260E+01	M	D	1.0E+00	7.6E-12	4.3E-12	2.4E-04
	I-135	014834-68-5	6.610E+00	H	D	1.0E+00	1.1E-10	6.5E-11	1.5E-04
	Ir-190	014981-91-0	1.180E+01	D	Y	1.0E-02	3.8E-11	1.3E-10	1.1E-04
Iridium (77)	Ir-192	014694-69-0	7.400E+01	D	Y	1.0E-02	4.6E-11	7.3E-10	6.5E-05
	Ir-194	014158-35-1	1.920E+01	H	Y	1.0E-02	4.3E-11	4.9E-11	7.6E-06
Iron (26)	Fe-55	014681-59-5	2.700E+00	Y	W	1.0E-01	7.3E-12	2.3E-11	0.0E+00
	Fe-59	014596-12-4	4.460E+01	D	W	1.0E-01	7.6E-11	2.6E-10	1.1E-04

[Table 4B continues on the following page: Refer to Endnotes on the last page.]

Table 4B: Radionuclide Carcinogenicity -- Slope Factors[a] (In Units of Becquerels[b])

MARCH 1994

Element (Atomic Number)	Isotope[c]	CASRN[d]	Radioactive Half-life[e]		ICRP Lung Class[f]	GI Absorption Factor (f_1)[g]	Slope Factor Lifetime Excess Total Cancer Risk Per Unit Intake or Exposure: Ingestion (Risk/Bq)	Inhalation (Risk/Bq)	External Exposure (Risk/yr per Bq/g soil)
Krypton (36)	Kr-83m	013965-98-5(m)	1.830E+00	H	*	1.0E+00	----------	1.7E-15	9.2E-10
	Kr-85	013983-27-2	1.070E+01	Y	*	1.0E+00	----------	1.3E-15	1.9E-07
	Kr-85m	013983-27-2(m)	4.480E+00	H	*	1.0E+00	----------	1.3E-14	9.2E-06
	Kr-87	014809-68-8	7.630E+01	M	*	1.0E+00	----------	5.9E-14	7.6E-05
	Kr-88	014995-61-0	2.840E+00	H	*	1.0E+00	----------	1.3E-13	2.0E-04
	Kr-89	016316-03-3	3.160E+00	M	*	1.0E+00	----------	7.0E-14	1.8E-04
	Kr-90	015741-13-6	3.230E+01	S	*	1.0E+00	----------	6.5E-14	1.1E-04
Lanthanum (57)	La-140	013981-28-7	4.020E+01	H	W	1.0E-03	6.2E-11	8.1E-11	2.2E-04
Lead (82)	Pb-203	014687-25-3	5.200E+01	H	D	2.0E-01	8.6E-12	7.0E-12	1.6E-05
	Pb-209†	014119-30-3	3.250E+00	H	D	2.0E-01	2.3E-12	1.9E-12	0.0E+00
	Pb-210†	014255-04-0	2.230E+01	Y	D	2.0E-01	1.4E-08	3.5E-08	3.5E-09
	Pb-210+D	014255-04-0(+D)	2.230E+01	Y	D	2.0E-01	1.8E-08	1.1E-07	4.3E-09
	Pb-211†	015816-77-0	3.610E+01	M	D	2.0E-01	4.9E-12	7.6E-11	4.3E-06
	Pb-212†	015092-94-1	1.060E+01	H	D	2.0E-01	1.5E-10	1.2E-09	7.6E-06
	Pb-214†	015067-28-4	2.680E+01	M	D	2.0E-01	4.6E-12	7.8E-11	1.7E-05
Lutetium (71)	Lu-177	014265-75-9	6.710E+00	D	Y	3.0E-04	1.7E-11	5.1E-11	1.8E-06
Manganese (25)	Mn-52	014092-99-0	5.590E+00	D	W	1.0E-01	5.9E-11	1.0E-10	3.2E-04
	Mn-54	013966-31-9	3.130E+02	D	W	1.0E-01	3.0E-11	1.4E-10	7.8E-05

[Table 4B continues on the following page: Refer to Endnotes on the last page.]

Table 4B: Radionuclide Carcinogenicity -- Slope Factors[a] (In Units of Becquerels[b])

MARCH 1994

Element (Atomic Number)	Isotope[c]	CASRN[d]	Radioactive Half-life[e]		ICRP Lung Class[f]	GI Absorption Factor (f_1)[g]	Slope Factor Lifetime Excess Total Cancer Risk Per Unit Intake or Exposure: Ingestion (Risk/Bq)	Inhalation (Risk/Bq)	External Exposure (Risk/yr per Bq/g soil)
	Mn-56	014681-52-8	2.580E+00	H	W	1.0E-01	1.1E-11	7.6E-12	1.6E-04
Mercury (80)	Hg-197	013981-51-6	6.410E+01	H	W	2.0E-02	7.3E-12	1.2E-11	1.5E-06
	Hg-203	013982-78-0	4.660E+01	D	W	2.0E-02	1.8E-11	1.3E-10	1.5E-05
Molybdenum (42)	Mo-99	014119-15-4	6.600E+01	H	Y	8.0E-01	4.1E-11	7.0E-11	1.3E-05
Neodymium (60)	Nd-147	014269-74-0	1.100E+01	D	Y	3.0E-04	3.5E-11	1.5E-10	8.1E-06
	Nd-149	015749-81-2	1.730E+00	H	Y	3.0E-04	5.1E-12	4.3E-12	2.6E-05
Neptunium (93)	Np-236	015700-36-4	1.150E+05	Y	W	1.0E-03	6.2E-12	1.1E-10	2.4E-06
	Np-237†	013994-20-2	2.140E+06	Y	W	1.0E-03	5.9E-09	7.8E-07	2.1E-07
	Np-237+D	013994-20-2(+D)	2.140E+06	Y	W	1.0E-03	5.9E-09	7.8E-07	1.2E-05
	Np-238	015766-25-3	2.120E+00	D	W	1.0E-03	3.0E-11	8.9E-11	4.6E-05
	Np-239†	013968-59-7	2.360E+00	D	W	1.0E-03	2.5E-11	4.1E-11	6.2E-06
	Np-240	015690-84-3	6.500E+01	M	W	1.0E-03	3.5E-12	1.8E-12	8.6E-05
	Np-240m	015690-84-3(m)	7.400E+00	M	W	1.0E-03	7.8E-13	2.4E-13	2.5E-05
Nickel (28)	Ni-59	014336-70-0	7.500E+04	Y	W	5.0E-02	2.5E-12	1.9E-11	0.0E+00
	Ni-63	013981-37-8	1.000E+02	Y	W	5.0E-02	6.5E-12	4.9E-11	0.0E+00
	Ni-65	014833-49-9	2.520E+00	H	W	5.0E-02	7.0E-12	5.1E-12	5.1E-05
Niobium (41)	Nb-93m	007440-03-1(m)	1.460E+01	Y	Y	1.0E-02	4.1E-12	5.1E-10	1.4E-09
	Nb-94	014681-63-1	2.030E+04	Y	Y	1.0E-02	5.7E-11	5.7E-09	1.5E-04

[Table 4B continues on the following page: Refer to Endnotes on the last page.]

Table 4B: Radionuclide Carcinogenicity -- Slope Factors[a] (In Units of Becquerels[b])

MARCH 1994

Element (Atomic Number)	Isotope[c]	CASRN[d]	Radioactive Half-life[e]		ICRP Lung Class[f]	GI Absorption Factor (f_1)[g]	Slope Factor Lifetime Excess Total Cancer Risk Per Unit Intake or Exposure: Ingestion (Risk/Bq)	Inhalation (Risk/Bq)	External Exposure (Risk/yr per Bq/g soil)
	Nb-95	013967-76-5	3.510E+01	D	Y	1.0E-02	1.8E-11	1.4E-10	7.0E-05
	Nb-95m	013967-76-5(m)	8.660E+01	H	Y	1.0E-02	1.8E-11	4.3E-11	2.2E-06
	Nb-97	018496-04-3	7.210E+01	M	Y	1.0E-02	3.2E-12	1.9E-12	5.9E-05
	Nb-97m	018496-04-3(m)	6.000E+01	S	Y	1.0E-02	6.5E-14	3.0E-14	6.8E-05
Osmium (76)	Os-185	015766-50-4	9.360E+01	D	Y	1.0E-02	1.7E-11	2.4E-10	5.9E-05
	Os-191	014119-24-5	1.540E+01	D	Y	1.0E-02	1.8E-11	9.7E-11	2.3E-06
	Os-191m	014119-24-5(m)	1.300E+01	H	Y	1.0E-02	3.2E-12	5.7E-12	9.2E-08
	Os-193	016057-77-5	3.000E+01	H	Y	1.0E-02	2.6E-11	3.2E-11	4.6E-06
Palladium (46)	Pd-100	015690-69-4	3.640E+00	D	Y	5.0E-03	2.7E-11	6.2E-11	----------
	Pd-101	015749-54-9	8.480E+00	H	Y	5.0E-03	3.2E-12	3.0E-12	----------
	Pd-103	014967-68-1	1.700E+01	D	Y	5.0E-03	5.9E-12	3.8E-11	2.0E-08
	Pd-107	017637-99-9	6.500E+06	Y	Y	5.0E-03	1.2E-12	1.7E-10	0.0E+00
	Pd-109	014981-64-7	1.350E+01	H	Y	5.0E-03	2.1E-11	2.2E-11	5.9E-08
Phosphorus (15)	P-32	014596-37-3	1.430E+01	D	D	8.0E-01	9.5E-11	8.1E-11	0.0E+00
	P-33	015749-66-3	2.540E+01	D	D	8.0E-01	1.5E-11	1.2E-11	0.0E+00
Platinum (78)	Pt-191	015706-36-2	2.710E+00	D	D	1.0E-02	1.0E-11	8.1E-12	1.7E-05
	Pt-193	015735-70-3	5.000E+01	Y	D	1.0E-02	9.5E-13	2.2E-12	0.0E+00
	Pt-193m	015735-70-3(m)	4.330E+00	D	D	1.0E-02	1.4E-11	1.1E-11	2.1E-07

[Table 4B continues on the following page: Refer to Endnotes on the last page.]

Table 4B: Radionuclide Carcinogenicity -- Slope Factors[a] (In Units of Becquerels[b])

MARCH 1994

Element (Atomic Number)	Isotope[c]	CASRN[d]	Radioactive Half-life[e]		ICRP Lung Class[f]	GI Absorption Factor (f_1)[g]	Slope Factor Lifetime Excess Total Cancer Risk Per Unit Intake or Exposure: Ingestion (Risk/Bq)	Inhalation (Risk/Bq)	External Exposure (Risk/yr per Bq/g soil)
	Pt-197	015735-74-7	1.830E+01	H	D	1.0E-02	1.3E-11	8.6E-12	8.4E-07
	Pt-197m	015735-74-7(m)	9.440E+01	M	D	1.0E-02	3.2E-12	2.4E-12	4.3E-06
Plutonium (94)	Pu-236	015411-92-4	2.850E+00	Y	Y	1.0E-03	1.4E-09	6.5E-07	9.2E-10
	Pu-238	013981-16-3	8.780E+01	Y	Y	1.0E-03	5.9E-09	1.1E-06	7.6E-10
	Pu-239	015117-48-3	2.410E+04	Y	Y	1.0E-03	6.2E-09	1.0E-06	4.6E-10
	Pu-240	014119-33-6	6.570E+03	Y	Y	1.0E-03	6.2E-09	1.0E-06	7.3E-10
	Pu-241	014119-32-5	1.440E+01	Y	Y	1.0E-03	9.7E-11	6.2E-09	0.0E+00
	Pu-242	013982-10-0	3.760E+05	Y	Y	1.0E-03	5.9E-09	9.7E-07	6.2E-10
	Pu-243	015706-37-3	4.960E+00	H	Y	1.0E-03	3.0E-12	2.7E-12	4.9E-07
	Pu-244	014119-34-7	8.260E+07	Y	Y	1.0E-03	5.9E-09	9.7E-07	5.1E-10
Polonium (84)	Po-210†	013981-52-7	1.380E+02	D	W	1.0E-01	4.1E-09	7.0E-08	7.8E-10
	Po-212†	015389-34-1	2.980E-07	S	W	1.0E-01	5.9E-22	1.6E-20	0.0E+00
	Po-213†	015756-57-7	4.200E-06	S	W	1.0E-01	8.6E-21	2.2E-19	2.7E-09
	Po-214†	015735-67-8	1.640E-04	S	W	1.0E-01	2.7E-19	7.6E-18	7.6E-09
	Po-215†	015706-52-2	1.780E-03	S	W	1.0E-01	7.6E-18	1.5E-16	1.2E-08
	Po-216†	015756-58-8	1.460E-01	S	W	1.0E-01	8.1E-16	1.3E-14	1.4E-09
	Po-218†	015422-24-9	3.050E+00	M	W	1.0E-01	7.6E-13	1.6E-11	0.0E+00
Potassium (19)	K-40	013966-00-2	1.280E+09	Y	D	1.0E+00	3.0E-10	2.1E-10	1.5E-05

[Table 4B continues on the following page: Refer to Endnotes on the last page.]

Table 4B: Radionuclide Carcinogenicity -- Slope Factors[a] (In Units of Becquerels[b])

MARCH 1994

Element (Atomic Number)	Isotope[c]	CASRN[d]	Radioactive Half-life[e]		ICRP Lung Class[f]	GI Absorption Factor (f_1)[g]	Slope Factor Lifetime Excess Total Cancer Risk Per Unit Intake or Exposure: Ingestion (Risk/Bq)	Inhalation (Risk/Bq)	External Exposure (Risk/yr per Bq/g soil)
	K-42	014378-21-3	1.240E+01	H	D	1.0E+00	2.4E-11	3.2E-11	2.6E-05
Praseodymium (59)	Pr-142	014191-64-1	1.910E+01	H	Y	3.0E-04	4.3E-11	4.9E-11	5.7E-06
	Pr-143	014981-79-4	1.360E+01	D	Y	3.0E-04	3.8E-11	1.9E-10	8.1E-13
	Pr-144	014119-05-2	1.730E+01	M	Y	3.0E-04	2.6E-12	9.7E-13	3.2E-06
	Pr-144m	014119-05-2(m)	7.200E+00	M	Y	3.0E-04	1.0E-12	4.3E-13	5.7E-08
Promethium (61)	Pm-147	014380-75-7	2.620E+00	Y	Y	3.0E-04	8.4E-12	8.1E-10	1.6E-10
	Pm-148	014683-19-3	5.370E+00	D	Y	3.0E-04	8.4E-11	2.1E-10	5.1E-05
	Pm-148m	014683-19-3(m)	4.130E+01	D	Y	3.0E-04	6.8E-11	1.3E-09	1.8E-04
	Pm-149	015765-31-8	5.310E+01	H	Y	3.0E-04	3.2E-11	5.1E 11	8.9E-07
Protactinium (91)	Pa-231†	014331-85-2	3.730E+04	Y	Y	1.0E-03	2.5E-09	9.7E-07	7.0E-07
	Pa-233†	013981-14-1	2.700E+01	D	Y	1.0E-03	2.7E-11	2.3E-10	1.1E-05
	Pa-234	015100-28-4	6.700E+00	H	Y	1.0E-03	1.8E-11	1.5E-11	1.6E-04
	Pa-234m†	015100-28-4(m)	1.170E+00	M	Y	1.0E-03	1.6E-13	4.3E-14	9.7E-07
Radium (88)	Ra-223†	015623-45-7	1.140E+01	D	W	2.0E-01	1.7E-09	8.4E-08	6.2E-06
	Ra-224†	013233-32-4	3.620E+00	D	W	2.0E-01	1.0E-09	3.2E-08	6.2E-07
	Ra-225†	013981-53-8	1.480E+01	D	W	2.0E-01	1.4E-09	4.1E-08	5.1E-08
	Ra-226†	013982-63-3	1.600E+03	Y	W	2.0E-01	3.2E-09	8.1E-08	3.2E-07
	Ra-226+D	013982-63-3(+D)	1.600E+03	Y	W	2.0E-01	3.2E-09	8.1E-08	1.6E-04

[Table 4B continues on the following page: Refer to Endnotes on the last page.]

Table 4B: Radionuclide Carcinogenicity -- Slope Factors[a] (In Units of Becquerels[b])

MARCH 1994

Element (Atomic Number)	Isotope[c]	CASRN[d]	Radioactive Half-life[e]		ICRP Lung Class[f]	GI Absorption Factor (f_1)[g]	Slope Factor Lifetime Excess Total Cancer Risk Per Unit Intake or Exposure: Ingestion (Risk/Bq)	Inhalation (Risk/Bq)	External Exposure (Risk/yr per Bq/g soil)
	Ra-228†	015262-20-1	5.750E+00	Y	W	2.0E-01	2.7E-09	1.8E-08	0.0E+00
	Ra-228+D	015262-20-1(+D)	5.750E+00	Y	W	2.0E-01	2.7E-09	1.9E-08	7.8E-05
Radon (86)	Rn-219†	014835-02-0	3.960E+00	S	*	1.0E+00	----------	1.2E-12	4.3E-06
	Rn-220†	022481-48-7	5.560E+01	S	*	1.0E+00	----------	3.2E-12	4.6E-08
	Rn-222†	014859-67-7	3.820E+00	D	*	1.0E+00	3.8E-11	2.0E-11	3.2E-08
	Rn-222+D	014859-67-7(+D)	3.820E+00	D	*	1.0E+00	4.6E-11	2.1E-10	1.6E-04
Rhodium (45)	Rh-103m	007440-16-6(m)	5.610E+01	M	Y	5.0E-02	1.9E-13	1.1E-13	2.1E-09
	Rh-105	014913-89-4	3.540E+01	H	Y	5.0E-02	1.2E-11	1.6E-11	5.9E-06
	Rh-105m	014913-89-4(m)	4.500E+01	S	Y	5.0E-02	1.7E-14	9.2E-15	5.9E-07
	Rh-106	014234-34-5	2.990E+01	S	Y	5.0E-02	1.2E-13	3.2E-14	1.8E-05
Rubidium (37)	Rb-82	014391-63-0	1.250E+00	M	D	1.0E+00	3.2E-13	9.5E-14	9.5E-05
	Rb-86	014932-53-7	1.870E+01	D	D	1.0E+00	1.6E-10	1.2E-10	8.9E-06
	Rb-87	013982-13-3	4.730E+10	Y	D	1.0E+00	9.2E-11	6.5E-11	0.0E+00
	Rb-88	014928-36-0	1.780E+01	M	D	1.0E+00	4.6E-12	2.1E-12	6.5E-05
	Rb-89	014191-65-2	1.540E+01	M	D	1.0E+00	2.5E-12	1.1E-12	2.0E-04
Ruthenium (44)	Ru-97	015758-35-7	2.900E+00	D	Y	5.0E-02	4.6E-12	7.0E-12	1.1E-05
	Ru-103	013968-53-1	3.940E+01	D	Y	5.0E-02	2.4E-11	2.3E-10	4.1E-05
	Ru-105	014331-95-4	4.440E+00	H	Y	5.0E-02	1.0E-11	8.9E 12	7.0E-05

[Table 4B continues on the following page: Refer to Endnotes on the last page.]

Table 4B: Radionuclide Carcinogenicity -- Slope Factors[a] (In Units of Becquerels[b])

MARCH 1994

Element (Atomic Number)	Isotope[c]	CASRN[d]	Radioactive Half-life[e]		ICRP Lung Class[f]	GI Absorption Factor (f_1)[g]	Slope Factor Lifetime Excess Total Cancer Risk Per Unit Intake or Exposure: Ingestion (Risk/Bq)	Inhalation (Risk/Bq)	External Exposure (Risk/yr per Bq/g soil)
	Ru-106	013967-48-1	3.680E+02	D	Y	5.0E-02	2.6E-10	1.2E 08	0.0E+00
Samarium (62)	Sm-147	014392-33-7	1.060E+11	Y	W	3.0E-04	4.3E-10	1.9E-07	0.0E+00
	Sm-151	015715-94-3	9.000E+01	Y	W	3.0E-04	3.0E-12	2.4E-10	1.1E-11
	Sm-153	015766-00-4	4.670E+01	H	W	3.0E-04	2.4E-11	3.5E-11	1.2E-06
Scandium (21)	Sc-46	013967-63-0	8.380E+01	D	Y	1.0E-04	4.3E-11	7.3E-10	1.9E-04
	Sc-47	014391-96-9	3.420E+00	D	Y	1.0E-04	1.7E-11	3.2E-11	6.2E-06
	Sc-48	014391-86-7	4.370E+01	H	Y	1.0E-04	5.1E-11	6.2E-11	3.2E-04
Selenium (34)	Se-75	014265-71-5	1.200E+02	D	W	8.0E-01	1.6E-10	1.6E-10	2.2E-05
Silicon (14)	Si-31	014276-49-4	1.570E+02	M	W	1.0E-02	5.9E-12	4.6E-12	8.1E-08
Silver (47)	Ag-105	014928-14-4	4.130E+01	D	Y	5.0E-02	2.0E-11	1.1E-10	----------
	Ag-108	014391-65-2	2.370E+00	M	Y	5.0E-02	2.3E-13	6.5E-14	1.4E-06
	Ag-108m	014391-65-2(m)	1.270E+02	Y	Y	5.0E-02	9.5E-11	4.1E-09	1.4E-04
	Ag-109m	014378-38-2(m)	3.960E+01	S	Y	5.0E-02	8.9E-15	2.4E-15	3.5E-08
	Ag-110	014391-76-5	2.460E+01	S	Y	5.0E-02	8.1E-14	2.2E-14	2.7E-06
	Ag-110m	014391-76-5(m)	2.500E+02	D	Y	5.0E-02	1.3E-10	1.9E-09	2.5E-04
	Ag-111	157690-04-0	7.460E+00	D	Y	5.0E-02	4.3E-11	1.3E 10	2.1E-06
Sodium (11)	Na-22	013966-32-0	2.600E+00	Y	D	1.0E+00	1.8E-10	1.3E-10	1.9E-04
	Na-24	013982-04-2	1.500E+01	H	D	1.0E+00	2.7E-11	2.6E-11	4.3E-04

[Table 4B continues on the following page: Refer to Endnotes on the last page.]

Table 4B: Radionuclide Carcinogenicity -- Slope Factors[a] (In Units of Becquerels[b])

MARCH 1994

Element (Atomic Number)	Isotope[c]	CASRN[d]	Radioactive Half-life[e]		ICRP Lung Class[f]	GI Absorption Factor (f_1)[g]	Slope Factor Lifetime Excess Total Cancer Risk Per Unit Intake or Exposure: Ingestion (Risk/Bq)	Inhalation (Risk/Bq)	External Exposure (Risk/yr per Bq/g soil)
Strontium (38)	Sr-82	014809-50-8	2.500E+01	D	D	3.0E-01	2.0E-10	1.9E-10	3.5E-09
	Sr-85	013967-73-2	6.480E+01	D	D	3.0E-01	2.1E-11	2.7E-11	3.8E-05
	Sr-85m	013967-73-2(m)	6.770E+01	M	D	3.0E-01	3.2E-13	1.6E-13	1.3E-05
	Sr-89	014158-27-1	5.060E+01	D	D	3.0E-01	8.1E-11	7.8E-11	1.3E-08
	Sr-90[t]	010098-97-2	2.860E+01	Y	D	3.0E-01	8.9E-10	1.5E-09	0.0E+00
	Sr-90+D	010098-97-2(+D)	2.860E+01	Y	D	3.0E-01	9.7E-10	1.7E-09	0.0E+00
	Sr-91	014331-91-0	9.500E+00	H	D	3.0E-01	2.3E-11	1.9E-11	6.5E-05
	Sr-92	014928-29-1	2.710E+00	H	D	3.0E-01	1.5E-11	1.2E-11	1.2E-04
Sulfur (16)	S-35	015117-53-0	8.740E+01	D	D	8.0E-01	5.9E-12	5.1E-12	0.0E+00
Tantalum (73)	Ta-182	013982-00-8	1.150E+02	D	Y	1.0E-03	4.6E-11	1.2E-09	1.1E-04
Technetium (43)	Tc-95	014809-56-4	2.000E+01	H	W	8.0E-01	1.5E-12	6.2E-13	6.5E-05
	Tc-95m	014809-56-4(m)	6.100E+01	D	W	8.0E-01	4.9E-11	1.1E-10	5.1E-05
	Tc-96	014808-44-7	4.280E+00	D	W	8.0E-01	4.9E-11	5.7E-11	2.2E-04
	Tc-96m	014808-44-7(m)	5.150E+01	M	W	8.0E-01	6.2E-13	5.7E-13	1.9E-06
	Tc-97	015759-35-0	2.600E+06	Y	W	8.0E-01	4.1E-12	2.6E-11	9.5E-09
	Tc-97m	015759-35-0(m)	8.900E+01	D	W	8.0E-01	3.0E-11	1.4E-10	1.0E-08
	Tc-99	014133-76-7	2.130E+05	Y	W	8.0E-01	3.5E-11	2.2E-10	1.6E-11
	Tc-99m	014133-76-7(m)	6.020E+00	H	W	8.0E-01	1.4E-12	7.3E-13	6.2E-06

[Table 4B continues on the following page: Refer to Endnotes on the last page.]

Table 4B: Radionuclide Carcinogenicity -- Slope Factors[a] (In Units of Becquerels[b])

MARCH 1994

Element (Atomic Number)	Isotope[c]	CASRN[d]	Radioactive Half-life[e]		ICRP Lung Class[f]	GI Absorption Factor (f_1)[g]	Slope Factor Lifetime Excess Total Cancer Risk Per Unit Intake or Exposure: Ingestion (Risk/Bq)	Inhalation (Risk/Bq)	External Exposure (Risk/yr per Bq/g soil)
Tellurium (52)	Te-125m	014390-73-9(m)	5.800E+01	D	W	2.0E-01	2.3E-11	1.5E-10	7.0E-08
	Te-127	013981-49-2	9.350E+00	H	W	2.0E-01	6.2E-12	6.2E-12	3.8E-07
	Te-127m	013981-49-2(m)	1.090E+02	D	W	2.0E-01	5.9E-11	4.3E-10	2.3E-08
	Te-129	014269-71-7	6.960E+01	M	W	2.0E-01	3.0E-12	1.8E-12	3.5E-06
	Te-129m	014269-71-7(m)	3.360E+01	D	W	2.0E-01	8.6E-11	5.4E-10	1.7E-06
	Te-131	014683-12-6	2.500E+01	M	W	2.0E-01	7.6E-12	3.8E-12	3.2E-05
	Te-131m	014683-12-6(m)	3.000E+01	H	W	2.0E-01	1.0E-10	1.5E-10	1.3E-04
	Te-132	014234-28-7	7.820E+01	H	W	2.0E-01	8.1E-11	1.4E-10	1.1E-05
Terbium (65)	Tb-158	015759-55-4	1.500E+02	Y	W	3.0E-04	3.2E-11	2.5E-09	---------
	Tb-160	013981-29-8	7.230E+01	D	W	3.0E-04	4.9E-11	5.1E-10	9.7E-05
Thallium (81)	Tl-202	015720-57-7	1.220E+01	D	D	1.0E+00	2.3E-11	1.6E-11	3.5E-05
	Tl-204	013968-51-9	3.780E+00	Y	D	1.0E+00	4.6E-11	3.5E-11	2.4E-08
	Tl-207[†]	014133-67-6	4.770E+00	M	D	1.0E+00	3.5E-13	1.2E-13	2.0E-07
	Tl-208[†]	014913-50-9	3.050E+00	M	D	1.0E+00	4.9E-13	1.4E-13	3.5E-04
	Tl-209[†]	015690-73-0	2.200E+00	M	D	1.0E+00	3.8E-13	1.2E-13	1.9E-04
Thorium (90)	Th-227[†]	015623-47-9	1.870E+01	D	Y	2.0E-04	1.2E-10	1.3E-07	4.3E-06
	Th-228[†]	014274-82-9	1.910E+00	Y	Y	2.0E-04	3.0E-10	2.1E-06	1.5E-08
	Th-228+D	014274-82-9(+D)	1.910E+00	Y	Y	2.0E-04	1.5E-09	2.1E-06	1.5E-04

[Table 4B continues on the following page: Refer to Endnotes on the last page.]

Table 4B: Radionuclide Carcinogenicity -- Slope Factors[a] (In Units of Becquerels[b])

MARCH 1994

Element (Atomic Number)	Isotope[c]	CASRN[d]	Radioactive Half-life[e]		ICRP Lung Class[f]	GI Absorption Factor (f_1)[g]	Slope Factor Lifetime Excess Total Cancer Risk Per Unit Intake or Exposure: Ingestion (Risk/Bq)	Inhalation (Risk/Bq)	External Exposure (Risk/yr per Bq/g soil)
	Th-229[†]	015594-54-4	7.340E+03	Y	Y	2.0E-04	5.7E-10	2.0E-06	---------
	Th-229+D	015594-54-4(+D)	7.340E+03	Y	Y	2.0E-04	2.4E-09	2.1E-06	1.8E-05
	Th-230[†]	014269-63-7	7.700E+04	Y	Y	2.0E-04	3.5E-10	7.8E-07	1.5E-09
	Th-231[†]	014932-40-2	2.550E+01	H	Y	2.0E-04	1.1E-11	1.3E-11	6.2E-08
	Th-232[†]	007440-29-1	1.410E+10	Y	Y	2.0E-04	3.2E-10	7.6E-07	7.0E-10
	Th-234[†]	015065-10-8	2.410E+01	D	Y	2.0E-04	1.1E-10	8.6E-10	9.5E-08
Thulium (69)	Tm-170	013981-30-1	1.290E+02	D	W	3.0E-04	4.1E-11	5.7E-10	1.0E-07
	Tm-171	014333-45-0	1.920E+00	Y	W	3.0E-04	3.2E-12	8.4E-11	8.9E-09
Tin (50)	Sn-113	013966-06-8	1.150E+02	D	W	2.0E-02	2.4E-11	2.5E-10	8.9E-08
	Sn-121	014683-06-8	2.710E+01	H	W	2.0E-02	7.3E-12	8.6E-12	---------
	Sn-121m	014683-06-8(m)	5.550E+01	Y	W	2.0E-02	1.5E-11	2.5E-10	---------
	Sn-125	014683-08-0	9.640E+00	D	W	2.0E-02	9.7E-11	3.2E-10	3.0E-05
	Sn-126	015832-50-5	1.000E+05	Y	W	2.0E-02	1.5E-10	2.1E-09	8.9E-07
Tungsten (74)	W-181	015749-46-9	1.210E+02	D	D	3.0E-01	2.2E-12	1.7E-12	5.9E-07
	W-185	014932-41-3	7.510E+01	D	D	3.0E-01	1.3E-11	8.1E-12	1.3E-09
	W-187	014983-48-3	2.380E+01	H	D	3.0E-01	1.7E-11	1.1E-11	4.1E-05
Uranium (92)	U-232	014158-29-3	7.200E+01	Y	Y	5.0E-02	1.0E-09	1.6E-06	1.2E-09
	U-233	013968-55-3	1.590E+05	Y	Y	5.0E-02	4.3E-10	7.3E-07	1.1E-09

[Table 4B continues on the following page: Refer to Endnotes on the last page.]

Table 4B: Radionuclide Carcinogenicity -- Slope Factors[a] (In Units of Becquerels[b])

MARCH 1994

Element (Atomic Number)	Isotope[c]	CASRN[d]	Radioactive Half-life[e]		ICRP Lung Class[f]	GI Absorption Factor (f_1)[g]	Slope Factor Lifetime Excess Total Cancer Risk Per Unit Intake or Exposure: Ingestion (Risk/Bq)	Inhalation (Risk/Bq)	External Exposure (Risk/yr per Bq/g soil)
	U-234[†]	013966-29-5	2.450E+05	Y	Y	5.0E-02	4.3E-10	7.0E-07	8.1E-10
	U-235[†]	015117-96-1	7.040E+08	Y	Y	5.0E-02	4.3E-10	6.8E-07	6.5E-06
	U-235+D	015117-96-1(+D)	7.040E+08	Y	Y	5.0E-02	4.3E-10	6.8E-07	6.5E-06
	U-236	013982-70-2	2.340E+07	Y	Y	5.0E-02	4.1E-10	6.8E-07	6.5E-10
	U-237	014269-75-1	6.750E+00	D	Y	5.0E-02	2.4E-11	7.0E-11	3.5E-06
	U-238[†]	007440-61-1	4.470E+09	Y	Y	5.0E-02	4.3E-10	6.5E-07	5.7E-10
	U-238+D	007440-61-1(+D)	4.470E+09	Y	Y	5.0E-02	5.4E-10	6.5E-07	1.4E-06
	U-240	015687-53-3	1.410E+01	H	Y	5.0E-02	3.2E-11	3.2E-11	4.1E-09
Vanadium (23)	V-48	014331-97-6	1.600E+01	D	W	1.0E-02	5.9E-11	2.1E-10	2.7E-04
Xenon (54)	Xe-122	015151-09-4	2.010E+01	H	*	1.0E+00	----------	8.9E-14	2.3E-06
	Xe-123	015700-10-4	2.140E+00	H	*	1.0E+00	----------	2.0E-14	4.6E-05
	Xe-125	013994-18-8	1.680E+01	H	*	1.0E+00	----------	1.1E-14	1.3E-05
	Xe-127	013994-19-9	3.640E+01	D	*	1.0E+00	----------	1.1E-14	1.4E-05
	Xe-129m	013965-99-6(m)	8.890E+00	D	*	1.0E+00	----------	1.6E-14	3.5E-07
	Xe-131m	014683-11-5(m)	1.180E+01	D	*	1.0E+00	----------	1.2E-14	1.2E-07
	Xe-133	014932-42-4	5.250E+00	D	*	1.0E+00	----------	1.2E-14	6.2E-07
	Xe-133m	014932-42-4(m)	2.190E+00	D	*	1.0E+00	----------	1.5E-14	8.9E-07
	Xe-135	014995-62-1	9.110E+00	H	*	1.0E+00	----------	2.2E-14	1.7E-05

[Table 4B continues on the following page: Refer to Endnotes on the last page.]

Table 4B: Radionuclide Carcinogenicity -- Slope Factors[a] (In Units of Becquerels[b])

MARCH 1994

Element (Atomic Number)	Isotope[c]	CASRN[d]	Radioactive Half-life[e]		ICRP Lung Class[f]	GI Absorption Factor (f_1)[g]	Slope Factor Lifetime Excess Total Cancer Risk Per Unit Intake or Exposure: Ingestion (Risk/Bq)	Inhalation (Risk/Bq)	External Exposure (Risk/yr per Bq/g soil)
	Xe-135m	014995-62-1(m)	1.540E+01	M	*	1.0E+00	----------	5.7E-15	3.5E-05
	Xe-137	014835-21-3	3.830E+00	M	*	1.0E+00	----------	4.9E-14	1.6E-05
	Xe-138	015751-81-2	1.410E+01	M	*	1.0E+00	----------	7.6E-14	1.1E-04
Yttrium (39)	Y-90†	010098-91-6	6.410E+01	H	Y	1.0E-04	8.6E-11	1.5E-10	0.0E+00
	Y-91	014234-24-3	5.850E+01	D	Y	1.0E-04	7.6E-11	1.3E-09	3.2E-07
	Y-91m	014234-24-3(m)	4.970E+01	M	Y	1.0E-04	5.9E-13	9.5E-13	4.6E-05
	Y-92	015751-59-4	3.540E+00	H	Y	1.0E-04	1.9E-11	1.6E-11	2.3E-05
	Y-93	014981-70-5	1.010E+01	H	Y	1.0E-04	3.8E-11	3.8E-11	8.1E-06
Zinc (30)	Zn-65	013982-39-3	2.440E+02	D	Y	5.0E-01	2.3E-10	4.3E-10	5.4E-05
	Zn-69	013982-23-5	5.560E+01	M	Y	5.0E-01	1.5E-12	8.6E-13	4 9E-10
	Zn-69m	013982-23-5(m)	1.380E+01	H	Y	5.0E-01	1.2E-11	1.5E-11	3.5E-05
Zirconium (40)	Zr-93	015751-77-6	1.530E+06	Y	W	2.0E-03	4.6E-12	1.8E-10	0.0E+00
	Zr-95	013967-71-0	6.400E+01	D	W	2.0E-03	2.7E-11	2.7E-10	6.8E-05
	Zr-97	014928-30-4	1.690E+01	H	W	2.0E-03	6.5E-11	6.8E-11	1.6E-05

[Table 4B continues on the following page: Refer to Endnotes on the last page.]

Table 4B: Radionuclide Carcinogenicity -- Slope Factors[a] (In Units of Becquerels[b])

MARCH 1994

Element (Atomic Number)	Isotope[c]	CASRN[d]	Radioactive Half-life[e]	ICRP Lung Class[f]	GI Absorption Factor (f_1)[g]	Slope Factor Lifetime Excess Total Cancer Risk Per Unit Intake or Exposure: Ingestion (Risk/Bq)	Inhalation (Risk/Bq)	External Exposure (Risk/yr per Bq/g soil)

ENDNOTES:

[a] EPA classifies all radionuclides as Group A (known human) carcinogens. Radionuclide slope factors are calculated by EPA's Office of Radiation and Indoor Air (ORIA) to assist HEAST users with risk-related evaluations and decision-making at various stages of the remediation process. Ingestion and inhalation slope factors are best estimates (i.e., median or 50th percentile values) of the age-averaged, lifetime excess cancer incidence (fatal and nonfatal cancer) risk per unit of activity inhaled or ingested, expressed as risk/picocurie (pCi) in Table 4A or as risk/becquerel (Bq) in Table 4B. External exposure slope factors are best estimates of the lifetime excess cancer incidence risk for each year of exposure to external radiation from photon-emitting radionuclides distributed uniformly in a thick layer of soil, and are expressed as risk/yr per pCi/gram of soil (Table 4A) or as risk/yr per Bq/gram of soil (Table 4B). For a discussion on the derivation of radionuclide slope factors and guidance on their use, refer to the User's Guide section on radionuclide carcinogenicity.

[b] A becquerel (Bq), the International System (SI) unit of activity, is equal to one nuclear transformations per second. 1 Bq $\approx$ 27 picocuries (pCi).

[c] For each radionuclide listed, slope factors correspond to the risks per unit intake or exposure for that radionuclide only, except when marked with a "+D" to indicate that the risks from radioactive decay chain products are also included. Radionuclides designated with a "†" are members of a decay chain. Refer to Exhibit 1 in the User's Guide section on radionuclide carcinogenicity for guidance on determining slope factors for partial or complete radioactive decay chains.

[d] Chemical Abstract Service Reference Number (CASRN). For risk calculations involving decay chains, a CASRN should be reported for the parent radionuclide and each chain member.

[e] Radioactive half-life: S = Second, M = Minute, D = Day, Y = Year. For those radionuclides with decay products (+D), half-lives are listed for the parent radionuclide.

[f] Lung clearance classification recommended by the International Commission on Radiological Protection (ICRP): Y = Year, W = Week, D = Day, * = Gas.

[g] Gastrointestinal (GI) absorption factors are the fractional amounts of each radionuclide absorbed across the GI tract into the bloodstream. Lung clearance classifications and GI absorption factors are provided for reference only. Do not use these factors to adjust (i.e., multiply or divide) inhalation or ingestion slope factors. See the User's Guide for instructions.

[Table 4B concluded.]

APPENDIX A: TECHNICAL INFORMATION

I. DATA SOURCES AND SELECTION CRITERIA USED IN HEAST

II. DOSE CONVERSIONS ON HEAST

III. CHEMICAL NAME AND CHEMICAL ABSTRACTS SERVICE REGISTRY NUMBERS CROSS REFERENCE

IV. EFFECT LEVEL DEFINITIONS

V. NATIONAL AMBIENT AIR QUALITY STANDARDS (NAAQS)

APPENDIX A-I

I. DATA SOURCES AND SELECTION CRITERIA USED IN HEAST

A. Description of Sources and Documents Cited in HEAST

1. The Integrated Risk Information System (IRIS)

IRIS is an on-line data base developed by the EPA for compilation of risk assessment and regulatory information on chemicals and physical agents. IRIS is the primary communications mechanism for distribution of health hazard assessment information derived by the various intra-Agency Work Groups. The primary intent of IRIS is to provide guidance to EPA personnel in making risk management decisions. An IRIS chemical file contains a Work Group verified summary of the available information on hazard and dose-response assessment for noncarcinogenic and/or carcinogenic effects for that chemical and is not an extensive toxicologic data base. Risk assessment values placed on IRIS are considered Agency consensus and take precedence over differing risk assessment values from other EPA sources. Each file includes referenced citations and EPA contacts for obtaining further information on any specific chemical or agent. The IRIS data base was made available to State and local governments, as well as to the public, in April 1988.

* Questions concerning IRIS: Call RISK INFORMATION HOTLINE at (513) 569-7254

2. EPA Work Groups:

Risk assessment values for chemicals currently being considered by EPA Work Groups, but not yet on IRIS, are included in HEAST. The EPA Reference Dose/Reference Concentration (RfD/RfC) Work Group and the Carcinogen Risk Assessment Verification Endeavor (CRAVE) Work Group validates Agency systemic toxicity and carcinogen risk assessments, respectively. These Work Groups are also responsible for resolving any conflicts regarding toxicity values developed by various Program Offices. Work Group members represent many different EPA offices and are scientists experienced in issues related to both the qualitative and quantitative risk assessment of carcinogenic and toxic agents. Values verified by these Work Groups have undergone extensive peer review and represent an Agency consensus. Verified risk assessment values are entered into the IRIS data base monthly.

* Questions concerning RfD/RfC Work Group: Call Mike Dourson (ECAO-Cincinnati) at (513) 569-7533 or Annie Jarabek (ECAO-Research Triangle Park) at (919) 541-4847

* Questions concerning CRAVE Work Group: Call Jim Cogliano at (202) 260-3814 (OHEA-Washington, DC)

3. Office of Research and Development (ORD/Office of Health and Environmental Assessment (OHEA) OSWER-OAQPS (Office of Solid Waste and Emergency Response-Office of Air Quality Planning and Standards) Documents:

A listing of most ORD/OHEA OSWER-OAQPS documents can be found in the Chemical Assessments and Related Activities (CARA) list (available through NTIS) or in the CERI (Center for Environmental Research Information) Office of Research and Development publications list. The CARA is produced by the Office of Health and Environmental Assessment (OHEA). All OSWER-OAQPS documents are subject to a minimum of internal EPA peer review or a maximum of EPA/Peer Review Workshop/Science Advisory Board and public comments prior to finalization.

* Information on the availability of OSWER-OAQPS documents can be obtained from the following sources:

All Documents:

Technical Information Staff
Office of Health and Environmental Assessment (RD-689)
U.S. Environmental Protection Agency
401 M Street, S.W.
Washington, D.C. 20460
(202) 260-7345

Published Documents:

Center for Environmental Research Information (CERI)
Office of Research and Development
U.S. Environmental Protection Agency
26 W. Martin Luther King Drive
Cincinnati, OH 45268
(513) 569-7562

Documents Available Through RCRA/Superfund:

Hotline Number 1-800-424-9346

Documents Available from NTIS:

National Technical Information Service (NTIS)
5285 Port Royal Road
Springfield, VA 22161
(703) 487-4650

Health Effects Assessments (HEAs): This document series was prepared by the Environmental Criteria and Assessment Office (ECAO-Cincinnati) for the Office of Emergency and Remedial Response (Superfund). HEAs are intended for use by the OERR in evaluating risk for its preliminary assessment process at uncontrolled sites, and for appraising clean-up alternatives in its remedial investigation/feasibility studies. HEAs are brief, quantitatively oriented, preliminary assessment of relevant health effects data. HEAs are subject to internal EPA review by staff within the Office of Health and Environmental Assessment. Final drafts of HEAs become part of the RCRA and Superfund dockets and are available through NTIS. This series has recently been incorporated into the following HEED series.

Health and Environmental Effects Documents (HEEDs): This document series is prepared by the Environmental Criteria and Assessment Office (ECAO-Cincinnati) for the Office of Solid Waste and Emergency Response (OSWER). HEEDs are intended to support listings under the Resource Conservation and Recovery Act (RCRA) as well as to provide health-related limits and goals for emergency and remedial actions under the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA). Within a HEED, both published literature and information within Agency Program Offices are evaluated as they pertain to potential human health, aquatic life and environmental effects of hazardous waste constituents. Quantitative estimates, including reference doses for chronic and subchronic duration for both inhalation and oral exposures, carcinogenic potency factors, unit risk estimates for air and drinking water, and reportable quantities (RQs) based on chronic toxicity and carcinogenicity are determined when sufficient data are available. HEEDs are subject to internal EPA review by staff within the Office of Health and Environmental Assessment and the Office of Pesticides and Toxic Substances. Final drafts of HEEDs become part of the RCRA and Superfund public dockets and are available through NTIS.

Health and Environmental Effects Profiles (HEEPs): This document series was prepared by the Environmental Criteria and Assessment Office (ECAO-Cincinnati) for the Office of Solid Waste and Emergency Response (OSWER). HEEPs have been superseded by HEEDs since mid-FY87. HEEPs are intended to support listings of hazardous constituents of a wide range of waste streams under Section 3001 of the Resource Conservation and Recovery Act (RCRA), as well as to provide health-related limits for emergency actions under Section 010 of the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA). HEEPs are summaries of the

literature concerning health hazards associated with environmental exposures to chemicals or compounds and are very similar to HEEDs as described above. HEEPs were subject to internal EPA review by staff within the Office of Health and Environmental Assessment. HEEPS are part of the RCRA and CERCLA public dockets. Final drafts are available through NTIS.

Air Quality Criteria Documents (AQCDs): This document series is prepared by the Environmental Criteria and Assessment Office (ECAO-Research Triangle Park) for the Office of Air and Radiation (OAR). AQCDs are intended to support National Ambient Air Quality Standards (NAAQS) set under Sections 108-110 of the Clean Air Act. These documents are evaluations of the available scientific literature on the potential health effects of air pollutants. AQCDs are subject to internal EPA review by staff within the Office of Health and Environmental Assessment and the Office of Air and Radiation. Further review is conducted by the Science Advisory Board/Clean Air Scientific Advisory Committee, and then, these documents are subject to peer review workshops and public comments. The AQCDs are mandated by the Clean Air Act and are revised at 5-year intervals. AQCDs become part of the OAR public docket and final drafts are available through NTIS.

Health Assessment Documents (HADs): This document series is prepared by the Environmental Criteria and Assessment Office (ECAO-Research Triangle Park and ECAO-Cincinnati) for the Office of Air and Radiation (OAR). HADs are intended for use by the Office of Air Quality Planning and Standards (OAQPS) to determine possible listing of hazardous air pollutants (HAP) under sections 111 and 112 of the Clean Air Act. These documents are evaluations of the available scientific literature on the potential health effects of air pollutants and serve as the scientific data base for establishing relationships between exposure concentrations and potential health risks. HADs are subject to internal EPA review by staff within the Office of Health and Environmental Assessment and the Office of Air and Radiation. Further review is conducted by the Science Advisory Board/Clean Air Scientific Advisory Committee, and then, these documents are subject to peer review workshops and public comments. HADs become part of the OAR public docket and final drafts are available through NTIS.

4. Miscellaneous Documents:

Drinking Water Criteria Documents (DWCDs): The Environmental Criteria and Assessment Office (ECAO-Cin) prepares a portion of this document series for the Office of Water (OW). DWCDs are intended to assist the OW in deriving criteria standards for chemicals in drinking water, as required under Section 412(b)(3)(A) of the Safe Drinking Water Act, as amended in 1986. The DWCDs are comprehensive evaluations of potential health effects, including mechanisms of toxicity, with specific emphasis on data providing dose-response information. DWCDs contain Health

Advisories (Has) for 1-day, 10-day and longer-term exposures and drinking water equivalent levels for lifetime exposures. DWCDs are subject to internal EPA review by staff within the Office of Health and Environmental Assessment and the Office of Water. Selected documents are reviewed by the Science Advisory Board and are subject to peer review workshops and public comments. DWCDs become part of the Safe Drinking Water (SDW) public docket and final drafts are available through NTIS.

B. Selection Criteria and Sources of HEAST Values

Chemicals with derived noncarcinogenic and/or carcinogen risk assessment values that have had some level of peer review (i.e., those in peer reviewed EPA documents or under review by EPA Work Groups) are included in HEAST; this does not include many interim values (values not found in final EPA documents or not being considered by Work Groups) derived for various purposes within Superfund and other Program Offices. In updating the HEAST, the first source that is checked is the Integrated Risk Information System (IRIS) for revised or newly added risk assessment values. Secondly, the status of chemicals under discussion by the RfD/RfC and CRAVE Work Groups is reviewed. The Office of Health and Environmental Assessment's Chemical Assessments and Related Activities (CARA) list is also reviewed for new Office of Water, Office of Air Quality Planning and Standards, and Office of Solid Waste and Emergency Response risk assessment documents (HEEDs, HEEPs, HEAs, HADs, AQCDs, DWCDs).

The HEAST also contains chemicals commonly found at RCRA (Resource Conservation and Recovery Act) sites as identified by the Office of Solid Waste's Technical Assessment Branch. Questions about RCRA chemicals may be addressed by calling the Health Assessment Section (Office of Solid Waste) at (202) 260-4761. Finally, the Office of Radiation Programs provides data on radionuclides for Table 4A and 4B of the HEAST. Radionuclides included are those thought to be most commonly encountered at Superfund sites. Questions concerning radionuclides carcinogenicity should first be addressed by contacting the appropriate Regional Radiation Program Manager. A listing of these managers and several contacts in the Office of Radiation Programs can be found in Exhibit 2 of the User's Guide -Radionuclide Carcinogenicity.

APPENDIX A-II

II. DOSE CONVERSIONS ON HEAST

In January 1991, the decision was made to replace inhalation Reference Doses (RfDi) for noncancer toxicity and inhalation slope factors for carcinogenicity, previously available on the IRIS data base, with Reference Concentrations (RFC) and inhalation unit risks, respectively. RfCs and unit risks are expressed in terms of concentration in air (mg/m^3), not in terms of "dose" (mg/kg-day) like the RfDs and the oral and inhalation slope factors. This presents a problem for the Superfund program, since the current Hazard Ranking System (HRS) and the Risk Assessment Guidance for superfund (RAGS): Human Health Evaluation manual, Parts A and B were developed using chronic daily intakes and health criteria expressed in units of mg/kg-day.

The decision to replace inhalation slope factors and RfDi values expressed in mg/kg-day with unit risk and RfC values expressed in mg/m_3 was based on two major factors: 1) the workgroups felt that it was technically more accurate to base toxicity values directly on measured air concentrations instead of making the metabolic pharmacokinetic and/or surface area adjustments required to estimate an "internal dose"; and 2) there are compounds that elicit route-of-entry effects (e.g., sensitizers and irritants) where the toxic effect is to the respiratory system or exchange boundary where a measure of "internal dose" might inappropriately imply effects to other organ systems or effects from other exposure routes.

Superfund recognizes the importance of these issues and is actively working with EPA's Office of Research and Development to evaluate the impact of these changes on its program regulations and guidance. In the short term, however, modification of program regulations and guidance is not a viable option. Therefore, the chairs of the RfD/RfC and CRAVE Work Groups were consulted regarding Superfund's need to make the conversion from a concentration in air to dose. There was agreement that, in many cases, converting the air concentration data to a dose (in mg/kg-day) may not add significant uncertainty to the Superfund risk assessment process, and therefore may be a reasonable use of the data <u>given appropriate circumstances and Superfund program objectives.</u> These Work Groups will continue to work with the Superfund program to identify specific instances where it is not appropriate to make the conversion from unit risk/RfC to inhalation slope factor/RfD due to the large uncertainty introduced by the assumptions used in the conversion.

Generally, the Superfund Health Risk Technical Support Center will be responsible for making all appropriate conversions and the values will be identified with appropriate highlights or footnotes in the Health Effects Assessment Summary Tables (HEAST). Therefore, <u>HEAST users are strongly advised against making such conversions themselves.</u> However, it is a critical responsibility of the risk assessor to

consult the original reports cited in the HEAST and to appropriately characterize or caveat the resulting risk estimates derived from these values so that managers are fully informed of their origin and related uncertainties.

APPENDIX A-III

II. CHEMICAL NAME AND CHEMICAL ABSTRACTS SERVICE REGISTRY NUMBER CROSS REFERENCE

This section lists chemicals and their respective Chemical Abstracts Service Registry Number (CASRN) for cross referencing on the HEAST. Chemicals may be searched either alphabetically by chemical name or numerically by the CASRN.

CHEMICAL NAME AND CHEMICAL ABSTRACTS SERVICE REGISTRY NUMBER CROSS REFERENCE
(LISTED BY NAME)

March 1994

ACENAPHTHENE	000083-32-9
ACENAPTHYLENE	000208-96-8
ACEPHATE	030560-19-1
ACETONE	000067-64-1
ACETONE CYANOHYDRIN	000075-86-5
ACETONITRILE	000075-05-8
ACETOPHENONE	000098-86-2
ACROLEIN	000107-02-8
ACRYLAMIDE	000079-06-1
ACRYLIC ACID	000079-10-7
ACRYLONITRILE	000107-13-1
ADIPONITRILE	000111-69-3
ALACHLOR	015972-60-8
ALDICARB	000116-06-3
ALDRIN	000309-00-2
ALLIDOCHLOR	000093-71-0
ALLYL ALCOHOL	000107-18-6
ALLYL CHLORIDE	000107-05-1
ALUMINUM	007429-90-5
ALUMINUM PHOSPHIDE	020859-73-8
AMETRYN	000834-12-8
AMINO-2-NAPHTHOL, 1-	002834-92-6
AMINO-2-NAPHTOL HYDROCHLORIDE, 1-	001198-27-2
AMINOPHENOL, M-	000591-27-5
AMINOPHENOL, O-	000095-55-6
AMINOPHENOL, P-	000123-30-8
AMINOPYRIDINE, 4-	000504-24-5
AMMONIA	007664-41-7
ANILINE	000062-53-3
ANTHRACENE	000120-12-7
ANTIMONY, METALLIC	007440-36-0
ANTIMONY PENTOXIDE	001314-60-9
ANTIMONY POTASSIUM TARTRATE	000304-61-0
ANTIMONY TETROXIDE	001332-81-6
ANTIMONY TRIOXIDE	001309-64-4
ARAMITE	000140-57-8
AROCHLOR 1248	012672-29-6
ARSENIC, INORGANIC	007440-38-2
ASBESTOS	001332-21-4
ATRAZINE	001912-24-9
AZOBENZENE	000103-33-3
BARIUM	007440-39-3
BARIUM CYANIDE	000542-62-1
BENEFIN	001861-40-1
BENZAL CHLORIDE	000098-87-3
BENZALDEHYDE	000100-52-7
BENZALDEHYDE CYANOHYDRIN	000532-28-5
BENZENE	000071-43-2
BENZENETHIOL / (THIOPHENOL)	000108-98-5
BENZIDINE	000092-87-5
BENZOIC ACID	000065-85-0
BENZOTRICHLORIDE	000098-07-7
BENZO[A]ANTHRACENE	000056-55-3
BENZO[A]PYRENE	000050-32-8
BENZO[B]FLUORANTHENE	000205-99-2
BENZO[K]FLUORANTHENE	000207-08-9
BENZYL ALCOHOL	000100-51-6
BENZYL CHLORIDE	000100-44-7
BERYLLIUM	007440-41-7
BIPHENYL, 1,1'	000092-52-4
BIS(2-CHLOROETHYL) ETHER	000111-44-4
BIS(2-CHLOROISOPROPYL) ETHER	039638-32-9
BIS(2-ETHYLHEXYL) PHTHALATE / (DEHP)	000117-81-7
BIS(CHLOROMETHYL) ETHER	000542-88-1
BISPHENOL A	000080-05-7
BORON, ELEMENTAL	007440-42-8
BORON TRIFLUORIDE	007637-07-2
BROMINATED DIBENZO-P-DIOXINS	NO CASRN
BROMINATED DIBENZOFURANS	NO CASRN
BROMOACETONE	000598-31-2
BROMOCHLOROETHANES	NO CASRN
BROMODICHLOROMETHANE	000075-27-4
BROMOETHENE / (VINYL BROMIDE)	000593-60-2
BROMOFORM	000075-25-2
BROMOMETHANE	000074-83-9
BROMOPHENYL PHENYL ETHER, 4-	000101-55-3
BROMOPHOS	002104-96-3
BROMOXYNIL	001689-84-5
BROMOXYNIL OCTANOATE	001689-99-2
BUSAN 77	031512-74-0
BUSAN 90	002491-38-5
BUTADIENE, 1,3-	000106-99-0
BUTANOL, 1-	000071-36-3
BUTYL BENZYL PHTHALATE, N-	000085-68-7
BUTYLATE	002008-41-5
BUTYLCHLORIDE, T-	000507-20-0
BUTYROLACTONE, GAMMA-	000096-48-0
CACODYLIC ACID	000075-60-5
CADMIUM	007440-43-9
CALCIUM CYANIDE	000592-01-8
CAPROLACTAM	000105-60-2
CAPTAFOL	002425-06-1
CAPTAN	000133-06-2
CARBARYL	000063-25-2
CARBAZOLE	000086-74-8
CARBOFURAN	001563-66-2
CARBON DISULFIDE	000075-15-0
CARBON MONOXIDE	000630-05-0
CARBON TETRACHLORIDE	000056-23-5
CHLORAL	000075-87-6
CHLORANIL	000118-75-2
CHLORDANE	000057-74-9
CHLORINE CYANIDE	000506-77-4
CHLORO-1,3-BUTADIENE, 2- / (CHLOROPRENE)	000126-99-8
CHLORO-2-METHYLANILINE, 4-	000095-69-2
CHLORO-2-METHYLANILINE HYDROCHLORIDE, 4-	003165-93-3
CHLORO-M-CRESOL, P-	000059-50-7
CHLOROACETALDEHYDE	000107-20-0
CHLOROACETIC ACID	000079-11-8
CHLOROANILINE, 2-	000095-51-2
CHLOROANILINE, 3-	000108-42-9
CHLOROANILINE, 4-	000106-47-8
CHLOROBENZENE	000108-90-7
CHLOROBENZILATE	000510-15-6
CHLOROBENZOIC ACID, P-	000074-11-3
CHLOROBENZOTRIFLUORIDE, 4-	000098-56-6
CHLOROBUTANE, 1-	000109-69-3
CHLOROBUTANE, 2-	000078-86-4
CHLOROCYCLOPENTADIENE	041851-50-7
CHLOROFORM	000067-66-3
CHLOROMETHANE / (METHYL CHLORIDE)	000074-87-3
CHLOROMETHYL METHYL ETHER	000107-30-2
CHLORONITROBENZENE, M-	000121-73-3
CHLORONITROBENZENE, O-	000088-73-3
CHLORONITROBENZENE, P-	000100-00-5
CHLOROPHENOL, 2-	000095-57-8
CHLOROPHENOL, 3-	000108-43-0
CHLOROPHENOL, 4-	000106-48-9
CHLOROPROPANE, 2-	000075-29-6
CHLOROTHALONIL	001897-45-6
CHLOROTOLUENE, M-	000108-41-8
CHLOROTOLUENE, O-	000095-49-8
CHLOROTOLUENE, P-	000106-43-4
CHLORPYRIFOS	002921-88-2
CHLORPYRIFOS METHYL	005598-13-0
CHLORTHIOPHOS	060238-56-4
CHROMIUM(III)	016065-83-1
CHROMIUM(VI)	018540-29-9
CHRYSENE	000218-01-9
COKE OVEN EMISSIONS	008007-45-2
COPPER	007440-50-8
COPPER CYANIDE	000544-92-3
CREOSOTE, COAL TAR	008001-58-9
CRESOL, M- / (3-METHYLPHENOL)	000108-39-4
CRESOL, O- / (2-METHYLPHENOL)	000095-48-7

CRESOL, P- / (4-METHYLPHENOL)	000106-44-5
CROTONALDEHYDE	000123-73-9
CUMENE	000098-82-8
CYANAZINE	021725-46-2
CYANIDE	000057-12-5
CYANOGEN	000460-19-5
CYANOGEN BROMIDE	000506-68-3
CYCLOATE	001134-23-2
CYCLOHEXANOL	000108-93-0
CYCLOHEXYLAMINE	000108-91-8
CYCLOPENTADIENE	000542-92-7
DACTHAL	001861-32-1
DALAPON	000075-99-0
DDD	000072-54-8
DDE	000072-55-9
DDT	000050-29-3
DECABROMODIPHENYL ETHER	001163-19-5
DI-N-OCTYL PHTHALATE	000117-84-0
DIALLATE	002303-16-4
DIAZINON	000333-41-5
DIBENZOFURAN	000132-64-9
DIBENZO[A,H]ANTHRACENE	000053-70-3
DIBROMO-3-CHLOROPROPANE, 1,2	000096-12-8
DIBROMOBENZENE, 1,4-	000106-37-6
DIBROMOCHLOROMETHANE	000124-48-1
DIBROMOETHANE, 1,2-	000106-93-4
DIBUTYL PHTHALATE	000084-74-2
DICAMBA	001918-00-9
DICHLORO-2-BUTENE, 1,4-	000764-41-0
DICHLOROBENZENE, 1,2-	000095-50-1
DICHLOROBENZENE, 1,3-	000541-73-1
DICHLOROBENZENE, 1,4-	000106-46-7
DICHLOROBENZIDINE, 3,3'-	000091-94-1
DICHLOROBUTENES	NO CASRN
DICHLORODIFLUOROMETHANE	000075-71-8
DICHLOROETHANE, 1,1-	000075-34-3
DICHLOROETHANE, 1,2-	000107-06-2
DICHLOROETHYLENE, 1,1-	000075-35-4
DICHLOROETHYLENE, 1,2- (MIXED ISOMERS)	000540-59-0
DICHLOROETHYLENE, 1,2-C-	000156-59-2
DICHLOROETHYLENE, 1,2-T-	000156-60-5
DICHLOROPHENOL, 2,3-	000576-24-9
DICHLOROPHENOL, 2,4-	000120-83-2
DICHLOROPHENOL, 2,5-	000583-78-8
DICHLOROPHENOL, 2,6-	000087-65-0
DICHLOROPHENOL, 3,4-	000095-77-2
DICHLOROPHENOL, 3,5-	000591-35-5
DICHLOROPHENOXY ACETIC ACID, 2,4-	000094-75-7
DICHLOROPHENOXY) BUTYRIC ACID, 4-(2,4- / (2,4-DB)	000094-82-6
DICHLOROPROPANE, 1,1-	000078-99-9
DICHLOROPROPANE, 1,2-	000078-87-5
DICHLOROPROPANE, 1,3-	000142-28-9
DICHLOROPROPANE, 2,2-	000594-20-7
DICHLOROPROPENE, 1,3- / (TELONE II)	000542-75-6
DICHLORPROP	000120-36-5
DICYCLOPENTADIENE	000077-73-6
DIELDRIN	000060-57-1
DIETHYL-P-NITROPHENYL PHOSPHATE	000311-45-5
DIETHYL PHTHALATE	000084-66-2
DIETHYLANILINE, N,N-	000091-66-7
DIETHYLENE GLYCOL MONOBUTYL ETHER	000112-34-5
DIETHYLENE GLYCOL MONOETHYL ETHER	000111-90-0
DIETHYLFORMAMIDE	000617-84-5
DIETHYLHYDRAZINE, 1,2-	001615-80-1
DIETHYLSTILBESTROL	000056-53-1
DIMETHOATE	000060-51-5
DIMETHOXYBENZIDINE, 3,3'-	000119-90-4
DIMETHYLANILINE, 2,4-	000095-68-1
DIMETHYLANILINE HYDROCHLORIDE, 2,4-	021436-96-4
DIMETHYLANILINE, N,N-	000121-69-7
DIMETHYLBENZIDINE, 3,3'-	000119-93-7
DIMETHYLBENZ[A]ANTHRACENE, 7,12-	000057-97-6
DIMETHYLFORMAMIDE, N,N-	000068-12-2
DIMETHYLHYDRAZINE, 1,1-	000057-14-7
DIMETHYLHYDRAZINE, 1,2-	000540-73-8
DIMETHYLPHENOL, 2,3-	000526-75-0
DIMETHYLPHENOL, 2,4-	000105-67-9
DIMETHYLPHENOL, 2,5-	000095-87-4
DIMETHYLPHENOL, 2,6-	000576-26-1
DIMETHYLPHENOL, 3,4-	000095-65-8
DIMETHYLPHTHALATE	000131-11-3
DIMETHYLSULFATE	000077-78-1
DIMETHYLTEREPHTHALATE	000120-61-6
DIMETHYLUREA, N,N-	000598-94-7
DINITRO-O-CRESOL, 4,6-	000534-52-1
DINITRO-P-CRESOL, 2,6-	000609-93-8
DINITROBENZENE, 1,2-	000528-29-0
DINITROBENZENE, 1,3-	000099-65-0
DINITROBENZENE, 1,4-	000100-25-4
DINITROPHENOL, 2,3-	000066-56-8
DINITROPHENOL, 2,4-	000051-28-5
DINITROPHENOL, 2,5-	000329-71-5
DINITROPHENOL, 2,6-	000573-56-8
DINITROPHENOL, 3,5-	000586-11-8
DINITROTOLUENE, 2,3-	000602-01-7
DINITROTOLUENE, 2,4	000121-14-2
DINITROTOLUENE, 2,5-	000619-15-8
DINITROTOLUENE, 2,6-	000606-20-2
DINITROTOLUENE, 3,4-	000610-39-9
DINOSEB	000088-85-7
DIOXANE, 1,4-	000123-91-1
DIPHENYLAMINE, N,N-	000122-39-4
DIPHENYLHYDRAZINE, 1,2-	000122-66-7
DIRECT BLACK 38	001937-37-7
DIRECT BLUE 6	002602-46-2
DIRECT BROWN 95	016071-86-6
DIRECT LIGHTFAST BLUE	004399-55-7
DIRECT SKY BLUE 6B	002610-05-1
DISULFOTON	000298-04-4
ENDOSULFAN	000115-29-7
ENDOTHALL	000145-73-3
ENDRIN	000072-20-8
EPICHLOROHYDRIN	000106-89-8
EPTC	000759-94-4
ETHOPROP	013194-48-4
ETHOXYETHANOL, 2-	000110-80-5
ETHOXYETHANOL ACETATE, 2-	000111-15-9
ETHOXYETHANOL ACRYLATE, 2-	000106-74-1
ETHOXYETHANOL DODECANOATE, 2-	000106-13-8
ETHOXYETHANOL PHOSPHATE, 2-	068554-00-7
ETHOXYETHYL METHACRYLATE, 2-	002370-63-0
ETHYL ACETATE	000141-78-6
ETHYL ACRYLATE	000140-88-5
ETHYL BENZENE	000100-41-4
ETHYL CHLORIDE	000075-00-3
ETHYL ETHER	000060-29-7
ETHYL METHACRYLATE	000097-63-2
ETHYL-O-XYLENE, 4-	000934-80-5
ETHYLANILINE, N-	000103-69-5
ETHYLENE CYANOHYDRIN	000109-78-4
ETHYLENE DIAMINE	000107-15-3
ETHYLENE GLYCOL	000107-21-1
ETHYLENE GLYCOL MONOBUTYL ETHER	000111-76-2
ETHYLENE OXIDE	000075-21-8
ETHYLENE THIOUREA	000096-45-7
ETHYLTOLUENE, M-	000620-14-4
ETHYLTOLUENE, O-	000611-14-3
ETHYLTOLUENE, P-	000622-96-8
FLUORANTHENE	000206-44-0
FLUORENE	000086-73-7
FLUORINE / (SOLUBLE FLUORIDE)	007782-41-4
FLURIDONE	059756-60-4

FOLPET	000133-07-3
FORMALDEHYDE	000050-00-0
FORMALDEHYDE CYANOHYDRIN	000107-16-4
FORMIC ACID	000064-18-6
FURAN	000110-00-9
FURAZOLIDONE	000067-45-8
FURFURAL	000098-01-1
FURIUM	000531-82-8
GLYCIDALDEHYDE	000765-34-4
HEPTACHLOR	000076-44-8
HEPTACHLOR EPOXIDE	001024-57-3
HEPTANE, N-	000142-82-5
HEXABROMOBENZENE	000087-82-1
HEXACHLOROBENZENE	000118-74-1
HEXACHLOROBUTADIENE	000087-68-3
HEXACHLOROCYCLOHEXANE, ALPHA-	000319-84-6
HEXACHLOROCYCLOHEXANE, BETA-	000319-85-7
HEXACHLOROCYCLOHEXANE, DELTA-	000319-86-8
HEXACHLOROCYCLOHEXANE, EPSILON-	006108-10-7
HEXACHLOROCYCLOHEXANE, GAMMA-	000058-89-9
HEXACHLOROCYCLOHEXANE-TECHNICAL	000608-73-1
HEXACHLOROCYCLOPENTADIENE	000077-47-4
HEXACHLOROETHANE	000067-72-1
HEXACHLOROPHENE	000070-30-4
HEXAMETHYLENE DIAMINE	000124-09-4
HEXANE, N-	000110-54-3
HEXANONE, 2-	000591-78-6
HYDRAZINE	000302-01-2
HYDRAZINE SULFATE	010034-93-2
HYDROGEN SULFIDE	007783-06-4
HYDROQUINONE	000123-31-9
INDENO[1,2,3-CD]PYRENE	000193-39-5
IRON	007439-89-6
ISOBUTYL ALCOHOL	000078-83-1
ISOPHORONE	000078-59-1
ISOPROPALIN	033820-53-0
LACTONITRILE	000078-97-7
LEAD	007439-92-1
LEAD ALKYLS	NO CASRN
LINURON	000330-55-2
MALATHION	000121-75-5
MALEIC ANHYDRIDE	000108-31-6
MALEIC HYDRAZIDE	000123-33-1
MALONONITRILE	000109-77-3
MANCOZEB	008018-01-7
MANEB	012427-38-2
MANGANESE	007439-96-5
MEPHOSFOLAN	000950-10-7
MERCURY, ELEMENTAL VAPOR	007439-97-6
MERCURY, INORGANIC	007439-97-6
MERPHOS	000150-50-5
MERPHOS OXIDE	000078-48-8
METHACRYLONITRILE	000126-98-7
METHOMYL	016752-77-5
METHOXY-5-NITROANILINE, 2-	000099-59-2
METHOXYCHLOR	000072-43-5
METHOXYETHANOL, 2-	000109-86-4
METHOXYETHANOL ACETATE, 2-	000110-49-6
METHYL-4-CHLOROPHENOXY) BUTYRIC ACID, 4-(2-	000094-81-5
METHYL-4-CHLOROPHENOXY) PROPIONIC ACID, 2-(2-	000093-65-2
METHYL-4-CHLOROPHENOXY ACETIC ACID, 2-	000094-74-6
METHYL-5-NITROANILINE, 2-	000099-55-8
METHYL ACETATE	000079-20-9
METHYL ACRYLATE	000096-33-3
METHYL CHLOROCARBONATE	000079-22-1
METHYL ETHYL KETONE	000078-93-3
METHYL ETHYL KETONE PEROXIDE	001338-23-4
METHYL HYDRAZINE	000060-34-4
METHYL ISOBUTYL KETONE	000108-10-1
METHYL ISOCYANATE	000624-83-9
METHYL MERCURY	022967-92-6
METHYL METHACRYLATE	000080-62-6
METHYL PARATHION	000298-00-0
METHYL STYRENE (MIXED ISOMERS)	025013-15-4
METHYL STYRENE, ALPHA	000098-83-9
METHYLANILINE, 2-	000095-53-4
METHYLANILINE HYDROCHLORIDE, 2-	000636-21-5
METHYLCHOLANTHRACENE, 3-	000056-49-5
METHYLCYCLOHEXANE	000108-87-2
METHYLENE-BIS(2-CHLOROANILINE), 4,4'-	000101-14-4
METHYLENE-BIS(N,N'-DIMETHYL)ANILINE, 4,4'-	000101-61-1
METHYLENE BROMIDE	000074-95-3
METHYLENE CHLORIDE / (DICHLOROMETHANE)	000075-09-2
METHYLENE-BIS(BENZENEAMINE), 4,4- / (METHYLENE DIANILINE, 4,4-)	000101-77-9
METHYLENEDIPHENYL ISOCYANATE, 4,4- / (DIPHENYLMETHANE DIISOCYANATE)	000101-68-8
METOLACHLOR	051218-45-2
METRIBUZIN	021087-64-9
MIREX	002385-85-5
MOLINATE	002212-67-1
MOLYBDENUM	007439-98-7
MONOCHLORAMINE	010599-90-3
NAPHTHALENE	000091-20-3
NAPHTHOQUINONE, 1,4-	000130-15-4
NIAGARA BLUE 4B	002429-74-5
NICKEL (METALLIC)	007440-02-0
NICKEL CYANIDE	000557-19-7
NICKEL REFINERY DUST	NO CASRN
NICKEL SUBSULFIDE	012035-72-2
NICOTINONITRILE	000100-54-9
NITRIC OXIDE	010102-43-9
NITRITE	014797-65-0
NITROANILINE, 2-	000088-74-4
NITROANILINE, M-	000099-09-2
NITROANILINE, P-	000100-01-6
NITROBENZENE	000098-95-3
NITROFURANTOIN	000067-20-9
NITROFURAZONE	000059-87-0
NITROGEN DIOXIDE	010102-44-0
NITROGEN OXIDES	NO CASRN
NITROMETHANE	000075-52-5
NITROPHENOLS	NO CASRN
NITROPROPANE, 2-	000079-46-9
NITROSO-DI-N-BUTYLAMINE, N-	000924-16-3
NITROSO-DI-N-PROPYLAMINE, N-	000621-64-7
NITROSO-N-ETHYLUREA, N-	000759-73-9
NITROSO-N-METHYLUREA, N-	000684-93-5
NITROSODIETHANOLAMINE, N-	001116-54-7
NITROSODIETHYLAMINE, N-	000055-18-5
NITROSODIMETHYLAMINE, N-	000062-75-9
NITROSODIPHENYLAMINE, P-	000156-10-5
NITROSODIPHENYLAMINE, N-	000086-30-6
NITROSOMETHYLETHYLAMINE, N-	010595-95-6
NITROSOMETHYLVINYLAMINE, N	004549-40-0
NITROSOPYRROLIDINE, N-	000930-55-2
NITROTOLUENE, M-	000099-08-1
NITROTOLUENE, O-	000088-72-2
NITROTOLUENE, P-	000099-99-0
OCTABROMODIPHENYL ETHER	032536-52-0
OCTAMETHYLPYROPHOSPHORAMIDE	000152-16-9
OSMIUM TETROXIDE	020816-12-0
OZONE	010028-15-6
PARALDEHYDE	000123-63-7
PARATHION	000056-38-2
PARTICULATE MATTER	NO CASRN
PEBULATE	001114-71-2
PENDIMETHALIN	040487-42-1

PENTABROMO-6-CHLOROCYCLOHEXANE, 1,2,3,4,5-	000087-84-3
PENTABROMODIPHENYL ETHER	032534-81-9
PENTACHLOROBENZENE	000608-93-5
PENTACHLOROCYCLOPENTADIENE	025329-35-5
PENTACHLORONITROBENZENE	000082-68-8
PENTACHLOROPHENOL	000087-86-5
PENTACHLOROPROPENE, 1,1,2,3,3,-	001600-37-9
PENTANE, N-	000109-66-0
PHENANTHRENE	000085-01-8
PHENOL	000108-95-2
PHENYLENEDIAMINE, M-	000108-45-2
PHENYLENEDIAMINE, O-	000095-54-5
PHENYLENEDIAMINE, P-	000106-50-3
PHENYLMERCURIC ACETATE	000062-38-4
PHENYLPHENOL, 2-	000090-43-7
PHORATE	000298-02-2
PHOSGENE	000075-44-5
PHOSPHINE	007803-51-2
PHOSPHORUS, WHITE	007723-14-0
PHOTOCHEMICAL OXIDANTS	NO CASRN
PHTHALIC ACID, M-	000121-91-5
PHTHALIC ACID, O-	000088-99-3
PHTHALIC ACID, P-	000100-21-0
PHTHALIC ANHYDRIDE	000085-44-9
POLYBROMINATED BIPHENYLS	NO CASRN
POLYCHLORINATED BIPHENYLS	001336-36-3
POTASSIUM CYANIDE	000151-50-8
POTASSIUM SILVER CYANIDE	000506-61-6
PROFLURALIN	026399-36-0
PRONAMIDE	023950-58-5
PROPACHLOR	001918-16-7
PROPAZINE	000139-40-2
PROPIONITRILE	000107-12-0
PROPYL ALCOHOL, N-	000071-23-8
PROPYLENE GLYCOL	000057-55-6
PROPYLENE GLYCOL MONOMETHYL ETHER	000107-98-2
PROPYLENE OXIDE	000075-56-9
PYRENE	000129-00-0
PYRIDINE	000110-86-1
QUINOLINE	000091-22-5
RDX / (CYCLONITE)	000121-82-4
RONNEL	000299-84-3
SELENIOUS ACID	007783-00-8
SELENIUM	007782-49-2
SELENIUM SULFIDE	007446-34-6
SELENOUREA	000630-10-4
SILVER	007440-22-4
SILVER CYANIDE	000506-64-9
SIMAZINE	000122-34-9
SODIUM CYANIDE	000143-33-9
SODIUM DIETHYLDITHIOCARBAMATE	000148-18-5
SODIUM METAVANADATE	013718-26-8
STRONTIUM, STABLE	007440-24-6
STRYCHNINE	000057-24-9
STYRENE	000100-42-5
SUCCINONITRILE	000110-61-2
SULFUR DIOXIDE	007446-09-5
SULFUR OXIDES	NO CASRN
SULFURIC ACID	007664-93-9
TCDD, 2,3,7,8-	001746-01-6
TEMEPHOS	003383-96-8
TERBUFOS	013071-79-9
TEREPHTHALIC ACID	000100-21-0
TETRACHLOROAZOXYBENZENE	021232-47-3
TETRACHLOROBENZENE, 1,2,4,5-	000095-94-3
TETRACHLOROCYCLOPENTADIENE	000695-77-2
TETRACHLOROETHANE, 1,1,1,2-	000630-20-6
TETRACHLOROETHANE, 1,1,2,2-	000079-34-5
TETRACHLOROETHYLENE	000127-18-4
TETRACHLOROHYDRAZOBENZENE	071753-42-9
TETRACHLOROPHENOL, 2,3,4,5-	004901-51-3
TETRACHLOROPHENOL, 2,3,4,6-	000058-90-2
TETRACHLOROPHENOL, 2,3,5,6-	000935-95-5
TETRACHLOROPROPENE, 1,1,2,3-	010436-39-2
TETRACHLOROTOLUENE, PARA, ALPHA, ALPHA, ALPHA-	005216-25-1
TETRACHLOROVINPHOS / (STIROPHOS)	000961-11-5
TETRAETHYL DITHIOPYROPHOSPHATE	003689-24-5
THALLIC OXIDE	001314-32-5
THALLIUM (I) ACETATE	000563-68-8
THALLIUM (I) CARBONATE	006533-73-9
THALLIUM (I) CHLORIDE	007791-12-0
THALLIUM (I) NITRATE	010102-45-1
THALLIUM (I) SULFATE	007446-18-6
THALLIUM (IN SOLUBLE SALTS)	NO CASRN
THALLIUM SELENITE	012039-52-0
THIOCYANOMETHYLTHIO)BENZOTHIAZOLE, 2-(	021564-17-0
THIOFANOX	013196-18-4
THIRAM	000137-26-8
TIN AND COMPOUNDS	NO CASRN
TOLUENE	000108-88-3
TOLUENE-2,4-DIAMINE	000095-80-7
TOLUENE-2,5-DIAMINE	000095-70-5
TOLUENE-2,6-DIAMINE	000823-40-5
TOLUENEDIAMINE, 2,3-	002687-25-4
TOLUENEDIAMINE, 3,4-	000496-72-0
TOLUIDINE, M-	000108-44-1
TOLUIDINE, P-	000106-49-0
TOXAPHENE	008001-35-2
TRIALLATE	002303-17-5
TRIBROMOBENZENE, 1,2,4-	000615-54-3
TRICHLORO-1,2,2-TRIFLUOROETHANE, 1,1,2-	000076-13-1
TRICHLORO-2'-HYDROXYDIPHENYLETHER, 2,2,4'-	003380-34-5
TRICHLOROANILINE, 2,4,6-	000634-93-5
TRICHLOROANILINE HYDROCHLORIDE, 2,4,6-	033663-50-2
TRICHLOROBENZENE, 1,2,4-	000120-82-1
TRICHLOROCYCLOPENTADIENE	077323-84-3
TRICHLOROETHANE, 1,1,1-	000071-55-6
TRICHLOROETHANE, 1,1,2-	000079-00-5
TRICHLOROETHYLENE	000079-01-6
TRICHLOROFLUOROMETHANE	000075-69-4
TRICHLOROPHENOL, 2,3,4-	015950-66-0
TRICHLOROPHENOL, 2,3,5-	000933-78-8
TRICHLOROPHENOL, 2,3,6-	000933-75-5
TRICHLOROPHENOL, 2,4,5-	000095-95-4
TRICHLOROPHENOL, 2,4,6-	000088-06-2
TRICHLOROPHENOL, 3,4,5-	000609-19-8
TRICHLOROPHENOXY) PROPIONIC ACID, 2(2,4,5-	000093-72-1
TRICHLOROPHENOXY ACETIC ACID, 2,4,5-	000093-76-5
TRICHLOROPROPANE, 1,1,1-	007789-89-1
TRICHLOROPROPANE, 1,1,2-	000598-77-6
TRICHLOROPROPANE, 1,2,2-	003175-23-3
TRICHLOROPROPANE, 1,2,3-	000096-18-4
TRICHLOROPROPENE, 1,2,3-	000096-19-5
TRICHLOROTOLUENE, 2,3,6-	002077-46-5
TRICHLOROTOLUENE, ALPHA,2,6-	002014-83-7
TRIFLURALIN	001582-09-8
TRIMETHYL PHOSPHATE	000512-56-1
TRIMETHYLBENZENES	NO CASRN
TRINITROBENZENE, 1,3,5-	000099-35-4
TRINITROPHENOLS	NO CASRN
TRINITROPHENYLMETHYLNITRAMINE	000479-45-8
TRINITROTOLUENE, 2,4,6-	000118-96-7
URANIUM, SOLUBLE SALTS	NO CASRN
VANADIUM	007440-62-2
VANADIUM PENTOXIDE	001314-62-1
VANADIUM SULFATE	036907-42-3

VERNAM / (VERNOLATE)	001929-77-7
VINYL-1-CYCLOHEXENE, 4-	000100-40-3
VINYL ACETATE	000108-05-4
VINYL CHLORIDE	000075-01-4
WARFARIN	000081-81-2
XYLENE, M-	000108-38-3
XYLENE, MIXTURE	001330-20-7
XYLENE, O-	000095-47-6
XYLENE, P-	000106-42-3
ZINC (METALLIC)	007440-66-6
ZINC CYANIDE	000557-21-1
ZINC PHOSPHIDE	001314-84-7
ZINEB	012122-67-7

CHEMICAL NAME AND CHEMICAL ABSTRACTS SERVICE REGISTRY NUMBER CROSS REFERENCE
(LISTED BY CAS REGISTRY NUMBER)

March 1994

000050-32-8 BENZO[A]PYRENE
000050-00-0 FORMALDEHYDE
000050-29-3 DDT
000051-28-5 DINITROPHENOL, 2,4-
000053-70-3 DIBENZO[A,H]ANTHRACENE
000055-18-5 NITROSODIETHYLAMINE, N-
000056-53-1 DIETHYLSTILBESTROL
000056-38-2 PARATHION
000056-55-3 BENZO[A]ANTHRACENE
000056-23-5 CARBON TETRACHLORIDE
000056-49-5 METHYLCHOLANTHRACENE, 3-
000057-74-9 CHLORDANE
000057-12-5 CYANIDE
000057-14-7 DIMETHYLHYDRAZINE, 1,1-
000057-55-6 PROPYLENE GLYCOL
000057-97-6 DIMETHYLBENZ[A]ANTHRACENE, 7,12-
000057-24-9 STRYCHNINE
000058-89-9 HEXACHLOROCYCLOHEXANE, GAMMA-
000058-90-2 TETRACHLOROPHENOL, 2,3,4,6-
000059-87-0 NITROFURAZONE
000059-50-7 CHLORO-M-CRESOL, P-
000060-34-4 METHYL HYDRAZINE
000060-57-1 DIELDRIN
000060-29-7 ETHYL ETHER
000060-51-5 DIMETHOATE
000062-38-4 PHENYLMERCURIC ACETATE
000062-53-3 ANILINE
000062-75-9 NITROSODIMETHYLAMINE, N-
000063-25-2 CARBARYL
000064-18-6 FORMIC ACID
000065-85-0 BENZOIC ACID
000066-56-8 DINITROPHENOL, 2,3-
000067-45-8 FURAZOLIDONE
000067-72-1 HEXACHLOROETHANE
000067-66-3 CHLOROFORM
000067-20-9 NITROFURANTOIN
000067-64-1 ACETONE
000068-12-2 DIMETHYLFORMAMIDE, N,N-
000070-30-4 HEXACHLOROPHENE
000071-23-8 PROPYL ALCOHOL, N-
000071-36-3 BUTANOL, 1-
000071-55-6 TRICHLOROETHANE, 1,1,1-
000071-43-2 BENZENE
000072-20-8 ENDRIN
000072-55-9 DDE
000072-43-5 METHOXYCHLOR
000072-54-8 DDD
000074-83-9 BROMOMETHANE
000074-87-3 CHLOROMETHANE / (METHYL CHLORIDE)
000074-95-3 METHYLENE BROMIDE
000074-11-3 CHLOROBENZOIC ACID, P-
000075-35-4 DICHLOROETHYLENE, 1,1-
000075-60-5 CACODYLIC ACID
000075-01-4 VINYL CHLORIDE
000075-21-8 ETHYLENE OXIDE
000075-15-0 CARBON DISULFIDE
000075-86-5 ACETONE CYANOHYDRIN
000075-09-2 METHYLENE CHLORIDE / (DICHLOROMETHANE)
000075-27-4 BROMODICHLOROMETHANE
000075-00-3 ETHYL CHLORIDE
000075-69-4 TRICHLOROFLUOROMETHANE
000075-25-2 BROMOFORM
000075-87-6 CHLORAL
000075-71-8 DICHLORODIFLUOROMETHANE
000075-99-0 DALAPON
000075-05-8 ACETONITRILE
000075-29-6 CHLOROPROPANE, 2-
000075-44-5 PHOSGENE
000075-52-5 NITROMETHANE
000075-34-3 DICHLOROETHANE, 1,1-
000075-56-9 PROPYLENE OXIDE
000076-13-1 TRICHLORO-1,2,2-TRIFLUOROETHANE, 1,1,2-
000076-44-8 HEPTACHLOR
000077-78-1 DIMETHYLSULFATE
000077-47-4 HEXACHLOROCYCLOPENTADIENE
000077-73-6 DICYCLOPENTADIENE
000078-99-9 DICHLOROPROPANE, 1,1-
000078-87-5 DICHLOROPROPANE, 1,2-
000078-86-4 CHLOROBUTANE, 2-
000078-48-8 MERPHOS OXIDE
000078-97-7 LACTONITRILE
000078-83-1 ISOBUTYL ALCOHOL
000078-93-3 METHYL ETHYL KETONE
000078-59-1 ISOPHORONE
000079-06-1 ACRYLAMIDE
000079-20-9 METHYL ACETATE
000079-34-5 TETRACHLOROETHANE, 1,1,2,2-
000079-46-9 NITROPROPANE, 2-
000079-01-6 TRICHLOROETHYLENE
000079-00-5 TRICHLOROETHANE, 1,1,2-
000079-11-8 CHLOROACETIC ACID
000079-10-7 ACRYLIC ACID
000079-22-1 METHYL CHLOROCARBONATE
000080-62-6 METHYL METHACRYLATE
000080-05-7 BISPHENOL A
000081-81-2 WARFARIN
000082-68-8 PENTACHLORONITROBENZENE
000083-32-9 ACENAPHTHENE
000084-66-2 DIETHYL PHTHALATE
000084-74-2 DIBUTYL PHTHALATE
000085-01-8 PHENANTHRENE
000085-68-7 BUTYL BENZYL PHTHALATE, N-
000085-44-9 PHTHALIC ANHYDRIDE
000086-73-7 FLUORENE
000086-30-6 NITROSODIPHENYLAMINE, N-
000086-74-8 CARBAZOLE
000087-68-3 HEXACHLOROBUTADIENE
000087-84-3 PENTABROMO-6-CHLOROCYCLOHEXANE, 1,2,3,4,5-
000087-65-0 DICHLOROPHENOL, 2,6-
000087-86-5 PENTACHLOROPHENOL
000087-82-1 HEXABROMOBENZENE
000088-99-3 PHTHALIC ACID, O-
000088-72-2 NITROTOLUENE, O-
000088-06-2 TRICHLOROPHENOL, 2,4,6-
000088-74-4 NITROANILINE, 2-
000088-73-3 CHLORONITROBENZENE, O-
000088-85-7 DINOSEB
000090-43-7 PHENYLPHENOL, 2-
000091-66-7 DIETHYLANILINE, N,N-
000091-94-1 DICHLOROBENZIDINE, 3,3'-
000091-22-5 QUINOLINE
000091-20-3 NAPHTHALENE
000092-52-4 BIPHENYL, 1,1'
000092-87-5 BENZIDINE
000093-76-5 TRICHLOROPHENOXY ACETIC ACID, 2,4,5-
000093-71-0 ALLIDOCHLOR
000093-72-1 TRICHLOROPHENOXY) PROPIONIC ACID, 2(2,4,5-
000093-65-2 METHYL-4-CHLOROPHENOXY) PROPIONIC ACID, 2-(2-
000094-82-6 DICHLOROPHENOXY) BUTYRIC ACID, 4-(2,4- / (2,4-DB)
000094-75-7 DICHLOROPHENOXY ACETIC ACID, 2,4-
000094-74-6 METHYL-4-CHLOROPHENOXY ACETIC ACID, 2-

000094-81-5 METHYL-4-CHLOROPHENOXY) BUTYRIC ACID, 4-(2-
000095-53-4 METHYLANILINE, 2-
000095-51-2 CHLOROANILINE, 2-
000095-70-5 TOLUENE-2,5-DIAMINE
000095-95-4 TRICHLOROPHENOL, 2,4,5-
000095-50-1 DICHLOROBENZENE, 1,2-
000095-48-7 CRESOL, O- / (2-METHYLPHENOL)
000095-80-7 TOLUENE-2,4-DIAMINE
000095-69-2 CHLORO-2-METHYLANILINE, 4-
000095-87-4 DIMETHYLPHENOL, 2,5-
000095-49-8 CHLOROTOLUENE, O-
000095-47-6 XYLENE, O-
000095-94-3 TETRACHLOROBENZENE, 1,2,4,5-
000095-57-8 CHLOROPHENOL, 2-
000095-54-5 PHENYLENEDIAMINE, O-
000095-77-2 DICHLOROPHENOL, 3,4-
000095-65-8 DIMETHYLPHENOL, 3,4-
000095-68-1 DIMETHYLANILINE, 2,4-
000095-55-6 AMINOPHENOL, O-
000096-45-7 ETHYLENE THIOUREA
000096-48-0 BUTYROLACTONE, GAMMA-
000096-12-8 DIBROMO-3-CHLOROPROPANE, 1,2
000096-19-5 TRICHLOROPROPENE, 1,2,3-
000096-33-3 METHYL ACRYLATE
000096-18-4 TRICHLOROPROPANE, 1,2,3-
000097-63-2 ETHYL METHACRYLATE
000098-87-3 BENZAL CHLORIDE
000098-01-1 FURFURAL
000098-83-9 METHYL STYRENE, ALPHA
000098-95-3 NITROBENZENE
000098-82-8 CUMENE
000098-86-2 ACETOPHENONE
000098-56-6 CHLOROBENZOTRIFLUORIDE, 4-
000098-07-7 BENZOTRICHLORIDE
000099-55-8 METHYL-5-NITROANILINE, 2-
000099-59-2 METHOXY-5-NITROANILINE, 2-
000099-35-4 TRINITROBENZENE, 1,3,5-
000099-65-0 DINITROBENZENE, 1,3-
000099-08-1 NITROTOLUENE, M-
000099-99-0 NITROTOLUENE, P-
000099-09-2 NITROANILINE, M-
000100-52-7 BENZALDEHYDE
000100-51-6 BENZYL ALCOHOL
000100-42-5 STYRENE
000100-00-5 CHLORONITROBENZENE, P-
000100-21-0 TEREPHTHALIC ACID
000100-40-3 VINYL-1-CYCLOHEXENE, 4-
000100-25-4 DINITROBENZENE, 1,4-
000100-44-7 BENZYL CHLORIDE
000100-41-4 ETHYL BENZENE
000100-54-9 NICOTINONITRILE
000100-21-0 PHTHALIC ACID, P-
000100-01-6 NITROANILINE, P-
000101-55-3 BROMOPHENYL PHENYL ETHER, 4-
000101-14-4 METHYLENE-BIS(2-CHLOROANILINE), 4,4'-
000101-68-8 METHYLENEDIPHENYL ISOCYANATE, 4,4- / (DIPHENYLMETHANE DIISOCYANATE)
000101-61-1 METHYLENE-BIS(N,N'-DIMETHYL)ANILINE, 4,4'-
000103-33-3 AZOBENZENE
000103-69-5 ETHYLANILINE, N-
000105-60-2 CAPROLACTAM
000105-67-9 DIMETHYLPHENOL, 2,4-
000106-48-9 CHLOROPHENOL, 4-
000106-37-6 DIBROMOBENZENE, 1,4-
000106-93-4 DIBROMOETHANE, 1,2-
000106-47-8 CHLOROANILINE, 4-
000106-43-4 CHLOROTOLUENE, P-
000106-44-5 CRESOL, P- / (4-METHYLPHENOL)
000106-89-8 EPICHLOROHYDRIN
000106-46-7 DICHLOROBENZENE, 1,4-
000106-99-0 BUTADIENE, 1,3-
000106-13-8 ETHOXYETHANOL DODECANOATE, 2-
000106-42-3 XYLENE, P-
000106-50-3 PHENYLENEDIAMINE, P-
000106-49-0 TOLUIDINE, P-
000106-74-1 ETHOXYETHANOL ACRYLATE, 2-
000107-02-8 ACROLEIN
000107-30-2 CHLOROMETHYL METHYL ETHER
000107-13-1 ACRYLONITRILE
000107-05-1 ALLYL CHLORIDE
000107-06-2 DICHLOROETHANE, 1,2-
000107-18-6 ALLYL ALCOHOL
000107-21-1 ETHYLENE GLYCOL
000107-15-3 ETHYLENE DIAMINE
000107-12-0 PROPIONITRILE
000107-98-2 PROPYLENE GLYCOL MONOMETHYL ETHER
000107-16-4 FORMALDEHYDE CYANOHYDRIN
000107-20-0 CHLOROACETALDEHYDE
000108-10-1 METHYL ISOBUTYL KETONE
000108-38-3 XYLENE, M-
000108-87-2 METHYLCYCLOHEXANE
000108-95-2 PHENOL
000108-88-3 TOLUENE
000108-98-5 BENZENETHIOL / (THIOPHENOL)
000108-42-9 CHLOROANILINE, 3-
000108-93-0 CYCLOHEXANOL
000108-45-2 PHENYLENEDIAMINE, M-
000108-91-8 CYCLOHEXYLAMINE
000108-39-4 CRESOL, M- / (3-METHYLPHENOL)
000108-41-8 CHLOROTOLUENE, M-
000108-05-4 VINYL ACETATE
000108-31-6 MALEIC ANHYDRIDE
000108-44-1 TOLUIDINE, M-
000108-43-0 CHLOROPHENOL, 3-
000108-90-7 CHLOROBENZENE
000109-86-4 METHOXYETHANOL, 2-
000109-69-3 CHLOROBUTANE, 1-
000109-78-4 ETHYLENE CYANOHYDRIN
000109-66-0 PENTANE, N-
000109-77-3 MALONONITRILE
000110-54-3 HEXANE, N-
000110-86-1 PYRIDINE
000110-61-2 SUCCINONITRILE
000110-49-6 METHOXYETHANOL ACETATE, 2-
000110-80-5 ETHOXYETHANOL, 2-
000110-00-9 FURAN
000111-15-9 ETHOXYETHANOL ACETATE, 2-
000111-90-0 DIETHYLENE GLYCOL MONOETHYL ETHER
000111-76-2 ETHYLENE GLYCOL MONOBUTYL ETHER
000111-44-4 BIS(2-CHLOROETHYL) ETHER
000111-69-3 ADIPONITRILE
000112-34-5 DIETHYLENE GLYCOL MONOBUTYL ETHER
000115-29-7 ENDOSULFAN
000116-06-3 ALDICARB
000117-84-0 DI-N-OCTYL PHTHALATE
000117-81-7 BIS(2-ETHYLHEXYL) PHTHALATE / (DEHP)
000118-75-2 CHLORANIL
000118-96-7 TRINITROTOLUENE, 2,4,6-
000118-74-1 HEXACHLOROBENZENE
000119-90-4 DIMETHOXYBENZIDINE, 3,3'-
000119-93-7 DIMETHYLBENZIDINE, 3,3'-
000120-12-7 ANTHRACENE
000120-36-5 DICHLORPROP
000120-83-2 DICHLOROPHENOL, 2,4-
000120-82-1 TRICHLOROBENZENE, 1,2,4-
000120-61-6 DIMETHYLTEREPHTHALATE
000121-75-5 MALATHION

000121-69-7 DIMETHYLANILINE, N,N-
000121-82-4 RDX / (CYCLONITE)
000121-73-3 CHLORONITROBENZENE, M-
000121-91-5 PHTHALIC ACID, M-
000121-14-2 DINITROTOLUENE, 2,4
000122-34-9 SIMAZINE
000122-39-4 DIPHENYLAMINE, N,N-
000122-66-7 DIPHENYLHYDRAZINE, 1,2-
000123-30-8 AMINOPHENOL, P-
000123-73-9 CROTONALDEHYDE
000123-31-9 HYDROQUINONE
000123-33-1 MALEIC HYDRAZIDE
000123-91-1 DIOXANE, 1,4-
000123-63-7 PARALDEHYDE
000124-48-1 DIBROMOCHLOROMETHANE
000124-09-4 HEXAMETHYLENE DIAMINE
000126-99-8 CHLORO-1,3-BUTADIENE, 2- / (CHLOROPRENE)
000126-98-7 METHACRYLONITRILE
000127-18-4 TETRACHLOROETHYLENE
000129-00-0 PYRENE
000130-15-4 NAPHTHOQUINONE, 1,4-
000131-11-3 DIMETHYLPHTHALATE
000132-64-9 DIBENZOFURAN
000133-06-2 CAPTAN
000133-07-3 FOLPET
000137-26-8 THIRAM
000139-40-2 PROPAZINE
000140-57-8 ARAMITE
000140-88-5 ETHYL ACRYLATE
000141-78-6 ETHYL ACETATE
000142-82-5 HEPTANE, N-
000142-28-9 DICHLOROPROPANE, 1,3-
000143-33-9 SODIUM CYANIDE
000145-73-3 ENDOTHALL
000148-18-5 SODIUM DIETHYLDITHIOCARBAMATE
000150-50-5 MERPHOS
000151-50-8 POTASSIUM CYANIDE
000152-16-9 OCTAMETHYLPYROPHOSPHORAMIDE
000156-59-2 DICHLOROETHYLENE, 1,2-C-
000156-10-5 NITROSODIPHENYLAMINE, P-
000156-60-5 DICHLOROETHYLENE, 1,2-T-
000193-39-5 INDENO[1,2,3-CD]PYRENE
000205-99-2 BENZO[B]FLUORANTHENE
000206-44-0 FLUORANTHENE
000207-08-9 BENZO[K]FLUORANTHENE
000208-96-8 ACENAPTHYLENE
000218-01-9 CHRYSENE
000298-02-2 PHORATE
000298-04-4 DISULFOTON
000298-00-0 METHYL PARATHION
000299-84-3 RONNEL
000302-01-2 HYDRAZINE
000304-61-0 ANTIMONY POTASSIUM TARTRATE
000309-00-2 ALDRIN
000311-45-5 DIETHYL-P-NITROPHENYL PHOSPHATE
000319-84-6 HEXACHLOROCYCLOHEXANE, ALPHA-
000319-85-7 HEXACHLOROCYCLOHEXANE, BETA-
000319-86-8 HEXACHLOROCYCLOHEXANE, DELTA-
000329-71-5 DINITROPHENOL, 2,5-
000330-55-2 LINURON
000333-41-5 DIAZINON
000460-19-5 CYANOGEN
000479-45-8 TRINITROPHENYLMETHYLNITRAMINE
000496-72-0 TOLUENEDIAMINE, 3,4-
000504-24-5 AMINOPYRIDINE, 4-
000506-68-3 CYANOGEN BROMIDE
000506-64-9 SILVER CYANIDE
000506-61-6 POTASSIUM SILVER CYANIDE
000506-77-4 CHLORINE CYANIDE
000507-20-0 BUTYLCHLORIDE, T-
000510-15-6 CHLOROBENZILATE
000512-56-1 TRIMETHYL PHOSPHATE
000526-75-0 DIMETHYLPHENOL, 2,3-
000528-29-0 DINITROBENZENE, 1,2-
000531-82-8 FURIUM
000532-28-5 BENZALDEHYDE CYANOHYDRIN
000534-52-1 DINITRO-O-CRESOL, 4,6-
000540-73-8 DIMETHYLHYDRAZINE, 1,2-
000540-59-0 DICHLOROETHYLENE, 1,2- (MIXED ISOMERS)
000541-73-1 DICHLOROBENZENE, 1,3-
000542-92-7 CYCLOPENTADIENE
000542-62-1 BARIUM CYANIDE
000542-88-1 BIS(CHLOROMETHYL) ETHER
000542-75-6 DICHLOROPROPENE, 1,3- / (TELONE II)
000544-92-3 COPPER CYANIDE
000557-19-7 NICKEL CYANIDE
000557-21-1 ZINC CYANIDE
000563-68-8 THALLIUM (I) ACETATE
000573-56-8 DINITROPHENOL, 2,6-
000576-24-9 DICHLOROPHENOL, 2,3-
000576-26-1 DIMETHYLPHENOL, 2,6-
000583-78-8 DICHLOROPHENOL, 2,5-
000586-11-8 DINITROPHENOL, 3,5-
000591-27-5 AMINOPHENOL, M-
000591-35-5 DICHLOROPHENOL, 3,5-
000591-78-6 HEXANONE, 2-
000592-01-8 CALCIUM CYANIDE
000593-60-2 BROMOETHENE / (VINYL BROMIDE)
000594-20-7 DICHLOROPROPANE, 2,2-
000598-94-7 DIMETHYLUREA, N,N-
000598-31-2 BROMOACETONE
000598-77-6 TRICHLOROPROPANE, 1,1,2-
000602-01-7 DINITROTOLUENE, 2,3-
000606-20-2 DINITROTOLUENE, 2,6-
000608-93-5 PENTACHLOROBENZENE
000608-73-1 HEXACHLOROCYCLOHEXANE-TECHNICAL
000609-19-8 TRICHLOROPHENOL, 3,4,5-
000609-93-8 DINITRO-P-CRESOL, 2,6-
000610-39-9 DINITROTOLUENE, 3,4-
000611-14-3 ETHYLTOLUENE, O-
000615-54-3 TRIBROMOBENZENE, 1,2,4-
000617-84-5 DIETHYLFORMAMIDE
000619-15-8 DINITROTOLUENE, 2,5-
000620-14-4 ETHYLTOLUENE, M-
000621-64-7 NITROSO-DI-N-PROPYLAMINE, N-
000622-96-8 ETHYLTOLUENE, P-
000624-83-9 METHYL ISOCYANATE
000630-05-0 CARBON MONOXIDE
000630-10-4 SELENOUREA
000630-20-6 TETRACHLOROETHANE, 1,1,1,2-
000634-93-5 TRICHLOROANILINE, 2,4,6-
000636-21-5 METHYLANILINE HYDROCHLORIDE, 2-
000684-93-5 NITROSO-N-METHYLUREA, N-
000695-77-2 TETRACHLOROCYCLOPENTADIENE
000759-73-9 NITROSO-N-ETHYLUREA, N-
000759-94-4 EPTC
000764-41-0 DICHLORO-2-BUTENE, 1,4-
000765-34-4 GLYCIDALDEHYDE
000823-40-5 TOLUENE-2,6-DIAMINE
000834-12-8 AMETRYN
000924-16-3 NITROSO-DI-N-BUTYLAMINE, N-
000930-55-2 NITROSOPYRROLIDINE, N-
000933-78-8 TRICHLOROPHENOL, 2,3,5-
000933-75-5 TRICHLOROPHENOL, 2,3,6-
000934-80-5 ETHYL-O-XYLENE, 4-
000935-95-5 TETRACHLOROPHENOL, 2,3,5,6-
000950-10-7 MEPHOSFOLAN
000961-11-5 TETRACHLOROVINPHOS / (STIROPHOS)

001024-57-3 HEPTACHLOR EPOXIDE
001114-71-2 PEBULATE
001116-54-7 NITROSODIETHANOLAMINE, N-
001134-23-2 CYCLOATE
001163-19-5 DECABROMODIPHENYL ETHER
001198-27-2 AMINO-2-NAPHTOL HYDROCHLORIDE, 1-
001309-64-4 ANTIMONY TRIOXIDE
001314-84-7 ZINC PHOSPHIDE
001314-62-1 VANADIUM PENTOXIDE
001314-60-9 ANTIMONY PENTOXIDE
001314-32-5 THALLIC OXIDE
001330-20-7 XYLENE, MIXTURE
001332-81-6 ANTIMONY TETROXIDE
001332-21-4 ASBESTOS
001336-36-3 POLYCHLORINATED BIPHENYLS
001338-23-4 METHYL ETHYL KETONE PEROXIDE
001563-66-2 CARBOFURAN
001582-09-8 TRIFLURALIN
001600-37-9 PENTACHLOROPROPENE, 1,1,2,3,3,-
001615-80-1 DIETHYLHYDRAZINE, 1,2-
001689-84-5 BROMOXYNIL
001689-99-2 BROMOXYNIL OCTANOATE
001746-01-6 TCDD, 2,3,7,8-
001861-40-1 BENEFIN
001861-32-1 DACTHAL
001897-45-6 CHLOROTHALONIL
001912-24-9 ATRAZINE
001918-00-9 DICAMBA
001918-16-7 PROPACHLOR
001929-77-7 VERNAM / (VERNOLATE)
001937-37-7 DIRECT BLACK 38
002008-41-5 BUTYLATE
002014-83-7 TRICHLOROTOLUENE, ALPHA,2,6-
002077-46-5 TRICHLOROTOLUENE, 2,3,6-
002104-96-3 BROMOPHOS
002212-67-1 MOLINATE
002303-16-4 DIALLATE
002303-17-5 TRIALLATE
002370-63-0 ETHOXYETHYL METHACRYLATE, 2-
002385-85-5 MIREX
002425-06-1 CAPTAFOL
002429-74-5 NIAGARA BLUE 4B
002491-38-5 BUSAN 90
002602-46-2 DIRECT BLUE 6
002610-05-1 DIRECT SKY BLUE 6B
002687-25-4 TOLUENEDIAMINE, 2,3-
002834-92-6 AMINO-2-NAPHTHOL, 1-
002921-88-2 CHLORPYRIFOS
003165-93-3 CHLORO-2-METHYLANILINE HYDROCHLORIDE, 4-
003175-23-3 TRICHLOROPROPANE, 1,2,2-
003380-34-5 TRICHLORO-2'-HYDROXYDIPHENYLETHER, 2,2,4'-
003383-96-8 TEMEPHOS
003689-24-5 TETRAETHYL DITHIOPYROPHOSPHATE
004399-55-7 DIRECT LIGHTFAST BLUE
004549-40-0 NITROSOMETHYLVINYLAMINE, N
004901-51-3 TETRACHLOROPHENOL, 2,3,4,5-
005216-25-1 TETRACHLOROTOLUENE, PARA, ALPHA, ALPHA, ALPHA-
005598-13-0 CHLORPYRIFOS METHYL
006108-10-7 HEXACHLOROCYCLOHEXANE, EPSILON-
006533-73-9 THALLIUM (I) CARBONATE
007429-90-5 ALUMINUM
007439-97-6 MERCURY, INORGANIC
007439-98-7 MOLYBDENUM
007439-89-6 IRON
007439-92-1 LEAD
007439-97-6 MERCURY, ELEMENTAL VAPOR
007439-96-5 MANGANESE
007440-39-3 BARIUM
007440-38-2 ARSENIC, INORGANIC
007440-43-9 CADMIUM
007440-66-6 ZINC (METALLIC)
007440-50-8 COPPER
007440-42-8 BORON, ELEMENTAL
007440-22-4 SILVER
007440-41-7 BERYLLIUM
007440-62-2 VANADIUM
007440-02-0 NICKEL (METALLIC)
007440-36-0 ANTIMONY, METALLIC
007440-24-6 STRONTIUM, STABLE
007446-34-6 SELENIUM SULFIDE
007446-09-5 SULFUR DIOXIDE
007446-18-6 THALLIUM (I) SULFATE
007637-07-2 BORON TRIFLUORIDE
007664-41-7 AMMONIA
007664-93-9 SULFURIC ACID
007723-14-0 PHOSPHORUS, WHITE
007782-41-4 FLUORINE / (SOLUBLE FLUORIDE)
007782-49-2 SELENIUM
007783-00-8 SELENIOUS ACID
007783-06-4 HYDROGEN SULFIDE
007789-89-1 TRICHLOROPROPANE, 1,1,1-
007791-12-0 THALLIUM (I) CHLORIDE
007803-51-2 PHOSPHINE
008001-35-2 TOXAPHENE
008001-58-9 CREOSOTE, COAL TAR
008007-45-2 COKE OVEN EMISSIONS
008018-01-7 MANCOZEB
010028-15-6 OZONE
010034-93-2 HYDRAZINE SULFATE
000101-77-9 METHYLENE-BIS(BENZENEAMINE), 4,4- / (METHYLENE DIANILINE, 4,4-)
010102-43-9 NITRIC OXIDE
010102-44-0 NITROGEN DIOXIDE
010102-45-1 THALLIUM (I) NITRATE
010436-39-2 TETRACHLOROPROPENE, 1,1,2,3-
010595-95-6 NITROSOMETHYLETHYLAMINE, N-
010599-90-3 MONOCHLORAMINE
012035-72-2 NICKEL SUBSULFIDE
012039-52-0 THALLIUM SELENITE
012122-67-7 ZINEB
012427-38-2 MANEB
012672-29-6 AROCHLOR 1248
013071-79-9 TERBUFOS
013194-48-4 ETHOPROP
013196-18-4 THIOFANOX
013718-26-8 SODIUM METAVANADATE
014797-65-0 NITRITE
015950-66-0 TRICHLOROPHENOL, 2,3,4-
015972-60-8 ALACHLOR
016065-83-1 CHROMIUM(III)
016071-86-6 DIRECT BROWN 95
016752-77-5 METHOMYL
018540-29-9 CHROMIUM(VI)
020816-12-0 OSMIUM TETROXIDE
020859-73-8 ALUMINUM PHOSPHIDE
021087-64-9 METRIBUZIN
021232-47-3 TETRACHLOROAZOXYBENZENE
021436-96-4 DIMETHYLANILINE HYDROCHLORIDE, 2,4-
021564-17-0 THIOCYANOMETHYLTHIO)BENZOTHIAZOLE, 2-(
021725-46-2 CYANAZINE
022967-92-6 METHYL MERCURY
023950-58-5 PRONAMIDE
025013-15-4 METHYL STYRENE (MIXED ISOMERS)
025329-35-5 PENTACHLOROCYCLOPENTADIENE
026399-36-0 PROFLURALIN
030560-19-1 ACEPHATE

031512-74-0	BUSAN 77
032534-81-9	PENTABROMODIPHENYL ETHER
032536-52-0	OCTABROMODIPHENYL ETHER
033663-50-2	TRICHLOROANILINE HYDROCHLORIDE, 2,4,6-
033820-53-0	ISOPROPALIN
036907-42-3	VANADIUM SULFATE
039638-32-9	BIS(2-CHLOROISOPROPYL) ETHER
040487-42-1	PENDIMETHALIN
041851-50-7	CHLOROCYCLOPENTADIENE
051218-45-2	METOLACHLOR
059756-60-4	FLURIDONE
060238-56-4	CHLORTHIOPHOS
068554-00-7	ETHOXYETHANOL PHOSPHATE, 2-
071753-42-9	TETRACHLOROHYDRAZOBENZENE
077323-84-3	TRICHLOROCYCLOPENTADIENE
NO CASRN	SULFUR OXIDES
NO CASRN	BROMINATED DIBENZO-P-DIOXINS
NO CASRN	BROMOCHLOROETHANES
NO CASRN	BROMINATED DIBENZOFURANS
NO CASRN	TRIMETHYLBENZENES
NO CASRN	PARTICULATE MATTER
NO CASRN	TIN AND COMPOUNDS
NO CASRN	LEAD ALKYLS
NO CASRN	NITROPHENOLS
NO CASRN	NITROGEN OXIDES
NO CASRN	NICKEL REFINERY DUST
NO CASRN	DICHLOROBUTENES
NO CASRN	PHOTOCHEMICAL OXIDANTS
NO CASRN	THALLIUM (IN SOLUBLE SALTS)
NO CASRN	URANIUM, SOLUBLE SALTS
NO CASRN	TRINITROPHENOLS
NO CASRN	POLYBROMINATED BIPHENYLS

APPENDIX A-IV

IV. EFFECT LEVEL DEFINITIONS

Adverse effect. A biochemical change, functional impairment, or pathologic lesion that either singly or in combination adversely affects the performance of the whole organism, or reduces an organism's ability to respond to an additional environmental challenge.

Frank-effect-level (FEL). The exposure level at which there are statistically or biologically significant increases in frequency or severity of severe effects between the exposed population and its appropriate control group. These severe effects produce an unmistakable adverse health effect (such as severe convulsions or death).

Lowest-observed-adverse-effect level (LOAEL). The lowest exposure level at which there are statistically or biologically significant increases in frequency or severity of adverse effects between the exposed population and its appropriate control group.

Lowest-observed-effect level (LOEL). The lowest exposure level at which there are statistically or biologically significant increases in frequency or severity of any effects between the exposed population and its appropriate control group. The effects that are seen at this level may or may not be considered as adverse.

No-observed-adverse-effect level (NOAEL). An exposure level at which there are no statistically or biologically significant increases in the frequency or severity of adverse effects between the exposed population and its appropriate control; some effects may be produced at this level, but they are not considered to be adverse.

No-observed-effect level (NOEL). An exposure level at which there are no statistically or biologically significant increases in the frequency or severity of any effect between the exposed population and its appropriate control.

Adapted from: U.S. EPA. 1991. Integrated Risk Information System (IRIS). Online. Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office, Cincinnati, OH.

APPENDIX A-V

V. NATIONAL AMBIENT AIR QUALITY STANDARDS (NAAQS)

The Clean Air Act requires that National Ambient Air Quality Standards (NAAQS) be set and ultimately met for any air pollutant which, if present in air, may reasonably be anticipated to endanger public health or welfare and whose presence in the air results from numerous or diverse mobile and/or stationary sources. Since the primary NAAQS and the inhalation RfC serve essentially the same function, and the primary NAAQS have extensive data bases rigorously reviewed, the primary NAAQS with annual averaging times should be used *in lieu* of an inhalation RfC, except for lead. In deriving a risk assessment number for lead (Pb), the Integrated Exposure Uptake Biokinetics (IEUBK) model should be used instead of the RfC. Primary standards are designed to protect public health and secondary standards are designed to protect public welfare. Each primary NAAQS has either one or two averaging times depending on the health effects of the chemical. To date, six NAAQS have been established: Carbon Monoxide (CO), Lead (Pb), Nitrogen Dioxide (NO_2), Particulate Matter, less than 10 μm in size, (PM_{10}), Ozone (O_3) and Sulfur Dioxide (SO_2). A table of the most recent NAAQS is provided as Table A-V-1.

The process of establishing and revising the NAAQS is detailed by Padgett and Richmond (Journal of the Air Pollution Control Association, 33:13-16, 1983). The primary NAAQS are solely health based and designed to protect the most sensitive group of individuals (but not necessarily the most sensitive members of that group) against adverse health effects. Thus, by definition, the NAAQS primary standards define allowable pollutant concentrations which can be present in the atmosphere without causing adverse effects, and essentially serve the same function as an inhalation RfC in a risk assessment/risk management decision, except for lead. The data bases supporting each of the NAAQS are extensive. More importantly, the NAAQS are set by the USEPA Administrator as mandated by Congress after numerous reviews and a public comment process

TABLE A-V-1

NATIONAL AMBIENT AIR QUALITY STANDARDS[a]
(as of December 2, 1991)

Pollutant	Primary Standards[b]	Averaging Time	Secondary Standards[b]
Carbon monoxide (CO)	9 ppm (10 mg/m^3) 35 ppm (40 mg/m^3)	8 hour[c] 1 hour[c]	None
Lead (Pb) (and Lead compounds	1.5 μg/m^3	Quarterly	Same as primary
Nitrogen dioxide (NO_2) (Nitrogen oxide) (Nitric oxide)	0.053 ppm (100 μg/m^3)	Annual	Same as primary
Particulate Matter (PM_{10})	50 μg/m^3 150 μg/m^3	Annual[d] 24 hours[e]	Same as primary
Ozone (O_3)	0.12 ppm (235 μg/m^3)	1 hour[f]	Same as primary
Sulfur dioxide (SO_2) (Sulfur oxide)	0.03 ppm (80 μg/m^3)	Annual	---
	0.14 ppm (365 μg/m^3)	24 hours[c]	---
	---	3 hours[c]	0.5 ppm (1300 μg/m^3)

[a]Source: U.S. EPA 1991. Subchapter C - Air Programs. Part 50 -National Primary and Secondary Ambient Air Quality Standards. Code of Federal Regulations 50: 693-697. Revised 7/1/91.

[b]Primary standards are designed to protect public health; Secondary standards are designed to protect public welfare.

[c]Not to be exceeded more than once per year.

[d]The standard is attained when the expected annual arithmetic mean concentration is less than or equal to 50 μg/m^3.

[e]The standard is attained when the expected number of days per calendar year with a 24-hour average concentration above 150 μg/m^3 is equal to or less than 1.

[f]The standard is attained when the expected number of days per calendar year with maximum hourly average concentrations above 0.12 ppm is equal to or less than 1

☆ U S GOVERNMENT PRINTING OFFICE. 1994 — 300-574/04037

NTIS does not permit return of items for credit or refund. A replacement will be provided if an error is made in filling your order, if the item was received in damaged condition, or if the item is defective.

Reproduced by NTIS
National Technical Information Service
U.S. Department of Commerce
Springfield, VA 22161

This report was printed specifically for your order from our collection of more than 2 million technical reports.

For economy and efficiency, NTIS does not maintain stock of its vast collection of technical reports. Rather, most documents are printed for each order. Your copy is the best possible reproduction available from our master archive. If you have any questions concerning this document or any order you placed with NTIS, please call our Customer Services Department at (703)487-4660.

Always think of NTIS when you want:
- Access to the technical, scientific, and engineering results generated by the ongoing multibillion dollar R&D program of the U.S. Government.
- R&D results from Japan, West Germany, Great Britain, and some 20 other countries, most of it reported in English.

NTIS also operates two centers that can provide you with valuable information:
- The Federal Computer Products Center - offers software and datafiles produced by Federal agencies.
- The Center for the Utilization of Federal Technology - gives you access to the best of Federal technologies and laboratory resources.

For more information about NTIS, send for our FREE *NTIS Products and Services Catalog* which describes how you can access this U.S. and foreign Government technology. Call (703)487-4650 or send this sheet to NTIS, U.S. Department of Commerce, Springfield, VA 22161. Ask for catalog, PR-827.

Name _____
Address _____
_____
_____
Telephone _____

- Your Source to U.S. and Foreign Government Research and Technology.

NICKEL SUBSULFIDE 012035-72-2

005768 CHOVIL, A, RB SUTHERLAND AND M HALLIDAY. 1981. RESPIRATORY CANCER IN A COHORT OF NICKEL SINTER PLANT WORKERS. BR J IND MED. 38: 327-333.

PETO, J, H CUCKLE, R DOOL, ET AL. 1984. RESPIRATORY CANCER MORTALITY OF WELSH NICKEL REFINERY WORKERS. IN: NICKEL IN THE HUMAN ENVIRONMENT: PROCEEDINGS OF A JOINT SYMPOSIUM, MARCH, 1983. IARC SCIENTIFIC PUBL NO 53, IARC, LYON, FRANCE. P. 36-46.

ENTERLINE, PE AND GM MARSH. 1982. MORTALITY AMONG WORKERS IN A NICKEL REFINERY AND ALLOY MANUFACTURING PLANT IN WEST VIRGINIA. J NAT CANCER INST. 68: 925-933.

MAGNUS, K, A ANDERSEN AND A HOGETVEIT. 1982. CANCER OF RESPIRATORY ORGANS AMONG WORKERS AT A NICKEL REFINERY IN NORWAY. INT J CANCER. 30: 681-685.

US EPA. 1985. HEALTH ASSESSMENT DOCUMENT FOR NICKEL. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, RESEARCH TRIANGLE PARK, NC.

US EPA. 1987. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

NITROFURAZONE 000059-87-0

005110 ERTURK, E, JE MORRIS, SM COHEN, ET AL. 1970. TRANSPLANTABLE RAT MAMMARY TUMORS INDUCED BY 5-NITRO-2-FURALDEHYDE SEMICARBAZONE AND BY FORMIC ACID 2-[4-(5-NITRO-2-FURYL)-2-THIAZOLYL]HYDRAZIDE. CANCER RES. 30(5): 1409-1412.

US EPA. 1987. HEALTH AND ENVIRONMENTAL EFFECTS DOCUMENT FOR SELECTED NITROFURANS. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

NITROPROPANE, 2- 000079-46-9

010142 LEWIS TR, CE ULRICH AND WM BUSEY. 1979. SUBCHRONIC INHALATION TOXICITY OF NITROMETHANE AND 2-NITROPROPANE. J ENVIRON PATHOL TOXICOL. 2(5): 233-249.

US EPA. 1985. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR 2-NITROPROPANE. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1988. EVALUATION OF THE POTENTIAL CARCINOGENICITY OF 2-NITROPROPANE. PREPARED BY THE CARCINOGEN ASSESSMENT GROUP, OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, WASHINGTON DC, FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, WASHINGTON DC.

NITROSO-DI-N-BUTYLAMINE, N- 000924-16-3

010143 BERTRAM JS AND AW CRAIG. 1970. INDUCTION OF BLADDER TUMORS IN MICE WITH DIBUTYLNITROSAMINES. BR. J CANCER. 24: 352-359.

US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR NITROSAMINES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1986. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

NITROSO-DI-N-PROPYLAMINE, N- 000621-64-7

010147 DRUCKREY H. 1967. QUANTITATIVE ASPECTS IN CHEMICAL CARCINOGENS. IN: POTENTIAL CARCINOGENIC HAZARDS FROM DRUGS. UICC MONOGRAPH, SERIES 7. SPRINGER-VERLAG, BERLIN. P 60-78.

DRUCKREY H, R PURESSMAN, S IVANKOVIC AND D SCHMAHL. 1967. ORGANOTROPIC CARCINOGENIC EFFECT OF 65 DIFFERENT N-NITROSO COMPOUNDS ON BD RATS. Z KREBSFORSCH. 69: 103-201.

US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR NITROSAMINES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1987. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

NITROSO-N-ETHYLUREA, N- 000759-73-9

010426 BULAY, O, SS MIRVISH, H GARCIA, AF PELFRENE, B GOLD AND M EAGAN. 1979. CARCINOGENICITY TESTS OF SIX NITROSAMIDES AND NITROSOCYANAMIDE ADMINISTERED ORALLY TO RATS. J NATL CANCER INST. 62: 1523-1528.

US EPA. 1988. EVALUATION OF THE POTENTIAL CARCINOGENICITY OF N-NITROSO-N-ETHYLUREA. IN SUPPORT OF REPORTABLE QUANTITY ADJUSTMENTS PURSUANT TO CERCLA SECTION 102. PREPARED BY THE CARCINOGEN ASSESSMENT GROUP, OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, WASHINGTON, DC FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1987. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

NITROSO-N-METHYLUREA, N- 000684-93-5

010427 REDDY, JK AND MS RAO. 1975. PANCREATIC ADENOCARCINOMA IN INBRED GUINEA PIGS INDUCED BY N-METHYL-N-NITROSOUREA. CANCER RES. 35: 2269-2277.

US EPA. 1988. EVALUATION OF THE POTENTIAL CARCINOGENICITY OF N-NITROSO-N-METHYLUREA. IN SUPPORT OF REPORTABLE QUANTITY ADJUSTMENTS PURSUANT TO CERCLA SECTION 102. PREPARED BY THE CARCINOGEN ASSESSMENT GROUP, OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, WASHINGTON, DC FOR THE OFFICE OF EMERGENCY AND REMEDIAL RESPONSE, OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1992. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.

NITROSODIETHANOLAMINE, N- 001116-54-7

010144 LIJINSKY W AND RM KOVATCH. 1985. INDUCTION OF LIVER TUMORS IN RATS BY NITROSODIETHANOLAMINE AT LOW DOSES. CARCINOGENESIS. 6: 1679-1681.

US EPA. 1986. HEALTH AND ENVIRONMENTAL EFFECTS PROFILE FOR NITROSAMINES. PREPARED BY THE OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT, ENVIRONMENTAL CRITERIA AND ASSESSMENT OFFICE, CINCINNATI, OH FOR THE OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, WASHINGTON, DC.

US EPA. 1987. CARCINOGEN RISK ASSESSMENT VERIFICATION ENDEAVOR (CRAVE) WORK GROUP.