


## **SEPA** Reregistration **Eligibility Decision (RED)**

Norflurazon





# SEPA R.E.D. FACTS

## Norflurazon

#### **Pesticide** Reregistration

All pesticides sold or distributed in the United States must be registered by EPA, based on scientific studies showing that they can be used without posing unreasonable risks to people or the environment. Because of advances in scientific knowledge, the law requires that pesticides which were first registered before November 1, 1984, be reregistered to ensure that they meet today's more stringent standards.

In evaluating pesticides for reregistration, EPA obtains and reviews a complete set of studies from pesticide producers, describing the human health and environmental effects of each pesticide. The Agency develops any mitigation measures or regulatory controls needed to effectively reduce each pesticide's risks. EPA then reregisters pesticides that can be used without posing unreasonable risks to human health or the environment.

When a pesticide is eligible for reregistration, EPA explains the basis for its decision in a Reregistration Eligibility Decision (RED) document. This fact sheet summarizes the information in the RED document for reregistration case 0229, norflurazon.

#### **Use Profile**

Norflurazon is a selective preemergent herbicide used to control germinating annual grasses and broadleaf weeds in fruits, vegetables, nuts, cotton, peanuts, soybeans, and various nonagricultural and industrial areas. Formulations include granular, flowable concentrate, and water dispersible granules.

Norflurazon is applied using aerial application, chemigation (drip and/or sprinkler), and soil treatment (broadcast and incorporation).

Use practice limitations prohibit applying norflurazon through any type of irrigation system (only for the Zorial Rapid 80° product); grazing livestock in treated areas or cut treated crops for feed; grazing or harvesting for forage or hay; and grazing or feeding for forage.

#### Regulatory History

Norflurazon was first registered as a pesticide in the U.S. in 1974. EPA issued a Registration Standard for Norflurazon in December 1984 (PB86-135159). A June 1989 Second Round Review draft document was completed for norflurazon and the studies required in the Second Round Review document were eventually levied in the August 1990 Data Call-In (DCI). EPA issued subsequent DCIs in January and June 1993, requiring

additional data on groundwater monitoring and estuarine studies. Currently, eight norflurazon products are registered.

#### Human Health Assessment

#### **Toxicity**

In studies using laboratory animals, norflurazon generally has been shown to be of low acute toxicity. It is practically nontoxic by the oral and dermal routes, as well as in terms of eye and dermal irritation in rabbits. It has been placed in Toxicity Category IV (the lowest of four categories) for these effects. Studies on acute inhalation and dermal sensitization are required.

A subchronic toxicity study using rats resulted in changes in blood cell counts, increases in liver and thyroid weights, a decrease in enzyme activity, and an increase in thyroid effects at the highest dose level. In a subchronic study using rabbits, increases in enzyme activity, liver weight, and liver to body weight ratio in both sexes, and a slight redness of the skin were observed at the highest dose level.

In a chronic toxicity study using beagle dogs, liver weight increases, thyroid weight changes, increased cholesterol levels, and a decrease in red blood cell counts were noted in the high dose groups. A nine-month oral toxicity study using rats resulted in liver weight increases, an increase in the incidence of tubular degeneration, and changes in the thyroid weight.

In a 2-year carcinogenicity study using mice, increases in liver weight and liver to body weight ratio were observed. Also, increased incidences of enlarged spleen, nephritis, swollen/enlarged liver, and nodular enlargement of the liver were observed in male mice at the highest dose level, while increased incidences of an inflamed kidney (inflammation of kidney and its pelvis), enlarged liver, and cystic ovaries were observed in female mice at the highest dose level.

A chronic toxicity and carcinogenicity study using rats resulted in increases in liver weight in males and females, kidney weight increases in both sexes, and thyroid weight increases in males. Also, kidney effects were observed in the high dose males. Norflurazon was classified as a non-quantifiable "Group C" or possible human carcinogen.

A developmental toxicity study using rats caused skeletal abnormalities which were not statistically significant and are believed to be secondary to maternal effects at the high dose level. In a study using rabbits, norflurazon caused maternal effects of decreased body weight and clinical toxicity and developmental toxicity in the form of decreased mean fetal weight and skeletal abnormalities.

A one-generation reproductive toxicity study using mice showed no treatment-related effects at any dose levels. A 2-generation reproductive toxicity study in rats caused increased pup death, increased stillborn pups,

and increased pup deaths between days 5-14 of lactation at the highest dose level. Norflurazon is not considered to be mutagenic.

#### **Dietary Exposure**

People may be exposed to residues of norflurazon through the diet. Tolerances or maximum residue limits have been established for norflurazon in many fruits, vegetables, and nuts, and in cotton, peanuts, and soybean commodities (please see 40 CFR §180.356). EPA has reassessed the norflurazon tolerances and found that sufficient data are available to support the established tolerances for almonds, apples, apricots, asparagus, avocados, blackberries, blueberries, cherries, citrus, cottonseed, cranberries, filberts, grapes, hops, nectarines, peaches, peanuts, pears, pecans, plums, raspberries, soybeans, soybean forage and hay, walnuts, milk, and the fat, meat, and meat-by-products of cattle, hogs, horses, and sheep.

The tolerance for hops, green under 40 CFR §180.356 must be revoked and a tolerance for the raw agricultural commodity hops, green and dried must be established under tolerances with regional registrations (40 CFR §180.356(x)). Tolerances for citrus molasses and dried citrus pulp must be revoked because citrus molasses is no longer considered a significant animal feed item and norflurazon does not concentrate in dried citrus pulp. The tolerance for poultry, fat, meat, and meat by-products must be revoked. A new tolerance must be established for caneberries. Existing tolerances for blackberries and raspberries must be revoked once the tolerance for caneberries (which encompasses both) is established. Additional data are required for cotton gin by-products. A food additive tolerance or Maximum Residue Limit (MRL) must be proposed for citrus oil. Several other tolerance revisions have been proposed.

The Agency is currently reviewing additional residue data required to upgrade the existing norflurazon metabolism studies on peanuts, cotton, and citrus. While the submitted storage stability data indicate that residues of norflurazon and its desmethyl metabolite are stable in plant commodities, the registrant is required to submit radiovalidation data for the animal method. Extended field trials for field rotational crops must be submitted by March 1998.

EPA has assessed the dietary risk posed by norflurazon. For the overall U.S. population and 22 subgroups, exposure from all current norflurazon tolerances represents 10% of the Reference Dose (RfD), or amount believed not to cause adverse effects if consumed daily over a 70-year lifetime. The exposure level of the most highly exposed subgroup, non-nursing infants (<1 year old), represents 47% of the RfD. Therefore, it appears that chronic dietary risk is minimal.

The Agency does not have a concern for acute dietary exposure to norflurazon because the margins of exposure (MOE) is 5,000 for females of child-bearing age. An MOE of 100 or greater is considered acceptable.

#### Occupational and Residential Exposure

Based on current use patterns, handlers (mixers, loaders, and applicators) may be exposed to norflurazon during methods of application for which no data are currently available (e.g., ring drench use), or for which there are few data or data of less acceptable quality (e.g., ground application using granular drop-type spreaders; aerial application of granulars or liquids; application of dry flowable formulation using rights-of-way equipment, backpack sprayer, and low-pressure handwand sprayer; and flagger exposure to granulars). The calculations of potential daily dermal dose of norflurazon received by handlers are used to assess the risk to those handlers. It should be noted that relative to dermal exposures, the estimated inhalation exposures for norflurazon are considered insignificant.

The MOEs for short and intermediate-term occupational exposure subchronic systemic effects to norflurazon are greater than 100 for the exposure scenarios considered. There are no exposure data for the ringdrench application method. However, current information indicate that ring-drench handlers would likely receive less exposure than from rights-of-way handlers using a hose or cannon on a truck. Since exposures to handlers for the rights-of-way use of norflurazon has been calculated to yield a MOE greater than 100, the Agency expects handler exposure for the ring-drench use to also exceed 100. However, the Agency will require that chemical-resistant gloves be worn by ring-drench handlers, due to the lack of exposure data and the fact that chemical-resistant gloves are required for the other mixer/loader/applicator scenarios. Therefore, handler exposure studies are not required for norflurazon at this time.

The Agency concludes that risks from post-application exposures to norflurazon would be acceptable, provided entry does not occur immediately following application. Therefore, post-application exposure studies are not required at this time for norflurazon.

The Agency is requiring a Restricted Entry Interval (REI) of 12 hours set by the Worker Protection Standards (WPS). If the registrant petitions for a shorter REI, chemical specific post-application exposure data would be required. The Agency is requiring minimum personal protective equipment (PPE) for pesticide handlers. In addition, chemical resistant gloves are required for mixers/loaders and applicators using handheld equipment, such as handwands, hoses, or nozzles. Also, the Agency is requiring the following personal protective equipment for workers who enter the treated area before the REI has expired: coveralls, chemical resistant gloves, and shoes plus socks.

#### **Human Risk Assessment**

Norflurazon generally is of low acute toxicity, but causes developmental and reproductive effects in animal studies and has been classified as a non-quantifiable Group C, possible human carcinogen. The registered food crop uses include fruits, vegetables, and nuts. However,

dietary exposure to norflurazon residues in foods is extremely low, as is the cancer risk posed to the general population.

There is minimal concern for the risk posed to norflurazon handlers (mixers/loaders/applicators). Exposure and risk to workers will be mitigated by the use of PPE required by the WPS, supplemented by early entry PPE as required by the RED. Postapplication reentry workers will be required to observe a 12-hour Restricted Entry Interval. This is the minimum REI required for norflurazon.

## **Environmental Assessment**

#### **Environmental Fate**

The environmental fate of norflurazon is fairly well understood. Several environmental fate data requirements (batch equilibrium, spray drift, and groundwater monitoring studies) remain outstanding. Norflurazon is a persistent and mobile compound. Norflurazon's primary route of dissipation appears to be photodegradation in water and on soil to desmethyl norflurazon with a half-life of 2-3 days and 12-15 days, respectively. Norflurazon is stable to hydrolysis and degrades slowly in aerobic soil with a half-life of 130 days. In an aerobic aquatic study, norflurazon degraded to desmethyl norflurazon with a half-life of 6-8 months. Under anaerobic conditions, norflurazon is persistent with a half-life of approximately 8 months. The degradate, desmethyl norflurazon, is also persistent under aerobic and anaerobic conditions.

Norflurazon is mobile to highly mobile in soil. The mobility of desmethyl norflurazon, in soils other than high organic peat, has not been adequately defined. Because desmethyl norflurazon is a major degradate of norflurazon and is persistent, a new batch equilibrium study with pure desmethyl norflurazon is required. Fish accumulation data have shown that norflurazon has a low potential to bioaccumulate in bluegill sunfish.

There is a concern that norflurazon may contaminate surface water at application via spray drift and runoff. Substantial amounts of applied norflurazon could be available for runoff several months postapplication. The Agency is not requiring any surface water monitoring studies at this time; however, due to the mobility and persistence of norflurazon and desmethyl norflurazon, a surface water label advisory is required. Due to the phytotoxic nature of norflurazon and its method of application, spray drift studies are also required.

Norflurazon is not currently regulated under the Safe Drinking Water Act (SDWA). Therefore no MCL has been established and water supply systems are not required to sample and analyze for it. Although, EPA's Office of Drinking Water has not developed health advisory levels (HALs) for norflurazon, OPP has determined an estimated HAL of 30 ppb for comparison with levels potentially found in ground water.

Norflurazon exhibits some of the properties and characteristics of chemicals that have been detected in groundwater. Data suggest that

norflurazon leaches to groundwater as a result of normal agricultural use. The Agency is concerned about the impact of norflurazon on groundwater quality. In addition, norflurazon has been detected in several wells in Florida at levels that approach or exceed the estimated Health Advisory Level (HAL) of 30 ppb. Sandoz, is currently performing groundwater monitoring studies for the Agency and the state of Florida, to better evaluate the leaching potential of norflurazon.

#### **Ecological Effects**

Norflurazon is practically nontoxic to avian species on an acute oral and subacute dietary basis but causes reproductive effects in birds.

Norflurazon is also practically nontoxic to mammals and insects (honeybees).

In acute oral toxicity studies, norflurazon is moderately to slightly toxic to both cold and warm water fish. In a fish early life stage study, norflurazon caused chronic effects to fish at levels as low as 1.5 ppm. In an aquatic invertebrate study, norflurazon was slightly toxic. It may cause chronic effects on aquatic invertebrate survival and offspring production. Norflurazon is slightly to moderately toxic to estuarine/marine organisms.

Norflurazon may cause detrimental effects to certain terrestrial plants. It is also highly toxic to aquatic plants. The Agency is requiring further testing to fully assess the toxicity of norflurazon to nontarget aquatic plant species.

#### **Ecological Effects Risk Assessment**

Norflurazon may cause chronic risk to both endangered and nonendangered avian species for some crops. It may also cause adverse effects to small endangered mammals. Norflurazon poses minimal risk to honeybees. Regarding aquatic risks, no acute or chronic levels of concern have been exceeded for freshwater fish, aquatic invertebrates, and estuarine/marine organisms.

Although further data on the toxicity of norflurazon to nontarget aquatic plants is needed, a plant risk assessment indicates high risk and endangered plant levels of concern are exceeded for terrestrial, semiaquatic, and aquatic plants.

Levels of concern are exceeded for chronic risk to avian species and mammalian endangered species. A high risk is posed to endangered terrestrial, semi-aquatic and aquatic plants. In order to complete the risk assessment to nontarget aquatic plants, additional data are required for the following species: Skeletonema costatum, Anabaena flos-aquae, and a freshwater diatom

#### **Risk Mitigation**

The Agency has determined that the current uses of norflurazon exceed levels of concern for chronic risk to avian species and mammalian endangered species, and pose a high risk to endangered terrestrial, semi-

aquatic, and aquatic plants. There is a concern that norflurazon may contaminate ground water, as well as surface water. Norflurazon also poses a potential risk of dermal exposure to pesticide handlers.

The registrant has already implemented several risk mitigation measures (such as reduced application rates, use precaution statements, and a ground water label advisory) to decrease the risks posed by norflurazon. The registrant has agreed to further mitigate the chronic risks to birds and mammals by: 1) clarifying the current soil incorporation statements on the product labels, as well as, adding the statement to the use directions for each crop; and 2) clarifying the use directions for banded treatments. A ground water label advisory is being required on all product labels. This advisory will reduce the potential of norflurazon contaminating ground water. In addition, ground water monitoring studies are being conducted by the registrant to estimate the exposure of norflurazon to the public, as well as, to determine the persistence of residues reaching ground water. These ground water monitoring studies will determine if additional risk mitigation measures are needed. Likewise, a surface water advisory is being required to decrease the risk of norflurazon contaminating surface water via spray drift and runoff. Furthermore, the Agency is requiring a spray drift advisory to mitigate the risks to nontarget plants by reducing the potential drift. In addition, spray drift studies are being required to evaluate the exposure and risk to nontarget plants. Finally, in order to decrease the dermal risk to pesticide handlers, the Agency is requiring minimum PPE, which include long-sleeved shirt and long pants, and shoes plus socks. In addition, chemical-resistant gloves are required for mixers/loaders and applicators using hand-held equipment. And a 12-hour REI is being required to further mitigate the risk to workers and handlers. These risk mitigation measures, along with the ones already implemented by the registrant, should reduce the risks of norflurazon to humans and the environment.

#### Additional Data Required

EPA is requiring the following additional generic studies for norflurazon to confirm its regulatory assessments and conclusions:

Product Chemistry;

Acute Inhalation for Technical and 78.6% DF;

Dermal Sensitization;

Gene Mutation (Ames Salmonella);

Directions for Use - Label Amendment to include PHIs;

Residue Analytical Methods - Animal (Radiovalidation data);

Cropfield Trials - Cotton Gin By-products;

Field Rotational Crops (in progress);

Tier II Aquatic Plant Growth;

Batch Equilibrium Study (Degradate);

Spray Drift;

Small Scale Ground Water Monitoring (in progress);

The Agency also is requiring product-specific data including product chemistry and acute toxicity studies, revised Confidential Statements of Formula (CSFs), and revised labeling for reregistration.

## Product Labeling Changes Required

All norflurazon end-use products must comply with EPA's current pesticide product labeling requirements and with the following. For a comprehensive list of labeling requirements, please see the norflurazon RED document.

#### **Worker Protection**

## Personal Protective Equipment/Entry Restrictions; Labeling PPE Requirements for Pesticide Handlers

The PPE for handlers is to be based on the acute toxicity of the end-use product. The minimum PPE requirements for handlers include long-sleeved shirt and long pants, shoes plus socks, and chemical-resistant gloves.

### Entry Restrictions - Products Intended Primarily for Occupational Use (WPS Uses)

Based on the assessment of human health risks, the Agency does not believe an increase in the REI above what is required in the Worker Protection Standard (WPS) is warranted. The current 12-hour REI, pertaining to each use of the product that is within the scope of the WPS, is to be maintained. The 12-hour REI is the minimum REI for norflurazon.

Early Entry PPE: The PPE for early entry are the minimum that would be required under the WPS. These are: coveralls, chemical-resistant gloves, and shoes plus socks.

## Entry Restrictions - Products Intended Primarily for Occupational Use (NonWPS Uses)

Some registered uses of norflurazon are outside of the scope of the Worker Protection Standard (WPS). For nonWPS uses, the Agency is requiring the following:

#### For liquid applications:

"Do not enter or allow others to enter the treated area until sprays have dried."

#### For granular applications:

"Do not enter or allow others to enter the treated area until dusts have settled. In addition, if the granules are watered-in, do not enter or allow others to enter until the treated area is dry, following the watering-in."

#### Other Labeling Requirements

#### Products Intended Primarily for Occupational Use

The Agency is requiring the following labeling statements to be located on all end-use products containing norflurazon that are intended primarily for occupational use.

#### **Application restrictions**

"Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application."

#### **Engineering controls**

"When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides (40 CFR 170.240(d)(4-6)), the handler PPE requirements may be reduced or modified as specified in the WPS."

#### User safety requirements

"Follow manufacturers' instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry."

#### User safety recommendations

- ■"Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet."
- ■"Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing."
- ■"Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing."

#### Optional soil incorporation statement

"Exception: if the product is soil-injected, soil-incorporated or watered-in, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated."

#### **End-Use Labeling**

#### Soil Incorporation

The following soil incorporation label statement must be added to the specific use directions for **each crop** on the Solicam DF® product label:

"Solicam must be moved into the weed seed germination zone to be effective. If no rainfall occurs within 4 weeks

after application, the product must be incorporated by flood or sprinkler irrigation."

The following soil incorporation label statement must be added to the specific use directions for each crop on the Zorial Rapid 80® product label:

"Zorial Rapid 80 must be applied and incorporated by tillage, irrigation or rainfall before weeds germinate."

#### **Banded Treatments**

The following label statement must be added in the "Application Equipment" section of the norflurazon Solicam DF® and Zorial® product labels to clarify the formulas for the row (banded) treatment calculation:

"The solution should be mixed to the maximum label rate and at no point on the field should the solution be applied at a concentration any lower or higher than the maximum label rate."

#### **Environmental Hazard Statements**

The following labeling statements must be added to "Environmental Hazards" section of all norflurazon end-use product labels:

#### Labeling for Wetlands

"Do not contaminate water when disposing of equipment washwaters. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not allow this material to drift onto neighboring crops or noncrop areas or use in a manner or at a time other than in accordance with label directions because animal, plant or crop injury, illegal residues or other undesirable results may occur."

#### Labeling for Surface Water

"Norflurazon can contaminate surface water through spray drift. Under some conditions, norflurazon may also have a high potential for runoff into surface water (primarily via dissolution in runoff water), for several months post-application. These include poorly draining or wet soils with readily visible slopes toward adjacent surface waters, frequently flooded areas, areas over-laying extremely shallow ground water, areas with in-field canals or ditches that drain to surface water, areas not separated from adjacent surface waters with vegetated filter strips, and areas over-laying tile drainage systems that drain to surface water."

#### Labeling for Ground Water

"This chemical is known to leach through soil into ground water under certain conditions as a result of agricultural use. Use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in ground water contamination."

#### **Spray Drift Labeling**

The following language must be placed on each product <u>label</u> that can be applied aerially:

"Avoiding spray drift at the application site is the responsibility of the applicator. The interaction of many equipment-and-weather-related factors determine the potential for spray drift. The applicator is responsible for considering all these factors when making decisions."

"The following drift management requirements must be followed to avoid off-target drift movement from aerial applications to agricultural field crops. These requirements do not apply to forestry applications, public health uses or to applications using dry formulations."

- 1."The distance of the outer most nozzles on the boom must not exceed 3/4 the length of the wingspan or rotor."
- 2."Nozzles must always point backward parallel with the air stream and never be pointed downwards more than 45 degrees."

"Where states have more stringent regulations, they should be observed."

The applicator should be familiar with and take into account the information covered in the <u>Aerial Drift Reduction Advisory Information</u>.

The following aerial drift reduction advisory information must be contained in the product <u>labeling</u>:

[This section is advisory in nature and does not supersede the mandatory label requirements.]

#### Information on Droplet Size

The most effective way to reduce drift potential is to apply large droplets. The best drift management strategy is to apply the largest droplets that provide sufficient coverage and control. Applying larger droplets reduces drift potential, but will not prevent drift if applications are made improperly, or under unfavorable environmental conditions (see Wind, Temperature and Humidity, and Temperature Inversions).

#### Controlling Droplet Size

- Volume Use high flow rate nozzles to apply the highest practical spray volume. Nozzles with higher rated flows produce larger droplets.
- Pressure Do not exceed the nozzle manufacturer's recommended pressures. For many nozzle types lower pressure produces larger droplets. When higher flow rates are needed, use higher flow rate nozzles instead of increasing pressure.
- Number of Nozzles Use the minimum number of nozzles that provide uniform coverage.
- Nozzle Orientation Orienting nozzles so that the spray is released parallel to the airstream produces larger droplets than other orientations and is the recommended practice. Significant deflection from horizontal will reduce droplet size and increase drift potential.
- Nozzle Type Use a nozzle type that is designed for the intended application. With most nozzle types, narrower spray angles produce larger droplets. Consider using lowdrift nozzles. Solid stream nozzles oriented straight back produce the largest droplets and the lowest drift.

#### Boom Length

For some use patterns, reducing the effective boom length to less than 3/4 of the wingspan or rotor length may further reduce drift without reducing swath width.

#### Application Height

Applications should not be made at a height greater than 10 feet above the top of the largest plants unless a greater height is required for aircraft safety. Making applications at the lowest height that is safe reduces exposure of droplets to evaporation and wind.

#### Swath Adjustment

When applications are made with a crosswind, the swath will be displaced downward. Therefore, on the up and downwind edges of the field, the applicator must compensate for this displacement by adjusting the path of the aircraft upwind. Swath adjustment distance should increase, with increasing drift potential (higher wind, smaller drops, etc.)

#### Wind

Drift potential is lowest between wind speeds of 3-10 mph. However, many factors, including droplet size and equipment type determine drift potential at any given speed. Application should be avoided below 3 mph due to variable wind direction and high inversion potential. NOTE: Local terrain can influence wind patterns. Every applicator should be familiar with local wind patterns and how they affect spray drift.

#### Temperature and Humidity

When making applications in low relative humidity, set up equipment to produce larger droplets to compensate for evaporation. Droplet evaporation is most severe when conditions are both hot and dry.

#### Temperature Inversions

Applications should not occur during a temperature inversion because drift potential is high. Temperature inversions restrict vertical air mixing, which causes small suspended droplets to remain in a concentrated cloud. This cloud can move in unpredictable directions due to the light variable winds common during inversions. Temperature inversions are characterized by increasing temperatures with altitude and are common on nights with limited cloud cover and light to no wind. They begin to form as the sun sets and often continue into the morning. Their presence can be indicated by ground fog; however, if fog is not present, inversions can also be identified by the movement of smoke from a ground source or an aircraft smoke generator. Smoke that layers and moves laterally in a concentrated cloud (under low wind conditions) indicates an inversion, while smoke that moves upward and rapidly dissipates indicates good vertical air mixing.

#### Sensitive Areas

The pesticide should only be applied when the potential for drift to adjacent sensitive areas (e.g., residential areas, bodies of water, known habitat for threatened or endangered species, non-target crops) is minimal (e.g., when wind is blowing away from the sensitive areas).

## Regulatory Conclusion

Based on the risks assessments in the RED, several risks concerns were identified. There is the potential risk of dermal toxicity to pesticide handlers. There is also a concern for norflurazon contaminating ground water and surface water. And the levels of concern are exceeded for chronic avian species, endangered mammals, and terrestrial, semi-aquatic and aquatic plants (high risk to endangered species). Although these risks exist, the Agency concludes that all uses of products containing norflurazon, once amended to reflect the risk mitigation measures imposed in this RED, are eligible for reregistration.

Norflurazon products will be reregistered once the required productspecific data, revised Confidential Statements of Formula, and revised labeling are received and accepted by EPA.

## For More Information

EPA is requesting public comments on the Reregistration Eligibility Decision (RED) document for norflurazon during a 60-day time period, as announced in a Notice of Availability published in the <u>Federal Register</u>. To obtain a copy of the RED document or to submit written comments, please contact the Pesticide Docket, Public Response and Program Resources Branch, Field Operations Division (7506C), Office of Pesticide Programs (OPP), US EPA, Washington, DC 20460, telephone 703-305-5805.

Electronic copies of the RED and this fact sheet can be downloaded from the Pesticide Special Review and Reregistration Information System at 703-308-7224. They also are available on the Internet on EPA's gopher server, *GOPHER.EPA.GOV*, or using ftp on *FTP.EPA.GOV*, or using WWW (World Wide Web) on *WWW.EPA.GOV*.

Printed copies of the RED and fact sheet can be obtained from EPA's National Center for Environmental Publications and Information (EPA/NCEPI), PO Box 42419, Cincinnati, OH 45242-0419, telephone 513-489-8190, fax 513-489-8695.

Following the comment period, the norflurazon RED document also will be available from the National Technical Information Service (NTIS), 5285 Port Royal Road, Springfield, VA 22161, telephone 703-487-4650.

For more information about EPA's pesticide reregistration program, the norflurazon RED, or reregistration of individual products containing norflurazon, please contact the Special Review and Reregistration Division (7508W), OPP, US EPA, Washington, DC 20460, telephone 703-308-8000.

For information about the health effects of pesticides, or for assistance in recognizing and managing pesticide poisoning symptoms, please contact the National Pesticides Telecommunications Network (NPTN). Call toll-free 1-800-858-7378, between 9:30 am and 7:30 pm Eastern Standard Time, Monday through Friday.



#### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

AUG | 5 1996

CERTIFIED MAIL

Dear Registrant:

I am pleased to announce that the Environmental Protection Agency has completed its reregistration eligibility review and decisions on the pesticide chemical case norflurazon which includes the active ingredient, 4-chloro-5-(methylamino)-2- $(\alpha,\alpha,\alpha$ -trifluoro-m-tolyl)-3-(2H)-pyridazinone. The enclosed Reregistration Eligibility Decision (RED) contains the Agency's evaluation of the data base of these chemicals, its conclusions of the potential human health and environmental risks of the current product uses, and its decisions and conditions under which these uses and products will be eligible for reregistration. The RED includes the data and labeling requirements for products for reregistration. It may also include requirements for additional data (generic) on the active ingredients to confirm the risk assessments.

To assist you with a proper response, read the enclosed document entitled "Summary of Instructions for Responding to the RED." This summary also refers to other enclosed documents which include further instructions. You must follow all instructions and submit complete and timely responses. The first set of required responses is due 90 days from the receipt of this letter. The second set of required responses is due 8 months from the date of this letter. Complete and timely responses will avoid the Agency taking the enforcement action of suspension against your products.

If you have questions on the product specific data requirements or wish to meet with the Agency, please contact the Special Review and Reregistration Division representative, Veronica Dutch at (703) 308-8585. Address any questions on required generic data to the Special Review and Reregistration Division representative, Karen Jones at (703) 308-8047.


Sincerely yours,

Lois Rossi, Division Director

Special Review

and Reregistration Division

**Enclosures** 



## SUMMARY OF INSTRUCTIONS FOR RESPONDING TO THE REREGISTRATION ELIGIBILITY DECISION (RED)

- 1. <u>DATA CALL-IN (DCI) OR "90-DAY RESPONSE"</u>—If generic data are required for reregistration, a DCI letter will be enclosed describing such data. If product specific data are required, a DCI letter will be enclosed listing such requirements. If both generic and product specific data are required, a combined Generic and Product Specific DCI letter will be enclosed describing such data. However, if you are an end-use product registrant only and have been granted a generic data exemption (GDE) by EPA, you are being sent only the product specific response forms (2 forms) with the RED. Registrants responsible for generic data are being sent response forms for both generic and product specific data requirements (4 forms). You must submit the appropriate response forms (following the instructions provided) within 90 days of the receipt of this RED/DCI letter; otherwise, your product may be suspended.
- 2. TIME EXTENSIONS AND DATA WAIVER REQUESTS—No time extension requests will be granted for the 90-day response. Time extension requests may be submitted only with respect to actual data submissions. Requests for time extensions for product specific data should be submitted in the 90-day response. Requests for data waivers must be submitted as part of the 90-day response. All data waiver and time extension requests must be accompanied by a full justification. All waivers and time extensions must be granted by EPA in order to go into effect.
- 3. <u>APPLICATION FOR REREGISTRATION OR "8-MONTH RESPONSE"</u>—You must submit the following items for each product within eight months of the date of this letter (RED issuance date).
- a. <u>Application for Reregistration</u> (EPA Form 8570-1). Use only an original application form. Mark it "Application for Reregistration." Send your Application for Reregistration (along with the other forms listed in b-e below) to the address listed in item 5.
- b. Five copies of draft labeling which complies with the RED and current regulations and requirements. Only make labeling changes which are required by the RED and current regulations (40 CFR 156.10) and policies. Submit any other amendments (such as formulation changes, or labeling changes not related to reregistration) separately. You may, but are not required to, delete uses which the RED says are ineligible for reregistration. For further labeling guidance, refer to the labeling section of the EPA publication "General Information on Applying for Registration in the U.S., Second Edition, August 1992" (available from the National Technical Information Service, publication #PB92-221811; telephone number 703-487-4650).
- c. Generic or Product Specific Data. Submit all data in a format which complies with PR Notice 86-5, and/or submit citations of data already submitted and give the EPA identifier (MRID) numbers. Before citing these studies, you must make sure that they meet the Agency's acceptance criteria (attached to the DCI).

- d. Two copies of the Confidential Statement of Formula (CSF) for each basic and each alternate formulation. The labeling and CSF which you submit for each product must comply with P.R. Notice 91-2 by declaring the active ingredient as the nominal concentration. You have two options for submitting a CSF: (1) accept the standard certified limits (see 40 CFR §158.175) or (2) provide certified limits that are supported by the analysis of five batches. If you choose the second option, you must submit or cite the data for the five batches along with a certification statement as described in 40 CFR §158.175(e). A copy of the CSF is enclosed; follow the instructions on its back.
- e. <u>Certification With Respect to Data Compensation Requirements</u>. Complete and sign EPA form 8570-31 for each product.
- 4. <u>COMMENTS IN RESPONSE TO FEDERAL REGISTER NOTICE</u>—Comments pertaining to the content of the RED may be submitted to the address shown in the <u>Federal</u> Register Notice which announces the availability of this RED.
- 5. WHERE TO SEND PRODUCT SPECIFIC DCI RESPONSES (90-DAY) AND APPLICATIONS FOR REREGISTRATION (8-MONTH RESPONSES)

#### By U.S. Mail:

Document Processing Desk (RED-SRRD-PRB) Office of Pesticide Programs (7504C) EPA, 401 M St. S.W. Washington, D.C. 20460-0001


#### By express:

Document Processing Desk (RED-SRRD-PRB)
Office of Pesticide Programs (7504C)
Room 266A, Crystal Mall 2
1921 Jefferson Davis Hwy.
Arlington, VA 22202

6. **EPA'S REVIEWS**—EPA will screen all submissions for completeness; those which are not complete will be returned with a request for corrections. EPA will try to respond to data waiver and time extension requests within 60 days. EPA will also try to respond to all 8-month submissions with a final reregistration determination within 14 months after the RED has been issued.

# REREGISTRATION ELIGIBILITY DECISION NORFLURAZON LIST A CASE 0229

ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDE PROGRAMS
SPECIAL REVIEW AND REREGISTRATION DIVISION




## TABLE OF CONTENTS

| NOR   | FLUR       | AZON    | REREG    | ISTRATION ELIGIBILITY DECISION TEAM                   | , <b>i</b>      |  |  |  |  |  |  |
|-------|------------|---------|----------|-------------------------------------------------------|-----------------|--|--|--|--|--|--|
| EXE   | CUTI       | VE SU   | MMAR     | <b>Y</b>                                              | <b>v</b>        |  |  |  |  |  |  |
| I.    | INT        | RODU    | CTION    |                                                       | 1               |  |  |  |  |  |  |
| 11.   |            |         |          |                                                       |                 |  |  |  |  |  |  |
| 11.   | CAS        | Ob -    | CKVIEV   | <b>w</b>                                              | 2               |  |  |  |  |  |  |
|       | <b>A.</b>  |         |          | verview                                               | 2               |  |  |  |  |  |  |
|       | <b>B.</b>  |         | Profile  |                                                       | 2,              |  |  |  |  |  |  |
|       | <b>C</b> . |         |          | Jsage of Pesticide                                    |                 |  |  |  |  |  |  |
| . ~   | <b>D.</b>  | Data    | a Requii | rements                                               | 5,              |  |  |  |  |  |  |
|       | E.         | Reg     | ulatory  | History                                               | 6               |  |  |  |  |  |  |
| · .   |            |         |          |                                                       |                 |  |  |  |  |  |  |
| III.  | SCI        | ENCE    | ASSES    | SMENT                                                 | 6               |  |  |  |  |  |  |
| * * * | <b>A.</b>  | Phys    | sical Ch | emistry Assessment                                    | 6               |  |  |  |  |  |  |
|       |            | 1.      | Ident    | tification of Active Ingredient                       | 6               |  |  |  |  |  |  |
|       | В.         | Hun     | nan Hea  | alth Assessment                                       | 7               |  |  |  |  |  |  |
|       |            | 1.      | Haza     | rd and Dose Response Assessment                       | 7               |  |  |  |  |  |  |
|       | •          | * *     | a.       | Acute Toxicity                                        | 7               |  |  |  |  |  |  |
|       |            |         | b.       | Subchronic Toxicity                                   | 8               |  |  |  |  |  |  |
|       |            |         | c.       | Chronic Toxicity and Carcinogenicity                  | 9               |  |  |  |  |  |  |
|       |            |         | d.       | Developmental and Reproductive Toxicity               |                 |  |  |  |  |  |  |
|       |            | ,       | e.       | Mutagenicity                                          |                 |  |  |  |  |  |  |
|       |            |         | f.       | Metabolism                                            |                 |  |  |  |  |  |  |
|       |            |         | g.       | Toxic Endpoints of Concern Identified for Use in Risk |                 |  |  |  |  |  |  |
| •     |            |         |          | Assessment                                            | 15              |  |  |  |  |  |  |
|       |            | 2.      | Expo     | sure Assessment                                       |                 |  |  |  |  |  |  |
|       | •          |         | a        | Dietary Exposure                                      |                 |  |  |  |  |  |  |
| ,     | :          |         | b.       | Occupational and Residential                          |                 |  |  |  |  |  |  |
|       |            | 3.      | Risk     | Assessment                                            |                 |  |  |  |  |  |  |
|       | ·          | *       | a.       | Dietary                                               |                 |  |  |  |  |  |  |
|       | •          |         | b.       | Occupational and Residential                          |                 |  |  |  |  |  |  |
|       | <b>C.</b>  | Envi    | ironmen  | ntal Assessment                                       | 31              |  |  |  |  |  |  |
|       |            | 1.      | Ecolo    | gical Toxicity Data                                   | 31              |  |  |  |  |  |  |
| •     |            |         | a.       | Toxicity to Terrestrial Animals.                      |                 |  |  |  |  |  |  |
|       |            |         | b.       | Toxicity to Aquatic Animals                           |                 |  |  |  |  |  |  |
|       | ,          |         | c.       | Toxicity to Plants                                    |                 |  |  |  |  |  |  |
|       | 1          | 2.      |          | conmental Fate                                        | 37              |  |  |  |  |  |  |
| *,    | ,          | <b></b> | · a.     | Environmental Fate Assessment.                        | <i>39</i><br>30 |  |  |  |  |  |  |
|       |            |         | b.       | Environmental Fate and Transport                      |                 |  |  |  |  |  |  |
|       |            |         | ,        |                                                       | 74              |  |  |  |  |  |  |

|     |                                             |        | c. Water Resources |                                                        |        |  |  |  |  |  |  |
|-----|---------------------------------------------|--------|--------------------|--------------------------------------------------------|--------|--|--|--|--|--|--|
|     |                                             | 3.     | Expos              | ure and Risk Characterization                          | 49     |  |  |  |  |  |  |
|     |                                             |        | a                  | Ecological Exposure and Risk Characterization          |        |  |  |  |  |  |  |
|     |                                             |        | b.                 | Water Resources Risk Implication for Human Health.     |        |  |  |  |  |  |  |
| IV. | RISK MANAGEMENT AND REREGISTRATION DECISION |        |                    |                                                        |        |  |  |  |  |  |  |
|     |                                             |        |                    | on of Eligibility                                      |        |  |  |  |  |  |  |
|     |                                             |        |                    | on of Eligibility Decision                             |        |  |  |  |  |  |  |
|     |                                             | 1.     |                    | ility Decision                                         |        |  |  |  |  |  |  |
|     |                                             | 2.     | Eligib             | le and Ineligible Uses                                 | 70     |  |  |  |  |  |  |
|     | <b>C.</b>                                   | Regul  | ılatory Position   |                                                        |        |  |  |  |  |  |  |
|     |                                             | 1.     |                    | nnce Reassessment                                      |        |  |  |  |  |  |  |
|     |                                             | 2.     |                    | nary of Risk Management Decisions                      |        |  |  |  |  |  |  |
|     |                                             |        | a.                 | Human Health                                           |        |  |  |  |  |  |  |
|     |                                             |        | b.                 | Environmental                                          |        |  |  |  |  |  |  |
|     |                                             | 3.     | Spray              | Drift Advisory                                         |        |  |  |  |  |  |  |
|     |                                             | 4.     |                    | ing Rationale                                          |        |  |  |  |  |  |  |
| v.  | ACTIONS REQUIRED OF REGISTRANTS             |        |                    |                                                        |        |  |  |  |  |  |  |
|     | Α.                                          |        |                    | ng-Use Products                                        |        |  |  |  |  |  |  |
|     |                                             |        |                    | ional Generic Data Requirements                        |        |  |  |  |  |  |  |
|     |                                             | 2.     |                    | ing Requirements for Manufacturing-Use Products        |        |  |  |  |  |  |  |
|     | В.                                          |        |                    | ducts                                                  |        |  |  |  |  |  |  |
|     | -                                           | 1.     |                    | ional Product-Specific Data Requirements               |        |  |  |  |  |  |  |
|     |                                             | 2.     |                    | ing Requirements for End-Use Products                  |        |  |  |  |  |  |  |
|     |                                             | _,     | a.                 | Worker Protection                                      |        |  |  |  |  |  |  |
|     |                                             |        |                    | (1) Personal Protective Equipment/Entry Restriction    |        |  |  |  |  |  |  |
|     |                                             |        |                    | Labeling                                               |        |  |  |  |  |  |  |
|     |                                             |        |                    | (2) Other Labeling Requirements                        |        |  |  |  |  |  |  |
|     |                                             |        | b.                 | End-Use Labeling Requirements                          | 92     |  |  |  |  |  |  |
|     |                                             |        | c.                 | Environmental Hazard Statements                        |        |  |  |  |  |  |  |
|     |                                             |        | d.                 | Spray Drift Labeling                                   |        |  |  |  |  |  |  |
|     | C.                                          | Existi | ng Sto             | cks                                                    |        |  |  |  |  |  |  |
| VI. | APPI                                        | ENDIC  | ES                 |                                                        | 99     |  |  |  |  |  |  |
|     | APPENDIX A.                                 |        |                    | Table of Use Patterns Subject to Reregistration        |        |  |  |  |  |  |  |
|     | APPI                                        | ENDIX  | В.                 | Table of the Generic Data Requirements and Studies U   | sed to |  |  |  |  |  |  |
|     |                                             |        |                    | Make the Reregistration Decision,                      |        |  |  |  |  |  |  |
|     | APPI                                        | ENDIX  | C.                 | Citations Considered to be Part of the Data Base Suppo | orting |  |  |  |  |  |  |
|     |                                             |        |                    | the Reregistration of Norflurazon                      |        |  |  |  |  |  |  |
|     | APPI                                        | ENDIX  | D.                 | Combined Generic and Product Specific Data Call-In.    |        |  |  |  |  |  |  |
|     |                                             | Attac  | hment              | 1. Chemical Status Sheets                              | . 163  |  |  |  |  |  |  |
|     | Attachment                                  |        | hment              |                                                        | all-In |  |  |  |  |  |  |
|     |                                             |        | -                  | Response Forms (Form A inserts) Plus                   | •      |  |  |  |  |  |  |
|     |                                             |        |                    | Instructions                                           | . 165  |  |  |  |  |  |  |

| Attachment  | <b>3.</b>   | Generic and Product Specific Requirement Status and     |
|-------------|-------------|---------------------------------------------------------|
|             |             | Registrant's Response Forms (Form B inserts) and        |
|             |             | Instructions                                            |
| Attachment  | 4.          | EPA Batching of End-Use Products for Meeting Data       |
|             |             | Requirements for Reregistration                         |
| Attachment  | <b>5.</b>   | List of All Registrants Sent This Data Call-In (insert) |
|             |             | Notice                                                  |
| Attachment  | <b>6.</b> . | Cost Share, Data Compensation Forms, Confidential       |
|             |             | Statement of Formula Form and Instructions 179          |
| APPENDIX E. | List of     | Available Related Documents                             |



#### NORFLURAZON REREGISTRATION ELIGIBILITY DECISION TEAM

#### Office of Pesticide Programs:

#### Biological and Economic Analysis Division

Harry Gaede James Saulmon Margaret Cogdell

Economic Analysis Branch Biological Analysis Branch LUIS

#### Environmental Fate and Effects Division

Mary Frankenberry Sharlene Matten Renee Costello Nicholas Mastrota Dana Spatz

Science Analysis and Coordination Staff
Science Analysis and Coordination Staff
Environmental Risk Characterization Branch
Environmental Risk Characterization Branch
Environmental Fate and Groundwater Branch

#### **Health Effects Division**

Kathy Martin
Timothy McMahon

Carol Lang
David Miller

Risk Characterization and Analysis Branch

Toxicology Branch II


Occupational and Residential Exposure Branch Reregistration Support Chemistry Branch

#### Registration Division

Eugene Wilson Jonanne Miller Tina Levine Fungicide-Herbicide Branch Fungicide-Herbicide Branch Registration Support Branch

#### Special Review and Reregistration Division

Karen Jones Linda Propst Reregistration Branch Reregistration Branch



#### GLOSSARY OF TERMS AND ABBREVIATIONS

ADI Acceptable Daily Intake. A now defunct term for reference dose (RfD).

AE Acid Equivalent a.i. Active Ingredient

ARC Anticipated Residue Contribution
CAS Chemical Abstracts Service

CI Cation

CNS · Central Nervous System

CSF Confidential Statement of Formula
DFR Dislodgeable Foliar Residue
DRES Dietary Risk Evaluation System

DWEL Drinking Water Equivalent Level (DWEL) The DWEL represents a medium specific (i.e.

drinking water) lifetime exposure at which adverse, non carcinogenic health effects are not

anticipated to occur.

EEC Estimated Environmental Concentration. The estimated pesticide concentration in an

environment, such as a terrestrial ecosystem.

EP End-Use Product

EPA U.S. Environmental Protection Agency

FDA Food and Drug Administration

FIFRA Federal Insecticide, Fungicide, and Rodenticide Act

FFDCA Federal Food, Drug, and Cosmetic Act

FOB Functional Observation Battery
GLC Gas Liquid Chromatography

GM Geometric Mean

GRAS Generally Recognized as Safe as Designated by FDA

HA Health Advisory (HA). The HA values are used as informal guidance to municipalities and

other organizations when emergency spills or contamination situations occur.

HDT Highest Dose Tested

LC<sub>50</sub> Median Lethal Concentration. A statistically derived concentration of a substance that can be

expected to cause death in 50% of test animals. It is usually expressed as the weight of

substance per weight or volume of water, air or feed, e.g., mg/l, mg/kg or ppm.

LD<sub>50</sub> Median Lethal Dose. A statistically derived single dose that can be expected to cause death in

50% of the test animals when administered by the route indicated (oral, dermal, inhalation). It

is expressed as a weight of substance per unit weight of animal, e.g., mg/kg.

LD<sub>10</sub> Lethal Dose-low. Lowest Dose at which lethality occurs.

LEL Lowest Effect Level
LOC Level of Concern
LOD Limit of Detection

LOEL Lowest Observed Effect Level

MATC Maximum Acceptable Toxicant Concentration

MCLG Maximum Contaminant Level Goal (MCLG) The MCLG is used by the Agency to regulate

contaminants in drinking water under the Safe Drinking Water Act.

μg/g Micrograms Per Gram
mg/L Milligrams Per Liter
MOE Margin of Exposure

MP Manufacturing-Use Product
MPI Maximum Permissible Intake

MRID Master Record Identification (number). EPA's system of recording and tracking studies

submitted.

N/A Not Applicable

NOEC No effect concentration

#### GLOSSARY OF TERMS AND ABBREVIATIONS

NPDES National Pollutant Discharge Elimination System

NOEL No Observed Effect Level

NOAEL No Observed Adverse Effect Level

OP Organophosphate

OPP Office of Pesticide Programs
PADI Provisional Acceptable Daily Intake
PAG Pesticide Assessment Guideline
PAM Pesticide Analytical Method

PHED Pesticide Handler's Exposure Data

PHI Preharvest Interval ppb Parts Per Billion

PPE Personal Protective Equipment

ppm Parts Per Million

PRN Pesticide Registration Notice

Q<sub>1</sub> The Carcinogenic Potential of a Compound, Quantified by the EPA's Cancer Risk Model

RBC Red Blood Cell

RED Reregistration Eligibility Decision

REI Restricted Entry Interval

RfD Reference Dose
RS Registration Standard

SLN Special Local Need (Registrations Under Section 24 (c) of FIFRA)

TC Toxic Concentration. The concentration at which a substance produces a toxic effect.

TD Toxic Dose. The dose at which a substance produces a toxic effect.

TEP Typical End-Use Product

TGAI Technical Grade Active Ingredient
TLC Thin Layer Chromatography

TMRC Theoretical Maximum Residue Contribution

torr A unit of pressure needed to support a column of mercury 1 mm high under standard conditions.

FAO/WHO Food and Agriculture Organization/World Health Organization

WP Wettable Powder


WPS Worker Protection Standard

#### EXECUTIVE SUMMARY

EPA has completed its reregistration eligibility decision regarding the pesticide norflurazon, 4-chloro-5-(methylamino)-2- $(\alpha,\alpha,\alpha$ -trifluoro-m-tolyl)-3-(2H)-pyridazinone. This decision includes a comprehensive reassessment of the required target data base supporting the use patterns of currently registered products. Norflurazon is a selective preemergent herbicide used to control germinating annual grasses and broadleaf weeds in fruits, vegetables, nuts, cotton, peanuts, soybeans, and various nonagricultural and industrial areas. The Agency has concluded that all products registered for all uses, once amended to reflect the risk mitigation measures imposed in this RED, are eligible for reregistration.

To mitigate potential risks of dermal exposure to pesticide handlers, the Agency is requiring use of Personal Protective Equipment and a Restricted Entry Interval of 12 hours for norflurazon. The Agency has determined that norflurazon exceeds levels of concern for chronic effects to birds and mammals, and for nontarget plant species. Risk mitigation measures including reduced application rates and use precaution statements have been added to the product labels. The registrant has agreed to implement the following risk mitigation measures to further reduce the chronic risk to birds and mammals: 1) clarify the current soil incorporation statements on product labels; and 2) clarify use directions for banded treatments. The Agency is also requiring a surface water label advisory, a ground water label advisory, and a spray drift advisory in order to further reduce the risks of norflurazon to humans and the environment. Additional data on product chemistry, acute toxicity, gene mutation, residue chemistry, plant protection, batch equilibrium, spray drift, and ground water monitoring are required to confirm EPA's risk assessment and conclusions.

Before reregistering the products containing norflurazon, the Agency is requiring that product specific data, revised Confidential Statements of Formula (CSF) and revised labeling be submitted within eight months of the issuance of this document. These data include product chemistry for each registration and acute toxicity testing. After reviewing these data and any revised labels and finding them acceptable in accordance with Section 3(c)(5) of FIFRA, the Agency will reregister a product. Those products which contain other active ingredients will be eligible for reregistration only when the other active ingredients are determined to be eligible for reregistration.



#### I. INTRODUCTION

In 1988, the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) was amended to accelerate the reregistration of products with active ingredients registered prior to November 1, 1984. The amended Act provides a schedule for the reregistration process to be completed in nine years. There are five phases to the reregistration process. The first four phases of the process focus on identification of data requirements to support the reregistration of an active ingredient and the generation and submission of data to fulfill the requirements. The fifth phase is a review by the U.S. Environmental Protection Agency (referred to as "the Agency") of all data submitted to support reregistration.

FIFRA Section 4(g)(2)(A) states that in Phase 5 "the Administrator shall determine whether pesticides containing such active ingredient are eligible for reregistration" before calling in data on products and either reregistering products or taking "other appropriate regulatory action." Thus, reregistration involves a thorough review of the scientific data base underlying a pesticide's registration. The purpose of the Agency's review is to reassess the potential hazards arising from the currently registered uses of the pesticide; to determine the need for additional data on health and environmental effects; and to determine whether the pesticide meets the "no unreasonable adverse effects" criterion of FIFRA.

This document presents the Agency's decision regarding the reregistration eligibility of the registered uses of norflurazon. The document consists of six sections. Section I is the introduction. Section II describes norflurazon, its uses, data requirements and regulatory history. Section III discusses the human health and environmental assessment based on the data available to the Agency. Section IV presents the reregistration decision for norflurazon. Section V discusses the reregistration requirements for norflurazon. Finally, Section VI is the Appendices which support this Reregistration Eligibility Decision. Additional details concerning the Agency's review of applicable data are available on request.

#### II. CASE OVERVIEW

#### A. Chemical Overview

The following active ingredient(s) are covered by this Reregistration Eligibility Decision:

• Common Name: Norflurazon

• Chemical Name: 4-chloro-5-(methylamino)-2- $(\alpha, \alpha, \alpha$ -trifluoro-m-

tolyl)-3-(2H)-pyridazinone

• Chemical Family: Fluorinated pyridazinone

• CAS Registry Number: 27314-13-2

• **OPP Chemical Code:** 105801

• Empirical Formula:  $C_{12}H_9ClF_3N_3O$ 

• Trade and Other Names: Zorial®, Solicam®, and Evital®

• Basic Manufacturer: Sandoz Agro, Inc.

#### B. Use Profile

The following is information on the currently registered uses with an overview of use sites and application methods. A detailed table of these uses of norflurazon is in Appendix A.

#### For Norflurazon:

Type of Pesticide: Herbicide

Mode of Action: Selective herbicide, suppresses the production of

carotenoids through uptake of pesticide in the root

system.

#### **Use Sites:**

#### TERRESTRIAL FOOD CROP:

Small Fruit (blackberry, blueberry, caneberries, cranberry, raspberry (black, red); Pome Fruit (pear); Stone Fruit (apricot, cherry, nectarine, peach, plum, prune); Miscellaneous Vegetable (asparagus); Subtropical Fruit (avocado); Tree Nut (filbert (hazelnut), pecan, walnut (English/black)).

#### TERRESTRIAL FOOD+FEED CROP:

Small Fruit (grapes); Citrus Fruit; Pome Fruit (apple); Tree Nut (almond); Flavoring/Spice Crop (hops); Fiber/Oil Crop (cotton); Legume/Oil Crop (peanuts, soybeans).

#### TERRESTRIAL NON-FOOD CROP:

Agricultural uncultivated areas; Industrial areas (outdoor); Nonagricultural rights-of-way/fencerows/hedgerows; Nonagricultural uncultivated areas/soils.

Target Pests: Broadleaf weeds, grasses and sedges.

#### Formulation Types Registered:

Type: T

Technical grade, End use

Form:

Crystalline (97.8%), Dry flowable (78.6%), Flowable concentrate (52.7 to 80.0%), and Granular (5.0%)

#### Methods of Application:

#### Types of Treatment:

Aerial application, chemigation (drip and/or sprinkler), soil treatment (broadcast and incorporation), spray.

#### Equipment:

Aircraft, conventional hydraulic sprayers, drip and sprinkler irrigation equipment.

#### Timing:

Applied in early spring as a preplant or preemergence treatment, or applied in the fall after the plant/tree has gone dormant.

#### Maximum Rates of Application:

#### Terrestrial Food Crop

Apricot, Asparagus, Avocado, Blackberry, Blueberry, Cherry, Filbert (hazelnut), Nectarine, Peach, Pear, Pecan, Plum, Prune, Raspberry (black, red), and Walnut (English/black)--Coarse soil-2 lb/A, Medium soil-3 lb/A, Fine soil-4 lb/A;

Cranberry--8 lb/A.

#### Terrestrial Food+Feed Crop

Almond--Coarse soil-1 lb/A, Medium soil-3 lb/A, Fine soil-4 lb/A; Apple, Grape--Coarse soil-2 lb/A, Medium soil-3 lb/A, Fine soil-4 lb/A;

Citrus fruits--8 lb/A;

Hops--Coarse soil-2.5 lb/A, Medium soil-3.75 lb/A, Fine soil-5 lb/A;

Cotton-Coarse soil-1 lb/A, Medium soil-1.5 lb/A, Fine Soil-2 lb/A; Peanuts, Soybeans--2 lb/A.

#### Terrestrial Non-food Crop

Industrial areas (outdoor), Nonagricultural rights-of-way/fencerows/hedgerows, Nonagricultural uncultivated areas/soils--4 lb/A.

## Use Practices Limitations for Zorial® 80 for Use on Cotton, Peanuts, and Soybeans:

Do not graze livestock in treated areas or cut treated crops for feed. Do not graze or harvest for forage or hay. Do not graze or feed for forage.

Do not apply through any type of irrigation system.

#### C. Estimated Usage of Pesticide

This section summarizes the best estimates available for the pesticide uses of norflurazon. These estimates are derived from a variety of published and proprietary sources available to the Agency. The data, reported on an aggregate and site (crop) basis, reflect annual fluctuations in use patterns as well as the variability in using data from various information sources.

The table below summarizes the pesticides use by site.

#### AVERAGE ANNUAL USAGE OF NORFLURAZON ON CROPS RECENT YEARS (1991-1994)

| SITE'                    | ACRES<br>GROWN | TYPICAL<br>RATE<br>(Bs. ni/acre) | ACRE<br>TREATMENTS | % OF SITE<br>TREATED | LBS, A1<br>(1,000) | STATE USAGE    |
|--------------------------|----------------|----------------------------------|--------------------|----------------------|--------------------|----------------|
| Almonds                  | 390,000        | 1.02                             | 40,000             | <10                  | 40 - 60            |                |
| Apples                   | 332,300        | 1.34                             | 9,969              | 5                    | 10 - 30            | CA, OR, PA, WA |
| Cotton                   | 10,115,000     | 0.58                             | 2,114,035          | 20                   | 1,000 - 1,500      | AR, LA, MS     |
| Cranberries              | 28,700         | 4-8                              | 405                | <10                  | 10 - 20            | WA, OR, WI     |
| Grapefruit               | 129,600        | 3.04                             | 20,995             | 10                   | 50 - 150           | FL             |
| Grapes                   | 743,300        | 1.87                             | 40,882             | 10                   | 60 - 80            | CA, PA         |
| Nectarines               | 27,000         | 1.67                             | 5,400              | 20                   | . 10 - 15          | CA             |
| Oranges                  | 670,900        | 3.53                             | 205,295            | 20                   | 300 - 600          | CA, FL         |
| Peaches                  | 104,300        | 1.26                             | 9,178              | 10                   | 10 - 30            | CA             |
| Pecans                   | 12,000         | · 2                              | 12,000             | 25                   | 5 - 20             |                |
| Plums                    | 41,900         | 2.23                             | 7,123              | 20                   | 15 - 25            | CA             |
| Soybeans                 | 53,050,000     | 0.36                             | 76,000             | <1                   | 10 - 40            |                |
| Other Crops <sup>3</sup> |                |                                  |                    |                      | 20 - 40            |                |
| TOTAL                    |                |                                  | 2,541,282          |                      | 1,540 - 2,610      | -              |

<sup>1</sup>Site identification based on REFs.

<sup>2</sup>States listed are those for which norflurazon usage was detected in USDA/NASS surveys.

<sup>3</sup>Other crops include: tangelos, temples, apricots, blueberries, raspberries, sweet and tart cherries, pears, avocados, asparagus, hops, filberts, and walnuts.

Data based on proprietary sources, USDA/NASS, and USDA/NAPIAP surveys.

## D. Data Requirements

Data requested in the 1984 Registration Standard for Norflurazon include studies on product chemistry, ecological effects, environmental fate, toxicology and residue chemistry. These data were required to support the uses listed in the Registration Standard. In June 1989, a Second Round Review draft document was completed for norflurazon and the studies required in the Second Round Review document were eventually levied in the August 1990 Data Call-In (DCI). A second DCI was issued in January 1993 requiring groundwater monitoring studies to address concerns about norflurazon's potential to contaminate groundwater. Most recently, in June 1993, a DCI was issued requiring an estuarine study because norflurazon is persistent in water. Appendix B includes all data requirements identified by the Agency for currently registered uses needed to support reregistration.

## E. Regulatory History

Norflurazon was registered in the United States in 1974 as a selective preemergent herbicide used to control germinating annual grasses and broadleaf weeds in certain crop and noncrop areas. A Registration Standard was issued in December 1984. Additional data were required in Data Call-Ins issued in August 1990, January 1993 and June 1993. This Reregistration Eligibility Decision document reflects a reassessment of all data which were submitted in response to the Registration Standard and the subsequent DCIs.

#### III. SCIENCE ASSESSMENT

#### A. Physical Chemistry Assessment

The product chemistry data base is adequate to support reregistration of all pesticide products containing norflurazon as an active ingredient.

#### 1. Identification of Active Ingredient

Norflurazon [4-chloro-5-(methylamino)-2-( $\alpha,\alpha,\alpha$ -trifluoro-m-tolyl)-3-(2H)-pyridazinone] is a selective herbicide used to control grasses and broadleaf weeds.

Empirical Formula: C<sub>12</sub>H<sub>9</sub>ClF<sub>3</sub>N<sub>3</sub>O

Molecular Weight: 303.7

CAS Registry No.: 27314-13-2 OPP Chemical Code: 105801

Norflurazon is a an odorless white crystalline solid with a melting point of 177°C. Norflurazon is noncorrosive and is stable under alkaline and acid conditions, but is sensitive to light. Norflurazon is only slightly soluble in water (<40 ppm) and is moderately soluble in acetone (5 g/100 mL) and ethanol (14.2 g/100 mL).

A search of the Reference Files System (REFS) conducted 3/16/95 identified a single norflurazon manufacturing-use product (MP) registered to

Sandoz Agro, Inc. under Shaughnessy No. 105801, the 97.8% technical (T; EPA Reg. No. 55947-55). Only the Sandoz 97.8% T is subject to a reregistration eligibility decision.

The Norflurazon Guidance Document dated 12/13/84 and the 1989 Second Round Review (SRR) required additional product chemistry data for the only registered manufacturing-use product, the Sandoz 97.8% T. Data submitted in response to the Guidance Document were reviewed in the SRR, and additional data are required for the Sandoz technical concerning GLNs 62-1, 63-17, and 63-20. Nitrosamine analyses were also required under 62-1. Although the Agency has received data from the registrant indicating that nitrosamine levels in the 97% T product are at less than detectable levels (i.e., <0.1 ppm), the Agency has some concerns with the quality of this data as a result of an EPA audit of the performing laboratory. The Agency earlier requested that additional freshly-produced batches of the 97% T be analyzed for nitrosamines, but these data have not yet been submitted by the registrant. Therefore, the Agency cannot at this time make a final judgement as to whether nitrosamine levels would cause dietary exposure concerns. Additional data on nitrosamine analyses for the 97% T are required.

#### B. Human Health Assessment

## 1. Hazard and Dose Response Assessment

The toxicological data base on norflurazon is adequate to support reregistration eligibility.

# a. Acute Toxicity

Table I. Acute Toxicity Testing Using the Norflurazon Technical

| TEST                                                   | RESULTS                                                        | CATEGORY       |
|--------------------------------------------------------|----------------------------------------------------------------|----------------|
| Oral LD∞-rat<br>81-1 MRID 00111612                     | 9.3 g/kg (M)                                                   | IV             |
| Dermal LD₂rabbit*<br>81-2 MRID 00090786                | >20,000 mg/kg                                                  | īV             |
| 81-3 Inhalation LC <sub>0</sub> rat                    | acceptable study unavailable                                   | . <del>-</del> |
| Eye Irritationrabbit<br>81-4 MRID 00111612             | non-irritating up to 7 days post-instillation of test material | IV             |
| Dermal Irritationrabbit<br>81-5 MRID 00111612          | non-irritating up to 7 days post- application of test material | IV             |
| Dermal Sensitizationguinea pig**<br>81-6 MRID 00111615 | acceptable study unavailable                                   | -              |

<sup>\*</sup> The purity of the test material was not reported in this study.

<sup>\*\*</sup> Norflurazon technical at a concentration of 0.1% produced no evidence of sensitization in male guinea pigs. However, the purity of the test material used in this study was not reported, and the positive control assay failed to demonstrate the sensitivity of the sensitization procedure used in this study.

#### b. Subchronic Toxicity

In a subchronic oral toxicity study, rats of the C.F.E. strain (20/sex) received SAN-9789 (Norflurazon) in the diet for 90 days at doses of 0, 250, 500, or 2500 parts per million (ppm) (0, 12.5, 25, or 125 mg/kg/day). There were no significant effects of norflurazon on survival, body weight, body weight gain or food consumption in male and female rats at any dose level. At the 2500 ppm dose level, the following effects were observed at 13 weeks: an increase in red cell count of 19% in male rats; a decrease in alkaline phosphatase activity of 38% and 42% in male and female rats, respectively; a decrease in aspartate aminotransferase activity of 36% in female rats, an increase in liver weight of 14% and 12% in male and female rats, respectively; an increase in thyroid weight of 96% in male rats; and an increase in the incidence of hypertrophic acinar epithelium and colloid depletion of the thyroid in male rats. At the 500 ppm dose level after 13 weeks of treatment, thyroid weight was increased by 20% in male rats with an increased incidence of hypertrophic acinar epithelium and colloid depletion. In addition, red cell count was increased by 14% in male rats, aspartate aminotranferase was decreased by 10% in female rats, and liver weight was increased by 14% in male rats. The systemic No Observed Effect Level (NOEL) was considered to be 12.5 mg/kg/day in male rats, and 25 mg/kg/day in female rats. The systemic lowest effect level (LEL) was considered to be 25 mg/kg/day in male rats based on an increased red cell count, increased thyroid and liver weight, and increased incidence of hypertrophic acinar epithelium and colloid deposition in the thyroid. The systemic LEL was considered to be 125 mg/kg/day in female rats, based on an increased liver weight and liver to body weight ratio. The decreased alkaline phosphatase and aspartate aminotranferase activity observed in females at this dose were of unknown biological significance. This study was classified as core supplementary data, based on the lack of dose level verification as well as verification of doses received in the diet (guideline §82-1; MRID 00091055). Although this guideline is not satisfied, acceptable chronic toxicity data are available; therefore, the information to upgrade this study to acceptable is requested, but is not required.

A twenty-one day dermal toxicity study was conducted with norflurazon 80% wettable powder (WP). In this study, male and female New Zealand white rabbits (3 males and 3 females) received repeated dermal application of norflurazon 80% WP at doses of 150 mg 80% WP/mL (approximately 375 mg/kg/day) and 400 mg 80% WP/mL (approximately 1000 mg/kg/day), 5 days per week, 6-8 hours per day,

for 21 days. The systemic NOEL is 375 mg/kg/day for males and females, and the systemic LEL is 1000 mg/kg/day for males and females, based on increases in alkaline phosphatase activity, liver weight, and liver to body weight ratio in both sexes. The dermal NOEL is 375 mg/kg/day for both sexes, and the dermal LEL is 1000 mg/kg/day for both sexes, based on slight erythema observed immediately after bandage removal (guideline §82-2; MRID 00063617).

## c. Chronic Toxicity and Carcinogenicity

In a 6-month toxicity study, norflurazon technical was administered in the diet to male and female beagle dogs (4/sex/group) at dose levels of 0, 50, 150, or 450 ppm (0, 1.53, 5.02, and 14.27 mg/kg for males; 0, 1.58, 4.77, and 17.75 mg/kg for females). At the 150 ppm dose level, liver weight was increased by 38% in male dogs and by 23% in female dogs. Thyroid weight was increased by 33% in male dogs and 37% in female dogs at this dose level. Also noted at the 150 ppm dose level were increases in cholesterol in both sexes (23-40% in males, 6-34% in females), a decrease in SGPT (36-38% in males, 13-20% in females) and SGOT (4-23% in males, 13-23% in females). At the 450 ppm dose level, similar changes were observed in male and female dogs, with the additional observation of a decrease in red cell count in female dogs (79-92% of control). The systemic NOEL was determined to be 50 ppm (1.53 mg/kg/day [males]; 1.58 mg/kg/day [females]). The systemic LEL was determined to be 150 ppm (5.02 mg/kg/day [males]; 4.77 mg/kg/day [females]), based on increased absolute and relative liver weight and increased cholesterol in both sexes (guideline §83-1; MRID 00111618).

A nine-month oral toxicity study (MRID 00091056) was conducted using the F<sub>0</sub> generation of rats from a two-year carcinogenicity study (MRID 00082019). In this study, rats were given technical norflurazon in the diet at dose levels of 0, 125, 250, or 500 ppm (0, 6.25, 12.5, and 25 mg/kg/day) for 39 weeks. There were no significant effects of norflurazon on survival, body weight, body weight gain, food consumption, food efficiency, hematology, or clinical chemistry in male or female rats at any dose level tested. At 500 ppm, liver weight was increased by 14% and 23% in male and female rats respectively, at 39 weeks. Kidney weight was not significantly affected, but the incidence of hyaline pigment deposition (many tubules) in male rats and hyaline pigment deposition (few tubules) in female rats was increased, as was the incidence of medullary congestion in high dose female rats. The incidence of tubular degeneration was increased in both

sexes at the 500 ppm dose level. Thyroid weight was decreased in males by approximately 30% vs control, while thyroid weight was increased in females between 11-47% vs control. Gonadal weight (left gonad) was increased in female rats by 30%. At 250 ppm, thyroid weight was decreased by 30% in male rats, but was increased by 11-29% in female rats. However, there were no reported microscopic alterations in this organ at any dose level tested. Gonadal weight in female rats was increased by 17% vs. control. The systemic NOEL was determined to be 250 ppm (12.5 mg/kg/day) in both sexes. The systemic LEL was determined to be 500 ppm (25 mg/kg/day) in both sexes, based on the dose-related increase in liver weight in male and female rats at 39 weeks, the increase in gonad weight of females, and the microscopic changes observed in kidneys of both sexes. Although dramatic effects on thyroid weight were observed at 250 ppm in both sexes, there were no data indicating any alteration in histology of this organ. Thus, the weight change, while indicative of an effect of norflurazon, is not supported as a toxic effect based on available data (guideline: non-guideline study; classified as core supplementary; MRID 00091056).

A two-year carcinogenicity study was conducted in male and female CD-1 HaM/ICR Swiss mice in which 125 mice/sex/dose were administered technical norflurazon in the diet at dose levels of 0, 85, 340, or 1360 ppm (0, 12.8, 58.7, or 218.8 mg/kg/day) for 100-104 weeks. No significant effects were observed on body weight, body weight gain, clinical toxicity, or food consumption at any dose level tested. Liver weight was increased by 9% and 15% in male and female mice at the 340 ppm dose level, and by 27% and 21% at the 1360 ppm dose level, respectively. The liver to body weight ratio was increased by 19% and 4% in male and female mice at the 340 ppm dose level, and by 43% and 19% at the 1360 ppm dose level, respectively. Increased incidences of enlarged spleen, nephritis, swollen/enlarged liver, and nodular enlargement of the liver were observed in high dose male mice, while increased incidences of pyelonephritis, enlarged liver, and cystic ovaries were observed in high dose female mice. Carcinogenic potential was evidenced by an increased incidence of hepatic adenoma and combined adenoma/carcinoma in high dose male mice. The systemic NOEL was determined to be 12.8 mg/kg/day (85 ppm) for male mice, and 58.7 mg/kg/day (340 ppm) for female mice. The systemic LEL was determined to be 58.7 mg/kg/day (340 ppm) for male mice, based on the increased incidence of enlarged spleen, increased absolute and relative liver weight, and increased incidence of nephritis. The systemic LEL was determined to be 218.8 mg/kg/day (1360 ppm) for female mice,

based on the increased incidence of enlarged liver and cystic ovaries, the increased absolute and relative liver weight, and the increased incidence of pyelonephritis (guideline §83-2; MRID 00111649).

A chronic toxicity and carcinogenicity study was conducted in Sprague-Dawley rats. In this study, technical norflurazon was administered in the diet at dose levels of 0, 125, 375, or 1025 ppm 6.25, 18.75, or 51.25 mg/kg/day) for 104 weeks. No significant effects of norflurazon were evident for survival, body weight, body weight gain, or food consumption in male or female rats at any dose level tested. At 375 ppm, liver weight was increased by 17% and 13% in male and female rats at 52 weeks and by 24% and 27% at 1025 ppm at 52 weeks for both sexes. At 104 weeks, liver weight was increased by 12-14% in male and female rats, and kidney weight by 16-39% vs controls. The weight of the thyroid was also increased at the 1025 ppm dose in male rats at 104 weeks. An increased incidence of hydronephrosis was observed in high dose male rats at 52 weeks vs control, while the incidence of nephritis was increased in male rats (terminal sacrifice + dying on test) at the 1025 ppm dose. The incidence of tubular casts was increased in female rats at the high dose in those rats surviving to study termination. Other microscopic alterations observed at the high dose included an increased incidence of parathyroid hyperplasia (both sexes), hemosiderin pigment deposition in the spleen (males only) and liver (both sexes), and endometritis and squamous metaplasia of the uterus (females).

The systemic NOEL was determined to be 375 ppm (18.75 mg/kg/day) for both sexes. The systemic LEL was determined to be 1025 ppm (51.25 mg/kg/day) in both sexes, based on the increased kidney weight and accompanying microscopic pathologic changes, as well as the increase in liver weight in male and female rats and the increase in thyroid weight in males. There was no evidence of carcinogenicity for norflurazon (guideline 83-5; MRIDs 00111617 and 00082019).

As a result of the July 18, 1990 meeting of the OPP/Health Effects Division Carcinogenicity Peer Review Committee, norflurazon was classified as a non quantifiable Group C - possible human carcinogen - based upon statistically significant pair-wise comparisons of the incidence of liver adenomas and combined liver adenomas/carcinomas as well as statistically positive trends for these lesions in male CD-1 mice receiving 218.8 mg/kg/day norflurazon technical in the diet for up to 104 weeks (MRID 00111649).

#### d. Developmental and Reproductive Toxicity

In a developmental toxicity (teratology) study, rats of the Sprague-Dawley strain received either 0, 100, 200, or 400 mg/kg/day norflurazon technical by oral gavage on gestation days 6 through 15 inclusive. The maternal toxicity NOEL was determined to be < 100 mg/kg/day, and the maternal toxicity LEL was determined to be ≤ 100 mg/kg/day, based on reductions in body weight gain for the period of dosing and for the dosing plus post-dosing period. The developmental toxicity NOEL was determined to be ≥ 400 mg/kg/day, and the developmental toxicity LEL was determined to be > 400 mg/kg/day. Developmental toxicity was suggested at the 400 mg/kg/day dose level in the form of an increase in bipartite thoracic vertebrae (10th-13th) and an increase in rudimentary 14th ribs. However, these increases were not statistically significant and are believed to be secondary to maternal effects at the high dose (guideline 83-3; MRID 00063621).

A developmental toxicity study was conducted in New Zealand White rabbits, which received either 0, 10, 30, or 60 mg/kg/day norflurazon technical by oral gavage on gestation days 7 through 19 inclusive. The maternal toxicity NOEL was determined to be 30 mg/kg/day, and the maternal toxicity LEL was determined to be 60 mg/kg/day, based on decreased body weight gain and clinical toxicity (abortion) at this dose level. The developmental toxicity NOEL was determined to be 30 mg/kg/day, and the developmental toxicity LEL was determined to be 60 mg/kg/day, based on statistically significant increases in the fetal incidence of incompletely ossified frontal bones, 16 caudal vertebrae, unossified first metacarpal, unossified middle phalanx of the fifth digit of the forelimb, and unossified proximal epiphysis of the tibia at the 60 mg/kg/day dose level. A 12% decrease in mean fetal weight was also observed at the 60 mg/kg/day dose level (guideline 83-3; MRID 00131151 and 00131152).

A one-generation reproduction study was conducted in male and female CD-1 (HaM/ICR Swiss) mice. In this study, norflurazon technical was administered in the diet at nominal doses of 0, 85, 170, or 340 ppm (0, 12.1, 24.3, or 48.5 mg/kg/day). There were no treatment-related effects reported in parental mice or in offspring at any of the dose levels tested. The systemic and reproductive NOEL were determined to be  $\geq$  48.5 mg/kg/day, and the systemic and reproductive LEL were determined to be  $\geq$  48.5 mg/kg/day. This study was classified as core supplementary data (guideline 83-3; MRID 00080751).

A three-generation reproductive toxicity study was conducted in male and female Sprague-Dawley rats. In this study, norflurazon technical (98.8% a.i.) was administered in the diet at nominal doses of 0, 125, 375, or 1025 ppm (0, 6.25, 18.75, or 51.25 mg/kg/day). The  $F_0$ generation of rats received norflurazon technical at nominal dose levels of 0, 125, 250, or 500 ppm (0, 6.25, 12.5, or 25.0 mg/kg/day) for 18 weeks prior to mating to produce the F<sub>1a</sub> and F<sub>1b</sub> generation. Subsequent to this, the F<sub>1a</sub> generation was used for a two year feeding study, while the F<sub>1b</sub> generation received norflurazon technical at 0, 125, 375, or 1025 ppm for 13 weeks and were then mated to produce the F<sub>2a</sub> and F<sub>2b</sub> generations. The  $F_{2a}$  litter continued to receive test article and were sacrificed just prior to delivery of a second litter (F<sub>3b</sub>), which was examined for developmental effects. There were no data presented for parental rats in this study. Reproductive data presented indicated no apparent effects of norflurazon treatment on reproductive performance at any dose level tested. The systemic toxicity NOEL was determined to be 18.75 mg/kg/day, and the systemic toxicity LEL was determined to be 51.25 mg/kg/day. The reproductive toxicity NOEL was determined to be ≥ 51.25 mg/kg/day and the reproductive toxicity LEL was determined to be > 51.25 mg/kg/day. Due to the lack of parental toxicity data in this study, the systemic toxicity NOEL and LEL were based on the results of subchronic and chronic testing with norflurazon, in which an effect level of 25 mg/kg/day was indicated. However, the Health Effects Division RfD/Quality Assurance Committee determined that it was not appropriate to extrapolate a systemic NOEL/LEL to this study based on effects observed from subchronic and chronic toxicity studies. Nonetheless, the Committee felt that the conclusions drawn from the subchronic and chronic toxicity studies could be used to justify that the dose levels were probably adequate. Therefore, the systemic toxicity NOEL and LEL were considered appropriate (guideline 83-4; MRID 00080750).

A 2-generation reproductive toxicity study was conducted in male and female Wistar rats. In this study, norflurazon technical was administered in the diet at dose levels of 0, 150, 750, or 1500 ppm over 2 generations (0, 10.2, 50.8, or 102.5 mg/kg/day for F<sub>0</sub> males; 0, 12.1, 62.0, or 129.7 mg/kg/day for F<sub>0</sub> females; 0, 13.2, 67.8, or 138.6 mg/kg/day for F<sub>1</sub> males; 17.1, 81.7, and 173.0 mg/kg/day for F1 females). The NOEL for systemic toxicity was determined to be 150 ppm (10.2 mg/kg/day for males and 12.1 mg/kg/day for females), and the systemic toxicity LEL was determined to be 750 ppm (50.8 mg/kg/day for males and 62.0 mg/kg/day for females), based on significant increases in liver and kidney weights observed in both

generations of parental rats and the increased incidence of hepatocellular hypertrophy in both generations of parental rats. The reproductive toxicity NOEL was determined to be 750 ppm (50.8 mg/kg/day for males and 62.0 mg/kg/day for females), and the reproductive toxicity LEL was determined to be 1500 ppm (102.5 mg/kg/day for males and 129.7 mg/kg/day for females), based on an increase in pup deaths, an increase in stillborn pups in the  $F_{1b}$  and  $F_{2a}$  litters, and a decreased lactation index in the  $F_{2b}$  litter (guideline 83-4; MRID 435223-01).

The studies examining developmental and reproductive toxicity of norflurazon were considered by the Health Effects Division RfD/Peer Review Committee in a meeting held March 16, 1995. Overall, the committee concluded that treatment with norflurazon was associated with reproductive toxicity in the form of increased pup death, increased stillborn pups, and increased pup deaths between days 5-14 of lactation at a dose of 1500 ppm. Developmental toxicity was not evident in treated rats, but developmental toxicity in rabbits was evident at a dose of 60 mg/kg/day in the form of decreased mean fetal weight, slight delays in ossification of the skull and limbs, and an increase in the incidence of 13th ribs. These developmental effects occurred at a dose that was maternally toxic.

## e. Mutagenicity

In a mutagenicity study, norflurazon technical was tested for the ability to cause mutations in Salmonella typhimurium strains TA-1535, 1537, 1538, 98, and 100 and in Saccharomyces cerevisiae strain D4 in the absence and presence of metabolic activation (Aroclor 1254 induced rat liver S-9). Norflurazon technical at concentrations of 0, 0.1, 1.0, 10, 100, or 500  $\mu$ g/plate (non-activation) and concentrations of 0, 0.1, 1.0, 10.0, 100 or 500  $\mu$ g/plate (activation) [1000  $\mu$ g/plate for TA1537 in a second assay] showed no evidence of mutagenicity in this study. There was no evidence of cytotoxicity in any of the strains at any of the dose concentrations used. Positive controls appeared adequate for all strains except TA100, where positive controls in the absence and presence of S-9 gave less than 2 times the number of revertants observed in negative controls. In the absence of data demonstrating toxic effects, the highest concentration used in this study is inadequate and higher concentrations should have been assayed (guideline 84-2; MRID 00072974). In an in vitro chromosomal aberration assay, norflurazon did not cause a clastogenic response at doses of 63-500 µg/ml in the absence of liver S-9 and at doses of 125-1000 µg/ml in the presence of S-9 (guideline

84-2; MRID 00155734). In an <u>in vitro</u> unscheduled DNA synthesis assay (UDS), norflurazon at doses ranging from 1-333  $\mu$ g/ml failed to induce unscheduled DNA synthesis in primary rat hepatocytes (guideline 84-2; MRID 00155375).

#### f. Metabolism

Norflurazon was administered as single oral doses of 2 or 110 mg/kg, a single i.v. dose of 2 mg/kg, or a single oral dose of 2 mg/kg following administration of 2 ppm in animal diet for 14 days to separate groups of rats. In urine, between 18.5-28.4% of the administered dose was eliminated by 96 hours post-dose, and between 65.3-79.5% of the administered dose was eliminated in feces. Thirteen metabolites of norflurazon were isolated. There appear to be 4 pathways for norflurazon metabolism: N-demethylation; displacement of the chlorine atom by glutathione; glutathione attack on the aromatic ring; and replacement of the chlorine atom by hydrogen (guideline 85-1; MRID 00260490). An additional metabolism study was conducted to determine the presence of the sulfone metabolite in rat excreta after a single low oral dose of 1 mg/kg, or a single high oral dose of 100 mg/kg. The sulfone metabolite was detected in both urine and feces of dosed rats. In urine, the sulfone metabolite accounted for 0.03% of urinary radioactivity at the low dose, and 0.2% of urinary radioactivity at the high dose. The sulfone metabolite accounted for 0.3% of fecal radioactivity at the low dose, and for 0.1% of fecal radioactivity at the high dose (guideline 85-1; MRID 430815-01).

# g. Toxic Endpoints of Concern Identified for Use in Risk Assessment

The Health Effects Division's (HED) Less than Lifetime Committee selected the following toxicology endpoints for use in risk assessment for norflurazon (Toxicology Endpoint Selection Document, 4/21/95):

The endpoint selected for the acute dietary risk assessment is a NOEL of 30 mg/kg/day. This is the developmental NOEL based on increased skeletal variations observed at the dose of 60 mg/kg/day in a rabbit developmental toxicity study.

The Reference Dose (RfD) for norflurazon was established at 0.015 mg/kg/day based upon a chronic toxicity (6 month) study in dogs with a NOEL of 1.58 mg/kg/day (RfD/Peer Review Report of Norflurazon, March 16, 1995). An uncertainty factor of 100 was applied to account for the interspecies extrapolation and intraspecies variability. Norflurazon has not been reviewed by the FAO/WHO Joint Committee on Pesticides Residues (JMPR), and therefore an Acceptable Daily Intake (ADI) has not been established.

A Q<sub>1</sub>\* has not been established for norflurazon. The Reference Dose (RfD) approach was selected for the quantification of potential human cancer risk.

Dermal absorption of norflurazon is estimated to be 0.1%, based on a rat dermal absorption study (MRID 00086808). It should be noted that dermal absorption estimates were not used/required since a systemic NOEL from a dermal exposure toxicity study was selected as the appropriate endpoint for occupational/residential risk assessment.

The endpoint selected for both the short and intermediate-term occupational/residential exposure assessment is a NOEL of 375 mg/kg/day. This is the systemic NOEL from a 21-day dermal toxicity study in rabbits where increased alkaline phosphatase activity and increased absolute and relative liver weights were observed at the dose level of 1000 mg/kg/day.

## 2. Exposure Assessment

#### a. Dietary Exposure

# Regulatory Background

The Residue Chemistry Chapter of the Registration Standard was dated 7/6/84. Norflurazon was also the subject of a Residue Chemistry Chapter of the Second Round Review (SRR) Registration Standard

dated 5/10/89. These documents summarized regulatory conclusions of available residue chemistry data and specified that additional data were required for reregistration purposes. Several submissions of data have been received since the 1989 SRR. The information contained in this document outlines the current Residue Chemistry Science Assessments with respect to the reregistration of norflurazon.

Tolerances for residues of norflurazon in/on various raw agricultural commodities and processed food/feed commodities are currently expressed as the combined residues of norflurazon (4-chloro-5-(methylamino)-2- $(\alpha,\alpha,\alpha$ -trifluoro-m-tolyl)-3-(2H)-pyridazinone) and its desmethyl metabolite, 4-chloro-5-(amino)-2- $(\alpha,\alpha,\alpha$ -trifluoro-m-tolyl)-3-(2H)-pyridazinone [Source: 40 CFR §180.356 (a), §185.4550, and §186.4450]. Rotational crop tolerances have been established for the indirect combined residues of norflurazon and its desmethyl metabolite in/on peanuts and peanut hay, hulls, and vines resulting from the primary application of norflurazon to cotton [Source:40 CFR §180.356 (b)].

#### **Directions for Use**

Use directions for norflurazon (EPA Reg No. 55497-78) allow multiple applications during the growing season to the soil around avocado trees, blueberries, citrus trees, grape vines, nut trees, pome fruit trees, and stone fruit trees but do not specify preharvest intervals (PHIs) for these crops. The label for the 78.6% DF (EPA Reg. No. 55497-78) must be amended to include PHIs for the above fruit crops.

#### Plant Metabolism

For purposes of risk assessment, the qualitative nature of the residue in plants is adequately understood, and consists of norflurazon and its desmethyl norflurazon metabolite. However, for purposes of reregistration, additional confirmatory information are required in order to upgrade the existing [phenyl-14C]norflurazon metabolism studies on peanuts, cotton, and citrus. Results from the adequate [pyridazinyl-14C]norflurazon plant metabolism study support the registrant's proposed metabolic pathway involving formation of desmethyl norflurazon with subsequent conjugation via the primary amine.

The residues of concern in plants are norflurazon and desmethyl norflurazon, pending submission of confirmatory [phenyl-14C]

norflurazon metabolism studies; the chemical structures of these metabolites are presented in Figure B.

Figure B. Chemical names and structures of norflurazon and its metabolite in plants.

$$F_3C \xrightarrow{N} CI$$

$$CI$$

$$Norflurazon$$

$$Desmet$$

$$hyl Norflurazon$$

Plant metabolism studies reviewed in the norflurazon Residue Chemistry Chapter (7/84) indicated that norflurazon is translocated to the foliage, ears, and grain of corn, the roots of carrots, the foliage and nuts of peanuts, the foliage, heads, and grain of wheat, and the seeds and foliage of cotton. Plant metabolism studies reviewed in the 1989 SRR, although judged inadequate, also indicated that norflurazon is absorbed from the soil by citrus, soybean, and cotton. Conjugated and free forms of norflurazon and its desmethyl metabolite were identified in these plants at maturity. Since the 1989 SRR was issued, peanut, cotton, and citrus [pyridazinyl and phenyl-14C]norflurazon metabolism studies have been submitted. Additional information on radiovalidation, liquid scintillation counts (LSC) and related data, and high performance liquid chromatograms (HPLC) are currently being reviewed by the Agency.

#### Animal Metabolism

For purposes of risk assessment, the qualitative nature of the residue in ruminants and poultry is adequately understood and consists of parent norflurazon and its desmethyl norflurazon metabolite.

## Residue Analytical Methods - Plants and Animals -

Methods are available for tolerance enforcement and data collection. Methods I and II listed in the Pesticide Analytical Method (PAM) Vol. II are available for tolerance enforcement for the determination of norflurazon and its desmethyl metabolite in/on cottonseed and cranberries. However, the Agency believes that these

methods may not adequately recover bound residues since they do not involve an initial alkaline hydrolysis step. Pending submission of data from the [14C-phenyl]norflurazon metabolism study which confirms that norflurazon and desmethyl norflurazon residues are the only residues to be included in the tolerance expression, the Agency will recommend that the PAM Vol II methods be replaced with Sandoz Method AM-0820-1292-3 which has undergone EPA Beltsville radiovalidation (by means of Method AM-0820-0592-2), and deemed an adequate enforcement method for determination of these two residues in plants.

Method AM-0875-1092-1, a GC/ECD analytical method for the determination of norflurazon and desmethyl norflurazon in beef liver, kidney, muscle, and fat commodities, has also undergone a successful independent laboratory validation and an EPA Beltsville TMV: the method (subsequently revised and renamed AM-0875-1092-2) is suitable for enforcement purposes and will partially meet EPA's GDLN 171-4(d) requirements after incorporation of pertinent HED comments. The registrant is still required to submit a method and fortification recovery results for milk (but the Agency will not require either independent laboratory validation or a Beltsville TMV if the present method for beef liver, kidney, muscle, and fat is simply updated or modified slightly to incorporate analysis of a milk commodity).

The registrant is still required to submit radiovalidation data for the animal (AM-0875-1092-1) method.

The FDA PESTDATA database dated 1/94 (Pam Vol. I, Appendix II) indicates that norflurazon and desmethyl norflurazon are not recovered using PAM, Vol. I Multiresidue Protocol E Sections 303 or 304 and recoveries using Protocol D are variable.

# Storage Stability

The requirements for storage stability data are satisfied for the purposes of reregistration and support the previously submitted RAC residue studies. Residues of norflurazon and desmethyl norflurazon are stable in frozen storage for at least 12 months in apples and milk and at least 39 months on the following commodities: alfalfa forage and hay, almonds, apples, asparagus, cottonseeds, cranberries, grapes, oranges, peaches, peanut forage, peanut hay, peanut hulls, peanut nutmeats, raisins, soybean forage, soybean grain, soybean hay, and walnuts. In addition, these data adequately support the recently submitted grape processing study. However, additional storage stability data were

required to support the storage intervals for processed fractions of citrus (12 months), cottonseed (5 months), and soybeans (6 months). These data were submitted in 12/95 and are currently being reviewed by the Agency.

## Magnitude of the Residue in Meat, Milk, Poultry, and Eggs

There are established tolerances for residues of norflurazon and desmethyl norflurazon in milk and meat, fat, and meat by-products of poultry, cattle, hog, horses, goat, and sheep. Tolerances for residues of norflurazon in eggs have not been established.

The norflurazon Guidance Document (12/84) concluded that acceptable data were available to support the established tolerances on meat, milk, and poultry. The HED Metabolism Committee determined that the residues of concern in ruminant commodities are norflurazon and its desmethyl metabolite.

Since total radioactive residues were 0.462 ppm, 0.021 ppm, and 0.101 ppm in poultry liver, fat, and eggs, respectively, following an ca. 100x dosage of [14C-phenyl]-norflurazon to laying hens, the Agency concluded that there is no reasonable expectation of finite residues (40 CFR 180.6(a)(3)) and will not require the submission of a poultry feeding study; the tolerances on poultry commodities should therefore be revoked.

#### Magnitude of the Residue in Plants

The reregistration requirements for the magnitude of norflurazon residues in plants are fulfilled for almonds, apples, apricots, asparagus, avocados, blackberries, blueberries, cherries, citrus, cottonseed, cranberries, filberts, grapes, hops, nectarines, peaches, peanuts, pears, pecans, plums, raspberries, soybeans, soybean forage and hay, and walnuts. Adequate field trial data depicting residues of norflurazon and its desmethyl metabolite following applications made according to the maximum registered use patterns have been submitted for these commodities. Geographical representation is adequate and a sufficient number of trials reflecting representative formulation classes were conducted. Additional data are required on cotton gin by-products. No data are available for cotton-gin byproducts (formerly called cotton gin trash). Based on the revised Table II Residue Chemistry, September 1995, data are required on residues of norflurazon in/on cotton-gin byproducts harvested at normal maturity from plants treated at the

maximum seasonal application rate (2 lb ai/A/season). The cotton must be harvested by commercial equipment (or a simulation thereof) to provide an adequate representation of plant residue from the ginning process. The data should reflect three cropfield trials on stripped cotton and three picked cotton and represent the major U.S. cotton growing regions.

# Magnitude of the Residue in Processed Food/Feed

The reregistration requirements for the magnitude of the norflurazon residue in processed food/feed commodities are fulfilled for apples, grapes, hops, and plums. The registrant has submitted supplemental storage stability data for citrus, cottonseed, and soybean processed fractions which are currently being reviewed by the Agency. A summary of the available data and reregistration status for each commodity is presented below.

Apple: The norflurazon Guidance Document (12/84) required apple processing data. The Agency subsequently waived this data requirement because no detectable residues were found in/on apples treated at up to 3x the maximum registered use rate.

<u>Citrus</u>: Acceptable residue data are available for purposes of the risk assessment. However, for purposes of reregistration, acceptable data depicting the frozen storage stability of norflurazon and its desmethyl metabolite in citrus processed commodities for ca. 12 months are required.

The data indicated that the combined residues of norflurazon and desmethyl norflurazon concentrated 5.9x in citrus oil following two preemergence soil applications of the 80% DF formulation at an exaggerated rate of 5x. Provided that storage stability issues are adequately resolved, the data indicate that a 701 Maximum Residue Limit (MRL) for the combined residues of norflurazon and desmethyl norflurazon in/on citrus oil at 0.7 ppm is required. Citrus molasses is no longer considered a significant feed item (Table II, September 1995), and no tolerances are therefore necessary.

<u>Cottonseed</u>: Acceptable residue data are available for purposes of the risk assessment. However, for purposes of reregistration, acceptable data depicting the frozen storage stability of norflurazon and its desmethyl metabolite in cottonseed processed commodities for ca. 5 months are required. Residues of norflurazon and its desmethyl

metabolite were not detected in cottonseed samples that had been treated with a single preemergence soil application of the 80% DF formulation at an exaggerated rate of up to 5x nor were any residues detected in any fraction processed from treated cottonseed (i.e., seeds, hulls, meal, oil, and soapstock) (detection limit of 0.02 ppm). Provided that storage stability issues are adequately resolved, the data indicate that no food/feed additive tolerances are required for cottonseed processed commodities.

Grape: Acceptable residue data are available for grape processed commodities. The combined residues of norflurazon and its desmethyl metabolite in two samples each of raisins, wet pomace, dry pomace, or juice processed from grapes bearing detectable residues following treatment with a single preemergence soil application of the 80% DF formulation at an exaggerated rate of up to 5x were measured at <0.02 ppm. Combined residues in raisin waste were 0.265-0.320 ppm. However, raisin waste (wet pomace and dry pomace) are no longer considered significant feed items. These data indicate that food/feed additive tolerances are not needed for any processed grape commodity.

Plum: Data from a plum processing study (fresh prunes) indicated that no measurable weathered residues occur in plums (fresh prunes) treated at up to 3x the maximum registered use rate. Although the 3x application rate is less than OPP/HED's maximum theoretical concentration factor for plums/prunes, the processing study data available from grapes processed into raisins (considered similar to processing plums into fresh prunes) indicate that no concentration in fresh prunes is likely. No food/feed additive tolerances are required.

<u>Soybean</u>: Acceptable residue data are available for purposes of the risk assessment. However, for purposes of reregistration, acceptable data depicting the frozen storage stability of norflurazon and its desmethyl metabolite in soybean processed commodities are required.

The combined residues of norflurazon and its desmethyl metabolite in two samples each (one from each test) were as follows: soybean hulls, <0.045 and <0.066 ppm; meal, 0.065 and <0.104 ppm; crude and refined oil, <0.04 ppm; and soapstock, <0.04 and <0.052 ppm. The commodities were processed from soybeans treated with a single preemergence soil application of the 80% DF formulation at 2 or 6 lb ai/A (1x and 3x). The Agency concluded that because the 3x treatment rate reportedly affected the growth of the soybeans, the 3x data should not be used to determine if concentration occurs. Therefore,

provided that storage stability issues are adequately resolved, the available data indicate that combined residues of norflurazon and its desmethyl metabolite do not concentrate in soybean hulls, meal, crude oil, refined oil, or soapstock and that food/feed additive tolerances are not required. Also, the Agency has concluded that residue data on the aspirated grain fraction is not required due to the early season use of norflurazon.

## **Confined Rotational Crops**

The nature of the residue in rotational crops is adequately understood. Norflurazon and its desmethyl metabolite are the residues of concern. Sandoz submitted a confined rotational crop study that was reviewed by the Agency. After the submission of additional information to the Agency, the study was deemed adequate. The Agency concluded that the data requirement for confined rotational crops was satisfied, and that a limited field trial in rotational crops study was required.

## Field Rotational Crops

Limited field trial data were submitted depicting residues of norflurazon and desmethyl norflurazon in rotational crops planted following a single application of the 80% DF to cotton. The data from the limited field trial indicated that there are detectable residues in rotated crops after a 12-month rotational interval. The Agency required extended field trials for root and tuber vegetables, leafy vegetables, and cereal grains to support a 12-month rotational interval and recommended that a study protocol be submitted for review prior to commencing the studies. A study protocol was reviewed by the Agency and found acceptable providing the registrant follows the Agency's comments and recommendations. In April 1995, the registrant initiated the extended field trials. The final report is due in March 1998.

## b. Occupational and Residential

All products containing norflurazon are intended primarily for occupational use. At this time no products containing norflurazon are intended for homeowner use. None of the registered occupational uses are likely to involve applications at residential sites.

The Agency has determined that there is a potential exposure to mixers, loaders, applicators, or other handlers during registered usepatterns associated with norflurazon. Specifically, the Agency is

concerned about potential exposures to handlers during the mixing, loading, flagging, and applying of norflurazon for groundboom, droptype spreader, ring-drench, rights-of-way, backpack, low-pressure handwand, chemigation, and aerial applications.

#### Handler (Mixer/Loader and Applicator) Exposure

Generic data from the Pesticide Handler Exposure Database (PHED) version 1.1 were used to determine the potential exposure values for the specified uses of norflurazon.

Based on the use patterns and potential exposures described above, eight major exposure scenarios were identified for norflurazon: a) mixing/loading the granular formulation for drop-type spreader and aerial applications; b) mixing/loading the dry flowable formulation for groundboom and aerial applications; c) mixing/loading the dry flowable formulation for chemigation application; d) applying the granular formulation with a drop type spreader and with aerial equipment; e) applying the dry flowable formulation with groundboom and aerial equipment; f) applying the dry flowable formulation with the rights-ofway equipment; g) flagging for aerial application of the granular formulation; h) flagging for aerial application of the dry flowable formulation; i) mixing, loading, and applying the dry flowable formulation for low-pressure handwand application; i) mixing, loading, and applying the dry flowable formulation for backpack application; and k) mixing, loading, and applying the dry flowable formulation for ring-drench application.

The potential daily dermal dose is calculated using the following formula:

Potential Daily Dermal Dose 
$$\left(\frac{mg}{Kg\ Day}\right)$$
 = Daily Dermal Exposure  $\left(\frac{mg}{Day}\right) \cdot \left(\frac{1}{Body\ Weight\ (Kg)}\right)$ 

These calculations of potential daily dermal dose of norflurazon received by handlers are used to assess the risk to those handlers. It should be noted that relative to dermal exposures, the estimated inhalation exposures for norflurazon are considered insignificant.

The potential exposure estimates for the above mentioned exposure scenarios are presented in Table III. Table IV summarizes the quality of this exposure data.

Short and Intermediate-Term Occupational Exposure to Norflurazon. Table III.

| 8                               | 11:                             | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | nontra long of some              | and minister has a material              | from mono maining            | Miver/loader accessments are from                       |
|---------------------------------|---------------------------------|-----------------------------------------|----------------------------------|------------------------------------------|------------------------------|---------------------------------------------------------|
| No data                         | No data                         | No data                                 | No data                          | No data                                  | No data                      | Ring Drench (dry flowable)                              |
| 0.14                            | 12.0                            | 2                                       | 2.4                              | 30.2                                     | 2.5 (gloves)                 | Backpack Sprayer (Field Grown<br>Nursery)               |
| 0.15                            | 19.7                            | 2                                       | 2.4                              | 31.2                                     | 4.1 (gloves)                 | Low Pressure Handwand (Field<br>Grown Nursery)          |
|                                 |                                 |                                         | Mixer/Loader/Applicator          | Mixer/Loac                               | · .                          |                                                         |
| 0.47                            | 16                              | 800                                     | 1.97                             | 0.3                                      | 0.01                         | Flagging (liquid spray)                                 |
| 1.9                             | 19                              | 800                                     | 8.0                              | 0,3                                      | 0.003                        | Flagging (granular)                                     |
|                                 |                                 |                                         | Flagger                          | Fi                                       |                              |                                                         |
| 0.47                            | 79                              | 800                                     | 1.97                             | 0.3                                      | 0.05                         | Aerial (liquid spray)                                   |
| 8.3                             | 12.8                            | 800                                     | 8.0                              | 1.3                                      | 0.002                        | Aerial (granular)                                       |
| 0.44                            | 6.3                             | 80                                      | 7.86                             | 0.7                                      | 0:01                         | Groundboom (dry flowable)                               |
| 0.77                            | 6.4                             | . 80                                    | 8.0                              | 1.2                                      | 0.01                         | Granular drop-type spreader                             |
| 0.16                            | 48                              | 10                                      | 4.0                              | 3,9                                      | 1.2                          | Rights-of-way Sprayer                                   |
|                                 |                                 |                                         | Applicator                       | App                                      |                              |                                                         |
| 1.26                            | 220                             | 800                                     | 3.93                             | 0.8                                      | 0.07                         | Mixing/loading dry flowables for chemigation            |
| 1.26                            | 110                             | 800                                     | 1.97                             | 0.8                                      | 0.07                         | Mixing/loading dry flowables for aerial application     |
| 0.5                             | 44                              | 80                                      | .7.86                            | 0.8                                      | 0.07                         | Mixing/loading dry flowables for groundboom application |
| 10.9                            | 38                              | 800                                     | 8.0                              | 1.7                                      | 0.006                        | Mixing/loading granulars for aerial application         |
| 1.09                            | 3.8                             | 08                                      | 8.0                              | 1.7                                      | 900'0                        | Mixing/loading granulars for drop<br>type spreader      |
|                                 |                                 | ,                                       | Mixer/Loader                     | Mixe                                     |                              |                                                         |
| Exposure <sup>(8</sup> (mg/day) | Exposure <sup>28</sup> (mg/day) | Area Frestod" (Acres)                   | Application Rate<br>(Ib at Acre) | Unit Exposure <sup>6</sup><br>(µg/lb/at) | Unit Exposure*<br>(mg/lb/ai) | ourrous area for                                        |
|                                 | - 6                             | F 11 42                                 |                                  | 7111                                     | 1 4 7 4                      |                                                         |

Mixer/loader assessments are from using open mixing systems and using long pants, long-sleeve shirts, and chemical-resistant gloves. The application and flagger assessments are from using open tractor cabs and open cockpits and using long-sleeve shirts (no gloves). The mixer/loader/applicator assessments are from using hand-held equipment and long-sleeve shirt, long pants, and chemical-resistant gloves.

No respirator.

Label Reg No. 55947-57, 55947-78, 55947-154, 55947-77.

- Values represent the maximum area or the maximum volume of spray solution which can be used in a single day to complete treatments for each exposure seenario of
- Daily dormal exposure (mg/day) = Dermal Unit Exposure (mg/lb ai) \* Maximum Application Rate (lb ai/acre) \* Maximum Area Treated (acres/day).

  Daily inhalation exposure (mg/day) = Inhalation Unit Exposure (ug/lb ai) \* (1mg/1000ug) Unit Conversion \* Maximum Application Rate (1b ai/acre) \* Maximum Area
  - Treated (acres/day).
    - The exposure assessment was based on the minimum PPE that must appear on any label.

Table IV. Exposure Scenario Descriptors for Use of Norflurazon.

| Exposure Susperio                                       | Data Source  | Standard Assumptions*<br>(8-hr work day) | Comments                                                                                                                                                                      |
|---------------------------------------------------------|--------------|------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                         |              | V                                        | Mixer/Loader                                                                                                                                                                  |
| Mixing/loading granulars for drop type spreader         | PHED VI.1    | 80 acres                                 | Baseline: Dermal and inhalation grades acceptable. Dermal = 29 to 45 replicates; Inhalation = 58 replicates. High confidence in dermal and inhalation data.                   |
| Mixing/loading granulars for acrial application         | PHED V1.1    | 800 acres                                | Baseline: Dermal and inhalation grades acceptable. Dermal = 29 to 45 replicates; Inhalation = 58 replicates. High confidence in dermal and inhalation data.                   |
| Mixing/loading dry flowables for groundboom application | PHED V1.1    | 80 acres                                 | Baseline: Dermal and inhalation grades acceptable. Dermal = 19 to 26 replicates; Inhalation = 23 replicates. High confidence in dermal and inhalation data.                   |
| Mixing/loading dry flowables for aerial application     | PHED V1.1    | 800 acres                                | Baseline: Dermal and inhalation grades acceptable. Dermal = 19 to 26 replicates; Inhalation = 23 replicates. High confidence in dermal and inhalation data.                   |
| Mixing/loading dry flowables for ohemigation            | PHED V1.1    | 800 acres                                | Baseline: Dermal and inhalation grades acceptable. Dermal = 19 to 26 replicates; Inhalation = 23 replicates. High confidence in dermal and inhalation data.                   |
|                                                         |              |                                          | Applicator                                                                                                                                                                    |
| Rights-of-Way Sprayer                                   | PHED<br>V1.1 | 10 aores                                 | Baseline: Dermal and inhalation grades acceptable. Dermal = 0 to 16 replicates; Inhalation = 16 replicates. Low confidence in dermal and high confidence for inhalation data. |
| Granular drop-type spreader                             | PHED V1.1    | 80 acres                                 | Baseline: Dermal and inhalation grades acceptable. Dermal = 4 to 5 replicates; Inhalation = 5 replicates. Low confidence in dermal and inhalation data.                       |
| Groundboom (dry flowable)                               | PHED V1.1    | 80 acres                                 | Baseline: Dermal and inhalation grades acceptable. Dermal = 23 to 42 replicates; Inhalation = 22 replicates. High confidence in dermal and inhalation data.                   |
| Acrial (granular)                                       | PHED V1.1    | 800 acres                                | Baseline: Dermal and inhalation all grades. Dermal = 4 to 13 replicates; Inhalation = 13 replicates. Low confidence in dermal and inhalation data.                            |
| Acrial (liquid spray)                                   | PHED VI.1    | 800 aores                                | Baseline: Dermal grades A, B, C and inhalation all grades. Dermal = 9 to 17 replicates; Inhalation = 17 replicates. Low confidence in dermal and inhalation data.             |
|                                                         | 2            |                                          | Flagger                                                                                                                                                                       |
| Flagging (granular)                                     | PHED V1.1    | 800 aores                                | Baseline: Dermal and inhalation all grades. Dermal = 4 to 20 replicates; Inhalation = 4 replicates. Low confidence in dermal and inhalation data.                             |
| Flagging (liquid spray)                                 | PHED V1.1    | 800 aores                                | Baseline: Dermal and inhalation grades acceptable. Dermal = 16 to 18 replicates; Inhalation = 18 replicates. High confidence in dermal and inhalation data.                   |
|                                                         |              | Mixer/I                                  | Mixer/Loader/Applicator                                                                                                                                                       |
| Low Pressure Handwand (Field Grown<br>Nursery)          | PHED V1.1    | 2 aores                                  | Baseline: Dermal all grades and inhalation grades acceptable. Dermal = 15 to 96 replicates; Inhalation = 96 replicates. Low confidence in dermal and inhalation data.         |
| Backpack Sprayer (Field Grown Nursery)                  | PHED V1.1    | 2 aores                                  | Baseline: Dermal grades A,B,C and inhalation grades acceptable. Dermal = 9 to 11 replicates;<br>Inhalation = 11 replicates. Low confidence in dermal and inhalation data      |
| Ring Drench (dry flowable)                              | No data      | No data                                  | Baseline: No data.                                                                                                                                                            |
|                                                         |              |                                          |                                                                                                                                                                               |

Standard Assumptions based on a 8-hr work day as estimated by OREB. BEAD data were not available.
"Acceptable grades," as defined by OREB SOP for meeting Subdivision U Guidelines, are grades A and B. All grades that do not meet OREB's SOP are listed individually.

#### Post-Application Exposure

There are no data available to address post application exposure for persons reentering areas treated with norflurazon. Based on the use patterns, post-application exposures are expected, particularly following applications in nurseries.

#### 3. Risk Assessment

#### a. Dietary

Tolerances for norflurazon residues in/on agricultural and animal commodities are published in 40 CFR §180.356, in processed food in §185.4450, and in feed in §186.4450. The available data support the established tolerances on all commodities except hops, citrus oil, and poultry. Changes in the tolerance for citrus oil were not reflected in the DRES analysis since citrus oil is not a DRES commodity; the Agency concluded that poultry commodities are a 40 CFR 180.6(a)(3) situation and the tolerances on poultry commodities should therefore be revoked; Thus, for the purposes of this analysis, only the tolerance for hops was reassessed from 3 ppm to 2 ppm. As hops are now considered a RAC in both the fresh (green) and dried forms, the 1.0 ppm tolerance for hops, green and the 3 ppm tolerance for hops, dried (§185.4550) should be revoked, and a regional 2 ppm tolerance for hops (green and dried) should be established in §180.356(x).

Tolerance level residues and 100 percent crop treated assumptions were made for all commodities. No anticipated residue (AR) information was used in this analysis.

# **Acute Dietary Risk**

The Agency does not have a concern for the acute dietary margin of exposure (MOE) for norflurazon. This is demonstrated by the MOE of 5,000 for females of child-bearing age when considering both the established and the proposed tolerances in the exposure assessment.

# **Chronic Dietary Risk**

The chronic analysis for norflurazon is a worst case estimate of dietary exposure with all residues at tolerance level and 100 percent of the commodities assumed to be treated with norflurazon. Based on the

exposure estimates in this analysis, chronic dietary risk from the uses of norflurazon being considered for reregistration is not of concern.

A DRES chronic exposure analysis was performed to estimate the Theoretical Maximum Residue Contribution (TMRC) for the general population and 22 subgroups. This analysis results in a TMRC which is 10% of the RfD for the U.S. general population. For the highest subgroup, non-nursing infants (<1 year old), this subgroup's TMRC is 47% of the RfD.

# b. Occupational and Residential

# Risk from Occupational Exposures

Risk (MOE) is calculated as follows:

MOE = NOEL / Potential Daily Dermal Dose.

The NOEL for norflurazon is 375 mg/kg/day. It is a systemic NOEL from a 21-day dermal study.

MOEs, using occupational exposures as described in Table III, were estimated for handlers, and are presented in Table V.

The MOEs for short and intermediate-term occupational exposure subchronic systemic effects are greater than 100 for the exposure scenarios considered. There are no exposure data for the ring-drench application method. However, with the current information the Agency has about the ring drench method of application, ring-drench handlers would likely receive less exposure than from rights-of-way handlers using a hose or cannon on a truck. Since exposure to handlers for the rights-of-way use of norflurazon has been calculated to yield a margin of exposure greater than 100, the Agency expects the handler exposure for the ring drench method of application would also exceed 100. However, the Agency will impose a chemical-resistant glove requirement for ring-drench handlers, due to the lack of exposure data and the fact that chemical-resistant gloves are required for both the other mixer/loader/applicator scenarios.

Handler exposure studies are not required for norflurazon at this time.

#### Risk from Post-Application Exposure

There are no data available to address post application exposure for persons reentering areas treated with norflurazon. However, the Agency notes that: (1) the toxicological endpoint is based on relatively minor systemic effects, (2) the effects were observed at the dose-level of 1000 mg/kg/day, and (3) the MOEs for all handlers (using the NOEL of 375) were greater than 100 without the use of additional PPE, other than chemical-resistant gloves. These considerations have led the Agency to conclude that the risks from post-application exposures to norflurazon would be acceptable, provided entry does not occur immediately following application. Therefore, post-application exposure data are not required at this time.

Table V. Occupational Risks Associated with Uses of Norflurazon.

| Expisure Scenario                                       | Duily Dermal Dosē<br>(mg/kg/day) | Dermal<br>MOE |
|---------------------------------------------------------|----------------------------------|---------------|
| Mixer/Loa                                               | der                              |               |
| Mixing/loading granulars for drop type spreader         | 0.055                            | 6800          |
| Mixing/loading granulars for aerial application         | 0.55                             | 680           |
| Mixing/loading dry flowables for groundboom application | 0.63                             | 600           |
| Mixing/loading dry flowables for aerial application     | 1.6                              | 240           |
| Mixing/loading dry flowables for chemigation            | 1.6                              | 240           |
| Applicat                                                | or                               |               |
| Rights-of-Way Sprayer                                   | 0.69                             | 543           |
| Granular drop type spreader                             | 0.091                            | 4100          |
| Groundboom (dry flowable)                               | 0.09                             | 4200          |
| Aerial (granular)                                       | 0.18                             | 2050          |
| Aerial (liquid spray)                                   | 1.1                              | 330           |
| Flaggei                                                 |                                  |               |
| Flagging (granular)                                     | 9.27                             | 1400          |
| Flagging (liquid spray)                                 | 0.23                             | 1700          |
| Mixer/Loader/A                                          | Applicator                       |               |
| Low Pressure Handwand (Field Grown Nursery)             | 0.28 (gloves)                    | 1,339         |
| Backpack Sprayer (Field Grown Nursery)                  | 0.17 (gloves)                    | 2,206         |
| Ring Drench (dry flowable)                              | No data                          | No Data       |

Mixer/loader assessments are from using open mixing systems and using long pants, long-sleeve shirts, and chemical-resistant gloves. The application and flagger assessments are from using open tractor cabs and open cockpits. and using long pants and long-sleeve shirts (no gloves). The mixer/loader/applicator assessments are from using hand-held equipment and long-sleeve shirt, long pants, and chemical-resistant gloves.

b Potential Daily Dermal Dose = Daily Dermal Exposure/Body Weight. Default body weight is 70 kg.

MOE = NOEL / Potential Daily Dermal Dose. NOEL = 375 mg/kg/day (systemic NOEL from a 21-day dermal study). In comparison to the dermal route of exposure, inhalation exposure is considered insignificant.

# C. Environmental Assessment

# 1. Ecological Toxicity Data

## a. Toxicity to Terrestrial Animals

## (1) Birds, Acute and Subacute

In order to establish the toxicity of norflurazon to birds, the following tests are required using the technical grade material: one avian single-dose oral ( $LD_{50}$ ) study on one species (preferably mallard or bobwhite quail); two subacute dietary studies ( $LC_{50}$ ) on one species of waterfowl (preferably the mallard duck) and one species of upland game bird (preferably bobwhite quail).

|                |           | Avina Acute Oral Toxic | ity Findings                   |                      |                                      |
|----------------|-----------|------------------------|--------------------------------|----------------------|--------------------------------------|
| Species        | % A.I.    | LD <sub>58</sub> mg/kg | MRID No.<br>Author/Year        | Toxicity<br>Category | Fulfills<br>Guideline<br>Requirement |
| Mallard Duck   | Technical | > 2510                 | 00048362, Fink<br>et al./1980  | Practically nontoxic | Yes                                  |
| Mallard Duck   | 80        | > 1000                 | 00092234<br>Shellenberger/1971 | Slightly toxic       | Yes for<br>formulated<br>product     |
| Bobwhite Quail | 80        | > 1000                 | 00092234<br>Shellenberger/1971 | Slightly toxic       | Yes for<br>formulated<br>product     |

|                   | Ą         | rian Subacute D      | ictary Toxicity Finding | 55                   |                                   |
|-------------------|-----------|----------------------|-------------------------|----------------------|-----------------------------------|
| Species           | % A.I.    | LC <sub>50</sub> ppm | MRID No.<br>Author/Year | Toxicity<br>Category | Fulfills Guideline<br>Requirement |
| Northern Bobwhite | Technical | > 10,000             | 00037051<br>Fink/1972   | Practically nontoxic | Yes                               |
| Mallard Duck      | Technical | > 10,000             | 00077292<br>Fink/1972   | Practically nontoxic | Yes                               |

These results indicate that norflurazon is practically nontoxic to avian species on an acute oral and subacute dietary basis. The guideline requirements are fulfilled. (MRID 00048362, 00037051 & 00077292)

### (2) Birds, Chronic

Avian reproduction studies are required when birds may be exposed to a pesticide repeatedly or continuously through persistence, bioaccumulation, or multiple applications; or if mammalian reproduction tests indicate reproductive hazard. Norflurazon is persistent; therefore, avian reproduction studies were required.

|                      |        |          | Avian Reproduction                         | Toxicity Findings        |                                    |                                                        |
|----------------------|--------|----------|--------------------------------------------|--------------------------|------------------------------------|--------------------------------------------------------|
| Species              | % A.I. | NOEC ppm | LOEC ppm                                   | Endpoints affected       | MRID No.<br>Author/Year            | Fulfills Guideline<br>Requirement                      |
| Northern<br>Bobwhite | 99.4   | 40       | 200                                        | Reduced hatching success | 42615301<br>Beavers<br>et al./1992 | Yes                                                    |
| Mallard Duck         | 99.4   | 40       | 200                                        | Hatchling weight         | 42615302<br>Beavers<br>et al./1992 | Yes                                                    |
| Northern<br>Bobwhite | 98.8   | 40       | > 40 ppm (two test<br>levels - 4 & 40 ppm) | None                     | 00039222<br>Fink/1972              | No - this study will<br>be considered<br>supplemental. |
| Mallard Duck         | 98.8   | 40       | > 40 ppm                                   | None                     | 00037051<br>Fink/1972              | No - considered<br>supplemental                        |

These studies indicate that avian reproductive effects may occur at levels as low as 200 ppm. The guideline requirements are fulfilled. (MRID 42615301 & 42615302)

## (3) Mammals

Wild mammal testing is required on a case-by-case basis, depending on the results of the lower tier studies such as acute and subacute testing, intended use pattern, and pertinent environmental fate characteristics. Acute toxicity studies show that norflurazon is not acutely toxic to the animals tested to date. Based on these conclusions and expected exposure, wild animal testing was not required for norflurazon.

In most cases, an acute oral  $LD_{50}$  from the Agency's Health Effects Division (HED) is used to determine toxicity to mammals. This  $LD_{50}$  is reported below.

| Mammalian Acute              | Oral Texicity Findings |          |                      |
|------------------------------|------------------------|----------|----------------------|
| Species                      | LD <sub>50</sub> mg/kg | MRID#    | Toxicity<br>Category |
| Rat (small mammal surrogate) | 9300                   | 00111612 | Practically nontoxic |

The available mammalian data indicate that norflurazon is practically nontoxic to small mammals on an acute oral basis. (MRID 00111612)

#### (4) Insects

A honey bee acute contact LD<sub>50</sub> study is required if the proposed use will result in honey bee exposure.

|           | Nonte                      | rget Insect Acute Cor          | itact Toxicity Findia   | igs                  |                                   |
|-----------|----------------------------|--------------------------------|-------------------------|----------------------|-----------------------------------|
| Species   | % AI LD <sub>50</sub> μg a |                                | MRID No.<br>Author/Year | Toxicity<br>Category | Fulfills Guideline<br>Requirement |
| Honey Bee | 97.6 & 80                  | > 235 & > 90<br>(respectively) | 00146168<br>Atkins/1985 | Practically nontoxic | Yes                               |

There is sufficient information to characterize norflurazon as practically nontoxic to bees. The guideline requirement is fulfilled. (MRID 00146168)

## b. Toxicity to Aquatic Animals

#### (1) Freshwater Fish

In order to establish the toxicity of a pesticide to freshwater fish, the minimum data required on the technical grade of the active ingredient are two freshwater fish toxicity studies. One study should use a cold-water species (preferably the rainbow trout), and the other should use a warm-water species (preferably the bluegill sunfish).

|                  |           | Freshwater Fi             | sh Acute Toxicity Findings         |                      |                                   |
|------------------|-----------|---------------------------|------------------------------------|----------------------|-----------------------------------|
| Species          | % A.I.    | LC <sub>50</sub> ppm a.i. | MRID No.<br>Author/Year            | Toxicity<br>Category | Fulfills Guideline<br>Requirement |
| Rainbow trout    | 98.6      | 8.1                       | 00087863 Stoll et al./<br>1981     | Moderately toxic     | Yes                               |
| Bluegill Sunfish | 98.6      | 16.3                      | 00087862 Stoll et al./ 1981        | Slightly toxic       | Yes                               |
| Rainbow trout    | Technical | N/A                       | 00049204 Vilkas &<br>Seminara/1980 | N/A                  | No                                |
| Bluegill sunfish | Technical | N/A                       | 00048361 Vilkas &<br>Seminara/1980 | N/A                  | No                                |

The results of the 96-hour acute toxicity studies indicate that norflurazon is moderately to slightly toxic to fish. The guideline requirements are fulfilled. (MRID 00087863 & 00087862)

Data from fish early life-stage tests are required if any of the following criteria are met:

- o if the product is applied directly to water or expected to be transported to water from the intended use site;
- o if the pesticide is intended for use such that its presence in water is likely to be continuous or recurrent, regardless of toxicity;
- o if any acute LC<sub>50</sub> or EC<sub>50</sub> is less than 1 mg/L;
- $\circ$  if the EEC in water is equal to or greater than 0.01 of any acute EC<sub>50</sub> or LC<sub>50</sub> value;
- o if the actual or estimated environmental concentration in water is less than 0.01 of any acute  $EC_{50}$  or  $LC_{50}$  value and any of the following conditions exist: a) studies of other organisms indicate the reproductive physiology of fish and/or invertebrates may be affected; or b) physicochemical properties indicate cumulative effects; or c) the pesticide is persistent in water (e.g. half-life greater than 4 days).

Using these criteria, fish early-life stage testing was required for norflurazon.

|                |        |          | Fish Early  | Life-Stage     | Taxicity Findings                  |                                   |                                   |
|----------------|--------|----------|-------------|----------------|------------------------------------|-----------------------------------|-----------------------------------|
| Species        | % A.I. | NOEC ppm | LOEC<br>ppm | MATC<br>ppm    | MRID No.<br>Author/Year            | Endpoints<br>Affected             | Fulfills Guideline<br>Requirement |
| Rainbow trout  | 96.6   | 0.77     | 1.5         | >0.77,<br><1.5 | 00248839<br>EG&G<br>Bionomics/1982 | Survival & growth of larvae       | Yes                               |
| Fathead Minnow | 96.6   | 1.1      | 2.1         | >1.1,<br><2.1  | 00248828<br>EG&G<br>Bionomics/1982 | Weight &<br>length<br>development | Yes                               |

The results indicate that adverse chronic effects to fish may occur at levels as low as 1.5 ppm. The guideline requirement is fulfilled. (MRID 00248839 & 00248828)

## (2) Freshwater Invertebrates

The minimum testing required to assess the hazard of a pesticide to freshwater invertebrates is a freshwater aquatic invertebrate toxicity test, preferably using first in-star *Daphnia magna* or early in-star amphipods, stoneflies, mayflies, or midges.

|               | Fresh  | water Invertebrat    | e Toxicity Findings     |                      |                                   |
|---------------|--------|----------------------|-------------------------|----------------------|-----------------------------------|
| Species       | % A.I. | EC <sub>so</sub> ppm | MRID NO.<br>Author/Year | Toxicity<br>Category | Fulfills Guideline<br>Requirement |
| Daphnia magna | 99.4   | > 15<br>(NOEC = 15)  | 00035709<br>Vilkas/1980 | Slightly<br>toxic    | Yes                               |

There is sufficient information to characterize norflurazon as slightly toxic to aquatic invertebrates. The guideline requirement is fulfilled. (MRID 00035709)

Aquatic invertebrate life-cycle tests are required if the criteria specified for the fish early life stage test are met.

Therefore, aquatic invertebrate life-cycle testing was required.

|               |        | Aquatic  | Invertebrat <b>e</b> | Life-Cycle T | oxicity Findings                   |                                   |                                      |
|---------------|--------|----------|----------------------|--------------|------------------------------------|-----------------------------------|--------------------------------------|
| Species       | % A.I. | NOEC ppm | LOEC<br>ppm          | MATC<br>ppm  | ACC. No.<br>Author/Year            | Endpoints<br>Affected             | Fulfills<br>Guideline<br>Requirement |
| Daphnia magna | 96.6   | 1.0      | 2.6                  | > 1.0, < 2.6 | FAONOR03<br>EG&G<br>Bionomics/1983 | % survival & offspring production | Yes                                  |

The results indicate that chronic adverse effects to aquatic invertebrates may occur at levels as low as 2.6 ppm. The guideline requirement is fulfilled. (ACC.# FAONOR03)

## (3) Estuarine and Marine Animals

Acute toxicity testing with estuarine and marine organisms is required when an end-use product is intended for direct application to the marine/estuarine environment or is expected to reach this environment in significant concentrations. Norflurazon is to be aerially applied to crops associated with estuarine and marine habitats (citrus, cotton, cranberries and soybeans) and it is persistent in water. Consequently, estuarine/marine toxicity studies were required.

The requirements under this category include a 96-hour  $LC_{50}$  for an estuarine fish, a 96-hour  $LC_{50}$  for shrimp, and either a 48-hour embryo-larvae study or a 96-hour shell deposition study with oysters.

| Estuarine/Marine Acute Toxicity Findings |        |                                           |                                      |                      |                                   |  |  |
|------------------------------------------|--------|-------------------------------------------|--------------------------------------|----------------------|-----------------------------------|--|--|
| Species                                  | % A.I. | LC <sub>50</sub> /EC <sub>50</sub> (mg/L) | MRID No.<br>Author/Year              | Toxicity<br>Category | Fulfills Guideline<br>Requirement |  |  |
| Atlantic oyster embryo larvae            | 98.8   | NOEL > 10 mg/L                            | 00045704<br>Bentley/1973             | Slightly<br>toxic    | Yes                               |  |  |
| Mysid (Mysidopsi bahia)                  | 99.4   | 5.53 (NOEC = 2.29)                        | 42080402<br>Reed et al./1991         | Moderately<br>toxic  | Yes                               |  |  |
| Sheepshead minnow                        | 99.4   | 9.58 (NOEC = 4.58)                        | 42080403<br>Reed et al./1991         | Moderately<br>toxic  | Yes                               |  |  |
| Eastern oyster shell<br>deposition       | 98.6   | 3.8 (NOEC = 1.2)                          | 43041802<br>Graves &<br>Swigert/1993 | Moderately<br>toxic  | Yes                               |  |  |
| Grass shrimp & mud crab                  | 98.8   | N/A                                       | 00158302<br>Bentley/1973             | N/A                  | No                                |  |  |

There is sufficient information to characterize norflurazon as slightly to moderately toxic to estuarine/marine organisms. The guideline requirement is fulfilled. (MRID 00045704, 42080402, 42080403, & 43041802)

## c. Toxicity to Plants

# (1) Terrestrial

Terrestrial plant testing is required for herbicides which have terrestrial non-residential outdoor use patterns and meet any of the following criteria:

o if the herbicide appears to move off site of application through volatilization (vapor pressure  $\geq 1.0 \times 10^{-5}$ mm Hg at 25°C) or drift (aerial or irrigation);

• if there are endangered or threatened plant species associated with the site of application.

Tier II seedling emergence, seed germination and vegetative vigor toxicity data on the technical material for the most sensitive species are listed below.

|                | Nont   | irget Terrestr                 | ial Plant Toxicity 1 | Sindings - Seedling Emergence |                          |  |  |
|----------------|--------|--------------------------------|----------------------|-------------------------------|--------------------------|--|--|
| Species % A    | % A.I. | Fresh Weig                     | ht                   | MRID Fulfills                 |                          |  |  |
|                |        | EC <sub>25</sub> lbs<br>a.i./A | NOEC lbs<br>a.i./A   | Author/Year                   | Guideline<br>Requirement |  |  |
| Dicot- radish  | 99.1   | 0.08                           | 0.0032               | 42080404 - Backus, 1991       | Yes                      |  |  |
| Monocot- onion | 98.6   | 0.034                          | 0.08                 | 43312501 - Backus, 1994       | Yes                      |  |  |
| Dicot- mustard | 98.6   | 0.002                          | 0.00064              | 43312501 - Backus, 1994       | Yes                      |  |  |

| Nontarget Terrestrial Plant Toxicity Findings Seed Germination |      |                                |                    |                                |                    |                         |                          |  |
|----------------------------------------------------------------|------|--------------------------------|--------------------|--------------------------------|--------------------|-------------------------|--------------------------|--|
| Species % A.I.                                                 |      | Radicle L                      | ength              | Seed germination               |                    | MRID                    | Fulfills                 |  |
|                                                                |      | EC <sub>25</sub> lbs<br>a.i./A | NOEC lbs<br>a.i./A | EC <sub>25</sub> lbs<br>a.i./A | NOEC lbs<br>a.i./A | Author/Year             | Guideline<br>Requirement |  |
| Dicot- radish                                                  | 99.1 | 0.1                            | 4.0                | > 100                          | 2.0                | 42080404 - Backus, 1991 | Yes                      |  |

|                 | Nont   | arget Terres                   | trial Plant Toxic  | ty Findings - Vegetative Vigo | Г                                 |  |
|-----------------|--------|--------------------------------|--------------------|-------------------------------|-----------------------------------|--|
| Species         | % A.I. | Fresh wei                      | ght                | MRID                          | Fulfills<br>Guideline Requirement |  |
|                 | ,      | EC <sub>25</sub> lbs<br>a.i./A | NOEC lbs<br>a.i./A | Author/Year                   |                                   |  |
| Dicot- cucumber | 99.1   | 0.06                           | 0.016              | 42080405 - Backus, 1991       | Yes                               |  |

The results indicate that exposure levels of norflurazon of 0.00065 lbs. a.i./A. or greater may cause detrimental effects to certain terrestrial plants. The guideline requirement for Tier II terrestrial plant testing is fulfilled. (MRID 42080405, 42080404, & 43312501)

#### (2) Aquatic

Aquatic plant testing is required for any herbicide which has outdoor non-residential terrestrial uses that may move offsite of application by runoff or by drift (aerial or irrigation). The following species should be tested: Kirchneria subcapitata (formerly known as Selenastrum capricornutum), Lemna gibba, Skeletonema costatum, Anabaena flos-aquae, and a freshwater diatom.

Tier II toxicity data on the technical material are listed below:

|                                                                               | N      | ontarget   | Aquatic Plant Tox | kicity Findings                        |                                    |
|-------------------------------------------------------------------------------|--------|------------|-------------------|----------------------------------------|------------------------------------|
| Species                                                                       | % A.I. | EC₅<br>ppb | NOEC ppb          | MRID Author/Year                       | Fulfills Guideline<br>Requirements |
| Lemna gibba                                                                   | 99.41  | 86         | 42.2              | 42080407 - Hughes &<br>Alexander, 1991 | Yes                                |
| Kirchneria subcapitata<br>(formerly known as<br>Selenastrum<br>capricornutum) | 99.41  | 13         | 6.23              | 42080406 - Hughes &<br>Alexander, 1991 | Yes                                |

The results indicate that exposure levels of 6.23 ppb or greater may cause significant detrimental effects to the growth and reproduction of certain aquatic plants. The guideline requirement is partially fulfilled. (MRID 42080406 & 42080407)

Aquatic plant testing on the following species should be submitted: Skeletonema costatum, Anabaena flos-aquae, and a freshwater diatom.

#### 2. Environmental Fate

#### a. Environmental Fate Assessment

The environmental fate of norflurazon is fairly well understood. In general, norflurazon may be described as a persistent and mobile compound. Ground water detections have been reported. Based on laboratory and field data, a Small-Scale Prospective Ground Water Monitoring study was required to better define the potential for norflurazon to contaminate ground water.

The primary route of dissipation appears to be photodegradation. In water, norflurazon degraded when exposed to natural sunlight with a half-life of less than three days. Norflurazon on soil photodegraded with a half-life of 12-15 days. The major degradates are desmethyl norflurazon, deschloroflurazon, and dimers of norflurazon. While photodegradation under laboratory conditions is fairly rapid, particularly in water, these degradative processes are mitigated somewhat under field conditions. Norflurazon reaching surface water or on the soil surface will photodegrade to some extent. However, it is likely that significant photolysis would occur only in the upper few centimeters because of low transmittance of UV light through soil as well as through natural waters with high dissolved and particulate organic loads. Once the compound moves below the surface of the water column or soil, photodegradation will cease.

Norflurazon does not undergo hydrolysis in sterile aqueous solutions of pH 5, 7, and 9. It is also persistent in aerobic soil and flooded aerobic sediment with half-lives of 130 days and 6-8 months, respectively. The degradates desmethyl norflurazon and CO<sub>2</sub> increased to 31-36% and 23-31% at 365 days, respectively in the aerobic soil study. Under anaerobic conditions, norflurazon is even more persistent with a half-life of 8 months in flooded loam sediment. Based on its pattern of formation and levels of accumulation, the degradate desmethyl norflurazon appears to be very persistent under both aerobic and anaerobic conditions.

Norflurazon can be generally characterized as mobile to very mobile in soil. Freundlich  $K_{ads}$  values ranged from 0.14-7.11 in two sands, a sandy loam, silt loam, clay loam and four loams. Binding appears to be positively correlated with organic matter, clay content, and cation exchange capacity. Desorption constants ranged from 1.4 to 10, indicating that any binding that does occur is reversible. Higher

Freundlich  $K_{ads}$  values were found with a clay and two peat soils, (peat soil is representative of the cranberry use area); 26, 72, and 63 respectively.

The mobility of the major degradate, desmethyl norflurazon, is not currently well defined, except in peat soils. Freundlich  $K_{ads}$  were 22 and 41 for a Wisconsin peat and a Washington peat, respectively. Based on these data, it can be concluded that desmethyl norflurazon is not mobile in high organic content peat soils.

The terrestrial field dissipation studies submitted to date have been of little value in helping to assess the persistence and mobility of norflurazon and desmethyl norflurazon in the field. Although the accuracy of the field data is questionable, the general indications are that norflurazon persists longer than one year in field soil and may potentially be mobile in some soils. The degradate, desmethyl norflurazon, is also persistent and may accumulate as a result of annual applications of norflurazon.

Fish accumulation data have shown that norflurazon has a low potential to bioaccumulate in bluegill sunfish. Bioconcentration factors ranged from 6 to 8x, 16 to 28x, and 30 to 59x for fillet, whole fish and viscera, respectively.

Norflurazon can contaminate surface water at application via spray drift. Substantial fractions of applied norflurazon could be available for runoff for several months post-application. The relatively low soil/water partitioning of norflurazon indicates that most of norflurazon runoff will generally be via dissolution in runoff water rather than via adsorption to eroding soil. The soil/water partitioning of norflurazon to high organic peat soils (representative of cranberry use areas) is substantially greater such that adsorption to eroding soil may also contribute substantially to the runoff from peat soils.

In most of the water column in surface waters with long hydrological residence times, norflurazon will probably be relatively persistent due to its resistance to abiotic hydrolysis, low volatilization potential (estimated Henry's Law constant of 2.49 X 10<sup>-10</sup> atm\*m³/mol) and relatively low susceptibility to degradation under aerobic conditions. Norflurazon may be even more persistent in typically anaerobic sediments because it appears to be even less susceptible to degradation under anaerobic conditions than under aerobic conditions. However, the relatively low soil/water partitioning of norflurazon

indicates that most of the norflurazon mass in surface waters will be dissolved in the water column as opposed to adsorbed to suspended and bottom sediment.

The primary degradate of norflurazon under both aerobic and anaerobic conditions appears to be desmethyl norflurazon, which is persistent. Consequently, substantial amounts in terms of applied parent should be available for runoff for several to many months postapplication.

Norflurazon is not currently regulated under the Safe Drinking Water Act (SDWA). Therefore no MCL has been established for it and water supply systems are not required to sample and analyze for it. In addition, the EPA's Office of Drinking Water has not developed any health advisory levels (HALs) for norflurazon. OPP has developed an estimated HAL of approximately 30 ppb that may be compared to levels found in ground water reported below.<sup>1</sup>

Data suggest that norflurazon leaches to ground water as a result of normal agricultural use. The Agency is therefore concerned about the impact of norflurazon on ground water quality. The registrant of norflurazon is currently performing ground water studies for the Agency and the State of Florida, to better evaluate the leaching potential of the herbicide. Appropriate mitigation measures, if any, will be determined on the basis of the results of these studies.

RFD= 
$$3.75 \text{ mg/kg/day}$$
 = 0.0375 mg/kg/day  
100 (safety factor)

DWEL= 
$$0.04 \text{ mg/kg/day}$$
 (70 kg adult) = 1.4 mg/L  
2 liters/day

$$HAL = 1.4 \text{ mg/L} \times 20\% = 0.280 \text{ mg/L} = 0.028 \text{ mg/L} (30 \text{ ppb})$$
  
 $10^{\circ}$   $10$ 

<sup>&</sup>lt;sup>1</sup> This estimated HAL was calculated using the NOEL (no effect level) of 3.75 mg/kg/day, assuming a 70 kg adult, 2 liters/day drinking water, and 20% exposure due to drinking water.

<sup>\*</sup>For class C carcinogens, the Office of Water applies an additional 10X safety factor to provide additional margin of safety to account for possible carcinogenic effects. The HAL is rounded off to 30 ppb.

#### b. Environmental Fate and Transport

## (1) Degradation

#### Hydrolysis

Norflurazon does not undergo hydrolysis in sterile aqueous solutions of pH 5, 7, and 9. 4,5-Pyridazinyl-labeled [14C]norflurazon at 0.1 ppm was stable in sterile aqueous buffered solutions adjusted to pH 5, 7, and 9 and incubated in the dark at 25°C for 30 days. During the study, norflurazon ranged from 97 to 99% of the applied and the material balances ranged from 95 to 102% of the applied. (MRID 00146165)

#### Photodegradation in Water

Norflurazon is very susceptible to photodegradation in water and degrades with a half-life of 2-3 days. Pyridazinyllabeled [ $^{14}$ C]norflurazon at 1 ppm degraded with a half-life of 2-3 days in sterile buffered aqueous solutions (pH 7) maintained at 25 °C  $\pm$  1 °C and irradiated with natural sunlight. At 6 days posttreatment, 7% of the applied [ $^{14}$ C]norflurazon remained undegraded in the irradiated samples compared to 95% undegraded in the dark control. Non-volatile degradates identified in the irradiated solutions included desmethyl norflurazon, deschloroflurazon and dimers of norflurazon, one of which was found at 16% at day 6. (MRID 00148311)

# Photodegradation on Soil

Exposure to natural sunlight enhances the degradation of norflurazon on soil. Pyridazinyl-labeled [14C] norflurazon at 5 lbs ai/A degraded with an initial half-life of 12-15 days on loam soil irradiated outdoors in sealed flasks with natural sunlight. At 24 days posttreatment, 47% of the applied remained undegraded in the irradiated soil compared to 96% undegraded in the dark control. The major degradate in the irradiated soil, desmethyl norflurazon, was detected at a maximum 6% of the applied (days 15-43). (MRID 00148311)

#### (2) Metabolism

#### Aerobic Soil Metabolism

Norflurazon is moderately persistent in loam soil. The degradate desmethyl norflurazon appears to be more persistent than parent. 4,5-Pyridazinyl-labeled [14C]norflurazon at 8.3 µg/g degraded with a half-life of 130 days in loam soil incubated at 22°C and 75% of 0.33 bar moisture. Norflurazon declined from 99% of the applied immediately posttreatment to 12-23% at 365 days posttreatment. The degradate desmethyl norflurazon increased from 1% of the applied immediately posttreatment to 31-36% at 365 days. At 365 days, <sup>14</sup>CO<sub>2</sub> totaled 23-31% of the applied (MRID 40079601)

#### Anaerobic Aquatic Metabolism

Norflurazon is persistent under anaerobic aquatic conditions with a half-life of approximately 8 months. 4,5-Pyridazinyl-labeled [14C]norflurazon at 8.3 µg/g degraded with a half-life of approximately 8 months in flooded loam sediment incubated in dim light at 22°C under anaerobic conditions. Norflurazon declined from 94% of the applied radioactivity immediately posttreatment to 41-45% at 365 days. The degradate desmethyl norflurazon reached a maximum concentration of 19% of the applied at 365 days. (MRID 40079601)

# Aerobic Aquatic Metabolism

Norflurazon is persistent under aerobic aquatic conditions with a half-life of approximately 6-8 months. 4,5-Pyridazinyllabeled [14C]norflurazon at 8.3 µg/g degraded with a half-life of approximately 6-8 months in a flooded loam sediment incubated in dim light at 22 °C under aerobic aquatic conditions. Norflurazon declined from 98% of the applied immediately posttreatment to 67% at 90 days. The degradate desmethyl norflurazon reached a maximum concentration of 11% of the applied at 90 days posttreatment. (MRID 40079601)

## (3) Mobility

#### Leaching and Adsorption/Desorption

Norflurazon is mobile in some soils, particularly those with low organic content, clay content and CEC's. Freundlich  $K_{ads}$  values for  $^{14}$ C-norflurazon were 0.716, 2.37, 2.51, 2.77, and 7.11 for a Moss Landing sand, Salinas sandy loam, Mississippi silt loam, Mississippi sediment, and Gilroy clay loam, respectively. Desorption equilibrium  $K_{des}$  values were 1.37, 4.12, 3.56, 3.74, and 10.0 respectively. The results indicate that norflurazon is not strongly adsorbed to the five soils tested and may be mobile in soils, particularly those with low clay content and cation exchange capacities (CEC's).

In the aged study, a 30-day aerobic soil incubation of norflurazon produced only 6% desmethyl norflurazon, with parent comprising over 93% of the radioactivity in the extract. This extract containing primarily norflurazon was then applied to the batch equilibrium system. The calculated partition coefficients are, therefore, largely attributable to parent norflurazon and not its major degradate. There was an insufficient amount of desmethyl norflurazon in the system to generate a reliable partition coefficient. (MRID 41986904)

Based on a batch equilibrium experiment, Freundlich  $K_{ads}$  values were 0.14 for a sandy soil, 1.9 for a loam sediment, 1.9-2.3 for three loam soils, and 26 for a clay soil. Adsorption was positively correlated with organic matter, clay content, and CEC based on linear regression analysis.  $K_{des}$  values were 3.0-4.0 for the three loam soils, 3.5 for the sediment, and 10.1 for the clay soil.

Based on a column leaching study, unaged <sup>14</sup>C-norflurazon was mobile in a column of loam soil leached with deionized water over a 12-day period. 83% of the applied norflurazon was evenly distributed throughout the upper 24 cm of the 40 cm column after application of 51 cm of water. However, only 0.3% of the applied was found in the leachate. (MRID 00148312)

The adsorption/desorption properties of <sup>14</sup>C-desmethyl norflurazon were characterized in two peat soils typically found

in U.S. cranberry fields. Freundlich  $K_{ads}$  values were 22.1 for a Wisconsin peat and 41.4 for a Washington peat. Freundlich  $K_{des}$  values were 50.5 and 76.1 respectively. Based on these data, it can be concluded that <sup>14</sup>C-desmethyl norflurazon is not mobile in high organic content peat soils. (MRID 43681001)

Freundlich  $K_{ads}$  values for <sup>14</sup>C-norflurazon were 72.5 and 62.6 for Wisconsin and Washington peat soils, respectively. Desorption equilibrium  $K_{des}$  values were 17.7 and 13.9, respectively. These soils were collected in and are representative of cranberry fields in which norflurazon is used. The results indicate that norflurazon is not mobile in these two peat soils. (MRID 42710901)

## (4) Field Dissipation

#### Soil Field Dissipation

The terrestrial field dissipation studies submitted to date have been of little value in helping to assess the persistence and mobility of norflurazon and desmethyl norflurazon in the field. The studies were found to be unacceptable for various reasons, including: a) inadequate sampling intervals; b) site contamination; c) high variability; d) inadequate sampling depth; e) inadequate number of soil cores per sampling interval; and f) unconfirmed application rates. Although the accuracy of the field data is questionable, the general indications are that norflurazon persists longer than one year in field soil and may potentially be mobile in some soils. The degradate, desmethyl norflurazon, is also persistent and may accumulate as a result of annual applications of norflurazon.

The terrestrial field dissipation data requirement was waived in 1991 in favor of a small-scale prospective ground water monitoring study. It was concluded at that time that sufficient data existed that raised concern about the potential for norflurazon to contaminate ground water. The laboratory and field data demonstrate that norflurazon is persistent and mobile in some soils; therefore, the results of a new field dissipation study would likely trigger a ground water monitoring study. A properly designed study could provide new information as well as address the field dissipation data gaps. The study should track the fate of norflurazon and desmethyl norflurazon from the point

of application and involve sampling soil, soil-water, and ground water. Sites chosen should represent all major terrestrial use sites for norflurazon.

### (5) Accumulation

#### Accumulation in Fish

Norflurazon has a low potential to bioaccumulate in bluegill sunfish. In a flow-through system containing 0.13 mg norflurazon/L, bioconcentration factors (BCF) ranged from 6 to 8x, 16 to 28x, and 30 to 59x for fillet, whole fish and viscera, respectively. The tissue residues after 28 days of exposure were 0.95 mg/kg for fillet, 3.4 mg/kg for whole fish, and 7.7 mg/kg for viscera. The majority of the radioactivity in edible tissue was identified as norflurazon (50 to 57%) and desmethyl norflurazon (33%). Norflurazon accounted for 95 to 103% of the radioactivity in water samples. Tissue residues decreased rapidly during the depuration period with greater than 90%, 96%, and 97% of the radioactivity eliminated from fillet, whole fish, and viscera, respectively, after 14 days. (MRID 41986905)

#### c. Water Resources

## (1) Surface Water

Norflurazon can contaminate surface water at application via spray drift. Substantial fractions of applied norflurazon could be available for runoff for several months post-application (aerobic soil metabolism half-life of 130 days; miscellaneous field data indicating extensive persistence greater than one year post-application). Norflurazon is moderately susceptible to photodegradation on soil (half-life of 12-15 days). However, only norflurazon on foliage or within approximately the top 1 mm of soil will be exposed to sunlight, whereas reversibly bound norflurazon within the top 1 cm or deeper will generally be available for runoff. The relatively low soil/water partitioning of norflurazon (ARS/SCS database K<sub>oc</sub> of 700; Freundlich K<sub>ads</sub> values of 0.72-7.1 and  $K_{des}$  values of 1.4-10) indicates that most of norflurazon runoff will generally be via dissolution in runoff water rather than via adsorption to eroding soil. The soil/water partitioning of norflurazon to high organic peat soils (representative of cranberry use areas) is substantially greater

such that adsorption to eroding soil may also contribute substantially to the runoff from peat soils.

Norflurazon is susceptible to direct aqueous photolysis (half-life of 2-3 days). However, even in relatively clear waters, sunlight rapidly becomes attenuated with increasing depth. Consequently, the effectiveness of direct photolysis in removing norflurazon from surface water is limited to the water column of clear shallow water bodies and to the upper portions of the water column in other surface waters. In most of the water column in surface waters with long hydrological residence times. norflurazon will probably be relatively persistent due to its resistance to abiotic hydrolysis, low volatilization potential (estimated Henry's Law constant of 2.49 X 10<sup>-10</sup> atm\*m³/mol) and relatively low susceptibility to degradation under aerobic conditions (aerobic aquatic metabolism half-life of 6-8 months). Norflurazon may be even more persistent in typically anaerobic sediments because it appears to be even less susceptible to degradation under anaerobic conditions (anaerobic aquatic metabolism half-life of 8 months) than under aerobic conditions. However, the relatively low soil/water partitioning of norflurazon indicates that most of the norflurazon mass in surface waters will be dissolved in the water column as opposed to adsorbed to suspended and bottom sediment.

The primary degradate of norflurazon under both aerobic and anaerobic conditions appears to be desmethyl norflurazon, which is persistent. Consequently, substantial amounts in terms of applied parent should be available for runoff for several to many months post-application. Although the soil/water partitioning of desmethyl norflurazon has not been well characterized, the loss of a methyl group generally decreases the soil/water partitioning of compounds. Consequently, desmethyl norflurazon may exhibit comparable to somewhat lower soil/water partitioning than norflurazon, as appears to be the case for peat soils. Therefore, runoff of desmethyl norflurazon is probably primarily via dissolution in runoff water except from peat soils where adsorption to eroding soil may also contribute significantly to runoff. As with norflurazon, most of the desmethyl norflurazon mass in surface waters is probably dissolved in the water column as opposed to adsorbed to suspended and bottom sediment.

The South Florida Water Management District (Miles and Pfeuffer 1994) summarized norflurazon detections in samples collected every two to three months from 27 surface water sites within the SFWMD from November 1988 through November 1993. Approximately 810 samples (30 sampling intervals X 27 sites sampled/interval) were collected from the 27 sites from November 1988 through November 1993. Norflurazon was detected (detection limits not provided) in 7 samples at concentrations of 0.49, 0.85, 0.82, 1.6, 1.6, 1.6, and 1.7 ug/L. The Louisiana Department of Agriculture and Forestry sampled 32 sites once a month from May through October 1993. Norflurazon was detected (detection limit not provided) in 20 samples at a number of locations at concentrations ranging from 0.39 to 8.39 ug/L. Of the 21 detects, 13 were ≥ 1 ug/L of which two (5.81 and 8.39 ug/L) were ≥ 5 ug/L.

The monitoring data were derived from multiple pesticide studies. Consequently, they do not necessarily represent watersheds where norflurazon is known to be heavily used. Also, sampling intervals were not designed to collect samples in response to spray drift during norflurazon application and to runoff events following norflurazon applications. Therefore, the reported concentrations in Florida and Louisiana may reflect much less exposure to norflurazon than in watersheds where it is heavily used and less exposure than immediately following application or during post-application runoff events.

#### (2) Ground Water

Pesticides in Ground Water Database: Few data were included for norflurazon in the 1992 Pesticides in Ground Water Database (PGWDB). The PGWDB indicates that 194 wells had been tested for norflurazon, but none of the results were positive. Of the 194 wells reported, 188 were in Texas, and 6 were in California. The Texas monitoring program was a statewide survey in which analysis was performed for a large suite of chemicals, and was in no way targeted to areas in which norflurazon was used. In fact, norflurazon was not listed among the chemicals reported by well owners as having been used in the vicinity of the sampled wells.

Florida: In November, 1992, the registrant submitted a 6(a)2 report detailing detections of norflurazon in four Polk

County, Florida wells. The maximum concentration was 64 ppb. Further detections in Polk County that occurred in August 1993 were reported in a later 6(a)2 report. Four wells were reported to be contaminated with norflurazon, with a maximum detection of 29 ppb. Norflurazon was subsequently detected in drinking water wells at DeSoto City, in Highlands County. The detections in these wells ranged to 22 ppb.

In response to these detections, the registrant voluntarily began a prospective ground-water monitoring study for the State of Florida in March, 1994. Preliminary results indicate that norflurazon has leached to ground water in wells beneath and just off the edge of the applied field at levels comparable to the previous detections. The concentrations detected range from 0.5 to 21 ppb. Concentrations of norflurazon above the detection limit have been found to persist in some wells for more than a year.

North Carolina: The registrant reported to the EPA in an April 25, 1995 6(a)2 submission that the North Carolina Department of Agriculture detected norflurazon in two samples taken from a newly installed, 18-foot deep monitoring well. The detections were at concentrations of 1.7 and 5.3 ppb.

Small-Scale Prospective Monitoring Study: In light of norflurazon's potential to leach to ground water, the Agency requested in 1992 that the registrant perform a small-scale prospective ground-water monitoring study. They have submitted a protocol that reflects many revisions to the guidance document for prospective ground-water studies, and commenced work in 1995 on such a study, which is located in Macon County, Georgia. No results of ground water analyses from this study are currently available.

# 3. Exposure and Risk Characterization

# a. Ecological Exposure and Risk Characterization

Explanation of the Risk Quotient (RQ) and the Level of Concern (LOC): The Levels of Concern are criteria used to indicate potential risk to nontarget organisms. The criteria indicate that a chemical, when used as directed, has the potential to cause undesirable effects on nontarget organisms. There are two general categories of

LOC (acute and chronic) for each of the four nontarget faunal groups and one category (acute) for each of two nontarget floral groups. In order to determine if an LOC has been exceeded, a risk quotient must be derived and compared to the LOCs. A risk quotient is calculated by dividing an appropriate exposure estimate, e.g., the estimated environmental concentration (EEC), by an appropriate toxicity test effect level, e.g., the LC<sub>50</sub>. The acute effect levels typically are:

- -EC<sub>25</sub> (terrestrial plants),
- -EC<sub>50</sub> (aquatic plants and invertebrates),
- -LC<sub>50</sub> (fish and birds), and
- -LD<sub>50</sub> (birds and mammals)

#### The chronic test results are the:

-NOEL (or NOEC) for avian and mammal reproduction studies, and either the NOEL for chronic aquatic studies, or the Maximum Allowable Toxicant Concentration (MATC), which is the geometric mean of the NOEL and the LOEL (or LOEC) for chronic aquatic studies.

When the risk quotient exceeds the LOC for a particular category, risk to that particular category is presumed to exist. Risk presumptions are presented along with the corresponding LOCs.

## Levels of Concern (LOC) and associated Risk Presumption

| Mammals, Birds    | •          | • .                                                           |
|-------------------|------------|---------------------------------------------------------------|
| <u>IF THE</u>     | <u>LOC</u> | <u>PRESUMPTION</u>                                            |
| acute RQ≥         | 0.5        | High acute risk                                               |
| acute RQ≥         | 0.2        | Risk that may be mitigated through restricted use             |
| acute RQ≥         | 0.1        | Endangered species may be affected acutely                    |
| chronic RQ≥       | 1          | Chronic risk, endangered species may be affected chronically, |
| Fish, Aquatic inv | ertebrates |                                                               |
| IF THE            | LOC        | <u>PRESUMPTION</u>                                            |
| acute RQ≥         | 0.5        | High acute risk                                               |
| acute RQ≥         | 0.1        | Risk that may be mitigated through restricted use             |
| acute RQ≥         | 0.05       | Endangered species may be affected acutely                    |
|                   | , ,        |                                                               |

| chronic RQ≥ | 1   | Chronic risk, endangered species may be affected chronically |
|-------------|-----|--------------------------------------------------------------|
| Plants      |     | y co unicode cinicinounly                                    |
| IF THE      | LOC | PRESUMPTION                                                  |
| RQ≥         | 1   | High risk                                                    |
| RO≥         | 1   | Endangered plants may be affected                            |

Currently, no separate criteria for restricted use or chronic effects for plants exist.

# (1) Exposure and Risk to Nontarget Terrestrial Animals

### (a) Birds

Norflurazon residues found on dietary food items following application are compared to  $LC_{50}$  values to predict hazard. Chronic hazard is predicted by comparing the residues to the NOEC from a valid avian reproduction study.

The maximum concentrations of norflurazon residues which may occur on selected avian dietary food items following a single application of 7.86 lbs a.i./A (maximum application rate for citrus applied by ring-drench method), and 3.93 lbs a.i./A (typical maximum application rate for citrus and most other use sites) are provided in the table below:

| Estimated Environmental Concentrations on Avian Dietary Food Items in PPM |                          |        |               |                             |        |               |  |  |
|---------------------------------------------------------------------------|--------------------------|--------|---------------|-----------------------------|--------|---------------|--|--|
| Food items                                                                | EEC - 7.86<br>lbs a.i./A | Acute  | RQ<br>Chronic | EEC -<br>3.93 lbs<br>a.i./A | Acute  | RQ<br>Chronic |  |  |
| Short Grasses                                                             | 1886                     | < 0.19 | 47            | 943                         | <0.09  | 24            |  |  |
| Long Grasses                                                              | 865                      | <0.09  | 22            | 432                         | <0.04  | 11            |  |  |
| Broadleaf Plants and Insects                                              | 1061                     | <0.11  | 27            | 531                         | <0.05  | 13            |  |  |
| Fruits and Pods                                                           | 118                      | <0.01  | 3             | 59                          | <0.006 | 1             |  |  |

The preceding **acute** risk quotients are not based on a definitive  $LC_{50}$  value for birds. Both the bobwhite and the mallard studies failed to determine an  $LC_{50}$  since there was not 50% mortality at any of the test levels, including the highest. The information gained from both

studies is that the  $LC_{50}$  is above 10,000 ppm. The acute risk quotients in the above table, being calculated based on an  $LC_{50}$  being equal to 10,000 ppm, are considered to be greater than the actual acute risk quotients (which are unknown) and thus are overly conservative. These risk quotients should be viewed as the upper limit of what the actual risk quotients could be; the actual risk quotients are unknown and could be much less. Thus, risk quotients greater than the LOC for restricted use and endangered species do not necessarily mean that risk is presumed, but rather that acute risk to endangered species cannot be ruled out based on the limited information available.

The use of norflurazon at rates of 7.86 lb a.i./A may cause adverse effects to endangered species of birds due to acute toxicity. At the use rate of 3.93, the RQs were determined to be less than 0.1, the LOC for presuming adverse effects to these endangered species. Therefore, the Agency concludes there will be no adverse effects to endangered birds by uses of norflurazon which have a maximum label rate of 3.93 lb a.i./A or less. This includes the crops cotton, soybeans, and peanuts. Although not calculated, the RQs for all terrestrial food crop uses which have use rates up to 4 lb a.i./A will also be less than 0.1, thereby yielding the conclusion of no adverse effects to endangered species.

Several reasons why risk to terrestrial birds and mammals would not be as great as predicted by the RQ method could be: First, with the ring drench and banded applications used on citrus, only 30% to 80% of the field receives herbicide application. This does not affect the risk quotient calculations, but it does indicate a somewhat reduced overall risk. Second, growth of weeds is normally prevented around the base of trees where this herbicide would be applied. The label for Solicam DF states the following:

Solicam has no post-emergence activity and will not control established weeds. Existing weeds must be mechanically removed or controlled by using the suitable postemergence herbicide.

It thus appears likely that around the base of trees, there will be little vegetation that will be directly applied with norflurazon. Herbivorous birds and mammals would be more likely to feed in areas between the tree rows and on field margins where growth of weeds would be less controlled. Species which are not herbivorous may be more likely to feed under the trees, but norflurazon concentrations on these food items are expected to be considerably less than on grass and broadleaf vegetation. Finally, residues on all wildlife food items are predicted to be well below the avian dietary  $LC_{50}$  and the mammalian dietary  $LC_{50}$ 's estimated from the rat LD<sub>50</sub>. Considering these factors, it is safe to conclude that the use of norflurazon on citrus will not harm any endangered species of birds and mammals through acute toxicity.

The **chronic** risk quotients are based on a definitive NOEC of 40 ppm. These risk quotients are far above the LOC for high risk. Furthermore, norflurazon is generally persistent in the terrestrial environment, which increases concern for possible chronic effects. The Agency thus concludes that application of liquid norflurazon on all sites poses a high chronic risk to birds and may affect avian endangered species. This conclusion does not apply to application of granular formulations on cranberries, which is discussed below.

# (b) Mammals

Small mammal exposure is addressed using acute oral  $LD_{50}$  values converted to an estimated  $LC_{50}$  value for dietary exposure. The estimated  $LC_{50}$  is derived using the following formula:

 $LC_{50} = \underline{LD}_{50} \times \text{body weight (g)}$ food cons. per day (g)

| Small Mammal Food Consumption in PPMs (Based on an LD, = 9300 mg/kg) |                      |                              |                                |                                  |  |
|----------------------------------------------------------------------|----------------------|------------------------------|--------------------------------|----------------------------------|--|
| Small Mammal                                                         | Body Weight in Grams | % of Weight Eaten<br>Per Day | Food Consumed Per Day in Grams | Estimated LC, Per<br>Day in PPMs |  |
| Meadow vole                                                          | 46 gms               | 61 %                         | 28.1 gms                       | 15,224 ppm                       |  |
| Adult field mouse                                                    | 13 gms               | 16 %                         | 2.1 gms                        | 57,571 ppm                       |  |
| Least shrew                                                          | 5 gms                | 110 %                        | 5.5 gms                        | 8,455 ppm                        |  |

The above table is based on information contained ir Principles of Maramology by D. E. Davis and F. Golly, published by Reinhold Corporation, 1963.

The estimated  $LC_{50}$  is then compared to the residues listed above (for avian species) to calculate a risk quotient (EEC/LC<sub>50</sub>). The table below indicates the risk quotients for each of the application rates:

| Mammalian Dietury Risk Quatients (based on Dietary RQ = EEC/Lowest LC) |                                  |       |  |  |  |
|------------------------------------------------------------------------|----------------------------------|-------|--|--|--|
| Small Mammal                                                           | Application Rates in lbs. a.i./A |       |  |  |  |
|                                                                        | 7.86                             | 3.93  |  |  |  |
| Meadow vole                                                            | 0.12                             | 0.06  |  |  |  |
| Adult field mouse                                                      | 0.02                             | 0.009 |  |  |  |
| Least shrew                                                            | 0.01                             | 0.007 |  |  |  |

The only current uses for which the RQs exceed the LOC for possible adverse effects to small endangered mammals are cranberries, citrus fruits, and hops when used on fine-textured soils. The arguments posed above for birds also apply to the small endangered mammals. The Agency thus concludes that the use of norflurazon will not harm endangered species of birds and mammals through acute toxicity.

A separate chronic risk assessment for mammals could not be conducted due to the lack of chronic mammalian toxicity data. An examination of the chronic risk quotients for birds, however, as derived above shows that chronic risk quotients for all food items other than fruits and pods exceed the LOC for high risk (1). As noted above, norflurazon is generally persistent in the

terrestrial environment, which increases concern for possible chronic effects. Therefore, the Agency concludes that the application of liquid norflurazon on all crops poses a high risk of chronic effects on birds and mammals, and may cause adverse chronic effects to endangered species of these groups.

# (c) Risk Characterization for Cranberry Use

 $LD_{50}/ft^2$  Method: The use of norflurazon on cranberries has been determined to be applied solely as a granular formulation at a maximum use rate of 8.0 lb ai/A. The Agency typically assesses the risk of granular formulations using the exposure index of mg ai/ft<sup>2</sup>. The risk quotient is calculated by dividing this value by the  $LD_{50}$ . With a maximum use rate of 8.0 lb a.i./A, the exposure index is calculated as follows:

8 lb ai/A x 453,600 mg/lb x 1/43,560 A/ft<sup>2</sup> = 83.3 mg ai/ft<sup>2</sup>.

Since avian  $LD_{50}$  is >2510 mg ai/kg body weight (bw), the acute risk quotient for birds and small mammals is:

 $RQ = Exposure (mg ai/ft^2) / (LD_{50} x kg of body weight)$ 

or:

RQ = 83.3/(2510 x kg of body weight)

For birds with body weights of 20, 180, and 1000 g, the RQ would be 1.7, 0.18, and 0.033, respectively.

Since the acute rat LD<sub>50</sub> is 9300 mg ai/kg bw, the acute risk quotient for birds and small mammals is:

RQ = 83.3/(9300 x kg of body weight)

For small mammals with body weights of 15, 35, and 1000 g, the RQ would be 0.60, 0.26, and 0.0090, respectively.

According to this analysis, use of granular norflurazon at the rate of 8 lb ai/A is expected to pose minimal risk of acute toxicity to birds and mammals with

the exception of possible harm to small birds. Since some of the risk quotients exceed the LOC of 0.1; however, the possibility that endangered species of birds and mammals may be affected, cannot be ruled out.

Number of granules method: The registrant determined the weight of a single granule of Evital to be approximately 0.43 g. Since Evital contains 5.0% ai, a single granule contains  $0.43 \times 0.05 = 0.0215$  mg of ai. Taking the inverse of this value determines that there are 46.5 granules per gram of ai.

The number of granules that an animal must consume to reach the  $LD_{50}$  can now be calculated with the following formula:

# of granules = granules/mg ai  $\times$  LD 50 (mg ai/kg bw)  $\times$  BW (kg)

The number of granules that must be consumed to reach the  $LD_{50}$  of norflurazon for birds (2510 mg/kg) is shown below for birds of various weights:

| Body Weight | # of Granules |
|-------------|---------------|
| 20 g        | 2340          |
| 180 g       | 21000         |
| 1000 g      | 117,000       |

The number of granules that must be consumed to reach the  $LD_{50}$  of norflurazon for mammals (9300 mg/kg) is shown below for small mammals of various weights:

| Body Weigh | t # of Granules |
|------------|-----------------|
| 15 g       | 6488            |
| 35 g       | 15140           |
| 1000 g     | 432,558         |

The Agency concludes that it is highly unlikely that an individual bird or small mammal would consume this many granules of product in one day. Examining similar arguments based on the percentage of body weight consumed, the Agency concludes that it is unlikely that birds or mammals would consume the percentage of their body weights necessary to reach the LD50.

The above assessments show that birds and mammals are not likely to consume enough granular norflurazon product to approach an acutely toxic dose. The Agency therefore concludes that the use of granular norflurazon on cranberries will pose minimal acute risk to birds and mammals, and is not expected to cause adverse effects on endangered birds and small mammals.

In considering chronic risk, the Agency notes that several special factors are associated with the cranberry use that may reduce the level of risk to birds and mammals:

- 1. Cranberries require either weekly rainfall or irrigation. This would likely wash much of the active ingredient off the granules and into the soil. Granules on the surface would therefore likely contain high concentrations of norflurazon for only a few days.
- 2. The cranberry plants create a dense cover which would restrict access of birds to norflurazon granules lying on the soil surface.
- 3. The granules are composed of sand. Since a layer of sand is often put over the peat soil in cranberry bogs, the granules may be indistinguishable from the surrounding substrate, and thus less likely to be selected by birds as grit.

Considering these factors, the Agency concludes that the use of granular norflurazon on cranberries will pose minimal chronic risk to birds. There is a high uncertainty associated with these factors, however, and the potential exists for norflurazon to cause reproductive effects in birds. Because of this and because the Agency is more protective of endangered species, possible effects on endangered species of birds and mammals cannot be ruled out.

## (d) Insects

Norflurazon is practically non-toxic to honeybees. Therefore, insects are not likely to be adversely affected by the use of norflurazon.

## (2) Exposure and Risk to Nontarget Aquatic Animals

Expected Aquatic Concentrations: Norflurazon displays slight to moderate toxicity to most aquatic organisms tested to date. The Agency calculated generic EECs for norflurazon application to citrus (7.86 and 3.93 lbs a.i./A) and to cranberries (8.0 lbs a.i./A). These EECs are designed as a screen and estimate expected concentrations from a few basic chemical parameters and pesticide label application information.

The GENeric Expected Environmental Concentration Program (GENEEC) is the model used to estimate runoff from a ten hectare field into a one hectare by two meter deep pond. GENEEC calculates both acute and chronic generic expected environmental concentration (GEEC) values. It considers reduction in dissolved pesticide concentration due to adsorption of pesticide to soil or sediment, incorporation, degradation in soil before washoff to a water body, direct deposition of spray drift into the water body, and degradation of the pesticide within the water body. It is designed to mimic a PRZM-EXAMS simulation. Risk quotients based on refined EECs would likely be less conservative than those based on GENEEC, while those based on the available monitoring data may be under-protective.

The most current usage information indicates that, for citrus, the maximum rate of 7.86 lbs a.i./A is only made using ring drench practices and the maximum rate of 3.93 lb a.i./A is only made using banded applications. Although these banded applications are allowed by the labels, and may even be the typical practice, nothing on the product labels prohibits the product from being applied at the 3.93 lbs ai/A rate over the entire field (i.e. a broadcast application) using a boom sprayer. Based on the most recent usage information, risk assessments were thus performed using three scenarios: ring drench applications at 7.86 lbs a.i./A, banded applications at 3.93 lbs a.i./A, and broadcast spray applications at 3.93 lbs a.i./A.

The most recent usage information indicates that no more than about 30% of the total field is treated when using a ring drench application, and no more than 50% of the field is treated when using a banded application. These assumptions appear to be a reasonable for the citrus and other fruit and nut crops on which norflurazon is used. The area of the field treated does not affect the terrestrial EECs, which are based on concentrations in the treated areas, but it does affect aquatic EECs, which are based on the total amount of active ingredient applied per acre of field. The product labels do not allow the rate applied on any point of land to exceed the maximum label rate, no matter what the application method is. The maximum use rates therefore have been multiplied by 0.3 and 0.5 when calculating aquatic EECs for ring drench and banded applications, respectively.

Norflurazon may be applied on citrus and other fruit and nut crops using a low volume irrigation system. The area of the field that is treated will vary depending on the type of irrigation system and the age of the trees. The Agency has made the estimate that no more than 30% of the total area of the field will be treated by these chemigation applications.

# GENEEC Inputs for Citrus and Other Fruit and Nut Crops:

The GENEEC model was used to calculate generic EECs (GEECs) for application to citrus and several other crops. The maximum rate for a ring drench application to citrus is equivalent to  $7.86 \times 0.3 = 2.36$  lb ai/A and  $3.93 \times 0.3 = 1.18$  lb ai/A for low volume chemigation. The maximum rate for banded applications is equivalent to  $3.93 \times 0.5 = 1.97$  lb ai/A since no more than 50% of the field is treated. Norflurazon could conceivably be applied as a broadcast spray over the entire field at the rate of 3.93 lbs a.i./A. The input data for the GENEEC model for these crops were as follows:

| Rate (lb ai/A):                       | 2.36 (citrus, ring drench) |
|---------------------------------------|----------------------------|
|                                       | 1.18 (citrus, chemigation) |
|                                       | 1.97 (banded)              |
|                                       | 3.93 (broadcast)           |
| Soil K <sub>oc</sub> :                | 625                        |
| Solubility (ppm):                     | 28                         |
| Aerobic Soil T <sub>1/2</sub> (d):    | 130                        |
| Aerobic Aquatic T <sub>1/2</sub> (d): | 240                        |
| Photolysis $T_{1/2}$ (d):             | 3                          |

Wetted-In? Yes
Incorporation Depth 0
Spray Drift 1.0% (Ground spray)

Cranberries: The GENEEC model also was used to estimate GEECs for cranberries. Since it is actually applied as a sand granule, negligible spray drift should occur. The input data for the GENEEC model for these crops were as follows:

8.0 Rate (lb ai/A): Soil Koc: 1080 Solubility (ppm): 28 Aerobic Soil T<sub>1/2</sub> (d): 130 Aerobic Aquatic T<sub>1/2</sub> (d): 240 Photolysis  $T_{1/2}$  (d): 3 No Wetted-In? Incorporation Depth 0 Spray Drift 0% (Granular)

Cotton: GEECs were also determine for use of norflurazon on cotton using the following input values:

| Rate (lb ai/A):                    | 1.97              |
|------------------------------------|-------------------|
| Soil Koc:                          | 625               |
| Solubility (ppm):                  | 28                |
| Aerobic Soil T <sub>1/2</sub> (d): | 130               |
| Aerobic Aquatic $T_{1/2}$ (d):     | 240               |
| Photolysis $T_{1/2}$ (d):          | 3 .               |
| Wetted-In?                         | No                |
| Incorporation Depth                | 0                 |
| Spray Drift                        | 5% (Aerial spray) |

The following table outlines the Generic EECs which were calculated for norflurazon application to citrus, cranberries, and to cotton:

| Crop                   | Application<br>Method     | Application<br>Rate<br>(lbs a.i./A) | Number of<br>Application<br>s | Peak<br>GEEC<br>(ppb) | 4-day<br>GEEC<br>(ppb) | 21-day<br>EEC<br>(ppb) | 56-da<br>EEC<br>(ppl |
|------------------------|---------------------------|-------------------------------------|-------------------------------|-----------------------|------------------------|------------------------|----------------------|
| Citrus                 | Ring drench               | 2.36                                | 1                             | 42.1                  | 41.1                   | 36.2                   | 29.4                 |
| Citrus                 | Low volume chemigation    | 1.18                                | 1                             | 21.0                  | 20.5                   | 18.1                   | 14.7                 |
| Cranberries            | Granular                  | 8.00                                | 1                             | 94.2                  | 91.0                   | 76.3                   | 58.4                 |
| Cotton                 | Aerial spray              | 1.97                                | 1                             | 37.5                  | 36.6                   | 32.3                   | 26.2                 |
| Citrus and other crops | Banded<br>spray           | 1.97                                | 1                             | 35.0                  | 34.2                   | 30.1                   | 24.5                 |
| Other crops            | Broadcast<br>ground spray | 3.93                                | <b>. 1</b>                    | 70.1                  | 68.4                   | 60.3                   | 49.0                 |

The application rate in the wetted area is 7.86 lb ai/A. The application rate in the wetted area is 3.93 lb ai/A.

#### Freshwater Fish (a)

The table below provides both acute and chronic risk quotients for freshwater fish.

| Crop                   | Application<br>Method  | Application Rate<br>(lbs a.i./A) | Acute RQ<br>(Peak EEC/LC <sub>9</sub> ) | Chronic RQ<br>(56-day EEC/NOEC |
|------------------------|------------------------|----------------------------------|-----------------------------------------|--------------------------------|
| Citrus                 | Ring drench            | 2.36                             | 0.0052                                  | 0.038                          |
| Citrus                 | Low volume chemigation | 1.18 <sup>b</sup>                | 0.0026                                  | 0.019                          |
| Cranberries            | Granular               | 8.00                             | 0.012                                   | 0.076                          |
| Cotton                 | Aerial spray           | 1.97                             | 0.0046                                  | 0.034                          |
| Citrus and other crops | Banded spray           | 1.97 <sup>6</sup><br>(typical)   | 0.0043                                  | 0.032                          |
| Other crops            | Broadcast ground spray | 3.93<br>(typical)                | 0.0087                                  | 0.064                          |

<sup>&</sup>lt;sup>a</sup>The application rate in the wetted area is 7.86 lb ai/A.
<sup>b</sup>The application rate in the wetted area is 3.93 lb ai/A.

No acute or chronic LOCs have been exceeded for freshwater fish. Therefore, the use of norflurazon is not likely to adversely affect freshwater fish.

#### (b) Freshwater Invertebrates

The table below provides both acute and chronic RQs for freshwater invertebrates.

| odebnik rozem ber sammen<br>Militaria i sendir gelik da | Ris                       | k Quarienta (RQk) for Fres       | hwater Invertebrates                    |                                 |
|---------------------------------------------------------|---------------------------|----------------------------------|-----------------------------------------|---------------------------------|
| Crop                                                    | Application<br>Method     | Application Rate<br>(lbs a.i./A) | Acute RQ<br>(Peak EEC/LC <sub>0</sub> ) | Chronic RQ<br>(21-day EEC/NOEC) |
| Citrus                                                  | Ring drench               | 2.36                             | 0.0028                                  | 0.036                           |
| Citrus                                                  | Low volume<br>chemigation | 1.18 <sup>6</sup>                | 0.0014                                  | 0.018                           |
| Cranberries                                             | Granular                  | 8.00                             | 0.0063                                  | 0.076                           |
| Cotton                                                  | Aerial spray              | 1.97                             | 0.0025                                  | 0.032                           |
| Citrus and other crops                                  | Banded spray              | 1.97 <sup>b</sup><br>(typical)   | 0.0023                                  | 0.030                           |
| Other crops                                             | Broadcast ground spray    | 3.93<br>(typical)                | 0.0047                                  | 0.060                           |

<sup>\*</sup>The application rate in the wetted area is 7.86 lb ai/A.
\*The application rate in the wetted area is 3.93 lb ai/A.

No acute or chronic LOCs have been exceeded for freshwater invertebrates. Therefore, the use of norflurazon is not likely to adversely affect freshwater invertebrates.

#### Estuarine and Marine Animals (c)

The following table provides acute risk quotients for estuarine and marine animals.

| Сгор                   | Application<br>Method  | Application Rate<br>(lbs a.i./A) | Acute RQ (Peak EEC/LC <sub>0</sub> ) |         |        |
|------------------------|------------------------|----------------------------------|--------------------------------------|---------|--------|
|                        |                        |                                  | Fish                                 | Mollusk | Shrimp |
| Citrus                 | Ring drench            | 2.364                            | 0.0044                               | 0.011   | 0.0076 |
| Citrus                 | Low volume chemigation | 1.186                            | 0.0022                               | 0.0055  | 0.0038 |
| Cranberries            | Granular               | 8                                | 0.0098                               | 0.025   | 0.017  |
| Cotton                 | Aerial spray           | 1.97                             | 0.0039                               | 0.0099  | 0.0068 |
| Citrus and other crops | Banded spray           | 1.97 <sup>b</sup><br>(typical)   | 0.0037                               | 0.0092  | 0.0063 |
| Other crops            | Broadcast ground spray | 3.93<br>(typical)                | 0.0073                               | 0.018   | 0.013  |

The application rate in the wetted area is 7.86 lb ai/A.

No acute LOCs have been exceeded for estuarine and marine organisms. Therefore, the use of norflurazon is unlikely to adversely impact estuarine/marine endangered or non-endangered species. Data were not available to assess the chronic risk to estuarine and marine organisms; however, because the freshwater chronic studies and the acute estuarine and marine studies indicate that norflurazon has general low toxicity to aquatic organisms, chronic testing on estuarine and marine organisms is not required.

# (3) Exposure and Risk to Nontarget Plants

# (a) Terrestrial and Semi-aquatic

Non-target terrestrial plants are those which inhabit non-aquatic areas. Non-target semi-aquatic plants are plants that usually inhabit low-lying wet areas that may or may not be dry in certain times of the year. These plants are not obligatory aquatic plants in that they do not live in a continuously aquatic environment. These terrestrial and "semi-aquatic" plants are exposed to pesticides from runoff, drift or volatilization.

Runoff exposure is determined from a generic EEC. This runoff is characterized as a one acre to one acre sheet runoff to an adjacent area that impacts terrestrial plants, or a

<sup>&</sup>lt;sup>b</sup> The application rate in the wetted area is 3.93 lb ai/A.

channelized runoff from 10 acres to low lying areas some distance away that impacts semi-aquatic plants.

Like aquatic EEC's, EEC's for terrestrial and semiaquatic plants are based on the average rate (lbs ai/A) applied over the entire field, not just the area wetted. The application rates for ring drench and banded applications were reduced by 70% and 50%, respectively, to account for the limited amount of the field that is treated. Also, no spray drift component was included in the EEC's for crops other than cotton. Applications on citrus and other fruit and nut crops are made by boom sprayers or low-volume "micro sprinkler" or drip irrigation systems. None of these application methods are expected to result in significant spray drift. Aerial application of granular norflurazon on cranberries is also not expected to result in significant spray drift because it is applied as a granule. Aerial application to cotton may result in significant spray drift. The table below provides risk quotients for nonendangered and endangered terrestrial and semi-aquatic plants.

| Сгор                   | Application Method     | Application Rate<br>(lbs a.i./A) | Terrestrial Plants<br>Adjacent to Use Site |           | Semi-aquatic Plants in W<br>Areas |            |
|------------------------|------------------------|----------------------------------|--------------------------------------------|-----------|-----------------------------------|------------|
|                        |                        |                                  | EEC<br>(lbs ai/A)                          | RQ        | EEC<br>(lbs ai/A)                 | RQ         |
| Citrus                 | Ring drench            | 2.36³                            | 0.047                                      | 24        | 0.47                              | 240        |
| Citrus                 | Low volume chemigation | 1.18                             | 0.024                                      | 12        | 0.24                              | 120        |
| Cranberries            | Granular               | 8                                | 0.16                                       | 80        | 1.6                               | 800        |
| Cotton                 | Aerial spray           | 1.97                             | 0.12°<br>0.99 <sup>d</sup> .               | 61<br>1.7 | 0.33<br>0.099                     | 170<br>1.7 |
| Citrus and other crops | Banded spray           | . 1.97 <sup>b</sup> (typical)    | 0.039                                      | 20        | 0.39                              | 200        |
| Other crops            | Broadcast ground spray | 3.93<br>(typical)                | . 0.079                                    | 40        | 0.79                              | 400        |

<sup>\*</sup>The application rate in the wetted area is 7.86 lb ai/A.

All risk quotients exceed the LOCs for terrestrial and semi-aquatic plants. Therefore, use of norflurazon on all

The application rate in the wetted area is 3.93 lb ai/A.

The EEC and corresponding RQ are for effects on emerging seedlings from exposure to a combination of runoff and spray drift.

The EEC and corresponding RQ are for effects on foliage from exposure to spray drift only.

sites, except cranberries (see below), may adversely affect nontarget terrestrial and semi-aquatic plants, including endangered species.

The special condition of cranberry bogs, as discussed below, reduces the risk of norflurazon to nontarget plants when used on this site. Use of norflurazon on cranberry bogs is not expected to result in significant exposure to dry land terrestrial plants. Under some circumstances, however, nontarget semi-aquatic plants may be exposed to norflurazon from water being discharged from cranberry bogs. The Agency therefore concludes that use of norflurazon on cranberries will not adversely affect nontarget terrestrial plants growing in adjacent dry land areas, but under some circumstances may adversely affect semiaquatic plants, including endangered species, growing in wet areas.

## (b) Aquatic

Nontarget aquatic plants may be exposed to norflurazon through runoff from terrestrial sites or from drift. In order to estimate the risk to nontarget aquatic plants, EECs calculated using EFED's GENEEC program were used to calculate risk quotients.

In addition, the risk to aquatic plants was based on the results for *Kirchneria subcapitata* because this is the most sensitive aquatic plant tested. The table below provides risk quotients for nonendangered and endangered aquatic plants.

| Risk Quotients (RQs) for Aquatic Plants |                                        |                                  |                                                                 |                                                 |  |  |
|-----------------------------------------|----------------------------------------|----------------------------------|-----------------------------------------------------------------|-------------------------------------------------|--|--|
| Crop                                    | Application Method                     | Application Rate<br>(lbs a.i./A) | RQ for Nonendangered<br>Species (Peak<br>EEC/EC <sub>25</sub> ) | RQ for Endangered<br>Species<br>(Peak EEC/NOEC) |  |  |
| Citrus                                  | Ring drench                            | 2.36³                            | 3.2                                                             | 6.7                                             |  |  |
| Citrus                                  | Low volume<br>chemigation              | 1.18                             | 1.6                                                             | 3.3                                             |  |  |
| Cranberries                             | Granular                               | 8.00                             | 7.3                                                             | 15.0                                            |  |  |
| Cotton                                  | Aerial spray                           | 1.97                             | 2.9                                                             | 6.0                                             |  |  |
| Citrus and other crops                  | Banded spray or low volume chemigation | 1.97 <sup>6</sup><br>(typical)   | 2.7 -                                                           | 5.6                                             |  |  |
| Other crops                             | Broadcast ground spray                 | 3.93<br>(typical)                | 5.4                                                             | 11.1                                            |  |  |

The application rate in the wetted area is 7.86 lb ai/A.

The application rate in the wetted area is 3.93 lb ai/A.

The LOCs for nontarget aquatic plants, including endangered species, have been exceeded for aquatic plants for all use sites. Therefore, all uses of norflurazon may adversely impact aquatic plants, including endangered species.

The special condition of cranberry bogs, as discussed below, reduces the risk to aquatic plants for this use site. Under some circumstances, however, some nontarget aquatic plants may be exposed to norflurazon from water being discharged from cranberry bogs. The Agency cannot therefore dismiss this risk.

#### Cranberry Use and Effects on Nontarget Plants

The Agency has determined that runoff from a cranberry bog into adjacent terrestrial areas will likely be minimal in most cases. The most important factor responsible for this is that cranberries are normally grown in a flat area that is surrounded by a dike or dam. Rainfall and irrigation therefore would not normally result in runoff from the cranberry bog. The high organic content of the peat soils of cranberry bogs would greatly enhance the binding of the herbicide to the soil. The Environmental Fate and Effects Division determined that norflurazon

would not be mobile in these soils. This would further decrease norflurazon potential for leaving cranberry bogs via runoff

Under some conditions, cultivation practices used for cranberries would likely reduce the potential for contamination of surface water where aquatic plants may be affected. For example, water discharged from a flooded cranberry bog is often retained in a pond or reservoir to be reapplied to the bog. This practice would prevent norflurazon from leaving the water management system and entering natural water. However, in Wisconsin some cranberry growers use a gravity-feed system without pumps (Shoemaker, 1983). With this system, water discharged from a flooded cranberry field may contaminate natural streams and wetlands lying downstream. Also, even when pumps are used to recycle water, heavy rains may necessitate that water be released from the retaining pond. There is thus some potential for exposure to aquatic and semi-aquatic plants from runoff. This potential is reduced somewhat by the high degree of binding of norflurazon to the peat soils of cranberry bogs.

The Agency also determined that exposure to nontarget areas from drift from applications on cranberry fields would be minimal. Norflurazon is applied to cranberries in a sand granule formulation which would not drift an appreciable distance from the site of applications. Furthermore, applications are made by ground broadcast or by helicopter. With liquid formulations, these application methods result in less spray drift compared to application from a fixed winged aircraft. With a sand granular formulation, these methods would be expected to result in negligible drift.

In conclusion, use of norflurazon on cranberries should not result in any appreciable exposure to nontarget terrestrial and semiaquatic plants, either via spray drift or runoff. The Agency therefore concludes minimal risk to these plants. Under some circumstances, such as heavy rainfall, some nontarget aquatic plants may be exposed to norflurazon from water being discharged from cranberry bogs, although in most cases there will be little exposure.

### (4) Endangered Species

The following endangered species LOCs have been exceeded: chronic effects on birds and mammals, and aquatic, semi-aquatic and terrestrial plants. The discussions above examine various factors that may affect exposure in characterizing the risk to these species.

When the Endangered Species Protection Program becomes final, limitations in the use of norflurazon may be required to protect endangered and threatened species, but these limitations have not been defined and may be formulation specific. A consultation with the Fish and Wildlife Service may be conducted in accordance with the species-based priority approach described in the Program. After completion of consultation, registrants will be informed if any required label modifications are necessary. Such modifications would most likely consist of the generic label statement referring pesticide users to use limitations contained in county Bulletins.

## b. Water Resources Risk Implication for Human Health

#### (1) Surface Water

Norflurazon is not currently regulated under the Safe Drinking Water Act (SDWA). Therefore, no MCL has been established for it and water supply systems are not required to sample and analyze for it. Norflurazon is not on the OPP Health Effects Division's list of "apparent exceeders (chronic effects and cancer)". For these reasons, the Agency is not recommending surface water monitoring at this time.

#### (2) Ground Water

Data exist showing that norflurazon leaches to ground water as a result of normal agricultural use, causing concern for the impact of norflurazon on ground water quality. For this reason, norflurazon product labels carry a ground water advisory. Norflurazon has been detected in ground water in Florida at concentrations that approach or exceed the estimated HAL 30 ppb. OPP has determined an estimated HAL of 30 ppb for comparison with levels potentially found in ground water. The registrant has

begun work on monitoring programs for both the State of Florida and the EPA. These studies should further clarify the extent to which norflurazon can leach to ground water. The need for further mitigation for ground water concerns will be evaluated as the results of these studies become available.

# IV. RISK MANAGEMENT AND REREGISTRATION DECISION

## A. Determination of Eligibility

Section 4(g)(2)(A) of FIFRA calls for the Agency to determine, after submission of relevant data concerning an active ingredient, whether products containing the active ingredients are eligible for reregistration. The Agency has previously identified and required the submission of the generic (i.e., active ingredient specific) data required to support reregistration of products containing norflurazon as an active ingredient. The Agency has completed its review of these generic data, and has determined that the data are sufficient to support reregistration of all products containing norflurazon pending acceptance of the risk mitigation measures described in this document. Appendix B identifies the generic data requirements that the Agency reviewed as part of its determination of reregistration eligibility of norflurazon, and lists the submitted studies that the Agency found acceptable.

The data identified in Appendix B were sufficient to allow the Agency to assess the registered uses of norflurazon and to determine that norflurazon can be used without resulting in unreasonable adverse effects to humans and the environment when label directions, including the mitigation measures described in this document are followed. To ensure that the potential risks of norflurazon are not unreasonable, the Agency is requiring the registrant to implement certain risk mitigation measures. Provided that these risk mitigation measures are implemented, the Agency finds that all products containing norflurazon as the active ingredient are eligible for reregistration. The reregistration of particular products is addressed in Section V of this document.

The Agency made its reregistration eligibility determination based upon the target data base required for reregistration, the current guidelines for conducting acceptable studies to generate such data, published scientific literature, etc. and the data identified in Appendix B. Although, the Agency has found all uses of norflurazon are eligible for reregistration, it should be understood that the Agency may take appropriate regulatory action, and/or require the submission of additional data to support the registration of products containing norflurazon, if new information comes to the Agency's attention or if the data requirements for registration (or the guidelines for generating such data) change.

#### B. Determination of Eligibility Decision

## 1. Eligibility Decision

Based on the reviews of the generic data for the active ingredient norflurazon, the Agency has sufficient information on the health effects of norflurazon and on its potential for causing adverse effects in fish and wildlife and the environment. Although, the current uses of norflurazon exceed levels of concern for avian and mammalian species - chronic, and terrestrial, semi-aquatic and aquatic plants, the Agency concludes that all uses of products containing norflurazon as the active ingredient, once amended to reflect the risk mitigation measures imposed in this RED, are eligible for reregistration.

#### 2. Eligible and Ineligible Uses

The Agency has determined that all uses of norflurazon are eligible for reregistration.

#### C. Regulatory Position

The following is a summary of the regulatory positions and rationale for norflurazon. Where labeling revisions are imposed, specific language is set forth in Section V of this document.

#### 1. Tolerance Reassessment

#### Tolerances Listed under 40 CFR §180.356:

The tolerances listed in 40 CFR §180.356 are for the combined residues of norflurazon and its desmethyl metabolite.

Sufficient data are available to ascertain the adequacy of the established tolerances listed in 40 CFR §180.356 for the following commodities: almonds, apples, apricots, asparagus, avocados, blackberries, blueberries, cherries, citrus, cottonseed, cranberries, filberts, grapes, hops, nectarines, peaches, peanuts, pears, pecans, plums, raspberries, soybeans, soybean forage and hay, walnuts, milk, and the fat, meat, and meat-by-products of cattle, hogs, horses, and sheep.

The tolerance for hops, green listed under 40 CFR §180.356 should be revoked and a tolerance for the RAC (hops, green and dried) should be appropriately listed under a separate section for regional registrations (40 CFR §180.356(x)).

## Tolerances Listed under 40 CFR §185.4450:

The tolerance listed in 40 CFR §185.4450 is for the combined residues of norflurazon and its desmethyl metabolite in dried hops. Sufficient data are available to ascertain the adequacy of this established tolerance. However, according to PR Notice 93-12 (12/23/93), for regulatory purposes, hops is considered as a RAC in both the fresh (green) and dried forms. The Agency concludes that this tolerance should be revoked and a tolerance for the RAC (hops, green and dried) should be cited under tolerances with regional registrations [40 CFR §180.356(x)],

## Tolerances Listed under 40 CFR §186.4450:

The tolerances listed in 40 CFR §185.4450 are for the combined residues of norflurazon and its desmethyl metabolite in citrus molasses and dried citrus pulp. Citrus molasses is no longer considered a significant animal feed item and therefore no tolerances are necessary on this commodity: the current tolerance can be revoked. Norflurazon does not concentrate in dried citrus pulp: the RAC tolerance is therefore considered adequate to cover expected residues in dried citrus pulp and the current tolerance for dried citrus pulp can be revoked.

#### New Tolerances Needed:

Table II indicates that data on cotton gin byproducts (cotton gin trash) are required. The data should reflect three cropfield trials on stripped cotton and three on picked cotton and represent the major U.S. cotton growing regions. The registrant must propose a tolerance for this commodity once adequate data have been submitted and evaluated.

Residues of norflurazon and its metabolite concentrate in citrus oil. The Agency has recommended that a maximum residue limit of 0.7 ppm for citrus oil be proposed.

A summary of the norflurazon tolerance reassessment and modifications in commodity definitions are presented in Table C.

Table C. Tolerance Reassessment Summary

| Table C. Tolerance Reassessm                      |                            | Tolerance          |                                                                                                                                                                                                                                                                                          |  |
|---------------------------------------------------|----------------------------|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Commodity                                         | Current Tolerance<br>(ppm) | Reassessment (ppm) | Comment/Correct Commodity Definition                                                                                                                                                                                                                                                     |  |
|                                                   |                            |                    |                                                                                                                                                                                                                                                                                          |  |
| Almond, hulls                                     | Tolerances listed und      | 1                  |                                                                                                                                                                                                                                                                                          |  |
| Almond, meat                                      | 0.1                        | 0.1                | Almond                                                                                                                                                                                                                                                                                   |  |
| Apricot                                           | 0.1                        | 0.1                |                                                                                                                                                                                                                                                                                          |  |
| Apple                                             | 0.1                        | 0.1                |                                                                                                                                                                                                                                                                                          |  |
| Asparagus                                         | 0.05                       | 0.05               |                                                                                                                                                                                                                                                                                          |  |
| Avocado                                           | 0.2                        | 0.2                |                                                                                                                                                                                                                                                                                          |  |
| Blackberry                                        | 0.1                        | Revoke             | Once the 0.2 ppm tolerance for caneberries is established, tolerances on blackberries and raspberries should be revoked.                                                                                                                                                                 |  |
| Blueberry                                         | 0.2                        | 0.2                | /                                                                                                                                                                                                                                                                                        |  |
| Cattle, fat, meat, and mbyp                       | 0.1                        | 0.1                |                                                                                                                                                                                                                                                                                          |  |
| Cherry                                            | 0.1                        | 0.1                |                                                                                                                                                                                                                                                                                          |  |
| Citrus fruit                                      | 0.2                        | 0.2                |                                                                                                                                                                                                                                                                                          |  |
| Cottonseed                                        | 0.1                        | 0.1                | Cotton, undelinted seeds                                                                                                                                                                                                                                                                 |  |
| Cranberry                                         | 0.1                        | 0:1                |                                                                                                                                                                                                                                                                                          |  |
| Filberts                                          | 0.1                        | 0.1                | •                                                                                                                                                                                                                                                                                        |  |
| Goats, fat, meat, and meat by-<br>products (mbyp) | 0.1                        | 0.1                |                                                                                                                                                                                                                                                                                          |  |
| Grape                                             | 0.1                        | 0.1                |                                                                                                                                                                                                                                                                                          |  |
| Hogs, fat, meat, and mbyp                         | 0.1                        | 0.1                |                                                                                                                                                                                                                                                                                          |  |
| Hops, green                                       | 1.0                        | Revoke             | As hops are now considered a RAC in both the fresh (green) and dried forms, the 1.0 ppm tolerance for hops, green and the 3 ppm tolerance for hops, dried (§185.4550) should be revoked, and a regional 2 ppm tolerance for hops (green and dried) should be established in §180.356(§). |  |
| Horses, fat, meat, and mbyp                       | 0.1                        | 0.1                |                                                                                                                                                                                                                                                                                          |  |
| Milk                                              | 0.1                        | 0.1                |                                                                                                                                                                                                                                                                                          |  |
| Nectarine                                         | 0.1                        | 0.1                | ·                                                                                                                                                                                                                                                                                        |  |
| Pecan                                             | 0.1                        | 0.1                |                                                                                                                                                                                                                                                                                          |  |
| Peach                                             | 0.1                        | 0.1                |                                                                                                                                                                                                                                                                                          |  |
| Peanut                                            | 0.05                       | 0.05               | Peanuts, nutmeat                                                                                                                                                                                                                                                                         |  |
| Peanut, hay .                                     | 5.5                        | 5.5                |                                                                                                                                                                                                                                                                                          |  |
| Peanut, hulls                                     | 1.5                        | 1.5                | ·                                                                                                                                                                                                                                                                                        |  |

| Commodity                                 | Current Tolerance<br>(ppm) | Tolerance<br>Reassessment<br>(ppm) | Comment/Correct Commodity Definition                                                                                                                                                                                                                                                     |  |  |  |  |
|-------------------------------------------|----------------------------|------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|
| Peanut, vines                             | 1.5                        | Revoke                             | Peanut vines are no longer considered to be animal feed items                                                                                                                                                                                                                            |  |  |  |  |
| Pear                                      | 0.1                        | 0.1                                | 5.                                                                                                                                                                                                                                                                                       |  |  |  |  |
| Plum (fresh prune)                        | 0.1                        | 0.1                                |                                                                                                                                                                                                                                                                                          |  |  |  |  |
| Poultry, fat, meat, and mbyp              | 0.1                        | Revoke                             | The Agency concluded that poultry commodities are a 40 CFR 180.6(a)(3) situation and the tolerances on poultry commodities should therefore be revoked.                                                                                                                                  |  |  |  |  |
| Raspberry                                 | 0.2                        | Revoke                             | Once the 0.2 ppm tolerance for caneberries is established, tolerances on blackberries and raspberries should be revoked.                                                                                                                                                                 |  |  |  |  |
| Sheep, fat, meat, and mbyp                | 0.1                        | 0.1                                |                                                                                                                                                                                                                                                                                          |  |  |  |  |
| Soybean                                   | 0.1                        | 0.1                                |                                                                                                                                                                                                                                                                                          |  |  |  |  |
| Soybean forage                            | 1                          | 1                                  |                                                                                                                                                                                                                                                                                          |  |  |  |  |
| Soybean hay                               | 1                          | 1                                  |                                                                                                                                                                                                                                                                                          |  |  |  |  |
| Walnut                                    | 0.1                        | 0.1                                |                                                                                                                                                                                                                                                                                          |  |  |  |  |
| Tolerances listed under 40 CFR §185.4450: |                            |                                    |                                                                                                                                                                                                                                                                                          |  |  |  |  |
| Hops, dried                               | 3                          | Revoke                             | As hops are now considered a RAC in both the fresh (green) and dried forms, the 1.0 ppm tolerance for hops, green and the 3 ppm tolerance for hops, dried (§185.4550) should be revoked, and a regional 2 ppm tolerance for hops (green and dried) should be established in §180.356(x). |  |  |  |  |
|                                           | Tolerances listed und      | ler 40 CFR §186.4450               |                                                                                                                                                                                                                                                                                          |  |  |  |  |
| Citrus molasses                           | 1                          | Revoke                             | Citrus molasses is no longer considered a significant feed item.                                                                                                                                                                                                                         |  |  |  |  |
| Citrus pulp, dried                        | 0.4                        | Revoke                             | Concentration does not occur in dried citrus pulp, and the RAC tolerance therefore adequately covers the processed feed.                                                                                                                                                                 |  |  |  |  |
| . Ne                                      | w Tolerances Required      | l under 40 CFR 8120                | 356 •                                                                                                                                                                                                                                                                                    |  |  |  |  |
| Caneberry                                 | None                       | 0.2                                | Must be established                                                                                                                                                                                                                                                                      |  |  |  |  |

| Commodity                                                     | Current Tolerance<br>(ppm)                                 | Tolerance<br>Reassessment<br>(ppm) | Comment/Correct Commodity<br>Definition                                                                                                                                                                                                                                                  |  |  |  |  |
|---------------------------------------------------------------|------------------------------------------------------------|------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|
| Cotton gin by-products                                        | None                                                       | To be determined                   | Data are required                                                                                                                                                                                                                                                                        |  |  |  |  |
| New Re                                                        | New Regional Tolerances Required under 40 CFR §185.356(x): |                                    |                                                                                                                                                                                                                                                                                          |  |  |  |  |
| Hops, green and dried                                         | None                                                       | 2                                  | As hops are now considered a RAC in both the fresh (green) and dried forms, the 1.0 ppm tolerance for hops, green and the 3 ppm tolerance for hops, dried (§185.4550) should be revoked, and a regional 2 ppm tolerance for hops (green and dried) should be established in §180.356(x). |  |  |  |  |
| New Food Additive Tolerances Required under 40 CFR §185.4450: |                                                            |                                    |                                                                                                                                                                                                                                                                                          |  |  |  |  |
| Citrus, oil                                                   | None                                                       |                                    | A Section 701 MRL of 0.7 ppm<br>must be proposed.                                                                                                                                                                                                                                        |  |  |  |  |

#### **CODEX HARMONIZATION**

No maximum residue limits (MRLs) for norflurazon have been established by Codex for any agricultural commodity. Therefore, no compatibility issues exist with respect to U.S. tolerances.

# 2. Summary of Risk Management Decisions

#### a. Human Health

#### (1) Dietary

#### **Acute Dietary**

The Agency has evaluated the acute dietary risk associated with the use of norflurazon based on established and proposed tolerance levels and assuming 100% of each crop is treated. The endpoint used is a developmental NOEL of 30 mg/kg/day, skeletal variations observed at 60 mg/kg/day, in a rabbit developmental toxicity study. The MOE is 5000 for females of child-bearing age, the most sensitive subpopulation. MOE's of 100 or greater are generally considered acceptable.

## Chronic Dietary (including cancer)

The Agency has evaluated the chronic dietary risk associated with the use of norflurazon based on the same residue values (tolerances) and percent crop treated levels (100%) used for the acute dietary risk. The RfD was established at 0.015 mg/kg/day based upon a chronic toxicity (6 month) study in dogs with a NOEL of 1.58 mg/kg/day. The chronic dietary risk is considered to be minimal. The chronic exposure analysis results in a TMRC which is 10% of the RfD for the U.S. general population. The subpopulation exposed the greatest is non-nursing infants (<1 year old). This subpopulation's TMRC utilizes 47% of the RfD. The Agency considers exposures which utilize 100% or less of the RfD to be adequately protective.

# (2) Worker (Mixer/Loader/Applicator)

# Acute (Short-Term) and Intermediate Term

The Agency has determined that there is a potential dermal exposure to pesticide handlers. The endpoint used is a systemic NOEL of 375 mg/kg/day based on a 21-day dermal toxicity study in rabbits. The MOEs for short and intermediate-term occupational exposure subchronic systemic effects to norflurazon are greater than 100 for the exposure scenarios considered. For example, during mixing/loading, the MOEs range from 240 - 6800; these MOEs assume the use of long pants, long-sleeve shirts, and chemical-resistant gloves. During groundboom and aerial applications, the MOEs range from 330 - 4100 and during flagging, the MOEs range from 1400 - 1700. These MOES assume the use of long pants and long-sleeve shirts (no gloves). And, during the mixer/loader/applicator using hand held equipment, the MOEs are 1,339 for low pressure handward and 2,206 for the backpack sprayer. These MOEs assume the use of long pants, long-sleeve shirt, and chemical-resistant gloves.

# Post-Application

The Agency concludes that the risks from post-application exposures to norflurazon would be acceptable, provided entry does not occur immediately following application. Therefore, post-application exposure data are not required at this time.

The Agency is requiring PPE which include long-sleeved shirt and long pants, chemical-resistant gloves, and shoes plus socks, as well as, requiring a REI of 12 hours. These measures should be sufficient to mitigate the potential exposure to workers.

#### b. Environmental

#### (1) Avian

#### Acute

The Agency has evaluated data to determine the acute effects of norflurazon to birds. At the use rate of 3.93 lb a.i./A. the risk quotients were determined to be less than 0.1, the LOC for presuming adverse effects to avian endangered species. The Agency concludes there will be no adverse effects to endangered birds by uses of norflurazon which have a maximum label rate of 3.93 lb a.i./A or less. This rate includes the use of norflurazon on cotton, soybeans, and peanuts. The use of norflurazon at rates of 7.86 lb a.i./A may cause adverse effects to endangered species of birds due to acute toxicity. This is supported by the risk quotients of <0.19 and <0.11 which are greater than the LOC of 0.1. Several reasons why risk to terrestrial birds and mammals would not be as great as predicted by the RQ method could be: (1) with the ring drench and banded applications used on citrus, only 30% to 80% of the field is exposed to norflurazon; (2) growth of weeds is normally prevented around the base of trees where this herbicide would be applied; and (3) residues on all wildlife food items are predicted to be well below the avian dietary LC<sub>50</sub> and the mammalian dietary LC<sub>50</sub>'s estimated from the rat LD<sub>50</sub>. Considering these factors, it is safe to conclude that the use of norflurazon on citrus will not harm any endangered species of birds and mammals through acute toxicity.

Norflurazon is applied to cranberries solely as a granular formulation. In evaluating the risk of norflurazon use on cranberries, the Agency concludes that it is highly unlikely that an individual bird or small mammal would consume enough granules of norflurazon product in one day so that the percentage of their body weights necessary to reach the LD50 would be reached. The Agency concludes that the use of granular norflurazon on cranberries will pose minimal acute risk to birds and mammals,

and is not expected to cause adverse effects to endangered birds and small mammals.

### Chronic

The Agency has evaluated data on the chronic effects of norflurazon to birds. The chronic risk quotients for birds range from 3 - 47 for the 7.86 lb ai/A rate and 1 - 24 for the 3.93 lb ai/A rate. The Agency concludes that application of liquid norflurazon as currently labeled on all sites, except cranberries, poses a high chronic risk to birds and may affect avian endangered species. Several special factors are associated with the cranberry use that reduces the level of risk to birds: 1) the dense cover of cranberry plants restricts the access of birds to norflurazon granules lying on the soil surface; 2) only granular formulations of norflurazon are applied to cranberries and granules are composed of sand which would make them indistinguishable from the surrounding substrate and unlikely to be selected by birds as grit, and 3) cranberries require either weekly rainfall or irrigation, this would wash much of norflurazon off granules and into the soil. Considering these factors, the Agency concludes that the use of granular norflurazon on cranberries will pose minimal chronic risk to birds.

Although, risk reduction measures including reduced application rates, and use precaution statements already appear on norflurazon product labels, a chronic risk to birds still exists. The registrant has agreed to further mitigate the chronic risk to birds by implementing the following measures: 1) clarifying the soil incorporation statements on the Solicam DF and Zorial product labels by making them more conspicuous and adding them to the specific use directions for each crop; and 2) simplifying the use directions of the Solicam DF and Zorial product labels in banded treatments by clearly stating that no part of a field receives more than the equivalent of the maximum broadcast rate. These measures should reduce exposure to norflurazon for birds on both an immediate and long term basis.

### (2) Mammals-

### Acute

At the application rate of 7.86 lb ai/A, the acute risk quotients for norflurazon were determined to be 0.01, 0.02, and

0.12 for the least shrew, adult field mouse and meadow vole, respectively. At the use rate of 3.93 lb ai/A, the acute risk quotients were determined to be less than 0.1. The Agency concludes that the use of norflurazon will not harm mammals, including endangered species through acute toxicity.

### Chronic

The Agency could not conduct a separate chronic risk assessment for mammals due to the lack of chronic mammalian toxicity data. An examination of the chronic risk assessment for birds shows that chronic risk quotients for all food items other than fruits and pods exceed the LOC for high risk (1). Norflurazon is generally persistent in the terrestrial environment, which increases concern for possible chronic effects. Therefore, the Agency concludes that the application of liquid norflurazon on all crops poses a high risk of chronic effects on mammals, and may cause adverse chronic effects to endangered species of these groups. For the application of granular norflurazon on cranberries, the conclusions posed above on the chronic effects to birds also apply to mammals. Likewise, the risk mitigation measures proposed above for birds should also reduce the exposure of norflurazon to mammals.

### (3) Insects

Norflurazon is practically non-toxic to honeybees. Therefore, insects are not likely to be adversely affected by the use of norflurazon.

### (4) Freshwater Fish

No acute or chronic LOCs have been exceeded for freshwater fish. Therefore, the use of norflurazon is not likely to adversely affect freshwater fish.

### (5) Aquatic invertebrates

No acute or chronic LOCs have been exceeded for freshwater invertebrates. Therefore, the use of norflurazon is not likely to adversely affect freshwater invertebrates.

### (6) Estuarine and Marine Organisms

No acute LOCs have been exceeded for estuarine and marine organisms. Therefore, the use of norflurazon is unlikely to adversely impact estuarine/marine endangered or non-endangered species. Data were not available to assess the chronic risk to estuarine and marine organisms. Because the freshwater chronic studies and the acute estuarine and marine studies indicate that norflurazon has general low toxicity to aquatic organisms, chronic testing on estuarine and marine organisms is not required.

### (7) Nontarget Plants (Terrestrial, Semi-Aquatic, and Aquatic)

The Agency has evaluated data which indicate that LOCs are exceeded for terrestrial, semi-aquatic, and aquatic plants. Depending on the crops, application method and application rates, the risk quotients for terrestrial plants range from 1.7 - 80. The semi-aquatic plant risk quotient for cotton is 1.7 (this is the effect on foliage from exposure to spray drift only). The other risk quotients for semi-aquatic plants range from 120 - 800 depending on the crop, application method and application rates. The risk quotients for aquatic plants, nonendangered species range from 1.6 - 7.3, and the endangered species risk quotients range from 3.3 -11.1. Therefore, use of norflurazon on all sites, except cranberries. may adversely affect nontarget terrestrial and semi-aquatic plants, including endangered species. Considering the special conditions of cranberry bogs, the Agency concludes that use of norflurazon on cranberries will not adversely affect nontarget terrestrial plants growing in adjacent dry land areas, but under some circumstances may adversely affect semiaquatic plants, including endangered species, growing in wet areas.

The use of norflurazon on cranberries should not result in any appreciable exposure to nontarget terrestrial and semiaquatic plants, either via spray drift or runoff. The Agency therefore concludes minimal risk to these plants. The special condition of cranberry bogs reduces the risk to aquatic plants for this use site because under some conditions cultivation practices used for cranberries would likely reduce the potential for contamination of surface water where aquatic plants may be affected. Also, exposure to nontarget areas from drift from applications on cranberry fields would be minimal because norflurazon is applied

to cranberries as a sand granule formulation which would not drift an appreciable distance from the site of applications.

Due to the phytotoxic nature of norflurazon and its method of application, a spray drift advisory is being required on all norflurazon product labels. The Agency believes that this advisory should reduce the risk of norflurazon to nontarget plants via drift. In addition, spray drift studies are being required to evaluate the exposure and risk to nontarget plants.

### (8) Endangered Species

The Agency has concerns about the exposure of threatened and endangered plant and animal species to norflurazon as discussed above in the science assessment chapter. Endangered species LOCs have been exceeded for chronic effects on birds, mammals, and aquatic, semi-aquatic and terrestrial plants.

Currently, the Agency is developing a program ("The Endangered Species Protection Program") to identify all pesticides whose use may cause adverse impacts on endangered and threatened species and to implement mitigation measures that will eliminate the adverse impacts. The program would require use restrictions to protect endangered and threatened species at the county level. Consultations with the Fish and Wildlife Service may be necessary to assess risks to newly listed species or from proposed new uses. In the future, the Agency plans to publish a description of the Endangered Species Program in the Federal Register and have available voluntary county-specific bulletins. Because the Agency is taking this approach for protecting endangered and threatened species, it is not imposing label modifications at this time through the RED. Rather, any requirements for product use modifications will occur in the future under the Endangered Species Protection Program.

### (9) Surface Water

There is a concern for norflurazon contaminating surface water at application via spray drift and runoff. Substantial amounts of applied norflurazon could be available for runoff several months postapplication. The Agency is not requiring surface water monitoring studies at this time; however, due to the mobility and persistence of norflurazon and desmethyl norflurazon, a surface

water label advisory is required. The Agency believes that this advisory will reduce the risk of norflurazon contaminating surface water through spray drift and runoff.

### (10) Ground Water

Norflurazon exhibits some of the properties and characteristics of chemicals that have been detected in ground water. Environmental fate data suggest that norflurazon leaches to ground water as a result of normal agricultural use.

The registrant has already placed a ground water advisory on product labels. The Agency is requiring that the ground water label adivsory be maintained. Previously the Agency required the registrant to conduct ground water monitoring studies which are currently in progress. These studies will provide a better evaluation of the leaching potential of norflurazon, as well as, determine if any appropriate risk mitigation measures will be necessary.

### 3. Spray Drift Advisory

The Agency has been working with the Spray Drift Task Force, EPA Regional Offices and State Lead Agencies for pesticide regulation to develop the best spray drift management practices. The Agency is now requiring interim measures that must be placed on product labels/labeling as specified in Section V. Once the Agency completes its evaluation of the new data base submitted by the Spray Drift Task Force, a membership of U.S. pesticide registrants, the Agency may impose further refinements in spray drift management practices to further reduce off-target drift and risks associated with this drift.

### 4. Labeling Rationale

### Occupational/Residential Labeling Rationale/Risk Mitigation

The Worker Protection Standard (WPS)

### Scope of the WPS

The 1992 Worker Protection Standard for Agricultural Pesticides (WPS) established certain worker-protection requirements (personal protective equipment, restricted entry intervals, etc.) to be specified on the label of all products that contain uses within the scope of the WPS. Uses within the scope of

the WPS include all commercial (non-homeowner) and research uses on farms, forests, nurseries, and greenhouses to produce agricultural plants (including food, feed, and fiber plants, trees, turf grass, flowers, shrubs, ornamentals, and seedlings). Uses within scope include not only uses on plants, but also uses on the soil or planting medium the plants are (or will be) grown in.

At this time some of the registered uses of norflurazon are within the scope of the Worker Protection Standard for Agricultural Pesticides (WPS) and some uses are outside the scope of the WPS. Those that are outside the scope of the WPS include use:

- ■on pastures or rangelands,
- ■in a manner not directly related to the production of agricultural plants, including, for example, control of vegetation in noncrop areas.

### Compliance With The WPS

Any product whose labeling reasonably permits use in the production of an agricultural plant on any farm, forest, nursery, or greenhouse must comply with the labeling requirements of PR Notice 93-7, "Labeling Revisions Required by the Worker Protection Standard (WPS), and PR Notice 93-11, "Supplemental Guidance for PR Notice 93-7, which reflect the requirements of EPA's labeling regulations for worker protection statements (40 CFR part 156, subpart K). These labeling revisions are necessary to implement the Worker Protection Standard for Agricultural Pesticides (40 CFR part 170) and must be completed in accordance with, and within the deadlines specified in, PR Notices 93-7, 93-11, and 95-5. Unless otherwise specifically directed in this RED, all statements required by PR Notices 93-7 and 93-11 are to be on the product label exactly as instructed in those notices.

- ■After April 21, 1994, except as otherwise provided in PR Notices 93-7 and 93-11, all products within the scope of those notices must bear WPS PR Notice complying labeling when they are distributed or sold by the primary registrant or any supplementally registered distributor.
- ■After October 23, 1995, except as otherwise provided in PR Notices 93-7, 93-11, and 95-5, all products within the scope of those notices must bear WPS PR Notice complying labeling when they are distributed or sold by any person.

### Personal Protective Equipment/Engineering Controls for Handlers

At this time there are no engineering control requirements, such as closed systems, currently required on labeling for end-use products containing norflurazon.

### Occupational-Use Products

For each end-use product, PPE requirements for pesticide handlers are set during reregistration in one of two ways:

- 1. If EPA determines that no regulatory action must be taken as the result of the acute effects or other adverse effects of an active ingredient, the PPE for pesticide handlers will be based on the acute toxicity of the enduse product. For occupational-use products, PPE must be established using the process described in PR Notice 93-7 or more recent EPA guidelines.
- 2. If EPA determines that regulatory action on an active ingredient must be taken as the result of very high acute toxicity or to certain other adverse effects, such as allergic effects or delayed effects (cancer, developmental toxicity, reproductive effects, etc.):
- In the RED for that active ingredient, EPA may establish minimum or "baseline" handler PPE requirements that pertain to all or most end-use products containing that active ingredient.
- These minimum PPE requirements must be compared with the PPE that would be designated on the basis of the acute toxicity of the end-use product.
- The more stringent choice for each type of PPE (i.e., bodywear, hand protection, footwear, eyewear, etc.) must be placed on the label of the end-use product.

Personal protective equipment requirements usually are set by specifying one or more pre-established PPE units -- sets of items that are almost always required together. For example, if chemical-resistant gloves are required, then long-sleeve shirts, long pants, socks, and shoes are assumed and are also included in the required minimum attire. If the requirement is for two layers of body protection (coveralls over a long- or short-sleeve shirt and long or short pants), the minimum must also include (for all handlers) chemical-resistant footwear and chemical-resistant headgear for overhead exposures and (for mixers, loaders, and persons cleaning equipment) chemical-resistant aprons.

EPA has determined that regulatory action regarding the establishment of active-ingredient-based minimum PPE requirements for occupational handlers must be taken for norflurazon. The exposure and risk assessments for occupational mixers and loaders, and occupational mixer/loader/applicators were based on exposure data in which the handlers wore chemical-resistant gloves. Therefore, EPA is requiring chemical-resistant gloves as the baseline (minimum) PPE requirements for such handlers.

### Post-Application/Entry Restrictions

### Occupational-Use Products (WPS Uses)

### **Restricted-Entry Interval:**

Under the Worker Protection Standard (WPS), interim restricted entry intervals (REI) for all uses within the scope of the WPS are based on the acute toxicity of the active ingredient. The toxicity categories of the active ingredient for acute dermal toxicity, eye irritation potential, and skin irritation potential are used to determine the interim WPS REI. If one or more of the three acute toxicity effects are in toxicity category I, the interim WPS REI is established at 48 hours. If none of the acute toxicity effects are in category I, but one or more of the three is classified as category II, the interim WPS REI is established at 24 hours. If none of the three acute toxicity effects are in category I or II, the interim WPS REI is established at 12 hours. A 48-hour REI is increased to 72 hours when an organophosphate pesticide is applied outdoors in arid areas. In addition, the WPS specifically retains two types of REI's established by the Agency prior to the promulgation of the WPS: (1) product-specific REI's established on the basis of adequate data, and (2) interim REI's that are longer than those that would be established under the WPS.

The WPS interim REI for norflurazon in effect is 12 hours. EPA notes that the 12-hour interim WPS REI was established because EPA data indicates that norflurazon is classified as toxicity category IV for acute dermal toxicity, eye irritation potential, and skin irritation potential. After reviewing the probable exposures and risks from post-application exposures to norflurazon, EPA has determined that a 12-hour restricted-entry interval (REI) is appropriate. Due to the lack of post-application exposure data and the systemic dermal NOEL, EPA has determined that norflurazon is not a candidate for an REI below 12 hours.

EPA notes that the WPS places very specific restrictions on entry during restricted-entry intervals when that entry involves contact with treated surfaces. EPA believes that these existing WPS protections are sufficient to mitigate post-application exposures of workers who contact surfaces treated with norflurazon.

EPA also notes that if norflurazon has been correctly incorporated, the WPS permits workers to enter the treated area during the restricted-entry interval without personal protective equipment or any other restriction if they are performing tasks that do not involve contact with the soil subsurface.

### **Early-Entry PPE:**

The WPS establishes very specific restrictions on entry by workers to areas that remain under a restricted-entry interval if the entry involves contact with treated surfaces. Among those restrictions are a prohibition of routine entry to perform hand labor tasks and requirement that personal protective equipment be worn. Personal protective equipment requirements for persons who must enter areas that remain under a restricted-entry interval are based on the toxicity concerns about the active ingredient. The requirements are set in one of two ways.

1.If EPA has no special concerns about the acute or other adverse effects of an active ingredient, it establishes the early-entry PPE requirements based on the acute dermal toxicity, skin irritation potential, and eye irritation potential of the active ingredient.

2.If EPA has special concerns about an active ingredient due to very high acute toxicity or to certain other adverse effects, such as allergic effects, cancer, developmental toxicity, or reproductive effects, it may establish early-entry PPE requirements that are more stringent than would be established otherwise.

Since EPA has determined that no regulatory action must be taken due to the acute effects or other adverse effects of norflurazon, it is establishing PPE for dermal protection on the basis of the acute toxicity of the active ingredient. Norflurazon is classified as toxicity category IV for acute dermal toxicity and skin irritation potential. Since norflurazon is classified as toxicity category IV for eye irritation potential, no protective eyewear is required.

### **WPS Notification Statement**

EPA has determined that double notification is not required for norflurazon end-use products.

### Occupational-Use Products (NonWPS Uses)

Since EPA has concerns about post-application, immediate (before sprays have dried) exposures to persons after nonWPS occupational uses of norflurazon, it is establishing entry restrictions for all nonWPS occupational uses of norflurazon end-use products. For specific requirements, refer to Section V of this document.

### Additional Labeling Requirements

The Agency is requiring additional labeling statements to be located on all end-use products containing norflurazon. For the specific labeling statements, refer to Section V of this document.

### V. ACTIONS REQUIRED OF REGISTRANTS

This section specifies the data requirements and responses necessary for the reregistration of both manufacturing-use and end-use products.

### A. Manufacturing-Use Products

### 1. Additional Generic Data Requirements

The generic data base supporting the reregistration of norflurazon for the above eligible uses has been reviewed and determined to be substantially complete.

The following confirmatory data are required to support reregistration of norflurazon:

Product Chemistry
Acute Inhalation for Technical and 78.6% DF
Dermal Sensitization
Gene Mutation (Ames Salmonella)

Directions for Use - Label Amendment to include PHIs Residue Analytical Methods - Animal (Radiovalidation data) Cropfield Trials - Cotton Gin By-products Field Rotational Crops (in progress)

Tier II Aquatic Plant Growth
Batch Equilibrium Study (Degradate)
Spray Drift
Small Scale Ground Water Monitoring (in progress)

### 2. Labeling Requirements for Manufacturing-Use Products

To remain in complaince with FIFRA, manufacturing use product (MP) labeling must be revised to comply with all current EPA regulations, PR Notices and applicable policies. The MP labeling must bear the following statement under Directions for Use:

"Only for formulation into an herbicide for the following use(s): ....."

An MP registrant may, at his/her discretion, add one of the following statements to an MP label under

"Directions for Use" to permit the reformulation of the product for a specific use or all additional uses supported by a formulator or user group:

- (a) "This product may be used to formulate products for specific use(s) not listed on the MP label if the formulator, user group, or grower has complied with U.S. EPA submission requirements regarding support of such use(s)."
- (b) "This product may be used to formulate products for any additional use(s) not listed on the MP label if the formulator, user group, or grower has complied with U.S. EPA submission requirements regarding support of such use(s)."

### B. End-Use Products

### 1. Additional Product-Specific Data Requirements

Section 4(g)(2)(B) of FIFRA calls for the Agency to obtain any needed product-specific data regarding the pesticide after a determination of eligibility has been made. The product specific data requirements are listed in Appendix D, the Product Specific Data Call-In Notice.

Registrants must review previous data submissions to ensure that they meet current EPA acceptance criteria and if not, commit to conduct new studies. If a registrant believes that previously submitted data meet current testing standards, then study MRID numbers should be cited according to the instructions in the Requirement Status and Registrants Response Form provided for each product.

### 2. Labeling Requirements for End-Use Products

### a. Worker Protection

(1) Personal Protective Equipment/Entry Restrictions; Labeling

### PPE Requirements for Pesticide Handlers

Sole-active-ingredient end-use products that contain norflurazon must be revised to adopt the handler personal protective equipment requirements set forth in this section. Any conflicting PPE requirements on their current labeling must be removed.

Multiple-active-ingredientend-use products that contain norflurazon must compare the handler personal protective equipment requirements set forth in this section to the PPE requirements on their current labeling and retain the more protective. For guidance on which PPE is considered more protective, see PR Notice 93-7.

### Products Intended Primarily for Occupational Use

### WPS and nonWPS uses

Minimum (baseline) PPE requirements --The minimum (baseline) PPE for all WPS and nonWPS uses of norflurazon enduse products is:

Applicators and other handlers must wear:

- --long-sleeved shirt and long pants, and
- --shoes plus socks.

In addition, chemical-resistant gloves\* must be worn by all mixers\*\* and loaders and by applicators using hand-held equipment, such as handwands, hoses, or nozzles.

\* For the glove statement, use the statement established for norflurazon through the instructions in Supplement Three of PR Notice 93-7.

\*\* The word "mixer" may be removed if the product is formulated as "ready-to-use."

Actual end-use product PPE requirements -- "The PPE that would otherwise be established based on the acute toxicity of each end-use product must be compared to the minimum (baseline) personal protective equipment specified above. The more protective PPE must be placed on the product labeling. For guidance on which PPE is considered more protective, see PR Notice 93-7."

Placement in labeling -- The personal protective equipment must be placed on the end-use product labeling in the location specified in PR Notice 93-7 and the format and language of the PPE requirements must be the same as is specified in PR Notice 93-7.

### **Entry Restrictions**

Sole-active-ingredientend-use products that contain norflurazon must be revised to adopt the entry restrictions set forth in this section. Any conflicting entry restrictions on their current labeling must be removed.

Multiple-active-ingredientend-use products that contain norflurazon must compare the entry restrictions set forth in this section to the entry restrictions on their current labeling and retain the more protective. A specific time-period in hours or days is considered more protective than "sprays have dried" or "dusts have settled."

### Products Intended Primarily for Occupational Use

### **WPS** uses

Restricted-entry interval --A 12-hour restricted entry interval (REI) is required for uses within the scope of the WPS (see PR Notice 93-7) on all end-use products (see tests in PR Notices 93-7 and 93-11). This REI must be inserted into the standardized REI statement required by Supplement Three of PR Notice 93-7.

### Early-entry personal protective equipment (PPE) --

The PPE required for early entry is:

- --coveralls,
- --chemical-resistant gloves,
- --shoes plus socks

Placement in labeling -- The REI must be inserted into the standardized REI statement required by Supplement Three of PR Notice 93-7. The PPE required for early entry must be inserted into the standardized early entry PPE statement required by Supplement Three of PR Notice 93-7.

### NonWPS uses

**Entry restrictions** -- The Agency is establishing the following entry restrictions for all nonWPS occupational uses of norflurazon end-use products:

### For liquid applications:

"Do not enter or allow others to enter the treated area until sprays have dried."

### For granular applications:

"Do not enter or allow others to enter the treated area until dusts have settled. In addition, if the granules are watered-in, do not enter or allow others to enter until the treated area is dry, following the watering-in."

### (2) Other Labeling Requirements

### **Products Intended Primarily for Occupational Use**

The Agency is requiring the following labeling statements to be located on all end-use products containing norflurazon that are intended primarily for occupational use.

### **Application restrictions**

"Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application."

### **Engineering controls**

"When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides (40 CFR 170.240(d)(4-6), the handler PPE requirements may be reduced or modified as specified in the WPS."

### User safety requirements

"Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry."

### User safety recommendations

- ■"Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet."
- ■"Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing."
- "Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing."

### Optional soil incorporation statement

"Exception: if the product is soil-injected, soil-incorporated or watered-in, the Worker Protection

Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated."

### b. End-Use Labeling Requirements

### **Soil Incorporation**

The following soil incorporation label statement must be added to the specific use directions for **each crop** on the Solicam DF® product label:

"Solicam must be moved into the weed seed germination zone to be effective. If no rainfall occurs within 4 weeks after application, the product must be incorporated by flood or sprinkler irrigation."

The following soil incorporation label statement must be added to the specific use directions for **each crop** on the Zorial Rapid 80® product label:

"Zorial Rapid 80 must be applied and incorporated by tillage, irrigation or rainfall before weeds germinate."

### **Banded Treatments**

The following label statement must be added in the "Application Equipment" section of the norflurazon Solicam DF® and Zorial® labels to clarify the formulas for the row (banded) treatment calculation:

"The solution should be mixed to the maximum label rate and at no point on the field should the solution be applied at a concentration any lower or higher than this rate."

### c. Environmental Hazard Statements

The following labeling statements must be added to the "Environmental Hazards" section on all norflurazon end-use products:

### Labeling for Wetlands

"Do not contaminate water when disposing of equipment washwaters. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not allow this material to drift onto neighboring crops or noncrop areas or use in a manner or at a time other than in accordance with label directions because animal, plant or crop injury, illegal residues or other undesirable results may occur."

### Labeling for Surface Water

"Norflurazon can contaminate surface water through spray drift. Under some conditions, norflurazon may also have a high potential for runoff into surface water (primarily via dissolution in runoff water), for several months post-application. These include poorly draining or wet soils with readily visible slopes toward adjacent surface waters, frequently flooded areas, areas over-laying extremely shallow ground water, areas with in-field canals or ditches that drain to surface waters with vegetated filter strips, and areas over-laying tile drainage systems that drain to surface water."

### **Labeling for Ground Water**

"This chemical is known to leach through soil into ground water under certain conditions as a result of agricultural use. Use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in ground water contamination."

### d. Spray Drift Labeling

The following language must be placed on each product <u>label</u> that can be applied aerially:

"Avoiding spray drift at the application site is the responsibility of the applicator. The interaction of many equipment-and-weather-related

factors determine the potential for spray drift. The applicator is responsible for considering all these factors when making decisions.

The following drift management requirements must be followed to avoid off-target drift movement from aerial applications to agricultural field crops. These requirements do not apply to forestry applications, public health uses or to applications using dry formulations.

- 1. The distance of the outer most nozzles on the boom must not exceed 3/4 the length of the wingspan or rotor.
- 2. Nozzles must always point backward parallel with the air stream and never be pointed downwards more than 45 degrees.

Where states have more stringent regulations, they should be observed.

The applicator should be familiar with and take into account the information covered in the <u>Aerial Drift Reduction Advisory Information</u>.

The following aerial drift reduction advisory information must be contained in the product <u>labeling</u>:

[This section is advisory in nature and does not supersede the mandatory label requirements.]

### Information on Droplet Size

The most effective way to reduce drift potential is to apply large droplets. The best drift management strategy is to apply the largest droplets that provide sufficient coverage and control. Applying larger droplets reduces drift potential, but will not prevent drift if applications are made improperly, or under unfavorable environmental conditions (see Wind, Temperature and Humidity, and Temperature Inversions).

### Controlling Droplet Size

- Volume Use high flow rate nozzles to apply the highest practical spray volume. Nozzles with higher rated flows produce larger droplets.
- Pressure Do not exceed the nozzle manufacturer's recommended pressures. For many nozzle types lower pressure produces larger droplets. When higher flow rates are needed, use higher flow rate nozzles instead of increasing pressure.

- Number of nozzles Use the minimum number of nozzles that provide uniform coverage.
- Nozzle Orientation Orienting nozzles so that the spray is released parallel to the airstream produces larger droplets than other orientations and is the recommended practice. Significant deflection from horizontal will reduce droplet size and increase drift potential.
- Nozzle Type Use a nozzle type that is designed for the intended application. With most nozzle types, narrower spray angles produce larger droplets. Consider using low-drift nozzles. Solid stream nozzles oriented straight back produce the largest droplets and the lowest drift.

### **Boom Length**

For some use patterns, reducing the effective boom length to less than 3/4 of the wingspan or rotor length may further reduce drift without reducing swath width.

### **Application Height**

Applications should not be made at a height greater than 10 feet above the top of the largest plants unless a greater height is required for aircraft safety. Making applications at the lowest height that is safe reduces exposure of droplets to evaporation and wind.

### Swath Adjustment

When applications are made with a crosswind, the swath will be displaced downward. Therefore, on the up and downwind edges of the field, the applicator must compensate for this displacement by adjusting the path of the aircraft upwind. Swath adjustment distance should increase, with increasing drift potential (higher wind, smaller drops, etc.)

### Wind

Drift potential is lowest between wind speeds of 3-10 mph. However, many factors, including droplet size and equipment type determine drift potential at any given speed. Application should be avoided below 3 mph due to variable wind direction and high inversion potential. NOTE: Local terrain can influence wind patterns. Every applicator should be familiar with local wind patterns and how they affect spray drift.

### **Temperature and Humidity**

When making applications in low relative humidity, set up equipment to produce larger droplets to compensate for evaporation. Droplet evaporation is most severe when conditions are both hot and dry.

### **Temperature Inversions**

Applications should not occur during a temperature inversion because drift potential is high. Temperature inversions restrict vertical air mixing, which causes small suspended droplets to remain in a concentrated cloud. This cloud can move in unpredictable directions due to the light variable winds common during inversions. Temperature inversions are characterized by increasing temperatures with altitude and are common on nights with limited cloud cover and light to no wind. They begin to form as the sun sets and often continue into the morning. Their presence can be indicated by ground fog; however, if fog is not present, inversions can also be identified by the movement of smoke from a ground source or an aircraft smoke generator. Smoke that layers and moves laterally in a concentrated cloud (under low wind conditions) indicates an inversion, while smoke that moves upward and rapidly dissipates indicates good vertical air mixing.

### Sensitive Areas


The pesticide should only be applied when the potential for drift to adjacent sensitive areas (e.g., residential areas, bodies of water, known habitat for threatened or endangered species, non-target crops) is minimal (e.g., when wind is blowing away from the sensitive areas)."

### C. Existing Stocks


Registrants may generally distribute and sell products bearing old labels/labeling for 26 months from the date of the issuance of this Reregistration Eligibility Decision (RED). Persons other than the registrant may generally distribute or sell such products for 50 months from the date of the issuance of this RED. However, existing stocks time frames will be established case-by-case, depending on the number of products involved, the number of label changes, and other factors. Refer to "Existing Stocks of Pesticide Products; Statement of Policy"; Federal Register, Volume 56, No. 123, June 26, 1991.

The Agency has determined that registrants may distribute and sell norflurazon products bearing old labels/labeling for 26 months from the date of issuance of this RED. Persons other than the registrant may distribute or sell such products for 50 months from

the date of the issuance of this RED. Registrants and persons other than registrants remain obligated to meet pre-existing Agency imposed label changes and existing stocks requirements applicable to products they sell or distribute.



VI. APPENDICES



| Report | Run    |       | 02/13/96 | ı | Time | 07:58 |  |
|--------|--------|-------|----------|---|------|-------|--|
| 뎚      | Report | Dates | 06/01/95 |   |      |       |  |

APPENDIX A - Case 0229[Norflurazon] Chemical 105801[Norflurazon]

Use Limitations Codes

Disallowed

Geographic Limitations Allowed Disallow

Min. Restr. Interv Entry (days) Interv

[day(s)]

LUIS 2.22 - Page: 1

Max. Appl. Soil Max. # Apps Max. Dose [(AI Rate (AI Tex. & Max. Rate unless noted unless noted Max. /crop /year otherwise)/Al otherwise) Dose cycle /crop /year cycle Form(s) Min. Appl. Rate (AI unless noted otherwise) Timing, Application Equipment -Surface Type (Antimicrobial only) & Effica-cy Influencing Factor (Antimicrobial only) SITE Application Type, Application

USES HIGIBLE FOR REBEGISTRATION

FOOD/FRED USES

| ALAKONTO                                             |        | Use Or                                            | ar ann         | RESTRIA          | A POOD+PR      | ED CRO        | 0000  |          |          |   |   |            |
|------------------------------------------------------|--------|---------------------------------------------------|----------------|------------------|----------------|---------------|-------|----------|----------|---|---|------------|
| Soil treatment, Preharvest, Boom sprayer DF          | NA 2.  | 3.93 lb A<br>2.9475 lb A<br>.9825 lb A            | SN MS          | 8N<br>8          | NS             | NS            | NS    | •        | ru .     |   | ٠ | C92        |
| Soil treatment, Preharvest, Low volume DF sprayer    | NA 2.  | 3.93 lb A<br>2.9475 lb A<br>.9825 lb A<br>Uses of | F NS<br>C<br>C | ns<br>Hebsinetal | SN SOOOT       | NS<br>TD CROP | . 88  | •        | <u>់</u> |   |   |            |
| Soil treatment, Follar, Boom sprayer DF              | NA 2.  | 3.93 1b A<br>2.9475 1b A<br>1.965 1b A            | EN NO          | NS               | NA<br>NA       | NS            | NS    | rὖ       |          |   |   | C92        |
| Soil treatment, Follar, Low volume ground DF sprayer | NA 2.: | 3.93 lb A<br>2.9475 lb A<br>1.965 lb A<br>HRW GYO | F NS           | NS               | NS<br>POOD CRC | NN SE         | N     | rů.      |          |   |   | C92        |
| Soil treatment, Pollar, Boom sprayer DF              | NA 2.5 | 3.93 1b A<br>2.9475 1b A<br>1.965 1b A            | N A            | NB               | NS             | NS            | NB    | ឃុំ      |          | ı | - | C92        |
| Soil treatment, Foliar, Low volume DF sprayer        | NA 2.5 | 3.93 1b A 2.9475 1b A 1.965 1b A                  | E NS           | Si               | NS             | NS            | NS    | rů.      |          |   |   | C92        |
| Soil treatment, Poliar, Boom sprayer DF              | NA 3   | 3.93 lb A 1<br>2.9475 lb A 1<br>1.965 lb A 0      | P NS           | HISTORIAL        | SN STOOM       | SN<br>Ex      | NS NS | <b>n</b> | *        |   |   | C 65       |
| Soll treatment, Foliar, Low volume<br>sprayer        | NA 3.0 | 3.93 1b A B<br>2.9475 1b A B<br>1.965 1b A C      | M M C          | NS               | NS             | SN /          | NS    | <br>rů   |          |   |   | <b>C92</b> |

| 07158     |             |
|-----------|-------------|
| Time      |             |
| 1         |             |
| 96        | ş           |
| 02/113/96 | 06/01/95    |
| 62        | 90          |
|           |             |
| Ę         | r<br>e<br>e |
| Date      | Dates       |
|           |             |
| Pera      |             |
|           | port        |

APPENDIX A - Case 0229[Worfluraton] Chamical 105801[Morfluraton]

LUIS 2.22 - Pages 2

Limitations Disallowed Min. Restr. Geographic Limitations Interv Entry Allowed Dissilow [day(s)] (days) Interv Max. Appl. Soil Max. # Apps Max. Dose [(AI Rate (AI Tex. G Max. Rate unless noted unless noted Max. /crop /year otherwise)/Al otherwise) Dose cycle /crop /year ayale Rate (AI un-less noted otherwise) Form(s) Min. Appl. Timing, Application Equipment -- Surface Type (Antimicrobial only) & Efficacy Influencing Factor (Antimiorobial only) SITE Application Type, Application

uses eligible for remedistration

FOOD/FEED USES (con't)

| AVDCADO                                        |            |         | Dee G                                  | 1000   | RHESTRIAL   | FOOD CROP  |      |      |     |   |            |  |
|------------------------------------------------|------------|---------|----------------------------------------|--------|-------------|------------|------|------|-----|---|------------|--|
| Soil treatment, Foliar, Boom sprayer           | DF         | N.      | 3.93 lb A<br>2.9475 lb A<br>1.965 lb A | NA NA  | NB          | NB         | NB   | NB   | ឃុំ |   | <b>C92</b> |  |
| Soil treatment, Foliar, Iow volume<br>sprayer  | Ž          | NA.     | 3.93 15 A<br>2.9475 15 A<br>1.965 15 A | F NS   | NS          | NS.        | NB   | NB   | ឃុំ |   | C92        |  |
| віжскавик                                      |            |         | Use Gr                                 | a samo | RRESTRIKE   | FOOD CROP  |      |      |     |   |            |  |
| Soil treatment, Dormant, Boom sprayer          | <b>3</b> 0 | MA      | 3.93 lb A<br>2.9475 lb A<br>1.965 lb A | F NS   | NS          | N<br>N     | NS . | NS   | κţ  |   | <b>262</b> |  |
| Soll treatment, Dormant, Low volume<br>sprayer | DF.        | NA<br>A | 3.93 1b A<br>2.9475 1b A<br>1.965 1b A | F NS   | NS /        | SN ,       | NS   | SN   | ឃុំ |   | <b>C92</b> |  |
| HUBBRRRY                                       |            |         | Ose O                                  | adno.  | KRESTRIAL   | FOOD CROP  |      |      |     |   |            |  |
| Soil treatment, Foliar, Boom sprayer           | DF         | NA      | 3.93 lb A<br>2.9475 lb A<br>1.965 lb A | N H C  | N           | NS         | NS   | Si   | rů  |   | 265        |  |
| Soil treatment, Foliar, Low volume<br>sprayer  | DP         | MA      | 3.93 lb A<br>2.9475 lb A<br>1.965 lb A | M M C  | NS          | NS         | NS.  | NS   | ល្  |   | 262        |  |
| скепку                                         |            |         | Dae C                                  | ₽ +dno | zkubsyrtki. | дона скора |      |      |     |   |            |  |
| Soil treatment, Foliar, Boom sprayer           | ŭ          | NA      | 3.93 1b A<br>2.9475 1b A               | F NS   | NS          | NS         | NS   | SN . | rē. | - | 260        |  |
| Soil treatment, Foliar, Low volume<br>sprayer  | <b>ä</b>   | NA      | 3.93 lb A<br>2.9475 lb A               | P NS   | NN          |            | NS   | NS   | rð. |   | C92        |  |

LUIS 2.22 - Page: 3

Use Limitations Disallowed Geographic Limitations Allowed [day(s)] Min. Restr. Interv Entry (days) Interv Max. Appl. Soil Max. # Apps Max. Dose [(AI Rate (AI Tex. @ Max. Rate unless noted /year unless noted Max. /crop /year otherwise)/Al otherwise) Dose cycle /crop /year /crop Rate (AI un-less noted Form(s) Min. Appl. otherwise) Surface Type (Antimicrobial only) & Efficacy Influencing Factor (Antimicrobial only) Timing, Application Equipment -SITE Application Type, Application

USEB ELIGIBLE FOR RESEGUETENTION

FOOD/FEED USES (con't)

| CITHUS PROTES                                                        |       |       |       |                               | Use Gr                           | Apr. TBR                                                                        | RESTRIAL    | 2884-COO8 | 2082     |          |             |                                       |   | ÷ |              |                  |                     |
|----------------------------------------------------------------------|-------|-------|-------|-------------------------------|----------------------------------|---------------------------------------------------------------------------------|-------------|-----------|----------|----------|-------------|---------------------------------------|---|---|--------------|------------------|---------------------|
| Chemigation, Foliar, Drip irrigation                                 | ā     | NA.   | · •   | 3.93<br>3.93<br>3.93          | 1b A<br>1b A<br>1b A             | F NS                                                                            | NS          | NB        | NB       | NS.      | n.          |                                       |   |   | C92          |                  |                     |
| Chemigation, Foliar, Sprinkler irrigation DF                         | on DP | NA    |       | 3.93 lb<br>3.93 lb<br>3.93 lb | 115 A<br>115 A<br>115 A          | NS NS                                                                           | NB          | NS        | SN       | NS       | រណ្ .       |                                       |   |   | <b>C93</b>   |                  |                     |
| Low volume spray (concentrate), Foliar,<br>Low volume ground sprayer | ă,    | NA    |       | 3.93<br>3.93<br>3.93          | 15 A<br>15 A<br>15 A             | NS NS                                                                           | NS          | NS        | NB       | NS       | <b>rů</b> , | •                                     |   |   | <b>C92</b>   |                  |                     |
| Soll broadcast treatment, Follar, Boom sprayer                       | N.    | NA.   |       | 7.86<br>7.86<br>7.86          | 15 A<br>15 A<br>15 A             | F NS                                                                            | N<br>N<br>N | NS        | NS       | NS       | ហ្ .        | FL, TX                                |   |   | . <b>C92</b> |                  |                     |
| Soil treatment, Foliar, Boom sprayer                                 | DF    | NA .  | * ' · | 8 9 8<br>8 9 8<br>8 9 8       | 1b A<br>1b A                     | N N N N                                                                         | NS          | NS        | NS       | NS       | rů          |                                       | • |   | C92          |                  |                     |
| Soil treatment, Foliar, Low volume<br>sprayer                        | FIC   | NA NA |       |                               | D DD                             | NS *                                                                            | NS<br>NS    | 12 lb     | NS<br>NS | N8<br>N8 | ល់ លំ       |                                       |   |   | CAU, G96     | 960<br>960       | · .                 |
| CONTON (UNSPECIFIED)                                                 |       |       |       |                               | Ose GED                          | 10 1 1888                                                                       | RESTRIAL    | FOOD+PERE | CROP     |          |             |                                       |   |   |              |                  | ٠,٠                 |
| Soll broadcast treatment, Preemergence,<br>Alrcraft                  | FIC   | NA    |       |                               | 2 2 2 2                          | * 0* 25 C)                                                                      | NB          | NAS       | NS<br>NS | NB       | ιψ          |                                       | 5 |   | G13,         | C13, C46, C92, G | <b>₽</b> H <b>Ø</b> |
| Soil broadcast treatment, Preemergence,<br>Boom sprayer              | FIC   | NA    |       |                               | 90<br>90<br>90<br>90<br>90<br>90 | SN<br>SN<br>SN<br>SN<br>SN<br>SN<br>SN<br>SN<br>SN<br>SN<br>SN<br>SN<br>SN<br>S | SN          | NS        | NS       | NS       | rů.         | · · · · · · · · · · · · · · · · · · · | 5 |   | c13, (       | ci3, c46, c92, g | <b>GH4</b>          |

| 07:58    |          |
|----------|----------|
| Time     |          |
| ı        |          |
| 02/13/96 | 06/01/95 |
| Dates    | Dates    |
| Run      | port     |
| Report   | 5        |

APPENDIX A - Case 0229[Morflurazon] Chemical 105801[Morflurazon] IJIS 2.22 - Page: 4

Geographic Limitations Max, Appl. Soil Max, # Apps Max. Dose I(Al Min. Restr.

| SITE Application Type, Application For Timing, Application Equipment - Surface Type (Antimicrobial only) & Efficacy Influencing Factor (Antimicrobial only) | (8)<br>8       | Min. Appl.<br>Rate (AI un-<br>less noted<br>otherwise) | Max. Appl. Soil Max. # Apps Max. Dose [(AI Rate (AI Tax. @ Max. Rate unless noted unless noted Max. /crop /year otherwise) Dose cycle /crop /year cycle | foll Max.<br>Tex. & Ma<br>Max. /crc<br>Dose cycl | # Apps Ma<br>x. Rate un<br>p /year of<br>o /o | Max. # Apps Max. Dose [(AI<br>@ Max. Rate unless noted<br>/crop /year otherwise)/Al<br>cycle /year<br>cycle /year | • • •     | Min. Restr. Intery Entry (days) Intery [day(s)] |           | Geographic Limitations<br>Allowed Disallo | Lations<br>Disallowed | Use<br>Limitations<br>Codes |                     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------|-----------------------------------------------|-------------------------------------------------------------------------------------------------------------------|-----------|-------------------------------------------------|-----------|-------------------------------------------|-----------------------|-----------------------------|---------------------|
| DSBS BLICKBOIR FOR REUROISSTRACTOR                                                                                                                          |                |                                                        |                                                                                                                                                         |                                                  |                                               |                                                                                                                   |           |                                                 |           |                                           |                       |                             |                     |
| POOD/PEED USES (con't)                                                                                                                                      | ·              |                                                        |                                                                                                                                                         |                                                  |                                               |                                                                                                                   |           | :                                               |           |                                           |                       |                             |                     |
| COTTON (UNEDESTETED) (CONFE)                                                                                                                                |                |                                                        |                                                                                                                                                         |                                                  | Use Group                                     |                                                                                                                   | OO aw     | HERRO CH                                        | (sec      |                                           |                       |                             |                     |
| Soil incorporated treatment, Preplant, FIC Aircraft                                                                                                         |                | ·NA                                                    | DO<br>DO                                                                                                                                                | * NS                                             | NS                                            | NS                                                                                                                | NS        | N8 .5                                           |           | ฮ์                                        | •                     | C13, C46, C92, GH4          | <b>9</b> H <b>0</b> |
|                                                                                                                                                             |                |                                                        | ac<br>ac                                                                                                                                                | ¥ ∪                                              |                                               |                                                                                                                   |           |                                                 |           |                                           |                       |                             |                     |
| Soil incorporated treatment, Preplant, FlC                                                                                                                  |                | NA                                                     | UC                                                                                                                                                      | en<br>* 1                                        | NB                                            | NS                                                                                                                | NS        | NS .5                                           |           | ฮ                                         |                       | С13, С46, С92, ОН4          | OH4                 |
| Воом sprayer                                                                                                                                                |                |                                                        | 9 B                                                                                                                                                     | <b>1</b>                                         |                                               | r.                                                                                                                | ٠,        | ,                                               |           |                                           |                       |                             |                     |
|                                                                                                                                                             |                |                                                        | 50<br>50<br>51                                                                                                                                          | ט                                                | UC C C TERREPORTAT POON CHOIR                 | CON CROP                                                                                                          |           |                                                 | ,         |                                           |                       |                             |                     |
| cannibana<br>Low volume spray (concentrate), Early G<br>spring, Alcoraft                                                                                    | -              | NA.                                                    | 8 1b A                                                                                                                                                  | , 8N *                                           | NS 1/1 yr                                     | NS B                                                                                                              | A         | s.                                              | NG,       | MA, OR, WA,                               |                       |                             |                     |
| Spray, Early spring, Sprayer G                                                                                                                              | -              | NA                                                     | 8 1b A                                                                                                                                                  | * N8                                             | 1/1 yr                                        | 8 .                                                                                                               | 1.b       | s. sn                                           | NJ,       | MA, OR, WA,                               |                       |                             |                     |
| Spray, Fall, Akroraft G                                                                                                                                     | -<br>-         | NA                                                     | 8 1b A                                                                                                                                                  | *                                                | 1/1 yr                                        | 8<br>8N                                                                                                           | .qr       | NB .5                                           | NJ,<br>WI | MA, OR, WA,                               | *                     |                             |                     |
| Spray, Fall, Sprayer G                                                                                                                                      | : <b>7</b><br> | NA                                                     | 8 1b A                                                                                                                                                  | *                                                | 1/1 yr                                        | B, SN                                                                                                             | <b>11</b> | NS .5                                           | NJ,       | MA, OR, WA,                               | •                     |                             |                     |
| PILIBBRY (HAZBEANT)                                                                                                                                         |                |                                                        | D esti                                                                                                                                                  | au sanos                                         | Use Group: "Nearresthial Footh Croop          | does good                                                                                                         | ·         | r                                               |           |                                           | •                     |                             | ,                   |
| Soll treatment, Follar, Boom sprayer DF                                                                                                                     |                | NA                                                     | 3.93 lb A<br>2.9475 lb A<br>1.965 lb A                                                                                                                  | N H D                                            | NB                                            | NS .                                                                                                              | SN .      | 8. SN                                           | r.        |                                           |                       | C92                         |                     |
| Soil treatment, Foliar, Low Volume BP sprayer                                                                                                               |                | NA                                                     | 3.93 1b A<br>2.9475 1b A<br>1.965 1b A                                                                                                                  | P NS                                             | NS                                            | NS                                                                                                                | N3        | NS .5                                           |           |                                           |                       |                             |                     |
|                                                                                                                                                             |                | •                                                      | ·                                                                                                                                                       | •                                                |                                               |                                                                                                                   |           | •                                               |           | 1                                         | ,                     |                             |                     |

| Time 07:58 | •        |
|------------|----------|
| i          | ı        |
| 02/13/96   | 06/01/95 |
| Date:      | . Nata.  |
| eport Run  | Š        |
| epc        | 2        |

APPENDIX A - Case 0229[Norflurazon] Chemical 105801[Norflurazon]

Use Limitations Codes

LUIS 2.22 - Page: 5 Disallowed Min. Restr. Geographic Limitations Interv Entry Allowed Dissillow [day(s)] (days) Interv Min. Restr. /crop /year Max. Appl. Soil Max. # Apps Max. Dose [(AI Rate (AI Tex. 6 Max. Rate unless noted unless noted Max. /crop /year otherwise)/Al otherwise) Dose cycle /crop /year Rate (AI unless noted Form(s) Min. Appl. otherwise) riming, Application Equipment -Surface Type (Antimicrobial only) & Effica-cy Influencing Factor (Antimicrobial only) SITE Application Type, Application

USEB HILGIBLE FOR REHEGISTRATION

FOOD/FEED USES (con't)

| ÖRÄEHS<br>Soil treatment, Poliar, Boom sprayer DP |
|---------------------------------------------------|
| 2.9475 lb A<br>1.965 lb A                         |
| NA 3.93 1b A 2.9475 1b A 1.965 1b A               |
| <b>.</b>                                          |
| NA                                                |
|                                                   |
| NA                                                |
| NA UC                                             |
| on<br>on                                          |
| NA UC                                             |
| the day                                           |
| NA 3.93 1b 2.9475 1b 1 965 1b                     |
|                                                   |
| NA 3.93 1b A 2.9475 1b A 4.955 1b A               |
| 3                                                 |
| ***                                               |
| NA 3.93 1b A 2.9475 1b A                          |
| 1.965 lb A                                        |

| - Time 07:58 |          |
|--------------|----------|
| 02/13/96     | 06/01/95 |
| Dates        | Date     |
| Report Run   | DAD Rec  |

APPENDIX A - Case 0229[Norflurazon] Chemical 105801[Norflurazon]

LUIS 2.22 - Pages 6

| Use                                        | Limitations                            | Codes                                       |                                            |       |
|--------------------------------------------|----------------------------------------|---------------------------------------------|--------------------------------------------|-------|
| Geographia Lini                            | Allowed Disallowed                     |                                             |                                            |       |
| Min. Restr.                                | Interv Entry                           | (days) Interv                               | [day(s)                                    |       |
| se [(AI                                    | noted                                  | <b>s</b> @)/N]                              | /crop /year                                |       |
| Apps Max. Do                               | Rate (AI Tex. @ Max. Rate unless noted | year otherwi                                | /axop                                      | cycle |
| 1 Max. #                                   | c. 6 Max.                              | c. /cxop /                                  | e cycle                                    |       |
| Max. Appl. Soil Max. # Apps Max. Dose [(AI | Rate (AI Tex                           | unless noted Max. /crop /year otherwise)/Al | otherwise) Dose cycle                      |       |
| -                                          | Rate (AI un-                           | less noted                                  | otherwise)                                 |       |
| Form(s)                                    |                                        | k Effica-                                   | al only)                                   |       |
| <br>SITE Application Type, Application     | Timing, Application Equipment -        | Surface Type (Antimicrobial only) & Effica- | cy Influencing Factor (Antimicrobial only) |       |

# UBES ELLCIBLE FOR RERECISTRATION

POOD/PEED USES (con't)

| PEACH (con t)                                               |          |     |                                        | 980        | Eoupe T        | HIBSTRIAL PO  | D CHOR | (con t | **   |                                           |               |
|-------------------------------------------------------------|----------|-----|----------------------------------------|------------|----------------|---------------|--------|--------|------|-------------------------------------------|---------------|
| Soil treatment, Foliar, Low volume<br>sprayer               | N.       | æ   | 3.93 lb A<br>2.9475 lb A<br>1.965 lb A | z<br>a z u | NB NB          | N3            | NB     | NB     | លំ   |                                           | C92           |
| PERMOTE                                                     |          |     | Dae O                                  | dad        | <b>TERREST</b> | TAL FOODS REE | CHOR   |        |      | •                                         |               |
| Soil treatment, Preemergence, Sprayer Flo                   | FIC , NA | ď   | DC                                     | *          | NS NS          | NS            | , ·    | NB     | NS   | GA.                                       | 246           |
| prantys (diagracipard)                                      |          |     | Use G                                  | aginos     | THRREST        | TAL POOD+FEE  | CROP   |        |      | 1.                                        |               |
| Soil broadcast treatment, Preemergence, FIC<br>Aircraft     | C NA     | æ   | <b>.</b>                               | *          | NS 1/1 YE      | r ns          | NB     | NS     | 'n   | AL, NC, SC, FL,<br>GA, TX, OK, VA,<br>013 | C13, C46, C92 |
| Soil broadcast treatment, Preemergence, Fic<br>Boom sprayer |          | NA  | , ac                                   | *          | NS 1/1 yr      | T, NS         | NS     | NB     | τů   | AL, NC, SC, FL,<br>GA, TX, OK, VA,<br>013 | C13, C46, C92 |
| uxaa                                                        |          |     | Две С                                  | *4000      | TRAREST        | TALL FOOD CRO | 90%    |        |      |                                           |               |
| Soil treatment, Foliar, Boom sprayer DF                     | NA.      | a⊈. | 3.93 lb A<br>2.9475 lb A<br>1.965 lb A | N M D      | , NS           | NS            | NB.    | N      | r.   |                                           | C92           |
| Soil treatment, Follar, Low volume DF sprayer               | NA.      | æ   | 3.93 lb A<br>2.9475 lb A<br>1.965 lb A | E E U      | ns ns          | NN<br>· ·     | NS.    | N3     | rů . |                                           | C92           |
| PECAN                                                       |          |     | Dee G                                  | adno       | TERREST        | HAL ROOM CRO  | :000   |        |      |                                           | \$            |
| · Soil treatment, Foliar, Boom sprayer DF                   | AN.      | ad: | 3.93 lb A<br>2.9475 lb A<br>1.965 lb A | r z c      | NS NS          | <b>SS</b>     | NS.    | NS     | ស្   |                                           | C92           |

LUIS 2.22 - 'Page: 7

Use Limitations Codes Disallowed Geographic Limitations Min. Restr. Geogr Interv Entry Allowed [day(s)] (days) Interv Max. Appl. Soil Max. # Apps Max. Dose [(AI /year Rate (AI Tex. & Max. Rate unless noted unless noted Max. /crop /year otherwise)/A] /crop cycle otherwise) Dose cycle Rate (AI un-Form(s) Min. Appl. less noted otherwise) Surface Type (Antimicrobial only) & Efficacy Influencing Factor (Antimicrobial only) Timing, Application Equipment -SITE Application Type, Application

USEB ELICIBLE FOR REREGISTRATION

FOOD/FEED USES (con't)

| PRCAN (conft)                                       |            |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Üse      | duoag      | Grupe Terrestriki, post char (con't) | FOOD CR | 9       |         |                                           |       |         | . •        |                |              |
|-----------------------------------------------------|------------|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|--------------------------------------|---------|---------|---------|-------------------------------------------|-------|---------|------------|----------------|--------------|
| Soil treatment, Foliar, Low volume sprayer          | 70         | AN.      | 3.93 lb 2.9475 lb 1.965 lb 2.9475 lb 2.965 lb 2. | e e e    | NS NS      | S NS                                 | NS      | NA      | ī.      |                                           |       |         | <b>C92</b> |                |              |
| PLUM                                                |            |          | Use C                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | droup    | PERIOR     | BSTRIKL FOOD CHO!                    | 9       |         |         |                                           |       |         | •          | ٠.             |              |
| Soil treatment, Foliar, Boom sprayer                | <u> </u>   | NA       | 3.93 lb A<br>2.9475 lb A<br>1.965 lb A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Pa 볼 U   | NS NS      | S NS                                 | NS      | SN .    | rů.     |                                           |       |         | C92        |                |              |
| Soil treatment, Foliar, Low volume<br>sprayer       | DP.        | NA       | 3.93 1b A<br>2.9475 1b A<br>1.965 1b A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 14年で     | NS NS      | SN NS                                | NS      | NS      | i.      |                                           | ,     |         | <b>C63</b> |                |              |
| PRUME                                               |            | ,        | Üße                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | *dno.xo  | TERRES     | WINE FOOD CR                         |         |         |         | ,                                         |       | :<br>   |            |                |              |
| Soil treatment, Pollar, Boom sprayer                | ğ          | NA       | 3.93 lb A<br>2.9475 lb A<br>1.965 lb A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | P M O    | NS NS      | SN NS                                | NS      | N8      | rů.     |                                           |       | 9       | C92        |                |              |
| Soil traatment, Follar, Low volume<br>sprayer       | čo         | NA       | 3.93 lb A<br>2.9475 lb A<br>1.965 lb A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 日報・西     | NS NS      | 8W                                   | NA      | NS      | ,<br>ri | ,                                         |       |         |            |                | 1.1          |
| rasdubrry (Hilack, Hud)                             |            |          | Dee O                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | agnor    | Terrestuta | WIAL FOOD CHO                        | ***     | , i     |         | 18.                                       |       |         |            |                |              |
| Soil treatment, Dormant, Boom sprayer               | <b>3</b> 0 | NA<br>NA | 3.93 lb A<br>2.9475 lb A<br>1.965 lb A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | PED      | NS NS      | NAS .                                | NB      | NS      | τů      |                                           | •     |         | <b>C93</b> |                |              |
| Soil treatment, Dormant, Low volume sprayer         | DF         | NA       | 3.93 lb A<br>2.9475 lb A<br>1.965 lb A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 日間の      | NS NS      | NS                                   | . X     | NS<br>S | rὖ      |                                           |       |         | C92        |                | 12 - 12<br>3 |
| HOYBEANE (UNSPICTIFIED)                             |            |          | Тве                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | # dimong | PERREST    | RSTRIAL FOOD-PRE                     | doso d  |         |         |                                           | *     |         | - ;        |                |              |
| Soil broadcast treatment, Preemergence,<br>Aircraft | FIC        | NA       | on<br>on<br>on                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | * NS     | S. S.      | 88                                   | NS      | NS      | លំ      | AL, AR, FL,<br>KY, LA, MS,<br>NC, OK, SC, | E S S | 013, NM | C13,       | C13, C46, C92, | GEB          |

APPENDIX A - Case 0229[Norflurazon] Chemical 105801[Norflurazon] Report Run Date: 02/13/96 - Time 07:58 PRD Report Date: 06/01/95

Limitations LUIS 2,22 - Page: 7 Disallowed Geographic Limitations Intery Entry Allowed [day(s)] Min. Rostr. (days) Interv Max. Appl. Soll Max. # Apps Max. Dose [(AI Rate (AI Tex. @ Max. Rate unless noted /year unless noted Max. /crop /year otherwise)/A] /axop cycle otherwise) Dose cycle Rate (AI un-Form(s) Hin. Appl. less noted otherwise) Surface Type (Antimicrobial only) & Efficacy Influencing Factor (Antimicrobial only) SITE Application Type, Application Timing, Application Equipment -

USES ELICIBLE FOR BERECISTRATION

POOD/FEED USES (con't)

| Hondeans (unspectivise) (const)                         |     |      | Uni                              | dicoup.          | WEER!!  | deouge Pehilbaratal, boxo-feed anop (con (e) | O-FEED C  | y don   | ta, uo      |      |                                                                         |          |                    |        |     |
|---------------------------------------------------------|-----|------|----------------------------------|------------------|---------|----------------------------------------------|-----------|---------|-------------|------|-------------------------------------------------------------------------|----------|--------------------|--------|-----|
| Soil broadcast treatment, Preemergence,<br>Boom sprayer | FIC | en . |                                  | * <sup>1</sup> ¥ | SN<br>S |                                              | N3        | N N     | NB<br>NB    | ហ្   | KY, IA, PL, GA, 013, NM<br>KY, IA, HS, KO,<br>NC, OK, SC, TN,<br>TX, VA | ម        | C13, C46, C92, GE8 | C92, ( | 388 |
| Soil broadcast treatment, Preplant,<br>Aircraft         | FIC | NA.  |                                  | * # CO           | NS      | 5.<br>SN                                     | NB        | NA .    | SN          | rů   | AL, AR, FL, GA, 013, NM<br>KY, LA, MS, MO,<br>NC, OK, SC, TN,<br>TX, VA | <b>5</b> | C13, C46, C92, GE8 | C92, ( | 388 |
| Soil broadcast treatment, Preplant, Boom<br>sprayer     | F1C | NA.  |                                  | * # DD CC CC FF  | NS      | NIS .                                        | SN        | NS      | NS          | rů ' | AL, AR, FL, GA, 013, NM<br>KY, LA, MS, MO,<br>NC, OK, SC, TN,<br>TX, VA | ភ        | C13, C46, C92, GE8 | c92,   | 388 |
| Soil incorporated treatment, Preplant,<br>Aircraft      | PIC | NA.  |                                  | * * #<br>00 00   | MS      | NS                                           | SN        | NS      | . SN ,      | ະດຸ  | AL, AR, FL, GA, 013, NM<br>KY, LA, MS, MO,<br>NC, OK, SC, TN,<br>TX, VA | <b>ម</b> | C13, C46, C92, GE8 | c92, ( | 388 |
| Soil incorporated treatment, Preplant,<br>Boom sprayer  | FIC | NA.  |                                  | * # 50           | NS      | . NIS                                        | NS        | NS      | NB          | νi   | AL, AR, FL, GA, 013, NM<br>KY, LA, MS, MO,<br>NC, OK, SC, TW,<br>TX, VA | <b>5</b> | C13, C46, C92,     | c92, c | 988 |
| WALANDO (ERROLLIBE/BLACK)                               |     |      | Us                               | (max)            | TERRI   | SUTILL FOX                                   | FOOD CROP |         |             |      |                                                                         |          |                    |        |     |
| Soil treatment, Foliar, Boom sprayer                    | DF  | NA   | 3.93 lb<br>2.9475 lb<br>1.965 lb | A A A            | SN.     | NB                                           | NS<br>N   | NS<br>S | . <b>SN</b> | rů   |                                                                         |          |                    |        |     |
| Soil treatment, Foliar, Low volume<br>sprayer           | DF. | NA   | 3.93 lb<br>2.9475 lb<br>1.965 lb | A A A            | N       | NS                                           | SN        | NB      | NS          | ហ្   | ,                                                                       | C92      | 81                 | ,      |     |

| 07:58    |            |
|----------|------------|
| Time     |            |
| 1        |            |
| 02/13/96 | 201 101 20 |
| Date:    | Date.      |
| Run      | Donort     |
| eport    | Dor Dor    |
|          |            |

APPENDIX A - Case 0229[Norflurazon] Chemical 105801[Norflurazon]

Use Limitations

LUIS 2.22 - Page: 8

Disallowed Geographic Limitations Allowed [day(s)] Min. Restr. Interv Entry (days) Interv Max. Appl. Soil Max. # Apps Max. Dose [(Al Rate (AI Tex. @ Max. Rate unless noted /year unless noted Max. /crop /year otherwise)/Al otherwise) Dose cycle /crop /year cycle Form(s) Min. Appl.
Rate (AI unless noted otherwise) Timing, Application Equipment - Surface Type (Antimicrobial only) & Efficacy Influencing Factor (Antimicrobial only) SITE Application Type, Application

# USES ELIGIBLE FOR REREGISTRATION

NON-FOOD/NON-FEED

| IMUGURIAL ARRES (OUTLOOR)                           |          |               | Use Ox    | *4000 | errstrial i  | Oct-Mar      |     | ,    |      | . 1. |              | •   |            |
|-----------------------------------------------------|----------|---------------|-----------|-------|--------------|--------------|-----|------|------|------|--------------|-----|------------|
| Soil treatment, Preemergence, Boom DF sprayer       | -        | NA            | 3.93 lb A | * NS  | NS           | NS<br>NS     | NS  | NS   | π    | ÷.   |              |     | <b>C93</b> |
| Soil treatment, Preemergence, Low volume DF sprayer |          | NA.           | 3.93 lb A | * NB  | NS           | NS           | NS  | SN . | ស្   |      |              |     | C92        |
| NOMBARICULIONAL RICHTS OF MAY PENCEROMS (HEISING    | 800      |               | де ст     | 100   | arrstutat. B | 3 (0004-30)  | 100 |      | •    |      |              | ,   |            |
| Soil treatment, Preemergence, Boom DF sprayer       | <b>2</b> | <b>A</b>      | 3.93 lb A | * NB  | NB           | NS           | NB  | NS   | ឃុំ  | ý,   | <del>-</del> |     | C92        |
| Soil treatment, Preemergence, Low volume DF sprayer |          | NA            | 3.93 lb A | * NS  | NS           | NB           | NB  | NS   |      | ,    | :            |     | C95        |
| HOMACHICHLEUTHAL THEOTHAT VAPED ARBAS/ROLLS         |          | 9<br>7<br>• • | use cre   | T day | AHABSTRIKI N | S COOLA - NO | ä   |      | i    |      |              |     | ;          |
| Soll treatment, Preemergence, Boom DF sprayer       | Z        | na            | 3.93 lb A | * NS  | N8           | NS           | NS  | NS   | ហ្   |      |              |     | 260        |
| Soil treatment, Preemergence, Low volume DF sprayer |          | NA            | 3.93 lb A | *     | NS           | NS           | NS  | NS   | , rů | •    |              | . , | C92        |

### LECEDIO

Description, Formulation, Maximum Application Rate Unit/Area Quantity, Minimum Application Rate, Maximum Dose per Crop Cycle or per Year, Minimum Interval Between Applications (Days), Restricted Entry Interval (Days), Allowed/Disallowed Geographical Areas, Use Limitations Codes. Sort: Uses Eligible or Inslights for Re-Yogistration, Food/Feed or Non-Food/Man-Fred Uses, Lies Orbon Name, Alpha Mone, April 1991 1996/Timing/Equipment

# HEADER ABBREVIATIONS

Min. Appl. Rate (AI unless : Minimum dose for a single application to a single site. System calculated. Microbial claims only. noted otherwise)

Max. Appl. Rate (AI unless : Maximum dose for a single application to a single site. System calculated.

. Maximum dose for a single application to a single site as related to soil texture (Herbicide claims only). noted otherwise)

. Maximum number of Applications at Maximum Dossge Rate. Example: "4 applications per year" is expressed as "4/1 yr"; "4 applications per 3 Max. # Apps @ Max. Rate Soil Tex. Max. Dose

. Maximum dose applied to a site over a single crop cycle or year. System calculated. years" is expressed as "4/3 yr" Max. Dose [(Al unless noted otherwise)/A]

: Minimum Interval between Applications (days) Restr. Entry Interv (days) : Restricted Entry Interval (days) Min. Interv (days) PRD Report Date

registered after this date may have data included in this report, but LUIS does not guarantee that all products registered after this date have : IJIS contains all products that were active or suspended (and that were available from OPP Document Center) as of this date. Some products data that has been captured.

# SOIL TEXTURE FOR MAX APP. RATE

: Non-specific : Coarse Medium

others Fine

# FORMULATION CODES

\* WATER DISPERSIBLE GRANULES (DRY FLOWABLE) \* FLOWABLE CONCENTRATE

: GRANULAR

## ABBREVIATIONS

: As Needed

: Not Applicable

: Not Specified (on label)

. Unconverted due to lack of data (on label), or with one of following units: bag, bait, bait back, bait station, bait station, bait station, packets, block, briquets, briquets, bursts, cake, can, canister, capsule, cartridges, coil, collar, container, dispenser, drop, eartag, grains, lure, packet, packets, pack pack, packets, packets parts, pellets, place, places, pill, pumps, sec, sec burst, sheet, spike, stake, strip, tab, tablet, tablets, tag, tape, towelette, tray, unit,

# APPLICATION RATE

: Dosage Can Not be Calculated

No Calc : No Calculation can be made

PPM calculated by weight PPM Calculated by volume

Unknown whether PPM is given by weight or by volume

: Hundred Weight

"1.234E-04" is equivalent to ".0001234" : nn times (10 power -xx); for instance, nnB-xx

### LEGEND (con't)

USE LIMITATIONS CODES

- C13 : Groundwater restriction.
- C46 ; Do not apply through any type of irrigation system.
- C92 : For terrestrial uses, do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark, CAU : Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.
  - - 696 : Do not graze livestock in treated areas or cut treated crops for feed.
      - GRB : Do not graze or harvest for forage or hay. GH4 : Do not graze or feed for forage.
- \* NUMBER IN PARENTHESES REPRESENTS THE NUMBER OF TIME UNITS (HOURS, DAYS, RTC.) DESCRIBED IN THE LIMITATION

## GEOGRAPHIC CODES

- 013 : Other
- : Alabama Ā
- Arkansas AR ฮ
- California
- Georgia Florida
- Kentucky
- Louislana
- Massachussets
  - Mississippi Missouri
- North Carolina
  - **New Jersey** 
    - New Mexico
- Oklahoma
- South Carolina Oregon
  - Tennessee
- Техав
- Washington Virginia
  - : Wisconsin

### **GUIDE TO APPENDIX B**

Appendix B contains listings of data requirements which support the reregistration for active ingredients within the case Norflurazon covered by this Reregistration Eligibility Decision Document. It contains generic data requirements that apply to norflurazon in all products, including data requirements for which a "typical formulation" is the test substance.

The data table is organized in the following format:

- 1. <u>Data Requirement</u> (Column 1). The data requirements are listed in the order in which they appear in 40 CFR Part 158. the reference numbers accompanying each test refer to the test protocols set in the Pesticide Assessment Guidelines, which are available from the National Technical Information Service, 5285 Port Royal Road, Springfield, VA 22161 (703) 487-4650.
- 2. <u>Use Pattern</u> (Column 2). This column indicates the use patterns for which the data requirements apply. The following letter designations are used for the given use patterns:
  - A Terrestrial food
  - B Terrestrial feed
  - C Terrestrial non-food
  - D Aquatic food
  - E Aquatic non-food outdoor
  - F Aquatic non-food industrial
  - G Aquatic non-food residential
  - H Greenhouse food
  - I Greenhouse non-food
  - J Forestry
  - K Residential
  - L Indoor food
  - M Indoor non-food
  - N Indoor medical
  - O Indoor residential
- 3. <u>Bibliographic citation</u> (Column 3). If the Agency has acceptable data in its files, this column lists the identifying number of each study. This normally is the Master Record Identification (MRID) number, but may be a "GS" number if no MRID number has been assigned. Refer to the Bibliography appendix for a complete citation of the study.

# APPENDIX B

| REQUI | REQUIREMENT                 | USE PATTERN | CITATION(S)                                              |
|-------|-----------------------------|-------------|----------------------------------------------------------|
| PROD  | PRODUCT CHEMISTRY           |             |                                                          |
| 61-1  | Chemical Identity           | AII         | 00111653, 00079434, 00149768, 42056301,<br>GS-0229-1,2,3 |
| 61-2A | Start. Mat. & Mnfg. Process | All         | 00079434, 00111653, 00149768, 42056301,<br>GS-0299-1,2,3 |
| 61-2B | Formation of Impurities     | All         | 00149768                                                 |
| 62-1  | Preliminary Analysis        | All         | 00149768, 42056301, 42080401 - DATA GAP                  |
| 62-2  | Certification of limits     | All         | 00149768, 42056301                                       |
| 62-3  | Analytical Method           | AII         | 00149768, 42056301                                       |
| 63-2  | Color                       | All         | 00079434, 00111653, 00149768                             |
| 63-3  | Physical State              | All         | 00079434, 00111653, 00149768                             |
| 63-4  | Odor                        | AII         | 00079434, 00111653, 00149768                             |
| 63-5  | Melting Point               | All         | 00079434, 00111653, 00149768                             |
| 63-6  | Boiling Point               | N/A         |                                                          |
| 63-7  | Density                     | All         | 00149768                                                 |
| 63-8  | Solubility                  | All         | 00079434, 00111653, 00149768, 40587901                   |
| 63-9  | Vapor Pressure              | All         | 00079434, 00111653, 00149768, 00152751                   |
| 63-10 | Dissociation Constant       | All         | 00149768                                                 |
| 63-11 | Octanol/Water Partition     | All         | 00149768                                                 |
| 63-12 | $\mathbf{H}^{\mathbf{d}}$   | All         | 00149768                                                 |
|       |                             |             |                                                          |

| Data Supporting Guideline Requirements for the Reregistration of Norflurazon | the Reregistration of Norflurazon |  |
|------------------------------------------------------------------------------|-----------------------------------|--|
| Data Supporting Guideline Requirements                                       | £                                 |  |
| Data Sup                                                                     | porting Guideline Requirements    |  |
| Data Su                                                                      | IOI                               |  |
| Data                                                                         | S                                 |  |
|                                                                              | Data                              |  |

| REQUIREMENT | EMENT                                | USE PATTERN | CITATION(S)                                         |
|-------------|--------------------------------------|-------------|-----------------------------------------------------|
| 63-13       | Stability                            | All         | 00079434, 00111653, 00149768, 41986902,<br>43366901 |
| 63-14       | Oxidizing/Reducing Action            | All         | 00149768                                            |
| • 63-15     | Flammability                         | N/A         |                                                     |
| 63-16       | Explodability                        | N/A         |                                                     |
| 63-17       | Storage stability                    | All         | DATA GAP                                            |
| 63-18       | Viscosity                            | N/A         |                                                     |
| 63-19       | Miscibility                          | N/A         |                                                     |
| 63-20       | Corrosion characteristics            | All         | DATA GAP                                            |
| 63-21       | Dielectric breakdown volt            | N/A         | •                                                   |
| 64-1        | Submittal of Samples                 | N/A         |                                                     |
| ECOLOC      | ECOLOGICAL EFFECTS                   |             |                                                     |
| 71-1A       | Acute Avian Oral - Quail/Duck        | A,B         | 00048362, 00063622, 00092234                        |
| 71-1B       | Acute Avian Oral - Quail/Duck<br>TEP | N/A         |                                                     |
| 71-2A       | Avian Dietary - Quail                | A,B         | 00037051                                            |
| 71-2B       | Avian Dietary - Duck                 | A,B         | 00077292                                            |
| 71-3        | Wild Mammal Toxicity                 | N/A         |                                                     |
| 71-4A       | Avian Reproduction - Quail           | A,B         | 00039222, 00052172, 42615301                        |
| 71-4B       | Avian Reproduction - Duck            | A,B         | 00037051, 42615302                                  |
| 71-5A       | Simulated Field Study                | N/A         |                                                     |
| 71-5B       | Actual Field Study                   | N/A         |                                                     |

| REQUIREMENT | REMENT                                     | USE PATTERN | CITATION(S)                            |
|-------------|--------------------------------------------|-------------|----------------------------------------|
| 72-1A       | Fish Toxicity Bluegill                     | A,B         | 00087862                               |
| 72-1B       | Fish Toxicity Bluegill - TEP               | N/A         |                                        |
| 72-1C       | Fish Toxicity Rainbow Trout                | A,B         | 00087863                               |
| 72-1D       | Fish Toxicity Rainbow Trout- TEP           | N/A         |                                        |
| 72-2A       | Invertebrate Toxicity                      | A,B         | 00035709                               |
| 72-2B       | Invertebrate Toxicity - TEP                | N/A         |                                        |
| 72-3A       | Estuarine/Marine Toxicity - Fish           | A,B         | 42080403                               |
| 72-3B       | Estuarine/Marine Toxicity -<br>Mollusk     | A,B         | 00045704, 43041802                     |
| 72-3C       | Estuarine/Marine Toxicity -<br>Shrimp      | A,B         | 42080402                               |
| 72-3D       | Estuarine/Marine Toxicity Fish-<br>TEP     | N/A         |                                        |
| 72-3E       | Estuarine/Marine Toxicity<br>Mollusk - TEP | N/A         |                                        |
| 72-3F       | Estuarine/Marine Toxicity Shrimp - TEP     | N/A         |                                        |
| 72-4A       | Early Life Stage Fish                      | A,B         | 00118047, 00118048, 00248828, 00248839 |
| 72-4B       | Life Cycle Invertebrate                    | А,В         | 00118049, ACC#FA0N0R03                 |
| 72-5        | Life Cycle Fish                            | N/A         |                                        |
| 72-6        | Aquatic Organism Accumulation              | N/A         |                                        |
| 72-7A       | Simulated Field - Aquatic<br>Organisms     | N/A         |                                        |
|             |                                            |             |                                        |

| fuideline Requirements for the Reregistration of Norflurazon |   |
|--------------------------------------------------------------|---|
| he Re                                                        | - |
| g Guideline Requirements for the                             | C |
| Supporting                                                   |   |
| Data (                                                       |   |

| REQUIREMENT | SMENT                                           | USE PATTERN | CITATION(S)                   |   |
|-------------|-------------------------------------------------|-------------|-------------------------------|---|
| 72-7B       | Actual Field - Aquatic Organisms                | N/A         |                               |   |
| 122-1A      | Tier I: Seed Germination/Seedling<br>Emergence  | N/A         |                               |   |
| 122-1B      | Tier I: Vegetative Vigor                        | N/A         |                               |   |
| 122-2       | Tier I: Aquatic Plant Growth                    | N/A         |                               |   |
| 123-1A      | Tier II: Seed<br>Germination/Seedling Emergence | A,B,C       | 42080404, 43312501            |   |
| 123-1B      | Tier II: Vegetative Vigor                       | A,B,C       | 42080405                      |   |
| 123-2       | Aquatic Plant Growth                            | A,B,C       | 42080406, 42080407 - DATA GAP | • |
| 124-1       | Tier III: Terrestrial Field                     | N/A         |                               |   |
| 124-2       | Tier III: Aquatic Field                         | N/A         | •                             |   |
| 141-1       | Honey Bee Acute Contact                         | A,B         | 00146168                      |   |
| 141-2       | Honey Bee Residue on Foliage                    | N/A         |                               |   |
| 141-5       | Field Test for Pollinators                      | N/A         |                               |   |
| TOXICOLOGY  | <u>rogy</u>                                     |             |                               |   |
| 81-1        | Acute Oral Toxicity - Rat                       | A,B         | 00111612                      |   |
| 81-2        | Acute Dermal Toxicity -<br>Rabbit/Rat           | A,B         | 00090786, 00111612            | , |
| 81-3        | Acute Inhalation Toxicity - Rat                 | A,B         | DATA GAP                      | , |
| 81-4        | Primary Eye Irritation - Rabbit                 | A,B         | 00111612                      |   |
| 81-5        | Primary Dermal Irritation -<br>Rabbit           | A,B         | 00111612                      |   |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | _                               |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------|
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | _                               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | ~                               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | ٤                               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | -                               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Ŀ                               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Ţ                               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | -                               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                 |
| - 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | -                               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Ø.,                             |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | ٠.                              |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Ξ                               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | _                               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Ξ                               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | -                               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | -                               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Ċ                               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | *                               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | _                               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 7                               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Ľ                               |
| •                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | -                               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Υ.                              |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 4                               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | <b>`</b>                        |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 0                               |
| 4                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | J                               |
| - 6                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | ~                               |
| ,                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | വ                               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | $\tilde{}$                      |
| ,                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | •                               |
| •                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | _                               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | ٠.                              |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Ξ                               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 0                               |
| 4                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | -                               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | -                               |
| ,                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | ೭                               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | _                               |
| ٦.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ⇉                               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | v                               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | v                               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | ▙                               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | _                               |
| ٠                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                 |
| •                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Ξ                               |
| ٠                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | ≣                               |
| •                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | <b>3</b>                        |
| •                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                 |
| •                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                 |
| •                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Kedm                            |
| •                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Kedm                            |
| •                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | e Kedu                          |
| F                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | ne Kedu                         |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | ine Kegu                        |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | ilne Kedu                       |
| •                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | enne Kedu                       |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | genne Kedu                      |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | ideline Kegu                    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | ngenne Kegu                     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | ruideline Kedu                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Juideline Kedu                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Caldeline Kedu                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | deniaenne Kegu                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | ig Galdeline Kegu               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | ng enideline Kedu               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | ing <b>Caldeline Kedu</b>       |
| · • • • • • • • • • • • • • • • • • • •                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | ring Guldeline Kedu             |
| · · · · · · · · · · · · · · · · · · ·                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | rting Guideline Kegu            |
| ·                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | orting Guideline Kegu           |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | porting Guideline Kedu          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | porting Guideline Kedu          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | pporting Galdeline Regu         |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | apporting Galdeline Regu        |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | supporting Guideline Kedu       |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Supporting Guideline Kedu       |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | a Supporting Guideline Kegui    |
| Carried Action Control of the Contro | ta Supporting Guideline Kedul   |
| Carried Action Control of the Contro | ita Supporting Guideline Kegui  |
| Carried Action Control of the Contro | ara Supporting Guideline Kedul  |
| Carried Action Control of the Contro | vata Supporting Guideline Kegui |
| Carried Action Control of the Contro | Data Supporting Guideline Kegui |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Data Supporting Guideline Kedul |
| Carried Action Control of the Contro | Data Supporting Culdeline Kedul |

H

| REQUIREMENT | EMENT                                 | USE PATTERN | CITATION(S)                            |       |
|-------------|---------------------------------------|-------------|----------------------------------------|-------|
| 81-6        | Dermal Sensitization - Guinea Pig     | A,B         | 00111615 - DATA GAP                    |       |
| 81-7        | Acute Delayed Neurotoxicity - Hen     | N/A         |                                        |       |
| 82-1A       | 90-Day Feeding - Rodent               | A,B         | 00091055                               |       |
| 82-1B       | 90-Day Feeding - Non-rodent           | A,B         | 00092290                               |       |
| 82-2        | 21-Day Dermal - Rabbit/Rat            | A,B         | 00063617                               |       |
| 82-3        | 90-Day Dermal - Rodent                | N/A         |                                        |       |
| 82-4        | 90-Day Inhalation - Rat               | N/A         |                                        |       |
| 82-5A       | 90-Day Neurotoxicity - Hen            | N/A         |                                        |       |
| 82-5B       | 90-Day Neurotoxicity - Mammal         | N/A         |                                        | 4     |
| 83-1A       | Chronic Feeding Toxicity - Rodent     | A,B         | 00041015, 00041016, 00082019, 00111649 | 11649 |
| 83-1B       | Chronic Feeding Toxicity - Non-Rodent | A,B         | 00111618                               |       |
| 83-2A       | Oncogenicity - Rat                    | А,В         | 00082019, 00091056, 00111617           |       |
| 83-2B       | Oncogenicity - Mouse                  | A,B         | 000041015, 00041016, 00111649          |       |
| 83-3A       | Developmental Toxicity - Rat          | A,B         | 00063621                               |       |
| 83-3B       | Developmental Toxicity - Rabbit       | A,B         | 00131151, 00131152                     | · .   |
| 83-4        | 2-Generation Reproduction - Rat       | А           | 00080750, 00080751, 43522301           |       |
| 84-2A       | Gene Mutation (Ames Test)             | A,B         | 00072974 - DATA GAP                    | •     |
| 84-2B       | Structural Chromosomal<br>Aberration  | A,B         | 00155734                               | •     |
| 84-4        | Other Genotoxic Effects               | A,B         | 00155375                               |       |
| 85-1        | General Metabolism                    | Ą           | 00260490, 00047765, 43081501           |       |
|             |                                       |             |                                        | r     |

|                                                                              | 1   |
|------------------------------------------------------------------------------|-----|
| Ħ                                                                            | 400 |
| X                                                                            |     |
| <u>5</u>                                                                     |     |
| Ξ                                                                            |     |
| Έ                                                                            | i   |
| 5                                                                            | l   |
| Z                                                                            |     |
| Ŧ                                                                            | i   |
| _                                                                            | ı   |
| O                                                                            | ı   |
| #                                                                            |     |
| <u> </u>                                                                     | į   |
| St                                                                           | ı   |
| <u>.g</u>                                                                    | k   |
| e e                                                                          | ĺ   |
| ē                                                                            |     |
| ×                                                                            | ı   |
| <u>e</u>                                                                     | -   |
| #                                                                            | I   |
| H                                                                            | į   |
| 40                                                                           | l   |
| £3                                                                           | Į   |
| H                                                                            | I   |
| g                                                                            | I   |
| 믕                                                                            | I   |
| Ë.                                                                           | I   |
| Ħ                                                                            |     |
| 8                                                                            | 1   |
| ×                                                                            | I   |
| نه                                                                           |     |
| Ë                                                                            | I   |
| e                                                                            | Į   |
| Ę                                                                            |     |
| Ħ                                                                            |     |
| G                                                                            |     |
| Ø                                                                            | d   |
|                                                                              |     |
| Ī                                                                            |     |
| 0                                                                            |     |
| Data Supporting Guideline Requirements for the Reregistration of Norflurazon |     |
| in a                                                                         | !   |
| (1)                                                                          | !   |
| 40                                                                           |     |
| 23                                                                           |     |
| 7                                                                            |     |
|                                                                              |     |

| REQUIREMENT | SMENT                                              | USE PATTERN | CITATION(S) | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |
|-------------|----------------------------------------------------|-------------|-------------|---------------------------------------|
| 85-2        | Dermal Penetration                                 | N/A         |             |                                       |
| 86-1        | Domestic Animal Safety                             | N/A         |             |                                       |
| OCCUPA      | OCCUPATIONAL/RESIDENTIAL EXPOSURE                  |             |             |                                       |
| 132-1A      | Foliar Residue Dissipation                         | N/A         |             | ć                                     |
| 132-1B      | Soil Residue Dissipation                           | N/A         |             |                                       |
| 133-3       | Dermal Passive Dosimetry<br>Exposure               | N/A         |             |                                       |
| 133-4       | Inhalation Passive Dosimetry<br>Exposure           | N/A         |             | ·                                     |
| 231         | Estimation of Dermal Exposure at<br>Outdoor Sites  | N/A         |             |                                       |
| 232         | Estimation of Inhalation Exposure at Outdoor Sites | N/A         |             |                                       |
| 233         | Estimation of Dermal Exposure at Indoor Sites      | N/A         |             | •                                     |
| 234         | Estimation of Inhalation Exposure at Indoor Sites  | N/A         |             |                                       |
| ENVIRO      | ENVIRONMENTAL FATE                                 |             |             |                                       |
| 160-5       | Chemical Identity                                  | N/A         |             |                                       |
| 1-191       | Hydrolysis                                         | A,B,C       | 00146165    |                                       |
| 161-2       | Photodegradation - Water                           | A,B,C       | 00148311    |                                       |
| 161-3       | Photodegradation - Soil                            | A,B         | 00148311    |                                       |
| 161-4       | Photodegradation - Air                             | N/A         |             |                                       |

| REQUIREMENT | REMENT                                 | USE PATTERN | CITATION(S)                                              |
|-------------|----------------------------------------|-------------|----------------------------------------------------------|
| 162-1       | Aerobic Soil Metabolism                | A,B,C       | 40079601                                                 |
| 162-2       | Anaerobic Soil Metabolism              | A,B,C       | 40079601                                                 |
| 162-3       | Anaerobic Aquatic Metabolism           | A           | 40079601                                                 |
| 162-4       | Aerobic Aquatic Metabolism             | A           | 40079601                                                 |
| 163-1       | Leaching/Adsorption/Desorption         | A,B,C       | 00148312, 41986904, 43681001, 42710901 - <b>DATA GAP</b> |
| 163-2       | Volatility - Lab                       | N/A         | Not required because of the low vapor pressure.          |
| 163-3       | Volatility - Field                     | N/A         |                                                          |
| 164-1       | Terrestrial Field Dissipation          | A,B,C       | WAIVED                                                   |
| 164-2       | Aquatic Field Dissipation              | A           | WAIVER PENDING                                           |
| 164-3       | Forest Field Dissipation               | N/A         |                                                          |
| 164-5       | Long Term Soil Dissipation             | N/A         |                                                          |
| 165-3       | Accumulation - Irrigated Crop          | Ą           | WAIVER PENDING                                           |
| 165-4       | Bioaccumulation in Fish                | A,B,C       | 41986905                                                 |
| 165-5       | Bioaccumulation - Aquatic<br>NonTarget | N/A         |                                                          |
| 166-1       | Ground Water - Small Prospective       | A,B,C       | DATA GAP - Study in progress; due 1/98.                  |
| 166-2       | Ground Water - Small<br>Retrospective  | N/A         |                                                          |
|             |                                        |             |                                                          |

<sup>&</sup>lt;sup>1</sup> Guidelines 164-2 and 165-3 may be waived provided acceptable batch equilibrium studies on peat soils are submitted to the

| Ħ            | ļ |
|--------------|---|
| 9            | į |
| 22           |   |
| H            |   |
| 므            |   |
| ዧ            |   |
| orfli        | 1 |
| Z            |   |
| of N         |   |
| 0            |   |
| E            |   |
| Ĕ            |   |
| G            |   |
| #            |   |
| <b>S</b> 2   |   |
| ğ            | ) |
| for the Rere |   |
| 2            |   |
| H            |   |
| 9            |   |
| #            |   |
| 1            |   |
| ್ತ           |   |
| S            |   |
| at           |   |
| Ð            |   |
| Ξ            |   |
| Ó            |   |
| -=           |   |
| 2            | ٠ |
| بو           |   |
| ×            |   |
| ص            |   |
| .5           |   |
| F.           |   |
| ð            |   |
| =            |   |
| Ü            |   |
| <u> </u>     | ĺ |
| ű            |   |
| 1            |   |
|              |   |
| Õ            |   |
| 2            |   |
| 72           |   |
|              |   |
| <b>t</b> 3   | , |
| Da           |   |
|              | ١ |
|              |   |
|              |   |


| REQUIREMENT | EMENT                                     | USE PATTERN | CITATION(S)                                                                                                                                                                                            |
|-------------|-------------------------------------------|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 166-3       | Ground Water - Irrigated<br>Retrospective | N/A         |                                                                                                                                                                                                        |
| 201-1       | Droplet Size Spectrum                     | A,B,C       | DATA GAP                                                                                                                                                                                               |
| 202-1       | Drift Field Evaluation                    | A,B,C       | DATA GAP                                                                                                                                                                                               |
| RESIDUE     | RESIDUE CHEMISTRY                         |             |                                                                                                                                                                                                        |
| 171-4A      | Nature of Residue - Plants                |             | 00037055, 00047763, 00047764, 00092285, 00095845, 00104774, 00111625, 00150191, 40012008, 41107201, 41762503, 41762504, 42471201, 43041801 - Additional data in Review                                 |
| 171-4B      | Nature of Residue - Livestock             |             | 00025638, 00047765, 00111607, 40012006, 40012009, 41762501, 43081502, 43081503, 43395801, 43395802                                                                                                     |
| 171-4C      | Residue Analytical Method<br>Plants       |             | 00129332, 00152752, 40012007, 40429302, 40765001, 00027375, 00031642, 00085081, 00092294, 00092296, 00106025, 00111625, 00111648, 00111651, 00111667, 00111669, 41770701, 41986903, 42754901, 43672301 |
| 171-4D      | Residue Analytical Method -<br>Animal     |             | 42754901                                                                                                                                                                                               |
| 171-4E      | Storage Stability                         |             | 00111625, 40079603, 42880802, 43859901 - <b>DATA IN REVIEW</b>                                                                                                                                         |
| 171-4F      | Magnitude of Residues - Potable<br>H2O    | N/A         |                                                                                                                                                                                                        |
| 171-4G      | Magnitude of Residues in Fish             | N/A         |                                                                                                                                                                                                        |
|             | •                                         |             |                                                                                                                                                                                                        |

| REQUIREMENT | CMENT                                                                                                 | USE PATTERN | CITATION(S)                                      |
|-------------|-------------------------------------------------------------------------------------------------------|-------------|--------------------------------------------------|
| 171-4H      | Magnitude of Residues - Irrigated<br>Crop                                                             | N/A         |                                                  |
| 171-41      | Magnitude of Residues - Food<br>Handling                                                              | N/A         |                                                  |
| 171-4J      | Magnitude of Residues - Meat/Milk/Poultry/Egg - Cattle, goat, sheep, hogs, horses, fat, meat and mbyp |             | 00111648, 00111669                               |
| ,, **<br>-  | - Milk                                                                                                |             | 00111648, 00111669                               |
| 171-4K      | - Poultry, fat, meat and mbyp<br>Crop Field Trials                                                    |             | 00111648, 00111669                               |
|             | Legume Vegetables (Succulent or Dried) Group - Soybeans                                               |             | 00031634, 00079435, 00111625, 00111651, 00111667 |
|             | Foliage of Legume Vegetables Group - Soybeans, forage and hay                                         |             | 00031634, 00079435, 00111651                     |
|             | Citrus Fruits Group - Citrus Fruit                                                                    |             | 00106025                                         |
|             | Pome Fruits Group - Apples - Pears                                                                    |             | 00106025, 00111648                               |
|             | Stone Fruits Group - Apricots                                                                         |             | 00111655                                         |
|             | - Cherries                                                                                            | •           | 00111641                                         |

| of Norflurazon |
|----------------|
| istration      |
| · the Rereg    |
| ents for t     |
| equirem        |
| K              |
| uideline       |
| Ü              |
| porting        |
| Supl           |
| Data           |

| REQUIREMENT                                   | USE PATTERN | CITATION(S)                    |
|-----------------------------------------------|-------------|--------------------------------|
| - Nectarines                                  |             | 00111641                       |
| - Peaches                                     |             | 00106025, 00111641             |
| - Plums (fresh prunes)                        |             | 00111641, 40157701             |
| Small Fruits and Berries Group - Blackberries |             | 00131238                       |
| - Blueberries                                 |             | 00129332                       |
| - Caneberries                                 | . •         | PP#4E4383                      |
| - Cranberries                                 |             | 00037052, 00111625             |
| - Grapes                                      | ·           | 00111645, 00128129             |
| - Raspberries                                 |             | 00131238                       |
| Tree Nuts Group - Almond, hulls               |             | 00111648                       |
| - Almond, meat                                |             | 00111648                       |
| - Filberts                                    |             | 00106025, 00111641             |
| - Pecans                                      |             | 00106036                       |
| - Walnuts                                     |             | 00111641                       |
| Miscellaneous Commodities                     |             |                                |
| - Asparagus                                   |             | 00150867                       |
| - Avocados                                    |             | 00150867                       |
| - Cottonseed                                  |             | 0009299, 00092300, 00111625    |
| - Cotton, gin by-products                     |             | DATA GAP                       |
| - Peanuts                                     |             | 00111651, PP#6G3319, PP#9F3702 |

| REQUIREMENT | EMENT                                                         | USE PATTERN | CITATION(S)                                                |
|-------------|---------------------------------------------------------------|-------------|------------------------------------------------------------|
|             | - Peanuts hay,                                                |             | 00111651, PP#6G3319, PP#9F3702                             |
|             | hulls,<br>vines                                               |             |                                                            |
| •           | - Hops, green                                                 |             | 00111648, 42378301                                         |
| 171-4L      | Processed Food                                                |             |                                                            |
|             | - Citrus, molasses                                            |             | 00106025, 40012007, 42764901,                              |
|             | - Citrus pulp, dried                                          |             | 00106025, 42764901                                         |
|             | - Citrus, oil                                                 | ,           | 42764901,                                                  |
|             | - Cottonseed                                                  |             | 00092300, 42495801                                         |
|             | - Hops, dried                                                 |             | 00111648                                                   |
|             | - Raisin waste                                                |             | 00111645, 00128129, 42663701                               |
|             | - Soybeans, hulls, meal, crude and refined oil, and soapstock |             | 00031634, 00079435, 00111651, 00111667, 40429302, 42625101 |
| 171-5       | Reduction of Residues                                         | N/A         |                                                            |
| 171-6       | Proposed Tolerance                                            | N/A         |                                                            |
| 171-7       | Support for Tolerance                                         | N/A         |                                                            |
| 171-13      | Analtyical Reference Standard                                 | N/A         |                                                            |
| 165-1       | Confined Rotational Crop                                      | A,B         | 40012005                                                   |
| 165-2       | Field Rotational Crop                                         | A,B         | 42880801, 42909301                                         |
|             |                                                               |             |                                                            |



### **GUIDE TO APPENDIX C**

- 1. CONTENTS OF BIBLIOGRAPHY. This bibliography contains citations of all studies considered relevant by EPA in arriving at the positions and conclusions stated elsewhere in the Reregistration Eligibility Document. Primary sources for studies in this bibliography have been the body of data submitted to EPA and its predecessor agencies in support of past regulatory decisions. Selections from other sources including the published literature, in those instances where they have been considered, are included.
- 2. UNITS OF ENTRY. The unit of entry in this bibliography is called a "study". In the case of published materials, this corresponds closely to an article. In the case of unpublished materials submitted to the Agency, the Agency has sought to identify documents at a level parallel to the published article from within the typically larger volumes in which they were submitted. The resulting "studies" generally have a distinct title (or at least a single subject), can stand alone for purposes of review and can be described with a conventional bibliographic citation. The Agency has also attempted to unite basic documents and commentaries upon them, treating them as a single study.
- 3. IDENTIFICATION OF ENTRIES. The entries in this bibliography are sorted numerically by Master Record Identifier, or "MRID number". This number is unique to the citation, and should be used whenever a specific reference is required. It is not related to the six-digit "Accession Number" which has been used to identify volumes of submitted studies (see paragraph 4(d)(4) below for further explanation). In a few cases, entries added to the bibliography late in the review may be preceded by a nine character temporary identifier. These entries are listed after all MRID entries. This temporary identifying number is also to be used whenever specific reference is needed.
- 4. FORM OF ENTRY. In addition to the Master Record Identifier (MRID), each entry consists of a citation containing standard elements followed, in the case of material submitted to EPA, by a description of the earliest known submission. Bibliographic conventions used reflect the standard of the American National Standards Institute (ANSI), expanded to provide for certain special needs.
  - Author. Whenever the author could confidently be identified, the Agency has chosen to show a personal author. When no individual was identified, the Agency has shown an identifiable laboratory or testing facility as the author. When no author or laboratory could be identified, the Agency has shown the first submitter as the author.
  - b. Document date. The date of the study is taken directly from the document. When the date is followed by a question mark, the bibliographer has deduced the date from the evidence contained in the document. When the date appears as (19??), the Agency was unable to determine or estimate the date of the document.
  - c. Title. In some cases, it has been necessary for the Agency bibliographers to create or enhance a document title. Any such editorial insertions are contained between square brackets.

- d. Trailing parentheses. For studies submitted to the Agency in the past, the trailing parentheses include (in addition to any self-explanatory text) the following elements describing the earliest known submission:
  - (1) Submission date. The date of the earliest known submission appears immediately following the word "received."
  - (2) Administrative number. The next element immediately following the word "under" is the registration number, experimental use permit number, petition number, or other administrative number associated with the earliest known submission.
  - (3) Submitter. The third element is the submitter. When authorship is defaulted to the submitter, this element is omitted.
  - (4) Volume Identification (Accession Numbers). The final element in the trailing parentheses identifies the EPA accession number of the volume in which the original submission of the study appears. The six-digit accession number follows the symbol "CDL," which stands for "Company Data Library." This accession number is in turn followed by an alphabetic suffix which shows the relative position of the study within the volume.

| MRID     | CITATION                                                                                                                                                                                                                                                                                                                                                                                                                   |
|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|          | Miller, D.J. (1995) Norflurazon. CBRS Response to Registrant Comments Re: Nature of Residue in Ruminants, Required Nature of Residue in Swine, and Storage Stability Data in Poultry (GDLN 171-4(b)). CBRS No. 16123. DP Barcode: D218821. From DJM to Karen Jones, Reregistration Branch dated 10/06/95.                                                                                                                  |
| 00025638 | Winkler, V.W.: Patel, J.R. (1980) A 14C-Norflurazon Lactating Goat Study: (I) Absorption, Tissue Distribution and Excretion; (II) Metabolism: Research Report Metabolism: Research Report CBK 3029 VWW/JRP 80001. (Unpublished study received Jan 11, 1980 under 9F2177; submitted by Sandoz Corp., Homestead, Fla.; CDL:099193-A)                                                                                         |
| 00027375 | Sandoz-Wander, Incorporated (1972) Analytical Method # Res-1C: Analysis of Cranberries for Residues of SAN 9789 and Its Desmethyl Metabolite. (Unpublished study received Mar 14, 1975 under 11273-EX-9; CDL:224650-I)                                                                                                                                                                                                     |
| 00031634 | Winkler, V.W.; Januszanis, M.; Seckinges, A.M.; et al. (1980) Norflurazon and Desmethyl norflurazon Residues in Soybeans after Preplant and Pre-emergence Treatment with Zorial®: Research Report CBK 3030 VWW 80002. (Unpublished study received Feb 20, 1980 under 11273-13; submitted by Sandoz, Inc. Crop Protection, San Diego, Calif.; CDL:099332-D)                                                                 |
| 00031642 | Sandoz, Incorporated (19??) Analysis of Norflurazon and Desmethyl norflurazon in Soybean Meal and Oil Fractions. Undated analytical method 2, modification 1. (Unpublished study received Feb 20, 1980 under 11273-13; CDL:099332-H)                                                                                                                                                                                       |
| 00035709 | Vilkas, A.G.; Browne, A.M. (1980) The Acute Toxicity of Norflurazon (99.4% Active Ingredient) to the Water Flea, <u>Daphnia magna Straus</u> : UCCES Project No. 11506-16-04. (Unpublished study including letter dated May 20, 1980, from R.J. McCormack to R.E. Stoll, received Jun 5, 1980, under 11273-19; prepared by Union Carbide Corp.; submitted by Sandoz, Inc Crop Protection, San Diego, Calif.: CDL:242619-A) |
| 00037051 | Fink, R. (1972) Final Report: Eight-Day Dietary LC50Bobwhite Quail: Project No. 620-124. (Unpublished study received on unknown date under 2G1338; prepared by Environmental Sciences Corp.; submitted by Sandoz-Wander, Inc., Homestead, Fla.; CDL: 093577-C)                                                                                                                                                             |
| 00037052 | Freir, L.L.; Finlayson, P.M.; Brady, S.S.; et al. (1972) Results of Tests on the Amount of Residue Remaining, Including a Description of the Analytical Method Used: [SAN 9789]. (Unpublished study received on unknown date under 2G1338; prepared in cooperation with Washington State Univ. and others, submitted by Sandoz-Wander, Inc., Homestead, Fla.; CDL:093577-D)                                                |

| MRID     | CITATION                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 00037055 | Strang, R.H. (1972) A Study of the Absorption, Translocation and Metabolism of Two Pyridazinone Herbicides (SAN 6706, SAN 9789) by Cotton, Corn and Soybean. Doctoral dissertation, Louisiana State Univ., Dept. of Plant Pathology. (Unpublished study including submitter summary, received on unknown date under 2G1338; submitted by Sandoz-Wander, Inc., Homestead, Fla.; CDL:093577-H)                                                         |
| 00039222 | Fink, R. (1972) Final Report: One-generation Reproduction StudyBobwhite Quail: Project No. 620-122. (Unpublished study received Apr 10, 1980, under 11273-19; prepared by Hazelton Laboratories, submitted by Sandoz, IncCrop Protection, San Diego, Calif.; CDL:22197-B)                                                                                                                                                                            |
| 00041015 | WARF Institute, Incorporated (19??) Compound 9789: Two-Year Feeding Study in Mice: Appendix A; Individual Body Weights. Final Report (Unpublished study received Aug 21, 1975, under 4F1506; submitted by Sandoz, Inc., Homestead, Fla.; CDL:0961446-A)                                                                                                                                                                                              |
| 00041016 | WARF Institute, Incorporated (19??) Compound 9789: Two-Year Feeding Study in Mice: Appendix B: Individual Feed Consumption; Individual Organ Weights; Individual Organ Weight Ratios, Final Report. (Unpublished study received Aug 21, 1975 under 4F1506; submitted by Sandoz, Inc., Homestead, Fla.; CDL:096146-A)                                                                                                                                 |
| 00045704 | Bentley, R.E. (1973) Acute Toxicity of San H9789 Technical to Atlantic Oyster ( <u>Crassostrea virginica</u> ): Report No. FR 74001. Final Rept. (Unpublished study including submitter summary, received May 28, 1980, under 11273-24; prepared by Bionomics, Inc., submitted by Sandoz, IncCrop Protection, San Diego, Calif.; CDL:243090-A)                                                                                                       |
| 00047763 | Strang, R.H.; Rogers, R.L. (1974) Behavior and Fate of Two Phenyl Pyridazinone Herbicides in Cotton, Corn and Soybean: Report No. FB 74003. Final report. Unpublished study received on under No. FB 74003. Final report. (Unpublished study including submitter summary, received May 13, 1974 under 4F1506; prepared by PPG Industries and Louisiana State Univ., Plant Pathology Dept., submitted by Sandoz, Inc., Homestead, Fla., CDL:094588-B) |
| 00047764 | Karapally, J.C. (1974) Metabolism of <sup>3</sup> H-Norflurazon in Cotton, Corn, and Soybean: Report No. JK 74005. Final report. (Unpublished study received May 13, 1974 under 4F1506; submitted by Sandoz, Inc., Homestead, Fla.; CDL:094588-C)                                                                                                                                                                                                    |

| MRID     | CITATION                                                                                                                                                                                                                                                                                                                                                       |
|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 00047765 | Karapally, J.C. (1974) Metabolism of ( <sup>3</sup> H, <sup>14</sup> C)-Norflurazon in Rat: Report No. JK 74007. Final report. (Unpublished study received May 13, 1974 under 4F1506; submitted by Sandoz, Inc., Homestead, Fla.; CDL:094588-D)                                                                                                                |
| 00047766 | Karapally, J.C. (1974) Rate of Degradation of 14C-Norflurazon in Soil: Report No. JK 74007. Interim report. (Unpublished study received May 13, 1974, under 4F1506; submitted by Sandoz, Inc., Homestead, Fla.; CDL: 094588-E)                                                                                                                                 |
| 00048362 | Fink, R.; Beavers, J.B.; Brown, R. (1980) Final Report: Acute Oral LD <sub>50</sub> Mallard Duck: Project No. 131-113. (Unpublished study received Nov. 3, 1980 under 11273-24; prepared by Wildlife International, Ltd.; submitted by Sandoz, Inc., Crop Protection, San Diego, Calif.; CDL:243646-A)                                                         |
| 00052172 | Fink, R.; (1972) Final Report: One-Generation Reproduction Study Mallard Ducks: Project No. 620-123. (Unpublished study received Apr. 10, 1980, under 11273-19; prepared by Hazelton Laboratories, submitted by Sandoz, Inc., Crop Protection, San Diego, Calif.; CDL:242197-A)                                                                                |
| 00063617 | Fogelman, R.W.; Tyler, H.Y. (1970): Subacute Dermal Toxicity of San-978980% WP in Rabbits: Contract No. 120-490-6-70. Final Report. (Unpublished study prepared by Affiliated Medical Enterprises, Inc. and submitted by Sandoz, Inc.).                                                                                                                        |
| 00063621 | Hartman, H.A.; Hrab, R. (1972): Compound 9789: Investigation of Teratogenic Potential in the Rat: Report No. T-1-8/7/72. (Unpublished study submitted by Sandoz, Inc.).                                                                                                                                                                                        |
| 00063622 | Gough, B.J.; Shellenberger, T.E. (1971) Letter sent to Zenas B. Noon, Jr. dated May 18, 1971: Acute toxicological evaluations of San-9789 with fish and wildlife. (Unpublished study received Nov. 14, 1972, under 3G1310; prepared by Gulf South Research Institute, Atchafalaya Basin Laboratories, submitted by Sandoz, Inc. Homestead, Fla.; CDL:092234-F) |
| 00072974 | Brusick, D.J. (1977) Mutagenicity Evaluation of Norflurazon: LBI Project No. 2683. Final rept. (Unpublished study including submitter summary, received Jun 10, 1977 under 11273-10; prepared by Litton Bionetics, Inc., submitted by Sandoz, IncCrop Protection, San Diego, Calif.; CDL:230379-A)                                                             |
| 00077292 | Fink, R. (1972) Final Report: Eight-Day Dietary LC <sub>50</sub> Mallard Ducks: Project No. 620-125. (Unpublished study received Nov 14, 1972 under 3G1310; prepared by Environmental Sciences Corp., submitted by Sandoz, Inc., Homestead, Fla.; CDL:092234-G)                                                                                                |

| MRID     | CITATION                                                                                                                                                                                                                                                                                                                                                                                                          |
|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 00079434 | Sandoz, Incorporated (19??) Zorial 80 WP Cotton Herbicide, San Diego, Calif.: Sandoz. (Technical Bulletin; also in unpublished submission received Jul 2, 1981, under 11273-13; CDL:070190-A)                                                                                                                                                                                                                     |
| 00079435 | Winkler, V.; Patel, J.; Januszanis, M.; et al. (1981) Norflurazon and Desmethyl Norflurazon Residues in Soybeans after Preplant, Preemergence and Split Application study received Apr 23, Preemergence and Split Application Treatments with Zorial®: CBK Report #3041-81004. (Unpublished study received Jul 2, 1981 under 11273-13; submitted by Sandoz, Inc. Crop Protection San Diego, Calif.; CDL:070190-C) |
| 00080750 | WARF Institute, Incorporated (1975) Compound 9789: Reproduction Studies in Rats and Mice: Volume I: Reproduction Studies on Rats. Final rept. (Unpublished study, including submitter summary, received May 8, 1975 under 5F1602; submitted by Sandoz, Inc., Homestead, Fla.; CDL:094369-A)                                                                                                                       |
| 00080751 | WARF Institute, Incorporated (1975) Compound 9789: Reproduction Studies in Rats and Mice: Volume 2: Reproduction Studies in Mice. Final rept. (Unpublished study, including submitter summary, received May 8, 1975 under 5F1602; submitted by Sandoz, Inc., Homestead, Fla.; CDL:094368-A)                                                                                                                       |
| 00082019 | WARF Institute, Incorporated (1975) Compound 9789: Two Year Feeding Study in Rats. Final rept. (Unpublished study received May 8, 1975 under 5F1602; submitted by Sandoz, Inc., Homestead, Fla.; CDL:094370-A; 094371; 094372; 094373; 094374)                                                                                                                                                                    |
| 00085081 | Winkler, V.W.; Patel, J.R.; Januszanis, M.; et al. (1978?) Determination of Norflurazon Residues in Mixed Crop Matrices. Undated method. (Unpublished study retreatments with Zorial®: dated method. (Unpublished study received Oct 19, 1981 under 9F2253; submitted by Sandoz, Inc. Crop Protection, San Diego, Calif.; CDL:070401-B)                                                                           |
| 00087862 | Stoll, R.E.; LeBlanc, G.A.; Sousa, J.V. (1981) Acute LC <sub>50</sub> Toxicity Study in the Bluegill Sunfish on Norflurazon: EG&G Bionomics No. BK-81-7-897; Sandoz Project T-1638. (Unpublished study received Dec. 18, 1981, under 11273-10; prepared in cooperation with EG&G Bionomics, submitted by Sandoz, IncCrop Protection, San Diego, Calif.; CDL:246430-A).                                            |
| 00087863 | Stoll, R.E.; LeBlanc, G.A.; Sousa, J.V. (1981) Acute LC <sub>50</sub> Toxicity Study in Rainbow Trout on Norflurazon: EG&G Bionomics No. BK-31-7-899; Sandoz Project T-1637. (Unpublished study received Dec. 18, 1981, under 11273-10; prepared in cooperation with EG&G Bionomics, submitted by Sandoz, IncCrop Protection, San Diego, Calif.; CDL:246433-A).                                                   |

| MRID                  | CITATION                                                                                                                                                                                                                                                                                                                                                                                      |
|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 00090786              | Bukva, N.F.; Margolin, S.; Fogleman, R.W. (1970) Dermal LD <sub>50</sub> Test-Rabbits. (Unpublished study received Nov 14, 1972 under 3G1310; submitted by Sandoz, Inc., Homestead, Fla.; CDL: 092233-B)                                                                                                                                                                                      |
| 00091053              | Bukva, N.F. (1970) Final ReportPrimary Eye Irritation of Sandoz 9789 Tech. in Rabbits: Contract No. 120-490-7-70. (Unpublished study received Nov. 14, 1972 under 3G1310; prepared by Affiliated Medical Enterprises, Inc., submitted by Sandoz Inc., Homestead, Fla.; CDL:092233-C).                                                                                                         |
| 00091055              | Fogleman, R.W. (1971) Evaluation of the Subchronic (90-day) Toxicity Effects of SAN-9789 in Rats: Contract No. 120-546-9-70. Final rept. (Unpublished study received Nov 14, 1972 under 3G1310; prepared by Affiliated Medical Enterprises, Inc., submitted by Sandoz, Inc., Homestead, Fla.; CDL:092233-F)                                                                                   |
| 00091056              | Harris, D.L. (1972) 9 Month Feeding Study in Rats: F <sub>o</sub> Generation. Final rept. (Unpublished study received Nov 14, 1972 under 3G1310; prepared by WARF Institute, Inc., submitted by Sandoz, Inc., Homestead, Fla.; CDL:092233-G)                                                                                                                                                  |
| Accession<br>00092234 | Shellenberger, T.E. (See MRID 00063622 for citation)                                                                                                                                                                                                                                                                                                                                          |
| 00092285              | Rogers, R.L. (1971) A Study of the Behavior of H³-SAN-6706 and H³-SAN-9789 in Cotton Plants and Soil: Submitter Report No. FB 72004. (Unpublished study, including sub No. FB 72004. (Unpublished study, including submitter summary, received Nov 29, 1971 under 3G1310; prepared by Louisiana State Univ., Plant Pathology Dept., submitted by Sandoz, Inc., Homestead, Fla.; CDL:092232-B) |
| 00092290`             | Sandoz, Inc. (1972?) Mammalian Safety Testing (Unpublished study received on unknown date under 3G1310; CDL:092232-H).                                                                                                                                                                                                                                                                        |
| 00092294              | Sandoz-Wander, Incorporated (1971) Analysis of Cotton Seeds for Residues of SAN 6706, SAN 9789, and Desmethyl SAN 6706. Analytical method # res-1A dated Aug 9 received Oct 19, 1981 under analytical method #Res-1A dated Aug 9, 1971. (Unpublished study received Nov 29, 1971 under 3G1310; CDL:092232-L)                                                                                  |
| 00092296              | Sandoz, Incorporated (19??) The Behavior of Seven Chlorinated Insecticides When Analyzed by the Method for Residues of SAN 6706 and Its Mono and Desmethyl Metabolites: Research Report No. SanF-0046. (Unpublished study received Nov 29, 1971 under 3G1310; CDL:092232-N)                                                                                                                   |

| MRID       | CITATION                                                                                                                                                                                                                                                                                                                                                                             |
|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 00092299   | Sandoz, Incorporated (1972) Residue Analysis Data Sheet: Cottonseed. (Compilation; unpublished study, including report nos. SanF-0142, SanF-0141, SanF-0143, received on unknown date under 3G1310; CDL:092232-Q)                                                                                                                                                                    |
| 00092300   | Boyd, V.F. (1972) Determination of H <sup>3</sup> SAN 9789 Residues in Whole,<br>Non-delinted Cottonseed, and Cottonseed Oil and Meal: Report No. FB 72003.<br>Final report. (Unpublished study received on unknown date under 3G1310; submitted by Sandoz, Inc., Homestead, Fla.; CDL:092232-R)                                                                                     |
| 00095845 - | Yaklich, R.W. (1972) Letter sent to Frank V. Boyd dated Nov 7, 1972 [Uptake and translocation of <sup>14</sup> C-9789 by the mature cranberry plant]. (U.S. Agricultural Research Service, Northeastern Region, New Herbicide Explorations and Chemonarcocide Unit; unpublished study; CDL:093577-I)                                                                                 |
| 00104774   | Strang, R.H.; Rogers, R.L. (19??) Preliminary Data on the Absorption, Translocation and Metabolism of SAN-9789 in Cotton, Corn and Soybeans: Submitter Report No. FB 72005. (Unpublished study, including submitter summary, received Nov 29, 1971 under 3G1310; prepared by Louisiana State Univ., Plant Pathology Dept., submitted by Sandoz, Inc., Homestead, Fla.; CDL:092232-C) |
| 00106025   | Winkler, V. (1982) Norflurazon and Desmethyl Norflurazon Residues in U.S. Fruit, Nut and Citrus Crops Treated with Solicam: CBK Report #3062/82013 VW. (Unpublished study received Jul 12, 1982 under 11283-19; prepared by Sandoz, Inc., Crop Protection, submitted by General Paint & Chemical Co., Chicago, IL; CDL:247824-A)                                                     |
| 00106036   | Sandoz, Inc. (1982) Residues of Norflurazon in Pecans and Other Crops. (Compilation; unpublished study received Jul 12, 1982 under 11273-19; CDL:070971-A)                                                                                                                                                                                                                           |
| 00111607   | Heider, J. (1971) 9789-3H, Blood Level, Tissue Distribution and Excretion in the Rat: Report No. P-1-7/7/71. (Unpublished study received Aug 28, 1972 under 3G1310; submitted by Sandoz-Wander, Inc., Homestead, FL; CDL:094124-G)                                                                                                                                                   |
| 00111612   | Bagdon, R E; Krause, R.; Sabatino, A. (1972): Acute Oral Rat Toxicity, Rabbit Eye Irritation and Rabbit Dermal Irritation Studies of Herbicide 9789, 48-511 and a Mixture of 95% 9789:5% 48-511: Report No. T-1-10/24/72. (Unpublished study prepared by Environmental Sciences Corporation, submitted by Sandoz-Wander, Inc.)                                                       |
| 00111614   | Klotzsche, C.; Cerioli, A. (1972) Sandoz Herbicide 9789 (Zorial): Two Weeks Subacute Inhalation Toxicity Study in Rats: Baricht Nr. 29/72; Report No. T-1-                                                                                                                                                                                                                           |

| MRID |
|------|
|------|

# CITATION

|          | 11/1/72. (Unpublished study received May 13, 1974, under 4F1506; prepared                                                                                                                                                                             |
|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|          | by Sandoz, Switz., submittedd by Sandoz-Wander, Inc., Homestead, FL; CDL:093994-C).                                                                                                                                                                   |
| 00111615 | Bagdon, R.; Morelock, J.; Meserve, D. (1973) Guinea Pig Sensitization Test of Herbicide 9789: T-1-5/16/73. (Unpublished study received May 13, 1974 under 4F1506; submitted by Sandoz-Wander, Inc., Homestead, FL; CDL:093994-D)                      |
| 00111617 | Harris, D.; Nees, P. (1973) Long Term Feeding StudyRat: 1 Year Report: Compound 9789. (Unpublished study received May 13, 1974 under 4F1506; prepared by WARF Institute, Inc., submitted by Sandoz-Wander, Inc., Homestead, FL; CDL:093994-G; 093995) |
| 00111618 | Klotzsche, C.; Carpy, S.; De Rijk; et al. (1973) San 9789 (Zorial), 6 Months Feeding Study in Dogs: Bericht Nr. 56/73. (Unpublished study received May 13, 1974 under 4F1506; prepared by Sandoz-Wander, Inc., Homestead, FL; CDL: 093995-A)          |
| 00111625 | Sandoz-Wander, Inc. (1974) Results of Residues Analyses and Description of Methods: Norflurazon. (Compilation; unpublished study received May 13, 1974 under 4F1506; CDL:094004-A)                                                                    |
| 00111641 | Sandoz, Inc. (1976) Residue Chemistry: Norflurazon on Selected Fruits & Nuts. (Compilation; unpublished study received Apr 23, 1976 under 6F1778; CDL:095230-C)                                                                                       |
| 00111645 | Sandoz, Inc. (1977) Summary of Solicam 80WP Herbicide Residue Results. (Compilation; unpublished study received Mar 14, 1977 under 11273-EX-13; CDL:096039-A)                                                                                         |
| 00111648 | Sandoz, Inc. (1978) Residue Chemistry: Norflurazon. (Compilation; unpublished study received Mar 1, 1979 under 11273-19; CDL:097834-A)                                                                                                                |
| 00111649 | WARF Institute, Inc. (1975): Compound 9789: Two Year Feeding Study in Mice. Final Report. (Unpublished study submitted by Sandoz-Wander, Inc.).                                                                                                       |
| 00111651 | Winkler, V.; Madrid, V. (1979) Residue Chemistry: Zorial®. (Unpublished study received Mar 30, 1979 under 11273-13; submitted by Sandoz, Inc., Crop Protection, San Diego, CA; CDL:098044-A)                                                          |
| 00111653 | Sandoz, Inc. (1975) Application for Temporary Permit: Solicam 80WP (Compilation; unpublished study received Mar 14, 1975, under 5G1600; CDL:098180-A).                                                                                                |

| MRID     | CITATION                                                                                                                                                                                                                                                                                              |
|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 00111655 | Sandoz, Inc. (1974) Residues of Norflurazon in Fruits and Nuts. (Compilation; unpublished study received Mar 14, 1975 under 5G1600; CDL:098180-C)                                                                                                                                                     |
| 00111667 | Sandoz, Inc. (1975) Residues of Norflurazon in Soybeans and Peanuts Planted as Rotational Crops to Cotton. (Compilation; unpublished study received Oct 15, 1975 under 11273-13; CDL:223878-A)                                                                                                        |
| 00111669 | Sandoz, Inc. (1977) Norflurazon Residue Determination in Various Products. (Compilation; unpublished study received Jun 20, 1978 under 11273-13; CDL:234222-B)                                                                                                                                        |
| 00112980 | Klotzsche, C. (1971) Acute Inhalation Toxicity Study with San 9789, 80% Wettable Powder: Report No. 25/71Agro. (Unpublished study received Jun 1, 1971, under 11273-EX-2; submitted by Sandoz, Inc., Crop Protection, San Diego, CA; CDL:095046-A)                                                    |
| 00118047 | LeBlanc, G. (1982) Early Life Stage Toxicity Study in the Fathead Minnow on Norflurazon: Report #BW-82-5-1166; Sandoz Project T-1767. (Unpublished study received Nov 15, 1982 under 11273-13; prepared by EG&G, Bionomics, submitted by Sandoz, Inc., Crop Protection, San Diego, CA; CDL:248828-A). |
| 00118048 | LeBlanc, G. (1982) Early Life Stage Toxicity Study in the Rainbow Trout on Norflurazon: Report #BW-82-5-1165: Sandoz Project T-1733. (Unpublished study received Nov 15, 1982 under 11273-13; prepared by EG&G Bionomics, submitted by Sandoz, Inc., Crop Protection, San Diego, CA; CDL:248829-A).   |
| 00118049 | LeBlanc, G. (1982) 21-Day Chronic Toxicity Test in Daphnia magna: Bionomics Report #BW-82-5-1169; Sandoz Project T-1768. (Unpublished study received Nov 15, 1982 under 11273-13; prepared by EG & G, Bionomics, submitted by Sandoz, Inc., Crop Protection, San Diego, CA; CDL:248830-A)             |
| 00128129 | Graben, M.; Januszanis, M.; Labriola-Tompkins, E. (1983) Norflurazon and Desmethyl Norflurazon Residues in Grapes Treated with Solicam: CNK Report 3080/83001. (Unpublished study received Feb 10, 1983 under 11273-19; submitted by Sandoz, Inc., Crop Protection, San Diego, CA; CDL:071403-A)      |
| 00129332 | Interregional Research Project No. 4 (1982) The Results of Tests on the Amount of Norflurazon Residues Remaining in or on Blueberries Including a Description of the Analytical Method Used. (Compilation; unpublished study received May 20, 1983 under 3E2895; CDL:071614-A)                        |
| 00131027 | Graben, M.; Labriola-Tompkins, E.; Januszanis, M. (1983) Norflurazon and Desmethyl Norflurazon Residues in Florida Citrus Treated with 8 lb ai/a                                                                                                                                                      |

| 78.7 | m | TI  |  |
|------|---|-----|--|
| 10/  |   | 4 4 |  |
|      |   |     |  |

# CITATION

|          | Solicam: CBK Report 3090/83012. (Unpublished study received Aug 30, 1983 under 11273-19; submitted by Sandoz, Inc., Crop Protection, San Diego, CA; CDL:2511157-A).                                                                                           |
|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 00131151 | Hrab, R.; De Raismes, M.; Yao, C. (1983): Dose Range-finding Study of Norflurazon in Pregnant Rabbits: Sandoz Project No. T-1793. (Unpublished study submitted by Sandoz, Inc., Crop Protection).                                                             |
| 00131152 | Hrab, R.; Halbert, F.; Quagliotti, M. et al. (1983): Investigation of Teratogenic Potential of Norflurazon in the RabbitSegment II: Sandoz Project T-1794. (Unpublished study submitted by Sandoz, Inc., Crop Protection).                                    |
| 00131238 | Interregional Research Project No. 4 (1983) The Results of Tests on the Amount of Residues Remaining in or on Berries Including a Description of the Analytical Method Used. (Compilation; unpublished study received Oct 3, 1983 under 4E2973; CDL:071978-A) |
| 00146165 | Skinner, W.; Quistad, G. (1985) Hydrolytic Stability of Norflurazon: Report No. 3760-22-03-85. Unpublished study prepared by Zoecon Corp. 7 p.                                                                                                                |
| 00146168 | Atkins, E. (1985) Letter sent to N. Galiher dated May 20, 1985: Bee adults toxicity dusting test summary. 17 p.                                                                                                                                               |
| 00148311 | Saunders, A.; Quistad, G. (1985) Photodegradation of Norflurazon: Report No. 3760-22-05-85. Unpublished study prepared by Zoecon Corp. 21 p.                                                                                                                  |
| 00148312 | Skinner, W.; Quistad, G. (1985) Adsorption, Desorption and Mobility of Norflurazon in Soil: Report No. 3760-22-07-85. Unpublished study prepared by Zoecon Corp. 26 p.                                                                                        |
| 00149768 | Sandoz Inc. (1985) Norflurazon Registration Standard Product Chemistry Data. Unpublished study. 42 p.                                                                                                                                                         |
| 00150191 | Harden, J. (1974) Uptake, Translocation, and Metabolism of Norflurazon in Peanuts. Unpublished study prepared by North Carolina State University. 75 p.                                                                                                       |
| 00150867 | Interregional Research Project No. 4 (1984) Residue Data: Norflurazon on Asparagus and Avocado Samples. Unpublished compilation. 35 p.                                                                                                                        |
| 00152751 | Zoecon Corp. (1985) Product Chemistry: Norflurazon Technical Herbicide.<br>Unpublished study. 4 p.                                                                                                                                                            |
|          |                                                                                                                                                                                                                                                               |

| MRID                  | CITATION                                                                                                                                                                                                             |
|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 00152752              | Graben, M. (1985) Norflurazon and Desmethyl Norflurazon Residues in Peanuts after Zorial Pre-emergence Applications: Report No. 11011/85006. Unpublished study prepared by Zoecon Industries. 52 p.                  |
| 00155734              | Putman, D. (1985): Chromosome Aberration Assay in Chinese Hamster Ovary (CHO) Cells: Norflurazon Technical. Study No. T4030-337. (Unpublished study prepared by Microbiological Associates Inc.).                    |
| 00155375              | Curren, R. (1985): Unscheduled DNA Synthesis in Rat Primary Hepatocytes: Norflurazon Technical. Study No. T4030/380. (Unpublished study prepared by Microbiological Associates Inc.).                                |
| 00158302              | Bentley, R. (1974) Acute Toxicity of San H9789 to Grass Shrimp (Palaemonetes vulgaris) and Mud Crab (Neopenope texana): and Atlantic Oyster: Report No. PB 74001. Unpublished study prepared by Bionomics, Inc. 8 p. |
| Accession<br>00248828 | EG&G Bionomics. (See MRID 0018047 for citation)                                                                                                                                                                      |
| Accession<br>00248839 | EG&G Bionomics. (See MRID 0018048 for citation)                                                                                                                                                                      |
| 00260490              | Saunders, A.; Skinner, W.; Reuter, C.; et al. (1985): Metabolism of Norflurazon by Female Rats: Report No. 3760-22-01-85. (Unpublished study prepared by Zoecon Corp.).                                              |
| 40012005              | Skinner, W.; Sakai, D.; Quistad, G. (1986) Confined Accumulation of Norflurazon in Rotational Crops: Project I.D. 3760-22-06-85. Unpublished study prepared by Zoecon Research Institute. 24 p.                      |
| 40012006              | Quinstad, G.; Skinner, W.; Reuter, C. (1986) Metabolism of Norflurazon by Laying Hens: Project I.D. 3760-22-12-85. Unpublished study prepared by Zoecon Corp. 25 p.                                                  |
| 40012007              | Ali, S. (1986) Residue of Norflurazon and its Desmethyl Metabolite in Orange Processing Fractions: Project I.D. 480148-2. Unpublished study prepared by Sandoz Crop Protection Corp. 33 p.                           |
| 40012008              | Skinner, W.; Quinstad, G.; Collier, K. et al. (1986) Uptake and Metabolism of Norflurazon by Citrus, Cotton, and Soybean: Project I.D. 3760-22-04-85. Unpublished study prepared by Zoecon Research Institute. 27 p. |

| MRID     | CITATION                                                                                                                                                                                                                                |
|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 40012009 | Quinstad, G.; Skinner, W.; Collier, K.; et al. (1986) Metabolism of Carbon 14 Norflurazon by a Lactating Göat: Project I.D. 3760-22-13-85. Unpublished study prepared by Zoecon Research Institute. 30 p.                               |
| 40079601 | Kanter, C. (1986) Aerobic Soil, Aerobic Aquatic and Anaerobic Aquatic Metabolism of Norflurazon: Laboratory Project ID; 3760-2204-85. Unpublished study prepared by Zoecon Research Institute. 22 p.                                    |
| 40079603 | Graben, M. (1986) Norflurazon & Desmethyl Norflurazon Stability in Fortified (Apple/Milk) and Field Applied (Alfalfa) Samples: Laboratory Project ID: CBK 11034/86013. Unpublished study prepared by Zoecon Industries. 32 p.           |
| 40157701 | Ali, S. (1987) Norflurazon: Residues of Norflurazon and Its Metabolite in Plums Laboratory Project ID: 480148-5. Unpublished study prepared by Sandoz Crop Protection industries. 8 p.                                                  |
| 40429302 | Ali, S. (1987) Residues of Norflurazon and Its Desmethyl Metabolite in Whole Seeds and Processing Fractions of Soybeans: Laboratory Project I.D.: 480148-6. Unpublished study prepared by Sandoz Crop Protection Corp. 69 p.            |
| 40587901 | Guirguis, A. (1988) Water Solubility of Norflurazon: Project No. 480485:<br>Report No. 3. Unpublished study prepared by Sandoz Crop Protection Corp. 12 p.                                                                              |
| 40765001 | Ali, S. (1988) Determination of Norflurazon and Its Desmethyl Metabolite in Raw Agricultural Commodities: Laboratory Project I.D. AM-0820. Unpublished study prepared by Sandoz Crop Protection Corp. 43 p.                             |
| 41107201 | Butz, R.; Ali, F. (1989) Field Metabolism of Norflurazon in Alfalfa: Project No. 480485: Report No. 6. Unpublished study prepared by Sandoz Crop Protection Corp. prepared by Sandoz Crop Protection Corp. 86 p.                        |
| 41762501 | Quistad, G. (1990) Metabolism of [Carbon 14]Norflurazon by a Lactating Goat: Lab Project Number: 480485: 10. Unpublished study Prepared by Sandoz Crop Protection Cy Biochemistry Dept., Prepared by Sandoz Crop Protection Corp. 66 p. |
| 41762503 | Skinner, W.; Quistad, G.; Collier, K.; et al. (1990) Uptake and Metabolism of Norflurazon by Citrus, Cotton, and Soybean: Lab Project Number: 480485: 11. Unpublished study prepared by Sandoz Crop Protection Corp. 66 p.              |

| MRID     | CITATION                                                                                                                                                                                                                                                      |
|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 41762504 | Butz, R.; Ali, F. (1989) Field Metabolism of Norflurazon in Alfalfa: Lab Project Number: 480485: 6. Unpublished study prepared by Sandoz Crop Protection Corp. 158 p.                                                                                         |
| 41986902 | Liu, J. (1991) Stability of Technical Norflurazon: Lab Project Number: 480483: 3: 300379. Unpublished study prepared by Sandoz Crop Protection Corp. 57 p.                                                                                                    |
| 41986903 | Schimelfining, S. (1991) PR Notice 88-5 Enforcement Method Validation for Norflurazon and Desmethyl Norflurazon in Plant Material: Lab Project Number: 24911TBA: PAL-AL-91-120. Unpublished study prepared by Pan-Agricultural Laboratories, Inc. 242 p.      |
| 41986904 | Skinner, W.; Dennis, P. (1991) Adsorption-Desorption of Norflurazon and Aged Norflurazon Rsidues in Soil: Lab Project Number: 480485: 12: DP-300376. Unpublished study prepared by Sandoz Crop Protection Corp. 57 p.                                         |
| 41986905 | Guirguis, A.; Yu, C. (1991) Norflurazon: Bioconcentration and Metabolism in Bluegill Sunfish: Lab Project Number: 480485: 13: DP300300. Unpublished study prepared by ABC Laboratories, Inc. 66 p.                                                            |
| 42056301 | Cichock, G. (1991) Preliminary Analysis of Technical Norflurazon: Lab Project Number: 480483: 2: DP 300378. Unpublished study prepared by Sandoz Crop Protection Corp. 75 p.                                                                                  |
| 42080401 | Srnak, Z.; Belkind, B.; Atallah, H. (1991) Nitrosamines in Technical Norflurazon: Lab Project Number: DP 300636: 480483. Unpublished study prepared by Thermedics Inc. 210 p.                                                                                 |
| 42080402 | Reed, D.; Peters, G. (1991) Norflurazon Technical: A 96-Hour FlowThrough Acute Toxicity Test With the Saltwater Mysid (Mysidopsis bahia): Final Report: Lab Project Number: 131A-106A. Unpublished study prepared by Wildlife International, Ltd. 46 p.       |
| 42080403 | Reed, D.; Peters, G. (1991) Norflurazon Technical: A 96-Hour FlowThrough Acute Toxicity Test With the Sheepshead Minnow (Cyprinodon variegatus): Final Report: Lab Project Number: 131A-107. Unpublished study prepared by Wildlife International, Ltd. 47 p. |
| 42080404 | Backus, P. (1991) Effect of Norflurazon on Seed Germination/Seedling Emergence (Tier II): Report Addendum: Lab Project Number: 3805-91-0009-BE-001-002. Unpublished study prepared by Ricerca, Inc. 337 p.                                                    |

| MRID     | CITATION                                                                                                                                                                                                                                                                                                                                |
|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 42080405 | Backus, P. (1991) Effect of Norflurazon on Vegetative Vigor of Plants (Tier II): Report Addendum: Lab Project Number: 5-910010-BE-001-002. Unpublished study prepared by Ricerca, Inc. 141 p.                                                                                                                                           |
| 42080406 | Hughes, J.; Alexander, M. (1991) The Toxicity of Norflurazon to Selenastrum capricornutum: Lab Project Number: B462-06-1. Unpublished study prepared by Malcolm Pirnie, Inc. 35 p.                                                                                                                                                      |
| 42080407 | Hughes, J.; Alexander, M. (1991) The Toxicity of Norflurazon to Lemna gibba G3: Lab Project Number: B462-062. Unpublished study prepared by Malcolm Pirnie, Inc. 34 p.                                                                                                                                                                  |
| 42378301 | Biehn, W. (1992) Norflurazon: Magnitude of Residue on Hops: Lab Project Number: IR-4 PR NO. 4095. Unpublished study prepared by Washington State Dept. of Agriculture Laboratory Services Division Agricultural Chemical & Hop Laboratory. 73 p.                                                                                        |
| 42471201 | Skinner, W.; Dennis, P. (1992) Metabolites of [Phenylcarbon 14] Norflurazon in Peanuts, Cotton, and Citrus: Final Report: Lab Project Number: DP-300-99 Lab Project Number: DP-300-990. Unpublished study prepared by Sandoz Agro, Inc. 169 p.                                                                                          |
| 42495801 | Bregger, T. (1992) Magnitude of Norflurazon and Desmethyl Norflurazon Residues in Processing Fractions of Cotton: Lab Project Number: 1691-5Z: 91-0010: 233/91/1. Unpublished study prepared by Sandoz Agro, Inc. 254 p.                                                                                                                |
| 42615301 | Beavers, J.; Sipler, O.; Jaber, M. (1992) Norflurazon Technical: A One-generation Reproduction Study with the Bobwhite (Colinus virginianus): Lab Project Number: 131-151. Unpublished study prepared by Wildlife International, Ltd. 164 p.                                                                                            |
| 42615302 | Beavers, J.; Sipler, O.; Jaber, M. (1992) Norflurazon Technical: A One-generation Reproduction Study with the Mallard (Anas platyrhynchos): Lab Project Number: 131-152. Unpublished study prepared by Wildlife International, Ltd. 163 p.                                                                                              |
| 42625101 | Guirguis, M. (1992) Magnitude of the Residues of Norflurazon and Desmethyl Norflurazon in Soybean Processed Fractions: Final Report: Lab Project Number Final Report: Lab Project Number: 234/91/1: 2341172A: 480488. Unpublished study prepared by R&D Sprayers, Inc., Texas A & M University and En-Cas Analytical Labs., Inc. 280 p. |

| MRID     | CITATION                                                                                                                                                                                                                                                                                                                                                                |
|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 42663701 | Guirguis, M. (1993) Magnitude of the Residues of Norflurazon and Desmethyl Norflurazon in Grape Processed Fractions: Final Report: Lab Project Nos.: 232/91/1: 2321160A: 480488. Unpublished study prepared by Western Agricultural Res., Viticulture & Enology Research Center and En-Cas Analytical Labs., Inc. 294 p.                                                |
| 42710901 | Skinner, W.; Dennis, P. (1993) Adsorption-Desorption of (Carbon 14)-Norflurazon in Peat Soils: Final Laboratory Report: Lab Project Number: 480485: DP-301164. Unpublished study prepared by Sandoz Agro, Inc. 70 p.                                                                                                                                                    |
| 42754901 | Hatfield, S. (1993) Validation for the Analytical Method: Determination of Norflurazon and its Desmethyl Metabolite in Beef Liver, Muscle, and Fat Tissues: Lab Project Number: AM-0875-1092-0: 9200539. Unpublished study prepared by Harris Labs. 60 p.                                                                                                               |
| 42764901 | Guirguis, M.; Rosas, M. (1993) Magnitude of the Residues of Norflurazon and Desmethylnorflurazon in Citrus Processed Fractions: Laboratory Final Report: Lab Proj Fractions: Laboratory Final Report: Lab Project Number: FEP #231/91/1: 2311170B: 480488: QAU #91/04/11A. Unpublished study prepared by Univ. of Florida, CREC and EN-CAS Analytical Labs.,Inc. 276 p. |
| 42880801 | Guirguis, M. (1993) Field Accumulation of Norflurazon and its Desmethyl Metabolite in Rotational Crops (CA): Lab Project Number: 2488168A: FEP 248/88/1: 480488. Unpublished study prepared by Pan-Agricultural Laboratories, Inc. 532 p.                                                                                                                               |
| 42880802 | Rosas, M. (1993) Determination of the Stability of Residues of Norflurazon and Desmethyl Norflurazon in Raw Agricultural Commodities: Laboratory Final Report: Lab Project Number:480488: 13: DP 301322. Unpublished study prepared by Sandoz Agro, Inc. 638 p.                                                                                                         |
| 42909301 | Guirguis, M. (1993) Field Accumulation of Norflurazon and its Desmethyl Metabolite in Rotational Crops (LA): Laboratory Final Report: Lab Project Number: Report: Lab Project Number: 480488: DP-301295: 248/88/2. Unpublished study prepared by Jensen Agricultural Consultants, Inc. and Pan-Agricultural Labs, Inc. 567 p.                                           |
| 43041801 | Skinner, W.; Dennis, P. (1993) Metabolites of [Pyridazinyl- <sup>14</sup> C]Norflurazon in Peanuts, Cotton, and Citrus: Lab Project Number: 480485: 16: DP-301163. Unpublished study prepared by Environmental Chemistry, Sandoz Agro, Inc. 116 p.                                                                                                                      |

| MRID     | CITATION                                                                                                                                                                                                                                                                                                                                |
|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 43041802 | Graves, W.; Swigert, J. (1993) Norflurazon: A 96-Hour Shell Deposition Test with the Eastern Oyster (Crassostrea virginica): Lab Project Number: 131A-156A. Unpublished study prepared by Wildlife International Ltd. 43 p.                                                                                                             |
| 43081501 | Sen, P.; Yu, C. (1993): Determination of a Sulfone Metabolite of Norflurazon in Rat Excreta: Final Report. Project No. 480485:19:301416. (Unpublished study prepared by Sandoz Agro, Inc.).                                                                                                                                             |
| 43081502 | Guirguis, A.; Yu, C. (1993) Norflurazon Metabolism in Lactating Goats Using Two Separate Labels (Phenyl Ring-UL-(carbon 14) and (4,5-(carbon 14)-Pyridazinyl)): Final Report: Lab Project Number: 480485: 18: DP-301406. Unpublished study prepared by Sandoz Agro, Inc. 304 p.                                                         |
| 43081503 | Nietschmann, D.; Ekdawi, M.; Yu, C. (1993) Norflurazon-Metabolism in Laying Hens Using (Phenyl-(carbon 14)) and Pyridazinyl-(carbon 14) Labels: Final Report: Lab Project Number: 480485: 15: DP/301350. Unpublished study prepared by Sandoz Agro, Inc. 147 p.                                                                         |
| 43312501 | Backus, P. (1994) Effect of Norflurazon on Seedling Emergence (Tier II): Supplemental Test: Lab Project Number: 93-0139: 5745-93-0139-BE-001: 5745-93-0139-BE-000. Unpublished study prepared by Ricerca, Inc. 92 p.                                                                                                                    |
| 43366901 | O'Connell, T.; Arruda, J.; Belkind, B. (1994) Sensitivity of Technical Norflurazon to Metals and Metal Ions: Final Report: Lab Project Number: 480483: DP/301630. Unpublished study prepared by Sandoz Agro Analytical Chemistry Division. 55 p.                                                                                        |
| 43395801 | Guirguis, A.; Yu, C. (1994) Addendum to a Previous Report on Norflurazon Metabolism in Lactating Goats Using Two Separate Labels (Phenyl Ring-UL-(carbon 14)) and (4,5-(carbon 14)-Pyridazinyl): Lab Project Number: 480485: 18A: DP/301637. Unpublished study prepared by Sandoz Agro, Inc. Metabolism/Pharmacokinetics Section. 51 p. |
| 43395802 | Nietschmann, D.A.; Yu, C. (1994) Addendum to a Previous Report on Norflurazon Metabolism in Laying Hens Using [Phenyl-14C] and [Pyridazinyl-14C] Norflurazon Labels: Lab Project No. 480485: 15A: DP-301639. Unpublished Study Prepared By Sandoz Agro, Inc. Metabolism/Pharmacokinetics Section. 48 p.                                 |
| 43522301 | Eschbach, B.; Aerni, R.; Hertl, P.; et al. (1994): Two Generation Reproduction Study in Rats: Norflurazon: Revised Final Report. Project No. 440R. (Unpublished study prepared by Sandoz Agro, Ltd.).                                                                                                                                   |

| MRID     | CITATION                                                                                                                                                                                                                                                                                                |
|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 43672301 | Sandoz, Inc. (1995) Norflurazon Status of Analytical Enforcement Method for Plants. GDLN 171-4(c); DP Barcode: D216515. CBRS No. 15741.                                                                                                                                                                 |
| 43681001 | Vollmin, s. (1995) <sup>14</sup> C-DesmethylNorflurazon: Adsorption-Desorption (nonaged) by the Batch Equilibrium Method in Two Peat Soils.                                                                                                                                                             |
| 43859901 | Rosas, M. (1995) Determination of the Stability of Norflurazon and its Desmethyl Metabolite in the Processed Fractions of Cotton Seed, Soybean, Grape, and Citrus Under Frozen Conditions: Final Report: Lab Project Number: 480488: 20: 301822. Unpublished study prepared by Sandoz Agro, Inc. 293 p. |
| GS0229-1 | Confidential Statement of Formula (EPA Registration No. 11273-10).                                                                                                                                                                                                                                      |
| GS0229-2 | Sandoz-Wander Inc. (1976) Correspondence in EPA Reg. No. 11273-10.                                                                                                                                                                                                                                      |
| GS0229-3 | SiHig, Marshall (ed.) (1977) Pesticide Process Encyclopedia, Noyes Data Corp., Park Ridge, NJ. p.351.                                                                                                                                                                                                   |
| GS0299-4 | Sandoz Inc. (1983) Residues from Solicam applications to fruits and nuts prior to January 1978 (from CBK 3014/78001). Supplement 3 to CBK 3080/83001. (Unpublished Summary submitted by Sandoz, Inc. CDL:071403).                                                                                       |



# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

# GENERIC AND PRODUCT SPECIFIC DATA CALL-IN NOTICE

### **CERTIFIED MAIL**

### Dear Sir or Madam:

This Notice requires you and other registrants of pesticide products containing the active ingredient identified in Attachment A of this Notice, the <u>Data Call-In Chemical Status Sheet</u>, to submit certain data as noted herein to the U.S. Environmental Protection Agency (EPA, the Agency). These data are necessary to maintain the continued registration of your product(s) containing this active ingredient. Within 90 days after you receive this Notice you must respond as set forth in Section III below. Your response must state:

- 1. How you will comply with the requirements set forth in this Notice and its Attachments 1 through 7; or
- 2. Why you believe you are exempt from the requirements listed in this Notice and in Attachment 3 (for both generic and product specific data), the Requirements Status and Registrant's Response Form, (see section III-B); or
- 3. Why you believe EPA should not require your submission of data in the manner specified by this Notice (see section III-D).

If you do not respond to this Notice, or if you do not satisfy EPA that you will comply with its requirements or should be exempt or excused from doing so, then the registration of your product(s) subject to this Notice will be subject to suspension. We have provided a list of all of your products subject to this Notice in Attachment 2. All products are listed on both the generic and product specific Data Call-In Response Forms. Also included is a list of all registrants who were sent this Notice (Attachment 6).

The authority for this Notice is section 3(c)(2)(B) of the Federal Insecticide, Fungicide and Rodenticide Act as amended (FIFRA), 7 U.S.C. section 136a(c)(2)(B). Collection of this

information is authorized under the Paperwork Reduction Act by OMB Approval No. 2070-0107 and 2070-0057 (expiration date 3-31-96).

This Notice is divided into six sections and seven Attachments. The Notice itself contains information and instructions applicable to all Data Call-In Notices. The Attachments contain specific chemical information and instructions. The six sections of the Notice are:

Section I - Why You are Receiving this Notice

Section II - Data Required by this Notice

Section III - Compliance with Requirements of this Notice

Section IV - Consequences of Failure to Comply with this Notice

Section V - Registrants' Obligation to Report Possible Unreasonable Adverse Effects

Section VI - Inquiries and Responses to this Notice

### The Attachments to this Notice are:

1 - Data Call-In Chemical Status Sheet

2 - Generic Data Call-In and Product Specific Data Call-In Response Forms with Instructions (Form A)

3 - Generic Data Call-In and Product Specific Data Call-In Requirements Status and Registrant's Response Forms with Instructions (Form B)

4 - EPA Batching of End-Use Products for Meeting Acute Toxicology Data Requirements for Reregistration

5 - List of Registrants Receiving This Notice

6 - Confidential Statement of Formula, Cost Share and Data Compensation Forms

### SECTION I. WHY YOU ARE RECEIVING THIS NOTICE

The Agency has reviewed existing data for this active ingredient(s) and reevaluated the data needed to support continued registration of the subject active ingredient(s). This reevaluation identified additional data necessary to assess the health and safety of the continued use of products containing this active ingredient(s). You have been sent this Notice because you have product(s) containing the subject active ingredients.

### SECTION II. DATA REQUIRED BY THIS NOTICE

### II-A. DATA REQUIRED

The data required by this Notice are specified in the Requirements Status and Registrant's Response Forms: Attachment 3 (for both generic and product specific data requirements). Depending on the results of the studies required in this Notice, additional studies/testing may be required.

### II-B. SCHEDULE FOR SUBMISSION OF DATA

You are required to submit the data or otherwise satisfy the data requirements specified in the Requirements Status and Registrant's Response Forms (Attachment 3) within the timeframes provided.

### II-C. TESTING PROTOCOL

All studies required under this Notice must be conducted in accordance with test standards outlined in the Pesticide Assessment Guidelines for those studies for which guidelines have been established.

These EPA Guidelines are available from the National Technical Information Service (NTIS), Attn: Order Desk, 5285 Port Royal Road, Springfield, Va 22161 (Telephone number: 703-487-4650).

Protocols approved by the Organization for Economic Cooperation and Development (OECD) are also acceptable if the OECD recommended test standards conform to those specified in the Pesticide Data Requirements regulation (40 CFR § 158.70). When using the OECD protocols, they should be modified as appropriate so that the data generated by the study will satisfy the requirements of 40 CFR § 158. Normally, the Agency will not extend deadlines for complying with data requirements when the studies were not conducted in accordance with acceptable standards. The OECD protocols are available from OECD, 2001 L Street, N.W., Washington, D.C. 20036 (Telephone number 202-785-6323; Fax telephone number 202-785-0350).

All new studies and proposed protocols submitted in response to this Data Call-In Notice must be in accordance with Good Laboratory Practices [40 CFR Part 160].

# II-D. REGISTRANTS RECEIVING PREVIOUS SECTION 3(c)(2)(B) NOTICES ISSUED BY THE AGENCY

Unless otherwise noted herein, this Data Call-In does not in any way supersede or change the requirements of any previous Data Call-In(s), or any other agreements entered into with the Agency pertaining to such prior Notice. Registrants must comply with the requirements of all Notices to avoid issuance of a Notice of Intent to Suspend their affected products.

## SECTION III. COMPLIANCE WITH REQUIREMENTS OF THIS NOTICE

You must use the correct forms and instructions when completing your response to this Notice. The type of Data Call-In you must comply with (Generic or Product Specific) is specified in item number 3 on the four Data Call-In forms (Attachments 2 and 3).

### III-A. SCHEDULE FOR RESPONDING TO THE AGENCY

The appropriate responses initially required by this Notice for generic and product specific data must be submitted to the Agency within 90 days after your receipt of this Notice. Failure to adequately respond to this Notice within 90 days of your receipt will be a basis for issuing a Notice of Intent to Suspend (NOIS) affecting your products. This and other bases for issuance of NOIS due to failure to comply with this Notice are presented in Section IV-A and IV-B.

### III-B. OPTIONS FOR RESPONDING TO THE AGENCY

### 1. Generic Data Requirements

The options for responding to this Notice for generic data requirements are: (a) voluntary cancellation, (b) delete use(s), (c) claim generic data exemption, (d) agree to satisfy the generic data requirements imposed by this Notice or (e) request a data waiver(s).

A discussion of how to respond if you choose the Voluntary Cancellation option, the Delete Use(s) option or the Generic Data Exemption option is presented below. A discussion of the various options available for satisfying the generic data requirements of this Notice is contained in Section III-C. A discussion of options relating to requests for data waivers is contained in Section III-D.

Two forms apply to generic data requirements, one or both of which must be used in responding to the Agency, depending upon your response. These two forms are the <u>Data-Call-In Response Form</u>, and the <u>Requirements Status and Registrant's Response Form</u>, (contained in Attachments 2 and 3, respectively).

The <u>Data Call-In Response Forms</u> must be submitted as part of every response to this Notice. The <u>Requirements Status and Registrant's Response Forms</u> also must be submitted if you do not qualify for a Generic Data Exemption or are not requesting voluntary cancellation of your registration(s). Please note that the company's authorized representative is required to sign the first page of both <u>Data Call-In Response Forms</u> and the <u>Requirements Status and Registrant's Response Forms</u> (if this form is required) and initial any subsequent pages. The forms contain separate detailed instructions on the response options. Do not alter the printed material. If you have questions or need assistance in preparing your response, call or write the contact person(s) identified in Attachment 1.

### a. Voluntary Cancellation -

You may avoid the requirements of this Notice by requesting voluntary cancellation of your product(s) containing the active ingredient that is the subject of this Notice. If you wish to voluntarily cancel your product, you must submit completed Generic and Product Specific <a href="Data Call-In Response Forms">Data Call-In Response Forms</a> (Attachment 2), indicating your election of this option. Voluntary cancellation is item number 5 on both <a href="Data Call-In Response Form(s)">Data Call-In Response Form(s)</a>. If you choose this option, these are the only forms that you are required to complete.

If you chose to voluntarily cancel your product, further sale and distribution of your product after the effective date of cancellation must be in accordance with the Existing Stocks provisions of this Notice, which are contained in Section IV-C.

### b. Use Deletion -

You may avoid the requirements of this Notice by eliminating the uses of your product to which the requirements apply. If you wish to amend your registration to delete uses, you must submit the Requirements Status and Reqistrant's Response Form (Attachment 3), a completed application for amendment, a copy of your proposed amended labeling, and all other information required for processing the application. Use deletion is option number 7 under item 9 in the instructions for the Requirements Status and Reqistrant's Response Forms. You must also complete a Data Call-In Response Form by signing the certification, item number 8. Application forms for amending registrations may be obtained from the Registration Support Branch, Registration Division, Office of Pesticide Programs, EPA, by calling (703) 308-8358.

If you choose to delete the use(s) subject to this Notice or uses subject to specific data requirements, further sale, distribution, or use of your product after one year from the due date of your 90 day response, is allowed only if the product bears an amended label.

### c. Generic Data Exemption -

Under section 3(c)(2)(D) of FIFRA, an applicant for registration of a product is exempt from the requirement to submit or cite generic data concerning an active ingredient if the active ingredient in the product is derived exclusively from purchased, registered pesticide products containing the active ingredient. EPA has concluded, as an exercise of its discretion, that it normally will not suspend the registration of a product which would qualify and continue to qualify for the generic data exemption in section 3(c)(2)(D) of FIFRA. To qualify, all of the following requirements must be met:

- (i). The active ingredient in your registered product must be present <u>solely</u> because of incorporation of another registered product which contains the subject active ingredient and is purchased from a source not connected with you;
- (ii). Every registrant who is the ultimate source of the active ingredient in your product subject to this DCI must be in compliance with the requirements of this Notice and must remain in compliance; and
- (iii). You must have provided to EPA an accurate and current "Confidential Statement of Formula" for each of your products to which this Notice applies.

To apply for the Generic Data Exemption you must submit a completed Data Call-In Response Form, Attachment 2 and all supporting documentation. The Generic Data Exemption is item number 6a on the Data Call-In Response Form. If you claim a generic data exemption

you are not required to complete the <u>Requirements Status and Registrant's Response Form</u>. Generic Data Exemption cannot be selected as an option for responding to product specific data requirements.

If you are granted a Generic Data Exemption, you rely on the efforts of other persons to provide the Agency with the required data. If the registrant(s) who have committed to generate and submit the required data fail to take appropriate steps to meet requirements or are no longer in compliance with this Data Call-In Notice, the Agency will consider that both they and you are not compliance and will normally initiate proceedings to suspend the registrations of both your and their product(s), unless you commit to submit and do submit the required data within the specified time. In such cases the Agency generally will not grant a time extension for submitting the data.

### d. Satisfying the Generic Data Requirements of this Notice

There are various options available to satisfy the generic data requirements of this Notice. These options are discussed in Section III-C.1. of this Notice and comprise options 1 through 6 of item 9 in the instructions for the Requirements Status and Registrant's Response Form and item 6b on the Data Call-In Response Form. If you choose item 6b (agree to satisfy the generic data requirements), you must submit the Data Call-In Response Form and the Requirements Status and Registrant's Response Form as well as any other information/data pertaining to the option chosen to address the data requirement. Your response must be on the forms marked "GENERIC" in item number 3.

### e. Request for Generic Data Waivers.

Waivers for generic data are discussed in Section III-D.1. of this Notice and are covered by options 8 and 9 of item 9 in the instructions for the Requirements Status and Registrant's Response Form. If you choose one of these options, you must submit both forms as well as any other information/data pertaining to the option chosen to address the data requirement.

## 2. Product Specific Data Requirements

The options for responding to this Notice for product specific data are: (a) voluntary cancellation, (b) agree to satisfy the product specific data requirements imposed by this Notice or (c) request a data waiver(s).

A discussion of how to respond if you choose the Voluntary Cancellation option is presented below. A discussion of the various options available for satisfying the product specific data requirements of this Notice is contained in Section III-C.2. A discussion of options relating to requests for data waivers is contained in Section III-D.2.

Two forms apply to the product specific data requirements one or both of which must be used in responding to the Agency, depending upon your response. These forms are the Data-Call-In Response Form, and the Requirements Status and Registrant's Response Form,

for product specific data (contained in Attachments 2 and 3, respectively). The <u>Data Call-In Response Form</u> must be submitted as part of every response to this Notice. In addition, one copy of the <u>Requirements Status</u> and Registrant's Response Form also must be submitted for each product listed on the <u>Data Call-In Response Form</u> unless the voluntary cancellation option is selected. Please note that the company's authorized representative is required to sign the first page of the <u>Data Call-In Response Form</u> and <u>Requirements Status</u> and <u>Requistrant's Response Form</u> (if this form is required) and initial any subsequent pages. The forms contain separate detailed instructions on the response options. Do not alter the printed material. If you have questions or need assistance in preparing your response, call or write the contact person(s) identified in Attachment 1.

### a. Voluntary Cancellation

You may avoid the requirements of this Notice by requesting voluntary cancellation of your product(s) containing the active ingredient that is the subject of this Notice. If you wish to voluntarily cancel your product, you must submit a completed Data Call-In Response Form, indicating your election of this option. Voluntary cancellation is item number 5 on both the Generic and Product Specific Data Call-In Response Forms. If you choose this option, you must complete both Data Call-In response forms. These are the only forms that you are required to complete.

If you choose to voluntarily cancel your product, further sale and distribution of your product after the effective date of cancellation must be in accordance with the Existing Stocks provisions of this Notice which are contained in Section IV-C.

### b. Satisfying the Product Specific Data Requirements of this Notice.

There are various options available to satisfy the product specific data requirements of this Notice. These options are discussed in Section III-C.2. of this Notice and comprise options 1 through 6 of item 9 in the instructions for the product specific Requirements Status and Reqistrant's Response Form and item numbers 7a and 7b (agree to satisfy the product specific data requirements for an MUP or EUP as applicable) on the product specific Data Call-In Response Form. Note that the options available for addressing product specific data requirements differ slightly from those options for fulfilling generic data requirements. Deletion of a use(s) and the low volume/minor use option are not valid options for fulfilling product specific data requirements. It is important to ensure that you are using the correct forms and instructions when completing your response to the Reregistration Eligibility Decision document.

### c. Request for Product Specific Data Waivers.

Waivers for product specific data are discussed in Section III-D.2. of this Notice and are covered by option 7 of item 9 in the instructions for the Requirements Status and Registrant's Response Form. If you choose this option, you must submit the Data Call-In Response Form and the Requirements Status and Registrant's Response Form as well as any

other information/data pertaining to the option chosen to address the data requirement. Your response must be on the forms marked "PRODUCT SPECIFIC" in item number 3.

### III-C SATISFYING THE DATA REQUIREMENTS OF THIS NOTICE

### 1. Generic Data

If you acknowledge on the Generic Data Call-In Response Form that you agree to satisfy the generic data requirements (i.e. yoù select item number 6b), then you must select one of the six options on the Generic Requirements Status and Registrant's Response Form related to data production for each data requirement. Your option selection should be entered under item number 9, "Registrant Response." The six options related to data production are the first six options discussed under item 9 in the instructions for completing the Requirements Status and Registrant's Response Form. These six options are listed immediately below with information in parentheses to guide you to additional instructions provided in this Section. The options are:

- (1) I will generate and submit data within the specified timeframe (Developing Data)
- (2) I have entered into an agreement with one or more registrants to develop data jointly (Cost Sharing)
- (3) I have made offers to cost-share (Offers to Cost Share)
- (4) I am submitting an existing study that has not been submitted previously to the Agency by anyone (Submitting an Existing Study)
- (5) I am submitting or citing data to upgrade a study classified by EPA as partially acceptable and upgradeable (Upgrading a Study)
- (6) I am citing an existing study that EPA has classified as acceptable or an existing study that has been submitted but not reviewed by the Agency (Citing an Existing Study)

### Option 1. Developing Data

If you choose to develop the required data it must be in conformance with Agency deadlines and with other Agency requirements as referenced herein and in the attachments. All data generated and submitted must comply with the Good Laboratory Practice (GLP) rule (40 CFR Part 160), be conducted according to the Pesticide Assessment Guidelines (PAG) and be in conformance with the requirements of PR Notice 86-5. In addition, certain studies require Agency approval of test protocols in advance of study initiation. Those studies for which a protocol must be submitted have been identified in the Requirements Status and Registrant's Response Form and/or footnotes to the form. If you wish to use a protocol which differs from the options discussed in Section II-C of this Notice, you must submit a detailed description of the proposed protocol and your reason for wishing to use it. The Agency may choose to reject a protocol not specified in Section II-C. If the Agency rejects your protocol you will be notified in writing, however, you should be aware that rejection of a proposed protocol will not be a basis for extending the deadline for submission of data.

A progress report must be submitted for each study within 90 days from the date you are required to commit to generate or undertake some other means to address that study requirement, such as making an offer to cost share or agreeing to share in the cost of developing that study. This 90-day progress report must include the date the study was or will be initiated and, for studies to be started within 12 months of commitment, the name and address of the laboratory(ies) or individuals who are or will be conducting the study.

In addition, if the time frame for submission of a final report is more than 1 year, interim reports must be submitted at 12 month intervals from the date you are required to commit to generate or otherwise address the requirement for the study. In addition to the other information specified in the preceding paragraph, at a minimum, a brief description of current activity on and the status of the study must be included as well as a full description of any problems encountered since the last progress report.

The time frames in the Requirements Status and Registrant's Response Form are the time frames that the Agency is allowing for the submission of completed study reports or protocols. The noted deadlines run from the date of the receipt of this Notice by the registrant. If the data are not submitted by the deadline, each registrant is subject to receipt of a Notice of Intent to Suspend the affected registration(s).

If you cannot submit the data/reports to the Agency in the time required by this Notice and intend to seek additional time to meet the requirements(s), you must submit a request to the Agency which includes: (1) a detailed description of the expected difficulty and (2) a proposed schedule including alternative dates for meeting such requirements on a step-by-step basis. You must explain any technical or laboratory difficulties and provide documentation from the laboratory performing the testing. While EPA is considering your request, the original deadline remains. The Agency will respond to your request in writing. If EPA does not grant your request, the original deadline remains. Normally, extensions can be requested only in cases of extraordinary testing problems beyond the expectation or control of the registrant. Extensions will not be given in submitting the 90-day responses. Extensions will not be considered if the request for extension is not made in a timely fashion; in no event shall an extension request be considered if it is submitted at or after the lapse of the subject deadline.

### Option 2. Agreement to Share in Cost to Develop Data

If you choose to enter into an agreement to share in the cost of producing the required data but will not be submitting the data yourself, you must provide the name of the registrant who will be submitting the data. You must also provide EPA with documentary evidence that an agreement has been formed. Such evidence may be your letter offering to join in an agreement and the other registrant's acceptance of your offer, or a written statement by the parties that an agreement exists. The agreement to produce the data need not specify all of the terms of the final arrangement between the parties or the mechanism to resolve the terms. Section 3(c)(2)(B) provides that if the parties cannot resolve the terms of the agreement they may resolve their differences through binding arbitration.

### Option 3. Offer to Share in the Cost of Data Development

If you have made an offer to pay in an attempt to enter into an agreement or amend an existing agreement to meet the requirements of this Notice and have been unsuccessful, you may request EPA (by selecting this option) to exercise its discretion not to suspend your registration(s), although you do not comply with the data submission requirements of this Notice. EPA has determined that as a general policy, absent other relevant considerations, it will not suspend the registration of a product of a registrant who has in good faith sought and continues to seek to enter into a joint data development/cost sharing program, but the other registrant(s) developing the data has refused to accept the offer. To qualify for this option, you must submit documentation to the Agency proving that you have made an offer to another registrant (who has an obligation to submit data) to share in the burden of developing that data. You must also submit to the Agency a completed EPA Form 8570-32, Certification of Offer to Cost Share in the Development of Data, Attachment 7. In addition, you must demonstrate that the other registrant to whom the offer was made has not accepted your offer to enter into a cost-sharing agreement by including a copy of your offer and proof of the other registrant's receipt of that offer (such as a certified mail receipt). Your offer must, in addition to anything else, offer to share in the burden of producing the data upon terms to be agreed to or, failing agreement, to be bound by binding arbitration as provided by FIFRA section 3(c)(2)(B)(iii) and must not qualify this offer. The other registrant must also inform EPA of its election of an option to develop and submit the data required by this Notice by submitting a Data Call-In Response Form and a Requirements Status and Registrant's Response Form committing to develop and submit the data required by this Notice.

In order for you to avoid suspension under this option, you may not withdraw your offer to share in the burden of developing the data. In addition, the other registrant must fulfill its commitment to develop and submit the data as required by this Notice. If the other registrant fails to develop the data or for some other reason is subject to suspension, your registration as well as that of the other registrant normally will be subject to initiation of suspension proceedings, unless you commit to submit, and do submit, the required data in the specified time frame. In such cases, the Agency generally will not grant a time extension for submitting the data.

### Option 4. Submitting an Existing Study

If you choose to submit an existing study in response to this Notice, you must determine that the study satisfies the requirements imposed by this Notice. You may only submit a study that has not been previously submitted to the Agency or previously cited by anyone. Existing studies are studies which predate issuance of this Notice. Do not use this option if you are submitting data to upgrade a study. (See Option 5).

You should be aware that if the Agency determines that the study is not acceptable, the Agency will require you to comply with this Notice, normally without an extension of the required date of submission. The Agency may determine at any time that a study is not valid and needs to be repeated.

To meet the requirements of the DCI Notice for submitting an existing study, all of the following three criteria must be clearly Met:

- You must certify at the time that the existing study is submitted that the raw a. data and specimens from the study are available for audit and review and you must identify where they are available. This must be done in accordance with the requirements of the Good Laboratory Practice (GLP) regulation, 40 CFR Part 160. As stated in 40 CFR 160.3 'Raw data' means any laboratory worksheets, records, memoranda, notes, or exact copies thereof, that are the result of original observations and activities of a study and are necessary for the reconstruction and evaluation of the report of that study. In the event that exact transcripts of raw data have been prepared (e.g., tapes which have been transcribed verbatim, dated, and verified accurate by signature), the exact copy or exact transcript may be substituted for the original source as raw data. 'Raw data' may include photographs, microfilm or microfiche copies, computer printouts, magnetic media, including dictated observations, and recorded data from automated instruments." The term "specimens", according to 40 CFR 160.3, means "any material derived from a test system for examination or 'analysis."
- b. Health and safety studies completed after May 1984 also must also contain all GLP-required quality assurance and quality control information, pursuant to the requirements of 40 CFR Part 160. Registrants also must certify at the time of submitting the existing study that such GLP information is available for post May 1984 studies by including an appropriate statement on or attached to the study signed by an authorized official or representative of the registrant.
- c. You must certify that each study fulfills the acceptance criteria for the Guideline relevant to the study provided in the FIFRA Accelerated Reregistration Phase 3 Technical Guidance and that the study has been conducted according to the Pesticide Assessment Guidelines (PAG) or meets the purpose of the PAG (both available from NTIS). A study not conducted according to the PAG may be submitted to the Agency for consideration if the registrant believes that the study clearly meets the purpose of the PAG. The registrant is referred to 40 CFR 158.70 which states the Agency's policy regarding acceptable protocols. If you wish to submit the study, you must, in addition to certifying that the purposes of the PAG are met by the study, clearly articulate the rationale why you believe the study meets the purpose of the PAG, including copies of any supporting information or data. It has been the Agency's experience that studies completed prior to January 1970 rarely satisfied the purpose of the PAG and that necessary raw data usually are not available for such studies.

If you submit an existing study, you must certify that the study meets all requirements of the criteria outlined above.

If EPA has previously reviewed a protocol for a study you are submitting, you must identify any action taken by the Agency on the protocol and must indicate, as part of your certification, the manner in which all Agency comments, concerns, or issues were addressed in the final protocol and study.

If you know of a study pertaining to any requirement in this Notice which does not meet the criteria outlined above but does contain factual information regarding unreasonable adverse effects, you must notify the Agency of such a study. If such study is in the Agency's files, you need only cite it along with the notification. If not in the Agency's files, you must submit a summary and copies as required by PR Notice 86-5.

### Option 5. Upgrading a Study

If a study has been classified as partially acceptable and upgradeable, you may submit data to upgrade that study. The Agency will review the data submitted and determine if the requirement is satisfied. If the Agency decides the requirement is not satisfied, you may still be required to submit new data normally without any time extension. Deficient, but upgradeable studies will normally be classified as supplemental. However, it is important to note that not all studies classified as supplemental are upgradeable. If you have questions regarding the classification of a study or whether a study may be upgraded, call or write the contact person listed in Attachment 1. If you submit data to upgrade an existing study you must satisfy or supply information to correct all deficiencies in the study identified by EPA. You must provide a clearly articulated rationale of how the deficiencies have been remedied or corrected and why the study should be rated as acceptable to EPA. Your submission must also specify the MRID number(s) of the study which you are attempting to upgrade and must be in conformance with PR Notice 86-5.

Do not submit additional data for the purpose of upgrading a study classified as unacceptable and determined by the Agency as not capable of being upgraded.

This option also should be used to cite data that has been previously submitted to upgrade a study, but has not yet been reviewed by the Agency. You must provide the MRID number of the data submission as well as the MRID number of the study being upgraded.

The criteria for submitting an existing study, as specified in Option 4 above, apply to all data submissions intended to upgrade studies. Additionally, your submission of data intended to upgrade studies must be accompanied by a certification that you comply with each of those criteria, as well as a certification regarding protocol compliance with Agency requirements.

### Option 6. Citing Existing Studies

If you choose to cite a study that has been previously submitted to EPA, that study must have been previously classified by EPA as acceptable, or it must be a study which has not yet been reviewed by the Agency. Acceptable toxicology studies generally will have been classified as "core-guideline" or "core-minimum." For ecological effects studies, the

classification generally would be a rating of "core." For all other disciplines the classification would be "acceptable." With respect to any studies for which you wish to select this option, you must provide the MRID number of the study you are citing and, if the study has been reviewed by the Agency, you must provide the Agency's classification of the study.

If you are citing a study of which you are not the original data submitter, you must submit a completed copy of EPA Form 8570-31, Certification with Respect to Data Compensation Requirements.

### 2. Product Specific Data

If you acknowledge on the product specific <u>Data Call-In Response Form</u> that you agree to satisfy the product specific data requirements (i.e. you select option 7a or 7b), then you must select one of the six options on the <u>Requirements Status and Reqistrant's Response Form</u> related to data production for each data requirement. Your option selection should be entered under item number 9, "Registrant Response." The six options related to data production are the first six options discussed under item 9 in the instructions for completing the <u>Requirements Status and Registrant's Response Form</u>. These six options are listed immediately below with information in parentheses to guide registrants to additional instructions provided in this Section. The options are:

- (1) I will generate and submit data within the specified time-frame (Developing Data)
- (2) I have entered into an agreement with one or more registrants to develop data jointly (Cost Sharing)
- (3) I have made offers to cost-share (Offers to Cost Share)
- (4) I am submitting an existing study that has not been submitted previously to the Agency by anyone (Submitting an Existing Study)
- (5) I am submitting or citing data to upgrade a study classified by EPA as partially acceptable and upgradeable (Upgrading a Study)
- (6) I am citing an existing study that EPA has classified as acceptable or an existing study that has been submitted but not reviewed by the Agency (Citing an Existing Study)

Option 1. Developing Data -- The requirements for developing product specific data are the same as those described for generic data (see Section III.C.1, Option 1) except that normally no protocols or progress reports are required.

Option 2. Agree to Share in Cost to Develop Data — If you enter into an agreement to cost share, the same requirements apply to product specific data as to generic data (see Section III.C.1, Option 2). However, registrants may only choose this option for acute toxicity data and certain efficacy data and only if EPA has indicated in the attached data tables that your product and at least one other product are similar for purposes of depending on the same data. If this is the case, data may be generated for just one of the products in the group. The registration number of the product for which data will be submitted must be noted in the agreement to cost share by the registrant selecting this option.

Option 3. Offer to Share in the Cost of Data Development -- The same requirements for generic data (Section III.C.I., Option 3) apply to this option. This option only applies to acute toxicity and certain efficacy data as described in option 2 above.

Option 4. Submitting an Existing Study -- The same requirements described for generic data (see Section III.C.1., Option 4) apply to this option for product specific data.

Option 5. Upgrading a Study — The same requirements described for generic data (see Section III.C.1., Option 5) apply to this option for product specific data.

Option 6. Citing Existing Studies -- The same requirements described for generic data (see Section III.C.1., Option 6) apply to this option for product specific data.

Registrants who select one of the above 6 options must meet all of the requirements described in the instructions for completing the <u>Data Call-In Response</u> Form and the <u>Requirements Status and Registrant's Response</u> Form, and in the generic data requirements section (III.C.1.), as appropriate.

### III-D REQUESTS FOR DATA WAIVERS

### 1. Generic Data

There are two types of data waiver responses to this Notice. The first is a request for a low volume/minor use waiver and the second is a waiver request based on your belief that the data requirement(s) are not appropriate for your product.

### a. Low Volume/Minor Use Waiver

Option 8 under item 9 on the Requirements Status and Registrant's Response Form. Section 3(c)(2)(A) of FIFRA requires EPA to consider the appropriateness of requiring data for low volume, minor use pesticides. In implementing this provision, EPA considers low volume pesticides to be only those active ingredients whose total production volume for all pesticide registrants is small. In determining whether to grant a low volume, minor use waiver, the Agency will consider the extent, pattern and volume of use, the economic incentive to conduct the testing, the importance of the pesticide, and the exposure and risk from use of the pesticide. If an active ingredient is used for both high volume and low volume uses, a low volume exemption will not be approved. If all uses of an active ingredient are low volume and the combined volumes for all uses are also low, then an exemption may be granted, depending on review of other information outlined below. An exemption will not be granted if any registrant of the active ingredient elects to conduct the testing. Any registrant receiving a low volume minor use waiver must remain within the sales figures in their forecast supporting the waiver request in order to remain qualified for such waiver. If granted a waiver, a registrant will be required, as a condition of the waiver, to submit annual sales reports. The Agency will respond to requests for waivers in writing.

To apply for a low volume, minor use waiver, you must submit the following information, as applicable to your product(s), as part of your 90-day response to this Notice:

- (i). Total company sales (pounds and dollars) of all registered product(s) containing the active ingredient. If applicable to the active ingredient, include foreign sales for those products that are not registered in this country but are applied to sugar (cane or beet), coffee, bananas, cocoa, and other such crops. Present the above information by year for each of the past five years.
- (ii) Provide an estimate of the sales (pounds and dollars) of the active ingredient for each major use site. Present the above information by year for each of the past five years.
- (iii) Total direct production cost of product(s) containing the active ingredient by year for the past five years. Include information on raw material cost, direct labor cost, advertising, sales and marketing, and any other significant costs listed separately.
- (iv) Total indirect production cost (e.g. plant overhead, amortized plant and equipment) charged to product(s) containing the active ingredient by year for the past five years. Exclude all non-recurring costs that were directly related to the active ingredient, such as costs of initial registration and any data development.
- (v) A list of each data requirement for which you seek a waiver. Indicate the type of waiver sought and the estimated cost to you (listed separately for each data requirement and associated test) of conducting the testing needed to fulfill each of these data requirements.
- (vi) A list of each data requirement for which you are not seeking any waiver and the estimated cost to you (listed separately for each data requirement and associated test) of conducting the testing needed to fulfill each of these data requirements.
- (vii) For each of the next ten years, a year-by-year forecast of company sales (pounds and dollars) of the active ingredient, direct production costs of product(s) containing the active ingredient (following the parameters in item 2 above), indirect production costs of product(s) containing the active ingredient (following the parameters in item 3 above), and costs of data development pertaining to the active ingredient.
- (viii) A description of the importance and unique benefits of the active ingredient to users. Discuss the use patterns and the effectiveness of the active ingredient relative to registered alternative chemicals and non-chemical control strategies. Focus on benefits unique to the active ingredient, providing information that is as quantitative as possible. If you do not have quantitative data upon which to base your estimates, then present the reasoning used to derive your estimates. To assist the Agency in determining the degree of importance of the active ingredient in terms of its

benefits, you should provide information on any of the following factors, as applicable to your product(s): (a) documentation of the usefulness of the active ingredient in Integrated Pest Management, (b) description of the beneficial impacts on the environment of use of the active ingredient, as opposed to its registered alternatives, (c) information on the breakdown of the active ingredient after use and on its persistence in the environment, and (d) description of its usefulness against a pest(s) of public health significance.

Failure to submit sufficient information for the Agency to make a determination regarding a request for a low volume/minor use waiver will result in denial of the request for a waiver.

### b. Request for Waiver of Data

Option 9, under Item 9, on the Requirements Status and Registrant's Response Form. This option may be used if you believe that a particular data requirement should not apply because the requirement is inappropriate. You must submit a rationale explaining why you believe the data requirements should not apply. You also must submit the current label(s) of your product(s) and, if a current copy of your Confidential Statement of Formula is not already on file you must submit a current copy.

You will be informed of the Agency's decision in writing. If the Agency determines that the data requirements of this Notice are not appropriate to your product(s), you will not be required to supply the data pursuant to section 3(c)(2)(B). If EPA determines that the data are required for your product(s), you must choose a method of meeting the requirements of this Notice within the time frame provided by this Notice. Within 30 days of your receipt of the Agency's written decision, you must submit a revised Requirements Status and Registrant's Response Form indicating the option chosen.

### 2. Product Specific Data

If you request a waiver for product specific data because you believe it is inappropriate, you must attach a complete justification for the request including technical reasons, data and references to relevant EPA regulations, guidelines or policies. (Note: any supplemental data must be submitted in the format required by PR Notice 86-5). This will be the only opportunity to state the reasons or provide information in support of your request. If the Agency approves your waiver request, you will not be required to supply the data pursuant to section 3(c)(2)(B) of FIFRA. If the Agency denies your waiver request, you must choose an option for meeting the data requirements of this Notice within 30 days of the receipt of the Agency's decision. You must indicate and submit the option chosen on the product specific Requirements Status and Registrant's Response Form. Product specific data requirements for product chemistry, acute toxicity and efficacy (where appropriate) are required for all products and the Agency would grant a waiver only under extraordinary circumstances. You

should also be aware that submitting a waiver request will <u>not</u> automatically extend the due date for the study in question. Waiver requests submitted without adequate supporting rationale will be denied and the original due date will remain in force.

### SECTION IV. CONSEQUENCES OF FAILURE TO COMPLY WITH THIS NOTICE

### IV-A NOTICE OF INTENT TO SUSPEND

The Agency may issue a Notice of Intent to Suspend products subject to this Notice due to failure by a registrant to comply with the requirements of this Data Call-In Notice, pursuant to FIFRA section 3(c)(2)(B). Events which may be the basis for issuance of a Notice of Intent to Suspend include, but are not limited to, the following:

- 1. Failure to respond as required by this Notice within 90 days of your receipt of this Notice.
- 2. Failure to submit on the required schedule an acceptable proposed or final protocol when such is required to be submitted to the Agency for review.
- 3. Failure to submit on the required schedule an adequate progress report on a study as required by this Notice.
- 4. Failure to submit on the required schedule acceptable data as required by this Notice.
- 5. Failure to take a required action or submit adequate information pertaining to any option chosen to address the data requirements (e.g., any required action or information pertaining to submission or citation of existing studies or offers, arrangements, or arbitration on the sharing of costs or the formation of Task Forces, failure to comply with the terms of an agreement or arbitration concerning joint data development or failure to comply with any terms of a data waiver).
- 6. Failure to submit supportable certifications as to the conditions of submitted studies, as required by Section III-C of this Notice.
- 7. Withdrawal of an offer to share in the cost of developing required data.
- 8. Failure of the registrant to whom you have tendered an offer to share in the cost of developing data and provided proof of the registrant's receipt of such offer or failure of a registrant on whom you rely for a generic data exemption either to:

- i. Inform EPA of intent to develop and submit the data required by this Notice on a Data Call-In Response Form and a Requirements Status and Registrant's Response Form.
- ii. Fulfill the commitment to develop and submit the data as required by this Notice; or
- iii. Otherwise take appropriate steps to meet the requirements stated in this Notice,

unless you commit to submit and do submit the required data in the specified time frame.

9. Failure to take any required or appropriate steps, not mentioned above, at any time following the issuance of this Notice.

### IV-B. BASIS FOR DETERMINATION THAT SUBMITTED STUDY IS UNACCEPTABLE

The Agency may determine that a study (even if submitted within the required time) is unacceptable and constitutes a basis for issuance of a Notice of Intent to Suspend. The grounds for suspension include, but are not limited to, failure to meet any of the following:

- 1) EPA requirements specified in the Data Call-In Notice or other documents incorporated by reference (including, as applicable, EPA Pesticide Assessment Guidelines, Data Reporting Guidelines, and GeneTox Health Effects Test Guidelines) regarding the design, conduct, and reporting of required studies. Such requirements include, but are not limited to, those relating to test material, test procedures, selection of species, number of animals, sex and distribution of animals, dose and effect levels to be tested or attained, duration of test, and, as applicable, Good Laboratory Practices.
- 2) EPA requirements regarding the submission of protocols, including the incorporation of any changes required by the Agency following review.
- 3) EPA requirements regarding the reporting of data, including the manner of reporting, the completeness of results, and the adequacy of any required supporting (or raw) data, including, but not limited to, requirements referenced or included in this Notice or contained in PR 86-5. All studies must be submitted in the form of a final report; a preliminary report will not be considered to fulfill the submission requirement.

### IV-C EXISTING STOCKS OF SUSPENDED OR CANCELLED PRODUCTS

EPA has statutory authority to permit continued sale, distribution and use of existing stocks of a pesticide product which has been suspended or cancelled if doing so would be consistent with the purposes of the Act.

The Agency has determined that such disposition by registrants of existing stocks for a suspended registration when a section 3(c)(2)(B) data request is outstanding generally would not be consistent with the Act's purposes. Accordingly, the Agency anticipates granting registrants permission to sell, distribute, or use existing stocks of suspended product(s) only in exceptional circumstances. If you believe such disposition of existing stocks of your product(s) which may be suspended for failure to comply with this Notice should be permitted, you have the burden of clearly demonstrating to EPA that granting such permission would be consistent with the Act. You also must explain why an "existing stocks" provision is necessary, including a statement of the quantity of existing stocks and your estimate of the time required for their sale, distribution, and use. Unless you meet this burden, the Agency will not consider any request pertaining to the continued sale, distribution, or use of your existing stocks after suspension.

If you request a voluntary cancellation of your product(s) as a response to this Notice and your product is in full compliance with all Agency requirements, you will have, under most circumstances, one year from the date your 90 day response to this Notice is due, to sell, distribute, or use existing stocks. Normally, the Agency will allow persons other than the registrant such as independent distributors, retailers and end users to sell, distribute or use such existing stocks until the stocks are exhausted. Any sale, distribution or use of stocks of voluntarily cancelled products containing an active ingredient for which the Agency has particular risk concerns will be determined on a case-by-case basis.

Requests for voluntary cancellation received after the 90 day response period required by this Notice will not result in the agency granting any additional time to sell, distribute, or use existing stocks beyond a year from the date the 90 day response was due, unless you demonstrate to the Agency that you are in full compliance with all Agency requirements, including the requirements of this Notice. For example, if you decide to voluntarily cancel your registration six months before a 3-year study is scheduled to be submitted, all progress reports and other information necessary to establish that you have been conducting the study in an acceptable and good faith manner must have been submitted to the Agency, before EPA will consider granting an existing stocks provision.

### SECTION V. REGISTRANTS' OBLIGATION TO REPORT POSSIBLE UNREASONABLE ADVERSE EFFECTS

Registrants are reminded that FIFRA section 6(a)(2) states that if at any time after a pesticide is registered a registrant has additional factual information regarding unreasonable adverse effects on the environment by the pesticide, the registrant shall submit the information to the Agency. Registrants must notify the Agency of any factual information they have, from whatever source, including but not limited to interim or preliminary results of studies, regarding unreasonable adverse effects on man or the environment. This requirement continues as long as the products are registered by the Agency.

### SECTION VI. INQUIRIES AND RESPONSES TO THIS NOTICE

If you have any questions regarding the requirements and procedures established by this Notice, call the contact person(s) listed in Attachment 1, the <u>Data Call-In Chemical Status</u> Sheet.

All responses to this Notice must include completed <u>Data Call-In Response Forms</u> (Attachment 2) and completed <u>Requirements Status and Registrant's Response Forms</u> (Attachment 3), for both (generic and product specific data) and any other documents required by this Notice, and should be submitted to the contact person(s) identified in Attachment 1. If the voluntary cancellation or generic data exemption option is chosen, only the Generic and Product Specific Data Call-In Response Forms need be submitted.

The Office of Compliance (OC) of the Office of Enforcement and Compliance Assurance (OECA), EPA, will be monitoring the data being generated in response to this Notice.

Sincerely yours,

Lois Rossi, Division Director

Special Review and

Reregistration Division

### Attachments

### The Attachments to this Notice are:

- 1 Data Call-In Chemical Status Sheet
- 2 Generic Data Call-In and Product Specific Data Call-In Response Forms with Instructions
- 3 Generic Data Call-In and Product Specific Data Call-In Requirements Status and Registrant's Response Forms with Instructions
- 4 EPA Batching of End-Use Products for Meeting Acute Toxicology Data Requirements for Reregistration
- 5 List of Registrants Receiving This Notice
- 6 Confidential Statement of Formula, Cost Share and Data Compensation Forms

### NORFLURAZON DATA CALL-IN CHEMICAL STATUS SHEET

### INTRODUCTION

You have been sent this Product Specific Data Call-In Notice because you have product(s) containing norflurazon.

This Product Specific Data Call-In Chemical Status Sheet, contains an overview of data required by this notice, and point of contact for inquiries pertaining to the reregistration of norflurazon. This attachment is to be used in conjunction with (1) the Product Specific Data Call-In Notice, (2) the Product Specific Data Call-In Response Form (Attachment 2), (3) the Requirements Status and Registrant's Form (Attachment 3), (4) EPA's Grouping of End-Use Products for Meeting Acute Toxicology Data Requirement (Attachment 4), (5) a list of registrants receiving this DCI (Attachment 5) and (6) the Cost Share and Data Compensation Forms in replying to this norflurazon Product Specific Data Call-In (Attachment 6). Instructions and guidance accompany each form.

### DATA REQUIRED BY THIS NOTICE

The additional data requirements needed to complete the database for norflurazon are contained in the Requirements Status and Registrant's Response, Attachment 3. The Agency has concluded that additional data on norflurazon are needed for specific products. These data are required to be submitted to the Agency within the time frame listed. These data are needed to fully complete the reregistration of all eligible Norflurazon products.

### **INQUIRIES AND RESPONSES TO THIS NOTICE**

If you have any questions regarding this product specific data requirements and procedures established by this Notice, please contact Veronica Dutch at (703) 308-8585.

All responses to this Notice for the Product Specific data requirements should be submitted to:

Veronica Dutch
Chemical Review Manager Team 81
Product Reregistration Branch
Special Review and Reregistration Branch 7508W
Office of Pesticide Programs
U.S. Environmental Protection Agency
Washington, D.C. 20460

**RE: NORFLURAZON** 

### NORFLURAZON DATA CALL-IN CHEMICAL STATUS SHEET

### INTRODUCTION

You have been sent this Generic Data Call-In Notice because you have product(s) containing norflurazon.

This Generic Data Call-In Chemical Status Sheet, contains an overview of data required by this notice, and point of contact for inquiries pertaining to the reregistration of norflurazon. This attachment is to be used in conjunction with (1) the Generic Data Call-In Notice, (2) the Generic Data Call-In Response Form (Attachment 2), (3) the Requirements Status and Registrant's Form (Attachment 3), (4) a list of registrants receiving this DCI (Attachment 4), and (5) the Cost Share and Data Compensation Forms in replying to this norflurazon Generic Data Call In (Appendix D). Instructions and guidance accompany each form.

### DATA REQUIRED BY THIS NOTICE

The additional data requirements needed to complete the generic database for norflurazon are contained in the Requirements Status and Registrant's Response, Attachment 3. The Agency has concluded that additional product chemistry, acute toxicity, residue chemistry, environmental fate, and plant protection data on norflurazon are needed. These data are needed to fully complete the reregistration of all eligible norflurazon products.

### INQUIRIES AND RESPONSES TO THIS NOTICE

If you have any questions regarding the generic data requirements and procedures established by this Notice, please contact Karen Jones at (703) 308-8047.

All responsades to this Notice for the generic data requirements should be submitted to:

Karen Jones, Chemical Review Manager Reregistration Branch Special Review and Registration Division (H7508W) Office of Pesticiafde Programs U.S. Environmental Protection Agency Washington, D.C. 20460 RE: NORFLURAZON

### Instructions For Completing The "Data Call-In Response Forms" For The Generic And Product Specific Data Call-In

### INTRODUCTION

These instructions apply to the Generic and Product Specific "Data Call-In Response Forms" and are to be used by registrants to respond to generic and product specific Data Call-Ins as part of EPA's Reregistration Program under the Federal Insecticide, Fungicide, and Rodenticide Act. If you are an end-use product registrant only and have been sent this DCI letter as part of a RED document you have been sent just the product specific "Data Call-In Response Forms." Only registrants responsible for generic data have been sent the generic data response form. The type of Data Call-In (generic or product specific) is indicated in item number 3 ("Date and Type of DCI") on each form.

Although the form is the same for both generic and product specific data, instructions for completing these forms are different. Please read these instructions carefully before filling out the forms.

EPA has developed these forms individually for each registrant, and has preprinted these forms with a number of items. DO NOT use these forms for any other active ingredient.

Items 1 through 4 have been preprinted on the form. Items 5 through 7 must be completed by the registrant as appropriate. Items 8 through 11 must be completed by the registrant before submitting a response to the Agency.

The public reporting burden for this collection of information is estimated to average 15 minutes per response, including time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding the burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Chief, Information Policy Branch, Mail Code 2136, U.S. Environmental Protection Agency, 401 M St., S.W., Washington, D.C. 20460; and to the Office of Management and Budget, Paperwork Reduction Project 2070-0107, Washington, D.C. 20503.

### INSTRUCTIONS FOR COMPLETING THE DATA CALL-IN RESPONSE FORMS Generic and Product Specific Data Call-In

- Item 1. ON BOTH FORMS: This item identifies your company name, number and address.
- Item 2. ON BOTH FORMS: This item identifies the case number, case name, EPA chemical number and chemical name.
- Item 3. ON BOTH FORMS: This item identifies the type of Data Call-In. The date of issuance is date stamped.
- Item 4. ON BOTH FORMS: This item identifies the EPA product registrations relevant to the data call-in. Please note that you are also responsible for informing the Agency of your response regarding any product that you believe may be covered by this Data Call-In but that is not listed by the Agency in Item 4. You must bring any such apparent omission to the Agency's attention within the period required for submission of this response form.
- Item 5. ON BOTH FORMS: Check this item for each product registration you wish to cancel voluntarily. If a registration number is listed for a product for which you previously requested voluntary cancellation, indicate in Item 5 the date of that request. Since this Data Call-In requires both generic and product specific data, you must complete item 5 on both Data Call-In response forms. You do not need to complete any item on the Requirements Status and Registrant's Response Forms.
- Item 6a. ON THE GENERIC DATA FORM: Check this Item if the Data Call-In is for generic data as indicated in Item 3 and you are eligible for a Generic Data Exemption for the chemical listed in Item 2 and used in the subject product. By electing this exemption, you agree to the terms and conditions of a Generic Data Exemption as explained in the Data Call-In Notice.

If you are eligible for or claim a Generic Data Exemption, enter the EPA registration Number of each registered source of that active ingredient that you use in your product.

Typically, if you purchase an EPA-registered product from one or more other producers (who, with respect to the incorporated product, are in compliance with this and any other outstanding Data Call-In Notice), and incorporate that product into all your products, you may complete this item for all products listed on this form. If, however, you produce the active ingredient yourself, or use any unregistered product (regardless of the fact that some of your sources

### INSTRUCTIONS FOR COMPLETING THE DATA CALL-IN RESPONSE FORMS Generic and Product Specific Data Call-In

are registered), you may not claim a Generic Data Exemption and you may not select this item.

Item 6b.

ON THE GENERIC DATA FORM: Check this Item if the Data Call-In is for generic data as indicated in Item 3 and if you are agreeing to satisfy the generic data requirements of this Data Call-In. Attach the Requirements Status and Registrant's Response Form that indicates how you will satisfy those requirements.

NOTE: Item 6a and 6b are not applicable for Product Specific Data.

- Item 7a. ON THE PRODUCT SPECIFIC DATA FORM: For each manufacturing use product (MUP) for which you wish to maintain registration, you must agree to satisfy the data requirements by responding "yes."
- Item 7b. For each end use product (EUP) for which you wish to maintain registration, you must agree to satisfy the data requirements by responding "yes."

FOR BOTH MUP and EUP products

You should also respond "yes" to this item (7a for MUP's and 7b for EUP's) if your product is identical to another product and you qualify for a data exemption. You must provide the EPA registration numbers of your source(s); do not complete the Requirements Status and Registrant's Response form. Examples of such products include repackaged products and Special Local Needs (Section 24c) products which are identical to federally registered products.

If you are requesting a data waiver, answer "yes" here; in addition, on the "Requirements Status and Registrant's Response" form under Item 9, you must respond with option 7 (Waiver Request) for each study for which you are requesting a waiver.

NOTE: Item 7a and 7b are not applicable for Generic Data.

### INSTRUCTIONS FOR COMPLETING THE DATA CALL-IN RESPONSE FORMS Generic and Product Specific Data Call-In

- Item 8. ON BOTH FORMS: This certification statement must be signed by an authorized representative of your company and the person signing must include his/her title. Additional pages used in your response must be initialled and dated in the space provided for the certification.
- Item 9. **ON BOTH FORMS:** Enter the date of signature.
- Item 10. ON BOTH FORMS: Enter the name of the person EPA should contact with questions regarding your response.
- Item 11. ON BOTH FORMS: Enter the phone number of your company contact.

Note: You may provide additional information that does not fit on this form in a signed letter that accompanies your response. For example, you may wish to report that your product has already been transferred to another company or that you have already voluntarily cancelled this product. For these cases, please supply all relevant details so that EPA can ensure that its records are correct.

| Form Approved  OMB No. 2070-0107  2070-0057        | Approvate Apriles 03-31-39                                                         | 3. Date and Type of DCI GENERIC AUG   5  996                                        |                          | 7b. My product is an EUP and I agree to satisfy the EUP requirements on the attacher form entitled "Requirements Status and Registrant's Response."                |                                                                                                                                                                                                                                                                                                                                                        |                                         |
|----------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|
|                                                    | information requested on this for                                                  | 3. Date a                                                                           | 7. Product Specific Data | 7a. My product is an MUP and<br>I agree to satisfy the MUP<br>requirements on the attached<br>form entitled "Requirements<br>Status and Registrant's<br>Response." | 9. Date                                                                                                                                                                                                                                                                                                                                                | 11. Phone Number                        |
| ntal Protection Agency<br>D.C. 20460<br>N RESPONSE | ly the attached instructions and supply the information requested on this form.    | Case # and Name 0229 Norflurazon Chemical # and Name 105801                         |                          | <pre>6b. I agree to satisfy Generic Data requirements as indicated on the attached form entitled "Requirements Status and Registrant's Response."</pre>            | rue, accurate, and complete, imprisonment                                                                                                                                                                                                                                                                                                              |                                         |
| States Environmes<br>Washington,<br>DATA CALL-I    | Please read careful                                                                | 055947 2. Cas 0.2 0.18 Che Nor                                                      | 6. Generic Data          | 6a. I am claiming a Generic<br>Data Exemption because I<br>obtain the active ingredient<br>from the source EPA regis-<br>tration number listed below.              | 8. Certification 1. certify that the statements made on this form and all attachments are true, accurate, and complete. 1. acknowledge that any knowlingly false or misleading statement may be punishable by fine, imprisonment or both under applicable law. Signature and Title of Company's Authorized Representative  10. Name of Company Contact | •                                       |
| United                                             | ype or print-in i                                                                  | 2<br>Z AVE<br>600                                                                   | 5. I wish to             | cancer uns<br>product regis-<br>tration volun-<br>tarily                                                                                                           | ements made on th<br>knowingly false o<br>e law.<br>Company's Authori                                                                                                                                                                                                                                                                                  | ,                                       |
|                                                    | INSTRUCTIONS: Please type or print in ink.<br>Use additional sheet(s) if necessary | 1. Company name and Address<br>SANDOZ AGRO INC<br>1300 EAST TOUHY<br>DES PLAINES IL | 4. EPA Product           |                                                                                                                                                                    | 55947-55  8. Certification I certify that the statements made on this form and all at a acknowledge that any knowingly false or misleading states or both under applicable law.  Signature and Title of Company's Authorized Representative.                                                                                                           | *************************************** |

|                                                                                          |                                                            |                                                                                                                                                             |                                                                                                                                                                                                              |                                                                                                                                                                    |                          | 9                                                                                                                                                                  |
|------------------------------------------------------------------------------------------|------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                          | United                                                     | d States Environmental<br>Washington, D.                                                                                                                    | ntal Protection<br>D. C. 20460                                                                                                                                                                               | Agency                                                                                                                                                             |                          | Form Approved OMB No. 2070-0107                                                                                                                                    |
|                                                                                          | 4                                                          | DATA CALL                                                                                                                                                   | L-IN RESPONSE                                                                                                                                                                                                |                                                                                                                                                                    |                          | 2070-0057<br>Approval Expires 03-31-96                                                                                                                             |
| INSTRUCTIONS: Please type or print in ink. Use additional sheet(s) if necessary.         | Please type or print in ir sheet(s) if necessary.          | Please read carefully                                                                                                                                       | the attached instructions and supply the information requested on this form.                                                                                                                                 | y the information requested                                                                                                                                        | on this form.            |                                                                                                                                                                    |
| 1. Company name and Address SAMPLE COMPANY                                               | kdress<br>ANY                                              | •                                                                                                                                                           | 2. Case # and Name<br>0229 Norflurazon                                                                                                                                                                       | •                                                                                                                                                                  | 3. Date and Type PRODUCT | 3. Date and Type of DCI PRODUCT SPECIFIC                                                                                                                           |
| NO STREET ADDRESS NO CITY, XX 000                                                        | ADDRESS<br>XX 00000                                        | :                                                                                                                                                           |                                                                                                                                                                                                              |                                                                                                                                                                    |                          | AUG   5 1996                                                                                                                                                       |
| 4. EPA Product                                                                           | 5. I Wish to                                               | 6. Generic Data                                                                                                                                             |                                                                                                                                                                                                              |                                                                                                                                                                    | Data                     |                                                                                                                                                                    |
| Registration                                                                             | cancel this<br>product regis-<br>tration volun-<br>tarily. | 6a. I am claimimg a Generic<br>Data Exemption because I<br>obtain the active ingredient<br>from the source EPA regis-<br>tration number listed below.       | ric 6b. I agree to satisfy Generic Data requirements as indicated on the attached form entitled s- "Requirements Status and slow. Registrant's Response."                                                    | neric 7a. My product is a MUP and sated I agree to satisfy the MUP led requirements on the attached form entitled "Requirements Status and Registrant's Response." |                          | 7b. My product is an EUP and<br>I agree to satisfy the EUP<br>requirements on the attached<br>form entitled "Requirements<br>Status and Registrant's<br>Response." |
| NNNNN-NNNNN                                                                              | -                                                          | N.A.                                                                                                                                                        | N.A.                                                                                                                                                                                                         |                                                                                                                                                                    | -                        | •                                                                                                                                                                  |
| · .                                                                                      | ÷                                                          |                                                                                                                                                             |                                                                                                                                                                                                              |                                                                                                                                                                    |                          | ٠,                                                                                                                                                                 |
|                                                                                          |                                                            |                                                                                                                                                             |                                                                                                                                                                                                              |                                                                                                                                                                    |                          |                                                                                                                                                                    |
|                                                                                          |                                                            |                                                                                                                                                             |                                                                                                                                                                                                              |                                                                                                                                                                    | V                        |                                                                                                                                                                    |
| •                                                                                        |                                                            |                                                                                                                                                             |                                                                                                                                                                                                              |                                                                                                                                                                    |                          |                                                                                                                                                                    |
|                                                                                          |                                                            | ,                                                                                                                                                           |                                                                                                                                                                                                              |                                                                                                                                                                    |                          |                                                                                                                                                                    |
| :                                                                                        | 5                                                          | ÷                                                                                                                                                           |                                                                                                                                                                                                              |                                                                                                                                                                    |                          |                                                                                                                                                                    |
| ,                                                                                        |                                                            |                                                                                                                                                             |                                                                                                                                                                                                              | ··                                                                                                                                                                 |                          |                                                                                                                                                                    |
|                                                                                          | a ,                                                        |                                                                                                                                                             |                                                                                                                                                                                                              |                                                                                                                                                                    |                          |                                                                                                                                                                    |
| 8. Certification                                                                         |                                                            |                                                                                                                                                             |                                                                                                                                                                                                              | 6                                                                                                                                                                  | 9. Date                  |                                                                                                                                                                    |
| I certify that the start I acknowledge that any                                          | atements made on t<br>y knowingly false                    | I certify that the statements made on this form and all attachments are true, I acknowledge that any knowingly false or misleading statement may be punisha | I certify that the statements made on this form and all attachments are true, accurate, and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine, imprisonment |                                                                                                                                                                    |                          |                                                                                                                                                                    |
| or born under applicable tam. Signature and Title of Company's Authorized Representative | ble taw.<br>f Company's Author                             | ized Representative                                                                                                                                         |                                                                                                                                                                                                              |                                                                                                                                                                    |                          |                                                                                                                                                                    |
| 10. Name of Company Contact                                                              | ontact                                                     |                                                                                                                                                             |                                                                                                                                                                                                              | 11.                                                                                                                                                                | 11. Phone Number         |                                                                                                                                                                    |
|                                                                                          |                                                            |                                                                                                                                                             |                                                                                                                                                                                                              | •••                                                                                                                                                                |                          |                                                                                                                                                                    |
|                                                                                          |                                                            | 1                                                                                                                                                           |                                                                                                                                                                                                              |                                                                                                                                                                    |                          |                                                                                                                                                                    |

### Instructions For Completing The "Requirements Status and Registrant's Response Forms" For The Generic and Product Specific Data Call-In

### INTRODUCTION

These instructions apply to the Generic and Product Specific "Requirements Status and Registrant's Response Forms" and are to be used by registrants to respond to generic and product specific Data Call-In's as part of EPA's reregistration program under the Federal Insecticide, Fungicide, and Rodenticide Act. If you are an end-use product registrant only and have been sent this DCI letter as part of a RED document you have been sent just the product specific "Requirements Status and Registrant's Response Forms." Only registrants responsible for generic data have been sent the generic data response forms. The type of Data Call-In (generic or product specific) is indicated in item number 3 ("Date and Type of DCI") on each form.

Although the <u>form</u> is the same for both product specific and generic data, <u>instructions</u> for completing the forms differ slightly. Specifically, options for satisfying product specific data requirements do not include (1) deletion of uses or (2) request for a low volume/minor use waiver. Please read these instructions carefully before filling out the forms.

EPA has developed these forms individually for each registrant, and has preprinted these forms to include certain information unique to this chemical. **DO NOT** use these forms for any other active ingredient.

Items 1 through 8 have been preprinted on the form. Item 9 must be completed by the registrant as appropriate. Items 10 through 13 must be completed by the registrant before submitting a response to the Agency.

The public reporting burden for this collection of information is estimated to average 30 minutes per response, including time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding the burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Chief, Information Policy Branch, Mail Code 2136, U.S. Environmental Protection Agency, 401 M St., S.W., Washington, D.C. 20460; and to the Office of Management and Budget, Paperwork Reduction Project 2070-0107, Washington, D.C. 20503.

### INSTRUCTIONS FOR COMPLETING THE "REQUIREMENTS STATUS AND REGISTRANT'S RESPONSE FORMS"

Generic and Product Specific Data Call-In

- Item 1. ON BOTH FORMS: This item identifies your company name, number and address.
- Item 2. ON THE GENERIC DATA FORM: This item identifies the case number, case name, EPA chemical number and chemical name.

ON THE PRODUCT SPECIFIC DATA FORM: This item identifies the case number, case name, and the EPA Registration Number of the product for which the Agency is requesting product specific data.

- Item 3. ON THE GENERIC DATA FORM: This item identifies the type of Data Call-In. The date of issuance is date stamped.
  - ON THE PRODUCT SPECIFIC DATA FORM: This item identifies the type of Data Call-In. The date of issuance is also date stamped. Note the unique identifier number (ID#) assigned by the Agency. This ID number must be used in the transmittal document for any data submissions in response to this Data Call-In Notice.
- Item 4. ON BOTH FORMS: This item identifies the guideline reference number of studies required. These guidelines, in addition to the requirements specified in the Data Call-In Notice, govern the conduct of the required studies. Note that series 61 and 62 in product chemistry are now listed under 40 CFR 158.155 through 158.180, Subpart c.
- Item 5. ON BOTH FORMS: This item identifies the study title associated with the guideline reference number and whether protocols and 1, 2, or 3-year progress reports are required to be submitted in connection with the study. As noted in Section III of the Data Call-In Notice, 90-day progress reports are required for all studies.

If an asterisk appears in Item 5, EPA has attached information relevant to this guideline reference number to the Requirements Status and Registrant's Response Form.

### INSTRUCTIONS FOR COMPLETING THE "REQUIREMENTS STATUS AND REGISTRANT'S RESPONSE FORMS"

Generic and Product Specific Data Call-In

- Item 6. ON BOTH FORMS: This item identifies the code associated with the use pattern of the pesticide. In the case of efficacy data (product specific requirement), the required study only pertains to products which have the use sites and/or pests indicated. A brief description of each code follows:
  - A Terrestrial food
  - B Terrestrial feed
  - C Terrestrial non-food
  - D Aquatic food
  - E Aquatic non-food outdoor
  - F Aquatic non-food industrial
  - G Aquatic non-food residential
  - H Greenhouse food
  - I Greenhouse non-food crop
  - J Forestry
  - K Residential
  - L Indoor food
  - M Indoor non-food
  - N Indoor medical
  - O Indoor residential
- Item 7. ON BOTH FORMS: This item identifies the code assigned to the substance that must be used for testing. A brief description of each code follows:

EUP End-Use Product

MP Manufacturing-Use Product

MP/TGAI Manufacturing-Use Product and Technical GradeActive

Ingredient

PAI Pure Active Ingredient

PAI/M Pure Active Ingredient and Metabolites
PAI/PAIRA Pure Active Indredient or Pute Active

Ingredient Radiolabelled

PAIRA Pure Active Ingredient Radiolabelled

PAIRA/M Pure Active Ingredient Radiolabelled and Metabolites

PAIRA/PM Pure Active Ingredient Radiolabelled and Plant

Metabolites

TEP Typical End-Use Product

TEP % Typical End-Use Product, Percent Active Ingredient

Specified

TEP/MET Typical End-Use Product and Metabolites

TEP/PAI/M Typical End-Use Product or Pure Active Ingredient and

Metabolites

TGAI Technical Grade Active Ingredient

TGAI/PAI Technical Grade Active Ingredient or Pure Active

Ingredient

TGAI/PAIRA Technical Grade Active Ingredient or Pure Active

Ingredient Radiolabelled

TGAI/TEP Technical Grade Active Ingredient or Typical End-Use

Product

MET Metabolites
IMP Impurities
DEGR Degradates

\* See: guideline comment

Item 8. This item completed by the Agency identifies the time frame allowed for submission of the study or protocol identified in item 5.

ON THE GENERIC DATA FORM: The time frame runs from the date of your receipt of the Data Call-In notice.

ON THE PRODUCT SPECIFIC DATA FORM: The due date for submission of product specific studies begins from the date stamped on the letter transmitting the Reregistration Eligibility Decision document, and not from the date of receipt. However, your response to the Data Call-In itself is due 90 days from the date of receipt.

- Item 9. **ON BOTH FORMS:** Enter the appropriate Response Code or Codes to show how you intend to comply with each data requirement. Brief descriptions of each code follow. The Data Call-In Notice contains a fuller description of each of these options.
  - Option 1. ON BOTH FORMS: (Developing Data) I will conduct a new study and submit it within the time frames specified in item 8 above. By indicating that I have chosen this option, I certify that I will comply with all the requirements pertaining to the conditions for submittal of this study as outlined in the Data Call-In Notice and that I will provide the protocols and progress reports required in item 5 above.
  - Option 2. ON BOTH FORMS: (Agreement to Cost Share) I have entered into an agreement with one or more registrants to develop data jointly. By indicating that I have chosen this option, I certify that I will comply with all the requirements pertaining to sharing in the cost of developing data as outlined in the Data Call-In Notice.

However, for Product Specific Data, I understand that this option is available for acute toxicity or certain efficacy data ONLY if the Agency indicates in an attachment to this notice that my product is similar enough to another product to qualify for this option. I certify that another party in the agreement is committing to submit or provide the required data; if the required study is not submitted on time, my product may be subject to suspension.

On BOTH FORMS: (Offer to Cost Share) I have made an offer to enter into an agreement with one or more registrants to develop data jointly. I am also submitting a completed "Certification of offer to Cost Share in the Development of Data" form. I am submitting evidence that I have made an offer to another registrant (who has an obligation to submit data) to share in the cost of that data. I am including a copy of my offer and proof of the other registrant's receipt of that offer. I am identifying the party which is committing to submit or provide the required data; if the required study is not submitted on time, my product may be subject to suspension. I understand that other terms under Option 3 in the Data Call-In Notice apply as well.

However, for Product Specific Data, I understand that this option is available only for acute toxicity or certain efficacy data and only if the Agency indicates in an attachment to this Data Call-In Notice that my product is similar enough to another product to qualify for this option.

- Option 4. ON BOTH FORMS: (Submitting Existing Data) I will submit an existing study by the specified due date that has never before been submitted to EPA. By indicating that I have chosen this option, I certify that this study meets all the requirements pertaining to the conditions for submittal of existing data outlined in the Data Call-In Notice and I have attached the needed supporting information along with this response.
- Option 5. ON BOTH FORMS: (Upgrading a Study) I will submit by the specified due date, or will cite data to upgrade a study that EPA has classified as partially acceptable and potentially upgradeable. By indicating that I have chosen this option, I certify that I have met all the requirements pertaining to the conditions for submitting or citing existing data to upgrade a study described in the Data Call-In Notice. I am indicating on attached correspondence the Master Record Identification Number (MRID) that EPA has assigned to the data that I am citing as well as the MRID of the study I am attempting to upgrade.
- Option 6. ON BOTH FORMS: (Citing a Study) I am citing an existing study that has been previously classified by EPA as acceptable, core, core

minimum, or a study that has not yet been reviewed by the Agency. If reviewed, I am providing the Agency's classification of the study.

However, for Product Specific Data, I am citing another registrant's study. I understand that this option is available ONLY for acute toxicity or certain efficacy data and ONLY if the cited study was conducted on my product, an identical product or a product which the Agency has "grouped" with one or more other products for purposes of depending on the same data. I may also choose this option if I am citing my own data. In either case, I will provide the MRID or Accession number (s). If I cite another registrant's data, I will submit a completed "Certification With Respect To Data Compensation Requirements" form.

### FOR THE GENERIC DATA FORM ONLY: The following three options (Numbers 7, 8, and 9) are responses that apply only to the "Requirements Status and Registrant's Response Form" for generic data.

- Option 7. (Deleting Uses) I am attaching an application for amendment to my registration deleting the uses for which the data are required.
- Option 8. (Low Volume/Minor Use Waiver Request) I have read the statements concerning low volume-minor use data waivers in the Data Call-In Notice and I request a low-volume minor use waiver of the data requirement. I am attaching a detailed justification to support this waiver request including, among other things, all information required to support the request. I understand that, unless modified by the Agency in writing, the data requirement as stated in the Notice governs.
- Option 9. (Request for Waiver of Data) I have read the statements concerning data waivers other than lowvolume minor-use data waivers in the Data Call-In Notice and I request a waiver of the data requirement. I am attaching a rationale explaining why I believe the data requirements do not apply. I am also submitting a copy of my current labels. (You must also submit a copy of your Confidential Statement of Formula if not already on file with EPA). I understand that, unless modified by the Agency in writing, the data requirement as stated in the Notice governs.


FOR PRODUCT SPECIFIC DATA: The following option (number 7) is a response that applies to the "Requirements Status and Registrant's Response Form" for product specific data.

Option 7. (Waiver Request) I request a waiver for this study because it is inappropriate for my product. I am attaching a complete justification for this request, including technical reasons, data and references to relevant

EPA regulations, guidelines or policies. [Note: any supplemental data must be submitted in the format required by P.R. Notice 86-5]. I understand that this is my only opportunity to state the reasons or provide information in support of my request. If the Agency approves my waiver request, I will not be required to supply the data pursuant to Section 3(c) (2) (B) of FIFRA. If the Agency denies my waiver request, I must choose a method of meeting the data requirements of this Notice by the due date stated by this Notice. In this case, I must, within 30 days-of my receipt of the Agency's written decision, submit a revised "Requirements Status" form specifying the option chosen. I also understand that the deadline for submission of data as specified by the original Data Call-In notice will not change.

- Item 10. ON BOTH FORMS: This item must be signed by an authorized representative of your company. The person signing must include his/her title, and must initial and date all other pages of this form.
- Item 11. **ON BOTH FORMS:** Enter the date of signature.
- Item 12. **ON BOTH FORMS:** Enter the name of the person EPA should contact with questions regarding your response.
- Item 13. ON BOTH FORMS: Enter the phone number of your company contact.

NOTE: You may provide additional information that does not fit on this form in a signed letter that accompanies this your response. For example, you may wish to report that your product has already been transferred to another company or that you have already voluntarily cancelled this



United States Environmental Protection Agency Washington, D.C. 20460

REQUIREMENTS STATUS AND REGISTRANT'S RESPONSE

Form Approved
OMB No. 2070-0107
2070-0057
Approval Expires 03-31-99

| _ | ]                                     |                           |   |
|---|---------------------------------------|---------------------------|---|
| _ | e.                                    |                           |   |
|   | his f                                 |                           |   |
| , | 8                                     |                           |   |
|   | sted                                  |                           |   |
|   | regue                                 | •                         |   |
|   | tion                                  |                           |   |
|   | forma                                 | -                         |   |
|   | ie in                                 |                           |   |
|   | ly th                                 |                           |   |
|   | ddns                                  | •                         |   |
| - | s and                                 |                           | - |
|   | tions                                 |                           |   |
|   | struc                                 |                           |   |
|   | ed in                                 |                           |   |
|   | ttach                                 |                           |   |
|   | the a                                 |                           |   |
| İ | 11                                    |                           |   |
|   | areft                                 | ,                         |   |
|   | ead c                                 | ,                         |   |
| l | ase r                                 |                           |   |
|   | Ple                                   |                           |   |
|   | i.                                    |                           |   |
| l | i in                                  | sarv                      |   |
|   | , pri                                 | ecess                     |   |
|   | pe of                                 | <u>:</u>                  |   |
|   | se ty                                 | eet(s) i                  |   |
|   | Plea                                  | l she                     |   |
|   | INSTRUCTIONS: Please type or print in | se additional sheet(s) if |   |
|   | TRUCT                                 |                           |   |
|   | INS                                   | Use a                     |   |
| _ |                                       |                           | _ |

|   |                                                                                                                   | i incopari )                                                                                                                                                                                                                                                                                                            |                                                        |                                                                                  |                                              | ,                                  |                           |
|---|-------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------|------------------------------------|---------------------------|
|   | 1. Company name and Address<br>SANDOZ AGRO INC<br>1300 EAST TOUHY<br>DES PLAINES IL                               | uress 055947<br>INC<br>DUHY AVE<br>IL 60018                                                                                                                                                                                                                                                                             | 2. Case # and Name 0229 NOr Chemical # and Norflurazon | case # and Name<br>0229 Norflurazon<br>Chemical # and Name 105801<br>Norflurazon |                                              | 3. Date and Type of DCI<br>GENERIC | ype of DCI<br>C           |
|   | 4. Guideline<br>Requirement<br>Number                                                                             | 5. Study Title                                                                                                                                                                                                                                                                                                          | Progress<br>Reports                                    | 6. Use<br>Pattern                                                                | 7. Test 8<br>Substance F                     | 8. Time<br>Frame                   | 9. Registrant<br>Response |
|   | 62-1 *<br>63-17 *                                                                                                 | Preliminary Analysis<br>Storage stability                                                                                                                                                                                                                                                                               | X                                                      | all<br>all                                                                       | TGAI 12                                      | 2 mos.                             |                           |
|   | 63-20 *<br>81-3 *                                                                                                 | Corrosion characteristics<br>Acute inhal, tox rat                                                                                                                                                                                                                                                                       | X .                                                    | all<br>ABC                                                                       |                                              |                                    |                           |
|   | 81-6 * * 84-2(a) *                                                                                                | Dermal sensitization<br>Gene mutation-ames                                                                                                                                                                                                                                                                              |                                                        | ABC<br>ABC                                                                       | /TEP                                         |                                    |                           |
|   | 163-2 *                                                                                                           | Aquatic plant growth Leach/adsorp/desorption                                                                                                                                                                                                                                                                            |                                                        | ABC<br>ABC                                                                       | TGAI 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2 | 2 mos.<br>2 mos.                   |                           |
| * | 165-2 *<br>166-1 *                                                                                                | Field rotational crop<br>Grd Water-small prospect.                                                                                                                                                                                                                                                                      | Ϋ́                                                     | ABC<br>ABC                                                                       | тер 20<br>18                                 |                                    | 1 2 3 E                   |
|   | 171-3 * 171-4(d) * 171-4(k)                                                                                       | Directions for use Res. analyt. method . animal                                                                                                                                                                                                                                                                         | λ                                                      | ABC<br>AB                                                                        | TGA1/METABO 2.4                              | 3 mos.<br>4 mos.                   |                           |
|   | *                                                                                                                 | COTTON                                                                                                                                                                                                                                                                                                                  | Χ                                                      | AB                                                                               | TEP 2.4                                      |                                    |                           |
|   | 201-1 *                                                                                                           | Droplet size spectrum<br>Drift field evaluation                                                                                                                                                                                                                                                                         | Y                                                      | ABC                                                                              | TEP 24                                       | 2 mos.<br>4 mos.                   |                           |
|   | 10. Certification I certify that the stat. I acknowledge that any or both under applicable Signature and Title of | 10. Certification I certify that the statements made on this form and all attachments are true, accurate, and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine, imprisonment or both under applicable law. Signature and Title of Company's Authorized Representative | ts are true, acc<br>y be punishable                    | curate, and complete.<br>by fine, imprisonment                                   | 5                                            | 11. Date                           |                           |
|   |                                                                                                                   |                                                                                                                                                                                                                                                                                                                         |                                                        |                                                                                  |                                              |                                    |                           |

13. Phone Number

12. Name of Company Contact

## United States Environmental Protection Agency Washington, D.C. 20460

# \* COMMENTS FOR GUIDELINE REQUIREMENTS

Case # and Name
0229 Norflurazon
chemical # and Name
105801 Norflurazon

The Agency is requiring preliminary analysis data on the norflurazon 97.8% technical (EPA Reg. No. 55947-55). Nitrosamine analyses were also required in the 1990 Norflurazon DCI. A laboratory audit conducted at the performing laboratory (Themedics, Inc. in data, laboratory procedures, personnel, and protocols. The Agency is requiring that new freshly-produced 98.7% technical samples be analyzed for potential nitrosamine Woburn, MA) revealed multiple deficiencies including inadequate documentation of raw contaminants.

The Agency is requiring that storage stability data be submitted on the 97.8% norflurazon technical. 63 - 17

The Agency is requiring that corrosion characteristics data be submitted on the 97.8% norflurazon technical. 63 - 20

The Agency is requiring an acceptable acute inhalation toxicity study for the 78.6% 81 - 3

The Agency is requiring additional data to upgrade the dermal sensitization study for the norflurazon 97.8% technical and the 78.6% formulation. 81 - 6

(non-quantifiable group C-possible human carcinogen) but is required to confirm the lack The Agency is requiring gene mutation data. This data requirement is considerd confirmatory. The data will not likely impact the cancer classification of genotoxic potential of norflurazon. 84-2(a)

are required on the following species: Skeletonema costatum, Anabaena flos-aquae, and a In order to complete the risk assessment for nontarget aquatic plants, additional data frehwater diatom. United States Environmental Protection Agency Washington, D.C. 20460

# \* COMMENTS FOR GUIDELINE REQUIREMENTS

Case # and Name
0229 Norflurazon
Chemical # and Name
105801 Norflurazon

COMMENT

GUIDELINE

The mobility of desmethyl norflurazon in soils other than high organic peat, has not norflurazon and is persistent, a new batch equilibrium study with pure desmethyl Because desmethyl norflurazon is a major degradate of been adequately defined. norflurazon is required.

considered practical by the Agency. The Agency has reviewed the registrant's protocol which was found acceptable providing the registrant follows the Agency's comments and recommendations. In April 1995, the registrant initiated the extended field trials. The final report is due in March 1998. vegetables, and cereal grains to support a 12-month rotation interval, the maximum The Agency required extended field trials for root and tuber vegetables, leafy 165 - 2

The registrant is already conducting a small-scale prospective groundwater study, the final report is due to the Agency on January 31, 1998.

citrus trees, grape vines, nut trees, pome fruit trees, and stone fruit trees but do not Use directions for the 78.6% DF norflurazon (EPA Reg. No. 55947-78) will allow multiple applications during the growing season to the soil around avocado trees, blueberries, specify preharvest intervals (PHIs) for these crops. The product label for the 78.6% DF (EPA Reg. No. 55947-78) must be amended to include PHIs for the above fruit crops. The Agency concludes that the animal method (AM-0875-1092-2) is suitable for enforcement Agency is requiring the registrant to submit a method and fortification recovery results toxicological concern, additional enforcement methodology for animal commidities may be for milk (but the Agency will not require either the independent laboratory validation metabolites of concern other than the praent and desmethyl norflurazon are deemed of purposes and partially meets the requirements for Guideline 171-4(d). However, the or a Beltsville Tolerance Method Validation (TMV) if the present method is simply updated or modified slightly to incorporate analysis of a milk commodity). 171 - 4(d)

## United States Environmental Protection Agency Washington, D.C. 20460

# \* COMMENTS FOR GUIDELINE REQUIREMENTS

Case # and Name
0229 Norflurazon
Chemical # and Name
105801 Norflurazon

SUIDELINE COMMENT

required.

### 171-4(k) COTTON

The cotton must be harvested by maximum seasonal application rate (2.0 lb ai/A/season). The cotton must be harvested by commercial equipment (or a simulation thereof) to provide an adequate representation of The registrant is plant residue from the ginning process. Since the requirement for the residue data on cottonseeds is already fulfilled, the Agency will consider allowing a reduce number of field trials representing the principal U.S. cotton growing regions. The registrant is required to submit a protocol to the Agency for review before initiation of the study. The Agency is requiring data on residues of norflurazon and its desmethyl metabolite in/on cotton-gin byproducts harvested at normal maturity from plants treated at the

Due to the phytotoxic nature norflurazon and its method of application, spray drift studies are required. 201-1

202-1 See comment for Guideline 201-1.

### Approval Expires 03-31-96 OMB No. 2070-0107 2070-0057 Form Approved REQUIREMENTS STATUS AND REGISTRANT'S RESPONSE United States Environmental Protection Agency Washington, D. C. 20460

INSTRUCTIONS: Please type or print in ink. Please read carefully the attached instructions and supply the information requested on this form. Use additional sheet(s) if necessary.

| C                                                                              | 9. Registrant                         |                                                                                                                        |                               |                                                                   |                                                                |                                                 |
|--------------------------------------------------------------------------------|---------------------------------------|------------------------------------------------------------------------------------------------------------------------|-------------------------------|-------------------------------------------------------------------|----------------------------------------------------------------|-------------------------------------------------|
| Date and Type of DCI PRODUCT SPECIFIC ID# NNNNNN-RD-NNNN                       | 8. Time 9. Regist Frame Response      | 8 mos.                                                                                                                 | 8 mos.                        | 8 mos.                                                            | - XXXX - XXX                                                   | 8 B B B B B B B B B B B B B B B B B B B         |
| 3. Date and Type of DCI<br>PRODUCT SPEC:<br>ID# NNNNN-RI                       | 1                                     |                                                                                                                        |                               |                                                                   |                                                                |                                                 |
|                                                                                | 7. Test<br>Substance                  | MP/EP<br>MP/EP                                                                                                         | MP/EP                         | MP/EP<br>MP/EP<br>MP/EP                                           |                                                                | ≅ <b>∼</b> ‱∞.                                  |
| azon<br>NNNNN-NNNN                                                             | e<br>rn                               | ABCDEFGHIJKLMNO MP/EP                                                                                                  | ABCDEFGHIJKLMNO MP/EP         | ABCDEFGHIJKIMNO MP,<br>ABCDEFGHIJKIMNO MP,<br>ABCDEFGHIJKIMNO MP, | ABCDEFGHIJKIMNO MP<br>ABCDEFGHIJKIMNO MP<br>ABCDEFGHIJKIMNO MP | ABCDEFGHIJKIMNO MP<br>ABCDEFGHIJKIMNO MP        |
| , H                                                                            | 6. Use<br>Pattern                     | ABCI                                                                                                                   | ABCI                          | ABCI<br>ABCI<br>ABCI                                              | ABCI<br>ABCI<br>ABCI                                           | ABCL                                            |
| Case # and Name<br>0229 Norflurazon<br>EPA Reg. No. NNNN                       | Progress<br>Reports                   |                                                                                                                        |                               |                                                                   |                                                                |                                                 |
|                                                                                | 7 <b>%0⊢</b> 000⊐                     | 1 x x x x x x x x x x x x x x x x x x x                                                                                |                               |                                                                   | 2.2                                                            |                                                 |
| 3.                                                                             |                                       | on (1)<br>r. (1,2)                                                                                                     | (1,3)                         | (1,4)<br>(1,5)<br>(1)                                             | CID<br>(71)                                                    |                                                 |
|                                                                                |                                       | lar Chemical ty & compositi frig materials                                                                             | formation of                  | ılysis<br>of limits<br>od                                         |                                                                | red for produc                                  |
| Address PANY ADDRESS XX 00000                                                  | 5. Study Title                        | Prod Chem - Regular Chemical Product identity & composition (1) Descriptn starting materials, (1, productn & formulatn | Discussion of f<br>impurities | Preliminary analysis<br>Certification of lim<br>Analytical method | Color<br>Physical state<br>Odor                                | Density<br>pH<br>Study not required for product |
| 1. Company name and Address SAMPLE COMPANY NO STREET ADDRESS NO CITY, XX 00000 |                                       |                                                                                                                        |                               |                                                                   |                                                                |                                                 |
| 1. Company<br>SAMP<br>NO SI                                                    | 4. Guideline<br>Requirement<br>Number | 61-1<br>61-2 (a                                                                                                        | 61-2(b                        | 62-1<br>62-2<br>62-3                                              | 63-2<br>63-3<br>63-4                                           | 63-7<br>63-12<br>63-13                          |

13. Phone Number

I certify that the statements made on this form and all attachments are true, accurate, and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine, imprisonment

Signature and Title of Company's Authorized Representative

12. Name of Company Contact

or both under applicable law.

Approval Expires 03-31-96

OMB No. 2070-0107 2070-0057

Form Approved

## REQUIREMENTS STATUS AND REGISTRANT'S RESPONSE United States Environmental Protection Agency Washington, D. C. 20460

INSTRUCTIONS: Please type or print in ink. Please read carefully the attached instructions and supply the information requested on this form. Use additional sheet(s) if necessary.

| 1. Company name and Address SAMPLE COMPANY NO STREET ADDRI NO CITY, XX ( | Address PANY ADDRESS XX 00000                                                                                                                                                                                       | 2. Case # and Name<br>0229 Norflurazon<br>EPA Reg. No. NNNN | azon<br>NNNNNN-NNNN                                                                                                                                             | 3. Date an PRODI ID# N                                      | 3. Date and Type of DCI<br>PRODUCT SPECIFIC<br>ID# NNNNNN-RD-NN<br>AUG   5 | TIC                       |
|--------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|----------------------------------------------------------------------------|---------------------------|
| 4. Guideline<br>Requirement<br>Number                                    | 5. Study Title                                                                                                                                                                                                      | Reports 0 1 2 3                                             | 6. Use<br>Pattern                                                                                                                                               | 7. Test<br>Substance                                        | 8. Time<br>Frame                                                           | 9. Registrant<br>Response |
| 63-14<br>63-15<br>63-16<br>63-18<br>63-19<br>63-20                       | specific reregistration.  Oxidizing or reducing action (10) Elammability (11) Explodability (12) Storage stability (18) Viscosity (13) Miscibility (13) Corrosion characteristics Dielectric breakdown Voltage (15) |                                                             | ABCDEFGHIJKIMNO | MP/EP<br>MP/EP<br>MP/EP<br>MP/EP<br>MP/EP<br>MP/EP<br>MP/EP | 8 mos.<br>8 mos.<br>8 mos.<br>8 mos.                                       |                           |
| 81-6                                                                     | Acute inhalation toxicity rat (3)  Dermal sensitization (4)                                                                                                                                                         |                                                             | ABCDEFGHIJKIMNO MP                                                                                                                                              | MP/EP                                                       | 8 mos.                                                                     |                           |
| Initial to indicate continuity (full text of certific                    | Initial to indicate certification as to information on this page (full text of certification is on page one).                                                                                                       |                                                             | Date                                                                                                                                                            |                                                             |                                                                            |                           |

# United States Environmental Protection Agency Washington, D. C. 20460

# FOOTNOTES AND KEY DEFINITIONS FOR GUIDELINE REQUIREMENTS

# Norflurazon Case # and Name: 0229

Key: MP = manufacturing-use product; EP = end-use product; provided formulators purchase their active ingredient(s) from a registered source, they need not submit or cite data pertaining to the purchased product.[NOTE: If a product is a 100 percent repackage of another registered product, registrants are not subject to any data requirements identified in the tables.]; TEP = typical end-use product; TGAI = technical grade of the active ingredient; PAI = "pure" active ingredient; PAIRA = "pure" active ingredient, radiolabeled.

# Use Categories Key:

C - Terrestrial nonfood crop H - Greenhouse food crop G - Aquatic nonfood residential B - Terrestrial food feed crop - Aquatic nonfood Industrial - Terrestrial food crop

L - Indoor food

- Residential outdoor

- Aquatic food crop - Greenhouse nonfood crop N - Indoor Medical

E - Aquatic nonfood outdoor

J - Forestry

0 - Indoor residential

M - Indoor nonfood

Footnotes: The following notes are referenced in column two (5. Study Title) of the REQUIREMENTS STATUS AND REGISTRANT'S RESPONSE form.

# Prod Chem - Regular Chemical

- product identity and composition (61-1); \*158.160, 158.162, and 158.165 for description of starting materials and manufacturing process (61-2); \*158.167 for discussion of formation of impurities (61-3); \*158.170 for preliminary analysis (62-1); \*158.175 for certification of limits (62-2); and \*158.180 for enforcement Requirements pertaining to product identity, composition, analysis, and certification of ingredients are detailed further in the following sections: \*158.155 for analytical methods (62-3).
  - A schematic diagram and/or brief description of the production process will suffice if the pesticide is not already under full scale production and an experimental use permit is being sought.
- the pesticide is not already under full scale production and an experimental use permit is sought, a discussion of unintentional ingredients shall be submitted to the extent this information is available.
  - To support registration of an MP or EP, whether produced by an integrated system or not, the technical grade of Active Ingredient must be analyzed. If the technical grade of Active Ingredient cannot be isolated, a statement of composition of the practical equivalent of the technical grade of Active Ingredient must be submitted. Data on EPs or MPs will be required on a case-by-case basis.
    - Certified limits are not required for inert ingredients in products proposed for experimental use.
      - Required if test substances are dispersible with water.
- Required if product contains an oxidizing or reducing agent.
  - product contains combustible liquids. Required if
    - Required
    - product is potentially explosive. Reduired
- product is an emulsifiable liquid and is to be diluted with petroleum solvents. if product is a liquid. Required
  - Required if end-use product is liquid and is to be used around electrical equipment.
    - Not required unless efficacy data are required.
- Required for MP and EP but should not be submitted for EP unless (a) efficacy data are required to be submitted, (b) the storage stability data show that the active ingredient(s) is (are) not within the certified limits or toxicologically significant degradates are detected, or (c) product instability is suspected or incidents instability are reported. Refer to PR Notice 92-5 for more information.

# Acute Toxic - Regular Chemical

- Required if the product consists of, or under conditions of use will result in, an inhalable material (e. g., gas, volatile substances, or aerosol/particulate).
  - Required unless repeated dermal exposure does not occur under conditions of use.

# EPA'S BATCHING OF NORFLURAZON PRODUCTS FOR MEETING ACUTE TOXICITY DATA REQUIREMENTS FOR REREGISTRATION

In an effort to reduce the time, resources and number of animals needed to fulfill the acute toxicity data requirements for reregistration of products containing norflurazon as the active ingredient, the Agency has batched products which can be considered similar for purposes of acute toxicity. Factors considered in the sorting process include each product's active and inert ingredients (identity, percent composition and biological activity), type of formulation (e.g., emulsifiable concentrate, aerosol, wettable powder, granular, etc.), and labeling (e.g., signal word, use classification, precautionary labeling, etc.). Note that the Agency is not describing batched products as "substantially similar" since some products within a batch may not be considered chemically similar or have identical use patterns.

Using available information, batching has been accomplished by the process described in the preceding paragraph. Notwithstanding the batching process, the Agency reserves the right to require, at any time, acute toxicity data for an individual product should the need arise.

Registrants of products within a batch may choose to cooperatively generate, submit or cite a single battery of six acute toxicological studies to represent all the products within that batch. It is the registrant's option to participate in the process with all other registrants, only some of the other registrants, or only their own products within a batch, or to generate all the required acute toxicological studies for each of their own products. If a registrant chooses to generate the data for a batch, he/she must use one of the products within the batch as the test material. If a registrant chooses to rely upon previously submitted acute toxicity data, he/she may do so provided that the data base is complete and valid by today's standards (see acceptance criteria attached), the formulation tested is considered by EPA to be similar for acute toxicity, and the formulation has not been significantly altered since submission and acceptance of the acute toxicity data. Regardless of whether new data is generated or existing data is referenced, registrants must clearly identify the test material by EPA Registration Number. If more than one confidential statement of formula (CSF) exists for a product, the registrant must indicate the formulation actually tested by identifying the corresponding CSF.

In deciding how to meet the product specific data requirements, registrants must follow the directions given in the Data Call-In Notice and its attachments appended to the RED. The DCI Notice contains two response forms which are to be completed and submitted to the Agency within 90 days of receipt. The first form, "Data Call-In Response," asks whether the registrant will meet the data requirements for each product. The second form, "Requirements Status and Registrant's Response," lists the product specific data required for each product, including the standard six acute toxicity tests. A registrant who wishes to participate in a batch must decide whether he/she will provide the data or depend on someone else to do so. If a registrant supplies the data to support a batch of products, he/she must select one of the following options: Developing Data (Option 1), Submitting an Existing Study (Option 4), Upgrading an Existing Study (Option 5) or Citing an Existing Study (Option 6). If a registrant depends on another's data, he/she must choose among: Cost Sharing (Option 2), Offers to

Cost Share (Option 3) or Citing an Existing Study (Option 6). If a registrant does not want to participate in a batch, the choices are Options 1, 4, 5 or 6. However, a registrant should know that choosing not to participate in a batch does not preclude other registrants in the batch from citing his/her studies and offering to cost share (Option 3) those studies.

Eight products were found which contain norflurazon as an active ingredient. The products have been divided into two batches. One batch consists solely of the technical product, EPA Registration No. 55947-55. As there is currently no acceptable inhalation LD50 or dermal sensitization test for norflurazon, these tests must be conducted on this product. The other batch consists of all other currently registered norflurazon products. There are acceptable data on EPA Registration No. 55947-154. The toxicity profile for this product is as follows:

| Acute oral           | Category III   |
|----------------------|----------------|
| Acute dermal         | Category III   |
| Acute inhalation     | Category III   |
| Eye irritation       | Category IV    |
| Skin irritation      | Category IV    |
| Dermal sensitization | Non-sensitizer |
|                      |                |

None of the other products in this batch are expected to be more toxic than this product. Therefore, labeling associated with this toxicity profile is acceptable for all of these products. Should the registrant wish to lower the toxicity category to IV for acute oral, dermal, or inhalation toxicity, the appropriate tests are required on the end-use product.

Table 1 (Batch 1)

| EPA Reg. No. | % Active Ingredient | Formulation Type |
|--------------|---------------------|------------------|
| 55947-55     | 97.8                | Solid            |

Table 2 (Batch 2)


| EPA Reg. No. | % Active Ingredient              | Formulation Type |
|--------------|----------------------------------|------------------|
| 55947-57     | 05.0                             | Solid            |
| 55947-77     | 78.6                             | Solid            |
| 55947-78     | 78.6                             | Solid            |
| 55947-154    | 52.7 norflurazon<br>26.66 diuron | Solid            |
| GA95000100   | 78.6                             | Solid            |
| OR90002400   | 78.6                             | Solid            |
| WA90003200   | 78.6                             | Solid            |

| T OI |                                                                       |             |            |                     | ٠,,    |          |   |       |
|------|-----------------------------------------------------------------------|-------------|------------|---------------------|--------|----------|---|-------|
| ge   |                                                                       |             | Zip        | 60018               |        |          |   | ,     |
| rage |                                                                       |             |            |                     |        |          |   |       |
|      |                                                                       | !           | ย          |                     |        |          |   |       |
|      |                                                                       |             | State      | =                   |        | `.       |   |       |
|      |                                                                       |             | ಚ          | AINES               |        |          |   | 1     |
|      | LICE                                                                  | :           | city       | DES PLAINES IL      |        |          |   |       |
|      | ency<br>N NO                                                          |             |            |                     |        |          | , | •     |
|      | United States Environmental Protection Agency Washington, D. C. 20460 | цo          |            |                     |        |          |   |       |
|      | tior                                                                  | ıraz        |            | Y AVE               |        |          |   |       |
|      | tec<br>1460                                                           | Norflurazon | SSS        | 1300 EAST TOUHY AVE |        |          | , |       |
|      | Pro<br>20<br>TS D                                                     | No          | Address    | 00 EAS              |        |          |   | .•    |
|      | ental<br>D. C.<br>Tr THI                                              | 0229        | Ă          | <u>t</u>            |        |          |   |       |
|      | Environmental<br>hington, D. C                                        | 0:0         | as         |                     | •      | •        |   |       |
|      | virc<br>ngtc<br>NTS                                                   | Nam         | Name       | •                   |        |          |   |       |
|      | es Environm<br>Washington,<br>TSTRANTS SE                             | and Name:   | •          |                     | ,      |          |   |       |
|      | ates<br>Wa:<br>RGTS                                                   | #2          | Additional |                     | •      |          | • |       |
|      | a sta                                                                 | Case        | Addi       | ,                   | •      | •        |   |       |
|      | United                                                                | 1           | "          | i e                 |        |          |   |       |
|      | Un                                                                    | )<br>[      |            |                     |        | •        |   |       |
|      | 1.1                                                                   |             |            | •                   | •      |          | • | ,     |
|      |                                                                       |             | Name       | ·                   |        |          |   | ·     |
|      |                                                                       |             | N Y        | O INC               |        |          |   |       |
|      |                                                                       |             | Company    | SANDOZ AGRO INC     |        |          |   |       |
|      |                                                                       |             | SO         | SAND                |        |          |   | •     |
| ٠    |                                                                       |             | Nr.        |                     | ·<br>· | <b>.</b> |   | •     |
|      |                                                                       |             | 8.00       | 055947              |        |          | * | ,     |
|      |                                                                       |             | 10         | <u>ö</u>            | , ·    |          |   | ·<br> |


# Instructions for Completing the Confidential Statement of Formula

The Confidential Statement of Formula (CSF) Form 8570-4 must be used. Two legible, signed copies of the form are required. Following are basic instructions:

- a. All the blocks on the form must be filled in and answered completely.
- b. If any block is not applicable, mark it N/A.
- c. The CSF must be signed, dated and the telephone number of the responsible party must be provided.
- d. All applicable information which is on the product specific data submission must also be reported on the CSF.
- e. All weights reported under item 7 must be in pounds per gallon for liquids and pounds per cubic feet for solids.
- f. Flashpoint must be in degrees Fahrenheit and flame extension in inches.
- g. For all active ingredients, the EPA Registration Numbers for the currently registered source products must be reported under column 12.
- h. The Chemical Abstracts Service (CAS) Numbers for all actives and inerts and all common names for the trade names must be reported.
  - i. For the active ingredients, the percent purity of the source products must be reported under column 10 and must be exactly the same as on the source product's label.
- j. All the weights in columns 13.a. and 13.b. must be in pounds, kilograms, or grams. In no case will volumes be accepted. Do not mix English and metric system units (i.e., pounds and kilograms).
- k. All the items under column 13.b. must total 100 percent.
- 1. All items under columns 14.a. and 14.b. for the active ingredients must represent pure active form.
- m. The upper and lower certified limits for ail active and inert ingredients must follow the 40 CFR 158.175 instructions. An explanation must be provided if the proposed limits are different than standard certified limits.
- n. When new CSFs are submitted and approved, all previously submitted CSFs become obsolete for that specific formulation.



| \$EP            | A                                   | United States Environmental Protection Agency Office of Pesticide Programs (TS-767) Vestington, DC 20460 Confidential Statement of Earmula          | yency<br>Formula                            | A. Basic Formulation                               |                  |                                |                              | See Instru                                                                                                 | See Instructions on Back      |
|-----------------|-------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|----------------------------------------------------|------------------|--------------------------------|------------------------------|------------------------------------------------------------------------------------------------------------|-------------------------------|
| 1. Name and A   | Address of Applicant/F              | Registrant (Include ZIP Code)                                                                                                                       |                                             | 2. Name and Address of Producer (Include ZIP Code) | roducer //nc/u   | de ZIP Code)                   |                              |                                                                                                            |                               |
|                 |                                     |                                                                                                                                                     |                                             |                                                    |                  |                                |                              | ,                                                                                                          |                               |
| ,               |                                     |                                                                                                                                                     | •                                           |                                                    |                  |                                |                              |                                                                                                            |                               |
|                 |                                     |                                                                                                                                                     |                                             |                                                    |                  |                                |                              |                                                                                                            |                               |
| 1. Product Name |                                     |                                                                                                                                                     |                                             | 4. Registration No./File Symbol                    |                  | 5. EPA Product Mgr/Team No.    | <u>.</u>                     | 6. Country Where Formulated                                                                                | Formulated                    |
|                 |                                     |                                                                                                                                                     | •                                           | 7. Pounds/Gal or Bulk Density                      | 9. pH            |                                |                              | 9. Flash Point/Flame Extension                                                                             | me Extension                  |
| PA USE ONLY     |                                     | 10. Components in Formulation (List as actually introduced into the formulation. Give commonly accepted chemical name, under name, and CAS number.) | 11. Supplier N                              | 11. Supplier Name & Address 12.                    | 12. EPA Reg. No. | 13. Each Compo<br>in Formulati | onent<br>on<br>b. % by Weigh | 13. Each Component 14. Certified Limits in Formulation % Hours I in B. Shewants & Unextinut b. Lower Limit | 15. Purpose in<br>Formulation |
|                 |                                     |                                                                                                                                                     |                                             |                                                    |                  |                                |                              |                                                                                                            |                               |
| <u>.</u> .      |                                     |                                                                                                                                                     |                                             |                                                    |                  |                                |                              |                                                                                                            |                               |
|                 |                                     |                                                                                                                                                     |                                             |                                                    | V                | , i                            |                              |                                                                                                            |                               |
|                 |                                     |                                                                                                                                                     |                                             |                                                    | -                |                                |                              | ,                                                                                                          |                               |
|                 |                                     |                                                                                                                                                     |                                             |                                                    |                  |                                |                              |                                                                                                            |                               |
|                 |                                     |                                                                                                                                                     |                                             |                                                    |                  |                                |                              |                                                                                                            |                               |
|                 |                                     |                                                                                                                                                     |                                             |                                                    |                  |                                |                              |                                                                                                            | -                             |
|                 |                                     |                                                                                                                                                     |                                             |                                                    |                  |                                |                              |                                                                                                            |                               |
| 6. Typed Nam    | 6. Iyped Name of Approving Official |                                                                                                                                                     |                                             |                                                    |                  | 17. Total Weight               | 100%                         |                                                                                                            |                               |
| d. olgnalura    | S. Signature of Approving Unicial   |                                                                                                                                                     | 19. Title                                   |                                                    |                  |                                | o. (Include A                | 20. Phone No. (Include Area Code) 21. Date                                                                 | 61                            |
| LA FOILL OF     | TA FORM 65/U-4 (Hev. 12-90)         | Previous editions are obsolete.                                                                                                                     | If you can photocopy this, please submit an | his. please submit an additiona                    | teny White.      | - EPA File Copy                | (original)                   | Yellow -                                                                                                   | Applicant conv                |



# **SEPA**

# United States Environmental Protection Agency Washington, DC 20460

# CERTIFICATION OF OFFER TO COST SHARE IN THE DEVELOPMENT OF DATA


Form Approved

OMB No. 2070-0108 2070-0057

Approval Expires 3-31-96

Public reporting burden for this collection of information is estimated to average 15 minutes per response, including time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding the burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Chief, Information Policy Branch, PM-223, U.S. Environmental Protection Agency, 401 M St., S.W., Washington, DC 20460; and to the Office of Management and Budget, Paperwork Reduction Project (2070-0106), Washington, DC 20503.

| Product Name    Company Name   Company Namber                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Please fill in blanks                                   | iget, Paperwork Red     | uction Project | (2070-0106),    | Washington, DO     | © 20460; and to the C<br>© 20503.           |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|-------------------------|----------------|-----------------|--------------------|---------------------------------------------|
| It Certify that:  My company is willing to develop and submit the data required by EPA under the authority of the Feder Insecticide, Fungicide and Rodenticide Act (FIFRA), if necessary. However, my company would preferenter into an agreement with one or more registrants to develop jointly or share in the cost of developidata.  My firm has offered in writing to enter into such an agreement. That offer was irrevocable and include offer to be bound by arbitration decision under section 3(c)(2)(B)(iii) of FIFRA if final agreement on terms could not be reached otherwise. This offer was made to the following firm(s) on the following date(s):  Name of Firm(s)  Date of Offer  Date of Offer  Date of Offer | Company Name                                            |                         |                |                 |                    | Company Number                              |
| My company is willing to develop and submit the data required by EPA under the authority of the Feder insecticide, Fungicide and Rodenticide Act (FIFRA), if necessary. However, my company would prefer enter into an agreement with one or more registrants to develop jointly or share in the cost of developidata.  My firm has offered in writing to enter into such an agreement. That offer was irrevocable and includer offer to be bound by arbitration decision under section 3(c)(2)(B)(iii) of FIFRA if final agreement on terms could not be reached otherwise. This offer was made to the following firm(s) on the following date(s):  Name of Firm(s)  Date of Offer  Date of Offer  Date of Offer                 | Product Name                                            |                         |                |                 |                    | EPA Reg. No.                                |
| Addition:  Alternative description decision of the company named above, and that the statements that I have made its form and all attachments therein are true, accurate, and complete. I acknowledge that any knowingly false or inspleading statement may be punishable by fine or imprisonment or both under applicable law.                                                                                                                                                                                                                                                                                                                                                                                                   | My company is willing to<br>nsecticide, Fungicide a     | and Rodenticide Act     | (FIFRA), if r  | necessary. H    | lowever, my co     | mpany would prefer                          |
| ertification; certify that I am duly authorized to represent the company named above, and that the statements that I have mad is form and all attachments therein are true, accurate, and complete. I acknowledge that any knowingly false or isleading statement may be punishable by fine or imprisonment or both under applicable law.                                                                                                                                                                                                                                                                                                                                                                                         | offer to be bound by a serms could not be read late(s): | arbitration decision    | under section  | on 3(c)(2)(B)(  | (iii) of FIFRA i   | f final agreement on<br>b) on the following |
| certify that I am duly authorized to represent the company named above, and that the statements that I have mad is form and all attachments therein are true, accurate, and complete. I acknowledge that any knowingly false or isleading statement may be punishable by fine or imprisonment or both under applicable law.                                                                                                                                                                                                                                                                                                                                                                                                       | · · · · · · · · · · · · · · · · · · ·                   |                         |                |                 |                    | Sets of One                                 |
| certify that I am duly authorized to represent the company named above, and that the statements that I have mad is form and all attachments therein are true, accurate, and complete. I acknowledge that any knowingly false or isleading statement may be punishable by fine or imprisonment or both under applicable law.                                                                                                                                                                                                                                                                                                                                                                                                       |                                                         |                         |                |                 |                    |                                             |
| Signature of Company's Authorized Representative Date                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | •                                                       | orized to represent the | ne company na  | omplete. I ack  | nowledge that a    | ny knowingly false or                       |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | is form and all attachmer                               | be punishable by fin    | e or imprisonr | nent or both ur | nder applicable la | AW.                                         |



## United States Environmental Protection Agency Washington, DC 20460




Form Approved OMB No. 2070-0107, 2070-0057 Approval Expires 3-31-96

# CERTIFICATION WITH RESPECT TO DATA COMPENSATION REQUIREMENTS

Public reporting burden for this collection of information is estimated to average 15 minutes per response, including time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding the burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to, Chief Information Policy Branch, PM-233, U.S. Environmental Protection Agency, 401 M St., S.W., Washington, DC 20460; and to the Office of Management and Budget, Paperwork Reduction Project (2070-0106), Washington, DC 20503.

| Please fill in blanks b                                                                                                                                                           | elow.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                       |                                                                                                                                             | . :                                                                                             |                                                                                            |                                                                           |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|---------------------------------------------------------------------------|
| Company Name                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                       |                                                                                                                                             |                                                                                                 | Comp                                                                                       | any Number                                                                |
| Product Name                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                       |                                                                                                                                             |                                                                                                 | EPA                                                                                        | Reg. No.                                                                  |
| l Certify that:                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | * : .                                                                                                 |                                                                                                                                             |                                                                                                 |                                                                                            |                                                                           |
| <ol> <li>For each study cite<br/>(FIFRA) that is an excludata submitter to cite that</li> </ol>                                                                                   | sive use study, I a                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | gistration or rere<br>am the original d                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | gistratiion unde<br>ata submitter, o                                                                  | er the Federal I<br>or I have obtain                                                                                                        | nsecticide, F<br>ed the writte                                                                  | ingicide and l                                                                             | Rodenticide Act of the original                                           |
| company/ice) that subm                                                                                                                                                            | cited in support or I have obtained                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | ed the written per                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | rmission of the                                                                                       | original data su                                                                                                                            | ıbmitter or H                                                                                   | nave notified i                                                                            | n writing the                                                             |
| company(les) that subm 3(c)(1)(F) and 3(c)(2)(D) requirement of FIFRA ar [ ] The companies who "Requirements Status ar 3. That I have previou                                     | or I have obtained itted data I have of FIFRA; and (but not the amount of the amount of the have submitted and Registrants' Restricts of the submitted and Registrants of the submitted with the submitted  | ed the written per<br>cited and have o<br>compensation do<br>the studies listed<br>esponse Form,"                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | rmission of the iffered to: (a) Pa egotiation to det ue, if any. The d on the back o                  | original data su<br>ay compensation<br>termine which of<br>companies I ha<br>of this form or at                                             | ubmitter, or I lon for those of lata are subjected ave notified a ttached sheet                 | nave notified i<br>data in accord<br>ect to the comp<br>re. (check one<br>es, or indicated | ance with sections<br>pensation<br>e)<br>I on the attached                |
| company(les) that subm 3(c)(1)(F) and 3(c)(2)(D) requirement of FIFRA ar [ ] The companies who "Requirements Status ar 3. That I have previou                                     | or I have obtained itted data I have of FIFRA; and (but not the amount of the amount of the have submitted and Registrants' Restricts of the submitted and Registrants of the submitted with the submitted  | ed the written per<br>cited and have o<br>compensation do<br>the studies listed<br>esponse Form,"                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | rmission of the iffered to: (a) Pa egotiation to det ue, if any. The d on the back o                  | original data su<br>ay compensation<br>termine which of<br>companies I ha<br>of this form or at                                             | ubmitter, or I lon for those of lata are subjected ave notified a ttached sheet                 | nave notified i<br>data in accord<br>ect to the comp<br>re. (check one<br>es, or indicated | ance with sections<br>pensation<br>e)<br>I on the attached                |
| company(les) that subm 3(c)(1)(F) and 3(c)(2)(D) requirement of FIFRA ar [ ] The companies who "Requirements Status ar 3. That I have previou reregistration under FIFF           | or I have obtained itted data I have of FIFRA; and (but not the amount of the amount of the have submitted and Registrants' Restricts of the submitted and Registrants of the submitted with the submitted  | ed the written per<br>cited and have o<br>compensation do<br>the studies listed<br>esponse Form,"                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | rmission of the iffered to: (a) Pa egotiation to det ue, if any. The d on the back o                  | original data su<br>ay compensation<br>termine which of<br>companies I ha<br>of this form or at                                             | ubmitter, or I lon for those of lata are subjected ave notified a ttached sheet                 | nave notified i<br>data in accord<br>ect to the comp<br>re. (check one<br>es, or indicated | ance with sections<br>pensation<br>e)<br>I on the attached                |
| company(les) that subm<br>3(c)(1)(F) and 3(c)(2)(D)<br>requirement of FIFRA ar                                                                                                    | or I have obtained itted-data I have of FIFRA; and (but not the amount of the amount of the have submitted and Registrants' Restly complied with RA.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | ed the written per<br>cited and have o<br>compensation do<br>the studies listed<br>esponse Form,"                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | rmission of the iffered to: (a) Pa egotiation to det ue, if any. The d on the back o                  | original data su<br>ay compensation<br>termine which of<br>companies I ha<br>of this form or at                                             | ubmitter, or I lon for those of lata are subjected ave notified a ttached sheet                 | nave notified in data in accorded to the compress, or indicated upport of regis            | ance with sections<br>pensation<br>e)<br>I on the attached                |
| company(ies) that subm 3(c)(1)(F) and 3(c)(2)(D) requirement of FIFRA ar [ ] The companies who "Requirements Status ar 3. That I have previou reregistration under FIFF Signature | or I have obtained itted data I have of FIFRA; and (but not the amount of the amount of the phase submitted and Registrants' Restrictions of Print)  PAY: I hereby of the item of the phase submitted with the phase submitte | ed the written per cited and have or or commence ne compensation du the studies listed esponse Form,"  In section 3(c)(1)(listed per commence ne compensation du the studies listed per commence ne compensation du the studies listed per compensation du t | rmission of the iffered to: (a) Pa egotiation to det ue, if any. The d on the back o  F) of FIFRA for | original data su<br>ay compensation<br>termine which of<br>companies I have<br>if this form or at<br>the studies I have<br>asation to other | ubmitter, or I lon for those of lata are subjected ave notified a latached sheet ave cited in s | have notified in data in accorded to the compress, or indicated upport of regis            | ance with sections<br>bensation<br>a)<br>I on the attached<br>stration or |

A Form 8570-31 (4-96)



# APPENDIX E - LIST OF AVAILABLE RELATED DOCUMENTS

The following is a list of available documents for norflurazon that my further assist you in responding to this Reregistration Eligibility Decision document. These documents may be obtained by the following methods:

### Electronic

File format:

Portable Document Format (.PDF) Requires Adobe® Acrobat or compatible reader. Electronic copies can be downloaded from the Pesticide Special Review and Reregistration Information System at 703-308-7224. They also are available on the Internet on EPA's gopher server, GOPHER.EPA.GOV, or using ftp on FTP.EPA.GOV, or using WWW (World Wide Web) on WWW.EPA.GOV., or contact Veronica Dutch at (703)-308-8585.

- 1. PR Notice 86-5.
- 2. PR Notice 91-2 (pertains to the Label Ingredient Statement).
- 3. A full copy of this RED document.
- 4. A copy of the fact sheet for norflurazon.

The following documents are part of the Administrative Record for norflurazon and may included in the EPA's Office of Pesticide Programs Public Docket. Copies of these documents are not available electronically, but may be obtained by contacting the person listed on the Chemical Status Sheet.

- 1. Health and Environmental Effects Science Chapters.
- 2. Detailed Label Usage Information System (LUIS) Report.

The following Agency reference documents are not available electronically, but may be obtained by contacting the person listed on the Chemical Status Sheet of this RED document.

- 1. The Label Review Manual.
- 2. EPA Acceptance Criteria

