United States
Environmental Protection
Agency

Office of Water
4303

EPA 821-B-98-007
July 1998

EPA

Statistical Support Document For Final Effluent Limitations Guidelines And Standards For The Pharmaceutical Manufacturing Industry



STATISTICAL SUPPORT DOCUMENT FOR FINAL EFFLUENT LIMITATIONS GUIDELINES AND STANDARDS FOR THE PHARMACEUTICAL MANUFACTURING INDUSTRY

U.S. Environmental Protection Agency
Office of Water
Office of Science and Technology
Standards and Applied Science Division
401 M Street, S.W.
Washington, D.C. 20460

ACKNOWLEDGMENTS AND DISCLAIMER

This report has been reviewed and approved for publication by the Environmental Protection Agency (EPA) Engineering and Analysis Division, Office of Science and Technology. This report was prepared with the support of Science Applications International Corporation (contract 68-C4-0046) under the direction and review of the EPA's Office of Science and Technology. Neither the United States Government nor any of its employees, contractors, subcontractors, or their employees makes any warranty, expressed or implied, or assumes any legal liability or responsibility for any third party's use of, or the results of such use of, any information, apparatus, product, or process discussed in this report, or represents that its use by such third party would not infringe on privately owned rights.

ABSTRACT

This document describes and presents the results of all statistical analyses performed in developing the final pharmaceutical regulations.

TABLE OF CONTENTS

1. Overview of Organization and Contents of Document 1-1

2. Analytical Data Collection Efforts and Definition of Options 2-1
   - 2.1 Analytical Data 2-1
     - 2.1.1 Proposal Data 2-1
     - 2.1.2 Post-Proposal Data 2-1
     - 2.1.3 Post-Notice of Data Availability Data 2-1
   - 2.2 Definition of Proposed Subcategories and Options 2-2

3. Description of Data Conventions 3-1
   - 3.1 Data Review 3-1
   - 3.2 Data Types 3-1
   - 3.3 Data Aggregation 3-1
     - 3.3.1 Aggregation of Field Duplicates 3-2

4. Statistical Methodology: Modified Delta-Lognormal Model 4-1
   - 4.1 Basic Overview of Delta-lognormal Distribution 4-1
   - 4.2 Motivations for Modifications to the Adapted Delta-Lognormal Model 4-4
     - 4.2.1 Modification of the Discrete Spike 4-4

5. Estimation of Long-Term Means and Variability Factors 5-1
   - 5.1 Facility-Specific Estimates 5-2
     - 5.1.1 Estimation of Facility-Specific Long-Term Means 5-2
     - 5.1.2 Estimation of Facility-Specific Variability Factors 5-2
   - 5.2 Pollutant-Specific Estimates 5-7
     - 5.2.1 Estimation of Pollutant-Specific LTMs 5-7
     - 5.2.2 Estimation of Subcategory Level LTMs 5-9
     - 5.2.3 Estimation of Pollutant-Specific VFs 5-9
     - 5.2.4 Estimation of Subcategory level VFs 5-9
   - 5.3 Transfer of 1-day and 4-day VFs 5-9

6. Derivation of the Proposed Limitations 6-1
   - 6.1 Estimation of Daily and Monthly Limitations 6-1
   - 6.2 Transfer of Limitations 6-1
   - 6.3 Final Daily and Monthly Limitations 6-1
     - 6.3.1 Direct Dischargers 6-1
     - 6.3.2 Indirect Dischargers 6-4

Appendices

A. Listing of Daily Data A-1-1
   - A.1 Listing of Daily Data for A/C Directs: BAT A-1-1
   - A.2 Listing of Daily Data for A/C Directs: NSPS A-2-1
   - A.3 Listing of Daily Data for B/D Directs: BAT A-3-1
   - A.4 Listing of Daily Data for A/C Directs: BPT and BAT A-4-1
   - A.5 Listing of Daily Data for B/D Directs: BPT and BAT A-5-1
   - A.6 Listing of Daily Data for A/C Indirects: PSES and PSNS A-6-1
   - A.7 Listing of Daily Data for B/D Indirects: PSES and PSNS A-7-1

B. Listing of Summary Statistics B-1-1
B.1 Listing of Summary Statistics for A/C Directs: BAT B-1-1
B.2 Listing of Summary Statistics for A/C Directs: NSPS B-2-1
B.3 Listing of Summary Statistics for B/D Directs: BAT B-3-1
B.4 Listing of Summary Statistics for A/C Directs: BPT and BAT B-4-1
B.5 Listing of Summary Statistics for B/D Directs: BPT and BAT B-5-1
B.6 Listing of Summary Statistics for A/C Indirects: PSES and PSNS B-6-1
B.7 Listing of Summary Statistics for B/D Indirects: PSES and PSNS B-7-1

C. Listing of Long-Term Means and Variability Factors C-1-1
C.1 Listing of Long-Term Means and Variability Factors for A/C Directs: BAT C-1-1
C.2 Listing of Long-Term Means and Variability Factors for A/C Directs: NSPS C-2-1
C.3 Listing of Long-Term Means and Variability Factors for B/D Directs: BAT C-3-1
C.4 Listing of Long-Term Means and Variability Factors for A/C Directs: BPT and BAT C-4-1
C.5 Listing of Long-Term Means and Variability Factors for B/D Directs: BPT and BAT C-5-1
C.6 Listing of Long-Term Means and Variability Factors for A/C Indirects: PSES and PSNS C-6-1
C.7 Listing of Long-Term Means and Variability Factors for B/D Indirects: PSES and PSNS C-7-1

D. Listing of Long-Term Means, Variability Factors, and Limitations D-1-1
D.1 Listing of Long-Term Means, Variability Factors, and Limitations for A/C Directs: BAT D-1-1
D.2 Listing of Long-Term Means, Variability Factors, and Limitations for A/C Directs: NSPS D-2-1
D.3 Listing of Long-Term Means, Variability Factors, and Limitations for B/D Directs: BAT D-3-1
D.4 Listing of Long-Term Means, Variability Factors, and Limitations for A/C Directs: BPT and BAT D-4-1
D.5 Listing of Long-Term Means, Variability Factors, and Limitations for B/D Directs: BPT and BAT D-5-1
D.6 Listing of Long-Term Means, Variability Factors, and Limitations for A/C Indirects: PSES and PSNS D-6-1
D.7 Listing of Long-Term Means, Variability Factors, and Limitations for B/D Indirects: PSES and PSNS D-7-1

CHAPTER 1
OVERVIEW OF ORGANIZATION AND CONTENTS OF DOCUMENT

This document describes the statistical analyses of concentrations in effluent wastewater from facilities in the pharmaceuticals industry. These statistical analyses were used in developing the proposed effluent limitations guidelines and standards in the proposed rulemaking for the pharmaceuticals industry. Details of all statistical analyses conducted and data used in the analyses to support the effluent limitations guidelines and standards for the pharmaceuticals industry are provided. This document is organized into six chapters and four appendices. The following list summarizes the content of each chapter and appendix.

Chapter 1: Overview
— Describes the organization of the document and summarizes the contents of each chapter and appendix.

Chapter 2: Analytical Data Collection Efforts and Definition of Options
— Provides an overview of the analytical data collection efforts and defines the technology options.

Chapter 3: Description of Data Conventions
— Describes data conventions and how the data were treated, including aggregation and review.

Chapter 4: Statistical Methodology
— Describes the modified delta-lognormal distribution that was used to derive the proposed limitations.

Chapter 5: Facility and Pollutant-Level Estimation of Parameters
— Describes the estimation of long-term means (LTMs) and variability factors (VFs) at the facility and pollutant levels.

Chapter 6: Development of Limitations
— Describes the derivation of the proposed limitations.

Appendices A.1 - A.7: Listing of Daily Data
— Provides listings of the concentration data from each facility data set used to characterize the treatment for each regulation and subcategory.

Appendices B.1 - B.7: Listing of Summary Statistics for Regulated Pollutants
— Provides summary statistics for each facility data set used to characterize the treatment for each regulation and subcategory.

Appendices C.1 - C.7: Listing of Facility-Level Long-Term Means and Variability Factors
— Provides summaries of the facility-specific LTMs and VFs by regulation and subcategory.

Appendices D.1 - D.7: Listing of Pollutant-Level Long-Term Means, Variability Factors, and Limitations
— Provides the pollutant-level LTMs, VFs, and the final limitations by regulation and subcategory.

CHAPTER 2
ANALYTICAL DATA COLLECTION EFFORTS AND DEFINITION OF OPTIONS

2.1 Analytical Data

The data used to calculate effluent guidelines were collected from Environmental Protection Agency (EPA) wastewater sampling efforts and from pharmaceuticals manufacturers' monitoring data. The pharmaceutical manufacturing industry covered by this rulemaking consists of 566 facilities located in 39 states, Puerto Rico and the Virgin Islands. EPA estimates that 304 of these facilities could be affected by the final rule. The major concentrations of manufacturing facilities are located in the Northeast, the Midwest and Puerto Rico.

Data were provided for indirect and direct discharging facilities. Effluent limitations for organic pollutants for existing and new direct discharge facilities are based on advanced biological treatment. For existing and new indirect dischargers, effluent limitations are based on steam stripping. Limitations for ammonia for existing and new indirect and direct discharging facilities are based on nitrification.

2.1.1 Proposal Data

Data used in the effluent limitations proposed in the *Statistical Support Document for the Proposed Effluent Limitations Guidelines for the Pharmaceutical Manufacturing Industry*[1] were provided for 24 direct discharge facilities and four indirect discharge facilities. At the time of proposal, all available data used for determining long-term means included data sets (pollutant, facility, and sample site combinations) that contained only one or two sample points. Data sets with three sample points were used for calculation of variability factors provided that all three sample points were detected values. Otherwise, only data sets that contained at least four total observations with at least two detected values were used for calculation of variability factors. For those pollutant data sets where daily and monthly variability factors could not be calculated, variability factors were transferred in order to derive limitations (see Section 5-3).

2.1.2 Post-Proposal Data

Following proposal, the EPA received additional data from facilities in all of the treatment options. Because of the quality and quantity of the additional data EPA received, facility data sets with fewer than three observations were excluded from analyses. After adding the new data and removing all appropriate data (see Section 3.1), there were 21 direct discharge facilities and five indirect discharge facilities. These data were used to generate summary statistics, long-term averages, variability factors and limitations for the Notice of Availability (NOA).

2.1.3 Post-Notice of Availability Data

EPA received additional organics treatment data for facilities with Best Available Technology (BAT) and New Source Performance Standards (NSPS) and additional ammonia nitrification data in response to the

---

[1]U.S. Environmental Protection Agency, Office of Water, February 1995 (EPA 821-R-95-016)

NOA. Data used to calculate final effluent limitations for direct discharge facilities were collected between July 1979 and August 1997 from 16 facilities. For indirect dischargers, data were collected between September 1988 and January 1996 from five facilities.

2.2 Definition of Proposed Subcategories and Options

The pharmaceutical manufacturing industry is defined by four types of manufacturing operations or processes. These activities result in subcategorization for purposes of this rulemaking. The four subcategories are referred to as follows:

- Subcategory A: Fermentation
- Subcategory B: Natural Extraction
- Subcategory C: Chemical Synthesis
- Subcategory D: Formulating, Mixing, and Compounding.

A complete discussion of each subcategory's manufacturing operations and wastewater characteristics can be found in Sections 3 and 5 of the *Development Document for Final Effluent Limitations Guidelines and Standards for the Pharmaceutical Manufacturing Point Source Category* (EPA 821-R-98-005), hereafter referred to as TDD.

A fifth subcategory, Subcategory E: Research, was excluded from regulation beyond the existing Best Practical Technology (BPT) regulation promulgated on October 27, 1983 at 48 FR § 49808. The Research subcategory is defined by bench-scale activities or operations related to the research on and development of pharmaceutical products. BAT/ Best Conventional Pollutant Control Technology (BCT) limitations for this subcategory are determined on a case by case best professional judgment (BPJ) basis. For indirect dischargers, the general prohibitions in 40 CFR § 403 apply. In addition, Publicly Owned Treatment Works (POTWs) will establish local pretreatment limits on a case by case basis as necessary.

EPA is regulating effluent guidelines limitations and standards for BPT, BCT, BAT, NSPS, Pretreatment Standards for Existing Sources (PSES), and Pretreatment Standards for New Sources (PSNS).

Although each subcategory is distinct, EPA has determined that effluent limitations and standards will not differ for subcategories A and C (labeled A/C) and subcategories B and D (labeled B/D). Thus, limitations will be presented for the combined subcategories (see Chapter 6 for final limits).

Table 2-1 provides a summary of the number of facilities and sampling days by subcategory.

Table 2-1.
Number of Facilities and Sampling Days by Subcategory

Subcategory	# Facilities Sampled	# Sampling Days
A/C Direct: BAT, NSPS	12	1,714
A/C Direct: BPT, BCT	3	3,156
B/D Direct: BPT, BCT, NSPS	1	12
A/C and B/D Indirect: PSES, PSNS	5	35

CHAPTER 3
DESCRIPTION OF DATA CONVENTIONS

This chapter discusses the types of data in the pharmaceutical database and procedures for aggregating multiple sampling observations within a sampling day.

3.1 Data Review

In all of the treatment options it was determined that several data points should be excluded from calculations. For all options except A/C Direct: BPT and BCT, data were excluded for the following reasons:

- Influent data supplied but effluent data were not available.
- The effluent concentration exceeded the influent concentration.
- Some non-detects (NDs) had unusually high detection limits.
- The effluent concentration was less than the highest detection limit.
- A facility data set had less than three observations.
- A facility treated greater than 25% dilution water.

For direct discharge facilities with BPT and BCT, data were excluded if:

- The diluted concentration = 0.
- A facility data set had less than 50 records, since there were insufficient data for autocorrelation calculations (see Section 5.1.2.3).

3.2 Data Types

The pharmaceutical analytical database contains the following two types of samples delineated by certain qualifiers in the database:

- **Non-Censored (NC):** a measured value, i.e., a sample measured above the level at which the detection decision was made.

- **Non-Detect (ND):** samples for which analytical measurement did not yield a concentration above the sample-specific detection limit.

3.3 Data Aggregation

Data aggregation was necessary for several direct discharge facilities, since some effluent data were reported as duplicates. For indirect dischargers, it was assumed there were no duplicate samples; therefore, all data provided by indirect discharge facilities, regardless of sampling date, were treated as independent samples.

3.3.1 Aggregation of Field Duplicates

For direct discharge facilities, data aggregation was performed due to the identification of field duplicates in the database. The field duplicates are defined as one or more samples collected for a particular sampling point at approximately the same time, assigned different sample numbers, and flagged as duplicates for a single episode number/sampling point. Duplicates were collected for purposes of quality assurance/quality control (QA/QC). **Table 3-1** presents the methods used to aggregate duplicates.

Table 3-1.
Method for Averaging Field Duplicate Samples

If Observations are:	Label of "Average"	Value of "Average"
Both NC	NC	ΣNC/2
Both ND	ND	Minimum Detection Limit
NC and ND	ND	Avg (NC, ND)

NC = non-censored values
ND = non-detected values

Listings of daily data and summary statistics following aggregation of field duplicates are presented in **Appendices A.1 - A.7 and B.1 - B.7**, respectively.

CHAPTER 4
STATISTICAL METHODOLOGY: MODIFIED DELTA-LOGNORMAL MODEL

4.1 Basic Overview of Delta-Lognormal Distribution

The lognormal distribution is often appropriate for modeling effluent data. However, the presence of NDs and very low concentration measurements in the pharmaceutical effluent data led to the consideration of a modification to the lognormal distribution in modeling such data for several reasons. First, the lognormal model assumes that all concentration values are positively-valued. Second, the actual values of NDs are not known, though each ND has a concentration somewhere between zero and the reported detection limit. In this sense, ND measurements represent, in statistical terms, what are known as censored samples.

In general, censored samples are measurements for which the exact value is not known but are bounded either by an upper or lower numerical limit. Non-detects qualify in this framework as left-censored samples, which have an upper bound at the detection limit and a lower bound at zero. To model NDs as left-censored samples under a strictly lognormal density model, it is necessary to assume that the exact (but unknown) values of these measurements follow the same lognormal distributional pattern as the rest of the detected measurements and that they are positively-valued (i.e., greater than zero).

Therefore, two reasonably simple modifications to the lognormal density model have been used by EPA for several years. The first modification is known as the classical delta-lognormal model (**Figure 4-1**), first used in economic analysis to model income and revenue patterns (see Atchison and Brown, 1955). In this adaptation of the simple lognormal density, the model is expanded to include zero amounts. To do this, all positive (dollar) amounts are grouped together and fit to a lognormal density. Then all zero amounts are segregated into another group of measurements representing a discrete distributional "spike" at zero. The resulting mixed distribution, combining a continuous density portion with a discrete-valued spike, is known as the delta-lognormal distribution. The "delta" refers to the percentage of the overall distribution contained in the spike at zero; that is, the percentage of zero amounts.

Figure 4-1.
Delta-Lognormal Model



Researchers at EPA (see Kahn and Rubin, 1989) further adapted the classical delta-lognormal model ("adapted model") to account for ND measurements in the same fashion that zero measurements were handled in the original delta-lognormal. Instead of zero amounts and non-zero, positive amounts, the data consisted of NDs and detects. Rather than assuming that NDs represented a spike of zero concentrations, these samples were allowed to have a single positive value, usually equal to the minimum level of the analytical method (**Figure 4-2**). Since each ND was assigned the same positive value, the distributional spike in this adapted model was located not at zero, but at the minimum level. This adaptation is appropriate since it is known that the NDs are some value greater than zero. This adapted model was used in developing limitations for the organic chemicals, plastics, and synthetic fibers (OCPSF) and pesticides manufacturing rulemaking.

Figure 4-2.
Adapted Delta-Lognormal Model



In the adapted delta-lognormal model, the delta again referred to those measurements contained in the discrete spike, this time representing the proportion of ND values observed within the data set. By using this approach, computation of estimates for the population mean and variance could be done easily by hand, and NDs were not assumed to follow the same distributional pattern as the detected measurements. The adapted delta-lognormal model can be expressed mathematically as follows:

$$Pr\ (U \leq u) = \begin{cases} (1-\delta)\ \Phi\ [(\log(u) - \mu)/\sigma] & \text{if} \quad 0 < u < D \\ \delta + (1-\delta)\ \Phi\ [(\log(D) - \mu)/\sigma] & \text{if} \quad u = D \\ \delta + (1-\delta)\ \Phi\ [(\log(u) - \mu)/\sigma] & \text{if} \quad u > D \end{cases} \tag{4.1}$$

where δ represents the true proportion of NDs (or the probability that any randomly drawn measurement will be an ND), D equals the minimum level value of the discrete spike assigned to all NDs, $\Phi(\cdot)$ represents the standard normal cumulative distribution function, and μ and σ are the parameters of the lognormal density portion of the model. This model assumes that all non-detected values have a single detection limit D.

It is also possible to represent the adapted delta-lognormal model in another mathematical form, one in which it is particularly easy to derive formulas for the expected value and variance of the model. In this case, a random variable distributed according to the adapted delta-lognormal distribution can be represented as the stochastic combination of three other independent random variables. The first of these

variables is an indicator variable, I_u, equal to one when the measurement u is an ND and equal to zero when u is a detected value. The second variable, X_D, represents the value of an ND measurement (discrete). In the adapted delta-lognormal model, this variable is always a constant equal to the concentration value assigned to each ND (i.e., equal to D in the adapted delta-lognormal model). In general, however, X_D need not be a constant, as will be seen below in the modified delta-lognormal model. The final random variable, X_C, represents the value of a detected measurement and is distributed according to a lognormal distribution (continuous) with parameters μ and σ.

Using this formulation, a random variable from the adapted delta-lognormal model can be written as

$$U = I_u X_D + (1-I_u)X_C \tag{4.2}$$

and the expected value of U is then derived by substituting the expected value of each quantity in the right-hand side of the equation. Because the variables I_u, X_D, and X_C are mutually independent, this leads to the expression

$$E(U) = \delta E(X_D)+(1-\delta)E(X_C) = \delta D + (1-\delta)\exp(\mu + 0.5\sigma^2) \tag{4.3}$$

where again δ is the probability that any random measurement will be ND and the exponentiated expression is the familiar mean of a lognormal distribution. In a similar fashion, the variance of the adapted delta-lognormal model can be established by squaring the expression for U above, taking expectations, and subtracting the square of E(U) to get

$$Var(U) = E(U^2) - [E(U)]^2 = \delta Var(X_D) + (1-\delta)Var(X_C) + \delta(1-\delta)[E(X_D)-E(X_C)]^2. \tag{4.4}$$

Since, in the adapted delta-lognormal formulation, X_D is a constant, this expression can be reduced to the following:

$$Var(U) = (1-\delta)\exp(2\mu+\sigma^2)[\exp(\sigma^2)-(1-\delta)] + \delta(1-\delta)D[D-2\exp(\mu+0.5\sigma^2)]. \tag{4.5}$$

In order to estimate the adapted delta-lognormal mean and variance from a set of observed sample measurements, it is necessary to derive sample estimates for the parameters δ, μ, and σ. δ is typically estimated by the observed proportion of NDs in the data set. μ and σ are estimated using the log values of the detected samples where μ is estimated using the arithmetic mean of the log-detected measurements, and σ is estimated using the standard deviation of these same log values: NDs are not included in the calculations. Once the parameter estimates are obtained, they are used in the formulas above to derive the estimated adapted delta-lognormal mean and variance.

To calculate effluent limitations and/or standards, it is also necessary to estimate upper percentiles from the underlying data model. Using the delta-lognormal formulation above in equation (4.1), letting U_α represent the $100*\alpha^{th}$ percentile of random variable U, and adopting the standard notation of z_s for the sth percentile of the standard normal distribution, an arbitrary delta-lognormal percentile can be expressed as the following:

$$U_\alpha = \begin{cases} \exp(\mu+\sigma\ z_{\alpha/1-\delta}) & \text{if} \quad (1-\delta)\Phi((\log(D)-\mu)/\sigma) \geq \alpha \\ D & \text{if} \quad \delta+(1-\delta)\Phi((\log(D)-\mu)/\sigma) \geq \alpha \\ \exp(\mu+\sigma\ z_{\alpha-\delta/1-\delta}) & \text{if} \quad \delta+(1-\delta)\Phi((\log(D)-\mu)/\sigma) < \alpha \end{cases} \tag{4.6}$$

The daily maximum limitations are established on the basis of an estimated upper 99th percentile from the underlying data model, so that 0.99 would be substituted for α in the above expression. To derive the daily VF for the 99th percentile based on the adapted delta-lognormal model, divide $U_{.99}$ in the expression above by E(U).

4.2 Motivations for Modifications to the Adapted Delta-Lognormal Model

While the adapted delta-lognormal model has been used successfully for years by EPA in a variety of settings, the model makes two key assumptions about the observed data that are not fully satisfied within the pharmaceutical analytical database. First, the discrete spike portion of the adapted delta-lognormal model is a fixed, single-valued probability mass associated (typically) with all the ND measurements. If all ND samples in the pharmaceutical database had roughly the same reported detection limit, this assumption would be adequately satisfied. However, the detection limits reported were sample-specific and, therefore, varied as a result of factors such as dilution. Because of this variation in detection limits, a single-valued discrete spike could not adequately represent the set of ND measurements observed in the pharmaceutical database, and a modification to the model was considered.

4.2.1 Modification of the Discrete Spike

To appropriately modify the adapted delta-lognormal model for the observed Pharmaceutical data, a modification was made to the discrete, single-valued spike representing ND measurements. Because ND samples have varying detection limits, the spike of the delta-lognormal model has been replaced by a discrete distribution made up of multiple spikes. Each spike in this modification is associated with a distinct detection limit observed in the Pharmaceuticals database. Thus, instead of assigning all NDs to a single, fixed value, as in the adapted model, NDs can be associated with multiple values depending on how the detection limits vary (**Figure 4-3**).

Figure 4-3.
Modified Adapted Delta-Lognormal Model



In particular, because the detection limit associated with an ND sample is considered to be an upper bound on the true value, which could range conceivably from zero up to the detection limit, the modified delta-lognormal model used here assigns each ND sample to its reported detection limit.

Once each ND has been associated with its reported detection limit, the discrete "delta" portion of the modified model is estimated in a way similar to the adapted delta-lognormal distribution, only now multiple spikes are constructed and linked to the distinct detection limits observed in the data set. In the adapted model, the parameter δ is estimated by computing the proportion of NDs. In the modified model, δ again represents the proportion of NDs, but is divided into the sum of smaller fractions, δ_i, each representing the proportion of NDs associated with a particular and distinct detection limit. Thus it can be written as

$$\delta = \sum_i (\delta_i). \tag{4.7}$$

If D_i equals the value of the ith smallest distinct detection limit in the data set, and let the random variable X represent a randomly chosen ND sample, then the discrete distribution portion of the modified delta-lognormal model can be mathematically expressed as

$$Pr(X_D \le x) = \sum_{i:D_i \le x} \delta_i. \tag{4.8}$$

The mean and variance of this discrete distribution can be calculated using the following formulas:

$$E(X_D) = \frac{1}{\delta}\sum_i \delta_i D_i \quad \text{and} \quad Var(X_D) = \frac{1}{\delta^2}\sum_i \sum_{j} \delta_i \delta_j (D_j - D_i)^2. \tag{4.9}$$

It is important to recognize that, while replacing the single discrete spike in the adapted delta-lognormal distribution with a more general discrete distribution of multiple spikes increases the complexity of the model, the discrete portion with multiple spikes plays a role in limitations and standards development identically parallel to the single spike case and offers flexibility for handling multiple observed detection limits.

CHAPTER 5
ESTIMATION OF LONG-TERM MEANS AND VARIABILITY FACTORS

Once the modifications to the adapted delta-lognormal distribution are made, it is possible to fit a wide variety of observed effluent data sets to the modified model. Multiple detection limits for NDs can be handled. The same basic framework can be used even if there are no ND values or censored data.

Combining the discrete portion of the model with the continuous portion, the cumulative probability distribution of the modified delta-lognormal model can be expressed as follows, where D_n denotes the largest distinct detection limit observed among the NDs and the first summation is taken over all those values, D_i, that are less than u.

$$Pr(U \le u) = \begin{cases} \sum_{i:D_i<u} \delta_i + (1-\delta)\Phi\left[(\log(u)-\mu)/\sigma)\right] & if \quad u<D_n \\ \delta + (1-\delta)\Phi\left[(\log(u)-\mu)/\sigma)\right] & if \quad u \ge D_n \end{cases} \tag{5.1}$$

Again combining the discrete and continuous portions of the modified model, the expected value of the random variable U can be derived as a weighted sum of the expected values of the discrete and continuous lognormal portions of the distribution. This follows because the modified delta-lognormal random variable U can be expressed again as a combination of three other independent variables, that is,

$$U = I_u X_D + (1-I_u) X_C \tag{5.2}$$

where this time X_D represents a random ND from the discrete portion of the model, X_C represents a random detected measurement from the continuous lognormal portion, and I_u is an indicator variable signaling whether any particular random measurement is detected or not. Then the expected value and variance of U have forms somewhat similar to the standard delta-lognormal model, namely

$$E(U) = \sum_i \delta_i D_i + (1-\delta)\exp(\mu + 0.5\sigma^2) \tag{5.3}$$

$$Var(U) = \frac{\sum_i \sum_{j\,i<j} \delta_i \delta_j (D_i - D_j)^2}{\delta} + (1-\delta)\exp(2\mu+\sigma^2)(\exp(\sigma^2)-1) + \delta(1-\delta)\left[\frac{\sum_i \delta_i D_i}{\delta} - \exp(\mu + 0.5\sigma^2)\right]^2 \tag{5.4}$$

where the D_i equals the individual detection limits for the NDs, the δ_i are the corresponding proportions of non-detected values with detection limit D_i, and $\delta = \Sigma\delta_i$.

5.1 Facility-Specific Estimates

5.1.1 Estimation of Facility-Specific Long-Term Means

Facility-specific LTMs were calculated as the arithmetic mean of NC and ND values for each facility data set. If, for example, the daily effluent concentrations for Acetone in an A/C Direct: BAT, NSPS facility data set were:

Measurement Type	Concentration	Units
NC	.60	mg/l
ND	.10	mg/l
ND	.50	mg/l
NC	.75	mg/l

then the LTM would be (.60+.10+.50+.75)/4 = .49 mg/l.

5.1.2 Estimation of Facility-Specific Variability Factors

After determining estimated LTM values for each facility data set, EPA developed facility-specific VFs for all regulated pollutants. For the purposes of estimating facility-specific VFs, EPA chose to divide the pharmaceuticals data sets into two groups based on their size (number of samples) and the type of samples in the subset because the computations differ for each group. The groups were defined as follows:

Group 1: Less than 2 NC samples or less than 4 total samples.
Group 2: A total of 3 samples, all of which are NCs; or two or more NC samples and 4 or more total samples.

Sample-specific detection limits were substituted as the values associated with non-detectable samples. For Group 1, upper percentiles and VFs could not be computed using the modified delta-lognormal methodology. Several data subsets belong in Group 1, and therefore have missing 95th and 99th percentiles and VFs. For Group 2, the estimates of the parameters for the modified delta-lognormal distribution of the data were calculated using maximum likelihood estimation in the log-domain. Upper percentiles and VFs were calculated using these estimated parameters, as described in the next section.

5.1.2.1 Estimation of Facility-Specific 1-Day VFs

The 1-day VFs are a function of the E(U) and the 99th percentile. An iterative approach was used in finding the 99th percentile of each data subset using the modified delta-lognormal methodology by first defining $D_0=0$, $\delta_0=0$, and $D_{k+1} = \infty$ as boundary conditions, where D_i equals the ith smallest detection limit, and δ_i is the associated proportion of NDs at the ith detection limit. A cumulative distribution function, p, for each data subset was computed as a step function ranging from 0 to 1. The general form, for a given value c, is

$$p = \sum_{i=0}^{m} \hat{\delta}_i + (1-\hat{\delta})\ \Phi\left[\frac{\log(c)-\hat{\mu}}{\hat{\sigma}}\right], \quad D_m \le c < D_{m+1},\ m=0,1,\ldots k \qquad \textbf{(5.5)}$$

where Φ is the standard normal cumulative distribution function. The following steps were completed to compute the estimated 99th percentile of each data subset:

1. k values of p at $c=D_m$, $m=1,\ldots k$ were computed and labeled p_m.

2. The smallest value of m, such that $p_m \geq 0.99$, was determined and labeled as p_j. If no such m existed, steps 3 and 4 were skipped and step 5 was computed instead.

3. Computed $p^* = p_j - \delta_j$.

4. If $p^* < 0.99$, then $P_{99} = D_j$,
   else if $p^* \geq 0.99$, then

$$\hat{P}99 = \exp\left[\hat{\mu} + \Phi^{-1}\left[\frac{\left(0.99 - \sum_{i=0}^{j-1} \hat{\delta}_i\right)}{(1-\hat{\delta})}\right]\hat{\sigma}\right]. \tag{5.6}$$

5. If no such m existed, such that $p_m \geq 0.99$ $(m=1,\ldots k)$, then

$$\hat{P}99 = \exp\left[\hat{\mu} + \Phi^{-1}\left[\frac{0.99 - \hat{\delta}}{(1-\hat{\delta})}\right]\hat{\sigma}\right]. \tag{5.7}$$

The daily VF, VF1, was then calculated as

$$VF1 = \frac{\hat{P}99}{\hat{E}(U)}. \tag{5.8}$$

5.1.2.2 Estimation of Facility-Specific 4-Day VFs

EPA calculated a VF for monthly averages based on the distribution of 4-day averages for all options except BPT and BCT. In order to calculate the 4-day VF, the assumption was made that the approximating distribution of $\bar{U}_4$, the sample mean for a random sample of four independent concentration values, also is derived from this modified delta-lognormal distribution, with the same mean as the distribution of the concentration values. The mean of this distribution of 4-day averages is

$$E(\bar{U}_4) = \delta_4 E(\bar{X}_4)_D + (1-\delta_4)E(\bar{X}_4)_C \tag{5.9}$$

where $(X_4)_D$ denotes the mean of the discrete portion of the distribution of the average of four independent concentration values (i.e., when all observations are not detected), and $(X_4)_C$ denotes the mean of the continuous lognormal portion of the distribution.

First, it is assumed that the probability of detection (δ) on each of the four days is independent of that on the other days, and are therefore not correlated such that $\delta_4 = \delta^4$. Also, since

$$E(\bar{X}_4)_D = E(X_D)$$

then

$$E(\bar{U}_4) = \delta^4 \sum_{i=1}^{k} \frac{\delta_i D_i}{\delta} + (1-\delta^4)\exp(\mu_4 + 0.5\sigma^2{}_4) \tag{5.10}$$

and since $E(\bar{U}_4) = E(U)$, then

$$\mu_4 = \log\left[\frac{E(U) - \delta^3 \sum_{i=1}^{k} \delta_i D_i}{(1-\delta^4)}\right] - 0.5\sigma^2{}_4. \tag{5.11}$$

The expression for $\sigma^2{}_4$ was derived from the following relationship:

$$Var(\bar{U}_4) = \delta_4 Var((\bar{X}_4)_D) + (1-\delta_4)Var((\bar{X}_4)_C) + \delta_4(1-\delta_4)[E(\bar{X}_4)_D - E(\bar{X}_4)_C]^2. \tag{5.12}$$

Since

$$Var((\bar{X}_4)_D) = \frac{Var(X_D)}{4}, \quad E(\bar{X}_4)_D = E(X_D), \quad and \quad \delta_4 = \delta^4 \tag{5.13}$$

then

$$Var(\bar{U}_4) = \delta^4 \frac{Var(X_D)}{4} + (1-\delta^4)Var((\bar{X}_4)_C) + \delta^4(1-\delta^4)[E(X_D) - E(\bar{X}_4)_C]^2. \tag{5.14}$$

This further simplifies to

$$\begin{aligned} Var(\bar{U}_4) = {} & \frac{\delta^4 \sum_{i=1}^{k} \sum_{j=1}^{k}{}_{i<j} \delta_i \delta_j (D_i - D_j)^2}{4\delta^2} + (1-\delta^4)\exp(2\mu_4 + \sigma^2{}_4)[\exp(\sigma^2{}_4) - 1] \\ & + \delta^4(1-\delta^4)\left[\sum_{i=1}^{k} \frac{\delta_i D_i}{\delta} - \exp(\mu_4 + 0.5\sigma^2{}_4)\right]^2 \end{aligned} \tag{5.15}$$

and furthermore,

$$\exp(\sigma^2_4) - 1 = \frac{\left[Var(\bar{U}_4) - \dfrac{\delta^2 \sum_{i=1}^{k} \sum_{i<j\ j=1}^{k} \delta_i \delta_j (D_i - D_j)^2}{4} - \delta^2(1-\delta^4)\left[\sum_{i=1}^{k} \delta_i D_i - \delta \exp(\mu_4 + 0.5\sigma^2_4)\right]^2 \right]}{(1-\delta_4)\exp(2\mu_4 + \sigma^2_4)}.$$

(5.16)

Then, from (5.10) above,

$$\exp(\mu_4 + 0.5\sigma^2_4) = \frac{(E(\bar{U}_4) - \delta^3 \sum_{i=1}^{k} \delta_i D_i)}{(1-\delta^4)} = \frac{(E(U) - \delta^3 \sum_{i=1}^{k} \delta_i D_i)}{(1-\delta^4)}, \quad \text{since } E(\bar{U}_4) = E(U) \qquad \textbf{(5.17)}$$

and letting

$$\eta = E(U) - \delta^3 \sum_{i=1}^{k} \delta_i D_i, \quad \text{then,} \quad \exp(\mu_4 + 0.5\sigma^2_4) = \frac{\eta}{(1-\delta^4)}. \qquad \textbf{(5.18)}$$

Furthermore,

$$\sigma^2_4 = \log\left[1 + \frac{\left[Var(\bar{U}_4) - \dfrac{\delta^2 \sum_{i=1}^{k} \sum_{i<j\ j=1}^{k} \delta_i \delta_j (D_i - D_j)^2}{4} - \delta^2(1-\delta^4)\left(\sum_{i=1}^{k} \delta_i D_i - \dfrac{\delta\eta}{(1-\delta^4)}\right)^2 \right]}{\dfrac{(1-\delta^4)\eta^2}{(1-\delta^4)^2}}\right]. \qquad \textbf{(5.19)}$$

Since $Var(\bar{U}_4) = Var(U)/4$, then, by rearranging terms,

$$\sigma^2_4 = \log\left[1 + \frac{(1-\delta^4)\,Var(U)}{4\eta^2} - \frac{(1-\delta^4)\delta^2 \sum_{i=1}^{k} \sum_{i<j\ j=1}^{k} \delta_i \delta_j (D_i - D_j)^2}{4\eta^2} - \frac{\delta^2\left[\sum_{i=1}^{k} \delta_i D_i (1-\delta^4) - \delta\eta\right]^2}{\eta^2}\right]. \qquad \textbf{(5.20)}$$

Thus, estimates of μ_4 and σ_4 were derived by using estimates of $\delta_1, \ldots \delta_k$ (sample proportion of NDs at observed detection limits $D_1, \ldots D_k$), μ (MLE of logged values), and σ^2 (MLE logvariance with sample bias adjustment) in the equations above.

In finding the estimated 95th percentile of the average of four observations, four NDs, not all at the same detection limit, an average can be generated that is not necessarily equal to D_1, $D_2, \ldots$, or D_k. Consequently, more than k discrete points exist in the distribution of the 4-day averages. For example, the average of four NDs at k=2 detection limits are at the following discrete points with the associated probabilities:

i	D^*_i	δ^*_i
1	D_1	δ_1^4
2	$(3D_1+D_2)/4$	$4\delta_1^3\delta_2$
3	$(2D_1+2D_2)/4$	$6\delta_1^2\delta_2^2$
4	$(D_1+3D_2)/4$	$4\delta_1\delta_2^3$
5	D_2	δ_2^4

In general, when all four observations are not detected, and when k detection limits exist, the multinomial distribution can be used to determine associated probabilities; that is,

$$Pr\left[\bar{U}_4 = \frac{\sum_{i=1}^{k} u_i D_i}{4}\right] = \frac{4!}{u_1!u_2!\ldots u_k!}\prod_{i=1}^{k}\delta_i^{u_i}. \tag{5.21}$$

The number of possible discrete points, k^*, for k=1,2,3,4, and 5 are given below:

k	k^*
1	1
2	5
3	15
4	35
5	70

To find the estimated 95th percentile of the distribution of the average of four observations, the same basic steps (described in Section 5.1.2.1) as used for the 99th percentile of the distribution of daily observations were followed, with the following changes:

1. Change P_{99} to P_{95}, and 0.99 to 0.95.
2. Change D_m to D_m^*, the weighted averages of the detection limits.
3. Change δ_i to δ_i^*.
4. Change k to k^*, the number of possible discrete points based on k detection limits.
5. Change the estimates of δ, μ, and σ to estimates of δ^4, μ_4, and σ_4, respectively.

Then, the estimate of the 95th percentile 4-day mean VF is:

$$VF4 = \frac{\hat{P}95}{\hat{E}(U)}, \quad since \quad E(\bar{U}_4) = E(U).$$

5.1.2.3 Estimation of Facility-Specific 30-Day VFs

For A/C direct and B/D direct: BPT and BCT, a 30-day VF was estimated for each facility data set using a lag-1 autocorrelation adjustment to the delta-lognormal model. The lag-1 autocorrelation

adjustment was incorporated in order to account for additional variability due to day-to-day correlations in the reported concentrations. The assumptions of fitting a lag-1 autocorrelation time series model are (1) the time series of daily concentrations measures for each pollutant is stationary (i.e., no time trend is present), and (2) the lag-k autocorrelations follow a first order autoreggresive model (i.e., the correlation of measurements taken k days apart is equal to the lag-1 correlation raised to the kth power). Given that these assumptions hold, in addition to the Central Limit Theorem approximation that 30-day means are normally distributed, the following formula was used to calculate 30-day VFs.

$$VF(30) = 1 + 1.645 \left(\frac{(e^{\hat{\sigma}^2} - 1)\, f_{30}(\hat{\rho})}{30} \right)^{0.5} \qquad \textbf{(5-22)}$$

where the lag-1 autocorrelation, ρ, and the standard deviation σ, are estimated from the time series data, and the factor f_{30} is given by the following expression

$$f_{30}(\rho) = 1 + \frac{2}{30} \sum_{k=1}^{29} \frac{(30-k)\ [\exp(\rho^k \sigma^2) - 1]}{\exp(\sigma^2) - 1}. \qquad \textbf{(5-23)}$$

Facility-specific 30-day VFs were calculated by subcategory. The mean autocorrelation coefficient across facility data sets was transferred to facility data sets with fewer than 50 samples. If all facility data sets within a subcategory had fewer than 50 samples, the mean autocorrelation coefficient was transferred across subcategory. Facility-level 30-day VFs were then calculated by inserting the autocorrelation coefficient, ($\hat{\rho}$), into **Equations 5-22 and 5-23**.

Appendices C.1 - C.7 display facility-level LTMs, 1-day VFs, and 4-day (or 30-day) VFs by option.

5.2 Pollutant-Specific Estimates

5.2.1 Estimation of Pollutant-Specific LTMs

After estimating the facility-specific LTMs for each facility data set as described in Section 5.1.1, pollutant-specific LTMs were calculated. Pollutant-specific LTMs provide one number for all facilities within a facility data set. Within each facility data set, the pollutant-specific LTMs were calculated as the median of the facility-specific LTMs for that pollutant. The median is the midpoint of the values ordered (i.e., ranked) from smallest to largest. If there is an odd number of values (with n=number of values), then the value of the (n+1)/2 ordered observation is the median. If there are an even number of values, then the two values of the n/2 and [(n/2)+1] ordered observations are arithmetically averaged to obtain the median value.

If, for example, the facility-specific LTMs for Acetone in an A/C Direct: BAT, NSPS facility data set were:

Facility	LTM
A	0.48 mg/l
B	0.32 mg/l
C	0.55 mg/l
D	0.60 mg/l

then ordered values are:

Order	Facility	LTM
1	B	0.32 mg/l
2	A	0.48 mg/l
3	C	0.55 mg/l
4	D	0.60 mg/l

and the pollutant-specific LTM is the median of the ordered values, 0.515 mg/l, or (0.48+0.55) / 2.

For some pollutants, the sample-specific detection limits (or in some cases even measured concentrations) were consistently reported below the method detection limit. In these cases, the LTM was set equal to the minimum level or a level appropriate for reliable measurement of the analyte. **Table 5-1** displays the pollutant and LTM for all pollutants regulated for direct discharge facilities where the LTM was reset.

Table 5-1.
Regulated Pollutants for Direct Dischargers with LTMs Reset

Pollutant	Long-Term Mean (mg/L)
Acetonitrile	5.00
Benzene	0.01
Diethyl amine	50.00
Dimethyl sulfoxide	20.00
Methanol	2.00
Ethanol	2.00
n-Heptane	0.01
Methyl cellosolve	20.00
Triethylamine	50.00

Table 5-2 displays the pollutant and LTM for all pollutants regulated for indirect discharge facilities where the LTM was reset.

Table 5-2.
Regulated Pollutants for Indirect Dischargers with LTMs Reset

Pollutant	Long-Term Mean (mg/L)
Diethyl amine	50.0
Methyl cellosolve	20.0
Triethylamine	50.0

5.2.2 Estimation of Subcategory Level LTMs

Subcategory level LTMs were calculated for BPT and BCT direct discharge facility data sets. The subcategory level LTM was the mean of the facility-specific LTMs, within subcategory.

5.2.3 Estimation of Pollutant-Specific VFs

5.2.3.1 Estimation of Pollutant-Specific 1-Day VFs

After the facility-specific daily VFs were estimated for each facility data set, as described in section 5.1.2.1, the pollutant-specific daily VFs were calculated. Pollutant-specific daily VFs provide an estimate of the average variability for the pollutant across all facilities within an option. The pollutant-specific 1-day VF was the median of the facility-specific daily VF for that pollutant in the option.

5.2.3.2 Estimation of Pollutant-Specific 4-Day VFs

After the facility-specific 4-day VFs were estimated for each pollutant and option, as described in section 5.1.2.2, the pollutant-specific 4-day VF was calculated. The pollutant-specific 4-day VF was the median of the facility-specific 4-day VF for that pollutant in the option.

5.2.4 Estimation of Subcategory Level VFs

Subcategory level daily and 30-day VFs were calculated for BOD, COD, and TSS. Subcategory level 1-day and 30-day VFs were calculated as the mean of the facility-specific 1-day and 30-day VFs within subcategory, respectively.

5.3 Transfer of 1-Day and 4-Day VFs

If a facility data set did not belong to Group 2 (3 samples, all NCs; or 4 samples, at least 2 NCs) then there was insufficient information to calculate 1-day and 4-day VFs. When this occurred, 1-day and 4-day VFs were transferred from the option-level 1-day and 4-day VFs, respectively. Option-level VFs were calculated as the median of the pollutant-level VFs. For example, if there were five pollutants in an A/C Direct: BAT, NSPS facility data set with the following daily and 4-day VFs:

Pollutant	Daily VF	4-day VF
Acetone	3.0	1.9
Ethanol	.	.
Phenol	.	.
Hexane	2.1	1.5
Chloroform	1.7	1.2

then daily VF for Ethanol and Phenol would be 2.1, and the 4-day VF would be 1.5.

CHAPTER 6
DERIVATION OF THE PROPOSED LIMITATIONS

This chapter describes the methods used to derive the final daily and monthly limitations.

6.1 Estimation of Daily and Monthly Limitations

Daily maximum limitations were calculated as the product of the pollutant-specific LTMs and daily VFs. Similarly, monthly maximum limitations were calculated as the product of the pollutant-specific LTM and 4-day VF or, for BPT, the 30-day VF.

6.2 Transfer of Limitations

For several regulated pollutants, daily and 4-day limitations were transferred from chemically similar pollutants. This was often due to insufficient daily data for these pollutants. Please refer to the TDD for a more detailed explanation of the transfer of limitations. **Appendices D.1 - D.7** present listings of daily and monthly limitations for all pollutants for which limitations could be calculated. These listings include regulated pollutants as well as pollutants from which final limitations were transferred.

6.3 Final Daily and Monthly Limitations

6.3.1 Direct Dischargers

Table 6-1 and **Table 6-2** present final effluent limitations by subcategory and technology option combinations for direct discharge facilities. A column indicating from which pollutant a limit was transferred is included in Table 6.2 (BAT limitations). Transfers were not necessary for BPT limitations, which are presented in Table 6-1.

BPT

Table 6-1 presents daily and monthly limitations attainable by the application of BPT for COD. Refer to the TDD for daily and monthly limitations for BOD, TSS, pH, and cyanide.

Table 6-1.
BPT Daily and Monthly Maximum Limitations by Subcategory

Subcategory	Regulated Parameter	Effluent Limitation (1)	
		Daily Maximum Limit	Monthly Maximum Limit
A/C	COD	1675	856
B/D	COD	228	86

1. Mg/L (ppm)

For any additional considerations for BPT limits for COD refer to the TDD.

BCT

Effluent limitations representing the application of BCT for all subcategories are provided for BOD, TSS, and pH in the TDD. These limitations are the same as the corresponding limitations for BPT.

BAT

Table 6-2 displays effluent limitations representing the application of BAT for subcategory A/C. For BAT limits for cyanide, refer to the TDD. Refer to Table 6-1 for limits for COD, as the BAT daily and monthly limitations are the same as the corresponding BPT limits. Note that for regulated pollutants in which the LTM was reset (see Table 5-1), the daily and 4-day VFs were transferred, rather than the entire daily and 4-day limits. For example, for Methyl cellosolve, the LTM was reset to 20.0 mg/l and the daily and 4-day VFs were transferred from Ethanol. The daily and 4-day limits were then calculated as the product of the LTM and the transferred daily and 4-day VF, respectively. However, for Isobutyraldehyde, the daily and 4-day limits were set equal to the limits calculated for Formaldehyde.

Table 6-2.
BAT Daily and Monthly Limitations for Subcategory A/C

Regulated Parameter	Effluent Limitations (1)		Limit or VFs Transferred From
	Daily Maximum Limit	Monthly Maximum Limit	
Ammonia (as N)	84.10	29.40	Data available
Acetone	0.50	0.20	Data available
4-Methyl-2-pentanone (MIBK)	0.50	0.20	Acetone
Isobutyraldehyde	1.20	0.50	Formaldehyde
n-Amyl acetate	1.30	0.50	Ethyl acetate
n-Butyl acetate	1.30	0.50	Isopropyl acetate
Ethyl acetate	1.30	0.50	Data available
Isopropyl acetate	1.30	0.50	Data available
Methyl formate	1.30	0.50	Ethyl acetate
Amyl alcohol	10.00	4.10	Ethanol
Ethanol	10.00	4.10	Data available
Isopropanol	3.90	1.60	Data available
Methanol	10.00	4.10	Data available

Table 6-2.
(Continued)

Regulated Parameter	Effluent Limitations (1)		Limit or VFs Transferred From
	Daily Maximum Limit	Monthly Maximum Limit	
Methyl cellosolve	100.00	40.60	Ethanol
Dimethyl sulfoxide	91.50	37.50	Chloromethane
Triethyl amine	250.50	101.50	N,N-Dimethylformamide
Phenol	0.05	0.02	Data available
Benzene	0.05	0.02	Data available
Toluene	0.06	0.02	Data available
Xylenes	0.03	0.01	Data available
n-Hexane	0.03	0.02	Data available
n-Heptane	0.05	0.02	Data available
Methylene chloride	0.90	0.30	Data available
Chloroform	0.02	0.01	Data available
1,2-Dichloroethane	0.40	0.10	Data available
Chlorobenzene	0.15	0.06	2-Methylpyridine
o-Dichlorobenzene	0.15	0.06	2-Methylpyridine
Tetrahydrofuran	8.40	2.60	Data available
Isopropyl ether	8.40	2.60	Tetrahydrofuran
Diethyl amine	250.50	101.50	N,N-Dimethylformamide
Acetonitrile	25.00	10.20	Data available

1. Mg/L (ppm)

BAT limitations for subcategory B/D were established for COD and are the same as BPT limitations for COD in subcategory B/D (see Table 6-1).

NSPS

Effluent limitations based on NSPS for subcategory A/C are the same as BAT limitations for subcategory A/C (see Table 6-2). Limitations for COD for subcategories A/C and B/D are the same as the

corresponding limits for BPT and BCT and are displayed in Table 6-1.

NSPS limitations for the following pollutants also were derived: BOD, TSS, pH, and cyanide. Refer to the TDD for these limits.

6.3.2 Indirect Dischargers

Final effluent limitations for indirect dischargers are presented in **Table 6-3**. The selected technology options for indirect dischargers include PSNS and PSES. Daily and monthly limits are the same for all subcategories and technology options, but there are fewer regulated pollutants in subcategory B/D. The subcategory for which the pollutant is regulated is specified in the table. Also specified in Table 6-3, is the pollutant from which either the daily and 4-day VFs or limitations were transferred, when applicable. Refer to theTDD for limitations for cyanide.

Table 6-3.
PSNS and PSES Daily and Monthly Limitations

Regulated Parameter	Subcategory	Pretreatment Standards (1)		Limit (or VF) Transferred From
		Daily Maximum Limit	Monthly Maximum Limit	
Ammonia (as N)(2)	A/C	84.10	29.40	Data available
Acetone	A/C, B/D	20.70	8.20	Data available
4-Methyl-2-pentanone	A/C	20.70	8.20	Acetone
Isobutyraldehyde	A/C	20.70	8.20	Acetone
n-Amyl acetate	A/C, B/D	20.70	8.20	Acetone
n-Butyl acetate	A/C	20.70	8.20	Acetone
Ethyl acetate	A/C, B/D	20.70	8.20	Acetone
Isopropyl acetate	A/C, B/D	20.70	8.20	Acetone
Methyl formate	A/C	20.70	8.20	Acetone
Methyl Cellosolve	A/C	275.00	59.70	Methylene chloride
Isopropyl ether	A/C	20.70	8.20	Acetone
Tetrahydrofuran	A/C	9.20	3.40	Data available
Benzene	A/C	3.00	0.70	Methylene chloride
Toluene	A/C	0.30	0.10	Data available
Xylenes	A/C	3.00	0.70	Methylene chloride
n-Hexane	A/C	3.00	0.70	Methylene chloride

Table 6-3.
(Continued)

Regulated Parameter	Subcategory	Pretreatment Standards (1)		Limit (or VF) Transferred From
		Daily Maximum Limit	Monthly Maximum Limit	
n-Heptane	A/C	3.00	0.70	Methylene chloride
Methylene chloride	A/C, B/D	3.00	0.70	Data available
Chloroform	A/C	0.10	0.02	Data available
1,2-Dichloroethane	A/C	20.70	8.20	Acetone
Chlorobenzene	A/C	3.00	0.70	Methylene chloride
o-Dichlorobenzene	A/C	20.70	8.20	Acetone
Diethyl amine	A/C	20.70	8.20	Acetone
Triethyl amine	A/C	254.50	100.50	Acetone

1. Mg/L (ppm)
2. Not applicable to sources that discharge to a POTW with nitrification capability.

Appendix A.1-A.7

Appendix A.1
Listing of Daily Data for A/C Directs: BAT

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
1,2-DICHLOROETHANE	107062	30623	SE	I	MG/L	04/03/90	NC	0.0130
						04/03/90	NC	0.0110
						04/04/90	NC	0.0390
						04/04/90	NC	0.1310
						04/05/90	NC	0.1440
						04/05/90	NC	0.2630
						04/06/90	NC	0.2070
						04/07/90	NC	0.1110
						04/07/90	NC	0.0220
						04/08/90	NC	0.0320
						04/08/90	ND	0.0100
						04/09/90	NC	0.0720
						04/09/90	NC	0.0170
						04/10/90	NC	0.0340
						04/10/90	NC	0.0400
						04/11/90	NC	0.0370
						04/11/90	NC	0.0160
						04/12/90	ND	0.0100
						04/12/90	ND	0.0100
1,2-DICHLOROETHANE	107062	30623	SE	P	MG/L	09/07/88	NC	0.0030
						09/20/88	NC	0.1100
						10/04/88	ND	0.0020
2-METHYLPYRIDINE	109068	30540	SE	I	MG/L	06/03/91	ND	0.0500
						06/04/91	ND	0.0500
						06/05/91	ND	0.0500
						06/06/91	ND	0.0500
						06/07/91	ND	0.0500
						06/08/91	ND	0.0500
						06/09/91	ND	0.0500
						06/10/91	ND	0.0500
						06/11/91	ND	0.0500
						06/12/91	ND	0.0500
2-METHYLPYRIDINE	109068	30540	SE	N	MG/L	01/22/95	ND	0.0110
						01/27/95	ND	0.0110
						01/31/95	ND	0.0110
						02/07/95	ND	0.0110
						12/09/94	ND	0.0100
						12/11/94	ND	0.0100
						12/13/94	ND	0.0100
						12/18/94	ND	0.0100
ACETONE	67641	30540	SE	I	MG/L	06/03/91	NC	0.8000
						06/04/91	NC	0.1250
						06/05/91	NC	0.0750
						06/06/91	ND	0.0500
						06/07/91	ND	0.0500
						06/08/91	ND	0.0100
						06/09/91	NC	0.0550
						06/10/91	ND	0.0500
						06/11/91	ND	0.0500
						06/12/91	NC	0.1040
ACETONE	67641	30540	SE	N	MG/L	01/22/95	NC	0.0121

Appendix A.1
Listing of Daily Data for A/C Directs: BAT

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
ACETONE	67641	30540	SE	N	MG/L	01/27/95	NC	0.0272
						01/31/95	NC	0.0163
						02/07/95	NC	0.0326
						12/09/94	ND	0.1000
						12/11/94	ND	0.1000
						12/13/94	ND	0.1000
						12/18/94	ND	0.1000
ACETONE	67641	30623	SE	I	MG/L	04/03/90	ND	0.0500
						04/03/90	ND	0.0500
						04/04/90	NC	0.1040
						04/04/90	NC	0.1300
						04/05/90	NC	0.0970
						04/05/90	NC	0.0730
						04/06/90	NC	0.0530
						04/07/90	NC	0.0520
						04/07/90	ND	0.0500
						04/08/90	ND	0.0500
						04/08/90	ND	0.0500
						04/09/90	ND	0.0500
						04/09/90	ND	0.0500
						04/10/90	NC	0.0550
						04/10/90	NC	0.0530
						04/11/90	NC	0.0810
						04/11/90	NC	0.0520
						04/12/90	NC	0.1120
						04/12/90	ND	0.0500
ACETONE	67641	30623	SE	N	MG/L	01/11/95	NC	0.1319
						01/17/95	NC	0.0500
						01/27/95	NC	0.0500
						02/01/95	NC	0.0500
						02/06/95	NC	0.0601
						02/10/95	NC	0.9718
ACETONITRILE	75058	30540	SE	N	MG/L	02/07/95	ND	0.0500
						12/09/94	ND	0.1000
						12/11/94	ND	0.1000
						12/13/94	ND	0.1000
						12/18/94	ND	0.1000
ACETONITRILE	75058	30623	SE	I	MG/L	04/03/90	ND	0.0050
						04/03/90	ND	0.0050
						04/06/90	ND	0.0050
						04/07/90	ND	0.0050
						04/07/90	ND	0.0050
						04/08/90	ND	0.0050
						04/08/90	ND	0.0050
						04/10/90	ND	0.0050
						04/10/90	ND	0.0050
						04/11/90	ND	0.0050
						04/11/90	ND	0.0050
						04/12/90	ND	0.0050
						04/12/90	ND	0.0050
BENZENE	71432	30623	SE	P	MG/L	09/07/88	ND	0.0020

Appendix A.1
Listing of Daily Data for A/C Directs: BAT

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
BENZENE	71432	30623	SE	P	MG/L	09/20/88	ND	0.0020
						10/04/88	ND	0.0020
CHLOROFORM	67663	30050	SE	V	MG/L	05/30/79	ND	0.0010
						05/31/79	ND	0.0010
						06/01/79	ND	0.0010
CHLOROFORM	67663	30540	SE	I	MG/L	06/03/91	ND	0.0100
						06/04/91	ND	0.0100
						06/05/91	ND	0.0100
						06/06/91	ND	0.0100
						06/07/91	ND	0.0100
						06/08/91	ND	0.0100
						06/09/91	ND	0.0100
						06/10/91	ND	0.0100
						06/11/91	ND	0.0100
						06/12/91	ND	0.0100
CHLOROFORM	67663	30540	SE	N	MG/L	01/22/95	ND	0.0016
						01/27/95	ND	0.0016
						01/31/95	ND	0.0016
						02/07/95	ND	0.0016
						12/09/94	ND	0.0050
						12/11/94	ND	0.0050
						12/13/94	ND	0.0050
						12/18/94	ND	0.0050
CHLOROFORM	67663	30623	SE	I	MG/L	04/03/90	NC	0.0100
						04/03/90	NC	0.0160
						04/04/90	NC	0.0130
						04/04/90	NC	0.0190
						04/05/90	NC	0.0230
						04/05/90	NC	0.0240
						04/06/90	NC	0.0130
						04/07/90	ND	0.0100
						04/07/90	ND	0.0100
						04/08/90	ND	0.0100
						04/08/90	ND	0.0100
						04/09/90	ND	0.0100
						04/09/90	ND	0.0100
						04/10/90	NC	0.0120
						04/10/90	ND	0.0100
						04/11/90	ND	0.0100
						04/11/90	ND	0.0100
						04/12/90	ND	0.0100
						04/12/90	ND	0.0100
CHLOROFORM	67663	30623	SE	P	MG/L	09/07/88	NC	0.0100
						09/20/88	NC	0.0180
						10/04/88	NC	0.0130
CHLOROMETHANE	74873	30010	SE	V	MG/L	06/26/79	NC	0.3700
						06/27/79	NC	0.1000
						06/28/79	NC	0.4100
CHLOROMETHANE	74873	30540	SE	I	MG/L	06/03/91	ND	0.0500

Appendix A.1
Listing of Daily Data for A/C Directs: BAT

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
CHLOROMETHANE	74873	30540	SE	I	MG/L	06/04/91	ND	0.0500
						06/05/91	ND	0.0500
						06/06/91	ND	0.0500
						06/07/91	ND	0.0500
						06/08/91	ND	0.0500
						06/09/91	NC	0.1240
						06/10/91	ND	0.0500
						06/11/91	ND	0.0500
						06/12/91	ND	0.0100
CHLOROMETHANE	74873	30540	SE	N	MG/L	01/22/95	ND	0.0010
						01/27/95	ND	0.0100
						01/31/95	ND	0.0010
						02/07/95	ND	0.0010
						12/09/94	ND	0.0100
						12/11/94	ND	0.0100
						12/13/94	ND	0.0100
						12/18/94	ND	0.0100
ETHANOL	64175	30010	SE	N	MG/L	01/10/95	ND	1.0000
						01/16/95	ND	1.0000
						01/25/95	ND	1.0000
						01/31/95	ND	1.0000
						02/06/95	ND	1.0000
						02/09/95	NC	1.7700
						02/14/95	NC	1.0000
						02/21/95	ND	1.0000
ETHANOL	64175	30540	SE	I	MG/L	06/03/91	ND	0.5000
						06/04/91	NC	5.5150
						06/05/91	ND	0.5000
						06/06/91	ND	0.5000
						06/07/91	ND	0.5000
						06/08/91	ND	0.5000
						06/09/91	ND	0.5000
						06/10/91	ND	0.5000
						06/11/91	ND	0.5000
						06/12/91	ND	0.5000
ETHANOL	64175	30540	SE	N	MG/L	01/22/95	ND	1.0000
						01/27/95	ND	1.0000
						01/31/95	ND	1.0000
						02/07/95	ND	1.0000
						12/09/94	ND	5.0000
						12/11/94	ND	5.0000
						12/13/94	ND	5.0000
						12/18/94	ND	5.0000
ETHANOL	64175	30623	SE	I	MG/L	04/03/90	ND	0.5000
						04/03/90	ND	0.5000
						04/04/90	ND	0.5000
						04/04/90	ND	0.5000
						04/05/90	ND	0.5000
						04/05/90	ND	0.5000
						04/06/90	ND	0.5000
						04/06/90	ND	0.5000

Appendix A.1
Listing of Daily Data for A/C Directs: BAT

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
ETHANOL	64175	30623	SE	I	MG/L	04/07/90	ND	0.5000
						04/07/90	ND	0.5000
						04/08/90	ND	0.5000
						04/08/90	ND	0.5000
						04/09/90	NC	0.5000
						04/09/90	ND	0.5000
						04/10/90	ND	0.5000
						04/10/90	ND	0.5000
						04/11/90	NC	0.8000
						04/11/90	ND	0.5000
						04/12/90	NC	0.8000
						04/12/90	ND	0.5000
ETHANOL	64175	30701	FIL/EOP	P	MG/L	01/18/88	NC	8.9868
						01/19/88	NC	4.4934
						01/21/88	NC	4.4934
						01/27/88	NC	4.4934
						01/28/88	NC	6.7401
						02/02/88	NC	4.4934
						10/11/88	NC	22.4670
ETHYL ACETATE	141786	30540	SE	I	MG/L	06/03/91	ND	0.5000
						06/04/91	ND	0.5000
						06/05/91	ND	0.5000
						06/06/91	ND	0.5000
						06/07/91	ND	0.5000
						06/08/91	NC	0.6000
						06/09/91	ND	0.5000
						06/10/91	ND	0.5000
						06/11/91	ND	0.5000
						06/12/91	ND	0.5000
ETHYL ACETATE	141786	30540	SE	N	MG/L	01/22/95	ND	0.0100
						01/27/95	ND	0.0100
						01/31/95	ND	0.0100
						02/07/95	ND	0.0100
						12/09/94	ND	0.0050
						12/11/94	ND	0.0050
						12/13/94	ND	0.0050
						12/18/94	ND	0.0050
FORMALDEHYDE	50000	30010	SE	N	MG/L	01/10/95	NC	0.3230
						02/09/95	NC	0.2080
						02/21/95	ND	0.0488
FORMALDEHYDE	50000	30623	SE	I	MG/L	04/03/90	NC	0.1200
						04/04/90	NC	0.1800
						04/05/90	NC	0.3900
						04/07/90	NC	0.8000
						04/08/90	NC	0.7000
						04/09/90	NC	0.1300
						04/10/90	NC	0.1500
						04/11/90	NC	0.1600
						04/12/90	NC	0.4600
HEPTANE	142825	30623	SE	I	MG/L	04/03/90	ND	0.0050

Appendix A.1
Listing of Daily Data for A/C Directs: BAT

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
HEPTANE	142825	30623	SE	I	MG/L	04/03/90	ND	0.0050
						04/04/90	ND	0.0050
						04/04/90	ND	0.0050
						04/05/90	ND	0.0050
						04/05/90	ND	0.0050
						04/07/90	ND	0.0050
						04/07/90	ND	0.0050
						04/08/90	ND	0.0050
						04/08/90	ND	0.0050
						04/10/90	ND	0.0050
						04/10/90	ND	0.0050
						04/11/90	ND	0.0050
						04/11/90	ND	0.0050
						04/12/90	ND	0.0050
						04/12/90	ND	0.0050
HEXANE	110543	30623	SE	I	MG/L	04/03/90	ND	0.0050
						04/03/90	ND	0.0050
						04/04/90	ND	0.0050
						04/04/90	ND	0.0050
						04/05/90	ND	0.0050
						04/05/90	ND	0.0050
						04/06/90	ND	0.0050
						04/07/90	ND	0.0050
						04/07/90	ND	0.0050
						04/08/90	ND	0.0050
						04/08/90	ND	0.0050
						04/09/90	ND	0.0050
						04/09/90	ND	0.0050
						04/10/90	ND	0.0050
						04/10/90	ND	0.0050
						04/11/90	ND	0.0050
						04/11/90	ND	0.0050
						04/12/90	ND	0.0050
						04/12/90	ND	0.0050
HEXANE	110543	30623	SE	N	MG/L	01/11/95	NC	0.0271
						01/17/95	NC	0.0271
						01/27/95	NC	0.0136
						02/01/95	NC	0.0339
						02/06/95	NC	0.0136
						02/10/95	NC	0.0271
						02/20/95	NC	0.0179
ISOPROPANOL	67630	30540	SE	I	MG/L	06/03/91	ND	0.5000
						06/04/91	ND	0.5000
						06/05/91	ND	0.5000
						06/06/91	ND	0.5000
						06/07/91	ND	0.5000
						06/08/91	ND	0.5000
						06/09/91	ND	0.5000
						06/10/91	ND	0.5000
						06/11/91	ND	0.5000
						06/12/91	ND	0.5000
ISOPROPANOL	67630	30540	SE	N	MG/L	01/22/95	ND	2.0000

Appendix A.1
Listing of Daily Data for A/C Directs: BAT

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
ISOPROPANOL	67630	30540	SE	N	MG/L	01/27/95	ND	2.0000
						01/31/95	ND	2.0000
						02/07/95	ND	2.0000
						12/09/94	ND	0.1000
						12/11/94	ND	0.1000
						12/13/94	ND	0.1000
						12/18/94	ND	0.1000
ISOPROPYL ACETATE	108214	30540	SE	I	MG/L	06/03/91	ND	0.5000
						06/04/91	ND	0.5000
						06/05/91	ND	0.5000
						06/06/91	ND	0.5000
						06/07/91	ND	0.5000
						06/08/91	ND	0.5000
						06/09/91	ND	0.5000
						06/10/91	ND	0.5000
						06/11/91	ND	0.5000
						06/12/91	ND	0.5000
ISOPROPYL ACETATE	108214	30540	SE	N	MG/L	01/22/95	ND	0.0100
						01/27/95	ND	0.0100
						01/31/95	ND	0.0100
						02/07/95	ND	0.0100
METHANOL	67561	30010	SE	N	MG/L	01/10/95	ND	0.5000
						01/16/95	ND	0.5000
						01/25/95	ND	0.5000
						01/31/95	ND	0.5000
						02/06/95	ND	0.5000
						02/09/95	ND	0.5000
						02/14/95	NC	0.5000
						02/21/95	ND	0.5000
METHANOL	67561	30540	SE	I	MG/L	06/03/91	NC	4.0900
						06/04/91	NC	14.1100
						06/05/91	NC	3.6700
						06/06/91	NC	3.7100
						06/08/91	NC	6.9500
						06/09/91	NC	5.9100
						06/10/91	NC	3.5300
						06/11/91	NC	3.8100
						06/12/91	NC	2.2600
METHANOL	67561	30540	SE	N	MG/L	01/22/95	ND	0.5000
						01/27/95	ND	0.5000
						01/31/95	ND	0.5000
						02/07/95	ND	0.5000
						12/09/94	ND	5.0000
						12/11/94	ND	5.0000
						12/13/94	ND	5.0000
						12/18/94	ND	5.0000
METHANOL	67561	30623	SE	I	MG/L	04/03/90	NC	3.7000
						04/03/90	ND	0.5000
						04/04/90	ND	0.5000
						04/04/90	ND	0.5000

Appendix A.1
Listing of Daily Data for A/C Directs: BAT

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
METHANOL	67561	30623	SE	I	MG/L	04/05/90	ND	0.5000
						04/05/90	ND	0.5000
						04/06/90	ND	0.5000
						04/06/90	ND	0.5000
						04/07/90	ND	0.5000
						04/07/90	ND	0.5000
						04/08/90	ND	0.5000
						04/08/90	ND	0.5000
						04/09/90	ND	0.5000
						04/09/90	ND	0.5000
						04/10/90	ND	0.5000
						04/10/90	ND	0.5000
						04/11/90	ND	0.5000
						04/11/90	ND	0.5000
						04/12/90	NC	0.3000
						04/12/90	ND	0.5000
METHYLENE CHLORIDE	75092	30623	SE	I	MG/L	04/03/90	ND	0.0100
						04/03/90	ND	0.0100
						04/04/90	NC	0.0260
						04/04/90	ND	0.0100
						04/05/90	NC	0.4840
						04/05/90	NC	1.0950
						04/06/90	NC	0.3270
						04/07/90	ND	0.0100
						04/07/90	ND	0.0100
						04/08/90	ND	0.0100
						04/08/90	ND	0.0100
						04/09/90	ND	0.0100
						04/09/90	ND	0.0100
						04/10/90	ND	0.0100
						04/10/90	ND	0.0100
						04/11/90	ND	0.0100
						04/11/90	ND	0.0100
						04/12/90	ND	0.0100
						04/12/90	ND	0.0100
METHYLENE CHLORIDE	75092	30623	SE	N	MG/L	01/11/95	NC	0.0176
						01/17/95	NC	0.0100
						01/27/95	NC	0.0100
						02/01/95	NC	0.0100
						02/06/95	NC	0.0100
						02/10/95	NC	0.0100
						02/14/95	NC	0.6786
						02/20/95	NC	0.0315
METHYLENE CHLORIDE	75092	30623	SE	P	MG/L	09/07/88	NC	0.0100
						09/20/88	NC	0.0920
						10/04/88	NC	0.1100
N,N-DIMETHYLFORMAMIDE	68122	30623	SE	I	MG/L	04/04/90	ND	0.0100
						04/04/90	ND	0.0100
						04/05/90	NC	0.0350
						04/05/90	ND	0.0100
						04/06/90	ND	0.0100
						04/06/90	ND	0.0100

Appendix A.1
Listing of Daily Data for A/C Directs: BAT

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
N,N-DIMETHYLFORMAMIDE	68122	30623	SE	I	MG/L	04/07/90	ND	0.0100
						04/07/90	ND	0.0100
						04/08/90	ND	0.0100
						04/08/90	ND	0.0100
						04/09/90	ND	0.0100
						04/09/90	ND	0.0100
						04/10/90	ND	0.0100
						04/10/90	ND	0.0100
						04/11/90	ND	0.0100
						04/11/90	ND	0.0100
						04/12/90	ND	0.0100
						04/12/90	ND	0.0100
PHENOL	108952	30125	TE	3	MG/L	03/01/90	ND	0.0015
						06/07/90	ND	0.0042
						10/22/90	ND	0.0300
						12/06/90	ND	0.0060
PHENOL	108952	30623	SE	I	MG/L	04/05/90	NC	0.0220
						04/05/90	ND	0.0100
						04/06/90	ND	0.0100
						04/06/90	ND	0.0100
						04/07/90	ND	0.0100
						04/07/90	ND	0.0100
						04/08/90	ND	0.0100
						04/08/90	ND	0.0100
						04/09/90	ND	0.0100
						04/09/90	ND	0.0100
						04/11/90	ND	0.0100
						04/11/90	ND	0.0100
						04/12/90	NC	0.0160
						04/12/90	ND	0.0100
TETRAHYDROFURAN (THF)	109999	30623	SE	I	MG/L	04/03/90	NC	0.1310
						04/03/90	NC	0.0200
						04/04/90	NC	0.6770
						04/04/90	NC	2.4850
						04/05/90	NC	3.4840
						04/05/90	NC	2.9620
						04/07/90	NC	1.8630
						04/07/90	NC	0.0590
						04/08/90	NC	0.1330
						04/08/90	ND	0.0050
						04/09/90	NC	1.2660
						04/09/90	NC	0.1380
						04/10/90	NC	1.9150
						04/10/90	NC	1.9780
						04/11/90	NC	2.0760
						04/11/90	NC	0.4350
						04/12/90	ND	0.0050
						04/12/90	ND	0.0050
TETRAHYDROFURAN (THF)	109999	30623	SE	N	MG/L	01/11/95	NC	0.2918
						01/17/95	NC	0.2769
						01/27/95	NC	0.9555
						02/01/95	NC	0.3732

Appendix A.1
Listing of Daily Data for A/C Directs: BAT

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
TETRAHYDROFURAN (THF)	109999	30623	SE	N	MG/L	02/06/95	NC	0.0067
						02/10/95	NC	0.0645
						02/14/95	NC	1.3572
						02/20/95	NC	0.4859
TOLUENE	108883	30010	SE	V	MG/L	06/26/79	ND	0.0100
						06/27/79	ND	0.0100
						06/28/79	ND	0.0100
TOLUENE	108883	30050	SE	V	MG/L	05/30/79	ND	0.0010
						05/31/79	ND	0.0010
						06/01/79	ND	0.0010
TOLUENE	108883	30125	TE	3	MG/L	03/01/90	ND	0.0060
						06/07/90	ND	0.0060
						10/22/90	ND	0.0060
						12/06/90	ND	0.0060
TOLUENE	108883	30540	SE	I	MG/L	06/03/91	ND	0.0100
						06/04/91	ND	0.0100
						06/05/91	ND	0.0100
						06/06/91	ND	0.0100
						06/07/91	ND	0.0100
						06/08/91	ND	0.0100
						06/09/91	ND	0.0100
						06/10/91	ND	0.0100
						06/11/91	ND	0.0100
						06/12/91	ND	0.0100
TOLUENE	108883	30540	SE	N	MG/L	01/22/95	ND	0.0060
						01/27/95	ND	0.0060
						01/31/95	ND	0.0060
						02/07/95	ND	0.0060
						12/09/94	ND	0.0050
						12/11/94	ND	0.0050
						12/13/94	ND	0.0050
						12/18/94	ND	0.0050
TOLUENE	108883	30573	SE	V	MG/L	07/17/79	NC	0.0070
						07/18/79	NC	0.0070
						07/19/79	NC	0.0490
TOLUENE	108883	30623	SE	I	MG/L	04/03/90	ND	0.0100
						04/03/90	ND	0.0100
						04/04/90	ND	0.0100
						04/04/90	ND	0.0100
						04/05/90	ND	0.0100
						04/05/90	ND	0.0100
						04/06/90	ND	0.0100
						04/07/90	ND	0.0100
						04/07/90	ND	0.0100
						04/08/90	ND	0.0100
						04/08/90	ND	0.0100
						04/09/90	ND	0.0100
						04/09/90	ND	0.0100
						04/10/90	ND	0.0100

Appendix A.1
Listing of Daily Data for A/C Directs: BAT

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
TOLUENE	108883	30623	SE	I	MG/L	04/10/90	ND	0.0100
						04/11/90	ND	0.0100
						04/11/90	ND	0.0100
						04/12/90	ND	0.0100
						04/12/90	ND	0.0100
TOLUENE	108883	30623	SE	N	MG/L	01/11/95	NC	0.0100
						01/17/95	NC	0.0163
						01/27/95	NC	0.0122
						02/01/95	NC	0.0204
						02/06/95	NC	0.1099
						02/10/95	NC	0.0163
						02/20/95	NC	0.0178
TOLUENE	108883	30623	SE	P	MG/L	09/07/88	ND	0.0020
						09/20/88	ND	0.0020
						10/04/88	NC	0.0530
TOTAL XYLENES	1030207	30540	SE	N	MG/L	12/09/94	ND	0.0050
						12/11/94	ND	0.0050
						12/13/94	ND	0.0050
						12/18/94	ND	0.0050

Appendix A.1
Listing of Daily Data for A/C Directs: BAT

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	30540	FC	I	MG/L	06/03/91	NC	3.700
						06/04/91	NC	2.900
						06/05/91	NC	2.900
						06/06/91	NC	2.000
						06/07/91	NC	2.400
						06/08/91	NC	2.800
						06/09/91	NC	2.800
						06/09/91	NC	1.900
						06/11/91	NC	1.400
AMMONIA	7664417	30542	SE	N	MG/L	07/04/95	NC	2.800
						07/04/96	NC	15.960
						07/05/95	NC	1.500
						07/06/95	NC	1.200
						07/07/95	NC	1.100
						07/07/96	NC	13.720
						07/08/96	NC	5.600
						07/09/96	NC	3.360
						07/10/96	NC	5.320
						07/11/95	NC	1.700
						07/11/96	NC	2.520
						07/12/96	NC	1.120
						07/13/95	NC	2.200
						07/13/96	NC	1.120
						07/14/96	NC	1.120
						07/15/96	NC	1.680
						07/16/95	NC	2.300
						07/16/96	NC	1.400
						07/17/96	NC	2.240
						07/18/95	NC	1.700
						07/18/96	NC	3.080
						07/19/96	NC	0.840
						07/20/95	NC	1.960
						07/20/96	NC	1.120
						07/21/96	NC	0.280
						07/22/96	NC	0.560
						07/23/95	NC	1.400
						07/23/96	NC	0.840
						07/24/96	ND	0.030
						07/25/96	NC	1.540
						07/26/95	NC	0.840
						07/26/96	NC	1.120
						07/27/96	NC	0.840
						07/28/96	NC	0.750
						07/29/96	NC	0.980
						07/30/95	NC	0.280
						07/30/96	NC	0.420
						07/31/96	NC	0.750
						08/01/95	NC	0.560
						08/04/96	NC	0.280
						08/06/95	ND	0.030
						08/06/96	NC	0.190
						08/07/96	NC	0.090
						08/08/95	ND	0.030
						08/08/96	ND	0.030
						08/10/95	ND	0.030

Appendix A.1
Listing of Daily Data for A/C Directs: BAT

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	30542	SE	N	MG/L	08/11/96	ND	0.030
						08/12/96	ND	0.030
						08/13/95	NC	0.560
						08/13/96	NC	0.750
						08/14/95	NC	0.840
						08/14/96	NC	0.930
						08/15/96	NC	1.310
						08/17/95	NC	0.560
						08/19/96	NC	1.210
						08/20/95	NC	0.280
						08/20/96	NC	1.310
						08/22/95	NC	0.840
						08/22/96	NC	0.840
						08/24/95	NC	0.840
						08/25/96	NC	0.370
						08/27/95	NC	0.840
						08/27/96	NC	0.470
						08/29/95	NC	0.840
						08/29/96	NC	0.370
						08/31/95	NC	0.560
						09/02/96	ND	0.030
						09/03/96	ND	0.030
						09/05/95	NC	0.840
						09/05/96	NC	0.280
						09/07/95	NC	0.280
						09/08/96	NC	0.090
						09/10/95	NC	0.840
						09/10/96	ND	0.030
						09/12/95	NC	0.840
						09/12/96	ND	0.030
						09/14/95	NC	0.560
						09/16/95	NC	0.280
						09/19/95	NC	2.240
						09/21/95	NC	0.280
						09/24/95	NC	0.560
						09/28/95	NC	0.840
						10/01/95	NC	1.120
						10/03/95	ND	0.030
						11/03/96	NC	1.260
						11/06/96	NC	0.700
						11/08/96	NC	0.980
						11/10/96	NC	1.120
						11/12/96	NC	1.820
						11/14/96	NC	0.980
						11/17/96	NC	3.640
						11/19/96	NC	0.980
						11/20/96	NC	1.120
						11/21/96	NC	0.980
						11/24/96	NC	19.880
						11/26/96	NC	13.300
						12/05/96	NC	1.400
						12/08/96	NC	0.420
						12/10/96	NC	0.560
						12/19/96	NC	9.100
AMMONIA	7664417	30669	FC	N	MG/L	01/03/94	NC	1.368

Appendix A.1
Listing of Daily Data for A/C Directs: BAT

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	30669	FC	N	MG/L	01/04/94	NC	0.041
						01/05/95	NC	0.041
						01/06/94	NC	0.041
						01/10/95	NC	0.041
						01/16/95	NC	1.368
						01/24/95	NC	0.041
						01/26/95	NC	0.041
						01/31/95	NC	5.472
						02/02/95	NC	49.248
						02/07/95	NC	28.728
						02/08/94	NC	80.711
						02/09/95	NC	10.944
						02/10/94	NC	58.824
						02/14/95	NC	0.041
						02/15/94	NC	28.728
						02/16/95	NC	0.041
						02/17/94	NC	17.784
						02/21/95	NC	8.208
						02/24/94	NC	0.041
						02/28/95	NC	84.815
						03/02/95	NC	93.023
						03/03/94	NC	0.041
						03/07/95	NC	76.607
						03/08/94	NC	4.104
						03/09/95	NC	43.776
						03/10/94	NC	30.096
						03/14/95	NC	28.728
						03/15/94	NC	1.368
						03/16/95	NC	50.616
						03/17/94	NC	0.041
						03/21/95	NC	6.840
						03/22/94	NC	1.368
						03/23/95	NC	2.736
						03/24/94	NC	8.208
						03/28/95	NC	0.041
						03/29/94	NC	43.776
						03/30/95	NC	12.312
						03/31/94	NC	51.984
						04/04/95	NC	1.368
						04/05/94	NC	56.088
						04/06/95	NC	4.104
						04/07/94	NC	35.568
						04/11/95	NC	10.944
						04/12/94	NC	25.992
						04/13/95	NC	5.472
						04/14/94	NC	31.464
						04/19/94	NC	16.416
						04/20/95	NC	0.041
						04/21/94	NC	25.992
						04/25/95	NC	1.368
						04/26/94	NC	1.368
						04/27/95	NC	20.520
						04/28/94	NC	4.104
						05/02/95	NC	0.041
						05/04/95	NC	1.368
						05/05/94	NC	0.041

Appendix A.1
Listing of Daily Data for A/C Directs: BAT

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	30669	FC	N	MG/L	05/09/95	NC	0.041
						05/10/94	NC	0.041
						05/11/95	NC	0.041
						05/12/94	NC	0.041
						05/16/95	NC	0.041
						05/17/94	NC	0.041
						05/18/95	NC	0.041
						05/19/94	NC	0.041
						05/23/95	NC	1.368
						05/24/94	NC	0.041
						05/25/95	NC	0.041
						05/26/94	NC	0.041
						05/31/94	NC	0.041
						06/01/95	NC	2.736
						06/02/94	NC	0.041
						06/06/95	NC	0.041
						06/07/94	NC	0.041
						06/08/95	NC	0.041
						06/09/94	NC	0.041
						06/13/95	NC	1.368
						06/14/94	NC	0.041
						06/15/95	NC	4.104
						06/16/94	NC	0.041
						06/21/94	NC	0.041
						06/22/95	NC	84.815
						06/23/94	NC	0.041
						06/27/95	NC	0.041
						06/28/94	NC	2.736
						06/29/95	NC	0.041
						06/30/94	NC	0.041
						07/05/94	NC	1.368
						07/07/94	NC	0.041
						07/12/94	NC	60.192
						09/29/94	NC	1.368
						10/04/94	NC	1.368
						10/06/94	NC	4.104
						10/11/94	NC	1.368
						10/13/94	NC	1.368
						10/18/94	NC	2.736
						10/20/94	NC	8.208
						10/25/94	NC	2.736
						10/27/94	NC	0.041
						11/01/94	NC	0.041
						11/03/94	NC	0.041
						11/08/94	NC	0.041
						11/10/94	NC	2.736
						11/15/94	NC	1.368
						11/17/94	NC	2.736
						11/22/94	NC	2.736
						11/29/94	NC	10.944
						12/01/94	NC	2.736
						12/06/94	NC	0.041
						12/08/94	NC	0.041
						12/15/94	NC	82.079
						12/22/94	NC	94.391
						12/27/94	NC	17.784
						12/29/94	NC	1.368

Appendix A.1
Listing of Daily Data for A/C Directs: BAT

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	30759	SE	A	MG/L	01/01/95	NC	8.400
						01/01/96	NC	20.200
						01/01/97	NC	13.600
						01/02/95	NC	14.800
						01/02/96	NC	15.900
						01/02/97	NC	11.700
						01/03/95	NC	13.000
						01/03/96	NC	20.000
						01/03/97	NC	12.200
						01/04/95	NC	10.000
						01/04/96	NC	10.100
						01/04/97	NC	11.500
						01/05/95	NC	4.200
						01/05/96	NC	8.100
						01/05/97	NC	8.800
						01/06/95	NC	2.600
						01/06/96	NC	11.100
						01/06/97	NC	7.500
						01/07/95	NC	2.200
						01/07/96	NC	9.300
						01/07/97	NC	7.100
						01/08/95	NC	4.500
						01/08/96	NC	17.700
						01/08/97	NC	8.900
						01/09/95	NC	9.900
						01/09/96	NC	18.100
						01/09/97	NC	4.400
						01/10/95	NC	24.300
						01/10/96	NC	13.100
						01/10/97	NC	7.900
						01/11/95	NC	37.700
						01/11/96	NC	11.500
						01/11/97	NC	10.700
						01/12/95	NC	22.700
						01/12/97	NC	9.400
						01/13/95	NC	11.000
						01/13/96	NC	5.400
						01/13/97	NC	8.900
						01/14/95	NC	2.100
						01/14/96	NC	5.600
						01/14/97	NC	14.300
						01/15/95	NC	1.500
						01/15/96	NC	7.600
						01/15/97	NC	7.800
						01/16/95	NC	1.900
						01/16/96	NC	10.300
						01/16/97	NC	11.600
						01/17/95	NC	5.300
						01/17/96	NC	14.600
						01/17/97	NC	6.600
						01/18/95	NC	7.500
						01/18/96	NC	5.100
						01/18/97	NC	10.300
						01/19/95	NC	6.800
						01/19/96	NC	4.200
						01/19/97	NC	9.800
						01/20/95	NC	5.100
						01/20/96	NC	3.400

Appendix A.1
Listing of Daily Data for A/C Directs: BAT

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	30759	SE	A	MG/L	01/20/97	NC	4.600
						01/21/95	NC	3.500
						01/21/96	NC	5.200
						01/21/97	NC	14.300
						01/22/95	NC	1.800
						01/22/96	NC	13.400
						01/22/97	NC	9.000
						01/23/95	NC	2.000
						01/23/96	NC	16.300
						01/23/97	NC	4.300
						01/24/95	NC	2.500
						01/24/96	NC	11.700
						01/24/97	NC	3.900
						01/25/95	NC	2.500
						01/25/96	NC	12.100
						01/25/97	NC	4.600
						01/26/95	NC	1.800
						01/26/96	NC	12.200
						01/26/97	NC	6.200
						01/27/95	NC	1.800
						01/27/96	NC	14.400
						01/27/97	NC	5.800
						01/28/95	NC	1.400
						01/28/96	NC	7.600
						01/28/97	NC	9.800
						01/29/95	NC	2.100
						01/29/97	NC	13.400
						01/30/95	NC	2.300
						01/30/96	NC	5.200
						01/30/97	NC	9.900
						01/31/95	NC	8.200
						01/31/96	NC	10.600
						01/31/97	NC	5.900
						02/01/95	NC	11.300
						02/01/96	NC	14.700
						02/01/97	NC	5.200
						02/02/95	NC	9.900
						02/02/96	NC	13.400
						02/02/97	NC	6.700
						02/03/95	NC	17.300
						02/03/96	NC	10.800
						02/03/97	NC	8.900
						02/04/95	NC	14.200
						02/04/96	NC	6.600
						02/04/97	NC	8.300
						02/05/95	NC	10.000
						02/05/96	NC	13.600
						02/05/97	NC	4.800
						02/06/95	NC	19.100
						02/06/96	NC	13.600
						02/06/97	NC	6.100
						02/07/95	NC	22.700
						02/07/96	NC	11.200
						02/07/97	NC	4.600
						02/08/95	NC	7.300
						02/08/96	NC	6.600
						02/08/97	NC	4.600
						02/09/95	NC	5.200

Appendix A.1
Listing of Daily Data for A/C Directs: BAT

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	30759	SE	A	MG/L	02/09/96	NC	5.400
						02/09/97	NC	4.300
						02/10/95	NC	6.100
						02/10/96	NC	5.500
						02/10/97	NC	6.700
						02/11/95	NC	3.100
						02/11/96	NC	14.300
						02/11/97	NC	3.600
						02/12/95	NC	3.600
						02/12/96	NC	14.100
						02/12/97	NC	11.700
						02/13/95	NC	5.000
						02/13/96	NC	17.600
						02/13/97	NC	12.200
						02/14/95	NC	4.800
						02/14/96	NC	10.400
						02/14/97	NC	13.500
						02/15/95	NC	4.900
						02/15/96	NC	6.000
						02/15/97	NC	10.500
						02/16/95	NC	5.200
						02/16/96	NC	5.200
						02/16/97	NC	8.400
						02/17/95	NC	6.900
						02/17/96	NC	11.200
						02/17/97	NC	11.400
						02/18/95	NC	6.600
						02/18/96	NC	8.600
						02/18/97	NC	10.300
						02/19/95	NC	4.600
						02/19/96	NC	6.500
						02/19/97	NC	11.200
						02/20/95	NC	4.500
						02/20/96	NC	8.600
						02/20/97	NC	8.800
						02/21/95	NC	7.100
						02/21/96	NC	4.200
						02/21/97	NC	7.100
						02/22/95	NC	21.400
						02/22/96	NC	4.200
						02/22/97	NC	5.100
						02/23/95	NC	27.700
						02/23/96	NC	4.400
						02/23/97	NC	7.300
						02/24/95	NC	10.900
						02/24/96	NC	4.200
						02/24/97	NC	7.800
						02/25/95	NC	3.700
						02/25/97	NC	12.800
						02/26/95	NC	2.200
						02/26/96	NC	4.700
						02/26/97	NC	7.900
						02/27/95	NC	3.800
						02/27/96	NC	5.000
						02/27/97	NC	5.000
						02/28/95	NC	3.800
						02/28/96	NC	11.200
						02/28/97	NC	6.000

Appendix A.1
Listing of Daily Data for A/C Directs: BAT

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	30759	SE	A	MG/L	02/29/96	NC	6.100
						03/01/95	NC	3.800
						03/01/96	NC	4.700
						03/01/97	NC	7.400
						03/02/95	NC	3.900
						03/02/96	NC	5.300
						03/02/97	NC	7.200
						03/03/95	NC	2.300
						03/03/96	NC	4.700
						03/03/97	NC	8.100
						03/04/95	NC	2.700
						03/04/96	NC	11.100
						03/04/97	NC	8.300
						03/05/95	NC	5.700
						03/05/96	NC	6.200
						03/05/97	NC	6.800
						03/06/95	NC	15.200
						03/06/96	NC	4.200
						03/06/97	NC	7.300
						03/07/95	NC	25.000
						03/07/96	NC	4.700
						03/07/97	NC	11.500
						03/08/95	NC	33.300
						03/08/96	NC	9.200
						03/08/97	NC	9.700
						03/09/95	NC	28.500
						03/09/96	NC	13.600
						03/09/97	NC	14.100
						03/10/95	NC	28.200
						03/10/96	NC	11.000
						03/10/97	NC	18.300
						03/11/96	NC	11.600
						03/11/97	NC	16.100
						03/12/95	NC	8.000
						03/12/96	NC	6.300
						03/12/97	NC	10.700
						03/13/95	NC	6.500
						03/13/96	NC	6.600
						03/13/97	NC	9.100
						03/14/95	NC	9.800
						03/14/96	NC	7.700
						03/14/97	NC	11.800
						03/15/95	NC	13.900
						03/15/96	NC	3.700
						03/15/97	NC	14.500
						03/16/95	NC	14.800
						03/16/96	NC	4.500
						03/16/97	NC	11.900
						03/17/95	NC	7.400
						03/17/96	NC	6.400
						03/17/97	NC	14.200
						03/18/95	NC	10.300
						03/18/96	NC	12.300
						03/18/97	NC	11.500
						03/19/95	NC	9.800
						03/19/96	NC	12.500
						03/19/97	NC	9.600
						03/20/95	NC	10.200

Appendix A.1
Listing of Daily Data for A/C Directs: BAT

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	30759	SE	A	MG/L	03/20/96	NC	12.000
						03/20/97	NC	10.600
						03/21/95	NC	19.100
						03/21/96	NC	8.300
						03/21/97	NC	12.500
						03/22/95	NC	22.300
						03/22/96	NC	11.400
						03/22/97	NC	11.400
						03/23/95	NC	20.800
						03/23/96	NC	7.200
						03/23/97	NC	13.600
						03/24/95	NC	18.200
						03/24/96	NC	7.600
						03/24/97	NC	13.000
						03/25/95	NC	17.300
						03/25/96	NC	9.100
						03/25/97	NC	9.300
						03/26/95	NC	16.700
						03/26/96	NC	14.700
						03/26/97	NC	10.800
						03/27/95	NC	11.500
						03/27/96	NC	10.300
						03/27/97	NC	7.700
						03/28/95	NC	15.900
						03/28/96	NC	7.800
						03/28/97	NC	8.200
						03/29/95	NC	16.500
						03/29/96	NC	9.000
						03/29/97	NC	7.800
						03/30/95	NC	13.200
						03/30/96	NC	10.200
						03/30/97	NC	16.300
						03/31/95	NC	7.900
						03/31/96	NC	8.000
						03/31/97	NC	21.200
						04/01/95	NC	4.900
						04/01/96	NC	10.100
						04/01/97	NC	12.000
						04/02/95	NC	8.400
						04/02/96	NC	10.100
						04/02/97	NC	1.700
						04/03/95	NC	15.800
						04/03/96	NC	4.900
						04/03/97	NC	9.700
						04/04/95	NC	28.500
						04/04/96	NC	4.300
						04/04/97	NC	9.300
						04/05/95	NC	42.700
						04/05/96	NC	5.600
						04/05/97	NC	11.000
						04/06/95	NC	43.400
						04/06/96	NC	12.000
						04/06/97	NC	11.200
						04/07/95	NC	38.700
						04/07/96	NC	14.600
						04/07/97	NC	13.000
						04/08/95	NC	35.000
						04/08/96	NC	14.700

Appendix A.1
Listing of Daily Data for A/C Directs: BAT

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	30759	SE	A	MG/L	04/08/97	NC	16.900
						04/09/95	NC	20.300
						04/09/96	NC	21.300
						04/09/97	NC	17.600
						04/10/95	NC	20.000
						04/10/96	NC	17.000
						04/10/97	NC	20.900
						04/11/95	NC	23.200
						04/11/96	NC	14.700
						04/11/97	NC	13.400
						04/12/95	NC	28.500
						04/12/96	NC	15.800
						04/12/97	NC	8.300
						04/13/95	NC	26.400
						04/13/96	NC	11.600
						04/13/97	NC	10.500
						04/14/95	NC	19.200
						04/14/96	NC	7.900
						04/14/97	NC	15.700
						04/15/95	NC	20.300
						04/15/96	NC	7.500
						04/15/97	NC	16.200
						04/16/95	NC	22.700
						04/16/96	NC	8.700
						04/16/97	NC	14.400
						04/17/95	NC	24.500
						04/17/96	NC	4.400
						04/17/97	NC	13.200
						04/18/95	NC	34.600
						04/18/96	NC	6.300
						04/18/97	NC	9.100
						04/19/95	NC	33.700
						04/19/96	NC	11.200
						04/19/97	NC	10.000
						04/20/95	NC	28.800
						04/20/96	NC	12.700
						04/20/97	NC	10.600
						04/21/95	NC	20.000
						04/21/96	NC	10.800
						04/21/97	NC	10.200
						04/22/95	NC	20.800
						04/22/96	NC	10.900
						04/22/97	NC	8.100
						04/23/95	NC	25.400
						04/23/96	NC	10.700
						04/23/97	NC	7.100
						04/24/95	NC	23.300
						04/24/96	NC	8.200
						04/24/97	NC	10.800
						04/25/95	NC	28.600
						04/25/96	NC	10.800
						04/25/97	NC	8.800
						04/26/95	NC	23.600
						04/26/96	NC	7.700
						04/26/97	NC	10.800
						04/27/95	NC	28.500
						04/27/96	NC	7.400
						04/27/97	NC	8.700

Appendix A.1
Listing of Daily Data for A/C Directs: BAT

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	30759	SE	A	MG/L	04/28/95	NC	22.000
						04/28/96	NC	6.800
						04/28/97	NC	7.200
						04/29/95	NC	16.400
						04/29/96	NC	15.300
						04/29/97	NC	9.800
						04/30/95	NC	19.400
						04/30/96	NC	14.000
						04/30/97	NC	6.600
						05/01/95	NC	26.900
						05/01/96	NC	14.100
						05/01/97	NC	9.400
						05/02/95	NC	48.600
						05/02/96	NC	15.600
						05/02/97	NC	4.700
						05/03/95	NC	20.100
						05/03/96	NC	12.800
						05/03/97	NC	[illegible]
						05/04/95	NC	24.500
						05/04/96	NC	7.800
						05/04/97	NC	5.600
						05/05/95	NC	12.800
						05/05/96	NC	4.500
						05/05/97	NC	8.400
						05/06/95	NC	12.800
						05/06/96	NC	7.900
						05/06/97	NC	4.900
						05/07/95	NC	10.400
						05/07/96	NC	10.300
						05/07/97	NC	4.800
						05/08/95	NC	21.500
						05/08/96	NC	10.300
						05/08/97	NC	4.700
						05/09/95	NC	37.100
						05/09/96	NC	13.300
						05/09/97	NC	7.200
						05/10/95	NC	26.800
						05/10/96	NC	18.200
						05/10/97	NC	6.200
						05/11/95	NC	19.800
						05/11/96	NC	11.600
						05/11/97	NC	6.100
						05/12/95	NC	16.800
						05/12/96	NC	12.300
						05/12/97	NC	9.200
						05/13/95	NC	15.200
						05/13/96	NC	7.400
						05/13/97	NC	9.800
						05/14/95	NC	16.200
						05/14/96	NC	7.200
						05/14/97	NC	7.800
						05/15/95	NC	17.400
						05/15/96	NC	14.100
						05/15/97	NC	6.900
						05/16/95	NC	21.600
						05/16/96	NC	15.500
						05/16/97	NC	4.500
						05/17/95	NC	20.000

Appendix A.1
Listing of Daily Data for A/C Directs: BAT

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	30759	SE	A	MG/L	05/17/96	NC	24.300
						05/17/97	NC	3.600
						05/18/95	NC	15.800
						05/18/96	NC	17.100
						05/18/97	NC	3.200
						05/19/95	NC	10.900
						05/19/96	NC	12.400
						05/19/97	NC	4.200
						05/20/95	NC	10.000
						05/20/96	NC	14.100
						05/20/97	NC	5.100
						05/21/95	NC	13.900
						05/21/96	NC	18.500
						05/21/97	NC	7.000
						05/22/95	NC	13.500
						05/22/96	NC	21.400
						05/22/97	NC	10.200
						05/23/95	NC	16.000
						05/23/96	NC	26.200
						05/23/97	NC	14.400
						05/24/95	NC	19.900
						05/24/96	NC	24.500
						05/24/97	NC	11.700
						05/25/95	NC	28.700
						05/25/96	NC	24.100
						05/25/97	NC	4.900
						05/26/95	NC	33.200
						05/26/96	NC	22.300
						05/26/97	NC	7.100
						05/27/95	NC	26.200
						05/27/96	NC	20.000
						05/27/97	NC	7.700
						05/28/95	NC	18.000
						05/28/96	NC	19.000
						05/28/97	NC	11.400
						05/29/95	NC	34.400
						05/29/96	NC	17.400
						05/29/97	NC	8.000
						05/30/95	NC	39.000
						05/30/96	NC	17.400
						05/30/97	NC	9.100
						05/31/95	NC	50.400
						05/31/96	NC	20.700
						05/31/97	NC	7.700
						06/01/95	NC	30.800
						06/01/96	NC	18.700
						06/01/97	NC	8.400
						06/02/95	NC	28.500
						06/02/96	NC	16.100
						06/02/97	NC	9.200
						06/03/95	NC	17.300
						06/03/96	NC	15.300
						06/03/97	NC	7.700
						06/04/95	NC	9.100
						06/04/96	NC	14.700
						06/04/97	NC	5.400
						06/05/95	NC	13.300
						06/05/96	NC	10.800

Appendix A.1
Listing of Daily Data for A/C Directs: BAT

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	30759	SE	A	MG/L	06/05/97	NC	4.500
						06/06/95	NC	33.300
						06/06/96	NC	14.800
						06/06/97	NC	5.000
						06/07/95	NC	19.100
						06/07/96	NC	14.800
						06/07/97	NC	6.300
						06/08/95	NC	25.100
						06/08/96	NC	11.700
						06/08/97	NC	17.800
						06/09/95	NC	18.300
						06/09/96	NC	15.100
						06/09/97	NC	16.000
						06/10/95	NC	20.700
						06/10/96	NC	15.500
						06/10/97	NC	12.800
						06/11/95	NC	15.900
						06/11/96	NC	14.900
						06/11/97	NC	8.000
						06/12/95	NC	14.000
						06/12/96	NC	9.800
						06/12/97	NC	3.400
						06/13/95	NC	19.400
						06/13/96	NC	11.900
						06/13/97	NC	3.300
						06/14/95	NC	18.900
						06/14/96	NC	14.700
						06/14/97	NC	2.800
						06/15/95	NC	21.400
						06/15/96	NC	12.400
						06/15/97	NC	2.900
						06/16/95	NC	27.000
						06/16/96	NC	12.200
						06/16/97	NC	4.500
						06/17/95	NC	17.500
						06/17/96	NC	7.900
						06/17/97	NC	5.800
						06/18/95	NC	17.400
						06/18/96	NC	8.000
						06/18/97	NC	10.400
						06/19/95	NC	16.900
						06/19/96	NC	6.600
						06/19/97	NC	6.300
						06/20/95	NC	25.500
						06/20/96	NC	5.900
						06/20/97	NC	4.000
						06/21/95	NC	22.400
						06/21/96	NC	5.700
						06/21/97	NC	6.900
						06/22/95	NC	15.700
						06/22/96	NC	9.800
						06/22/97	NC	7.400
						06/23/95	NC	10.400
						06/23/96	NC	14.400
						06/23/97	NC	7.800
						06/24/95	NC	8.100
						06/24/96	NC	19.400
						06/24/97	NC	9.800

Appendix A.1
Listing of Daily Data for A/C Directs: BAT

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	30759	SE	A	MG/L	06/25/95	NC	9.900
						06/25/96	NC	24.200
						06/25/97	NC	12.800
						06/26/95	NC	13.500
						06/26/96	NC	18.800
						06/26/97	NC	8.100
						06/27/95	NC	11.800
						06/27/96	NC	17.200
						06/27/97	NC	6.500
						06/28/95	NC	22.500
						06/28/96	NC	15.900
						06/28/97	NC	11.300
						06/29/95	NC	13.200
						06/29/96	NC	10.700
						06/29/97	NC	12.200
						06/30/95	NC	9.300
						06/30/96	NC	10.800
						06/30/97	NC	11.200
						07/01/95	NC	5.000
						07/01/96	NC	15.400
						07/01/97	NC	7.400
						07/02/95	NC	4.300
						07/02/96	NC	15.200
						07/02/97	NC	4.900
						07/03/95	NC	8.000
						07/03/96	NC	10.800
						07/03/97	NC	5.500
						07/04/95	NC	12.600
						07/04/96	NC	11.400
						07/04/97	NC	5.000
						07/05/95	NC	13.600
						07/05/96	NC	13.400
						07/05/97	NC	5.500
						07/06/95	NC	9.800
						07/06/96	NC	15.300
						07/06/97	NC	5.000
						07/07/95	NC	7.700
						07/07/96	NC	12.400
						07/07/97	NC	4.700
						07/08/95	NC	5.800
						07/08/96	NC	17.300
						07/08/97	NC	3.500
						07/09/95	NC	3.400
						07/09/96	NC	20.700
						07/09/97	NC	3.300
						07/10/95	NC	4.500
						07/10/96	NC	11.700
						07/10/97	NC	5.400
						07/11/95	NC	2.600
						07/11/96	NC	18.200
						07/11/97	NC	4.100
						07/12/95	NC	2.900
						07/12/96	NC	18.400
						07/12/97	NC	1.700
						07/13/95	NC	3.600
						07/13/96	NC	18.400
						07/13/97	NC	2.600
						07/14/95	NC	3.400

Appendix A.1
Listing of Daily Data for A/C Directs: BAT

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	30759	SE	A	MG/L	07/14/96	NC	16.600
						07/14/97	NC	5.900
						07/15/95	NC	4.000
						07/15/96	NC	15.300
						07/15/97	NC	8.700
						07/16/95	NC	3.900
						07/16/96	NC	13.000
						07/16/97	NC	8.300
						07/17/95	NC	4.400
						07/17/96	NC	13.100
						07/17/97	NC	7.900
						07/18/95	NC	5.300
						07/18/96	NC	11.500
						07/18/97	NC	6.200
						07/19/95	NC	5.600
						07/19/96	NC	12.900
						07/19/97	NC	5.000
						07/20/95	NC	4.600
						07/20/96	NC	10.500
						07/20/97	NC	5.300
						07/21/96	NC	8.600
						07/21/97	NC	5.000
						07/22/96	NC	6.100
						07/22/97	NC	4.600
						07/23/95	NC	2.100
						07/23/96	NC	5.100
						07/23/97	NC	4.000
						07/24/95	NC	2.800
						07/24/96	NC	5.000
						07/24/97	NC	3.000
						07/25/95	NC	2.700
						07/25/96	NC	4.700
						07/25/97	NC	3.900
						07/26/95	NC	3.000
						07/26/96	NC	11.500
						07/26/97	NC	4.200
						07/27/95	NC	4.000
						07/27/96	NC	17.200
						07/27/97	NC	5.000
						07/28/95	NC	3.400
						07/28/96	NC	21.300
						07/28/97	NC	11.700
						07/29/95	NC	4.200
						07/29/96	NC	28.600
						07/29/97	NC	12.100
						07/30/96	NC	33.400
						07/30/97	NC	10.300
						07/31/95	NC	4.300
						07/31/96	NC	27.500
						07/31/97	NC	6.300
						08/01/95	NC	4.000
						08/01/96	NC	24.400
						08/02/95	NC	3.800
						08/02/96	NC	27.500
						08/03/95	NC	3.900
						08/03/96	NC	28.800
						08/04/95	NC	5.300
						08/04/96	NC	26.900

Appendix A.1
Listing of Daily Data for A/C Directs: BAT

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	30759	SE	A	MG/L	08/05/95	NC	5.900
						08/05/96	NC	19.300
						08/06/95	NC	6.200
						08/06/96	NC	18.600
						08/07/95	NC	7.100
						08/07/96	NC	19.200
						08/08/95	NC	6.300
						08/08/96	NC	21.000
						08/09/95	NC	10.800
						08/09/96	NC	24.800
						08/10/95	NC	8.700
						08/10/96	NC	22.100
						08/11/95	NC	11.500
						08/11/96	NC	21.300
						08/12/95	NC	8.100
						08/12/96	NC	18.300
						08/13/95	NC	7.000
						08/13/96	NC	15.100
						08/14/95	NC	7.700
						08/14/96	NC	12.200
						08/15/95	NC	9.100
						08/15/96	NC	15.800
						08/16/95	NC	9.800
						08/16/96	NC	14.800
						08/17/95	NC	5.900
						08/17/96	NC	17.100
						08/18/95	NC	7.700
						08/18/96	NC	14.400
						08/19/95	NC	9.100
						08/19/96	NC	15.000
						08/20/95	NC	9.600
						08/20/96	NC	22.100
						08/21/95	NC	10.700
						08/21/96	NC	21.300
						08/22/95	NC	8.400
						08/22/96	NC	22.900
						08/23/95	NC	7.900
						08/23/96	NC	19.900
						08/24/95	NC	6.700
						08/24/96	NC	17.600
						08/25/95	NC	6.600
						08/25/96	NC	14.100
						08/26/95	NC	8.200
						08/26/96	NC	23.700
						08/27/95	NC	10.100
						08/27/96	NC	21.900
						08/28/95	NC	9.800
						08/28/96	NC	20.700
						08/29/95	NC	15.500
						08/29/96	NC	10.700
						08/30/95	NC	8.000
						08/30/96	NC	11.600
						08/31/95	NC	7.800
						08/31/96	NC	8.700
						09/01/95	NC	12.200
						09/01/96	NC	7.400
						09/02/95	NC	10.100
						09/02/96	NC	17.900

Appendix A.1
Listing of Daily Data for A/C Directs: BAT

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	30759	SE	A	MG/L	09/03/95	NC	6.500
						09/03/96	NC	27.000
						09/04/95	NC	8.700
						09/04/96	NC	21.500
						09/05/95	NC	7.400
						09/05/96	NC	22.300
						09/06/95	NC	9.500
						09/06/96	NC	23.800
						09/07/95	NC	8.200
						09/07/96	NC	18.400
						09/08/95	NC	6.300
						09/08/96	NC	7.500
						09/09/95	NC	4.900
						09/09/96	NC	11.600
						09/10/95	NC	6.600
						09/10/96	NC	18.900
						09/11/95	NC	12.000
						09/11/96	NC	16.900
						09/12/95	NC	11.400
						09/12/96	NC	17.600
						09/13/95	NC	9.400
						09/13/96	NC	20.000
						09/14/95	NC	10.600
						09/14/96	NC	24.600
						09/15/95	NC	12.300
						09/15/96	NC	18.200
						09/16/95	NC	9.500
						09/16/96	NC	24.200
						09/17/95	NC	10.300
						09/17/96	NC	20.000
						09/18/95	NC	15.200
						09/18/96	NC	42.600
						09/19/95	NC	17.700
						09/19/96	NC	56.300
						09/20/95	NC	10.200
						09/21/95	NC	13.600
						09/22/95	NC	7.900
						09/22/96	NC	27.500
						09/23/95	NC	9.900
						09/23/96	NC	26.800
						09/24/95	NC	6.500
						09/24/96	NC	27.500
						09/25/95	NC	7.000
						09/25/96	NC	21.000
						09/26/95	NC	8.400
						09/26/96	NC	11.100
						09/27/95	NC	7.400
						09/28/95	NC	11.300
						09/29/95	NC	4.100
						09/30/95	NC	10.200
						09/30/96	NC	13.400
						10/01/95	NC	6.100
						10/01/96	NC	11.400
						10/02/95	NC	5.600
						10/02/96	NC	10.200
						10/03/95	NC	4.600
						10/03/96	NC	11.000
						10/04/95	NC	3.300

Appendix A.1
Listing of Daily Data for A/C Directs: BAT

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	30759	SE	A	MG/L	10/04/96	NC	8.800
						10/05/95	NC	3.300
						10/05/96	NC	9.100
						10/06/95	NC	4.500
						10/06/96	NC	10.800
						10/07/95	NC	3.200
						10/07/96	NC	15.600
						10/08/95	NC	7.200
						10/08/96	NC	13.900
						10/09/95	NC	8.900
						10/09/96	NC	14.900
						10/10/95	NC	10.500
						10/10/96	NC	17.200
						10/11/95	NC	10.300
						10/11/96	NC	24.700
						10/12/95	NC	10.700
						10/12/96	NC	24.100
						10/13/95	NC	6.000
						10/13/96	NC	22.800
						10/14/95	NC	5.300
						10/14/96	NC	17.100
						10/15/95	NC	5.600
						10/15/96	NC	18.900
						10/16/95	NC	7.700
						10/16/96	NC	18.100
						10/17/95	NC	11.600
						10/17/96	NC	15.200
						10/18/95	NC	5.700
						10/18/96	NC	14.100
						10/19/95	NC	12.400
						10/19/96	NC	14.700
						10/20/96	NC	10.900
						10/21/96	NC	10.600
						10/22/95	NC	15.700
						10/22/96	NC	11.200
						10/23/95	NC	21.200
						10/23/96	NC	9.100
						10/24/95	NC	31.400
						10/24/96	NC	10.400
						10/25/96	NC	12.400
						10/26/96	NC	16.200
						10/27/95	NC	11.100
						10/27/96	NC	13.400
						10/28/95	NC	6.100
						10/28/96	NC	10.700
						10/29/95	NC	4.900
						10/29/96	NC	16.600
						10/30/95	NC	10.200
						10/30/96	NC	19.000
						10/31/95	NC	11.200
						10/31/96	NC	18.900
						11/01/95	NC	9.500
						11/01/96	NC	10.600
						11/02/95	NC	8.800
						11/02/96	NC	7.800
						11/03/95	NC	7.900
						11/03/96	NC	3.500
						11/04/95	NC	5.800

Appendix A.1
Listing of Daily Data for A/C Directs: BAT

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	30759	SE	A	MG/L	11/04/96	NC	6.900
						11/05/95	NC	6.900
						11/05/96	NC	9.300
						11/06/95	NC	6.700
						11/06/96	NC	11.200
						11/07/95	NC	9.200
						11/07/96	NC	16.000
						11/08/95	NC	11.900
						11/08/96	NC	25.300
						11/09/95	NC	10.400
						11/09/96	NC	29.200
						11/10/95	NC	19.200
						11/10/96	NC	33.000
						11/11/95	NC	10.500
						11/11/96	NC	47.100
						11/12/95	NC	9.100
						11/12/96	NC	61.600
						11/13/95	NC	9.200
						11/14/95	NC	9.800
						11/15/95	NC	10.500
						11/16/95	NC	10.300
						11/16/96	NC	11.500
						11/17/95	NC	7.600
						11/17/96	NC	6.500
						11/18/95	NC	10.500
						11/18/96	NC	15.900
						11/19/95	NC	11.600
						11/19/96	NC	16.900
						11/20/95	NC	7.100
						11/21/95	NC	13.800
						11/21/96	NC	7.500
						11/22/95	NC	14.200
						11/22/96	NC	4.800
						11/23/95	NC	14.900
						11/23/96	NC	4.500
						11/24/95	NC	10.800
						11/24/96	NC	6.900
						11/25/95	NC	13.200
						11/25/96	NC	7.400
						11/26/95	NC	12.600
						11/26/96	NC	4.900
						11/27/95	NC	14.500
						11/27/96	NC	7.700
						11/28/95	NC	11.200
						11/28/96	NC	6.800
						11/29/95	NC	11.000
						11/30/95	NC	9.000
						11/30/96	NC	18.600
						12/01/95	NC	10.100
						12/01/96	NC	23.500
						12/02/96	NC	27.700
						12/03/95	NC	5.400
						12/03/96	NC	34.900
						12/04/95	NC	43.900
						12/04/96	NC	29.300
						12/05/96	NC	32.400
						12/06/96	NC	29.500
						12/07/96	NC	19.500

Appendix A.1
Listing of Daily Data for A/C Directs: BAT

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	30759	SE	A	MG/L	12/08/95	NC	5.100
						12/08/96	NC	12.400
						12/09/95	NC	3.200
						12/09/96	NC	34.500
						12/10/95	NC	5.400
						12/10/96	NC	42.100
						12/11/95	NC	8.300
						12/12/95	NC	11.000
						12/12/96	NC	27.300
						12/13/95	NC	9.400
						12/13/96	NC	24.900
						12/14/95	NC	12.300
						12/14/96	NC	25.000
						12/15/95	NC	8.500
						12/15/96	NC	26.600
						12/16/95	NC	10.600
						12/16/96	NC	29.500
						12/17/95	NC	18.300
						12/17/96	NC	18.300
						12/18/95	NC	32.300
						12/18/96	NC	12.500
						12/19/96	NC	18.200
						12/20/96	NC	19.100
						12/21/96	NC	17.500
						12/22/96	NC	16.200
						12/23/96	NC	19.700
						12/24/96	NC	19.700
						12/25/95	NC	22.800
						12/25/96	NC	4.100
						12/26/95	NC	26.500
						12/26/96	NC	8.000
						12/27/95	NC	26.500
						12/27/96	NC	24.400
						12/28/95	NC	15.900
						12/28/96	NC	14.000
						12/29/95	NC	21.300
						12/30/95	NC	29.800
						12/30/96	NC	14.100
						12/31/95	NC	23.800
AMMONIA	7664417	31040	FC	A	MG/L	01/02/94	ND	0.030
						01/02/97	ND	0.030
						01/03/95	ND	0.030
						01/04/94	ND	0.030
						01/04/96	NC	2.000
						01/05/95	ND	0.030
						01/05/97	ND	0.030
						01/07/96	NC	2.000
						01/07/97	NC	1.000
						01/08/95	ND	0.030
						01/09/94	ND	0.030
						01/09/96	NC	3.000
						01/09/97	NC	22.000
						01/10/95	ND	0.030
						01/11/94	ND	0.030
						01/11/96	NC	6.000

Appendix A.1
Listing of Daily Data for A/C Directs: BAT

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	31040	FC	A	MG/L	01/12/95	ND	0.030
						01/12/97	NC	48.000
						01/14/96	NC	4.000
						01/14/97	NC	41.000
						01/15/95	ND	0.030
						01/16/94	ND	0.030
						01/16/96	NC	7.000
						01/16/97	NC	27.000
						01/17/95	ND	0.030
						01/18/94	ND	0.030
						01/18/96	NC	6.000
						01/19/95	ND	0.030
						01/19/97	NC	4.000
						01/21/96	NC	4.000
						01/21/97	NC	2.000
						01/22/95	ND	0.030
						01/23/94	NC	1.000
						01/23/96	NC	4.000
						01/24/95	NC	12.000
						01/25/94	ND	0.030
						01/25/96	NC	4.000
						01/26/97	NC	3.000
						01/28/96	NC	6.000
						01/28/97	NC	2.000
						01/29/95	NC	22.000
						01/30/94	ND	0.030
						01/30/96	NC	6.000
						01/31/95	NC	5.000
						02/01/94	NC	1.000
						02/01/96	NC	4.000
						02/02/95	NC	4.000
						02/02/97	NC	7.000
						02/04/96	NC	4.000
						02/04/97	NC	6.000
						02/05/95	NC	4.000
						02/06/94	NC	53.000
						02/06/96	NC	5.000
						02/06/97	NC	5.000
						02/07/95	NC	4.000
						02/08/94	NC	75.000
						02/08/96	NC	8.000
						02/09/95	NC	7.000
						02/09/97	NC	6.000
						02/11/96	NC	11.000
						02/11/97	NC	7.000
						02/12/95	NC	2.000
						02/13/94	NC	95.000
						02/13/96	NC	13.000
						02/13/97	NC	5.000
						02/14/95	NC	4.000
						02/15/94	NC	90.000
						02/15/96	NC	32.000
						02/16/97	NC	5.000
						02/17/94	NC	71.000
						02/18/96	NC	20.000
						02/18/97	NC	5.000

Appendix A.1
Listing of Daily Data for A/C Directs: BAT

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	31040	FC	A	MG/L	02/19/95	NC	2.000
						02/19/96	NC	22.000
						02/20/94	NC	13.000
						02/20/96	NC	34.000
						02/20/97	NC	7.000
						02/21/95	NC	3.000
						02/21/96	NC	54.000
						02/22/94	NC	8.000
						02/22/96	NC	89.000
						02/23/95	NC	12.000
						02/23/97	NC	7.000
						02/24/94	NC	15.000
						02/25/96	NC	67.000
						02/25/97	NC	6.000
						02/26/95	NC	6.000
						02/27/94	NC	4.000
						02/27/96	NC	78.000
						02/27/[illegible]	NC	8.000
						02/28/95	NC	4.000
						02/29/96	NC	79.000
						03/01/94	NC	2.000
						03/02/95	NC	4.000
						03/02/97	NC	5.000
						03/03/94	NC	5.000
						03/03/96	NC	87.000
						03/04/97	NC	5.000
						03/05/95	NC	2.000
						03/05/96	NC	95.000
						03/06/94	NC	2.000
						03/06/97	NC	6.000
						03/07/95	NC	3.000
						03/07/96	NC	103.000
						03/08/94	NC	3.000
						03/09/95	NC	4.000
						03/09/97	NC	4.000
						03/10/94	NC	5.000
						03/10/96	NC	117.000
						03/11/97	NC	3.000
						03/12/95	NC	4.000
						03/12/96	NC	61.000
						03/13/94	NC	5.000
						03/13/97	NC	3.000
						03/14/95	NC	5.000
						03/14/96	NC	39.000
						03/15/94	NC	4.000
						03/16/95	NC	7.000
						03/16/97	NC	6.000
						03/17/94	NC	5.000
						03/17/96	NC	19.000
						03/18/97	NC	5.000
						03/19/95	NC	8.000
						03/19/96	NC	19.000
						03/20/94	NC	2.000
						03/20/97	NC	8.000
						03/21/95	NC	12.000
						03/21/96	NC	18.000
						03/22/94	NC	4.000
						03/23/95	NC	28.000

Appendix A.1
Listing of Daily Data for A/C Directs: BAT

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	31040	FC	A	MG/L	03/23/97	NC	15.000
						03/24/94	NC	1.000
						03/24/96	NC	19.000
						03/25/97	NC	25.000
						03/26/95	NC	49.000
						03/26/96	NC	18.000
						03/27/94	ND	0.030
						03/27/97	NC	36.000
						03/28/95	NC	71.000
						03/28/96	NC	22.000
						03/29/94	ND	0.030
						03/30/95	NC	101.000
						03/30/97	NC	9.000
						03/31/94	NC	3.000
						03/31/96	NC	22.000
						04/01/97	NC	4.000
						04/02/95	NC	129.000
						04/02/96	NC	7.000
						04/03/97	NC	5.000
						04/04/95	NC	151.000
						04/04/96	NC	21.000
						04/05/94	ND	0.030
						04/06/95	NC	126.000
						04/06/97	NC	7.000
						04/07/94	ND	0.030
						04/07/96	NC	14.000
						04/08/97	NC	7.000
						04/09/95	NC	105.000
						04/09/96	NC	15.000
						04/10/94	ND	0.030
						04/10/97	NC	8.000
						04/11/95	NC	70.000
						04/11/96	NC	10.000
						04/12/94	ND	0.030
						04/13/95	NC	44.000
						04/13/97	NC	5.000
						04/14/94	ND	0.030
						04/14/96	ND	0.030
						04/15/97	NC	4.000
						04/16/96	ND	0.030
						04/17/94	ND	0.030
						04/17/96	ND	0.030
						04/17/97	NC	6.000
						04/18/95	NC	14.000
						04/19/94	NC	1.000
						04/20/95	NC	14.000
						04/20/97	NC	5.000
						04/21/94	NC	3.000
						04/21/96	NC	1.000
						04/22/97	NC	6.000
						04/23/95	NC	21.000
						04/23/96	NC	5.000
						04/24/94	NC	2.000
						04/24/97	NC	7.000
						04/25/95	NC	28.000
						04/25/96	NC	1.000
						04/26/94	NC	3.000
						04/27/95	NC	52.000

Appendix A.1
Listing of Daily Data for A/C Directs: BAT

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	31040	FC	A	MG/L	04/27/97	NC	11.000
						04/28/94	NC	4.000
						04/28/96	NC	1.000
						04/29/97	NC	14.000
						04/30/95	NC	46.000
						04/30/96	ND	0.030
						05/01/94	ND	0.030
						05/01/97	NC	30.000
						05/02/96	ND	0.030
						05/03/94	ND	0.030
						05/04/97	NC	43.000
						05/05/94	ND	0.030
						05/05/96	NC	1.000
						05/06/97	NC	77.000
						05/07/95	NC	21.000
						05/07/96	NC	27.000
						05/08/94	NC	1.000
						05/08/97	NC	78.000
						05/09/95	NC	22.000
						05/09/96	NC	4.000
						05/10/94	NC	1.000
						05/11/95	NC	18.000
						05/11/97	NC	90.000
						05/12/94	NC	2.000
						05/12/96	ND	0.030
						05/13/97	NC	126.000
						05/14/95	NC	12.000
						05/14/96	ND	0.030
						05/15/94	NC	1.000
						05/15/97	NC	150.000
						05/16/95	NC	10.000
						05/16/96	ND	0.030
						05/17/94	ND	0.030
						05/18/95	NC	11.000
						05/18/97	NC	162.000
						05/19/94	ND	0.030
						05/19/96	NC	1.000
						05/21/95	NC	13.000
						05/21/96	NC	1.000
						05/22/94	NC	17.000
						05/23/95	NC	11.000
						05/23/96	ND	0.030
						05/24/94	NC	2.000
						05/25/95	NC	8.000
						05/26/94	NC	2.000
						05/28/96	ND	0.030
						05/30/95	NC	10.000
						05/30/96	ND	0.030
						05/31/94	ND	0.030
						06/01/95	NC	13.000
						06/02/94	ND	0.030
						06/02/96	ND	0.030
						06/03/97	NC	39.000
						06/04/95	NC	12.000
						06/04/96	NC	2.000
						06/05/94	NC	2.000
						06/05/97	NC	47.000
						06/06/95	NC	12.000

Appendix A.1
Listing of Daily Data for A/C Directs: BAT

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	31040	FC	A	MG/L	06/06/96	NC	1.000
						06/07/94	ND	0.030
						06/08/95	NC	16.000
						06/08/97	NC	40.000
						06/09/94	NC	1.000
						06/09/96	ND	0.030
						06/10/97	NC	33.000
						06/11/95	NC	13.000
						06/11/96	ND	0.030
						06/12/94	ND	0.030
						06/12/97	NC	34.000
						06/13/95	NC	10.000
						06/13/96	NC	1.000
						06/14/94	ND	0.030
						06/15/95	NC	55.000
						06/15/97	NC	28.000
						06/16/94	ND	0.030
						06/16/96	ND	0.030
						06/18/96	NC	1.000
						06/19/94	NC	1.000
						06/19/97	NC	43.000
						06/20/96	NC	9.000
						06/21/94	ND	0.030
						06/22/95	NC	76.000
						06/23/94	ND	0.030
						06/23/96	ND	0.030
						06/24/97	NC	25.000
						06/25/95	NC	83.000
						06/25/96	NC	1.000
						06/26/94	ND	0.030
						06/26/95	NC	84.000
						06/26/97	NC	20.000
						06/27/95	NC	80.000
						06/27/96	NC	3.000
						06/28/94	ND	0.030
						06/28/95	NC	63.000
						06/29/95	NC	62.000
						06/29/97	NC	56.000
						06/30/94	NC	1.000
						06/30/96	NC	2.000
						07/02/96	NC	4.000
						07/04/95	NC	42.000
						07/05/94	ND	0.030
						07/05/95	NC	21.000
						07/06/95	NC	11.000
						07/07/94	ND	0.030
						07/07/96	ND	0.030
						07/08/97	NC	30.000
						07/09/95	NC	6.000
						07/09/96	NC	2.000
						07/10/94	ND	0.030
						07/10/95	NC	5.000
						07/11/95	NC	4.000
						07/11/96	NC	3.000
						07/12/94	ND	0.030
						07/12/95	NC	4.000
						07/13/95	NC	4.000
						07/13/97	NC	10.000

Appendix A.1
Listing of Daily Data for A/C Directs: BAT

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	31040	FC	A	MG/L	07/14/94	ND	0.030
						07/14/96	NC	1.000
						07/16/95	NC	4.000
						07/16/96	NC	3.000
						07/17/94	ND	0.030
						07/17/95	NC	3.000
						07/17/97	NC	4.000
						07/18/95	NC	1.000
						07/18/96	NC	5.000
						07/19/94	ND	0.030
						07/20/95	NC	4.000
						07/20/97	NC	6.000
						07/21/94	ND	0.030
						07/21/96	NC	1.000
						07/22/97	NC	7.000
						07/23/95	NC	2.000
						07/23/96	ND	0.030
						07/24/94	ND	0.030
						07/24/97	NC	5.000
						07/25/95	NC	2.000
						07/25/96	NC	3.000
						07/26/94	NC	1.000
						07/27/95	NC	3.000
						07/27/97	NC	5.000
						07/28/94	ND	0.030
						07/28/96	NC	3.000
						07/29/97	NC	11.000
						07/30/96	NC	5.000
						07/31/94	ND	0.030
						07/31/97	NC	4.000
						08/01/96	NC	10.000
						08/02/94	ND	0.030
						08/03/97	NC	9.000
						08/04/94	ND	0.030
						08/04/96	NC	19.000
						08/06/95	NC	11.000
						08/06/96	NC	16.000
						08/07/94	ND	0.030
						08/08/95	NC	12.000
						08/08/96	NC	23.000
						08/09/94	ND	0.030
						08/10/95	NC	7.000
						08/10/97	NC	6.000
						08/11/94	ND	0.030
						08/11/96	NC	28.000
						08/12/97	NC	3.000
						08/13/95	NC	17.000
						08/13/96	NC	23.000
						08/14/94	ND	0.030
						08/14/97	NC	5.000
						08/15/95	NC	33.000
						08/15/96	NC	27.000
						08/16/94	ND	0.030
						08/17/95	NC	25.000
						08/17/97	NC	3.000
						08/18/94	ND	0.030
						08/18/96	NC	19.000
						08/19/97	NC	1.000

Appendix A.1
Listing of Daily Data for A/C Directs: BAT

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	31040	FC	A	MG/L	08/20/95	NC	6.000
						08/20/96	NC	15.000
						08/21/94	NC	3.000
						08/21/97	NC	3.000
						08/22/95	NC	6.000
						08/22/96	NC	19.000
						08/23/94	NC	1.000
						08/24/95	NC	8.000
						08/25/94	NC	5.000
						08/25/96	NC	22.000
						08/27/95	NC	5.000
						08/28/94	NC	1.000
						08/29/95	NC	9.000
						08/29/96	NC	27.000
						08/30/94	NC	2.000
						08/31/95	NC	6.000
						09/01/94	NC	3.000
						09/03/96	NC	20.000
						09/05/95	NC	4.000
						09/05/96	NC	22.000
						09/06/94	ND	0.030
						09/07/95	NC	4.000
						09/08/96	NC	32.000
						09/10/95	NC	5.000
						09/10/96	NC	64.000
						09/11/94	ND	0.030
						09/12/95	NC	5.000
						09/12/96	NC	52.000
						09/13/94	NC	2.000
						09/14/95	NC	5.000
						09/15/94	NC	7.000
						09/15/96	NC	27.000
						09/17/95	NC	7.000
						09/17/96	NC	18.000
						09/18/94	NC	4.000
						09/19/95	NC	8.000
						09/19/96	NC	19.000
						09/20/94	NC	3.000
						09/21/95	NC	6.000
						09/22/94	NC	2.000
						09/22/96	NC	21.000
						09/24/95	NC	15.000
						09/24/96	NC	23.000
						09/25/94	NC	1.000
						09/26/95	NC	8.000
						09/26/96	NC	33.000
						09/27/94	ND	0.030
						09/28/95	NC	6.000
						09/29/94	NC	1.000
						09/29/96	NC	29.000
						10/01/95	NC	8.000
						10/01/96	NC	30.000
						10/02/94	NC	1.000
						10/03/95	NC	5.000
						10/03/96	NC	32.000
						10/04/94	NC	2.000
						10/05/95	NC	12.000
						10/06/94	NC	3.000

Appendix A.1
Listing of Daily Data for A/C Directs: BAT

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	31040	FC	A	MG/L	10/06/96	NC	6.000
						10/08/95	NC	7.000
						10/08/96	NC	3.000
						10/09/94	NC	3.000
						10/10/95	NC	4.000
						10/10/96	NC	2.000
						10/11/94	NC	5.000
						10/12/95	NC	11.000
						10/13/94	NC	3.000
						10/13/96	NC	5.000
						10/15/95	NC	21.000
						10/15/96	NC	5.000
						10/16/94	NC	4.000
						10/17/95	NC	12.000
						10/17/96	NC	23.000
						10/18/94	NC	3.000
						10/19/95	NC	7.000
						10/20/94	NC	2.000
						10/20/96	NC	5.000
						10/22/95	NC	4.000
						10/22/96	NC	3.000
						10/23/94	NC	3.000
						10/24/95	NC	5.000
						10/24/96	NC	2.000
						10/25/94	NC	3.000
						10/26/95	NC	5.000
						10/27/94	NC	6.000
						10/27/96	NC	3.000
						10/29/95	NC	5.000
						10/29/96	NC	3.000
						10/30/94	NC	2.000
						10/31/95	NC	4.000
						10/31/96	NC	2.000
						11/01/94	NC	2.000
						11/02/95	NC	5.000
						11/03/94	NC	2.000
						11/03/96	NC	1.000
						11/05/95	NC	4.000
						11/05/96	NC	2.000
						11/06/94	NC	3.000
						11/07/95	NC	4.000
						11/07/96	NC	4.000
						11/08/94	NC	7.000
						11/09/95	NC	16.000
						11/10/94	NC	5.000
						11/10/96	NC	4.000
						11/12/95	NC	5.000
						11/12/96	NC	14.000
						11/13/94	NC	4.000
						11/14/95	NC	4.000
						11/14/96	NC	7.000
						11/15/94	NC	4.000
						11/16/95	NC	4.000
						11/17/94	NC	9.000
						11/17/96	NC	6.000
						11/19/95	NC	5.000
						11/19/96	NC	8.000
						11/20/94	NC	5.000

Appendix A.1
Listing of Daily Data for A/C Directs: BAT

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	31040	FC	A	MG/L	11/21/95	NC	5.000
						11/21/96	NC	6.000
						11/22/94	NC	3.000
						11/24/96	NC	5.000
						11/26/95	NC	5.000
						11/26/96	NC	5.000
						11/27/94	NC	8.000
						11/28/95	NC	6.000
						11/30/95	NC	7.000
						12/01/94	NC	4.000
						12/01/96	NC	2.000
						12/03/95	NC	5.000
						12/03/96	NC	2.000
						12/04/94	NC	3.000
						12/05/95	NC	6.000
						12/05/96	NC	2.000
						12/06/94	NC	8.000
						12/07/95	NC	3.000
						12/08/94	NC	2.000
						12/08/96	NC	4.000
						12/10/95	NC	103.000
						12/10/96	NC	4.000
						12/12/95	NC	6.000
						12/12/96	NC	5.000
						12/13/94	NC	3.000
						12/14/95	NC	6.000
						12/15/94	NC	1.000
						12/15/96	NC	6.000
						12/17/95	NC	2.000
						12/18/94	NC	1.000
						12/19/95	NC	2.000
						12/19/96	NC	3.000
						12/20/94	NC	1.000
						12/21/95	NC	4.000
						12/22/94	ND	0.030
						12/22/96	NC	2.000
						12/27/95	NC	3.000

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
BOD	1-002	30010	410	A/C	MG/L	01/01/90	NC	33.00
						01/02/90	NC	58.00
						01/03/90	NC	77.00
						01/04/90	NC	77.00
						01/05/90	NC	60.00
						01/06/90	NC	54.00
						01/07/90	NC	66.00
						01/08/90	NC	60.00
						01/09/90	NC	44.00
						01/10/90	NC	67.00
						01/11/90	NC	52.00
						01/12/90	NC	31.00
						01/13/90	NC	57.00
						01/14/90	NC	67.00
						01/15/90	NC	42.00
						01/16/90	NC	56.00
						01/17/90	NC	71.00
						01/18/90	NC	64.00
						01/19/90	NC	49.00
						01/20/90	NC	52.00
						01/21/90	NC	53.00
						01/22/90	NC	86.00
						01/23/90	NC	92.00
						01/24/90	NC	84.00
						01/25/90	NC	39.00
						01/26/90	NC	84.00
						01/27/90	NC	127.00
						01/28/90	NC	92.00
						01/29/90	NC	65.00
						01/30/90	NC	61.00
						01/31/90	NC	36.00
						02/01/90	NC	49.00
						02/02/90	NC	56.00
						02/03/90	NC	71.00
						02/04/90	NC	37.00
						02/05/90	NC	64.00
						02/06/90	NC	72.00
						02/07/90	NC	50.00
						02/08/90	NC	57.00
						02/09/90	NC	44.00
						02/10/90	NC	42.00
						02/11/90	NC	54.00
						02/12/90	NC	50.00
						02/13/90	NC	41.00
						02/14/90	NC	38.00
						02/15/90	NC	47.00
						02/16/90	NC	40.00
						02/17/90	NC	33.00
						02/18/90	NC	24.00
						02/19/90	NC	19.00
						02/20/90	NC	18.00
						02/21/90	NC	16.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
BOD	1-002	30010	410	A/C	MG/L	02/22/90	NC	14.00
						02/23/90	NC	9.00
						02/24/90	NC	16.00
						02/25/90	NC	25.00
						02/26/90	NC	20.00
						02/27/90	NC	30.00
						02/28/90	NC	32.00
						03/01/90	NC	41.00
						03/02/90	NC	25.00
						03/03/90	NC	21.00
						03/04/90	NC	16.00
						03/05/90	NC	31.00
						03/06/90	NC	29.00
						03/07/90	NC	24.00
						03/08/90	NC	27.00
						03/09/90	NC	15.00
						03/10/90	NC	30.00
						03/11/90	NC	30.00
						03/12/90	NC	34.00
						03/13/90	NC	35.00
						03/14/90	NC	35.00
						03/15/90	NC	33.00
						03/16/90	NC	26.00
						03/17/90	NC	22.00
						03/19/90	NC	22.00
						03/20/90	NC	18.00
						03/21/90	NC	18.00
						03/22/90	NC	47.00
						03/23/90	NC	23.00
						03/24/90	NC	56.00
						03/25/90	NC	58.00
						03/26/90	NC	112.00
						03/27/90	NC	63.00
						03/28/90	NC	68.00
						03/29/90	NC	32.00
						03/30/90	NC	44.00
						03/31/90	NC	42.00
						04/01/90	NC	43.00
						04/02/90	NC	31.00
						04/03/90	NC	32.00
						04/04/90	NC	51.00
						04/05/90	NC	40.00
						04/06/90	NC	29.00
						04/07/90	NC	37.00
						04/08/90	NC	24.00
						04/09/90	NC	21.00
						04/10/90	NC	28.00
						04/11/90	NC	24.00
						04/12/90	NC	19.00
						04/13/90	NC	17.00
						04/14/90	NC	15.00
						04/15/90	NC	16.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
BOD	1-002	30010	410	A/C	MG/L	04/17/90	NC	19.00
						04/18/90	NC	24.00
						04/19/90	NC	25.00
						04/20/90	NC	27.00
						04/21/90	NC	26.00
						04/22/90	NC	24.00
						04/23/90	NC	31.00
						04/24/90	NC	25.00
						04/25/90	NC	28.00
						04/26/90	NC	27.00
						04/27/90	NC	31.00
						04/28/90	NC	35.00
						04/29/90	NC	74.00
						04/30/90	NC	73.00
						05/01/90	NC	94.00
						05/02/90	NC	78.00
						05/03/90	NC	37.00
						05/04/90	NC	15.00
						05/05/90	NC	15.00
						05/06/90	NC	25.00
						05/07/90	NC	24.00
						05/08/90	NC	34.00
						05/09/90	NC	45.00
						05/10/90	NC	19.00
						05/11/90	NC	16.00
						05/12/90	NC	13.00
						05/13/90	NC	21.00
						05/14/90	NC	18.00
						05/15/90	NC	17.00
						05/16/90	NC	19.00
						05/17/90	NC	16.00
						05/18/90	NC	16.00
						05/19/90	NC	22.00
						05/20/90	NC	26.00
						05/23/90	NC	38.00
						05/24/90	NC	24.00
						05/25/90	NC	17.00
						05/26/90	NC	25.00
						05/27/90	NC	26.00
						05/28/90	NC	35.00
						05/29/90	NC	52.00
						05/30/90	NC	43.00
						05/31/90	NC	25.00
						06/01/90	NC	15.00
						06/02/90	NC	31.00
						06/03/90	NC	44.00
						06/04/90	NC	40.00
						06/05/90	NC	44.00
						06/06/90	NC	56.00
						06/07/90	NC	51.00
						06/08/90	NC	31.00
						06/09/90	NC	28.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
BOD	1-002	30010	410	A/C	MG/L	06/10/90	NC	47.00
						06/11/90	NC	49.00
						06/12/90	NC	49.00
						06/13/90	NC	41.00
						06/14/90	NC	35.00
						06/15/90	NC	75.00
						06/16/90	NC	114.00
						06/17/90	NC	143.00
						06/18/90	NC	119.00
						06/19/90	NC	38.00
						06/20/90	NC	127.00
						06/21/90	NC	67.00
						06/22/90	NC	68.00
						06/23/90	NC	43.00
						06/24/90	NC	49.00
						06/25/90	NC	39.00
						06/26/90	NC	35.00
						06/27/90	NC	30.00
						06/28/90	NC	64.00
						06/29/90	NC	19.00
						06/30/90	NC	14.00
						07/01/90	NC	16.00
						07/02/90	NC	27.00
						07/03/90	NC	30.00
						07/04/90	NC	46.00
						07/05/90	NC	20.00
						07/06/90	NC	15.00
						07/07/90	NC	18.00
						07/08/90	NC	35.00
						07/09/90	NC	32.00
						07/10/90	NC	29.00
						07/11/90	NC	27.00
						07/12/90	NC	18.00
						07/13/90	NC	14.00
						07/14/90	NC	14.00
						07/15/90	NC	14.00
						07/16/90	NC	22.00
						07/17/90	NC	21.00
						07/18/90	NC	14.00
						07/19/90	NC	24.00
						07/20/90	NC	14.00
						07/21/90	NC	8.00
						07/22/90	NC	9.00
						07/27/90	NC	16.00
						07/28/90	NC	11.00
						07/29/90	NC	7.00
						07/30/90	NC	15.00
						07/31/90	NC	36.00
						08/01/90	NC	12.00
						08/02/90	NC	5.00
						08/03/90	NC	3.00
						08/04/90	NC	6.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
BOD	1-002	30010	410	A/C	MG/L	08/05/90	NC	10.00
						08/06/90	NC	11.00
						08/07/90	NC	8.00
						08/08/90	NC	7.00
						08/09/90	NC	13.00
						08/10/90	NC	36.00
						08/11/90	NC	30.00
						08/12/90	NC	20.00
						08/13/90	NC	17.00
						08/14/90	NC	15.00
						08/15/90	NC	34.00
						08/16/90	NC	29.00
						08/17/90	NC	22.00
						08/18/90	NC	48.00
						08/19/90	NC	51.00
						08/20/90	NC	44.00
						08/21/90	NC	38.00
						08/22/90	NC	37.00
						08/23/90	NC	27.00
						08/24/90	NC	20.00
						08/25/90	NC	18.00
						08/26/90	NC	34.00
						08/27/90	NC	60.00
						08/28/90	NC	48.00
						08/29/90	NC	11.00
						08/30/90	NC	16.00
						08/31/90	NC	24.00
						09/01/90	NC	30.00
						09/02/90	NC	19.00
						09/04/90	NC	22.00
						09/05/90	NC	15.00
						09/06/90	NC	10.00
						09/07/90	NC	10.00
						09/08/90	NC	10.00
						09/09/90	NC	14.00
						09/10/90	NC	25.00
						09/11/90	NC	13.00
						09/12/90	NC	15.00
						09/13/90	NC	13.00
						09/14/90	NC	17.00
						09/15/90	NC	20.00
						09/16/90	NC	21.00
						09/17/90	NC	38.00
						09/18/90	NC	73.00
						09/19/90	NC	110.00
						09/20/90	NC	174.00
						09/21/90	NC	104.00
						09/22/90	NC	56.00
						09/23/90	NC	42.00
						09/24/90	NC	48.00
						09/25/90	NC	50.00
						09/26/90	NC	49.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
BOD	1-002	30010	410	A/C	MG/L	09/27/90	NC	38.00
						09/28/90	NC	67.00
						09/29/90	NC	24.00
						09/30/90	NC	46.00
						10/01/90	NC	54.00
						10/02/90	NC	54.00
						10/03/90	NC	43.00
						10/04/90	NC	64.00
						10/05/90	NC	115.00
						10/06/90	NC	76.00
						10/07/90	NC	71.00
						10/08/90	NC	58.00
						10/09/90	NC	48.00
						10/10/90	NC	50.00
						10/11/90	NC	67.00
						10/12/90	NC	52.00
						10/13/90	NC	37.00
						10/14/90	NC	33.00
						10/15/90	NC	47.00
						10/16/90	NC	43.00
						10/17/90	NC	46.00
						10/18/90	NC	45.00
						10/19/90	NC	53.00
						10/20/90	NC	87.00
						10/21/90	NC	155.00
						10/22/90	NC	112.00
						10/23/90	NC	134.00
						10/24/90	NC	103.00
						10/25/90	NC	58.00
						10/26/90	NC	56.00
						10/27/90	NC	34.00
						10/28/90	NC	39.00
						10/29/90	NC	29.00
						10/30/90	NC	23.00
						10/31/90	NC	32.00
						11/01/90	NC	42.00
						11/02/90	NC	42.00
						11/03/90	NC	33.00
						11/04/90	NC	40.00
						11/05/90	NC	28.00
						11/06/90	NC	32.00
						11/07/90	NC	36.00
						11/08/90	NC	45.00
						11/09/90	NC	29.00
						11/10/90	NC	48.00
						11/11/90	NC	42.00
						11/12/90	NC	42.00
						11/13/90	NC	42.00
						11/14/90	NC	24.00
						11/15/90	NC	29.00
						11/16/90	NC	33.00
						11/17/90	NC	29.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
BOD	1-002	30010	410	A/C	MG/L	11/18/90	NC	14.00
						11/19/90	NC	28.00
						11/20/90	NC	26.00
						11/21/90	NC	29.00
						11/22/90	NC	42.00
						11/23/90	NC	36.00
						11/24/90	NC	35.00
						11/25/90	NC	16.00
						11/26/90	NC	35.00
						11/27/90	NC	21.00
						11/28/90	NC	26.00
						11/29/90	NC	30.00
						11/30/90	NC	29.00
						12/01/90	NC	31.00
						12/02/90	NC	17.00
						12/03/90	NC	38.00
						12/04/90	NC	38.00
						12/05/90	NC	47.00
						12/06/90	NC	58.00
						12/07/90	NC	69.00
						12/08/90	NC	38.00
						12/09/90	NC	28.00
						12/10/90	NC	90.00
						12/11/90	NC	86.00
						12/12/90	NC	66.00
						12/13/90	NC	67.00
						12/14/90	NC	61.00
						12/17/90	NC	56.00
						12/18/90	NC	92.00
						12/19/90	NC	75.00
						12/20/90	NC	59.00
						12/21/90	NC	62.00
						12/22/90	NC	45.00
						12/23/90	NC	24.00
						12/24/90	NC	32.00
						12/25/90	NC	17.00
						12/26/90	NC	30.00
						12/27/90	NC	37.00
						12/28/90	NC	45.00
						12/29/90	NC	25.00
						12/30/90	NC	45.00
						12/31/90	NC	51.00
						11/01/93	NC	43.00
						11/03/93	NC	317.00
						11/05/93	NC	116.00
						11/08/93	NC	12.00
						11/10/93	NC	10.00
						11/12/93	NC	25.00
						11/15/93	NC	41.00
						11/17/93	NC	26.00
						11/19/93	NC	11.00
						11/22/93	NC	13.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
BOD	1-002	30010	410	A/C	MG/L	11/24/93	NC	12.00
						11/26/93	NC	8.00
						11/29/93	NC	5.00
						12/01/93	NC	5.00
						12/03/93	NC	7.00
						12/06/93	NC	12.00
						12/08/93	NC	7.00
						12/10/93	NC	13.00
						12/13/93	NC	16.00
						12/15/93	NC	510.00
						12/17/93	NC	69.00
						12/20/93	NC	98.00
						12/22/93	NC	125.00
						12/24/93	NC	43.00
						12/27/93	NC	18.00
						12/29/93	NC	8.00
						12/31/93	NC	213.00
						01/03/94	NC	22.00
						01/05/94	NC	23.00
						01/07/94	NC	90.00
						01/10/94	NC	31.00
						01/12/94	NC	28.00
						01/14/94	NC	22.00
						01/17/94	NC	24.00
						01/19/94	NC	16.00
						01/21/94	NC	21.00
						01/24/94	NC	15.00
						01/26/94	NC	12.00
						01/28/94	NC	16.00
						01/31/94	NC	12.00
						02/02/94	NC	9.00
						02/04/94	NC	13.00
						02/07/94	NC	35.00
						02/09/94	NC	14.00
						02/11/94	NC	19.00
						02/14/94	NC	29.00
						02/16/94	NC	26.00
						02/18/94	NC	52.00
						02/21/94	NC	211.00
						02/23/94	NC	413.00
						02/25/94	NC	695.00
						02/28/94	NC	121.00
						03/02/94	NC	120.00
						03/04/94	NC	93.00
						03/07/94	NC	117.00
						03/09/94	NC	122.00
						03/11/94	NC	12.00
						03/14/94	NC	92.00
						03/16/94	NC	102.00
						03/18/94	NC	99.00
						03/21/94	NC	54.00
						03/23/94	NC	48.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
BOD	1-002	30010	410	A/C	MG/L	03/25/94	NC	32.00
						03/28/94	NC	18.00
						03/30/94	NC	20.00
						04/01/94	NC	45.00
						04/04/94	NC	102.00
						04/06/94	NC	66.00
						04/08/94	NC	28.00
						04/11/94	NC	14.00
						04/13/94	NC	11.00
						04/15/94	NC	19.00
						04/18/94	NC	30.00
						04/20/94	NC	34.00
						04/22/94	NC	117.00
						04/25/94	NC	191.00
						04/27/94	NC	633.00
						04/29/94	NC	127.00
						05/02/94	NC	61.00
						05/04/94	NC	27.00
						05/06/94	NC	18.00
						05/09/94	NC	14.00
						05/11/94	NC	8.00
						05/13/94	NC	6.00
						05/16/94	NC	19.00
						05/18/94	NC	68.00
						05/20/94	NC	22.00
						05/23/94	NC	28.00
						05/25/94	NC	13.00
						05/27/94	NC	25.00
						05/30/94	NC	16.00
						06/01/94	NC	60.00
						06/03/94	NC	29.00
						06/06/94	NC	29.00
						06/08/94	NC	13.00
						06/10/94	NC	16.00
						06/13/94	NC	12.00
						06/15/94	NC	16.00
						06/17/94	NC	15.00
						06/20/94	NC	21.00
						06/22/94	NC	30.00
						06/24/94	NC	21.00
						06/27/94	NC	14.00
						06/29/94	NC	16.00
						07/01/94	NC	28.00
						07/14/94	NC	11.00
						07/17/94	NC	16.00
						07/19/94	NC	54.00
						07/21/94	NC	12.00
						07/24/94	NC	35.00
						07/26/94	NC	11.00
						07/28/94	NC	23.00
						08/01/94	NC	17.00
						08/03/94	NC	14.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
BOD	1-002	30010	410	A/C	MG/L	08/05/94	NC	37.00
						08/08/94	NC	23.00
						08/11/94	NC	21.00
						08/13/94	NC	54.00
						08/16/94	NC	41.00
						08/18/94	NC	45.00
						08/19/94	NC	39.00
						08/22/94	NC	46.00
						08/24/94	NC	53.00
						08/26/94	NC	204.00
						08/29/94	NC	28.00
						08/31/94	NC	46.00
						09/02/94	NC	26.00
						09/05/94	NC	26.00
						09/07/94	NC	37.00
						09/09/94	NC	26.00
						09/14/94	NC	40.00
						09/15/94	NC	39.00
						09/16/94	NC	31.00
						09/21/94	NC	23.00
						09/22/94	NC	18.00
						09/23/94	NC	25.00
						09/28/94	NC	35.00
						09/29/94	NC	36.00
						09/30/94	NC	23.00
						10/05/94	NC	39.00
						10/06/94	NC	32.00
						10/07/94	NC	36.00
						10/12/94	NC	86.00
						10/13/94	NC	27.00
						10/14/94	NC	23.00
						10/19/94	NC	35.00
						10/20/94	NC	38.00
						10/21/94	NC	70.00
						10/26/94	NC	46.00
						10/27/94	NC	36.00
						10/28/94	NC	44.00
						11/02/94	NC	36.00
						11/03/94	NC	41.00
						11/04/94	NC	101.00
						11/09/94	NC	98.00
						11/10/94	NC	122.00
						11/11/94	NC	108.00
						11/16/94	NC	73.00
						11/17/94	NC	97.00
						11/18/94	NC	104.00
						11/23/94	NC	102.00
						11/24/94	NC	102.00
						11/25/94	NC	163.00
						11/30/94	NC	253.00
						12/01/94	NC	83.00
						12/02/94	NC	50.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
BOD	1-002	30010	410	A/C	MG/L	12/07/94	NC	57.00
						12/08/94	NC	51.00
						12/09/94	NC	85.00
						12/14/94	NC	15.00
						12/15/94	NC	220.00
						12/16/94	NC	107.00
						12/21/94	NC	81.00
						12/22/94	NC	162.00
						12/28/94	NC	33.00
						12/29/94	NC	33.00
						01/04/95	NC	21.00
						01/05/95	NC	10.00
						01/06/95	NC	16.00
						01/11/95	NC	61.00
						01/12/95	NC	102.00
						01/13/95	NC	117.00
						01/18/95	NC	52.00
						01/19/95	NC	56.00
						01/20/95	NC	90.00
						01/25/95	NC	36.00
						01/26/95	NC	21.00
						01/27/95	NC	19.00
						02/01/95	NC	8.00
						02/03/95	NC	9.00
						02/08/95	NC	15.00
						02/09/95	NC	9.00
						02/10/95	NC	7.00
						02/15/95	NC	12.00
						02/16/95	NC	7.00
						02/17/95	NC	6.00
						02/22/95	NC	11.00
						02/23/95	NC	7.00
						02/24/95	NC	6.00
						03/01/95	NC	9.00
						03/02/95	NC	15.00
						03/03/95	NC	8.00
						03/08/95	NC	18.00
						03/09/95	NC	113.00
						03/10/95	NC	130.00
						03/15/95	NC	73.00
						03/16/95	NC	58.00
						03/17/95	NC	74.00
						03/22/95	NC	16.00
						03/23/95	NC	62.00
						03/24/95	NC	67.00
						03/29/95	NC	63.00
						03/30/95	NC	30.00
						03/31/95	NC	14.00
						04/05/95	NC	21.00
						04/06/95	NC	18.00
						04/07/95	NC	14.00
						04/12/95	NC	163.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
BOD	1-002	30010	410	A/C	MG/L	04/13/95	NC	132.00
						04/14/95	NC	50.00
						04/19/95	NC	34.00
						04/20/95	NC	32.00
						04/21/95	NC	269.00
						04/26/95	NC	82.00
						04/27/95	NC	46.00
						04/28/95	NC	13.00
						05/03/95	NC	30.00
						05/04/95	NC	31.00
						05/05/95	NC	24.00
						05/10/95	NC	49.00
						05/11/95	NC	33.00
						05/12/95	NC	15.00
						05/17/95	NC	63.00
						05/18/95	NC	78.00
						05/19/95	NC	132.00
						05/24/95	NC	44.00
						05/25/95	NC	46.00
						05/26/95	NC	50.00
						06/01/95	NC	29.00
						06/02/95	NC	23.00
						06/07/95	NC	53.00
						06/08/95	NC	46.00
						06/09/95	NC	47.00
						06/14/95	NC	113.00
						06/15/95	NC	105.00
						06/16/95	NC	112.00
BOD	1-002	30540	700	A/C	MG/L	01/01/90	NC	462.55
						01/02/90	NC	132.16
						01/03/90	NC	132.16
						01/04/90	NC	121.14
						01/05/90	NC	88.11
						01/06/90	NC	143.17
						01/07/90	NC	110.13
						01/08/90	NC	132.16
						01/09/90	NC	66.08
						01/10/90	NC	143.17
						01/11/90	NC	77.09
						01/12/90	NC	66.08
						01/13/90	NC	99.12
						01/14/90	NC	66.08
						01/15/90	NC	77.09
						01/16/90	NC	44.05
						01/17/90	NC	55.07
						01/18/90	NC	44.05
						01/19/90	NC	66.08
						01/20/90	NC	99.12
						01/21/90	NC	33.04

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
BOD	1-002	30540	700	A/C	MG/L	01/22/90	NC	66.08
						01/23/90	NC	44.05
						01/24/90	NC	66.08
						01/25/90	NC	77.09
						01/26/90	NC	88.11
						01/27/90	NC	121.14
						01/28/90	NC	44.05
						01/29/90	NC	165.20
						01/30/90	NC	66.08
						01/31/90	NC	77.09
						02/01/90	NC	209.25
						02/02/90	NC	44.05
						02/03/90	NC	286.34
						02/04/90	NC	88.11
						02/05/90	NC	99.12
						02/06/90	NC	132.16
						02/07/90	NC	44.05
						02/08/90	NC	121.14
						02/09/90	NC	44.05
						02/10/90	NC	55.07
						02/11/90	NC	33.04
						02/12/90	NC	132.16
						02/13/90	NC	88.11
						02/14/90	NC	55.07
						02/15/90	NC	77.09
						02/16/90	NC	44.05
						02/17/90	NC	44.05
						02/18/90	NC	66.08
						02/19/90	NC	99.12
						02/20/90	NC	88.11
						02/21/90	NC	55.07
						02/22/90	NC	77.09
						02/23/90	NC	99.12
						02/24/90	NC	44.05
						02/25/90	NC	44.05
						02/26/90	NC	44.05
						02/27/90	NC	33.04
						02/28/90	NC	33.04
						03/01/90	NC	55.07
						03/02/90	NC	33.04
						03/03/90	NC	33.04
						03/04/90	NC	33.04
						03/05/90	NC	33.04
						03/06/90	NC	33.04
						03/07/90	NC	132.16
						03/08/90	NC	55.07
						03/09/90	NC	77.09
						03/10/90	NC	55.07
						03/11/90	NC	88.11
						03/12/90	NC	132.16

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
BOD	1-002	30540	700	A/C	MG/L	03/13/90	NC	77.09
						03/14/90	NC	176.21
						03/15/90	NC	143.17
						03/16/90	NC	132.16
						03/17/90	NC	154.18
						03/18/90	NC	99.12
						03/19/90	NC	77.09
						03/20/90	NC	77.09
						03/21/90	NC	110.13
						03/22/90	NC	99.12
						03/23/90	NC	110.13
						03/24/90	NC	99.12
						03/25/90	NC	55.07
						03/26/90	NC	110.13
						03/27/90	NC	66.08
						03/28/90	NC	132.16
						03/29/90	NC	99.12
						03/30/90	NC	110.13
						03/31/90	NC	99.12
						04/01/90	NC	88.11
						04/02/90	NC	88.11
						04/03/90	NC	99.12
						04/04/90	NC	99.12
						04/05/90	NC	77.09
						04/06/90	NC	66.08
						04/07/90	NC	66.08
						04/08/90	NC	110.13
						04/09/90	NC	66.08
						04/10/90	NC	66.08
						04/11/90	NC	77.09
						04/12/90	NC	110.13
						04/13/90	NC	110.13
						04/14/90	NC	66.08
						04/15/90	NC	88.11
						04/16/90	NC	99.12
						04/17/90	NC	88.11
						04/18/90	NC	55.07
						04/19/90	NC	88.11
						04/20/90	NC	88.11
						04/21/90	NC	55.07
						04/22/90	NC	88.11
						04/23/90	NC	143.17
						04/24/90	NC	66.08
						04/25/90	NC	209.25
						04/26/90	NC	88.11
						04/27/90	NC	132.16
						04/28/90	NC	88.11
						04/29/90	NC	88.11
						04/30/90	NC	66.08
						05/01/90	NC	44.05
						05/02/90	NC	99.12
						05/03/90	NC	44.05

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
BOD	1-002	30540	700	A/C	MG/L	05/04/90	NC	77.09
						05/05/90	NC	165.20
						05/06/90	NC	110.13
						05/07/90	NC	143.17
						05/08/90	NC	110.13
						05/09/90	NC	143.17
						05/10/90	NC	121.14
						05/11/90	NC	99.12
						05/12/90	NC	99.12
						05/13/90	NC	132.16
						05/14/90	NC	110.13
						05/15/90	NC	110.13
						05/16/90	NC	154.18
						05/17/90	NC	198.24
						05/18/90	NC	99.12
						05/19/90	NC	110.13
						05/20/90	NC	88.11
						05/21/90	NC	77.09
						05/22/90	NC	44.05
						05/23/90	NC	88.11
						05/24/90	NC	77.09
						05/25/90	NC	88.11
						05/26/90	NC	121.14
						05/27/90	NC	154.18
						05/28/90	NC	132.16
						05/29/90	NC	110.13
						05/30/90	NC	143.17
						05/31/90	NC	110.13
						06/01/90	NC	99.12
						06/02/90	NC	88.11
						06/03/90	NC	88.11
						06/04/90	NC	88.11
						06/05/90	NC	99.12
						06/06/90	NC	110.13
						06/07/90	NC	66.08
						06/08/90	NC	55.07
						06/09/90	NC	66.08
						06/10/90	NC	66.08
						06/11/90	NC	55.07
						06/12/90	NC	55.07
						06/13/90	NC	66.08
						06/14/90	NC	88.11
						06/15/90	NC	88.11
						06/16/90	NC	66.08
						06/17/90	NC	88.11
						06/18/90	NC	66.08
						06/19/90	NC	66.08
						06/20/90	NC	143.17
						06/21/90	NC	110.13
						06/22/90	NC	110.13
						06/23/90	NC	44.05
						06/24/90	NC	77.09

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
BOD	1-002	30540	700	A/C	MG/L	06/25/90	NC	33.04
						06/26/90	NC	77.09
						06/27/90	NC	44.05
						06/28/90	NC	77.09
						06/29/90	NC	99.12
						06/30/90	NC	77.09
						07/01/90	NC	77.09
						07/02/90	NC	55.07
						07/03/90	NC	55.07
						07/04/90	NC	44.05
						07/05/90	NC	88.11
						07/06/90	NC	110.13
						07/07/90	NC	77.09
						07/08/90	NC	99.12
						07/09/90	NC	132.16
						07/10/90	NC	187.22
						07/11/90	NC	121.14
						07/12/90	NC	88.11
						07/13/90	NC	66.08
						07/14/90	NC	88.11
						07/15/90	NC	55.07
						07/16/90	NC	55.07
						07/17/90	NC	44.05
						07/18/90	NC	66.08
						07/19/90	NC	110.13
						07/20/90	NC	55.07
						07/21/90	NC	88.11
						07/22/90	NC	44.05
						07/23/90	NC	44.05
						07/24/90	NC	44.05
						07/25/90	NC	66.08
						07/26/90	NC	66.08
						07/27/90	NC	66.08
						07/28/90	NC	77.09
						07/29/90	NC	66.08
						07/30/90	NC	55.07
						07/31/90	NC	55.07
						08/01/90	NC	66.08
						08/02/90	NC	55.07
						08/03/90	NC	77.09
						08/04/90	NC	55.07
						08/05/90	NC	44.05
						08/06/90	NC	132.16
						08/07/90	NC	99.12
						08/08/90	NC	55.07
						08/09/90	NC	77.09
						08/10/90	NC	143.17
						08/11/90	NC	110.13
						08/12/90	NC	22.03
						08/13/90	NC	55.07
						08/14/90	NC	66.08
						08/15/90	NC	99.12

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
BOD	1-002	30540	700	A/C	MG/L	08/16/90	NC	99.12
						08/17/90	NC	88.11
						08/18/90	NC	55.07
						08/19/90	NC	44.05
						08/20/90	NC	66.08
						08/21/90	NC	55.07
						08/22/90	NC	44.05
						08/23/90	NC	77.09
						08/24/90	NC	55.07
						08/25/90	NC	132.16
						08/26/90	NC	66.08
						08/27/90	NC	66.08
						08/28/90	NC	44.05
						08/29/90	NC	88.11
						08/30/90	NC	154.18
						08/31/90	NC	88.11
						09/01/90	NC	44.05
						09/02/90	NC	77.09
						09/03/90	NC	77.09
						09/04/90	NC	55.07
						09/05/90	NC	88.11
						09/06/90	NC	77.09
						09/07/90	NC	44.05
						09/08/90	NC	77.09
						09/09/90	NC	110.13
						09/10/90	NC	110.13
						09/11/90	NC	66.08
						09/12/90	NC	88.11
						09/13/90	NC	55.07
						09/14/90	NC	66.08
						09/15/90	NC	66.08
						09/16/90	NC	66.08
						09/17/90	NC	66.08
						09/18/90	NC	88.11
						09/19/90	NC	66.08
						09/20/90	NC	55.07
						09/21/90	NC	33.04
						09/22/90	NC	33.04
						09/23/90	NC	77.09
						09/24/90	NC	55.07
						09/25/90	NC	55.07
						09/26/90	NC	44.05
						09/27/90	NC	121.14
						09/28/90	NC	121.14
						09/29/90	NC	55.07
						09/30/90	NC	55.07
						10/01/90	NC	44.05
						10/02/90	NC	44.05
						10/03/90	NC	44.05
						10/04/90	NC	44.05
						10/05/90	NC	66.08
						10/06/90	NC	33.04

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
BOD	1-002	30540	700	A/C	MG/L	10/07/90	NC	33.04
						10/08/90	NC	33.04
						10/09/90	NC	33.04
						10/10/90	NC	66.08
						10/11/90	NC	66.08
						10/12/90	NC	88.11
						10/13/90	NC	44.05
						10/14/90	NC	77.09
						10/15/90	NC	99.12
						10/16/90	NC	77.09
						10/17/90	NC	33.04
						10/18/90	NC	143.17
						10/19/90	NC	110.13
						10/20/90	NC	88.11
						10/21/90	NC	66.08
						10/22/90	NC	231.28
						10/23/90	NC	55.07
						10/24/90	NC	99.12
						10/25/90	NC	77.09
						10/26/90	NC	66.08
						10/27/90	NC	44.05
						10/28/90	NC	77.09
						10/29/90	NC	66.08
						10/30/90	NC	88.11
						10/31/90	NC	66.08
						11/01/90	NC	66.08
						11/02/90	NC	88.11
						11/03/90	NC	154.18
						11/04/90	NC	154.18
						11/05/90	NC	99.12
						11/06/90	NC	143.17
						11/07/90	NC	198.24
						11/08/90	NC	143.17
						11/09/90	NC	132.16
						11/10/90	NC	110.13
						11/11/90	NC	88.11
						11/12/90	NC	66.08
						11/13/90	NC	66.08
						11/14/90	NC	44.05
						11/15/90	NC	66.08
						11/16/90	NC	143.17
						11/17/90	NC	55.07
						11/18/90	NC	66.08
						11/19/90	NC	66.08
						11/20/90	NC	77.09
						11/21/90	NC	99.12
						11/22/90	NC	132.16
						11/23/90	NC	33.04
						11/24/90	NC	77.09
						11/25/90	NC	77.09
						11/26/90	NC	77.09
						11/27/90	NC	99.12

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
BOD	1-002	30540	700	A/C	MG/L	11/28/90	NC	55.07
						11/29/90	NC	99.12
						11/30/90	NC	33.04
						12/01/90	NC	77.09
						12/02/90	NC	77.09
						12/03/90	NC	88.11
						12/04/90	NC	22.03
						12/05/90	NC	33.04
						12/06/90	NC	66.08
						12/07/90	NC	198.24
						12/08/90	NC	33.04
						12/09/90	NC	33.04
						12/10/90	NC	22.03
						12/11/90	NC	33.04
						12/12/90	NC	121.14
						12/13/90	NC	66.08
						12/14/90	NC	55.07
						12/15/90	NC	66.08
						12/16/90	NC	55.07
						12/17/90	NC	66.08
						12/18/90	NC	88.11
						12/19/90	NC	88.11
						12/20/90	NC	99.12
						12/21/90	NC	55.07
						12/22/90	NC	33.04
						12/23/90	NC	33.04
						12/24/90	NC	55.07
						12/25/90	NC	22.03
						12/26/90	NC	22.03
						12/27/90	NC	44.05
						12/28/90	NC	55.07
						12/29/90	NC	33.04
						12/30/90	NC	33.04
						12/31/90	NC	44.05
						01/01/91	NC	77.09
						01/02/91	NC	77.09
						01/03/91	NC	77.09
						01/04/91	NC	88.11
						01/05/91	NC	121.14
						01/06/91	NC	44.05
						01/07/91	NC	154.18
						01/08/91	NC	99.12
						01/09/91	NC	88.11
						01/10/91	NC	88.11
						01/11/91	NC	88.11
						01/12/91	NC	55.07
						01/13/91	NC	88.11
						01/14/91	NC	55.07
						01/15/91	NC	88.11
						01/16/91	NC	44.05
						01/17/91	NC	44.05
						01/18/91	NC	55.07

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
BOD	1-002	30540	700	A/C	MG/L	01/19/91	NC	33.04
						01/20/91	NC	33.04
						01/21/91	NC	99.12
						01/22/91	NC	77.09
						01/23/91	NC	33.04
						01/24/91	NC	44.05
						01/25/91	NC	132.16
						01/26/91	NC	77.09
						01/27/91	NC	66.08
						01/28/91	NC	55.07
						01/29/91	NC	66.08
						01/30/91	NC	44.05
						01/31/91	NC	22.03
						02/01/91	NC	33.04
						02/02/91	NC	22.03
						02/03/91	NC	44.05
						02/04/91	NC	33.04
						02/05/91	NC	44.05
						02/06/91	NC	88.11
						02/07/91	NC	88.11
						02/08/91	NC	110.13
						02/09/91	NC	66.08
						02/10/91	NC	88.11
						02/11/91	NC	44.05
						02/12/91	NC	44.05
						02/13/91	NC	55.07
						02/14/91	NC	55.07
						02/15/91	NC	55.07
						02/16/91	NC	55.07
						02/17/91	NC	33.04
						02/18/91	NC	33.04
						02/19/91	NC	154.18
						02/20/91	NC	66.08
						02/21/91	NC	55.07
						02/22/91	NC	66.08
						02/23/91	NC	55.07
						02/24/91	NC	44.05
						02/25/91	NC	66.08
						02/26/91	NC	33.04
						02/27/91	NC	55.07
						02/28/91	NC	33.04
						03/01/91	NC	33.04
						03/02/91	NC	99.12
						03/03/91	NC	66.08
						03/04/91	NC	55.07
						03/05/91	NC	44.05
						03/06/91	NC	44.05
						03/07/91	NC	88.11
						03/08/91	NC	55.07
						03/09/91	NC	66.08
						03/10/91	NC	88.11
						03/11/91	NC	88.11

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
BOD	1-002	30540	700	A/C	MG/L	03/12/91	NC	88.11
						03/13/91	NC	99.12
						03/14/91	NC	44.05
						03/15/91	NC	99.12
						03/16/91	NC	77.09
						03/17/91	NC	187.22
						03/18/91	NC	165.20
						03/19/91	NC	66.08
						03/20/91	NC	77.09
						03/21/91	NC	55.07
						03/22/91	NC	44.05
						03/23/91	NC	187.22
						03/24/91	NC	121.14
						03/25/91	NC	165.20
						03/26/91	NC	110.13
						03/27/91	NC	88.11
						03/28/91	NC	209.25
						03/29/91	NC	88.11
						03/30/91	NC	77.09
						03/31/91	NC	55.07
						04/01/91	NC	55.07
						04/02/91	NC	33.04
						04/03/91	NC	55.07
						04/04/91	NC	55.07
						04/05/91	NC	55.07
						04/06/91	NC	66.08
						04/07/91	NC	66.08
						04/08/91	NC	55.07
						04/09/91	NC	55.07
						04/10/91	NC	33.04
						04/11/91	NC	55.07
						04/12/91	NC	88.11
						04/13/91	NC	209.25
						04/14/91	NC	165.20
						04/15/91	NC	55.07
						04/16/91	NC	77.09
						04/17/91	NC	88.11
						04/18/91	NC	66.08
						04/19/91	NC	44.05
						04/20/91	NC	55.07
						04/21/91	NC	66.08
						04/22/91	NC	121.14
						04/23/91	NC	44.05
						04/24/91	NC	55.07
						04/25/91	NC	66.08
						04/26/91	NC	88.11
						04/27/91	NC	88.11
						04/28/91	NC	165.20
						04/29/91	NC	110.13
						04/30/91	NC	66.08
						05/01/91	NC	110.13
						05/02/91	NC	132.16

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
BOD	1-002	30540	700	A/C	MG/L	05/03/91	NC	275.33
						05/04/91	NC	88.11
						05/05/91	NC	110.13
						05/06/91	NC	550.66
						05/07/91	NC	88.11
						05/08/91	NC	66.08
						05/09/91	NC	88.11
						05/10/91	NC	88.11
						05/11/91	NC	66.08
						05/12/91	NC	44.05
						05/13/91	NC	77.09
						05/14/91	NC	77.09
						05/15/91	NC	66.08
						05/16/91	NC	110.13
						05/17/91	NC	88.11
						05/18/91	NC	66.08
						05/19/91	NC	55.07
						05/20/91	NC	44.05
						05/21/91	NC	88.11
						05/22/91	NC	99.12
						05/23/91	NC	143.17
						05/24/91	NC	110.13
						05/25/91	NC	55.07
						05/26/91	NC	88.11
						05/27/91	NC	99.12
						05/28/91	NC	99.12
						05/29/91	NC	110.13
						05/30/91	NC	132.16
						05/31/91	NC	66.08
						06/01/91	NC	88.11
						06/02/91	NC	66.08
						06/03/91	NC	66.08
						06/04/91	NC	33.04
						06/05/91	NC	33.04
						06/06/91	NC	33.04
						06/07/91	NC	44.05
						06/08/91	NC	44.05
						06/09/91	NC	99.12
						06/10/91	NC	154.18
						06/11/91	NC	132.16
						06/12/91	NC	77.09
						06/13/91	NC	143.17
						06/14/91	NC	99.12
						06/15/91	NC	55.07
						06/16/91	NC	33.04
						06/17/91	NC	55.07
						06/18/91	NC	55.07
						06/19/91	NC	44.05
						06/20/91	NC	22.03
						06/21/91	NC	33.04
						06/22/91	NC	44.05
						06/23/91	NC	44.05

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
BOD	1-002	30540	700	A/C	MG/L	06/24/91	NC	44.05
						06/25/91	NC	44.05
						06/26/91	NC	33.04
						06/27/91	NC	132.16
						06/28/91	NC	55.07
						06/29/91	NC	33.04
						06/30/91	NC	55.07
						07/01/91	NC	55.07
						07/02/91	NC	44.05
						07/03/91	NC	99.12
						07/04/91	NC	33.04
						07/05/91	NC	44.05
						07/06/91	NC	66.08
						07/07/91	NC	143.17
						07/08/91	NC	66.08
						07/09/91	NC	55.07
						07/10/91	NC	77.09
						07/11/91		66.08
						07/12/91	NC	77.09
						07/13/91	NC	55.07
						07/14/91	NC	33.04
						07/15/91	NC	77.09
						07/16/91	NC	66.08
						07/17/91	NC	143.17
						07/18/91	NC	143.17
						07/19/91	NC	88.11
						07/20/91	NC	33.04
						07/21/91	NC	22.03
						07/22/91	NC	44.05
						07/23/91	NC	33.04
						07/24/91	NC	77.09
						07/25/91	NC	33.04
						07/26/91	NC	55.07
						07/27/91	NC	66.08
						07/28/91	NC	66.08
						07/29/91	NC	33.04
						07/30/91	NC	33.04
						07/31/91	NC	44.05
						08/01/91	NC	44.05
						08/02/91	NC	33.04
						08/03/91	NC	22.03
						08/04/91	NC	11.01
						08/05/91	NC	22.03
						08/06/91	NC	22.03
						08/07/91	NC	22.03
						08/08/91	NC	22.03
						08/09/91	NC	44.05
						08/10/91	NC	44.05
						08/11/91	NC	11.01
						08/12/91	NC	22.03
						08/13/91	NC	55.07
						08/14/91	NC	33.04

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
BOD	1-002	30540	700	A/C	MG/L	08/15/91	NC	55.07
						08/16/91	NC	44.05
						08/17/91	NC	33.04
						08/18/91	NC	88.11
						08/19/91	NC	44.05
						08/20/91	NC	33.04
						08/21/91	NC	44.05
						08/22/91	NC	44.05
						08/23/91	NC	22.03
						08/24/91	NC	22.03
						08/25/91	NC	33.04
						08/26/91	NC	22.03
						08/27/91	NC	22.03
						08/28/91	NC	22.03
						08/29/91	NC	22.03
						08/30/91	NC	33.04
						08/31/91	NC	22.03
						09/01/91	NC	55.07
						09/02/91	NC	66.08
						09/03/91	NC	66.08
						09/04/91	NC	33.04
						09/05/91	NC	22.03
						09/06/91	NC	33.04
						09/07/91	NC	44.05
						09/08/91	NC	88.11
						09/09/91	NC	22.03
						09/10/91	NC	22.03
						09/11/91	NC	44.05
						09/12/91	NC	55.07
						09/13/91	NC	44.05
						09/14/91	NC	33.04
						09/15/91	NC	22.03
						09/16/91	NC	44.05
						09/17/91	NC	44.05
						09/18/91	NC	77.09
						09/19/91	NC	66.08
						09/20/91	NC	77.09
						09/21/91	NC	88.11
						09/22/91	NC	77.09
						09/23/91	NC	44.05
						09/24/91	NC	55.07
						09/25/91	NC	55.07
						09/26/91	NC	55.07
						09/27/91	NC	33.04
						09/28/91	NC	55.07
						09/29/91	NC	66.08
						09/30/91	NC	66.08
						10/01/91	NC	66.08
						10/02/91	NC	55.07
						10/03/91	NC	55.07
						10/04/91	NC	77.09
						10/05/91	NC	77.09

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
BOD	1-002	30540	700	A/C	MG/L	10/06/91	NC	55.07
						10/07/91	NC	44.05
						10/08/91	NC	110.13
						10/09/91	NC	55.07
						10/10/91	NC	55.07
						10/11/91	NC	44.05
						10/12/91	NC	77.09
						10/13/91	NC	33.04
						10/14/91	NC	44.05
						10/15/91	NC	66.08
						10/16/91	NC	44.05
						10/17/91	NC	33.04
						10/18/91	NC	66.08
						10/19/91	NC	77.09
						10/20/91	NC	121.14
						10/21/91	NC	88.11
						10/22/91	NC	198.24
						10/23/91	NC	55.07
						10/24/91	NC	66.08
						10/25/91	NC	55.07
						10/26/91	NC	55.07
						10/27/91	NC	99.12
						10/28/91	NC	110.13
						10/29/91	NC	66.08
						10/30/91	NC	55.07
						10/31/91	NC	33.04
						11/01/91	NC	33.04
						11/02/91	NC	88.11
						11/03/91	NC	22.03
						11/04/91	NC	33.04
						11/05/91	NC	66.08
						11/06/91	NC	66.08
						11/07/91	NC	88.11
						11/08/91	NC	33.04
						11/09/91	NC	110.13
						11/10/91	NC	88.11
						11/11/91	NC	77.09
						11/12/91	NC	132.16
						11/13/91	NC	55.07
						11/14/91	NC	44.05
						11/15/91	NC	44.05
						11/16/91	NC	66.08
						11/17/91	NC	66.08
						11/18/91	NC	33.04
						11/19/91	NC	110.13
						11/20/91	NC	77.09
						11/21/91	NC	66.08
						11/22/91	NC	55.07
						11/23/91	NC	66.08
						11/24/91	NC	110.13
						11/25/91	NC	77.09
						11/26/91	NC	55.07

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
BOD	1-002	30540	700	A/C	MG/L	11/27/91	NC	55.07
						11/28/91	NC	77.09
						11/29/91	NC	77.09
						11/30/91	NC	55.07
						12/01/91	NC	55.07
						12/02/91	NC	55.07
						12/03/91	NC	132.16
						12/04/91	NC	44.05
						12/05/91	NC	55.07
						12/06/91	NC	66.08
						12/07/91	NC	55.07
						12/08/91	NC	99.12
						12/09/91	NC	121.14
						12/10/91	NC	55.07
						12/11/91	NC	66.08
						12/12/91	NC	77.09
						12/13/91	NC	165.20
						12/14/91	NC	99.12
						12/15/91	NC	110.13
						12/16/91	NC	66.08
						12/17/91	NC	88.11
						12/18/91	NC	99.12
						12/19/91	NC	99.12
						12/20/91	NC	55.07
						12/21/91	NC	110.13
						12/22/91	NC	66.08
						12/23/91	NC	77.09
						12/24/91	NC	44.05
						12/25/91	NC	44.05
						12/26/91	NC	88.11
						12/27/91	NC	55.07
						12/28/91	NC	99.12
						12/29/91	NC	121.14
						12/30/91	NC	99.12
						12/31/91	NC	110.13
						01/01/92	NC	55.07
						01/02/92	NC	55.07
						01/03/92	NC	99.12
						01/04/92	NC	66.08
						01/05/92	NC	88.11
						01/06/92	NC	143.17
						01/07/92	NC	121.14
						01/08/92	NC	165.20
						01/09/92	NC	143.17
						01/10/92	NC	132.16
						01/11/92	NC	110.13
						01/12/92	NC	132.16
						01/13/92	NC	154.18
						01/14/92	NC	88.11
						01/15/92	NC	154.18
						01/17/92	NC	165.20
						01/18/92	NC	121.14

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
BOD	1-002	30540	700	A/C	MG/L	01/19/92	NC	176.21
						01/20/92	NC	143.17
						01/21/92	NC	154.18
						01/22/92	NC	209.25
						01/23/92	NC	99.12
						01/24/92	NC	110.13
						01/25/92	NC	110.13
						01/26/92	NC	176.21
						01/27/92	NC	132.16
						01/28/92	NC	110.13
						01/29/92	NC	176.21
						01/30/92	NC	176.21
						01/31/92	NC	154.18
						02/01/92	NC	154.18
						02/02/92	NC	154.18
						02/03/92	NC	154.18
						02/04/92	NC	99.12
						02/05/92	NC	132.16
						02/06/92	NC	165.20
						02/07/92	NC	176.21
						02/08/92	NC	143.17
						02/09/92	NC	187.22
						02/10/92	NC	165.20
						02/11/92	NC	143.17
						02/12/92	NC	143.17
						02/13/92	NC	264.31
						02/14/92	NC	220.26
						02/15/92	NC	242.29
						02/16/92	NC	209.25
						02/17/92	NC	220.26
						02/18/92	NC	231.28
						02/19/92	NC	165.20
						02/20/92	NC	187.22
						02/21/92	NC	154.18
						02/22/92	NC	154.18
						02/23/92	NC	187.22
						02/24/92	NC	132.16
						02/25/92	NC	275.33
						02/26/92	NC	187.22
						02/27/92	NC	209.25
						02/28/92	NC	198.24
						02/29/92	NC	264.31
						03/01/92	NC	275.33
						03/02/92	NC	165.20
						03/03/92	NC	143.17
						03/04/92	NC	187.22
						03/05/92	NC	154.18
						03/06/92	NC	209.25
						03/07/92	NC	297.35
						03/08/92	NC	176.21
						03/09/92	NC	220.26
						03/10/92	NC	220.26

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
BOD	1-002	30540	700	A/C	MG/L	03/11/92	NC	154.18
						03/12/92	NC	176.21
						03/13/92	NC	209.25
						03/14/92	NC	154.18
						03/15/92	NC	154.18
						03/16/92	NC	198.24
						03/17/92	NC	143.17
						03/18/92	NC	176.21
						03/19/92	NC	198.24
						03/20/92	NC	154.18
						03/21/92	NC	187.22
						03/22/92	NC	231.28
						03/23/92	NC	154.18
						03/24/92	NC	198.24
						03/25/92	NC	286.34
						03/26/92	NC	231.28
						03/27/92	NC	231.28
						03/28/92	NC	165.20
						03/29/92	NC	165.20
						03/30/92	NC	242.29
						03/31/92	NC	143.17
						04/01/92	NC	176.21
						04/02/92	NC	231.28
						04/03/92	NC	154.18
						04/04/92	NC	132.16
						04/05/92	NC	253.30
						04/06/92	NC	220.26
						04/07/92	NC	132.16
						04/08/92	NC	121.14
						04/09/92	NC	176.21
						04/10/92	NC	143.17
						04/11/92	NC	187.22
						04/12/92	NC	165.20
						04/13/92	NC	176.21
						04/14/92	NC	154.18
						04/15/92	NC	88.11
						04/16/92	NC	121.14
						04/17/92	NC	121.14
						04/18/92	NC	121.14
						04/19/92	NC	132.16
						04/20/92	NC	154.18
						04/21/92	NC	198.24
						04/22/92	NC	132.16
						04/23/92	NC	110.13
						04/24/92	NC	110.13
						04/25/92	NC	110.13
						04/26/92	NC	132.16
						04/27/92	NC	132.16
						04/28/92	NC	132.16
						04/29/92	NC	143.17
						04/30/92	NC	121.14
						05/01/92	NC	88.11

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
BOD	1-002	30540	700	A/C	MG/L	05/02/92	NC	99.12
						05/03/92	NC	132.16
						05/04/92	NC	154.18
						05/05/92	NC	132.16
						05/06/92	NC	121.14
						05/07/92	NC	132.16
						05/08/92	NC	176.21
						05/09/92	NC	154.18
						05/10/92	NC	253.30
						05/11/92	NC	132.16
						05/12/92	NC	110.13
						05/13/92	NC	132.16
						05/14/92	NC	165.20
						05/15/92	NC	198.24
						05/16/92	NC	121.14
						05/17/92	NC	132.16
						05/18/92	NC	110.13
						05/19/92	NC	121.14
						05/20/92	NC	154.18
						05/21/92	NC	132.16
						05/22/92	NC	187.22
						05/23/92	NC	121.14
						05/24/92	NC	198.24
						05/25/92	NC	198.24
						05/26/92	NC	231.28
						05/27/92	NC	143.17
						05/28/92	NC	121.14
						05/29/92	NC	143.17
						05/30/92	NC	110.13
						05/31/92	NC	132.16
						06/01/92	NC	99.12
						06/02/92	NC	165.20
						06/03/92	NC	154.18
						06/04/92	NC	154.18
						06/05/92	NC	110.13
						06/06/92	NC	110.13
						06/07/92	NC	132.16
						06/08/92	NC	110.13
						06/09/92	NC	110.13
						06/10/92	NC	132.16
						06/11/92	NC	110.13
						06/12/92	NC	132.16
						06/13/92	NC	132.16
						06/14/92	NC	176.21
						06/15/92	NC	154.18
						06/16/92	NC	231.28
						06/17/92	NC	231.28
						06/18/92	NC	110.13
						06/19/92	NC	132.16
						06/20/92	NC	143.17
						06/21/92	NC	121.14
						06/22/92	NC	121.14

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
BOD	1-002	30540	700	A/C	MG/L	06/23/92	NC	154.18
						06/24/92	NC	121.14
						06/25/92	NC	132.16
						06/26/92	NC	99.12
						06/27/92	NC	77.09
						06/28/92	NC	165.20
						06/29/92	NC	143.17
						06/30/92	NC	110.13
						07/02/92	NC	110.13
						07/03/92	NC	110.13
						07/04/92	NC	121.14
						07/05/92	NC	121.14
						07/06/92	NC	88.11
						07/07/92	NC	88.11
						07/08/92	NC	77.09
						07/09/92	NC	88.11
						07/10/92	NC	99.12
						07/11/92	NC	110.13
						07/12/92	NC	110.13
						07/13/92	NC	88.11
						07/14/92	NC	88.11
						07/15/92	NC	88.11
						07/16/92	NC	99.12
						07/17/92	NC	88.11
						07/18/92	NC	88.11
						07/19/92	NC	88.11
						07/20/92	NC	132.16
						07/21/92	NC	110.13
						07/22/92	NC	132.16
						07/23/92	NC	110.13
						07/24/92	NC	99.12
						07/25/92	NC	77.09
						07/26/92	NC	77.09
						07/27/92	NC	77.09
						07/28/92	NC	99.12
						07/29/92	NC	77.09
						07/30/92	NC	88.11
						07/31/92	NC	77.09
						08/01/92	NC	88.11
						08/02/92	NC	66.08
						08/03/92	NC	88.11
						08/04/92	NC	88.11
						08/05/92	NC	77.09
						08/06/92	NC	110.13
						08/07/92	NC	132.16
						08/08/92	NC	143.17
						08/09/92	NC	88.11
						08/10/92	NC	88.11
						08/11/92	NC	187.22
						08/12/92	NC	132.16
						08/13/92	NC	176.21
						08/14/92	NC	143.17

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
BOD	1-002	30540	700	A/C	MG/L	08/15/92	NC	143.17
						08/16/92	NC	275.33
						08/17/92	NC	154.18
						08/18/92	NC	132.16
						08/19/92	NC	132.16
						08/20/92	NC	110.13
						08/21/92	NC	121.14
						08/22/92	NC	121.14
						08/23/92	NC	132.16
						08/24/92	NC	121.14
						08/25/92	NC	143.17
						08/26/92	NC	121.14
						08/27/92	NC	132.16
						08/28/92	NC	154.18
						08/29/92	NC	132.16
						08/30/92	NC	165.20
						08/31/92	NC	154.18
						09/01/92	NC	176.21
						09/02/92	NC	143.17
						09/03/92	NC	143.17
						09/04/92	NC	132.16
						09/08/92	NC	440.52
						09/09/92	NC	330.39
						09/10/92	NC	242.29
						09/11/92	NC	253.30
						09/12/92	NC	286.34
						09/13/92	NC	220.26
						09/14/92	NC	176.21
						09/15/92	NC	176.21
						09/16/92	NC	154.18
						09/17/92	NC	121.14
						09/18/92	NC	132.16
						09/19/92	NC	110.13
						09/20/92	NC	132.16
						09/21/92	NC	132.16
						09/22/92	NC	132.16
						09/23/92	NC	77.09
						09/24/92	NC	99.12
						09/25/92	NC	77.09
						09/26/92	NC	44.05
						09/27/92	NC	44.05
						09/28/92	NC	66.08
						09/29/92	NC	55.07
						09/30/92	NC	66.08
						10/01/92	NC	99.12
						10/02/92	NC	88.11
						10/03/92	NC	66.08
						10/04/92	NC	88.11
						10/05/92	NC	99.12
						10/06/92	NC	77.09
						10/07/92	NC	55.07
						10/08/92	NC	66.08

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
BOD	1-002	30540	700	A/C	MG/L	10/09/92	NC	55.07
						10/10/92	NC	66.08
						10/11/92	NC	66.08
						10/12/92	NC	44.05
						10/13/92	NC	55.07
						10/14/92	NC	77.09
						10/15/92	NC	55.07
						10/16/92	NC	77.09
						10/17/92	NC	88.11
						10/18/92	NC	44.05
						10/19/92	NC	66.08
						10/20/92	NC	88.11
						10/21/92	NC	77.09
						10/22/92	NC	110.13
						10/23/92	NC	44.05
						10/24/92	NC	77.09
						10/25/92	NC	88.11
						10/26/92	NC	66.08
						10/27/92	NC	77.09
						10/28/92	NC	66.08
						10/29/92	NC	77.09
						10/30/92	NC	55.07
						10/31/92	NC	44.05
						11/01/92	NC	44.05
						11/02/92	NC	55.07
						11/03/92	NC	55.07
						11/04/92	NC	55.07
						11/05/92	NC	44.05
						11/06/92	NC	66.08
						11/07/92	NC	44.05
						11/08/92	NC	44.05
						11/09/92	NC	44.05
						11/10/92	NC	44.05
						11/11/92	NC	55.07
						11/12/92	NC	44.05
						11/13/92	NC	44.05
						11/14/92	NC	33.04
						11/15/92	NC	44.05
						11/16/92	NC	55.07
						11/17/92	NC	55.07
						11/18/92	NC	44.05
						11/19/92	NC	33.04
						11/20/92	NC	88.11
						11/21/92	NC	22.03
						11/22/92	NC	44.05
						11/23/92	NC	55.07
						11/24/92	NC	44.05
						11/25/92	NC	44.05
						11/26/92	NC	66.08
						11/27/92	NC	33.04
						11/28/92	NC	33.04
						11/29/92	NC	55.07

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
BOD	1-002	30540	700	A/C	MG/L	11/30/92	NC	77.09
						12/01/92	NC	44.05
						12/02/92	NC	55.07
						12/03/92	NC	77.09
						12/04/92	NC	44.05
						12/05/92	NC	44.05
						12/06/92	NC	66.08
						12/07/92	NC	44.05
						12/08/92	NC	44.05
						12/09/92	NC	132.16
						12/10/92	NC	66.08
						12/11/92	NC	33.04
						12/12/92	NC	55.07
						12/13/92	NC	66.08
						12/14/92	NC	44.05
						12/15/92	NC	55.07
						12/16/92	NC	44.05
						12/17/92	NC	66.08
						12/18/92	NC	44.05
						12/19/92	NC	33.04
						12/20/92	NC	55.07
						12/21/92	NC	33.04
						12/22/92	NC	55.07
						12/23/92	NC	44.05
						12/24/92	NC	55.07
						12/25/92	NC	22.03
						12/26/92	NC	11.01
						12/27/92	NC	99.12
						12/28/92	NC	99.12
						12/29/92	NC	44.05
						12/30/92	NC	44.05
						12/31/92	NC	22.03
						01/01/93	NC	11.01
						01/02/93	NC	22.03
						01/03/93	NC	33.04
						01/04/93	NC	55.07
						01/05/93	NC	55.07
						01/06/93	NC	66.08
						01/07/93	NC	77.09
						01/08/93	NC	22.03
						01/09/93	NC	44.05
						01/10/93	NC	55.07
						01/11/93	NC	44.05
						01/12/93	NC	77.09
						01/13/93	NC	66.08
						01/14/93	NC	22.03
						01/15/93	NC	22.03
						01/16/93	NC	33.04
						01/17/93	NC	33.04
						01/18/93	NC	44.05
						01/19/93	NC	44.05
						01/20/93	NC	33.04

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
BOD	1-002	30540	700	A/C	MG/L	01/21/93	NC	44.05
						01/22/93	NC	55.07
						01/23/93	NC	33.04
						01/24/93	NC	33.04
						01/25/93	NC	55.07
						01/26/93	NC	33.04
						01/27/93	NC	44.05
						01/28/93	NC	33.04
						01/29/93	NC	66.08
						01/30/93	NC	55.07
						01/31/93	NC	55.07
						02/01/93	NC	88.11
						02/02/93	NC	88.11
						02/03/93	NC	88.11
						02/04/93	NC	121.14
						02/05/93	NC	121.14
						02/06/93	NC	77.09
						02/07/93	NC	209.25
						02/08/93	NC	198.24
						02/09/93	NC	121.14
						02/10/93	NC	99.12
						02/11/93	NC	77.09
						02/12/93	NC	110.13
						02/13/93	NC	176.21
						02/14/93	NC	132.16
						02/15/93	NC	110.13
						02/16/93	NC	121.14
						02/17/93	NC	121.14
						02/18/93	NC	143.17
						02/19/93	NC	88.11
						02/20/93	NC	143.17
						02/21/93	NC	121.14
						02/22/93	NC	143.17
						02/23/93	NC	110.13
						02/24/93	NC	99.12
						02/25/93	NC	121.14
						02/26/93	NC	66.08
						02/27/93	NC	88.11
						02/28/93	NC	77.09
						03/01/93	NC	66.08
						03/02/93	NC	88.11
						03/03/93	NC	77.09
						03/04/93	NC	77.09
						03/05/93	NC	110.13
						03/06/93	NC	88.11
						03/07/93	NC	88.11
						03/08/93	NC	110.13
						03/09/93	NC	154.18
						03/10/93	NC	121.14
						03/11/93	NC	165.20
						03/12/93	NC	143.17
						03/13/93	NC	88.11

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
BOD	1-002	30540	700	A/C	MG/L	03/14/93	NC	88.11
						03/15/93	NC	88.11
						03/16/93	NC	66.08
						03/17/93	NC	88.11
						03/18/93	NC	99.12
						03/19/93	NC	55.07
						03/20/93	NC	66.08
						03/21/93	NC	110.13
						03/22/93	NC	110.13
						03/23/93	NC	66.08
						03/24/93	NC	99.12
						03/25/93	NC	99.12
						03/26/93	NC	55.07
						03/27/93	NC	110.13
						03/28/93	NC	132.16
						03/29/93	NC	77.09
						03/30/93	NC	132.16
						03/31/93	NC	132.16
						04/01/93	NC	88.11
						04/02/93	NC	88.11
						04/03/93	NC	110.13
						04/04/93	NC	88.11
						04/05/93	NC	143.17
						04/06/93	NC	77.09
						04/07/93	NC	176.21
						04/08/93	NC	242.29
						04/09/93	NC	132.16
						04/10/93	NC	88.11
						04/11/93	NC	66.08
						04/12/93	NC	77.09
						04/13/93	NC	77.09
						04/14/93	NC	88.11
						04/15/93	NC	77.09
						04/16/93	NC	132.16
						04/17/93	NC	88.11
						04/18/93	NC	110.13
						04/19/93	NC	143.17
						04/20/93	NC	110.13
						04/21/93	NC	99.12
						04/22/93	NC	121.14
						04/23/93	NC	132.16
						04/24/93	NC	88.11
						04/25/93	NC	132.16
						04/26/93	NC	88.11
						04/27/93	NC	66.08
						04/28/93	NC	77.09
						04/29/93	NC	88.11
						04/30/93	NC	66.08
						05/01/93	NC	88.11
						05/02/93	NC	99.12
						05/03/93	NC	88.11
						05/04/93	NC	132.16

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
BOD	1-002	30540	700	A/C	MG/L	05/05/93	NC	110.13
						05/06/93	NC	77.09
						05/07/93	NC	132.16
						05/08/93	NC	121.14
						05/09/93	NC	132.16
						05/10/93	NC	187.22
						05/11/93	NC	143.17
						05/12/93	NC	154.18
						05/13/93	NC	209.25
						05/14/93	NC	110.13
						05/15/93	NC	99.12
						05/16/93	NC	110.13
						05/17/93	NC	143.17
						05/18/93	NC	132.16
						05/19/93	NC	99.12
						05/20/93	NC	132.16
						05/21/93	NC	143.17
						05/22/93	NC	110.[illegible]
						05/23/93	NC	110.13
						05/24/93	NC	121.14
						05/25/93	NC	99.12
						05/26/93	NC	110.13
						05/27/93	NC	88.11
						05/28/93	NC	121.14
						05/29/93	NC	176.21
						05/30/93	NC	132.16
						05/31/93	NC	99.12
						06/01/93	NC	132.16
						06/02/93	NC	99.12
						06/03/93	NC	88.11
						06/04/93	NC	88.11
						06/05/93	NC	66.08
						06/06/93	NC	88.11
						06/07/93	NC	77.09
						06/08/93	NC	88.11
						06/09/93	NC	88.11
						06/10/93	NC	99.12
						06/11/93	NC	88.11
						06/12/93	NC	66.08
						06/13/93	NC	66.08
						06/14/93	NC	77.09
						06/15/93	NC	88.11
						06/16/93	NC	66.08
						06/17/93	NC	55.07
						06/18/93	NC	165.20
						06/19/93	NC	132.16
						06/20/93	NC	99.12
						06/21/93	NC	77.09
						06/22/93	NC	154.18
						06/23/93	NC	121.14
						06/24/93	NC	88.11
						06/25/93	NC	132.16

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
BOD	1-002	30540	700	A/C	MG/L	06/26/93	NC	55.07
						06/27/93	NC	110.13
						06/28/93	NC	66.08
						06/29/93	NC	110.13
						06/30/93	NC	121.14
						07/01/93	NC	99.12
						07/02/93	NC	110.13
						07/03/93	NC	110.13
						07/04/93	NC	132.16
						07/05/93	NC	66.08
						07/06/93	NC	77.09
						07/07/93	NC	88.11
						07/08/93	NC	143.17
						07/09/93	NC	88.11
						07/10/93	NC	55.07
						07/11/93	NC	88.11
						07/12/93	NC	66.08
						07/13/93	NC	88.11
						07/14/93	NC	66.08
						07/15/93	NC	99.12
						07/16/93	NC	55.07
						07/17/93	NC	44.05
						07/18/93	NC	77.09
						07/19/93	NC	220.26
						07/20/93	NC	55.07
						07/21/93	NC	33.04
						07/22/93	NC	66.08
						07/23/93	NC	66.08
						07/24/93	NC	44.05
						07/25/93	NC	99.12
						07/26/93	NC	88.11
						07/27/93	NC	55.07
						07/28/93	NC	77.09
						07/29/93	NC	44.05
						07/30/93	NC	44.05
						07/31/93	NC	66.08
						08/01/93	NC	66.08
						08/02/93	NC	121.14
						08/03/93	NC	55.07
						08/04/93	NC	77.09
						08/05/93	NC	77.09
						08/06/93	NC	33.04
						08/07/93	NC	66.08
						08/08/93	NC	44.05
						08/09/93	NC	77.09
						08/10/93	NC	99.12
						08/11/93	NC	66.08
						08/12/93	NC	77.09
						08/13/93	NC	88.11
						08/14/93	NC	88.11
						08/15/93	NC	77.09
						08/16/93	NC	187.22

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
BOD	1-002	30540	700	A/C	MG/L	08/17/93	NC	99.12
						08/18/93	NC	99.12
						08/19/93	NC	88.11
						08/20/93	NC	88.11
						08/21/93	NC	99.12
						08/23/93	NC	77.09
						08/24/93	NC	110.13
						08/25/93	NC	231.28
						08/26/93	NC	121.14
						08/27/93	NC	154.18
						08/28/93	NC	121.14
						08/29/93	NC	132.16
						08/30/93	NC	154.18
						08/31/93	NC	132.16
						09/01/93	NC	165.20
						09/02/93	NC	99.12
						09/03/93	NC	154.18
						09/04/93	NC	66.08
						09/05/93	NC	99.12
						09/06/93	NC	88.11
						09/07/93	NC	88.11
						09/08/93	NC	143.17
						09/09/93	NC	88.11
						09/10/93	NC	66.08
						09/11/93	NC	77.09
						09/12/93	NC	66.08
						09/13/93	NC	66.08
						09/14/93	NC	66.08
						09/15/93	NC	55.07
						09/16/93	NC	66.08
						09/17/93	NC	77.09
						09/18/93	NC	66.08
						09/19/93	NC	66.08
						09/20/93	NC	66.08
						09/21/93	NC	66.08
						09/22/93	NC	88.11
						09/23/93	NC	99.12
						09/24/93	NC	143.17
						09/25/93	NC	110.13
						09/26/93	NC	55.07
						09/27/93	NC	55.07
						09/28/93	NC	44.05
						09/29/93	NC	55.07
						09/30/93	NC	55.07
						10/01/93	NC	66.08
						10/02/93	NC	55.07
						10/03/93	NC	44.05
						10/04/93	NC	44.05
						10/05/93	NC	33.04
						10/06/93	NC	44.05
						10/07/93	NC	44.05
						10/08/93	NC	44.05

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
BOD	1-002	30540	700	A/C	MG/L	10/09/93	NC	33.04
						10/10/93	NC	44.05
						10/11/93	NC	55.07
						10/12/93	NC	55.07
						10/13/93	NC	44.05
						10/14/93	NC	44.05
						10/15/93	NC	44.05
						10/16/93	NC	33.04
						10/17/93	NC	33.04
						10/18/93	NC	55.07
						10/19/93	NC	44.05
						10/20/93	NC	44.05
						10/21/93	NC	33.04
						10/22/93	NC	55.07
						10/23/93	NC	66.08
						10/24/93	NC	33.04
						10/25/93	NC	22.03
						10/26/93	NC	33.04
						10/27/93	NC	33.04
						10/28/93	NC	22.03
						10/29/93	NC	22.03
						10/30/93	NC	22.03
						10/31/93	NC	22.03
						11/01/93	NC	44.05
						11/02/93	NC	33.04
						11/03/93	NC	44.05
						11/04/93	NC	33.04
						11/05/93	NC	44.05
						11/06/93	NC	55.07
						11/07/93	NC	55.07
						11/08/93	NC	44.05
						11/09/93	NC	44.05
						11/10/93	NC	66.08
						11/11/93	NC	66.08
						11/12/93	NC	66.08
						11/13/93	NC	33.04
						11/14/93	NC	99.12
						11/15/93	NC	99.12
						11/16/93	NC	99.12
						11/17/93	NC	110.13
						11/18/93	NC	77.09
						11/19/93	NC	55.07
						11/20/93	NC	66.08
						11/21/93	NC	66.08
						11/22/93	NC	55.07
						11/23/93	NC	55.07
						11/24/93	NC	66.08
						11/25/93	NC	66.08
						11/26/93	NC	77.09
						11/27/93	NC	77.09
						11/28/93	NC	66.08
						11/29/93	NC	55.07

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
BOD	1-002	30540	700	A/C	MG/L	11/30/93	NC	88.11
						12/01/93	NC	99.12
						12/02/93	NC	77.09
						12/03/93	NC	66.08
						12/04/93	NC	77.09
						12/05/93	NC	99.12
						12/06/93	NC	66.08
						12/07/93	NC	66.08
						12/08/93	NC	66.08
						12/09/93	NC	66.08
						12/10/93	NC	88.11
						12/11/93	NC	66.08
						12/12/93	NC	66.08
						12/13/93	NC	121.14
						12/14/93	NC	77.09
						12/15/93	NC	66.08
						12/16/93	NC	66.08
						12/17/93	NC	55.07
						12/18/93	NC	77.09
						12/19/93	NC	77.09
						12/20/93	NC	88.11
						12/21/93	NC	88.11
						12/22/93	NC	44.05
						12/23/93	NC	55.07
						12/24/93	NC	44.05
						12/25/93	NC	44.05
						12/26/93	NC	22.03
						12/27/93	NC	33.04
						12/28/93	NC	22.03
						12/29/93	NC	33.04
						12/30/93	NC	77.09
						12/31/93	NC	55.07
						01/01/94	NC	55.07
						01/02/94	NC	66.08
						01/03/94	NC	55.07
						01/04/94	NC	55.07
						01/05/94	NC	33.04
						01/06/94	NC	44.05
						01/07/94	NC	44.05
						01/08/94	NC	55.07
						01/09/94	NC	33.04
						01/10/94	NC	44.05
						01/11/94	NC	110.13
						01/12/94	NC	143.17
						01/13/94	NC	88.11
						01/14/94	NC	66.08
						01/15/94	NC	88.11
						01/16/94	NC	110.13
						01/17/94	NC	121.14
						01/18/94	NC	121.14
						01/19/94	NC	121.14
						01/20/94	NC	77.09

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
BOD	1-002	30540	700	A/C	MG/L	01/21/94	NC	55.07
						01/22/94	NC	55.07
						01/23/94	NC	44.05
						01/24/94	NC	44.05
						01/25/94	NC	22.03
						01/26/94	NC	11.01
						01/27/94	NC	44.05
						01/28/94	NC	55.07
						01/29/94	NC	55.07
						01/30/94	NC	55.07
						01/31/94	NC	66.08
						02/01/94	NC	110.13
						02/02/94	NC	132.16
						02/03/94	NC	132.16
						02/04/94	NC	132.16
						02/05/94	NC	143.17
						02/06/94	NC	154.18
						02/07/94	NC	198.24
						02/08/94	NC	209.25
						02/09/94	NC	242.29
						02/10/94	NC	231.28
						02/11/94	NC	198.24
						02/12/94	NC	242.29
						02/13/94	NC	198.24
						02/14/94	NC	154.18
						02/15/94	NC	143.17
						02/16/94	NC	187.22
						02/17/94	NC	99.12
						02/18/94	NC	88.11
						02/19/94	NC	77.09
						02/20/94	NC	77.09
						02/21/94	NC	88.11
						02/22/94	NC	99.12
						02/23/94	NC	110.13
						02/24/94	NC	110.13
						02/25/94	NC	88.11
						02/26/94	NC	110.13
						02/27/94	NC	121.14
						02/28/94	NC	121.14
						03/01/94	NC	165.20
						03/02/94	NC	154.18
						03/03/94	NC	110.13
						03/04/94	NC	99.12
						03/05/94	NC	77.09
						03/06/94	NC	88.11
						03/07/94	NC	77.09
						03/08/94	NC	99.12
						03/09/94	NC	154.18
						03/10/94	NC	110.13
						03/11/94	NC	143.17
						03/12/94	NC	132.16
						03/13/94	NC	154.18

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
BOD	1-002	30540	700	A/C	MG/L	03/14/94	NC	209.25
						03/15/94	NC	165.20
						03/16/94	NC	176.21
						03/17/94	NC	209.25
						03/18/94	NC	242.29
						03/19/94	NC	286.34
						03/20/94	NC	253.30
						03/21/94	NC	264.31
						03/24/94	NC	264.31
						03/25/94	NC	341.41
						03/26/94	NC	352.42
						03/27/94	NC	275.33
						03/28/94	NC	264.31
						03/29/94	NC	253.30
						03/30/94	NC	220.26
						03/31/94	NC	154.18
						04/01/94	NC	154.18
						04/02/94	NC	176.21
						04/03/94	NC	176.21
						04/04/94	NC	209.25
						04/05/94	NC	198.24
						04/06/94	NC	198.24
						04/07/94	NC	143.17
						04/08/94	NC	121.14
						04/09/94	NC	110.13
						04/10/94	NC	121.14
						04/11/94	NC	132.16
						04/12/94	NC	121.14
						04/13/94	NC	132.16
						04/14/94	NC	132.16
						04/15/94	NC	110.13
						04/16/94	NC	110.13
						04/17/94	NC	121.14
						04/18/94	NC	154.18
						04/19/94	NC	143.17
						04/20/94	NC	110.13
						04/21/94	NC	77.09
						04/22/94	NC	99.12
						04/23/94	NC	77.09
						04/24/94	NC	99.12
						04/25/94	NC	121.14
						04/26/94	NC	110.13
						04/27/94	NC	132.16
						04/28/94	NC	154.18
						04/29/94	NC	165.20
						04/30/94	NC	165.20
						05/01/94	NC	132.16
						05/02/94	NC	209.25
						05/03/94	NC	110.13
						05/04/94	NC	99.12
						05/05/94	NC	110.13
						05/06/94	NC	154.18

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
BOD	1-002	30540	700	A/C	MG/L	05/07/94	NC	154.18
						05/08/94	NC	154.18
						05/09/94	NC	143.17
						05/10/94	NC	143.17
						05/11/94	NC	121.14
						05/12/94	NC	176.21
						05/13/94	NC	143.17
						05/14/94	NC	198.24
						05/15/94	NC	165.20
						05/16/94	NC	209.25
						05/17/94	NC	231.28
						05/18/94	NC	462.55
						05/19/94	NC	495.59
						05/20/94	NC	374.45
						05/21/94	NC	231.28
						05/22/94	NC	220.26
						05/23/94	NC	451.54
						05/24/94	NC	286.34
						05/25/94	NC	418.50
						05/26/94	NC	385.46
						05/27/94	NC	407.49
						05/28/94	NC	308.37
						05/29/94	NC	286.34
						05/30/94	NC	297.35
						05/31/94	NC	352.42
						06/01/94	NC	319.38
						06/02/94	NC	407.49
						06/03/94	NC	418.50
						06/04/94	NC	319.38
						06/05/94	NC	286.34
						06/06/94	NC	407.49
						06/07/94	NC	385.46
						06/08/94	NC	363.43
						06/09/94	NC	407.49
						06/10/94	NC	319.38
						06/11/94	NC	528.63
						06/12/94	NC	319.38
						06/13/94	NC	418.50
						06/14/94	NC	363.43
						06/16/94	NC	385.46
						06/17/94	NC	440.52
						06/18/94	NC	319.38
						06/19/94	NC	231.28
						06/20/94	NC	242.29
						06/21/94	NC	253.30
						06/22/94	NC	495.59
						06/23/94	NC	319.38
						06/24/94	NC	198.24
						06/25/94	NC	143.17
						06/26/94	NC	110.13
						06/27/94	NC	121.14
						06/28/94	NC	132.16

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
BOD	1-002	30540	700	A/C	MG/L	06/29/94	NC	176.21
						06/30/94	NC	66.08
						07/01/94	NC	220.26
						07/02/94	NC	77.09
						07/03/94	NC	66.08
						07/04/94	NC	55.07
						07/05/94	NC	66.08
						07/06/94	NC	44.05
						07/07/94	NC	66.08
						07/08/94	NC	55.07
						07/09/94	NC	55.07
						07/10/94	NC	44.05
						07/11/94	NC	33.04
						07/12/94	NC	66.08
						07/13/94	NC	33.04
						07/14/94	NC	44.05
						07/15/94	NC	77.09
						07/16/94	NC	88.11
						07/17/94	NC	66.08
						07/18/94	NC	66.08
						07/19/94	NC	110.13
						07/20/94	NC	99.12
						07/21/94	NC	77.09
						07/22/94	NC	66.08
						07/23/94	NC	44.05
						07/24/94	NC	88.11
						07/25/94	NC	44.05
						07/26/94	NC	110.13
						07/27/94	NC	66.08
						07/28/94	NC	44.05
						07/29/94	NC	55.07
						07/30/94	NC	110.13
						07/31/94	NC	88.11
						08/01/94	NC	99.12
						08/02/94	NC	88.11
						08/03/94	NC	66.08
						08/04/94	NC	99.12
						08/05/94	NC	99.12
						08/06/94	NC	66.08
						08/07/94	NC	110.13
						08/08/94	NC	66.08
						08/09/94	NC	110.13
						08/10/94	NC	99.12
						08/11/94	NC	121.14
						08/12/94	NC	88.11
						08/13/94	NC	66.08
						08/14/94	NC	66.08
						08/15/94	NC	66.08
						08/16/94	NC	66.08
						08/17/94	NC	110.13
						08/18/94	NC	110.13
						08/19/94	NC	66.08

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
BOD	1-002	30540	700	A/C	MG/L	08/20/94	NC	55.07
						08/21/94	NC	77.09
						08/22/94	NC	44.05
						08/23/94	NC	77.09
						08/24/94	NC	44.05
						08/25/94	NC	66.08
						08/26/94	NC	55.07
						08/27/94	NC	55.07
						08/28/94	NC	66.08
						08/29/94	NC	77.09
						08/30/94	NC	66.08
						08/31/94	NC	88.11
						09/01/94	NC	77.09
						09/02/94	NC	44.05
						09/03/94	NC	55.07
						09/04/94	NC	55.07
						09/05/94	NC	66.08
						09/06/94	NC	44.05
						09/07/94	NC	77.09
						09/08/94	NC	66.08
						09/09/94	NC	88.11
						09/10/94	NC	66.08
						09/11/94	NC	66.08
						09/12/94	NC	66.08
						09/13/94	NC	55.07
						09/14/94	NC	66.08
						09/15/94	NC	77.09
						09/16/94	NC	77.09
						09/17/94	NC	55.07
						09/18/94	NC	99.12
						09/19/94	NC	77.09
						09/20/94	NC	55.07
						09/21/94	NC	55.07
						09/22/94	NC	66.08
						09/23/94	NC	55.07
						09/24/94	NC	66.08
						09/25/94	NC	66.08
						09/26/94	NC	66.08
						09/27/94	NC	77.09
						09/28/94	NC	121.14
						09/29/94	NC	88.11
						09/30/94	NC	88.11
						10/01/94	NC	99.12
						10/02/94	NC	55.07
						10/03/94	NC	77.09
						10/04/94	NC	154.18
						10/05/94	NC	99.12
						10/06/94	NC	77.09
						10/07/94	NC	110.13
						10/08/94	NC	88.11
						10/09/94	NC	55.07
						10/10/94	NC	88.11

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
BOD	1-002	30540	700	A/C	MG/L	10/11/94	NC	77.09
						10/12/94	NC	77.09
						10/13/94	NC	55.07
						10/14/94	NC	110.13
						10/15/94	NC	99.12
						10/16/94	NC	110.13
						10/17/94	NC	66.08
						10/18/94	NC	110.13
						10/19/94	NC	99.12
						10/20/94	NC	66.08
						10/21/94	NC	77.09
						10/22/94	NC	77.09
						10/23/94	NC	66.08
						10/24/94	NC	66.08
						10/25/94	NC	77.09
						10/26/94	NC	77.09
						10/27/94	NC	88.11
						10/28/94	NC	88.11
						10/29/94	NC	77.09
						10/30/94	NC	77.09
						10/31/94	NC	88.11
BOD	1-002	30623	460	A/C	MG/L	01/01/88	NC	98.00
						01/02/88	NC	94.00
						01/03/88	NC	135.00
						01/04/88	NC	103.00
						01/05/88	NC	125.00
						01/06/88	NC	186.00
						01/07/88	NC	395.00
						01/08/88	NC	133.00
						01/09/88	NC	53.00
						01/10/88	NC	36.00
						01/11/88	NC	46.00
						01/12/88	NC	55.00
						01/13/88	NC	89.00
						01/14/88	NC	60.00
						01/15/88	NC	193.00
						01/16/88	NC	183.00
						01/17/88	NC	130.00
						01/18/88	NC	60.00
						01/19/88	NC	72.00
						01/20/88	NC	98.00
						01/21/88	NC	149.00
						01/22/88	NC	267.00
						01/23/88	NC	161.00
						01/24/88	NC	82.00
						01/25/88	NC	41.00
						01/26/88	NC	51.00
						01/27/88	NC	31.00
						01/28/88	NC	52.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
BOD	1-002	30623	460	A/C	MG/L	01/29/88	NC	46.00
						01/30/88	NC	80.00
						01/31/88	NC	136.00
						02/01/88	NC	148.00
						02/02/88	NC	75.00
						02/03/88	NC	99.00
						02/04/88	NC	200.00
						02/05/88	NC	189.00
						02/06/88	NC	77.00
						02/07/88	NC	55.00
						02/08/88	NC	61.00
						02/09/88	NC	56.00
						02/10/88	NC	19.00
						02/11/88	NC	30.00
						02/12/88	NC	46.00
						02/13/88	NC	127.00
						02/14/88	NC	97.00
						02/15/88	NC	46.00
						02/16/88	NC	185.00
						02/17/88	NC	59.00
						02/18/88	NC	35.00
						02/19/88	NC	18.00
						02/20/88	NC	28.00
						02/21/88	NC	44.00
						02/22/88	NC	363.00
						02/23/88	NC	421.00
						02/24/88	NC	446.00
						02/25/88	NC	655.00
						02/26/88	NC	660.00
						02/27/88	NC	588.00
						02/28/88	NC	170.00
						02/29/88	NC	56.00
						03/01/88	NC	66.00
						03/02/88	NC	108.00
						03/03/88	NC	171.00
						03/04/88	NC	164.00
						03/05/88	NC	71.00
						03/06/88	NC	146.00
						03/07/88	NC	161.00
						03/08/88	NC	105.00
						03/09/88	NC	19.00
						03/10/88	NC	16.00
						03/11/88	NC	27.00
						03/12/88	NC	49.00
						03/13/88	NC	103.00
						03/14/88	NC	54.00
						03/15/88	NC	23.00
						03/16/88	NC	20.00
						03/17/88	NC	20.00
						03/18/88	NC	28.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
BOD	1-002	30623	460	A/C	MG/L	03/19/88	NC	26.00
						03/20/88	NC	28.00
						03/21/88	NC	29.00
						03/22/88	NC	21.00
						03/23/88	NC	26.00
						03/24/88	NC	32.00
						03/25/88	NC	36.00
						03/26/88	NC	31.00
						03/27/88	NC	53.00
						03/28/88	NC	56.00
						03/29/88	NC	32.00
						03/30/88	NC	19.00
						03/31/88	NC	24.00
						04/01/88	NC	16.00
						04/02/88	NC	42.00
						04/03/88	NC	60.00
						04/04/88	NC	36.00
						04/05/88	NC	22.00
						04/06/88	NC	17.00
						04/07/88	NC	40.00
						04/08/88	NC	150.00
						04/09/88	NC	70.00
						04/10/88	NC	50.00
						04/11/88	NC	34.00
						04/12/88	NC	94.00
						04/13/88	NC	49.00
						04/14/88	NC	80.00
						04/15/88	NC	73.00
						04/16/88	NC	89.00
						04/17/88	NC	58.00
						04/18/88	NC	48.00
						04/19/88	NC	47.00
						04/20/88	NC	45.00
						04/21/88	NC	36.00
						04/22/88	NC	29.00
						04/23/88	NC	297.00
						04/24/88	NC	44.00
						04/25/88	NC	32.00
						04/26/88	NC	37.00
						04/27/88	NC	44.00
						04/28/88	NC	61.00
						04/29/88	NC	30.00
						04/30/88	NC	29.00
						05/01/88	NC	46.00
						05/02/88	NC	57.00
						05/03/88	NC	53.00
						05/04/88	NC	52.00
						05/05/88	NC	62.00
						05/06/88	NC	76.00
						05/07/88	NC	60.00
						05/08/88	NC	92.00
						05/09/88	NC	86.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
BOD	1-002	30623	460	A/C	MG/L	05/10/88	NC	88.00
						05/11/88	NC	60.00
						05/12/88	NC	50.00
						05/13/88	NC	64.00
						05/14/88	NC	87.00
						05/15/88	NC	86.00
						05/16/88	NC	73.00
						05/17/88	NC	55.00
						05/18/88	NC	93.00
						05/19/88	NC	48.00
						05/20/88	NC	42.00
						05/21/88	NC	53.00
						05/22/88	NC	74.00
						05/23/88	NC	64.00
						05/24/88	NC	121.00
						05/25/88	NC	77.00
						05/26/88	NC	78.00
						05/27/88	NC	83.00
						05/28/88	NC	76.00
						05/29/88	NC	53.00
						05/30/88	NC	45.00
						05/31/88	NC	39.00
						06/01/88	NC	46.00
						06/02/88	NC	38.00
						06/03/88	NC	66.00
						06/04/88	NC	38.00
						06/05/88	NC	46.00
						06/06/88	NC	53.00
						06/07/88	NC	61.00
						06/08/88	NC	68.00
						06/09/88	NC	41.00
						06/10/88	NC	55.00
						06/11/88	NC	50.00
						06/12/88	NC	49.00
						06/13/88	NC	50.00
						06/14/88	NC	50.00
						06/15/88	NC	41.00
						06/16/88	NC	60.00
						06/17/88	NC	32.00
						06/18/88	NC	44.00
						06/19/88	NC	89.00
						06/20/88	NC	77.00
						06/21/88	NC	95.00
						06/22/88	NC	54.00
						06/23/88	NC	52.00
						06/24/88	NC	62.00
						06/25/88	NC	70.00
						06/26/88	NC	57.00
						06/27/88	NC	67.00
						06/28/88	NC	62.00
						06/29/88	NC	61.00
						06/30/88	NC	52.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
BOD	1-002	30623	460	A/C	MG/L	07/01/88	NC	42.00
						07/02/88	NC	43.00
						07/03/88	NC	49.00
						07/04/88	NC	46.00
						07/05/88	NC	50.00
						07/06/88	NC	75.00
						07/07/88	NC	72.00
						07/08/88	NC	61.00
						07/09/88	NC	68.00
						07/10/88	NC	67.00
						07/11/88	NC	61.00
						07/12/88	NC	35.00
						07/13/88	NC	27.00
						07/14/88	NC	83.00
						07/15/88	NC	94.00
						07/16/88	NC	43.00
						07/17/88	NC	40.00
						07/18/88	NC	38.00
						07/19/88	NC	36.00
						07/20/88	NC	32.00
						07/21/88	NC	50.00
						07/22/88	NC	50.00
						07/23/88	NC	47.00
						07/24/88	NC	66.00
						07/25/88	NC	208.00
						07/26/88	NC	151.00
						07/27/88	NC	74.00
						07/28/88	NC	81.00
						07/29/88	NC	128.00
						07/30/88	NC	170.00
						07/31/88	NC	120.00
						08/01/88	NC	135.00
						08/02/88	NC	134.00
						08/03/88	NC	58.00
						08/04/88	NC	50.00
						08/05/88	NC	92.00
						08/06/88	NC	375.00
						08/07/88	NC	190.00
						08/08/88	NC	127.00
						08/09/88	NC	42.00
						08/10/88	NC	26.00
						08/11/88	NC	30.00
						08/12/88	NC	34.00
						08/13/88	NC	50.00
						08/14/88	NC	47.00
						08/15/88	NC	42.00
						08/16/88	NC	53.00
						08/17/88	NC	53.00
						08/18/88	NC	53.00
						08/19/88	NC	44.00
						08/20/88	NC	45.00
						08/21/88	NC	38.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
BOD	1-002	30623	460	A/C	MG/L	08/22/88	NC	63.00
						08/23/88	NC	46.00
						08/24/88	NC	32.00
						08/25/88	NC	50.00
						08/26/88	NC	52.00
						08/27/88	NC	49.00
						08/28/88	NC	53.00
						08/29/88	NC	166.00
						08/30/88	NC	77.00
						08/31/88	NC	45.00
						09/01/88	NC	44.00
						09/02/88	NC	36.00
						09/03/88	NC	40.00
						09/04/88	NC	41.00
						09/05/88	NC	40.00
						09/06/88	NC	60.00
						09/07/88	NC	51.00
						09/08/88	NC	43.00
						09/09/88	NC	61.00
						09/10/88	NC	34.00
						09/11/88	NC	82.00
						09/12/88	NC	23.00
						09/13/88	NC	41.00
						09/14/88	NC	51.00
						09/15/88	NC	62.00
						09/16/88	NC	129.00
						09/17/88	NC	160.00
						09/18/88	NC	60.00
						09/19/88	NC	157.00
						09/20/88	NC	177.00
						09/21/88	NC	190.00
						09/22/88	NC	64.00
						09/23/88	NC	62.00
						09/24/88	NC	146.00
						09/25/88	NC	127.00
						09/26/88	NC	59.00
						09/27/88	NC	56.00
						09/28/88	NC	100.00
						09/29/88	NC	72.00
						09/30/88	NC	49.00
						10/01/88	NC	41.00
						10/02/88	NC	44.00
						10/03/88	NC	73.00
						10/04/88	NC	70.00
						10/05/88	NC	33.00
						10/06/88	NC	44.00
						10/07/88	NC	102.00
						10/08/88	NC	65.00
						10/09/88	NC	52.00
						10/10/88	NC	56.00
						10/11/88	NC	66.00
						10/12/88	NC	49.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
BOD	1-002	30623	460	A/C	MG/L	10/13/88	NC	92.00
						10/14/88	NC	61.00
						10/15/88	NC	52.00
						10/16/88	NC	42.00
						10/17/88	NC	56.00
						10/18/88	NC	28.00
						10/19/88	NC	36.00
						10/20/88	NC	33.00
						10/21/88	NC	39.00
						10/22/88	NC	28.00
						10/23/88	NC	24.00
						10/24/88	NC	31.00
						10/25/88	NC	51.00
						10/26/88	NC	54.00
						10/27/88	NC	31.00
						10/28/88	NC	80.00
						10/29/88	NC	49.00
						10/30/88	NC	60.[illegible]
						10/31/88	NC	74.00
						11/01/88	NC	74.00
						11/02/88	NC	58.00
						11/03/88	NC	58.00
						11/04/88	NC	74.00
						11/05/88	NC	81.00
						11/06/88	NC	48.00
						11/07/88	NC	39.00
						11/08/88	NC	92.00
						11/09/88	NC	69.00
						11/10/88	NC	65.00
						11/11/88	NC	41.00
						11/12/88	NC	35.00
						11/13/88	NC	47.00
						11/14/88	NC	52.00
						11/15/88	NC	57.00
						11/16/88	NC	73.00
						11/17/88	NC	47.00
						11/18/88	NC	72.00
						11/19/88	NC	40.00
						11/20/88	NC	40.00
						11/21/88	NC	34.00
						11/22/88	NC	49.00
						11/23/88	NC	82.00
						11/24/88	NC	137.00
						11/25/88	NC	64.00
						11/26/88	NC	70.00
						11/27/88	NC	65.00
						11/28/88	NC	82.00
						11/29/88	NC	52.00
						11/30/88	NC	56.00
						12/01/88	NC	59.00
						12/02/88	NC	63.00
						12/03/88	NC	63.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
BOD	1-002	30623	460	A/C	MG/L	12/04/88	NC	55.00
						12/05/88	NC	52.00
						12/06/88	NC	50.00
						12/07/88	NC	65.00
						12/08/88	NC	47.00
						12/09/88	NC	40.00
						12/10/88	NC	35.00
						12/11/88	NC	44.00
						12/12/88	NC	71.00
						12/13/88	NC	64.00
						12/14/88	NC	55.00
						12/15/88	NC	56.00
						12/16/88	NC	68.00
						12/17/88	NC	40.00
						12/18/88	NC	87.00
						12/19/88	NC	63.00
						12/20/88	NC	89.00
						12/21/88	NC	91.00
						12/22/88	NC	94.00
						12/23/88	NC	75.00
						12/24/88	NC	75.00
						12/25/88	NC	82.00
						12/26/88	NC	98.00
						12/27/88	NC	73.00
						12/28/88	NC	86.00
						12/29/88	NC	179.00
						12/30/88	NC	168.00
						12/31/88	NC	159.00
						01/01/90	NC	94.00
						02/01/90	NC	90.00
						03/01/90	NC	66.00
						04/01/90	NC	120.00
						05/01/90	NC	219.00
						06/01/90	NC	68.00
						07/01/90	NC	135.00
						08/01/90	NC	63.00
						09/01/90	NC	59.00
						10/01/90	NC	41.00
						11/01/90	NC	104.00
						12/01/90	NC	135.00
						01/01/91	NC	75.00
						02/01/91	NC	55.00
						03/01/91	NC	105.00
						04/01/91	NC	99.00
						05/01/91	NC	49.00
						06/01/91	NC	40.00
						07/01/91	NC	56.00
						08/01/91	NC	48.00
						09/01/91	NC	59.00
						10/01/91	NC	56.00
						11/01/91	NC	39.00
						12/01/91	NC	45.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
BOD	1-002	30623	460	A/C	MG/L	01/01/92	NC	47.00
						02/01/92	NC	87.00
						03/01/92	NC	77.00
						04/01/92	NC	55.00
						05/01/92	NC	69.00
						06/01/92	NC	41.00
						07/01/92	NC	27.00
						08/01/92	NC	30.00
						09/01/92	NC	19.00
						10/01/92	NC	54.00
						11/01/92	NC	54.00
						12/01/92	NC	63.00
						01/01/93	NC	50.00
						02/01/93	NC	50.00
						03/01/93	NC	95.00
						04/01/93	NC	106.00
						05/01/93	NC	64.00
						06/01/93	NC	39.00
						07/01/93	NC	47.00
						08/01/93	NC	23.00
						09/01/93	NC	19.00
						10/01/93	NC	33.00
						11/01/93	NC	30.00
						12/01/93	NC	33.00
						01/01/94	NC	44.00
						02/01/94	NC	25.00
						03/01/94	NC	26.00
						04/01/94	NC	54.00
						05/01/94	NC	56.00
						06/01/94	NC	19.00
						07/01/94	NC	23.00
						08/01/94	NC	39.00
						09/01/94	NC	28.00
						10/01/94	NC	103.00
						11/01/94	NC	171.00
						12/01/94	NC	137.00
						01/01/95	NC	202.00
						02/01/95	NC	211.00
						03/01/95	NC	139.00
						04/01/95	NC	117.00
						05/01/95	NC	76.00
COD	1-004	30010	410	A/C	MG/L	01/01/90	NC	277.00
						01/02/90	NC	347.00
						01/03/90	NC	365.00
						01/04/90	NC	321.00
						01/05/90	NC	372.00
						01/06/90	NC	297.00
						01/07/90	NC	293.00
						01/08/90	NC	292.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30010	410	A/C	MG/L	01/09/90	NC	550.00
						01/10/90	NC	545.00
						01/11/90	NC	760.00
						01/12/90	NC	809.00
						01/13/90	NC	876.00
						01/14/90	NC	316.00
						01/15/90	NC	291.00
						01/16/90	NC	313.00
						01/17/90	NC	328.00
						01/18/90	NC	308.00
						01/19/90	NC	266.00
						01/20/90	NC	201.00
						01/21/90	NC	185.00
						01/22/90	NC	204.00
						01/23/90	NC	192.00
						01/24/90	NC	184.00
						01/25/90	NC	173.00
						01/26/90	NC	382.00
						01/27/90	NC	409.00
						01/28/90	NC	242.00
						01/29/90	NC	240.00
						01/30/90	NC	251.00
						01/31/90	NC	345.00
						02/01/90	NC	239.00
						02/02/90	NC	335.00
						02/03/90	NC	387.00
						02/04/90	NC	408.00
						02/05/90	NC	330.00
						02/06/90	NC	337.00
						02/07/90	NC	333.00
						02/08/90	NC	484.00
						02/09/90	NC	301.00
						02/10/90	NC	270.00
						02/11/90	NC	216.00
						02/12/90	NC	213.00
						02/13/90	NC	215.00
						02/14/90	NC	211.00
						02/15/90	NC	212.00
						02/16/90	NC	247.00
						02/17/90	NC	218.00
						02/18/90	NC	190.00
						02/19/90	NC	182.00
						02/20/90	NC	211.00
						02/21/90	NC	174.00
						02/22/90	NC	152.00
						02/23/90	NC	163.00
						02/24/90	NC	191.00
						02/25/90	NC	138.00
						02/26/90	NC	156.00
						02/27/90	NC	291.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30010	410	A/C	MG/L	02/28/90	NC	185.00
						03/01/90	NC	257.00
						03/02/90	NC	214.00
						03/03/90	NC	188.00
						03/04/90	NC	195.00
						03/05/90	NC	181.00
						03/06/90	NC	243.00
						03/07/90	NC	228.00
						03/08/90	NC	274.00
						03/09/90	NC	324.00
						03/10/90	NC	404.00
						03/11/90	NC	348.00
						03/12/90	NC	375.00
						03/13/90	NC	329.00
						03/14/90	NC	302.00
						03/15/90	NC	359.00
						03/16/90	NC	502.00
						03/17/90	NC	358.00
						03/18/90	NC	334.00
						03/19/90	NC	404.00
						03/20/90	NC	333.00
						03/21/90	NC	381.00
						03/22/90	NC	514.00
						03/23/90	NC	473.00
						03/24/90	NC	548.00
						03/25/90	NC	547.00
						03/26/90	NC	735.00
						03/27/90	NC	775.00
						03/28/90	NC	716.00
						03/29/90	NC	456.00
						03/30/90	NC	587.00
						03/31/90	NC	364.00
						04/01/90	NC	420.00
						04/02/90	NC	330.00
						04/03/90	NC	490.00
						04/04/90	NC	438.00
						04/05/90	NC	556.00
						04/06/90	NC	280.00
						04/07/90	NC	306.00
						04/08/90	NC	263.00
						04/09/90	NC	232.00
						04/10/90	NC	258.00
						04/11/90	NC	249.00
						04/12/90	NC	318.00
						04/13/90	NC	255.00
						04/14/90	NC	198.00
						04/15/90	NC	229.00
						04/16/90	NC	301.00
						04/17/90	NC	292.00
						04/18/90	NC	248.00
						04/19/90	NC	277.00
						04/20/90	NC	287.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30010	410	A/C	MG/L	04/21/90	NC	267.00
						04/22/90	NC	224.00
						04/23/90	NC	256.00
						04/24/90	NC	260.00
						04/25/90	NC	240.00
						04/26/90	NC	288.00
						04/27/90	NC	279.00
						04/28/90	NC	457.00
						04/29/90	NC	643.00
						04/30/90	NC	834.00
						05/01/90	NC	974.00
						05/02/90	NC	771.00
						05/03/90	NC	439.00
						05/04/90	NC	254.00
						05/05/90	NC	270.00
						05/06/90	NC	280.00
						05/07/90	NC	272.00
						05/08/90	NC	274.00
						05/09/90	NC	342.00
						05/10/90	NC	275.00
						05/11/90	NC	271.00
						05/12/90	NC	243.00
						05/13/90	NC	231.00
						05/14/90	NC	269.00
						05/15/90	NC	260.00
						05/16/90	NC	237.00
						05/17/90	NC	246.00
						05/18/90	NC	263.00
						05/19/90	NC	331.00
						05/20/90	NC	302.00
						05/23/90	NC	319.00
						05/24/90	NC	314.00
						05/25/90	NC	282.00
						05/26/90	NC	261.00
						05/27/90	NC	189.00
						05/28/90	NC	290.00
						05/29/90	NC	479.00
						05/30/90	NC	328.00
						05/31/90	NC	292.00
						06/01/90	NC	244.00
						06/02/90	NC	373.00
						06/03/90	NC	384.00
						06/04/90	NC	409.00
						06/05/90	NC	495.00
						06/06/90	NC	529.00
						06/07/90	NC	532.00
						06/08/90	NC	449.00
						06/09/90	NC	438.00
						06/10/90	NC	508.00
						06/11/90	NC	528.00
						06/12/90	NC	529.00
						06/13/90	NC	505.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30010	410	A/C	MG/L	06/14/90	NC	487.00
						06/15/90	NC	520.00
						06/16/90	NC	706.00
						06/17/90	NC	850.00
						06/18/90	NC	787.00
						06/19/90	NC	530.00
						06/20/90	NC	689.00
						06/21/90	NC	414.00
						06/22/90	NC	391.00
						06/23/90	NC	313.00
						06/24/90	NC	279.00
						06/25/90	NC	277.00
						06/26/90	NC	297.00
						06/27/90	NC	336.00
						06/28/90	NC	291.00
						06/29/90	NC	189.00
						06/30/90	NC	155.00
						07/01/90	NC	210.00
						07/02/90	NC	211.00
						07/03/90	NC	274.00
						07/04/90	NC	254.00
						07/05/90	NC	238.00
						07/06/90	NC	275.00
						07/07/90	NC	386.00
						07/08/90	NC	570.00
						07/09/90	NC	469.00
						07/10/90	NC	269.00
						07/11/90	NC	259.00
						07/12/90	NC	247.00
						07/13/90	NC	220.00
						07/14/90	NC	162.00
						07/15/90	NC	154.00
						07/16/90	NC	141.00
						07/17/90	NC	125.00
						07/18/90	NC	99.00
						07/19/90	NC	156.00
						07/20/90	NC	96.00
						07/21/90	NC	96.00
						07/22/90	NC	115.00
						07/27/90	NC	136.00
						07/28/90	NC	112.00
						07/29/90	NC	70.00
						07/30/90	NC	75.00
						07/31/90	NC	119.00
						08/01/90	NC	105.00
						08/02/90	NC	62.00
						08/03/90	NC	58.00
						08/04/90	NC	70.00
						08/05/90	NC	69.00
						08/06/90	NC	60.00
						08/07/90	NC	64.00
						08/08/90	NC	63.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30010	410	A/C	MG/L	08/09/90	NC	89.00
						08/10/90	NC	127.00
						08/11/90	NC	196.00
						08/12/90	NC	214.00
						08/13/90	NC	201.00
						08/14/90	NC	240.00
						08/15/90	NC	348.00
						08/16/90	NC	556.00
						08/17/90	NC	585.00
						08/18/90	NC	745.00
						08/19/90	NC	785.00
						08/20/90	NC	725.00
						08/21/90	NC	752.00
						08/22/90	NC	750.00
						08/23/90	NC	739.00
						08/24/90	NC	694.00
						08/25/90	NC	649.00
						08/26/90	NC	660.00
						08/27/90	NC	866.00
						08/28/90	NC	1006.00
						08/29/90	NC	943.00
						08/30/90	NC	874.00
						08/31/90	NC	833.00
						09/01/90	NC	652.00
						09/02/90	NC	575.00
						09/03/90	NC	556.00
						09/04/90	NC	545.00
						09/05/90	NC	438.00
						09/06/90	NC	329.00
						09/07/90	NC	271.00
						09/08/90	NC	258.00
						09/09/90	NC	285.00
						09/10/90	NC	327.00
						09/11/90	NC	322.00
						09/12/90	NC	277.00
						09/13/90	NC	231.00
						09/14/90	NC	219.00
						09/15/90	NC	321.00
						09/16/90	NC	318.00
						09/17/90	NC	301.00
						09/18/90	NC	473.00
						09/19/90	NC	620.00
						09/20/90	NC	722.00
						09/21/90	NC	637.00
						09/22/90	NC	533.00
						09/23/90	NC	587.00
						09/24/90	NC	631.00
						09/25/90	NC	623.00
						09/26/90	NC	625.00
						09/27/90	NC	601.00
						09/28/90	NC	595.00
						09/29/90	NC	673.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30010	410	A/C	MG/L	09/30/90	NC	699.00
						10/01/90	NC	684.00
						10/02/90	NC	684.00
						10/03/90	NC	669.00
						10/04/90	NC	694.00
						10/05/90	NC	701.00
						10/06/90	NC	559.00
						10/07/90	NC	666.00
						10/08/90	NC	638.00
						10/09/90	NC	590.00
						10/10/90	NC	659.00
						10/11/90	NC	687.00
						10/12/90	NC	628.00
						10/13/90	NC	539.00
						10/14/90	NC	635.00
						10/15/90	NC	755.00
						10/16/90	NC	656.00
						10/17/90	NC	661.00
						10/18/90	NC	669.00
						10/19/90	NC	578.00
						10/20/90	NC	575.00
						10/21/90	NC	716.00
						10/22/90	NC	723.00
						10/23/90	NC	662.00
						10/24/90	NC	520.00
						10/25/90	NC	411.00
						10/26/90	NC	381.00
						10/27/90	NC	594.00
						10/28/90	NC	276.00
						10/29/90	NC	261.00
						10/30/90	NC	271.00
						10/31/90	NC	308.00
						11/01/90	NC	366.00
						11/02/90	NC	410.00
						11/03/90	NC	363.00
						11/04/90	NC	351.00
						11/05/90	NC	328.00
						11/06/90	NC	355.00
						11/07/90	NC	370.00
						11/08/90	NC	346.00
						11/09/90	NC	286.00
						11/10/90	NC	302.00
						11/11/90	NC	339.00
						11/12/90	NC	294.00
						11/13/90	NC	277.00
						11/14/90	NC	238.00
						11/15/90	NC	233.00
						11/16/90	NC	278.00
						11/17/90	NC	257.00
						11/18/90	NC	209.00
						11/19/90	NC	199.00
						11/20/90	NC	221.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30010	410	A/C	MG/L	11/21/90	NC	231.00
						11/22/90	NC	334.00
						11/23/90	NC	245.00
						11/24/90	NC	275.00
						11/25/90	NC	341.00
						11/26/90	NC	265.00
						11/27/90	NC	250.00
						11/28/90	NC	218.00
						11/29/90	NC	205.00
						11/30/90	NC	230.00
						12/01/90	NC	246.00
						12/02/90	NC	229.00
						12/03/90	NC	262.00
						12/04/90	NC	303.00
						12/05/90	NC	293.00
						12/06/90	NC	372.00
						12/07/90	NC	326.00
						12/08/90	NC	279.00
						12/09/90	NC	340.00
						12/10/90	NC	565.00
						12/11/90	NC	480.00
						12/12/90	NC	371.00
						12/13/90	NC	434.00
						12/14/90	NC	361.00
						12/15/90	NC	349.00
						12/16/90	NC	271.00
						12/17/90	NC	442.00
						12/18/90	NC	504.00
						12/19/90	NC	428.00
						12/20/90	NC	362.00
						12/21/90	NC	424.00
						12/22/90	NC	365.00
						12/23/90	NC	224.00
						12/24/90	NC	308.00
						12/25/90	NC	204.00
						12/26/90	NC	226.00
						12/27/90	NC	319.00
						12/28/90	NC	390.00
						12/29/90	NC	264.00
						12/30/90	NC	257.00
						12/31/90	NC	366.00
						11/01/93	NC	234.00
						11/02/93	NC	203.00
						11/03/93	NC	611.00
						11/04/93	NC	695.00
						11/05/93	NC	434.00
						11/06/93	NC	135.00
						11/07/93	NC	106.00
						11/08/93	NC	110.00
						11/09/93	NC	108.00
						11/10/93	NC	114.00
						11/11/93	NC	214.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30010	410	A/C	MG/L	11/12/93	NC	307.00
						11/13/93	NC	176.00
						11/14/93	NC	132.00
						11/15/93	NC	147.00
						11/16/93	NC	143.00
						11/17/93	NC	156.00
						11/18/93	NC	91.00
						11/19/93	NC	87.00
						11/20/93	NC	85.00
						11/21/93	NC	108.00
						11/22/93	NC	106.00
						11/23/93	NC	110.00
						11/24/93	NC	77.00
						11/25/93	NC	71.00
						11/26/93	NC	74.00
						11/27/93	NC	70.00
						11/28/93	NC	69.00
						11/29/93	NC	60.00
						11/30/93	NC	56.00
						12/01/93	NC	43.00
						12/02/93	NC	38.00
						12/03/93	NC	36.00
						12/04/93	NC	34.00
						12/05/93	NC	31.00
						12/06/93	NC	47.00
						12/07/93	NC	55.00
						12/08/93	NC	31.00
						12/09/93	NC	46.00
						12/10/93	NC	44.00
						12/11/93	NC	48.00
						12/12/93	NC	63.00
						12/13/93	NC	96.00
						12/14/93	NC	257.00
						12/15/93	NC	795.00
						12/16/93	NC	472.00
						12/17/93	NC	220.00
						12/18/93	NC	142.00
						12/19/93	NC	247.00
						12/20/93	NC	291.00
						12/21/93	NC	256.00
						12/22/93	NC	478.00
						12/23/93	NC	373.00
						12/24/93	NC	203.00
						12/25/93	NC	111.00
						12/26/93	NC	94.00
						12/27/93	NC	117.00
						12/28/93	NC	70.00
						12/29/93	NC	70.00
						12/30/93	NC	126.00
						12/31/93	NC	390.00
						01/01/94	NC	251.00
						01/02/94	NC	89.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30010	410	A/C	MG/L	01/03/94	NC	72.00
						01/04/94	NC	84.00
						01/05/94	NC	82.00
						01/06/94	NC	133.00
						01/07/94	NC	189.00
						01/08/94	NC	179.00
						01/09/94	NC	185.00
						01/10/94	NC	110.00
						01/11/94	NC	93.00
						01/12/94	NC	97.00
						01/13/94	NC	108.00
						01/14/94	NC	100.00
						01/15/94	NC	57.00
						01/16/94	NC	96.00
						01/17/94	NC	91.00
						01/18/94	NC	70.00
						01/19/94	NC	84.00
						01/20/94	NC	143.00
						01/21/94	NC	403.00
						01/22/94	NC	424.00
						01/23/94	NC	264.00
						01/24/94	NC	221.00
						01/25/94	NC	200.00
						01/26/94	NC	163.00
						01/27/94	NC	161.00
						01/28/94	NC	161.00
						01/29/94	NC	203.00
						01/30/94	NC	162.00
						01/31/94	NC	100.00
						02/01/94	NC	85.00
						02/02/94	NC	76.00
						02/03/94	NC	81.00
						02/04/94	NC	88.00
						02/05/94	NC	93.00
						02/06/94	NC	101.00
						02/07/94	NC	87.00
						02/08/94	NC	98.00
						02/09/94	NC	95.00
						02/10/94	NC	98.00
						02/11/94	NC	94.00
						02/12/94	NC	137.00
						02/13/94	NC	141.00
						02/14/94	NC	117.00
						02/15/94	NC	161.00
						02/16/94	NC	169.00
						02/17/94	NC	277.00
						02/18/94	NC	308.00
						02/19/94	NC	584.00
						02/20/94	NC	540.00
						02/21/94	NC	575.00
						02/22/94	NC	956.00
						02/23/94	NC	1109.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30010	410	A/C	MG/L	02/24/94	NC	1195.00
						02/25/94	NC	1436.00
						02/26/94	NC	309.00
						02/27/94	NC	295.00
						02/28/94	NC	417.00
						03/01/94	NC	373.00
						03/02/94	NC	360.00
						03/03/94	NC	390.00
						03/04/94	NC	270.00
						03/05/94	NC	230.00
						03/06/94	NC	313.00
						03/07/94	NC	355.00
						03/08/94	NC	389.00
						03/09/94	NC	371.00
						03/10/94	NC	187.00
						03/11/94	NC	139.00
						03/12/94	NC	126.00
						03/13/94	NC	14[illegible]
						03/14/94	NC	259.00
						03/15/94	NC	217.00
						03/16/94	NC	319.00
						03/17/94	NC	302.00
						03/18/94	NC	311.00
						03/19/94	NC	381.00
						03/20/94	NC	274.00
						03/21/94	NC	217.00
						03/22/94	NC	212.00
						03/23/94	NC	222.00
						03/24/94	NC	206.00
						03/25/94	NC	190.00
						03/26/94	NC	231.00
						03/27/94	NC	169.00
						03/28/94	NC	137.00
						03/29/94	NC	169.00
						03/30/94	NC	165.00
						03/31/94	NC	164.00
						04/01/94	NC	260.00
						04/02/94	NC	437.00
						04/03/94	NC	512.00
						04/04/94	NC	408.00
						04/05/94	NC	306.00
						04/06/94	NC	296.00
						04/07/94	NC	326.00
						04/08/94	NC	249.00
						04/09/94	NC	170.00
						04/10/94	NC	164.00
						04/11/94	NC	150.00
						04/12/94	NC	140.00
						04/13/94	NC	130.00
						04/14/94	NC	135.00
						04/15/94	NC	128.00
						04/16/94	NC	145.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30010	410	A/C	MG/L	04/17/94	NC	160.00
						04/18/94	NC	188.00
						04/19/94	NC	165.00
						04/20/94	NC	198.00
						04/21/94	NC	304.00
						04/22/94	NC	355.00
						04/23/94	NC	306.00
						04/24/94	NC	190.00
						04/25/94	NC	456.00
						04/26/94	NC	1904.00
						04/27/94	NC	1163.00
						04/28/94	NC	942.00
						04/29/94	NC	390.00
						04/30/94	NC	122.00
						05/01/94	NC	238.00
						05/02/94	NC	286.00
						05/03/94	NC	220.00
						05/04/94	NC	207.00
						05/05/94	NC	163.00
						05/06/94	NC	165.00
						05/07/94	NC	205.00
						05/08/94	NC	159.00
						05/09/94	NC	131.00
						05/10/94	NC	126.00
						05/11/94	NC	134.00
						05/12/94	NC	118.00
						05/13/94	NC	112.00
						05/14/94	NC	105.00
						05/15/94	NC	115.00
						05/16/94	NC	168.00
						05/17/94	NC	239.00
						05/18/94	NC	206.00
						05/19/94	NC	193.00
						05/20/94	NC	186.00
						05/21/94	NC	190.00
						05/22/94	NC	265.00
						05/23/94	NC	231.00
						05/24/94	NC	183.00
						05/25/94	NC	144.00
						05/26/94	NC	148.00
						05/27/94	NC	158.00
						05/28/94	NC	155.00
						05/29/94	NC	153.00
						05/30/94	NC	167.00
						05/31/94	NC	219.00
						06/01/94	NC	381.00
						06/02/94	NC	183.00
						06/03/94	NC	222.00
						06/04/94	NC	179.00
						06/05/94	NC	168.00
						06/06/94	NC	222.00
						06/07/94	NC	251.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30010	410	A/C	MG/L	06/08/94	NC	141.00
						06/09/94	NC	217.00
						06/10/94	NC	167.00
						06/11/94	NC	153.00
						06/12/94	NC	164.00
						06/13/94	NC	147.00
						06/14/94	NC	136.00
						06/15/94	NC	147.00
						06/16/94	NC	144.00
						06/17/94	NC	177.00
						06/18/94	NC	179.00
						06/19/94	NC	154.00
						06/20/94	NC	159.00
						06/21/94	NC	165.00
						06/22/94	NC	168.00
						06/23/94	NC	164.00
						06/24/94	NC	163.00
						06/25/94	NC	169.00
						06/26/94	NC	148.00
						06/27/94	NC	132.00
						06/28/94	NC	117.00
						06/29/94	NC	123.00
						06/30/94	NC	132.00
						07/01/94	NC	151.00
						07/02/94	NC	175.00
						07/03/94	NC	225.00
						07/04/94	NC	274.00
						07/05/94	NC	265.00
						07/06/94	NC	203.00
						07/12/94	NC	208.00
						07/13/94	NC	149.00
						07/14/94	NC	68.00
						07/15/94	NC	68.00
						07/16/94	NC	79.00
						07/17/94	NC	83.00
						07/18/94	NC	130.00
						07/19/94	NC	172.00
						07/20/94	NC	88.00
						07/21/94	NC	67.00
						07/22/94	NC	117.00
						07/23/94	NC	167.00
						07/24/94	NC	181.00
						07/25/94	NC	140.00
						07/26/94	NC	69.00
						07/27/94	NC	91.00
						07/28/94	NC	80.00
						07/29/94	NC	95.00
						07/30/94	NC	97.00
						08/01/94	NC	54.00
						08/02/94	NC	67.00
						08/03/94	NC	67.00
						08/04/94	NC	80.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30010	410	A/C	MG/L	08/05/94	NC	98.00
						08/06/94	NC	125.00
						08/07/94	NC	50.00
						08/08/94	NC	95.00
						08/09/94	NC	96.00
						08/11/94	NC	87.00
						08/12/94	NC	115.00
						08/13/94	NC	163.00
						08/14/94	NC	194.00
						08/15/94	NC	220.00
						08/16/94	NC	152.00
						08/17/94	NC	200.00
						08/18/94	NC	190.00
						08/19/94	NC	227.00
						08/19/94	NC	167.00
						08/20/94	NC	206.00
						08/21/94	NC	151.00
						08/22/94	NC	165.00
						08/23/94	NC	151.00
						08/24/94	NC	216.00
						08/25/94	NC	367.00
						08/26/94	NC	367.00
						08/27/94	NC	327.00
						08/28/94	NC	284.00
						08/29/94	NC	213.00
						08/30/94	NC	263.00
						08/31/94	NC	245.00
						09/01/94	NC	203.00
						09/02/94	NC	245.00
						09/03/94	NC	226.00
						09/04/94	NC	213.00
						09/05/94	NC	174.00
						09/06/94	NC	168.00
						09/07/94	NC	183.00
						09/08/94	NC	141.00
						09/09/94	NC	147.00
						09/10/94	NC	154.00
						09/11/94	NC	198.00
						09/12/94	NC	253.00
						09/13/94	NC	259.00
						09/14/94	NC	337.00
						09/15/94	NC	260.00
						09/16/94	NC	209.00
						09/17/94	NC	250.00
						09/18/94	NC	208.00
						09/19/94	NC	164.00
						09/20/94	NC	206.00
						09/21/94	NC	198.00
						09/22/94	NC	178.00
						09/23/94	NC	177.00
						09/24/94	NC	162.00
						09/25/94	NC	206.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30010	410	A/C	MG/L	09/26/94	NC	216.00
						09/27/94	NC	172.00
						09/28/94	NC	191.00
						09/29/94	NC	192.00
						09/30/94	NC	163.00
						10/01/94	NC	688.00
						10/02/94	NC	290.00
						10/03/94	NC	212.00
						10/04/94	NC	214.00
						10/05/94	NC	186.00
						10/06/94	NC	176.00
						10/07/94	NC	196.00
						10/08/94	NC	198.00
						10/09/94	NC	173.00
						10/10/94	NC	202.00
						10/11/94	NC	352.00
						10/12/94	NC	337.00
						10/13/94	NC	214.00
						10/14/94	NC	177.00
						10/15/94	NC	138.00
						10/16/94	NC	134.00
						10/17/94	NC	138.00
						10/18/94	NC	183.00
						10/19/94	NC	205.00
						10/20/94	NC	228.00
						10/21/94	NC	316.00
						10/22/94	NC	277.00
						10/23/94	NC	339.00
						10/24/94	NC	391.00
						10/25/94	NC	226.00
						10/26/94	NC	246.00
						10/27/94	NC	229.00
						10/28/94	NC	276.00
						10/29/94	NC	304.00
						10/30/94	NC	221.00
						10/31/94	NC	219.00
						11/01/94	NC	252.00
						11/02/94	NC	247.00
						11/03/94	NC	261.00
						11/04/94	NC	429.00
						11/05/94	NC	410.00
						11/06/94	NC	428.00
						11/07/94	NC	320.00
						11/08/94	NC	450.00
						11/09/94	NC	420.00
						11/10/94	NC	715.00
						11/11/94	NC	640.00
						11/12/94	NC	372.00
						11/13/94	NC	374.00
						11/14/94	NC	304.00
						11/15/94	NC	665.00
						11/16/94	NC	426.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30010	410	A/C	MG/L	11/17/94	NC	456.00
						11/18/94	NC	505.00
						11/19/94	NC	630.00
						11/20/94	NC	115.00
						11/21/94	NC	195.00
						11/22/94	NC	268.00
						11/23/94	NC	369.00
						11/24/94	NC	496.00
						11/25/94	NC	797.00
						11/26/94	NC	591.00
						11/27/94	NC	323.00
						11/28/94	NC	244.00
						11/29/94	NC	435.00
						11/30/94	NC	909.00
						12/01/94	NC	306.00
						12/02/94	NC	229.00
						12/03/94	NC	378.00
						12/04/94	NC	390.00
						12/05/94	NC	279.00
						12/06/94	NC	169.00
						12/07/94	NC	227.00
						12/08/94	NC	249.00
						12/09/94	NC	273.00
						12/10/94	NC	322.00
						12/11/94	NC	443.00
						12/12/94	NC	379.00
						12/13/94	NC	198.00
						12/14/94	NC	140.00
						12/15/94	NC	440.00
						12/16/94	NC	367.00
						12/17/94	NC	367.00
						12/18/94	NC	359.00
						12/19/94	NC	1405.00
						12/20/94	NC	662.00
						12/21/94	NC	557.00
						12/22/94	NC	457.00
						12/23/94	NC	513.00
						12/24/94	NC	506.00
						12/25/94	NC	370.00
						12/26/94	NC	408.00
						12/27/94	NC	313.00
						12/28/94	NC	191.00
						12/29/94	NC	166.00
						12/30/94	NC	290.00
						12/31/94	NC	303.00
						01/01/95	NC	177.00
						01/02/95	NC	127.00
						01/03/95	NC	102.00
						01/04/95	NC	83.00
						01/05/95	NC	84.00
						01/06/95	NC	84.00
						01/07/95	NC	215.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30010	410	A/C	MG/L	01/08/95	NC	156.00
						01/09/95	NC	113.00
						01/10/95	NC	135.00
						01/11/95	NC	212.00
						01/12/95	NC	333.00
						01/13/95	NC	410.00
						01/14/95	NC	286.00
						01/15/95	NC	248.00
						01/16/95	NC	184.00
						01/17/95	NC	128.00
						01/18/95	NC	187.00
						01/19/95	NC	269.00
						01/20/95	NC	373.00
						01/21/95	NC	143.00
						01/22/95	NC	111.00
						01/23/95	NC	258.00
						01/24/95	NC	239.00
						01/25/95	NC	181.00
						01/26/95	NC	392.00
						01/27/95	NC	477.00
						01/28/95	NC	480.00
						01/29/95	NC	487.00
						01/30/95	NC	476.00
						01/31/95	NC	418.00
						02/01/95	NC	460.00
						02/02/95	NC	374.00
						02/03/95	NC	445.00
						02/04/95	NC	491.00
						02/05/95	NC	522.00
						02/06/95	NC	520.00
						02/07/95	NC	385.00
						02/08/95	NC	415.00
						02/09/95	NC	319.00
						02/10/95	NC	257.00
						02/11/95	NC	165.00
						02/12/95	NC	227.00
						02/13/95	NC	184.00
						02/14/95	NC	139.00
						02/15/95	NC	175.00
						02/16/95	NC	150.00
						02/17/95	NC	131.00
						02/18/95	NC	129.00
						02/19/95	NC	163.00
						02/20/95	NC	158.00
						02/21/95	NC	82.00
						02/22/95	NC	179.00
						02/23/95	NC	180.00
						02/24/95	NC	129.00
						02/25/95	NC	109.00
						02/26/95	NC	175.00
						02/27/95	NC	189.00
						02/28/95	NC	182.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30010	410	A/C	MG/L	03/01/95	NC	185.00
						03/02/95	NC	189.00
						03/03/95	NC	122.00
						03/04/95	NC	185.00
						03/05/95	NC	215.00
						03/06/95	NC	215.00
						03/07/95	NC	160.00
						03/08/95	NC	203.00
						03/09/95	NC	322.00
						03/10/95	NC	326.00
						03/11/95	NC	225.00
						03/12/95	NC	371.00
						03/13/95	NC	348.00
						03/14/95	NC	305.00
						03/15/95	NC	365.00
						03/16/95	NC	353.00
						03/17/95	NC	296.00
						03/18/95	NC	283.00
						03/19/95	NC	335.00
						03/20/95	NC	244.00
						03/21/95	NC	144.00
						03/22/95	NC	149.00
						03/23/95	NC	204.00
						03/24/95	NC	217.00
						03/25/95	NC	174.00
						03/26/95	NC	173.00
						03/27/95	NC	162.00
						03/28/95	NC	150.00
						03/29/95	NC	185.00
						03/30/95	NC	216.00
						03/31/95	NC	151.00
						04/01/95	NC	173.00
						04/02/95	NC	238.00
						04/03/95	NC	210.00
						04/04/95	NC	173.00
						04/05/95	NC	216.00
						04/06/95	NC	233.00
						04/07/95	NC	214.00
						04/08/95	NC	192.00
						04/09/95	NC	190.00
						04/10/95	NC	163.00
						04/11/95	NC	231.00
						04/12/95	NC	495.00
						04/13/95	NC	452.00
						04/14/95	NC	270.00
						04/15/95	NC	208.00
						04/16/95	NC	267.00
						04/17/95	NC	299.00
						04/18/95	NC	245.00
						04/19/95	NC	275.00
						04/20/95	NC	241.00
						04/21/95	NC	543.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30010	410	A/C	MG/L	04/22/95	NC	552.00
						04/23/95	NC	328.00
						04/24/95	NC	543.00
						04/25/95	NC	406.00
						04/26/95	NC	399.00
						04/27/95	NC	244.00
						04/28/95	NC	178.00
						04/29/95	NC	182.00
						04/30/95	NC	286.00
						05/01/95	NC	202.00
						05/02/95	NC	202.00
						05/03/95	NC	201.00
						05/04/95	NC	196.00
						05/05/95	NC	181.00
						05/06/95	NC	209.00
						05/07/95	NC	234.00
						05/08/95	NC	237.00
						05/09/95	NC	221.00
						05/10/95	NC	248.00
						05/11/95	NC	197.00
						05/12/95	NC	147.00
						05/13/95	NC	137.00
						05/14/95	NC	183.00
						05/15/95	NC	250.00
						05/16/95	NC	319.00
						05/17/95	NC	258.00
						05/18/95	NC	250.00
						05/19/95	NC	288.00
						05/20/95	NC	177.00
						05/21/95	NC	211.00
						05/22/95	NC	213.00
						05/23/95	NC	218.00
						05/24/95	NC	223.00
						05/25/95	NC	273.00
						05/26/95	NC	387.00
						05/27/95	NC	439.00
						05/28/95	NC	324.00
						05/29/95	NC	323.00
						05/30/95	NC	351.00
						05/31/95	NC	309.00
						06/01/95	NC	323.00
						06/02/95	NC	441.00
						06/03/95	NC	543.00
						06/04/95	NC	246.00
						06/05/95	NC	260.00
						06/06/95	NC	439.00
						06/07/95	NC	571.00
						06/08/95	NC	436.00
						06/09/95	NC	335.00
						06/10/95	NC	381.00
						06/11/95	NC	293.00
						06/12/95	NC	265.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30010	410	A/C	MG/L	06/13/95	NC	286.00
						06/14/95	NC	331.00
						06/15/95	NC	373.00
						06/16/95	NC	303.00
						06/17/95	NC	430.00
						06/18/95	NC	417.00
						06/19/95	NC	492.00
						06/20/95	NC	517.00
						06/21/95	NC	353.00
COD	1-004	30540	700	A/C	MG/L	01/01/90	NC	1321.57
						01/02/90	NC	825.98
						01/03/90	NC	715.85
						01/04/90	NC	925.10
						01/05/90	NC	914.09
						01/06/90	NC	1013.21
						01/07/90	NC	991.18
						01/08/90	NC	1145.36
						01/09/90	NC	616.73
						01/10/90	NC	682.81
						01/11/90	NC	770.92
						01/12/90	NC	726.87
						01/13/90	NC	704.84
						01/14/90	NC	451.54
						01/15/90	NC	616.73
						01/16/90	NC	396.47
						01/17/90	NC	495.59
						01/18/90	NC	572.68
						01/19/90	NC	495.59
						01/20/90	NC	495.59
						01/21/90	NC	561.67
						01/22/90	NC	682.81
						01/23/90	NC	947.13
						01/24/90	NC	825.98
						01/25/90	NC	881.05
						01/26/90	NC	737.88
						01/27/90	NC	748.89
						01/28/90	NC	462.55
						01/29/90	NC	726.87
						01/30/90	NC	561.67
						01/31/90	NC	407.49
						02/01/90	NC	870.04
						02/02/90	NC	440.52
						02/03/90	NC	715.85
						02/04/90	NC	583.69
						02/05/90	NC	704.84
						02/06/90	NC	704.84
						02/07/90	NC	605.72
						02/08/90	NC	881.05
						02/09/90	NC	704.84

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	02/10/90	NC	792.94
						02/11/90	NC	638.76
						02/12/90	NC	594.71
						02/13/90	NC	473.56
						02/14/90	NC	693.83
						02/15/90	NC	781.93
						02/16/90	NC	693.83
						02/17/90	NC	473.56
						02/18/90	NC	737.88
						02/19/90	NC	991.18
						02/20/90	NC	837.00
						02/21/90	NC	616.73
						02/22/90	NC	572.68
						02/23/90	NC	671.80
						02/24/90	NC	561.67
						02/25/90	NC	616.73
						02/26/90	NC	473.56
						02/27/90	NC	418.50
						02/28/90	NC	572.68
						03/01/90	NC	660.79
						03/02/90	NC	638.76
						03/03/90	NC	550.66
						03/04/90	NC	616.73
						03/05/90	NC	991.18
						03/06/90	NC	473.56
						03/07/90	NC	1178.40
						03/08/90	NC	881.05
						03/09/90	NC	748.89
						03/10/90	NC	517.62
						03/11/90	NC	947.13
						03/12/90	NC	1233.47
						03/13/90	NC	715.85
						03/14/90	NC	881.05
						03/15/90	NC	892.06
						03/16/90	NC	881.05
						03/17/90	NC	958.14
						03/18/90	NC	682.81
						03/19/90	NC	903.07
						03/20/90	NC	825.98
						03/21/90	NC	814.97
						03/22/90	NC	1134.35
						03/23/90	NC	958.14
						03/24/90	NC	1002.19
						03/25/90	NC	704.84
						03/26/90	NC	848.01
						03/27/90	NC	936.11
						03/28/90	NC	1101.31
						03/29/90	NC	506.60
						03/30/90	NC	814.97
						03/31/90	NC	759.90

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	04/01/90	NC	1200.43
						04/02/90	NC	859.02
						04/03/90	NC	1002.19
						04/04/90	NC	1211.44
						04/05/90	NC	870.04
						04/06/90	NC	1035.23
						04/07/90	NC	814.97
						04/08/90	NC	936.11
						04/09/90	NC	859.02
						04/10/90	NC	759.90
						04/11/90	NC	495.59
						04/12/90	NC	1057.26
						04/13/90	NC	1255.49
						04/14/90	NC	759.90
						04/15/90	NC	1299.55
						04/16/90	NC	1409.68
						04/17/90	NC	1046.25
						04/1[illegible]	NC	682.81
						04/19/90	NC	792.94
						04/20/90	NC	1255.49
						04/21/90	NC	859.02
						04/22/90	NC	781.93
						04/23/90	NC	1211.44
						04/24/90	NC	881.05
						04/25/90	NC	1101.31
						04/26/90	NC	947.13
						04/27/90	NC	859.02
						04/28/90	NC	737.88
						04/29/90	NC	814.97
						04/30/90	NC	914.09
						05/01/90	NC	803.96
						05/02/90	NC	991.18
						05/03/90	NC	660.79
						05/04/90	NC	947.13
						05/05/90	NC	1938.31
						05/06/90	NC	881.05
						05/07/90	NC	781.93
						05/08/90	NC	583.69
						05/09/90	NC	881.05
						05/10/90	NC	814.97
						05/11/90	NC	616.73
						05/12/90	NC	947.13
						05/13/90	NC	1574.87
						05/14/90	NC	1134.35
						05/15/90	NC	726.87
						05/16/90	NC	1002.19
						05/17/90	NC	1068.27
						05/18/90	NC	1145.36
						05/19/90	NC	947.13
						05/20/90	NC	781.93
						05/21/90	NC	859.02
						05/22/90	NC	770.92

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	05/23/90	NC	936.11
						05/24/90	NC	848.01
						05/25/90	NC	1167.39
						05/26/90	NC	1156.38
						05/27/90	NC	1090.30
						05/28/90	NC	1156.38
						05/29/90	NC	1134.35
						05/30/90	NC	1189.42
						05/31/90	NC	1123.34
						06/01/90	NC	1211.44
						06/02/90	NC	903.07
						06/03/90	NC	1013.21
						06/04/90	NC	1035.23
						06/05/90	NC	1332.59
						06/06/90	NC	947.13
						06/07/90	NC	848.01
						06/08/90	NC	903.07
						06/09/90	NC	837.00
						06/10/90	NC	792.94
						06/11/90	NC	737.88
						06/12/90	NC	682.81
						06/13/90	NC	1013.21
						06/14/90	NC	682.81
						06/15/90	NC	903.07
						06/16/90	NC	396.47
						06/17/90	NC	925.10
						06/18/90	NC	770.92
						06/19/90	NC	1145.36
						06/20/90	NC	1233.47
						06/21/90	NC	1112.32
						06/22/90	NC	991.18
						06/23/90	NC	781.93
						06/24/90	NC	759.90
						06/25/90	NC	517.62
						06/26/90	NC	814.97
						06/27/90	NC	484.58
						06/28/90	NC	484.58
						06/29/90	NC	473.56
						06/30/90	NC	837.00
						07/01/90	NC	704.84
						07/02/90	NC	980.17
						07/03/90	NC	627.75
						07/04/90	NC	473.56
						07/05/90	NC	1376.64
						07/06/90	NC	1321.57
						07/07/90	NC	1134.35
						07/08/90	NC	892.06
						07/09/90	NC	958.14
						07/10/90	NC	1079.28
						07/11/90	NC	991.18
						07/12/90	NC	550.66
						07/13/90	NC	638.76

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	07/14/90	NC	693.83
						07/15/90	NC	682.81
						07/16/90	NC	704.84
						07/17/90	NC	583.69
						07/18/90	NC	616.73
						07/19/90	NC	407.49
						07/20/90	NC	517.62
						07/21/90	NC	561.67
						07/22/90	NC	275.33
						07/23/90	NC	495.59
						07/24/90	NC	594.71
						07/25/90	NC	550.66
						07/26/90	NC	583.69
						07/27/90	NC	286.34
						07/28/90	NC	330.39
						07/29/90	NC	330.39
						07/30/90	NC	352.42
						07/31/90	NC	385.46
						08/01/90	NC	330.39
						08/02/90	NC	385.46
						08/03/90	NC	407.49
						08/04/90	NC	231.28
						08/05/90	NC	242.29
						08/06/90	NC	605.72
						08/07/90	NC	572.68
						08/08/90	NC	429.51
						08/09/90	NC	539.64
						08/10/90	NC	407.49
						08/11/90	NC	506.60
						08/12/90	NC	407.49
						08/13/90	NC	550.66
						08/14/90	NC	649.77
						08/15/90	NC	737.88
						08/16/90	NC	748.89
						08/17/90	NC	649.77
						08/18/90	NC	605.72
						08/19/90	NC	572.68
						08/20/90	NC	594.71
						08/21/90	NC	583.69
						08/22/90	NC	627.75
						08/23/90	NC	969.15
						08/24/90	NC	814.97
						08/25/90	NC	814.97
						08/26/90	NC	693.83
						08/27/90	NC	881.05
						08/28/90	NC	914.09
						08/29/90	NC	825.98
						08/30/90	NC	947.13
						08/31/90	NC	583.69
						09/01/90	NC	583.69
						09/02/90	NC	627.75
						09/03/90	NC	638.76

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	09/04/90	NC	539.64
						09/05/90	NC	980.17
						09/06/90	NC	759.90
						09/07/90	NC	594.71
						09/08/90	NC	583.69
						09/09/90	NC	892.06
						09/10/90	NC	1035.23
						09/11/90	NC	803.96
						09/12/90	NC	1002.19
						09/13/90	NC	825.98
						09/14/90	NC	572.68
						09/15/90	NC	759.90
						09/16/90	NC	649.77
						09/17/90	NC	914.09
						09/18/90	NC	881.05
						09/19/90	NC	1002.19
						09/20/90	NC	660.79
						09/21/90	NC	803.96
						09/22/90	NC	561.67
						09/23/90	NC	947.13
						09/24/90	NC	671.80
						09/25/90	NC	1145.36
						09/26/90	NC	462.55
						09/27/90	NC	704.84
						09/28/90	NC	770.92
						09/29/90	NC	704.84
						09/30/90	NC	825.98
						10/01/90	NC	682.81
						10/02/90	NC	737.88
						10/03/90	NC	638.76
						10/04/90	NC	925.10
						10/05/90	NC	693.83
						10/06/90	NC	462.55
						10/07/90	NC	627.75
						10/08/90	NC	947.13
						10/09/90	NC	958.14
						10/10/90	NC	914.09
						10/11/90	NC	1057.26
						10/12/90	NC	693.83
						10/13/90	NC	473.56
						10/14/90	NC	1101.31
						10/15/90	NC	1101.31
						10/16/90	NC	825.98
						10/17/90	NC	748.89
						10/18/90	NC	1475.76
						10/19/90	NC	1057.26
						10/20/90	NC	770.92
						10/21/90	NC	803.96
						10/22/90	NC	1343.60
						10/23/90	NC	737.88
						10/24/90	NC	1464.74
						10/25/90	NC	1233.47

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	10/26/90	NC	726.87
						10/27/90	NC	594.71
						10/28/90	NC	671.80
						10/29/90	NC	1024.22
						10/30/90	NC	1057.26
						10/31/90	NC	881.05
						11/01/90	NC	825.98
						11/02/90	NC	892.06
						11/03/90	NC	1123.34
						11/04/90	NC	2312.75
						11/05/90	NC	1409.68
						11/06/90	NC	1365.62
						11/07/90	NC	1861.21
						11/08/90	NC	1101.31
						11/09/90	NC	1244.48
						11/10/90	NC	1211.44
						11/11/90	NC	1024.22
						11/12/90	NC	914.09
						11/13/90	NC	1035.23
						11/14/90	NC	947.13
						11/15/90	NC	1211.44
						11/16/90	NC	1607.91
						11/17/90	NC	1046.25
						11/18/90	NC	1013.21
						11/19/90	NC	1046.25
						11/20/90	NC	1046.25
						11/21/90	NC	958.14
						11/22/90	NC	1508.80
						11/23/90	NC	881.05
						11/24/90	NC	936.11
						11/25/90	NC	969.15
						11/26/90	NC	1134.35
						11/27/90	NC	1211.44
						11/28/90	NC	903.07
						11/29/90	NC	1068.27
						11/30/90	NC	980.17
						12/01/90	NC	1002.19
						12/02/90	NC	969.15
						12/03/90	NC	1046.25
						12/04/90	NC	737.88
						12/05/90	NC	859.02
						12/06/90	NC	759.90
						12/07/90	NC	1134.35
						12/08/90	NC	572.68
						12/09/90	NC	550.66
						12/10/90	NC	506.60
						12/11/90	NC	528.63
						12/12/90	NC	1508.80
						12/13/90	NC	991.18
						12/14/90	NC	726.87
						12/15/90	NC	870.04
						12/16/90	NC	848.01

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	12/17/90	NC	1134.35
						12/18/90	NC	1343.60
						12/19/90	NC	1024.22
						12/20/90	NC	1101.31
						12/21/90	NC	649.77
						12/22/90	NC	484.58
						12/23/90	NC	748.89
						12/24/90	NC	638.76
						12/25/90	NC	363.43
						12/26/90	NC	429.51
						12/27/90	NC	418.50
						12/28/90	NC	605.72
						12/29/90	NC	539.64
						12/30/90	NC	693.83
						12/31/90	NC	583.69
						01/01/91	NC	814.97
						01/02/91	NC	825.98
						01/03/91	NC	1101.31
						01/04/91	NC	737.88
						01/05/91	NC	1222.45
						01/06/91	NC	881.05
						01/07/91	NC	1718.04
						01/08/91	NC	1002.19
						01/09/91	NC	903.07
						01/10/91	NC	848.01
						01/11/91	NC	770.92
						01/12/91	NC	550.66
						01/13/91	NC	848.01
						01/14/91	NC	528.63
						01/15/91	NC	914.09
						01/16/91	NC	1046.25
						01/17/91	NC	969.15
						01/18/91	NC	649.77
						01/19/91	NC	715.85
						01/20/91	NC	748.89
						01/21/91	NC	991.18
						01/22/91	NC	914.09
						01/23/91	NC	682.81
						01/24/91	NC	1156.38
						01/25/91	NC	1354.61
						01/26/91	NC	759.90
						01/27/91	NC	660.79
						01/28/91	NC	792.94
						01/29/91	NC	781.93
						01/30/91	NC	737.88
						01/31/91	NC	605.72
						02/01/91	NC	726.87
						02/02/91	NC	539.64
						02/03/91	NC	583.69
						02/04/91	NC	627.75
						02/05/91	NC	583.69
						02/06/91	NC	914.09

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	02/07/91	NC	881.05
						02/08/91	NC	870.04
						02/09/91	NC	671.80
						02/10/91	NC	440.52
						02/11/91	NC	781.93
						02/12/91	NC	914.09
						02/13/91	NC	682.81
						02/14/91	NC	748.89
						02/15/91	NC	704.84
						02/16/91	NC	583.69
						02/17/91	NC	605.72
						02/18/91	NC	506.60
						02/19/91	NC	991.18
						02/20/91	NC	726.87
						02/21/91	NC	1288.53
						02/22/91	NC	792.94
						02/23/91	NC	759.90
						02/24/91	NC	925.10
						02/25/91	NC	660.79
						02/26/91	NC	803.96
						02/27/91	NC	825.98
						02/28/91	NC	1321.57
						03/01/91	NC	825.98
						03/02/91	NC	781.93
						03/03/91	NC	660.79
						03/04/91	NC	704.84
						03/05/91	NC	1365.62
						03/06/91	NC	914.09
						03/07/91	NC	1156.38
						03/08/91	NC	892.06
						03/09/91	NC	792.94
						03/10/91	NC	781.93
						03/11/91	NC	1167.39
						03/12/91	NC	925.10
						03/13/91	NC	605.72
						03/14/91	NC	770.92
						03/15/91	NC	1046.25
						03/16/91	NC	936.11
						03/17/91	NC	1365.62
						03/18/91	NC	1420.69
						03/19/91	NC	881.05
						03/20/91	NC	859.02
						03/21/91	NC	682.81
						03/22/91	NC	693.83
						03/23/91	NC	1013.21
						03/24/91	NC	1013.21
						03/25/91	NC	1508.80
						03/26/91	NC	1057.26
						03/27/91	NC	627.75
						03/28/91	NC	1376.64
						03/29/91	NC	759.90
						03/30/91	NC	627.75

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	03/31/91	NC	627.75
						04/01/91	NC	418.50
						04/02/91	NC	605.72
						04/03/91	NC	671.80
						04/04/91	NC	693.83
						04/05/91	NC	693.83
						04/06/91	NC	660.79
						04/07/91	NC	715.85
						04/08/91	NC	936.11
						04/09/91	NC	792.94
						04/10/91	NC	814.97
						04/11/91	NC	330.39
						04/12/91	NC	859.02
						04/13/91	NC	1398.66
						04/14/91	NC	1618.93
						04/15/91	NC	1277.52
						04/16/91	NC	1057.26
						04/17/91	NC	770.92
						04/18/91	NC	925.10
						04/19/91	NC	1112.32
						04/20/91	NC	572.68
						04/21/91	NC	903.07
						04/22/91	NC	1574.87
						04/23/91	NC	1046.25
						04/24/91	NC	903.07
						04/25/91	NC	980.17
						04/26/91	NC	859.02
						04/27/91	NC	947.13
						04/28/91	NC	1585.89
						04/29/91	NC	1167.39
						04/30/91	NC	859.02
						05/01/91	NC	1354.61
						05/02/91	NC	1013.21
						05/03/91	NC	1894.25
						05/04/91	NC	991.18
						05/05/91	NC	1167.39
						05/06/91	NC	3656.35
						05/07/91	NC	1035.23
						05/08/91	NC	660.79
						05/09/91	NC	792.94
						05/10/91	NC	881.05
						05/11/91	NC	936.11
						05/12/91	NC	737.88
						05/13/91	NC	1618.93
						05/14/91	NC	1112.32
						05/15/91	NC	1596.90
						05/16/91	NC	859.02
						05/17/91	NC	429.51
						05/18/91	NC	726.87
						05/19/91	NC	903.07
						05/20/91	NC	759.90
						05/21/91	NC	726.87

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	05/22/91	NC	726.87
						05/23/91	NC	1332.59
						05/24/91	NC	903.07
						05/25/91	NC	572.68
						05/26/91	NC	803.96
						05/27/91	NC	1354.61
						05/28/91	NC	1200.43
						05/29/91	NC	759.90
						05/30/91	NC	936.11
						05/31/91	NC	671.80
						06/01/91	NC	737.88
						06/02/91	NC	726.87
						06/03/91	NC	1035.23
						06/04/91	NC	517.62
						06/05/91	NC	660.79
						06/06/91	NC	1486.77
						06/07/91	NC	991.18
						06/08/91	NC	748.89
						06/09/91	NC	914.09
						06/10/91	NC	1057.26
						06/11/91	NC	1068.27
						06/12/91	NC	1068.27
						06/13/91	NC	671.80
						06/14/91	NC	550.66
						06/15/91	NC	561.67
						06/16/91	NC	726.87
						06/17/91	NC	550.66
						06/18/91	NC	1321.57
						06/19/91	NC	1244.48
						06/20/91	NC	429.51
						06/21/91	NC	528.63
						06/22/91	NC	781.93
						06/23/91	NC	770.92
						06/24/91	NC	859.02
						06/25/91	NC	627.75
						06/26/91	NC	1156.38
						06/27/91	NC	1420.69
						06/28/91	NC	1233.47
						06/29/91	NC	704.84
						06/30/91	NC	1112.32
						07/01/91	NC	506.60
						07/02/91	NC	363.43
						07/03/91	NC	286.34
						07/04/91	NC	286.34
						07/05/91	NC	517.62
						07/06/91	NC	462.55
						07/07/91	NC	275.33
						07/08/91	NC	473.56
						07/09/91	NC	473.56
						07/10/91	NC	583.69
						07/11/91	NC	418.50
						07/12/91	NC	418.50

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	07/13/91	NC	429.51
						07/14/91	NC	429.51
						07/15/91	NC	396.47
						07/16/91	NC	198.24
						07/17/91	NC	308.37
						07/18/91	NC	220.26
						07/19/91	NC	803.96
						07/20/91	NC	220.26
						07/21/91	NC	330.39
						07/22/91	NC	275.33
						07/23/91	NC	209.25
						07/24/91	NC	187.22
						07/25/91	NC	220.26
						07/26/91	NC	583.69
						07/27/91	NC	363.43
						07/28/91	NC	209.25
						07/29/91	NC	264.31
						07/30/91	NC	198.24
						07/31/91	NC	374.45
						08/01/91	NC	286.34
						08/02/91	NC	495.59
						08/03/91	NC	286.34
						08/04/91	NC	407.49
						08/05/91	NC	594.71
						08/06/91	NC	506.60
						08/07/91	NC	165.20
						08/08/91	NC	165.20
						08/09/91	NC	341.41
						08/10/91	NC	418.50
						08/11/91	NC	319.38
						08/12/91	NC	440.52
						08/13/91	NC	616.73
						08/14/91	NC	528.63
						08/15/91	NC	660.79
						08/16/91	NC	440.52
						08/17/91	NC	605.72
						08/18/91	NC	870.04
						08/19/91	NC	1090.30
						08/20/91	NC	572.68
						08/21/91	NC	770.92
						08/22/91	NC	440.52
						08/23/91	NC	308.37
						08/24/91	NC	231.28
						08/25/91	NC	440.52
						08/26/91	NC	451.54
						08/27/91	NC	484.58
						08/28/91	NC	440.52
						08/29/91	NC	363.43
						08/30/91	NC	660.79
						08/31/91	NC	253.30
						09/01/91	NC	704.84
						09/02/91	NC	473.56

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	09/03/91	NC	715.85
						09/04/91	NC	429.51
						09/05/91	NC	385.46
						09/06/91	NC	627.75
						09/07/91	NC	429.51
						09/08/91	NC	638.76
						09/09/91	NC	440.52
						09/10/91	NC	418.50
						09/11/91	NC	396.47
						09/12/91	NC	407.49
						09/13/91	NC	440.52
						09/14/91	NC	451.54
						09/15/91	NC	770.92
						09/16/91	NC	561.67
						09/17/91	NC	462.55
						09/18/91	NC	726.87
						09/19/91	NC	583.69
						09/20/91	NC	781.93
						09/21/91	NC	693.83
						09/22/91	NC	528.63
						09/23/91	NC	341.41
						09/24/91	NC	418.50
						09/25/91	NC	550.66
						09/26/91	NC	462.55
						09/27/91	NC	726.87
						09/28/91	NC	286.34
						09/29/91	NC	330.39
						09/30/91	NC	506.60
						10/01/91	NC	242.29
						10/02/91	NC	275.33
						10/03/91	NC	330.39
						10/04/91	NC	627.75
						10/05/91	NC	528.63
						10/06/91	NC	616.73
						10/07/91	NC	495.59
						10/08/91	NC	671.80
						10/09/91	NC	572.68
						10/10/91	NC	649.77
						10/11/91	NC	605.72
						10/12/91	NC	649.77
						10/13/91	NC	627.75
						10/14/91	NC	462.55
						10/15/91	NC	594.71
						10/16/91	NC	671.80
						10/17/91	NC	1002.19
						10/18/91	NC	892.06
						10/19/91	NC	748.89
						10/20/91	NC	814.97
						10/21/91	NC	605.72
						10/22/91	NC	958.14
						10/23/91	NC	517.62
						10/24/91	NC	330.39

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	10/25/91	NC	528.63
						10/26/91	NC	572.68
						10/27/91	NC	969.15
						10/28/91	NC	1090.30
						10/29/91	NC	814.97
						10/30/91	NC	693.83
						10/31/91	NC	462.55
						11/01/91	NC	451.54
						11/02/91	NC	605.72
						11/03/91	NC	473.56
						11/04/91	NC	550.66
						11/05/91	NC	616.73
						11/06/91	NC	550.66
						11/07/91	NC	870.04
						11/08/91	NC	539.64
						11/09/91	NC	616.73
						11/10/91	NC	451.54
						11/11/91	NC	495.59
						11/12/91	NC	914.09
						11/13/91	NC	693.83
						11/14/91	NC	792.94
						11/15/91	NC	495.59
						11/16/91	NC	682.81
						11/17/91	NC	704.84
						11/18/91	NC	418.50
						11/19/91	NC	1255.49
						11/20/91	NC	594.71
						11/21/91	NC	572.68
						11/22/91	NC	594.71
						11/23/91	NC	726.87
						11/24/91	NC	1057.26
						11/25/91	NC	947.13
						11/26/91	NC	991.18
						11/27/91	NC	693.83
						11/28/91	NC	528.63
						11/29/91	NC	726.87
						11/30/91	NC	528.63
						12/01/91	NC	649.77
						12/02/91	NC	759.90
						12/03/91	NC	870.04
						12/04/91	NC	1035.23
						12/05/91	NC	671.80
						12/06/91	NC	825.98
						12/07/91	NC	737.88
						12/08/91	NC	947.13
						12/09/91	NC	958.14
						12/10/91	NC	792.94
						12/11/91	NC	649.77
						12/12/91	NC	770.92
						12/13/91	NC	848.01
						12/14/91	NC	781.93
						12/15/91	NC	1090.30

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	12/16/91	NC	837.00
						12/17/91	NC	837.00
						12/18/91	NC	936.11
						12/19/91	NC	980.17
						12/20/91	NC	693.83
						12/21/91	NC	583.69
						12/22/91	NC	792.94
						12/23/91	NC	583.69
						12/24/91	NC	473.56
						12/25/91	NC	550.66
						12/26/91	NC	517.62
						12/27/91	NC	616.73
						12/28/91	NC	1057.26
						12/29/91	NC	1046.25
						12/30/91	NC	914.09
						12/31/91	NC	991.18
						01/01/92	NC	881.05
						01/02/92	NC	627.75
						01/03/92	NC	1035.23
						01/04/92	NC	1057.26
						01/05/92	NC	1552.85
						01/06/92	NC	1321.57
						01/07/92	NC	1211.44
						01/08/92	NC	1718.04
						01/09/92	NC	1596.90
						01/10/92	NC	1233.47
						01/11/92	NC	1222.45
						01/12/92	NC	1420.69
						01/13/92	NC	1178.40
						01/14/92	NC	748.89
						01/15/92	NC	1751.08
						01/17/92	NC	1541.83
						01/18/92	NC	1530.82
						01/19/92	NC	1916.28
						01/20/92	NC	2015.40
						01/21/92	NC	1530.82
						01/22/92	NC	2191.61
						01/23/92	NC	848.01
						01/24/92	NC	1497.78
						01/25/92	NC	1541.83
						01/26/92	NC	1409.68
						01/27/92	NC	1354.61
						01/28/92	NC	1376.64
						01/29/92	NC	1321.57
						01/30/92	NC	1024.22
						01/31/92	NC	825.98
						02/01/92	NC	837.00
						02/02/92	NC	914.09
						02/03/92	NC	991.18
						02/04/92	NC	892.06
						02/05/92	NC	1123.34
						02/06/92	NC	1541.83

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	02/07/92	NC	925.10
						02/08/92	NC	936.11
						02/09/92	NC	925.10
						02/10/92	NC	892.06
						02/11/92	NC	693.83
						02/12/92	NC	881.05
						02/13/92	NC	1112.32
						02/14/92	NC	792.94
						02/15/92	NC	1277.52
						02/16/92	NC	1762.10
						02/17/92	NC	1552.85
						02/18/92	NC	1541.83
						02/19/92	NC	1046.25
						02/20/92	NC	1244.48
						02/21/92	NC	947.13
						02/22/92	NC	936.11
						02/23/92	NC	870.04
						02/24/92	NC	859.02
						02/25/92	NC	1167.39
						02/26/92	NC	825.98
						02/27/92	NC	914.09
						02/28/92	NC	1002.19
						02/29/92	NC	1299.55
						03/01/92	NC	1982.36
						03/02/92	NC	1795.14
						03/03/92	NC	1431.70
						03/04/92	NC	693.83
						03/05/92	NC	1288.53
						03/06/92	NC	1376.64
						03/07/92	NC	1046.25
						03/08/92	NC	881.05
						03/09/92	NC	1211.44
						03/10/92	NC	1200.43
						03/11/92	NC	914.09
						03/12/92	NC	792.94
						03/13/92	NC	792.94
						03/14/92	NC	726.87
						03/15/92	NC	649.77
						03/16/92	NC	792.94
						03/17/92	NC	1376.64
						03/18/92	NC	759.90
						03/19/92	NC	925.10
						03/20/92	NC	1332.59
						03/21/92	NC	737.88
						03/22/92	NC	803.96
						03/23/92	NC	704.84
						03/24/92	NC	748.89
						03/25/92	NC	925.10
						03/26/92	NC	770.92
						03/27/92	NC	991.18
						03/28/92	NC	781.93
						03/29/92	NC	958.14

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	03/30/92	NC	947.13
						03/31/92	NC	814.97
						04/01/92	NC	792.94
						04/02/92	NC	892.06
						04/03/92	NC	1079.28
						04/04/92	NC	704.84
						04/05/92	NC	837.00
						04/06/92	NC	1013.21
						04/07/92	NC	1211.44
						04/08/92	NC	837.00
						04/09/92	NC	892.06
						04/10/92	NC	682.81
						04/11/92	NC	737.88
						04/12/92	NC	1189.42
						04/13/92	NC	572.68
						04/14/92	NC	1420.69
						04/15/92	NC	892.06
						04/16/92	NC	1552.85
						04/17/92	NC	572.68
						04/18/92	NC	627.75
						04/19/92	NC	748.89
						04/20/92	NC	704.84
						04/21/92	NC	1343.60
						04/22/92	NC	848.01
						04/23/92	NC	770.92
						04/24/92	NC	748.89
						04/25/92	NC	737.88
						04/26/92	NC	539.64
						04/27/92	NC	759.90
						04/28/92	NC	848.01
						04/29/92	NC	748.89
						04/30/92	NC	693.83
						05/01/92	NC	561.67
						05/02/92	NC	914.09
						05/03/92	NC	561.67
						05/04/92	NC	693.83
						05/05/92	NC	638.76
						05/06/92	NC	616.73
						05/07/92	NC	726.87
						05/08/92	NC	693.83
						05/09/92	NC	825.98
						05/10/92	NC	1420.69
						05/11/92	NC	803.96
						05/12/92	NC	1497.78
						05/13/92	NC	1288.53
						05/14/92	NC	1024.22
						05/15/92	NC	969.15
						05/16/92	NC	792.94
						05/17/92	NC	859.02
						05/18/92	NC	892.06
						05/19/92	NC	682.81
						05/20/92	NC	726.87

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	05/21/92	NC	627.75
						05/22/92	NC	1519.81
						05/23/92	NC	748.89
						05/24/92	NC	980.17
						05/25/92	NC	1277.52
						05/26/92	NC	1376.64
						05/27/92	NC	1090.30
						05/28/92	NC	1013.21
						05/29/92	NC	1068.27
						05/30/92	NC	682.81
						05/31/92	NC	837.00
						06/01/92	NC	704.84
						06/02/92	NC	881.05
						06/03/92	NC	947.13
						06/04/92	NC	837.00
						06/05/92	NC	682.81
						06/06/92	NC	969.15
						06/07/92	NC	781.93
						06/08/92	NC	759.90
						06/09/92	NC	726.87
						06/10/92	NC	837.00
						06/11/92	NC	803.96
						06/12/92	NC	870.04
						06/13/92	NC	792.94
						06/14/92	NC	914.09
						06/15/92	NC	936.11
						06/16/92	NC	1189.42
						06/17/92	NC	1068.27
						06/18/92	NC	803.96
						06/19/92	NC	881.05
						06/20/92	NC	693.83
						06/21/92	NC	594.71
						06/22/92	NC	1123.34
						06/23/92	NC	638.76
						06/24/92	NC	848.01
						06/25/92	NC	616.73
						06/26/92	NC	561.67
						06/27/92	NC	572.68
						06/28/92	NC	561.67
						06/29/92	NC	583.69
						06/30/92	NC	550.66
						07/02/92	NC	484.58
						07/03/92	NC	1200.43
						07/04/92	NC	506.60
						07/05/92	NC	572.68
						07/06/92	NC	451.54
						07/07/92	NC	572.68
						07/08/92	NC	748.89
						07/09/92	NC	925.10
						07/10/92	NC	418.50
						07/11/92	NC	528.63
						07/12/92	NC	451.54

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	07/13/92	NC	462.55
						07/14/92	NC	440.52
						07/15/92	NC	385.46
						07/16/92	NC	396.47
						07/17/92	NC	495.59
						07/18/92	NC	561.67
						07/19/92	NC	870.04
						07/20/92	NC	1519.81
						07/21/92	NC	1211.44
						07/22/92	NC	1387.65
						07/23/92	NC	825.98
						07/24/92	NC	726.87
						07/25/92	NC	352.42
						07/26/92	NC	693.83
						07/27/92	NC	583.69
						07/28/92	NC	495.59
						07/29/92	NC	374.45
						07/30/92	NC	583.69
						07/31/92	NC	429.51
						08/01/92	NC	462.55
						08/02/92	NC	440.52
						08/03/92	NC	638.76
						08/04/92	NC	1145.36
						08/05/92	NC	572.68
						08/06/92	NC	1244.48
						08/07/92	NC	825.98
						08/08/92	NC	583.69
						08/09/92	NC	649.77
						08/10/92	NC	627.75
						08/11/92	NC	914.09
						08/12/92	NC	814.97
						08/13/92	NC	892.06
						08/14/92	NC	770.92
						08/15/92	NC	1145.36
						08/16/92	NC	1718.04
						08/17/92	NC	1035.23
						08/18/92	NC	1244.48
						08/19/92	NC	770.92
						08/20/92	NC	1618.93
						08/21/92	NC	1211.44
						08/22/92	NC	748.89
						08/23/92	NC	814.97
						08/24/92	NC	715.85
						08/25/92	NC	892.06
						08/26/92	NC	759.90
						08/27/92	NC	759.90
						08/28/92	NC	903.07
						08/29/92	NC	803.96
						08/30/92	NC	914.09
						08/31/92	NC	814.97
						09/01/92	NC	1431.70
						09/02/92	NC	1167.39

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	09/03/92	NC	914.09
						09/04/92	NC	726.87
						09/08/92	NC	1321.57
						09/09/92	NC	1211.44
						09/10/92	NC	1046.25
						09/11/92	NC	1057.26
						09/12/92	NC	991.18
						09/13/92	NC	969.15
						09/14/92	NC	1156.38
						09/15/92	NC	1618.93
						09/16/92	NC	1134.35
						09/17/92	NC	1685.00
						09/18/92	NC	1222.45
						09/19/92	NC	881.05
						09/20/92	NC	914.09
						09/21/92	NC	925.10
						09/22/92	NC	859.02
						09/23/92	NC	682.81
						09/24/92	NC	991.18
						09/25/92	NC	870.04
						09/26/92	NC	616.73
						09/27/92	NC	638.76
						09/28/92	NC	649.77
						09/29/92	NC	1299.55
						09/30/92	NC	594.71
						10/01/92	NC	649.77
						10/02/92	NC	715.85
						10/03/92	NC	627.75
						10/04/92	NC	726.87
						10/05/92	NC	859.02
						10/06/92	NC	726.87
						10/07/92	NC	649.77
						10/08/92	NC	726.87
						10/09/92	NC	748.89
						10/10/92	NC	528.63
						10/11/92	NC	726.87
						10/12/92	NC	473.56
						10/13/92	NC	605.72
						10/14/92	NC	638.76
						10/15/92	NC	561.67
						10/16/92	NC	814.97
						10/17/92	NC	616.73
						10/18/92	NC	726.87
						10/19/92	NC	671.80
						10/20/92	NC	814.97
						10/21/92	NC	770.92
						10/22/92	NC	892.06
						10/23/92	NC	693.83
						10/24/92	NC	440.52
						10/25/92	NC	605.72
						10/26/92	NC	693.83
						10/27/92	NC	770.92

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	10/28/92	NC	737.88
						10/29/92	NC	638.76
						10/30/92	NC	561.67
						10/31/92	NC	451.54
						11/01/92	NC	517.62
						11/02/92	NC	451.54
						11/03/92	NC	451.54
						11/04/92	NC	407.49
						11/05/92	NC	374.45
						11/06/92	NC	594.71
						11/07/92	NC	77.09
						11/08/92	NC	407.49
						11/09/92	NC	682.81
						11/10/92	NC	462.55
						11/11/92	NC	572.68
						11/12/92	NC	495.59
						11/13/92	NC	682.81
						11/14/92	NC	473.56
						11/15/92	NC	495.59
						11/16/92	NC	704.84
						11/17/92	NC	451.54
						11/18/92	NC	297.35
						11/19/92	NC	352.42
						11/20/92	NC	374.45
						11/21/92	NC	352.42
						11/22/92	NC	759.90
						11/23/92	NC	495.59
						11/24/92	NC	374.45
						11/25/92	NC	253.30
						11/26/92	NC	143.17
						11/27/92	NC	154.18
						11/28/92	NC	341.41
						11/29/92	NC	440.52
						11/30/92	NC	451.54
						12/01/92	NC	495.59
						12/02/92	NC	495.59
						12/03/92	NC	550.66
						12/04/92	NC	594.71
						12/05/92	NC	594.71
						12/06/92	NC	484.58
						12/07/92	NC	715.85
						12/08/92	NC	1112.32
						12/09/92	NC	1211.44
						12/10/92	NC	484.58
						12/11/92	NC	451.54
						12/12/92	NC	594.71
						12/13/92	NC	418.50
						12/14/92	NC	418.50
						12/15/92	NC	407.49
						12/16/92	NC	319.38
						12/17/92	NC	407.49
						12/18/92	NC	528.63

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	12/19/92	NC	451.54
						12/20/92	NC	726.87
						12/21/92	NC	594.71
						12/22/92	NC	517.62
						12/23/92	NC	176.21
						12/24/92	NC	407.49
						12/25/92	NC	264.31
						12/26/92	NC	143.17
						12/27/92	NC	154.18
						12/28/92	NC	143.17
						12/29/92	NC	110.13
						12/30/92	NC	143.17
						12/31/92	NC	99.12
						01/01/93	NC	154.18
						01/02/93	NC	187.22
						01/03/93	NC	165.20
						01/04/93	NC	154.18
						01/05/93	NC	594.71
						01/06/93	NC	583.69
						01/07/93	NC	473.56
						01/08/93	NC	154.18
						01/09/93	NC	319.38
						01/10/93	NC	308.37
						01/11/93	NC	176.21
						01/12/93	NC	363.43
						01/13/93	NC	352.42
						01/14/93	NC	286.34
						01/15/93	NC	517.62
						01/16/93	NC	341.41
						01/17/93	NC	330.39
						01/18/93	NC	275.33
						01/19/93	NC	99.12
						01/20/93	NC	88.11
						01/21/93	NC	297.35
						01/22/93	NC	440.52
						01/23/93	NC	418.50
						01/24/93	NC	396.47
						01/25/93	NC	440.52
						01/26/93	NC	385.46
						01/27/93	NC	385.46
						01/28/93	NC	473.56
						01/29/93	NC	506.60
						01/30/93	NC	473.56
						01/31/93	NC	627.75
						02/01/93	NC	473.56
						02/02/93	NC	682.81
						02/03/93	NC	859.02
						02/04/93	NC	980.17
						02/05/93	NC	1189.42
						02/06/93	NC	748.89
						02/07/93	NC	1167.39
						02/08/93	NC	925.10

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	02/09/93	NC	980.17
						02/10/93	NC	914.09
						02/11/93	NC	947.13
						02/12/93	NC	903.07
						02/13/93	NC	1541.83
						02/14/93	NC	1233.47
						02/15/93	NC	1200.43
						02/16/93	NC	1178.40
						02/17/93	NC	704.84
						02/18/93	NC	1035.23
						02/19/93	NC	925.10
						02/20/93	NC	881.05
						02/21/93	NC	1123.34
						02/22/93	NC	1189.42
						02/23/93	NC	914.09
						02/24/93	NC	947.13
						02/25/93	NC	969.15
						02/26/93	NC	859.02
						02/27/93	NC	737.88
						02/28/93	NC	605.72
						03/01/93	NC	605.72
						03/02/93	NC	418.50
						03/03/93	NC	418.50
						03/04/93	NC	969.15
						03/05/93	NC	792.94
						03/06/93	NC	737.88
						03/07/93	NC	726.87
						03/08/93	NC	1200.43
						03/09/93	NC	1057.26
						03/10/93	NC	881.05
						03/11/93	NC	1024.22
						03/12/93	NC	1134.35
						03/13/93	NC	649.77
						03/14/93	NC	759.90
						03/15/93	NC	759.90
						03/16/93	NC	759.90
						03/17/93	NC	671.80
						03/18/93	NC	803.96
						03/19/93	NC	605.72
						03/20/93	NC	759.90
						03/21/93	NC	892.06
						03/22/93	NC	737.88
						03/23/93	NC	550.66
						03/24/93	NC	792.94
						03/25/93	NC	682.81
						03/26/93	NC	671.80
						03/27/93	NC	671.80
						03/28/93	NC	903.07
						03/29/93	NC	1222.45
						03/30/93	NC	1068.27
						03/31/93	NC	1222.45
						04/01/93	NC	881.05

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	04/02/93	NC	1068.27
						04/03/93	NC	848.01
						04/04/93	NC	870.04
						04/05/93	NC	1189.42
						04/06/93	NC	693.83
						04/07/93	NC	1002.19
						04/08/93	NC	1398.66
						04/09/93	NC	1090.30
						04/10/93	NC	1277.52
						04/11/93	NC	638.76
						04/12/93	NC	903.07
						04/13/93	NC	825.98
						04/14/93	NC	881.05
						04/15/93	NC	484.58
						04/16/93	NC	693.83
						04/17/93	NC	638.76
						04/18/93	NC	792.94
						04/19/93	NC	936.11
						04/20/93	NC	660.79
						04/21/93	NC	748.89
						04/22/93	NC	814.97
						04/23/93	NC	837.00
						04/24/93	NC	572.68
						04/25/93	NC	792.94
						04/26/93	NC	837.00
						04/27/93	NC	803.96
						04/28/93	NC	594.71
						04/29/93	NC	781.93
						04/30/93	NC	715.85
						05/01/93	NC	583.69
						05/02/93	NC	737.88
						05/03/93	NC	781.93
						05/04/93	NC	781.93
						05/05/93	NC	704.84
						05/06/93	NC	770.92
						05/07/93	NC	859.02
						05/08/93	NC	759.90
						05/09/93	NC	770.92
						05/10/93	NC	969.15
						05/11/93	NC	947.13
						05/12/93	NC	1068.27
						05/13/93	NC	1156.38
						05/14/93	NC	781.93
						05/15/93	NC	671.80
						05/16/93	NC	693.83
						05/17/93	NC	825.98
						05/18/93	NC	704.84
						05/19/93	NC	693.83
						05/20/93	NC	859.02
						05/21/93	NC	881.05
						05/22/93	NC	759.90
						05/23/93	NC	704.84

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	05/24/93	NC	726.87
						05/25/93	NC	925.10
						05/26/93	NC	1112.32
						05/27/93	NC	1354.61
						05/28/93	NC	704.84
						05/29/93	NC	539.64
						05/30/93	NC	550.66
						05/31/93	NC	407.49
						06/01/93	NC	385.46
						06/02/93	NC	660.79
						06/03/93	NC	506.60
						06/04/93	NC	605.72
						06/05/93	NC	594.71
						06/06/93	NC	715.85
						06/07/93	NC	682.81
						06/08/93	NC	748.89
						06/09/93	NC	803.96
						06/10/93	NC	1387.65
						06/11/93	NC	825.98
						06/12/93	NC	870.04
						06/13/93	NC	638.76
						06/14/93	NC	451.54
						06/15/93	NC	495.59
						06/16/93	NC	484.58
						06/17/93	NC	407.49
						06/18/93	NC	803.96
						06/19/93	NC	770.92
						06/20/93	NC	583.69
						06/21/93	NC	693.83
						06/22/93	NC	638.76
						06/23/93	NC	539.64
						06/24/93	NC	936.11
						06/25/93	NC	825.98
						06/26/93	NC	715.85
						06/27/93	NC	660.79
						06/28/93	NC	1068.27
						06/29/93	NC	1024.22
						06/30/93	NC	803.96
						07/01/93	NC	671.80
						07/02/93	NC	936.11
						07/03/93	NC	903.07
						07/04/93	NC	969.15
						07/05/93	NC	859.02
						07/06/93	NC	1090.30
						07/07/93	NC	682.81
						07/08/93	NC	638.76
						07/09/93	NC	550.66
						07/10/93	NC	638.76
						07/11/93	NC	506.60
						07/12/93	NC	495.59
						07/13/93	NC	616.73
						07/14/93	NC	396.47

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	07/15/93	NC	451.54
						07/16/93	NC	484.58
						07/17/93	NC	451.54
						07/18/93	NC	352.42
						07/19/93	NC	594.71
						07/20/93	NC	572.68
						07/21/93	NC	495.59
						07/22/93	NC	220.26
						07/23/93	NC	440.52
						07/24/93	NC	286.34
						07/25/93	NC	396.47
						07/26/93	NC	330.39
						07/27/93	NC	187.22
						07/28/93	NC	308.37
						07/29/93	NC	231.28
						07/30/93	NC	352.42
						07/31/93	NC	517.62
						08/01/93	NC	715.85
						08/02/93	NC	748.89
						08/03/93	NC	991.18
						08/04/93	NC	947.13
						08/05/93	NC	649.77
						08/06/93	NC	1112.32
						08/07/93	NC	892.06
						08/08/93	NC	726.87
						08/09/93	NC	1365.62
						08/10/93	NC	1079.28
						08/11/93	NC	770.92
						08/12/93	NC	737.88
						08/13/93	NC	903.07
						08/14/93	NC	704.84
						08/15/93	NC	814.97
						08/16/93	NC	418.50
						08/17/93	NC	429.51
						08/18/93	NC	715.85
						08/19/93	NC	484.58
						08/20/93	NC	825.98
						08/21/93	NC	958.14
						08/23/93	NC	594.71
						08/24/93	NC	638.76
						08/25/93	NC	881.05
						08/26/93	NC	726.87
						08/27/93	NC	936.11
						08/28/93	NC	1035.23
						08/29/93	NC	594.71
						08/30/93	NC	616.73
						08/31/93	NC	1079.28
						09/01/93	NC	914.09
						09/02/93	NC	682.81
						09/03/93	NC	792.94
						09/04/93	NC	429.51
						09/05/93	NC	594.71

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	09/06/93	NC	748.89
						09/07/93	NC	638.76
						09/08/93	NC	837.00
						09/09/93	NC	638.76
						09/10/93	NC	605.72
						09/11/93	NC	704.84
						09/12/93	NC	594.71
						09/13/93	NC	495.59
						09/14/93	NC	627.75
						09/15/93	NC	671.80
						09/16/93	NC	704.84
						09/17/93	NC	649.77
						09/18/93	NC	462.55
						09/19/93	NC	627.75
						09/20/93	NC	737.88
						09/21/93	NC	550.66
						09/22/93	NC	737.88
						09/23/93	NC	682.81
						09/24/93	NC	881.05
						09/25/93	NC	748.89
						09/26/93	NC	914.09
						09/27/93	NC	814.97
						09/28/93	NC	616.73
						09/29/93	NC	682.81
						09/30/93	NC	825.98
						10/01/93	NC	550.66
						10/02/93	NC	462.55
						10/03/93	NC	561.67
						10/04/93	NC	484.58
						10/05/93	NC	495.59
						10/06/93	NC	418.50
						10/07/93	NC	407.49
						10/08/93	NC	484.58
						10/09/93	NC	440.52
						10/10/93	NC	561.67
						10/11/93	NC	638.76
						10/12/93	NC	616.73
						10/13/93	NC	550.66
						10/14/93	NC	440.52
						10/15/93	NC	407.49
						10/16/93	NC	407.49
						10/17/93	NC	352.42
						10/18/93	NC	330.39
						10/19/93	NC	308.37
						10/20/93	NC	297.35
						10/21/93	NC	220.26
						10/22/93	NC	517.62
						10/23/93	NC	572.68
						10/24/93	NC	484.58
						10/25/93	NC	242.29
						10/26/93	NC	363.43
						10/27/93	NC	308.37

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	10/28/93	NC	297.35
						10/29/93	NC	330.39
						10/30/93	NC	286.34
						10/31/93	NC	374.45
						11/01/93	NC	352.42
						11/02/93	NC	374.45
						11/03/93	NC	275.33
						11/04/93	NC	275.33
						11/05/93	NC	418.50
						11/06/93	NC	407.49
						11/07/93	NC	451.54
						11/08/93	NC	308.37
						11/09/93	NC	352.42
						11/10/93	NC	539.64
						11/11/93	NC	385.46
						11/12/93	NC	429.51
						11/13/93	NC	495.59
						11/14/93	NC	374.45
						11/15/93	NC	407.49
						11/16/93	NC	495.59
						11/17/93	NC	572.68
						11/18/93	NC	495.59
						11/19/93	NC	825.98
						11/20/93	NC	638.76
						11/21/93	NC	594.71
						11/22/93	NC	440.52
						11/23/93	NC	297.35
						11/24/93	NC	231.28
						11/25/93	NC	264.31
						11/26/93	NC	528.63
						11/27/93	NC	264.31
						11/28/93	NC	319.38
						11/29/93	NC	407.49
						11/30/93	NC	440.52
						12/01/93	NC	638.76
						12/02/93	NC	363.43
						12/03/93	NC	297.35
						12/04/93	NC	374.45
						12/05/93	NC	682.81
						12/06/93	NC	583.69
						12/07/93	NC	550.66
						12/08/93	NC	737.88
						12/09/93	NC	473.56
						12/10/93	NC	506.60
						12/11/93	NC	759.90
						12/12/93	NC	550.66
						12/13/93	NC	308.37
						12/14/93	NC	473.56
						12/15/93	NC	572.68
						12/16/93	NC	748.89
						12/17/93	NC	682.81
						12/18/93	NC	572.68

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	12/19/93	NC	517.62
						12/20/93	NC	594.71
						12/21/93	NC	583.69
						12/22/93	NC	682.81
						12/23/93	NC	473.56
						12/24/93	NC	176.21
						12/25/93	NC	121.14
						12/26/93	NC	66.08
						12/27/93	NC	11.01
						12/28/93	NC	33.04
						12/29/93	NC	66.08
						12/30/93	NC	231.28
						12/31/93	NC	275.33
						01/01/94	NC	176.21
						01/02/94	NC	242.29
						01/03/94	NC	11.01
						01/04/94	NC	88.11
						01/05/94	NC	121.14
						01/06/94	NC	66.08
						01/07/94	NC	264.31
						01/08/94	NC	220.26
						01/09/94	NC	121.14
						01/10/94	NC	132.16
						01/11/94	NC	187.22
						01/12/94	NC	187.22
						01/13/94	NC	264.31
						01/14/94	NC	187.22
						01/15/94	NC	231.28
						01/16/94	NC	991.18
						01/17/94	NC	374.45
						01/18/94	NC	396.47
						01/19/94	NC	528.63
						01/20/94	NC	352.42
						01/21/94	NC	198.24
						01/22/94	NC	165.20
						01/23/94	NC	132.16
						01/24/94	NC	275.33
						01/25/94	NC	319.38
						01/26/94	NC	242.29
						01/27/94	NC	308.37
						01/28/94	NC	363.43
						01/29/94	NC	418.50
						01/30/94	NC	539.64
						01/31/94	NC	605.72
						02/01/94	NC	715.85
						02/02/94	NC	1079.28
						02/03/94	NC	1068.27
						02/04/94	NC	947.13
						02/05/94	NC	715.85
						02/06/94	NC	781.93
						02/07/94	NC	947.13
						02/08/94	NC	1079.28

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	02/09/94	NC	1090.30
						02/10/94	NC	1112.32
						02/11/94	NC	936.11
						02/12/94	NC	1233.47
						02/13/94	NC	1101.31
						02/14/94	NC	1079.28
						02/15/94	NC	914.09
						02/16/94	NC	958.14
						02/17/94	NC	506.60
						02/18/94	NC	517.62
						02/19/94	NC	418.50
						02/20/94	NC	363.43
						02/21/94	NC	473.56
						02/22/94	NC	484.58
						02/23/94	NC	495.59
						02/24/94	NC	748.89
						02/25/94	NC	638.76
						02/26/94	NC	903.07
						02/27/94	NC	1002.19
						02/28/94	NC	947.13
						03/01/94	NC	903.07
						03/02/94	NC	759.90
						03/03/94	NC	682.81
						03/04/94	NC	550.66
						03/05/94	NC	1079.28
						03/06/94	NC	517.62
						03/07/94	NC	550.66
						03/08/94	NC	550.66
						03/09/94	NC	561.67
						03/10/94	NC	550.66
						03/11/94	NC	825.98
						03/12/94	NC	859.02
						03/13/94	NC	737.88
						03/14/94	NC	1178.40
						03/15/94	NC	1112.32
						03/16/94	NC	1035.23
						03/17/94	NC	1101.31
						03/18/94	NC	1112.32
						03/19/94	NC	1079.28
						03/20/94	NC	969.15
						03/21/94	NC	1222.45
						03/22/94	NC	870.04
						03/23/94	NC	803.96
						03/24/94	NC	803.96
						03/25/94	NC	1013.21
						03/26/94	NC	947.13
						03/27/94	NC	1057.26
						03/28/94	NC	1057.26
						03/29/94	NC	947.13
						03/30/94	NC	947.13
						03/31/94	NC	671.80
						04/01/94	NC	693.83

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	04/02/94	NC	737.88
						04/03/94	NC	693.83
						04/04/94	NC	925.10
						04/05/94	NC	914.09
						04/06/94	NC	870.04
						04/07/94	NC	759.90
						04/08/94	NC	770.92
						04/09/94	NC	715.85
						04/10/94	NC	1035.23
						04/11/94	NC	638.76
						04/12/94	NC	484.58
						04/13/94	NC	704.84
						04/14/94	NC	748.89
						04/15/94	NC	605.72
						04/16/94	NC	550.66
						04/17/94	NC	451.54
						04/18/94	NC	473.56
						04/19/94	NC	550.66
						04/20/94	NC	814.97
						04/21/94	NC	572.68
						04/22/94	NC	473.56
						04/23/94	NC	396.47
						04/24/94	NC	374.45
						04/25/94	NC	374.45
						04/26/94	NC	484.58
						04/27/94	NC	451.54
						04/28/94	NC	638.76
						04/29/94	NC	660.79
						04/30/94	NC	682.81
						05/01/94	NC	605.72
						05/02/94	NC	726.87
						05/03/94	NC	627.75
						05/04/94	NC	561.67
						05/05/94	NC	660.79
						05/06/94	NC	660.79
						05/07/94	NC	616.73
						05/08/94	NC	837.00
						05/09/94	NC	814.97
						05/10/94	NC	627.75
						05/11/94	NC	583.69
						05/12/94	NC	870.04
						05/13/94	NC	837.00
						05/14/94	NC	903.07
						05/15/94	NC	682.81
						05/16/94	NC	936.11
						05/17/94	NC	1057.26
						05/18/94	NC	1916.28
						05/19/94	NC	2136.54
						05/20/94	NC	1420.69
						05/21/94	NC	1002.19
						05/22/94	NC	1123.34
						05/23/94	NC	958.14

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	05/24/94	NC	1409.68
						05/25/94	NC	1222.45
						05/26/94	NC	1277.52
						05/27/94	NC	1431.70
						05/28/94	NC	1442.72
						05/29/94	NC	1299.55
						05/30/94	NC	1244.48
						05/31/94	NC	1189.42
						06/01/94	NC	1024.22
						06/02/94	NC	1178.40
						06/03/94	NC	1607.91
						06/04/94	NC	1156.38
						06/05/94	NC	947.13
						06/06/94	NC	1057.26
						06/07/94	NC	1134.35
						06/08/94	NC	1123.34
						06/09/94	NC	1233.47
						06/10/94	NC	1211.44
						06/11/94	NC	1222.45
						06/12/94	NC	1211.44
						06/13/94	NC	1321.57
						06/14/94	NC	1101.31
						06/16/94	NC	1310.56
						06/17/94	NC	1299.55
						06/18/94	NC	1090.30
						06/19/94	NC	1101.31
						06/20/94	NC	1288.53
						06/21/94	NC	1090.30
						06/22/94	NC	1387.65
						06/23/94	NC	1101.31
						06/24/94	NC	1090.30
						06/25/94	NC	825.98
						06/26/94	NC	638.76
						06/27/94	NC	627.75
						06/28/94	NC	704.84
						06/29/94	NC	792.94
						06/30/94	NC	440.52
						07/01/94	NC	803.96
						07/02/94	NC	748.89
						07/03/94	NC	693.83
						07/04/94	NC	682.81
						07/05/94	NC	715.85
						07/06/94	NC	892.06
						07/07/94	NC	870.04
						07/08/94	NC	870.04
						07/09/94	NC	605.72
						07/10/94	NC	550.66
						07/11/94	NC	605.72
						07/12/94	NC	561.67
						07/13/94	NC	693.83
						07/14/94	NC	704.84
						07/15/94	NC	792.94

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	07/16/94	NC	726.87
						07/17/94	NC	682.81
						07/18/94	NC	572.68
						07/19/94	NC	737.88
						07/20/94	NC	748.89
						07/21/94	NC	627.75
						07/22/94	NC	517.62
						07/23/94	NC	517.62
						07/24/94	NC	495.59
						07/25/94	NC	671.80
						07/26/94	NC	660.79
						07/27/94	NC	385.46
						07/28/94	NC	616.73
						07/29/94	NC	594.71
						07/30/94	NC	825.98
						07/31/94	NC	870.04
						08/01/94	NC	605.72
						08/02/94	NC	616.73
						08/03/94	NC	517.62
						08/04/94	NC	649.77
						08/05/94	NC	892.06
						08/06/94	NC	649.77
						08/07/94	NC	759.90
						08/08/94	NC	572.68
						08/09/94	NC	748.89
						08/10/94	NC	859.02
						08/11/94	NC	649.77
						08/12/94	NC	1112.32
						08/13/94	NC	726.87
						08/14/94	NC	1002.19
						08/15/94	NC	726.87
						08/16/94	NC	671.80
						08/17/94	NC	991.18
						08/18/94	NC	925.10
						08/19/94	NC	770.92
						08/20/94	NC	748.89
						08/21/94	NC	715.85
						08/22/94	NC	572.68
						08/23/94	NC	682.81
						08/24/94	NC	550.66
						08/25/94	NC	682.81
						08/26/94	NC	583.69
						08/27/94	NC	627.75
						08/28/94	NC	594.71
						08/29/94	NC	693.83
						08/30/94	NC	605.72
						08/31/94	NC	803.96
						09/01/94	NC	1112.32
						09/02/94	NC	870.04
						09/03/94	NC	859.02
						09/04/94	NC	781.93
						09/05/94	NC	660.79

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	09/06/94	NC	814.97
						09/07/94	NC	605.72
						09/08/94	NC	825.98
						09/09/94	NC	704.84
						09/10/94	NC	616.73
						09/11/94	NC	1134.35
						09/12/94	NC	726.87
						09/13/94	NC	660.79
						09/14/94	NC	638.76
						09/15/94	NC	715.85
						09/16/94	NC	781.93
						09/17/94	NC	737.88
						09/18/94	NC	726.87
						09/19/94	NC	660.79
						09/20/94	NC	881.05
						09/21/94	NC	837.00
						09/22/94	NC	737.88
						09/23/94	NC	859.02
						09/24/94	NC	418.50
						09/25/94	NC	859.02
						09/26/94	NC	859.02
						09/27/94	NC	936.11
						09/28/94	NC	1024.22
						09/29/94	NC	748.89
						09/30/94	NC	825.98
						10/01/94	NC	781.93
						10/02/94	NC	969.15
						10/03/94	NC	1002.19
						10/04/94	NC	1079.28
						10/05/94	NC	881.05
						10/06/94	NC	770.92
						10/07/94	NC	925.10
						10/08/94	NC	958.14
						10/09/94	NC	770.92
						10/10/94	NC	1376.64
						10/11/94	NC	1013.21
						10/12/94	NC	704.84
						10/13/94	NC	715.85
						10/14/94	NC	914.09
						10/15/94	NC	1277.52
						10/16/94	NC	781.93
						10/17/94	NC	770.92
						10/18/94	NC	803.96
						10/19/94	NC	837.00
						10/20/94	NC	726.87
						10/21/94	NC	616.73
						10/22/94	NC	605.72
						10/23/94	NC	594.71
						10/24/94	NC	781.93
						10/25/94	NC	748.89
						10/26/94	NC	649.77
						10/27/94	NC	671.80

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	10/28/94	NC	693.83
						10/29/94	NC	693.83
						10/30/94	NC	770.92
						10/31/94	NC	693.83
						11/01/94	NC	495.59
						11/02/94	NC	341.41
						11/03/94	NC	539.64
						11/04/94	NC	726.87
						11/05/94	NC	881.05
						11/06/94	NC	748.89
						11/07/94	NC	881.05
						11/08/94	NC	704.84
						11/09/94	NC	770.92
						11/10/94	NC	660.79
						11/11/94	NC	759.90
						11/12/94	NC	781.93
						11/13/94	NC	792.94
						11/14/94	NC	1101.31
						11/15/94	NC	914.09
						11/16/94	NC	704.84
						11/17/94	NC	770.92
COD	1-004	30623	460	A/C	MG/L	01/01/88	NC	1035.00
						01/02/88	NC	942.00
						01/03/88	NC	902.00
						01/04/88	NC	856.00
						01/05/88	NC	775.00
						01/06/88	NC	785.00
						01/07/88	NC	731.00
						01/08/88	NC	615.00
						01/09/88	NC	496.00
						01/10/88	NC	455.00
						01/11/88	NC	523.00
						01/12/88	NC	537.00
						01/13/88	NC	597.00
						01/14/88	NC	558.00
						01/15/88	NC	703.00
						01/16/88	NC	1339.00
						01/17/88	NC	729.00
						01/18/88	NC	543.00
						01/19/88	NC	597.00
						01/20/88	NC	680.00
						01/21/88	NC	771.00
						01/22/88	NC	904.00
						01/23/88	NC	677.00
						01/24/88	NC	723.00
						01/25/88	NC	720.00
						01/26/88	NC	747.00
						01/27/88	NC	517.00
						01/28/88	NC	556.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30623	460	A/C	MG/L	01/29/88	NC	602.00
						01/30/88	NC	577.00
						01/31/88	NC	994.00
						02/01/88	NC	1064.00
						02/02/88	NC	790.00
						02/03/88	NC	898.00
						02/04/88	NC	849.00
						02/05/88	NC	743.00
						02/06/88	NC	687.00
						02/07/88	NC	697.00
						02/08/88	NC	586.00
						02/09/88	NC	500.00
						02/10/88	NC	466.00
						02/11/88	NC	569.00
						02/12/88	NC	824.00
						02/13/88	NC	893.00
						02/14/88	NC	822.00
						02/15/88	NC	961.00
						02/16/88	NC	1095.00
						02/17/88	NC	847.00
						02/18/88	NC	591.00
						02/19/88	NC	560.00
						02/20/88	NC	717.00
						02/21/88	NC	947.00
						02/22/88	NC	1193.00
						02/23/88	NC	1462.00
						02/24/88	NC	1491.00
						02/25/88	NC	1585.00
						02/26/88	NC	1702.00
						02/27/88	NC	1565.00
						02/28/88	NC	1048.00
						02/29/88	NC	894.00
						03/01/88	NC	929.00
						03/02/88	NC	936.00
						03/03/88	NC	1001.00
						03/04/88	NC	913.00
						03/05/88	NC	976.00
						03/06/88	NC	1372.00
						03/07/88	NC	1126.00
						03/08/88	NC	1026.00
						03/09/88	NC	784.00
						03/10/88	NC	623.00
						03/11/88	NC	634.00
						03/12/88	NC	672.00
						03/13/88	NC	847.00
						03/14/88	NC	714.00
						03/15/88	NC	614.00
						03/16/88	NC	605.00
						03/17/88	NC	735.00
						03/18/88	NC	849.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30623	460	A/C	MG/L	03/19/88	NC	862.00
						03/20/88	NC	925.00
						03/21/88	NC	974.00
						03/22/88	NC	893.00
						03/23/88	NC	746.00
						03/24/88	NC	779.00
						03/25/88	NC	741.00
						03/26/88	NC	706.00
						03/27/88	NC	739.00
						03/28/88	NC	824.00
						03/29/88	NC	710.00
						03/30/88	NC	609.00
						03/31/88	NC	587.00
						04/01/88	NC	509.00
						04/02/88	NC	634.00
						04/03/88	NC	708.00
						04/04/88	NC	564.00
						04/05/88	NC	542.00
						04/06/88	NC	537.00
						04/07/88	NC	598.00
						04/08/88	NC	954.00
						04/09/88	NC	923.00
						04/10/88	NC	762.00
						04/11/88	NC	795.00
						04/12/88	NC	907.00
						04/13/88	NC	1007.00
						04/14/88	NC	1175.00
						04/15/88	NC	1008.00
						04/16/88	NC	1182.00
						04/17/88	NC	1231.00
						04/18/88	NC	996.00
						04/19/88	NC	878.00
						04/20/88	NC	752.00
						04/21/88	NC	866.00
						04/22/88	NC	905.00
						04/23/88	NC	880.00
						04/24/88	NC	1034.00
						04/25/88	NC	1182.00
						04/26/88	NC	1140.00
						04/27/88	NC	1090.00
						04/28/88	NC	956.00
						04/29/88	NC	1101.00
						04/30/88	NC	1166.00
						05/01/88	NC	1148.00
						05/02/88	NC	1035.00
						05/03/88	NC	994.00
						05/04/88	NC	870.00
						05/05/88	NC	902.00
						05/06/88	NC	974.00
						05/07/88	NC	900.00
						05/08/88	NC	1055.00
						05/09/88	NC	1181.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30623	460	A/C	MG/L	05/10/88	NC	1366.00
						05/11/88	NC	1159.00
						05/12/88	NC	1143.00
						05/13/88	NC	1132.00
						05/14/88	NC	1249.00
						05/15/88	NC	1237.00
						05/16/88	NC	1120.00
						05/17/88	NC	978.00
						05/18/88	NC	960.00
						05/19/88	NC	852.00
						05/20/88	NC	713.00
						05/21/88	NC	821.00
						05/22/88	NC	1012.00
						05/23/88	NC	821.00
						05/24/88	NC	1233.00
						05/25/88	NC	809.00
						05/26/88	NC	857.00
						05/27/88	NC	787.00
						05/28/88	NC	866.00
						05/29/88	NC	740.00
						05/30/88	NC	753.00
						05/31/88	NC	719.00
						06/01/88	NC	805.00
						06/02/88	NC	721.00
						06/03/88	NC	926.00
						06/04/88	NC	825.00
						06/05/88	NC	863.00
						06/06/88	NC	802.00
						06/07/88	NC	904.00
						06/08/88	NC	866.00
						06/09/88	NC	841.00
						06/10/88	NC	873.00
						06/11/88	NC	904.00
						06/12/88	NC	904.00
						06/13/88	NC	958.00
						06/14/88	NC	900.00
						06/15/88	NC	1003.00
						06/16/88	NC	1116.00
						06/17/88	NC	972.00
						06/18/88	NC	1059.00
						06/19/88	NC	1184.00
						06/20/88	NC	1152.00
						06/21/88	NC	1091.00
						06/22/88	NC	1041.00
						06/23/88	NC	861.00
						06/24/88	NC	940.00
						06/25/88	NC	1019.00
						06/26/88	NC	1017.00
						06/27/88	NC	963.00
						06/28/88	NC	832.00
						06/29/88	NC	980.00
						06/30/88	NC	1018.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30623	460	A/C	MG/L	07/01/88	NC	1179.00
						07/02/88	NC	1310.00
						07/03/88	NC	1294.00
						07/04/88	NC	1246.00
						07/05/88	NC	1271.00
						07/06/88	NC	1159.00
						07/07/88	NC	1181.00
						07/08/88	NC	1109.00
						07/09/88	NC	1175.00
						07/10/88	NC	1075.00
						07/11/88	NC	1055.00
						07/12/88	NC	767.00
						07/13/88	NC	688.00
						07/14/88	NC	570.00
						07/15/88	NC	708.00
						07/16/88	NC	703.00
						07/17/88	NC	681.00
						07/18/88	NC	552.00
						07/19/88	NC	523.00
						07/20/88	NC	627.00
						07/21/88	NC	692.00
						07/22/88	NC	782.00
						07/23/88	NC	708.00
						07/24/88	NC	762.00
						07/25/88	NC	1014.00
						07/26/88	NC	1120.00
						07/27/88	NC	1044.00
						07/28/88	NC	1018.00
						07/29/88	NC	1167.00
						07/30/88	NC	1256.00
						07/31/88	NC	1191.00
						08/01/88	NC	1316.00
						08/02/88	NC	1289.00
						08/03/88	NC	1005.00
						08/04/88	NC	834.00
						08/05/88	NC	874.00
						08/06/88	NC	1502.00
						08/07/88	NC	1095.00
						08/08/88	NC	985.00
						08/09/88	NC	893.00
						08/10/88	NC	889.00
						08/11/88	NC	926.00
						08/12/88	NC	921.00
						08/13/88	NC	959.00
						08/14/88	NC	957.00
						08/15/88	NC	1055.00
						08/16/88	NC	1134.00
						08/17/88	NC	1046.00
						08/18/88	NC	939.00
						08/19/88	NC	908.00
						08/20/88	NC	1025.00
						08/21/88	NC	1053.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30623	460	A/C	MG/L	08/22/88	NC	990.00
						08/23/88	NC	886.00
						08/24/88	NC	797.00
						08/25/88	NC	713.00
						08/26/88	NC	812.00
						08/27/88	NC	909.00
						08/28/88	NC	1042.00
						08/29/88	NC	1252.00
						08/30/88	NC	1070.00
						08/31/88	NC	1033.00
						09/01/88	NC	1014.00
						09/02/88	NC	909.00
						09/03/88	NC	950.00
						09/04/88	NC	992.00
						09/05/88	NC	874.00
						09/06/88	NC	933.00
						09/07/88	NC	944.00
						09/08/88	NC	808.00
						09/09/88	NC	727.00
						09/10/88	NC	586.00
						09/11/88	NC	565.00
						09/12/88	NC	738.00
						09/13/88	NC	871.00
						09/14/88	NC	897.00
						09/15/88	NC	974.00
						09/16/88	NC	1132.00
						09/17/88	NC	110.00
						09/18/88	NC	744.00
						09/19/88	NC	1046.00
						09/20/88	NC	1246.00
						09/21/88	NC	1257.00
						09/22/88	NC	746.00
						09/23/88	NC	928.00
						09/24/88	NC	108.00
						09/25/88	NC	1110.00
						09/26/88	NC	950.00
						09/27/88	NC	856.00
						09/28/88	NC	959.00
						09/29/88	NC	1082.00
						09/30/88	NC	1088.00
						10/01/88	NC	1121.00
						10/02/88	NC	1055.00
						10/03/88	NC	1221.00
						10/04/88	NC	992.00
						10/05/88	NC	755.00
						10/06/88	NC	797.00
						10/07/88	NC	1110.00
						10/08/88	NC	1062.00
						10/09/88	NC	1025.00
						10/10/88	NC	1014.00
						10/11/88	NC	1070.00
						10/12/88	NC	886.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30623	460	A/C	MG/L	10/13/88	NC	981.00
						10/14/88	NC	733.00
						10/15/88	NC	764.00
						10/16/88	NC	821.00
						10/17/88	NC	972.00
						10/18/88	NC	792.00
						10/19/88	NC	887.00
						10/20/88	NC	1053.00
						10/21/88	NC	909.00
						10/22/88	NC	637.00
						10/23/88	NC	689.00
						10/24/88	NC	700.00
						10/25/88	NC	779.00
						10/26/88	NC	849.00
						10/27/88	NC	803.00
						10/28/88	NC	1163.00
						10/29/88	NC	863.00
						10/30/88	NC	921.00
						10/31/88	NC	965.00
						11/01/88	NC	1051.00
						11/02/88	NC	870.00
						11/03/88	NC	1021.00
						11/04/88	NC	963.00
						11/05/88	NC	1002.00
						11/06/88	NC	907.00
						11/07/88	NC	894.00
						11/08/88	NC	1086.00
						11/09/88	NC	991.00
						11/10/88	NC	860.00
						11/11/88	NC	727.00
						11/12/88	NC	729.00
						11/13/88	NC	859.00
						11/14/88	NC	850.00
						11/15/88	NC	902.00
						11/16/88	NC	913.00
						11/17/88	NC	845.00
						11/18/88	NC	834.00
						11/19/88	NC	780.00
						11/20/88	NC	714.00
						11/21/88	NC	663.00
						11/22/88	NC	744.00
						11/23/88	NC	896.00
						11/24/88	NC	1090.00
						11/25/88	NC	971.00
						11/26/88	NC	1086.00
						11/27/88	NC	945.00
						11/28/88	NC	866.00
						11/29/88	NC	831.00
						11/30/88	NC	773.00
						12/01/88	NC	741.00
						12/02/88	NC	708.00
						12/03/88	NC	786.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30623	460	A/C	MG/L	12/04/88	NC	680.00
						12/05/88	NC	663.00
						12/06/88	NC	719.00
						12/07/88	NC	729.00
						12/08/88	NC	695.00
						12/09/88	NC	687.00
						12/10/88	NC	614.00
						12/11/88	NC	764.00
						12/12/88	NC	829.00
						12/13/88	NC	834.00
						12/14/88	NC	663.00
						12/15/88	NC	697.00
						12/16/88	NC	622.00
						12/17/88	NC	598.00
						12/18/88	NC	680.00
						12/19/88	NC	742.00
						12/20/88	NC	662.00
						12/21/88	NC	788.00
						12/22/88	NC	603.00
						12/23/88	NC	559.00
						12/24/88	NC	492.00
						12/25/88	NC	447.00
						12/26/88	NC	410.00
						12/27/88	NC	363.00
						12/28/88	NC	535.00
						12/29/88	NC	866.00
						12/30/88	NC	926.00
						12/31/88	NC	901.00
						01/01/90	NC	1026.00
						02/01/90	NC	1105.00
						03/01/90	NC	930.00
						04/01/90	NC	939.00
						05/01/90	NC	1166.00
						06/01/90	NC	923.00
						07/01/90	NC	1104.00
						08/01/90	NC	713.00
						09/01/90	NC	700.00
						10/01/90	NC	484.00
						11/01/90	NC	683.00
						12/01/90	NC	755.00
						01/01/91	NC	697.00
						02/01/91	NC	757.00
						03/01/91	NC	965.00
						04/01/91	NC	924.00
						05/01/91	NC	993.00
						06/01/91	NC	848.00
						07/01/91	NC	755.00
						08/01/91	NC	663.00
						09/01/91	NC	742.00
						10/01/91	NC	706.00
						11/01/91	NC	573.00
						12/01/91	NC	601.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30623	460	A/C	MG/L	01/01/92	NC	719.00
						02/01/92	NC	811.00
						03/01/92	NC	846.00
						04/01/92	NC	677.00
						05/01/92	NC	872.00
						06/01/92	NC	968.00
						07/01/92	NC	446.00
						08/01/92	NC	553.00
						09/01/92	NC	326.00
						10/01/92	NC	391.00
						11/01/92	NC	429.00
						12/01/92	NC	342.00
						01/01/93	NC	274.00
						02/01/93	NC	266.00
						03/01/93	NC	523.00
						04/01/93	NC	694.00
						05/01/93	NC	476.00
						06/01/93	NC	406.00
						07/01/93	NC	433.00
						08/01/93	NC	321.00
						09/01/93	NC	240.00
						10/01/93	NC	285.00
						11/01/93	NC	313.00
						12/01/93	NC	270.00
						01/01/94	NC	244.00
						02/01/94	NC	186.00
						03/01/94	NC	263.00
						04/01/94	NC	348.00
						05/01/94	NC	446.00
						06/01/94	NC	295.00
						07/01/94	NC	334.00
						08/01/94	NC	457.00
						09/01/94	NC	300.00
						10/01/94	NC	868.00
						11/01/94	NC	1239.00
						12/01/94	NC	1108.00
						01/01/95	NC	1387.00
						02/01/95	NC	1246.00
						03/01/95	NC	1125.00
						04/01/95	NC	958.00
						05/01/95	NC	735.00
TSS	1-009	30010	410	A/C	MG/L	01/02/90	NC	170.00
						01/04/90	NC	198.00
						01/09/90	NC	70.00
						01/11/90	NC	86.00
						01/16/90	NC	120.00
						01/18/90	NC	126.00
						01/23/90	NC	94.00
						01/25/90	NC	80.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30010	410	A/C	MG/L	01/30/90	NC	98.00
						02/01/90	NC	90.00
						02/06/90	NC	164.00
						02/08/90	NC	144.00
						02/13/90	NC	90.00
						02/15/90	NC	86.00
						02/20/90	NC	56.00
						02/22/90	NC	46.00
						02/27/90	NC	40.00
						03/01/90	NC	88.00
						03/06/90	NC	82.00
						03/08/90	NC	60.00
						03/13/90	NC	96.00
						03/15/90	NC	118.00
						03/20/90	NC	70.00
						03/22/90	NC	66.00
						03/27/90	NC	170.00
						03/29/90	NC	164.00
						04/03/90	NC	78.00
						04/05/90	NC	186.00
						04/10/90	NC	110.00
						04/12/90	NC	122.00
						04/17/90	NC	56.00
						04/19/90	NC	60.00
						04/24/90	NC	74.00
						04/26/90	NC	68.00
						05/01/90	NC	604.00
						05/03/90	NC	164.00
						05/08/90	NC	26.00
						05/10/90	NC	26.00
						05/15/90	NC	42.00
						05/17/90	NC	34.00
						05/24/90	NC	78.00
						05/29/90	NC	212.00
						05/31/90	NC	138.00
						06/05/90	NC	86.00
						06/07/90	NC	94.00
						06/12/90	NC	156.00
						06/14/90	NC	90.00
						06/19/90	NC	102.00
						06/21/90	NC	122.00
						06/26/90	NC	100.00
						06/28/90	NC	106.00
						07/03/90	NC	98.00
						07/05/90	NC	62.00
						07/09/90	NC	106.00
						07/11/90	NC	90.00
						07/31/90	NC	32.00
						08/02/90	NC	16.00
						08/07/90	NC	18.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30010	410	A/C	MG/L	08/09/90	NC	46.00
						08/14/90	NC	62.00
						08/16/90	NC	52.00
						08/21/90	NC	42.00
						08/23/90	NC	28.00
						08/28/90	NC	78.00
						08/30/90	NC	8.00
						09/04/90	NC	8.00
						09/06/90	NC	10.00
						09/11/90	NC	22.00
						09/13/90	NC	12.00
						09/18/90	NC	20.00
						09/20/90	NC	62.00
						09/25/90	NC	34.00
						09/27/90	NC	32.00
						10/02/90	NC	44.00
						10/05/90	NC	58.00
						10/09/90	NC	68.00
						10/11/90	NC	110.00
						10/16/90	NC	114.00
						10/18/90	NC	108.00
						10/23/90	NC	204.00
						10/25/90	NC	126.00
						10/30/90	NC	62.00
						11/01/90	NC	114.00
						11/06/90	NC	60.00
						11/08/90	NC	128.00
						11/13/90	NC	120.00
						11/15/90	NC	72.00
						11/19/90	NC	52.00
						11/20/90	NC	48.00
						11/21/90	NC	54.00
						11/22/90	NC	102.00
						11/23/90	NC	98.00
						11/27/90	NC	68.00
						11/29/90	NC	64.00
						12/04/90	NC	110.00
						12/06/90	NC	146.00
						12/11/90	NC	283.00
						12/13/90	NC	240.00
						12/18/90	NC	346.00
						12/20/90	NC	250.00
						12/24/90	NC	177.00
						12/25/90	NC	36.00
						12/26/90	NC	100.00
						12/27/90	NC	154.00
						12/28/90	NC	290.00
						12/29/90	NC	96.00
						12/30/90	NC	220.00
						11/01/93	NC	8.00
						11/02/93	NC	32.00
						11/03/93	NC	8.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30010	410	A/C	MG/L	11/04/93	NC	26.00
						11/05/93	NC	154.00
						11/06/93	NC	20.00
						11/07/93	NC	20.00
						11/08/93	NC	4.00
						11/09/93	NC	1.00
						11/10/93	NC	8.00
						11/11/93	NC	12.00
						11/12/93	NC	6.00
						11/13/93	NC	10.00
						11/14/93	NC	12.00
						11/15/93	NC	20.00
						11/16/93	NC	4.00
						11/17/93	NC	32.00
						11/18/93	NC	12.00
						11/19/93	NC	6.00
						11/20/93	NC	20.00
						11/21/93	NC	10.00
						11/22/93	NC	2.00
						11/23/93	NC	12.00
						11/24/93	NC	2.00
						11/25/93	NC	8.00
						11/26/93	NC	10.00
						11/27/93	NC	8.00
						11/28/93	NC	4.00
						11/29/93	NC	10.00
						11/30/93	NC	4.00
						12/01/93	NC	10.00
						12/02/93	NC	14.00
						12/03/93	NC	2.00
						12/04/93	NC	4.00
						12/05/93	NC	2.00
						12/06/93	NC	2.00
						12/07/93	NC	2.00
						12/08/93	NC	12.00
						12/09/93	NC	6.00
						12/10/93	NC	2.00
						12/11/93	NC	2.00
						12/12/93	NC	2.00
						12/13/93	NC	8.00
						12/14/93	NC	14.00
						12/15/93	NC	48.00
						12/16/93	NC	122.00
						12/17/93	NC	64.00
						12/18/93	NC	26.00
						12/19/93	NC	98.00
						12/20/93	NC	94.00
						12/21/93	NC	104.00
						12/22/93	NC	254.00
						12/23/93	NC	236.00
						12/24/93	NC	100.00
						12/25/93	NC	18.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30010	410	A/C	MG/L	12/26/93	NC	26.00
						12/27/93	NC	20.00
						12/28/93	NC	6.00
						12/29/93	NC	2.00
						12/30/93	NC	8.00
						12/31/93	NC	20.00
						01/01/94	NC	10.00
						01/02/94	NC	2.00
						01/03/94	NC	2.00
						01/04/94	NC	4.00
						01/05/94	NC	2.00
						01/06/94	NC	10.00
						01/07/94	NC	8.00
						01/08/94	NC	18.00
						01/09/94	NC	22.00
						01/10/94	NC	24.00
						01/11/94	NC	2.00
						01/12/94	NC	26.00
						01/13/94	NC	22.00
						01/14/94	NC	20.00
						01/15/94	NC	26.00
						01/16/94	NC	24.00
						01/17/94	NC	8.00
						01/18/94	NC	18.00
						01/19/94	NC	24.00
						01/20/94	NC	20.00
						01/21/94	NC	16.00
						01/22/94	NC	10.00
						01/23/94	NC	8.00
						01/24/94	NC	10.00
						01/25/94	NC	14.00
						01/26/94	NC	6.00
						01/27/94	NC	12.00
						01/28/94	NC	14.00
						01/29/94	NC	14.00
						01/30/94	NC	6.00
						01/31/94	NC	4.00
						02/01/94	NC	2.00
						02/02/94	NC	4.00
						02/03/94	NC	8.00
						02/04/94	NC	10.00
						02/05/94	NC	18.00
						02/06/94	NC	26.00
						02/07/94	NC	14.00
						02/08/94	NC	16.00
						02/09/94	NC	6.00
						02/10/94	NC	12.00
						02/11/94	NC	10.00
						02/12/94	NC	16.00
						02/13/94	NC	16.00
						02/14/94	NC	28.00
						02/15/94	NC	58.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30010	410	A/C	MG/L	02/16/94	NC	64.00
						02/17/94	NC	76.00
						02/18/94	NC	18.00
						02/19/94	NC	52.00
						02/20/94	NC	60.00
						02/21/94	NC	128.00
						02/22/94	NC	320.00
						02/23/94	NC	336.00
						02/24/94	NC	368.00
						02/25/94	NC	350.00
						02/26/94	NC	46.00
						02/27/94	NC	16.00
						02/28/94	NC	44.00
						03/01/94	NC	38.00
						03/02/94	NC	52.00
						03/03/94	NC	70.00
						03/04/94	NC	32.00
						03/05/94	NC	58.00
						03/06/94	NC	68.00
						03/07/94	NC	76.00
						03/08/94	NC	52.00
						03/09/94	NC	30.00
						03/10/94	NC	32.00
						03/11/94	NC	8.00
						03/12/94	NC	4.00
						03/13/94	NC	2.00
						03/14/94	NC	8.00
						03/15/94	NC	26.00
						03/16/94	NC	40.00
						03/17/94	NC	34.00
						03/18/94	NC	34.00
						03/19/94	NC	40.00
						03/20/94	NC	28.00
						03/21/94	NC	24.00
						03/22/94	NC	8.00
						03/23/94	NC	10.00
						03/24/94	NC	18.00
						03/25/94	NC	20.00
						03/26/94	NC	24.00
						03/27/94	NC	22.00
						03/28/94	NC	10.00
						03/29/94	NC	14.00
						03/30/94	NC	20.00
						03/31/94	NC	20.00
						04/01/94	NC	50.00
						04/02/94	NC	80.00
						04/03/94	NC	110.00
						04/04/94	NC	56.00
						04/05/94	NC	76.00
						04/06/94	NC	40.00
						04/07/94	NC	44.00
						04/08/94	NC	28.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30010	410	A/C	MG/L	04/09/94	NC	8.00
						04/10/94	NC	18.00
						04/11/94	NC	8.00
						04/12/94	NC	6.00
						04/13/94	NC	22.00
						04/14/94	NC	18.00
						04/15/94	NC	22.00
						04/16/94	NC	30.00
						04/17/94	NC	52.00
						04/18/94	NC	60.00
						04/19/94	NC	36.00
						04/20/94	NC	44.00
						04/21/94	NC	56.00
						04/22/94	NC	74.00
						04/23/94	NC	78.00
						04/24/94	NC	38.00
						04/25/94	NC	42.00
						04/26/94	NC	56.00
						04/27/94	NC	124.00
						04/28/94	NC	104.00
						04/29/94	NC	52.00
						04/30/94	NC	78.00
						05/01/94	NC	74.00
						05/02/94	NC	72.00
						05/03/94	NC	36.00
						05/04/94	NC	50.00
						05/05/94	NC	40.00
						05/06/94	NC	34.00
						05/07/94	NC	32.00
						05/08/94	NC	28.00
						05/09/94	NC	22.00
						05/10/94	NC	30.00
						05/11/94	NC	32.00
						05/12/94	NC	2.00
						05/13/94	NC	4.00
						05/14/94	NC	2.00
						05/15/94	NC	8.00
						05/16/94	NC	36.00
						05/17/94	NC	84.00
						05/18/94	NC	68.00
						05/19/94	NC	42.00
						05/20/94	NC	72.00
						05/21/94	NC	60.00
						05/22/94	NC	140.00
						05/23/94	NC	104.00
						05/24/94	NC	68.00
						05/25/94	NC	30.00
						05/26/94	NC	34.00
						05/27/94	NC	32.00
						05/28/94	NC	42.00
						05/29/94	NC	42.00
						05/30/94	NC	56.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30010	410	A/C	MG/L	05/31/94	NC	80.00
						06/01/94	NC	266.00
						06/02/94	NC	76.00
						06/03/94	NC	98.00
						06/04/94	NC	66.00
						06/05/94	NC	72.00
						06/06/94	NC	92.00
						06/07/94	NC	156.00
						06/08/94	NC	36.00
						06/09/94	NC	86.00
						06/10/94	NC	34.00
						06/11/94	NC	36.00
						06/12/94	NC	42.00
						06/13/94	NC	24.00
						06/14/94	NC	30.00
						06/15/94	NC	38.00
						06/16/94	NC	22.00
						06/17/94	NC	28.00
						06/18/94	NC	38.00
						06/19/94	NC	32.00
						06/20/94	NC	38.00
						06/21/94	NC	38.00
						06/22/94	NC	26.00
						06/23/94	NC	24.00
						06/24/94	NC	24.00
						06/25/94	NC	32.00
						06/26/94	NC	30.00
						06/27/94	NC	12.00
						06/28/94	NC	12.00
						06/29/94	NC	10.00
						06/30/94	NC	16.00
						07/01/94	NC	32.00
						07/02/94	NC	76.00
						07/03/94	NC	116.00
						07/04/94	NC	144.00
						07/05/94	NC	144.00
						07/06/94	NC	94.00
						07/13/94	NC	28.00
						07/14/94	NC	14.00
						07/15/94	NC	22.00
						07/16/94	NC	30.00
						07/17/94	NC	14.00
						07/18/94	NC	34.00
						07/19/94	NC	40.00
						07/20/94	NC	22.00
						07/21/94	NC	20.00
						07/22/94	NC	48.00
						07/23/94	NC	76.00
						07/24/94	NC	52.00
						07/25/94	NC	26.00
						07/26/94	NC	28.00
						07/27/94	NC	46.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30010	410	A/C	MG/L	07/28/94	NC	32.00
						07/29/94	NC	38.00
						07/30/94	NC	30.00
						08/01/94	NC	26.00
						08/02/94	NC	20.00
						08/03/94	NC	36.00
						08/04/94	NC	48.00
						08/05/94	NC	22.00
						08/06/94	NC	50.00
						08/07/94	NC	16.00
						08/08/94	NC	36.00
						08/09/94	NC	50.00
						08/11/94	NC	28.00
						08/12/94	NC	54.00
						08/13/94	NC	98.00
						08/14/94	NC	110.00
						08/15/94	NC	164.00
						08/16/94	NC	100.00
						08/17/94	NC	122.00
						08/18/94	NC	156.00
						08/19/94	NC	154.00
						08/19/94	NC	52.00
						08/20/94	NC	54.00
						08/21/94	NC	64.00
						08/22/94	NC	66.00
						08/23/94	NC	62.00
						08/24/94	NC	48.00
						08/25/94	NC	44.00
						08/26/94	NC	40.00
						08/27/94	NC	52.00
						08/28/94	NC	60.00
						08/29/94	NC	44.00
						08/30/94	NC	96.00
						08/31/94	NC	88.00
						09/01/94	NC	92.00
						09/02/94	NC	98.00
						09/03/94	NC	60.00
						09/04/94	NC	52.00
						09/05/94	NC	68.00
						09/06/94	NC	80.00
						09/07/94	NC	66.00
						09/08/94	NC	34.00
						09/09/94	NC	46.00
						09/10/94	NC	34.00
						09/11/94	NC	28.00
						09/12/94	NC	30.00
						09/13/94	NC	26.00
						09/14/94	NC	80.00
						09/15/94	NC	52.00
						09/16/94	NC	40.00
						09/17/94	NC	60.00
						09/18/94	NC	48.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30010	410	A/C	MG/L	09/19/94	NC	24.00
						09/20/94	NC	44.00
						09/21/94	NC	66.00
						09/22/94	NC	62.00
						09/23/94	NC	84.00
						09/24/94	NC	56.00
						09/25/94	NC	66.00
						09/26/94	NC	82.00
						09/27/94	NC	50.00
						09/28/94	NC	76.00
						09/29/94	NC	76.00
						09/30/94	NC	62.00
						10/01/94	NC	84.00
						10/02/94	NC	54.00
						10/03/94	NC	134.00
						10/04/94	NC	122.00
						10/05/94	NC	98.00
						10/06/94	NC	74.00
						10/07/94	NC	72.00
						10/08/94	NC	72.00
						10/09/94	NC	64.00
						10/10/94	NC	78.00
						10/11/94	NC	118.00
						10/12/94	NC	102.00
						10/13/94	NC	80.00
						10/14/94	NC	64.00
						10/15/94	NC	42.00
						10/16/94	NC	60.00
						10/17/94	NC	85.00
						10/18/94	NC	40.00
						10/19/94	NC	46.00
						10/20/94	NC	44.00
						10/21/94	NC	72.00
						10/22/94	NC	80.00
						10/23/94	NC	102.00
						10/24/94	NC	132.00
						10/25/94	NC	98.00
						10/26/94	NC	114.00
						10/27/94	NC	90.00
						10/28/94	NC	134.00
						10/29/94	NC	90.00
						10/30/94	NC	98.00
						10/31/94	NC	60.00
						11/01/94	NC	36.00
						11/02/94	NC	54.00
						11/03/94	NC	64.00
						11/04/94	NC	210.00
						11/05/94	NC	138.00
						11/06/94	NC	188.00
						11/07/94	NC	126.00
						11/08/94	NC	152.00
						11/09/94	NC	146.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30010	410	A/C	MG/L	11/10/94	NC	488.00
						11/11/94	NC	290.00
						11/12/94	NC	104.00
						11/13/94	NC	130.00
						11/14/94	NC	56.00
						11/15/94	NC	334.00
						11/16/94	NC	44.00
						11/17/94	NC	186.00
						11/18/94	NC	298.00
						11/19/94	NC	40.00
						11/20/94	NC	34.00
						11/21/94	NC	80.00
						11/22/94	NC	88.00
						11/23/94	NC	70.00
						11/24/94	NC	70.00
						11/25/94	NC	88.00
						11/26/94	NC	86.00
						11/27/94	NC	70.00
						11/28/94	NC	48.00
						11/29/94	NC	212.00
						11/30/94	NC	464.00
						12/01/94	NC	46.00
						12/02/94	NC	34.00
						12/03/94	NC	48.00
						12/04/94	NC	58.00
						12/05/94	NC	44.00
						12/06/94	NC	26.00
						12/07/94	NC	34.00
						12/08/94	NC	39.00
						12/09/94	NC	52.00
						12/10/94	NC	56.00
						12/11/94	NC	68.00
						12/12/94	NC	38.00
						12/13/94	NC	42.00
						12/14/94	NC	30.00
						12/15/94	NC	34.00
						12/16/94	NC	34.00
						12/17/94	NC	60.00
						12/18/94	NC	52.00
						12/19/94	NC	294.00
						12/20/94	NC	148.00
						12/21/94	NC	68.00
						12/22/94	NC	60.00
						12/23/94	NC	60.00
						12/24/94	NC	66.00
						12/25/94	NC	42.00
						12/26/94	NC	44.00
						12/27/94	NC	20.00
						12/28/94	NC	26.00
						12/29/94	NC	18.00
						12/30/94	NC	32.00
						12/31/94	NC	30.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30010	410	A/C	MG/L	01/01/95	NC	26.00
						01/02/95	NC	22.00
						01/03/95	NC	24.00
						01/04/95	NC	12.00
						01/05/95	NC	26.00
						01/06/95	NC	16.00
						01/07/95	NC	20.00
						01/08/95	NC	18.00
						01/09/95	NC	20.00
						01/10/95	NC	30.00
						01/11/95	NC	30.00
						01/12/95	NC	26.00
						01/13/95	NC	18.00
						01/14/95	NC	26.00
						01/15/95	NC	12.00
						01/16/95	NC	6.00
						01/17/95	NC	10.00
						01/18/95	NC	16.00
						01/19/95	NC	16.00
						01/20/95	NC	16.00
						01/21/95	NC	180.00
						01/22/95	NC	30.00
						01/23/95	NC	20.00
						01/24/95	NC	22.00
						01/25/95	NC	8.00
						01/26/95	NC	6.00
						01/27/95	NC	10.00
						01/28/95	NC	80.00
						01/29/95	NC	12.00
						01/30/95	NC	10.00
						01/31/95	NC	8.00
						02/01/95	NC	2.00
						02/02/95	NC	6.00
						02/03/95	NC	8.00
						02/04/95	NC	26.00
						02/05/95	NC	4.00
						02/06/95	NC	14.00
						02/07/95	NC	10.00
						02/08/95	NC	12.00
						02/09/95	NC	20.00
						02/10/95	NC	14.00
						02/11/95	NC	28.00
						02/12/95	NC	26.00
						02/13/95	NC	70.00
						02/14/95	NC	12.00
						02/15/95	NC	18.00
						02/16/95	NC	12.00
						02/17/95	NC	12.00
						02/18/95	NC	24.00
						02/19/95	NC	42.00
						02/20/95	NC	40.00
						02/21/95	NC	12.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30010	410	A/C	MG/L	02/22/95	ND	0.00
						02/23/95	NC	4.00
						02/24/95	NC	101.00
						02/25/95	NC	10.00
						02/26/95	NC	16.00
						02/27/95	NC	14.00
						02/28/95	NC	12.00
						03/01/95	NC	12.00
						03/02/95	NC	12.00
						03/03/95	NC	4.00
						03/04/95	NC	8.00
						03/05/95	NC	22.00
						03/06/95	NC	6.00
						03/07/95	ND	0.00
						03/08/95	ND	0.00
						03/09/95	NC	24.00
						03/10/95	NC	20.00
						03/11/95	NC	48.00
						03/12/95	NC	44.00
						03/13/95	NC	20.00
						03/14/95	NC	34.00
						03/15/95	NC	48.00
						03/16/95	NC	70.00
						03/17/95	NC	42.00
						03/18/95	NC	110.00
						03/19/95	NC	112.00
						03/20/95	NC	54.00
						03/21/95	NC	12.00
						03/22/95	NC	10.00
						03/23/95	NC	24.00
						03/24/95	NC	10.00
						03/25/95	NC	30.00
						03/26/95	NC	32.00
						03/27/95	NC	2.00
						03/28/95	NC	2.00
						03/29/95	NC	2.00
						03/30/95	NC	6.00
						03/31/95	NC	4.00
						04/01/95	NC	4.00
						04/02/95	NC	18.00
						04/03/95	NC	4.00
						04/04/95	NC	12.00
						04/05/95	NC	12.00
						04/06/95	NC	18.00
						04/07/95	NC	28.00
						04/08/95	NC	40.00
						04/09/95	NC	42.00
						04/10/95	NC	12.00
						04/11/95	NC	18.00
						04/12/95	NC	34.00
						04/13/95	NC	30.00
						04/14/95	NC	22.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30010	410	A/C	MG/L	04/15/95	NC	46.00
						04/16/95	NC	34.00
						04/17/95	NC	32.00
						04/18/95	NC	33.00
						04/19/95	NC	16.00
						04/20/95	NC	14.00
						04/21/95	NC	28.00
						04/22/95	NC	46.00
						04/23/95	NC	32.00
						04/24/95	NC	28.00
						04/25/95	NC	40.00
						04/26/95	NC	34.00
						04/27/95	NC	34.00
						04/28/95	NC	12.00
						04/29/95	NC	24.00
						04/30/95	NC	98.00
						05/01/95	NC	46.00
						05/02/95	NC	26.00
						05/03/95	NC	54.00
						05/04/95	NC	30.00
						05/05/95	NC	20.00
						05/06/95	NC	24.00
						05/07/95	NC	74.00
						05/08/95	NC	46.00
						05/09/95	NC	42.00
						05/10/95	NC	28.00
						05/11/95	NC	14.00
						05/12/95	NC	8.00
						05/13/95	NC	12.00
						05/14/95	NC	40.00
						05/15/95	NC	18.00
						05/16/95	NC	10.00
						05/17/95	NC	20.00
						05/18/95	NC	28.00
						05/19/95	NC	24.00
						05/20/95	NC	6.00
						05/21/95	NC	18.00
						05/22/95	NC	18.00
						05/23/95	NC	8.00
						05/24/95	NC	12.00
						05/25/95	NC	16.00
						05/26/95	NC	22.00
						05/27/95	NC	32.00
						05/28/95	NC	24.00
						05/29/95	NC	18.00
						05/30/95	NC	10.00
						05/31/95	NC	14.00
						06/01/95	NC	8.00
						06/02/95	NC	2.00
						06/03/95	NC	26.00
						06/04/95	NC	36.00
						06/05/95	NC	14.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30010	410	A/C	MG/L	06/06/95	NC	4.00
						06/07/95	NC	12.00
						06/08/95	ND	0.00
						06/09/95	NC	14.00
						06/10/95	NC	34.00
						06/11/95	NC	20.00
						06/12/95	NC	10.00
						06/13/95	NC	4.00
						06/14/95	NC	1.00
						06/15/95	NC	6.00
						06/16/95	NC	8.00
						06/17/95	NC	40.00
						06/18/95	NC	22.00
						06/19/95	NC	14.00
						06/20/95	NC	10.00
						06/21/95	NC	10.00
TSS	1-009	30540	700	A/C	MG/L	01/01/90	NC	440.52
						01/02/90	NC	352.42
						01/03/90	NC	308.37
						01/04/90	NC	352.42
						01/05/90	NC	253.30
						01/06/90	NC	451.54
						01/07/90	NC	187.22
						01/08/90	NC	209.25
						01/09/90	NC	88.11
						01/10/90	NC	143.17
						01/11/90	NC	77.09
						01/12/90	NC	99.12
						01/13/90	NC	132.16
						01/14/90	NC	44.05
						01/15/90	NC	132.16
						01/16/90	NC	44.05
						01/17/90	NC	22.03
						01/18/90	NC	55.07
						01/19/90	NC	55.07
						01/20/90	NC	55.07
						01/21/90	NC	33.04
						01/22/90	NC	66.08
						01/23/90	NC	110.13
						01/24/90	NC	132.16
						01/25/90	NC	176.21
						01/26/90	NC	198.24
						01/27/90	NC	176.21
						01/28/90	NC	121.14
						01/29/90	NC	154.18
						01/30/90	NC	154.18
						01/31/90	NC	132.16
						02/01/90	NC	198.24
						02/02/90	NC	198.24

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30540	700	A/C	MG/L	02/03/90	NC	121.14
						02/04/90	NC	143.17
						02/05/90	NC	176.21
						02/06/90	NC	165.20
						02/07/90	NC	132.16
						02/08/90	NC	121.14
						02/09/90	NC	143.17
						02/10/90	NC	110.13
						02/11/90	NC	55.07
						02/12/90	NC	110.13
						02/13/90	NC	77.09
						02/14/90	NC	66.08
						02/15/90	NC	110.13
						02/16/90	NC	99.12
						02/17/90	NC	44.05
						02/18/90	NC	187.22
						02/19/90	NC	209.25
						02/20/90	NC	99.12
						02/21/90	NC	132.16
						02/22/90	NC	209.25
						02/23/90	NC	187.22
						02/24/90	NC	88.11
						02/25/90	NC	88.11
						02/26/90	NC	55.07
						02/27/90	NC	55.07
						02/28/90	NC	66.08
						03/01/90	NC	88.11
						03/02/90	NC	44.05
						03/03/90	NC	55.07
						03/04/90	NC	88.11
						03/05/90	NC	110.13
						03/06/90	NC	66.08
						03/07/90	NC	385.46
						03/08/90	NC	110.13
						03/09/90	NC	220.26
						03/10/90	NC	143.17
						03/11/90	NC	154.18
						03/12/90	NC	429.51
						03/13/90	NC	165.20
						03/14/90	NC	330.39
						03/15/90	NC	253.30
						03/16/90	NC	187.22
						03/17/90	NC	286.34
						03/18/90	NC	154.18
						03/19/90	NC	176.21
						03/20/90	NC	143.17
						03/21/90	NC	187.22
						03/22/90	NC	110.13
						03/23/90	NC	198.24
						03/24/90	NC	154.18

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30540	700	A/C	MG/L	03/25/90	NC	132.16
						03/26/90	NC	110.13
						03/27/90	NC	132.16
						03/28/90	NC	220.26
						03/29/90	NC	198.24
						03/30/90	NC	231.28
						03/31/90	NC	198.24
						04/01/90	NC	198.24
						04/02/90	NC	286.34
						04/03/90	NC	231.28
						04/04/90	NC	297.35
						04/05/90	NC	242.29
						04/06/90	NC	198.24
						04/07/90	NC	176.21
						04/08/90	NC	242.29
						04/09/90	NC	231.28
						04/10/90	NC	88.11
						04/11/90	NC	55.07
						04/12/90	NC	165.20
						04/13/90	NC	154.18
						04/14/90	NC	121.14
						04/15/90	NC	99.12
						04/16/90	NC	121.14
						04/17/90	NC	132.16
						04/18/90	NC	110.13
						04/19/90	NC	209.25
						04/20/90	NC	143.17
						04/21/90	NC	110.13
						04/22/90	NC	198.24
						04/23/90	NC	451.54
						04/24/90	NC	143.17
						04/25/90	NC	231.28
						04/26/90	NC	154.18
						04/27/90	NC	319.38
						04/28/90	NC	198.24
						04/29/90	NC	187.22
						04/30/90	NC	110.13
						05/01/90	NC	44.05
						05/02/90	NC	110.13
						05/03/90	NC	44.05
						05/04/90	NC	66.08
						05/05/90	NC	506.60
						05/06/90	NC	286.34
						05/07/90	NC	275.33
						05/08/90	NC	220.26
						05/09/90	NC	352.42
						05/10/90	NC	242.29
						05/11/90	NC	121.14
						05/12/90	NC	264.31
						05/13/90	NC	506.60
						05/14/90	NC	341.41
						05/15/90	NC	220.26

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30540	700	A/C	MG/L	05/16/90	NC	209.25
						05/17/90	NC	396.47
						05/18/90	NC	132.16
						05/19/90	NC	154.18
						05/20/90	NC	154.18
						05/21/90	NC	121.14
						05/22/90	NC	143.17
						05/23/90	NC	176.21
						05/24/90	NC	165.20
						05/25/90	NC	264.31
						05/26/90	NC	330.39
						05/27/90	NC	143.17
						05/28/90	NC	308.37
						05/29/90	NC	110.13
						05/30/90	NC	231.28
						05/31/90	NC	242.29
						06/01/90	NC	132.16
						06/02/90	NC	187.22
						06/03/90	NC	187.22
						06/04/90	NC	132.16
						06/05/90	NC	209.25
						06/06/90	NC	110.13
						06/07/90	NC	66.08
						06/08/90	NC	66.08
						06/09/90	NC	121.14
						06/10/90	NC	77.09
						06/11/90	NC	88.11
						06/12/90	NC	110.13
						06/13/90	NC	88.11
						06/14/90	NC	77.09
						06/15/90	NC	132.16
						06/16/90	NC	66.08
						06/17/90	NC	187.22
						06/18/90	NC	165.20
						06/19/90	NC	66.08
						06/20/90	NC	264.31
						06/21/90	NC	242.29
						06/22/90	NC	264.31
						06/23/90	NC	55.07
						06/24/90	NC	242.29
						06/25/90	NC	44.05
						06/26/90	NC	132.16
						06/27/90	NC	44.05
						06/28/90	NC	132.16
						06/29/90	NC	22.03
						06/30/90	NC	99.12
						07/01/90	NC	77.09
						07/02/90	NC	99.12
						07/03/90	NC	77.09
						07/04/90	NC	44.05
						07/05/90	NC	242.29
						07/06/90	NC	297.35

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30540	700	A/C	MG/L	07/07/90	NC	220.26
						07/08/90	NC	121.14
						07/09/90	NC	176.21
						07/10/90	NC	198.24
						07/11/90	NC	429.51
						07/12/90	NC	143.17
						07/13/90	NC	198.24
						07/14/90	NC	110.13
						07/15/90	NC	154.18
						07/16/90	NC	132.16
						07/17/90	NC	88.11
						07/18/90	NC	154.18
						07/19/90	NC	143.17
						07/20/90	NC	88.11
						07/21/90	NC	110.13
						07/22/90	NC	44.05
						07/23/90	NC	77.09
						07/24/90	NC	55.07
						07/25/90	NC	55.07
						07/26/90	NC	143.17
						07/27/90	NC	154.18
						07/28/90	NC	132.16
						07/29/90	NC	220.26
						07/30/90	NC	88.11
						07/31/90	NC	99.12
						08/01/90	NC	66.08
						08/02/90	NC	132.16
						08/03/90	NC	99.12
						08/04/90	NC	176.21
						08/05/90	NC	77.09
						08/06/90	NC	110.13
						08/07/90	NC	121.14
						08/08/90	NC	88.11
						08/09/90	NC	143.17
						08/10/90	NC	55.07
						08/11/90	NC	110.13
						08/12/90	NC	88.11
						08/13/90	NC	99.12
						08/14/90	NC	176.21
						08/15/90	NC	231.28
						08/16/90	NC	308.37
						08/17/90	NC	165.20
						08/18/90	NC	132.16
						08/19/90	NC	176.21
						08/20/90	NC	110.13
						08/21/90	NC	77.09
						08/22/90	NC	121.14
						08/23/90	NC	121.14
						08/24/90	NC	110.13
						08/25/90	NC	110.13
						08/26/90	NC	88.11
						08/27/90	NC	66.08

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30540	700	A/C	MG/L	08/28/90	NC	66.08
						08/29/90	NC	187.22
						08/30/90	NC	462.55
						08/31/90	NC	143.17
						09/01/90	NC	99.12
						09/02/90	NC	165.20
						09/03/90	NC	143.17
						09/04/90	NC	110.13
						09/05/90	NC	154.18
						09/06/90	NC	154.18
						09/07/90	NC	187.22
						09/08/90	NC	187.22
						09/09/90	NC	308.37
						09/10/90	NC	308.37
						09/11/90	NC	99.12
						09/12/90	NC	88.11
						09/13/90	NC	88.11
						09/14/90	NC	77.09
						09/15/90	NC	77.09
						09/16/90	NC	110.13
						09/17/90	NC	110.13
						09/18/90	NC	132.16
						09/19/90	NC	88.11
						09/20/90	NC	66.08
						09/21/90	NC	77.09
						09/22/90	NC	66.08
						09/23/90	NC	99.12
						09/24/90	NC	209.25
						09/25/90	NC	110.13
						09/26/90	NC	77.09
						09/27/90	NC	66.08
						09/28/90	NC	132.16
						09/29/90	NC	154.18
						09/30/90	NC	121.14
						10/01/90	NC	77.09
						10/02/90	NC	99.12
						10/03/90	NC	66.08
						10/04/90	NC	66.08
						10/05/90	NC	66.08
						10/06/90	NC	55.07
						10/07/90	NC	55.07
						10/08/90	NC	88.11
						10/09/90	NC	44.05
						10/10/90	NC	121.14
						10/11/90	NC	319.38
						10/12/90	NC	99.12
						10/13/90	NC	99.12
						10/14/90	NC	385.46
						10/15/90	NC	352.42
						10/16/90	NC	308.37
						10/17/90	NC	132.16
						10/18/90	NC	594.71

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30540	700	A/C	MG/L	10/19/90	NC	429.51
						10/20/90	NC	319.38
						10/21/90	NC	176.21
						10/22/90	NC	451.54
						10/23/90	NC	132.16
						10/24/90	NC	352.42
						10/25/90	NC	187.22
						10/26/90	NC	132.16
						10/27/90	NC	143.17
						10/28/90	NC	110.13
						10/29/90	NC	187.22
						10/30/90	NC	176.21
						10/31/90	NC	198.24
						11/01/90	NC	110.13
						11/02/90	NC	242.29
						11/03/90	NC	418.50
						11/04/90	NC	925.10
						11/05/90	NC	506.60
						11/06/90	NC	572.68
						11/07/90	NC	781.93
						11/08/90	NC	539.64
						11/09/90	NC	561.67
						11/10/90	NC	484.58
						11/11/90	NC	363.43
						11/12/90	NC	110.13
						11/13/90	NC	176.21
						11/14/90	NC	66.08
						11/15/90	NC	198.24
						11/16/90	NC	561.67
						11/17/90	NC	165.20
						11/18/90	NC	132.16
						11/19/90	NC	143.17
						11/20/90	NC	220.26
						11/21/90	NC	121.14
						11/22/90	NC	737.88
						11/23/90	NC	110.13
						11/24/90	NC	308.37
						11/25/90	NC	341.41
						11/26/90	NC	286.34
						11/27/90	NC	297.35
						11/28/90	NC	143.17
						11/29/90	NC	396.47
						11/30/90	NC	121.14
						12/01/90	NC	286.34
						12/02/90	NC	154.18
						12/03/90	NC	209.25
						12/04/90	NC	66.08
						12/05/90	NC	88.11
						12/06/90	NC	176.21
						12/07/90	NC	132.16
						12/08/90	NC	110.13
						12/09/90	NC	33.04

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30540	700	A/C	MG/L	12/10/90	NC	88.11
						12/11/90	NC	55.07
						12/12/90	NC	143.17
						12/13/90	NC	176.21
						12/14/90	NC	143.17
						12/15/90	NC	121.14
						12/16/90	NC	198.24
						12/17/90	NC	165.20
						12/18/90	NC	341.41
						12/19/90	NC	341.41
						12/20/90	NC	209.25
						12/21/90	NC	165.20
						12/22/90	NC	220.26
						12/23/90	NC	77.09
						12/24/90	NC	165.20
						12/25/90	NC	66.08
						12/26/90	NC	44.05
						12/27/90	NC	55.07
						12/28/90	NC	44.05
						12/29/90	NC	77.09
						12/30/90	NC	110.13
						12/31/90	NC	110.13
						01/01/91	NC	220.26
						01/02/91	NC	220.26
						01/03/91	NC	231.28
						01/04/91	NC	297.35
						01/05/91	NC	506.60
						01/06/91	NC	110.13
						01/07/91	NC	506.60
						01/08/91	NC	352.42
						01/09/91	NC	264.31
						01/10/91	NC	198.24
						01/11/91	NC	275.33
						01/12/91	NC	88.11
						01/13/91	NC	99.12
						01/14/91	NC	110.13
						01/15/91	NC	121.14
						01/16/91	NC	110.13
						01/17/91	NC	77.09
						01/18/91	NC	88.11
						01/19/91	NC	88.11
						01/20/91	NC	77.09
						01/21/91	NC	374.45
						01/22/91	NC	187.22
						01/23/91	NC	77.09
						01/24/91	NC	187.22
						01/25/91	NC	506.60
						01/26/91	NC	176.21
						01/27/91	NC	132.16
						01/28/91	NC	143.17
						01/29/91	NC	110.13
						01/30/91	NC	110.13

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30540	700	A/C	MG/L	01/31/91	NC	55.07
						02/01/91	NC	88.11
						02/02/91	NC	55.07
						02/03/91	NC	77.09
						02/04/91	NC	66.08
						02/05/91	NC	88.11
						02/06/91	NC	286.34
						02/07/91	NC	264.31
						02/08/91	NC	143.17
						02/09/91	NC	110.13
						02/10/91	NC	110.13
						02/11/91	NC	99.12
						02/12/91	NC	143.17
						02/13/91	NC	176.21
						02/14/91	NC	121.14
						02/15/91	NC	242.29
						02/16/91	NC	99.12
						02/17/91	NC	88.11
						02/18/91	NC	88.11
						02/19/91	NC	319.38
						02/20/91	NC	99.12
						02/21/91	NC	99.12
						02/22/91	NC	110.13
						02/23/91	NC	143.17
						02/24/91	NC	121.14
						02/25/91	NC	165.20
						02/26/91	NC	99.12
						02/27/91	NC	88.11
						02/28/91	NC	132.16
						03/01/91	NC	143.17
						03/02/91	NC	176.21
						03/03/91	NC	132.16
						03/04/91	NC	209.25
						03/05/91	NC	132.16
						03/06/91	NC	121.14
						03/07/91	NC	231.28
						03/08/91	NC	231.28
						03/09/91	NC	209.25
						03/10/91	NC	121.14
						03/11/91	NC	308.37
						03/12/91	NC	231.28
						03/13/91	NC	154.18
						03/14/91	NC	165.20
						03/15/91	NC	121.14
						03/16/91	NC	231.28
						03/17/91	NC	286.34
						03/18/91	NC	352.42
						03/19/91	NC	143.17
						03/20/91	NC	132.16
						03/21/91	NC	132.16
						03/22/91	NC	209.25
						03/23/91	NC	682.81

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30540	700	A/C	MG/L	03/24/91	NC	374.45
						03/25/91	NC	528.63
						03/26/91	NC	143.17
						03/27/91	NC	198.24
						03/28/91	NC	561.67
						03/29/91	NC	154.18
						03/30/91	NC	143.17
						03/31/91	NC	88.11
						04/01/91	NC	110.13
						04/02/91	NC	66.08
						04/03/91	NC	121.14
						04/04/91	NC	154.18
						04/05/91	NC	121.14
						04/06/91	NC	143.17
						04/07/91	NC	110.13
						04/08/91	NC	132.16
						04/09/91	NC	121.14
						04/10/91	NC	77.09
						04/11/91	NC	110.13
						04/12/91	NC	143.17
						04/13/91	NC	594.71
						04/14/91	NC	627.75
						04/15/91	NC	209.25
						04/16/91	NC	198.24
						04/17/91	NC	165.20
						04/18/91	NC	264.31
						04/19/91	NC	462.55
						04/20/91	NC	143.17
						04/21/91	NC	264.31
						04/22/91	NC	528.63
						04/23/91	NC	165.20
						04/24/91	NC	110.13
						04/25/91	NC	132.16
						04/26/91	NC	165.20
						04/27/91	NC	187.22
						04/28/91	NC	418.50
						04/29/91	NC	253.30
						04/30/91	NC	121.14
						05/01/91	NC	209.25
						05/02/91	NC	198.24
						05/03/91	NC	781.93
						05/04/91	NC	253.30
						05/05/91	NC	253.30
						05/06/91	NC	2125.53
						05/07/91	NC	187.22
						05/08/91	NC	187.22
						05/09/91	NC	187.22
						05/10/91	NC	187.22
						05/11/91	NC	275.33
						05/12/91	NC	121.14
						05/13/91	NC	132.16
						05/14/91	NC	154.18

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30540	700	A/C	MG/L	05/15/91	NC	154.18
						05/16/91	NC	264.31
						05/17/91	NC	154.18
						05/18/91	NC	154.18
						05/19/91	NC	154.18
						05/20/91	NC	77.09
						05/21/91	NC	187.22
						05/22/91	NC	176.21
						05/23/91	NC	297.35
						05/24/91	NC	253.30
						05/25/91	NC	176.21
						05/26/91	NC	121.14
						05/27/91	NC	154.18
						05/28/91	NC	132.16
						05/29/91	NC	132.16
						05/30/91	NC	154.18
						05/31/91	NC	66.08
						06/01/91	NC	110.13
						06/02/91	NC	99.12
						06/03/91	NC	77.09
						06/04/91	NC	55.07
						06/05/91	NC	55.07
						06/06/91	NC	33.04
						06/07/91	NC	66.08
						06/08/91	NC	44.05
						06/09/91	NC	143.17
						06/10/91	NC	319.38
						06/11/91	NC	187.22
						06/12/91	NC	264.31
						06/13/91	NC	77.09
						06/14/91	NC	154.18
						06/15/91	NC	77.09
						06/16/91	NC	33.04
						06/17/91	NC	66.08
						06/18/91	NC	231.28
						06/19/91	NC	99.12
						06/20/91	NC	44.05
						06/21/91	NC	33.04
						06/22/91	NC	44.05
						06/23/91	NC	77.09
						06/24/91	NC	55.07
						06/25/91	NC	33.04
						06/26/91	NC	33.04
						06/27/91	NC	220.26
						06/28/91	NC	33.04
						06/29/91	NC	110.13
						06/30/91	NC	77.09
						07/01/91	NC	88.11
						07/02/91	NC	77.09
						07/03/91	NC	33.04
						07/04/91	NC	66.08
						07/05/91	NC	66.08

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30540	700	A/C	MG/L	07/06/91	NC	44.05
						07/07/91	NC	121.14
						07/08/91	NC	143.17
						07/09/91	NC	110.13
						07/10/91	NC	88.11
						07/11/91	NC	99.12
						07/12/91	NC	176.21
						07/13/91	NC	154.18
						07/14/91	NC	88.11
						07/15/91	NC	33.04
						07/16/91	NC	33.04
						07/17/91	NC	44.05
						07/18/91	NC	44.05
						07/19/91	NC	506.60
						07/20/91	NC	55.07
						07/21/91	NC	33.04
						07/22/91	NC	110.13
						07/23/91	NC	55.07
						07/24/91	NC	44.05
						07/25/91	NC	88.11
						07/26/91	NC	154.18
						07/27/91	NC	132.16
						07/28/91	NC	22.03
						07/29/91	NC	66.08
						07/30/91	NC	33.04
						07/31/91	NC	33.04
						08/01/91	NC	44.05
						08/02/91	NC	11.01
						08/03/91	NC	11.01
						08/04/91	NC	11.01
						08/05/91	NC	22.03
						08/06/91	NC	22.03
						08/07/91	NC	33.04
						08/08/91	NC	22.03
						08/09/91	NC	66.08
						08/10/91	NC	33.04
						08/11/91	NC	33.04
						08/12/91	NC	22.03
						08/13/91	NC	44.05
						08/14/91	NC	33.04
						08/15/91	NC	33.04
						08/16/91	NC	44.05
						08/17/91	NC	33.04
						08/18/91	NC	187.22
						08/19/91	NC	44.05
						08/20/91	NC	44.05
						08/21/91	NC	44.05
						08/22/91	NC	55.07
						08/23/91	NC	55.07
						08/24/91	NC	22.03
						08/25/91	NC	33.04
						08/26/91	NC	22.03

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30540	700	A/C	MG/L	08/27/91	NC	33.04
						08/28/91	NC	22.03
						08/29/91	NC	55.07
						08/30/91	NC	22.03
						08/31/91	NC	22.03
						09/01/91	NC	88.11
						09/02/91	NC	66.08
						09/03/91	NC	77.09
						09/04/91	NC	22.03
						09/05/91	NC	33.04
						09/06/91	NC	22.03
						09/07/91	NC	44.05
						09/08/91	NC	242.29
						09/09/91	NC	143.17
						09/10/91	NC	55.07
						09/11/91	NC	66.08
						09/12/91	NC	44.05
						09/13/91	NC	33.04
						09/14/91	NC	77.09
						09/15/91	NC	66.08
						09/16/91	NC	88.11
						09/17/91	NC	66.08
						09/18/91	NC	99.12
						09/19/91	NC	99.12
						09/20/91	NC	121.14
						09/21/91	NC	198.24
						09/22/91	NC	132.16
						09/23/91	NC	66.08
						09/24/91	NC	66.08
						09/25/91	NC	44.05
						09/26/91	NC	121.14
						09/27/91	NC	44.05
						09/28/91	NC	44.05
						09/29/91	NC	44.05
						09/30/91	NC	44.05
						10/01/91	NC	44.05
						10/02/91	NC	33.04
						10/03/91	NC	66.08
						10/04/91	NC	55.07
						10/05/91	NC	121.14
						10/06/91	NC	44.05
						10/07/91	NC	44.05
						10/08/91	NC	121.14
						10/09/91	NC	44.05
						10/10/91	NC	44.05
						10/11/91	NC	66.08
						10/12/91	NC	88.11
						10/13/91	NC	44.05
						10/14/91	NC	44.05
						10/15/91	NC	44.05
						10/16/91	NC	55.07
						10/17/91	NC	55.07

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30540	700	A/C	MG/L	10/18/91	NC	66.08
						10/19/91	NC	77.09
						10/20/91	NC	187.22
						10/21/91	NC	99.12
						10/22/91	NC	154.18
						10/23/91	NC	66.08
						10/24/91	NC	55.07
						10/25/91	NC	55.07
						10/26/91	NC	55.07
						10/27/91	NC	110.13
						10/28/91	NC	154.18
						10/29/91	NC	77.09
						10/30/91	NC	55.07
						10/31/91	NC	22.03
						11/01/91	NC	22.03
						11/02/91	NC	11.01
						11/03/91	NC	22.03
						11/04/91	NC	22.03
						11/05/91	NC	22.03
						11/06/91	NC	22.03
						11/07/91	NC	66.08
						11/08/91	NC	33.04
						11/09/91	NC	33.04
						11/10/91	NC	44.05
						11/11/91	NC	22.03
						11/12/91	NC	22.03
						11/13/91	NC	11.01
						11/14/91	NC	11.01
						11/15/91	NC	22.03
						11/16/91	NC	11.01
						11/17/91	NC	22.03
						11/18/91	NC	11.01
						11/19/91	NC	44.05
						11/20/91	NC	110.13
						11/21/91	NC	99.12
						11/22/91	NC	55.07
						11/23/91	NC	55.07
						11/24/91	NC	110.13
						11/25/91	NC	88.11
						11/26/91	NC	33.04
						11/27/91	NC	33.04
						11/28/91	NC	33.04
						11/29/91	NC	33.04
						11/30/91	NC	77.09
						12/01/91	NC	66.08
						12/02/91	NC	99.12
						12/03/91	NC	99.12
						12/04/91	NC	88.11
						12/05/91	NC	66.08
						12/06/91	NC	77.09
						12/07/91	NC	77.09
						12/08/91	NC	66.08

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30540	700	A/C	MG/L	12/09/91	NC	143.17
						12/10/91	NC	77.09
						12/11/91	NC	44.05
						12/12/91	NC	77.09
						12/13/91	NC	121.14
						12/14/91	NC	88.11
						12/15/91	NC	132.16
						12/16/91	NC	66.08
						12/17/91	NC	44.05
						12/18/91	NC	132.16
						12/19/91	NC	154.18
						12/20/91	NC	44.05
						12/21/91	NC	44.05
						12/22/91	NC	55.07
						12/23/91	NC	44.05
						12/24/91	NC	33.04
						12/25/91	NC	33.04
						12/26/91	NC	33.04
						12/27/91	NC	143.17
						12/28/91	NC	242.29
						12/29/91	NC	374.45
						12/30/91	NC	209.25
						12/31/91	NC	176.21
						01/01/92	NC	198.24
						01/02/92	NC	165.20
						01/03/92	NC	264.31
						01/04/92	NC	110.13
						01/05/92	NC	220.26
						01/06/92	NC	253.30
						01/07/92	NC	264.31
						01/08/92	NC	462.55
						01/09/92	NC	396.47
						01/10/92	NC	297.35
						01/11/92	NC	341.41
						01/12/92	NC	396.47
						01/13/92	NC	341.41
						01/14/92	NC	297.35
						01/15/92	NC	539.64
						01/17/92	NC	660.79
						01/18/92	NC	561.67
						01/19/92	NC	605.72
						01/20/92	NC	561.67
						01/21/92	NC	572.68
						01/22/92	NC	903.07
						01/23/92	NC	253.30
						01/24/92	NC	517.62
						01/25/92	NC	451.54
						01/26/92	NC	473.56
						01/27/92	NC	363.43
						01/28/92	NC	297.35
						01/29/92	NC	374.45
						01/30/92	NC	176.21

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30540	700	A/C	MG/L	01/31/92	NC	88.11
						02/01/92	NC	77.09
						02/02/92	NC	66.08
						02/03/92	NC	66.08
						02/04/92	NC	66.08
						02/05/92	NC	99.12
						02/06/92	NC	143.17
						02/07/92	NC	88.11
						02/08/92	NC	99.12
						02/09/92	NC	165.20
						02/10/92	NC	154.18
						02/11/92	NC	77.09
						02/12/92	NC	99.12
						02/13/92	NC	165.20
						02/14/92	NC	99.12
						02/15/92	NC	429.51
						02/16/92	NC	275.33
						02/17/92	NC	253.30
						02/18/92	NC	253.30
						02/19/92	NC	99.12
						02/20/92	NC	99.12
						02/21/92	NC	220.26
						02/22/92	NC	165.20
						02/23/92	NC	77.09
						02/24/92	NC	88.11
						02/25/92	NC	440.52
						02/26/92	NC	165.20
						02/27/92	NC	77.09
						02/28/92	NC	275.33
						02/29/92	NC	440.52
						03/01/92	NC	594.71
						03/02/92	NC	440.52
						03/03/92	NC	308.37
						03/04/92	NC	176.21
						03/05/92	NC	110.13
						03/06/92	NC	264.31
						03/07/92	NC	308.37
						03/08/92	NC	132.16
						03/09/92	NC	231.28
						03/10/92	NC	165.20
						03/11/92	NC	132.16
						03/12/92	NC	110.13
						03/13/92	NC	88.11
						03/14/92	NC	99.12
						03/15/92	NC	88.11
						03/16/92	NC	110.13
						03/17/92	NC	110.13
						03/18/92	NC	110.13
						03/19/92	NC	242.29
						03/20/92	NC	462.55
						03/21/92	NC	110.13
						03/22/92	NC	88.11

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30540	700	A/C	MG/L	03/23/92	NC	55.07
						03/24/92	NC	110.13
						03/25/92	NC	176.21
						03/26/92	NC	176.21
						03/27/92	NC	176.21
						03/28/92	NC	154.18
						03/29/92	NC	132.16
						03/30/92	NC	154.18
						03/31/92	NC	121.14
						04/01/92	NC	88.11
						04/02/92	NC	99.12
						04/03/92	NC	99.12
						04/04/92	NC	132.16
						04/05/92	NC	88.11
						04/06/92	NC	154.18
						04/07/92	NC	154.18
						04/08/92	NC	99.12
						04/09/92	NC	88.11
						04/10/92	NC	77.09
						04/11/92	NC	132.16
						04/12/92	NC	88.11
						04/13/92	NC	77.09
						04/14/92	NC	132.16
						04/15/92	NC	121.14
						04/16/92	NC	143.17
						04/17/92	NC	132.16
						04/18/92	NC	121.14
						04/19/92	NC	176.21
						04/20/92	NC	132.16
						04/21/92	NC	737.88
						04/22/92	NC	319.38
						04/23/92	NC	176.21
						04/24/92	NC	495.59
						04/25/92	NC	165.20
						04/26/92	NC	121.14
						04/27/92	NC	132.16
						04/28/92	NC	154.18
						04/29/92	NC	154.18
						04/30/92	NC	121.14
						05/01/92	NC	99.12
						05/02/92	NC	77.09
						05/03/92	NC	132.16
						05/04/92	NC	121.14
						05/05/92	NC	176.21
						05/06/92	NC	88.11
						05/07/92	NC	110.13
						05/08/92	NC	352.42
						05/09/92	NC	176.21
						05/10/92	NC	165.20
						05/11/92	NC	154.18
						05/12/92	NC	121.14
						05/13/92	NC	165.20

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30540	700	A/C	MG/L	05/14/92	NC	242.29
						05/15/92	NC	341.41
						05/16/92	NC	198.24
						05/17/92	NC	220.26
						05/18/92	NC	374.45
						05/19/92	NC	110.13
						05/20/92	NC	176.21
						05/21/92	NC	165.20
						05/22/92	NC	176.21
						05/23/92	NC	154.18
						05/24/92	NC	132.16
						05/25/92	NC	594.71
						05/26/92	NC	638.76
						05/27/92	NC	264.31
						05/28/92	NC	132.16
						05/29/92	NC	231.28
						05/30/92	NC	176.21
						05/31/92	NC	198.24
						06/01/92	NC	110.13
						06/02/92	NC	198.24
						06/03/92	NC	286.34
						06/04/92	NC	176.21
						06/05/92	NC	132.16
						06/06/92	NC	121.14
						06/07/92	NC	143.17
						06/08/92	NC	99.12
						06/09/92	NC	99.12
						06/10/92	NC	143.17
						06/11/92	NC	132.16
						06/12/92	NC	154.18
						06/13/92	NC	143.17
						06/14/92	NC	176.21
						06/15/92	NC	209.25
						06/16/92	NC	319.38
						06/17/92	NC	220.26
						06/18/92	NC	176.21
						06/19/92	NC	253.30
						06/20/92	NC	121.14
						06/21/92	NC	88.11
						06/22/92	NC	121.14
						06/23/92	NC	110.13
						06/24/92	NC	121.14
						06/25/92	NC	110.13
						06/26/92	NC	77.09
						06/27/92	NC	88.11
						06/28/92	NC	44.05
						06/29/92	NC	77.09
						06/30/92	NC	99.12
						07/02/92	NC	55.07
						07/03/92	NC	154.18
						07/04/92	NC	66.08
						07/05/92	NC	66.08

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30540	700	A/C	MG/L	07/06/92	NC	66.08
						07/07/92	NC	44.05
						07/08/92	NC	66.08
						07/09/92	NC	99.12
						07/10/92	NC	66.08
						07/11/92	NC	66.08
						07/12/92	NC	66.08
						07/13/92	NC	77.09
						07/14/92	NC	55.07
						07/15/92	NC	55.07
						07/16/92	NC	55.07
						07/17/92	NC	55.07
						07/18/92	NC	77.09
						07/19/92	NC	99.12
						07/20/92	NC	143.17
						07/21/92	NC	165.20
						07/22/92	NC	154.18
						07/23/92	NC	110.13
						07/24/92	NC	121.14
						07/25/92	NC	55.07
						07/26/92	NC	55.07
						07/27/92	NC	429.51
						07/28/92	NC	55.07
						07/29/92	NC	132.16
						07/30/92	NC	55.07
						07/31/92	NC	143.17
						08/01/92	NC	55.07
						08/02/92	NC	44.05
						08/03/92	NC	55.07
						08/04/92	NC	66.08
						08/05/92	NC	121.14
						08/06/92	NC	154.18
						08/07/92	NC	154.18
						08/08/92	NC	143.17
						08/09/92	NC	143.17
						08/10/92	NC	121.14
						08/11/92	NC	165.20
						08/12/92	NC	132.16
						08/13/92	NC	143.17
						08/14/92	NC	154.18
						08/15/92	NC	209.25
						08/16/92	NC	726.87
						08/17/92	NC	352.42
						08/18/92	NC	231.28
						08/19/92	NC	88.11
						08/20/92	NC	132.16
						08/21/92	NC	66.08
						08/22/92	NC	121.14
						08/23/92	NC	88.11
						08/24/92	NC	88.11
						08/25/92	NC	88.11
						08/26/92	NC	66.08

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30540	700	A/C	MG/L	08/27/92	NC	55.07
						08/28/92	NC	88.11
						08/29/92	NC	99.12
						08/30/92	NC	77.09
						08/31/92	NC	110.13
						09/01/92	NC	99.12
						09/02/92	NC	154.18
						09/03/92	NC	143.17
						09/04/92	NC	110.13
						09/05/92	NC	110.13
						09/06/92	NC	110.13
						09/07/92	NC	99.12
						09/08/92	NC	132.16
						09/09/92	NC	121.14
						09/10/92	NC	176.21
						09/11/92	NC	99.12
						09/12/92	NC	110.13
						09/13/92	NC	88.11
						09/14/92	NC	99.12
						09/15/92	NC	143.17
						09/16/92	NC	132.16
						09/17/92	NC	110.13
						09/18/92	NC	143.17
						09/19/92	NC	110.13
						09/20/92	NC	88.11
						09/21/92	NC	110.13
						09/22/92	NC	176.21
						09/23/92	NC	33.04
						09/24/92	NC	99.12
						09/25/92	NC	88.11
						09/26/92	NC	66.08
						09/27/92	NC	44.05
						09/28/92	NC	44.05
						09/29/92	NC	44.05
						09/30/92	NC	66.08
						10/01/92	NC	55.07
						10/02/92	NC	88.11
						10/03/92	NC	77.09
						10/04/92	NC	77.09
						10/05/92	NC	88.11
						10/06/92	NC	88.11
						10/07/92	NC	66.08
						10/08/92	NC	99.12
						10/09/92	NC	121.14
						10/10/92	NC	55.07
						10/11/92	NC	77.09
						10/12/92	NC	55.07
						10/13/92	NC	55.07
						10/14/92	NC	55.07
						10/15/92	NC	88.11
						10/16/92	NC	88.11
						10/17/92	NC	77.09

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30540	700	A/C	MG/L	10/18/92	NC	121.14
						10/19/92	NC	99.12
						10/20/92	NC	176.21
						10/21/92	NC	231.28
						10/22/92	NC	231.28
						10/23/92	NC	110.13
						10/24/92	NC	154.18
						10/25/92	NC	99.12
						10/26/92	NC	176.21
						10/27/92	NC	176.21
						10/28/92	NC	132.16
						10/29/92	NC	99.12
						10/30/92	NC	99.12
						10/31/92	NC	77.09
						11/01/92	NC	88.11
						11/02/92	NC	88.11
						11/03/92	NC	88.11
						11/04/92	NC	44.05
						11/05/92	NC	66.08
						11/06/92	NC	44.05
						11/07/92	NC	44.05
						11/08/92	NC	44.05
						11/09/92	NC	55.07
						11/10/92	NC	66.08
						11/11/92	NC	132.16
						11/12/92	NC	110.13
						11/13/92	NC	88.11
						11/14/92	NC	66.08
						11/15/92	NC	440.52
						11/16/92	NC	44.05
						11/17/92	NC	44.05
						11/18/92	NC	44.05
						11/19/92	NC	44.05
						11/20/92	NC	44.05
						11/21/92	NC	88.11
						11/22/92	NC	330.39
						11/23/92	NC	99.12
						11/24/92	NC	66.08
						11/25/92	NC	66.08
						11/26/92	NC	55.07
						11/27/92	NC	44.05
						11/28/92	NC	44.05
						11/29/92	NC	44.05
						11/30/92	NC	66.08
						12/01/92	NC	77.09
						12/02/92	NC	66.08
						12/03/92	NC	44.05
						12/04/92	NC	77.09
						12/05/92	NC	55.07
						12/06/92	NC	44.05
						12/07/92	NC	44.05
						12/08/92	NC	44.05

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30540	700	A/C	MG/L	12/09/92	NC	44.05
						12/10/92	NC	198.24
						12/11/92	NC	55.07
						12/12/92	NC	33.04
						12/13/92	NC	33.04
						12/14/92	NC	44.05
						12/15/92	NC	55.07
						12/16/92	NC	55.07
						12/17/92	NC	55.07
						12/18/92	NC	44.05
						12/19/92	NC	55.07
						12/20/92	NC	66.08
						12/21/92	NC	22.03
						12/22/92	NC	44.05
						12/23/92	NC	66.08
						12/24/92	NC	77.09
						12/25/92	NC	44.05
						12/26/92	NC	33.04
						12/27/92	NC	66.08
						12/28/92	NC	66.08
						12/29/92	NC	55.07
						12/30/92	NC	44.05
						12/31/92	NC	33.04
						01/01/93	NC	22.03
						01/02/93	NC	22.03
						01/03/93	NC	22.03
						01/04/93	NC	44.05
						01/05/93	NC	66.08
						01/06/93	NC	88.11
						01/07/93	NC	44.05
						01/08/93	NC	55.07
						01/09/93	NC	33.04
						01/10/93	NC	44.05
						01/11/93	NC	44.05
						01/12/93	NC	55.07
						01/13/93	NC	55.07
						01/14/93	NC	44.05
						01/15/93	NC	44.05
						01/16/93	NC	66.08
						01/17/93	NC	55.07
						01/18/93	NC	33.04
						01/19/93	NC	44.05
						01/20/93	NC	33.04
						01/21/93	NC	44.05
						01/22/93	NC	55.07
						01/23/93	NC	44.05
						01/24/93	NC	55.07
						01/25/93	NC	44.05
						01/26/93	NC	44.05
						01/27/93	NC	44.05
						01/28/93	NC	44.05
						01/29/93	NC	44.05

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30540	700	A/C	MG/L	01/30/93	NC	55.07
						01/31/93	NC	88.11
						02/01/93	NC	209.25
						02/02/93	NC	187.22
						02/03/93	NC	385.46
						02/04/93	NC	407.49
						02/05/93	NC	341.41
						02/06/93	NC	242.29
						02/07/93	NC	495.59
						02/08/93	NC	451.54
						02/09/93	NC	484.58
						02/10/93	NC	363.43
						02/11/93	NC	407.49
						02/12/93	NC	429.51
						02/13/93	NC	660.79
						02/14/93	NC	451.54
						02/15/93	NC	363.43
						02/16/93	NC	506.60
						02/17/93	NC	440.52
						02/18/93	NC	297.35
						02/19/93	NC	264.31
						02/20/93	NC	253.30
						02/21/93	NC	396.47
						02/22/93	NC	561.67
						02/23/93	NC	363.43
						02/24/93	NC	363.43
						02/25/93	NC	264.31
						02/26/93	NC	253.30
						02/27/93	NC	143.17
						02/28/93	NC	132.16
						03/01/93	NC	165.20
						03/02/93	NC	143.17
						03/03/93	NC	176.21
						03/04/93	NC	892.06
						03/05/93	NC	396.47
						03/06/93	NC	209.25
						03/07/93	NC	143.17
						03/08/93	NC	187.22
						03/09/93	NC	363.43
						03/10/93	NC	220.26
						03/11/93	NC	275.33
						03/12/93	NC	154.18
						03/13/93	NC	187.22
						03/14/93	NC	165.20
						03/15/93	NC	187.22
						03/16/93	NC	165.20
						03/17/93	NC	165.20
						03/18/93	NC	143.17
						03/19/93	NC	99.12
						03/20/93	NC	154.18
						03/21/93	NC	198.24
						03/22/93	NC	198.24

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30540	700	A/C	MG/L	03/23/93	NC	154.18
						03/24/93	NC	165.20
						03/25/93	NC	121.14
						03/26/93	NC	121.14
						03/27/93	NC	154.18
						03/28/93	NC	253.30
						03/29/93	NC	154.18
						03/30/93	NC	264.31
						03/31/93	NC	275.33
						04/01/93	NC	198.24
						04/02/93	NC	187.22
						04/03/93	NC	242.29
						04/04/93	NC	154.18
						04/05/93	NC	275.33
						04/06/93	NC	143.17
						04/07/93	NC	352.42
						04/08/93	NC	374.45
						04/09/93	NC	220.26
						04/10/93	NC	110.13
						04/11/93	NC	154.18
						04/12/93	NC	110.13
						04/13/93	NC	253.30
						04/14/93	NC	154.18
						04/15/93	NC	143.17
						04/16/93	NC	440.52
						04/17/93	NC	143.17
						04/18/93	NC	154.18
						04/19/93	NC	198.24
						04/20/93	NC	198.24
						04/21/93	NC	275.33
						04/22/93	NC	143.17
						04/23/93	NC	165.20
						04/24/93	NC	99.12
						04/25/93	NC	121.14
						04/26/93	NC	88.11
						04/27/93	NC	88.11
						04/28/93	NC	110.13
						04/29/93	NC	121.14
						04/30/93	NC	77.09
						05/01/93	NC	143.17
						05/02/93	NC	187.22
						05/03/93	NC	231.28
						05/04/93	NC	198.24
						05/05/93	NC	363.43
						05/06/93	NC	154.18
						05/07/93	NC	198.24
						05/08/93	NC	209.25
						05/09/93	NC	209.25
						05/10/93	NC	209.25
						05/11/93	NC	275.33
						05/12/93	NC	286.34
						05/13/93	NC	385.46

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30540	700	A/C	MG/L	05/14/93	NC	220.26
						05/15/93	NC	121.14
						05/16/93	NC	187.22
						05/17/93	NC	110.13
						05/18/93	NC	275.33
						05/19/93	NC	143.17
						05/20/93	NC	121.14
						05/21/93	NC	99.12
						05/22/93	NC	132.16
						05/23/93	NC	99.12
						05/24/93	NC	121.14
						05/25/93	NC	165.20
						05/26/93	NC	154.18
						05/27/93	NC	121.14
						05/28/93	NC	110.13
						05/29/93	NC	121.14
						05/30/93	NC	99.12
						05/31/93	NC	121.14
						06/01/93	NC	88.11
						06/02/93	NC	88.11
						06/03/93	NC	77.09
						06/04/93	NC	99.12
						06/05/93	NC	110.13
						06/06/93	NC	77.09
						06/07/93	NC	99.12
						06/08/93	NC	132.16
						06/09/93	NC	88.11
						06/10/93	NC	66.08
						06/11/93	NC	77.09
						06/12/93	NC	55.07
						06/13/93	NC	66.08
						06/14/93	NC	77.09
						06/15/93	NC	77.09
						06/16/93	NC	77.09
						06/17/93	NC	88.11
						06/18/93	NC	66.08
						06/19/93	NC	165.20
						06/20/93	NC	99.12
						06/21/93	NC	88.11
						06/22/93	NC	99.12
						06/23/93	NC	121.14
						06/24/93	NC	110.13
						06/25/93	NC	88.11
						06/26/93	NC	66.08
						06/27/93	NC	88.11
						06/28/93	NC	121.14
						06/29/93	NC	341.41
						06/30/93	NC	176.21
						07/01/93	NC	176.21
						07/02/93	NC	143.17
						07/03/93	NC	132.16
						07/04/93	NC	154.18

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30540	700	A/C	MG/L	07/05/93	NC	99.12
						07/06/93	NC	99.12
						07/07/93	NC	88.11
						07/08/93	NC	88.11
						07/09/93	NC	66.08
						07/10/93	NC	77.09
						07/11/93	NC	66.08
						07/12/93	NC	66.08
						07/13/93	NC	121.14
						07/14/93	NC	143.17
						07/15/93	NC	132.16
						07/16/93	NC	77.09
						07/17/93	NC	77.09
						07/18/93	NC	209.25
						07/19/93	NC	110.13
						07/20/93	NC	77.09
						07/21/93	NC	44.05
						07/22/93	NC	44.05
						07/23/93	NC	88.11
						07/24/93	NC	44.05
						07/25/93	NC	44.05
						07/26/93	NC	297.35
						07/27/93	NC	55.07
						07/28/93	NC	55.07
						07/29/93	NC	55.07
						07/30/93	NC	33.04
						07/31/93	NC	33.04
						08/01/93	NC	44.05
						08/02/93	NC	55.07
						08/03/93	NC	66.08
						08/04/93	NC	88.11
						08/05/93	NC	88.11
						08/06/93	NC	110.13
						08/07/93	NC	77.09
						08/08/93	NC	154.18
						08/09/93	NC	187.22
						08/10/93	NC	154.18
						08/11/93	NC	176.21
						08/12/93	NC	154.18
						08/13/93	NC	165.20
						08/14/93	NC	231.28
						08/15/93	NC	220.26
						08/16/93	NC	110.13
						08/17/93	NC	132.16
						08/18/93	NC	143.17
						08/19/93	NC	99.12
						08/20/93	NC	143.17
						08/21/93	NC	132.16
						08/23/93	NC	132.16
						08/24/93	NC	121.14
						08/25/93	NC	143.17
						08/26/93	NC	176.21

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30540	700	A/C	MG/L	08/27/93	NC	220.26
						08/28/93	NC	198.24
						08/29/93	NC	165.20
						08/30/93	NC	154.18
						08/31/93	NC	99.12
						09/01/93	NC	110.13
						09/02/93	NC	77.09
						09/03/93	NC	154.18
						09/04/93	NC	110.13
						09/05/93	NC	88.11
						09/06/93	NC	77.09
						09/07/93	NC	88.11
						09/08/93	NC	88.11
						09/09/93	NC	88.11
						09/10/93	NC	44.05
						09/11/93	NC	55.07
						09/12/93	NC	55.07
						09/13/93	NC	55.07
						09/14/93	NC	55.07
						09/15/93	NC	77.09
						09/16/93	NC	77.09
						09/17/93	NC	77.09
						09/18/93	NC	99.12
						09/19/93	NC	77.09
						09/20/93	NC	88.11
						09/21/93	NC	77.09
						09/22/93	NC	77.09
						09/23/93	NC	66.08
						09/24/93	NC	66.08
						09/25/93	NC	143.17
						09/26/93	NC	66.08
						09/27/93	NC	121.14
						09/28/93	NC	77.09
						09/29/93	NC	88.11
						09/30/93	NC	66.08
						10/01/93	NC	66.08
						10/02/93	NC	77.09
						10/03/93	NC	55.07
						10/04/93	NC	55.07
						10/05/93	NC	55.07
						10/06/93	NC	66.08
						10/07/93	NC	44.05
						10/08/93	NC	55.07
						10/09/93	NC	66.08
						10/10/93	NC	55.07
						10/11/93	NC	55.07
						10/12/93	NC	66.08
						10/13/93	NC	55.07
						10/14/93	NC	66.08
						10/15/93	NC	66.08
						10/16/93	NC	44.05
						10/17/93	NC	66.08

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30540	700	A/C	MG/L	10/18/93	NC	55.07
						10/19/93	NC	33.04
						10/20/93	NC	33.04
						10/21/93	NC	33.04
						10/22/93	NC	99.12
						10/23/93	NC	209.25
						10/24/93	NC	33.04
						10/25/93	NC	11.01
						10/26/93	NC	22.03
						10/27/93	NC	33.04
						10/28/93	NC	22.03
						10/29/93	NC	77.09
						10/30/93	NC	88.11
						10/31/93	NC	33.04
						11/01/93	NC	33.04
						11/02/93	NC	33.04
						11/03/93	NC	33.04
						11/04/93	NC	44.05
						11/05/93	NC	22.03
						11/06/93	NC	33.04
						11/07/93	NC	33.04
						11/08/93	NC	33.04
						11/09/93	NC	55.07
						11/10/93	NC	77.09
						11/11/93	NC	77.09
						11/12/93	NC	66.08
						11/13/93	NC	44.05
						11/14/93	NC	55.07
						11/15/93	NC	55.07
						11/16/93	NC	88.11
						11/17/93	NC	176.21
						11/18/93	NC	88.11
						11/19/93	NC	88.11
						11/20/93	NC	77.09
						11/21/93	NC	66.08
						11/22/93	NC	44.05
						11/23/93	NC	55.07
						11/24/93	NC	55.07
						11/25/93	NC	77.09
						11/26/93	NC	66.08
						11/27/93	NC	231.28
						11/28/93	NC	143.17
						11/29/93	NC	77.09
						11/30/93	NC	77.09
						12/01/93	NC	132.16
						12/02/93	NC	99.12
						12/03/93	NC	66.08
						12/04/93	NC	88.11
						12/05/93	NC	231.28
						12/06/93	NC	66.08
						12/07/93	NC	66.08
						12/08/93	NC	44.05

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30540	700	A/C	MG/L	12/09/93	NC	121.14
						12/10/93	NC	110.13
						12/11/93	NC	242.29
						12/12/93	NC	187.22
						12/13/93	NC	154.18
						12/14/93	NC	187.22
						12/15/93	NC	198.24
						12/16/93	NC	231.28
						12/17/93	NC	110.13
						12/18/93	NC	165.20
						12/19/93	NC	165.20
						12/20/93	NC	198.24
						12/21/93	NC	176.21
						12/22/93	NC	66.08
						12/23/93	NC	88.11
						12/24/93	NC	77.09
						12/25/93	NC	66.08
						12/26/93	NC	55.07
						12/27/93	NC	66.08
						12/28/93	NC	55.07
						12/29/93	NC	44.05
						12/30/93	NC	110.13
						12/31/93	NC	110.13
						01/01/94	NC	110.13
						01/02/94	NC	132.16
						01/03/94	NC	55.07
						01/04/94	NC	88.11
						01/05/94	NC	88.11
						01/06/94	NC	77.09
						01/07/94	NC	187.22
						01/08/94	NC	143.17
						01/09/94	NC	66.08
						01/10/94	NC	77.09
						01/11/94	NC	99.12
						01/12/94	NC	99.12
						01/13/94	NC	77.09
						01/14/94	NC	44.05
						01/15/94	NC	44.05
						01/16/94	NC	121.14
						01/17/94	NC	154.18
						01/18/94	NC	209.25
						01/19/94	NC	495.59
						01/20/94	NC	99.12
						01/21/94	NC	77.09
						01/22/94	NC	88.11
						01/23/94	NC	77.09
						01/24/94	NC	88.11
						01/25/94	NC	66.08
						01/26/94	NC	77.09
						01/27/94	NC	88.11
						01/28/94	NC	143.17
						01/29/94	NC	187.22

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30540	700	A/C	MG/L	01/30/94	NC	143.17
						01/31/94	NC	165.20
						02/01/94	NC	165.20
						02/02/94	NC	187.22
						02/03/94	NC	242.29
						02/04/94	NC	231.28
						02/05/94	NC	154.18
						02/06/94	NC	154.18
						02/07/94	NC	176.21
						02/08/94	NC	242.29
						02/09/94	NC	363.43
						02/10/94	NC	154.18
						02/11/94	NC	121.14
						02/12/94	NC	286.34
						02/13/94	NC	308.37
						02/14/94	NC	253.30
						02/15/94	NC	231.28
						02/16/94	NC	198.24
						02/17/94	NC	110.13
						02/18/94	NC	132.16
						02/19/94	NC	88.11
						02/20/94	NC	99.12
						02/21/94	NC	143.17
						02/22/94	NC	110.13
						02/23/94	NC	330.39
						02/24/94	NC	319.38
						02/25/94	NC	110.13
						02/26/94	NC	165.20
						02/27/94	NC	231.28
						02/28/94	NC	220.26
						03/01/94	NC	297.35
						03/02/94	NC	209.25
						03/03/94	NC	176.21
						03/04/94	NC	187.22
						03/05/94	NC	143.17
						03/06/94	NC	110.13
						03/07/94	NC	154.18
						03/08/94	NC	143.17
						03/09/94	NC	176.21
						03/10/94	NC	220.26
						03/11/94	NC	242.29
						03/12/94	NC	187.22
						03/13/94	NC	220.26
						03/14/94	NC	330.39
						03/15/94	NC	198.24
						03/16/94	NC	220.26
						03/17/94	NC	220.26
						03/18/94	NC	231.28
						03/19/94	NC	209.25
						03/20/94	NC	198.24
						03/21/94	NC	264.31
						03/22/94	NC	198.24

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30540	700	A/C	MG/L	03/23/94	NC	154.18
						03/24/94	NC	121.14
						03/25/94	NC	154.18
						03/26/94	NC	198.24
						03/27/94	NC	176.21
						03/28/94	NC	176.21
						03/29/94	NC	143.17
						03/30/94	NC	77.09
						03/31/94	NC	88.11
						04/01/94	NC	88.11
						04/02/94	NC	110.13
						04/03/94	NC	66.08
						04/04/94	NC	77.09
						04/05/94	NC	77.09
						04/06/94	NC	99.12
						04/07/94	NC	121.14
						04/08/94	NC	77.09
						04/09/94	NC	88.11
						04/10/94	NC	66.08
						04/11/94	NC	77.09
						04/12/94	NC	66.08
						04/13/94	NC	88.11
						04/14/94	NC	66.08
						04/15/94	NC	264.31
						04/16/94	NC	77.09
						04/17/94	NC	66.08
						04/18/94	NC	88.11
						04/19/94	NC	88.11
						04/20/94	NC	99.12
						04/21/94	NC	99.12
						04/22/94	NC	77.09
						04/23/94	NC	66.08
						04/24/94	NC	66.08
						04/25/94	NC	66.08
						04/26/94	NC	66.08
						04/27/94	NC	77.09
						04/28/94	NC	88.11
						04/29/94	NC	154.18
						04/30/94	NC	88.11
						05/01/94	NC	88.11
						05/02/94	NC	77.09
						05/03/94	NC	99.12
						05/04/94	NC	77.09
						05/05/94	NC	88.11
						05/06/94	NC	77.09
						05/07/94	NC	99.12
						05/08/94	NC	143.17
						05/09/94	NC	99.12
						05/10/94	NC	110.13
						05/11/94	NC	88.11
						05/12/94	NC	77.09
						05/13/94	NC	99.12

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30540	700	A/C	MG/L	05/14/94	NC	77.09
						05/15/94	NC	77.09
						05/16/94	NC	121.14
						05/17/94	NC	187.22
						05/18/94	NC	539.64
						05/19/94	NC	594.71
						05/20/94	NC	231.28
						05/21/94	NC	143.17
						05/22/94	NC	176.21
						05/23/94	NC	165.20
						05/24/94	NC	176.21
						05/25/94	NC	143.17
						05/26/94	NC	242.29
						05/27/94	NC	220.26
						05/28/94	NC	341.41
						05/29/94	NC	418.50
						05/30/94	NC	253.30
						05/31/94	NC	231.28
						06/01/94	NC	132.16
						06/02/94	NC	121.14
						06/03/94	NC	154.18
						06/04/94	NC	121.14
						06/05/94	NC	110.13
						06/06/94	NC	143.17
						06/07/94	NC	110.13
						06/08/94	NC	121.14
						06/09/94	NC	121.14
						06/10/94	NC	121.14
						06/11/94	NC	132.16
						06/12/94	NC	154.18
						06/13/94	NC	132.16
						06/14/94	NC	132.16
						06/16/94	NC	253.30
						06/17/94	NC	242.29
						06/18/94	NC	154.18
						06/19/94	NC	121.14
						06/20/94	NC	154.18
						06/21/94	NC	275.33
						06/22/94	NC	242.29
						06/23/94	NC	165.20
						06/24/94	NC	99.12
						06/25/94	NC	88.11
						06/26/94	NC	110.13
						06/27/94	NC	143.17
						06/28/94	NC	154.18
						06/29/94	NC	99.12
						06/30/94	NC	132.16
						07/01/94	NC	88.11
						07/02/94	NC	77.09
						07/03/94	NC	429.51
						07/04/94	NC	99.12
						07/05/94	NC	121.14

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30540	700	A/C	MG/L	07/06/94	NC	121.14
						07/07/94	NC	121.14
						07/08/94	NC	99.12
						07/09/94	NC	66.08
						07/10/94	NC	66.08
						07/11/94	NC	55.07
						07/12/94	NC	66.08
						07/13/94	NC	88.11
						07/14/94	NC	99.12
						07/15/94	NC	242.29
						07/16/94	NC	154.18
						07/17/94	NC	110.13
						07/18/94	NC	528.63
						07/19/94	NC	220.26
						07/20/94	NC	165.20
						07/21/94	NC	132.16
						07/22/94	NC	77.09
						07/23/94	NC	110.13
						07/24/94	NC	99.12
						07/25/94	NC	121.14
						07/26/94	NC	121.14
						07/27/94	NC	121.14
						07/28/94	NC	121.14
						07/29/94	NC	77.09
						07/30/94	NC	99.12
						07/31/94	NC	154.18
						08/01/94	NC	154.18
						08/02/94	NC	99.12
						08/03/94	NC	154.18
						08/04/94	NC	165.20
						08/05/94	NC	176.21
						08/06/94	NC	176.21
						08/07/94	NC	165.20
						08/08/94	NC	165.20
						08/09/94	NC	209.25
						08/10/94	NC	165.20
						08/11/94	NC	132.16
						08/12/94	NC	341.41
						08/13/94	NC	121.14
						08/14/94	NC	143.17
						08/15/94	NC	143.17
						08/16/94	NC	253.30
						08/17/94	NC	363.43
						08/18/94	NC	253.30
						08/19/94	NC	209.25
						08/20/94	NC	220.26
						08/21/94	NC	231.28
						08/22/94	NC	132.16
						08/23/94	NC	121.14
						08/24/94	NC	143.17
						08/25/94	NC	121.14
						08/26/94	NC	110.13

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30540	700	A/C	MG/L	08/27/94	NC	55.07
						08/28/94	NC	209.25
						08/29/94	NC	165.20
						08/30/94	NC	132.16
						08/31/94	NC	176.21
						09/01/94	NC	220.26
						09/02/94	NC	176.21
						09/03/94	NC	308.37
						09/04/94	NC	198.24
						09/05/94	NC	88.11
						09/06/94	NC	99.12
						09/07/94	NC	121.14
						09/08/94	NC	99.12
						09/09/94	NC	66.08
						09/10/94	NC	187.22
						09/11/94	NC	264.31
						09/12/94	NC	121.14
						09/13/94	NC	77.09
						09/14/94	NC	132.16
						09/15/94	NC	198.24
						09/16/94	NC	286.34
						09/17/94	NC	198.24
						09/18/94	NC	154.18
						09/19/94	NC	176.21
						09/20/94	NC	231.28
						09/21/94	NC	231.28
						09/22/94	NC	242.29
						09/23/94	NC	143.17
						09/24/94	NC	231.28
						09/25/94	NC	231.28
						09/26/94	NC	187.22
						09/27/94	NC	209.25
						09/28/94	NC	264.31
						09/29/94	NC	132.16
						09/30/94	NC	176.21
						10/01/94	NC	154.18
						10/02/94	NC	143.17
						10/03/94	NC	165.20
						10/04/94	NC	341.41
						10/05/94	NC	242.29
						10/06/94	NC	154.18
						10/07/94	NC	198.24
						10/08/94	NC	187.22
						10/09/94	NC	209.25
						10/10/94	NC	253.30
						10/11/94	NC	253.30
						10/12/94	NC	99.12
						10/13/94	NC	121.14
						10/14/94	NC	187.22
						10/15/94	NC	154.18
						10/16/94	NC	110.13
						10/17/94	NC	121.14

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30540	700	A/C	MG/L	10/18/94	NC	121.14
						10/19/94	NC	77.09
						10/20/94	NC	99.12
						10/21/94	NC	66.08
						10/22/94	NC	99.12
						10/23/94	NC	154.18
						10/24/94	NC	176.21
						10/25/94	NC	165.20
						10/26/94	NC	88.11
						10/27/94	NC	55.07
						10/28/94	NC	110.13
						10/29/94	NC	99.12
						10/30/94	NC	110.13
						10/31/94	NC	88.11
						11/01/94	NC	88.11
						11/02/94	NC	77.09
						11/03/94	NC	88.11
						11/04/94	NC	99.12
						11/05/94	NC	121.14
						11/06/94	NC	132.16
						11/07/94	NC	231.28
						11/08/94	NC	110.13
						11/09/94	NC	143.17
						11/10/94	NC	99.12
						11/11/94	NC	77.09
						11/12/94	NC	88.11
						11/13/94	NC	165.20
						11/14/94	NC	99.12
						11/15/94	NC	132.16
						11/16/94	NC	66.08
						11/17/94	NC	88.11
						11/18/94	NC	99.12
						11/19/94	NC	77.09
TSS	1-009	30623	460	A/C	MG/L	01/01/88	NC	65.00
						01/02/88	NC	78.00
						01/03/88	NC	73.00
						01/04/88	NC	75.00
						01/05/88	NC	48.00
						01/06/88	NC	94.00
						01/07/88	NC	75.00
						01/08/88	NC	72.00
						01/09/88	NC	43.00
						01/10/88	NC	26.00
						01/11/88	NC	59.00
						01/12/88	NC	58.00
						01/13/88	NC	83.00
						01/14/88	NC	47.00
						01/15/88	NC	129.00
						01/16/88	NC	354.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30623	460	A/C	MG/L	01/17/88	NC	66.00
						01/18/88	NC	31.00
						01/19/88	NC	30.00
						01/20/88	NC	36.00
						01/21/88	NC	64.00
						01/22/88	NC	199.00
						01/23/88	NC	124.00
						01/24/88	NC	99.00
						01/25/88	NC	59.00
						01/26/88	NC	74.00
						01/27/88	NC	31.00
						01/28/88	NC	49.00
						01/29/88	NC	81.00
						01/30/88	NC	49.00
						01/31/88	NC	79.00
						02/01/88	NC	55.00
						02/02/88	NC	59.00
						02/03/88	NC	90.00
						02/04/88	NC	87.00
						02/05/88	NC	54.00
						02/06/88	NC	35.00
						02/07/88	NC	65.00
						02/08/88	NC	40.00
						02/09/88	NC	43.00
						02/10/88	NC	34.00
						02/11/88	NC	38.00
						02/12/88	NC	66.00
						02/13/88	NC	76.00
						02/14/88	NC	67.00
						02/15/88	NC	65.00
						02/16/88	NC	39.00
						02/17/88	NC	49.00
						02/18/88	NC	32.00
						02/19/88	NC	31.00
						02/20/88	NC	33.00
						02/21/88	NC	55.00
						02/22/88	NC	187.00
						02/23/88	NC	131.00
						02/24/88	NC	282.00
						02/25/88	NC	282.00
						02/26/88	NC	334.00
						02/27/88	NC	322.00
						02/28/88	NC	154.00
						02/29/88	NC	73.00
						03/01/88	NC	106.00
						03/02/88	NC	89.00
						03/03/88	NC	114.00
						03/04/88	NC	59.00
						03/05/88	NC	47.00
						03/06/88	NC	88.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30623	460	A/C	MG/L	03/07/88	NC	58.00
						03/08/88	NC	44.00
						03/09/88	NC	17.00
						03/10/88	NC	21.00
						03/11/88	NC	47.00
						03/12/88	NC	49.00
						03/13/88	NC	94.00
						03/14/88	NC	8.00
						03/15/88	NC	38.00
						03/16/88	NC	22.00
						03/17/88	NC	26.00
						03/18/88	NC	44.00
						03/19/88	NC	45.00
						03/20/88	NC	73.00
						03/21/88	NC	42.00
						03/22/88	NC	35.00
						03/23/88	NC	36.00
						03/24/88	NC	47.00
						03/25/88	NC	56.00
						03/26/88	NC	51.00
						03/27/88	NC	66.00
						03/28/88	NC	67.00
						03/29/88	NC	56.00
						03/30/88	NC	49.00
						03/31/88	NC	38.00
						04/01/88	NC	23.00
						04/02/88	NC	50.00
						04/03/88	NC	46.00
						04/04/88	NC	32.00
						04/05/88	NC	32.00
						04/06/88	NC	27.00
						04/07/88	NC	33.00
						04/08/88	NC	190.00
						04/09/88	NC	106.00
						04/10/88	NC	30.00
						04/11/88	NC	48.00
						04/12/88	NC	60.00
						04/13/88	NC	84.00
						04/14/88	NC	151.00
						04/15/88	NC	133.00
						04/16/88	NC	210.00
						04/17/88	NC	128.00
						04/18/88	NC	112.00
						04/19/88	NC	94.00
						04/20/88	NC	90.00
						04/21/88	NC	58.00
						04/22/88	NC	33.00
						04/23/88	NC	49.00
						04/24/88	NC	138.00
						04/25/88	NC	123.00
						04/26/88	NC	101.00
						04/27/88	NC	120.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30623	460	A/C	MG/L	04/28/88	NC	73.00
						04/29/88	NC	46.00
						04/30/88	NC	211.00
						05/01/88	NC	94.00
						05/02/88	NC	44.00
						05/03/88	NC	195.00
						05/04/88	NC	91.00
						05/05/88	NC	79.00
						05/06/88	NC	172.00
						05/07/88	NC	125.00
						05/08/88	NC	200.00
						05/09/88	NC	179.00
						05/10/88	NC	437.00
						05/11/88	NC	139.00
						05/12/88	NC	282.00
						05/13/88	NC	176.00
						05/14/88	NC	270.00
						05/15/88	NC	296.00
						05/16/88	NC	176.00
						05/17/88	NC	189.00
						05/18/88	NC	238.00
						05/19/88	NC	195.00
						05/20/88	NC	166.00
						05/21/88	NC	242.00
						05/22/88	NC	350.00
						05/23/88	NC	319.00
						05/24/88	NC	434.00
						05/25/88	NC	159.00
						05/26/88	NC	216.00
						05/27/88	NC	162.00
						05/28/88	NC	144.00
						05/29/88	NC	96.00
						05/30/88	NC	98.00
						05/31/88	NC	57.00
						06/01/88	NC	144.00
						06/02/88	NC	70.00
						06/03/88	NC	224.00
						06/04/88	NC	82.00
						06/05/88	NC	116.00
						06/06/88	NC	68.00
						06/07/88	NC	132.00
						06/08/88	NC	92.00
						06/09/88	NC	57.00
						06/10/88	NC	88.00
						06/11/88	NC	127.00
						06/12/88	NC	92.00
						06/13/88	NC	176.00
						06/14/88	NC	93.00
						06/15/88	NC	79.00
						06/16/88	NC	115.00
						06/17/88	NC	52.00
						06/18/88	NC	120.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30623	460	A/C	MG/L	06/19/88	NC	297.00
						06/20/88	NC	220.00
						06/21/88	NC	289.00
						06/22/88	NC	156.00
						06/23/88	NC	96.00
						06/24/88	NC	152.00
						06/25/88	NC	201.00
						06/26/88	NC	179.00
						06/27/88	NC	167.00
						06/28/88	NC	115.00
						06/29/88	NC	126.00
						06/30/88	NC	20.00
						07/01/88	NC	52.00
						07/02/88	NC	94.00
						07/03/88	NC	99.00
						07/04/88	NC	95.00
						07/05/88	NC	98.00
						07/06/88	NC	155.00
						07/07/88	NC	138.00
						07/08/88	NC	123.00
						07/09/88	NC	147.00
						07/10/88	NC	153.00
						07/11/88	NC	149.00
						07/12/88	NC	77.00
						07/13/88	NC	92.00
						07/14/88	NC	86.00
						07/15/88	NC	76.00
						07/16/88	NC	77.00
						07/17/88	NC	86.00
						07/18/88	NC	52.00
						07/19/88	NC	31.00
						07/20/88	NC	78.00
						07/21/88	NC	121.00
						07/22/88	NC	199.00
						07/23/88	NC	141.00
						07/24/88	NC	122.00
						07/25/88	NC	104.00
						07/26/88	NC	95.00
						07/27/88	NC	88.00
						07/28/88	NC	85.00
						07/29/88	NC	346.00
						07/30/88	NC	284.00
						07/31/88	NC	238.00
						08/01/88	NC	268.00
						08/02/88	NC	362.00
						08/03/88	NC	174.00
						08/04/88	NC	100.00
						08/05/88	NC	69.00
						08/06/88	NC	189.00
						08/07/88	NC	140.00
						08/08/88	NC	75.00
						08/09/88	NC	54.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30623	460	A/C	MG/L	08/10/88	NC	48.00
						08/11/88	NC	51.00
						08/12/88	NC	72.00
						08/13/88	NC	103.00
						08/14/88	NC	93.00
						08/15/88	NC	60.00
						08/16/88	NC	64.00
						08/17/88	NC	58.00
						08/18/88	NC	95.00
						08/19/88	NC	49.00
						08/20/88	NC	51.00
						08/21/88	NC	36.00
						08/22/88	NC	130.00
						08/23/88	NC	52.00
						08/24/88	NC	39.00
						08/25/88	NC	58.00
						08/26/88	NC	110.00
						08/27/88	NC	89.00
						08/28/88	NC	110.00
						08/29/88	NC	119.00
						08/30/88	NC	64.00
						08/31/88	NC	63.00
						09/01/88	NC	72.00
						09/02/88	NC	61.00
						09/03/88	NC	116.00
						09/04/88	NC	92.00
						09/05/88	NC	65.00
						09/06/88	NC	79.00
						09/07/88	NC	85.00
						09/08/88	NC	31.00
						09/09/88	NC	90.00
						09/10/88	NC	40.00
						09/11/88	NC	38.00
						09/12/88	NC	35.00
						09/13/88	NC	47.00
						09/14/88	NC	41.00
						09/15/88	NC	42.00
						09/16/88	NC	66.00
						09/17/88	NC	99.00
						09/18/88	NC	72.00
						09/19/88	NC	83.00
						09/20/88	NC	111.00
						09/21/88	NC	82.00
						09/22/88	NC	53.00
						09/23/88	NC	110.00
						09/24/88	NC	92.00
						09/25/88	NC	73.00
						09/26/88	NC	60.00
						09/27/88	NC	91.00
						09/28/88	NC	179.00
						09/29/88	NC	78.00
						09/30/88	NC	67.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30623	460	A/C	MG/L	10/01/88	NC	98.00
						10/02/88	NC	99.00
						10/03/88	NC	165.00
						10/04/88	NC	98.00
						10/05/88	NC	577.00
						10/06/88	NC	112.00
						10/07/88	NC	310.00
						10/08/88	NC	140.00
						10/09/88	NC	104.00
						10/10/88	NC	141.00
						10/11/88	NC	138.00
						10/12/88	NC	64.00
						10/13/88	NC	132.00
						10/14/88	NC	62.00
						10/15/88	NC	108.00
						10/16/88	NC	73.00
						10/17/88	NC	104.00
						10/18/88	NC	76.00
						10/19/88	NC	72.00
						10/20/88	NC	68.00
						10/21/88	NC	93.00
						10/22/88	NC	54.00
						10/23/88	NC	43.00
						10/24/88	NC	48.00
						10/25/88	NC	106.00
						10/26/88	NC	130.00
						10/27/88	NC	149.00
						10/28/88	NC	348.00
						10/29/88	NC	110.00
						10/30/88	NC	156.00
						10/31/88	NC	171.00
						11/01/88	NC	170.00
						11/02/88	NC	171.00
						11/03/88	NC	202.00
						11/04/88	NC	203.00
						11/05/88	NC	184.00
						11/06/88	NC	114.00
						11/07/88	NC	97.00
						11/08/88	NC	186.00
						11/09/88	NC	147.00
						11/10/88	NC	128.00
						11/11/88	NC	53.00
						11/12/88	NC	50.00
						11/13/88	NC	55.00
						11/14/88	NC	41.00
						11/15/88	NC	73.00
						11/16/88	NC	76.00
						11/17/88	NC	92.00
						11/18/88	NC	60.00
						11/19/88	NC	41.00
						11/20/88	NC	40.00
						11/21/88	NC	29.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30623	460	A/C	MG/L	11/22/88	NC	62.00
						11/23/88	NC	159.00
						11/24/88	NC	349.00
						11/25/88	NC	102.00
						11/26/88	NC	132.00
						11/27/88	NC	61.00
						11/28/88	NC	63.00
						11/29/88	NC	58.00
						11/30/88	NC	69.00
						12/01/88	NC	86.00
						12/02/88	NC	91.00
						12/03/88	NC	116.00
						12/04/88	NC	75.00
						12/05/88	NC	77.00
						12/06/88	NC	52.00
						12/07/88	NC	71.00
						12/08/88	NC	62.00
						12/09/88	NC	29.00
						12/10/88	NC	38.00
						12/11/88	NC	51.00
						12/12/88	NC	66.00
						12/13/88	NC	60.00
						12/14/88	NC	73.00
						12/15/88	NC	61.00
						12/16/88	NC	55.00
						12/17/88	NC	59.00
						12/18/88	NC	138.00
						12/19/88	NC	60.00
						12/20/88	NC	136.00
						12/21/88	NC	154.00
						12/22/88	NC	111.00
						12/23/88	NC	114.00
						12/24/88	NC	72.00
						12/25/88	NC	26.00
						12/26/88	NC	41.00
						12/27/88	NC	30.00
						12/28/88	NC	79.00
						12/29/88	NC	276.00
						12/30/88	NC	176.00
						12/31/88	NC	154.00
						01/01/90	NC	188.00
						02/01/90	NC	114.00
						03/01/90	NC	106.00
						04/01/90	NC	185.00
						05/01/90	NC	141.00
						06/01/90	NC	94.00
						07/01/90	NC	121.00
						08/01/90	NC	96.00
						09/01/90	NC	33.00
						10/01/90	NC	37.00
						11/01/90	NC	64.00
						12/01/90	NC	70.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30623	460	A/C	MG/L	01/01/91	NC	39.00
						02/01/91	NC	42.00
						03/01/91	NC	61.00
						04/01/91	NC	76.00
						05/01/91	NC	83.00
						06/01/91	NC	70.00
						07/01/91	NC	171.00
						08/01/91	NC	68.00
						09/01/91	NC	149.00
						10/01/91	NC	56.00
						11/01/91	NC	48.00
						12/01/91	NC	36.00
						01/01/92	NC	39.00
						02/01/92	NC	61.00
						03/01/92	NC	92.00
						04/01/92	NC	87.00
						05/01/92	NC	99.00
						06/01/92	NC	51.00
						07/01/92	NC	29.00
						08/01/92	NC	32.00
						09/01/92	NC	27.00
						10/01/92	NC	50.00
						11/01/92	NC	87.00
						12/01/92	NC	92.00
						01/01/93	NC	44.00
						02/01/93	NC	41.00
						03/01/93	NC	155.00
						04/01/93	NC	163.00
						05/01/93	NC	134.00
						06/01/93	NC	92.00
						07/01/93	NC	119.00
						08/01/93	NC	36.00
						09/01/93	NC	34.00
						10/01/93	NC	57.00
						11/01/93	NC	82.00
						12/01/93	NC	92.00
						01/01/94	NC	58.00
						02/01/94	NC	41.00
						03/01/94	NC	43.00
						04/01/94	NC	49.00
						05/01/94	NC	113.00
						06/01/94	NC	63.00
						07/01/94	NC	68.00
						08/01/94	NC	168.00
						09/01/94	NC	57.00
						10/01/94	NC	385.00
						11/01/94	NC	539.00
						12/01/94	NC	477.00
						01/01/95	NC	613.00
						02/01/95	NC	642.00
						03/01/95	NC	522.00
						04/01/95	NC	432.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.2
Listing of Daily Data for A/C Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
TSS	1-009	30623	460	A/C	MG/L	05/01/95	NC	295.00

For all other NSPS analytes, NSPS data is the same as A/C Direct: BAT

Appendix A.3
Listing of Daily Data for B/D Directs: NSPS

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
BOD	1-002	30637	460	B/D	MG/L	01/01/90	NC	15.88
						02/01/90	NC	17.90
						03/01/90	NC	6.55
						04/01/90	NC	10.58
						05/01/90	NC	15.05
						06/01/90	NC	28.35
						07/01/90	NC	6.15
						08/01/90	NC	12.68
						09/01/90	NC	7.15
						10/01/90	NC	15.88
						11/01/90	NC	15.60
						12/01/90	NC	10.25
COD	1-004	30637	460	B/D	MG/L	01/01/90	NC	30.00
						02/01/90	NC	95.00
						03/01/90	NC	29.00
						04/01/90	NC	207.00
						05/01/90	NC	37.00
						06/01/90	NC	25.00
						07/01/90	NC	16.00
						08/01/90	NC	23.00
						09/01/90	NC	27.00
						10/01/90	NC	72.00
						11/01/90	NC	42.00
						12/01/90	NC	62,00
TSS	1-009	30637	460	B/D	MG/L	01/01/90	NC	14.00
						02/01/90	NC	22.00
						03/01/90	NC	10.00
						04/01/90	NC	20.00
						05/01/90	NC	24.00
						06/01/90	NC	43.00
						07/01/90	NC	16.00
						08/01/90	NC	24.00
						09/01/90	NC	22.00
						10/01/90	NC	47.00
						11/01/90	NC	19.00
						12/01/90	NC	20.00

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30010	410	A/C	MG/L	01/01/90	NC	277.00
						01/02/90	NC	347.00
						01/03/90	NC	365.00
						01/04/90	NC	321.00
						01/05/90	NC	372.00
						01/06/90	NC	297.00
						01/07/90	NC	293.00
						01/08/90	NC	292.00
						01/09/90	NC	550.00
						01/10/90	NC	545.00
						01/11/90	NC	760.00
						01/12/90	NC	809.00
						01/13/90	NC	876.00
						01/14/90	NC	316.00
						01/15/90	NC	291.00
						01/16/90	NC	313.00
						01/17/90	NC	328.00
						01/18/90	NC	308.00
						01/19/90	NC	266.00
						01/20/90	NC	201.00
						01/21/90	NC	185.00
						01/22/90	NC	204.00
						01/23/90	NC	192.00
						01/24/90	NC	184.00
						01/25/90	NC	173.00
						01/26/90	NC	382.00
						01/27/90	NC	409.00
						01/28/90	NC	242.00
						01/29/90	NC	240.00
						01/30/90	NC	251.00
						01/31/90	NC	345.00
						02/01/90	NC	239.00
						02/02/90	NC	335.00
						02/03/90	NC	387.00
						02/04/90	NC	408.00
						02/05/90	NC	330.00
						02/06/90	NC	337.00
						02/07/90	NC	333.00
						02/08/90	NC	484.00
						02/09/90	NC	301.00
						02/10/90	NC	270.00
						02/11/90	NC	216.00
						02/12/90	NC	213.00
						02/13/90	NC	215.00
						02/14/90	NC	211.00
						02/15/90	NC	212.00
						02/16/90	NC	247.00
						02/17/90	NC	218.00
						02/18/90	NC	190.00
						02/19/90	NC	182.00
						02/20/90	NC	211.00
						02/21/90	NC	174.00

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30010	410	A/C	MG/L	02/22/90	NC	152.00
						02/23/90	NC	163.00
						02/24/90	NC	191.00
						02/25/90	NC	138.00
						02/26/90	NC	156.00
						02/27/90	NC	291.00
						02/28/90	NC	185.00
						03/01/90	NC	257.00
						03/02/90	NC	214.00
						03/03/90	NC	188.00
						03/04/90	NC	195.00
						03/05/90	NC	181.00
						03/06/90	NC	243.00
						03/07/90	NC	228.00
						03/08/90	NC	274.00
						03/09/90	NC	324.00
						03/10/90	NC	404.00
						03/11/90	NC	348.00
						03/12/90	NC	375.00
						03/13/90	NC	329.00
						03/14/90	NC	302.00
						03/15/90	NC	359.00
						03/16/90	NC	502.00
						03/17/90	NC	358.00
						03/18/90	NC	334.00
						03/19/90	NC	404.00
						03/20/90	NC	333.00
						03/21/90	NC	381.00
						03/22/90	NC	514.00
						03/23/90	NC	473.00
						03/24/90	NC	548.00
						03/25/90	NC	547.00
						03/26/90	NC	735.00
						03/27/90	NC	775.00
						03/28/90	NC	716.00
						03/29/90	NC	456.00
						03/30/90	NC	587.00
						03/31/90	NC	364.00
						04/01/90	NC	420.00
						04/02/90	NC	330.00
						04/03/90	NC	490.00
						04/04/90	NC	438.00
						04/05/90	NC	556.00
						04/06/90	NC	280.00
						04/07/90	NC	306.00
						04/08/90	NC	263.00
						04/09/90	NC	232.00
						04/10/90	NC	258.00
						04/11/90	NC	249.00
						04/12/90	NC	318.00
						04/13/90	NC	255.00
						04/14/90	NC	198.00

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30010	410	A/C	MG/L	04/15/90	NC	229.00
						04/16/90	NC	301.00
						04/17/90	NC	292.00
						04/18/90	NC	248.00
						04/19/90	NC	277.00
						04/20/90	NC	287.00
						04/21/90	NC	267.00
						04/22/90	NC	224.00
						04/23/90	NC	256.00
						04/24/90	NC	260.00
						04/25/90	NC	240.00
						04/26/90	NC	288.00
						04/27/90	NC	279.00
						04/28/90	NC	457.00
						04/29/90	NC	643.00
						04/30/90	NC	834.00
						05/01/90	NC	974.00
						05/02/90	NC	771.00
						05/03/90	NC	439.00
						05/04/90	NC	254.00
						05/05/90	NC	270.00
						05/06/90	NC	280.00
						05/07/90	NC	272.00
						05/08/90	NC	274.00
						05/09/90	NC	342.00
						05/10/90	NC	275.00
						05/11/90	NC	271.00
						05/12/90	NC	243.00
						05/13/90	NC	231.00
						05/14/90	NC	269.00
						05/15/90	NC	260.00
						05/16/90	NC	237.00
						05/17/90	NC	246.00
						05/18/90	NC	263.00
						05/19/90	NC	331.00
						05/20/90	NC	302.00
						05/23/90	NC	319.00
						05/24/90	NC	314.00
						05/25/90	NC	282.00
						05/26/90	NC	261.00
						05/27/90	NC	189.00
						05/28/90	NC	290.00
						05/29/90	NC	479.00
						05/30/90	NC	328.00
						05/31/90	NC	292.00
						06/01/90	NC	244.00
						06/02/90	NC	373.00
						06/03/90	NC	384.00
						06/04/90	NC	409.00
						06/05/90	NC	495.00
						06/06/90	NC	529.00
						06/07/90	NC	532.00

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30010	410	A/C	MG/L	06/08/90	NC	449.00
						06/09/90	NC	438.00
						06/10/90	NC	508.00
						06/11/90	NC	528.00
						06/12/90	NC	529.00
						06/13/90	NC	505.00
						06/14/90	NC	487.00
						06/15/90	NC	520.00
						06/16/90	NC	706.00
						06/17/90	NC	850.00
						06/18/90	NC	787.00
						06/19/90	NC	530.00
						06/20/90	NC	689.00
						06/21/90	NC	414.00
						06/22/90	NC	391.00
						06/23/90	NC	313.00
						06/24/90	NC	279.00
						06/25/90	NC	277.00
						06/26/90	NC	297.00
						06/27/90	NC	336.00
						06/28/90	NC	291.00
						06/29/90	NC	189.00
						06/30/90	NC	155.00
						07/01/90	NC	210.00
						07/02/90	NC	211.00
						07/03/90	NC	274.00
						07/04/90	NC	254.00
						07/05/90	NC	238.00
						07/06/90	NC	275.00
						07/07/90	NC	386.00
						07/08/90	NC	570.00
						07/09/90	NC	469.00
						07/10/90	NC	269.00
						07/11/90	NC	259.00
						07/12/90	NC	247.00
						07/13/90	NC	220.00
						07/14/90	NC	162.00
						07/15/90	NC	154.00
						07/16/90	NC	141.00
						07/17/90	NC	125.00
						07/18/90	NC	99.00
						07/19/90	NC	156.00
						07/20/90	NC	96.00
						07/21/90	NC	96.00
						07/22/90	NC	115.00
						07/27/90	NC	136.00
						07/28/90	NC	112.00
						07/29/90	NC	70.00
						07/30/90	NC	75.00
						07/31/90	NC	119.00
						08/01/90	NC	105.00
						08/02/90	NC	62.00

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30010	410	A/C	MG/L	08/03/90	NC	58.00
						08/04/90	NC	70.00
						08/05/90	NC	69.00
						08/06/90	NC	60.00
						08/07/90	NC	64.00
						08/08/90	NC	63.00
						08/09/90	NC	89.00
						08/10/90	NC	127.00
						08/11/90	NC	196.00
						08/12/90	NC	214.00
						08/13/90	NC	201.00
						08/14/90	NC	240.00
						08/15/90	NC	348.00
						08/16/90	NC	556.00
						08/17/90	NC	585.00
						08/18/90	NC	745.00
						08/19/90	NC	785.00
						08/20/90	NC	725.00
						08/21/90	NC	752.00
						08/22/90	NC	750.00
						08/23/90	NC	739.00
						08/24/90	NC	694.00
						08/25/90	NC	649.00
						08/26/90	NC	660.00
						08/27/90	NC	866.00
						08/28/90	NC	1006.00
						08/29/90	NC	943.00
						08/30/90	NC	874.00
						08/31/90	NC	833.00
						09/01/90	NC	652.00
						09/02/90	NC	575.00
						09/03/90	NC	556.00
						09/04/90	NC	545.00
						09/05/90	NC	438.00
						09/06/90	NC	329.00
						09/07/90	NC	271.00
						09/08/90	NC	258.00
						09/09/90	NC	285.00
						09/10/90	NC	327.00
						09/11/90	NC	322.00
						09/12/90	NC	277.00
						09/13/90	NC	231.00
						09/14/90	NC	219.00
						09/15/90	NC	321.00
						09/16/90	NC	318.00
						09/17/90	NC	301.00
						09/18/90	NC	473.00
						09/19/90	NC	620.00
						09/20/90	NC	722.00
						09/21/90	NC	637.00
						09/22/90	NC	533.00
						09/23/90	NC	587.00

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-094	30010	410	A/C	MG/L	09/24/90	NC	631.00
						09/25/90	NC	623.00
						09/26/90	NC	625.00
						09/27/90	NC	601.00
						09/28/90	NC	595.00
						09/29/90	NC	673.00
						09/30/90	NC	699.00
						10/01/90	NC	684.00
						10/02/90	NC	684.00
						10/03/90	NC	669.00
						10/04/90	NC	694.00
						10/05/90	NC	701.00
						10/06/90	NC	559.00
						10/07/90	NC	666.00
						10/08/90	NC	638.00
						10/09/90	NC	590.00
						10/10/90	NC	659.00
						10/11/90	NC	687.00
						10/12/90	NC	628.00
						10/13/90	NC	539.00
						10/14/90	NC	635.00
						10/15/90	NC	755.00
						10/16/90	NC	656.00
						10/17/90	NC	661.00
						10/18/90	NC	669.00
						10/19/90	NC	578.00
						10/20/90	NC	575.00
						10/21/90	NC	716.00
						10/22/90	NC	723.00
						10/23/90	NC	662.00
						10/24/90	NC	520.00
						10/25/90	NC	411.00
						10/26/90	NC	381.00
						10/27/90	NC	594.00
						10/28/90	NC	276.00
						10/29/90	NC	261.00
						10/30/90	NC	271.00
						10/31/90	NC	308.00
						11/01/90	NC	366.00
						11/02/90	NC	410.00
						11/03/90	NC	363.00
						11/04/90	NC	351.00
						11/05/90	NC	328.00
						11/06/90	NC	355.00
						11/07/90	NC	370.00
						11/08/90	NC	346.00
						11/09/90	NC	286.00
						11/10/90	NC	302.00
						11/11/90	NC	339.00
						11/12/90	NC	294.00
						11/13/90	NC	277.00
						11/14/90	NC	238.00

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30010	410	A/C	MG/L	11/15/90	NC	233.00
						11/16/90	NC	278.00
						11/17/90	NC	257.00
						11/18/90	NC	209.00
						11/19/90	NC	199.00
						11/20/90	NC	221.00
						11/21/90	NC	231.00
						11/22/90	NC	334.00
						11/23/90	NC	245.00
						11/24/90	NC	275.00
						11/25/90	NC	341.00
						11/26/90	NC	265.00
						11/27/90	NC	250.00
						11/28/90	NC	218.00
						11/29/90	NC	205.00
						11/30/90	NC	230.00
						12/01/90	NC	246.00
						12/02/90	NC	229.00
						12/03/90	NC	262.00
						12/04/90	NC	303.00
						12/05/90	NC	293.00
						12/06/90	NC	372.00
						12/07/90	NC	326.00
						12/08/90	NC	279.00
						12/09/90	NC	340.00
						12/10/90	NC	565.00
						12/11/90	NC	480.00
						12/12/90	NC	371.00
						12/13/90	NC	434.00
						12/14/90	NC	361.00
						12/15/90	NC	349.00
						12/16/90	NC	271.00
						12/17/90	NC	442.00
						12/18/90	NC	504.00
						12/19/90	NC	428.00
						12/20/90	NC	362.00
						12/21/90	NC	424.00
						12/22/90	NC	365.00
						12/23/90	NC	224.00
						12/24/90	NC	308.00
						12/25/90	NC	204.00
						12/26/90	NC	226.00
						12/27/90	NC	319.00
						12/28/90	NC	390.00
						12/29/90	NC	264.00
						12/30/90	NC	257.00
						12/31/90	NC	366.00
						11/01/93	NC	234.00
						11/02/93	NC	203.00
						11/03/93	NC	611.00
						11/04/93	NC	695.00
						11/05/93	NC	434.00

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30010	410	A/C	MG/L	11/06/93	NC	135.00
						11/07/93	NC	106.00
						11/08/93	NC	110.00
						11/09/93	NC	108.00
						11/10/93	NC	114.00
						11/11/93	NC	214.00
						11/12/93	NC	307.00
						11/13/93	NC	176.00
						11/14/93	NC	132.00
						11/15/93	NC	147.00
						11/16/93	NC	143.00
						11/17/93	NC	156.00
						11/18/93	NC	91.00
						11/19/93	NC	87.00
						11/20/93	NC	85.00
						11/21/93	NC	108.00
						11/22/93	NC	106.00
						11/23/93	NC	110.00
						11/24/93	NC	77.00
						11/25/93	NC	71.00
						11/26/93	NC	74.00
						11/27/93	NC	70.00
						11/28/93	NC	69.00
						11/29/93	NC	60.00
						11/30/93	NC	56.00
						12/01/93	NC	43.00
						12/02/93	NC	38.00
						12/03/93	NC	36.00
						12/04/93	NC	34.00
						12/05/93	NC	31.00
						12/06/93	NC	47.00
						12/07/93	NC	55.00
						12/08/93	NC	31.00
						12/09/93	NC	46.00
						12/10/93	NC	44.00
						12/11/93	NC	48.00
						12/12/93	NC	63.00
						12/13/93	NC	96.00
						12/14/93	NC	257.00
						12/15/93	NC	795.00
						12/16/93	NC	472.00
						12/17/93	NC	220.00
						12/18/93	NC	142.00
						12/19/93	NC	247.00
						12/20/93	NC	291.00
						12/21/93	NC	256.00
						12/22/93	NC	478.00
						12/23/93	NC	373.00
						12/24/93	NC	203.00
						12/25/93	NC	111.00
						12/26/93	NC	94.00
						12/27/93	NC	117.00

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30010	410	A/C	MG/L	12/28/93	NC	70.00
						12/29/93	NC	70.00
						12/30/93	NC	126.00
						12/31/93	NC	390.00
						01/01/94	NC	251.00
						01/02/94	NC	89.00
						01/03/94	NC	72.00
						01/04/94	NC	84.00
						01/05/94	NC	82.00
						01/06/94	NC	133.00
						01/07/94	NC	189.00
						01/08/94	NC	179.00
						01/09/94	NC	185.00
						01/10/94	NC	110.00
						01/11/94	NC	93.00
						01/12/94	NC	97.00
						01/13/94	NC	108.00
						01/14/94	NC	100.00
						01/15/94	NC	57.00
						01/16/94	NC	96.00
						01/17/94	NC	91.00
						01/18/94	NC	70.00
						01/19/94	NC	84.00
						01/20/94	NC	143.00
						01/21/94	NC	403.00
						01/22/94	NC	424.00
						01/23/94	NC	264.00
						01/24/94	NC	221.00
						01/25/94	NC	200.00
						01/26/94	NC	163.00
						01/27/94	NC	161.00
						01/28/94	NC	161.00
						01/29/94	NC	203.00
						01/30/94	NC	162.00
						01/31/94	NC	100.00
						02/01/94	NC	85.00
						02/02/94	NC	76.00
						02/03/94	NC	81.00
						02/04/94	NC	88.00
						02/05/94	NC	93.00
						02/06/94	NC	101.00
						02/07/94	NC	87.00
						02/08/94	NC	98.00
						02/09/94	NC	95.00
						02/10/94	NC	98.00
						02/11/94	NC	94.00
						02/12/94	NC	137.00
						02/13/94	NC	141.00
						02/14/94	NC	117.00
						02/15/94	NC	161.00
						02/16/94	NC	169.00
						02/17/94	NC	277.00

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30010	410	A/C	MG/L	02/18/94	NC	308.00
						02/19/94	NC	584.00
						02/20/94	NC	540.00
						02/21/94	NC	575.00
						02/22/94	NC	956.00
						02/23/94	NC	1109.00
						02/24/94	NC	1195.00
						02/25/94	NC	1436.00
						02/26/94	NC	309.00
						02/27/94	NC	295.00
						02/28/94	NC	417.00
						03/01/94	NC	373.00
						03/02/94	NC	360.00
						03/03/94	NC	390.00
						03/04/94	NC	270.00
						03/05/94	NC	230.00
						03/06/94	NC	313.00
						03/07/94	NC	355.00
						03/08/94	NC	389.00
						03/09/94	NC	371.00
						03/10/94	NC	187.00
						03/11/94	NC	139.00
						03/12/94	NC	126.00
						03/13/94	NC	140.00
						03/14/94	NC	259.00
						03/15/94	NC	217.00
						03/16/94	NC	319.00
						03/17/94	NC	302.00
						03/18/94	NC	311.00
						03/19/94	NC	381.00
						03/20/94	NC	274.00
						03/21/94	NC	217.00
						03/22/94	NC	212.00
						03/23/94	NC	222.00
						03/24/94	NC	206.00
						03/25/94	NC	190.00
						03/26/94	NC	231.00
						03/27/94	NC	169.00
						03/28/94	NC	137.00
						03/29/94	NC	169.00
						03/30/94	NC	165.00
						03/31/94	NC	164.00
						04/01/94	NC	260.00
						04/02/94	NC	437.00
						04/03/94	NC	512.00
						04/04/94	NC	408.00
						04/05/94	NC	306.00
						04/06/94	NC	296.00
						04/07/94	NC	326.00
						04/08/94	NC	249.00
						04/09/94	NC	170.00
						04/10/94	NC	164.00

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30010	410	A/C	MG/L	04/11/94	NC	150.00
						04/12/94	NC	140.00
						04/13/94	NC	130.00
						04/14/94	NC	135.00
						04/15/94	NC	128.00
						04/16/94	NC	145.00
						04/17/94	NC	160.00
						04/18/94	NC	188.00
						04/19/94	NC	165.00
						04/20/94	NC	198.00
						04/21/94	NC	304.00
						04/22/94	NC	355.00
						04/23/94	NC	306.00
						04/24/94	NC	190.00
						04/25/94	NC	456.00
						04/26/94	NC	1904.00
						04/27/94	NC	1163.00
						04/28/94	NC	942.00
						04/29/94	NC	390.00
						04/30/94	NC	122.00
						05/01/94	NC	238.00
						05/02/94	NC	286.00
						05/03/94	NC	220.00
						05/04/94	NC	207.00
						05/05/94	NC	163.00
						05/06/94	NC	165.00
						05/07/94	NC	205.00
						05/08/94	NC	159.00
						05/09/94	NC	131.00
						05/10/94	NC	126.00
						05/11/94	NC	134.00
						05/12/94	NC	118.00
						05/13/94	NC	112.00
						05/14/94	NC	105.00
						05/15/94	NC	115.00
						05/16/94	NC	168.00
						05/17/94	NC	239.00
						05/18/94	NC	206.00
						05/19/94	NC	193.00
						05/20/94	NC	186.00
						05/21/94	NC	190.00
						05/22/94	NC	265.00
						05/23/94	NC	231.00
						05/24/94	NC	183.00
						05/25/94	NC	144.00
						05/26/94	NC	148.00
						05/27/94	NC	158.00
						05/28/94	NC	155.00
						05/29/94	NC	153.00
						05/30/94	NC	167.00
						05/31/94	NC	219.00
						06/01/94	NC	381.00

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30010	410	A/C	MG/L	06/02/94	NC	183.00
						06/03/94	NC	222.00
						06/04/94	NC	179.00
						06/05/94	NC	168.00
						06/06/94	NC	222.00
						06/07/94	NC	251.00
						06/08/94	NC	141.00
						06/09/94	NC	217.00
						06/10/94	NC	167.00
						06/11/94	NC	153.00
						06/12/94	NC	164.00
						06/13/94	NC	147.00
						06/14/94	NC	136.00
						06/15/94	NC	147.00
						06/16/94	NC	144.00
						06/17/94	NC	177.00
						06/18/94	NC	179.00
						06/19/94	NC	154.00
						06/20/94	NC	159.00
						06/21/94	NC	165.00
						06/22/94	NC	168.00
						06/23/94	NC	164.00
						06/24/94	NC	163.00
						06/25/94	NC	169.00
						06/26/94	NC	148.00
						06/27/94	NC	132.00
						06/28/94	NC	117.00
						06/29/94	NC	123.00
						06/30/94	NC	132.00
						07/01/94	NC	151.00
						07/02/94	NC	175.00
						07/03/94	NC	225.00
						07/04/94	NC	274.00
						07/05/94	NC	265.00
						07/06/94	NC	203.00
						07/12/94	NC	208.00
						07/13/94	NC	149.00
						07/14/94	NC	68.00
						07/15/94	NC	68.00
						07/16/94	NC	79.00
						07/17/94	NC	83.00
						07/18/94	NC	130.00
						07/19/94	NC	172.00
						07/20/94	NC	88.00
						07/21/94	NC	67.00
						07/22/94	NC	117.00
						07/23/94	NC	167.00
						07/24/94	NC	181.00
						07/25/94	NC	140.00
						07/26/94	NC	69.00
						07/27/94	NC	91.00
						07/28/94	NC	80.00

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30010	410	A/C	MG/L	07/29/94	NC	95.00
						07/30/94	NC	97.00
						08/01/94	NC	54.00
						08/02/94	NC	67.00
						08/03/94	NC	67.00
						08/04/94	NC	80.00
						08/05/94	NC	98.00
						08/06/94	NC	125.00
						08/07/94	NC	50.00
						08/08/94	NC	95.00
						08/09/94	NC	96.00
						08/11/94	NC	87.00
						08/12/94	NC	115.00
						08/13/94	NC	163.00
						08/14/94	NC	194.00
						08/15/94	NC	220.00
						08/16/94	NC	152.00
						08/17/94	NC	200.00
						08/18/94	NC	190.00
						08/19/94	NC	227.00
						08/19/94	NC	167.00
						08/20/94	NC	206.00
						08/21/94	NC	151.00
						08/22/94	NC	165.00
						08/23/94	NC	151.00
						08/24/94	NC	216.00
						08/25/94	NC	367.00
						08/26/94	NC	367.00
						08/27/94	NC	327.00
						08/28/94	NC	284.00
						08/29/94	NC	213.00
						08/30/94	NC	263.00
						08/31/94	NC	245.00
						09/01/94	NC	203.00
						09/02/94	NC	245.00
						09/03/94	NC	226.00
						09/04/94	NC	213.00
						09/05/94	NC	174.00
						09/06/94	NC	168.00
						09/07/94	NC	183.00
						09/08/94	NC	141.00
						09/09/94	NC	147.00
						09/10/94	NC	154.00
						09/11/94	NC	198.00
						09/12/94	NC	253.00
						09/13/94	NC	259.00
						09/14/94	NC	337.00
						09/15/94	NC	260.00
						09/16/94	NC	209.00
						09/17/94	NC	250.00
						09/18/94	NC	208.00
						09/19/94	NC	164.00

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30010	410	A/C	MG/L	09/20/94	NC	206.00
						09/21/94	NC	198.00
						09/22/94	NC	178.00
						09/23/94	NC	177.00
						09/24/94	NC	162.00
						09/25/94	NC	206.00
						09/26/94	NC	216.00
						09/27/94	NC	172.00
						09/28/94	NC	191.00
						09/29/94	NC	192.00
						09/30/94	NC	163.00
						10/01/94	NC	688.00
						10/02/94	NC	290.00
						10/03/94	NC	212.00
						10/04/94	NC	214.00
						10/05/94	NC	186.00
						10/06/94	NC	176.00
						10/07/94	NC	196.00
						10/08/94	NC	198.00
						10/09/94	NC	173.00
						10/10/94	NC	202.00
						10/11/94	NC	352.00
						10/12/94	NC	337.00
						10/13/94	NC	214.00
						10/14/94	NC	177.00
						10/15/94	NC	138.00
						10/16/94	NC	134.00
						10/17/94	NC	138.00
						10/18/94	NC	183.00
						10/19/94	NC	205.00
						10/20/94	NC	228.00
						10/21/94	NC	316.00
						10/22/94	NC	277.00
						10/23/94	NC	339.00
						10/24/94	NC	391.00
						10/25/94	NC	226.00
						10/26/94	NC	246.00
						10/27/94	NC	229.00
						10/28/94	NC	276.00
						10/29/94	NC	304.00
						10/30/94	NC	221.00
						10/31/94	NC	219.00
						11/01/94	NC	252.00
						11/02/94	NC	247.00
						11/03/94	NC	261.00
						11/04/94	NC	429.00
						11/05/94	NC	410.00
						11/06/94	NC	428.00
						11/07/94	NC	320.00
						11/08/94	NC	450.00
						11/09/94	NC	420.00
						11/10/94	NC	715.00

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30010	410	A/C	MG/L	11/11/94	NC	640.00
						11/12/94	NC	372.00
						11/13/94	NC	374.00
						11/14/94	NC	304.00
						11/15/94	NC	665.00
						11/16/94	NC	426.00
						11/17/94	NC	456.00
						11/18/94	NC	505.00
						11/19/94	NC	630.00
						11/20/94	NC	115.00
						11/21/94	NC	195.00
						11/22/94	NC	268.00
						11/23/94	NC	369.00
						11/24/94	NC	496.00
						11/25/94	NC	797.00
						11/26/94	NC	591.00
						11/27/94	NC	323.00
						11/28/94	NC	244.00
						11/29/94	NC	435.00
						11/30/94	NC	909.00
						12/01/94	NC	306.00
						12/02/94	NC	229.00
						12/03/94	NC	378.00
						12/04/94	NC	390.00
						12/05/94	NC	279.00
						12/06/94	NC	169.00
						12/07/94	NC	227.00
						12/08/94	NC	249.00
						12/09/94	NC	273.00
						12/10/94	NC	322.00
						12/11/94	NC	443.00
						12/12/94	NC	379.00
						12/13/94	NC	198.00
						12/14/94	NC	140.00
						12/15/94	NC	440.00
						12/16/94	NC	367.00
						12/17/94	NC	367.00
						12/18/94	NC	359.00
						12/19/94	NC	1405.00
						12/20/94	NC	662.00
						12/21/94	NC	557.00
						12/22/94	NC	457.00
						12/23/94	NC	513.00
						12/24/94	NC	506.00
						12/25/94	NC	370.00
						12/26/94	NC	408.00
						12/27/94	NC	313.00
						12/28/94	NC	191.00
						12/29/94	NC	166.00
						12/30/94	NC	290.00
						12/31/94	NC	303.00
						01/01/95	NC	177.00

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30010	410	A/C	MG/L	01/02/95	NC	127.00
						01/03/95	NC	102.00
						01/04/95	NC	83.00
						01/05/95	NC	84.00
						01/06/95	NC	84.00
						01/07/95	NC	215.00
						01/08/95	NC	156.00
						01/09/95	NC	113.00
						01/10/95	NC	135.00
						01/11/95	NC	212.00
						01/12/95	NC	333.00
						01/13/95	NC	410.00
						01/14/95	NC	286.00
						01/15/95	NC	248.00
						01/16/95	NC	184.00
						01/17/95	NC	128.00
						01/18/95	NC	187.00
						01/19/95	NC	269.00
						01/20/95	NC	373.00
						01/21/95	NC	143.00
						01/22/95	NC	111.00
						01/23/95	NC	258.00
						01/24/95	NC	239.00
						01/25/95	NC	181.00
						01/26/95	NC	392.00
						01/27/95	NC	477.00
						01/28/95	NC	480.00
						01/29/95	NC	487.00
						01/30/95	NC	476.00
						01/31/95	NC	418.00
						02/01/95	NC	460.00
						02/02/95	NC	374.00
						02/03/95	NC	445.00
						02/04/95	NC	491.00
						02/05/95	NC	522.00
						02/06/95	NC	520.00
						02/07/95	NC	385.00
						02/08/95	NC	415.00
						02/09/95	NC	319.00
						02/10/95	NC	257.00
						02/11/95	NC	165.00
						02/12/95	NC	227.00
						02/13/95	NC	184.00
						02/14/95	NC	139.00
						02/15/95	NC	175.00
						02/16/95	NC	150.00
						02/17/95	NC	131.00
						02/18/95	NC	129.00
						02/19/95	NC	163.00
						02/20/95	NC	158.00
						02/21/95	NC	82.00
						02/22/95	NC	179.00

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30010	410	A/C	MG/L	02/23/95	NC	180.00
						02/24/95	NC	129.00
						02/25/95	NC	109.00
						02/26/95	NC	175.00
						02/27/95	NC	189.00
						02/28/95	NC	182.00
						03/01/95	NC	185.00
						03/02/95	NC	189.00
						03/03/95	NC	122.00
						03/04/95	NC	185.00
						03/05/95	NC	215.00
						03/06/95	NC	215.00
						03/07/95	NC	160.00
						03/08/95	NC	203.00
						03/09/95	NC	322.00
						03/10/95	NC	326.00
						03/11/95	NC	225.00
						03/12/95	NC	371.00
						03/13/95	NC	348.00
						03/14/95	NC	305.00
						03/15/95	NC	365.00
						03/16/95	NC	353.00
						03/17/95	NC	296.00
						03/18/95	NC	283.00
						03/19/95	NC	335.00
						03/20/95	NC	244.00
						03/21/95	NC	144.00
						03/22/95	NC	149.00
						03/23/95	NC	204.00
						03/24/95	NC	217.00
						03/25/95	NC	174.00
						03/26/95	NC	173.00
						03/27/95	NC	162.00
						03/28/95	NC	150.00
						03/29/95	NC	185.00
						03/30/95	NC	216.00
						03/31/95	NC	151.00
						04/01/95	NC	173.00
						04/02/95	NC	238.00
						04/03/95	NC	210.00
						04/04/95	NC	173.00
						04/05/95	NC	216.00
						04/06/95	NC	233.00
						04/07/95	NC	214.00
						04/08/95	NC	192.00
						04/09/95	NC	190.00
						04/10/95	NC	163.00
						04/11/95	NC	231.00
						04/12/95	NC	495.00
						04/13/95	NC	452.00
						04/14/95	NC	270.00
						04/15/95	NC	208.00

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30010	410	A/C	MG/L	04/16/95	NC	267.00
						04/17/95	NC	299.00
						04/18/95	NC	245.00
						04/19/95	NC	275.00
						04/20/95	NC	241.00
						04/21/95	NC	543.00
						04/22/95	NC	552.00
						04/23/95	NC	328.00
						04/24/95	NC	543.00
						04/25/95	NC	406.00
						04/26/95	NC	399.00
						04/27/95	NC	244.00
						04/28/95	NC	178.00
						04/29/95	NC	182.00
						04/30/95	NC	286.00
						05/01/95	NC	202.00
						05/02/95	NC	202.00
						05/03/95	NC	201.00
						05/04/95	NC	196.00
						05/05/95	NC	181.00
						05/06/95	NC	209.00
						05/07/95	NC	234.00
						05/08/95	NC	237.00
						05/09/95	NC	221.00
						05/10/95	NC	248.00
						05/11/95	NC	197.00
						05/12/95	NC	147.00
						05/13/95	NC	137.00
						05/14/95	NC	183.00
						05/15/95	NC	250.00
						05/16/95	NC	319.00
						05/17/95	NC	258.00
						05/18/95	NC	250.00
						05/19/95	NC	288.00
						05/20/95	NC	177.00
						05/21/95	NC	211.00
						05/22/95	NC	213.00
						05/23/95	NC	218.00
						05/24/95	NC	223.00
						05/25/95	NC	273.00
						05/26/95	NC	387.00
						05/27/95	NC	439.00
						05/28/95	NC	324.00
						05/29/95	NC	323.00
						05/30/95	NC	351.00
						05/31/95	NC	309.00
						06/01/95	NC	323.00
						06/02/95	NC	441.00
						06/03/95	NC	543.00
						06/04/95	NC	246.00
						06/05/95	NC	260.00
						06/06/95	NC	439.00

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30010	410	A/C	MG/L	06/07/95	NC	571.00
						06/08/95	NC	436.00
						06/09/95	NC	335.00
						06/10/95	NC	381.00
						06/11/95	NC	293.00
						06/12/95	NC	265.00
						06/13/95	NC	286.00
						06/14/95	NC	331.00
						06/15/95	NC	373.00
						06/16/95	NC	303.00
						06/17/95	NC	430.00
						06/18/95	NC	417.00
						06/19/95	NC	492.00
						06/20/95	NC	517.00
						06/21/95	NC	353.00
COD	1-004	30540	700	A/C	MG/L	01/01/90	NC	1321.57
						01/02/90	NC	825.98
						01/03/90	NC	715.85
						01/04/90	NC	925.10
						01/05/90	NC	914.09
						01/06/90	NC	1013.21
						01/07/90	NC	991.18
						01/08/90	NC	1145.36
						01/09/90	NC	616.73
						01/10/90	NC	682.81
						01/11/90	NC	770.92
						01/12/90	NC	726.87
						01/13/90	NC	704.84
						01/14/90	NC	451.54
						01/15/90	NC	616.73
						01/16/90	NC	396.47
						01/17/90	NC	495.59
						01/18/90	NC	572.68
						01/19/90	NC	495.59
						01/20/90	NC	495.59
						01/21/90	NC	561.67
						01/22/90	NC	682.81
						01/23/90	NC	947.13
						01/24/90	NC	825.98
						01/25/90	NC	881.05
						01/26/90	NC	737.88
						01/27/90	NC	748.89
						01/28/90	NC	462.55
						01/29/90	NC	726.87
						01/30/90	NC	561.67
						01/31/90	NC	407.49
						02/01/90	NC	870.04
						02/02/90	NC	440.52
						02/03/90	NC	715.85

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	02/04/90	NC	583.69
						02/05/90	NC	704.84
						02/06/90	NC	704.84
						02/07/90	NC	605.72
						02/08/90	NC	881.05
						02/09/90	NC	704.84
						02/10/90	NC	792.94
						02/11/90	NC	638.76
						02/12/90	NC	594.71
						02/13/90	NC	473.56
						02/14/90	NC	693.83
						02/15/90	NC	781.93
						02/16/90	NC	693.83
						02/17/90	NC	473.56
						02/18/90	NC	737.88
						02/19/90	NC	991.18
						02/20/90	NC	837.00
						02/21/90	NC	616.73
						02/22/90	NC	572.68
						02/23/90	NC	671.80
						02/24/90	NC	561.67
						02/25/90	NC	616.73
						02/26/90	NC	473.56
						02/27/90	NC	418.50
						02/28/90	NC	572.68
						03/01/90	NC	660.79
						03/02/90	NC	638.76
						03/03/90	NC	550.66
						03/04/90	NC	616.73
						03/05/90	NC	991.18
						03/06/90	NC	473.56
						03/07/90	NC	1178.40
						03/08/90	NC	881.05
						03/09/90	NC	748.89
						03/10/90	NC	517.62
						03/11/90	NC	947.13
						03/12/90	NC	1233.47
						03/13/90	NC	715.85
						03/14/90	NC	881.05
						03/15/90	NC	892.06
						03/16/90	NC	881.05
						03/17/90	NC	958.14
						03/18/90	NC	682.81
						03/19/90	NC	903.07
						03/20/90	NC	825.98
						03/21/90	NC	814.97
						03/22/90	NC	1134.35
						03/23/90	NC	958.14
						03/24/90	NC	1002.19
						03/25/90	NC	704.84

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	03/26/90	NC	848.01
						03/27/90	NC	936.11
						03/28/90	NC	1101.31
						03/29/90	NC	506.60
						03/30/90	NC	814.97
						03/31/90	NC	759.90
						04/01/90	NC	1200.43
						04/02/90	NC	859.02
						04/03/90	NC	1002.19
						04/04/90	NC	1211.44
						04/05/90	NC	870.04
						04/06/90	NC	1035.23
						04/07/90	NC	814.97
						04/08/90	NC	936.11
						04/09/90	NC	859.02
						04/10/90	NC	759.90
						04/11/90	NC	495.59
						04/12/90	NC	1057.26
						04/13/90	NC	1255.49
						04/14/90	NC	759.90
						04/15/90	NC	1299.55
						04/16/90	NC	1409.68
						04/17/90	NC	1046.25
						04/18/90	NC	682.81
						04/19/90	NC	792.94
						04/20/90	NC	1255.49
						04/21/90	NC	859.02
						04/22/90	NC	781.93
						04/23/90	NC	1211.44
						04/24/90	NC	881.05
						04/25/90	NC	1101.31
						04/26/90	NC	947.13
						04/27/90	NC	859.02
						04/28/90	NC	737.88
						04/29/90	NC	814.97
						04/30/90	NC	914.09
						05/01/90	NC	803.96
						05/02/90	NC	991.18
						05/03/90	NC	660.79
						05/04/90	NC	947.13
						05/05/90	NC	1938.31
						05/06/90	NC	881.05
						05/07/90	NC	781.93
						05/08/90	NC	583.69
						05/09/90	NC	881.05
						05/10/90	NC	814.97
						05/11/90	NC	616.73
						05/12/90	NC	947.13
						05/13/90	NC	1574.87
						05/14/90	NC	1134.35
						05/15/90	NC	726.87
						05/16/90	NC	1002.19

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	05/17/90	NC	1068.27
						05/18/90	NC	1145.36
						05/19/90	NC	947.13
						05/20/90	NC	781.93
						05/21/90	NC	859.02
						05/22/90	NC	770.92
						05/23/90	NC	936.11
						05/24/90	NC	848.01
						05/25/90	NC	1167.39
						05/26/90	NC	1156.38
						05/27/90	NC	1090.30
						05/28/90	NC	1156.38
						05/29/90	NC	1134.35
						05/30/90	NC	1189.42
						05/31/90	NC	1123.34
						06/01/90	NC	1211.44
						06/02/90	NC	903.07
						06/03/90	NC	1013.21
						06/04/90	NC	1035.23
						06/05/90	NC	1332.59
						06/06/90	NC	947.13
						06/07/90	NC	848.01
						06/08/90	NC	903.07
						06/09/90	NC	837.00
						06/10/90	NC	792.94
						06/11/90	NC	737.88
						06/12/90	NC	682.81
						06/13/90	NC	1013.21
						06/14/90	NC	682.81
						06/15/90	NC	903.07
						06/16/90	NC	396.47
						06/17/90	NC	925.10
						06/18/90	NC	770.92
						06/19/90	NC	1145.36
						06/20/90	NC	1233.47
						06/21/90	NC	1112.32
						06/22/90	NC	991.18
						06/23/90	NC	781.93
						06/24/90	NC	759.90
						06/25/90	NC	517.62
						06/26/90	NC	814.97
						06/27/90	NC	484.58
						06/28/90	NC	484.58
						06/29/90	NC	473.56
						06/30/90	NC	837.00
						07/01/90	NC	704.84
						07/02/90	NC	980.17
						07/03/90	NC	627.75
						07/04/90	NC	473.56
						07/05/90	NC	1376.64
						07/06/90	NC	1321.57
						07/07/90	NC	1134.35

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	07/08/90	NC	892.06
						07/09/90	NC	958.14
						07/10/90	NC	1079.28
						07/11/90	NC	991.18
						07/12/90	NC	550.66
						07/13/90	NC	638.76
						07/14/90	NC	693.83
						07/15/90	NC	682.81
						07/16/90	NC	704.84
						07/17/90	NC	583.69
						07/18/90	NC	616.73
						07/19/90	NC	407.49
						07/20/90	NC	517.62
						07/21/90	NC	561.67
						07/22/90	NC	275.33
						07/23/90	NC	495.59
						07/24/90	NC	594.71
						07/25/90	NC	550.66
						07/26/90	NC	583.69
						07/27/90	NC	286.34
						07/28/90	NC	330.39
						07/29/90	NC	330.39
						07/30/90	NC	352.42
						07/31/90	NC	385.46
						08/01/90	NC	330.39
						08/02/90	NC	385.46
						08/03/90	NC	407.49
						08/04/90	NC	231.28
						08/05/90	NC	242.29
						08/06/90	NC	605.72
						08/07/90	NC	572.68
						08/08/90	NC	429.51
						08/09/90	NC	539.64
						08/10/90	NC	407.49
						08/11/90	NC	506.60
						08/12/90	NC	407.49
						08/13/90	NC	550.66
						08/14/90	NC	649.77
						08/15/90	NC	737.88
						08/16/90	NC	748.89
						08/17/90	NC	649.77
						08/18/90	NC	605.72
						08/19/90	NC	572.68
						08/20/90	NC	594.71
						08/21/90	NC	583.69
						08/22/90	NC	627.75
						08/23/90	NC	969.15
						08/24/90	NC	814.97
						08/25/90	NC	814.97
						08/26/90	NC	693.83
						08/27/90	NC	881.05
						08/28/90	NC	914.09

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	08/29/90	NC	825.98
						08/30/90	NC	947.13
						08/31/90	NC	583.69
						09/01/90	NC	583.69
						09/02/90	NC	627.75
						09/03/90	NC	638.76
						09/04/90	NC	539.64
						09/05/90	NC	980.17
						09/06/90	NC	759.90
						09/07/90	NC	594.71
						09/08/90	NC	583.69
						09/09/90	NC	892.06
						09/10/90	NC	1035.23
						09/11/90	NC	803.96
						09/12/90	NC	1002.19
						09/13/90	NC	825.98
						09/14/90	NC	572.68
						09/15/90	NC	759.90
						09/16/90	NC	649.77
						09/17/90	NC	914.09
						09/18/90	NC	881.05
						09/19/90	NC	1002.19
						09/20/90	NC	660.79
						09/21/90	NC	803.96
						09/22/90	NC	561.67
						09/23/90	NC	947.13
						09/24/90	NC	671.80
						09/25/90	NC	1145.36
						09/26/90	NC	462.55
						09/27/90	NC	704.84
						09/28/90	NC	770.92
						09/29/90	NC	704.84
						09/30/90	NC	825.98
						10/01/90	NC	682.81
						10/02/90	NC	737.88
						10/03/90	NC	638.76
						10/04/90	NC	925.10
						10/05/90	NC	693.83
						10/06/90	NC	462.55
						10/07/90	NC	627.75
						10/08/90	NC	947.13
						10/09/90	NC	958.14
						10/10/90	NC	914.09
						10/11/90	NC	1057.26
						10/12/90	NC	693.83
						10/13/90	NC	473.56
						10/14/90	NC	1101.31
						10/15/90	NC	1101.31
						10/16/90	NC	825.98
						10/17/90	NC	748.89
						10/18/90	NC	1475.76
						10/19/90	NC	1057.26

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	10/20/90	NC	770.92
						10/21/90	NC	803.96
						10/22/90	NC	1343.60
						10/23/90	NC	737.88
						10/24/90	NC	1464.74
						10/25/90	NC	1233.47
						10/26/90	NC	726.87
						10/27/90	NC	594.71
						10/28/90	NC	671.80
						10/29/90	NC	1024.22
						10/30/90	NC	1057.26
						10/31/90	NC	881.05
						11/01/90	NC	825.98
						11/02/90	NC	892.06
						11/03/90	NC	1123.34
						11/04/90	NC	2312.75
						11/05/90	NC	1409.68
						11/06/90	NC	1365.62
						11/07/90	NC	1861.21
						11/08/90	NC	1101.31
						11/09/90	NC	1244.48
						11/10/90	NC	1211.44
						11/11/90	NC	1024.22
						11/12/90	NC	914.09
						11/13/90	NC	1035.23
						11/14/90	NC	947.13
						11/15/90	NC	1211.44
						11/16/90	NC	1607.91
						11/17/90	NC	1046.25
						11/18/90	NC	1013.21
						11/19/90	NC	1046.25
						11/20/90	NC	1046.25
						11/21/90	NC	958.14
						11/22/90	NC	1508.80
						11/23/90	NC	881.05
						11/24/90	NC	936.11
						11/25/90	NC	969.15
						11/26/90	NC	1134.35
						11/27/90	NC	1211.44
						11/28/90	NC	903.07
						11/29/90	NC	1068.27
						11/30/90	NC	980.17
						12/01/90	NC	1002.19
						12/02/90	NC	969.15
						12/03/90	NC	1046.25
						12/04/90	NC	737.88
						12/05/90	NC	859.02
						12/06/90	NC	759.90
						12/07/90	NC	1134.35
						12/08/90	NC	572.68
						12/09/90	NC	550.66
						12/10/90	NC	506.60

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	12/11/90	NC	528.63
						12/12/90	NC	1508.80
						12/13/90	NC	991.18
						12/14/90	NC	726.87
						12/15/90	NC	870.04
						12/16/90	NC	848.01
						12/17/90	NC	1134.35
						12/18/90	NC	1343.60
						12/19/90	NC	1024.22
						12/20/90	NC	1101.31
						12/21/90	NC	649.77
						12/22/90	NC	484.58
						12/23/90	NC	748.89
						12/24/90	NC	638.76
						12/25/90	NC	363.43
						12/26/90	NC	429.51
						12/27/90	NC	418.50
						12/28/90	NC	605.72
						12/29/90	NC	539.64
						12/30/90	NC	693.83
						12/31/90	NC	583.69
						01/01/91	NC	814.97
						01/02/91	NC	825.98
						01/03/91	NC	1101.31
						01/04/91	NC	737.88
						01/05/91	NC	1222.45
						01/06/91	NC	881.05
						01/07/91	NC	1718.04
						01/08/91	NC	1002.19
						01/09/91	NC	903.07
						01/10/91	NC	848.01
						01/11/91	NC	770.92
						01/12/91	NC	550.66
						01/13/91	NC	848.01
						01/14/91	NC	528.63
						01/15/91	NC	914.09
						01/16/91	NC	1046.25
						01/17/91	NC	969.15
						01/18/91	NC	649.77
						01/19/91	NC	715.85
						01/20/91	NC	748.89
						01/21/91	NC	991.18
						01/22/91	NC	914.09
						01/23/91	NC	682.81
						01/24/91	NC	1156.38
						01/25/91	NC	1354.61
						01/26/91	NC	759.90
						01/27/91	NC	660.79
						01/28/91	NC	792.94
						01/29/91	NC	781.93
						01/30/91	NC	737.88
						01/31/91	NC	605.72

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	02/01/91	NC	726.87
						02/02/91	NC	539.64
						02/03/91	NC	583.69
						02/04/91	NC	627.75
						02/05/91	NC	583.69
						02/06/91	NC	914.09
						02/07/91	NC	881.05
						02/08/91	NC	870.04
						02/09/91	NC	671.80
						02/10/91	NC	440.52
						02/11/91	NC	781.93
						02/12/91	NC	914.09
						02/13/91	NC	682.81
						02/14/91	NC	748.89
						02/15/91	NC	704.84
						02/16/91	NC	583.69
						02/17/91	NC	605.72
						02/18/91	NC	506.60
						02/19/91	NC	991.18
						02/20/91	NC	726.87
						02/21/91	NC	1288.53
						02/22/91	NC	792.94
						02/23/91	NC	759.90
						02/24/91	NC	925.10
						02/25/91	NC	660.79
						02/26/91	NC	803.96
						02/27/91	NC	825.98
						02/28/91	NC	1321.57
						03/01/91	NC	825.98
						03/02/91	NC	781.93
						03/03/91	NC	660.79
						03/04/91	NC	704.84
						03/05/91	NC	1365.62
						03/06/91	NC	914.09
						03/07/91	NC	1156.38
						03/08/91	NC	892.06
						03/09/91	NC	792.94
						03/10/91	NC	781.93
						03/11/91	NC	1167.39
						03/12/91	NC	925.10
						03/13/91	NC	605.72
						03/14/91	NC	770.92
						03/15/91	NC	1046.25
						03/16/91	NC	936.11
						03/17/91	NC	1365.62
						03/18/91	NC	1420.69
						03/19/91	NC	881.05
						03/20/91	NC	859.02
						03/21/91	NC	682.81
						03/22/91	NC	693.83
						03/23/91	NC	1013.21
						03/24/91	NC	1013.21

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	03/25/91	NC	1508.80
						03/26/91	NC	1057.26
						03/27/91	NC	627.75
						03/28/91	NC	1376.64
						03/29/91	NC	759.90
						03/30/91	NC	627.75
						03/31/91	NC	627.75
						04/01/91	NC	418.50
						04/02/91	NC	605.72
						04/03/91	NC	671.80
						04/04/91	NC	693.83
						04/05/91	NC	693.83
						04/06/91	NC	660.79
						04/07/91	NC	715.85
						04/08/91	NC	936.11
						04/09/91	NC	792.94
						04/10/91	NC	814.97
						04/11/91	NC	330.39
						04/12/91	NC	859.02
						04/13/91	NC	1398.66
						04/14/91	NC	1618.93
						04/15/91	NC	1277.52
						04/16/91	NC	1057.26
						04/17/91	NC	770.92
						04/18/91	NC	925.10
						04/19/91	NC	1112.32
						04/20/91	NC	572.68
						04/21/91	NC	903.07
						04/22/91	NC	1574.87
						04/23/91	NC	1046.25
						04/24/91	NC	903.07
						04/25/91	NC	980.17
						04/26/91	NC	859.02
						04/27/91	NC	947.13
						04/28/91	NC	1585.89
						04/29/91	NC	1167.39
						04/30/91	NC	859.02
						05/01/91	NC	1354.61
						05/02/91	NC	1013.21
						05/03/91	NC	1894.25
						05/04/91	NC	991.18
						05/05/91	NC	1167.39
						05/06/91	NC	3656.35
						05/07/91	NC	1035.23
						05/08/91	NC	660.79
						05/09/91	NC	792.94
						05/10/91	NC	881.05
						05/11/91	NC	936.11
						05/12/91	NC	737.88
						05/13/91	NC	1618.93
						05/14/91	NC	1112.32
						05/15/91	NC	1596.90

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	05/16/91	NC	859.02
						05/17/91	NC	429.51
						05/18/91	NC	726.87
						05/19/91	NC	903.07
						05/20/91	NC	759.90
						05/21/91	NC	726.87
						05/22/91	NC	726.87
						05/23/91	NC	1332.59
						05/24/91	NC	903.07
						05/25/91	NC	572.68
						05/26/91	NC	803.96
						05/27/91	NC	1354.61
						05/28/91	NC	1200.43
						05/29/91	NC	759.90
						05/30/91	NC	936.11
						05/31/91	NC	671.80
						06/01/91	NC	737.88
						06/02/91	NC	726.87
						06/03/91	NC	1035.23
						06/04/91	NC	517.62
						06/05/91	NC	660.79
						06/06/91	NC	1486.77
						06/07/91	NC	991.18
						06/08/91	NC	748.89
						06/09/91	NC	914.09
						06/10/91	NC	1057.26
						06/11/91	NC	1068.27
						06/12/91	NC	1068.27
						06/13/91	NC	671.80
						06/14/91	NC	550.66
						06/15/91	NC	561.67
						06/16/91	NC	726.87
						06/17/91	NC	550.66
						06/18/91	NC	1321.57
						06/19/91	NC	1244.48
						06/20/91	NC	429.51
						06/21/91	NC	528.63
						06/22/91	NC	781.93
						06/23/91	NC	770.92
						06/24/91	NC	859.02
						06/25/91	NC	627.75
						06/26/91	NC	1156.38
						06/27/91	NC	1420.69
						06/28/91	NC	1233.47
						06/29/91	NC	704.84
						06/30/91	NC	1112.32
						07/01/91	NC	506.60
						07/02/91	NC	363.43
						07/03/91	NC	286.34
						07/04/91	NC	286.34
						07/05/91	NC	517.62
						07/06/91	NC	462.55

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	07/07/91	NC	275.33
						07/08/91	NC	473.56
						07/09/91	NC	473.56
						07/10/91	NC	583.69
						07/11/91	NC	418.50
						07/12/91	NC	418.50
						07/13/91	NC	429.51
						07/14/91	NC	429.51
						07/15/91	NC	396.47
						07/16/91	NC	198.24
						07/17/91	NC	308.37
						07/18/91	NC	220.26
						07/19/91	NC	803.96
						07/20/91	NC	220.26
						07/21/91	NC	330.39
						07/22/91	NC	275.33
						07/23/91	NC	209.25
						07/24/91	NC	187.22
						07/25/91	NC	220.26
						07/26/91	NC	583.69
						07/27/91	NC	363.43
						07/28/91	NC	209.25
						07/29/91	NC	264.31
						07/30/91	NC	198.24
						07/31/91	NC	374.45
						08/01/91	NC	286.34
						08/02/91	NC	495.59
						08/03/91	NC	286.34
						08/04/91	NC	407.49
						08/05/91	NC	594.71
						08/06/91	NC	506.60
						08/07/91	NC	165.20
						08/08/91	NC	165.20
						08/09/91	NC	341.41
						08/10/91	NC	418.50
						08/11/91	NC	319.38
						08/12/91	NC	440.52
						08/13/91	NC	616.73
						08/14/91	NC	528.63
						08/15/91	NC	660.79
						08/16/91	NC	440.52
						08/17/91	NC	605.72
						08/18/91	NC	870.04
						08/19/91	NC	1090.30
						08/20/91	NC	572.68
						08/21/91	NC	770.92
						08/22/91	NC	440.52
						08/23/91	NC	308.37
						08/24/91	NC	231.28
						08/25/91	NC	440.52
						08/26/91	NC	451.54
						08/27/91	NC	484.58

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	08/28/91	NC	440.52
						08/29/91	NC	363.43
						08/30/91	NC	660.79
						08/31/91	NC	253.30
						09/01/91	NC	704.84
						09/02/91	NC	473.56
						09/03/91	NC	715.85
						09/04/91	NC	429.51
						09/05/91	NC	385.46
						09/06/91	NC	627.75
						09/07/91	NC	429.51
						09/08/91	NC	638.76
						09/09/91	NC	440.52
						09/10/91	NC	418.50
						09/11/91	NC	396.47
						09/12/91	NC	407.49
						09/13/91	NC	440.52
						09/14/91	NC	451.54
						09/15/91	NC	770.92
						09/16/91	NC	561.67
						09/17/91	NC	462.55
						09/18/91	NC	726.87
						09/19/91	NC	583.69
						09/20/91	NC	781.93
						09/21/91	NC	693.83
						09/22/91	NC	528.63
						09/23/91	NC	341.41
						09/24/91	NC	418.50
						09/25/91	NC	550.66
						09/26/91	NC	462.55
						09/27/91	NC	726.87
						09/28/91	NC	286.34
						09/29/91	NC	330.39
						09/30/91	NC	506.60
						10/01/91	NC	242.29
						10/02/91	NC	275.33
						10/03/91	NC	330.39
						10/04/91	NC	627.75
						10/05/91	NC	528.63
						10/06/91	NC	616.73
						10/07/91	NC	495.59
						10/08/91	NC	671.80
						10/09/91	NC	572.68
						10/10/91	NC	649.77
						10/11/91	NC	605.72
						10/12/91	NC	649.77
						10/13/91	NC	627.75
						10/14/91	NC	462.55
						10/15/91	NC	594.71
						10/16/91	NC	671.80
						10/17/91	NC	1002.19
						10/18/91	NC	892.06

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	10/19/91	NC	748.89
						10/20/91	NC	814.97
						10/21/91	NC	605.72
						10/22/91	NC	958.14
						10/23/91	NC	517.62
						10/24/91	NC	330.39
						10/25/91	NC	528.63
						10/26/91	NC	572.68
						10/27/91	NC	969.15
						10/28/91	NC	1090.30
						10/29/91	NC	814.97
						10/30/91	NC	693.83
						10/31/91	NC	462.55
						11/01/91	NC	451.54
						11/02/91	NC	605.72
						11/03/91	NC	473.56
						11/04/91	NC	550.66
						11/05/91	NC	616.73
						11/06/91	NC	550.66
						11/07/91	NC	870.04
						11/08/91	NC	539.64
						11/09/91	NC	616.73
						11/10/91	NC	451.54
						11/11/91	NC	495.59
						11/12/91	NC	914.09
						11/13/91	NC	693.83
						11/14/91	NC	792.94
						11/15/91	NC	495.59
						11/16/91	NC	682.81
						11/17/91	NC	704.84
						11/18/91	NC	418.50
						11/19/91	NC	1255.49
						11/20/91	NC	594.71
						11/21/91	NC	572.68
						11/22/91	NC	594.71
						11/23/91	NC	726.87
						11/24/91	NC	1057.26
						11/25/91	NC	947.13
						11/26/91	NC	991.18
						11/27/91	NC	693.83
						11/28/91	NC	528.63
						11/29/91	NC	726.87
						11/30/91	NC	528.63
						12/01/91	NC	649.77
						12/02/91	NC	759.90
						12/03/91	NC	870.04
						12/04/91	NC	1035.23
						12/05/91	NC	671.80
						12/06/91	NC	825.98
						12/07/91	NC	737.88
						12/08/91	NC	947.13
						12/09/91	NC	958.14

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	12/10/91	NC	792.94
						12/11/91	NC	649.77
						12/12/91	NC	770.92
						12/13/91	NC	848.01
						12/14/91	NC	781.93
						12/15/91	NC	1090.30
						12/16/91	NC	837.00
						12/17/91	NC	837.00
						12/18/91	NC	936.11
						12/19/91	NC	980.17
						12/20/91	NC	693.83
						12/21/91	NC	583.69
						12/22/91	NC	792.94
						12/23/91	NC	583.69
						12/24/91	NC	473.56
						12/25/91	NC	550.66
						12/26/91	NC	517.62
						12/27/91	NC	616.73
						12/28/91	NC	1057.26
						12/29/91	NC	1046.25
						12/30/91	NC	914.09
						12/31/91	NC	991.18
						01/01/92	NC	881.05
						01/02/92	NC	627.75
						01/03/92	NC	1035.23
						01/04/92	NC	1057.26
						01/05/92	NC	1552.85
						01/06/92	NC	1321.57
						01/07/92	NC	1211.44
						01/08/92	NC	1718.04
						01/09/92	NC	1596.90
						01/10/92	NC	1233.47
						01/11/92	NC	1222.45
						01/12/92	NC	1420.69
						01/13/92	NC	1178.40
						01/14/92	NC	748.89
						01/15/92	NC	1751.08
						01/17/92	NC	1541.83
						01/18/92	NC	1530.82
						01/19/92	NC	1916.28
						01/20/92	NC	2015.40
						01/21/92	NC	1530.82
						01/22/92	NC	2191.61
						01/23/92	NC	848.01
						01/24/92	NC	1497.78
						01/25/92	NC	1541.83
						01/26/92	NC	1409.68
						01/27/92	NC	1354.61
						01/28/92	NC	1376.64
						01/29/92	NC	1321.57
						01/30/92	NC	1024.22
						01/31/92	NC	825.98

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	02/01/92	NC	837.00
						02/02/92	NC	914.09
						02/03/92	NC	991.18
						02/04/92	NC	892.06
						02/05/92	NC	1123.34
						02/06/92	NC	1541.83
						02/07/92	NC	925.10
						02/08/92	NC	936.11
						02/09/92	NC	925.10
						02/10/92	NC	892.06
						02/11/92	NC	693.83
						02/12/92	NC	881.05
						02/13/92	NC	1112.32
						02/14/92	NC	792.94
						02/15/92	NC	1277.52
						02/16/92	NC	1762.10
						02/17/92	NC	1552.85
						02/18/92	NC	1541.83
						02/19/92	NC	1046.25
						02/20/92	NC	1244.48
						02/21/92	NC	947.13
						02/22/92	NC	936.11
						02/23/92	NC	870.04
						02/24/92	NC	859.02
						02/25/92	NC	1167.39
						02/26/92	NC	825.98
						02/27/92	NC	914.09
						02/28/92	NC	1002.19
						02/29/92	NC	1299.55
						03/01/92	NC	1982.36
						03/02/92	NC	1795.14
						03/03/92	NC	1431.70
						03/04/92	NC	693.83
						03/05/92	NC	1288.53
						03/06/92	NC	1376.64
						03/07/92	NC	1046.25
						03/08/92	NC	881.05
						03/09/92	NC	1211.44
						03/10/92	NC	1200.43
						03/11/92	NC	914.09
						03/12/92	NC	792.94
						03/13/92	NC	792.94
						03/14/92	NC	726.87
						03/15/92	NC	649.77
						03/16/92	NC	792.94
						03/17/92	NC	1376.64
						03/18/92	NC	759.90
						03/19/92	NC	925.10
						03/20/92	NC	1332.59
						03/21/92	NC	737.88
						03/22/92	NC	803.96
						03/23/92	NC	704.84

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	03/24/92	NC	748.89
						03/25/92	NC	925.10
						03/26/92	NC	770.92
						03/27/92	NC	991.18
						03/28/92	NC	781.93
						03/29/92	NC	958.14
						03/30/92	NC	947.13
						03/31/92	NC	814.97
						04/01/92	NC	792.94
						04/02/92	NC	892.06
						04/03/92	NC	1079.28
						04/04/92	NC	704.84
						04/05/92	NC	837.00
						04/06/92	NC	1013.21
						04/07/92	NC	1211.44
						04/08/92	NC	837.00
						04/09/92	NC	892.06
						04/10/92	NC	682.81
						04/11/92	NC	737.88
						04/12/92	NC	1189.42
						04/13/92	NC	572.68
						04/14/92	NC	1420.69
						04/15/92	NC	892.06
						04/16/92	NC	1552.85
						04/17/92	NC	572.68
						04/18/92	NC	627.75
						04/19/92	NC	748.89
						04/20/92	NC	704.84
						04/21/92	NC	1343.60
						04/22/92	NC	848.01
						04/23/92	NC	770.92
						04/24/92	NC	748.89
						04/25/92	NC	737.88
						04/26/92	NC	539.64
						04/27/92	NC	759.90
						04/28/92	NC	848.01
						04/29/92	NC	748.89
						04/30/92	NC	693.83
						05/01/92	NC	561.67
						05/02/92	NC	914.09
						05/03/92	NC	561.67
						05/04/92	NC	693.83
						05/05/92	NC	638.76
						05/06/92	NC	616.73
						05/07/92	NC	726.87
						05/08/92	NC	693.83
						05/09/92	NC	825.98
						05/10/92	NC	1420.69
						05/11/92	NC	803.96
						05/12/92	NC	1497.78
						05/13/92	NC	1288.53
						05/14/92	NC	1024.22

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	05/15/92	NC	969.15
						05/16/92	NC	792.94
						05/17/92	NC	859.02
						05/18/92	NC	892.06
						05/19/92	NC	682.81
						05/20/92	NC	726.87
						05/21/92	NC	627.75
						05/22/92	NC	1519.81
						05/23/92	NC	748.89
						05/24/92	NC	980.17
						05/25/92	NC	1277.52
						05/26/92	NC	1376.64
						05/27/92	NC	1090.30
						05/28/92	NC	1013.21
						05/29/92	NC	1068.27
						05/30/92	NC	682.81
						05/31/92	NC	837.00
						06/01/92	NC	704.84
						06/02/92	NC	881.05
						06/03/92	NC	947.13
						06/04/92	NC	837.00
						06/05/92	NC	682.81
						06/06/92	NC	969.15
						06/07/92	NC	781.93
						06/08/92	NC	759.90
						06/09/92	NC	726.87
						06/10/92	NC	837.00
						06/11/92	NC	803.96
						06/12/92	NC	870.04
						06/13/92	NC	792.94
						06/14/92	NC	914.09
						06/15/92	NC	936.11
						06/16/92	NC	1189.42
						06/17/92	NC	1068.27
						06/18/92	NC	803.96
						06/19/92	NC	881.05
						06/20/92	NC	693.83
						06/21/92	NC	594.71
						06/22/92	NC	1123.34
						06/23/92	NC	638.76
						06/24/92	NC	848.01
						06/25/92	NC	616.73
						06/26/92	NC	561.67
						06/27/92	NC	572.68
						06/28/92	NC	561.67
						06/29/92	NC	583.69
						06/30/92	NC	550.66
						07/02/92	NC	484.58
						07/03/92	NC	1200.43
						07/04/92	NC	506.60
						07/05/92	NC	572.68
						07/06/92	NC	451.54

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	07/07/92	NC	572.68
						07/08/92	NC	748.89
						07/09/92	NC	925.10
						07/10/92	NC	418.50
						07/11/92	NC	528.63
						07/12/92	NC	451.54
						07/13/92	NC	462.55
						07/14/92	NC	440.52
						07/15/92	NC	385.46
						07/16/92	NC	396.47
						07/17/92	NC	495.59
						07/18/92	NC	561.67
						07/19/92	NC	870.04
						07/20/92	NC	1519.81
						07/21/92	NC	1211.44
						07/22/92	NC	1387.65
						07/23/92	NC	825.98
						07/24/92	NC	726.87
						07/25/92	NC	352.42
						07/26/92	NC	693.83
						07/27/92	NC	583.69
						07/28/92	NC	495.59
						07/29/92	NC	374.45
						07/30/92	NC	583.69
						07/31/92	NC	429.51
						08/01/92	NC	462.55
						08/02/92	NC	440.52
						08/03/92	NC	638.76
						08/04/92	NC	1145.36
						08/05/92	NC	572.68
						08/06/92	NC	1244.48
						08/07/92	NC	825.98
						08/08/92	NC	583.69
						08/09/92	NC	649.77
						08/10/92	NC	627.75
						08/11/92	NC	914.09
						08/12/92	NC	814.97
						08/13/92	NC	892.06
						08/14/92	NC	770.92
						08/15/92	NC	1145.36
						08/16/92	NC	1718.04
						08/17/92	NC	1035.23
						08/18/92	NC	1244.48
						08/19/92	NC	770.92
						08/20/92	NC	1618.93
						08/21/92	NC	1211.44
						08/22/92	NC	748.89
						08/23/92	NC	814.97
						08/24/92	NC	715.85
						08/25/92	NC	892.06
						08/26/92	NC	759.90
						08/27/92	NC	759.90

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	08/28/92	NC	903.07
						08/29/92	NC	803.96
						08/30/92	NC	914.09
						08/31/92	NC	814.97
						09/01/92	NC	1431.70
						09/02/92	NC	1167.39
						09/03/92	NC	914.09
						09/04/92	NC	726.87
						09/08/92	NC	1321.57
						09/09/92	NC	1211.44
						09/10/92	NC	1046.25
						09/11/92	NC	1057.26
						09/12/92	NC	991.18
						09/13/92	NC	969.15
						09/14/92	NC	1156.38
						09/15/92	NC	1618.93
						09/16/92	NC	1134.35
						09/17/92	NC	1685.00
						09/18/92	NC	1222.45
						09/19/92	NC	881.05
						09/20/92	NC	914.09
						09/21/92	NC	925.10
						09/22/92	NC	859.02
						09/23/92	NC	682.81
						09/24/92	NC	991.18
						09/25/92	NC	870.04
						09/26/92	NC	616.73
						09/27/92	NC	638.76
						09/28/92	NC	649.77
						09/29/92	NC	1299.55
						09/30/92	NC	594.71
						10/01/92	NC	649.77
						10/02/92	NC	715.85
						10/03/92	NC	627.75
						10/04/92	NC	726.87
						10/05/92	NC	859.02
						10/06/92	NC	726.87
						10/07/92	NC	649.77
						10/08/92	NC	726.87
						10/09/92	NC	748.89
						10/10/92	NC	528.63
						10/11/92	NC	726.87
						10/12/92	NC	473.56
						10/13/92	NC	605.72
						10/14/92	NC	638.76
						10/15/92	NC	561.67
						10/16/92	NC	814.97
						10/17/92	NC	616.73
						10/18/92	NC	726.87
						10/19/92	NC	671.80
						10/20/92	NC	814.97
						10/21/92	NC	770.92

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	10/22/92	NC	892.06
						10/23/92	NC	693.83
						10/24/92	NC	440.52
						10/25/92	NC	605.72
						10/26/92	NC	693.83
						10/27/92	NC	770.92
						10/28/92	NC	737.88
						10/29/92	NC	638.76
						10/30/92	NC	561.67
						10/31/92	NC	451.54
						11/01/92	NC	517.62
						11/02/92	NC	451.54
						11/03/92	NC	451.54
						11/04/92	NC	407.49
						11/05/92	NC	374.45
						11/06/92	NC	594.71
						11/07/92	NC	77.09
						11/08/92	NC	407.49
						11/09/92	NC	682.81
						11/10/92	NC	462.55
						11/11/92	NC	572.68
						11/12/92	NC	495.59
						11/13/92	NC	682.81
						11/14/92	NC	473.56
						11/15/92	NC	495.59
						11/16/92	NC	704.84
						11/17/92	NC	451.54
						11/18/92	NC	297.35
						11/19/92	NC	352.42
						11/20/92	NC	374.45
						11/21/92	NC	352.42
						11/22/92	NC	759.90
						11/23/92	NC	495.59
						11/24/92	NC	374.45
						11/25/92	NC	253.30
						11/26/92	NC	143.17
						11/27/92	NC	154.18
						11/28/92	NC	341.41
						11/29/92	NC	440.52
						11/30/92	NC	451.54
						12/01/92	NC	495.59
						12/02/92	NC	495.59
						12/03/92	NC	550.66
						12/04/92	NC	594.71
						12/05/92	NC	594.71
						12/06/92	NC	484.58
						12/07/92	NC	715.85
						12/08/92	NC	1112.32
						12/09/92	NC	1211.44
						12/10/92	NC	484.58
						12/11/92	NC	451.54
						12/12/92	NC	594.71

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	12/13/92	NC	418.50
						12/14/92	NC	418.50
						12/15/92	NC	407.49
						12/16/92	NC	319.38
						12/17/92	NC	407.49
						12/18/92	NC	528.63
						12/19/92	NC	451.54
						12/20/92	NC	726.87
						12/21/92	NC	594.71
						12/22/92	NC	517.62
						12/23/92	NC	176.21
						12/24/92	NC	407.49
						12/25/92	NC	264.31
						12/26/92	NC	143.17
						12/27/92	NC	154.18
						12/28/92	NC	143.17
						12/29/92	NC	110.13
						12/30/92	NC	143.17
						12/31/92	NC	99.12
						01/01/93	NC	154.18
						01/02/93	NC	187.22
						01/03/93	NC	165.20
						01/04/93	NC	154.18
						01/05/93	NC	594.71
						01/06/93	NC	583.69
						01/07/93	NC	473.56
						01/08/93	NC	154.18
						01/09/93	NC	319.38
						01/10/93	NC	308.37
						01/11/93	NC	176.21
						01/12/93	NC	363.43
						01/13/93	NC	352.42
						01/14/93	NC	286.34
						01/15/93	NC	517.62
						01/16/93	NC	341.41
						01/17/93	NC	330.39
						01/18/93	NC	275.33
						01/19/93	NC	99.12
						01/20/93	NC	88.11
						01/21/93	NC	297.35
						01/22/93	NC	440.52
						01/23/93	NC	418.50
						01/24/93	NC	396.47
						01/25/93	NC	440.52
						01/26/93	NC	385.46
						01/27/93	NC	385.46
						01/28/93	NC	473.56
						01/29/93	NC	506.60
						01/30/93	NC	473.56
						01/31/93	NC	627.75
						02/01/93	NC	473.56
						02/02/93	NC	682.81

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	02/03/93	NC	859.02
						02/04/93	NC	980.17
						02/05/93	NC	1189.42
						02/06/93	NC	748.89
						02/07/93	NC	1167.39
						02/08/93	NC	925.10
						02/09/93	NC	980.17
						02/10/93	NC	914.09
						02/11/93	NC	947.13
						02/12/93	NC	903.07
						02/13/93	NC	1541.83
						02/14/93	NC	1233.47
						02/15/93	NC	1200.43
						02/16/93	NC	1178.40
						02/17/93	NC	704.84
						02/18/93	NC	1035.23
						02/19/93	NC	925.10
						02/20/93	NC	881.05
						02/21/93	NC	1123.34
						02/22/93	NC	1189.42
						02/23/93	NC	914.09
						02/24/93	NC	947.13
						02/25/93	NC	969.15
						02/26/93	NC	859.02
						02/27/93	NC	737.88
						02/28/93	NC	605.72
						03/01/93	NC	605.72
						03/02/93	NC	418.50
						03/03/93	NC	418.50
						03/04/93	NC	969.15
						03/05/93	NC	792.94
						03/06/93	NC	737.88
						03/07/93	NC	726.87
						03/08/93	NC	1200.43
						03/09/93	NC	1057.26
						03/10/93	NC	881.05
						03/11/93	NC	1024.22
						03/12/93	NC	1134.35
						03/13/93	NC	649.77
						03/14/93	NC	759.90
						03/15/93	NC	759.90
						03/16/93	NC	759.90
						03/17/93	NC	671.80
						03/18/93	NC	803.96
						03/19/93	NC	605.72
						03/20/93	NC	759.90
						03/21/93	NC	892.06
						03/22/93	NC	737.88
						03/23/93	NC	550.66
						03/24/93	NC	792.94
						03/25/93	NC	682.81
						03/26/93	NC	671.80

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	03/27/93	NC	671.80
						03/28/93	NC	903.07
						03/29/93	NC	1222.45
						03/30/93	NC	1068.27
						03/31/93	NC	1222.45
						04/01/93	NC	881.05
						04/02/93	NC	1068.27
						04/03/93	NC	848.01
						04/04/93	NC	870.04
						04/05/93	NC	1189.42
						04/06/93	NC	693.83
						04/07/93	NC	1002.19
						04/08/93	NC	1398.66
						04/09/93	NC	1090.30
						04/10/93	NC	1277.52
						04/11/93	NC	638.76
						04/12/93	NC	903.07
						04/13/93	NC	825.98
						04/14/93	NC	881.05
						04/15/93	NC	484.58
						04/16/93	NC	693.83
						04/17/93	NC	638.76
						04/18/93	NC	792.94
						04/19/93	NC	936.11
						04/20/93	NC	660.79
						04/21/93	NC	748.89
						04/22/93	NC	814.97
						04/23/93	NC	837.00
						04/24/93	NC	572.68
						04/25/93	NC	792.94
						04/26/93	NC	837.00
						04/27/93	NC	803.96
						04/28/93	NC	594.71
						04/29/93	NC	781.93
						04/30/93	NC	715.85
						05/01/93	NC	583.69
						05/02/93	NC	737.88
						05/03/93	NC	781.93
						05/04/93	NC	781.93
						05/05/93	NC	704.84
						05/06/93	NC	770.92
						05/07/93	NC	859.02
						05/08/93	NC	759.90
						05/09/93	NC	770.92
						05/10/93	NC	969.15
						05/11/93	NC	947.13
						05/12/93	NC	1068.27
						05/13/93	NC	1156.38
						05/14/93	NC	781.93
						05/15/93	NC	671.80
						05/16/93	NC	693.83
						05/17/93	NC	825.98

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	05/18/93	NC	704.84
						05/19/93	NC	693.83
						05/20/93	NC	859.02
						05/21/93	NC	881.05
						05/22/93	NC	759.90
						05/23/93	NC	704.84
						05/24/93	NC	726.87
						05/25/93	NC	925.10
						05/26/93	NC	1112.32
						05/27/93	NC	1354.61
						05/28/93	NC	704.84
						05/29/93	NC	539.64
						05/30/93	NC	550.66
						05/31/93	NC	407.49
						06/01/93	NC	385.46
						06/02/93	NC	660.79
						06/03/93	NC	506.60
						06/04/93	NC	605.72
						06/05/93	NC	594.71
						06/06/93	NC	715.85
						06/07/93	NC	682.81
						06/08/93	NC	748.89
						06/09/93	NC	803.96
						06/10/93	NC	1387.65
						06/11/93	NC	825.98
						06/12/93	NC	870.04
						06/13/93	NC	638.76
						06/14/93	NC	451.54
						06/15/93	NC	495.59
						06/16/93	NC	484.58
						06/17/93	NC	407.49
						06/18/93	NC	803.96
						06/19/93	NC	770.92
						06/20/93	NC	583.69
						06/21/93	NC	693.83
						06/22/93	NC	638.76
						06/23/93	NC	539.64
						06/24/93	NC	936.11
						06/25/93	NC	825.98
						06/26/93	NC	715.85
						06/27/93	NC	660.79
						06/28/93	NC	1068.27
						06/29/93	NC	1024.22
						06/30/93	NC	803.96
						07/01/93	NC	671.80
						07/02/93	NC	936.11
						07/03/93	NC	903.07
						07/04/93	NC	969.15
						07/05/93	NC	859.02
						07/06/93	NC	1090.30
						07/07/93	NC	682.81
						07/08/93	NC	638.76

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	07/09/93	NC	550.66
						07/10/93	NC	638.76
						07/11/93	NC	506.60
						07/12/93	NC	495.59
						07/13/93	NC	616.73
						07/14/93	NC	396.47
						07/15/93	NC	451.54
						07/16/93	NC	484.58
						07/17/93	NC	451.54
						07/18/93	NC	352.42
						07/19/93	NC	594.71
						07/20/93	NC	572.68
						07/21/93	NC	495.59
						07/22/93	NC	220.26
						07/23/93	NC	440.52
						07/24/93	NC	286.34
						07/25/93	NC	396.47
						07/26/93	NC	330.39
						07/27/93	NC	187.22
						07/28/93	NC	308.37
						07/29/93	NC	231.28
						07/30/93	NC	352.42
						07/31/93	NC	517.62
						08/01/93	NC	715.85
						08/02/93	NC	748.89
						08/03/93	NC	991.18
						08/04/93	NC	947.13
						08/05/93	NC	649.77
						08/06/93	NC	1112.32
						08/07/93	NC	892.06
						08/08/93	NC	726.87
						08/09/93	NC	1365.62
						08/10/93	NC	1079.28
						08/11/93	NC	770.92
						08/12/93	NC	737.88
						08/13/93	NC	903.07
						08/14/93	NC	704.84
						08/15/93	NC	814.97
						08/16/93	NC	418.50
						08/17/93	NC	429.51
						08/18/93	NC	715.85
						08/19/93	NC	484.58
						08/20/93	NC	825.98
						08/21/93	NC	958.14
						08/23/93	NC	594.71
						08/24/93	NC	638.76
						08/25/93	NC	881.05
						08/26/93	NC	726.87
						08/27/93	NC	936.11
						08/28/93	NC	1035.23
						08/29/93	NC	594.71
						08/30/93	NC	616.73

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	08/31/93	NC	1079.28
						09/01/93	NC	914.09
						09/02/93	NC	682.81
						09/03/93	NC	792.94
						09/04/93	NC	429.51
						09/05/93	NC	594.71
						09/06/93	NC	748.89
						09/07/93	NC	638.76
						09/08/93	NC	837.00
						09/09/93	NC	638.76
						09/10/93	NC	605.72
						09/11/93	NC	704.84
						09/12/93	NC	594.71
						09/13/93	NC	495.59
						09/14/93	NC	627.75
						09/15/93	NC	671.80
						09/16/93	NC	704.84
						09/17/93	NC	649.77
						09/18/93	NC	462.55
						09/19/93	NC	627.75
						09/20/93	NC	737.88
						09/21/93	NC	550.66
						09/22/93	NC	737.88
						09/23/93	NC	682.81
						09/24/93	NC	881.05
						09/25/93	NC	748.89
						09/26/93	NC	914.09
						09/27/93	NC	814.97
						09/28/93	NC	616.73
						09/29/93	NC	682.81
						09/30/93	NC	825.98
						10/01/93	NC	550.66
						10/02/93	NC	462.55
						10/03/93	NC	561.67
						10/04/93	NC	484.58
						10/05/93	NC	495.59
						10/06/93	NC	418.50
						10/07/93	NC	407.49
						10/08/93	NC	484.58
						10/09/93	NC	440.52
						10/10/93	NC	561.67
						10/11/93	NC	638.76
						10/12/93	NC	616.73
						10/13/93	NC	550.66
						10/14/93	NC	440.52
						10/15/93	NC	407.49
						10/16/93	NC	407.49
						10/17/93	NC	352.42
						10/18/93	NC	330.39
						10/19/93	NC	308.37
						10/20/93	NC	297.35
						10/21/93	NC	220.26

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	10/22/93	NC	517.62
						10/23/93	NC	572.68
						10/24/93	NC	484.58
						10/25/93	NC	242.29
						10/26/93	NC	363.43
						10/27/93	NC	308.37
						10/28/93	NC	297.35
						10/29/93	NC	330.39
						10/30/93	NC	286.34
						10/31/93	NC	374.45
						11/01/93	NC	352.42
						11/02/93	NC	374.45
						11/03/93	NC	275.33
						11/04/93	NC	275.33
						11/05/93	NC	418.50
						11/06/93	NC	407.49
						11/07/93	NC	451.54
						11/08/93	NC	308.37
						11/09/93	NC	352.42
						11/10/93	NC	539.64
						11/11/93	NC	385.46
						11/12/93	NC	429.51
						11/13/93	NC	495.59
						11/14/93	NC	374.45
						11/15/93	NC	407.49
						11/16/93	NC	495.59
						11/17/93	NC	572.68
						11/18/93	NC	495.59
						11/19/93	NC	825.98
						11/20/93	NC	638.76
						11/21/93	NC	594.71
						11/22/93	NC	440.52
						11/23/93	NC	297.35
						11/24/93	NC	231.28
						11/25/93	NC	264.31
						11/26/93	NC	528.63
						11/27/93	NC	264.31
						11/28/93	NC	319.38
						11/29/93	NC	407.49
						11/30/93	NC	440.52
						12/01/93	NC	638.76
						12/02/93	NC	363.43
						12/03/93	NC	297.35
						12/04/93	NC	374.45
						12/05/93	NC	682.81
						12/06/93	NC	583.69
						12/07/93	NC	550.66
						12/08/93	NC	737.88
						12/09/93	NC	473.56
						12/10/93	NC	506.60
						12/11/93	NC	759.90
						12/12/93	NC	550.66

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	12/13/93	NC	308.37
						12/14/93	NC	473.56
						12/15/93	NC	572.68
						12/16/93	NC	748.89
						12/17/93	NC	682.81
						12/18/93	NC	572.68
						12/19/93	NC	517.62
						12/20/93	NC	594.71
						12/21/93	NC	583.69
						12/22/93	NC	682.81
						12/23/93	NC	473.56
						12/24/93	NC	176.21
						12/25/93	NC	121.14
						12/26/93	NC	66.08
						12/27/93	NC	11.01
						12/28/93	NC	33.04
						12/29/93	NC	66.08
						12/30/93	NC	231.28
						12/31/93	NC	275.33
						01/01/94	NC	176.21
						01/02/94	NC	242.29
						01/03/94	NC	11.01
						01/04/94	NC	88.11
						01/05/94	NC	121.14
						01/06/94	NC	66.08
						01/07/94	NC	264.31
						01/08/94	NC	220.26
						01/09/94	NC	121.14
						01/10/94	NC	132.16
						01/11/94	NC	187.22
						01/12/94	NC	187.22
						01/13/94	NC	264.31
						01/14/94	NC	187.22
						01/15/94	NC	231.28
						01/16/94	NC	991.18
						01/17/94	NC	374.45
						01/18/94	NC	396.47
						01/19/94	NC	528.63
						01/20/94	NC	352.42
						01/21/94	NC	198.24
						01/22/94	NC	165.20
						01/23/94	NC	132.16
						01/24/94	NC	275.33
						01/25/94	NC	319.38
						01/26/94	NC	242.29
						01/27/94	NC	308.37
						01/28/94	NC	363.43
						01/29/94	NC	418.50
						01/30/94	NC	539.64
						01/31/94	NC	605.72
						02/01/94	NC	715.85
						02/02/94	NC	1079.28

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	02/03/94	NC	1068.27
						02/04/94	NC	947.13
						02/05/94	NC	715.85
						02/06/94	NC	781.93
						02/07/94	NC	947.13
						02/08/94	NC	1079.28
						02/09/94	NC	1090.30
						02/10/94	NC	1112.32
						02/11/94	NC	936.11
						02/12/94	NC	1233.47
						02/13/94	NC	1101.31
						02/14/94	NC	1079.28
						02/15/94	NC	914.09
						02/16/94	NC	958.14
						02/17/94	NC	506.60
						02/18/94	NC	517.62
						02/19/94	NC	418.50
						02/20/94	NC	363.43
						02/21/94	NC	473.56
						02/22/94	NC	484.58
						02/23/94	NC	495.59
						02/24/94	NC	748.89
						02/25/94	NC	638.76
						02/26/94	NC	903.07
						02/27/94	NC	1002.19
						02/28/94	NC	947.13
						03/01/94	NC	903.07
						03/02/94	NC	759.90
						03/03/94	NC	682.81
						03/04/94	NC	550.66
						03/05/94	NC	1079.28
						03/06/94	NC	517.62
						03/07/94	NC	550.66
						03/08/94	NC	550.66
						03/09/94	NC	561.67
						03/10/94	NC	550.66
						03/11/94	NC	825.98
						03/12/94	NC	859.02
						03/13/94	NC	737.88
						03/14/94	NC	1178.40
						03/15/94	NC	1112.32
						03/16/94	NC	1035.23
						03/17/94	NC	1101.31
						03/18/94	NC	1112.32
						03/19/94	NC	1079.28
						03/20/94	NC	969.15
						03/21/94	NC	1222.45
						03/22/94	NC	870.04
						03/23/94	NC	803.96
						03/24/94	NC	803.96
						03/25/94	NC	1013.21
						03/26/94	NC	947.13

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	03/27/94	NC	1057.26
						03/28/94	NC	1057.26
						03/29/94	NC	947.13
						03/30/94	NC	947.13
						03/31/94	NC	671.80
						04/01/94	NC	693.83
						04/02/94	NC	737.88
						04/03/94	NC	693.83
						04/04/94	NC	925.10
						04/05/94	NC	914.09
						04/06/94	NC	870.04
						04/07/94	NC	759.90
						04/08/94	NC	770.92
						04/09/94	NC	715.85
						04/10/94	NC	1035.23
						04/11/94	NC	638.76
						04/12/94	NC	484.58
						04/13/94	NC	704.84
						04/14/94	NC	748.89
						04/15/94	NC	605.72
						04/16/94	NC	550.66
						04/17/94	NC	451.54
						04/18/94	NC	473.56
						04/19/94	NC	550.66
						04/20/94	NC	814.97
						04/21/94	NC	572.68
						04/22/94	NC	473.56
						04/23/94	NC	396.47
						04/24/94	NC	374.45
						04/25/94	NC	374.45
						04/26/94	NC	484.58
						04/27/94	NC	451.54
						04/28/94	NC	638.76
						04/29/94	NC	660.79
						04/30/94	NC	682.81
						05/01/94	NC	605.72
						05/02/94	NC	726.87
						05/03/94	NC	627.75
						05/04/94	NC	561.67
						05/05/94	NC	660.79
						05/06/94	NC	660.79
						05/07/94	NC	616.73
						05/08/94	NC	837.00
						05/09/94	NC	814.97
						05/10/94	NC	627.75
						05/11/94	NC	583.69
						05/12/94	NC	870.04
						05/13/94	NC	837.00
						05/14/94	NC	903.07
						05/15/94	NC	682.81
						05/16/94	NC	936.11
						05/17/94	NC	1057.26

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	05/18/94	NC	1916.28
						05/19/94	NC	2136.54
						05/20/94	NC	1420.69
						05/21/94	NC	1002.19
						05/22/94	NC	1123.34
						05/23/94	NC	958.14
						05/24/94	NC	1409.68
						05/25/94	NC	1222.45
						05/26/94	NC	1277.52
						05/27/94	NC	1431.70
						05/28/94	NC	1442.72
						05/29/94	NC	1299.55
						05/30/94	NC	1244.48
						05/31/94	NC	1189.42
						06/01/94	NC	1024.22
						06/02/94	NC	1178.40
						06/03/94	NC	1607.91
						06/04/94	NC	1156.38
						06/05/94	NC	947.13
						06/06/94	NC	1057.26
						06/07/94	NC	1134.35
						06/08/94	NC	1123.34
						06/09/94	NC	1233.47
						06/10/94	NC	1211.44
						06/11/94	NC	1222.45
						06/12/94	NC	1211.44
						06/13/94	NC	1321.57
						06/14/94	NC	1101.31
						06/16/94	NC	1310.56
						06/17/94	NC	1299.55
						06/18/94	NC	1090.30
						06/19/94	NC	1101.31
						06/20/94	NC	1288.53
						06/21/94	NC	1090.30
						06/22/94	NC	1387.65
						06/23/94	NC	1101.31
						06/24/94	NC	1090.30
						06/25/94	NC	825.98
						06/26/94	NC	638.76
						06/27/94	NC	627.75
						06/28/94	NC	704.84
						06/29/94	NC	792.94
						06/30/94	NC	440.52
						07/01/94	NC	803.96
						07/02/94	NC	748.89
						07/03/94	NC	693.83
						07/04/94	NC	682.81
						07/05/94	NC	715.85
						07/06/94	NC	892.06
						07/07/94	NC	870.04
						07/08/94	NC	870.04
						07/09/94	NC	605.72

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	07/10/94	NC	550.66
						07/11/94	NC	605.72
						07/12/94	NC	561.67
						07/13/94	NC	693.83
						07/14/94	NC	704.84
						07/15/94	NC	792.94
						07/16/94	NC	726.87
						07/17/94	NC	682.81
						07/18/94	NC	572.68
						07/19/94	NC	737.88
						07/20/94	NC	748.89
						07/21/94	NC	627.75
						07/22/94	NC	517.62
						07/23/94	NC	517.62
						07/24/94	NC	495.59
						07/25/94	NC	671.80
						07/26/94	NC	660.79
						07/27/94	NC	385.46
						07/28/94	NC	616.73
						07/29/94	NC	594.71
						07/30/94	NC	825.98
						07/31/94	NC	870.04
						08/01/94	NC	605.72
						08/02/94	NC	616.73
						08/03/94	NC	517.62
						08/04/94	NC	649.77
						08/05/94	NC	892.06
						08/06/94	NC	649.77
						08/07/94	NC	759.90
						08/08/94	NC	572.68
						08/09/94	NC	748.89
						08/10/94	NC	859.02
						08/11/94	NC	649.77
						08/12/94	NC	1112.32
						08/13/94	NC	726.87
						08/14/94	NC	1002.19
						08/15/94	NC	726.87
						08/16/94	NC	671.80
						08/17/94	NC	991.18
						08/18/94	NC	925.10
						08/19/94	NC	770.92
						08/20/94	NC	748.89
						08/21/94	NC	715.85
						08/22/94	NC	572.68
						08/23/94	NC	682.81
						08/24/94	NC	550.66
						08/25/94	NC	682.81
						08/26/94	NC	583.69
						08/27/94	NC	627.75
						08/28/94	NC	594.71
						08/29/94	NC	693.83
						08/30/94	NC	605.72

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	08/31/94	NC	803.96
						09/01/94	NC	1112.32
						09/02/94	NC	870.04
						09/03/94	NC	859.02
						09/04/94	NC	781.93
						09/05/94	NC	660.79
						09/06/94	NC	814.97
						09/07/94	NC	605.72
						09/08/94	NC	825.98
						09/09/94	NC	704.84
						09/10/94	NC	616.73
						09/11/94	NC	1134.35
						09/12/94	NC	726.87
						09/13/94	NC	660.79
						09/14/94	NC	638.76
						09/15/94	NC	715.85
						09/16/94	NC	781.93
						09/17/94	NC	737.88
						09/18/94	NC	726.87
						09/19/94	NC	660.79
						09/20/94	NC	881.05
						09/21/94	NC	837.00
						09/22/94	NC	737.88
						09/23/94	NC	859.02
						09/24/94	NC	418.50
						09/25/94	NC	859.02
						09/26/94	NC	859.02
						09/27/94	NC	936.11
						09/28/94	NC	1024.22
						09/29/94	NC	748.89
						09/30/94	NC	825.98
						10/01/94	NC	781.93
						10/02/94	NC	969.15
						10/03/94	NC	1002.19
						10/04/94	NC	1079.28
						10/05/94	NC	881.05
						10/06/94	NC	770.92
						10/07/94	NC	925.10
						10/08/94	NC	958.14
						10/09/94	NC	770.92
						10/10/94	NC	1376.64
						10/11/94	NC	1013.21
						10/12/94	NC	704.84
						10/13/94	NC	715.85
						10/14/94	NC	914.09
						10/15/94	NC	1277.52
						10/16/94	NC	781.93
						10/17/94	NC	770.92
						10/18/94	NC	803.96
						10/19/94	NC	837.00
						10/20/94	NC	726.87
						10/21/94	NC	616.73

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30540	700	A/C	MG/L	10/22/94	NC	605.72
						10/23/94	NC	594.71
						10/24/94	NC	781.93
						10/25/94	NC	748.89
						10/26/94	NC	649.77
						10/27/94	NC	671.80
						10/28/94	NC	693.83
						10/29/94	NC	693.83
						10/30/94	NC	770.92
						10/31/94	NC	693.83
						11/01/94	NC	495.59
						11/02/94	NC	341.41
						11/03/94	NC	539.64
						11/04/94	NC	726.87
						11/05/94	NC	881.05
						11/06/94	NC	748.89
						11/07/94	NC	881.05
						11/08/94	NC	704.84
						11/09/94	NC	770.92
						11/10/94	NC	660.79
						11/11/94	NC	759.90
						11/12/94	NC	781.93
						11/13/94	NC	792.94
						11/14/94	NC	1101.31
						11/15/94	NC	914.09
						11/16/94	NC	704.84
						11/17/94	NC	770.92
COD	1-004	30623	460	A/C	MG/L	01/01/88	NC	1035.00
						01/02/88	NC	942.00
						01/03/88	NC	902.00
						01/04/88	NC	856.00
						01/05/88	NC	775.00
						01/06/88	NC	785.00
						01/07/88	NC	731.00
						01/08/88	NC	615.00
						01/09/88	NC	496.00
						01/10/88	NC	455.00
						01/11/88	NC	523.00
						01/12/88	NC	537.00
						01/13/88	NC	597.00
						01/14/88	NC	558.00
						01/15/88	NC	703.00
						01/16/88	NC	1339.00
						01/17/88	NC	729.00
						01/18/88	NC	543.00
						01/19/88	NC	597.00
						01/20/88	NC	680.00
						01/21/88	NC	771.00
						01/22/88	NC	904.00

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30623	460	A/C	MG/L	01/23/88	NC	677.00
						01/24/88	NC	723.00
						01/25/88	NC	720.00
						01/26/88	NC	747.00
						01/27/88	NC	517.00
						01/28/88	NC	556.00
						01/29/88	NC	602.00
						01/30/88	NC	577.00
						01/31/88	NC	994.00
						02/01/88	NC	1064.00
						02/02/88	NC	790.00
						02/03/88	NC	898.00
						02/04/88	NC	849.00
						02/05/88	NC	743.00
						02/06/88	NC	687.00
						02/07/88	NC	697.00
						02/08/88	NC	586.00
						02/09/88	NC	500.00
						02/10/88	NC	466.00
						02/11/88	NC	569.00
						02/12/88	NC	824.00
						02/13/88	NC	893.00
						02/14/88	NC	822.00
						02/15/88	NC	961.00
						02/16/88	NC	1095.00
						02/17/88	NC	847.00
						02/18/88	NC	591.00
						02/19/88	NC	560.00
						02/20/88	NC	717.00
						02/21/88	NC	947.00
						02/22/88	NC	1193.00
						02/23/88	NC	1462.00
						02/24/88	NC	1491.00
						02/25/88	NC	1585.00
						02/26/88	NC	1702.00
						02/27/88	NC	1565.00
						02/28/88	NC	1048.00
						02/29/88	NC	894.00
						03/01/88	NC	929.00
						03/02/88	NC	936.00
						03/03/88	NC	1001.00
						03/04/88	NC	913.00
						03/05/88	NC	976.00
						03/06/88	NC	1372.00
						03/07/88	NC	1126.00
						03/08/88	NC	1026.00
						03/09/88	NC	784.00
						03/10/88	NC	623.00
						03/11/88	NC	634.00
						03/12/88	NC	672.00

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30623	460	A/C	MG/L	03/13/88	NC	847.00
						03/14/88	NC	714.00
						03/15/88	NC	614.00
						03/16/88	NC	605.00
						03/17/88	NC	735.00
						03/18/88	NC	849.00
						03/19/88	NC	862.00
						03/20/88	NC	925.00
						03/21/88	NC	974.00
						03/22/88	NC	893.00
						03/23/88	NC	746.00
						03/24/88	NC	779.00
						03/25/88	NC	741.00
						03/26/88	NC	706.00
						03/27/88	NC	739.00
						03/28/88	NC	824.00
						03/29/88	NC	710.00
						03/30/88	NC	609.00
						03/31/88	NC	587.00
						04/01/88	NC	509.00
						04/02/88	NC	634.00
						04/03/88	NC	708.00
						04/04/88	NC	564.00
						04/05/88	NC	542.00
						04/06/88	NC	537.00
						04/07/88	NC	598.00
						04/08/88	NC	954.00
						04/09/88	NC	923.00
						04/10/88	NC	762.00
						04/11/88	NC	795.00
						04/12/88	NC	907.00
						04/13/88	NC	1007.00
						04/14/88	NC	1175.00
						04/15/88	NC	1008.00
						04/16/88	NC	1182.00
						04/17/88	NC	1231.00
						04/18/88	NC	996.00
						04/19/88	NC	878.00
						04/20/88	NC	752.00
						04/21/88	NC	866.00
						04/22/88	NC	905.00
						04/23/88	NC	880.00
						04/24/88	NC	1034.00
						04/25/88	NC	1182.00
						04/26/88	NC	1140.00
						04/27/88	NC	1090.00
						04/28/88	NC	956.00
						04/29/88	NC	1101.00
						04/30/88	NC	1166.00
						05/01/88	NC	1148.00
						05/02/88	NC	1035.00
						05/03/88	NC	994.00

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30623	460	A/C	MG/L	05/04/88	NC	870.00
						05/05/88	NC	902.00
						05/06/88	NC	974.00
						05/07/88	NC	900.00
						05/08/88	NC	1055.00
						05/09/88	NC	1181.00
						05/10/88	NC	1366.00
						05/11/88	NC	1159.00
						05/12/88	NC	1143.00
						05/13/88	NC	1132.00
						05/14/88	NC	1249.00
						05/15/88	NC	1237.00
						05/16/88	NC	1120.00
						05/17/88	NC	978.00
						05/18/88	NC	960.00
						05/19/88	NC	852.00
						05/20/88	NC	713.00
						05/21/88	NC	821.00
						05/22/88	NC	1012.00
						05/23/88	NC	821.00
						05/24/88	NC	1233.00
						05/25/88	NC	809.00
						05/26/88	NC	857.00
						05/27/88	NC	787.00
						05/28/88	NC	866.00
						05/29/88	NC	740.00
						05/30/88	NC	753.00
						05/31/88	NC	719.00
						06/01/88	NC	805.00
						06/02/88	NC	721.00
						06/03/88	NC	926.00
						06/04/88	NC	825.00
						06/05/88	NC	863.00
						06/06/88	NC	802.00
						06/07/88	NC	904.00
						06/08/88	NC	866.00
						06/09/88	NC	841.00
						06/10/88	NC	873.00
						06/11/88	NC	904.00
						06/12/88	NC	904.00
						06/13/88	NC	958.00
						06/14/88	NC	900.00
						06/15/88	NC	1003.00
						06/16/88	NC	1116.00
						06/17/88	NC	972.00
						06/18/88	NC	1059.00
						06/19/88	NC	1184.00
						06/20/88	NC	1152.00
						06/21/88	NC	1091.00
						06/22/88	NC	1041.00
						06/23/88	NC	861.00
						06/24/88	NC	940.00

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30623	460	A/C	MG/L	06/25/88	NC	1019.00
						06/26/88	NC	1017.00
						06/27/88	NC	963.00
						06/28/88	NC	832.00
						06/29/88	NC	980.00
						06/30/88	NC	1018.00
						07/01/88	NC	1179.00
						07/02/88	NC	1310.00
						07/03/88	NC	1294.00
						07/04/88	NC	1246.00
						07/05/88	NC	1271.00
						07/06/88	NC	1159.00
						07/07/88	NC	1181.00
						07/08/88	NC	1109.00
						07/09/88	NC	1175.00
						07/10/88	NC	1075.00
						07/11/88	NC	1055.00
						07/12/88	NC	767.00
						07/13/88	NC	688.00
						07/14/88	NC	570.00
						07/15/88	NC	708.00
						07/16/88	NC	703.00
						07/17/88	NC	681.00
						07/18/88	NC	552.00
						07/19/88	NC	523.00
						07/20/88	NC	627.00
						07/21/88	NC	692.00
						07/22/88	NC	782.00
						07/23/88	NC	708.00
						07/24/88	NC	762.00
						07/25/88	NC	1014.00
						07/26/88	NC	1120.00
						07/27/88	NC	1044.00
						07/28/88	NC	1018.00
						07/29/88	NC	1167.00
						07/30/88	NC	1256.00
						07/31/88	NC	1191.00
						08/01/88	NC	1316.00
						08/02/88	NC	1289.00
						08/03/88	NC	1005.00
						08/04/88	NC	834.00
						08/05/88	NC	874.00
						08/06/88	NC	1502.00
						08/07/88	NC	1095.00
						08/08/88	NC	985.00
						08/09/88	NC	893.00
						08/10/88	NC	889.00
						08/11/88	NC	926.00
						08/12/88	NC	921.00
						08/13/88	NC	959.00
						08/14/88	NC	957.00
						08/15/88	NC	1055.00

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30623	460	A/C	MG/L	08/16/88	NC	1134.00
						08/17/88	NC	1046.00
						08/18/88	NC	939.00
						08/19/88	NC	908.00
						08/20/88	NC	1025.00
						08/21/88	NC	1053.00
						08/22/88	NC	990.00
						08/23/88	NC	886.00
						08/24/88	NC	797.00
						08/25/88	NC	713.00
						08/26/88	NC	812.00
						08/27/88	NC	909.00
						08/28/88	NC	1042.00
						08/29/88	NC	1252.00
						08/30/88	NC	1070.00
						08/31/88	NC	1033.00
						09/01/88	NC	1014.00
						09/02/88	NC	909.00
						09/03/88	NC	950.00
						09/04/88	NC	992.00
						09/05/88	NC	874.00
						09/06/88	NC	933.00
						09/07/88	NC	944.00
						09/08/88	NC	808.00
						09/09/88	NC	727.00
						09/10/88	NC	586.00
						09/11/88	NC	565.00
						09/12/88	NC	738.00
						09/13/88	NC	871.00
						09/14/88	NC	897.00
						09/15/88	NC	974.00
						09/16/88	NC	1132.00
						09/17/88	NC	110.00
						09/18/88	NC	744.00
						09/19/88	NC	1046.00
						09/20/88	NC	1246.00
						09/21/88	NC	1257.00
						09/22/88	NC	746.00
						09/23/88	NC	928.00
						09/24/88	NC	108.00
						09/25/88	NC	1110.00
						09/26/88	NC	950.00
						09/27/88	NC	856.00
						09/28/88	NC	959.00
						09/29/88	NC	1082.00
						09/30/88	NC	1088.00
						10/01/88	NC	1121.00
						10/02/88	NC	1055.00
						10/03/88	NC	1221.00
						10/04/88	NC	992.00
						10/05/88	NC	755.00
						10/06/88	NC	797.00

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30623	460	A/C	MG/L	10/07/88	NC	1110.00
						10/08/88	NC	1062.00
						10/09/88	NC	1025.00
						10/10/88	NC	1014.00
						10/11/88	NC	1070.00
						10/12/88	NC	886.00
						10/13/88	NC	981.00
						10/14/88	NC	733.00
						10/15/88	NC	764.00
						10/16/88	NC	821.00
						10/17/88	NC	972.00
						10/18/88	NC	792.00
						10/19/88	NC	887.00
						10/20/88	NC	1053.00
						10/21/88	NC	909.00
						10/22/88	NC	637.00
						10/23/88	NC	689.00
						10/24/88	NC	700.00
						10/25/88	NC	779.00
						10/26/88	NC	849.00
						10/27/88	NC	803.00
						10/28/88	NC	1163.00
						10/29/88	NC	863.00
						10/30/88	NC	921.00
						10/31/88	NC	965.00
						11/01/88	NC	1051.00
						11/02/88	NC	870.00
						11/03/88	NC	1021.00
						11/04/88	NC	963.00
						11/05/88	NC	1002.00
						11/06/88	NC	907.00
						11/07/88	NC	894.00
						11/08/88	NC	1086.00
						11/09/88	NC	991.00
						11/10/88	NC	860.00
						11/11/88	NC	727.00
						11/12/88	NC	729.00
						11/13/88	NC	859.00
						11/14/88	NC	850.00
						11/15/88	NC	902.00
						11/16/88	NC	913.00
						11/17/88	NC	845.00
						11/18/88	NC	834.00
						11/19/88	NC	780.00
						11/20/88	NC	714.00
						11/21/88	NC	663.00
						11/22/88	NC	744.00
						11/23/88	NC	896.00
						11/24/88	NC	1090.00
						11/25/88	NC	971.00
						11/26/88	NC	1086.00
						11/27/88	NC	945.00

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30623	460	A/C	MG/L	11/28/88	NC	866.00
						11/29/88	NC	831.00
						11/30/88	NC	773.00
						12/01/88	NC	741.00
						12/02/88	NC	708.00
						12/03/88	NC	786.00
						12/04/88	NC	680.00
						12/05/88	NC	663.00
						12/06/88	NC	719.00
						12/07/88	NC	729.00
						12/08/88	NC	695.00
						12/09/88	NC	687.00
						12/10/88	NC	614.00
						12/11/88	NC	764.00
						12/12/88	NC	829.00
						12/13/88	NC	834.00
						12/14/88	NC	663.00
						12/15/88	NC	697.00
						12/16/88	NC	622.00
						12/17/88	NC	598.00
						12/18/88	NC	680.00
						12/19/88	NC	742.00
						12/20/88	NC	662.00
						12/21/88	NC	788.00
						12/22/88	NC	603.00
						12/23/88	NC	559.00
						12/24/88	NC	492.00
						12/25/88	NC	447.00
						12/26/88	NC	410.00
						12/27/88	NC	363.00
						12/28/88	NC	535.00
						12/29/88	NC	866.00
						12/30/88	NC	926.00
						12/31/88	NC	901.00
						01/01/90	NC	1026.00
						02/01/90	NC	1105.00
						03/01/90	NC	930.00
						04/01/90	NC	939.00
						05/01/90	NC	1166.00
						06/01/90	NC	923.00
						07/01/90	NC	1104.00
						08/01/90	NC	713.00
						09/01/90	NC	700.00
						10/01/90	NC	484.00
						11/01/90	NC	683.00
						12/01/90	NC	755.00
						01/01/91	NC	697.00
						02/01/91	NC	757.00
						03/01/91	NC	965.00
						04/01/91	NC	924.00
						05/01/91	NC	993.00
						06/01/91	NC	848.00

Appendix A.4
Listing of Daily Data for A/C Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30623	460	A/C	MG/L	07/01/91	NC	755.00
						08/01/91	NC	663.00
						09/01/91	NC	742.00
						10/01/91	NC	706.00
						11/01/91	NC	573.00
						12/01/91	NC	601.00
						01/01/92	NC	719.00
						02/01/92	NC	811.00
						03/01/92	NC	846.00
						04/01/92	NC	677.00
						05/01/92	NC	872.00
						06/01/92	NC	968.00
						07/01/92	NC	446.00
						08/01/92	NC	553.00
						09/01/92	NC	326.00
						10/01/92	NC	391.00
						11/01/92	NC	429.00
						12/01/92	NC	342.00
						01/01/93	NC	274.00
						02/01/93	NC	266.00
						03/01/93	NC	523.00
						04/01/93	NC	694.00
						05/01/93	NC	476.00
						06/01/93	NC	406.00
						07/01/93	NC	433.00
						08/01/93	NC	321.00
						09/01/93	NC	240.00
						10/01/93	NC	285.00
						11/01/93	NC	313.00
						12/01/93	NC	270.00
						01/01/94	NC	244.00
						02/01/94	NC	186.00
						03/01/94	NC	263.00
						04/01/94	NC	348.00
						05/01/94	NC	446.00
						06/01/94	NC	295.00
						07/01/94	NC	334.00
						08/01/94	NC	457.00
						09/01/94	NC	300.00
						10/01/94	NC	868.00
						11/01/94	NC	1239.00
						12/01/94	NC	1108.00
						01/01/95	NC	1387.00
						02/01/95	NC	1246.00
						03/01/95	NC	1125.00
						04/01/95	NC	958.00
						05/01/95	NC	735.00

Appendix A.5
Listing of Daily Data for B/D Directs: BPT and BAT

Analyte	Cas Number	Facility Code	Stream Code	Subcat.	Units	Sample Date	Meas. Type	Conc.
COD	1-004	30637	460	B/D	MG/L	01/01/90	NC	30
						02/01/90	NC	95
						03/01/90	NC	29
						04/01/90	NC	207
						05/01/90	NC	37
						06/01/90	NC	25
						07/01/90	NC	16
						08/01/90	NC	23
						09/01/90	NC	27
						10/01/90	NC	72
						11/01/90	NC	42
						12/01/90	NC	62

Appendix A.6
Listing of Daily Data for A/C Indirects: PSES and PSNS

Analyte	Facility Code	Sample Site	Units	Sample Date	Measurement Type	Concentration
2-PROPANONE (ACETONE)	30329	PC	MG/L	06/10/95	NC	98.20
				06/10/95	NC	37.10
				06/13/95	ND	0.73
				06/13/95	ND	0.73
				06/13/95	ND	0.73
				06/15/95	NC	13.90
				06/15/95	NC	11.80
				06/19/95	NC	41.80
				06/19/95	NC	35.90
				06/19/95	NC	103.00
				07/07/95	NC	28.40
				07/07/95	NC	13.90
				07/07/95	NC	40.70
				07/11/95	NC	10.40
				07/11/95	NC	13.00
				07/11/95	NC	13.80
				07/14/95	NC	79.50
				07/14/95	NC	49.40
				07/14/95	NC	51.30
				07/17/95	ND	0.73
2-PROPANONE (ACETONE)	30329	PC/PILOT-C	MG/L	12/06/91	NC	0.35
				12/06/91	NC	0.77
				12/06/91	NC	0.20
				12/06/91	NC	0.62
				12/06/91	NC	0.24
				12/06/91	NC	0.51
				12/06/91	NC	0.21
				12/06/91	NC	0.21
2-PROPANONE (ACETONE)	30329	PC/PILOT-C-REC	MG/L	12/14/91	NC	9.68
				12/14/91	NC	8.26
				12/14/91	NC	1.74
				12/14/91	NC	3.01
				12/14/91	NC	1.22
				12/14/91	NC	9.39
				12/14/91	NC	3.00
				12/14/91	NC	8.61
2-PROPANONE (ACETONE)	30487	PC	MG/L	09/19/89	NC	3.60
				09/19/89	NC	3.69
				09/20/89	NC	3.92
				09/20/89	NC	3.07
				09/20/89	NC	2.78
				09/20/89	NC	1.91
				09/20/89	NC	1.27
				09/20/89	NC	1.20
				09/21/89	NC	0.91
				09/21/89	NC	0.82
				09/21/89	NC	0.95
				09/27/89	NC	4.61
				09/27/89	NC	3.24
				09/27/89	NC	1.56
				09/28/89	NC	3.88
				09/28/89	NC	3.38
				09/28/89	NC	3.50

Appendix A.6
Listing of Daily Data for A/C Indirects: PSES and PSNS

Analyte	Facility Code	Sample Site	Units	Sample Date	Measurement Type	Concentration
2-PROPANONE (ACETONE)	30487	PC	MG/L	09/28/89	NC	5.84
				09/28/89	NC	3.89
				09/28/89	NC	2.61
				09/29/89	NC	1.13
				09/29/89	NC	1.67
				09/29/89	NC	1.57
2-PROPANONE (ACETONE)	30832	PT/76	MG/L	04/19/95	NC	1500.00
				05/09/95	NC	1800.00
				06/27/95	NC	7.80
				08/02/95	NC	80.00
				09/01/95	NC	270.00
2-PROPANONE (ACETONE)	31105	# 2843	MG/L	08/08/95	ND	0.05
				08/08/95	ND	0.05
				08/08/95	ND	0.05
				08/08/95	ND	0.05
				08/08/95	ND	0.05
2-PROPANONE (ACETONE)	31105	#2846-B	MG/L	08/21/95	NC	0.08
				08/21/95	NC	0.07
				08/21/95	NC	0.12
				08/21/95	NC	16.00
CHLOROFORM	30329	PC	MG/L	06/13/95	ND	0.04
				06/13/95	ND	0.04
				06/15/95	NC	0.09
				06/15/95	ND	0.04
				06/15/95	ND	0.04
				06/19/95	ND	0.04
				06/19/95	ND	0.04
				06/24/95	ND	0.04
				07/07/95	ND	0.04
				07/07/95	ND	0.04
				07/07/95	ND	0.04
				07/11/95	ND	0.04
				07/11/95	ND	0.04
				07/11/95	ND	0.08
				07/14/95	ND	0.04
				07/17/95	ND	0.04
CHLOROFORM	30329	PC/PILOT-C	MG/L	12/06/91	ND	0.01
				12/06/91	ND	0.01
				12/06/91	ND	0.01
				12/06/91	ND	0.01
				12/06/91	ND	0.01
				12/06/91	ND	0.01
				12/06/91	ND	0.01
				12/06/91	ND	0.01
CHLOROFORM	30329	PC/PILOT-C-REC	MG/L	12/14/91	ND	0.01
				12/14/91	ND	0.01
				12/14/91	ND	0.01
				12/14/91	ND	0.01
				12/14/91	ND	0.01
				12/14/91	ND	0.01

Appendix A.6
Listing of Daily Data for A/C Indirects: PSES and PSNS

Analyte	Facility Code	Sample Site	Units	Sample Date	Measurement Type	Concentration
CHLOROFORM	30329	PC/PILOT-C-REC	MG/L	12/14/91	ND	0.01
				12/14/91	ND	0.01
CHLOROFORM	30329	PC/PILOT-T-REC	MG/L	12/15/91	ND	0.01
				12/15/91	ND	0.01
				12/15/91	ND	0.01
				12/15/91	ND	0.01
				12/15/91	ND	0.01
				12/15/91	ND	0.01
				12/15/91	ND	0.01
				12/15/91	ND	0.01
METHYLENE CHLORIDE	30329	PC	MG/L	06/10/95	ND	0.06
				06/10/95	ND	0.06
				06/13/95	ND	0.06
				06/13/95	ND	0.06
				06/13/95	ND	0.06
				06/15/95	ND	0.06
				06/15/95	ND	0.06
				06/15/95	ND	0.06
				06/19/95	ND	0.06
				06/19/95	ND	0.06
				06/19/95	ND	0.06
				06/24/95	ND	0.06
				06/24/95	ND	0.06
				06/24/95	ND	0.06
				07/07/95	NC	0.38
				07/07/95	ND	0.06
				07/11/95	NC	1.00
				07/11/95	NC	0.60
				07/11/95	NC	0.15
				07/14/95	NC	0.36
				07/14/95	ND	0.06
				07/14/95	ND	0.06
				07/17/95	NC	4.60
				07/17/95	ND	0.06
				07/17/95	ND	0.06
METHYLENE CHLORIDE	30329	PC/PILOT-C	MG/L	12/06/91	NC	0.19
				12/06/91	NC	0.21
				12/06/91	NC	0.40
				12/06/91	ND	0.01
				12/06/91	ND	0.01
				12/06/91	ND	0.01
				12/06/91	ND	0.01
				12/06/91	ND	0.01
METHYLENE CHLORIDE	30329	PC/PILOT-C-REC	MG/L	12/14/91	ND	0.01
				12/14/91	ND	0.01
				12/14/91	ND	0.01
				12/14/91	ND	0.01
				12/14/91	ND	0.01
				12/14/91	ND	0.01
				12/14/91	ND	0.01
				12/14/91	ND	0.01

Appendix A.6
Listing of Daily Data for A/C Indirects: PSES and PSNS

Analyte	Facility Code	Sample Site	Units	Sample Date	Measurement Type	Concentration
METHYLENE CHLORIDE	30487	PC	MG/L	09/19/89	ND	0.10
				09/19/89	ND	0.10
				09/20/89	ND	0.10
				09/20/89	ND	0.10
				09/20/89	ND	0.10
				09/20/89	ND	0.10
				09/20/89	ND	0.10
				09/20/89	ND	0.10
				09/21/89	NC	0.10
				09/21/89	ND	0.10
				09/21/89	ND	0.10
				09/27/89	ND	0.10
				09/27/89	ND	0.10
				09/27/89	ND	0.10
				09/28/89	ND	0.10
				09/28/89	ND	0.10
				09/28/89	ND	0.10
				09/28/89	ND	0.10
				09/28/89	ND	0.10
				09/28/89	ND	0.10
				09/29/89	ND	0.10
				09/29/89	ND	0.10
				09/29/89	ND	0.10
METHYLENE CHLORIDE	30618	PC	MG/L	06/05/89	ND	1.00
				06/06/89	ND	1.00
				06/06/89	ND	1.00
				06/06/89	ND	1.00
				06/06/89	ND	1.00
				06/07/89	ND	1.00
				06/07/89	ND	1.00
				06/07/89	ND	1.00
				06/07/89	ND	1.00
				06/08/89	ND	1.00
				06/08/89	ND	1.00
				06/08/89	ND	1.00
				06/08/89	ND	1.00
METHYLENE CHLORIDE	30832	PT/76	MG/L	05/09/95	NC	4.90
				06/27/95	NC	3.10
				08/02/95	ND	0.01
				09/01/95	NC	0.05
TETRAHYDROFURAN	30329	PC	MG/L	06/10/95	ND	0.70
				06/13/95	ND	0.70
				06/13/95	ND	0.70
				06/15/95	ND	0.70
				06/15/95	ND	0.70
				07/11/95	ND	0.70
				07/11/95	ND	0.70
				07/11/95	ND	1.40
				07/14/95	ND	0.70
				07/14/95	ND	0.70
				07/14/95	ND	0.70
				07/17/95	ND	0.70
				07/17/95	ND	0.70

Appendix A.6
Listing of Daily Data for A/C Indirects: PSES and PSNS

Analyte	Facility Code	Sample Site	Units	Sample Date	Measurement Type	Concentration
TETRAHYDROFURAN	30329	PC	MG/L	07/17/95	ND	0.70
TETRAHYDROFURAN	30329	PC/BENCH	MG/L	12/06/91	NC	0.22
				12/06/91	NC	2.57
				12/06/91	NC	1.67
				12/06/91	NC	1.80
				12/06/91	NC	1.45
TETRAHYDROFURAN	30832	PT/76	MG/L	04/19/95	NC	130.00
				05/09/95	NC	68.00
				06/27/95	ND	0.50
TOLUENE	30329	PC	MG/L	06/10/95	NC	2.40
				06/10/95	NC	1.80
				06/13/95	NC	0.47
				06/13/95	NC	0.33
				06/13/95	NC	0.26
				06/15/95	NC	15.20
				06/15/95	NC	10.20
				06/15/95	NC	34.20
				06/19/95	NC	0.41
				06/19/95	NC	1.00
				06/19/95	NC	0.51
				06/21/95	NC	1400.00
				06/21/95	NC	312.00
				06/21/95	NC	116.00
				06/24/95	NC	1.60
				06/24/95	NC	1.60
				06/24/95	NC	1.90
				07/07/95	NC	13.00
				07/07/95	NC	1.30
				07/07/95	NC	0.29
				07/11/95	NC	25.90
				07/11/95	NC	51.00
				07/11/95	NC	6.80
				07/14/95	NC	16.30
				07/14/95	NC	2.70
				07/14/95	NC	2.50
				07/17/95	NC	18.60
				07/17/95	NC	7.60
				07/17/95	NC	10.60
TOLUENE	30329	PC/B45	MG/L	09/16/88	NC	0.12
				09/16/88	NC	2.41
				09/16/88	NC	1.22
TOLUENE	30329	PC/BENCH	MG/L	12/06/91	NC	0.63
				12/06/91	NC	0.52
				12/06/91	NC	0.46
				12/06/91	NC	0.42
				12/06/91	NC	0.33
TOLUENE	30329	PC/PILOT-C	MG/L	12/06/91	ND	0.01
				12/06/91	ND	0.01
				12/06/91	ND	0.01
				12/06/91	ND	0.01

Appendix A.6
Listing of Daily Data for A/C Indirects: PSES and PSNS

Analyte	Facility Code	Sample Site	Units	Sample Date	Measurement Type	Concentration
TOLUENE	30329	PC/PILOT-C	MG/L	12/06/91	ND	0.01
				12/06/91	ND	0.01
				12/06/91	ND	0.01
				12/06/91	ND	0.01
TOLUENE	30329	PC/PILOT-C-REC	MG/L	12/14/91	NC	0.03
				12/14/91	NC	0.03
				12/14/91	NC	0.04
				12/14/91	NC	0.04
				12/14/91	NC	0.04
				12/14/91	NC	0.03
				12/14/91	NC	0.03
				12/14/91	NC	0.03
TOLUENE	30329	PC/PILOT-T-REC	MG/L	12/15/91	NC	0.01
				12/15/91	ND	0.01
				12/15/91	ND	0.01
				12/15/91	ND	0.01
				12/15/91	ND	0.01
				12/15/91	ND	0.01
				12/15/91	ND	0.01
				12/15/91	ND	0.01
TOLUENE	30487	PC	MG/L	09/19/89	ND	0.10
				09/19/89	ND	0.10
				09/20/89	ND	0.10
				09/20/89	ND	0.10
				09/20/89	ND	0.10
				09/20/89	ND	0.10
				09/20/89	ND	0.10
				09/20/89	ND	0.10
				09/21/89	ND	0.10
				09/21/89	ND	0.10
				09/21/89	ND	0.10
				09/27/89	ND	0.10
				09/27/89	ND	0.10
				09/27/89	ND	0.10
				09/28/89	ND	0.10
				09/28/89	ND	0.10
				09/28/89	ND	0.10
				09/28/89	ND	0.10
				09/28/89	ND	0.10
				09/28/89	ND	0.10
				09/29/89	ND	0.10
				09/29/89	ND	0.10
				09/29/89	ND	0.10
TOLUENE	30832	PT/38	MG/L	01/03/96	NC	0.37
				01/24/96	NC	0.21
				12/04/95	NC	0.14
TOLUENE	30832	PT/76	MG/L	04/19/95	NC	9.50
				05/09/95	NC	5.50
				06/27/95	NC	0.56
				08/02/95	NC	0.07
				09/01/95	NC	0.11

Appendix A.6
Listing of Daily Data for A/C Indirects: PSES and PSNS

Analyte	Facility Code	Sample Site	Units	Sample Date	Measurement Type	Concentration
TOLUENE	31105	# 2843	MG/L	08/08/95	ND	0.01
				08/08/95	ND	0.01
				08/08/95	ND	0.01
				08/08/95	ND	0.01
				08/08/95	ND	0.01
TOLUENE	31105	#2846-B	MG/L	08/21/95	NC	0.00
				08/21/95	NC	0.00
				08/21/95	NC	0.00
				08/21/95	NC	0.00

Appendix A.6
Listing of Daily Data for A/C Indirects: PSES and PSNS

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	30540	FC	I	MG/L	06/03/91	NC	3.700
						06/04/91	NC	2.900
						06/05/91	NC	2.900
						06/06/91	NC	2.000
						06/07/91	NC	2.400
						06/08/91	NC	2.800
						06/09/91	NC	2.800
						06/09/91	NC	1.900
						06/11/91	NC	1.400
AMMONIA	7664417	30542	SE	N	MG/L	07/04/95	NC	2.800
						07/04/96	NC	15.960
						07/05/95	NC	1.500
						07/06/95	NC	1.200
						07/07/95	NC	1.100
						07/07/96	NC	13.720
						07/08/96	NC	5.600
						07/09/96	NC	3.360
						07/10/96	NC	5.320
						07/11/95	NC	1.700
						07/11/96	NC	2.520
						07/12/96	NC	1.120
						07/13/95	NC	2.200
						07/13/96	NC	1.120
						07/14/96	NC	1.120
						07/15/96	NC	1.680
						07/16/95	NC	2.300
						07/16/96	NC	1.400
						07/17/96	NC	2.240
						07/18/95	NC	1.700
						07/18/96	NC	3.080
						07/19/96	NC	0.840
						07/20/95	NC	1.960
						07/20/96	NC	1.120
						07/21/96	NC	0.280
						07/22/96	NC	0.560
						07/23/95	NC	1.400
						07/23/96	NC	0.840
						07/24/96	ND	0.030
						07/25/96	NC	1.540
						07/26/95	NC	0.840
						07/26/96	NC	1.120
						07/27/96	NC	0.840
						07/28/96	NC	0.750
						07/29/96	NC	0.980
						07/30/95	NC	0.280
						07/30/96	NC	0.420
						07/31/96	NC	0.750
						08/01/95	NC	0.560
						08/04/96	NC	0.280
						08/06/95	ND	0.030
						08/06/96	NC	0.190
						08/07/96	NC	0.090
						08/08/95	ND	0.030
						08/08/96	ND	0.030
						08/10/95	ND	0.030

Appendix A.6
Listing of Daily Data for A/C Indirects: PSES and PSNS

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	30542	SE	N	MG/L	08/11/96	ND	0.030
						08/12/96	ND	0.030
						08/13/95	NC	0.560
						08/13/96	NC	0.750
						08/14/95	NC	0.840
						08/14/96	NC	0.930
						08/15/96	NC	1.310
						08/17/95	NC	0.560
						08/19/96	NC	1.210
						08/20/95	NC	0.280
						08/20/96	NC	1.310
						08/22/95	NC	0.840
						08/22/96	NC	0.840
						08/24/95	NC	0.840
						08/25/96	NC	0.370
						08/27/95	NC	0.840
						08/27/96	NC	0.470
						08/29/95	NC	0.840
						08/29/96	NC	0.370
						08/31/95	NC	0.560
						09/02/96	ND	0.030
						09/03/96	ND	0.030
						09/05/95	NC	0.840
						09/05/96	NC	0.280
						09/07/95	NC	0.280
						09/08/96	NC	0.090
						09/10/95	NC	0.840
						09/10/96	ND	0.030
						09/12/95	NC	0.840
						09/12/96	ND	0.030
						09/14/95	NC	0.560
						09/16/95	NC	0.280
						09/19/95	NC	2.240
						09/21/95	NC	0.280
						09/24/95	NC	0.560
						09/28/95	NC	0.840
						10/01/95	NC	1.120
						10/03/95	ND	0.030
						11/03/96	NC	1.260
						11/06/96	NC	0.700
						11/08/96	NC	0.980
						11/10/96	NC	1.120
						11/12/96	NC	1.820
						11/14/96	NC	0.980
						11/17/96	NC	3.640
						11/19/96	NC	0.980
						11/20/96	NC	1.120
						11/21/96	NC	0.980
						11/24/96	NC	19.880
						11/26/96	NC	13.300
						12/05/96	NC	1.400
						12/08/96	NC	0.420
						12/10/96	NC	0.560
						12/19/96	NC	9.100
AMMONIA	7664417	30669	FC	N	MG/L	01/03/94	NC	1.368

Appendix A.6
Listing of Daily Data for A/C Indirects: PSES and PSNS

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	30669	FC	N	MG/L	01/04/94	NC	0.041
						01/05/95	NC	0.041
						01/06/94	NC	0.041
						01/10/95	NC	0.041
						01/16/95	NC	1.368
						01/24/95	NC	0.041
						01/26/95	NC	0.041
						01/31/95	NC	5.472
						02/02/95	NC	49.248
						02/07/95	NC	28.728
						02/08/94	NC	80.711
						02/09/95	NC	10.944
						02/10/94	NC	58.824
						02/14/95	NC	0.041
						02/15/94	NC	28.728
						02/16/95	NC	0.041
						02/17/94	NC	17.784
						02/21/95	NC	8.208
						02/24/94	NC	0.041
						02/28/95	NC	84.815
						03/02/95	NC	93.023
						03/03/94	NC	0.041
						03/07/95	NC	76.607
						03/08/94	NC	4.104
						03/09/95	NC	43.776
						03/10/94	NC	30.096
						03/14/95	NC	28.728
						03/15/94	NC	1.368
						03/16/95	NC	50.616
						03/17/94	NC	0.041
						03/21/95	NC	6.840
						03/22/94	NC	1.368
						03/23/95	NC	2.736
						03/24/94	NC	8.208
						03/28/95	NC	0.041
						03/29/94	NC	43.776
						03/30/95	NC	12.312
						03/31/94	NC	51.984
						04/04/95	NC	1.368
						04/05/94	NC	56.088
						04/06/95	NC	4.104
						04/07/94	NC	35.568
						04/11/95	NC	10.944
						04/12/94	NC	25.992
						04/13/95	NC	5.472
						04/14/94	NC	31.464
						04/19/94	NC	16.416
						04/20/95	NC	0.041
						04/21/94	NC	25.992
						04/25/95	NC	1.368
						04/26/94	NC	1.368
						04/27/95	NC	20.520
						04/28/94	NC	4.104
						05/02/95	NC	0.041
						05/04/95	NC	1.368
						05/05/94	NC	0.041

Appendix A.6
Listing of Daily Data for A/C Indirects: PSES and PSNS

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	30669	FC	N	MG/L	05/09/95	NC	0.041
						05/10/94	NC	0.041
						05/11/95	NC	0.041
						05/12/94	NC	0.041
						05/16/95	NC	0.041
						05/17/94	NC	0.041
						05/18/95	NC	0.041
						05/19/94	NC	0.041
						05/23/95	NC	1.368
						05/24/94	NC	0.041
						05/25/95	NC	0.041
						05/26/94	NC	0.041
						05/31/94	NC	0.041
						06/01/95	NC	2.736
						06/02/94	NC	0.041
						06/06/95	NC	0.041
						06/07/94	NC	0.041
						06/08/95	NC	0.041
						06/09/94	NC	0.041
						06/13/95	NC	1.368
						06/14/94	NC	0.041
						06/15/95	NC	4.104
						06/16/94	NC	0.041
						06/21/94	NC	0.041
						06/22/95	NC	84.815
						06/23/94	NC	0.041
						06/27/95	NC	0.041
						06/28/94	NC	2.736
						06/29/95	NC	0.041
						06/30/94	NC	0.041
						07/05/94	NC	1.368
						07/07/94	NC	0.041
						07/12/94	NC	60.192
						09/29/94	NC	1.368
						10/04/94	NC	1.368
						10/06/94	NC	4.104
						10/11/94	NC	1.368
						10/13/94	NC	1.368
						10/18/94	NC	2.736
						10/20/94	NC	8.208
						10/25/94	NC	2.736
						10/27/94	NC	0.041
						11/01/94	NC	0.041
						11/03/94	NC	0.041
						11/08/94	NC	0.041
						11/10/94	NC	2.736
						11/15/94	NC	1.368
						11/17/94	NC	2.736
						11/22/94	NC	2.736
						11/29/94	NC	10.944
						12/01/94	NC	2.736
						12/06/94	NC	0.041
						12/08/94	NC	0.041
						12/15/94	NC	82.079
						12/22/94	NC	94.391
						12/27/94	NC	17.784
						12/29/94	NC	1.368

Appendix A.6
Listing of Daily Data for A/C Indirects: PSES and PSNS

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	30759	SE	A	MG/L	01/01/95	NC	8.400
						01/01/96	NC	20.200
						01/01/97	NC	13.600
						01/02/95	NC	14.800
						01/02/96	NC	15.900
						01/02/97	NC	11.700
						01/03/95	NC	13.000
						01/03/96	NC	20.000
						01/03/97	NC	12.200
						01/04/95	NC	10.000
						01/04/96	NC	10.100
						01/04/97	NC	11.500
						01/05/95	NC	4.200
						01/05/96	NC	8.100
						01/05/97	NC	8.800
						01/06/95	NC	2.600
						01/06/96	NC	11.100
						01/06/97	NC	7.500
						01/07/95	NC	2.200
						01/07/96	NC	9.300
						01/07/97	NC	7.100
						01/08/95	NC	4.500
						01/08/96	NC	17.700
						01/08/97	NC	8.900
						01/09/95	NC	9.900
						01/09/96	NC	18.100
						01/09/97	NC	4.400
						01/10/95	NC	24.300
						01/10/96	NC	13.100
						01/10/97	NC	7.900
						01/11/95	NC	37.700
						01/11/96	NC	11.500
						01/11/97	NC	10.700
						01/12/95	NC	22.700
						01/12/97	NC	9.400
						01/13/95	NC	11.000
						01/13/96	NC	5.400
						01/13/97	NC	8.900
						01/14/95	NC	2.100
						01/14/96	NC	5.600
						01/14/97	NC	14.300
						01/15/95	NC	1.500
						01/15/96	NC	7.600
						01/15/97	NC	7.800
						01/16/95	NC	1.900
						01/16/96	NC	10.300
						01/16/97	NC	11.600
						01/17/95	NC	5.300
						01/17/96	NC	14.600
						01/17/97	NC	6.600
						01/18/95	NC	7.500
						01/18/96	NC	5.100
						01/18/97	NC	10.300
						01/19/95	NC	6.800
						01/19/96	NC	4.200
						01/19/97	NC	9.800
						01/20/95	NC	5.100
						01/20/96	NC	3.400

Appendix A.6
Listing of Daily Data for A/C Indirects: PSES and PSNS

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	30759	SE	A	MG/L	01/20/97	NC	4.600
						01/21/95	NC	3.500
						01/21/96	NC	5.200
						01/21/97	NC	14.300
						01/22/95	NC	1.800
						01/22/96	NC	13.400
						01/22/97	NC	9.000
						01/23/95	NC	2.000
						01/23/96	NC	16.300
						01/23/97	NC	4.300
						01/24/95	NC	2.500
						01/24/96	NC	11.700
						01/24/97	NC	3.900
						01/25/95	NC	2.500
						01/25/96	NC	12.100
						01/25/97	NC	4.600
						01/26/95	NC	1.800
						01/26/96	NC	12.200
						01/26/97	NC	6.200
						01/27/95	NC	1.800
						01/27/96	NC	14.400
						01/27/97	NC	5.800
						01/28/95	NC	1.400
						01/28/96	NC	7.600
						01/28/97	NC	9.800
						01/29/95	NC	2.100
						01/29/97	NC	13.400
						01/30/95	NC	2.300
						01/30/96	NC	5.200
						01/30/97	NC	9.900
						01/31/95	NC	8.200
						01/31/96	NC	10.600
						01/31/97	NC	5.900
						02/01/95	NC	11.300
						02/01/96	NC	14.700
						02/01/97	NC	5.200
						02/02/95	NC	9.900
						02/02/96	NC	13.400
						02/02/97	NC	6.700
						02/03/95	NC	17.300
						02/03/96	NC	10.800
						02/03/97	NC	8.900
						02/04/95	NC	14.200
						02/04/96	NC	6.600
						02/04/97	NC	8.300
						02/05/95	NC	10.000
						02/05/96	NC	13.600
						02/05/97	NC	4.800
						02/06/95	NC	19.100
						02/06/96	NC	13.600
						02/06/97	NC	6.100
						02/07/95	NC	22.700
						02/07/96	NC	11.200
						02/07/97	NC	4.600
						02/08/95	NC	7.300
						02/08/96	NC	6.600
						02/08/97	NC	4.600
						02/09/95	NC	5.200

Appendix A.6
Listing of Daily Data for A/C Indirects: PSES and PSNS

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	30759	SE	A	MG/L	02/09/96	NC	5.400
						02/09/97	NC	4.300
						02/10/95	NC	6.100
						02/10/96	NC	5.500
						02/10/97	NC	6.700
						02/11/95	NC	3.100
						02/11/96	NC	14.300
						02/11/97	NC	3.600
						02/12/95	NC	3.600
						02/12/96	NC	14.100
						02/12/97	NC	11.700
						02/13/95	NC	5.000
						02/13/96	NC	17.600
						02/13/97	NC	12.200
						02/14/95	NC	4.800
						02/14/96	NC	10.400
						02/14/97	NC	13.500
						02/15/95	NC	4.900
						02/15/96	NC	6.000
						02/15/97	NC	10.500
						02/16/95	NC	5.200
						02/16/96	NC	5.200
						02/16/97	NC	8.400
						02/17/95	NC	6.900
						02/17/96	NC	11.200
						02/17/97	NC	11.400
						02/18/95	NC	6.600
						02/18/96	NC	8.600
						02/18/97	NC	10.300
						02/19/95	NC	4.600
						02/19/96	NC	6.500
						02/19/97	NC	11.200
						02/20/95	NC	4.500
						02/20/96	NC	8.600
						02/20/97	NC	8.800
						02/21/95	NC	7.100
						02/21/96	NC	4.200
						02/21/97	NC	7.100
						02/22/95	NC	21.400
						02/22/96	NC	4.200
						02/22/97	NC	5.100
						02/23/95	NC	27.700
						02/23/96	NC	4.400
						02/23/97	NC	7.300
						02/24/95	NC	10.900
						02/24/96	NC	4.200
						02/24/97	NC	7.800
						02/25/95	NC	3.700
						02/25/97	NC	12.800
						02/26/95	NC	2.200
						02/26/96	NC	4.700
						02/26/97	NC	7.900
						02/27/95	NC	3.800
						02/27/96	NC	5.000
						02/27/97	NC	5.000
						02/28/95	NC	3.800
						02/28/96	NC	11.200
						02/28/97	NC	6.000

Appendix A.6
Listing of Daily Data for A/C Indirects: PSES and PSNS

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	30759	SE	A	MG/L	02/29/96	NC	6.100
						03/01/95	NC	3.800
						03/01/96	NC	4.700
						03/01/97	NC	7.400
						03/02/95	NC	3.900
						03/02/96	NC	5.300
						03/02/97	NC	7.200
						03/03/95	NC	2.300
						03/03/96	NC	4.700
						03/03/97	NC	8.100
						03/04/95	NC	2.700
						03/04/96	NC	11.100
						03/04/97	NC	8.300
						03/05/95	NC	5.700
						03/05/96	NC	6.200
						03/05/97	NC	6.800
						03/06/95	NC	15.200
						03/06/96	NC	4.200
						03/06/97	NC	7.300
						03/07/95	NC	25.000
						03/07/96	NC	4.700
						03/07/97	NC	11.500
						03/08/95	NC	33.300
						03/08/96	NC	9.200
						03/08/97	NC	9.700
						03/09/95	NC	28.500
						03/09/96	NC	13.600
						03/09/97	NC	14.100
						03/10/95	NC	28.200
						03/10/96	NC	11.000
						03/10/97	NC	18.300
						03/11/96	NC	11.600
						03/11/97	NC	16.100
						03/12/95	NC	8.000
						03/12/96	NC	6.300
						03/12/97	NC	10.700
						03/13/95	NC	6.500
						03/13/96	NC	6.600
						03/13/97	NC	9.100
						03/14/95	NC	9.800
						03/14/96	NC	7.700
						03/14/97	NC	11.800
						03/15/95	NC	13.900
						03/15/96	NC	3.700
						03/15/97	NC	14.500
						03/16/95	NC	14.800
						03/16/96	NC	4.500
						03/16/97	NC	11.900
						03/17/95	NC	7.400
						03/17/96	NC	6.400
						03/17/97	NC	14.200
						03/18/95	NC	10.300
						03/18/96	NC	12.300
						03/18/97	NC	11.500
						03/19/95	NC	9.800
						03/19/96	NC	12.500
						03/19/97	NC	9.600
						03/20/95	NC	10.200

Appendix A.6
Listing of Daily Data for A/C Indirects: PSES and PSNS

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	30759	SE	A	MG/L	03/20/96	NC	12.000
						03/20/97	NC	10.600
						03/21/95	NC	19.100
						03/21/96	NC	8.300
						03/21/97	NC	12.500
						03/22/95	NC	22.300
						03/22/96	NC	11.400
						03/22/97	NC	11.400
						03/23/95	NC	20.800
						03/23/96	NC	7.200
						03/23/97	NC	13.600
						03/24/95	NC	18.200
						03/24/96	NC	7.600
						03/24/97	NC	13.000
						03/25/95	NC	17.300
						03/25/96	NC	9.100
						03/25/97	NC	9.300
						03/26/95	NC	16.700
						03/26/96	NC	14.700
						03/26/97	NC	10.800
						03/27/95	NC	11.500
						03/27/96	NC	10.300
						03/27/97	NC	7.700
						03/28/95	NC	15.900
						03/28/96	NC	7.800
						03/28/97	NC	8.200
						03/29/95	NC	16.500
						03/29/96	NC	9.000
						03/29/97	NC	7.800
						03/30/95	NC	13.200
						03/30/96	NC	10.200
						03/30/97	NC	16.300
						03/31/95	NC	7.900
						03/31/96	NC	8.000
						03/31/97	NC	21.200
						04/01/95	NC	4.900
						04/01/96	NC	10.100
						04/01/97	NC	12.000
						04/02/95	NC	8.400
						04/02/96	NC	10.100
						04/02/97	NC	1.700
						04/03/95	NC	15.800
						04/03/96	NC	4.900
						04/03/97	NC	9.700
						04/04/95	NC	28.500
						04/04/96	NC	4.300
						04/04/97	NC	9.300
						04/05/95	NC	42.700
						04/05/96	NC	5.600
						04/05/97	NC	11.000
						04/06/95	NC	43.400
						04/06/96	NC	12.000
						04/06/97	NC	11.200
						04/07/95	NC	38.700
						04/07/96	NC	14.600
						04/07/97	NC	13.000
						04/08/95	NC	35.000
						04/08/96	NC	14.700

Appendix A.6
Listing of Daily Data for A/C Indirects: PSES and PSNS

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	30759	SE	A	MG/L	04/08/97	NC	16.900
						04/09/95	NC	20.300
						04/09/96	NC	21.300
						04/09/97	NC	17.600
						04/10/95	NC	20.000
						04/10/96	NC	17.000
						04/10/97	NC	20.900
						04/11/95	NC	23.200
						04/11/96	NC	14.700
						04/11/97	NC	13.400
						04/12/95	NC	28.500
						04/12/96	NC	15.800
						04/12/97	NC	8.300
						04/13/95	NC	26.400
						04/13/96	NC	11.600
						04/13/97	NC	10.500
						04/14/95	NC	19.200
						04/14/96	NC	7.900
						04/14/97	NC	15.700
						04/15/95	NC	20.300
						04/15/96	NC	7.500
						04/15/97	NC	16.200
						04/16/95	NC	22.700
						04/16/96	NC	8.700
						04/16/97	NC	14.400
						04/17/95	NC	24.500
						04/17/96	NC	4.400
						04/17/97	NC	13.200
						04/18/95	NC	34.600
						04/18/96	NC	6.300
						04/18/97	NC	9.100
						04/19/95	NC	33.700
						04/19/96	NC	11.200
						04/19/97	NC	10.000
						04/20/95	NC	28.800
						04/20/96	NC	12.700
						04/20/97	NC	10.600
						04/21/95	NC	20.000
						04/21/96	NC	10.800
						04/21/97	NC	10.200
						04/22/95	NC	20.800
						04/22/96	NC	10.900
						04/22/97	NC	8.100
						04/23/95	NC	25.400
						04/23/96	NC	10.700
						04/23/97	NC	7.100
						04/24/95	NC	23.300
						04/24/96	NC	8.200
						04/24/97	NC	10.800
						04/25/95	NC	28.600
						04/25/96	NC	10.800
						04/25/97	NC	8.800
						04/26/95	NC	23.600
						04/26/96	NC	7.700
						04/26/97	NC	10.800
						04/27/95	NC	28.500
						04/27/96	NC	7.400
						04/27/97	NC	8.700

Appendix A.6
Listing of Daily Data for A/C Indirects: PSES and PSNS

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	30759	SE	A	MG/L	04/28/95	NC	22.000
						04/28/96	NC	6.800
						04/28/97	NC	7.200
						04/29/95	NC	16.400
						04/29/96	NC	15.300
						04/29/97	NC	9.800
						04/30/95	NC	19.400
						04/30/96	NC	14.000
						04/30/97	NC	6.600
						05/01/95	NC	26.900
						05/01/96	NC	14.100
						05/01/97	NC	9.400
						05/02/95	NC	48.600
						05/02/96	NC	15.600
						05/02/97	NC	4.700
						05/03/95	NC	20.100
						05/03/96	NC	12.800
						05/03/97	NC	3.600
						05/04/95	NC	24.500
						05/04/96	NC	7.800
						05/04/97	NC	5.600
						05/05/95	NC	12.800
						05/05/96	NC	4.500
						05/05/97	NC	8.400
						05/06/95	NC	12.800
						05/06/96	NC	7.900
						05/06/97	NC	4.900
						05/07/95	NC	10.400
						05/07/96	NC	10.300
						05/07/97	NC	4.800
						05/08/95	NC	21.500
						05/08/96	NC	10.300
						05/08/97	NC	4.700
						05/09/95	NC	37.100
						05/09/96	NC	13.300
						05/09/97	NC	7.200
						05/10/95	NC	26.800
						05/10/96	NC	18.200
						05/10/97	NC	6.200
						05/11/95	NC	19.800
						05/11/96	NC	11.600
						05/11/97	NC	6.100
						05/12/95	NC	16.800
						05/12/96	NC	12.300
						05/12/97	NC	9.200
						05/13/95	NC	15.200
						05/13/96	NC	7.400
						05/13/97	NC	9.800
						05/14/95	NC	16.200
						05/14/96	NC	7.200
						05/14/97	NC	7.800
						05/15/95	NC	17.400
						05/15/96	NC	14.100
						05/15/97	NC	6.900
						05/16/95	NC	21.600
						05/16/96	NC	15.500
						05/16/97	NC	4.500
						05/17/95	NC	20.000

Appendix A.6
Listing of Daily Data for A/C Indirects: PSES and PSNS

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	30759	SE	A	MG/L	05/17/96	NC	24.300
						05/17/97	NC	3.600
						05/18/95	NC	15.800
						05/18/96	NC	17.100
						05/18/97	NC	3.200
						05/19/95	NC	10.900
						05/19/96	NC	12.400
						05/19/97	NC	4.200
						05/20/95	NC	10.000
						05/20/96	NC	14.100
						05/20/97	NC	5.100
						05/21/95	NC	13.900
						05/21/96	NC	18.500
						05/21/97	NC	7.000
						05/22/95	NC	13.500
						05/22/96	NC	21.400
						05/22/97	NC	10.200
						05/23/95	NC	16.000
						05/23/96	NC	26.200
						05/23/97	NC	14.400
						05/24/95	NC	19.900
						05/24/96	NC	24.500
						05/24/97	NC	11.700
						05/25/95	NC	28.700
						05/25/96	NC	24.100
						05/25/97	NC	4.900
						05/26/95	NC	33.200
						05/26/96	NC	22.300
						05/26/97	NC	7.100
						05/27/95	NC	26.200
						05/27/96	NC	20.000
						05/27/97	NC	7.700
						05/28/95	NC	18.000
						05/28/96	NC	19.000
						05/28/97	NC	11.400
						05/29/95	NC	34.400
						05/29/96	NC	17.400
						05/29/97	NC	8.000
						05/30/95	NC	39.000
						05/30/96	NC	17.400
						05/30/97	NC	9.100
						05/31/95	NC	50.400
						05/31/96	NC	20.700
						05/31/97	NC	7.700
						06/01/95	NC	30.800
						06/01/96	NC	18.700
						06/01/97	NC	8.400
						06/02/95	NC	28.500
						06/02/96	NC	16.100
						06/02/97	NC	9.200
						06/03/95	NC	17.300
						06/03/96	NC	15.300
						06/03/97	NC	7.700
						06/04/95	NC	9.100
						06/04/96	NC	14.700
						06/04/97	NC	5.400
						06/05/95	NC	13.300
						06/05/96	NC	10.800

Appendix A.6
Listing of Daily Data for A/C Indirects: PSES and PSNS

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	30759	SE	A	MG/L	06/05/97	NC	4.500
						06/06/95	NC	33.300
						06/06/96	NC	14.800
						06/06/97	NC	5.000
						06/07/95	NC	19.100
						06/07/96	NC	14.800
						06/07/97	NC	6.300
						06/08/95	NC	25.100
						06/08/96	NC	11.700
						06/08/97	NC	17.800
						06/09/95	NC	18.300
						06/09/96	NC	15.100
						06/09/97	NC	16.000
						06/10/95	NC	20.700
						06/10/96	NC	15.500
						06/10/97	NC	12.800
						06/11/95	NC	15.900
						06/11/96	NC	14.900
						06/11/97	NC	8.000
						06/12/95	NC	14.000
						06/12/96	NC	9.800
						06/12/97	NC	3.400
						06/13/95	NC	19.400
						06/13/96	NC	11.900
						06/13/97	NC	3.300
						06/14/95	NC	18.900
						06/14/96	NC	14.700
						06/14/97	NC	2.800
						06/15/95	NC	21.400
						06/15/96	NC	12.400
						06/15/97	NC	2.900
						06/16/95	NC	27.000
						06/16/96	NC	12.200
						06/16/97	NC	4.500
						06/17/95	NC	17.500
						06/17/96	NC	7.900
						06/17/97	NC	5.800
						06/18/95	NC	17.400
						06/18/96	NC	8.000
						06/18/97	NC	10.400
						06/19/95	NC	16.900
						06/19/96	NC	6.600
						06/19/97	NC	6.300
						06/20/95	NC	25.500
						06/20/96	NC	5.900
						06/20/97	NC	4.000
						06/21/95	NC	22.400
						06/21/96	NC	5.700
						06/21/97	NC	6.900
						06/22/95	NC	15.700
						06/22/96	NC	9.800
						06/22/97	NC	7.400
						06/23/95	NC	10.400
						06/23/96	NC	14.400
						06/23/97	NC	7.800
						06/24/95	NC	8.100
						06/24/96	NC	19.400
						06/24/97	NC	9.800

Appendix A.6
Listing of Daily Data for A/C Indirects: PSES and PSNS

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	30759	SE	A	MG/L	06/25/95	NC	9.900
						06/25/96	NC	24.200
						06/25/97	NC	12.800
						06/26/95	NC	13.500
						06/26/96	NC	18.800
						06/26/97	NC	8.100
						06/27/95	NC	11.800
						06/27/96	NC	17.200
						06/27/97	NC	6.500
						06/28/95	NC	22.500
						06/28/96	NC	15.900
						06/28/97	NC	11.300
						06/29/95	NC	13.200
						06/29/96	NC	10.700
						06/29/97	NC	12.200
						06/30/95	NC	9.300
						06/30/96	NC	10.800
						06/30/97	NC	11.200
						07/01/95	NC	5.000
						07/01/96	NC	15.400
						07/01/97	NC	7.400
						07/02/95	NC	4.300
						07/02/96	NC	15.200
						07/02/97	NC	4.900
						07/03/95	NC	8.000
						07/03/96	NC	10.800
						07/03/97	NC	5.500
						07/04/95	NC	12.600
						07/04/96	NC	11.400
						07/04/97	NC	5.000
						07/05/95	NC	13.600
						07/05/96	NC	13.400
						07/05/97	NC	5.500
						07/06/95	NC	9.800
						07/06/96	NC	15.300
						07/06/97	NC	5.000
						07/07/95	NC	7.700
						07/07/96	NC	12.400
						07/07/97	NC	4.700
						07/08/95	NC	5.800
						07/08/96	NC	17.300
						07/08/97	NC	3.500
						07/09/95	NC	3.400
						07/09/96	NC	20.700
						07/09/97	NC	3.300
						07/10/95	NC	4.500
						07/10/96	NC	11.700
						07/10/97	NC	5.400
						07/11/95	NC	2.600
						07/11/96	NC	18.200
						07/11/97	NC	4.100
						07/12/95	NC	2.900
						07/12/96	NC	18.400
						07/12/97	NC	1.700
						07/13/95	NC	3.600
						07/13/96	NC	18.400
						07/13/97	NC	2.600
						07/14/95	NC	3.400

Appendix A.6
Listing of Daily Data for A/C Indirects: PSES and PSNS

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	30759	SE	A	MG/L	07/14/96	NC	16.600
						07/14/97	NC	5.900
						07/15/95	NC	4.000
						07/15/96	NC	15.300
						07/15/97	NC	8.700
						07/16/95	NC	3.900
						07/16/96	NC	13.000
						07/16/97	NC	8.300
						07/17/95	NC	4.400
						07/17/96	NC	13.100
						07/17/97	NC	7.900
						07/18/95	NC	5.300
						07/18/96	NC	11.500
						07/18/97	NC	6.200
						07/19/95	NC	5.600
						07/19/96	NC	12.900
						07/19/97	NC	5.000
						07/20/95	NC	4.600
						07/20/96	NC	10.500
						07/20/97	NC	5.300
						07/21/96	NC	8.600
						07/21/97	NC	5.000
						07/22/96	NC	6.100
						07/22/97	NC	4.600
						07/23/95	NC	2.100
						07/23/96	NC	5.100
						07/23/97	NC	4.000
						07/24/95	NC	2.800
						07/24/96	NC	5.000
						07/24/97	NC	3.000
						07/25/95	NC	2.700
						07/25/96	NC	4.700
						07/25/97	NC	3.900
						07/26/95	NC	3.000
						07/26/96	NC	11.500
						07/26/97	NC	4.200
						07/27/95	NC	4.000
						07/27/96	NC	17.200
						07/27/97	NC	5.000
						07/28/95	NC	3.400
						07/28/96	NC	21.300
						07/28/97	NC	11.700
						07/29/95	NC	4.200
						07/29/96	NC	28.600
						07/29/97	NC	12.100
						07/30/96	NC	33.400
						07/30/97	NC	10.300
						07/31/95	NC	4.300
						07/31/96	NC	27.500
						07/31/97	NC	6.300
						08/01/95	NC	4.000
						08/01/96	NC	24.400
						08/02/95	NC	3.800
						08/02/96	NC	27.500
						08/03/95	NC	3.900
						08/03/96	NC	28.800
						08/04/95	NC	5.300
						08/04/96	NC	26.900

Appendix A.6
Listing of Daily Data for A/C Indirects: PSES and PSNS

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	30759	SE	A	MG/L	08/05/95	NC	5.900
						08/05/96	NC	19.300
						08/06/95	NC	6.200
						08/06/96	NC	18.600
						08/07/95	NC	7.100
						08/07/96	NC	19.200
						08/08/95	NC	6.300
						08/08/96	NC	21.000
						08/09/95	NC	10.800
						08/09/96	NC	24.800
						08/10/95	NC	8.700
						08/10/96	NC	22.100
						08/11/95	NC	11.500
						08/11/96	NC	21.300
						08/12/95	NC	8.100
						08/12/96	NC	18.300
						08/13/95	NC	7.000
						08/13/96	NC	15.100
						08/14/95	NC	7.700
						08/14/96	NC	12.200
						08/15/95	NC	9.100
						08/15/96	NC	15.800
						08/16/95	NC	9.800
						08/16/96	NC	14.800
						08/17/95	NC	5.900
						08/17/96	NC	17.100
						08/18/95	NC	7.700
						08/18/96	NC	14.400
						08/19/95	NC	9.100
						08/19/96	NC	15.000
						08/20/95	NC	9.600
						08/20/96	NC	22.100
						08/21/95	NC	10.700
						08/21/96	NC	21.300
						08/22/95	NC	8.400
						08/22/96	NC	22.900
						08/23/95	NC	7.900
						08/23/96	NC	19.900
						08/24/95	NC	6.700
						08/24/96	NC	17.600
						08/25/95	NC	6.600
						08/25/96	NC	14.100
						08/26/95	NC	8.200
						08/26/96	NC	23.700
						08/27/95	NC	10.100
						08/27/96	NC	21.900
						08/28/95	NC	9.800
						08/28/96	NC	20.700
						08/29/95	NC	15.500
						08/29/96	NC	10.700
						08/30/95	NC	8.000
						08/30/96	NC	11.600
						08/31/95	NC	7.800
						08/31/96	NC	8.700
						09/01/95	NC	12.200
						09/01/96	NC	7.400
						09/02/95	NC	10.100
						09/02/96	NC	17.900

Appendix A.6
Listing of Daily Data for A/C Indirects: PSES and PSNS

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	30759	SE	A	MG/L	09/03/95	NC	6.500
						09/03/96	NC	27.000
						09/04/95	NC	8.700
						09/04/96	NC	21.500
						09/05/95	NC	7.400
						09/05/96	NC	22.300
						09/06/95	NC	9.500
						09/06/96	NC	23.800
						09/07/95	NC	8.200
						09/07/96	NC	18.400
						09/08/95	NC	6.300
						09/08/96	NC	7.500
						09/09/95	NC	4.900
						09/09/96	NC	11.600
						09/10/95	NC	6.600
						09/10/96	NC	18.900
						09/11/95	NC	12.000
						09/11/96	NC	16.900
						09/12/95	NC	11.400
						09/12/96	NC	17.600
						09/13/95	NC	9.400
						09/13/96	NC	20.000
						09/14/95	NC	10.600
						09/14/96	NC	24.600
						09/15/95	NC	12.300
						09/15/96	NC	18.200
						09/16/95	NC	9.500
						09/16/96	NC	24.200
						09/17/95	NC	10.300
						09/17/96	NC	20.000
						09/18/95	NC	15.200
						09/18/96	NC	42.600
						09/19/95	NC	17.700
						09/19/96	NC	56.300
						09/20/95	NC	10.200
						09/21/95	NC	13.600
						09/22/95	NC	7.900
						09/22/96	NC	27.500
						09/23/95	NC	9.900
						09/23/96	NC	26.800
						09/24/95	NC	6.500
						09/24/96	NC	27.500
						09/25/95	NC	7.000
						09/25/96	NC	21.000
						09/26/95	NC	8.400
						09/26/96	NC	11.100
						09/27/95	NC	7.400
						09/28/95	NC	11.300
						09/29/95	NC	4.100
						09/30/95	NC	10.200
						09/30/96	NC	13.400
						10/01/95	NC	6.100
						10/01/96	NC	11.400
						10/02/95	NC	5.600
						10/02/96	NC	10.200
						10/03/95	NC	4.600
						10/03/96	NC	11.000
						10/04/95	NC	3.300

Appendix A.6
Listing of Daily Data for A/C Indirects: PSES and PSNS

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	30759	SE	A	MG/L	10/04/96	NC	8.800
						10/05/95	NC	3.300
						10/05/96	NC	9.100
						10/06/95	NC	4.500
						10/06/96	NC	10.800
						10/07/95	NC	3.200
						10/07/96	NC	15.600
						10/08/95	NC	7.200
						10/08/96	NC	13.900
						10/09/95	NC	8.900
						10/09/96	NC	14.900
						10/10/95	NC	10.500
						10/10/96	NC	17.200
						10/11/95	NC	10.300
						10/11/96	NC	24.700
						10/12/95	NC	10.700
						10/12/96	NC	24.100
						10/13/95	NC	6.000
						10/13/96	NC	22.800
						10/14/95	NC	5.300
						10/14/96	NC	17.100
						10/15/95	NC	5.600
						10/15/96	NC	18.900
						10/16/95	NC	7.700
						10/16/96	NC	18.100
						10/17/95	NC	11.600
						10/17/96	NC	15.200
						10/18/95	NC	5.700
						10/18/96	NC	14.100
						10/19/95	NC	12.400
						10/19/96	NC	14.700
						10/20/96	NC	10.900
						10/21/96	NC	10.600
						10/22/95	NC	15.700
						10/22/96	NC	11.200
						10/23/95	NC	21.200
						10/23/96	NC	9.100
						10/24/95	NC	31.400
						10/24/96	NC	10.400
						10/25/96	NC	12.400
						10/26/96	NC	16.200
						10/27/95	NC	11.100
						10/27/96	NC	13.400
						10/28/95	NC	6.100
						10/28/96	NC	10.700
						10/29/95	NC	4.900
						10/29/96	NC	16.600
						10/30/95	NC	10.200
						10/30/96	NC	19.000
						10/31/95	NC	11.200
						10/31/96	NC	18.900
						11/01/95	NC	9.500
						11/01/96	NC	10.600
						11/02/95	NC	8.800
						11/02/96	NC	7.800
						11/03/95	NC	7.900
						11/03/96	NC	3.500
						11/04/95	NC	5.800

Appendix A.6
Listing of Daily Data for A/C Indirects: PSES and PSNS

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	30759	SE	A	MG/L	11/04/96	NC	6.900
						11/05/95	NC	6.900
						11/05/96	NC	9.300
						11/06/95	NC	6.700
						11/06/96	NC	11.200
						11/07/95	NC	9.200
						11/07/96	NC	16.000
						11/08/95	NC	11.900
						11/08/96	NC	25.300
						11/09/95	NC	10.400
						11/09/96	NC	29.200
						11/10/95	NC	19.200
						11/10/96	NC	33.000
						11/11/95	NC	10.500
						11/11/96	NC	47.100
						11/12/95	NC	9.100
						11/12/96	NC	61.600
						11/13/95	NC	9.200
						11/14/95	NC	9.800
						11/15/95	NC	10.500
						11/16/95	NC	10.300
						11/16/96	NC	11.500
						11/17/95	NC	7.600
						11/17/96	NC	6.500
						11/18/95	NC	10.500
						11/18/96	NC	15.900
						11/19/95	NC	11.600
						11/19/96	NC	16.900
						11/20/95	NC	7.100
						11/21/95	NC	13.800
						11/21/96	NC	7.500
						11/22/95	NC	14.200
						11/22/96	NC	4.800
						11/23/95	NC	14.900
						11/23/96	NC	4.500
						11/24/95	NC	10.800
						11/24/96	NC	6.900
						11/25/95	NC	13.200
						11/25/96	NC	7.400
						11/26/95	NC	12.600
						11/26/96	NC	4.900
						11/27/95	NC	14.500
						11/27/96	NC	7.700
						11/28/95	NC	11.200
						11/28/96	NC	6.800
						11/29/95	NC	11.000
						11/30/95	NC	9.000
						11/30/96	NC	18.600
						12/01/95	NC	10.100
						12/01/96	NC	23.500
						12/02/96	NC	27.700
						12/03/95	NC	5.400
						12/03/96	NC	34.900
						12/04/95	NC	43.900
						12/04/96	NC	29.300
						12/05/96	NC	32.400
						12/06/96	NC	29.500
						12/07/96	NC	19.500

Appendix A.6
Listing of Daily Data for A/C Indirects: PSES and PSNS

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	30759	SE	A	MG/L	12/08/95	NC	5.100
						12/08/96	NC	12.400
						12/09/95	NC	3.200
						12/09/96	NC	34.500
						12/10/95	NC	5.400
						12/10/96	NC	42.100
						12/11/95	NC	8.300
						12/12/95	NC	11.000
						12/12/96	NC	27.300
						12/13/95	NC	9.400
						12/13/96	NC	24.900
						12/14/95	NC	12.300
						12/14/96	NC	25.000
						12/15/95	NC	8.500
						12/15/96	NC	26.600
						12/16/95	NC	10.600
						12/16/96	NC	29.500
						12/17/95	NC	18.300
						12/17/96	NC	18.300
						12/18/95	NC	32.300
						12/18/96	NC	12.500
						12/19/96	NC	18.200
						12/20/96	NC	19.100
						12/21/96	NC	17.500
						12/22/96	NC	16.200
						12/23/96	NC	19.700
						12/24/96	NC	19.700
						12/25/95	NC	22.800
						12/25/96	NC	4.100
						12/26/95	NC	26.500
						12/26/96	NC	8.000
						12/27/95	NC	26.500
						12/27/96	NC	24.400
						12/28/95	NC	15.900
						12/28/96	NC	14.000
						12/29/95	NC	21.300
						12/30/95	NC	29.800
						12/30/96	NC	14.100
						12/31/95	NC	23.800
AMMONIA	7664417	31040	FC	A	MG/L	01/02/94	ND	0.030
						01/02/97	ND	0.030
						01/03/95	ND	0.030
						01/04/94	ND	0.030
						01/04/96	NC	2.000
						01/05/95	ND	0.030
						01/05/97	ND	0.030
						01/07/96	NC	2.000
						01/07/97	NC	1.000
						01/08/95	ND	0.030
						01/09/94	ND	0.030
						01/09/96	NC	3.000
						01/09/97	NC	22.000
						01/10/95	ND	0.030
						01/11/94	ND	0.030
						01/11/96	NC	6.000

Appendix A.6
Listing of Daily Data for A/C Indirects: PSES and PSNS

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	31040	FC	A	MG/L	01/12/95	ND	0.030
						01/12/97	NC	48.000
						01/14/96	NC	4.000
						01/14/97	NC	41.000
						01/15/95	ND	0.030
						01/16/94	ND	0.030
						01/16/96	NC	7.000
						01/16/97	NC	27.000
						01/17/95	ND	0.030
						01/18/94	ND	0.030
						01/18/96	NC	6.000
						01/19/95	ND	0.030
						01/19/97	NC	4.000
						01/21/96	NC	4.000
						01/21/97	NC	2.000
						01/22/95	ND	0.030
						01/23/94	NC	1.000
						01/23/96	NC	4.000
						01/24/95	NC	12.000
						01/25/94	ND	0.030
						01/25/96	NC	4.000
						01/26/97	NC	3.000
						01/28/96	NC	6.000
						01/28/97	NC	2.000
						01/29/95	NC	22.000
						01/30/94	ND	0.030
						01/30/96	NC	6.000
						01/31/95	NC	5.000
						02/01/94	NC	1.000
						02/01/96	NC	4.000
						02/02/95	NC	4.000
						02/02/97	NC	7.000
						02/04/96	NC	4.000
						02/04/97	NC	6.000
						02/05/95	NC	4.000
						02/06/94	NC	53.000
						02/06/96	NC	5.000
						02/06/97	NC	5.000
						02/07/95	NC	4.000
						02/08/94	NC	75.000
						02/08/96	NC	8.000
						02/09/95	NC	7.000
						02/09/97	NC	6.000
						02/11/96	NC	11.000
						02/11/97	NC	7.000
						02/12/95	NC	2.000
						02/13/94	NC	95.000
						02/13/96	NC	13.000
						02/13/97	NC	5.000
						02/14/95	NC	4.000
						02/15/94	NC	90.000
						02/15/96	NC	32.000
						02/16/97	NC	5.000
						02/17/94	NC	71.000
						02/18/96	NC	20.000
						02/18/97	NC	5.000

Appendix A.6
Listing of Daily Data for A/C Indirects: PSES and PSNS

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	31040	FC	A	MG/L	02/19/95	NC	2.000
						02/19/96	NC	22.000
						02/20/94	NC	13.000
						02/20/96	NC	34.000
						02/20/97	NC	7.000
						02/21/95	NC	3.000
						02/21/96	NC	54.000
						02/22/94	NC	8.000
						02/22/96	NC	89.000
						02/23/95	NC	12.000
						02/23/97	NC	7.000
						02/24/94	NC	15.000
						02/25/96	NC	67.000
						02/25/97	NC	6.000
						02/26/95	NC	6.000
						02/27/94	NC	4.000
						02/27/96	NC	78.000
						02/27/97	NC	8.000
						02/28/95	NC	4.000
						02/29/96	NC	79.000
						03/01/94	NC	2.000
						03/02/95	NC	4.000
						03/02/97	NC	5.000
						03/03/94	NC	5.000
						03/03/96	NC	87.000
						03/04/97	NC	5.000
						03/05/95	NC	2.000
						03/05/96	NC	95.000
						03/06/94	NC	2.000
						03/06/97	NC	6.000
						03/07/95	NC	3.000
						03/07/96	NC	103.000
						03/08/94	NC	3.000
						03/09/95	NC	4.000
						03/09/97	NC	4.000
						03/10/94	NC	5.000
						03/10/96	NC	117.000
						03/11/97	NC	3.000
						03/12/95	NC	4.000
						03/12/96	NC	61.000
						03/13/94	NC	5.000
						03/13/97	NC	3.000
						03/14/95	NC	5.000
						03/14/96	NC	39.000
						03/15/94	NC	4.000
						03/16/95	NC	7.000
						03/16/97	NC	6.000
						03/17/94	NC	5.000
						03/17/96	NC	19.000
						03/18/97	NC	5.000
						03/19/95	NC	8.000
						03/19/96	NC	19.000
						03/20/94	NC	2.000
						03/20/97	NC	8.000
						03/21/95	NC	12.000
						03/21/96	NC	18.000
						03/22/94	NC	4.000
						03/23/95	NC	28.000

Appendix A.6
Listing of Daily Data for A/C Indirects: PSES and PSNS

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	31040	FC	A	MG/L	03/23/97	NC	15.000
						03/24/94	NC	1.000
						03/24/96	NC	19.000
						03/25/97	NC	25.000
						03/26/95	NC	49.000
						03/26/96	NC	18.000
						03/27/94	ND	0.030
						03/27/97	NC	36.000
						03/28/95	NC	71.000
						03/28/96	NC	22.000
						03/29/94	ND	0.030
						03/30/95	NC	101.000
						03/30/97	NC	9.000
						03/31/94	NC	3.000
						03/31/96	NC	22.000
						04/01/97	NC	4.000
						04/02/95	NC	129.000
						04/02/96	NC	27.000
						04/03/97	NC	5.000
						04/04/95	NC	151.000
						04/04/96	NC	21.000
						04/05/94	ND	0.030
						04/06/95	NC	126.000
						04/06/97	NC	7.000
						04/07/94	ND	0.030
						04/07/96	NC	14.000
						04/08/97	NC	7.000
						04/09/95	NC	105.000
						04/09/96	NC	15.000
						04/10/94	ND	0.030
						04/10/97	NC	8.000
						04/11/95	NC	70.000
						04/11/96	NC	10.000
						04/12/94	ND	0.030
						04/13/95	NC	44.000
						04/13/97	NC	5.000
						04/14/94	ND	0.030
						04/14/96	ND	0.030
						04/15/97	NC	4.000
						04/16/96	ND	0.030
						04/17/94	ND	0.030
						04/17/96	ND	0.030
						04/17/97	NC	6.000
						04/18/95	NC	14.000
						04/19/94	NC	1.000
						04/20/95	NC	14.000
						04/20/97	NC	5.000
						04/21/94	NC	3.000
						04/21/96	NC	1.000
						04/22/97	NC	6.000
						04/23/95	NC	21.000
						04/23/96	NC	5.000
						04/24/94	NC	2.000
						04/24/97	NC	7.000
						04/25/95	NC	28.000
						04/25/96	NC	1.000
						04/26/94	NC	3.000
						04/27/95	NC	52.000

Appendix A.6
Listing of Daily Data for A/C Indirects: PSES and PSNS

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	31040	FC	A	MG/L	04/27/97	NC	11.000
						04/28/94	NC	4.000
						04/28/96	NC	1.000
						04/29/97	NC	14.000
						04/30/95	NC	46.000
						04/30/96	ND	0.030
						05/01/94	ND	0.030
						05/01/97	NC	30.000
						05/02/96	ND	0.030
						05/03/94	ND	0.030
						05/04/97	NC	43.000
						05/05/94	ND	0.030
						05/05/96	NC	1.000
						05/06/97	NC	77.000
						05/07/95	NC	21.000
						05/07/96	NC	27.000
						05/08/94	NC	1.000
						05/08/97	NC	78.000
						05/09/95	NC	22.000
						05/09/96	NC	4.000
						05/10/94	NC	1.000
						05/11/95	NC	18.000
						05/11/97	NC	90.000
						05/12/94	NC	2.000
						05/12/96	ND	0.030
						05/13/97	NC	126.000
						05/14/95	NC	12.000
						05/14/96	ND	0.030
						05/15/94	NC	1.000
						05/15/97	NC	150.000
						05/16/95	NC	10.000
						05/16/96	ND	0.030
						05/17/94	ND	0.030
						05/18/95	NC	11.000
						05/18/97	NC	162.000
						05/19/94	ND	0.030
						05/19/96	NC	1.000
						05/21/95	NC	13.000
						05/21/96	NC	1.000
						05/22/94	NC	17.000
						05/23/95	NC	11.000
						05/23/96	ND	0.030
						05/24/94	NC	2.000
						05/25/95	NC	8.000
						05/26/94	NC	2.000
						05/28/96	ND	0.030
						05/30/95	NC	10.000
						05/30/96	ND	0.030
						05/31/94	ND	0.030
						06/01/95	NC	13.000
						06/02/94	ND	0.030
						06/02/96	ND	0.030
						06/03/97	NC	39.000
						06/04/95	NC	12.000
						06/04/96	NC	2.000
						06/05/94	NC	2.000
						06/05/97	NC	47.000
						06/06/95	NC	12.000

Appendix A.6
Listing of Daily Data for A/C Indirects: PSES and PSNS

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	31040	FC	A	MG/L	06/06/96	NC	1.000
						06/07/94	ND	0.030
						06/08/95	NC	16.000
						06/08/97	NC	40.000
						06/09/94	NC	1.000
						06/09/96	ND	0.030
						06/10/97	NC	33.000
						06/11/95	NC	13.000
						06/11/96	ND	0.030
						06/12/94	ND	0.030
						06/12/97	NC	34.000
						06/13/95	NC	10.000
						06/13/96	NC	1.000
						06/14/94	ND	0.030
						06/15/95	NC	55.000
						06/15/97	NC	28.000
						06/16/94	ND	0.030
						06/16/96	ND	0.030
						06/18/96	NC	1.000
						06/19/94	NC	1.000
						06/19/97	NC	43.000
						06/20/96	NC	9.000
						06/21/94	ND	0.030
						06/22/95	NC	76.000
						06/23/94	ND	0.030
						06/23/96	ND	0.030
						06/24/97	NC	25.000
						06/25/95	NC	83.000
						06/25/96	NC	1.000
						06/26/94	ND	0.030
						06/26/95	NC	84.000
						06/26/97	NC	20.000
						06/27/95	NC	80.000
						06/27/96	NC	3.000
						06/28/94	ND	0.030
						06/28/95	NC	63.000
						06/29/95	NC	62.000
						06/29/97	NC	56.000
						06/30/94	NC	1.000
						06/30/96	NC	2.000
						07/02/96	NC	4.000
						07/04/95	NC	42.000
						07/05/94	ND	0.030
						07/05/95	NC	21.000
						07/06/95	NC	11.000
						07/07/94	ND	0.030
						07/07/96	ND	0.030
						07/08/97	NC	30.000
						07/09/95	NC	6.000
						07/09/96	NC	2.000
						07/10/94	ND	0.030
						07/10/95	NC	5.000
						07/11/95	NC	4.000
						07/11/96	NC	3.000
						07/12/94	ND	0.030
						07/12/95	NC	4.000
						07/13/95	NC	4.000
						07/13/97	NC	10.000

Appendix A.6
Listing of Daily Data for A/C Indirects: PSES and PSNS

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	31040	FC	A	MG/L	07/14/94	ND	0.030
						07/14/96	NC	1.000
						07/16/95	NC	4.000
						07/16/96	NC	3.000
						07/17/94	ND	0.030
						07/17/95	NC	3.000
						07/17/97	NC	4.000
						07/18/95	NC	1.000
						07/18/96	NC	5.000
						07/19/94	ND	0.030
						07/20/95	NC	4.000
						07/20/97	NC	6.000
						07/21/94	ND	0.030
						07/21/96	NC	1.000
						07/22/97	NC	7.000
						07/23/95	NC	2.000
						07/23/96	ND	0.030
						07/24/94	ND	0.030
						07/24/97	NC	5.000
						07/25/95	NC	2.000
						07/25/96	NC	3.000
						07/26/94	NC	1.000
						07/27/95	NC	3.000
						07/27/97	NC	5.000
						07/28/94	ND	0.030
						07/28/96	NC	3.000
						07/29/97	NC	11.000
						07/30/96	NC	5.000
						07/31/94	ND	0.030
						07/31/97	NC	4.000
						08/01/96	NC	10.000
						08/02/94	ND	0.030
						08/03/97	NC	9.000
						08/04/94	ND	0.030
						08/04/96	NC	19.000
						08/06/95	NC	11.000
						08/06/96	NC	16.000
						08/07/94	ND	0.030
						08/08/95	NC	12.000
						08/08/96	NC	23.000
						08/09/94	ND	0.030
						08/10/95	NC	7.000
						08/10/97	NC	6.000
						08/11/94	ND	0.030
						08/11/96	NC	28.000
						08/12/97	NC	3.000
						08/13/95	NC	17.000
						08/13/96	NC	23.000
						08/14/94	ND	0.030
						08/14/97	NC	5.000
						08/15/95	NC	33.000
						08/15/96	NC	27.000
						08/16/94	ND	0.030
						08/17/95	NC	25.000
						08/17/97	NC	3.000
						08/18/94	ND	0.030
						08/18/96	NC	19.000
						08/19/97	NC	1.000

Appendix A.6
Listing of Daily Data for A/C Indirects: PSES and PSNS

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	31040	FC	A	MG/L	08/20/95	NC	6.000
						08/20/96	NC	15.000
						08/21/94	NC	3.000
						08/21/97	NC	3.000
						08/22/95	NC	6.000
						08/22/96	NC	19.000
						08/23/94	NC	1.000
						08/24/95	NC	8.000
						08/25/94	NC	5.000
						08/25/96	NC	22.000
						08/27/95	NC	5.000
						08/28/94	NC	1.000
						08/29/95	NC	9.000
						08/29/96	NC	27.000
						08/30/94	NC	2.000
						08/31/95	NC	6.000
						09/01/94	NC	3.000
						09/03/96	NC	20.000
						09/05/95	NC	4.000
						09/05/96	NC	22.000
						09/06/94	ND	0.030
						09/07/95	NC	4.000
						09/08/96	NC	32.000
						09/10/95	NC	5.000
						09/10/96	NC	64.000
						09/11/94	ND	0.030
						09/12/95	NC	5.000
						09/12/96	NC	52.000
						09/13/94	NC	2.000
						09/14/95	NC	5.000
						09/15/94	NC	7.000
						09/15/96	NC	27.000
						09/17/95	NC	7.000
						09/17/96	NC	18.000
						09/18/94	NC	4.000
						09/19/95	NC	8.000
						09/19/96	NC	19.000
						09/20/94	NC	3.000
						09/21/95	NC	6.000
						09/22/94	NC	2.000
						09/22/96	NC	21.000
						09/24/95	NC	15.000
						09/24/96	NC	23.000
						09/25/94	NC	1.000
						09/26/95	NC	8.000
						09/26/96	NC	33.000
						09/27/94	ND	0.030
						09/28/95	NC	6.000
						09/29/94	NC	1.000
						09/29/96	NC	29.000
						10/01/95	NC	8.000
						10/01/96	NC	30.000
						10/02/94	NC	1.000
						10/03/95	NC	5.000
						10/03/96	NC	32.000
						10/04/94	NC	2.000
						10/05/95	NC	12.000
						10/06/94	NC	3.000

Appendix A.6
Listing of Daily Data for A/C Indirects: PSES and PSNS

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	31040	FC	A	MG/L	10/06/96	NC	6.000
						10/08/95	NC	7.000
						10/08/96	NC	3.000
						10/09/94	NC	3.000
						10/10/95	NC	4.000
						10/10/96	NC	2.000
						10/11/94	NC	5.000
						10/12/95	NC	11.000
						10/13/94	NC	3.000
						10/13/96	NC	5.000
						10/15/95	NC	21.000
						10/15/96	NC	5.000
						10/16/94	NC	4.000
						10/17/95	NC	12.000
						10/17/96	NC	23.000
						10/18/94	NC	3.000
						10/19/95	NC	7.000
						10/20/94	NC	[illegible]
						10/20/96	NC	5.000
						10/22/95	NC	4.000
						10/22/96	NC	3.000
						10/23/94	NC	3.000
						10/24/95	NC	5.000
						10/24/96	NC	2.000
						10/25/94	NC	3.000
						10/26/95	NC	5.000
						10/27/94	NC	6.000
						10/27/96	NC	3.000
						10/29/95	NC	5.000
						10/29/96	NC	3.000
						10/30/94	NC	2.000
						10/31/95	NC	4.000
						10/31/96	NC	2.000
						11/01/94	NC	2.000
						11/02/95	NC	5.000
						11/03/94	NC	2.000
						11/03/96	NC	1.000
						11/05/95	NC	4.000
						11/05/96	NC	2.000
						11/06/94	NC	3.000
						11/07/95	NC	4.000
						11/07/96	NC	4.000
						11/08/94	NC	7.000
						11/09/95	NC	16.000
						11/10/94	NC	5.000
						11/10/96	NC	4.000
						11/12/95	NC	5.000
						11/12/96	NC	14.000
						11/13/94	NC	4.000
						11/14/95	NC	4.000
						11/14/96	NC	7.000
						11/15/94	NC	4.000
						11/16/95	NC	4.000
						11/17/94	NC	9.000
						11/17/96	NC	6.000
						11/19/95	NC	5.000
						11/19/96	NC	8.000
						11/20/94	NC	5.000

Appendix A.6
Listing of Daily Data for A/C Indirects: PSES and PSNS

Analyte	Cas Number	Facility Code	Sample Site	Source	Units	Sample Date	Meas. Type	Conc.
AMMONIA	7664417	31040	FC	A	MG/L	11/21/95	NC	5.000
						11/21/96	NC	6.000
						11/22/94	NC	3.000
						11/24/96	NC	5.000
						11/26/95	NC	5.000
						11/26/96	NC	5.000
						11/27/94	NC	8.000
						11/28/95	NC	6.000
						11/30/95	NC	7.000
						12/01/94	NC	4.000
						12/01/96	NC	2.000
						12/03/95	NC	5.000
						12/03/96	NC	2.000
						12/04/94	NC	3.000
						12/05/95	NC	6.000
						12/05/96	NC	2.000
						12/06/94	NC	8.000
						12/07/95	NC	3.000
						12/08/94	NC	2.000
						12/08/96	NC	4.000
						12/10/95	NC	103.000
						12/10/96	NC	4.000
						12/12/95	NC	6.000
						12/12/96	NC	5.000
						12/13/94	NC	3.000
						12/14/95	NC	6.000
						12/15/94	NC	1.000
						12/15/96	NC	6.000
						12/17/95	NC	2.000
						12/18/94	NC	1.000
						12/19/95	NC	2.000
						12/19/96	NC	3.000
						12/20/94	NC	1.000
						12/21/95	NC	4.000
						12/22/94	ND	0.030
						12/22/96	NC	2.000
						12/27/95	NC	3.000

Appendix A.7
Listing of Daily Data for B/D Indirects: PSES and PSNS

Analyte	Facility Code	Sample Site	Units	Sample Date	Measurement Type	Concentration
2-PROPANONE (ACETONE)	30329	PC	MG/L	06/10/95	NC	98.20
				06/10/95	NC	37.10
				06/13/95	ND	0.73
				06/13/95	ND	0.73
				06/13/95	ND	0.73
				06/15/95	NC	13.90
				06/15/95	NC	11.80
				06/19/95	NC	41.80
				06/19/95	NC	35.90
				06/19/95	NC	103.00
				07/07/95	NC	28.40
				07/07/95	NC	13.90
				07/07/95	NC	40.70
				07/11/95	NC	10.40
				07/11/95	NC	13.00
				07/11/95	NC	13.80
				07/14/95	NC	79.50
				07/14/95	NC	49.40
				07/14/95	NC	51.30
				07/17/95	ND	0.73
2-PROPANONE (ACETONE)	30329	PC/PILOT-C	MG/L	12/06/91	NC	0.35
				12/06/91	NC	0.77
				12/06/91	NC	0.20
				12/06/91	NC	0.62
				12/06/91	NC	0.24
				12/06/91	NC	0.51
				12/06/91	NC	0.21
				12/06/91	NC	0.21
2-PROPANONE (ACETONE)	30329	PC/PILOT-C-REC	MG/L	12/14/91	NC	9.68
				12/14/91	NC	8.26
				12/14/91	NC	1.74
				12/14/91	NC	3.01
				12/14/91	NC	1.22
				12/14/91	NC	9.39
				12/14/91	NC	3.00
				12/14/91	NC	8.61
2-PROPANONE (ACETONE)	30487	PC	MG/L	09/19/89	NC	3.60
				09/19/89	NC	3.69
				09/20/89	NC	3.92
				09/20/89	NC	3.07
				09/20/89	NC	2.78
				09/20/89	NC	1.91
				09/20/89	NC	1.27
				09/20/89	NC	1.20
				09/21/89	NC	0.91
				09/21/89	NC	0.82
				09/21/89	NC	0.95
				09/27/89	NC	4.61
				09/27/89	NC	3.24
				09/27/89	NC	1.56
				09/28/89	NC	3.88
				09/28/89	NC	3.38
				09/28/89	NC	3.50

Appendix A.7
Listing of Daily Data for B/D Indirects: PSES and PSNS

Analyte	Facility Code	Sample Site	Units	Sample Date	Measurement Type	Concentration
2-PROPANONE (ACETONE)	30487	PC	MG/L	09/28/89	NC	5.84
				09/28/89	NC	3.89
				09/28/89	NC	2.61
				09/29/89	NC	1.13
				09/29/89	NC	1.67
				09/29/89	NC	1.57
2-PROPANONE (ACETONE)	30832	PT/76	MG/L	04/19/95	NC	1500.00
				05/09/95	NC	1800.00
				06/27/95	NC	7.80
				08/02/95	NC	80.00
				09/01/95	NC	270.00
2-PROPANONE (ACETONE)	31105	# 2843	MG/L	08/08/95	ND	0.05
				08/08/95	ND	0.05
				08/08/95	ND	0.05
				08/08/95	ND	0.05
				08/08/95	ND	0.05
2-PROPANONE (ACETONE)	31105	#2846-B	MG/L	08/21/95	NC	0.08
				08/21/95	NC	0.07
				08/21/95	NC	0.12
				08/21/95	NC	16.00
METHYLENE CHLORIDE	30329	PC	MG/L	06/10/95	ND	0.06
				06/10/95	ND	0.06
				06/13/95	ND	0.06
				06/13/95	ND	0.06
				06/13/95	ND	0.06
				06/15/95	ND	0.06
				06/15/95	ND	0.06
				06/15/95	ND	0.06
				06/19/95	ND	0.06
				06/19/95	ND	0.06
				06/19/95	ND	0.06
				06/24/95	ND	0.06
				06/24/95	ND	0.06
				06/24/95	ND	0.06
				07/07/95	NC	0.38
				07/07/95	ND	0.06
				07/11/95	NC	1.00
				07/11/95	NC	0.60
				07/11/95	NC	0.15
				07/14/95	NC	0.36
				07/14/95	ND	0.06
				07/14/95	ND	0.06
				07/17/95	NC	4.60
				07/17/95	ND	0.06
				07/17/95	ND	0.06
METHYLENE CHLORIDE	30329	PC/PILOT-C	MG/L	12/06/91	NC	0.19
				12/06/91	NC	0.21
				12/06/91	NC	0.40
				12/06/91	ND	0.01
				12/06/91	ND	0.01
				12/06/91	ND	0.01

Appendix A.7
Listing of Daily Data for B/D Indirects: PSES and PSNS

Analyte	Facility Code	Sample Site	Units	Sample Date	Measurement Type	Concentration
METHYLENE CHLORIDE	30329	PC/PILOT-C	MG/L	12/06/91	ND	0.01
				12/06/91	ND	0.01
METHYLENE CHLORIDE	30329	PC/PILOT-C-REC	MG/L	12/14/91	ND	0.01
				12/14/91	ND	0.01
				12/14/91	ND	0.01
				12/14/91	ND	0.01
				12/14/91	ND	0.01
				12/14/91	ND	0.01
				12/14/91	ND	0.01
				12/14/91	ND	0.01
METHYLENE CHLORIDE	30487	PC	MG/L	09/19/89	ND	0.10
				09/19/89	ND	0.10
				09/20/89	ND	0.10
				09/20/89	ND	0.10
				09/20/89	ND	0.10
				09/20/89	ND	0.10
				09/20/89	ND	0.10
				09/20/89	ND	0.10
				09/21/89	NC	0.10
				09/21/89	ND	0.10
				09/21/89	ND	0.10
				09/27/89	ND	0.10
				09/27/89	ND	0.10
				09/27/89	ND	0.10
				09/28/89	ND	0.10
				09/28/89	ND	0.10
				09/28/89	ND	0.10
				09/28/89	ND	0.10
				09/28/89	ND	0.10
				09/28/89	ND	0.10
				09/29/89	ND	0.10
				09/29/89	ND	0.10
				09/29/89	ND	0.10
METHYLENE CHLORIDE	30618	PC	MG/L	06/05/89	ND	1.00
				06/06/89	ND	1.00
				06/06/89	ND	1.00
				06/06/89	ND	1.00
				06/06/89	ND	1.00
				06/07/89	ND	1.00
				06/07/89	ND	1.00
				06/07/89	ND	1.00
				06/07/89	ND	1.00
				06/08/89	ND	1.00
				06/08/89	ND	1.00
				06/08/89	ND	1.00
				06/08/89	ND	1.00
METHYLENE CHLORIDE	30832	PT/76	MG/L	05/09/95	NC	4.90
				06/27/95	NC	3.10
				08/02/95	ND	0.01
				09/01/95	NC	0.05

Appendix B.1-B.7

Appendix B.1
Listing of Summary Statistics for A/C Directs: BAT

Analyte	Facility Code	Sample Site	Units	Source	No. of Obs.	No. of ND	Min. ND	Max. ND	Min. Detect	Max. Detect	Sample Mean	Std. Dev
1,2-DICHLOROETHANE	30623	SE	MG/L	I	10	2	0.010	0.010	0.011	0.263	0.071	0.074
				P	3	1	0.002	0.002	0.003	0.110	0.038	0.062
2-METHYLPYRIDINE	30540	SE	MG/L	I	10	10	0.050	0.050	.	.	0.050	0.000
				N	8	8	0.010	0.011	.	.	0.011	0.001
ACETONE	30540	SE	MG/L	I	10	5	0.010	0.050	0.055	0.800	0.137	0.235
				N	8	4	0.100	0.100	0.012	0.033	0.061	0.042
ACETONE	30623	SE	MG/L	I	10	5	0.050	0.050	0.052	0.130	0.066	0.022
				N	6	0	.	.	0.050	0.972	0.219	0.370
ACETONITRILE	30540	SE	MG/L	N	5	5	0.050	0.100	.	.	0.090	0.022
ACETONITRILE	30623	SE	MG/L	I	7	7	0.005	0.005	.	.	0.005	0.000
BENZENE	30623	SE	MG/L	P	3	3	0.002	0.002	.	.	0.002	0.000
CHLOROFORM	30050	SE	MG/L	V	3	3	0.001	0.001	.	.	0.001	0.000
CHLOROFORM	30540	SE	MG/L	I	10	10	0.010	0.010	.	.	0.010	0.000
				N	8	8	0.002	0.005	.	.	0.003	0.002
CHLOROFORM	30623	SE	MG/L	I	10	6	0.010	0.010	0.010	0.024	0.013	0.004
				P	3	0	.	.	0.010	0.018	0.014	0.004
CHLOROMETHANE	30010	SE	MG/L	V	3	0	.	.	0.100	0.410	0.293	0.169
CHLOROMETHANE	30540	SE	MG/L	I	10	9	0.010	0.050	0.124	0.124	0.053	0.028
				N	8	8	0.001	0.010	.	.	0.007	0.005
ETHANOL	30010	SE	MG/L	N	8	6	1.000	1.000	1.000	1.770	1.100	0.272
ETHANOL	30540	SE	MG/L	I	10	9	0.500	0.500	5.520	5.520	1.000	1.590
				N	8	8	1.000	5.000	.	.	3.000	2.140
ETHANOL	30623	SE	MG/L	I	10	10	0.500	0.500	0.500	0.800	0.530	0.063
ETHANOL	30701	FIL/EOP	MG/L	P	7	0	.	.	4.490	22.500	8.020	6.600
ETHYL ACETATE	30540	SE	MG/L	I	10	9	0.500	0.500	0.600	0.600	0.510	0.032
				N	8	8	0.005	0.010	.	.	0.008	0.003
FORMALDEHYDE	30010	SE	MG/L	N	3	1	0.049	0.049	0.208	0.323	0.193	0.138
FORMALDEHYDE	30623	SE	MG/L	I	9	0	.	.	0.120	0.800	0.343	0.261
HEPTANE	30623	SE	MG/L	I	8	8	0.005	0.005	.	.	0.005	0.000
HEXANE	30623	SE	MG/L	I	10	10	0.005	0.005	.	.	0.005	0.000
				N	7	0	.	.	0.014	0.034	0.023	0.008
ISOPROPANOL	30540	SE	MG/L	I	10	10	0.500	0.500	.	.	0.500	0.000
				N	8	8	0.100	2.000	.	.	1.050	1.020

Appendix B.1
Listing of Summary Statistics for A/C Directs: BAT

Analyte	Facility Code	Sample Site	Units	Source	No. of Obs.	No. of ND	Min. ND	Max. ND	Min. Detect	Max. Detect	Sample Mean	Std. Dev
ISOPROPYL ACETATE	30540	SE	MG/L	I	10	10	0.500	0.500	.	.	0.500	0.000
				N	4	4	0.010	0.010	.	.	0.010	0.000
METHANOL	30010	SE	MG/L	N	8	7	0.500	0.500	0.500	0.500	0.500	0.000
METHANOL	30540	SE	MG/L	I	9	0	.	.	2.260	14.100	5.340	3.570
				N	8	8	0.500	5.000	.	.	2.750	2.410
METHANOL	30623	SE	MG/L	I	10	10	0.500	0.500	0.300	3.700	0.650	0.510
METHYLENE CHLORIDE	30623	SE	MG/L	I	10	8	0.010	0.010	0.026	1.100	0.120	0.255
				N	8	0	.	.	0.010	0.679	0.097	0.235
				P	3	0	.	.	0.010	0.110	0.071	0.053
N,N-DIMETHYLFORMAMIDE	30623	SE	MG/L	I	9	9	0.010	0.010	0.035	0.035	0.011	0.004
PHENOL	30125	TE	MG/L	3	4	4	0.002	0.030	.	.	0.010	0.013
PHENOL	30623	SE	MG/L	I	7	7	0.010	0.010	0.016	0.022	0.011	0.002
TETRAHYDROFURAN (THF)	30623	SE	MG/L	I	9	2	0.005	0.005	0.020	3.480	1.090	1.060
				N	8	0	.	.	0.007	1.360	0.476	0.460
TOLUENE	30010	SE	MG/L	V	3	3	0.010	0.010	.	.	0.010	0.000
TOLUENE	30050	SE	MG/L	V	3	3	0.001	0.001	.	.	0.001	0.000
TOLUENE	30125	TE	MG/L	3	4	4	0.006	0.006	.	.	0.006	0.000
TOLUENE	30540	SE	MG/L	I	10	10	0.010	0.010	.	.	0.010	0.000
				N	8	8	0.005	0.006	.	.	0.006	0.001
TOLUENE	30573	SE	MG/L	V	3	0	.	.	0.007	0.049	0.021	0.024
TOLUENE	30623	SE	MG/L	I	10	10	0.010	0.010	.	.	0.010	0.000
				N	7	0	.	.	0.010	0.110	0.029	0.036
				P	3	2	0.002	0.002	0.053	0.053	0.019	0.029
TOTAL XYLENES	30540	SE	MG/L	N	4	4	0.005	0.005	.	.	0.005	0.000

Appendix B.1
Listing of Summary Statistics for A/C Directs: BAT

Analyte	Cas_no	Facility Code	Sample Site	Sample Type	Units	No. of Obs.	No. of ND	Min. ND	Max. ND	Min. Detect	Max. Detect	Sample Mean	Std. Dev
AMMONIA	7664417	30540	FC	C	MG/L	8	0	.	.	1.400	3.7	2.56	0.688
AMMONIA	7664417	30542	SE	C	MG/L	100	12	0.03	0.03	0.090	19.9	1.70	3.190
AMMONIA	7664417	30669	FC	24C	MG/L	114	0	.	.	0.041	94.4	13.00	23.600
AMMONIA	7664417	30759	SE	*	MG/L	909	0	.	.	1.400	61.6	12.50	8.070
AMMONIA	7664417	31040	FC	*	MG/L	515	83	0.03	0.03	1.000	162.0	13.80	24.500

Appendix B.2
Listing of Summary Statistics for A/C Directs: NSPS

Subcat.	Cas_no	Analyte	Facility Code	Sample Site	Units	No. of Obs.	Min. Detect	Max. Detect	Sample Mean	Std. Dev
A/C	1-002	BOD	30010	410	MG/L	600	3	695	47.6	57.3
			30540	700	MG/L	1756	11	551	98.4	65.6
			30623	460	MG/L	431	16	660	76.8	72.4
A/C	1-004	COD	30010	410	MG/L	950	31	1900	296.0	195.0
			30540	700	MG/L	1775	11	3660	764.0	320.0
			30623	460	MG/L	431	108	1700	850.0	249.0
A/C	1-009	TSS	30010	410	MG/L	697	1	604	55.0	64.0
			30540	700	MG/L	1780	11	2130	149.0	124.0
			30623	460	MG/L	431	8	642	110.0	91.6

For all other NSPS analytes, NSPS data is the same as A/C Directs: BAT

Appendix B.3
Listing of Summary Statistics for B/D Directs: NSPS

Subcat.	Cas_no	Analyte	Facility Code	Sample Site	Units	No. of Obs.	Min. Detect	Max. Detect	Sample Mean	Std. Dev
B/D	1-002	BOD	30637	460	MG/L	12	6.15	28.4	13.5	6.18
B/D	1-004	COD	30637	460	MG/L	12	16.00	207.0	55.4	53.10
B/D	1-009	TSS	30637	460	MG/L	12	10.00	47.0	23.4	10.90

Appendix B.4
Listing of Summary Statistics for A/C_Directs: BPT and BAT

Subcat.	Cas_no	Analyte	Facility Code	Sample Site	Units	No. of Obs.	Min. Detect	Max. Detect	Sample Mean	Std. Dev
A/C	1-004	COD	30010	410	MG/L	950	31	1900	296	195
			30540	700	MG/L	1775	11	3660	764	320
			30623	460	MG/L	431	108	1700	850	249

Appendix B.5
Listing of Summary Statistics for B/D Directs: BPT and BAT

Subcat.	Cas_no	Analyte	Facility Code	Sample Site	Units	No. of Obs.	Min. Detect	Max. Detect	Sample Mean	Std. Dev
B/D	1-004	COD	30637	460	MG/L	12	16	207	55.4	53.1

Appendix B.6
Listing of Summary Statistics for A/C Indirects: PSES and PSNS

Analyte	Facility Code	Sample Site	No. of Obs.	No. of ND	Units	Min. Detect	Max. Detect	Min. ND	Max. ND	Sample Mean	Std. Dev
2-PROPANONE (ACETONE)	30329	PC	20	4	MG/L	10.400	103.00	0.73	0.73	32.300	31.400
		PC/PILOT-C	8	0	MG/L	0.197	0.77	.	.	0.389	0.220
		PC/PILOT-C-REC	8	0	MG/L	1.220	9.68	.	.	5.610	3.680
2-PROPANONE (ACETONE)	30487	PC	23	0	MG/L	0.818	5.84	.	.	2.650	1.380
2-PROPANONE (ACETONE)	30832	PT/76	5	0	MG/L	7.800	1800.00	.	.	732.000	851.000
2-PROPANONE (ACETONE)	31105	# 2843	5	5	MG/L	.	.	0.05	0.05	0.050	0.000
		#2846-B	4	0	MG/L	0.069	16.00	.	.	4.070	7.960
CHLOROFORM	30329	PC	16	15	MG/L	0.091	0.09	0.04	0.08	0.046	0.016
		PC/PILOT-C	8	8	MG/L	.	.	0.01	0.01	0.010	0.000
		PC/PILOT-C-REC	8	8	MG/L	.	.	0.01	0.01	0.010	0.000
		PC/PILOT-T-REC	8	8	MG/L	.	.	0.01	0.01	0.010	0.000
METHYLENE CHLORIDE	30329	PC	25	19	MG/L	0.150	4.60	0.06	0.06	0.329	0.917
		PC/PILOT-C	8	5	MG/L	0.192	0.40	0.01	0.01	0.106	0.146
		PC/PILOT-C-REC	8	8	MG/L	.	.	0.01	0.01	0.010	0.000
METHYLENE CHLORIDE	30487	PC	23	22	MG/L	0.101	0.10	0.10	0.10	0.100	0.000
METHYLENE CHLORIDE	30618	PC	13	13	MG/L	.	.	1.00	1.00	1.000	0.000
METHYLENE CHLORIDE	30832	PT/76	4	1	MG/L	0.045	4.90	0.01	0.01	2.010	2.410
TETRAHYDROFURAN	30329	PC	14	14	MG/L	.	.	0.70	1.40	0.750	0.187
		PC/BENCH	5	0	MG/L	0.220	2.57	.	.	1.540	0.851
TETRAHYDROFURAN	30832	PT/76	3	1	MG/L	68.000	130.00	0.50	0.50	66.200	64.800
TOLUENE	30329	PC	29	0	MG/L	0.260	1400.00	.	.	70.900	263.000
		PC/B45	3	0	MG/L	0.124	2.41	.	.	1.250	1.150
		PC/BENCH	5	0	MG/L	0.333	0.63	.	.	0.473	0.111
		PC/PILOT-C	8	8	MG/L	.	.	0.01	0.01	0.010	0.000
		PC/PILOT-C-REC	8	0	MG/L	0.027	0.04	.	.	0.034	0.004
		PC/PILOT-T-REC	8	7	MG/L	0.012	0.01	0.01	0.01	0.010	0.001
TOLUENE	30487	PC	23	23	MG/L	.	.	0.10	0.10	0.100	0.000
TOLUENE	30832	PT/38	3	0	MG/L	0.140	0.37	.	.	0.240	0.118
		PT/76	5	0	MG/L	0.070	9.50	.	.	3.150	4.220
TOLUENE	31105	# 2843	5	5	MG/L	.	.	0.01	0.01	0.010	0.000
		#2846-B	4	0	MG/L	0.002	0.00	.	.	0.002	0.000

Appendix B.6
Listing of Summary Statistics for A/C Directs: PSES and PSNS

Analyte	Cas_no	Facility Code	Sample Site	Sample Type	Units	No. of Obs.	No. of ND	Min. ND	Max. ND	Min. Detect	Max. Detect	Sample Mean	Std. Dev
AMMONIA	7664417	30540	FC	C	MG/L	8	0	.	.	1.400	3.7	2.56	0.688
AMMONIA	7664417	30542	SE	C	MG/L	100	12	0.03	0.03	0.090	19.9	1.70	3.190
AMMONIA	7664417	30669	FC	24C	MG/L	114	0	.	.	0.041	94.4	13.00	23.600
AMMONIA	7664417	30759	SE	*	MG/L	909	0	.	.	1.400	61.6	12.50	8.070
AMMONIA	7664417	31040	FC	*	MG/L	515	83	0.03	0.03	1.000	162.0	13.80	24.500

Appendix B.7
Listing of Summary Statistics for B/D Indirects: PSES and PSNS

Analyte	Facility Code	Sample Site	No. of Obs.	No. of ND	Units	Min. Detect	Max. Detect	Min. ND	Max. ND	Sample Mean	Std. Dev
2-PROPANONE (ACETONE)	30329	PC	20	4	MG/L	10.400	103.00	0.73	0.73	32.300	31.400
		PC/PILOT-C	8	0	MG/L	0.197	0.77	.	.	0.389	0.220
		PC/PILOT-C-REC	8	0	MG/L	1.220	9.68	.	.	5.610	3.680
2-PROPANONE (ACETONE)	30487	PC	23	0	MG/L	0.818	5.84	.	.	2.650	1.380
2-PROPANONE (ACETONE)	30832	PT/76	5	0	MG/L	7.800	1800.00	.	.	732.000	851.000
2-PROPANONE (ACETONE)	31105	# 2843	5	5	MG/L	.	.	0.05	0.05	0.050	0.000
		#2846-B	4	0	MG/L	0.069	16.00	.	.	4.070	7.960
METHYLENE CHLORIDE	30329	PC	25	19	MG/L	0.150	4.60	0.06	0.06	0.329	0.917
		PC/PILOT-C	8	5	MG/L	0.192	0.40	0.01	0.01	0.106	0.146
		PC/PILOT-C-REC	8	8	MG/L	.	.	0.01	0.01	0.010	0.000
METHYLENE CHLORIDE	30487	PC	23	22	MG/L	0.101	0.10	0.10	0.10	0.100	0.000
METHYLENE CHLORIDE	30618	PC	13	13	MG/L	.	.	1.00	1.00	1.000	0.000
METHYLENE CHLORIDE	30832	PT/76	4	1	MG/L	0.045	4.90	0.01	0.01	2.010	2.410

Appendix C.1-C.7

Appendix C.1
Listing of Long-Term Means and Variability Factors for A/C Directs: BAT

Analyte	Facility Code	Sample Site	Units	Source	No. of Obs.	Percent of ND	Detection Limit	Min. Detect	Sample Long-Term Mean	1-Day VF	4-Day VF
1,2-DICHLOROETHANE	30623	SE	MG/L	I	10	20.00	0.010	0.012	0.071	6.780	2.360
				P	3	33.33	0.002	0.003	0.038	.	.
2-METHYLPYRIDINE	30540	SE	MG/L	I	10	100.00	0.050	.	0.050	.	.
				N	8	100.00	0.011	.	0.011	.	.
ACETONE	30540	SE	MG/L	I	10	50.00	0.050	0.055	0.137	8.170	2.620
				N	8	50.00	0.100	0.012	0.061	0.852	1.470
ACETONE	30623	SE	MG/L	I	10	50.00	0.050	0.053	0.066	2.260	1.320
				N	6	0.00	0.050	0.050	0.219	7.750	2.590
ACETONITRILE	30540	SE	MG/L	N	5	100.00	0.100	.	0.090	.	.
ACETONITRILE	30623	SE	MG/L	I	7	100.00	0.005	.	0.005	.	.
BENZENE	30623	SE	MG/L	P	3	100.00	0.002	.	0.002	.	.
CHLOROFORM	30050	SE	MG/L	V	3	100.00	0.001	.	0.001	.	.
CHLOROFORM	30540	SE	MG/L	I	10	100.00	0.010	.	0.010	.	.
				N	8	100.00	0.005	.	0.003	.	.
CHLOROFORM	30623	SE	MG/L	I	10	60.00	0.010	0.013	0.013	2.180	1.310
				P	3	0.00	0.010	0.010	0.014	1.900	1.260
CHLOROMETHANE	30010	SE	MG/L	V	3	0.00	0.100	0.100	0.293	4.580	1.870
CHLOROMETHANE	30540	SE	MG/L	I	10	90.00	0.050	0.124	0.053	.	.
				N	8	100.00	0.010	.	0.007	.	.
ETHANOL	30010	SE	MG/L	N	8	75.00	1.000	1.000	1.100	.	.
ETHANOL	30540	SE	MG/L	I	10	90.00	0.500	5.520	1.000	.	.
				N	8	100.00	5.000	.	3.000	.	.
ETHANOL	30623	SE	MG/L	I	10	100.00	0.500	.	0.530	.	.
ETHANOL	30701	FIL/EOP	MG/L	P	7	0.00	4.493	4.490	8.020	3.400	1.610
ETHYL ACETATE	30540	SE	MG/L	I	10	90.00	0.500	0.600	0.510	.	.
				N	8	100.00	0.010	.	0.008	.	.
FORMALDEHYDE	30010	SE	MG/L	N	3	33.33	0.049	0.208	0.193	.	.
FORMALDEHYDE	30623	SE	MG/L	I	9	0.00	0.120	0.120	0.343	4.310	1.820
HEPTANE	30623	SE	MG/L	I	8	100.00	0.005	.	0.005	.	.
HEXANE	30623	SE	MG/L	I	10	100.00	0.005	.	0.005	.	.
				N	7	0.00	0.014	0.014	0.023	2.210	1.340
ISOPROPANOL	30540	SE	MG/L	I	10	100.00	0.500	.	0.500	.	.
				N	8	100.00	2.000	.	1.050	.	.

Appendix C.1
Listing of Long-Term Means and Variability Factors for A/C Directs: BAT

Analyte	Facility Code	Sample Site	Units	Source	No. of Obs.	Percent of ND	Detection Limit	Min. Detect	Sample Long-Term Mean	1-Day VF	4-Day VF
ISOPROPYL ACETATE	30540	SE	MG/L	I	10	100.00	0.500	.	0.500	.	.
				N	4	100.00	0.010	.	0.010	.	.
METHANOL	30010	SE	MG/L	N	8	87.50	0.500	0.500	0.500	.	.
METHANOL	30540	SE	MG/L	I	9	0.00	2.260	2.260	5.340	2.960	1.520
				N	8	100.00	5.000	.	2.750	.	.
METHANOL	30623	SE	MG/L	I	10	100.00	0.500	.	0.650	.	.
METHYLENE CHLORIDE	30623	SE	MG/L	I	10	80.00	0.010	0.327	0.120	.	.
				N	8	0.00	0.010	0.010	0.097	10.300	3.200
				P	3	0.00	0.010	0.010	0.071	9.160	2.930
N,N-DIMETHYLFORMAMIDE	30623	SE	MG/L	I	9	100.00	0.010	.	0.011	.	.
PHENOL	30125	TE	MG/L	3	4	100.00	0.030	.	0.010	.	.
PHENOL	30623	SE	MG/L	I	7	100.00	0.010	.	0.011	.	.
TETRAHYDROFURAN (THF)	30623	SE	MG/L	I	9	22.22	0.005	0.076	1.090	9.220	2.880
				N	8	0.00	0.007	0.007	0.476	12.300	3.630
TOLUENE	30010	SE	MG/L	V	3	100.00	0.010	.	0.010	.	.
TOLUENE	30050	SE	MG/L	V	3	100.00	0.001	.	0.001	.	.
TOLUENE	30125	TE	MG/L	3	4	100.00	0.006	.	0.006	.	.
TOLUENE	30540	SE	MG/L	I	10	100.00	0.010	.	0.010	.	.
				N	8	100.00	0.006	.	0.006	.	.
TOLUENE	30573	SE	MG/L	V	3	0.00	0.007	0.007	0.021	7.260	2.480
TOLUENE	30623	SE	MG/L	I	10	100.00	0.010	.	0.010	.	.
				N	7	0.00	0.010	0.010	0.029	4.580	1.880
				P	3	66.67	0.002	0.053	0.019	.	.
TOTAL XYLENES	30540	SE	MG/L	N	4	100.00	0.005	.	0.005	.	.

Appendix C.1
Listing of Long-Term Means and Variability Factors for A/C Directs: BAT

Analyte	Facility Code	Sample Site	No. of Obs.	Percent of ND	Units	Detection Limit	Min. Detect	Sample Long-Term Mean	Sample Max	1-Day VF	4-Day VF
AMMONIA	30540	FC	8	0.00	MG/L	1.400	1.400	2.56	3.7	1.89	1.26
AMMONIA	30542	SE	100	12.00	MG/L	0.030	0.030	1.70	19.9	6.72	2.35
AMMONIA	30669	FC	114	0.00	MG/L	0.041	0.041	13.00	94.4	13.00	2.44
AMMONIA	30759	SE	909	0.00	MG/L	1.400	1.400	12.50	61.6	3.60	1.66
AMMONIA	31040	FC	515	16.12	MG/L	0.030	0.000	13.80	162.0	8.89	2.82

Appendix C.2
Listing of Long-Term Means and Variability Factors for A/C Directs: NSPS

Analyte	Proposed Subcat	Stream Code	Facility	Sample Size	Mean	Unbiased Std Dev	1-Day VF	30-Day VF	Uses Avg. Auto-Corr Coef.	Lag-1 Auto-Corr Coef.
BOD	A/C	410	30010	600	47.6	42.7	4.570	1.75		0.818
BOD	A/C	460	30623	431	76.8	50.4	3.420	1.41		0.669
BOD	A/C	700	30540	1756	98.4	62.3	3.270	1.44		0.731
COD	A/C	410	30010	950	296.0	209.0	3.550	1.68		0.875
COD	A/C	460	30623	431	850.0	339.0	2.170	1.20		0.543
COD	A/C	700	30540	1775	764.0	410.0	2.790	1.38		0.745
TSS	A/C	410	30010	693	55.3	81.0	7.190	2.00		0.746
TSS	A/C	460	30623	431	110.0	83.7	3.840	1.47		0.680
TSS	A/C	700	30540	1780	149.0	120.0	4.020	1.52		0.700

For all other NSPS analytes, NSPS data is the same as A/C Directs: BAT

Appendix C.3
Listing of Long-Term Means and Variability Factors for B/D Directs: NSPS

Analyte	Proposed Subcat	Stream Code	Facility	Sample Size	Mean	Unbiased Std Dev	1-Day VF	30-Day VF	Uses Avg. Auto-Corr Coef.	Lag-1 Auto-Corr Coef.
BOD	B/D	460	30637	12	13.5	.	2.610	1.34	YES	0.739
COD	B/D	460	30637	12	55.4	.	4.110	1.55	YES	0.721
TSS	B/D	460	30637	12	23.4	.	2.460	1.30	YES	0.709

Appendix C.4

Listing of Long-Term Means and Variability Factors for A/C Directs: BPT and BAT

Analyte	Proposed Subcat	Stream Code	Facility	Sample Size	Mean	Unbiased Std Dev	1-Day VF	30-Day VF	Uses Avg. Auto-Corr Coef.	Lag-1 Auto-Corr Coef.
COD	A/C	410	30010	950	296	209	3.550	1.68		0.875
COD	A/C	700	30540	1775	764	410	2.790	1.38		0.745
COD	A/C	460	30623	431	850	339	2.170	1.20		0.543

Appendix C.5

Listing of Long-Term Means and Variability Factors for B/D Directs: BPT and BAT

Analyte	Proposed Subcat	Stream Code	Facility	Sample Size	Mean	Unbiased Std Dev	1-Day VF	30-Day VF	Uses Avg. Auto-Corr Coef.	Lag-1 Auto-Corr Coef.
COD	B/D	460	30637	12	55.4	.	4.110	1.55	YES	0.721

Appendix C.6

Listing of Long-Term Mean and Variability Factors for A/C Indirects: PSES and PSNS

Analyte	Facility Code	Sample Site	No. of Obs.	% ND	Units	Detection Limit	Min. Detect	Sample Long-Term Mean	Sample Max.	1-Day VF	4-Day VF
2-PROPANONE (ACETONE)	30329	PC	20	20.00	MG/L	0.730	10.400	32.300	103.00	5.29	2.07
		PC/PILOT-C	8	0.00	MG/L	0.197	0.197	0.389	0.77	3.07	1.54
		PC/PILOT-C-REC	8	0.00	MG/L	1.220	1.220	5.610	9.68	4.90	1.94
2-PROPANONE (ACETONE)	30487	PC	23	0.00	MG/L	0.818	0.818	2.650	5.84	3.30	1.59
2-PROPANONE (ACETONE)	30832	PT/76	5	0.00	MG/L	7.800	7.800	732.000	1800.00	14.90	3.72
2-PROPANONE (ACETONE)	31105	# 2843	5	100.00	MG/L	0.050	.	0.050	0.05	.	.
		#2846-B	4	0.00	MG/L	0.069	0.069	4.070	16.00	14.30	3.02
CHLOROFORM	30329	PC	16	93.75	MG/L	0.040	0.091	0.046	0.09	.	.
		PC/PILOT-C	8	100.00	MG/L	0.010	.	0.010	0.01	.	.
		PC/PILOT-C-REC	8	100.00	MG/L	0.010	.	0.010	0.01	.	.
		PC/PILOT-T-REC	8	100.00	MG/L	0.010	.	0.010	0.01	.	.
METHYLENE CHLORIDE	30329	PC	25	76.00	MG/L	0.060	0.150	0.329	4.60	13.80	3.65
		PC/PILOT-C	8	62.50	MG/L	0.010	0.192	0.106	0.40	5.01	2.20
		PC/PILOT-C-REC	8	100.00	MG/L	0.010	.	0.010	0.01	.	.
METHYLENE CHLORIDE	30487	PC	23	95.65	MG/L	0.100	0.101	0.100	0.10	.	.
METHYLENE CHLORIDE	30618	PC	13	100.00	MG/L	1.000	.	1.000	1.00	.	.
METHYLENE CHLORIDE	30832	PT/76	4	25.00	MG/L	0.010	0.045	2.010	4.90	14.50	2.99
TETRAHYDROFURAN	30329	PC	14	100.00	MG/L	0.700	.	0.750	1.40	.	.
		PC/BENCH	5	0.00	MG/L	0.220	0.220	1.540	2.57	5.97	2.18
TETRAHYDROFURAN	30832	PT/76	3	33.33	MG/L	0.500	68.000	66.200	130.00	.	.
TOLUENE	30329	PC	29	0.00	MG/L	0.260	0.260	70.900	1400.00	14.70	3.82
		PC/B45	3	0.00	MG/L	0.124	0.124	1.250	2.41	11.10	3.38
		PC/BENCH	5	0.00	MG/L	0.333	0.333	0.473	0.63	1.69	1.21
		PC/PILOT-C	8	100.00	MG/L	0.010	.	0.010	0.01	.	.
		PC/PILOT-C-REC	8	0.00	MG/L	0.027	0.027	0.034	0.04	1.33	1.11
		PC/PILOT-T-REC	8	87.50	MG/L	0.010	0.012	0.010	0.01	.	.
TOLUENE	30487	PC	23	100.00	MG/L	0.100	.	0.100	0.10	.	.
TOLUENE	30832	PT/38	3	0.00	MG/L	0.140	0.140	0.240	0.37	2.76	1.47
		PT/76	5	0.00	MG/L	0.070	0.070	3.150	9.50	14.90	3.75
TOLUENE	31105	# 2843	5	100.00	MG/L	0.010	.	0.010	0.01	.	.
		#2846-B	4	0.00	MG/L	0.002	0.002	0.002	0.00	1.00	1.00

Appendix C.6
Listing of Long-Term Means and Variability Factors for A/C Directs: PSES and PSNS

Analyte	Facility Code	Sample Site	No. of Obs.	Percent of ND	Units	Detection Limit	Min. Detect	Sample Long-Term Mean	Sample Max	Daily VF	4-Day VF
AMMONIA	30540	FC	8	0.00	MG/L	1.400	1.400	2.56	3.7	1.89	1.26
AMMONIA	30542	SE	100	12.00	MG/L	0.030	0.030	1.70	19.9	6.72	2.35
AMMONIA	30669	FC	114	0.00	MG/L	0.041	0.041	13.00	94.4	13.00	2.44
AMMONIA	30759	SE	909	0.00	MG/L	1.400	1.400	12.50	61.6	3.60	1.66
AMMONIA	31040	FC	515	16.12	MG/L	0.030	0.000	13.80	162.0	8.89	2.82

Appendix C.7
Listing of Long-Term Means and Variability Factors for B/D Indirects: PSES and PSNS

Analyte	Facility Code	Sample Site	No. of Obs.	% ND	Units	Detection Limit	Min. Detect	Sample Long-Term Mean	Sample Max.	Daily VF	4-Day VF
2-PROPANONE (ACETONE)	30329	PC	20	20.00	MG/L	0.730	10.400	32.300	103.00	5.29	2.07
		PC/PILOT-C	8	0.00	MG/L	0.197	0.197	0.389	0.77	3.07	1.54
		PC/PILOT-C-REC	8	0.00	MG/L	1.220	1.220	5.610	9.68	4.90	1.94
2-PROPANONE (ACETONE)	30487	PC	23	0.00	MG/L	0.818	0.818	2.650	5.84	3.30	1.59
2-PROPANONE (ACETONE)	30832	PT/76	5	0.00	MG/L	7.800	7.800	732.000	1800.00	14.90	3.72
2-PROPANONE (ACETONE)	31105	# 2843	5	100.00	MG/L	0.050	.	0.050	0.05	.	.
		#2846-B	4	0.00	MG/L	0.069	0.069	4.070	16.00	14.30	3.02
METHYLENE CHLORIDE	30329	PC	25	76.00	MG/L	0.060	0.150	0.329	4.60	13.80	3.65
		PC/PILOT-C	8	62.50	MG/L	0.010	0.192	0.106	0.40	5.01	2.20
		PC/PILOT-C-REC	8	100.00	MG/L	0.010	.	0.010	0.01	.	.
METHYLENE CHLORIDE	30487	PC	23	95.65	MG/L	0.100	0.101	0.100	0.10	.	.
METHYLENE CHLORIDE	30618	PC	13	100.00	MG/L	1.000	.	1.000	1.00	.	.
METHYLENE CHLORIDE	30832	PT/76	4	25.00	MG/L	0.010	0.045	2.010	4.90	14.50	2.99

Appendix D.1-D.7

Appendix D.1
Listing of Long Term Means, Variability Factors, and Limitations
for A/C Directs: BAT

Analyte	Unit	No. Facilities	Sample Long-Term Mean	Daily VF	Daily Limit	4 Day VF	4 Day Limit	VF Transfer#	LTM Reset
1,2-DICHLOROETHANE	MG/L	2	0.055	6.780	0.371	2.360	0.129		
2-METHYLPYRIDINE	MG/L	2	0.030	5.010	0.151	2.030	0.061	Y1	
ACETONE	MG/L	4	0.101	5.010	0.507	2.030	0.206		
ACETONITRILE	MG/L	2	5.000	5.010	25.000	2.030	10.200	Y1	Y
BENZENE	MG/L	1	0.010	5.010	0.050	2.030	0.020	Y1	Y
CHLOROFORM	MG/L	5	0.010	2.040	0.020	1.290	0.013		
CHLOROMETHANE	MG/L	3	0.053	4.580	0.244	1.870	0.100		
DIETHLYAMINE	MG/L	NA	50.000	5.010	250.000	2.030	102.000	Y2	Y
DIMETHYL SULFOXIDE	MG/L	NA	20.000	4.580	91.500	1.870	37.500	Y2	Y
ETHANOL	MG/L	NA	2.000	5.010	10.000	2.030	4.060	Y1	Y
ETHYL ACETATE	MG/L	2	0.259	5.010	1.300	2.030	0.525	Y1	
FORMALDEHYDE	MG/L	2	0.268	4.310	1.160	1.820	0.487		
HEPTANE	MG/L	1	0.010	5.010	0.050	2.030	0.020	Y1	Y
HEXANE	MG/L	2	0.014	2.210	0.031	1.340	0.019		
ISOPROPANOL	MG/L	2	0.775	5.010	3.880	2.030	1.570	Y1	
ISOPROPYL ACETATE	MG/L	2	0.255	5.010	1.280	2.030	0.518	Y1	
METHANOL	MG/L	NA	2.000	5.010	10.000	2.030	4.060	Y1	Y
METHYL CELLOSOLVE	MG/L	NA	20.000	5.010	100.000	2.030	40.600	Y2	Y
METHYLENE CHLORIDE	MG/L	3	0.097	9.750	0.948	3.060	0.298		
N,N-DIMETHYLFORMAMIDE	MG/L	1	0.011	5.010	0.057	2.030	0.023	Y1	
PHENOL	MG/L	2	0.011	5.010	0.054	2.030	0.022	Y1	
TETRAHYDROFURAN (THF)	MG/L	2	0.784	10.800	8.440	3.250	2.550		
TOLUENE	MG/L	9	0.010	5.920	0.059	2.180	0.022		
TOTAL XYLENES	MG/L	1	0.005	5.010	0.025	2.030	0.010	Y1	
TRIETHYLAMINE	MG/L	NA	50.000	5.010	250.000	2.030	102.000	Y2	Y
AMMONIA	MG/L	5	12.500	6.720	84.100	2.350	29.400		

#Y1 indicates VFs transferred from median VFs, Y2 indicates VFs transferred from the pollutants identified in Table 6-2

Appendix D.2

Listing of Long-Term Mean, Variability Factors and Limitations for A/C Directs: NSPS

Analyte	SUBCAT	Number Facilities	Mean LTM	Mean 1-Day VF	Mean 30-Day VF	Mean 1-Day Limit	Mean 30-Day Limit
BOD	A/C	3	74.3	3.75	1.53	267.2	111.1
COD	A/C	3	637.0	2.84	1.42	1675.0	856.0
TSS	A/C	3	105.0	5.02	1.66	472.3	166.1

For all other NSPS analytes, NSPS data is the same as A/C Directs: BAT

Appendix D.3

Listing of Long-Term Mean, Variability Factors and Limitations for B/D Directs: NSPS

Analyte	SUBCAT	Number Facilities	Mean LTM	Mean 1-Day VF	Mean 30-Day VF	Mean 1-Day Limit	Mean 30-Day Limit
BOD	B/D	1	13.5	2.61	1.34	35.20	18.15
COD	B/D	1	55.4	4.11	1.55	227.70	85.75
TSS	B/D	1	23.4	2.46	1.30	57.66	30.50

Appendix D.4

Listing of Long-Term Mean, Variability Factors and Limitations for A/C Directs: BPT and BAT

Analyte	SUBCAT	Number Facilities	Mean LTM	Mean 1-Day VF	Mean 30-Day VF	Mean 1-Day Limit	Mean 30-Day Limit
COD	A/C	3	637	2.84	1.42	1675	856

Appendix D.5

Listing of Long-Term Mean, Variability Factors and Limitations for B/D Directs: BPT and BAT

Analyte	SUBCAT	Number Facilities	Mean LTM	Mean 1-Day VF	the mean, VF3CORG	Mean 1-Day Limit	Mean 30-Day Limit
COD	B/D	1	55.4	4.11	1.55	227.7	85.75

Appendix D.6
Listing of Long Term Means, Variability Factors, and Limitations
for A/C Indirects: PSES and PSNS

Analyte	Units	Number of Facilities	Sample Long-Term Mean	Daily VF	Daily Limit	4 Day VF	4 Day Limit	VF Transfer	LTM Reset
2-PROPANONE (ACETONE)	MG/L	7	4.070	5.09	20.700	2.01	8.160		
CHLOROFORM	MG/L	4	0.010	5.53	0.055	2.09	0.021	Y1	
DIETHYLAMINE	MG/L	NA	50.000	5.09	255.000	2.01	100.000	Y2	Y
METHYL CELLOSOLVE	MG/L	NA	20.000	13.80	275.000	2.99	59.700	Y2	Y
METHYLENE CHLORIDE	MG/L	6	0.218	13.80	3.000	2.99	0.650		
TETRAHYDROFURAN	MG/L	3	1.540	5.97	9.210	2.18	3.360		
TOLUENE	MG/L	11	0.100	2.76	0.276	1.47	0.147		
TRIETHYLAMINE	MG/L	NA	50.000	5.09	255.000	2.01	100.000	Y2	Y
AMMONIA	MG/L	5	12.500	6.72	84.100	2.35	29.400		

#Y1 indicates VFs transferred from median VFs, Y2 indicates VFs transferred from the pollutants identified in Table 6-3

Appendix D.7
Listing of Long Term Means, Variability Factors, and Limitations
for B/D Indirects: PSES and PSNS

Analyte	Units	Number of Facilities	Sample Long-Term Mean	Daily VF	Daily Limit	4 Day VF	4 Day Limit	VF Transfer#	LTM Reset
2-PROPANONE (ACETONE)	MG/L	7	4.070	5.09	20.7	2.01	8.16		
METHYLENE CHLORIDE	MG/L	6	0.218	13.80	3.0	2.99	0.65		

#Y1 indicates VFs transferred from median VFs, Y2 indicates VFs transferred
from the pollutants identified in Table 6-3