




DRINKING WATER REGULATIONS AND HEALTH ADVISORIES





DRINKING WATER REGULATIONS AND HEALTH ADVISORIES


by

**Office of Water
U.S. Environmental Protection Agency
Washington, D.C.**

February 1996



Recycled/Recyclable
Printed on paper that contains
at least 50% recycled fiber.



These regulations and health advisory tables are revised every 6 months by EPA's Office of Water. Although no permanent mailing list is kept, copies may be ordered free of charge from the:

SAFE DRINKING WATER HOTLINE

1-800-426-4791

Monday thru Friday, 9:00 AM to 5:30 PM EST.

Copies of the supportive technical documentation for the health advisories can be obtained for a fee from the:

Educational Resource Information Center (ERIC)

1929 Kenny Road

Columbus, OH 43210-1080


Telephone number (614) 292-6717

FAX (614) 292-0263

e-mail ERICSE@osu.edu

Payment by Purchase Order/check/Visa or Mastercard.

The Health Advisories available and their ERIC order numbers are included at the end of this publication. For further information regarding the Drinking Water Regulations and Health Advisories, call Barbara Corcoran in EPA's Office of Water at (202) 260-1332.



LEGEND

Abbreviations column descriptions are:

- MCLG** - Maximum Contaminant Level Goal. A non-enforceable concentration of a drinking water contaminant that is protective of adverse human health effects and allows an adequate margin of safety.
- MCL** - Maximum Contaminant Level. Maximum permissible level of a contaminant in water which is delivered to any user of a public water system.
- RfD** - Reference Dose. An estimate of a daily exposure to the human population that is likely to be without appreciable risk of deleterious effects over a lifetime.
- DWEL** - Drinking Water Equivalent Level. A lifetime exposure concentration protective of adverse, non-cancer health effects, that assumes all of the exposure to a contaminant is from a drinking water source.

(*) The codes for the Status Reg and Status HA columns are as follows:

- F** - final
D - draft
L - listed for regulation
P - proposed
T - tentative (*not officially proposed*)

Other codes found in the table include the following:

- NA** - not applicable
PS - performance standard 0.5 NTU - 1.0 NTU
TT - treatment technique
- **** - No more than 5% of the samples per month may be positive. For systems collecting fewer than 40 samples/month, no more than 1 sample per month may be positive.
- ***** - guidance

- Large discrepancies between Lifetime and Longer-term HA values may occur because of the Agency's conservative policies, especially with regard to carcinogenicity, relative source contribution, and less-than-lifetime exposures in chronic toxicity testing. These factors can result in a cumulative UF (uncertainty factor) of up to 5 to 5000 when calculating a Lifetime HA.

The scheme for categorizing chemicals according to their carcinogenic potential is as follows: *

Group A: Human carcinogen

Sufficient evidence in epidemiologic studies to support causal association between exposure and cancer

Group B: Probable human carcinogen

Limited evidence in epidemiologic studies (Group B1) *and/or* sufficient evidence from animal studies (Group B2)

Group C: Possible human carcinogen

Limited evidence from animal studies and inadequate or no data in humans

Group D: Not classifiable

Inadequate or no human and animal evidence of carcinogenicity

Group E: No evidence of carcinogenicity for humans

No evidence of carcinogenicity in at least two adequate animal tests in different species or in adequate epidemiologic and animal studies

Drinking Water Health Advisories (HAs) are defined as follows:

One-day HA

The concentration of a chemical in drinking water that is not expected to cause any adverse noncarcinogenic effects for up to 5 consecutive days of exposure, with a margin of safety.

Ten-day HA

The concentration of a chemical in drinking water that is not expected to cause any adverse noncarcinogenic effects up to 14 consecutive days of exposure, with a margin of safety.


Long-term HA

The concentration of a chemical in drinking water that is not expected to cause any adverse noncarcinogenic effects up to approximately 7 years (10% of an individual's lifetime) of exposure, with a margin of safety.

*EPA is in the process of revising the Cancer Guidelines.

Lifetime HA

The concentration of a chemical in drinking water that is not expected to cause any adverse noncarcinogenic effects over a lifetime of exposure, with a margin of safety.



Drinking Water Standards and Health Advisories

November 1995

November 1988

Chemicals	Standards			Status HA	10-kg Child				70-kg Adult				Cancer Group	
	Status Reg.	MCLG (mg/l)	MCL (mg/l)		One-day (mg/l)	Ten-day (mg/l)	Longer- term (mg/l)	Longer- term (mg/l)	RfD (mg/kg/ day)	DWEL (mg/l)	Lifetime (mg/l)	mg/l at 10 ⁻⁴ Cancer Risk		
ORGANICS														
Acenaphthene	-	-	-	-	-	-	-	-	0.06	-	-	-	-	-
Acidfluorene	T	zero	-	2	2	0.1	0.4	0.013	0.4	-	-	0.1	B2	
Acrylamide	F	zero	TT	1.5	0.3	0.02	0.07	0.0002	0.007	-	-	0.001	B2	
Acrylonitrile	T	zero	-	-	-	-	-	-	-	-	-	0.008	B1*	
Adipate (diethylhexyl)	F	0.4	0.4	20	20	20	60	0.6	20	20	0.4	3	C	
Alachlor	F	zero	0.002	0.1	0.1	-	-	0.01	0.4	-	-	0.04	B2	
Aldicarb**	D	0.007	0.007	-	-	-	-	0.001	0.035	0.035	0.007	-	D	
Aldicarb sulfone**	D	0.007	0.007	-	-	-	-	0.001	0.035	0.035	0.007	-	D	
Aldicarb sulfoxide**	D	0.007	0.007	-	-	-	-	0.001	0.035	0.035	0.007	-	D	
Aldrin	-	-	-	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.001	-	0.0002	B2	
Ametryn	-	-	-	9	9	0.9	3	0.009	0.3	0.3	0.06	-	D	
Ammonium sulfamate	-	-	-	20	20	20	60	0.28	8	8	2	-	D	
Anthracene (PAH)***	-	-	-	-	-	-	-	0.3	-	-	-	-	D	
Atrazine	F	0.003	0.003	0.1	0.1	0.05	0.2	0.035	0.2*	0.035*	-	-	C	
Baygon	-	-	-	0.04	0.04	0.04	0.1	0.004	0.1	0.1	0.003	-	C	
Bentazon	T	0.02	-	0.3	0.3	0.3	0.9	0.0025	0.09	0.09	0.02	-	D	
Benz(a)anthracene (PAH)	-	-	-	-	-	-	-	-	-	-	-	-	B2	
Benzene	F	zero	0.005	0.2	0.2	-	-	-	-	-	-	0.1	A	
Benzo(a)pyrene (PAH)	F	zero	0.002	-	-	-	-	-	-	-	-	0.0002*	B2*	
Benzo(b)fluoranthene (PAH)	-	-	-	-	-	-	-	-	-	-	-	-	B2	
Benzo(g,h,i)perylene (PAH)	-	-	-	-	-	-	-	-	-	-	-	-	D	
Benzo(k)fluoranthene (PAH)	-	-	-	-	-	-	-	-	-	-	-	-	B2	
bis-2-Chloroisopropyl ether	-	-	-	4	4	4	13	0.04	1	1	0.3	-	D	
Bromacil	L	-	-	5	5	3	9	0.13	5	5	0.09	-	C	
Bromobenzene	L	-	-	-	-	-	-	-	-	-	-	-	-	

* Under review.
 **NOTE: The HA value or the MCLG/MCL value for any two or more of these three chemicals should remain at 0.007 mg/L because of similar mode of action.
 ***PAH = Polyaromatic hydrocarbon
 *See 40CFR Parts 141 and 142
 NOTE: Anthracene and Benzo(g,h,i)perylene — not proposed in Phase V.
 NOTE: Changes from the last version are noted in **Italic** and **Bold Face** print.

Drinking Water Standards and Health Advisories

November 1995

Chemicals	Standards		Status HA	Health Advisories						Cancer Group		
	Status Reg.	MCLG (mg/l)		MCL (mg/l)	10-kg Child			70-kg Adult				
					One-day (mg/l)	Two-day (mg/l)	Longer-term (mg/l)	Longer-term (mg/l)	RfD (mg/kg/day)	DNEL (mg/l)	Lifetime (mg/l)	mg/l at 10 ⁻⁶ Cancer Risk
Bromochloroacetonitrile	T	-	D	-	-	-	-	-	-	-	-	-
Bromochloromethane	-	-	F	0.1	0.1	0.1	0.5	0.013	0.05	0.09	-	-
Bromodichloromethane (THM)	P	zero	D	6	6	4	13	0.02	0.7	-	0.06	B2
Bromoform (THM)	P	zero	D	5	2	2	8	0.02	0.7	-	0.4	B2
Bromomethane	T	-	F	0.1	0.1	0.1	0.5	0.001	0.04	0.01	-	D
Butyl benzyl phthalate (PAE)***	-	-	-	-	-	-	-	0.2	7	-	-	C
Butylate	-	-	F	2	2	1	4	0.05	2	0.35	-	D
Butylbenzene n-	-	-	D	-	-	-	-	-	-	-	-	-
Butylbenzene sec-	-	-	D	-	-	-	-	-	-	-	-	-
Butylbenzene tert-	-	-	D	-	-	-	-	-	-	-	-	-
Carbaryl	-	-	D	1	1	1	1	0.1	4	0.7	-	D
Carbofuran	F	0.04	F	0.05	0.05	0.05	0.2	0.005	0.2	0.04	-	E
Carbon tetrachloride	F	zero	F	4	0.2	0.07	0.3	0.0007	0.03	-	0.03	B2
Carboxin	-	-	F	1	1	1	4	0.1	4	0.7	-	D
Chloral hydrate	P	0.04	D	7	0.2	0.2	0.8	0.0002	0.06	0.06	-	C
Chloramben	-	-	F	3	3	0.2	0.5	0.015	0.5	0.1	-	D
Chlordane	F	zero	F	0.06	0.06	-	-	0.00006	0.002	-	0.003	B2
Chlorodibromomethane (THM)	P	0.06	D	6	6	2	8	0.02	0.7	0.06	-	C
Chloroethane	L	-	D	-	-	-	-	-	-	-	-	B
Chloroform (THM)	P	zero	D	4	4	0.1	0.4	0.01	0.4	0.6	0.6	B2
Chloromethane	L	-	F	9	0.4	0.4	1	0.004	0.1	0.003	-	C
Chlorophenol (2-)	-	-	D	0.6	0.6	0.5	2.0	0.005	0.2	0.04	-	D
p-Chlorophenyl methyl sulfide/sulfone/sulfoxide	-	-	**	-	-	-	-	-	-	-	-	D
Chloroform	L	-	-	-	-	-	-	-	-	-	-	-
Chlorothalonil	-	-	F	0.2	0.2	0.2	0.5	0.015	0.5	-	0.15	B2
Chlorobenzene o-	L	-	F	2	2	2	7	0.02	0.7	0.1	-	D
Chlorobenzene p-	L	-	F	2	2	2	7	0.02	0.7	0.1	-	D
Chlorpyrifos	-	-	F	0.03	0.03	0.03	0.1	0.003	0.1	0.02	-	D
Chrysene (PAH)	-	-	-	-	-	-	-	-	-	-	***	B2
Cyanazine***	T	0.001	D	0.1	0.1	0.02	0.07	0.002	0.07	0.001***	-	C

* Current MCL **A HA will not be developed due to insufficient data; a "Database Deficiency Report has been published.

* 1994 Proposed rule for Disinfectants and Disinfection By-products: Total for all THMs combined cannot exceed the 0.08 level.

Total for all haloacetic acids cannot exceed 0.06 level. *PAE = phthalate acid ester ***Draft HA updated for the Phase VIB regulation, which has been postponed. It includes the change of the cancer classification from D to C, thus justifying the use of an additional 10-fold safety factor for the lifetime HA.

Drinking Water Standards and Health Advisories

November 1995

Page 3

Chemicals	Standards			Status HA	Health Advisories						Cancer Group		
	Status Req.	MCLG (mg/l)	MCL (mg/l)		10-kg Child			70-kg Adult					
					One-day (mg/l)	Ten-day (mg/l)	Longer- term (mg/l)	Longer- term (mg/l)	RD (mg/kg/ day)	DWEL (mg/l)		Lifetime (mg/l)	mg/l at 10 ⁻⁴ Cancer Risk
Cyanogen chloride	T	-	-	-	-	-	-	-	-	-	-	-	-
Cymene p-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,4-D	F	0.07	0.07	D	1	0.3	0.1	0.4	0.01	0.4	0.07	-	D
DCPA (Dacthal)	L	-	-	F	80	80	5	20	0.5	20	4	-	D
Dalapon	F	0.2	0.2	F	3	3	0.3	0.9	0.026	0.9	0.2	-	D
Di(2-ethylhexyl)adipate	F	0.4	0.4	-	20	20	20	60	0.6	20	0.4	3	C
Diazinon	-	-	-	F	0.02	0.02	0.005	0.02	0.00009	0.003	0.0006	-	E
Dibromochloromethane	L	-	-	D	2	2	2	6	0.02	0.6	0.02	-	C
Dibromochloropropane (DBCP)	F	zero	0.0002	F	0.2	0.05	-	-	-	-	-	0.003	B2
Dibromomethane	L	-	-	-	-	-	-	-	-	-	-	-	D
Dibutyl phthalate (PAE)	-	-	-	-	-	-	-	-	0.1	4	-	-	D
Dicamba	L	-	-	F	0.3	0.3	0.3	1	0.03	1	0.2	-	D
Dichloroacetaldehyde	L	-	-	D	-	-	-	-	-	-	-	-	-
Dichloroacetic acid	P	zero	0.05**	D	1	1	1	4	0.004	0.1	-	**	B2
Dichloroacetonitrile	L	-	-	D	1	1	0.8	3	0.008	0.3	0.006	-	C
Dichlorobenzene o-	F	0.6	0.6	F	9	9	9	30	0.09	3	0.6	-	D
Dichlorobenzene m-a	-	-	-	F	9	9	9	30	0.09	3	0.6	-	D
Dichlorobenzene p-	F	0.075	0.075	F	10	10	10	40	0.1	4	0.075	-	C
Dichlorodifluoromethane	L	-	-	F	40	40	9	30	0.2	5	1	-	D
Dichloroethane (1,2-)	F	zero	0.005	F	0.7	0.7	0.7	2.8	-	-	-	0.04	B2
Dichloroethylene (1,1-)	F	0.007	0.007	F	2	1	1	4	0.009	0.4	0.007	-	C
Dichloroethylene (cis-1,2-)	F	0.07	0.07	F	4	3	3	11	0.01	0.4	0.07	-	D
Dichloroethylene (trans-1,2-)	F	0.1	0.1	F	20	2	2	6	0.02	0.6	0.1	-	D
Dichloromethane	F	zero	0.005	F	10	2	-	-	0.06	2	-	0.5	B2
Dichlorophenol (2,4-)	-	-	-	D	0.03	0.03	0.03	0.1	0.003	0.1	0.02	-	D
Dichloropropane (1,1-)	-	-	-	D	-	-	-	-	-	-	-	-	-
Dichloropropane (1,2-)	F	zero	0.005	F	-	0.09	-	-	-	-	-	0.06	B2
Dichloropropane (1,3-)	L	-	-	D	-	-	-	-	-	-	-	-	-

* The values for m-dichlorobenzene are based on data for o-dichlorobenzene.

** A quantitative risk estimate has not been determined.

*** Total for all haloacetic acids cannot exceed 0.06 level.

Drinking Water Standards and Health Advisories

November 1995

Page 5

Chemicals	Standards			Status HA	10-kg Child				70-kg Adult				Cancer Group
	Status Reg.	MCLG (mg/l)	MCL (mg/l)		One-day (mg/l)	Ten-day (mg/l)	Longer- term (mg/l)	Longer- term (mg/l)	RfD (mg/kg/ day)	DWEL (mg/l)	Lifetime (mg/l)	mg/l at 10 ⁻⁴ Cancer Risk	
Fluorine	-	-	-	F	2	2	2	5	0.013	0.4	0.09	-	D
Fluorene (PAH)	-	-	-	-	-	-	-	-	0.04	-	-	-	D
Fluorotrichloromethane	L	-	-	F	7	7	3	10	0.3	10	2	-	D
Fog Oil	-	-	-	D	-	-	-	-	-	-	-	-	-
Formos	-	-	-	F	0.02	0.02	0.02	0.07	0.002	0.07	0.01	-	D
Formaldehyde	D	-	-	D	10	5	5	20	0.15	5	1	-	B1**
Gasoline, unleaded (benzene)	-	-	-	D	-	-	-	-	-	-	0.005	-	-
Glyphosate	F	0.7	0.7	F	20	20	1	1	0.1	4	0.7	-	E
Heptachlor	F	zero	0.0004	F	0.01	0.01	0.005	0.005	0.0005	0.02	-	0.0008	B2
Heptachlor epoxide	F	zero	0.0002	F	0.01	-	0.0001	0.0001	1E-5	0.0004	-	0.0004	B2
Hexachlorobenzene	F	zero	0.001	F	0.05	0.05	0.05	0.2	0.0008	0.03	-	0.002	B2
Hexachlorobutadiene	T	0.001	-	F	0.3	0.3	0.1	0.4	0.002	0.07	0.001	-	C
Hexachlorocyclopentadiene	F	0.05	0.05	-	-	-	-	-	0.007	0.2	-	-	D
Hexachloroethane	L	-	-	F	5	5	0.1	0.5	0.001	0.04	0.001	-	C
Hexene (n-)	-	-	-	F	10	4	4	10	-	-	-	-	D
Hexazinone	-	-	-	F	3	3	3	9	0.033*	1*	0.2*	-	D
HMX	-	-	-	F	5	5	5	20	0.05	2	0.4	-	D
Indeno(1,2,3-c,d)pyrene (PAH)	-	-	-	D	-	-	-	-	-	-	-	***	B2
Isophorone	L	-	-	F	15	15	15	15	0.2	7	0.1	4	C
Isopropyl methylphosphonate	-	-	-	D	30	30	30	100	0.1	4.0	0.7	-	D
Isopropylbenzene	-	-	-	D	-	-	-	-	-	-	-	-	-
Lindane	F	0.0002	0.0002	F	1	1	0.03	0.1	0.0003	0.01	0.0002	-	C
Malathion	-	-	-	F	0.2	0.2	0.2	0.8	0.02	0.8	0.2	-	D
Maleic hydrazide*	-	-	-	F	10	10	5	20	0.5	20	4	-	D
MCPA	-	-	-	F	0.1	0.1	0.1	0.4	0.0015	0.05	0.01	-	E
Methomyl	L	-	-	F	0.3	0.3	0.3	0.3	0.025	0.9	0.2	-	D
Methoxychlor	F	0.04	0.04	F	0.05	0.05	0.05	0.2	0.005	0.2	0.04	-	D
Methyl ethyl ketone	-	-	-	F	-	-	-	-	-	-	-	-	-
Methyl parathion	-	-	-	F	0.3	0.3	0.03	0.1	0.0025	0.009	0.002	-	D

* Under review.

** Carcinogenicity based on inhalation exposure.

***See 40CFR Parts 141 and 142

Drinking Water Standards and Health Advisories

November 1995

Chemicals	Standards			Status HA	Health Advisories							Cancer Group	
	Status Req.	MCLG (mg/l)	MCL (mg/l)		10-kg Child			70-kg Adult					
					One-day (mg/l)	Ten-day (mg/l)	Longer-term (mg/l)	Longer-term (mg/l)	RfD (mg/kg/day)	DWEL (mg/l)	Lifetime (mg/l)		mg/l at 10 ⁻⁴ Cancer Risk
Methyl tert butyl ether	L	-	-	24	24	3	12	0.03	1.0	0.02-0.2*	C**		
Metolachlor	L	-	-	2	2	2	2.0	0.1	5.0	0.1	C		
Metribuzin	L	-	-	5	5	0.3	0.5	0.013**	0.5	0.1	D		
Monochloroacetic acid	L	-	-	-	-	-	-	-	-	-	-		
Monochlorobenzene	F	0.1	0.1	2	2	2	7	0.02	0.7	0.1	D		
Naphthalene	-	-	-	0.5	0.5	0.4	1	0.004	0.1	0.02	D		
Nitrocellulose (non-toxic)	-	-	-	-	-	-	-	-	-	-	-		
Nitroguanidine	-	-	-	10	10	10	40	0.1	4	0.7	D		
Nitrophenol p-	-	-	-	0.8	0.8	0.8	3	0.008	0.3	0.08	D		
Oxamyl (Vydate)	F	0.2	0.2	0.2	0.2	0.2	0.9	0.025	0.9	0.2	E		
Paraquat	-	-	-	0.1	0.1	0.05	0.2	0.0045	0.2	0.03	E		
Pentachloroethane	-	-	-	-	-	-	-	-	-	-	-		
Pentachlorophenol	F	zero	0.001	1	0.3	0.3	1	0.03	1	-	B2		
Phenanthrene (PAH)	-	-	-	-	-	-	-	-	-	-	-		
Phenol	-	-	-	6	6	6	20	0.6	20	4	D		
Picloram	F	0.5	0.5	20	20	0.7	2	0.07	2	0.5	D		
Polychlorinated biphenyls (PCBs)	F	zero	0.0005	-	-	-	-	-	-	-	B2		
Prometon	L	-	-	0.2	0.2	0.2	0.5	0.015*	0.5*	0.1*	D		
Promamide	-	-	-	0.8	0.8	0.8	3	0.075	3	0.05	C		
Propachlor	-	-	-	0.5	0.5	0.1	0.5	0.013	0.5	0.03	D		
Propazine	-	-	-	1	1	0.5	2	0.02	0.7	0.01	C		
Propnem	-	-	-	5	5	5	20	0.02	0.6	0.1	D		
Propylbenzene n-	-	-	-	-	-	-	-	-	-	-	-		
Pyrene (PAH)	-	-	-	-	-	-	-	0.03	-	-	D		
RDX	-	-	-	0.1	0.1	0.1	0.4	0.003	0.1	0.002	C		
Simazine	F	0.004	0.004	0.07	0.07	0.07	0.07	0.005	0.2	0.004	C		
Styrene	F	0.1	0.1	20	2	2	7	0.2	7	0.1	C		
2,4,5-T	L	-	-	0.8	0.8	0.8	1	0.01	0.35	0.07	D		
2,3,7,8-TCDD (Dioxin)	F	zero	3E-08	1E-06	1E-07	1E-08	4E-08	1E-09	4E-08	-	B2		

* Under review. NOTE: Phenanthrene — not proposed.

** The RfD for metribuzin was revised Dec. 1994 to 0.013 mg/kg/day. Based on this revised RfD the Lifetime HA would be 0.1 mg/l assuming a 20% relative source contribution for drinking water. This information has not been incorporated in the Health Advisory document.

*** Tentative.

* If the cancer classification C is accepted, the Lifetime HA is 0.20; other wise it is 0.200 mg/L

Drinking Water Standards and Health Advisories

November 1995

Chemicals	Standards			Status HA	Health Advisories						Cancer Group	
	Status Reg.	MCLG (mg/l)	MCL (mg/l)		10-kg Child			70-kg Adult				
					One-day (mg/l)	Ten-day (mg/l)	Longer- term (mg/l)	Longer- term (mg/l)	RfD (mg/kg /day)	DWEL (mg/l)		Lifetime (mg/l)
Tebuthiuron	-	-	-	3	3	0.7	2	0.07	2	0.5	-	D
Terbufos	-	-	-	0.3	0.3	0.3	0.9	0.013	0.4	0.09	-	E
Terbufos	-	-	-	0.005	0.005	0.001	0.005	0.00013	0.005	0.0009	-	D
Tetrachloroethane (1,1,1,2-)	L	-	-	2	2	0.9	3	0.03	1	0.07	0.1	C
Tetrachloroethane (1,1,2,2-)	L	-	-	-	-	-	-	-	-	-	-	-
Tetrachloroethylene	F	zero	0.005	2	2	1	5	0.01	0.5	-	0.07	-
Tetrahydrofuran	-	-	-	-	-	-	-	-	-	-	-	-
Toluene	F	1	1	20	2	2	7	0.2	7	1	-	D
Toxaphene	F	zero	0.003	-	-	-	-	0.1*	-	-	0.003	B2
2,4,5-TP	F	0.05	0.05	0.2	0.2	0.07	0.3	0.0075	0.3	0.05	-	D
1,1,2-Trichloro-1,2,2-trifluoroethane	-	-	-	-	-	-	-	-	-	-	-	-
Trichloroacetic acid	P	0.3	0.06**	4	4	4	13	0.1	4.0	0.3	-	C
Trichloroacetone	L	-	-	0.05	0.05	-	-	-	-	-	-	-
Trichlorobenzene (1,2,4-)	F	0.07	0.07	0.1	0.1	0.1	0.5	0.001	0.04	0.07	-	D
Trichlorobenzene (1,3,5-)	-	-	-	0.6	0.6	0.6	2	0.006	0.2	0.04	-	D
Trichloroethane (1,1,1-)	F	0.2	0.2	100	40	40	100	0.035	1	0.2	-	D
Trichloroethane (1,1,2-)	F	0.003	0.005	0.6	0.4	0.4	1	0.004	0.1	0.003	-	C
Trichloroethanol (2,2,2-)	L	-	-	-	-	-	-	-	-	-	-	-
Trichloroethylene	F	zero	0.005	-	-	-	-	-	0.3	-	0.3	B2
Trichlorophenol (2,4,6-)	L	-	-	-	-	-	-	-	-	-	0.3	B2
Trichloropropane (1,1,1-)	L	-	-	0.6	0.6	0.6	2	0.008	0.2	0.04	0.5	B2
Trichloropropane (1,2,3-)	L	-	-	0.08	0.08	0.08	0.3	0.0075	0.3	0.005	0.5	C
Trifluralin	-	-	-	-	-	-	-	-	-	-	-	-
Trimethylbenzene (1,2,4-)	-	-	-	-	-	-	-	-	-	-	-	-
Trimethylbenzene (1,3,5-)	-	-	-	0.005	0.005	0.005	0.005	-	-	0.005	-	-
Trinitroglycerol	-	-	-	0.02	0.02	0.02	0.02	0.0005	0.02	0.002	0.1	C
Trinitrotoluene	-	-	-	3	3	0.01	0.05	-	-	-	0.0015	A
Vinyl chloride	F	zero	0.002	40	40	40	100	2	60	10	-	D
Xylenes	F	10	10	-	-	-	-	-	-	-	-	-

* Under review.

** A HA will not be developed due to insufficient data; a "Database Deficiency Report" has been published.

** Total for all haloacetic acids cannot exceed 0.06 mg/l level.

Drinking Water Standards and Health Advisories

Page 8

November 1995

Chemicals	Standards			Status HA	Health Advisories						Cancer Group					
	Status Reg.	MCLG (mg/l)	MCL (mg/l)		10-kg Child			70-kg Adult								
					One-day (mg/l)	Ten-day (mg/l)	Longer-term (mg/l)	Longer-term (mg/l)	RfD (mg/kg/day)	DWEL (mg/l)		Lifetime (mg/l)	mg/l at 10 ⁻⁴ Cancer Risk			
INORGANICS																
Aluminum	L	-	-	D	-	-	-	-	-	-	-	-	-	-	-	-
Ammonia	F	0.006	0.006	D	-	-	-	-	-	-	-	-	-	-	-	D
Antimony	F	0.006	0.006	F	0.01	0.01	0.01	0.015	0.0004	0.01	0.003	-	-	-	-	D
Arsenic	F	7 MFL	7 MFL	D	-	-	-	-	-	-	-	-	-	-	0.002	A
Asbestos (fibers/l >10µm length)	F	2	2	-	-	-	-	-	-	-	-	-	-	-	700 MFL	A
Barium	F	0.004	0.004	F	-	-	-	-	-	-	-	-	-	-	-	D
Beryllium	F	0.004	0.004	D	30	30	4	20	0.005	0.2	-	-	-	-	0.0008	B2
Boron	L	-	-	D	4	0.8	0.8	3	0.09	3	0.6	-	-	-	-	D
Bromate	L	zero	0.01	-	-	-	-	-	-	-	-	-	-	-	-	-
Cadmium	F	0.005	0.005	F	0.04	0.04	0.005	0.02	0.0005	0.02	0.005	-	-	-	-	D
Chloramine	P	4 ^{***}	4	D	1	1	1	1	0.1	3.3	3/4 ^{***}	-	-	-	-	-
Chlorate	L	-	-	D	-	-	-	-	-	-	-	-	-	-	-	-
Chlorine	P	4	4	D	-	-	-	-	0.1	-	-	-	-	-	-	D
Chlorine dioxide	T	0.3	0.8	D	-	-	-	-	0.01	0.35	0.3	-	-	-	-	D
Chlorite	L	0.08	1	D	-	-	-	-	0.003	0.1	0.08	-	-	-	-	D
Chromium (total)	F	0.1	0.1	F	1	1	0.2	0.8	0.005	0.2	0.1	-	-	-	-	D
Copper (at tap)	F	1.3	TT ^{**}	-	-	-	-	-	-	-	-	-	-	-	-	D
Cyanide	F	0.2	0.2	F	0.2	0.2	0.2	0.8	0.022	0.8	0.2	-	-	-	-	-
Fluoride*	F	4	4	-	-	-	-	-	0.12	-	-	-	-	-	-	-
Hypochlorite	P	4 ¹	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypochlorous acid	P	4 ¹	-	-	-	-	-	-	-	-	-	-	-	-	-	B2
Lead (at tap)	F	zero	TT ^{**}	-	-	-	-	-	-	-	-	-	-	-	-	-
Manganese	L	-	-	D	-	-	-	-	0.14 ²	-	-	-	-	-	-	-
Mercury (inorganic)	F	0.002	0.002	F	-	-	-	0.002	0.003	0.01	0.002	-	-	-	-	D
Molybdenum	L	-	-	D	0.02	0.02	0.01	0.05	0.005	0.2	0.04	-	-	-	-	D
Nickel	F	0.1 ³	0.1 ³	F	1	1	0.5	1.7	0.02	0.6	0.1	-	-	-	-	D
Nitrate (as N)	F	10	10	F	-	10 ⁴	-	-	1.6	-	-	-	-	-	-	-

* Under review.

** Copper — action level 1.3 mg/L. Lead — action level 0.015 mg/L.

*** Measured as free chlorine.

¹ Regulated as chlorine.

² In food.

³ In water.

⁴ Being remanded

Drinking Water Standards and Health Advisories

November 1995

Chemicals	Standards			Status HA	Health Advisories							Cancer Group		
	Status Reg.	MCLG (mg/l)	MCL (mg/l)		10-kg Child			70-kg Adult						
					One-day (mg/l)	Ten-day (mg/l)	Longer- term (mg/l)	Longer- term (mg/l)	RfD (mg/kg day)	DWEL (mg/l)	Lifetime (mg/l)		mg/l at 10 ⁻⁴ Cancer Risk	
Nitrite (as N)	F	1	1	F	-	1*	-	-	-	0.16*	-	-	-	*
Nitrate + Nitrite (both as N)	F	10	10	F	-	-	-	-	-	-	-	-	-	*
Selenium	F	0.05	0.05	-	-	-	-	-	-	0.005	-	-	-	-
Silver	-	-	-	D	0.2	0.2	0.2	0.2	0.2	0.005	0.2	0.1	-	D
Sodium	-	-	-	D	-	-	-	-	-	-	20**	-	-	-
Strontium	L	-	-	D	25	25	25	90	0.6	90	17	-	-	D
Sulfate	P	500	500	D	-	-	-	-	-	-	-	-	-	-
Thallium	F	0.0005	0.002	F	0.007	0.007	0.007	0.02	0.0007	0.002	0.0004	-	-	-
Vanadium	T	-	-	D	-	-	-	-	-	-	-	-	-	D
White phosphorus	-	-	-	F	-	-	-	-	0.00002	0.0005	0.0001	-	-	D
Zinc	L	-	-	F	6	6	3	10	0.3	10	2	-	-	D
Zinc chloride (measured as Zinc)	L	-	-	F	6	6	3	10	0.3	10	2	-	-	D
RADIONUCLIDES														
Beta particle and photon activity (formerly man-made radionuclides)	F	zero	4 mrem	-	-	-	-	-	-	-	-	-	4 mrem	A
Gross alpha particle activity	F	zero	15 pCi/L	-	-	-	-	-	-	-	-	-	15 pCi/L	A
Combined Radium 226 & 228	F	zero	5 pCi/L	-	-	-	-	-	-	-	-	-	20 pCi/L	A
Radon	P	zero	300 pCi/L+	-	-	-	-	-	-	-	-	-	150 pCi/L	A
Uranium	P	zero	20 µg/L	-	-	-	-	-	0.003	-	-	-	-	A

* Under review. ** Guidance.
+1991 Proposed National Primary Drinking Water Rule for Radionuclides

Secondary Maximum Contaminant Levels

November 1995

Page 10

Chemicals	Status	SMCLs (mg/L)
Aluminum	F	0.05 to 0.2
Chloride	F	250
Color	F	15 color units
Copper	F	1.0
Corrosivity	F	non-corrosive
Fluoride*	F	2.0
Foaming agents	F	0.5
Iron	F	0.3
Manganese	F	0.05
Odor	F	3 threshold odor numbers
pH	F	6.5 — 8.5
Silver	F	0.1
Sulfate	F	250
Total dissolved solids (TDS)	F	500
Zinc	F	5

Status Codes: P — proposed, F — final

* Under review.

Microbiology


November 1995

Page 11

	Status	MCLG	MCL
Cryptosporidium	L	-	-
Giardia lamblia	F	zero	TT
Legionella	F*	zero	TT
Standard Plate Count	F*	NA	TT
Total Coliforms	F	zero	**
Turbidity	F	NA	PS
Viruses	F*	zero	TT

Key: PS, TT, F, defined as previously stated.

* Final for systems using surface water; also being considered for regulation under groundwater disinfection rule.



11/95 EPA HEALTH ADVIS.

Search Menu										Sort Catalog															
Main Menu		All Documents		Custom Find		Sort EPA #s		Sort ERIC #s		Sort Titles		A-Docs		G-Docs		T-Docs		USMES		E-Docs		Sort Gopher			
Show Record												C-Docs		H-Docs		W-Docs		Nothing		S-Docs		Export Cat.			
Export Gopher																									
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z All																									
D-205		Health Advisory - Acifluorfen																				2.50			
D-206		Health Advisory - Ametryn																				1.75			
D-207		Health Advisory - Ammonium Sulfamate																				1.25			
D-208		Health Advisory - Atrazine																				3.00			
D-209		Health Advisory - (Baygon) Propoxur																				2.50			
D-210		Health Advisory - Bentazon																				1.50			
D-211		Health Advisory - Bromacil																				2.25			
D-212		Health Advisory - Butylate																				2.00			
D-213		Health Advisory - Carbaryl																				2.25			
D-214		Health Advisory - Carboxin																				2.00			
D-215		Health Advisory - Chloramben																				2.00			
D-216		Health Advisory - Chlorthalonal																				2.75			
D-217		Health Advisory - Cymazine																				2.50			
D-218		Health Advisory - DCPA (Dacthal)																				1.75			
D-219		Health Advisory - Dalapon																				1.75			
D-220		Health Advisory - Diazinon																				2.25			
D-221		Health Advisory - Dicamba																				2.00			
D-222		Health Advisory - 1, 3 - Dichloropropene																				2.25			
38.25																									

38.25

Search Menu										Sort Catalog									
Main Menu	All Documents	Custom Find	Sort EPA #s	Sort EPA #s	Sort ERIC #s	A-Docs	G-Docs	T-Docs	USMES	E-Docs	Sort Gopher	Sort Gopher	Sort Gopher	Sort Gopher	Sort Gopher	Sort Gopher	Sort Gopher	Sort Gopher	Sort Gopher
Show Record	Custom Find	Sort ERIC #s	Sort EPA #s	Sort EPA #s	Sort ERIC #s	D-Docs	R-Docs	W-Docs	Nothing	S-Docs	Export Cat.	Export Cat.	Export Cat.	Export Cat.	Export Cat.	Export Cat.	Export Cat.	Export Cat.	Export Cat.
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z All																			
D-223	Health Advisory - Dieldrin															1.75			
D-224	Health Advisory - Dimethrin															1.50			
D-225	Health Advisory - Dinoseb															1.75			
D-226	Health Advisory - Diphensamid															1.50			
D-227	Health Advisory - Terbacil															3.50			
D-228	Health Advisory - Disulfoton															2.25			
D-229	Health Advisory - Diuron															2.25			
D-230	Health Advisory - Endosulf															2.00			
D-231	Health Advisory - Ethylene Thiourea (ETU)															2.25			
D-232	Health Advisory - Fenamiphos															2.00			
D-233	Health Advisory - Fluometuron															2.00			
D-234	Health Advisory - Fonofos															2.00			
D-235	Health Advisory - Glyphosate															1.50			
D-236	Health Advisory - Hexazinone															2.25			
D-237	Health Advisory - Maleic Hydrazide															2.25			
D-238	Health Advisory - MCPA (4-Chloro-2-Methylphenoxy) - Acetic Acid															2.25			
D-239	Health Advisory - Methomyl															2.25			
D-240	Health Advisory - Methyl Parathion															3.00			

38.25

38.25

Search Menu Main Menu All Documents Custom Find Show Record Sort Titles Sort EPA #s Sort ERG #s A-Docs C-Docs D-Docs R-Docs G-Docs H-Docs R-Docs W-Docs T-Docs U-Docs W-Docs X-Docs USMES Videos Nothing Y-Z E-Docs N-Docs S-Docs ALL Sort Catalog Sort Gopher Export Cat. Export Gopher									
A	B	C	D	E	F	G	H	I	J
K	L	M	N	O	P	Q	R	S	T
U	V	W	X	Y	Z	ALL			
D-241	Health Advisory - Metolachlor								
D-242	Health Advisory - Metribuzin								
D-243	Health Advisory - Paraquat								
D-244	Health Advisory - Picloram								
D-245	Health Advisory - Prometon								
D-246	Health Advisory - Pronamide								
D-247	Health Advisory - Propachlor								
D-248	Health Advisory - Propazine								
D-249	Health Advisory - Prothiam								
D-250	Health Advisory - Simazine								
D-251	Health Advisory - 2, 4, 5 - Trichlorophenoxyacetic Acid								
D-252	Health Advisory - Tebuthiuron								
D-253	Health Advisory - Terbufos								
D-254	Health Advisory - Trifluralin								
D-255	Health Advisory - Atrachlor								
D-256	Health Advisory - Aldicarb (Sulfonate and Sulfone)								
D-257	Health Advisory - Carbofuran								
D-258	Health Advisory - Chlordane								

40.50

Search Menu Main Menu All Documents Custom Find Show Record Sort Titles Sort EPA #s Sort ERG #s A-Docs C-Docs D-Docs R-Docs G-Docs H-Docs R-Docs W-Docs T-Docs U-Docs W-Docs X-Docs USMES Videos Nothing Y-Z E-Docs N-Docs S-Docs ALL Sort Catalog Sort Gopher Export Cat. Export Gopher									
A	B	C	D	E	F	G	H	I	J
K	L	M	N	O	P	Q	R	S	T
U	V	W	X	Y	Z	ALL			
D-259	Health Advisory - 1, 2 - Dibromo - 3 - Chloropropane (DBCP)								
D-260	Health Advisory - 2, 4 - Dichlorophenoxyacetic Acid								
D-261	Health Advisory - 1, 2 - Dichloropropane								
D-262	Health Advisory - Ethylene Dibromide								
D-263	Health Advisory - Endrin								
D-264	Health Advisory - Heptachlor and Heptachlor Epoxide								
D-265	Health Advisory - Lindane								
D-266	Health Advisory - Methoxychlor								
D-267	Health Advisory - Oxamyl								
D-268	Health Advisory - Pentachlorophenol								
D-269	Health Advisory - Toxaphene								
D-270	Health Advisory - 2, 4, 5 - Trichlorophenoxyacetic Acid Microbiological								
D-271	Health Advisory - Legionella - Control of in Plumbing Systems (part of the microbiological health advisory group)								
D-272	Health Advisory - Aldrin								
D-273	Health Advisory - Ammonia								
D-274	Health Advisory - Antimony								
D-275	Health Advisory - Beryllium								
D-276	Health Advisory - Boron								

42.50

Search Menu

D-277	Health Advisory - Chlorpyrifos	3.50
D-278	Health Advisory - Isophorone	2.25
D-279	Health Advisory - Malathion	2.50
D-280	Health Advisory - Phenol	2.75
D-281	Health Advisory - p-Nitrophenol	2.50
D-282	Health Advisory - Silver	3.50
D-283	Health Advisory - Thallium	3.50
D-284	Health Advisory - Dichloromethane	1.75
D-285	Health Advisory - 1, 2 - Dichloropropane	1.75
D-286	Health Advisory - Formaldehyde - Informal Guidance Level for	1.25
D-287	Health Advisory - Lead	2.25
D-288	Health Advisory - p-Dioxane	1.25
D-289	Health Advisory - Zinc Chloride	9.25
D-290	Health Advisory - Bromochloromethane	1.75
D-291	Health Advisory - Bromomethane	2.25
D-292	Health Advisory - bis - (2 - Chloroisopropyl) Ether	1.75
D-293	Health Advisory - Chloromethane	2.75
D-294	Health Advisory - Dichlorodifluoromethane	2.25

48.75

Search Menu

D-295	Health Advisory - Hexachlorobutadiene	2.50
D-296	Health Advisory - Neptthalene	2.75
D-297	Health Advisory - o-Chlorotoluene	2.00
D-298	Health Advisory - p-Chlorotoluene	1.75
D-299	Health Advisory - 1,1,1,2-Tetrachloroethane	2.00
D-300	Health Advisory - 1,2,4-Trichlorobenzene	2.75
D-301	Health Advisory - 1,3,5-Trichlorobenzene	2.00
D-302	Health Advisory - 1,1,2-Trichloroethane	2.50
D-303	Health Advisory - 1,2,3-Trichloropropane	1.75
D-304	Health Advisory - Trichlorofluoromethane	2.25
D-305	Health Advisory - Barium	1.75
D-306	Health Advisory - Cadmium	2.25
D-307	Health Advisory - Chromium	2.25
D-308	Health Advisory - Cyanide	2.00
D-309	Health Advisory - Mercury	1.50
D-310	Nickel Health Advisory (Interim Draft)	1.75 7/95
D-311	Health Advisory - Nitrate/Nitrite	2.25
D-312	Health Advisory - Diethylene Glycol Dinitrate (DEGDN) - Date Deficiencies, Problem Areas, and Recommendations for Additional Database Development for	4.50

40.50

Search Menu


Main Menu	Sort Titles	A-Docs	G-Docs	T-Docs	USMES	E-Docs	Sort Catalog
Show Record	Sort EPA #s	C-Docs	N-Docs	U-Docs	Video	M-Docs	Sort Gopher
Custom Find	Sort ERIC #s	D-Docs	R-Docs	W-Docs	Nothing	S-Docs	Export Cat.
							Export Gopher


A B C D E F G H I J K L M N O P Q R S T U V W X Y Z A L L

D-446	Trichloroethylene Health Advisory	2.50
D-447	Vinyl Chloride Health Advisory	2.25
D-448	Xylenes Health Advisory	2.25
D-771	Cryptosporidium Health Advisory (part of the microbiological health advisory group)	3.50 1994
G-364	National Survey of Pesticides in Drinking Water Wells: Health Advisory Summaries	13.25
D-060	Methyl-t-Buyl Ether Drinking Water Health Advisory (Draft)	3.50 Jan-92
D-A10	Methyl-t-Buyl Ether Drinking Water Health Advisory (Draft)	3.50 Jan-92
G-045	Zinc Health Advisory (Draft)	4.50 Dec-90

35.25

Total charge: \$495.50





100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100