

Nonpoint Pointers

Understanding and managing nonpoint source pollution in your community



Nonpoint Source Pollution: The Nation's Largest Water Quality Problem

Why is there still water that's too dirty for swimming, fishing, or drinking? Why are native species of plants and animals disappearing from many rivers, lakes, and coastal waters?

The United States has made tremendous advances in the past 25 years to clean up the aquatic environment by controlling pollution from industries and sewage treatment plants. Unfortunately, we did not do enough to control pollution from diffuse, or nonpoint, sources. Today, nonpoint source (NPS) pollution remains the Nation's largest source of water quality problems. It's the main reason that approximately 40 percent of surveyed rivers, lakes, and estuaries are not clean enough to meet basic uses such as fishing or swimming.

NPS pollution occurs when rainfall, snowmelt, or irrigation runs over land or through the ground, picks up pollutants, and deposits them into rivers, lakes, and coastal waters or introduces them into ground water.

Imagine the path taken by a drop of rain from the time it hits the


The most common NPS pollutants are soils and nutrients that wash into water bodies from agricultural land, construction sites, and other areas of disturbance.

ground to when it reaches a river, ground water, or the ocean. Any pollutant it picks up on its journey can become part of the NPS problem. NPS pollution also includes adverse changes to the vegetation, shape, and flow of streams and other aquatic systems.

NPS pollution is widespread because it can occur any time

activities disturb the land or water. Agriculture, forestry, grazing, septic systems, recreational boating, urban runoff, construction, physical changes to stream channels, and habitat degradation are potential sources of NPS pollution. Careless or uninformed household management also contributes to NPS pollution problems.

The latest *National Water Quality Inventory* indicates that agriculture is the leading contributor to water quality impairments, degrading 60 percent of the impaired river miles and half of the impaired lake acreage surveyed by states, territories, and tribes. Runoff from urban areas is the largest source of water quality impairments to surveyed estuaries (areas near the coast where seawater mixes with freshwater).



Three Leading Sources of Water Quality Impairment

Rank	Rivers	Lakes	Estuaries
1	Agriculture	Agriculture	Urban runoff
2	Municipal point sources	Municipal point sources	Municipal point- sources
3	Stream/ habitat changes	Urban runoff	Agriculture

Source: National Water Quality Inventory, 1994

NPS pollution occurs when water runs over land or through the ground, picks up pollutants, and deposits them in surface waters or introduces them into ground water.

RELATED PUBLICATIONS

- Additional fact sheets in the Nonpoint Pointers series (EPA-841-F-96-004)
- EPA Journal, Vol. 17, No. 5, Nov/Dec 1991, (EPA-22K-1005)
- Managing Nonpoint Source Pollution: Final Report to Congress on Section 319 of the Clean Water Act (EPA-506/9-90)
- NPS News-Notes (EPA-841-N-92-003)
- Polluted (EPA-841-F-94-005)
- The Quality of Our Nation's Water: 1994 (EPA-841-S-95-004)
- The Watershed Protection Approach (EPA-503/9-92/ 002)

To order any of the above EPA documents call or fax the National Center for Environmental Publications and Information.


Tel (513) 489-8190 Fax (513) 489-8695

FOR MORE INFORMATION

U.S. Environmental Protection Agency Nonpoint Source Control Branch Washington DC 20460

Internet Address:

http://www.epa.gov/owow/nps/index.html



Schematic of a Watershed

The most common NPS pollutants are sediment and nutrients. These wash into water bodies from agricultural land, small and medium-sized animal feeding operations, construction sites, and other areas of disturbance. Other common NPS pollutants include pesticides, pathogens (bacteria and viruses), salts, oil, grease, toxic chemicals, and heavy metals. Beach closures, destroyed habitat, unsafe drinking water, fish kills, and many other severe environmental and human health problems result from NPS pollutants. They also spoil the beauty of healthy, clean water habitats. Each year the United States spends millions of dollars to restore and protect the areas damaged by NPS pollutants.

Progress

During the last 10 years, our country has made significant headway in addressing NPS pollution. At the federal level, the Nonpoint Source Management Program was established by the 1987 Clean Water Act Amendments, and the Coastal Nonpoint Pollution Program was established by the 1990 Coastal Zone Act Reauthorization Amendments. Other recent federal programs, as well as state, territorial, tribal and local programs also tackle NPS problems.

In addition, public and private groups have developed and used pollution prevention and reduction initiatives and NPS pollution controls, known as management measures, to clean up our water efficiently. Water quality monitoring and environmental education supported by government agencies, tribes, industry, volunteer groups, and schools have provided information about NPS pollution and have helped to determine the effectiveness of management techniques.

The watershed approach has also helped communities. It looks not only at a water body but also the entire area that drains into it. This allows communities to focus resources on a watershed's most serious environmental problems—which, in many instances are caused by NPS pollution.

Just as important, more citizens are practicing water conservation and participating in stream walks, beach cleanups, and other environmental activities sponsored by community-based organizations. In doing so, citizens address the Nation's largest water quality problem, and ensure that even more of our rivers, lakes, and coastal waters become safe for swimming, fishing, drinking, and aquatic life.