United States
Environmental Protection
Agency

Office of Water Program Operations (WH-5₩ ... Washington, DC 20460 June 15, 1983 EPA/430#9-83-002

Water Program

\$EPA

The 1982 Needs Survey

Conveyance, Treatment, and Control of Municipal Wastewater, Combined Sewer Overflows, and Stormwater Runoff

Summaries of Technical Data



THE 1982 NEEDS SURVEY

CONVEYANCE, TREATMENT, AND CONTROL OF MUNICIPAL WASTEWATER, COMBINED SEWER OVERFLOWS, AND STORMWATER RUNOFF

SUMMARIES OF TECHNICAL DATA

May 1983

Prepared for

U.S. Environmental Protection Agency Office of Water Program Operations (WH-595) Washington, D.C. 20460

Contract No. 68-01-5790

Companies Could Constitution

TABLE OF CONTENTS

			Page
CHAPTER	I	DESCRIPTION OF THE 1982 NEEDS SURVEY	
		Introduction Description of Categories Reported Facilities Reported Present and Future Needs Metric Measure Presentation of Data	1 2 4 4 4 5
CHAPTER	II	SUMMARIES OF TREATMENT FACILITIES TECHNICAL DATA (CATEGORIES I, IIA, IIB)	6
CHAPTER	III	SUMMARIES OF CONVEYANCE SYSTEMS TECHNICAL DATA (CATEGORIES IIIA, IIIB, IVA, IVB)	125
CHAPTER	IV	SUMMARIES FOR COMBINED SEWER OVERFLOW AND STORMWATER RUNOFF TECHNICAL DATA (CATEGORIES V AND VI)	150
APPENDIX	A	CONDUCT OF THE SURVEY - CATEGORIES I THROUGH IV (TREATMENT PLANTS AND SEWERS)	
APPENDIX	В	CONDUCT OF THE SURVEY - CATEGORIES V AND VI COMBINED SEWER OVERFLOW (CSO) AND URBAN STORMWATER RUNOFF (SWR)	172
APPENDIX	С	DESCRIPTION OF THE 1982 SURVEY FORM	
APPENDIX		DESCRIPTION OF THE COMBINED SEWER SYSTEM WORKSHEET	

LIST OF TABLES

<u>Table</u>		Page
	Treatment Facilities:	
1 2 3	Number of Existing Facilities by Nature of Facility Number of Facilities in the Year 2000 by Nature of Facility Number and Nature of Wastewater Facilities - (Existing and	7 10
4	Planned - National Summary	13
	Number and Flow by State of Treatment Plants by Design Capacity - Existing	16
5	Number and Flow by State of Treatment Plants by Design Capacity - (Year 2000)	18
6	Average Domestic Flows by State - Present, Projected, and Percent Change	20
7	Average Industrial Flows by State - Present, Projected, and Percent Change	22
8	Projected Industrial Flow to Municipal Treatment Plants by	
9	Number, Flow, and Percent of Total Flow	24
10	Planned) - National Summary	26
10	for Facilities Existing in 1982	28
11	Plant Loadings, Removal Efficiencies, and Discharge Rates for Facilities Projected for 2000	30
12	Treatment Populations - Present, Projected, Resident and	32
13	Nonresident	
14	Nonresident	34
15	and Projected, Resident and Nonresident	36
15	Resident and Nonresident	38
16	Populations Served by Facilities Designed for Less Than Secondary Treatment - Present and Projected, Resident and	40
17	Nonresident	40
18	for Less Than Secondary Treatment	42
10	for Facilities to be in Operation in 2000 - Facilities Designed for Less Than Secondary Treatment	44
19	Populations Served by Secondary Treatment - Present and	
20	Projected, Resident and Nonresident	46
	Provide Secondary Treatment	48

LIST OF TABLES (Continued)

<u>Table</u>	·	<u>Page</u>
21	Plant Loadings, Removal Efficiencies, and Discharge Rates for Facilities Projected for 2000 - Facilities Designed	50
22	to Provide Secondary Treatment	52
23	Year 2000 - (By Total Projected Design Flow) Number of New Secondary Treatment Plants to Be Built	
24	Between 1982 and 2000 - (By Total Projected Design Flow) Dollar Needs for Construction of New Secondary Treatment	54
25	Facilities, By Plant Size	56 58
26	Populations Served by Advanced Secondary Treatment -	
27	Present and Projected, Resident and Nonresident Plant Loadings, Removal Efficiencies, and Discharge Rates for Facilities in Operation in 1982 - Facilities Designed	60
28	to Provide Advanced Secondary Treatment	62
29	Designed to Provide Advanced Secondary Treatment Number of Plants Projected for Advanced Secondary Treatment	64
30	By Year 2000 - (By Total Projected Design Flow) Number of New Advanced Secondary Treatment Plants to be Built Between 1982 and 2000 - (By Total Projected	66
	Design Flow)	68
31	Dollar Needs for Construction of New Advanced Secondary	
32	Facilities, By Plant SizePopulations Served by Tertiary Treatment - Present and	70
33	Projected, Resident and Nonresident	72
34	to Provide Tertiary Treatment	74
35	Designed to Provide Tertiary Treatment Number of Plants Projected for Tertiary Treatment by Year 2000 - (By Total Projected Design Flow)	76 78
0.0		78
36	Tertiary Treatment Facilities to be Built Between 1982 and 2000 - (By Total Projected Design Flow)	80
37	Dollar Needs for Construction of New Tertiary Treatment Facilities, By Plant Size	82
38	National Dollar Needs for Changes in Existing Treatment	
39	Plants National Summary of Treatment Plant Upgrades for Plants	84
40	Operating in 1982	86 88
41	Summary of Treatment and Sludge Handling Processes - Number of Plants and Associated Flow - United States Total	91

LIST OF TABLES (Continued)

<u>Table</u>		Page
42	Projected Change in Treatment Process Use - Number of Plants and Associated Flow	93
43	Distribution of Liquid Line Treatment Processes By Design	
44	Capacity, Within EPA Regions - (Existing) Distribution of Liquid Line Treatment Processes by Design	113
15	Capacity, Within EPA Region - (Year 2000)	115
45	Distribution of Sludge Treatment Processes By Design Capacity, Within EPA Region - (Existing)	117
46	Distribution of Sludge Treatment Processes By Design Capacity, Within EPA Region - (Year 2000)	119
47	Distribution of Sludge Disposal Methods By Design Capacity,	
48	Within EPA Region - (Existing)	121
40	Within EPA Region - (Year 2000)	123
	Conveyance Systems:	
49	Collection Populations - Present, Projected, Resident and	
50	Nonresident	126 128
51	Length and Cost of Pipe Needed By the Year 2000	130
52	Dollar Needs for All Pipe Size Categories, By Diameter	132
53	Number, Capacity, and Cost of New Pump Stations	134
54	Number of Facilities Needing Collector Sewers By	
55	Service-Area Population and Per-Capita Cost Percent of Dollar Needs for Collector Sewers By	136
00	Service-Area Population and Per-Capita Cost	138
56	Total Estimated I/I Flow to Treatment Plants - I/I That is	140
57	Cost Effective to Remove	140
	Correction is Cost Effective	142
58	Dollar Needs For I/I Correction - Facilities Where Correction is Cost Effective	144
		144
59	Facilities Requiring Major Rehabilitation - By Basis of	146
60	Estimate Dollar Needs For Major Rehabilitation By - Basis of Estimate	146 148
	Combined Sewer Overflow and Stormwater Runoff:	
61	Summary of Existing Combined Sewer Systems	151
62	Receiving Water Types For Combined Sewer Overflow	153
63	Summary of Present and Projected Urbanized Area Characteristics	150
64	Receiving Water Types For Urban Stormwater Runoff -	156
65	Present Conditions (1970)	158
65	Receiving Water Types For Urban Stormwater Runoff - (Year 2000 Conditions)	160

LIST OF TABLES (Concluded)

Table		Page
66	Selected Facilities For CSO Control in Urbanized Areas - By Stream Use Objective	162
67	Selected Facilities For SWR Control in Urbanized Areas - By Stream Use Objective	165

LIST OF FIGURES

<u>Figure</u>		Page
C.1	EPA-1 Form Worksheet	181
C.2	EPA-1 Form Code Reference Chart	182
D.1	Combined Sewer Overflow Worksheet	192

CHAPTER I

DESCRIPTION OF THE 1982 NEEDS SURVEY

This chapter includes a background discussion of the 1982 Needs Survey, a description of the Survey categories, and general information concerning presentation of the data.

INTRODUCTION

The Needs Survey consists of a biennial survey of all wastewater conveyance and treatment, stormwater collection and treatment, and combined sewer overflow abatement needs for the entire country. The needs are obtained from a national survey of each of the more than 33,000 existing and planned publicly owned wastewater treatment works. Each need is reported as a cost estimate in dollars for providing or satisfying the stated need.

This report is a part of the 1982 Needs Survey and is a supplement to the cost estimate report to Congress dated December 31, 1982. It provides detailed summaries of the technical data collected during the Survey for wastewater treatment and collection (Categories I through IV), combined sewer overflow abatement (Category V), and treatment and/or collection of stormwater (Category VI). A description of the 1982 Needs Survey methodology is presented in Appendix A for Categories I through IV and Appendix B for Categories V and VI.

The Needs Survey was performed in compliance with the provisions of Sections 205(a) and 516(b)(2) of the Clean Water Act of 1972 (PL 92-500) and subsequent amendments thereto. The Environmental Protection Agency (EPA) submitted the 1982 Needs Survey cost estimates for municipal wastewater, combined sewer overflow, and stormwater collection and treatment needs to Congress on December 31, 1982.

The 1982 Needs Survey is the sixth such Survey performed by EPA. After the first two Surveys had been completed, a need became apparent to tabulate the great amount of technical data accumulated. Responding to this need, reports similar to this one summarizing the technical data acquired during the Surveys were published for the 1976, 1978, and 1980 Surveys.

Historically, costs of facilities have been the primary focus for these Surveys because they have been used by Congress to establish relative allocations of construction grant funds among the States. Besides the cost data, large amounts of technical data are accumulated during each Survey. These technical data are used in many of the cost breakdowns described in this report and have been found to be very useful to many levels of government and quasi-government agencies and to industrial organizations. EPA receives a large number of requests for data summaries annually from these sources. The major purpose of this report is to provide information commonly requested by the public. Further, this report provides valuable information for the management and operation of the EPA Construction Grants Program. These data are also very useful in the facilities planning process which now must be carried out by State and local governments.

The data collection process for the 1982 Needs Survey is described in Appendix A for Categories I through IV and Appendix B for Categories V and VI. The 1982 Needs Survey was conducted on a facility-by-facility basis for Categories I through IV, on an area-by-area basis and facility-by-facility basis for Category V, and on an area-by-area basis for Category VI.

Appendix C presents a copy of the EPA-1 form (Figures C.1 and C.2) used to collect information for Categories I through IV of more than 33,000 existing and planned facilities in the United States. Appendix D presents a copy of the combined sewer overflow worksheet (Figure D.1) used to collect information for Category V for the 1,100 combined sewer areas in the country. Appendices C and D also present an explanation of all items and codes associated with both forms.

In an attempt to make the Needs Survey data base better or more useful to the user community, comments, discussion, or suggestions for improvements are welcomed.

DESCRIPTION OF CATEGORIES REPORTED

The categories reported in the 1982 Survey are defined as follows:

Category I - Secondary Treatment

This category includes costs for facilities to achieve secondary levels of treatment, regardless of the treatment levels required at the facility site. Incremental costs for treatment levels above secondary are reported in Categories IIA and IIB. Costs for systems designed to serve individual residences are included in Category I. Costs of outfall sewers are also included in Category I. For purposes of the Survey, "best practicable wastewater treatment technology" (BPWTT) and secondary treatment were considered synonymous. Secondary treatment is defined as five day biochemical oxygen demand and suspended solids effluent concentrations of 25 mg/l or greater but not exceeding 30 mg/l, but not less than 85 percent removal of standard pollutants.

<u>Category IIA - Advanced Secondary Treatment (AST)</u>

Reported in this category are incremental costs above secondary treatment levels to achieve advanced secondary levels of treatment for those facilities that must achieve such levels. This requirement generally exists where water quality standards require removal of standard pollutants at levels greater than secondary. Standard pollutants are defined as five day biochemical oxygen demand and suspended solids. These are abbreviated as BOD5 and Solids in the tables. AST would require standard pollutant removal greater than 85 percent, or effluent limits more stringent than 25 mg/l BOD5 and 25 mg/l Solids but less than 95 percent, or effluent limits less stringent than 9 mg/l BOD5 and 9 mg/l Solids. Effluent limitations between 25/25 and 30/30 mg/l BOD5/Solids that include additional limiting parameters for phosphorus and ammonia (and do not require the removal of total nitrogen) are classified as Category IIA.

Category IIB - Advanced Treatment (AT)

Incremental costs above AST are reported for those facilities which require advanced levels of treatment. This requirement generally exists where water quality standards require removal of such pollutants as phosphorus, ammonia, nitrates, organic materials, and other substances. In addition, this requirement exists where removal for standard pollutants exceeds 95 percent or where effluent limits are equal to or less than 9 mg/l BOD₅ and 9 mg/l Solids, or where there are additional limiting parameters for ammonia and nitrogen that require the installation of denitrification, ammonia stripping, or ion exchange facilities. The terms advanced wastewater treatment, AT, AWT, and tertiary treatment are considered synonymous and are used interchangeably throughout this report.

Category IIIA - Correction of Infiltration/Inflow

Included in this category are costs for correction of sewer system infiltration/inflow (I/I) problems. Costs for a preliminary sewer system analysis and for a detailed Sewer System Evaluation Survey (SSES) would also be reported in this category.

Category IIIB - Major Rehabilitation of Sewers

Requirements for replacement and/or major rehabilitation of existing sewer systems are reported in this category. Costs are reported if the corrective actions are necessary to insure the integrity of the system. Major rehabilitation is considered to be extensive repair of existing sewers beyond the scope of normal maintenance programs; for example, where sewers are collapsing or structurally unsound.

Category IVA - New Collector Sewers

This category includes grant eligible costs for construction of new collector sewer systems and appurtenances designed to correct violations caused by raw discharges, pollution from septic tanks, and/or to comply with Federal, State, or local actions.

Category IVB - New Interceptor Sewers

Included in this category are new interceptor sewers and transmission pumping stations necessary for the bulk transport of wastewater.

Category V - Control of Combined Sewer Overflow (CSO)

This category includes projects designed to prevent and/or control periodic bypassing of untreated wastes from combined sewer systems. Combined sewers are designed to convey both sewage and stormwater.

Category VI - Treatment and/or Control of Stormwater

This category includes projects designed to abate pollution in urbanized areas from stormwater runoff channeled through sewers and other conveyances used only for such runoff. Stormwater channeled through combined sewers which also carry sewage is not included in Category VI.

Cost estimates for Categories I through VI are presented in "1982 Needs Survey - Cost Estimates for Construction of Publicly-Owned Wastewater Treatment Facilities," (430-9-82-009).

The 1982 Survey used the same cost estimate categories as were used in 1980. In 1980, the definitions of treatment Categories I and II were changed to more accurately reflect the incremental cost of advanced secondary treatment (AST) and advanced wastewater treatment (AWT) projects relative to secondary treatment costs. This change split Category II costs only and did not affect the total needs. This convention has been used in both the 1980 and 1982 Surveys.

FACILITIES REPORTED

The 1982 Needs Survey contains the most complete inventory of publicly owned wastewater treatment facilities. The 1982 Survey continued towards the 100 percent inventory goal set during previous Surveys. While the 1980 Survey came very close to achieving the 100 percent inventory, over 300 facilities, mostly small rural facilities, were identified for the first time during the 1982 Survey.

PRESENT AND FUTURE NEEDS

Two time periods pervade Needs Survey reporting. These are the present, meaning January 1, 1982, and the future, which means the year 2000. When dollars are used in this report, they represent January 1982 dollars. This is true for both present and future needs.

METRIC MEASURE

All units shown in the technical summaries are in metric units. Where space permits, English units are shown in parentheses. The following are the most common metric units used in this report, along with the factors used to convert to English units.

Multiply	Ву	To Obtain
Centimeters	0.3937	Inches
Hectares	2.4710	Acres
Kilometers	3,281	Feet
Liters/Capita/Day	0.2642	Gallons/Capita/Day
Meters	3.281	Feet
Metric Tons	0.9072	Short Tons
Thousand Cubic Meters per Day	0.2642	Million Gallons per Day

PRESENTATION OF DATA

For ease in interpreting the tables in this report, a discussion of each table is presented immediately adjacent to the table. The tables summarize various items from the data collection forms. For more detailed information the reader is referred to Appendices C and D where explanations are given for all items on the data collection forms.

The tables are arranged in the following general sequence:

Chapter II - Categories I, IIA, IIB

- . All Levels of Treatment
- . Raw Discharge
- . Less Than Secondary Treatment
- . Secondary Treatment
- . Advanced Secondary Treatment
- . Advanced Wastewater Treatment

Chapter III - Categories IIIA, IIIB, IVA, IVB

- . Lengths and Sizes of New Pipe Needed
- . New Pump Stations Needed
- . Improvements to Existing Sewers

Chapter IV - Categories V and VI

- . Combined Sewer Overflow Control
- . Stormwater Runoff Control

Please refer to the Table of Contents for a listing of all tables.

CHAPTER II

SUMMARIES OF TREATMENT FACILITIES TECHNICAL DATA (CATEGORIES I, IIA, IIB)

Technical data on the municipal sewage treatment facilities in the nation were compiled in the course of the 1982 Needs Survey. The data were collected using the EPA-1 form which is described in detail in Appendix C.

The technical data for each treatment facility were collected at the same time as the dollar needs. The data were obtained from several sources including the 1980 Needs Survey files, NPDES permit files, EPA construction grant files, and various engineering plans and reports. A further description of the sources and methods used in collecting data for the 1982 Needs Survey is presented in Appendix A.

The technical data collected for all treatment facilities have been compiled and are presented in the 48 tables which follow. These technical tables include a discussion of each table presented immediately before the table.

NUMBER OF EXISTING FACILITIES BY NATURE OF FACILITY

Table 1 is a summary by State of the facilities in operation in 1982. Excluded are facilities proposed to be built between 1982 and 2000 and new facilities under construction in 1982. Facilities in operation in 1982, but planned to be abandoned prior to 2000, are included in this summary.

The nature of a facility is recorded using a numerical code. The various codes are defined as follows:

- $\overline{\text{Code 1}}$: A complete wastewater treatment system consisting of a treatment plant, associated collector and/or interceptor sewers, and methods for disposal of effluent and sludge. All components are under the control of a single treatment authority. The collection system associated with a Code 1 facility is composed of combined sewers.
- Code 2: A complete wastewater treatment system having all the components listed under Code 1. The collection system associated with a Code 2 facility is composed of separate sanitary sewers.
- <u>Code 3</u>: A separate treatment plant. The collection systems which discharge to a Code 3 facility are under the control of one or more authorities.
- <u>Code 4</u>: A municipal wastewater collection system composed of separate sanitary sewers. This system would consist of collector sewers and/or interceptor sewers, force mains, and pumping stations which either discharge without treatment or discharge to a facility controlled by a different authority. Code 4 systems handle only sanitary wastewaters.
- <u>Code 5</u>: A municipal wastewater collection system composed of combined sewers. This system would consist of collector sewers and/or interceptor sewers, force mains, and pumping stations which either discharge without treatment or discharge to a facility controlled by a different authority. Code 5 systems handle sanitary wastewaters and stormwaters.
- Code 6: Other types of systems; for example, operator training facilities.
- <u>Code 7</u>: A system for the bulk transmission of wastewater with or without pumping stations and with or without interceptor sewers.
- $\underline{\text{Code 8}}$: A facility which provides handling, treatment, and disposal of sludge generated by other facilities. Included are vehicles and vehicle fleets used to transport sludge.
- Code 9: This code refers to communities where the primary method of wastewater disposal is by means of individual onsite systems, usually septic tank systems.
- <u>Code 0</u>: A community septic tank system including an appurtenant collection system.

 $\underline{\text{Code D}}$: A separate intermediate treatment facility which provides partial treatment only and discharges to another wastewater treatment facility where additional treatment is provided.

As used in this report, combined sewers are defined as sewers which carry both storm and sanitary wastewaters. Separate sewers carry only sanitary wastes. Storm sewers convey only storm runoff.

1982 NEEDS SURVEY

NUMBER OF EXISTING FACILITIES BY NATURE OF FACILITY

STATE	TOTAL	(CODE 1)	(CODE 2)	(CODE 3)	(CODE 4)	(CODE 5)	(CODE 6)	(CODE 7)	(CODE 8)	(CODE 9)	(CODE 0)	(CODE D)
ALABANA	519		224	13	48		•	•			_	_
ALASKA	237	ž	44	.,	14	ŭ	5	0	0	232	0	1
ARIZONA	389	ō	110	i	19	ř	á	ă	0	173 257	2	0
ARKANSAS	762	Ō	285	ŏ	žž	ŏ	ĭ	ŏ	ă	455	0	0
CALIFORNIA	1.635	3	558	23	191	ă	12	ž	ĭ	832		
COLORADO	367	4	276	2	50	ă	- 2	ă	•	31	2	2
CONNECTICUT	219	14	86	ĩ	29	ĭ	ž	ă	ă	85	•	å
DELAWARE	46	4	17	ŏ	12	i	ì	ŏ	ĭ	10		0
DIST. OF COLUM	1 1	1	0	ō	Ö	ā	ā	ŏ	â	.0	Ň	v
FLORIDA	492	1	242	3	67	č	;	ă	ă	177		ů
GEORGIA	792	8	374	5	ij	Ď	ī	ŏ	ă	304	ň	ï
HAWAII	53	0	33	0	1	Ō	č	ă	ŏ	19	ň	å
IDAHD	247	12	126	1	13	Ō	č	ŏ	ă	94	7	ŏ
ILLINOIS	1,459	61	647	32	245	29	5	Ō	Ŏ	440	i	ň
INDIANA	700	120	229	3	35	6	2	Ō	ō	303	ĭ	ĭ
IOMA	1,004	19	661	0	23	G	õ	ō	ā	299	ï	;
KANSAS	694	3	557	0	8	0	Ó	0	Ō	1.16	Ď	Ď
KENTUCKY	473	15	205	1	47	2	Ó	0	Ō	202	ĭ	ă
LOUISIANA	556	0	307	0	21	8	4	ō	ĭ	223	i	ă
MAINE	270	33	56	7	43	27	5	0	Ō	77	Ŏ	ň
MARYLAND	440	, 9	132	7	37	2	4	0	0	249	Ŏ	ŏ
MASSACHUSETTS	277	24	77	8	77	11	4	8		75	Ĭ	Ď
MICHIGAN	1.069	65	294	11	215	29	3	10	0	440	2	ō
MINNESOTA	922	13	480	17	133	5	0	0	0	274	Ō	č
MISSISSIPPI	664	. 0	323	1	15	9	0	0	0	325	0	ō
MISSOURI Montana	1.005	13	535	1	37	0	1	0	8	416	1	1
NEBRASKA	202	16	140	o o	3	0	0	0	0	42	1	0
NEVADA	617	3	449		64	0	0	0	D	101	Ð	0
NEW HAMPSHIRE	93	.0	46	5	5	0	0	0	0	39	0	1
NEW JERSEY	184 681	17	45	2	53	. 5	2	0	0	88	2	0
NEW MEXICO	214	15 0	193	20	257	13	,	0	0	174	0	0
NEW YORK	2.090	57	103	.0		.0	1	0	0	101	0	1
NORTH CAROLINA		1	346 502	38	333	20	25	2	0	1,247	2	0
NORTH DAKOTA	375	8	271	13	69	0	1	0	0	271	0	0
DHID	1.213	110	580			0	0	0	Ō	96	0	0
DKLAHDHA	759	110	484	i	151	6	2	0	1	355	2	0
OREGON	299	· ·	193	*	13 34	1	1	0	0	260	0	e
PENNSYLVANIA	2,306	77	526	35	509	31	0	0	0	58	Ō	0
RHODE ISLAND	40	· i	18	• • • • • • • • • • • • • • • • • • • •	10	31	3	3	0	1,121	1	0
SOUTH CAROLINA		i	234		71		3	0	0		0	0
SOUTH DAKOTA	348	10	253	ă	′ <u>2</u>	ň	3		0	131	0	0
TENNESSEE	370	4	229	ĭ	20	ŏ	2	Ď	0	83	0	0
TEXAS	2,639	1	1.313	37	282	ŏ	i	2	2	114	0	0
UTAH	281	ĩ	90	i	58	ă	ŏ	Ď	ő	1,001	1	0
VERMONT	118	30	53	ō	ž	7	ň	Ď	~	131 30	2	0
VIRGINIA	750	8	213	13	80	3	ž	2	ů	424	í	0
WASHINGTON	463	30	206	- 6	60	Ĭ	ŏ	Ď	ň	151	2	0 2
WEST VIRGINIA	655 996	40	106	ě	46	Ž	ž	ŏ	č	454	ő	2
HYOMING	160	ίο	54 i 108	11	125	Š	ş	Ō	Ŏ	304	Ď	Ō
AMERICAN SAMOA		Ô	100	ĕ	à	0	å	8	8	24	8	0
SUAM	7		7	0		-		• -	•	_	-	-
N. MARIANAS	Ś	ĭ	ź	ž	0	U	0	0	0	0	O	0
PUERTO RICO	34	1	31	ŭ	7	0	0	0	0	3	0	0
PAC. TR. TERR.	30	Ġ	3,	ŭ	0	ŭ	0	0	0	1	<u> 0</u>	0
VIRGIN ISLANDS		Ď	5	ů	0	u 0	0	0	0	24	0	0
	-	•	-	v	v	·	U	U	0	0	0	0
U.S. TOTALS	32,511	874	14,193	334	3,733	211	112	26	6	12,977	30	15

NUMBER OF FACILITIES IN THE YEAR 2000 BY NATURE OF FACILITY

Table 2 lists the total number of facilities by State required to satisfy discharge requirements in the year 2000. Included are facilities that are operational in 1982 and will remain in operation through the year 2000, those facilities under construction in 1982, and those facilities proposed to be built before 2000. Excluded are facilities that are operational in 1982 but are projected to be abandoned prior to the year 2000.

The nature of a facility is recorded using a numerical code. The various codes are defined as follows:

- $\frac{\text{Code 1}}{\text{plant}}$: A complete wastewater treatment system consisting of a treatment plant, associated collector and/or interceptor sewers, and methods for disposal of effluent and sludge. All components are under the control of a single treatment authority. The collection system associated with a Code 1 facility is composed of combined sewers.
- $\frac{\text{Code 2}}{\text{listed}}$: A complete wastewater treatment system having all the components $\frac{\text{Code 2}}{\text{listed}}$ under $\frac{\text{Code 1}}{\text{code 2}}$ facility is composed of separate sanitary sewers.
- <u>Code 3</u>: A separate treatment plant. The collection systems which discharge to a Code 3 facility are under the control of one or more authorities.
- <u>Code 4</u>: A municipal wastewater collection system composed of separate sanitary sewers. This system would consist of collector sewers and/or interceptor sewers, force mains, and pumping stations which either discharge without treatment or discharge to a facility controlled by a different authority. Code 4 systems handle only sanitary wastewaters.
- <u>Code 5</u>: A municipal wastewater collection system composed of combined sewers. This system would consist of collector sewers and/or interceptor sewers, force mains, and pumping stations which either discharge without treatment or discharge to a facility controlled by a different authority. Code 5 systems handle sanitary wastewaters and stormwaters.
- Code 6: Other types of systems; for example, operator training facilities.
- <u>Code 7</u>: A system for the bulk transmission of wastewater with or without pumping stations and with or without interceptor sewers.
- <u>Code 8</u>: A facility which provides handling, treatment, and disposal of sludge generated by other facilities. Included are vehicles and vehicle fleets used to transport sludge.
- <u>Code 9</u>: This code refers to communities where the primary method of wastewater disposal is by means of individual onsite systems, usually septic tank systems.

Code 0: A community septic tank system including an appurtenant collection system.

<u>Code D</u>: A separate intermediate treatment facility which provides partial treatment only and discharges to another wastewater treatment facility where additional treatment is provided.

As used in this report, combined sewers are defined as sewers which carry both storm and sanitary wastewaters. Separate sewers carry only sanitary wastes. Storm sewers convey only storm runoff.

1982 NEEDS SURVEY

NUMBER OF FACILITIES IN THE YEAR 2000 BY NATURE OF FACILITY

STATE	TOTAL	(CODE 1)	(CODE 2)	(CODE 3)	(CODE 4)	(CODE 5)	(CODE 6)	(CODE 7)	(CODE 8)	(CODE 9)	(CODE 0)	(CODE D)
ALABAMA	527	B	327	15		•		_				(0002 0)
ALASKA	238	ž	121	.,	95 0	0	1	0	0	88	0	1
ARIZONA	391	ō	165	Š	30	ŏ	2	0	0	110	3	8
ARKANSAS	756	ŏ	483	ī	50 52	ŭ	1	0	0	190	0	0
CALIFORNIA	1,659	3	882	26	273	Ď	•	_	0	220	o.	0
COLDRADO	368	ž	286	-3	61	č	26 D	11	1	420	6	5
CONNECTICUT	216	10	78	2	57	ï	Ÿ	0	0	14	. 0	2
DELAWARE	46	4	17	ō	19	•	ĭ	ů	o	53	13	2
DIST. OF COLU		i	Ö	ŏ	**		i	•	1	2	1	0
FLORIDA	493	ī	312	ž	160	ž		0	0	.0	Ō	0
GEORGIA	795	š	407	13	181	×	i	0	0	11	0	2
HAWAII	55	ō	44		111	ž	ŏ	0	0	185	0	1
IDAHO	246	12	190	ŏ	23	ŏ	ŏ	ŭ	0	. 0	0	0
ILLINDIS	1,438	56	765	32	319	32	ĭ	Ď	Ů	18	3	0
INDIANA	699	115	412	72	86	10	•	Ď	ů	228	•	1
IOWA	984	18	795	ò	42	.,	i i	ő	-	70	0	1
KANSAS	683	3	580	ň	26		ő	ŏ	0	127	0	2
KENTUCKY	478	15	366	3	74	ž	Š	2	Ü	74	0	0
LOUISIANA	545	Õ	443	ĭ	73	ń	ň	ć	Ÿ	14	1	1
MAINE	267	48	145	Ä	35	11	ň	Ų	1	26	0	1
MARYLAND	437	9	262	7	86	•;	,	7	ŭ	11	5	8
MASSACHUSETTS	277	25	108	į	110	ā	2	ŏ	Ÿ	66	4	0
MICHIGAN	1,068	62	406	10	328	31	ī	11		7	6	1
MINNESOTA	919	14	537	14	155	3.	ń	*6	ė	208	. 8	2
MISSISSIPPI	667	Ö	498	-7	104	7	ň	×	0	183	15	0
MISSOURI	928	12	616	ž	104	ŏ	ŏ	ž	ŭ	57	0	2
MONTANA	202	16	164	ò	3	Ď	ŏ	ň	0	191	0	1
NEBRASKA	616	3	462	ŏ	65	ŏ	ŏ	ž		18	1	0
NEVADA	93	Ō	69	2	11	ň	Ď	0	ŭ	86	0	0
NEW HAMPSHIRE	183	18	91	ī	35	ž	ž	ž	ŭ	,	.0	Z
NEW JERSEY	679	7	120	27	398	20	ñ	ž	·	2	32	0
NEW MEXICO	212	0	160	- Ò	14	-0	ŏ	ŏ	ń	106	0	O.
NEW YORK	2.082	62	723	51	645	16	ž	2	ÿ	38 547	.0	0
NORTH CARDLINA	865	1	607	21	199	ā	ŏ	7	Ď		28 3	0
NORTH DAKOTA	374	7	286	Ō	2	ŏ	ŏ	ň	ň	34 77	2	0
OIHO	1,201	106	678	5	316	10	ň	ň	ĭ	84	_	0
DKLAHOMA	759	0	582	2	38	Ö	ŏ	ň		135	1	0 2
OREGON	299	8	220	3	53	ž	ŏ	ŏ	ň	13	ŏ	2
PENNSYLVANIA	2,301	83	1,118	35	821	26	ō	ž	ŏ	209	5	0
RHODE ISLAND	40	1	23	1	14	1	ŏ	Ã	ă	247	0	0
SOUTH CAROLINA	451	0	273	12	155	ŏ	ŏ	ĭ	ŏ	10	ŏ	0
SOUTH DAKOTA	348	10	267	0	1	ŏ	ŏ	i	Ď	70	Ď	0
TENNESSEE	369	4	277	4	80	ō	ŏ	ŏ	ŏ	,,	ŏ	ŏ
TEXAS	2,644	0	2,183	37	362	Ŏ	ŏ	5	ĭ	55	ĭ	ň
UTAH	283	1	176	1	78	0	Ō	Ŏ	ō	27	ō	ŏ
VERMONT	119	30	67	0	12	i	Ō	ō	ĭ	3	5	ŏ
VIRGINIA	744	7	283	17	181	4	Ž	ž	ō	247	ő	ĭ
WASHINGTON	466	29	295	9	103	7	0	Õ	ō	17	ž	;
WEST VIRGINIA	654 1.001	45 10	451 593	.1	115	2	Ĭ	Ō	Ŏ	37	ž	ō
WYOMIYG	136	· i	iid	17	230 14	ž	ž	8	8	144	3	Q
AMERICAN SAMO	4 · · · i	Ū	ī	ŏ	°õ	ŏ	ŏ	ŏ	ŏ	10	100	P
GUAM	7	8	6	0	1	a	0	0	0	ň	ñ	
N. MARIANAS	4	ō	3	ŏ	i	ŏ	ŏ	0	ň	1	0	Ü
PUERTO RICO	34	1	30	ŏ	3	ŏ	ŏ	ő	0	0	ŭ	v
PAC. TR. TERR.		ō	21	ŏ	ŏ	ů	ă	ő	ő	9	ŏ	v
VIRGIN ISLANDS		ō	5	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	7	Ď	0
			-	-	-	-	-	•	•	v	•	
U.S. TOTALS	32,383	870	19,589	414	6.459	195	50	44	11	4,565	154	32

NUMBER AND NATURE OF WASTEWATER FACILITIES (EXISTING AND PLANNED) NATIONAL SUMMARY

Table 3 is a two part table. The upper table is a condensation of Tables 1 and 2 into a national summary. A facility is included in the Existing category if it was operational in 1982. A facility listed as To Be Abandoned was operational in 1982 and is expected to be phased out by 2000. A facility listed as Under Construction was in the process of being built in 1982. A facility in the To Be Built category was not in operation or under construction in 1982 but is projected to be operational by 2000. The Total row lists the total number of facilities expected to be in operation in the year 2000.

It should be noted that the values listed in the various columns are not additive. For example, the Sewer Systems column lists 27,267 facilities in the Total or year 2000 row. However, by starting with the Existing row and performing the indicated additions (To be Built and Under Construction) and subtractions (To be Abandoned), the resulting value would be 27,468. This difference of 201 facilities arises because of the special or unusual situations encountered in the course of data collection and are sometimes difficult to describe using the limited coding available in the Survey.

The lower table summarizes the nature of projected changes to existing wastewater treatment plants. Only treatment plants in operation in 1982 are included. A brief explanation of the projected change categories follows:

<u>Enlarge</u>: The hydraulic capacity of a plant will be increased while the degree of treatment the plant will be capable of achieving will remain the same.

<u>Upgrade</u>: The degree of treatment that a plant is capable of achieving will be improved but hydraulic capacity will remain the same.

<u>Enlarge and Upgrade</u>: Both the hydraulic capacity of a plant will be increased and the degree of treatment the plant is capable of achieving will be improved.

Replace: This describes the situation when an existing plant is demolished and a completely new plant is constructed on the same site.

Abandon: The treatment plant is taken out of operation and abandoned, and the sewage is diverted to another facility for treatment.

No Change: This category is for plants that will remain essentially unchanged through the year 2000.

Other: A number of situations are covered by this category. One common situation is a treatment plant which will require a capital expenditure, such as for a new sludge digestor, but the degree of treatment and hydraulic capacity will not be changed.

Abandon, Retain Sewers: This change is indicated when an authority that operates a treatment plant and a collection system takes the treatment plant out of operation and continues to operate the collection system. The sewage is diverted to a treatment plant operated by a different authority. This situation usually occurs when a regional treatment plant is constructed to serve several communities.

1982 NEEDS SURVEY

NUMBER AND NATURE OF WASTEWATER FACILITIES

(EXISTING AND PLANNED)

NATIONAL SUMMARY

***	******************			FACILITIES	*************				
	TREATMENT PLANTS	INTERMED. PLANTS	SEWER Systems	SLUDGE FACILITIES	TRUNK SEWERS	ONSITE Systems	OTHER		
EXISTING:	15,431	15	19,041	6	26	12,977	112		
TO BE ABANDONED:	1,477	1	296	1	0	8,412	82		
UNDER CONSTRUCTION:	447	2	587	2	3	0	0		
TO BE BUILT:	6,627	1	8,136	4	15	0	15		
TOTAL:	21.027	32	27,267	11	44	4,565	50		

		ENLARGE AND			NO		ABANDON, RETAIN
ENLARGE	UPGRADE	UPGRADE	REPLACE	ABANDON	CHANGE	OTHER	SEWERS
1,949	1,722	2,161	1,403	326	5,960	758	1,151

NUMBER AND FLOW BY STATE OF TREATMENT PLANTS BY DESIGN CAPACITY (EXISTING)

Table 4 is a flow summary of all treatment plants in operation in 1982. Excluded are treatment plants projected to be built and treatment plants under construction in 1982. A summary is provided for each State and U.S. Territory. National totals are summarized at the bottom of the table.

In the second column the total number of existing treatment plants in each State is reported. Column three represents the total wastewater treatment capacity of the plants in thousand cubic meters per day. The present design flow for each plant was used to calculate the total treatment capacity value. The present design flow may be equal to, greater, or less than the existing flow for any particular plant.

Subsequent columns provide a breakdown of the State totals into five flow ranges. The ranges specified in the column headings are reported in thousand cubic meters per day and, in parentheses under the headings, in million gallons per day. Reported for each flow range are the number of plants in the range and their total treatment capacity ($M^3/day \times 1,000$). Also reported is the percentage of the total State treatment capacity that is accounted for by each flow range.

These data are for all types of treatment plants regardless of level of treatment. Numerous other tables follow which provide summaries by level of treatment for both existing plants and projected plants.

The data indicate nearly 80 percent of the treatment plants in operation in 1982 have a design capacity less than or equal to 1.05 mgd (4 x 10^6 M³/day). These small plants account for 8.3 percent of the total U.S. wastewater treatment capacity. The data also indicate 0.6 percent of the treatment plants in operation in 1982 have a design capacity greater than or equal to 50.2 mgd (1.9 x 10^8 M³/day). These large plants account for 39 percent of the total U.S. wastewater treatment capacity.

Some column entries will be found which list a value for the number of plants but show zero for Total Design Flow or Percent of Flow. This occurs when the design flow value is less than 0.5 or the percent value is less than 0.05; in these cases the value is rounded to zero.

1982 NEEDS SURVEY

NUMBER AND FLOW BY STATE OF TREATMENT PLANTS BY DESIGN CAPACITY

(EXISTING)

CUBIC METERS PE (MILLION GALLON			***** (0	40 + 105			401-4.0 106-1.0			.001-4	0 **** .5)		.001-19		*****	190+ + (50.2+)	
	TOTAL				% OF			x of			X OF			X DF			X OF
STATE	# DF Plants	TOTAL FLOW	OF Plants	FLON	FLON	9 OF Plants	TOTAL FLOW	FLOH	0 OF Plants		FLOW	OF PLANTS	TOTAL FLOW	STATE FLOW	# OF Plants	TOTAL FLOW	STATE
ALABAHA	237		24	6	8.3	146	235	13.6	60	799	46.2	7	687	39.7	0	0	0.0
ALASKA Arizona	48	225	27	3	1.6	13	19	8.6	7	73	32.7	1	128	56.9	0	. 0	0.0
ARIZUNA ARKANSAS	113 285	1,168	39 78	20	0.5 2.0	53 156	84 203	7.2 19.7	16 47	172 552	14.7 53.5	4	450 253	38.5 24.6	1	454	38.8
CALIFORNIA	589		135	26	0.2	237	371	2.9	166	2.361	18.5	39	3.059	24.0	12	6.881	0.0 54.1
COLORADO	282	1,697	118	25	1.5	116	181	10.6	41	437	25.7	3,6	409	24.1	1	643	37.1
CONNECTICUT	102	2.071	8	2	0.1	31	65	3.1	50	835	40.3	12	941	45.4	ī	227	10.9
DELAWARE	21	434	4	0	0.1	12	21	5.0	4	71	16.4	0	0	0.0	1	340	78.3
DIST. OF COLUM.	1	1,169	0	b	0.0	0	. 0	0.0	0	0	0.0	0	0	0.0	1	1,169	99.9
FLORIDA	246	4,306	16	3	0.0	99	194	4.5	112	1,688	39.2	15	1,473	34.2	4	946	21.9
GEORGIA Hawaii	387 33	3,011 639	70	18	0.6	206	325	10.8	74	934	31.0	16	1,277	42.4	1	454	15.0
IDAHO	140	552	62	13	2.3	54	16 73	13.3	16 20	216 242	33.9 43.8	1	94 223	14.7 40.4	1	310	48.5
ILLINOIS	740	10.920	170	42	0.3	408	540	4.9	134	1.613	14.7	23	1,587	14.5	5	7,136	65.3
INDIANA	353	3,936	52	15	0.4	217	287	7.3	61	718	18.2	19	1.533	38.9	ž.	1.381	35.0
IOWA	681	1,539	375	75	4.8	252	262	17.0	46	512	33.3	8	689	44.7	ó	0	0.0
KANSAS	560	1,273	318	60	4.7	201	249	19.5	37	521	40.9	4	442	34.7	Ö	Ô	0.0
KENTUCKY	222	1,308	40	10	0.7	138	170	13.0	39	458	35.0	4	272	20.8	1	397	30.3
LOUISIANA	307	1,907	63	12	0.6	172	277	14.5	64	710	37.2	7	445	23.3	1	461	24.2
MAINE Maryland	96 148	527 2.055	16	2	0.5	45	70	13.3	32	295	55.9	3	159	30.1	0	0	0.0
MASSACHUSETTS	110	4.033	46	8	0.4	65 37	90 73	4.3	28 49	428 631	20.8 15.6	7 11	467 953	22.7 23.6	2 5	1,059	51.5
HICHIGAN	372	6,728	68	18	0.2	198	273	4.0	84	859	12.7	19	1,862	27.6	3	2,373 3,713	58.8 55.1
MINNESOTA	510	2,044	243	50	2.4	221	256	12.5	39	426	20.8	• • • • • • • • • • • • • • • • • • • •	485	23.7	ĭ	825	40.3
MISSISSIPPI	324	992	76	24	2.4	188	247	24.9	38	470	47.4	ž	249	25.1	ō		0.0
MISSOURI	550	3,254	241	49	1.5	245	354	10.9	56	610	18.7	5	505	15.5	3	1,733	53.2
MONTANA	157	417	80	13	3.1	63	82	19.7	12	162	38.9	2	158	38.0	0	0	0.0
NEBRASKA Nevada	452	1,010	316	46	4.6	112	123	12.2	21	261	25.8	2	302	29.9	1	276	27.3
NEW HAMPSHIRE	48 66	674 487	15 A	2	0.3	21	29 59	4.3	,,	75	11.1	2	227	33.6	1	340	50.4
NEW JERSEY	228	4,909	12	ž	0.0	37 95	186	12.2 3.7	18 100	210 1,319	43.1 26.8	3 17	215	44.2 32.8	0	1,790	0.0
NEW MEXICO	103	453	39	7	1.5	41	67	14.7	22	231	51.0	- i	147	32.5	7	1,,,,	36.4
NEW YORK	463		65	14	0.1	229	362	3.1	133	1,768	15.1	21	1,989	17.0	15	7,521	64.5
NORTH CARDLINA	516	2,608	241	22	0.8	166	265	10.1	98	1,454	55.7	11	865	33.1	ő	0	0.0
NORTH DAKOTA	279	166	230	27	16.2	40	37	22.3	9	102	61.4	0	0	0.0	Ó	0	0.0
OHIO	696	7,051	195	38	0.5	334	476	6.7	139	1,772	25.1	20	1,671	23.6	8	3,092	43.8
OKLAHOMA Oregon	485 206	1,221	244	46	3.8	191	243	19.9	47	588	48.2	3	342	28.0	0	. 0	0.0
PENNSYLVANIA	639	6,662	42 103	9 19	0.5	111 334	164 541	9.7	45	556	32.9	.7	581	34.3	1	378	22.3
RHODE ISLAND	20	648	203	*6	0.0	334	571	8.1 1.2	186 10	2,306 176	34.6 27.2	10 3	875 221	13.1	•	2,918	43.8
SOUTH CAROLINA	240	1,351	42	10	0.7	135	198	14.7	57	704	52.1	6	438	32.4	'n	272	0.0
SOUTH DAKOTA Tennessee	263 234	272	182	29	10.8	69	70	26.0	51	171	63.1	ŏ	0	0.8	ŏ	ŏ	0.0
TEXAS	1,352	2,566 7,561	428 426	81	0.2 1.0	137 679	1.027	13.5	216	2,447	26.3 32.3	26	513 1,959	20.0	3	1,158	45.1 27.0
UTAH	92	1.053	ŽŽ	4	0.4	38	52	4:3	26	386	36.7	"	609	57.8	Õ	2,044	26.0
VERMONT	85	230	22	4	2.0	46	70	30.5	17	155	67.4	0	0	0.0	Ō	Ō	0.0
VIRGINIA	235	2,453	74	15	0.6	110	146	5.9	33	413	16.8	16	1,408	57.3	2	469	19.1
WASHINGTON	244	2,219	53	12	0.5	120	179	8.0	62	793	35.7	8	760	34.2	1	473	21.3
WEST VIRGINIA Wisconsin	146 562	640 3,471	27 245	7 53	1.1	91	123	19.2	24 59	220	34.5	4	288	45.1	0 3	0	0.0
MACHINE	109	193	62	9	1.5 4.7	241 34	332 42	22.0	13	652 141	18.7 73.2	14	1,080	31.1 0.0	3 0	1,353	38.9
AMERICAN SANGA	2	• 74	Õ	ó	0.0	2	74	79.9		170	0.0	ŏ	ő	0.0	ŏ	Ö	0.0
GUAM	7	"	ĭ	ŏ	0.0	4	8	8.5	ŏ	ō	0.0	ž	70	91.3	ŏ	ŏ	0.0
N. MARIANAS	2	4	Ō	0	0.0	2	4	99.9	Ō	Ō	0.0	Ō	Ō	0.0	ō	Ō	0.0
PUERTO RICO	32	412	0	0	0.0	20	31	7.7	7	66	16.0	5	314	76.2	0	0	0.0
PAC. TR. TERR.	6	12	2	0	6.2	4	11	93.7	0	.0	0.0	0	0	0.0	0	0	0.0
VIRGIN ISLANDS	5	36	1	0	0.2	0	0	0.0	4	36	99.7	0	0	0.0	0	0	0.0
J.S. TOTALS	15,431	133,503	5,120	991	0.7	7,031	10.112	7.5	2.760	34,500	25.8	421	35,327	26.4	99 :	52,570	39.3

NUMBER AND FLOW BY STATE OF TREATMENT PLANTS BY DESIGN CAPACITY (YEAR 2000)

Table 5 is a flow summary of all treatment plants projected to be in operation in the year 2000. Excluded are plants that were operational in 1982 and are projected to be abandoned by 2000.

The projected design flow was used to calculate the total treatment capacity value. All other computations used to prepare this table are directly comparable to the methods used to prepare Table 4.

All flows are reported in thousand cubic meters per day.

The data indicate nearly 82 percent of the treatment plants projected to be operational in 2000 will have a design capacity less than or equal to 1.05 mgd (4 x 10 6 M 3 /day). These small plants will account for 8.1 percent of the total U.S. wastewater treatment capacity. The data also indicate 0.6 percent of the treatment plants projected to be operational in 2000 will have a design capacity greater than or equal to 50.2 mgd (1.9 x 10 8 M 3 /day). These large plants will account for 40 percent of the total U.S. wastewater treatment capacity.

Some column entries will be found which list a value for the number of plants but show zero for Total Design Flow or Percent of Flow. This occurs when the design flow value is less than 0.5 or the percent value is less than 0.05; in these cases the value is rounded to zero.

1982 NEEDS SURVEY

NUMBER AND FLOW BY STATE OF TREATMENT PLANTS BY DESIGN CAPACITY

(YEAR 2000)

CUBIC METERS P (MILLION SALLO	NS PER I	1 (YAC		040 (0105			.401-4. .106-1.			4.001-4 1.06-10			.001-1 .57-50		****	190+	
	TOTAL				X OF			X DF			X OF			X OF			X DF
STATE	OF PLANTS	TOTAL FLON	PLANTS		STATE	0 OF Plant		STATE			STATE	D DF		STATE	Ø DF PLANTS		STATE
ALABAMA	342	3.079	80	20											' Ennia	, FLOW	PLUM
ALASKA	126		70	13	0.6 3.5	170 20			77			13	992	32.2	2	961	31.2
ARIZONA	170		38		0.5	97			19			1	154	42.3	0	0	
ARKANSAS	484		269	50	4.1	157	192		29 52			•	511	33.2	1	567	
CALIFORNIA	917	13,412	349	70	9.5	340	478		174				370	32.0	0	0	8.0
COLORADO	291	2,038	104	21	1.0	121	166		58		29.2	40 7	3,053 553	22.7	14	7,239	
CONNECTICUT	103	2.064	10	2	0.1	29	46	2.2	52		44.5	11	849	27.1	1	700	
DELAHARE	22	588	4	0	0.0	12	27	4.7	- 3			**	140	42.0 23.7	1	227	
DIST. OF COLUM	. 1	1,169	0	0	0.0	0		0.0	ă		6.0	5	170	0.0	1	384 1.169	
FLORIDA	319		23	5	0.0	136	204		120			33	2,467	35.4	7	2,492	99.9 35.8
GEORGIA	428		"	23	0.6	218	308	8.3	91		31.7	19	1,827	49.1	í	378	
HAWAII Idahd	44		2	0	0.0	20	42	6.2	20		34.1	ĭ	24	13.9	i	310	
ILLINOIS	205		"	19	2.7	77	,,	14.0	23		36.6	š	329	46.5	i	7.0	0.0
INDIANA	857		285	63	0.5	401	540	4.3	140	1,716	13.9	26	1.929	15.4	5	8,085	65.5
IONA	531		193	42	1.0	526	286	6.8	79	913	21.9	19	1,533	36.8	4	1.381	33.2
KANSAS	813 583		498	87	4.9	254	286	16.3	52	567	32.3	,	613	46.3	ė	0	0.0
KENTUCKY	385		340 154	58	4.1	192	219	15.4	46		43.2	4	329	23.2	i	196	13.8
LOUISIANA	444		140	36 33	1.8	165	501	10.1	57		31.2	7	494	25.0	2	624	31.6
MAINE	206		83	16	1.3	194	275	11.1	80		37.9	8	563	22.7	2	660	26.7
MARYLAND	281	2.376	156	26	2.5	84 87	109	16.9	35		49.2		202	31.2	0	0	0.6
MASSACHUSETTS	148		15	- 2	0.0	50	123 93	5.1	26		16.7	10	744	31.3	2	1,083	45.6
MICHIGAN	486		118	29	0.3	254	358	1.9	65	907	18.9	13	1.137	23.6	5	2,657	55.3
MINNESOTA	577		304	59	2.4	223	277	4.7 11.2	91 43	783	13.1	17	1,762	23.5	6	4,361	58.1
HISSISSIPPI	584	1.364	281	48	3.5	167	213	15.6	51	498 482	20.2 49.9	6 2	528	21.4	1	1,097	44.5
MISSOURI	632	3,450	311	59	1.7	248	346	10.6	61	728	21.1	į	163	11.9	1	257	18.8
MONTANA	181	455	95	15	3.5	70	90	19.7	14	190	41.8	ž	158	29.0 34.8	3	1,294	37.5
NEBRASKA	465		317	51	4.8	120	134	12.4	24	274	25.9	•	333	31.5	•	•	0.0
NEVADA	71	805	36	7	0.9	20	25	3.1	12	139	17.2	2	273	36.4	•	264 340	25.0 42.2
NEW HAMPSHIRE NEW JERSEY	142	802	41	10	1.2	68	94	11.7	29	324	40.4	3	176	21.9	•	196	24.5
NEW JERSEY	154	5.351	2	0	0.D	39	82	1.5	87	1,254	23.4	21	1.553	29.0	•	2,460	45.9
NEW YORK	160	697	82	14	2.4	54	83	12.0	53	307	44.0	Ď	0	0.0	ĩ	289	41.5
NORTH CAROLINA	864 632	14.072 3.365	275	57	0.4	388	550	3.9	154	2,110	14.9	28	2,251	16.0	19	9.101	64.6
NORTH DAKOTA	295	214	329	39	1.1	184	270	8.0	100	1.587	47.1	19	1.467	43.6	Ö	0	0.0
OHIO	790	8,240	238 275	28	13.4	47	42	19.9	10	143	66.6	0	0	0.0	ō	Ō	0.0
OKLAHOMA	586	1.524	317	57 58	0.7	323	426	5.1	157	2,104	25.4	27	2,067	25.0	8	3.603	43.6
DREGON	231	1.914	62	14	3.8 0.7	211	540	17.0	50	595	37.0	5	382	25.0	1	227	14.8
PENNSYLVANIA	1.241	8,212	403	88	1.0	117 590	175	9.1	44	617	32.2	7	729	38.0	1	378	19.7
RHODE ISLAND	25	824	5	7	0.1	370	838	10.2	230	2,683	32.4	12	1.031	12.5	6	3,570	43.4
SOUTH CAROLINA	285	1,779	80	16	0.9	122	174	9.7 9.8	11	163	19.7	5	351	42.6	1	302	36.7
SOUTH DAKOTA TENNESSEE	377	317	194	29	9.2	-69	69	≥1:8	76	1,029	57.8	7	559 107	31.4	0	0	0.0
TEXAS	2,221	10,072	1,002	173	1:7	137	1,322	6.2	75	921	34.8 27.0	ź	536	34.0 15.5	ě	1.722	0.0 50.6
UTAH	178	1,322	70	ii	1:4	9 į 7 57	1,322	13.1	261 25	3,102	30.8	34	2,604	25.8	į	2,869	28.4
VERMONT	102	271	34	7	2.6	47	67	24.6		307	23.2		591	44.7	1	333	25.1
VIRGINIA	307	3.160	90	19	0.6	151	205	6.4	19 43	197	72.6	. 0	0	0.0	0	0	0.0
MASHINGTON	337	2.861	100	23	0.8	157	205	7.1	73	515	16.3		1,757	55.6	3	662	20.9
HEST VIRGINIA	499	1.049	175	40	3.8	261	372	35.4	39	908 368	31.7		553	19.3	3	1,170	40.8
MISCONSIN	623	3,876	264	53	1.3	275	387	7.7	67	787	34.3 20.3	4	276	26.2	0	0	0.0
MADMINE	115	314	62	7	2.3	33	40	12.7	16	200	63.3	14	1,105	28.5 21.5	3	1,542	39.7
AMERICAN SANDA	1	23		0	0.8	Ŏ	70	0.0	ï	23	"	á	• 8	0.0	0	0	0.0
SUAM	•	100	0	0	0.0	3	Š	5.4	i	-4	4.0	ž	70	90.2		ő	0.0
N. MARIANAS	_ 3	20	0	0	0.0	1	Ō	4.3	ž	19	95.6	ō	70	0.0	Ď	n	0.0
PUERTO RICO PAC. TR. TERR.	31	1,306	0	0	0.0	7	19	1.5	15	208	15.9	ě	806	61.7	ĭ	272	20.8
VIRGIN ISLANDS	21 5	37	4	0	2.5	14	17	46.5	3	19	50.9	ŏ	ō	0.0	ô	2,0	0.6
444 496MU3	•	51	0	0	9.0	1		1.7	4	50	98.2	D	Õ	0.0	Õ	Õ	0.6
U.S. TOTALS	21,027	161,778	8.701	1,656	1.0	8,460	11,576	7.1	3,213	40.643	25.1	524 4	2,435	26.2	129 4	5.446	40.4
																	. • • •

AVERAGE DOMESTIC FLOWS BY STATE PRESENT, PROJECTED, AND PERCENT CHANGE

Table 6 summarizes the present (1982) and projected (2000) quantity of flow treated by publicly owned treatment plants that is from domestic sources. A similar summary dealing with flow from industrial sources is presented in Table 7.

A further explanation of these summaries is presented below:

Actual: All flows reported in this category were compiled from the actual average daily flow received at treatment works during the most recent 12 month period for which information is available. Flows reported in this category were compiled from records collected between late 1980 and early 1982. The major source of flow information was the self-monitoring reports that are completed by every facility with an NPDES permit.

<u>Present Design</u>: All flows reported in this category were compiled from the average daily flow a treatment plant is designed to handle. The design capacity reported was the capacity in place in 1982.

<u>Projected Design:</u> All flows reported in this category were compiled from the average daily flow that a treatment plant will be designed to handle in 2000.

Total Flow: The total flow is expressed in thousand cubic meters per day. Total flow is defined as all wastewaters moving through the treatment plant from all sources including domestic, commercial, industrial, and infiltration/inflow.

<u>Domestic Flow:</u> The domestic flow is expressed in thousand cubic meters per day. For this table domestic flow includes all wastewaters moving through the treatment plant from all sources except industrial sources.

<u>Liters/Capita/Day</u>: These values were calculated using the domestic flow and the total resident and nonresident population. The actual number of residents and nonresidents receiving treatment in 1982 was used in the Actual and Present Design categories. The number of residents and nonresidents a treatment plant will be capable of serving in the year 2000 was used in the Projected Design category.

<u>Percent Change</u>: This category presents a comparison between the present situation (1982) and the projected situation (2000). The change in each parameter between the present design and the projected design is expressed as an increase or decrease using the present design as the base.

All flows are reported in thousand cubic meters per day.

1982 NEEDS SURVEY

AVERAGE DONESTIC FLOWS BY STATE PRESENT, PROJECTED AND PERCENT CHANGE (THOUSANDS OF CUBIC METERS PER DAY)

	****	** ACTUAL		***	PRESENT	DESIGN ***	*** PR(, DJECTED 1	DESIGN ***	**** PE	RCENT CHA	NGE ****
	TOTAL	DOM.	LITERS /	TOTAL	DOM.	LITERS /	TOTAL	DOM.	LITERS /	TOTAL	DOM.	LITERS /
STATE	FLOW	FLON	CAP./DAY	FLON		CAP./DAY	FLON		CAP./DAY	FLON	FLOW	CAP. /DAY
ALABAMA	1,334	1,118	512	1,728	1,487	681	3,079	2,705	741	+78.1	+81.8	+8.7
ALASKA	159		712	225	207	1,016	369	350	516	+63.4	+68.7	-49.2
ARIZONA	817		351	1,168	1,114	494	1,539	1,474	348	+31.7	+32.3	-29.5
ARKANSAS	672		416	1,030	912	704	1,215	1,042	417	+18.0	+14.2	-40.7
CALIFORNIA	9,060		376	12,700	10,502	523	13,412	11,119	402	+5.6	+5.8	-23.1
COLORADO	1,279	1,084	380	1,697	1,464	514	2,038	1,799	393	+20.0	+22.8	-23.4
CONNECTICUT Delaware	1,317	1,089	563	2,071	1,627	842	2.064	1,663	544	-0.3	+2.2	-35.3
DIST. OF COLUM.	322		333	434	290	532	588	427	400	+35.4	+47.1	-24.8
FLORIDA	1,169 4,377	1,169	621	1,169	1,169	621	1,169	1.169	520	+0.0	+0.0	-16.2
GEORGIA	2,033		664	4,306	3,985	641	6,955	6,558	464	+61.5	+64.5	-27.5
HAWAII	395	1.647 357	488 549	3,011	2,394	710	3,717	2,993	496	+23.4	+25.0	-30.0
IDAHD	367	324	633	639 552	605 480	931	679	626	452	+6.2	+3.4	-51.4
ILLINDIS	8,025	6.500	657	10,920	9,017	939	706	628	563	+27.8	+30.9	-39.9
INDIANA	3,618	3,058	824	3,936	3,140	911 846	12,335	10,138	836	+12.9	+12.4	-8.3
IOHA	1,152	951	443	1,539	1,266	590	4,157 1,754	3,274	623	+5.5	+4.2	-26.4
KANSAS	851	728	394	1.273	1,076	583	1,419	1,427	491 475	+13.9	+12.7	-16.7
KENTUCKY	998	756	423	1,308	\$73	545	1,974	1,511	465	+11.4	+12.2	-18.5
LOUISIANA	1,239	1,193	413	1,907	1,857	643	2,471	2,345	478	+50.8 +29.5	+55.2 +26.2	-14.6 -25.7
MAINE	379	298	486	527	414	676	647	526	526	+22.5	+27.0	-23.7 -22.1
MARYLAND	1,401	1,187	485	2,055	1,842	752	2,376	2,028	474	+15.6	+10.1	-36.9
MASSACHUSETTS	3.253	2,489	637	4,033	3,006	770	4,799	3,597	613	+18.9	+19.6	-20.3
HICHIGAN	5,209	4,080	577	6,728	5,246	742	7.496	5,857	647	+11.4	+11.6	-12.7
HINNESOTA	1,632	1,178	390	2,044	1,527	505	2,461	1,810	473	+20.3	+18.5	-6.4
MISSISSIPPI	752	638	433	992	897	610	1,364	1,229	522	+37.4	+36.9	-14.3
MISSOURI	2,260	1,859	447	3,254	2.527	608	3,450	2.672	443	+6.0	+5.7	-27.1
MONTANA	256	249	504	417	407	824	455	441	602	+9.2	+8.4	-26.8
NEBRASKA Nevada	660	528	419	1,010	833	662	1,058	809	469	+4.7	-2.8	-29.1
NEW HAMPSHIRE	398	397	506	674	672	856	805	784	526	+19.4	+16.6	-38.5
NEW JERSEY	305 4,258	230	542	487	374	881	802	621	616	+64.5	+65.8	-30.1
NEW MEXICO	345	3,446 320	514	4,909	4,423	660	5,351	4,065	442	+9.0	-8.0	-32.9
NEW YORK	9,124	8,278	349 593	453	429	467	697	666	431	+53.7	+55.2	-7.7
NORTH CARDLINA	1,719	1.165	438	11,656 2,608	10,420	747	14,072	12,519	628	+20.7	+20.1	-15.9
NORTH DAKOTA	141	130	294	166	1,859 154	699	3.365	2,334	481	+29.0	+25.5	-31.1
OHIO	5,626	4,611	541	7,051	5,677	349 666	214	195	337	+28.6	+26.4	-3.5
DKLAHDHA	746	699	375	1,221	1,159	623	8,260 1,524	6,525	536	+17.1	+14.9	-19.4
DREGON	1,195	946	637	1,691	1,367	934	1,914	1,393	420	+24.7	+20.2	-32.5
PENNSYLVANIA	5,531	4,771	503	6,662	5,762	608	8,212	7,149	523 552	+13.2 +23.2	+17.0	-44.0
RHODE ISLAND	484	327	498	642	467	710	824	567	588	+27.1	+24.0 +21.5	-9.2 -17.1
SOUTH CAROLINA	859	606	407	1.351	1,075	721	1.779	1,291	400	+31.7	+20.1	-44.5
SOUTH DAKOTA	202	174	372	272	241	515	317	279	414	+16.4	+15.8	-19.6
TENNESSEE	1,799	1,314	593	2.544	1,901	859	3,401	2,463	563	+32.5	+29.5	-34.4
TEXAS UTAH	6,287 812	5,632	457 533	7.561	6,974	562	10,072	9,230	448	+33.2	+33.3	-20.3
VERMONT	180	163	626	1.053	216	691 827	1,322	1,142	530 579	+25.5 +17.8	+23.3	-23.3
VIRGINIA	1,697	1,418	398	2,453	2,017	566	3,160	2,588	428	+26.8	+12.6 +28.3	-29.9 -24.4
WASHINGTON	1,610	1,415	545	2,219	1,957	753	2,861	2.480	516			
WEST VIRGINIA Wisconsin	388	326	390	640	584	697	1,049	926	443	+28.9	+26.7	-31.4
MADWINE	2,320	1,739	513	3,471	2,468	728	3.876	2.799	567	+63.9	+58.6	-36.4
AMERICAN SAMOA	174	173	503	193	193	562	316	305	481	+11.6 +63.1	+13.4	-22.0
GUAK SAMOA	1 34	1	1,061	4	4	2,723	23	12	380	+425.4	+57.8 +179.6	-14.3
N. MARIANAS	2	34 2	448	99	99	1,296	100	100	476	+1.1	+1.1	-86.0 -63.2
PUERTO RICO	517	468	1,615	4	4	2,957	20	20	634	+318.3	+318.3	-83.2 -78.5
PAC. TR. TERR.	71	700	266 111	412	363	206	1,306	1.064	328	+217.1	+193.1	+58.8
VIRGIN ISLANDS	24	24	298	12 36	12	1.078	37	37	356	+213.1	+214.4	-66.9
		- 7	470	36	36	448	51	51	391	+40.1	+40.1	-12.7
U.S. TOTALS	101,794	85,374	504	133,503	112.080	662	141 77	T4 555				••
		-	•		,	002	161,778 1	34,725	513	+21.1	+20.3	-22.5

NOTES: 1. FLOWS IN CUBIC METERS X 1000 2. SUM OF ENTRIES MAY NOT EQUAL TOTALS BUE TO ROUND-OFFS

AVERAGE INDUSTRIAL FLOWS BY STATE PRESENT, PROJECTED, AND PERCENT CHANGE

Table 7 summarizes the present (1982) and projected (2000) quantity of flow treated by publicly owned treatment plants that is of industrial origin. This table is an extension of the summary presented in Table 6.

A further explanation of these summaries is presented below:

Actual: All flows reported in this category were compiled from the actual average daily flow received at treatment works during the most recent 12 month period for which information is available. Flows reported in this category were compiled from records collected between late 1980 and early 1982. The major source of flow information was the self-monitoring reports that are completed by every facility with an NPDES permit.

<u>Present Design</u>: All flows reported in this category were compiled from the average daily flow a treatment plant is designed to handle. The design capacity reported was the capacity in place in 1982.

Projected Design: All flows reported in this category were compiled from the average daily flow that a treatment plant will be designed to handle in the year 2000.

Total Flow: The total flow is expressed in thousand cubic meters per day. Total flow is defined as all wastewaters moving through the treatment plant from all sources including domestic, commercial, industrial, and infiltration/inflow.

Industrial Flow: This includes only wastewater generated by industry. Excluded were flows originating from domestic sources, commercial users, and infiltration/inflow.

Percent Change: This category presents a comparison between the present situation (1982) and the projected situation (2000). The change in each parameter between the present design and the projected design is expressed as an increase or decrease using the present design as the base.

All flows are reported in thousand cubic meters per day.

1982 NEEDS SURVEY

AVERAGE INDUSTRIAL FLOHS BY STATE PRESENT, PROJECTED AND PERCENT CHANGE (THOUSANDS OF CUBIC METERS PER DAY)

	*****	ACTUAL	*****	*** PR	SENT DES	[GN ****	**** PR	OJECTED	DESIGN ***	** PER	ENT CHANGE
STATE	TOTAL	IND.	IND.	TOTAL	. IND.	IND.	TOTAL	IND.	IND.	TOTAL	
SIAIE	FLOW	FLOW	×	FLO	FLOW	×	FLON		*	FLOW	IND. Flow
ALABANA	1,334	216	16.2	1,728	3 240	13.9					
ALASKA	159	14	9.0	22		8.1	3,079 369	• • •	12.1	+78.1	+55.3
ARIZONA	617	26	3.2	1,168		4.6	1,539		5.1 4.2	+63.4	+3.4
ARKANSAS	672	132	19.7	1,030		11.4	1,215		14.2	+31.7	+19.8
CALIFORNIA COLORADO	9,060	1,497	16.5	12,700	2,197	17.3	13,412		17.1	+18.0 +5.6	+47.1
CONNECTICUT	1,279	194	15.2	1,697		13.7	2,038		11.7	+20.0	+4.3
DELAWARE	1,317	227	17.3	2,071		21.4	2,064		19.4	-0.3	+2.6 -9.6
DIST. OF COLUM.	322 1,169	140	43.6	434		33.1	588	161	27.4	+35.4	+11.8
FLORIDA	4,377	0 249	0.0	1,169	_	0.0	1,169	0	0.0	+8.0	+0.0
GEORGIA	2,033	386	5.6 19.0	4,306		7.4	6,955	397	5.7	+61.5	+23.8
HAHAII	395	38		3,011		20.4	3,717	723	19.4	+23.4	+17.4
IDAHO	367	43	9.7 11.9	639 552		5.3	679	53	7.8	+6.2	+56.6
ILLINDIS	8,025	1.524	18.9	10,920		13.0	706	77	11.0	+27.8	+7.8
INDIANA	3,618	560	15.4	3,936		17.4	12,335	2,197	17.8	+12.9	+15.4
IOHA	1,152	201	17.4	1,539		20.2	4,157	882	21.2	+5.5	+10.7
KANSAS	851	123	14.5	1,273	197	17.7 15.5	1,754	326	18.6	+13.9	+19.6
KENTUCKY	998	242	24.2	1.308		25.5	1,419	211	14.9	+11.4	+7.2
LOUISIANA	1,239	46	3.7	1,907	49	2.5	1,974 2,471	463	23.4	+50.8	+38.2
MAINE	379	80	21.2	527	113	21.5	647	125	5.0	+29.5	+154.5
MARYLAND	1,401	214	15.2	2,055	213	10.3	2,376	120 347	18.6	+22.5	+6.2
MASSACHUSETTS	3,253	763	23.4	4,033	1,026	25.4	4,799	1,202	14.6	+15.6	+62.8
MICHIGAN	5,209	1,128	21.6	6,728	1,482	22.0	7,496	1,638	25.0 21.8	+18.9	+17.0
MINNESOTA Mississippi	1,632	454	27.8	2,044	517	25.3	2,461	651	26.4	+11.4	+10.5
MISSOURI	752	113	15.1	992	94	9.5	1,364	134	9.8	+20.3 +37.4	+25.7
MONTANA	2,260	401	17.7	3,254	727	22.3	3,450	777	22.5	+6.0	+42.3
NEBRASKA	256		2.7	417	10	2.4	455	14	3.1	+9.2	+6.9 +40.6
NEVADA	660 398	132	19.9	1,010	176	17.5	1,058	249	23.5	+4.7	+40.8
NEW HAMPSHIRE	305	0 75	0.0	674	1	0.2	805	20	2.5	+19.4	+961.5
NEW JERSEY	4,258	812	24.6 19.0	487	113	23.1	802	181	22.5	+64.5	+60.1
NEW MEXICO	345	24	7.2	4,909 453	485	9.8	5.351	1,285	24.0	+9.0	+164.8
NEW YORK	9,124	845	9.2	11,656	24 1,236	5.3	697	31	4.4	+53.7	+27.9
NORTH CAROLINA	1,719	554	32.2	2,608	749	10.6 28.7	14,072	1,552	11.0	+20.7	+25.5
NORTH DAKOTA	141	11	8.2	166	12	7.3	3,365 214	1,031	30.6	+29.0	+37.6
DHID	5,626	1.014	18.0	7.051	1.374	19.4	8,260	. 735	8.9	+28.6	+56.8
DKLAHDMA	746	46	6.2	1,221	62	5.0	1,524	1,735 130	21.0	+17.1	+26.2
OREGON	1.195	249	20.8	1,691	304	17.9	1,914	290	8.5 15.1	+24.7	+110.2
PENNSYLVANIA Rhode Island	5,531	760	13.7	6,662	899	13.5	8,212	1,062	12.9	+13.2	-4.3
SOUTH CAROLINA	484	156	32.3	648	181	27.9	824	256	31.1	+23.2 +27.1	+18.1
SOUTH DAKOTA	859	252	29.4	1,351	275	20.4	1,779	488	27.4	+31.7	+41.6
TENNESSEE	202 1.799	28	13.9	272	30	11.3	317	37	11.8	+16.4	+76.9 +20.8
TEXAS	6,287	484 655	26.9 10.4	2,566	664	25.8	3,401	938	27.5	+32.5	+41.1
UTAH VERMONT	812	• 9ี่ 8ี	12.1	7,561 1,053	636 127	8.4 12.1	10,072	842	8.3	+33.2 +25.5	+32.2
VIRGINIA	180 1,697	279	8.9	230	14	6.2	1,322	180	13.6	+25.5 +17.8	441.3
WASHINGTON	1,610	194	16.4 12.0	2,453	435	17.7	3,160	572	18.0	+28.8	+95.6 +31.2
WEST VIRGINIA	388	61	15.7	2,219	262	11.8	2,861	381	13.3	+28.9	+45.3
WISCONSIN	2,320	580	25.0	640 3,471	56	8.7	1,049	122	11.7	+63.9	+119.0
MYDMING	174	1	0.7	193	1,003	28.8	3,876	1,076	27.7	+11.6	+7.3
AMERICAN SAMOA	1	ō	0.0	173	0	0.1	316	10	3.4	+63.1	+2759.9
GUAM	34	ō	0.0	99	ŏ	0.0	23	10	46.7	+425.4	+0.0
N. MARIANAS	2	Ō	0.0	4	Ö	0.0 0.0	100	0	0.0	+1.1	+0.0
PUERTO RICO	517	48	9.4	412	48	11.8	20	0	0.0	+318.3	+0.0
PAC. TR. TERR.	1	0	0.0	12	0	0.6	1,306 37	241	18.5	+217.1	+396.3
VIRGIN ISLANDS	24	0	0.0	36	ŏ	0.0	51	0	0.1	+213.1	+0.0
U.S. TOTALS	101.794			_	_		-1	0	0.0	+40.1	+0.0
	2011/74	16,419	16.1	133,503	2:.413	16.0	161,778	26,853	16.5	+21.1	+25.4
									.		T63.4

NOTES: 1. FLOWS IN CUBIC METERS X 1000 2. SUM GF ENTRIES MAY NOT EQUAL TOTALS DUE TO ROUND-OFFS

PROJECTED INDUSTRIAL FLOW TO MUNICIPAL TREATMENT PLANTS BY NUMBER, FLOW, AND PERCENT OF TOTAL FLOW

Table 8 summarizes the industrial flows expected at municipal plants in the year 2000. A summary is provided for each State and U.S. Territory. National totals are summarized at the bottom of the table. Table 8 is an extension of the Projected Design portion of Table 7.

In the second column the total number of projected treatment plants in each State is reported. Column three represents the total wastewater treatment capacity of the plants in thousand cubic meters per day. The projected design flow for each plant was used to calculate the total treatment capacity value.

Subsequent columns provide a breakdown of the plants that will be receiving industrial flows into five flow ranges. The ranges specified in the column headings are reported in thousand cubic meters per day and, in parentheses under the headings, in million gallons per day.

Reported for each flow range are the number of plants in the range that will be receiving industrial flows and the total amount of industrial flow expected. Also reported is the percentage of the total State treatment capacity that is accounted for by the industrial flow.

All flows in the columns are given in thousand cubic meters per day.

The data indicate that the largest percentage of industrial flows will be treated by plants in the 1 to 50 mgd ranges.

DECEMBER 31, 1982 TABLE 8

1982 MEEDS SURVEY

PROJECTED INDUSTRIAL FLOW TO MUNICIPAL TREATMENT PLANTS BY NUMBER, FLOW, AND PERCENT OF TOTAL FLOW

CUBIC METERS/DAY X 1000 0-.40 .401-4.0 4.001-40 40.001-190 190+
(MILLION GALLONS PER DAY) (0-.105) (.106-1.05) (1.06-10.5) (10.57-50.2) (50.2+)

					•	٠.	106-1.6	,,,	(1	1.06-10.	. 5)	(1	10.57-51	0.2)		(50.2+)	,
		BER AND															
		H OF	NUMBER		* OF	NUMBER	TOTAL	X OF	NUMBER	TOTAL	X OF	NUMBER	TOTAL	X OF	NUMBER	TOTAL	X OF
		ATHENT	OF	INDUS	TOTAL	OF	Indus	TOTAL	OF	INDUS	TOTAL	OF	INDUS	TOTAL	OF	INDUS	TOTA
STATE	PAC	ILITIES	PLANTS	FLOW	FLOW	PLANTS	FLON	FLON	PLANTS	FLOW	FLON	PLANTS	FLOW	FLOW	PLANTS	FLOW	FLON
			*****	****	****	*****	****	***	****	***	****	****	*****	****	****	*****	****
LABAMA	342		46	1	0.05	72	12	0.40	49	183	5.94	10	119	3.89	1	54	1.8
RIZONA	126	369 1.539	0	0	0.00	0	0	0.00	4	1	0.45	1	17	4.71	0	0	0.0
RKANSAS	484	1,215	i	0	0.00	. 0	.0	0.00	. 5	13	0.85	2	51	3.34	0	0	0.0
ALIF.	917	13,412	2	ů	0.00	18 37	11	0.95	31	122	10.06	- 6	39	3.26	6	0	0.0
OLORADO	291	2,038	ō	ŏ	0.00	37	17	0.13 0.19	90 17	331	2.47	35	507	3.78	14	1,436	10.7
ONN.	103	2,064	ī	ă	0.00	á	3	0.17	46	44 143	2.18 6.95	11	20	1.00	1	170	8.3
ELAWARE	22	588	ī	ŏ	0.00	5	č	1.03	7	173	0.06	i i	215	10.46	1	37	1.8
ASH, D.C.	1	1,169	Ö	Ō	0.00	ŏ	ŏ	0.00	i	ŏ	0.00	â	,	0.00	1	145	24.7
LORIDA	319	6,955	15	O	0.00	74	11	0.15	20	59	0.85	11	156	2.24	3	170	2.4
EORGIA	428	3,717	28	1	0.02	86	22	0.61	60	220	5.92	18	455	12.24	ĭ	24	0.6
AWAII	44	679	0	0	0.00	1	0	8.04	3	5	0.85	Ď		0.00	ī	47	6.7
DAHO	205	706	D	0	0.00	8	3	0.46	8	19	2.82	6	54	7.73	ō	ď	0.0
LLINDIS NDIANA	857	12.335	. 8	0	0.00	61	18	0.14	75	241	1.95	25	550	4.46	5	1,386	11.2
OMY	531	4,157	18	0	0.01	41	10	0.25	56	165	4.54	19	405	9.76	4	276	4.6
ANSAS	813 583	1,754	?	0	0.01	55	7	0.42	27	110	6.31	8	208	11.87	0	0	0.0
ENTUCKY	385	1,974	1 57	-	0.00	51		0.31	25	54	3.85	3	105	7.45	1	46	3.3
DUISIANA	444	2,471	1	5	0.10	73	11	0.56	40	79	4.03	7	64	3.26	2	305	15.4
AINE	206	647	į	Ď	0.00	14 20	13	0.14 2.03	11	15	0.61	5	61	2.47	2	45	1.8
ARYLAND	281	2.376	19	ŏ	0.02	25	13	0.18	22 16	71 47	11.11	4 7	35	5.45	8		8.0
ASS.	148	4,799	Ö	ŏ	0.00	17	12	0.25	50	198	1.99	13	172 380	7.27	2 5	121	5.1
ICHIGAN	486	7,496	5	Š	0.00	58	21	0.28	40	102	1.36	16	434	7.92 5.79	5	610 1,080	12.7
INNESOTA	577	2,461	22	1	0.04	80	32	1.32	35	97	3.95	-;	157	6.38	i	363	14.4
ISS.	504	1,364	33	1	0.10	64	13	0.95	30	88	6.45	ž	15	1.12	i	16	1.2
ISSDURI	632	3,450	13	0	0.01	68	30	0.89	46	125	3.63	j	193	5.59	i	427	12.3
DHTANA	181	455	0	0	0.00	5	0	0.09	7	8	1.95	Ž	4	1.07	ŏ		0.0
EBRASKA Evada	465	1,058	3	0	0.00	19	6	0.57	17	57	5.39	3	113	10.76	1	71	6.7
EW HAMP.	71 142	805 802	0	0	0.00	. 0	0	0.00	2	1	0.24	0	0	0.00	1	18	2.3
EW JERSEY	154	5.351	1 0	0	0.00	16	•	0.83	23	73	9.21	3	54	6.77	1	46	5.7
EM MEXICO	160	697	0	Ň	0.00	12	S	0.05	57	155	2.89	17	268	5.01	5	859	16.0
EW YORK	864	14,072	13	Ö	0.00	125	0 31	0.10	.7	13	1.90	.0		0.00	. 1	17	2.46
CAROLINA		3,365	45	ĭ	0.05	118	35	0.22 1.05	93 89	284	2.02	23	422	3.00	15	813	5.77
DAKOTA	295	214	ĭ	ā	0.01	2	35	0.12	8	487 18	14.47	19	506	15.05	0	0	0.00
HIO	790	8,260	6	ŏ	0.00	39	11	0.14	88	291	8.84 3.52	0 26	0 500	0.00 6.05	0 8	931	0.00
KLAHOMA	584	1,524	1	ō	0.00	16	iż	0.80	18	40	2.64	3	39	2.59	i	38	2.53
REGON	231	1.914	1	0	0.00	5	ī	0.08	18	41	2.17	ž	171	8.95	i	75	3.95
	1,241	8.212	48	2	0.02	175	29	0.36	119	290	3.53	11	195	2.37	i	545	6.63
HODE IS Carolina	25 285	824	, i	0	0.00	_1	_ 0	0.06	•	40	4.86	4	102	12.39	ĭ	113	13.77
DAKOTA	277	1.779	33	i	0.08	87	25	0.62	62	291	16.36	•	170	9.57	Ò	O	0.00
ENNESSER Exas	, 285	3.401	2 Ō	Č	0.02	7Ó	17	0.50	61	127	3:73	ş	145	6.97 4.26	Q	647	19.05
TAH	2,221 178	10,072	2	0	0.00	56	17	0.17	85	164	1.62	26	250	2.48	47	41ó	4.07
ERMONT	102	1,322	22	0	0.06	28	•	0.30	. 5	11	0.86	5	68	5.15	1	76	7.20
IRGINIA	307	3,160	16	0	0.07	14	. 4	1.72	12	23	8.58	. 0	. 0	0.00	0	0	0.00
ASHINGTON	337	2,861	1	Ď	0.01	51	13	0.42	28	64	2.04	18	429	13.57	2	64	2.03
VIRGINIA	499	1.049	44	1	0.15	10 167	5 22	0.20	24	80	2.79	•	76	2.65	3	219	7.66
ISCONSIN	623	3,876	31	i	0.15	145	51	2.09 1.32	20 62	27 181	2.64 4.67	14	71 362	6.81	Ó	0	0.00
ONING	112	316	i	ō	0.04	• • • • • • • • • • • • • • • • • • • •	31	0.16	4	101	0.63	1	362	7.33 2.57	3 D	480 0	12.40
IER SAMOA	1	23	Ŏ	ŏ	0.00	ō	ŏ	0.00	ī	10	46.77	å	ő	0.00	0	0	0.80
JAH	6	100	0	Ō	0.00	ŏ	Ŏ	0.00	i	Ö	0.00	ŏ	ŏ	0.00	8	0	0.00
MARIANAS	3	20	0	0	0.00	Ō	Ō	0.00	ă	ō	0.00	ŏ	ě	0.00	ě	ă	0.00
ER. RICO	31	1,306	0	0	0.00	6	1	0.11	14	32	2.49	7	190	14.57	ī	17	1.32
C TR TFR	51	37	0	0	0.00	o	0	0.00	1	0	0.19	Ċ	0	0.00	ō	Ö	0.00
IRGIN IS	5	51	. 0	0	0.00	0	. 0	0.00	0	0	0.00	0	8	0.00	ō	ō	0.00
o ruial 21	.,027	161,778	576	24	0.01	2,062	581	0.35	1.770	5,402	3.33	44D	8.606	5.31	116	12.238	7.56

PERCENT OF FLOW AT ALL TREATMENT LEVELS (EXISTING AND PLANNED) NATIONAL SUMMARY

Table 9 summarizes the degree of treatment received by all wastewater collected in the U.S. at present (1982) and the degree of treatment projected to be received in 2000.

Explanations of the categories and definitions of terms follow:

Existing Facilities: Pertains to treatment plants that were operational in 1982. New treatment plants under construction in 1982 and plants planned to be constructed by 2000 are not included in this category.

Actual 1982 Flow: Compiled from the actual average daily flow received at a treatment plant during the most recent 12 month period for which information was available.

<u>Present Design</u>: Refers to the average daily flow that a treatment plant is currently (1982) designed to accommodate.

<u>Projected Design</u>: Refers to the average daily flow that a treatment plant will be designed to accommodate in the year 2000.

<u>Planned Facilities</u>: Treatment plants that were not operational in 1982 but are expected to be operational by the year 2000. Included are new treatment plants that were under construction in 1982.

All Facilities (2000): Includes all treatment plants that will be operational in 2000. This includes facilities presently on line that will remain operational through 2000, new facilities under construction in 1982, and new facilities planned to be built by 2000. Excluded are facilities that are presently on line but are to be taken out of service by 2000.

All flows are reported in thousand cubic meters per day.

Definitions of the levels of treatment (no discharge, primary, secondary, etc.) are given in subsequent tables that summarize information for each level of treatment.

Communities that discharge untreated or raw sewage are not included in this summary.

1982 NEEDS SURVEY

PERCENT OF FLOW AT ALL TREATMENT LEVELS

(EXISTING AND PLANNED)

NATIONAL SUMMARY

***	**********	*** EXISTIN	G FAÇILITI	ES ****	*******	******	*****	*****
		NO Discharge	PRIMARY	ADVANCED PRIMARY	SECONDARY	ADVANCED SECONDARY	AWT TERTIARY	TOTAL
FACILITIES:	COUNT X OF TOTAL	1,600 10.3	1,036 6.7	2,083 13.5	7,946 51.5	2,529 16.3		15.425
ACTUAL 1982 FLOW:	CUBIC METERS/1000 MGD X OF TOTAL	1,858 491 1.8		10.696 2,825 10.5	41,671 11,008 40.9	35,494 9,376 34.8	2,705 714 2.6	101,794 26,891
PRESENT DESIGN:	CUBIC METERS/1000 MGD X OF TOTAL	2,873 759 2.1	11,537 3,047 8.6	12,839 3,391 9.6	54,100 14,291 40.5	47,544 12,559 35.6	4,599 1,215 3.4	133,495 35,265
PROJECTED DESIGN:	CUBIC METERS/1000 MGD X OF TOTAL	4,972 1,313 3.3	1,042 275 0.6	4,709 1,244 3.1	58,555 15,468 39.2	69,453 18,347 46.5	10,528 2,781 7.0	149,260 39,430
****	******	*** PLANNED	FACILITIE	S ****	********	******	*****	*****
		NO Discharge	PRIMARY	ADVANCED PRIMARY	SECONDARY	ADVANCED SECONDARY	ANT TERTIARY	TOTAL
FACILITIES:	COUNT % OF TOTAL	870 12.2	0.0	0.0	4,240 59.9	1,808 25.5	157 2.2	7,075
PROJECTED DESIGN:	CUBIC METERS/1000 MGD X OF TOTAL	860 227 6.8	0 0 0.0	0 0 0.0	7,628 2,015 60.6	3,562 941 28.3	530 140 4.2	12,581 3,323
******	*********	*** ALL FAC	ILITIES (2	.000) ****	*******	*****	******	*****
		NO Discharge	PRIMARY	ADVANCED PRIMARY	SECONDARY	ADVANCED SECONDARY	ANT TERTIARY	TOTAL
FACILITIES:	COUNT % OF TOTAL	2,736 13.0	0.0	9 0.0		5,845 27.8		21,011
PROJECTED DESIGN:	CUBIC METERS/1000 MGD X OF TOTAL	5.832 1.540 3.6	834 220 0.5		66,148 17,474 40.9		11,063 2,922 6.8	161,603 42,691

PLANT LOADINGS, REMOVAL EFFICIENCIES, AND DISCHARGE RATES FOR FACILITIES EXISTING IN 1982

Table 10 is the first of a number of related tables concerning plant loadings, removal efficiencies, and discharge rates for facilities with various levels of treatment. Table 10 gives an estimate of the overall average daily pollutant load received by all treatment plants and provides an estimate of the amount of pollutants in the effluent. A total is shown for each State and U.S. Territory. A national total is provided at the bottom of the table.

Quantities of pollutant in the influent and effluent are estimated for BOD5 and Solids. Quantities are given in metric tons per day. The quantities are calculated using the average daily flow and the average daily BOD5 and Solids influent and effluent concentrations, along with appropriate conversion factors. The average values were compiled from the most recent 12 month period for which information was available. Average Statewide removal efficiencies for BOD5 and Solids are also shown. The major source of flow and concentration information for this series of tables was the self-monitoring reports that are submitted by every facility with an NPDES permit.

Plants With Removal Capability are facilities with a specific requirement to remove the nutrient listed. For example, some phosphorus is removed in all treatment plants. However, only plants specifically designed to remove phosphorus are reported in this category. Reported for each nutrient are the total number of plants with this removal capability and the total average daily flow received by these plants. Also given is the percentage of the total State flow these plants represent. All flows are reported in thousand cubic meters per day.

Total Flow is the sum of the actual average daily flow treated by all facilities within the State regardless of the degree of treatment.

Excluded from this summary are facilities with no discharge to surface waters and communities discharging raw sewage. For this reason, the total flow listed on this table does not match the total actual average daily flows listed on Tables 6 and 7.

Some States may show influent and/or effluent values of BOD₅ or Solids equal to zero, but still have a percent removal calculated. This is due to the influent and/or effluent value being less than 0.5 metric tons per day in which case the value is rounded to zero.

PLANT LOADINGS, REMOVAL EFFICIENCIES AND DISCHARGE RATES FOR FACILITIES EXISTING IN 1982 (METRIC TONS PER DAY)

		****	* REMO	VAL EF	FICIENCI	ES ***	***	*****	****	PLANT	S WITH R	EMOVAL	CAPABI	LITY ***		*****
	ACTUAL	****	BOD5	****	*****	OLIDS	****	*** PHO	SPHORUS	*** * TOT.	** NH3	HITROS	EN ##	**** TO		****
STATE	FLOW	INF.	EFF.	REM.	INF.	EFF.	REM.	PLANTS		FLON	PLANTS		FLON	PLANTS	FLON	FLOW
ALABAHA	1,334	215	27	87.4	220	3	9 82.2									
ALASKA	159	24			38	1			•					0		
ARIZONA	761	150			163	Ž						-				
ARKANSAS	671	165	22		158	4		i						•	9	
CALIFORNIA	8,206	2,372	663	72.0	2,661	52		16			12	•		0 7		
COLORADO	1,260	283		90.5	290	2	6 90.8	- 7			• • •		2.5	í	235	
CONNECTICUT	1,316	208			220	5	1 76.4	i					0.0	ģ	2	
DELAMARE	322	57			62	1	7 71.9	1				-		ŏ		
DIST. OF COLUM. FLORIDA		174			188	10		1	1,169	100.0	ī	1,169		ŏ	č	
GEORGIA	4,185	727			774	8		19	424	10.1	12			7	233	
HAWAII	1,995 394	394 62			370	8		10		3.0	22	181	9.0	Ď		
IDAHO	354	85			60	2		9			0	0	0.0	0	Ō	
ILLINOIS	8.024	1.141			83 1.484		89.7	_0			1	4	1.1	0	0	8.0
INDIANA	3,618	617			742	10		30			42			1	0	0.0
IOHA	1.151	402			367	61		55			15		29.2	0	0	0.0
KANSAD	821	198			187	3			•		15			0	0	0.0
KENTUCKY	998	163			194	41			•		.0	-	0.0	0	0	
LOUISIANA	1,237	244	41	82.9	255	5		Č	•		43	183 5	18.3	0	0	
MAINE	378	85	16	80.1	99	2		ĭ	-		1	5 8	0.4	1	5	
MARYLAND	1,401	279	71	74.5	295	54		ä			5	48	4.8	Ų		
MASSACHUSETTS	3,253	530	269	49.2	585	221		7			7	111	3.4	:	123	
MICHIGAN	5,173	1.375	103	92.4	2,398	130	5 94.3	122			18	560	10.8	· ·	24 15	
MINNESOTA	1,630	411	47		464	48	89.6	21			3	27	1.6	i	19	
MISSISSIPPI	752	147	19	86.5	161	31	80.4	1	Ō	0.0	j	25	3.3	ŏ	0	
MISSDURI Montana	2,257	481	185		588	153		0	0	8.0	1	96	4,2	ŏ	ŏ	
NEBRASKA	248 634	44	_	81.7	37	. 7		0		0.0	0	0	0.0	Ö	ŏ	
NEVADA	386	174 77	84 7	51.3	182	51		0	•		0	0	0.0	0	0	0.0
NEW HAMPSHIRE	303	66	21	90.8 67.7	83 63			2			1	90	23.5	8	9	8.0
HEW JERSEY	4,242	1,170	520	55.5	1,194	447		1 5	. 0	0.1	1	.0	0.1	0	0	0.0
NEW MFXICO	297	60	10	82.1	64	16		i		1.0	5	73	1.7	1	28	
NEW YORK	9.122	1,244	311	74.9	1,257	305		29	765	0.9 8.3	0 21	0 124	0.0	0		0.0
NORTH CAROLINA	1,718	379	36	90.3	361	48		2		0.3	42	389	1.3	8	111	1.2
NORTH DAKOTA	139	32	2	91.8	30			ō	ő	0.0	72	367	22.6		0	0.0
CHIO	5,624	1,056	225	78.6	1,442	220		58	1.097	19.5	98	653	11.6	ŭ	Ü	8.0 8.0
OKLAHOMA	719	149	19	86.7	150	23	84.0	4	66	9.2	5	70	9.7	ă	Ď	8.0
OREGON	1,177	224	21	90.4	242	27	88.7	2	104	8.8	ĭ	30	2.6	ŏ	ő	0.0
PENNSYLVANIA Rhode Island	5,530	970	195	79.8	1.159	248		87	627	11.3	127	541	9.7	Š	31	0.5
SOUTH CAROLINA	484 855	72 230	19	73.4	72	25		1	3	0.6	0	0	0.0	0	ō	0.0
SOUTH DAKOTA	196	52	53 6	76.9 87.6	175	39		1	4	0.5	15	144	16.8	0	0	0.0
TENNESSEE	1,799	333	79	85.0	47 595	105	85.8	0	0	0.0	- 3	10	5.1	ð	0	0.0
TEXAS UTAH	5,939	1,331	122	90,7	1.382	192	86.0	16	71	0.0	36 54	545 213	30.2 3.5	Ď	0	0.0
VERHONT	781 179	115	15	86.7 71.5	118	16	86.0 76.6	Ģ	Q	0.0	Ō	0	ō.ŏ	ŏ	ŏ	ŏ:ŏ
VIRGINIA	1,697	333	45	86.3	320	37		•	4	2.4	0	Ď	0.0	0	0	0.0
MASHINGTON	1,587	319	115	63.8	336	3/ 85		11	342	20.1	6	232	13.6	3	50	2.9
WEST VIRGINIA	388	90	24	72.8	86	17		ž	122	7.6	2	. 1	0.1	1	0	0.0
WISCONSIN	2,293	572	46	91.9	550	41		61	1,558	1.8	5	19	5.0	4	28	7.3
MADHING	171	33	8	73.9	34	7,		· à	1,330	0.0	42	135	5.8 0.0	0	0	0.0
AMERICAN SAMOA	1	0	0	3.1	0	Ó		ŏ	ŏ	0.0	ŏ	ő	0.0	ŭ	0	0.0
GUAM N MARTANAC	33	7	7	4.3	7	7	4.5	ō	ō	0.0	ă	ŏ	0.0	0	0	0.0 0.0
N. MARIANAS Puerto rico	2		.0	68.7	Đ	0	41.6	Ō	ō	0.0	ŏ	Ď	0.0	ŏ	0	0.0
PAC. TR. TERR.	517	135	53	60.2	116	32		0	Û	0.0	ō	ō	0.0	ŏ	ő	0.0
VIRGIN ISLANDS	1 24	0	0 3	82.3	Õ	0		0	0	0.0	Ō	ō	0.0	ŏ	ŏ	0.0
	•4	7	•	35.5	5	2	54.2	0	8	0.0	0	0	0.0	Ō	ō	0.0
U.S. TOTALS	99.935	20,521	4,129	79.8	23,267	4,027	82.6	586	14,262	14.2	686	13,038	13.0	47	892	0.8

NOTES: 1. FLOWS IN CUBIC METERS X 1000 2. METRIC TONS X .9872 * SHORT TONS

^{3.} SUM OF ENTRIES MAY NOT EQUAL TOTALS DUE TO ROUND-OFFS

^{4.} FACILITIES WITH ZERO DISCHARGE OR RAW DISCHARGE ARE NOT INCLUDED

PLANT LOADINGS, REMOVAL EFFICIENCIES, AND DISCHARGE RATES FOR FACILITIES PROJECTED FOR 2000

Table 11 is a companion table to the summary provided on Table 10. This table summarizes the year 2000 situation with regard to flows, pollutant loadings, and removal efficiencies. All flows and quantities are estimated using the projected design flow and the projected level of treatment for treatment plants expected to be operational in the year 2000.

Quantities of pollutant in the influent and effluent are estimated for BOD_5 and Solids. Quantities are given in metric tons per day. The quantities were calculated using the average daily flow and the average daily influent and effluent BOD_5 and Solids concentrations, along with appropriate conversion factors. The average values used for this summary represent the projected year 2000 situation. Average Statewide removal efficiencies for BOD_5 and Solids projected for the year 2000 are also shown.

Plants with Removal Capability are facilities with a specific requirement to remove the nutrient listed. For example, some phosphorus is removed in all treatment plants. However, only plants specifically designed to remove phosphorus are reported in this category. Reported for each nutrient are the total number of plants with this removal capability and the total average daily flow to be received by these plants in the year 2000. Also given is the percentage of the total State flow these plants will represent. All flows are reported in thousand cubic meters per day.

Total Flow is the sum of the actual average daily flow treated by all facilities within the State regardless of the level of treatment.

Excluded from this summary are facilities with no discharge to surface waters and communities discharging raw sewage. For this reason, the total flow listed on this table does not match the total projected design flows listed on Tables 6 and 7.

Some States may show influent and/or effluent values of BOD_5 or Solids equal to zero, but still have a percent removal calculated. This is due to the influent and/or effluent value being less than 0.5 metric tons per day in which case the value is rounded to zero.

PLANT LOADINGS, REMOVAL EFFICIENCIES AND DISCHARGE RATES FOR FACILITIES PROJECTED FOR 2000 (METRIC TONS PER DAY)

		*****	* REMO	VAL EF	FICIENCI	ES ###	****	*****	*****	PLANT	S HITH R	EMOVAL	CAPABI	LITY ###	*****	****
	PROJECTED	*****	BOD5	****	***** 5	OLIDS +	****	*** PHO			** NH3	NITROS		**** TO		
STATE	FLOW	INF.	EFF.	RĒM.	INF.	EFF.	RÊM.	PLANTS		TOT. Flow	# Plants		TOT. Flow	# Plants		FLON
ALABAHA	3,679	643	75	88.2	651	92	85.8	0	0	0.0	104	991	32.1	0	0	
ALASKA	369	63	25	60.8	73	22	69.7	Ō	ō		Ö		0.0	ŏ	ă	
ARIZONA	1.282	291	38	86.9	284	3 9	86.0	2	9	0.7	ō		0.0	ă	ă	
ARKANSAS	1,208	288		91.6	276	28	89.6	0		0.0	ō	Ď	0.0		Ď	
CALIFORNIA	11.678	3,405		80.6	3,545	547	7 84.5	9	1,062	9.0	14	1,743	14.9	- 7	882	
COLORADO	1,952	462	49	89.3	468	49	89.3	6	41	2.1	15	336	17.2	ï	5	
CONNECTICUT	2,056	480		86.4	407	52		15	334	16.2	11	255	12.4	;	22	
DELAWARE	584	136		93.3	134	11	91.2	3	60	18.4	2		2.5	i		
DIST. OF COLUM		280		97.9	280		97.0	1	1.169	100.0	ĩ	1.169	100.0	- ō	ň	
FLORIDA	5,194	1,089	117	89.2	1,151	121	89.4	26	1,081	20.8	104		15.2	•	201	
GEORGIA	3,471	733		90.6	702	97	86.1	23	402	11.5	133	2.043	58.8	í	7	
HAWAII	641	171		63.3	135	52	61.5	0	0	0.0	0	0	0.0	ō	Ď	
IDAHO	612	159			164	17	89.6	6	45	7.3	7	106	17.3	2	11	
ILLINOIS	12,329	1,981			2,815	198	92.9	48	606	4.9	107	9,675	78.4	ī	1	0.0
INDIANA	4,155	834		92.3	940	64		85	1,903	45.7	60	2,309	55.5	ŏ	ō	
IOWA	1.747	563		92.4	481	54	88.6	0	D	0.0	97	628	35.9	ō	Ō	
KANSAS	1,343	330		88.3	356	42	88.1	0	0	0.0	0	0	0.0	Ŏ	ō	
KENTUCKY	1,973	416		88.9	454	54		1	0	0.0	232	728	36.8	1	ī	
LOUISIANA	2.436	549	67	87.7	557	74		8	0	0.0	1	7	0.3	1	7	
MAINE	635	155		87.6	174	21		12	27	4.2	0	0	0.0	0	0	
MARYLAND	2.375	527		89.4	485	5 5		22	1,795	75.6	14	331	13.9	5	357	15.0
MASSACHUSETTS Michigan	4,782	971	126	86.9	1,080	161		28	710	14.8	21	480	10.0	2	38	0.8
	7,409	1,420		88.1	1,961	182		189	7,174	96.8	43	1,257	16.9	2	22	0.3
MINNESDTA Mississippi	2,435	668		94.0	709	68		57	363	14.9	26	1,412	57.9	1	2	0.0
MISSOURI	1,311 3,445	271	56	90.1	267	39		2	1	0.0	202	589	44.9	0	0	0.0
MONTANA	439	797	99	87.5	813	106		0	0	0.0	1	113	3.2	0	0	0.0
NEBRASKA	996	80 355	13	83.7	84	16		0	0	0.0	1	10	2.3	0	0	0.0
NEVADA	716	111	29 11	91.5 89.7	353	31		0	. 0	0.0	0	0	0.0	8	0	0.0
NEW HAMPSHIRE	774	231	21	90.5	109 204			2	492	68.6	1	151	21.1	1	0	6.0
NEW JERSEY	5.317	1,558	133	91.4	1,593	21		. 6	59	7.6	•	73	9.4	0	0	0.0
NEW MEXICO	592	125	17	86.2	1,373	134 17		18	217	4.0	44	1,034	19.4	5	139	2.6
NEW YORK	14.051	2,637	374	85.7	2.851	382		3 76	11	1.9	1		0.0	_0	. 0	0.0
NORTH CAROLINA		872		93.4	759	97			2,969	21.1	121	887	6.3	25	300	2.1
NORTH DAKOTA	198	51	- 4	90.2	50	5		10	47 D	1.4 0.8	264 0	1,971	58.8	1	0	0.0
OHID	8,245	1.759	125	92.8	1,962	140		185	-		_	0	0.0	0	0	0.0
OKLAHJMA	1,420	323	27	91.3	342	41		103	5,502	66.7	368	4,545	55.1	2	1	0.0
OREGON	1,851	461	31	93.1	449	35		2	134	9.4	15	361	25.4	0	0	0.0
PENNSYLVANIA	8,206	1,723	181	89.4	1,923	212		220	132	7.1 17.8	367	36	1.9	. 0		0.0
RHODE ISLAND	824	209	21	89.5	187	22		2	1,707	0.7	367	1,880 164	22.9	17	164	2.0
SOUTH CAROLINA	1,767	475	45	90.4	384	51		16	152	8.6	72	471		0	0	0.0
SOJTH DAKOTA	303	86	6	92.0	83	7	91.0	.,	170	0.0	12	167	26.6 54.9	ŭ	0	0.0
TENNESSEE Texas	3,377	1,027	. 73	92.8	880	86	90.1	11	2	0.0	177	2,193	64.9	Ÿ	22	0.0 0.6
ÙTÂĤ	9,636	2,282 244	142	93.7	2,279 278	194	21.4	18	124	1.2	65	1,151	11.9	ī	2	0.0
VERMONT	269	- 56	• 6	88.8	* 53	12	95.5 88.1	24	97	0.0 36.4	14	19 76	28.5	9	0	0.0
VIRGINIA	3,152	720	61	91.5	716	60		20	798	25.3	•;	477	15.1	8	259	0.0
WASHINGTON	2,814	645	157	75.6	673	134		2	236	8.3	5	254	9.0	3	237	8.2
WEST VIRGINIA	1,047	234	26	88.7	233	26		3	13	1.2	25	140	13.3	7	41	8.4 3.9
WISCONSIN	3,791	895	102	88.5	954	100		75	2.647	67.8	102	627	16.5	ń	7	0.0
KYOMING	307	66	9	86.0	69	11	83.5		0	0.0	• • • •	76	31.3	0	ŏ	0.0
AMERICAN SANDA	23	7	Ö	90.9	3	ō	80.0	Ď	ŏ	0.0	7	,,	0.0	ŏ	ů	0.0
GUAM	94	19	2	85.0	21	ž	86.7	ŏ	ő	0.0	ŏ	ŏ	0.0	ŏ		0.0
N. MARIANAS	20	2	0	85.2	2	ē	85.2	ŏ	ŏ	0.0	ŏ	ŏ	6.0	0	Ď	0.0
PUERTO RICO	1,306	361	38	89.2	325	38		i	16	1.2	3	18	1.3	ŭ	Ď	0.0
PAC. TR. TERR.	36	7	1	87.1	7	1	87.1	ŏ	ō	0.0	ŏ	.0	0.0	0	ő	0.0
VIRGIN ISLANDS	51	12	1	87.7	13	1		ō	ŏ	0.0	ō	ŏ	0.0	ŏ	ŏ	0.0
U.S. TOTALS	155,915	35,267	3,884	88.9	37,357	4,171	88.8	1,233	31,919	20.4	2.880	41,800	26.8	104	2.734	1.7

NOTES: 1. FLOWS IN CUBIC METERS X 1000 2. METRIC TONS X .9072 = SHORT TONS

^{3.} SUM OF ENTRIES MAY NOT EQUAL TOTALS DUE TO ROUND-OFFS

^{4.} FACILITIES WITH ZERO DISCHARGE OR RAW DISCHARGE ARE NOT INCLUDED

TREATMENT POPULATIONS PRESENT, PROJECTED, RESIDENT AND NONRESIDENT

Table 12 summarizes the populations by State for 1980 and 2000 which are now or will be receiving treatment of their wastewaters.

The values listed for the 2000 State ceiling populations were obtained from data provided by the Department of Commerce, Bureau of Economic Analysis (BEA). The population totals listed under the 1980 column for each State and the nation are based on the 1980 population as reported in the April 1981 Report of the Bureau of Census. The year 2000 total is the population expected to be resident in each State as predicted by BEA. The projections were produced by BEA after extensive analysis which included review and comment by State agencies responsible for population projections.

Resident populations (RES) are permanent residents within the service area of the established sewerage authority. Nonresident populations (NONRES) include transients, seasonal workers, commuters, tourists, and other persons who must be served by local systems but do not maintain a permanent residence within the service area.

Persons are included in the Receiving Treatment category if the wastewater they generate is treated at a facility operated by an established sewerage authority. Persons are included in the Not Receiving Treatment category if they reside in the service area of an established sewerage authority but their residence is not connected to a central collection system.

The sum of the populations receiving treatment and not receiving treatment does not equal the State's total population. This is because many rural residents who are counted as a part of the State's total population do not reside in the service area of any established sewerage authority and, therefore, are not included in any Receiving Treatment or Not Receiving Treatment categories.

All levels of treatment are included under Receiving Treatment. Similar summaries are presented on subsequent tables for each specific level of treatment.

The Percent Served values are based upon a comparison between the resident population receiving treatment and the total State population figures provided by BEA.

A similar summary dealing with collection populations is presented on Table 49.

TREATMENT POPULATIONS PRESENT, PROJECTED, RESIDENT & NONRESIDENT (IN THOUSANDS)

					1110034112	, ,						
	*** PGPU	LATION ***	****	* RECEIVI	NG TREATME	NT HHHHH	*** }	OT RECEIV	VING TREAT	MENT ***	PERCEN	T SERVED
STATE	1980 TOTAL	2000 Total	1980 RES.	2000 RES.	1980 Nonres.	2000 Nonres.	1980 RES.	2000 RES.	1980 Nonres.	200J Nonres.	1980	2000
ALABAMA	3.890	4.140	2,121	3,511	101	233	536	88	13	0	54.5	84.8
*ALASKA	400	694	202	666	3	19	122	27	3	Ö	50.6	96.1
ARIZONA	2,718	4,357	2,209	4,120	69	181	306	93	11	4	81.3	94.6
ARKANSAS	2,286	2,970	1.275	2,468	33	46	195	33	Đ	0	55.8	83.1
*CALIFORNIA	23,669	26,786	19,457	26,930	1,079	1,503	1,474	261	43	10	82.2	100.5
COLORADO	2,889	4,371	2,735	4,230	189	570	31	2	0	0	94.7	96.8
*CONNECTICUT	3,108	3,902	1,913	3.028	31	44	1,226	859		0	61.6	77.6
*DELAWARE *DIST. OF COLUM.	595 638	841 694	490 744	817 913	91 1,898	415 2,223	84	23 0	35 0	0	82.4 116.6	97.3 131.6
FLORIDA	9,740	15,049	5,732	13,098	801	1,695	1.997	566	36	3	58.9	87.0
GEORGIA	5,464	7,053	3,291	5,892	135	221	762	318	4	ŏ	60.2	83.5
HAHAII	965	1,366	597	1,240	87	240	205	Ō	11	Ŏ	61.9	90.8
IDAHO	944	1,183	503	1,066	13	81	121	20	24	4	53.3	90.1
ILLINDIS	11,418	12,358	9,866	12,098	35	47	291	101	0	0	86.4	97.9
INDIANA	5,490	6,059	3,560	4,964	246	485	353	40	65	0	64.9	81.9
IOWA	2,913	3,101	2,099	2,827	77	129	166,	24	20	0	72.1	91.2
KANSAS Kentucky	2,363 3,661	2,642	1,833	2,526	16	. 21 97	174	. 6	0	0	77.6	95.6
LOUISIANA	4,204	4,224 4.880	1,748 2,829	3,186 4,841	60 95	107	720 688	257	Š	ŏ	47.8 67.3	75.4 99.2
MAINE	1,125	1,222	562	922	83	128	417	226	í	2	50.0	75.5
MARYLAND	4,216	5,583	2,361	4,002	144	460	537	128	138	118	56.0	71.7
*MASSACHUSETTS	5.737	6,736	3,871	5,780	52	201	1,955	957	94	56	67.5	85.8
MICHIGAN	9,258	10,314	6,986	8,900	128	237	1,387	876	41	45	75.5	86.3
MINNESOTA	4,077	4,505	3,002	3,802	25	36	224	129	7	6	73.7	84.4
MISSISSIPPI	2,521	2,740	1,465	2,335	11	27	383	129	2	0	58.1	85.2
MISSOURI Montana	4,917	5,379	3,622	5,307	886	1,209	313	22	9	0	73.7	78.7
NEBRASKA	787 1,570	938 1,734	474 1,247	709 1,708	33 17	38 26	33 46	1 7	0	0	60.3 79.5	75.7 98.5
NEVADA	799	1,408	730	1,374	92	193	44	4	ŏ	Ď	91.4	97.6
NEW HAMPSHIRE	921	1,306	393	894	51	190	384	259	65	37	42.8	68.5
NEW JERSEY	7,364	9,022	6,084	8,281	1,025	1,507	1,267	699	367	55	82.6	71.8
NEW MEXICO	1,300	1,781	904	1,522	23	36	132	47	6	2	69.5	85.5
#NEH YDRK	17,577	19,683	12,514	17,671	2,385	4,039	5,356	2.260	404	26	71.2	89.8
NORTH CAROLINA	5.874	7,419	2,545	4,576	185	444	1,488	909	103	27	43.3	61.7
NORTH DAKOTA Ohio	653	690	441	578	_0	1	7	3	.0	0	67.5	83.8
OKLAHOMA	10,797 3,025	12,237 3,702	8,482 1,858	12,091 3,309	57 2	104 12	989 188	119 37	13 7	0	78.6 61.5	98.8 89.4
OREGON	2,633	3,702	1,458	3,055	42	81	344	11	ź	ő	55.4	95.2
PENNSYLVANIA	11,867	12,854	9,148	12,221	535	1,211	2,318	555	241	21	77.1	95.1
*RHODE ISLAND	947	1,084	628	922	48	71	304	163	- 0	ō	66.3	85.1
SOUTH CAROLINA	3,119	3,700	1,327	2.915	280	519	673	108	55	0	42.6	78.8
SOUTH DAKOTA	690	730	459	668	14	11	17	6	G	0	66.6	91.5
TENNESSEE	4.591	5,573	2,172	4,286	68	145	940	284	1	,	47.3	76.9
TEXAS UTAH	14,228	21,000 1,963	12,161 1,223 233	20,267 1,957	236 192	530 327	1,091	12	i	4	85.5 83.7	96.5 99.7
VERMONT	511	607	233	375	45	74	119	_86	16	8	45.8	61.9
VIRGINIA Washington	5,346 4,130	6,755 4,859	3,377 2,334	5,767 4,35 4	305 439	460 746	1,122 439	547 1 38	2 28	21	63.2 56.5	85.4
*HEST VIRGINIA	1.950	2,101	826	2,072	16	24	952	29	20	21	42.4	89.6 98.7
WISCONSIN	4,705	5,553	3.324	4,812	105	195	411	192	20	14	70.7	86.7
*WYOMING	450	484	333	617	18	28	3	0	ī	î	74.0	127.6
AMERICAN SAMOA	33	40	1	32	0	1	27	2	Ō	Ö	4.2	80.5
GUAM	110	275	71	209	,	3	26	15	0	0	64.8	76.0
N. MARTANAS	17	33	1	31	0	S	17	1	0	0	8.1	94.1
PUERTO RICO	3,197	4,700	1,757	3,242	0	0	1,184	771	0	0	55.0	69.0
*PAC. TR. TERR. *VIRGIN ISLANDS	115 99	183. 116	11 79	103 128	0 3	4 3	100 30	79 7	0	0	9.5 80.0	56.8 110.6
U.S. TOTALS	230,075		161,692		12,638	21.707	35,024	12.598	1.981	475	70.3	89.7
			/-				,					

SEPTIC TANK POPULATION PRESENT, PROJECTED, RESIDENT AND NONRESIDENT

Table 13 summarizes the populations by State for 1980 and 2000 which are now, or for the year 2000, will continue to be disposing of their wastewaters by means of individual onsite systems, the majority being septic tanks or leach fields. The values listed for the 1980 and 2000 State ceiling populations were obtained from data provided by BEA.

All the populations are listed under the Not Receiving Treatment category only because they are not being served by centralized collection and treatment facilities. None of the populations listed on this table live within the service district of a sewage authority with a central collection and treatment system. Most of the populations are in small communities and do not include the strictly rural populations within the State.

Resident populations (RES) are permanent residents within the boundaries of an incorporated area. Nonresident populations (NONRES) include transients, seasonal workers, commuters, tourists, and other persons who must be served by local systems but do not maintain a permanent residence within the service area.

The Percent Served values are based upon a comparison between the resident population not receiving treatment and the total State population figures provided by BEA.

SEPTIC TANK POPULATION PRESENT, PROJECTED, RESIDENT & NONRESIDENT (IN THOUSANDS)

	**** PQPU	HHH HOITA.	*****	RECEIVI	NG TREATHI	ENT *****	*** N	OT RECEI	VING TREAT	MENT ***	PERCENT	SERVED
STATE	1980 Total	2000 Total	1980 RES.	2000 RES.	1980 Nonres.	2000 Nonres.	1980 RE5.	2000 RES.	1980 Nonres.	2000 Nonres.	1980	2000
ALABAHA	3,890	4,140	0	0	0	0	203	28	2	0	5.2	0.7
ALASKA	400	694	0	0	0	0	36	12	3	Œ	9.0	1.8
ARIZONA	2,718	4,357	0	0	0	0	144	45	7	4	5.3	1.0
ARKANSAS	2,286	2,970	0	0	0	0	122	27	0	0	5.4	0.9
CALIFORNIA	23,669	26,786	0	0	0	0	423	119	36	10	1.8	0.4
COLORADO	2,889	4,371	0	0	0	0	15	_ 1	0	0	0.5	0.0
CONNECTICUT	3,108 595	3,902	0	0	0	đ	387	314	.0	0	12.5	8.1
DELAWARE DIST. OF COLUM.	638	841 694	0	0	0	0	8	1	31	0	1.5 0.0	0.2 0.0
FLORIDA	9.740	15.049	ŏ	ŏ	ŏ	ŏ	549	18	11	i	5.6	0.1
SEORGIA	5,464	7,053	ŏ	Č	ŏ	ŏ	161	70	2	ó	3.0	1.0
HAWAII	765	1,366	ŏ	Ď	ŏ	ŏ	56	ő	11	ĭ	5.9	0.0
IDAHO	944	1,183	ŏ	ŏ	ŏ	ŏ	47	3	19	ŏ	5.0	0.3
ILLINDIS	11,418	12,358	Ō	õ	Ŏ	Ŏ	174	87	Ö	ŏ	1.5	0.7
INDIANA	5,490	6,059	0	0	0	8	138	16	16	0	2.5	0.3
AMOI	2,913	3,101	0	0	0	0	74	22	20	0	2.5	0.7
KANSAS	2,363	2,642	0	0	0	0	52	6	0	0	2.2	0.3
KENTUCKY	3,661	4,224	0	0	Ō	0	232	2	0	g	6.3	0.1
LOUISIANA	4,204	4,880	0	0	0	0	436	4	•	0	10.4	0.1
MAINE	1,125	1,222	0	0	0	0	104	12	4	2	9.3	1.0
MARYLAND Massachusetts	4,216 5,737	5,583 6,736	0	0	0 0	0	139 456	53 54	135 30	118	3.3 8.0	1.0
MICHIGAN	9,258	10.314	ŏ	å	ů	ŏ	583	536	36	30	6.3	5.2
MINNESOTA	4,077	4,505	ŏ	ŏ	ŏ	ŏ	98	59	7	36	2.4	1.3
HISSISSIPPI	2,521	2,740	ŏ	Ď	ŏ	ŏ	135	- 6	ŏ	ŏ	5.4	0.2
MISSOURI	4,917	5,379	ō	Ō	Ō	Ō	105	21	8	Ö	2.1	0.4
MONTANA	787	938	0	0	0	0	19	1	0	0	2.5	0.2
NEBRASKA	1.570	1,734	٥	0	0	0	•	7	0	0	0.6	0.4
NEVADA	799	1,408	0	0	0	0	31	. 1	.0	Q	4.0	0.1
NEW HAMPSHIRE New Jersey	921	1,306	0	0	0	0	123	13	47	.0	13.4	1.1
NEW JERSEY New Mexico	7,364 1,300	9,022 1,781	ŭ	0	8	0	577 46	457 10	322	48 2	7.8 3.6	5.1 0.6
NEW YORK	17,577	19,683	ŏ	ŏ	ŏ	ŏ	2.258	1,413	14	21	12.8	7.2
NORTH CAROLINA	5.874	7,419	ŏ	ŏ	ŏ	ă	319	14	97	13	5.4	0.2
NORTH DAKOTA	653	690	ō	ō	0	ō	6	3	ó	- 0	1.1	0.4
DHIO	10,797	12,237	Ö	Ō	0	Ō	272	79	2	0	2.5	0.7
OKLAHOMA	3,025	3,702	0	0	0	0	68	18	7	0	2.3	0.5
OREGON	2,633	3,209	0	0	0	0	26	11	1	C	1.0	0.4
PENNSYLVANIA	11,867	12,854	Q	g	9	Ō	1,102	290	235	21	9.3	2.3
RHODE ISLAND	947	1,084	0	0	0	0	37	<u> </u>	.0	0	4.0	0.0
SOUTH CAROLINA SOUTH DAKOTA	3,119 690	3,700 730	0	0	0 0	0	196	3	51 0	0 0	6.3	0.1 0.8
TENNESSEE	4.591	5.573	ŏ	ŭ	ŏ	0	14 112	•	ŏ	Ö	2.1 2.5	0.1
TEXAS	14,228	21,000	Ō	Ŏ	Ō	ŏ	508	3	41	Õ	3.6	0.0
UTAH VERMONT	1,461	1,963	Ō	Q n	9	g o	61	ş	1	o o	4.2	0.0
VIRGINIA	5,346	607 6,755	ŏ	ŏ	ď	ŭ	762	488	7 2	ò	8.1 14.3	0.6 7.2
WASHINGTON	4,130	4,859	0	0	o	0	197	14	12	21	4.8	0.3
WEST VIRGINIA	1,950	2.101	ŏ	ŏ	ŏ	ŏ	683	• 7	• 2	*6	35.1	0.3
MISCONSIN	4,705	5,553	Ō	Ŏ	Ŏ	Ō	192	155	16	14	4.1	2.8
MYOMING	450	484	ō	Ŏ	ŏ	ō	2	0	1	ċ	0.5	0.2
AMERICAN SAMOA	33	40	0	0	0	0	Ō	Ō	Ō	Ō	0.0	0.0
GUAN	110	275	Đ	0	Đ	0	0	0	0	0	0.0	0.0
N. MARIANAS	17	33	0	0	0	0	•	1	0	0	56.9	4.5
PUERTO RICO PAC. TR. TERR,	3,197 118	4,700 183	0	0	0	9	5	. 0	0	0	0.2	0.0
VIRGIN ISLANDS	99	116	0	0	0	0	56 0	39 0	0	0	48.2 0.0	21.8
	••	***	·	•	•	•	v	·	U	U	v. u	0.0
U.S. TOTALS	230,075	278,888	0	0	0	0	12,638	4.589	1.271	318	5.5	1.6

POPULATIONS SERVED BY TREATMENT WITH NO DISCHARGE PRESENT AND PROJECTED, RESIDENT AND NONRESIDENT

Table 14 summarizes the populations by State for 1980 and 2000 which are now or will be receiving treatment of their wastewaters at facilities that do not discharge to surface waters. The majority of the facilities are lagoon systems designed for evaporation and/or infiltration of the total flow. Also included are facilities that dispose of their effluent by recycling, reuse, spray irrigation or other land disposal, or groundwater recharge.

Also summarized for each State and the nation as a whole is the number of no discharge facilities in operation in 1980 and the number expected to be operational in 2000.

The terms total population, resident, nonresident, receiving treatment, not receiving treatment, and percent served are defined in the description accompanying Table 12.

POPULATIONS SERVED BY TREATMENT MITH NO DISCHARGE PRESENT AND PROJECTED, RESIDENT AND NONRESIDENT (POPULATION IN THOUSANDS)

	*** POPUL	*** MOITA.	*** REC	EIVING '	FREATHEN	T ****	*** NOT	RECEIVI	IG TREATE	IENT ##	** PERC		WW TREATS	
STATE	1980 Total	2000 Total	1980 RES.	2300 RES.	1980 Nonres	2000 Nonres	1980 RES.	2000 Res.	1980 Nonres	2000 Honres	1980	2008	1980	2000
ALABAMA	3.890	4.140	6	1	6	0	0	0	a	0	0.0	0.0		2
ALASKA	400	694	0	0	0	0	0	0	0	0	0.0		2	3
ARIZONA	2,718	4.357	191	630	17	148	38	8	0	0	7.0	14.4	59	84
ARKANSAS	2,286	2,970	3	13	. 0	. 0	. 0	0	0	0	0.1	0.4	5	12
CALIFORNIA	23,669	26.786	1,621	3,265	157	422	260	35 0	7	0 n	6.8	12.1	294	617
COLORADO Connecticut	2,889 3,108	4,371 3,902	45 1	184 17	1 0	ì	0 7	62	0	0	1.5		31 4	31 14
DELAWARE	595	841	i	* .	ŏ	ž	á	•	ŏ	ň	0.0	0.5	7	• 7
DIST. OF COLUM.	638	694	ŏ	Õ	ŏ	Ġ	ŏ	ŏ	ŏ	ő	0.0	0.0	ŏ	ō
FLORIDA	9,740	15,049	483	3.601	39	482	52	196	Ŏ	ŏ	4.9	23.9	20	76
GEORGIA	5,464	7.053	70	255	0	0	5	7	0	8	1.6	3.6	5	8
IIAWAH	965	1.366	0	76	2	13	3		0	D	0.0	5.6	3	7
IDAHO	944	1,183	23	196	4	31	0	5	0	3	2.4		32	86
ILLINGIS Indiana	11,418	12,358 6,059	0	14	0	0	8	0	0	9	0.0	0.1	1	10
INDIANA	5,490 2,913	3,101	2	2 11	0	1	0	0	0		0.0	0.0 0.3	0	2
KANSAS	2,363	2.642	82	160		ā		ŏ	ă	ŭ	3.4	6.8	178	228
KENTUCKY	3,661	4.224	0		ă	ŏ	ŏ	ō	ū	Ď	0.0	0.0	.,,	2
LOUISIANA	4,204	4,880	5	78	ō	Õ	ō	Ŏ	Ŏ	Ŏ	0.1	1.6	7	18
MAINE	1,125	1.222	2	27	0	2	0	20	0	0	0.1	2.2	2	37
MARYLAND	4,216	5,583	0	2	0	0	0	0	0	0	0.0	0.0	0	7
MASSACHUSETTS	5,737	6.736	.0	37	0	25	14	62	9	. 0	0.0	0.5	1	12
MICHIGAN Minnesota	9,258	10.314	95 4	217	8	32	15	31	3	10	1.0	2.1	54	93
MISSISSIPPI	4.077 2.521	4.505 2.740	7	54 69	0	3 0	0	14	0	0	0.1	1.2 2.5	9	5 5 7
MISSOURI	4.917	5.379	3	13	ĭ	i		Ď	ŏ	ŏ	0.0	0.2	5	15
MONTANA	787	938	16	26	ī	ž	ŏ	ō	ŏ	ŏ	2.1	2.8	39	50
NEBRASKA	1,570	1,734	67	142	ž	Ŝ	i	Ō	Ŏ	ō	4.3	8.2	136	192
NEVADA	799	1,408	49	206	2	76	3	3	0	0	6.2	14.6	23	44
NEW HAMPSHIRE	921	1.306	2	47	1	28	2	32	8	18	0.2	3.6	2	38
NEW JERSEY New Mexico	7,364	9.022	24	62	0	0	31	31	0	0	0.3	0.6	_1	2
NEW YORK	1,300 17,577	1,781 19,683	161	252 56	0	0	9 5	0 20	0	0	12.4 0.0	14.1 0.2	51 3	86 31
NORTH CAROLINA	5.874	7.419	7	29	0	10	1	10	ő	ň	0.0	0.3	2	19
NORTH DAKOTA	653	690	ā	41	ŏ	- 5	i		ŏ	ŏ	1.3	6.0	25	39
OHIO	10,797	12,237	3	28	1	ĩ	Ō	Ö	Ō	Ō	0.0	0.2	4	4
OKLAHOMA	3,025	3.702	87	275	0	2	7	0	0	0	2.8	7.4	125	226
OREGON	2,633	3,209	35	128	4	5	18	0	0	0	1.3	3.9	34	40
PENNSYLVANIA	11.867	12.854	1	13	0	0	4	1	0	0	0.0	0.1	3	8
RHODE ISLAND South Carolina	947 3,119	1,084 3,700	0	0 15	0	0	0	0	0 0	0	0.0 0.1	0.0 0.4	0	0
SOUTH DAKOTA	690	730	13	22	ŏ	5	ő	ő	ř	ň	1.9	3.0	30	40
TENNESSEE	4,591	5,573	ō	26	ŏ		ŏ	ĭ	ŏ	ŏ	0.0	0.4	- 6	ě
TEXAS UTAH	14,228	21,000	864	1,055	63	110	26	ō	ğ	ě	6.0	5.0	237 37	226
VERMONT	1,461	1,963	70 0	159	3	18	1	0	0	9	4.8 0.1	8.1	3 (41
VIRGINIA	5,346	6.755	Ō	20	Ď	ī	ō	Ŏ	Ŏ	Ŏ	ō.ō	Ŏ.Ž	ī	7
WASHINGTON	4,130	4,859	25	52	0	3	0	0	0	0	0.6	1.0	33	37
HEST VIRGINIA	1,950	2,101	0	2	0	0	0	٥	0	0	0.8	0.1	0	4
HISCONSIN Wydning	4,705	5,553	54	156	6	28	2	1	0	0	1.1	2.8	70	117
AMERICAN SAMDA	450 33	484 40	6	17	2	5	0	0	0	0	1.5	3.6	19	24
GUAM	110	275	Š	12	0	0	0 2	0 3	0	0	0.0	0.8	0	•
N. MARIANAS	17	33	ő	• • •	ő	ŭ	0	0	0	0	4.7 0.0	4.5 0.8	3	3
PUERTO RICO	3,197	4.700	ō	Ď	ō	ō	ŏ	ŏ	ŏ	ŏ	0.0	0.0	ŏ	ŏ
PAC. TR. TERR.	118	183	0	4	Ö	Ö	Ŏ	Ō	ō	ŏ	0.0	2.7	ŏ	ž
VIRGIN ISLANDS U.S. TOTAL	99	116	0	0	0	0	0	0	0	0	0.0	0.0	Ŏ	ō
O.J. IDIAL	230.075	278.885	4,172	11.809	328	1,489	522	558	11	33	1.8	4.2	1,600	2,740

POPULATIONS SERVED BY RAW DISCHARGE PRESENT AND PROJECTED, RESIDENT AND NONRESIDENT

Table 15 summarizes populations served by sewerage authorities that collect wastewater and discharge the wastewater to the environment as a raw waste. The wastewater is not subjected to any treatment beyond what is considered preliminary treatment. Preliminary treatment would include comminution, screening, grit removal, etc., but not primary sedimentation. For this reason, all the populations are listed under the Not Receiving Treatment category.

Also summarized for each State and the nation as a whole is the number of sewerage authorities utilizing raw discharge as a method of wastewater disposal. In 1982 there were 237 communities discharging raw waste. By the year 2000 all these communities will have built treatment facilities or interceptors to neighboring facilities to eliminate the raw discharge.

POPULATIONS SERVED BY RAW DISCHARGE PRESENT AND PROJECTED, RESIDENT AND NONRESIDENT (POPULATION IN THOUSANDS)

				•										
	*** POPUL						*** NOT				** PERC SER		** TREATP PLAN1	
STATE	1980 Total	2000 Total	1980 RES.	2000 RES.	1980 Nonres	2000 Honres	1980 RES.	2000 RES.	1980 Honres	2000 Nonres	1980	2000	1980	2000
ALABAMA	3,890	4,140	0	0	0	0	4	0	0	0	0.1	0.0	3	0
ALASKA	480	694	0	0	0	0	21	0	0	0	5.2		13	0
ARIZONA	2,718	4,357	0	0	0	0	0	8	8	6	0.0		Ō	0
ARKANSAS	2,286	2,970	Ō	0	0	0	Ō	0	0	0	0.0		0	0
CALIFORNIA	23,669	26,786	0	0	0	0	0	0	0	0	0.0		9	0
COLORADO	2,889	4,371	0	0	0	0	0	0	0	0	0.0		0	0
CONNECTICUT	3,108	3,902	0	0	0	0	0	0	0	0	0.0		0	
DELAWARE	595 638	841 694	0	ů	0	8	0	0	0	0	0.0		ň	ŭ
DIST. OF COLUM. FLORIDA	9,740	15,049	0	ŏ	0	0	29	ŏ	25	ŏ	0.2		š	ň
GEORGIA	5,464	7,053	ŏ	ő		ŏ	ě	ă	Ĭ	ä	0.1	0.0	5	ŏ
HAWAII	965	1.366	ŏ	ŏ	ŏ	•	ŏ		ŏ	ā	0.0		ã	ŏ
IDAHO	944	1,183	ă	Ď	ŏ	ň	ŏ	ŏ	ŏ	ŏ	0.0		ī	ŏ
ILLINOIS	11,418	12,358	ŏ	ō	ő	ŏ	ă	ō	Ď	ō	0.0		ě	ā
INDIANA	5,490	6,059	ŏ	ō	ŏ	ŏ	i	č	ŏ	ŏ	0.0		i	ō
IOWA	2,913	3,101	ă	ō	ŏ	ă	õ	ō	ō	Č	0.0		ō	Ō
KANSAS	2,363	2,642	Ŏ	Ō	0	Ŏ	ō	0	0	0	0.0	0.0	9	0
KENTUCKY	3,661	4,224	Ó	0	0	0	190	0	0	0	5.2	8.0	4	0
LOUISIANA	4,204	4,850	Ö	Ó	Ō	0	28	0	8	0	0.6	0.0	3	6
MAINE	1,125	1,222	0	0	0	0	98	0	3	0	8.7	0.0	50	0
MARYLAND	4,216	5,583	D	0	0	0	0	0	0	0	0.0		0	0
MASSACHUSETTS	5,737	6,736	0	0	0	0	210	0	27	0	3.6	0.0	15	8
MICHIGAN	9,258	10,314	0	0	0	8	3	0	0	0	0.0		3	C
MINNESOTA	4,077	4,505	0	0	0		5	0	9	0	0.1		10	0
MISSISSIPPI	2,521	2,740	0	0	0	0	4	0	0	0	0.1		3	0
MISSOURI	4,917	5,379	0	0	0	_	1	0	0	0	0.0		4	0
MONTANA	787	938	0	0	0		0	0	0	0	0.0		0	0
NEBRASKA	1,570	1,734	0	0	0	•	0	0	0	0	0.0		0	0
NEVADA	799	1,408	0	0	0		.0	0	0	0	0.0			0
NEW HAMPSHIRE	921	1,306	0	0	0		63	0	2	0	6.9		16	9
NEW JERSEY	7,364	9,022	0	0	0	•	12	0	0	0	0.1		1 0	ŭ
NEW MEXICO	1,300	1,781	0	0	9	-	0	Ü	343	ŭ	5.1	0.0	18	0
NEW YORK	17,577	19,683	0	0	0	0	700	0	343		0.0		1	ă
NORTH CAROLINA North Dakota	5,874	7,419	0	9	0	•	1 0	Ď	0	ŏ	0.0	•	i	ĭ
OIIO	653	690	Ö	0	0	_	0		Ď	ŏ	0.0		2	ă
DKLAHDMA	10,797 3,025	12,237 3,702	0	9	ů		6	Ö	ă	ŏ	0.0		ō	
OREGON	2,633	3,209	Ö	0	0	ů	ő	ă	ň	ă	0.0		ă	ă
PENNSYLVANIA	11,867	12,854	ŏ	ő	ŏ	ŏ	78	ŏ	ī	ŏ	0.6		36	ō
RHODE ISLAND	947	1,084	Ď	0	Ď	Ď		ŏ	ŏ	Ď	0.8		2	ō
SOUTH CAROLINA	3,119	3,700	ŏ	ŏ	ō	ŏ	7	Ō	Ō	ō	0.2		4	0
SOUTH DAKOTA	690	730	Ŏ	Ŏ	ō	Ŏ	Ö	0	•	0	0.0	0.0	1	0
TENNESSEE	4,591	5,573	ŏ	Ğ	ā	ō	Ď	Ō	0	0	0.0	0.0	0	0
TEXAS	14.228	21,000	Ŏ	Ō	ō	ğ	Ó	Ō	0	0	0.0	0.0	Ó	g
UTAH VERMONT	1,461	1,963	0	0	0	0	Q	0	Ď	0	0.0	0.0	i	ŏ
VIRGINIA	5,346	6,755	ŏ	ŏ	ŏ		i	ŏ	ă	ŏ	ŏ.ō		ī	Ō
WASHINGTON	4,130	4,859	0	0			0	0	0	9	0.0	0.0	1	0
WEST VIRGINIA	1,950	2.101	Ö	0		Ď	98	. 0	0	0	5.0	0.0	28	0
WISCONSIN	4,705	5,553	Ö	0	0	. 0	0	0	0	0	0.0	0.0	Œ	O
MYOMING	450	484	0	0	0	. 0	0		0	0	0.0	0.0	0	0
AMERICAN SAMOA	33	40	G	0	0		٥		0	0	0.0		0	0
GUAM	110	275	0	0	-		0	0	0	0	0.0		0	o.
N. MARIANAS	17	33	0	0		_	0	0	0	0	0.0		0	0
PUERTO RICO	3,197	4,700	O	0			86		0	0	2.7		1	0
PAC. TR. TERR.	118	183	0	0	•	-	0	0	0	0	0.0		0	0
VIRGIN ISLANDS	99	116	0	0	-	-				0	0.0		0	0
U.S. TOTAL	230,075	278,888	0	0	0	0	1,876	0	404	U	G.8	0.0	237	0

POPULATIONS SERVED BY FACILITIES DESIGNED FOR LESS THAN SECONDARY TREATMENT PRESENT AND PROJECTED, RESIDENT AND NONRESIDENT

Table 16 summarizes 1980 populations served by facilities that treat the collected wastes to a degree less than what is defined as secondary treatment and discharge the wastes to surface waters.

Facilities included in this summary provide primary or advanced primary treatment (comminution, screening, grit removal, etc.) plus primary sedimentation. Chlorination may or may not be a unit process. Advanced primary treatment facilities may provide some biological treatment, but are unable to treat wastewater to the degree necessary to comply with EPA's definition of secondary treatment.

Also summarized for each State and the nation is the number of facilities providing less than secondary treatment.

The terms total population, resident, nonresident, receiving treatment, not receiving treatment, and percent served are defined in the discussion provided for Table 12.

POPULATIONS SERVED BY FACILITIES DESIGNED FOR LESS THAN SECONDARY TREATMENT PRESENT AND PROJECTED, RESIDENT AND NONRESIDENT (POPULATION IN THOUSANDS)

	*** POPUL	ATION ###	*** REC	EIAIN e 1	REATMEN	*****	*** NOT I	RECEIVIN	G TREATH	ENT ##		ENT ***	## TREAT	
STATE	1980 Total	2000 Total	1980 RES.	2000 RES.	1980 Nonres	2000 NONRES	1980 RES.	2000 RES.	1980 Nonres	2000 Nonres	1980	2000	1980	2000
ALABAMA	3.890	4,140	123		11	0	15				3.1	0.0	24	0
ALASKA	400	694	130	317	- 6	Š	45	Ď	ŏ	č	32.7		- 4	ĭ
ARIZONA	2,718	4,357	396	0	Õ	Ō	14	Ö	ŏ	Ō	14.5		13	
ARKANSAS	2,286	2,970	494	0	5	0	42	9	0	0	21.6		173	0
CALIFORNIA	23,669	26,786	8,853	9,010	577	336	276	90	0	0	37.4	33.6	58	7
COLDRADO	2,889	4.371	112	0	1	0	2	0	0	0	3.8		13	
CONNECTICUT	3,108	3,902	332	0	_1	0	78	0	0	0	10.6		•	0
DELAWARE	595	841	12	0	21	0	8	0	3	0	2.0		•	0
DIST. OF COLUM. FLORIDA	438 9,740	694 15,049	0 103	0	0 22	0	0 11	0	0	9	0.0		0	0
GEORGIA	5,464	7,053	147	0	11		48	0	ă	ŭ	1.0 2.6		44	
HAWAII	965	1.366	478	447	43	4	105	ŏ	ă	ŏ	51.6		10	
IDAHO	744	1,183	123		ĭ	-	11	ě	ŏ	ā	13.1		65	
ILLINDIS	11,418	12,358	355	ŏ	ī	Ŏ	- 6	Ŏ	ŏ	Ŏ	3.1		122	
INDIANA	5,490	6.059	54	0	0	0	ī	Ö	2	0	0.9		16	
AHOI	2,913	3,101	726	0	30	0	34	0	0	0	24.9		337	0
KANSAS	2,363	2,642	725	0	4	0	59	0	0	0	30.7		154	
KENTUCKY	3,661	4,224	77	0	0	0	20	8	0	0	2.1		14	
LOUISIANA	4,204	4,880	424	0	3	0	56	0	0	0	10.1		76	
MAINE	1,125	1,222	94	0	26	0	6 D	0	0	0	8.3		16	
MARYLAND Massachusetts	4.216	5,583	74	0	3	•	19	0	0	0	1.7		19	0
MICHIGAN	5,737 9,258	6,736 10,314	2,278 459	0	41	0	392 112	0	0	0	39.7 4.9		13 41	-
MINNESOTA	4,077	4,505	178	ă	- 1	ŏ	10	ŭ	ň	ő	4.3		123	
MISSISSIPPI	2,521	2,740	173	ŏ	ĭ	ŏ	61	ŏ		ŏ	6.8		85	
MISSOURI	4,917	5,379	1,495	ŏ	542	ŏ	58	ā	ŏ	ŏ	30.4		245	
HONTANA	787	938	46	ŏ	0	ŏ	2	ŏ	ŏ	ā	5.9		30	
NEBRASKA	1,570	1,734	529	0	1	Ð	8	Ō	Ō	0	33.7		49	
NEVADA	799	1.408	17	0	0	0	0	8	0	0	2.1	0.0	5	٥
NEW HAMPSHIRE	921	1,306	158	0	13	0	64	0	4	0	17.2		18	
HEW JERSEY	7,364	9.022	1,355	0	319	0	94	9	9	9	18.4		67	
NEW MEXICO	1,300	1.781	24	0	1	0		0	0	0	1.8		8	0
NEW YORK North Carolina	17,577 5,874	19,683 7,419	3,795 151	0	949	0	235 51	0	0	0	21.5		119	0
NORTH DAKOTA	653	690	10		6	ŏ	31		ŭ		1.6		32 20	
OHIO	10,797	12.237	1.046	Ď	ž	ă	74	Ď	ŏ	ŏ	9.6		86	
OKLAHOMA	3,025	3,702	430	ō	ò	ō	32	ŏ	ă	ō	14.2		197	ŏ
OREGON	2,633	3,209	33	ō	õ	ō	4	Ŏ	Õ	Ō	1.2		5	ŏ
PENNSYLVANIA	11,867	12.854	1,771	0	107	0	138	0	0	0	14.9		50	0
RHODE ISLAND	947	1.084	28 D	0	39	0	34	0	9	0	29.6		6	0
SOUTH CAROLINA	3,119	3,700	184	0	2	0	61	0	3	0	5.9		74	-
SOUTH DAKOTA Tennessee	690	730 5,573	129	0	2	0	_0	0	0	0	18.7		137	0
TEXAS	4,591 14,228	21.000	102 652	0	Õ	ŏ	35 44	0	0	0	2.2 4.5		29 85	ă
UTAH	1,461	1.963	0	ŏ	ď	ğ	0	ŏ	ŏ	ŏ	0.0	0.0	0	Õ
VERMONT Virginia	5.346	6,755	106 822	0	17 35	ò	109	0	5	0	20.9 15.3	0.0	21 98	0
HASHINGTON	4,130	4,859	1.258	635	338	330	158	ă	Ď	Ď	30.4		72	2
HEST VIRGINIA	1,950	2.101	221	100		0	57	ř	ő	Ď	11.3	0.0	45	á
HISCONSIN	4,705	5,553	163	ŏ	29	ŏ	10	ō	i	ŏ	3.4	0.0	104	ŏ
MYOMING	450	484	80	0	0	Ō	Ō	ō	ŏ	ō	17.9	0.0	35	ō
AMERICAN SAMOA	33	40	1	0	0	0	27	0	6	Ō	4.2		2	ō
GUAM	110	275	58	0	8	0	21	0	0	0	53.2		2	0
N. MARIANAS Puerto rico	17	33	1	0	0	0		0	0	0	8.1	0.0	2	0
PAC. TR TERR.	3,197 118	4,700 183	1,662	0	0	0	916	0	0	0	52.0		27	0
VIRGIN ISLANDS	99	116	53	0	3	ů	ı B	0	0	0	2.0 53.5		1 2	0
U.S. TOTAL	230,075	278,888	33,604	10,630	3.246	740	3,796	78	29	Ö	14.6	3.8	3,119	12
								. •		•			-,,	• •

PLANT LOADINGS, REMOVAL EFFICIENCIES, AND DISCHARGE RATES FOR FACILITIES EXISTING IN 1982 FACILITIES DESIGNED FOR LESS THAN SECONDARY TREATMENT

Table 17 summarizes the performance of all treatment facilities designed to provide less than secondary treatment. Information is provided as a total for all States and U.S. Territories with a national total at the bottom of the table.

This table is designed to estimate the quantities of various pollutants accepted by a treatment plant and the quantities of these same pollutants in the effluent. Quantities are given in metric tons per day for all parameters. BOD_5 and Solids are summarized in this table. No information is given for nutrient removal because these constituents are not removed in significant amounts by this degree of treatment.

These data were derived from the daily average flow, daily average influent concentrations, and the daily average effluent concentrations. The averages are based on the actual performance of each individual treatment plant for the most recent 12 month period for which information could be obtained. The values calculated for each plant are summed into State and national totals. The main source of information for flow and concentration values was the self-monitoring reports submitted by every facility with a NPDES permit.

Included in this summary are plants designed to provide primary or advanced primary treatment. Excluded are facilities designed to consistently provide secondary or better degrees of treatment, as well as any with efficiencies less than primary.

All flows are reported in thousand cubic meters per day. The influent and effluent BOD_5 and Solids values are State totals in metric tons per day.

Table 17 is an extension of Table 16. A summary of the projected year 2000 performance of facilities designed to provide less than secondary treatment is given on Table 18.

Some States may show influent and/or effluent values of BOD_5 or Solids equal to zero, but still have a percent removal calculated. This is due to the influent and/or effluent value being less than 0.5 metric tons per day in which case the value is rounded to zero.

1982 NEEDS SURVEY PLANT LOADINGS, REMOVAL EFFICIENCIES AND DISCHARGE RATES FOR FACILITIES EXISTING IN 1982 FACILITIES DESIGNED FOR LESS THAN SECONDARY TREATMENT (METRIC TONS PER DAY)

*********** REMOVAL EFFICIENCIES ***********

		******	BODS ***	****	******	SOLIDS ***	****
	ACTUAL			×			×
STATE	FLON	INFLUENT	EFFLUENT	REM.	INFLUENT	EFFLUENT	REM.
ALABAMA	54	9	5	49.2	10	5	45.1
ALASKA	108	16	12	25.1	22	10	54.3
ARIZONA	112	27	4	83.2	27	5	82.6
ARKANSAS	228	62	10	83.3	59	27	54.0
CALIFORNIA	4.224	1,242	594	52.1	1,458	449	67.1
COLORADO	50	12	ž	85.4	12	77,	89.3
CONNECTICUT	218	32	18	45.1	38	12	69.2
DELAWARE	10	2	-1	64.0	2	1	71.6
DIST. OF COLUM.	Õ	ō	ō	0.0	ā	i	0.0
FLORIDA	52	11	3	75.7	10	2	74.9
GEORGIA	77	13	3	76.8	12	3	77.3
HAWAII	335	50	32	35.2	48	19	60.0
IDAHO	115	21	34	78.8	19	5	72.3
ILLINDIS	207	49	16	66.3	53	14	
INDIANA	34	5	2	60.3	3	17	74.3
IOHA	386	118	38	67.4		_	71.3
KANSAS	367	104	39		131	33	74.4
KENTUCKY	46	12	7	62.3	87	22	74.5
LOUISIANA	166			44.9	17	5	68.7
MAINE	87	32	10	68.1	36	12	66.3
MARYLAND	38	23	?	61.7	24	10	56.1
MASSACHUSETTS			3	63.3	6	2	70.0
MICHIGAN	2,147	336	233	30.7	357	183	48.7
MINNESOTA	326	89	16	81.4	72	17	77.0
	89	30	4	85.3	24	5	81.5
MISSISSIPPI	121	23	4	83.8	23	8	65.5
MISSOURI	998	227	139	38.6	294	109	62.9
MONTANA	24	3	1	60.7	3	1	74.1
NEBRASKA	317	99	76	22.9	106	43	59.7
NEVADA	12	. 2	0	86.7	2	0	83.3
NEW HAMPSHIRE	135	27	17	37.1	29	11	63.6
NEW JERSEY	801	193	108	44.D	143	57	60.3
NEW MEXICO	8	2	1	53.3	2	1	53.2
NEW YORK	2,976	392	150	61.8	362	147	59.4
NORTH CAROLINA	98	23	3	86.5	22	3	85.6
NORTH DAKOTA	2	1	0	81.8	1	0	85.0
OHIO	615	113	42	62.6	108	35	67.5
OKLAHOHA	177	37	7	81.7	38	9	75.5
OREGON	19	3	0	86.1	3	1	76.9
PENNSYLVANIA	1,333	227	94	58.5	299	97	67.7
RHODE ISLAND	278	22	13	41.7	35	14	58.8
SOUTH CAROLINA	107	19	8	59.7	52	7	66.3
SOUTH DAKOTA	54	16	3	81.3	15	3	76.3
TENNESSEE TEXAS UTAH	295	13 69	5 14	61.6	12 65	. 4	65.7
UTAH	- 0	ő	13	78.9 0.0	•3	15 0	77.1 0.0
VERMONT	100	22	ğ	59.5	14	ě	58.0
VIRGINIA	365	64	27	58.2	60	14	76.4
MASHINGTON	887	183	104	43.3	197	74	62.5
HEST VIRGINIA	105	30	11	63.7	27	7	73.2
WISCONSIN	89	23	7	67.0	18	5	72.5
MADWING	49	10	2	77.4	9	2	73.1
AMERICAN SAMOA	1	n	0	3.1	Ö	ō	4.7
GUAM	31	7	7	0.0	8	8	0.0
N. MARIANAS	2	O	8	68.7	ō	õ	41.6
PUERTO RICO	475	124	52	57.7	105	31	70.2
PAC. TR. TERR.	0	0	0	80.0	0	D	80.0
VIRGIN ISLANDS	17	3	3	14.9	4	2	44.4
U.S. TOTALS	20,063	4,280	1,975	53.8	4,553	1,558	65.7

NOTES: 1. FLOW IN CUBIC METERS X 1000 PER DAY. 2. SHORT TONS = METRIC TONS X 0.9072.

^{3.} SUM OF ENTRIES MAY NOY EQUAL TOTALS DUE TO ROUND-OFFS.

PLANT LOADINGS, REMOVAL EFFICIENCIES, AND DISCHARGE RATES FOR FACILITIES TO BE IN OPERATION IN 2000 FACILITIES DESIGNED FOR LESS THAN SECONDARY TREATMENT

Table 18 summarizes the expected performance in the year 2000 of all treatment facilities designed to provide less than secondary treatment. Information is provided as a total for all States and U.S. Territories with a national total at the bottom of the table.

This table is designed to estimate the quantities of various pollutants that will be received by a treatment plant and the quantities of these same pollutants that will be in the effluent in 2000. Quantities are given in metric tons per day for all parameters. BOD_5 and Solids are summarized in this table. No information is given for nutrient removal because these constituents are not removed in significant amounts by this degree of treatment.

These data were derived from the daily average flow, daily average influent concentrations, and the daily average effluent concentrations. The averages are based on the predicted year 2000 situation. The values calculated for each plant are summed into State and national totals.

Included in this summary are plants designed to provide primary or advanced primary treatment. Such plants will be allowed to exist in the year 2000 according to specific new provisions in the Clean Water Act. An example of this is the ocean discharge waivers permitted by Section 301(h) allowing less than secondary facilities to discharge to the ocean under certain conditions. Excluded are facilities designed to consistently provide secondary or better degrees of treatment, as well as those with efficiencies less than primary.

Table 18 is an extension of Tables 16 and 17.

All flows are reported in thousand cubic meters per day. The influent and effluent ${\rm BOD}_5$ and Solids values are projected State totals in metric tons per day.

1982 NEEDS SURVEY PLANT LOADINGS, REMOVAL EFFICIENCIES AND DISCHARGE RATES FOR FACILITIES TO BE IN OPERATION IN 2000 FACILITIES LESIGNED FOR LESS THAN SECONDARY TREATMENT (METRIC TONS PER DAY)

************* REMOVAL EFFICIENCIES **********

		****	*****	REMOV	VAL	EFFICIENCIES	******	*****
	PROJECTED	*****	BOD5 **		*** *	*****	SOLIDS ***	
STATE	FLOW	INFLUENT	EFFLUEN		ĒM.	INFLUENT	EFFLUENT	X Rem.
ALABAMA	0	0		D (0.0	0	0	0.0
ALASKA	156	23	1		9.9	31	16	50.0
ARIZONA	0	0		0 0	0.0	0	Õ	0.0
ARKANSAS	0	0			0.0	ā	ŏ	0.0
CALIFORNIA	4,304	1,293	50		3.9	1,459	389	73.3
COLORADO	0	0		0 (0.0	0	0	0.0
CONNECTICUT	0	0			0.0	Ó	Õ	0.0
DELAWARE	0	0		0 0	0.0	0	0	0.0
DIST. OF COLUM.	0	0		0 (0.0	0	0	0.0
FLORIDA	0	0		0 (0.0	8	0	0.0
GEORGIA	C	0		0 (0.0	0	0	0.0
HAWAII	405	117	5	6 52	2.0	81	45	44.1
IDAHO	0	0			0.0	0	0	0.0
ILLINDIS	0	0		0 (0.0	0	0	0.0
INDIANA	O.	0			0.0	0	0	8.0
IONA	0	0			0.0	0	Q	0.0
KANSAS	0	0			0.0	0	0	0.0
KENTUCKY	0	0			0.0	0	0	0.0
LOUISIANA	0	0			0.0	0	0	0.0
MAINE	0	0			0.0	0	0	0.0
MARYLAND	Ō	D		-	1.0	0	0	0.0
MASSACHUSETTS	0	Ç			0.0	0	0	0.0
MICHIGAN	0	0).D	0	0	0.0
MINNESOTA	0	0			.0	0	0	0.0
MISSISSIPPI	0	0			0.0	0	0	0.0
MISSOURI	0	0			1.0	Ō	0	0.0
MONTANA Nebraska	0	0				Ō	9	0.0
NEVADA	0	G			0.1	0	0	0.0
NEW HAMPSHIRE	0	0			0.0	0	0	0.0
NEW JERSEY	0	0			0.0	0	0	0.0
NEW MEXICO	0	0			0.0	0	0	0.0
NEW YORK	Ö	0			1.0	0	0	0.0
NORTH CAROLINA	ŭ	0		-	1.0	0	0	8.0
NORTH DAKOTA	Ö	ß			1.0	_	0	0.0
OHIO	ŏ	ő		-).0	0	6	0.0
DKLAHOMA	ŏ	0		-	. 0	0	Ö	0.0
OREGON	ŏ	ő			. 0	ŏ	ă	0.0
PENNSYLVANIA	ŏ	ŏ			. 0	0	ů	0.0
RHODE ISLAND	ŏ	Ď			.0	0	Ö	0.0
SOUTH CAROLINA	Ŏ	ŏ			. 0	ő	ŏ	0.0
SOUTH DAKOTA	Ō	ŏ			. 0	ŏ	ŏ	0.0
ŢĘŅŅĘSSEE	0	0		0 0	. 0	C	Ō	0.0
TEXAS	0	0		0 0	.0	Ŏ	Ō	0.0
VÉRMONT	ă	ŏ		Ö	9.	0	0	0.0 0.0
VIRGINIA	0	Ō			0.0	Ŏ	0	0.0
WASHINGTON	677	136			0.0	169	70	58.6
HEST VIRGINIA	0	0			0.0	Ö	Ö	0.0
WISCONSIN	0	Ö			0.0	ŏ	ŏ	0.0
MADWING	0	0			1.0	ō	ē	0.0
AMERICAN SAMOA	0	0			0.0	Č	ŏ	0.0
GUAM	0	0		D 0	0.0	ō	ō	0.0
N. MARIANAS	0	0			.0	Ŏ	ŏ	0.0
PUERTO RICO	0	0		0 0	0.0	Ō	Ö	0.0
PAC. TR. TERR.	0	0		0 0	. 0	0	ū	0.0
VIRGIN ISLANDS	0	0		0 0	0.1	0	0	0.0
II C TOTALO	.			_				
U.S. TOTALS	5,543	1,568	67	4 57	. 0	1,739	519	70.1

NOTES: 1. FLOW IN CUBIC METERS X 1000 PER DAY. 2. SHORT TONS = METRIC TONS X 0.9072.

^{3.} SUM OF ENTRIES MAY NOY EQUAL TOTALS DUE TO ROUND-OFFS.

POPULATIONS SERVED BY SECONDARY TREATMENT PRESENT AND PROJECTED, RESIDENT AND NONRESIDENT

Table 19 summarizes the 1980 populations served and the 2000 populations projected to be served by facilities designed to provide secondary treatment. In general, this type of facility includes some type of preliminary treatment process followed by a biological process (trickling filter, activated sludge, rotating biological contactor, etc.) with no additional treatment processes except disinfection.

The 2000 total State population values reported are from estimates provided by BEA. The 1980 total State population values are based on the 1980 populations reported in the April 1981 Report of the Bureau of Census. The Percent Served is a function of the residents receiving treatment in relation to the total State population.

The total population within the service area of an authority is the sum of persons receiving treatment and not receiving treatment. Those persons not receiving treatment reside in the service area but do not contribute to the treatment facility because they are not on a sewer system.

Resident populations are permanent residents in the service area of a sewerage authority. Nonresident populations include commuters living in one area and working in another, as well as all transients, tourists, and seasonal residents.

Also summarized for each State and the nation is the number of secondary facilities in operation in 1982 and the number expected to be operational in 2000.

POPULATIONS SERVED BY SECONDARY TREATMENT PRESENT AND PROJECTED, RESIDENT AND NONRESIDENT (POPULATION IN THOUSANDS)

	*** POPU	LATION ***	*** RE	CEIVING	TREATMEN'	T ****	*** NOT	RECEIVI	NG TREAT	MENT **	## PERC SER		## TREAT	
STATE	1980 Total	2000 Total	1980 Res.	2008 RES.	1980 Nonres	2000 Nonres	1980 RES.	2000 RES.	1980 Nonres	2000 Nonres	1980	2000	1980	2000
ALABAMA	3.890	4,140	1.548	1,990	82	163	209			_				
ALASKA	400	694	63	322	2	13	17		1	0	39.8 15.9		192	221
ARIZONA	2,718	4,357	1,610	3,463	50	32	108		4	ŭ	59.2	46.4 79.4	37 38	119
ARKANSAS	2,286	2,970	545	1,224	12	2	23		7	â	23.8		35 60	83
CALIFORMIA	23,669	26,786	3,584	6.091	136	427	192		ŏ	ŏ	15.1	22.7	158	128 218
COLORADO	2,889	4,371	1,240	1,931	70	129	10		ŏ	ŏ	42.9	44.1	222	237
CONNECTICUT	3,108	3,902	1,431	2,261	12	35	624	337	9	Ŏ	46.0	57.9	66	58
DELAMARE	595	841	88	10	30	51	31	0	0	Ó	14.8	1.2	Ä	-4
DIST. OF COLUM. FLORIDA	638	694	0	. 0	Ð	Ð	D	D	D	8	0.0	0.0	Ō	ó
GEORGIA	9.740	15,049	2,572	4,891	373	588	1,110		0	0	26.4	32.5	101	55
HAWAII	5,464 965	7,053 1,366	2,501	1,654	107	63	390		9	0	45.7	23.4	294	250
IDAHO	944	1,183	70 266	488 514	40	155	39	0	8	0	7.2	35.7	14	34
ILLINDIS	11,418	12,358	1,513	508	7	33 5	33	-	5	0	28.2	43.5	38	105
INDIANA	5,490	6,059	918	796	1 10	15	11 43	0	_0	0	13.2	4.1	295	407
IOWA	2,913	3,101	1.231	1,682	44	63	53	1	30 0	0	16.7	13.1	175	142
KANSAS	2,363	2,642	945	2,202	12	20	60	_	0	0	42.2	54.2	322	703
KENTUCKY	3,661	4,224	1,280	1,817	40	45	214	92	v	0	40.0 34.9	83.3 43.0	224	349
LOUISIANA	4.204	4,880	2,171	4.021	65	99	155	70	i	ŭ	51.6	82.4	154 209	146 386
MAINE	1,125	1,222	450	857	57	124	149	181	î	ŏ	40.0	70.1	76	155
MARYLAND	4,216	5,583	497	288	98	317	98	21	ž	ŏ	11.8	5.1	71	75
MASSACHUSETTS	5,737	6.736	1,133	4,403	9	147	512	520	33	53	19.7	65.3	76	94
MICHIGAN	9,258	10,314	366	459	,	19	110	66	1	0	3.9	4.4	145	196
MINNESOTA	4,077	4,505	2,512	1,103	15	11	103	11	0	0	61.6	24.5	343	399
MISSISSIPPI MISSOURI	2,521	2,740	1,240	961	7	11	174	45	1	0	49.2	35.0	219	221
MONTANA	4,917	5,379	1,980	4,935	329	1,183	90	1	0	0	40.2	91.7	287	576
NEBRASKA	787 1,570	938 1.734	400	650	30	34	11	0	0	0	50.8	69.3	87	130
NEVADA	799	1,408	651 231	1,565	13	21	26	0	0	ū	41.4	90.2	267	273
NEW HAMPSHIRE	921	1,306	231	462 737	18 33	32	2	0	. 0	0	29.0	32.8	12	21
NEW JERSEY	7,364	9.022	3.830	5,367	623	154 1,253	130 436	162 86	10 44	19	25.1	56.4	44	93
NEW MEXICO	1,300	1,781	711	1,170	023	14	68	2	77	6	52.0 54.7	59.4 65.7	132	78
NEW YORK	17,577	19,683	6,514	12,456	1,280	3,089	1.434	538	41	ŭ	37.0	63.2	41 206	66
NORTH CARDLINA	5,874	7,419	1,381	1,391	172	262	697	312	7.	14	23.5	18.7	406	528 254
NGRTH DAKOTA	653	690	421	536	0	1	0	0	ò	Ť	64.6	77.7	234	256
OHIC	10,797	12,237	3,033	1,404	8	9	272	4	11	Ď	28.0	11.4	278	154
OKLAHOMA	3,025	3,702	1,034	1,996	1	10	69	18	0	0	34.1	53.9	144	327
OREGON	2,633	3,209	376	202	19	11	55	0	1	0	14.3	6.3	69	69
PENNSYLVANIA RHODE ISLAND	11.867	12,854	4,540	4,236	263	684	491	98	0	C C	38.2	32.9	321	714
SOUTH CAROLINA	947 3,119	1,084	337	710	8	67	212	69	0	C	35.5	65.5	12	19
SOUTH DAKOTA	690	3,700 730	869 279	2,015	190	291	310	65	0	0	27.8	54.4	143	157
TENNESSEE	4,591	5.573	1.420	328 1.464		. 4	1	. 0	0	0	40.5	45.0	91	221
TEXAS	14,228	21,000	5.454	8,939	30 104	13 221	420 274	46	0	0	30.9 38.3	25.2	157	86
UTAH VERMONT	1,461	1,963	1,006	0	181	0	16	ō	ŏ	7	68.9	42.5	767 47	1,582
VIRGINIA	5,346	6,755	108 729	148 2,211	18 59	29 138	41 86	50 24	3	3	21.3	24.4	53	201
HASKINGTON	4,130	4,859	620	3.185	53	363			•	_	13.6	32.7	79	
WEST VIRGINIA	1,950	2,101	352	1,473	16	22	58 67	85	13	0	15.0	65.5	134	290
WISCONSIN	4,705	5,553	923	947	24	80	57	5 13	0	0	18.0	70.1	79	402
HYOMING	450	484	245	423	15	25	ĭ	13		ů	19.6 54.5	17.0	250	276
AMERICAN SAMOA	33	40	0	32	Ō	-1	i	2	ŏ	ŏ	0.0	87.4 80.4	55 0	84 1
GUAM	110	275	7	196	Ō	3	ĭ	12	Ď	Ď	6.7	71.5	2	3
N. MARIANAS	17	33	0	2	0	0	Ŏ	Ō	ŏ	ŏ	0.0	6.9	ñ	i
PUERTO RICO Pac. Tr. Terr.	3,197	4,700	94	3,137	0	0	175	745	õ	Ö	2.9	66.7	5	26
VIRGIN ISLANDS	118 99	183	7	70	0	2	33	39	a	8	6.5	38.6	4	16
U.S. TOTAL	230,075	116 278,888	26 47 409	128			22		0	0	26.4	110.6	3	5
	2001013	2,0,000	01,007	106,417	4,817	10,611	10,049	4.123	225	103	29.3	38.1	7.946	11,756

PLANT LOADINGS, REMOVAL EFFICIENCIES, AND DISCHARGE RATES FOR FACILITIES EXISTING IN 1982 FACILITIES DESIGNED TO PROVIDE SECONDARY TREATMENT

Table 20 summarizes the performance of all treatment facilities designed to provide secondary treatment. Information is provided for all States and U.S. Territories with a national total at the bottom of the table.

This table provides estimates of the total quantity of BOD_5 and Solids accepted by treatment plants within the State and the total quantity of these same pollutants in the effluent. Quantities are given in metric tons per day for these parameters. Quantities of nutrients removed are not summarized in this table because, by definition, secondary treatment plants do not have the capability for nutrient removal.

These data were derived from the daily average flow and the daily average influent and effluent BOD_5 and Solids concentrations. The averages are based on the actual performances of each individual treatment plant during the most recent 12 month period for which information could be obtained. The values calculated for each plant are summed into State and national totals. The main source of information for flow and concentration values was the self-monitoring reports submitted by every facility with an NPDES permit.

Included in this summary are plants designed to provide secondary treatment. Excluded are facilities designed to consistently provide less than, or better than, secondary treatment.

Table 20 is an extension of Table 19. A summary of the projected year 2000 performance of secondary facilities is given in Table 21.

All flows are reported in thousand cubic meters per day.

Some States may show influent and/or effluent values of BOD_5 or Solids equal to zero, but still have a percent removal calculated. This is due to the influent and/or effluent value being less than 0.5 metric tons per day in which case the value is rounded to zero.

1982 NEEDS SURVEY PLANT LOADINGS, REMOVAL EFFICIENCIES AND DISCHARGE RATES FOR FACILITIES EXISTING IN 1982 FACILITIES DESIGNED TO PROVIDE SECONDARY TREATMENT (METRIC TONS PER DAY)

MENNEMENTAL REMOVAL EFFICIENCIES MENNEMENTALMENT

		******	BOD5 ***	****	*****	SOLIDS ***	*****
	ACTUAL			×			*
STATE	FLOW	INFLUENT	EFFLUENT	REM.	INFLUENT	EFFLUENT	REM.
ALABAMA	920	155					
ALASKA	44	7	18	88.1 79.1	154 7	27	82.3
ARIZONA	644	122	15	87.6	136	2 15	77.2
ARKANSAS	333	78	10	87.0	77	14	88.9 81.2
CALIFORNIA	1,651	454	44	90.3	475	48	89.9
COLORADO	543	130	13	89.7	118	13	88.5
CONNECTICUT	1,015	161	19	88.3	164	39	76.3
DELAWARE	36	12	1	92.8	10	2	77.5
DIST. OF COLUM.	0		0	0.0	0	0	0.0
FLORIDA GEORGIA	2,832	472	47	90.1	510	61	87.9
HANAII	1,591 43	317	44	86.0	295	74	74.8
IDAHO	164	10 47	1	87.9	10	1	89.0
ILLINOIS	1,107	166	3 19	93.9 88.6	46 207	3	94.0
INDIANA	1,485	271	25	90.9	294	22 19	89.2
IOHA	695	259	28	89.1	209	31	93.4 85.1
KANSAS	411	86	11	87.6	91	12	86.4
KENTUCKY	716	110	34	68.9	140	31	78.0
LOUISIANA	977	191	30	84.1	201	37	81.4
MAINE	279	59	7	87.5	73	ii	84.4
MARYLAND	391	103	29	72.0	110	25	76.8
MASSACHUSETTS	773	147	31	78.9	165	33	79.8
MICHIGAN Minnesota	220	38	. 5	86.1	43	4	90.2
MISSISSIPPI	1,309 595	324	41	87.3	398	42	89.4
MISSOURI	1,130	119 223	16	86.7	133	23	82.7
MONTANA	219	41	45 7	79.7 83.3	269	44	83.7
NEBRASKA	317	75	á	88.7	34 76	7	79.3
NEVADA	101	20	3	86.5	22	9 3	88.3 87.7
NEW HAMPSHIRE	168	40	5	88.2	34	3	88.9
NEW JERSEY	2,158	709	394	44.5	800	367	54.1
NEW MEXICO	284	58	10	82.9	62	9	85.4
NEW YORK	4,619	593	125	78.8	639	127	80.1
NORTH CAROLINA	925	197	20	89.7	201	26	87.1
NORTH DAKOTA Ohio	136	32	3	92.0	30	4	86.1
OKLAHDMA	2,028 421	420	120	71.3	544	112	79.3
OREGON	383	88 89	11	87.6	85	12	85.8
PENNSYLVANIA	2,681	435	10 67	88.6 84.5	89	16	81.8
RHODE ISLAND	200	50	- 6	87.2	527 37	96	81.6
SOUTH CAROLINA	590	170	40	76.2	124	11 27	69.9 78.0
SOUTH DAKOTA	125	33	3	89.7	30	š	89.3
TENNESSEE	1,144 2,737 677	413	47	88.5	465	70	84.9
TEXAS UTAH VERMONT	21/3/	573 101	57 13	90.0 86.9	569 102	88 15	84.6
VERMONT	63	101 12	· i	89.5	102	13	91.4
VIRGINIA	467	113	8	92.6	106	14	87.1
HASHINGTON	410	85	,	89.1	81	9	88.3
WEST VIRGINIA	162	34	11	69.0	35	7	80.8
WISCONSIN	556	142	14	90.0	115	12	89.6
MYOMING AMERICAN SANDA	122	24	7	72.5	25	7	73.0
GUAM	0	0	0	0.0	0	D	0.0
N. MARIANAS	2	0	0	92.5	0	0	96.0
PUERTO RICO	41	12	0 2	0.0	.0	0	0.0
PAC. TR. TERR.	7.	12	0	85.9 87.2	12 0	2	87.2
VIRGIN ISLANDS	ě	ĭ	Ö	84.7	1	0	82.0 85.0
	=	•	•		•	J	33.0
U.S. TOTALS	41,671	8,623	1,539	82.1	9,197	1,693	81.5
						· -	

NOTES: 1. FLOW IN CUBIC METERS X 1000 PER DAY. 2. SHORT TONS - METRIC TONS X 0.9072.

^{3.} SUM OF ENTRIES MAY NOY EQUAL TOTALS DUE TO ROUND-OFFS.

PLANT LOADINGS, REMOVAL EFFICIENCIES, AND DISCHARGE RATES FOR FACILITIES PROJECTED FOR 2000 FACILITIES DESIGNED TO PROVIDE SECONDARY TREATMENT

Table 21 summarizes the expected performance in the year 2000 of all treatment facilities designed to provide secondary treatment. Information is provided for all States and U.S. Territories with a national total at the bottom of the table.

This table provides an estimate of the total quantity of BOD_5 and Solids that will be received by treatment plants within the State and the total quantity of these same pollutants that will be in the effluent in 2000. Quantities are given in metric tons per day for these parameters. Quantities of nutrients removed are not summarized in this table because, by definition, secondary treatment plants do not have the capability for nutrient removal.

These data were derived from the daily average flow and the daily average influent and effluent BOD_5 and Solids concentrations. The averages are based on the predicted year 2000 situation. The values calculated for each plant are summed into State and national totals.

Included in this summary are plants designed to provide secondary treatment. Excluded are facilities designed to consistently provide less than, or greater than, secondary treatment.

Table 21 is an extension of Tables 19 and 20.

All flows are reported in thousand cubic meters per day.

Some States may show influent and/or effluent values of BOD_5 or Solids equal to zero, but still have a percent removal calculated. This is due to the influent and/or effluent value being less than 0.5 metric tons per day in which case the value is rounded to zero.

1982 NEEDS SURVEY PLANT LOADINGS, REMOVAL EFFICIENCIES AND DISCHARGE RATES FOR FACILITIES PROJECTED FOR 2000 FACILITIES DESIGNED TO PROVIDE SECONDARY TREATMENT (METRIC TONS PER DAY)

MENNYMENNENNEN REMOVAL EFFICIENCIES SENGENHANNANNEN нининия BODS ининини ****** SOLIDS ***** PROJECTED STATE INFLUENT EFFLUENT REM. FLOW INFLUENT EFFLUENT REM. ALABAMA 1.961 420 426 85.9 60 ALASKA 38 40 282 84.2 ARIZONA 1.271 86.8 87.5 89.9 289 40 85.9 ARKANSAS California 606 18 99 27 47 146 146 897 3.348 100 88.8 COLORADO CONNECTICUT 886 227 88.2 1,633 85.6 324 47 DELAMARE 13 0 87.7 0 DIST. OF COLUM. 0.0 ń 0.0 2,709 581 227 86.0 81 SECRETA 1,051 83.8 31 86.1 210 52 HAWAII 225 331 52 97 TDAHO 10 89.7 102 ILLINDIS 237 48 86.8 56 INDIANA 116 415 16 32 85.9 IOWA 1,063 92.3 328 39 41 88.1 87.8 KANSAS 1,241 37 33 308 87.8 KENTUCKY 1,171 253 476 86.7 281 35 87.5 LOUISIANA 2.102 63 19 86.7 68 86.0 MAINE 608 148 167 21 87.5 MARYLAND 263 8 88.9 86.0 MASSACHUSETTS 3,830 776 869 48 169 116 85.2 149 218 645 45 171 6 85.8 86.5 MINNESOTA 90.5 MISSISSIPPI 115 742 79 17 97 565 85.3 19 83.5 MISSOUPT 86.8 773 86.5 MONTANA 429 996 17 32 79.6 90.9 NEBRASKA 356 91.5 85.8 30 NEVADA 203 700 43 216 6 21 42 187 84.9 NEW HAMPSHIRE NEW JERSEY NEW MEXICO 90.2 3.814 541 114 16 292 90.7 85.5 1,229 113 114 114 1,776 85.7 17 NEW YORK 9.850 83.5 NORTH CAROLINA NORTH DAKOTA 292 261 51 234 216 1,020 30 5 88.4 240 87.1 31 198 825 51 266 222 81 88.3 OHIO 24 22 89.8 OKLAHOMA OREGON 90.3 951 89.6 90.6 85.2 88.0 81 555 8 82 OREGON
PENNSYLVANIA
RHODE ISLAND
SOUTH CAROLINA
SOUTH DAKOTA
TENNESSEE
TEXAS
UTAH
VERMONT
VIRGINIA 254 12 85.6 602 143 649 163 316 86.3 88.4 87.9 91.7 90.2 0.0 85.3 271 30 386 915 0 23 36 4 35 89 0 126 1,160 4,210 0 36 114 0 3 86.3 90.8 87.5 0.0 85.2 23 298 452 86.4 87.9 85.2 40 299 HASHINGTON WEST VIRGINIA WISCONSIN 1,820 446 55 22 87.3 56 747 656 22 154 20 169 21 87.5 HYOMING 210 1 86.1 45 AMERICAN SAMCA 23 8 80.0 GUAM N. MARIANAS PUERTO RICO PAC. TR. TERR. VIRGIN ISLANDS 85.0 22 86.7 0 α 85.7 85.7 87.9 0 353 89.2 87.3 38 317 38

NOTES: 1. FLOW IN CUBIC METERS X 1000 PER DAY. 2. SHORT TONS = METRIC TONS X 0.9072.

87.7

1,927 87.6

14

15,796

88.8

2,057

15,607

28 51

66.234

U.S. TOTALS

^{3.} SUM OF ENTRIES MAY NOY EQUAL TOTALS DUE TO ROUND-OFFS.

NUMBER OF PLANTS PROJECTED FOR SECONDARY TREATMENT BY YEAR 2000 (BY TOTAL PROJECTED DESIGN FLOW)

Table 22 is a flow summary for all secondary treatment plants projected to be in operation by the year 2000. In general, this type of treatment plant includes some type of preliminary treatment process followed by a biological process (trickling filter, activated sludge, rotating biological contactor, etc.) with no additional treatment processes except disinfection. A summary is provided for each State and U.S. Territory. National totals are summarized at the bottom of the table.

In the second column the total number of projected secondary treatment plants in each State is reported. Column three represents the total wastewater treatment capacity of the plant in thousand cubic meters per day. The projected design flow for each plant was used to calculate the total treatment capacity value.

Subsequent columns provide a breakdown of the State totals into seven flow ranges. The ranges specified in the column headings are reported in thousand cubic meters per day and, in parentheses beneath the headings, in million gallons per day. Reported for each flow range are the number of plants in the range and the percentage of the total State secondary treatment capacity that is accounted for by each flow range.

Included in this summary are all secondary plants in operation in 1982 which will not be abandoned or upgraded between 1982 and 2000, primary and advanced primary plants which will be upgraded to secondary before 2000, and new secondary plants which will be constructed prior to 2000.

Some column entries will be found which list a value for the number of plants but show zero for Total Design Flow or Percent of Flow. This occurs when the design flow value is less than 0.5 or the percent value is less than 0.05; in these cases the value is rounded to zero.

1982 NEEDS SURVEY

NUMBER OF PLANTS PROJECTED FOR SECONDARY TREATMENT BY YEAR 2000 (BY TOTAL PROJECTED DESIGN FLOW)

			****	****	*****	*****	PLANTS	AND PE	RCENT O	F FLOW E	Y FLOW	RANGE	*****	******	*****	*****
		TOTAL	0 (0			l-1.9 l50)		01~4 -1.05)		01-19 6-5.01)		01-40 -10.56)	40.00		190.	001+ .2+)
STATE	TOTAL Plants	DESIGN FLOW	PLANTS	X FLOH	PLANT!	X S FLON	PLANT	X S FLOW		X S FLON		X 5 FLON	PLANTS	×		X S FLON
ALABAMA	221	1,961	49	0.6	100	5.0	26	4.1	31	14.2	5	6.0	,	32.3	1	37.4
ALASKA	119	196	87	6.5	13	5.8	- 6	8.5	11	44.5	2	34.5	ő	0.0	Ď	0.0
ARIZONA	83	1,271	13	0.2	44	3.1	10	2.2	8	5.3	ž	4.2	5	40.2	i	44.6
ARKANSAS	128	606	60	2.0	39	6.0	11	4.7	11	17.8	ž	12.4	5	56.8	'n	0.0
CALIFORNIA	218	3,348	44	0.2	60	1.7	28	2.4	45	11.9	19	16.0	19	38.1	3	29.3
COLORADO	237	886	80	1.9	83	8.4	28	8.9	37	30.2	5	17.1	*4	33.0	ő	0.0
CONNECTICUT	58	1,633	2	0.0	6	0.4	5	0.9	23	15.3	13	26.1	8	43.1	1	13.9
DELAWARE	4	13	1	1.1	2	13.3	Ō	0.0	1	85.5	-0	8.0	0	0.0	i	0.0
DIST. OF COLUM.	0	0	0	8.0	0	0.0	0	0.0	0	0.0	ă	0.6	ŏ	0.0	ā	0.0
FLORIDA	55	2,709	6	0.0	17	0.4	3	0.3	13	5.8	4	4.3	ě	12.8	6	76.0
GEDRGIA	250	1,051	72	1.5	106	9.7	35	9.2	29	24.6	3	8.1	5	46.6	Ŏ	0.0
HAWAII	34	225	2	0.2	8	5.0	8	9.5	13	54.9	3	30.1	0	0.0	Ŏ	0.0
IDAHO	105	331	37	2.5	40	11.7	11	8.4	13	35.3	3	22.4	1	19.4	0	0.0
ILLINOIS	407	237	224	20.9	169	59.6	12	14.1	2	5.2	0	0.0	D	0.0	Ô	0.0
INDIANA	142	545	53	2.2	56	9.0	11	6.2	15	25.2	4	20.8	3	36.4	ō	0.0
IOWA	703	1,063	483	7.8	175	13.4	15	3.7	19	12.6	5	12.7	6	49.5	0	0.0
KANSAS Kentucky	349	1,241	142	2.3	138	10.5	24	4.7	30	21.3	11	24.7	3	20.4	1	15.8
LOUISIANA	146	1,171	59	1.2	58	4.2	8	2.0	11	6.7	3	7.3	5	25.0	2	53.3
MAINE	386	2,102	141	1.4	132	5.5	45	6.1	50	20.2	•	10.4	7	24.6	2	31.4
MARYLAND	155	608	47	1.6	54	8.6	17	7.6	31	39.2	2	9.4	4	33.2	0	0.0
MASSACHUSETTS	75	263	34	2.5	56	9.7	. 6	7.1	6	20.7	1	11.6	2	48.2	0	0.0
MICHIGAN	94 196	3.830	.8	0.0	51	0.6	14	1.0	33	8.6	6	4.3	8	21.3	4	63.8
MINNESOTA	399	218 645	81 239	9.4	94	34.9	12	14.8	. 8	25.4	1	15.2	O	0.0	0	0.0
MISSISSIPPI	221	545	106	7.1	118	16.6	19	8.0	16	20.2	4	17.2	3	30.6	0	0.0
MISSOURI	576	3.249	282	3.3	67	10.4	22	10.9	20	28.3	5	27.2	1	19.6	0	8.0
MONTANA	130	429	58	2.4	162	4.8	66	5.7	47	13.6	8	6.9	8	27.3	3	39.8
NEBRASKA	273	996	150	2.8	81	8.9 6.8	15	9.4	•	15.3	4	26.7	2	37.0	0	0.0
NEVADA	21	203	8	1.1	7	3.7	16	4.4	19	15.8	3	9.8	3	33.5	1	26.5
NEW HAMPSHIRE	93	788	19	0.6	36	5.3	10	3.8	22	12.8 27.8	1 2	12.6	1	69.5	0	0.0
NEW JERSEY	78	3,814	-i	0.0	12	0.3	7	0.6	28	7.3	12	9.3	•	25.1	1	28.1
NEW MEXICO	66	541	27	0.8	13	2.4	11	6.6	10	15.1	- 4	21.3	15	32.7 0.0	3	49.6 53.5
NEW YORK	528	9.850	170	0.3	191	1.7	63	1.8	57	5.2	18	5.1	14	11.3	-	74.2
NORTH CAROLINA	254	1,020	116	1.4	73	6.8	22	6.3	29	26.6	10	27.1	- 7	31.5	15 0	0.0
NORTH DAKOTA	256	198	204	12.9	40	15.0	- 4	5.4	-4	14.6	- 7	51.8	7	0.0	ŏ	0.0
DHIO	154	825	49	1.3	66	8.5	16	5.1	19	21.1	3	8.7	ŏ	0.0	ĭ	55.0
OKEAHONA	327	951	141	2.9	120	11.0	31	9.3	27	22.5	6	17.6	ĭ	12.5	ī	23.8
DREGON	69	254	30	2.6	27	10.7	6	6.6	5	20.3	Ō	0.0	ĭ	59.5	ō	0.0
PENNSYLVANIA RHODE ISLAND	714	2,748	292	2.3	256	8.4	70	7.2	81	25.3	,	8.9	4	11.9	ž	35.8
SOUTH CARDITMA	19 157	649	26	0.1	_2	0.4	1	0.4	7	11.8	1	6.0	3	34.4	ī	46.6
SOUTH CAROLINA	žží	1,212	158	D.4 19.5	57 55	4.5 34.1	18	4.0 5.3	40	28.8 40.9	10	24.4	6	37.6	0	0.0
TENNESSEE TEXAS	, , 86	1,168 4,210	19	0.3	33	3.0	10	2.8	17	71:3	Š	12.2	X	0.0	0 2	0.0 70.1
UTAH	1,582 D		823	3.3	445	10.0	144	9.8	129	27.5	23	15.4	18	33.8	ō	ă.ō
VERMONT	62		.0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
VIRGINIA	201	111 1,346	26 67	5.2	22	17.9	. 7	18.6	. 7	58.1	0	0.0	8	0.0	0	0.0
WASHINGTON	290	1,820	81	1.1	86 110	6.7 5.6	17	3.7	18	10.3	3	5.6	10	72.3	0	0.0
HEST VIRGINIA	402	747	141	4.4	194	3.6 25.2	27	4.1	53	28.5	10	15.1	8	30.4	1	14.9
WISCONSIN	276	656	135	4.0	95	25.2 13.5	43 19	15.9 7.5	18	16.0 30.2	•	13.5	2	24.8	0	D.O
MYOMINS	84	210	45	2.7	20	8.8	5	6.5	21 13	69.3	3	13.7	3	30.8	0	0.0
AMERICAN SAMOA	1	23	ő	0.0	- 0	0.0	0	0.0	13	0.0	1	12.5		0.0	0	0.0
GUAM	3	94	ŏ	0.0	ō	0.0	ŏ	0.0	1	4.2	å	0.0	2	0.0 95.7	0	0.0
N. MARIANAS	1	O	Ď	0.0	ĭ	99.9	۵	0.0	ô	0.0	Ď	0.0	ñ	0.0	0	0.0 0.0
PUERTO RICO	26	1,268	Ō	0.0	ī	0.0	5	1.1	7	3.9	4	9.7	ă	63.5	i	21.4
PAC. TR. TERR.	16	28	4	3.4	7	16.5	3	32.0	ż	47.9	ō	0.0	ŏ	0.0	å	0.0
VIRGIN ISLANDS	5	51	0	0.0	1	1.7	Ō	0.0	3	55.6	ĭ	42.6	ō	0.0	ŏ	0.0
U.S. TOTALS	11,756	66,234	5.146	1.4	3,881	5.4	1.015	4.3	1,178	15.7	262	11.2	520	26.9	54	34.8

NOTES: 1. FLOW RANGE VALUES IN CUBIC METERS PER DAY X 1000. (APPROXIMATE MGD IN PARENTHESES).

^{2.} TOTAL STATE FLOW IN CUBIC METERS PER DAY X 1000.

NUMBER OF NEW SECONDARY TREATMENT PLANTS TO BE BUILT BETWEEN 1982 AND 2000 (BY TOTAL PROJECTED DESIGN FLOW)

Table 23 is a flow summary for all new secondary treatment plants which will be constructed between 1982 and 2000. In general, this type of treatment plant includes some type of preliminary treatment process followed by a biological process (trickling filter, activated sludge, rotating biological contactor, etc.) with no additional treatment processes except disinfection. A summary is provided for each State and U.S. Territory. National totals are summarized at the bottom of the table.

In the second column the total number of new secondary treatment plants to be constructed in each State is reported. Column three represents the total wastewater treatment capacity of the plants in thousand cubic meters per day. The projected design flow for each plant was used to calculate the total treatment capacity value.

Subsequent columns provide a breakdown of the State totals into seven flow ranges. The ranges specified in the column headings are reported in thousand cubic meters per day and, in parentheses beneath the headings, in million gallons per day. Reported for each flow range are the number of plants in the range and the percentage of the State secondary capacity that is accounted for by each flow range.

Included in this summary are entirely new secondary plants which are planned to be constructed by the year 2000. Excluded are secondary plants that were operational in 1982 and any primary or advanced primary plants planned to be upgraded to secondary treatment.

Some column entries will be found which list a value for the number of plants but show zero for Total Design Flow or Percent of Flow. This occurs when the design flow value is less than 0.5 or the percent value is less than 0.05; in these cases the value is rounded to zero.

1982 NEEDS SURVEY
NUMBER OF NEW SECONDARY TREATMENT PLANTS TO BE BUILT BETWEEN 1982 AND 2000
(BY TOTAL PROJECTED DESIGN FLOW)

			新新新新新新新新新新新新新新新新新新新新新新新新新新新新新新新新新新			PLANTS	****									
		TOTAL	0~. (0~.	10)		l-1.9 l50)		01-4 -1.05)		01-19 6-5.01)	19.00 (5.02-	1-40 10.56)	40.00		190.	001+ .2+)
STATE	TOTAL Plants	DESIGN FLOW	PLANT!	X FLON	PLANTS	X 5 FLOW	PLANT:	X S FLON	PLANT:	X S FLON	PLANTS	X FLOH	PLANTS	X S FLOW		X S FLOH
ALABAMA	97	864	41	1.2	42	3.7	5	1.8	8	8.2	0	0.0	0		_	
ALASKA	76	88	63	10.4	6	5.5	ĩ	2.4	5	38.6	1	42.9	0	0.0	1	84.9
ARIZONA	46	66	8	3.6	33	43.7	ż	7.6	š	44.9	ċ	0.0	ő	0.0	9	0.0
ARKANSAS	34	8	31	67.5	3	32.4	ō	0.0	ŏ	0.0	ă	0.0	ő	0.0	0	0.0
CALIFORNIA	60	196	30	3.4	20	9.8	4	5.5	š	9.6	2	30.9	ĭ	40.5	ŭ	0.0
COLORADO	15	88	9	1.6	i	0.6	ż	4.7	ĭ	5.6	ī	34.0	i	53.2	ň	0.0
CONNECTICUT	5	50	1	0.1	1	1.3	ō	0.0	ž	38.3	ī	60.1	i	0.0	Ö	0.0
DELAWARE	2	1 5	1	1.3	0	0.0	9	0.0	1	98.6	ō	0.0	ŏ	0.0	ŏ	0.0
DIST. OF COLUM.	0	u	0	0.0	0	0.0	0	0.0	Ō	0.0	Ö	0.0	0	0.0	ŏ	0.0
FLORIDA	25	147	5	0.6	14	6.9	0	0.0	4	35.2	1	18.5	Ĭ	38.6	ō	0.0
GEDRGIA	73	70	37	11.8	28	26.9	6	21.6	2	39.5	0	0.0	ō	0.0	ŏ	0.0
HAWAII Idaho	50	71	5	0.6	5	9.9	6	22.6	7	66.7	0	0.0	0	0.0	0	0.0
ILLINOIS	. 15	14	• • •	12.0	4	27.9	1	17.7	1	42.2	0	0.0	0	0.0	0	0.0
INDIANA	135	36	114	56.4	20	38.0	1	5.4	0	0.0	0	0.0	0	0.0	0	0.0
IOHA	47	15	37	48.4	10	51.5	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
KANSAS	160	21 53	156	86.0	4	13.9	0	0.0	Ō	0.0	0	0.0	0	0.0	0	0.0
KENTUCKY	16 60	424	11	2.7	3	3.9	0	0.0	0	0.0	2	93.3	0	0.0	0	0.0
LOUISIANA	167	533	52 97	2.8 3.7	24	4.1	1	0.5	0	0.0	1	6.0	1	10.6	1	75.7
MAINE	73	59	39	14.0	48 28	7.5 41.4	?	4.2	•	14.9	2	7.4	1	24.8	1	37.2
MARYLAND	24	ĩó	19	32.6		46.3	3 1	16.2 21.0	3	28.2	0	0.0	0	0.0	0	0.0
MASSACHUSETTS	24	100	•	0.5	- :	10.9	2	4.6	8		0	0.0	0	0.0	0	0.0
MICHIGAN	87	50	49	24.0	34	56.6	4	19.2	å	56.6 0.0		27.1	0	0.0	0	0.0
MINNESOTA	64	17	54	49.4	,	39.5	ī	11.0		0.0	0	0.0	0	0.0	0	0.0
MISSISSIPPI	93	56	72	18.9	16	21.4	i	6.7	ĕ	52.8	ă	0.0		0.0	0	0.0
MISSOURI	182	505	146	4.3	20	3.5	5	2.5	7	14.9	i	4.9	3	69.6	0	
MONTANA	12	11	10	16.7	ĭ	4.1	Õ	0.0	í	79.1	i	0.0	í	0.0	0	0.0
NEBRASKA	7	0	7	99.9	Ö	0.0	Ŏ	0.0	ō	0.0	ă	0.0	ň	0.0	ŏ	0.0
NEVADA	,	4	6	35.4	3	64.5	ō	0.0	ā	0.0	ă	0.0	ŏ	0.0	Ö	0.0
NEH HAMPSHIRE	41	49	14	6.7	20	35.7	3	16.3	4	41.2	ŏ	0:0	ŏ	0.0	õ	0.0
NEW JERSEY	11	170	0	0.0	4	2.5	1	1.7	2	10.1	3	54.1	1	31.4	ō	0.0
NEW MEXICO New York	26	13	20	24.1	3	13.9	3	61.8	0	0.0	0	0.0	ō	0.0	ō	0.0
NORTH CAROLINA	317	1,422	153	2.3	123	6.8	17	3.3	15	8.3	5	9.4	2	8.4	2	61.1
NORTH DAKOTA	83	189	57	4.1	17	7.1	2	3.0	5	22.8	0	0.0	2	62.8	0	0.0
CHIO DAKUIA	9 41	.0	•	99.9	. 0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
OKLAHONA	48	15 50	31 37	42.9	10	57.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
DREGON	18	30 4	15	12.5 51.5	7	10.0	1	7.4	2	23.4	1	46.4	0	0.0	0	0.0
PENNSYLVANIA	479	465	257	12.2	3 172	48.4 30.9	.0	0.0	.0	0.0	0	0.0	0	0.0	0	0.0
RHODE ISLAND	5	15	257	3.7	1/2	0.0	27 0	15.7 0.0	55	36.7	1	4.2	0	0.0	0	0.0
SDUTH CARBLINA	47	129	18	2.5	21	16.3	2	3.5	2	96.2 30.5	0	0.0 46.9	0	0.0	0	0.0
SOUTH DAKOTA	12	5 ³	. ?	30.4	3	69.5	Ō	0.0	õ	0.0	Ŏ	0.0	Ŏ	0:0	ŏ	0.0
TEXAS	830	547	647	18.9	148	20.5	21	10.9	11	20.6 21.4	1	41.2	õ	0.0	0	0.0
HATU	0	8	9	0.0		0.0		0.0		0.0	i	4.1 0.0	2	23.1	0	0.0
VERMONT	14	5	10	36.3	4	63.6	ŏ	0.0	9	0.0	ů	0.0	0		0	0.0
VIRGINIA	83	347	41	2.4	33	9.0	3	2.4	2	6.5	1	6.5	3	0.0 73.0	8	0.0 0.0
MASHINGTON	103	142	52	8.1	42	25.9	4	6.2	4	27.7	å	0.0	i	31.9	ů	8.0
HEST VIRGINIA	308	298	126	9.7	147	45.4	28	25.2	7	11.9	ĭ	7.6	ò	0.0	ő	0.0
HISCONSIN	60	46	42	13.8	15	29.0	1	6.3	2	50.6	ō	0.0	ŏ	0.0	Ď	0.0
WYOMING	11	17	,	4.0	1	3.8	Õ	0.0	ī	92.0	ō	0.0	ŏ	0.0	ŏ	0.0
AMERICAN SAMOA	0	0	0	0.0	0	0.0	0	0.0	Ō	0.0	ō	0.0	ŏ	0.0	ŏ	0.0
GUAM	0	0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	Ō	0.0
N. MARIANAS Puerto rico	1	.0	0	0.0	1	99.9	0	0.0	0	0.0	0	0.0	D	0.0	D	0.0
PAC. TR. TERR.	-	41	0	0.0	0	0.0	1	9.0	0	0.0	1	90.9	0	0.0	0	0.0
VIRGIN ISLANDS	11	9	4	9.7	5	26.3	1	22.0	1	41.8	0	0.0	0	0.0	0	0.0
	-	_	-	0.0	0	0.0	0	0.0	0	0.0	0	0.0	6	0.0	0	0.0
U.S. TOTALS	4,240	7,628	2,679	6.4	1,181	13.0	172	6.0	154	17.0	30	10.6	19	18.7	5	27.8

NOTES: 1. FLOW RANGE VALUES IN CUBIC METERS PER DAY X 1000. (APPROXIMATE MGD IM PARENTHESES).

^{2.} TOTAL STATE FLOW IN CUBIC METERS PER DAY X 1000.

DOLLAR NEEDS FOR CONSTRUCTION OF NEW SECONDARY TREATMENT FACILITIES, BY PLANT SIZE

Table 24 summarizes the projected cost, reported as January 1982 dollars, for the construction of new secondary treatment plants to be built between 1982 and 2000. Table 24 is a direct extension of Table 23.

The summary indicates a total dollar need per State for new secondary facilities. The State totals are broken down into dollar needs by flow range. The dollar needs for each individual plant are included in the total for the flow range shown for that plant's projected design capacity.

DECEMBER 31, 1982 TABLE 24

1982 NEEDS SURVEY

DOLLAR NEEDS FOR CONSTRUCTION OF NEW SECONDARY TREATMENT FACILITIES, BY PLANT SIZE (THOUSANDS OF 1982 DOLLARS)

			******	******	**** TOTAL	PROJECTED DESI	GN FLOW ***	*********	*****
CUBIC METERS (MILLION GALL			040 (010)	.401-1.9 (.1150)	1.901-4.0 (.51-1.05)	4.001-19 (1.06-5.01)	19.001-40 (5.02-10.56)	40.001-190 (10.57-50.19)	190.001+
	● OF	STATE							
STATE	PLANTS	NEEDS	NEEDS	NEEDS	NEEDS	NEEDS	NEEDS	NEEDS	NEEDS
ALABAMA	97	66,770	10,955	23,889	11,088	20,577	۵	0	261
ALASKA Arizona	76	87,207	32,152	11,036	9	25,654	18,365	ŏ	0
ARKANSAS	46 34	46,554	2,431	23,258	3,733	17,132	0	Ŏ	ō
CALIFORNIA	60	6,356 222,951	5,671	685	0	0	0	0	ō
COLORADO	15	10,018	10,162 1,719	17,543	12,966	14,873	24,255	143,152	0
CONNECTICUT	5	31.394	307	504 307	3,211 0	3,534	0	1,050	0
DELAWARE	2	7,836	384	307	ŭ	11,430	19,350	0	0
.IST. OF COLUM.	0	0	ă	ă	ŭ	7,452	0	0	0
FLORIDA	25	122,641	1,049	8,424	ŏ	33,637	26,390		0
GEORGIA	73	48,324	7,566	11,849	10,764	18,145	20,370	53,141	0
HAWAII	20	90,890	830	8,691	25,056	56,313	ĭ	ŭ	Ů
IDAHO	15	9,036	2,706	3,072	2,269	783	ă	ă	ă
ILLINOIS Indiana	135	57,578	38,239	16,717	2,622	0	ŏ	ŏ	0
IOWA	47	23,257	13,244	10.013	0	0	Ŏ	ŏ	ň
KANSAS	160	35,288	32,857	2,431	0	0	0	Ŏ	ŏ
KENTUCKY	16 80	25,600 117,620	1,462	926	. 0	0	23,212	0	Ō
LOUISIANA	167	277,020	15,120 19,177	15,410	941	0	8,402	22,511	55,236
MAINE	73	54,516	18.868	24,960 31,956	16,676	40,681	17,475	61,437	96,614
MARYLAND	24	11,356	5,476	5,880	3.692	0	0	0	Ō
MASSACHUSETTS	24	89,523	896	12,437	4.967	59,414		0	0
MICHIGAN	87	53,792	15,467	32,540	5,785	27,717	11,809	0	0
MINNESOTA	64	28,556	16,333	12,223	505	ă	Ö	0	0
MISSISSIPPI	93	34,694	10.884	6.519	798	16,493	ŏ	ň	Ů
MISSOURI Montana	182	295,050	25.890	10,067	6.090	54,284	19,879	178,840	ň
NEBRASKA	12	8,164	2.129	432	0	5,603	0	0	ŏ
NEVADA	7	671 5.565	671	0	0	0	Č	Ŏ	ŏ
NEW HAMPSHIRE	41	77.392	2,134	3,431		0	D	0	0
NEW JERSEY	ii	205,344	12,592	34,467	10,969	19.364	0	0	0
NEW MEXICO	26	15,636	3.814	5,859 1,785	3,429	11,700	85,400	98,956	0
NEW YORK	317	1,333,519	43.768	92,664	10,037 40,832	100 474			0
NORTH CARDLINA	83	90,538	9.316	13,495	3.309	108,436 19,355	48,766	56,077	942,976
NORTH DAKOTA	9	367	367	0	0,507	17,355	0	45,063	0
OHIO	41	17,127	9,451	7,676	ŏ	ŏ	ň	ŭ	0
OKLAHOMA Oregon	48	25,590	6,193	3,042	Ŏ	2,922	13,433	ŏ	ŭ
PENNSYLVANIA	18	7,158	4,158	3,000	0	0	0	ō	ŏ
RHODE ISLAND	479 5	447,368	72,123	146,046	78,339	141,671	9,189	Ö	Ď
SCHITH CARCLITMA	47	15,270 48,570	1.315 3.714		0	13,955	0	o	Ō
SOUTH DAKOTA	12	3,671	1,763	13,887 1,908	4,374	7,645	18,950	Q	0
TEXAS	832 830	22,753 382,822	131,748	9,789	4,477	3.063	383	ŏ	ű
UTAH	0	001,011	1311/40	100,887	37,696	65,075	6,668	40,748	0
VERMONT	14	7,677	3,227	4,450	0	0	Ō	0	0
VIRGINIA	83	96.063	10,836	29,827	5.970	11,153	0	. 0	0
WASHINGTON	103	93,645	16,180	42.250	10,662	19,143	10,430	27.847	0
WEST VIRGINIA	306	269,275	40,785	149,940	59.017	19,533	G	5,410 0	0
WISCONSIN	60	45,106	10,278	14,154	1,838	18.836	0	0	0
WYOMING American Samoa	11	1,286	994	292	0	0	ŏ	ŭ	0
GUAM SARUA	0	0	0	0	0	Ō	Ŏ	ŏ	ŏ
N. MARIANAS	1	1 520	0		0	0	Ō	ŏ	ŏ
PUERTO RICO	2	1,520 2,936	0	1,520		o	0	Ö	ō
PAC. TR. TERR.	11	19,366	3.985	B 107	2,936	0	0	o o	Ó
VIRGIN ISLANDS	ō	17,300	3,783 0	5,107 0	1,659 D	8,615 D	0 B	0	0
U.S. TOTALS	4.240	5,098,220	656,427	977,245	386,202	856.671	•	-	_
				*******	400,202	2301017	362,356	734,232 1	.095,087

NUMBER OF FACILITIES AND REASONS FOR TREATMENT MORE STRINGENT THAN SECONDARY FACILITIES IN THE YEAR 2000

Table 25 is a summary of the number of treatment facilities required to have treatment levels more stringent than secondary. This summary includes all those plants existent in 1982 treating wastes to these levels plus those required to be constructed or upgraded to this level between 1982 and 2000.

The second column lists by State the total number of treatment plants that will be operational in 2000. The third column lists the number of plants that will have to provide treatment more stringent than secondary. The remaining columns describe the reasons these plants must provide treatment more stringent than secondary. The headings for these remaining columns are self-explanatory.

It should be noted that more than one reason is possible for any single treatment plant being required to provide treatment more stringent than secondary. Therefore, the total number of all reasons does not equal the number of more stringent than secondary plants for all States.

NUMBER OF FACILITIES AND REASONS FOR TREATMENT MORE STRINGENT THAN SECONDARY

FACILITIES IN THE YEAR 2000

MANAMAMAMAMEASONS FOR TREATHENT LEVEL BEING MORE STRINGENT THAN SECONDARYMMAMAMAMAM

				noune (FUR IREA	INENI CEVEL	BETHE HOKE PIKIN	GENT THAN S	ECONDARY	*****
STATE	TOTAL NUMBER OF TREATHENT FACILITIES	NUMBER REQUIRING MORE STRINGENT TREATHENT	EPA-APPROVED Mater quality Plan		COURT	DISCHARGE PERMIT CONDITIONS	STATE OR FEDERAL ENFORCEMENT ORDER	VOLUNTARY	STATE CERTIFICATE	E OTHER
ALABAMA	342	119	1	0	0	61	•	_		_
ALASKA	126	3	ī	ŏ	ă	72	Ď	9	57	0
ARIZONA	170	5	ž	ō	Ď	ž	ĭ	ž	8	
ARKANSAS	484	345	3	Ŏ	Ŏ	49	ĭ	ĭ	292	
CALIFORNIA	917	89	5	0	Ō	76	ī	ĭ	- 72	ŏ
COLORADO	291	24	14	0	0	6	Ō	ŏ	Ä	, i
CONNECTICUT Delaware	103 22	32	6	2	0	16	1	0	Ź	ě
DIST. OF COLUM.	1	14	2	0	0	11	0	0	1	Õ
FLORIDA	319	216	.0	0	0	. 1	0	0	0	0
GEORGIA	428	171	10 29		8	61	Ō	9	127	18
HAMAII	44		27	Š	0	65 1	1	1	74	1
IDAHO	205	14	•	ă	0	ė	8 0	0	0	0
ILLINOIS	857	440	ž	7	3	313	ŭ		2	8
INDIANA	531	387	45	ŏ	ĭ	267	47	×	114 24	
ANOI	813	104	6	Ğ	ō	20	ï	ă	76	•
KANSAS	583	7	0	0	D	2	ő	ŏ	1	i
KENTUCKY Louisiana	385	237	13	1	Đ	81	0	ō	142	ŏ
MAINE	444 206	40	1	0	D	14	8	Ö	25	Č
HARYLAND	281	16	. 0	2	0	2	0	0	12	0
MASSACHUSETTS	148	199 42	126	0	0	75	3	0	1	8
MICHIGAN	486	200	15 25	0 11	0	15	5	0	10	0
MINNESOTA	577	126	20	- 11		140 100	?	•	15	0
MISSISSIPPI	504	276		ĭ	ŏ	63	·	0	6	
MISSOURI	632	41	ò	i	ŏ	20	;		205 20	ž
MONTANA	181	1	0	Ö	Õ	Ō	ō	ă	- 1	ă
NEBRASKA	465	Ō	0	0	0	Ċ	Ö	ō	ŏ	ă
NEVADA New Hampshire	71 142	•	3	0	0	5	0	0	i	Ŏ
NEW JERSEY	154	12 74	1	0	Q.	5	,1	0	5	0
NEW MEXICO	160	10	2	,	16 0	8	.28	1	10	0
NEW YORK	864	308	ï	5	5	3 26	0 23		6	
NORTH CAROLINA	632	360	28	29	Ď	80	23	3	235 223	1
NORTH DAKOTA	295	3	0	Ö	ŏ	3	ŏ	ŏ		Ă
OHIO	790	633	152	11	2	428	5	ī	33	ĭ
OKLAHOMA Oregon	584	36	•	0	0	15	ō	Ŏ	12	ō
PENNSYLVANIA	231	126	75	0	0	51	0	0	0	Ö
RHODE ISLAND	1,241 25	519 6	65	46	•	277	27	0	74	1
SOUTH CAPOLINA	285 277		17	g	2	3 7	ę	9	_2	9
SOUTH DAKOTA	277	20	Ţ <u>i</u>	0	õ	17	Ó	ĕ	5 <u>7</u>	ð
TEXAS	2,285 2,221	119 20 192 416	23 27	0	1	101 243	1	Q	63 85	3
HATU	178	147	2	0	Ď	131	ž	•		•
VERMONT	102	35	ī	Ď	Ď	15		ŭ	12 19	2
VIRGINIA	307	100	57	Ō	Ö	28	ĭ	ă	îí	1
WASHINGTON WEST VIRGINIA	337		1	0	0	4	Ž	ĭ	Ď	i
WISCONSIN	499 623	94	51	0	0	29	2	0	12	ě
MAOWING	112	234	?	0	0	151	3	0	77	4
AMERICAN SAMDA	1	ō	1 6	0	0	0	0	0	3	0
GUAN	6	ž	ž	ŏ	ŏ	Ď	O A	0	8	0
N. MARIANAS	3	2	ō	ŏ	ŏ	ŏ	ů	ŏ	2	0
PUERTO RICO	31	5	Ö	Ō	ő	ĭ	ŏ	ž	2	
PAC. TR. TERR. Virgin islands	21	3	0	0	0	Ŏ	ě	ō	3	ĕ
	5	8	0	0	Đ	0	0	Ö	Ď	ŏ
U.S. TOTALS	21,027	4.629	926	123	41	3,101	162	12	2,219	45

POPULATIONS SERVED BY ADVANCED SECONDARY TREATMENT PRESENT AND PROJECTED, RESIDENT AND NONRESIDENT

Table 26 summarizes the 1980 populations served and the 2000 populations projected to be served by facilities designed to provide advanced secondary treatment. The treatment levels attained by advanced secondary plants are defined in terms of the effluent BOD $_{\rm 5}$ concentration and/or the removal of the nutrients phosphorus (as PO $_{\rm 4}$) and/or ammonia (NH $_{\rm 3}$). A plant is considered to be advanced secondary in design if it is capable of consistently producing an effluent with a BOD $_{\rm 5}$ concentration in the range of 24 to 10 mg/l and/or it has specific processes which remove phosphorus and/or ammonia in excess of the amounts normally removed by secondary treatment.

The 2000 total State population values reported are from estimates provided by BEA. The 1980 population values are based on those reported in the April 1981 Report of the Bureau of Census. The Percent Served is a function of the residents receiving treatment in relation to the total State population estimated by BEA.

The total population within the service area of an authority is the sum of persons receiving treatment and not receiving treatment. Those persons not receiving treatment reside in the service area but do not contribute to the treatment facility because they are not on a sewer system.

Resident populations are permanent residents in the service area of a sewerage authority. Nonresident populations include commuters living in one area and working in another, as well as all transients, tourists, and seasonal residents.

POPULATIONS SERVED BY ADVANCED SECONDARY TREATMENT PRESENT AND PROJECTED, RESIDENT AND NONRESIDENT (POPULATION IN THOUSANDS)

	*** POPULATION ***				TREATMENT ****		*** NOT RECEIVING TRE		NG TREAT	MENT ##	** PERCENT *** SERVED		* ** TREATMENT ** PLANTS	
STATE	1980 Total	2000 Total	1980 RES.	2000 Res.	1980 Nonres	2000 Nonres	1980 RES.	2000 RES.	1980 Nonres	2000 Nonres	1980	2000	1980	2000
ALABAMA	3,890	4,140	450	1,627	7				_					
ALASKA	400	694	730		á	66	103	17	0	0	11.5		21	116
ARIZONA	2,718	4.357	12		ŏ	i	1 0	8	0	0	1.7	3.8	3	
ARKANSAS	2,286	2,970	226		15	37	7	5	0	0	0.4	0.0	3	
CALIFORNIA	23,669	26,786	4,186		116	197	249	10	0	0	9.8	35.6	42	
COLORADO	2,889	4.371	1,333		109	426	***	- 0	٥	ŏ	17.6		62	63
CONNECTICUT	3,108	3,902	116		16	7.,	118	139	8	Ň	46.1	48.2	15	25
DELAWARE	595	841	385		40	357	35	20		ŭ	3.7 64.8	16.5 94.6	21	25
DIST. OF COLUM.	638	694	744	0	1,898	Ó	0	- 0	ŏ	ŏ	116.6	0.0	1	13
FLORIDA	9,740	15.049	1,855	2,740	296	440	209	64	ŏ	ī	19.0	18.2	102	0 160
GEORGIA	5,464	7,053	520	3,919	15	154	147	162	ŏ	ō	9.5	55.5	43	167
HAWAII	765	1.366	28	8	2	4	ò	Ō	ō	Ď	2.9	0.6	7,6	i
IDAHO	944	1,183	81	255	0	8	27	7	ō	Ŏ	8.6	21.5		÷
ILLINOIS	11,418	12,358	7,982	11,552	32	42	94	12	Ō	Ō	69.9	93.4	320	438
INDIANA	5,490	6.059	2,564	4,111	235	469	167	22	15	ō	46.7	67.8	160	384
IOWA Kansas	2,913	3,101	139	1.133	1	64	3	0	0	0	4.7	36.5	19	104
KENTUCKY	2,363	2,642	79	164	0	0	0	0	0	0	3.3	6.2	-4	6
LOUISIANA	3,661	4,224	388	1,363	19	52	62	162	0	0	10.5	32.2	52	234
MAINE	4.204	4,880	143	560	26	6	2	0	0	0	3.4	11.4	12	35
MARYLAND	1,125 4,216	1,222 5,583	15	10	0	_1	3	4	0	Ð	1.3	0.8	2	10
MASSACHUSETTS	5,737	6,736	1,542	3,072	15	55	253	52	0	0	36.5	55.0	51	188
MICHIGAN	9,258	10,314	379 5.622	774	. 2	27	147	146	2	3	6.6	11.4	16	29
MINNESOTA	4,077	4,505	247	7,395 2,435	77	145	530	227	0	4	60.7	71.7	122	180
MISSISS PPI	2,521	2,740	50	1,260	0	21	6	43	0	0	6.0	54.0	23	84
MISSOURI	4,917	5,379	142	357	12	6 24	.7	72	0	0	2.0	45.9	20	272
MONTANA	787	938	10	32	12	1	56	0	0	0	2.9	6.6	12	40
NEBRASKA	1.570	1.734	-0	0	Ď	Ď	0	0	0	0	1.3	3.4	1	1
NEVADA	799	1,408	431	703	71	83				0	0.0	0.0	0	0
NEW HAMPSHIRE	921	1,306	1	55		ĭ	ŏ	12	0	0	53.9	49.9	8	5
NEW JERSEY	7.364	9,022	686	1,607	75	159	61	70	ă	ă	0.1	4.2	. 1	.7
NEW WEXICO	1,300	1,781	6	99	12	21	Ö	34	ŏ	ů	9.3 0.5	17.8 5.6	22	53
NEW YORK	17,577	19,683	1,991	4,163	140	729	447	217	5	4	11.3	21.1	103	. 8
NORTH CAROLINA	5,874	7,419	663	1,662	2	132	252	353	ő	ñ	11.3	22.4	48	203 225
NORTH DAKOTA	653	690	0	0	0	0	0	0	Ď	ŏ	0.0	0.0	70	0
OHIO	10,797	12,237	3,981	8,638	22	50	253	22	Ō	ŏ	36.8	70.5	294	533
OKLAHDHA	3,025	3.702	306	735	0	0	10	0	Ō	ŏ	10.1	19.8	19	29
DREGON Pennsylvania	2,633	3,209	938	2,582	18	58	232	0	0	0	35.6	80.4	97	119
RHODE ISLAND	11,867	12.854	2,587	7.416	157	503	461	146	5	G	21.8	57.6	248	487
SOUTH CAROLINA	947 3,119	1,084	10	211	0	4	12	93	0	0	1.1	19.5	2	6
SOUTH DAKOTA	690	3,700 730	261	832	87	104	94	38	0	0	8.3	22.4	20	112
TENNESSEE	4,591	5.573	36 632	293	. 3	1	. 0	. 0	0	0	5.2	40.2	5	15
TEXAS	14,228	21,000	4,945	2,655 9,798	36 54	131 188	360	215	0	ō	13.7	47.6	44	181
UTAH VERMONT	1,461	1,963	146	1,797	77	308	232	· ń	ő	0	34.7 10.0	91.5	245	392 137
VIRGINIA	5,346	6,755	1,183	187 1,538	- 5	34	3	27 27	Š	3	13.3	30.9	8	132
WASHINGTON	4,130				209	294	142		0	0	22.1	22.7	52	74
WEST VIRGINIA	1,950	4,859 2,101	430	71	44	35	224	•0	2	0	10.4	1.4	4	5
NISCONSIN	4,705	5.553	164 2,172	438	.0	. 2	41	Ī5	0	0	8.4	20.8	17	82
WYDMING	450	484	2,1/2	3,687 176	44 0	86 0	148	55	2	0	46.1	66.4	137	229
AMERICAN SAMOA	33	40	ň	1/6	0	-	0	0	0	0	0.0	36.4	0	4
GUAM	110	275	ŭ	9	0	0	0	0	0	0	0.0	0.0	0	0
N. MARIANAS	17	33	ŏ	28	ű	2	,	0	0	0	0.0	0.0	0	0
PUERTO RICO	3,197	4,700	ō	105	ŏ	ō	ă	26	0	0	0.0	87.1	0	2
PAC. TR. TERR.	118	183	1	28	ŏ	ž	ă	- 0	0	6	0.0	2.2 15.3	0	5
VIRGIN ISLANDS	99	116	0	0	Ō	ō	õ	ŏ	ŏ	ő	0.0	0.0	1 0	3 0
U.S. TOTAL	230,075	278,888	50.853	102,671	3,939	5,559	5,236	2,500	37	19	22.1	36.8	2,529	5,849
														-,-,,

PLANT LOADINGS, REMOVAL EFFICIENCIES, AND DISCHARGE RATES FOR FACILITIES IN OPERATION IN 1982 FACILITIES DESIGNED TO PROVIDE ADVANCED SECONDARY TREATMENT

Table 27 summarizes the performance of all treatment facilities designed to provide advanced secondary treatment. Information is provided for all States and U.S. Territories with a national total at the bottom of the table.

This table provides an estimate of the total quantity of various pollutants accepted by treatment plants within the State and the total quantity of these same pollutants in the effluent. Quantities are given in metric tons per day for BOD_5 and Solids. Information is also provided on nutrient removal capabilities.

Plants with Removal Capability are facilities with a specific requirement to remove the listed nutrient. For instance, some phosphorus is removed in all treatment plants. However, only plants specifically designed to remove phosphorus are reported in this category. Reported for each nutrient are the total number of plants with this removal capability and the total average daily flow received by these plants. Also given is the percentage of the total State flow the plants represent.

These data were derived from the daily average flow and the daily average influent and effluent pollutant concentrations. The averages are based on the actual performances of each individual treatment plant during the most recent 12 month period for which information could be obtained. The values calculated for each plant are summed into State and national totals. The main source of information for flow and concentration values was the self-monitoring reports submitted by every facility with an NPDES permit.

Table 27 is an extension of Table 26. A summary of the projected year 2000 performance of all advanced secondary facilities is given in Table 28.

Total Flow is the sum of the actual average daily flows treated by all facilities within the State designed to provide advanced secondary treatment.

All flows are reported in thousand cubic meters per day.

Some States may show influent and/or effluent values of BOD_5 or Solids equal to zero, but still have a percent removal calculated. This is due to the influent and/or effluent value being less than 0.5 metric tons per day in which case the value is rounded to zero.

PLANT LOADINGS, REMOVAL EFFICIENCIES AND DISCHARGE RATES FOR FACILITIES IN OPERATION IN 1982 FACILITIES DESIGNED TO PROVIDE ADVANCED SECONDARY TREATMENT (HETRIC TONS PER DAY)

	MANAMANA REMOVAL EFFICIENCIES MANAMANA							NEWSCHARM PLANTS WITH REMOVAL CAPABILITY NEWSCHARMSHAMMEN								
	ACTUAL	*****	B0D5	*****	**** 50	LIDS	****	*** PHO		***	** NH3	NITROG		**** TO		
STATE	FLOW	INF.	EFF.	REM.	INF.	EFF.	REM.	PLANTS		FLON	PLANTS		TOT. FLOW	# Plants		K TOT. Flow
ALABAHA	359	51	4	92.2	55		88.5	0	0	0.0	15	326	90.9	_		
ALASKA	7	1	0	88.9	1	i		ō	ŏ			326		0	9	
ARIZONA	4	1	0	78.0	1	i		ŏ	Ď	0.0	ő	٥		•		0.0
ARKANSAS	106	23	1	93.7	21			ō	ŏ	0.0	ă	ő	0.0	0	- 1	
CALIFORNIA	1,903	560	21	96.1	593	25	95.7	5	315		ă	623		0		
COLORADO	663	140	11	91.7	160	11		5	6	0.9	7	29	4.4	ŭ		
CONNECTICUT	72	13	1	89.8	16	1		3	26		ī		0.9	V		
DELAWARE	275	43	7	83.1	49	14		ĭ	ī	0.5	i	3	1.3	ŭ		
DIST. OF COLUM.		174	2	98.6	188	10		ī	1,169		i	1,169		0		
FLORIDA	964	163	12	92.3	170	20	87.7	8	120		į	132	13.7	ŏ		
GEORGIA	312	61	8	85.6	60	,	83.6	10	60	19.3	21	166	53.4	Ď		
TIAMAH	15	3	0	93.2	2	0	92.4	0	ō	0.0	ō	0	0.0	ň	ì	
IDAHO	70	16	0	97.3	18	0	96.3	0	ō	0.0	ŏ		0.0	Ö	Č	
ILLINOIS	6,702	925	59	93.5	1,222	65	94.6	29	245	3.6	40	4,895	73.0	ă	ě	
INDIANA	2,076	339	29	91.1	443	47	89.2	55	1,123	54.1	15	1,057	50.8	ŏ	č	
IOMA	69	25	1	95.2	27	1	94.4	0	0	0.0	15	60	86.5	ŏ	Č	
KANSAS Kentucky	42	. 8	0	91.3	9	0	95.1	0	0	0.0	0	0	0.0	ŏ	à	
LOUISIANA	234	40	3	91.6	37	4	89.1	0	0	0.0	42	182	77.8	ŏ	Ö	
MAINE	57	13	0	94.2	11	1		D	0	0.0	0	D	0.0	ŏ	ī	
MARYLAND	12	5	.0	75.0	2	0		1	0	3.5	0	0	0.0	ŏ	ō	
MASSACHUSETTS	831 280	141	38	72.8	151	26		5	686	82.5	3	4	0.5	Ŏ	ă	
MICHIGAN		38	-4	87.0	54	- 4		3	13	4.5	3	59	21.3	ō	ā	
MINNESOTA	4,312 195	1,188	78	93.4	2,217	113		114	4,299	99.6	14	384	8.9	Ō	ō	
MISSISSIPPI	34	48 5	1	94.2	32	1		18	172	88.6	1	13	6.7	0	0	0.0
MISSOURI	128	31	0	91.2 98.1	_ 5	0		1	0	0.4	,	25	73.4	0	0	0.0
MONTANA	• • • •	31	ů	85.0	25	0	,,,,	0	0	0.0	1	96	74.7	0	0	0.0
NEBLASKA	ñ	ŏ	Ď	0.0	0	0	90.6	0	0	0.0	0	0	0.0	0	0	0.0
NEVADA	271	54	4	92.6	59	•	0.0	0	. 0	0.0	0	0	0.0	0	0	0.0
NEW HAMPSHIRE	- 0	7	7	89.4	27 0	3		2	242	89.0	1	90	33.4	0	0	0.0
NEW JERSEY	1,204	254	17	92.9	238	22		0		0.0	0	0	0.0	0	Đ	0.0
NEW MEXICO	3	0	í	84.7	1	6		3	14	1.1	1	10	0.8	0	0	0.0
NEW YORK	1,374	237	31	86.6	238	29		1	2	67.0	0	_0	0.0	0	0	0.0
NORTH CAROLINA	456	95	8	91.2	80	12		24	735	53.5	. 8	74	5.3	0	0	0.0
NORTH DAKOTA	0	0	ă	0.0	- 0	1.5	0.0	0	5	1.2	18	183	40.1	0	0	0.0
OHIO	2,709	470	59	87.2	734	70		45	950	0.0		. 0	0.0	0	0	0.0
DKLAHOMA	120	24	2	90.6	27	, 2		43	66	35.0	68	399	14.7	0	0	0.0
OREGON	722	122	10	91.1	136	10		7	51	54.8 7.1	5 1	70 30	57.9	0	0	0.0
PENNSYLVANIA	1,417	288	32	88.6	317	53		82	597	42.1	117		4.2	0	0	0.0
RHODE ISLAND	5	1	Ö	81.6	i	- 0		i	377	62.1	117	480	33.8	0	0	0.0
SOUTH CAROLINA	157	40	4	87.9	29	4	85.2	i	- 4	3.1	15	144	0.0 91.5	U	0	0.0
SOUTH DAKOTA	16 564	103	. 0	97.0	3	Ō	96.3	ō	õ	ŏ.ō		170	61.5	ŭ	0	0.0
TEXAS	2.793	667	26	73.8 92.3	116 727	30 89	73.5	õ	.0	0.0	32	522	92.7	ŏ	ŏ	ŏ.ŏ
UTAH	104	14	51	85.4	16	°í	96:6	5	24	0.8 0.0	43	124	4.4 0.0	9	9	0.0
VERMONT	15	2	0	94.5	2	0			4	28.0	ŏ	٥	0.0	ŭ	0	0.0
VIRGINIA	633	106	6	93.6	100	ě			112	17.7	,	115	18.2	ŭ	0	0.0
WASHINGTON	288	51	5	94.9	57	2		ĭ	122	42.2	ī	1.13	0.4	v	0	0.0
HEST VIRGINIA	81	17	1	89.8	17	2	86.2	ī		5.9	į	13	17.0	Š	Ö	0.0
MISCONSIN	1.642	407	24	93.9	417	24	94.0	61	1,558	94.9	41	131	7.9	, v	a	0.0
HYDMING	0	0	0	0.0	0	0	0.0	Ö	0	0.0	ä	Ö	0.0		ŏ	0.0
AMERICAN SAMOA	0	0	0	0.0	Ō	Õ	0.0	ō	ŏ	0.0	ŏ	ŏ	0.0	ŏ		0.0
GUAM	0	0	0	0.0	0	0	0.0	Ö	ŏ	0.0	ŏ	ō	0.0	ň	Ö	0.0
N. MARIANAS	0	0	D	8.0	0	0	0.0	0	0	0.0	Ŏ	ŏ	0.0	ŏ	ŏ	0.0
PUERTO RICO	0	0	0	0.0	Ð	0	0.0	D	D	0.0	Ď	Ō	0.0	Ď	0	0.0
PAC. TR. TERR.	0	0	0	0.0	0	0	30.7	0	0	0.0	0	ō	0.0	ŏ	ō	0.0
VIRGIN ISLANDS	0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	Ö	Ō	0.0
U.S. TOTALS	35,494	7,030	582	91.7	8,905	742	91.6	505	12.745	35.9	561	11,636	32.7	0	0	0.0

NOTES: 1. FLOWS IN CUBIC METERS X 1000 2. METRIC TONS X .9072 = SHORT TONS

^{3.} SUM OF ENTRIES MAY NOT EQUAL TOTALS DUE TO ROUND-OFFS

^{4.} FACILITIES WITH ZERO DISCHARGE OR RAW DISCHARGE ARE NOT INCLUDED

PLANT LOADINGS, REMOVAL EFFICIENCIES, AND DISCHARGE RATES FOR FACILITIES TO BE IN OPERATION IN 2000 FACILITIES DESIGNED TO PROVIDE ADVANCED SECONDARY TREATMENT

Table 28 summarizes the expected performance in the year 2000 of all treatment facilities designed to provide advanced secondary treatment. Information is provided for all States and U.S. Territories with a national total at the bottom of the table.

This table provides an estimate of the total quantity of various pollutants that will be received by treatment plants within the State and the total quantity of these same pollutants that will be in the effluent. Quantities are given in metric tons per day for BOD₅ and Solids. Information is also provided on nutrient removal capabilities.

Plants with Removal Capability are facilities with a specific requirement to remove the listed nutrient. For instance, some phosphorus is removed in all treatment plants. However, only plants specifically designed to remove phosphorus are reported in this category. Reported for each nutrient are the total number of plants with this removal capability and the total average daily flow received by these plants. Also given is the percentage of the total State flow the plants represent.

These data were derived from the daily average flow and the daily average influent and effluent pollutant concentrations. The averages are based on the predicted year 2000 situation. The values calculated for each plant are summed into State and national totals.

Table 28 is an extension of Tables 26 and 27.

Total Flow is the sum of the average daily flows to be treated in the year 2000 by all facilities within the State that will be designed to provide advanced secondary treatment.

All flows are reported in thousand cubic meters per day.

Some States may show influent and/or effluent values of BOD_5 or Solids equal to zero, but still have a percent removal calculated. This is due to the influent and/or effluent value being less than 0.5 metric tons per day in which case the value is rounded to zero.

PLANT LOADINGS, REMOVAL EFFICIENCIES AND DISCHARGE RATES FOR FACILITIES TO BE IN OPERATION IN 2000 FACILITIES DESIGNED TO PROVIDE ADVANCED SECONDARY TREATMENT (METRIC TONS PER DAY)

	****** REMOVAL EFFICIENCIES ******				*****	****	PLANT	S WITH R	EMOVAL (CAPABI	LITY ******	***	***			
		*****	BOD5		**** 50	LIDS #			SPHORUS		** NH3	NITROG		*** TOTAL N		
STATE	PROJECTED Flow	INF.	EFF.	X REM.	INF.	EFF.	X REM.	PLANTS		TOT. FLOW	PLANTS		TOT. Flow	PLANTS FLON	X T	
ALABAMA	1.047	209			210	30	85.6		. 0	0.0		921	87.9	0	0	0.0
ALASKA	15	2			2	0	87.2		_		-	0	0.0	0	0	8.0
ARIZONA	2	0	•		. 0	0	91.9		. 0		0	0	0.0	0	0	0.6
ARKANSAS California	499	120			110	-7	93.0		_		. 0	. 0	0.0	0	0	0.0
COLORADO	2,831 1,059	840			888	38	95.7				10	943	33.3	0	0	0.0
CONNECTICUT		234			253	22	90.1				14	330	31.1	0	0	0.0
DELAWARE	370 568	77 132		91.6 93.4	73		92.8				10	254	68.5	0	0	0.0
DIST. OF COLUM.		132		0.0	130	11 0	91.3					15 n	2.6	,	D	0.0
FLORIDA	1.516	313	-		319	33	89.5				89	611	40.3	v	ŏ	0.0
GEORGIA	2,373	496			481	62	87.0				130	1,796	84.1	,	ĕ	0.0
IIAHAH	11	2			2	-	92.3					.,,,,	0.0	ŏ	ň	0.0
IDAHO	160	33			34	4	86.4		•		š	28	17.5	ž	ă	0.0
ILLINOIS	12,081	1,931			2,756	191	93.0				105	9,664	79.9	ň	ŏ	0.0
INDIANA	3,558	706			806	47	94.1				60	2,309	64.9	ň	ŏ	0.0
IOHA	684	148			153	15	89.6			0.0	97	628	91.8	ă	ă	0.0
KANSAS	101	23		95.0	18	ī	93.7		ā		0		0.0	ŏ	ō	0.0
KENTUCKY	799	163	12		172	19	88.7				229	724	90.6	ŏ	ŏ	0.0
LOUISIANA	255	57	3	93.9	53	5	90.2		Ŏ		Ö	0	0.0	ō	ă	0.0
MAINE	9	3	. 0	93.9	3	Ö	93.5	8	, ,	96.1	Ō	ō	0.0	ō	0	0.0
NARYLAND	1,743	388	44	88.5	348	43	87.	18	1,439	82.5	12	127	7.3	0	0	0.0
MASSACHUSETT S	610	122	9	91.9	133	9	92.5	16	372	61.0	10	148	24.3	0	0	0.0
MICHIGAN	6,572	1,248	159	87.2	1,784	170	90.4	173	6.557	99.7	30	848	12.9	0	0	0.0
MINNESOTA	1,645	457			505	47	90.4	48	329		10	1,323	80.4	0	0	0.0
MISSISSIPPI	711	148	•	93.5	144	19	86.1	. 2	: 1	0.1	200	560	78.7	0	0	0.0
MISSOURI	195	55	2		40	2	93.9	. 0	0	0.0	1	113	58.0	8	0	0.0
MONTANA	10	1	G	87.0	1	0	89.1		_		1	10	100.0	0	0	0.0
NEBRASKA	. 0	0			0	0	0.0		•		0	0	0.0	0	0	0.0
NEVADA	512	68			68	2	96.1				1	151	29.5	Ç.	0	0.0
NEW HAMPSHIRE	44	,	•		10	.0	93.8				5	42	96.1	0	0	0.0
NEW JERSEY New Mexico	891 51	206			201	17	91.5				28	458	51.4		0	0.0
NEW YORK	3.661	10 751		91.1 89.7	13 809	. 1	89.4				1	. 0	1.1		0	0.0
NORTH CAROLINA	1,404	377				84	89.5				47	512	13.9	Ů.	0	0.0
NORTH DAKOTA	1,707	3//	20	94.4	320	40	87.4				141	1,098	78.2		Ď	0.0
DHIO	5.905	1,212			1,343	101				71.0	288	3,860	65.3		0	0.0 0.0
OKLAHOMA	348	77			84	8	90.2				13	241	69.4	,	8	0.0
DREGON	1,517	364			348	23	93.2		56		- 1	36	2.4	ř	ă	0.0
PENNSYLVANIA	5.217	1,110			1,269	125					343	1,682	32.2	ñ	ň	0.0
RHODE ISLAND	175	46			44	3	92.5				3	164	93.8	ă	Ď	0.0
SOUTH CAROLINA	513	153			105	17	86.8				67	434	84.5	Ŏ	Ď	0.0
SOUTH DAKOTA	166	52	2	94.2	49	3	93.5	. 0	. 0	0.0	11	156	93.6	ŏ	ŏ	0.0
TENNESSEE TEXAS	2.099 5.215	578 1,325	37 52		468	49 78	89.4 94.0		43	0.1	167 49	2,075 974	98.8 18.6	Ŏ	0	0.0
ÙTÂĤ	1,242	17244	14	93.8	1,322	íž	95:5				72	719	11.5	ŭ	ŏ	0.0
VERMONT	131	28	2	90.2	25	2	89.3	24	97	74.4	13	50	38.7	Ö	0	0.0
VIRGINIA	925	218	17	92.1	203	17	91.3	•	35	3.8	2	20	2.2	0	0	0.0
WASHINGTON	78	10	0	91.4	11	1	89.1	0	0	0.0	2	16	21.1	0	0	0.0
WEST VIRGINIA	241	69	3	95.5	66	3	95.0	2	8	3.5	23	128	53.0	0	0	0.0
WISCONSIN	3,126	740	82	88.9	783	79	89.8			84.6	101	619	19.8	0	0	0.0
WYDMING	96	20	2	85.8	23	2	87.7		0	0.0	4	96	100.0	0	0	0.0
AMERICAN SAMOA	0	D	0	0.0	0	0	0.0		0	0.0	0	D	0.0	0	0	0.0
GUAM	0	0	0	0.0	0	0	0.0		0	0.0	Ō	0	0.0	0	0	0.0
N. MARIANAS	19	2	_	85.1	2	0	85.1		0		0	.0	0.0	U	0	0.0
PUERTO RICO	38	9	0	91.9	8	0	90.9		16		3	18	47.2	U	0	0.0
PAC. TR. TERR.	8	1		85.5	1	0	85.5	_	. 0		0	0	0.0	v		8.9
VIRGIN ISLANDS	G	0	0	0.0	0	0	0.0		_		·	_			_	
U.S. TOTALS	73,073	15,611	1,198	92.3	17,297	1,465	91.5	1,033	24,805	33.9	2,429	34,422	47.1	0	0	0.0

NOTES: 1. FLOWS IN CUBIC METERS X 1000 2. METRIC TONS X .9072 = SHORT TONS

^{3.} SUM OF ENTRIES MAY NOT EQUAL TOTALS DUE TO ROUND-OFFS

^{4.} FACILITIES WITH ZERO DISCHARGE OR RAW DISCHARGE ARE NOT INCLUDED

NUMBER OF PLANTS PROJECTED FOR ADVANCED SECONDARY TREATMENT BY YEAR 2000 (BY TOTAL PROJECTED DESIGN FLOW)

Table 29 is a flow summary for all advanced secondary treatment plants projected to be in operation by the year 2000. The treatment levels attained by advanced secondary plants are defined in terms of the effluent BOD_5 concentration and/or the removal of the nutrients phosphorus (as PO_4) and/or ammonia (NH $_3$). A plant is considered to be advanced secondary in design if it is capable of consistently producing an effluent with a BOD_5 concentration in the range of 24 to 10 mg/l and/or it has specific processes which remove phosphorus and/or ammonia in excess of the amounts normally removed by secondary treatment. A summary is provided for each State and U.S. Territory. National totals are summarized at the bottom of the table.

In the second column the total number of projected advanced secondary treatment plants in each State is reported. Column three represents the total wastewater treatment capacity of the plants in thousand cubic meters per day. The projected design flow for each plant was used to calculate the total treatment capacity value.

Subsequent columns provide a breakdown of the State totals into seven flow ranges. The ranges specified in the column headings are reported in thousand cubic meters per day and, in parentheses beneath the headings, in million gallons per day. Reported for each flow range are the number of plants in the range and the percentage of the total State advanced secondary treatment capacity that is accounted for by each flow range.

Included in this summary are advanced secondary plants in operation in 1982 which will not be abandoned or upgraded between 1982 and 2000; primary, advanced primary, and secondary plants which will be upgraded to advanced secondary levels before 2000; and new advanced secondary plants which will be constructed prior to 2000.

Some column entries will be found which list a value for the number of plants but show zero for Total Design Flow or Percent of Flow. This occurs when the design flow value is less than 0.5 or the percent value is less than 0.05; in these cases the value is rounded to zero.

NUMBER OF PLANTS PROJECTED FOR ADVANCED SECONDARY TREATMENT BY YEAR 2000 (BY TOTAL PROJECTED DESIGN FLOW)

			инининининининининини РС/		PLANTS	AND PE	RCENT OF	FLON E	Y FLOW	RANGE	*****	****	*****	****		
		TOTAL	0 (0		.401 (.11	-1.9 50)	1.90 (.51-	1-4	4.80 (1.86	1-19 -5.01)	19.00 (5.02-		40.001 (10.57-		190.0 (50.	
STATE	TOTAL Plants	DESIGN FLOW	PLANTS	X Floh	PLANTS	X Flow	PLANTS	X FLON	PLANTS	X Flow	PLANTS	X Flow	PLANTS	X Floh	PLANTS	X FLON
ALABAMA	116	1,047	29	0.7	31	2.9	12	3.0	35	29.5	5	13.7	3	28.2	1	21.6
ALASKA Arizona	3 2	15 2	0 1	0.0 1.5	1	7.2 0.0	0	0.0 98.4	2	92.7 0.0	9	0.0	0	0.0 8.8	0	0.0
ARKANSAS	315	499	194	6.7	76	12.3	14	7.8	26	42.2	4	21.5	ĭ	9.0	ŏ	0.0
CALIFORNIA	63	2,631	0	0.0	9	0.3	6	0.6	21	7.8	10	9.7	14	41.2	3	40.2
COLORADO Connecticut	22 25	1,059 378	3	0.0	2 5	0.2	1 4	0.2 2.8	12	10.7	1	2.0 29.9	2	20.5 44.2	1	66.0 0.0
DELAWARE	13	568	0	0.0	1	1.6	7	3.2	9 2	21.2 4.1	4	0.0	2	24.6	ĭ	67.6
DIST. OF COLUM.	0	0	Õ	0.0	Ō	0.0	Ō	0.0	ō	0.0	Ō	0.0	Ō	0.0	Ō	0.0
FLORIDA	160	2,516	16	0.2	69	4.4	25	4.5	33	19.2		12.5	10	58.8	0	0.0
GEORGIA Hawaii	167 1	2,373 11	26 0	0.2	54 0	1.9	21 0	2.4 0.0	39 1	15.2	14	16.5	12	47.5 0.0	1	15.9
IDAHO	į,	160	ī	0.1	ī	0.7	2	3.5	ž	6.2	ī	14.1	ž	75.2	ŏ	0.0
ILLINOIS	438	12,081	54	0.1	148	1.3	69	1.6	113	8.3	23	5.6	26	15.9	5	66.9
INDIANA Iowa	384 104	3,558 684	140 14	0.8	141 40	3.6 6.3	19 26	2.0 7.7	53 24	14.1 28.1	4	3.0 15.3	16 3	37.4 41.8	4	38.8 0.0
KANSAS	6	101	-70	0.0	1	0.5	ĭí	3.7	3	21.3	õ	0.0	ĭ	74.3	ŏ	0.0
KENTUCKY	234	799	93	2.7	73	7.9	23	7.5	42	53.6	1	2.8	2	25.2	0	0.0
LOUISIANA Maine	35 10	255 9	7	9.6	6 2	2.1 13.2	4	4.6 20.3	13	47.6 57.1	5	44.9 0.0	0	0.0	0	0.0
MARYLAND	188	1,743	112	1.0	40	2.3	12	1.7	11	6.4	6	10.1	5	15.8	2	62.1
MASSACHUSETTS	29	610	1	0.0	6	1.1	4	1.9	11	16.5	3	13.4	3	32.0	1	34.7
MICHIGAN Minnesota	180 84	6,572 1,645	19	0.0 6.2	40 36	0.7 2.0	41	1.7	64	8.3	10 2	4.2 3.4	14	21.4 20.1	5 1	63.3 66.7
MISSISSIPPI	272	711	174	4.0	45	7.7	11	1.7	12 15	5.6 21.8	4	18.1	1	7.3	i	36.1
MISSOURI	40	195	17	2.2	14	6.7	2	2.8	5	18.4	i	11.6	ī	58.0	ō	0.0
MONTANA	1	10	0	0.0	0	0.0	0	0.0	1	77.9	G	0.0	0	0.0	0	0.0
HEBRASKA Nevada	0 5	0 512	0	0.0 0.0	0	0.0	0	0.0	0 2	0.0 3.6	0	0.0	0	0.0 29.5	0	0.0 66.5
NEW HAMPSHIRE	7	44	ī	0.6	i	7.5	ĭ	5.2	ī	18.2	ĭ	68.2	ō	0.0	ō	0.0
NEH JERSEY	53	891	1	0.0	7	1.2	8	2.7	29	33.8	4	13.0	3	17.2	1	31.8
NEW MEXICO New York	8 203	51 3.661	6 50	0.0 0.2	4 55	4.7	1 25	5.1 1.9	2 44	30.7 10.9	1 13	59.3 10.4	0 12	0.0 26.0	0	0.0 48.7
NORTH CAROLINA	225	1,404	129	0.7	33	1.9	16	3.3	24	19.0	13	26.5	10	48.1	ō	0.0
NORTH DAKOTA	. 0	0	0	0.0	. 0	0.0	0	0.0	G	0.0	0	0.0	0	0.0	0	0.0
DHIO DKLAHDMA	533 29	5,905 348	199	0.6	166	2.4	39 3	1.7 2.4	72 10	11.7 32.5	27 3	12.0 19.5	24 3	30.8 42.9	6	40.5 0.0
DREGON	119	1,517	14	0.2	47	3.3	15	2.8	29	19.2	8	16.2	5	33.0	ĭ	24.9
PENNSYLVANIA	487	5,217	105	0.4	176	3.5	68	3.6	104	18.3	22	10.9	8	13.4	4	49.5
RHODE ISLAND South Carolina	112	175 513	52	Q.1	29	0.0	0 8	0.0 4.7	2 14	5.9 23.8	1 8	20.9 43.1	2	72.9 19.8	0	0.0 0.0
SOUTH DAKOTA TENNESSEE	15 181	2,099	42	2.0	3	1:7	2	4.5	6	28.7	ŏ	`ğ.ğ	į	64.6	ğ	0.0 43.2
TEXAS	392	5,215	69	0.4	147	2.5 2.8	26 72	3.3	40 69	11:3	15	7:3	13	18.7	2 7	55.0
HATU	137	1,242	74	1.1	31	2.2	7	1.5	15	11.1	4	9.5	5	47.5	1	26.8
VERHONT Virginia	32 74	131 9 25	4 18	0.5 Q.3	13 26	9.3 2.5	4 7	8.9 2.4	10 13	66.5 13.1	1	14.6 12.1	0 5	0.0 40.6	0	0.0 28.6
WASHINGTON	5	78	Ö	0.0	2	3.2	Ó	8.0	11	19.7	2	76.9	0	0.0	å	0.0
HEST VIRGINIA	82	241	32	3.0	28	12.1	8	9.9	12	37.3	Ō	0.0	2	37.4	Ō	0.0
WISCONSIN Wydming	229	3,126 96	57 0	0.4	76	2.4	43	4.0	33	10.4	6	4.4	11	28.8	3	49.3
AMERICAN SAHOA	7	76	0	0.0	0	0.4	0	0.0	2 0	28.7 0.0	0	0.0 0.0	1 D	70.8 0.0	0	0.0
SUAH	0	0	Ō	0.0	0	0.0	Ō	0.0	0	0.0	ō	0.0	Ō	0.0	ō	0.0
N. MARIANAS Puerto Rico	2 5	19 38	0	0.0	C	0.0	0	9.8	2	100.0 90.1	0	0.0	0	0.0	0	0.0
PAC. TR. TERR.	3	8	Ö	0.0	2	30.8	0	0.0	ī	69.1		0.0	ű	0.0	0	0.0
VIRGIN ISLANDS	Ō	Ō	Õ	8.0	Ō	0.0	Ö	0.0	ō	0.0	ō	0.0	ŏ	0.0	ŏ	0.0
U.S. TOTALS	5,849	73.073	1,768	0.4	1,775	2.3	671	2.5	1,091	13.8	248	9.3	239	26.5	57	44.8

NOTES: 1. FLOW RANGE VALUES IN CUBIC METERS PER DAY X 1000. (APPROXIMATE MGD IN PARENTHESES).

^{2.} TOTAL STATE FLOW IN CUBIC METERS PER DAY X 1000.

NUMBER OF NEW ADVANCED SECONDARY TREATMENT PLANTS TO BE BUILT BETWEEN 1982 AND 2000 (BY TOTAL PROJECTED DESIGN FLOW)

Table 30 is a flow summary for all new advanced secondary treatment plants which will be constructed between 1982 and 2000. The treatment levels attained by advanced secondary plants are defined in terms of the effluent with a BOD $_5$ concentration and/or the removal of the nutrients phosphorus (as PO $_4$) and/or ammonia (NH $_3$). A plant is considered to be advanced secondary in design if it is capable of consistently producing an effluent with a BOD $_5$ concentration in the range of 24 to 10 mg/l and/or it has specific processes which remove phosphorus and/or ammonia in excess of the amounts normally removed by secondary treatment. A summary is provided for each State and U.S. Territory. National totals are summarized at the bottom of the table.

In the second column the total number of new advanced secondary treatment plants to be constructed in each State is reported. Column three represents the total wastewater treatment capacity of the plants in thousand cubic meters per day. The projected design flow for each plant was used to calculate the total treatment capacity value.

Subsequent columns provide a breakdown of the State totals into seven flow ranges. The ranges specified in the column headings are reported in thousand cubic meters per day and, in parentheses beneath the headings, in million gallons per day. Reported for each flow range are the number of plants in the range and the percentage of the State advanced secondary treatment capacity that is accounted for by each flow range.

Included in this summary are entirely new advanced secondary plants which are planned to be constructed by the year 2000. Excluded are advanced secondary plants that were operational in 1982 and primary, advanced primary, and secondary plants planned to be upgraded to advanced secondary treatment by the year 2000.

Some column entries will be found which list a value for the number of plants but show zero for Total Design Flow or Percent of Flow. This occurs when the design flow value is less than 0.5 or the percent value is less than 0.05; in these cases the value is rounded to zero.

1982 NEEDS SURVEY

NUMBER OF NEW ADVANCED SECONDARY TREATMENT PLANTS TO BE BUILT BETWEEN 1982 AND 2000 (By total projected design flow)

			*****	*****	*****	***	PLANTS AND PE	RCENT OF FLOW E	Y FLON RANGE	******	*****
			04	4	.401-	1.9	1.901-4	4.001-19	19.001-40	40.001-198	190.001+
		TOTAL	(01		(.11-		(.51-1.05)	(1.06-5.01)		(10.57-50.19)	(50.2+)
	TOTAL	DESIGN		×		×	_ x	×	×	×	×
STATE	PLANTS	FLOW	PLANTS	FLDW	PLANTS	FLOW	PLANTS FLOW	PLANTS FLOW	PLANTS FLOW	PLANTS FLOW	PLANTS FLOW
ALABAMA	37	60	22	9.3	10	12.7	2 6.8	3 70.9	0 0.0	0 0.0	0 0.0
ALASKA	0	0	0	0.0	a	0.0	0 0.0	0 0.0	0.0	0 0.0	0 0.0
ARIZONA		.0		0.0	.0	0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
ARKANSAS	169	64	154	37.7		11.8	0 0.0	2 15.1	1 35.2	0 8.0 1 95.6	0 0.0
CALIFORNIA COLORADO	2	87 0	0 1	99.9	0	0.0	1 4.3 0 0.0	0 0.0 0 0.0	0 0.0 0 0.0	1 95.6 0 0.0	0 0.0 0 0.0
CONNECTICUT	i	,	ò	0.0	0	0.0	0 0.0	1 79.9	0 0.0	0 0.0	0 0.0
DELAHARE	ō	ó	ŏ	0.0	ŏ	0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
DIST. OF COLUM.	ŏ	ō	ŏ	0.0	ō	0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
FLORIDA	89	169	16	2.5	54	30.3	13 20.2	5 20.0	0 0.0	1 26.7	0 0.0
GEORGIA	54	165	18	2.7	22	8.1	3 3.8	9 48.3	2 36.9	0 0.0	0 0.0
HAWAII	0	0	0	0.0	0	0.0	0.0	0 0.0	0 0.0	0 0.0	0 0.0
IDAHO Illinois	2	6	.0	0.0		17.1	0 0.0	1 62.8	0 0.0	0 0.0	0 0.0 0 0.0
INDIANA	28 136	113 67	16 106	2.9	8 24	5.9 26.0	2 6.1 3 11.0	1 5.4 3 32.4	0 0.0	1 79.4 0 0.0	0 0.0
IONY	2	• 7	100	1.6	64	0.0	0 0.0	1 98.3	0 0.0	0 0.0	0 0.0
KANSAS	2	17	ō	0.0	ŏ	0.0	0 0.0	2 100.0	0 0.0	0 0.0	0 0.0
KENTUCKY	99	66	66	21.5		27.1	5 20.1	2 31.1	0 0.0	0 0.0	0 0.0
LDUISIANA	10	28	5	3.9	2	3.2	1 8.3	1 15.3	1 69.2	0 0.0	0 0.0
MAINE	7	3	5	18.2		22.9	1 58.7	0 0.0	0 0.0	0 0.0	0 0.0
MARYLAND	113	47	95	33.1		23.3	3 16.2	1 27.2	0 0.0	0 0.0	0 0.0
MASSACHUSETTS		111	1	0.1	2	2.0	0 0.0	2 10.5	0 0.0	1 87.2	0 0.0
MICHIGAN Minnesota	15 1	274	5 0	0.4	6	1.9	1 0.8	2 5.7 0 0.0	0 0.0	0 0.0	1 91.0 0 0.0
MISSISSIPPI	180	1 105	155	22.4		11.1	3 6.9	2 10.0	0 6.0 0 0.0	0 0.0 1 49.3	0 0.0
MISSOURI	14	-05	• • • •	28.7		37.7	1 33.5	0 0.0	0 0.0	0 0.0	0 0.0
MONTANA	Ö	Ŏ	Ó	0.0	ò	0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
NEBRASKA	0	0	0	0.0	0	0.0	8 0.0	0 0.0	8 0.0	0 0.0	0 0.0
NEVADA	0	0	0	0.0	0	0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
NEW HAMPSHIRE	3	10	0	0.0		19.5	0 0.0	1 80.4	0.0	0 0.0	0 0.0
NEW JERSEY New Mexico	11 0	99 0	0	0.0	2	2.4	2 6.9	6 60.2	1 30.3	0.0	0 0.0
NEW YORK	81	252	0 42	0.0 3.2	0 25	0.0 10.1	0 0.0	0 0.0 5 11.1	0 0.0 1 8.9	0 0.0 2 60.0	0 0.0 0 0.0
NORTH CAROLINA	57	236	32	2.6	15	4.7	2 2.5	3 12.0	4 45.9	1 32.0	0 0.0
NORTH DAKOTA	Ö	0	Ö	0.0	Ĩ	0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
OHIO	135	194	92	10.8	34	11.1	0 0.0	6 25.2	2 31.0	1 21.7	0 0.0
OKLAHOMA	1	20	C	0.0	0	0.0	0 0.0	0 0.0	1 100.0	0 0.0	0 0.0
OREGON	14	31	8	5.4		14.5	0 0.0	0 0.0	1 79.9	0 0.0	0 0.0
PENNSYLVANIA RHODE ISLAND	147	188	56	7.2		33.6	14 17.4	9 30.9	1 10.6	0 0.0	0 0.0
SOUTH CAROLINA	0 64	0 65	0 48	0.0	0 12	0.0	0 0.0 1 5.8	0 0.0 2 26.7	0 0.0 1 34.9	0 0.0	0 0.0 0 0.0
SOUTH CAROLINA	O	0	Ó	14.4	ū	8.0	0 0.0	0 0.0	0 0.0	0.0	ă ŏ.ŏ
TENNESSEE TEXAS	48 104	46 690	27 51	13.7	16	23.9	3 19.7 6 2.4	2 42.5 4 4.1	0 0.0	0 0.0 1 13.1	0 0.0 1 73.4
UTAH	91	43	70	32.0		30.5	2 10.3	1 27.0	0 0.0	0 0.0	0 0.0
VERMONT	4	8	2	5.3	Ĭ	0.0	1 27.3	1 67.2	0 0.0	0 0.0	0 0.0
VIRGINIA	16	164	4	0.5	6	2.8	1 1.3	3 13.5	1 12.7	1 68.8	0 0.0
WASHINGTON	0	0	0	0.0	0	0.0	0 0.0	0 0.0	8 0.0	0 0.0	0 0.0
WEST VIRGINIA	52	56	30	11.8		24.2	5 27.1	3 36.7	B 0.0	0 0.0	0 0.0
HISCONSIN Wyoming	9	22 0	5 D	4.7		11.9	1 17.0	1 66.3	0 0.0	0 0.0	0 0.0
AMERICAN SAMOA	ů	ů	0	0.0	0	0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
GUAM	ŏ	Ü	0	0.0	0	0.0	0 0.0	0 0.0 0 0.0	0 0.0	0 0.0	0 0.0 0 0.0
N. MARIANAS	ĭ	ÿ	ő	0.0	ŏ	0.0	8 0.0	1 99.9	0 0.0	0 0.0	0 0.0
PUERTO RICO	0	Ö	Ō	0.0	ŏ	0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
PAC. TR. TERR.	2	2	0	0.0	_	99.9	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
VIRGIN ISLANDS	0	0	0	0.0	0	0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
U.S. TOTALS	1,808	3,562	1,144	6.2	465	10.8	83 6.2	86 19.5	17 12.2	11 23.6	2 21.2

NOTES: 1. FLOW RANGE VALUES IN CUBIC METERS PER DAY X 1000. (APPROXIMATE MGD IN PARENTHESES).

^{2.} TOTAL STATE FLOW IN CUBIC METERS PER DAY X 1000.

DOLLAR NEEDS FOR CONSTRUCTION OF NEW ADVANCED SECONDARY FACILITIES, BY PLANT SIZE

Table 31 summarizes the projected costs, reported in January 1982 dollars, for the construction of new advanced secondary treatment plants to be built between 1982 and 2000. Table 31 is a direct extension of Table 30.

The summary indicates a total dollar need per State for new advanced secondary facilities. The State totals are broken down into dollar needs by flow range. The dollar needs of an individual plant are included in the total for the flow range shown which encompasses its projected design capacity.

DECEMBER 31, 1982 Table 31 1982 Needs Survey

DOLLAR NEEDS FOR CONSTRUCTION OF MEN ADVANCED SECONDARY TREATMENT FACILITIES, BY PLANT SIZE (THOUSANDS OF 1982 DOLLARS)

			*****	******	**** TOTAL	PROJECTED DESI	GN FLOW ####	*****	****
CUBIC METERS F			040 (010)	.401-1.9 (.1150)	1.901-4.0 (.51-1.05)	4.001-19 (1.06-5.01)	19.001-40 (5.02-10.56)	40.001-190 (10.57-50.19)	190.001+
STATE	# OF Plants	STATE NEEDS	NEEDS	NEEDS	NEEDS	HEEDS	NEEDS	NEEDS	NEEDS
ALABAMA	37	36,446	11,696	9,531	2,434	12,785	0	0	0
ALASKA	0	0	0	0	0	Ō	0	Ó	0
ARIZONA ARKANSAS	. 0	0			0			0	0
CALIFORNIA	169 2	53,113 61,712	32,953	6.319	4 *43	3,280	10,561	E	0
COLORADO	i	324	324	ŏ	4,862	, u	Ü	56,850	, a
CONNECTICUT	ī	11,410	7.7	ŭ	ŏ	11,410	ŭ	ŭ	ŏ
DELAWARE	ō	0	ō	ŏ	ō	0	ŏ	ŏ	ŏ
DIST. OF COLUM.	0	0	Ō	0	ō	Ō	Ō	Ŏ	Ŏ
FLORIDA	89	179,155	9,316	69,775	33,310	26,493	0	40,261	0
GEORGIA	54	94,220	8,373	19,096	3,165	44.884	18,782	0	0
HAWAII	0		0		0		0	0	0
IDAHO Illinois	2 28	8,751 28,149		1,787	0	6,964	0	0	9
INDIANA	136	101,264	5,576 49,223	9.036 31.005	6,936 9,576	3,119 11,460	0	3,482 0	9
IOWA	2	92	92	31,003	,,,,,	11,400	ŏ	ň	ň
KANSAS	ž	7,487	Ő	ŏ	ŏ	7,487	ŏ	ă	ŏ
KENTUCKY	99	80,982	40,322	28,300	7,817	4,543	0	Ō	Ō
LOUISIANA	10	18,982	997	1,002	2,519	3,779	10,685	0	0
MAINE	7	7,923	2,065	803	5,055		0	0	0
MARYL AND	113	54,158	27,983	13,127	4,988	8,060	0	0	0
MASSACHUSETTS Michigan	6 15	26,551 183,019	560 2,353	4.672 5,799	0 2,750	0	0	21,319	157,530
MINNESOTA	11	2,699	2,353	2,699	2,730	14,587 0	ŭ	ž	197,930
MISSISSIPPI	180	98,876	58,221	17,432	2,743	4,870	ŏ	15,610	ă
MISSOURI	14	9,422	2,936	2,324	4,162	0	Ō	0	Õ
MONTANA	0	0	G	. 0	0	0	0	0	0
NEBRASKA	0	0	0	Ģ	G	0	0	o	0
NEVADA	0		0	0	0	0	0	0	0
NEW HAMPSHIRE New Jersey	3 11	1,365 84,497	0	1,365	0	41.474		0	0
NEW MEXICO	10	04,477		2,641	1,490	61,434	18,932	Š	Ÿ
NEW YORK	81	158,096	15,053	34,036	15,394	29,848	18,645	45,120	ă
NORTH CAROLINA	57	81,989	11,722	14,923	2,223	17,252	35,869	0	ŏ
NORTH DAKOTA	0	G	G	0 .,,	0	0	0	ŏ	Ō
OHIO	135	168,073	48,771	32,574	0	33,557	39.534	13,537	0
OKLAHOMA	1	10,550	0	0	0	0	10,550	0	0
OREGON	14	21,332	3,833	5,382	0		12,117	0	0
PENNSYLVANIA Rhode Island	147 0	233,975	32,147	95,496	43,558	47.826	14,948	0	
SOUTH CAROLINA	64	34,484	15.691	13.715	1,549	3.529	ŭ	Ď	ă
SOUTH DAKOTA	Ō	. 0	a a	0	0	· · · · · · · · · · · · · · · · · · ·	Ŏ	Ŏ	Ŏ
TENNESSEE Texas	48 104	44,991 289,796	13,541 22,233	14,927 41,831	3,837 11,104	12,686 14,788	0	25,457	174,383
HATU	91	44,082	20,499	13,858	5,114	4,611	ŭ	W. J. I.	0
VERMONT	4	11,269	1,157	0	3,974	6.138	0		0
VIRGINIA	16	93,239	906	5,020	2,393	14,131	17,049	53,740	ŭ
WASHINGTON	_0	. 0		. 0	0		0	ŭ	Š
WEST VIRGINIA	52	55,829	14,020	20,009	8,388 4,269	13,412 5,799	0	Ď	0
WISCONSIN Wyoming	9 0	15,084 0	1,057	3,959	4,287	3,777	ő	ŏ	ŏ
AMERICAN SAMOA	ö	ŭ	ŭ	ŏ	ŏ	ŏ	ŏ	0	Õ
GUAM	ŏ	ě	ŏ	ŏ	Ŏ	0	0	8	ف
N. MARIANAS	ī	7,381	Ŏ	Ō	0	7,381	0	Ō	0
PUERTO RICO	0	G	8	0	0	0	0	0	0
PAC. TR. TERR.	2	3,836	0	3,836	0	0	0	0	ō
VIRGIN ISLANDS	0	0	0	0	0	0	ŭ	U	v
U.S. TOTALS	1,808	2,424,603	453,620	526,379	193.610	436.033	207,672	275,376	331,913

POPULATIONS SERVED BY TERTIARY TREATMENT PRESENT AND PROJECTED, RESIDENT AND NONRESIDENT

Table 32 summarizes the 1980 populations served and the 2000 populations projected to be served by facilities designed to provide tertiary (advanced wastewater) treatment. The treatment levels attained by tertiary plants are defined in terms of the effluent BOD_5 concentration and/or the removal of nitrogen. A plant is considered to be tertiary in design if it is capable of consistently producing an effluent with a BOD_5 concentration less than 10 mg/l and/or it has specific processes which can remove more than 50 percent of the total nitrogen present in the plant influent.

The 2000 total population values reported are from estimates provided by BEA. The 1980 population value are based on those reported in the April 1981 Report of the Bureau of Census. The Percent Served is a function of the residents receiving treatment in relation to the total State population estimated by BEA.

The total population within the service area of an authority is the sum of persons receiving treatment and not receiving treatment. Those persons not receiving treatment reside in the service area but do not contribute to the treatment facility because they are not on a sewer system.

Resident populations are permanent residents in the service area of a sewerage authority. Nonresident populations include commuters living in one area and working in another, as well as all transients, tourists, and seasonal residents.

POPULATIONS SERVED BY TERTIARY TREATMENT PRESENT AND PROJECTED, RESIDENT AND NONRESIDENT (POPULATION IN THOUSANDS)

	*** POPUL	.ATION ***	*** REC	FIVING	TPEATMEN	T ****	*** NOT	DECETATI	NC TOTAT	MENT MM	MM DEDC	FNT	** TREAT	MP417
											SER		PLAN	
STATE	1980 Total	2000 Total	1980 RES.	2000 RES.	1980 Nonres	2000 Nonres	1980 RES.	2000 RES.	1980 Nonres	2000 NDNRES	1980	2000	1980	2000
ALABAHA	3.890	4,140	0	92	0	3	0	0	a	0	0.0	2.2	0	3
ALASKA	400	694	0	0	0	9	0	0	0	ŏ	0.0		ă	
ARIZONA	2,718	4.357	0	24	0	0	0	0	0	Q	0.0	0.5	Ŏ	-
ARKANSAS	2,286	2,970	4	171	9	6	0	-	0	0	0.2		5	29
CALIFORNIA COLORADO	23,669	26,786	1,178	2,446	92	117	71		0	0	4.9		15	12
CONNECTICUT	2,889	4.371	. 2		6	10	0		0	0	0.0		1	-
DELAWARE	3,108 595	3,902 841	31	102	8	0	?	35	0	0	1.0		2	
DIST. OF COLUM.	638	694	3 0	713	0	2,223	0	0	0	0	0.6		1	1
FLORIDA	9,740	15.049	717	1,864	69	182	34	-	0	0	0.0 7.3	131.6	. 0	
SEDRGIA	5,464	7.053	31	63	• 1	.02	34		1	ŭ	0.5		14	28
IIAWAH	965	1,366	Ď	ŏ	ā	ŏ	ŏ	•	i	ă	0.0		1 0	
IDAHO	944	1,183	7	99	č	ě	ŏ	-	ŏ		0.8	8.4	ĭ	5
ILLINDIS	11,418	12,358	13	24	ŏ	ō	ŏ	ŏ	ŏ	ŏ	0.1	0.1	2	
INDIANA	5,490	6.059	24	54	ō	ē	Ď	ō	ō	Ď	0.4		2	3
IOHA	2,913	3,101	0	0	0	0	Ŏ	Ö	Ō	õ	0.0	0.0	ō	ő
KANSAS	2,363	2,642	0	0	0	0	0	0	0	0	0.0	0.0	Č	ŏ
KENTUCKY	3,661	4,224	1	5	0	0	0	0	0	0	0.0	0.1	1	3
LOUISIANA	4,204	4,880	82	181	8	0	0		0	0	1.9	3.7	3	5
MAINE Maryland	1,125	1,222	. 0	26	0	. 0	. 0		0	0	0.0	2.1	0	4
MASSACHUSETTS	4,216	5,583	246	636	28	87	26		0	0	5.8		6	11
MICHIGAN	5,737 9,258	6,736	79	527	0	2	221		0	Q	1.3	7.8	4	13
MINNESOTA	4,077	10,314 4,505	441 59	829	30	40	31		0	0	4.7	8.0	10	
MISSISSIPPI	2,521	2,740	37	208 44	5 0	10	0	0 2	0	0	1.4	4.6	12	
MISSOURI	4,917	5,379	ŏ	77	Ğ	10	ů	6	0	n n	0.0	1.6	0	4
MONTANA	787	938	ŏ	Ô	ŏ	ŏ	0	ŏ	0	u n	0.0 0.0	0.0	0	1
NEBRASKA	1,570	1,734	ō	ŏ		ŏ		ŏ	ă	ă	0.0	0.0	0	0
NEVADA	799	1,408	ō	ĭ	ŏ	ŏ	ō	ŏ	ŏ	ŏ	0.0	0.1	ů	ĭ
NEW HAMPSHIRE	921	1,306	0	52	ž	5	ŏ	38	ŏ	ō	0.0	4.0	ĭ	•
NEW JERSEY	7,364	9.022	186	1.243	7	94	52		ŏ	Ğ	2.5	13.7	i	21
NEW MEXICO	1,300	1.781	0	0	0	0	0	0	0	0	0.0	0.0	ō	0
NEW YORK	17,577	19,683	209	826	15	218	74	71	0	0	1.1	4.1	32	102
NORTH CAROLINA	5,874	7,419	346	1,494	6	40	163		0	8	5.9	20.1	28	134
NORTH DAKOTA Ohio	653	690	0	0	0	0	0	0	0	0	0.0	0.0	0	0
OKLAHOMA	10,797 3,025	12,237	418	2,019	20	44	115		0	0	3.8	16.5	34	99
OREGON	2,633	3,702 3,209	0 74	301	0	0	0	0	0	0	0.0	8.1	0	2
PENNSYLVANIA	11.867	12,854	247	142 555	0	6 24		. 0	0	0	2.8	4.4	1	3
RHODE ISLAND	947	1,084	27/	999	•	24	41	19	0	0	2.0	4.3	17	32
SOUTH CAROLINA	3,119	3,700	ŏ	52	ŏ	122	0	0			0.0	0.0 1.4	0	0 7
SOUTH DAKOTA	690	730	ă	23	ŏ		ő	-	ŏ	Ď	0.0	3.1	ö	í
TENNESSEE	4,591	5,573	16	199	ŏ	ŏ	12		ŏ	ă	0.3	3.5	ŭ	10
TEXAS UTAH	14,228	51.000	243	463	9	10	4	0	ŏ	ŏ	1.7	2.2	16	21
VERHONT	1,461	1,963 607	8	37	8	2	9	P	8	0	0.0	Ģ.ō	Ŏ	ò
VIRGINIA	5,346	6,755	64 Ĭ	1.997	ŏ	25	19	ż	ŏ	ŏ	0.0 11.9	29:5	9	25
WASHINGTON	4,130	4.85	0	409	3	13	0	30		0	0.0	8.4	1	3
WEST VIRGINIA	1,950	2.101	88	158	0	0	2		Ō	<u> </u>	4.5	7.5	5	11
WISCONSIN WYONING	4,705	5,553	10	20	0	0	0	0	0	Ō	0.2	0.3	í	1
AMERICAN SAMDA	450	484	0	0	0	ò	8	0	Ö	ē	0.0	0.0	i	ò
GUAM SANGA	33 110	40 275	0	0	0	0	0	0	0	0	0.0	0.0	ō	õ
N. MARTANAS	17	33		0	0	0	0	0	0	0	0.0	0.8	ō	ŏ
PUERTO PICO	3,197	4,700	0	0	0	0	0	0	0	0	0.0	0.0	0	0
PAC. TR. TERR.	118	183	ŏ		0	0	0	0	0	0	0.0	0.0	0	0
VIRGIN ISLANDS	99	116	ă	Ö		0	0	0	0	0	0.0	0.0	0	0
U.S. TOTAL	230,075	278,888	5,411	18,328	306	3,306	870	727	1	1	0.0 2.3	0.0		0
									•	•	2.3	6.5	231	670

PLANT LOADINGS, REMOVAL EFFICIENCIES, AND DISCHARGE RATES FOR FACILITIES IN OPERATION IN 1982 FACILITIES DESIGNED TO PROVIDE TERTIARY TREATMENT

Table 33 summarizes the performance of all treatment facilities designed to provide tertiary treatment. Information is provided for all States and U.S. Territories with a national total shown at the bottom of the table.

This table provides an estimate of the total quantity of various pollutants accepted by treatment plants within the State and the total quantity of these same pollutants in the effluent. Quantities are given in metric tons per day for $BOD_{\overline{5}}$ and Solids. Information is also provided on nutrient removal capabilities.

Plants with Removal Capability are facilities with a specific requirement to remove the listed nutrient. For example, some phosphorus is removed in all treatment plants. However, only plants specifically designed to remove phosphorus are reported in this category. Reported for each nutrient are the total number of plants with this removal capability and the total average flow received by these plants. Also given is the percentage of the total State flow the plants represent.

These data were derived from the daily average influent and effluent pollutant concentrations. The averages are based on the actual performance of each individual treatment plant during the most recent 12 month period for which information could be obtained. The values calculated for each plant are summed into the State and national totals. The main source of information for flow and concentration values was the self-monitoring reports submitted by every facility with an NPDES permit.

Table 33 is an extension of Table 32. A summary of the projected year 2000 performance of all tertiary facilities is given in Table 34.

Total flow is the sum of the actual average daily flows treated by all facilities within the State designed to provide tertiary treatment. All flows are reported in thousand cubic meters per day.

Some States may show influent and/or effluent values of BOD_5 or Solids equal to zero, but still have a percent removal calculated. This is due to the influent and/or effluent value being less than 0.5 metric tons per day in which case the value is rounded to zero.

PLANT LOADINGS, REMOVAL EFFICIENCIES AND DISCHARGE RATES FOR FACILITIES IN OPERATION IN 1982 FACILITIES DESIGNED TO PROVIDE TERTIARY TREATMENT (METRIC TONS PER DAY)

		****** REMOVAL EFFICIENCIES ******					*****	*****	PLANT	S HITH R	EMOVAL	CAPABI	LITY ***	****	****		
		****	BOD5	*****	**** SOLIDS	#1	***	٠	*** PHO			ww NH3	NITROG		**** 701		***
STATE	ACTUAL FLOW	INF.	EFF.	X REM.	INF. EFF.	ı	X REM		PLANTS		FLON	# PLANTS		TOT. FLOW	PLANTS		TOT. Flow
ALABAHA	0	0	0	0.0	0	0).Q	0	0		0	0	0.0	0	•	0.0
ALASKA	0	0	-	0.0	0	0		0.0	0	0			0	0.0	0	0	
ARIZONA	0	0	0	0.0	0	0		9.0	0	0		0	0	0.0	0	0	
ARKANSAS California	2 426	0 115	0	96.4 96.8		0		2.1 7.1	0	0		0	0	0.0	0		
COLORADO	720	113	9	92.3	134	0		' • I 5 • 4	?	175		•	162 2		?	235	
CONNECTICUT	11	2	•	90.8	2	Ď		3.6	i	- 2		ė	á	0.8	1 0	2	
DELAHARE	ā	ō	-	47.6	ō	ŏ		3.5	i			ŏ	ŏ	0.0	ŏ		0.0
DIST. OF COLUM.	Ď	ō		0.0	ŏ	ŏ		0.0	Ď	ō		Ď	ŏ	0.0	ŏ	Č	
FLORIDA	334	81	5	96.7	84	3		5.3	11	303		ě	25	7.6	ž	233	
GEORGIA	14	2		97.5	2	0	8	5.0	0	0	0.0	1	14	100.0	0	0	0.0
HAHAII	0	0	-	0.0	8	0	- (). D	Đ	0	0.0	0	0	0.0	0	0	0.0
IDAHO	4	0	0	97.2	o	0			0	0		1	4	100.0	0	0	0.0
ILLINOIS	.7	1		92.7	1	0		. •	1	6		2	7	100.0	1	0	12.8
INDIANA Idha	21 0	2	0	91.3	1	0		5.2	0	0		0	0	0.0	9	0	
KANSAS	٥	0	0	0.0	0	0).Q).Q	0	0		0	0	0.0	0	0	0.0
KENTUCKY	ő	Ď	ŏ	98.0	Ď	Ö		3. O	ŭ			ų,	ă	100.0	0	ŭ	
LOUISIANA	35	7		95.1	ž	ŏ		1.6		Ö		•	Š	15.3	ĭ	5	15.3
MAINE	ő	Ċ	-	0.0	ò	ŏ		0.0	ō	ŏ		i	á	0.0	'n	í	
MARYLAND	140	27	i	96.1	27	ī		. 2	3	77		ž	64	45.6	, i	123	
MASSACHUSETTS	51	8		94.3	9	0		4.4	4	51		4	51	100.0	ż	24	
MICHIGAN	314	59	3	94.1	64	2	90	5.4	8	308		4	176	56.0	1	15	
MINNESOTA	37	8	. 0	97.6	9	0	9	5.6	3	19	53.2	2	14	37.9	0	0	0.0
MISSISSIPPI	0	0	0	0.0	0	0		٥.٥	o	0		0	0	0.0	0	0	
MISSOURI	0	0	-	0.0	0	0		.0	0	0		0	0	0.0	0	a	0.0
MONTANA Nebraska	0	0	0	0.0	0	0		9.0	0	0		0	0	0.0	0	0	0.0
NEVADA	0	0		0.0	0	0).D	0	0		U	0	0.0	0	0	0.0
NEW HAMPSHIRE	ŏ	0	ő	98.7	ő	0).1	ij			Ÿ	0	0.0	ų		0.0
NEW JERSEY	77	13		92.4	14	ĭ		. 6	•	29			63	82.7	ĭ	28	
NEW MEXICO	Ö	Ō	ō	0.0	Ď	ō		0.0	ā	Č		ā	ā	0.0	ō	- 0	
NEW YORK	152	21	4	80.8	18	2	8	5.1	5	29		13	50	33.1	8	111	
NCRTH CAROLINA	238	63	5	91.6	59	Ĺ		3.7	Ō	0		24		86.5	ĩ		
NORTH DAKOTA	0	9	0	0.0	0	0		0.0	0	0		0	0	0.0	0	0	0.0
OHIO	272	52			55	2		5.7	13	147		22		93.2	0	0	0.0
OKLAHOMA	.0	.0	0	0.0	.0	0		0.0	0	0		0	0	0.0	0	0	0.0
OREGON	52	10	-	98.4	13	0		3.3	1	52		.0	0	0.0	0	0	0.0
PENNSYLVANIA Rhode Island	98 0	19		92.5 0.0	15	1		2.3	5	29 n		10	60 0	62.0	5	31	
SOUTH CAROLINA	ň	ŭ	ŏ	0.0	0	ů		3.0	٥	0		0	ů	0.0		0	0.0
SOUTH DAKOTA	ŏ	ŏ	Ŏ	0.0	ŏ	õ	•) . C	ŏ	ă		ŏ	ŏ	0.0	ŏ	ŏ	0.0
TENNESSEE TEXAS	112	22	0	94.5	,²	Ô	5	7:3 5:0	. 0	ģ	.0.0	. 4	55	100.0	Ŏ	Ď	0.0
ÙTÂĤ	***5	- ő	ŏ	76:6	21	ģ	"	3:8	11	46	41.2	11	88 0	78.5 0.0	ď	0	0.0
VERMONT	0	0	Ö	0.0	Ö	0		. 0	ō	ō		0	Ď	0.0		ň	0.0
VIRGINIA	230	49	3	92.6	53	2		. 9	5	230		4	116	50.6	3	50	21.8
MASHINGTON	0	0	0	94.9	0	0		. 9	8	0	0.0	i	0	100.0	ĭ	0	100.0
HEST VIRGINIA	39	8		86.1	7	1	86	. 0	1	2	6.1	1	5	14.5	4	28	73.3
WISCONSIN	3	0		97.5	0	0		. 1	0	0	0.0	1	3	100.0	0	0	0.0
MYOMING	0	0	0	0.0	0	0		.0	0	0	0.0	0	0	0.0	Q	0	0.0
AMERICAN SAMOA Guah	0	0 0	0 Ω	0.0 0.0	0	0		. 0	0	0	0.0	0	0	0.0	0	0	0.0
N. MARIANAS	0	Ů	0	0.0	0	0		.0	0	0	0.0	0	0	0.0	8	0	0.0
PUERTO RICO	Ö	ŏ	ŏ	0.0	Ö	0		. 0	0	0		0	0	0.0	0	0	0.0 0.0
PAC. TR. TERR.	ŏ	Ğ	ě	0.0	ŏ	ē		. 0	ŏ	ő		Ö	ŏ	0.0		0	0.0
VIRGIN ISLANDS	ŏ	ō	ŏ	0.0	ŏ	ŏ		. 0	ő	ŏ	0.0	ŏ	ő	0.0	ö	Ö	0.0
U.S. TOTALS	2,705	586	32	94.3	610	32	94	. 6	81	1,517	56.0	125	1,402	51.8	47	892	32.9

NOTES: 1. FLOWS IN CUBIC METERS X 1000 2. METRIC TONS X .9072 = SHORT TONS

^{3.} SUM OF ENTRIES MAY NOT EQUAL TOTALS DUE TO ROUND-OFFS

^{4.} FACILITIES WITH ZERO DISCHARGE OR RAW DISCHARGE ARE NOT INCLUDED

PLANT LOADINGS, REMOVAL EFFICIENCIES, AND DISCHARGE RATES FOR FACILITIES TO BE IN OPERATION IN 2000 FACILITIES DESIGNED TO PROVIDE TERTIARY TREATMENT

Table 34 summarizes the expected performance in the year 2000 of all treatment facilities designed to provide tertiary treatment. Information is provided for all States and U.S. Territories with a national total shown at the bottom of the table.

This table provides an estimate of the total quantity of various pollutants that will be received by treatment plants within the State and the total quantity of these same pollutants that will be in the effluent. Quantities are given in metric tons per day for BOD_5 and Solids. Information is also provided on nutrient removal capabilities.

Plants with Removal Capability are facilities with a specific requirement to remove the listed nutrient. For example, some phosphorus is removed in all treatment plants. However, only plants specifically designed to remove phosphorus are reported in this category. Reported for each nutrient are the total number of plants with this removal capability and the total average daily flow received by these plants. Also given is the percentage of the total State flow the plants represent.

These data were derived from the daily average flow and the daily average influent and effluent pollutant concentrations. The averages are based on the predicted year 2000 situation. The values calculated for each plant are summed into State and national totals.

Total Flow is the sum of the average daily flows to be treated in the year 2000 by all facilities within the State that will be designed to provide tertiary treatment.

Table 34 is an extension of Tables 32 and 33. All flows are reported in thousand cubic meters per day.

Some States may show influent and/or effluent values of BOD_5 or Solids equal to zero, but still have a percent removal calculated. This is due to the influent and/or effluent value being less than 0.5 metric tons per day in which case the value is rounded to zero.

PLANTS LOADINGS, REMOVAL EFFICIENCIES AND DISCHARGE RATES FOR FACILITIES TO BE IN OPERATION IN 2000 FACILITIES DESIGNED TO PROVIDE TERTIARY TREATMENT (METRIC TONS PER DAY)

****** REMOVAL EFFICIENCIES ****** NERSEE STATES WITH REMOVAL CAPABILITY RESERVED OF THE STATES OF THE STAT BODS ******** SOLIDS **** PROJECTED STATE REM. INF. EFF. REM. INF. EFF. FLOW 84.9 0.0 95.8 92.3 93.4 98.0 95.7 0.0 0.0 100.0 0.0 ALABAMA 97.3 0 69 100.0 0 0.0 0 0.0 0 0.0 0000 ALASKA ARIZONA 0.0 0.0 96.2 97.6 95.7 0 0 2 0.0 101 APKANSAS 0 12 0 0 5 5 19 0.0 CALIFORNIA COLORADO CONNECTICUT 1,193 292 800 67.0 5 100.0 0 1.6 361 789 98.0 94.2 95.7 97.9 5 100.0 8 72.8 0 0.0 100.0 5 22 52 11 1.6 DELAWARE DIST. OF COLUM. FLORIDA 280 95.7 97.0 96.4 86.3 201 280 100 100.0 195 10 0 29 198 10 0 27 841 0 20.8 78 18.4 46 100.0 GEORGIA 46 0.0 0.0 9.2 3 HAWAII IDAHO ILLINOIS 0.0 92.6 97.7 97.6 0.0 10 21 13 16 20 00 00 9.2 15.8 0.0 0.0 39.6 9.8 0.0 96.9 11.4 3.7 96.8 97.4 84.1 11 100.0 52 0 0 3 INDIANA 0.0 0.0 0 0 0 0 0 0.0 0.0 KANSAS KENTUCKY 0.0 92.8 90.7 0.0 0.0 96.4 96.0 95.7 95.2 97.1 97.9 98.0 97.0 100.0 LOUISIANA MAINE MARYLAND 16 3 67 73 127 100.0 9.8 0.0 55.4 97.3 66.3 61.3 84.8 0 0.0 17 100.0 356 96.6 338 99.2 617 99.9 33 23.5 71 78 129 368 340 617 0 357 204 331 MASSACHUSETTS MICHIGAN MINNESOTA MISSISSIPPI 2 5 96.7 95.9 409 88 29 40 7 0 94.5 87.0 95.0 33 144 35 1.6 1 0 0 0 0.0 MISSOURI 0.0 0.0 MONTANA NEBRASKA 0.0 0.0 80.0 98.1 97.4 0.0 0.0 0 1 0 5 0 25 1 0 2 0 0 1 7 98.0 97.9 97.3 NEVADA ō 0.0 82.9 13.9 0.0 38.2 NEW HAMPSHIRE NEW JERSEY NEW MEXICO NEW YORK 0.0 100.0 30 611 30 100.0 575 94.2 0 0.0 0.0 16 0 74 123 0 85 148 575 0 375 162 97.3 0.0 94.8 97.4, 0.0 96.2 97.8 97.5 96.0 0.0 94.8 86.8 0 0 0.0 0.0 69.5 94.3 0.0 45.2 540 924 110 234 206 55.6 20 3 300 NORTH CAROLINA NORTH DAKOTA DHIO 200 0.0 96.3 0 685 0.0 312 11 352 36 19 52 0 8 352 0 OHIO
OKLAHDMA
OREGON
PENNSYLVANIA
RHODE ISLAND
SOUTH CAROLINA
SOUTH DAKOTA
TENNESSEE
TEXAS
UTAH 86.1 120 98.2 97.9 91.3 0.0 120 100.0 0 0.0 197 81.8 0 0.0 0 0.0 2 0.0 0.0 68.1 0.0 0.0 19.3 0.0 29.4 94.7 39.1 0.0 Ō 241 58 164 0 8 3 27 42 0 36 88.1 10 100.0 117 100.0 177 84.2 0 0.0 25 100.0 0 0 0 2 2 2 000110083700 91.4 96.6 93.3 94.6 VERMONT 96.4 98.2 85.0 92.8 94.9 98.8 85.0 25 0.0 5 0 3 7 203 47 12 212 47 12 880 237 VIRGINIA 456 51.8 237 100.0 259 WASHINGTON WEST VIRGINIA WISCONSIN 236 237 100.0 41 69.9 58 98.0 0.0 0.0 0.0 MYONING 0.0 0.0 0.0 AMERICAN SAMOA GUAM N. MARIANAS PUERTO RICO 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0 0 0 0.0 0 0 PAC. TR. TERR. VIRGIN ISLANDS 0 0.0 0 0.0 0.0 0 0.0 ō ā 0.0 ā U.S. TOTALS 11.063 2,478 83 96.6 2,523 129 200 7,114 451 66.6 104 2.734 24.7

NOTES: 1. FLOWS IN CUBIC METERS X 1000 2. METRIC TONS X .9072 = SHORT TONS

^{3.} SUM OF ENTRIES MAY NOT EQUAL TOTALS DUE TO ROUND-OFFS

^{4.} FACILITIES WITH ZERO DISCHARGE UR RAW DISCHARGE ARE NOT INCLUDED

NUMBER OF PLANTS PROJECTED FOR TERTIARY TREATMENT BY YEAR 2000 (BY TOTAL PROJECTED DESIGN FLOW)

Table 35 is a flow summary for all tertiary treatment plants projected to be in operation by the year 2000. The treatment levels attained by tertiary plants are defined in terms of the effluent BOD_5 concentration and/or the removal of nitrogen. A plant is considered to be tertiary in design if it is capable of consistently producing an effluent with a BOD_5 concentration less than 10 mg/l and/or it has specific processes which can remove more than 50 percent of the total nitrogen present in the plant influent. A summary is provided for each State and U.S. Territory. National totals are summarized at the bottom of the table.

In the second column the total number of projected tertiary treatment plants in each State is reported. Column three represents the total wastewater treatment capacity of these plants in thousand cubic meters per day. The projected design flow for each plant was used to calculate the total treatment capacity value.

Subsequent columns provide a breakdown of the State totals into seven flow ranges. The ranges specified in the column headings are reported in thousand cubic meters per day and, in parentheses beneath the headings, in million gallons per day. Reported for each flow range are the number of plants within that range and the percentage of the total State tertiary treatment capacity that is accounted for by each flow range.

Included in this summary are all tertiary plants in operation in 1982 which will not be abandoned between 1982 and 2000; primary, advanced primary, secondary, and advanced secondary plants which will be upgraded to tertiary levels before 2000; and new tertiary plants which will be constructed prior to 2000.

Some column entries will be found which list a value for the number of plants but show zero for Total Design Flow or Percent of Flow. This occurs when the design flow value is less than 0.5 or the percent value is less than 0.05; in these cases the value is rounded to zero.

NUMBER OF PLANTS PROJECTED FOR TERTIARY TREATMENT BY YEAR 2000

(BY TOTAL PROJECTED DESIGN FLOW)

			****	***	******	***	PLANTS AND PE	RCENT OF	FLON 1	BY FLON RANGE	*****	*****	*****	*****
	TOTAL	TOTAL Design	04 (010		.401-1. (.11	50)	1.901-4 (.51-1.05)	4.001 (1.06-	5.01)	19.001-40 (5.02-10.56)	40.00 (10.57		190.	001+ .2+)
STATE	PLANTS	FLOM	PLANTS F	KOM K	PLANTS FI	K Loh	X Plants Flon	PLANTS	X Floh	X Plants flow	PLANT	X S FLOW	PLANT	X S FLOH
ALABAMA	3	69	0	0.0	1 1	1.6	0 0.0		11.8					
ALASKA	Ŏ	Ď		0.0		0.0	0 0.0	1	0.0	8 0.0 0 0.0	1	86.5	0	0.0
ARIZONA	1	•		0.0		0.0	0.0		,,,,	0 0.0 0 0.0	0	0.0	0	0.0
ARKANSAS	29	101		1.7		1.7	4 12.5	-	49.6	1 24.2	0	0.0	0	0.0
CALIFORNIA	12	1,193	1	0.0		0.1	0 0.0	ó	0.0	4 11.0	3	27.0	2	61.7
COLORADO	1	5	0	0.0	0 0	0.0	0 0.0	ĭ	99.9	à 0.0	ő	0.0	ē	0.4
CONNECTICUT	•	52		0.6	2 3	3.0	0 0.0	Ž	52.6	1 43.6	ă	0.0	ŏ	0.0
DELAWARE	1	1		0.0	1 99	9.9	0 0.0	0	0.0	0 0.0	ŏ	0.0	ō	0.0
DIST. OF COLUM. FLORIDA	.1	1,169		0.0		0.0	0 0.0	0	0.0	0 0.0	Ō	0.0	ĭ	99.9
GEORGIA	28 3	967	-	0.0		0.2	3 1.0		10.5	4 11.7	6	31.8	ī	44.5
HAMAII	Š	46		0.0 0.0		0.0	0 0.0		55.5	1 44.4	0	0.0	0	0.0
IDAHO	Š	119	•	0.0		0.0	0 0.0	0	0.0	0 0.0	0	0.0	0	0.0
ILLINOIS	2	ií		6. a).O 5.8	1 1.6		16.1	0 0.0	2	82.1	0	0.0
INDIANA	3	52	•	0.0).0	0 0.0 0 0.0		84.1	0 0.0	0	0.0	0	0.0
IOHA	Ŏ	Ō		0.0		0.0	0 0.0	6	45.5 0.0	1 54.4 0 0.0	0	0.0	0	0.0
KANSAS	0	Ō	Ď	0.0			0 0.0	ŏ	0.0	0 0.0	0	0.0	0	0.0
KENTUCKY	3	3	0	0.0		.,	0 0.0	ŏ	0.0	0 0.0	Ö	0.0	0	0.0
LOUISIANA	5	78	0	0.0		.,	1 4.1	ĭ	9.8	1 28.8	ĭ	56.2	ů	0.0 0.8
MAINE	. 4	17		3.3	1 2	2.5	0 0.0		94.0	0 0.0	i	0.0	ő	0.0
MARYLAND	11	368		0.1		1.5	1 0.5	2	6.1	0 0.0	3	92.5	ă	0.0
MASSACHUSETTS Michigan	13	340		0.0		3.0	1 0.7	4 .	15.3	6 47.9	ž	35.8	ŏ	0.0
MINNESOTA	17 39	617		0.0		.,	1 0.4	6	6.4	1 3.6	3	56.6	ī	31.8
MISSISSIPPI	37	144 35		2.0		3.2	8 16.1		51.3	1 22.1	0	0.0	Ó	0.0
MISSOURI	7	99		D.1		1.0	0 0.0	-	9.8	0 0.0	0	0.0	0	0.0
MONTANA	ō	ŏ	•	0.0). D	0 0.0 0 0.0	0	0.0	0 0.0	0	0.0	0	0.0
NEBRASKA	Ŏ	ŏ	•	0.0			0 0.0	0	0.0	0 0.0	0	0.0	0	0.0
NEVADA	1	ō		D. 0		.,	0 0.0	ŏ	0.0	0 0.0 0 0.0	0	0.0	0	0.0
NEW HAMPSHIRE	4	30	0	0.0		. 0	1 6.9	-	3.0	0 0.0	ŏ	0.0 D.D	9	0.0
HEH JERSEY	21	611		0.0	2 0	. 3	2 1.0		8.7	2 9.1	3	24.3	1	46.4
NEW MEXICO New York	0	. 0		0.0	0 0	.0	0 0.0	ő	0.0	0 0.0	á	0.0	i	0.0
NORTH CAROLINA	102	540		1.2		. 2	5 2.5	16 2	26.3	5 26.9	2	33.6	ā	0.0
NORTH DAKOTA	134	924		1.0		. 3	10 2.8	17 2	20.7	7 22.3	5	50.6	Ō	0.0
OHIO	"	1.514		0.0		.0	0 0.0	0	0.0	0 0.0	0	0.0	0	0.0
OKLAHOMA	2	120		3.3 3.0		. 2	15 3.0		7.4	6 11.6	3	16.2	1	49.9
DREGON	3	79).4		. 0	0 0.0	1	5.5	0 0.0	1	94.4	0	0.0
PENNSYLVANIA	32	241				. 9	1 4.7 6 7.3	7 3	0.0	0 0.0	1	94.7	0	0.0
RHODE ISLAND	0	0	ō i	1.0		. 0	0 0.0	0	5.0 0.0	5 52.6 0 0.0	0	0.0	0	0.0
SOUTH CAROLINA SOUTH DAKOTA	?	41 10	2 6	2.9	1 3	. 3	0 0.0	4 9	5.4	0 0.0	ŏ	0.0	0	0.0
TENNESSEE	10 21	117) . Ó	9 0	٠ğ	0 0.0 3 8.8	1 1	9.9	0 0.0	Ō	Ŏ.Ŏ	Ō	0.0
TEXAS		210		i. ī	5 3	. 5	3 3:8	3 2	3.7	3 31:6	ę i	0.0 26.9	8	0.0
UTAH Vermont	0	. 0		3.0	0 0	. 0	0 0.0	0	0.0	0 0.0	ċ	0.0	ō	0.0
VIRGINIA	.1	25		3.0		.0	0 0.0	0	0.0	1 100.0	ō	0.0	ŏ	0.0
WASHINGTON	25 3	880 237		3.1		.7	1 0.2	4	4.4	1 3.1	5	46.1	ž	45.1
HEST VIRGINIA	11	58		3.D		. 9	0 0.0	0	0.0	0 0.0	0	0.0	ī	99.0
HISCONSIN	·i	8). O		. 1	2 9.8		3.9	0 0.0	0	0.0	0	0.8
HYOMING	ō	ŏ				. 0	8 0.0 0 0.0		9.9	0 0.0	0	0.8	0	0.0
AMERICAN SAMOA	ŏ	ŏ		. o		. 0	0 0.0	0	0.0	0 0.0	0	0.0	0	0.0
GUAN	0	0				. 0	0 0.0	Ö	0.0	0 0.0 0 0.0	0	0.0	0	0.0
H. HARIANAS	0	0		0.0		. 0	0 0.0	ŏ	0.0	0 0.0	0	0.0	0	0.0
PUERTO RICO	0	0		0.0		. 0	0 0.0	ō	0.0	0 0.0	Ö	0.0		0.0
PAC. TR. TERR. Virgin islands	0	0		. 0		. 0	0 0.0	0	0.0	0 0.0	ŏ	0.0	ă	0.0
	0	0	0 (.0	0 0	. 0	0 0.0	0	0.0	0 0.0	ŏ	0.0	ō	0.0
U.S. TOTALS NOTES: 1. FLOW RA	670	11.063		. 2		. 4	69 1.8	168 1	4.6	54 13.4	42	30.2	10	38.0

NOTES: 1. FLON RANGE VALUES IN CUBIC METERS PER DAY X 1000. (APPROXIMATE MGD IN PARENTHESES).

^{2.} TOTAL STATE FLOW IN CUBIC METERS PER DAY X 1000.

TERTIARY TREATMENT FACILITIES TO BE BUILT BETWEEN 1982 and 2000 (BY TOTAL PROJECTED DESIGN FLOW)

Table 36 is a flow summary for all new tertiary treatment plants which will be constructed between 1982 and 2000. The treatment levels attained by tertiary plants are defined in terms of the effluent BOD_5 concentration and/or the removal of nitrogen. A plant is considered to be tertiary in design if it is capable of consistently producing an effluent with a BOD_5 concentration less than 10 mg/l and/or it has specific processes which can remove more than 50 percent of the total nitrogen present in the plant influent. A summary is provided for each State and U.S. Territory. National totals are summarized at the bottom of the table.

In the second column the total number of new tertiary treatment plants to be constructed in each State is reported. Column three represents the total treatment capacity value reported in thousand cubic meters per day.

Subsequent columns provide a breakdown of the State totals into seven flow ranges. The ranges specified in the column headings are reported in thousand cubic meters per day and, in parentheses beneath the headings, in million gallons per day. Reported for each flow range are the number of plants in the range and the percentage of the State tertiary treatment capacity that is accounted for by each flow range.

Included in this summary are entirely new tertiary plants which are planned to be constructed by the year 2000. Excluded are tertiary plants that were operational in 1982 and primary, advanced primary, secondary, and advanced secondary plants planned to be upgraded to tertiary treatment by the year 2000.

Some column entries will be found which list a value for the number of plants but show zero for Total Design Flow or Percent of Flow. This occurs when the design flow value is less than 0.5 or the percent value is less than 0.05; in these cases the value is rounded to zero.

TERTIARY TREATMENT FACILITIES TO BE BUILT BETWEEN 1982 AND 2000 (BY TOTAL PROJECTED DESIGN FLOW)

			*****	********	PLANTS AND PE	RCENT OF FLON E	Y FLOH RANGE	*********	*******
	TOTAL	TOTAL	04 (010)	.401-1.9 (.1150)	1.901-4 (.51-1.05)	4.001-19 (1.06-5.01)	19.001-40 (5.02-10.56)	40.001-190 (10.57-50.19)	190.001+ (50.2+)
STATE	PLANTS	DESIÇN Floh	PLANTS FLOW	* PLANTS FLOW	X PLANTS FLOW	X Plants flow	X PLANTS FLON	PLANTS FLOW	PLANTS FLOW
ALABAMA	0	0	0 0.0	0 0.0	0 0.0				
ALASKA	ŏ	ŏ	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0 0 0.0	0 0.0	0 0.0
ARIZONA	0	Ō	0 0.0		0 0.0	0 0.0	0 0.0 0 0.0	0 0.0	0 0.0
ARKANSAS	4	1	3 43.2	1 56.7	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0 0 0.0
CALIFORNIA	0	0	8 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
CDLDRADO Cunnecticut	0	Đ	0 0.0	9 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
DELAWARE	3	1	1 17.2	2 82.7	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
DIST. OF COLUM.	0	0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
FLORIDA	2	88	0 0.0	0 0.0	0 0.0	0 6.6	0 0.0	0 0.0	0 0.0
GEORGIA	ō	00	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	2 99.9	0 0.0
HAHAII	ŏ	ŏ	0 0.0	0 0.0	0 0.0 0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
IDAHO	Ö	Ō	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
ILLINOIS	0	0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
INDIANA	0	9	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
IOWA	0	0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0 0 0.0
KANSAS Kentucky	g .	0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
LOUISIANA	1 2	.0	0 0.0	1 99.9	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
MAINE	3	53	0 0.0	1 3.0	0 0.0	0 0.0	1 96.9	0 0.0	0 0.0
HARYLAND	i	1 90	2 56.7 0 0.0	1 43.2	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
MASSACHUSETTS	;	56	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	1 99.9	0 0.0
MICHIGAN	ī	0	1 99.9	0 0.0	1 4.7	0 0.0	0 0.0	1 95.2	0 0.0
MINNESOTA	ō	ŏ	0 0.0	0 0.0	0 0.0	0 0.0 0 0.0	0 0.0	0 0.0	0 0.8
MISSISSIPPI	1	ě	1 99.9	0 0.0	0 0.0	0 0.0	0 0.0 0 0.0	0 0.0	0 0.0
MISSOURI	0	0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.8 0 0.0	0 0.0 0 0.0
MONTANA	0	0	9 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
NEBRASKA Nevada	Ō	o	0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
NEW HAMPSHIRE	0	.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
NEW JERSEY	2	18 15	0 0.0	0 0.0	0 0.0	2 99.9	0 0.0	0 0.8	0 0.0
NEW MEXICO	7	7.2	0 0.0	2 14.6 0 0.0	0 0.0	2 85.3	0 0.0	0 0.0	0 0.0
NEW YORK	45	69	24 7.0	0 0.0 15 19.3	0 0.0 1 4.3	0 0.0 4 39.0	0 0.0	0 0.0	0 0.0
NORTH CAROLINA	32	71	27 6.5	2 1.1	1 4.3	4 39.0 0 0.0	1 30.0	0 0.0	0 0.0
NORTH DAKOTA	0	Ö	0 0.0	0 0.0	0 0.0	0 0.0	2 87.5 0 0.0	0 0.0	0 0.0
0110	29	29	18 14.0	6 19.2	4 47.5	1 19.1	0 0.0	0 0.0 0 0.0	0 0.0 0 0.0
CKLAHOMA	0	0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0 0 0.0
OREGON Pennsylvania	0	Ō	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
RHODE ISLAND	5 0	6 0	1 2.9	3 57.7	1 39.3	0 0.0	0 0.0	0 0.0	0 0.0
SOUTH CAROLINA	3	14	0 0.0 2 2.8	0 0.0 0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
SOUTH DAKOTA	Q	Ō	ō ō.ō	0 0.0	0 0.0	1 97.1 0 0.0	0 0.0	0 0.0	0 0.0
TEXAS	0	17	0 0.0	0 0.0	0 0.0	0 0.0	ŏ ŏ.ŏ	ō ō.ō	ŏ ŏ.ŏ
HATU	Ŏ	Ò	0 0.0	0 0.0	0 0.0 0 0.0	1 99.9	0 0.0	0 0.0	0 0.0
VERMONT	0	0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
VIRGINIA	13	17	4 5.2	7 33.6	1 13.7	0 0.0 1 47.3	0 G.G 0 G.G	0 0.0	0 0.0
WASHINGTON West Virginia	0	8	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0 0 0.0	0 0.0 0 0.0	0 0.0
WISCONSIN	3	5	0 0.0	2 36.0	1 63.9	0 0.0	0 0.0	U 0.0	0 0.0
MYDNING	9	0	0 0.0	0 0.0	0.0	0 0.0	0.0	0 0.0	0 0.0 0 0.0
AMERICAN SAMDA	ř	ŏ	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
SUAM	ě	ŏ	0 0.0	0 0.0 0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
N. MARIANAS	ŏ	ŏ	0 0.0	0 0.0	0 0.0 0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
PUERTO RICO	0	Ö	0 0.0	0 0.0	0 0.0	0 0.0 0 0.0	0 0.0	0 0.0	0 0.0
PAC. TR. TERR.	0	0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0 0 0.0	0 0.0	0 0.0
VIRGIN ISLANDS	0	0	0 0.0	V 0.0	0 0.0	0 0.0	0 0.0	0 0.0 0 0.0	0 0.0 0 0.0
U.S. TOTALS	157	530	84 3.2	43 7.1	10 5.9	12 19.6	4 19.9	4 44.0	0 0.0
NOTES: 1. FLOW R	RANGE VALU	ES IN CUI	BIC METERS PE	R DAY Y 1000.	APPROXIMATE MG	D IN BARCHTURE			

NOTES: 1. FLOW RANGE VALUES IN CUBIC METERS PER DAY X 1000. (APPROXIMATE MGD IN PARENTHESES).

^{2.} TOTAL STATE FLOW IN CUBIC METERS PER DAY X 1000.

DOLLAR NEEDS FOR CONSTRUCTION OF NEW TERTIARY TREATMENT FACILITIES, BY PLANT SIZE

Table 37 summarizes the projected costs, reported in January 1982 dollars, for the construction of new tertiary treatment plants to be built between 1982 and 2000. Table 37 is a direct extension of Table 36.

The summary indicates a total dollar need per State for new tertiary facilities. The State totals are broken down into dollar needs by flow range. The dollar needs of an individual plant are included in the total for the flow range shown which encompasses a plant's projected design capacity.

DECEMBER 31, 1982 TABLE 37

1982 HEEDS SURVEY

DOLLAR NEEDS FOR CONSTRUCTION OF NEW TERTIARY TREATMENT FACILITIES, BY PLANT SIZE

(THOUSANDS OF 1982 DOLLARS)

			*****	*****	**** TOTAL	PROJECTED DEST	CON FLON ***	*****	*****
CUBIC METERS (MILLION GALL		00:	048 (018)	.401-1.9 (.1150)	1.901-4.0 (.51-1.05)	4.001-19 {1.06-5.01}	19.001-40 (5.02-10.56)	40.001-190 (10.57-50.19)	190.001+
STATE	Q OF PLANTS	STATE NEEDS	HEEDS	HEEDS	NEEDS	HEEDS	HEEDS	NEEDS	MEEDS
LABAHA	0	0	0	0	0			0	
ALASKA Arizona	0	0	0	0	Ó	Ŏ	Ŏ	ŏ	i
ARKANSAS	0 4	0 1,872		0	0	Ō	0	0	Ō
CALIFORNIA	ŏ	1,0,2	1,326	546 0		0	0	Ō	0
COLORADO	Ö	ŏ	ŏ	ŏ	Ď	υ Λ	•	0	0
ONNECTICUT	3	11,922	563	11,359	ŏ	ŏ	ă	ů	
JELAWARE	0	0	0	0	Ó	Ď	ŏ	ŏ	ĭ
JIST. OF COLUM.	2	0 52,164	0	0	0	0	0	Ō	č
SEORGIA	ō	26,164		0	9	0	0	32,164	•
HAWAII	Ŏ	ŏ	ŏ	ů		0	0		0
IDAHO	0	Ō	Ŏ	ŏ	ŏ	ĭ		0	9
ILLINDIS Indiana	0	Q.	0	0	Õ	Ŏ	ŏ	ă	ĭ
IONA	0	8	0	0	0	6	ō	ě	ě
KANSAS	ă	ŭ				0	0	C C	0
KENTUCKY	ĭ	1.307	ŏ	1.307		0	0	0	•
LOUISIANA	2	11,315	Ŏ	8	ĭ	ň	11,315		
MAINE Maryland	3	3,559	1,660	1.899	Ŏ	ŏ		š	ï
MASSACHUSETTS	1 2	0	0	Ō	0	0	0	Ō	ď
MICHIGAN	í	51,360 a	0	0	3,444	ō	0	47,916	0
MINNESOTA	i	š	0		9		0	0	0
MISSISSIPPI	1	606	606	ŏ	ă	ň		0	
MISSOURI	0	Ģ	0	Ō	Ŏ	ŏ	ŏ	ŏ	ĕ
MONTANA Mebraska	0	0	0	0	0	Ō	Ō	Ŏ	ō
NEVADA	ő	D D	0	0	0	0	0	0	0
NEW HAMPSHIRE	ž	14,330	ŏ		8	14,330	0	0	0
NEW JERSEY	4	10,081	č	ŏ	ă	10,081	0	0	
NEW MEXICO	.0	. 0	Ó	Ŏ	Ŏ	0	ŏ	ă	ă
NEW YORK North Carolina	45 32	82,044	30,855	14.095	5,276	31,818	Ō	Ŏ	Ŏ
NORTH DAKOTA	3 <i>2</i> 0	35,452	9,608	1.596	3,744	0	20,504	0	0
OHIO	29	33,189	11,414	0 4,448	0 10.686	6,641	8 0	0	0
DKLAHDHA	0	0	0	7,440	10,400	0,041	0		
DREGON	Ō	0	0	Ō	Ŏ	ŏ	ŏ	ŏ	ŏ
PENNSYLVANIA RHODE ISLAND	5 0	4,734	580	3,692	2,462	0	Ō	Ŏ	ŏ
SOUTH CAROLINA	3	7,669	760	0	0	,0	0	0	0
TENNESSEE	0		0	Ď	ŏ	6.909	ŏ	8	8
TEXAS	ĭ	ő	0	8	8	8	Q	ğ	ğ
UTAH	0	0	D	Ď	ŭ	Ď		•	
VERMONT Virginia	.0	0	Ō	Ŏ	ō	ŏ	ï	ĭ	ř
MYZKINELON	13	15,338	1,408	7,493	650	5,787	ŏ	ĭ	i
WEST VIRGINIA	3	8,603	0	0	0	0	0	0	Ŏ
WISCONSIN	ŏ	0,003	0	8,603 0		0	0	0	0
WYOMING	0	Ŏ	ŏ	Ö	Ď	0		0	9
AMERICAN SAMOA Guam	0	0	o	0	ō	ŏ	Ď	ů	Ď
N. MARIANAS	0	0	0	0	0	Ō	Ō	ŏ	ŏ
PUERTO RICO	ö	0	9 0	0	0	0	0	0	Ö
PAC. TR. TERR.	Ď	Ď	Ö	0	0	0	0	0	0
VIRGIN ISLANDS	0	0	ō	ő	Š	ŭ	0	U 8	
U.S. TOTALS	157	247 545	** ***			-	•	•	•
new	.91	347,545	58.780	55,036	26,262	75,544	31.819	100,080	9

NATIONAL DOLLAR NEEDS FOR CHANGES IN EXISTING TREATMENT PLANTS

Table 38 summarizes the dollar needs for changes to treatment facilities which were in operation in 1982.

The table is divided into three sections. The first section details the planned changes and costs by present design level of treatment for all treatment facilities in operation in 1982. Sections two and three summarize the costs to upgrade and enlarge and upgrade presently operating facilities from the current level of treatment to the level projected in year 2000. A detailed explanation of the change categories is given in the discussion accompanying Table 3.

In the section illustrating Dollar Needs by Type of Planned Change, large needs are shown for plants listed in the Other and No Change columns. A number of situations are covered in these categories. One common situation is a treatment plant which will require a capital expenditure, such as for a new sludge digestor, but the degree of treatment and hydraulic capacity will not be changed.

The largest total dollar needs are for changes to existing secondary treatment plants. In section one it can be seen that over 7,900 secondary treatment facilities are currently in operation. The total dollar needs for these facilities between 1982 and 2000 are projected at over \$10 billion. Section two indicates that almost 600 of the secondary treatment facilities in operation will be upgraded at a cost of almost \$1 billion, and section three indicates that almost 900 of the secondary plants will be enlarged and upgraded at a cost of nearly \$4 billion. The remaining secondary treatment dollar needs are for enlargements or other changes that do not involve an upgrade in the level of treatment.

The actual number of sites being upgraded and enlarged and upgraded from one level of treatment to another is summarized in Table 39.

DECEMBER 31, 1982 TABLE 38

1982 NEEDS SURVEY NATIONAL DOLLAR NEEDS FOR CHANGES IN EXISTING TREATMENT PLANTS (THOUSANDS OF 1982 DOLLARS)

	● OF	TOTAL	*******	********		EDS BY TYPE	OF PLANNED	CHANGE HHH	**************************************	******
TYPE	PLANTS	DOLLAR NEEDS	ENLARGE	UPGRADE	ENLARGE 1 UPGRADE	REPLACE	OTHER	ABANDON	RETAIN Sewers	NO Change
RAW DISCHARGE	188	1,296,219	0	1,296,219	a		0	0	D	0
LESS THAN SECONDARY	3,119	7,941,682	161,273	2,484,377	3,745,511	940,782	557,224	36.996	15,519	0
SECONDARY	7,946	10,099,385	2,914,088	982,321	3,972,569	885,290	1,337,652	0	7,465	0
ADVANCED SECONDARY	2,529	6,437,748	2,254,026	514,214	1,801,832	79,962	1,773,779	0	7,393	6,542
TERTIARY	231	260,642	143,677	2.346	64,557	0	38,633	0	0	11,207
NO DISCHARGE	1,600	448,756	286,648	3,328	27,522	95,747	35,511	0	0	6
TOTAL	15.613	26,484,432	5,759,934	5,282,805	9,611,991	2.001,781	3,742,799	36,996	30,377	17,749
		TOTAL	*****	****	DOLLAR NEE	DS FOR PLAN	TS TO BE UP	GRADED TO #	*****	****
TYPE	OF PLANTS	DOLLAR NEEDS		THAN Indary	SECONDARY	ADVA Secon		TERTIARY	NO Dischar	SE
RAW DISCHARGE	188	1,296,219		0	1,183,965	78	, 966	17,641	15,64	47
LESS THAN SECONDARY	945	2,484,377		0	2,230,866	219	,900	25,255	8.3	56
SECONDARY	580	982,321		o	34,047	863	, 980	58,090	26.21	04
ADVARCED SECONDARY	178	514,214		0	0	486	, 656	12,048	15.5	10
TERTIARY	11	2,346		0	0		0	2,346		0
ND DISCHARGE	8	3,328		0	210		0	0	3.11	18
TOTAL	1,910	5.282,805		8	3,449,088	1,649	. 502	115,380	68,83	
		****	***	**** DOLLAR	NEEDS FOR	PLANTS TO B	E ENLARGED .	AND UPGRADED	TO ******	******
TYPE	# DF Plants	TOTAL DOLLAR NEEDS		THAN NDARY	SECONDARY	ADVA Secon		TERTIARY	NO Discharg	ŧΕ
RAN DISCHARGE	0	0		0	D		O	Đ		0
LESS THAN SECONDARY	1,058	3,745,511	5	4,554	2,803,982	715	766	100,784	70,42	:5
SECONDARY	871	3,972,569		0	110,083	3,195	330	408,812	258,34	.4
ADVANCED SECONDARY	206	1.801.832		0	0	1,373	008	262,526	166,29	8
TERTIARY	10	64.557		0	0		0	46,307	18.25	
NO DISCHARGE	16	27,522		0	16,508	9,	418	0	1,59	6
TOTAL	2.161	9,611,991	50	4,554	2,930,573	5.29\$	522	818,429	514.91	3

NATIONAL SUMMARY OF TREATMENT PLANT UPGRADES FOR PLANTS OPERATING IN 1982

Table 39 summarizes the upgrades projected for facilities in operation in 1982.

The Present Totals column gives the total number of facilities and total present design flow for plants that will undergo some type of upgrade between 1982 and 2000. The columns to the right of Present Totals show the number of facilities and the projected design flow after the upgrades.

For example, 1,451 existing secondary facilities with current design flows of approximately 13,673,000 cubic meters per day will be upgraded by the year 2000. The level to which each will be upgraded is listed to the right of the Present Total. The projected design flow of these plants following upgrade will total 18,700,000 cubic meters per day for all levels of treatment in 2000, which is the total of the flows listed as the second item under each projected level of treatment. The difference in flow between the projected 18,700,000 cubic meters per day and the present 13,673,000 cubic meters per day represents treatment plants being enlarged, as well as upgraded.

The costs involved to accomplish the various upgrades are summarized in Table 38.

All flows are reported in thousand cubic meters per day.

A facility may show an upgrade even though the general level of treatment is not changed. For example, a plant can upgrade from an advanced secondary level to an advanced secondary level. This can occur because the general levels of treatment represent a range of effluent values rather than a single value.

1982 NEEDS SURVEY NATIONAL SUMMARY OF TREATMENT PLANT UPGRADES FOR PLANTS OPERATING IN 1982

******* PROJECTED LEVEL OF TREATMENT FOR YEAR 2000 ***************** PRESENT LEVEL OF TREATMENT PRESENT NO Discharge LESS THAN ADVANCED SECONDARY TOTALS SECONDARY SECONDARY TERTIARY 13 SITES 1 KCMD 0.8 % ROW 0.0 % COL 0.0 % ALL RAW DISCHARGE 142 SITES 144 KCMD 89.6 % ROW 1.0 % COL 0.2 % ALL 0 SITES 0 KCMD 0.0 % ROW 0.0 % COL 0.0 % ALL 188 SITES 161 KCMD 29 SITES 13 KCMD 8.1 % ROW 0.0 % COL 0.0 % ALL 4 SITES 2 KCMD 1.2 % ROW 0.0 % COL 0.0 % ALL LESS THAN SECONDARY 2,003 SITES 16,538 KCMD 85 SITES 199 KCMD 1.0 % ROW 12.7 % COL 0.3 % ALL 2 SITES 734 KCMD 3.8 % ROW 100.0 % COL 1.3 % ALL 1,512 SITES 13,023 KCMD 68.0 X ROW 92.9 X COL 23.7 X ALL 352 SITES 4,684 KCMD 24.4 % ROW 14.4 % COL 8.5 % ALL 52 SITES 500 KCMD 2.6 % ROW 8.1 % COL 0.9 % ALL SECONDARY 1,451 SITES 13,673 KCMD 83 SITES 805 KCMD 4.3 % ROW 51.3 % COL 1.4 % ALL 0 SITES 0 KCMD 0.0 % ROW 0.0 % COL 0.0 % ALL 98 SITES 778 KCMD 4.1 % ROW 5.5 % COL 1.4 % ALL 1,133 SITES 15,546 KCMD 83.1 % ROW 47.8 % COL 28.2 % ALL 137 SITES 1,571 KCMD 8.4 % ROW 25.6 % COL 2.8 % ALL 25 SITES 442 KCMD 2.7 % ROH 28.2 % COL 0.8 % ALL ADVANCED SECONDARY 384 SITES 13,555 KCMD 0 SITES 0 KCMD 0.0 % ROW 0.0 % COL 0.0 % ALL 0 SITES 0 KCMD 0.0 % ROW 0.0 % COL 0.0 % ALL 294 SITES 12,236 KCMD 76.1 % ROW 37.6 % COL 22.2 % ALL 65 SITES 3,391 KCMD 21.1 % ROW 55.3 % COL 6.1 % ALL TERTIARY 4 SITES 113 KCMD 14.5 % ROW 7.2 % COL 0.2 % ALL 0 SITES 0 KCMD 0.0 % ROW 0.0 % CDL 0.0 % ALL 21 SITES 491 KCMD 0 SITES 0 KCMD 0.0 % RDW 0.0 % CDL 0.0 % ALL 0 SITES 0 KCMD 0.0 % ROW 0.0 % CDL 0.0 % ALL 17 SITES 663 KCMD 85.4 % ROW 10.8 % COL 1.2 % ALL 8 SITES 5 KCMD 6.2 % ROW 0.3 % COL 0.0 % ALL NO DISCHARGE 24 SITES 58 KCMD 0 SITES 0 KCMD 0.0 % ROW 0.0 % COL 0.0 % ALL 9 SITES 60 KCMD 69.2 % ROW 0.4 % COL 0.1 % ALL 7 SITES 21 KCMD 24.4 % ROW 0.0 % COL 0.0 % ALL 0 SITES 0 KCMD 0.0 % ROW 0.0 % COL 0.0 % ALL 218 SITES 1,567 KCMD 2.8 % ROW 100.0 % COL 2.8 % ALL TOTALS 4,071 SITES 44,478 KCMD 2 SITES 734 KCMD 1.3 % RDH 100.0 % COL 1.3 % ALL 1,761 SITES 14,007 KCMD 25.4 % ROW 100.0 % COL 25.4 % ALL 1,815 SITES 32,502 KCMD 59.1 % ROW 100.0 % COL 59.1 % ALL 275 SITES 6,129 KCMD 11.1 % ROW 100.0 % COL 11.1 % ALL

NOTES: 1. PERCENTAGES ARE FUNCTION OF FLOW IN ROW, COLUMN AND OVERALL(ALL).

^{2.} FLOW VALUES ARE PROJECTED DESIGN FLOWS IN CUBIC METERS PER DAY X 1000 (KCMD).

ANALYSIS OF LIQUID EFFLUENT DISPOSAL NUMBER OF RESPONSES

Table 40 summarizes the methods utilized by municipal sewerage authorities to dispose of the liquid effluents generated by treatment works. The summary describes the current situation (1982) and the changes expected to occur.

The Current Status portion of the table lists the liquid effluent disposal methods reported in the Survey. The total methods in operation are greater than the total number of facilities because more than one method may be employed by a treatment facility. The lower portion of the table provides a breakdown of the various effluent disposal methods and the changes projected to occur. A brief explanation of each disposal method is given below:

Outfall to Surface Waters: Direct discharge to a body of fresh water.

Ocean Outfall: Direct discharge to an ocean, estuary, or bay.

<u>Groundwater Recharge</u>: Disposal of effluent via deep well or other methods in order to replenish a groundwater aquifer for the purpose of municipal, agricultural or industrial reuse, or to control salt water intrusion or land subsidence.

Other Land Disposal: Disposal of effluent on public or private land for other than agricultural purposes (municipal golf course watering, highway right-of-way maintenance, etc). No effluent recovery is practiced.

<u>Recycling and Reuse</u>: Direct reuse of effluent for purposes other than irrigation in an industrial process, such as cooling or quenching. Also included is reuse or reclamation of the water for other than irrigation.

<u>Septic Tank Field</u>: Discharge of untreated waste to a septic tank with effluent disposal to a leach field or cesspool.

Other: Any method of disposal not described elsewhere in this section.

No Discharge: No discharge to surface or groundwaters such as complete retention in an evaporation lagoon.

Spray Irrigation: Reuse of treated effluent in agriculture by spraying.

<u>Ditch Irrigation</u>: Reuse of treated effluent in agriculture using a ditch, swale, or other surface flow method.

To Other WWT Plants: Direct transmission of treated effluent from a treatment plant, or raw wastes from a separate collection system, to another treatment facility for further treatment prior to final disposal.

The numbers shown for the septic tank fields refer to the number of communities or authorities that use septic tanks. The numbers are high

because of the need to replace, on a national basis, many failing septic systems with better treatment systems. In contrast, fewer of the other types of effluent disposal require change. Septic tank fields and treatment plants that discharge to surface waters are the most common effluent disposal techniques and, therefore, more of these authorities/facilities will be undergoing changes of some type. This is evident by the large total number of changes for these disposal methods shown in the lower portion of the table.

The values listed in the rows and columns of this table are not necessarily additive or cumulative. Any one facility may have a variety of effluent disposal methods and any one of the methods can be undergoing change independently.

1982 NEEDS SURVEY ANALYSIS OF LIQUID EFFLUENT DISPOSAL NUMBER OF RESPONSES

UNITED STATES TOTAL

CURRENT STATUS

IN OPERATION 42,171

UNDER CONSTRUCTION 1.033

REQUIRED, BUT NOT YET APPROVED OR FUNDED

10.014

*****DISPOSAL METHOD**** ***TOTAL*** ENLARGE AND NEW ND ENLARGE UPGRADE UPGRADE CONST. REPLACE ABANDON CHANGE OTHER OUTFALL TO SURFACE WATERS 414 297 6,078 259 1,970 10,317 30 19.742 OCEAN OUTFALL 10 142 23 46 215 n 443 GROUND WATER RECHARGE 2 1 55 25 113 203 n OTHER LAND DISPOSAL 0 1 1 68 B 6 26 n 102 RECYCLING AND REUSE 3 1 1 51 Λ 4 44 n 104 SEPTIC TANK FIELD 3.161 174 1 3 5 15,264 4,428 1 23,037 OTHER 1 a 1 17 1 15 29 0 64 NO DISCHARGE 9 2 1 643 2 272 834 1,763 SPRAY IRRIGATION 19 1 504 0 461 1,017 DITCH IRRIGATION 2 5 98 3 279 1 408 TO OTHER WWT PLANTS 212 20 3,108 7 40 3,458 6 6.859 ***TOTAL*** 3,492 406 10,938 303 17,686 20,204 38 53.742

SUMMARY OF TREATMENT AND SLUDGE HANDLING PROCESSES NUMBER OF PLANTS AND ASSOCIATED FLOW UNITED STATES TOTAL

Table 41 summarizes the inventory of unit processes that was compiled during the 1982 Survey. Items 1 through 64 refer to the liquid line, items 65 through 95 refer to the sludge line, and items 96 through AD list miscellaneous processes and types of controls. Table 42 expands the data available for each of the 112 items.

Three categories of information were developed for each item (unit process). For each process, information is provided as to whether a process is Now in Use, Under Construction, or Required But Not Yet Funded. In each category the total number of processes is listed along with an associated total flow. For the Now In Use category, total flow was compiled from the present design flow of the facilities. For the Under Construction and Required But Not Yet Funded categories, total flow was compiled from the projected design flows.

A unit process as defined here includes the complete process. For example, activated sludge includes the aeration basin, associated blowers and other integral mechanical equipment, and the secondary clarifier. These items are not listed separately.

Multiple or parallel processes are counted as one process for any single facility. For example, if a facility has four aerobic digesters, the number of aerobic digesters counted in this summary is one, not four. Therefore, the Number column denotes the number of plants using that process.

SUMMARY OF TREATMENT AND SLUDGE HANDLING PROCESSES NUMBERS OF PLANTS AND ASSOCIATED FLOM (FLOM IN THOUSANDS OF CUBIC METERS PER DAY) UNITED STATES TOTAL

	UNITED ST	AIRS TOTAL		4E9U18E0	BUT	
	NON IN	USE FLON	UNDER CONSTRUCT NUMBER		HOT YET FUNDE! HUMBER	
TREATMENT PROCESSES 1. PUMPING.RAW WASTEWATER	4.839	76.814	281	1,923	3.391	4,276
2. PRELIMINARY TREATMENT - BAR SCREEN 3. PRELIMINARY TREATMENT - GRIT REMOVAL	9.234 4.453	115.725 99,403	354 220	2.510 2.330	5.847 1.673	11.016 10.713
4. PRELIMINARY TREATMENT - COMMINUTORS 5. PRELIMINARY TREATMENT - OTHERS	4,107 73	46.013 2.487	202	1.531	1.435	5.505 78
6. SCUM REMOVAL 7. Flow Equalization Basins 8. Preaeration	400 506 427	25,114 11,476 25,383	13 90 21	1.401 1.016 514	42 454 62	1.344 13.011 2.202
9. PRIMARY SEDIMENTATION 10. TRICKLING FILTER - ROCK MEDIA	5.300 2.542	108.487 21.021	134	1,712	1.569	8.282 500
il. TRICKLING FILTER - PLASTIC MEDIA 12. TRICKLING FILTER - REDWOOD SLATS	73 46	2,115	15	394 11	55 11	1,341
13. TRICKLING FILTER - OTHER HEDIA 14. ACTIVATED SLUDGE - CONVENTIONAL	2,349	381 66.586	124	3.225	1.086	11,416
15. ACTIVATED SLUDGE - HIGH RATE 16. ACTIVATED SLUDGE - CONTACT STABILIZATION 17. ACTIVATED SLUDGE - EXTENDED ABRATION	1,272	3,161 13,204	6 32 126	799 412 585	301 1,514	216 1.396 2.409
18. PURE OXYGEN ACTIVATED SLUDGE 19. BIO-DISC (ROTATING BIOLOGICAL FILTER)	2.03G 81 258	6.946 11.999 2.352	10 110	1.865	27 356	4.740 3.323
20. OXIDATION DITCH USING MECHANICAL ARRATORS 21. CLARIFICATION USING TUBE SETTLERS	632 45	1.579	136 3	382 18	535 12	1,345
22. SECONDARY CLARIFICATION 23. BIOLOGICAL HITRIFICATION - SEPARATE STAGE	907 195	9,159	74 43	883 483	341 402	2.878 7.114
24. BIOLOGICAL NITRIFICATION - BOD & NIT. 25. BIOLOGICAL DENITRIFICATION	551 40	12,250	130	2.182 40 1.975	1,352	9.047 1.763 7.483
26. POST AERATION (REAERATION) 27. MICROSTRAINERS - PRIMARY 28. MICROSTRAINERS - SECONDARY	726 33 85	14.847 1.509 2.495	185 10 17	47 185	952 15 46	106
29. SAND FILTERS 30. HIX-MEDIA FILTERS (SAND AND COAL)	1,443	11.711	227 52	3.668 1.078	2.948 173	10.904
31. OTHER FILTRATIONS 32. ACTIVATED CARBON - GRANULAR	41 25	840 1,375	8	280 328	25 13	901 1.369
33. ACTIVATED CARBON - POWDERED 34. Two stage lime treatment of RAW Wastewater	3 14	297 493	4	293	•	37 252
35. THO STAGE TERTIARY LIME TREATMENT 36. SINGLE STAGE LIME TREATMENT OF RAW WASTEMATER	19 29	627 524	5	142	10 8	246 401
37. SINGLE STAGE TERTIARY LIME TREATMENT 38. RECARBONATION	55 50	1.673 1.295 204	12 7 0	1,538 412 0	53 31 15	978 968 194
39. NEUTRALIZATION 40. ALUH ADDITION TO PRIMARY 41. ALU: ADDITION TO SECONDARY	17 77 421	2,286 8,911	3 41	22 1.142	35 450	813 4.824
41. ALU: ADDITION TO SECONDARY 42. ALUM ADDITION TO SEPARATE STAGE TERTIARY 43. FERRI-CHLORIDE ADDITION TO PRIMARY 44. FERRI-CHLORIDE ADDITION TO SECONDARY	79 52 176	1,927 5,749 5,889	1 <u>1 1 4</u>	125 27 76	48	585 224 561
45. FERRI-CHLORIDE ADDITION TO SEPARATE STAGE TERTIAN 46. OTHER CHEMICAL ADDITIONS		257 3.761	3	1,193	13	391
47. ION EXCHANGE 48. BREAKPOINT CHLORINATION	1	0 108	0 2	2.583 0 116	24 3 11	645 40
49. AMONIA STRIPPING 50. DECHLORINATION	203	338 3,343	42	0 511	192	1.482 2 3.404
51. CHLORINATION FOR DISINFECTION 52. OZONATION FOR DISINFECTION	8.487 30	92.081 1.709	485 10	2.403 532	6,498 16	17.554 526
53. OTHER DISINFECTION 54. LAND TREATMENT OF PRIMARY EFFLUENT	76	4,701 91	19 16	57 12	21 29	105 34
55. LAND TREATMENT OF SECONDARY EFFLUENT (30/30) 56. LAND TREATMENT OF INTERIMEDIATE EFFLUENT 57. STABILIZATION PONDS	\$72 180 5.3 ⁻⁴	3.183 358	84 23	395 27	477 91	2.450 166
58. AERATED LAGOONS 59. OUTFALL PUMPING	1,267 276	12.122 5.135 13.084	179 159 47	250 371 2,424	3,166 1,611	3.173 1.469
40. OUTFALL DIFFUSER 41. EFFLUENT TO OTHER PLANTS	53 18	5,744 247	8 3	156	143 37 15	3.042 3.573 448
62. EFFLUENT OUTFALL 63. OTHER TREATMENT	13.724	127,937 5,210	335 30	3.066	5.799 100	10.572
64. RECALCINATION	24	1.754	2	45	10	205
SLUDGE HANDLING METHODS 65. AEROBIC DIGESTION - AIR 66. AEROBIC DIGESTION - OXYGEN	3.349	18.857	235	2.944	1.875	5.775
67. COMPOSTING 68. ANAERODIC DISESTION	28 4,189	3,975 84.971	10 78	192 1.815	12 27 197	360 1,605 7,348
69. SLUDGE LAGOÓNS 70. HEAT TREATHENT	611	16,451 13,848	26 10	. 386 2,611	136	2.180 3.198
71. CHLORINE OXIDATION OF SLUDGE (PURIFAX) 72. LIME STABILIZATION	40 74	1.522 3.703	3 1	87 240	7 30	79 616
73. HET AIR OXIDATION 74. AIR DRYING 75. DEMATERING - MECHANICAL - VACUUM FILTER	51 6.728	3,240 51,346	216 216	1.136	2.636	297 6.290
76. DEWATERING - MECHANICAL - CENTRIFUGE 77. DEWATERING - MECHANICAL - FILTER PRESS	1,173 242 151	54.190 14.069 5.584	79 17 43	3,183 424 4.026	393 54	8.052 10.587 7.309
78. DEMATERING - OTHERS 79. GRAVITY THICKENING	36 785	1.841	3 74	15	136 33 322	1.545
80. AIR FLOTATION THICKENING 81. INCINERATION - MULTIPLE HEARTH	301	15,407 27,371	40 14	2,597	108	9.045 7.913
82. INCINERATION - FLUIDIZED BEDS 83. INCINERATION - ROTARY KILN	22	1,33c 555	1	22	3 2	1.097
84. INCINERATION - OTHERS 85. PYROLYSIS 86. CO-INCINERATION WITH SOLID WASTE	15 2 7	1,101 97 240	3	314	1 5	283
87. CO-PYROLYSIS WITH SOLID MASTE 88. CO-INCINERATION - OTHERS	12	339	0	392	•	91 171 37
89. LAND FILL 90. LAND SPREADING OF LIQUID SLUDGE	7.452 1.097	89.094 11.530	245 47	3.350	2,830 343	11.175 1.232
91. LAND SPREADING OF THICKENED SLUDGE 92. TRENCHING	1,344	23.315 1.243	67	1.673	270	3,729
93. OCEAN DUMPING 94. OTHER SLUDGE HANDLING	49 281	11,258 13,043	0 25	1,412	8 137	147
95. DIGEST GAS UTILIZATION FACILITIES	209	13.934	10	219	46	5.571
MISCELLANEOUS 96. CONTROL/LAB.MAINTENANCE BUILDINGS 97. FULLY AUTOMATED USING DIGITAL CONTROL	8.447	107.263 6.875	375 7	2,161	5.447	11.323
78. FULLY AUTOMATED USING ANALOG CONTROLS 79. SEMI AUTOMATED PLANT A1. MANUALLY OPFREED AND CONTROLLED PLANT	10.611	111,299	342	2.462 20 1.962	15 4.355	10.345 10.244 2.166
AZ. PACLAGE PLANT	1.672	1.886	122 75	144	2,742 1,005	670
A3. SERI-PACKAGE PLANT A4. CUSTOM BUILT PLANT A5. INNOFF TANKS	1,683 11,763 422	6,177 125,016 406	72 305	1.857 1.857	5.055 4	1.364
A6. SEPTIC TANKS A7. ELECTRODIALYSIS	105	23	11	1	42	\$ 11
AB. REVERSE OSMOSIS AB. PRESSURE FILTERS	0	0 17	9	Ö	0	0 15
AA. SEEPAGE LAGOONS AB. ROCK FILTERS	826	134 25	42	30	499 10	12
AC. POLYMER ADDITION TO LIQUID STREAM AD. POLYMER ADDITION TO SLUDGE STREAM	39 34	4,746 2.099	:	25 128	78 84	407 2.042
		92				

PROJECTED CHANGE IN TREATMENT PROCESS USE NUMBERS OF PLANTS AND ASSOCIATED FLOW

Table 42 is a national summary of the number of plants, the total flow, and the projected change information collected pertaining to unit processes. Table 42 is an expansion of the summary presented in Table 41 with each unit process presented in greater detail. Table 42 includes for each unit process the total number installed throughout the nation. As some of these unit processes are installed in plants but are not presently in use, the totals in Table 42 may be greater than those shown in Table 41 for a given process. Table 41 does not include the unit processes that are installed but for some reason are not presently being used.

For easy reference the summaries are presented in the same sequence as in Table 41. For instance, preaeration which is item 8 in Table 41, can be found under item 42-8 in this table. The last number refers to the Table 41 item number.

Flows associated with each unit process are the sum of the total plant flows for all the facilities using that particular process. All flows are given in thousand cubic meters per day. The present design flow was used for processes shown under the Now In Use column. The projected design flow was used for processes in the Under Construction and Required But Not Yet Funded columns.

The information for each unit process is divided into two general categories shown in the table as Type 1 and Type 2 Estimates. Type 1 information was obtained from preliminary engineering designs. Type 2 information was generally developed using EPA cost estimating procedures together with commonly accepted treatment practices for the geographic area.

The projected change codes in column one are defined in the narrative accompanying Table 3.

PROJECTED CHANGE IN TREATHENT PROCESS USE NUMBERS OF PLANTS AND ASSOCIATED FLOM (FLOM IN THOUSANDS OF CUBIC METERS PER DAY)

42-1 PUMPING, RAW WASTEWATER

		*********	TYPE 1 ESTIMATE		*********		
	PROCESS		UNDER	REQUIRED BUT		UNDER	REQUIRED BUT
	TOTAL	NOW IN USE	CONSTRUCTION	NOT FUNDED	NOW IN USE	CONSTRUCTION	NOT FUNDED
	PLANTS FLON	PLANTS FLOW	PLANTS FLOW	PLANTS FLOW	PLANTS FLOW	PLANTS FLOW	PLANTS FLOW
ENLARGE	1,204 16,709	588 12,513	0 0	0 0	616 4,197	0 0	0 0
UPGRADE	221 4,152	176 3,531	0 0	0 0	45 620	0 0	0 0
ENLARGE AND UPGRADE	402 6,131	336 5,935	0 D	0 0	66 196	0 0	6 0
NEW PROCESS	3,695 10,354	0 0	283 1,922	857 6,030	0 0	2 1	2,553 2,403
REPLACE	313 5,878	245 5,797	0 0	0 0	68 82	0 0	0 0
ABANDON	692 3,652	675 3,574	0 0	0 0	17 77	0 0	0 0
NO CHANGE	4,020 60,884	3,459 56,430	0 0	0 0	561 4,455	0 6	0 0
OTHER	3 65	3 65	¢ 0	0 0	0 0	0 0	0 0
TOTAL	10,550107.829	5,482 87,847	283 1,922	857 6,030	1,373 9,629	2 1	2,553 2,403

42-2 PRELIMINARY TREATMENT - BAR SCREEN

		*******	TYPE 1 ESTI	MATE ****	****	****	TYPE 2 ESTIMAT	. E *********
	PROCESS		UNDER	REQUIR	ED BUT		UNDER	REQUIRED BUT
	TOTAL	NOW IN USE	CONSTRUCTI	ON NOT F	UNDED	NOW IN USE	CONSTRUCTION	NOT FUNDED
	PLANTS FLOW	PLANTS FLOW	PLANTS FL	OH PLANTS	FLOW	PLANTS FLOW	PLANTS FLOW	PLANTS FLOW
ENLARGE	1.387 21.382	678 16.852	0	0 0	0	709 4,531	0 0	0 6
UPGRADE	261 4.118	181 3,874	0	0 0	0	80 243	0 0	0 0
ENLARGE AND UPGRADE	423 4.882	326 4,620	0	0 0	0	97 262	0 0	0 0
NEW PPOCESS	6.243 15.737	0 0	356 2,5	21 1,182	7,658	0 0	1 0	4,704 3.563
REPLACE	432 3,903	308 3,731	0	0 0	0	124 171	0 0	0 0
ABANDON	921 4.309	897 4,242	0	0 0	0	24 67	0 0	0 0
NO CHANGE	5.827 77.783	5.025 68.535	0	0 0	0	802 9,280	0 0	0 0
OTHER	1 12	1 12	0	0 0	C	0 0	0 0	0 0
TOTAL	15,495130,128	7,416101,868	356 2.5	321 1,182	7,658	1,836 14,557	1 0	4,704 3,563

42-3 PRELIMINARY TREATMENT - GRIT REMOVAL

		*********	TYPE 1 ESTIMA	[E *********	*****	TYPE 2 ESTIMATE	****
	PROCESS		UNDER	REQUIRED BUT		UNDER	REQUIRED BUT
	TOTAL	NOW IN USE	CONSTRUCTION	NOT FUNDED	NOW IN USE	CONSTRUCTION	NOT FUNDED
	PLANTS FLOW	PLANTS FLOH	PLANTS FLOW	PLANTS FLOW	PLANTS FLOW	PLANTS FLOW	PLANTS FLOW
ENLARGE	700 17,150	405 13,396	0 0	0 0	295 3,753	0 0	0 0
UPGRADE	145 4,914	107 4,706	0 0	0 0	38 207	0 0	0 0
ENLARGE AND UPGRADE	283 5,657	242 5,438	0 0	0 0	41 219	0 0	0 0
NEW PROCESS	1,896 13,212	0 0	221 2,341	666 9,102	0 0	0 0	1,009 1,769
REPLACE	193 3,686	160 3,576	0 0	0 0	33 110	0 0	0 0
ABANDON	370 2,944	359 2,921	(0	0 0	11 23	0 0	B 0
NO CHANGE	2,768 65,347	2,443 57,136	0 0	0 0	325 8,211	0 0	0 0
OTHER	2 173	2 173	0 0	0 0	0 0	0 0	0 0
TOTAL	6,357113,084	3,718 87,347	221 2,341	666 9,102	743 12,525	0 0	1.009 1,769

42-4 PRELIMINARY TREATMENT - COMMINUTORS

		CESS		******* (N USE		ESTIMATE Der Uction	***** REQUIR NOT F	ED BUT	**************************************		TYPE 2 E UND CONSTRU	ER	REQUIR	
	PLANTS		PLANTS	FLON	PLANTS		PLANTS		PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLON
ENLARGE	543	7.553	317	5.027	0	0	0	0	226	2,526	0	0	0	0
UPGRADE	134	933	88	836	Ò	Ó	o	0	46	97	0	0	0	٥
ENLARGE AND UPGRADE	261	2.458	205	2.245	0	D	0	ø	56	212	0	0	C	0
NEW PROCESS	1.669	7.056	0		202	1.530	585	4,102	0	0	1	0	881	1,423
REPLACE	167	1,015	148	911	a	G	0	Q	19	104	G	a	0	o.
ABANDON	375	2,095	367		Ö	0	0	8	8	15	0	0	0	0
NO CHANGE		31,983		28,810	ō	Ď	Ō	0	315	3,174	0	0	0	0
OTHER	0	0	0	0	Ō	0	0	٥	0	0	0	0	0	0
TOTAL	5.780	53,095	3,441	39,909	202	1,530	585	4.102	670	6,130	1	0	881	1,423

42-5 PRELIMINARY TREATMENT - OTHERS

			****	*****	TYPE 1 E	STIMATE	*****	****	*****	*****	TYPE 2 E			
	PRO	ESS				UNDER		EQUIRED BUT				ER	REQUIRE	
	TO	TAL	NOW I	NOW IN USE		CONSTRUCTION		NDED	NOW IN	USE	CONSTRU	CTION		NDED
	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOH	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOH
ENLARGE	5	49	2	29	0	0	0	0	3	19	0	0	0	0
UPGRADE	2	20	2	20	0	0	0	0	0	0	0	0	o	0
ENLARGE AND UPGRADE	2	5	2	5	0	0	0	0	0	0	0	0	0	0
NEW PROCESS	18	122	0	0	5	43	12	78	0	0	0	C	1	0
REPLACE	3	706	3	706	0	0	0	0	0	0	0	0	0	D
ABANDON	23	85	13	69	0	0	0	0	10	16	0	0	D	0
NO CHANGE	40	1.619	29	1,402	0	0	0	0	11	216	0	0	0	8
DTHER	0	0	0	0	0	0	Đ	0	0	0	U	U	o	·
TOTAL	93	2,610	51	2,235	5	43	12	78	24	252	0	0	1	0

42-6 SCUN REMOVAL

ENLARGE UPGRADE ENLARGE AND UPGRADE NEM PROCESS REPLACE ABANDON NO CHANGE OTHER	PROCESS TOTAL PLANTS FLOM 79 2.783 16 9.385 15 815 55 2.945 4 51 32 612 255 11,466	NOW IN USE PLANTS FLOW 38 1,628 14 9,377 13 809 0 0 2 49 31 611 220 8,785	TYPE 1 ESTIMATE UNDER CONSTRUCTION PLANTS FLOW 0 0 0 0 13 1,601 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	######################################	NOW IN USE PLANTS FLOW 41 1.155 2 5 0 0 2 1 1 0 35 2,680	TYPE 2 ESTIMATE UNDER CONSTRUCTION PLANTS FLOM 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	######################################
OTHER	0 0	0 0	0 0	o o	0 0	0 0	0 0
TOTAL	456 28,061	318 21,262	13 1,601	29 1,288	83 3.852	0 0	13

42-7 FLOW EQUALIZATION BASINS

	PROCESS Total	NOW IN USE	TYPE 1 ESTIMATE Under Construction	REQUIRED BUT NOT FUNDED	MANAMANANAN NOW IN USE	TYPE 2 ESTIMATE UNDER CONSTRUCTION	REQUIRED BUT
ENLARGE Upgrade	PLANTS FLOW	PLANTS FLOH 33 607	PLANTS FLOW	PLANTS FLON	PLANTS FLOW 30 1,138	PLANTS FLOW	NOT FUNDED PLANTS FLOW
ENLARGE AND UPGRADE NEW PROCESS	11 150 13 235 548 14,140	10 147 12 238	0 0	0 0	1 2 1 5	0 0	0 0
REPLACE ABANDON	10 67 30 124	0 0 10 67 30 124	89 900	325 11,705 0 0	0 0	2 115 0 0	132 1,419
ND CHANGE OTHER	382 9,269 1 97	355 8.950 1 97	0 0	0 0	27 319	0 0	0 0 0 0
TOTAL	1,058 25,832		89 900	325 11.705	0 0	2 116	0 0

42-8 PREAERATION

	PROCESS TOTAL Plants flow	NOW IN USE	TYPE 1 ESTIMATE UNDER CONSTRUCTION	REQUIRED BUT NOT FUNDED	NOW IN USE	TYPE 2 ESTIMATE UNDER CONSTRUCTION	************ REQUIRED BUT NOT FUNDED
ENLARGE UPGRADE	60 3,452 20 447	33 1,610 15 366	PLANTS FLOW	PLANTS FLOW	PLANTS FLOW 27 1,642	PLANTS FLOW 0 0	PLANTS FLOW
ENLARGE AND UPGRADE New Process	22 727 84 2,736	20 670 0 0	0 0 U 0 21 514	0 0 0 0 55 2,100	5 81 2 57	0 0	0 0
REPLACE ABANDON	5 730 45 2,168	6 725 44 2,165	υ ο ο ο	0 0	2 4	0 0	8 120 0 0
NO CHANGE DTHER	275 18.290	251 17,828 0 0	0 0	0 0	24 462	0 0	0 0
TOTAL	514 28,554	369 23,566	21 514	55 2,100	61 2,251	0 0	8 120

42-9 PRIMARY SEDIMENTATION

ENLARGE UPGRADE ENLARGE AND UPGRADE NEW PROCESS REPLACE ABANDON NO CHANGE OTHER	PROCESS TOTAL PLANTS FLOM 834 17,320 310 8,444 434 13,264 1,714 10,215 186 3,682 876 3,915 2,666 62,395 157	NOW IN USE PLANTS FLOW 483 12.370 228 5.946 356 11.328 0 159 3.642 805 3.799 2.373 58.659 6 157	TYPE 1 ESTIMATE UNDER CONSTRUCTION PLANTS FLOW 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	######################################	NOW IN USE PLANTS FLOM 351 4,950 82 2,498 78 1,935 0 0 27 40 71 115 293 3,736	TYPE 2 ESTIMATE UNDER CONSTRUCTION PLANTS FLOW 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0	######################################
TOTAL	7,026119,395	4,410 95,904	135 1.723	409 6,533	902 13,277	1 0	1,169 1,959

42-10 TRICKLING FILTER - ROCK MEDIA

	PROCESS Total	NOW IN USE	TYPE 1 ESTIMATE Under Construction	************ REQUIRED BUT NOT FUNDED	**************************************	TYPE 2 ESTIMATE Under Construction	REQUIRED BUT NOT FUNDED
ENLARGE	PLANTS FLOW 176 1,925	PLANTS FLOW 102 1,453	PLANTS FLOW	PLANTS FLOW	PLANTS FLOW	PLANTS FLOW	PLANTS FLOH
UPGRADE Enlarge and upgrade	275 3,387	193 2,275	0 0	0 0	74 472 82 512	0 0	0 0
NEW PROCESS	198 1,493 54 631	151 1.332 0 0	0 0 9 123	0 0 28 428	47 160 0 0	0 6	0 0 17 79
REPLACE Abandon	100 662 897 3.902	75 585 801 3,593	0 0	0 0	25 76 96 309	0 0	0 0
NO CHANGE OTHER	892 9,725 8 132	786 8,478	0 0	0 0	106 1,246	o o	0 0
TOTAL				U U	0 0	0 0	8 0
TOTAL	2,600 21,860	2,116 18,451	9 123	28 428	430 2,777	0 0	17 79

42-11 TRICKLING FILTER - PLASTIC MEDIA

	PRO	CESS	****	*****	TYPE 1 E		REQUIR		*****	*****	TYPE 2 E		REQUIRE	
		TAL		N USE	CONSTRU		NOT F		NON IN	USE	CONSTRU		NOT FU	
ENLARGE	PLANTS		PLANTS		PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW
UPGRADE	:	208	3	37	0	0	0	0	4	171	0	0	0	0
ENLARGE AND UPGRADE	:	28	1		0	0	8	0	0	0	0	D	0	0
NEW PROCESS	70	1.735	2	28	0 15	0 394	.0	0	Ō	0	0	٥	0	0
REPLACE	ĭ	4,,,,,	i	0	75	374	50	1,320	0	0	0	0	5	20
ABANDON	5	14	•	12	ŏ	ň	0	Ű	ø		0	0	0	D
NO CHANGE	54	1,856	54	1,856	ŏ	ŏ	0	ŏ		,	ů	Ņ		
OTHER	G	0	Q	Ö	ā	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	Ď	Ď	ŏ
TOTAL	143	3,851	68	1,942	15	394	50	1,320	5	173	0	0	5	20
					95									

			****	****	TYPE L E				****	*****	TYPE 2 E			
	PRO	CESS			UND		REQUIRE				UND		REQUIRE	
	TO.	TAL	NOW I	N USE	CONSTRU	CTION	NOT FU	INDED	HOW IN	USE	CONSTRU	CTION	NOT FU	INDED
	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOH	PLANTS	FLOW	PLANTS	FLOH	PLANTS	FLOH
ENLARGE	6	140	2	27	0	0	٥	0	4	112	0	0	0	0
UPGRADE	1	2	1	2	0	0	0	0	0	0	0	0	0	0
ENLARGE AND UPGRADE	ī	1	ī	1	G	0	0	0	0	0	0	0	0	0
NEW PROCESS	12	142	0	0	1	11	11	131	0	0	0	ō	0	0
REPLACE	Ð	0	0	0	0	0	0	8	a	8	U	a	0	U
ABANDON	4	156	3	156	0	0	0	0	1	0	Ō	0	0	0
NO CHANGE	34	763	32	663	0	Ð	0	0	2	79	0	0	0	9
OTHER	Ö	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTAL	58	1,206	39	851	1	11	11	131	7	212	0	0	0	0

42-13 TRICKLING FILTER - OTHER MEDIA

			****	*****	TYPE 1 8				****	*****	TYPE 2 E	• . •		
	PROC	ESS			UNS)ER	REQUIRE	D BUT			UND		REQUIRE	
	TOT		NOM I	N USE	CONSTRU	ICTION	NOT FU	NDED	NOH IN	USE	CONSTRU	CTION	NOT FU	NDED
	PLANTS	FLON	PLANTS	FLOW	PLANTS	FLOH	PLANTS	FLOW	PLANTS	FLOH	PLANTS	FLOW	PLANTS	FLOW
ENLARGE	1		1	4	0	0	0	0	0	0	0	0	0	0
UPGRADE	i	18	ī	18	Ō	Ó	0	0	0	0	0	0	0	0
			i	- ñ	ň	ň	ō	0	0	0	0	0	0	0
ENLARGE AND UPGRADE	Ÿ	452	č		ň	ŏ	5	451	0	0	0	8	1	0
NEW PROCESS	•	435	Ÿ	ž	Š		ñ		Ō	0	0	0	0	0
REPLACE	0	Ų				ž	ň	ŏ	ň	ŏ	ō	Ď	0	0
ABANDON	2		2		Ų						ň	ň	ñ	n
NO CHANGE	10	348	10	348	0	8	v			•	ž			7
OTHER	0	0	0	0	0	0	0	0	0	0	U	U	U	·
TOTAL	20	833	14	381	0	0	5	451	0	0	0	0	1	0

42-14 ACTIVATED SLUDGE - CONVENTIONAL

	PROCESS	******	TYPE 1 ESTIMATE	########### REQUIRED BUT	*****	TYPE 2 ESTIMATE UNDER	REQUIRED BUT
	TOTAL	NOW IN USE	CONSTRUCTION	NOT FUNDED	NOM IN USE PLANTS FLON	CONSTRUCTION PLANTS FLOW	NOT FUNDED Plants flow
ENLARGE	PLANTS FLOW 374 9.123	PLANTS FLOW 188 5,404	PLANTS FLOW 0 0	PLANTS FLOW 0 0	186 3,719	0 0	0 0
UPGRADE	149 10,054	110 9.526 146 7.584	0 0	0 0	39 528 40 420	0 0	0 0
ENLARGE AND UPGRADE NEW PROCESS	186 8,005 1,213 14,755	0 0	124 3,225	383 9,530	0 0	0 0	706 2,000
REPLACE Abandon	30 2,730 406 4,276	28 1,140 376 3,999	0 0	0 0	2 1,590 30 277	i	0 0
NO CHANGE	1,207 32,410	1,121 30,505	0 0	0 0	86 1,904 0 0	0 0	0 0
OTHER Total	3,566 81,360	1,970 58,164	124 3,225	383 9,530	383 8,440	0 0	706 2,000

42-15 ACTIVATED SLUDGE - HIGH RATE

			****	****	TYPE 1 E		REQUIRE	*****	*****	*****	TYPE 2 E		REQUIRE		
	PROC		NOW I	N USE	UND		NOT FU		NOW IN	USE	CONSTRU		NOT FU	INDED	
	PLANTS	FLOH	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	
ENLARGE	5	249	5	249	0	0	0	0	,	64	U 0	0	ŭ	ŏ	
UPGRADE Enlarge and Upgrade	2	480 892	3	416 878	Ö	ŏ	ŏ	ō	Ž	14	Ō	O	0	0	
NEW PROCESS	15	1,016	ō	0	6	799	7	160	0	0	0	0	2	55	
REPLACE	1	22	1	22	0	0	0	0	0	Ü	ö	ŏ	ŏ	ŏ	
ABANDON NO CHANGE	16	1.516	16	1,516	ä	ŏ	ŏ	Ŏ	0	Ö	0	0	0	0	
OTHER	ō	C	0	0	0	0	G	0	0	0	0	U	v	U	
TOTAL	44	4,178	26	3,083	6	799	7	160	3	78	0	8	2	55	

42-16 ACTIVATED SLUDGE - CONTACT STABILIZATION

ENLARGE UPGRADE ENLARGE AND UPGRADE NEM PROCESS REPLACE	TO1 PLANTS 247 79 88 334 11	CESS TAL FLOW 5,694 606 743 1,820 73		**************************************	TYPE 1 E UNIC CONSTRU PLANTS 0 0 0 32 0	ER	REQUIR NOT F PLANTS 0 0 0 0 84	ED BUT Unded	NOH II PLANTS 167 26 39 8 4	FLOW 652 69 155 0 2	TYPE 2 E UND CONSTRU PLANTS 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	ER CTION FLOW 0 0 0	REQUIRE NOT FU PLANTS 0 0 217 0	D BUT
ABANDON NO CHANGE OTHER	199 645 3	759 5,320 5	191 603 2	742 5,110 4	0 0 0	0	0	0	42	209	0	0	0	0
TOTAL	1,606	15,024	985	12,096	32	422	84	1,114	287	1,107	1	0	217	282

42-17 ACTIVATED SLUDGE - EXTENDED AERATION

		******	TYPE 1 ESTIMAT	. *******	*****	IALE S EDITUMIE	REQUIRED BUT
	PROCESS		UNDER	REQUIRED BUT		UNDER CONSTRUCTION	NOT FUNDED
	TOTAL	NOW IN USE	CONSTRUCTION	NOT FUNDED	NOW IN USE	PLANTS FLOW	PLANTS FLON
	PLANTS FLOW		PLANTS FLOW	PLANTS FLOH	PLANTS FLON	PLANIS FLUM	6 0
ENLARGE	271 1,189		0 0	0 0	184 264		ň ň
UPGRADE	109 292		0 0	0 0	58 51 63 65	, ,	o o
ENLARGE AND UPGRADE	128 620		0 0		0 0		1,146 900
NEH PROCESS	1,641 2,994		125 584	369 1.508		ă ă	0 0
REPLACE	16 181		0 0	0 0	12 21	Ď Õ	0 0
ABANDON	310 463		0 0	, ,	75 190	Ď 0	8 0
NO CHANGE	1,195 4,199	1,120 3,999	, ,	ĭŏ	0 0	ō O	0 0
OTHER	, ,	· -			392 594	3 1	1,146 900
TOTAL	3,672 9 740	1,639 6,351	123 584	369 1,508	392 594	• •	

42-18 PURE DXYGEN ACTIVATED SLUDGE

			****	****	TYPE 1	ESTIMATE	****	*****	****	***	TYPE 2 E	STIMATE	****	****
	PRO	CESS			UN	DER	REQUIR	ED BUT			UND	ER	REQUIRE	D BUT
	TO	TAL	NOM :	IN USE	CONSTR	UCTION	NOT F	UNDED	NOH IN	USE	CONSTRU	CTION	NOT FU	INDED
	PLANTS	FLOW	PLANTS	FLOH	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW
ENLARGE	16	2,180	10	1,237	0	0	0	0	6	942	0	8	0	Ð
UPGRADE	5	618	5	615	0	0	0	0	0	0	0	0	0	8
ENLARGE AND UPGRADE	5	3,828	5	3,828	0	0	C	0	o	0	0	0	0	0
NEW PROCESS	38	6,746	0	0	10	1,865	27	4,867	0	0	0	0	1	13
REPLACE	0	0	0	0	0	0	0	0	0	. 0	0	o	0	O
ABANDON	7	184	6	170	D	0	0	0	1	14	0	0	0	0
ND CHANGE	48	5,186	46	4,599	0	0	0	0	2	586	8	0	0	0
OTHER	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTAL	119	18,745	72	10,455	10	1,865	27	4,867	,	1,543	0	0	1	13

42-19 BIO-DISC (ROTATING BIOLOGICAL FILTER)

			****	*****	TYPE 1	ESTIMATE	****	****	*****	****	TYPE 2 E	STIMATE		
	PRO	CESS			UN	DER	REQUIR	ED BUT			UND	ER	REQUIRE	D BUT
	TO'	TAL	HOM 1	IN USE	CONSTR	UCTION	NOT F	UNDED	NOH IN	USE	CONSTRU	CTION	NOT FL	NDED
	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLON	PLANTS	FLOW	PLANTS	FLOH	PLANTS	FLON
ENLARGE	17	339	10	196	0	0	0	0	7	142	0	G	C	0
UPGRADE	7	20	6	19	0	0	0	0	1	0	0	0	0	0
ENLARGE AND UPGRADE	6	105	5	37	0	0	0	0	1	68	0	D	0	0
NEW PROCESS	465	5,110	0	0	111	1,787	331	3,241	0	0	0	0	23	81
REPLACE	3	4	3	4	0	D	0	0	0	0	0	0	c	0
ABANDON	5	16	4	,	0	0	0	0	1	6	0	Đ	9	0
NO CHANGE	220	1.866	216	1.858	0	0	0	0	4	8	0	0	0	0
OTHER	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTAL	723	7,463	244	2.126	111	1,787	331	3,241	14	226	0	0	23	81

42-20 OXIDATION DITCH USING MECHANICAL AERATORS

			*****	*****	TYPE 1				*****	*****				
	PRO	CESS			UN	DER	REQUIR				UNI		REQUIRE	
	TO	TAL	NON I	N USE	CONSTR	UCTION	NOT F	UNDED	NOH IN	USE	CONSTRL	CTION	NOT FL	UNDED
	PLANTS		PLANTS		PLANTS	FLON	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW
ENLARGE	92	241	30	132	0	0	9	0	62	108	0	0	0	0
UPGRADE	22	51	10	32	0	8	Ð	Đ	12	19	0	0	0	C
ENLARGE AND UPGRADE	9	20	5	15	0	0	0	0	4	5	0	٥	9	-0
NEW PROCESS	671	1,927	0	0	136	382	342	1,278	0	0	0	0	193	266
REPLACE	2	19	2	19	0	ø	0	D	Ð	0	0	0	0	0
ABANDON	15	18	12	13	0	0	0	0	3	4	0	0	0	0
ND CHANGE	492	1,227	464	1,170	0	0	0	0	28	56	0	ō	ō	ō
DTHER	0	0	0	0	O O	G	0	0	0	0	0	0	0	0
TOTAL	1.303	3.506	523	1.384	136	382	342	1,278	109	194	0	0	193	266

42-21 CLARIFICATION USING TUBE SETTLERS

			****	*********		STIMATE	****	****	****	*****	TYPE 2 E	STIMATE	****	****
	PROC	ESS			UNI	ER	REQUIRE	D BUT			UND	ER	REQUIRE	D BUT
	T01	AL	NOW I	N USE	CONSTRU	ICTION	NOT FU	NDED	NOH IN	USE	CONSTRU	CTION	NOT FU	NDED
	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOH	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW
ENLARGE	8	39	6	12	0	0	0	0	2	27	0	O.	0	0
UPGRADE	3	31	1	7	Ð	0	0	0	2	23	0	0	0	C
ENLARGE AND UPGRADE	4	49	4	49	0	0	0	0	0	0	0	0	0	0
NEW PROCESS	15	34	0	0	3	18	8	7	0	0	C	0	4	9
REPLACE	0	0	0	0	Ð	D	0	D	0	0	D	0	9	0
ABANDON	2	9	2	9	0	0	0	0	0	0	0	0	0	0
NO CHANGE	28	330	27	326	0	0	0	0	1	3	0	0	9	6
OTHER	0	0	0	0	0	0	0	0	0	D	0	0	0	0
TOTAL	60	494	40	405	3	18	8	7	5	54	0	0	4	•

42-22 SECONDARY CLARIFICATION

			**********			STIMATE	*****	*****	*****	*****	TYPE 2 E	STIMATE	*****	*****
	PRO	CESS			UNI	ER	REQUIR	ED BUT			UND	ER	REQUIRE	D BUT
	TO	TAL	NON I	N USE	CONSTRU	CTION	NOT F	UNDED	NOW IN	USE	CONSTRU	CTION	NOT FL	INDED
	PLANTS	FLOW	PLANTS	FLOH	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOH
ENLARGE	87	584	62	526	0	0	0	0	25	58	0	0	0	6
UPGRADE	60	462	45	422	ō	O	0	0	15	39	Ð	D	Ď	C
ENLARGE AND UPGRADE	109	1.802	83	1.703	Ō	0	0	0	26	99	0	0	0	0
NEW PROCESS	436	3,991	0	0	74	883	246	2.574	0	0	0	0	116	532
REPLACE	36	138	34	136	0	0	0	0	2	1	0	0		0
ABANDON	131	294	125	292	ō	0	Ō	Ö	6	1	0		0	0
ND CHANGE	486	5.893	452	5.657	ō	Ġ	ò	0	34	236	0	0	0	0
OTHER	1	15	1	15	Ō	Ō	Õ	ō	0	0	0	0	0	D
TOTAL	1,346	13,182	802	8,754	74	883	246	2,574	108	436	0	0	116	532

42-23 BIOLOGICAL NITRIFICATION - SEPARATE STAGE

	280	CESS	****	*****	TYPE 1 E		##### REQUIR	****** FD RUT	*****	*****	TYPE 2 E		****** REQUIRE	
		TAL	NOW 1	N USE	CONSTRU		NOT F		NOR IN	USE	CONSTRU		NOT FU	
	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOH	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLON
ENLARGE	28	1,313	17	520	8	9	0	0	11	793	0	0	0	0
UPGRADE	4	98	5	88	0	0	0	0	2	,	0	0	0	0
ENLARGE AND UPGRADE	8	4.933	8	4.933	0	0	0	0	0	0	0	0	0	0
NEW PROCESS	466	7,865	0	8	63	683	213	6.219	0	0	0	0	190	962
REPLACE	0	0	b	0	0	0	0	0	0	0	9	0	0	0
ABANDON	10	59	10	59	0	0	0	0	0	0	0	0	0	0
NO CHANGE	145	3,719	140	3,618	0	0	Ð	0	5	100	0	0	Ō	0
OTHER	0	0	0	D	0	0	0	0	0	0	0	0	0	0
TOTAL	661	17,989	177	9,220	63	683	213	6.219	18	903	0	0	190	962
					97									

ENLARGE UPGRADE ENLARGE AND UPGRADE NEW PROCESS REPLACE ABANDON NO CHANGE OTHER	PROCESS TOTAL PLANTS FLOM 61 907 10 1,743 25 1,113 1,482 11,228 7 50 21 73 428 8,375	NOM IN USE PLANTS FLOM 22 489 9 1,762 20 1,081 0 0 5 20 20 70 408 7,822 0 7,822	TYPE 1 ESTIMATE UNDER CONSTRUCTION PLANTS FLOW 0 0 0 0 0 130 2,182 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	**************************************	NOW IN USE PLANTS FLOW 39 417 1 5 32 0 0 0 2 30 1 2 20 553 0 0	TYPE 2 ESTIMATE UNDER CONSTRUCTION PLANTS FLOW 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	WWW.WWW.WW.WW.WW.WW.WW.WW.WW.WW.WW.WW.W
TOTAL	2,034 23,493	484 11,228	130 2,182	508 7,444	68 1.036	0 0	944 1 400

42-25 BIOLOGICAL DENITRIFICATION

	PRO	CESS	****	****	TYPE 1 ! Inu		E ***** REQUIR		*****	****	TYPE 2 E			
		TAL		N USE	CONSTR	CTION	NOT F		NOM IN	USE	CONSTRU		REQUIRE NOT FL	
ENLARGE	PLANTS 5	FLOW 181	PLANTS 1	FLOW 56	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOR	PLANTS	FLON
UPGRADE Enlarge and upgrade	0	0	Õ	0	ŏ	ő	ů	0	å	124	0	0	0	0
NEW PROCESS	58	634	0	0	0	0 40	0 19	0 260	1	6	ō	ő	ő	ŏ
REPLACE Abandon	0	0	Ď	ŏ	ő	70	19	260	0	0	0	0	31	332
NO CHANGE	31	1.213	26	15 999	0	0	0	0	0	. 0	ŏ	ŏ	ŏ	ŏ
OTHER	2	1,177	1	7	ò	ŏ	ĭ	1,169	0	213 0	0	0	0	0
TOTAL	99	3,228	30	1,079	8	40	20	1,430	10	344	0	0	31	112

42-26 POST AERATION (REAERATION)

	PROCESS TOTAL Plants flow	NOW IN USE PLANTS FLOW	UNDER CONSTRUCTION	REQUIRED BUT NOT FUNDED	NOW IN USE	TYPE 2 ESTIMATE UNDER CONSTRUCTION	*********** Required but Not funded
ENLARGE	94 2,778	56 2,009	PLANTS FLOW	PLANTS FLOW	PLANTS FLOW	PLANTS FLOW	PLANTS FLOW
UPGRADE	16 75	14 71	, ,	0 0	38 769	0 0	0 0
ENLARGE AND UPGRADE	35 386	27 358	0 0		2 4	0 0	0 0
NEW PROCESS	1,137 9,457	0 0	183 1,974	528 6.689	8 28	0 0	0 0
REPLACE	8 11	8 11	0 1,7,7	20 0,009	0 0	2 1	424 793
ABANDON	61 289	60 288	, ,			0 0	0 0
ND CHANGE	712 11,297	635 10,522	ň	0 0	77 775	0 0	0 0
OTHER	1 7	1 7	ŏŏŏ	ň	77 775	0 0	0 0
TOTAL	2,064 24,304	801 13,269	183 1,974	528 6,689	126 1,577	2 1	424 793

42-27 MICROSTRAINERS - PRIMARY

	PROCESS		*********** TYPE 1 ESTIMUNDER			###### REQUIRE		*****	*****	TYPE 2 E		E ************************************		
		TAL	NDM 1	IN USE	CONSTRU	CONSTRUCTION		NOT FUNDED		NOW IN USE		CONSTRUCTION		INDED
	PLANTS		PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLON
ENLARGE	4	229	4	229	0	0	0	0	0	0	0	0	0	0
UPGRADE	1	77	0	0	0	0	0	D	1	77	0	0	Ö	ō
ENLARGE AND UPGRADE	.0	0	0	C	0	0	0	0	0	0	0	0	0	Ó
NEW PROCESS	26	174	0	0	11	67	15	106	0	0	0	0	0	Ġ
REPLACE	0	0	0	0	O.	G	0	0	0	0	D	0	0	Ó
ABANDON NO CHANGE	-7	25	. 7	25	0	0	0	c	0	0	0	Ð	0	0
OTHER	21	1,177	18	1,173	0	0	0	O	3	3	0	0	0	0
OTHER	U	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTAL	59	1,684	29	1.428	11	67	15	106	4	80				

42-28 KICROSTRAINERS - SECONDARY

		CESS TAL		IN USE	TYPE 1 E Uni Constru	DER	REQUIRE NOT FU	D BUT	******* NDW IN		TYPE 2 E UND CONSTRU	ER	******* REQUIRE NOT FU	D BUT
ENLARGE	PLANTS	FLOW 197	PLANTS	FLOW 143	PLANTS	FLOW	PLANTS	FLON	PLANTS	FLOH	PLANTS	FLDW	PLANTS	FLOW
UPGRADE	3	50	í	34	Ö	ŏ	0	0	ź	54 16	0	0	0	0
ENLARGE AND UPGRADE New process	58	988	2	4	0 17	0 185	0 28	0 535	0	0	0	0	0 13	0 267
REPLACE Abandon	0 7	1,288	0	1,288	0	0	0	0	0	0	Ō	Ö	Ö	0
NO CHANGE OTHER	59	955	56	882	ŏ	ŏ	Ö	ŏ	3	73	ŏ	ŏ	ŏ	Ö
	•	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTAL	143	3,483	73	2.351	17	185	28	535	12	143	0	0	13	267

42-29 SAND FILTERS

	PROCESS	*****	UNDER	REQUIRED BUT		TYPE 2 ESTIMATE UNDER	**************************************	
	TUTAL	NOW IN USE	CONSTRUCTION	NOT FUNDED	NOW IN USE	CONSTRUCTION	NOT FUNDED	
	PLANTS FLOW	PLANTS FLOW	PLANTS FLOW	PLANTS FLOW	PLANTS FLOW	PLANTS FLOW	PLANTS FLOW	
ENLARGE	126 1,718	59 999	0 0	0 0	67 719	0 0	0 0	
UPGRADE	29 246	22 226	0 0	n n	7 20	ň	ň	
ENLARGE AND UPGRADE	33 476	23 442	, ,	, ,	10 34			
NEW PROCESS	3,189 14,622		230 3.668	474 7 475		u v		
REPLACE			230 3,668	834 7,828	0 0	0 0	2,125 3,129	
	11 52	9 48	0 0	0 0	2 4	0 0	0 0	
ABANDON	145 317	132 297	0 0	0 0	13 20	0 0	0 0	
NO CHANGE	1,101 8,898	906 8.240	0 0	0 0	195 658	0 0	0 0	
OTHER	1 2	1 2	Ó Ö	õ õ	ÖÖÖ	ŏ ŏ	ō ŏ	
TOTAL	4.635 26.334	1.152 10.254	230 3.448	836 7 830	30/ 1 /5/		2 125 2 120	

ENLARGE UPGRADE ENLARGE AND UPGRADE NEW PROCESS REPLACE ABANDON NO CHANGE OTHER	PROCESS TOTAL PLANTS FLOM 37 1.650 3 104 6 630 229 7.584 1 0 14 85 201 7.395 0 0	NOM IN USE PLANTS FLOM 20 1,307 3 104 5 494 0 0 1 1 0 14 85 194 7,288	TYPE 1 ESTIMATE UNDER CONSTRUCTION PLANTS FLOM 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	######################################	NOM IN USE PLANTS FLOM 17 343 0 0 0 1 136 0 0 0 0 0 0 7 107 0 0	TYPE 2 ESTIMATE UNDER ON PLANTS FLOW 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	REQUIRED BUT NOT FUNDED PLANTS FLOM 0 0 0 0 0 32 465 0 0 0 0
TOTAL	491 17,451	237 9,280	52 1,078	145 6,037	25 587	0 n	12 440

42-31 OTHER FILTRATIONS

	PROC		NON I		TYPE 1 E	ER	REQUIRE	D BUT	****	*****	TYPE 2 E		REQUIRE	
	PLANTS				CONSTRU		NOT FL	INDED	NOW IN	USE	CONSTRU	CTION	NOT FU	
ENLARGE	LINNIS	FLON	PLANTS	FLOW	PLANTS	FLON	PLANTS	FLOM	PLANTS	FLON	PLANTS	FLOW	PLANTS	
UPGRADE		571	2	10	0	0	8	0	3	560			LYNNIS	FLOW
ENLARGE AND UPGRADE	0	Ç	0	0	8	0	0	Ó	Ď		ĭ	ž		ō
NEW PROCESS		. 3	0	D	0	D	0	Ď	ĭ	•	ž		Ü	0
REPLACE	33	1,182	0	0	7	221	21	872	â	í	•		Ü	D
	1	0	1	0	0	G	- 0	0.0	ň	Š		59	4	29
ABANDON	5	16	3	15	Ď	Ē	Ď	ň	š		v	0	0	0
NO CHANGE	29	249	25	163	ō	ň	ň	Š	Ę	- 4		Đ	0	8
OTHER	0	0	0	0	ă	ň	ž	ŭ	7	85	0	0	0	0
			=	-	•	•	•	U	U	0	0	٥	0	0
TOTAL	74	2,022	31	189	7	221	21	872	10	650	1	59	4	29

42-32 ACTIVATED CARBON - GRANULAR

	PROCESS TOTAL	NOW IN USE	TYPE 1 ESTIMATE Under Construction	*********** REQUIRED BUT NOT FUNDED	**************************************	TYPE 2 ESTIMATE UNDER CONSTRUCTION	REQUIRED BUT NOT FUNDED
ENLARGE Upgrade Enlarge and upgrade	PLANTS FLOW 1 0 1 57 1 28	PLANTS FLOW 0 0 1 57 1 28	PLANTS FLON 0 0 0 0	PLANTS FLOW 0 0	PLANTS FLOW 1 0 0 0	PLANTS FLOW 0 0 0 0	PLANTS FLON 0 0
NEW PROCESS REPLACE ABANDON NO CHANGE	21 1,830 0 0 4 153	0 0 0 0 3 153	6 328 0 0 r 0	11 1,487 0 0	0 0 0 0 0 0	0 0	0 0 4 14 0 0
OTHEP TOTAL	20 1,205 0 0 43 3,278	19 1,070 0 0 24 1,310	0 0 U 0 6 328	0 0 0 0 11 1.487	1 136 0 0	0 0	0 0

42-33 ACTIVATED CARBON - POWDERED

	_	*********				** TYPE 1 ESTIMATE **********					TYPE 2 E	STIMATE	******	*****
	PROC				UNDER		REQUIRED BUT				UNDER		REQUIRED BUT	
	TOT	AL	NOH I	N USE	CONSTRU	CONSTRUCTION		NOT FUNDED		USE	CONSTRUCTION		NOT FUNDED	
	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLON	PLANTS	FLOR	PLANTS	FLOW
ENLARGE	0	0	0	0	0	0	0					LLUM	FLARIS	FLUM
UPGRADE	0	0	0	Ō	ň	ň	ň	ŏ	š	č		Ü	U	0
ENLARGE AND UPGRADE	D	0	0	ō	ă	ň	ň	ŏ	š	ž		v	U	0
NEW PROCESS	6	330	ō	Ď		293	š	37	÷	ŭ		U	0	O
REPLACE	٥	0	ň	ň	7	-/,		3,		Ü	U	0	0	0
ABANDON	ň	ň	ň	ř	ŭ			U	0	0	0	0	0	0
NO CHANGE	ĭ	297	Ÿ	297		ŭ	Ü	0	Ū	0	0	0	0	0
DTHER		277	,	27/	U	U	0	0	0	0	0	0	0	0
• •		U	Ų	U	0	0	C	0	0	0	0	G	0	0
TOTAL	,	627	3	297	4	293	2	37	0	0	0	0	0	0

42-34 THO STAGE LIME TREATMENT OF RAN HASTEMATER

	PROC TOT	AL	***** I WON		TYPE 1 E Und Constru	ER	REQUIRE NOT FU	D BUT	******		TYPE 2 E UND CONSTRU	ER	REQUIRE NOT FU	D BUT
ENLARGE	PLANTS	FLOW 38	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLON	PLANTS	FLOW	PLANTS	FLOH
UPGRADE	'n	30	,	37	0	0	0	0	1	0	0	0	0	0
ENLARGE AND UPGRADE	ŏ	ŏ	ŏ	ŏ	9	ŭ				0	0	0	Ð	0
NEW PROCESS	10	259	ŏ	ō	ĭ		š	239	č	0	0	0	0	.0
REPLACE	0	0	ō	ō	ō	ŏ	ő	- 6	ŏ	ŏ	Ď	n		12
ABANDON NO CHANGE	5	128	4	128	0	0	Ō	Ō	ŏ	ō	ŏ	ŏ	ŏ	ő
OTHER		326	8	326	0	0	0	0	0	0	0	Ō	ō	Ŏ
• · · · · · ·	u	0	0	Ç	0	0	O.	0	0	8	0	0	8	8
TOTAL	24	752	13	493	1	6	5	239	1	0	0	0	4	12

42-35 THO STAGE TERTIARY LIME TREATMENT

	990	CESS	HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH						****	*****			*********		
	10.		NOW IN USE		CONSTRUCTION		REQUIRED BUT		NOW IN USE		UNDER CONSTRUCTION		REQUIRE NOT FU		
ENLARGE	PLANTS		PLANIS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	
UPGRADE	0	74 0	2	45	0	0	0	0	3	29	0	0	0	0	
ENLARGE AND UPGRADE NEW PROCESS	0	Ō	ŏ	ŏ	ŏ	Ö	0	ŏ	Ö	0	Ö	Ö	0	0	
REPLACE	16 n	564	0	0	4	142	8	341	Ö	Ō	ō	Ō	4	20	
ABANDON	ĭ	ŏ	Ö	ŏ	0	0	0	0	0	0	0	0	0	0	
NO CHANGE OTHER	14	567	14	567	0	0	ò	ō	ō	ŏ	ŏ	ŏ	ŏ	ŏ	
TOTAL	36	1.146		44.0	u .		U	0	0	0	0	0	0	0	
		11140	16	£12	4	142	8	341	4	29	0	0	4	2.0	

	TO	CESS Tal	NOW I	****** N USE	TYPE 1 E Uni Constri	ER	REQUIRE NOT FU	D BUT	****** NOW IN		TYPE 2 E UND Constru	ER	REQUIRE NOT FU	D BUT
	PLANTS	FLOH	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOH
ENLARGE	2	2	1	1	0	0	0	0	1	1	0			
UPGRADE	1	113	1	113	٥	0	0	ñ	ñ	ñ	ž	ž		
ENLARGE AND UPGRADE	0	0	0	0	ñ	ň	ñ	Ž	Š	ž	ž		Ų	U
NEW PROCESS	14	595	ň	ŏ	Ĭ	174	÷	~			0	U	0	0
REPLACE	-;	20	· ·	20			<u>'</u>	249	ย	0	0	0	2	171
ABANDON	:		•		U	0	0	0	0	0	0	0	0	0
		33	5	33	0	0	0	Ð	0	0	0	0	Ō	ň
NO CHANGE	20	354	20	354	0	0	0	0	0	ā	ŏ	ň	Š	×
OTHER	0	0	0	0	0	0	ñ	ō	ň	ň		•		Ü
				_	-	•	•	•	·	·	U	0	D	0
TOTAL	43	1,120	28	523	5	174	7	249	1	1		0	,	171

42-37 SINGLE STAGE TERTIARY LIME TREATMENT

	TO	CESS	NOW 1	IN USE	CONSTR	DER Uction	REQUIRE NOT FU	D BUT	******		TYPE 2 E Und Constru	Ek	REQUIRE NOT FU	D BUT
**** * * * * * * * * * * * * * * * * * *	PLANTS		PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOH	PLANTS	FLOW	PLANTS	FLON	PLANTS	FLOW
ENLARGE	7	416	5	208	0	0	0	0	4	208	0	0		
UPGRADE	0	0	0	0	0	0	0	0	0	0	ñ	ň	ň	ŏ
ENLARGE AND UPGRADE	1	15	1	15	0	0		0	Ō	ŏ	ň	ň	ž	ŏ
NEW PROCESS	65	2,517	0	0	12	1.538	35	662	Ď	ō	ň	ň	18	***
REPLACE	0	0	Ó	0	0	.,	- 0		ň	ž	ž	,	10	316
ABANDON	2	17	2	17	ā	ň	ŏ	ŏ	ž	ž	, i		0	U
NO CHANGE	54	1,281	50	1,200	ň	ŏ	ř	Š			Ū	Ü	0	0
OTHER	Ö	0	- 0	-,0	ŏ	_		u u	7	81	u u	U	0	0
	•	·	٠		U	0	U	Ü	U	0	0	0	0	0
TOTAL	131	4,248	58	1,441	12	1,538	35	662	8	289	9	0	18	316

42-38 RECARBONATION

	TO	CESS Tal		«***** In Use	TYPE) E Uni Constri	DER	REQUIRE NOT FU	D BUT	****** NI HON		TYPE 2 E UND CONSTRU	ER	REQUIRE NOT FL	D BUT
	PLANTS		PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLON	PLANTS	FLOW
ENLARGE	5	82	2	52	0	0	0	0	3	29	0	8	. 0	n
UPGRADE	0	0	0	0	0	0	n	0	0		Ď	ň		ž
ENLARGE AND UPGRADE	0	0	0	0	ñ	ň	ň	ñ	ň	ž		ä	ž	
NEW PRUCESS	40	1.495	ő	ň	ž	412	19	747	ŭ	Ÿ	Ų	Ů		
REPLACE	70	.,,,,				412	17	747	U	U	0	0	14	336
	υ	υ	0	D	D	0	0	0	0	0	0	0	0	0
ABANDON	7	145	6	145	8	0	0	0	1	0		Ω		
NO CHANGE	40	1.138	38	1,054	n	ō	ñ	ā		84	ž	:		ž
OTHER	Ō	Ö	ŏ	0	ň	ň	ň	, ,	ñ	٠,	×	×	ŭ	ŭ
_		-	•	•	•	•	v		U	u	Ų	U	Ų	U
TOTAL	92	2,863	46	1.252	7	412	19	747	6	114	0	0	14	336

42-39 HEUTRALIZATION

			****	****	TYPE 1 E	STIMATE	*****	***	***	****	TYPE 2 E	STIMATE	*****	****
	PROC	ESS			INU	ER	REQUIRE	D BUT			UND	ER	REQUIRE	D BUT
	101	AL	NOW I	N USE	CONSTRL	CTION	NOT FU	NDED	NOH IN	USE	CONSTRU	CTION	NOT FU	INDED
	PLANTS	FLOW	PLANTS	FLCH	PLANTS	FLOW	PLANTS	FLON	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOH
ENLARGE	1	22	1	22	0	0	0	0	0	0	0	0	0	0
UPGRADE	0	0	0	0	ć.	0	0	Đ	0	0	0	0	0	0
ENLARGE AND UPGRADE	1	3	0	0	0	0	0	0	1	3	0	0	0	0
NEW PROCESS	15	194	0	0	0	0	12	179	0	0	0	0	3	15
REPLACE	0	0	0	0	0	8	0	0	0	0	0	0	0	0
ABANDON	Z	3	1	2	0	0	0	0	1	0	0	0	0	0
NO CHANGE	14	190	14	190	0	0	0	0	0	0	٥	0	0	O
OTHER	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTAL	33	413	16	215	0	0	12	179	2	4	0	0	3	15

42-40 ALUM ADDITION TO PRIMARY

			****	*****	TYPE 1 E	STIMATE	*****	****	****	****	TYPE 2 E	STIMATE	****	***
	PRO	CESS			UND	ER	REQUIRE	D BUT			UND	ER	REQUIRE	D BUT
	10	TAL	NOM I	N USE	CONSTRU	CTION	NOT FU	NDED	NOW IN	USE	CONSTRU	CTION	NOT FU	NDED
	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW
ENLARGE	9	342	7	74	0	0	0	0	2	268	0	0	0	ø
UPGRADE	1	10	0	0	0	0	0	0	1	10	D	0	0	0
ENLARGE AND UPGRADE	z	35	2	35	0	0	0	0	0	0	0	0	0	0
NEW PROCESS	38	836	0	0	3	22	27	676	0	0	0	0	8	136
REPLACE	1	5	1	5	0	0	0	0	6	0	0	0	0	0
ABANDON	13	179	12	170	0	0	0	0	1	9	0	0	0	0
NO CHANGE	51	1,713	49	1.685	0	0	0	0	2	28	0	0	0	0
OTHER	0	0	0	0	0	0	0	0	0	D	0	D	0	0
TOTAL	115	3,122	71	1,970	3	22	27	676	6	315	0	0	8	136

42-41 ALUM ADDITION TO SECONDARY

			****	*****	TYPE 1	ESTIMATÉ	****	****	****	***	TYPE 2 E	STIMATE	****	****
	PRO	CESS			UNI	DER	REQUIR	ED BUT			מאע	ER	REQUIR	ED BUT
	10	TAL	NDW I	N USE	CONSTR	UCTION	NOT F	UNDED	NOW IN	USE	CONSTRU	CTION	NOT F	UNDED
	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW
ENLARGE	48	1,635	25	812	0	0	0	0	23	822	0	0	0	0
UPGRADE	15	289	11	276	0	0	0	0	4	13	0	0	0	0
ENLARGE AND UPGRADE	19	766	14	708	0	0	0	0	5	57	0	0	0	0
NEW PROCESS	511	5.966	0	0	61	1,142	230	3,782	0	0	0	0	220	1,041
REPLACE	3	27	3	27	0	0	0	0	0	0	0	0	0	0
ABANDON	23	150	23	150	0	0	D	0	0	D	Ð	0	0	0
NO CHANGE	314	6,162	289	5,727	0	0	0	0	25	434	0	Ð	0	0
OTHER	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTAL	933	14,998	365	7,703	61	1,142	230	3,782	57	1,328	0	0	220	1.041

42-42 ALUM ADDITION TO SEPARATE STAGE TERTIARY

			****	****	TYPE 1 E	STIMATE	***	***	****	*****	TYPE 2 E	STIMATE	****	****
	PRO	CESS			UNE	ER	REQUIRE	D BUT			UND	ER	REQUIRE	D BUT
	TO	TAL	NOM 1	N USE	CONSTRU	CTION	NOT FU	INDED	NOW IN	USE	CONSTRU	CTION	NOT FL	INDED
	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOH	PLANTS	FLOW
ENLARGE	10	381	5	266	8	0	0	C	5	114	0	C	O	ø
UPGRADE	2	11	2	11	0	0	0	0	0	0	0	0	0	0
ENLARGE AND UPGRADE	8	0	0	0	0	0	0	0	0	0	0	0	0	0
NEW PROCESS	61	997	0	C	10	127	30	658	0	9	1	0	20	216
REPLACE	0	0	0	0	0	D	0	0	0	0	0	0	0	0
ABANDON	2	19	1	Ð	0	0	0	0	1	18	0	9	0	0
NO CHANGE	66	1,529	62	1,464	0	0	0	0	4	65	0	9	0	0
OTHER	0	0	0	0	0	0	0	C	0	0	0	0	0	0
TOTAL	141	2.940	70	1.743	10	127	30	658	10	198	1	0	20	210

42-43 FERRI-CHLORIDE ADDITION TO PRIMARY

			****	*****	TYPE 1 6	STIMATE	*****	****	*****	****	TYPE 2 E	STIMATE	*****	****
	PRO	CESS			UNI	DER	REQUIRE	D BUT			UND	ER	REQUIRE	D BUT
	TO	TAL	NOM I	N USE	CONSTRU	CTION	NOT FU	NDED	NOW IN	USE	CONSTRU	CTION	NOT FU	MDED
	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW
ENLARGE	5	517	2	499	0	0	0	0	3	17	0	0	0	0
UPGRADE	2	389	2	389	0	0	0	0	0	Ð	0	8	0	0
ENLARGE AND UPGRADE	1	3,179	1	3,179	0	0	0	0	0	0	0	19	Ð	D
NEW PROCESS	12	254	0	0	3	27	6	194	0	0	0	0	3	31
REPLACE	1	3	1	3	0	0	0	0	0	0	0	0	0	0
ABANDON	9	258	8	249	0	0	0	0	1	9	0		0	0
NO CHANGE	34	1,401	33	1,159	0	0	0	0	1	242	0	0	C	0
OTHER	0	D	0	0	0	0	0	0	C	0	0	0	0	0
TOTAL	64	6,003	47	5,480	3	27	6	194	5	269	0	0	3	31

42-44 FERRI-CHLDRIDE ADDITION TO SECONDARY

			*****	****	TYPE 1 E	STIMATE	****	****	***	****	TYPE 2 E	STIMATE	****	****
	PRO	CESS			UNI	DER	REQUIRE	D BUT			UND	ER	REQUIRE	D BUT
	to:	TAL	NON I	N USE	CONSTRU	CTION	NOT FU	NDED	NOW IN	USE	CONSTRU	CTION	NOT FU	NDED
	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOR	PLANTS	FLOW	PLANTS	FLOW
ENLARGE	,	742	5	598	0	8	0	0	4	144	0	0	0	0
UPGRADE	6	493	6	493	G	8	Ð	D	D	0	0	0	0	0
ENLARGE AND UPGRADE	5	140	5	140	0	0	0	0	0	0	0	0	0	0
NEW PROCESS	76	637	0	0	14	76	45	504	0	9	0	0	17	56
REPLACE	0	0	0	q	G	O	0	0	D	0	0	0	0	0
ABANDON	10	119	8	115	0	0	0	0	2	3	0	0	0	0
ND CHANGE	146	4,393	142	4,387	0	6	0	0	4	6	ō	Q.	0	Ō
OTHER	0	C	0	0	0	e e		0	0	0	0	0	0	0
TOTAL	252	6,527	166	5,735	14	76	45	504	10	154	0	0	17	56

42-45 FERRI-CHLORIDE ADDITION TO SEPARATE STAGE TERTIARY

			***	***	TYPE 1	ESTIMATE	*****	***	***	***	TYPE 2 E	STIMATE	****	***
	PRO	CESS			UN	DER	REQUIRE	D BUT			UND	ER	REQUIRE	D BUT
	TO	TAL	NOW 1	N USE	CONSTR	UCTION	NOT FU	NDED	NOH IN	USE	CONSTRU	CTION	NOT FU	NDED
	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLDH	PLANTS	FLOH	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW
ENLARGE	3	40	2	39	0	0	0	0	1	0	0	0	0	0
UPGRADE	0	0	0	0	0	0	0	0	0	0	0	0	0	Ð
ENLARGE AND UPGRADE	2	30	2	30	G	0	Ð	0	0	0	0	0	0	0
NEW PROCESS	15	1.585	0	0	3	1,193	6	348	0	0	0	0	6	42
REPLACE	1	5	1	5	0	0	0	0	0	0	0	0	0	6
ABANDON	0	0	0	0	0	0	8	Ð	0	0	Đ	0	0	0
NO CHANGE	27	180	23	153	0	0	0	0	4	27	G	0	0	0
DTHER	0	0	0	0	8	0	0	0	0	G.	0	0	0	0
TOTAL	48	1,842	28	228	3	1,193	6	348	5	28	0	0	6	42

42-46 OTHER CHEMICAL ADDITIONS

			***	****	TYPE 1	ESTIMATE	***	****	****	****	TYPE 2 E	STIMATE		
	PRO	CESS			UM	DER	REQUIRE	D BUT			UND	ER	REQUIRE	D BUT
	T91	TAL	NOH 3	IN USE	CONSTR	UCTION	NOT FL	INDED	NOW IN	USE	CONSTRU	CTION	NOT FL	INDED
	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLON	PLANTS	FLOW	PLANTS	FLON	PLANTS	FLOH	PLANTS	FLOH
ENLARGE	8	255	4	92	Ú	0	0	0	4	162	0	0	C	0
UPGRADE	2	456	1	454	0	0	0	0	1	5	0	0	0	0
ENLARGE AND UPGRADE	4	48	2	30	0	0	0	0	2	18	0	0	8	8
NEW PROCESS	38	3,236	C	0	13	2,583	23	645	0	0	0	0	2	7
REPLACE	1	700	1	700	0	0	0	0	0	0	0	0	0	0
ABANDON	12	66	11	63	0	0	6	0	1	3	0	G	0	Ð
NO CHANGE	64	2,253	60	1,674	0	0	0	0	4	579	0	0	0	0
OTHER	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTAL	129	7,017	79	3,015	13	2,583	23	645	12	765	0	0	2	7

42-47 ION EXCHANGE

			***	****	TYPE 1 E	STIMATE	***	***	***	***	TYPE 2 8	STINATE	****	****
	PROC	ESS			UNI	ER	REQUIRE	D BUT			UND	ER	REQUIRE	D BUT
	TOT	AL	HOM I	N USE	CONSTRU	CTION	NOT FU	NDED	NOW IN	USE	CONSTRU	CTION	NOT FU	INDED
	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOH	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLON	PLANTS	FLOW
ENLARGE	2	56	0	0	0	0	0	0	2	56	0	0	0	9
UPGRADE	0	0	G	0	O	0	8	0	٥	0	0	0	0	0
ENLARGE AND UPGRADE	Ó	0	0	0	0	0	0	0	0	0	0	0	0	0
NEW PROCESS	3	48	Ō	ō	Ō	0	i	35	0	0	0	0	2	4
REPLACE	Ò	0	0	3	0	0	0	0	0	0	O.	Ð	0	0
ABANDON	0	0	0	9	0	0	0	0	0	0	0	0	0	0
NO CHANGE	1	56	1	56	Ō	0	Ō	0	ō	0	0	0	0	0
OTHER	Õ	ō	Ō	ō	Ó	0	0	9	D	0	0	0	0	0
TOTAL	6	153	1	56	0	0	1	35	2	56	0	0	2	4

42-48 BREAKPOINT CHLORINATION

			****	****	TYPE 1 6	STIMATE	****	****	****	****	TYPE 2 E	STIMATE	****	
	PRO	CESS			UNI	ER	REQUIRE	D BUT			UNI		REQUIRE	
	TO	TAL	NOH 1	IN USE	CONSTRU	CTION	NOT FU	INDED	NOH IN	USE	CONSTRU		NOT FU	
	PLANTS	FLOW	PLANTS	FLCH	PLANTS	FLON	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLON	PLANTS	FLOM
ENLARGE	1	85	0	0	0	0	G		1	85	,		LTVILLE	FLUM
UPGRADE	0	0	0	0	6	0	Ō	ā	Ď		ň	Š	ž	Š
ENLARGE AND UPGRADE	1	45	1	45	c	ō	ŏ	ŏ	ŏ	ŏ	ň	ň	ŭ	ŭ
NEW PROCESS	13	676	0	9	2	116	8	553	ŏ	ň	ň	č	Ÿ	,
REPLACE	8	0	0	o	۵		ō		ň	ŏ	ž		:	•
ABANDON	0		Ō	Ō	ŏ	ŏ	ŏ	ň	ň	ň	č	ŭ		0
NO CHANGE	8	777	ě	777	ŏ	Ď	ň	ŏ	ŏ	č	ž	ŭ	0	0
OTHER	ī	1.169	ō	Ď	ň	ŏ		1,169	ŏ	č	ž		U	9
	-		•	-	•	•	•	4,10,		U	U	U	Đ	0
TOTAL	24	2,754	,	823	2	116	•	1.723	•					

42-49 AMONIA STRIPPING

			****	****	TYPE 1 E	ESTIMATE	****	***	***	****	TYPE 2 E	STIMATE	*****	*****
	PROC				UND	DER	REQUIRE	ED BUT			UND		REQUIRE	
	TOT	TAL	NOW IN	USE	CONSTRU	CTION	NOT FU	INDED	NOW IN	USE	CONSTRU		NOT FL	
	PLANTS	FLOW	PLANTS	FLOH	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW
ENLARGE	0	0	0	0	0	0	0	0	0	0				
UPGRADE	0	0	0	0	0	0	Ď	ň	ň	ň	ň	ŏ	ž	×
ENLARGE AND UPGRADE	0	0	Ō	Ō	ō	ō	Ď	ŏ	ŏ	ŏ	ň	ň	ň	ĭ
NEW PROCESS	2	2	0	Ď	ō	Ō	ĭ	ň	ň	ň	ň	ň	·	· ·
REPLACE	0	Ö	Ŏ	Ö	ă	Ď	ō	ň	ň	ň	ň	ĭ		
ABANDON	0	0	Ŏ	Ō	ō	õ	ň	ň	ň	ŏ	ř	č	,	ž
NO CHANGE	7	395		338	ň	ŏ	ň	ň	ĭ	56	ř	ŏ	ž	ž
OTHER	D	0	ŏ	Ō	ŏ	ŏ	ŏ	ŏ	ō	ő	ŏ	ö	ŏ	ŏ
TOTAL	,	398	6	338	0	0	1	6	1	56		0	,	,

42-50 DECHLORINATION

			****	***	TYPE 1 E	STIMATE	*****	*****	****	*****	TYPE 2 E	STIMATE	*****	****
		CESS			UND	ER	REQUIR	ED BUT			UND	ER	REQUIRE	D BUT
		TAL	NOM I	N USE	CONSTRU	CTION	NOT F	UNDED	NOW IN	USE	CONSTRU	CTION	NOT FL	INDED
	PLANTS	FLOH	PLANTS	FLOH	PLANTS	FLOH	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLON	PLANTS	FLOH
ENLARGE	31	634	12	246	0	0	0	0	19	387	0	0	0	0
UPGRADE	2	18	2	18	0	0	0	0	0	0	0	0	Ó	0
ENLARGE AND UPGRADE	2	26	2	26	0	0	0	0	0	0	0	0	0	0
NEW PROCESS	234	3,916	0	0	61	443	106	2,941	0	Ó	1	68	86	462
REPLACE	2	6	2	6	0	0	0	0	0	0	ō	0	Ö	0
ABANDON	7	286	7	286	0	D	0	D	D	0	Ō	0	Ö	0
NO CHANGE	160	2,428	142	2,340	0	0	0	0	18	87	Ō	0	0	0
OTHER	0	Q	0	0	0	0	Đ	0	0	0	0	0	0	Ó
TOTAL	438	7,316	167	2,924	41	443	106	2,941	37	475	1	68	86	462

42-51 CHLORINATION FOR DISINFECTION

		****	TYPE 1 ESTIMATE	*******	******	TYPE 2 ESTIMATE	*****
	PROCESS		UNDER	REQUIRED BUT		UNDER	REQUIRED BUT
	TOTAL	NOW IN USE	CONSTRUCTION	NOT FUNDED	NOW IN USE	CONSTRUCTION	NOT FUNDED
	PLANTS FLOW	PLANTS FLOW	PLANTS FLOW	PLANTS FLOW	PLANTS FLOW	PLANTS FLOW	PLANTS FLOW
ENLARGE	1,353 14,962	656 10,383	0 0	0 0	697 4,579	0 0	0 0
UPGRADE	365 6,182	253 5,800	0 0	0 0	112 382	0 0	0 0
ENLARGE AND UPGRADE	523 11,474	409 9.202	0 0	0 0	114 2,271	0 0	0 0
NEW PROCESS	7,226 22,268	0 0	485 2,413	1,598 16,046	0 0	2 1	5,141 3,815
REPLACE	308 3,958	253 3,860	0 0	Q Q	55 97	0 0	a a
ABANDON	884 4.215	861 4,165	0 8	0 0	23 49	0 0	0 0
NO CHANGE	5.060 51.369	4,513 45,484	0 0	0 0	547 5.885	0 0	0 0
OTHER	5 86	4 86	0 0	0 0	1 0	0 0	0 0
TOTAL	15,724114,517	6,949 78,983	485 2,413	1,598 16,046	1,549 13,266	2 1	5,141 3,815

42-52 OZONATION FOR DISINFECTION

			****	****	TYPE 1 E	STIMATE	****	****	****	****	TYPE 2 E	STIMATE	****	****
	PRO	CESS			JNU	ER	REQUIRE	D BUT			UND	ER	REQUIRE	D BUT
	101	TAL	NOM 1	N USE	CONSTRU	CTION	NOT FU	NDED	NDW IN	USE	CONSTRU	CTION	NOT FU	NDED
	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOK	PLANTS	FLOH
ENLARGE	3	15	2	8	0	0	0	0	1	7	0	0	0	0
UPGRADE	0	0	0	0	0	0	8	0	0	0	0	0	0	0
ENLARGE AND UPGRADE	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NEW PROCESS	26	1,058	0	0	8	199	13	525	0	0	2	333	3	1
REPLACE	0	0	0	0	C	0	0	0	0	0	0	0	0	0
ABANDON	0	0	0	0	0	0	0	0	0	0	0	C	0	0
NO CHANGE	27	1,693	26	1,674	0	0	0	0	1	18	0	0	0	0
OTHER	D	0	0	0	0	D	9	0	0	0	0	O	0	0
TOTAL	56	2,768	28	1.682	8	199	3	525	2	26	2	333	3	1

42-53 OTHER DISINFECTION

				***	TYPE 1 E	ESTIMATE	****	***	****	****	TYPE 2 E	STIMATE		
	PRO	CESS			LNI	DER	REQUIRE	D BUT			UND	ER	REQUIRE	D BUT
	10	TAL	NOW 1	N USE	CONSTRU	JCTION	NOT FU	NDED	NOH IN	USE	CONSTRU	CTION	NOT FU	INDED
	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOH	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW
ENLARGE	0	0	0	0	C	0	0	9	0	0	0	0	0	0
UPGRADE	0	0	0	6	G	0	0	0	0	0	0	0	0	0
ENLARGE AND UPGRADE	0	Ō	0	Ö	Ó	0	0	0	0	0	0	0	e e	0
NEW PROCESS	48	363	ō	0	19	57	27	305	0	0	0	0	2	0
REPLACE	1	0	1	0	0	0	0	0	0	0	0	0	0	0
ABANDON	1	Ž	1	2	ò	0	0	0	0	0	0	0	0	0
ND CHANGE	7	4.698	6	4.640	٥	0	0	0	1	58	0	0	0	0
OTHER	0	Ö	Ō	0	Ö	Õ	Ö	Ō	Ď	0	0	0	C	0
TOTAL	57	5.065	8	4.643	19	57	27	305	1	58	0	0	2	0

	PROC TO		NOW I		TYPE 1 E UNI CONSTRI	DER	REQUIRE NOT FL	D BUT	****** NOW IN		TYPE 2 E Und Constru	ER	REQUIRE NOT FL	D BUT
	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLON	PLANTS	FLOW
ENLARGE	4	2	1	ı	0	0	0	0	3	1	6			
UPGRADE	0	0	0	0	0	0	0	Ó	ō	ă	Ď	ň	ň	
ENLARGE AND UPGRADE	2	2	1	2	6	D	0	0	i	Ď	ň	ň	ř	ŭ
NEW PROCESS	53	48	0	0	14	12	32	34	ă	ň	ň	ž	ž	
REPLACE	0	0	Ð	Ö	0		- 0	ň	ň	ň	,	Š	'	
ABANDON	56	65	25	48	ō	ō	ō	ň	31	14	ň	Š	ž	
NO CHANGE	14	20	11	11	ō	ň	ň	ŏ	~;		č			U
OTHER	ō	Ō	Ö	ô	ŏ	ŏ	ŏ	ő	õ	ů	Ö	0	0	0
TOTAL	129	139	38	43	14	12	32	34	38	27	0	0	7	1

42-55 LAND TREATMENT OF SECONDARY EFFLUENT (30/30)

			****	*****	TYPE 1 I	ESTIMATE	***	***	***	****	TYPE 2 E	STIMATE	*****	*****
		CESS			UNI	ER	REQUIR	ED BUT			UND		REQUIRE	
	TO	TAL	NOW 7	IN USE	CONSTRU	ICTION	NOT F	UNDED	NOH IN	USE	CONSTRU		NOT FL	
	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLON	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW
ENLARGE	60	443	29	192	0		0		31	251				LEUM
UPGRADE	9	59	7	58	Ċ	Ď	ō	ň	٠,	-71	ž			ŭ
ENLARGE AND UPGRADE	13	303	8	91	ă	ň	ň	ň		21 i	ž	ŏ		Ų
NEW PROCESS	572	3.271	ñ	ō	84	395	313	2.280	í	**1	,			- 0
REPLACE	4	6	ĭ	ž		3,5	213	2,200	•	٠	9	0	175	595
ABANDON	26	244	27	243	č	ž	×	ŭ	:	1	U	0	0	0
NO CHANGE	462	2.271	385	1.818	ŏ	ž	ű	Ü			U	Đ	0	0
OTHER	702	.,.,,	303	1,010		Ů.	Ū	U	77	453	0	0	0	0
• • • • • • • • • • • • • • • • • • • •			U	U	0	Ų	e e	0	C	0	0	0	9	0
TOTAL	1,148	6,598	459	2,408	84	395	313	2.280	117	918	6	0	175	595

42-56 LAND TREATMENT OF INTERIMEDIATE EFFLUENT

	PROC	ESS		****** N USE	TYPE 1 6 Uni Constru	ER	REQUIRE NOT FU	D BUT	****** NOH IN		TYPE 2 E Und Constru	ER	****** REQUIRE NOT FU	D BUT
ENLARGE	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLON	PLANTS	FLOW	PLANTS	FLON
UPGRADE	14	50	2	11	0	0	0	0	12	38	0	0	0	0
	3	9	2	8	0	0	0	0	1	0	٥	0	0	à
ENLARGE AND UPGRADE	2	15	1	0	0	0	0	0	1	15	0	0	0	ŏ
NEW PROCESS	115	202	0	0	24	41	43	122	0	0	Ō	ō	48	38
REPLACE	3	Đ	3	0	0	O	D	0	ō	ō	ŏ	ŏ	70	0
ABANDON	26	23	13	14	0	0	0	0	13	8	0	ō	Ō	ŏ
NO CHANGE DTHER	132 D	259 0	90 0	202	c D	0	0	0	42	56	0	Ö	ō	Ŏ
TOTAL	295	560	111	238	26	41	43	122	69	119	0	0	48	38

42-57 STABILIZATION PONDS

			***	****	TYPC 1 I	ESTIMATE	****	****	****	***	TYPE 2 E	STIMATE	****	****
	FRO	CESS			UNI	DER	REQUIR	ED BUT			UND	ER	REQUIRE	D BUT
	TO	TAL	NOH :	IN USE	CONSTRU	JCTION	NOT F	UNDED	NOW I	N USE	CONSTRU	CTION	NOT FU	INDED
	PLANTS	FLOW	PLANTS	FLJW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW
ENLARGE	780	2,363	261	1,654	0	0	0	0	519	709	0	0	0	0
UPGRADE	538	600	282	358	0	0	0	0	256	242	0	0	0	0
ENLARGE AND UPGRADE	388	607	256	501	0	0	0	8	132	106	0	D	0	0
NEW PROCESS	3,349	3,531	0	0	181	264	692	2,389	0	G	0	0	2,476	877
REPLACE	238	191	129	133	0	0	8	0	109	57	0	0	0	0
ABANDON	935	1,432	762	1,240	0	0	0	0	173	191	8	8	0	Đ
NO CHANGE	2,482	6,878	2,138	6,061	0	0	0	0	344	818	C	0	0	0
OTHER	20	82	17	81	0	C C	0	0	3	1	0	G	0	0
TOTAL	8,730	15,688	3,845	10,030	181	264	692	2.389	1.536	2.127	٥	6	2.476	877

42-58 AERATED LAGOONS

			****	******	IALE T 6	PITUVIE	*****	****	*****	****	ITPE 2 E	STIMATE	***	****
	PRO	CESS			UNI	ER	REQUIR	ED BUT			UND	ER	REQUIRE	D BUT
		TAL	NOW 1	IN USE	CONSTRU	CTION	NOT F	UNDED	NOH IN	USE	CONSTRU	CTION	NOT FL	INDED
	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLON	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW
ENLARGE	150	488	49	196	0	0	0	0	101	292	0	0	0	0
UPGRADE	91	548	50	256	0	D	0	0	41	291	0	0	0	0
ENLARGE AND UPGRADE	66	485	49	302	0	0	0	0	17	183	0	Ó	0	ō
NEW PROCESS	1,772	1.854	0	0	160	385	545	1,108	0	0	0	0	1,067	360
REPLACE	40	65	17	44	0	D	D	C	23	20	0	Ō	0	0
ABANDON	140	436	119	344	0	0	0	0	21	91	0	Ō	0	Ö
NO CHANGE	775	3,0%	718	2.913	0	0	0	0	57	184	o	ō	Ō	ō
OTHER	6	27	6	27	Ď	0	Ō	0	0	0	0	ō	Ö	ō
TOTAL	3,040	7,005	1,008	4,086	160	385	545	1,108	260	1,064	0	0	1,067	360

42-59 OUTFALL PUMPING

			~~~~~		ITE 1	EDITUVIE	*****	****	****	*****	ITPE 2 E	DITHVIE	***	****
	PRO	CESS			UN	DER	REQUIR	ED BUT			UND	ER	REQUIRE	D BUT
	TO	TAL	NOH 1	N USE	CONSTR	NOITOU	NOT F	UNDED	NOW I	N USE	CONSTRU	CTION	NOT FL	INDED
	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLON	PLANTS	FLDW
ENLARGE	44	2,570	32	987	0	0	0	0	12	1,582	0	0	0	0
UPGRADE	7	740	7	740	0	0	0	0	0	8	Ð	0	Ð	D
ENLARGE AND UPGRADE	7	738	7	738	0	0	0	0	0	0	0	0	0	0
NEW PROCESS	192	5,655	0	0	45	2,377	133	3,177	0	0	2	46	12	54
REPLACE	5	2,718	3	1,117	0	. 0	0	a	2	1.601	0	Ð	0	Đ
ABANDON	38	469	38	469	Ó	Ó	Ó	Ö	0	0	0	0	0	0
NO CHANGE	126	5.847	113	3,031	0	0	0	0	13	2.815	0	0	0	0
OTHER	. 0	0	Ō	0	Ō	Ó	ø	ō	0	0	0	Đ	0	0
TOTAL	419	18,740	200	7,085	45	2,377	133	3,177	27	5,999	2	46	12	54

	•						
	PROCESS	*******	TYPE 1 ESTIMATE		****	TYPE 2 ESTIMATE	*****
	TOTAL	NOW IN USE	UNDER CONSTRUCTION	REQUIRED BUT NOT FUNDED	NOW IN USE	UNDER Construction	REQUIRED BUT
ENLARGE	PLANTS FLOW 11 1,294	PLANTS FLOW 5 679	PLANTS FLOW 0 0	PLANTS FLOW	PLANTS FLOW	PLANTS FLOW	PLANTS FLOW
UPGRADE Enlarge and U <b>pgrade</b>	3 19	2 11	o o	ō ŏ	6 615 1 7	0 0	0 0
NEW PROCESS	2 69 45 3,729	1 68 0 0	0 0 7 156	0 0 30 3,571	1 1 0 n	0 0 1 0	0 0
REPLACE Abandon	3 811 2 329	3 811 2 327	0 0	0 0	ō ō	0 0	7 1 0 0
ND CHANGE	61 3,234	54 1,313	Ó Ö	0 0	0 0 7 1,920	0 0	0 0 0 0
OTHER	1 5	0 0	0 0	0 0	1 5	ō ŏ	ō ŏ
TOTAL	128 9,494	67 3,214	7 156	30 3,571	16 2.550	1 0	7 1
42-61 EFFLUENT TO OTHE	R PLANTS						
	PROCESS	*******	TYPE 1 ESTIMATE		********	TYPE 2 ESTIMATE	*****
	TOTAL	NDW IN USE	UNDER CONSTRUCTION	REQUIRED BUT	NOW IN USE	UNDER CONSTRUCTION	REQUIRED BUT
ENLARGE	PLANTS FLOW 2 17	PLANTS FLOH	PLANTS FLON 0 0	PLANTS FLOW	PLANTS FLOW	PLANTS FLOW	PLANTS FLON
UPGRADE Enlange and upgrade	0 0	0 0	o o	ŏ ŏ	2 17 0 0	0 0	0 0
NEW PROCESS	21 654	0 0	0 0 4 62	0 0 17 591	0 0	0 0	0 0
REPLACE Abandon	0 0	0 0	0 0	0 0	0 0	0 0	ō ō
NO CHANGE	24 914	21 811	0 0	0 0 0	0 0 3 102	0 0	0 0
OTHER	0 0	0 0	0 0	0 0	0 0	Ŏ Ŏ	o o
TOTAL	53 1.595	27 821	4 62	17 591	5 119	0 0	0 0
42-62 EFFLUENT OUTFALL							
	PROCESS	****	TYPE 1 ESTIMATE UNDER	************ REQUIRED BUT	********	TYPE 2 ESTIMATE	
	TOTAL	NOW IN USE	CONSTRUCTION	NOT FUNDED	NOW IN USE	CONSTRUCTION	REQUIRED BUT NOT FUNDED
ENLARGE	PLANTS FLOW 1,131 15,908	PLANTS FLOW 661 11,721	PLANTS FLOH G D	PLANTS FLOW	PLANTS FLOH 470 4,187	PLANTS FLOW 0 0	PLANTS FLOW
UPGRADE Enlarge and upgrade	343 3,178 397 5,545	205 3,009 291 5,360	0 0	o o	138 169	0 0	ō ō
NEW PROCESS REPLACE	6,145 14,131	0 0	333 3,065	1,100 7,485	106 185 0 0	0 0 3 1	0 0 4,709 3,586
ABANDON	548 4,357 1,775 7,086	414 3,932 1,712 6,345	0 0	0 0	134 424 63 741	0 0	0 0
NO CHA"SE Other	9,515 91,780 27 131	7,385 81,887 7 121	0 0	0 0	2,130 9,923	0 0	0 0
TOTAL	19,881142,119	10.675112,378	333 3,065	0 0	20 9 3,061 15,641	0 0 3 1	0 0 4,709 3,586
			***************************************	7,403	3,001 13,041	, .	4,707 3,306
42-63 OTHER TREATMENT							
42-45 DINER IREAINENI							
	PROCESS	*******	TYPE 1 ESTIMATE UNDER	REQUIRED BUT	*****	TYPE 2 ESTIMATE UNDER	REQUIRED BUT
	TOTAL Plants flon	NOW IN USE Plants flow	CONSTRUCTION PLANTS FLOW	NOT FUNDED	NOW IN USE	CONSTRUCTION	NOT FUNDED
ENLARGE	16 189	5 169	0 0	PLANTS FLOW 0 0	PLANTS FLON 11 20	PLANTS FLOW 0 0	PLANTS FLOW
UPGRADE Enlarge and upgrade	8 1,066 7 26		0 0	0 0			
NEW PROCESS Replace	143 2,413			n n	1 5	0 0	0 0
ABANDON		0 0	0 0 35 489	0 0 98 1,908	2 3	0 0 0 0	0 0 0 0 12 14
	18 29 257 114	0 0 12 8	35 489 0 0	78 1,708 0 0	2 3 0 0 6 21	0 0 0 0 0 0	0 0 12 14 0 0
NO CHANGE	18 29 257 114 137 3,842	0 0 12 8 95 97 123 3,671	35 489 0 0 0 0 0 0	78 1,708 0 0 0 0	2 3 0 0 6 21 162 17 14 171	0 0 0 0 0 0 0 0	0 0 12 14 0 0 0 0
NO CHANGE Other	18 29 257 114 137 3,842 1 2	0 0 12 8 95 97 123 3,671 1 2	35 489 0 0 0 0 0 0	78 1.708 0 0 0 0 0 0	2 3 0 0 6 21 162 17 14 171 0 0	0 0 0 0 0 0 0 0 0 0	0 0 12 14 0 0 0 0 0 0
NO CHANGE	18 29 257 114 137 3,842	0 0 12 8 95 97 123 3,671 1 2	35 489 0 0 0 0 0 0	78 1,708 0 0 0 0	2 3 0 0 6 21 162 17 14 171	0 0 0 0 0 0 0 0	0 0 12 14 0 0 0 0
NO CHANGE Other	18 29 257 114 137 3,842 1 2	0 0 12 8 95 97 123 3,671 1 2	35 489 0 0 0 0 0 0	78 1.708 0 0 0 0 0 0	2 3 0 0 6 21 162 17 14 171 0 0	0 0 0 0 0 0 0 0 0 0	0 0 12 14 0 0 0 0 0 0
NO CHANGE Other	18 29 257 114 137 3,842 1 2	0 0 12 8 95 97 123 3,671 1 2	35 489 0 0 0 0 0 0	78 1.708 0 0 0 0 0 0	2 3 0 0 6 21 162 17 14 171 0 0	0 0 0 0 0 0 0 0 0 0	0 0 12 14 0 0 0 0 0 0
NO CHANGE OTHER Total	18 29 257 114 137 3,842 1 2 587 7,485	0 0 12 8 95 97 123 3,671 1 2	35 489 0 0 0 0 0 0 0 33 489	98 1,908 0 0 0 0 0 0 98 1,908	2 3 0 0 6 21 162 17 14 171 0 0	0 0 0 0 0 0 0 0 0 0	0 0 12 14 0 0 0 0 0 0 0 0 12 14
NO CHANGE OTHER Total	18 29 257 114 137 3,842 1 2	0 0 12 8 95 97 123 3,671 1 2 248 5,035	35 489 0 0 0 0 0 0 0 33 489	98 1,908 0 0 0 0 98 1,908	2 3 0 0 6 21 162 17 14 171 0 0	O O O O O O O O O O O O O O O O O O O	0 0 12 14 0 0 0 0 0 0 0 0 12 14
NO CHANGE OTHER TOTAL 42-64 RECALCINATION	18 29 257 114 137 3,842 1 2 587 7.685 PROCESS TOTAL PLANTS FLON	0 0 12 8 95 97 123 3.671 1 2 248 5.035	35 489 0 0 0 0 0 0 0 0 0 33 489 TYPE 1 ESTIMATE UNDER CONSTRUCTION PLANTS FLOM	98 1,908 0 0 0 0 98 1,908  ***********************************	2 3 0 0 0 6 21 162 17 0 0 0 196 236	O O O O O O O O O O O O O O O O O O O	0 0 12 14 0 0 0 0 0 0 0 0 12 14
NO CHANGE OTHER  TOTAL  42-64 RECALCINATION  ENLARGE UPGRADE	18 29 257 114 137 3,842 1 2 587 7.485 PROCESS TOTAL PLANTS FLOM 5 475 1 22	0 0 12 8 95 97 123 3.671 1 2 248 5.035 ************************************	35 489 0 0 0 0 0 0 0 33 489	98 1,908 0 0 0 0 0 0 78 1,908	2 3 0 6 21 162 17 14 171 0 0 0 196 236	O O O O O O O O O O O O O O O O O O O	0 0 12 14 0 0 0 0 0 0 0 0 0 12 14 12 14 12 14  ***********************************
NO CHANGE OTHER TOTAL 42-64 RECALCINATION ENLARGE	18 29 257 114 137 3,842 1 2 587 7,685 PROCESS TOTAL PLANTS FLON 5 475 1 22 0 0	0 0 12 8 95 97 123 3,671 1 2 2 248 5,035 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	TYPE 1 ESTIMATE UNDER CONSTRUCTION PLANTS FLOM 0 0 0 0 0 0 0 0 0 0 0 0 0	98 1,908 0 0 0 0 0 0 98 1,908  MANAMAMAMAMAMAMAMAMAMAMAMAMAMAMAMAMAMA	2 3 0 0 0 6 21 162 17 14 171 0 0 196 236	TYPE 2 ESTIMATE UNDER CONSTRUCTION PLANTS FLOM	0 0 0 12 14 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
NO CHANGE OTHER  TOTAL  42-64 RECALCINATION  ENLARGE UPGRADE ENLARGE AND UPGRADE NEW PROCES REPLACE	28 29 257 114 137 3,842 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 12 8 95 97 123 3.671 1 2 248 5.035 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	35 489 0 0 0 0 0 0 0 0 0 33 489 TYPE 1 ESTIMATE UNDER CONSTRUCTION PLANTS FLOM PLANTS FLOM D 0 0 0 0 0 2 45 0 0 0	98 1,908 0 0 0 0 0 0 98 1,908  MMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMM	2 3 0 0 0 6 21 162 17 0 0 196 236 ************************************	TYPE 2 ESTIMATE UNDER CONSTRUCTION PLANTS FLOW	0 0 12 14 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
NO CHANGE OTHER  TOTAL  42-64 RECALCINATION  ENLARGE UPGRADE ENLARGE AND UPGRADE REPLACE ABANDON NO CHANGE	18 29 257 114 137 3,842 1 2 587 7,685  PROCESS TOTAL PLANTS FLOM 5 475 1 22 0 0 12 250	0 0 12 8 95 97 123 3.671 1 2 248 5.035 WHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH	35 489 0 0 0 0 0 0 0 33 489 TYPE 1 ESTIMATE UNDER CONSTRUCTION PLANTS FLOH 0 0 0 0 2 45	98 1,908 0 0 0 0 0 0 98 1,908  MANAMAMAMAMAMAMAMAMAMAMAMAMAMAMAMAMAMA	2 3 0 0 0 6 21 162 17 14 171 0 0 0 196 236 ************************************	TYPE 2 ESTIMATE UNDER CONSTRUCTION PLANTS FLOM 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 14 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
NO CHANGE OTHER  TOTAL  42-64 RECALCINATION  ENLARGE UPGRADE ENLARGE AND UPGRADE NEM PROCESS REPLACE ABANDON NO CHANGE OTHER	28 29 257 114 137 3,842 1 2 2 587 7.685 PROCESS TOTAL PLANTS FLOW 5 475 1 22 0 0 0 12 250 0 7 7.685	0 0 12 8 95 97 123 3.671 1 2 2 248 5.035	33 489 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	98 1,908 0 0 0 0 0 0 98 1,908  MANAMAMAMAMAMAMAMAMAMAMAMAMAMAMAMAMAMA	2 3 0 0 0 6 21 162 17 0 0 196 236 ************************************	TYPE 2 ESTIMATE UNDER CONSTRUCTION PLANTS FLOM 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 12 14 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
NO CHANGE OTHER  TOTAL  42-64 RECALCINATION  ENLARGE UPGRADE ENLARGE AND UPGRADE REPLACE ABANDON NO CHANGE	18 29 257 114 137 3,842 1 2 587 7.685  PROCESS TOTAL PLANTS FLOM 5 475 1 22 0 0 12 250 0 0 3 76 17 1.579	0 0 12 8 95 97 123 3.671 1 2 248 5.035 миникимининини NON IN USE PLANTS FLOM 2 232 1 22 0 0 0 0 0 3 76 17 1.379	35 489 0 0 0 0 0 0 0 0 0 33 489 TYPE 1 ESTIMATE UNDER CONSTRUCTION PLANTS FLOH 0 0 0 0 0 0 2 45 0 0 0	78 1,708 0 0 0 0 0 0 78 1,708  ***********************************	2 3 0 0 0 6 21 162 17 14 171 0 0 196 236	TYPE 2 ESTIMATE UNDER CONSTRUCTION PLANTS FLOM 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 1 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
NO CHANGE OTHER  TOTAL  42-64 RECALCINATION  ENLARGE UPGRADE ENLARGE AND UPGRADE NEM PROCESS REPLACE ABANDON NO CHANGE OTHER	18 29 257 114 137 3,842 1 2 587 7,685  PROCESS TOTAL PLANTS FLOH 5 475 1 22 0 0 0 12 250 0 7 17 1,379 0 0	0 0 12 8 95 97 123 3.671 1 2 248 5.035 248 5.035 248 5.035 248 5.035 248 22 0 0 0 0 0 0 3 7.6 17 1.379 0 0	35 489 0 0 0 0 0 0 0 33 489 TYPE 1 ESTIMATE UNDER CONSTRUCTION PLANTS FLOM 0 0 0 0 2 45 0 0 0 0	98 1,908 0 0 0 0 0 0 98 1,908  MARKHARHARHARHARHAREQUIRED BUT NOT FUNDED PLANTS FLOM 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2 3 0 0 0 6 21 162 17 14 171 0 0 196 236 ************************************	TYPE 2 ESTIMATE UNDER CONSTRUCTION PLANTS FLOM PLANTS FLOM O 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 1 2 1 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
NO CHANGE OTHER  TOTAL  42-64 RECALCINATION  ENLARGE UPGRADE ENLARGE AND UPGRADE NEM PROCESS REPLACE ABANDON NO CHANGE OTHER	18 29 257 114 137 3,842 1 2 587 7,485  PROCESS TOTAL PLANTS FLON 5 475 1 22 0 0 0 12 250 0 0 0 3 74 17 1,379 0 0 38 2,204	0 0 12 8 95 97 123 3.671 1 2 248 5.035 248 5.035 248 5.035 248 5.035 248 22 0 0 0 0 0 0 3 7.6 17 1.379 0 0	35 489 0 0 0 0 0 0 0 33 489 TYPE 1 ESTIMATE UNDER CONSTRUCTION PLANTS FLOM 0 0 0 0 2 45 0 0 0 0	98 1,908 0 0 0 0 0 0 98 1,908  MARKHARHARHARHARHAREQUIRED BUT NOT FUNDED PLANTS FLOM 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2 3 0 0 0 6 21 162 17 14 171 0 0 196 236 ************************************	TYPE 2 ESTIMATE UNDER CONSTRUCTION PLANTS FLOM PLANTS FLOM O 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 1 2 1 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
NO CHANGE OTHER  TOTAL  42-64 RECALCINATION  ENLARGE UPGRADE ENLARGE AND UPGRADE NEH PROCESS REPLACE ABANDON NO CHANGE OTHER  TOTAL	18 29 257 114 137 3,842 1 2 587 7,685  PROCESS TOTAL PLANTS FLOM 5 475 1 22 0 0 0 12 250 0 0 0 17 1,379 0 0 38 2,204	0 0 12 8 8 95 97 123 3.671 1 2 8 8 95 97 123 3.671 1 2 2 2 32 1 2 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	35 489 0 0 0 0 0 0 0 0 0 33 489 TYPE 1 ESTIMATE CONSTRUCTION PLANTS FLOM 0 0 0 0 2 45 0 0 0 0 0 0 2 45	98 1,908  0 0 0  0 0 0  98 1,908  ***********************************	2 3 0 0 0 6 21 162 177 0 0 0 196 236    **********************************	TYPE 2 ESTIMATE UNDER CONSTRUCTION PLANTS FLOW 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
NO CHANGE OTHER  TOTAL  42-64 RECALCINATION  ENLARGE UPGRADE ENLARGE AND UPGRADE NEH PROCESS REPLACE ABANDON NO CHANGE OTHER  TOTAL	18 29 257 114 137 3,842 1 2 587 7,485  PROCESS TOTAL PLANTS FLON 5 475 1 22 0 0 0 12 250 0 0 0 3 74 17 1,379 0 0 38 2,204	0 0 12 8 8 95 97 123 3.671 1 2 8 8 95 97 123 3.671 1 2 2 2 3 2 1 2 2 3 2 1 2 2 3 0 0 0 0 0 3 76 17 1.379 0 23 1.711	TYPE I ESTIMATE UNDER CONSTRUCTION 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	98 1,908 0 0 0 0 0 0 98 1,908  MANAMANAMANAMANAMANAMANAMANAMANAMANAMA	2 3 0 0 0 6 21 162 177 0 0 0 196 236    **********************************	TYPE 2 ESTIMATE UNDER CONSTRUCTION PLANTS FLOM 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 12 14 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
NO CHANGE OTHER  TOTAL  42-64 RECALCINATION  ENLARGE UPGRADE ENLARGE AND UPGRADE NEH PROCESS REPLACE ABANDON NO CHANGE OTHER  TOTAL  42-65 AEROBIC DIGESTIC	18 29 257 114 137 3,842 1 2 587 7,485  PROCESS TOTAL PLANTS FLOM 5 475 1 22 0 0 0 12 250 0 0 0 3 76 17 1,379 0 0 38 2,204	0 0 12 8 8 95 97 123 3.671 1 2 248 5.035 2 248 5.035 2 248 5.035 2 2 2 2 0 0 0 0 0 3 7.6 17 1.379 0 0 23 1.711	35 489 0 0 0 0 0 0 0 0 0 0 0 33 489  TYPE 1 ESTIMATE UNDER CONSTRUCTION PLANTS FLOH 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	98 1,908 0 0 0 0 0 0 0 0 0 98 1,908  ###################################	2 3 0 0 0 0 0 0 0 196 236	TYPE 2 ESTIMATE UNDER  O O O  TYPE 2 ESTIMATE UNDER  O O O  O O O  O O O  TYPE 2 ESTIMATE UNDER  TYPE 2 ESTIMATE UNDER CONSTRUCTION PLANTS FLOM CONSTRUCTION PLANTS FLOM	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
NO CHANGE OTHER  TOTAL  42-64 RECALCINATION  ENLARGE UPGRADE ENLARGE AND UPGRADE NEM PROCESS REPLACE ABANDON NO CHANGE OTHER  TOTAL  42-65 AEROBIC DIGESTIC	18 29 257 114 137 3,842 1 2 587 7,685  PROCESS TOTAL PLANTS FLOM 5 475 1 22 0 0 0 12 250 0 0 0 3 76 17 1,379 0 0 38 2,204	0 0 12 8 8 95 97 123 3.671 1 2 8 95 97 123 3.671 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 3 1.711    *********************************	35 489 0 0 0 0 0 0 0 0 0 0 0 33 489  TYPE 1 ESTIMATE UNDER CONSTRUCTION PLANTS FLOW 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	98 1,908 0 0 0 0 0 0 0 0 0 98 1,908  ###################################	2 3 0 0 0 0 0 0 0 196 236    **********************************	TYPE 2 ESTIMATE UNDER CONSTRUCTION D O O O O O O O O O O O O O O O O O O	0 0 0 12 14 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
NO CHANGE OTHER  TOTAL  42-64 RECALCINATION  ENLARGE UPGRADE ENLARGE AND UPGRADE NEW PROCESS REPLACE ABANDON NO CHANGE OTHER  TOTAL  42-65 AEROBIC DIGESTIC  ENLARGE UPGRADE ENLARGE AND UPGRADE NEW PROCESS	18 29 257 114 137 3,842 1 2 587 7,685  PROCESS TOTAL PLANTS FLOM 5 475 1 22 0 0 0 12 250 0 0 0 3 76 17 1,379 0 38 2,204  DN - AIR  PROCESS TOTAL PLANTS FLOM 537 3,736 12 1,022 168 953 2,110 8,739	0 0 12 8 97 123 3.671 1 2 8 95 97 123 3.671 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	33 489 0 0 0 0 0 0 0 0 0 0 0 0 33 489  TYPE 1 ESTIMATE UNDER CONSTRUCTION PLANTS FLOW 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	98 1,908 0 0 0 0 0 0 98 1,908  MANAMANAMANAMANAMAN REQUIRED BUT NOT FUNDED 0 0 0 0 0 0 6 1977  MANAMANAMANAMANAMAN MANAMANAMANAMAN MANAMANA	2 3 0 0 0 6 21 162 17 0 0 196 236 ************************************	TYPE 2 ESTIMATE UNDER CONSTRUCTION DO O O O O O O O O O O O O O O O O O	0 0 0 12 14 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
NO CHANGE OTHER  TOTAL  42-64 RECALCINATION  ENLARGE UPGRADE ENLARGE AND UPGRADE NEN PROCESS REPLACE ABANDON NO CHANGE OTHER  TOTAL  42-65 AEROBIC DIGESTIC	18 29 257 114 137 3,842 1 2 587 7,685  PROCESS TOTAL PLANTS FLOM 5 475 1 22 0 0 0 12 250 0 76 17 1,379 0 38 2,204  DN - AIR  PLANTS FLOM 537 3,376 123 1,376 123 1,379 123 1,379 124 953 2,110 8,739 58 179	0 0 12 8 8 95 97 123 3.671 1 2 8 8 95 97 123 3.671 1 2 2 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 8 5.035 2 4 5.035 2 4 5.035 2 4 5.035 2 4 5.035 2 4 5.035 2 4 5.035 2 4 5.035	33 489 0 0 0 0 0 0 0 0 0 0 0 0 33 489  TYPE 1 ESTIMATE UNDER CONSTRUCTION PLANTS FLOM 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	98 1,908 0 0 0 0 0 0 0 0 0 98 1,908  ***********************************	2 3 0 0 0 0 6 21 162 177 0 0 196 236	TYPE 2 ESTIMATE UNDER CONSTRUCTION PLANTS FLOM 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 1 2 14 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
NO CHANGE OTHER  TOTAL  42-64 RECALCINATION  ENLARGE UPGRADE ENLARGE AND UPGRADE NEM PROCESS REPLACE ABANDON NO CHANGE OTHER  TOTAL  42-65 AEROBIC DIGESTIC  ENLARGE UPGRADE ENLARGE ENLARGE ENLARGE ENLARGE ENLARGE ENLARGE ENLARGE ENLARGE ABANDON NO CHANGE	18 29 257 114 137 3,842 1 2 587 7,685  PROCESS TOTAL PLANTS FLOM 5 475 1 22 0 0 0 12 250 0 0 0 3 76 17 1,379 0 38 2,204  DN - AIR  PROCESS TOTAL PLANTS FLOM 537 3,736 12 1,022 168 953 2,110 8,739	0 0 12 8 8 95 97 123 3.671 12 8 95 97 123 3.671 12 8 95 97 123 3.671 12 12 12 12 12 12 12 12 12 12 12 12 12	33 489 0 0 0 0 0 0 0 0 0 0 0 0 0 0 33 489  TYPE 1 ESTIMATE UNDER CONSTRUCTION PLANTS FLOM 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	98 1,908 0 0 0 0 0 0 0 0 0 98 1,908  ***********************************	2 3 0 0 0 0 0 6 21 162 177 0 0 0 196 236 196 236 196 236 196 236 196 236 196 236 196 236 196 236 196 236 242 196 236 242 196 236 242 196 236 242 196 236 242 196 236 242 196 236 242 196 236 242 196 236 242 196 236 242 196 236 242 196 236 242 196 236 242 196 236 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 242 196 2	TYPE 2 ESTIMATE UNDER CONSTRUCTION PLANTS FLOM PLANTS	0 0 0 1 2 14 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
NO CHANGE OTHER  TOTAL  42-64 RECALCINATION  ENLARGE UPGRADE ENLARGE AND UPGRADE NEM PROCESS REPLACE ABANDON NO CHANGE OTHER  TOTAL  42-65 AEROBIC DIGESTIC  ENLARGE UPGRADE ENLARGE AND UPGRADE NEM PROCESS REPLACE ABANDON	18 29 257 114 137 3,842 1 2 587 7,685  PROCESS TOTAL PLANTS FLON 5 475 1 22 0 0 0 12 250 0 0 0 3 76 17 1,379 0 38 2,204  DN - AIR  PLANTS FLON 57 3,76 17 1,379 0 10 0 38 2,204	0 0 12 8 8 95 97 123 3.671 1 2 2 2 2 4 8 5.035 2 2 4 8 5.035 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	33 489 0 0 0 0 0 0 0 0 0 0 0 33 489  TYPE 1 ESTIMATE UNDER CONSTRUCTION PLANTS FLOW 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	98 1,908 0 0 0 0 0 0 0 0 0 98 1,908  MANAHAMAHAMAMA REQUIRED BUT 0 0 0 0 0 0 6 1977 0 0 0 0 0 0 6 1977  MANAHAMAHAMAMAMA REQUIRED BUT NOT FUNDED PLANTS FLOM 0 0 0 0 0 0 6 1977	2 3 0 0 0 6 21 162 17 0 0 196 236 ************************************	TYPE 2 ESTIMATE UNDER CONSTRUCTION PLANTS FLOM DO D D D D D D D D D D D D D D D D D	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

## 42-66 AEROBIC DIGESTION - DXYGEN

	PROC			******* N USE	TYPE 1 1 Uni Constri	DER	REQUIRE NOT FU	D BUT			UND	ER	REQUIRE	D BUT
PM: 4 BOS	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS		NOH IN PLANTS	FLOW	PLANTS	FLOW	NOT FU PLANTS	FLDW
ENLARGE Upgrade	1	31	4	27	0	0	0	0	3	4	0	0	0	0
ENLARGE AND UPGRADE NEW PROCESS	i	5	ī	5	ŏ	ö	ě	ö	ŏ	0	0	0	0 Ω	0
REPLACE	19	426 0	0	0	7	66	11	358	0	0	Ō	Ō	i	1
ABANDON NO CHANGE	8 33	41		41	Ö	ě	ō	ĕ	ò	ö	ö	0	0	0
DTHER	0	430 0	30 0	398 0	0	0	0	0	3	3 1 0	0	0	0	0
TOTAL	70	935	44	473	7	66	11	358	7	36	0	0	1	1

#### 42-47 COMPOSTING

	PROCESS Total Plants Fi		####### In USE Flow	TYPE 1 1 Uni Constri Plants	DER JCTION	REQUIRE NOT FU	D BUT	NOW I	USE	TYPE 2 E Und Constru	ER CTION	REQUIRE NOT FU	D BUT
ENLARGE	2	75 2	75	FLANIS	FLOW	PLANTS	FLOW	PLANTS	FLOH	PLANTS	FLOW	PLANTS	FLOW
UPGRADE	2 1,1	81 2	1,181	ŏ	ŏ	Ö	0	0	0	0	0	0	0
ENLARGE AND UPGRADE NEW PROCESS		62 2	662	0	0	Ó	ŏ	ő	ŏ	ŏ	ŏ	0	ň
REPLACE	38 1,7	78 0 18 1	•	10	192	23	882	0	0	ō	Õ	5	722
ABANDON	ż	2 2	18	0	0	0	0	0	0	0	0	0	0
ND CHANGE	19 2,0	33 13	427	ŏ	ŏ	0	ŭ	4	1.606	0	0	0	0
OTHER	D	0 0	0	0	ō	ŏ	ō	ŏ	.,	ŏ	ů	Ů	0
TOTAL	66 5.7	73 22	2,369	10	192	23	882	6	1,606	0	0	•	722

#### 42-68 ANAEROBIC DIGESTION

ENLARGE UPGRADE ENLARGE AND UPGRADE NEW PROCESS REPLACE ABANDON NO CHANGE OTHER	PROCESS TOTAL PLANTS FLOW 577 19,568 277 7,354 332 7,612 1.093 9,589 128 1,132 850 11,047 2.020 38,142	NOW IN USE PLANTS FLOW 354 13,880 213 5,349 275 7,132 0 0 111 1,069 802 10,939 1,763 35,050	TYPE 1 ESTIMATE UNDER CONSTRUCTION PLANTS FLOW 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	######################################	NOW IN USE PLANTS FLOW 223 5,687 64 2,005 57 480 0 17 63 48 108 257 3.092	TYPE 2 ESTIMATE UNDER CONSTRUCTION PLANTS FLOM 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	######################################
OTHER	10 616	1,763 35,050 9 616	0 0	0 0	257 3,092 1 0	0 0	0 0
TOTAL	5,287 95,065	3,527 74,038	90 1,826	291 6,438	667 11,438	1 0	711 1,325

## 42-69 SLUDGE LAGOONS

	PROCESS TOTAL	NOW IN USE	UNDER COMSTRUCTION	REQUIRED BUT NOT FUNDED	MOW IN USE	TYPE 2 ESTIMATE UNDER CONSTRUCTION	*********** REQUIRED BUT NOT FUNDED
ENLARGE UPGRADE	PLANTS FLOW 71 1,943 30 748	PLANTS FLOW 37 1,474 23 198	PLANTS FLOW 0 0	PLANTS FLOW 0 0	PLANTS FLOW 34 467 7 549	PLANTS FLOW	PLANTS FLOW
ENLARGE AND UPGRADE New Process Replace	39 1,655 156 2,567 12 170	32 1,651 0 0 11 168	0 0 26 386 0 0	0 0 114 2,158	7 3	0 0	0 0 0 0 16 22
ABANDON NO CHANGE OTHER	105 1,944 353 9,770	93 1,889 312 9,569	8 0 0 G	0 0 0 0	1 2 12 54 41 200	0 0	0 0
TOTAL	2 465 768 19,265	2 465 510 15,418	0 0 26 386	0 0 114 2,158	0 0	0 0	0 0

## 42-70 HEAT TREATMENT

	PROCESS TOTAL	NOW IN USE	UNDER	REQUIRED BUT		TYPE 2 ESTIMATE	REQUIRED BUT
ENLARGE	PLANTS FLO	H PLANTS FLOW	CONSTRUCTION PLANTS FLON	NOT FUNDED PLANTS FLOW	NOW IN USE PLANTS FLOW	CONSTRUCTION Plants flow	NOT FUNDED Plants flow
UPGRADE Enlarge and upgrade	5 24 5 54	6 4 220	0 0	0 0	9 127 1 25	0 0 0 0	0 0 0 0
NEW PROCESS Replace	39 5,81	0 0	10 2,611	15 2,973	0 0	0 0	0 0 14 225
ABANDON ND CHANGE	19 1,33 108 10,91	2 17 1,330	8 0	0 0	2 1	0 0	0 0
OTHER	ð	0 0	ō ŏ	0 0	10 409 0 0	0 0	0 0
TOTAL	203 19,77	141 13,403	10 2,611	15 2.973	23 545	n n	16 225

## 42-71 CHLORINE OXIDATION OF SLUDGE (PURIFAX)

	. 70	CESS Tal	NSW I		TYPE 1 E Und Constru	ER	REQUIRE NOT FU	D BUT	******		TYPE 2 E Und Constru	ER	REQUIRE NOT FU	D BUT
ENLARGE	PLANTS		PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW
UPGRADE	3	498	1	13	0	0	0	0	2	484	,,,,,,,	r LUM	PLANES	FLUW
ENLARGE AND UPGRADE	0	0	0	0	0	0	0	8	ō	a	ă	ñ	ŏ	0
NEW PROCESS	0	0	0	0	0	0	0	0	O	ŏ	ő	ñ	ň	n
REPLACE	13	167	0	0	5	87	6	79	0	ō	ŏ	ő	,	Ö
ABANDON		10	2	10	o	0	0	0	0	0	σ	ō	ā	ā
NO CHANGE	29	430 583		426	0	0	0	0	1	3	0	Ó	0	ō
DTHER	- 7	202	27	508	D	0	0	0	2	75	8	0	0	ō
TOTAL				v	U	U	o	0	G	o	0	0	0	0
	53	1,689	35	958	5	87	6	79	5	544	0		,	

## 42-72 LIME STABILIZATION

		CESS TAL FLON		N USE	TYPE 1 E	ER CTION	REQUIRE NOT FU	D BUT	******		TYPE 2 E UND CONSTRU	ER	REQUIRE NOT FU	D BUT
ENLARGE	7	542	PLANIS		PLANTS	FLOH	PLANTS	FLOW	PLANTS	FLON	PLANTS	FLOW	PLANTS	
UPGRADE	,	77	•	30	0	0	0	0	4	511	0	0		LEGM
ENLARGE AND UPGRADE	ñ	′ ′ ′ ′ ′ ′ ′ ′ ′ ′ ′ ′ ′ ′ ′ ′ ′ ′ ′ ′	:	68	0	0	0	0	1	9	o	Ď	- ī	ŏ
NEW PROCESS	40	857		0	0	0	0	0	0	C	ō	ō	ň	ŏ
REPLACE	70	037	0	0	9	240	26	591	9	C	0	ñ	č	25
ABANDON	7	359	0		0	0	0	0	0	0	ō	ō	ñ	
NO CHANGE	58			359	a	0	0	0	0	0	ō	ō	ň	ŭ
OTHER	30	2,723	51	2,640	0	0	D	0	7	83	Ŏ	ň	ř	Š
	U	U	0	0	0	0	0	0	٥	Ó	ō	ň	ő	ŭ
TOTAL	114	4,560	62	3,098	9	240	26	591	12	604	0			

## 42-73 WET AIR OXIDATION

	PROC		****	******	TYPE 1 8		REQUIRE		*****	****	TYPE 2 E				
	TOT PLANTS			N USE	CONSTRU		NOT FU		NOH IN	USE	CONSTRU		REQUIRE NOT FU		
ENLARGE	PLANIS	FLOW 597	PLANTS	FLOW 483	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	
UPGRADE	5	488	i	397	0	0	0	0	1	113 90	0	0	Q	0	
ENLARGE AND UPGRADE NEW PROCESS	2	147	2	147	0	ō	ŏ	ŏ	ò	70	8	0	0	0	
REPLACE	ō	335	0	0	1	37	3	297	0	0	ŏ	ō	ŏ	ŏ	
ABANDON	6	248	6	248	ő	ŭ	0	0	0	0	0	0	0	0	
NO CHAJIGE Other	33	1,758	31	1,693	0	ō	ō	ŏ	2	64	0	0	0	0	
	U	U	0	C	0	0	0	0	0	0	Ŏ	ŏ	ŏ	ŏ	
TOTAL	55	3,575	47	2,971	1	37	3	297	4	268	0	0	0	0	

## 42-74 AIR DRYING

ENLARGE UPGRADE ENLARGE AND UPGRADE NEW PROCESS REPLACE ABANDON NO CHANGE	PROCESS TCTAL PLANTS FLOW 1,137 9,930 201 3,010 389 3,420 2,857 7,492 217 1,060 1,080 4,626 3,774 29,318	NOW IN USE PLANTS FLOW 582 6,974 125 1,193 300 3,257 0 0 146 891 1,015 4,534	TYPE 1 ESTIMATE UNDER CONSTRUCTION PLANTS FLOW 0 0 0 0 0 0 114 1,145 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	######################################	NOW IN USE PLANTS FLOW 555 2,957 76 1,817 89 162 0 71 169 65 91	TYPE 2 ESTIMATE UNDER CONSTRUCTION PLANTS FLOW 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	**************************************
NO CHANGE OTHER Total	3,704 29,318	3,208 27,342	0 0	0 0	496 1,977	0 0	0 0 0 0
TOTAL	9,589 58,923	5,380 44,256	214 1,145	680 3,825	1,352 7,175	3 5	1.960 2.519

## 42-75 DEWATERING - MECHANICAL - VACUUM FILTER

ENLARGE UPGRADE ENLARGE AND UPGRADE NEW PROCESS REPLACE ABANDON NO CHANGE OTHER	PROCESS TOTAL PLANTS FLOM 185 8.237 50 6.191 67 4.662 475 11.255 11 199 107 6.513 753 28,492	NON IN USE PLANTS 6.361 38 6.083 51 4.458 0 0 11 199 103 6.501 671 26.236	UNDER CONSTRUCT PLANTS F 0 0		ED BUT Unded	NOW IN US PLANTS FE 71 1,6 12	UN SE CONSTR OH PLANTS 075 0 08 0 004 0 0 0	DER UCTION	MAWENNEED BU'NOT FUNDED BU'NOT FUNDED CO	T W O O
TOTAL	1,649 65,565	989 49.853	80 3,	183 184	6,742	185 4,4	56 0	0	211 1.329	,

## 42-76 DEWATERING - MECHANICAL - CENTRIFUGE

	PROCESS TOTAL	NOW IN USE	TYPE 1 ESTIMATE Under Construction	REQUIRED BUT NOT FUNDED	NOW IN USE	TYPE 2 ESTIMATE UNDER CONSTRUCTION	*********** REQUIRED BUT NOT FUNDED
ENLARGE	PLANTS FLOW 47 4,381	PLANTS FLOW 25 1,261	PLANTS FLOW	PLANTS FLOW	PLANTS FLOW	PLANTS FLOW	PLANTS FLOW
UPGRADE	11 557	10 466	0 0	0 0	22 3,120	0 0	0 0
ENLARGE AND UPGRADE	13 896	11 724	0 0	8 0	1 90	0 0	0 0
NEW PROCESS	71 11,211	0 0	. 0	0 0	2 171	0 0	0 0
REPLACE	3 58	3 58	17 624	46 8,592	0 0	0 0	8 1,994
ABANDON	15 593	15 593	0 0	0 0	0 0	0 0	0 0
NO CHANGE	153 7,582		0 0	0 0	0 0	0 0	0 0
DTHER	1 7 7,362		0 0	0 0	14 176	0 0	0 0
		0 0	0 0	0 0	0 0	0 0	8 0
TOTAL	313 25,281	203 10,509	17 624	46 8,592	39 3,559	0 0	8 1,994

## 42-77 DEMATERING - MECHANICAL - FILTER PRESS

	PROC TOT			****** N USE	บห	ESTIMATE DER Uction	***** REQUIR NOT F	ED BUT	****** NI WOM		TYPE 2 E Und Constru	ER	REQUIRE	
ENLARGE	PLANTS 27	FLOW 883	PLANTS	FLDH 483	PLANTS	FLOW	PLANTS		PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW
UPGRADE Enlarge and upgrade	10	8	2	8	ő	0	0	0	10 0	399 0	0	0	0	0
NEW PROCESS	180 1		10 0	514 0	۲ 43	4,026	0 125	7.296	0	0	0	0	0 12	0 153
ABANDON	1 7	132 170	1 7	132 170	0	0	0	0	Ö	Ŏ	ŏ	ō	ō	0
NO CHANGE OTHER	104	3,898 97	96 1	3,523	Ŏ	Ö	ŏ	0	8	374	o o	Ö	0	0
TOTAL	332 1	7,181	134	4.730	43	4.026	125	7.296	18	776	0	0	12	153

## 42-78 DEMATERING - OTHERS

				*****	TYPE 1 E	STIMATE	***	****	***	***	TYPE 2 E	STIMATE	***	***
	PRO	CESS			UND	ER	REQUIR	ED BUT			UND		REQUIRE	
	TO	TAL	NOM 2	IN USE	CONSTRU	CTION	NOT F	UNDED	NOW IN	USE	CONSTRU	CTION	NOT FU	INDED
	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLON	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW
ENLARGE	3	85	2	85	0	0	0	0	1	0	0	0	0	ū
UPGRADE	4	57	4	57	0	0	0	0	0	0	0	8	0	6
ENLARGE AND UPGRADE	1	1,260	1	1,260	0	0	0	0	0	0	0	0	0	0
NEH PROCESS	36	1,580	0	0	3	15	25	1,470	0	0	0	0	8	94
REPLACE	2	8	2	8	0	0	0	C	0	0	0	0	0	0
ABANDON	7	24	5	8	0	0	0	0	2	16	0	0	0	0
NO CHANGE	20	419	19	409	0	0	0	0	1	10	0	0	0	ō
OTHER	0	0	0	0	0	0	0	0	0	0	0	0	0	Ď
TOTAL	73	3.437	33	1.829	3	15	25	1.470	4	27				94

## 42-79 GRAVITY THICKENING

		***	TYPE 1 ESTINATE		*****	TYPE 2 ESTIMATE	*****
	PROCESS		UNDER	REQUIRED BUT		UNDER	REQUIRED BUT
	TOTAL	NOW IN USE	CONSTRUCTION	NOT FUNDED	NOW IN USE	CONSTRUCTION	NOT FUNDED
	PLANTS FLOW	PLANTS FLOW	PLANTS FLOW	PLANTS FLON	PLANTS FLOW	PLANTS FLON	PLANTS FLOW
ENLARGE	140 10,230	85 9,164	0 0	0 0	55 1,066	0 8	0 0
UPGRADE	27 1,981	21 1.857	8 0	0 0	6 123	0 0	o o
ENLARGE AND UPGRADE	35 2,780	28 2.629	0 0	0 0	7 150	0 0	ō ō
NEW PROCESS	398 10,203	0 0	75 2.951	210 5.580	0 0	0 0	113 1,672
REPLACE	11 271	10 271	0 0	0 0	1 0	ÖÖ	0 0
ABANDON	62 4.913	60 4.904	0 0	0 0	2 9	0 6	a o
NO CHANGE	509 24,954		0 0	ō ō	45 982	0 0	Ď
OTHER	1 75	1 75	0 0	ō ō	0 0	Õ Õ	0 0
TOTAL	1,183 55,411	669 42,875	75 2.951	210 5.580	116 2.332	0 0	113 1.672

#### 42-80 AIR FLOTATION THICKENING

		***	TYPE 1 ESTIMATE	****	********	TYPE 2 ESTIMATE	*********
	PROCESS		UNDER	REQUIRED BUT		UNDER	REQUIRED BUT
	TOTAL	NOW IN USE	CONSTRUCTION	NOT FUNDED	NOH IN USE	CONSTRUCTION	NOT FUNDED
	PLANTS FLOW		PLANTS FLOW	PLANTS FLOW	PLANTS FLON	PLANTS FLOW	PLANTS FLOW
ENLARGE	39 3,211	24 2,189	0 0	0 0	15 1,022	0 0	0 0
UPGRADE	8 859	7 8.53	0 <b>0</b>	0 0	1 25	0 0	0 0
ENLARGE AND UPGRADE	5 770	4 755	0 0	0 0	1 15	0 0	0 0
NEH PROCESS	149 11,803		40 2,597	101 7,962	0 0	0 0	8 1,243
REPLACE	3 148	3 142	0 0	0 0	0 0	0 0	0 0
ABANDOH	6 1,413	6 1,413	0 0	0 0	0 0	0 0	0 0
ND CHANGE	160 9,203	144 8,343	0 0	0 0	16 860	0 0	0 0
OTHEP	0 0	0 0	0 0	0 8	0 0	0 0	0 0
TOTAL	370 27,410	188 13,683	40 2,597	101 7,962	33 1.923	0 0	8 1,243

#### 42-81 INCINERATION - MULTIPLE HEARTH

		******	TYPE 1 ESTIMATE	***	***	TYPE 2 ESTINATE	***
	PROCESS		UNDER	REQUIRED BUT		UNDER	REQUIRED BUT
	TOTAL	NOW IN USE	CONSTRUCTION	NOT FUNDED	NOW IN USE	CONSTRUCTION	NOT FUNDED
	PLANTS FLOW	PLANTS FLOW	PLANTS FLOW	PLANTS FLOW	PLANTS FLOW	PLANTS FLON	PLANTS FLOW
ENLARGE	42 4,028	27 3.129	0 0	0 0	15 899	0 0	0 0
UPGRADE	22 4,818	17 4,757	0 0	9 B	5 61	0 0	0 8
ENLARGE AND UPGRADE	18 3,093	14 2,933	0 0	0 0	4 159	0 9	0 8
NEW PROCESS	77 8.173	0 0	12 1,072	43 5,319	0 0	2 357	20 1,423
REPLACE	7 913	5 895	0 0	0 0	2 18	0 0	0 0
ABANDON	34 1,405	31 1,246	0 0	8 0	3 158	0 0	0 0
NO CHANGE	178 13,111	163 12,346	0 0	0 0	15 764	0 0	0 0
OTHER	1 1,169	0 0	<b>O</b> D	1 1,169	0 0	0 0	0 0
TOTAL	379 36,714	257 25.308	12 1,072	44 6,489	44 2,062	2 357	20 1,423

## 42-82 INCINERATION - FLUIDIZED BEDS

			***	****	TYPE 1 6	STIMATE	****	****	***	****	TYPE 2 E	STIMATE	***	****
	PRO	CESS			UNI	ER	REQUIRE	D BUT			140	ER	REQUIRE	D BUT
	TO	TAL	NOH 1	N USE	CONSTRU	ICTION	NOT FU	NDED	NI HON	USE	CONSTRU	CTION	NOT FL	JNDED
	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOH	PLANTS	FLON
ENLARGE	1	17	1	17	0	0	0	0	0	0	0	0	0	0
UPGRADE	2	181	2	181	0	8	0	Ð	0	0	0	0	0	0
ENLARGE AND UPGRADE	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NEW PROCESS	4	1.119	0	0	1	22	2	832	0	0	0	0	1	264
REPLACE	1	14	1	14	0	o	0	0	0	0	0	0	D	0
NOCHABA	0	6	0	0	0	0	٥	0	0	0	0	0	0	0
NO CHANGE	18	1,125	17	1.101	0	0	0	0	1	23	0	0	0	0
OTHER	0	0	0	0	G	0	0	0	0	0	0	D	0	0
TOTAL	26	2,458	21	1.314	1	22	2	832	1	23	0	0	1	264

## 42-83 INCINERATION - ROTARY KILN

				***	TYPE 1 E	STIMATE	****	****	***	****	TYPE 2 E	STIMATE	****	****
	PRO	CESS			UNI	ER	REQUIRE	D BUT			UND	ER	REQUIR	ED BUT
	TO	TAL .	NOW I	N USE	CONSTRU	CTION	NOT FU	NDED	NOH IN	USE	CONSTRU	CTION	NOT F	UNDED
	PLANTS	FLON	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOH	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOH
ENLARGE	1	90	0	0	0	0	0	0	1	90	0	0	0	0
UPGRADE	0	C	0	0	0	0	0	0	0	0	0	0	0	0
ENLARGE AND UPGRADE	1	105	1	105	Ö	0	Ó	0	Ö	0	0	C	0	0
NEH PROCESS	2	1.170	Đ	0	Ö	0	Ó	0	0	0	0	0	2	1,170
REPLACE	0	0	0		٥	0	0	0	0	0	0	0	a	0
ABANDON	2	12	2	12	Ō	ō	Ö	Ö	ō	0	ō	0	0	0
NO CHANGE	4	345	4	345	ō	Ō	ō	Ò	Ď	0	Ö	0	0	0
OTHER	Ó	Ō	Ó	Ō	Ď	ō	Ŏ	Ō	Ŏ	Ō	Õ	Ó	Ō	G
TOTAL	10	1,725	7	464	0	0	0	0	1	90	0	0	2	1.170
				1	07									

## 42-84 INCINERATION - DTHERS

ENLARGE UPGRADE ENLARGE AND UPGRADE NEW PROCESS REPLACE ABANDON NO CHANGE OTHER	PROG TOT PLANTS 1 0 0 4 0 0	FLOW 104 0 0 598 0 997		IN USE FLOW 104 0 0 0 0 0 0 0	TYPE 1 E UNE CONSTRU PLANTS 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	ER	REQUIRE NOT FU PLANTS 0 0 1 0 0 0 0 0	D BUT	********  NGW IN PLANTS  0 0 0 1		TYPE 2 E UND CONSTRU PLANTS 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	ER	MMXXMX REQUIRE NOT FU PLANTS O Q O O O	D BUT
TOTAL	19	1,700	14	1,077	3	314	1	283	1	24	0	0	0	0

## 42-85 PYROLYSIS

	PROC TOT	AL	NON I		TYPE 1 E UNI CONSTRU	ER	REQUIRE NOT FU	TUE G	NOW IN		TYPE 2 E	ER	REQUIRE NOT FU	D BUT
	PLANTS	FLOW	PLANTS	FLON	PLANTS	FLOR	PLANTS	FLOW	PLANTS	FLOW	PLANTS		PLANTS	FLOW
ENLARGE	0	0	0	0	0	0	0	0	0	0	0	0		
UPGRADE	0	0	0	0	0	D	0	0	0	0	Ö	Ŏ	ŏ	ŏ
ENLARGE AND UPGRADE New Process			0	0	0	0	0	0	0	0	0	0	Ō	ŏ
REPLACE	2	89	0	9	0	0	3	64	0	0	0	0	2	24
ABANDON	Ů		0	O.	0	0	0	0	0	0	0	0	0	0
NO CHANGE	ÿ		Ď	. 0	D	0	0	0	0	0	0		0	0
OTHER		97		97	0	0	0	0	0	0	0	0	0	0
o.men	U	U	U	0	0	0	0	0	0	0	0	0	0	0
TOTAL	7	186	2	97	0	0	3	64	0	0	0	0	2	24

## 42-86 CO-INCINERATION WITH SOLID WASTE

	PRO	ESS	****	*****	TYPE 1 E		REQUIRE		*****	*****	TYPE 2 E		****** REQUIRE	
	PLANTS			N USE	CONSTRU	CTION	NOT FU	NDED	NOW IN		CONSTRU		NOT FU	
ENLARGE	PLANIS	FLOH	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW
UPGRADE	ŭ			0	0	0	o	0	0	0	0	0	0	0
ENLARGE AND UPGRADE	ž		Ų.	0	0	0	D	0	0	0	0	0	D	0
NEW PROCESS			Ü	0	0	0	0	0	0	0	0	0	0	0
REPLACE	•	483	0	0	6	392	4	91	0	0	0	0	0	0
ABANDON	Ÿ		0	0	0	0	0	0	0	0	0	0	0	0
NO CHANGE	;		1	1	0	0	0	C	0	0	0	C	0	0
OTHER	, b	238		238	ō	0	ō	0	0	Ō	0	0	0	0
	•	•	•	v	U	U	U	0	0	0	0	0	0	0
TOTAL	15	724	7	240	4	392	4	91	0	0	8	0	٥	0

## 42-87 CO-PYROLYSIS WITH SOLID WASTE

			***	****	TYPE 1	ESTIMATE	****	***	****	****	TYPE 2 E	STIMATE	******	*****
	PRO(				UNI	DER	REQUIRE	D BUT			UND		REQUIRE	
	TOT	TAL	NOH I	N USE	CONSTR	JCTION	NOT FU	INDED	NOW IN	USE	CONSTRU			UNDED
	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOH	PLANTS		PLANTS	FLON	PLANTS	FLON	PLANTS	FLOW
ENLARGE	1	1	a	Ü	0	0	0	D	1				LLANIS	FLUM
UPGRADE	Ð	0	0	0	C	ō	ň	ā	i	i	ž	ŭ		U
ENLARGE AND UPGRADE	0	C	0	Ō	ŏ	ň	ň	ň	ž	ř	ž			U
NEW PROCESS	1	171	Ó	ō	ŏ	ŏ	ň	č	ž	×			,	
REPLACE	0	Ď	Ď	Õ	ŏ	č	ž	ž	Ÿ	Ň	Ų		1	171
ABANDON	ž	31	,	31	š	ŭ			U	U	Ō	0	0	0
NO CHANGE	ī	306		306	ŗ	×	ŭ	ÿ	0	0	0	0	0	0
OTHER	ń	0	á	300	:	ŭ	· ·		0	0	0	0	0	C
	•	•	·	٠	U	U		U	0	0	0	0	Q	Q
TOTAL	13	511	11	338	0	0	0	0	1	1	0	0	1	171

## 42-88 CO-INCINERATION - OTHERS

			****	***	TYPE 1				****	****	TYPE 2 E	STIMATE	****	*****
	PROC				UNI		REQUIRE	D BUT			UND	ER	REQUIRE	D BUT
	TOT		NDW I		CONSTRU	JCTION	NOT FU	NDED	NOW IN	USE	CONSTRU	CTION	NOT FU	NDED
	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLON	PLANTS	FLOR	PLANTS	FLOW
ENLARGE	0	0	0	0	0	D	0	Đ						
UPGRADE	0	0	0	ō	Ō	ñ	ň	ŏ	ř	×		×		
ENLARGE AND UPGRADE	1	11	ī	11	ň	ž	×	ĕ	·	ŭ	ŭ	Ü		0
NEW PROCESS	ī	17	ā	• • • • • • • • • • • • • • • • • • • •	ž	ž	•	.:	ŭ	v	v	v	U	0
REPLACE	i					ŭ		3/	0	U	0	0	0	0
ABANDON	ž				U	0	0	0	0	0	0	0	0	0
NO CHANGE	Ų	Ų	U	0	0	0	0	0	0	0	0	0	0	8
	1	,	1	,	0	0	0	0	0	0	0	0	0	ō
OTHER	0	0	0	0	0	0	C	0	0	0	ō	ŏ	ā	ň
										-	•	•	•	·
TOTAL	3	58	2	20	0	0	1	37	0	0	C	9	0	0

## 42-89 LAND FILL

		****	TYPE 1 ESTIMAT		*********	TYPE 2 ESTIMATE	**********
	PROCESS		UNDER	REQUIRED BUT		UNDER	REQUIRED BUT
	TOTAL	NOW IN USE	CONSTRUCTION	NOT FUNDED	NOW IN USE	CONSTRUCTION	NOT FUNDED
	PLANTS FLOW	PLANTS FLOW	PLANTS FLOW	PLANTS FLON	PLANTS FLOW	PLANTS FLON	PLANTS FLON
ENLARGE	672 10,964	366 8,101	0 0	0 0	306 2.863	0 0	0 0
UPGRADE	65 2,337	47 2,270	0 0	0 0	18 67	0 0	ň
ENLARGE AND UPGRADE	129 8,965	95 7,357	0 0	ŏ ŏ	34 1,608	ň	
NEN PROCESS	3,084 14,747	0 0	245 3,360	801 7,610	0 0	, ,	2.036 3.779
REPLACE	91 335	60 276	0 0	0 0	31 58	ā ā	2,000
ABANDON	1,038 6,068	996 5,739	o ō	ŏ ŏ	42 329	ň	ň
NO CHANGE	5,462 59,853	4,384 52,527	0 0	ō ō	1,078 7,327	ň	ň
OTHER	1 700	1 700	0 0	ō ŏ	0 , 0	ŏŏ	ŏŏŏ
TOTAL	10,542103,973	5,949 76,973	245 3,360	801 7,610	1.509 12.253	2 1	2.036 3.779

	PROCESS TOTAL	NOW IN USE	UNDER CONSTRUCTION	REQUIRED BUT NOT FUNDED	**************************************	TYPE 2 ESTIMATE UNDER CONSTRUCTION	**************************************
ENLARGE UPGRADE	PLANTS FLOW 55 358 14 73	26 241	PLANTS FLOW 0 0	PLANTS FLOW 0 0	PLANTS FLON 29 116	PLANTS FLOW	PLANTS FLOW
ENLARGE AND UPGRADE New Process Replace	29 4,815 392 1,507 10 88	0 0	0 0 47 274	0 0	6 16	0 0	0 0 0 0 194 134
ABANDON No Change	156 939 833 5,236	148 869	0 0 0 0	0 0	1 0 8 70 116 276	0 0	0 0
OTHER Total	1 18		0 0 47 274	0 0	0 0 163 487	0 0	0 0

## 42-91 LAND SPREADING OF THICKENED SLUDGE

ENLARGE UPGRADE ENLARGE AND UPGRADE NEW PROCESS PEPLACE ABANDON NO CMANGE OTHER	PROCESS TOTAL PLANTS FLOM 94 1.529 24 892 61 6.379 339 5.402 10 113 162 2.712 1,014 11,341 4 480	NOW IN USE PLANTS FLOW 69 850 17 851 54 6,371 0 10 113 155 2,694 871 10,591 3 471	TYPE 1 ESTIMATE UNDER CONSTRUCTION PLANTS FLOM 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	######################################	NOM IN USE PLANTS FLOM 25 698 7 40 7 7 0 0 0 0 7 17 143 750 1 9	TYPE 2 ESTIMATE UNDER CONSTRUCTION PLANTS FLOW 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	######################################
TOTAL	1,708 28,853	1,179 21,925	69 1,673	174 3.555	190 1.525	0 0	96 173

## 42-92 TRENCHING

		CESS Tal		******* In use	TYPE 1 E UNI CONSTRE	DER	REQUIRE NOT FU	D BUT	******		TYPE 2 E Und Constru	ER	REQUIRE	D BUT
ENLARGE UPGRADE ENLARGE AND UPGRADE NEW PROCESS REPLACE ABANDON ND CHANGE OTHER	PLANTS 1	FLOW 1	PLANTS 1	FLOW 1	PLANTS 0	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW
	0	0	0	<b>0</b>	0	8	ō	Ö	ä	Ö	8	å	a	8
	3	7	0	Ö	1	7	i	0	0	0	0	0	0 1	0
	į	1,169	į	1,169	0	0	0	0	0	0	0	0	0	0
	ő	ő	Ĝ	22	0	0	0	0	1 0	50 0	0	0	0	0
TOTAL	11	1,251	7	1,193	1	7	1	0	1	50	0	0	1	^

#### 42-93 OCEAN DUMPING

ENLARGE UPGRADE ENLARGE AND UPGRADE NEW PROCESS REPLACE ABANDO' NO CHANGE OTHER	PROCESS TOTAL PLANTS FLOW 3 126 0 0 0 0 8 147 0 0 40 11,059 6 71 0 0	######################################	TYPE I ESTIMATE UNDER CONSTRUCTION PLANTS FLOW 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	######################################	**************************************	TYPE 2 ESTIMATE UNDER CONSTRUCTION PLANTS FLOW 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	######################################
TOTAL	57 11,405	36 9,195	0 0	3 92	13 2,062	0 0	0 0

## 42-94 OTHER SLUDGE HANDLING

ENLARGE UPGRADE ENLARGE AND UPGRADE NEW PROCESS REPLACE ABANDON NO CHANGE OTHER	PROCESS TOTAL PLANTS FLOM 21 461 9 760 5 3,595 292 12,397 3,11 68 1,709 203 5,486 2 1,476	NOM IN USE PLANTS FLOW 10 305 4 657 4 3,593 0 0 0 3 11 61 1,686 181 4,915 1 18	TYPE 1 ESTIMATE UNDER CONSTRUCTION PLANTS FLOW 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	*********** REQUIRED BUT NOT FUNDED PLANTS FLOM 0 0 0 0 0 0 188 10,833 0 0 0 0 0 0	**************************************	UNDER CONSTRUCTION PLANTS FLOM 0 0 0 0 0 0 0 0 0 0 0	REQUIRED BUT NOT FUNDED PLANTS FLOW 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
TOTAL	603 25,899	264 11,188	37 1,414	188 10,833	1 1,457	0 0	0 0

## 42-95 DIGEST GAS UTILIZATION FACILITIES

ENLARGE UPGRADE ENLARGE AND UPGRADE NEW PROCESS REPLACE ABANDON NO CHANGE OTHER TOTAL	PROCESS TOTAL PLANTS FLDM 24 3.261 4 64 24 2.752 57 5.951 6 678 25 1.406 126 5.772 26 19,887	NOM IN USE PLANTS FLOH 1 4 955 3 56 23 1,294 0 0 6 6 678 25 1,406 112 4,191 0 0	TYPE 1 ESTIMATE UNDER CONSTRUCTION PLANTS FLOH 0 0 0 0 0 10 219 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	######################################	NOW IN USE PLANTS FLOW 10 2,305 1 7 1 1,457 0 0 0 0 0 14 1,581 0 26 5,352	UNDER CONSTRUCTION PLANTS FLOW 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	REQUIRED BUT NOT FUNDED PLANTS FLOW 0 0 0 0 0 0 0 6 384 0 0 0 0
		-54 5,555	10 217	41 5,346	26 5,352	0 0	6 384

## 42-96 CONTROL/LAB.MAINTENANCE BUILDINGS

ENLARGE UPGRADE ENLARGE AND UPGRADE NEM PROCESS REPLACE ABANDON NO CHANGE OTHER	PROCESS TOTAL PLANTS FLDM 607 12.636 436 8.592 645 14.017 5.863 13.679 218 1.980 632 3.491 5,919 67,133 1 12 14,321121,554	NOM IN USE PLANTS 6.246 303 6.246 304 6.145 499 12.099 0 0 172 1.925 616 3.438 4.855 59.270 1 12	TYPE 1 ESTIMATE UNDER CONSTRUCTION PLANTS FLOW 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	REQUIRED BUT NOT FUNDED D 0 0 0 0 0 1,255 8,213 0 0 0 0 0	NOW IN USE PLANTS FLOW 304 4,390 132 446 146 1,918 0 0 46 55 16 53 1,064 7,278	THE C COLLUMN	WMWHHHHHHHHH REQUIRED BUT NOT FUNDED PLANTS FLOM 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
		0,730 73,737	375 2,193	1,255 8,213	1,708 14,143	2 1	4,231 3,277

## 42-97 FULLY AUTOMATED USING DIGITAL CONTROL

ENLARGE UPGRADE ENLARGE A'D UPGRADE NEM PROCESS REPLACE ABANDON NO CHANGE OTHER TOTAL	PROCESS TOTAL PLANTS FLOM 9 1,716 1 189 3 314 24 3,493 0 0 1 0 28 3,942 2 711	NOW IN USE PLANTS FLOW 6 1,076 1 189 2 181 0 0 0 0 1 0 25 2,326 1 170	TYPE 1 ESTIMATE UNDER CONSTRUCTION PLANTS FLOW 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	**************************************	NOW IN USE PLANTS FLOW 3 639 0 0 0 1 132 0 0 0 0 0 3 1.616 1 541	TYPE 2 ESTIMATE UNDER CONSTRUCTION PLANTS FLOW 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	NEMBERHAMMENT PROPERTY OF THE PROPERTY OF T
TOTAL	68 10,368	36 3,945	7 2,662	9 798	8 2,929	0 0	

## 42-98 FULLY AUTOMATED USING ANALOG CONTROLS

ENLAPGE UPGRADE ENLARGE AND UPGRADE HEN PPOCESS REPLACE ABANDON NO CHANGE OTHER	PROCESS TOTAL PLANTS FLOM 6 1,129 0 680 5 86 13 1.385 6 179 3 39 51 4,032 1 181	NOM IN USE PLANTS FLOM 2 1,022 7 580 5 86 0 0 6 179 3 39 46 3,608 1 186	TYPE 1 ESTIMATE UNDER CONSTRUCTION PLANTS FLOW 0 0 0 0 0 1 20 0 0 0 0 0 0 0 0 0 0 0 0	REQUIRED BUT NOT FUNDED PLANTS FLOW 0 0 0 0 9 1,342 0 0 0 0	NOW IN USE PLANTS FLOW 4 107 1 0 0 0 0 0 0 0 0 0 5 430 0 0	TYPE 2 ESTIMATE UNDER CONSTRUCTION PLANTS FLOW 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	**************************************
	73 77720	70 5.796	1 20	9 1,342	10 537	0 0	3 22

## 42-99 SEMI AUTOMATED PLANT

ENLARGE UPGRADE ENLARGE AND UPGRADE NEW PROCESS REPLACE ABANDON NO CHANGE OTHER	PROCESS TOTAL PLANTS FLOM 853 7,991 1,066 17,900 1,026 15,424 4,731 12,577 523 1,821 1,073 6,368 6.064 61.806 24 748	NOW IN USE PLANTS FLOW 333 5,409 668 16.644 717 14.467 0 0 366 1,680 1,047 6,309 5,306 55,433 19 655	UN	DER UCTION	REQUIR	ED BUT		N USE	TYPE 2 E UNICONSTRUPLANTS 0 0 2 5 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	ER	REQUIR NOT F PLANTS 0 0	ED BUT UNDED FLOW 0 0
TOTAL	15,360124,640	8,456130,800	346	1,992	1,065	7,634	2,173	11,265	,	1	3.318	2 453

## 42-A1 MANUALLY OPERTED AND CONTROLLED PLANT

ENLARGE UPGRADE ENLARGE AND UPGRADE NEW PROCESS REPLACT ABANDON NO CHANGE OTHER	PROCESS TOTAL PLANTS FLOM 295 1,276 343 612 307 655 2,975 2,527 187 260 665 1,510 2,793 5,391 12 103	NOW IN USE PLANTS FLOW 3 841 134 478 211 555 0 0 0 105 208 575 1,318 2,209 4,325 1 103	TYPE 1 ESTIMATE UNDER CONSTRUCTION PLANTS FLOW 0 0 0 0 0 129 145 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	######################################	NOM IN USE PLANTS FLOW 202 435 209 134 96 100 0 0 82 52 110 192 584 1,066	TYPE 2 ESTIMATE UNDER CONSTRUCTION PLANTS FLOW 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	MANAMANANANA REQUIRED BUT NOT FUNDED PLANTS FLOM 0 0 0 0 0 2,291 830 0 0 0 0
TOTAL	7,597 12,338	3,338 7,830	0 0 129 145	0 0 555 1,550	1 0	0 0	0 0

## 42-A2 PACKAGE PLANT

	10	TAL	NOW 1	******* [N USE	TYPE 1 E UND CONSTRU	ER	###### REQUIRE NOT FU	D BUT	******* NOW IN		TYPE 2 E UND CONSTRU	ER	REQUIRE	
ENLARGE UPGRADE	PLANTS 136 78	FLOW 103 60	PLANTS 34 38	FLCW 42 46	PLANTS 0	FŁOW O	PLANTS 0	FLOW 0	PLANTS 102 40	FLOW 61	PLANTS 0	FLOW	PLANTS	FLON
ENLARGE AND UPGRADE NEW PROCESS REPLACE	105 1,110 31	147 758	57 0	111 0	0 74	0 61	0 203	0 172	48 0	13 35 0	0 1	0	0 0 832	0 0 524
ABANDON NO CHANGE OTHER	392 931	535 1,016	23 361 819	18 504 260	C 0	0 0 0	0	0	8 31 112	3 31 56	0	0	0	0
TOTAL	1 2,784	0 2,645	1 1,333	0 1,683	č 74	0 61	Ŏ 203	0 172	110 341	203	, 1	ő	0 0 832	0 524

## 42-A3 SEMI-PACKAGE PLANT

		CESS		******* N USE	TYPE 1 E Unt Constru	ER	******* REQUIRE NOT FU	D BUT		****** N USE	TYPE 2 E Und Constru	ER	****** REQUIRE NOT FL	D BUT
	PLANTS	FLOH	PLANTS	FLOH	PLANTS	FLOR	PLANTS	FLOW	PLANTS	FLOH	PLANTS	FLOW	PLANTS	FLOW
ENLARGE	218	507	68	204	0	0	0	0	150	302	0	0	0	0
UPGRADE	131	382	72	222	0	0	0	0	59	160	Ó	Ö	ō	ō
ENLARGE AND UPGRADE	149	446	95	362	0	0	0	0	54	83	0	0	٥	ŏ
NEW PROCESS	939	1,484	0	0	69	118	205	891	C	0	3	2	662	472
REPLACE	80	212	41	92	8	Q	0	0	39	119	ō	ō	0	
ABANDON	215	717	203	690	0	0	0	0	12	26	0	Ō	ā	Ď
NO CHANGE	1,086	3,918	948	3,554	G	Ō	ō	0	138	364	ō	ŏ	ō	ň
OTHER	4	14	3	13	0	0	0	Đ	1	0	Ō	9	G	ŏ
TOTAL	2,822	7,683	1,430	5,140	69	118	205	891	453	1,058	3	2	662	472

## 42-A4 CUSTOM BUILT PLANT

		*******	TYPE 1	ESTIMATE	****	*****	****	*****	TYPE 2 E	STIMATE	*****	******
	PROCESS		UN	DER	REQUIR	ED BUT			UNI		REQUIR	
	TOTAL	NOW IN USE	CONSTR	UCTION	NOT F	UNDED	NOW 1	N USE	CONSTRU	CTION	NOT F	UNDED
	PLANTS FLOW	PLANTS FLOW	PLANTS	FLOW	PLANTS	FLON	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW
ENLARGE	937 11,038	407 7,907	0	Ð	0	0	530	3,131	0	0	0	0
UPGRADE	1,264 16,194	689 15,040	0	0	0	G	575	1,155	0	0	0	ā
ENLARGE AND UPGRADE	1,411 26,118	1,014 24,405	0	0	0	0	397	1,712	Ó	0	0	ō
NEW PROCESS	5,475 13,433	9 0	318	1,870	1,195	8,806	0	0	0	0	3.962	2.763
REPLACE	613 1,987	426 1,845	0	0	Ð	0	187	142	0	0	0	0
ABANDON	1,092 4,480	1,018 4,373	0	0	0	0	74	107	0	0	Ó	ů.
NO CHANGE	6,453 64,202	5,551 55,668	D	0	0	0	902	8,533	0	Ō	Ö	Ö
OTHER	37 1,801	31 1,166	0	0	0	0	6	634	0	0	0	Ö
TOTAL	17.282139.257	9.136110.408	318	3.870	1.195	8.806	2.471	15.417	0		3.942	2.743

## 42-A5 IMHOFF TANKS

			***	****	TYPE 1 E	STIMATE	****	*****	*****	****	TYPE 2 E	STIMATE	****	****
	PROC	ESS			140	ER	REQUIRE	D BUT			מאט	ER	REQUIRE	D BUT
	TOT	AL	NON 1	IN USE	CONSTRU	CTION	NOT FU	INDED	NOW IN	USE	CONSTRU	CTION	NOT FU	NDED
	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOH	PLANTS	FLOW	PLANTS	FLOW
ENLARGE	10	5	4	1	0	0	0	0	6	3	0	0	0	0
UPGRADE	26	21	22	20	0	0	0	0	4	0	0	0	0	0
ENLARGE AND UPGRADE	4	2	3	1	0	0	0	0	1	1	0	0	0	0
NEW PROCESS	10	6	0	0	4	1	6	5	0	0	0	0	0	a
REPLACE	7	3	5	2	0	0	0	0	2	1	0	0	0	0
ABANDON	263	255	137	119	U	0	0	0	126	135	0	0	0	ō
NO CHANGE	110	115	67	83	C	0	0	0	43	32	0	0	0	ō
OTHER	3	2	3	2	D	0	0	0	0	0	0	0	0	Ō
TOTAL	433	413	241	231	4	1	6	5	182	175	0	0	0	0

## 42-A6 SEPTIC TANKS

			*****	****	TYPE 1 E	STIMATE	***	****	****	***	. TPE 2 E	STIMATE	*****	****
	PROC				UNE	DER	REQUIRE	D BUT			UND		REQUIRE	
	TOT			N USE	CONSTRU	JCTION	NOT FU	NDED	NOH IN	USE	CONSTRU	CTION	NOT FL	JNDED
	PLANTS	FLOW	PLANTS	FLOH	PLANTS	FLOW	PLANTS	FLON	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW
ENLARGE	0	0	0	0	0	0	0	0	0					
UPGRADE	75	5	60	4	ō	Ō	Ď	ŏ	15	Ď	ň	ň	ň	ň
ENLARGE AND UPGRADE	3	0	1	0	ō	ō	ō	õ	- ;	ň	ň	ň	ň	ň
NEW PROCESS	130	45	0	0	16	2	72	20	ō	ň	Ď	ň	42	23
REPLACE	7	O	6	0	Ō	ō	ő	Õ	ĭ	ñ	ň	ň	76	- 5
ABANDON	52	13	17	10	ō	ō	ō	õ	35	3	ň	ň	ŏ	ň
NO CHANGE	41	9	36	8	ō	ō	ō	ã	5	ň	ň	ň	ň	ň
OTHER	0	0	Đ	0	Ď	0	Ō	õ	ō	ŏ	ŏ	ŏ	ŏ	ŏ
TOTAL	308	73	120	23	16	2	72	20	58	4	0	0	42	23

## 42-A7 ELECTRODIALYSIS

			***	****	TYPE 1 I	ESTIMATE	*****	****	***	****	TYPE 2 E	STIMATE		*****
	PROC				UNI	DER	REQUIRE	D BUT			UND		REQUIRE	
	TOI	TAL	NON I	IN USE	CONSTRU	ICTION	NOT FU	NDED	NOW IN	USE	CONSTRU	CTION	NOT FL	INDED
	PLANTS	FLON	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOM	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW
ENLARGE	0	D	0	0	0	0	0	0	0	0	0	0	0	0
UPGRADE	0	0	0	0	8	0	8	o	D	0	Đ	ō	Ō	ŏ
ENLARGE AND UPGRADE	0	0	0	0	0	0	0	0	0	0	0	0	0	ō
NEW PROCESS	0	0	0	0	0	0	0	0	0	0	Ó	Ö	0	ō
REPLACE	0	0	0	0	0	ø	0	G	0	0	0	D	Ď	Ď
ABANDON	0	0	0	0	0	D	0	٥	0	0	Ö		ō	ō
NO CHANGE	0	0	0	0	0	0	0	0	0	0	0	0	ō	ŏ
OTHER	0	0	0	0	0	0	0	O.	C	0	0	ō	ō	ō
TOTAL	0	0	0	0	0	0		0			•			

## 42-AB REVERSE DSMOSIS

			***	***	TYPE 1 E	STIMATE	***	***	*****	****	TYPE 2 E	STIMATE	*****	*****
	PROC	ESS			UNI	ER	REQUIRE	D BUT			UND		REQUIRE	
	701	AL	NOW I	4 USE	CONSTRU	CTION	NOT FU	NDED	NOW IN	USE	CONSTRU	CTION	NOT FU	NDED
	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOH	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOW
ENLARGE	Ð	D	D	0	0	0	0	0	0	D	B	0	B	0
UPGRADE	0	0	C	0	0	8	ò	Ó	ō	Ď	à	ō	0	ō
ENLARGE AND UPGRADE	0	D	0	0	0	Ö	ō	ō	ō	ŏ	ŏ	ŏ	ŏ	ŏ
NEW PROCESS	2	56	Ð	Ð	D	D	2	56	ō	ŏ	ō	ñ	ō	ŏ
REPLACE	0	0	0	0	0	0	0	0	Õ	ň	Ď	ň	Õ	ň
ABANDON	0	0	0	0	0	0	Ō	ō	ŏ	Ď	ŏ	ň	ŏ	ŏ
ND CHANGE	0	0	0	0	Đ	Ð	Ď	ñ	Ď	ñ	ň	ň	ň	ñ
DTHER	0	0	0	0	Ō	Ō	ŏ	Ď	õ	Ď	ŏ	ŏ	ŏ	ŏ
TOTAL	2	56	0	0	0	0	,	5.6	0				n	

42-A9 PRESSURE FILTERS

	PROC TOT		NOW IN		TYPE 1 E Und Constru	ER	REQUIRE NOT FU	D BUT	HHHHHH HI WON		TYPE 2 E UND Constru	ER	REQUIRE NOT FU	D BUT
	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOH	PLANTS	FLOH	PLANTS	FLOW	PLANTS	FLOW	PLANTS	
ENLARGE	0	0	0	0	Ü	0	0	0	0		0	0		
UPGRADE	0	9	0	0	r	0	٥	0	Õ	ō	Õ	ň		
ENLARGE AND UPGRADE	0	0	9	0	0	Ó	Ď	ŏ	ŏ	ň		ĭ	×	ŭ
NEW PROCESS	2	15	0	٥	Ō	Ō	,	15	ň	ň		ž	ž	ŭ
REPLACE	٥		ū	0	ā	ŏ	ā	- 5	ň	ň	ž	ž		Ü
ABANDON	i	5	ī	5	ŏ	ň	ň	ĕ	ž	×	×	ž		U
NO CHANGE	,	12	- 7			ž	ž	ŏ				v	Ū	O
OTHER	÷	• • •	i	ž	ž	ž		-			Ū	0	0	0
OTHER	•	٠	U	U	U	U	0	0	D	0	0	0	0	C
TOTAL	5	32	2	15	0	0	2	15	1	2	0	0	0	0

42-AA SEEPAGE LAGOONS

		CESS TAL		******* (N USE	TYPE 1 E UNI CONSTRI		REQUIRE NOT FU	D BUT	NON IN		TYPE 2 E UND CONSTRU	ER	REQUIRE	
	PLANTS		PLANTS	FLOW	PLANTS	FLOH	PLANTS	FLOW	PLANTS	FLON	PLANTS	FLOH	PLANTS	FLON
ENLARGE	159	209	20	133	0	0	0	0	139	75	0	0	8	0
UPGRADE	13	20	6	7	0	0	0	0	7	13	0		0	ò
ENLARGE AND UPGRADE	8	10	5	10	0	0	0	•	3	0	ā	ō	Ď	ŏ
NEW PROCESS	542	428	0	0	42	30	122	101	Ŏ	ě	ŏ	ŏ	378	296
REPLACE	19	9	5	2	0	0	0	0	14	6	Ö	ŏ	0	- 0
ABANDON	45	56	30	31	0	0	0	Ó	15	24	ō	ŏ	ŏ	ŏ
NO CHANGE	585	657	562	613	0	0	0	a	23	44	ò	ŏ	Ď	ŏ
OTHER	1	0	1	0	0	0	0	Ó	0	0	ō	ŏ	ŏ	ŏ
TOTAL	1,372	1.391	629	798	42	30	122	101	201	165	0	0	378	296

42-AB ROCK FILTERS

			*****	*****	TYPE 1 E	STIMATE	****	*****	*****	****	TYPE 2 E	STIMATE	*****	*****
	PROC	ESS			UNI	ER	REQUIRE	D BUT			UND	ER	REQUIRE	D BUT
	TOT	AL	NOH I	N USE	CONSTRU	ICTION	NOT FU	INDED	NOW IN	USE	CONSTRU	CTION	NOT FU	NDED
	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLOH	PLANTS	FLOW	PLANTS	FLOW	PLANTS	FLON	PLANTS	FLOH
ENLARGE	0	0	0	C	0	0	0	0	0	0	0	0	0	0
UPGRADE	0	0	0	0	0	0	0	0	0	0	0	0	Ó	Ö
ENLARGE AND UPGRADE	0	0	0	C	0	0	0	0	8	Ó	ō	ō	ō	ō
NEW PROCESS	10	12	Ó	Ö	0	0	7	12	ā	ō	Ď	Ď	i	ŏ
REPLACE	0	. 0	Ŏ	Ŏ	ō	Ď	ò	ā	Ŏ	ō	ŏ	ŏ	ŏ	ă
ABANDON	1	22	1	22	Ŏ	ŏ	Ŏ	ŏ	ă	ă	ō	ŏ	ŏ	ň
NO CHANGE	3	2	3	2	ō	Ď	ň	Ď	ň	ŏ	ň	ŏ	ň	ň
OTHER	Ō	Ō	Ŏ	ē	Ü	Ď	ŏ	ŏ	ŏ	ŏ	ō	ŏ	ŏ	ŏ
TOTAL	14	37	4	25	u	G	7	12	0	0	0	D	3	0

42-AC POLYMER ADDITION TO LIQUID STREAM

ENLARGE UPGRADE ENLARSE AND UPGRADE NEW PROCESS REPLACC. ABANDON NO CHANGE OTHER	1 0 1 3,1 84	NOH CM PLANTS 3 0 0 0 79 1 33 0 14 1 62 2	######################################	TYPE 1 E UND CONSTRU PLANTS 0 0 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	ER	REQUIRE NOT FU PLANTS 0 0 18 0 0	D BUT	**************************************		TYPE 2 E UND CONSTRU PLANTS 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	ER	HHHHHH REQUIRE NOT FU PLANTS 0 0 0 0 0 0	D BUT
TOTAL	123 5,3	79 33	4,/38	6	25	18	504	6	307	0	۵	40	101

42-AD POLYMER ADDITION TO SLUDGE STREAM

		CESS		******* In Use	TYPE 1 1 Uni Constru	DER	REQUIR				TYPE 2 E	ER	REQUIR	D BUT
	PLANTS		PLANTS		PLANTS		NOT F PLANTS		NOW IN		CONSTRU		NOT FL	
ENLARGE	5	146	1	104		1	LEWHIR	PEUM	PLANTS	FLOW 42	PLANTS	FLOH	PLANTS	FLOW
UPGRADE	0	0	0	0	Ō	ŏ	ŏ	ŏ	7	76	, i		0	0
ENLARGE AND UPGRADE NEW PROCESS	1	3	1	3	0	Ō	Ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	n	Ď
REPLACE	88	2,171	0	0	4	128	14	1,643	0	Ō	Ŏ	ŏ	70	398
ABANDON	,	ŭ	,	0	0	0	0	0	0	0	0	0	0	Ō
NO CHANGE	27	1.948	25	1.264	ů	0		0	0	0	0	0	0	0
OTHER	Ö	0	- 6	1,117	ň	0			2	83	0	0	0	0
		-	_	_	•	•	U	•	U	Q	8	8	0	0
TOTAL	122	4,270	28	1,973	4	128	14	1,643	6	125		٥	70	108

## DISTRIBUTION OF LIQUID LINE TREATMENT PROCESSES BY DESIGN CAPACITY, WITHIN EPA REGION (EXISTING)

Table 43 summarizes the common groupings of liquid line treatment processes used in existing treatment plants.

Information is provided for each EPA Region with a national total at the bottom of the table. The Regions are subdivided into five flow ranges, based on present design capacity, so that the size of the plant, as well as the geographical location, can be related to the different processes.

The All Plants column gives the total number of each Region's plants that fall within the various flow ranges and the total present flow capacity represented by these plants.

The subsequent columns show which liquid line treatment processes are in use, listing the number of plants and the associated flow. The processes are grouped into general categories such as lagoons or trickling filters which may cover several related processes. For example, lagoons could be stabilization ponds, aerated lagoons, or seepage lagoons.

A single plant may have an entry in more than one category; therefore, the sum of the categories may exceed the total listed under All Plants. Entries are made in the Other column only if a plant does not qualify for any of the process categories. The Other column includes conventional primary treatment plants, Imhoff tanks, physical/chemical treatment plants, and other miscellaneous treatment facilities.

All flows are reported in million gallons per day.

# 1982 NEEDS SURVEY DISTRIBUTION OF LIQUID LINE TREATMENT PROCESSES BY DESIGN CAPACITY, MITHIN EPA REGION (EXISTING)

					2. 5.		(EXIS	TING)								
EPA REGION	ALL PL	ANTS	LAG00	NS	LAN TREATH		ACTIV SLUD		DITO		TRICK!		RBC		OTHE	
& FLOW RANGE (MGD)	# OF PLANTS	TOTAL FLOW	# OF Plants		# OF Plants		# OF Plants	TOTAL FLOW	# OF PLANTS	TOTAL FLOW	# OF PLANTS	FLOW	# OF Plants	FLOW	# OF Plants	FLON
0.00- 0.10 0.11- 0.50 0.51- 1.00 1.01-10.00 10.01 + REGION I		3.4 37.4 52.3 549.5 1470.8 2113.2	18 32 12 13 0 75	1.1 8.0 8.1 38.1 0.0 55.1	3 1 2 0 0	0.3 0.2 1.2 0.0 0.0	35	1.3 22.0 27.9 379.4 1139.2 1569.7	6 9 4 0 0	0.4 2.1 2.5 0.0 0.0	3 9 8 26 4 50	0.1 2.4 5.7 83.5 52.6 144.2	1 1 1 3 0 6	0.1 0.5 0.7 7.0 0.0 8.2	12 13 9 26 8 68	0.6 3.6 8.1 83.9 309.0 405.1
0.00- 0.10 0.11- 0.50 0.51- 1.00 1.01-10.00 10.01 + REGION II	78 234 110 244 62 728	4.6 69.2 84.3 842.8 3494.0 4494.7	11 26 6 22 3 68	0.6 8.3 5.1 66.6 325.0 405.5	0 2 0 2 0 4	0.0 0.6 0.0 15.5 0.0 16.1	46	2.8 32.2 47.5 475.2 2494.1 3051.6	0 1 2 0 0 3	0.0 0.2 1.6 0.0 0.0	8 72 30 82 4 196	0.7 21.6 22.2 236.0 58.0 338.3	0 9 1 5 1 16	0.0 2.8 1.0 20.3 16.0 40.0	16 40 16 36 12 120	0.9 11.1 12.1 111.3 728.0 863.2
0.00- 0.10 0.11- 0.50 0.51- 1.00 1.01-10.00 10.01 + REGION III	254 459 152 276 49 1,190	13.8 127.1 115.9 910.0 2377.3 3544.0	59 74 14 13 3 163	3.3 18.2 9.6 36.7 135.0 202.6	3 4 1 3 0	0.2 1.0 0.6 10.4 0.0 12.1	40	7.8 72.2 72.7 636.1 1997.5 2786.2	3 8 0 0 0	0.3 2.4 0.0 0.0 0.0 2.6	20 68 31 78 6 203	1.5 21.5 25.3 252.9 336.0 637.0	0 4 6 11 1 22	0.0 1.3 5.4 34.1 54.0 94.7	31 59 16 21 5	1.5 17.1 10.9 71.4 230.3 331.1
0.00- 0.10 0.11- 0.50 0.51- 1.00 1.01-10.00 10.01 + REGION IV	575 916 299 540 76 2,406	26.8 250.9 236.0 1890.7 2317.4 4721.6	246 442 104 117 7 916	15.2 111.4 76.7 357.1 133.6 693.8	8 7 8 12 1 36	0.5 1.6 7.0 43.9 15.0 67.9	345 68	8.0 103.7 120.6 1281.3 2180.7 3694.2	6 29 3 11 0 49	0.6 9.3 2.3 31.8 0.0 43.8		0.7 39.9 70.3 690.8 283.3 1084.8	1 3 2 10 2 18	0.1 0.7 1.4 38.5 36.0 76.7	190 27 3 11 1 232	3.9 6.6 2.4 32.1 18.0 62.8
0.00- 0.10 0.11- 0.50 0.51- 1.00 1.01-10.00 10.01 + REGION V	970 1,277 342 516 128 3,233	57.8 316.2 253.7 1568.4 6826.8 9022.7	570 552 92 66 10	33.9 123.4 67.2 154.9 198.0 577.2	30 40 10 6 1 87	1.9 8.6 7.6 8.4 42.0 68.3	177 361 110	17.2 124.1 136.2 1155.1 6389.1 7821.5	11 49 7 5 2 74	0.8 12.4 4.8 9.5 27.5 54.9		6.3 77,5 84.0 346.0 765.2 1278.7	5 34 22 43 4 108	0.4 11.0 15.1 120.3 83.7 230.4	50 61 12 26 4 153	3.0 15.3 9.8 84.3 130.4 242.7
0.00- 0.10 0.11- 0.50 0.51- 1.00 1.01- 10.00 10.01 + REGION VI	842 955 289 398 48 2,532	43.7 251.8 226.7 1190.1 1504.0 3216.1	533 466 98 104 8	28.4 110.1 74.4 276.8 146.1 635.7	144 108 18 32 2 304	7.1 26.0 13.2 73.5 34.4 154.1	252 293 114 186 36 881	85.9 91.3 595.2	76 143 53 40 313	5.2 38.8 39.3 100.1 10.1	25 120 64 138 163	1.8 37.1 54.4 426.8 503.6	0 2 2 4 1 9	0.0 0.7 1.5 21.4 12.0 35.6	8 14 1 2 27	0.3 4.0 0.8 5.9 32.0 42.9
0.00- G.16 0.11- 0.50 0.51- 1.00 1.01-10.00 10.01 + REGION VII	1,246 681 129 162 25 2,243	60.8 161.1 96.9 486.8 1064.6 1869.9	991 369 50 32 3 1,445	45.2 79.0 36.6 69.5 125.0 355.1	7 10 2 0 0	0.5 3.2 1.4 0.0 0.0 4.9	131 81 38 45 12 307	23.1 29.2 179.5 390.4	15 44 13 10 0 82	1.2 12.8 9.2 15.6 0.0 38.7	121 207 48 84 11 471	8.7 51.7 37.3 256.7 277.6 631.8	2 23 4 14 0 43	0.2 7.0 2.9 37.5 0.0 47.4	13 7 1 3 6 30	0.5 1.6 0.8 7.4 486.0 496.1
0.00- 0.10 0.11- 0.50 0.51- 1.00 1.01-10.00 10.01 + REGION VIII	691 294 68 114 15	28.7 69.8 53.0 371.7 481.3 1804.3	644 263 47 42 2 998	26.1 62.5 35.5 120.8 25.7 270.5	8 12 1 3 1 25	0.8 14.1 11.2	37 25 12 44 8 126	6.6 5.9 132.6	5 7 6 5 0 23	2.0 4.6 15.4 0.0	10 15 10 44 7 86	0.7 3.7 9.2 191.6 177.1 382.3	1 1 2 6 0 10	0.1 0.3 1.2 21.3 0.0 22.7	12 2 2 2 0 18	0.0
0.00- 0.10 0.11- 0.50 0.51- 1.00 1.01-10.00 10.01 + REGION IX	198 239 92 206 65 800	10.3 67.7 71.6 727.0 3166.6 4043.0	159 187 63 107 14 530		43 88 34 66 9 240	25.1 26.1 232.3 237.1	43	20.0	0 9 9 6 1 25	3.1 7.5 12.0 13.3	8 24 20 50 16 118	7.3 15.3 173.6 444.4	1 0 4 2	0.1 0.4 0.0 13.7 34.8 49.0	12 6 1 14 11 44	1.9 1.0 41.1 788.6
0.00- 0.10 0.11- 0.50 0.51- 1.00 1.01-10.00 10.01 + REGION X	184 226 71 135 22 638	672.6	140 106 30 38 2 316	71.0	32 20 7 14 1 74	5.1 5.6 46.5 18.3	34 68 21 60 14	20.6 16.9 189.3 382.5	2 20 5 5 0 32	4.8 3.9 10.5 0.0	3 35 19 30 4	9.6 14.8 116.6 84.1	5 2 8 0	0.2 1.3 1.7 14.2 0.0 17.3	9 6 4 16 3 38	1.9 3.2 70.9 170.0
0.00- 0.10 0.11- 0.50 0.51- 1.00 1.01-10.00 10.01 + ALL REGIONS	1,621 2,763 535	1410.0 1245.0 8978.1 23375.1	2,517 516 554 52	169.7 598.1 383.2 1606.2 1538.3 4295.2	15	73.1	726 1,568 412	61.4 509.9 572.5 5449.1 18672 4 25265	124 319 102 62 4	87.6 75.5 194.6 50.9	843 107		83 42 108 11		52	63.1

## DISTRIBUTION OF LIQUID LINE TREATMENT PROCESSES BY DESIGN CAPACITY, WITHIN EPA REGION (YEAR 2000)

Table 44 summarizes the common groupings of liquid line treatment processes expected to be used in treatment plants operating in the year 2000.

Information is provided for each EPA Region with a national total at the bottom of the table. The Regions are subdivided into five flow ranges, based on projected design capacity, so that the size of the plant, as well as the geographical location, can be related to the different processes.

The All Plants column gives the total number of each Region's plants that are projected to fall within the various flow ranges and the total projected design capacity represented by these plants.

The subsequent columns show which liquid line treatment processes the plants are projected to use, listing the number of plants and the associated flow. The processes are grouped into general categories such as lagoons or trickling filters which may cover several related processes. For example, lagoons could be stabilization ponds, aerated lagoons, or seepage lagoons.

A single plant may have an entry in more than one category; therefore, the sum of the categories may exceed the total listed under All Plants. Entries are made in the Other column only if a plant does not qualify for any of the process categories. The Other column includes conventional primary treatment plants, Imhoff tanks, physical/chemical treatment plants, and other miscellaneous treatment facilities.

All flows are reported in million gallons per day.

## 1982 NEEDS SURVEY DISTRIBUTION OF LIQUID LINE TREATMENT PROCESSES BY DESIGN CAPACITY, WITHIN EPA REGION (VER 2000)

EPA	ALL PLANTS	FWEDDHZ	LAND	ACTIVATED	OXIDATION	TRICKLING	RBC	OTHER
REGION & Flow Range	OF TOTAL	# OF TOTAL	TREATHENT	SLUDGE DF TOTAL	DITCH • OF TOTAL	FILTER • OF TOTAL	OF TOTAL	• OF TOTAL
(MGD)  0.00- 0.10  0.11- 0.50  0.51- 1.00  1.01-10.00  10.01 +  REGION I	PLANTS FLOW  187 10.2 208 55.1 71 50.5 210 691.6 50 1678.7 726 2486.0	PLANTS FLON  59 3.3  65 15.9  12 7.9  21 50.3  0 0.0  157 77.3	26 1.2 10 2.6 3 1.9 2 3.0 0 0.0 41 8.4	96 26.9 42 30.7 156 533.0 48 1654.8 397 2248.5	PLANTS FLON 4 0.4 16 4.3 6 4.0 2 5.4 0 0.0 28 13.8	PLANTS FLON  1 0.1 3 1.2 3 2.3 25 94.5 5 66.0 37 163.9	7 0.4 6 1.8 8 6.6 20 68.2 3 104.6 44 181.4	54 2.9 27 5.9 3 1.8 1 6.1 0 0.0 85 16.5
0.00- 0.10	267 14.4	164 8.7	0 0.0	76 4.7	2 0.2	3 0.2	2 0.1	31 1.3
0.11- 0.50	324 81.1	126 25.3	3 1.0	150 42.2	12 2.8	43 12.9	19 6.0	7 1.6
0.51- 1.00	118 89.6	18 14.3	3 2.3	70 52.3	8 6.4	29 21.8	6 4.9	2 1.7
1.01-10.00	263 960.2	34 133.1	2 13.5	177 678.3	6 19.2	67 230.5	19 66.1	2 3.9
10.07 +	82 4344.7	3 400.0	0 0.0	74 4185.9	2 38.0	7 139.7	3 54.9	0 0.0
REGIO, II	1,054 5489.8	345 581.3	8 16.7	547 4963.2	30 66.4	149 404.9	49 131.8	42 8.4
0.00- 0.10	803 44.0	470 26.2	11 0.5	283 15.4	10 0.8	10 0.7	4 0.3	35 1.4
0.11- 0.50	896 228.7	314 61.3	13 3.3	487 137.7	28 9.1	39 12.9	23 7.4	30 8.7
0.51- 1.00	239 176.4	18 13.7	4 2.8	192 140.5	11 8.5	24 18.4	14 11.9	1 0.6
1.01-10.00	351 1056.1	13 26.1	3 10.2	259 809.8	6 12.1	77 238.0	33 89.6	2 12.3
10.01 +	62 2869.0	6 204.2	0 0.0	59 2759.5	0 0.0	5 328.5	3 320.4	0 0.0
REGION III	2,351 4373.9	821 331.3	31 16.6	1,280 3862.6	55 30.5	155 598.3	77 429.5	68 22.8
0.00- 0.10 0.11- 0.50 0.51- 1.00 1.01-10.00 10.01 +	1,077 51.2 1,014 248.0 308 229.0 655 2277.8 126 3967.2 3,180 6773.1	512 23.6 440 103.0 100 73.7 135 426.9 23 584.7 1,210 1211.6	21 1.4 62 14.7 21 15.7 61 241.2 7 150.1 172 422.8	568 28.0 542 134.4 196 148.9 468 1682.8 114 3586.1 1,888 5579.9	10 0.9 49 14.4 22 15.8 38 117.8 1 12.0 120 160.7	5 0.4 36 11.9 39 28.6 175 648.4 27 620.8 282 1309.9	6 0.5 23 6.5 20 14.3 46 152.5 8 173.2 103 346.7	6 0.2 3 0.6 0 0.0 4 23.3 1 11.4 14 35.4
0.00- 0.10 0.11- 0.50 0.51- 1.00 1.01-10.00 10.01' +	1,418 79.1 1,369 333.8 351 256.4 586 1822.2 140 7702.6 3,864 10193.9	916 51.6 722 164.3 109 79.2 90 226.5 10 231.8 1,847 753.3	73 4.3 79 18.4 16 10.7 12 21.4 1 52.0 131 106.6	444 24.9 511 131.5 192 142.9 430 1415.7 122 7245.9 1,699 8960.7	34 2.4 104 25.9 18 12.6 17 35.1 2 27.5 175 103.3	41 3.0 169 49.7 80 58.0 123 367.8 25 836.1 438 1314.3	16 1.3 84 26.3 47 34.4 81 243.2 7 126.9 235 432.1	36 1.2 5 1.3 1 0.8 0 0.0 2 68.2 44 71.4
0.00- 0.10	1,797 84.7	1,374 63.5	146 7.1	292 13.2	182 10.6	4 0.3	1 0.1	2 0.2
0.11- 0.50	1,198 289.7	649 145.4	150 37.4	374 98.1	198 52.1	46 14.5	2 0.7	2 0.7
0.51- 1.00	356 265.6	100 73.4	33 23.3	151 114.8	105 76.1	50 40.1	7 5.3	0 0.0
1.01-10.00	475 1441.7	112 310.0	38 97.3	258 848.6	68 172.2	117 376.1	11 56.2	1 6.0
10.01 +	67 2140.7	9 173.5	3 51.9	51 1888.4	5 75.7	16 574.4	5 66.7	0 0.0
REGION VI	3,893 4222.2	2,244 765.6	370 216.8	1,126 2962.9	558 386.5	233 1005.2	26 128.9	5 6.8
0.00- 0 10	1,445 65.6	1,278 55.3	15 0.9	107 6.0	29 2.1	58 3.9	3 0.3	0 0.0
0.11- 0.50	687 160.8	378 81.0	21 5.5	103 25.7	108 28.4	122 31.3	48 14.1	2 0.5
0.51- 1.00	143 102.3	50 35.0	4 2.8	39 29.5	32 22.7	37 25.9	14 10.3	0 0.0
1.01-10.00	186 561.5	31 82.2	3 8.6	59 236.5	21 42.5	79 237.5	30 76.6	1 1.4
10.01 +	32 1139.8	5 178.7	0 0.0	26 985.3	0 0.0	14 387.2	1 52.0	0 0.0
REGION VII	2,493 2029.8	1,742 431.9	43 17.6	334 1282.9	190 95.6	310 685.6	96 153.1	3 1.9
0.00- 0.10 0.11- 0.50 0.51- 1.00 1.01-10.00 10.01 +	771 31.0 338 76.8 69 49.7 137 411.2 19 664.0 1,334 1232.5	740 29.7 301 67.5 49 34.6 62 169.0 3 54.4 1,155 355.0	20 0.7 20 4.3 3 2.1 10 34.3 2 24.7 55 65.9	31 1.4 31 8.4 12 9.4 46 148.6 10 384.5 130 552.3	5 0.4 14 4.0 8 6.0 15 43.0 0 0.0 42 53.3	2 0.2 11 2.8 5 3.8 36 134.0 10 308.8 64 449.3	1 0.1 2 0.6 2 1.2 12 35.5 1 18.5 18 55.8	2 0.1 0 0.0 0 0.0 0 0.0 0 0.0 2 0.1
0.00- 0.10	421 22.4	394 21.1	92 4.2	42 1.9	0 0.0	5 0.4	5 0.4	6 0.3
0.11- 0.50	371 90.5	319 75.1	113 30.1	74 21.8	10 3.6	18 5.4	6 1.6	0 0.0
0.51- 1.00	127 94.8	92 67.7	54 40.1	50 37.3	10 8.0	15 11.2	3 2.2	0 0.0
1.01-10.00	245 859.8	134 490.1	100 367.0	134 540.5	12 22.4	56 202.1	20 57.8	2 3.5
10.01 +	69 3323.4	18 471.6	17 463.3	48 2227.4	1 13.3	17 520.8	2 39.8	6 636.2
REGION IX	1,233 4390.7	957 1125.4	376 904.5	348 2828.8	33 47.2	111 739.6	36 101.6	14 639.9
0.00- 0.10	344 17.9	289 14.8	78 4.4	41 2.5	8 0.6	4 0.4	3 0.2	9 0.2
0.11- 0.50	298 74.8	145 32.3	51 12.1	113 30.8	31 8.5	23 7.3	8 2.0	3 0.9
0.51- 1.00	78 58.4	38 29.7	12 10.2	28 20.3	10 7.0	18 13.9	3 2.3	0 0.0
1.01-10.00	152 508.3	40 116.2	18 54.6	82 298.4	8 14.6	35 144.0	17 47.4	1 4.0
0.01 +	27 887.0	3 83.0	2 30.3	20 586.3	0 0.0	6 139.8	1 11.7	1 175.0
REGION X	899 1546.1	515 275.8	161 111.5	284 938.1	57 30.5	86 305.3	32 63.5	14 180.1
0.00- 0.10	8,530 420.1	6,196 297.4	482 24.4	1,939 100.9	284 18.0	133 9.1	48 3.2	181 7.5
0.11- 0.50	6,703 1638.8	3,459 770.6	522 128.7	2,481 657.1	570 152.5	510 149.3	221 66.6	79 19.9
0.51- 1.00	1,860 1372.3	586 428.8	153 111.2	972 726.1	230 166.6	300 223.7	124 93.0	7 4.5
1.01-10.00	3,260 10589.9	672 2029.8	249 850.7	2,069 7191.9	193 483.8	790 2672.4	289 892.6	14 60.1
10.01 +	674 28716.6	80 2381.6	32 772.2	572 25504	11 166.5	132 3921.5	34 968.6	10 890.8
ALL REGIONS	21,027 42737.5	10,993 5908.0	1,438 1887.0	2,033 34179	1,288 987.2	1,865 6975.8	716 2023.9	291 983.0

## DISTRIBUTION OF SLUDGE TREATMENT PROCESSES BY DESIGN CAPACITY, WITHIN EPA REGION (EXISTING)

Table 45 summarizes the common groupings of sludge treatment processes presently used in existing treatment plants.

Information is provided for each EPA Region with a national total at the bottom of the table. The Regions are subdivided into five flow ranges, based on present design capacity, so that the size of the plant, as well as the geographical location, can be related to the different processes.

The All Plants column gives the total number of each Region's plants that fall within the various flow ranges and the total present design capacity represented by these plants.

The subsequent columns show which sludge treatment processes are in use, listing the number of plants and the associated flow. The processes are grouped into general categories such as aerobic digestion or incineration which may cover several related processes. For example, processes listed under Aerobic Digestion may use either air or pure oxygen for aeration.

A single plant may have an entry in more than one category; therefore, the sum of the categories may exceed the total listed under All Plants. Entries are made in the Other column only if a plant does not qualify for any of the process categories. There are almost 6,500 facilities in the Other column. The majority of these are lagoon facilities which normally have no sludge treatment processes.

All flows are reported in million gallons per day.

# 1982 NEEDS SURVEY DISTRIBUTION OF SLUDGE TREATMENT PROCESSES BY DESIGN CAPACITY, MITHIN EPA REGION (EXISTING)

					(EX	ISTING)						
EPA REGION &	ALL	PLANTS		OBIC Stion		ROBIC Stion		IR Ying	INCIN	ERATION	OT	HER
FLOW RANGE (MGD)	# OF Plants	TOTAL Flow	# OF Plants	TOTAL FLOW	# OF Plants	TOTAL Flow	# OF Plants	TOTAL Flow	♦ OF Plants	TOTAL FLOW	O OF Plants	TOTAL Flow
0.00- 0.10 0.11- 0.50	62 131	3.4 37.4	7 29	0.3 8.3	4 23	0.2	28	1.5	0	0.0	28	1.7
0.51- 1.00	69	52.3	15	10.5	26	7.4 20.9	77 36	22.2 28.3	1	0.4	39 16	10.7 11.4
1.01-10.00 10.01 +	172 45	549.5 1470.8	18 2	41.8 32.2	75 11	254.0 590.3	53 5	145.1 532.7	18 28	81.8 879.1	61' 8	177.0 125.6
REGION I	479	2113.2	71	92.9	139	872.7	199	729.7	47	961.2	152	326.3
0.00- 0.10 0.11- 0.50	78 234	4.6 69.2	20 48	1.4 14.1	25	1.6	41	2.8	. 6	0.4	20	1.0
0.51- 1.00	110	84.3	25	19.4	138 68	41.1 53.0	173 74	51.1 55.6	11 8	2.6 6.4	13 10	4.6 8.0
1.01-10.00 10.01 +	244 62	842.8 3494.0	26 3	86.3 62.3	161 42	512.6 2765.8	98 11	272.7 527.0	37 25	190.3 849.3	39 5	141.5 361.0
REGION II	728	4494.7	122	183.4	434	3373.8	397	909.1	87	1048.8	87	515.9
0.00- 0.10	254	13.8	94	5.1	69	3.9	166	9.3	0	0.0	65	3.5
0.11- 0.50 0.51- 1.00	459 152	127.1 115.9	131 26	35.0 20.5	215 163	64.2 79.6	365 117	104.4 89.1	3 2	1.1	56 11	12.7
1.01-10.00	276	910.0	45	137.3	203	661.5	164	468.5	29	1.7 171.2	13	7.3 46.1
10.01 + REGION III	49 1,190	2377.3 3544.0	3 299	39.0 236.8	35 625	1742.9 2552.0	19 831	547.3 1218.4	20 54	713.9 887.9	3 148	231.6 301.1
				20010	•••	.,,,,,,	•			00117		301
0.00- 0.10 0.11- 0.50	575 916	26.8 250.9	99 277	5.6	19	1.2	146	8.7	0	0.0	416	17.5
0.51- 1.00	299	236.0	95	82.0 78.1	144 86	46.4 70.6	469 205	139.7 167.9	0	0.0 0.0	411 83	100.4 59.2
1.01-10.00 10.01 +	540 76	1890.7 2317.4	220 18	739.4 621.0	244 50	918.7 1474.1	421 39	1420.0	15 19	70.7 739.5	52 7	151.8 133.9
REGION IV	2,406	4721.6	709	1525.9	543	2510.8	1,280	2736.9	34	810.2	769	462.6
0.00- 0.10	970	57.8	189	11.9	127	8.6	288	18.2	8	0.3	581	33.4
0.11- 0.50	1,277	316.2	313	85.4	481	109.3	616	164.0	3	1.0	484	105.6
0.51- 1.00 1.01-10.60	342 516	253.7 1568.4	118 172	90.4 517.0	185 341	139.2 1068.6	233 300	175.3 824.0	1 18	0.5 90.3	44 43	29.5 127.5
10.01 + Region V	128 3,233	6326.8 9022.7	17 809	287.7 992.3	88 1,142	4853.3 6178.9	35 1,472	2000.9 3182.2	49 79	2988.7 3080.9	12 1,164	849.9 1145.7
1201011	3,233	,,,,,,	007	,,,,,	.,	6170.7	1,472	3102.2	• • • • • • • • • • • • • • • • • • • •	3000.7	1,107	1149.7
0.00- 0.10 0.11- 0.50	842 955	43.7 251.8	199 250	8.7 75.4	37 110	1.9 32.1	323 589	20.0 164.5	0	0.0 0.8	420 340	21.3 79.9
0.51- 1.00 1.01-10.00	289	226.7	100	80.7	65	53.7	206	163.6	0	0.0	68	50.6
10.01 + REGION VI	398 48	1190.1 1504.0	166 16 731	525.2 537.6 1227.5	128	400.8 803.5	276 21 1,415	763.4 569.1	12 10 24	61.1 479.6	76 . 6	222.8 128.0 502.5
	2,532	3216.1			367	1291.9	1,415	1680.4	24	541.4	910	502.5
0.00- 0.10 0.11- 0.50	1,246 681	60.8 161.1	120 125	7.4 33.3	76 146	4.6 41.7	117 194	7.7 49.5	3 3	0.2 1.1	1,003 367	45.9 77.6
0.51- 1.00	129	96.9	46	35.2	37	28.2	42	31.8	5	3.2	42	30.2
1.01-10.00 10.01 +	162 25	486.8 1064.6	33 2	109.7 49.0	90 19	290.7 620.7	73 3	192.8 77.0	10	35.5 682.4	34 2	80.2 42.5
REGION VII	2,243	1869.9	326	234.5	368	985.7	429	358.7	29	722.2	1,448	276.2
0.00- 0.10	691	28.7	10	0.5	. 9	0.6	32	1.9	0	0.0	650	26.4
0.11- 0.50 0.51- 1.00	294 68	69.6 53.0	10	2.9 6.4	17 13	4.1 11.1	36 23	9.4 18.6	0	0.0	254 40	59.4 30.4
1.01-10.00 10.01 +	114 15	371.7 481.3	19	50.3 30.0	65 12	263.1 411.1	73 7	261.2 149.1	5 2	22.9 35.0	26 3	51.3 70.2
REGION VIII	1.182	1004.3	49	90.0	116	689.9	171	440.0	7	57.9	973	237.7
0.80- 0.10	198	10.3	15	1.0	24	1.4	29	2.0	0	0.0	144	7.2
0.11- 0.50	239	67.7	43	13.8	55	16.0	95	28.8	3	1.3	113	29.9
0.51- 1.00 1.01-10.00	92 206	71.6 727.0	20 42	15.1 147.8	29 126	24.3 461.1	51 116	40.2 376.4	9	0.0 40.6	33 34	25.1 121.2
10.01 + REGION IX	65 800	3166.6 4043.0	6.	110.3	48	2625.1 3127.8	23 314	1303.3	9 21	276.6	8	262.0
REGION IX	800	4043.0	126	207.7	282	3127.0	314	1750.5	21	318.4	332	445.3
0.00- 0.10 0.11- 0.50	184	10.5	31 68	2.0	6	0.4	18 80	1.3	0	0.0	144	8.0
0.51- 1.00	226 71	59.3 55.1	14	19.7 10.9	43 27	12.1 21.5	25	23.2 19.9	4 2	1.4	103 27	24.1 20.7
1.01-10.00 10.01 +	135 22	441.4 672.6	30 3	76.9 126.5	72 17	286.4 541.6	64 10	218.9 279.1	5 4	35.1 84.0	32 2	82.4 67.0
REGION X	638	1238.7	146	235.8	165	861.8	197	542.2	15	121.8	308	202.0
0.00- 0.10	5,100	259.9	784	43.5	396	24.1	1,188	73.0	17	0.8	3,471	145.3
0.11- 0.50 0.51- 1.00	5,412 1,621	1410.0 1245.0	1,294	369.5 366.7	1,292	373.9 501.7	2,694	756.3 789.8	30 18	9.5 13.3	2,180 374	504.5 272.1
1.01-10.00	2,763	8978.1	771	2431.4	1,503	5117.1	1,638	4942.6	156	799.1	410	1201.6
10.01 + All regions	535 15,431	23375.1 35267.8	71 3,388	1895.5 5106.5	349 4,181	16428 22445	173 6,705	6986.2 13548	176 397	7727.9 8550.5	56 6,491	2271.6 4414.8
			-,		.,				•••			

## DISTRIBUTION OF SLUDGE TREATMENT PROCESSES BY DESIGN CAPACITY, WITHIN EPA REGION (YEAR 2000)

Table 46 summarizes the common groupings of sludge treatment processes expected to be used by treatment plants operating in the year 2000.

Information is provided for each EPA Region with a national total at the bottom of the table. The Regions are subdivided into five flow ranges, based on projected design capacity, so that the size of the plant, as well as the geographical location, can be related to the different processes.

The All Plants column gives the total number of each Region's plants that are projected to fall within the various flow ranges and the total projected design capacity represented by these plants.

The subsequent columns show which sludge treatment processes are projected to be in use, listing the number of plants and the associated flow. The processes are grouped into general categories such as aerobic digestion or incineration. These categories may cover several related processes. For example, processes listed under Aerobic Digestion may use either air or pure oxygen for aeration.

A single plant may have entries in more than one category; therefore, the sum of categories may exceed the total listed under All Plants. Entries are made in the Other column only if a plant does not qualify for any of the process categories. There are over 6,400 facilities in the Other column. The majority of these are lagoon facilities which normally have no sludge treatment processes.

All flows are reported in million gallons per day.

# 1982 NEEDS SURVEY DISTRIBUTION OF SLUDGE TREATMENT PROCESSES BY DESIGN CAPACITY, MITHIN EPA REGION (YEAR 2000)

					(YEAR	R 2000)						
EPA Region &	ALL	PLANTS		DBIC Stion		ROBIC Stion		IR Ying	INCIN	ERATION	OTI	HER
FLOW RANGE (MGD) 0.00- 0.10 0.11- 0.50 0.51- 1.00 1.01-10.00	# OF PLANTS 187 208 71 210	TOTAL FLOW 10.2 55.1 50.5 691.6	# OF PLANTS 13 43 19 28	TOTAL FLOW 0.7 13.3 13.9 69.0	# OF PLANTS 12 21 12 80	TOTAL FLOW 0.7 5.9 9.1 292.3	0 OF PLANTS 55 77 27 57	TOTAL FLOW 3.3 22.3 19.5 167.8	OF PLANTS O O O 21	TOTAL FLOW 0.0 0.0 0.0 92.2	# OF PLANTS 120 106 26 76	TOTAL FLON 6.4 25.9 17.9 233.2
10.01 + REGION I	50 726	1678.7 2486.0	105	34.4 131.0	13 138	700.2 1008.1	222	613.1 825.8	33 54	1429.2 1521.3	8 336	124.0 407.1
0.00- 0.10 0.11- 0.50 0.51- 1.00 1.01-10.00 10.01 + REGION II	267 324 118 263 82 1,054	14.4 81.1 89.6 960.2 4344.7 5489.8	15 62 29 45 4 155	1.1 18.2 21.6 137.8 120.9 299.5	56 132 72 170 43 473	3.2 37.4 55.4 606.2 1623.9 2325.9	70 175 91 100 16 452	4.0 49.9 68.3 297.2 765.4 1184.6	10 4 54 35 107	0.2 2.5 3.1 253.9 1410.5 1670.1	179 110 7 29 18 343	9.4 21.2 6.0 107.5 1957.7 2101.5
0.00- 0.10 0.11- 0.50 0.71- 1.00 1.01-10.00 10.01 + REGION III	803 896 239 351 62 2,351	44.0 228.7 176.4 1056.1 2869.0 4373.9	214 327 95 92 8 736	11.7 92.8 67.4 266.2 141.7 579.6	92 251 132 241 47 763	5.3 73.0 99.9 747.1 2193.7 3118.8	308 561 167 204 24 1,264	16.9 160.4 124.4 542.6 684.7 1528.9	1 4 3 28 33 69	0.1 0.9 2.2 149.7 1838.2 1991.0	476 288 9 11 1 785	26.1 54.3 6.3 36.3 21.6 144.5
0.00- 0.10 0.11- 0.50 0.51- 1.00 1.01-10.00 10.01 + REGION IV	1,077 1,014 308 655 126 3,180	51.2 248.0 229.0 2277.8 3967.2 6773.1	340 388 137 313 41	16.9 101.5 102.9 1081.2 1077.5 2379.8	167 153 74 266 75 735	8.4 37.9 55.2 1022.7 2435.9 3559.9	569 611 227 520 68 1,995	28.4 155.8 170.1 1753.0 1688.8 3795.9	2 1 1 14 23 41	0.1 0.2 0.6 69.8 985.5 1056.1	499 383 67 51 10	22.4 86.5 49.1 141.9 373.0 672.6
0.00- 0.10 0.11- 0.50 0.51- 1.00 1.01-10.00 10.01 + REGION V	1,418 1,369 351 586 140 3,869	79.1 333.8 256.4 1822.2 7702.6 10193.9	322 410 133 220 22 1,107	18.5 104.8 98.0 661.1 746.8 1629.0	119 303 159 382 99 1,067	7.7 90.0 117.6 1237.2 5723.9 7176.1	405 614 221 356 36 1,632	23.8 162.2 163.6 1011.1 2155.8 3516.4	8 1 2 17 55 83	0.3 0.2 1.8 105.9 3333.5 3441.6	921 597 69 41 11	49.8 129.1 48.1 113.8 839.9 1180.6
0.00- 0.10 0.11- 0.50 0.51- 1.00 1.01-10.00 10.01 + REGION VI	1,797 1,198 356 475 67 3,893	84.7 289.7 265.6 1441.7 2140.7 4222.2	266 349 153 231 22 1,021	12.0 °0.5 116.7 760.8 764.9 1744.7	35 58 54 126 32 305	1.7 17.9 40.6 429.8 1122.6 1612.4	437 662 284 347 26 1,756	24.7 172.4 212.6 998.6 808.1 2216.2	1 2 0 15 12 30	0.1 0.8 0.0 83.8 608.7 693.3	1.271 513 61 73 10 1.928	57.9 111.3 44.5 201.3 187.1 601.8
0 00- 0.10 0.11- 0.50 0.51- 1.00 1.01-10.00 10.01 + REGION VII	1,445 687 143 186 32 2,493	65.6 160.8 102.3 561.5 1139.8 2029.8	95 148 55 46 7 351	5.9 38.1 40.4 132.9 377.8 594.9	61 134 42 101 25 363	3.7 37.1 30.2 319.5 779.3 1169.6	73 189 42 85 3	4.7 50.1 31.4 225.8 84.D 395.9	1 0 3 9 13 26	0.1 0.0 2.1 40.3 677.6 719.9	1,268 368 42 37 0 1,715	54.8 77.3 28.0 100.2 0.0 260.2
0.00~ 0.10 0.11~ 0.50 0.51~ 1.00 1.01~10.00 10.01 + REGION VIII	771 338 69 137 19	31.0 76.8 49.7 411.2 664.0 1232.5	10 15 12 27 1 65	0.5 4.2 9.1 82.7 30.0 126.3	6 17 10 60 18 111	0.4 4.3 7.3 208.8 652.8 873.3	23 44 20 71 11 169	1.3 11.7 14.8 230.6 312.7 571.0	0 1 0 3 2 6	0.0 0.2 0.0 14.1 60.0 74.3	742 288 44 42 1	29.6 63.7 31.0 97.6 11.2 232.9
0.00- 0.10 0.11- 0.50 0.51- 1.00 1.01-10.00 10.01 + REGION IX	421 371 127 245 69 1,233	22.4 90.5 94.8 859.8 3323.4 4390.7	14 41 32 53 10 150	0.8 12.0 23.7 156.4 213.9 406.6	22 62 28 143 51 306	1.3 17.9 21.3 559.3 2739.9 3339.5	25 100 59 141 27 352	1.5 30.6 43.5 458.3 1557.5 2091.2	0 0 0 10 12 22	0.0 0.0 0.0 55.9 904.2 960.0	373 244 54 44 8 723	19.8 53.2 40.6 152.5 300.7 566.6
0.00- 0.10 0.11- 0.50 0.51- 1.00 1.01-10.00 10.01 + REGION X	344 298 78 152 27 899	17.9 74.8 58.4 508.3 887.0 1546.1	42 110 25 47 4 228	2.7 30.5 17.2 134.8 149.7 334.6	6 34 20 73 21 154	0.5 9.6 15.5 311.9 705.6 1042.9	23 112 33 77 10 255	1.8 30.9 24.0 247.2 311.5 615.1	1 3 4 9 4 21	0.1 1.2 2.6 44.5 87.9 136.2	294 142 29 33 3 501	14.7 31.3 23.0 91.4 113.5 273.8
0.00- 0.10 0.11- 0.50 0.51- 1.00 1.01-10.00 10.01 + ALL REGIONS	8,530 6,703 1,860 3,260 674 21,027	420.1 1638.8 1372.3 10589.9 28716.6 42737.5	1,331 1,893 690 1,102 121 5,137	70.3 505.5 510.4 3482.4 3657.2 8225.7	576 1,170 603 1,642 424 4,415	32.4 330.6 451.6 5734.3 18677 25226	1,988 3,145 1,171 1,958 227 8,489	109.9 846.0 871.9 5931.6 8981.3 16740	18 22 17 180 222 459	0.8 5.8 12.1 909.7 11335 12263	6,143 3,039 408 437 70 10,097	290.4 653.2 294.0 1275.3 3928.5 6441.2

## DISTRIBUTION OF SLUDGE DISPOSAL METHODS BY DESIGN CAPACITY, WITHIN EPA REGION (EXISTING)

Table 47 summarizes the common groupings of sludge disposal methods presently used by existing treatment plants.

Information is provided for each EPA Region with a national total at the bottom of the table. The Regions are subdivided into five flow ranges, based on present design capacity, so that the size of the plant, as well as the geographical location, can be related to the different sludge disposal methods.

The All Plants column gives the total number of each Region's plants that fall within the various flow ranges and the total present design capacity represented by these plants.

The subsequent columns show which sludge disposal method the plants use, listing the number of plants and the associated flow. The methods are listed under specific headings such as Land Fill or Ocean Dumping.

A single plant may use more than one sludge disposal method; therefore, the sum of the methods may exceed the total listed under All Plants. Entries are made in the Other column only if a plant does not qualify for any of the identified methods. There are over 6,000 facilities in the Other column. The majority of these are lagoon facilities which normally have no sludge disposal.

All flows are reported in million gallons per day.

## 1982 NEEDS SURVEY DISTRIBUTION OF SLUDGE DISPOSAL METHODS BY DESIGN CAPACITY, MITHIN EPA REGION (EXISTING)

			,	DI DESIGN	(EXI	STING)						
EPA REGION	ALL P	LANTS	LAN Fil		LA Applic		OC E Dum F		COMPO	STING	HTO	ER
# Flow range (MGD)	# DF PLANTS	TOTAL FLOW	# OF Plants	TOTAL FLOW	O DF Plants	TOTAL FLOW	DF PLANTS	TOTAL Flo⊯	# DF Plants	TOTAL FLOW	# OF Plants	TOTAL FLOW
0.00- 0.10 0.11- 0.50 0.51- 1.00 1.01-10.00 10.61 +	62 131 69 172 45	3.4 37.4 52.3 549.5 1470.8		2.1 29.6 41.1 478.2 1102.8	4 7 7 11	0.3 2.2 5.6 31.0 25.0	0 0 0 0	0.0 0.0 0.0 0.0 0.0	0 0 5 1 6	0.0 0.0 0.0 18.5 11.5 30.0	22 25 10 17 1 75	1.3 6.5 7.9 50.4 343.0 408.9
0.00- 0.10	479 78	2113.2	386 71	4.4	30 3	63.9	1	0.1	0	0.0	5	0.2
0.11- 0.50 0.51- 1.00 1.01-10.00 10.01 + REGION II	234 110 244 62 728	69.2 84.3 842.8 3494.0 4494.7		64.6 79.0 767.6 1299.0 2214.3	3 0 7 0 13	0.9 0.0 24.8 0.0 26.0	3 4 10 21 39	1.3 2.7 49.0 2340.0 2393.0	0 0 0 0	0.0 0.0 0.0 0.0	8 4 3 1 21	2.5 2.8 14.0 18.0 37.3
0.00- 0.10 0.11- 0.50 0.51- 1.00 1.01-10.00 10.01 + REGION III	254 459 152 276 49	13.8 127.1 115.9 910.0 2377.3 3544.0	198 392 129 236 38 993	11.1 109.3 97.9 760.5 1690.8 2669.4	13 45 17 45 11	0.8 13.1 13.6 174.5 814.5	0 0 1 1 2	0.0 0.0 0.0 2.8 140.0	0 0 2 4 6	0.0 0.0 0.0 2.8 514.0 516.8	48 32 8 8 2 98	2.4 7.4 6.1 19.2 175.0 209.9
0.00- 0.10 0.11- 0.50 0.51- 1.00 1.01-10.00 10.01 + REGION IV	575 916 299 540 76 2,406	26.8 250.9 236.0 1890.7 2317.4 4721.6	59	7.9 127.0 152.8 1428.4 1777.0 3492.9	23 69 28 100 11 231	1.3 21.3 24.4 424.6 233.3 704.7	0 2 0 0 0 2	0.0 0.6 0.0 0.0 0.0	0 2 0 0 1 3	0.0 0.8 0.0 0.0 35.0 35.8	421 430 88 59 10	17.8 106.1 63.0 166.1 408.2 760.9
0.00- 0.10 0.11- 0.50 0.51- 1.00 1.01-10.00 10.01 + RECION V	970 1,277 342 516 128 3,233	57.8 316.2 253.7 1568.4 6826.8 9022.7	216 413 164 282 82 1,157	12.8 111.5 124.0 830.6 4134.2 5213.0	228 444 148 246 43 1,109	14.5 117.9 110.3 811.5 2611.7 3665.6	0 0 0 0 0	0.0 0.0 0.0 0.0 0.0	1 0 0 0 0	0.1 0.0 0.0 0.0 0.0	551 463 50 30 9	32.1 99.1 34.4 69.6 1438.0 1673.1
0.00- 0.10 0.11- 0.50 0.51- 1.00 1.01-10.00 10.01 + REGION VI	842 955 289 398 48 2,532	43.7 251.8 226.7 1190.1 1504.0 3216.1	467 643 218 329 40 1,697	24.6 177.5 173.2 1017.0 1350.0 2742.1	28 80 30 70 13 221	1.9 22.1 23.6 219.6 586.4 853.3	0 0 0 0	0.0 0.0 0.0 0.0 0.0	0 0 0 2 2 4	0.0 0.0 0.0 11.3 45.8 57.1	369 301 60 48 7	18.8 70.6 44.7 114.6 134.0 382.6
0.00- 0.10 0.11- 0.50 0.51- 1.00 1.01-10.00 10.01 + REGION VII	1,246 681 129 162 25 2,243	60.8 161.1 96.9 486.8 1064.6 1869.9	150 200 57 102 21 530	8.9 53.6 43.3 328.1 937 1 1370.7	138 152 48 62 2 402	8.6 41.4 37.7 184.6 65.0 337.1	0 0 0 0 0	0.0 0.0 0.0	0 0 1 2 0 3	0.0 0.0 0.8 2.8 0.0 3.6	982 353 33 21 3 1,392	44.7 72.6 23.6 45.8 92.5 279.0
0.00- 0.10 0.11- 0.50 0.51- 1.00 i.01-10.00 10.01 + REGION VIII	691 294 68 114 15	28.7 69.8 53.0 371.7 481.3	23 20 16 55 11 125	1.1 5.2 12.8 181.5 265.6 466.1	21 20 13 43 1		0 0 0 0 0	0.0 0.0 0.0 0.0	0 0 0 0		648 255 39 21 3	26.4 60.0 29.3 43.1 45.7 204.3
0.00- 0.10 0.11- 0.50 0.51- 1.00 1.01-10.00 10.01 + REGION IX	198 239 92 206 65 800	10.3 67.7 71.6 727.0 3166.6 4043.0	58 124 59 168 54 463	2446.7	2 10 4 16 5 37	0.1 3.1 3.0 56.4 206.4 268.8	0 0 2 1 2 5	0.0 1.4 5.5 431.0	1 1 0 0 2 4	0.0 0.0 406.5	138 106 29 28 8 309	7.1 28.1 22.2 91.9 256.9 406.0
0.00- 0.10 0.11- 0.50 0.51- 1.00 1.01-10.00 10.01 + REGION X	184 226 71 135 22 638		27 75 26 62 10 200	19.8 197.9 336.3	13 51 21 53 11 149	15.5 16.7 205.0 394.3	0000	0.0	0 0 0 0 0	0.0 0.0 0.0 0.0	144 101 26 31 2	8.0 23.4 20.2 82.3 67.0 200.8
0.00- 0.10 0.11- 0.50 0.51- 1.00 1.01-10.00 10.01 +		1410.0 1245.0	1,381 2,614 1,014 2,019 401 7,429	735.2 790.3 6585.6 15339	473 881 316 653 98 2,421	242.0 245.4 2306.8 5106.6		i 1.9	2 3 1 11 10 27	1.2 0.8 35.4	3,328 2,074 347 266 46	475.8 253.8 696.5 2978.3

## DISTRIBUTION OF SLUDGE DISPOSAL METHODS BY DESIGN CAPACITY, WITHIN EPA REGION (YEAR 2000)

Table 48 summarizes the common groupings of sludge disposal methods expected to be used by treatment plants operating in the year 2000.

Information is provided for each EPA Region with a national total at the bottom of the table. The Regions are subdivided into five flow ranges, based on projected design capacity, so that the size of the plant, as well as the geographical location, can be related to the different sludge disposal methods.

The All Plants column gives the total number of each Region's plants that are projected to fall within the various flow ranges and the total projected design capacity represented by these plants.

The subsequent columns show which sludge disposal methods the plants are projected to use, listing the number of plants and the associated flow. The methods are listed under specific headings such as Land Fill or Ocean Dumping.

A single plant may be projected to use more than one sludge disposal method; therefore, the sum of the methods may exceed the total listed under All Plants. Entries are made in the Other column only if a plant does not qualify for any of the identified methods. There are over 9,400 facilities in the Other column. The majority of these are lagoon facilities which normally have no sludge disposal.

All flows are reported in million gallons per day.

# 1982 NEEDS SURVEY DISTRIBUTION OF SLUDGE DISPOSAL METHODS BY DESIGN CAPACITY, MITHIN EPA REGION (YEAR 2000)

				J. 01316.		R 2000)	ELW KEGIO	·N				
EPA REGION &	ALL	PLANTS	LA! FI			AND Cation	OCE Dump		COMPO	STING	011	HER
FLOW RANGE (MGD)	O OF Plants	TOTAL FLOW	OF PLANTS	TOTAL Flow	# OF Plants	TOTAL FLOW	# OF Plants	TOTAL FLOW	# OF Plants	TOTAL FLOW	0 OF Plants	TOTAL Flow
0.00- 0.10 0.11- 0.50	187 208	10.2	77	4.4	10	0.5	0	0.0	1	0.1	103	5.6
0.51- 1.00	71	55.1 50.5	121 55	34.1 39.1	18 5	5.2 4.3	0	0.0 0.0	0 1	0.0 0.7	75 11	17.9 7.3
1.01-10.00 10.01 +	210 50	691.6 1678.7	177 49	596.6 1278.7	28 0	77.9 0.0	0	0.0	12	47.9	17	44.5
REGION I	726	2486.0	479	1952.6	61	87.8	ŏ	0.0	2 16	22.9 71.4	207	400.9 475.2
0.00- 0.10 0.11- 0.50	267 324	14.4 81.1	93 219	5.4 61.7	4	0.3 1.9	0	0.0	0	0.0	171 101	8.9
0.51- 1.00	118	89.6	113	85.5	2	1.7	ĭ	1.5	Ö	0.0 8.0	101	18.2 1.5
1.01-10.00 10.01 +	263 82	960.2 4344.7	242 61	873.5 2155.6	6	19.4 24.8	9	35.1 51.1	5 2	36.4 100.0	8 19	38.9 2113.4
REGION II	1,054	5489.8	728	3181.5	19	47.9	1 <b>i</b>	87.0	7	136.4	301	2180.7
0.00- 0.10 0.11- 0.50	803 896	44.0 228.7	332 596	18.3 169.5	15 46	1.1	0	0.0	0	0.0	463	25.1
0.51- 1.00	239	176.4	215	157.1	24	19.0	Ö	8.0	0	0.0 0.0	264 5	48.8 3.9
1.01-10.00 10.01 +	351 62	1056.1 2869.0	312 45	921.5 1731.3	50 16	171.1 698.2	1 0	2.8 0.0	4	8.6 620.8	6 2	17.4
REGION III	2,351	4373.9	1,500	2997.4	151	902.2	i	2.8	10	629.4	740	245.0 340.1
0.00- 0.10 0.11- 0.50	1,077 1,014	51.2 248.0	557 577	27.6 146.5	23 69	1.4	0	0.0	0	0.0	499	22.4
0.51- 1.00	308	229.0	213	158.3	42	19.3 32.3	1 0	0.4	0	0.0	378 66	85.1 48.4
1.01-10.00 10.01 +	655 126	2277.8 3967.2	532 110	1863.7 3276.9	112 19	439.6 399.7	0 D	0.0	2	12.0 63.0	38 7	72.2 500.1
REGION IV	3.180	6773.1	1,989	5472.8	265	892.1	i	0.4	4	75.0	988	727.9
0.00- 0.10	1,418	79.1	299	17.3	270	16.3	0	0.0	0	0.0	876	47.5
0.11- 0.50	1,369	333.8	405	105.8	441	117.9	ō	0.0	2	0.6	568	122.6
0.51- 1.00 1.01-10.00	351 586	256.4 1822.2	157 322	117.7 965.6	154 297	111.7 1001.1	0	0.0	0	0.0 0.0	58 24	40.4 48.5
10.01 + Region v	140 3,864	7702.6 10193.9	93 1,276	4857.8 6063.8	53 1,215	3314.0 4560.9	0	0.0 0.0	0 2	0.0	1,530	1119.0 1377.8
0.00- 0.10	1,797	84.7	589	30.2	103	5.4	0	0.0	1	0.1	1,202	54.3
0.11- 0.50	1,198	289.7	759	194.9	104	26.6	Đ	0.0	0	0.0	428	91.8
0.51- 1.00 1.01-10.00	356 475	265.6 1441.7	296 408	221.5 1276.2	38 85	28.4 274.2	0	0.0 0.0	0	0.0 21.8	53 41	39.0 95.0
10.01 + REGION VI	3,893	2140.7 4222.2	2,109	1855.9 3578.5	351	856.0 1190.3	8	0.0	ž	54.8 76.7	1,728	68.0 347.9
0.00- 0.10	1,445	65.6	103	6.3	108	6.4	0	0.0	0	0.0	1,250	53.9
0.11- 0.50 0.51- 1.00	687 143	160.8 102.3	192 63	48.0 45.7	173 61	45.9 45.6	0	0.0 0.0	0 1	0.0 0.8	346 29	72.5 19.3
1.01-10.00 10.31 +	186 32	561.5 1139.8	116 26	375.9 945.6	81 6	228.1	Ō	0.0	2	2.8	18	43.1
REGION VII	2,493	2029.8	500	1421.3	429	151.0 476.8	0	0.0	0 3	0.0 3.6	3 1,646	104.2 292.7
0.00- 0.10	771	31.0	18	0.9	14	0.8	0	0.0	0	0.0	740	29.5
8.11- 0.50 8.51- 1.00	338 69	76.8 49.7	27 17	7.0 12.9	25 10	6.9 7.6	0	0.0 0.0	0	0.0 0.0	287 42	63.5 29.4
1.01-10.00 10.01 +	137 19	411.2	59	178.8	44	157.9	Ŏ	0.0	i	8.0	38	92.5
REGION VIII	1,334	664.0 1232.5	12 133	336.6 535.9	5 98	276.2 449.2	0	0.0	0	8.0	1,109	51.2 266.0
0.00- 0.10	421	22.4	52	3.0	2	0.1	0	0.0	1	0.1	367	19.4
0.11- 0.50 0.51- 1.00	371 127	90.5 94.8	130 72	37.9 54.5	7	2.0 4.5	0 2	0.0 1.5	0	0.0 0.0	235 46	50.9 34.4
1.01-10.00	245	859.8	196	698.1	19	74.9	6	0.0	4	21.1	40	129.6
10.01 + RFGION IX	69 1,233	3323.4 4390.7	59 509	2978.3 3771.5	6 41	290.3 371.6	2 4	24.0 25.5	11	514.2 535.3	7 <b>695</b>	289.5 523.7
0.00- 0.10	344	17.9	35	2.1	16	1.2	0	0.0	0	0.0	293	14.6
0.11- 0.50 0.51- 1.00	298 78	74.8 58.4	96 25	26.3 17.9	69 27	20.3 19.4	0	0.0	0	0.0	136	29.2
1.01-10.00	152	508.3	73	236.8	60	222.8	ō	0.0	Ö	0.0 0.0	29 30	23.1 90.6
10.01 + REGION X	27 899	887.0 1546.1	12 241	460.5 743.5	15 187	510.2 773.8	0	0.0	0	0.0	2 490	103.0
0.00- 0.10	8,530	420.1	2,155	115.1	565	33.1	0	0.0	3	0.2	5.964	280.9
0.11- 0.50 0.51- 1.00	6,703 1,860	1638.8	3,122	831.2	958	258.6	1	0.4	2	0.6	2.818	600.0
1.01-10.00	3,260	1372.3 10589.9	1,226 2,437	909.6 7986.1	370 782	274.1 2666.5	3 10	2.4 37.8	2 34	1.4 158.3	341 260	246.3 671.7
10.01 + All regions	674 21.027	28716.6 42737.5	524 9,464	19877 29718	142	6520.0 9752.2	3 17	75.1 115.6	20 61	1375.7 1536.1	51 9,434	4993.3 6792.0
	,02,	72.31.3	,,,,,,	27710	F101/	7136.6	11	113.0	91	1330.1	7,434	9172.0

## CHAPTER III

## SUMMARIES OF CONVEYANCE SYSTEMS TECHNICAL DATA (CATEGORIES IIIA, IIIB, IVA, IVB)

Technical data on the municipal sewage conveyance facilities which will be required to be constructed by the year 2000 were compiled in the course of the 1982 Needs Survey. The data were collected using the EPA-1 form which is described in detail in Appendix C.

The technical data for each conveyance facility were collected at the same time as the dollar needs. The data were obtained from several sources including the 1980 Needs Survey files, EPA construction grant files, and various engineering plans and reports. A further description of the sources and methods used in collecting data for the 1982 Needs Survey is presented in Appendix A.

The technical data collected for all conveyance facilities have been compiled and are presented in the 12 tables which follow. These technical tables include a discussion of each table presented immediately before the table.

## COLLECTION POPULATIONS PRESENT, PROJECTED, RESIDENT AND NONRESIDENT

Table 49 summarizes the populations by State for 1980 and 2000 which are now or will be receiving collection of their wastewaters.

The values listed for the year 2000 Ceiling Population were obtained from data provided by the Department of Commerce, Bureau of Economic Analysis (BEA). The projections were produced by BEA after extensive analysis which included review and comment by State agencies responsible for population projections.

Resident populations (RES) are permanent residents within the service area of an established sewerage authority. Nonresident populations (NONRES) include transients, seasonal workers, commuters, tourists, and other persons who must be served by local systems but do not maintain a permanent residence within the service area.

A person is included in the Receiving Collection category if their residence is connected to a central collection system operated by an established sewerage authority. A person is included in the Not Receiving Collection category if they reside in the service area of an established sewerage authority but their residence is not connected to a central collection system. The sum of the populations receiving collection and not receiving collection do not equal the State's total population. This is because many rural residents, who are counted as a part of the State's total population, do not reside in the service area of any established sewerage authority and, therefore, are not included in any Receiving Collection or Not Receiving Collection categories.

The Percent Served values are based upon a comparison between the resident population receiving collection and the State population ceiling figures provided by the Bureau of Census.

## 1982 NEEDS SURVEY

## COLLECTION POPULATIONS PRESENT, PROJECTED, RESIDENT & NONRESIDENT ( IN THOUSANDS )

			Brostu								
			** RECEIVI	NG COLLEC	IION ####	***	NOT RECEI	AINE COFFE	CTION ***	PERCEN	T SERVED
	000 CEILING Population	1980 RES.	2000 RES.	1980 Nonres.	2000 Nonres.	1980 RES.	2000 RES.	1980 Nonres.	2000 Nonres.	1980	2000
ALABAMA	4,140	2,125		103	233	530	88	10	0	54.6	85.2
*ALASKA *ARIZONA	694 4.357	218		3	19	106	27	3	0	54.5	96.1
ARKANSAS	2,970	2,220 1,296	4,320 2,514	68	181	305	93	11	4	81.7	99.2
CALIFORNIA	26,786	19,425	26,238	34 1,079	46	205	33	.0	.0	56.7	84.7
COLORADO	4,371	2,752	4,231	191	1,483 577	1,559 36	264 2	44	10	82.1	98.0
*CONNECTICUT	3,902	1,919	3.029	31	51	1,213	872	ŭ	0	95.3	96.8
*DELAWARE	841	491	819	107	432	86	23	34	0	61.7 82.5	77.6 97.5
*DIST. OF COLU	M. 694	744	913	729	694	Ö	- 0	Õ	ŏ	116.6	131.6
FLORIDA	15,049	5,821	13,317	901	1,696	1,869	568	11	3	59.8	88.5
GEORGIA	7,053	3,266	6,052	139	234	755	323	3	Ď	59.8	85.8
HAWAII Idaho	1,366	597	1,240	87	240	205	0	11	0	62.0	90.8
ILLINOIS	1,183 12,358	503	1,068	13	81	122	20	24	4	53.4	90.3
INDIANA	6,059	9,844 3,554	12,099 4,946	34	42	287	90	0	0	86.2	97.9
IOWA	3,101	2,106	2,832	246 77	503 129	342	40	65	0	64.7	81.6
KANSAS	2.642	1.847	2,635	16	21	158 174	24	20	0	72.3	91.4
KENTUCKY	4,224	1,818	3.192	60	97	655	6 257	0	0	78.2	99.7
*LOUISIANA	4,880	2,857	4,880	93	106	671	631	8	ŭ	49.7 68.0	75.6 100.0
MAINE	1,222	577	935	85	128	339	244	ž	3	51.3	76.6
MARYLAND	5,583	3,346	5,274	144	460	532	159	138	118	79.4	94.5
MASSACHUSETTS	6,736	4,063	5,772	65	201	1,536	963	80	56	70.8	85.7
MICHIGAN Minnesota	10,314	7,052	8,780	106	234	1,313	892	41	45	76.2	85.1
MISSISSIPPI	4,505 2,748	3,011 1,494	3,811	25	36	218	121	7	6	73.9	84.6
*MISSOURI	5.379	3,636	2,401 5,357	12	27	382	129	1	0	59.3	87.6
MONTANA	938	474	709	886 33	1,209 38	319	21	9	0	73.9	99.6
NEBRASKA	1,734	1,251	1,712	17	26	33 47	1 7	0	0	60.3	75.7
NEVADA	1,408	735	1,373	92	145	53	4		0	79.7 92.1	98.7
NEW HAMPSHIRE	1,306	442	934	57	191	335	268	63	43	48.1	97.6 71.6
NEW JERSEY	9,022	6,043	8,326	964	1,536	1,217	695	130	55	82.1	92.3
NEW MEXICO	1,781	915	1,546	23	36	132	47	6	2	70.4	86.8
*NEW YORK NORTH CAROLINA	19,683	13,410	17,410	2,763	4,044	4,415	2,273	61	24	76.3	88.5
NORTH CAROLINA	7,419 69D	2,547	4,588	193	453	1,486	908	103	27	43.4	61.9
*OHID	12,237	441 8,666	578 12,102	.0		7	3	0	0	67.5	83.8
OKLAHOMA	3,702	1,865	3,297	57 2	104	986	134	13	0	80.3	98.9
OREGON	3,209	1,452	3,056	42	12 81	197 342	44	7	0	61.7	89.1
PENNSYLVANIA	12,854	9,216	12.287	524	1.202	2,282	11 565	3 241	0	55.1	95.2
RHODE ISLAND	1,084	627	920	48	71	324	162	241	21 0	77.7 66.3	95.6
SOUTH CAROLINA		1,408	2,887	279	516	673	118	55	ŏ	45.2	84.9 78.0
SOUTH DAKOTA	730	459	668	14	1 1	16	6	Ö	ō	66.7	91.5
TENNESSEE Texas	5,573 21,000	2,195	4,139	72	145	904	282	1	Õ	47.8	74.3
HATU	1.963	12,108	20,187 1,949	236 192	543 327	1.098	12	41	4	85.1	96.1
VERMONT VIRGINI4	6,755	234 3,353	370 5,935	46	77	116	85	15	ğ	83.5 45.8	99.3 61.0
WASHINGTON	4,859	2,375	4,360	138	265	1,210	548	2	ō	62.7	87.9
*WEST VIRGINIA	2,101	901	2,071	440 16	811	631	123	28	21	57.5	89.7
WISCONSIN	5,553	3,326	4.820	105	24 196	883	30	2	. 0	46.2	98.6
*WYOMING	484	333	619	18	28	421 3	192	21	14	70.7	86.8
AMERICAN SAMOA		1	32	10	1	27	2	1	0	74.0	128.1
GUAM N MARTANAC	275	71	209	9	3	26	15	ŏ	ŏ	4.2 64.8	80.5 76.0
N. MARIANAS Puerto rico	33	1	31	0	2	17	ī	ŏ	Ğ	8.1	94.1
*PAC. TR. TERR.	4,700 183	1,824	3,242	0	0	1,117	771	Ď	ō	57.1	69.0
*VIRGIN ISLANDS	116	11 79	103 128	0	4	100	79	0	0	9.5	56.8
	***	""	120	3	3	29	7	0	0	80.6	110.6
U.S. TOTALS	278,888	164,590	251,463	11.746	20.081	33,145	12,683	1,344	477	71.5	90.2

## TOTAL PIPE LENGTH NEEDED, BY DIAMETER

Table 50 summarizes the total length of sewer pipe in meters required by the year 2000. These figures include gravity sewer pipe and force main pipe lengths.

The lengths are separated into two categories, which are shown in the table as Type 1 and Type 2 Estimates, and five diameter ranges for each category. Type 1 information was obtained from preliminary engineering designs. Type 2 information was generally developed using EPA cost estimating procedures. The diameter sizes are in centimeters (inches are shown in parentheses).

Dollar needs by category and size range are summarized in Table 52.

1982 NEEDS SURVEY TOTAL PIPE LENGTH NEEDED, BY DIAMETER (LENGTH IN METERS, DIAMETER IN CENTIMETERS)

	*****	****** TYP	E 1 ESTIMAT	ES ******	*****	*****	******* TYF	E 2 ESTIMAT	ES ******	******
STATE	0-47 (0*-18*)	48-68 (19"-27")	69-123 (28"-48")	124-199 (49"-78")	200+ (7 <b>9</b> *+)	0-47 (0*-18*)	48-68 (19*-27*)	69-123 (28"-48")	124-199 (49*-78*)	200+ (7 <b>9</b> *+)
ALABAMA	1,668,298	85,115	67,822	56,211		2,014,686	9,741	5,532		
ALASKA	137,761	15,508	4,147	3,907		276,271				
ARIZONA	291,830	75,938	98,438	15,452		1.087,521	15,104	10,430 5,2 <b>4</b> 4		
ARKANSAS	538,731	57,906	27,729	8,717	10 17/	1,027,488 5,745,434	13,478 149,160	149,849	12,987	5,396
CALIFORNIA	881,905	92,490	151,790	80,195 48,938	39,276	321,923	31,568	16,222	6,433	3,370
COLORADO	18,522	18,037 53,917	28,498 37,166	40,730		2,075,887	29,404	9,644	• • • • • • • • • • • • • • • • • • • •	
CONNECTICUT Delaware	997,043 190,728	5,225	3/1100			146,208	2,271	7,167	2,695	
DIST. OF COLUM.	170,720	3,223				•				
FLORIDA	2,212,285	578.967	553,256	79,705	24,620	5,605,821	48.849	16,812	12,147	
GEORGIA	946,625	282,776	221,141	87,676	10,503	2,526,196	7,972	16,741		
HAWAII	125,684	17,693	23,872			580,247	15,931	1,523		
TDAHD	292,143	11,898	5,333			673,162	14,648	6,544 9,778		
1LLINOIS	1,273,876	98,496	104,599	11,987		733,482	32,385 11,085	1,078		
INDIANA	1,001,431	71,905	40,128		6,126	1,085,190 858,498	23,288	21,252	12,344	
IOHA	461,530	76,896	59,933 55,643	7,315	6,126	597,006	80,611	29,617	,	
KANSAS Kentucky	559,728 2,179,413	130,080 91,145	158,383	44,439		1,492,365	2,382			
LOUISIANA	2,700,490	218,874	85,069	3,826		1,192,522	23,794	17,675		
MAINE	866,813	7,126	3,657	7,000		756,615	3,123			
MARYLAND	461,660	27.226	70,167			1,070,912	39,597	77.782	27,443	
MASSACHUSETTS	2,925,630	380,829	102,957	100,055	1,478	1,448,980	34,682	27,049		
MICHIGAN	1,935,557	49,554	48,362	114.093	11,667	1,638,681	29,141	22,864	4,571	
MINNESOTA	603,296	40,768	35,356	22,677	31,394	765,627	18,775	2,147		
MISSISSIPPI	1,269,414	77,149	153,995			788,406 960,055	17,178 4,927		4,829	
MISSOURI	1,650,744	104,378	146,504 9,985	73,290		92,558	7,727		1,00.	
MONTANA Nebraska	351,613 56,116	7,619 24,002	37,843	8,991		273,262	5,161	19,171		
NEVADA ,	29,276	5,547	6,231	2,569		241,331	5,643	13,350		
NEW HAMPSHIRE	1,147,473	87,943	10,568	2,200		1,316,752	20,076			
NEW JERSEY	1,122,285	137,645	142,903	31,828	21,322	1,763,948	31,283			
NEW MEXICO	209,199	21,088	39,706	1,042		360,901	877	1.899		
NEW YORK	2,320,840	89,415	118,065	56,900	688		72,071	72,653	21,616	
NORTH CAROLINA	3,470,264	361,641	284,554	46,756		2,930,698	2,241 1,152	11,675		
NORTH DAKOTA	81,095	2,956	7/5 206	141.860	4.831	24,877 2,192,426	37,323	16,888		
OHIO	2,235,721 795,464	167,196 36,624	365,294 68,253	12,809	4,631	847,624	7,241	4,804		
OKLAHOMA Dregon	306,509	62,198	30,553	12,007		936,472	30,777	10,656	42,140	
PENNSYLVANIA	1,426,907	50,224	9,866			8,341,711	66,474	22,986	3,188	
RHODE ISLAND	530,189	18,579	20,909			446,837	41,779			
SOUTH CAROLINA	1,790,993	206,153	108,299			2,627,972	44,586			
SOUTH DAKOTA	103,347	19,177	12,191			38,337				
TENNESSEE	2,700,349	240,267	104,890	23,439	20,253		10,990	106,419	16,306	
TEXAS	1,732,150	201,871	318,935 14,325	223,704 5,181	38,673	9,242,945	243,160 10.621	7,474	4,262	
UTAH VERHONT	265,078 300,271	18,135				509,481 217,016	10,621			
VIRGINIA	1,400,121	139,650	173,251 158,833	16,001 35,600		2,709,676 2,367,181	43,045 122,751	24,590 52,193	21,823	
WASHINGTON	734,634	16.550	130,033	33,600		3,001,466	5,524		••••	
WEST VIRGINIA Wisconsin	2,857,593 587,415	31.044	168.054			1,435,878	38,652	22,098		
MACOURTH	84,659	3,241	24,181			18,112		1,828		
AMERICAN SAMOA	49,615	-,	77,504							
GUAM	70,023	1,447								
N. MARIANAS	69,189					98.638		14 005		
PUERTO RICO	1,023,289	248,579	249,028	8,606		564,073		36,085		
PAC. TR. TERR.	139,464					34,286 136,973	7,540	8,887		
VIRGIN ISLANDS	1,021	2,081								
U.S. TOTALS	54,183,327	5.077,825	4,838,189	1,373,781	210,838	86,108,438	1,517,607	888,644	192,792	5,396

NOTE: 1. PIPE CATEGORIES ARE DIAMETER IN CENTIMETERS (INCHES IN PARATHESES).

## LENGTH AND COST OF PIPE NEEDED BY THE YEAR 2000

Table 51 summarizes the total length in kilometers of collector sewer (CS) pipe, interceptor sewer (IS) pipe, and force main (FM) pipe required by the year 2000. Also summarized is the mean cost in dollars per meter for each type of pipe. The mean cost for interceptor pipe has been subdivided into three diameter ranges. These are 0 to 68 centimeters (27 inches), 69 to 123 centimeters (48 inches), and 124 centimeters (49 inches) and larger.

The data have been separated into two general categories which are shown in the table as Type 1 and Type 2 estimates. Type 1 information was obtained from preliminary engineering designs. Type 2 information was generally developed using EPA cost estimating procedures.

All costs are in January 1982 dollars.

DECEMBER 31, 1982 TABLE 51

## 1982 NEEDS SURVEY LENGTH AND COST OF PIPE NEEDED BY THE YEAR 2000 (LENGTH IN KILOMETERS, MEAN COST IN DOLLARS/METER)

	******	******	*** TYPE	1 EST	MATES	*****	*****	*****	****	******	# TYPE 2	ESTI	MATES :	*****	*****	****
	*****	LENGTH	*****	***	****	IEAN CI	)ST ***	****	*****	LENGTH *	*****	***	**** MI	EAN CO	ST ***	****
STATE	cs.	ıs.	FM.	cs	. ****	* IS.	*****	FM.	cs.	IS.	FM.	cs.	*****	IS.	*****	FM.
							23 124+ ) (49*+							69~12 (48")	3 124+ {49"+}	)
ALABAMA	679	907	290	112	149	275	987	92	1,873	156	0	147	170	443	0	0
ALASKA Arižona	44	113	. 3	193	544	1967	5338	302	221	55	0	407	509	0	Ō	Ō
ARKANSAS	112 227	352 285	17 120	110	127	747	703	97	946	166	0	185		452	0	179
CALIFORNIA	474	663	107	182	189 233	610 671	639 1931	84 259	806 5,173	240 885	0	131 270	137	419	0	D
COLORADO	o	110	3	Ō	317	638	1463	259	185	190	7	155	279 192	683 388	4426 934	298 n
CONNECTICUT	675	318	94	253	359	778	0	555	2,015	97	2	254	369	617	7.54	248
DELAHARE	109	19	66	141	383	0	0	103	136	21	Ō	179	248	477	956	- 0
DIST. OF COLUM. FLORIDA	D 61	0		0	D	0	0	0	0	0	0	0	0	0	0	D
GEORGIA	175	1,484	1,902 196	118 106	280 148	457 447	1609 539	159	5,432	251	0	223	190	439	926	0
HAWAII	77	68	21	666	954	1414	237	167 658	2,299 539	247 49	3 8	132 430	135 517	380 0	0	68
IDAHO	155	118	36	126	214	889	ŏ	123	552	141	ő	159	173	416	Ď	1390
ILLINOIS	805	523	160	116	278	1081	2061	133	558	202	14	205	306	739		259
INDIANA	567	305	241	133	211	832	0	74	893	200	3	239	246	538	ŏ	76
IOWA Kansas	251 253	273 426	86	98	257	696	1747	73	650	250	14	149	219	504	1397	74
KENTUCKY	914	1.155	66 403	147	305 195	640	0	127	393	314	. 0	229	377	1022	0	0
LOUISIANA	1,590	544	873	112	192	671 490	1975 1752	92 80	1,308 1,056	168 177	17 0	261 198	165	0	0	35
MAINE	487	231	158	204	290	509	1,20	147	683	59	17	170	203 179	461	0	0 123
MARYLAND	332	173	52	275	254	1014	ō	51	886	293	36	193	269	610	1029	1549
MASSACHUSETTS	2,322	921	267	260	367	1091	1355	141	1,338	139	32	201	278	478	Ó	205
MICHIGAN Minnesota	1,330	561	267	195	280	519	3539	112	1,512	177	5	212	251	541	1037	94
MISSISSIPPI	209 544	199	324	132	229	779	2450	90	653	112	20	188	212	425	0	109
MISSOURI	489	636 1.089	319 396	99 129	137	325	0	68	584	213	7	137	131	0	0	127
MONTANA	183	144	41	152	204 152	938 338	1825 0	235 94	755	188	25	243	213	0	1023	132
NEBRASKA	5	96	25	79	295	455	1055	58	58 181	33 114	0	139 149	144 167	0 327	0	0 169
NEVADA	9	34	0	195	354	909	779	ō	208	51	ô	213	221	449	ă	107
NEW HAMPSHIRE	585	517	143	227	290	285	0	186	925	314	97	191	218	Ö	Ŏ	176
NEW JERSEY	641	509	304	253	1067	759	6221	463	1,708	83	2	237	437	8	0	114
NEW MEXICO New York	120 1,659	148 697	1	79	192	431	688	348	285	78	D	130	137	360	0	0
NORTH CAROLINA	1,107	2,310	228 744	451 115	407 140	1046	4628	263	4,956	754	110	380	272	733	1507	148
NORTH DAKOTA	37	2,310	37	70	116	401	568 D	113 76	2,779 0	165 19	0	135 170	106 135	286	0	222
0110	1,472	1,223	219	188	336	569	1221	179	1,937	304		268	232	0 686	0	222 71
OKLAHOMA	378	444	89	63	129	387	229	130	684	174	i	133	133	336	Ď	24
DREGON	165	205	28	141	273	858	0	143	773	235	10	439	331	592	947	275
PENNSYLVANIA RHODE ISLAND	1,000	345	141	194	258	690	O	150	7,255	1,158	20	195	268	706	3692	320
SOUTH CAROLINA	417 180	129 1,395	22 528	198 137	335 130	397 282	0	198 77	430	56	.0	192	334	0	0	244
SOUTH DAKOTA TENNESSEE	16	76	41	105	231	522	Ŏ	53	2,367	266 27	38 0	140	210 129	0	0	129
TEXAS	785 651	1,724	579 341	135	171 160	562 467	962 1037	116 112	2,058 5,959	155	9	187	237	Ŏ		98
HATU	98	160	43	96	97	585	1463	39	3,737	3,645	3	90	164	383	506	240
VERMONT	226	39	38	182	278	0		141	193	13 <del>9</del> 30	9	148 181	173 254	465 0	742	0
VIRGINIA	695	634	398	139	166	486	578	200	2,317	326	133	173	158	415	0	100 59
WASHINGTON West Virginia	244	774	112	532	373	794	414	242	2,101	455	- 6	261	308	1139	2319	115
WISCONSIN	1,946 213	541 460	386	152	235	0	0	85	2,687	319	0	164	179	0	0	ō
HYOMING	26	80	112	156 91	255 157	2715 482	0	129 76	1,276	218	1	199	217	547	ō	252
AMERICAN SAMOA	49	77	ő	131	0	345	. U	/6 D	4	14 0	0	120	128	250	0	0
GUAM	51	3	15	138	395	0	Ď	198	ŏ	ŭ	0	0	0	0	0	0
N. MARIANAS	. 0	69	0	0	252	ō	Ŏ	0	97	i	ů	226	421	0	0	0
PUERTO RICO PAC. TR. TERR.	637	685	206	198	178	380	1931	173	558	41	ō	434	446	1065	ŏ	Ö
VIRGIN ISLANDS	90 D	33 1	16 2	195	306	0	0	226	31	2	0	215	215	0	ŏ	ŏ
	·	•	2	U	793	0	0	863	126	27	0	146	548	672	Ō	ō
U.S. TOTALS	26,590	27,757	11,335	188	233	681	1727	144	73,828	14.218	666	209	217	620	1571	231

NOTES: 1. PIPE CATEGORIES ARE COLLECTOR (CS.), INTERCEPTOR (IS.), AND FORCE MAIN (FM.).

^{2.} INTERCEPTOR PIPE CATEGORIES ARE DIAMETER IN CENTIMETERS (MAXIMUM INCHES IN PARATHESES).

## DOLLAR NEEDS FOR ALL PIPE SIZE CATEGORIES, BY DIAMETER

Table 52 summarizes the total dollar needs for all pipe required by the year 2000. Dollar needs are included for gravity sewer pipe and force main pipe. Where Table 51 provided dollar needs by pipe category (collector sewer, interceptor sewer, etc.), Table 52 provides dollar needs by size range for all pipe categories. Table 52 is an extension of Table 50.

The dollar needs are separated into two parts, which are shown in the table as Type 1 and Type 2 Estimates, and five diameter ranges for each part. Type 1 information was obtained from preliminary engineering designs. Type 2 information was generally developed using EPA cost estimating procedures. The diameter sizes are in centimeters (inches are shown in parentheses).

It is noted that about 75 percent of the dollar needs are for pipes with a diameter less than or equal to 47 centimeters (18 inches).

DECEMBER 31, 1982 TABLE 52

## 1982 NEEDS SURVEY DOLLAR NEEDS FOR ALL PIPE SIZE CATEGORIES, BY DIAMETER (THOUSANDS OF 1982 DOLLARS)

	*******	****** TYF	E 1 ESTIMAT	ES ******	******	*******	TY	E S ESTIMAT	ES #######	******
STATE	0-47 (0"-18")	48-68 (19"-27")	69-123 (28"-48")	124-199 (49"-78")	200+ (79*+)	0-47 (0"-18")	48-68 (19*-27*)	69-123 (28*-48*)	124-199 (49*-78*)	200+ (79*+)
ALABAMA	186,868	21,861	18,738	55,137		299,904	3.014	2.456		
ALASKA	53,682	13,226	8,160	20,860		118,163				
ARIZONA	32,395	12,003	73,552	10,870		197,762	5,157	4,719		
ARKANSAS	63,912	12,788	13,535	5,576		134,465	3,535	2,207		
CALIFORNIA	162,138	38,079	97,631	112,941	117,843	1,536,013	62,563	101,807	80,159	1,216
COLORADO Connecti <b>cut</b>	3,275	8,104	18,184	71,645		52,123	9,106	6,301	6.009	
DELAWARE	272,476 25,715	26,392 4,174	52,020			531,495	14,593	5.960		
DIST. OF COLUM.	23,713	411/4				26,401	1,045	3,424	2,579	
FLORIDA	322,266	204,781	210,159	146,502	21,369	1,240,931	13,382	7,394	11,260	
GEORGIA	123,982	53,572	97,419	31,768	8,115	334,472	1,912	6,364	11,500	
HAWAII	88,046	21,120	31,639	311100	4,113	257,033	8,852	4,021		
IDAHO	42,630	5,678	4,747			107.064	4,624	2,728		
ILLINDIS	182,498	45,761	113,034	24,706		160,223	17,575	7,230		
INDIANA	135,169	14,300	33,411			258,680	4,614	581		
IOWA	54,371	28,409	41,757	5,068	18,416	134,808	11,350	10,717	17,249	
KANSAS	108,314	50,352	35,662			152,828	44,744	30,276		
KENTUCKY	305,900	45,096	107,103	87,799		370,032	663			
LOUISIANA	279,450	46.490	47,384	6,704		233,349	8,511	8,149		
MAINE	186,321	2,636	1,865			134,046	1,020			
MARYLAND	107,925	12,818	71,157			213,547	17,250	50.792	58,302	
MASSACHUSETTS Michigan	720,479	184,785	109,321	133,440	4,149	295,415	12,864	12,953		
MINNESOTA	383,285	14,395	25,573	255,828	189,355	347,896	12,222	12,371	4,744	
MISSISSIPPI	66,200 121,945	16,190	27,574	22,416	110,081	142,522	6.677	914		
MISSOURI	252,200	18,604 37,017	50,108 137,904	122 567		105,924	3,551			
MONTANA	50,041	2,456	3,379	123,597		225,276 13,087	1,583		4,945	
NEBRASKA	7,774	8,842	17,235	9,489		41,703	1,737	6,270		
NEVADA	8,185	2,708	5,669	2,004		51,108	1,969	5,996		
NEW HAMPSHIRE	261,927	45,317	3,016	27007		256,399	6,636	3,770		
NEW JERSEY	556,593	71,491	117,840	52,569	164,342	429,273	13,726			
HEW MEXICO	24,552	6,327	17,130	718		47,619	169	684		
NEW YORK	957,955	53,113	131,528	252,758	13,814	2,046,683	34,350	53,259	32,580	
NORTH CAROLINA	387,090	87,253	116,402	26,563		391,737	375	3,347		
NORTH DAKOTA	5,916	647				3,809	307			
OHIO	491,609	65,765	206,355	162,309	16,935	572,696	14.202	10,240		
OKLAHDMA	70,690	10,943	26,172	2,942		112,380	1.759	1,615		
OREGON	48,643	25,903	25,553			390,029	13,414	6.317	39,942	
PENNSYLVANIA RHODE ISLAND	281,815	20.911	5,922			1,691,214	33,870	14,674	11,776	
SCUTH CAROLINA	117,131	6,756	8,314			86,892	15.112			
SOUTH DAKOTA	185,025 11,239	43,181 7,606	32,657			363,546	30,236			
TENNESSEE	364,727	70.579	6,375 57,703	13,500	28,571	5,007 409,648	14,689			
TEXAS	167,319	63,606	151,305	195,915	74,606	1,038,121	78,567	40,377	8,256	
HATU	20,644	4.334	8,391	7,581	74,600	77,201	3.195	3,476	3,163	
VERMONT VIRGINIA	194.473	1.617 32,554	77,467	9.177		38,865	3,195 4,230 11,963			
MASHINGTON	264,368	109,738	126,188	14,753		445,477 614,139	54,545	10,226 59,469	50,623	
WEST VIRGINIA	435,359	5,691				-		,	20,420	
HISCONSIN	106,116	16,522	456,373			496,948 287,707	2.071	10.000		
MYDMING	10,064	1,599	11,670			2,292	10.181	12,098 459		
AMERICAN SAMOA	6,517		26,801			2,2,2		727		
GUAM	11,343	482								
N. MARIANAS	17,449					22,598				
PUERTO RICO	192,585	46,483	94,770	16,624		245,383		38,462		
PAC. TR. TERR.	31,459					7,381				
VIRGIN ISLANDS	810	1,797				23,184	5,418	5,980		
U.S. TOTALS	9,627,021	1,752,852	3,161,852	1,881,759	767,596	17,822,498	623,128	554,313	331,587	1,216

NOTE: 1. PIPE CATEGORIES ARE DIAMETER IN CENTIMETERS (INCHES IN PARATHESES).

## NUMBER, CAPACITY, AND COST OF NEW PUMP STATIONS

Table 53 summarizes the pump station requirements for the year 2000. The summary presents the number of pump stations required and the total average daily pumping capacity in thousand cubic meters per day. Also summarized are the total dollar needs and the mean cost per pump station in January 1982 dollars.

The data have been separated into two general categories which are shown in the table as Type 1 and Type 2 Estimates. Type 1 information was obtained from preliminary engineering designs. Type 2 information was generally developed using EPA cost estimating procedures.

#### 1982 NEEDS SURVEY NUMBER, CAPACITY AND COST OF NEW PUMP STATIONS (THOUSANDS OF 1982 DOLLARS)

	******	* TYPE 1 ES	TIMATES ****	*****	*******	* TYPE 2 EST	IMĀTES ****	*****
STATE	NUMBER OF Stations	TOTAL CAPACITY (KCMD)	TOTAL COST	MEAN COST	NUMBER OF Stations	TOTAL CAPACITY (KCMD)	TOTAL COST	MEAN COST
ALABAMA	429	1,151	27,510	64	0	0	0	0
ALASKA	13	61	1,264	97	0	0	0	0
ARIZONA	18	41	1,579	87	7	9	708	101
ARKANSAS	144	185	14,730	102	0	0	0	0
CALIFORNIA	147	3,384	73,875	502	28	159	9,834	351
COLORADO	. 0	0		0	0	0	_ 0	0
CONNECTICUT Delaware	116	840	39,949	344	51	118	7,506	147
DIST. OF COLUM.	192 0	54 0	13,924	72 0	2	7	969	484
FLORIDA	1,848	10,754	383,833	207	0 6	0 10	0 452	0 75
GEORGIA	129	954	38,144	295	8	299	2,909	363
HAWAII	19	79	18,430	970	ŭ	Ď	2,,0,	0
IDAHO	129	60	3,512	27	ŏ	ŏ	ŏ	ŏ
ILLINOIS	206	357	21,622	104	17	110	4,478	263
INDIANA	313	164	21,420	68	3	1	433	144
AMOI	105	215	17,655	168	35	61	5,240	149
KANSAS	178	125	12,351	69	8	44	2,230	278
KENTUCKY	1,155	1,097	84,690	73	20	27	692	34
LOUISIANA	1,122	506	128,040	114	0	.0	0	0
MAINE	236	343	32,228	136	35	11	2,605	74
MARYLAND Massachusetts	264	953	8,570	32	16	56	4,939	308
MICHIGAN	389 626	1,599 534	137,987 36,191	354 57	32 9	129	9,851	307
MINNESOTA	619	316	17,950	28	221	1 2	987 1,162	109 5
MISSISSIPPI	364	543	20,415	56	5.51	52	820	410
MISSOURI	1,249	840	86,978	69	22	13	3,470	157
MONTANA	20	50	3,885	194	ō	ő	0,0	
NEBRASKA	23	33	1,765	76	2	4	315	157
NEVADA	4	14	901	225	0	0	0	0
NEW HAMPSHIRE	157	276	38,255	243	114	61	15,440	135
NEW JERSEY	174	1,087	131,819	757	2	2	278	139
NEW MEXICO	13	71	2,533	194	0	0	0	0
NEW YORK North Carolina	1,561	579	113,790	72	241	245	31,718	131
NORTH CAROLINA	753 43	1,343 69	61,195 2,884	81 67	3	7	227 0	75
DHIO	1,425	650	50,548	35	0 7	0 13	692	0 98
OKLAHOMA	88	101	10,422	118	í		37	37
OREGON	38	74	5,311	139	39	45	14,224	364
PENNSYLVANIA	197	230	37,748	191	24	28	4,609	192
RHODE ISLAND	38	127	16,833	442	14	19	4,301	307
SOUTH CAROLINA	361	1,080	55,965	155	10	27	1,670	167
SOUTH DAKOTA	20	47	1,672	83	44	9	1,525	34
TENNESSEE Texas	1,663 908	1,975	60,952	36	14	_8	603	43
UTAH	17	1,027	34,187 1,252	37 73	4 0	50 0	3,832	958 0
VERMONT VIRGINIA	766	22	10,104	153	8	6	516	64
	324	1,022	61,996	191	139	19	6,217	44
WASHINGTON	120	158	31,191	259	30	697	91,943	3,064
WEST VIRGINIA Wisconsin	1,781 143	4,355 283	45,216 19,402	25 135	0	0	0	0
WYOMING	143	203 5	17,402 275	135 55	6 0	9	676 0	112
AMERICAN SAMOA	0	0	2/9	99	0	a	0	0
GUAM	27	15	2,883	106	Ö	ŏ	ő	0
N. MARIANAS	2	3	6,462	3,231	ŏ	ŏ	ŏ	ŏ
PUERTO RICO	272	313	70,698	259	7	17	2,678	382
PAC. TR. TERR.	93	20	7,645	82	0	0	0	0
VIRGIN ISLANDS	3	3	341	113	9	20	2,183	242
U.S. TOTALS	20,349	40,245	2,130,977	104	1,240	2,414	242,969	195

NOTE: 1. PUMP STATION CAPACITY IN THOUSANDS OF CUBIC METERS PER DAY (KCMD).

### NUMBER OF FACILITIES NEEDING COLLECTOR SEWERS BY SERVICE-AREA POPULATION AND PER-CAPITA COST

Table 54 summarizes for the nation the number of communities having collector sewer needs.

The summary is presented in matrix form. The matrix delineates the number of communities needing collectors by service area population and dollar needs per capita. The percentages listed represent the percent of the national total of communities needing collectors shown in each category. All costs are in January 1982 dollars.

The service area populations were based on the total 1980 resident population in a community. The population in a community meeting the qualifications of the "Two-Thirds Rule" was used to calculate the dollar per capita value. This rule states that two-thirds of the population requiring collector sewers in 1982 are required to have been residents of the service area on October 18, 1972 in order to be eligible for collector sewer funding from EPA.

The matrix also lists totals by service area and dollar needs per capita.

There are over 12,500 communities in the nation that need collector sewers. Communities with service area population less than 1,000 account for almost half of the national total. The most common per capita sewer cost is \$701 to \$800 per capita which represents 17.5 percent of the communities with collector sewer needs.

A related summary is presented on Table 55.

## 1982 NEEDS SURVEY NUMBER OF FACILITIES NEEDING COLLECTOR SEWERS BY SERVICE-AREA POPULATION AND PER-CAPITA COST

COLLECTOR Sewer			*****	*****	******	*****	** SERVIC	E-AREA	POPULATI	ON ***	******	*****	*****	***
COST	TO	FAL	0-9	99	1,000-	4,999	5,000-9	,999	10,000-4	9,999	50K-10	OK	>100	K
*/CAPITA	NUMBE	R %	NUMBER	×	NUMBER	×	NUMBER	×	NUMBER	x	NUMBER	×	NUMBER	×
0-100	109	0.8	13	0.1	34	0.2	22	0.1	26	0.2	6	0.0	8	0.0
101-200	121	0.9	18	0.1	45	0.3	19	0.1	34	0.2	3	0.0	2	0.0
201-300	153	1.2	28	0.2	71	0.5	22	0.1	25	0.1	4	0.0	3	0.0
301-400	180	1.4	55	0.4	60	0.4	25	0.1	32	0.2	1	0.0	7	0.0
401-500	720	5.7	299	2.3	248	1.9	73	0.5	71	0.5	16	0.1	13	0.1
501-608	1,451	11.5	779	6.2	448	3.5	103	0.8	104	0.8	14	0.1	3	0.0
601-700	1,501	11.9	804	6.4	484	3.8	94	0.7	106	0.8	8	0.0	5	0.0
701-800	2,199	17.5	1,265	10.0	599	4.7	137	1.0	165	1.3	21	0.1	12	0.0
801-900	1,909	15.2	1,056	8.4	605	4.8	109	0.8	124	0.9	7	0.0	8	0.0
901-1000	1,125	8.9	530	4.2	385	3.0	95	0.7	102	0.8	10	0.0	3	0.0
1001-1100	1,237	9.8	419	3.3	449	3.5	128	1.0	190	1.5	34	0.2	17	0.1
1101-1200	624	4.9	271	2.1	165	1.3	54	0.4	105	0.8	18	0.1	11	0.0
1201-1300	183	1.4	62	0.4	41	0.3	23	0.1	44	0.3	10	0.0	3	0.0
1301-1400	121	0.9	68	0.5	35	0.2	6	0.0	11	0.0	1	0.0	0	0.0
1401-1500	94	0.7	50	0.3	22	0.1	12	0.0	7	0.0	1	0.0	2	0.0
>1500	820	6.5	421	3.3	268	2.1	63	0.5	59	0.4	4	0.0	5	0.0
TOTAL	12,547	100.0	6,138	48.9	3,959	31.5	985	7.8	1,205	9.6	158	1.2	102	0.8

### PERCENT OF DOLLAR NEEDS FOR COLLECTOR SEWERS BY SERVICE-AREA POPULATION AND PER-CAPITA COST

Table 55 summarizes for the nation the distribution of dollar needs for collector sewers.

The summary is presented in matrix form. The matrix shows national collector sewer dollar needs by service area population versus collector sewer dollar needs per capita. For service areas of a given population range, listed below are the percentages of the population group with per capita dollar needs in the ranges shown in the far left column. Also shown is the percentage of the national total dollar needs that each per capita dollar range represents for a given population group. For example, 16.2 percent of communities less than 1,000 people have dollar needs in the \$701 to \$800 per capita range. These needs represent 1.8 percent of the total needs nationally.

The service area populations were based on the total 1980 resident population in a community. The population in a community that met the qualifications of the Two-Thirds Rule was used to calculate the dollar per capita value. This rule states that two-thirds of the population requiring collector sewers in 1982 are required to have been residents of the service area on October 18, 1972 in order to be eligible for collector sewer funding from EPA.

Communities with service area populations less than 1,000 account for about 11.6 percent of the total national collector sewer dollar needs. Communities with per capita needs between \$701 and \$800 account for about 15.3 percent of the national total. Although not shown on the table, total national dollar needs for collector sewers are approximately \$20.7 billion, expressed in January 1982 dollars.

Table 55 is an extension of Table 54.

## 1982 NEEDS SURVEY PERCENT OF DOLLAR NEEDS FOR COLLECTOR SEMERS BY SERVICE-AREA POPULATION AND PER-CAPITA COST

COLLECTOR SEHER	TOTAL	************ 0-999		1,000-4,999		** SERVICE-AREA 5,000-9,999		POPULATION *** 10,000-49,999				>100K	
COST	% OF Natl. Total	% OF Pop. Group	% OF Natl. Total	X OF POP. Group	% OF NATL.	¥ OF POP.	* OF NATL.	X OF POP.	% OF NATL.	% OF PDP.	% OF NATL.	% OF POP.	% OF NATL.
•/CAPITA	COST	COST	COST	COST	COST	GROUP	COST	COST	TOTAL COST	COST	COST	GROUP	COST
0-100	0.4	0.1	0.0	0.2	0.0	0.3	0.0	0.3	0.1	0.4	0.0	1.7	0.2
101-200	0.6	0.0	0.0	0.2	0.0	0.4	0.0	1.0	0.3	1.8	0.1	0.7	0.0
201-300	0.9	0.1	0.0	0.6	0.1	0.7	0.0	8.0	0.2	1.8	0.1	2.5	0.3
301-400	1.6	0.4	0.0	0.7	0.1	1.1	0,1	1.1	0.3	0.1	0.0	7.1	0.8
401-500	2.8	2.7	0.3	2.5	0.6	3.1	0.4	3.2	0.9	2.5	0.1	2.3	0.2
501-600	5.4	7.4	8.0	5.4	1.3	5.3	0.6	5.7	1.7	8.3	0.6	1.4	0.1
601-700	6.2	9.1	1.0	7.4	1.8	6.2	0.8	5.7	1.7	5.5	0.4	2.8	0.3
701-800	15.3	16.2	1.8	14.1	3.4	17.3	2.2	16.5	5.0	15.0	1.1	12.2	1.5
801-968	10.4	17.0	1.9	16.0	3.9	10.0	1.3	7.5	2.3	2.4	0.1	5.7	0.7
901-1000	8.0	9.9	1.1	11.1	2.7	10.7	1.4	7.2	2.1	6.2	0.4	0.	0.0
1001-1100	16.7	9.7	1.1	16.5	4.0	16.9	2.2	16.1	4.9	27.6	2.1	17.6	2.1
1101-1200	12.8	6.7	0.7	6.6	1.6	8.4	1.1	13.3	4.0	14.9	1.1	32.7	4.0
1201-1300	4.1	1.5	0.1	1.9	0.4	2.7	0.3	7.4	2.2	8.9	0.6	1.6	0.2
1301-1400	1.1	1.7	0.2	1.4	0.3	1.0	0.1	1.3	0.4	0.0	0.0	0.0	0.0
1401-1500	0.9	1.2	0.1	1.1	0.2	1.6	0.2	0.6	0.1	0.1	0.0	1.1	0.1
>1500	11.5	15.5	1.8	13.6	3.3	13.6	1.7	11.5	3.5	3.6	0.2	9.0	1.1
TOTAL	100.0	100.6	11.6	100.0	24.7	100.0	13.0	100.0	30.4	100.0	7.7	100.0	12.3

## TOTAL ESTIMATED I/I FLOW TO TREATMENT PLANTS I/I THAT IS COST EFFECTIVE TO REMOVE

Table 56 summarizes by State the infiltration/inflow (I/I) quantities which are cost effective to eliminate from conveyance systems rather than to provide treatment.

The numbers listed under Plants are summations of the plants within each State from which some I/I flow will be eliminated. The Estimated I/I Flow is the summation of all I/I flows in a State that are cost effective to eliminate. The Existing Flow is the summation of the total average daily flow being received at the plants. The present design flow (PRES DES FLOW) is the summation of the 1982 design treatment capacity of the plants.

Only facilities being served by separate sewer systems are included in this summary. All flows are given in thousand cubic meters per day.

Tables 57 and 58 present summaries related to Table 56.

# 1982 NEEDS SURVEY TOTAL ESTIMATED I/I FLOW TO TREATMENT PLANTS I/I THAT IS COST EFFECTIVE TO REMOVE

		ESTIMATED	EXISTING	PRES DES
STATE	PLANTS	I/I FLOW	FLOW	FLOW
ALABAMA	69	331.64	768.13	938.45
ALASKA	0	0.00	0.00	0.00
ARIZONA	_3	0.60	5.13	5.07
ARKANSAS	24	24.60	114.56	163.00
CALIFORNIA	16	81.22	152.44	623.35
COLORADO	15	6.81	32.81	27.49
CONNECTICUT	22	100.79	315.66	407.22
DELAWARE	0	0.00	0.00	0.00
DIST. OF COLUM.	_0	0.00	0.00	0.00
FLORIDA	.51	139.74	2,480.20	1,533.00
GEORGIA	104	169.37	604.03	904.74
HAWAII	. 0	0.00	0.00	0.00
IDAHO	18	8.44	64.36	80.73
ILLINOIS	94	324.52	5,589.11	7,522,63
INDIANA	42	20.77	65.53	82.58
IOWA	123	77.78	273.06	355.24
KANSAS	27	27.13	197.13	256.53
KENTUCKY	81	153.48	342.71	424.82
LOUISIANA	34	88.90	208.43	311.00
MAINE	10	31.30	70.60	91.40
MARYLAND	11	24.79	117.78	189.88
MASSACHUSETTS	13	20.21	84.40	123.08
MICHIGAN	40	68.62	353.68	427.45
MINNESOTA	81	28.84	103.47	123.80
MISSISSIPPI	65	89.32	365.68	500.52
MISSOURI	51	66.23	251.05	308.13
MONTANA	.5	0.68	4.35	4.80
NEBRASKA	11	1.28	8.03	8.17
NEVADA	•	4.61	7.64	16.65
NEW HAMPSHIRE	9	11.65	36.93	37.20
NEW JERSEY	40	225.58	1,193.71	1,854.30
NEW MEXICO	_0	0.00	0.00	0.00
NEW YORK	.77	165.51	1.162.23	1,522,74
NORTH CAROLINA	115	142.77	835.25 3.90	1,225.01 7,48
NORTH DAKOTA	4	0.52		585 <b>.</b> 70
0H10	68	158.47	452.81 60.96	72.82
OKLAHOMA	16 34	4.76	398.86	499.47
OREGON		153.89		327.25
PENNSYLVANIA	22	71.30	275.69 58.37	75.35
RHODE ISLAND	73	19.41 155.18	532.94	785.61
SOUTH CAROLINA	73 5	1.09	11.98	20.96
SOUTH DAKOTA	96	159.72	955.34	1.414.88
TENNESSEE TEXAS	138	261.20	1,443.91	1,499.03
UTAH	0	0.00	0.00	0.00
VERMONT	ŏ	0.00	0.00	0.00
VIRGINIA	ŏ	0.00	0.00	0.00
WASHINGTON	ŏ	0.00	0.00	0.00
WEST VIRGINIA	ŏ	0.00	0.00	0.00
WISCONSIN	ŏ	0.00	0.00	0.00
WYOMING	ŏ	0.00	0.00	0.00
AMERICAN SAMOA	ŏ	0.00	0.00	0.00
GUAM	ä	0.00	0.00	0.00
N MARIANAS	ŏ	0.00	0.00	0.00
PUERTO RICO	Ŏ	0.00	0.00	0.00
TRUST TERRITORIES	ŏ	0.00	0.00	0.00
VIRGIN ISLANDS	Ŏ	0.00	0.00	0.00
72.10411 13CM103	•	••••	4444	
U.S. TOTALS	1,715	3,422,92	20,0003.02	23.858.69

### REQUIRED I/I CORRECTION ACTIONS FACILITIES WHERE CORRECTION IS COST EFFECTIVE

Table 57 summarizes, for those facilities requiring I/I corrections, the action necessary and the basis of estimate for such action.

Individual cost estimates developed for each category during the Needs Survey are accompanied by a basis of estimate code which corresponds to the accuracy of the estimate. The accuracy of the cost estimates can be ranked from high to low by the basis of estimate code. The basis of estimates, in order of decreasing accuracy, are listed below:

- 1. Engineer/consultant firm preconstruction estimate.
- 2. Sewer system evaluation survey completed.
- 3. Engineer/consultant preliminary estimate (approved facilities plan).
- 4. Infiltration/inflow analysis completed.
- Cost effective analysis (unapproved facilities plan).
- 6. Cost of previous comparable construction.
- 7. EPA supplied cost estimating procedures.
- 8. State certification of dollar needs.
- 9. No basis given.

Only separate sewer systems are included in Table 57. Separate sewer systems are designed to convey wastewater from domestic and industrial sources only and do not convey stormwater runoff.

Table 57 is an expansion of the data presented in Table 56.

It is noted from the table that basis of estimates are given for 3,126 facilities which is slightly more than the number of facilities listed on Table 56. This is because Table 56 includes treatment facilities only. Table 57 includes both treatment facilities with appurtenant collection systems and separate collection systems where I/I flow is cost effective to eliminate.

## 1982 NEEDS SURVEY REQUIRED 1/1 CORRECTION ACTIONS FACILITIES WHERE CORRECTION IS COST EFFECTIVE

		********	**********	- CORRECTIVE	ACTION ******************			
BASIS OF ESTIMATE	TOTAL	NOT KNOWN	SEAL SEWER LINES	REPLACE OR RELINE SEWER SECTIONS	CHANGE OR CREATE FLOW ROUTING SYSTEM	PROVIDE FLOW Equalization	OTHER	
STATE CERTIFICATION	•	0	0	0	•	•	•	
I/I ANALYSIS COMPLETED	862	19	537	305	1	7	13	
EVALUATION SURVEY COMPLETED	185	1	70	103	1	•	6	
ENGINEER/CONSULTANT FIRM ESTIMATE	61	•	36	22	•	1	2	
COST OF PREVIOUS COMPARABLE CONSTRUCTION	0	•	0	•	0	0	•	
ENGINEER/CONSULTANT PRELIMINARY ESTIMATE	291	15	117	141	1	4	13	
EPA - SUPPLIED COST ESTIMATING PROCEDURES	303	153	106	36	0	2	6	
COST EFFECTIVE ANALYSIS	130	•	68	52	•	5	4	
(NO BASIS GIVEN)	0	0	0	0	•	0	•	
TOTALS	1.652	192	934	659	3	20	44	

### DOLLAR NEEDS FOR I/I CORRECTION FACILITIES WHERE CORRECTION IS COST EFFECTIVE

Table 58 summarizes for the nation the dollar needs required for I/I corrective action by basis of estimate. Table 58 is a direct extension of Table 57.

Only dollar needs for  $\ensuremath{\mathrm{I/I}}$  correction at facilities served by separate sewer systems are included.

All needs are given in January 1982 dollars.

## 1982 NEEDS SURVEY DOLLAR MEEDS FOR I/I CORRECTION FACILITIES WHEHE CORRECTION IS COST EFFECTIVE (THOUSANDS OF 1982 DOLLARS)

		*******	**********	- CORRECTIVE	ACTION ***	***********	*****
BASIS OF ESTIMATE	TOTAL	KNOWN	SEAL SEWER LINES	REPLACE OR RELINE SEMER SECTIONS	CHANGE OR CREATE FLOW ROUTING SYSTEM	PROVIDE FLOW EQUALIZATION	OTHER
STATE CERTIFICATION	•	•	•	•	•	•	•
I/I AMALYSIS COMPLETED	654.082	6.272	369.302	260.048	21	12.711	5,728
EVALUATION SURVEY COMPLETED	216.049	54	47,448	147+494	663	19.553	033
ENGINEER/CONSULTANT FIRM ESTIMATE	76,449	•	27,689	41,359	•	6.821	580
COST OF PREVIOUS COMPARABLE CONSTRUCTION	•	•	0	•	•	•	•
ENGINEER/CONSULTANT PRELIMINARY ESTIMATE	278.436	13.315	74,816	185.830	20	987	3,468
EPA - SUPPLIED COST ESTIMATING PROCEDURES	100,718	37.529	31.190	29,378	•	511	2.410
COST EFFECTIVE ANALYSIS	57.054	557	21.944	33,509	0	854	190
(NO BASIS GIVEN)	•	•	•	0	•	•	0
TOTALS	1,382,788	57.731	572,389	697,618	704	41,137	13,209

#### FACILITIES REQUIRING MAJOR REHABILITATION BY BASIS OF ESTIMATE

Table 59 summarizes for the nation the number of collection systems requiring major rehabilitation by type of corrective action and basis of estimate.

Individual cost estimates made in Category III during the Needs Survey are accompanied by a basis of estimate code which corresponds to the accuracy of the estimate. The accuracy of the cost estimates can be ranked from high to low by the basis of estimate code. The basic of estimates, in order of decreasing accuracy, are listed below:

- 1. Engineer/consultant firm preconstruction estimate.
- Sewer system evaluation survey completed.
- 3. Engineer/consultant preliminary estimate (approved facilities plan).
- 4. Infiltration/inflow analysis completed.
- Cost effective analysis (unapproved facilities plan).
- 6. Cost of previous comparable construction.
- 7. EPA supplied cost estimating procedures.
- 8. State certification of dollar needs.
- 9. No basis given.

DECEMBER 31, 1982 TABLE 59

### 1982 NEEDS SURVEY FACILITIES REQUIRING MAJOR REHABILITATION BY BASIS OF ESTIMATE

MANAKAMANAKAMANAKAMA CORRECTIVE ACTION MANAMANAMANAMANAMANAMANA REPLACE OR RELINE SEHER SECTIONS CHANGE OR CREATE FLOW ROUTING SYSTEM SEAL SEWER LINES PROVIDE TOTAL NOT KNOWN FLOW EQUALIZATION BASIS OF ESTIMATE OTHER STATE CERTIFICATION I/I ANALYSIS COMPLETED EVALUATION SURVEY COMPLETED ENGINEER/CONSULTANT FIRM ESTIMATE COST OF PREVIOUS COMPARABLE CONSTRUCTION Đ ENGINEER/CONSULTANT PRELIMINARY ESTIMATE EPA - SUPPLIED COST ESTIMATING PROCEDURES COST EFFECTIVE ANALYSIS (NO BASIS GIVEN) 

TOTALS

## DOLLAR NEEDS FOR MAJOR REHABILITATION BY BASIS OF ESTIMATE

Table 60 summarizes for the nation the dollar needs for sewer systems requiring major rehabilitation by type of corrective action and basis of estimate.

Table 60 is a direct extension of Table 59.

DECEMBER 31, 1982 TABLE 60

## 1982 NEEDS SURVEY DOLLAR NEEDS FOR MAJOR REHABILITATION BY BASIS OF ESTIMATE (THOUSANDS OF DOLLARS)

REPLACE CHANGE
OR RELINE OR CREATE
SEMER FLOM
SECTIONS ROUTING
SYSTEM PROVIDE FLOW OTHER EQUALIZATION SEAL SEHER LINES TOTAL NOT BASIS OF ESTIMATE STATE CERTIFICATION 0 0 0 0 0 0 I/I ANALYSIS COMPLETED 101,934 0 187 99,374 107 2,266 1,085,499 49,969 EVALUATION SURVEY COMPLETED 22 1,034,556 952 ENGINEER/CONSULTANT FIRM ESTIMATE 0 471 40.895 3,290 6,295 50.951 COST OF PREVIOUS COMPARABLE CONSTRUCTION 0 0 ENGINEER/CONSULTANT PRELIMINARY ESTIMATE 4.199 286.329 0 8.034 139,827 134,269 EPA - SUPPLIED COST ESTIMATING PROCEDURES 2,925,387 696 2,924,228 463 COST EFFECTIVE ANALYSIS 242,158 0 496 239,774 835 1,053 (NO BASIS GIVEN) C 0 0 0 0 0 TOTALS 4,692,258 9,906 4,478,654 9,383 194,315

#### CHAPTER IV

#### SUMMARIES FOR COMBINED SEWER OVERFLOW AND STORMWATER RUNOFF TECHNICAL DATA (CATEGORIES V AND VI)

Technical data collection for Categories V and VI of the 1982 Needs Survey was performed using the combined sewer system worksheet which is described in Appendix D of this report. As with the 1980 Survey, data were collected for Categories V and VI in conjunction with data collected for Categories I through IV.

The technical data summaries presented in the seven tables which follow were compiled from two sources. The first source was the National Combined Sewer System Data File, which represents the inventory of combined sewer data identified from readily available sources during the 1982 Survey. These data items include total combined sewer area, population served, and the types of receiving waters to which combined sewer overflow (CSO) is discharged. The second source was the Urbanized Area Data Base, which was required to estimate treatment needs for urban stormwater runoff (SWR), as well as CSO. In addition, the Urbanized Area Data Base includes data developed by the Needs Estimation Program (NEP82) utilized for the Category V and VI portions of the 1982 Survey. These additional data items include the estimated number and capacity of wet-weather treatment plants and storage basins required to meet the selected water quality objectives. A brief discussion on the conduct of the Category V and VI portions of the 1982 Survey is presented in Appendix B. The discussion includes the basis for developing Category V and VI cost estimates.

The technical tables which follow include a discussion of each table presented immediately before the table. The reader should also consult Appendices B and D for information related to the conduct of this portion of the Survey and the combined sewer data collection worksheet, respectively.

#### SUMMARY OF EXISTING COMBINED SEWER SYSTEMS

Table 61 lists the total number of combined sewer systems identified for each State by the 1982 Survey. Each system identified corresponds to a worksheet in the National Combined Sewer System Data File. The worksheet is described in Appendix D, and conduct of the Categories V and VI portion of the Needs Survey is described in Appendix B. Totals by State for each of the following items are contained in Table 61:

Number of Combined Sewer Systems: The number of combined sewer systems in each State corresponds to the number of worksheets entered on the combined sewer system data file for that State. A separate worksheet was completed for each combined sewer system/major receiving water configuration.

<u>Combined Sewer Area:</u> The area, in hectares, drained directly by the combined sewer system which is tributary to the subject receiving water.

<u>Population Served</u>: The total number of people resident to the area drained directly by the combined sewer system.

<u>Combined Sewer Length</u>: The total length of combined sewer, in meters, tributary to the subject receiving water.

<u>Number of CSO Points</u>: The number of points at which the combined wastewater/stormwater is discharged from the collection system directly into the receiving water during periods of high flow.

LENGTH IN METERS			982 NEEDS SURVEY		
AREA IN HECTARES		SUMMARY OF EX	ISTING COMBINED SEWER	SYSTEMS	
STATE	* OF	COMBINED SEWER	POPULATION	COMBINED SEWER	CSO
	SYSTEMS	AREA	SERVED	LENGTH	POINTS
ALABAMA	0	0	0	0	O
ALASKA	2	131	4,860	1,189	0
AMERICAN SAMOA	0	0	0	0	ō
ARIZONA	0	0	0	0	Ō
ARKANSAS	0	0	0	0	ŏ
CALIFORNIA	5	13,846	852,119	1,641,046	44
COLORADO	4	7.025	147,841	81,132	3
CONNECTICUT	14	7,820	415,217	954,591	242
DELAWARE	5	3,423	90,068	320,470	53
DIST. OF COLUMBIA	1	5,959	489,093	1,068,696	59
FLORIDA	1	255	4,370	29,195	10
GEORGIA	8	10,838	330,235	710,043	31
GUAM	0	0	0	0	Ö
HAWAII	0	0	Ō	Ō	ă
IDAHO	14	3,769	46,012	323,429	24
ILLINOIS	75	131,451	5,195,306	14,556,407	1,015
INDIANA	130	133,380	2,509,998	8,254,963	1,100
IOWA	19	9,393	342,264	686,410	82
KANSAS	3	11,542	464,000	554,002	17
KENTUCKY	17	20,342	768,556	1,097,522	108
LOUISIANA	0	0	0	0	0
MAINE	61	22,729	390,776	1,674,351	293
MARIANAS GROUP	0	0	0	0	.,3
MARYLAND	8	2,219	47,605	223,736	37
MASSACHUSETTS	34	28,113	1,884,156	2,966,258	371
MICHIGAN	92	107,282	2,599,561	12,265,108	594
MINNESOTA	17	11,482	530,452	2,553,382	105
MISSISSIPPI	0	0	0	2,333,302	109
MISSOURI	14	35,885	871,501	3,412,709	91
MONTANA	16	3,521	130,243	381.858	0
NEBRASKA	3	6.849	199,405	584,398	23
NEVADA	Ö	0	0	304,370	0
NEW HAMPSHIRE	22	5,639	227,156	674,869	164
NEW JERSEY	30	48,116	2,003,084	2,646,883	320
NEW MEXICO	Ö	0	1,000,001	0	0
NEW YORK	81	182,397	12,105,832	10,781,975	942
NORTH CAROLINA	i	121	8,000	34,708	0
NORTH DAKOTA	8	533	16,888	71,117	8
OHIO	120	128,457	2,699,597	9,277,094	1,593
OKLAHOMA	0	120,437	0	,,,,,,,,	1,373
DREGON	12	11,217	245,036	1.951.061	108
PAC. TR. TERR.		,,	243,030	1,,,51,001	100
PENNSYLVANIA	111	91,130	4,152,646	8,677,615	1,345
PUERTO RICO		432	600,000	80.520	1,345
RHODE ISLAND	3	3,865	220,550	431,575	88
SOUTH CAROLINA	Ď	3,003	220,330	431,373	0
SOUTH DAKOTA	10	2,478	90,991	268,720	1
TENNESSEE	4	8,419	158,285	685,833	50
TEXAS	i	1,891	35,000	40,931	0
HATU	i	103	3,818	11,179	0
VERMONT	3 î	6,816	128,312	457,661	169
VIRGIN ISLANDS	0	0	0	0	0
VIRGINIA	12	10,268	537,350	1,269,233	153
WASHINGTON	32	28,748	502,457	2,654,656	270
WEST VIRGINIA	47	23,863	435.050	2,271,838	553
WISCONSIN	9	10,591	568,034	1,334,454	275
WYOMING	1	395	14,645	42,881	0
U.S. TOTALS	1,080	1,142,738	43.066.369	98,005,697	13,341

#### RECEIVING WATER TYPES FOR COMBINED SEWER OVERFLOW

Table 62 identifies the type of major receiving water body into which the combined sewer system discharges when overflow occurs. For the purposes of this table, a stream includes all channels with a mean depth less than 10 feet. This includes classification codes 1, 2, and 3 from Item 20 of the worksheet. A river includes all channels with a mean depth greater than or equal to 10 feet. This includes classification codes 4, 5, and 6 from Item 20 of the worksheet. Lakes include classification codes 7 and 8 of the worksheet, while estuaries include codes 9 through 14 of the worksheet. Each of these classification codes are defined in Appendix D of this report.

It should be noted that not all major receiving waters have been identified on the 1982 data file. Of over 1,080 systems in the 1982 data file, 902 (approximately 84 percent) are identified as to major receiving water type.

Table 62 contains the following items:

Number of Combined Sewer Systems: Same as Table 61.

Combined Sewer Area: Same as Table 61.

<u>Number of Systems Discharging to Streams</u>: The total number of combined sewer systems, by State, known to discharge into streams. The definition of a stream is presented above.

<u>Total Combined Sewer Area Discharging to Streams</u>: The total area, in hectares, of combined sewer systems, by State, known to discharge into streams.

<u>Number of Systems Discharging to Rivers</u>: The total number of combined sewer systems, by State, known to discharge into rivers.

Total Combined Sewer Area Discharging to Rivers: The total area, in hectares, of combined sewer systems, by State, known to discharge into rivers.

<u>Number of Systems Discharging to Lakes:</u> The total number of combined sewer systems, by State, known to discharge into lakes.

<u>Total Combined Sewer Area Discharging to Lakes</u>: The total area, in hectares, of combined sewer systems, by State, known to discharge into lakes.

Number of Systems Discharging to Estuaries: The total number of combined sewer systems, by State, known to discharge into estuaries.

Total Combined Sewer Area Discharging to Estuaries: The total area, in hectares, of combined sewer systems, by State, known to discharge into estuaries.

Number of Systems Discharging to Oceans: The total number of combined sewer systems, by State, known to discharge into oceans.

Total Combined Sewer Area Discharging to Oceans: The total area, in hectares, of combined sewer systems, by State, known to discharge into oceans.

						DS ,UI VEY					TABLE 62	
AREA IN HECTARES			RECEI	VING WATER	TYPES F	OR CUMBINED	SEWER	OVERFLOW			IABLE DZ	
STATE	♦ OF		STREA	M DISCHARGE	RIVE	R DISCHARGE		DISCHARGE	ESTUARY	DISCHARGE	OCEAN	DISCHARGE
41 45444	SYSTEMS		•	AREA	•	AREA		AREA	•	AREA	•	AREA
ALABANA	0	•	o	0	0	0	0	0	0	0	0	0
ALASKA AMERICAN SAMDA	2		0	0	0	o o	0	o o	2	131	0	•
ARIZONA	ŭ	0	0	0	0	0	0	0	o o	o.	0	•
ARKANSAS	ŏ	_	0	0	0	ō	0	0	o o	0	0	0
CALIFORNIA	5	0 13,846	•	0	•	0	0		o.	0	•	•
COLORADO	4	7,025	1	668 479	1	2,754	1	445	1	6.342	1	3,636
CONNECTICUT	14	7.820	2	297	1 3	6,480	0	0	0	0	0	o o
DELAWARE	5	3,423	1	10	0	757 0	0	0	9	6+766	0	o o
DIST. OF COLUMBIA	i	5,959	å	10	ŏ	ő	0		•	3,413	0	•
FLORIDA	i	255	ŏ	ŏ	ŏ		0	0 255	1	5,959	0	0
GEORGIA	å	10,838	2	3,769	5	7,015	0	255	0	_0	0	o o
GUAM	ŏ	10,000	á	3,767	ő	11012	٥	ŏ	1	55	0	•
HAWAII	ŏ	ň	ŏ	ŏ	ŏ	×	ŏ	ŏ	ŏ	0	0	0
IDAHO	14	3,769	3	236	ě	3,414	ĭ	12	ŏ	ŏ	ö	•
ILLINOIS	75	131,451	28	38,451	17	85,810	ċ	**	š	š	ŏ	×
INDIANA	130	133,380	85	52,235	16	51,878	5	8,327	š	ŏ	ŏ	×
IOWA	19	9,393	10	3,453	. 9	5,941	ő	0,01,	ŏ	ŏ	ŏ	×
KANSAS	3	11,542	ŏ	0,400	ź	11,542	ŏ	ŏ	ŏ	ŏ	ŏ	×
KENTUCKY	17	20,342	ŏ	ŏ	15	19,988	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ
LOUISIANA	0	0	ă	ŏ	-0	0	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ
MAINE	61	22,729	18	1,970	24	12,217	ŏ	ŏ	17	8 • 428	ž	115
MARIANAS BROUP	0	0	ō	0	Ö	0	ŏ	ò	Ö	0	ō	
MARYLAND	8	2,219	5	1,446	ĭ	587	ŏ	ŏ	ĭ	134	ŏ	ŏ
MASSACHUSETTS	34	28,113	16	6,582	Ā	3,690	Ö	Ó	13	17,833	ŏ	ă
MICHIGAN	92	107,282	57	56,598	11	45,310	6	3,239	- 6		ŏ	ŏ
MINNESOTA	17	11+482	3	493	4	10,551	ō	0	ŏ	ŏ	ŏ	•
HISSISSIPPI	0	Ō	ō	Ŏ	ó	0	ō	ŏ	ŏ	ŏ	ŏ	ŏ
MISSOURI	14	35,885	7	12,505	ě	23,061	0	0	ō	ŏ	ŏ	ŏ
HONTANA	16	3,521	5	1,285	5	2,179	0	0	0	0	0	Ō
NEBRASKA	3	6,849	1	1,455	2	5,394	0	0	0	0	Ó	Ò
NEVADA	0	0	0	0	0	0	0	.0	0	0	0	0
NEW HAMPSHIRE	22	5,639	7	818	9	3,511	1	1	3	1,231	0	0
NEW JERSEY	30	48,116	4	4,883	0	Ō	0	0	25	41,072	0	0
NEW HEXICO NEW YORK	0	0	0	0	0	0	0	0	0	0	0	0
NORTH CAROLINA	81	182,397	24	35,066	33	55,849	4	9,142	18	82,324	0	0
NORTH DAKOTA	1 8	121	0	.0	1	121	0	o o	0	0	0	0
OHIO DAKOTA	_	533	_2	26	. 2	437	0	0	0	0	•	0
OKLAHOMA	120	128,457	57	44,898	18	32,826	8	21.576	0	0	0	0
DREGON	12	11,217	0 5	0 185	0 5	0	0	0	Q	_ 0	0	0
PAC. TR. TERR.	10	11,21,	ŏ	165	0	10,498	0	0	2	535	•	0
PENNSYLVANIA	111	91,130	73	37,671	19	0	0	0	0		o o	0
PUERTO RICO	;	432	<b>'i</b>	432	17	23,960	2	6.029	2	19,243	o	Ō
RHODE ISLAND	i	3,865	ô	732	ŏ	ŏ	0	8	0 3	- 0	0	0
SOUTH CAROLINA	ŏ	0,000	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	0	3,845	0	•
SOUTH DAKOTA	10	2,478	š	187	ĭ	2,160	ŏ	ŏ	ŏ	0	0	0
TENNESSEE	4	8,419	ŏ	ő	3	8,216	ŏ	ŏ	ŏ	ŏ	v	Š
TEXAS	1	1,891	ŏ	ŏ	ŏ	0,110	ŏ	ŏ	ŏ	ŏ	ž	
UTAH	ī	103	i	103	ŏ	ň	ŏ	ŏ	ŏ	ŏ	×	
VERHONT	31	6.816	12	2,377	12	2,954	4	1.194	ŏ	ŏ	×	Š
VIRGIN ISLANDS	0	0	~~ <b>~</b>	0	-0	0	ō	*****	ŏ	ž	ž	ž
VIRGINIA	12	10,268	Ă	820	5	4 , 845	ŏ	ŏ	3	4,602	ŏ	ž
WASHINGTON	32	28,748	5	2,182	ē	7,594	ĭ	153	10	16,353	ŏ	š
WEST VIRGINIA	47	23,863	25	11,736	1,8	11,753	ō	0	ő	0	ŏ	Ď
WISCONSIN	9	10,591	1	36	2	1.085	5	9,469	ŏ	ŏ	ő	ŏ
WYOHING	1	395	1	395	0	0	0	0	ŏ	ö	ŏ	ŏ
II.S. TOTALS	1.080	1,142,738	473	323,747	272	464,381	39	59,843	115	218,285	3	3,751

### SUMMARY OF PRESENT AND PROJECTED URBANIZED AREA CHARACTERISTICS

Table 63 provides drainage area and population data for both combined and separately sewered Urbanized Areas in the U.S. The specific criteria for defining Urbanized Areas are given in Appendix B. Since the use of combined sewers is no longer considered accepted engineering practice, it was assumed that present and projected combined sewer system characteristics would be the same and that all future growth would occur in separately sewered areas. The following items are contained in Table 63:

Number of Urbanized Areas: The total number of Urbanized Areas as defined in Appendix B, listed by State.

Combined Sewer Area in Urbanized Areas: The combined sewer area, in hectares, located within Urbanized Areas, listed by State.

Combined Sewer Population in Urbanized Areas: The total population residing within the combined sewer area in Urbanized Areas, listed by State.

Stormwater Runoff Area (1970): The Urbanized Area, in hectares, which contributes stormwater runoff based on 1970 census data, listed by State.

Stormwater Runoff Population (1970): The estimated 1970 population, based on census data, which resides within the stormwater runoff area for Urbanized Areas, listed by State.

Stormwater Runoff Area (2000): The Urbanized Area, in hectares, which contributes stormwater runoff based on projected year 2000 population estimates, listed by State.

Stormwater Runoff Population (2000): The projected year 2000 population for the stormwater runoff area for Urbanized Areas, listed by State.

1982 NEEDS SURVEY

				NEEDS SURVEY			
AREA IN HECTARES				CTED URBANIZED	AREA CHARACTERI	STICS	TABLE 63
STATE	# OF	COMBINE	D SEWER	STORMWATER	RUNOFF (1970)	STORMWATER	RUNOFF (2000)
	UAS	AREA	POPULATION	AREA	POPULATION	AREA	POPULATION
ALABAMA	9	0	0	198,081	1,402,102	244,859	1,702,400
ALASKA	1	0	0	14,126	110,782	50,978	399,781
AMERICAN SAMOA	0	0	0	0	0	0	0
ARIZONA	2	ā	ō	127,578	1,157,541	322,597	2,904,408
ARKANSAS	4	ă	ň	46.786	378,624	84,967	692,603
CALIFORNIA	18	12,732	827,119	1,021,346	15,453,994	1,411,007	21,144,280
COLORADO	4	6,480	96,806	104,561	1,327,205	204,920	2,559,818
CONNECTICUT	12	6,221	294,047	217,132	1,946,732	240,587	2,126,458
DELAHARE	1	2,809	80,368	22,359	269,306	38,011	457,825
DIST. OF COLUMBIA	ī	5,959	489,093	9,956	267,417	26,058	699,898
FLORIDA	15	3,737	707,073	482,268			
GEORGIA	7	10,693	•		4,731,073	1,047,544	10,774,658
GUAM	ó	10,673	324,835	178,627	1,555,325	293,120	2,519,008
HAWAII	i	0	0	•	0	0	0
IDAHO	i	U	0	29,808	442,397	56,681	841,227
				7,620	85,187	15,599	174,382
ILLINOIS	13	104,031	4,821,111	305,479	3,148,669	412,410	4,255,115
INDIANA	10	84,574	1,599,102	181,406	796,031	250,627	1,209,516
IOHA	7	1,822	98,000	111,604	744,155	134,322	903,622
KANSAS	4	11,380	459,000	52,123	326,933	304,382	557,243
KENTUCKY	6	14,083	504,160	69,976	630,329	139,237	1.056.425
LOUISIANA	7	0	0	103,291	1,780,735	131,642	2,323,091
MAINE	2	5,742	136,500	26,295	35,311	62,694	93,015
MARIANAS GROUP	0	0	0	0	0	0	0
MARYLAND	2	0	0	144,530	2,588,919	198,109	3,470,905
MASSACHUSETTS	11	21,561	1,567,099	330,718	2,767,097	394,969	3,302,096
MICHIGAN	13	90,443	2,263,202	302,504	3,473,563	358,151	4,150,579
MINNESOTA	6	9,259	504,000	207,847	1,449,893	276,526	1,895,618
MISSISSIPPI	3	0	0	36,055	320,592	48,402	446,145
MISSOURI	5	34,947	780,620	196.829	1,797,221	257,508	2,190,148
MONTANA	2	0	0	12,623	142,102	16,824	187,870
NEBRASKA	3	6.739	191,505	36,262	396,787	56,837	621,924
NEVADA	2	0	0	41,135	336,368	96,192	791,692
NEW HAMPSHIRE	3	2.597	138,800	19,435	35,143	161,263	195,685
NEW JERSEY	7	39.793	1,896,617	561.784	4,181,755	805,369	5,832,867
NEW MEXICO	i	0	0	29,652	297,451	49,964	501,205
NEW YORK	9	146,996	11,295,932	161.867	3,148,561	167,292	5,600,322
NORTH CAROLINA	11	0	007-107770	162,907	1,367,048	198,900	1,690,861
NORTH DAKOTA	1	93	2,300	3,873	51,120	5,277	69,658
OHIO	17	75,372	2,115,315	501,374	4,534,248	582,692	5,259,878
OKLAHOMA	-;	7,7,7,2	0	146,681	1,049,072	209,548	1,477,807
DREGON	ż	10,133	227,777	74,962	756,275	136,455	1,379,866
PAC. TR. TERR.	ŏ	0	227,,,,,	74,762	,,,,,,,	130,433	1,377,000
PENNSYLVANIA	14	63,812	3,273,150	426,931	3,712,709	434,788	3,861,647
PUERTO RICO	- 4	432	600,000	36,452	484,077	52,561	729,987
RHODE ISLAND	ž	4,805					
SOUTH CAROLINA	5	4,005	190,550 n	50,301	554,688	47,513	523,520
SOUTH DAKOTA	2	-	•	84,266	723.074	104,132	903,647
TENNESSEE	_	2,160	47,600	4,994	28,406	10,372	58,186
TEXAS	. 6	5,551	116,500	202,223	1,519,119	275,565	2,049,263
	28	1,891	35,000	806,813	6,955,930	1,775,360	14,485,772
UTAH Vermont	3 0	0	0	80,430	733,179	96,392	857,675
VIRGIN ISLANDS	ŏ	, v	0	Ŭ	U n	0	Ü
VIRGINIA	ě	8,527	457,591	229,989	1,943,491	399,232	2,873,425
WASHINGTON	6	23,567	559,660	164,924	1,449,733	244,164	2,139,506
WEST VIRGINIA	5	8,601	230,265	29,113	168,170	32,784	208,988
WISCONSIN	9	9,469	444,600	187,316	1,622,045	266,233	2,327,447
WYOMING	á	,,,,,	0	10,,510	0.000,000	200,233	E, 3E, 7 7 7 7
U.A. TOTALS	320	833,274	36,668,224	8,585,213	85,177,684	13,231,622	127,478,962
TINE INTRES	3.0	033,274	55,000,224	0,505,215	33,1,,,004	13,231,622	, , , , , , , ,

### RECEIVING WATER TYPES FOR URBAN STORMWATER RUNOFF PRESENT CONDITIONS (1970)

Table 64 identifies the type of major receiving water into which urban stormwater is discharged for the 1970 Urbanized Area data presented in Table 63. The specific criteria for defining an Urbanized Area are given in Appendix B. For the purposes of this table, a stream includes all channels with a mean depth less than 10 feet, and a river includes all channels with a mean depth greater than or equal to 10 feet. The following items are contained in Table 64:

Number of Urbanized Areas: The total number of Urbanized Areas as defined in Appendix B, listed by State. This item is the same as presented in Table 63.

Stormwater Runoff Area (1970): The Urbanized Area, in hectares, which contributes stormwater runoff based on 1970 census data. This item is the same as presented in Table 63.

Stormwater Runoff Area Discharging to Streams: The total 1970 stormwater drainage area, in hectares, known to discharge into streams as defined above.

Stormwater Runoff Area Discharging to Rivers: The total 1970 stormwater drainage area, in hectares, known to discharge into rivers as defined above.

Stormwater Runoff Area Discharging to Lakes: The total 1970 stormwater drainage area, in hectares, known to discharge into lakes.

Stormwater Runoff Area Discharging to Estuaries: The total 1970 stormwater drainage area, in hectares, known to discharge into estuaries.

Stormwater Runoff Area Discharging to Oceans: The total 1970 stormwater drainage area, in hectares, known to discharge into oceans.

1982 NEEDS SURVEY									
AREA IN HECTARES		RECEIVING HATER T			PRESENT CONDITI	ONS			
	# OF	STORMWATER	STREAM	RIVER	LAKE	ESTUARY	OCEAN		
STATE	UA S	TOTAL AREA	DISCHARGE	DISCHARGE	DISCHARGE	DISCHARGE	. DISCHARGE		
ALABAMA	•	198,081	79,818	54,613	0	43,649	0		
ALASKA	i	14,126	0	Ó	0	14,126	0		
AMERICAN SAMOA	ō	0	Ğ	ā	Ō	0	Ō		
ARIZONA	ž	127,578	127,578	Ď	Ō	ō	Ō		
ARKANSAS		46,786	1,763	45.023	Ö	Ď	ŏ		
CALIFORNIA	18	1,021,346	219,802	69,433	Ŏ	172.317	559,794		
COLORADO		104,561	104,561	0,,,,,,	ŏ		0		
CONNECTICUT	12	217,132	49,436	57,657	ŏ	72,839	37,200		
DELAMARE	• • • • • • • • • • • • • • • • • • • •	22,359	77,730	37,637	ŏ	22,359	0.,200		
DIST. OF COLUMBIA	i	9,956	Ô	•		9,956	Š		
FLORIDA	15	482,268	7.517	7.724	41,213	358,759	67.055		
			,,,,,,		41,413	16.560	0,,033		
GEORGIA	7	178.627	Ů	162,067	0	10,200	Ž.		
GUAM	Ÿ		v .	Ü	•	0	20 222		
HAHAII	1	29,808		U	0		29,808		
IDAHO	1	7,620	7,620	0		0	Ŭ.		
ILLINOIS	13	305,479	199,117	97,680	8,683	0	9		
INDIANA	10	181,406	49.063	132,343	0	0	0		
IONA	7	111,604	60,921	50,683	0	0	C		
KANSAS	4	52,123	0	52,123	0	G	0		
KENTUCKY	6	69,976	10,342	59,634	0	0	0		
LOUISIANA	7	103,291	0	103,291	0	0	0		
MAINE	2	26,295	0	15,777	0	0	10,518		
MARIANAS GROUP	0	0	0	0	0	0	0		
MARYLAND	2	144.530	0	0	0	144,530	0		
MASSACHUSETTS	11	330,718	60.688	79.858	0	190,172	0		
MICHIGAN	13	302,504	140.020	148,928	13,556	0	0		
MINNESOTA	- 6	207,847	3,940	185,478	18,429	0	0		
MISSISSIPPI	3	36,055	0	19,544	0	G	16,511		
MISSOURI	Š	176.829	27.242	169.587	Ō	Õ	0		
MONTANA	ž	12,623	0	12,623	ā	á	0		
NEBRASKA	3	36,262	13.504	22.758	ŏ	Ō	Õ		
NEVADA	ž	41,135	41,135	0	ŏ	Õ	Ō		
NEH HAMPSHIRE	3	19,435	0	19,435	ŏ	ō	ŏ		
NEH JERSEY	ž	561,784	36.128	1,788	ŏ	506,476	17,392		
NEW MEXICO	i	29.652	29.652	1,7,00	ō	0	11,0,0		
NEW YORK	į,	161.867	36,364	92,658	15,578	17,267	ŏ		
NORTH CAROLINA	ıí	162,907	126,412	28,901	13,3,0	7,595	ň		
NORTH DAKOTA	i	3,873	120,412	3,873	ň	,,,,,	ň		
OHIO	17	501,374	224.176	120.329	156.870	ž	ŏ		
OKLAHOMA	* 4	146.481	99,300	47.382	130,670	ž	ň		
OREGON	3	74,962	77,300	74,962	Ď	ň	ň		
	3	77.762	ž	74,762	Ď	ŏ	Ŏ		
PAC. TR. TERR.	_	•		105 244	ů	168,496			
PENNSYLVANIA	14	426,931	63,171	195,264	•		7 707		
PUERTO RICO	4	36.452	6,610	9	0	26,136	3,707		
RHODE ISLAND	2	50,301			0	50,301	U N		
SOUTH CARDLINA	5	84,266	27,734	30,819	0	25.713	Ų		
SOUTH DAKOTA	2	4,994	Ō	4,994	0	0	Ų		
TENNESSEE		202,223	0	202,223	0	0			
TEXAS	28	806,813	317,157	409.692	18,922	33.774	27,268		
UTAH	3	80,430	ō	0	80,430	0	0		
VERMONT Virgin Islands	0	o o	Ŏ	Ď,	0	D D	0		
VIRGINIA	×	229.989	17.211	50,265	ŏ	162.514	ă		
HASH INGTON	•	164,924	17,211 5,754	35.841	ŏ	162,514 123,329	ă		
HEST VIRGINIA	5	29,113	0	29,113	0	0	0		
WISCONSIN	9	187,316	0	116.621	70,695	0	0		
HYDNING	0	0	0	0	0	0	0		
U.A. TOTALS	320	8,585,213	2,213,735	3,010,983	424,376	2,166,866	769,253		
			_						

### RECEIVING WATER TYPES FOR URBAN STORMWATER RUNOFF (YEAR 2000 CONDITIONS)

Table 65 identifies the type of major receiving water body into which urban stormwater is discharged for the projected year 2000 Urbanized Area presented in Table 63. The specific criteria for defining an Urbanized Area are given in Appendix B. For the purposes of this table, a stream includes all channels with a mean depth less than 10 feet, and a river includes all channels with a mean depth greater than or equal to 10 feet. The following items are contained in Table 65:

Number of Urbanized Areas: The total number of Urbanized Areas as defined in Appendix B, listed by State. This item is the same as presented in Table 63.

Stormwater Runoff Area (2000): The Urbanized Area, in hectares, which contributes stormwater runoff directly to a major receiving water, based on projected year 2000 estimates. This item is the same as presented in Table 63.

Stormwater Runoff Area Discharging to Streams: The total projected year 2000 stormwater drainage area, in hectares, known to discharge into streams as defined above.

Stormwater Runoff Area Discharging to Rivers: The total projected year 2000 stormwater drainage area, in hectares, known to discharge into rivers as defined above.

Stormwater Runoff Area Discharging to Lakes: The total projected year 2000 stormwater drainage area, in hectares, known to discharge into lakes.

Stormwater Runoff Area Discharging to Estuaries: The total projected year 2000 stormwater drainage area, in hectares, known to discharge into estuaries.

Stormwater Runoff Area Discharging to Oceans: The total projected year 2000 stormwater drainage area, in hectares, known to discharge into oceans.

1982 NEEDS SURVEY RECEIVING WATER TYPES FOR URBAN STORMHATER RUNOFF YEAR 2000 CONDITIONS: STORMHATER STREAM RIVER LAKE AREA IN HECTARES • OF ESTUARY OCEAN STATE UA S TOTAL AREA 244,859 DISCHARGE DISCHARGE DISCHARGE DISCHARGE 52,929 DISCHARGE ALABAMA ALASKA AMERICAN SAMOA 67,904 124,026 50,978 0 50,978 322,597 84,967 1,411,007 ARIZONA 322,597 0 o O ٥ ARKANSAS 2,525 320,962 204,920 CALIFORNIA 18 4 12 96,765 0 245,665 747.616 204,920 240,587 COLORADO CONNECTICUT 38.723 61.346 a 92.108 48.410 38.011 26.058 756.384 DELAWARE 38,011 DIST. OF COLUMBIA 26,058 1,047,544 FLORIDA 82,542 15,848 GEORGIA 293,120 274.754 18.366 GUAM IIAWAH 56,681 1 ٥ 56.681 TDAHD 15,599 ILLINDIS 286,122 13 412,410 114,718 11,570 0 188,905 58,593 304,382 250,627 134,322 INDIANA IOWA 75.730 0 0 0 KANSAS KENTUCKY 139,237 11.627 127,611 0 0 LOUISIANA 32,732 MAINE 62,694 0 29.963 0 198,109 MARIANAS GROUP 0 MARYLAND 198.109 a 394,969 358,151 MASSACHUSETTS 89,178 MICHIGAN 13 169.015 176,458 260,093 12,678 0 MINNESOTA MISSISSIPPI 276,526 48,402 516 31,862 16,541 0 0 MISSOURI 257,508 41,321 216,187 MONTANA 16.824 0 16.824 19,112 NEBRASKA 56,837 37,725 NEVADA 96,192 96,192 0 0 NEW HAMPSHIRE NEW JERSEY 161,263 805,369 161,263 52,582 732,498 18,594 1,695 NEW JERSEY NEW YORK NORTH CAROLINA NORTH DAKOTA 49,964 0 67,327 17,035 35,831 47.098 0 38,977 5,277 198,900 5,277 11 10,528 1 0 0 582,692 209,548 262.566 147,644 OHIO 172,482 0 OKLAHOMA 151,928 4 3 0 OREGON
PAC. TR. TERR.
PENNSYLVANIA
PUERTO RICO
RHODE ISLAND
SOUTH CAROLINA 136,455 136,455 0 0 0 434,788 14 4 2 5 2 49.026 172,622 213,140 52,561 47,513 104,132 35,793 47,513 6,058 10,709 26,284 49,522 28,326 SOUTH DAKOTA 10,372 275,565 1,775,360 10.372 a ٥ TENNESSEE 51,634 TEXAS 28 865.197 781.624 28.557 48,348 UTAH VERMONT VIRGIN ISLANDS 96,392 VIRGINIA Washington 8 399,232 169,692 0 205.931 244,164 32,784 54,048 32,784 183,964 0 WEST VIRGINIA WISCONSIN

0

3,580,385

157,733

4,703,960

108,499

545.672

3,246,954

0

266,233

13,231,622

320

WYOMING U.A. TOTALS

### SELECTED FACILITIES FOR CSO CONTROL IN URBANIZED AREAS BY STREAM USE OBJECTIVE

Table 66 presents information which was developed as part of the cost estimating procedure for Categories V and VI of the 1982 Needs Survey. These CSO control data were developed only for Urbanized Areas as presented in Table 63. The storage and treatment requirements presented in Table 59 were estimated using the 1982 Needs Estimation Program (NEP82) for the Fish and Wildlife and Recreation water quality objectives. The Fish and Wildlife objective was based on eliminating low dissolved oxygen events (less than 2.0 mg/l) and insuring that Solids concentrations in CSO would be less than or equal to background Solids concentrations in the receiving water. The Recreation objective was based on scaling up the facilities required to meet the Fish and Wildlife objective such that a 95 percent removal of fecal coliform organisms would be obtained. A brief description of the basis for Category V and VI cost estimates is presented in Appendix B. The following items are contained in Table 66:

Number of Urbanized Areas: The total number of Urbanized Areas as defined in Appendix B, listed by State. This item is the same as presented in Table 63.

<u>Combined Sewer Area in Urbanized Areas</u>: The combined sewer area, in hectares, located within Urbanized Areas, listed by State. This item is the same as presented in Table 63.

Number of CSO Treatment Plants: The total estimated number of CSO treatment plants required to meet the Fish and Wildlife water quality objective in Urbanized Areas, listed by State.

Number of CSO Storage Basins: The total estimated number of CSO storage basins required to meet the Fish and Wildlife water quality objective in Urbanized Areas, listed by State.

Total CSO Treatment Capacity for Fish and Wildlife: 3The total estimated CSO treatment capacity, in 1,000 cubic meters per day (m³/day), required to meet the Fish and Wildlife water quality objective in Urbanized Areas, listed by State.

Average CSO Unit Treatment Capacity for Fish and Wildlife: The estimated average CSO unit treatment capacity, in 1,000 m³/day/hectare, required to meet the Fish and Wildlife water quality objective in Urbanized Areas, listed by State.

Total CSO Treatment Capacity for Recreation: The total estimated CSO treatment capacity, in 1,000 m²/day, required to meet the Recreation water quality objective in Urbanized Areas, listed by State.

Average CSO Unit Treatment Capacity for Recreation: The estimated average CSO unit treatment capacity, in 1,000 m/day/hectare, required to meet the Recreation water quality objective in Urbanized Areas, listed by State.

Total CSO Storage Capacity for Fish and Wildlife: The total estimated CSO storage capacity, in 1,000 m², required to meet the Fish and Wildlife water quality objective in Urbanized Areas, listed by State.

Average CSO Unit Storage Capacity for Fish, and Wildlife: The estimated average CSO unit storage capacity, in 1,000 m / hectare, required to meet the Fish and Wildlife water quality objective in Urbanized Areas, listed by State.

Total CSO Storage Capacity for Recreation: The total estimated CSO storage capacity, in 1,000 m, required to meet the Recreation water quality objective in Urbanized Areas, listed by State.

Average CSO Unit Storage Capacity for Recreation: The estimated average CSO unit storage capacity, in 1,000 m /hectare, required to meet the Recreation water quality objective in Urbanized Areas, listed by State.

1982 NEEDS SURVEY
SELECTED FACILITIES FOR CSO CONTROL IN URBANIZED AREAS BY STREAM USE OBJECTIVE

AREA IN HECTARES FLOW IN 1000 M3/DAY VOLUME IN 1000 M3 -----FISH & WILDLIFE-------RECREATION---O OF TREATMENT TOTAL UNIT Q.QQ Q.QQQ Q.QQ Q.QQQ Q.QQ Q.QQQ Q.QQ Q.QQQ TOTAL UNIT
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
1.50.76 0.0282
154.56 0.0057
330.72 0.0477
586.64 0.0379
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000 STORAGE TOTAL UNIT 0.00 0.0000 0.00 0.0000 STATE TOTAL TREATMENT ALASKA American samoa 0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000
0.00 0.0000 0.00 0.0000
1.179.39 0.0375
172.44 0.108
2.513.94 0.1637
1.024.95 0.1678
1.964.02 0.1095
0.00 0.0000
2.990.65 0.1095
0.00 0.0000
0.00 0.0000
0.00 0.0000
14.549.49 0.0564
14.367.28 0.0510
8.010.00 0.0000
2.004.08 0.0000
2.004.08 0.0000
2.004.08 0.0000
2.004.08 0.0000
2.004.08 0.0000
3.197.33 0.0546
11.395.36 0.0510
851.85 0.0373
0.00 0.0000
4.723.88 0.0510
851.85 0.0373
0.00 0.0000
4.723.88 0.0510
851.85 0.0373
0.00 0.0000
2.043.48 0.1590
0.00 0.0000
437.75 0.0263
0.00 0.0000
437.75 0.0263
0.00 0.0000
2.159.74 0.0863
11.572.61 0.0622
2.159.74 0.0863
2.276.06 0.1614
45.72 0.0629
1.584.49 0.1305
0.00 0.0000
21.779.40 0.0000
21.779.40 0.0000
21.779.40 0.0000
21.779.40 0.0000
21.779.40 0.0000
21.779.40 0.0000
21.779.40 0.0000
21.779.40 0.0000
21.779.40 0.0000
21.779.40 0.0000
21.779.40 0.0000 ARTZONA ARKANSAS ARKANSAS
CALIFORNIA
COLORADO
CDNNECTICUT
DELAMARE
DIST. OF COLUMBIA
FLORIDA 12,732 6,480 6,221 2,809 5,959 18 4 12 1 1 15 10.493 10 0 0 0 24 32 3 4 4 6 9 5 0 0 15 22 5 0 12 0 3 GEORGIA HAHAII HANAII IDAHO ILLINOIS INDIANA 104,031 84,574 1,822 11,380 14,083 13 10 7 4 6 7 IOWA KANSAS KENTUCKY LOUISIANA Maine 5.742 MAINE MARIANAS GROUP MARYLAND MASSACHUSETTS MICHIGAN MINNESOTA 21.561 90,443 9.259 HISSISSIPPI 34.747 HISSOURI MONTANA
MEBRASKA
MEVADA
MEW HAMPSHIRE
MEW JERSEY
MEW MEXICO
MEW YORK
MORTH CAROLINA
MORTH DAKOTA 6.739 2.597 39.793 0 3 11 0 38 0 146,776 93 75,372 1743 OHIO
OKLAMOMA
OREGON
PAC. TR. TERR.
PENNSYLVANIA
PUERTO RICO
RHODE ISLAND
SOUTH CAROLINA
SOUTH DAKOTA 10.133 63,812 432 4,805 2,160 5,551 1,871 TENNESSEE TEXAS UTAM VERMONT VIRGIN ISLANDS 3,241.53 0.1540 3,695.55 0.0635 2,839.54 0.1337 1,003.24 0.0429 0.00 0.0000 351.28 0.0147 1,020.51 0.0175 405.51 0.0191 387.48 0.0166 0.00 0.0000 30,945.51 999.02 0.0475 2,348.37 0.0404 865.00 0.0407 745.81 0.0319 0.00 0.0000 83,826.84 814.07 0.0387 2,281.40 0.0392 1,131.77 0.0533 432.41 0.0185 0.00 0.0000 40,289.55 VIRGINIA MASHINGTON MEST VIRGINIA MISCONSIN 8,527 23,567 8,601 9,469 12 17 13 13 0 551 MYOMING 833.274 U.A. TOTALS 320 328

### SELECTED FACILITIES FOR SWR CONTROL IN URBANIZED AREAS BY STREAM USE OBJECTIVE

Table 67 presents information which was developed as part of the cost estimating procedures for Categories V and VI of the 1982 Needs Survey. These urban stormwater pollution control data were developed for projected year 2000 conditions in Urbanized Areas as presented in Table 63. The storage and treatment requirements presented in Table 67 were estimated using the 1982 Needs Estimation Program (NEP82) for the Fish and Wildlife and Recreation water quality objectives. The Fish and Wildlife objective was based on eliminating low dissolved oxygen events (less than 2.0 mg/l) and insuring that Solids concentrations in stormwater would be less than or equal to background Solids concentration in the receiving water. The Recreation objective was based on scaling up the facilities required to meet the Fish and Wildlife objective such that a 95 percent removal of fecal coliform organisms would be obtained. A brief description of the basis for Category V and VI cost estimates is presented in Appendix B. The following items are contained in Table 67:

Number of Urbanized Areas: The total number of Urbanized Areas as defined in Appendix B, listed by State. This item is the same as presented in Table 63.

Stormwater Runoff Area (2000): The Urbanized Area, in hectares, which contributes stormwater runoff based on projected year 2000 population estimates, listed by State. This item is the same as presented in Table 63.

Number of Stormwater Treatment Plants: The total estimated number of stormwater treatment plants required to meet the Fish and Wildlife water quality objective in Urbanized Areas, listed by State.

Number of Stormwater Storage Basins: The total estimated number of stormwater storage basins required to meet the Fish and Wildlife water quality objective in Urbanized Areas, listed by State.

Total Stormwater Treatment Capacity for Fish and Wildlife: The total estimated stormwater treatment capacity, in 1,000 m /day, required to meet the Fish and Wildlife water quality objective, listed by State.

Average Stormwater Unit Treatment Capacity for Fish and Wildlife: The estimated average stormwater unit treatment capacity, in 1,000 m³/day/hectare, required to meet the Fish and Wildlife water quality objective, listed by State.

Total Stormwater Treatment Capacity for Becreation: The total estimated stormwater treatment capacity, in 1,000 m /day, required to meet the Fish and Wildlife water quality objective, listed by State.

Average Stormwater Unit Treatment Capacity for Recreation: 3 The average estimated stormwater unit treatment capacity, in 1,000 m³/day/hectare, required to meet the Recreation water quality objective, listed by State.

Total Stormwater Storage Capacity for Fish and Wildlife: The total estimated stormwater storage capacity, in 1,000 m, required to meet the Fish and Wildlife water quality objective, listed by State.

Average Stormwater Unit Storage Capacity for Fish and Wildlife; The average estimated stormwater unit storage capacity, in 1,000 m³/day/hectare, required to meet the Fish and Wildlife water quality objective, listed by State.

 $\frac{\text{Total Stormwater Storage Capacity for 3 Recreation:}}{\text{stormwater storage capacity, in 1,000 m}}, \text{ required to meet the Recreation water quality object, listed by State.}$ 

Average Stormwater Unit Storage Capacity for Recreation: The average estimated stormwater unit storage capacity, in 1,000 m /hectare, required to meet the Recreation water quality objective, listed by State.

TABLE 67

AREA IN HECTARES FLOW IN 1000 M3/DAY VOLUME IN 1000 M3 1982 NEEDS SURVEY
SELECTED FACILITIES FOR CSO CONTROL IN URBANIZED AREAS BY STREAM USE OBJECTIVE TOTAL SWR AKEA PLANTS BASINS 244,859 93 84 50,978 8 13 0 0 0 TREATMENT
TOTAL
11,441.63 0.0189
310.53 0.0025
0.00 0.0000
1.608.37 0.0025
31807.42 0.0181
19,013.75 0.0055
955.85 0.0019
8757.70 1 0.0148
1,389.28 0.0148
952.39 0.0188
52,527.04 0.0203
13,065.32 0.0181
190.05 0.0000
690.54 0.0049
190.05 0.0049
190.05 0.0049
190.05 0.0049
17,10.13 0.010
0.00 0.0000
1,710.13 0.0110
0.00 0.0000
1,711.185 0.0141
10,648.46 0.0123
13,711.85 0.0141
10,648.46 0.0123
13,055.33 0.0048
2,142.44 0.0179
6,673.18 0.0105
102.48 0.0025
686.67 0.0049
1,711.85 0.0141
10,648.46 0.0123
3,305.33 0.0048
2,142.44 0.0179
6,673.18 0.0105
102.48 0.0025
686.67 0.0049
17,252.16 0.0120
2,922.33 0.0124
17,252.16 0.0127
17,252.16 0.0127
17,252.16 0.0120
2,922.33 0.0056
1,709.99 0.0156
2,077.99 0.0156
2,077.83 0.0124
1,271.99 0.0166
2,779.99 0.0156
2,779.99 0.0156
2,778.33 0.0127
60.72 0.0026
41,271.06 0.0166
28,329.69 0.0065
418.17 0.0166
28,329.69 0.0065 # OF UA S 9 STATE ...... ALABAMA ALASKA AMERICAN SAMDA ARIZONA ARKANSAS CALIFORNIA 322,597 84,967 1,411,007 204,920 240,58/ 26 20 141 27 64 18 COLURADO 12 TUDITOSANGO 240,587 38,011 26,058 1,047,544 293,120 0 56,681 15,599 DIST. OF COLUMBIA FLORIDA GEORGIA 132 GUAM LIAMAH 1 13 10 7 IDAHU 15,599 412,410 250,627 134,322 304,382 139,237 131,642 62,094 0 198,109 ILLINOIS 68 47 37 31 26 35 14 0 22 INDIANA INDIANA IOWA KANSAS KENTUCKY LOUISIANA MAINE MARIANAS GROUP MARYLAND MASSACHUSETTS 394, ye9 358, 151 276, 526 48, 402 257, 508 16, 824 56, 837 96, 192 161, 263 805, 369 49, 964 167, 292 198, 900 5, 277 582, 692 209, 548 136, 455 11 13 6 3 5 2 3 7 MICHIGAN MINNESOTA MISSISSIPPI MISSOURI MONTANA NEBRASKA NEBRASKA
NEVADA
NEW HARPSHIRE
NEW JERSEY
NEW MEXICO
NEW YUNK
NORTH CAROLINA
NORTH CAROLINA
OKLANOMA
OREGON
PAC. TR. TERR.
PUNKTUVANIA
PUERTO RICO
RMODE ISLAND 11 434,788 434,788 52,561 47,513 104,132 10,372 275,565 1,775,360 PUERTO RICO RHODE ISLAND SOUTH CAROLINA SOUTH DAKOTA TENNESSEE TEAAS UTAH 28 96.392 3 18 VER MONT ٥ 0.00 0.0000 0.00 0.0000 33.244.82 0.0337 17.856.44 0.0246 2.601.10 0.0321 8.269.70 0.0126 0.00 0.0000 721,679.74 0.00 0.0000 0.00 0.0000 119.342.40 0.1211 39.964.08 0.0663 10.232.62 0.1264 25.920.87 0.0394 0.00 0.0000 14,449.62 0.0147 8,747.40 0.0145 1.053.79 0.0130 5,409.30 0.0082 0.00 0.0000 40,253.46 0.0408 25,156.55 0.0417 3,361.74 0.0415 16,587.95 0.0252 VIRGIN ISLANDS VIRGINIA MASHINGTUN 57 90 60 25 80 399,232 244,164 32,784 266,233 38 15 50 0 263 MEST VINGINIA MISCONS IN 0.00 0.0000 HYOMING 0.00 0.0000 0.00 0.0000

371,800.08

363

1,074,325.71

U.A. TOTALS

320

13.231.622

#### APPENDIX A

#### THE 1982 NEEDS SURVEY

### CONDUCT OF THE SURVEY - CATEGORIES I THROUGH IV (TREATMENT PLANTS AND SEWERS)

#### **BACKGROUND**

As in previous Surveys, the goal of the 1982 Needs Survey was to identify and quantify all needs on a nationally uniform basis. Further, the inventory of municipal wastewater facilities compiled previously would be updated and expanded for completeness.

As in the 1976, 1978, and 1980 Surveys, the 1982 Survey was accomplished with the assistance of a contractor. The two main purposes for performing the Survey with contractor assistance were:

- 1. To achieve as high a degree of national consistency in the final estimates as possible through the use of uniformly applied guidelines and validation techniques.
- 2. To minimize the resources required of State and EPA Regional construction grants staff.

URS Company of Denver, Colorado was competitively selected to perform the Needs Survey. CH2M HILL, Inc. of Gainesville, Florida and Sage Murphy & Associates, Inc. of Denver, Colorado assisted in the Survey as subcontractors to URS.

#### CONDUCT OF THE SURVEY

The 1982 Needs Survey was a more centralized effort than past Surveys. All data analysis was performed in Denver, Colorado to assure national consistency in the estimation process. Contractor personnel visited EPA Regional and State offices as necessary for data collection and consultation.

Survey guidance and methodology were formulated for Categories I-IV and circulated to all parties involved in the Survey. The guidance document was prepared as an update to the guidance used in prior Surveys.

The formal Survey of Categories I-IV began with orientation meetings conducted in EPA Regional offices where logistics, target dates, and individual State problems were discussed and resolved. States were invited to provide as much investment in personnel for the Survey as they considered prudent.

The Survey field work was conducted in the fall of 1981 and the spring of 1982. As estimates for Categories I-IV were completed, copies of the estimates were reviewed by States on a facility-by-facility basis. In a few cases, separate cost estimates were submitted by States when agreement between EPA and State personnel could not be reached.

Population projections from the Bureau of Economic Analysis for the year 2000 were used as State ceilings. State population projection totals were not permitted to exceed these ceilings.

Facility estimates were reviewed and accepted and/or approved at four levels:

- 1. Contractor.
- 2. State.
- 3. EPA Regional office.
- 4. EPA Headquarters.

After updating the Needs Survey computer data base with 1982 Survey information, data for Categories I-IV were summarized for this report.

#### SURVEY METHODOLOGY

Participant guidance for the Survey was formulated by EPA, the States, and the contractor to insure national uniformity in needs assessment while recognizing cost and construction differences inherent to various sections of the country. Set forth in the guidance were directives outlining:

- 1. Responsibilities.
- 2. Survey chronology, including target dates, for project milestones.
- Descriptions of types of data sources.
- 4. Instructions for review of individual facilities by contractor personnel and adjustments to the 1980 data of record.
- 5. Provisions for State and Regional review of Survey forms.
- 6. Definitions of terms for Survey purposes such as levels of treatment, design year, and per capita flows.
- 7. Detailed cost estimating backlog needs for all categories.
- 8. Local construction cost indices.
- Treatment plant, sewer, and pump station sizing and cost estimating tables.

#### BASIS OF COST ESTIMATE FOR CATEGORIES I-IV

All individual cost estimates prepared or obtained for Categories I-IV of the Survey were assigned a basis that provides an indication of the quality of the estimate. The quality of cost estimates are assigned codes which are defined as follows:

- 1. State Certification. Applicable to Category IIIA only, this code relates to certification by the State that excessive I/I does or does not exist. It was not used in this Survey as a basis of estimate.
- 2. Analysis Completed. For Category IIIA estimates obtained from a cost analysis in an I/I report.
- 3. Evaluation Survey Completed. An estimate of cost based on the results of a Sewer System Evaluation Survey (SSES) used only for Category IIIA and IIIB.
- 4. Engineer/Consultant Firm Estimate. An estimate of cost based on detailed engineering work such as completed Step 2 plans and specifications.
- 5. Cost of Previous Comparable Construction. This estimate of cost is based on the cost of a nearby, recently completed project which is similar in size and scope and for which detailed construction cost data are available.
- 6. Engineer/Consultant Preliminary Estimate. An estimate of cost based on a completed Step 1 or other facilities plan.
- 7. EPA Supplied Cost Estimating Procedures. Costs estimated using EPA rule of thumb estimating techniques as described in the Survey guidance.
- 8. Cost Effective Analysis. This is an estimate derived from comparative economic evaluation for which a completed Step 1 facilities plan is not available, or a rough estimate obtained from a 208 or other areawide plan.

The accuracy of the cost estimates can be ranked from high order to low, as follows:

Categories I, IIA, IIB, IVA, IVB: Codes 4, 6, 5, 8, 7

Categories IIIA, IIIB: Codes 4, 3, 6, 2, 8, 5, 7, 1

CATEGORY I-IV DATA COLLECTION

Many sources of data were used in assessing and updating needs for individual facilities. For most of these facilities, information was obtained concerning present and projected population, flows, treatment plant loadings, discharge limitations, and treatment and sludge handling methods. The data sources included:

- 1. 1980 Needs Survey.
- 2. NPDES permits.
- 3. Regional grant files.
- 4. Engineering plans and reports.

- 5. EPA Grants Information and Control System (GICS) data.
- 6. State water quality standards.

#### SURVEY PREPARATION

The 1982 Survey form for each facility was generated by computer showing the 1980 data of record. Revised or updated cost estimates and related information were obtained for each facility as applicable and entered on the form by computer. Updated forms were then sent to the States and EPA Regional offices for review. Upon completion of the review, final changes were made to the form and the information was entered into the 1982 Survey data base.

The 1982 Needs Survey was noteworthy for its increased level of automation, efficiency, and accuracy over prior Surveys. The Survey data base was expanded somewhat by the addition of new facilities and existing data were improved. The final results of the Survey reported herein represent a higher degree of reliability and accuracy with the accumulation of more data on the nation's wastewater systems than has ever before been known.

#### APPENDIX B

# CONDUCT OF THE SURVEY - CATEGORIES V AND VI COMBINED SEWER OVERFLOW (CSO) AND URBAN STORMWATER RUNOFF (SWR)

#### **BACKGROUND**

Prior to the 1982 Needs Survey, Categories V and VI needs were computed for three levels of receiving water quality: (1) Aesthetics, (2) Fish and Wildlife, and (3) Recreation. However, the needs reported to Congress were based on the Recreation control level which is the most costly. In the 1982 Needs Survey, Categories V and VI needs were computed for an additional level of control termed the Public Health level. Furthermore, the needs reported to Congress were based on the designated receiving water use for each individual facility in the case of Category V needs and for each individual Urbanized Area in the case of Category VI needs. That is, the basis of estimate varied on a facility-by-facility basis based on designated receiving water use, as defined by State stream use classification.

#### BASIS OF COST ESTIMATES FOR CATEGORIES V AND VI

The needs estimation procedure utilized for Categories V and VI during the 1982 Survey was very similar to the procedure utilized during the 1980 Survey. The ten combined sewer site studies conducted as part of the 1980 Needs Survey were used to develop transferable criteria, principles, and relationships which were applied nationwide to estimate wet-weather POTW needs. These relationships and criteria, along with updated construction cost functions, were incorporated into the Categories V and VI Needs Estimation Program (NEP82) which developed needs estimates for each Urbanized Area in the United States.

Approximately 27 percent of the total national combined sewer area is located in small towns and cities outside of census-defined Urbanized Areas. Category V needs were estimated for these facilities by application of linear regression equations derived from population, drainage area, and Category V cost data developed for the Urbanized Areas. That is, Category V needs were expressed as a linear function of combined sewer service area and population served, and these functions were utilized to establish Category V needs estimates for combined sewer systems located in non-Urbanized Areas.

Categories V and VI cost estimates were developed for four receiving water use objectives: (1) Aesthetics, (2) Public Health, (3) Fish and Wildlife, and (4) Recreation. The Aesthetics objective is based on obtaining a 40 percent removal of BOD₅ and Solids using an optimum combination of best management practices and storage/treatment systems. The Public Health objective is based on elimination of 90 percent of the fecal coliform bacteria generated by wet-weather flows. The Fish and Wildlife objective is based on eliminating low dissolved oxygen events, i.e., less than 2.0 mg/l, and insuring that Solids concentrations in the combined sewer overflow are less than or equal to background Solids concentrations in the receiving water. The Recreation objective is based on scaling up the facilities required to meet the fish and wildlife objective such that a 95 percent removal of fecal coliform organisms is obtained.

The final needs estimate reported to Congress for Category V facilities was based on the results of the needs estimation procedure outlined above, including the State designated receiving water used or on acceptable facilities planning documents. If acceptable facilities planning information was available for a given facility, then cost estimates derived from these documents were used as the Category V basis of estimate for that facility. However, in the majority of cases such information was not available and the cost estimate generated by NEP82 for the control level necessary to protect the State designated receiving water use is reported.

#### COMBINED SEWER SYSTEM DATA FILE

The inventory of combined sewer systems in the U.S. was updated during the 1982 Needs Survey using the combined sewer system worksheet described in Appendix D. The combined sewer data collection process was performed in conjunction with all other data collection for the 1982 Survey. A total of 1,081 worksheets were completed to the extent possible with readily available data. Since not all data items on the worksheet are readily available from published reports, the data file is not complete for each worksheet. The worksheet is segmented into five major sections as follows:

- 1. Identification and combined sewer system data.
- 2. Receiving water characteristics.
- 3. Status of CSO abatement projects.
- 4. Grant information.
- 5. Grant eligible cost estimates.

Data from Sections 1 and 2 of the worksheets for the 1982 Needs Survey are summarized in Tables 61 and 62 of Chapter IV.

#### URBANIZED AREA DATA BASE

The Urbanized Area Data Base is a subset of the Combined Sewer System Data File. In the regulations for the application of the NPDES Permit Program to separate storm sewers, the term "separate storm sewer" is defined as a conveyance or system of conveyances . . . located in an Urbanized Area and primarily operated for the purpose of collecting and conveying stormwater runoff (1). Based on this definition, the Urbanized Areas, as designated by the U.S. Bureau of the Census, are used as the geographical areas which require control and/or treatment of urban stormwater runoff. Therefore, needs estimation for both Categories V and VI are required within Urbanized Areas.

The specific criteria for the delineation of an Urbanized Area are as follows:

1. A central city of 50,000 inhabitants or more, or twin cities with a combined population of at least 50,000 with the smaller of the twin cities having a population of at least 15,000.

- 2. Surrounding closely settled territory, including the following:
  - a. Incorporated places of 2,500 inhabitants or more.
  - b. Incorporated places with fewer than 2,500 inhabitants, providing that each has a closely settled area of 100 housing units or more.
  - c. Small parcels of land normally less than one square mile in area having a population density of 1,000 inhabitants or more per square mile.
  - d. Other similar small areas in unincorporated territory with lower population density provided that they serve to eliminate enclaves, or to close indentations in the Urbanized Areas of one mile or less across the open end, or to line outlying enumeration districts of qualifying density that are not more than 1-1/2 miles from the main body of the Urbanized Area.

As of January 1, 1978, there were 279 Urbanized Areas defined in the nation. Thirty-five of the Urbanized Areas encompassed area in two or more States. By subdividing the Urbanized Areas encompassing lands in more than one State into separate Urbanized Areas for each State, a total of 320 Urbanized areas were defined for estimation of Category V and VI needs.

The Urbanized Area Data Base consists primarily of the following items, some of which were obtained from the National Combined Sewer System Data File and the remainder from other published sources:

- 1. Demographic Data. The items in this category are the combined sewer service area and the population served by combined sewers, the Urbanized Area population and size, the year 1970 SMSA population, the year 2000 SMSA population estimate, and the citywide EPA construction cost factor.
- 2. Hydrologic Data. The items in this category are the number of days with rain per year, the mean annual rainfall, the receiving water classification, the mean annual flow of the receiving water, and the natural runoff coefficient.
- 3. Water Quality Data. The items in this category are maximum monthly receiving water temperature, background BOD, Solids, lead, hardness, alkalinity, and pH of the receiving water.

### SOURCES OF DATA

Sources of data for the National Combined Sewer System Data File included the following:

- 1. NPDES files in EPA Regional offices.
- 2. USGS water resources data.
- 3. Grants files.
- 4. 201 plans.

- 5. 208 plans.
- Telephone contact with municipalities.

Sources of data for the Urbanized Area Data Base are given as follows:

- 1. Demographic Data.
  - a. The combined sewer service area and the population served by the combined sewers were taken from the National Combined Sewer System Data File for those systems located within Urbanized Areas.
  - b. Urbanized Area population and size were reported in the supplementary report of the 1970 census of population (2).
  - c. 1970 SMSA population was reported in the "Current Population Reports Series" (3).
  - d. Year 2000 SMSA population estimates were reported from the U.S. Water Resources Council's OBERS Projections (4).
  - e. Citywide EPA construction cost factors were taken from EPA Municipal Construction Cost Index map, wastewater treatment plants, and City multipliers.

### 2. Hydrologic Data.

- a. The number of days with rain per year and the mean annual rainfall were obtained from the National Oceanic and Atmospheric Administration (5).
- b. Receiving water data were obtained from the National Combined Sewer System Data File and from USGS Water Resources data.
- c. Natural runoff coefficients were obtained from USGS Water Supply Paper 1797 "Has the United States Enough Water?" (6).
- 3. Water Quality Data. Background water quality data were obtained from the Assessment of Water Pollution from Nonpoint Sources (7).

#### REFERENCES

- Federal Register, 40 CFR Parts 124, 125, National Pollutant Discharge Elimination System - Separate Storm Sewers, Final Regulations. 18 March 1976.
- 2. Supplemental Report, 1970 Census of Population, PC (S7)-106. Population of Urbanized Areas Established in the 1970 Census for the United States. 1970.
- 3. Population Estimates and Projections, P-25, No. 709. Estimates of the Population of Counties and Metropolitan Areas. 1 July 1974 and 1975.
- 4. U.S. Water Resources Council, 1972, OBERS Projections of Economic Activity in the U.S., Volume IV States, Volume V Standard Metropolitan Statistical Areas, Washington, D.C.
- 5. U.S. Department of the Interior, Geological Survey, "Water Resources Data for the United States." Published annually for each State.
- 6. Piper, A. M. "Has the United States Enough Water?" U.S. Geological Survey Water Supply Paper 1797. U.S. Government Printing Office, Washington, D.C.
- 7. McElroy, A. D., et.al. "Loading Functions for Assessment of Water Pollution from Nonpoint Sources," EPA 600/2-76/151. May 1976.

#### APPENDIX C

# THE 1982 NEEDS SURVEY DESCRIPTION OF THE 1982 SURVEY FORM

The principal instrument of the 1982 Needs Survey was the EPA-1 form shown on Figures C.1 and C.2. The updated 1980 Survey data of record were printed on this form and copies distributed to cognizant Federal, State, and contractor personnel. One form was completed for each facility identified in the 1980 Needs Survey. The data of record were then updated in accordance with the methodology presented in Appendix A.

The form is designed to allow a large quantity of data to be compiled for each sewerage facility. This is made possible by an elaborate data coding system which allows a huge quantity of data to be entered in a compact form and permits it to be easily checked by computer for accuracy and completeness. The codes used to complete each item on the form (Figure C.1) are defined on the reverse side of the form (Figure C.2).

Listed below is a brief explanation of each item on the 1982 Needs Survey EPA-1 form:

1. State/Authority/Facility Number: This is a discrete nine digit number assigned to each facility. The first two digits designate a particular State or Territory and are obtained from the Federal Information Processing Standard for designating States and outlying areas of the U.S. (FIPS-5).

The next four numbers designate a particular municipal sewerage authority and are assigned sequentially by each State. The last three digits designate a particular sewerage facility and are assigned sequentially by each municipal sewerage authority.

- 2. <u>Facility Name</u>: The official name of the facility.
- 3. <u>Authority Name</u>: The name of the authority having responsibility for the facility.
- 4. Zip Code: The official postal service zip code of the facility.
- 5. <u>Submission Code</u>: This is a one digit number which indicates whether the need of the facility changed since the 1980 Survey, or whether the facility was even included in the 1980 Survey.
- 6. Stream Use: One to three stream use classification codes are entered in this block corresponding to the stream receiving the municipal wastewater discharge. The stream use codes are matched to classifications designated by the State.
- 7. Eligibility: An "X" in the first block indicates that the facility is eligible for Farmers Home Administration financial assistance. An "X" in the second block indicates that the facility is eligible for Economic Development Administration financial assistance. A "Y" or

- "N" for yes or no in the third block indicates if funding for the facility has been provided under the Clean Water Act. A "Y" or "N" in the fourth block of Item 7 indicates if pretreatment of industrial flow is required for this facility.
- 8.  $\frac{\text{NPDES NUMBER:}}{(\text{NPDES})}$  The National Pollutant Discharge Elimination System (NPDES) permit number assigned to the facility through the EPA permit program.
- 9. <u>County Number</u>: The three digit FIPS-6 number used to identify the county in which the facility is located.
- 10. <u>SMSA Number</u>: The number of the Standard Metropolitan Statistical Area (SMSA) in which the facility is located.
- 11. Reach Number: A number designating the river reach in which the facility discharges according to nationwide stream segment classifications developed by EPA.
- 12. <u>Congressional District</u>: The number of the Congressional district in which the facility is located.
- 13. <u>Comment Codes</u>: Four spaces are provided for one digit codes which represent standardized comments that explain anomalies present in the coding convention used to describe the facility. The standard comments are listed on the reverse side of the form. Space is also provided on the reverse side for writing more extensive comments.
- 14. City: The name of the community in which the facility is located.
- 15. County: The name of the county in which the facility is located.
- 16a. <u>Facility Status</u>: A one digit code which indicates whether or not a facility is currently in operation.
- 16b. Present Nature of Facility: A one digit code which describes the present type of facility in operation. The codes are defined on the reverse side of the form.
- 16c. Projected Nature of Facility: A one digit code which describes the type of facility projected to be in operation in 2000. The codes are defined on the reverse side of the form.
- 16d. Projected Change: A one digit code which describes any physical changes expected at the facility by 2000. The codes are defined on the reverse side of the form.
- 16e. Start Up Date: The month and year a facility became, or is expected to become, operational.
- 16f. Abandonment Date: The month and year a facility will be abandoned, if applicable.

- 17. Summary of Category Needs: This section is used to record the costs of Categories I-IVB. Column (a) is for the EPA assessment. Column (b) is for the State assessment, if different from (a). Column (c) is the portion required to satisfy backlog facility requirements. Backlog refers to the facility requirements based on the 1980 population rather than the 2000 population. Column (d) is used to record the basis of estimation for the dollar amounts recorded in Column (a). Column (e) is used to record the reason the State submitted a separate State estimate in Column (b), if applicable. The codes for the basis of estimation used in Columns (d) and (e) are defined on the reverse side of the form.
- 18. Facility Population: This section shows the population which receives treatment and/or collection by the facility. Collection and treatment populations are further categorized as follows: present residents, present nonresidents, projected residents, and projected nonresidents.
- 19. Need for New Collectors, Interceptors, Force Mains, and Pumping Stations: This section lists codes for required new collectors, interceptors, outfalls, force mains, and pumping stations and their costs. The diameter of the pipe is shown in inches. The capacity of pumping stations is shown in million gallons per day (mgd).
- 20. Disposal of Liquid Effluents: A one digit code is entered in each of the three Columns (a, b, and c) to describe the method(s) of effluent disposal used by the facility. The code in Column (a) describes the method. The code in Column (b) describes the operational status. The code in Column (c) describes the expected physical change. All codes are defined on the reverse side of the form.
- 21. Required Infiltration/Inflow Corrective Action: A one digit code indicating the required action to eliminate excessive I/I, if applicable.
- 22. Estimated I/I Flow: The quantity of I/I flow (mgd) to be eliminated by the corrective action indicated in Item 21.
- 23. <u>Major Rehabilitation/Replacement Required</u>: A one digit code for the type of corrective action required to accomplish major rehabilitation or replacement of a portion of a sewerage system, if applicable.
- 24. Do Wastewaters Originate in Communities Existing Before October 18, 1972?: This item is self-explanatory and is answered yes or no.
- 25. <u>1972 Collection Population</u>: The resident population in existence in 1972 which still requires new collector sewers.
- 26. <u>Effluent Characteristics</u>: A one digit code indicating the present and future effluent characteristics (primary, secondary, etc.) a facility is designed to produce.
- 27. Reasons: A one digit code indicating the reason for any facility being designed to achieve a greater than secondary level of treatment.

- 28. <u>Supplemental Sheets</u>: A one digit code indicating the use of an additional data collection sheet to list specialized information about the facility.
- 29. Flows, Concentrations, Monthly Average: This section is used for compiling information on the present performance and design values for treatment facilities. Listed are the monthly averages for various parameters according to the existing actual performance, the present design, and the projected design. Data are compiled for the following parameters (if applicable): Total flow (mgd); total industrial flow (mgd); domestic flow per capita (gallons per day); and influent and effluent concentrations of five day biochemical oxygen demand (BOD₅), suspended solids (Solids), phosphorus, and ammonia.
- 30. Other: A three digit code is used in Item 30a to indicate the presence of up to six known toxics in the influent to a treatment facility. The codes for toxics are listed in the technical guidance document. Similar codes are entered in Item 30b for toxics projected to be in the influent in the future.
- 31a. Receives Discharge From: If the facility receives flows from another facility, the authority/facility number of the other facility is entered in item 31a.
- 31b. <u>Discharges To</u>: If the facility discharges flows to another facility, the authority/facility number of the other facility is entered in item 31b.
- 32. Treatment and Sludge Handling: This section is used to compile information about the unit processes at the facility. An appropriate code is entered in each of the three Columns (a, b, and c) to describe a particular unit process. The code in Column (a) describes the process. The code in Column (b) describes the operational status of the process. The code in Column (c) describes the expected physical change to the process. All codes are listed on the reverse side of the form.

181

NOTE - Indicate revised figures in appropriate shaded areas

FIGURE C.1 FORM EPA-1 ENVIRONMENTAL PROTECTION AGENCY This report is required by law (33 U S.C. 1251 ET SEQ). While you are not required to respond, your O.M.B. No. 2000-0034 ESTIMATE OF MUNICIPAL WASTEWATER TREATMENT FACILITY REQUIREMENTS Approval Expires February 28, 1984 cooperation is needed to make the results of this survey comprehensive, accurate, and timely. 1. State / Authority/ Fac. No. 2. Facility name 3. Authority name 5 Sub 29. FLOWS CONCENTRATIONS, MONTHLY AVERAGE 32 TREATMENT code AND SLUDGE Existing (a) Present design Projected design HANDLING 6. Stream use 7. Eligibility PL Pre-FmHA ICE. 92-500 treat 8. NPDES No. (Codes) → 9. County 10. SMSA 11. Reach No. 12. Cong. 13. Comment codes TOTAL Continued FLOW. dist. (MGD) (1) TR Use Chag 14. City 15. County name 16a, Fac. | b. Nat. | c. Nat. | d. Ching. | e. Date f. Date present proj. start-up abandon (6) (a) (c) INDUS. FLOW 17. SUMMARY OF CATEGORY NEEDS 19. NEED FOR NEW COLLECTORS, INTERCEPTORS, (2) (MGD)FORCE MAINS, AND PUMPING STATIONS (9) Portion required to Basis Reason Cost of record New and 'or revised cost Type Diam.tim satisfy backing (Bil.iMil.iThou.) (c) of est. Category for sep Length (11) (Bil. Mil., Thou.) (Bil. Mil / Thou.) (Bil./Atil / Thou.) Capacity (MGD) est. number (b) DOM. (a) (b) (a) FLOW/CAP (1) (3) (GPCD) (10) I (2) (2) Influent Effluent Influent Effluent Influent Effluent (d) (3) BOD₅  $(mg_1 I)$ (11) ПΑ (2) (4) (4) (5) (12) ŪΒ (3) SOLIDS (6) (5) (mg (l) (7) PHOS-(13) ШΑ PHORUS (4) (8) (6) (nig/l) (9) AMMONIA (14) ШB (5) (10) (mg/t)(7) (11) 30a. DESIGN (15) IYA (6) OTHER (12)(2) (3) (4) (5) (6) (code) 20. DISPOSAL 21.1/1 | 22. Est. 1/1 flow OF LIQUID Codes b. PROJ. (16) IYB EFFLÜENTS (7) OTHER (1) (2) (3) (4) (5) (6) (code) CODES 24. Do wastewaters ori-18 FACILITY POPULATION 23, Maj. rehab./ 31a. Receive ginale in communi-lies existing before October 18, 1972? usp. Use Chng rep. required discharge Discharges (17) Present resident Present nonresident Proj. resident Proj. nonresident Code (a) (b) RCV. TREATMENT (1) 32 TREATMENT AND SLUDGE HANDLING (Codes) (1) 25. 1972 population requiring collection (18) TR СН TR Use CH TR TR Use Use CH Use CH 26. Effluent characteristic TREATMENT (2) (2) Present (1) (3) (5) (7) (19) Future 27. Reasons 28. Supplemental sheets COLLECTION (3) (3) (20) (6) ACCEPTANCE NOT RCV. WORKSHEET COMPLETED BY EPA REGIONAL OFFICE STATE AGENCY COLLECTION (4) (4) Signature Date Segnature Oate Signature Date

		FIGURE C.	2	
AARE REFERENCE CHART	Items 16d, 20c, and 32c — Projected Change	ttem 26	~ Continued	43 - Ferri chloride addition to primary
CODE REFERENCE CHART	1 - Enlarge		dyanced secondary	44 — Firm chloride addition to secondary 45 — Firm chloride addition to separate stage terriary
	2 - Upgrade	G - 1		46 - Other chemical additions
Item 5 - Submission Codes 1 No change from 1980	3 — Enlarge and upgrade 4 — Install in new plant	Item 27	- Reason for Treatment More Stringent than	47 - Turi exchange
2 - Facility not reported in 1980	5 - Replace		Secondary water quality plan which has been approved by EPA	48 — Breat point chlorination
3 - Change from 1980	6 - Abandon	1 - 0	order of State Court	49 — Amonia stripping 50 — Dechlorination
trom 6 - Stream use Codes	7 - No change	2 0	rder of Federal Court	Distriction
01 Aquatic, Fish and Wildlife Support	8 - Other	3 - S	tals premit or beense	51 - Chlormation for disinfection
03 Warm water 06 — Cold water	9 Abandon treatment plant, retain sewers	4 - 1	IPDE'S permit or becase	52 - Ozunation for disinfection
08 Shelltish protection	Item 17d — Basis of Estimate 1 — State certification	9 - 5	tale culinic ment order or proceeding calcral enlowement order or proceeding	53 - Other disinfection
09 - Scasonal	2 - Analysis completed	7 - 1	infinitary agreement which includes a schedule of	Land Treatment
10 - Haw domestic system supply	3 - Evaluation survey completed	, - ;	ampliance or engineeringels	54 - Land treatment of primary effluent
20 - Agricultural	4 - Legging / consultant from estimate	R - (	Other	55 - Land treatment of secundary efficient (30/30) 56 - Land treatment of intermediate effluent fless th
30 - Industrial 40 - Recreation	5 - Cost of previous comparable construction	9 - 7	Contification by the State that the body of water	secondary)
42 full budy contact	6 - Engineer/consultant preliminary estimate (facilities plant)	11	coving this discharge is water quality dependent, and that num stringent treatment is needed to meet	Other
44 Partial body contact	7 — FPA — supplied cost estimating procedures	,,	edically approved water quality standards for	57 - Stubilization ponds
46 Non-contact	8 - Cost effective analysis (unapproved facilities plan)	,	is olved oxygen or nutrients	58 - Aerated Jugoons
49 - Scisonal	9 - Other preliminary estimates		- Supplemental Sheets	59 - Outfall pumping
60 - Navigation 60 - Other	A - Grant award fulfills all needs	1 - 1	OFR/other cudes	60 Outliff diffusir
<b>55</b>	B = Grant award fulfills partial needs C = State supplied cost estimating procedures		additional treatments	61 — Effluent to other plants 62 — Effluent outfall
Item 13 - Comment Codes			udustrial Cost Exclusion	63 - Other treatment
1 = 1 xc ss h1 is contellective to treat 2 = Package plant for exact required capacity is not	Item 17e - Reacons for Separate State Estimates  1 State used locally or self-developed cost curves or	Item 30	Codes on Supplemental Sheet	64 - Recalcination
available	cost estimating procedure	ttem 37	a — Treatment and Sludge Handling	SLUDGE PROCESSES
3 - Existing plant has excess capacity now to treat	2 - State estimates based on larger projected per capital		TREATMENT PROCESSES	Treatment
2000 population	flow		ary Treatment	65 - Aerobic digestion - air
4 - No studge handling facility since studge is pumped to	3 — State disagreement with selected collection/treatment	01 - 6	uniping, the wastewater	66 - Aerobic digestion - oxygen
another facility	alternatives	02 ~ P	reliminary treatment — bar screen reliminary treatment — grit removal	67 — Composting
<ul> <li>5 — Receives flow from other municipal facility(les)</li> <li>6 — Flow diverted to other municipal facility(les)</li> </ul>	4 — State estimate submitted without adequate docu- nientation	03 P	reliminary treatment comminutors	68 — Anaerobic digestion 69 — Studge lagoons
7 - Receives flow from other non-municipal facility(ies)	5 - States estimates based on incomplete or unapproved	05 P	relammary treatment — Others	70 - Heat treatment
8 - Flow diverted to other non-municipal facility(ies)	enuncering reports		cum renioval	71 - Chlorine oxidation of sludge (Purifax)
9 - Servis inner city	6 - State population projections differ from allowable		low equalization basins	72 - Lime stabilization
0 - Additional comments on form	ceilings or reports		reagration	73 Wet air oxidation
A - IVA needs required by public health official	7 - Other (Explain on reverse side of EPA-1 form in		rimary sedimentation	74 — Air drying 75 — Dewatering — mechanical — vacuum filter
tiem 16a - Facility Status	comments section)	Seco	nday Treatment	76 - Dewstering - mechanical - vacuum inter 76 - Dewstering - mechanical - centrifuge
1 - In operation	Item 19a — New Collectors, Interceptors, Force Mains, and Pumping Stations	10 1	richting fitter – rock media	77 - Dewatering - mechanical - filter press
2 - Not in operation	CS — Collector sewers	11 - 7	rickling filter – plastic media	78 - Dewatering - others
frem 16b, 16c Nature of Facility  1 A complete wistewater treatment system (includes a	IS — Interceptor sewers	12 - 1	rickling filter — redwood slats	79 - Gravity thickening
triatment plant, with populated collector and/or	FM — Force Main	13 7	rickling filter other media	86 - Air flutation thickening
intercritor servets, and methods for disposal of	PS - Pumping Station	,	kctivatril Studije kctivatril i fudije conventional	Incineration
effluent, under control of the same treatment	FF - Outfall servers	14 - 7	Activated studge conventional	81 - Incineration - multiple hearth
authority) with combined sewers. Code "A" for	SF - Ocean outfall sewers	15 - A	kctivated sludge — high rate kctivated sludge — contact stabilization	82 - Incineration — fluidized beds 83 - Incineration — rotary kiln
interior ticatment plant	Item 20a - Disposal of Liquid Effluents	16 - 7	Activated stitige contact stabilization	81 - Incineration — Others
2 – A complete wastewater treatment system (includes a treatment plant, with associated collector and/or	1 — Outfall to surface waters 2 — Ocean outfall		ure oxygen activated sludge	85 - Pyrolysis
interceptor servers, and methods for disposal of	3 — Ground water recharge		Other Seconday	86 - Commeration with solid waste
efficient, under control of the same treatment	4 — Other land thisposal	19 أ	ho-Disc (rotating biological filter)	87 - Co pyrolysis with solid waste
authority) with separate sewers. Code "B" for interim	5 - Recycling and reuse	20 0	Exidution ditch using mechanical aerators	88 - Commeration - others
treatment plant	6 - Septic tank field	21 - 0	Clarification using tube settlers	Disposal
3 - A separate treatment plant. [The sewers which	7 Other		ecoratsiy ctarification	89 — Land till 90 — Land spreading of liquid studge
discharge to this plant are under the control of one or more different authorities to Code "C" for interim	8 — No discharge 9 — Spray irrigation	AW'		91 — Land spreading of thickened studge
treatment	A - Duch origation	22 [	Indone if Treatment	92 - Trenching
4 — A superate municipal wastewater collection system	B - To other wastewater treatment plant	23 - 6	hological nitrification — combined BOD and	93 — Ocean dumping
Uncludes one or more connected collector and/or	tems 20b and 32b - Use codes		att tication	94 Other sludge handling
interceptor sewers, force mains, pumping stations,	1 Now in use	25 - 1	Siological denitrification	95 — Digest gas utilization facilities
etc., which either discharge without treatment or	2 — Under construction or provided for in approved grant		ost aeration (reacration)	MISCELLANEOUS
discharge to a facility controlled by a different authority. Do not include combined sewers or	3 - Required, but not yet approved or funded		bysical/Cheriacal Freatment	96 — Control/Lab /maintenance buildings 97 — Fully automated using digital control (computer)
storm st. rets.)	4 - Not applicable	27 - N	Aicrostramers primary	98 — Fully automated using digital controls
5 - A set arate combined sewer system. (Includes one or	5 - Installed but not in use		Aicrostrainers – secondary	99 - Semi automated plant
more interconnected stayers which carry both similary	Item 21 (I/I) and Item 23 (Major Rehab.) Corrective Action  1 — Not known at this time		land filters Aix media filters (sand and cost)	A1 — Manually operated and controlled plant
wastewaters and storm waters, and which either	2 - None		Other filtrations	A2 — Package plant
discharge without to direct or to a facility operated	3 - Scal off sewer lines		Activated carbon granular	A3 – Semepackage plant
by another authority. If facility includes both separate samilarly sewers and continued sewers, report.	4 - Replace/reline sewer sections	33 - /	Activated carbon — powdered	A4 - Custom built plant
as combined )	5 - Change/create flow routing system	34 - 1	two stage lime treatment of raw wastewater	A5 - Imholf tanks
6 - Other	6 Provide flow equalization	35 - 1	wo stage tertrary time treatment	A6 — Septic tanks A7 — Electrodialysis
7 - A system for the bulk transmission of wastewater with	7 - Other corrective actions		angle stage time treatment of raw wastewater	A8 Reverse osmosis
or without pumping stations, and with or without	Item 26 - Characteristic of Effluent	37 3	imple stage tertiary fime treatment Recarbonation	A9 — Pressure tilters
interceptor sectors	0 - No discharge		Ventralization	AA — Srepage lagoons
8 - Studge handling facilities, including vehicles or vehicle	1 — Raw discharge 2 — Primary		Album addition to primary	AB - Rock filters
fleets 9 — Individu a coptic system	3 — Advanced primary	41 - 7	Num addition to secondary	AC - Polymer addition to liquid stream
9 - Individu a septic system	4 - Secondary	42 - 7	Alum addition to separate stage tertiary	AD — Polymer addition to sludge stream
			·	
lle n	Comments	ltem reference	1	Comments
reference	Commetts	reference		
		1	i	

Comments	Item reference	Comments
	Comments	Comments Item reference

#### APPENDIX D

## DESCRIPTION OF THE COMBINED SEWER SYSTEM WORKSHEET

The combined sewer system worksheet is supplemental to the EPA-1 form described in Appendix C for those facilities known to be served by combined Since combined sewers provide both urban drainage and wastewater conveyance. they mav not alwavs be defined on facility-by-facility basis. For the purposes of the Needs Survey, a separate worksheet was completed for each combined sewer system/major receiving water configuration. Thus, a single worksheet may consider more than one combined sewer network, i.e., facility, if the networks are adjacent and discharge to the same major receiving water. A single worksheet may also consider a number of facilities which are included in a single, comprehensive CSO planning document.

The definition of a major receiving water is somewhat subjective. However, an attempt was made to define a receiving water as objectively as possible. In general, an urban receiving stream was considered to be a major receiving water if it was known to be a continuously flowing water body which could become fishable and swimmable after providing adequate control of CSO and/or other pollution sources. Streams which were wholly within a combined sewer watershed were not considered major receiving waters. On the other hand, streams draining a significant watershed area upstream from the combined sewer area were considered major receiving waters.

The 1982 combined sewer system worksheet is illustrated on Figure D.1. Listed below is a brief explanation of each item on that worksheet.

## SECTION 1 - IDENTIFICATION OF COMBINED SEWER SYSTEM DATA

Section 1 of the worksheet provides identification and descriptive data on the combined sewer system. A description of each item in Section 1 is given below:

- 1. Authority/Facility Number. The authority/facility (A/F) number is defined in the guidance for Categories I-IV. The number reported in this item is for the major facility serving the combined sewer system. If more than one facility was involved, the additional A/F numbers are found under Item 15.
- Authority Name. The authority name is the official name of the authority with major responsibility for operation of the combined sewer system.
- 3. <u>State, County, Place</u>. The state, county, place code is defined in the guidance for Categories I-IV. This code applies to the facility reported in Item 1.
- 4. SMSA Number. Those combined sewer systems located at least in part within a Standard Metropolitan Statistical Area (SMSA) as defined by the U.S. Census Bureau are reported by SMSA number in this item.

- 5. <u>Basin</u>. The basin code is defined in the guidance for Categories I-IV. This code applies to the location of the combined sewer system.
- 6. <u>Congressional District</u>. The number of the Congressional district(s) (three maximum) which are served by the combined sewer system.
- 7. <u>City Name</u>. The city name is the official name of the city or town served by the combined sewer system.
- 8. <u>County Name</u>. The county name is the official name of the county, or county equivalent, in which the major portion of the combined sewer system is located.
- 9. <u>Drainage Area</u>. The area, in acres, drained directly by the combined sewer system which is tributary to the subject receiving water.
- 10. <u>Separate Sewer Area</u>. This is the area, in acres, served by separate sanitary sewers which discharge directly into the combined sewer system. Codes for Item 10 are as follows:
  - 0 No information presently available.
  - 1 Some separate sanitary sewers are connected; however, the area is unknown.
  - 2 Area is known and is reported.

A code of 2 and a reported area of 0.0 means that no separate sanitary sewers discharge directly into the combined sewer system.

- 11. <u>Population Served</u>. The total number of persons resident to the area drained directly by the combined sewer system defined in Items 9 and 10.
- 12. <u>Sewer Length</u>. The total length of combined sewer, in feet, tributary to the subject receiving water.
- 13. Number of CSO Points. This is the number of points at which the combined wastewater/stormwater is discharged from the collection system directly into the receiving water during periods of high flow.
- 14. <u>Population Equivalent</u>. This is the dry-weather flow population equivalent for the combined sewer area defined on a BOD₅ basis and includes the resident population (Item 11), commercial contribution, existing industrial contribution, and transient population.
- 15. Additional Authority/Facility Number(s). Since combined sewer systems may be defined using hydrologic or previous planning considerations, data for several treatment facilities may be reported on one worksheet. This item reports all authority/facility numbers which are associated with the major facility serving a combined sewer system.

16. <u>Local Contact</u>. This item identifies the name, title, address, and phone number of the public works official responsible for operation of the combined sewer facility.

# SECTION 2 - RECEIVING WATER CHARACTERISTICS

A single worksheet was completed for each combined sewer system/major receiving water combination. A major receiving water has been defined previously. Descriptions of each item in Section 2 follow:

- 17. Name of Receiving Water. The common name of the major receiving water is identified by this item.
- 18/19. Mean Annual Flow and 7/Q/10. The average flow rate and 7-day, 10-year low flow rate of the major receiving water are reported in cubic feet per second (cfs) by these two items. In general, this information was obtained from U.S. Geological Survey records nearest the upstream boundary of the combined sewer area. Codes for Items 18 and 19 are given as follows:
  - 0 Flow rate not applicable, e.g., lake.
  - 1 Flow rate measured at USGS gauge.
  - 2 Flow rate estimated from regional relationship.
- 20. Receiving Water Classification. The purpose of the receiving water classification is to describe the general characteristics of the receiving water. A verbal description is used to place the receiving water in one of 15 separate categories. Values and ranges of depth and/or velocity are given on the following code reference chart. Depths and velocities are mean values and apply to mean flow conditions.

Receiving water classification codes:

- 1 Creeks and shallow streams [depth(d) <2 feet].</pre>
- 2 Upstream feeders (2 < d < 5).
- 3 Intermediate channels (5 < d < 10).
- 4 Main drainage rivers (10<d<20).
- 5 Large rivers (20<d≺30).
- 6 Impounded rivers (flow controlled or depth >30 feet).
- 7 Small ponds, backwaters.
- 8 Lakes.
- 9 Shallow high tidal velocity estuary or bay (depth <10 feet; V  $\geqslant$ 1.5 fps).

- 10 Shallow low tidal velocity estuary or bay (depth <10 feet; V < 1.5 fps).
- 11 Medium depth, high tidal velocity estuary or bay (depth = 10 to 30 feet;  $V \ge 1.5$  fps).
- 12 Medium depth, low tidal velocity estuary or bay (depth = 10 to 30 feet; V < 1.5 fps).
- 13 Deep, high tidal velocity estuary or bay (depth >30 feet;  $V \ge 1.5$  fps).
- 14 Deep, low tidal velocity estuary or bay (depth > 30 feet; V < 1.5 fps).
- 15 Open ocean or beach.
- 21. <u>Known Reaeration Coefficient</u>. If a reaeration rate for the subject receiving water has been measured, the value and the flow rate at which the measurement was made are recorded. Units of the reaeration rate are per day base e.
- 22. Channel Slope. This is the approximate receiving stream slope, reported in feet per mile, and in general was estimated from USGS topographic maps. This item applies only to free-flowing streams (receiving water classification 1 through 5) and is not reported if Item 21 is completed.
- 23. Receiving Water Background Quality. These background quality data correspond to upstream flow of the major receiving water prior to inflow from the combined sewer system. USGS water quality records may have been a source for this information. Data on the following parameters are recorded:

Maximum mean monthly temperature in  $^{\circ}\text{C}$  (generally occurs in July or August).

Average  $BOD_{\varsigma}$  concentration in mg/1.

Average Solids concentration in mg/l.

Average fecal coliform concentration in MPN/100 ml.

- 24. <u>USGS Gauge Number</u>. If receiving water flow estimates reported in Items 18 and 19 were derived directly from USGS flow records, the station identification number is recorded here.
- 25. Type of Aquatic Life. The type of aquatic life which could reasonably be supported under unpolluted or uncontaminated conditions in the receiving water downstream from the combined sewer system is recorded using codes defined as follows:

- 1 Cold freshwater fishery, e.g., trout.
- 2 Cold freshwater nursery or breeding area.
- 3 Warm freshwater fishery, e.g., black bass.
- 4 Warm freshwater nursery or breeding area.
- 5 Estuary nonshellfish waters.
- 6 Estuary shellfish waters.
- 7 Open ocean.
- 26. Known CSO Problems. Water quality problems associated with the receiving water downstream from the combined sewer area which are known to be caused at least in part by combined sewer overflow are recorded using the following codes:
  - 0 No known problems.
  - 1 Aesthetic degradation.
  - 2 High suspended solids levels.
  - 3 Low dissolved oxygen levels.
  - 4 Bacteriological contamination.
  - 5 Sludge deposits.
  - 6 Toxic conditions.
  - 7 Fishkills.
  - 8 Eutrophication (nutrients).
  - 9 Other, see comments.

Up to four known CSO problems can be recorded in decreasing order of severity.

## SECTION 3 - STATUS OF CSO ABATEMENT PROJECTS

A major emphasis of the 1982 Needs Survey was to identify those municipalities which had conducted CSO planning. If CSO planning was completed, the objective was to determine compliance with EPA Program Requirements Memoranda PRM 75-34 and PRM 77-4. Data on the status of CSO abatement projects were recorded in Section 3. A description of each item is given below:

27. Overall Status. The overall status of CSO abatement projects for the combined sewer system described on a given worksheet was designated using the following codes:

- 1 Planning not yet begun.
- 2 Ongoing 208.
- 3 Draft 208.
- 4 Completed 208.
- 5 Ongoing 201 (Step 1).
- 6 Draft 201.
- 7 Completed 201.
- 8 Ongoing CSO planning, non-EPA funded.
- 9 Draft CSO planning, non-EPA funded.
- 10 Completed CSO planning, non-EPA funded.
- 11 Ongoing design (Step 2).
- 12 Completed design.
- 13 Construction in progress.
- 14 Construction complete.

More than one code may apply to any given facility. For example, a facility may have been included in a completed 208 (Code 4) and is currently being studied by an ongoing 201 (Code 5).

- 28. Completion Dates. For each of the codes entered above, the actual or expected completion dates were recorded in Item 28. In the case where CSO planning has not yet begun (Code 1, Item 27), the date reported was the anticipated starting date of CSO planning.
- 29. Planning and PRM 75-34. To determine if current CSO facility planning was complete, comprehensive, and consistent with the requirements of PRM 75-34, the following points were considered when a Code 3, 4, 6, or 7 was entered under Item 27. If the following items were considered, a Code 1 (yes) was entered for each point. It it was not considered, a Code 2 (no) was entered. Items b, f, and g reflect criteria which are specifically required by PRM 75-34.
  - Receiving water quality objectives were defined.
  - b. Residual water quality problems were identified, i.e., the existence of a receiving water quality problem after achievement of the secondary treatment requirement was established.
  - c. Pollutant removal requirements were estimated.
  - d. Alternate CSO control techniques were identified.

- e. A cost effective mix of CSO alternatives was considered.
- f. A cost effective mix of CSO, AST, AT, and/or other control measures was considered.
- g. Marginal costs were determined not to be substantially greater than marginal benefits for the proposed solution.
- 30. Multipurpose Projects. The objective of Item 30 was to determine if a CSO project has purposes other than pollution control, e.g., flood control or drainage. The results of Item 30 were reported for the following three points by using a Code 1 if the point was affirmative (yes) and a Code 2 if the point was negative (no).
  - a. Does the CSO abatement project have purposes other than pollution control, e.g., flood control or drainage?
  - b. Was the cost allocated to CSO pollution control determined by the alternative justifiable expenditure (AJE) method?
  - c. Is the cost allocated to CSO pollution control less than or equal to the least cost single purpose CSO pollution control alternative?
- 31. Proposed Solutions. If Codes 3, 5, 6, or 7 were entered under Item 27 and if the resulting draft or completed documents were available for review, the proposed solutions for control of CSO (five maximum) were reported using the following codes:
  - 1. Sewer separation.
  - 2. In-system storage with additional treatment capacity.
  - In-system storage with realtime control and additional treatment capacity.
  - 4. Earthen basin storage with additional treatment capacity.
  - Concrete (uncovered) basin storage with additional treatment capacity.
  - Concrete (covered) basin storage with additional treatment capacity.
  - 7. Mined storage, e.g., deep tunnels, with or without additional treatment capacity.
  - High rate treatment without storage, e.g., swirl concentrator, screening, etc.
  - 9. In-system storage without additional treatment capacity.
  - 10. In-system storage with realtime control and without additional treatment capacity.

- 11. Surface water interception/storage/diversion scheme, i.e., runoff diverted before entering a combined sewer system.
- 12. Sewer flushing.
- 13. Catch basin cleaning.
- 14. Streetsweeping.
- 15. Other, see comments.
- 20. Cost effective mix of CSO alternatives.
- 21. Cost effective mix of CSO, AST, AT, and/or other control measures.

### SECTION 4 - GRANT INFORMATION

32. Grant Numbers. Grant numbers, if any, which provide Federal construction grant funds for CSO control (Category V) were entered here.

## SECTION 5 - GRANT ELIGIBLE COST ESTIMATES

33. Cost Estimates. For each of the proposed CSO solutions identified in Item 31, a cost estimate was entered, when available, along with the month and year used to establish the value of money when the estimate was made.

The following codes were used for reporting cost estimates of proposed solutions:

- 1. Sewer separation.
- 2. In-system storage with additional treatment capacity.
- In-system storage with realtime control and additional treatment capacity.
- 4. Earthen basin storage with additional treatment capacity.
- Concrete (uncovered) basin storage with additional treatment capacity.
- Concrete (covered) basin storage with additional treatment capacity.
- 7. Mined storage, e.g., deep tunnels, with or without additional treatment capacity.
- 8. High rate treatment without storage, e.g., swirl concentrator, screening, etc.
- 9. In-system storage without additional treatment capacity.

- 10. In-system storage with realtime control and without additional treatment capacity.
- 11. Surface water interception/storage/diversion scheme, i.e., runoff diverted before entering a combined sewer system.
- 12. Sewer flushing.
- 13. Catch basin cleaning.
- 14. Streetsweeping.
- 15. Other, see comments.
- 19. State supplied (separate) estimate.
- 20. Cost effective mix of CSO alternative.
- 21. Cost effective mix of CSO, AST, AT, and/or other control measures.
- 22. Aesthetics objective, estimated using the 1982 Needs Estimation Program (NEP82) described in Appendix B.
- 23. Fish and Wildlife objective, estimated using NEP82 described in Appendix B.
- 24. Recreation objective, estimated using NEP82 described in Appendix B.
- 25. Sewer separation, estimated using NEP82 described in Appendix B.
- 26. Needs previously met.
- 27. Needs reported to Congress.

				COST MO. YR.
212707000000000000000000000000000000000	CHARACTER13TICS	FLOW: FLOW: CFS FT/HI (DEG) C MG/L NG/L NG/L NG/L	** 31. PROPOSED SOLUTIONS ** ** ** **	YR, ** CODE ** 23.FISH&WILD: ** 24.RECREATION: ** 25.SEWER SEP.: ** 76.NGEDS MET: ** 77.0000RESS:
FIGURE D.1 ************************************	II. RECEIVING WATER (RW) C	17.RW NAME: 18.MEAN ANNUAL FLOW CODE: 19.LOW FLOW: 20.RW CLASSIFICATION: 21.KNOWN KEAREATION KATE: 1/DAY(BASE E) FLOW: 22.CHANNEL SLOPE: 23.RW GUALITY MAX.HONTHLY TEMP: AVE.BODS: AVE.BODS: AVE.SS: AVE.FCAL COLIFORM: 24.USGS GAGE NO:: 25.ARUATIC LITE: 26.KNOWN CSO PROBLEMS:	30. MULTI-PURPOSE A. B. C.	CODE COST MO. YI
* * * * * * * * * * * * * * * * * * *	TICATION AND COMBINED SEWER SYSTEM DATA	1.AUTHORITY/FACILITY NO.: 2.AUTHORITY/FACILITY NO.: 3.STATE/CO./PLACE: 4.SMSA NO.: 5.DASIN: 6.CONG.DIST: 7.CITY: 9.CONBINED SEWER AREA: 11.OSEFARATE SALITARY CODE: 11.OSEFARATE SALITARY CODE: 11.OMBINED SEWER LENGTH: 12.COMBINED SEWER LENGTH: 13.NUMBER CSO FOINTS: 14.POFULATION: 15.CITY: 14.POFULATION: 15.CITY: 15.CITY: 16.LOCAL CONTACT: NAME: 15.CITY: 16.LOCAL CONTACT: NAME: 16.LOCAL CONTACT: PHONE: 17.TLE: 17	STATUS OF CSO ABATCHENT PROJECTS	COST ESTIMATES (IN THOUSANDS OF DOLLARS)  YR.** CODE COST MO. YR. **  ***  ***  ***  ***  ***  ***  ***
DATA FILLED DATE: ********	I, IDENTIFICATION	1. AUTHORITY/F6 2. AUTHORITY NG 3. STATE/CO./PL 4. SMSA NO.: 5. DASIN. 6. CONG. DIST: 7. CITY: 9. COMBINED SEI 11. POFULATION: 12. COMBINED SEI 13. NUMBER CSO 14. POFULATION: 15. COMBINED SEI 13. NUMBER CSO 14. POFULATION 15. COMBINED SEI 15. COMBINED SEI 16. COMBINED	III. STATU 27.0VERALL 28. CUMPLE CODE	10. GRANT INFURMA  32. GRANT ELIGIBLE  0. GRANT ELIGIBLE  33. COST ESTIMATES  CODE COST MO