

United States
Environmental Protection
Agency

Solid Waste and
Emergency Response
(5305W)

PB96-207 071
EPA530-R-96-026



RCRA, Superfund & EPCRA Hotline Training Module

US EPA Headquarters Library
Room 2904, Mailcode 8404

Introduction to:

**Definition of Solid Waste and
Hazardous Waste Recycling**
(40 CFR §§261.2 and 261.9)

Updated July 1996

DISCLAIMER

This document was developed by Booz-Allen & Hamilton Inc. under contract 68-W6-0016 to EPA. It is intended to be used as a training tool for Hotline specialists and does not represent a statement of EPA policy.

The information in this document is not by any means a complete representation of EPA's regulations or policies. This document is used only in the capacity of the Hotline training and is not used as a reference tool on Hotline calls. The Hotline revises and updates this document as regulatory program areas change.

The information in this document may not necessarily reflect the current position of the Agency. This document is not intended and cannot be relied upon to create any rights, substantive or procedural, enforceable by any party in litigation with the United States.

RCRA, Superfund & EPCRA Hotline Phone Numbers:

National toll-free (outside of DC area)	(800) 424-9346
Local number (within DC area)	(703) 412-9810
National toll-free for the hearing impaired (TDD)	(800) 553-7672

The Hotline is open from 9 am to 6 pm Eastern Standard Time,
Monday through Friday, except for federal holidays.

DEFINITION OF SOLID WASTE AND HAZARDOUS WASTE RECYCLING

CONTENTS

1. Introduction.....	1
2. Regulatory Summary.....	3
2.1 Solid Waste Definition.....	3
2.2 Classification of Recycled Materials.....	5
2.3 Recycling Solid Waste Exclusions in §261.2(e).....	9
2.4 Hazardous Waste Recycling Requirements.....	10
2.5 Special Issues.....	18
2.6 Regulatory Developments.....	19



1. INTRODUCTION

As mandated by Subtitle C of the Resource Conservation and Recovery Act (RCRA), EPA promulgated hazardous waste regulations in 1980 to ensure that wastes which pose a threat to human health and the environment would be managed safely. In order to be regulated as a hazardous waste under RCRA, a material must first be classified as a solid waste. After confirming that a material is a solid waste, the generator of the solid waste must then determine if it is a hazardous waste. The important concept to remember is that hazardous wastes are a subset of solid wastes. In other words, a material cannot be classified as a hazardous waste if it is not within the universe of solid waste.

This module explains the statutory and regulatory definitions of solid waste, including the standards governing the recycling and management of specific types of waste.

When you have completed this module, you will be able to explain the definition of solid waste in 40 CFR §261.2, as well as its relationship to the definition of hazardous waste in §261.3. You will also become familiar with the regulations governing the recycling of hazardous wastes, found in §261.6 and Parts 266, 273, and 279.

Use the following list of objectives to check your knowledge of this topic after you complete the training session:

- Explain and cite the regulatory and statutory definitions of solid waste
- Cite and use the table in §261.2 and the preamble to the January 4, 1985, Federal Register (50 FR 614)
- List and cite three use/reuse scenarios where the materials are not solid wastes and state the requirement for documentation
- List examples of sham recycling
- List the conditions under which hazardous waste-derived products may be excluded from regulation
- Cite the provisions for precious metal recovery
- Discuss potential regulatory developments affecting the definition of solid waste and hazardous waste recycling.

2. REGULATORY SUMMARY

Under RCRA Subtitle C, Congress granted EPA the authority to regulate hazardous wastes. The principle objective of hazardous waste regulation is the protection of human health and the environment. RCRA regulation is also intended to encourage the conservation and recovery of valuable materials. The definition of solid waste under RCRA, which serves as the starting point for the hazardous waste management system, reflects EPA's effort to obtain the proper balance between these two underlying objectives.

According to RCRA regulations, a material must be defined as a solid waste before it can be considered a hazardous waste. The regulatory definition of solid waste, found in §261.2, encompasses three categories of materials: (1) materials that are abandoned; (2) materials that are recycled; or (3) materials that are inherently waste-like (each of these categories will be discussed in Section 2.1). Materials that do not fall within one of these three categories are not subject to Subtitle C regulation.

Recyclable materials are a special subset of the solid waste universe. When recycled, some materials may qualify for an exemption from the definition of solid waste and fall out of RCRA regulation. For those recyclable materials which do meet the definition of solid waste, several levels of regulatory control are possible. Based on the material and the type of recycling, the generator of a recyclable solid waste must determine if it is subject to reduced requirements or if it is subject to full regulation.

This module discusses the criteria found in the §261.2 definition of solid waste. It also explains the range of RCRA Subtitle C management over different types of hazardous waste recycling, as dictated by §261.6 and Parts 266, 273, and 279. This range of management — from no regulation to full regulation — is essentially based on the type of recycling activity involved and the hazards posed, and demonstrates EPA's intent to encourage recycling while still protecting human health and the environment.

2.1 SOLID WASTE DEFINITION

The statutory definition of a solid waste is not based on the physical form of the material, (i.e., whether or not it is a solid as opposed to a liquid or gas), but on the fact that the material is a waste. RCRA §1004(27) defines solid waste as:

Any garbage, refuse, sludge from a wastewater treatment plant, water supply treatment plant, or air pollution control facility, and other discarded material, including solid, liquid, semisolid, or contained gaseous material, resulting from industrial, commercial, mining, and agricultural operations and from community activities.

The regulatory definition of solid waste is found in §261.2. Under §261.2(a), a solid waste is any discarded material that is not excluded by §261.4(a) or that is not excluded by a variance.

Section 261.4(a) specifically excludes certain materials from the definition of solid waste, such as domestic sewage and special nuclear material covered by the Atomic Energy Act (see the module entitled Solid and Hazardous Waste Exclusions). Materials listed in §261.4(a) are not solid wastes and so cannot be further classified as hazardous waste. Other materials which would normally be classified as solid wastes may qualify for exclusions from regulation if a generator petitions for a variance from classification as a solid waste.

If a material is not excluded by §261.4 or by a variance and it is discarded, it meets the definition of a solid waste. The basis of the solid waste definition is set forth in §261.2(a), which defines a solid waste as a material that is discarded by being abandoned, recycled, or inherently waste-like.

ABANDONED

Under §261.2(b), a material is abandoned if it is disposed of, burned, or incinerated. In addition, a material that is stored prior to, or in lieu of, one of these activities, is also considered to be abandoned. The term abandoned simply means thrown away. In addition to obvious examples of abandonment, such as land disposal, EPA also includes activities such as incineration within the definition of the term (50 FR 627; January 4, 1985).

RECYCLING

A material is recycled if it is used, reused, or reclaimed (§261.1(c)(7)). These three terms have specific regulatory definitions. A material is reclaimed if it is processed to recover a usable product or if it is regenerated (e.g., regeneration of spent solvents) (§261.1(c)(4)). A material is used or reused if it is either employed as an ingredient in an industrial process to make a product (e.g., distillation bottoms from one process used as feedstock in another process) or if it is employed as an effective substitute for a commercial product (e.g., spent pickle liquor used as a sludge conditioner in wastewater treatment) (§261.1(c)(5)).

Many materials that are recycled are classified as solid wastes. Section 261.2(c) designates as solid wastes certain materials that are recycled in particular manners (i.e., used in a manner constituting disposal, burned for energy recovery, reclaimed, and speculatively accumulated) while it excludes others from regulation. Other materials that are recycled through use or reuse of the material may qualify for exemptions from the solid waste definition under §261.2(e).

INHERENTLY WASTE-LIKE

In contrast to other recycled materials, some materials are solid wastes under §261.2(d) if they are recycled in any manner (i.e., they are considered to be inherently waste-like). Because these materials may pose a threat to human health and the environment when they are recycled, they do not qualify for any of the recycling exemptions. Examples of inherently waste-like materials are the dioxin-containing listed wastes F020, F022, F023, F026 and F028. Hazardous waste meeting the F021 listing is also considered inherently waste-like unless it is used at the site of generation as an ingredient in a product.

In addition, any secondary materials that are characteristic or listed hazardous wastes are considered to be inherently waste-like when they are fed to a halogen acid furnace. This provision was added to ensure that halogen acid furnaces, which burn some of the most toxic wastes generated in this country, would be regulated when burning any type of hazardous waste (56 FR 7141; February 21, 1991).

2.2 CLASSIFICATION OF RECYCLED MATERIALS

As stated earlier, one way a material may meet the definition of a solid waste in §261.2 is if it is recycled in a certain manner. When a material is recycled, its regulatory classification (i.e., whether or not it is a solid waste, and potentially a regulated hazardous waste) depends on two factors: first, what type of secondary material is being recycled; and second, what type of recycling is occurring. The following discussion describes the four types of recycling regulated in §261.2(c), and notes the various exclusions associated with specific types of secondary materials when they are recycled in certain ways.

SECONDARY MATERIALS

A secondary material is a material that potentially can be a solid and hazardous waste when recycled (50 FR 616; January 4, 1985). Used or residual waste-like materials are called secondary materials and are divided into five groups. Table 1 of §261.2(c) lists five types of secondary materials: spent materials, sludges, by-products, commercial chemical products, and scrap metal. All waste-like materials fit into one of these five secondary material categories, which are discussed below.

Spent Materials

Spent materials, as defined in §261.1(c)(1), are those used materials that can no longer serve the purpose for which they were produced without undergoing regeneration, reclamation, or reprocessing. Examples include spent solvents, spent activated carbon, spent catalysts, and spent acids (50 FR 624; January 4, 1985).

Sludges

A sludge is any solid, semisolid, or liquid waste generated from a wastewater treatment plant, water supply treatment plant, or air pollution control device (e.g., baghouse dust). Table 1 contains two sludge categories: those sludges listed in §§261.31 or 261.32 (e.g., F037 petroleum refinery oil/water/solids separation sludge), and those exhibiting a hazardous characteristic under Part 261, Subpart C (e.g., metal-bearing sludges).

Table 1

	Use Constituting Disposal §261.2(c)(1)	Energy Recovery/ Fuel §261.2(c)(2)	Reclamation §261.2(c)(3)	Speculative Accumulation §261.2(c)(4)
Spent Materials	YES	YES	YES	YES
Sludges listed in 40 CFR §§261.31 or 261.32	YES	YES	YES	YES
Sludges exhibiting a characteristic	YES	YES	NO	YES
By-products listed in 40 CFR §§261.31 or 261.32	YES	YES	YES	YES
By-products exhibiting a characteristic	YES	YES	NO	YES
Commercial Chemical Products listed in 40 CFR §261.33	YES*	YES**	NO	NO
Scrap Metal	YES	YES	YES	YES

Once the type of secondary material and the recycling method are known, you can determine whether the material will be a solid waste according to §261.2(c) and therefore possibly a hazardous waste. Materials that are solid wastes when recycled in a particular manner are marked with a "YES" in that column; materials that are not solid wastes when recycled in that manner are marked with a "NO."

* Commercial products are not solid wastes when applied to the land if that is their normal use.

** Commercial products are not solid wastes when burned for energy recovery if they are already fuels or normal constituents of fuels.

By-products

A by-product as defined in §261.1(c)(3) is a material that is not one of the primary products of a production process and is not solely or separately produced by the production process. An example is a distillation column bottom. A by-product is a catch-all term, and includes most wastes that are not spent materials or sludges (50

FR 618; January 4, 1985). There are two types of by-product categories in Table 1: those listed (e.g., wood preserving wastewaters), and those exhibiting a hazardous characteristic (e.g., metal-bearing slags).

Commercial Chemical Products

Commercial chemical products (CCPs) include unused chemical intermediates, off-specification variants, and spill or container residues, as defined in §261.33 (e.g., unused sodium cyanide). In addition to this definition, which is part of the hazardous waste identification process, the definition of CCPs is extended for purposes of determining whether or not a material is a solid waste in §261.2. For purposes of this section, the term CCP also includes chemicals that are not listed in §261.33 but exhibit a hazardous characteristic (e.g., off-specification jet fuel) (50 FR 14219; April 11, 1985).

Scrap Metal

Scrap metal is defined as bits and pieces of metal parts that are worn or superfluous (e.g., scrap turnings and wire) (§261.1(c)(6)). This term also includes products made of metal that become worn out such as scrap automobiles and radiators (50 FR 624; January 4, 1985).

TYPES OF RECYCLING

There are four types of recycling activities over which EPA currently asserts jurisdiction. As stated previously, to determine whether a material is a solid waste, you must determine what kind of material is being recycled. Once the type of secondary material (e.g., spent material, sludge, or scrap metal) is known, the manner in which it is recycled will determine whether or not the material is a solid waste and therefore potentially regulated as a hazardous waste.

Use Constituting Disposal

Directly placing wastes or products containing wastes on the land is considered to be use constituting disposal (§261.2(c)(1) and 50 FR 627; January 4, 1985). If, however, direct placement of a CCP on the land is consistent with its normal use (e.g., pesticides), then the material is not regulated as a solid waste (§261.2(c)(1)(ii)). For example, heptachlor can potentially be a P-listed waste. This pesticide is not regulated as a solid waste, however, when it is used as a pesticide.

Burning Waste Fuels

Burning hazardous waste for energy recovery and using wastes to produce a fuel are both covered under burning waste fuels (§261.2(c)(2) and 50 FR 630; January 4, 1985). CCPs that are themselves fuels are not considered solid wastes when burned, however, since burning is consistent with the product's intended use.

(§261.2(c)(2)(ii)). For example, off-specification jet fuel is not a solid waste when it is burned for energy recovery because it is itself a fuel.

Reclamation

As discussed above, reclamation is the regeneration of wastes or recovery of usable materials from wastes (e.g., regenerating spent solvents). Wastes are regenerated when they are processed to remove contaminants in a way that restores them to their usable condition (50 FR 633; January 4, 1985).

Speculative Accumulation

Certain materials are exempt from the definition of solid waste in §261.2 when recycled (see Table 1). In order to ensure these materials are actually recycled, EPA established a provision in §261.2 which penalizes facilities that recycle insufficient amounts of these materials. This provision designates as solid wastes certain materials that are accumulated speculatively. A material is accumulated speculatively if it has no viable market (50 FR 634; January 4, 1985) or if the person accumulating the material cannot demonstrate that 75 percent or more of the material is recycled in a calendar year, commencing on January 1 (§261.1(c)(8)). For example, on December 15, 1991, a facility generates 200 kg of D008 sludge; a characteristic sludge which is normally excluded from the definition of solid waste when reclaimed. The facility has this entire quantity of D008 sludge in storage on-site on January 1, 1992. If by the end of that calendar year (December 31, 1992), less than 75 percent (i.e., less than 150 kg) of the sludge has been reclaimed or sent off-site for reclamation, the sludge has been accumulated speculatively and no longer is excluded from the definition of solid waste. Once it is a solid waste, it must be managed as a hazardous waste since it exhibits a characteristic. In other words, while providing incentives for recycling by excluding certain hazardous wastes from the definition of solid waste, EPA is ensuring that legitimate quantities of the waste are being recycled and avoiding long-term storage of hazardous waste by providing a minimum percentage that must be recycled in a calendar year.

2.3 RECYCLING SOLID WASTE EXCLUSIONS IN §261.2(e)

Under the RCRA regulations, EPA defines recycling broadly. Use constituting disposal, burning for energy recovery, and reclamation are all forms of recycling. The direct use or reuse of a secondary material is also a form of recycling. Section 261.2(e)(1) provides exclusions from the definition of solid waste for materials that are used or reused in one of the following ways: used or reused as an ingredient, used or reused as a product substitute, or returned to the production process.

USED AS AN INGREDIENT

If a secondary material is directly used as an ingredient in a production process without first being reclaimed (e.g., carbon tetrachloride still bottoms used in producing tetrachloroethylene), then that material is not a solid waste (§261.2(e)(1)(i)).

USED AS A PRODUCT SUBSTITUTE

If a secondary material is used as an effective substitute for a commercial product without first being reclaimed (e.g., hydrochloric acid by-product from chemical manufacturing used by the steel industry for pickling steel), it is exempt from the definition of solid waste (§261.2(e)(1)(ii)).

RETURNED TO THE PRODUCTION PROCESS

When a material is returned to the original production process from which it was generated, it is not a solid waste (§261.2(e)(1)(iii)). When this exclusion was originally promulgated (50 FR 614; January 4, 1985), it applied only to materials returned to a primary production process. The September 19, 1994, Federal Register extended this exemption, however, to include materials returned to secondary processes (59 FR 47982; 48041). This exclusion only applies if the material is used as a raw material or feedstock in the production process and if it is not reclaimed prior to its reintroduction into the system (e.g., emission control dust returned directly to a primary zinc smelting furnace). The material does not have to be returned to the exact unit, but may be returned to any unit associated with the production of a particular product (50 FR 619, 640; January 4, 1985). In the case where the original process to which the material is returned is a secondary process, the material must be managed such that there is no placement on the land.

EXCEPTIONS

There are certain situations where use or reuse of a material without prior reclamation is still considered to be management of a solid waste. Section 261.2(e)(2) designates as solid wastes the following materials, even if they are used or reused directly: materials used in a manner constituting disposal; materials burned for energy recovery, used to produce a fuel, or contained in fuels; materials accumulated speculatively; and dioxin-containing wastes considered inherently waste-like (F020, F021, F022, F023, F026, and F028). For example, an F002 spent solvent is generated and then burned for energy recovery, without prior reclamation. While this particular waste is recycled without reclamation (a condition of §261.2(e)(1)), it would not qualify for the exclusion because the manner in which it is recycled is one of the activities listed in §261.2(e)(2).

DOCUMENTATION OF CLAIMS

A person claiming that a waste is not a solid waste or that a waste is conditionally exempt from regulation (e.g., because it is recycled in accordance with §261.2(e)) must be prepared to demonstrate that the conditions for the exclusion are being met. In the case of an enforcement action, generators must provide documentation supporting their claim, such as proof the material is being reused in a production process or that there is a known market for the material (§261.2(f)).

SUMMARY OF SOLID WASTE DEFINITION

A solid waste is a material of any physical form (e.g., contained gas, solid, or liquid) that is being discarded by meeting any of the following conditions:


- The material is abandoned via disposal or incineration
- The material is recycled in specific ways that are considered waste management (i.e., burning for energy recovery, reclamation, use constituting disposal)
- The material is inherently waste-like (e.g., dioxin-containing wastes).

In summary, if a material has been classified as a solid waste (thus not meeting any of the solid waste exclusions or exemptions), the next step in the hazardous waste identification process is to determine if the solid waste meets the definition of a hazardous waste.

2.4 HAZARDOUS WASTE RECYCLING REQUIREMENTS

RCRA Subtitle C has jurisdiction over hazardous waste recycling. Hazardous wastes that are recycled are known as recyclable materials. When a material is classified as a solid waste because it is discarded by recycling (and does not qualify for any exemptions in §261.2(e)) and it meets the definition of a hazardous waste, §§261.6 and 261.9 are used to determine the level of regulation placed on the waste and the recycling activity. These standards range from no regulation to full regulation, with the amount of regulation depending on the type of material and manner of recycling (see Figure 1).

Figure 1
ANALYSIS OF HAZARDOUS WASTE RECYCLING REQUIREMENTS



SUMMARY OF PART 266 RECYCLING STANDARDS

The recyclable materials listed in §261.6(a)(2) are subject to regulation under Part 266, which provides special standards for hazardous wastes recycled in certain ways. These materials include:

- Recyclable materials used in a manner constituting disposal (Subpart C)
- Hazardous waste burned for energy recovery (Subpart H)
- Recyclable materials from which precious metals are reclaimed (Subpart F)
- Spent lead-acid batteries that are being reclaimed (Subpart G).

USE CONSTITUTING DISPOSAL

Part 266, Subpart C, regulates recyclable materials that are placed on the land either directly or after mixing with other materials. This type of reuse of a recyclable material is regulated as land treatment or landfilling when the material being applied to the land is a hazardous waste or contains a hazardous waste. The Agency regulates the placement of hazardous secondary materials on the land due to the similarity of this practice to simple land disposal.

Waste-Derived Commercial Product Exclusions

Under §266.20(b), commercial hazardous waste-derived products made for the general public's use and that have undergone a chemical reaction so as to be inseparable by physical means, and that meet applicable Part 268 land disposal restrictions treatment standards, are not regulated when recycled by application to the land. Examples of such products include asphalt and cement. Also, commercial fertilizers produced from mixing recyclable material containing nutrients or micronutrients with other ingredients are exempt from regulation only if they meet the Part 268 land disposal treatment standards for each recyclable material they contain. Zinc-containing fertilizers produced from hazardous waste K061 for the general public's use, however, are not subject to regulation and thus are not required to meet Part 268 treatment standards. To be considered an excluded commercial hazardous waste-derived product, the product must be marketed for the general public's use. If a material does not meet the conditions in §266.20(b), it must be managed as a hazardous waste when applied to the land.

Management Requirements Prior to Use

Under §266.21, prior to using a waste in a manner constituting disposal, generators and transporters of the recyclable material are subject to Part 262 (generator) and Part 263 (transporter) regulations, and to RCRA §3010 notification procedures for obtaining EPA identification numbers. Under §266.22, facility owners and operators who are not the ultimate users of the materials are also subject to notification requirements and applicable Parts 264/265 facility standards.

Users of "Use Constituting Disposal" Materials

Under §266.23, owners or operators of facilities that use recyclable materials in a manner constituting disposal are subject to RCRA §3010 notification and applicable Parts 264/265 facility standards. Products meeting the requirements under §266.20(b) as described above are the sole exception.

Hazardous Waste Used For Dust Suppression

The Hazardous and Solid Waste Amendments of 1984 (HSWA) amended RCRA §3004(1) to prohibit use of waste oil, used oil, or other materials contaminated with hazardous waste (other than waste hazardous for ignitability only) for dust suppression or road treatment. This prohibition was effective November 8, 1984 (§§266.23(b) and 279.82).

BURNING HAZARDOUS WASTE

Part 266, Subpart H, governs hazardous waste burned for energy recovery in boilers and industrial furnaces as defined in §260.10. Originally, these units were considered to be exempt recycling units (50 FR 614, 631; January 4, 1985). EPA determined, however, that there was a need for regulatory action to control this type of burning. The Agency promulgated these regulations on February 21, 1991 (56 FR 7134). These requirements are presented in the module entitled Boilers and Industrial Furnaces.

PRECIOUS METAL RECLAMATION

Subpart F of Part 266 applies to recyclable materials from which precious metals are recovered (i.e., gold, silver, platinum, palladium, iridium, osmium, rhodium, and ruthenium). Generators, transporters, and storers of recyclable materials intended for precious metal recovery are subject to notification under RCRA §3010 and manifest requirements under Part 262, Subpart B (for generators), §§263.20 and 263.21 (for transporters), and §§265.71 and 265.72 (for storers).

Recordkeeping Requirements for Storage of Materials

While hazardous wastes that will be reclaimed for their precious metal content are exempt from much of the Subtitle C regulations, these materials lose any applicable exemptions if they are accumulated speculatively, and become subject to all applicable requirements under Parts 262 and 264/265.

The provisions barring speculative accumulation are set out in §266.70(c). To document that speculative accumulation is not occurring, generators must keep records showing the volume of materials on hand at the beginning of the calendar year, the amount of materials generated or received during the calendar year, and the amount of waste remaining at the end of the calendar year.

Precious Metal Reclamation and BIFs

If precious metal reclamation takes place in an industrial furnace, then Part 266, Subpart H, standards apply to the unit. If, however, a series of conditions in §266.100(f) are met, the unit is exempt from full Subpart H regulation. This is discussed further in the module entitled Boilers and Industrial Furnaces.

Case-By-Case Regulation

Although the storage of recyclable materials that will be reclaimed for their precious metal content is not normally subject to Subtitle C regulation, under §§260.40 and 260.41 the Regional Administrator may regulate storage of precious metal wastes on a case-by-case basis if the wastes are not being stored safely. This case-by-case regulation subjects the generator or storer/recycler to §§261.6(b) and (c) (full regulation) rather than Part 266, Subpart F.

SPENT LEAD-ACID BATTERY RECLAMATION

Part 266, Subpart G, covers spent lead-acid batteries that will be reclaimed. These provisions apply only to spent lead-acid batteries. Under Subpart G, the requirements focus on storage of the batteries by persons who reclaim the batteries. Persons who generate, transport, regenerate, collect, and/or store spent lead-acid batteries without reclaiming them are not subject to hazardous waste regulation.

Storage Standards

According to §266.80(b), owners or operators of facilities that store spent batteries before recycling are subject to §§266.80(b)(1)-(4). Storers must comply with §3010 notification, and all applicable provisions in Parts 264/265, Subparts A through L. The exceptions are §264.13 (waste analysis plan) and §§264.71 and 264.72 (use of the manifest requirements). The permitting requirements of Parts 270 and 124 are also applicable.

EXEMPT RECYCLABLE MATERIALS IN §261.6(a)(3)

Certain recyclable materials are exempt from hazardous waste regulation per §261.6(a)(3) when recycled in specific ways. These materials are exempt from the notification requirements of RCRA §3010, 40 CFR Parts 262 through 266, and Parts 268, 270, and 124. All of these materials meet the definition of a solid waste and hazardous waste, but are not required to be managed as hazardous wastes if recycled according to the provisions in §261.6(a)(3).

Industrial Ethyl Alcohol

Industrial ethyl alcohol that is reclaimed is exempted from RCRA Subtitle C regulation because the Bureau of Alcohol, Tobacco and Firearms already regulates it from the point of generation to redistillation (§261.6(a)(3)(i) and 50 FR 649; January 4, 1985).

Scrap Metal

Scrap metal that is disposed of or recycled is a solid waste; however, it is exempted from Subtitle C regulation when it is recycled (§261.6(c)(3)(ii)). As was mentioned earlier, scrap metal is defined as products made of metal that become worn out (or are off-specification) or metal pieces that are generated from machining operations. Examples of scrap metal are scrap automobiles, machine turnings, pieces of wire, sheets of metal, and scrap radiators (50 FR 624; January 4, 1985). When these materials are recycled to recover their metal content, they are exempted from regulation.

Waste-Derived Fuels

Fuels produced by refining oil-bearing hazardous wastes, along with normal process streams at a petroleum refining facility, are exempt under §261.6(a)(3)(iii) if such wastes resulted from normal petroleum refining, production, and transportation practices. This exemption does not apply to fuels produced from oil recovered from oil-bearing hazardous waste, where such recovered oil is already excluded under §261.4(a)(12) (59 FR 38537, 38545; July 28, 1994).

Reintroduced Oils

Until July 28, 1994, §261.6(a)(3)(v) contained an exemption from regulation as a recycled material for oil reclaimed from petroleum refining hazardous wastes. This exemption was deleted and superseded by a newly created exclusion in §261.4(a)(12) (59 FR 38537, 38538). Essentially, these wastes are still excluded from regulation. The July 28, 1994, rule moved the exemption to a different section of the regulations. This exemption is discussed further in the module Solid and Hazardous Waste Exclusions.

Reintroduced Fuels and Reclaimed Oils

Fuels produced from refining oil-bearing hazardous wastes at a petroleum refining facility are exempt under §§261.6(a)(3)(iv)(A) and (B). For these wastes to be considered to be "refined," they must be inserted into a part of the process designed to remove contaminants; this would mean insertion prior to distillation. Consequently, if a facility takes an oil-bearing hazardous waste and processes it without distillation to produce a fuel, the resulting fuel is not covered by this exemption and so could be subject to regulation (50 FR 49169; November 29, 1985).

Also, the resulting fuels must meet the used oil specifications in §266.40(e) in order to fall within this exclusion.

Oil that is reclaimed from oil-bearing hazardous wastes generated by petroleum refining, production, and transportation practices is exempted under §261.6(a)(3)(iv)(C). This oil will only be exempt if it meets the used oil specifications in §266.40(e) and is not reintroduced to a refining process.

Petroleum Coke Fuels

Petroleum coke produced from petroleum refinery hazardous waste containing oil is exempted from Subtitle C regulation if (1) the coke is produced at the same facility that generated the hazardous waste; and (2) the coke does not exhibit a characteristic of hazardous waste (§261.6(a)(3)(v) and 59 FR 38545; July 28, 1995). Note that recycled coke by-products are also exempt under §261.4(a)(10).

MANAGEMENT STANDARDS FOR USED OIL AND UNIVERSAL WASTE

In addition to the materials discussed above, there are two other categories of wastes that have special regulations. The first category is used oil sent for recycling. When recycled, used oil is subject to the standards found in Part 279 (§261.6(a)(4)).

Universal wastes comprise the second category of wastes subject to special standards. Hazardous waste batteries, hazardous waste pesticides that are recalled or sent to a collection program, and hazardous waste thermostats are subject to the standards of Part 273 (§261.9). Part 273 is different than the other special standards mentioned above. It applies to the universal wastes when they are disposed of and/or when they are recycled. These standards will be discussed later in this module.

Used Oil

Used oil represents a rather unusual case. Because EPA introduced a new used oil management program in 1992 to replace the existing standards, there are overlapping sets of regulations. Under the existing program, which EPA promulgated in 1985, used oil burned for energy recovery is subject to the standards of Part 266, Subpart E. Under the new program, used oil being recycled in any manner is subject to the standards of Part 279 (§261.6(a)(4)). The relationship between these two programs and the used oil management requirements are discussed in detail in the module entitled Used Oil.

Universal Waste

On May 11, 1995 (60 FR 25492), EPA promulgated regulations which streamline the collection of certain hazardous wastes. The rule, known as the "Universal Waste Rule," creates special management standards in Part 273 for hazardous waste batteries, hazardous waste pesticides that are either recalled or collected in waste pesticide collection programs, and hazardous waste thermostats. Section 261.9 requires that these wastes be managed under Part 273, regardless of whether they are sent for disposal or for recycling. The rule also contains provisions for adding other wastes to the universal waste system.

MANAGEMENT STANDARDS FOR RECYCLING IN §§261.6(b) AND (c)

Recyclable materials that do not meet an exemption or that are not subject to special requirements are regulated under §§261.6(b), (c), and (d). Generators and transporters of recyclable materials that are solid and hazardous wastes are subject to the same regulations as other generators and transporters of hazardous waste. Facilities that store these materials prior to recycling, however, are subject to the applicable TSD standards. As discussed below, however, the recycling process itself is not subject to regulation.

Generators and Transporters

Generators of recyclable hazardous wastes are required to follow all the applicable requirements of Part 262 (§261.6(b)). Likewise, transporters of recyclable materials must comply with Part 263 standards.

Treatment, Storage, and Disposal Facilities

Owners or operators of facilities that store hazardous materials prior to recycling are subject to all of the requirements of treatment, storage, and disposal facilities (§261.6(c)). In other words, storage is fully regulated. Pursuant to §261.6(c)(2), however, if the recyclable material is not stored before reuse or recycling but put immediately into the reuse/recycling unit, a storage permit or interim status is not necessary. The facility must only obtain an EPA ID number and comply with the manifest requirements under §§265.71-265.72 and §265.76.

An important component to §261.6(c) is that while storage of a hazardous waste is regulated, the recycling process itself is generally exempt from RCRA regulation, including permitting requirements. (The one exception is that the unit may have to comply within some air emission regulations which are discussed below.) State hazardous waste regulations and other federal or state environmental laws or regulations may be applicable.

As mentioned above, the recycling units are potentially subject to air emission standards, if located at a permitted or interim status treatment, storage, or disposal facility (§261.6(d)). Parts 264/265, Subparts AA and BB require air emission controls for specific units that manage waste with a minimum organic content. If recycling units meet these criteria, the units would need to comply with the appropriate regulations. The newly promulgated subpart CC air emissions standards do not apply to recycling units.

3. SPECIAL ISSUES

Some areas of the solid and hazardous waste recycling regulations can be difficult to master. The topics discussed below are often misunderstood by callers and should be thoroughly understood by Information Specialists.

3.1 REFINING VERSUS RECLAMATION

There is often uncertainty about when a reclamation process is complete and when the recycled material is a final product rather than a partially reclaimed material. Sometimes a product must be further purified to be sold or used, and this is viewed as refining or purification of the product, and not reclamation. When in doubt, the generator must consult the appropriate EPA Regional or authorized state personnel.

3.2 RECYCLING PROCESS NOT REGULATED

In general, the actual recycling activity and treatment prior to recycling are not regulated. Thus, only storage prior to such recycling is regulated. If the waste is not stored prior to recycling, the recycler only needs to notify of the activity and comply with the use of the manifest when receiving shipments of recyclable materials from off-site (§261.6(c)(2)).

3.3 SHAM RECYCLING

For all recycling activities, the premise is that legitimate reclamation or reuse is taking place. To encourage recycling, EPA subjects these activities to reduced regulation. Some facilities, however, may claim that they are "recycling" a material in order to avoid being subject to RCRA regulation, when in fact the activity is not legitimate recycling. Therefore, EPA has established guidelines for what constitutes legitimate recycling and has described activities it considers to be "sham recycling." Considerations include whether the secondary material is effective for the claimed use, the secondary material is used in excess of the amount necessary, and whether or not the facility has maintained records of the recycling transactions.

4. REGULATORY DEVELOPMENTS

The definition of solid waste has changed substantially since the promulgation of the original RCRA regulations in 1980, and continues to evolve as EPA gathers more information about solid waste management and recycling. Currently, EPA is considering amending several aspects of the solid waste regulatory scheme.

4.1 MERCURY-CONTAINING LAMPS

Data suggest that while mercury-containing lamps are highly energy efficient, they often fail the TCLP and thus must be managed as hazardous waste. In an effort to reduce the regulatory burden associated with the disposal of mercury-containing lamps, EPA proposed a rule for the management of these wastes on July 27, 1994 (59 FR 38288). The rule outlined two regulatory options: (1) a conditional exclusion from Subtitle C, or (2) inclusion in the universal waste system. On March 31, 1995, however, the Agency withdrew this rule. It is still possible, however, that mercury-containing lamps will be subject to reduced regulations in the future. As mentioned above, states have the option of adding wastes, such as fluorescent lamps, to their universal waste programs, thus subjecting these wastes to the reduced regulations of Part 273.

4.2 USE CONSTITUTING DISPOSAL: AMENDMENTS

On August 24, 1994, EPA promulgated a final rule which amends §266.20 by prohibiting anti-skid/deicing uses of slag residues produced from the treatment of the listed wastes K061, K062, and F006 (59 FR 43496). Currently, these waste residues are conditionally exempt from hazardous waste regulation under §261.3(c)(2). On December 29, 1994, EPA proposed to further amend §266.20 with respect to these wastes (59 FR 67256). Specifically, these slags would be prohibited from any use constituting disposal unless they meet the conditions of the exemption under §261.3(c)(2). EPA withdrew this rule on March 31, 1995.

