

PB-220 046

REPORT FOR CONSULTATION ON THE METRO-  
POLITAN DALLAS-FT. WORTH INTRASTATE AIR  
QUALITY CONTROL REGION (TEXAS)

National Air Pollution Control Administration  
Washington, D.C.

October 1969

DISTRIBUTED BY:

**NTIS**

National Technical Information Service  
U. S. DEPARTMENT OF COMMERCE  
5285 Port Royal Road, Springfield Va. 22151

<b>BIBLIOGRAPHIC DATA SHEET</b>		1. Report No. APTD-1225	2.	3. Recipient's Accession No. PB-220 046																		
4. Title and Subtitle Report for Consultation on the Metropolitan Dallas - Ft. Worth Intrastate Air Quality Control Region (Texas)			5. Report Date October 1969																			
7.			6.																			
9. Performing Organization Name and Address U. S. Department of Health, Education, and Welfare Public Health Service Consumer Protection and Environmental Health Service National Air Pollution Control Administration			8. Performing Organization Rep. No.																			
			10. Project/Task/Work Unit No.																			
			11. Contract/Grant No.																			
12. Sponsoring Organization Name and Address Same			13. Type of Report & Period Covered																			
			14.																			
15. Supplementary Notes																						
16. Abstracts  The basic background information is presented for the consultation with state and local authorities prior to the designation of air quality control regions as stipulated in the Clean Air Act. Boundaries for the regions are proposed and the factors which are the basis for the proposed boundaries are discussed. Reports for consultation consider these factors: geography; population and economic activity; their prospective growth; probable direction of physical growth; the emission inventory and the location of sources; air quality and pollution transport analysis; regional planning; air pollution control; and governmental jurisdictions.																						
17. Key Words and Document Analysis. 17a. Descriptors <table border="0"> <tr> <td>Air pollution</td> <td>Atmospheric diffusion</td> </tr> <tr> <td>Regions</td> <td>Planning</td> </tr> <tr> <td>Geography</td> <td>Abatement</td> </tr> <tr> <td>Humans</td> <td>Government</td> </tr> <tr> <td>Industrial plants</td> <td></td> </tr> <tr> <td>Trends</td> <td></td> </tr> <tr> <td>Exhaust emissions</td> <td></td> </tr> <tr> <td>Inventories</td> <td></td> </tr> <tr> <td>Environmental surveys</td> <td></td> </tr> </table>					Air pollution	Atmospheric diffusion	Regions	Planning	Geography	Abatement	Humans	Government	Industrial plants		Trends		Exhaust emissions		Inventories		Environmental surveys	
Air pollution	Atmospheric diffusion																					
Regions	Planning																					
Geography	Abatement																					
Humans	Government																					
Industrial plants																						
Trends																						
Exhaust emissions																						
Inventories																						
Environmental surveys																						
17b. Identifiers/Open-Ended Terms																						
17c. COSATI Field/Group 135																						
12. Unlimited			19. Security Class (This Page) UNCLASSIFIED	21. No. of Pages 46																		
			20. Security Class (This Page) UNCLASSIFIED	22. Price																		

**REPORT FOR CONSULTATION ON THE  
DALLAS-FT. WORTH  
INTRASTATE AIR QUALITY CONTROL REGION  
(TEXAS)**

**U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE  
Public Health Service  
Consumer Protection and Environmental Health Service  
National Air Pollution Control Administration  
October, 1969**

## TABLE OF CONTENTS

	Page
SECTION I: THE REGIONAL APPROACH TO AIR QUALITY CONTROL AND A FEDERAL PROPOSAL FOR THE DALLAS-FT. WORTH REGION	
Preface .....	i
The Regional Approach.....	ii
Introduction .....	ii
Criteria for Determining Region Size .....	iii
Procedures for Designating Region Boundaries .....	vii
The Federal Proposal.....	x
SECTION II: ANALYSIS AND PROPOSAL FOR THE METROPOLITAN DALLAS- FORT WORTH INTRASTATE AIR QUALITY CONTROL REGION BY THE TEXAS AIR CONTROL BOARD	
Evaluation of Engineering Factors.....	1
Introduction.....	1
Topography.....	1
Meteorology.....	5
Emission Inventory.....	7
Air Quality Analysis.....	11
Suspended Particulate Air Levels.....	15
Sulfur Oxide Levels.....	15
Carbon Monoxide Levels.....	18
Summary.....	18
Evaluation of Urban Factors.....	20
Introduction.....	20
Population.....	20

TABLE OF CONTENTS, (Continued)

Industry.....	23
Regional Planning.....	23
Air Pollution Control Agencies.....	23
The Proposed Region.....	25
Discussion of Proposal.....	25
References.....	29

26

SECTION I

THE REGIONAL APPROACH TO AIR QUALITY CONTROL AND A  
FEDERAL PROPOSAL FOR THE DALLAS-FT. WORTH REGION

LC

## PREFACE

The Secretary, Department of Health, Education, and Welfare, is directed by the Clean Air Act, as amended, to designate "air quality control regions" prior to the adoption by the State(s) of air quality standards and plans for the implementation of the standards. In addition to listing the major factors to be considered in the development of region boundaries, the Act stipulates that the designation of a region shall be preceded by consultation with appropriate State and local authorities.

The National Air Pollution Control Administration (NAPCA) recently established a new policy by which States may propose to the Federal Government boundaries for air quality control regions. The Texas Air Control Board is the first state agency to initiate proposals for region boundaries under the new policy. The Air Control Board, with assistance from NAPCA, has conducted a study of the Dallas-Ft. Worth metropolitan area, the results of which are presented in the body of this report. The Region boundaries proposed in the report reflect consideration of available and pertinent data; however, the boundaries remain subject to revision suggested by consultation between Federal, State, and local authorities. Formal designation will be withheld pending the outcome of the meeting. This report is intended to serve as the starting point for the consultation.

## THE REGIONAL APPROACH

### Introduction

"For the purpose of establishing ambient air quality standards pursuant to section 108, and for administrative and other purposes, the Secretary, after consultation with appropriate State and local authorities, shall, to the extent feasible, within 18 months after the date of enactment of the Air Quality Act of 1967 designate air quality control regions based on jurisdictional boundaries, urban-industrial concentrations, and other factors including implementation of air quality standards. The Secretary may from time to time thereafter, as he determines necessary to protect the public health and welfare and after consultation with appropriate State and local authorities, revise the designation of such regions and designate additional air quality control regions. The Secretary shall immediately notify the Governor or Governors of the affected State or States of such designation."

### Section 107(a), Air Quality Act of 1967

Air pollution, because of its direct relationship to people and their activities, is an urban problem. Urban sprawls often cover thousands of square miles; they quite often include parts of more than one state and almost always are made up of several counties and an even greater number of cities. Air pollution, therefore, also becomes a regional problem, and the collaboration of several governmental jurisdictions is prerequisite to the solution of the problem in any given area. Air quality control regions called for in the above-quoted section of the Air Quality Act of 1967 are meant to define the geographical extent of air pollution problems in different urban areas and the combination of jurisdictions that must contribute to the solution in each.

The regional approach set up by the Air Quality Act is illustrated in Figure 1. The approach involves a series of steps to be taken by Federal, State, and local governments, beginning with the designation of regions, the publication of air quality criteria, and the publication of information on available control techniques by the Federal Government. Following the completion of these three steps, the Governors of the States affected by a region must file with the Secretary within 90 days a letter of intent, indicating that the States will adopt within 180 days ambient air quality standards for the pollutants covered by the published criteria and control technology documents and adopt within another 180 days plans for the implementation, maintenance, and enforcement of those standards in the designated air quality control regions.

The new Federal legislation provides for a regional attack on air pollution and, at the same time, allows latitude in the form which regional efforts may take. While the Secretary reserves approval authority, the States involved in a designated region assume the responsibility for developing standards and an implementation plan which includes administrative procedures for abatement and control.

#### Criterial for Determining Region Size

Several objectives are important in determining how large an air quality control region should be. Basically, these objectives can be divided into three separate categories. First, a region should be self-contained with respect to air pollution sources and receptors. In other words, a region should include most of the important sources as well as most of the people and property affected by those sources.




Figure 1. FLOW DIAGRAM FOR ACTION TO CONTROL AIR POLLUTION ON A REGIONAL BASIS, UNDER THE AIR QUALITY ACT.

In this way, all the major elements of the regional problem will be within one unified administrative jurisdiction. Unfortunately, since air pollutants can travel long distances, it is impractical if not impossible to delineate regions which are completely self-contained. The air over a region will usually have at least trace amounts of pollutants from external sources. During episodic conditions, such contributions from external sources may even reach significant levels. Conversely, air pollution generated within a region and transported out of it can affect external receptors to some degree. It would be impractical and inefficient to make all air quality control regions large enough to encompass these low-level effects. The geographic extent of trace effects overestimates the true problem area which should be the focus of air pollution control efforts. Thus, the first objective, that a region be self-contained, becomes a question of relative magnitude and frequency. The dividing line between "important influence" and "trace effect" will be a matter of judgment. The judgment should be based on estimates of the impact a source has upon a region, and the level of pollution to which receptors are subjected. In this respect, annual and seasonal data on pollutant emissions and ambient air concentrations are better measures of relative influence than short-term data on episodic conditions.

The second general objective requires that region boundaries be designed to meet not only present conditions but also future conditions. In other words, the region should include areas where industrial and residential expansion are likely to create air pollution problems in

the foreseeable future, and provide a way of maintaining areas now favored by clean air. This objective requires careful consideration of existing metropolitan development plans, expected population growth, and projected industrial expansion. Such considerations should result in the designation of regions which will contain the sources and receptors of regional air pollution for a number of years to come. Of course, region boundaries need not be permanently fixed, once designated. Boundaries should be reviewed periodically and altered when changing conditions warrant readjustment.

The third objective is that region boundaries should be compatible with and even foster unified and cooperative governmental administration of the air resource throughout the region. Air pollution is a regional problem which often extends across several municipal, county, and even state boundaries. Clearly, the collaboration of several governmental jurisdictions is prerequisite to the solution of the problem. Therefore, the region should be delineated in a way which encourages regional cooperation among the various governmental bodies involved in air pollution control. The pattern of cooperation among existing air pollution control programs is a relevant factor. The existing boundaries of regional planning agencies or councils of government may also become an important consideration. In general, administrative considerations dictate that governmental jurisdictions should not be divided. Although it would be impractical to preserve State jurisdictions undivided, usually it is possible to preserve the unity of county governments by including or excluding them in their entirety. Occasionally, even this is impractical due to a county's large size, wide variation in level of development, or striking topographical features.


To the extent that any two of the above three objectives lead to incompatible conclusions concerning region boundaries, the region must represent a reasonable compromise. A region should represent the best way of satisfying the three objectives simultaneously.

#### Procedures for Designating Region Boundaries

Figure 2 summarizes the procedure used by the National Air Pollution Control Administration for designating air quality control regions whose boundaries are proposed by the State.

A preliminary delineation of the region is developed by bringing together two essentially separate studies--the "Evaluation of Engineering Factors" and the "Evaluation of Urban Factors."

The study of "Engineering Factors" indicates the location of pollution sources and the geographic extent of serious pollutant concentrations in the ambient air. Pollution sources are located by an inventory of emissions from automobiles, industrial activities, space heating, waste disposal, and other pollution generators. Pollution concentrations in the ambient air are estimated from air quality sampling data and from a theoretical diffusion model. When it exists, air quality sampling data is more reliable than the theoretical diffusion model results since the data is directly recorded by pollution measuring instruments. Unfortunately, in many cases extensive air quality sampling data is unavailable in the rural areas surrounding an urban complex.



**Figure 2. FLOW DIAGRAM FOR STATE-INITIATED AIR QUALITY CONTROL REGIONS.**

The study of "Urban Factors" encompasses non-engineering considerations. It reviews existing governmental jurisdictions, current air pollution control programs, present concentrations of population and industry, and expected patterns of urban growth. Other non-engineering factors are discussed when they are relevant. As a whole, the study of urban factors indicates how large an air quality control region must be in order to encompass expected growth of pollution sources in the future. It also considers which group of governmental jurisdictions will most effectively administer a strong regional air quality control program.

The conclusions of the engineering study are combined with the results of the urban factors study to form the basis of an initial proposal for an air quality control region. As shown in Figure 2, the proposal is then submitted to NAPCA for review and printing.

The report is mailed to State and local authorities in preparation for the consultation between appropriate Federal, State, and local officials. After reviewing the suggestions raised during the consultation, the Secretary formally designates the region with a notice in the Federal Register and notifies the Governor(s) of the State(s) affected by the designation.

Section II of this report and the proposal therein were prepared by the Texas Air Control Board. The report itself is intended to serve as the background document for the formal consultation.

### THE FEDERAL PROPOSAL

The National Air Pollution Control Administration has reviewed the proposal and the supportive discussion prepared by the Texas Air Control Board. NAPCA concurs with the findings of the Board and proposes to include Collin, Dallas, Denton, Ellis, Johnson, Kaufman, Parker, Rockwall, Tarrant, and Wise Counties in the Metropolitan Dallas-Fort Worth Intrastate Air Quality Control Region.

The three objectives outlined in the subsection entitled "Criteria for Determining Region Size" are met by the proposed delineation. Most pollution sources and receptors are located in two of the ten counties--Dallas and Tarrant. However, all ten counties have population and industrial growth potential.

The National Air Pollution Control Administration encourages the establishment of air quality control regions which correspond to, or are compatible with, State or locally defined planning regions. Such designation may be realized in those instances where the air pollution problem area lies within the bounds of the planning agency; this is the case in the Dallas-Fort Worth area. The Region as proposed is coterminous with the jurisdictional boundaries of the North Central Texas Council of Governments. The Council of Governments may be capable of providing assistance in the development of air quality standards and implementation plans which recognize the close relationship between air resource management, transportation, land-use patterns,

solid-waste disposal, and other urban activities.

The proposed ten-county Region is considered to be one which will be capable of abating air pollution in the metropolitan Dallas-Fort Worth area.

SECTION 11

ANALYSIS AND PROPOSAL FOR THE METROPOLITAN DALLAS-FORT WORTH  
INTRASTATE AIR QUALITY CONTROL REGION  
BY THE TEXAS AIR CONTROL BOARD

*xii*

## EVALUATION OF ENGINEERING FACTORS

### INTRODUCTION


The engineering evaluation for the Dallas-Fort Worth area was based on a study of topography, air pollutant emissions, meteorology, estimated air quality levels, and available air quality data. The emission inventory indicated the location of point and area sources and the quantity of pollutants emitted from these sources.<sup>1</sup> Emission densities were calculated from the emission quantities and grid areas. Emissions and average meteorological data were used in a diffusion model to estimate air quality levels. Figure 1 shows the Dallas-Fort Worth Metropolitan Area in relation to other metropolitan areas. Figure 2 is a more detailed map of the ten-county study area.

### TOPOGRAPHY

The topography of the ten counties within the study area is basically similar. The area is a relatively flat rolling plain.

The City of Dallas lies in a depression formed by a portion of the watershed of the Trinity River and its tributaries. The elevations at the river level vary from 400 feet above sea level at the southeast corner of Dallas County to 500 feet above sea level at the northwest corner of Dallas County. The counties of Ellis, Johnson, Tarrant, Wise, Denton, Collin, and Rockwall are contiguous to Dallas County with elevations ranging from 500 to 1000 feet above sea level. See Figure 3. The Trinity River, flowing from the northwest to the southeast, bisects Dallas County. The river basin may influence the movement of air pollutants under certain meteorological conditions.

Figure 1. Map of Dallas-Fort Worth Study Area and Surrounding States







FIGURE 2. DALLAS-FORT WORTH TEN COUNTY STUDY AREA




FIGURE 3.

# ELEVATIONS AND PRINCIPAL RIVERS AND TRIBUTARIES OF DALLAS AND SURROUNDING COUNTIES

(Reservoirs omitted in order to emphasize natural drainage patterns.)



## LEGEND

-  300-500 Feet
-  500-1,000 Feet
-  1,000-1,400 Feet

Source: U.S. Geological Survey, as published by the Bureau of Business Research, The University of Texas, Atlas of Texas, 1963, p. 5; Texas State Board of Water Engineers, Surface Water Reservoirs, TWRP-4, 1958, Plate V.

The City of Fort Worth in Tarrant County also lies in the Trinity River Basin.

#### METEOROLOGY

The climate of the study area is temperate with brief durations of extreme weather. Prevailing winds are from the southeast averaging 11 mph, annually, except during the winter months when frequent passages of high pressure areas bring invasions of polar air and usually high winds. Although the prevailing winds are advantageous to the dispersal of air pollution, thermal inversions do occur about 35% of the time. Annual and seasonal wind roses for the Dallas-Fort Worth area are shown in Figure 4.


Average mixing depth in meters for the Dallas-Fort Worth area is shown below in Table I.

Table I


	Winter	Spring	Summer	Autumn	Average
Morning	350	565	605	400	845
Afternoon	880	1190	1430	1340	

The wind rose data and mixing depth information were utilized in the simulation model for the ten-county study area.

The degree to which pollutants accumulate is strongly affected by the weather. Measured concentrations of ambient air quality may vary markedly with changing weather conditions even though the total




ANNUAL



WINTER

Scale: 1" = 10%



SUMMER

Figure 4. Wind Roses for Dallas-Fort Worth Area  
(numbers indicate % of time)

discharge of pollutants into the atmosphere remains relatively constant. Stagnating anticyclones which are conducive to prolonged air pollution episodes are almost non-existent in the Dallas area.

## EMISSION INVENTORY<sup>1</sup>

The National Air Pollution Control Administration in cooperation with the State and local control programs conducted an inventory of air pollutant emissions for the greater Dallas-Fort Worth area. The method employed was the Rapid Survey Technique for Estimating Community Air Pollution Emissions.<sup>5</sup> This technique provided estimates of the total emissions for the following five pollutants; sulfur oxides; nitrogen oxides; hydrocarbons; carbon monoxide; and particulate matter. Sulfur oxides, total particulates and carbon monoxide are considered in this report since they provide an indication of the geographic extent of the air pollution problem.

Sulfur oxide levels and total particulate emissions illustrate the impact of industrial processing activities from stationary sources. Levels of carbon monoxide provide the best indication of the impact of gasoline powered motor vehicles.

The ten-county study area was divided into grid zones which serve as the basis for locating sources and reporting emissions. Figure 5 shows the grid coordinate system for the Dallas-Fort Worth study area. Major point source locations are shown in Figure 6. Most of the major point sources are located in Dallas and Tarrant counties.

Figure 7 illustrates the sulfur oxide emission density for the ten-county study area. Major sulfur emissions are shown for




Figure 5. Dallas-Ft. Worth grid coordinate system.




Figure 6. Location of Major Point Sources in the Study Area




Figure 7. Sulfur oxides emission density from all sources in the Dallas - Ft. Worth study area, 1967.

Dallas and Tarrant counties. Figure 8 shows the particulate emission density for the study area. Again, Dallas and Tarrant counties show relatively high emissions of particulates. Carbon monoxide emission density is shown in Figure 9. Portions of Dallas, Tarrant, Parker, Denton, Collin, Rockwall, Kaufman, Ellis, and Johnson counties show carbon monoxide emissions.

A summary of the emissions by source category is shown in figure 10.

#### AIR QUALITY ANALYSIS

The geographical distribution of pollutant sources illustrates the core of the problem area. However, this does not elucidate the extent of the influence of the pollution sources on the people and the property located outside of the highly urbanized portions of the Dallas-Fort Worth area. A study of air quality levels known to occur is useful in determining the area affected by the pollution sources and thus subject to inclusion in the Air Quality Control Region. Such an analysis can be based directly on air sampling data in those instances where the monitoring program covers a large enough area and has been in existence long enough to provide a reliable pattern of air quality throughout the region under study. Since such comprehensive air quality data rarely exists, it becomes necessary to develop estimates of prevailing air quality. Diffusion modeling is a technique by which such estimates can be made based on the location and quantity of the pollutant emissions and on meteorological conditions. Topography is reflected in the results of the model, but only to the extent that it influences general meteorological conditions.




Figure 8. Particulate emission density from all sources in the Dallas - Ft. Worth study area, 1967.




Figure 9. Carbon monoxide emission density from all sources in the Dallas - Ft. Worth study area, 1967.




Figure 10. Summary of Air Pollutant Emissions - 1967

**NOTE:** This information represents data on specific air pollutant emissions gathered during the rapid survey for the major point sources shown in Figure 6 and the area sources. It should not be interpreted as representative of air pollutant emissions for any specific location within the study area.

The diffusion model was applied for each of the three pollutants for an average summer day, winter day and annual day. Since the Martin-Tikvart model<sup>6</sup> used in this study attempts to show long-term rather than episodic air quality conditions, only average emissions and long-term meteorology are considered. The results of the diffusion model are theoretical in nature and are not meant to show exact concentrations. The relative magnitudes, however, should be valid. The outputs from the computer modeling have been adjusted to reflect existing air quality data. Figure 11, 12, and 13 show these adjusted values for particulates, sulfur oxides and carbon monoxide, respectively.

#### SUSPENDED PARTICULATE AIR LEVELS

The levels predicted by the diffusion model were generally lower than the actual measured air quality data; however, the model aided in delineating the affected area. The isopleths shown were adjusted for background levels and for measured values, where available. Figure 11 shows the annual average distribution of particulate pollution. Portions of Dallas, Tarrant, Parker, Wise, Denton, Collin, Ellis and Johnson counties are shown to be experiencing levels above background.

#### SULFUR OXIDE LEVELS

Figure 12 shows the distribution of sulfur oxides over the ten-county study area. The absence of high sulfur content fuels eliminates the area-wide sulfur oxide problems encountered in many other metropolitan areas. Sulfur oxides are present in Dallas and Tarrant counties.




FIGURE 11. ANNUAL PARTICULATE CONCENTRATIONS  
(  $\mu\text{g}$  )  
M<sup>3</sup>




FIGURE 12. ANNUAL SULFUR OXIDE CONCENTRATIONS (ppm)

## CARBON MONOXIDE LEVELS

Since the primary source of carbon monoxide is the internal combustion engine, the distribution of this pollutant tends to correlate with major traffic patterns. The influences of the interstate freeway system are obvious. Portions of most of the ten counties are shown in Figure 13 to be experiencing carbon monoxide pollution. All towns in the study area have a localized carbon monoxide problem where main traffic arteries exist.

## SUMMARY

The engineering evaluation of the ten county study area shows that at the present time, the major point sources are located in Dallas and Tarrant counties. Receptors in these two counties are also shown to be experiencing the major air pollution problems. However, the other eight surrounding counties are beginning to be affected by Dallas and Tarrant counties pollution and will tend to become major receptors in the years ahead.




FIGURE 13. ANNUAL CARBON MONOXIDE CONCENTRATIONS (ppm)

## EVALUATION OF URBAN FACTORS

## INTRODUCTION

A number of urban factors are relevant to the problems of defining the boundaries of air quality control regions. These factors include the location of population and industry, the population density, projected growth of both population and industry, and jurisdictional considerations such as control agencies and regional planning commissions. These are all important considerations since human activity is the initial cause of most air pollution. Humans are also the receptors affected by the pollution. The projected growth patterns are most important for future planning purposes.

## POPULATION

Table II<sup>1</sup> shows the population growth for the study area from 1960 to 1967 with an overall growth of 26%. Estimates of future population shows that there will be almost 4 million people in the ten-county area by the year 1990.<sup>7</sup> Currently more than 88% of the population for the study area reside in Dallas and Tarrant counties. The remaining 12% is spread among the other eight counties which are primarily rural. Figure 14<sup>1</sup> shows the "population density", and indicates that the cities of Fort Worth and Dallas are already outgrowing their respective county boundaries. Of the ten counties, only Wise and Parker counties are not included in either the Dallas or Fort Worth Standard Metropolitan Statistical Area.

Table II Population and Area Characteristics For  
The Dallas-Fort Worth Study Area, 1967

County	1960 Population	1967 Population	Land Area	Population Density(1967)
Collin	41,247	50,540	867	58.3
Dallas	951,527	1,297,230	875	1,482.5
Denton	47,432	61,680	911	67.7
Ellis	43,395	46,000	950	48.4
Johnson	34,720	35,370	740	47.8
Kaufman	29,931	31,170	815	38.2
Parker	22,880	26,520	903	29.4
Rockwall	5,878	6,130	147	41.7
Tarrant	538,495	615,400	868	708.9
Wise	17,012	16,780	922	18.2
TOTAL	1,732,517	2,186,820	7,998	273.4




Figure 14. Population density for the Dallas - Ft. Worth study area, 1967.

## INDUSTRY

The ten-county study area is generally void of major heavy industry with Dallas and Tarrant counties containing most of the industry at the present time. Examples of the industry are one sulphuric acid plant, one refinery, three cement plants, concrete or asphaltic batching plants and miscellaneous secondary metals foundries. Figure 6 verifies that the industrial sources are primarily concentrated in Dallas and Tarrant counties. The planned canalization of the Trinity River from the Gulf of Mexico to the Dallas-Fort Worth area is certain to enhance the industrial expansion potential of Tarrant, Dallas, Ellis, Kaufman, Wise and Denton counties. This navigation project, as proposed by the Army Corps of Engineers is now in the planning stages; however, a completion date in the 1980's is possible.

## REGIONAL PLANNING

The North Central Texas Council of Governments is the regional planning agency for the area. The ten counties of the study area including 82 cities and 18 school districts make up the council which was formed in 1966. Projects relating to comprehensive planning, regional police academy, law enforcement study, regional codes study, and model clean air ordinance have been completed. Coordination of planning activities relative to this region may best be performed by the North Central Texas Council of Governments.

## AIR POLLUTION CONTROL AGENCIES

The Texas Air Control Board is the State agency responsible for air pollution control activities. The Texas Clean Air Act provides

for full enforcement of State Rules and Regulations by local governments (cities, counties, and health districts). The State Board has adopted regulations relating to smoke and suspended particulate matter, outdoor burning, sulfur compounds and toxic materials. Enforcement provisions allow both injunctive relief and civil and criminal penalty of up to \$1000 per day. Within the ten-county study area organized local control programs are presently functional in the City of Dallas and the City of Fort Worth.

## THE PROPOSED REGION

Subject to the scheduled consultations, The Texas Air Control Board recommends that the Secretary, Department of Health, Education, and Welfare, designate an air quality control region for the Dallas-Fort Worth area, consisting of the following jurisdictions in Texas:

Dallas County  
Tarrant County  
Wise County  
Denton County  
Collin County  
Parker County  
Rockwall County  
Kaufman County  
Johnson County  
Ellis County

As so proposed, the Dallas-Fort Worth Air Quality Control Region would consist of the territorial area encompassed by the outermost boundaries of the proposed jurisdictions. The proposed Region is shown in Figure 15.

## DISCUSSION OF PROPOSAL

The proposed Region boundaries coincide with the boundaries of the North Central Texas Council of Governments. In general, state or locally defined planning regions do not automatically qualify as air quality control regions. However, the Air Quality Act of 1967 requires region boundaries to take into account existing jurisdictions, among other factors. Clearly, a council of governments created under a state enabling act is an important jurisdictional consideration. Therefore, this study of the geographic extent of the air pollution problem indirectly evaluates the suitability of the ten-county area as a geographic basis of attack on the air




Figure 15. . Proposed Dallas-Fort Worth Air Quality Control Region

pollution problem. As discussed below, the ten counties in the council of governments area satisfy the three requirements for air quality control region boundaries.

To be successful, an air quality control region should meet three basic conditions. First, its boundaries should encompass most pollution sources as well as most people and property affected by those sources. Second, the boundaries should encompass those locations where industrial and residential development will create significant air pollution problems in the future. Third, the boundaries should be chosen in a way which is compatible with and even fosters unified and cooperative governmental administration of the air resources throughout the region. The "Evaluation of Engineering Factors" (discussion beginning with page 1 ) discussed the first of these conditions, and the "Evaluation of Urban Factors" (page 20 ), the second and third.

The first consideration--that most air pollution sources and receptors be within the Region boundaries--is satisfied by the proposed Region. Major point sources are located in two counties--Dallas and Tarrant. Emission densities of particulates, carbon monoxide, and sulfur oxides are greatest in these two jurisdictions.

The second consideration is directed towards future population and industrial expansion. Approximately 2,000,000 people live in the proposed Region, which represents about 20% of the population of the State. Estimates for the year 1990 show approximately 4,000,000 people in the ten-county area. Industrial expansion is certain to include the counties which today are primarily rural. The proposed canalization of the Trinity River is certain to have an impact on the industrial development of the entire area.

The third objective relates to governmental administration in the area. Regional planning is coordinated by the North Central Texas Council of Governments whose jurisdiction includes all ten of the counties. The Council was established in 1966 and consists of representatives of 82 cities, 10 counties, and 18 school districts.

Based on the technical data presented on air pollutant emissions and resultant ambient air concentrations, presently only two counties (Dallas and Tarrant) need be part of the Region to attack the air pollution problem. Several of the other eight counties are primarily rural but as time passes they will become more urbanized, particularly those contiguous to Dallas and Tarrant counties. However, since all ten counties have joined in the administration of the Council of Governments, it is logical to include them all in the Air Quality Control Region for administrative purposes despite low air pollution potential in several of the counties.

In summary, the Region proposed is considered on the whole to be the most cohesive and yet inclusive area within which an effective regional effort can be mounted to prevent and control air pollution in the Dallas-Fort Worth Metropolitan Area.

## REFERENCES

1. "Dallas-Fort Worth Metropolitan Air Pollutant Emission Inventory", U.S.D.H.E.W., P.H.S., C.P.E.H.S., N.A.P.C.A., April, 1969.
2. "An Appraisal of the Air Resources of Dallas and Dallas County, Texas", November 9 thru November 15, 1965, Dallas City and County Health Depts., Texas State Dept. of Health, April 25, 1966.
3. "U. S. Weather Bureau, Normal Surface Wind Data for the United States", Washington, D.C., 1942.
4. "Synoptic Climatology and Air Pollution, Dallas, Texas", by Robert Orton, Texas State Climatologist, Environmental Science Services Administration, Austin, Texas, 1965.
5. Ozolins, G. and Smith, R., "Rapid Survey Technique for Estimating Community Air Pollution Emissions", U.S.D.H.E.W., P.H.S., October, 1966.
6. "General Atmospheric Diffusion Model for Estimating the Effects on Air Quality of One or More Sources," Martin, D. and Tikvart, J., Paper No. 68-148, 61st Annual Meeting, APCA, St. Paul, Minnesota, June, 1968.
7. North Central Texas Council of Governments - Population Projections

