
Region II Office 26 Federal Plaza New York, N.Y. 10007 EPA 902/4-86-001 November 1986

Air



# PHOTOCHEMICALLY REACTIVE ORGANIC COMPOUND EMISSIONS FROM CONSUMER AND COMMERCIAL PRODUCTS



## PHOTOCHEMICALLY REACTIVE ORGANIC COMPOUND EMISSIONS FROM CONSUMER AND COMMERCIAL PRODUCTS

FINAL REPORT

November 26, 1986

Submitted To:

Paul Truchan, Project Officer
U.S. Environmental Protection Agency
Air Programs Branch
26 Federal Plaza
New York. New York 10278

Submitted By:

Science Applications International Corporation 8400 Westpark Drive McLean, VA 22102

> Alan Jones Harvey Rich Granville Sewell Michael Rogozen Michael Katz

EPA Contract No. 68-02-3893, Work Assignment No. 8 SAIC Project No. 2-834-07-025-68

This air pollution report is issued by Region II, U.S. Environmental Protection Agency to assist State and local air pollution control agencies in carrying out their program activities. Copies of this report may be obtained for a nominal cost, from the National Technical Information Service, 5285 Port Royal Road, Springfield, VA 22151.

This report was furnished to the Environmental Protection Agency by Science Applications International Corporation, 8400 Westpark Drive, McLean, VA 22102, in fulfillment of EPA Contract No. 68-02-3893. This report has been reviewed by Region II, EPA, and approved for publication. Approval does not signify that the contents necessarily reflect the views and policies of EPA, nor does mention of trade names or commercial products constitute endorsement or recommendations for use.

EPA Region II Publication No. 902/4-86-001

#### TABLE OF CONTENTS

		Page
1.	INTRODUCTION	1-1
2.	DEFINITION OF TERMS	2-1
3.	TECHNICAL APPROACH	3-1
	3.1 DESCRIPTION OF SOURCES	3-1 3-2
4.	UNCERTAINTIES/DATA GAPS	4-1
5.	RESULTS	5-1
6.	CONCLUSIONS	6-1
	NDIX A - CONSUMER PRODUCT FORMULAS AND CONSUMPTION NDIX B - REFERENCES	

#### LIST OF TABLES

<u>Table</u>		Page
1	AVAILABILITY OF DATA BY PRODUCT SUBCATEGORY	4-5
2	RELATIVE EVAPORATION RATES - ALPHABETICAL	5–3
3	RELATIVE EVAPORATION RATES - NUMERICAL	5–10
4	VOC AND PROC EMISSIONS IN CALIFORNIA	5-18
5	VOC AND PROC EMISSIONS IN NEW JERSEY	5–25
6	VOC AND PROC EMISSIONS IN NEW YORK	5-33
7	CONSUMER PRODUCT SUBCATEGORIES RANKED IN ORDER OF LOW TOTAL PROC EMISSIONS	6-6
8	CONSUMER PRODUCT SUBCATEGORIES RANKED IN ORDER OF HIGH TOTAL PROC EMISSIONS	6-9
9	CONSUMER PRODUCT SUBCATEGORIES RANKED IN ORDER OF AVERAGE TOTAL PROC EMISSIONS	6-12
10	VOC AND PROC RATIOS FOR PRODUCT CATEGORIES IN CALIFORNIA	6-15
11	VOC AND PROC RATIOS FOR PRODUCT CATEGORIES IN NEW YORK	6-16
12	VOC AND PROC RATIOS FOR PRODUCT CATEGORIES IN NEW JERSEY	6-17
13	VOC AND PROC EMISSIONS IN CALIFORNIA	6–18
14	PER CAPITA AVERAGE VOC AND PROC EMISSIONS (LB/PERSON)	6–19
15	PER CAPITA LOW VOC AND PROC EMISSIONS (LB/PERSON)	6-20
16	PER CAPITA HIGH VOC AND PROC EMISSIONS (LB/PERSON)	6-20

#### 1. INTRODUCTION

Pursuant to the Clean Air Act, States are required to attain the Federal ambient ozone standard by 1987. EPA has found that the formation of oxidants (e.g., ozone) is directly related to the emission of photochemically reactive organic compounds (PROCs). Therefore, EPA and the States have initiated control programs to reduce PROC emissions to meet the Federal ozone standard. Organic compounds with high vapor pressures volatilize easily and are known as volatile organic compounds (VOCs). Photoreactive organic compounds (PROCs), a subset of VOCs, are chemically reactive in sunlight. Although substantial controls on PROCs are in effect, parts of California, New Jersey, and New York will not be able to attain the ozone standard unless further PROC emission reductions occur. Preliminary emission estimates indicate that consumer and commercial products represent a significant contribution to the uncontrolled release of PROC. This study was undertaken to determine whether there was potential for emission reductions from the consumer product source category.

The development of an emission reduction strategy requires an inventory of VOC and PROC emissions from consumer and commercial products. Since previous inventories of this type used information dating back to the early 1970s, EPA Regions 2 and 9, and the States of California, New Jersey, and New York are supporting this study. The primary goals of the study are to (1) identify the available secondary reference sources for the inventory, (2) assess the quantity and quality of data which may be obtained from these references for all consumer and commercial products, and (3) accurately determine the quantity of VOC and PROC emissions from consumer and commercial products for three geographical areas. The areas studied are: (1) the State of California; (2) the State of New Jersey; and (2) the New York City metropolitan area, which consists of the five boroughs of New York City, and Nassau, Suffolk, Rockland, and Westchester counties.

This report, along with accompanying tables of emission estimates, fulfills the requirements of Task 4 of the August 30, 1985 Work Plan. Where possible, SAIC has estimated use and composition data for consumer and

commercial products (Appendix A). SAIC has also calculated VOC and PROC emissions for "typical" product formulations and individual product categories, and total emissions for all product categories in each of the three assigned regions (Tables 4, 5, and 6).

The estimated emissions assume that all VOC and PROC are released to the atmosphere. However, it is likely that not all such compounds are released immediately upon use, some possibly not at all. A small fraction may remain in the container or become chemically or physically bound in landfills or water systems, thereby preventing release. Finally, some VOC or PROC may be consumed by microbes in sewage systems or septic tanks.

#### 2. DEFINITION OF TERMS

The following are definitions of the terms used in presenting use and emissions data in Tables 4, 5, and 6.

Annual Unit Distribution - Annual unit distribution is defined as the number of units (i.e., containers, bottles, and cans, etc.) that are distributed or produced in a given year. These data are based on the Simmons Market Research Bureau 1983 survey and a 1984 survey conducted by the Chemical Specialties Manufacturers Association. The distribution numbers based on the Simmons survey were calculated by multiplying the estimated population using the product by the quantity of the product used in a given period. The distribution number generally represents all product formulations within the product category.

Average Unit Weight - This is the average weight of all products distributed in a product category. These data are primarily based upon surveys conducted by the Western Aerosol Information Bureau (WAIB, 1982).

Geographic Multiplier - The geographic multiplier is a factor that compares the regional usage of a specific product to the national average. For some products, usage may vary significantly according to geographic location. For example, use of suntan lotions in California is estimated to be 1.16 times the National average. The geographic multiplier is listed as a fraction of the National average, where the National average is 1.00. Thus, multipliers greater than 1.00 indicate usage is higher than the population in general and vice versa for multipliers less than 1.00.

The geographic multipliers were obtained using data from Simmons 1983 Study of Media & Markets. The multipliers were based on data presented for two of the five marketing regions established by Simmons for the study: northeast and Pacific. The northeast States included Connecticut, Maine, Massachusetts, New Jersey, New York, Pennsylvania, Rhode Island, and Vermont. The Pacific States included Arizona, California, Idaho, Nevada, Oregon, Utah, and Washington. For each marketing region, an index was calculated by dividing the percentage of the regional population using the product by the percentage of the total U.S. population using the product. This index was used as the geographic multiplier. Thus, for suntan lotions, the Simmons index for the pacific marketing region was 116% or 1.16. Since California is part of the Pacific region, the geographic multiplier for suntan lotions is 1.16.

National Consumption - National usage data are reported in pounds of product consumed annually. Most data are based on Kline (1981, 1982). Data for all-purpose cleaners and window and glass cleaners were converted from millions of gallons to millions of pounds using a conversion figure of 8.33 pounds per gallon. The consumption figure for shampoos was given by Predicasts, Inc. (1984) to be 2.7 pounds per capita. This was converted to pounds using a National population of 226,545,805.

Photoreactive Organic Compounds (PROCs) - All gaseous chemical compounds that contain the element carbon are defined as reactive by the EPA (Federal Register, 1983) excluding carbon monoxide, carbon dioxide, carbonic acid, carbonates, metallic carbides, methane, 1,1,1-trichlorethane, methylene chloride, trifluoromethane, trichlorotrifluoroethane, dichlorodifluoromethane, trichlorofluoromethane, chlorodifluoromethane, dichlorotetrafluoroethane, chloropentafluoroethane, and ethane.

Population Apportionment - This factor was used to adjust national data to the individual regions. It is a ratio of the population of the region divided by the population of the United States (U.S. Bureau of the Census, 1986). Population bases are: (1) 226,545,805 persons in the U.S., (2) 24,920,000 persons in CA, (3) 10,803,581 persons in N.Y., and (4) 8,376,900 persons in N.J.

Relative Evaporation Rate (RER) - A measure of the volatility of a compound relative to that of butyl acetate. A compound's RER depends upon its molecular weight and vapor pressure. See Section 3 for the mathematical definition.

Seasonal Variation - Variation in the use of a product or category of products from winter to summer was investigated. In most cases, data were not readily available. The only seasonal variations reported here are those for the use of paints and finishes and suntan products. These figures show the use of paint and suntan products in the summer compared with winter usage. The summer tanning season corresponds to May to October in California and June through September along the East Coast.

Total Volatile Organic Compound (VOC) Emissions - An organic compound is classified as volatile if its Relative Evaporation Rate exceeds 0.1 or if data for computing the RER are unavailable and the molecule has fewer than 10 carbons. Low and high VOC emission values are reported for each product subcategory. These are then aggregated into a low and a high total annual VOC emissions estimate.

Weight Fraction VOC or PROC - This number indicates the proportion of VOC or PROC in a given product formulation. Two fractions are generally reported for each product category. The first is the lowest estimate of VOC or PROC emitted from a set of formulations, while the second is the highest estimate of VOC or PROC emitted from the same category. These fractions may come from different product formulations. Weight fractions for each product are given as percent of total weight in the individual product formulations in Appendix A.

#### 3. TECHNICAL APPROACH

The Work Plan identified 11 aerosol and nonaerosol product categories, and numerous subcategories. Tables 4, 5, and 6 report VOC and PROC emissions for products in each of these categories. The 11 product categories are:

#### Aerosol Spray Products

- (1) Insect Sprays
- (2) Paints and Finishes
- (3) Household Products
- (4) Personal Products
- (5) Animal Products
- (6) Automotive and Industrial Products
- (7) Food Products
- (8) Miscellaneous Products

#### Nonaerosol Products

- (1) Personal Products
- (2) Household Products
- (3) Garage Products

#### 3.1 DESCRIPTION OF SOURCES

Composition and usage data for these product categories were derived from the following sources:

#### Usage Data:

- Chemical Specialties Manufacturers Association, Inc., (1984),

  Pressurized Products Survey, United States -- Questionnaires for this
  survey, which reports the number of aerosol units filled during 1984,
  were returned by 217 companies, representing 88 percent of the
  industry total.
- Simmons Market Research Bureau, Inc., (1983), Simmons 1983 Study of Media and Markets -- This company carries out annual surveys of product usage in the United States. A representative sample of 19,248 adults, age 18 years and over, living in the coterminous 48 States, was conducted between September 8, 1982 and July 5, 1983.

- Western Aerosol Information Bureau (WAIB) This organization is the source of the only comprehensive information available on aerosol product unit size. WAIB was not able to give detailed information about the methodology it used to determine unit size.
- C. H. Kline and Co., Inc., (1981), Consumer Pesticides and Fertilizers Presents use and other data based on approximately 180 interviews with competitive suppliers, distributors, raw material suppliers, government agencies, and other trade factors. The survey was also based on an extensive search of published literature and a review of price lists, product descriptions, and other material from suppliers. This source is believed to be the most accurate available for use data.
- C. H. Kline and Co., Inc., (1981), Household Cleansing Products —
  These data are based on telephone interviews with 38 major suppliers
  as well as distributors, government agencies, and other trade factors.
  This source is believed to be the most accurate available for use
  data.

#### Composition Data:

- Gosselin, Robert E., Robert P. Smith, and Harold C. Hodge, (1984), Chemical Toxicology of Commercial Products, 5th ed. Williams and Wilkins, Inc., Baltimore, MD -- This work, which presents "typical" formulations for consumer products, was the source of composition data for several product categories.
- Wilkenson, J.B. and R.J. Moore, eds., (1982), <u>Harry's Cosmeticology</u>, 7th ed., Chemical Publishing, New York -- This volume also presents typical product formulations.
- Micromedex, (1984), <u>Poisindex</u> -- source of composition data for a portion of "paints and finishes."
- Nowak et al., (1985), Aerosol Age -- source of composition data for the remainder of "paints and finishes."
- Chalmers, Louis, revised by Peter Bath, (1979), Household and Industrial Chemical Specialties, vols. I and II, Chemical Publishing, New York -- This was the only available source of formulas for several product categories.

#### 3.2 METHODOLOGY FOR DETERMINING VOLATILITY OF VOCs

A variety of formularies and market research volumes were examined, and several associations were contacted, to obtain data on product use and composition. Beacause use data were not available for individual product formulations, high and low VOC and PROC emissions were estimated for each

product subcategory. To develop these estimates, each formula was assumed to be the representative of the subproduct category. The formula with the lowest VOC and PROC emissions levels was then used as the low estimate and the formula with the highest VOC and PROC emissions levels was used as the high estimate.

The Relative Evaporation Rate (RER) index was used to determine the consumer product constituents that should be considered "volatile" and those that should be considered "nonvolatile." The RER is defined as (Stratte et al., 1978):

RER = 0.8217 x (Vapor Pressure) x (
$$\sqrt{\text{Molecular Weight}}$$
).

This index expresses the volatility of the various organic compounds relative to the volatility of n-butyl acetate (RER = 100). Molecular weights were located in the <u>Handbook of Chemistry and Physics</u> (Weast and Astle, 1981), the <u>Handbook of Environmental Data on Organic Chemicals</u> (Verschueren, 1977), and in the on-line data base HEILBRON, which is accessed through Dialog Information Services, Inc. The HEILBRON data base summarizes information from the <u>Dictionary of Organic Compounds</u>, 5th edition (1982). Compound names and formulas were identified using the EPA series, <u>Toxic Substances Control Act</u> Chemical Substances Inventory, Volumes II, III, and Cumulative Supplement (USEPA, 1980).

Many compounds were identified in product formulas only as proprietary ingredients, such as "DC-193 fluid," "PVP-VA copolymer E-735," or "carbopol 934." Others were listed generically in classes, such as alcohol, essential oils, or chlorinated solvents. Where possible, the representative compounds for each classification were used as surrogates for these classes and volatility was decided on the basis of the surrogate. For example, isohexane was used for "C6 isomers" and butyl benzyl phthalate was used for "plasticizers." CHEMNAME, another on-line data base, was searched for Chemical Abstracts Service (CAS) registry numbers and molecular weights of proprietary named chemicals. Some compounds which could not be located using the other sources were identified in this manner. The CAS numbers provided reference points for locating physical and chemical data in the HEILBRON data base.

Vapor pressures not available through one of the previously mentioned sources were computed by using the following formula, which relates a compound's vapor pressure at 20°C to its boiling point at 760 mm atmospheric pressure (Hass and Newton, 1981):

2.8808 - log p = 
$$\frac{\emptyset \Delta t}{293.1 - 0.15 \Delta t}$$

where

 $\Delta t = boiling point(^{\circ}C) - 20^{\circ}C$ 

log p = logarithm of the observed pressure in mm Hg

 $\emptyset$  = entropy of vaporization at 760 mm.

The entropy of vaporization is determined from a set of curves presented by Hass and Newton. For compounds whose boiling points are reported at a different pressure than 760 mm, the boiling point at 760 mm must first be iteratively obtained by a rewritten form of this formula, so that the above computation may be carried out:

$$B_{760} = B_p + (273.1 + B_p)(2.8808 - \log p)/[0 + 0.15(2.8808 - \log p)]$$
 where

$$\mathbf{B}_{\mathbf{p}}$$
 = the observed boiling point at pressure P (mm)

Note that  $\emptyset$  is a function of the boiling point. Therefore, the equation must be solved iteratively until successive values of  $B_{760}$  are very close (within 0.1°C in our case).

Most molecular formulas could be identified, but boiling points and vapor pressures frequently were not reported in the literature. Because unknown compounds needed to be systematically defined as "volatile" or "nonvolatile," long-chain hydrocarbons (e.g. waxes, oils, and some esters) were considered nonvolatile. "Long-chain" generally meant 10 or more carbon atoms. Data were lacking for a large number of the compounds, many of which were fatty acid esters. Polymers and resins were also assumed to be nonvolatile. All nonvolatile compounds were assigned a vapor pressure of 0 mm, so that their

RERs were also 0. Substances known to be mixtures of volatile compounds, such as "mineral spirits" or Stoddard solvent, were arbitrarily assigned a molecular weight of 50 and a vapor pressure of 50 mm in order to generate RERs indicative of volatile compounds. The RERs for these substances were 290.515. Finally, compounds for which no physical data were available were assumed to be nonvolatile.

Selection of a dividing line between "volatile" and "nonvolatile" was of necessity arbitrary, since volatility was quantified by a relative measure, the RER. For convenience, the lower limit of volatility was set at RER = 0.1, or three orders of magnitude below that of butyl acetate. Examination of compounds whose RERs lie on either side of 0.1 confirmed that the choice was reasonable. Most of the compounds with RER <0.1 are solids at ambient temperatures (e.g. thymol and benzoic acid) or are polar liquids with boiling points above 200°C (e.g. diethylene glycol and myristil alcohol). Compounds whose RERs slightly exceed 0.1 are liquids, most of which are known to be volatile; these include ethylene and propylene glycols. All organic compounds in the listed products, except methylene chloride, 1,1,1-trichloroethane, and carbon dioxide, were considered reactive. Product category and total emissions in Tables 3, 4, and 5, and percentages emitted in Appendix A are reported separately for VOC and PROC.

#### 4. UNCERTAINTIES/DATA GAPS

The analysis estimated VOC and PROC emissions from consumer and commercial products by combining composition data with distribution or use data for product subcategories. Composition data within each subcategory were further aggregated from individual formulas; while national usage was frequently derived from several types of products, such as aerosol and non-aerosol. Thus, at each stage of analysis, aggregation error enters the result. The extent of this type of error is not known, although it varies from one product subcategory to another. Table 1 shows the availability of data for each product subcategory. The following list identifies sources of uncertainty for composition and usage data:

Usage Data - The available use data often encompassed broad product categories and could not be disaggregated to individual products and formulations within each subcategory. In addition, use data were not readily available for many subcategories. This was particularly true for nonaerosol products. Several product subcategories were therefore merged and emissions calculated on the basis of these merged data. When aerosol and nonaerosol products were combined, they were reported under aerosol/nonaerosol in Tables 4, 5, and 6.

<u>Population Apportionment</u> - The data used for the population apportionment comes from 1984 and 1985 U.S. Bureau of Census population estimates. The data were obtained from telephone conversations with Bureau of Census staff. SAIC believes that this data is the most accurate available.

Geographic Multipliers - The geographic multipliers are based on the Simmons 1983 Study of Media Markets. The study interviewed 19,248 adults and is representative of the U.S. population, age 18 and over living in the contiguous 48 States. The interview period was from September, 1982 through July, 1983.

Factors influencing the accuracy of the geographic multiplier are the number of States and the population in each marketing region, as well as the frequency or quantity of usage within each marketing area. For example,

California represents over 65 percent of the population in the Pacific marketing region. We believe that the population of States outside California, but within the Pacific marketing region, would have little influence on the accuracy of the California data. However, New York and New Jersey each represent only 36 percent and 15 percent respectively of the northeast marketing region. Thus, other State populations could have a significant impact on the accuracy of the usage data. Although we are uncertain how this would affect typical product usage in the two States compared to the Simmons regional data, we believe the influence in the estimated error to be minimal. Our belief is based on Simmons' judgment in establishing homogeneous marketing areas (i.e., similar consumer product usage patterns throughout a marketing area).

Product use within each region varies more than use in all regions combined. Use within regions may vary from 15 percent less to 20 percent greater than the national average. However, an average use weighted by State population does not differ greatly from a nonweighted use, within an entire region. Therefore, it is reasonable to assume that the statewide geographic multiplier is similar to the regional one.

The error in estimating PROC from the geographic multiplier is small compared to other uncertainties, such as those present in the formulation and consumption data.

Formulation Data - The accuracy of the formulation data presented in this report cannot be easily assessed. For any given product category, a wide range of formulas may be in use. These formulations vary significantly according to the quality of the product and its specific use. Many of the formulas, however, are proprietary or contain compounds that are proprietary. Although formulations for specific brands were included when available, most of the ones available for this report were "generic" formulations provided to our references by the manufacturers of the product ingredients. These formulations were verified where possible by a shelf survey. Few product labels show percent by weight formulations. A somewhat larger number list ingredients. However, generic terms are often used for these ingredients

(e.g., inert ingredients, volatile organic compounds, driers, alcohol, or plasticizer). Frequently, only the active ingredient is listed on the label. All formulas are assumed to be representative of their product subcategory. The formula data were often six to ten years old. Even where formularies were recent, the reported composition was probably two or three years behind current production lines. The degree of obsolescence of these formulas is difficult to judge. Formulas are continually changing over time. These changes are caused by improvement in product formulations, regulations such as the chlorofluorocarbon ban, and the changing cost of intermediates. For the purposes of this report, product lines are assumed to evolve slowly and that all recent arrivals contain similarly volatile species.

#### Other formula uncertainties include the following:

- Many formulations included chlorofluorocarbons as the propellant although they have been banned in most consumer products. Attempts were made to verify, through industry sources, the various assumptions made regarding the type and quantity of the replacement propellant through industry sources.
- In several cases aerosol and nonaerosol formulations were combined. This was necessary because only aggregated use data were available. Composition and weight might be substantially different for aerosol and nonaerosol products.
- Formulations for many products consisted of percentage ranges for one or more ingredients. It was often difficult to clearly delineate the lower and upper bounds of volatile compounds for these products. This problem arises because a decrease in one ingredient must be compensated for by an increase in one or more other ingredients. Some of the replacement ingredients may be volatile while others are nonvolatile. Our best professional judgment was used in such cases. It is likely that results were not substantially affected in these cases.
- Very few nonaerosol formulas were available for this report.
- Product formulation descriptions occasionally aggregate dissimilar ingredients, reporting the percent by weight of groups rather than of individual compounds. For example, "xylol" and "driers" were combined for the paints and finishes product category, even though they are different compounds and have very different volatilities.
- Product ingredients were frequently reported as classes of compound, such as "alcohol" and "plasticizer." We had to choose a "typical" ingredient and decide volatility on the basis of this surrogate.

- SAIC estimated the low and high VOC and PROC emissions for each product subcategory by finding the formulation with the lowest weight percent and the one with the highest weight percent VOC and PROC. This means that subcategories with many formulations may have a considerable range between the low and high emission estimate. One particularly troublesome subcategory was insecticides, which comprised primarily space insecticides, but also included one dust and one target aerosol. PROC varies from 0 percent in one formula to 100 percent in another.
- Although a number of other formulas were available in Gosselin (1985), we chose "typical" formulas for product subcategories to reduce the data set to a manageable size. Variation in chemical content from the formulas that were not chosen to those that were used generated additional uncertainty.

Ratio of Seasonal Variation - The seasonal variation of product usage was only included in the paint and suntan products calculation. The ratio was not included in other consumer product subcategories because of a lack of data and, in many cases, the small likelihood of any significant variation between seasons. For paint products, we assumed that 57.5 percent was used during the ozone season. These figures are based on monthly sales figures collected by the Bureau of census and are believed to be accurate. For suntan products, 100 percent was assumed to be used during the ozone season. Within the states of New York and New Jersey, use outside of the summer season was assumed to be negligible. In California, we assumed that use outside of the summer season would be minimal. Even though the warm climate permits sunning during the entire year, the less direct sun would reduce the need for protective sunscreens or tanning lotions.

TABLE 1. AVAILABILITY OF DATA BY PRODUCT SUBCATEGORY

Category	Units Distributed	Average Product Weight	National Consumption	Population Apportionment	Geographic Multiplier <sup>2</sup>	Product Formulations
Insecticides	NA	NA	Yes	Yes	No	Yes <sup>3</sup>
Insect Repellants	NA	NA	Yes	Yes	No	Yes <sup>4</sup>
Moth Control Products	NA	NA	Yes	Yes	No	Yes <sup>4</sup>
Animal Insecticides	NA	NA	Yes	Yes	No	Yes <sup>4,5</sup>
Herbicides and Fungicides	NA	NA	Yes	Yes	No	Yes
Paints, Primers, Varnishes	Yes	Yes	NA	Yes	Yes	Yes <sup>6</sup>
Paints and Finishes - Related Products	Yes	Yes	NA	Yes	No	Yes
Room Deodorants and Disinfectants	Yes <sup>7</sup>	Yes	NA	Yes	Yes	Yes
Tile and Bathroom Cleaner	NA	NA	Yes	Yes	No	Yes
Oven Cleaners	NA	NA	Yes	Yes	Yes	Yes
Rug and Upholstery Cleaner	NA	NA	Yes	Yes	No	Yes
All Purpose Cleaner	NA	NA	Yes <sup>8</sup>	Yes	Yes	Yes
Window and Glass Cleaner	NA	NA	Yes <sup>8</sup>	Yes	Yes	Yes
Laundry Products - aerosol	Yes	Yes	NA	Yes	No	Yes
Laundry Products - aerosol and nonaerosol	NA	NA	Yes	Yes	No	Yes
Shoe Polishes, Waxes, and Colorants	NA	NA	Yes	Yes	No	Yes

TABLE 1. AVAILABILITY OF DATA BY PRODUCT SUBCATEGORY (Continued)

Category	Units Distributed	Average Product Weight	National Consumption	Population Apportionment	Geographic <sub>2</sub> Multiplier	Product Formulations
Other household Products - aerosols	NA	NA	· Yes	Yes	Yes	Yes
Other household Products - aerosols and nonaerosol	.s					
Adhesives	NA	NA	Yes <sup>14</sup>	Yes	No	Yes
Caulking and Sealing Compounds	NA	NA	Yes <sup>14</sup>	Yes	No <sup>2</sup>	Yes
Shaving Cream	Yes	Yes	NA	Yes	Yes	Yes
Hair Products - aerosols	Yes	Yes	NA	Yes	Yes <sup>10</sup>	Yes
Other Hair Care Products	NA	NA	Yes <sup>11</sup>	Yes	Yes	Yes
Pharmaceuticals	Yes	Yes	NA	Yes	Yes <sup>12</sup>	Yes
Colognes, Perfumes, Aftershaves	Yes	Yes	. NA	Yes	Yes	Yes
Personal Deodorants	Yes	Yes	NA	Yes	Yes	Yes
Other Personal Care Product	s Yes	Yes	NA	Yes	Yes	Yes
Automotive Cleaners	Yes	Yes	NA	Yes	No	Yes
Automotive Engine Degreaser	rs Yes	Yes	NA	Yes	No	Yes <sup>3</sup>
Lubricants and Silicones	Yes	Yes	NA	Yes	No	Yes
Undercoatings	Yes	Yes	NA	Yes	No	Yes
Brake Cleaners	Yes	Yes	NA	Yes	No	No
Tire Inflator and Sealant	Yes	Yes	NA	Yes	No	No

TABLE 1. AVAILABILITY OF DATA BY PRODUCT SUBCATEGORY (Continued)

Category	Units Distributed	Average Product Weight	National Consumption	Population Apportionment	Geographic Multiplier <sup>2</sup>	Product Formulations
Carborator and Choke Cleaner	r Yes	Yes	NA	Yes	No	Yes <sup>3</sup>
Engine Starting Fluid	Yes	Yes	NA	Yes	No	No
Auto Windshield Washer Fluid and Deicer	Yes <sup>13</sup>	Yes <sup>13</sup>	NA	Yes	No	Yes <sup>13</sup>
Floor Polishes and Waxes	NA	NA	Yes	Yes	Yes	Yes
Metal Cleaners and Polishes	NA	NA	Yes	Yes	No	Yes
Automotive Antifreezes	NA	NA	Yes	Yes	No	Yes
Car Polishes and Waxes	Yes	Yes	NA	Yes	Yes	Yes
Laundry Products	NA	NA	Yes	Yes	No	Yes
Household Polishes	NA	NA	Yes	Yes	Yes	Yes

<sup>&</sup>lt;sup>1</sup>The data for all product categories are subject to the uncertainties and limitations described in the text.

Other limitations and assumptions pertaining to specific categories are noted below and are further explained in the text.

<sup>&</sup>lt;sup>2</sup>Where the goegraphic multiplier was not available, the value 1.0 was used for the purposes of the calculations.

<sup>&</sup>lt;sup>3</sup>Because complete formula data was not available for some aerosols, the percentage of propellant was estimated using data from WAIB and CSMA. See text for methodology and assumptions.

<sup>&</sup>lt;sup>4</sup>The formulas available for the report showed a large percentage of inert ingredients. These inert ingredients may or may not include propellants and other VOCs. See text for further explanation.

<sup>&</sup>lt;sup>5</sup>Some of the formulas had composition data that did not equal 100%. In these cases, half of the unknown ingredients were assumed to be volatile.

# TABLE 1. AVAILABILITY OF DATA BY PRODUCT SUBCATEGORY (Continued)

- <sup>6</sup>For the purposes of emissions calculations, halogenated hydrocarbons were replaced by aliphatic hydrocarbons in some formulas. See text for further explanation.
- <sup>7</sup>See text for methodology of this calculation.
- <sup>8</sup>See text for methodology of this calculation.
- <sup>9</sup>Not for all products
- 10 For hair spray only.
- 11 See text for methodology of this calculation.
- 12 For fungicides only.
- 13 For Deicer only.
- 14 Includes industrial as well as consumer adhesive use.

#### 5. RESULTS

VOC or PROC emissions were computed using the following two formulas:

Total VOC or PROC Emissions =

- 1. (units distributed) (avg. prod. wt.)
   (pop. apport.) (geogr. mult.) (wt. fraction VOC or PROC)
- 2. (National consumption) (pop. apport.)
   (geogr. mult.) (wt. fraction VOC or PROC)

Sample calculations illustrating equation 1, for a low PROC emissions estimate and a high PROC emissions estimate for pharmaceuticals in California are:

1. PROC Emissions =  $(43.7 \times 10^6 \text{ units})(0.25 \text{ lb})(0.11)(1.08)(0.70)$ low est.  $(1/2 \times 10^3 \text{ tons/lb})$ = 454.26 tons

PROC Emissions =  $(43.7 \times 10^6 \text{ units})(0.25 \text{ lb})(0.11)(1.08)(0.99)$ high est.  $(1/2.0 \times 10^3 \text{ tons/lb})$ 

= 642.46 tons

Sample calculations illustrating equation 2, for a low PROC emissions estimate and a high PROC emissions estimate for all-purpose cleaners in California are:

2. PROC Emissions =  $(512 \times 10^6 \text{ lb})(0.11)(1.07)(0.02)(1/2 \times 10^3 \text{ tons/lb})$  low est. = 602.62 tonsPROC Emissions =  $(512 \times 10^6 \text{ lb})(0.11)(1.07)(0.41)(1/2 \times 10^3 \text{ tons/lb})$  high est. = 12353.79 tons

The molecular weights, boiling points, vapor pressures and RER's for the chemical compounds listed under product formulations in Appendix A are arranged in alphabetical order in Table 2. The compounds have been reordered numerically by RER in Table 3, in order to more readily discern the division between volatile and nonvolatile compounds.

We decided to use low VOC/PROC and high VOC/PROC emissions rather than some form of VOC/PROC weights by product type, which would then be multiplied by the distribution or consumption data to yield the emission total for a given subcategory. It was felt that the data uncertainties, discussed earlier in the report, both within products and within product subcategories, were so large that such results would be highly misleading. For example, it was not possible to know how widely an individual product, versus other products within a subcategory, was distributed in each region. Given these problems, any weights which might be applied to the distribution figures, and the emission estimates that would result, would present a spurious picture of the accuracy of these estimates. For this reason, a range of values depicting emission boundaries would make the reader more aware of the data limitations.

Annual VOC and PROC emissions are presented in Tables 4, 5, and 6. Low and high estimates are based upon the likely range of VOC or PROC emissions in each product category. For example, the ratio of VOC present in formulations in "paints and finishes" in California ranges from 0.73 to 0.87 and is entered under "weight fraction VOC." The appropriate fractions are multiplied to yield annual low and high estimates for each product subcategory. The low and high weight fractions were chosen by examination of the weight percents under the product formulas listed in Appendix A. If formulas 1 and 4 were chosen for a particular product subcategory, then formulations 1,4 were listed in Tables 4, 5, and 6 for that subcategory. Product category subtotals were obtained by summing VOC and PROC emission estimates for subcategories.

Addition of product category subtotals produced total emission estimates for each region.

Tables 4, 5, and 6 report data for all product categories and subcategories listed in the August 30, 1985 Work Plan, when data were available. Where data were not available or incomplete, we listed NA in the emission estimate column. Aerosol food products were omitted from the final emission inventory since the propellent used in these products is nitrous oxide and therefore not an organic compound (Kirk-Othmer, 1978).

TABLE 2
RELATIVE EVAPORATION RATES - ALPHABETICAL

PRODUCT NAME	BP (C)	PRESSURE	MM	VP	RER	COMMENTS
2-FURALDEHYDE, 2,3:4,5-BIS-	307		204.27	.00	.01	
(2-BUTYLENE) TETRAHYDRO						
2.4 BIS (ISOPROPYLAMINO)-6						
METHOXY-S-TRIAZINE					0.00	
2.4.5-TRICHLOROPHENOXYACETIC						
ACID, POTASSIUM SALT					0.00	SALT-ASSUMED NONVOLATILE
4-AMINO-3,5,6-TRICHLOROPICOLINIC	ACID				0.00	ASSUMED NONVOLATILE
5-BENZYL-3-FURYL				0.00	0.00	NO DATA - ASSUMED NONVOLATILE LARGE POLYMER
AC POLYETHYLENE 629 ACETIC ACID	118.1		בח הב	0.00 10.63	0.00 67.68	LARGE FULTHER
N-ACETYLETHANOLANINE	110.1		60.05 50.00	50.00	290.51	
ACETONE	56.2		58.08	132.49	829.65	
ACRYLIC RESIN	30.2		20.00	0.00	0.00	RESINS ASSUMED NONVOLATILE
ACRYSOL LEVELING AID					0.00	NO DATA - ASSUMED NONVOLATILE
ADIPIC ACID					0.00	HIGH-C FATTY ACIDS NONVOLATILE
ALCOHOL 740 P			50.00	50.00	290.51	
ALCOHOL-SOLUBLE LANOLIN				0.00	0.00	HIGH-C FATTY CMPDS NONVOLATILE
ALIPHATIC HYDROCARBONS			86.17	50.00	381.38	USED HEXANE AS REPRESENTATIVE
ALIPHATIC THINNER			86.17	50.00	381.38	USED HEXANE AS REPRESENTATIVE
ALKYD RESIN				0.00	0.00	RESINS ASSUMED NONVOLATILE
ALKYL ARYL SODIUM SULFONATE				0.00	0.00	SALT
ALKYL DIETHANOLAMINE			88.13	.01	.07	USED ETHYL DIETHANOLAMINE
ALKYLDIMETHYLBENZYLAMMONIUM	n i n c				0.00	NO DATA - ASSUMED NONVOLATILE
ALKYLDIMETHYLBENZYLAMMONIUN CHLC					0.00 0.00	SALTS ASSUMED NONVOLATILE . HIGH-CARBON ESTER-NONVOLATILE
ALLETHRIN, D-TRANS ALUMINUM PHENYLSULFONATE	302.413			0.00	0.00	SALTS ASSUMED MONVOLATILE
AMINES			73.14		1405.47	SURROGATE=DIETHYLAMINE
2-AMINO-2-METHYL PROPANOL	165.5		89.14	.33	2.53	Soundante-Dieffit Gaiffie
AMMONIUM CITRATE				0.00	0.00	SALT ASSUMED NONVOLATILE
AMMONIUM LAURYL ETHER SULPHATE				0.00	0.00	HIGH-CARBON SALT
AMMONIUM OXALATE			142.11	0.00	0.00	NONVOLATILE SALT
AMMONYX 4002				0.00	0.00	VERY HIGH-CARBON COMPOUND
AMP	165		89.14	.44	3.41	
AMPD	151.2	10	105.14		.00	
AMPHONER	_			0.00	0.00	NO DATA - ASSUMED NONVOLATILE
AHYL ACETATE	148	737	130.20	3.05	28.55	USED N-AMYLACETATE
ANTARON FC-34			22 42	0.00	0.00	POLYMERS ASSUMED NONVOLATILE
ARONATIC HYDROCARBONS			92.10	22.00	173.49	SURROGATE = XYLENE
AROMATIC KETONE SOLVENT BAYGON			92.10 209.24	22.00	173.49	SURROGATE = XYLENE
BEESVAX			203.24	0.00	0.00 0.00	CRYSTALLINE-ASSUMED NONVOLATILE WAXES ASSUMED NONVOLATILE
BENZETHONIUM				0.00	0.00	NO DATA - ASSUMED NONVOLATILE
BENZOIC ACID	249,133	10	122.13	.00	.03	NO DATA - ASSUMED NONVOLATILE
BENZYL BENZOATE	323.5	10	212.25	.00	.00	
O-BENZYL-P-CHLOROPHENOL	161	3.5	218.68	.00	.00	
BIOCIDE				,	0.00	NO DATA - ASSUMED NONVOLATILE
BRONOCIL					0.00	SOLID - ASSUMED NONVOLATILE
BUTADIENE-STYRENE COPOLYMER				0.00	0.00	LARGE POLYMER NONVOLATILE
BUTANE	1		58.12	1544.67	9676.33	

TABLE 2 (Continued)
RELATIVE EVAPORATION RATES - ALPHABETICAL

PRODUCT NAME	BP (C)	PRESSURE	MV	VP	RER	COMMENTS
BUTYL CELLOSOLVE	170		118.17	.60	5.36	E.G. MONOBUTYL ETHER
C1.S.P. COMPOUNDS	• • •				0.00	NO DATA - ASSUMED NONVOLATILE
CALCIUM THIOGLYCOLATE TRIHYDRATE	•			0.00	0.00	SALTS ASSUMED NONVOLATILE
CALGON	•				0.00	NO DATA - ASSUMED NONVOLATILE
L-CAMPHOR	SUBLINES 0		152.24	.28	2.81	NO SHIT INDUITED HONIOUNITED
CARBARYL			202127	0.00	0.00	NONVOLATILE CRYSTAL AT ROOM TEMP
CARBITOL	202		134.20	.21	1.99	Hall adult ac All all all and an account
CARBOPOL 934			201120	0.00	0.00	NO DATA - ASSUMED NONVOLATILE
CARBOXYMETHYL CELLULOSE				0.00	0.00	LARGE POLYMER
CARNAUBA WAX				0.00	0.00	WAXES ASSUMED NONVOLATILE
CARTARETINE F4				5.00	0.00	NO DATA - ASSUMED NONVOLATILE
CATIONIC CELLULOSE				0.00	0.00	POLYMERS ASSUMED NONVOLATILE
CELLOSOLVE ACETATE	156		132.16	1.20	11.34	toginale resours horrowitter
CELLULOSE ACETATE BUTYRATE	155		105.10	0.00	0.00	LARGE POLYMER
CERESIN				0.00	0.00	NO DATA - ASSUMED NONVOLATILE .
CETYL ALCOHOL, FLAKES	190	15		0.00	0.00	HIGH-CARBON ALCOHOL - NONVOLATILE
CHLOR-ARONATIC SOLVENTS	130	15	112.56	8.80	76.72	SURROGATE=MONOCHLOROBENZENE
CHLOR. PARAFFIN PLASTICIZER			112.30	0.00	0.00	SURROGATE=BUTYL BENZYL PHTHALATE
CHLORDANE			409.78		0.00	FROM STRUCTURE, PROBABLY NON-VOL
CHLORINATED SOLVENTS			50.00	50.00	290.51	FROM STRUCTURE, FROMBEL NON-VOL
CHLOROSULFONATED POLYETHYLENE			50.00	30.00	0.00	POLYMERS ASSUMED NONVOLATILE
CITRIC ACID	DECOMPOSES		192.12	0.00	0.00	ASSUMED NONVOLATILE
COCANINO BETAINE	DECOURT 03E3		132.12	0.00	0.00	LONG-CHAIN POLYMER
COCONUT_AMIDOPROPYL-				<b>0.00</b>	٨٠٧٥	BONG CHAIN FORTHER
3-DIMETHYLAMINE BETAINE				0.00	0.00	LONG-CHAIN POLYNER
COCONUT OIL AMINE				0.00	0.00	HIGH-CARBON
COLOR				0.00	0.00	NO DATA - ASSUMED NONVOLATILE
COLOR HIX				0.00	0.00	NO DATA - ASSUMED NONVOLATILE
CONDANOL (DBS.DLS.MLS.SB/L)				0.00	0.00	NONVOLATILE SALT
COPPER NAPHTHENATE				0.00	0.00	METALLIC SALT
COPPER UNDECYLENATE				0.00	0.00	HIGH-CARBON SALT - NONVOLATILE
CRESOL (O-, M-, P-)			108.13	.11	.96	RER DERIVED FROM AVG RER'S
CRONEEN			100.15	0.00	0.00	NO DATA - ASSUMED NONVOLATILE
CRYSTALLINE WAX	•			0.00	0.00	VAXES ASSUMED NONVOLATILE
CUBE RESINS				0.00	0.00	RESINS ASSUMED NONVOLATILE
CYCLOPROPANE CARBOXYLATE				0.00	0.00	USED CYPOTHRIN (HIGH-CARBON)
D,L-CAMPHOR	SUBLIMES		152.24	.28	2.81	OSED CITOTREM (HIGH-CARBON)
D-CAMPHOR	SUBLINES 0		152.24	.28	2.81	
DC 193 FLUID	SOBCINES &		102.24	0.00	0.00	NO DATA - ASSUMED NONVOLATILE
DDVP	140	20	220.98	.01	.11	NO DATA - VOSCUED HOUSTON
	140	20	220.30	0.00	0.00	DECINE ACCUMEN MONIOLATUR
DEHYDROGENATED RESIN			50.00	50.00	290.51	RESINS ASSUMED NONVOLATILE
DECODORANT			30.00			CIDDOCATE-CONTIN LAUDEL CHICATE
DETERGENT	460	10	101 07	0.00	0.00	SURROGATE=SODIUM LAURYL SULFATE
N, N-DIALKYL-M-TOLUAMIDE	160	19	191.27	.00	.02	USED N, N-DIETHYL-M-TOLUAMIDE
DIBUTYL PHTHALATE	340		278.35	.00	.00	
O-DICHLOROBENZENE	180.5		147.00	.89	8.89	CAMP AS MERISH FUE SUI ARTAE
DICHLOROMETHANE	41		84.93	349.00		SAME AS METHYLENE CHLORIDE
DICHLOROPENTANE	2.5		141.04	14.02	136.81	RER DERIVED FROM AVG RER'S
DIETHYLENE GLYCOL	245		106.12	.00	.02	

### TABLE 2 (Continued) RELATIVE EVAPORATION RATES - ALPHABETICAL

PRODUCT NAME	BP (C)	PRESSURE	MV	VP	RER	COMMENTS
	159		120.15			
DIMETHYCONE COPOLYOL				0.00	0.00	POLYMERS ASSUMED NONVOLATILE
DIMETHYL ETHER	-25				20112.19	
DIMETHYLENE OXIDE			44.05	1095.00	5971.73	
DIOCTYL PHTHALATE PLASTICIZER	385		390.56	.00		
DIPROPYLENE GLYCOL	292/232		134.20	.01	.10	RER SHOULD BE < 0.1
	187.2		162.23	. 46	4.76	
DITHIO-BIS-STEARYL PROPIONATE				0.00	0.00	HIGH-CARBON ESTER - NONVOLATILE
DODECYL BENZENE SULFONATE				0.00		HIGH-CARBON ESTER
DOW 276-V9					0.00	NO DATA - ASSUMED NONVOLATILE
DRIERS				0.00		ASSUMED TO REMAIN IN THE COATINGS
DUREZ (14000,16470,22008)				0.00	0.00	PHENOL-FORMALDEHYDE RESIN
DUREZ (19788, 12686, 12687)				0.00		PHENOL-FORMALDEHYDE RESIN
DUREZ (26141,26789,26799)				0.00	0.00	PHENOL-FORMALDEHYDE RESIN
DUREZ 7421A				0.00		PHENOL-FORMALDEHYDE RESIN
EDTA					0.00	NO DATA - ASSUMED NONVOLATILE
ELASTOMERIC BINDER					0.00	POLYMERS ASSUMED NONVOLATILE
EMOLLIENT				0.00		PROBABLY NONVOLATILE
EMULPHOR ON-870					0.00	NO DATA - ASSUMED NONVOLATILE
EMULSIFIERS, HUMECTANTS, WAXES				0.00	0.00	FUNCTION IMPLIES NONVOLATILITY
ENDOSULPHAN					0.00	NO DATA - ASSUMED NONVOLATILE
ESSENTIAL CEDAR OIL					0.00	NO DATA - ASSUMED NONVOLATILE
ESSENTIAL OIL			50.00	50.00		
ESTERS AND KETONES (ACETONE)			50.00	50.00		
ETHANOL	78.5		46.07	43.90	244.84	
ETHANOLAMINE	172		61.08	. 40	2.57	
ETHOXYLATE TRIDECYL ALCOHOL				0.00	0.00	LONG-CHAIN ALCOHOL
ETHOXYLATED FATTY ALCOHOL SULFATE				0.00	0.00	HIGH-CARBON ASSUME NONVOLATILE
ETHYL ALCOHOL	78.4		46.07	43.90	244.84	
ETHYL ALCOHOL OP	78.4		46.07	43.90	244.84	SAME AS ETHANOL
ETHYLENE DICHLORIDE	83.5		99.00	61.00		
ETHYLENE GLYCOL	198		62.10	.06		
ETHYLENE GLYCOL MONOBUTYL ETHER			118.17	.60		
ETHYLENE GLYCOL MONOETHYL ETHER	135		90.10	3.80		
ETHYLENE GLYCOL DISTEARATE				0.00		LONG-CHAIN ESTER
2-ETHYL-1,3-HEXANEDIOL	244		146.23	.00		
2-ETHYL HEXYL SALICYLATE				0.00		HIGH-CARBON ACID - NONVOLATILE
FATTY ACID AMIDES				0.00	0.00	SURROGATE=NYLON; ASSUMED NONVOLAT
FATTY ACID SOAP				0.00		SOAPS ASSUMED NONVOLATILE
FISH OIL				0.00	0.00	ASSUMED NONVOLATILE
FLUILAN				0.00	0.00	NO DATA - ASSUMED NONVOLATILE
FOAM STABILIZERS					0.00	NO DATA - ASSUMED NONVOLATILE
FOLPET	296.555				0.00	CRYSTALLINE-ASSUMED NONVOLATILE
FORMALDEHYDE	-20		30.00	3243.38	14597.26	
FORMALIN	-20		30.00	3243.38	14597.28	
FRACTAL A					0.00	NO DATA - ASSUMED NONVOLATILE
FRAGRANCE			50.00	50.00	290.51	NO DATA - ASSUMED VOLATILE
FRAGRANCE, DYE			50.00	50.00		
GANTREZ ES 225 OR ES 425				0.00	0.00	PROBABLY A RESIN - NONVOLATILE

## TABLE 2 (Continued) RELATIVE EVAPORATION RATES - ALPHABETICAL

PRODUCT NAME	BP (C)	PRESSURE	VK	VP	RER	COMMENTS
GELVA (TS 22,23,30,31,85)					0.00	POLYVINYL ACETATE RESIN
GLYCEROL	DECOMPOSES 6	290	92.11	.00	.00	
GLYCOL ETHER			90.10	3.80	29.64	SURROGATE=E.G. MONOETHYL ETHER
GRANULAR MINERAL BASE					0.00	SOLID - ASSUMED NONVOLATILE
HALOGENATED HYDROCARBON PROPELLA	N.		50.00	50.00	290.51	
HARD VAXES				0.00	0.00	WAXES ASSURED NONVOLATILE
HOECHST WAX				0.00	0.00	WAXES ASSUMED NONVOLATILE
HUMECTANTS				0.00	0.00	FUNCTION IMPLIES NONVOLATILITY
HYDROCARBON PROPELLANT			58.12	1544.67		SURROGATE=BUTANE
HYDROGENATED RESIN ESTER				0.00	0.00	RESINS ASSUMED NONVOLATILE
HYDROIYALKYL CELLULOSE (KLUCEL )	łA			0.00		POLYMERS ASSUMED NONVOLATILE
INERT INGREDIENTS (PESTICIDES)					1511.56	RER-WID AVG OF TYPICAL INGRED. (2)
ISOBUTANE	5	•	58.12	1566.19		
ISOBUTYLENE POLYMERS			•••••	1600110	0.00	POLYMER - ASSUMED NONVOLATILE
I SOOCTYL ESTERS					0.00	FAIRLY HIGH CARBON ESTER
ISOPARAFFINIC SOLVENT	60.3		86.18	168.34	1284.09	SURROGATE = ISOHEXANE
ISOPROPANOL	82.4		60.10	34.82		
ISOPROPYL ALCOHOL	82.4		60.10	34.82	221.79	
ISOPROPYL MYRISTATE	192.6	20	270.46	0.00	0.00	HIGH-CARBON ESTER - NONVOLATILE
O-ISOPROXYPHENYL METHYLCARBANATE		20	2.0.40	0.00	0.00	C11 COMPOUND ASSUMED NONVOLATILE
KELTHANE	- 370.49			0.00	0.00	CRYSTALLINE-ASSUMED NONVOLATILE
KELZAN	3101-0			0.00	0.00	POLYMERS ASSUMED NONVOLATILE
KEROSENE			50.00	50.00	290.51	KNOWN TO BE VOLATILE
KOSOL			20.00	0.00	0.00	STARCH (POWDER)
KP-140				0.00	0.00	NO DATA - ASSUMED NONVOLATILE
LANETO 100				0.00	0.00	NO DATA - ASSUMED NONVOLATILE
LANOLIN				0.00	0.00	ASSUMED NONVOLATILE
LATEX POLYMER ACRYLIC RESIN				0.00	0.00	RESINS ASSUMED NONVOLATILE
LAURIC ACID	131	1	200.33	0.00	0.00	HIGH-CARBON FATTY ACID-NONVOLATIL
LAURIC DIETHANOLAMIDE	131	•	200.00	0.00	0.00	HIGH-CARBON AMIDE - NONVOLATILE
MALATHION	156.5	.7	330.35	.00	.00	III OMBON AND NONTOBATIBE
MBTS (2-BENZOTHIAZOLYL SULFIDE)	130.3	• •	332.47		0.00	CRYSTALLINE AT ROOM TEMP.
MENTHOL	216		156.27	. 15	1.54	Outsideling of root trim.
METHOXYCHLOR	210		1000 €1	0.00	0.00	NONYOLATILE CRYSTAL AT ROOM TEMP
HETHYL ALCOHOL	65		32.04	92.39	429.70	NONTOCKTIBE ONISTAS AT ROOM TEN
NETHYL ANTHRANILATE	<b>~</b>		42.44	0.00	0.00	NO DATA - ASSUMED NONVOLATILE
METHYL P-HYDROXYBENZOATE	223.3		152.15	.07	.67	NO DATA RESOURS HONTOCATIBE
METHYLBENZETHONIUM CHLORIDE	223.3		195113	0.00	0.00	SALTS ASSUMED NONVOLATILE
NETHYLENE CHLORIDE	41		84.93		2768.98	SACIS ASSUMED MUNTUERITIES
	307		204.27	.00	.01	MGK 11 USED AS TYPICAL COMPOUND
MGK MICROCRYSTALLINE WAX	307		404.41	0.00	0.00	WAXES ASSUMED MONVOLATILE
MILLED PALE CREPE MILLED SMOKE RUBBER				0.00 0.00	0.00 0.00	SOLID AT AMBIENT TEMPERATURE SOLID AT AMBIENT TEMPERATURE
					0.00	NO DATA - ASSUMED NONVOLATILE
MINERAL OIL			50.00	0.00 50.00	290.51	KNOWN TO BE VOLATILE
MINERAL SPIRITS			20.00	0.00	0.00	HIGH-CARBON SALT
MIRANOL COMSF						
MONAHID 716	ine		60 10	0.00	0.00	NO DATA - ASSUMED NONVOLATILE
MONOETHYLENE GLYCOL	198		62.10	.06	. 39	
MONO ETHYL ETHER			90.10	3.80	29.64	

TABLE 2 (Continued)
RELATIVE EVAPORATION RATES - ALPHABETICAL

MONOGLYCEROL P-AMINOBENZOATE         0.00         0.00         HIGH-CARBON ESTER - NONVOLATILE           MONURON         0.00         PROBABLY AN OIL           MORPHOLINE         128         87.12         8.00         61.36           MYRISTIC ACID         250.5         100         228.38         .00         .00           MYRISTIL ALCOHOL         263.2         214.40         .00         .01	YCEROL P-AHINORENZDATE					RER	COMMENTS
MORPHOLINE         128         87.12         8.00         61.36           MYRISTIC ACID         250.5         100         228.38         .00         .00					0.00		HIGH-CARBON ESTER - NONVOLATILE
MYRISTIC ACID 250.5 100 228.38 .00 .00		100		07.40	2 22		BRORARTA WW OIL
			400				
NIKISIIL ALLUNUL 203.2 214.40 .00 .01			100				
		217.9		120.10			LARCE OOLVMED
NEOPRENE 0.00 0.00 LARGE POLYMER NITROCELLULOSE 0.00 0.00 LARGE POLYMER							
NITROPROPANE (1-,2-) 89.09 9.38 72.78 RER DERIVED FROM AVG RER'S				80 00			
		DE		03.03	9.30		HIGH-CARBON CMPD - ASSUMED NONVOL
NONYLPHENOXY ACETIC ACID 50.00 50.00 290.51 HIGH CARBON SOLID		DE		E0 00	E0 00		
	MEMORI RECITO ROTE			20.00			ASSUMED TO BE HIGH-C FATTY ACIDS
OLEIC ACID 360 282.46 0.00 0.00 NEAR SOLID AT AMBIENT TEMP.	ACID	360		282 46			
OXYGENATED ORGANIC ACIDS 50.00 50.00 290.51 NO DATA - ASSUMED VOLATILE		560					
		350 267	100				HIGH-CARBON FATTY ACID-NONVOLATIL
PARAFFIN WAXES 0.00 0.00 WAXES ASSUMED NONVOLATILE		WU1201	100	۵۵.40			
PENTANE 72.15 430.00 3001.23				72.15			EARLS ASSURED HORFOURT I ME
PERCHLOROETHYLENE 121.4 165.83 14.00 148.14		121 A					
PERFUME 50.00 50.00 290.51		464.7					
PERFUME IN ALCOHOL 50.00 50.00 290.51							
PERFUME 01L 50.00 50.00 290.51							
PETREX 7-75T (DRY) 136 11 234.30 .01 .07 USED 2-ACETYL BENZOFURAN		136	11				USED 2-ACETYL BENZOFURAN
PETROLEUM AND SYNTHETIC WAXES 0.00 0.00 WAXES ARE NONVOLATILE			••	201100			
PETROLEUM DISTILLATE (NAPHTHA) 50.00 50.00 290.51 KNOWN TO BE VOLATILE			•	50.00			
PETROLEUM ETHERS 90.10 3.80 29.64 SURROGATE = MONOETHYL ETHER							
PETROLEUM OIL 50.00 50.00 290.51 ASSUMED VOLATILE							
PETROLEUM SOLVENTS 50.00 50.00 290.51 KNOWN TO BE VOLATILE							
PHENOLIC RESIN 0.00 0.00 RESINS ASSUMED NONVOLATILE							· · · · · · · · · · · · · · · · · · ·
PICLORAM 0.00 ASSUMED NONVOLATILE						0.00	ASSUMED NONVOLATILE
PINE OIL 155 136.23 3.00 28.75 SURROGATE=PINEME		155		136.23	3.00	28.75	SURROGATE=PINENE
PIPERONYL BUTOXIDE 180 1 338.44 .00 .00		180	1	338.44	.00	.00	
PLASTIC 0.00 0.00 RESINS ASSUMED NONVOLATILE	C				0.00	0.00	RESINS ASSUMED NONVOLATILE
PLASTICIZER (DGO-, 3GH-) 312.36 0.00 0.00 SURROGATE=BUTYL BENZYL PHTHALAT	CIZER (DGO-,3GH-)			312.36	0.00	0.00	SURROGATE=BUTYL BENZYL PHTHALATE
PLURONIC F 108 DETERGENT 0.00 0.00 DETERGENT NONVOLATILE	IC F 108 DETERGENT				0.00	0.00	DETERGENT NONVOLATILE
POLAWAX A 31 0.00 0.00 WAXES ASSUMED NONVOLATILE	X A 31				0.00	0.00	WAXES ASSUMED NONVOLATILE
POLY-BETA-PINENE RESIN 0.00 0.00 RESINS ASSUMED NONVOLATILE	ETA-PINENE RESIN				0.00	0.00	RESINS ASSUMED NONVOLATILE
POLYACRYLATE 0.00 0.00 LARGE POLYMER	RYLATE				0.00	0.00	LARGE POLYMER
POLYACRYLIC ACID (40% AQ.) M.W.10 0.00 0.00 POLYMERS ASSUMED NONVOLATILE	RYLIC ACID (40% AQ.) M.W.10				0.00	0.00	POLYMERS ASSUMED NONVOLATILE
POLYDIMETHYLSILOXANE 0.00 POLYMERS ASSUMED NONVOLATILE	METHYLSILOXANE					0.00	POLYMERS ASSUMED NONVOLATILE
POLYETHOXYLATED (75 EQ) LANOLIN 0.00 0.00 POLYHERS ASSUMED NONVOLATILE	HOXYLATED (75 EQ) LANGLIN				0.00	0.00	POLYMERS ASSUMED NONVOLATILE
POLYETHYLENE 0.00 POLYMERS ASSUMED NONVOLATILE	HYLENE					0.00	POLYMERS ASSUMED NONVOLATILE
POLYETHYLENE GLYCOL (400) MONOLAU 0.00 0.00 POLYMERS ASSUMED NONVOLATILE	HYLENE GLYCOL (400) MONOLAU				0.00	0.00	POLYMERS ASSUMED NONVOLATILE
POLYISOBUTYLENE (TRI-, TETRAMER- ) 196.38 .53 5.71	OBUTYLENE (TRI-, TETRAMER- )			196.38	.53	5.71	
POLYOXYETHYLENE (2) CETYL ETHER 270 466.89 .01 .14	YETHYLENE (2) CETYL ETHER	270		466.89	.01	.14	
	YETHYLENE SORBITAN MONOSTEAR	ATE			0.00		HIGH-CARBON ESTER - NONVOLATILE
POLYQUATERNIUM 4 0.00 0.00 POLYMERS ASSUMED NONVOLATILE	ATERNIUM 4						
POLYTRIMETHYLDIHYDRO-QUINOLINE 0.00 0.00 POLYHERS ASSUMED NONVOLATILE	IMETHYLD IHYDRO-QUINOL INE						
POLYVINYL ACETATE 0.00 0.00 LARGE POLYMER							
POTASSIUM SOAP OF OLEIC ACID 0.00 0.00 SOAPS ARE NONVOLATILE	IUM SOAP OF OLEIC ACID				0.00	0.00	SUAPS ARE NONVOLATILE

TABLE 2 (Continued)
RELATIVE EVAPORATION RATES - ALPHABETICAL

PRODUCT NAME	BP (C)	PRESSURE	KU	VP	RER	CONNENTS
PRESERVATIVES				0.00	0.00	FUNCTION IMPLIES NONVOLATILITY
PROCETYL AUS				0.00	0.00	HIGH-CARBON ASSUMED NONVOLATILE
PROPANE	-42.1		44.11	8.50	46.39	
N-PROPYL ALCOHOL	97.8		60.09	15.41	98.17	
PROPYL P-HYDROXYBENZOATE					.10	NO DATA - ASSUMED VOLATILE
PROPYLENE GLYCOL	189		76.11	.10	.75	
PROPYLENE GLYCOL DIPELARGONATE	213	757	198.32	.08	.87	
PROPYLENE GLYCOL RICINOLEATE				0.00	0.00	HIGH-CARBON ESTER - NONVOLATILE
PROTEIN HYDROLYSATE				0.00	0.00	ASSUMED NONVOLATILE
PVP-VA COPOLYMER E-735				0.00	0.00	POLYMERS ASSUMED NONVOLATILE
PYRETHRIN I	170	.1	328.46	.00	.00	
PYRETHRIN II	200	.1	372.47	.00	.00	
QUATERNIUM 26				0.00	0.00	POLYMERS ASSUMED NONVOLATILE
RESYN 28-2930			•	0.00	0.00	POLYMERS ASSUMED NONVOLATILE
RHOPLEX B		•		0.00	0.00	POLYMERS ASSUMED NONVOLATILE
ROSIN					0.00	USED ABIETIC ACID - SOLID
ROTENONE	215		394.00	.24	3.91	
SALICYLANILIDE				0.00	0.00	HIGH CARBON - ASSUMED NONVOLATILE
SALICYLIC ACID	211	20	138.12	.00	.00	
SANDOPAN DTC ACID					0.00	HIGH-CARBON SALT
SANDOPAN TFL CONCENTRATE				0.00	0.00	HIGH-CARBON SALT
SAPAMINE COB-ST				0.00	0.00	STEARIC ACID AMIDE
SAPANINE VL				0.00	0.00	STEARIC ACID ANIDE
SESAME OIL				0.00	0.00	HIGH-CARBON FATTY ACID
SEVIN					0.00	HIGH-CARBON ASSUMED NONVOLATILE
SILICONE DEFOAMER					0.00	NO DATA - ASSUMED NONVOLATILE
SILICONE FLUID 220/350CS				0.00	0.00	POLYMERS ASSUMED NONVOLATILE
SILICONE LE 452				0.00	0.00	POLYMERS ASSUMED NONVOLATILE
SILICONE OIL 350 CS. 10000 CS				0.00	0.00	POLYMERS ASSUMED NONVOLATILE
SINDAR TECHNICAL G4-40					0.00	NO DATA - ASSUMED NONVOLATILE
SOAP					0.00	SOAPS ARE NONVOLATILE
SODIUM DODECYLBENZENE SULFONATE				0.00	0.00	HIGH-CARBON SALT
SODIUM LAURYL SARCOSINATE				0.00	0.00	LONG-CHAIN ESTER
SODIUM LAURYL SULFATE				0.00	0.00	HIGH-CARBON CHPD - NONVOLATILE
SODIUM O-PHENYLPHENOLATE				0.00	0.00	SALT
SODIUM XYLENE SULFONATE				0.00	0.00	SALT
SOLVENTS			50.00	50.00	290.51	ASSUMED VOLATILE
SORBITAN MONOSTEARATE				0.00	0.00	HIGH-CARBON ESTER - NONVOLATILE
SORBITOL	295	5	182.18	0.00	0.00	HIGH-CARBON SUGAR - NONVOLATILE
SPAN 80			428.61	0.00	0.00	NO DATA - ASSUMED NONVOLATILE
SPAN 85				0.00	0.00	NO DATA - ASSUMED NONVOLATILE
STEARATE EMULSIFIER					0.00	LONG-CHAIN ESTER
STEARIC ACID	383		284.47	0.00	0.00	LONG-CHAIN FATTY ACID
STODDARD SOLVENT			50.00	50.00	290.51	KNOWN TO BE VOLATILE
STYRENATED ALKYD RESIN					0.00	RESINS ASSUMED NONVOLATILE
SUNSCREEN AGENT				0.00	0.00	FUNCTION IMPLIES NONVOLATILITY
SURFACTANT NF				0.00	0.00	ASSURED NONVOLATILE
SURFACTANT VK				0.00	0.00	ASSURED NONVOLATILE
SYM-DI-BETA-NAPTHYL-P-PHENYL DIAM					0.00	GREASES
· · · · · · · · · · · · · · · · · ·						

TABLE 2 (Continued)
RELATIVE EVAPORATION RATES - ALPHABETICAL

PRODUCT NAME	BP (C)	PRESSURE	W	VP	RER	COMMENTS
TALL OIL				0.00	0.00	RESINS ASSUMED NONVOLATILE
TARTARIC ACID			168.10	0.00	0.00	SOLID AT ROOM TEMP
TENSIOFIX (LX. VP)					0.00	NO DATA - ASSUMED NONVOLATILE
TERGITOL ANIONIC 4				0.00	0.00	NONVOLATILE SALT
TERGITOL MIN-FOAM				0.00	0.00	NONVOLATILE SALT
THICKENERS				0.00	0.00	FUNCTION IMPLIES NONVOLATILITY
THIURAN					0.00	CRYSTALLINE AT ROOM TEMP.
THYMOL	233.92	2	150.22	.01	.09	
TINOPAX ANA					0.00	NO DATA - PROBABLY A SOLID
TOLUENE	110.8		92.10	21.48	169.35	
TRIBASIC LEAD MALEATE					0.00	SALTS ASSUMED NONVOLATILE
TRIBUTOXYETHYL PHOSPHATE					0.00	SALT - ASSUMED NONVOLATILE
TRIBUTYL PHOSPHATE					0.00	SALT - ASSUMED NONVOLATILE
1,1,1-TRICHLOROETHANE	76		133.41	100.00	949.09	,
TRICHLOROETHYLENE	87		131.29	66.08	622.12	·
TRICRESYL PHOSPHATE			368.37	.50	7.89	UNION OIL DATA
TRIETHANOL AMINE OLEATE				0.00	0.00	HIGH-CARBON ESTER - NONVOLATILE
TRIETHANOLAHINE	277	150		.00	.00	
TRIETHYLENE GLYCOL	287.4		150.20	00	.00	
TRITON X-200					0.00	NO DATA - ASSUMED NONVOLATILE
TURKEY RED OIL				0.00	0.00	FATTY ACID: NONVOLATILE
TURPENTINE	155	136.23	3.00	28.75	40.92	SURROGATE=PINENE
TWEEN 81					0.00	NO DATA - ASSUMED NONVOLATILE
UNDECYLENIC ACID				0.00	0.00	HIGH-CARBON FATTY ACID
UREA CARBANIDE					0.00	NO DATA - ASSUMED NONVOLATILE
VEGETABLE OIL				0.00	0.00	ASSUMED NONVOLATILE
VEOREZ S-71					0.00	NO DATA - ASSUMED NONVOLATILE
WETTING AGENT					0.00	NO DATA - ASSUMED NONVOLATILE
WHITE SPIRIT OR NAPTHA			50.00	50.00	290.51	KNOWN TO BE VOLATILE
WOOD FLOUR					0.00	CELLULOSE AND LIGNITE-NONVOLATILE
XYLENE	144.4		106.17	5.00	42.33	·
XYLOL	144.4		106.17	5.00	42.33	SAME AS XYLENE
ZINC DIMETHYL DITHIOCARBAMATE					0.00	NO DATA - ASSUMED MONVOLATILE
ZINC NAPHTHENATE					0.00	METALLIC SALT
ZINC UNDECYLENATE				0.00	0.00	SALTS ASSUMED NONVOLATILE

TABLE 3
RELATIVE EVAPORATION RATES - NUMERICAL

PRODUCT NAME	BP (C)	PRESSURE	KV	VP	RER	COMMENTS
5-BENZYL-3-FURYL					0.00	NO DATA - ASSUMED NONVOLATILE
AC POLYETHYLENE 629				0.00	0.00	LARGE POLYMER
ACRYLIC RESIN				0.00	0.00	RESINS ASSUMED NONVOLATILE
ACRYSOL LEVELING AID				•	0.00	NO DATA - ASSUMED NONVOLATILE
ADIPIC ACID					0.00	HIGH-C FATTY ACIDS NONVOLATILE
ALCOHOL-SOLUBLE LANGLIN				0.00	0.00	HIGH-C FATTY CMPDS NONVOLATILE
ALKYD RESIN				0.00	0.00	RESINS ASSUMED NONVOLATILE
ALKYL ARYL SODIUM SULFONATE				0.00	0.00	SALT
ALKYLDIMETHYLBENZYLAHNONIUN				0.00	0.00	NO DATA - ASSUMED MONVOLATILE
ALKYLDIMETHYLBENZYLAMMONIUM CHLORI	h <b>c</b>				0.00	SALTS ASSUMED NONVOLATILE
ALLETHRIN, D-TRANS	302.41				0.00	HIGH-CARBON ESTER-NONVOLATILE
ALUMINUM PHENYLSULFONATE	302.71			0.00	0.00	SALTS ASSUMED NONVOLATILE
AMMONIUM CITRATE				0.00	0.00	SALT ASSUMED NONVOLATILE
AMMONIUM LAURYL ETHER SULPHATE				0.00	0.00	HIGH-CARBON SALT
AMMONIUM OXALATE			142 11	0.00	0.00	NONVOLATILE SALT
AMMONYX 4002			142.11	0.00	0.00	VERY HIGH-CARBON COMPOUND
AMPHONER				0.00	0.00	NO DATA - ASSUMED NONVOLATILE
ANTARON FC-34			209.24	0.00	0.00	POLYMERS ASSUMED NONVOLATILE
BAYGON			209.24	0.00	0.00	CRYSTALLINE-ASSUMED NONVOLATILE
BEESVAX				0.00	0.00	WAXES ASSUMED NONVOLATILE
BENZETHONIUM				0.00	0.00	NO DATA - ASSUMED NONVOLATILE
BIOCIDE					0.00	NO DATA - ASSUMED NONVOLATILE
BUTADIENE-STYRENE COPOLYMER				0.00	0.00	LARGE POLYMER NONVOLATILE
CALCIUM THIOGLYCOLATE TRIHYDRATE				0.00	0.00	SALTS ASSUMED NONVOLATILE
CALGON					0.00	NO DATA - ASSUMED NONVOLATILE
CARBARYL				0.00	0.00	NONVOLATILE CRYSTAL AT ROOM TEMP
CARBOPOL 934				0.00	0.00	NO DATA - ASSUMED NONVOLATILE
CARBOXYMETHYL CELLULOSE				0.00	0.00	LARGE POLYMER
CARNAUBA WAX				0.00	0.00	WAXES ASSUMED NONVOLATILE
CARTARETINE F4					0.00	NO DATA - ASSUMED NONVOLATILE
CATIONIC CELLULOSE				0.00	0.00	POLYMERS ASSUMED NONVOLATILE
CELLULOSE ACETATE BUTYRATE				0.00	0.00	LARGE POLYMER
CERESIN					0.00	NO DATA - ASSUMED NONVOLATILE
CETYL ALCOHOL, FLAKES	190.00	15.00		0.00	0.00	HIGH-CARBON ALCOHOL - NONVOLATILE
CHLOR. PARAFFIN PLASTICIZER					0.00	SURROGATE=BUTYL BENZYL PHTHALATE
CHLORDANE			409.78		0.00	FROM STRUCTURE, PROBABLY NON-VOL
CHLOROSULFONATED POLYETHYLENE					0.00	POLYMERS ASSUMED NONVOLATILE
CITRIC ACID D	ECOMPOSES		192.12	0.00	0.00	ASSUMED NONVOLATILE
COCAMINO BETAINE				0.00	0.00	LONG-CHAIN POLYMER
COCONUT AMIDOPROPYL-						
3-DIMETHYLAMINE BETAINE				0.00	0.00	LONG-CHAIN POLYMER
COCONUT OIL AMINE				0.00	0.00	HIGH-CARBON
COLOR				0.00	0.00	NO DATA - ASSUMED NONVOLATILE
COLOR MIX					0.00	NO DATA - ASSUMED NONVOLATILE
CONDANOL (DBS.DLS, MLS, SB/L)				0.00	0.00	NONVOLATILE SALT
COPPER UNDECYLENATE				0.00	0.00	HIGH-CARBON SALT - NONVOLATILE
CROMEEN				0.00	0.00	NO DATA - ASSUMED NONVOLATILE
CRYSTALLINE WAX				0.00	0.00	WAXES ASSUMED NONVOLATILE
CUBE RESINS				0.00	0.00	RESINS ASSUMED NONVOLATILE
				3.30	3.30	THE PERSON NAMED IN COLUMN TO A PARTY OF THE PERSON NAMED IN COLUMN TO A PARTY

## TABLE 3 (Continued) RELATIVE EVAPORATION RATES - NUMERICAL

PRODUCT NAME	BP (C)	PRESSURE	MV	٧P	RER	COMMENTS
CYCLOPROPANE CARBOXYLATE		***************************************			0.00	USED CYPOTHRIN (HIGH-CARBON)
DC 193 FLUID				0.00	0.00	NO DATA - ASSUMED NONVOLATILE
DEHYDROGENATED RESIN				0.00	0.00	RESINS ASSUMED NONVOLATILE
DETERGENT				0.00	0.00	SURROGATE=SODIUM LAURYL SULFATE
DIMETHYCONE COPOLYCL			•	0.00	0.00	POLYMERS ASSUMED NONVOLATILE
DITHIO-BIS-STEARYL PROPIONATE				0.00	0.00	HIGH-CARBON ESTER - NONVOLATILE
DODECYL BENZENE SULFONATE				0.00	0.00	HIGH-CARBON ESTER
DOW 276-V9					0.00	NO DATA - ASSUMED NONVOLATILE
DRIERS				0.00	0.00	ASSUMED TO REMAIN IN THE COATINGS
DUREZ (14000,16470,22008)				0.00	0.00	PHENOL-FORMALDEHYDE RESIN
DUREZ (19788, 12686, 12687)				0.00	0.00	PHENOL-FORMALDEHYDE RESIN
DUREZ (26141,26789,26799)				0.00	0.00	PHENOL-FORMALDEHYDE RESIN
DUREZ 7421A				0.00	0.00	PHENOL-FORMALDEHYDE RESIN
EDTA					0.00	NO DATA - ASSUMED NONVOLATILE
ELASTOMERIC BINDER					0.00	POLYMERS ASSUMED NONVOLATILE
EMOLLIENT				0.00	0.00	PROBABLY NONVOLATILE
EMULPHOR ON-870					0.00	NO DATA - ASSUMED NONVOLATILE
EMULSIFIERS, HUMECTANTS, WAXES				0.00	0.00	FUNCTION IMPLIES NONVOLATILITY
ENDOSULPHAN				••••	0.00	NO DATA - ASSUMED NONVOLATILE
ESSENTIAL CEDAR OIL					0.00	NO DATA - ASSUMED NONVOLATILE
ETHOXYLATE TRIDECYL ALCOHOL				0.00	0.00	LONG-CHAIN ALCOHOL
ETHOXYLATED FATTY ALCOHOL SULFATE				0.00	0.00	HIGH-CARBON ASSUME NONVOLATILE
ETHYLENE GLYCOL DISTEARATE				0.00	0.00	LONG-CHAIN ESTER
2-ETHYL HEXYL SALICYLATE				0.00	0.00	HIGH-CARBON ACID - NONVOLATILE
FATTY ACID AMIDES				0.00	0.00	SURROGATE=NYLON; ASSUMED NONVOLAT
FATTY ACID SOAP				0.00	0.00	SOAPS ASSUMED NONVOLATILE
FISH OIL				0.00	0.00	ASSUMED NONVOLATILE
FLUILAN				0.00	0.00	NO DATA - ASSUMED NONVOLATILE
FOAM STABILIZERS				0.00	0.00	NO DATA - ASSUMED NONVOLATILE
FOLPET	296.56				0.00	CRYSTALLINE-ASSUMED NONVOLATILE
FRACTAL A	230.00				0.00	NO DATA - ASSUMED NONVOLATILE
GANTREZ ES 225 OR ES 425				0.00	0.00	PROBABLY A RESIN - NONVOLATILE
GELVA (TS 22, 23, 30, 31, 85)				0.00	0.00	POLYVINYL ACETATE RESIN
HARD VAXES				0.00	0.00	WAXES ASSUMED NONVOLATILE
HOECHST WAX				0.00	0.00	VAXES ASSUMED NONVOLATILE
HUMECTANTS		•		0.00	0.00	FUNCTION IMPLIES NONVOLATILITY
HYDROGENATED RESIN ESTER				0.00	0.00	RESINS ASSUMED NONVOLATILE
				0.00	0.00	
HYDROXYALKYL CELLULOSE (KLUCEL HA	100.00	20.00	070 46			POLYMERS ASSUMED NONVOLATILE
ISOPROPYL MYRISTATE	192.60	20.00	270.46	0.00	0.00	HIGH-CARBON ESTER - NONVOLATILE
0-ISOPROXYPHENYL METHYLCARBAMATE	070 40			0.00	0.00	C11 COMPOUND ASSUMED NONVOLATILE
KELTHANE	370.49			0.00	0.00	CRYSTALLINE-ASSUMED NONVOLATILE
KELZAN				0.00	0.00	POLYMERS ASSUMED NONVOLATILE
KOSOL				0.00	0.00	STARCH (POWDER)
KP-140				0.00	0.00	NO DATA - ASSUMED NONVOLATILE
LANETO 100				0.00	0.00	NO DATA - ASSUMED NONVOLATILE
LANOLIN LATER AGREE AGREE DEGIN				0.00	0.00	ASSUMED NONVOLATILE
LATEX POLYMER ACRYLIC RESIN	404 00	4 00	200 22	0.00	0.00	RESINS ASSUMED NONVOLATILE
LAURIC ACID	131.00	1.00	200.33	0.00	0.00	HIGH-CARBON FATTY ACID-NONVOLATIL
LAURIC DIETHANOLAMIDE				0.00	0.00	HIGH-CARBON AMIDE - NONVOLATILE

## TABLE 3 (Continued) RELATIVE EVAPORATION RATES - NUMERICAL

PRODUCT NAME	BP (C)	PRESSURE	HV	VP	RER	COMMENTS
MBTS (2-BENZOTHIAZOLYL SULFIDE)			332.47		0.00	CRYSTALLINE AT ROOM TEMP.
METHOXYCHLOR				0.00	0.00	NONVOLATILE CRYSTAL AT ROOM TEMP
HETHYL ANTHRANILATE				0.00	0.00	NO DATA - ASSUMED NONVOLATILE
METHYLBENZETHONIUM CHLORIDE				0.00	0.00	SALTS ASSUMED NONVOLATILE
MICROCRYSTALLINE WAX				0.00	0.00	WAXES ASSUMED NONVOLATILE
MILLED PALE CREPE				0.00	0.00	SOLID AT AMBIENT TEMPERATURE
MILLED SMOKE RUBBER				0.00	0.00	SOLID AT AMBIENT TEMPERATURE
MINERAL OIL				0.00	0.00	NO DATA - ASSUMED NONVOLATILE
MIRANOL C2MSF				0.00	0.00	HIGH-CARBON SALT
HONAMID 716				0.00	0.00	NO DATA - ASSUMED NONVOLATILE
MONOGLYCEROL P-AMINOBENZOATE				0.00	0.00	HIGH-CARBON ESTER - NONVOLATILE
NEOPRENE				0.00	0.00	LARGE POLYMER
NITROCELLULOSE				0.00	0.00	LARGE POLYMER
N-OCTYL-BICYCLOHEPTENE DICARBOXINII	DE				0.00	HIGH-CARBON CMPD - ASSUMED NONVOL
OILS	-			0.00	0.00	ASSUMED TO BE HIGH-C FATTY ACIDS
OLEIC ACID	360.00		282.46	0.00	0.00	NEAR SOLID AT AMBIENT TEMP.
PALNITIC ACID	350,267	100.00	256.43	0.00	0.00	HIGH-CARBON FATTY ACID-NONVOLATIL
PARAFFIN WAXES	,	•		0.00	0.00	WAXES ASSUMED NONVOLATILE
PETROLEUM AND SYNTHETIC WAXES				0.00	0.00	WAXES ARE NONVOLATILE
PHENOLIC RESIN				0.00	0.00	RESINS ASSUMED NONVOLATILE
PLASTIC				0.00	0.00	RESINS ASSUMED NONVOLATILE
PLASTICIZER (DGO-,3GH-)			312.36	0.00	0.00	SURROGATE=BUTYL BENZYL PHTHALATE
PLURONIC F 108 DETERGENT			4500.64	0.00	0.00	DETERGENT NONVOLATILE
POLAWAX A 31				0.00	0.00	WAXES ASSUMED NONVOLATILE
POLY-BETA-PINENE RESIN				0.00	0.00	RESINS ASSUMED NONVOLATILE
POLYACRYLATE				0.00	0.00	LARGE POLYMER
POLYACRYLIC ACID (40% AQ.) N.W.10				0.00	0.00	POLYMERS ASSUMED NONVOLATILE
POLYDIMETHYLSILOXANE				****	0.00	POLYMERS ASSUMED NONVOLATILE
POLYETHOXYLATED (75 EQ) LANGLIN				0.00	0.00	POLYMERS ASSUMED NONVOLATILE
POLYETHYLENE				••••	0.00	POLYMERS ASSUMED NONVOLATILE
POLYETHYLENE GLYCOL (400) HONOLAU				0.00	0.00	POLYMERS ASSUMED NONVOLATILE
POLYOXYETHYLENE SORBITAN MONOSTEAR	ATE			0.00	0.00	HIGH-CARBON ESTER - NONVOLATILE
POLYQUATERNIUM 4				0.00	0.00	POLYMERS ASSUMED NONVOLATILE
POLYTRIMETHYLDIHYDRO-QUINOLINE				0.00	0.00	POLYMERS ASSUMED NONVOLATILE
POLYVINYL ACETATE				0.00	0.00	LARGE POLYMER
POTASSIUM SOAP OF OLEIC ACID				0.00	0.00	SOAPS ARE NONVOLATILE
PRESERVATIVES				0.00	0.00	FUNCTION IMPLIES NONVOLATILITY
PROCETYL AWS				0.00	0.00	HIGH-CARBON ASSUMED NONVOLATILE
PROPYLENE GLYCOL RICINOLEATE				0.00	0.00	HIGH-CARBON ESTER - NONVOLATILE
PROTEIN HYDROLYSATE				0.00	0.00	ASSURED NONVOLATILE
PVP-VA COPOLYMER E-735				0.00	0.00	POLYMERS ASSUMED NONVOLATILE
QUATERNIUM 26				0.00	0.00	POLYMERS ASSUMED NONVOLATILE
RESYN 28-2930				0.00	0.00	POLYMERS ASSUMED NONVOLATILE
RHOPLEX B				0.00	0.00	POLYMERS ASSUMED NONVOLATILE
ROSIN					0.00	USED ABIETIC ACID - SOLID
SALICYLANILIDE				0.00	0.00	HIGH CARBON - ASSUMED NONVOLATILE
SANDOPAN DTC ACID					0.00	HIGH-CARBON SALT
SANDOPAN TFL CONCENTRATE				0.00	0.00	HIGH-CARBON SALT
SAPARINE COB-ST				0.00	0.00	STEARIC ACID AMIDE

## TABLE 3 (Continued) RELATIVE EVAPORATION RATES - NUMERICAL

PRODUCT NAME	BP (C)	PRESSURE	HU	VP	RER	CONMENTS
SAPANINE VL				0.00	0.00	STEARIC ACID AMIDE
SESAME OIL				0.00	0.00	HIGH-CARBON FATTY ACID
SEVIN				0.00	0.00	HIGH-CARBON ASSUMED NONVOLATILE
SILICONE DEFOAMER					0.00	NO DATA - ASSUMED NONVOLATILE
SILICONE FLUID 220/350CS				0.00	0.00	POLYMERS ASSUMED NONVOLATILE
SILICONE LE 452				0.00	0.00	POLYMERS ASSUMED NONVOLATILE
SILICONE OIL 350 CS. 10000 CS				0.00	0.00	POLYMERS ASSUMED NONVOLATILE
SINDAR TECHNICAL G4-40				0000	0.00	NO DATA - ASSUMED NONVOLATILE
SOAP					0.00	SOAPS ARE NONVOLATILE
SODIUM DODECYLBENZENE SULFONATE				0.00	0.00	HIGH-CARBON SALT
SODIUM LAURYL SARCOSINATE				0.00	0.00	LONG-CHAIN ESTER
SODIUM LAURYL SULFATE				0.00	0.00	HIGH-CARBON CMPD - NONVOLATILE
SODIUM O-PHENYLPHENOLATE				0.00	0.00	SALT
SODIUM XYLENE SULFONATE				0.00	0.00	SALT
SORBITAN MONOSTEARATE				0.00	0.00	HIGH-CARBON ESTER - NONVOLATILE
SORBITOL	295.00	5.00	182.18	0.00	0.00	HIGH-CARBON SUGAR - NONVOLATILE
SPAN 80			428.61	0.00	0.00	NO DATA - ASSUMED NONVOLATILE
SPAN 85				0.00	0.00	NO DATA - ASSUMED NONVOLATILE
STEARATE EMULSIFIER					0.00	LONG-CHAIN ESTER
STEARIC ACID	383.00		284.47	0.00	0.00	LONG-CHAIN FATTY ACID
STYRENATED ALKYD RESIN					0.00	RESINS ASSUMED NONVOLATILE
SUNSCREEN AGENT				0.00	0.00	FUNCTION IMPLIES NONVOLATILITY
SURFACTANT NF				0.00	0.00	ASSUMED NONVOLATILE
SURFACTANT WK				0.00	0.00	ASSUMED NONVOLATILE
SYM-DI-BETA-NAPTHYL-P-PHENYL DIAM					0.00	GREASES
TALL OIL				0.00	0.00	RESINS ASSUMED NONVOLATILE
TARTARIC ACID			168.10	0.00	0.00	SOLID AT ROOM TEMP
TENSIOFIX (LX. UP)					0.00	NO DATA - ASSUMED NONVOLATILE
TERGITOL ANIONIC 4				0.00	0.00	NONVOLATILE SALT
TERGITOL MIN-FOAM				0.00	0.00	NONVOLATILE SALT
THICKENERS				0.00	0.00	FUNCTION IMPLIES NONVOLATILITY
THIURAN					0.00	CRYSTALLINE AT ROOM TEMP.
TINOPAX ANA					0.00	NO DATA - PROBABLY A SOLID
TRIBASIC LEAD MALEATE					0.00	SALTS ASSUMED NONVOLATILE
TRIBUTOXYETHYL PHOSPHATE					0.00	SALT - ASSUMED NONVOLATILE
TRIBUTYL PHOSPHATE					0.00	SALT -ASSUMED NONVOLATILE
TRIETHANOL AMINE OLEATE				0.00	0.00	HIGH-CARBON ESTER - NONVOLATILE
TRITON X-200					0.00	NO DATA - ASSUMED NONVOLATILE
TURKEY RED OIL				0.00	0.00	FATTY ACID: NONVOLATILE
TUEEN 81					0.00	NO DATA - ASSUMED NONVOLATILE
UNDECYLENIC ACID				0.00	0.00	HIGH-CARBON FATTY ACID
UREA CARBAMIDE					0.00	NO DATA - ASSUMED NONVOLATILE
VEGETABLE OIL				0.00	0.00	ASSUMED NONVOLATILE
VEOREZ S-71					0.00	NO DATA - ASSUMED NONVOLATILE
VETTING AGENT					0.00	NO DATA - ASSUMED NONVOLATILE
WOOD FLOUR					0.00	CELLULOSE AND LIGNITE-NONVOLATILE
ZINC DIMETHYL DITHIOCARBAMATE					0.00	NO DATA - ASSUMED NONVOLATILE
ZINC UNDECYLENATE				0.00	0.00	SALTS ASSUMED NONVOLATILE
PYRETHRIN I	170.00	.10	328.46	.00	.00	

TABLE 3 (Continued)
RELATIVE EVAPORATION RATES - NUMERICAL

PRODUCT NAME	BP (C)	PRESSURE	MV	VP	RER	COMMENTS
PYRETHRIN II	200.00	.10	372.47	.00	.00	
PIPERONYL BUTOXIDE	180.00	1.00	338.44	.00	.00	
MALATHION	156.50	.70	330.35	.00	.00	
DIOCTYL PHTHALATE PLASTICIZER	385.00		390.56	.00	.00	
HYRISTIC ACID		100.00	228.38	.00	. 00	
SALICYLIC ACID			138.12	.00	.00	
TRIETHANOLAMINE		150.00	149.19	.00	.00	
O-BENZYL-P-CHLOROPHENOL	161.00	3.50	218.68	٥٥ ،	.00	
	DECOMPOSES (	290	92.11		.00	
DIBUTYL PHTHALATE	340.00		278.35	.00	.00	
TRIETHYLENE GLYCOL	287.40		150.20		.00	
BENZYL BENZOATE	323.50		212.25	.00	.00	
AHPD .	151.20	10.00	105.14	.00	.00	
2,4 BIS (ISOPROPYLAMINO)-6						
METHOXY-S-TRIAZINE					0.00	
4-AMINO-3,5,6-TRICHLOROPICOLINI	CACID				0.00	ASSUMED NONVOLATILE
2,4,5-TRICHLOROPHENOXYACETIC						
ACID, POTASSIUM SALT					0.00	SALT-ASSUMED NONVOLATILE
C1.S.P. COMPOUNDS					0.00	NO DATA - ASSUMED NONVOLATILE
COPPER NAPHTHENATE					0.00	METALLIC SALT
BROMOCIL					0.00	SOLID - ASSUMED NONVOLATILE
GRANULAR MINERAL BASE					0.00	SOLID - ASSUMED NONVOLATILE
ISOOCTYL ESTERS					0.00	FAIRLY HIGH CARBON ESTER
I SOBUTYLENE POLYMERS					0.00	POLYMER - ASSUMED NONVOLATILE
HONURON					0.00	PROBABLY AN OIL
PICLORAM	•				0.00	ASSUMED NONVOLATILE
ZINC NAPHTHENATE					0.00	METALLIC SALT
2-FURALDEHYDE, 2,3:4,5-BIS-						
(2-BUTYLENE) TETRAHYDRO	307.00		204.27	0.00	.01	
MYRISTIL ALCOHOL	263.20		214.40	.00	.01	
MGK	307.00		204.27		.01	MGK 11 USED AS TYPICAL COMPOUND
2-ETHYL-1,3-HEXANEDIOL				.00	.02	1100m 11 11 61 mm 117 14 0101 11 11 1 6 0
N,N-DIALKYL-M-TOLUAMIDE	160.00	19.00	191.27	.00	.02	USED N, N-DIETHYL-M-TOLUAMIDE
DIETHYLENE GLYCOL	245.00	44.00	106.12	.00	.02	
BENZOIC ACID	249,133	10.00	122.13	.00	.03	HORS & ACCOUNT BRUDGELSAM
PETREX 7-75T (DRY)	136.00	11.00	234.30	.01	.07	USED 2-ACETYL BENZOFURAN
ALKYL DIETHANOLAMINE	***		88.13	.01	.07	USED ETHYL DIETHANOLAMINE
THYMOL	233,92	2.00	150.22	.01	.09	
DIPROPYLENE GLYCOL	292/232		134.20	.01	.10	RER SHOULD BE < 0.1
PROPYL P-HYDROXYBENZOATE		44 44	000 00		.10	NO DATA - ASSUMED VOLATILE
DDVP	140.00	20.00	220.98	.01	.11	
POLYOXYETHYLENE (2) CETYL ETHER			466.89	.01	.14	
MONOETHYLENE GLYCOL	198.00		62.10	.06	.39	
ETHYLENE GLYCOL	198.00		62.10	.06	.39	
METHYL P-HYDROXYBENZOATE	223.30		152.15	.07	.67	
PROPYLENE GLYCOL	189.00	757 00	76.11	.10	.75	
PROPYLENE GLYCOL DIPELARGONATE	213.00	757.00	198.32	.08	.87	DED REDIVED FROM 100 DEDIG
CRESOL (0-, M-, P-)	010 00		108.13	.11	. 96	RER DERIVED FROM AVG RER'S
MENTHOL	216.00		156.27	.15	1.54	

TABLE 3 (Continued)
RELATIVE EVAPORATION RATES - NUMERICAL

PRODUCT NAME	BP (C)	PRESSURE				CONHENTS
NAPHTHALENE	217.90		128.16		1.91	
CADDITAL	202.00					
2-AMINO-2-METHYL PROPANOL	165 50		89.14		2.53	
ETHANOLAMINE	172.00		61.08	. 40	2.57	
L-CAMPHOR	SUBLINES @		152.24	. 28	2.81	
D.L-CAMPHOR	SUBLIMES		152.24	. 28	2.81	
D-CAMPHOR	SUBLINES @		152.24 89.14	.28	2.81	
AMP	165.00		89.14	. 44	3.41	
ETHANOLAMINE L-CAMPHOR D.L-CAMPHOR D-CAMPHOR AMP ROTENONE	_165.00 215.00		394.00	.24	3.91	
DIPROPYLENE GLYCOL MONOMETHYL ETH	187.20		162.23	. 46	4.76	
BUTYL CELLOSOLVE	170.00				5.36	E.G. MONOBUTYL ETHER
ETHYLENE GLYCOL HONOBUTYL ETHER			118.17			
POLYISOBUTYLENE (TRI-, TETRAMER-	)		196.38		5.71	
TRICRESYL PHOSPHATE		•	368.37	.50	7.89	UNION OIL DATA
O-DICHLOROBENZENE	180.50		147.00	.89	8.89	
CELLOSOLVE ACETATE			132.16	1.20	11.34	
DIETHYLENE GLYCOL HONOMETHYL ETHE	159.00		120.15	1.88	16.96	
ANYL ACETATE		737.00	130.20	3.05	28.55	USED N-ANYLACETATE
PINE OIL	155.00		136.23	3.00	28.75	SURROGATE=PINENE
PETROLEUM ETHERS			90.10	3.80	29.64	SURROGATE = MONOETHYL ETHER
MONO ETHYL ETHER			90.10	3.80	29.64	
ETHYLENE GLYCOL MONOETHYL ETHER	135.00		90.10	3.80	29.64	
GLYCOL ETHER			90.10	3.80	29.64	SURROGATE=E.G. MONOETHYL ETHER
TURPENTINE	155.00	136.23	3.00	28.75	40.92	SURROGATE=PINENE
XYLENE	144.40			5.00	42.33	
XYLOL	144.40		106.17	5.00	42.33	SAME AS XYLENE
PROPANE	-42.10		44.11	8.50	46.39	
	128.00		87.12	8.00	61.36	
ACETIC ACID	118.10		60.05	10.63	67.68	
NITROPROPANE (1-,2-)				9.38	72.78	RER DERIVED FROM AVG RER'S
CHLOR-AROMATIC SOLVENTS			112.56		76.72	SURROGATE=MONOCHLOROBENZENE
N-PROPYL ALCOHOL	97.80		60.09	15.41	98.17	
DICHLOROPENTANE			141.04	14.02	136.81	
PERCHLOROETHYLENE	121.40		165.83	14.00	148.14	
TOLUENE	110.80		92.10	21.48	169.35	
AROMATIC HYDROCARBONS			92.10	22.00	173.49	SURROGATE = XYLENE
AROMATIC KETONE SOLVENT			92.10	22.00	173.49	SURROGATE = XYLENE
I SOPROPANOL	82.40		60.10	34.82	221.79	
I SOPROPYL ALCOHOL	82.40		60.10	34.82	221.79	
ETHANOL	78.50		46.07	43.90	244.84	
ETHYL ALCOHOL	78.40		46.07	43.90	244.84	
ETHYL ALCOHOL OP	78.40		46.07	43.90	244.84	SAME AS ETHANOL
ALCOHOL 740 P			50.00	50.00	290.51	
CHLORINATED SOLVENTS			50.00	50.00	290.51	
DEUDORANT			50.00	50.00	290.51	
ESSENTIAL OIL			50.00	50.00	290.51	
ESTERS AND KETONES (ACETONE)			50.00	50.00	290.51	
FRAGRANCE			50.00	50.00	290.51	NO DATA - ASSUMED VOLATILE
FRAGRANCE, DYE			50.00	50.00	290.51	

# TABLE 3 (Continued) RELATIVE EVAPORATION RATES - NUMERICAL

PRODUCT NAME	BP (C)	PRESSURE	MV	VP	RER	COMMENTS
HALOGENATED HYDROCARBON PROPELLAN			50.00	50.00		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
KEROSENE			50.00	50.00		KNOWN TO BE VOLATILE
MINERAL SPIRITS			50.00	50.00	290.51	KNOWN TO BE VOLATILE
PERFUME	•		50.00	50.00	290.51	
PERFUME IN ALCOHOL			50.00	50.00	290.51	
PERFUME OIL			50.00	50.00	290.51	
PETROLEUM DISTILLATE (NAPHTHA)			50.00	50.00	290.51	KNOWN TO BE VOLATILE
PETROLEUM OIL			50.00	50.00	290.51	ASSUMED VOLATILE
PETROLEUM SOLVENTS			50.00	50.00	290.51	KNOWN TO BE VOLATILE
SOLVENTS			50.00	50.00	290.51	ASSUMED VOLATILE
STODDARD SOLVENT			50.00	50.00	290.51	KNOWN TO BE VOLATILE
WHITE SPIRIT OR NAPTHA			50.00	50.00	290.51	KNOWN TO BE VOLATILE
N-ACETYLETHANOLAH I NE			50.00	50.00	290.51	
NONYLPHENOXY ACETIC ACID			50.00	50.00	290.51	HIGH CARBON SOLID
OXYGENATED ORGANIC ACIDS			50.00	50.00		NO DATA - ASSUMED VOLATILE
ALIPHATIC HYDROCARBONS			86.17	50.00		
ALIPHATIC THINNER			86.17	50.00		USED HEXANE AS REPRESENTATIVE
HETHYL ALCOHOL	65.00		32.04	92.39		
ETHYLENE DICHLURIDE	83.50		99.00	61.00		
	87.00		131.29			
	56.20		58.08			
1.1.1-TRICHLOROETHANE			133.41		949.09	
	60.30		86.18		1284.09	SURROGATE = ISOHEXANE
AMINES .			73.14	200.00	1405.47	
INERT INGREDIENTS (PESTICIDES)					1511.56	
	41.00		•		2642.83	SAME AS METHYLENE CHLORIDE
	41.00		84.93		2768.98	
PENTANE			72.15		3001.23	
DIMETHYLENE OXIDE			44.05		5971.73	
HYDROCARBON PROPELLANT					9676.33	SURROGATE=BUTANE
BUTANE	10		58.12		9676.33	
					9811.14	
					14597.26	
FORMALIN	-20.00				14597.28	
DIMETHYL ETHER	-25.00		46.70	3581.69	20112.19	

Table 4
VOC AND PROC EMISSIONS IN CALIFORNIA

	MILLION Units Distri		NATIONAL CONSUMPTION	POP.	GEOGR. Multi-		IGHT I	RACTIO PROC			C ENISSIONS ONS)		OC ENISSIONS
PRODUCT	BUTED	(LB)	(MILLION LB)		PLIER	LOW	HIGH	LOW	HIGH	FOA	HIGH	LOW	HIGH
AEROSOL/NON-AEROSOL PRODUCTS (1)												-	
INSECT SPRAY PRODUCTS INSECT SPRAYS (AEROSOL AND NON-AEROSOL)	•												
FORMULATIONS 2,8 INSECT REPELLENTS (AEROSOL AND NON-AEROSOL)			192.5	.11	1.00	.05	1.00	0.00	1.00	529.38	10587.50	0.00	10587.50
FORMULATIONS 1,5 MOTH CONTROL PRODUCTS (AEROSOL AND NON-AEROSOL)			12.00	.11	1.00	.35	. 85	. 35	. 85	230.34	561.00	230.34	561.00
FORMULATIONS 1,2 ANIMAL INSECTICIDES (AEROSOL AND NON-AEROSOL)			39.00	.11	1.00	.96	1.00	.96	1.00	2059.20	2136.42	2059.20	2136.42
FORMULATIONS 3,4 SUB-TOTAL			6.00	.11	1.00	.55	1.00	.55	1.00	181.50 3000.41	329.01 13613.93	181.50 2471.04	329.01 13613.93
PAINTS AND FINISHES PAINTS, PRIMERS, VARNISHES													
FORMULATIONS 5,6	300.60	.75		.11	1.15	.73	. 87			10423.85	12391.69		
FORMULATIONS 3,6 OTHER RELATED PRODUCTS	300.60	.75		.11	1.15			.67	.87			9554.01	12391.69
FORMULATIONS 1 SUB-TOTAL	6.9	.69		.11	1.00	.65	.65	.65	. 65	170.21 10594.06	170.21 12561.90	170.21 9724.21	170.21 12561.90
HOUSEHOLD PRODUCTS  ROOM DEODORANTS AND DIS- INFECTANTS (AEROSOL AND NON- AEROSOL)										•••••	********	•••••	
FORMULATIONS 2,4	265.50	.50		.11	.94	. 35	1.00			2436.43	6863.17		
FORMULATIONS 1,4	265.50	.50		.11	94			. 35	.87			2436.43	5970.96

	MILLION UNITS DISTRI		NATIONAL CONSUMPTION	POP.	GEOGR. Multi-	VE I		RACTIO PROC			C ENISSIONS ONS)		OC ENISSIONS ONS)
RODUCT	BUTED	(LB)	(MILLION LB)	APPORT.		LOV	HIGH	LOW	HIGH	LOW	HIGH	-LOW	HIGH
CLEANERS													
TILE AND BATHROOM CLEANERS													
FORMULATIONS 1,2,3,4,5 (2)			65.00	.11		0.00	.33			0.00	1179.75		
FORMULATIONS 2,3,4,5 (2)			65.00	.11	1.00	•		0.00	.33			0.00	1179.75
OVEN CLEANERS (AEROSOL AND													
NON-AEROSOL)													
FORMULATIONS 3,4			33.00	.11	1.02	0.00	. 20	0.00	. 20	0.00	370.26	0.00	370.26
RUG AND UPHOLSTERY CLEANERS (AEROSOL AND NON-AEROSOL)													
FORMULATIONS 1,3			115.00	.11	1 00	V3	. 26	.03	. 26	215.05	1644.50	01E 0E	1644.50
ALL PURPOSE CLEANERS			113.00	.11	1.00	.00	. 20	,00	. 20	213.03	1044.50	213.03	1044.00
(AEROSOL AND NON-AEROSOL)													
FORMULATIONS 1,2			512.00	.11	1.07	.02	.41	.02	. 41	602.62	12323.66	602.62	12323.66
WINDOW AND GLASS CLEANERS													
(AEROSOL AND NON-AEROSOL)													
FORMULATIONS 6,7			174.00	.11	.98	0.00	.42	0.00	. 42	0.00	3939.01	0.00	3939.01
LAUNDRY PRODUCTS-AEROSOLS													
STARCH, FABRIC FINISH													
FORMULATIONS 1,2	109.90	.75		.11	1.00	.05	.11	. 05	.11	222.14	507.74	222.14	507.74
LAUNDRY PRODUCTS													
(AEROSOL AND NON-AEROSOL)													
PREVASH STAIN REMOVERS													
FORMULATIONS 1,2			84.00	.11	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SPOT REMOVERS													
FORMULATIONS 1,2			2.30	.11	1.00	1.00	1.00	.90	1.00	126.50	126.50	113.85	126.50
WAXES AND POLISHES													
FORMULATIONS 1,3			58.00	.11	.95	.07	.34	.07	. 34	212.14	1030.37	212.14	1030.37
ALL OTHER HOUSEHOLD SPRAY PRODUCTS	5												
FORMULATIONS	45.2	. 75		.11	1.00					NA (4)	NA	NA	NA

	MILLION	PROD.	NATIONAL	808	GEOGR.	VE I		RACTIO PROC			C ENISSIONS ONS)		ROC ENISSIONS TONS)
PRODUCT	DISTRI BUTED	VT. (LB)	CONSUMPTION (MILLION LB)	POP. APPORT.	MULȚI- Plier	LOV	HIGH	LOW	HIGH	LOV	HIGH	LOW	HIGH
SHOE POLISHES, WAXES AND COLOR-													
ANTS (AEROSOL AND NON-AEROSOL)		-					••		•		000 40	40.00	000 40
FORMULATIONS 1,2			6.00	.11	1.00	.13	. 98	.13	.98	42.90	323.40	42.90	323.40
ANTISTATIC SPRAYS FORMULATIONS 1,2			3.00	.11		0.00	Λa	0.00	`.03	0.00	4.95	0.00	4.95
ADHESIVES (5)			3.00	.11	1.00	0.00	.03	0.00	.03	0.00	4.50	0.00	4.33
(AEROSOL AND NON-AEROSOL)													
FORMULATIONS 2,3,6 (2)			3277.50	.11	1.00	0.00	. 85	0.00	. 85	0.00	153223.12	0.00	153223.12
CAULKING AND SEALING CPDS (5)													
(AEROSOL AND NON-AEROSOL)													
FORMULATIONS 1,2			432.80	.11	1.00	0.00	. 20	0.00	. 20	0.00	4760.80	0.00	4760.80
CARPET DEODORIZERS													
(AEROSOL AND NON-AEROSOL)													
FORMULATIONS 1			65.00	.11	.96	.02	.02	.02	. 02	68.64	68.64	68.64	68.64
DRAIN OPENERS													
(AEROSOL AND NON-AEROSOL)													
LIQUIDS			.=	_									
FORMULATIONS 2 (NO VOC)			17 (HIL.GAL.)	.11	.94	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SOLIDS FORMULATIONS 1			002.00		0.4	^ ^^	Λ ΛΛ	Λ ΛΛ	A 00	۸ ۸۸	0.00	0.00	0.00
FORMULATIONS I			293.00	.11	.94	0.00	0.00	0.00	0.00	0.00	186365.88		0.00 185473.67
										3520.41	100303.00	3913.70	100410.01
PERSONAL PRODUCTS													
SHAVING LATHERS													
FORMULATIONS 2,4	162.80	.50	0	.11	1.01	.03	.09	.03	.09	140.17	402.44	140.17	402.44
HAIR SPRAYS													
FORMULATIONS 1,4	270.70			.11	.93	.88	.97			7685.11	8505.09		
FORMULATIONS 4,5	270.70	.63	3	.11	.93			.73	.97			6376.64	8505.09
STYLING HOUSSE	400 10		•				•	•		F ( 0 . 0 . 0 . 0 . 0 . 0 . 0 . 0 . 0 . 0	5 t 0 00	£10.00	5.40.05
FORMULATIONS 1	106.10	.3	ď	.11	1.00	. 24	. 24	. 24	. 24	543.29	543.29	543.29	543.29

	MILLION UNITS DISTRI	AVG. PROD. WT.	NATIONAL CONSUMPTION	POP.	GEOGR. Multi-	VEI		RACTIO PROC		-	C ENISSIONS ONS)		ROC ENISSION TONS)
RODUCT	BUTED	(LB)	(MILLION LB)	APPORT.		LOV	HIGH	LOW	HIGH	LOW	HIGH	LOW	HIGH
OTHER HAIR CARE PRODUCTS-SHAMPOO										*********			
(AEROSOL AND NON-AEROSOL)													
FORMULATIONS 1,2,3 (2)			644.60	.11	1.00	0.00	.01	0.00	.01	0.00	177.27	0.00	177.27
PHARMACEUTICALS	40.70	25											
FORMULATIONS 1,3	43.70			.11	1.08	.70	.99	70		453.61	645.70		
FORMULATIONS 2,3 COLOGNES	43.70	. 25		.11	1.08			.70	. 99			453.61	645.70
FORMULATIONS 1	44.00	. 12		.11	1 00	1.00	+ 00	٠ ۸۸	1.00	302.50	302.50	302.50	302.50
PERFUMES	44.00	.12		•11	1.00	1.00	1.00	1.00	1,00	302.30	302.30	302.30	302.30
FORMULATIONS 1	82.00	.03		.11	1.00	1.00	1.00	1.00	1.00	135.30	135.30	135.30	135.30
AFTERSHAVES		•••				2,00			1.00	100.00	100100	100100	100.00
FORMULATIONS 1	23.00	. 25		.11	1.00	.65	. 65	.65	.65	204.93	204.93	204.93	204.93
PERSONAL DEODORANTS AND ANTI-													
PERSP IRANTS													
FORMULATIONS 1,2	156.00	. 25		.11	. 86	.80	. 95	.80	. 95	1475.76	1752.46	1475.76	1752.46
OTHER PERSONAL CARE PRODUCTS													
SUNTAN LOTIONS (2)													
FORMULATIONS 1,4,5 (2)	15.1	. 13		.11	1.16	0.00	. 65	0.00	. 65	0.00	81.41	0.00	81.41
DEPILATORIES	45.40												44.00
FORMULATIONS 1,2	15.10	.13		.11	1.03	.10	. 10	.10	.10	11.12	11.68	11.12	11.68
UB-TOTAL										10951.80	12762.06	9043.32	12762.06
NIMAL PRODUCTS													
VETERINARIAN AND PET PRODUCTS										NA	NA	NA	NA
UB-TOTAL										0.00	0.00	0.00	0.00
HITOMOTINE AND INDUCTOIAL BRODUCTO													
UTOMOTIVE AND INDUSTRIAL PRODUCTS REFRIGERANTS										NA	NA	NA	NA
CLEANERS (AEROSOL AND NON-AEROSOL)	,									MA	пл	пл	IVA.
FORMULATIONS 4,7	, 14.70	.88		.11	1 00	0.00	1 00	0.00	1.00	0.00	707.44	0.00	707.44

Table 4 (Continued)
VOC AND PROC EMISSIONS IN CALIFORNIA

	HILLION Units Distri		NATIONAL CONSUMPTION	POP.	GEOGR. MULTI-	VE I		RACTIO PROC			C ENISSIONS DNS)		OC ENISSIO ONS)
RODUCT	BUTED	(LB)	(MILLION LB)	APPORT.	PLIER	LOW	HIGH	LOW	HIGH	LOW	HIGH	LOW	HIGH
ENGINE DEGREASERS			******										
FORMULATIONS 1,2,3 (2)	23.90	.88		.11	1.00	. 89	1.00			1025.97	1150.19		
FORMULATIONS 3	23.90	. 88		.11	1.00			. 75	1.00			862.64	1150.19
LUBRICANTS AND SILICONES													
FORMULATIONS 1,2	75.40	.44		.11	1.00	0.00	1.00	0.00	1.00	0.00	1824.68	0.00	1824.68
UNDERCOATINGS	0.00	76					05	05	05	05.50	004 00	or <b>c</b> o	004 00
FORMULATIONS 1	8.30	.75		.11	1.00	. 25	. 85	. 25	. 85	85.59	291.02	85.59	291.02
BRAKE CLEANERS FORMULATIONS 1, 2, or 3	16.60	1.13		.11	1 00		1.00	1 00	1.00	1031.69	1031.69	1031.69	1031.69
TIRE SEALANTS AND INFLATORS	10.00	1.13		•11	1.00	1.00	1.00	1.00	1.00	1001.09	1001.00	1001.03	1001.03
FORMULATIONS	19.30	.69		.11	1.00					NA	NA	NA	NA
CARBURETOR AND CHOKE CLEANERS										-	****	-	****
FORMULATIONS 2,3	39.80	.75		.11	1.00	. 28	1.00	. 28	1.00	459.69	1641.75	459.69	1641.75
ENGINE STARTING FLUIDS													
FORMULATIONS 1	30.80	.56		.11	1.00	1.00	1.00	1.00	1.00	948.64	948.64	948.64	948.64
WINDSHIELD DEICER (AEROSOL AND NON													
FORMULATIONS 1,2	10.40	1.00		.11	1.00	. 75	1.00	.75	1.00	429.00	572.00	429.00	572.00
OTHER AUTO AND INDUSTRIAL PRODUCTS										NA 2000 FO	NA 53.40	NA	NA CA COAC
B-TOTAL										3980.58	8167.40	3817.25	8167.40
SCELLANEOUS PRODUCTS													
HERBICIDES AND FUNGICIDES													
FORMULATIONS 1,7			69.00	.11	1.00	0.00	. 95	0.00	.95	0.00	3605.25	0.00	3605.25
B-TOTAL										0.00	3605.25	0.00	3605.25
N-AEROSOL PRODUCTS													
RSONAL PRODUCTS													
NAIL POLISHES										NA	NA	NA	NA
NAIL POLISH REHOVERS										NA	NA	NA	NA

	MILLION UNITS DISTRI	NATIONAL CONSUMPTION	POP.	GEOGR. Multi-		I GHT /OC	FRACTIO PROC		TOTAL VOC		TOTAL PRO	C ENISSIONS NS)
PRODUCT	BUTED	(MILLION LB)			LOW	HIGH	LOW	HIGH	LOW	HIGH	LOV	HIGH
PERSONAL DEODORANTS AND ANTI-		 **********							NA	NA	NA	NA
PIRSPIRANTS									414	***	414	314
SHAVING LATHERS									NA.	NA	NA	NA
PRE-SHAVE PREPARATIONS									NA	NA NA	NA	NA ALA
AFTER-SHAVE LOTIONS & COLOGNES (LISTED UNDER AEROSOL)									NA	NA	NA	NA
PERFUMES									NA	NA	NA	NA
(LISTED UNDER AEROSOL)									MA	NΛ	NA	NA
RUBBING COMPOUNDS (ALCOHOL)									NA	NA	NA	NA
FACE WASHES (LIKE ASTRINGENTS)									NA NA	NA	NA NA	NA
FACIAL CREAMS AND WASHES									NA NA	NA NA	NA NA	NA
HAND LOTIONS									NA.	NA.	NA NA	NA.
SUN LOTIONS, CREAMS AND OILS									NA	NA	NA	NA
(LISTED UNDER AEROSOL)												
MOUTHWASHES									NA	NA	NA	NA
HAIR SPRAYS									NA	NA	NA	NA
HAIR SHAMPOOS, RINSES AND OTHER												
HAIR PRODUCTS									NA	NA	NA	NA
SUB-TOTAL									0.00	0.00	0.00	0.00
HOUSEHOLD PRODUCTS												
SHOE POLISHES									NA	NA	NA	NA
BALL POINT AND POROUS POINT PENS									MA	NA	NA	NA
ROOM DEODORANTS AND DISINFECTANTS	3								NA	NA	NA	NA
CLEANERS												
OVEN CLEANERS									NA	NA	NA	NA
RUG AND UPHOLTERY CLEANERS									NA	NA	NA	NA
WINDOW AND GLASS CLEANERS									NA	NA	NA	NA
FLOOR CLEANERS									NA	NA	NA	NA
TILE AND BATHROOM CLEANERS									NA	NA	NA	NA

	MILLION UNITS DISTRI		NATIONAL CONSUMPTION	POP.	GEOGR.	VE		FRACTIO PROC			C ENISSIONS Ons)		OC EMISSIONS ONS)
PRODUCT	BUTED	(LB)	(MILLION LB)	APPORT.	PLIER	LOW	HIGH	LOW	HIGH	LOV	HIGH	LOW	HIGH
WALL CLEANERS										NA	NA	NA	NA
WAXES AND POLISHES (LIQUIDS) FORMULATIONS 2,3 FLOOR WAXES OR POLISHES			3.00	.11	1.00	.24	.94	.24	.94	39.60	155.10	39.60	155.10
FLOOK WAKES OR POLITICES FORMULATIONS 1,2,3 (2) RUG DEODORIZERS AND FRESHENERS LAUNDRY SPOT REMOVERS MOTH CONTROL PRODUCTS METAL CLEANERS AND POLISHES			27.00	.11	1.04	.20	.20	.20	.20	308.88 AA NA NA	88.80E NA NA NA	308.88 NA NA NA	88.80E NA NA NA
FORMULATIONS 2,3,4,5,7 (2) HOUSEHOLD ADHESIVES FURNITURE POLISHES AND WAXES UB-TOTAL			24.00	.11	1.00	0.00	1.00	0.00	1.00	0.00 NA NA 348.48	1320.00 NA NA 1783.98	0.00 NA NA 348.48	1320.00 NA NA 1783.98
UTOMOTIVE													
AUTO ANTIFREEZES FORMULATIONS 1 CAR POLISHES AND WAXES			22.30	.11	1.00	.95	. 95	.95	.95	1165.17	1165.17	1165.17	1165.17
FORMULATIONS 1,2 WINDSHIELD WASHER FLUID BUB-TOTAL	189.10	1.00		.11	1.05	.42	.42	.42	.42	4619.38 NA 5784.56	4630.30 NA 5795.48	4619.38 NA 5784.56	4630.30 NA 5795.48
ARAGE PRODUCTS  HOUSEHOLD GLUE AND BONDING AGENTS HOUSEHOLD CAULKS AND SEALANTS INSECTICIDES HERBICIDES FUNGICIDES										NA NA NA NA NA	NA NA NA NA NA	NA NA NA NA NA	NA HA NA NA
BARBECUE LIGHTER FLUIDS AUTO WINDSHIELD WASHERS										NA NA	NA NA	NA NA	NA NA

	MILLION Units Distri	AVG. PROD. VT.	NATIONAL CONSUMPTION	POP.	GEOGR. Multi-	_	IGHT I OC	FRACTION PROC			C ENISSIONS (ONS)		ROC ENISSIONS TONS)
PRODUCT	BUTED	(LB)	(HILLION LB)	APPORT.	PLIER	LOW	HIGH	FOR	HIGH	LOU	HIGH	LOV	H1 GH
DEGREASERS	~~~****									NA	NA	NA	NA
SUB-TOTAL	•									0.00	0.00	0.00	0.00
TOTAL CHICCIONS										20500 20	011000 00	25702.02	013263 00
TOTAL ENISSIONS										30300.30	244655.88	35702.03	243/03.00

- (1) Products in these sub-categories are aerosol unless it is indicated that aerosol and non-aerosol are combined.
- (2) More than two listed formulations indicates that several product formulations had the same low or high weight percent.
- (3) Suntan lotion use varies strongly with season. However, the total emission estimate is independent of seasonal flucuation.
- (4) NA indicates that emissions could not be calculated because either product use or formulation data were not available.
- (5) includes industrial, commercial, and consumer products.

Table 5
VOC AND PROC EMISSIONS IN NEW JERSEY

	MILLION UNITS DISTRI		NATIONAL CONSUMPTION	POP.	GEOGR. Multi-		GHT F C	RACTIO PROC	;		ENISSIONS Ons)		OC ENISSIONS ONS)
PRODUCT	BUTED	(LB)	(MILLION LB)	APPORT.		FOA	HIGH	LOW	HIGH	LOW	HIGH	LOW	HIGH
AEROSOL/NON-AEROSOL PRODUCTS (1)													
INSECT SPRAY PRODUCTS INSECT SPRAYS (AEROSOL AND NON-AEROSOL)													
FORMULATIONS 2,8 INSECT REPELLENTS (AEROSOL AND NON-AEROSOL)			192.5	.03	1.00	.05	1.00	0.00	1.00	149.19	2983.75	0.00	2983.75
FORMULATIONS 1,5 MOTH CONTROL PRODUCTS (AEROSOL AND NON-AEROSOL)			12.00	.03	1.00	.35	. 85	. 35	. 85	64.91	158.10	64.91	158.10
FORMULATIONS 1,2 ANIMAL INSECTICIDES (AEROSOL AND NON-AEROSOL)			39.00	.03	1.00	.96	1.00	.96	1.00	580.32	602.08	580.32	602.08
FORMULATIONS 3,4 SUB-TOTAL			6.00	.03	1.00	.55	1.00	.55	1.00	51.15 845.57	92.72 3836.65	51.15 696.38	92.72 3836.65
PAINTS AND FINISHES PAINTS, PRIMERS, VARNISHES													
FORMULATIONS 5,6	300.60	. 75		.03	1.05	.73	. 87			2682.18	3188.53		
FORMULATIONS 3,6 OTHER RELATED PRODUCTS	300.60	. 75		.03	1.05			.67	.87			2458.36	3168.53
FORMULATIONS 1 SUB-TOTAL	6.9	.69		.03	1.00	.65	.65	.65	. 65	47.97 2730.15	47.97 3236.50	47.97 2506.33	47.97 3236.50
HOUSEHOLD PRODUCTS  ROOM DEODORANTS AND DIS- INFECTANTS (AEROSOL AND NON- AEROSOL)													
FORMULATIONS 2,4 FORMULATIONS 1,4	265.50 265.50			.03	.94 .94	. 35	1.00	. 35	. 87	686.63	1934.17	686.63	1682.73

	 MIS 1 1001			******								****** DD	oc ENICCIONC
	MILLION UNITS DISTRI	AVG. PROD. VT.	NATIONAL CONSUMPTION	POP.	GEOGR. MULTI-	_	IGHT F OC	PRACTIO PROC		· ·	ENISSIONS (NS)		OC ENISSIONS ONS)
PRODUCT	BUTED	(LB)	(MILLION LB)	APPORT.	PLIER	LOV	HIGH	LOW	HIGH	LOU	HIGH	LOW	HIGH
CLEANERS													
TILE AND BATHROOM CLEANERS									,				
FORMULATIONS 1,2,3,4,5 (2)			65.00	.03	1.00	0.00	. 33			0.00	332.48		
FORMULATIONS 2,3,4,5 (2)			65.00	.03	1.00			0.00	. 33			0.00	332.48
OVEN CLEANERS (AEROSOL AND NON-AEROSOL)													
FORMULATIONS 3,4			33.00	.03	1.00	0.00	. 20	0.00	. 20	0.00	102.30	0.00	102.30
RUG AND UPHOLSTERY CLEANERS			33.00	.03	1.00	0.00	. 20	0.00	. 20	0.00	102.30	0.00	102.30
(AEROSOL AND NON-AEROSOL)													
FORHULATIONS 1,3			115.00	.03	1.00	.03	. 26	.03	. 26	60.61	463.45	60.61	463.45
ALL PURPOSE CLEANERS													
(AEROSOL AND NON-AEROSOL)													
FORMULATIONS 1,2			512.00	.03	1.00	.02	.41	.02	.41	158.72	3245.82	158.72	3245.82
WINDOW AND GLASS CLEANERS					•								
(AEROSOL AND NON-AEROSOL)			471.00		4 40			4 44					
FORMULATIONS 6,7			174.00	.03	1.00	0.00	. 42	0.00	. 42	0.00	1132.74	0.00	1132.74
LAUNDRY PRODUCTS-AEROSOLS STARCH, FABRIC FINISH													
FORMULATIONS 1,2	109.90	.75		.03	1.00	ሰፍ	11	05	.11	62.60	143.09	62.60	143.09
I ORTIOENTIONS 112	103.50	. 13		.03	1.00	.03	• • • •	.03	. 1 1	02.00	140.03	02.00	143.03
LAUNDRY PRODUCTS					•								
(AEROSOL AND NON-AEROSOL)													
PREVASH STAIN REMOVERS													
FORMULATIONS 1,2			84.00	. 03	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SPOT REMOVERS													
FORMULATIONS 1,2			2.30	. 03	1.00	1.00	1.00	.90	1.00	35.65	35.65	32.09	35.65
WAXES AND POLISHES													
FORMULATIONS 1,3			58.00	.03	1.00	.07	. 34	.07	. 34	62.93	305.66	62.93	305.66
ALL OTHER HOUSEHOLD SPRAY PRODUCTS	5									•			
FORMULATIONS	45.2	.75		. 03	1.00					NA (4)	NA	NA	NA

	HILLION UNITS	PROD.	NATIONAL		GEOGR.	WE I		RACTIO PROC			C ENISSIONS ONS)		ROC ENISSIONS
PRODUCT	DISTRI BUTED	VT. (LB)	CONSUMPTION (MILLION LB)	POP. APPORT.	MULTI- PLIER	LOW	HIGH	LOW	HIGH	LOV	HIGH	FOA	HIGH
SHOE POLISHES, WAXES AND COLOR-													
ANTS (AEROSOL AND NON-AEROSOL)			£ 00	0.2	1 00	13	00	12	no	40.00	01 14	12.00	91.14
FORMULATIONS 1,2 ANTISTATIC SPRAYS			6.00	.03	1.00	.13	.98	. 13	.98	12.09	91.14	12.09	31.14
FORMULATIONS 1,2			3.00	.03	1.00	0.00	.03	0.00	.03	0.00	1.40	0.00	1.40
ADHESIVES (5)			5.112		••••							• • • • • • • • • • • • • • • • • • • •	20.0
(AEROSOL AND NON-AEROSOL)													
FORMULATIONS 2,3,6 (2)			3277.50	.03	1.00	0.00	. 85	0.00	. 85	0.00	43181.06	0.00	43181.06
CAULKING AND SEALING CPDS (5)													
(AEROSOL AND NON-AEROSOL) FORMULATIONS 1,2			432.80	.03	1 00	0.00	20	0.00	. 20	0.00	1341.68	0.00	1341.68
CARPET DEODORIZERS			432.00	.03	1.00	0.00	. 20	0.00	. 20	0.00	1341.00	0.00	1341.00
(AEROSOL AND NON-AEROSOL)													
FORMULATIONS 1			65.00	.03	.96	.02	.02	.02	.02	19.34	19.34	19.34	19.34
DRAIN OPENERS													
(AEROSOL AND NON-AEROSOL)													
LIQUIDS													
FORMULATIONS 2 (NO VOC)			17 (MIL.GAL.)	. 03	.94	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SOLIDS			000 00	20	۸,								
FORMULATIONS 1			293.00	.03	.94	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CUB-TOTAL										1079.23	52310.63	[0/0.00	52059.19
ERSONAL PRODUCTS													
SHAVING LATHERS													
FORMULATIONS 2,4	162.80	.50	0	.03	1.07	.03	.09	.03	. 09	41.85	120.15	41.85	120.15
HAIR SPRAYS													
FORMULATIONS 1,4	270.70			.03	.87	.88	. 97			2026.08	2242.25		
FORMULATIONS 4,5	270.70	.63	3	.03	.87			. 73	.97			1681.11	2242.25
STYLING HOUSSE	*00 *0	20	0	02		0.4	0.4	0.4	04	459.14	452 41	453 44	450.14
FORMULATIONS 1	106.10	.38	0	.03	1.00	. 24	. 24	. 24	. 24	153.11	153.11	153.11	153.11

Table 5 (Continued)
VOC AND PROC EMISSIONS IN NEW JERSEY

	MILLION UNITS DISTRI		NATIONAL Consumption	POP.	GEOGR. Multi-	. VEI		FRACTION PROC			EMISSIONS DNS)		DC ENISSION ONS)
PRODUCT	BUTED	(LB)	(MILLION LB)	APPORT.	PLIER	LOV	HIGH	LOW	HIGH	LON	HIGH	LON.	HIGH
OTHER HAIR CARE PRODUCTS-SHAMPOO (AEROSOL AND NON-AEROSOL)													
FORMULATIONS 1,2,3 (2) PHARMACEUTICALS			644.60	. 03	1.00	0.00	.01	0.00	.01	0.00	49.96	0.00	49.96
FORMULATIONS 1,3	43.70	.25		.03	.98	.70	. 99			116.00	165.12		
FORMULATIONS 2,3 COLOGNES	43.70	. 25		.03	.98			.70	. 99			116.00	165.12
FORMULATIONS 1	44.00	.12		.03	1.00	1.00	1.00	1.00	1.00	85.25	85.25	85.25	85.25
PERFUMES FORMULATIONS 1	82.00	.03		.03	1 10	1 00	1 00	1.00	1.00	38.13	38.13	38.13	38.13
AFTERSHAVES	02.00	.03		.03	1.00	1.00	1.00	1.00	1.00	30.13	30.13	30.13	30.13
FORMULATIONS 1 PERSONAL DEODORANTS AND ANTI- PERSPIRANTS	23.00	.25		.03	1.00	.65	. 65	.65	. 65	57.75	57.75	57.75	57.75
FORMULATIONS 1,2 OTHER PERSONAL CARE PRODUCTS	156.00	.25		.03	.89	.80	. 95	.80	.95	430.40	511.10	430.40	511.10
SUNTAN LOTIONS (2) FORMULATIONS 1,4,5 (2)	15.1	.13		.03	1.06	0.00	. 65	0.00	.65	0.00	20.96	0.00	20.96
DEPILATORIES FORMULATIONS 1,2 JB-TOTAL	15.10	.13		.03	1.08	.10	.10	.10	.10	3.29 2951.86	3.45 3447.24	3.29 2606.89	3.45 3447.24
NIMAL PRODUCTS										NA	NA	NA	NA
VETERINARIAN AND PET PRODUCTS UB-TOTAL										0.00	0.00	0.00	0.00
JTOMOTIVE AND INDUSTRIAL PRODUCTS REFRIGERANTS CLEANERS (AEROSOL AND NON-AEROSOL	1									NA	NA	NA	NA.
FORMULATIONS 4,7	, 14.70	.88		.03	1.00	0.00	1.00	0.00	1.00	0.00	199.37	0.00	199.37

	ILLION UNITS	PROD.	NATIONAL	nan	GEOGR.	VE I		FRACTIO PROC			EMISSIONS INS)		OC ENISSION ONS)
PRODUCT	ISTRI BUTED	VT. (LB)	CONSUMPTION (MILLION LB)	POP. APPORT.	MULTI- PLIER	LOV	HIGH	LOW	HIGH	LOW	HIGH	LOW	HIGH
ENGINE DEGREASERS													
FORMULATIONS 1,2,3 (2)	23.90	.88		.03	1.00	. 89	1.00			289.14	324.14		
FORMULATIONS 3	23.90	.88		.03	1.00	,		. 75	1.00			243.11	324.14
LUBRICANTS AND SILICONES													
FORMULATIONS 1,2	75.40	. 44		.03	1.00	0.00	1.00	0.00	1.00	0.00	514.23	0.00	514.23
UNDERCOATINGS													
FORMULATIONS 1	8.30	. 75		.03	1.00	. 25	. 85	. 25	. 85	24.12	82.01	24.12	82.01
BRAKE CLEANERS					•								
FORMULATIONS 1, 2, or 3	16.60	1.13		.03	1.00	1.00	1.00	1.00	1.00	290.75	290.75	290.75	290.75
TIRE SEALANTS AND INFLATORS												1	
FORMULATIONS	19.30	.69		.03	1.00					NA	NA	NA	NA
CARBURETOR AND CHOKE CLEANERS													
FORMULATIONS 2,3	39.80	. 75		.03	1.00	. 28	1.00	. 28	1.00	129.55	462.67	129.55	462.67
ENGINE STARTING FLUIDS													
FORMULATIONS 1	30.80	.56		03	1.00	1.00	1.00	1.00	1.00	267.34	267.34	267.34	267.34
WINDSHIELD DEICER (AEROSOL AND NON	<del>)</del>												
FORMULATIONS 1,2	10.40	1.00		.03	1.00	.75	1.00	.75	1.00	120. <del>9</del> 0	161.20	120.90	161.20
OTHER AUTO AND INDUSTRIAL PRODUCTS										NA	NA	NA	NA
SUB-TOTAL										1121.80	2301.72	1075.77	2301.72
NISCELLANEOUS PRODUCTS													
HERBICIDES AND FUNGICIDES													
FORMULATIONS 1,7			69.00	.03	1.00	0.00	.95	0.00	.95	0.00	1016.02	0.00	1016.02
SUB-TOTAL										0.00	1016.02	0.00	1016.02
NON-AEROSOL PRODUCTS												****	
PERSONAL PRODUCTS													
NAIL POLISHES										NA	NA	NA I	NA
NAIL POLISH REMOVERS										NA	NA	NA	NA

	MILLION UNITS DISTRI	NATIONAL CONSUMPTION	POP.	GEOGR. Multi-		IGHT OC	FRACTIO PROC		TOTAL VOC (TO)	ENISSIONS NS)	TOTAL PRO-	
PRODUCT	BUTED	(MILLION LB)			LOW	HIGH	LOW	HIGH	LOV	HIGH	LOW	HIGH
PERSONAL DEODORANTS AND ANTI- PIRSPIRANTS									NA	NA	NA	NA
SHAVING LATHERS									NA	NA	NA	NA
PRE-SHAVE PREPARATIONS									NA	NA	NA	NA
AFTER-SHAVE LOTIONS & COLOGNES (LISTED UNDER AEROSOL)									NA	NA	NA	NA
PERFUMES (LISTED UNDER AEROSOL)									NA	NA	NA	NA
RUBBING COMPOUNDS (ALCOHOL)									NA	NA	NA	NA
FACE WASHES (LIKE ASTRINGENTS)									NA	NA	NA	NA
FACIAL CREAMS AND WASHES		 							NA	NA	HA	NA
HAND LOTIONS									NA	NA	NA	NA
SUN LOTIONS, CREAMS AND OILS (LISTED UNDER AEROSOL)									NA	NA	NA	NA
MOUTHWASHES									NA	NA	HA	NA
HAIR SPRAYS									NA	NA	NA	NA
HAIR SHANPOOS, RINSES AND OTHER												***
HAIR PRODUCTS									NA O OO	NA O OO	NA O OO	NA O OO
RUB-TOTAL									0.00	0.00	0.00	0.00
HOUSEHOLD PRODUCTS												
SHOE POLISHES									NA	NA	NA	NA
BALL POINT AND POROUS POINT PENS									NA	NA	NA	NA
ROOM DEODORANTS AND DISINFECTANTS	•								NA	NA	NA	NA
CLEANERS												
OVEN CLEANERS									NA	NA	NA	NA
RUG AND UPHOLSTERY CLEANERS			•						NA	NA	NA	NA
WINDOW AND GLASS CLEANERS									NA	NA	NA	NA
FLOOR CLEANERS									NA	NA	NA	NA
TILE AND BATHROOM CLEANERS									NA	NA	NA	NA

	MILLION UNITS DISTRI		NATIONAL CONSUMPTION	POP.	GEOGR. Multi-	WE I		RACTIO PROC			ENISSIONS (NS)		DC ENISSION ONS)
PRODUCT	BUTED	(LB)	(MILLION LB)	APPORT.	PLIER	rov	HIGH	LOW	HIGH	LOW	HIGH	LOW	HIGH
WALL CLEANERS										NA	NA	NA	NA
WAXES AND POLISHES (LIQUIDS) FORMULATIONS 2,3 FLOOR WAXES OR POLISHES			3.00	.03	1.00	. 24	.94	. 24	.94	11.16	43.71	11.16	43.71
FORMULATIONS 1,2,3 (2) RUG DEODORIZERS AND FRESHENERS LAUNDRY SPOT REMOVERS MOTH CONTROL PRODUCTS			27.00	<b>.03</b>	1.02	. 20	. 20	.20	.20	85.37 Na Na Na	85.37 Na Na Na	85.37 Na Na Na	85.37 NA NA NA
METAL CLEANERS AND POLISHES FORMULATIONS 2,3,4,5,7 (2) HOUSEHOLD ADHESIVES FURNITURE POLISHES AND WAXES UB-TOTAL			24.00	.03	1.00	0.00	1.00	0.00	1.00	0.00 NA NA 96.53	372.00 NA NA 501.08	0.00 NA NA 96.53	372.00 NA NA 501.08
UTOHOTIYE													
AUTO ANTIFREEZES FORMULATIONS 1 CAR POLISHES AND WAXES			22.30	.03	1.00	. 95	.95	.95	.95	328.37	328.37	328.37	328.37
FORMULATIONS 1,2 VINDSHIELD WASHER FLUID UB-TOTAL	169.10	1.00		.03	.90	.42	.42	.42	. 42	1115.85 NA 1444.22	1118.49 NA 1446.86	1115.85 NA 1444.22	1118.49 NA 1446.86
ARAGE PRODUCTS HOUSEHOLD GLUE AND BONDING AGENTS										NA	NA	HA.	NA
HOUSEHOLD CAULKS AND SEALANTS INSECTICIDES HERBICIDES										NA NA NA	NA NA NA	NA NA NA	NA NA NA
FUNGICIDES BARBECUE LIGHTER FLUIDS AUTO WINDSHIELD WASHERS										NA NA NA	NA NA NA	NA NA NA	NA HA NA

	MILLION Units Distri	AVG. PROD. VT.	NATIONAL CONSUMPTION	POP.	GEOGR. Multi-		I GHT OC	FRACTION PROC			C ENISSIONS ONS)		ROC ENISSION TONS)	S
PRODUCT	BUTED	(LB)	(MILLION LB)	APPORT.	PLIER	LOW	HIGH	LOW	HIGH	LOW	HIGH	LOW	HIGH	
DEGREASERS SUB-TOTAL TOTAL EMISSIONS		***************************************							*****	NA 0.00  10269.36	NA 0.00 68096.71	9501.79	NA 0.00 67845.27	***

- (1) Products in these sub-categories are aerosol unless it is indicated that aerosol and non-aerosol are combined.
- (2) More than two listed formulations indicates that several product formulations had the same low or high weight percent.
- (3) Suntan lotion use varies strongly with season. However, the total emission estimate is independent of seasonal fluctuation.
- (4) NA indicates that emissions could not be calculated because either product use or formulation data were not available.
- (5) Includes industrial, commercial, and consumer products.

Table 6
VOC AND PROC EMISSIONS IN NEW YORK

	MILLION UNITS DISTRI		NATIONAL CONSUMPTION	POP.	GEOGR. Multi-	VE I	GHT F C	RACTIC PROC			ENISSIONS (NS)		OC ENISSION ONS)
PRODUCT	BUTED	(LB)	(MILLION LB)	APPORT.	PLIER	LOV	HIGH	LOW	HIGH	LOV	HIGH	LON	HIGH
AEROSOL/NON-AEROSOL PRODUCTS (1)													
INSECT SPRAY PRODUCTS INSECT SPRAYS (AEROSOL AND NON-AEROSOL)													
FORMULATIONS 2,8 INSECT REPELLENTS (AEROSOL AND NON-AEROSOL)			192.5	. 05	1.00	.05	1.00	0.00	1.00	221.38	4427.50	0.00	4427.50
FORMULATIONS 1,5 MOTH CONTROL PRODUCTS (AEROSOL AND NON-AEROSOL)			12.00	.05	1.00	. 35	. 85	. 35	.85	96.32	234.60	96.32	234.60
FORMULATIONS 1,2 ANIMAL INSECTICIDES (AEROSOL AND NON-AEROSOL)			39.00	. 05	1.00	.96	1.00	.96	1.00	861.12	893.41	861.12	893.41
FORMULATIONS 3,4 UB-TOTAL			6.00	.05	1.00	.55	1.00	.55	1.00	75.90 1254.72	137.59 5693.10	75.90 1033.34	137.59 5693.10
AINTS AND FINISHES PAINTS, PRIMERS, VARNISHES													
FORMULATIONS 5,6	300.60	. 75		.05	1.05	.73	.87			3980.02	4731.37		
FORMULATIONS 3,6 OTHER RELATED PRODUCTS	300.60	. 75		.05	1.05			.67	.87			3647.89	4731.37
FORMULATIONS 1 UB-TOTAL	6.9	. 69		.05	1.00	.65	.65	.65	.65	71.18 4051.19	71.18 4802.55	71.18 3719.07	71.18 4802.55
DUSEHOLD PRODUCTS  ROOM DEODORANTS AND DIS- INFECTANTS (AEROSOL AND NON- AEROSOL)					,								
FORMULATIONS 2,4 FORMULATIONS 1,4	265.50 265.50	.50 .50		.05 .05	.94 .94	. 35	1.00	. 35	.87	1018.67	2870.05	1018.87	2496.95

Table 6 (Continued)
VOC AND PROC EMISSIONS IN NEW YORK

	MILLION UNITS	PROD.	NATIONAL	nan.	GEOGR.		IGHT F DC	FRACTIO PROC			EMISSIONS DNS)		OC ENISSIONS ONS)
RODUCT	DISTRI Buted	WT. (LB)	CONSUMPTION (MILLION LB)	POP. APPORT.	MULTI- Plier	LOW	HIGH	LOW	HIGH	LOW	HIGH	LOW	HIGH
CLEANERS													
TILE AND BATHROOM CLEANERS													
FORMULATIONS 1,2,3,4,5 (2)			65.00	.05	1.00	0.00	. 33			0.00	493.35		
FORMULATIONS 2,3,4,5 (2)			65.00	.05	1.00			0.00	.33			0.00	493.35
OVEN CLEANERS (AEROSOL AND													
NON-AEROSOL)											.5		454 00
FORMULATIONS 3,4			33.00	.05	1.00	0.00	. 20	0.00	. 20	0.00	151.80	0.00	151.80
RUG AND UPHOLSTERY CLEANERS													
(AEROSOL AND NON-AEROSOL) FORMULATIONS 1,3			115.00	.05	1.00	.03	. 26	.03	. 26	89.93	687.70	89.93	687.70
ALL PURPOSE CLEANERS			115.00	.05	1.00	.03	. 20	.03	. 20	09.83	001.10	09.93	001.10
(AEROSOL AND NON-AEROSOL)													
FORMULATIONS 1,2			512.00	.05	1.00	.02	. 41	.02	.41	235.52	4816.38	235.52	4816.38
VINDOW AND GLASS CLEANERS			312.00		1.00			• • •		200.02	4010.00	200.04	4010100
(AEROSOL AND NON-AEROSOL)													
FORMULATIONS 6,7			174.00	. 05	1.00	0.00	.42	0.00	.42	0.00	1680.84	0.00	1680.84
LAUNDRY PRODUCTS-AEROSOLS													
STARCH, FABRIC FINISH													
FORMULATIONS 1,2	109.90	.75		.05	1.00	.05	.11	.05	.11	92.89	212.33	92.89	212.33
LAUNDRY PRODUCTS													
(AEROSOL AND NON-AEROSOL)													
PREVASH STAIN REMOVERS													
FORMULATIONS 1,2			84.00	.05	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SPOT REMOVERS						•							
FORMULATIONS 1,2			2.30	.05	1.00	1.00	1.00	.90	1.00	52.90	52.90	47.61	52.90
WAXES AND POLISHES													
FORMULATIONS 1,3			58.00	. 05	1.00	.07	. 34	.07	. 34	93.38	453.56	93.38	453.56
ALL OTHER HOUSEHOLD SPRAY PRODUCTS													
FORMULATIONS	45.2	. 75		. 05	1.00					NA (4)	NA	AK	NA

	MILLION UNITS DISTRI	AVG. PROD. VT.	NATIONAL CONSUMPTION	POP.	GEOGR. Multi-	VE I		RACTIO PROC			ENISSIONS ONS)		OC ENISSION ONS)
PRODUCT	BUTED	(LB)	(HILLION LB)	APPORT.	PLIER	LOW	HIGH	LOW	HIGH	LOW	HIGH	LON	HIGH
OTHER HAIR CARE PRODUCTS-SHAMPOO (AEROSOL AND NON-AEROSOL) FORMULATIONS 1,2,3 (2)			644.60	.05	1.00	0.00	.01	0.00	.01	0.00	74.13	0.00	74. 13
PHARHACEUTICALS			2,							4.00			
FORMULATIONS 1,3	43.70	.25		.05	.98	.70	.99			172.13	245.02	ï	
FORMULATIONS 2,3 COLOGNES	43.70	. 25		.05	.98			.70	.99			172.13	245.02
FORMULATIONS 1 PERFUMES	44.00	.12		.05	1.00	1.00	1.00	1.00	1.00	126.50	126.50	126.50	126.50
FORMULATIONS 1 AFTERSHAVES	82.00	.03		.05	1.00	1.00	1.00	1.00	1.00	56.58	56.58	56.58	56.58
FORMULATIONS 1 PERSONAL DEODORANTS AND ANTI- PERSPIRANTS	23.00	.25		.05	1.00	.65	.65	. 65	.65	85.70	85.70	85.70	85.70
FORMULATIONS 1,2 OTHER PERSONAL CARE PRODUCTS SUNTAN LOTIONS (2)	156.00	. 25		.05	. 89	.80	. 95	. 80	.95	638.66	758.41	638.66	758.41
FORMULATIONS 1,4,5 (2) DEPILATORIES	15.1	.13		. 05	1.06	0.00	.65	0.00	. 65	0.00	31.11	0.00	31.11
FORMULATIONS 1,2 SUB-TOTAL	15.10	.13		.05	1.08	.10	. 10	.10	.10	4.88 4380.17	5.12 5115.26	4.88	5.12 5115.26
NIMAL PRODUCTS  VETERINARIAN AND PET PRODUCTS										NA	NA	NA	NA
UB-TOTAL										0.00	0.00	0.00	0.00
NUTOMOTIVE AND INDUSTRIAL PRODUCTS REFRIGERANTS CLEANERS (AEROSOL AND NON-AEROSOL	)												
FORMULATIONS 4,7	14.70	.88		. 05	1.00	0.00	1.00	0.00	1.00	0.00	295.84	0.00	295.84

Table 6 (Continued)
VOC AND PROC EMISSIONS IN NEW YORK

	MILLION UNITS Distri	AVG. PROD. VT.	NATIONAL Consumption	POP.	GEOGR. Multi-	VEI		RACTIO PROC			C ENISSIONS ONS)		ROC ENISSION (CONS)
RODUCT	BUTED	(LB)	(KILLION LB)	APPORT.	PLIER	LOV	HIGH	LOW	HIGH	row	HIGH	LOW	HIGH
SHOE POLISHES, WAXES AND COLOR-													
ANTS (AEROSOL AND NON-AEROSOL)													
FORMULATIONS 1,2			6.00	.05	1.00	.13	.98	.13	.98	17.94	135.24	17.94	135.24
ANTISTATIC SPRAYS			2.00	or.			^^		00	0.00	0.47	0.00	0.07
FORMULATIONS 1,2 ADHESIVES (5)			3.00	.05	1.00	0.00	.03	0.00	.03	0.00	2.07	0.00	2.07
(AEROSOL AND NON-AEROSOL)													
FORMULATIONS 2,3,6 (2)			3277.50	.05	1 00	0.00	85	0.00	. 85	0.00	64075.12	0.00	64075.12
CAULKING AND SEALING CPDS (5)			0277.30	. 03	1.00	0.00	. 05	0.00	.03	0.00	040/3.12	0.00	04073.12
(AEROSOL AND NON-AEROSOL)													
FORMULATIONS 1,2			432.80	.05	1.00	0.00	. 20	0.00	. 20	0.00	1990.68	0.00	1990.88
CARPET DEODORIZERS												i	
(AEROSOL AND NON-AEROSOL)													
FORMULATIONS 1			65.00	.05	.96	.02	. 02	.02	.02	28.70	28.70	28.70	28.70
DRAIN OPENERS													
(AEROSOL AND NON-AEROSOL)													
LIQUIDS													
FORMULATIONS 2 (NO VOC)			17 (MIL.GAL.)	.05	.94	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SOLIDS													
FORMULATIONS 1			293.00	. 05	.94	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
JB-TOTAL										1601.43	77622.23	1596.14	77249.12
PROUNT PROPURE												+	
ERSONAL PRODUCTS													
SHAVING LATHERS FORMULATIONS 2,4	162,80	.50	١	.05	1.07	.03	. 09	.03	.09	62.10	178.29	62.10	178.29
HAIR SPRAYS	191,00	. 30	,	.03	1.01	.03	. 08	. 00	.03	04.10	1 10. 23	UZ. IV	110.23
FORMULATIONS 1,4	270.70	.63	3	.05	. 87	.88	.97			3006.43	3327.21		
FORMULATIONS 4,5	270.70			.05	.87		- • •	.73	.97	7000,10	~~~	2494.56	3327.21
STYLING HOUSSE	2		-						•••				340
FORMULATIONS 1	106.10	.38	3	. 05	1.00	. 24	. 24	.24	. 24	227.19	227.19	227.19	227.19

		PROD.	NATIONAL	<b>D</b> AD	GEOGR.	VE I		RACTIO PROC			EMISSIONS (NS)		DC ENISSIONS ONS)
PRODUCT	BUTED	VT. (LB)	CONSUMPTION (HILLION LB)	POP. APPORT.	MULTI- Plier	LOV	HIGH	LOW	HIGH	LOV	HIGH	ron	HIGH
ENGINE DEGREASERS			*	********									
FORMULATIONS 1,2,3 (2)	23.90	. 88		. 05	1.00	.89	1.00			429.04	480.99		
FORMULATIONS 3	23.90	.88		. 05	1.00			. 75	1.00			360.74	480.99
LUBRICANTS AND SILICONES													
FORMULATIONS 1,2	75.40	. 44		.05	1.00	0.00	1.00	0.00	1.00	0.00	763.05	0.00	763.05
UNDERCOATINGS													
FORMULATIONS 1	8.30	. 75		. 05	1.00	. 25	. 65	. 25	. 85	35.79	121.70	35.79	121.70
BRAKE CLEANERS													
FORMULATIONS 1, 2, or 3	16.60	1.13		. 05	1.00	1.00	1.00	1.00	1.00	431.43	431.43	431.43	431.43
TIRE SEALANTS AND INFLATORS													
FORMULATIONS	19.30	.69		. 05	1.00					NA	NA	NA	NA
CARBURETOR AND CHOKE CLEANERS													
FORMULATIONS 2,3	39.80	. 75		.05	1.00	. 28	1.00	. 28	1.00	192.23	686.55	192.23	686.55
ENGINE STARTING FLUIDS													
FORMULATIONS 1	30.80	.56		.05	1.00	1.00	1.00	1.00	1.00	396.70	396.70	396.70	396.70
WINDSHIELD DEICER (AEROSOL AND NON)				0.5		76	4 60	70		470 40	000 00	470.44	200 22
FORMULATIONS 1,2	10.40	1.00		.05	1.00	. /5	1.00	.75	1.00	179.40	239.20	179.40	239.20
OTHER AUTO AND INDUSTRIAL PRODUCTS										NA 1664 61	NA 2445 46	NA 4500-24	NA OAAF AG
UB-TOTAL										1664.61	3415.46	1596.31	3415.46
HISCELLANEOUS PRODUCTS													
HERBICIDES AND FUNGICIDES													
FORMULATIONS 1,7			69.00	.05	1 00	0.00	95	0.00	.95	0.00	1507.65	0.00	1507.65
UB-TOTAL			03.00	.03	1.00	0.00	. 33	0.00	. 55	0.00	1507.65	0.00	1507.65
											1307.03		1307.03
ION-AEROSOL PRODUCTS													
PERSONAL PRODUCTS													
NAIL POLISHES										NA	NA	NA	NA
NAIL POLISH REMOVERS										NA	NA	NA	NA

	MILLION UNITS DISTRI		NATIONAL CONSUMPTION	POP.	GEOGR. Multi-		I GHT OC	FRACTIO PROC		TOTAL VOC	ENISSIONS NS)	TOTAL PRO	
PRODUCT	BUTED	(LB)	(MILLION LB)			LOW	HIGH	LOW	HIGH	LOW	HIGH	LOW	HIGH
PERSONAL DEODORANTS AND ANTI- PIRSPIRANTS				*****						NA	NA	NA	NA
SHAVING LATHERS										NA	NA	NA	NA
PRE-SHAVE PREPARATIONS										NA NA	NA NA	NA NA	NA.
AFTER-SHAVE LOTIONS & COLOGNES (LISTED UNDER AEROSOL)										NA NA	NA	NA	NA
PERFUMES (LISTED UNDER AEROSOL)										NA	NA	NA	NA
RUBBING COMPOUNDS (ALCOHOL)										NA	NA	NA	NA
FACE WASHES (LIKE ASTRINGENTS)										NA	NA	NA	NA
FACIAL CREAMS AND WASHES										HA	NA	NA	NA
HAND LOTIONS										NA 	NA	NA	NA
SUN LOTIONS, CREAMS AND OILS (LISTED UNDER AEROSOL)										NA	NA	NA	NA
MOUTHWASHES					•					NA	NA	NA	NA
HAIR SPRAYS										NA	NA	NA	NA
HAIR SHAMPOOS, RINSES AND OTHER HAIR PRODUCTS (SEE AEROSOL)										814	MA	Af A	414
UB-TOTAL										NA 0.00	NA 0.00	0.00	NA 0.00
										0.00	U.UU	0,00	0.00
OUSEHOLD PRODUCTS													
SHOE POLISHES										NA	NA	NA	NA
BALL POINT AND POROUS POINT PENS										NA	NA	NA	NA
ROOM DEODORANTS AND DISINFECTANTS										NA	NA	· NA	NA
CLEANERS													
OVEN CLEANERS										NA	NA	NA	NA
RUG AND UPHOLSTERY CLEANERS										NA	NA	NA	NA
WINDOW AND GLASS CLEANERS										NA	NA	NA	NA
FLOOR CLEANERS										NA	NA	NA	NA
TILE AND BATHROOM CLEANERS										NA	NA	NA	NA

	MILLION UNITS DISTRI		NATIONAL CONSUMPTION	POP.	GEOGR.	VE		RACTIO PROC			ENISSIONS ONS)		OC ENISSION ONS)
PRODUCT	BUTED	(LB)	(WILLION TR)	APPORT.	MULTI- Plier	LOV	HIGH	LOW	HIGH	LOW	HIGH	LOW	HIGH
WALL CLEANERS										NA	NA	NA	NA
WAXES AND POLISHES (LIQUIDS) FORMULATIONS 2,3 FLOOR WAXES OR POLISHES			3.00	.05	1.00	.24	.94	. 24	.94	16.56	64.86	16.56	64.86
FORMULATIONS 1,2,3 (2) RUG DEODORIZERS AND FRESHENERS LAUNDRY SPOT REMOVERS MOTH CONTROL PRODUCTS METAL CLEANERS AND POLISHES			27.00	. 05	1.02	.20	. 20	.20	.20	126.68 NA NA NA	126.68 Na Na Na	126.68 NA NA NA	126.68 Na Na Na
FORMULATIONS 2,3,4,5,7 (2) HOUSEHOLD ADHESIVES FURNITURE POLISHES AND WAXES SUB-TOTAL			24.00	. 05	1.00	0.00	1.00	0.00	1.00	0.00 NA NA 143.24	552.00 NA NA 743.54	0.00 NA NA 143.24	552.00 NA NA 743.54
NUTOMOTIVE AUTO ANTIFREEZES FORMULATIONS 1			22.30	.05	1.00	.95	.95	.95	.95	487.25	487.25	487.25	487.25
CAR POLISHES AND WAXES FORMULATIONS 1,2 WINDSHIELD WASHER FLUID SUB-TOTAL	189.10	1.00		.05	.90	.42	.42	.42	.42	1655.78 NA 2143.03	1659.69 NA 2146.95	1655.78 NA 2143.03	1659.69 NA 2146.95
GARAGE PRODUCTS  HOUSEHOLD GLUE AND BONDING AGENTS HOUSEHOLD CAULKS AND SEALANTS INSECTICIDES HERBICIDES FUNGICIDES										NA NA NA NA NA	NA NA NA NA NA	HA NA NA NA NA	NA NA NA NA NA
BARBECUE LIGHTER FLUIDS AUTO WINDSHIELD WASHERS										AA AK	AM AM	NA Na	NA NA

	MILLION Units Distri	AVG. PROD. VT.	NATIONAL CONSUMPTION	POP.	GEOGR.		IGHT OC	FRACTIO PROC			C ENISSIONS		ROC ENISSIONS TONS)
PRODUCT	BUTED	(LB)	(HILLION LB)	APPORT.		LOV	HIGH	FOM	HIGH	LOV	HIGH	LOW	HIGH
DEGREASERS										NA	HA	NA	. NA
SUB-TOTAL										0.00	0.00	0.00	
TOTAL ENISSIONS										15238.40	101046.74	14099.44	100673.63
101AL EN13310N3										13230,40	101040.74	14.55.44	

- (1) Products in these sub-categories are aerosol unless it is indicated that aerosol and non-aerosol are combined.
- (2) More than two listed formulations indicates that several product formulations had the same low or high weight percent.
- (3) Suntan lotion use varies strongly with season. However, the total emission estimate is independent of seasonal fluctuation.
- (4) NA indicates that emissions could not be calculated because either product use or formulation data were not available.
- (5) Includes industrial, commercial, and consumer products.

#### 6. CONCLUSIONS

Tables 7, 8, and 9 summarize PROC and VOC emission estimates for consumer products. The consumer product subcategories are arranged in descending order according to the high PROC emission estimate, the low PROC emission estimate, and an average of the two estimates. Only those product categories for which all data are available are listed.

If the low PROC emissions estimates (Table 7) are assumed to be more realistic, the categories with the largest emissions are:

- Paints, primers, and varnishes
- Hair sprays
- Car polishes and waxes
- Room deodorants and disinfectants
- Moth control products.

If the high PROC emissions estimates (Table 8) are assumed to most closely reflect the actual emissions, the categories of greatest emissions are:

- Adhesives
- Paints, primers, and varnishes
- All purpose cleaners
- Insect sprays
- Hair sprays
- Room deodorants and disinfectants.

If the average of the high and the low emissions estimates (Table 9) is assumed to be the most realistic, the product categories with the largest emissions are:

- Adhesives
- Paints, primers, and varnishes
- Hair sprays
- All purpose cleaners

#### F/834-025-68a/#8

- Insect sprays
- Car polishes and waxes
- Room deodorants and disinfectants.

These seven subcategories account for approximately 85 percent of the average PROC releases even though they represent less than 20 percent of the product subcategories. Adhesives alone account for over 56 percent of total PROC emissions.

Use data for adhesives and caulking and sealing compounds included industrial as well as consumer use. If consumers use only 10 percent of the adhesives, the seven product categories still release approximately 70 percent of the average PROC emissions. Adhesives would continue to be a major source of PROC emissions.

The range of possible total VOC and PROC emissions is quite large. Annual California VOC emissions, for example, vary from a low of 38,800 tons to a high of 245,000 tons. The low/high VOC and PROC ratios reported in Tables 10, 11, and 12, indicate a wide variation in emission estimation precision. This variation between the low and high VOC and PROC estimates is accounted for by the uncertainties in the distribution, consumption, and formulation data for many subcategories. For household products in California, the low VOC or PROC is estimated to be only 2 percent of the high VOC or PROC, whereas for personal products the low estimate is 86 percent of the high estimate for VOC, and 76 percent for PROC. The insect spray category, with low/high VOC and PROC ratios of 0.22 and 0.18, respectively, is the other product category with a wide emissions estimate range. Taking into consideration all products, the low/high VOC estimate is 0.16, while the similar PROC ratio is 0.15.

In general, the amount of PROC emitted is very similar to that of VOC emitted. This is not unexpected, given the relatively few volatile organic compounds not considered to be photoreactive. The nonphotoreactive volatile organic compounds that were found in the formulations were: carbon dioxide (propellent), methylene chloride, and 1,1,1-trichloroethane. These compounds appear not to be in widespread use in consumer products, explaining the similarity in VOC and PROC emissions.

Very little data were available for emissions of VOC and PROC from nonaerosol products. Data collected by SAIC in an earlier report on organic compound emissions in California (Rogozen et al., 1985) have been examined in an attempt to decrease the uncertainty in this area. Estimated emissions from several nonaerosol products are reported in Table 13. This remains an incomplete list of nonaerosol products, but it sheds some light on the approximate fraction of total VOC emissions that might be omitted from the inventory. The total VOC emitted from nonaerosol products was 19,504 tons/yr (Rogozen et al., 1985). This represents 8 percent of the high estimate of VOC emitted in California. However, a more realistic assessment of the omitted nonaerosol component, assuming VOC emissions are only an average of the reported low and high figures, is 13 percent of total VOC emissions. This means that our emission inventory probably has omitted between 8 and 13 percent of actual VOC emitted by consumer products. This estimate is likely to be somewhat conservative, since not all omitted products have been taken into account.

Tables 14, 15, and 16 indicate per capita emissions of VOC and PROC by product subcategory. The average per capita PROC emissions vary from approximately 9 to 11 lb/person/year. These results are somewhat larger than the 6.3 lb/person/year recommended for estimating PROC by the EPA (EPA, 1980).

However, two factors suggest that these results are not directly comparable with the EPA data. The first is the large proportion of total emissions contributed by adhesives (in household products). It was not possible to disaggregate industrial and consumer use of adhesives; therefore, our total includes industrial as well as consumer use. Based upon industry estimates (Broxterman, 1983), we may assume that 95 percent of the use of these products is industrial and 5 percent consumer. Per capita average PROC emissions are estimated to be: California, 5.40 lb; New Jersey. 4.38 lb; and New York, 5.02 lb, after subtracting the industrial proportion of adhesives and adjusting the average per capita emissions.

The second adjustment factor stems from the lack of data for many nonaerosol subcategories. Using the SAIC derived emission data (Rogozen et al., 1985), reported in Table 13, as a partial adjustment for this omission,

we now find the per capita annual emissions for these three regions to be: California, 6.97 lb/person; New Jersey, 5.95 lb/person; and New York, 6.59 lb/person. Thus, our final estimates are very close to the earlier EPA estimate. These estimates are likely to be somewhat conservative since only some of the unavailable emissions data have been replaced by the SAIC study data.

#### Future Efforts

The results of this study indicate that the EPA estimate of PROC emissions of 6.3 lb/person/year is likely to be fairly accurate. Nonetheless, these results were derived from data with considerable uncertainty. Each stage of the data collection process presented accuracy and validity problems, including defining "typical" products for a subcategory, disaggregating aerosol and nonaerosol for industrial and consumer products, assessing distribution or consumption by subcategory, knowing percent VOC or PROC within any product, and finding the relative distribution of each of the products for any subcategory. Thus, for some categories, the range of emissions from low to high VOC or PROC is quite large.

Given these problems, it would be difficult to use the results as the basis for calculating actual reductions in emissions of reactive hydrocarbons as a result of regulation. However, these results may fruitfully be used as the basis for targeting further research, and as the basis for focusing on specific industries with a potential for substantial emission reductions. For example, industrial users of adhesives would be a logical category to focus upon.

Future research efforts would probably be better spent in focusing on those areas which have the greatest potential for emission reduction, such as adhesives, paints, hair sprays and cleaners. More detailed knowledge in these subcategories about the specific amounts, types, and distribution patterns of PROC emissions is likely to produce the greatest results.

There are two potentially rewarding research paths to pursue to gain additional detailed information. Both require substantial expenditures of

time and money. The first is to purchase marketing data from the large marketing research firms such as Simmons or Kline, with their detailed formulation and distribution data sets. The second is to track down individual industries, either through a survey or through telephone calls and personal visits with knowledgeable industry officials. It is likely that individual companies have the required data but will not release them without the proper authority, since they consider such information proprietary.

TABLE 7. CONSUMER PRODUCT SUB-CATEGORIES RANKED IN ORDER OF LOW TOTAL PROC EMISSIONS

# STATE OF CALIFORNIA VOC & PROC EMISSIONS

	AEROSOL/ NON-AER.	TOTAL VO	EMISSIONS	(tons)	TOTAL PROC	EMISSIONS	(tons)
		LOW		AVERAGE	LOW	HIGH	AVERAGE
	• • • • • • •	•••	• • • •	*****	. * *	••••	•••••
PAINTS, PRIMERS, VARNISHES	A			11,408	•	12,392	•
HAIR SPRAYS	A			8,095	=	8,505	•
CAR POLISHES & WAXES	N			4,625	=	4,630	•
ROOM DEODORANTS & DISINFECTANTS				4,650		5,971	<del>-</del>
MOTH CONTROL PRODUCTS				2,098	•	•	2,098
PERSONAL DEODORANTS	A	1,476	1,752	1,614	1,476		
AUTO ANTIFREEZES	N	1,165	1,165	1,165	-	1,165	=
BREAK CLEANERS	A	1,032	-	1,032	1,032	1,032	1,032
ENGINE STARTING FLUIDS	A	949	949	949	949		949
ENGINE DEGREASERS	A	· ·	-	1,088		1,150	
ALL PURPOSE CLEANERS	A	603	12,324	6,463	603	12,324	6,463
STYLING MOUSE	A			543		543	543
CARBURETOR & CHOKE CLEANERS	A	460	1,642	1,051	460	1,642	1,051
PHARMACEUTICALS	A	454	646	550	454	646	550
WINDSHIELD DEICER	A/N	429	572	501	429	572	501
FLOOR WAXES OR POLISHES	N	309	309	309	309	309	309
COLOGNES	A	303	303	303	303	303	303
INSECT REPELLENTS	A/N	230	561	396	230	561	396
STARCH & FABRIC FINISH	A	222	508	365 .	222	508	365
RUG & UPHOLSTERY CLEANERS	A	215	1,645	930	215	1,645	930
WAXES & POLISHES	A	212	1,030	621	212	1,030	621
AFTERSHAVES	A	205	205	205	205	205	205
ANIMAL INSECTICIDES	A	182	329	255	182	329	255
PAINTS-OTHER RELATED PRODUCTS	A	170	170	170	170	170	170
SHAVING LATHERS	A	140	402	271	140	402	271
PERFUMES	A	135	135	135	135	135	135
SPOT REMOVERS	A/N	127	127	127	114	127	120
UNDERCOATINGS	A	86	291	188	86	291	188
CARPET DEODORIZERS	A/N	69	69	69	69	69	69
SHOE POLISHES, WAXES & COLORANTS	A/N	43	323	183	43	323	183
WAXES & POLISHES LIQUIDS	N	40	155	97	40	155	97
DEPILATORIES	A	11	12	11	11	12	11
ADHESIVES	A	0	153,223	76,612	0	153,223	76,612
INSECT SPRAYS	A/N	529	10,588	5,558	0	10,588	5,294
CAULKING & SEALING COMPOUNDS	A/N	0	4,761	2,380	0	4,761	2,380
WINDOW & GLASS CLEANERS	A/N	0	3,939	1,970	0	3,939	1,970
HERBICIDES, FUNGICIDES	A/N	0	3,605	1,803	0	3,605	1,803
LUBRICANTS AND SILICONES	A	0	1,825	913	0	1,825	913
METAL CLEANERS & POLISHES	N	0	1,320	660	0	1,320	660
TILE & BATHROOM CLEANERS	A	0	1,180	590	0	1,180	590
	A/N	0	707	354	0	707	354
AUTO CLEANERS		0	370	185	0	370	185
OVEN CLEANERS	A/N A/N	0	177	89	0	177	89
HAIR CARE PRODUCTS - SHAMPOOS	A/N A	0	81	41	0	81	41
SUNTAN LOTIONS	Α .	0	5	3	0	5	3
ANTI-STATIC SPRAYS	A A	_	0	0	0	0	0
PREWASH STAIN REMOVERS	A/N	0	0	0	0	0	0
DRAIN OPENERS	A/N	U	U	U	U	J	U
TOTALS		38,587	244,656	141,622	35,703	243,764	139,734

TABLE 7. CONSUMER PRODUCT SUB-CATEGORIES RANKED IN ORDER OF LOW TOTAL PROC EMISSIONS (continued)

## NEW YORK VOC & PROC EMISSIONS

	AEROSOL/ NON-AER.	TOTAL VOC	EMISSIONS	(tons)	TOTAL PRO	EMISSIONS	(tons)
CONSUMER PRODUCT SUB-CATEGORY	(A/N)	LOW	HIGH	AVERAGE	LOW		AVERAGE
DAINTE DOIMEDE VADNICUES	A	7 090	····	4.356	7 //0		/ 100
PAINTS, PRIMERS, VARNISHES	A	3,980 3,004	4,731 3,737	•	3,648	-	-
HAIR SPRAYS	A N	3,006		3,167	2,495	·=	
CAR POLISHES & WAXES		-	1,660	-	1,656	-	•
ROOM DEODORANTS & DISINFECTANTS	A //		2,870	-	1,019		
MOTH CONTROL PRODUCTS	A/N	861	893	877	861		877
PERSONAL DEODORANTS	A	639	758 407	699	639	758 / 27	699
AUTO ANTIFREEZES	N	487	487	487	487	487	487
BRAKE CLEANERS	A		431	431		431	431
ENGINE STARTING FLUIDS	A	397	397	397		397	397
ENGINE DEGREASERS	A	429		455	361		421
ALL PURPOSE CLEANERS	Α.	236	•	2,526		•	
STYLING MOUSE	A	227	227	227	227		227
CARBURETOR & CHOKE CLEANERS	A	192	687	439	192	687	439
WINDSHIELD DEICER	a/n	179	239	209	179	239	209
PHARMACEUTICALS	A	172	245	209	172	245	209
FLOOR WAXES OR POLISHES	N	127	127	127	127	127	127
COLOGNES	A	127	127	127	127	127	127
INSECT REPELLENTS	A/N	96	235	165	96	235	165
WAXES & POLISHES	A	93	454	273	93	454	273
STARCH & FABRIC FINISH	A	93	212	153	93	212	153
RUG & UPHOLSTERY CLEANERS	A	90	688	389	90	688	389
AFTERSHAVES	A	86	86	86	86	86	86
ANIMAL INSECTICIDES	A	76	138	107	76	138	107
PAINTS-OTHER RELATED PRODUCTS	A	71	71	71	71	71	71
SHAVING LATHERS	A	62	178	120	62	178	120
PERFUMES	A	57	57	57	57	57	57
SPOT REMOVERS	A/N	53	53	53	48	53	50
UNDERCOATINGS	A	36	122	79	36	122	79
CARPET DECOORIZERS	A/N	29	29	29	29	29	29
SHOE POLISHES, WAXES & COLORANTS	A/N	18	135	77	18	135	77
WAXES & POLISHES LIQUIDS	N	17	65	41	17	65	41
DEPILATORIES	A	5	5	5	5	5	5
ADHESIVES	A	0	64,075	32,038	0	64,075	32,038
INSECT SPRAYS	A/N	221	4,428	2,324	0	4,428	2,214
CAULKING & SEALING COMPOUNDS	A/N	0	1,991	995	0	1,991	995
WINDOW & GLASS CLEANERS	A/N	0	1,681	840	0	1,681	840
HERBICIDES AND FUNGICIDES	A/N	0	1,508	754	0	1,508	754
LUBRICANTS AND SILICONES	A	0	763	382	0	763	382
METAL CLEANERS & POLISHES	N	0	552	276	0	552	276
TILE & BATHROOM CLEANERS	A	0	493	247	0	493	247
AUTO CLEANERS	A/N	0	296	148	0	296	148
OVEN CLEANERS	A/N	0	152	76	0	152	76
HAIR CARE PRODUCTS - SHAMPOOS	A/N	0	74	37	0	74	37
SUNTAN LOTIONS	A	0	31	16	0	31	16
ANTI-STATIC SPRAYS	A	0	2	1	0	2	1
PREWASH STAIN REMOVERS	A/N	0	0	0	0	0	0
DRAIN OPENERS	A/N	0	0	0	0	0	0
TOTALS		15,267	101,6₹5	58,171	14,128	100,702	57,415

TABLE 7. CONSUMER PRODUCT SUB-CATEGORIES RANKED IN ORDER OF LOW TOTAL PROC EMISSIONS (continued)

# STATE OF NEW JERSEY VOC & PROC EMISSIONS

	AEROSOL/	TOTAL VOC	EMISSIONS	(tons)	TOTAL PRO	C EMISSION	S (tons)
CONSUMER PRODUCT SUB-CATEGORY	NON-AER. (A/N)	LOW	HIGH	AVERAGE	row	HIGH	AVERAGE
PAINTS, PRIMERS, VARNISHES	Α	2 402	3,189	2 075	···	7 190	2 922
HAIR SPRAYS	Ā		=	2,134	•	3,189 2,242	
CAR POLISHES & WAXES	N		-		•	-	=
ROOM DEODORANTS & DISINFECTANTS		-	-	1,117	-	1,118	•
MOTH CONTROL PRODUCTS	A (1)		•	1,310 591		1,683	1,185 591
•	A/N	580 470			580	602	
PERSONAL DEODORANTS	Α	430	511	471	430		471
AUTO ANTIFREEZES	N	328	328	328	328	328	328
BRAKE CLEANERS	A	291 247	291	291 247	291	291	291
ENGINE STARTING FLUIDS	A	267	267	267 707	267	267	267
ENGINE DEGREASERS	A	289	324	307	243	324	284
ALL PURPOSE CLEANERS	A	159	3,246	1,702	159	3,246	•
STYLING MOUSE	A	153	153	153	153	153	153
CARBURETOR & CHOKE CLEANERS	A	130	463	296	130	463	296
WINDSHIELD DEICER	A/N	121	161	141	121	161	141
PHARMACEUTICALS	<b>A</b>	116	165	141	116	165	141
FLOOR WAXES OR POLISHES	N	85	85	85	85	85	85
COLOGNES	A	85	85	85	85	85	85
INSECT REPELLENTS	A/N	65	158	112	65	158	112
WAXES & POLISHES	A	63	306	184	63	306	184
STARCH & FABRIC FINISH	A	63	143	103	63	143	103
RUG & UPHOLSTERY CLEANERS	A	61	463	262	61	463	262
AFTERSHAVES	A	58	58	58	58	58	58
ANIMAL INSECTICIDES	A	51	93	72	51	93	72
PAINTS-OTHER RELATED PRODUCTS	A	48	48	48	48	48	48
SHAVING LATHERS	A	42	120	81	42	120	81
PERFUMES	A	38	38	38	38	38	38
SPOT REMOVERS	A/N	36	36	36	32	36	34
UNDERCOATINGS	A	24	82	53	24	82	53
CARPET DEODORIZERS	A/N	19	19	19	19	19	19
SHOE POLISHES, WAXES & COLORANTS	A/N	12	91	52	12	91	52
WAXES & POLISHES LIQUIDS	N	11	44	27	11	44	27
DEPILATORIES	A	3	3	3	3	3	3
ADHESIVES	A	0	43,181	21,591	0	43,181	21,591
INSECT SPRAYS	A/N	149	2,984	1,566	0	2,984	1,492
CAULKING & SEALING COMPOUNDS	A/N	0	1,342	671	0	1,342	671
WINDOW & GLASS CLEANERS	A/N	0	1,133	566	0	1,133	566
HERBICIDES AND FUNGICIDES	.A/N	0	1,016	508	0	1,016	508
LUBRICANTS AND SILICONES	A	0	514	257	0	514	257
METAL CLEANERS & POLISHES	N	0	372	186	0	372	186
TILE & BATHROOM CLEANERS	A	0	332	166	0	332	166
AUTO CLEANERS	A/N	0	199	100	0	199	100
OVEN CLEANERS	A/N	0	102	51	0	102	51
HIAR CARE PRODUCT - SHAMPOOS	A/N	0	50	25	0	50	25
SUNTAN LOTIONS	A	0	21	10	0	21	10
ANTI-STATIC SPRAYS	Ā	0	1	1	0	1	1
PREWASH STAIN REMOVERS	A/N	Ō	0	0	0	o .	0
DRAIN OPENERS	A/N	0	0	ō	0	ō	ō
TOTALS		10,288	68,114	39,201	9,521	67,863	38,692

TABLE 8. CONSUMER PRODUCT SUB-CATEGORIES RANKED IN ORDER OF HIGH TOTAL PROC EMISSIONS

## STATE OF CALIFORNIA VOC & PROC EMISSIONS

	AEROSOL/ NON-AER.		EMISSIONS	(tons)	TOTAL PROC	EMISSIONS	(tons)
CONSUMER PRODUCT SUB-CATEGORY	(A/N)	LOW		AVERAGE	LOW		
		•••	••••		•••	• • • •	
ADHESIVES	A	0	-	76,612	0		76,612
PAINTS, PRIMERS, VARNISHES				11,408		12,392	
ALL PURPOSE CLEANERS	A	603	-	6,463	603		-
INSECT SPRAYS	A/N			5,558	0	•	
HAIR SPRAYS				8,095		8,505	
ROOM DEODORANTS & DISINFECTANTS		-	=	4,650		5,971	
CAULKING & SEALING COMPOUNDS			•	2,380		4,761	-
CAR POLISHES & WAXES	N	-	•	4,625		4,630	
WINDOW & GLASS CLEANERS		0	-	1,970		3,939	
HERBICIDES, FUNGICIDES	A/N	0	<u> </u>	1,803			
MOTH CONTROL PRODUCTS	A/N	2,059		2,098	2,059		
LUBRICANTS AND SILICONES	A	0	•	913	0	1,825	913
PERSONAL DEODORANTS	A	1,476	•	-	1,476		1,614
RUG & UPHOLSTERY CLEANERS	A	215	1,645	930	215	1,645	930
CARBURETOR & CHOKE CLEANERS	A	460	1,642	1,051	460	1,642	1,051
METAL CLEANERS & POLISHES	N	0	1,320	660	0	1,320	660
TILE & BATHROOM CLEANERS	A	0	•	590	0	1,180	590
AUTO ANTIFREEZES	N	1,165	1,165	1,165	1,165	1,165	1,165
ENGINE DEGREASERS	A	1,026	1,150	1,088	863	1,150	1,006
BREAK CLEANERS	A	1,032	1,032	1,032	.1,032	1,032	1,032
WAXES & POLISHES	A	212	1,030	621	212	1,030	621
ENGINE STARTING FLUIDS	A	949	949	949	949	949	949
AUTO CLEANERS	A/N	0	707	354	0	707	354
PHARMACEUTICALS	A	454	646	550	454	646	550
WINDSHIELD DEICER	A/N	429	572	501	429	572	501
INSECT REPELLENTS	A/N	230	561	396	230	561	396
STYLING MOUSE	A	543	543	543	543	543	543
STARCH & FABRIC FINISH	A	222	508	365	222	508	365
SHAVING LATHERS	A	140	402	271	140	402	271
OVEN CLEANERS	A/N	0	370	185	0	370	185
ANIMAL INSECTICIDES	A	182	329	255	182	329	255
SHOE POLISHES, WAXES & COLORANTS	A/N	43	323	183	43	323	183
FLOOR WAXES OR POLISHES	N	309	309	309	309	309	309
COLOGNES	A	303	303	303	<b>303</b>	303	303
UNDERCOATINGS	A	86	291	188	86	291	188
AFTERSHAVES	A	205	205	205	205	205	205
HAIR CARE PRODUCTS - SHAMPOOS	A/N	0	177	89	0	177	89
PAINTS-OTHER RELATED PRODUCTS	A	170	170	170	170	170	170
WAXES & POLISHES LIQUIDS	N	40	155	97	40	155	97
PERFUMES	A	135	135	135	135	135	135
SPOT REMOVERS	A/N	127	127	127	114	127	120
SUNTAN LOTIONS	A.	0	81	41	0	81	41
CARPET DEODORIZERS	A/N	69	69	69	69	69	69
DEPILATORIES	A .	11	12	11	11	12	11
ANTI-STATIC SPRAYS	A	0	5	3	0	5	3
PREWASH STAIN REMOVERS	A/N	0	0	o	0	0	0
DRAIN OPENERS	A/N	0	0	o	o	0	0
we within		-	J	-	-	,	•
TOTALS		38,587	244,656	141,622	35,703	243,764	139,734

TABLE 8. CONSUMER PRODUCT SUB-CATEGORIES RANKED IN ORDER
OF HIGH TOTAL PROC EMISSIONS (continued)

## STATE OF NEW YORK VOC & PROC EMISSIONS

	AEROSOL/ NON-AER.	TOTAL VOC	EMISSIONS	(tons)	TOTAL PROC	EMISSIONS	(tons)
CONSUMER PRODUCT SUB-CATEGORY		LOW	HIGH	AVERAGE	LOW	HIGH	AVERAGE
	•••••	•••	••••			••••	
ADHESIVES	A	0		32,038	0	-	32,038
ALL PURPOSE CLEANERS	A	236	4,816	2,526	236	•	2,526
PAINTS, PRIMERS, VARNISHES	A	3,980	-	-	3,648	•	-
INSECT SPRAYS	A/N	221	4,428	-	0	4,428	2,214
HAIR SPRAYS	A	3,006	3,327	•	2,495		-
ROOM DEODORANTS & DISINFECTANTS	A	1,019	2,870	1,944	1,019	-	1,758
CAULKING & SEALING COMPOUNDS	A/N	0	1,991	995	0	1,9 <del>9</del> 1	995
WINDOW & GLASS CLEANERS	A/N	0	1,681	840	0	1,681	840
CAR POLISHES & WAXES	N	1,656	-	1,658	1,656		1,658
HERBICIDES AND FUNGICIDES	A/N	0	1,508	754	0	1,508	754
MOTH CONTROL PRODUCTS	A/N	861	893	877	861	893	877
LUBRICANTS AND SILICONES	A	0	763	382	0	763	382
PERSONAL DECODORANTS	Ά	639	758	699	639	758	699
RUG & UPHOLSTERY CLEANERS	A	90	688	389	90	688	389
CARBURETOR & CHOKE CLEANERS	A	192	687	439	192	687	439
METAL CLEANERS & POLISHES	N	0	552	276	0	552	276
TILE & BATHROOM CLEANERS	A	0	493	247	0	493	247
AUTO ANTIFREEZES	N	487	487	487	487	487	48,7
ENGINE DEGREASERS	A	429	481	455	361	481	421
WAXES & POLISHES	A	93	454	273	. 93	454	273
BRAKE CLEANERS	A	431	431	431	431	431	431
ENGINE STARTING FLUIDS	A	397	397	397	397	397	397
AUTO CLEANERS	A/N	0	296	148	0	296	148
PHARMACEUTICALS	A	172	245	209	172	245	209
WINDSHIELD DEICER	a/n	179	239	209	179	239	209
INSECT REPELLENTS	A/N	96	235	165	96	235	165
STYLING MOUSE	A	227	227	227	227	227	227
STARCH & FABRIC FINISH	A	93	212	153	93	212	153
SHAVING LATHERS	A	62	178	120	62	178	120
OVEN CLEANERS	A/N	0	152	76	0	152	76
ANIMAL INSECTICIDES	Ā	76	138	107	76	138	107
SHOE POLISHES, WAXES & COLORANTS		18	135	77	18	135	77
FLOOR WAXES OR POLISHES	N	127	127	127	127	127	127
COLOGNES	A	127	127	127	127	127	127
UNDERCOATINGS	A	36	122	<del>79</del>	36	122	79
AFTERSHAVES	A	86	86	86	86	86	86
HAIR CARE PRODUCTS - SHAMPOOS	A/N	0	74	37	0	74	37
PAINTS-OTHER RELATED PRODUCTS	A	71	71	71	71	71	71
WAXES & POLISHES LIQUIDS	N	17	65	41	17	65	41
PERFUMES	Α	57	57	57	57	57	57
SPOT REMOVERS	A/N	53	53	53	48	53	50
SUNTAN LOTIONS	A	0	31	16	0	31	16
CARPET DEODORIZERS	A/N	29	29	29	29	29	29
DEPILATORIES	A.	5	5	5	5	5	5
ANTI-STATIC SPRAYS	A .	0	2	1	0	2	1
PREWASH STAIN REMOVERS	A/N	0	0	0	0	0	0
DRAIN OPENERS	A/N	0	0	0	o	0	0
	• •	-	-	-	-		•
TOTALS		15,267	101,075	58,171	14,128	100,702	57,415

TABLE 8. CONSUMER PRODUCT SUB-CATEGORIES RANKED IN ORDER OF HIGH TOTAL PROC EMISSIONS (continued)

# STATE OF NEW JERSEY VOC & PROC EMISSIONS

	AEROSOL/ NON-AER.	TOTAL VOC	EMISSIONS	(tons)	TOTAL PROC EMISSIONS (tons)			
CONSUMER PRODUCT SUB-CATEGORY	(A/N)			AVERAGE	LOW	HIGH		
ADHESIVES	Α	0	۰۰۰۰ 43 181	21,591	···	43,181	21 501	
ALL PURPOSE CLEANERS	A			1,702		3,246		
PAINTS, PRIMERS, VARNISHES	 A			2,935	2,458		2,823	
INSECT SPRAYS	A/N			1,566			1,492	
HAIR SPRAYS	A			2,134		2,242		
ROOM DEODORANTS & DISINFECTANTS	A	-	-	1,310		1,683		
CAULKING & SEALING COMPOUNDS	A/N		=	671	0	1,342		
WINDOW & GLASS CLEANERS	A/N			566	0			
CAR POLISHES & WAXES	N		-		1,116	-	1,117	
HERBICIDES AND FUNGICIDES	A/N	0	1,016	-	0	1,016		
MOTH CONTROL PRODUCTS	A/N	580	602	591	-	•	591	
LUBRICANTS AND SILICONES	A	0	514	257	0	514	257	
PERSONAL DEODORANTS	Ä	430	511	471	430			
RUG & UPHOLSTERY CLEANERS	A	61	463	262	61	463	262	
CARBURETOR & CHOKE CLEANERS	Ā	130	463	296	130	463	296	
METAL CLEANERS & POLISHES	N	0	372	186	0	372	186	
TILE & BATHROOM CLEANERS	 A⁺	0	332	166	Ö	332	166	
AUTO ANTIFREEZES	N	328	328	328	328	328	328	
ENGINE DEGREASERS	Ä	289	324	307	243	324	284	
WAXES & POLISHES	Ä	63	306	184	63	306	184	
BRAKE CLEANERS	Ä	291	291	291	291	291	291	
ENGINE STARTING FLUIDS	Ā	267	267	267	267	267	267	
AUTO CLEANERS	A/N	0	199	100	0	199	100	
PHARMACEUTICALS	A	116	165	141	116	165	141	
WINDSHIELD DEICER	A/N	121	161	141	121	161	141	
INSECT REPELLENTS	A/N	65	158	112	65	158	112	
STYLING MOUSE	A	153	153	153	153	153	153	
STARCH & FABRIC FINISH	A	63	143	103	63	143	103	
SHAVING LATHERS	A	42	120	81	42	120	81	
OVEN CLEANERS	A/N	0		51	0	102	51	
ANIMAL INSECTICIDES	A	51		72	51		72	
SHOE POLISHES, WAXES & COLORANTS		12	91	52		91	52	
FLOOR WAXES OR POLISHES	N	85	85	85	85	85	85	
COLOGNES	Ä	85	85	85	85	85	85	
UNDERCOATINGS	Ā	24	82	53	24	82	53	
AFTERSHAVES	Â	58	58	58	58	58	58	
HIAR CARE PRODUCT - SHAMPOOS	A/N	0	50	25	0	50	25	
PAINTS-OTHER RELATED PRODUCTS	A	48	48	48	48	48	48	
WAXES & POLISHES LIQUIDS	N	11	44	27	11	44	27	
PERFUMES	A	38	38	38	38	38	38	
SPOT REMOVERS	A/N	36	36	36	. 32	36	34	
SUNTAN LOTIONS	A	0	21	10	0	21	10	
CARPET DEODORIZERS	A/N	19	19	19	19	19	19	
DEPILATORIES	A	3	3	3	3	3	3	
ANTI-STATIC SPRAYS	Ā	0	1	1	0	1	1	
PREWASH STAIN REMOVERS	A/N	0	0	0	o	0		
DRAIN OPENERS	A/N	0	0	0	0	0	0	
CZENIA OF ENERG	77 19	-		-	-			
TOTALS		10,288	68,114	39,201	9,521	67,863	38,692	

TABLE 9. CONSUMER PRODUCT SUB-CATEGORIES RANKED IN ORDER
OF AVERAGE TOTAL PROC EMISSIONS

# STATE OF CALIFORNIA VOC & PROC EMISSIONS

VOC & PROC EMISSIONS							
	AEROSOL/			(tons)	TOTAL PROD	EMISSIONS	(tons)
CONSUMER PRODUCT SUB-CATEGORY	NON-AER. (A/N)	LOW	HIGH	AVERAGE	LOW	HIGH	AVERAGE
	•••••	•••		•••••	•••		
ADHESIVES	A	0	153,223	76,612	0	153,223	76,612
PAINTS, PRIMERS, VARNISHES	A	10,424	12,392	11,408	9,554	12,392	-
HAIR SPRAYS	A	7,685	8,505	8,095 ·	6,377	8,505	7,441
ALL PURPOSE CLEANERS	A	603	12,324	6,463	603	12,324	6,463
INSECT SPRAYS	A/N	529	10,588	5,558	0	10,588	5,294
CAR POLISHES & WAXES	N	4,619	4,630	4,625	4,619	4,630	4,625
ROOM DEODORANTS & DISINFECTANTS	A	2,436	6,863	4,650	2,436	5,971	4,204
CAULKING & SEALING COMPOUNDS	A/N	0	4,761	2,380	0	4,761	2,380
MOTH CONTROL PRODUCTS	A/N	2,059	2,136	2,098	2,059	2,136	2,098
WINDOW & GLASS CLEANERS	A/N	0	3,939	1,970	0	3,939	1,970
HERBICIDES, FUNGICIDES	A/N	0	3,605	1,803	0	3,605	1,803
PERSONAL DÉODORANTS	A	1,476	1,752	1,614	1,476	1,752	1,614
AUTO ANTIFREEZES	N	1,165	•	1,165	-	-	•
CARBURETOR & CHOKE CLEANERS	A	460	=	1,051	460	-	•
BREAK CLEANERS	A	1,032	=	1,032	1,032		
ENGINE DEGREASERS	A	1,026	-	1,088	863	•	•
ENGINE STARTING FLUIDS	A	949	949	949	949		949
RUG & UPHOLSTERY CLEANERS	A	215		930	215	1,645	930
LUBRICANTS AND SILICONES	A	0	1,825	913	0	1,825	913
METAL CLEANERS & POLISHES	N	0	1,320	660	. 242	1,320	660
WAXES & POLISHES	A	212	1,030	621	212	1,030	621
TILE & BATHROOM CLEANERS	A	0	1,180	590 550	0	1,180	590
PHARMACEUTICALS	A	454	646	550 577	454 577	646 543	550 5/7
STYLING MOUSE	A	543	543 573	543 501	543 430	572	543 501
WINDSHIELD DEICER	A/N	429	572 541	501 396	429 230	561	501 396
INSECT REPELLENTS	A/N	230	561	346 365	222	508	365
STARCH & FABRIC FINISH	A ///	222	508 707	354	0	707	354
AUTO CLEANERS	A/N	700	309	309	309	309	309
FLOOR WAXES OR POLISHES	N	309 303	303	303	303	303	303
COLOGNES	A .	140	402	271	140	402	271
SHAVING LATHERS	^	182	329	255	182	329	255
ANIMAL INSECTICIDES	A	205	205	205	205	205	205
AFTERSHAVES UNDERCOATINGS	A A	86	291	188	86	291	188
OVEN CLEANERS	A/N	0	370	185	0	370	185
SHOE POLISHES, WAXES & COLORANTS		43	323	183	43	323	183
PAINTS-OTHER RELATED PRODUCTS	A A	170	170	170	170	170	170
PERFUMES	A	135	135	135	135	135	135
SPOT REMOVERS	A/N	127	127	127	114	127	120
WAXES & POLISHES LIQUIDS	N	40	155	97	40	155	97
HAIR CARE PRODUCTS - SHAMPOOS	A/N	0	177	89	0	177	89
CARPET DEODORIZERS	A/N	69	69	69	69	69	69
SUNTAN LOTIONS	A	0	81	41	0	81	41
DEPILATORIES	A	11	12	11	11	12	11
ANTI-STATIC SPRAYS	A	0	5	3	0	5	3
PREWASH STAIN REMOVERS	A/N	0	0	0	0	0	0
DRAIN OPENERS	A/N	0	0	0	0	0	0
TOTALS		38,587	244,656	141,622	35,703	243,764	139 <b>,73</b> 4

TABLE 9. CONSUMER PRODUCT SUB-CATEGORIES RANKED IN ORDER
OF AVERAGE TOTAL PROC EMISSIONS (continued)

#### STATE OF NEW YORK VOC & PROC EMISSIONS

AEROSOL Non-Aer		TOTAL VOC	EMISSIONS	(tons)	TOTAL PROC EMISSIONS (tons)			
CONSUMER PRODUCT SUB-CATEGORY	(A/N)	LOM	HIGH		FOM	HIGH	AVERAGE	
ADHESIVES	Α	0	64.075	32,038	0	64,075	32.038	
PAINTS, PRIMERS, VARNISHES	A			4,356		4,731	-	
HAIR SPRAYS	A	•	•	•	2,495	=	2,911	
ALL PURPOSE CLEANERS	A		=	2,526	236	-	2,526	
INSECT SPRAYS	A/N		4,428	-	0	•	=	
ROOM DEODORANTS & DISINFECTANTS	A		-	1,944	1,019	-	1,758	
CAR POLISHES & WAXES	N		-	1,658	1,656	-	•	
CAULKING & SEALING COMPOUNDS	A/N	· o	1,991	-	. 0	1,991		
MOTH CONTROL PRODUCTS	A/N	861	893	877	861	893	877	
WINDOW & GLASS CLEANERS	A/N	0	1,681	840	0	1,681	840	
HERBICIDES AND FUNGICIDES	A/N	0	1,508	754	0	1,508	754	
PERSONAL DEODORANTS	A	639	758	699	639	758	699	
AUTO ANTIFREEZES	N	487	487	487	487	487	487	
CARBURETOR & CHOKE CLEANERS	A	192	687	439	192	687	439	
BRAKE CLEANERS	A	431	431	431	431	431	431	
ENGINE DEGREASERS	A	429	481	455	361	· 481	421	
ENGINE STARTING FLUIDS	A	397	397	397	397	397	397	
RUG & UPHOLSTERY CLEANERS	A	90	688	389	90	688	389	
LUBRICANTS AND SILICONES	A	0	763	382	0	763	382	
METAL CLEANERS & POLISHES	N	0	552	276	0	552	276	
WAXES & POLISHES	A	93	454	2 <b>73</b>	93	454	273	
TILE & BATHROOM CLEANERS	A	0	493	247	0	493	247	
STYLING MOUSE	A	227	227	227	227	227	227	
WINDSHIELD DEICER	a/n	179	239	209	179	239	209	
PHARMACEUTICALS	A	172	245	209	172	245	209	
INSECT REPELLENTS	A/N	96	235	165	96	235	165	
STARCH & FABRIC FINISH	A	93	212	153	93	212	153	
AUTO CLEANERS	A/N	0	296	148	0	296	148	
FLOOR WAXES OR POLISHES	N	127	127	127	127	127	127	
COLOGNES	A	127	127	127	127	127	127	
SHAVING LATHERS	A	62	178	120	62	178	120	
ANIMAL INSECTICIDES	A	76	- 138	107	76	138	107	
AFTERSHAVES	A	86	86	86	86	86	86	
UNDERCOATINGS	A	36	122	79	36	122	79	
SHOE POLISHES, WAXES & COLORANTS	A/N	18	135	77	18	135	77	
OVEN CLEANERS	A/N	0	152	76	0	152	76	
PAINTS-OTHER RELATED PRODUCTS	A	71	71	71	71	71	71	
PERFUMES	A	57	57	57	57	57	57	
SPOT REMOVERS	A/N	53	53	53	48	53	50	
WAXES & POLISHES LIQUIDS	N	17	65	41	17	65	41	
HAIR CARE PRODUCTS - SHAMPOOS	A/N	0	74	37	0	74	37	
CARPET DEODORIZERS	A/N	29	29	29	29	29	29	
SUNTAN LOTIONS	A	0	31	16	0	31	16	
DEPILATORIES	A	5	5	5	5	5	5	
ANTI-STATIC SPRAYS	A	0	2	1	0	2	1	
PREWASH STAIN REMOVERS	A/N	0	0	0	0	0	0	
DRAIN OPENERS	A/N	0	0	0	0	0	0	
. TOTALS	<b>:</b>	15,267	101,075	58,171	14,128	100,702	57,415	

TABLE 9. CONSUMER PRODUCT SUB-CATEGORIES RANKED IN ORDER
OF AVERAGE TOTAL PROC EMISSIONS (continued)

# STATE OF NEW JERSEY VOC & PROC EMISSIONS

VOC 11 / NOC 21/12010NO	AEROSOL/	TOTAL VOC	EMISSIONS	(tons)	TOTAL PRO	C EMISSION	S (tons)
CONSUMER PRODUCT SUB-CATEGORY	NON-AER.	LOW	HIGH	AVERAGE	LOW	HIGH	AVERAGE
ADHESIVES	Α	0	43,181	21,591	0	43,181	21.591
PAINTS, PRIMERS, VARNISHES				2,935		•	· ·
HAIR SPRAYS	A	•		2,134	•	-	•
ALL PURPOSE CLEANERS	A	-		1,702	=	3,246	
INSECT SPRAYS	A/N		=	1,566		2,984	-
ROOM DEODORANTS & DISINFECTANTS	A	687	1,934	1,310		1,683	
CAR POLISHES & WAXES	N	1,116		1,117		1,118	
CAULKING & SEALING COMPOUNDS	A/N	0	1,342	671	0	1,342	671
MOTH CONTROL PRODUCTS	A/N	580	602	591	580	602	591
WINDOW & GLASS CLEANERS	A/N	0	1,133	566	0.	1,133	566
HERBICIDES AND FUNGICIDES	A/N	0	1,016	508	0	1,016	508
PERSONAL DECODORANTS	A	430	511	471	430	511	471
AUTO ANTIFREEZES	N	328	328	328	328	328	328
CARBURETOR & CHOKE CLEANERS	A	130	463	296	130	463	296
BRAKE CLEANERS	A	291	291	291	291	291	291
ENGINE DEGREASERS	A	289	324	307	243	324	284
ENGINE STARTING FLUIDS	A	267	267	267	267	267	267
RUG & UPHOLSTERY CLEANERS	A	61	463	262	61	463	262
LUBRICANTS AND SILICONES	A	0	514	257	O	514	257
METAL CLEANERS & POLISHES	N	0	372	186	0	372	186
WAXES & POLISHES	A	63	306	184	63	306	184
TILE & BATHROOM CLEANERS	A	0	332	166	0	332	166
STYLING MOUSE	A	153	153	153	153	153	153
WINDSHIELD DEICER	A/N	121	161	141	121	161	141
PHARMACEUTICALS	A	116	165	141	116	165	141
INSECT REPELLENTS	A/N	65	158	112	65	158	112
STARCH & FABRIC FINISH	A	63	143	103	63	143	103
AUTO CLEANERS	A/N	0	199	100	0	199	100
FLOOR WAXES OR POLISHES	N	85	85	85	.85	85	85
COLOGNES	A	85	85	85	85	85	85
SHAVING LATHERS	A	42	120	81	42	120	81
ANIMAL INSECTICIDES	A	51	93	72	51	93	72
AFTERSHAVES	A	58	58	58	58	58	58
UNDERCOATINGS	A	24	82	53	24	82	53
SHOE POLISHES, WAXES & COLORANTS	A/N	12	91	52	12	91	52
OVEN CLEANERS	A/N	0	102	51	0	102	51
PAINTS-OTHER RELATED PRODUCTS	A	48	48	48	48	48	48
PERFUMES	A	38	38	38	38	38	38
SPOT REMOVERS	A/N	36	36	36	32	36	34
WAXES & POLISHES LIQUIDS	N	11	44	27	11	44	27
HIAR CARE PRODUCT - SHAMPOOS	A/N	0	50	25	0	50	25
CARPET DEODORIZERS	A/N	19	19	19	19	19	19
SUNTAN LOTIONS	A	0	21	10	0	21	10
DEPILATORIES	A	3	3	3	3	3	3
ANTI-STATIC SPRAYS	A	0	1	1	0	1	1
PREWASH STAIN REMOVERS	A/N	0	0	0	0	0	0
DRAIN OPENERS	A/N	0	0	0	0	0	0
TOTALS		10,288	68,114	39,201	9,521	67,863	38,692

TABLE 10. VOC AND PROC RATIOS FOR PRODUCT CATEGORIES IN CALIFORNIA

Product Categories	VOC (Low)/ VOC (High)	PROC (Low)/ PROC (High)	PROC (Low)/ VOC (Low)	PROC (High)/ VOC (High)
Aerosol Spray Products				
Insect Sprays	0.22	0.18	0.82	1.00
Paints and Finishes	0.84	0.77	0.92	1.00
Household Products	0.02	0.02	1.00	1.00
Personal Products	0.86	0.76	0.88	1.00
Animal Products				
Automotive and Industrial Products	0.49	0.47	0.96	1.00
Miscellaneous Products	0.00	0.00		1.00
Non-Aerosol Products				
Personal Products				
Household Products	0.20	.20	1.00	1.00
Automotive Products	1.00	1.00	1.00	1.00
Garage Products		***		
Total Emissions	0.16	0.15	0.92	1.00

TABLE 11. VOC AND PROC RATIOS FOR PRODUCT CATEGORIES IN NEW YORK

VOC (Low)/ VOC (High)	PROC (Low)/ PROC (High)	PROC (Low)/ VOC (Low)	PROC (High)/ VOC (High)
0.22	0.18	0.82	1.00
0.84	0.77	0.92	1.00
0.02	0.02	1.00	1.00
0.86	0.76	.88	1.00
0.49	0.47	0.96	1.00
0.00	0.00		1.00
•		•	
***			
0.19	0.19	1.00	1.00
1.00	1.00	1.00	1.00
0.15	0.14	0.93	1.00
	0.22 0.84 0.02 0.86  0.49 0.00	VOC (High) PROC (High)  0.22	VOC (High)     PROC (High)     VOC (Low)       0.22     0.18     0.82       0.84     0.77     0.92       0.02     0.02     1.00       0.86     0.76     .88            0.49     0.47     0.96       0.00     0.00             0.19     1.00     1.00

TABLE 12. VOC AND PROC RATIOS FOR PRODUCT CATEGORIES IN NEW JERSEY

Product Categories	VOC (Low)/ VOC (High)			PROC (High)/ VOC (High)
Aerosol Spray Products				
Insect Sprays	0.22	0.18	0.82	1.00
Paints and Finishes	0.84	0.77	0.92	1.00
Household Products	0.02	0.02	1.00	1.00
Personal Products	0.86	0.76	0.86	1.00
Animal Products				
Automotive and Industrial Products	0.48	0.47	0.96	1.00
Miscellaneous Products				
Non-Aerosol Products				
Personal Products		***		
Household Products	0.19	0.19	1.00	1.00
Automotive Products	1.00	1.00	1.00	1.00
Garage Products		~~		
Total Emissions	0.15	0.14	0.93	1.00

TABLE 13. ADDITIONAL VOC AND PROC EMISSIONS

Product	Emissions (tons) CA	$NJ^1$	NY¹
Brake fluid for master cylinder (ethylene glycol monethyl ether: 88,000 tons x 0.2 estimated emission factor)	17,600	7,630	5,916
Gas driers (methanol)	600	260	201
Ball point and porous tip pens (ethylene glycol)	18	8	6
Rubbing alcohol	1,150	499	387
Nail polish	136	59	46
	19,504	8,456	6,556

<sup>&</sup>lt;sup>1</sup>Based upon per capita emissions from California.

Source: Rogozen et al., (1985)

TABLE 14
PER CAPITA AVERAGE VOC AND PROC EMISSIONS (LB/PERSON)

		VOC			PROC			
Category	CA	М	NY	CA	NJ	NY		
Aerosol:								
Insect Sprays	0.67	0.56	0.64	0.65	0.54	0.62		
Paints and Finishes	0.93	0.71	0.82	0.89	0.69	0.79		
Household Products	7.64	6.37	7.33	7.60	6.34	7.3		
Personal Products	0.95	0.76	0.88	0.90	0.72	0.83		
Automotive and Indust.	0.49	0.41	0.47	0.48	0.40	0.46		
Herbicides and Fungicides	0.15	0.12	0.14	0.15	0.12	0.14		
Non-Aerosol:								
Househo I d	0.09	0.07	0.08	0.09	0.07	0.08		
Automotive	0.46	0.35	0.40	0.46	0.35	0.40		
Total Emissions	11.38	9.40	10.80	11.23	9.28	10.66		

TABLE 15
PER CAPITA LOW VOC AND PROC EMISSIONS (LB/PERSON)

		VOC			PROC	
Category	CA	ЦИ	NY	CA	NJ	NY
Aerosol:						
Insect Sprays	0.24	0.20	0.23	0.20	0.17	0.19
Paints and Finishes	0.85	0.65	0.75	0.78	0.60	0.69
Household Products	0.32	0.26	0.30	0.32	0.26	0.30
Personal Products	0.88	0.70	0.81	0.77	0.62	0.72
Automotive and Indust.	0.32	0.27	0.31	0.30	0.26	0.30
Herbicides and Fungicides	0.00	0.00	0.00	0.00	0.00	0.00
Non-Aerosol:						
Household	0.03	0.02	0.03	0.03	0.02	0.03
Automotive	0.46	0.34	0.40	0.46	0.34	0.40
Total Emissions	3.11	2.49	2.85	2.88	2.31	2.64

TABLE 16
PER CAPITA HIGH VOC AND PROC EMISSIONS (LB/PERSON)

		VOC			PROC			
Category	CA	ŊJ	NY	CA	ŊJ	NY		
Aerosol:								
Insect Sprays	1.09	0.92	1.05	1.09	0.92	1.05		
Paints and Finishes	1.01	0.77	0.89	1.01	0.77	0.89		
Household Products	14.96	12.49	14.39	14.89	12.43	14.30		
Personal Products	1.02	0.82	0.95	1.02	0.82	0.95		
Automotive and Indust.	0.66	0.55	0.63	0.66	0.55	0.63		
Herbicides and Fungicides	0.29	0.24	0.26	0.29	0.24	0.28		
Non-Aerosol:								
Household	0.14	0.11	0.14	0.14	0.11	0.14		
Automotive	0.47	0.35	0.40	0.47	0.35	0.40		
Total Emissions	19.65	16.30	18.74	19.58	16.24	18.67		

### APPENDIX A

## INSECTICIDES - AEROSOL AND NONAEROSOL

National Consumption (million lb)	Population Apportionment	Geographic Multiplier
192.5 <sup>1</sup>	.11 (CA) <sup>2</sup>	NA
	.046 (NY)	
	.031 (NJ)	

<sup>&</sup>lt;sup>1</sup>Kline (1982)

<sup>&</sup>lt;sup>2</sup>U.S. Bureau of the Census (1986)

## INSECTICIDE FORMULATIONS

	Percent By Weight	Volatility	VOC Emitted(%)	PROC Emitted(%)
Formula 1			86.5	86.5
Sevin	3.0	NV		
Malathion	4.0	NV		
Folpet (fungicide)	5.0	NV		
Kelthane	1.5	NV		
Inert ingredients	86.5	V		
Formula 2			100.0	100.0
DDVP .	18.6	V		
Related compounds	1.4	V		
Inert ingredients	80.0	V		
Formula 3			99.3	99.3
<pre>d-trans Allethrin (5-Benzyl-3-furyl) methyl-2, 2-dimethyl-3,2-methylpropenyl</pre>	0.50	NV		
cyclopropane carboxylate	0.08	NV		
Related compounds	0.01	NV		
Petroleum distillate	10.20	V		
Sodium nitrite	0.08	-		
Inert ingredients	59.12	v		
Butane/Isobutane propellant	30.00*	V		
Formula 4			99.0	99.0
Baygon	1.00	NV		
DDVP	0.20	V		
Petroleum distillates	1.04	V		
Inert ingredients	67.91	V		
Butane/Isobutane	30.00*	v		
Formula 5			99.0	99.0
Pyrethrins	0.25	NV		
Piperonyl butoxide	0.80	NA		
Petroleum distillates	1.04	Λ		
Inert ingredients	67.91	A		
Butane/Isobutane	30.00*	Λ		

<sup>\*</sup>Estimated from WAIB (1981) and CSMA (1986)

## INSECTICIDE FORMULATIONS (Continued)

	Percent By Weight	Volatility	VOC Emitted(%)	PROC Emitted(%)
Formula 6			98.5	98.5
Pyrethrins	0.50	NV		
Piperonyl butoxide	1.00	NV		
Petroleum distillates	11.83	V		
Inert ingredients	58.00	V		
Butane/Isobutane	30.00*	V		
Formula 7			98.6	98.6
d-trans Allethrin	0.25	NV		
Piperonyll butoxide	0.80	NV		
MGK 264	0.40	NV		
Petroleum distillates	8.05	V		
Inert ingredients	60.50	V		
Butane/Isobutane	30.00*	V		
Formula 8			5.0	5.0
Zinc dimethyl/dithiocarbamate	0.12	NV		
Endosulphan	0.68	NV		
Pyrethrins	0.16	NV		
Sulphoxide	0.20	-		
Urea	0.40	NV		
Tensiofix LX	0.06	NV		
Tensiofix WP	0.04	NV		
Water	43.34	-		
CO <sub>2</sub> propellant	5	V		
Formula 9			99.9	99.9
Pyrethrins	0.06	NV		
Rotenone	0.01	V		
Other Cube resins	0.02	NV		
Pine oil	0.90	V		
Petroleum distillate	0.40	V		
Inert ingredients	68.61	V		
Butane/Isobutane	30.00	V		
Formula 10			55.5	55.5
Insecticide solution in Kerosene	15.5	v		
Span 85	1.5	NV		
Tween 81	1.0	NV		
Deionized water	42.0	-		
Butane	40.0	Λ		

<sup>\*</sup>Estimated from WAIB (1981)
\*\*Estimated from Chalimers/Bathe (1979)

## INSECT REPELLENTS - AEROSOL AND NONAEROSOL

Wational Shipment	Population	Geographic
(million lb)	Apportionment	Multiplier
21	.11 (CA) <sup>2</sup> .046 (NY) .031 (NJ)	NA

<sup>&</sup>lt;sup>1</sup>Kline (1982)

<sup>&</sup>lt;sup>2</sup>U.S. Bureau of the Census (1986)

# INSECT REPELLENT FORMULAS

	% Composition By Weight	Volatility	VOC Emitted(%)	PROC Emitted(%)
Formula 1ª			85.0	85.0
N,N-Dialkyl-m-toluamide	14.25%	VИ		
Other isomers	0.75	NV		
Inert ingredients	85.00	V		
Formula 2ª			75.0	75.0
N,N-Dialkyl-m-toluamide	19.00%	NV		
Other isomers	1.00	NV		
N-Octyl-bicycloheptene				
dicarboximide	4.00	NV		
2,3,4,5-Bis (2-butylene) tetrahydro-2-furaldehyde	1.00	NV		
Inert ingredients	75.00	V		
Formula 3ª			62.9	62.9
N,N-Dialkyl-m-toluamide	30.69%	NV		
Other isomers	1.00	NV		
N-Octyl-bicycloheptene	/ 21	2777		
dicarboximide	4.31	NV		
2,3,4,5-Bis (2-butylene) tetrahydro-2-furaldehyde	1.08	NV		
Inert Ingredients	62.92	V		
			75.0	75.0
Formula 4ª			75.0	75.0
2-Ethyl-1,3-hexanediol	25.00%	NV		
N,N-Diethyl-m-toluamide	4.75	NV		
Other isomers	0.25	NV		
Inert ingredients and propellan	it 70.00	V		
Formula 5ª			34.9	34.9
2-Ethyl-1,3-hexandeiol	56.00%	NV		
N,N-Diethyl-m-toluamide	8.65	NV		
Other Isomers	0.45	NV		
Inert Ingredients	34.90	V		

<sup>&</sup>lt;sup>a</sup>Kline (1982)

# MOTH CONTROL PRODUCTS - AEROSOLS AND NONAEROSOLS

National Consumption (million lb)	Population Apportionment	Geographic Multiplier
39 <sup>1</sup>	.11 (CA) <sup>2</sup>	NA
	.046 (NY)	
	.031 (NJ)	

<sup>&</sup>lt;sup>1</sup>Kline (1982)

<sup>&</sup>lt;sup>2</sup>U.S. Bureau of the Census (1986)

# MOTH CONTROL PRODUCT FORMULAS

	% Composition By Weight		VOC Emitted(%)	PROC Emitted(%)
Formula 1ª			96.0	96.0
Pyrethrin	0.15	NV		
Allethrin	0.15	NV		
N-octyl bicycloheptene				
dicarboximide	0.75	NV		
Piperonyl butoxide	0.50	NV		
Essential cedar oil	0.50	NV		
Petroleum distillates	52.95	V		
Inert ingredients	45.00	V		
Formula 2ª			99.6	99.6
Cyclopropane carboxylate			•	
Tetramethrin derivative	0.20	NV		
Phenoxybenzyl derivative	0.19	NV		
Related isomers	0.01	NV		
Isoparaffinic hydrocarbons	7.75	V		
Inert ingredients	91.85	V		

<sup>\*</sup>Kline (1982)

#### ANIMAL INSECTICIDES - AEROSOL AND NONAEROSOL

National Consumption (million lb)	Population Apportionment	Geographic Multiplier
6 <sup>1</sup>	.11 (CA) <sup>2</sup>	NA
	.046 (NY)	
	.031 (NJ)	

<sup>&</sup>lt;sup>1</sup>Kline (1982)

<sup>&</sup>lt;sup>2</sup>U.S. Bureau of the Census (1986)

#### ANIMAL INSECTICIDE FORMULAS

%	Composition By Weight		VOC Emitted(%)	PROC Emitted(%)
Formula 1			92.9	92.9
Pyrethrins	.60	NV		
Piperonyl butoxide	. 48	NV		
Methoxychlor	.50	NV		
Carbaryl (1-Naphthyl N-Methyl				
carbomate)	.50	NV		
2,3:4,5-Bis(2 Butylene) Tetra-				
hydro-2-Furaldehyde	.24	NV		
Petroleum distillate	22.84	V		
Inert ingredients	65.38	V		
Unknown ingredients (assume				
half are volatile)	9.46	4.73%V		
Formula 2			94.9	94.9
o-Isoproxyphenyl methylcarbomate	.25	NV		
Inert ingredients	89.84	Λ		
Unknown ingredients (assume	07.04	V		
half are volatile)	10.11	5.05%V		
Formula 3 <sup>a</sup>			55.0	55.0
Benzyl Benzoate	33.80	NV		
Soap anhydrous	7.50	NV		
Chlordane	.75	NV		
Inert ingredients	52.05	V		
Unknown ingredients (assume				
half are volatile)	5.90	2.95%V		
Formula 4 <sup>b</sup>			99.7	99.7
			99.7	99.7
Pyrethrins	0.08%	NV		
Piperonyl butoxide	TRACE	NV		
2,3,4,5-Bis(2-Butylene) Tetra-				
hydro-2-Furaldehyde	0.02	NV		
Petroleum distillate	7.77	٧		
Inert ingredients	91.97	V		
Formula 5 <sup>b</sup>			99.4	99.4
Pyrethrins	0.06%	NV		
Piperonyl butoxide	0.12	NV		
N-octylbicycloheptenedicarboximid		NV		
2,3,4,5-Bis(2-Butylene) Tetra-		***		
hydro-2-Furaldehyde	0.20	NV		
Petroleum distillate	0.288	Δ		
Inert ingredients	99.132	Ÿ		

Source: Chalmers and Bathe (1979) Kline (1982)

PAINTS, PRIMERS, AND VARNISHES - AEROSOL

U.S. Annual Unit Distribution (millions)	Average Unit Weight (lbs/unit)	Population Apportionment	Geographic Multiplier
300.6 <sup>1</sup>	.75²	.11(CA) <sup>3</sup>	1.15(CA) <sup>5</sup>
		.046(NY)	1.05(NY)
		.031(NJ)	1.05(NJ)

<sup>&</sup>lt;sup>1</sup>CSMA (1984); estimated millions of units filled in 1984

<sup>&</sup>lt;sup>2</sup>WAIB (1981)

<sup>&</sup>lt;sup>3</sup>U.S. Bureau of the Census (1986)

<sup>&</sup>lt;sup>4</sup>Simmons (1983)

#### PAINT FORMULAS

	Percent By Weight	Volatility	VOC Emitted(%)	PROC Emitted(%)
Formulation 1 <sup>a</sup>			84.1	70.6
	15/9			
Barium metaborate	0.8			
Aluminum paste	3.3	_		
Silicone resin	11.8	_		
Xylol and driers	40.0	V		
Aromatic hydrocarbons	5.6	V		
Methylene chloride	13.5	y <b>77</b> 06)		
<b>7</b>	10 E	(Non-PROC)		•
Propane Isobutane	12.5 12.5	V V		
Isobutane	12.5	V		
Formulation 2 <sup>a</sup>			82.0	82.0
Nonvolatile Compounds	18.0	NV		
Glycol ethers Aliphatic and aromatic	1.2	v		
hydrocarbons	32.8	A		
Halogenated hydrocarbons <sup>1</sup>	19.0	V		
Isobutane	14.5	V		
Propane	14.5	V		
Formulation 3 <sup>a</sup>			82.0	67.0
Nonvolatile Compounds	18.0	NV		
Isobutane	30.0	v		
Propane	5.0	V		
Toluene	4.0	A		
Xylene	21.0	V		
Methylene chloride	15.0	V		
	3.0	(Non-PROC)		
Cellosolve acetate	7.0	V		
Formulation 4 <sup>a</sup>			84.2	84.2
Nonvolatile Compounds	15.8	NV		
Petroleum distillate	13.0	V		
Aromatic hydrocarbons	14.6	Λ		
Chlorinated solvents	27.0	V		
Aliphatic hydrocarbon propellant	29.6	V		

<sup>\*</sup>Poisindex (1984)

<sup>&</sup>lt;sup>1</sup>Replaced by aliphatic hydrocarbons such as butane, propane.

# PAINT FORMULAS (Continued)

	Percent By Weight	Volatility	VOC Emitted(%)	PROC Emitted(%)
Formulation 5 <sup>a</sup>	1,000		73.1	73.1
Nonvolatile Compounds	26.9%	NV		
Chlorinated solvents	21.0%	V		
Aliphatic hydrocarbons	23.1%	Λ		
Aliphatic thinner	29.0%	V		
Formulation 6 <sup>a</sup>			86.9	86.9
Nonvolatile Compounds	13.1%	NV		
Dioctyl phthalate plasticizer	1.4%	V		
Aromatic hydrocarbons	9.5%	V		
Esters and ketones Acetone and chlorinated	11.0%	V		
solvents Halogenated hydrocarbon	35.0%	V		
propellant	30.0%	V		

<sup>\*</sup>Poisindex (1984)

<sup>&</sup>lt;sup>1</sup>Replaced by aliphatic hydrocarbons such as butane, propane.

## PAINTS AND FINISHES - RELATED PRODUCTS - AEROSOLS

U.S. Annual Unit Distribution (millions)	Average Unit Weight (lb/unit)	Population Apportionment	Geographic Multiplier
6.9 <sup>1</sup>	.69 <sup>2</sup>	.11(CA) <sup>3</sup> .46(NY) .31(NJ)	NA

NA = not available

<sup>&</sup>lt;sup>1</sup>CSMA (1984); millions of lbs sold in 1984

<sup>&</sup>lt;sup>2</sup>WAIB (1981)

<sup>&</sup>lt;sup>3</sup>U.S. Bureau of the Census (1986)

## PAINTS AND FINISHES - OTHER RELATED PRODUCTS

	Percent By Weight Volatility	VOC Emitted(%)	PROC Emitted(%)
Formula 1ª			
Isopropanol	65%		
Water	16%		
Phosphoric Acid	19%		

<sup>\*</sup>Gosselin (1984)

# ROOM DEODORANTS AND DISINFECTANTS - AEROSOLS AND NONAEROSOLS

U.S. Annual Unit Distribution (millions)	Average Unit Weight (lb/unit)	Population Apportionment	Geographic Multiplier
265.5 <sup>1</sup>	.5 <sup>2</sup>	.11(CA) <sup>3</sup>	.94(CA)
		.046(NY)	.94(NY)
		.031(NJ)	.94(NJ)

<sup>&</sup>lt;sup>1</sup>Estimated from Simmons (1983)

<sup>&</sup>lt;sup>2</sup>WAIB (1981)

<sup>&</sup>lt;sup>3</sup>U.S. Bureau of the Census (1986)

<sup>&</sup>lt;sup>4</sup>Simmons (1983)

# ROOM DEODORANT FORMULAS

	Percent By Weight	Volatility	VOC Emitted(%)	PROC Emitted(%)
Formula 1ª			92.0	87.0
Triethylene glycol Isopropyl alcohol Water Perfume Carbon Dioxide	3.0 86.5 5.0 .5 5.0	NV V - V V		
Formula 2ª			100.0	60.0
Propylene glycol Ethyl alcohol Methylene chloride Perfume Carbon dioxide	10.8 48.0 35.0 1.2 5.0	V V V V		
Formula 3ª			51.5	51.5
Perfume Span 85 Tween 81 Propylene glycol Triethylene glycol Isopropyl alcohol Water (deionized) Butane	0.5 1.3 0.7 3.0 2.0 8.0 44.5 40.0	V NV NV V NV V -		
Formula 4 <sup>a</sup>			35.5	35.5
Triethylene glycol Emulsifier Sodium nitrate Perfume Water (deionized) Butane	3.00 0.75 0.05 0.50 60.70 35.00			

<sup>\*</sup>Chalmers and Bathe (1979)

TILE AND BATHROOM CLEANER - AEROSOL AND NONAEROSOL

National Consumption (million 1b)	Population Apportionment	Geographic Multiplier
65 <sup>1</sup>	.11 (CA) <sup>2</sup>	NA
	.046 (NY)	
	.036 (NJ)	

<sup>&</sup>lt;sup>1</sup>Calculated from Kline (1982)

<sup>&</sup>lt;sup>2</sup>U.S. Bureau of the Census (1986)

TILE AND BATHROOM CLEANER FORMULATIONS

	Percent By Weight	Volatility	VOC Emitted(%)	PROC Emitted(%)
Formula 1ª		·····	2.4	2.4
O-Benzyl-p-chlorophenol	0.14%	NV		
Tetrasodium_EDTA_	4.56	NV		
Isopropyl alcohol	2.40	V		
Inert ingredients*	92.90	VV		
*Includes cleaners, detergents, and borax				
Formula 2ª			0.0	0.0
Alkyldimethylbenzylammonium				
chloride	0.10%	NV		
Tetrasodium EDTA	1.52	NV		
Sodium metasilicate	0.06	-		
Inert ingredients	98.32	NV		
Formula 3ª			0.0	0.0
Sodium o-phenylphenolate	0.20%	NV		
Tetrasodium EDTA	2.75	NV		
Sodium n-dodecylbenzene sulfonate		NV		
Inert ingredients	96.70	NV		
Formula 4 <sup>b</sup>			0.0-33.0	0.0-33.0
Abrasive	88	ΝV		
Sodium tripolyphosphate		_		
Aklyl aryl sodium sulfonate	5 5 2	_		
Trisodium sulfonate	2	-		
Formula 5 <sup>b</sup>			0.0	33.0
Stoddard solvent	0-31	٧		
Morpholine	0-2	Ÿ		
Trisodium phosphate	0-3	· <del>-</del>		
Soap	0-3	-		
Wetting agent	0-1	NV		
Silica	0–65	-		
Water	to 100	_		

<sup>\*</sup>Kline (1982) Gosselin (1985)

#### OVEN CLEANERS - AEROSOL AND NONAEROSOL

$1.02 (CA)^3$
1.0 (NY)
1.0 (NJ)

<sup>&</sup>lt;sup>1</sup>Kline (1982)

<sup>&</sup>lt;sup>2</sup>U.S. Bureau of the Census (1986)

## OVEN CLEANER FORMULATIONS

	Percent By Weight	Volatility	VOC Emitted(%)	PROC Emitted(%)
Formula 1ª			8.5	8.5
Ammonium hydroxide Veegum T-a 1,1,1-Trichloroethane Tergitol NPX-b Ethyl alcohol Water	8 2 24 24 10 32	- NV V V		
Above concentrate Propellant (Butane) Formula 2 <sup>a</sup>	25 75	v		
Salt mixture-a Calcium carbonate, up to Thickener Surfactant Biocide Water, to make	10.0 6.0 0.2 0.1 q.s. 100.0	NV - NV NV		
Formula 3 <sup>a</sup> Sodium hydroxide Kelzan-c Veegum T-a Antaron FC 34-d Water	10 1 2 87	NV NV NV	20.0	20.0
Above concentrate Propellant (Butane) Formula 4 <sup>a</sup>	80 20	; <b>v</b>	0.0	0.0
Sodium hydroxide Sodium carboxymethyl- cellulose Water, to make	10.0 7.0 100.0	- NV -	0.0	•••

<sup>&</sup>lt;sup>a</sup>Kline (1982)

RUG AND UPHOLSTERY CLEANERS - AEROSOL AND NONAEROSOL

National Consumption (million lb)	Population Apportionment	Geographic Multiplier
115 <sup>1</sup>	.11 (CA) <sup>2</sup>	NA
	.046 (NY)	
	.031 (NJ)	

<sup>&</sup>lt;sup>1</sup>Kline (1982)

<sup>&</sup>lt;sup>2</sup>U.S. Bureau of the Census (1986)

RUG AND UPHOLSTERY CLEANER FORMULATIONS

Percent By Weight	Volatility	VOC Emit	ted(%)	PROC Emitted(%)
Formulation 1 <sup>a</sup>			3.4	3.4
Sodium lauryl sulfate	5.4%	NV		
Dimethylene oxide	0.6	V		
Ethylene glycol monobutyl ether Preservatives and optical	2.8	V		
brighteners	1.0	NV		
Aqueous solution	91.0	-		
Formulation 2 <sup>a</sup>			5.0	5.0
Water	85%	_	•	
Detergent	10	NV		
Butane propellant	5	V		
Formulation 3 <sup>b</sup>			26.0	26.0
Bentonite	60-70	_		
Petroleum distillate (light)	26	V		
Wood flour May contain:	5	NV		
Salicylic acid	1	NV		

<sup>&</sup>lt;sup>a</sup>Kline (1982)

<sup>&</sup>lt;sup>b</sup>Gosselin (1985)

ALL PURPOSE CLEANERS - AEROSOL AND NONAEROSOL

National Consumption (million lb)	Population Apportionment	Geographic Multiplier
512 <sup>1</sup>	.11 (CA) <sup>2</sup>	1.07 (CA) <sup>3</sup>
	.046 (NY)	1.0 (NY)
	.031 (NJ)	1.0 (NJ)

<sup>&</sup>lt;sup>1</sup>Kline (1982)

 $<sup>^{2}</sup>$ U.S. Bureau of the Census (1986)

<sup>&</sup>lt;sup>3</sup>Simmons (1983)

ALL PURPOSE CLEANER FORMULATIONS

	Percent By Weight	Volatility	VOC Emitted(%)	PROC Emitted(%)
Formulation 1 <sup>a</sup>	···		2.0-4.0	2.0-4.0
Anionic and nonionic detergents	1-4	NV		
Alkaline builders	1-3	_		
Foam stabilizers	0-1	NV		
Solvents	2-4	Λ		
Chelating agents	0-1	NV		
Sodium xylene sulfonate or		NV		
ethyl alcohol solubilizer	_	_		
Ammonia	0-1	_		
Water (including color and				
fragrance)	to 100	-		
Formulation 2ª			40.9	40.9
Pine oil	30.0	v		
Isopropyl alcohol	10.9	Λ		
Soap	10.0	NV		
Ethyl alcohol	_	V		
EDTA	_	NV		
Inert ingredients	49.1	NV		

<sup>&</sup>lt;sup>a</sup>Kline (1982)

# WINDOW AND GLASS CLEANERS - AEROSOL AND NONAEROSOL

National Consumption (million lb)	Population Apportionment	Geographic Multiplier
174 <sup>1</sup>	.11(CA) <sup>2</sup>	.98 (CA) <sup>3</sup>
	.046(NY)	1.0 (NY)
	0.31(NJ)	1.0 (NJ)

<sup>&</sup>lt;sup>1</sup>Calculated from Kline (1982)

<sup>&</sup>lt;sup>2</sup>U.S. Bureau of the Census (1986)

<sup>&</sup>lt;sup>3</sup>Simmons (1983)

# WINDOW AND GLASS CLEANER FORMULAS

	% Composition By Weight	Volatility	VOC Emitted(%)	PROC Emitted(%)
Formula 1ª			0.1-7.5	0.1-7.5
Isopropyl alcohol	0.0-5.0	) <b>V</b>		
Higher glycols or ethers	0.1-2.5	V		
Ammonia	0.1-0.2	_		
Surfactant	0.05-0.15	NV		
Alkaline builders Dye, fragrance	0-0.1	v		
Water, to make	q.s. 100%	-		
Formula 2ª			7.0	7.0
Isopropyl alcohol	5.0	v.		•
Higher glycols	2.00	Ÿ		
Sodium lauryl sulfate-a	0.15	NV		
Ammonia, 28% solution	0.15	-		
Dye, fragrance	q.s	V		
Water, to make	100%	-		
Formula 3ª			8.0	8.0
Dipropylene glycol monomethyl		v c		
Isopropyl alcohol	4.0	V		
Pluronic F 108 detergent	0.1	NV		
Ammonium hydroxide, 28% Distilled water	1.0 90.0	-		
Formula 4ª	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		14.1-39	.1 14.1-39.
Tormara 4			2402 37	
Detergent	0.1-0.3	3 NV		
Ammonia	0.5-1.0	-		
Fragrance	0.1 10.0-35.0	V V		
Isopropyl alcohol Water	60.0-85.0			
Propellant	4.0	v		
Formula 5 <sup>b</sup>			6.0-25	.0 6.0-25.0
Butyl cellosolve	3-5	V		
Alcohol	3-5	٧		
Wetting agent	0.5-1	NV		
Isopropanol	0-15	V		
Dyes	trace	NV		
Silicone	trace	NV		
Water	to 100	-		

# WINDOW AND GLASS CLEANER FORMULAS (Continued)

	%	Composition By Weight	Volatility	VOC Emitted(%)	PROC Emitted(%)
Formula 6 <sup>b</sup>				17.0-42.0	17.0-42.0
Isopropyl alcohol Glycol ether Ethylene glycol Surfactant (usually an anionic but occasionally a nonionic, such as Triton X-200 or Turkey red oil)		6-25 10-11 1	V V V NV		
Water Butane propellant		60-80 0-5	<b>v</b>		
Formual 7 <sup>b</sup>				0.0-10.0	0.0-10.0
Pine oil Fatty acid soap Synthetic anionic or nonionic		0-10 5-30	V NV		
surfactant Sodium polyphosphates Amines Ammonia		0-20 0-15 0-5 0-5	NV - V -		

<sup>\*</sup>Kline (1982)

bGosselin (1985)

# LAUNDRY PRODUCTS - AEROSOLS (STARCHES, SIZINGS)

U.S. Annual Unit Distribution	Average Unit Weight (lb/unit)	Population Apportionment	Geographic Multiplier
109.9 <sup>1</sup>	.75²	.11(CA) <sup>3</sup>	NA
		.046(NY)	
		.031(NJ)	

NA = not available

<sup>&</sup>lt;sup>1</sup>CSMA (1984); estimated millions of lbs filled in 1984

<sup>&</sup>lt;sup>2</sup>WAIB (1981)

<sup>&</sup>lt;sup>3</sup>U.S. Bureau of the Census (1986)

# LAUNDRY PRODUCTS FORMULAS

	Percent By Weight	Volatility	VOC Emitted(%)	PROC Emitted(%)
Formula 1 <sup>a</sup>			11.2	11.2
Kosol predigested starch	5.0	NV		
Borax	. 2			
Tinopax ANA	. 2	NV		
Formaldehyde solution (30%)	.10	Λ		
Sodium nitrate	.15	-		
Silicone emulsion LE 463	.8	NV		
Perfume	۰05	V		
Isopropyl alcohol	6.0	V		
Deionized water	82.5	-		
Butane	5.0	V		
Formula 2ª			4.9	4.9
Gelva emulsion TS 31	3.18	NV		
Calgon	.01	NV		
Sindar technical G4-40	.03	NV		
Carboxymethyl cellulose	.11	NV		
Perfume	.01	V		
Deionized water	91.88	-		
Sapamine WL	.09	NV		
Butane	4.76	V		

<sup>&</sup>lt;sup>a</sup>Chalmers and Bathe (1979)

LAUNDRY PRODUCTS - AEROSOLS AND NONAEROSOLS

National Consumption (millions lb)	Population Apportionment	Geographic Multiplier
rewash Stain Removers		
841	.11 (CA) <sup>2</sup> .046 (NY) .031 (NJ)	NA
Spot Removers		
2.31	.11 (CA) <sup>2</sup> .046 (NY) .031 (NJ)	. NA

<sup>&</sup>lt;sup>1</sup>Kline (1982)

<sup>&</sup>lt;sup>2</sup>U.S. Bureau of the Census (1986)

## LAUNDRY PRODUCT FORMULAS

	Percent By Weight	Volatility	VOC Emitted(%)	PROC Emitted(%)
Prewash			-	
Formula 1ª			0.0	0.0
Ethoxylated fatty alcohol sulfate Isoparaffinic solvent Triethanol amine oleate Sodium xylene sulfonate Water 25.5	20.0 20.0 3.5 30.0	NV NV NV NV		
Formula 2ª			0.0	0.0
Ethoxylated fatty alcohol sulfate Isoparaffinic solvent Triethanol amine oleate Water 57.5	22.0 18.0 2.5	NV NV NV		
Spot Removers				
Formula 1°			100.0	100.0
Trichloroethylene Butane/Isobutane	75.0 <b>25.</b> 0	V V		
Formula 2 <sup>a</sup>			100.0	90.0
Perchloroethylene Methylene chloride Butane/Isobutane	65.0 10.0 25.0	Λ Λ		

<sup>&</sup>lt;sup>a</sup>Kline (1982)

WAXES AND POLISHES - AEROSOLS

National Consumption (millions lb)	Population Apportionment	Geographic Multiplier
Liquids		
3 <sup>1</sup>	.11 (CA) <sup>2</sup> .046 (NY) .031 (NJ)	.95 (CA) <sup>3</sup> 1.0 (NY) 1.0 (NJ)
Aerosols		- ·
58 <sup>1</sup>	.11 (CA) <sup>2</sup> .046 (NY) .031 (NJ)	.95 (CA) 1.0 (NY) 1.0 (NJ)

<sup>&</sup>lt;sup>a</sup>Kline (1982)

<sup>&</sup>lt;sup>b</sup>U.S. Bureau of the Consensus (1986)

cSimmons (1983)

WAXES AND POLISHES - FORMULATIONS - AEROSOL

	Percent By Weight	Volatility	VOC Emitted(%)	PROC Emitted(%)
Aerosols				
Formula 1ª			7.0	7.0
Wax Silicone oil Emulsifier Solvent Water Butane	0.5 2.5 0.5 2.5 89.5 4.5	NV NV NV V - V		
Formula 2ª			32.0	32.0
Wax Silicone oil Emulsifier Solvent Water Butane	2.0 3.0 1.0 20.0 62.0 12.00	NV NV NV V - V		
Formula 3 <sup>a</sup>			34.0	34.0
Water Solvent Propellant (assume butane) Waxes and oils Emulsifiers	60.0 20.0 14.0 5.0 1.0	- V V NV NV		

<sup>&</sup>lt;sup>a</sup>Kline (1982)

### OTHER HOUSEHOLD PRODUCTS - AEROSOLS

U.S. Annual Unit Distribution	Average Unit Weight (Lbs/unit)	Population Apportionment	Seasonal Variation	Geographic Multiplier
45.2 <sup>1</sup>	75 <sup>2</sup>	.11(CA) <sup>3</sup>	NA	NA
		.046(NY)		
		.031(NJ)		

<sup>&</sup>lt;sup>1</sup>CSMA (1984); estimated millions of units filled in 1984

<sup>&</sup>lt;sup>2</sup>WAIB (1981) .

<sup>&</sup>lt;sup>3</sup>U.S. Bureau of the Census, personal communication

# SHOE POLISHES, WAXES, AND COLORANTS - AEROSOLS AND NONAEROSOLS

National Consumption (million lb)	Population Apportionment	Geographic Multiplier	
6 <sup>1</sup>	.11 (CA) <sup>2</sup>	NA	
	.046 (NY)		
	.031 (NJ)		

<sup>&</sup>lt;sup>1</sup>Kline (1982)

 $<sup>^{2}</sup>$ U.S. Bureau of the Census (1986)

SHOE POLISHES, WAXES, AND COLORANTS FORMULAS

	Percent By Weight	Volatility	VOC Emitted(%)	PROC Emitted(%
Formula 1ª			13.0-14.0	13.0-14.0
Carnauba and other waxes	6-8	NV		
Naptha	5-6	V		
Stearate emulsifier	3	NV		
Water	75	-		
Propellant (Butane/Isobutane)	8	V		
Formula 2ª			85.0-98.0	85.0-98.0
Acrylic, vinyl, or other				
synthetic waxes	2-15	NV		
Naptha	0-15	V		
Alcohol and other solvents	10-50	V		
Butane/Isobutane propellant	25–80	V		
Formula 3 <sup>b</sup>			73.0	73.0
Wax	9.5	NV		
Crystalline wax, 70°C	0.5	NV		
Paraffin wax, 52°-54°C	14.0	NV		
Turpentine	33.0	V		
White spirit	40.0	Λ		
Colour mix	3.0	NV		

<sup>&</sup>lt;sup>a</sup>Kline (1982)

<sup>&</sup>lt;sup>b</sup>Chalmers and Bathe (1979)

# OTHER HOUSEHOLD PRODUCTS - AEROSOLS

National Consumption (million lb)	Population Apportionment	Geographic Multiplier
Antistatic Sprays		
3 <sup>1</sup>	$.11(CA)^2$	NA
	.046(NY)	
	.031(NJ)	1

<sup>&</sup>lt;sup>1</sup>Kline (1982)

<sup>&</sup>lt;sup>2</sup>U.S. Bureau of the Census (1986)

A/834-025-68a/#3

# ANTISTATIC PRODUCTS - AEROSOL AND NONAEROSOL

	Percent By Weight	Volatility	VOC Emitted(%)	PROC Emitted(%)
Formula 1ª	· · · · · · · · · · · · · · · · · · ·		0.0	0.0
Alkyl dimethyl benzyl ammonium chloride Water	.15% 99.9-99.5%	nv -		
Formula 2ª			3.0	3.0
N-Acetylethanolamine Water	1-3% 97-99%	<u>v</u>		

<sup>&</sup>lt;sup>a</sup>Gosselin (1984)

# ADHESIVES - AEROSOLS AND NONAEROSOLS

National Consumption (million 1b)	Population Geogr Apportionment Multi	aphic plier	
3277.5 <sup>2</sup>	.11 (CA) <sup>3</sup>	NA	
	.046 (NY)		
	.031 (NJ)		

<sup>&</sup>lt;sup>1</sup>Includes industrial, commercial, and consumer adhesives

<sup>&</sup>lt;sup>2</sup>U.S. Bureau of the Census (1982)

<sup>&</sup>lt;sup>3</sup>U.S. Bureau of the Census (1986)

## **ADHESIVES**

	Percent By Weight	VOC Volatility	PROC Emitted(%)	Emitted(%)
Formula 1ª			3.0	3.0
Milled pale crepe Poly-beta pinene resin,	55	NV		
m.p.70°C	41	NV		
Petroleum oil	3	V		
Polytrimethyldihydroquinoline	e 1	NV		
Formula 2ª			0.0	0.0
Milled smoke rubber	42	NV		
Zinc oxide	21	-		
Dehydrogenated resin	32	NV		
Sym-di-beta naphthyl-p-phenyl	lene			
diamine	1	NV		
Lanolin	4	NV		
Formula 3 <sup>a</sup>			0.0	0.0
Polyisobutylene (high molecul	lar			
weight)	60	NV		
Polyisobutylene (viscous flui	id) 40	NV		
Formula 4ª			12.0	12.0
Milled smoke rubber	29	NV		
Butadiene-styrene copolymer (70:30 ratio)	29	NV		
Hydrogenated resin ester	29	NV		
Polytrimethyldihydroquinoline		NV		
Petroleum oil	12	v		
Formula 5 <sup>a</sup>			80.0	80.0
Neoprene	91.74	NV		
Magnesium oxide	3.67			
Zinc oxide	4.59			
Solids to make 20% by weight	7,37	Ā		
Toluene	80.0	Ÿ		

# ADHESIVES (Continued)

	Percent Composition By Weight	Volatility		PROC Emitted(%)
Formula 6ª	***************************************		85.0	85.0
Nitrocellulose (11.4% N)	15	NV		
Camphor	6	V		
Acetone	11	V		
Ethyl alcohol 74 OP	44	٧		
Amyl acetate	24	Λ		
Formula 7 <sup>a</sup>			60.0	60.0
Celulose acetate butyrate				
(1/2 sec.)	20.0	NV		
Polyvynyl acetate	2.5	NV		
Petrex 7-75T (dry)	7.5	NV		
Dow 276-V <sub>9</sub>	10.0	NV		
Tricresyl phosphate	2.0	V		
Alcohol (95% Tescol)	12.0	A		
Toluene	43.0	A		
Nitropropane-1*	3.0	V V		

<sup>\*</sup>Commercial solvent.

\*Chalmers and Bathe (1979)

### CAULKING AND SEALING COMPOUNDS - AEROSOL AND NONAEROSOL

National Consumption (million 1b)	Population Apportionment	Geographic Multiplier
432.8 <sup>1</sup>	.11 (CA) <sup>2</sup>	NA
	.046 (NY)	
	.031 (NJ)	

<sup>&</sup>lt;sup>1</sup>U.S. Bureau of the Census (1984); represents only synthetic base sealants and special performance sealants

<sup>&</sup>lt;sup>2</sup>U.S. Bureau of the Census (1986)

### CAULKING AND SEALANT FORMULAS

	ercent y Weight	Volatility	VOC Emitted(%)	PROC Emitted(%)
Formulation 1 <sup>a</sup>			2.0	2.0
Hypalon (chlorosulfonated				
poylethylene polymer) Elastomeric binder	20	NV		
Chlorinated paraffin plasticizer	20	NV		
Asbestos or silicon dioxide extende		NV		
Titanium dioxide pigment	12	NV		
Talc (extender)	8	NV		
Tribasic lead maleate	6	NV		
Rosin, MBTS, and Thiuram	0.5	NV		
Xylene	10	V		
Tributyl phosphate	9	NV		
Fractal A	9 3 2	NV		
Isopropyl alcohol	2	V		
Formulation 2 <sup>a</sup>			20.0	20.0
Styrenated alkyd resin		NV		
Titanium dioxide		NV		
Calcium cardonate	4 0	-		
Asbestos fiber		_		
Xylene	20	V		
Formulation 3 <sup>a</sup>			0.0	0.0
Polydimethylsiloxane	85	NV		
Silica	15	-		

<sup>\*</sup>Gosselin (1985)

OTHER HOUSEHOLD PRODUCTS - AEROSOLS AND NONAEROSOLS

National Consumption (millions lb)	Population Apportionment	Geographic Multiplier
Carpet Deodorizers		
65 <sup>1</sup>	.11 (CA) <sup>2</sup> .046 (NY) .031 (NJ)	.96 (CA) <sup>3</sup> .91 (NY) .91 (NJ)
Drain Openers		
17 (million gal. liquids) <sup>1</sup> 293 million lbs solid	.11 (CA) <sup>2</sup> .046 (NY) .031 (NJ)	.94 (CA) <sup>3</sup> .94 (NY) .94 (NJ)

<sup>&</sup>lt;sup>1</sup>Kline (1982)

<sup>&</sup>lt;sup>2</sup>U.S. Bureau of the Census (1986)

<sup>&</sup>lt;sup>3</sup>Simmons (1983)

### CARPET DEODORIZER

	Percent By Weight	Volatility	VOC Emitted(%)	PROC Emitted(%)
Formula 1ª		A-1-2-3-4	2.0	2.0
Sodium sulfate	<70%	_		
Sodium bicarbonate	<25%	NV		
Corn starch	<15%	NV		
Fragrance	<2%	NV		

<sup>&</sup>lt;sup>a</sup>Gosselin (1984)

# OTHER HOUSEHOLD PRODUCTS FORMULATIONS

	Percent By Weight	Volatility	VOC Emitted(%)	PROC Emitted(%)
Drain Cleaners				
Formula 1 (solid) <sup>a</sup>			0.0	0.0
Sodium hydroxide	54.2	_		
Sodium nitrate	30.45	_		
Aluminum	4.1	_		
Inert ingredient	11.25	-		
Formula 2 (liquid) <sup>a</sup>			0.0	0.0
Sodium hydroxide (50% solution) Sodium hypochlorite (5% solutio		<u>-</u> -		

<sup>&</sup>lt;sup>a</sup>Kline (1982)

### SHAVING CREAM - AEROSOLS

U.S. Annual Unit Distribution (millions)	Average Unit Weight (lb/unit)	Population Apportionment	Geographic Multiplier
162.8 <sup>1</sup>	.5²	.11 (CA) <sup>3</sup>	1.01 (CA) <sup>4</sup>
		.047 (NY)	1.07 (NY)
		.031 (NJ)	1.07 (NJ)

<sup>&</sup>lt;sup>1</sup>CSMA (1985); estimated millions of units filled in 1984

<sup>&</sup>lt;sup>2</sup>(WAIB, 1981)

<sup>&</sup>lt;sup>3</sup>U.S. Bureau of the Census (1986)

<sup>&</sup>lt;sup>4</sup>Based on data from Simmons (1983)

### SHAVING CREAM FORMULAS

	Percent By Weight	Volatility	VOC Emitted(%)	PROC Emmitted(%)
Formulation 1			8.8	8.8
Stearic acid (95% purity)	2.000	NV		
Palmitic acid (97% purity)	5.800	NV		
Polyoxyethylene (2) cetyl ether	1.000	NV		
Hydroxyalkyl cellulose (Klucel		NV		
Carbopol 934	0.180	NV		
Propylene glycol dipelargonate	2.750	V		
Sorbitol (70% solution)	10.000	NV		
Propylene glycol	3.300	V		
Triethanolamine	4.200	NV		
Water (deionized)	67.953	_		
Fragrance, dye	insign.	V		
n-butane	0.550	v		
n-pentane	2.200	v		
n-pen cane	2.200	•		
Formulation 2			8.9	8.9
Palmitic acid	1.95	NV		
Myristic acid	0.62	NV		
Myristyl alcohol	2.10	NV		
Polyoxyethylene (20) cetyl ethe		٧		
Lauric diethanolamide	5.23	NV		
Propylene glycol	0.82	V		
Glycerol	3.54	NV		
Triethanolamine	1.54	NV		
Water (deionized)	78.97	_		
Perfume	insign.	v		
retrume	mergi.	•		
Concentrate	97.0			
Propellant (Butane 48)	3.0	V		
Formulation 3			4.0	4.0
Stearic acid	4.0	NV		
Stearic acid Lauric acid	2.0	NV		
	1.0	NV		
Liquid anolin (Fluilan)	3.0	NV		
Cromeen Trick how a lowing	2.5	NV		
Triethanolamine		14 A		
Water (deionized)	87.5	v v		
Perfume .	insign.	V		
Concentrate	96.0			
Butane	4.0	V		

### SHAVING CREAM FORMULAS (Continued)

	Percent By Weight	Volatility	VOC Emitted(%)	PROC Emitted(%)
Formulation 4	,		3.1	3.1
Palmitic acid	5.0	NV		
Lauric acid	1.0	NV		
Sodium lauryl sulphate	1.0	NV		
Polyethylene glycol (400)				
monolaurate	0.5	NV		
Polyacrylic acid (40% aq.)				
mol.wt 100.000	1.5	, NA		
Triethanolamine	2.0	NV		
Potassium hydroxide	0.8	_		
Glycerol	5.0	NV		
Water (deionized)	83.2	-		
Perfume i	nsign.	V		
Concentrate	96.9			
Propellants, isobutane/propane	3.1	Λ		

Source: Harry's Cosmeticology (1982)

<sup>&</sup>lt;sup>1</sup>Cromeen (Croda Chemicals Ltd.) is a substituted alkyl amine derivative of various lanolin acids

<sup>&</sup>lt;sup>2</sup>Listed as a chlorofluorocarbon propellant, now banned. WAIB states that propane or butane are the most likely substitutes.

### HAIR PRODUCTS - AEROSOLS

U.S. Annual Unit Distribution (millions)	Average Unit Weight (lb/unit)	Population Apportionment	Geographic Multiplier
Hair Spray			
270.7 <sup>1</sup>	.63 <sup>2</sup>	.11 (CA) <sup>3</sup>	.93 (CA) <sup>4</sup>
	.046 (NY)		.87 (NY)
	.032 (NJ)		.87 (NJ)
Mousse			
106.11	.38	.11 (CA) <sup>3</sup>	NA
	.046 (NY)		
	.031 (NJ)		

<sup>&</sup>lt;sup>1</sup>CSMA (1984); estimated millions of units filled in 1984

<sup>&</sup>lt;sup>2</sup>WAIB (1981)

<sup>&</sup>lt;sup>3</sup>U.S. Bureau of the Census (1986)

<sup>&</sup>lt;sup>4</sup>Simmons (1983)

### HAIR SPRAY FORMULATIONS

	Percent By Weight	Volatility	VOC Emitted(%)	PROC Emitted(%)
Formulation 1 <sup>a</sup>			88.1	88.1
Amphomer	1.80	NV		
AMP	0.30	Λ		
Monamid 716	0.10	NV		
DC 193 Fluid	0.05	NV		
Ethanol 40-1 (Anhyd)	52.75	A		
Water	10.00	-		
Methylene Chloride		V		
·		(Non-PROC)		
Dimethyl Ether	35.00	V		
Formulation 2 <sup>a</sup>		•	97.4	82.4
Parer 39 2020	2.50	NV		
Resyn 28-2930 AMP	0.20	Λ		
Monamid 716	0.10	NV		
DC 193 Fluid	0.05	NV		
	47.15	A		
Ethanol 40-1 (Anhyd) Water	47.13	<b>v</b> -		
Methylene Chloride	15.00	V (Non-PROC)		
Dimethyl Chloride	35.00	V V		
Formulation 3 <sup>b</sup>			95.9	95.9
Gantrez ES 225 or ES 425	4.00	NV		
AMP	0.08	Λ		
Polyethoxylated (75 EO) lanolin	0.10	NV		
Perfume oil	0.10	A		
Solvents	75.72	Λ		
Isobutane/propane (90:10)	20.00	Λ		
Formulation 4 <sup>b</sup>			97.5	97.5
Resyn 28-2930	1.50	NV		
AMPD	0.38	NV		
Alcohol-soluble lanolin	0.90	NV		
Isopropyl myristate	0.40	NV		
Dipropyleneglycol	0.10	NV		
Perfume oil	0.35	V		
Ethanol	96.37	V		
Concentrate	75.00			
Isobutane/propane (90:10)	25.00			

## HAIR SPRAY FORMULATIONS (Continued)

	Percent By Weight	Volatility	VOC Emitted(%)	PROC Emitted(%)
Formulation 5 <sup>b</sup>		7-7-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	93.1	73.1
Resyn 28-2930	2.25	NV		
AMP	0.18	΄ 🔻		
Dimethicone copolyol*	0.12	NV		
Perfume	0.10	V		
Methylene chloride	20.00	V		
· · · · ·		(Non-PROC)		
Ethanol	72.85	ď		
Carbon dioxide	4.50	NV		
		(Non-PROC)		

 $<sup>\</sup>star \mathtt{CTFA};$  polymer of dimethylsiloxane with polyoxyethylene and/or polyoxypropylene side-chains.

<sup>\*</sup>Novak et al (1985)

<sup>&</sup>lt;sup>b</sup>Harry's Cosmeticology (1982)

# STYLING MOUSSE FORMULAS

	Percent By Weight	Volatility	VOC Emitted(%)	PROC Emitted(%)
Formulation 1			24.5	24.5
Polyquaternium-4 (2% solution)	50.00	NV		
Quaternium-26	0.75	NV		
Stearmidopropyl Cetearyl Dimonium	1			
Tosylate (and) propulene glycol	0.50	V		
Cetyl Alcohol	0.50	NV		
Deionized Water	9.50	_		
Ethanol	20.00	V		

# OTHER HAIR CARE PRODUCTS - AEROSOL AND NONAEROSOL (SHAMPOOS)

National Consumption (millions lb.)	Population Apportionment	Geographic Multiplier
644.6 <sup>1</sup>	.11 (CA) <sup>2</sup>	1.01 (CA) <sup>3</sup>
	.046 (NY)	.00 (NJ)
	.031 (NJ)	.99 (NJ)

<sup>&</sup>lt;sup>1</sup>Calculated from Predicast (1984)

<sup>&</sup>lt;sup>2</sup>U.S. Bureau of the Census (1986)

<sup>&</sup>lt;sup>3</sup>Simmons (1983)

### SHAMPOO FORMULATIONS

	Percent By Weight	Volatility	VOC Emitted(%)	PROC Emitted(%)
Formula 1			0.0	0.0
Ammonium lauryl ether sulphate	25.00	NV		
Cocoamino betaine 31-32%	25.00	NV		
Sandopan TFL conc. 48%* Adipic acid/dimethylamino hydroxypropyl diethylene- triamine copolymer	4.20	NV		
(Cartaretine F4)	3.33	NV		
Citric acid anhydrous	0.98	NV		
Water	to 100.00	-		
Formula 2			0.5	0.5
Polymer JR 30 M (CTFA:				
Quaternium 19)			•	
(MW = 30,000)	1.5	NV		
Miranol C2MSF (CTFA:				
Amphoteric 2) 70%	11.0	NV		
Sandopan DTC acid (CTFA:				
Trideceth-7-carboxylic				
acid) 90%	15.0	NV		
Ethyleneglycol distearate	2.0	NV		
Methyl p-hydroxybenzoate	0.2	V		
Propyl p-hydroxybenzoate	0.05	ΝV		
Protein hydrolysate	0.5	NV		
Perfume oil	0.3	Λ		
Water	to 100.0			
Formula 3			0.0	0.0
Coconut amidopropyl-3-				
dimethylamine betaine	5.4	NV		
Sodium lauryl sarcosinate	5.2	NV		
Ethoxylated tridecyl alcohol				
(20 EO)	14.0	NV		
Cationic cellulose (Polymer JR:				
Union Carbide)	0.5	NV		
Water	to 100.0	-		

## PHARMACEUTICALS - AEROSOLS

U.S. Annual Unit Distribution (millions)	Average Unit Weight (lb/unit)	Population Apportionment	Geographic Multiplier
43.71	.25 <sup>2</sup>	.11 (CA) <sup>3</sup>	1.08 (CA)
		.046 (NY)	.98 (NY)
		.031 (NJ)	.98 (NJ)

<sup>&</sup>lt;sup>1</sup>CSMA (1984)

<sup>&</sup>lt;sup>2</sup>WAIB (1981)

<sup>&</sup>lt;sup>3</sup>U.S. Bureau of the Census (1986)

<sup>&</sup>lt;sup>4</sup>Data for fungicides only (Simmons, 1983)

### PHARMACEUTICAL FORMULAS

	Percent By Weight	Volatility	VOC Emitted(%)	PROC Emitted(%)
Fungicides				
Formulation 1 <sup>a</sup>			69.9-97.9	69.9-97.9
Copper undecylenate	0-5%	NV		
Undecylenic acid	2-5%	NV		
Zinc undecylenate	0-20%	NV		
Available as:				
Foam with 34.65% base		V		
Foam (aerosol) also contains:	}			
Ethyl alcohol	60%	V		
Menthol	0.25%	V		
Methylbenzethonium chloride	0.1%	NV		
Formulation 2ª			78.0-90.0	78.0-90.0
Benzoic acid	1-5%	NV		
Boric acid	0-15%	_		
Salicylic acid	1-3%	NV		
Thymol	0-1%	NV		
Available as:				
Spray with 80-92% base		Λ		
Formulation 3 <sup>a</sup>			97.0-99.5	97.0-99.5
Alcohol	36-50%			
Benzethonium Available as:	0.5%	NV		
Spray with 50-63%		v		
base/propellant	2 54	· · · · · · · · · · · · · · · · · · ·		
May contain Salicylanilide	2.5%	NV		

<sup>&</sup>lt;sup>a</sup>Gosselin (1984)

COLOGNES, PERFUMES, AFTERSHAVES - AEROSOLS AND NONAEROSOLS

	U.S. Annual Unit Distribution (millions)	Average Unit Weight (lb/unit)	Population Apportionment	Geographic Multiplier
Perfumes	821	0.03 <sup>2</sup>	.11 (CA) <sup>3</sup> .046 (NY) .031 (NJ)	NA
Colognes	44	0.125	Same	NA
Aftershave	es 23	0.25	Same	NA

<sup>&</sup>lt;sup>1</sup>Kline (1986)

<sup>&</sup>lt;sup>2</sup>A shelf survey showed that perfumes were typically 0.5 oz (.03 lb), colognes typically 2 oz (0.125 lb), and aftershaves typically 4 oz (0.25 lb)

<sup>&</sup>lt;sup>3</sup>U.S. Bureau of the Census (1986)

PERFUMES, COLOGNES, AND AFTERSHAVE FORMULAS

	Percent By Weight	Volatility	VOC Emitted(%)	PROC Emitted(%)
Perfumes <sup>a</sup> :		***************************************		
Formula 1			100.0	100.0
Perfume oil <sup>1</sup>	15-30	v		
Denatured alcohol (SDA-40, 40-B, 39-C)	70-85	٧		
Colognes <sup>a</sup> :				
Formula 1			100.0	100.0
Perfume oil <sup>1</sup> Denatured alcohol	5-10 90-95	v v		
Aftershaves <sup>b</sup> : .				
Formula 1			64.8	64.8
Polawax A 31 Menthol Alcohol 740 P Demineralized water Perfume	2.0 0.1 64.2 33.2 0.5	NV V V NV V		

<sup>&</sup>lt;sup>1</sup>Perfume oils can be composed of hundreds of different natural and synthetic compounds and therefore cannot be characterized.

<sup>&</sup>lt;sup>a</sup>Wenningen (1986); Etheridge (1986)

<sup>&</sup>lt;sup>b</sup>Gosselin et al. (1984)

## PERSONAL DEODORANTS AND ANTIPERSPIRANTS - AEROSOLS

U.S. Annual Unit Distribution (millions)	Average Unit Weight (lb/unit)	Population Apportionment	Geographic Multiplier
156.0 <sup>1</sup>	.25 lbs/unit <sup>2</sup>	.11 (CA) <sup>3</sup> .046 (NY) .031 (NJ)	.86 (CA) <sup>4</sup> .89 (NY) <sup>4</sup> .89 (NJ) <sup>4</sup>

<sup>&</sup>lt;sup>1</sup>CSMA (1984)

<sup>&</sup>lt;sup>2</sup>WAIB (1981)

<sup>&</sup>lt;sup>3</sup>U.S. Bureau of the Census (personal communication)

<sup>&</sup>lt;sup>4</sup>Simmons (1983)

### DEODORANT AND ANTIPERSPIRANT FORMULATIONS

	Percent By Weight	Volatility	VOC Emitted(%)	PROC Emitted(%)
Formulation 1 <sup>a</sup>			80.0-90.0	80.0-90.0
Alcohol (ethyl)	0->50	v		
Propellant (Butane) Antiperspirant salts	0->50	٧		
(e.g., aluminum chlorhydroxide	) 0-10	NV		
Deodorant agents Other [oils, humectants, suspending agents (e.g.,	0-5	V		
bentonite)]	0-10	NV		
Formulation 2°			89.0-95.0	89.0-95.0
Propellant (Butane)	>50	v		
Talc and fillers	0-10	NV		
Alcohol (ethyl)	0-5	V		
Essential oil (fragrance)	0.1-1	V		
Humectants	0.1-1	NV		
Formulation 3 <sup>a</sup>			90	90
Aluminum phenolsulfonate	10.0	NV		
Propylene glycol	5.0	V		
Alcohol	85.0	V		
Perfume	insign.	A		

<sup>&</sup>lt;sup>a</sup>Gosselin (1984)

#### OTHER PERSONAL CARE PRODUCTS - AEROSOLS

U.S. Annual Unit Distribution (millions)	Average Unit Weight (lb/unit)	Population Apportionment	Seasonal Variation	Geographic Multiplier
15 <sup>2</sup>	.13³	.11 (CA) <sup>4</sup> .046 (NY) .033 (NJ)	1.0/0.0	Suntan lotions  1.16 (CA) <sup>5</sup> 1.06 (NY) <sup>5</sup> 1.06 (NJ) <sup>5</sup>
		•	1.08 (NJ) <sup>5</sup>	Depilatories 1.03 (CA) <sup>5</sup> 1.08 (NY) <sup>5</sup>

<sup>&</sup>lt;sup>1</sup>Suntan lotions and depilatories are combined in units distributed. Until better data become available, we assume 80 percent of sales are suntan products and 20 percent depilatories (11 million units suntan products, 2.7 million depilatories).

<sup>&</sup>lt;sup>2</sup>CSMA (1984); estimated millions of units filled in 1984

<sup>&</sup>lt;sup>3</sup>WAIB (1981)

<sup>&</sup>lt;sup>4</sup>U.S. Bureau of the Census (1986)

<sup>&</sup>lt;sup>5</sup>Simmons (1983)

# OTHER PERSONAL CARE PRODUCTS FORMULAS

	Percent By Weight Vol	atility	VOC Emitted(%)	PROC Emitted(%)
Depilatories				
Formulation 1			10.0	10.0
Thioglycolate (calcium or ammonium) Hydroxide (calcium or sodium) Emulsifiers, humectants, waxes Demineralized water Propane/butane	5-10 2-6 0.1-1 up to 100 up to 10	NV - NV - V		
Formulation 2			10.5	10.5
Calcium carbonate, light Calcium hydroxide Calcium thioglycolate	0-21 0-1.5	-		
trihydrate Cetyl alcohol, flakes Perfume Sodium lauryl sulfate Sodium silicate solution Distilled or deionized water Propellant: Butane/propane	2.2-6 0-4.5 0-0.5 0-0.5 0-3.5 up to 100	NV NV V NV - -		
Suntan Lotions				
Formulation 1			0.1-1.0	0.1-1.0
Water Fats, oils, waxes Emulsifiers Humectants Preservatives Essential oil (fragrance) Sunscreen agent	>50 10-25 1-10 0-10 0.1-1 0.1-1 1-5	- NV NV NV V NV		
Formulation 2			0.0	0.0
Monoglyceryl p-aminobenzoate Mineral oil Sorbitan monostearate	3.0 25.0 4.0	NV NV NV		
Polyoxyethylene sorbitan monostearate Demineralized water	6.0 <b>62.</b> 0	NV		

B/834-025-68b/#4

# OTHER PERSONAL CARE PRODUCTS FORMULAS (Continued)

	Percent By Weight	Volatility	VOC Emitted(%)	PROC Emitted(%)
Formulation 3			0.1-1.0	0.1-1.0
Oils (e.g., mineral)	>50	NV		
Emollient	1-10	NV		
Thickeners	1-10	NV		
Sunscreen agent	1-5	NV		
Preservatives	0.1-1	NV		
Color	0.1-1	NV		
Essential oil (fragrance)	0.1-1	V		
Formulation 4			65.0	65.0
Methyl anthranilate	5.0	NV		
Propylene glycol rinicoleate	10.0	NV		
Glycerol	10.0	NV		
Alcohol	65.0	V		
Water	10.0	-		
Formulation 5			0.0	0.0
2-Ethyl hexyl salicylate	5.0	NV		
Sesame oil	40.0	NV		
Mineral oil	55.0	NV		

# AUTOMOTIVE CLEANERS - AEROSOLS AND NONAEROSOLS

U.S. Annual Unit Distribution (millions)	Average Unit Weight (lb/unit)	Population Apportionment	Geographic Multiplier
14.71	.875²	.11 (CA) <sup>3</sup>	NA
		.046 (NY)	
		.031 (NJ)	

<sup>&</sup>lt;sup>1</sup>CSMA (1985)

<sup>&</sup>lt;sup>2</sup>WAIB (1981)

<sup>&</sup>lt;sup>3</sup>U.S. Bureau of the Census (1986)

AUTOMOTIVE CLEANERS - AEROSOL AND NONAEROSOL<sup>a</sup>

	Percent By Weight	Volatility	VOC Emitted(%)	PROC Emitted(%)
Formula 1			9.0	9.0
Water	67%	_		
Anionic and Nonionic surfactan		NV		
Isopropanol	8%	Ā		
Glycol ether	1%	V		
Borax	1%	_		
Thickener	1%	-		
Formula 2			23.0	23.0
Inorganic polishing agents	42%	_		
Water	25%			
Petroleum distillates	23%	Λ		
Vegetable oils	5%	NA		
Detergents	5%	NV		
Formula 3			60.0	60.0
Petroleum napthas	50-60%	V		
o-Benzyl-p-chlorophenol	.1%	NV		
Petroleum and synthetic waxes	40~50%	NV		
Formula 4			0.0	0.0
Alkyl aryl sodium sulfonate	40%	NV		
Sodium sulfate	60%	-		
Formula 5			2.0	2.0
Sodium dodecylbenzene sulfonat	e			
(alkyl aryl sodium sulfonate	) 40-100%	NV		
Sodium sulfate	15-25%	-		
Alkyl diethanolamine	2%	V		
Nonionic detergents	10-15%	NV		
Formula 6			0.0	0.0
Dodecyl benzene sulfonate	6%	NV		
Coconut oil amine	2%	NV		
Water	92%	-		
Formula 7			0.0	0.0
Oxalic acid	40%	_		
Boric acid	60%	_		

<sup>\*</sup>Gosselin (1984)

# AUTOMOTIVE CLEANERS - AEROSOL AND NONAEROSOL<sup>a</sup> (Continued)

	Percent By Weight	Volatility	VOC Emitted(%)	PROC Emitted(%)
Formula 8			100.0	100.0
Petroleum ethers	100%	٧		

<sup>&</sup>lt;sup>a</sup>Gosselin (1984)

# AUTOMOTIVE ENGINE DEGREASERS - AEROSOLS

U.S. Annual Unit Distribution (millions)	Average Unit Weight (lb/unit)	Population Apportionment	Geographic Multiplier
23.9 <sup>1</sup>	.875 <sup>2</sup>	.11 (CA) <sup>3</sup>	NA
		.046 (NY)	
		.031 (NJ)	

<sup>&</sup>lt;sup>1</sup>CSMA (1984); estimated millions of units filled in 1984

<sup>&</sup>lt;sup>2</sup>WAIB (1981)

<sup>&</sup>lt;sup>3</sup>U.S. Bureau of the Census (1986)

### ENGINE DEGREASER FORMULATIONS

`	Percent By Weight	Volatility	VOC Emitted(%)	PROC Emitted(%)
Formulation 1 <sup>a</sup>			89.2	89.2
Ethylene dichloride (Other chlorinated hydro- carbons may be substituted, such as o-dichlorobenzene, dichloropentane, methylene dichloride, 1,1,1- trichloroethylene)	63	v		
Cresol (low-boiling cresylic acids may be substituted)	25	V		
Oleic acid	7.2	NV		
Potassium (or sodium) hydroxide				
Water	3.0	-		
This formulation equals 90% by we Butane Propellant*	eight 10%	V		
Formulation 2 <sup>a</sup>			100.0	99.8
Methylene chloride	0.25	V		
Perchloroethylene	5-60	V		
Stoddard solvent	40-70	V		
Butane Propellant*	10	V		
Formulation 3			100.0	75.0-100.0
Perchloroethylene	0-60	V		
Trichloroethane	0-60	V		
Methylene chloride	0-25	V		
Petroleum solvents	40-70	V		
Chlor-aromatic solvents (see o-dichlorobenzene, chlorinate naphthalenes)	0–100 ed	v		
Detergent	trace	NV		
Emulsifier	trace	NV		
Butane Propellant*	10	V		
*Estimated from WAIB (1981) and (	CSMA (1986)	r		

<sup>&</sup>lt;sup>a</sup>Gosselin (1984)

# LUBRICANTS AND SILICONES - AEROSOL AND NONAEROSOL

U.S: Annual Unit Distribution (millions)	Average Unit Weight (lb/unit)	Population Apportionment	Geographic Multiplier
75.4 <sup>1</sup>	.44 <sup>2</sup>	.11 (CA) <sup>3</sup>	NA
		.046 (NY)	
		.031 (NJ)	

<sup>&</sup>lt;sup>1</sup>CSMA (1984); estimated millions of units filled in 1984

<sup>&</sup>lt;sup>2</sup>Averaged from data in WAIB (1981)

<sup>&</sup>lt;sup>3</sup>U.S. Bureau of the Census (1986)

LUBRICANTS AND SILICONES - AEROSOL AND NONAEROSOL

	Percent By Weight	Volatility	VOC Emitted(%)	PROC Emitted(%)
Formula 1ª			0.0	0.0
Mineral oils	85-100%	NV		
C1.SP compounds	0-10%	NV		
Isobutylene polymers	0–5%	NV		
Formula 2ª			100.00	100.00
Colloidal graphite dispersion	on in			
aliphatic naptha	5%	V		
Oxygentated organic acids	20%	Λ		
Naptha (aliphatic)	65%	A		
Tricresyl phosphate	10%	V		
Nonylphenoxy acetic acid	trace	٧		

aGosselin (1984)

# UNDERCOATING - AEROSOLS

U.S. Annual Unit Distribution (millions)	Average Unit Weight (lb/unit)	Population Apportionment	Geographic Multiplier
8.31	.75²	.11 (CA) <sup>3</sup>	NA
		.046 (NY)	
		.031 (NJ)	

<sup>&</sup>lt;sup>1</sup>CSMA (1984); estimated millions of units filled in 1984

<sup>&</sup>lt;sup>2</sup>WAIB (1981)

<sup>&</sup>lt;sup>3</sup>U.S. Bureau of the Census (1986)

#### UNDERCOATING FORMULAS

	Percent By Weight Volatility	VOC Emitted(%)	PROC Emitted(%)
Formulation 1 <sup>a</sup>		25-85	25-85
Pigment (15-50%)			
Iron oxide	0-50		
Silicates	0-50	-	
Lead or lead salts	0-50	-	
Zinc and zinc salts	0-50	_	
May contain:	<b>5 5 6</b>		
Titanium dioxide	0-50	_	
Vehicle (50-85%)	•		
Alkyd resin	0-50	NV	
Phenolic resin	0-50	NV	
Fish oil	0-25	NV .	
Vegetable oil	0–25	NV	
Aromatic hydrocarbons <sup>1</sup>	0-50	٧	
Aliphatic hydrocarbons <sup>1</sup>	0-50	V	

<sup>\*</sup>Gosselin (1984)

<sup>&</sup>lt;sup>1</sup>Assumes that at least 50 percent of vehicat consists of aromatic or aliphtic hydrocarbons

# BRAKE CLEANERS - AEROSOLS

U.S. Annual Unit Distribution (millions)	Average Unit Weight (lb/unit)	Population Apportionment	Geographic Multiplier
16.61	1.132	.11 (CA) <sup>3</sup>	NA
		.046 (NY)	
		.031 (NJ)	

<sup>&</sup>lt;sup>1</sup>CSMA (1984); estimated millions of units filled in 1984

<sup>&</sup>lt;sup>2</sup>WAIB (1981)

<sup>&</sup>lt;sup>3</sup>U.S. Bureau of the Census (1986)

# AUTOMOTIVE BRAKE CLEANERS - AEROSOL AND NONAEROSOLa

	Percent By Weight	Volatility	VOC Emitted(%)	PROC Emitted(%)
Formula 1	and the second of the second o		100.0	100.0
Methyl alcohol	100%	V		
Formula 2			100.0	100.0
Ethyl alcohol	100%	V		
Formula 3			100.0	100.0
Isopropyl alcohol	100%	V		

<sup>&</sup>lt;sup>a</sup>Gosselin (1984)

TIRE INFLATOR AND SEALANT - AEROSOLS

U.S. Annual Unit Distribution (millions)	Average Unit Weight (lb/unit)	Population Apportionment	Geographic Multiplier
19.3	. 69 <sup>2</sup>	.11 (CA) <sup>3</sup>	NA
		.46 (NY)	
		.031 (NJ)	

 $<sup>^{1}</sup>$ CSMA (1985); estimated millions of units sold in 1984

<sup>&</sup>lt;sup>2</sup>WAIB (1981)

 $<sup>^{3}</sup>$ U.S. Bureau of the Census (1986)

# CARBURETOR AND CHOKE CLEANER - AEROSOLS

U.S. Annual Unit Distribution (millions)	Average Unit Weight (lb/unit)	Population Apportionment	Geographic Multiplier
39.8 <sup>1</sup>	۰75²	.11 (CA) <sup>3</sup>	NA
		.047 (NY)	
		.031 (NJ)	

<sup>&</sup>lt;sup>1</sup>CSMA (1984); estimated millions of units filled in 1984

<sup>&</sup>lt;sup>2</sup>WAIB (1981)

<sup>&</sup>lt;sup>3</sup>U.S. Bureau of the Census (1986)

# CARBURETOR CLEANER FORMULAS

	Percent By Weight	Volatility	VOC Emitted(%)	PROC Emitted(%)
Formulation 1 <sup>a</sup>			66.9	66.9
Ethylene dichloride (Other chlorinated hydro- carbons may be substituted, such as o-dichlorobenzene, dichloropentane, and methylene dichloride)	56.2	V		
Cresol (low-boiling cresylic acids may be substituted)	22.3	NV		
Oleic acid Potassium hydroxide (sodium	6.4	NV		
hydroxide)	1.2	-		
Water	3.0	<del>-</del>		
Butane propellant*	10.7	V		
Formulation 2 <sup>a</sup>			100.0	100.0
Aliphatic or Aromatic hydro- carbons with oil soluble wetting agents Butane*	88 12	V V		
Formulation 3 <sup>a</sup>			28.0-72.	0 28.0-72.0
Tall Oil Cresol Potassium Hydroxide Ethylene dichloride Sodium chromate Ammonium oxalate Alcohol	5-18 10-25 1-4 15-50 .5-5 .3-3 1-10	NV NV - V - NV V		
Water Butane*	10-40 12	<u>^</u>		

aGosselin (1984)

<sup>\*</sup>Estimated from WAIB (1981) and CSMA (1986)

#### ENGINE STARTING FLUIDS - AEROSOLS

U.S. Annual Unit Distribution (millions)	Average Unit Weight (lb/unit)	Population Apportionment	Geographic Multiplier
30.81	.56²	.11 (CA) <sup>3</sup>	NA
		.046 (NY)	
		.031 (NJ)	

<sup>&</sup>lt;sup>1</sup>CSMA (1984); estimated millions of units filled in 1984

<sup>&</sup>lt;sup>2</sup>WAIB (1981)

 $<sup>^{3}</sup>$ U.S. Bureau of the Census (1986)

# AUTOMOTIVE STARTING FLUIDS - AEROSOL AND NONAEROSOL<sup>a</sup>

	Percent By Weight	Volatility	VOC Emitted(%)	PROC Emitted(%)
Formula 1			100.0	100.0
Ethyl Ether	100%	V		

aGosselin (1984)

#### AUTO WINDSHIELD WASHER FLUID AND DEICER

U.S. Annual Unit Distribution (millions)	Average Unit Weight (lb/unit)	Population Apportionment	Geographic Multiplier
Windshield Washer Flui	<u>d</u>		
NA NA	NA	.11 (CA) <sup>3</sup>	NA
		.046 (NY)	
		.031 (NJ)	
Windshield Deicer	•		
10.41	12	$.11 (CA)^3$	NA
		.046 (NY)	
		.031 (NJ)	

<sup>&</sup>lt;sup>1</sup>CSMA (1985)

<sup>&</sup>lt;sup>2</sup>WAIB (1981)

 $<sup>^3</sup>$ U.S. Bureau of the Census (1986)

# AUTO WINDSHIELD DEICER FORMULATION

	Percent By Weight	Volatility	VOC Emitted(%)	PROC Emitted(%)
Formula 1			75.0	75.0
Isopropyl alcohol Ethylene glycol Water Propellant, CO <sub>2</sub>	25 50 25	Д		
Formula 2 <sup>b</sup>			100.00	100.00
Isopropanol Isobutone propellant	90-95 5-10	v v		
Formula 3 <sup>b</sup>			76.3	71.3
Isopropanol Ethylene glycol Water Propellant, CO <sub>2</sub>	23.8 47.5 23.8 5.0	V V -		
Formula 4 <sup>b</sup>			95.0	95.0
Isopropanol N-propanol, propyleneglycol,	30-100	v		
ethylene glycol Water	15–30 5–15	<b>v</b> -		

<sup>&</sup>lt;sup>a</sup>Chalmers and Bathe (1979) <sup>b</sup>Gosselin (1984)

# HERBICIDES AND FUNGICIDES - AEROSOL AND NONAEROSOL

National Consumption (million lb)	Population Apportionment	Geographic Multiplier
69²	.11(CA) <sup>3</sup>	NA
	.047(NY)	
	.031(NJ)	

<sup>&</sup>lt;sup>1</sup>Kline (1981)

<sup>&</sup>lt;sup>2</sup>U.S. Bureau of the Census (1986)

HERBICIDES AND FUNGICIDES - AEROSOL AND NONAEROSOL<sup>a</sup>

·	Percent By Weight	Volatility	VOC Emitted(%)	PROC Emitted(%)
Herbicides				
Formula 1			95.0	95.0
Aromatic hydrocarbons (primarily xylenes) Inert ingredients	95% 5%	V NV		
Formula 2			59.2	59.2
Bromocil Inert ingredients (including an ethanol amine	40.8% 39.2%			
Formula 3			0.0	0.0
Bromocil Granular mineral base	4% 96%	NV NV		
Formula 4			30.0	3.0
Monuron Trichloracetate acid Aromatic petroleum solvent Dodecylbenzene sulfonic acid, corrosion inhibitor, and inert ingredients	17.69% 14.56% 20-30%	NV NV V		
Formula 5			22.0	22.0
4-amino-3,5,6-trichloropicoli acid, isoctyl esters 2,4,5-trichlorophenoxyacetic	15.1%	NV		
acid, propylene glycol buty ether esters	63.4%	NV		
<pre>Inert ingredients (aromatic    petroleum solvent, methanol</pre>	) 0-21.5%	٧		
Formula 6			80.0	8.0
Urox liquid oil concentrate Heavy aromatic naptha	18-20% 80-82%	NV V		

<sup>\*</sup>Gosselin (1984)

HERBICIDES AND FUNGICIDES - AEROSOL AND NONAEROSOL (Continued)

Percent By Weight	Volatility	VOC Emitted(%)	PROC Emitted(%)
Formula 7		0.0	0.0
4-amino-3,5,6-trichloropicolinic acid, potassium salt 2.3% Disodium tetraborate pentahydrate 79.2% Disodium tetraborate decahydrate 16.5%	NV - -		
Formula 8		38.0	38.0
Picloram, isooctyl esters 62.4% Heavy aromatic naptha, methanol 0-37.6%	NV V		
Formula 9		0.0	0.0
Sodium metaborate tetrahydrate 68% Sodium chlorate 30% Inert ingredients 2%			
Formula 10		0.0	0.0
Sodium metaborate tetrahydrate 66.5% Sodium chlorate 30% Bromacil 1.5% Inert ingredients 2%	- NV		
Formula 11		93.0	93.0
Aliphatic petroleum distillates 83.27% Xylene 9.65% 2,4-Bis(isopropylamino)-6-			
methoxy-5-triazine .86% Inert ingredients 6.22%			
Fungicides			
Formula 12		0.0	
Copper sulfate 50% Lime 50%			

<sup>&</sup>lt;sup>a</sup>Gosselin (1984)

B/834-025-68b/#4

# HERBICIDES AND FUNGICIDES- AEROSOL AND NONAEROSOL (Continued)

	Percent By Weight	Volatility	VOC Emitted(%)	PROC Emitted(%)
Formula 13			30.0	30.0
Copper Copper naphthenate Petroleum distillate	8% 70-80% 20-30%	NV V		
Formula 14			45.0	45.0
Zinc naphthenate Petroleum distillate Zinc	55-60% 40-45% 8%	NV V -		

<sup>&</sup>lt;sup>a</sup>Gosselin (1984)

# HOUSEHOLD POLISH FORMULATIONS - AEROSOL AND LIQUID

	Percent By Weight	Volatility	VOC Emitted(%)	PROC Emitted(%)
Liquids				
Formula 1			70.0	70.0
Hard waxes	13	NV		
Microcrystalline wax	8	NV		
Silicone fluid	9	NV		
Naphtha or turpentine	70	V		
Formula 2			94.0	94.0
Hard waxes	3	NV		
Microcrystalline wax	3 1 2	NV		
Silicone fluid		NV		
Naphtha or turpentine	94	V		
Formula 3			24.0	24.0
Carnauba wax	4.2	NV		
Beeswax	2.2	NV		
Microcrystalline wax	.7	VV		
White spirit or naptha	24.0	V		
Stearic acid	2.5	NV		
Triethanolamine Water	1.7 64.7	NV _		
	04.7	_	05 74	05.76
Formula 4			25.76	25.76
Carnauba wax	5.00	NV		
Beeswax	1.76	NV		
Microcrystalline wax	.70	NV		
White spirit or naptha	24.00	V		
Stearic acid	2.81	VV V		
2-Amino-2 methyl-propanol Water	1.76 63.97	v -		
Formula 5			28.5	28.5
Hoechst Wax O	2.0	NV		
Ceresin	1.5 2.5	NV NV		
Silicone fluid 220/350 cS Span 80	1.5	NV		
White spirit:turpentine 1:1		V		
Deionized water	64.0	-		
Perfume	q.s.	Δ		

# HOUSEHOLD POLISH FORMULATIONS (Continued)

	Percent By Weight	Volatility	VOC Emitted(%)	PROC Emitted(%)
Formula 6			37.0	37.0
Hoechst Wax	8.0	NV		
Oleic acid	1.3	NV		
Morpholine	1.0	V		
White spirit	36.0	V		
Silicone oil 350 cS	1.5	NV		
Silicone oil 10 000 cS	2.0	NV		
Deionized water	50.2	-		
Perfume	q.s.	V		

<sup>&</sup>lt;sup>a</sup>Kline (1982)

### FLOOR POLISHES AND WAXES - NONAEROSOL

National Consumption (million lb)	Population Apportionment	Geographic Multiplier
27 <sup>1</sup>	.11 (CA) <sup>2</sup>	1.04 (CA) <sup>3</sup>
	.046 (NY)	1.02 (NY, NJ)
	.031 (NJ)	

<sup>&</sup>lt;sup>1</sup>Kline (1982)

<sup>&</sup>lt;sup>2</sup>U.S. Bureau of the Census (1986)

<sup>&</sup>lt;sup>3</sup>Simmons (1983)

FLOOR WAX AND POLISH FORMULATIONS - NONAEROSOL

	Percent By Weight	Volatility	VOC Emitted(%)	PROC Emitted(%)
Formula 1ª		· · · · · · · · · · · · · · · · · · ·	0.2	0.2
Rhoplex B 38%-a	31.58	NV		
Polyethylene, 40%	5.63	NV		
Diethylene glycol				
monomethylether	4.00	NV		
ACRYSOL leveling aid, 42%	1.79	NV		
Tributoxyethyl phosphate	1.00	NV		
Dibutyl phthalate	1.00	NV		
Formalin, 37%	0.15	V		
Wetting agent, 1%	0.40	NV		
Silicone defoamer	0.01	NV		
Water or inorganic base to 10		144		
Formula 2ª			0.2	0.2
Rhoplex B 38%-a	37.89	NV		
Polyethylene, 40%	6.75	NV		
Diethylene glycol				
monomethylether	2.40	NV		
ACRYSOL leveling aid, 42%	2.14	NV		
Anionic surfactant, 35%	1.43	NV		
Tributoxyethyl phosphate	1.20	NV		
Formalin, 37%	0.15	٧		
Wetting agent, 1%	0.60	иv		
Silicone defoamer	0.02			
Water or inorganic base to 10		_		
Formula 3ª			0.2	0.2
Rhoplex B 38%0a	64.74	NV		
POLYETHYLENE, 40%	11.25	NV		
Diethylene glycol	6 00	NTT		
monomethylether	6.00	NV		
ACRYSOL leveling aid, 42%	2.14	NV		
Tributoxyethyl phosphate	1.37	NV		
Formalin, 37%	0.15	V		
Wetting agent, 1%	0.72	VV		
Silicone defoamer	0.03	-		
Water or inorganic base to 10	0%			

<sup>&</sup>lt;sup>a</sup>Chalmers and Bathe (1979)

# METAL CLEANERS AND POLISHES - NONAEROSOL

National Consumption (millions lb)	Population Apportionment	Geographic Multiplier
241	.11 (CA) <sup>2</sup>	NA
	.046 (NY)	
	.031 (NJ)	

<sup>&</sup>lt;sup>1</sup>Kline (1982)

<sup>&</sup>lt;sup>2</sup>U.S. Bureau of the Census (1986)

METAL CLEANER AND POLISH FORMULAS - NONAEROSOLS

	Percent By Weight	Volatility	VOC Emitted(%)	PROC Emitted(%)
Formula 1ª			2.0-5.0	2.0-5.0
Abrasive	5–35	NV		
Soap or synthetic surfactants	5-7	NV		
Thickening agent	.5-1	NV		
Ethyl or isopropyl alcohol Water, to make	2-5 100%	-		
Formula 2°			0.0	0.0
Dithio-bis-stearyl propionate	5.0	NV		
Abrasive	20.0	NV		
Surfactant	6.0	ŊŅ		
Preservative	0.1	NV		
Water, to make	100.0	-		
Formula 3 <sup>b</sup>			0.0	0.0
Sulfamic, citric, tartaric acid		NV		
Sodium chloride	5–10	-		
Anionic synthetic surfactant	1-3	NV		
Siliceous abrasive	to 100	-		
Formula 4 <sup>b</sup>			0.0	0.0
Caustic soda or potash				
(see alkali)	0-50	_		
Trisodium phosphate	25-75	-		
Sodium metasilicate	10–75	-		
Soap or detergent (alkly aryl sodium sulfonate)	5–20	NV		
·	3 20		100.0	1 0 100 0
Formula 5 <sup>b</sup>			100.0	1.0-100.0
Perchloroethylene	1-100	V		
Trichloroethylene	1-100	V		
1,1,1-Trichloroethane	1–100	Λ		
Formula 6 <sup>b</sup>			55.0-90.0	55.0-90.0
Kerosene	5-80	v		
Potassium soap of oleic acid	5-25	NV		
Glycol ether	5-20	V		
Surfactant	5–20	NV		

# METAL CLEANER AND POLISH FORMULAS - NONAEROSOLS (Continued)

	Percent By Weight Vol	atility	VOC Emitted(%)	PROC Emitted(%)
Formula 7 <sup>b</sup>		· · · · · · · · · · · · · · · · · · ·	0.0	0.0
Hydrochloric acid or one or more of the following:		-		
Sulfuric acid	5-25	_		
Chromic acid	5-20			
Phosphoric acid	10-25	_		
	10-25	-		
Citric acid				

<sup>&</sup>lt;sup>a</sup>Kline (1982)

bGosselin (1985)

### AUTOMOTIVE ANTIFREEZES - NONAEROSOL

National Consumption (million lb)	Population Apportionment	Geographic Multiplier
22.31	.11 (CA) <sup>2</sup>	NA
	.046 (NY)	
	.031 (NJ)	

<sup>&</sup>lt;sup>1</sup>CSMA (1983)

<sup>&</sup>lt;sup>2</sup>U.S. Bureau of the Census (1986)

# AUTOMOTIVE ANTIFREEZE FORMULAS

	cent eight	Volatility	VOC Emitted(%)	PROC Emitted(%)
Formula 1ª	<del></del>	·	95.0	95.0
Glycols (95% monoethylene glycol, 5% kiethylene glycol)	95	V		
Alkali metal borates and phosphates	2-3	-		
Water	2-3	_		
Dye	trace	e V		

<sup>&</sup>lt;sup>a</sup>Gosselin (1985)

#### CAR POLISHES AND WAXES - NONAEROSOLS

U.S. Annual Unit Distribution (millions)	Average Unit Weight (lb/unit)	Population Apportionment	Geographic Multiplier
189.11	1 <sup>2</sup>	.11 (CA) <sup>3</sup> .046 (NY) .031 (NJ)	1.05 (CA) <sup>4</sup> .90 (NY) .90 (NJ)

<sup>&</sup>lt;sup>1</sup>Calculated from Simmons (1983)

<sup>&</sup>lt;sup>2</sup>Based on a shelf survey of several different brands and formulations

<sup>&</sup>lt;sup>3</sup>U.S. Bureau of the Census (1986)

<sup>&</sup>lt;sup>4</sup>Simmons (1983)

### CAR WAX FORMULATIONS

	Percent Composition by Weight	VOC Volatibilit	PROC / Emitted(%)	Emitted(%)
Formula 1ª			42.4	42.4
Carnauba wax Beeswax White spirit or naptha Stearic acid Triethanolamine Water	5.1 4.5 42.4 4.0 1.5 42.5	NV NV V NV NV		
Formula 2ª			42.3	42.3
Carnauba wax Beeswax Ceresin White spirit or naptha Triethanolamine Stearic acid Water	5.00 2.00 2.00 40.00 2.25 4.00 44.75	NV NV V V NV		

<sup>&</sup>lt;sup>a</sup>Chalmers and Bathe (1979)

APPENDIX B

#### REFERENCES

Broxterman, W. 1983. "Worldwide Challenges and Opportunities," Chemical Week (March 2).

CSMA (Chemical Specialty Manufacturers Association, Inc). 1984. Pressurized Products Survey, United States 1984.

Dictionary of Organic Compounds, 5th ed. 1982

Etheridge, M. 1986. Personal communication from Bureau of Alcohol, Tobacco and Firearms, Washington, D.C. (February).

Federal Register. 48 FR 49097. October 24, 1983.

Gosselin, R.E, R.P. Smith, and H.C. Hodge (Eds.). 1984. Chemical Toxicology of Commercial Products, 5th ed. Williams and Wilkins, Inc., Baltimore, Maryland.

Hass, H.B. and R.F. Newton. 1981. "Correction of Boiling Points to Standard Pressure." In R.C. Weast and M.J. Astle (Eds.), CRC Handbook of Chemistry and Physics, CRC Press, Inc., Boca Raton, Florida.

Kirk-Othmer. 1978. Encyclopedia of Chemical Technology 3rd ed. Wiley and Sons, New York.

Kline and Co., C.H. 1981. <u>Consumer Pesticides and Fertilizers</u>, Fairfield, New Jersey.

Kline and Co., C.H. 1982. <u>Household Cleansing Products</u>, Fairfield, New Jersey.

Micromedex, Inc. 1984. Poisindex, Colorado.

Nowak, F., P.L. Bartlett, and J.J. Daly, Jr. 1985. "Dimethyl Ether: An Alternative Propellant for Aerosol Hair Sprays," Aerosol Age, April.

Predicasts, Inc. (PTS U.S. Time Series) 1984. Cleveland, Ohio.

Rogozen, M., R. Rapoport, and A. Shocket. 1985. <u>Development and Improvement of Organic Compound Emission Inventories for California</u>. <u>Prepared by Science Applications International Corporation for California Air Resources Board, Sacramento, California</u>.

Simmons Market Research Bureau, Inc. 1983. Simmons 1983 Study of Media and Markets.

Stratte, J.J., P.W. Dillon, and R.H. Semp. 1978. "Evaporation of Organic Co-solvents from Water-borne Formulations: Theory, Experimental Study, Computer Simulation," Journal of Coating Technology 50(647):39-47.

U.S. Bureau of the Census, U.S. Department of Commerce. 1986. Personal Communication with the Office of Population Estimates.

- U.S. Bureau of the Census, U.S. Department of Commerce. 1982. <u>Census of Manufacturers</u>.
- USEPA (U.S. Environmental Protection Agency). 1979. Toxic Substances
  Control Act Chemical Substances Inventory. Vols. II, III. Office of Toxic
  Substances, Washington, D.C.
- USEPA (U.S. Environmental Protection Agency). 1980. Toxic Substances
  Control Act Chemical Substances Inventory, Cumulative Supplement Officer of
  Toxic Substances, Washington, D.C.
- USEPA (U.S. Environmental Protection Agency). <u>Volatile Organic Compound</u> (VOC) Species Data Manual, 2nd ed. Office of Air Quality Planning and Standards, Research Triangle Park, North Carolina.
- Verschueren, D. 1977. <u>Handbook of Environmental Data on Organic Chemicals</u>. Van Nostrand Reinhold Co., New York.
- WAIB (Western Aerosol Information Bureau). 1982. Prepared by Public Relations Committee, Shashir, L., P. Robinson, D. Vehagen, T. Donaldson, and W. Lim. Analysis of Pressurized Products Relative to Hydrocarbon Propellants and Other Volatile Organic Compounds.
- Warnick, H. 1986. Deputy Branch Chief, Office of Pesticide Programs, U.S. Environmental Protection Agency (11 June).
- Weast, R.C., and M.J. Astle (Eds). 1981. CRC Handbook of Chemistry and Physics. CRC Press, Inc., Boca Raton, Florida.
- Wennigen, J. 1986. Personal communication from Bureau of Alcohol, Tabacco and Firearms, Washington, D.C. (February).

TECHNICAL REPORT DATA (Please read Instructions on the reverse before completing)			
1. REPORT NO. EPA 902/4-86-001	2.	3. RECIPIENT'S ACCESSION NO.	
A.TITLE AND SUBTITLE  Photochemically Reactive Organic Compound Emissions  From Consumer and Commercial Products		5. REPORT DATE  November 1986  6. PERFORMING ORGANIZATION CODE	
7.AUTHOR(S) Jones, Alan; Rich, Harvey; Sewell, Granville; Rogozen, Michael; Katz, Michael		8. PERFORMING ORGANIZATION REPORT NO.	
S. PERFORMING ORGANIZATION NAME AND ADDRESS  SCIENCE APPLICATIONS INTERNATIONAL CORPORATION  8400 Westpark Drive  McLean, VA 22102		10. PROGRAM ELEMENT NO.  11. CONTRACT/GRANT NO.  68-02-3893	
12. SPONSORING AGENCY NAME AND ADDRESS  U.S. Environmental Protection Agency, Region II Air Programs Branch 26 Federal Plaza New York, NY 10278		13. TYPE OF REPORT AND PERIOD COVERED Final 14. SPONSORING AGENCY CODE	
15. SUPPLEMENTARY NOTES  Project Officer: Paul Tru	uchan (212) 264-2518		

16. ABSTRACT

This report estimates the emissions of volatile organic compounds (VOC) and photochemically reactive organic compounds (PROC) released from the use of consumer products in the States of California and New Jersey, and the New York City metropolitan area. The report describes the data sources and methodologies that were used to estimate VOC and PROC emissions from consumer products, and presents emission estimates broken down by consumer product subcategory and geographic region.

7. KEY WORDS AND OCCUMENT ANALYSIS			
DESCRIPTORS	b. IDENTIFIERS/OPEN ENDED TERMS	c. COSATI Field/Group	
Air Pollution Volatile Organic Compounds Consumer and Commercial Products Photochemical Oxidants	New Jersey New York California		
DISTRIBUTION STATEMENT	19. SECURITY CLASS (This Report) Unclassified	21. NO. OF PAGES	
Release Unlimited	20 SECURITY CLASS (This page) Unclassified	22. PRICE	