

DEVELOPMENT OF ANALYTIC TECHNIQUES TO MEASURE HUMAN
EXPOSURE TO FUEL ADDITIVES

SOUTHWEST RESEARCH INSTITUTE

PREPARED FOR
ENVIRONMENTAL PROTECTION AGENCY

1 MARCH 1974

DISTRIBUTED BY:

NTIS

National Technical Information Service
U. S. DEPARTMENT OF COMMERCE

TECHNICAL REPORT DATA <i>(Please read Instructions on the reverse before completing)</i>			
1. REPORT NO. EPA-650/1-74-003		2.	
3. TITLE AND SUBTITLE "Development Of Analytic Techniques To Measure Human Exposure To Fuel Additives"		5. REPORT DATE March 1, 1974	
7. AUTHOR(S) Donald E. Johnson, John B. Tillery, John M. Hosenfeld and James W. Register		6. PERFORMING ORGANIZATION CODE	
9. PERFORMING ORGANIZATION NAME AND ADDRESS Sourhwest Research Institute Post Office Drawer 28510 8500 Culebra Road San Antonio, Texas 78284		8. PERFORMING ORGANIZATION REPORT NO.	
12. SPONSORING AGENCY NAME AND ADDRESS Environmentap Protection Agency Research Triangle Park, North Carolina 27711		10. PROGRAM ELEMENT NO.	
		11. CONTRACT/GRANT NO. 68-02-0595	
		13. TYPE OF REPORT AND PERIOD COVERED	
		14. SPONSORING AGENCY CODE	
15. SUPPLEMENTARY NOTES			
16. ABSTRACT The principal objective of this investigation has been to develop analytical and sampling methods to accurately measure human exposure to fuel additives. An additional objective was to obtain some preliminary information about the quantities of certain additive residues in body burdens of individuals exposed to relatively high concentrations of internal engine exhaust emissions. This project was designed to measure body burdens of five heavy metals, namely cadmium, copper, lead, manganese and zinc. Four substances (blood, urine, hair and feces) were selected to provide data on the total body burdens of these metals. Measurement of the metals in blood and urine provides an indicator of total body burdens and will also reflect short term exposure. The design of the project, selection of experimental subjects, collection of samples and methods of analysis of samples are presented. This report demonstrates that it is possible to survey free living populations for body burdens of trace metals and to relate these body burdens to air borne exposures additional data, results and conclusions are presented. This study provides a considerable quantity of base line data.			
17. KEY WORDS AND DOCUMENT ANALYSIS			
a. DESCRIPTORS		b. IDENTIFIERS/OPEN ENDED TERMS	c. COSATI Field/Group
Air pollution Spectrophotometer Adults Chemical analysis Cadmium Exhaust emission Copper Fuel additives Lead Traffic Manganese Zinc		Total body burden Human exposure	13B
18. DISTRIBUTION STATEMENT UNLIMITED		19. SECURITY CLASS (This Report)	21. NO. OF PAGES
		20. SECURITY CLASS (This page)	

SOUTHWEST RESEARCH INSTITUTE
Post Office Drawer 28510, 8500 Culebra Road
San Antonio, Texas 78284

"DEVELOPMENT OF ANALYTIC TECHNIQUES TO MEASURE HUMAN EXPOSURE TO FUEL ADDITIVES"


by
Donald E. Johnson
John B. Tillery
John M. Hosenfeld
James W. Register

FINAL REPORT
SwRI Project 01-3451-001
Contract No. 68-02-0595

Prepared for:
Environmental Protection Agency
Research Triangle Park, North Carolina 27711
Attn: Dr. Douglas L. Worf
Project Officer

March 1, 1974

APPROVED:



John T. Goodwin

Technical Vice President and Director
Department of Chemistry
and Chemical Engineering

TABLE OF CONTENTS

	<u>Page</u>
I. OBJECTIVE	1
II. INTRODUCTION	2
III. EXPERIMENTAL	5
A. Design of Project	5
B. Selection of Experimental Subjects	5
C. Collection of Samples	13
D. Methods of Analysis of Samples	16
E. Results	29
IV. CONCLUSIONS	36
 References	 40
 Appendix A. Questionnaire Form	
 Appendix B. Information Sheets Used in Surveys	
 Appendix C. Listing of Residence, Employment, Health, Smoking Habits, and Personal Data for Volunteer Participants	
 Appendix D. Clinical Data	

I. OBJECTIVE

The principal objective of this investigation has been to develop analytical and sampling methods to accurately measure human exposure to fuel additives. An additional objective was to obtain some preliminary information about the quantities of certain fuel additive residues in body burdens of individuals exposed to relatively high concentrations of internal engine exhaust emissions. Once the analytical and sampling methods were perfected, then they could be utilized by the Environmental Protection Agency to monitor human exposure to some of the more important and commonly used fuel additives on a continuing basis. This will permit the quantitation of the exposure to humans and provide the basis for prediction of the expected effects of long term, low level exposures.

II. INTRODUCTION

The Environmental Protection Agency has been charged with the responsibility of measuring the exposure of humans to various air pollutants and determining whether the amounts of these pollutants are a potential hazard. They have the responsibility for setting acceptable pollution levels and for enforcing the regulations to maintain levels below the standards. This responsibility includes the residues resulting from fuel additive components.

Fuel additives containing heavy metals are one of the more important types of fuel additives currently in use in the United States. It has been shown that trace metals may accumulate in various tissues and possibly contribute to the incidence of carcinogenic, mutagenic and teratogenic processes. Lead, manganese, copper, zinc, boron, calcium, and silicon are all important trace element constituents in fuel additives. There are other trace elements present as impurities, such as cadmium, chromium, vanadium, nickel, and lithium. Many health officials consider the optimum procedure for determining exposure to air pollutants to be via measurement of body burden levels. This approach has been particularly useful for monitoring heavy metals. The amounts of metal-containing fuel additives used in the U.S. is large. The types of additives used may vary, especially with the discontinuation of leaded gasolines.

This project was designed to measure body burdens of five heavy metals, namely cadmium, copper, lead, manganese and zinc. Four substances (blood, urine, hair and feces) were selected to provide data on the total body burden of these metals. Measurement of the metals in blood and urine provides an indicator of total body burdens and will also reflect short term exposure. Hair has been used as an indicator of body burdens of the five metals and, in general, reflects a longer term of exposure than do blood and urine. Feces measurements for lead and cadmium were included to provide an estimation of the dietary contribution to the total body burden of these two metals. It is known that 10% or less of orally ingested lead and cadmium is absorbed, whereas 30% to 50% is absorbed via inhalation. The project included three groups of individuals exposed to relatively high concentrations of internal engine exhaust emissions with each of the groups having its own matched control group. Each of these six groups of individuals were to be sampled at four separate times. Collection of blood, urine and feces samples was made at specific times during the testing period, and hair samples were collected over a four-month period at random times. The general plan was to compare the body burdens of these metals in the individuals before and after a weekend and before and after a vacation. This experiment was designed to test the premise that short term changes in the levels of the various pollutants in the environment would be reflected in changes in the body burden levels of the metals. The design was also capable of comparing body burdens of these compounds between each heavily exposed

group and its matched control group. For three of the metals - namely zinc, manganese and copper - an important aspect was to determine whether or not body burdens could be related to environmental exposure (primarily air). These three metals are present as normal biochemical substances.

The exposed groups selected were (1) policemen working on foot in downtown Houston, Texas, (2) individuals working in covered garages and (3) individuals living within two blocks of a major expressway in metropolitan Houston. Each of these groups had a control group matched for variables such as age, sex, smoking habits, education and ethnic background. Other studies of this type have indicated that these variables are important with regard to body burden levels of heavy metals. The policemen and garage attendants were all male subjects; thus, the individuals in the corresponding control groups were all male. Those individuals living near a freeway and their controls were female. Individuals between the ages of 18 and 53 were selected for study.

III. EXPERIMENTAL

A. Design of Project

The program was designed to monitor six groups of individuals.

For convenience, these groups are labeled as follows:

Group 1 - Policemen

Group 1A - Control group for policemen

Group 2 - Garage attendants

Group 2A - Control group for garage attendants

Group 3 - Females living near freeway

Group 3A - Control group for females living near freeway

There were to be 36 people in each of the above groups, or a total of 216 for the complete test. Each individual was to be sampled four separate times for blood, urine, hair, and feces. Measurements for lead, cadmium, manganese, zinc and copper were to be made on all samples of blood, urine and hair. On the feces samples, lead and cadmium were to be measured. Hematocrits were to be run on all blood samples; for all of the urine samples, specific gravities, total urine volume, creatinine and coproporphyrin were to be measured.

The project was designed so that the first set of matched samples were to be taken before and after a weekend. The second set of matched samples (the third and fourth samples) were to be taken before and after a vacation period.

B. Selection of Experimental Subjects

Initial contacts with potential human volunteer subjects were made using several approaches. For the policemen and their controls, the initial contacts were coordinated with the director of personnel in

charge of employees working for the City of Houston. During these contacts, information was supplied regarding the objectives of the program and by whom the program was supported, and detailed information sheets concerning the overall program were given to the personnel director. Permission was obtained to talk to potential volunteers for the survey. Through this personnel office, appointments were arranged with supervisory personnel for the police department and for office employees in City Hall. The latter group was the source of control subjects for the policemen.

The subjects for the women living near freeways and their controls plus the controls for garage attendants were obtained through the personnel offices of a large hospital in the Houston area and a medical school. Permission to contact the subjects was obtained through the personnel offices of these two organizations, and arrangements were made to meet with potential volunteers as a group. Announcements were posted on bulletin boards giving brief information about the survey and the time and place of a meeting.

The garage attendants were contacted by visiting a number of the covered parking garages, talking with the managers, and leaving information sheets and instructions that there would be someone to visit the garage within a day or so to talk to interested volunteers. Because of the limited number of potential volunteers working in any one parking garage, between 10 and 12 covered parking garages were contacted in the initial

stages. In each of these initial contacts, the emphasis was to obtain permission from the highest level necessary, followed by contacts with the immediate supervisors and then the announcement of a meeting to follow generally from 1 to 2 days to obtain information about the survey. Initially, there was interest in obtaining the controls for the garage attendants from large buildings in the downtown Houston area served by a building custodian services group. A number of contacts were made with these organizations, since for one of these buildings, several hundred building custodians were employed daily. These contacts resulted in none of the groups providing permission to talk with the building custodians.

The initial contact with the potential human volunteer subjects was in the form of a meeting to explain the general format of the survey, to answer questions, and to pass out questionnaire forms to be filled out by those interested in volunteering. A sample of the questionnaire form used in the survey is presented in Appendix A. The questionnaire was designed so that all information necessary for making a proper selection was included. Some seventeen questions regarding the occupation, place of residence, health, and personal statistics of the potential subject were included.

At the meetings, information sheets were distributed to those interested, and any questions regarding the study were answered. Those subjects who volunteered were told that questionnaires would be examined and they would be notified via letter whether or not they had been chosen for the survey. They were told at this initial meeting that they would be paid \$35 for the complete study - that is, to provide four samples each of hair, blood, urine and feces. They were also told that there would not be a partial payment of money for partial completion and that they had to complete the full study in order to receive payment of \$35. Copies of the information sheets provided to the interested volunteers are shown in Appendix B.

The response to the survey was excellent for the policemen and their controls and for the females living near freeways and their controls; however, the response of the parking garage attendants and of the building custodians and attendants and orderlies in hospitals who served as controls for the parking garage attendants was not nearly as good. To obtain a sufficient sample for the parking garage attendants, a considerable amount of effort was expended in contacts with covered garages in downtown Houston to solicit volunteer participants.

The design goal was forty-five subjects from each group to allow for selection between the various volunteers to match the exposed and control groups with respect to age, sex, smoking habits, education, and ethnic background. The exposed groups (groups 1, 2, and 3) were selected

first, and then the controls (1A, 2A and 3A) were matched as closely as possible to the exposed groups with regard to the variables specified above. For the parking garage attendants and their controls, there was no surplus of volunteers, so the selection was minimal.

In the contacts with supervisors, managers, and other individuals in charge of various groups contacted, it was emphasized that the participation of their employees in the survey would not interfere with their duties during working hours. The sampling was to be taken either at the beginning of their work day or at the end, and arrangements would be made to meet the individuals and obtain samples in as rapid and efficient manner as possible. Only with these assurances was it possible to obtain permission to utilize these human subjects. The emphasis throughout the survey was to bring the people who would take samples of blood and collect urine and feces samples to the point where the individuals were working. The alternate procedure, and one which would have taken considerably less time and effort for the survey team, was to provide a central location with the facilities for drawing blood, etc. and have the human subjects travel to this spot. This was not followed because of the probable poor response from potential volunteers and the fact that the intent of the project was to sample at a specific time during the week and during the day. The large number of subjects to be sampled during the project and the fact that four different matched samples of blood, urine, hair and feces had to be taken required a much greater degree of control than the central location would permit.

The first sampling period was to coincide with a Friday and a Monday to represent before and after a weekend. Letters were sent out to the subjects selected for the study, indicating the time and place for a meeting which was to be held on a Thursday, and the survey would begin on the next day and a second sampling date on the following Monday. A Houston telephone number was given for those subjects not able to attend the meetings. An alternate weekend was offered to these subjects. When these meetings were held, the subjects were again informed of the intent of the project and the details of the sampling schedule, and other information was provided as needed.

Once the subjects were fully informed about the program, those that wanted to participate were requested to fill out and sign an informed consent form. They were told that this was a requirement of the Department of Health, Education and Welfare and were informed of the purposes of this form. Each subject was given instruction sheets specifying sample collection procedures, and each was given two containers for collection of urine, two containers for fecal material and four plastic bags for hair samples with four pre-addressed and postage paid envelopes to be mailed to the SwRI laboratories.

A higher percentage of subjects dropped out of the program (45 selected, 36 needed) than was expected. Some of the reasons given were: too little money for the amount of trouble involved; too much hair required for each sample; and fear of the collection of blood samples. It

is probable that the amount of money paid was marginal for the amount of participation needed. Participation of many of the subjects was based on the desire to assist in understanding the air pollution problems in their area. For these subjects, the money paid was not the primary inducement, but it was welcomed. For the garage attendants and their controls, the money paid appeared to be one of the primary factors in their participation in the survey.

The data contained in the questionnaire forms for the volunteer participants were keypunched according to the format described in Appendix A. The keypunched cards were sorted and listed for use in selection matching between the exposure groups and respective control groups of volunteer participants. For the analysis, ordered listings were obtained regarding age, education, ethnic background, hair color, and smoking habits of the volunteers.

An ordered listing of the Card 2 data (Card 2 contains the pertinent parameters data obtained from the questionnaire forms) is presented in Appendix C. This listing is ordered according to participant ID number and contains data for all volunteers who were selected to participate and who successfully fulfilled the sample collections. Table I presents in summary form the data for the participants who volunteered for the project. Table II shows these same data in schematic form. The principal differences between the control and exposed groups are in the policemen and their controls. The controls are much better educated than the policemen. The controls were selected from the male

office staff in the City Hall of Houston, Texas, and many were engineers, architects and other college graduates. The garage attendants are slightly younger than their controls.

The Card 1 data containing names and addresses of the volunteer participants are on file at Southwest Research Institute and will be maintained, in confidence, for future reference if a justified requirement arises in the future. The Card 1 data provide a direct correspondence between the arbitrarily assigned ID numbers and the names and addresses of specific volunteers.

As stated earlier, one of the objectives of this project was to compare a group of people exposed to relatively high concentrations of engine exhaust to a matched control group of people exposed to lesser quantities of engine exhausts. From the data shown in Tables I and II, it would appear that the groups were matched quite well for the variables of interest. The control subjects all worked in the central part of Houston, Texas. Each worked inside an air conditioned building. The majority of these subjects lived within the Houston City limits (control females lived more than 2 blocks from a freeway); thus, each was exposed to higher concentrations of air pollutants than individuals that lived and worked in a rural area. It is important to understand that these control groups should have been exposed to lower concentrations of engine exhaust fumes than the group of subjects they were matched with, but they do not represent low exposure groups.

C. Collection of Samples

As mentioned above, the first set of samples was taken on a Friday and the following Monday. The second set of samples was taken before the Christmas vacation (December 20, 1972) and after Christmas vacation (January 2, 1973). A short meeting was held the day before each sampling period to instruct the participants on how to collect the samples and to pass out urine and feces containers for that sampling period.

The urine samples were overnight specimens. The subjects were instructed to begin collecting urine in the container provided any time after supper (generally between 6 and 10 PM) and to continue collecting the total urine output until they reported to the sample collection survey team, or 8 AM the next morning. Urine was collected in wide-mouth polyethylene containers, one-half gallon size. The polyethylene containers were washed thoroughly with deionized water prior to their use on the project. Subjects were cautioned against putting anything into these urine containers other than their urine. The polyethylene containers for fecal samples were also washed with deionized water, and the subjects were instructed to collect the fecal sample anytime during the interval that the urine was collected that was convenient for them. The subjects were instructed to bring the urine and fecal samples with them at the time and place assigned for collection of their blood sample. At that time, 20 ml of whole blood was taken from each individual using a B&D vacutainer, low lead content (0.5 micrograms

or less) containing sodium heparin as an anticoagulant. The collection of blood samples was conducted by laboratory technicians under the supervision of a physician. The blood samples were placed in styrofoam boxes containing wet ice. The fecal samples were placed in styrofoam containers with dry ice.

The policemen and their controls were sampled as they came on duty (between 6 and 8 AM and 3 and 4 PM). The females living near freeways and their controls plus the controls for the garage attendants were sampled at the end of their work day (5 to 7 PM). The garage attendants were sampled at different times during the day to accommodate the different work shifts of the garage attendants. Generally, this covered a time period from 8 AM to 5 PM. Most of the garage attendants worked shifts ranging from 4 to 8 hours in length.

Four subjects from group 3 and four subjects from group 3A were selected at random, and each was asked to collect samples of dust from their vacuum cleaners and samples of tap water from their homes.

Once all samples had been collected for a particular day, they were transported to the SwRI laboratories located in Houston. The blood samples were processed for hematocrit determinations and to collect blood plasma. A small amount of whole blood was needed for certain analyses, and the remainder was used for preparation of plasma via centrifugation. Once this had been conducted, the whole blood and blood plasma samples were frozen. For the urine samples, the volume was

determined, specific gravity measurements made, and then approximately a 250-milliliter aliquot was put into a polyethylene container and made to approximately 1% acetic acid and then frozen. The frozen samples of urine, blood and feces were then transported to the San Antonio laboratories and kept frozen until analyses were made.

The subjects were instructed to collect four separate hair samples (at least 2 to 3 grams per sample) at their usual haircut or at intervals of approximately one month during the testing period. It was suggested that they could collect hair from their combs or brushes on a daily basis to accumulate the required quantities of hair. The subjects were cautioned against including hair from someone else. The subjects were instructed to put the hair clippings into the plastic bags provided and then mail them to the SwRI laboratories. They were told that when they had completed the sampling for four urines, four bloods, and four feces and in addition had mailed in four samples of hair, their checks for \$35 would be mailed to them.

The principal problem in the collection of samples was one of subjects forgetting to show up at the proper time and place or forgetting to bring the proper samples. Every effort was made to accommodate the subjects, including making visits to their homes to pick up their samples. Collection of the samples from garage attendants located at some six different locations was probably the most difficult part of the collection. Because of the poor response to our survey request, there were small

numbers of individuals located at each of these garages. The survey team had to make numerous stops to complete the sample collection for this group. Although the decision to send the survey team to the individuals participating in the survey resulted in considerable effort, it probably is the optimum procedure to obtain samples at the correct time and place from this number of individuals.

D. Methods of Analysis of Samples

1. Metal Analyses

a. HAIR

Cadmium, Copper, Lead, Manganese and Zinc

Preparation of human scalp hair for analysis by atomic absorption spectrophotometry* was based on the method of Hammer et al⁽¹⁾ and Harrison et al⁽²⁾. The washing procedure was modified in that the E.D.T.A. wash was eliminated. All five metals were determined by aspiration of the digested hair solution into an acetylene-air flame using a single-slot burner head. Wavelength, slit setting, hollow cathode current, and gas flow rates were set as suggested by the manufacturer.⁽³⁾ A Deuterium Background Corrector was used with all metal determinations, and for the zinc analysis a 1:40 dilution with deionized water was necessary.

b. BLOOD

Cadmium and Lead

Cadmium and lead analyses were carried out on whole blood using the procedure of Ediger and Coleman^{(4) (5)}. The "method of additions" was used to establish a blood standard which was then used to

* A Perkin-Elmer 306 Atomic Absorption instrument was used for the trace metal analyses.

quantitate the unknown blood samples. A Deuterium Background

Corrector was used with both analyses.

Copper and Manganese

Whole blood, diluted with deionized water 1:15 for copper analysis and 1:1 for manganese analysis, was analyzed using a graphite-furnace by the methods of Matousek and Stevens⁽⁶⁾. A Deuterium Background Corrector was used with both metals analyzed. Instrument operating parameters were:

Copper:

Wavelength	324.7 nm	Dry	30 sec at 100°C
Slit	3.0 mm	Ash	40 sec at 800°C
Source	15 mA	Atomize . . .	7 sec at 2500°C
Damping	No. 1	Gas	N ₂ at 20 psi/No.3.5
Sample Volume..	5 µl		

Manganese:

Wavelength	279.5 nm	Dry	30 sec at 100°C
Slit	1.0 mm	Ash	70 sec at 600°C
Source	16 mA	Atomize	7 sec at 2400°C
Damping	No. 1	Gas	N ₂ at 20 psi/No.3.5
Sample Volume..	10 µl		

Zinc

Zinc was determined in a 1:40 dilution of plasma with deionized water using the methods of Dawson and Walker⁽⁸⁾ and Sprague and Slavin⁽⁹⁾.

The diluted plasma was aspirated into an air-acetylene flame using the instrumental operating parameters recommended by the manufacturer⁽³⁾.

A Deuterium Background Corrector was utilized.

c. URINECadmium

Cadmium in urine was analyzed by a modification of the Hauser et al ⁽¹⁰⁾, Kahn and Sebestyen ⁽¹¹⁾, and Ediger and Coleman ⁽⁴⁾ procedures. A 100 μ l aliquot of acidified urine was used in the Delves cup procedure and analyzed using the instrument manufacturer's recommended parameters ⁽³⁾. The Deuterium Background Corrector was also used. Matrix effects were corrected for by using the "method of additions" to establish a urine standard.

Copper, Lead, and Manganese

The graphite furnace was utilized in the analysis of these three metals. The procedures used were patterned after those of Amos et al ⁽⁷⁾ and Davidson and Secrest ⁽¹²⁾. It was necessary to dilute the urine 1:1 with dilute HCl (0.1N) before analyzing for manganese. The Deuterium Background Corrector was used on all three metal determinations, as was the "method of addition", to establish a urine standard. The following instrumental parameters were used:

Copper

Wavelength	324.7 nm	Dry	30 sec at 100°C
Slit	3.0 mm	Ash	25 sec at 1000°C
Source	16 mA	Atomize	7 sec at 2500°C
Damping	No. 1	Gas	N ₂ at 20 psi/No.5
Sample Volume.	25 μ l		(grooved graphite tube)

Lead

Wavelength	283.3 nm	Dry	30 sec at 100°C
Slit	1.0 mm	Ash	30 sec at 450°C
Source	8 mA	Atomize	7 sec at 2100°C
Damping	No. 1	Gas	N ₂ at 20 psi/No.4
Sample Volume	10 μ l		(grooved graphite tube)

Manganese

Wavelength	279.5 nm	Dry	30 sec at 100°C
Slit	1.0 mm	Ash	50 sec at 600°C
Source	16 mA	Atomize	5 sec at 2200°C
Damping	No. 1	Gas	N ₂ at 20 psi/No.4
Sample Volume..	25µl		(grooved graphite tube)

Zinc

Zinc in urine was determined by the method of Dawson and Walker ⁽⁸⁾ using the aspiration into an air-acetylene flame of a 1:1 dilution of the urine with deionized water. Instrument parameters are those recommended for zinc analysis by the manufacturer ⁽³⁾. The Deuterium Background Corrector was utilized, and the "method of additions" used to establish a urine standard.

d. FECES

Cadmium and Lead

A wet-digestion procedure similar to that of Adrian ⁽¹³⁾ was used to digest the feces. Heavy-walled, 100-ml centrifuge bottles were used to digest 5-gram samples of the feces. A perchloric acid:nitric acid solution 1:1 was used for the digestion. The acid digest was filtered through a Reeves Angel, glass fiber filter and rinsed three times with 1% HNO₃. The filtrate and rinses were collected in a 25-ml volumetric flask and made to volume with deionized water prior to analysis.

Cadmium and lead were determined on the digested feces utilizing the graphite furnace. The Deuterium Background Corrector was used in both cadmium and lead analysis. The "method of addition" was

used for both metal determinations to establish a feces standard to calculate the concentration of the unknown samples. Instrument settings were:

Cadmium

Wavelength	228.8 nm	Dry	30 sec 100°C
Slit	1.0 mm	Ash	30 sec 300°C
Source	10 mA	Atomize	7 sec 1500° C
Damping	No. 1	Gas	N ₂ at 20 psi/No.4
Sample Volume..	15µl		(grooved graphite tube)

Lead

Wavelength	283.3 nm	Dry	30 sec at 100°C
Slit	1.0 mm	Ash	30 sec at 450°C
Source	8 mA	Atomize	7 sec at 2100°C
Damping	No. 1	Gas	N ₂ at 20 psi/No.4
Sample Volume..	10µl		(grooved graphite tube)

e. PRECISION ACCURACY & RECOVERY STUDIES

Methods used to collect data on the precision and recovery studies were performed under the same conditions (i.e. sample preparation, dilutions, instrument operating parameters, etc.) that were used to prepare and analyze the samples.

(1) Detection Limit

Detection limit is defined as that concentration of metal which, under the given operating conditions, will produce a response (signal) that is twice the average background noise (i.e. a signal-to-noise ratio of 2:1). This value is calculated from the peak produced by a low concentration spike sample.

(2) Sensitivity

Sensitivity is defined as that concentration of analyte which will give 1% absorption (Abs.). This value is also calculated from the peak produced by a low concentration spike sample.

(3) Quality Controls

To overcome the matrix effect of the samples, a "sample standard" was made by spiking a given sample (e.g. blood, urine, etc.) with several different concentrations of analyte. The "method of additions" was used to determine the natural concentration of the metal of interest in that "sample standard". This "sample standard" was then run after every 5 to 10 samples as a quality control and as a means to obtain a factor to calculate the metal concentrations in the unknown samples.

Periodically, this sample standard was made up fresh and recalibrated with a frequency depending upon the rate of degradation of the sample matrix. The concentration factor applied to the unknown samples was calculated using the average values of the quality controls which bracket those samples. This way, a continuous check was maintained upon the analytical parameters.

(4) Blood

Two approaches were used in determining the precision of the analytical methods for blood (and plasma). First, five to ten individual blood samples (same blood) were spiked at a low and a high concentration of the analyte. These samples were each analyzed 3 to 8 times for each metal. Second, data from the quality controls actually analyzed

with the samples were collected and used to calculate the precision.

Since both methods gave similar results, the data from the quality control samples have been reported.

(a) Cadmium

Analysis of six (6) unspiked bloods (quality control samples) for cadmium by the Delves Cup technique gave a mean concentration of $1.1 \mu\text{g}/100\text{ml}$ blood, a standard deviation of $\pm 0.3 \mu\text{g}/100\text{ml}$ blood, and a relative standard deviation (RSD) of 25.7%. Analysis of seven (7) spiked blood quality control samples ($1.0 \mu\text{g}/100\text{ml}$) gave a mean concentration of $1.3 \mu\text{g}/100\text{ml}$, a standard deviation of $\pm 0.3 \mu\text{g}/100\text{ml}$, and a RSD of 19.5%.

Using these operating parameters, the detection limit is $0.38 \mu\text{g}/100\text{ml}$, and the sensitivity is $0.02 \mu\text{g}/100\text{ml}$ for 1% Abs.

(b) Copper

Ten (10) unspiked blood samples were analyzed by the graphite furnace for copper. The mean concentration was $60 \mu\text{g}/100\text{ml}$, a standard deviation of $\pm 3.5 \mu\text{g}/100\text{ml}$, and a RSD of 5.8%. Ten blood samples spiked (Cu) at $75 \mu\text{g}/100\text{ml}$ gave a standard deviation of $\pm 5.4 \mu\text{g}/100\text{ml}$ and a RSD of 4.0%. The calculated detection limit for this method is $3.5 \mu\text{g}/100\text{ml}$, and the sensitivity is $0.96 \mu\text{g}/100\text{ml}$ for 1% Abs.

(c) Manganese

Unspiked blood samples (5) diluted with water, (1:1), were analyzed for manganese by the graphite furnace technique. Mean

concentration was $0.7 \mu\text{g}/100 \text{ ml}$, standard deviation was $\pm 0.14 \mu\text{g}/100 \text{ ml}$, and RSD was 20.0%. Ten spiked blood samples ($1.5 \mu\text{g}/100 \text{ ml}$) were also analyzed for manganese. The standard deviation was $\pm 0.12 \mu\text{g}/100 \text{ ml}$, and the RSD was 5.5%. Detection limit is $0.16 \mu\text{g}/100 \text{ ml}$, and the sensitivity is $0.05 \mu\text{g}/100 \text{ ml}$ for 1% Abs.

(d) Lead

Lead analysis by the Delves Cup method on nine (9) unspiked bloods (quality controls) gave a mean concentration of $17 \mu\text{g}/100 \text{ ml}$, a standard deviation of $\pm 3.7 \mu\text{g}/100 \text{ ml}$, and a RSD of 22.1%. Nine (9) spiked bloods ($25 \mu\text{g}/100 \text{ ml}$) analyzed for lead gave a standard deviation of $\pm 9.2 \mu\text{g}/100 \text{ ml}$ and a RSD of 22.0%. Detection limit of the Delves Cup technique is $4.8 \mu\text{g}/100 \text{ ml}$, and the sensitivity is $0.65 \mu\text{g}/100 \text{ ml}$ for 1% Abs.

(e) Zinc

Zinc was analyzed on ten (10) unspiked plasma samples (quality controls) by aspirating the diluted (1:1) plasma into an air-acetylene flame. The mean concentration was $93 \mu\text{g}/100 \text{ ml}$, the standard deviation was $\pm 2.3 \mu\text{g}/100 \text{ ml}$, and the RSD was 2.5%. Eight (8) spiked plasmas ($100 \mu\text{g}/100 \text{ ml}$) were analyzed for Zn by the same method. The standard deviation was $\pm 9.6 \mu\text{g}/100 \text{ ml}$, and the RSD was 5.0%. The detection limit is $9.8 \mu\text{g}/100 \text{ ml}$, and the sensitivity is $1.8 \mu\text{g}/100 \text{ ml}$ for 1% Abs.

(5) Urine

Only the data from the quality control samples run with the analysis of the urine samples were used to calculate the precision of the urine analysis.

(a) Cadmium

Ten (10) unspiked urine quality controls analyzed by the Delves Cup technique were used for cadmium determinations. The mean concentration was $1.0 \mu\text{g/liter}$, a standard deviation was $\pm 0.4 \mu\text{g/l}$, and the RSD was 40.6%. Twelve spiked urines ($1\mu\text{g/l}$) gave a standard deviation of $\pm 0.5 \mu\text{g/l}$ and a RSD of 26.1%. Calculated detection limit for this method was $0.63 \mu\text{g/l}$ with a sensitivity of $0.02 \mu\text{g/l}$ for 1% Abs.

(b) Copper

Unspiked urine quality controls (6) analyzed for copper by the graphite furnace technique gave a mean concentration of $13.2 \mu\text{g/l}$, a standard deviation of $\pm 1.1 \mu\text{g/l}$, and a RSD of 8.4%. Quality control urine (5) spiked at $10 \mu\text{g/l}$ gave a standard deviation of $\pm 3.5 \mu\text{g/l}$ and a RSD of 15.0%. The detection limit is $1.1 \mu\text{g/l}$, and the sensitivity is $0.2 \mu\text{g/l}$ for 1% Abs.

(c) Manganese

Manganese determined by the graphite furnace in the unspiked urine quality controls (4) gave a mean concentration of $1.8 \mu\text{g/l}$, a standard deviation of $\pm 0.6 \mu\text{g/l}$ and a RSD of 35.6%. Ten spiked quality controls ($5\mu\text{g/l}$) gave a standard deviation of $\pm 1.2 \mu\text{g/l}$ and a

RSD of 18.4%. Detection limit is 0.51 $\mu\text{g/l}$, and the sensitivity is 0.14 $\mu\text{g/l}$ for 1% Abs.

(d) Lead

Unspiked urine quality controls (8) analyzed for lead by the graphite furnace gave a mean of 26 $\mu\text{g/l}$, a standard deviation of ± 4.0 $\mu\text{g/l}$, and a RSD of 15.7%. Four spiked urine (100 $\mu\text{g/l}$) quality controls gave a standard deviation of ± 3.7 $\mu\text{g/l}$ and a RSD of 3.7%. The detection limit is 4.6 $\mu\text{g/l}$ with a sensitivity of 1.3 $\mu\text{g/l}$ for 1% Abs.

(e) Zinc

Nine (9) unspiked urine quality controls were used for the determination of zinc by flame technique. The mean concentration was 13.2 $\mu\text{g/l}$, standard deviation was ± 0.6 $\mu\text{g/l}$ and the RSD was 4.5%. Nine (9) spiked quality controls (50 $\mu\text{g/l}$) gave a standard deviation of ± 3.2 $\mu\text{g/l}$ and a RSD of 5.1%. Calculated detection limit of this method is 2.3 $\mu\text{g/l}$, and sensitivity is 0.31 $\mu\text{g/l}$ for 1% Abs.

(6) Hair

All hair analyses were done by the flame technique.

A large quantity of hair (approximately 30g) from one individual was used in the precision and recovery study. A total of 45 spiked and unspiked hair samples and standards were analyzed using the conditions previously stated for each analyte metal. Spikes were added to the individual hair samples immediately after the digestion acids had been added.

Recovery of analyte is based on 10 ml standard solutions that have been spiked with the analyte metals at the same concentrations as the spiked hair samples final volume (10 ml) should be if all the metal were recovered.

Summary of the results is given below.

<u>Sample</u>	<u>n</u>	<u>mean μg/g</u>	<u>Std.Dev. μg/g</u>	<u>RSD %</u>	<u>% Recovery</u>	<u>Detection Limit μg/g</u>	<u>Sensitivity μg/g for 1% Abs.</u>
Cadmium							
unspiked	5	1.98	± 0.12	5.8	---	0.31	0.05
spiked (1.25 μg)	5	3.16	± 0.13	4.0	80.0		
Copper							
unspiked	5	17.0	± 0.45	2.6	---	4.4	2.4
spiked (5μg)	3	21.5	± 0.25	1.1	88.3		
Manganese							
unspiked	5	0.3	± 0.1	26.7	---	0.42	0.03
spiked (5μg)	5	5.2	± 0.3	4.9	94.0		
Lead							
unspiked	5	14.6	± 0.52	3.6	---	0.40	0.03
spiked (5μg)	5	19.2	± 0.70	3.6	97.5		
Zinc							
unspiked	5	154.	± 6.5	4.2	---	3.2	2.2
spiked (10μg)	5	164.	± 5.7	3.5	100		

(7) Feces

A homogenized feces sample combined from several samples was used in this study. Approximately 5 grams of the homogenized feces were used per sample. A total of 47 spiked (0.25 to 10 μg/g) and unspiked samples were analyzed by the method given previously for feces

analysis. Spikes were added immediately after the digestion acids had been added to the feces. Recovery of the analyte is based upon the comparison of the spiked feces with standards spiked at the appropriate levels (i.e. spiked at the levels that would be found in the final volume of the spiked feces samples if there were 100% recovery).

(a) Lead

The unspiked feces samples (5) analyzed by the graphite furnace technique for lead content gave a mean concentration of $1.35 \mu\text{g/g}$, a standard deviation of $\pm 0.01 \mu\text{g/g}$, and a RSD of 0.7%. Five spiked feces samples ($2.5 \mu\text{g/g}$) analyzed for lead gave a mean concentration of $2.8 \mu\text{g/g}$, a standard deviation of $\pm 0.6 \mu\text{g/g}$, and a RSD of 22.9%. Detection limit for lead by this method is $0.07 \mu\text{g/g}$ with a sensitivity of $0.04 \mu\text{g/g}$ for 1% Abs. Lead recoveries in spiked feces samples ranged from 94.8 to 103.1 %.

(b) Cadmium

Cadmium determination in unspiked feces samples (5) gave a mean concentration of $0.55 \mu\text{g/g}$, a standard deviation of $\pm 0.11 \mu\text{g/g}$, and a RSD of 20.4%. Five (5) spiked feces samples ($0.25 \mu\text{g/g}$) gave a mean of $0.8 \mu\text{g/g}$, a standard deviation of $\pm 0.08 \mu\text{g/g}$, and a RSD of 10%. The calculated detection limit is $0.02 \mu\text{g/g}$, and the sensitivity is $0.01 \mu\text{g/g}$ for 1% Abs. Recoveries ranged from 75.8 to 82.3%.

(8) Summary

The methods of analysis used to measure the trace metal content of blood, hair, urine, and feces were adequate (i.e. R.S.D. < 25%) except for (1) cadmium in blood and urine and (2) manganese in urine and hair.

The analytical methods used for each trace metal determined were consistent with the state-of-the-art of that particular atomic absorption spectrophotometric technique used. Improved procedures are necessary, especially for cadmium in blood and urine.

2. Clinical Analyses

Specific Gravity - Urine

After all samples had been picked up from the subjects, specific gravities were determined, usually at the end of the day, using a urinometer.

Total Volume - Urine

Urinary volume was measured at the same time as specific gravity. Volume measurements were obtained by weighing the urine in the sample bottle, subtracting the bottle weight and applying the specific gravity factor. A 250-ml aliquot with 1% acetic acid was frozen and shipped to the analytical laboratory.

Hematocrits

The capillary tube method was used to run hematocrits on each blood sample. Convenience and blood collection times during the day made it necessary to run the hematocrits at the end of the day.

Creatinine in Urine

Urinary creatinine was determined according to the method described in Manual of Clinical Laboratory Procedures, 2nd edition, 1970, published by the Chemical Rubber Company.

Coproporphyrin in Urine

Urinary coproporphyrin was determined following the procedure of Talman, E.L., "Porphyrins in Urine", in Standard Methods of Clinical Analysis, vol. 2, D. Seligson, ed. (1958).

E. Results

1. Clinical Data

The data from the subjects for hematocrits, coproporphyrin creatinine, urine volume and urine specific gravity are in Appendix D. The average hematocrits and standard deviation for the six groups are as follows:

	<u>Average</u>	<u>Standard Deviation</u>
Group 1	45.2	3.99
Group 1A	45.6	2.93
Group 2	46.7	3.92
Group 2A	43.4	3.41
Group 3	39.7	3.24
Group 3A	39.7	2.32

These values appear to be normal for each group. There is a statistically significant difference between Groups 2 and 2A which may be due to the slight age difference between these two groups. The median ages of the groups are shown in Table III.

2. Trace Element Data

The complete raw data from the analyses of hair, blood, urine and fecal samples for the trace elements are included in Appendix D. Copper, manganese, lead and cadmium are reported as $\mu\text{g}/100\text{ ml}$ of whole blood, while zinc values are $\mu\text{g}/100\text{ ml}$ of blood plasma. Hair values are listed as $\mu\text{g}/\text{g}$ of washed hair. Urine values are in μg per liter. Cadmium and lead in feces are listed as $\mu\text{g}/\text{g}$.

The data are compiled by groups and by tests. The code for the groups are as follows:

- Group 1 - Policemen
- Group 1A - Control for Policemen
- Group 2 - Garage Attendants
- Group 2A - Control for Garage Attendants
- Group 3 - Females near Freeways
- Group 3A - Control for Females

The four collections of samples are listed as tests 1, 2, 3, and 4. Blood, urine and fecal samples were taken at four specific times from the volunteers, and they are matched samples. Tests 1 and 2 were before and after a weekend. This sampling period was in November of 1972. Tests 3 and 4 represented before and after a vacation. These samples were taken in late December, 1972 and early January, 1973 to cover the Christmas holidays.

Hair samples were collected by the individual volunteers at random time intervals over a four-month period. The first sample collected was Test 1, the second Test 2, etc.

The data were examined statistically by use of a t test using paired comparisons. These calculations produced the test statistic t_c which is based upon Student's t distribution:

$$t = \frac{x - \mu}{s}$$

where x is any random variable, μ is the true mean of the distribution of x , and s is a sample standard deviation. For the test of the difference between means of two groups, t_c is defined as

$$t_c = \frac{(\bar{x}_1 - \bar{x}_2)}{S_{\bar{x}_1 - \bar{x}_2}}$$

where

$$S_{\bar{x}_1 - \bar{x}_2} = \sqrt{\left[\frac{(n_1 - 1) S_1^2 + (n_2 - 1) S_2^2}{n_1 + n_2 - 2} \right] \left[\frac{n_1 + n_2}{n_1 \cdot n_2} \right]}$$

with

- n_1 , the size of sample 1
- n_2 , the size of sample 2
- S_1^2 , sample variance of sample 1
- S_2^2 , sample variance of sample 2

The presumptions are

- 1) $\mu_{\bar{x}_1 - \bar{x}_2} = 0$
- 2) The populations from which the two samples were drawn have equal variances.

Then t_c within acceptable limits implies a mean of zero, which implies

$$\mu_1 - \mu_2 = 0$$

or $\mu_1 = \mu_2$

Comparisons were made between the groups (positive versus control) for all tests and between the groups for each test. In addition, comparisons were made within groups between Tests 1 and 2 and Tests 3 and 4. These statistical comparisons are considered the minimum necessary to understand the significance of these data. It is understood that the Environmental Protection Agency will conduct a thorough statistical treatment of these data.

a.) Copper

The arithmetic means for copper levels in blood, urine and hair for the six groups of subjects (all four tests combined) are shown in Table IV. Along with the means are the standard deviations and sample sizes. At the bottom of the table are shown the results of the statistical analysis of this data. At a 95% confidence limit ($p = .05$), there are significant differences between groups for blood and urine. For policemen (1) and their control (1A), there is a negative correlation in blood and a positive correlation in urine. For garage attendants (2) and females living near freeways (3), there are positive correlations in blood but no significant differences in urine or hair. From these data, it is not clear whether or not the differences seen are related to exposure to exhaust products.

Although not examined statistically, there are larger quantities of copper in females than males in blood, urine and hair. It has been reported that females have higher levels of copper than males. It has also been shown that oral contraceptives increase copper levels.

Table V shows the averages for each test for copper in blood, urine and hair. These data were also examined using the t test for differences between groups for each test and for differences within groups between Tests 1 and 2 and Tests 3 and 4. The differences between groups for each test were similar to the statistical data between groups for all the tests. There were few significant differences between Tests 1 and 2 and Tests 3 and 4. This is summarized in Table VI for blood and urine samples. Similar comparisons with hair showed no significant differences. There was no indication that copper levels were affected by weekends away from work or short vacations.

b.) Manganese

Table VII shows the results obtained for manganese. There are five significant differences between groups, but four of these are negative (control group higher than exposure group). The large standard deviation seen in group 3A hair is due in large part to relatively high values for one individual. This was the only female Mexican-American in the study.

Table VIII shows the averages for each test. Table IX summarizes the statistically significant differences between Tests 1 and 2 and between Tests 3 and 4 for blood and urine samples. No significant differences were seen in hair samples.

c.) Zinc

The results for zinc are shown in Table X. There are only two significant differences - one positive and the other negative. There are lower levels of zinc in blood and urine of females, while higher levels are found in hair. It has been reported that oral contraceptives lower zinc levels in blood and urine. The average values are considered within normal ranges for females.

Table XI shows the average values for each test. Statistical comparisons within groups produced the results in Table XII.

d.) Cadmium

A summary of the data for cadmium is shown in Table XIII. The levels of cadmium are low in all specimens. These low levels pushed the analytical methods to the limit of their effectiveness. There are five significant differences at the 95% confidence limits, with three of these positive and two negative. The differences between 3 and 3A for blood would have been significant except for the large standard deviations. This is also true for hair levels between 2 and 2A.

Table XIV shows the averages for each test. The statistical comparison of groups test by test shows that the differences between 1 and 1A and 2 and 2A in urine are consistent in all four tests. Table XV summarizes the statistical comparisons within groups. No significant differences were found with the hair samples. It is possible that the levels of cadmium in urine are related to the exposure to exhaust products.

e.) Lead

Table XVI includes the comparison between groups (all tests) for lead. There are significant differences for the male volunteers (policemen-1 versus controls-1A and garage attendants-2 versus controls-2A) in blood and hair. There were slightly higher levels (significant at 0.1 level) in females living near freeways -3 than their controls - 3A in blood. In urine, there are significant differences between groups 1 and 1A and 3 and 3A. In this same table are shown data for urine coproporphyrin. There is a highly significant difference between females living near a freeway and their controls ($t_c = 4.0351$).

Table XVII shows the averages for each test. The statistical comparisons between groups for each test are very similar to the overall comparisons. Table XVIII summarizes the statistical comparisons within groups. There were no statistical differences within groups for hair or fecal samples.

f.) Water and Vacuum Cleaner Dust

Table XIX shows the results of analysis of water samples from homes of individuals in Groups 3 and 3A and water samples from places of work for Groups 1, 1A, 2A, 3 and 3A. The water from City Hall is high in zinc; however, high zinc levels were not found in Group 1A.

Table XX shows the data for house dust of subjects selected at random from Groups 3 and 3A. The data are similar for the two groups. The lead levels are low (4.6-24.3 $\mu\text{g/g}$) compared with data from other studies of lead in household dust of urban areas (500-900 $\mu\text{g/g}$).

IV. CONCLUSIONS

1. It has been demonstrated that it is possible to survey free living populations for body burdens of trace metals and to relate these body burdens to airborne exposures. In order to make these comparisons, it is essential that the test group of subjects be well matched with a control group for variables such as age, sex, hair color, smoking habits, occupation, ethnic background, place of residence and socio-economic status.

2. Good participation was achieved for four of the six groups of subjects. For policemen and females living near freeways and their controls, there were 180 subjects selected from those that volunteered, and 144 completed the study (80%). Many of these subjects participated because of a real interest in air pollution in their city. The participation from garage attendants and their controls was not nearly as good. Over 300 potential volunteers were contacted, and less than 90 filled out a questionnaire. Only 56 of these completed the study. It appeared that the sum of money offered to these individuals (\$35) was borderline for the amount of participation required.

For future studies that include populations of the latter type, it is recommended that the subjects be paid as much as \$50 for their services. This assumes that the same extent of participation is required, i.e., four matched samples of blood, urine, feces and hair.

3. Body burdens of copper, manganese and zinc were not significantly elevated as a result of exposure to internal combustion engine exhaust products. This study has provided a considerable quantity of base line data which can be utilized for comparison with data generated in the future. When the quantities of lead fuel additives consumed are substantially decreased, it is likely that the usage of other fuel additives will be increased. Several of the candidate fuel additives contain these three trace metals. Two hundred subjects, both male and female, have been sampled four times for three different specimens for data on these three metals. The test groups of subjects (policemen, garage attendants, and females near freeways) were exposed to predominantly air pollution from internal combustion engine exhaust products with a smaller portion from industrial sources.

4. Levels of lead in blood and hair samples from male subjects appear to be rather high in both test and control groups. In a previous study by Hammer et al ⁽¹⁾ on school boys, there were listed five metal exposure rankings according to their expected exposure. Their two highest rankings were in lead smelting areas. The levels of lead of subjects in these two areas were 20.9 and 15.6 $\mu\text{g}/100\text{ ml}$ of blood (arithmetic means). The lowest ranking level had 5.4 $\mu\text{g}/100\text{ ml}$ of blood. In this study, blood levels were 28.3, 23.1, 21.3 and 18.4 $\mu\text{g}/100\text{ ml}$ of blood for the male subjects exposed predominantly to airborne lead from internal combustion engine exhaust products. The average age of the

subjects in this study was between 25 and 30. It has been shown in numerous studies that young children have higher lead levels than do adults.

Hair levels for the school boys in the two highest exposure rankings were 80.2 and 32.3 μg per gram of hair. For the study reported here, the values were 47.6, 29.7, 23.5 and 13.1 $\mu\text{g/g}$ of hair.

5. There are significant differences (95% confidence limits) between policemen and their matched controls for lead in blood, urine and hair. For the garage attendants and their controls, there are significant differences for blood and hair. For females living near freeways, there were higher levels than their control subjects for lead in blood, urine and hair, although only urine was statistically significant at the 95% confidence limit.

There were no significant differences for any of the test groups versus their controls for lead in fecal samples. Measurement of fecal lead provides an indicator for the relative amounts of lead consumed in food or drink. Since there were very little differences for fecal lead between groups, it is concluded that the differences seen in blood, urine and hair reflect exposure to airborne lead. It is likely that the majority of this arises from lead used as a fuel additive.

6. There are differences between males and females for levels of lead in blood and hair. Males had blood lead levels between 28.3 and 18.4, while females were 12.9 and 11.9 $\mu\text{g}/100\text{ ml}$ of whole blood. Hair levels for males were 47.6 to 13.1 $\mu\text{g/g}$ of hair, and females hair

values were 7.4 and 6.0. Lead in urine and feces were similar for males and females.

The female subjects (both positive and control) worked in the same buildings with the control subjects for the garage attendants. From these data, it appears that females metabolize lead differently than do males.

7. A part of this study was to find out if short periods of time (1 to 9 days) away from work would alter body burdens of the five trace metals. The preliminary statistical treatment of the data indicates that the levels of the five trace metals were not changed as a result of a weekend or a short vacation.

8. Cadmium levels in urine appeared to reflect exposure to airborne cadmium for male subjects but not for females. The differences seen in hair and blood of males did not vary with the expected exposure gradient.

9. Future studies of the type reported here should include children and perhaps elderly people.

REFERENCES

- (1) Hammer, D.I., F. Finklea, R.H. Hendricks, T.A. Hinnners, W. B. Riggan and C. M. Shy, "Trace Metals in Human Hair as a Simple Epidemiologic Monitor of Environmental Exposure", Trace Substance in Environmental Health V, (1972). A Symposium, D.D. Hamphill, ed., University of Missouri, Columbia.
- (2) Harrison, W.W., J. P. Vurachek and C.A. Benson, "The Determination of Trace Elements in Human Hair by Atomic Absorption Spectroscopy", Clinica Chimica Acta, 23 (1969) 83-91.
- (3) "Analytical Methods for Atomic Absorption Spectrophotometry", Perkin-Elmer Corp, March 1973, Norwalk, Conn.
- (4) Ediger, R.D., and R. L. Coleman, "Determination of Cadmium in Blood by a Delves Cup Technique", Atomic Absorption Newsletter, Vol. 12, No. 1, (1973).
- (5) Ediger, R.D. and R. L. Coleman, "A Modified Delves Cup Atomic Absorption Procedure for the Determination of Lead in Blood", Atomic Absorption Newsletter, Vol. 11, No. 2 (1972).
- (6) Matousek, J.P. and B. J. Stevens, "Biological Application of the Carbon Rod Atomizer in Atomic Absorption Spectroscopy, 1. Preliminary Studies on Mg, Fe, Cu, Pb, and Zn in Blood and Plasma", Clinical Chemistry, Vol. 17, No. 5 (1971).
- (7) Amos, M.D., P.A. Bennett, K.G. Brodie, P.W.V. Lung and J. P. Matousek, "Carbon Rod Atomizer in Atomic Absorption and Fluorescence Spectrometry and its Clinical Applications", Analytical Chemistry, Vol. 43, No. 2 (1971)
- (8) Dawson, J.B. and B.E. Walker, "Direct Determination of Zinc in Whole Blood, Plasma and Urine by Atomic Absorption Spectroscopy", Clinica Chimica Acta, 26 (1969) 465-475.
- (9) Sprague S. and W. Slavin, "Determination of Iron, Copper, and Zinc in Blood Serum by an Atomic Absorption Method Requiring Only Dilution", Atomic Absorption Newsletter, Vol. 4, 228 (1965).
- (10) Hauser, T.R., T.A. Hinnners, and J. L. Kent, "Atomic Absorption Determination of Cadmium and Lead in Whole Blood by a Reagent-Free Method", Analytical Chemistry, Vol. 44, No. 11 (1972).

- (11) Kahn, H.L. and J.S. Sebestyen, "The Determination of Lead in Blood and Urine by Atomic Absorption Spectrophotometry, with the Sampling Boat System", Atomic Absorption Newsletter, Vol. 9, No. 2. (1970).
- (12) Davidson, I.W.F. and W.L. Secrest, "Determination of Chromium in Biological Materials by Atomic Absorption Spectrometry Using A Graphite Furnace Atomizer", Analytical Chemistry, Vol. 44, No. 11, (1972).
- (13) Adrian, W.J., "A New Wet Digestion Method for Biological Materials Utilizing Pressure", Atomic Absorption Newsletter, Vol. 10, No. 4 (1971).

TABLE I.
PROJECT 01-3451
ANALYSIS OF PARTICIPANTS
EXPOSED VS. CONTROLS

Participant Classification	Parameter	Parameter Grouping	Total Participants				Smoker Participants				Non-Smoker Participants			
			Exposed		Controls		Exposed		Controls		Exposed		Controls	
1/1A Police	Age	18-26	10	(27)	(22)	9	6	(25)	(23)	6	4	(31)	(20)	3
		27-35	17	(46)	(49)	20	9	(38)	(38)	10	8	(62)	(63)	10
		36 -	10	(27)	(29)	12	9	(38)	(38)	10	1	(8)	(13)	2
	Education	0 - 12	13	(35)	(7)	3	9	(38)	(12)	3	4	(31)	(0)	0
		13-16	22	(59)	(32)	13	14	(58)	(42)	11	8	(62)	(13)	2
		Degree	2	(5)	(61)	25	1	(4)	(46)	12	1	(8)	(87)	13
	Ethnic	White	37	(100)	(93)	38	24	(100)	(92)	24	13	(100)	(93)	14
		Non-White	0	(0)	(7)	3	0	(0)	(8)	2	0	(0)	(7)	1
2/2A Garage Employees	Age	18-26	22	(69)	(37)	10	8	(53)	(38)	5	14	(82)	(45)	5
		27-35	7	(22)	(33)	9	5	(33)	(38)	7	2	(12)	(18)	2
		36-	3	(9)	(30)	8	2	(13)	(25)	4	1	(6)	(36)	4
	Education	0-12	16	(50)	(50)	13	8	(53)	(50)	8	8	(47)	(55)	6
		13-16	12	(38)	(35)	9	6	(40)	(44)	7	6	(35)	(18)	2
		Degree	4	(13)	(15)	4	1	(7)	(6)	1	3	(18)	(27)	3
	Ethnic	White	16	(50)	(44)	12	6	(40)	(38)	6	10	(59)	(55)	6
		Non-White	16	(50)	(56)	15	9	(60)	(63)	10	7	(41)	(45)	5
3/3A Females	Age	18-26	25	(74)	(67)	24	15	(79)	(71)	15	9	(60)	(60)	9
		27-35	7	(21)	(33)	12	3	(16)	(29)	6	5	(33)	(40)	6
		36-	2	(6)	(0)	0	1	(5)	(0)	0	1	(7)	(0)	0
	Education	0-12	2	(6)	(8)	3	2	(11)	(5)	1	0	0	(13)	2
		13-16	13	(38)	(19)	7	10	(53)	(24)	5	3	(20)	(13)	2
		Degree	19	(56)	(72)	26	7	(37)	(71)	15	12	(80)	(73)	11
	Ethnic	White	33	(97)	(94)	34	18	(95)	(100)	21	15	(100)	(87)	13
		Non-White	1	(3)	(6)	2	1	(5)	(0)	0	0	(0)	(13)	2

Numbers in parentheses are percentages

TABLE II. SCHEMATIC ANALYSIS OF PARTICIPANTS . . 43<




TABLE III. MEDIAN AGE OF SUBJECTS

<u>Group</u>	<u>Median</u>	<u>Range</u>
1	31	20-46
1A	30	19-53
2	25	18-45
2A	30	22-50
3	26	18-47
3A	25	21-32

TABLE IV. COPPER

Grp.	BLOOD $\mu\text{g}/100\text{ml}$			URINE $\mu\text{g}/\text{liter}$			HAIR $\mu\text{g}/\text{g}$		
	Mean*	Std. Dev.	Sam. Size	Mean*	Std. Dev.	Sam. Size	Mean*	Std. Dev.	Sam. Size
1	63.1	19.69	139	8.8	5.35	142	12.5	6.34	136
1A	74.8	14.06	153	7.6	4.93	153	14.1	7.98	153
2	66.9	17.34	119	7.4	6.47	113	12.8	8.62	72
2A	57.8	18.01	98	8.7	5.68	98	14.7	7.89	99
3	96.3	31.06	118	13.5	8.94	110	32.0	24.75	104
3A	74.1	20.81	134	12.4	7.45	128	27.4	28.30	126

*Arithmetic mean

Statistical Differences Between Groups (All Tests)

	BLOOD		URINE		HAIR	
	Sig. <u>p=.05</u>	<u>tc</u>	Sig. <u>p=.05</u>	<u>tc</u>	Sig. <u>p=.05</u>	<u>tc</u>
1 vs 1A	yes	-5.8738	yes	2.0259	no	-1.8748
2 vs 2A	yes	3.7841	no	-1.4762	no	-1.4581
3 vs 3A	yes	6.7258	no	1.0134	no	1.2813

TABLE V. COPPER

	<u>Test</u>	<u>GROUPS</u>					
		<u>1</u>	<u>1A</u>	<u>2</u>	<u>2A</u>	<u>3</u>	<u>3A</u>
Blood μ g/100 ml	1	87.8	78.6	74.4	51.8	96.2	74.6
	2	57.3	74.9	75.3	47.8	103.0	69.3
	3	53.0	71.3	60.0	47.1	101.1	75.1
	4	55.0	74.5	57.5	83.9	84.1	78.1
Urine μ g/liter	1	9.3	7.7	8.5	5.4	10.5	9.3
	2	7.8	7.7	9.1	8.8	12.2	11.9
	3	9.6	6.9	5.8	9.7	13.8	13.9
	4	8.3	8.0	6.1	10.9	18.1	15.4
Hair μ g/g	1	13.3	14.2	13.1	16.2	29.8	30.2
	2	12.6	14.3	12.5	13.7	31.0	26.5
	3	12.8	14.3	13.2	15.3	29.5	25.2
	4	11.5	13.8	12.7	13.6	37.3	27.8

TABLE VI. COMPARISONS OF TESTS
WITHIN GROUPS - Copper

		<u>Test 1 vs Test 2</u> <u>significant p = .05</u>	<u>Test 3 vs Test 4</u> <u>significant p = .05</u>
Blood	1	yes	--
	1A	--	--
	2	--	--
	2A	--	-yes
	3	--	yes
	3A	--	--
Urine	1	--	--
	1A	--	--
	2	--	--
	2A	-yes	--
	3	--	--
	3A	--	--

TABLE VII MANGANESE

Grp.	BLOOD $\mu\text{g}/100\text{ml}$			URINE $\mu\text{g}/\text{liter}$			HAIR $\mu\text{g}/\text{g}$		
	Mean*	Std. Dev.	Sam. Size	Mean*	Std. Dev.	Sam. Size	Mean*	Std. Dev.	Sam. Size
1	2.0	1.22	139	6.6	4.39	142	3.5	4.65	127
1A	2.7	1.85	153	7.8	8.94	153	2.9	3.23	146
2	2.4	.97	117	5.3	5.79	115	7.9	10.44	66
2A	2.1	.88	95	10.1	9.80	98	7.6	6.76	82
3	2.1	.77	117	12.2	12.42	110	3.4	2.88	105
3A	2.4	.93	132	8.4	11.44	117	7.0	18.44	119

*Arithmetic mean

Statistical Differences Between Groups (All Tests)

	BLOOD		URINE		HAIR	
	Sig. <u>p=.05</u>	<u>tc</u>	Sig. <u>p=.05</u>	<u>tc</u>	Sig. <u>p=.05</u>	<u>tc</u>
1 vs 1A	yes	-3.9830	no	-1.4813	no	1.2004
2 vs 2A	no	1.9402	yes	-4.3677	no	.2526
3 vs 3A	yes	-2.6090	yes	2.4428	yes	-1.9745

TABLE VIII. MANGANESE

		GROUPS					
<u>Test</u>		<u>1</u>	<u>1A</u>	<u>2</u>	<u>2A</u>	<u>3</u>	<u>3A</u>
Blood μ g/100 ml	1	2.2	3.1	2.1	2.7	2.1	2.5
	2	2.1	2.8	2.5	2.1	1.8	2.6
	3	2.1	2.6	2.2	2.0	2.0	1.9
	4	1.6	2.6	2.7	1.7	2.4	2.3
Urine μ g/liter	1	5.0	12.6	5.7	5.0	14.0	15.0
	2	6.2	10.3	4.4	9.3	9.4	3.4
	3	4.6	3.2	5.7	14.4	8.8	9.6
	4	10.7	5.3	5.6	11.7	17.1	4.7
Hair μ g/g	1	4.1	2.9	7.6	6.5	3.6	8.3
	2	3.2	2.7	6.8	7.9	2.8	6.4
	3	3.8	2.8	8.9	7.3	3.4	6.2
	4	2.9	3.3	8.9	8.5	3.8	7.3

TABLE IX. COMPARISONS OF TESTS
WITHIN GROUPS - Manganese

		<u>Test 1 vs Test 2</u> <u>significant p = .05</u>	<u>Test 3 vs Test 4</u> <u>significant p = .05</u>
Blood	1	--	yes
	1A	--	--
	2	--	--
	2A	--	--
	3	--	--
	3A	--	--
Urine	1	--	- yes
	1A	--	- yes
	2	--	--
	2A	- yes	--
	3	yes	--
	3A	yes	yes

TABLE X . ZINC

Grp.	BLOOD $\mu\text{g}/100\text{ml}$			URINE $\mu\text{g}/\text{liter}$			HAIR $\mu\text{g}/\text{g}$		
	Mean*	Std. Dev.	Sam. Size	Mean*	Std. Dev.	Sam. Size	Mean*	Std. Dev.	Sam. Size
1	339.9	51.26	141	305	186.8	141	171.0	47.56	127
1A	306.5	45.99	153	308	186.1	154	172.3	45.77	154
2	317.5	70.92	117	449	251.4	109	173.4	109.88	72
2A	309.9	59.61	98	218	131.8	96	166.2	99.93	99
3	254.3	49.73	116	167	112.6	112	221.2	72.26	105
3A	251.4	66.06	132	177	106.7	125	250.1	114.76	126

*Arithmetic mean

Statistical Differences Between Groups (All Tests)

	BLOOD		URINE		HAIR	
	Sig. <u>p=.05</u>	<u>tc</u>	Sig. <u>p=.05</u>	<u>tc</u>	Sig. <u>p=.05</u>	<u>tc</u>
1 vs 1A	yes	5.8747	no	- .1108	no	- .2303
2 vs 2A	no	.8411	yes	-8.0978	no	.4364
3 vs 3A	no	.3850	no	- .7280	yes	-2.2429

TABLE XI. ZINC

		GROUPS					
<u>Test</u>		<u>1</u>	<u>1A</u>	<u>2</u>	<u>2A</u>	<u>3</u>	<u>3A</u>
Blood μ g/100 ml	1	354.4	340.8	278.6	329.7	280.7	247.5
	2	369.7	294.9	311.2	299.4	234.3	210.1
	3	316.8	272.2	343.2	308.1	236.1	259.3
	4	317.8	314.9	339.1	304.1	265.5	297.3
Urine μ g/liter	1	196.	260.	505.	190.	141.	215.
	2	220.	332.	496.	181.	180.	172.
	3	455.	251.	470.	278.	186.	151.
	4	358.	392.	304.	223.	163.	164.
Hair μ g/g	1	174.3	168.7	197.7	186.6	206.0	243.1
	2	167.0	185.2	182.6	173.7	230.3	253.8
	3	168.7	167.7	153.8	148.4	228.8	259.4
	4	174.2	167.5	151.5	156.5	220.6	244.4

TABLE XII. COMPARISONS OF TESTS
WITHIN GROUPS - Zinc

		<u>Test 1 vs Test 2</u> <u>significant $p = .05$</u>	<u>Test 3 vs Test 4</u> <u>significant $p = .05$</u>
Blood	1	--	--
	1A	yes	- yes
	2	--	--
	2A	--	--
	3	yes	- yes
	3A	yes	- yes
Urine	1	--	yes
	1A	- yes	- yes
	2	--	yes
	2A	--	--
	3	--	--
	3A	--	--

TABLE XIII. CADMIUM

51

Grp.	BLOOD $\mu\text{g}/100\text{ml}$			URINE $\mu\text{g}/\text{liter}$			HAIR $\mu\text{g}/\text{g}$		
	Mean*	Std. Dev.	Sam. Size	Mean*	Std. Dev.	Sam. Size	Mean*	Std. Dev.	Sam. Size
1	.5	.67	139	1.4	1.05	142	1.1	2.09	119
1A	.7	.85	155	.6	.44	155	1.1	2.02	150
2	.5	.52	120	.8	.63	114	1.0	.97	71
2A	.4	.44	98	.5	.23	98	2.2	2.10	98
3	.9	1.1	120	.6	.67	110	.6	.41	101
3A	.8	1.7	135	.6	.40	117	.7	.55	113

*Arithmetic mean

Grp.	FECES $\mu\text{g}/\text{g}$		
	Mean*	Std. Dev.	Sam. Size
1	.19	.07	141
1A	.20	.11	130
2	.30	.21	93
2A	.24	.13	98
3	.27	.16	105
3A	.23	.13	124

Statistical Differences Between Groups (All Tests)

	BLOOD		URINE		HAIR		FECES	
	p=.05	tc	p=.05	tc	p=.05	tc	p=.05	tc
1 vs 1A	yes	-2.7122	yes	8.7999	no	.1073	no	-1.0536
2 vs 2A	yes	2.4093	yes	5.1880	yes	-4.4842	yes	2.3505
3 vs 3A	no	.8695	no	-.1671	no	-1.6070	yes	2.0704

TABLE XIV .CADMIUM

		GROUPS					
<u>Test</u>		<u>1</u>	<u>1A</u>	<u>2</u>	<u>2A</u>	<u>3</u>	<u>3A</u>
Blood µg/100 ml	1	.7	.6	.8	.5	.9	1.7
	2	.6	.4	.8	.5	1.0	.7
	3	.4	.4	.3	.2	.9	.3
	4	.4	1.6	.3	.2	.9	.2
Urine µg/liter	1	2.5	.7	1.1	.5	.3	.6
	2	1.2	.5	.9	.5	.8	.8
	3	1.1	.5	.8	.5	.5	.5
	4	1.0	.9	.5	.5	.8	.6
Hair µg/g	1	1.1	1.1	0.9	2.4	.6	.7
	2	1.0	1.1	1.0	2.5	.6	.6
	3	1.3	1.0	1.0	2.1	.6	.7
	4	1.1	1.1	1.2	1.9	.6	.7
Feces µg/g	1	.17	.21	.24	.23	.31	.22
	2	.18	.22	.23	.22	.23	.19
	3	.19	.21	.44	.27	.26	.27
	4	.21	.16	.27	.22	.26	.24

TABLE XV. COMPARISONS OF TESTS
WITHIN GROUPS - Cadmium

		<u>Test 1 vs Test 2</u> <u>significant $p = .05$</u>	<u>Test 3 vs Test 4</u> <u>significant $p = .05$</u>
Blood	1	--	--
	1A	--	-yes
	2	--	--
	2A	--	--
	3	--	--
	3A	yes	--
Urine	1	yes	--
	1A	yes	-yes
	2	--	yes
	2A	--	--
	3	-yes	-yes
	3A	--	--

TABLE XVI. LEAD

Grp.	BLOOD $\mu\text{g}/100\text{ml}$			URINE $\mu\text{g}/\text{liter}$			HAIR $\mu\text{g}/\text{g}$		
	Mean*	Std. Dev.	Sam. Size	Mean*	Std. Dev.	Sam. Size	Mean*	Std. Dev.	Sam. Size
1	23.1	9.21	141	24.8	21.89	144	23.5	38.61	136
1A	18.4	7.38	150	19.0	19.64	160	13.1	15.92	149
2	28.3	10.33	119	26.5	25.38	124	47.6	46.42	73
2A	21.3	9.70	95	27.8	19.80	100	29.7	29.62	100
3	12.9	4.47	120	32.0	25.47	120	7.4	10.61	106
3A	11.9	4.28	117	19.5	21.25	144	6.0	5.51	121

*Arithmetic mean

Grp.	FECES $\mu\text{g}/\text{g}$			URINE Coproporphyrin $\mu\text{g}/100\text{ml}$		
	Mean*	Std. Dev.	Sam. Size	Mean	Std. Dev.	Sam. Size
1	2.5	2.87	141	3.1	2.55	144
1A	2.3	2.72	125	3.5	2.56	160
2	2.4	1.68	92	3.8	4.22	124
2A	2.2	2.44	96	3.1	2.61	100
3	2.9	2.18	105	3.0	2.41	128
3A	2.7	3.94	123	2.0	1.54	144

Statistical Differences Between Groups (All Tests)

	BLOOD		URINE		HAIR		FECES	
	p=.05	tc	p=.05	tc	p=.05	tc	p=.05	tc
1 vs 1A	yes	4.7726	yes	2.4464	yes	3.0185	no	.5648
2 vs 2A	yes	5.0098	no	-.4254	yes	3.0823	no	.4107
3 vs 3A	no	1.8926	yes	4.3452	no	1.2754	no	.3474

TABLE XVII. LEAD

	<u>Test</u>	<u>GROUPS</u>					
		<u>1</u>	<u>1A</u>	<u>2</u>	<u>2A</u>	<u>3</u>	<u>3A</u>
Blood $\mu\text{g}/100\text{ ml}$	1	25.0	18.3	29.6	17.4	12.6	13.0
	2	26.1	22.6	31.3	25.9	14.0	11.1
	3	17.3	17.6	25.8	22.4	12.1	11.1
	4	23.7	15.1	26.4	19.2	13.0	12.6
Urine $\mu\text{g}/\text{liter}$	1	39.1	20.6	11.9	32.4	28.3	19.6
	2	32.8	18.1	37.0	25.5	33.7	11.4
	3	20.0	21.6	28.7	22.7	36.3	26.9
	4	7.2	15.5	28.2	30.5	29.7	20.0
Hair $\mu\text{g}/\text{g}$	1	38.5	16.0	52.7	34.5	9.9	5.4
	2	21.7	12.9	47.2	30.3	9.3	6.3
	3	19.9	11.2	50.8	26.7	4.0	5.7
	4	13.1	12.3	38.3	27.4	6.1	6.5
Feces $\mu\text{g}/\text{g}$	1	2.5	2.6	2.3	3.2	3.5	2.5
	2	3.1	2.1	1.8	2.6	2.7	2.1
	3	2.0	2.4	2.4	1.6	2.5	2.7
	4	2.3	2.0	3.1	1.5	2.9	4.1

TABLE XVIII. COMPARISONS OF TESTS
WITHIN GROUPS - Lead

		<u>Test 1 vs Test 2</u> <u>significant p = .05</u>	<u>Test 3 vs Test 4</u> <u>significant p = .05</u>
Blood	1	--	- yes
	1A	- yes	--
	2	--	--
	2A	- yes	--
	3	--	--
	3A	--	--
Urine	1	--	yes
	1A	--	--
	2	- yes	--
	2A	--	--
	3	--	--
	3A	yes	--

TABLE XIX. WATER ANALYSIS

<u>Sample Identification</u>	<u>concentration in $\mu\text{g/liter}$</u>				<u>Zn</u>
	<u>Cd</u>	<u>Cu</u>	<u>Mn</u>	<u>Pb</u>	
Group 3 (Homes)					
No. 1	0.4	6	1.4	0	72
No. 2	1.1	74	10.3	2.5	48
No. 3	0.3	58	5.5	0	36
No. 4	0.3	0	6.8	0	462
No. 5	0.6	22	0.8	0.1	0
Average	0.5	44	5.0	0.5	124
Group 3A (Homes)					
No. 1	0.6	11	0.7	0	189
No. 2	0.3	12	2.2	0	144
No. 3	0.4	6	5.3	0.6	243
No. 4	0.2	7	12.7	0.7	513
No. 5	0.4	4	0.8	0	674
Average	0.4	8	4.3	0.7	353
Group 1					
Police Station	0.2	360	9.0	0	164
Group 1A					
City Hall	0.5	85	8.3	0.2	1113
Groups 2A, 3, 3A					
Baylor Col. of Med.	0.7	92	8.9	2.8	738
Methodist Hosp.	0.4	88	5.1	7.6	328

TABLE XX. DUST ANALYSIS

<u>Sample Identification</u>	<u>Concentration in $\mu\text{g}/\text{gram}$</u>				
	<u>Cd</u>	<u>Cu</u>	<u>Mn</u>	<u>Pb</u>	<u>Zn</u>
Group 3 (Homes)					
No. 1	0.5	3.1	4.7	6.3	16.2
No. 2	0.4	9.3	7.3	20.6	52.1
No. 3	0.3	5.9	5.8	4.9	17.2
Average	0.4	6.1	5.9	10.6	28.5
Group 3A (Homes)					
No. 1	2.7	9.7	5.9	24.3	20.7
No. 2	0.3	4.3	9.8	4.6	14.6
No. 3	0.6	6.2	3.1	10.4	61.8
No. 4	0.4	5.0	2.9	9.8	25.3
No. 5	0.5	2.8	5.4	9.0	23.8
No. 6	0.3	3.3	3.0	9.4	28.7
Average	0.8	5.2	5.0	11.3	29.1

APPENDIX A
QUESTIONNAIRE FORM

The questionnaire form used during the study to obtain information for selecting participants among those volunteering their services is presented in this Appendix. The form was designed to obtain the necessary information regarding address, occupation, health status, and personal statistics from each potential participant so that proper selection could be made. The form was designed for keypunching into two keypunch cards. Card 1 contains name and address data and Card 2 the occupation, health, and personal data required for the selection criteria employed. The numbers in parenthesis throughout the questionnaire form are the keypunch coding. Information obtained from the respective questions were punched in the columns specified in parenthesis in either Card 1 or Card 2, as indicated. A unique three-digit identification number was assigned to each potential volunteer for which a questionnaire was obtained, and the questionnaire form was labeled with this number. The unique ID number was keypunched into all data cards related to the volunteer subject and was used throughout all sampling procedures to label samples and results from a specific volunteer.

Specific instructions regarding keypunching the questionnaire form are given in the final three pages of this Appendix.

CARD 1 (1)

I. D. # _____
(2 - 4)

EXPOSURE TO FUEL ADDITIVES
QUESTIONNAIRE

NAME: _____
(5 - 24)

ADDRESS: _____
Street (25 - 44) City (45 - 59) Zip (60 - 64)

TELEPHONE: _____
(65 - 71)

Please write on the lines above -
your full name, street address, city,
Zip Code and telephone number (ex-
clude Area Code).

The information requested in this
questionnaire will be held in strict
confidence.

I. D. #

(1)

(2 - 4)

1. What is your present occupation?

(5 - 6)

2. Do you currently have a second full-time or part-time occupation in which you are frequently exposed to irritating smoke, dust, or fumes?

(7)

1. Yes
2. No

IF YOU ANSWERED "NO" TO QUESTION "2", SKIP THE NEXT THREE QUESTIONS BELOW.

2a. If the answer to question 2 is "Yes," what kind of irritant are you exposed to? (For example: auto exhaust fumes, coal dust, cutting oils, smelter fumes, raw cotton dust.)

(8 - 9)

2b. If the answer to question 2 is "Yes," what kind of work do you perform in this job? (For example: maintenance, assembly line, supervisor.)

(10 - 11)

2c. If the answer to question 2 is "Yes," how long have you been exposed to the irritant stated?

(12)

1. Less than one year
2. One to five years
3. Six to ten years
4. More than ten years

3. Have you ever smoked as many as five packs of cigarettes, that is, as many as 100 cigarettes during your entire life?

(13)

1. Yes
2. No

4. Do you now smoke cigarettes? (14)
1. Yes
 2. No
5. If you are a current or an ex-cigarette smoker, how many cigarettes do (did) you smoke per day? (15)
1. Less than 1/2 pack per day (1 - 5 cigarettes per day)
 2. About 1/2 pack per day (6 - 14 cigarettes per day)
 3. About 1 pack per day (15 - 25 cigarettes per day)
 4. About 1 - 1/2 packs per day (26 - 34 cigarettes per day)
 5. About 2 packs per day (35 or more cigarettes per day)
6. If you are a current or an ex-cigarette smoker, how old were you when you first started smoking? (16 -)
- _____ Years
7. If you are an ex-cigarette smoker, how old were you when you last gave up smoking? (18 -)
- _____ Years
8. What is your marital status? (20)
1. Single
 2. Married
 3. Separated
 4. Divorced
 5. Widowed
9. What educational level has been completed by the head of the household? (21)
1. Elementary School
 2. Part of High School
 3. High School Graduate
 4. Trade, Technical or Business School Beyond High School
 5. Part of College
 6. College Graduate
 7. Graduate School Including Advance and Professional Degrees

10. How long have you lived in your present city or town? (Check one answer only) (22 - 23)
1. Less than one year
 2. One year
 3. Two years
 4. Three years
 5. Four years
 6. Five years
 7. Six years
 8. Seven years
 9. Eight years
 10. Nine years
 11. Ten years
 12. Eleven years
 13. Twelve years or more
11. What was your age in years on your last birthday? (24 - 25)
- _____ Years
12. What is your sex? (26)
1. Male
 2. Female
13. What is the natural color of your hair? (27)
1. Brown
 2. Black
 3. Red
 4. Blond
 5. Gray
 6. White
14. Have you ever had any of the lung related problems listed below? (Indicate all that apply) (28)
1. Asthma
 2. Emphysema
 3. Tuberculosis
 4. Histoplasmosis
 5. Bronchiectasis

15. Have you ever had a thyroid problem? (29)

1. Yes
2. No

16. Do you live within two blocks of a freeway? (31)

1. Yes
2. No

YOU HAVE FINISHED THE QUESTIONNAIRE

THANK YOU

17. DO NOT MARK BELOW THIS LINE

(32)

-
- 1.
 - 2.
 - 3.
 - 4.

CARD #1

<u>Item</u>	<u>Columns</u>	<u>Comments</u>
Card #	1	The number 1 is punched in the column
ID#	2-4	<u>Three Digit Number Assigned</u>
Name	5-8 9-24	Initials Last Name
Address	25-64	As Shown
Telephone	65-71	As Shown

CARD #2

<u>Item</u>	<u>Column</u>	<u>Comments</u>
Card #	1	The number 2 is punched in this column
ID#	2-4	(The same as Card #1)
Q1-Occupation	5-6	1 - Policeman 2 - Attendant 3 - Custodian 4 - Orderly 5 - Clerk/Secretary 6 - Hospital Technician or Nurse 7 - Police Control Group 9 - Other
Q2-Other Emp.	7	As Shown
Q2a-Irritants	8-9	1 - Auto Exhaust 2 - Coal Dust 3 - Cutting Oils 4 - Smelter Fumes 5 - Raw Cotton Cust 6 - Cigarette/Cigar Smoke 7 - Other
Q2b-Duties	10-11	1 - Guard 2 - Maintenance 3 - Assembly Line 4 - Supervisor 5 - Waitress 6 - Sales 7 - Secretary 8 - Other
Q2c-How Long	12	As Shown
Q3-Have Smoked	13	As Shown
Q4-Do Smoke	14	As Shown
Q5-How Many	15	As Shown
Q6-When Started	16-17	As Shown
Q7-When Quit	18-19	As Shown

Card #2 (Continued)

Q8-Married	20	As Shown
Q9-Education	21	As Shown
Q10-Length Lived in Town	22-23	As Shown
Q11-Age	24-25	As Shown
Q12-Sex	26	As Shown
Q13-Color of Hair	27	As Shown
Q14-Lung Problems	28	As Shown (6 is key-punched for any multiple problem)
Q15-Thyroid	29	As Shown
Q16-Live Near Fwy	31	As Shown
Q17-Ethnic	32	1 - White 2 - Negro 3 - Mexican-American 4 - Other
Location Code	35	0 - Baylor College of Medicine 1 - Travis Garage 2 - HNG Garage 3 - Ten-Ten Garage 4 - 1st City Nat. Bk Garage 5 - Texas Nat. Bk of Commerce Garage 6 - Texas Medical Ctr Garage 7 - Houston PD 8 - Houston Civic Center 9 - Methodist Hospital
Group Identification	79-80	1/1A - Police/Police Control 2/2A - Garage/Garage Control 3/3A - Females/Females Control

APPENDIX B
INFORMATION SHEETS USED IN SURVEYS

STUDY TO MEASURE HUMAN EXPOSURE TO FUEL ADDITIVES

FOR The Environmental Protection Agency

BY Southwest Research Institute

AT Houston, Texas

Southwest Research Institute is conducting a study for the Environmental Protection Agency (EPA Contract No. 68-02-0595) to measure human exposure to fuel additives. The design of this study is that certain trace metals will be measured in hair, blood and urine samples from people ordinarily exposed to relatively high levels of engine exhaust fumes and in individuals with lesser exposure to these pollutants.

To conduct this study, some two hundred and forty volunteer participants are needed. The following types of volunteers will be selected:

Policemen and City Office Staff

40 Daytime Shift, outside work, regular exposure to auto exhaust fumes

40 Any shift, indoors, away from regular exposure to auto exhaust fumes

Housewives, Nurses, Female Office Staff, Female Building Custodians

40 Living near (within two blocks) a freeway

40 Not living near a freeway

Male Garage Attendants

40 Working in area of covered auto garage

Male Building Custodians

40 Working away from regular exposure to auto exhaust fumes

The information obtained will assist the Environmental Protection Agency to assess the types and quantity of pollutants to which populations which make large use of freeways are exposed. This type of data is essential to insure that the air we and our children breathe is safe. Each participant will be informed of the results of the project when it is completed.

Samples will be collected four times during the project (4-6 months) for each of the three types: scalp hair, blood and urine. Samples will be taken after a work day, after a non-work day and before and after a vacation. A small amount of the participants' hair clippings will be saved at the time of normal hair cut. Participants will be given sample containers which can be mailed to us. The night before giving a blood sample the participants will collect all urine (in a container supplied by us) beginning after supper (6-8 PM) and continuing until the next morning when a blood sample will be given (8 - 10 AM). Twenty milliliters of blood will be taken by a nurse and under a physicians supervision. All aspects of these experiments involving human subjects will be conducted in accordance with the PHS Surgeon General's issuance, "Protection of the Individual as a Research Subject" dated May 1, 1969. Each participant will be paid \$25 for the complete study - that is, four samples of blood, urine and hair clippings.

INFORMATION REGARDING SOUTHWEST RESEARCH INSTITUTE

Southwest Research Institute is a public service organization devoted to applied research and franchised under the laws of the State of Texas as a not-for-profit corporation. A staff of 1150¹ persons at facilities in San Antonio, Houston, and Corpus Christi, Texas, Bloomfield, Connecticut, and Washington, D. C., provide a broad spectrum of highly competent personnel with professional, technical, and administrative training. The research activities of this institute include investigations into virtually all areas of physical, engineering, behavioral, or social sciences.

REFERENCES

- Mr. George W. Bichsel, Associate City Manager, City of San Antonio, Texas
- Mr. Robert J. MacDonald, Director of Intergovernmental Services,
City of San Antonio, Texas

SCHEDULE OF ACTIVITIES

STUDY TO MEASURE HUMAN EXPOSURE TO FUEL ADDITIVES

1. Initial Meeting with Employers
 - . Employer Permission
 - . Information Regarding Access to Bulletin Board, Auditorium, etc.
2. Advertisement of Study to Potential Participants
 - . Bulletin Boards
 - . Handouts
 - . Employer Announcement
3. Meeting with Potential Participants to Fill Out Questionnaires
 - . Information Regarding Study
 - . Fill out Questionnaires
4. Selection of Participants
5. Initial Gathering of Samples Before and After a Work Day (Near Place of Work)
6. Gathering of Samples Before and After Vacation (At Southwest Research Institute Office, 3600 S. Yoakum Blvd , Houston, Texas 77006, Phone: 713-522-0726)
7. Payment of 25 dollars to each participant completing study.

MAJOR STUDY POINTS

- . 240 Volunteer Participants
- . 4 Collections of Blood, Urine, Hair Clippings
- . No Interference with Normal Work Activities
- . \$25 to Each Participant

EVERYONE TALKS ABOUT POLLUTIONHERE'S YOUR CHANCE TO HELP DO SOMETHING ABOUT IT

NEED 80 MALE VOLUNTEERS FOR A RESEARCH STUDY

HOUSTON PD - 40 DAYTIME SHIFT OUTDOORS (ON FOOT OR 3 WHEEL VEH.)
 PASADENA PD - 40 ANY SHIFT INDOORS OR IN PATROL CARS

Southwest Research Institute is conducting a study for the Environmental Protection Agency (EPA Contract No. 68-02-0595) to evaluate human exposure to fuel additives. The study will involve the measurement of certain metals in hair, blood and urine of subjects who in their normal course of work are exposed to exhaust fumes from internal combustion engines.

We need your assistance in contacting potential volunteers. The participation of these individuals in this study will not interfere with their jobs. We need male policemen between the ages of 18 and 45 who work a daytime shift outside. They should work primarily within the downtown Houston Area. At least 40 volunteers will be needed for this group. A control group of policemen (same age group) of at least 40 will also be required. These volunteers should have jobs that require them to spend most of their time indoors or in patrol cars. The control subjects will be from the Pasadena P. D.

Urine, blood and hair samples will be collected from each subject four times during the study. The subjects will be paid \$25 for their services. Collection of samples will be under the supervision of a physician and the collections will be made outside of working hours. Information covering all aspects of the project will be supplied to the subjects. All aspects of these studies involving human volunteer subjects will be conducted in accordance with the PHS Surgeon General's issuance, "Protection of the Individual as a Research Subject", dated May 1, 1969.

EARN AN EXTRA \$25

COMPLETE INFORMATION REGARDING THIS PROGRAM WILL BE GIVEN OUT

Where: Roll Call Area

When: 30 minutes preceding morning and afternoon roll call, Tuesday,
 October 17, 1972.

MALE OFFICE STAFF

EVERYONE TALKS ABOUT POLLUTIONHERE'S YOUR CHANCE TO HELP DO SOMETHING ABOUT IT

NEED 40 MALE VOLUNTEERS FOR A RESEARCH STUDY

- Work Inside
- Any Shift

Southwest Research Institute is conducting a study for the Environmental Protection Agency (EPA Contract No. 68-02-0595) to evaluate human exposure to fuel additives. The study will involve the measurement of certain metals in hair, blood and urine of subjects who in their normal course of work are exposed to exhaust fumes from internal combustion engines.

We need your assistance in contacting potential volunteers. The participation of these individuals in this study will not interfere with their jobs. We need male office staff between the ages of 18 and 45 who are employed by the City of Houston. These volunteers should have jobs that require them to spend most of their time indoors away from auto emissions.

Urine, blood and hair samples will be collected from each subject four times during the study. The subjects will be paid \$25 for their services. Collection of samples will be under the supervision of a physician and the collections will be made outside of working hours. Information covering all aspects of the project will be supplied to the subjects. All aspects of these studies involving human volunteer subjects will be conducted in accordance with the PHS Surgeon General's issuance, "Protection of the Individual as a Research Subject", dated May 1, 1969.

EARN AN EXTRA \$25

COMPLETE INFORMATION REGARDING THIS PROGRAM WILL BE GIVEN OUT

GARAGE ATTENDANTS

EVERYONE TALKS ABOUT POLLUTIONHERE'S YOUR CHANCE TO HELP DO SOMETHING ABOUT IT

NEED 40 MALE VOLUNTEERS FOR A RESEARCH STUDY

Southwest Research Institute is conducting a study for the Environmental Protection Agency (EPA Contract No. 68-02-0595) to evaluate human exposure to fuel additives. The study will involve the measurement of certain metals in hair, blood and urine of subjects who in their normal course of work are exposed to exhaust fumes from internal combustion engines.

We need your assistance in contacting potential volunteers. The participation of these individuals in this study will not interfere with their jobs. We need males between the ages of 18 and 45 who work primarily within a covered parking lot. At least 40 volunteers will be required.

Urine, blood and hair samples will be collected from each subject four times during the study. The subjects will be paid \$25 for their services. Collection of samples will be under the supervision of a physician and the collections will be made outside of working hours. Information covering all aspects of the project will be supplied to the subjects. All aspects of these studies involving human volunteer subjects will be conducted in accordance with the PHS Surgeon General's issuance, "Protection of the Individual as a Research Subject", dated May 1, 1969.

EARN AN EXTRA \$25

COMPLETE INFORMATION REGARDING THIS PROGRAM WILL BE GIVEN OUT

Where:

When:

MALE HOSPITAL BUILDING CUSTODIANS

EVERYONE TALKS ABOUT POLLUTIONHERE'S YOUR CHANCE TO HELP DO SOMETHING ABOUT IT

NEED 40 VOLUNTEERS FOR A RESEARCH STUDY

Southwest Research Institute is conducting a study for the Environmental Protection Agency (EPA Contract No. 68-02-0595) to evaluate human exposure to fuel additives. The study will involve the measurement of certain metals in hair, blood and urine of subjects who in their normal course of work are exposed to exhaust fumes from internal combustion engines.

We need your assistance in contacting potential volunteers. The participation of these individuals in this study will not interfere with their jobs. We need male building custodians between the ages of 18 and 45. At least 40 male volunteers will be needed and they will serve as a control group for comparison to results for males regularly exposed to exhaust fumes in their normal course of work.

Urine, blood and hair samples will be collected from each subject four times during the study. The subjects will be paid \$25 for their services. Collection of samples will be under the supervision of a physician and the collections will be made outside of working hours. Information covering all aspects of the project will be supplied to the subjects. All aspects of these studies involving human volunteer subjects will be conducted in accordance with the PHS Surgeon General's issuance, "Protection of the Individual as a Research Subject", dated May 1, 1969.

EARN AN EXTRA \$25

COMPLETE INFORMATION REGARDING THIS PROGRAM WILL BE GIVEN OUT

Where:

When:

NURSES, FEMALE OFFICE STAFF, AND FEMALE BUILDING CUSTODIANS

EVERYONE TALKS ABOUT POLLUTION

HERE'S YOUR CHANCE TO HELP DO SOMETHING ABOUT IT

NEED 80 FEMALE VOLUNTEERS FOR A RESEARCH STUDY

40 LIVING NEAR (WITHIN 2 BLOCKS) OF A FREEWAY
40 NOT LIVING NEAR A FREEWAY

Southwest Research Institute is conducting a study for the Environmental Protection Agency (EPA Contract No. 68-02-0595) to evaluate human exposure to fuel additives. The study will involve the measurement of certain metals in hair, blood and urine of subjects who in their normal course of work are exposed to exhaust fumes from internal combustion engines.

We need your assistance in contacting potential volunteers. We need females between the ages of 18 and 45 who live within 2 blocks of a freeway in the metropolitan Houston Area. At least 40 volunteers will be needed for this group. An additional 40 female volunteers (same age group) who do not live near a freeway and preferably live on the fringe of the metropolitan Houston Area.

Urine, blood and hair samples will be collected from each subject four times during the study. The subjects will be paid \$25 for their services. Collection of samples will be under the supervision of a physician and the collections will be made outside of working hours. Information covering all aspects of the project will be supplied to the subjects. All aspects of these studies involving human volunteer subjects will be conducted in accordance with the PHS Surgeon General's issuance, "Protection of the Individual as a Research Subject", dated May 1, 1969.

EARN AN EXTRA \$25

COMPLETE INFORMATION REGARDING THIS PROGRAM WILL BE GIVEN OUT

Where:

When:

APPENDIX C

LISTING OF RESIDENCE, EMPLOYMENT,
HEALTH, SMOKING HABITS, AND PERSONAL DATA
FOR VOLUNTEER PARTICIPANTS

A listing of the keypunch card data for Card 2 (as defined in Appendix A) for all volunteer participants who successfully fulfilled the sample collections. The volunteer participants are identified by the assigned arbitrary three-digit ID number (columns 2-4) and this listing is ordered, numerically, regarding the ID number. Personal data for all human subjects on which the conclusions of this study are based are included in this listing. Conversely stated, data for persons who for some reason were not selected as participants or for some reason failed to complete the required sample collections (and, thus, were removed from the study data base) are not included in the listing.

APPENDIX D

CLINICAL DATA

Hematocrits

Coproporphyrin

Creatinine

Volume/Specific Gravity

Trace Elements - Blood

Cadmium, Copper, Lead, Manganese, Zinc

Trace Elements - Hair

Cadmium, Copper, Lead, Manganese, Zinc

Trace Elements - Urine

Cadmium, Copper, Lead, Manganese, Zinc

Trace Elements - Feces

Cadmium, Lead

Hematocrits

Coproporphyrin

Creatinine

Volume/Specific Gravity

HEMATOCRIT

GROUP NO. 1

[illegible]

GROUP NO. 1A

[illegible]

GROUP NO. 2A

[illegible]

GROUP NO. 3

[illegible]

GROUP NO. 3A

[illegible]

URINE - Creatinine

mg/100 ml

Group 1 (smokers)	Test				Group 1A (smokers)	Test			
	1	2	3	4		1	2	3	4
022	67.9	125.6	117.0	75.2	350	110.3	158.1	206.5	70.1
054	148.7	84.3	127.6	100.3	348	214.0	139.6	239.5	127.4
038	116.9	136.1	95.7	125.4	347	46.3	156.1	253.6	129.5
029	120.7	113.4	88.3	65.2	329	189.7	98.6	277.3	121.0
030	119.0	146.3	49.4	102.8	336	163.3	172.5	264.5	174.2
020	103.0	189.7	129.4	127.9	321	110.3	112.9	179.0	97.7
033	135.1	136.1	120.5	145.5	313	44.1	28.7	151.1	29.7
016	194.6	177.4	76.4	47.6	284	125.7	195.1	254.2	180.5
069	73.5	150.5	----	----	320	105.9	149.9	120.3	108.3
036	94.1	198.1	83.4	160.6	340	114.7	174.6	254.9	118.9
040	122.8	144.2	146.4	160.6	253	174.3	---	38.1	101.9
008	173.9	154.7	88.5	77.7	318	139.0	131.4	54.9	40.3
039	63.3	164.8	99.7	190.7	339	156.6	195.1	258.8	180.5
027	161.7	175.3	57.4	92.8	283	123.5	78.0	255.1	93.4
032	102.2	175.3	100.4	155.5	337	267.0	76.0	84.5	45.0
042	108.5	90.6	56.1	40.1	346	102.7	82.1	----	----
023	147.3	169.0	82.1	26.1	314	119.1	135.5	152.2	118.9
026	204.7	185.5	146.7	95.6	315	147.9	162.2	209.3	110.4
053	122.8	30.8	81.4	82.8	349	78.0	90.3	135.8	78.6
012	55.3	51.4	85.3	72.7	286	88.3	43.1	55.9	40.3
047	44.8	92.7	41.8	143.0	325	184.8	146.3	305.2	118.9
014	108.5	164.8	45.7	145.5	333	176.6	174.6	229.6	110.4
017	89.9	196.0	132.6	138.0	345	110.9	73.9	156.3	38.2
071	206.8	181.6	67.7	125.4	316	119.1	154.0	63.7	180.5
					331	154.0	88.3	167.2	104.0
(non smokers)					(non smokers)				
046	91.3	131.9	135.1	97.8					
035	119.0	74.2	61.8	47.6	323	200.8	225.9	262.8	159.3
024	150.8	181.6	88.0	107.9	312	260.6	156.1	292.0	150.9
013	180.6	247.4	233.3	130.4	347	46.3	156.1	253.6	129.5
019	144.5	144.2	50.2	125.4	334	192.0	193.0	144.9	----
015	168.0	144.2	106.1	165.6	285	211.8	----	202.8	140.2
049	122.8	154.7	109.6	140.5	326	141.2	92.4	163.3	106.2
055	118.6	127.7	83.8	82.8	258	118.3	123.2	186.2	97.7
034	46.9	76.3	29.0	62.7	343	176.5	205.4	271.9	116.8
045	114.4	102.9	74.2	75.2	327	133.5	108.8	283.2	108.5
067	151.5	247.4	108.8	125.4	330	39.0	63.6	164.1	63.7
070	106.4	105.0	70.0	148.0	351	201.3	225.9	266.9	131.7
					338	176.7	---	178.3	74.3
					324	127.3	92.4	271.9	89.2
					328	195.1	215.6	283.0	106.2
					341	188.9	149.9	190.2	93.4
					319	195.1	203.3	195.4	91.3

URINE - Creatinine

89

mg/100 ml

<u>Group 2</u> (smokers)	<u>T e s t</u>				<u>Group 2A</u> (smokers)	<u>T e s t</u>			
	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>		<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>
503	229.1	196.9	51.5	190.8	298	70.6	67.8	88.5	65.2
264	172.9	63.4	48.0	37.3	307	70.6	169.6	102.5	100.2
004	197.9	140.0	151.1	123.1	291	66.3	30.2	193.6	233.1
273	27.0	17.5	---	----	287	40.6	195.1	34.9	102.5
281	191.6	107.2	45.7	102.5	248	194.8	226.2	125.8	37.2
504	62.5	153.8	32.2	22.5	299	278.4	164.5	76.9	74.5
270	162.5	262.4	208.3	194.9	303	158.4	265.1	144.5	95.5
262	181.2	249.9	82.4	----	401	128.4	36.4	221.4	100.2
266	----	135.6	84.7	100.5	309	299.8	226.2	158.5	125.8
405	172.9	236.6	128.2	246.2	305	126.3	215.2	195.8	195.1
066	108.3	61.5	215.2	----	288	201.3	168.6	111.8	186.4
058	----	287.0	208.3	114.8	292	181.6	106.9	163.1	116.5
002	56.2	54.7	70.9	86.1	601	199.6	39.0	67.6	186.4
275	93.7	118.1	100.7	114.8	261	167.7	167.3	83.9	181.8
061	187.5	168.5	145.9	61.5	250	53.9	203.6	144.5	----
(non smokers)					(non smokers)				
279	79.1	39.3	27.4	63.6	246	205.5	308.5	97.9	88.5
003	145.8	295.0	206.0	147.7	259	253.5	308.5	76.9	----
001	108.3	176.3	98.4	118.9	304	288.6	246.8	130.5	144.5
502	291.7	148.8	194.6	88.2	249	273.0	90.3	165.5	149.1
269	210.4	120.3	155.7	162.0	257	278.4	64.5	58.2	132.8
402	147.9	111.6	77.8	96.4	400	175.6	294.8	102.5	191.1
404	191.6	225.5	27.4	182.6	251	321.2	133.7	86.2	114.2
006	154.1	246.0	119.0	110.7	255	219.6	100.7	102.5	167.8
005	284.5	266.5	107.6	----	290	175.6	123.4	135.2	144.5
065	22.9	34.8	20.6	32.1	301	83.7	70.8	149.1	139.8
276	158.3	164.0	70.9	----					
501	208.3	218.8	171.7	164.1					
278	166.6	109.4	162.5	57.4					
505	162.5	262.6	194.6	180.5					
277	166.6	164.1	167.1	77.9					
271	143.7	144.4	100.7	142.2					

URINE - Creatinine

mg/100 ml

90<

Group 3 (smokers)	Test				Group 3A (smokers)	Test			
	1	2	3	4		1	2	3	4
112	167.4	150.2	134.8	273.9	091	31.3	39.7	19.0	50.9
141	44.1	106.3	109.5	178.9	131	54.1	99.2	----	----
180	277.0	212.7	162.2	132.7	227	133.9	114.1	196.3	135.8
142	53.4	217.4	258.6	208.5	245	98.7	124.1	247.2	189.4
221	72.0	97.1	185.4	134.8	226	19.9	4.9	212.3	53.0
187	97.5	161.9	----	----	126	148.1	52.1	89.1	201.5
236	174.2	180.4	----	----	229	156.7	100.1	157.0	201.5
149	209.1	178.6	139.0	84.2	195	62.6	91.8	212.1	201.5
176	116.1	277.5	231.7	71.6	233	94.0	63.2	80.6	97.6
600	94.9	80.9	75.8	195.9	175	71.2	69.5	148.5	144.2
139	58.0	141.0	159.2	94.6	157	110.9	144.1	180.3	167.6
230	58.1	283.3	37.9	168.5	209	173.8	---	196.3	167.6
204	197.5	215.1	252.8	269.6	188	185.2	91.8	63.6	233.4
210	174.2	141.0	160.1	179.0	123	46.4	19.5	82.7	57.2
098	83.6	194.2	158.0	255.0	182	193.7	147.8	---	212.1
122	233.6	69.3	111.6	252.8	214	136.7	91.8	---	----
(non smokers)					186	39.8	32.2	44.5	106.0
					172	113.9	176.2	70.0	----
					244	113.1	101.6	133.9	161.6
					109	101.6	129.3	157.0	219.4
111	278.8	231.2	126.4	139.0	169	83.1	97.0	129.3	----
311	90.6	122.5	111.6	130.6	(non smokers)				
133	134.7	254.4	88.4	210.6	165	136.7	76.9	178.2	127.3
203	148.7	120.2	80.0	----	083	162.4	139.0	228.8	123.0
297	130.1	----	126.4	109.5	136	151.0	121.6	116.7	131.5
080	174.2	96.8	153.8	120.0	215	156.7	89.3	254.6	----
161	183.5	129.5	----	153.8	160	196.6	96.8	----	----
177	197.5	---	126.4	168.5	120	79.7	69.5	166.3	115.4
110	199.8	173.4	103.2	69.1	097	170.9	111.7	275.8	----
224	92.9	168.8	111.6	187.4	213	133.9	94.3	256.4	190.9
129	69.7	124.9	103.2	252.8	225	105.4	99.2	133.6	233.4
296	230.0	219.7	210.6	273.9	134	79.7	81.9	73.3	106.0
222	125.4	161.9	179.0	42.9	166	48.4	35.1	---	----
094	144.0	80.9	115.8	130.6	125	99.7	38.1	108.2	73.3
					170	56.9	194.1	89.1	275.8
					234	207.8	177.8	92.3	177.8
					118	64.6	103.9	---	147.8

URINE - Coproporphyrin

91

$\mu\text{g}/100 \text{ ml urine}$

Group 1 (smokers)	Test				Group 1A (smokers)	Test			
	1	2	3	4		1	2	3	4
022	3.5	4.5	2.3	1.1	350	2.1	4.9	4.4	1.5
054	7.3	9.3	4.9	2.2	348	4.0	4.5	1.9	1.8
038	2.5	1.1	1.3	2.0	347	2.5	7.5	1.9	2.4
029	7.0	6.6	4.1	1.1	329	1.3	4.4	2.2	4.8
030	6.0	4.9	1.4	1.8	336	7.9	3.3	1.3	3.6
020	6.3	1.9	3.0	0.4	321	9.4	4.4	4.4	6.9
033	2.6	3.1	0.4	0.5	313	1.0	1.3	0.9	0.9
016	6.0	2.3	0.5	0.8	284	5.6	6.1	5.3	1.6
069	3.6	3.7	---	---	320	4.3	7.1	4.7	3.2
036	3.1	3.5	0.2	0.7	340	3.0	7.1	2.6	3.9
040	2.3	5.9	2.0	1.0	253	1.3	---	2.0	3.3
008	5.8	3.1	0.7	0.8	318	4.0	8.5	1.1	2.2
039	1.5	5.0	2.4	1.1	339	4.2	2.8	1.5	2.3
027	1.5	3.5	1.6	1.8	283	6.1	5.0	2.7	5.7
032	9.9	9.4	3.0	5.6	337	1.1	2.5	2.7	2.6
042	2.4	1.5	2.0	0.8	346	2.5	0.3	---	---
023	8.7	0.8	2.3	0.8	314	2.8	4.5	3.7	1.8
026	4.7	3.4	1.8	1.1	315	3.8	4.5	1.2	0.8
053	8.1	2.9	2.2	2.2	349	1.2	6.3	1.9	6.8
012	1.3	5.0	0.8	1.2	286	3.0	2.8	1.5	1.1
047	1.8	3.4	0.8	2.1	325	2.2	7.4	5.3	1.8
014	2.5	5.9	0.9	2.2	333	8.1	1.3	3.9	4.7
017	0.4	5.7	1.8	0.9	345	2.1	6.1	2.6	1.5
071	5.2	7.4	0.2	1.2	316	1.8	8.9	1.4	5.5
					331	3.3	5.6	1.1	1.9
(non smokers)					(non smokers)				
046	3.0	3.2	2.2	2.0					
035	9.7	1.1	1.2	0.5	323	2.2	4.0	1.8	2.0
024	3.3	3.0	1.4	1.5	312	7.9	4.5	1.3	---
013	6.4	7.8	4.1	2.9	334	10.7	9.4	12.8	---
019	10.0	2.4	3.3	1.0	285	5.0	---	0.8	4.0
015	4.2	2.1	0.9	1.0	326	7.6	3.0	1.2	3.3
049	2.5	3.3	0.8	0.4	258	2.6	4.2	0.4	3.9
055	8.4	11.2	2.1	1.1	343	9.2	9.2	1.1	2.7
034	1.0	2.9	0.4	1.2	327	1.8	3.5	0.9	3.9
045	5.7	3.7	1.2	0.8	330	0.3	0.4	0.9	1.3
067	9.6	9.5	4.0	2.2	351	6.0	6.1	3.7	5.4
070	3.1	3.2	1.0	1.4	338	1.4	---	4.6	2.2
					324	0.2	3.4	0.8	2.0
					328	8.9	8.9	0.9	2.3
					341	5.6	4.4	0.6	4.1
					319	5.4	8.1	3.4	4.7

URINE - Coproporphyrin $\mu\text{g}/100 \text{ ml urine}$

<u>Group 2</u> (smokers)	<u>Test</u>				<u>Group 2A</u> (smokers)	<u>Test</u>			
	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>		<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>
503	0.4	0.4	1.3	2.7	298	2.4	0.4	4.3	6.2
264	4.2	2.5	2.6	3.0	307	1.2	1.7	1.7	3.6
004	11.1	8.1	9.5	5.8	291	0.4	0.7	1.5	1.5
273	1.4	0.8	---	---	287	1.9	2.8	1.8	2.6
281	5.6	1.7	1.6	2.9	248	12.3	6.2	2.8	2.1
504	2.7	1.6	2.9	2.0	299	3.8	2.9	0.8	4.7
270	7.0	17.0	5.0	11.4	303	2.0	0.3	2.0	3.5
262	16.6	23.3	1.8	---	401	0.2	1.5	2.3	3.3
266	---	3.3	3.3	1.3	309	9.5	2.0	2.1	2.7
405	---	---	1.3	2.6	305	0.6	2.5	1.1	3.8
066	6.0	3.6	2.3	---	288	13.8	1.3	4.1	7.1
058	---	4.7	6.7	3.6	292	1.1	1.3	1.5	6.3
002	2.4	2.0	0.8	1.5	601	6.3	0.5	0.7	2.2
275	23.3	16.3	1.9	0.6	261	2.4	1.5	4.0	3.0
061	4.3	5.4	2.9	2.5	250	0.8	3.0	4.1	---
(non smokers)					(non smokers)				
279	6.0	1.9	0.8	1.1	246	6.5	3.3	2.0	3.8
003	2.8	0.6	0.9	3.4	259	9.4	5.2	0.8	---
001	9.7	1.0	2.3	4.0	304	3.7	3.9	3.1	7.3
502	6.9	3.5	3.0	3.9	249	4.4	1.1	1.1	1.6
269	9.4	2.9	4.3	2.9	257	10.8	1.3	3.3	3.2
402	14.0	2.0	2.7	2.6	400	4.5	2.0	1.8	4.1
404	6.3	8.8	1.1	4.4	251	8.6	4.4	2.3	3.2
006	5.5	7.7	2.0	0.8	255	6.6	5.2	0.8	1.6
005	0.4	6.7	1.5	---	290	4.5	0.5	2.2	1.0
065	2.2	2.6	1.3	1.5	301	1.2	1.8	2.1	1.7
276	5.2	4.3	0.8	---					
501	4.3	8.6	2.0	2.3					
278	6.5	2.3	0.8	1.1					
505	4.9	6.8	2.6	2.2					
277	2.9	3.5	1.6	1.9					
271	2.5	---	1.2	2.0					

URINE - Coproporphyrin

93<

µg/100 ml urine

Group 3 (smokers)	Test				Group 3A (smokers)	Test			
	1	2	3	4		1	2	3	4
112	1.2	2.2	1.6	4.5	091	0.4	0.8	0.9	2.9
141	1.7	1.4	1.0	---	131	1.2	2.0	---	---
180	9.5	2.7	1.1	2.2	227	1.2	1.2	2.6	2.5
142	2.2	5.1	---	3.9	245	2.0	2.3	4.0	2.3
294	1.7	---	---	---	226	0.8	0.2	0.8	0.5
295	2.9	3.2	---	---	126	1.8	1.7	2.0	2.0
221	1.4	1.5	3.6	6.4	229	1.5	0.8	3.6	4.4
187	4.5	3.5	---	---	195	1.8	2.5	3.6	4.1
236	4.1	1.2	---	---	233	1.8	1.1	0.8	2.2
149	6.9	1.4	5.0	1.6	175	3.3	1.6	2.0	3.4
176	1.1	5.8	10.3	2.9	157	0.9	1.3	1.5	3.0
600	---	2.2	7.7	5.7	209	1.6	---	2.7	5.1
139	1.2	1.9	2.2	0.9	188	3.6	2.1	2.6	6.5
230	1.1	4.3	1.6	3.2	123	0.6	0.4	2.6	1.8
204	0.5	6.2	2.7	4.8	182	0.9	6.1	---	1.9
210	2.4	3.9	5.4	5.5	214	1.6	3.1	---	---
098	2.1	2.1	5.9	11.8	186	4.4	0.8	3.2	5.0
122	3.0	1.5	2.2	3.9	172	1.6	6.7	4.4	---
					244	1.8	1.5	3.5	1.9
					109	2.3	2.1	---	---
					169	2.5	0.4	---	---
(non smokers)					(non smokers)				
111	8.2	3.2	3.2	3.5					
311	3.2	3.2	1.2	4.6					
133	6.8	2.5	2.2	2.3					
203	1.9	1.9	1.8	---	165	2.3	0.5	3.4	3.2
297	2.2	---	7.0	2.3	083	2.0	1.5	4.7	1.3
080	1.7	1.1	8.5	1.6	136	5.7	3.3	2.2	2.9
161	4.5	3.6	---	3.0	215	2.2	1.7	4.0	---
177	2.7	---	4.3	1.9	160	2.0	0.8	---	---
110	8.8	1.7	6.4	---	120	1.2	0.6	1.6	2.0
224	0.5	0.7	0.8	0.5	097	1.5	2.6	5.8	---
129	3.8	3.0	3.2	6.8	213	2.7	1.4	4.1	5.8
296	2.1	3.7	3.5	6.8	225	1.6	2.2	2.9	5.1
222	1.9	4.8	5.8	2.3	134	1.5	0.5	2.0	2.3
094	2.1	2.5	2.7	3.9	166	3.6	1.3	---	---
					125	1.1	0.5	2.3	0.4
					170	0.5	1.2	2.5	3.2
					234	3.4	1.6	0.5	1.7
					118	0.8	1.8	---	---

91-

Volume
(ml)

Specific Gravity

[illegible]

954

Volume
(ml)

Specific Gravity

[illegible]

96A

Volume
(ml)

Specific Gravity

[illegible]

97

[illegible]

384

[illegible]

99.

Volume
(ml)

Specific Gravity

[illegible]

100<

Trace Elements in Blood

BLOOD - Cadmium

101<

µg/100 ml Blood

<u>Group 1</u> (smokers)	<u>T e s t</u>				<u>Group 1A</u> (smokers)	<u>T e s t</u>			
	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>		<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>
022	1.36	0.27	0.76	0.43	350	0.99	0	0.29	3.32
054	0.76	0.19	0.59	0.41	348	0.47	1.00	2.39	0.71
038	0.41	1.16	0.28	0.32	347	2.97	0	0.38	1.78
029	0.50	4.75	0.54	0.32	329	3.08	0.88	0.49	1.33
030	0.63	0.57	0.76	0.73	336	0.21	0	0.41	1.51
020	0.68	0.64	0.78	0.73	321	--	0.22	0.27	1.25
033	0.29	0.31	0.35	0	313	0.42	0.31	0.17	1.11
016	0.50	0.31	0.11	0.42	284	0.61	0	0.15	0.80
069	0.72	0.17	--	0.30	320	0.11	0.41	0.17	1.70
036	0.54	0.36	0.78	0.39	340	0.18	0	0.14	1.51
040	0.26	0.18	0.60	0.35	253	0.08	0	0.41	1.73
008	0.40	0.18	0.33	0.50	318	0.14	0	0.19	0.68
039	0.48	0.57	0	--	339	0.96	0	0.55	1.41
027	0.38	0.57	0.70	0.68	283	0.44	1.70	0.31	0.87
032	0.31	0.33	0.25	0.25	337	0.24	0.64	0.21	1.55
042	0.39	0.69	0.53	0.37	346	1.64	0.29	--	--
023	0.27	0.87	0.18	0.25	314	0.36	1.47	0.28	1.03
026	0.42	0.54	0	0.18	315	0.65	0.22	0.22	2.25
053	--	0.62	0.18	0.17	349	--	0.42	0.22	1.64
012	0.43	0.75	0.63	1.45	286	0.55	0.30	0.78	2.41
047	0.37	0.46	0.30	0.39	325	0.40	0.30	0.25	5.86
014	0.35	0.23	0	0.10	333	0.76	0.23	0.33	2.42
017	6.3	0.30	0.33	--	345	0.21	0.21	0.25	2.67
071	0.54	0.47	0	0.49	316	0.16	0	0.39	1.92
					331	0.31	0.21	0.32	3.10
					352	1.27	0.35	--	--
(non smokers)									
046	--	0.26	--	0.27					
035	0.60	0.63	0.59	0.33	(non smokers)				
024	0.82	0.46	0.90	0.21	323	0.42	0	0	0.91
013	0.37	0.46	0.90	0.56	312	--	0.47	0.94	1.77
019	0.36	0.39	0.25	0.97	334	0.21	0	0.25	--
015	0.32	0.23	0.14	0	285	0.38	0.35	0.56	0.63
049	0.51	0.44	0.16	0.26	326	0.46	2.12	0.15	0.55
055	0.36	0.57	0.23	0.21	258	0.38	1.34	0.26	0.61
034	0.21	0.78	0.22	0.21	343	0.63	0	0.30	1.10
045	0.27	0.42	0	0.27	327	2.47	1.60	0.18	0.90
067	0.56	0.09	0.21	0.33	330	0.41	0	0.25	1.04
070	0.75	0.13	0	0.10	351	0.17	0.35	0.28	1.48
					338	0.08	--	0.22	1.46
					324	0.19	0.18	0.20	0.49
					328	0.36	1.35	0	0.81
					341	0.13	0.27	0.30	1.20
					319	0	0.54	0.25	1.71

<u>Group 2</u>					<u>Group 2A</u>				
(smokers)					(smokers)				
	<u>1</u>	<u>Test</u> <u>2</u>	<u>3</u>	<u>4</u>		<u>1</u>	<u>Test</u> <u>2</u>	<u>3</u>	<u>4</u>
503	0.47	0.65	0.48	0.14	298	0.39	0.15	0.22	0.23
264	0.91	1.27	0.38	0.27	307	0.14	0.25	0.25	0.31
004	0.42	0.74	0.26	0.30	291	0.29	0.29	0.26	0.15
273	0.62	0.82	0.26	0.27	287	0.24	0.29	0.26	0.09
281	1.84	1.35	0.17	0.23	248	0.28	0.94	0.51	0.17
504	1.13	--	0.39	0.19	299	0.09	0.43	0.20	0.17
270	0.22	0.50	0.30	0.30	303	0.32	2.14	0	0
262	1.55	0.32	0.27	--	401	0.42	0.46	0.20	0.33
266	0.28	0.92	0.39	--	309	0.54	0.25	0.41	0.20
405	0.33	0.51	0.25	0.32	305	0.18	0.15	0.23	0.18
066	0.77	0.96	0.29	--	288	0.25	0.25	0.23	0.24
058	0.75	0.82	0.40	0.29	292	--	0.36	0.28	0.20
002	0.32	0.37	0.34	0.16	601	--	0.15	0.54	0.35
275	0.46	0.89	0.26	0.25	261	0.37	0.99	0.23	0.69
061	0.99	0.62	0.21	0.28	250	0.17	0.99	0.20	0.29
(non smokers)					(non smokers)				
279	0.42	3.17	0.15	0.12	246	0.52	1.73	0.11	0.16
003	1.09	0.44	0.31	0.12	259	0.44	0.46	0.08	0.14
001	--	0.62	0.36	0.17	304	0.86	0.33	0.36	0.19
502	0.39	1.17	0.23	1.25	249	2.86	0.69	0.31	0.09
269	0.84	0.44	0.21	0.21	257	2.31	0.35	0	0.31
500	0.25	--	0.20	--	400	0.32	0.55	0.28	0.20
402	0.92	0.59	0.33	0.17	251	0.15	0.21	0.15	0.18
404	0.41	0.32	0.23	0.20	255	0.26	0.25	0.34	0.31
006	0.24	0.32	0.16	0.21	290	0.36	0.31	0.11	0.29
005	0.53	2.39	0.59	0.12	301	0.11	0.15	0.18	0.12
065	0.34	0.48	0.13	0.21					
276	0.36	0.85	0.14	--					
501	0.90	0.66	0.15	0.15					
278	0.51	1.05	0.20	0.22					
505	3.03	0.55	0.22	0.44					
277	1.64	0.57	0.17	0.17					
271	0.93	0.62	0.09	0.13					

BLOOD - Cadmium

103

µg/100 ml Blood

Group 3 (smokers)	Test				Group 3A (smokers)	Test			
	1	2	3	4		1	2	3	4
112	0.22	0.17	0.66	0.72	091	0.86	0.25	0.17	0.14
141	0.19	0.17	0.70	0.46	131	0.30	0.58	--	--
180	0.29	0.15	0.84	0.87	227	0.93	0.24	0.47	0.19
142	1.28	0.64	0.37	1.79	245	0.63	3.02	0.30	0.12
294	2.00	0.44	--	--	206	1.86	0.30	--	--
295	0.18	0.32	--	--	226	0.29	0.60	0.23	0.47
221	0.11	2.48	0.96	1.07	126	0.33	0.56	0	0.21
187	2.61	0.23	--	--	229	2.04	0.93	0.28	0.16
236	0.24	0.17	--	--	195	0.79	0.44	0	0.10
149	0.91	0.14	0.72	1.22	233	9.31	0.36	0.28	0.16
176	0.97	1.47	0.75	0.33	175	0.69	0.40	0.28	0.11
600	0.30	0.18	1.03	1.92	157	2.20	0.73	0.49	0.13
139	0.48	0.18	0.56	1.92	209	0.26	1.09	0	0.21
230	0.18	0.49	0.49	1.18	188	2.56	0.59	0.25	0.40
204	0.36	3.63	0.76	2.51	123	1.70	0.50	0.39	0.27
210	0.30	2.25	1.20	0.26	182	0.34	0.23	0.16	0.62
098	0.44	1.23	0.89	0.97	214	0.59	--	0.20	--
122	0.50	0.51	0.61	0.24	186	0.32	0.18	0.62	0.24
					172	0.59	2.52	0.16	0.27
					244	0.98	0.32	0.35	0.24
					109	0.20	0.34	0.16	0.31
					169	0.43	0.46	0.11	--
(non smokers)					(non smokers)				
111	5.27	1.18	1.34	0.59	165	0.76	0.22	0.21	0
311	0.18	0.36	0.78	0.94	083	1.20	0.86	0.34	0.11
133	3.71	1.04	0.90	1.18	136	0.33	0.33	0.57	0.24
203	0.93	0.25	1.00	2.11	215	14.63	0.53	0.30	--
297	0.30	0.20	0.74	0.39	160	9.31	0.71	--	--
080	0.18	0.39	1.02	0.61	120	0.43	0.47	0.42	0.14
161	1.27	0.31	0.89	0	097	0.08	0.30	0.34	0.12
177	0.85	1.02	0.77	0	213	0.35	0.52	0.38	0.18
110	0.36	0.14	1.47	0	225	1.74	0.41	0.43	0
224	2.84	0.49	0.69	0	134	0.46	0.29	0.64	0.33
129	0.24	3.02	0.78	0	166	2.56	3.58	--	--
296	0.42	0.66	1.03	2.51	125	1.00	0.18	0.27	0.33
222	0.18	8.70	1.03	1.63	170	0.38	0.25	0.23	0
094	0.42	0.77	1.50	0.37	234	0.21	0.27	0.14	0.60
					118	2.64	1.71	--	0.22

BLOOD - Copper

1001

µg/100 ml whole blood

Group 1 (smokers)	Test				Group 1A (smokers)	Test			
	1	2	3	4		1	2	3	4
022	82.9	86.7	64.6	49.3	350	74.0	72.0	75.2	75.4
054	93.4	55.2	-	53.3	348	79.5	78.1	77.3	63.8
038	72.0	49.9	43.9	37.3	347	86.4	93.7	61.2	70.8
029	99.2	76.2	58.8	44.7	329	86.4	112.9	63.4	69.6
030	77.0	85.0	60.5	41.3	336	108.3	112.9	91.3	80.0
020	65.0	55.4	50.5	76.9	321	-	99.9	82.7	93.5
033	115.5	54.4	44.7	51.0	313	85.0	96.7	69.8	88.8
016	82.9	45.7	70.4	63.0	284	55.2	62.3	59.1	65.1
069	79.4	62.2	-	51.9	320	58.6	74.1	80.6	85.2
036	108.5	82.6	67.1	60.2	340	71.8	69.8	55.9	73.4
040	75.9	55.4	57.2	42.6	253	106.1	74.1	69.8	73.4
008	73.5	37.9	37.3	67.1	318	65.2	93.4	66.6	76.9
039	77.0	40.8	39.7	-	339	72.9	67.7	91.3	76.9
027	87.5	53.1	54.0	48.3	283	70.7	56.9	66.8	78.5
032	95.7	55.5	54.0	53.0	337	65.5	69.2	72.2	89.8
042	85.2	57.2	57.2	93.0	346	62.3	51.9	-	
023	96.9	58.0	54.0	64.0	314	85.9	68.2	83.2	80.7
026	72.4	53.1	48.5	65.0	315	82.7	73.3	78.8	75.1
053	-	46.6	42.1	61.0	349	-	66.1	65.7	73.9
012	91.0	75.2	79.2	101.0	286	69.1	42.0	63.4	69.6
047	110.9	51.7	59.6	62.0	325	62.1	54.0	60.1	60.3
014	78.2	51.7	46.6	60.0	333	79.7	72.0	69.8	75.4
017	93.4	54.2	48.2	51.0	345	75.0	56.0	72.0	83.5
071	99.2	73.3	50.6	75.0	316	76.2	61.0	65.5	69.6
					331	72.6	75.0	92.4	55.7
(non smokers)					(non smokers)				
046	-	49.9	38.1	40.0	323	97.4	85.3	62.3	66.1
035	107.0	42.9	64.6	46.0	312	-	75.7	72.0	63.8
024	70.0	42.1	50.5	40.7	334	87.8	81.7	66.6	-
013	119.0	77.1	79.0	58.7	285	74.0	73.3	60.1	96.3
019	61.9	47.3	57.2	29.3	326	120.7	116.5	68.7	95.1
015	92.2	65.1	63.0	52.8	258	65.2	72.0	70.0	75.8
049	108.5	48.6	38.9	39.4	343	78.4	63.4	55.9	42.6
055	58.4	55.5	36.5	44.0	327	106.1	52.9	65.5	63.7
034	75.9	58.8	47.7	63.0	330	62.3	73.3	106.2	76.2
045	75.9	49.8	42.1	51.0	351	70.9	100.7	68.9	66.0
067	107.4	55.8	52.3	40.0	338	67.7	-	64.6	75.1
070	95.7	53.3	43.3	47.0	324	78.4	61.0	67.8	74.2
					328	97.7	77.0	83.8	94.0
					341	83.2	77.0	67.7	66.1
					319	69.1	58.0	67.7	71.9

BLOOD - Copper

µg/100 ml whole blood

105

Group 2 (smokers)	Test				Group 2A (smokers)	Test			
	1	2	3	4		1	2	3	4
503	77.3	74.3	58.0	57.1	298	67.9	55.1	57.3	102.1
264	59.0	71.2	41.0	50.8	307	44.7	63.1	45.8	82.4
004	143.5	102.8	67.8	65.3	291	51.4	42.8	41.5	76.6
273	67.2	65.1	53.5	50.8	287	43.9	37.0	42.2	80.0
281	77.3	60.0	57.1	60.7	248	39.8	38.4	43.0	60.3
504	62.1	----	47.3	49.8	299	67.1	54.4	53.0	88.2
270	68.4	63.2	64.2	77.9	303	55.5	47.1	51.6	91.6
262	58.0	65.8	44.6	----	401	47.2	49.3	58.0	89.3
266	74.4	44.1	53.5	----	309	71.3	66.0	60.8	110.2
405	56.3	80.5	55.3	58.0	305	50.5	43.5	48.8	75.4
066	77.9	77.9	75.8	----	288	46.4	51.6	46.7	81.2
058	68.4	91.8	68.7	63.2	292	----	57.3	43.9	100.5
002	----	105.1	58.0	49.3	601	----	39.2	41.7	100.5
275	60.0	58.0	53.2	51.7	261	44.7	55.1	48.8	70.9
061	81.4	87.9	69.4	64.3	250	45.6	45.7	50.9	98.0
(non smokers)					(non smokers)				
279	64.1	67.2	55.3	50.8	246	53.0	43.5	41.5	71.9
003	86.5	103.8	67.8	70.7	259	49.7	39.9	40.1	67.3
001	----	63.1	54.4	54.4	304	69.6	50.0	48.8	89.3
502	66.1	78.4	57.1	54.4	249	48.1	49.3	46.0	82.4
269	108.9	61.5	66.9	58.0	257	48.9	54.5	45.3	80.0
500	88.3	----	45.5	----	400	46.4	40.6	43.1	68.4
402	42.4	46.7	60.7	67.5	251	44.7	39.9	43.9	68.4
404	93.5	77.0	97.3	70.1	255	55.5	42.1	51.6	76.6
006	64.1	60.6	52.3	50.2	290	47.4	50.8	46.7	104.4
005	87.5	77.9	65.6	60.6	301	52.2	39.9	37.5	82.5
065	87.5	89.7	66.6	63.2					
276	67.2	47.1	37.1	----					
501	53.9	79.8	48.5	41.5					
278	58.0	85.2	59.0	38.4					
505	93.6	126.0	84.6	51.7					
277	67.2	64.3	68.5	57.2					
271	71.2	82.5	64.7	65.8					

BLOOD - Lead

106

µg/100 ml whole blood

<u>Group 1</u> (smokers)	<u>T e s t</u>				<u>Group 1A</u> (smokers)	<u>T e s t</u>			
	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>		<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>
022	26.7	40.2	23.2	35.5	350	17.0	21.6	19.7	7.6
054	22.8	39.1	17.9	29.3	348	12.6	23.7	14.2	10.7
038	26.7	16.4	16.9	23.4	347	16.3	27.4	18.1	18.4
029	20.3	20.3	15.6	15.7	329	14.8	23.7	20.5	14.5
030	23.1	23.1	13.8	18.7	336	13.3	21.1	13.0	----
020	20.8	22.4	20.7	16.2	321	----	----	24.4	19.9
033	24.4	26.6	12.0	16.7	313	25.9	13.7	13.4	14.1
016	25.3	36.7	9.3	15.3	284	20.0	29.5	14.9	12.2
069	38.9	27.6	----	9.3	320	22.7	21.6	17.3	15.4
036	18.3	46.1	18.9	15.7	340	17.4	17.9	16.5	11.9
040	21.7	16.2	14.4	17.7	253	40.1	42.1	36.2	20.8
008	30.6	20.5	19.1	11.3	318	28.8	21.1	19.2	9.5
039	30.3	35.0	18.6	----	339	12.2	24.2	36.4	8.9
027	32.8	22.6	12.2	16.2	283	25.3	10.2	13.9	12.5
032	22.1	20.5	16.0	21.6	337	33.1	24.9	33.1	32.1
042	25.8	29.6	18.4	16.7	346	20.0	16.1	----	----
023	26.8	41.8	17.3	14.1	314	21.8	22.9	15.9	17.7
026	21.9	27.9	17.2	17.8	315	21.8	17.6	17.9	14.0
053	19.1	24.6	18.8	15.0	349	----	----	15.9	10.3
012	10.9	13.9	18.8	46.0	286	19.2	37.1	17.6	21.3
047	18.4	17.6	33.6	48.8	325	17.3	14.8	17.6	13.3
014	18.9	17.4	23.0	40.8	333	5.8	12.6	4.6	10.0
017	19.1	27.2	22.3	66.7	345	12.2	28.1	17.6	17.3
071	30.8	25.2	18.8	35.7	316	14.7	19.3	21.4	17.3
					331	16.6	23.0	15.3	12.7
(non smokers)					(non smokers)				
046	----	28.0	13.4	23.0	323	14.1	21.1	15.7	14.5
035	24.7	22.0	11.6	16.0	312	----	---	16.5	16.1
024	19.2	28.0	7.8	19.5	334	14.1	28.9	13.4	----
013	24.4	22.4	21.7	32.5	285	17.0	22.1	13.4	13.0
019	26.7	19.9	13.6	26.3	326	20.0	28.4	14.9	16.8
015	23.3	27.3	17.6	24.6	258	16.6	13.7	12.6	7.9
049	19.6	28.6	10.1	11.8	343	19.2	21.5	16.5	16.5
055	22.1	30.3	23.9	24.6	327	32.2	17.6	25.8	38.8
034	26.3	22.2	8.0	24.9	330	22.7	19.5	17.2	12.2
045	26.6	38.1	27.3	13.1	351	13.9	18.5	17.2	15.0
067	56.6	15.1	17.2	24.4	338	10.9	44.9	9.9	12.2
070	30.8	18.1	17.6	23.5	324	7.7	25.4	19.8	13.0
					328	20.5	31.7	17.2	24.0
					341	9.6	13.7	13.2	7.3
					319	10.9	14.1	9.9	8.0

BLOOD - Copper

107

µg/100 ml whole blood

Group 3 (smokers)					Group 3A (smokers)				
Test					Test				
1	2	3	4		1	2	3	4	
112	74.3	67.2	64.0	54.8	091	54.8	52.3	50.0	51.5
141	153.6	104.0	200.6	131.0	131	62.2	47.5	---	---
180	145.5	139.9	152.2	113.9	227	80.1	46.6	88.3	91.7
142	83.4	66.3	105.0	74.1	245	61.2	43.7	51.8	62.7
295	68.2	84.7	---	---	206	90.5	78.0	---	---
221	61.1	62.6	68.9	65.5	226	58.9	79.8	71.4	88.9
187	83.0	75.0	---	---	126	84.3	79.8	88.4	63.0
236	78.0	60.0	---	---	229	69.8	68.9	112.3	79.9
149	59.0	93.0	52.1	60.1	195	105.1	106.0	99.4	96.7
176	77.0	103.0	124.8	101.5	233	104.2	116.9	95.7	97.5
600	136.7	160.1	128.8	88.0	175	66.2	69.8	82.9	77.3
139	126.4	158.9	135.7	108.7	157	41.7	48.0	95.7	44.6
230	135.7	172.8	77.7	78.7	209	47.5	52.6	44.2	52.1
204	61.1	82.4	114.2	51.6	188	88.8	100.8	85.6	122.7
210	110.8	106.7	81.0	70.6	123	88.8	71.4	81.6	75.0
098	144.0	146.2	110.5	115.9	182	50.1	45.5	67.9	83.9
122	109.8	111.4	88.4	62.2	214	46.6	---	45.2	---
(non smokers)					186	86.0	46.4	73.7	88.3
111	119.1	109.6	139.0	113.9	172	76.0	65.1	66.8	83.0
311	73.3	51.6	72.5	54.8	244	85.0	110.6	100.3	83.9
133	65.0	93.0	53.2	63.4	109	93.0	76.7	117.0	80.3
203	85.0	68.0	74.9	61.2	169	92.0	97.3	81.6	---
297	98.0	76.0	99.1	72.0	(non smokers)				
080	71.0	80.0	107.2	66.3	165	62.2	51.3	56.2	63.6
161	122.0	125.0	104.2	109.8	083	112.8	104.6	96.4	111.3
177	67.0	77.0	57.0	55.9	136	101.2	83.7	54.4	60.8
110	96.3	112.5	133.7	103.6	215	63.7	59.0	58.9	---
224	77.7	107.9	65.9	111.9	160	60.1	39.9	---	---
129	106.7	161.2	114.2	100.1	120	101.5	82.5	71.4	101.0
296	76.6	74.2	82.9	66.4	097	48.0	48.9	38.4	50.5
222	93.2	120.6	122.4	99.1	213	58.9	64.3	54.3	98.2
094	124.3	141.5	101.3	101.2	225	46.6	55.3	50.6	52.1
					134	93.2	63.4	85.5	70.6
					166	61.5	40.2	---	---
					125	100.2	100.8	90.4	109.8
					170	79.1	---	79.6	79.4
					234	59.0	66.9	66.8	67.8
					118	81.0	60.7	---	54.4

BLOOD - Lead $\mu\text{g}/100\text{ ml}$ whole blood

Group 2 (smokers)	Test				Group 2A (smokers)	Test			
	1	2	3	4		1	2	3	4
503	30.6	22.2	29.9	31.5	298	26.1	31.7	24.2	30.9
264	27.1	23.0	17.8	18.9	307	19.9	20.4	18.4	19.3
004	40.3	47.6	38.1	34.2	291	17.9	19.7	15.0	17.7
273	29.8	32.0	27.2	25.2	287	17.9	28.2	20.7	23.2
281	20.1	21.4	18.1	16.2	248	13.8	20.4	17.8	13.2
504	15.8	21.4	19.9	14.4	299	17.2	29.6	24.7	26.7
270	34.1	23.0	41.7	27.0	303	16.5	28.2	22.4	14.9
262	25.4	20.5	20.8	----	401	17.9	30.4	15.5	24.2
266	35.0	36.1	34.4	----	309	16.5	22.4	15.0	14.9
405	39.4	37.8	34.4	36.0	305	16.9	30.4	16.1	22.9
066	54.3	45.2	36.9	----	288	----	----	11.5	19.8
058	57.0	51.4	45.6	41.4	292	----	46.4	56.0	29.1
002	----	----	20.0	40.7	601	----	36.8	20.4	27.7
275	26.3	21.4	20.4	23.5	261	24.0	21.6	80.0	19.2
061	34.5	42.9	33.0	43.4	250	24.0	28.0	18.7	18.0
(non smokers)					(non smokers)				
279	27.1	23.0	17.8	18.9	246	21.3	25.4	17.3	17.7
003	28.9	27.9	29.0	23.4	259	9.6	19.0	17.8	20.4
001	----	31.2	27.2	19.8	304	11.0	39.2	12.7	9.9
502	21.9	19.7	21.8	19.8	249	16.5	25.6	15.0	19.8
269	27.1	44.4	30.8	29.7	257	13.8	19.2	9.2	14.3
500	24.5	----	18.1	----	400	14.1	23.2	29.3	19.2
402	15.0	21.4	13.4	11.5	251	12.7	17.6	29.3	14.9
404	29.3	19.3	15.7	20.4	255	21.1	18.4	21.3	14.3
006	30.0	36.4	26.7	29.3	290	----	19.2	24.0	18.6
005	40.5	43.9	31.4	37.5	301	16.9	20.0	8.0	8.5
065	41.3	66.4	37.7	43.9					
276	24.8	32.1	21.2	----					
501	24.0	15.0	21.2	23.5					
278	21.0	20.4	15.7	18.5					
505	19.5	42.9	26.7	18.5					
277	21.0	21.4	11.8	14.6					
271	22.5	26.8	20.4	30.5					

BLOOD - Lead $\mu\text{g}/100\text{ ml}$ whole blood

Group 3 (smokers)	Test				Group 3A (smokers)	Test			
	1	2	3	4		1	2	3	4
112	19.6	16.2	10.0	22.8	091	13.8	14.9	9.7	25.3
141	16.0	10.1	7.7	14.4	131	20.9	28.6	----	----
180	14.9	10.8	9.2	17.1	227	9.4	11.4	7.7	11.7
142	20.6	25.2	9.2	15.2	245	10.5	8.0	8.7	11.7
294	17.8	17.3	----	----	206	17.1	11.4	----	----
295	10.0	12.6	----	----	226	12.1	18.9	17.7	---
221	17.8	19.8	10.0	8.0	126	9.4	9.1	14.4	---
187	20.6	19.8	----	----	229	14.3	9.1	16.3	---
236	14.2	12.7	----	----	195	13.6	8.4	9.8	12.7
149	6.1	10.5	6.2	12.2	233	16.0	9.8	9.2	15.3
176	7.6	14.5	7.7	17.1	175	13.6	9.8	14.4	19.9
600	4.4	11.9	13.8	16.0	157	17.6	7.0	13.1	30.6
139	9.2	11.1	13.1	10.0	209	14.4	9.1	11.8	11.0
230	18.5	16.3	24.6	15.0	188	13.6	10.5	12.4	19.2
204	11.3	16.3	20.3	8.8	123	16.0	8.4	12.4	14.6
210	12.5	7.7	11.5	8.8	182	16.0	11.9	15.0	21.6
098	9.0	9.6	18.0	11.3	214	5.6	----	6.3	---
122	10.1	8.1	14.7	10.0	186	12.8	9.1	9.2	9.2
					172	21.6	16.4	11.2	16.0
					244	19.2	11.1	17.0	13.1
(non smokers)					109	12.6	7.7	7.3	9.7
111	14.9	10.8	8.1	15.2	169	9.1	10.1	7.8	----
311	20.0	17.3	8.1	15.2					
133	17.8	20.8	10.6	22.0	(non smokers)				
203	14.2	15.1	7.3	15.2	165	12.7	13.7	9.2	8.7
297	10.5	11.9	9.6	13.3	083	15.4	12.6	12.1	23.8
080	10.9	12.7	13.1	15.2	136	8.8	8.6	9.2	9.2
161	8.7	12.7	13.8	13.3	215	8.8	8.6	6.7	----
177	13.5	19.8	22.9	15.2	160	11.0	9.7	----	----
110	8.3	11.1	6.6	7.5	120	8.3	10.3	8.7	9.7
224	10.9	13.7	16.4	7.5	097	8.8	12.0	----	12.1
129	4.8	11.9	13.1	10.5	213	5.0	7.7	8.5	18.2
296	7.6	13.2	11.5	8.0	225	4.0	11.9	14.4	25.2
222	11.3	15.8	8.2	13.8	134	17.6	9.8	10.5	17.3
094	9.8	9.6	14.7	5.0	166	17.6	4.9	----	---
					125	8.0	18.9	9.8	20.4
					170	21.6	11.6	14.4	22.3
					234	----	10.6	9.7	7.3
					118	9.7	9.7	----	9.2

BLOOD - Manganese

µg/100 ml Blood

110

Group 1 (smokers)	Test				Group 1A (smokers)	Test			
	1	2	3	4		1	2	3	4
022	4.3	3.2	1.8	2.9	350	1.6	3.3	2.8	1.8
054	1.8	1.2	1.5	1.2	348	2.5	0.8	1.4	1.3
038	2.4	1.5	1.3	1.3	347	1.0	2.2	7.9	6.3
029	1.2	1.6	1.3	0.7	329	3.6	2.9	0.9	1.4
030	2.5	3.1	2.3	1.9	336	3.4	0.9	1.1	2.2
020	12.7	2.2	1.6	1.7	321	---	6.4	1.5	2.0
033	1.4	3.3	1.7	0.9	313	2.5	4.5	1.5	3.7
016	1.4	1.5	1.4	1.1	284	9.4	6.4	1.9	4.3
069	1.7	2.2	---	0.7	320	2.2	1.9	2.2	1.4
036	1.5	1.1	1.2	0.9	340	4.2	2.2	1.5	2.3
040	1.4	1.4	3.0	1.0	253	2.0	2.6	2.1	2.8
008	1.6	1.7	2.6	3.1	318	2.2	1.3	7.9	3.8
039	1.4	1.1	0.9	---	339	2.5	5.8	3.7	3.0
027	1.5	2.2	1.1	1.3	283	1.4	1.4	1.2	2.0
032	2.0	1.6	2.0	1.0	337	3.4	2.4	2.1	3.6
042	1.6	0.8	1.6	1.3	346	2.8	1.8	---	---
023	1.4	2.7	2.7	2.8	314	1.5	3.7	1.2	2.4
026	1.0	3.4	2.1	1.5	315	4.0	1.4	3.5	1.6
053	---	3.2	3.1	---	349	---	1.1	5.9	1.4
012	2.3	3.8	5.1	1.6	286	7.2	1.4	1.6	1.9
047	1.0	1.2	1.9	1.8	325	3.2	1.5	1.4	1.7
014	1.0	1.6	2.8	1.8	333	3.1	1.0	3.6	2.3
017	2.9	1.4	1.8	1.9	345	1.4	1.0	3.7	1.9
071	3.0	2.9	2.3	2.0	316	1.8	1.8	3.1	2.6
					331	5.3	3.4	4.8	2.9
(non smokers)					(non smokers)				
046	---	3.4	4.0	2.3					
035	2.1	1.9	1.2	2.6	323	1.0	2.1	0.5	0.6
024	1.6	1.1	1.4	1.2	312	---	10.8	1.5	1.8
013	1.7	2.0	1.5	3.1	334	10.0	6.4	1.2	---
019	1.7	2.3	2.1	1.4	285	0.8	2.2	1.7	2.0
015	1.6	1.7	1.4	2.0	326	2.2	2.8	0.8	3.7
049	1.8	2.2	2.6	1.4	258	1.8	1.7	4.7	2.5
055	2.2	1.7	2.8	1.6	343	7.2	2.5	2.3	2.9
034	4.8	3.1	2.0	1.6	327	4.9	1.5	4.0	4.8
045	1.7	1.4	2.5	1.1	330	3.3	1.9	1.3	2.0
067	3.0	1.3	1.9	0.8	351	1.8	1.9	1.5	4.1
070	1.3	1.8	2.4	2.4	338	3.1	---	3.0	2.2
					324	1.2	2.2	1.9	3.2
					328	1.4	1.7	4.8	2.6
					341	0.9	6.1	1.9	1.8
					319	1.6	2.0	0.8	2.9

BLOOD - Manganese $\mu\text{g}/100\text{ml Blood}$

<u>Group 2</u> (smokers)	<u>Test</u>				<u>Group 2A</u> (smokers)	<u>Test</u>			
	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>		<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>
503	5.1	2.0	1.5	3.6	298	1.9	2.7	1.1	1.7
264	1.7	1.5	1.3	2.1	307	3.7	3.7	2.1	1.5
004	2.6	2.3	4.4	4.3	291	3.4	2.2	5.3	1.5
273	3.9	2.4	1.7	3.2	287	4.9	2.4	1.5	2.1
281	2.5	3.2	1.9	3.7	248	1.9	2.6	2.1	2.3
504	2.0	--	2.3	1.3	299	3.2	2.2	1.8	1.1
270	2.3	2.7	2.4	2.9	303	2.6	2.8	2.4	1.8
262	1.6	1.8	3.0	---	401	2.4	2.6	3.1	1.4
266	1.1	2.9	2.6	---	309	2.7	1.9	1.4	1.4
405	1.4	2.9	1.7	2.2	305	2.4	1.6	2.0	1.8
066	2.4	1.5	1.9	---	288	---	---	2.0	1.7
058	2.0	3.5	2.7	1.6	292	---	1.1	.9	1.3
002	---	4.3	1.2	2.8	601	---	1.5	2.1	1.8
275	1.8	1.9	1.8	1.5	261	2.8	1.6	2.2	1.5
061	1.6	6.0	3.7	2.7	250	6.2	1.3	2.3	2.2
(non smokers)					(non smokers)				
279	2.9	1.5	1.9	---	246	1.8	2.2	.8	1.9
003	2.1	2.6	1.1	3.3	259	2.2	2.2	2.9	2.9
001	---	3.8	2.1	2.1	304	2.4	2.2	1.6	1.1
502	1.6	1.7	2.4	1.5	249	2.9	3.9	1.2	2.3
269	2.6	2.9	2.0	2.3	257	1.1	1.3	1.3	1.6
500	2.1	---	1.3	---	400	2.3	2.6	2.4	2.0
402	1.9	2.4	1.8	1.9	251	2.8	1.5	2.1	1.6
404	1.6	3.6	1.6	2.4	255	2.0	1.7	1.8	1.9
006	1.2	2.0	1.4	6.3	290	---	1.4	1.7	1.8
005	2.0	.9	2.3	2.9	301	1.7	1.3	1.8	1.0
065	1.8	0	3.2	3.3					
276	1.4	1.9	2.3	---					
501	2.7	2.7	3.1	3.4					
278	1.9	1.6	4.3	1.5					
505	2.5	3.1	2.0	2.5					
277	1.0	2.8	2.2	1.6					
271	1.5	1.4	1.4	2.6					

BLOOD - Manganese

µg/100 ml Blood

112

Group 3 (smokers)					Group 3A (smokers)				
Test					Test				
1	2	3	4		1	2	3	4	
112	2.3	1.7	3.6	2.0	091	2.4	2.9	1.1	2.1
141	2.8	2.5	2.3	4.0	131	1.4	3.7	---	---
180	2.9	1.7	2.0	3.0	227	3.7	3.4	3.0	2.9
142	2.9	1.6	3.2	2.9	245	1.6	2.5	2.6	2.8
295	1.1	1.3	---	---	206	1.9	2.4	---	---
221	1.7	2.3	1.5	1.2	226	2.9	1.6	2.0	2.3
187	1.4	1.3	---	---	126	1.9	1.7	1.0	1.5
236	2.4	1.7	---	---	229	3.2	2.6	1.9	3.1
149	2.4	2.4	1.9	2.3	195	2.4	3.9	2.2	1.8
176	1.6	2.4	4.4	2.2	233	2.9	2.9	1.4	1.4
600	---	1.7	1.6	1.6	175	1.7	3.3	1.8	2.3
139	1.9	2.4	1.7	3.7	157	1.9	2.4	2.1	1.7
230	2.9	2.4	1.9	4.7	209	2.3	1.9	2.5	2.9
204	1.6	1.6	2.0	2.0	188	2.5	2.4	2.3	2.6
210	1.2	1.0	1.4	1.4	123	2.5	3.3	1.2	1.6
098	3.0	1.9	2.8	4.1	182	3.4	2.5	2.6	3.1
122	1.6	2.2	1.3	1.6	214	4.5	1.2	2.0	---
					186	2.4	2.3	2.1	2.6
(non smokers)					172	2.1	2.5	2.5	---
					244	1.9	2.8	1.4	2.3
111	2.1	1.6	1.0	1.4	109	3.0	2.5	---	1.6
311	1.5	1.3	1.2	1.2	169	3.1	2.1	---	---
133	2.1	1.4	3.8	3.0					
203	1.8	1.7	1.8	2.0	(non smokers)				
297	2.1	2.5	2.1	3.0					
080	1.5	1.6	1.4	1.9	165	2.1	1.6	1.0	2.3
161	1.5	2.2	1.0	3.3	083	2.0	4.1	2.2	2.4
177	2.5	2.1	1.5	2.5	136	1.5	2.4	1.1	1.2
110	1.2	1.2	1.7	2.0	215	2.1	1.4	1.8	---
224	4.0	2.1	1.8	2.7	160	2.0	2.8	---	---
129	2.6	1.9	1.2	1.9	120	3.9	1.2	3.2	1.2
296	1.6	1.7	2.6	3.1	097	1.2	2.1	1.2	1.0
222	2.1	2.3	1.3	1.8	213	3.3	7.2	1.0	1.6
094	1.5	1.5	1.4	1.6	225	2.9	2.2	1.6	2.2
					134	1.6	2.3	2.7	2.6
					166	2.6	1.2	---	---
					125	3.2	2.9	2.7	3.0
					170	4.7	---	1.2	1.7
					234	2.1	1.2	2.5	3.1
					118	2.7	3.4	---	5.9

PLASMA - Zinc

µg/100 ml Plasma

113

<u>Group 1</u> (smokers)	<u>Test</u>				<u>Group 1A</u> (smokers)	<u>Test</u>			
	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>		<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>
022	310	400	300	360	350	362	292	218	278
054	362	360	284	362	348	370	396	310	382
038	346	432	300	278	347	340	354	282	356
029	342	372	292	384	329	292	292	280	330
030	334	350	306	312	336	314	276	316	316
020	320	302	292	292	321	378	328	242	316
033	398	400	338	356	313	382	378	280	312
016	378	492	352	380	284	362	254	256	304
069	468	410	---	344	320	280	324	---	294
036	374	392	338	254	340	306	300	196	368
040	312	396	356	260	253	376	206	234	242
008	336	370	346	308	318	350	280	266	386
039	308	320	312	---	339	376	236	266	382
027	378	380	262	332	283	366	312	322	346
032	320	432	320	406	337	296	296	284	268
042	344	382	398	326	346	300	382	---	---
023	330	540	338	386	314	310	236	276	290
026	330	261	288	302	315	322	268	280	268
053	402	325	264	362	349	426	306	284	264
012	326	296	338	260	286	320	284	252	322
047	406	367	324	244	325	354	314	280	294
014	336	293	346	362	333	398	328	350	378
017	382	341	332	344	345	256	278	218	348
071	360	319	364	270	316	362	264	262	318
					331	260	264	298	308
(non smokers)					(non smokers)				
046	310	332	292	256					
035	298	382	266	306	323	338	268	296	290
024	314	416	282	270	312	286	286	---	260
013	354	320	288	300	334	284	290	---	---
019	374	380	278	412	285	376	286	276	346
015	---	400	352	260	326	322	338	204	290
049	378	386	350	296	258	314	314	318	272
055	398	506	314	338	343	356	314	298	364
034	364	292	262	290	327	384	244	256	334
045	386	322	360	332	330	376	268	238	308
067	340	312	348	282	351	292	260	274	286
070	386	328	306	296	338	346	---	246	334
					324	396	298	312	326
					328	372	278	288	304
					341	352	302	232	268
					319	382	308	308	316

PLASMA - Z i n c $\mu\text{g}/100\text{ ml Plasma}$

<u>Group 2</u> (smokers)	<u>1</u>	<u>T e s t</u> <u>2</u>	<u>3</u>	<u>4</u>	<u>Group 2A</u> (smokers)	<u>1</u>	<u>T e s t</u> <u>2</u>	<u>3</u>	<u>4</u>
503	349	301	288	426	298	492	321	240	356
264	341	433	324	266	307	282	262	487	385
004	514	359	392	324	291	279	313	261	301
273	300	294	392	--	287	322	306	269	293
281	214	228	336	240	248	358	369	305	367
504	197	290	392	377	299	311	302	334	400
270	184	425	381	337	303	337	229	254	282
262	211	379	374	--	401	442	299	320	257
266	218	332	320	--	309	400	211	236	148
405	327	298	290	318	305	374	258	436	278
066	169	356	312	--	288	--	236	276	326
058	335	298	428	378	292	345	316	330	347
002	--	--	396	318	601	180	294	334	286
275	297	433	378	382	261	242	261	287	265
061	282	193	294	378	250	337	323	261	278
(non smokers)					(non smokers)				
279	288	240	320	350	246	232	358	280	319
003	456	414	284	434	259	326	391	338	286
001	284	209	296	270	304	337	261	276	274
502	206	329	340	327	249	323	316	254	381
269	290	290	356	340	257	297	349	391	378
402	301	278	385	326	400	396	280	240	278
404	169	433	414	333	251	312	378	425	274
006	188	313	305	300	255	290	312	280	290
005	227	247	312	551	290	--	316	298	257
065	197	259	428	285	301	370	225	290	294
276	293	286	370	--					
501	238	182	294	326					
278	360	348	352	326					
505	279	321	341	292					
277	312	240	254	318					
271	331	329	290	296					

PLASMA - Zinc $\mu\text{g}/100 \text{ ml Plasma}$

<u>Group 3</u> (smokers)	<u>1</u>	<u>T e s t</u> <u>2</u>	<u>3</u>	<u>4</u>	<u>Group 3A</u> (smokers)	<u>1</u>	<u>T e s t</u> <u>2</u>	<u>3</u>	<u>4</u>
112	221	219	305	256	091	244	254	212	286
141	390	172	272	311	131	231	168	--	--
180	217	143	171	226	227	272	281	249	240
142	241	210	223	286	245	175	177	221	324
221	241	210	240	306	226	228	241	286	274
187	269	224	--	--	126	250	178	304	247
236	315	239	--	--	229	290	173	328	277
149	222	283	223	191	195	165	197	268	290
176	256	201	204	195	233	264	216	314	412
600	252	239	223	286	175	255	277	231	243
139	253	250	232	195	157	201	164	291	316
230	335	210	309	286	209	353	244	309	321
204	324	216	260	337	188	265	192	314	433
210	364	335	208	332	123	265	220	248	244
098	324	227	230	217	182	175	352	248	220
122	200	301	208	318	214	218	230	296	--
					186	196	253	276	267
					172	235	220	253	--
					244	243	173	191	403
					109	188	220	234	267
(non smokers)					169	162	220	253	--
111	221	243	232	151					
311	277	214	268	216					
133	241	219	203	341					
203	322	291	223	306					
297	298	196	171	271	(non smokers)				
080	210	201	250	243	165	351	141	194	215
161	214	201	213	248	083	194	127	217	240
177	319	294	223	238	136	198	163	221	236
110	277	288	232	248	215	295	186	217	--
224	315	283	213	338	160	268	141	--	--
129	284	250	299	235	120	226	186	249	202
296	297	199	234	295	097	299	--	295	244
222	333	238	252	281	213	313	202	226	307
094	390	233	291	281	225	384	216	295	334
					134	346	253	272	230
					166	184	234	--	--
					125	316	183	357	267
					170	341	211	234	520
					234	188	277	195	478
					118	132	183	--	286

Trace Elements in Hair

HAIR - Cadmium

117

 $\mu\text{g/g}$ Hair

<u>Group 1</u> (smokers)					<u>Group 1A</u> (smokers)				
Test					Test				
1	2	3	4		1	2	3	4	
022	.2	.3	0	0	350	.2	.1	.1	0
054	.4	.7	.4	.3	348	1.7	1.8	.9	1.2
038	.1	.7	.2	.2	347	.9	.7	.6	.5
029	3.9	3.0	2.4	2.9	329	.6	.6	.5	.5
030	.8	1.0	.7	.6	336	.5	.3	.5	.4
020	--	1.1	--	1.0	321	.8	.5	.5	.5
033	.2	.1	0	0	313	.5	.2	.4	.3
016	1.9	2.0	1.2	2.8	284	15.0	13.5	7.8	8.4
036	8.3	9.1	15.2	12.1	320	.4	.9	.5	.4
040	.1	.1	0	0	340	1.3	1.3	1.4	.8
008	.3	.5	0	0	253	1.7	1.8	.1	1.3
039	.4	.5	.3	.6	318	.2	.2	1.3	0
027	.8	.9	1.0	.7	339	1.1	1.0	.4	1.2
032	1.1	1.3	.5	.7	283	.3	.3	.2	.3
042	2.4	2.2	2.7	1.8	337	.1	.1	.1	.1
023	--	.3	--	.3	314	.4	.2	.8	.3
026	.7	.6	.3	.3	315	.2	.2	.3	.3
053	.2	.3	.1	.1	349	1.7	3.6	7.0	5.7
012	1.2	.8	1.1	.3	286	2.0	2.0	2.4	3.6
047	.1	.3	.2	.2	325	1.1	1.0	.9	1.0
014	.7	.8	.6	.7	333	.4	.5	.6	.6
017	.5	.3	.5	.3	345	--	4.7	--	4.7
071	.2	.5	.5	.4	316	.2	.3	.3	.3
					331	.1	.1	.1	.3
(non smokers)					(non smokers)				
046	.2	.2	0	0	323	.6	.7	.6	2.2
035	4.3	.4	0	.1	312	2.0	2.2	2.1	2.2
024	.5	.5	.3	.1	334	.8	1.0	1.0	1.1
013	.3	.3	.3	.3	285	1.1	.5	.5	.4
019	.8	.8	.5	.4	326	.6	.6	.4	.3
015	.2	.4	0	0	258	.5	.4	.2	.5
049	1.4	1.9	1.0	1.0	343	.3	.2	1.3	.2
055	1.0	.4	.5	.5	327	.3	.2	--	.2
034	.3	.7	.4	.4	330	0	.1	.1	.1
045	.7	1.2	1.2	1.2	351	.6	.6	.6	.6
067	.7	1.2	.7	.4	338	.4	.4	.4	.6
070	0	0	0	0	324	.7	.7	.6	.6
					328	.8	.8	.4	.4
					341	.3	.3	.2	.3
					319	.3	.2	.3	.3

HAIR Cadmium

 $\mu\text{g/g}$ Hair

Group 2 (smokers)	T e s t				Group 2A (smokers)	T e s t			
	1	2	3	4		1	2	3	4
503	.1	.4	.2	.3	298	1.0	8.7	5.0	.3
264	.4	.3	.4	.1	307	10.1	8.4	5.2	5.4
270	.7	.9	1.2	1.1	291	1.9	3.7	1.6	2.1
266	--	--	--	5.4	287	5.9	5.6	6.5	6.1
405	2.0	2.6	1.7	1.1	248	1.0	.9	.9	.9
058	2.8	2.3	3.8	2.0	299	2.9	2.0	2.6	1.9
002	.7	.7	.8	.6	303	.8	1.0	1.0	.5
275	.5	.6	.6	.7	401	1.4	.5	.6	.4
061	1.2	0	.6	1.4	309	2.0	2.4	1.9	2.2
					305	1.7	--	1.8	1.1
					288	5.3	5.5	4.8	5.4
					292	.6	1.5	.4	1.1
					601	5.1	3.1	1.6	1.5
(non smokers)					261	.6	.7	1.1	.8
279	.2	.4	.2	.2	250	2.9	2.7	3.1	2.9
003	--	--	--	2.2					
001	1.9	.8	1.5	1.2					
502	.3	.4	.4	.2					
269	2.1	1.2	1.2	1.5					
402	.5	.4	.6	.7	(non smokers)				
404	.6	.5	.6	.6	246	.2	.1	.2	.2
065	--	--	--	.3	259	5.5	--	4.9	2.5
501	.8	1.1	1.4	1.6	304	1.5	1.4	2.3	1.5
278	.3	.4	.2	.3	249	.3	.3	.2	.3
505	--	3.1	--	3.0	257	1.6	1.2	2.0	2.1
277	.3	.3	--	.5	400	1.5	.7	.7	.9
					251	.2	.2	.4	.2
					255	.3	1.2	.1	.1
					290	3.4	2.7	2.0	5.6
					301	2.2	2.2	1.6	2.5

HAIR - Cadmium $\mu\text{g/g Hair}$

<u>Group 3</u> (smokers)		<u>T e s t</u>			<u>Group 3A</u> (smokers)		<u>T e s t</u>		
	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>		<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>
112	.4	.4	.4	.5	091	.4	.2	.4	.4
141	.7	.6	--	.6	131	--	--	--	.5
180	1.2	.8	.7	1.6	227	0	0	1.9	1.8
142	.4	.8	.3	.7	245	.3	.3	.3	.3
295	--	--	--	.5	226	.7	.6	.6	.8
236	--	.5	--	--	126	.8	1.1	1.6	.9
149	.5	.5	.2	--	229	1.0	.9	.9	1.1
600	.9	.4	1.0	.6	195	1.2	2.1	1.9	1.7
139	.1	.1	0	.1	233	.3	.2	.3	.4
230	.8	.4	.8	.2	175	.3	.6	.6	.4
204	.3	.2	1.0	.8	157	.3	.2	.1	0
210	1.0	.6	.8	.9	209	.5	.4	.4	.3
098	.7	.7	.6	.7	188	0	.9	0	0
122	.4	.1	.3	.3	123	0	0	0	.1
					182	1.8	.5	.6	1.4
					186	.2	.2	.2	.1
					172	1.0	.9	1.4	1.1
					244	2.9	1.4	1.5	2.3
(non smokers)					109	.8	.9	.9	--
111	.3	.2	.4	.3					
311	.2	.2	.1	.1					
133	.8	1.0	1.1	.9					
203	1.7	2.4	1.2	2.0					
297	.2	.1	.2	.1	(non smokers)				
080	1.1	1.3	.8	.9	165	.8	.8	.9	.9
161	.5	.4	.4	.5	083	1.0	1.2	.9	.7
177	.5	.7	.5	.5	136	.3	.2	.1	.2
110	.7	.8	.6	.4	215	.4	.7	.4	.3
224	.6	1.0	.6	.6	160	1.6	.9	.7	.8
129	.2	.3	.1	.2	120	.5	.2	.5	.3
296	.9	.8	.4	.9	097	.1	.1	--	--
222	.3	0	0	.1	213	.6	.5	.6	.5
094	.2	.1	.4	1.1	225	.2	.2	.2	.2
					134	0	0	0	0
					166	--	--	--	.1
					125	.2	.1	.2	.2
					170	.9	.2	.8	.8
					234	1.6	1.5	1.2	.9
					118	.1	.7	.2	--

HAIR - Copper

120

µg/g Hair

Group 2 (smokers)	Test				Group 2A (smokers)	Test			
	1	2	3	4		1	2	3	4
503	5.0	5.5	3.5	5.0	298	12.2	3.8	8.4	5.4
264	30.2	36.1	40.9	30.5	307	15.0	9.6	13.5	13.2
270	10.7	12.9	15.9	15.2	291	10.8	11.7	13.1	11.3
266	--	--	--	11.6	287	14.1	13.3	16.9	16.5
405	6.5	6.6	5.7	7.2	248	11.5	10.0	11.5	10.0
058	12.5	10.8	14.3	10.2	299	22.5	20.6	25.6	20.6
002	33.3	35.3	38.4	34.0	303	8.0	13.2	17.2	9.4
275	11.6	9.8	10.8	12.3	401	17.2	13.6	13.5	12.8
061	20.2	3.9	7.4	9.0	309	14.4	17.5	13.7	13.7
					305	17.2	--	18.4	14.1
					288	10.2	9.6	7.7	8.8
(non smokers)					292	11.8	10.3	9.9	12.0
279	7.1	10.0	7.1	7.0	601	18.8	7.8	9.0	11.0
003	--	--	--	10.8	261	11.0	10.3	11.8	12.1
001	9.2	8.6	10.1	10.5	250	15.0	11.4	11.5	11.5
502	5.9	5.8	5.4	6.0					
269	13.0	8.3	7.5	9.6					
402	16.6	16.1	16.7	18.6	(non smokers)				
404	9.0	11.5	10.0	10.0	246	11.1	8.5	8.7	8.1
065	--	--	--	13.2	259	25.2	21.9	26.1	15.0
501	7.6	7.6	7.5	8.3	304	32.4	28.7	32.2	30.7
278	11.0	9.8	9.6	10.5	249	24.4	8.9	8.8	9.4
505	--	12.9	--	12.3	257	9.3	6.5	9.6	9.9
277	12.7	13.5	--	15.0	400	19.7	13.1	12.5	15.5
					251	41.4	41.9	46.2	36.3
					255	9.2	8.7	10.0	10.1
					290	10.7	12.5	12.4	10.0
					301	11.3	14.6	14.5	12.4

HAIR - Copper

µg/g Hair

121

Group 1 (smokers)	Test				Group 1A (smokers)	Test			
	1	2	3	4		1	2	3	4
022	6.8	8.3	9.2	8.2	350	10.2	7.3	8.5	8.0
054	17.7	7.4	16.6	12.2	348	10.0	8.9	8.7	8.3
038	6.5	8.9	17.0	10.4	347	9.0	6.3	9.3	8.9
029	8.7	8.6	7.5	9.0	329	26.0	29.8	21.1	23.5
030	10.5	11.8	12.7	11.5	336	9.6	8.1	9.7	9.5
020	--	13.0	--	13.0	321	12.0	7.6	9.1	11.8
033	6.5	7.6	7.3	7.8	313	14.6	7.6	12.1	14.6
016	13.9	14.9	12.6	28.7	284	13.6	11.7	11.2	12.1
036	19.9	16.9	21.0	19.1	320	24.4	38.7	26.6	40.1
040	10.9	11.2	13.3	10.9	340	21.5	21.0	22.4	12.1
008	7.8	8.2	8.5	7.9	253	13.7	11.3	7.7	18.9
039	19.9	13.9	17.7	12.3	318	7.0	24.6	26.8	7.1
027	11.7	12.4	13.0	11.5	339	29.1	24.6	21.1	27.4
032	12.5	16.8	12.3	12.5	283	8.5	10.0	8.6	9.8
042	9.0	8.1	9.0	7.7	337	8.4	7.6	7.6	7.9
023	--	6.8	--	7.4	314	8.7	8.0	8.5	7.5
026	11.2	11.4	9.3	9.3	315	13.0	16.4	28.4	25.0
053	13.1	11.3	12.5	11.2	349	11.6	10.9	10.2	10.1
012	36.7	13.9	11.3	9.9	286	8.7	11.3	8.7	10.0
047	9.7	10.1	10.6	10.2	325	13.4	12.5	14.6	13.0
014	15.4	21.3	13.5	11.9	333	12.7	13.2	11.9	11.4
017	8.2	7.6	9.0	7.4	345	--	13.5	--	12.4
071	9.4	10.6	10.9	9.3	316	18.9	20.1	15.9	14.3
					331	10.3	6.9	6.8	6.0
(non smokers)					(non smokers)				
046	7.0	7.4	8.3	9.2					
035	5.9	9.3	9.0	8.4	323	11.8	13.4	12.0	6.7
024	12.3	14.7	13.4	11.8	312	12.0	13.6	13.0	13.6
013	8.4	9.0	7.6	8.0	334	42.7	35.2	38.0	38.7
019	16.1	11.1	12.1	9.5	285	9.3	8.1	9.3	8.7
015	6.8	7.6	7.7	6.9	326	14.1	11.4	12.8	13.7
049	32.2	31.3	21.3	20.5	258	20.0	19.2	28.5	20.7
055	37.8	37.1	34.8	26.2	343	29.9	28.4	26.8	27.3
034	7.5	7.6	7.9	7.4	327	7.2	8.7	--	7.1
045	11.7	20.3	20.2	11.2	330	6.7	6.9	6.2	6.0
067	12.9	12.1	13.3	11.5	351	7.9	8.6	7.7	7.4
070	13.0	12.9	12.4	12.9	338	9.0	9.3	8.6	8.8
					324	19.8	19.7	18.0	19.3
					328	10.7	11.0	9.7	9.4
					341	7.7	8.0	7.5	7.7
					319	16.3	17.9	14.4	13.0

HAIR - Copper

122

 $\mu\text{g/g}$ Hair

Group 3 (smokers)	Test				Group 3A (smokers)	Test			
	1	2	3	4		1	2	3	4
112	13.1	12.9	13.1	11.3	091	19.5	18.7	19.3	19.5
141	32.4	31.4	--	33.7	131	--	--	--	27.4
180	45.7	44.5	32.7	59.6	227	20.2	20.2	13.1	13.6
142	54.2	62.7	51.1	58.6	245	15.1	14.5	12.1	10.4
295	--	--	--	40.0	226	21.1	20.6	20.6	19.1
236	--	--	--	125.1	126	31.2	37.4	27.0	28.5
149	18.8	17.9	18.9	--	229	36.7	35.8	37.3	33.9
600	21.3	20.2	23.2	36.6	195	12.6	13.9	14.7	10.2
139	14.5	14.4	13.0	12.7	233	26.6	35.9	33.1	40.5
230	17.6	14.4	19.1	11.9	175	91.4	136.4	111.4	152.3
204	5.7	5.9	5.0	5.1	157	8.9	8.1	7.9	7.4
210	23.0	21.5	20.1	53.4	209	57.8	41.5	42.2	32.5
098	54.8	44.0	56.3	47.7	188	11.2	14.6	11.7	10.7
122	51.4	62.6	63.3	53.6	123	9.3	11.1	10.1	7.0
					182	27.6	11.1	10.7	17.2
					186	25.6	20.2	22.8	20.5
					172	45.8	35.9	39.3	39.3
(non smokers)					244	170.7	97.3	115.9	118.5
111	13.1	15.2	14.5	15.5	109	13.6	13.4	14.2	--
311	13.4	14.2	13.0	14.2					
133	18.9	21.7	22.4	23.1					
203	35.8	44.5	22.2	43.2					
297	8.5	8.9	8.7	8.9	(non smokers)				
080	24.1	26.5	28.4	30.7	165	23.1	22.7	18.2	17.8
161	19.1	18.4	17.7	18.6	083	9.7	12.4	8.0	6.2
177	32.1	34.4	30.6	32.7	136	14.2	13.4	13.9	15.2
110	101.5	120.7	92.0	113.5	215	29.3	28.6	27.0	34.1
224	36.9	34.0	70.5	52.1	160	70.8	40.6	28.9	39.6
129	11.0	9.9	11.4	11.3	120	16.1	11.4	17.3	15.4
296	66.2	66.2	40.6	63.3	097	21.0	20.5	--	--
222	10.4	10.0	17.4	11.4	213	20.0	17.5	16.7	17.4
094	32.5	29.8	32.1	19.8	225	12.1	10.9	10.3	11.0
					134	32.8	12.0	11.9	9.8
					166	--	--	--	26.9
					125	23.2	24.4	21.2	24.1
					170	26.3	25.0	21.6	22.7
					234	16.0	13.3	11.7	13.5
					118	7.4	8.4	11.2	--

$\mu\text{g/g Hair}$

<u>Group 1</u> (smokers)					<u>Group 1A</u> (smokers)				
Test					Test				
1	2	3	4		1	2	3	4	
022	8.8	8.4	8.7	6.6	350	2.0	0.2	1.7	0.2
054	19.1	23.0	19.6	18.4	348	77.3	57.3	32.5	42.2
038	13.2	20.7	50.7	35.6	347	20.5	20.5	12.9	11.2
029	37.3	31.3	27.8	33.3	329	26.8	28.9	24.8	33.8
030	26.8	21.0	21.1	19.4	336	14.6	17.5	20.8	17.2
020	35.7	32.0	--	--	321	11.4	8.4	18.0	9.0
033	2.5	2.6	2.1	3.7	313	18.9	8.0	9.1	11.0
016	56.0	24.6	18.6	30.8	284	48.6	0.2	22.9	35.4
036	76.4	89.4	197.5	41.4	320	13.8	14.4	12.6	14.0
040	68.9	4.4	3.8	4.8	340	15.8	16.2	16.7	7.6
008	85.5	14.0	6.0	7.4	253	34.3	34.9	1.2	27.4
039	79.4	22.4	9.0	12.2	318	2.5	5.0	20.3	1.2
027	54.4	22.0	18.1	12.6	339	28.9	18.3	3.1	25.6
032	77.0	41.7	7.9	9.6	283	1.4	0.2	0.6	1.0
042	376.9	34.7	24.6	14.6	337	4.1	2.0	2.8	1.8
023	4.1	3.9	--	--	314	7.7	5.7	3.1	5.3
026	10.6	22.8	6.2	4.6	315	0.8	1.0	5.0	3.9
053	9.1	12.0	11.4	11.5	349	27.9	23.8	25.3	23.7
012	20.5	34.8	15.6	8.5	286	6.5	7.3	9.3	11.0
047	2.4	6.0	3.5	2.4	325	4.5	3.3	6.5	4.3
014	19.1	37.2	16.7	14.4	333	1.1	0.8	1.3	2.8
017	19.9	16.4	17.2	12.0	345	76.6	62.2	--	--
071	4.3	13.6	5.8	6.7	316	1.1	1.0	1.3	4.7
					331	4.3	2.2	1.1	1.6
(non smokers)					(non smokers)				
046	3.0	3.1	21.9	4.0	323	9.7	10.1	10.3	4.4
035	9.4	13.0	7.9	8.8	312	59.3	65.5	59.3	65.0
024	11.1	14.5	16.5	8.8	334	16.9	22.5	21.7	28.5
013	5.5	8.1	6.9	4.9	285	10.6	6.0	5.8	4.4
019	17.7	17.0	16.9	12.6	326	8.5	5.8	6.0	6.8
015	17.4	27.0	9.8	9.0	258	4.3	3.4	5.3	4.2
049	54.8	31.4	26.4	26.6	343	8.9	6.7	16.5	5.8
055	46.8	35.7	24.4	17.4	327	3.3	2.8	3.7	2.0
034	6.1	9.6	5.4	5.4	330	2.6	1.2	1.9	1.4
045	43.3	7.1	11.0	11.2	351	10.6	10.3	10.0	9.4
067	23.8	52.8	16.4	10.4	324	5.6	1.6	4.1	1.8
070	2.4	1.6	2.8	1.8	328	14.2	14.9	10.5	10.2
					341	0.5	0.8	5.8	0
					319	0.9	0.4	1.1	1.8

$\mu\text{g/g}$ Hair

Group 2 (smokers)	1	Test 2	3	4	Group 2A (smokers)	1	Test 2	3	4
503	5.5	10.9	8.8	8.9	298	13.5	11.6	9.5	12.4
264	18.2	32.6	43.6	18.3	307	43.0	43.7	20.4	21.4
270	23.0	88.0	98.4	48.9	291	94.3	8.5	5.4	17.7
266	191.8	--	--	--	287	51.2	47.5	38.9	37.5
405	106.2	95.9	102.5	56.8	248	6.6	6.4	5.4	4.8
058	105.2	156.0	198.3	74.9	299	21.7	17.7	23.6	21.0
002	31.7	19.8	23.0	28.3	303	24.5	26.6	11.6	18.6
275	16.3	23.2	19.0	23.7	401	14.2	13.2	8.9	4.6
061	119.2	84.1	104.6	111.7	309	81.9	55.7	67.7	47.4
					305	63.3	136.5	27.8	64.1
					288	10.3	8.3	7.7	9.3
					292	16.9	11.3	15.1	20.4
(non smokers)					601	44.3	57.1	51.5	22.7
279	1.0	2.0	3.1	1.5	261	12.8	8.5	18.4	10.3
003	124.1	--	--	--	250	18.5	16.5	19.5	10.9
001	18.9	14.4	14.5	11.8					
502	12.2	17.3	19.3	22.4	(non smokers)				
269	114.2	99.0	102.3	111.5	246	4.5	2.2	2.8	2.8
402	10.4	21.8	12.4	12.9	259	60.9	79.6	105.6	71.2
404	31.9	22.4	20.0	22.6	304	41.1	45.8	41.7	47.7
065	26.7	--	--	--	249	8.8	9.6	2.2	5.0
501	48.8	64.7	66.4	69.8	257	18.7	19.8	22.6	24.2
278	10.6	9.4	7.6	9.2	400	32.9	12.7	10.7	22.6
505	74.3	71.4	--	--	251	9.2	9.4	5.0	8.1
277	16.8	17.4	20.4	17.8	255	4.7	2.9	5.0	4.2
					290	104.7	92.4	115.5	119.3
					301	59.3	13.4	25.6	56.7

HAIR - Lead $\mu\text{g/g}$ Hair

<u>Group 3</u> (smokers)	<u>Test</u>				<u>Group 3A</u> (smokers)	<u>Test</u>			
	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>		<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>
112	4.7	8.1	4.3	4.7	091	3.1	1.4	1.8	2.7
141	44.0	85.8	4.3	17.8	131	4.0	--	--	--
180	20.9	30.1	6.1	18.2	227	0	0	4.5	4.2
142	4.6	2.4	5.0	2.6	245	6.8	5.3	6.2	6.7
295	8.2	--	--	--	226	3.3	5.0	1.7	3.3
236	--	2.4	--	--	126	5.5	2.4	2.6	2.7
149	4.6	4.3	2.7	2.4	229	5.5	7.4	4.7	5.8
600	12.3	18.0	6.3	8.7	195	2.0	5.9	5.1	2.4
139	1.0	0.6	1.0	0.4	233	0.3	1.8	2.0	1.2
230	8.2	4.4	3.0	3.6	175	5.3	3.8	2.8	6.3
204	17.8	16.1	12.9	14.3	157	1.8	0.6	0.6	0.9
210	2.2	3.8	4.7	4.9	209	5.5	1.6	2.6	2.2
098	5.7	5.1	3.5	6.7	188	0	2.2	0	0
122	4.7	2.2	2.2	2.5	123	2.0	1.6	1.1	3.6
					182	2.7	4.6	5.4	2.6
					186	11.6	7.9	6.0	6.6
					172	2.8	8.7	4.9	6.6
					244	4.1	4.2	3.6	4.2
(non smokers)					109	5.2	6.5	5.8	--
111	8.6	4.6	6.3	4.1					
311	1.8	2.4	0.9	2.4					
133	1.2	1.8	2.4	1.1					
203	11.3	4.4	3.3	6.0	(non smokers)				
297	2.9	1.6	2.8	2.0	165	5.5	6.1	10.6	10.8
080	17.1	3.7	6.4	5.5	083	19.3	20.0	17.8	40.4
161	8.9	6.0	4.8	4.5	136	10.7	9.7	13.7	10.2
177	4.1	2.4	2.0	2.6	215	3.6	4.8	6.4	7.3
110	2.8	1.2	0.7	1.7	160	12.8	16.2	14.7	5.4
224	9.8	5.5	3.0	5.4	120	11.9	9.5	16.1	11.4
129	6.8	10.1	5.4	4.5	097	7.6	6.9	--	--
296	8.9	4.6	0.5	3.8	213	1.2	1.8	1.7	1.2
222	39.0	17.1	6.6	26.4	225	1.6	3.2	3.1	4.6
094	4.8	2.8	1.8	2.4	134	3.9	3.6	2.3	2.2
					166	0.8	--	--	--
					125	9.5	2.8	9.4	15.3
					170	1.4	3.6	1.1	1.3
					234	11.2	15.8	10.6	11.4
					118	1.0	19.1	0.8	--

HAIR - Manganese

126<

 $\mu\text{g/g}$ hair

Group 1 (smokers)	Test				Group 1A (smokers)	Test			
	1	2	3	4		1	2	3	4
022	.25	.13	.22	.26	350	.16	.06	.14	.12
054	.07	.47	.32	.44	348	.40	.28	.25	.30
038	0	.44	.24	.20	347	1.29	1.29	1.19	1.07
029	.09	.29	.18	.13	329	.64	.35	.42	.08
030	.12	.40	.28	.22	336	.20	.12	.17	1.12
020	.18	.13	---	---	321	.36	.13	.27	.34
033	.10	.07	0	.06	313	.22	.02	.17	.38
016	.66	.71	.48	.72	284	1.34	1.73	.79	.85
036	2.35	1.68	2.24	2.41	320	.24	.35	.23	.32
040	.12	.18	.08	.19	340	.14	.14	.16	.16
008	0	.30	.18	.26	253	.42	.37	.12	.38
039	.81	.44	1.45	.36	318	.21	.12	.54	.12
027	.21	.22	.43	.26	339	.34	.24	.29	.46
032	.12	.10	.24	.22	283	.04	.04	.02	0
042	.37	0	.39	.21	337	.13	.08	.15	.18
023	0	0	---	---	314	.17	.22	.27	.34
026	.16	.24	.22	.09	315	.13	.20	.44	.60
053	.29	.18	.17	.09	349	.28	.39	.59	.70
012	1.03	.69	.54	.37	286	.06	0	.04	0
047	.14	.20	.24	.11	325	.18	.10	.08	.08
014	.32	.28	.59	.50	333	.15	.08	.15	.07
017	.14	.20	.29	.21	345	.10	.12	---	---
071	.36	.36	.46	.39	316	.22	.10	.08	.16
					331	.06	.06	0	.10
(non smokers)					(non smokers)				
046	.04	.38	.08	.09	323	.08	0	.06	.02
035	0	.31	.14	.17	312	.42	.44	.38	.46
024	.12	.18	.10	.07	334	.16	.15	.24	.37
013	0	.02	.73	.04	285	.16	.12	.12	.19
019	.04	.31	.18	.19	326	1.44	1.30	1.04	1.12
015	0	.18	.05	.13	258	.40	.20	.40	.27
049	.33	.51	.24	.26	343	.14	.08	.54	.21
055	.29	.18	.37	.21	327	.22	.12	.31	.27
034	.04	.04	.17	.06	330	.06	.04	.04	.16
045	3.04	.61	.63	.51	351	.18	.25	.17	.10
067	.19	.20	.32	.15	338	.15	.02	0	.18
070	.04	.04	.07	.04	324	.11	.06	.08	.02
					328	.24	.21	.10	.14
					341	.14	0	.06	0
					319	.09	.06	.15	.06

HAIR - Manganese $\mu\text{g/g}$ hair

<u>Group 2</u> (smokers)	<u>T e s t</u>				<u>Group 2A</u> (smokers)	<u>T e s t</u>			
	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>		<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>
503	.16	.27	.11	.17	298	.54	.24	.41	1.28
264	.44	.70	1.22	.14	307	0	0	.89	.87
270	1.7	1.37	5.84	4.48	291	.52	1.06	1.06	1.09
266	2.40	---	---	---	287	0	.15	.51	.28
405	.82	.84	.56	.49	248	.03	0	0	.12
058	2.69	2.74	2.39	3.00	299	2.66	3.71	2.36	2.94
002	.40	.42	.31	.28	303	.24	.99	.79	.75
275	.42	.35	.36	---	401	1.44	.69	.95	.72
061	1.34	1.44	1.22	---	309	.86	.92	1.03	1.12
					305	1.05	---	1.30	1.46
					288	.12	0	.22	.15
(non smokers)					292	0	.60	.89	.71
279	.12	.18	.06	.06	601	.28	1.46	.98	.18
003	1.84	---	---	---	261	0	.09	.24	.16
001	.33	.18	.33	.17	250	.36	.32	.44	.19
502	.20	.22	.19	.32	(non smokers)				
269	7.7	.67	.15	0	246	.09	.17	.03	.16
402	.34	.34	.29	.22	259	.95	---	1.59	1.71
404	.63	.52	.37	.46	304	.45	0	0	1.10
065	.59	---	---	---	249	0	0	.12	0
501	.38	.30	.43	---	257	.06	.28	.25	.41
278	.50	.40	.48	---	400	.76	.43	.67	1.19
505	1.14	1.10	---	---	251	.30	.22	.22	.06
277	.23	.23	---	---	255	0	0	.13	0
					290	.81	1.44	1.15	1.49
					301	.88	.62	.47	1.38

HAIR - Manganese
 $\mu\text{g/g}$ hair

<u>Group 3</u> (smokers)	<u>T e s t</u>				<u>Group 3A</u> (smokers)	<u>T e s t</u>			
	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>		<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>
112	.26	.17	.31	.22	091	.25	.14	.45	.27
141	.26	.31	.38	.23	227	.02	.10	.18	.07
180	.42	.23	.38	.41	245	.02	.06	.08	.10
142	.86	1.15	.69	1.98	226	.19	.20	.12	.13
295	.21	---	---	---	126	.56	.58	.63	.67
236	.18	---	---	---	229	.71	.74	.67	.75
149	.28	.23	.38	---	195	1.63	.40	.84	.63
600	.48	.18	.38	.41	233	.33	.19	.26	.27
139	.14	.14	.15	.24	175	.22	.16	.41	.18
230	.38	.18	.36	.18	157	0	.10	.24	.15
204	.70	.56	.57	.68	209	1.77	1.44	1.71	1.27
210	.52	.40	.63	.14	188	0	.50	.14	0
098	.34	.12	.16	.10	123	0	0	.03	.02
122	.22	.06	.14	.11	182	1.10	.20	.32	.94
					186	.02	.10	.07	0
					172	.51	.18	.40	.74
(non smokers)					244	.30	.04	.16	.20
					109	.53	.29	.51	---
111	.12	.04	.18	.12					
311	.20	.27	.23	.18	(non smokers)				
133	.58	.16	.16	.18					
203	.22	.12	.22	.12	165	.20	.28	.28	.19
297	.82	.72	.82	.72	083	.11	.04	.24	.09
080	.22	.23	.22	.27	136	.20	.14	.06	.14
161	.58	.56	.91	.82	215	.17	.12	.15	.14
177	.34	.35	.27	.29	160	1.02	.70	.73	.28
110	.64	.76	.60	.80	120	.13	.08	.10	.09
224	.60	.08	.07	.19	097	.39	.42	---	---
129	.14	.14	.18	.22	213	.85	.44	.63	.54
296	.08	.08	.12	.10	225	12.09	10.38	8.28	10.37
222	.15	.06	.10	.13	134	.14	.16	.16	.16
094	.13	.07	.19	.72	166	.04	---	---	---
					125	.24	.26	.24	.53
					170	.36	.42	.30	.34
					234	.60	.35	.40	.36
					118	.10	.50	.40	---

HAIR - Zinc

 $\mu\text{g/g}$ Hair

Group 1 (smokers)	Test				Group 1A (smokers)	Test			
	1	2	3	4		1	2	3	4
022	141.3	163.0	164.4	246.9	350	147.0	128.5	147.4	148.6
054	161.2	148.8	148.5	162.2	348	196.6	196.9	173.3	157.8
038	128.3	142.6	300.5	137.8	347	206.2	193.3	195.4	200.1
029	325.2	115.6	122.7	152.1	329	153.3	135.0	151.8	146.4
030	194.1	167.8	179.2	180.5	336	156.7	395.0	140.6	161.1
020	116.0	116.0	---	---	321	136.7	121.4	134.9	151.0
033	135.8	127.8	143.3	149.9	313	101.7	158.3	108.4	105.7
016	146.0	152.0	146.9	156.0	284	138.3	168.3	133.2	136.9
036	201.7	141.5	156.9	159.1	320	168.3	248.3	183.1	190.3
040	177.0	164.3	173.0	186.6	340	117.8	120.8	120.1	116.0
008	181.7	177.5	180.2	179.0	253	165.0	376.6	125.5	188.7
039	355.3	341.0	---	340.7	318	142.1	127.0	184.6	131.8
027	184.8	167.9	185.7	169.5	339	188.7	169.5	228.5	183.8
032	153.3	285.9	171.6	156.6	283	171.9	171.6	173.5	178.2
042	206.7	169.1	212.6	172.9	337	150.4	168.2	176.7	168.6
023	157.3	157.3	----	----	314	166.2	160.0	165.0	158.3
026	172.6	166.3	186.6	175.9	315	172.8	174.3	240.0	216.7
053	141.8	159.8	156.3	153.5	349	108.1	138.8	135.0	123.3
012	267.3	137.2	145.5	135.6	286	132.5	127.5	148.3	138.3
047	157.2	156.8	170.1	159.8	325	192.3	182.4	195.0	183.8
014	166.5	158.2	151.7	146.9	333	164.6	164.8	165.0	188.1
017	149.5	161.4	172.7	167.9	345	143.5	138.5	----	----
071	203.4	198.5	220.6	182.8	316	214.7	228.2	201.7	198.3
					331	145.5	147.9	148.3	180.0
(non smokers)					(non smokers)				
046	133.6	148.8	156.6	162.2					
035	125.8	128.2	142.1	206.7	323	162.2	168.3	165.3	124.1
024	125.8	102.9	101.7	309.0	312	152.5	151.7	144.6	149.5
013	160.5	167.1	151.0	151.0	334	220.2	200.4	211.2	226.1
049	153.7	158.3	127.7	125.4	285	278.7	155.0	145.7	163.0
055	223.6	196.1	212.5	161.4	326	190.0	178.3	164.3	161.3
034	149.5	153.3	180.8	168.1	258	246.7	220.4	213.5	235.9
045	126.4	132.0	159.1	143.8	343	210.0	349.9	189.6	219.6
067	133.7	132.4	146.9	134.0	327	162.1	321.2	167.4	163.0
070	195.4	316.2	192.3	165.3	330	154.9	145.3	163.3	166.7
					351	154.1	162.6	160.3	171.7
					338	114.6	109.7	126.9	126.8
					324	236.4	221.1	227.3	215.0
					328	146.9	134.9	150.0	141.7
					341	155.4	148.3	161.5	150.0
					319	212.0	213.7	206.7	200.0

HAIR - Zinc $\mu\text{g/g Hair}$

<u>Group 2</u> (smokers)	<u>T e s t</u>				<u>Group 2A</u> (smokers)	<u>T e s t</u>			
	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>		<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>
503	144.5	140.9	148.4	149.3	298	1084.8	324.0	166.5	271.0
264	169.9	172.2	159.8	161.8	307	169.3	245.8	162.9	155.7
270	124.7	141.3	139.7	141.8	291	168.4	161.7	162.1	181.6
266	248.8	--	--	--	287	100.4	88.2	106.5	106.5
405	142.3	181.5	133.0	112.8	248	125.5	129.0	123.9	130.3
058	140.8	157.8	135.7	151.4	299	240.4	251.5	249.5	252.7
002	178.5	181.5	171.4	168.4	303	143.6	171.6	170.7	158.9
275	218.2	155.7	150.1	256.6	401	193.4	179.7	187.5	176.4
061	187.1	269.5	122.7	99.0	309	92.2	128.1	96.4	87.8
					305	128.7	--	147.6	118.9
					288	156.7	161.7	157.3	165.3
					292	234.9	144.2	141.3	147.7
					601	156.4	141.5	135.3	161.7
(non smokers)					261	117.6	120.9	105.5	135.1
279	151.6	159.6	151.2	146.2	250	152.6	101.3	103.3	109.6
003	124.4	--	--	--					
001	197.1	193.1	200.2	186.5					
502	126.6	119.3	117.6	124.3					
269	964.6	524.9	199.1	155.5	(non smokers)				
402	142.8	146.2	146.2	166.7	246	228.7	200.9	191.0	190.7
404	136.4	139.5	166.3	131.6	259	179.8	185.9	157.5	145.2
065	144.9	--	--	--	304	159.5	162.5	156.6	160.0
501	108.4	95.4	86.2	95.8	249	141.4	150.3	144.6	146.2
278	173.2	161.4	163.0	175.9	257	122.4	91.5	116.0	116.0
505	139.8	136.7	--	--	400	98.5	132.3	131.9	133.5
277	186.3	210.7	223.7	--	251	201.8	196.0	200.2	205.0
					255	154.1	158.4	155.7	189.1
					290	106.6	97.7	89.7	98.0
					301	92.2	444.6	151.1	169.3

µg/g Hair

Group 3 (smokers)	Test				Group 3A (smokers)	Test			
	1	2	3	4		1	2	3	4
112	162.7	197.9	162.4	168.0	091	206.4	215.9	223.8	198.0
141	198.7	192.3	216.0	152.3	131	326.8	---	---	---
180	239.4	252.7	230.2	268.9	227	251.4	314.1	187.5	227.0
142	235.1	272.1	479.1	240.6	245	195.4	204.1	185.7	189.4
295	225.3	---	---	---	226	334.7	347.9	313.6	345.9
236	187.5	---	---	---	126	387.6	367.4	324.1	382.5
149	222.5	229.6	228.6	---	229	247.0	272.1	255.8	121.8
600	241.0	237.9	214.5	220.0	195	73.7	95.8	110.4	95.2
139	161.2	165.3	170.7	161.2	233	137.1	165.4	156.9	166.1
230	153.3	163.7	152.9	163.4	175	212.7	335.4	327.6	362.4
204	187.8	187.5	195.5	197.6	157	229.0	228.9	208.5	202.9
210	222.3	419.9	452.1	242.1	209	368.3	321.2	355.7	327.6
098	203.4	244.7	222.3	279.5	188	153.7	182.8	164.7	173.9
122	222.1	222.5	201.8	220.9	123	160.8	175.7	173.5	158.5
					182	187.4	172.2	160.9	173.9
					186	178.5	173.9	180.5	169.0
(non smokers)					172	298.1	294.0	285.5	303.8
					244	544.5	321.2	394.2	410.0
111	159.6	165.3	153.0	160.4	109	244.7	244.7	240.0	----
311	148.9	157.7	99.9	142.6					
133	82.9	316.2	321.7	331.2	(non smokers)				
203	159.6	174.8	149.8	167.8					
297	184.6	184.3	181.3	196.1	165	175.7	204.1	175.8	166.9
080	178.7	230.7	187.6	176.5	083	361.9	468.6	317.1	395.3
161	170.3	165.4	184.5	181.2	136	262.6	314.1	332.9	316.6
177	201.9	212.9	205.0	212.4	215	484.0	528.7	502.8	417.6
110	358.5	367.1	315.4	382.1	160	283.1	274.6	284.8	287.3
224	264.5	223.7	198.7	231.1	120	174.5	142.0	185.7	197.7
129	357.2	381.4	337.5	168.4	097	169.8	182.8	----	----
296	225.3	222.5	257.0	213.9	213	156.9	163.3	164.7	166.6
222	227.2	210.3	242.3	196.1	225	265.6	280.8	253.7	248.7
094	186.4	189.9	189.7	441.5	134	179.4	207.6	189.2	190.4
					166	187.7	---	---	---
					125	166.6	184.6	166.4	172.0
					170	145.7	189.9	152.4	153.7
					234	384.0	403.8	937.0	368.2
					118	128.7	143.7	131.5	---

Trace Elements in Urine

URINE - Cadmium

133~

µg/liter of urine

<u>Group 1</u> (smokers)	<u>Test</u>				<u>Group 1A</u> (smokers)	<u>Test</u>			
	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>		<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>
022	1.3	1.5	1.7	0.8	350	0.4	1.0	0.1	0.6
054	2.6	1.2	0.7	1.3	348	0.4	1.0	0.9	0.6
038	1.4	1.3	1.2	1.2	347	0.2	0.2	0.2	0.4
029	4.5	0.6	1.1	0.9	329	0.3	0.2	0.2	0.6
030	1.1	0.9	0.6	0.9	336	0.6	0.2	0.8	0.7
020	3.1	0.9	1.2	2.5	321	0.6	0.5	0.4	2.2
033	3.3	1.5	0.6	0.5	313	0.5	1.0	0.2	0.3
016	2.1	1.4	1.5	0.6	284	0.3	0.9	0.7	1.8
069	2.5	1.5	--	--	320	--	0.2	0.2	2.2
036	3.1	1.2	0.8	0.9	340	0.3	0.2	0.7	0.7
040	2.4	0.9	1.8	0.6	253	0.3	--	0.2	0.5
008	2.3	0.4	1.3	0.8	318	2.0	1.1	0.4	0.9
039	3.1	0.8	0.9	2.0	339	0.9	0.7	0.6	1.3
027	4.5	1.8	1.1	0.9	283	0.6	0.4	0.8	1.4
032	2.7	1.5	0.9	0.6	337	1.1	0.4	1.0	0.8
042	9.6	2.1	1.0	1.8	346	0.2	0.2	--	--
023	1.7	0.8	0.6	0.9	314	0.6	0.3	0.7	1.8
026	1.7	1.0	1.0	0.4	315	0.4	0.3	1.0	0.5
053	1.6	0.6	1.7	1.2	349	0.6	0.9	0.3	0.7
012	0.9	1.3	0.3	1.3	286	1.1	0.2	0.3	0.9
047	1.4	1.7	0.5	1.4	325	1.9	0.5	0.6	0.8
014	1.6	1.2	0.9	1.2	333	1.6	0.6	0.7	0.6
017	1.9	1.9	1.3	1.2	345	1.2	0.2	0.3	1.1
071	2.7	1.4	0.9	0.6	316	0.8	0.3	0.2	1.4
					331	0.7	0.2	0.3	0.2
					352	0.6	0.4	--	--
(non smokers)					(non smokers)				
046	2.6	0.7	0.7	1.3	323	1.5	0.4	0.5	1.1
035	2.0	1.7	0.5	0.5	312	0.5	0.4	0.9	1.1
024	2.5	1.5	0.8	1.2	334	0.6	0.3	0.2	--
013	2.5	0.7	0.8	1.1	285	0.2	--	0.2	0.4
019	2.2	1.4	0.7	1.2	326	0.8	0.4	0.3	0.6
015	3.6	1.1	1.0	0.3	258	0.4	0.5	0.3	0.8
049	2.7	1.4	2.3	0.9	343	0.7	0.4	0.5	1.7
055	1.9	0.8	0.9	0.7	327	0.6	0.5	0.4	0.3
034	1.9	2.3	1.2	0.5	330	1.5	0.6	0.3	1.5
045	1.2	0.6	1.6	0.1	351	0.6	1.0	0.7	0.9
067	1.9	1.5	2.9	1.1	338	0.2	--	0.8	0.3
070	1.3	0.6	0.9	0.6	324	0.3	0.2	0.2	0.4
					328	0.4	0.3	0.2	0.5
					341	1.1	0.1	0.3	0.9
					319	1.0	0.3	0.2	0.6

URINE - Cadmium

134

µg/liter of urine

<u>Group 2</u> (smokers)		<u>Test</u>			<u>Group 2A</u> (smokers)		<u>Test</u>		
	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>		<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>
503	2.6	0.6	0.7	0.4	298	0.4	0.3	0.5	0.3
264	0.7	1.4	1.0	0.6	307	0.3	0.3	0.4	0.6
004	2.3	0.8	0.7	0.3	291	0.2	0.3	0.5	0.5
273	0.2	0.3	--	--	287	0.8	0.9	0.4	0.7
281	0.7	2.3	0.7	0.2	248	0.3	0.3	0.5	0.4
504	1.1	0.5	0.7	0.4	299	0.3	0.7	0.4	0.3
270	1.5	1.1	1.1	1.4	303	0.5	0.5	0.2	0.3
262	0.7	0.5	1.0	--	401	0.7	1.0	0.9	0.6
266	--	1.0	0.9	0.6	309	0.2	0.4	0.4	0.4
405	0.3	--	0.3	0.8	305	0.4	0.4	0.4	0.3
066	--	2.4	1.9	--	288	1.0	0.9	0.5	0.8
058	--	0.5	0.8	0.7	292	0.8	0.2	0.5	0.4
002	0.2	0.5	1.0	0.6	601	1.4	0.7	0.4	0.7
275	1.2	0.4	0.7	0.3	261	0.5	0.3	0.8	0.6
061	1.3	0.5	1.1	0.7	250	0.3	0.3	0.4	--

(non smokers)

279	4.5	0.4	0.6	0.7
003	0.3	1.6	1.2	0.3
001	0.6	1.0	0.5	0.4
502	0.5	0.4	1.2	0.4
269	1.7	0.5	0.6	1.0
402	1.1	1.3	0.6	0.4
404	0.4	0.7	0.3	0.6
006	0.9	2.8	0.4	0.5
005	0.5	1.7	0.5	--
065	1.3	0.4	0.5	0.5
276	0.8	0.5	1.6	--
501	0.5	0.8	1.0	0.3
278	1.3	0.5	0.8	0.3
505	1.9	0.6	1.1	0.8
277	0.4	0.7	0.9	0.6
271	0.2	1.6	0.7	0.4

(non smokers)

246	0.8	0.7	0.2	0.6
259	0.4	0.3	0.3	--
304	0.6	1.0	0.5	0.6
249	0.4	0.3	0.4	0.3
257	0.3	0.2	0.3	0.3
400	0.4	1.1	0.5	0.4
251	0.4	0.8	0.4	0.6
255	0.6	0.3	0.6	0.5
290	0.6	0.6	0.6	0.4
301	0.6	0.7	0.6	0.5

URINE - Cadmium

135

µg/liter of urine

<u>Group 3</u> (smokers)	<u>1</u>	<u>T e s t</u> <u>2</u>	<u>3</u>	<u>4</u>	<u>Group 3A</u> (smokers)	<u>1</u>	<u>T e s t</u> <u>2</u>	<u>3</u>	<u>4</u>
112	0.6	0.8	0.3	0.6	091	0.4	0.8	0.6	1.8
141	0.3	0.5	0.3	1.3	131	0.7	0.7	--	--
180	0.5	0.7	0.6	0.6	227	0.7	0.6	0.6	0.6
142	0.5	6.1	1.2	0.9	245	0.5	0.3	1.0	1.0
221	0.4	1.3	0.4	--	226	0.2	0.4	0.7	0.4
187	0.4	1.3	--	--	126	0.6	0.6	0.2	0.8
236	0.4	0.3	--	--	229	0.7	0.8	0.3	0.2
149	0.1	0.3	0.3	0.4	195	0.5	0.3	0.4	0.4
176	0.1	0.5	0.5	0.2	233	0.6	0.5	0.3	0.4
600	0.2	0.4	0.7	0.7	175	0.4	0.4	0.5	0.3
139	0.2	0.3	0.5	2.5	157	0.4	0.8	0.3	0.8
230	0.2	1.2	1.8	0.9	209	1.0	--	0.6	0.8
204	0.2	0.5	0.6	1.3	188	0.4	0.6	0.4	0.7
210	0.4	0.3	0.6	0.6	123	0.4	0.7	0.2	0.2
098	0.3	0.3	0.3	0.9	182	0.9	2.3	--	0.4
122	0.1	0.2	0.4	0.5	214	0.7	0.9	--	--
					186	1.1	1.2	1.8	0.3
					172	--	1.8	0.4	--
					244	0.7	1.6	0.8	1.3

(non smokers)

(non smokers)

111	0.6	1.9	0.5	1.0	165	0.4	0.2	0.5	0.7
311	0.1	1.6	0.6	0.3	083	0.7	0.5	0.5	0.7
133	0.3	0.6	0.7	--	136	0.2	0.3	0.2	0.4
203	0.2	0.2	0.5	--	215	0.4	0.6	0.2	--
297	0.2	--	0.4	0.4	160	0.7	1.8	--	--
080	0.3	0.4	0.4	0.3	120	0.3	0.8	0.6	0.3
161	0.3	0.2	--	0.7	097	0.5	0.7	0.5	--
177	0.5	--	0.4	1.2	213	0.2	0.9	0.3	0.3
110	0.1	0.7	0.4	0.3	225	0.3	0.7	0.4	0.6
224	0.2	0.4	0.3	1.0	134	0.3	0.4	0.3	0.2
129	0.1	0.3	0.6	1.2	166	0.3	0.2	--	--
296	0.4	0.5	0.4	0.7	125	0.8	0.4	0.1	0.3
222	0.2	0.4	0.7	0.6	170	--	1.2	0.2	0.6
094	0.3	0.4	0.3	0.6	234	1.9	0.9	0.6	0.5

URINE - Copper

µg/liter of urine

136

Group 1 (smokers)	Test				Group 1A (smokers)	Test			
	1	2	3	4		1	2	3	4
022	5.4	10.1	9.5	5.2	350	1.3	10.6	3.3	5.5
054	12.0	5.4	11.0	6.6	348	10.0	6.6	2.9	5.3
038	16.9	4.5	8.0	16.9	347	1.1	2.7	3.3	9.2
029	13.9	2.8	8.2	4.4	329	8.4	3.5	7.0	7.8
030	8.6	4.0	3.1	17.4	336	8.0	13.9	11.8	14.5
020	11.5	12.5	16.3	8.8	321	2.9	6.5	12.9	3.8
033	12.1	3.7	5.9	7.7	313	1.6	1.8	2.0	0.9
016	17.9	9.2	17.1	11.6	284	7.4	13.2	9.7	10.4
069	5.5	4.2	-	-	320	9.3	2.8	3.5	11.9
036	9.6	11.7	8.2	12.0	340	7.2	14.3	8.1	1.6
040	10.5	4.7	16.8	11.0	253	17.5	-	1.7	2.1
008	10.6	14.5	9.5	4.1	318	2.4	2.6	1.9	3.7
039	7.2	8.0	11.0	27.6	339	4.2	3.7	5.4	6.8
027	6.7	10.1	8.4	4.3	283	4.8	3.0	4.4	8.5
032	5.9	7.1	25.9	13.3	337	15.2	6.1	6.1	8.2
042	7.8	7.5	2.5	10.2	346	6.8	1.9	-	-
023	6.7	7.5	3.3	2.5	314	4.8	1.7	3.6	8.0
026	4.2	4.7	10.0	1.6	315	10.7	14.8	5.1	8.5
053	5.2	1.5	11.7	3.9	349	6.6	1.7	3.4	3.5
012	3.9	7.8	1.9	9.1	286	9.1	3.4	2.1	20.4
047	2.5	19.0	3.3	10.5	325	12.5	7.3	12.0	6.4
014	3.6	5.7	1.6	9.9	333	4.4	7.1	19.2	9.1
017	4.9	12.3	24.1	1.6	345	8.2	20.2	22.6	6.2
071	25.0	23.3	0.1	12.0	316	12.7	9.2	4.2	10.5
					331	7.8	2.0	16.1	1.8
(non smokers)					(non smokers)				
046	9.9	3.0	17.9	4.1	323	10.1	19.6	11.8	25.3
035	10.2	2.0	5.1	1.6	312	10.0	8.9	17.3	11.0
024	9.9	10.9	8.6	8.0	334	9.9	11.2	5.5	-
013	19.2	6.7	19.4	6.1	285	10.7	-	3.5	5.4
019	11.8	4.2	8.3	7.9	326	3.0	-	2.6	1.1
015	16.2	5.0	13.7	7.5	258	7.1	9.4	2.2	4.2
049	9.3	11.7	11.4	10.4	343	6.9	5.5	4.2	8.5
055	4.7	6.1	6.9	8.1	327	4.0	3.5	7.5	3.1
034	10.2	3.0	1.6	5.3	330	2.5	14.1	2.4	11.6
045	2.3	7.7	10.4	2.8	351	14.5	18.0	8.9	14.2
067	6.9	14.5	9.3	7.4	338	6.1	-	5.1	2.1
070	7.9	4.8	6.4	9.5	324	6.5	5.8	8.2	11.1
					328	12.4	10.4	9.2	9.1
					341	9.3	2.1	2.0	14.1
					319	9.7	7.3	5.1	9.0

URINE - Copper $\mu\text{g/liter of urine}$

<u>Group 2</u>					<u>Group 2A</u>				
(smokers)					(smokers)				
T e s t					T e s t				
1	2	3	4		1	2	3	4	
503	-	6.9	8.5	7.6	298	1.8	1.4	8.2	12.4
264	2.3	3.0	2.1	8.3	307	2.2	2.2	4.8	6.8
004	17.4	18.1	8.4	11.9	291	2.3	0.7	10.6	15.0
273	5.5	2.3	-	-	287	3.3	1.4	8.8	5.7
281	8.5	5.8	1.4	3.9	248	1.9	3.2	5.7	2.6
504	1.2	24.6	1.0	1.1	299	5.2	6.7	13.9	30.2
270	14.5	10.1	12.1	10.4	303	6.4	8.7	14.2	8.6
262	7.3	9.3	3.5	-	401	4.0	13.3	12.5	11.7
266	-	7.3	2.6	-	309	6.9	12.4	8.5	18.8
405	14.3	-	2.5	15.0	305	9.8	19.0	9.1	12.0
066	8.0	2.3	15.1	-	288	2.5	24.8	14.4	17.4
058	-	11.7	10.1	2.8	292	4.9	4.6	8.7	3.3
002	14.5	2.4	1.9	1.7	601	1.4	6.4	9.4	15.6
275	9.2	2.4	2.2	1.4	261	9.0	5.9	18.7	8.5
061	8.6	6.9	6.6	1.7	250	0.9	15.9	9.8	-
(non smokers)					(non smokers)				
279	3.7	3.0	1.1	1.5	246	2.7	13.3	6.3	7.0
003	3.2	8.3	6.0	4.4	259	6.3	3.7	4.1	-
001	8.9	11.5	9.8	11.7	304	7.2	5.9	8.3	10.6
502	13.4	4.1	13.4	5.5	249	6.3	15.7	19.3	15.4
269	15.6	5.0	6.9	14.4	257	8.0	9.8	8.4	8.1
402	2.1	4.2	2.5	2.0	400	1.6	5.6	6.7	14.1
404	9.8	4.2	1.4	7.6	251	5.3	8.4	4.7	5.3
006	10.7	11.7	3.2	7.1	255	8.1	3.2	4.9	6.1
005	3.9	7.8	1.7	-	290	2.8	9.2	9.1	9.7
065	1.9	1.8	1.9	6.0	301	23.5	18.1	14.4	6.5
276	3.7	1.9	2.1	-					
501	14.5	16.6	9.5	6.2					
278	3.7	3.2	9.1	1.1					
505	16.5	19.9	16.0	14.4					
277	5.9	7.5	7.8	1.6					
271	9.0	49.6	4.3	2.6					

URINE - Copper $\mu\text{g/liter of urine}$

<u>Group 3</u>					<u>Group 3A</u>				
(smokers)					(smokers)				
T e s t					T e s t				
1	2	3	4		1	2	3	4	
112	12.8	10.5	16.0	33.6	091	7.9	6.3	2.9	3.5
141	9.6	4.3	24.1	45.3	131	3.5	6.7	-	-
180	17.5	15.8	19.2	-	227	7.6	8.4	17.0	6.3
142	7.3	13.0	35.3	35.1	245	21.1	19.9	17.4	21.7
221	4.8	3.4	19.8	37.2	226	5.0	3.0	8.4	4.0
187	13.0	12.2	-	-	126	12.4	8.2	4.2	13.2
236	7.3	17.0	-	-	229	19.8	26.0	7.5	29.9
149	5.3	25.4	8.4	4.9	195	5.0	11.0	19.1	17.0
176	3.4	12.0	15.9	8.0	233	3.6	6.0	24.8	32.2
600	29.0	6.0	6.3	11.2	175	5.0	7.2	10.7	11.6
139	8.3	7.8	17.5	9.2	157	6.8	11.9	8.9	13.7
230	3.0	4.1	20.9	5.0	209	15.6	-	33.9	14.9
204	11.0	24.8	15.8	21.7	188	5.8	29.7	8.9	27.1
210	13.3	14.3	12.9	6.5	123	9.9	5.0	9.8	40.0
098	4.0	24.3	15.1	14.9	182	8.6	25.0	-	10.8
122	9.7	8.8	11.0	35.7	214	7.7	14.7	-	-
					186	7.8	5.0	11.0	5.5
					172	11.1	28.8	8.9	-
					244	9.5	7.4	16.1	20.1
					109	11.5	16.4	17.0	12.8
					169	6.9	7.2	11.6	-
(non smokers)					(non smokers)				
111	13.1	10.3	12.3	-	165	6.2	9.3	11.2	7.4
311	8.3	8.1	10.9	5.1	083	7.9	12.8	13.0	9.6
133	6.5	16.7	9.6	40.3	136	6.1	12.1	7.8	8.6
203	8.9	10.2	11.1	-	215	5.9	8.4	12.0	-
297	11.4	-	12.5	4.5	160	10.3	11.3	-	-
080	35.7	12.8	13.3	15.3	120	6.1	7.5	14.2	9.7
161	13.5	9.0	-	9.7	097	7.2	10.8	15.4	-
177	7.2	-	17.6	12.9	213	6.2	7.0	16.8	15.3
110	14.0	18.1	9.9	10.2	225	17.1	9.9	13.9	18.0
224	11.6	13.6	6.0	35.4	134	9.4	11.9	38.4	7.7
129	6.2	3.9	5.3	6.0	166	6.9	8.5	-	-
296	11.3	14.5	11.7	23.1	125	18.3	8.4	17.7	18.3
222	2.0	14.1	10.8	16.1	170	-	24.2	7.1	11.2
094	6.0	7.4	4.8	6.6	234	19.5	15.1	11.4	26.3
					118	6.1	6.7	-	13.7

URINE - Lead
µg/liter of urine

139<

<u>Group 1</u> (smokers)	<u>Test</u>				<u>Group 1A</u> (smokers)	<u>Test</u>			
	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>		<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>
022	18.5	40.0	42.1	14.5	350	0.0	0.0	19.2	21.6
054	41.1	16.7	33.0	9.7	348	18.6	0.0	11.5	8.3
038	48.2	26.7	25.0	8.1	347	0.0	76.6	---	38.3
029	63.0	85.4	21.6	0.0	329	20.9	0.0	44.9	24.9
030	51.9	80.8	17.1	8.1	336	45.3	0.0	51.3	44.9
020	92.6	46.2	13.7	0.0	321	2.7	3.3	25.6	19.9
033	44.5	53.9	34.1	6.5	313	0.0	0.0	2.6	3.3
016	81.5	42.3	28.4	0.0	284	13.3	36.6	38.5	46.6
069	14.8	92.3	---	---	320	11.9	0.0	14.1	28.3
036	32.0	53.9	15.9	14.5	340	13.3	46.6	29.5	4.9
040	28.0	3.9	26.2	6.5	253	85.3	---	1.3	28.3
008	12.0	27.7	23.5	4.5	318	12.2	0.0	18.2	14.9
039	48.0	40.1	29.8	47.0	339	21.9	23.8	22.7	20.9
027	88.0	38.9	18.5	1.5	283	9.8	0.0	30.7	8.0
032	32.0	7.7	23.5	18.2	337	109.7	23.8	36.8	9.7
042	16.0	0.0	7.4	9.1	346	29.2	0.0	---	---
023	48.0	0.0	9.9	10.6	314	14.6	0.0	21.6	6.5
026	72.0	53.3	40.8	0.0	315	37.5	28.5	21.6	6.5
053	36.0	0.0	11.1	7.6	349	46.8	0.0	26.1	0.0
012	12.0	0.0	7.4	0.0	286	9.4	4.7	0.0	16.1
047	0.0	36.4	11.1	9.1	325	12.5	70.3	15.8	0.0
014	20.0	37.7	9.9	4.6	333	0.0	45.3	28.9	1.6
017	12.0	24.7	24.7	9.1	345	25.0	26.6	3.9	---
071	40.0	39.0	19.8	1.5	316	34.4	43.8	0.0	---
					331	---	26.6	6.6	0.0
(non smokers)					(non smokers)				
046	41.1	46.7	21.6	0.0					
035	62.9	29.9	19.3	0.0	323	0.0	23.3	66.7	31.7
024	44.5	36.7	17.1	1.6	312	56.9	0.0	51.3	43.3
013	41.1	46.7	50.0	9.7	334	26.6	3.3	30.8	---
019	63.0	46.2	22.8	6.5	285	28.9	---	21.8	48.3
015	51.9	57.7	13.7	24.2	326	19.9	---	19.2	8.3
049	24.0	12.3	23.5	1.5	258	0.0	0.0	15.9	3.2
055	48.0	7.7	13.6	12.1	343	12.2	4.7	12.5	12.9
034	24.0	0.0	0.0	12.1	327	21.9	0.0	31.8	8.0
045	24.0	6.1	18.5	1.5	330	7.3	33.3	0.0	3.2
067	24.0	37.7	8.7	0.0	351	39.0	19.0	26.1	32.3
070	8.0	5.2	17.3	0.0	338	0.0	---	35.2	1.6
					324	0.0	18.7	15.8	19.4
					328	25.0	70.3	36.8	22.6
					341	12.5	31.3	14.5	19.4
					319	0.0	64.1	14.5	12.9

URINE - Lead

140

µg/liter of urine

<u>Group 2</u> (smokers)	<u>Test</u>				<u>Group 2A</u> (smokers)	<u>Test</u>			
	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>		<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>
503	29.7	53.0	64.5	30.3	298	27.9	10.0	1.6	10.5
264	8.1	3.0	8.6	3.0	307	4.9	15.0	32.3	15.8
004	5.4	59.1	52.7	51.5	291	21.3	0.0	46.7	33.3
273	0.0	4.5	---	---	287	0.0	52.5	0.0	24.6
281	2.7	31.8	9.7	33.3	248	13.1	30.0	37.1	0.0
504	0.0	13.6	4.3	0.0	299	32.8	1.3	1.6	0.0
270	9.5	53.0	51.6	60.6	303	54.1	39.9	17.7	43.1
262	0.0	48.5	20.4	---	401	26.9	34.7	33.9	62.7
266	----	24.2	16.1	21.2	309	20.5	19.9	20.9	60.1
405	0.0	---	12.9	52.5	305	46.2	37.3	33.9	44.4
066	0.0	1.5	49.4	---	288	62.8	49.3	24.1	63.9
058	---	52.9	106.0	49.1	292	43.6	19.9	49.0	20.9
002	2.9	15.3	12.0	32.4	601	0.0	9.3	58.8	54.8
275	0.0	19.9	16.9	25.9	261	32.1	0.0	47.1	41.8
061	23.5	65.8	56.6	37.9	250	0.0	26.7	17.6	---
(non smokers)					(non smokers)				
279	6.8	4.5	1.1	10.1	246	96.7	50.0	14.5	24.6
003	13.5	48.5	37.6	50.5	259	98.4	30.0	11.3	---
001	2.7	83.3	35.5	90.9	304	32.1	38.7	14.5	26.1
502	1.3	45.4	52.7	25.3	249	32.1	22.7	17.7	20.9
269	41.9	37.9	67.7	52.5	257	20.5	17.3	8.0	20.9
402	11.7	12.9	16.8	17.6	400	7.7	18.6	5.9	43.1
404	17.6	18.8	15.6	24.9	251	25.6	19.9	21.6	32.6
006	41.1	68.2	19.2	32.4	255	16.7	23.9	29.4	45.7
005	38.2	88.2	36.1	---	290	46.2	31.9	11.7	40.5
065	5.8	0.0	0.0	29.6	301	48.8	38.7	11.7	31.3
276	97.1	7.0	24.1	---					
501	2.9	47.1	22.9	34.2					
278	0.0	21.1	16.9	0.9					
505	5.8	51.7	28.9	52.7					
277	0.0	88.2	18.0	13.8					
271	0.0	78.8	15.7	42.6					

URINE - Lead $\mu\text{g/l}$ of urine

<u>Group 3</u> (smokers)					<u>Group 3A</u> (smokers)				
Test					Test				
1	2	3	4		1	2	3	4	
112	49.3	73.6	32.7	38.3	091	17.8	15.5	0.0	0.0
141	33.3	5.2	39.9	66.6	131	5.3	20.6	--	--
180	51.9	66.6	56.3	--	227	31.4	16.3	28.5	25.7
142	7.9	17.5	25.4	64.9	245	41.0	22.4	73.8	142.4
221	23.9	8.7	83.8	9.9	226	0.0	9.4	0.0	0.0
187	43.9	54.3	--	--	126	8.3	9.4	--	15.8
236	21.3	43.8	--	--	229	38.8	13.7	29.2	43.9
149	13.3	36.8	9.6	8.3	195	5.5	2.2	49.9	21.9
176	13.3	61.4	58.0	11.6	233	5.5	8.8	6.0	1.2
600	71.9	10.8	9.6	149.9	175	0.9	0.0	31.7	2.4
139	25.7	19.9	66.1	19.5	157	4.6	9.9	48.7	42.6
230	10.0	49.9	24.1	21.7	209	34.2	--	57.3	14.6
204	7.1	28.3	46.7	60.8	188	14.8	23.3	21.9	34.3
210	22.8	24.9	69.3	2.1	123	0.0	0.0	7.3	5.9
098	0.0	83.3	20.9	41.3	182	84.7	37.9	--	37.3
122	20.0	33.3	35.4	10.8	214	23.8	5.7	--	--
					186	6.6	0.0	12.1	14.9
					172	17.1	9.1	30.4	--
					244	5.7	0.0	25.6	32.8
					109	15.2	3.4	37.8	20.8
					169	35.2	0.0	53.6	--
(non smokers)					(non smokers)				
111	42.7	36.8	10.9	--	165	14.2	13.7	11.9	31.8
311	53.3	21.0	36.3	16.6	083	1.7	15.5	28.5	13.6
133	30.7	47.3	51.6	61.6	136	21.4	9.4	38.0	31.8
203	21.3	57.8	0.0	--	215	8.9	15.5	69.0	--
297	53.3	--	9.6	13.3	160	10.7	25.8	---	--
080	63.9	47.3	24.1	21.6	120	0.0	13.7	28.0	--
161	47.9	37.8	--	46.6	097	66.6	22.4	64.6	--
177	29.3	--	61.2	58.3	213	47.2	19.8	51.2	31.7
110	15.9	29.7	20.9	39.1	225	30.5	17.7	21.9	25.3
224	18.6	19.9	17.7	36.9	134	3.7	7.7	26.8	0.0
129	12.8	11.6	90.3	8.6	166	15.2	0.0	--	--
296	24.2	36.6	85.4	21.7	125	21.9	2.2	43.9	28.3
222	0.0	26.6	69.3	0.0	170	--	35.5	12.1	31.3
094	18.5	19.9	33.8	60.8	234	53.3	4.5	57.3	56.7
					118	15.2	0.0	--	14.9

URINE - Manganese
 $\mu\text{g/liter of urine}$

Group 1 (smokers)	Test				Group 1A (smokers)	Test			
	1	2	3	4		1	2	3	4
022	3.3	4.4	2.9	25.1	350	9.8	7.2	4.8	1.3
054	3.2	2.8	11.2	7.8	348	4.2	12.0	2.9	16.9
038	3.0	3.4	3.6	11.0	347	9.1	6.0	2.7	4.2
029	6.3	2.1	6.3	6.1	329	7.9	22.4	3.5	2.2
030	8.5	4.2	3.9	11.6	336	9.8	8.9	2.6	7.2
020	3.1	2.1	4.8	12.4	321	47.4	8.1	1.1	2.6
033	2.5	3.3	5.6	23.8	313	8.0	3.4	0.5	4.3
016	2.4	3.4	4.3	6.1	284	19.1	21.5	1.7	7.4
069	3.9	3.1	----	----	320	6.1	5.8	2.4	4.9
036	3.8	8.4	1.4	12.2	340	5.4	10.3	2.8	3.5
040	13.3	5.5	9.0	10.1	253	8.9	----	1.9	4.9
008	1.6	10.1	2.5	13.6	318	10.7	15.9	1.9	3.7
039	5.4	8.1	3.9	18.5	339	4.0	13.0	2.4	10.2
027	6.6	5.0	2.3	6.5	283	9.1	13.4	1.8	8.5
032	4.8	15.6	5.3	10.2	337	10.2	2.4	7.3	3.6
042	3.0	3.1	9.2	11.0	346	7.2	5.2	----	----
023	6.4	6.1	4.1	7.4	314	24.2	7.4	0.9	14.4
026	3.4	9.3	7.9	2.8	315	8.0	7.6	1.6	6.9
053	7.3	4.6	1.4	5.9	349	4.1	13.2	3.8	9.3
012	2.5	6.2	9.0	12.1	286	15.6	7.5	3.5	4.2
047	4.5	6.0	4.6	6.1	325	8.0	10.6	2.9	3.6
014	3.0	8.7	8.3	5.3	333	8.8	5.8	1.5	4.3
017	14.1	5.8	5.6	16.2	345	22.3	6.2	1.7	1.3
071	5.1	13.0	2.0	13.2	316	6.2	13.0	0.3	8.9
					331	19.1	4.5	10.6	3.6
(non smokers)					(non smokers)				
046	2.9	4.3	4.2	5.3	323	5.6	7.1	1.9	2.7
035	3.1	3.2	6.9	18.6	312	8.5	11.1	3.4	4.0
024	5.2	2.8	1.4	9.1	334	10.0	15.5	7.8	----
013	7.8	3.8	3.0	8.0	285	10.0	----	5.6	3.1
019	4.4	11.1	2.5	20.7	326	2.2	----	3.3	2.7
015	4.9	7.5	3.9	6.3	258	12.8	6.2	1.9	6.0
049	2.2	14.2	3.1	11.6	343	13.1	7.9	8.9	2.5
055	5.6	9.4	4.8	7.2	327	6.4	8.4	3.5	2.1
034	3.1	3.6	2.3	8.5	330	12.4	4.4	2.7	1.2
045	6.4	7.2	1.9	4.8	351	9.1	16.0	2.7	6.1
067	4.3	6.4	2.8	8.6	338	7.1	----	7.2	3.4
070	9.1	6.2	4.1	9.6	324	6.4	14.2	2.3	4.8
					328	86.2	7.7	2.3	5.1
					341	9.3	35.9	0.6	5.0
					319	11.3	3.3	2.5	11.2

URINE - Manganese $\mu\text{g/liter of urine}$

Group 2 (smokers)	Test				Group 2A (smokers)	Test			
	1	2	3	4		1	2	3	4
503	2.3	5.4	25.3	11.3	298	4.8	1.5	12.6	8.5
264	4.6	4.6	1.2	1.9	307	5.4	12.2	13.2	4.9
004	4.3	19.9	47.6	2.5	291	2.9	1.5	18.1	9.2
273	9.5	0.2	----	----	287	2.7	2.2	4.8	4.5
281	6.9	2.3	6.5	3.3	248	4.1	2.1	34.4	6.1
504	5.1	1.1	2.4	4.4	299	5.3	2.7	8.2	5.0
270	7.6	6.6	2.0	3.2	303	3.1	11.0	8.2	21.7
262	8.6	9.3	1.3	----	401	4.3	3.2	17.3	13.3
266	----	4.6	2.6	2.6	309	13.2	7.7	12.7	9.0
405	9.8	----	1.5	3.5	305	1.6	13.7	31.3	17.5
066	4.3	5.9	2.5	----	288	4.7	39.8	10.3	7.1
058	----	2.2	1.7	2.7	292	2.7	7.3	11.6	12.6
002	1.5	1.2	3.2	5.2	261	26.4	16.8	5.8	21.2
275	2.4	3.7	5.1	4.6	250	6.1	10.6	13.1	----
061	4.7	2.2	1.5	1.5	601	5.2	4.4	5.3	3.2

(non smokers)

(non smokers)

279	12.7	3.4	2.7	4.1	246	2.5	1.4	12.4	10.5
003	5.7	3.2	3.4	3.1	259	2.7	7.1	11.5	----
001	2.5	4.2	3.5	3.6	304	3.5	1.9	7.2	11.2
502	7.5	4.4	1.5	12.7	249	1.3	9.0	6.5	5.6
269	3.8	6.1	6.6	9.3	257	2.1	5.4	11.5	7.2
402	2.0	3.0	11.0	4.6	400	4.5	6.6	10.9	7.5
404	11.9	2.4	2.3	2.0	251	6.7	32.3	14.0	12.9
006	4.2	2.0	2.6	5.6	255	2.2	7.5	65.0	42.4
005	9.4	2.0	3.2	----	290	4.5	9.3	6.8	13.3
065	2.4	4.2	0.4	23.7	301	2.5	15.8	7.4	15.2
276	6.7	2.8	4.3	----					
501	5.0	8.4	2.0	3.3					
278	2.5	2.0	5.4	1.5					
505	6.2	8.4	4.1	17.1					
277	8.5	2.3	4.5	2.6					
271	2.5	3.8	8.8	6.8					

URINE - Manganese $\mu\text{g/liter of urine}$

<u>Group 3</u> (smokers)	<u>T e s t</u>				<u>Group 3A</u> (smokers)	<u>T e s t</u>			
	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>		<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>
112	19.2	30.4	5.9	4.6	091	52.9	1.0	5.7	7.0
141	14.2	5.3	6.8	4.0	131	9.7	9.1	----	----
180	27.5	5.9	9.8	----	227	6.7	2.4	9.9	8.6
142	12.1	2.0	2.8	10.8	245	7.0	1.9	6.0	7.7
221	14.9	3.8	4.5	8.5	226	12.2	2.6	4.5	3.1
187	8.6	2.5	----	----	126	4.0	3.3	6.7	3.6
236	8.6	14.9	----	----	229	5.1	5.7	3.5	4.4
149	2.0	14.9	5.9	3.6	195	6.1	5.2	6.5	8.8
176	47.7	6.8	7.4	7.8	233	10.7	2.2	3.5	2.9
600	18.8	8.7	6.6	8.6	175	15.0	2.3	3.5	3.0
139	13.5	8.2	9.9	89.1	157	6.6	3.4	5.7	5.2
230	8.5	11.8	5.0	11.4	209	24.0	----	4.5	6.1
204	10.3	14.7	8.8	39.3	188	19.1	3.7	28.6	3.4
210	9.3	12.6	10.3	5.2	123	15.9	3.7	51.9	4.4
098	6.8	8.2	26.9	3.7	182	2.0	1.2	----	4.4
122	13.5	3.5	7.9	4.4	214	3.3	1.5	----	----
					186	5.2	2.4	5.4	5.5
					172	11.9	2.8	4.5	----
(non smokers)					244	2.5	6.6	6.9	3.8
111	19.5	9.9	10.2	----	(non smokers)				
311	6.6	23.1	6.5	8.7					
133	10.6	12.9	21.1	58.5	165	20.9	----	3.7	6.2
203	5.8	12.9	4.9	----	083	17.4	0.9	3.9	2.7
297	8.2	----	10.4	44.8	136	4.2	1.7	10.7	4.2
080	10.0	2.9	18.4	6.7	215	69.6	7.4	2.9	----
161	20.4	2.3	----	10.9	160	6.6	2.4	----	----
177	16.5	----	2.6	6.9	120	21.6	2.6	6.6	9.5
110	10.4	7.0	5.0	21.1	097	11.6	4.0	28.8	----
224	45.0	3.7	4.6	13.4	213	7.0	6.5	12.7	3.1
129	4.0	12.0	4.7	4.8	225	3.6	2.6	7.4	2.7
296	11.5	10.7	6.5	35.8	134	3.1	4.1	2.8	1.8
222	5.1	6.5	14.7	6.6	166	3.0	3.5	----	----
094	12.1	4.0	9.3	7.3	125	24.1	3.3	7.8	2.5
					170	----	3.8	9.9	4.1
					234	68.8	2.3	15.3	4.1

URINE - Zinc $\mu\text{g/liter of urine}$

Group 1 (smokers)	Test				Group 1A (smokers)	Test			
	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>		<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>
022	153.	170.	466.	218.	350	215.	358.	224.	106.
054	158.	133.	437.	235.	348	393.	606.	272.	465.
038	124.	90.	239.	410.	347	77.	744.	227.	575.
029	110.	173.	288.	335.	329	261.	141.	164.	267.
030	113.	144.	260.	427.	336	358.	342.	977.	695.
020	230.	193.	592.	680.	321	143.	169.	164.	204.
033	241.	210.	221.	559.	313	235.	405.	164.	730.
016	269.	144.	423.	241.	284	126.	138.	346.	634.
069	263.	462.	---	---	320	163.	694.	312.	344.
036	115.	119.	104.	298.	340	189.	505.	249.	587.
040	67.	360.	346.	261.	253	175.	---	45.	135.
008	249.	377.	638.	593.	318	88.	612.	167.	67.
039	168.	351.	749.	255.	339	143.	237.	269.	408.
027	334.	363.	558.	627.	283	71.	232.	82.	115.
032	252.	336.	491.	235.	337	458.	603.	229.	357.
042	188.	102.	189.	221.	346	264.	277.	---	---
023	308.	207.	568.	403.	314	198.	214.	171.	381.
026	84.	105.	437.	153.	315	194.	201.	203.	186.
053	53.	21.	279.	261.	349	445.	201.	707.	634.
012	216.	237.	354.	122.	286	224.	432.	145.	412.
047	87.	126.	419.	153.	325	316.	128.	191.	169.
014	126.	180.	354.	479.	333	397.	356.	272.	499.
017	182.	404.	1085.	667.	345	150.	171.	29.	534.
071	631.	463.	518.	421.	316	185.	204.	78.	219.
					331	217.	115.	168.	514.
(non smokers)					(non smokers)				
046	153.	116.	592.	252.	323	341.	556.	269.	383.
035	198.	82.	334.	129.	312	530.	339.	542.	361.
024	90.	90.	184.	381.	334	146.	295.	153.	---
013	173.	278.	502.	476.	285	430.	--	181.	767.
019	167.	210.	423.	461.	326	131.	113.	90.	175.
015	308.	261.	460.	680.	258	111.	395.	184.	196.
049	188.	263.	620.	114.	343	278.	138.	173.	608.
055	297.	180.	577.	426.	327	352.	50.	490.	710.
034	109.	148.	239.	--	330	243.	132.	92.	244.
045	160.	153.	453.	224.	351	366.	564.	287.	647.
067	224.	503.	964.	482.	338	475.	---	510.	254.
070	252.	175.	552.	278.	324	224.	198.	307.	186.
					328	465.	613.	330	352.
					341	399.	389.	205.	646.
					319	226.	412.	156.	129.

URINE - Zinc
 $\mu\text{g/liter of urine}$

<u>Group 2</u> (smokers)	<u>Test</u>				<u>Group 2A</u> (smokers)	<u>Test</u>			
	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>		<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>
503	461.	492.	496.	505.	298	174.	141.	174.	184.
264	473.	167.	361.	110.	307	122.	93.	275.	165.
004	618.	1032.	1361.	480.	291	174.	25.	447.	511.
273	395.	320.	---	---	287	61.	115.	95.	85.
281	563.	527.	103.	154.	248	165.	122.	301.	79.
504	202.	493.	---	129.	299	174.	117.	340.	247.
270	705.	543.	491.	537.	303	227.	209.	194.	181.
262	793.	1245.	334.	---	401	337.	321.	596.	485.
266	---	550.	587.	393.	309	249.	347.	485.	250.
405	711.	222.	---	303.	305	223.	515.	713.	287.
066	637.	257.	---	---	288	260.	---	470.	718.
058	570.	458.	642.	449.	292	355.	167.	457.	367.
002	189.	182.	192.	199	601	289.	177.	---	477.
275	582.	652.	551.	228.	261	295.	160.	204.	284.
061	508.	684.	540.	290.	250	34.	83.	243.	---
(non smokers)					(non smokers)				
279	444.	319.	408.	189.	246	92.	138.	113.	118.
003	457.	876.	746.	522.	259	150.	103.	158.	---
001	775.	505.	317.	445.	304	204.	235.	200.	155.
502	632.	300.	767.	471.	249	135.	103.	226.	167.
269	1250.	596.	318.	423.	257	141.	96.	121.	73.
402	260.	540.	295.	162.	400	150.	215.	217.	280.
404	450.	400.	248.	334.	251	91.	160.	97.	40.
006	---	477.	253.	353.	255	100.	86.	108.	157.
005	---	497.	417.	---	290	204.	222.	230.	180.
065	231.	236.	414.	181.	301	355.	392.	220.	143.
276	376.	102.	294.	---					
501	378.	503.	519.	312.					
278	594.	278.	561.	55.					
505	---	1307.	745.	---					
277	181.	352.	554.	71.					
271	194.	272.	177.	---					

URINE - Zinc
μg/liter of urine

147<

Group 3 (smokers)	Test				Group 3A (smokers)	Test			
	1	2	3	4		1	2	3	4
112	296.	419.	465.	467.	091	42.	53.	14.	52.
141	65.	74.	382.	171.	131	168.	244.	---	---
180	29.	21.	99.	82.	227	402.	198.	215.	108.
142	127.	213.	755.	505.	245	653.	252.	211.	372.
221	172.	91.	168.	133.	226	63.	26.	45.	59.
187	277.	186.	---	---	126	225.	72.	47.	104.
236	29.	118.	---	---	229	222.	74.	85.	---
149	62.	112.	79.	28.	195	139.	421.	254.	286.
176	11.	204.	104.	31.	233	152.	110.	82.	100.
600	297.	132.	152.	302.	175	225.	244.	108.	50.
139	101.	122.	248.	178.	157	206.	153.	79.	83.
230	175.	445.	101.	200.	209	458.	---	448.	215.
204	198.	312.	276.	260.	188	276.	200.	133.	275.
210	153.	254.	203.	123.	123	232.	122.	170.	162.
098	35.	289.	159.	156.	182	355.	428.	---	291.
122	237.	199.	184.	153.	214	78.	102.	---	---
					186	201.	118.	90.	98.
(non smokers)					172	158.	334.	183.	---
					244	220.	193.	186.	311.
111	68.	77.	92.	82.	109	360.	311.	189.	---
311	87.	152.	82.	73.	169	77.	49.	131.	---
133	136.	240	155.	187.					
203	110.	115.	118.	---	(non smokers)				
297	217.	---	125.	127.					
080	184.	52.	76.	92.	165	227.	149.	97.	138.
161	92.	66.	---	66.	083	208.	334.	260.	---
177	132.	---	124.	213.	136	104.	145.	19.	91.
110	132.	207.	184.	162.	215	208.	126.	120.	---
224	235.	217.	124.	184.	160	144.	169.	---	---
129	143.	196.	108.	98.	120	110.	99.	81.	104.
296	117.	122.	127.	133.	097	203.	149.	224.	---
222	87.	109.	162.	45.	213	219.	91.	216.	191.
094	234.	305.	184.	140.	225	235.	157.	308.	291.
					134	207.	275.	119.	84.
					166	81.	39.	---	---
					125	301.	137.	228.	177.
					170	---	216.	90.	93.
					234	282.	137.	96.	213.
					118	90.	107.	---	142.

Trace Elements in Feces

F E C E S C a d m i u m
 $\mu\text{g/g}$ Feces

<u>Group 1</u> (smokers)	<u>1</u>	<u>T e s t</u> <u>2</u>	<u>3</u>	<u>4</u>	<u>Group 1A</u> (smokers)	<u>1</u>	<u>T e s t</u> <u>2</u>	<u>3</u>	<u>4</u>
022	0.20	0.12	0.18	0.22	350	0.11	0.15	0.15	0.15
054	0.25	0.19	0.20	0.17	348	0.13	0.36	0.14	0.18
038	--	0.16	0.27	0.30	329	0.13	--	--	0.15
029	0.30	0.19	0.14	0.27	336	0.21	0.21	0.24	0.02
030	--	0.13	0.20	0.20	321	0.11	0.03	--	0.01
020	0.15	0.18	0.21	0.18	313	0.14	0.15	0.12	0.04
033	0.20	0.19	0.26	0.19	284	0.16	0.20	0.15	0.14
016	0.20	0.17	0.21	0.18	320	0.26	0.32	--	0.44
069	--	0.18	0.16	0.18	340	0.09	--	--	0.14
036	0.15	0.13	0.27	0.17	318	0.30	0.45	0.50	0.19
040	0.10	0.16	0.07	0.14	339	0.16	0.19	0.14	0.13
008	0.15	0.13	0.23	0.18	283	--	0.14	--	0.09
039	0.15	0.15	0.21	0.38	337	0.24	0.17	0.68	0.12
027	0.15	0.19	0.24	0.30	346	0.37	0.24	--	--
032	0.15	0.19	0.17	0.11	352	0.11	0.09	--	--
042	0.10	0.19	0.14	0.13	314	0.21	0.20	0.14	0.18
023	0.10	0.12	0.19	0.14	315	0.13	0.15	0.14	0.09
026	0.20	0.22	0.20	0.33	349	0.17	0.18	0.14	0.26
053	0.11	0.19	0.24	0.37	286	0.27	0.21	0.10	0.10
012	0.06	0.06	0.20	0.05	325	0.20	0.32	0.13	0.18
047	0.13	0.12	0.31	0.36	345	0.36	0.30	0.73	0.28
014	0.14	0.19	0.20	0.13	316	0.57	0.24	--	0.08
017	0.14	0.19	0.28	0.24	331	0.40	0.28	0.19	0.12
071	0.21	0.13	0.27	0.15					
(non smokers)					(non smokers)				
046	0.15	0.17	0.13	0.22	323	0.28	0.09	0.17	0.11
035	0.28	0.33	0.13	0.21	312	0.28	0.43	0.21	0.26
024	0.25	0.18	0.21	0.28	285	0.14	0.15	0.09	0.07
013	0.35	0.30	0.19	0.18	326	0.23	0.21	0.11	0.10
019	0.20	0.16	0.11	0.25	258	0.16	0.12	--	0.20
015	0.15	0.20	0.10	0.20	343	0.10	0.19	0.12	0.12
049	0.10	0.23	0.14	0.26	327	0.19	0.31	0.11	0.17
055	0.15	0.12	0.12	0.08	330	0.18	0.24	0.16	0.15
034	0.25	0.41	0.15	0.26	351	0.23	0.22	--	0.17
045	0.10	0.05	0.19	0.08	338	--	0.17	0.15	0.32
067	0.20	0.25	0.22	0.26	324	0.20	0.26	0.18	0.18
070	0.04	0.08	0.15	0.15	328	0.34	0.28	0.16	0.25
					341	0.17	0.28	--	0.22
					319	0.16	0.13	--	0.10

FECS - Cadmium $\mu\text{g/g}$ Feces

Group 2 (smokers)	T e s t				Group 2A (smokers)	T e s t			
	1	2	3	4		1	2	3	4
503	0.25	0.19	0.41	0.39	298	0.33	0.33	0.19	0.39
264	0.22	0.12	0.36	0.19	307	0.29	0.26	0.22	0.27
004	0.26	0.29	0.08	0.06	291	0.28	0.37	0.42	0.28
281	0.21	0.24	0.25	0.20	287	0.41	0.33	0.38	0.38
504	0.20	--	0.36	0.02	248	0.19	0.07	0.29	0.25
262	0.35	0.41	1.78	--	299	0.14	0.43	0.22	0.12
405	0.14	0.15	0.38	--	303	0.26	0.23	0.14	0.21
066	0.05	--	--	--	401	0.14	0.13	0.24	0.23
058	0.29	0.14	0.35	0.37	309	0.26	0.15	0.16	0.19
002	0.16	0.20	0.20	0.32	305	0.28	0.02	0.17	0.07
275	0.17	0.41	0.36	--	288	0.18	0.09	0.24	0.34
061	0.18	0.28	0.48	0.23	292	0.01	0.07	0.95	0.00
					601	0.18	0.15	0.18	0.07
					261	0.04	0.34	0.11	0.20
					250	0.27	0.51	0.29	--
(non smokers)					(non smokers)				
279	0.13	0.16	0.38	0.26	246	0.22	0.18	0.24	0.25
003	0.14	0.08	0.23	0.22	259	0.24	0.08	0.16	--
001	0.38	0.34	0.25	0.20	304	0.20	0.09	0.16	0.19
502	0.14	0.39	0.59	0.31	249	0.25	0.62	0.17	0.31
269	0.27	--	--	--	257	0.30	0.17	0.28	0.24
402	0.30	0.33	0.35	0.24	400	0.30	0.21	0.40	0.05
404	0.30	0.28	0.37	0.28	251	0.37	0.23	0.30	0.27
006	0.33	0.25	1.02	0.36	255	0.10	0.06	0.27	0.18
005	0.23	0.19	0.34	--	290	0.18	0.15	0.31	0.30
065	0.15	0.10	0.41	0.21	301	0.28	0.31	0.27	0.25
276	0.21	0.22	0.32	--					
501	0.13	0.22	0.32	0.38					
278	0.21	0.17	0.38	0.45					
505	--	--	--	0.31					
277	0.90	0.17	0.53	0.38					

FECES - Cadmium

151

µg/g Feces

Group 3 (smokers)	T e s t				Group 3A (smokers)	T e s t			
	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>		<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>
112	0.38	0.24	0.27	0.23	091	0.27	0.21	0.31	0.28
141	0.23	0.27	0.16	0.48	131	0.17	0.15	--	--
180	0.41	0.22	0.40	0.29	227	0.25	0.03	0.20	--
142	0.17	0.29	0.26	0.13	245	0.28	0.17	0.44	0.24
221	0.17	0.06	0.41	--	226	0.26	0.20	0.19	0.17
187	0.10	0.11	--	--	126	0.22	0.21	0.21	0.24
236	0.22	0.23	--	--	229	0.19	0.13	0.41	0.41
149	0.21	0.22	0.35	0.12	195	0.26	0.25	1.20	0.28
176	0.35	--	0.23	0.49	233	0.14	0.02	0.08	0.12
600	0.27	0.24	0.26	0.25	175	0.15	0.12	0.15	0.27
139	0.28	--	0.42	--	157	0.18	0.21	0.13	--
230	0.13	0.07	0.25	0.35	209	0.31	0.31	0.24	0.20
204	0.31	0.29	0.24	0.20	188	0.19	0.23	0.20	0.17
210	0.31	0.26	0.15	0.37	123	0.15	0.26	0.40	0.21
098	0.42	0.11	0.07	0.14	182	0.15	0.12	0.15	0.22
122	0.41	0.14	0.06	0.13	214	0.24	--	--	--
					186	0.14	0.10	0.16	0.20
					172	0.14	0.18	0.13	--
					244	0.10	--	0.21	--
					109	0.03	0.30	0.37	0.21
					169	0.34	0.35	0.30	--
(non smokers)					(non smokers)				
111	--	0.26	0.30	0.25	165	0.11	0.17	0.24	0.11
311	0.17	0.14	0.34	0.10	083	0.33	0.30	0.29	0.35
133	0.24	--	0.14	--	136	0.26	0.05	0.24	0.17
203	0.40	0.25	0.30	0.24	215	0.31	0.25	0.31	--
297	0.42	0.23	0.20	0.40	160	0.27	0.30	--	0.27
080	0.21	0.12	0.12	0.08	120	0.17	0.16	0.28	0.32
161	0.29	0.25	0.53	0.25	097	0.54	0.17	0.25	--
177	1.45	0.52	0.21	0.24	213	0.24	--	0.29	--
224	0.34	0.18	0.29	0.20	225	0.22	0.14	0.37	0.24
129	0.13	0.27	0.28	0.32	134	0.23	0.15	0.22	0.26
296	0.38	0.28	0.18	0.22	166	0.30	0.01	--	--
222	0.18	0.39	0.17	0.47	125	0.04	0.05	0.04	0.18
094	0.22	0.34	0.33	0.30	170	0.27	0.35	0.21	0.28
					234	0.24	0.26	0.23	0.27
					118	0.17	0.28	--	--

FECES - Lead

152

µg/g

Group 1 (smokers)	Test				Group 1A (smokers)	Test			
	1	2	3	4		1	2	3	4
022	1.1	22.1	1.3	1.1	350	0.7	1.3	1.3	0.5
054	2.2	2.1	2.2	16.7	348	0.3	1.5	0.7	2.1
038	8.6	2.0	3.0	1.3	329	0.8	---	---	2.2
029	1.4	3.2	5.1	1.0	336	2.3	1.2	2.9	7.8
030	---	7.5	2.3	2.5	321	0.4	0	---	0.2
020	2.5	1.7	2.2	2.2	313	2.5	1.0	3.5	1.3
033	0.5	2.8	4.3	1.2	284	0.9	0.9	2.0	0.7
016	2.2	1.5	2.8	1.5	320	4.3	1.8	---	2.2
069	---	3.1	1.0	4.9	340	0.8	---	---	0.4
036	1.3	4.9	2.5	1.4	318	4.9	6.3	2.8	1.8
040	1.0	2.6	0.6	1.2	339	4.2	13.1	2.5	3.7
008	1.3	4.4	1.5	2.2	283	---	1.6	---	0.6
039	2.2	2.8	2.9	2.8	337	4.1	1.6	---	1.3
027	1.2	0.8	0.6	2.0	346	2.5	1.4	---	---
032	1.2	2.9	1.1	1.3	314	26.0	1.5	2.4	4.6
042	1.2	2.4	0.7	1.0	315	2.7	2.0	4.1	2.0
023	1.1	1.7	1.3	1.3	349	0.7	1.4	1.6	2.5
026	19.4	3.4	1.8	3.2	286	1.3	3.8	5.8	0.5
053	2.8	3.0	2.8	3.1	325	0.9	2.0	1.8	3.7
012	1.2	0.9	2.8	0.9	345	2.6	1.6	1.7	2.5
047	2.0	2.2	2.3	2.3	316	0.6	0.8	---	0.6
014	4.3	1.9	2.2	0.9	331	1.5	3.2	2.8	2.0
017	6.2	4.7	2.5	1.6					
071	2.1	0.6	2.2	1.4	(non smokers)				
(non smokers)					323	1.6	0.7	1.6	1.3
					312	1.8	2.9	3.1	3.4
046	0.6	2.1	1.2	1.2	285	0.7	0.6	0.5	1.2
035	0.9	1.6	2.4	1.4	326	4.8	2.0	4.7	3.5
024	0.7	4.1	3.2	0.9	258	1.3	0.1	---	2.5
013	1.0	---	2.6	2.4	343	1.2	3.3	0.6	2.2
019	0.7	0.2	1.9	1.4	327	1.0	1.6	0.7	2.2
015	1.8	1.6	1.0	4.6	330	2.3	2.3	1.9	1.1
049	1.0	1.4	0.7	0.8	351	4.8	2.4	---	4.0
055	2.9	2.1	0.9	1.5	338	---	0.9	---	1.2
034	1.9	5.5	2.0	4.8	324	1.2	2.2	2.5	1.3
045	1.0	1.1	1.6	0.7	328	1.0	2.5	4.1	1.3
067	5.2	2.6	2.1	3.5	341	1.2	0.9	---	0.9
070	0.3	1.1	1.2	1.9	319	0.9	0.4	---	1.9

FECES - Lead $\mu\text{g/g}$

<u>Group 2</u> (smokers)	<u>Test</u>				<u>Group 2A</u> (smokers)	<u>Test</u>			
	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>		<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>
503	2.0	1.3	7.5	7.3	298	5.5	3.8	6.1	1.4
264	3.5	1.7	2.8	2.4	307	3.1	11.8	2.2	---
004	2.4	1.7	1.5	0.7	291	12.6	12.3	2.4	3.0
281	1.1	1.3	1.2	2.2	287	2.6	2.8	4.0	1.9
504	0.7	---	0.1	0.6	248	1.5	0.8	0.2	0.3
262	0.7	3.0	2.0	---	299	4.7	4.5	3.9	1.5
405	4.6	3.5	2.1	---	303	1.9	3.0	1.2	1.3
066	0.6	---	---	---	401	1.3	0.6	1.8	1.8
058	6.7	2.4	6.8	1.7	309	1.5	0.8	1.5	1.7
002	0.9	0.6	0.9	2.0	305	3.4	0.9	0.9	0.9
275	2.2	1.5	1.8	---	288	1.5	0.3	0.3	0.7
061	2.3	4.4	3.3	3.3	292	0.0	0.6	0.1	0.2
					601	1.8	0.6	1.7	1.7
					261	0.4	0.4	0.3	1.0
					250	2.3	5.5	0.4	---
(non smokers)					(non smokers)				
279	1.1	2.5	5.2	2.1					
003	0.8	0.6	1.5	2.0					
001	1.6	2.3	0.9	3.0	246	3.5	0.2	3.6	1.0
502	1.7	2.3	1.0	5.5	259	1.0	0.9	2.6	---
269	6.6	---	---	---	304	1.1	2.6	0.9	2.4
402	1.9	1.2	0.7	2.0	249	5.2	1.9	0.7	2.0
404	1.9	2.3	3.7	5.8	257	2.2	1.6	0.6	2.4
006	4.2	1.5	0	3.6	400	1.2	1.1	1.1	0.5
005	2.6	1.5	2.1	---	251	2.4	5.0	0.6	2.1
065	3.4	2.3	1.9	6.4	255	3.2	0.4	1.5	1.8
276	1.3	1.8	3.4	---	290	1.0	1.0	1.7	1.8
501	0.7	0.6	1.4	3.0	301	11.3	2.2	1.0	1.4
278	4.3	0.8	1.2	2.0					
505	---	---	---	2.8					
277	0.2	0.8	2.5	2.7					

FECES - Lead

154

µg/g

<u>Group 3</u> (smokers)	<u>Test</u>				<u>Group 3A</u> (smokers)	<u>Test</u>			
	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>		<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>
112	2.9	2.1	1.3	0.8	091	3.6	15.9	3.9	2.1
141	4.7	4.3	2.4	1.3	131	0.6	0.6	---	---
180	4.0	2.8	1.9	7.5	227	0.5	1.3	1.2	---
142	1.0	2.5	1.4	0.8	245	0.1	1.2	3.2	0.7
221	2.0	1.4	2.3	---	226	3.2	1.4	1.6	1.6
187	2.1	2.0	---	---	126	11.7	4.8	2.4	1.1
236	0.9	2.0	---	---	229	1.4	3.3	1.5	2.6
149	3.2	3.2	1.8	1.4	195	1.1	0.5	2.5	1.5
176	7.0	---	2.6	2.6	233	1.4	1.4	0.9	0.2
600	3.0	2.1	2.1	1.6	175	1.1	1.4	2.4	1.1
139	3.3	---	4.3	---	157	0.1	1.1	2.4	0.1
230	2.4	0.5	1.8	4.0	209	2.2	1.4	2.9	1.8
204	2.0	0.7	1.5	0.9	188	0.6	2.0	1.8	30.4
210	2.4	3.1	2.5	2.4	123	0.6	1.7	0.7	2.0
098	0.7	1.8	2.1	1.5	182	0.6	0.6	2.0	1.9
122	0.7	2.6	2.3	2.5	214	3.1	---	---	---
(non smokers)					186	2.4	0.1	0.0	0.9
					172	1.1	0.6	0.5	---
					244	2.0	---	0.7	---
					109	12.0	1.8	6.8	4.0
111	---	2.1	1.1	1.4	169	3.6	7.6	4.2	---
311	1.8	1.0	2.9	0.3	(non smokers)				
133	7.3	---	2.4	---	165	0.8	0.2	1.1	1.6
203	3.9	3.4	8.5	3.4	083	1.4	3.5	2.2	6.1
297	5.7	3.8	3.0	2.3	136	4.2	2.0	3.4	2.6
080	1.5	2.8	1.1	4.6	215	0.8	2.5	0.5	---
161	16.1	6.0	2.5	3.4	160	3.6	4.1	---	1.8
177	6.4	9.7	1.5	5.5	120	0.2	0.7	14.7	3.1
224	3.7	1.5	4.3	1.9	097	4.6	1.0	2.2	---
129	3.0	2.5	3.2	2.5	213	2.1	---	3.5	---
296	2.6	2.9	2.2	4.9	225	1.5	1.4	1.3	20.3
222	1.4	1.5	1.4	5.4	134	6.7	1.2	3.3	6.2
094	2.5	2.5	2.1	6.4	166	2.0	0.5	---	---
					125	0.3	0.3	0.0	0.2
					170	2.4	1.3	2.3	4.8
					234	3.2	1.1	2.3	3.3
					118	2.5	0.4	---	---

2001 21 1 5122 25 23212 2 1 3
 2002 22 11516 23134511 2 1 2
 2003 22 22 12141912 2 2 3
 2004 22 11116 22 22912 2 2 3
 2005 22 22 26132512 2 2 3
 2006 22 22 13132214 2 1 3
 2008 11 1 1411421 25133711 2 1 7
 2012 12 11219 43134511 2 1 7
 2013 11 1 1222 25133111 2 1 7
 2014 11 1 1211316 23 32711 2 1 7
 2015 11 1 1222 25133311 2 1 7
 2016 11 1 1411320 25133511 2 1 7
 2017 12 122161825132312 2 1 7
 2019 12 22 25133411 2 1 7
 2020 12 11423 24 83011 2 1 7
 2022 11 11419 25134311 2 1 7
 2023 12 11314 25133814 2 1 7
 2024 11 1 1122 25113214 2 1 7
 2026 11 1 1111217 25132511 2 1 7
 2027 11 1 1211417 23134211 2 1 7
 2029 11 1 1211317 23134214 1 1 7
 2030 11 1 14123182825134011 2 1 7
 2032 11 1 1412 182725133311 2 1 7
 2033 11 1 14123162625133511 2 1 7
 2034 12 22 25 32411 2 1 7
 2035 11 1 1322 23133012 2 1 7
 2036 11 1 13123202523133111 2 1 7
 2038 11 1 11121192123133112 1 1 7
 2039 11 1 1211316 23133611 2 1 7
 2040 11 1 12122102525133411 2 1 7
 2042 11 1 1111516 23133414 2 1 7
 2045 11 1 1222 23134613 2 1 7
 2046 12 22 26 22914 2 1 7
 2047 12 11316 13132611 2 1 7
 2049 12 22 25 52511 2 1 7
 2053 12 11 18 25132012 2 1 7
 2054 12 11316 25132511 2 1 7
 2055 12 22 25 32111 2 1 7
 2058 22 1314 23133912 2 2 5
 2061 22 11316 23 12212 2 2 5
 2065 22 21119 23 82511 2 2 5
 2066 22 1 117 23 9281 1 2 5
 2067 12 22 25133214 2 1 7
 2069 11 1 1211415 27112613 2 1 7
 2070 11 1 1422 23133411 2 1 7
 2071 11 1 1211415 25 53114 2 1 7
 2080 52 22 17 32921 2 11 0
 2083 62 22 45 42621 2 21 0
 2091 62 11319 27 12824 2 21 0
 2094 52 22 26 22021 2 11 0
 2097 61 222 46 22623 2 21 0
 2099 62 11321 16 22621 2 11 0
 2109 62 121152027 12224 2 21 0
 2110 52 22 27 22224 2 11 0
 2111 52 22 15132521 2 11 0
 2112 52 11116 15132321 2 11 0
 2118 62 22 23113021 2 22 0
 2120 62 22 26132221 2 21 0
 2122 52 11319 15 62424 2 11 0
 2123 62 124152426 42721 1 21 0
 2125 62 22 26132723 2 21 0
 2126 62 122182126 22321 2 21 0

2 \00013
 2 \00014
 2 \00015
 2 \00016
 2 \00017
 2 \00018
 1 \00019
 1 \00020
 1 \00021
 1 \00022
 1 \00023
 1 \00024
 1 \00025
 1 \00026
 1 \00027
 1 \00028
 1 \00029
 1 \00030
 1 \00031
 1 \00032
 1 \00033
 1 \00034
 1 \00035
 1 \00036
 1 \00037
 1 \00038
 2 \00039
 2 \00040
 2 \00041
 2 \00042
 1 \00043
 1 \00044
 1 \00045
 1 \00046
 3 \00047
 3A\00048
 3A\00049
 3 \00050
 3A\00051
 3 \00052
 3A\00053
 3 \00054
 3 \00055
 3 \00056
 3A\00057
 3A\00058
 3 \00059
 3A\00060
 3A\00061
 3A\00062

2270722	11413	22	12412	2	2	1	2 \n 125
2271722	22	25	2241112	1	6		2 \n 126
2271822	115	9	23103011	2	1	4	2 \n 127
2275022	113		15062814	1	4		2 \n 128
2276822	221		15 32211	2	1	4	2 \n 129
2277922	122184026		3381142	1	6		2 \n 130
2278922	12119	425	52712	2	3	6	2 \n 131
2274422	22		17 32512	2	1	6	2 \n 132
2281922	11121	25	52211	2	1	6	2 \n 133
2283 72	11216	17	93611	2	21	9	14 \n 134
2284 71	1 8211312	22	62911	2	11	9	14 \n 135
2285 72	22	26	63011	2	21	9	14 \n 136
2286 72	11517		24135311	2	21	9	14 \n 137
2287 42	11216	12	42611	1	21	9	24 \n 138
2288 92	122173624		134612	2	21	9	24 \n 139
2290 32	22		22212	2	22	9	24 \n 140
2291 32	121151913102512		2	12	9		24 \n 141
2292 92	11415		15132211	2	22	9	24 \n 142
2294 62	11214	23	42321	2	11	9	3 \n 143
2295 2	11321		26133821	2	11	0	3 \n 144
2296 2	22	16	12221	2	11	0	3 \n 145
2297 2	22	26	92221	2	11	0	3 \n 146
2298 2	113	5	23132612	2	22	0	24 \n 147
2299 2	11216		45134316	2	12	0	24 \n 148
2301 2	2		23135012	2	22	0	24 \n 149
2303 2			134312	2	22	0	24 \n 150
2304 1	122		23133212	2	22	0	24 \n 151
2305 2	12		22113012	2	22	0	24 \n 152
2307 1	4121212425133012		2	22	0		24 \n 153
2309 2	11119		25133212	1	12	0	24 \n 154
231062	22	200217023521	2	11	0		3 \n 155
2312092	22		26042911	2	21	8	14 \n 156
2313092	11413		25082911	2	11	8	14 \n 157
2314092	11319		26134312	2	12	8	14 \n 158
2315052	125154424134515		2	11	8		14 \n 159
2316092	11316		46133911	2	21	8	14 \n 160
2318092	12 14		26134011	2	21	8	14 \n 161
2319092	22		26132411	2	21	8	14 \n 162
2320092	11320		25132211	2	21	8	14 \n 163
2321042	11 17		24133711	2	21	8	14 \n 164
2323092	22		16033211	1	21	8	14 \n 165
232409106018122			26133811	2	1	8	14 \n 166
2325092	124183024063414		2	11	8		14 \n 167
2326092	22		16013012	2	11	8	14 \n 168
2327092	22		2604291112	21			14 \n 169
2328092	22		26132511	2	21	8	14 \n 170
2329092	11517		26073811	2	21	8	14 \n 171
2330092	22		2613371111	21			14 \n 172
2331092	121111326132411		2	21	8		14 \n 173
2333092	11313		26132511	2	21	8	14 \n 174
2334042	22		2613271152	21			14 \n 175
2336092	11320		26062711	2	1	8	14 \n 176
2337 2	11118		26132911	2	1	8	14 \n 177
2338092	21117		26012712	2	3	8	14 \n 178
2339092	11318		25023714	21	1	8	14 \n 179
2340092	121161815131911		2	1	8		14 \n 180
2341092	22		27012811	2	1	8	14 \n 181
2343 2	22		26043211	2	1	8	14 \n 182
2345092	12		27034411	2	1	8	14 \n 183
2346 2	11317		15042011	1	21	8	14 \n 184
2347092	11319		25132314	2	11	8	14 \n 185
2348092	11314		25132711	2	11	8	14 \n 186

2349092	11415	23121111	2	21	8
2351191	11311	23194212		1	1
2351092		25111111	1	1	4
2351013	111251420113	12	1	1	4
2400092	422	24135012	1	22	0
2401062	11312	23134312	2	22	0
2402022	22	25042114	2	1	8
24040920109321		16092712	2	2	8
240502	11121	25062812	2	2	8
2500022	22	13072311	1		8
2501022	22	15042111	2	1	8
2502022	22	23132312	2	1	8
2503022	12121252505251252		2		8
2504022	21114	13032112		1	8
2505022	22	25052212	2	2	8
2600062	122172127012423		2	11	0
2601 92	111	22134211		12	0

1110102
1110105
1110109
1110111
1110114
1110117
1110121
1110124
1110127
1110130
1110133
1110136
1110139
1110142
1110145
1110148
1110151
1110154
1110157
1110160
1110163
1110166
1110169
1110172
1110175
1110178
1110181
1110184
1110187
1110190
1110193
1110196
1110199
1110202
1110205
1110208
1110211
1110214
1110217
1110220
1110223
1110226
1110229
1110232
1110235
1110238
1110241
1110244
1110247
1110250
1110253
1110256
1110259
1110262
1110265
1110268
1110271
1110274
1110277
1110280
1110283
1110286
1110289
1110292
1110295
1110298
1110301
1110304
1110307
1110310
1110313
1110316
1110319
1110322
1110325
1110328
1110331
1110334
1110337
1110340
1110343
1110346
1110349
1110352
1110355
1110358
1110361
1110364
1110367
1110370
1110373
1110376
1110379
1110382
1110385
1110388
1110391
1110394
1110397
1110400
1110403
1110406
1110409
1110412
1110415
1110418
1110421
1110424
1110427
1110430
1110433
1110436
1110439
1110442
1110445
1110448
1110451
1110454
1110457
1110460
1110463
1110466
1110469
1110472
1110475
1110478
1110481
1110484
1110487
1110490
1110493
1110496
1110499
1110502
1110505
1110508
1110511
1110514
1110517
1110520
1110523
1110526
1110529
1110532
1110535
1110538
1110541
1110544
1110547
1110550
1110553
1110556
1110559
1110562
1110565
1110568
1110571
1110574
1110577
1110580
1110583
1110586
1110589
1110592
1110595
1110598
1110601
1110604
1110607
1110610
1110613
1110616
1110619
1110622
1110625
1110628
1110631
1110634
1110637
1110640
1110643
1110646
1110649
1110652
1110655
1110658
1110661
1110664
1110667
1110670
1110673
1110676
1110679
1110682
1110685
1110688
1110691
1110694
1110697
1110700
1110703
1110706
1110709
1110712
1110715
1110718
1110721
1110724
1110727
1110730
1110733
1110736
1110739
1110742
1110745
1110748
1110751
1110754
1110757
1110760
1110763
1110766
1110769
1110772
1110775
1110778
1110781
1110784
1110787
1110790
1110793
1110796
1110799
1110802
1110805
1110808
1110811
1110814
1110817
1110820
1110823
1110826
1110829
1110832
1110835
1110838
1110841
1110844
1110847
1110850
1110853
1110856
1110859
1110862
1110865
1110868
1110871
1110874
1110877
1110880
1110883
1110886
1110889
1110892
1110895
1110898
1110901
1110904
1110907
1110910
1110913
1110916
1110919
1110922
1110925
1110928
1110931
1110934
1110937
1110940
1110943
1110946
1110949
1110952
1110955
1110958
1110961
1110964
1110967
1110970
1110973
1110976
1110979
1110982
1110985
1110988
1110991
1110994
1110997
1111000