United States
Environmental Protection
Agency

Environmental Research
Laboratory
Duluth MN 55804

EPA-600/3-78-066
July 1978

Research and Development

EPA

# Asbestos

## A Bibliography

## RESEARCH REPORTING SERIES

Research reports of the Office of Research and Development, U.S. Environmental Protection Agency, have been grouped into nine series. These nine broad categories were established to facilitate further development and application of environmental technology. Elimination of traditional grouping was consciously planned to foster technology transfer and a maximum interface in related fields. The nine series are:

1. Environmental Health Effects Research
2. Environmental Protection Technology
3. Ecological Research
4. Environmental Monitoring
5. Socioeconomic Environmental Studies
6. Scientific and Technical Assessment Reports (STAR)
7. Interagency Energy-Environment Research and Development
8. "Special" Reports
9. Miscellaneous Reports

This report has been assigned to the ECOLOGICAL RESEARCH series. This series describes research on the effects of pollution on humans, plant and animal species, and materials. Problems are assessed for their long- and short-term influences. Investigations include formation, transport, and pathway studies to determine the fate of pollutants and their effects. This work provides the technical basis for setting standards to minimize undesirable changes in living organisms in the aquatic, terrestrial, and atmospheric environments.

This document is available to the public through the National Technical Information Service, Springfield, Virginia 22161.

EPA-600/3-78-066
July 1978

# ASBESTOS - A BIBLIOGRAPHY

by

James H. Tucker, Philip M. Cook, Gary L. Phipps, and Gertrude N. Stokes

Environmental Research Laboratory-Duluth
Duluth, Minnesota 55804

and

Paul H. Lima

Department of Physiology
School of Medicine
University of Minnesota-Duluth
Duluth, Minnesota 55812

ENVIRONMENTAL RESEARCH LABORATORY-DULUTH
OFFICE OF RESEARCH AND DEVELOPMENT
U.S. ENVIRONMENTAL PROTECTION AGENCY
DULUTH, MINNESOTA 55804

## DISCLAIMER

This report has been reviewed by the Environmental Research Laboratory-Duluth, U.S. Environmental Protection Agency, and approved for publication. Mention of trade names or commercial products does not constitute endorsement or recommendation for use.

# PREFACE

This bibliography was compiled by the asbestos research group at the Environmental Research Laboratory-Duluth as a working bibliographical source for research planning at the laboratory from 1973 to the present.

References which served as a nucleus for the bibliography were obtained initially from bibliographies provided by Dr. Arnold Brown, Mayo Clinic and Mayo Medical School, Rochester, Minnesota; Dr. Raymond E. Shapiro, NIEHS Research Triangle Park, 2205 Greenery Lane, Silver Spring 11, Maryland 20906; and Dr. James R. Kramer, Department of Geology, McMaster University, Hamilton, Ontario, Canada.

Biological Abstracts 1960-1975 and Chemical Abstracts 1960-1975 were hand searched for articles on the biological, chemical, medical and environmental properties and effects of asbestos. In addition, ASCA computer searches were used to search the literature for the years 1973-1977.

ABSTRACT

This bibliography contains 1,425 references pertaining to the chemical, physical, biological, and medical properties and effects of asbestos in our environment. The bibliography was compiled by the asbestos research group at the Environmental Research Laboratory-Duluth, Duluth, Minnesota.

ACKNOWLEDGMENTS

The authors would like to thank Mses Terry Highland, Shirley Forseth, and Sherry Gambeski for their helpful suggestions and the typing of the bibliography.

Adamis, Z., and Timar, M. 1976. Effects of various mineral dusts on macrophages in vitro. Int. Arch. Occup. Environ. Health. 37: 301-307.

Addingley, C. G. 1966. Asbestos dust and its measurement. Ann. Occup. Hyg. 9(2): 73-82.

Adee, R. R., and Laidler, J. J. 1973. Subcellular identification of exogenous particles by high-voltage electron microscopy. Am. Ind. Hyg. Assoc. J. 34(11): 507-511.

Adelman, H. et al. 1972. Partial intestinal obstruction due to peritoneal mesothelioma in chronic asbestos exposure. NY State J. Med. 72: 2332-2334.

Ahern, L. J. 1974. Letter: Occupational disease information. J. Occup. Med. 16(3): 146-147.

Ahmed, A. K. et al. 1972. Control for asbestos. Environment 14: 16-29.

Aikat, B. K. et al. 1974. Mesothelioma of the pleura: A study of five autopsy cases with review of literature. Indian J. Cancer. 11(1): 95-101.

Allison, A. C. 1970. Effects of particles on lysosomes. Adv. Sci. 27: 137-140.

Allison, A. C. 1971. Effects of silica and asbestos on cells in culture. IN: Inhaled Particles, III. Proc. Intl. Symp. London 1970. Walton, E. H., ed., pp. 437-445. Univ. Press.

Allison, A. C. 1971. Lysosomes and the toxicity of particulate pollutants. Arch. Int. Med. 128: 131-139.

Allison, A. C. 1973. Experimental methods - cell and tissue culture: Effects of asbestos particles on macrophages, mesothelial cells and fibroblasts. IN: Biological effects of asbestos. Proc. IARC, Lyon 1972. Bogovski, P. et al., eds., IARC Sci. Publ. No. 8. 8: 89-93.

Alste, J. et al. 1976. Airborne asbestos in the vicinity of a freeway. Atmos. Environ. 10: 583-589.

Amacher, D. E. et al. 1975. The dose-dependent effects of ingested chrysotile on DNA synthesis in the gastrointestinal tract, liver, and pancreas of the rat. Environ. Res. 10: 208-216.

American Water Works Association Research Foundation Study Group. 1974. A study of the problem of asbestos in water. J. Am. Water Works Assoc. Sept. 1974. (2): 1-22.

Ampian, S. G. 1976. Asbestos minerals and their nonasbestos analogs. IN: Mineral fibers session of electron microscopy of microfilters. Pennsylvania State Univ., University Park, PA. August 23-25, 1976. pp. 1-30.

Anderson, H. A. et al. 1976. Household-contact asbestos neoplastic risk. Ann. N.Y. Acad. of Sci. 271: 311-323.

Anderson, H. C. 1969. Vesicles associated with calcification in the matrix of epiphyseal cartilage. J. Cell. Biol. 41: 59-72.

Anderson, J., and Campagna, F. A. 1960. Asbestosis and carcinoma of the lung -- Case report and review of the literature. Arch. Environ. Health. 1: 27-32.

Anhaeusser, C. R. 1976. The nature of chrysotile asbestos occurrences in southern Africa: A review. Econ. Geol. 71: 96-116.

Anjilvel, L., and Thurlbeck, W. M. 1966. The incidence of asbestos bodies in the lungs of random necropsies in Montreal. Can. Med. Assoc. J. 95: 1179-1182.

Annual report of chief inspection of factories for 1955. 1956. H.M.S.O. (London). 8: 206.

Anspach, M. 1962. Sind pleuraverkalkungen pathognomonisch fur eine asbestose? Int. Arch. Gewerbepathol. Gewerbehyg. 19: 108-120.

Anspach, M. 1963. Atypical sites for asbestos produced diseases. Int. Arch. Gewerbepathol. Gewerbehyg. 20: 396-402.

Anspach, M. 1974. Extrathorakale asbestkrebse. Radiobiol. Radiother. 2: 253-257.

Anspach, M. et al. 1965. The aetiology of diffuse malignant pleural mesothelioma. Int. Arch. Gewerbepathol. Gewerbehyg. 21(4): 392-407.

Aponte, C. E. 1973. Some current concepts of the pneumoconioses. Ann. Clin. Lab. Sci. 3(3): 219-223.

Arai, H. et al. 1975. Histochemical demonstration of hyaluronic acid in a case of pleural mesothelioma. Am. R. Resp. D. 3: 699-702.

Arnaus, F. et al. 1969. Pleuro-pulmonary asbestosis and malignant pleuro-peritoneal mesothelioma. J. Fr. Med. Chir. Thorae. 23: 85-94.

Arnim, H. H., von. 1967. Unacknowledged (unrecognized ?) asbestosis. Zentralbl. Arbeitsmed. Arbeits. 37(2): 35-42.

Arnim, H. H., von. 1973. Asbestosis combined with bronchogenic carcinoma and pulmonary tuberculosis. Prax. Pneumol. 27(6): 353-358.

Arnold, W. 1976. Syngene Mausesarkome in Aszitesform als chemotherapeutische Testmodelle. Arch. Geschwulstforsch. 46(7): 558-567.

Arnold, W. et al. 1976. Mesotheliome beim Goldhamster. V. Makroskopische und histologische Untersuchungen an transplantablen Mesotheliomen in solider und Aszitesform. Arch. Geschwulstforsch. 46(2): 94-104.

Asbestos and air pollution. 1971. An annotated bibliography. U.S. Environmental Protection Agency. Air Pollution Control Office. Research Triangle Park, NC. Publ. AP-82.

Asbestos and Cancer. 1965. Can. Med. Assoc. J. 92(19): 1020-1025.

Asbestos and Health. 1971. Roy. Soc. Health J. 91(2): 55-56.

Asbestos and Mercury: Proposed amendments to National Emission Standards. 1974. EPA Report. Fed. Reg. 39(208): 38064-38073.

Asbestos as an industrial health hazard. 1973. Med. J. Aust. 1(3): 92.

Asbestos-containing garments for general use classification as banned hazardous substances. 1972. Fed. Reg. 37(144): 14872-14873.

Asbestos dust (Poussieres d'amiante). 1960. Belgian Manufacturers' Association (Association des industriels de Belgique). Note No. 15B. 3 p.

Asbestos: Friend or foe. 1970. Environ. Sci. and Tech. 4: 727-728.

Asbestos fiber standard kit. 1973. Duke Standards Chronicle. 20(1): 1-2.

Asbestos hazard. 1973. Editorial. Br. Med. J. 4: 312-313.

Asbestos health question perplexes experts. 1973. Chem. Eng. News. Dec. 10. 18-19.

Asbestos leads to lung cancer leads to mesothelioma. 1973. Lancet. 1(807): 815-816.

Asbestos: Questions still unanswered. 1971. Food. Cosmet. Toxicol. 9: 281-284.

Asbestosis - Asbestosis with concomitant pulmonary cancer. 1963. Data sheet concerning the medical examination laid down in No. 30 and No. 31 of the Appendix to the Sixth Occupational Diseases Ordinance, Federal Ministry of Labour and Social Affairs, Bonn. Arbeitsschutz. Cologne. 11: 284-285.

Asbestosis and malignancy. 1964. Br. Med. J. 2(5403): 202-203.

Asbestos in the Great Lakes Basin with emphasis on Lake Superior. 1975. A report to the International Joint Commission from the Great Lakes Research Advisory Board. Great Lakes Regional Office, Windsor, Ontario, Canada.

Ashcroft, T. 1968. Asbestos bodies. Br. Med. J. 15: 696-697.

Ashcroft, T. 1968. Asbestos bodies in routine necropsies on Tynesides. A pathological and social study. Br. Med. J. 1(5592): 614-618.

Ashcroft, T. 1973. Epidemiological and quantitative relationship between mesothelioma and asbestos on Tyneside. J. Clin. Pathol. 26: 832-840.

Ashcroft, T., and Heppleston, A. G. 1970. Mesothelioma and asbestos on Tyneside. A pathological and social study. IN: Pneumoconiosis: Proc. Intl. Conf., Johannesburg 1969. Shapiro, H. A., ed., pp. 177-179, Capetown, Oxford Univ. Press.

Ashcroft, T., and Heppleston, A. G. 1972. Asbestos-fibre concentration in relation to the pulmonary reaction. J. Pathol. 107: 13.

Ashcroft, T., and Heppleston, A. G. 1972. Asbestos fibre concentration in relation to pulmonary reaction. IN: Biological effects of asbestos. Proc. IARC, Lyon 1972. Bogovski, P. et al., eds., pp. 236-237, IARC Sci. Publ. No. 8.

Ashcroft, T., and Heppleston, A. G. 1973. The optical and electron microscopic determination of pulmonary asbestos fibre concentration and its relation to the human pathological reactions. J. Clin. Pathol. 26(3): 224-234.

Association of exposure to asbestos dust and cancer. 1965. Ann. Occup. Hyg. 8(3): 267-276.

Assuncao, J., and Corn, M. 1975. The effects of milling on diameters and lengths of fibrous glass and chrysotile asbestos fibers. Am. Ind. Hyg. Assoc. J. November. 811-819.

Atkinson, R. J. 1973. Chrysotile asbestos. Colloidal silica surfaces in acidified suspensions. J. Colloid Interface Sci. 42(3): 624-628.

Auerbach, L. 1976. Use of three optical systems to obtain a microscopic profile of asbestos and other nonopaque particulate matter larger than 5 μm in parenteral drugs. Jour. AOAC. 60(2): 289-296.

Axelson, J. W. 1975. Asbestos in plastics. Polym. Plast. 4(1): 93-109.

Ayer, H. E., and Lynch, J. R. 1967. Motes and fibers in the air of asbestos processing plants and hygienic criteria for airborne asbestos. IN: Inhaled particles and vapours, II. Proc. Intl. Symp., Cambridge, England 1965. Davies, C. N., ed., pp. 511-521, Pergamon Press.

Ayer, H. E. et al. 1965. A comparison of impinger and membrane filter techniques for evaluating air samples in asbestos plants. Ann. N.Y. Acad. Sci. 132: 274-287.

Background documentation on evaluation of occupational exposure to airborne asbestos. 1975. Joint AIHA-ACGIH Aerosol Hazards Evaluation Committee. Am. Ind. Hyg. Assoc. J. 36: 91-103.

Bader, M. E. et al. 1961. Pulmonary function in asbestosis of the lung: An alveolar-capillary block syndrome. Am. J. Med. 30: 235-242.

Bader, M. E. et al. 1970. Pulmonary function and radiographic changes in 598 workers with varying duration of exposure to asbestos. Mt. Sinai J. Med. N.Y. 37: 492-500.

Badollet, M. S. 1967. Asbestos. Kirk-Othmer Encyclopedia of Chemical Technology. Intersciences, N.Y. 2: 734-747.

Badollet, M. S., and Gantt, W. A. 1965. Preparation of asbestos fibers for experimental use. Ann. N.Y. Acad. Sci. 132: 451-455.

Badollet, M. S., and McGourty, J. P. 1958. Identification of minerals associated with asbestos by x-ray diffraction patterns. Can. Min. Met. Trans. 61: 169-174.

Badr, F. M., and el-Sewefy, A. Z. 1971. The association between asbestosis and ABO blood groups. Ann. Occup. Hyg. 14: 35-40.

Bagioni, R. P. 1975. Separation of chrysotile asbestos from minerals that interfere with its infrared analysis. Environ. Sci. Technol. 9: 262-263.

Bahr, G. F., and Zeitler, E. H. 1965. Quantitative electron microscopy. Symp. Quant. Electron Micros. Washington, D.C. 1964. 892-908.

Balaam, L. M., and McCullagh, S. F. 1975. Vital capacity and one-second forced expiratory volume in Australian male asbestos cement workers. Ann. Occup. Hyg. 18: 133-141.

Bamber, H. A., and Butterworth, R. 1970. Asbestos hazard from protective clothing. Ann. Occup. Hyg. 13: 77-79.

Banasova, V. 1971. Vegetation on asbestos dust heaps. Biologia (Bratislava). 25(10): 699-708.

Baris, Y. I. 1975. Pleural mesotheliomas and asbestos pleurisies due to environmental asbestos exposure in Turkey: An analysis of 120 cases. Hacettepe Bull. Medicine/Surgery. 8(4): 165-185.

Baris, Y. I. et al. 1975. An outbreak of pleural mesothelioma in the village of Karain Urgup-Anatolia. Kanser. The Turkish Jour. of Cancer. 5(2): 1-14.

Bark, L. S. et al. 1975. Chemical changes in asbestos-based friction materials during performance. A review. Wear. 34: 131-139.

Barnes, R. 1972. Asbestos and malignant disease. Med. J. Aust. 2: 1107-1112.

Bartosiewicz, L. 1973. Improved techniques of identification and determination of airborne asbestos. Am. Ind. Hyg. Assoc. J. 34(6): 252-259.

Bates, D. V. 1974. Physiological effects on man of air pollutants. Fed. Proc. 33: 2133-2136.

Bates, T. F. 1959. Morphology and chrystal chemistry of 1:1 layer lattice silicates. Am. Mineral. 44: 78.

Bates, T. F. et al. 1950. The tubular crystals of chrysotile asbestos. Science. 111: 512.

Bayliss, D. L. et al. 1976. Mortality patterns among fibrous glass production workers. Ann. N.Y. Acad. Sci. 271: 324-335.

Beaman, D. R. and File, D. M. 1976. Quantitative determination of asbestos fiber concentrations. Anal. Chem. 48(1): 101-110.

Beaman, D. R., and Isasi, J. A. 1972. Electron beam microanalysis. Am. Soc. Testing Materials. Publ. 506. 80 p.

Beck, E. G. 1976. Interaction between fibrous dust and cells in vitro. Ann. Anat. Path. 12(2): 227-236.

Beck, E. G. 1976. Die Auseinandersetzung von Zellen in vitro mit faserformigem Staub. (The interaction between cells and fibrous dusts). Zbl. Bakt. Hyg., I. Abt. Orig. B. 162: 85-92.

Beck, E. G. et al. 1971. Fibrous silicates in animal experiments and cell-culture-morphological cell and tissue reactions according to different physical chemical influences. IN: Inhaled particles III. Proc. Intl. Conf., London 1970. Walton, E. H., ed., pp. 477-487, Univ. Press.

Beck, E. G. et al. 1971. Effects of chrysotile and acid-treated chrysotile on macrophage cultures. Br. J. Ind. Med. 28: 179-185.

Beck, E. G. et al. 1972. Comparison of effects on macrophage cultures of glass fibre, glass powder, and chrysotile asbestos. Br. J. Ind. Med. 29: 280-286.

Beckett, R. R. 1976. Asbestos exposure control at Puget Sound Naval Shipyard. Environ. Res. 11: 248-260.

Becklake, M. R. 1976. Asbestos-related diseases of the lung and other organs: Their epidemiology and implications for clinical practice. Amer. Rev. Resp. Disease. 114: 187-227.

Becklake, M. R. 1976. Lung function profiles in the chrysotile asbestos mines and mills of Quebec. Chest. 69: 2. February 1976. p. 303.

Becklake, M. R. et al. 1970. Lung function in relation to chest radiographic changes in Quebec asbestos workers. I. Methods, results, and conclusions. Bull. Physiopathol. Resp. (Nancy). 6: 637-659.

Becklake, M. R. et al. 1972. Lung function in chrysotile asbestos mine and millworkers of Quebec. Arch. Environ. Health. 24(6): 401-409.

Beeckmans, J. M. 1970. The deposition of asbestos particles in the human respiratory tract. Int. J. Environ. Stud. 1: 31-34.

Beg, M. U. et al. 1973. The effect of asbestos dust on mitochondrial enzymes of rat lung. Environ. Physiol. Biochem. 3(4): 185-191.

Belleau, R., and Gaensler, E. A. 1968. Mesothelioma and asbestosis. Respiration. 25(1): 67-69.

Bellote, J. A., and Gaziano, D. J. 1976. Asbestosis in West Virginia and eastern Ohio. West Virginia Med. Jour. 72(12): 341-344.

Belobragina, G. V., and El'nichnykh, L. N. 1972. Localization of lipids in the lungs in experimental asbestosis. Gig. Tr. Prof. Zabol. 16(9): 55-57.

Belobragina, G. V., and El'nichnykh, L. N. 1973. Histochemical characterization of lipids in lungs in a number of types of pneumoconiosis. Gig. Tr. Prof. Zabol. 17: 48-51.

Belobragina, G. V., and Pochashev, E. M. 1974. Nodule morphogenesis in experimental asbestosis. Arkh. Patol. 36: 70-73.

Berg, J. W. 1976. Nutrition and cancer. Seminars in Oncology. 3(1): 17-23.

Beriti, C. T. et al. 1971. Asbestos and ferruginous bodies. Arh. Hig. Rada. Toksikol. 22(4): 317-322.

Berkley, C. et al. 1965. The detection and localization of mineral fibers in tissue. Ann. N.Y. Acad. Sci. 132: 48-63.

Berkley, C. et al. 1967. Instrumental analysis of inspired fibrous pulmonary particulates. N.Y. Acad. Sci. Trans. 30(2): 331-350.

Bernstein, L. 1974. Asbestos problem. Tech. Q. Master Brew. Assoc. Am. 11: 198-203.

Berry, G. 1973. Hygiene standards - Theory and application. IN: Biological effects of asbestos. Proc. IARC, Lyon 1972. Bogovski, P. et al., eds., pp. 404-407, IARC Sci. Publ. No. 8.

Berry, G., and Wagner, J. C. 1969. The application of a mathematical model describing the times of occurrence of mesotheliomas in rats following inoculation with asbestos. Br. J. Canc. 23(3): 582-586.

Berry, G., and Wagner, J. C. 1976. Effect of age at inoculation of asbestos on occurrence of mesotheliomas in rats. Int. J. Cancer. 17: 477-483.

Berry, G. et al. 1972. Combined effect of asbestos exposure and smoking on mortality from lung cancer in factory workers. Lancet. 2: 476-479.

Berry, J. P. et al. 1976. Pulmonary mineral dust. Am. J. Pathol. 83(3): 427-456.

Bey, E., and Harington, J. S. 1971. Cytotoxic effects of some mineral dusts on Syrian hamster peritoneal macrophages. J. Exp. Med. 133: 1149-1169.

Bhagaven, B. S., and Koss, L. G. 1976. Secular trends in prevalence and concentration of pulmonary asbestos bodies - 1940 to 1972. Arch. Pathol. Lab. Med. 100: 539-541.

Bianchi, C. 1972. Asbestosis and diffuse mesothelioma of the peritoneum. Minerva. Med. 63: 2826-2833.

Bianchi, C. et al. 1973. Occupational exposure to asbestos in 20 cases of diffuse mesothelioma of the pleura. Minerva. Med. 64(32): 1724-1727.

Bianchi, C. et al. 1974. Frequenza dei corpi dell'asbesto polmonari nel materiale autoptico a Trieste. Nota I. Minerva. Med. 65(21): 1141-1143.

Bianchi, C. et al. 1974. Frequenza dei corpi dell'asbesto polmonari nel materiale autoptico a Trieste. Nota II. Minerva. Med. 65(21): 1144-1145.

Bianchi, C. et al. 1976. Frequenza dei corpi dell'asbesto polmonari nel materiale autoptico a Udine. Minerva. Med. 67(23): 1511-1512.

Bielig, H. J. et al. 1976. Uber die Aufnahme von Asbest durch Getranke. Flussiges Obst. 43(7): 254-256.

Bignon, J., and Sebastien, P. 1975. Pollution atmospherique particulaire et sante: Le risque de cancer asbestosique devient-il menacant? Gazette Medicale de France. 82(17): 2017-2019.

Bignon, J. et al. 1970. Incidence of pulmonary ferruginous bodies in France. Environ. Res. 430-442.

Bignon, J. et al. 1970. The scanning electron microscope and electron microanalyzer. Its use in the study of "ferruginous bodies" in the human lung. Presse. Med. 78: 880-884.

Bignon, J. et al. 1971. Effect on public health of air pollution with asbestos and other fibrous dust particles. Rev. Tuberc. Pneumol. 35: 461-478.

Bignon, J. et al. 1973. Demonstration of ferruginous bodies by microfiltration of the sputum. Correlation with the asbestosis risk. Nouv. Presse. Med. 2(25): 1697-1700.

Bignon, J. et al. 1976. Amiante et environnement risque de cancer pour la population generale? La Rev. du Praticien. 26(33): 2353-2357.

Biles, B., and Emerson, T. R. 1968. Examination of fibres in beer. Nature. 219: 93-94.

Billiet, L. et al. 1973. Value of pulmonary diffusing capacity measurements in assessing the disability due to pneumoconioses. Acta. Tuberc. Pneumol. Belg. 64(3): 240-251.

Biological effects of asbestos. 1973. Proceedings of a working conference held at the International Agency for Research on Cancer, Lyon, 2-6 October 1972. Edited by Bogovski, P. et al. International Agency for Research on Cancer. IARC Sci. Publ. No. 8. 346 pp.

Birks, L. S. et al. 1975. Quantitative analysis of airborne asbestos by x-ray diffraction: Final report on feasibility study. EPA-650/2-75-004, U.S. Environmental Protection Agency, Washington, D.C. 20460.

Bischoff, F. 1975. Chrysotile at the intrathoracic and subcutaneous rodent site. Proc. Am. Canc. Res. 16: 4 (Abst. 15).

Bischoff, F., and Bryson, G. 1976. Talc at the rodent intrathoracic, intraperitoneal and subcutaneous sites. Proc. Am. Assoc. Canc. Res. 17: 1 (Abst. 1).

Bittersohl, G. 1972. On the epidemology of pleural mesothelioma. Z. Gesamte. Hyg. Grenzgeb. 17(11): 861-864.

Bjure, J. et al. 1964. Cardiopulmonary function study in workers dealing with asbestos and glasswool. Thorax. 19(1): 22-27.

Bleiman, C., and Mercier, J. P. 1975. Attaque acide et chloration de l'asbeste chrysotile. Bull. Societe Chim. Fr. No. 3-4: 529-534.

Blejer, H. P., and Arlon, R. 1973. Talc: A possible occupational and environmental carcinogen. J. Occup. Med. 15(2): 92-97.

Blot, W. J. et al. 1976. Geographic patterns of large bowel cancer in the United States. J. Natl. Cancer Inst. 57(6): 1225-1231.

Blount, M. et al. 1966. The protein coating of asbestos bodies. Biochem. J. 101: 204-207.

Bogovski, P. et al., Eds. 1973. Biological effects of asbestos. Proc. IARC, Lyon 1972. IARC Sci. Publ. No. 8. 346 pp.

Bohlig, H. 1967. New epidemiological problems in connection with the asbestosis hazard. Arbeitsmed. Sozialmed. Arbietshyg. 2(4): 149-153.

Bohlig, H. 1968. Occupational and environmental danger through asbestos. Deut. Med. Wochschr. 93: 1529-1531.

Bohlig, H. 1971. Danger to health caused by asbestos cement. Zentralbl. Arbeitsmed. Arbeitsschutz. 20(7): 201-211.

Bohlig, H. 1972. U.I.C.C. Cincinnati classification of radiographic findings of lungs with dust disease. Fortsch. Geb. Roentgenst Nuklearmed. 115(5): 665-685.

Bohlig, H., and Hain, E. 1973. Cancer in relation to exposure. IN: Biological effects of asbestos. Proc. IARC, Lyon 1972. Bogovski, P. et al., eds., pp. 217-221, IARC Sci. Publ. No. 8.

Bohlig, H. et al. 1959. Uber morbiditat und pathologie des asbestlungenkrebses. Zeits. Unfallmed. Benifsch. 52: 64-78.

Bohlig, H. et al. 1970. Epidemiology of malignant mesothelioma in Hamburg. A preliminary report. Environ. Res. 3: 365-372.

Bohlig, H. et al. 1972. Epidemiologie asbestbedingter gesundheitsschaden. (Epidemiology of asbestos-induced diseases.) Der Internist. 13(8): 318-325.

Boillat, M. A., and Lob, M. 1973. Risk of asbestosis in workers employed in replacing automobile brake linings. Schweiz. Med. Wochenschr. 103(39): 1354-1359.

Boiteau, H. L. et al. 1972. Polycyclic hydrocarbons in various asbestos products. Arch. Mal. Prof. 33(6): 261-270.

Bonnichsen, B. 1969. Metamorphic pyroxenes and amphiboles in the Biwabik iron formation, Dunka River area, Minnesota. IN: Pyroxenes and amphiboles. Chrystal chemistry and phase petrology. Papike, J. O. ed., Mineral Soc. Am., Spec. Paper. 2: 314 p.

Bonser, G. M., and Clayson, D. B. 1967. Feeding of blue asbestos to rats. Summary. Ann. Report. Br. Cancer Camp. Res. 242.

Borow, M. et al. 1967. Mesothelioma and its association with asbestosis. J. Am. Med. Assoc. 201: 587-591.

Borow, M. et al. 1973. Mesothelioma following exposure to asbestos: A review of 72 cases. Chest. 64(5): 641-646.

Botham, S. K., and Holt, P. F. 1968. The mechanism of formation of asbestos bodies. J. Pathol. Bact. 96: 443-453.

Botham, S. K., and Holt, P. F. 1971. The development of glass fibre bodies in the lungs of guinea pigs. J. Pathol. 103: 149-156.

Botham, S. K., and Holt, P. F. 1971. Development of asbestos bodies on amosite, chrysotile, and crocidolite fibres in guinea-pig lungs. J. Pathol. 105: 159-167.

Botham, S. K., and Holt, P. F. 1972. Asbestos-body formation in the lungs of rats and guinea-pigs after inhalation of anthophyllite. J. Pathol. 107(4): 245-252.

Botham, S. K., and Holt, P. F. 1972. The effects of inhaled crocidolites from Transvaal and North-west Cape mines on the lungs of rats and guinea-pigs. Br. J. Exp. Pathol. 53: 612-620.

Boubuys, A., and Peters, J. M. 1970. Control of environmental lung disease. N. Eng. J. Med. 283: 573-582.

Boucot, K. R. et al. 1972. The Philadelphia pulmonary neoplasm research project: Basic risk factors of lung cancer in older men. Am. J. Epidemiol. 95: 4-16.

Bowes, D. R. 1974. For those in peril: 3-not only on the factory floor. Nature. 252: 338.

Braja, M. et al. 1969. Public health problems posed by the possible presence of asbestos in the urban atmosphere. Ig. Mod. 62: 139-151.

Bralow, S. P. 1972. Experimental gastric carcinogenesis. Digestion. 5(5): 290-310.

Brand, K. G. et al. 1976. Foreign body tumorigenesis. CRC Crit. Rev. Toxicol. October 1976: 353-394.

Braun, D. C., and DeTreville, R. T. 1972. Comment on McDonald et al's study on mortality in asbestos industry. Arch. Environ. Health. 24: 294-295.

Braun, D. C., and Truan, T. D. 1958. An epidemiological study of lung cancer in asbestos workers. Arch. Environ. Health. 17: 634-653.

Britton, M. G. et al. 1977. Serial pulmonary function tests in patients with asbestosis. Thorax. 32(1): 45-52.

Brodeur, P. 1972. Asbestos and enzymes. Balantine Books, New York.

Brodeur, P. 1973. Annals of Industry. The New Yorker. October 29 - November 26.

Brouet, G. et al. 1972. Effect on public health of air pollution with asbestos and other fibrous dust particles. Rev. Tuberc. Pneumol. 35: 461-478.

Brown, A. L., Jr. et al. 1976. The reliability of measures of amphibole fiber concentration in water. Environ. Res. 12: 150-160.

Bruch, J. 1971. Elektronenmikroskopische beobachtungen zur Quarzstaubphagozytose. IN: Inhaled particles III, Proc. Intl. Conf., London 1970. Walton, E. H., ed., pp. 447-451, Univ. Press.

Bruckman, L., and Rubino, R. A. 1975. Asbestos: Rationale behind a proposed air quality standard. J. Air Pollut. Control Assoc. 25(12): 1207-1215.

Bruckman, L. et al. 1977. Asbestos and mesothelioma incidence in Connecticut. J. Air Pollut. Control Assoc. 27(2): 121-126.

Brugsch, H. G., and Bayley, H. 1961. Asbestosis in a worker engaged in automobile undercoating. N. Eng. J. Med. 265(8): 379-381.

Bruhat, G., and Verneiges, P. 1970. Some medical and medico social problems posed by asbestos. Evol. Med. 14: 315-318.

Bryks, S., and Bertalanffy, F. D. 1971. Cytodynamic reactivity of the mesothelium. Arch. Environ. Health. 23(8): 469-472.

Bryson, G., and Bischoff, F. 1967. Silicate induced neoplasms. Progr. Exp. Tumor Res. 9: 77-164.

Buchanan, W. D. 1965. Asbestosis and primary intrathoracic neoplasms. Ann. N.Y. Acad. Sci. 132: 507-518.

Buchstab, V. von. 1974. Asbestos, fibres, dollars, and sense. Can. Res. Dev. November-December. 33-36.

Buckup, H. 1960. Asbestosis (Die Asbestose). Die Berufsgenossenschaft. 7: 255-261.

Bumsted, H. E. 1973. Determination of alpha quartz in the respirable portion of airborne particles by x-ray diffraction. A. Ind. Hyg. Assoc. J. 34: 150-158.

Buracrevskii, I. I. et al. 1971. Fermentation of liqueurs and brandies through filter pads of diatomite from alluvial soils and asbestos. Ferment. Spirit Brom. 37(3): 9-12.

Burger, B. F., and Engelbrecht, F. M. 1970. The biological effects of long and short fibers of crocidolite and chrysotile A. After intrapleural injection into rats. S. Afr. Med. J. 44: 1268-1270.

Burilkov, T., and Michailova, L. 1971. Asbestos content of the soil and endemic asbestos. Environ. Res. 3(516): 443-451.

Burilkov, T. et al. 1972. Sepiolite content of the soil in regions with endemic pleural calcification. Int. Arch. Arbeitsmed. 29: 95-101.

Burilkov, T. et al. 1972. Amphibol-asbeste im boden unoe ihre bedeutung für das endemische vorkommen von pleura-plaques. Z. Gesamte. Hyg. 18(11): 802-805.

Busser, E. et al. 1972. Early diagnosis of asbestosis. Helv. Med. Acta. 36: 210-211.

Bvrom, J. C. et al. 1969. A dust survey carried out in buildings incorporating asbestos-based materials in their construction. Ann. Occup. Hyg. 12(3): 141-145.

Cameron, J., and Hajdu, S. I. 1976. Comparative cytomorphology of primary malignant tumors of the esophogus and stomach. Acta Cytol. 20(6): 585.

Campbell, W. J. et al. 1977. Selected silicate minerals and their asbestiform varieties. Mineralogical definition and identification-characterization. Information Circular 8751, U.S. Dept. Int. Bureau of Mines, Washington, D.C.

Campbell, W. N. 1950. Pleural mesothelioma. Am. J. Pathol. 26: 473-487.

Cancer research in 1967. 1968. Br. Med. J. 7: 73.

Carcinogens in our environment. 1966. Lancet. 7456: 214.

Carda Aparici, P. 1973. Carcinogenic factors in the environment. Medicamenta. 61(508): 133-142.

Carter, L. J. 1974. Pollution and public health: Taconite case poses major test. Science. 186: 31-36.

Cartier, P., and Gross, P. 1962. Non-occupational diffuse pulmonary fibrosis-A report of a case in an asbestos worker. Arch. Environ. Health. 4(1): 73-80.

Case record of the Massachusetts General Hospital - Case 73-1961. 1961. N. Eng. J. Med. 265(15): 745-751.

Castleman, B. I., and Fritsch, A. J. 1973. Asbestos and you. Center for Science in the Public Interest. Washington, D. C.

Castleman, B. I. et al. 1974. Case records of the Massachusetts General Hospital. Weekly clinicopathological exercises. Case 2-1974. N. Eng. J. Med. 290(3): 152-157.

Castleman, B. I. et al. 1975. The hazards of asbestos for brake mechanics. Public Health Reports. 90(3): 254-256.

Caston, J. C. et al. 1972. Cancer of the larynx and lung in three urban counties in South Carolina. South Med. J. 65: 753-756.

Catalina, P., and Champeux, J. 1971. Pulmonary asbestos bodies: Contribution of Castaing's electronic microprobe to knowledge of the gangue and to the identification of the asbestos nature of the central fiber. C. R. Soc. Biol. (Paris). 165: 1899-1902.

Cauna, D. et al. 1965. Asbestos bodies in human lungs at autopsy. J. Am. Med. Assoc. 192: 371-373.

Caves, P. K., and Jacques, J. 1971. Primary intrapulmonary neurogenic sarcoma with hypertrophic pulmonary osteoarthropathy and asbestosis. Thorax. 26: 212-218.

Cemerikic, D. A. 1977. Asbestos in drinking water: The possible nephrotoxicity and hypertensive effects. Kidneys and Urinary System: Pathology: Pharmacology: Social and Occup. Med. 5: 132.

Cerny, P. 1968. Some properties of natural synthetic and extrapolated Mg-anthophyllite. Neves. Jahab. Mineral Monatsh. 1-2: 57-61.

Champeix, J. 1976. Pathologie de l'amiante (Asbestose pathology). Arch. Mal. Prof. 37(9): 595-628.

Champion, P. 1971. Two cases of malignant mesothelioma after exposure to asbestos. Am. Rev. Resp. Dis. 103: 821-826.

Champness, P. E. et al. 1976. The identification of asbestos. J. Microsc. 108(3): 231-249.

Chan, P. S. F. et al. 1975. Peritoneal mesothelioma. Br. J. Surg. 62(7): 576-580.

Chatfield, E. J., and Pullan, H. 1973. Analysis of water samples for asbestiform fibres. Ontario Research Foundation, Department of Applied Physics and Electron Optics. Job No. 73193, File 88.3.2, September 20, 1973.

Chatfield, E. J., and Pullan, H. 1974. Measuring asbestos in the environment. Can. Res. Dev. November-December. 23-27.

Chew, P. K. et al. 1973. Asbestos workers in Singapore. A clinical, functional, and radiological survey. Arch. Environ. Health. 26(6): 290-293.

Chiappino, G., and Briatico-Vangosa, G. 1973. The early pulmonary lesions from asbestos. Possibility of pre-radiological diagnosis of asbestosis. Med. Lavoro. 63(3): 85-92.

Choi, I., and Smith, R. W. 1971. Kinetic study of dissolution of asbestos fibers in water. J. Colloid. Interface Sci. 40(2): 253-262.

Chowdhury, S. 1975. Kinetics of leaching of asbestos minerals at body temperature. J. Appl. Chem. Biotechnol. 25: 347-353.

Chowdhury, S., and Kitchener, J. A. 1975. The zeta-potentials of natural and synthetic chrysotiles. Int. J. Mineral Proc. 2: 277-285.

Churg, A., and Warnock, M. L. 1977. Analysis of the cores of ferruginous (asbestos) bodies from the general population. I. Patients with and without lung cancer. Lab. Invest. 37(3): 280-286.

Churg, A., and Warnock, M. L. 1977. Correlation of quantitative asbestos body counts and occupation in urban patients. Arch. Pathol. (In press).

Churg, J. et al. 1965. Histological characteristics of mesothelioma associated with asbestos. Ann. N.Y. Acad. Sci. 132: 614-622.

Churg, J. et al. 1973. Biological effects of asbestos. David Rall, Chrmn., Natl. Inst. of Environ. Health Sciences. Natl. Inst. Health.

Chvapil, M., and Peng, Y. M. 1975. Oxygen and lung fibrosis. Arch. Environ. Health. 30: 528-532.

Clark, R. L., and Ruud, C. O. 1974. Transmission electron microscopy standards for asbestos. Micron. 5: 83-88.

Clark, S. G., and Holt, P. F. 1961. Studies on the chemical properties of chrysotile in relation to asbestosis. Am. Occup. Hyg. 3: 22-29.

Clifton, R. 1973. Asbestos. IN: Minerals Yearbook. 1971. U.S. Dept. of Interior, Bureau of Mines.

Clifton, R. A. et al. 1966. Hollow chrysotile fibers. Am. Mineral. 51: 508-511.

Cohen, D. 1973. Ferromagnetic contamination in the lungs and other organs of the human body. Science. 180(87): 745-748.

Collins, E. A. et al. 1975. Review of common methods of particle size measurement. J. Paint Technol. 47(604): 35-56.

Collins, T. F. B. 1967. Asbestos - the lethal dust. S. Afr. Med. J. 41: 639-646.

Commins, B. T., and Gibbs, G. W. 1969. Contaminating organic material in asbestos. Br. J. Cancer. 23: 358-362.

Commoner, B. 1976. Chemical carcinogens in the environment. IN: Chemistry of Pollutants. Ann Arbor Sci. Publ. pp. 49-71.

Conning, D. M. et al. 1970. Comparison between in vitro toxicity of dusts of certain polymers and minerals and the fibrogenicity. IN: Inhaled particles III. Proc. Int. Conf., London 1970. Walton, E. H., ed., pp. 499-506, Univ. Press.

Control techniques for asbestos air pollutants. 1973. EPA Report No. AP-117. Office of Air Quality Planning and Standards, Research Triangle Park, NC 27711.

Cook, P. M. 1973. Distribution of taconite tailings in Lake Superior water and public water supplies. Studies regarding the effect of the Reserve Mining Company Discharge on Lake Superior. U.S. Environmental Protection Agency, Office of Enforcement and General Counsel, Washington, D.C.

Cook, P. M. 1974. Semi-quantitative determination of asbestiform amphibole mineral concentrations in western Lake Superior water samples. Adv. X-Ray Anal. 18: 557-567.

Cook, P. M. 1978. Amphibole fiber concentration determination for a series of community air samples: Use of x-ray diffraction to supplement electron microscope analysis. Proc. Symp. Electron Microscopy and X-ray Applications to Environmental and Occupational Health Analyses, April 25-27, 1977, Denver, Colorado. Ann Arbor Science Publ., Inc., In press.

Cook, P. M. et al. 1974. Asbestiform amphibole minerals: Detection and measurement of high concentrations in municipal water supplies. Science. 185: 853-855.

Cook, P. M. et al. 1976. X-ray diffraction and electron beam analysis of asbestiform minerals in Lake Superior waters. The Institute of Electrical and Electronics Engineers, Inc., New York, NY. Annals No. 75CH1004-1 34.1.

Cook, P. M. et al. 1978. Evaluation of cartridge filters for removal of small fibers from drinking water. J. Am. Water Works Assoc. In press.

Cooke, W. E. 1927. Pulmonary asbestosis. Br. Med. 2: 1024-1025.

Cooper, W. C. 1967. Asbestos as a hazard to health. Arch. Environ. Health. 15: 285-290.

Cooper, W. C. 1976. Airborne asbestiform materials in the nonoccupational environment. Prepared for American Iron Ore Assoc., Cleveland, OH. 64 p. Appendix.

Cordova, J. F. et al. 1962. Asbestosis and carcinoma of the lung. Cancer. 15(6): 1181-1187.

Corn, M. et al. 1976. Employee exposure to airborne fiber and total particulate matter in two mineral wool facilities. Environ. Res. 12: 59-74.

Corrin, B., and Price, A. B. 1972. Electron microscope studies in desquamative interstitial pneumonia associated with asbestos. Thorax. 27: 324-331.

Cossette, M. et al. 1971. Alkalinity and coagulation produced by chrysotile asbestos. Union Med. Can. 100(4): 759-764.

Cotterrell, K., and Holt, P. F. 1972. An examination of crocidolites from North West Cape and Transvaal mines. Inst. Mining Met. Trans. Sect. B. 81: 169-171.

Crable, J. V. 1966. Quantitative determination of chrysotile, amosite and crocidolite by x-ray diffraction. Am. Ind. Hyg. Assoc. J. 27(3): 293-298.

Crable, J. V., and Knott, M. J. 1966. Quantitative x-ray diffraction analysis of crocidolite and amosite in bulk or settled dust samples. Am. Ind. Hyg. Assoc. J. 27(5): 449-453.

Crable, J. V., and Knott, M. J. 1966. Application of x-ray diffraction to the determination of chrysotile in bulk or settled dust samples. Am. Ind. Hyg. Assoc. J. 27(4): 383-387.

Craig, D. K. et al. 1972. The generation and characterization of a respirable aerosol of chrysotile asbestos for chronic inhalation studies. Am. Ind. Hyg. Assoc. J. 33(5): 283-292.

Cralley, L. J. 1970. Dust sampling instruments and dust standards in the United States of America for asbestos. IN: Pneumoconiosis: Proc. Intl. Conf., Johannesburg 1969. Shapiro, H. A., ed., pp. 10-12, Capetown, Oxford Univ. Press.

Cralley, L. J. 1970. Inhalable fibrous materials. IN: Pneumoconiosis: Proc. Intl. Conf., Johannesburg 1969. Shapiro, H. A., ed., pp. 70-73, Capetown, Oxford Univ. Press.

Cralley, L. J. 1971. Identification and control of asbestos exposures. Am. Ind. Hyg. Assoc. J. 32: 82-85.

Cralley, L. J. 1971. Electromotive phenomenon in metal and mineral particulate exposures: Relevance to exposure to asbestos and occurrence of cancer. Am. Ind. Hyg. Assoc. J. 32: 653-661.

Cralley, L. J., and Lainhart, W. S. 1973. Are trace metals associated with asbestos fibers responsible for the biologic effects attributed to asbestos? J. Occup. Med. 15: 262-266.

Cralley, L. J. et al. 1967. Exposure to metals in the manufacture of asbestos textile products. Am. Ind. Hyg. Assoc. J. 28: 452-461.

Cralley, L. J. et al. 1968. Characterization and solubility of metals associated with asbestos fibers. Am. Ind. Hyg. Assoc. J. 29(6): 569-573.

Cralley, L. J. et al. 1968. Source and identification of respirable fibers. Am. Ind. Hyg. Assoc. J. 29: 129-135.

Cralley, L. J. et al. 1968. Fibrous and mineral content of cosmetic talcum products. Am. Ind. Hyg. Assoc. J. 29: 350-354.

Cralley, L. J. et al. 1971. Evaluation of asbestos exposures in the working environment. Work. Environ. Health. 8(3): 71-73.

Cralley, L. J. et al. 1973. Assessment of the effect of asbestos in the industrial environment. (Recommendations of the Subcommittee on Asbestosis of the Permanent Committee and of the International Occupational Disease Association). Gig. Sanit. 38(2): 76-79.

Cran, D. L. 1968. Discussion on paper "Asbestos hazard in normal dockyard." Ann. Occup. Hyg. 2: 144.

Cruz, E. et al. 1971. Pulmonary asbestosis. Rev. Med. Chil. 99: 1011-1014.

Cunningham, H. M., and Pontefract, R. D. 1971. Asbestos fibers in beverages and drinking water. Nature. 232: 332.

Cunningham, H. M., and Pontefract, R. D. 1973. Asbestos fibers in beverages, drinking water, and tissues: Their passage through the intestinal wall and movement through the body. J. Assoc. Off. Anal. Chem. 56(4): 976-981.

Cunningham, H. M., and Pontefract, R. D. 1974. Placental transfer of asbestos. Nature. 249: 177-178.

Cunningham, H. M. et al. 1976. Quantitative relationship of fecal asbestos to asbestos exposure. J. Toxicol. Environ. Health. 1: 377-379.

Curie, C. 1971. The incidence of human activities in air pollution. Agressologie. 12(D): 37-45.

Curtis, R. A., and Bierbaum, P. J. 1975. Technological feasibility of the 2 fibers/cc asbestos standard in asbestos textile facilities. Am. Ind. Hyg. Assoc. J. 35: 115-125.

Cuthbert, J. 1967. The community hazards of asbestos. Muench. Med. Wochschr. 109: 1369-1372.

Cuthbert, J. 1968. The public health hazards with asbestos. Rev. Clin. Espan. 105: 468-472.

Dale, K. 1971. Lung function studies in experimental silicosis with a radiospirometric technique and some observations on a technique for inducing unilateral silicosis. IN: Inhaled particles III. Proc. Intl. Conf., London 1970. Walton, E. H., ed., pp. 347-356, Univ. Press.

Dalquen, P. et al. 1970. Pleural plaques, asbestosis, and exposure to asbestos. An epidemiological study from the Hamburg area. Pneumonologie. 143: 23-42.

Dangers of asbestos, The. 1973. S. Afr. Med. J. 47(5): 161-162.

Danrigal, A. et al. 1962. Asbestosis and aspergillosis. Ann. Med. Leg. 42: 73-75.

David, A. 1965. A simple method for the detection of asbestos bodies in sputum. Prac. Lek. 17: 244-245.

David, A. 1972. Hemolysis by fibrinogenic dusts as a model of cell damage. Prac. Lek. 23(7): 250-253.

Davies, P. 1974. Asbestos induces selective release of lysosomal enzymes from mononuclear phagocytes. Nature. 251: 423-425.

Davies, P. J. et al. 1976. An investigation into the deposition of inhalation aerosol particles as a function of air flow rate in a modified 'Kirk Lung'. J. Pharm. Pharmac. 28: 908-911.

Davies, R. et al. 1975. The rapid counting and sizing of fibers in a mixture using an IITRI-modified Coulter counter. Am. Ind. Hyg. Assoc. J. Nov. 1975: 825-856.

Davis, H. V., and Reeves, A. L. 1971. Collagen biosynthesis in rat lungs during exposure to asbestos. Am. Ind. Hyg. Assoc. J. 32: 599-602.

Davis, J. M. G. 1963. The ultrastructural changes that occur during the transformation of lung macrophages to giant cells and fibroblasts in experimental asbestosis. Br. J. Exp. Pathol. 44: 568-575.

Davis, J. M. G. 1963. An electron microscopy study of the effect of asbestos dust on the lung. Br. J. Exp. Pathol. 44: 454-464.

Davis, J. M. G. 1964. The ultrastructure of asbestos bodies from human lungs. Br. J. Exp. Pathol. 45: 642-646.

Davis, J. M. G. 1964. The ultrastructure of asbestos bodies from guinea pig lungs. Br. J. Exp. Pathol. 45(9): 634-641.

Davis, J. M. G. 1965. Electron microscope studies of asbestosis in man and animals. Ann. N.Y. Acad. Sci. 132: 98.

Davis, J. M. G. 1967. The effects of chrysotile asbestos dust on lung macrophages maintained in organ culture. An electron microscope study. Br. J. Exp. Pathol. 48(4): 379-385.

Davis, J. M. G. 1970. Asbestos dust as a nucleation center in the calcification of old fibrous tissue lesions, and the possible association of this process to the formation of asbestos bodies. Exp. Mol. Pathol. 12: 133-147.

Davis, J. M. G. 1970. The long term fibrogenic effects of chrysotile and crocidolite asbestos dust injected into the pleural cavity of experimental animals. Br. J. Exp. Pathol. 51: 617-627.

Davis, J. M. G. 1970. Further observations on the ultrastructure and chemistry of the formation of asbestos bodies. Exp. Mol. Pathol. 13: 346-358.

Davis, J. M. G. 1971. Epithelial outgrowths from lung tissue following intrapleural injection of asbestos dust in experimental animals. Int. J. Canc. 7: 238-248.

Davis, J. M. G. 1971. The calcification of fibrous pleural lesions produced in guinea pigs by the injection of chrysotile asbestos dust. Br. J. Exp. Pathol. 52: 238-243.

Davis, J. M. G. 1972. The effects of polyvinyl puridine-N-oxide (P204) on the cytopathogenic action of chrysotile asbestos in vivo and in vitro. Br. J. Exp. Pathol. 53: 652-658.

Davis, J. M. G. 1972. The fibrogenic effects of mineral dusts injected into the pleural cavity of mice. Br. J. Exp. Pathol. 53: 190-201.

Davis, J. M. G. 1974. An electron microscope study of the response of mesothelial cells to the intrapleural injection of asbestos dust. Br. J. Exp. Pathol. 55: 64-70.

Davis, J. M. G. 1974. Histogenesis and fine structure of peritoneal tumors produced in animals by injections of asbestos. J. Natl. Cancer Inst. 52: 1823-1837.

Davis, J. M. G. 1974. Ultrastructure of human mesotheliomas. J. Natl. Cancer Inst. 52: 1715-1725.

Davis, J. M. G., and Coniam, S. W. 1973. Experimental studies on the effects of heated chrysotile asbestos and automobile brake lining dust injected into the body cavities of mice. Exp. Mol. Pathol. 19(3): 339-353.

Davis, J. M. G., and Gross, P. 1972. Are ferruginous bodies an indication of atmospheric pollution by asbestos? IN: Biological effects of asbestos. Proc. IARC, Lyon 1972. Bogovski, P. et al., eds., pp. 238-242, IARC Sci. Publ. No. 8.

Davis, J. M. G. et al. 1970. "Ferruginous Bodies" in guinea pigs. Fine structure produced experimentally from minerals other than asbestos. Arch. Pathol. 89: 364-373.

Davis, N. N. et al. 1970. Particulate matter in I.V. infusion fluids. Bull. Parenter. Drug Assoc. 24: 257-270.

Davis, W. E. et al. 1970. National Inventory of Sources and Emissions; 1968, Asbestos Section III, Natl. Air Pollut. Cont. Admin.

De Biasi, W. 1960. Asbestosis with localized opacities - Silicosis accompanied by asbestosis. Med. Welt. 23: 1279-1281.

de Lajarte, M. et al. 1976. Etude clinique et professionnelle de 54 mesotheliomes pleuraux diffus (Clinical and occupational study of 54 diffused pleural mesothelioma). Rev. fr. Mal. Resp. 4(2): 63-74.

DelVecchio, M. et al. 1973. First findings of asbestos particles in the cerebrospinal fluid. Bull. Soc. Ital. Biol. Spec. 48: 1068-1070.

Dement, J. M. 1975. Environmental aspects of fibrous glass production and utilization. Environ. Res. 9: 295-312.

Dement, J. M. et al. 1976. Discussion paper: Asbestos fiber exposures in a hard rock gold mine. Ann. N.Y. Acad. Sci. 271: 345-352.

Demy, N. G., and Adler, H. 1967. Asbestosis and malignancy. Am. J. Roentgenol., Radium Ther. Nuc. Med. 100: 597-602.

Deniskina, N. D. 1972. Impurity minerals in the synthesis of amphibole asbestos. Mater. Genet. Eksp. Mineral. 1972(7): 92-96.

DePedrini, C. 1968. Observations on methods of collection and counting asbestos dust in work environments. Arch. Sci. Med. (Torino). 125: 769-776.

DeRosa, R. et al. 1964. Morbidity among asbestos cement workers. Folia Med. 47: 463-481.

Desai, R. et al. 1975. The prevention of asbestos-induced hemolysis. Life Sci. 16(12): 1931-1938.

DeSrjulijes, L. K. et al. 1975. RNA:DNA ratios in a developing fibrosarcoma and its lung metastases in C3H mice. J. Natl. Cancer Inst. 55(3): 659-663.

De Treville, H. T. P. et al. 1968. Asbestos bodies and their bioeffects. J. Am. Med. Assoc. 203(13): 1142-1143.

Dicke, H. A., and Chosy, L. W. 1972. Some important occupational lung diseases. Deut. Med. 1: 35.

Dicke, T. E., and Naylor, B. 1969. Prevelence of asbestos bodies in human lungs at necropsy. Dis. Chest. 56: 122-125.

Distler, T. M. 1976. Asbestos monitoring studies, phases I and II. Final report. Lawrence Livermore Laboratory, University of California, Livermore, Cal. 94550. Distribution Category UC-41, No. UCRL-52011.

Divertie, M. B. et al. 1975. Ultrastructure morphometry of the diffusion surface in a case of pulmonary asbestosis. Mayo Clin. Proc. 50: 193-197.

Dixon, J. R. et al. 1970. The role of trace metals in chemical carcinogenesis: Asbestos cancers. Cancer Res. 30: 1068-1074.

Dohner, V. A. et al. 1975. Asbestos exposure and multiple primary tumors. Am. R. Resp. Dis. 112: 181-199.

Doll, R. 1955. Mortality from lung cancer in asbestos workers. Br. J. Ind. Med. 12: 81-86.

Doll, R. 1970. Practical steps towards the prevention of bronchial carcinoma. Scot. Med. J. 15: 433-467.

Doll, R. 1977. Strategy for detection of cancer hazards to man. Nature. 265(5595): 589-596.

Doniach, I. et al. 1975. Prevalence of asbestos bodies in a necropsy series in East London; Association with disease, occupation and domiciliary address. Br. J. Ind. Med. 32: 16-30.

Donna, A. 1970. Experimental tumors from asbestos chrysotile crocidolite amosite in the Sprague Dawley rat. Med. Lav. 61(1): 1-32.

Donoso, H. et al. 1973. Association of radiological study of the thorax to spirometry in the detection of asbestosis. Rev. Med. Chil. 101(1): 34-41.

Dontenwill, W. et al. 1973. Investigations on the effects of chronic cigarette-smoke inhalation in Syrian golden hamsters. J. Natl. Cancer Inst. 51(6): 1781-1832.

Dror, K. 1974. Editorial: Asbestos and cancer. Harefuah. 86: 425.

Drysdale, R. S. 1971. Safety asbestos. Occup. Health (Lond.) 23: 97.

Duma, R. J. 1973. Particulate matter of particular interest. Ann. Intern. Med. 78: 146-147.

Durham, P. W., and Pang, T. 1973. Asbestos fibers in Lake Superior. CIC-CCIW Symp. on Water Quality Parameters. No. 5. 8 p.

Dutra, F. R., and Carney, J. D. 1965. Asbestosis and pulmonary carcinoma. Arch. Environ. Health. 10(3): 416-423.

Eden, K. G., and von Seebach, H. B. 1976. Atypical quartz dust-induced pneumoconiosis in SPF rats. Aspects of the role of the lymphatic system in the pathogenesis of silicosis. Virchows Arch. A Path. Anat. Histol. 372: 1-9.

Edge, J. R. 1976. Asbestos related disease in Barrow-in-Furness. Environ. Res. 11: 244-247.

Edwards, G. H., and Lynch, J. R. 1968. The method used by the U.S. Public Health Service for enumeration of asbestos dust on membrane filters. Ann. Occup. Hyg. 11: 1-6.

Ehrenreich, T. et al. 1973. Identification and characterization of pulmonary dust burden in pneumoconiosis. Ann. Clin. Lab. Sci. 3: 118-131.

Eid, A. H. et al. 1969. Electron microscope studies of asbestos in Egypt with a case report of asbestosis. J. Egypt Med. Assoc. 52(4): 298-305.

Einbrodt, H. J. 1964. Pathological-chemical studies of lung dust in asbestosis. Arbeitsmed. No. 1.

Einbrodt, H. J. 1969. Die Korngrobenverteilung in Lungenstauben von Bewohnern aus Gebieten mit und ohne Luftverschmutzung. Arch. Hyg. 153: 98-104.

Einbrodt, H. J. 1970. Asbestos and pseudoasbestos bodies (ferruginous bodies). Hippokrates. 41: 504-506.

Einbrodt, H. J. 1972. Threshold values for dust-like air pollutants and other antipollution measures. Zentralbl Bakteriol Parasitenkd Infektionskr Hyg. Erste. Abt. Orig. Reihe. B. Hyg. Praev. Med. 155(3): 296-299.

Eisenberg, B. C. 1973. Letters to the editor: Syringes with asbestos wound plungers. Ann. Allergy. 31(10): 516.

Eisenstadt, H. B. 1965. Benign asbestos pleurisy. J. Am. Med. Assoc. 192(5): 419-421.

Eisenstadt, H. B. 1974. Letter: Pleural effusion in asbestosis. N. Engl. J. Med. 290(18): 1025.

Ellinghausen, H. C., Jr. 1973. Death and lysis of leptospirae when cultured in asbestos-filtered growth media. Appl. Micro. 26: 959-968.

Ellison, J. M., and Howard, W. P. 1970. The control of asbestos in the working environment. Ann. Occup. Hyg. 13: 153-158.

Elmes, P. C. 1966. The epidemiology and clinical features of asbestosis and related diseases. Postgrad. Med. J. 42: 623-635.

Elmes, P. C. 1976. Current information on the health risk of asbestos. Royal Soc. Health J. Dec. 1976.

Elmes, P. C., and Simpson, M. F. C. 1971. Insulation workers in Belfast. 3. Mortality 1940-1966. Br. J. Ind. Med. 28: 226-236.

Elmes, P. C., and Wade, O. L. 1965. Relationship between exposure to asbestos and pleural malignancy in Belfast. Ann. N.Y. Acad. Sci. 132: 549-557.

Elmes, P. C. et al. 1965. Diffuse mesothelioma of the pleura and asbestos. Br. Med. J. 1: 350-353.

El'nichnykh, L. N. 1972. Histochemical characteristics of lipids in subcutaneous nodules caused by quartz-containing powders, asbestos, anthracite, and carbolene. Vopr. Gig. Tr. Prof. Patol. Met. 1972: 268-274.

Elser, J. T. 1975. Asbestosis: Its impact upon product liability and workmen's compensation. The Insurance Law Journal, August, 1975. 459-467.

Elwood, P. C., and Cochran, A. L. 1964. A follow-up study of workers from an asbestos factory. Br. J. Ind. Med. 21(4): 304-307.

Engelbrecht, F. M. 1964. Experimental studies on asbestos. S. Afr. J. Lab. Clin. Med. 10: 45-48.

Engelbrecht, F. M., and Burger, B. F. 1973. Biological effect of asbestos dust on the peritoneal viscera of rats. S. Afr. Med. J. 47(38): 1746-1750.

Engelbrecht, F. M., and Burger, B. F. 1975. Mesothelioma reaction to asbestos and other irritants after intraperitoneal injection. S. Afr. Med. J. 49: 87-90.

Engelbrecht, F. M., and Thiart, B. F. 1972. The effect of small amounts of aluminum, carbon, and carborundum on the development of silicosis and asbestosis. S. Afr. Med. J. 46: 462-464.

Enterline, P. E. 1965. Mortality among asbestos products workers in the United States. Ann. N.Y. Acad. Sci. 132: 156-165.

Enterline, P. E. 1976. Estimating health risks in studies of the health effects of asbestos. Am. Rev. Resp. Dis. 113: 175-180.

Enterline, P. E. 1976. Pitfalls in epidemiological research. J. Occup. Med. 18(3): 150-156.

Enterline, P. E., and Henderson, V. 1973. Type of asbestos and respiratory cancer in the asbestos industry. Arch. Environ. Health. 27(5): 312-317.

Enterline, P. E., and Henderson, V. 1975. The health of retired fibrous glass workers. Arch. Environ. Health. 30: 113-116.

Enterline, P. E., and Kendrick, M. A. 1967. Asbestos-dust exposures at various levels and mortality. Arch. Environ. Health. 15: 181-186.

Enterline, P. E. et al. 1972. Mortality in relation to occupational exposure in the asbestos industry. J. Occup. Med. 14: 897-903.

Enterline, P. E. et al. 1973. Respiratory cancer in relation to occupational exposures among retired asbestos workers. Br. J. Ind. Med. 30: 162-166.

Enticknap, J. B., and Smither, W. J. 1964. Peritoneal tumours in asbestosis. Br. J. Ind. Med. 21: 20-31.

Environmental Health Resource Center, Institute for Environmental Quality. 1972. Environmental asbestos. Health effects and recommended standards. Chicago, IL. 24 p.

Environmental Protection Agency. 1974. Asbestos and mercury: Proposed amendments to national emission standards. Federal Register. Friday October 25, 1974. Volume 29, No. 208, Part II.

Epstein, S. S. 1977. Cancer and the environment: The case for a more intensive preventive campaign against a disease which now kills one in five Americans. Bull. Atomic Sci. March 1977: 22-30.

Ershova, Z. P. 1973. Oxidation of iron in cummingtonite as determined by an infrared spectrographic method. Zap Uses Mineral Obshchest. 201(1): 110-114.

Evaluation of asbestos exposures in the working environment. 1972. Ind. Med. Sug. 41: 28-30.

Evans, C. C., and Evans, J. M. HL-A type asbestosis. Br. J. Med. 3: 492.

Evans, J. C. et al. 1973. Studies on the deposition of inhaled fibrous material in the respiratory tract of the rat and its subsequent clearance using radioactive tracer techniques. 1. UICC crocidolite asbestos. Environ. Res. 6(2): 180-201.

Excerpts from the criteria document. 1. 1973. Recommendations for an asbestos standard. J. Occup. Med. 15(4): 375-379.

Exposure to asbestos. 1971. Nature. 234: 383.

Farina, A., and Mazzanti, G. 1963. Asbestosis and lung neoplasms. Lav. Um. 15(6): 276-281.

Faulring, G. M. et al. 1975. Detection of chrysotile asbestos in airborne dust from thermosetting resin grinding. J. Test. Eval. 3(6): 482-490.

Fears, T. R. 1976. Cancer mortality and asbestos deposits. Am. J. Epidemiol. 104(5): 523-526.

Feldstein, M. L. et al. 1968. The collection and analysis of inorganic dust downwind of source effluents. Calif. Dept. Public Health.

Ferin, J., and Leach, L. J. 1976. The effect of amosite and chrysotile asbestos on the clearance of $TiO_2$ particles from the lung. Environ. Res. 12: 250-254.

Ferin, J. et al. 1976. Electron microprobe analysis of particles deposited in lungs. Arch. Environ. Health. March/April 1976: 113-115.

Fernandes-Martin, I. et al. 1966. Pulmonary pathology of asbestos. Exposure to asbestos and lung cancer. Med. Segur. Trab. 14(55): 32-42.

Ferrell, R. E., Jr., and Paulson, G. G. 1977. Practical limitations of selected area electron diffraction techniques for identifying mineral particles. Micron. 8: 47-55.

Ferris, B. G., Jr. et al. 1971. Prevalence of chronic respiratory disease. Asbestosis in ship repair workers. Arch. Environ. Health. 22: 220-225.

Fine, L. J. et al. 1976. Studies of respiratory morbidity in rubber workers. Part IV. Respiratory morbidity in talc workers. Arch. Environ. Health. July/August 1976: 195-200.

Finger, L. W. 1967. The crystal structures and crystal chemistry of ferromagnesian amphiboles. Ph.D. Thesis. Univ. Minnesota. 73 p.

Fingerland, A., and Jindrichova, J. 1962. Asbestosis associated with lung cancer. Pra. 14(10): 468-471.

Finlayson, A. et al. 1971. Home interviews with relatives of deceased persons: A means of obtaining histories of exposure to a hazardous substance. Scot. Med. J. 16: 509-512.

Fitschen, W., and Webster, I. 1968. Experimental model systems of pneumoconiosis. I. The effect of dusts on subcutaneous sponge implants in the rat. Med. Lav. 59: 161-167.

Fletcher, D. E. 1971. Asbestos-related chest disease in joiners. Proc. R. Soc. Med. 64: 837-838.

Fletcher, D. E. 1972. A mortality study of shipyard workers with pleural plaques. Br. J. Ind. Med. 29: 142-145.

Fletcher, D. E., and Edge, J. R. 1970. The early radiological changes in pulmonary and pleural asbestosis. Clin. Radiol. 21(4): 355-363.

Flick, K. 1969. Infrared spectrophotometric study of silicotic and asbestos containing dusts. Arbeitsschutz. 7: 161-167.

Flowers, E. S. 1974. Relationship between exposure to asbestos, collagen formation, ferruginous bodies and carcinoma. Am. Ind. Hyg. Assoc. J. 35: 724-729.

Fondimare, A. et al. 1973. Systematic study of pulmonary asbestosis in the Le Havre region. Arch. Anat. Pathol. 21(3): 273-278.

Fondimare, A. et al. 1974. Letter: Calcified fibrohyaline plaques in the liver in asbestosis. Nouv. Presse. Med. 3: 893.

Fondimare, A. et al. Variations de l'empoussierage pulmonaire par apmiante en fonction du temps. Membres Biologistes 49 a., Colloque d Rennes. Laboratoire de'Anatonie-Pathologie, Centre Hospitaller du Havres, B.P. 24, 76083 Le Havre, Cedex.

Fondimare, A. et al. 1976. Variations topographiques des concentrations pulmonaires et pleurales en fibres d'amiante chez des sujets diversement exposes (Topographical variations in asbestos fibre concentration in the lung and pleura of subjects with different exposures). Ann. Anat. Pathol. 21(2): 277-284.

Fontaine, J. H., and Trayer, D. M. 1975. Asbestos control in steam-electric generating plants. Am. Ind. Hyg. Assoc. J. 36: 126-130.

Ford, J. B. 1971. The effect of pulmonary macrophage suppression in developing asbestosis. Univ. Micro Film No. 72-14,557.

Fournier-Massey, G. 1969. An epidemological study of the asbestos industry of the eastern townships. Union Med. Can. 98(11): 1946-1949.

Fournier-Massey, G. and Becklake, M. R. 1975. Pulmonary function profiles in Quebec asbestos workers. Bull. Physiopath. Resp. 11: 429-445.

Fournier-Massey, G. et al. 1970. Respiratory function tests. Bull. Physiopathol. Resp. 6: 661-667.

Fowler, P. B. S. et al. 1964. Exposure to asbestos and mesothelioma of the pleura. Br. Med. J. 2(5043): 611-613.

Franco, M. A. et al. 1977. Structural imperfection and morphology of crocidolite (blue asbestos). Nature. 266: 520-521.

Frans, A. et al. 1974. Asbestosis. Louvain Med. 93: 237-248.

Freund, F., and Hamich, M. 1971. Photoelectron and x-ray fluorescence spectroscopy of magnesium minerals. Fortschr. Mineral. 48(2): 243-258.

Freundlich, I. M., and Greening, R. R. 1967. Asbestosis and associated medical problems. Radiology. 89: 24-229.

Friedrichs, K. H. 1971. Gewinnvung von asbestformigen Stauben for Tierversuche. (Preparation of asbestos fibres for animal experiments.) Int. Arch. Arbeitsmed. 28: 62-70.

Friedrichs, K. H., and Einbrodt, H. J. 1976. Die Messung der Faserkonzentration in Lungenstauben. (The measurement of fibre concentration in lung dusts.) Zbl. Bakt. Hyg., I. Abt. Orig. B. 161: 545-550.

Friedrichs, K. H. et al. 1972. Study of tissue reaction and fiber distribution in abdominal granulomas and lymph nodes of the rat following intraperitoneal administration of various amphiboles. Int. Arch. Arbeitsmed. 28(4): 341-354.

Fripiat, J. J., and della Faille, M. 1966. Surface properties and texture of chrysotiles. Laboratoire de Physico-Chimie Minerale, Institut Agronomique, Universite de Lauvain, Heverlee-Louvain (Belgium). Clays and Clay Minerals. 15: 305-320.

Frolova, N. N. et al. 1972. Antituberculous vaccination in experimental asbestosis. Probl. Tuberk. 50(12): 76-78.

Fuentes, F. J. et al. 1975. Asbestosis pulmonar. Presentacion de tres casos. Medicina. Clinica. 64(3): 121-127.

Funahashi, A. 1975. Identification of foreign material in lung by energy dispersive x-ray analysis. Arch. Environ. Health. 30: 285-289.

Funahashi, A. et al. 1977. Energy dispersive x-ray analysis in the study of pneumoconiosis. Br. J. Ind. Med. 34: 95-101.

Furst, A., and Haro, R. T. 1969. A survey of metal carcinogenesis. Prog. Exp. Tumor Res. 12: 102-133.

Gabor, S., and Anca, Z. 1975. Effect of asbestos on lipid peroxidation in the red cells. Br. J. Ind. Med. 32: 39-41.

Gabor, S. et al. 1975. Effect of quartz and asbestos on erythrocyte surface change. Int. Arch. Occup. Environ. Health. 36: 47-55.

Gadian, T. 1967. Asbestos a new hazard. Symp. Chem. Process Hazards Spec. Ref. Plant. Dis. 3rd. 1967. 61-65.

Gadsden, J. A. et al. 1970. Determination of chrysotile in airborne asbestos by an infrared spectrometric technique. Atmos. Environ. 4(6): 667-670.

Gaensler, E. A., and Addington, W. W. 1969. Asbestos or ferruginous bodies. N. Eng. J. Med. 280: 488-492.

Gaensler, E. A., and Kaplan, A. I. 1971. Asbestos pleural effusion. Ann. Intern. Med. 74: 178-191.

Gaffuri, E. 1970. Current knowledge of occupational tumors of the respiratory tract. Lotta. Tuberc. 40: 281-302.

Garavagha, C. 1963. Pleural calcification in pneumoconiosis. Med. Lav. 54(4): 279-288.

Gaze, R. 1965. The physical and molecular structure of asbestos. Ann. N.Y. Acad. Sci. 132: 23-30.

Gee, B., and Bouhuys, A. 1971. Action on asbestos. N. Eng. J. Med. 285: 1317-1318.

Gehrke, H. 1972. Precautionary measures for asbestos-cement corrugated roofs. Zentralbl. Arbeitsmed. 22(8): 227-228.

Gelfand, M., and Morton, S. A. 1970. Asbestosis in Rhodesia. IN: Pneumoconiosis: Proc. Intl. Conf., Johannesburg 1969. Shapiro, H. A., ed., pp. 204-208, Capetown, Oxford Univ. Press.

Gerber, M. A. 1970. Asbestosis and neoplastic disorders of the hematopoietic system. Am. J. Clin. Pathol. 53: 204-208.

Gerlach, H. 1972. The problem of so-called asbestos bodies. Zentralbl. Allg. Pathol. Anat. 115(5): 543-546.

Gerlach, H., and Timmel, H. 1972. Hyaline pleural plaques in post mortem material. Zentralbl. Allg. Pathol. Anat. 115(5): 517-521.

Getting the grips with asbestos. 1968. Food. Cosmet. Toxicol. 6: 657-659.

Ghezzi, I. et al. 1971. On asbestosis in Piedmont, Liquria, and Lombardy. Med. Lav. 62: 111-119.

Ghezzi, I. et al. 1972. Risk of asbestosis in a mine of chrysotile asbestos. Med. Lav. 63(5): 189-212.

Gibbs, G. W. 1969. Some problems associated with the storage of asbestos in polyethylene bags. Am. Ind. Hyg. Assoc. J. 30(5): 458-464.

Gibbs, G. W. 1970. Qualitative aspects of dust exposure in the Quebec asbestos mining and milling industry. IN: Inhaled particles III. Proc. Intl. Conf., Londo 1970. Walton, E. H., ed., pp. 783-799, Univ. Press.

Gibbs, G. W., and DuToit, R. S. J. 1973. Environmental data in mining. IN: Biological effects of asbestos. Proc. IARC, Lyon 1972. Bogovski, P. et al., eds., pp. 138-144, IARC Sci. Publ. No. 8.

Gibbs, G. W., and Hui, R. Y. 1971. The organic content of Canadian chrysotile. Am. Ind. Hyg. Assoc. J. 32(8): 519-529.

Gibbs, G. W., and Hwang, C. Y. 1975. Physical parameters of airborne asbestos fibres in various work environments--preliminary findings. Am. Ind. Hyg. Assoc. J. June, 1975: 459-466.

Gibbs, G. W., and Lachance, M. 1972. Dust exposure in the chrysotile asbestos mines and mills of Quebec. Arch. Environ. Health. 24: 189-197.

Gibbs, G. W., and Lachance, M. 1974. Dust-fiber relationships in the Quebec chrysotile industry. Arch. Environ. Health. 28: 69-71.

Gibel, W. et al. 1970. Experimental study on carcinogenic activity of asbestos filters. Arch. Geschwulstfors. 46(6): 437-442.

Gillam, J. D. et al. 1976. Mortality patterns among hard rock gold miners exposed to an asbestiform mineral. Ann. N.Y. Acad. Sci. 271: 336-344.

Gilson, J. C. 1965. Problems and perspectives: The changing hazards of exposure to asbestos. Ann. N.Y. Acad. Sci. 132: 696-705.

Gilson, J. C. 1972. Health hazards of asbestos. Composites. 3(2): 57-59.

Gilson, J. C. 1973. Asbestos cancer: Past and future hazards. Proc. R. Soc. Med. 66: 395-403.

Gilson, J. C. 1973. Report of the Advisory Committee on Asbestos Cancers to the Director of the International Agency for Research on Cancer. Br. J. Ind. Med. 30: 180-186.

Gilson, J. C. 1974. Unanswered questions posed by epidemiological studies. Clin. Sci. Mol. Med. 47: 11.

Gilson, J. C. et al. 1970. UICC Cincinnati Classification of the radiographic appearances of pneumoconiosis. Chest. 58(1): 57-67.

Ginzburg, E. A. 1973. X-ray picture of non-occupational induced asbestosis of the pleura. Radiol. Diagn. 14(3): 307-312.

Ginzburg, E. A. et al. 1970. Pleural form of non-occupational asbestosis. Klin. Med. 48: 55-60.

Gisser, S. D. et al. 1977. Adenocarcinoma of the rete testis: A review of the literature and presentation of a case with associated asbestosis. Hum. Pathol. 8(2): 219-224.

Gloyne, S. R. 1951. Pneumoconiosis. A histological survey of necropsy material in 1205 cases. Lancet. 1: 810-814.

Gluckman, J., and Hurwitz, M. 1970. Primary diffuse malignant mesothelioma. Problems in its diagnosis and in its relation to asbestos. IN: Pneumoconiosis Proc. Intl. Conf., Johannesburg 1969. Shapiro, H. A., ed., pp. 142-146, Capetown, Oxford Univ. Press.

Godwin, M. C. 1957. Diffuse mesotheliomas. With comment on their relation to localized fibrous mesotheliomas. Cancer. 10: 298-319.

Godwin, M. C., and Jagatic, J. 1970. Asbestos and mesotheliomas. Environ. Res. 3: 391-416.

Goff, A. M., and Gaensler, E. A. 1972. Asbestosis following brief exposure in cigarette filter manufacture. Respiration. 29: 83-93.

Gold, C. 1967. A simple method for detecting asbestos in tissue. J. Clin. Pathol. 20: 674.

Gold, C. 1968. The quantitation of asbestos in tissue. J. Clin. Pathol. 21: 536-540.

Gold, C. 1969. Asbestos levels in human lungs. J. Clin. Pathol. 22: 507.

Gold, C. 1971. Asbestos in tumours. J. Clin. Pathol. 24: 481.

Gold, C., and Cuthbert, D. 1966. Asbestos - A hazard to the community. Public Health. 80: 216-270.

Golden, R. L. 1974. The long range impact of asbestos exposure. Int. J. Occup. Health Saf. 43: 18-19.

Goldfield, J., and Brandt, F. E. 1974. Dust control techniques in the asbestos industry. Am. Ind. Hyg. Assoc. J. 35: 799-808.

Goni, J. et al. 1972. Possibilites actuelles d'identification des corps ferrugineux du poumon humain par la microsonde electronique et le microscope electronique a balayage. (Present possibilities of identification of "ferruginous bodies" in human lung using the scanning electron microscope.) Rev. Tuberculose Pneumologie. 36(8): 1223-1236.

Goni, J. et al. 1974. Les asbestes. Leurs menaces sur l'environnement urbain et sur la sante. Ext. Rev. Nuisances et Environ. Jan./Feb., and Mar. 1974.

Goni, J. et al. 1975. Emploi de la microscopie en contraste de phase pour l'identification des particules minerales fibreuses presentes dans le poumon humain. Bull. Soc. fr. Mineral. Cristallogr. 98: 294-298.

Goni, J. et al. 1976. Apport de la mineralogie a'l'identification des poussieres dans l'atmosphere. Annales des mines - Fevrier, 1976: 67-74.

Gontier, F. 1972. Asbestos dust, pleural calcification and shipbuilding. Arch. Mal. Prof. 23: 124-126.

Goodhead, K., and Martindale, R. W. 1969. Determination of amosite and chrysotile in airborne dusts by an x-ray diffraction method. Analyst. 94(1124): 985-988.

Gordon, P. et al. 1976. The ferruginous body content of lungs at autopsy in Boston 1928-1932. Acta Cytol. 20(6): 521-524.

Gorski, C. H., and Stettler, L. E. 1974. Surface energetics of asbestos minerals. Am. Ind. Hyg. Assoc. J. 35(6): 345-353.

Gorski, C. H., and Stettler, L. E. 1975. The adsorption of water and benzene on amosite and chrysotile asbestos. Am. Ind. Hyg. Assoc. J. 292-298.

Gorski, C. H. et al. 1976. The porosity of amosite and chrysotile asbestos. Am. Ind. Hyg. Assoc. J. 117-122.

Gorson, R. O., and Lieberman, J. L. 1973. The prohibition of the use of asbestos spray in building construction. J. Occup. Med. 15(3): 260-261.

Gough, J. 1965. Differential diagnosis in the pathology of asbestosis. Ann. N.Y. Acad. Sci. 132: 368-372.

Gould, D. A. 1967. A dangerous dust. New Sci. 453.

Governa, M., and Pernis, B. 1972. Biological effects of asbestos. Med. Lav. 63(5): 161-178.

Governa, M., and Rosanda, C. 1972. A histochemical study of the asbestos body coating. Br. J. Ind. Med. 29: 154-159.

Governa, M., and Rosanda, C. 1972. Mechanism of formation of asbestos bodies. Med. Lav. 63(5): 179-188.

Governa, M., and Rosanda, C. 1973. Histochemical study of asbestos fibre coating in experimental carrageenin granulomas. Br. J. Ind. Med. 30(3): 248-252.

Governa, M., and Vadal'a, C. R. 1972. Histochemical demonstration of hematoidin in the innermost layers of human asbestos body coating. Int. Arch. Arbeitsmed. 30(4): 273-282.

Gracey, D. R. et al. 1973. The blood-air barrier in pulmonary asbestosis: Study of a case by electron microscopy. Chest. 63(1): 46-51.

Graham, J., and Graham, R. 1967. Ovarian cancer and asbestos. Environ. Res. 1: 115-128.

Graham, S. 1975. Future inquiries into the epidemiology of gastric cancer. Cancer Res. 35: 3464-3468.

Green, R. A., and Dimcheff, D. G. 1974. Massive bilateral upper lobe fibrosis secondary to asbestos exposure. Chest. 65(1): 52-55.

Greenberg, M. 1970. Asbestos release from battery boxes. Ann. Occup. Hyg. 13: 79-80.

Greenberg, S. D. et al. 1976. Pulmonary cytopathology of former asbestos workers. Report of the first year. Am. J. Clin. Pathol. 66(5): 815-822.

Greenberg, S. D. et al. 1976. Sputum cytopathological findings in former asbestos workers. Tex. Med. 72: 39-43.

Greiger, G. R. 1972. Differentiation of asbestos from other minerals by selected area electron diffraction. Proc. Electron Microsc. Soc. Am. 30: 546-547.

Grella, G. et al. 1972. Epidemiologic and hygienic studies on asbestosis in the province of Naples. Conducted by a group of asbestos workers. Lotta. Tuberc. 42: 40-56.

Griffiths, K. et al. 1971. Ovarian tumors and steroid hormone biosynthesis. Univ. Edinburgh Pfizer Med. Mono. Vol. 6 - Control of Gonadal Steroid Secretion. 281-291.

Gross, P. 1973. Tumors of the pleura induced with asbestos and fibrous glass. J. Natl. Cancer Inst. 51(1): 315-317.

Gross, P. 1974. Is short-fibered asbestos dust a biological hazard? Arch. Environ. Health. 29: 115-117.

Gross, P. 1976. The biological categorization of inhaled fiber glass dust. Arch. Environ. Health. March/April 1976: 101-107.

Gross, P., and DeTreville, R. T. P. 1967. Experimental asbestosis: Studies on the progressiveness of the pulmonary fibrosis caused by chrysotile dust. Arch. Environ. Health. 15: 638.

Gross, P., and Harley, R. A., Jr. 1973. The locus of pathogenicity of asbestos dust. A theory. Arch. Environ. Health. 27: 240-242.

Gross, P., and Harley, R. A., Jr. 1973. Asbestos-induced intrathoracic tissue reactions. Arch. Pathol. 96: 245-250.

Gross, P., and Smith, K. W. 1959. The topographic distribution of mineral dusts in some pneumoconiotic lungs. Dis. Chest. 35: 1-15.

Gross, P., and Tolker, B. 1966. Dust particles in lung sections. (Some notes on methods of their visualization.) Arch. Environ. Health. 12: 213-216.

Gross, P. et al. 1967. Experimental asbestosis. The development of lung cancer in rats with pulmonary deposits of chrysotile asbestos dust. Arch. Environ. Health. 15: 343-355.

Gross, P. et al. 1967. Asbestos bodies: Their nonspecificity. Am. Ind. Hyg. Assoc. J. 28: 541-542.

Gross, P. et al. 1968. Pulmonary ferruginous bodies. Development in response to filamentous dusts and a method of isolation and concentration. Arch. Pathol. 85: 539-546.

Gross, P. et al. 1969. Pulmonary ferruginous bodies in city dwellers. Arch. Environ. Health. 19: 186-189.

Gross, P. et al. 1970. Studies on the carcinogenic effects of asbestos dust. IN: Pneumoconiosis: Proc. Intl. Conf., Johannesburg 1969. Shapiro, H. A., ed., pp. 220-224, Capetown, Oxford Univ. Press.

Gross, P. et al. 1970. The pulmonary response to fibrous dusts of diverse compositions. Am. Ind. Hyg. Assoc. J. 31: 125-132.

Gross, P. et al. 1970. Asbestos versus nonasbestos fibers. Ultramicroscopic criteria. Arch. Environ. Health. 20: 571-578.

Gross, P. et al. 1970. The pulmonary reaction to high concentrations of fibrous glass dust. A preliminary report. Arch. Environ. Health. 20: 696-704.

Gross, P. et al. 1970. Fibrous dust particles and ferruginous bodies -- Methods for quantitating them and some results from the lungs of city dwellers. Arch. Environ. Health. 21: 38-46.

Gross, P. et al. 1971. Lungs of workers exposed to fiberglass. A study of their pathologic changes and their dust content. Arch. Environ. Health. 23: 67-76.

Gross, P. et al. 1971. Unusual ferruginous bodies. Arch. Environ. Health. 22: 534-537.

Gross, P. et al. 1972. Asbestos: Identification of fibrous particles in lungs. J. Occup. Med. 14: 757-759.

Gross, P. et al. 1973. Lymphatic transport of fibrous dust from the lungs. J. Occup. Med. 15: 186-189.

Gross, P. et al. 1973. Pulmonary reaction to metallic aluminum powder. Arch. Environ. Health. 26: 227-236.

Gross, P. et al. 1974. Mineral fiber content of human lungs. Am. Ind. Hyg. Assoc. J. 35: 148-151.

Gross, P. et al. 1974. Ingested mineral fibers. Do they penetrate tissue or cause cancer? Arch. Environ. Health. 29: 341-347.

Grundy, G. W., and Miller, R. W. 1972. Malignant mesothelioma in childhood. Report of 13 cases. Cancer. 30: 1216-1218.

Guidetti, T. L. et al. 1975. Letter: Asbestos exposure and cancer of the larynx. West. J. Med. 122: 75.

Gutman, S. I. et al. 1976. Malignant peritoneal mesothelioma in a child. Am. J. Dis. Child. 130: 1268-1269.

Gykova, Z. P. 1968. Comparative description of the changes occuring in the respiratory section in the interstitial form of silicosis and asbestosis. Arkh. Patol. 30(8): 48-54.

Haenszel, W. 1961. Cancer mortality among the foreign-born in the United States. J. Natl. Cancer Inst. 26: 37-132.

Haenszel, W. et al. 1972. Stomach cancer among Japanese in Hawaii. J. Natl. Cancer Inst. 49: 969.

Hagerstrand, I., and Seifert, B. 1973. Asbestos bodies and pleural plaques in human lungs at necropsy. Acta. Pathol. Microbiol. Scand. 81(4): 457-460.

Hagerstrand, I. et al. 1968. Asbestos bodies in the lungs and mesothelioma. Acta. Pathol. Microbiol. Scand. 72(2): 177-179.

Hahn, J. et al. 1965. Designing an asbestos mill. Can. Mining. 86(7): 37-42.

Hahon, N., and Eckert, H. L. 1976. Depression of viral interferon induction in cell monolayers by asbestos fibers. Environ. Res. 11: 52-65.

Hahon, N. et al. 1977. Antagonistic activity of poly (4-vinylpridine-N-oxide) to the inhibition of viral interferon induction by asbestos fibres. Br. J. Ind. Med. 34: 119-125.

Hain, E. et al. 1973. Asbestos: Health hazards, limiting values, prevention. Staub. Reinhalt. Luft. 33: 51-57.

Hain, E. et al. 1974. Retrospective investigation on the genesis of mesothelioma. Report on 150 cases from the Hamburg area. Int. Arch. Arbeitsmed. 33: 15-37.

Haley, T. J. 1975. Asbestosis: A reassessment of the overall problem. J. Pharm. Sci. 64(9): 1435-1449.

Hall, S. A. 1971. Occupational exposures to pollution. J. R. Coll. Physicians Lond. 5:. 379-384.

Hallenbeck, W. H. et al. 1977. Precision of analysis for waterborne chrysotile asbestos by transmission electron microscopy. Bull. Environ. Contam. Toxicol. 17(5): 551-558.

Halsband, E. 1974. The effect of asbestos waste products on mussels (Mytilus edulis). Int. Counc. Explor. Sea. Fisheries Improvement Committee C.M. 1974/E: 9. pp. 2-5.

Hammond, E. C. 1969. Prospective epidemiological studies. Arch. Hyg. Bakt. 153: 483-489.

Hammond, E. C. 1970. American Cancer Society plans for a long term study of colonic and rectal cancer. Dis. Colon Rectum. 13: 108-111.

Hammond, E. C., and Selikoff, I. J. 1973. Relation of cigarette smoking to risk of death of asbestos-associated disease among insulation workers in the United States. IN: Biological effects of asbestos. Proc. IARC, Lyon 1972. Bogovski, P. et al., eds., pp. 312-317, IARC Sci. Publ. No. 8.

Hammond, E. C. et al. 1965. Neoplasia among insulation workers in the United States with special reference to intra-abdominal neoplasia. Ann. N.Y. Acad. Sci. 132: 519-525.

Hanes, F. E. 1974. Asbestos. Canadian Minerals Yearbook. 4: 1-9.

Hany, A. et al. 1967. Clinical and pathophysiological aspects of asbestosis. Schweiz. Med. Wochenschrift. 97(19): 597-603.

Hardy, H. L. 1965. Asbestos related disease. Am. J. Med. Sci. 250: 49/381-57/389.

Hargreaves, A., and Taylor, W. H. 1946. An x-ray examination of decomposition products of chrysotile (asbestos) and serpentine. Mineral Magazine. 27: 194.

Harington, J. S. 1962. Occurrence of oils containing 3,4-benzpyrene related substances in asbestos. Nature. 193: 43-45.

Harington, J. S. 1962. Natural occurrence of amino acids in virgin crocidolites asbestos and banded ironstone. Science. 138: 521.

Harington, J. S. 1965. Chemical studies of asbestos. Ann. N.Y. Acad. Sci. 132: 31-47.

Harington, J. S. 1971. Asbestos and mesothelioma in man. Nature. 232: 54-55.

Harington, J. S. 1973. Chemical factors (including trace elements) as etiological mechanisms. IN: Biological effects of asbestos. Proc. IARC, Lyon 1972. Bogovski, P. et al., eds., pp. 304-311, IARC Sci. Publ. No. 8.

Harington, J. S. 1976. The biological effects of mineral fibres, especially asbestos, as seen from in vitro and in vivo studies. Ann. Anat. Pathol. 21(2): 155-198.

Harington, J. S., and Miller, R. 1971. Effect of poly-2-vinylpridine-1-oxide on hemolysis by water. Environ. Res. 4(2): 118-120.

Harington, J. S., and Roe, F. J. C. 1965. Studies of carcinogenesis of asbestos fibers and their natural oils. Ann. N.Y. Acad. Sci. 132: 439-450.

Harington, J. S., and Smith, M. 1964. Studies of hydrocarbons in mineral dusts. Arch. Environ. Health. 8: 453-458.

Harington, J. S. et al. 1967. Studies of the mode of action of asbestos as a carcinogen. S. Afr. Med. J. 41(32): 800-804.

Harington, J. S. et al. 1971. Hemolysis by asbestos. Environ. Res. 4(2): 95-117.

Harington, J. S. et al. 1971. Enhancement of hemolytic activity of asbestos by heat labile factors in fresh serum. Med. Lav. 62: 171-176.

Harington, J. S. et al. 1975. Mineral fibers: Chemical, physicochemical, and biological properties. IN: Advanced pharmacol. chemotherapy. Volume 12, pp. 291-402, Academic Press, Inc., San Francisco, CA.

Harries, P. G. 1968. Asbestos hazards in naval dockyards. Ann. Occup. Hyg. 11: 135-145.

Harries, P. G. 1970. Protection of dockyard workers against asbestos. Proc. R. Soc. Med. 63: 1015.

Harries, P. G. 1971. Asbestos dust concentrations in ship repairing: A practical approach to improving asbestos hygiene in naval dockyards. Ann. Occup. Hyg. 14: 241-254.

Harries, P. G. 1971. A comparison of mass and fibre concentrations of asbestos dust in shipyard insulation processes. Ann. Occup. Hyg. 14: 235-240.

Harries, P. G. et al. 1972. Radiological survey of men exposed to asbestos in naval dockyards. Br. J. Ind. Med. 29: 274-279.

Harries, P. G. et al. 1973. Summary of symposium on diseases associated with asbestos dust exposure. Bull. Int. Pathol. 9-17.

Harris, J. E. et al. 1972. Preparation of membrane filter samples for direct examination with an electron microscope. Limnol. Oceanogr. 17: 784-787.

Harris, R. H., and Brecher, E. M. 1974. Is the water safe to drink. Consumer Rep. pp. 436-443.

Harwood, C. F., and Oestreich, D. K. 1975. The emission of asbestos particles from open sources. Presented 68th annual meeting of the Air Pollution Control Association, Boston, MA, June 15-20, 1975.

Harwood, C. F. et al. 1975. Asbestos emissions from baghouse controlled sources. Am. Ind. Hyg. J. August 1975: 595-603.

Hasan, F. M. et al. 1977. The significance of asbestos exposure in the diagnosis of mesothelioma: A 28-year experience from a major urban hospital. Am. Rev. Respir. Dis. 115: 761-768.

Hatch, D. 1970. Possible alternatives to asbestos as a friction material. Ann. Occup. Hyg. 13: 25-29.

Hatch, T., and Kindsvatter, V. H. 1947. Lung retention of quartz dust smaller than one-half micron. J. Ind. Hyg. Toxicol. 29: 342-346.

Hayashi, H. 1973. Quantitative determination of airborne asbestos dust in occupational environment by x-ray diffraction using conventional and rotating anode x-ray tube. Ind. Health. 11: 225-236.

Health hazards of asbestos. 1966. Lancet. 1: 530-531.

Heffelfinger, R. E. 1971. Determination of chrysotile in airborne asbestos by an infra-red spectrographic technique. Comments. Atmos. Environ. 5(7): 565.

Heffelfinger, R. E. et al. 1972. Development of a rapid survey method of sampling and analysis for asbestos in air, for EPA, by Battelle Columbia Laboratories. Contract CPA 22-69-110: 35 p.

Heflin, R. G. 1967. Asbestos bodies in lungs at necropsy. J. Clin. Pathol. 20: 570-574.

Hefner, R. E., and Gehring, P. J. 1975. A comparison of the relative rates of hemolysis induced by various fibrogenic and non-fibrogenic particles with washed rat erythrocytes in vitro. Am. Ind. Hyg. Assoc. J. October, 734-740.

Heidermanns, D.-M. G. 1973. Asbestos content determination by optical, chemical, radiographic and infra-red spectrographic analysis procedures. Staub-Reinhalt Luft. 33(2): 67-72.

Heller, R. M. et al. 1970. The radiological manifestations of malignant pleural mesothelioma. Am. J. Roent. 108: 53-59.

Heller-Kallai, L. et al. 1975. Hydroxyl-stretching frequencies of serpentine minerals. Mineralogical Mag. 40: 197-200.

Henderson, W. J. et al. 1969. A replication technique for the identification of asbestos fibres in mesotheliomas. Eur. J. Cancer. 5: 621-624.

Henderson, W. J. et al. 1970. Identification of mineral particles in pneumoconiotic lungs. J. Clin. Pathol. 23: 104-109.

Henderson, W. J. et al. 1975. Analysis of particles in stomach tumors from Japanese males. Environ. Res. 9: 240-249.

Henderson, W. J. et al. 1975. Ingestion of talc particles by cultured lung fibroblasts. Environ. Res. 9: 173-178.

Henderson, W. J. et al. 1975. Talc contamination of surgical gloves. Lancet. June 28, p. 1419.

Hendry, N. W. 1965. The geology, occurrences, and major uses of asbestos. Ann. N.Y. Acad. Sci. 132: 12.

Heppleston, A. G. 1970. Observations on the mechanism of silicotic fibrogenesis. IN: Inhaled particles III. Proc. Intl. Conf., London 1970. Walton, E. H., ed., pp. 357-369, Univ. Press.

Hernandez, F. J., and Fernandez, B. B. 1974. Localized fibrous tumors of pleura: A light and electron microscopic study. Cancer. 34: 1667-1674.

Heuper, W. C. 1965. Occupational and non-occupational exposures to asbestos. Ann. N.Y. Acad. Sci. 132: 184-193.

Hext, P. M., and Richards, R. J. 1976. Biochemical effects of asbestiform minerals on lung fibroblast cultures. Br. J. Exp. Pathol. 57: 281-285.

Hext, P. M. et al. 1977. The effects of long-term exposure of lung fibroblast strains to chrysotile asbestos. Br. J. Exp. Pathol. 58: 160-167.

Hickish, D. E., and Knight, K. L. 1970. Exposure to asbestos during brake maintenance. Ann. Occup. Hyg. 31: 17-21.

Higgins, I. T. T. 1974. Epidemiology of chronic respiratory disease: A literature review. EPA Publ. No. EPA-650/1-74-007. U.S. Environmental Protection Agency, Washington, D.C. 20460.

Hilborn, J. et al. 1974. The organic content of international reference samples of asbestos. Sci. Total Environ. 3: 129-140.

Hilding, A. C. 1963. Phagocytosis, mucous flow, and cililary action. Arch. Environ. Health. 6: 61-73.

Hilscher, W. 1972. Experimental asbestosis of the Wistar rat. Zentralbl. Allg. Pathol. 116(3): 413-416.

Hilscher, W. et al. 1970. Zusammenhange zwischen Asbestose und Faserlange. Naturwissenschaften. 57: 356.

Hirsch, A. 1975. Les calcifications pleurales. Ann. Med. Interne. 126(3): 151-158.

Hoffman, D., and Wynder, E. L. 1976. Environmental respiratory carcinogenesis. ACS Monograph Series, Chemical Carcinogens, No. 173: 324-365.

Hoffman, D., and Wynder, E. L. 1976. Smoking and occupational cancers. Prev. Med. 5: 245-261.

Holmes, A., and Morgan, A. 1967. Leaching constituents of chrysotile asbestos in vivo. Nature. 215: 441-442.

Holmes, A. et al. 1971. Determination of iron, chromium, cobalt, nickel, and scandium in asbestos by neutron activation analysis. Am. Ind. Hyg. Assoc. J. 32: 281-286.

Holmes, S. 1972. Criteria for environmental data and bases of threshold limit values-environmental data in industry. IN: Biological effects of asbestos. Proc. IARC, Lyon 1972. Bogovski, P. et al., eds., pp. 135-137, IARC Sci. Publ. No. 8.

Holmes, S. 1973. Asbestos and cancer of head and neck. Lancet. 1: 839.

Holmes, S. 1973. The measurement of asbestos dust. Staub. Reinhalt. Luft. 33: 65-67.

Holt, P. F., and Mills, S. J. 1963. Experimental asbestosis in guinea pigs. Int. Congr. Occup. Health. 14th Madrid. 1963. 2: 667-670.

Holt, P. F., and Young, D. K. 1967. The mechanisms of production of asbestos bodies from anthophyllite fibres. J. Pathol. Bacteriol. 93(2): 696-699.

Holt, P. F., and Young, D. K. 1973. Asbestos fibres in the air of towns. Atmos. Environ. 7(5): 481-483.

Holt, P. F. et al. 1964. The early effects of chrysotile asbestos dust on the rat lung. J. Pathol. Bacteriol. 87: 15-23.

Holt, P. F. et al. 1965. Experimental asbestosis with four types of fibers: Importance of small fibers. Ann. N.Y. Acad. Sci. 132: 87.

Holt, P. F. et al. 1966. Experimental asbestosis in the guinea pig. J. Pathol. Bacteriol. 92: 185-195.

Horai, Z. et al. 1960. Studies on asbestosis. Nara Med. Assoc. 11: 789-795.

Hough, A. J. et al. 1973. The collagenous nature of amianthoid degeneration of human costal cartilage. Am. J. Pathol. 73(1): 201-216.

Hourihane, D. O.'B. 1964. The pathology of mesotheliomata and an analysis of their association with asbestos exposure. Thorax. 19: 268-278.

Hourihane, D. O.'B. 1965. A biopsy series of mesotheliomata and attempts to identify asbestos within some of the tumors. Ann. N.Y. Acad. Sci. 132: 647-673.

Hourihane D. O.'B. et al. 1966. Hyaline and calcified pleural plaques as an index of exposure to asbestos. A study of radiological and pathological features of 100 cases with a consideration of epidemiology. Br. Med. J. 1: 1069-1074.

House, R. P. 1967. Dispersion of asbestos. U.S. Pat. Off. No. 3,586,639.

Hromek, J. 1962. The mass incidence of characteristical pleural changes in citizens of the western part of the former Jihlava region. Rozhl. Tuberk. Nem. Plicn. 22: 405-414.

Hueper, W. C. 1962. Environmental and occupational cancer hazards. Part I of Symposium: Chemical Carcinogenesis. Clin. Pharmacol. Ther. 3: 776-813.

Hueper, W. C. 1964. Methodologic explorations in experimental respiratory carcinogenesis. Arzneimittel-Forsch. 14: 814-822.

Hueper, W. C. 1965. Occupational and nonoccupational exposures to asbestos. Ann. N.Y. Acad. Sci. 132: 184-193.

Huggins, C. W. 1962. Electron micrographs of some inorganic fibers. U.S. Bur. Mines Dept. Invest. No. 6020. 27 p.

Humperdinck, C. 1971. Lung and occupational cancer. Med. Welt. 12: 459-464.

Hunt, R. 1965. Routine lung function studies on 830 employees in an asbestos processing factory. Ann. N.Y. Acad. Sci. 132: 406-420.

Hunter, B., and Thomson, C. 1973. Evaluation of the tumorigenic potential of vermiculite by intrapleural injection in rats. Br. J. Ind. Med. 30: 167-173.

Hurwitz, M. 1961. Roentgenologic aspects of asbestosis. Roentgenol., Radium Ther., Nucl. Med. 85(2): 256-262.

Hutchison, J. L. et al. 1975. High-resolution electron microscopy and diffraction studies of fibrous amphiboles. Acta Cryst. A31(6): 794-801.

Hygiene standards for airborne amosite asbestos dust. 1973. British Occupational Hygiene Society Committee on Hygiene Standards. Ann. Occup. Hyg. 16(1): 1-5.

Iarlochkin, V. D. et al. 1971. Sanitary chemical and toxicological studies of some heat insulating asbestos filled materials based on lausan. Gig. Tr. Prof. Zabol. 15(12): 60-62.

Instructions concerning protection against occupational hazards in work with asbestos. 1964. Anvisningar nr 52. National Workers' Protection Board. Stockholm, Svensk Reproduktions AB, Stockholm. 13 p.

International Agency on Research Against Cancer (IARC). 1973. IARC Monographs: Evaluation of carcinogenic risk of chemicals to man. Vol. 2. Some inorganic and organometallic compounds. 181 p. IARC, Lyon, France.

International Agency for Research on Cancer. 1977. IARC Monographs: Evaluation of carcinogenic risk of chemicals to man. Vol. 14. Asbestos. 108 p. IARC, Lyon, France.

International Occupational Safety and Health Information Centre (CIS). Occupational hazards of asbestos. Bibliography. International Labour Office, 1211 Geneva 22, Switzerland.

International Union Against Cancer (U.I.C.C.). 1965. The association of exposure to asbestos dust and cancer. Working group report, Harold Stewart, Chairman, Geographical Pathology Comm. Ann. Occup. Hyg. 8: 267-276.

Iolov, C. et al. 1967. Pleural asbestosis in agricultural workers. Environ. Res. 1(3): 287-292.

Ivanouskaya, T.M. 1970. Condition of respiratory tract mucosa in workers of the asbestos industry. Gig. Tr. Prof. Zabol. 14(2): 51-52.

Jacko, M. G. et al. 1973. How much asbestos do vehicles emit? Automotive Engineering. 38.

Jacob, G. 1963. Statistics of death causes in asbestos lung cancer. Montasschr. Tuberk. 6: 132-138.

Jacob, G., and Anspach, M. 1965. Pulmonary neoplasia among Dresden asbestos workers. Ann. N.Y. Acad. Sci. 132: 536-548.

Jacob, G., and Bohlig, H. 1960. The effect on the bronchial tree of pulmonary fibrosis caused by asbestos. Arch. Gewerbepathol. Gewerbehyg. 18(3): 247-257.

Jaffe, D., and Kuntze, R. A. 1975. Development of a technique for measuring the degree of dispersion of chrysotile fibre in aqueous systems. J. Appl. Chem. Biochemol. 25: 81-97.

Jagatic, J. et al. 1967. Tissue response to intraperitoneal asbestos with preliminary report of acute toxicity of heat-treated asbestos in mice. Environ. Res. 1: 217-230.

Jagodzinski, H. 1961. X-ray low angle diffraction of chrysotile asbestos. Z. Electrochem. 65(4): 313-321.

James, S. A. 1971. Asbestosis. Radiography. 37: 81-85.

Jaunarajs, K. L. 1972. The digestion of lung tissue for mineral dust recovery. Am. Ind. Hyg. Assoc. J. 535-542.

Jodoin, G. et al. 1971. Early effects of asbestos exposure on lung function. Ann. Rev. Resp. Dis. 104: 525-535.

John, W. et al. 1976. Experimental determination of the number and size of asbestos fibers in ambient air. Final Report ARB 3-688, Air and Industrial Hygiene Lab., Laboratory Services Branch, California Dept. of Health, 2151 Berkeley Way, Berkeley, CA 94704. 26 p. Appendix.

Johnson, F. B. 1972. Crystals in pathological specimens. Ann. Pathol. 7: 321-344.

Jones, B. M. et al. 1972. Adsorption of serum proteins by inorganic dusts. Br. J. Ind. Med. 29: 257-292.

J'ordeczka, S., and Basa, B. 1972. Asbestosis of the pleural plaques type. Pol. Tyg. Lek. 27(52): 2070-2071.

Julian, Y., and McCrone, W. C. 1970. Identification of asbestos fibers by microscopal dispersion staining. Microscope. 18(1): 1-10.

Kagan, E. et al. 1977. Immunological studies of patients with asbestosis. I. Studies of cell-mediated immunity. Clin. Exp. Immunol. 28: 261-267.

Kagan, E. et al. 1977. Immunological studies of patients with asbestosis. II. Studies of circulating lymphoid cell numbers and humoral immunity. Clin. Exp. Immunol. 28: 268-275.

Kala Ci'c, I. 1973. Chronic obstructive pulmonary disease in female asbestos workers. Arh. Hig. Rada. Toksikol. 24(1): 3-9.

Kanazawa, K. et al. 1970. Migration of asbestos fibers from subcutaneous injection sites in mice. Br. J. Cancer. 24: 96-106.

Kane, P. B. et al. 1977. Diagnosis of asbestosis by transbronchial biopsy. Am. Rev. Respir. Dis. 115: 689-694.

Kang, K. et al. 1975. Immunological anomaly in asbestosis. Jpn. J. Thorac. Dis. 12: 515-521.

Kann, J., and Mohrmann, W. 1973. Health damage due to asbestos. Z. Allgemeinmed. 49(19): 907-908.

Kannerstein, M., and Churg, J. 1972. Pathology of carcinoma of the lung associated with asbestos exposure. Cancer. 30: 14-21.

Kannerstein, M., and Churg, J. 1977. Peritoneal mesothelioma. Hum. Pathol. 8(1): 83-94.

Kannerstein, M. et al. 1977. Papillary tumors of the peritoneum in women: Mesothelioma or papillary carcinoma. Am. J. Obstet. Gynecol. 127(3): 306-314.

Karacharova, V. N. et al. 1969. Changes in certain organs after experimental intraperitoneal injection of asbestos containing dust. Byull. Eksp. Biol. Med. 67(5): 117-120.

Kaw, J. L., and Zaidi, S. H. 1975. In vitro studies on cytotoxic action of different varieties of asbestos dust on macrophages. Acta. Pharm. T. 36: 225-235.

Kay, G. 1973. Ontario intensifies search for asbestos in drinking water. Water Pollut. Control. 33-35.

Kay, G. H. 1974. Asbestos in drinking water. 1974. J. Am. Water Works Assoc. 66: 513-514.

Keal, E. E. 1960. Asbestosis and abdominal neoplasms. Lancet. 2: 1211-1216.

Keane, W. T., and Zavon, M. K. 1966. Occupational hazards of pipe insulators. Arch. Environ. Health. 13: 171-184.

Keasbey, L. E. 1973. Primary tumors of the peritoneum. Am. J. Pathol. 23: 871.

Keen surveillance of asbestos still necessary. 1970. Food. Cosmet. Toxicol. 8: 207-210.

Keenan, R. G., and Lynch, J. R. 1970. Techniques for the detection, identification, and analysis of fibers. Am. Ind. Hyg. Assoc. J. 31: 587-597.

Kendall, B., and Caplin, M. 1967. Pleural calcification. Br. J. Dis. Chest. 61: 126-130.

Kennedy, M. C. S., and Routledge, R. 1967. Investigation of a minor asbestos hazard. Br. J. Ind. Med. 24(3): 232-239.

Kesting, A. M. 1961. Evaluation of the results of dust measurements in asbestos-processing plants in the textile industry. Beruisgenossenschaft. 8: 321-323.

Kesting, A. M. 1966. Asbestos dust measurements in asbestos weaving and spinning plants. Staub. 26(10): 419-421.

Key, M. M. 1972. Criteria for a recommended standard. Occuupational exposure to asbestos. U.S. Dept. of Hlth., Educ., and Welf., Publ. Hlth. Serv., pp. II-VII-6.

Khadzhi, I. P. et al. 1971. Electron microscopic study of synthetic and natural chrysotile. Dokl. Akad. Nauk. SSSR. 200(4): 953-954.

Kheiker, D. M. et al. 1967. Determination of elementary fiber size of chrysotile asbestos. Sov. Phys. Cryst. 12(3): 430-435.

King, E. J. et al. 1946. The effect of asbestos and of asbestos and aluminum on the lungs of rabbits. Thorax. 1: 188-197.

Kiviluoto, R. 1960. Pleural calcification as a roentgenologic sign of non-occupational endemic anthophyllite-asbestosis. Acta. Radiol. Suppl. 194: 1-67.

Kiviluoto, R. 1965. Pleural plaques and asbestos: Further observations on endemic and other non-occupational asbestosis. Ann. N.Y. Acad. Sci. 132: 235-239.

Kiviluoto, R., and Meurman, L. 1970. Results of asbestos exposure in Finland. IN: Pneumoconiosis: Proc. Intl. Conf., Johannesburg 1969. Shapiro, H. A., ed., pp. 190-191, Capetown, Oxford Univ. Press.

Klein, C., Jr., and Waldbaum, D. R. 1967. X-ray crystallographic properties of the cummingtonite-grunerite series. J. Geol. 75: 379-392.

Kleinfeld, M. J. 1968. Asbestosis and neoplasia. Med. Times. 96: 1223-1229.

Kleinfeld, M. J. 1970. Industrial pulmonary disease: Clinical and experimental observations. Trans. N.Y. Acad. Sci. 32: 107-126.

Kleinfeld, M. J. 1973. Biologic response to kind and amount of asbestos. J. Occup. Med. 15: 296-300.

Kleinfeld, M. et al. 1966. Effect of asbestos dust inhalation on lung function. Arch. Environ. Health. 12(6): 741-746.

Kleinfeld, M. et al. 1966. Clinical, radiological, and physiological findings in asbestosis. Arch. Intern. Med. 117: 813-819.

Kleinfeld, M. et al. 1967. Mortality among talc miners and millers in New York State. Arch. Environ. Health. 14: 663-667.

Kleinfeld, M. et al. 1967. Mortality experience in a group of asbestos workers. Arch. Environ. Health. 15: 177-180.

Kleinfeld, M. et al. 1973. A study of workers exposed to asbestiform minerals in commercial talc manufacture. Environ. Res. 6(2): 132-143.

Klemperer, P., and Rabin, C. B. 1931. Primary neoplasms of the pleura. A report of five cases. Arch. Pathol. 11: 385-412.

Klosterkotter, W., and Robock, K. 1970. Animal experiments on the mode of action of asbestos with respect to fibre length. Schrift. Arbeitsmed. Sozialmed. Arbeitsyg. 36: 11-129.

Klosterkotter, W., and Robock, K. 1975. New aspects on dust and pneumoconiosis research. 1975 Yant Memorial Lecture. Am. Ind. Hyg. Assoc. J. Sept. 659-668.

Knappmann, J. 1972. Observations made at post mortem examination in 251 cases of mesothelioma in Hamburg (1958-1968). Pneumonologie. 148(1): 60-65.

Knight, G. 1975. Overlap problems in counting fibers. Am. Ind. Hyg. Assoc. J. 36: 113-114.

Knox, E. G. 1973. Computer simulation of industrial hazards. Br. J. Ind. Med. 30: 54-63.

Knox, J. F. et al. 1965. Cohort analysis of changes in incidence of bronchial carcinoma in a textile asbestos factory. Ann. N.Y. Acad. Sci. 132: 526-535.

Knox, J. F. et al. 1968. Mortality from lung cancer and other causes among workers in an asbestos textile factory. Br. J. Ind. Med. 25: 293-303.

Kogan, F. M. 1964. Asbestos dust and lung cancer. Gig. Sanit. 29: 96-102.

Kogan, F. M. 1968. Relation between the physical and chemical features of asbestos and its pathogenic action. Patog. Pnevmokoniozov. Tr. Vses. Simp. 16-34.

Kogan, F. M., and Dorinovskaya, A. P. 1966. Effect of asbestos and serpentine dusts on pulmonary tissue culture. Gig. Sanit. 31(4): 33-36.

Kogan, F. M. et al. 1965. The occurrence of certain immunobiological changes in asbestosis. Gig. Sanit. 30: 184-191.

Kogan, F. M. et al. 1965. Immunobiological changes in asbestosis. Gig. Sanit. 30: 34-40.

Kogan, F. M. et al. 1966. Data on the mechanism of the fibrinogenic action of asbestos dust. Gig. Sanit. 31(11): 10-14.

Kogan, F. M. et al. 1966. Carcinogenic effect of asbestos dust. Gig. Sanit. 31(8): 28-33.

Kogan, F. M. et al. 1966. A contribution to the clarification of the fibrogenic action of asbestos dust. Gig. Sanit. 31(11): 10-14.

Kogan, F. M. et al. 1970. Data for hygenic assessment of asbestos containing dusts from asbozurite and suvelite. Gig. Sanit. 35(3): 19-23.

Kogan, F. M. et al. 1970. Hygenic evaluation of the production of magnesia-arfvedsonite asbestos. Gig. Tr. Prof. Zabol. 14(10): 45-47.

Kogan, F. M. et al. 1971. Causes of death from asbestosis. Gig. Tr. Prof. Zabol. 15(4): 43-46.

Kogan, F. M. et al. 1972. Cancer mortality among workers in the asbestos industry of the Urals. Gig. Sanit. 37(7): 29-32.

Kogan, F. M. et al. 1972. Dynamics of asbestosis and asbestotuberculosis and some factors in their determination. Gig. Tr. Prof. Zabol. 16(10): 4-8.

Koizumi, T. et al. 1973. A case of peritoneal mesothlioma associated with asbestosis. J. Jpn. Soc. Intern. Med. 62(7): 783-787.

Kolev, K., and Burilkov, T. 1972. Experimental model for pleural asbestosis. Khig. Zdraueopazvane. 15(4): 348-352.

Komarova, O. I., and Moskaleva, A. T. 1970. Electrocardiogram of physical effort in patients with asbestotuberculosis. Prob. Tuberk. 48(7): 19-21.

Konetzke, G. W. 1974. Viewpoints and criteria for the recognition of cancers as occupational diseases. Arch. Geschwulstforsch. 44: 23-24.

Konietzko, N. et al. 1974. Verschlubvolumen bei asbestostaubexponierten. Prax. Pneumol. 28: 829-831.

Konig, J. 1960. Asbestosis. Arch. Gewerbepathol. Gewerbehyg. 18(2): 159-204.

Koruilou, N. A. 1969. Occurrence of amphibole asbestos in the Kremenchug iron ore region. Dopou. Akad. Nauk. Vkr. RSR. Ser. B. 31(3): 202-206.

Koshi, K. et al. 1968. Cell toxicity and hemolytic action of asbestos dust. Ind. Health. 6(1-2): 69-79.

Koshi, K., and Hyroyuki, S. 1972. Effect of asbestos dusts on the cultured macrophages. Ind. Health. 10(1-2): 16-23.

Krausz, Y. et al. 1975. Epicardial mesothelioma presenting with congestive failure. J. Isr. Med. Assoc. LXXXIX (2): 79-82.

Krishnaswamy, S. 1969. Chrysotile asbestos. Bull. Geol. Surv. Ind. Serv. A. 33: 1-64.

Kubo, T. 1973. Gastric carcinoma in New Zealand. Some epidemiologic-pathologic aspects. Cancer. 31: 1498-1507.

Kuhn, C. and Kou, T. T. 1973. Cytoplasmic hyalin in asbestosis. A reaction of injured alveolar epithelium. Arch. Pathol. 95: 190-194.

Kuschner, M., and Laskin, S. 1970. Interaction of atmospheric agents with carcinogens from other sources. Oncol. Proc. Int. Canc. Congr. 10th 1970. 37-46.

Kuyper, L. N. 1969. Dust problems in the mining, milling and packaging of asbestos. IN: Pneumoconiosis: Proc. Intl. Conf., Johannesburg 1969. Shapiro, H. A., ed., pp. 42-50, Capetown, Oxford Univ. Press.

Lachnit, V. 1972. Chronic lesions due to environmental pollution. Wien. Med. Wochenschr. 122: 43-49.

Lamarche, R. Y., and Wicks, F. J. 1975. Where to look for new asbestos deposits. Third International Conference on the physics and chemistry of asbestos minerals. Universite Laval, Quebec, Canada.

Lammers, W. T. 1968. Fractionation of suspended and colloidal particles in natural water. Union Carbide Corp., Oak Ridge, Tenn. Report no. K-1749.

Lane, R. E. et al. 1968. Hygiene standards for chrysotile asbestos dust. Ann. Occup. Hyg. 11: 47-69.

Lange, A. et al. 1974. Autoantibiotic and serum immunoglobulin levels in asbestos workers. Int. Arch. Asbeits. Med. 32: 313-325.

Langer, A. M. 1970. Electron microprobe analysis study of asbestos fibers and bodies from lung tissue. Lab. Diagn. Dis. Caused Toxic Agents, Ed., Proc. Appl. Semin. 126-136.

Langer, A. M., and Pooley, F. D. 1973. Identification of single asbestos fibers in human tissues. IN: Biological effects of asbestos. Proc. IARC, Lyon 1972. Bogovski, P. et al., eds., pp. 119-125, IARC Sci. Publ. No. 8.

Langer, A. M. et al. 1970. Inorganic fibers, including chrysotile, in lungs at autopsy: Preliminary report. IN: Inhaled particles III. Proc. Intl. Conf., London 1970. Walton, E. H., ed., pp. 683-694, Univ. Press.

Langer, A. M. et al. 1970. Electron microprobe analysis of asbestos bodies. IN: Pneumoconiosis: Proc. Intl. Conf., Johannesburg 1969. Shapiro, H. A., ed., pp. 57-69, Capetown, Oxford Univ. Press.

Langer, A. M. et al. 1971. Chrysotile asbestos in the lungs of persons in New York City. Arch. Environ. Health. 22: 348-361.

Langer, A. M. et al. 1972. Chemical characterization of uncoated asbestos fibers from the lungs of asbestos workers by electron microprobe analysis. J. Histochem. Cytochem. 20: 735-740.

Langer, A. M. et al. 1972. Chemical characterization of asbestos body cores by electron microprobe analysis. J. Histochem. Cytochem. 20: 723-734.

Langer, A. M. et al. 1973. Identification of asbestos in human tissues. J. Occup. Med. 15: 287-295.

Langlands, J. H. et al. 1971. Insulation workers in Belfast. 2. Morbidity in men still at work. Br. J. Ind. Med. 28: 217-225.

Lanitis, G. et al. 1973. Mesotheliomes pleuraux et asbestose. Helv. Chir. Acta. 40(5): 635-640.

Lanza, A. J. 1963. Pathology of asbestosis. IN: Pneumoconiosis, Grune and Stratton, New York. Lanza, A. J., ed., pp. 48-53.

Larmarche, R. Y. 1975. Third International Conference on the Physics and Chemistry of Asbestos Minerals. Geoscience, Canada. 2(4): 200-204.

Laub, G. 1963. Prevention of accidents and protection of health in the asbestos industry. Zentralbl. Arbeitsmed. Arbeitsschutz. 13: 77-81.

Lauweryns, J. M., and Baert, J. H. 1977. Alveolar clearance and the role of the pulmonary lymphatics. Am. Rev. Respir. Dis. 115(4): 625-683.

Lawrence, J. 1975. Removal of asbestos fibres from potable water by coagulation and filtration. Water Res. 9: 397-400.

Lawrence, J., and Simmermann, H. W. 1976. Potable water treatment for some asbestiform minerals: Optimization and turbidity data. Water Res. 10: 195-198.

Lawrence, J., and Zimmermann, H. W. 1977. Asbestos in water: Mining and processing effluent treatment. J. Water Pollut. Control Fed. 49(1): 156-170.

Lawrence, J. et al. 1974. Asbestos: Its removal from potable water. Can. Res. Devel. Nov.-Dec. 29-30.

Lawther, P. J. 1966. Air pollution bronchitis and lung cancer. Postgrad. Med. J. 42(493): 703-708.

Lawther, P. J. 1971. Asbestos: Some nonradiological aspects. Proc. R. Soc. Med. 64: 833-834.

Leathart, G. L., and Sanderson, J. T. 1963. Some observations on asbestosis. Ann. Occup. Hyg. 6(2): 65-74.

Lebedeva, E. A. 1971. The state of the genitals of workers in tire and asbestos factories. Akush. Cinekol. 47(10): 74-75.

LeBouffant, L. et al. 1973. Structure and composition of pleural plaques. IN: Biological effects of asbestos. Proc. IARC, Lyon 1972. Bogovski, P., et al., eds., pp. 249-257, IARC Sci. Publ. No. 8.

Lederer, E. 1973. Asbestos dust. Z. Allgemeinmed. 49(1): 35-36.

Lee, D. H. K. 1974. Biological effects of ingested asbestos: Report and commentary. Environ. Health Perspect. 9: 113-122.

Lee, P. N., and O'Neill, J. A. 1971. The effect both of time and dose applied on tumour incidence rate in benzopyrene skin painting experiments. Br. J. Cancer. 25: 759-770.

Legan, J. et al. 1973. Biologic exposure to dental materials. Oral Surg. Oral Med. Oral Pathol. 36(6): 908-914.

Leger, H. et al. 1977. Identification et appreciation quantitative des particules cristallines dans les prelevements tissulaires. Analyse par diffraction des rayons X. Lettre. La nouv. Presse Med. 6(6): 463.

Legge, R. F. 1974. The Great Lakes Advisory Board Report on asbestos: A preview. Can. Res. Devel. Nov.-Dec. 19-20.

Leicher, F. 1954. Primarer deckzellentumor des bauchfells bei asbestose. Arch. Gewerbepathol. Gewerbehyg. 13: 382-392.

Lemenager, J. et al. 1975. Les Pleureises Benignes de L'Amiante. Rev. fr. Mal. Resp. T.3(4): 325-342.

Lemenager, J. et al. 1975. Pleuresies asbestosiques non tumorales. A propos de 4 observations. La Nouvelle Presse Med. 4(15): 1134.

Leonard, R. W. 1974. Report on tests of drinking water filtration equipment conducted at the Environmental Protection Agency, National Water Quality Laboratory, Duluth, Minnesota, in cooperation with the U.S. Army Corps of Engineers, St. Paul District, May and June 1974. Dept. of the Army, St. Paul District, Corps of Engineers, St. Paul, Minnesota. 30 p.

Leophonte, P. et al. 1975. Les pneumoconiosis par le talc. Rev. fr. Mal. Resp. T.3(4): 363-384.

Leophonte, P. et al. 1975. Les effects nocifs du talc. Nouv. Presse. Med. 4(30): 2201.

Lesobre, R. et al. 1973. Pleural manifestations of asbestosis. Nouv. Presse. Med. 2(22): 1491-4194.

Letterst, C. L. et al. 1970. Toxicity of Hela cell growth medium after passage through asbestos filters. Lab. Pract. 19: 1221.

Levine, B. W., and Castelman, B. 1974. Recurrent pleural effusion. N. Engl. J. Med. 290: 152-157.

Levine, H. 1968. Asbestos bodies in peritoneum. N. Engl. J. Med. 278: 630.

Levy, B. S. et al. 1976. Investigating possible effects of asbestos in city water: Surveillance of gastrointestinal cancer incidence in Duluth, Minnesota. Am. J. Epidemiol. 103(4): 362-368.

Lewinsohn, H. C. 1972. The medical surveillance of asbestos workers. R. Soc. Health J. 92: 69-77.

Lewinsohn, H. C. 1974. Early malignant changes in pleural plaques due to asbestos exposure. A case report. Br. J. Dis. Chest. 68: 121-127.

Libshitz, H. I. et al. 1974. Asbestos and carcinoma of the larynx: A possible association. J. Am. Med. Assoc. 228: 1571-1572.

Lichtenstein, D. G. et al. 1975. Solitary mesothelioma of the small intestine. Int. Surg. 60(6&7): 366-368.

Lieben, J. 1966. Malignancies in asbestos workers. Arch. Environ. Health. 13(5): 619-621.

Lieben, J., and Pistawka, H. 1967. Mesothelioma and asbestos exposure. Arch. Environ. Health. 14: 559-563.

Light, W. G., and Wei, E. T. 1977. Surface charge and hemolytic activity of asbestos. Environ. Res. 13: 135-145.

Light, W. G., and Wei, E. T. 1977. Surface charge and asbestos toxicity. Nature. 265(5594): 537-539.

Lindell, K. V. 1973. Industrial use of asbestos. IN: Biological effects of asbestos. Proc. IARC, Lyon 1972. Bogovski, P. et al., eds., pp. 323-328, IARC Sci. Publ. No. 8.

Little, J. G. F., and Williams, R. J. P. 1965. Electrical and optical properties of crocidolite and some other iron compounds. Chem. Soc. J. 1965: 6368-6371.

Lockwood, T. H. 1974. Analysis of asbestos for trace metals. Am. Ind. Hyg. Assoc. J. 35: 245-251.

Lokhova, G. G. 1972. The effect of experimental regime on the fibrous structure of synthesized amphibole asbestos. Eksp. Mineral. 7: 97-101.

Longley, L. O. 1969. The many faces of asbestos diseases. Med. J. Austr. 2: 1063-1066.

Lopez-Areal, L. et al. 1965. Pulmonary pathology of asbestos - (I) Pulmonary asbestosis - (II) - Amianto y cancer del pulmon. Med. Segur. Trab. 52: 35-45.

Lorimer, W. V. et al. 1976. Asbestos exposure of brake repair workers in the United States. Mt. Sinai J. Med. 43(3): 207-218.

Loup, J. 1975. Mesotheliome benin du peritoine. J. Chir. (Paris), Juillet-Aout. 110(1-2): 85-88.

Luce, R. W. 1969. Dissolution of magnesium silicates. Diss. Abstr. Int. B. 1970. 30(8): 3709. 173 p.

Luce, R. W. 1971. Identification of serpentine varieties by infra-red absorption. U.S. Geol. Surv., Prof. Pap. No. 750-8. 199-201.

Luckewicz, W. 1975. Differential thermal analysis of chrysotile asbestos in pure talc and talc containing other minerals. J. Soc. Cosmet. Chem. 26: 431-437.

Lulenski, G. C. et al. 1971. Rapid growth of a pleural mesothelioma. Chest. 59: 230-232.

Lumley, K. P. S. 1971. Asbestos dust levels inside firefighting helmets with chrysotile asbestos covers. Ann. Occup. Hyg. 14: 285-286.

Lumley, K. P. S. 1976. A proportional study of cancer registrations of dockyard workers. Br. J. Ind. Med. 33: 108-114.

Lumley, K. P. S. et al. 1971. Buildings insulated with sprayed asbestos: A potential hazard. Ann. Occup. Hyg. 14: 255-257.

Luxon, S. 1970. Respirators for protection against asbestos. Ann. Occup. Hyg. 13: 41.

Luxon, S. 1970. Technical implementation of the new asbestos regulations. Ann. Occup. Hyg. 13: 23-24.

Luxon, S. 1971. The use of dust respirators against asbestos dust hazards in the United Kingdom. Am. Ind. Hyg. Assoc. J. 32: 723-725.

Lynch, J. R., and Ayer, H. E. 1966. Measurement of dust exposures in the asbestos textile industry. Am. Ind. Hyg. Assoc. J. 27(5): 431-437.

Lynch, J. R., and Ayer, H. E. 1968. Measurement of asbestos exposure. J. Occup. Med. 10: 21-24.

Lynch, J. R. et al. 1970. The interrelationship of selected asbestos exposure indices. Am. Ind. Hyg. Assoc. J. 31: 598-604.

Lynch, K. M., and Smith, W. A. 1930. Asbestos bodies in sputum and lung. J. Am. Med. Assoc. 95: 659-661.

Lynch, K. M., and Smith, W. A. 1935. Pulmonary asbestosis III: Carcinoma of lung in asbesto-silicosis. Am. J. Cancer. 24: 56-64.

Lynch, K. M. et al. 1957. Pulmonary tumors in mice exposed to asbestos dust. Arch. Ind. Health. 15: 207-214.

Mackenzie, F. A. 1971. The radiological investigations of the early manifestations of exposure to asbestos dust. Proc. R. Soc. Med. 64: 834-837.

Macnab, G., and Harington, J. S. 1967. Haemolytic activity of asbestos and other mineral dusts. Nature. 214: 522-523.

MacPherson, P., and Davidson, J. K. 1969. Correlation between lung asbestos count at necropsy and radiological appearances. Br. Med. J. 1(5640): 355-357.

Maggiore, C. J., and Rubin, I. B. 1973. Optimization of an SEM x-ray spectrometer system for the identification and characterization of ultramicroscopic particles. Proc. Sixth Ann. Scanning Electron Microscope Symposium, Chicago, April, 1973. pp. 129-136.

Magner, D., and McDonald, A. L. 1972. Malignant mesothelial tumors-histologic type and asbestos exposure. N. Engl. J. Med. 287: 570-571.

Malhorta, V. M., and Winer, A. 1976. The use of asbestos fiber in Portland cement and sulphur concretes. Can. Min. Met. March 1976: 1-8.

Malone, W. F. 1975. CXXVIII. Occupational cancer control and prevention. J. Chem. Educ. 52(10): A468-A470.

Malone, W. F. 1975. CXXVIII. Occupational cancer control and prevention (concluded). J. Chem. Educ. 52(11): A509-A511.

Manalan, D. A. 1974. Asbestos removal by membrane filters. Bull. Parenter. Drug. Assoc. 28: 247-251.

Mancuso, T. F. 1965. Asbestos and neoplasia: Epidemiology. Discussion. Ann. N.Y. Acad. Sci. 132: 589-594.

Mancuso, T. F. 1969. Asbestos and cancer. Arch. Environ. Health. 18: 859-860.

Mancuso, T. F., and Coulter, E. J. 1963. Methodology in industrial health studies. Arch. Environ. Health. 6: 210-226.

Mancuso, T. F., and El-Attar, A. A. 1967. Mortality pattern in a cohort of asbestos workers. A study based on employment experience. J. Occup. Med. 9(4): 147-162.

Mancuso, T. F., and El-Attar, A. A. 1973. Carcinogenic risk and duration of employment among asbestos workers. IN: International Konferenz uber die biologischen Wirkungen des Asbests, Dresden 1968. Holstein and Anspach, eds., pp. 161-166.

Mann, R. H. et al. 1966. Mesothelioma associated with asbestosis. Cancer. 19: 521-526.

Marchand, M. 1960. Harmful effects of asbestos dust. Prev. Secur. Trav. 44: 25-34.

Markham, M. C., and Wosczyna, K. 1976. Determination of micro-quantities of chrysotile asbestos by dye adsorption. Environ. Sci. Technol. 10: 930-931.

Markham, T. N., and Dodson, V. N. 1966. Ann Arbor case reports. II. Mesothelioma in an accountant. J. Occup. Med. 8(3): 138-139.

Markovic, B. 1970. Conditions experimentales pour la provecation au laboratoirede la nephrite interstitielle chronique sor des animaux de laboratoires par des silicates naturels additiennes aux eaux petables. J. Urolo. Nephir. 7-8: 695-711.

Maroudas, N. G. et al. 1973. Fibroblast anchorage in carcinogenesis by fibres. Lancet. 1: 807-809.

Marr, W. T. 1964. Asbestos exposure during naval vessel overhaul. Am. Ind. Hyg. Assoc. J. 25(3): 264-268.

Martischnig, K. M. et al. 1977. Unsuspected exposure to asbestos and bronchogenic carcinoma. Br. Med. J. 1: 746-749.

Maser, M. 1960. Chrysotile morphology. Am. Miner. 45: 680-688.

Massey, D. et al. 1971. Immunologic factors in asbestosis. Union Med. Can. 100: 1588-1591.

Masson, T. J. et al. 1974. Asbestos-like fibers in Duluth water supply. Relation to cancer mortality. J. Am. Med. Assoc. 228: 1019-1020.

Matsudo, H. et al. 1974. Japanese gastric cancer: Potentially carcinogenic silicates (talc) from rice. Arch. Pathol. 97: 366-368.

Matsushita, H., and Arashiya, K. 1972. Analysis of polycyclic aromatic hydrocarbons present in asbestos. Rodo Eisel Kenkyusho Nenpo (Ann. Report National Inst. Ind. Health).

Mattson, S. B. 1971. Caplan's syndrome in association with asbestosis. Report of a case. Scand. J. Respir. Dis. 52(3): 153-161.

Mattson, S. B. et al. 1970. Pleural plaques and exposure to asbestos. A clinical method from a Swedish lung clinic. Scand. J. Respir. Dis. (Suppl.). 75: 1-41.

May, T. C., and Levine, R. W. 1970. Asbestos. IN: Mineral facts and problems. 1970 Edition, Bull. 650, U.S. Dept. of the Interior, Bureau of Mines.

McCaughey, W. T. E. 1958. Primary tumors of the pleura. J. Pathol. Bacteriol. 76: 517-529.

McCaughey, W. T. E. 1965. Criteria for diagnosis of diffuse mesothelial tumors. Ann. N. Y. Acad. Sci. 132: 603-613.

McCaughey, W. T. E., and Oldham, P. D. 1973. Diffuse mesotheliomas: Morbid anatomical and histological diagnosis. IN: Biological effects of asbestos. Proc. IARC, Lyon 1972. Bogovski, P., et al., eds., pp. 58-61, IARC Sci. Publ. No. 8.

McDonald, A. D. et al. 1970. Epidemiology of primary malignant mesothelial tumours in Canada. Cancer. 26: 914-919.

McDonald, J. C. et al. 1971. Mortality in the chrysotile asbestos mines and mills of Quebec. Arch. Environ. Health. 22: 677-686.

McDonald, J. C. et al. 1971. Mortality in the chrysotile producing industry of Quebec. Pneumoconiosis: IV Int. Conf., Bucharest.

McDonald, J. C. et al. 1972. Respiratory symptoms in chrysotile with asbestos mine and mill workers in Quebec. Arch. Environ. Health. 24: 358-363.

McDonald, J. C. et al. 1974. The health of chrysotile asbestos mine and mill workers in Quebec. Arch. Environ. Health. 28(2): 61-68.

McEwen, J. et al. 1970. Mesothelioma in Scotland. Br. Med. J. 4: 575-578.

McEwen, J. et al. 1971. Asbestos and mesothelioma in Scotland. An epidemiological study. Int. Arch. Arbeitsmed. 28: 301-311.

McFarren, E. F. et al. 1974. Asbestos analysis by electron microscopy. Proc. AWWA Water Qual. Conf., XIV-1, Dallas, Texas. Dec. 1974.

McFee, D. R., and Russel Tye, M. S. 1965. Adsorption of proteins on dusts related to pneumoconioses selectivity. J. Occup. Med. 7: 269-275.

McGowan, L. et al. 1975. Mesothelioma of the abdomen in women. Monitoring of therapy by peritoneal fluid study. Gynecol. Oncol. 3: 10-14.

McLachlan, M. S. F., and Wagner, J. C. 1974. Radiological diagnosis of crocidolite induced pleural mesotheliomata in the rat. Br. J. Exp. Pathol. 55: 164-168.

McNulty, J. C. 1962. Malignant pleural mesothelioma in an asbestos worker. Med. J. Austr. 2: 953-956.

McVitte, J. C. 1965. Asbestosis in Great Britain. Ann. N.Y. Acad. Sci. 132: 128-138.

Measurement of asbestos dust levels in a workshop environment. 1970. UK Atom. Energy Auth. Atom. Weapons RFS Establ. Rep. AWRE 028-70.

Medek, V. 1960. Asbestos in a factory for processing asbestos. Prac. Lek. 12(4): 191-194.

Medek, V., and Radl, J. 1964. Serum protein changes in asbestosis. Prac. Lek. 16(8): 349-352.

Meijer, P. G., and De Koning-Pierens, W. E. 1972. Detection and measurement of the concentration of asbestos in air. Tno. Nieuws. 27(11): 661-671.

Merchant, J. A. 1975. The HL-A system in asbestos workers. Br. Med. J. 1: 189-190.

Merliss, R. R. 1971. Talc and asbestos contaminant rice. J. Am. Med. Assoc. 216: 2144.

Merliss, R. R. 1971. Talc-treated rice and Japanese stomach cancer. Science. 173: 1141-1142.

Meurman, L. 1966. Asbestos bodies and pleural plaques in a Finnish series of autopsy cases. Acta. Pathol. Microbiol. Scand. 66(Suppl. 181): 1-107.

Meurman, L. O. et al. 1969. Asbestos bodies in the lungs of a series of Finnish lung cancer patients. IN: Pneumoconiosis: Proc. Intl. Conf., Johannesburg 1969. Shapiro, H. A., ed., pp. 404-407, Capetown, Oxford Univ. Press.

Meyer, B. P. 1967. Asbestos fibres in the fumes of welding electrodes with coatings containing asbestos. Tijdschr. Soc. Geneesk. 45(19): 701-702.

Meyer, K., and Chaffee, E. 1939. Hyaluronic acid in pleura fluid associated with malignant tumor involving pleura and peritoneum. Proc. Soc. Exp. Biol. 42: 797-800.

Michailova-Docheva, L., and Stefanov, O. 1972. Hygienic valuation of talc used in Bulgaria. Z. Gesamte. Hyg. 18: 233-235.

Mikhailova-Docheva, L. 1972. Hygienic evaluation of the mineral composition of soils in regions of the Peoples Republic of Bulgaria marked by the prevelence of endemic pleural calcifications. Gig. Tr. Prof. Zabol. 16(5): 30-33.

Mikhailova-Docheva, L., and Burilkov, T. 1973. Mineralogical characteristics and hygienic evaluation of spiculate components in some industrial aerosols. Gig. Tr. Prof. Zabol. 17: 11-13.

Mikov, M. I. 1966. Asbestosis in asbestos mining and processing workers in the "Korlace" mines in Brvenik and Ibru. Arh. Hig. Rad. Toksikol. 17(1): 63-70.

Miller, A. et al. 1975. Letter to the editor. Response to article. N. Engl. J. Med. 292(22): 1194-1195.

Miller, A. et al. 1975. "Nonspecific" interstitial pulmonary fibrosis. Association with asbestos fibers detected by electron microscopy. N. Engl. J. Med. 292: 91-93.

Miller, K., and Harington, J. S. 1972. Some biochemical effects of asbestos on macrophages. Br. J. Exp. Pathol. 53: 397-405.

Miller, K., and Kagan, E. 1976. The in vivo effects of asbestos on macrophage membrane structure and population characteristics of macrophages: A scanning electron microscope study. J. Reticuloendothel. Soc. 20(2): 159-171.

Miller, L. et al. 1969. Tests for effect of asbestos on benzo(a) pyrene carcinogenesis in the respiratory tract. Ann. N.Y. Acad. Sci. 132: 489-500.

Millette, J. R. 1976. Analyzing for asbestos in drinking waters. News of Environmental Research in Cincinnati, EPA, ORD Tech. Info. Staff. Cincinnati, Ohio Jan. 1976.

Millette, J. R., and McFarren, E. F. 1976. EDS of waterborne asbestos fibers in TEM, SEM and STEM. Scanning Electron Microscopy. 1976 (Part III). Proc. Workshop on Techniques for Particulate Matter Studies in SEM, p. 451-460.

Millette, J. R. et al. 1975. Analysis of asbestos fibers in water by electron microscopy. Presented at the spring meeting of the Ohio Section of the American Physical Soc., Kent State University, May 9-10, 1975.

Milne, J. 1969. 15 cases of pleural mesothelioma associated with occupational exposure to asbestos in Victoria. Med. J. Austr. 2: 669-673.

Milne, J. 1976. Are glass fibers carcinogenic to man? A critical appraisal. Br. J. Ind. Med. 33: 47-48.

Milne, J. E. 1971. Developmental changes in asbestos bodies and their significance. Trans. Soc. Occup. Med. 21: 118-121.

Milne, J. E. H. 1976. Thirty-two cases of mesothelioma in Victoria, Australia: A retrospective survey related to occupational asbestos exposure. Br. J. Ind. Med. 33: 115-122.

Mitchell, J. 1961. Health progress in an asbestos textile works. Arch. Environ. Health. 3(1): 37-41.

Moigneteau, C. et al. 1976. Incidence de L'Amiante sur la pathologie respiratoire. Sem. Hop Paris. 52(8): 467-474.

Moiseev, H. M. et al. 1967. Proton magnetic reasonance in chrysotile asbestos. Izu. Akad. Nauk. SSR Neorg. Mater. 3(8): 1514-1515.

Moolenaar, R. J. 1975. Asbestos in water in the chlor-alkali industry. The Chlorine Institute, Inc. 17th Chlorine Plant Managers Seminar, Feb. 1975, New Orleans, LA.

Moreschi, N. et al. 1970. Pleural calcification in asbestosis and tuberculosis: Elements of differential diagnosis. Med. Lav. 61: 141-153.

Morgan, A. 1974. Adsorption of human serum albumin by asbestiform minerals and its application to the measurement of surface areas of dispersed samples of chrysotile. Environ. Res. 7: 330-341.

Morgan, A., and Cralley, L. J. 1974. Chemical characteristics of asbestos and associated trace elements. IN: Biological effects of asbestos. Proc. IARC, Lyon 1972. Bogovski, P. et al., eds., pp. 113-118, IARC Sci. Publ. No. 8.

Morgan, A., and Holmes, A. 1970. Neutron activation techniques in investigations of the composition and biological effects of asbestos. IN: Pneumoconiosis: Proc. Intl. Conf., Johannesburg 1969. Shapiro, H. A., ed., pp. 52-56, Capetown, Oxford Univ. Press.

Morgan, A., and Timbrell, V. 1971. Use of neutron activation analysis to determine the composition of blended samples of asbestos. Int. J. Appl. Radiat. Isotop. 22(12): 745-751.

Morgan, A. et al. 1971. Studies of the solubility of constituents of chrysotile asbestos in vivo using radioactive tracer techniques. Environ. Res. 4(6): 558-570.

Morgan, A. et al. 1973. Some observations on the distribution of trace metals in chrysotile asbestos. Ann. Occup. Hyg. 16(3): 231-240.

Morgan, A. et al. 1975. Studies on the deposition of inhaled fibrous material in the respiratory tract of the rat and its subsequent clearance using radioactive tracer techniques. II. Deposition of the UICC standard reference samples of asbestos. Environ. Res. 10: 196-207.

Morgan, W. K. C. 1964. Rheumatoid pneumoconiosis in association with asbestosis. Thorax. 19(5): 433-435.

Morgenroth, K. 1973. Cellular reaction in the human lung caused by inhalation of asbestos dust over long periods. Beitr. Pathol. 148(2): 199-210.

Morgenroth, K. et al. 1973. Energy dispersive x-ray analysis at semi-thin sections in the scanning transmission. Beitr. Pathol. 150(4): 406-411.

Mossman, B. T. et al. 1977. Interaction of crocidolite asbestos with hamster respiratory mucosa in organ culture. Lab. Invest. 36(2): 131-139.

Mozur, M. 1960. Harmful effects of asbestos. Och. Prac. 10-11: 12-15.

Mueller, P. K. et al. 1972. Electron microscopic characterization and quantitation of airborne particulate matter with special emphasis on asbestos. Proc. Electron Microsc. Soc. Am. 30: 356-357.

Mueller, P. K. et al. 1975. Asbestos fiber Atlas. Report No. EPA-650/2-75-036, Office of Res. and Devel., U.S. EPA, Washington, D.C. 20460.

Muldoon, B. C. et al. 1972. Lung function studies in asbestos workers. Br. J. Dis. Chest. 66: 121-132.

Mumpton, F. A., and Thompson, C. S. 1975. Mineralogy and origin of the coalinga asbestos deposit. Clays and Clay Minerals. 23: 131-143.

Murphy, R. L. et al. 1971. Floor tile installation as a source of asbestos exposure. Ann. Rev. Respir. Dis. 104: 576-580.

Murphy, R. L., Jr., and Sorenson, K. 1973. Chest auscultation in the diagnosis of pulmonary asbestosis. J. Occup. Med. 15(3): 272-276.

Murphy, R. L. H., Jr. et al. 1971. Effects of low concentrations of asbestos. N. Engl. J. Med. 285: 1271-1278.

Murphy, R. L. H., Jr. et al. 1972. Low exposure to asbestos. Arch. Environ. Health. 25: 253-264.

Murr, L. E., and Kloska, K. 1976. The detection and analysis of particulates in municipal water supplies by transmission electron microscopy. Water Res. 10: 469-477.

Musti, M. et al. 1973. Laryngeal and pulmonary neoplasms in asbestosis patients (case report). Med. Lav. 64: 423-431.

Myers, J. L. 1973. OSHA standards and the safe use of asbestos. Tech. Pap. Reg. Tech. Conf. Soc. Plast. Eng. Palisades Sect. 28-35.

Myers, J. L. 1974. Chrysotile asbestos in plastics. Soc. Plastic Eng., Tech. Pap. 20: 207-210.

Myers, J. L. 1975. Handling asbestos. Chrysotile asbestos in plastics. J. Paint Technol. 47(611): 63-67.

Nagelschmidt, G. 1965. Some observations of the dust content and composition in lungs with asbestosis made during work on coal miners' pneumoconiosis. Ann. N.Y. Acad. Sci. 132: 64-76.

Nagelschmidt, G. 1965. The study of long dust in pneumoconiosis. Am. Ind. Hyg. Assoc. J. 26: 1-7.

Nagy, B., and Bates, T. F. 1952. Stability of chrysotile asbestos. Am. Miner. 37: 1055-1058.

Nakamura, I. 1967. Clinical and pathological studies of pulmonary asbestosis. J. Nara. Med. Assoc. 18: 455-465.

National Academy of Sciences, Advisory Center on Toxicology Assembly of Life Sciences. 1977. A report of the Safe Drinking Water Committee. Drinking Water and Health. Part I. Chapters 1-5.

National Academy of Sciences, Committee on Biological Effects of Atmospheric Pollutants. 1971. Asbestos. The need for and feasibility of air pollution controls. Washington, D.C. 40 pp.

National Emission Standards for Hazardous Air Pollutants. Asbestos, Beryllium, Mercury, 1973. Fed. Regist. 38(66): 8820-8850.

National Institute for Occupational Safety and Health. 1976. Re-examination and update of information on the health effects of occupational exposure to asbestos. U.S. Dept. Health, Educ. and Welf., Public Health Service, Center for Disease Control.

Navratil, M. 1964. Asbestosis, pulmonary cancer, and tuberculosis in employees in asbestos-processing plants. Prac. Lek. 16(8): 345-349.

Navratil, M. 1970. Pleural calcifications due to asbestos exposure compared with relevant findings in the non-exposed population. IN: Inhaled particles III. Proc. Intl. Conf., London 1970. Walton, E. H., ed., pp. 695-703, Univ. Press.

Navratil, M., and Dobias, J. 1973. Development of pleural haylinosis in long term studies of persons exposed to asbestos dust. Environ. Res. 6(4): 455-472.

Navratil, M., and Trippe, F. 1972. Prevalence of pleural calcification in persons exposed to asbestos dust, and in the general population in the same district. Environ. Res. 5: 210-216.

Navratil, M. et al. 1966. The incidence of lung cancer in asbestosis. Prac. Lek. 18(6-7): 256-260.

Nenadic, C. M., and Crable, J. V. 1971. Application of x-ray diffraction to analytical problems of occupational health. Am. Ind. Hyg. Assoc. J. 32: 529-538.

Nettesheim, P. et al. 1975. Carcinogenic and cocarcinogenic effects of inhales synthetic smog and ferric oxide particles. J. Natl. Cancer Inst. 55(1): 159-169.

Newhouse, M. L. 1967. The medical risks of exposure to asbestos. Practitioner. 199: 285-293.

Newhouse, M. L. 1969. A study of the mortality of workers in an asbestos factory. Br. J. Ind. Med. 26: 294-301.

Newhouse, M. L. 1970. The mortality of asbestos factory workers. IN: Pneumoconiosis: Proc. Intl. Conf., Johannesburg 1969. Shapiro, H. A., ed., pp. 158-164, Capetown, Oxford Univ. Press.

Newhouse, M. L. 1973. Asbestos in the work place and the community. Ann. Occup. Hyg. 16: 97-102.

Newhouse, M. L., and Berry, G. 1973. Asbestos and laryngeal carcinoma. Lancet. 2(829): 615.

Newhouse, M. L., and Thompson, H. 1965. Epidemiology of mesothelial tumors in the London area. Ann. N.Y. Acad. Sci. 132: 579-588.

Newhouse, M. L., and Thompson, H. 1965. Mesothelioma of pleura and peritoneum following exposure to asbestos in the London area. Br. J. Ind. Med. 22: 261-269.

Newhouse, M. L., and Wagner, J. C. 1969. Validation of death certificates in asbestos workers. Br. J. Ind. Med. 26: 302-307.

Newhouse, M. L. et al. 1972. A study of the mortality of female asbestos workers. Br. J. Ind. Med. 29: 134-141.

Nicholson, W. J. 1974. Analysis of amphibole asbestiform fibers in municipal water supplies. Environ. Health Perspect. 9: 165-172.

Nicholson, W. J. 1977. Cancer following occupational exposure to asbestos and vinyl chloride. Cancer. 39(4): 1792-1801.

Nicholson, W. J., and Pundsack, F. L. 1973. Asbestos in the environment. IN: Biological effects of asbestos. Proc. IARC, Lyon 1972. Bogovski, P. et al., eds., pp. 126-130, IARC Sci. Publ. No. 8.

Nicholson, W. J. et al. 1972. Asbestos contamination of parenteral drugs. Science. 177: 171-173.

Nicholson, W. J. et al. 1976. Asbestos contamination of building air supply systems. Inst. Electrical and Electronics Engineers, Inc., Ann. No. 75CH1004-1 29-6. pp. 1-4.

Nizze, H. 1971. Frequency of so-called asbestos bodies in human lungs. Int. Arch. Arbeitsmed. 28: 71-82.

Nizze, H. 1972. Asbestos and its hazards to man. Dtsch. Gesundheitsw. 27: 913-918.

Nizze, H. 1972. Genuine and so-called asbestos bodies. Dtsch. Med. Wochenschr. 97: 1045-1047.

Nizze, H. 1973. Exposure to asbestos and the genesis of pleural plaques and neoplasia. Arch. Pathol. 95(3): 213-214.

Noonan, F. M., and Linsky, B. 1970. Internal reflection spectroscopy applied to air pollution. Atmos. Environ. 4: 125-128.

Noro, L. 1968. Occupational and non-occupational asbestosis in Finland. Am. Ind. Hyg. Assoc. J. 29(3): 196-201.

Noro, L. et al. 1966. Occupational diseases from asbestos in Finland. Int. Arch. Gewerbepathol. 22: 179-184.

Nottle, M. C. 1977. Plant particles in kidneys and mesenteric lymph nodes of sheep. Aust. Vet. J. 53: 405.

Nurminen, M. 1972. A study of the mortality of workers in an anthophyllite asbestos factory in Finland. Work Environ. Health. 9: 112-118.

Nurminen, M. 1975. The epidemiologic relationship between pleural mesothelioma and asbestos exposure. Scand. J. Work Environ. Health. 1: 128-137.

Nussbaum, R., and Cossalter, J. 1967. Asbestos as an atmospheric polluting agent. Pollut. Atmos. 9(35): 172-174.

Nyiredy, G. 1975. Benigne Asbestpleuritis. Prax. Pneumol. 29: 166-169.

Nyiredy, G. et al. 1974. Asbest-pleuritis. Orv. Hetil. 115: 2436-2437.

Occella, E., and Maddalon, G. 1963. X-ray diffraction characteristics of some types of asbestos in relation to different techniques of comminution. Med. Lav. 54(10): 628-646.

Occupational cancer of the lung and smoking. 1970. Br. Med. J. 1: 313.

Occupational exposure to asbestos. Criteria for a recommended standard. 1972. N.I.O.S.H. 135 p.

Oels, H. C. et al. 1971. Diffuse malignant mesothelioma of the pleura: A review of 37 cases. Chest. 60: 564-570.

Oldham, P. D. et al. 1972. A survey of pleural thickening its relation to asbestos exposure and previous pleural disease. Environ. Res. 5(2): 142-151.

Olson, H. L. 1973. Does asbestos in water supply present a health hazard? Paper presented at Conf. State San. Engrs., San Francisco.

Olson, H. L. 1974. Asbestos in potable water supplies. J. Am. Water Works Assoc. 66: 515-518.

Oosthuizen, S. F. et al. 1964. Calcified pleural plaques in asbestosis. Med. Proc. 10(23): 496-501.

Orfila, J. et al. 1972. Influence of quartz coal titanium oxide and asbestos on experimentally induced chlamydia disease. C. R. Hebd Seances Acad. Sci. Ser. D. Sci. Nat. 274(9): 1434-1437.

Ortiz, L. W., and Isom, B. L. 1974. Transfer technique for electron microscopy of membrane filter samples. Am. Ind. Hyg. Assoc. J. 35: 423-425.

Ortiz, L. W. et al. 1975. Calibration standards for counting asbestos. Am. Ind. Hyg. Assoc. J. 36: 104-112.

Osf, H., and Bittersohl, G. 1972. On the epidemology of asbestosis of the pleura. Enkr. Atmungs. Organe. 136(2): 165-174.

Otto, H. 1971. Pathological anatomy of asbestosis and consequent conditions due to asbestos. Fortschr. Med. 89: 506-508.

Otto, H. 1973. The risk of asbestosis from a pathological-anatomical viewpoint. Staub. Reinhalt Luft. 33: 58-60.

Otto, H. 1975. Zur objektivierung der asbestexposition beim mesotheliom. Arbeitsmed. Sozialmed. Praventivmed. 10(9): 176-178.

Otto, H., and Fragstein, J. 1969. Occurrence of asbestos needles in human lungs. Int. Arch. Gewerbepathol. 25: 193-201.

Owen, W. G. 1964. Diffuse mesothelioma and exposure to asbestos dust in the Merseyside area. Br. J. Med. 2: 214-218.

Owen, W. G. 1965. Mesothelial tumors and exposure to asbestos dust. Ann. N.Y. Acad. Sci. 132: 674-679.

Paddock, R. E. et al. 1972. Comprehensive study of specified air pollution sources to assess the economic impact of air quality standards--Asbestos, Beryllium, Mercury. EPA, Research Triangle Park Institute.

Pancoast, H. K. et al. 1917. A roentgenologic study of the effects of dust inhalation upon the lungs. Trans. Assoc. Am. Phy. 32: 97-108.

Papirer, E. et al. 1976. Modifications physico-chimiques du chrsotile par attaque chimique menagee. I. En milieu aqueux. Bull. Soc. Chim. Fr. 1976(5-6): 651-653.

Parazzi, E. et al. 1968. Studies on in vitro cytotoxicity of asbestos dusts. Med. Lav. 59: 561-576.

Parientes, R. et al. 1974. Letter: Asbestosis. Nouv. Presse Med. 3: 456.

Park, J. F. et al. 1970. Cocarcinogenic studies in pulmonary carcinogenesis. U.S.A.E.C. BNWL-SA-3552: 33 p.

Parkes, W. R. 1973. Asbestos-related disorders. Br. J. Dis. Chest. 67(4): 261-300.

Patterson, J. H., and O'Connor, D. J. 1966. Chemical studies of amphibole asbestos. Aust. J. Chem. 19: 1155-1164.

Pattnaik, A., and Meakin, J. D. 1973. Development of an instrumental monitoring method for measurement of asbestos concentrations in or near sources. Franklin Institute Research Labs. EPA Report. PB-226 471. Natl. Tech. Info. Serv., Springfield, VA.

Peacock, P. R., and Peacock, A. 1965. Asbestos induced tumors in white leghorn fowls. Ann. N.Y. Acad. Sci. 132: 501-503.

Peacock, P. R. et al. 1968. Search for asbestos in primary malignant tumours of the lung. Lavori Ist. Anat. Univ., Perugia. 28: 29-39.

Peacock, P. R. et al. 1969. Retrospective search for asbestos bodies in necropsies and biopsies on cases of primary malignant disease of the lung. Eur. J. Cancer. 5: 147-153.

Pelfrene, A. F. 1976. Experimental evaluation of the clearance of 3,4-benzo (a)pyrene in association with talc from hamster lungs. Am. Ind. Hyg. Assoc. J. 37: 706-710.

Pelfrene, A. F., and Malick, L. E. 1976. Modifications morphologiques de la surface cellulaire au cours de la phagocytose des fibres d'amiante (Morphological modifications of the cell surface occurring during the phagocytosis of asbestos fibers). Ann. Anat. Pathol. 21(2): 215-226.

Perlin, V. P. 1971. Binding strength between chrysotile asbestos fibers. Izu. Akad. Nauk. SSSR Ser. Geol. 3: 66-76.

Pernis, B. et al. 1965. Rheumatoid factor in serum of individuals exposed to asbestos. Ann. N.Y. Acad. Sci. 132: 112-120.

Pernis, B. et al. 1966. Observations on the effects of asbestos on cells "in vitro". Med. Lav. 57: 721-729.

Pernis, B. et al. 1971. Effects of asbestos on cells in vitro. Med. Lav. 62: 120-129.

Persaud, V. et al. 1970. Pleural mesothelioma associated with massive hepatic calcification and unusual metastases. Cancer. 26: 920-928.

Peters, J. M. et al. 1973. Pulmonary function in shipyard welders. An epidemiological study. Arch. Environ. Health. 26(1): 28-31.

Petrova, E. V. et al. 1973. Antigenicity of the lung in experimental asbestosis and silicosis. Gig. Tr. Prof. Zabol. 17(5): 19-21.

Pike, M. C. 1966. A method of analysis of a certain class of experiments in carcinogenesis. Biometrics. 22: 142-161.

Pike, M. C., and Doll, R. 1965. Age at onset of lung cancer: Significance in relation to effect of smoking. Lancet. 1: 665-668.

Pilat, L. et al. 1971. Correlation between radiological, clinical, and respiratory functional aspects of asbestosis. Med. Lav. 62: 495-509.

Plamenac, P. et al. 1971. Incidence of "asbestos" bodies in basal lung smear. Acta. Medica. Iugoslavica. 25: 325-332.

Planteydt, H. T. et al. 1964. "Asbestos bodies" in shipyard workers. Tijdsch. Soc. Geneesk. 42: 108.

Plowman, C. 1973. Effect of heat on the identification of asbestos by x-ray diffraction. Nature. 244: 280.

Policard, A. 1955. Microscopic analysis of mineral dust in lung sections. Compt. Rend. Congr. Soc. Savantes Paris et depts., Sect. Sci. (CA 52: 120496). pp. 295-301.

Polliack, A., and Sacks, M. I. 1968. Prevalence of asbestos bodies in basal lung smears. Israel. J. Med. Sci. 4: 223-226.

Polliack, S. 1970. Asbestos and allied disorders. Harafuah. 72: 275-277.

Pon, P. R. 1972. Value and limitations of respiratory function tests in the detection of asbestosis. Arch. Mal. Prof. 23: 126-128.

Pontefract, R. D. 1974. Ingestion of asbestos. Can. Res. Devel. Nov-Dec. p. 21.

Pontefract, R. D., and Cunningham, H. M. 1973. Penetration of asbestos through the digestive tract of rats. Nature. 243: 352-353.

Pooley, F. D. 1972. Asbestos bodies, their formation, composition, and character. Environ. Res. 5: 363-379.

Pooley, F. D. 1972. Electron microscope characteristics of inhaled chrysotile asbestos fibre. Br. J. Ind. Med. 29: 146-153.

Pooley, F. D. 1972. Mesothelioma in relation to conf. IN: Biological effects of asbestos. Proc. IARC, Lyon 1972. Bogovski, P. et al., eds., pp. 222-225, IARC Sci. Publ. No. 8.

Pooley, F. D. 1972. Methods for assessing asbestos fibres and asbestos bodies in tissue by electron microscopy. IN: Biological effects of asbestos. Proc. IARC, Lyon 1972. Bogovski, P. et al., eds., pp. 50-53, IARC Sci. Publ. No. 8.

Pooley, F. D. 1973. Asbestos fibre in the lung and mesothelioma. A re-examination of the Malmo material. Acta. Pathol. Microbiol. Scand. 81: 390-400.

Pooley, F. D. 1974. The recognition of various types of asbestos in minerals, and in tissues. Clin. Sci. Mol. Med. 47: 11P-12P.

Pooley, F. D. 1976. An examination of the fibrous mineral content of asbestos lung tissue from the Canadian chrysotile mining industry. Environ. Res. 12: 281-298.

Pooley, F. D. et al. 1969. The detection of asbestos in tissues. IN: Pneumoconiosis: Proc. Intl. Conf., Johannesburg 1969. Shapiro, H. A., ed., pp. 108-116, Capetown, Oxford Univ. Press.

Porin, J. et al. 1972. Study of alveolocapillary diffusion in asbestosis. J. Fr. Med. Chir. Thorac. 26(4): 271-278.

Postman, B. E. 1962. Dust control in the asbestos textile industry. Am. Ind. Hyg. Assoc. J. 23(1): 67-74.

Pott, F., and Friedrichs, K. H. 1972. Tumoren der Ratte nach i. p. Injection faserformiger Staub. Naturwissenschaften. 59(7): 318.

Pott, F. et al. 1972. Tumoren der Ratte nach i. p. Injektion von gemahlenem Chrysotil und Benzo(a)pyren. Zbl. Bakt. Hyg., I. Abt. Orig. B. 155: 463-469.

Pott, F. et al. 1976. Ergebnisse aus Tierversuchen zur kanzerogenen Wirkung faserformiger Staube und ihre Deutung im Hinblick auf die Tumorentstehung beim Menschen (Results of animal experiments concerning the carcinogenic effect of fibrous dusts and their interpretation with regard to the carcinogenesis in humans). Zbl. Bakt. Hyg., I. Abt. Orig. B. 162: 467-505.

Pott, F. et al. 1976. L'effet oncogene des poussieres fibreuses. L'experimentation animale et ses relations avec la carcinogenese humaine (Animal experiments concerning the carcinogenic effect of fibrous dusts. Interpretation of results considering the carcinogenesis in humans). Ann. Anat. Pathol. 21(2): 237-246.

Prasad, N. A., and Pooley, F. D. 1973. Characteristics of amphibole asbestos dust surfaces in aqueous media with reference to quartz. J. Appl. Chem. Biotechnol. 23: 675-687.

Problems arising from the use of asbestos. 1967. Ministry of Labour, H.M. Factory Inspectorate. 35

Proceedings of the Symposium on dust hygiene in the asbestos industry - Bonn, 6 October 1959. Staubforschungsinstitut der hauptverbandes der gewerblichen berufsgenossensehaften, Bonn. 38 p.

Ptak, W. 1970. Interpretation of chrysotile infrared spectrum. Pol. Akad. Nauk. Oddzial. Krakowii. Pr. Kom. Ceran. Ceram. No. 14. 37-42.

Public health risks of exposure to asbestos. 1977. Report of a working group of experts prepared for the Commission of the European Communities, Directorage-General for Social Affairs, Health and Safety Directorate. 1977. R. L. Zielhuis, rapporteur. Pergamon Press, N.Y.

Pulmonary asbestosis. 1963. Arch. Med. Chirurg. Normandie. 54(133): 855-904.

Pulmonary complications of asbestos exposure. 1971. Chest. 59: 77-81.

Pundsack, F. L. 1955. The properties of asbestos. I. The colloidal and surface chemistry of chrysotile. J. Phys. Chem. 59: 892-895.

Pyleu, L. N. 1972. Morphological lesions in rat lungs induced by intratracheal injection of pure chrysotile asbestos and with benz(a)pyrene. Vopr. Onkol. 18(6): 40-45.

Pyleu, L. N. 1974. Carcinogenic action of commercial serpentine asbestos. Vopr. Onkol. 20: 87-88.

Pyleu, L. N. 1974. Carcinogenic activity of chrysotile asbestos injected intrapleurally in rats. Vopr. Onkol. 20: 47-53.

Pyleu, L. N. et al. 1970. Study of the distribution and isolation of 3H-benz(a)pyrene from the animal organism after its intratrachial injection with asbestos and carbon black. Vopr. Onkol. 16(3): 61-69.

Pyleu, L. N. et al. 1970. A study of macrophage reaction of the pulmonary tissue of hamsters in response to the intratrachial insufflation of tritium-labelled (3H) benz(a)pyrene mixed with carbon black and asbestos. Patol. Fiziol. Eksp. Ter. 14(4): 47-51.

Radczewski, O. E., and Wanderer, E. 1965. Systematic classification of finest mineral particles. Contribution to the electron microscopic examination of dusts. Tonind.-Zeitung Keram. Rundschau. 89(5-6): 118-123.

Rafhakrishna, H. P., and Venkoba, Rao, N. 1967. The occurrence of amosite asbestos in the iron formations of Bababudans Chikmagalur district Mvsore state. Geol. Soc. India Bull. 4(3): 99-102.

Rahman, Q. et al. 1974. Asbestos induced haemolysis in relation to its silica solubility. Environ. Physiol. Biochem. 4: 284-288.

Rahman, Q. et al. 1975. Biochemical changes caused by asbestos dust in the lungs of rats. Scand. J. Work Environ. Health. 1: 50-53.

Rajan, K. T. et al. 1972. The response of human pleura in organ culture to asbestos. Nature. 238: 346-347.

Ralston, J. and Kitchener, J. A. 1975. The surface chemistry of amosite asbestos, an amphibole silicate. J. Colloid Interface Sci. 50(2): 242-249.

Rath, R. 1964. The form and changes in the form of asbestos bodies in the lungs. Beitr. Silikos. Forsch. 81: 3-10.

Raymond, M. V. 1965. Asbestosis in building and public works. Arch. Mal. Prof. Med. Trav. Securite Soc. 26(3): 166-168.

Reber, E. 1973. Luftqualitat in Arbeitsraumen. Chimia. 27(5): 284-290.

Recommended procedures for sampling and counting asbestos fibers. 1975. Joint AIHA-ACGIH Aerosol Hazards Evaluation Committee. Am. Ind. Hyg. Assoc. J. 36: 83-90.

Reeves, A. L. 1976. The carcinogenic effect of inhaled asbestos fibers. Ann. Clinical Lab. Sci. 6(5): 459-466.

Reeves, A. L. et al. 1971. Experimental asbestos carcinogenesis. Environ. Res. 4: 496-511.

Reeves, A. L. et al. 1974. Inhalation carcinogenesis from various forms of asbestos. Environ. Res. 8: 178-202.

Regan, M. et al. 1971. The relative importance of clinical radiological and pulmonary function variables in evaluating asbestosis and chronic obstructive airway disease in asbestos workers. Clin. Sci. 41(6): 569-582.

Reimschussel, G. 1975. Association of trace metals with chrysotile asbestos. Can. Mining Metall. Bull., Aug. 1975, p. 1-8.

Reimschussel, G. 1975. Counting asbestos fibers by the most probable number method. Met. August. 1-8.

Reinhardt, J. 1972. Clinically difficult diagnosis of asbestos lung cancer. Arbeitsmed. Sozialmed. Arbeitshyg. 7: 330-331.

Reist, P. C. 1975. Counting asbestos fibers by the most probable number method. Am. Ind. Hyg. May, 379-384.

Reitze, W. B. et al. 1972. Application of sprayed inorganic fiber containing asbestos: Occupational health hazards. Am. Ind. Hyg. Assoc. J. 33: 178-191.

Rendall, R. E. G. 1970. The data sheets on the chemical and physical properties of the U.I.C.C. standard reference samples. IN: Pneumoconiosis: Proc. Intl. Conf., Johannesburg 1969. Shapiro, H. A., ed., pp. 23-27, Capetown, Oxford Univ. Press.

Repnitskaia, Z. D. et al. 1974. Prevention of tuberculosis in workers exposed to asbestos dust. Gig. Tr. Prof. Zabol. 18: 3-7.

Report and Recommendations of working group on asbestos and cancer. 1965. Arch. Environ. Health. 11: 221-229.

Report and Recommendations of the working group on asbestos and cancer (U.I.C.C.). 1965. Br. J. Ind. Med. 22: 165-171.

Report of the Advisory Committee on asbestos cancers to the Director of the International Agency for Research on Cancer. 1973. Br. J. Ind. Med. 30: 180-186.

Reuter, W. 1971. Electron probe microanalysis. Surface Sci. 25: 80-119.

Review of the hygiene standard for chrysotile asbestos dust. 1973. British Occupational Hygiene Society Committee on Hygiene Standards. Ann. Occup. Hyg. 16(1): 7.

Richards, R. J., and Jacoby, F. 1976. Light microscope studies on the effects of chrysotile asbestos and fiber glass on the morphology and reticulin formation of cultured lung fibroblasts. Environ. Res. 11: 112-121.

Richards, R. J., and Morris, T. G. 1973. Collagen and mucopolysaccharide production in growing lung fibroblasts exposed to chrysotile asbestos. Life Sci. 12: 441-451.

Richards, R. J., and Wusteman, F. S. 1974. The effects of silica dust and alvcolar macrophages on lung fibroblasts grown in vitro. Life Sci. 14: 355-364.

Richards, R. J. et al. 1974. Ultrastructural changes in lung fibroblast cultures exposed to chrysotile asbestos. Br. J. Exp. Pathol. 55: 275-281.

Richards, R. J. et al. 1975. Biological reactivity of PVC dust. Nature. 256(5519): 664-665.

Richards, R. J. et al. 1977. Chrysotile asbestos: Biological reaction potential. IN: Inhaled particles IV. Walton, W. H., ed., pp. 477-493, Pergamon Press, N.Y.

Rickards, A. L. 1972. Estimation of trace amounts of chrysotile asbestos by x-ray diffraction. Anal. Chem. 44: 1872-1873.

Rickards, A. L. 1973. Estimation of submicrogram quantities of chrysotile asbestos by electron microscopy. Anal. Chem. 45: 809-811.

Rickards, A. L., and Badami, D. V. 1971. Chrysotile asbestos in urban air. Nature. 234: 93-94.

Roach, S. A. 1965. Measurement of airborne asbestos dust by instruments measuring different parameters. Ann. N.Y. Acad. Sci. 132: 306-315.

Roberts, G. H. 1967. Asbestos bodies in lungs at necropsy. J. Clin. Pathol. 20: 570-573.

Roberts, G. H. 1970. Diffuse pleural mesothelioma. A clinical and pathological study. Br. J. Dis. Chest. 64: 201-211.

Roberts, G. H. 1971. The pathology of parietal pleural plaques. J. Clin. Pathol. 24: 348-353.

Roberts, W. C., and Ferrans, V. J. 1972. Pure collagen plaques on the diaphragm and pleura. Gross, histologic, and electron microscopic observations. Chest. 61: 357-360.

Robertson, H. E. 1924. "Endothelioma" of the pleura. J. Cancer Res. 8: 317-375.

Robock, K. 1976. The biological effects of dust of asbestos. Rev. fr. Mal. Resp. 4(2): 97-104.

Robock, K., and Klosterkotter, W. 1973. Untersuchungen uber die Zytotoxizitat von asbest-Stauben. Staub. Reinhalt. Luft. 33: 279-282.

Rodrique, L., and Brotelle-Pacco, F. 1975. Etude morphologique et texturale de l'asbeste-chrysotile cassiar ak et de derives hydrolyses et organiques de ce phyllosilicate. J. Microscopie Biol. Cell. 24(2-3): 217-230.

Roe, F. J. C. et al. 1966. Tumour initiation by natural and contaminating asbestos oils. Int. J. Cancer. 1: 491-495.

Roe, F. J. C. et al. 1967. The pathological effects of subcutaneous injections of asbestos fibers in mice: Migration of fibers to submesothelial tissues and induction of mesotheliomata. Int. J. Cancer. 2: 628-638.

Rohl, A. N. et al. 1975. Exposure to asbestos in the use of consumer spackling, patching, and taping compounds. Science. 189(4202): 551-553.

Rohl, A. N. et al. 1976. Consumer talcums and powders: Mineral and chemical characterization. J. Toxicol. Environ. Health. 2: 255-284.

Rohl, A. N. et al. 1977. Asbestos content of dust encountered in brake maintenance and repair. Proc. R. Soc. Med. 70: 32-37.

Rosato, D. V. 1959. Asbestos, its industrial applications. Rheinhold Pub., New York. 214 p.

Rose, H. A. 1974. Detection and determination of chrysotile in talc USP. J. Pharm. Sci. 63(2): 268-269.

Rosen, G. 1972. How hazardous are low concentrations of inhaled particles? Am. J. Public Health. 62: 323-324.

Rosen, P. et al. 1972. The "ferruginous body" content of lung tissue: A quantitative study of 86 patients. Acta Cytol. 16: 207-211.

Rosen, P. et al. 1973. Ferruginous bodies in benign fibrous pleural plaques. Am. J. Clin. Pathol. 60: 608-612.

Rosen, P. et al. 1974. Ferruginous (asbestos) bodies and primary carcinoma of the colon. Am. J. Clin. Pathol. 61(1): 135-138.

Rossiter, C. E. 1972. Initial repeatability trials of the UICC/Cincinnati classification of the radiographic appearances of penumoconiosis. Br. J. Ind. Med. 29: 407-419.

Rossiter, C. E. et al. 1972. Radiographic changes in chrysotile asbestos mine and mill workers in Quebec. Arch. Environ. Health. 24: 388-400.

Round the world asbestos. 1973. Lancet. 11: 1256-1257.

Rous, V., and Studeny, J. 1970. Aetiology of pleural plaques. Thorax. 25: 270-286.

Royall, H. J. 1968. The health of the public and asbestos usage. J. R. Inst. Public Health Hyg. 31: 126-146.

Roy-Chowdhury, A. K. et al. 1973. Trace metals in asbestos carcinogenesis. Arch. Environ. Health. 26: 253-255.

Rubin, I. B. 1974. Elemental analysis of asbestos fibers by means of electron probe techniques. Environ. Health Perspect. 9: 81-94.

Rubino, G. F. et al. 1961. Functional diagnosis of asbestosis. Lav. Um. 13(12): 569-578.

Rubino, G. F. et al. 1972. Epidemiology of pleural mesothelioma in North-western Italy (Piedmont). Br. J. Ind. Med. 29: 436-442.

Rubino, G. F. et al. 1976. Mortality study of talc miners and millers. J. Occup. Med. 18(3): 186-193.

Ruud, C. O. et al. 1976. Selected area electron diffraction and energy dispersive x-ray analysis for the identification of asbestos fibres, a comparison. Micron. 7: 115-132.

Ruttner, J. R. et al. 1972. Diffuse "asbestosis-like" interstitial fibrosis of the lung. Pathol. Microbiol. 38: 250-257.

Ryler, L. N. 1972. Morphological lesions in rats lungs induced by intratracheal injection of pure chrysotile asbestos and a chrysotile asbestos pyrene mixture. Vopr. Onkol. 18(6): 40-45.

Sakabe, H. et al. 1970. On the cell toxicity of mineral dusts. IN: Inhaled particles III. Proc. Intl. Conf., London 1970. Walton, E. H., ed., pp. 423-435, Univ. Press.

Samudra, A. V. et al. 1977. Electron microscope measurement of airborne asbestos concentrations. A provisional methodology manual. Report No. EPA-600/2-77-178, Environmental Sciences Research Laboratory, Office of Research and Development, U.S. EPA, Research Triangle Park, NC.

Sanders, C. L. 1972. Co-carcinogenesis of radioactive plutonium dioxide with chrysotile asbestos or benz-pyrene in the rat abdominal cavity. Symp. Series. Vol. 29. Radionuclide Carcinogenesis. 138-153.

Sanders, C. L. 1975. Dose distribution and neoplasia in lung following intratracheal instillation of $^{239}PuO_2$ and asbestos. Health Phys. 28: 383-386.

Sano, M. E. et al. 1950. Pleural mesothelioma. Further evidence of its histogenesis. J. Thorac. Surg. 19: 783-788.

Sano, T. 1963. Pathology and pathogenesis of pneumoconiosis. Acta. Pathol. Jpn. 13: 77-93.

Santi, L. 1971. Importanza della struttura fisica e delle modificazioni molecolari della fibre di asbesto nel processo di cancerogenesi. Tumor. 57: 220.

Sargent, E. N. et al. 1972. Diaphragmatic pleural calcification following short occupational exposure to asbestos. Am. J. Roentgenol. Radium Nucl. Med. 115: 473-478.

Sargent, H. E. 1973. Asbestos in drinking water. New England Waterworks Assoc. Meeting, Northfield, Vermont. May 17, 1973.

Sarrazin, W. 1974. Health hazards due to inhalation of asbestos fibres. Prax. Pneumol. 28: 370-388.

Sartorelli, E. 1963. Clinical and physiological aspects of asbestosis. Beitr. Silikos. Forsch. Sonderband. 5: 505-514.

Sartorelli, E. et al. 1964. Respiratory physiopathology in asbestosis. Med. Lav. 55(1): 49-57.

Sawyer, R. N. 1977. Asbestos exposure in a Yale building. Analysis and resolution. Environ. Res. 13: 146-169.

Scansetti, G. et al. 1975. Cement, asbestos and cement-asbestos pneumoconiosis. Arch. Environ. Health. 30: 272-275.

Schaanning, J. et al. 1965. Lung function tests in asbestosis. Nord. Med. 73(19): 455-457.

Schall, E. L. 1965. Present threshold limit value in the U.S.A. for asbestos dust: A critique. Ann. N.Y. Acad. Sci. 132: 316-321.

Scheidemandel, V. 1971. Asbestos and mesothelioma. Ann. Intern. Med. 74: 1014-1015.

Schepers, G. W. H. 1965. Discussion: Sect. VIII. Asbestos and neoplasia: Epidemiology. Ann. N.Y. Acad. Sci. 132: 595-596.

Scheuer, E., von. et al. 1973. Untersuchungen zum morphologischen Erscheinungsbild experimenteller Tumoren bei Ratten nach intraperitonealer Injektion von Asbeststauben. Arch. Geschwulstforsch. 41(2): 120-136.

Schiebold, E. 1962. Fine structural x-ray studies on natural and on synthetic types of asbestos. Chem. Erde. 22: 586-650.

Schiller, E. 1971. Experimental pathology and pharmacology of dust exposure: An electron microscopic study. IN: Inhaled particles III. Proc. Intl. Conf., London 1970. Walton, E. H., ed., pp. 403-414, Univ. Press.

Schmahl, D. 1970. Experimental studies on the etiology of bronchial carcinoma. Internist. 11: 300-302.

Schmidt, A. M. 1975. Asbestos-form particles in drugs for parenteral injection. Fed. Register. 40(51): 11865-11869.

Schmidt, K. G. 1960. Asbestos types: Their optical investigations and their pathological action. Staub. 20: 173-180.

Schnitzer, R. J., and Bonescu, G. 1970. Polymers as selective antagonists of hemolytic asbestos fibers. Arch. Environ. Health. 20(4): 481-482.

Schnitzer, R. J., and Pundsack, F. L. 1970. Asbestos hemolysis. Environ. Res. 3: 1-13.

Schnitzer, R. J. et al. 1972. Interactions of mineral fiber surfaces with cells in vitro. Ann. N.Y. Acad. Sci. 172: 759-771.

Schoenberg, J. B., and Mitchell, C. A. 1974. Implementation of the federal asbestos standard in Connecticut. J. Occup. Med. 15(12): 781-784.

Schreiber, G. 1974. Ingested dyed cellulose in the blood and urine of man. Arch. Environ. Health. 29: 39-42.

Schreiber, H. et al. 1975. Species differences in the effect of benzo(a)-pyreneferric oxide on the respiratory tract of rats and hamsters. Cancer Res. 35: 1654-1661.

Schulz, R. Z., and Williams, C. R. 1942. Commercial talc--animal and mineralogical studies. J. Ind. Hyg. Toxic. 24(4): 24.

Sciammas, F. D. et al. 1971. Multiple pleural nodules. Chest. 59: 673-674.

Scott, J. K., and Hunt, R. 1975. The diagnosis of asbestosis. Br. J. Dis. Chest. 69: 51-56.

Sebastien, P. et al. 1973. Present possibilities of diagnosis of pulmonary asbestosis using different chemico-physical micro-methods for identification of fibrous particles. Arch. Mal. Prof. 34(6): 335-367.

Sebastien, P. et al. 1976. Les pollutions atmospheriques urbaines par L' asbeste (Asbestos air pollution in urban areas). Rev. fr. Mal. Resp. 4(2): 51-62.

Seik, H., and Behrbohm, P. 1975. Investigations on workers employed in the production of asbestos-cement. Contact Dermatitis, Copenhagen. 1: 189.

Selikoff, I. J. 1965. The occurrence of pleural calcification among asbestos insulation workers. Ann. N.Y. Acad. Sci. 132: 351-367.

Selikoff, I. J. 1969. Asbestos. Environment. 11: 3-7.

Selikoff, I. J. 1970. Partnership for prevention - the insulation industry hygiene research program. Ind. Med. 39: 162-166.

Selikoff, I. J. 1971. Environmental medicine. Environ. Res. 4: i-iii.

Selikoff, I. J. 1973. Presentation of asbestos. Am. Ind. Hyg. Conf. May 21, 1973.

Selikoff, I. J. 1973. Widening perspectives of occupational lung disease. Prev. Med. 2(3): 412-437.

Selikoff, I. J. 1976. Asbestos disease in the United States 1918-1975. Rev. fr. Mal. Resp. supplement 1 au Tome 4, 7-24.

Selikoff, I. J., and Churg, J. 1965. Biological effects of asbestos. Ann. N.Y. Acad. Sci. 132(1): 1-766.

Selikoff, I. J., and Hammond, E. C. 1968. Environmental epidemiology III-Community effect of non-occupational environmental asbestos exposure. Am. J. Public Health. 58: 1658-1666.

Selikoff, I. J., and Hammond, E. C. 1969. Asbestos bodies in the New York City population in two periods of time. IN: Pneumoconiosis: Proc. Intl. Conf., Johannesburg 1969. Shapiro, H. A., ed., pp. 99-105, Capetown, Oxford Univ. Press.

Selikoff, I. J., and Hammond, E. C. 1971. Asbestos exposure to coke oven operators. J. Occup. Med. 13(10): 496-497.

Selikoff, I. J., and Hammond, E. C. 1972. Environmental cancer in the year 2000. Presented at the 7th Natl. Cancer Conf., Los Angeles, CA, September 29, 1972.

Selikoff, I. J. et al. 1964. Asbestos exposure and neoplasia. J. Am. Med. Assoc. 188: 22-26.

Selikoff, I. J. et al. 1965. Relation between exposure to asbestos and mesothelioma. N. Engl. J. Med. 272: 560-565.

Selikoff, I. J. et al. 1965. The occurrence of asbestosis among insulation workers in the United States. Ann. N.Y. Acad. Sci. 132: 139-155.

Selikoff, I. J. et al. 1967. Asbestosis and neoplasia. Am. J. Med. 42: 487-496.

Selikoff, I. J. et al. 1968. Asbestos exposure, smoking, and neoplasia. J. Am. Med. Assoc. 204: 104-110.

Selikoff, I. J. et al. 1970. Mortality experience of asbestos insulation workers 1943-1963. IN: Pneumoconiosis: Proc. Intl. Conf., Johannesburg 1969. Shapiro, H. A., ed., pp. 180-186, Capetown, Oxford Univ. Press.

Selikoff, I. J. et al. 1970. Neoplasia risk associated with occupational exposure to airborne inorganic fibers. Oncol. Proc. Int. Cancer Congr. 10th 1970. 55-62.

Selikoff, I. J. et al. 1972. Asbestos air pollution. Arch. Environ. Health. 25: 1-13.

Selikoff, I. J. et al. 1972. Carcinogenicity of amosite asbestos. Arch. Environ. Health. 25: 183-186.

Selikoff, I. J. et al. 1973. Cancer risk of the insulation workers in the United States. IN: Biological effects of asbestos. Proc. IARC, Lyon 1972. Bogovski, P. et al., eds., pp. 209-216, IARC Sci. Publ. No. 8.

September, B. A., and Villet, W. T. 1972. Monoclonal gammopathy associated with malignant mesothelioma. Case report. S. Afr. Med. J. 46: 545-549.

Sera, Y. et al. 1973. Asbestosis and lung cancer in Osaka Sennan district. Gann. 64(3): 373-376.

Serebrov, A. I., and Kholdin, S. A. 1973. O tak nazyvaemyki gruppakh riska. Vopr. Onkol. 19(6): 21-122.

Seshan, K. 1977. Explanation for the insensitivity to tilts of the electron diffraction patterns of amphibole asbestos fibers. Environ. Res. 14: 46-58.

Sessa, G. 1972. II volume radiologico polmonare necli asbestosici. Folia Med. 55(9): 329-337.

Sessa, T., and Ponnarola, R. 1972. Cytomorphological and cytochemical studies on the expectoration of subjects with asbestosis. Folia. Med. 55: 209-230.

Sessa, T. et al. 1972. Carbon monoxide transport in the diagnosis of asbestosis. Rend. Atti. Acad. Sci. Med. Chir. 126: 59-76.

Sethi, S. et al. 1973. Tissue response to a single intraperitoneal injection of various substances in rats. Zentralbl. Bakteriol Parisitol., Infektionske. Hyg., Abt. 1: Orig. Reihe B. 157: 131-144.

Sethi, S. et al. 1974. Giant cell formation after intraperitoneal application of crocidolite asbestos fibers in rats: Cover slip method. Ann. Occup. Hyg. 17: 53-56.

Sever-Jurca, D. et al. 1976. Fibronze spremembe na pljucih delavcev, eksponiranih ozbestno-cementnemu prahu. Zdrav. Vestn. 45: 13-17.

el-Sewefy, A. Z., and Hassan, F. 1971. Immunoelectrophoretic pattern changes in asbestosis. Ann. Occup. Hyg. 14: 25-28.

el-Sewefy, A. Z., and Hegazi, S. M. 1971. Serum proteins and amino acids in asbestosis. Ann. Occup. Hyg. 14(1): 29-33.

el-Sewefy, A. Z. et al. 1970. Chest symptomatology in an Egyptian cement-asbestos pipe factory. A field study. J. Egypt. Med. Assoc. 53: 84-92.

el-Sewefy, A. Z. et al. 1971. Serum protein electrophoresis among workers in an Egyptian cement-asbestos pipe factory. J. Egypt. Med. Assoc. 54(4): 243-250.

Shabad, L. M. et al. 1974. Experimental studies on asbestos carcinogenicity. J. Natl. Cancer Inst. 52: 1175-1187.

Sheers, G., and Templeton, A. R. 1968. Effects of asbestos in dockyard workers. Br. Med. J. 3(5618): 574-578.

Shettigara, P. T., and Morgan, R. W. 1975. Asbestos, smoking and laryngeal carcinoma. Arch. Environ. Health. 30: 517-519.

Shin, M. L., and Firminger, H. I. 1973. Acute and chronic effects of intraperitoneal injection of two types of asbestos in rats with a study of the histopathogenesis and ultrastructure of resulting mesotheliomas. Am. J. Pathol. 70: 291-313.

el-Shobaki, F. A. et al. 1973. The effect of exposure to asbestos dust on iron metabolism in Egyptian workers. Med. Lav. 64: 417-422.

Sidorenko, G. A. 1962. X-ray diffraction study of asbestos. Mineral'n Syr'e. 5: 110-121.

Siebert, P. C., and Harwood, C. F. 1976. Amphibole mineral study to complement the ongoing characterization of fine particulate environmental contaminants for biological experimentation. IITRI Report No. C6321C02-11, Environmental Protection Agency, Health Effects Research Laboratory, Research Triangle Park, NC.

Sigurdson, E. E. et al. 1977. Incidence of gastrointestinal and lung cancer in residents of Duluth, Two Harbors, Beaver Bay, and Silver Bay 1969-1974. Presented to Duluth, Minnesota medical and lay community, April 21, 1977.

Siltanen, E. 1970. Comparison of several asbestos dust measuring methods for the determination of mass and particle concentrations. Staub. Reinholt. Luft. 30: 38-42.

Simecek, J. 1967. Contribution to asbestos dust measurement. Staub. Reinholt. Luft. 27(11): 484-486.

Simon, S. 1974. Environment report-Reserve Mining suit illustrates government-industry clash. Natl. J. Reports. 309-318.

Sincock, A., and Seabright, M. 1975. Induction of chromosome changes in Chinese hamster cells by exposure to asbestos fibers. Nature. 257(5521): 56-58.

Skidmore, J. W., and Jones, J. S. P. 1975. Monitoring an asbestos spray process. Ann. Occup. Hyg. 18: 151-156.

Skikne, M. I. et al. 1971. Electron diffraction patterns of UICC asbestos samples. Environ. Res. 4: 141-145.

Sleggs, C. A. 1970. Mesothelioma, including peripheral lung malignancy and tuberculosis in the North West Cape. IN: Pneumoconiosis: Proc. Intl. Conf., Johannesburg 1969. Shapiro, H. A., ed., pp. 225-232, Capetown, Oxford Univ. Press.

Sleggs, C. A. et al. 1961. Diffuse pleural mesotheliomas in South Africa. S. Afr. Med. J. 35: 28-34.

Sluis-Cremer, G. K. 1965. Asbestosis in South Africa-certain geographical and environmental considerations. Ann. N.Y. Acad. Sci. 132: 215-234.

Sluis-Cremer, G. K. 1970. Asbestosis in South African asbestos miners. Environ. Res. 3: 310-319.

Sluis-Cremer, G. K. 1972. Pneumoconiosis in South Africa. S. Afr. Med. J. 46: 322-324.

Sluis-Cremer, G. K. 1972. UICC/Cincinnati classification of the radiographic appearances of pneumoconiosis. S. Afr. Med. J. 1959-1962.

Sluis-Cremer, G. K., and Wagner, J. C. 1964. A pathological radiological correlation in 108 cases of asbestosis proved at post mortem. 14th Int. Cong. Occup. Health. Madrid, 1963. (2): 608-610.

Sluis-Cremer, G. K., and Webster, I. 1972. Acute pleurisy in asbestos-exposed persons. Environ. Res. 5: 380-392.

Smidt, U. 1975. Bronchitis und staubbelastung am arbeitsplatz. Prax. Pneumol. 29: 412-418.

Smidt, U., and Worth, G. 1974. Method and results of a joint epidemiologic study of CNSLD in 13,000 workers with and without occupational dust exposure. Revue de l'Institute d'Hygiene des mines. 29(1): 41-48.

Smith, B. A., and Davis, J. M. G. 1972. The association of phagocytosed asbestos dust with lysosome enzymes. J. Pathol. 105(3): 153-157.

Smith, J. M. et al. 1951. Experimental asbestos in rats. The effect of particle size and of added aluminum. Thorax. 6: 127-136.

Smith, K. W. 1965. Trends in the health of the asbestos worker. Ann. N.Y. Acad. Sci. 132: 685-690.

Smith, M. J., and Naylor, B. 1972. A method for extracting ferruginous bodies from sputum and pulmonary tissue. Am. J. Clin. Pathol. 58: 250-254.

Smith, P. J. 1974. For those in peril on the factory floor. Nature. 251: 560-561.

Smith, W. E. 1973. Asbestos, talc, and nitrites in relation to gastric cancer. Industr. Hyg. Summary Reports. Am. Ind. Hyg. Assoc. J. 34: 227-228.

Smith, W. E. 1974. Biological effects of tremolite talc on hamsters. U.S. Bur. Mines Infr. Circ. IC8639. 43-48.

Smith, W. E., and Elsasser, R. E. 1965. A transplantable mesothelioma induced by asbestos. Fed. Proc. 24: 550.

Smith, W. E. et al. 1964. Pleural reaction and mesothelioma in hamsters injected with asbestos. Proc. Am. Assoc. Cancer Res. 5(1): 59.

Smith, W. E. et al. 1965. Mesotheliomas in hamsters following intrapleural injection of asbestos. J. Mt. Sinai Hosp. 32: 1-8.

Smith, W. E. et al. 1965. Test for carcinogenicity of asbestos. Ann. N.Y. Acad. Sci. 132: 456-488.

Smith, W. E. et al. 1970. An experimental model for study of cocarcinogenesis in the respiratory tract. Morphology of experimental respiratory carcinogenesis. U.S. A.E.C. Symp. Series 21. 299-316.

Smith, W. E. et al. 1972. Biologic differences in response to long and short asbestos fibers. Am. Ind. Hyg. Assoc. J. 33: 67.

Smither, W. J. 1965. Secular changes in asbestosis in an asbestos factory. Ann. N.Y. Acad. Sci. 132: 166-181.

Smither, W. J. 1966. Asbestos, asbestosis, and mesothelioma of the pleura. Proc. R. Soc. Med. 59(1): 57-59.

Smither, W. J. 1975. Asbestosis: A personal view. Comm. Health. 6(5): 267-272.

Smyth, N. P. et al. 1971. Pulmonary asbestosis. Chest. 60: 270-273.

Solheim, O. P. et al. 1971. Mesothelioma and asbestos. Nord. Hyg. Tidske. 52: 53-59.

Solomon, A. 1970. Radiology of asbestosis. Environ. Res. 3: 320-329.

Solomon, A. 1970. Radiologic features of diffuse mesothelioma. Environ. Res. 3: 330-338.

Solomon, A., and Webster, I. 1976. The visceral pleura in asbestosis. Environ. Res. 11: 128-134.

Solomon, A. et al. 1972. Massive fibrosis in asbestosis. Environ. Res. 4(5): 430-439.

Solte, E. 1970. Observations of asbestosis in the asbestos cement industry. Zentralbl. Arbeitsmed. 20: 211-218.

Sonnenkalb, W. 1969. Improving the absorption properties of asbestos sterile filters to achieve a more effective separation of pyrogens. Wiss. Z. Humboldt Univ. Berlin Math Naturwiss Reihe. 18(6): 1113-1117.

Soucy, R. 1970. Respiratory insufficiency in asbestosis. Lav. Med. 41: 1009-1011.

Speil, S., and Leineweber, J. P. 1969. Asbestos minerals in modern technology. Environ. Res. 2(3): 166-208.

Sprague, J. R. 1964. Highly alkaline water caused by asbestos cement pipeline. Prog. Fish-Cult. 28(3): 111-114.

Spurny, K. R. et al. 1976. Ein Schwingbett-Aerosolgenerator fur faserige und pulverformige Staube. (A vibrating bed aerosol generator for fibrous and powder dust particles.) Zbl. Bakt. Hyg., I. Abt. Orig. B. 161: 362-370.

Stanford, F. 1976. Sympathetic nerve involvement with mesothelioma of the pleura. Br. J. Dis. Chest. 70: 134-137.

Stansfield, D. et al. 1974. Circulating rheumatoid factor and antinuclear antibodies in shipyard asbestos workers with pleural plaques. Br. J. Dis. Chest. 68: 166-170.

Stanton, M. F. 1973. Some etiologic considerations of fibre carcinogenesis. IN: Biological effects of asbestos. Proc. IARC, Lyon 1972. Bogovski, P. et al., eds., pp. 289-294, IARC Sci. Publ. No. 8.

Stanton, M. F. 1974. Editorial: Fiber carcinogenesis: Is asbestos the only hazard? J. Natl. Cancer Inst. 52: 633-634.

Stanton, M. F., and Wrench, C. 1972. Mechanisms of mesothelioma induction with asbestos and fibrous glass. J. Natl. Cancer Inst. 48: 797-821.

Stanton, M. F. et al. 1969. Experimental pulmonary carcinogenesis with asbestos. Am. Ind. Hyg. Assoc. J. 30: 236-244.

Stanton, M. F. et al. 1977. Carcinogenicity of fibrous glass: Pleural response in the rat in relation to fiber dimension. J. Natl. Cancer Inst. 58(3): 587-603.

Stell, P. M., and McGill, T. 1973. Asbestos and cancer of head and neck. Lancet. 1: 678.

Stell, P. M., and McGill, T. 1973. Asbestos and laryngeal carcinoma. Lancet. 2: 416-417.

Stenina, N. G. et al. 1971. Electron microscopic study of synthetic amphibole asbestos. Geol. Geofiz. 5: 144-148.

Stewart, M. J. 1930. Asbestosis bodies in the lungs of guinea-pigs after three to five months exposure in an asbestos factory. J. Pathol. Bacteriol. 33: 848.

Stober, W. 1972. Dynamic shape factors of nonspherical aerosol particles in assessment of airborne particles, T. P. Mercer, ed., Charles C. Thomas, publ., Springfield, IL. pp. 249-289.

Stossel, H. V. et al. 1972. Pleural mesotheliomas in dockers. Fortschr Geb. Roentgenstr Nuklearmed. 116(1): 41-45.

Stout, A. P., and Murray, M. R. 1942. Localized pleural mesothelioma. Arch. Pathol. 34: 951-964.

Stuart, B. O. 1976. Deposition and clearance of inhaled particles. Environ. Health Perspect. 16: 41-53.

Stumphius, J. 1971. Epidemiology of mesothelioma on Walcheren Island. Br. J. Ind. Med. 28: 59-66.

Stumphius, J., and Meyer, P. B. 1968. Asbestos bodies and mesothelioma. Ann. Occup. Hyg. 11: 283-293.

Stumphius, J. et al. 1966. Pseudo-asbestos particles in welders and oxygen cutters. Tijdschr. Soc. Geneesk. 44(13): 507-510.

Styles, J., and Wilson, J. 1973. Comparison between in vitro toxicity of polymers and mineral dusts and their fibrogenicity. Ann. Occup. Hyg. 16: 241-250.

Sullivan, R. J., and Athanassiadus, Y. C. 1969. Preliminary air pollution survey of asbestos - A literature review, Natl. Air. Pollution Cont. Admin., pub. #APTD69-27.

Suzuki, Y. 1969. Fenestration of alveolar capillary endothelium in experimental pulmonary fibrosis. Lab. Invest. 21: 304-308.

Suzuki, Y., and Churg, J. 1969. Formation of the asbestos body. A comparative study with three types of asbestos. Environ. Res. 3: 107-118.

Suzuki, Y., and Churg, J. 1969. Structure and development of the asbestos body. Am. J. Pathol. 55: 79-107.

Suzuki, Y., and Ono, T. 1974. Identification of submicroscopic asbestos fibrils in tissue by analytical electron microscopy. 8th Int. Congr. Electron Microscopy, Canberra, Australia. 11: 510-511.

Suzuki, Y. et al. 1972. Phagocytic activity of the alveolar epithelial cells in pulmonary asbestosis. Am. J. Pathol. 69: 373-388.

Suzuki, Y. et al. 1976. Ultrastructure of human malignant diffuse mesothelioma. Am. J. Pathol. 85(2): 241-262.

Svestkova, V., and Zacek, J. 1960. The asbestosis hazard in factories for processing asbestos. Prac. Lek. 12(2): 59-64.

Svirskii, E. L., and Kogan, F. M. 1973. Dust factor in the manufacture of asbestos board. Gig. Tr. Prof. Zabol. 17(3): 39-40.

Svirskii, E. L. et al. 1970. Dust factor in heat insulation work utilizing asbestos containing materials. Gig. Tr. Prof. Zabol. 14: 28-32.

Szymczykiewicz, K. 1964. The mesenteric test as a method of evaluation of harmful effects of industrial dust. Med. Pracy. 15: 221-229.

Szymczykiewicz, K. 1970. Some aspects of pathogenesis of asbestos. Pol. Med. Sci. Hist. Bull. 13(3): 115-119.

Szymczykiewicz, K., and Wiecek, E. 1961. Effect of fibrous and amorphous asbestos on the collagen content in the lungs of guinea pigs. Proc. Int. Congr. Occup. Health 13th N.Y. 1960. 801-805.

Szymczykiewicz, K., and Wiecek, E. 1967. Evaluation of the usefullness of membrane and fiber filters for determining the concentration of industrial dust with different particle shape. Med. Pracy. 18: 489-495.

Szymcykiewicz, K., and Wozniak, H. 1966. Effect of certain industrial dusts on the oxygen uptake capacity of the pulmonary tissue of white mice. Med. Pracy. 17(3): 185-189.

Tabershaw, I. R. 1968. Asbestos as an environmental hazard. J. Occup. Med. 10: 32-37.

Tang, C. K. et al. 1976. Malignant peritoneal mesothelioma in an inguinal hernia sac. Cancer. 37(4): 1887-1890.

Taryle, D. A. et al. 1976. Pleural mesotheliomas--An analysis of 18 cases and review of the literature. Medicine. 55(2): 153-162.

Taskinen, E. et al. 1973. A current hypothesis of the lymphatic transport of inspired dust to the parietal pleura. Chest. 64(2): 193-196.

Taylor, D. C. et al. 1970. Infrared spectra for mineral identification. Am. Ind. Hyg. Assoc. J. 31: 100-108.

Telischi, I. M., and Rubenstone, A. I. 1961. Pulmonary asbestosis. Arch. Pathol. 72: 234-243.

Tellesson, W. G. 1961. Rheumatoid pneumoconiosis (Caplan's syndrome) in an asbestos worker. Thorax. 16: 372-377.

Tetley, T. D. et al. 1976. Chrysotile induced asbestosis: Changes in the free cell population, pulmonary surfactant and whole lung tissue of rats. Br. J. Exp. Pathol. 57: 505-513.

Teyssier, L., and Lesobre, R. 1968. The pleural plaques of nonprofessional asbestosis. J. Franc. Med. Chir. Thorac. 22: 797-808.

Thibault, P. 1970. The question of asbestosis. Presse Med. 78(4): 185-186.

Thompson, C. S. 1976. Asbestos in your future. Mining Congr. J. Dec. 1976.

Thompson, R. J., and Morgan, G. B. 1971. Determination of asbestos in ambient air. Identification and measurement of environmental pollutants. Symposium. Ottawa, Ontario. Natl. Res. Counc. of Can. 154-157.

Thomson, J. G. 1962. Mesothelioma of pleura or peritoneum and limited basal asbestosis. S.A. Med. J. 36: 759-760.

Thomson, J. G. 1963. Exposure to asbestos dust and diffuse pleural mesotheliomas. Br. Med. J. 1: 123.

Thomson, J. G. 1965. Asbestos and the urban dweller. Ann. N.Y. Acad. Sci. 132: 196-214.

Thomson, J. G. 1970. The pathological diagnosis of malignant mesothelioma of pleura and peritoneum. IN: Pneumoconiosis: Proc. Intl. Conf., Johannesburg 1969. Shapiro, H. A., ed., pp. 150-154, Capetown, Oxford Univ. Press.

Thomson, J. G., and Graves, W. M. 1966. Asbestos as an urban air contaminant. Arch. Pathol. 81: 458-464.

Thomson, J. G. et al. 1963. Asbestos as a modern urban hazard. S. Afr. Med. J. 37: 77-81.

Thomson, M. L., and Short, M. D. 1969. Mucociliary function in health, chronic obstructive airway disease and asbestosis. J. Appl. Physiol. 26(5): 535-539.

Thomson, M. L. et al. 1961. Some anomalies in the measurement of pulmonary diffusion in asbestosis and chronic bronchitis and emphysema. Clin. Sci. 21: 1-13.

Thomson, M. L. et al. 1965. The discriminant value of pulmonary function tests in asbestosis. Ann. N.Y. Acad. Sci. 132: 421-436.

Thomson, R. et al. 1974. The metabolism of benzo(a)pyrene in rat liver microsomes: The effect of asbestos-associated metal ions and pH. Environ. Res. 7: 149-157.

Thomson, W. 1970. The problem of asbestos. Nurs. Times. 66: 1449-1451.

Thomson, W. 1971. Occupational and lung cancer. Nurs. Times. 67: 1340-1341.

Tillery, M. I. et al. 1976. Generation and characterization of aerosols and vapors for inhalation experiments. Environ. Health Perspect. 16: 25-40.

Timbrell, V. 1965. The inhalation of fibrous dusts. Ann. N.Y. Acad. Sci. 132: 255-273.

Timbrell, V. 1970. Characteristics of the international union against cancer standard reference samples of asbestos. IN: Pneumoconiosis: Proc. Intl. Conf., Johannesburg 1969. Shapiro, H. A., ed., pp. 28-36, Capetown, Oxford Univ. Press.

Timbrell, V. 1970. The inhalation of fibres. IN: Pneumoconiosis: Proc. Intl. Conf., Johannesburg 1969. Shapiro, H. A., ed., pp. 3-9, Capetown, Oxford Univ. Press.

Timbrell, V. 1972. The inhalation and biological effects of asbestos. Proc. Rochester Int. Conf. Environ. Toxicity, 3rd. Assessment Airborne Particles. 1970. 429-445.

Timbrell, V. 1972. Alignment of amphibole asbestos fibers by magnetic fields. Microscope. 20(4): 365-368.

Timbrell, V. 1973. Physical factors as aetiological mechanisms. IN: Biological effects of asbestos. Proc. IARC, Lyon 1972. Bogovski, P. et al., eds., pp. 295-303, IARC Sci. Publ. No. 8.

Timbrell, V., and Rendall, R. E. G. 1972. Preparation of the UICC standard reference samples of asbestos. Powder Technol. 5: 279-287.

Timbrell, V., and Skidmore, J. W. 1968. Significance of fiber length in experimental asbestosis. Proc. 2nd Int. Conf. Biol. Effects Asbestos, Dresden, 1968. 52-26.

Timbrell, V., and Skidmore, J. W. 1971. The effect of shape on particles penetration and retention in animal lungs. IN: Inhaled particles III. Proc. Intl. Conf., London 1970. Walton, E. H., ed., pp. 49-57, Univ. Press.

Timbrell, V. et al. 1968. UICC standard reference samples of asbestos. Intl. J. Cancer. 3: 406-408.

Timbrell, V. et al. 1970. Characteristics of respirable asbestos fibres. IN: Pneumoconiosis: Proc. Intl. Conf., Johannesburg 1969. Shapiro, H. A., ed., pp. 120-125, Capetown, Oxford Univ. Press.

Timbrell, V. et al. 1971. Possible biological importance of fibre diameter of South African amphiboles. Nature. 232: 55-56.

Tishler, P. V. et al. 1977. Aryl hydrocarbon hydroxylase (AHH) in asbestos workers with high risk for lung cancer. Clin. Res. 25: 412A.

Tivenius, L. 1963. Benign pleural lesions simulating tumor. Thorax. 18: 39-44.

Tobiassen, G. 1955. Mesothelioma. Acta. Pathol. Microbiol. Scand. Suppl. 105: 198-218.

Toman, K., and Frueh, A. J. 1968. Diffraction of x-rays by the faulted cylindrical lattice of chrysotile 2. The form position and width of some diffraction profiles. Acta. Crystallog. Sect. A. 24: 374.

Toman, K., and Frueh, A. J., Jr. 1968. Diffraction of x-rays by the faulted cylindrical lattice of chrysotile 1. Numerical computation of diffraction profiles. Acta. Crystallog. Sect. A. 24: 364-373.

Tomasini, M. et al. 1971. Frequency of electrocardiographic signs of chronic cor pulmonale asbestosis. Med. Lav. 62: 549-553.

Towne, J. D. 1968. Pseudoasbestos bodies and asteroid giant cells in a patient with graphite pneumoconiosis. Can. Med. Assoc. J. 98(2): 100-104.

Troitskii, S. I. et al. 1970. Hygienic characteristics of work conditions in the manufacture of phenoplasts with asbestos fillers. Gig. Sanit. 35: 89-91.

Tronzano, L. et al. 1963. Ecographic aspects of pneumoconiosis. Folia Med. 46(4): 276-291.

Turiaf, J. 1971. Pleural mesothelioma and asbestosis. Thorax. 20: 117-124.

Turiaf, J., and Battesti, J. P. 1974. Le role de l'aggression asbestosique dans la provocation du mesotheliome pleural. Lyon Medit. Med. 10: 47-56.

Turiaf, J., and Battesti, J. P. 1976. Le pouvoir cancerigene de l'amiante sur les voies aeriennes (Cancerous effect of asbestos on the respiratory tract). Rev. fr. Mal. Resp. 4(2): 39-50.

Turiaf, J. et al. 1965. The role of asbestosis in the aetiology of diffuse malignant pleural tumours or pleural mesothelioma. Presse. Med. 73(39): 2199-2204.

Turner-Warwick, M. 1973. Antinuclear antibodies in pulmonary diseases. Poumon. Coeur. 29: 254-260.

Turner-Warwick, M., and Parkes, W. R. 1970. Circulating rheumatoid and antinuclear factors in asbestos workers. Br. Med. J. 3: 492-495.

Turnock, A. C. et al. 1971. The synthesis of tritium-labeled asbestos for use in biological research. Environ. Res. 4: 86-94.

Um, C. H. 1971. Study of the secular trend in asbestos bodies in lungs in London, 1936-1966. Br. Med. J. 2: 248-251.

Utidjian, M. D. et al. 1968. Ferruginous bodies in human lungs. Prevalence at random autopsies. Arch. Environ. Health. 17: 327-333.

Valagov, A. G., and Troitskii, S. I. 1973. Effect of asbestos-containing dusts on the motor function of the ciliate epithelium. Gig. Tr. Prof. Zabol. 17(11): 55-56.

Valentin, H. 1972. Zur bedeutung chronisch-inhalativer noxen am arbeitsplatz fur chronische bronchitis and lungemphysem. Arbeitsmed. Sozial. Arbeitshyg. 7(11): 322-323.

Valentin, Von H. et al. 1975. Verhutung und Diagnostik von gesundheitsschaden durch asbestaub am arbeitsplatz. Arbeitsmed. Sozialmed. Praventivmed. 10(9): 170-176.

Van Die Redaksie. 1973. The dangers of asbestos. S. Afr. Med. J. 47: 161-162.

Vecchione, C. et al. 1964. Alveolo-capillary diffusion in asbestosis. Folia Med. 47(11): 1090-1096.

Vigliani, E. C. 1968. The fibrogenic response to asbestos. Med. Lav. 59: 401-410.

Vigliani, E. C. 1969. Criteria for the determination of maximum tolerable concentration of silica and asbestos in the air. Med. Lav. 60: 85-89.

Vigliani, E. C. 1970. Asbestos exposure and its results in Italy. IN: Pneumoconiosis: Proc. Intl. Conf., Johannesburg 1969. Shapiro, H. A., ed., pp. 192-196, Capetown, Oxford Univ. Press.

Vigliani, E. C., and Sartorelli, E. 1963. Present views on the pathogenesis of respiratory insufficiency in pneumoconiosis. Riv. Sicil. Tuberc. Mal. Resp. 17(3): 93-104.

Vigliani, E. C. et al. 1965. Association of pulmonary tumors with asbestosis in Piedmont and Lombardy. Ann. N.Y. Acad. Sci. 132: 575-578.

Viikeri, M. 1971. Ultrasound examination of pleural plaques experimental pathogenic and clinical studies. Acta. Radiol. Suppl. 301: 1-62.

Viswanathan, P. N. et al. 1973. Biochemical changes in serum of guinea pigs in experimental asbestosis. Chemosphere. 2: 119-124.

Viswanathan, P. N. et al. 1973. Pulmonary fibrogenic response of guinea pigs to amosite dust. Int. Arch. Arbeitsmed. 31: 51-59.

Viswanathan, P. N. et al. 1973. Pulmonary lysosomal enzymes in experimental asbestosis in guinea pigs. Environ. Physiol. Biochem. 3(3): 120-126.

Volkheimer, G. 1973. Persorption. Acta-Gepito-Gastroenterol. 20: 361-362.

Volkheimer, G., and Schulz, F. H. 1968. Persorption of vegetable food particles. Qual. Plant. Mat. Veg. 17: 17-30.

Volkheimer, G. et al. 1968. Primary portal transport of persorbed starch granules from the intestinal wall. Med. Exp. 18: 103-108.

Volkheimer, G. et al. 1969. Persorption of metallic iron particles. Gut. 10: 32-33.

Volkheimer, V. G. et al. 1968. Beobachtungen zum persorptions-mechanismus. Pathol. Microbiol. 31: 51-58.

Vorwald, A. J. et al. 1951. Experimental studies of asbestosis. Am. Med. Assoc. Arch. Ind. Hyg. Occup. Med. 3: 1-43.

Voss, A. C. et al. 1974. Das pleuramesotheliomus strahlentherapeutischer Sicht. Strahlentherapie. 148: 329-332.

Wade, M. J. et al. 1976. Asbestos cytotoxicity in a long term macrophage-like cell culture. Nature. 264(5585): 444-446.

Wagler, F. et al. 1962. Endemic asbestosis? Z. Gesamte Hyg. Grenzgeb. 8: 246-255.

Wagner, J. C. 1962. Experimental production of mesothelial tumours of the pleura by implantation of dust in laboratory animals. Nature. 196: 180-181.

Wagner, J. C. 1963. Asbestosis in experimental animals. Br. J. Ind. Med. 20: 1-12.

Wagner, J. C. 1964. Asbestos dust exposure and malignancy. Intl. Congr. Occup. Health 14th Madrid. 1963(3): 1066-1067.

Wagner, J. C. 1965. Epidemiology of diffuse mesothelial tumors: Evidence of an association from studies in South Africa and the United Kingdom. Ann. N.Y. Acad. Sci. 132: 575-578.

Wagner, J. C. 1965. The sequelae of exposure to asbestos dust. Ann. N.Y. Acad. Sci. 132: 691-695.

Wagner, J. C. 1968. Mesothelioma associated with asbestosis. Letter. J. Am. Med. Assoc. 203(6): 430.

Wagner, J. C. 1970. Induction of experimental tumors of the pleura by fibers (asbestos). Oncol. Proc. Intl. Cancer Congr. 10th 1970. 446-451.

Wagner, J. C. 1970. Pathogenesis of tumors following intrapleural injection of asbestos and silica. A.E.C. Symp. Ser. No. 21. 347-358.

Wagner, J. C. 1971. Asbestos cancers. J. Natl. Cancer Inst. 46: V-IX.

Wagner, J. C. 1972. Current opinions on the asbestos cancer problem. Ann. Occup. Hyg. 15: 61-64.

Wagner, J. C. 1972. Significance of asbestos in lung tissue. J. Clin. Pathol. 25: 557.

Wagner, J. C. 1972. The significance of asbestos in tissue. Current problems in the epidemiology of cancers and lymphomas -- Recent results in cancer research, Grundman, E., and Tulinius, H., eds. 39: 37. Berlin, Springer-Verlag.

Wagner, J. C. 1974. Disputes on the safety of asbestos. New Sci. 606-609.

Wagner, J. C. 1974. Experimental and future studies. Clin. Sci. Mol. Med. 47: 12.

Wagner, J. C., and Berry, G. 1969. Mesotheliomas in rats following inoculation with asbestos. Br. J. Cancer. 23: 567-581.

Wagner, J. C., and Berry, G. 1973. Information obtained from animal experiments. IN: Biological effects of asbestos. Proc. IARC, Lyon 1972. Bogovski, P. et al., eds., pp. 285-288, IARC Sci. Publ. No. 8.

Wagner, J. C., and Berry, G. 1973. Investigations using animals. IN: Biological effects of asbestos. Proc. IARC, Lyon 1972. Bogovski, P., et al., eds., pp. 85-88, IARC Sci. Publ. No. 8.

Wagner, J. C., and Skidmore, J. 1965. Asbestos dust deposition and retention in rats. Ann. N.Y. Acad. Sci. 132: 77.

Wagner, J. C. et al. 1960. Diffuse pleural mesothelioma and asbestos exposure in the North West Cape Province. Br. J. Ind. Med. 17: 260-271.

Wagner, J. C. et al. 1962. Histochemical demonstration of hyaluronic acid in pleural mesotheliomas. J. Pathol. Bacteriol. 84: 73-78.

Wagner, J. C. et al. 1970. Mesothelioma in rats following the intrapleural innoculation of asbestos. IN: Pneumoconiosis: Proc. Intl. Conf., Johannesburg 1969. Shapiro, H. A., ed., pp. 216-219, Capetown, Oxford Univ. Press.

Wagner, J. C. et al. 1971. Epidemiology of asbestos cancers. Br. Med. Bull. 27(1): 71-76.

Wagner, J. C. et al. 1972. The role of international research in occupational cancer. Med. Lav. 63: 213-220.

Wagner, J. C. et al. 1973. Mesotheliomata in rats after innoculation with asbestos and other materials. Br. J. Cancer. 28: 173-185.

Walker. C. W. et al. 1974. Identification of asbestos type minerals. Proc. Electron Micro. Soc. Am. 32: 524-525.

Wallace, W. F. M., and Langlands, J. H. M. 1971. Insulation workers in Belfast. I. Comparison of a random sample with a control population. Br. J. Ind. Med. 28: 211-216.

Waller, R. E. 1972. The combined effects of smoking and occupational or urban factors in relation to lung cancer. Ann. Occup. Hyg. 15: 67-71.

Walters, D. F. 1973. Control techniques for asbestos air pollutants. U.S. EPA. Research Triangle Park, NC 27711, Publ. No. AP-117.

Walter, E. 1966. The evaluation of dust measurements in asbestos textile plants. Staub. Reinholt. Luft. 26(10): 422-424.

Walter, E. 1967. Results of studies of dust samples from asbestos works. Staub. Reinholt. Luft. 27(11): 481-483.

Walters, K. L., Jr., and Martinez, A. J. 1975. Malignant fibrous mesothelioma. Metastatic to brain and liver. Acta Neuropath. (Berl). 33: 173-177.

Walther, E. 1970. Dust problems in the use of asbestos products. IN: Pneumoconiosis: Proc. Intl. Conf., Johannesburg 1969. Shapiro, H. A., ed., pp. 37-41, Capetown, Oxford Univ. Press.

Wanebo, H. J. et al. 1976. Pleural mesothelioma. Cancer. 38(6): 2481-2488.

Warnock, M. L., and Churg, A. M. 1975. Association of asbestos and bronchogenic carcinoma in a population with low asbestos exposure. Cancer. 35(4): 1236-1242.

Webster, I. 1963. Asbestosis in non-experimental animals in South Africa. Nature. 197: 506.

Webster, I. 1965. Mesotheliomatous tumors in South Africa: Pathology and experimental pathology. Ann. N.Y. Acad. Sci. 132: 623-646.

Webster, I. 1970. Asbestos exposure in South Africa. IN: Pneumoconiosis: Proc. Intl. Conf., Johannesburg 1969. Shapiro, H. A., ed., pp. 209-212, Capetown, Oxford Univ. Press.

Webster, I. 1973. Asbestos and malignancy. S. Afr. Med. J. 47: 165-171.

Wegman, D. H. et al. 1973. Worker-sponsored survey for asbestosis: Detection of occupational lung disease without control group. Arch. Environ. Health. 27(2): 105-109.

Wehman, H. J., and Plantholt, B. A. 1974. Asbestos fibrils in beverages. I. Gin. Bull. Environ. Contam. Toxicol. 11: 267-272.

Wehner, A. P. et al. 1975. Chronic inhalation of asbestos and cigarette smoke by hamsters. Environ. Res. 10: 368-383.

Wehner, A. P. et al. 1977. Inhalation of talc baby powder by hamsters. Food Cosmet. Toxicol. 15: 121-129.

Wehner, A. P. et al. 1977. Pulmonary deposition, translocation and clearance of inhaled neutron-activated talc in hamsters. Food Cosmet. Toxicol. 15: 213-224.

Weill, H. 1975. Epidemiologic methods in the investigation of occupational lung disease. Am. Rev. Resp. Dis. 112: 1-6.

Weill, H. et al. 1973. Radiographic and physiologic patterns among workers engaged in manufacture of asbestos cement products. A preliminary report. Occup. Med. 15: 248-252.

Weill, H. et al. 1975. Lung function consequences of dust exposure in asbestos cement manufacturing plants. Arch. Environ. Health. 30: 88-97.

Weimann, S. et al. 1976. Auftreten eines lokalisierten peritonealen mesothelioms sieben jahre nach perikardresektion wegen eines lokalisierten perikardmesothelioms (Appearance of a localized peritoneal mesothelioma seven years after resection of pericardium on account of localized pericardial mesothelioma). Lagenbecks Arch. Chir. 341: 289-295.

Weiss, B. et al. 1973. Quantitative differential thermal analysis of small dust samples containing quartz. Am. Ind. Hyg. Assoc. J. 34: 193-199.

Weiss, W. 1971. Cigarette smoking, asbestos, and pulmonary fibrosis. Am. Rev. Resp. Dis. 104: 223-227.

Weller, W. 1971. The relationship between duration of dust inhalation of a coal quartz mixture and dust retention, lung function, and pathology on rats. IN: Inhaled particles III. Proc. Intl. Conf., London 1970. Walton, E. H., ed., pp. 337-345, Univ. Press.

Wells, A. H. 1975. Asbestos in Duluth water. Minn. Med., June, 1975, pp. 458, 459, 488.

Werner, K. G. 1975. Asbestos and silicate pollution (A bibliography with abstracts). NTIS/PS-75-746. National Technical Information Service, Springfield, VA. 111 p.

Wesolowski, J. J. 1974. Asbestos in the California environment. AIHL Report #164. Calif. State Dept. Health., Berkeley, CA 94704.

Westlake, G. E. et al. 1965. Penetration of colonic mucosa by asbestos particles. An electron microscopic study in rats fed asbestos dust. Lab. Invest. 14: 2029-2033.

Weyer, R. V. 1973. Review of the indemnification of asbestosis (author's transl). Acta. Tuberc. Pneumol. Belg. 64(3): 304-351.

White, F. M. M., and Becklake, M. R. 1974. Rheumatic complaints and pulmonary response to chrysotile dust inhalation in mines and mills in Quebec. Can. Med. Assoc. J. 111: 533-536.

Whittaker, E. J. W. 1963. Chrysotile fibers, filled or hollow tubes? Chem. Engin. News. 41: 30.

Whittaker, E. J. W. 1966. Diffraction contrast in electron microscopy of chrysotile. Acta. Crystllog. 21(4): 461-466.

Whittaker, E. J. W., and Zussman, J. W. 1971. The serpentine minerals. Electron Opt. Invest. Clays. 159-191.

Whitwell, F., and Rawcliffe, R. M. 1971. Diffuse malignant pleural mesothelioma and asbestos exposure. Thorax. 26: 6-22.

Whitwell, F. et al. 1974. A study of the histological cell types of lung cancer in workers suffering from asbestos in the United Kingdom. Br. J. Ind. Med. 31: 298-303.

Wilcox, K. et al. 1974. Intratracheal instillation of asbestos in mice. Proc. West. Pharmacol. Soc. 17: 247-250.

Williams, R., and Hugh-Jones, P. 1960. The significance of lung function changes in asbestosis. Thorax. 15: 109-119.

Williams, W. J. 1965. Asbestosis and lung cancer. Arch. Environ. Health. 10(1): 44-45.

Windom, H. et al. 1967. Talc in atmospheric dusts. Environ. Sci. Technol. 1: 923-926.

Winslow, D. J., and Taylor, H. B. 1960. Malignant peritoneal mesotheliomas. A clinicopathological analysis of 12 fatal cases. Cancer. 13: 127-136.

Woitowitz, H. J. 1970. Occupational asbestos dust exposure and chronic obstructive lung disease. Int. Arch. Arbeitsmed. 27: 244-256.

Woitowitz, H. J. 1972. Importance of asbestos for industrial medicine and ecology. Dtsch. Med. Wochenschr. 97: 346-351.

Woitowitz, H. J. 1974. Occupational lung diseases. Munch. Med. Wochenschr. 116(4): 131-136.

Woitowitz, H. J. et al. 1971. Effects of pleural calcification in chrysotile asbestos workers on pulmonary function. Med. Welt. 22: 931-935.

Wright, G. W. 1969. Asbestos and health in 1969. Am. Rev. Resp. Dis. 100: 467-479.

Wronski, J. 1967. Methods for measuring fiber length distribution. Ind. Eng. Chem. Fundam. 6(4): 595-599.

Wusteman, F. S. et al. 1972. Glycosaminoglycans and calcification in the lesions of progressive massive fibrosis and in pleural plaques. Am. Rev. Resp. Dis. 106: 116-118.

Wyatt, J. P. 1971. Occupational lung diseases and inferential relationships to general population hazard. Am. J. Pathol. 64: 197-216.

Wyss, V. 1953. Presenza di aghi di amianto nelle urine, di operai esposti al rischio asbestosico. Rass. Med. Ind. 22: 55-56.

Xipell, J. M. et al. 1969. Asbestos bodies in lungs. Australian report. Pathol. 1: 327-330.

Yada, K. 1967. Study of chrysotile asbestos by a high resolution electron microscope. Acta. Crystallog. 23(5): 704-707.

Yada, K. 1971. Study of microstructure of chrysotile asbestos by high resolution electron microscopy. Acta. Crystallog. Sect. A. 27(6): 659-664.

Yazicioglu, S. 1976. Pleural calcification associated with exposure to chrysotile asbestos in southeast Turkey. Chest. 70: 43-47.

Yeh, H. C. et al. 1976. Factors influencing the deposition of inhaled particles. Environ. Health Perspect. 15: 147-156.

Yu, C. P., and Chandra, K. 1977. Precipitation of submicron charged particles in human lung airways. Bull. Math. Biol. 39: 471-478.

Zaidi, S. H. et al. 1973. Experimental infective pneumoconiosis: Effect of asbestos dust and Candida albicans infection on the lungs of rhesus monkeys. Environ. Res. 6(3): 274-286.

Zanardi, S., and Bogetti, B. 1966. Cancer and asbestosis: A problem of early diagnosis. Med. Lav. 20(3): 119-126.

Zanardi, S., and Pontana, L. 1971. Possible relations between asbestos and pleuro-pulmonary tumors in Liguria. Med. Lav. 336-343.

Zannini, D. et al. 1972. Risk and prevention of asbestosis in naval works. Med. Lav. 63(5): 221-244.

Zedda, S. et al. 1973. Lung function in relation to radiographic changes in asbestos workers. Respiration. 30(2): 132-140.

Zeedijk, H. B. 1973. Electron microscopic studies of asbestos bodies and asbestos fibers in the lung of a patient with mesothelioma. Mikrochim. Acta. 6: 977-984.

Zielhuis, R. L. et al. 1975. Pleura mesothelioma and exposure to asbestos. Int. Arch. Occup. Environ. Health. 36: 1-18.

Zlocha, J. 1971. Chrysotile asbestos review. Miner Slovaca. 3(12-13): 295-318.

Zolov, C. et al. 1967. Pleural asbestosis in agricultural workers. Environ. Res. 1: 287-292.

Zoltai, T. 1977. History of asbestos-related mineralogical terminology. Presented at: Workshop on asbestos: Definitions and measurement methods, Natl. Bur. of Standards, OSHA, July 18-20, Gaithersburg, MD. 29 pp.

Zorica, M., and Sarie, M. 1961. Asbestosis and manufacture of asbestos articles. Arch. Hig. Rad. Toksilol. 12: 97-118.

Zussman, J. 1972. Nature and history of asbestos. Ciba-Geigy. Rev. 2: 3-8.

Zussman, J. et al. 1957. Electron diffraction studies of serpentine minerals. Am. Min. 42: 133-153.

Zuyagin, B. B. et al. 1966. Electron diffraction study of polymorphic varieties of serpentine minerals. Dokl. Scveshch. Fiz. Metody. Izuch. Miner Osad. Porod. 2nd Moscow. 130-137.

# TECHNICAL REPORT DATA
*(Please read Instructions on the reverse before completing)*

| | | |
|---|---|---|
| 1. REPORT NO. EPA-600/3-78-066 | 2. | 3. RECIPIENT'S ACCESSION NO. |
| 4. TITLE AND SUBTITLE Asbestos - A Bibliography | | 5. REPORT DATE July 1978 issuing date |
| | | 6. PERFORMING ORGANIZATION CODE |
| 7. AUTHOR(S) James H. Tucker, Philip M. Cook, Gary L. Phipps, Gertrude N. Stokes and Paul H. Lima* | | 8. PERFORMING ORGANIZATION REPORT NO. |
| 9. PERFORMING ORGANIZATION NAME AND ADDRESS Environmental Research Laboratory-Duluth 6201 Congdon Boulevard Duluth, Minnesota 55804 | | 10. PROGRAM ELEMENT NO. 1BA608 |
| | | 11. CONTRACT/GRANT NO. |
| 12. SPONSORING AGENCY NAME AND ADDRESS Environmental Research Laboratory - Duluth Office of Research and Development U.S. Environmental Protection Agency Duluth, Minnesota 55804 | | 13. TYPE OF REPORT AND PERIOD COVERED |
| | | 14. SPONSORING AGENCY CODE EPA/600/03 |

15. SUPPLEMENTARY NOTES * Department of Physiology, School of Medicine, University of Minnesota-Duluth, Duluth, Minnesota 55812

16. ABSTRACT

This bibliography contains 1,425 references pertaining to the chemical, physical, biological, and medical properties and effects of asbestos in our environment. The bibliography was compiled by the asbestos research group at the Environmental Research Laboratory-Duluth, Duluth, Minnesota.

17. KEY WORDS AND DOCUMENT ANALYSIS

| a. DESCRIPTORS | | b. IDENTIFIERS/OPEN ENDED TERMS | c. COSATI Field/Group |
|---|---|---|---|
| Asbestos | X-ray diffraction | Human | 06 A,C,E,F |
| Bibliographies | Chemical properties | Methods | 07 |
| Identifying | Physical properties | | 08 D,G |
| Amphiboles | Laboratory animals | | 14 |
| Serpentine | Epidemiology | | |
| Electron microscopy | | | |
| Toxicology | | | |

| | | |
|---|---|---|
| 18. DISTRIBUTION STATEMENT RELEASE TO PUBLIC | 19. SECURITY CLASS (This Report) UNCLASSIFIED | 21. NO. OF PAGES 98 |
| | 20. SECURITY CLASS (This page) UNCLASSIFIED | 22. PRICE |

EPA Form 2220-1 (Rev. 4-77) PREVIOUS EDITION IS OBSOLETE



☆ U. S. GOVERNMENT PRINTING OFFICE: 1978-757-140/1422 Region No. 5-II