

United States
Environmental Protection
Agency

Region 10
1200 Sixth Avenue
Seattle WA

Alaska
Idaho
Oregon
Washington

Environmental Services Division


July 1986

EPA-910/9-86-144



User's Guide for POSTZ

A Post-Processor for the SHORTZ Air
Quality Model



EPA-910/9-86-144
July 1986

USER'S GUIDE FOR POSTZ
A POST-PROCESSOR FOR THE
SHORTZ AIR QUALITY MODEL

Prepared by
Kirk D. Winges

EPA Contract No. 68-02-3886

Project Officer
Robert B. Wilson
U. S. Environmental Protection Agency, Region 10
1200 Sixth Ave.
Seattle, Washington 98101

TRC Environmental Consultants, Inc.
15924 22nd Ave. SE
Mill Creek, Washington 98012

(206) 485-2992

DISCLAIMER

This report has been reviewed by Region 10, U. S. Environmental Protection Agency, and approved for publication. Approval does not signify that the contents necessarily reflect the views and policies of the U. S. Environmental Protection Agency, nor does mention of trade names or commercial products constitute endorsement or recommendation for use.

USER'S GUIDE FOR POSTZ
A POST-PROCESSOR FOR THE SHORTZ AIR QUALITY MODEL

TABLE OF CONTENTS

1.0	INRODUCTION.....	1
1.1	General.....	1
1.2	About SHORTZ.....	2
1.3	Running SHORTZ to Create an Output Tape for POSTZ.....	3
2.0	POSTZ USER'S INSTRUCTIONS.....	5
2.1	Program Options.....	5
2.1.1	Output Tables.....	5
2.1.2	Averaging Times.....	6
2.1.3	Calms Policy.....	6
2.1.4	Running or Block Averages.....	7
2.1.5	Restricting Time Limits.....	7
2.1.6	Restrict Receptors.....	7
2.1.7	Restrict Sources.....	8
2.1.8	Specify Background.....	8
2.1.9	Scale Concentrations.....	8
2.2	Model Parameters and Definitions.....	8
2.3	Format for the Input File.....	14
2.4	Executive Control language (ECL) for the POSTZ Program.....	14
3.0	SAMPLE INPUT AND OUTPUT FILES.....	27
APPENDIX A	COMPLETE FORTRAN LISTING FOR THE POSTZ PROGRAM (UNIVAC Version)	

1.0 INTRODUCTION

1.1 General

The POSTZ computer program is a post-processor for the SHORTZ computer program. The SHORTZ air quality model is designed with the capability for producing a sequential tape output of hourly concentrations at each receptor for each source. The SHORTZ program can use this tape to "re-do" a particular run, with a few changes. Essentially, the program saves the time of repeating all the analyses by reading the results of a previous analysis, and only making changes where requested by the user, such as adding a new source. However, it is also possible to use this sequential tape to do other analyses, such as:

- o printing summary tables of concentrations for different averaging times,
- o restricting the analysis to certain receptors or to a shorter portion of the meteorological data base than the original SHORTZ run,
- o restricting the analysis to certain sources, or scaling the contribution from particular sources,
- o specifying separate background concentrations for individual receptors,
- o changing the manner of computation for averages from block averages to running averages, and
- o implementing the EPA calms policy.

Until now, no computer program was available to read the SHORTZ output tape and conduct these analyses. The POSTZ program is specifically designed to provide this capability.

This user's guide has been organized into 3 major sections, including this introduction. In the introduction, information is provided on the SHORTZ Model and the necessary information which must be provided to the SHORTZ Model to prepare the output tape for the POSTZ program. In Chapter 2.0, specific user instructions for the POSTZ program are provided. In Chapter 3.0 sample input and output streams are provided. Appendix A has been included which presents the entire FORTRAN listing for the POSTZ program.

1.2 About SHORTZ

The SHORTZ air quality model was developed by the H. E. Cramer Company. The program and its capabilities are discussed in detail in the "User's Instructions for the SHORTZ and LONGZ Computer Programs, Volumes I and II", EPA Document Numbers EPA-903/9-82-004a and b. The SHORTZ program was written specifically to run on the Sperry/UNIVAC computer. The program in the form on the UNIVAC, is not transportable to other computer systems, since it requires two specific UNIVAC assembly language routines to operate. The routines allow the program to define dynamic mass storage on the fixed disk system. The information written to mass storage is not saved by the system, but rather used only in the operation of the computer program and deleted after a successful run.

In addition to the mass storage, the user can elect to write output to a magnetic tape. The magnetic tape output is very comprehensive, and includes essentially all the detailed information of the sources, receptors and model parameters, including specification of all the input parameters for the SHORTZ run. The program also writes to tape a sequential listing of all the concentrations computed for each hour, including the concentrations by each source for each receptor for each hour.

The POSTZ Model was originally developed on a micro computer with a Microsoft Disk Operating System (MS-DOS). One of the early steps in the POSTZ program development was the creation of an MS-DOS version of the SHORTZ computer program. The program generally uses the same FORTRAN code as the UNIVAC version with several distinct differences. The mass storage subroutines used by SHORTZ on the UNIVAC were replaced by dynamic file opening control used by the MS-DOS FORTRAN. The mass storage is performed on the default disk drive for the system. Another major change to the program from the UNIVAC version concerns the tape input and output routine. The MS-DOS version of the program writes an output file very similar in format to the output tape written by the UNIVAC version, but the output media is the default disk drive, rather than a tape unit. This necessitated major changes to the output handling routine of the SHORTZ program. Also the capability to read input from tapes was not germane to the POSTZ program development and was not included in the capabilities of the MS-DOS version of SHORTZ. There were a number of other minor and cosmetic changes to the SHORTZ program from the UNIVAC version to the MS-DOS version.

The MS-DOS version uses roughly 234 kilobytes of memory on an IBM-PC, IBM-AT or compatible computer system. Each word consists of 16 bits on the IBM-PC and compatible computers as

compared to the UNIVAC where each word consists of 36 bits.

1.3 Running SHORTZ to Create an Output Tape for POSTZ

The instructions for running the SHORTZ Model are well described in the User's Instructions. To write an output tape, a value of 2 or 3 must be given for the parameter KSW (column 1, Card 1). For the MS-DOS version, only a value of 2 can be used, since there is no capability for tape input with the MS-DOS version of the program.

For the UNIVAC version, there are additions required in the Executive Control Language (ECL) statements which appear at the start of the program. Unless directed otherwise, the program writes the tape output to unit 3. The following statements must appear in the ECL:

```
@ASG,options output-tape-file.,type,reel-number
@USE 3,output-tape-file
```

The options are described in the User's Instructions for the SHORTZ program. They concern the nature of the tape, whether it is a temporary tape, a high density tape, an unlabeled tape, etc. Since writing will occur, it is always necessary to include a /W in the option list. Perhaps the most common use is an internal tape with a reel number assigned by the NCC. The options should then be F/W. The F option allows the tape to be written even if a label has been previously written to the tape, but the user does not know the label, or cannot remember the label. It requires only that the user remember the reel-number, and of course that the user's identification number be authorized to write to the tape. The output tape file is a name given by the user for the output file to be written. An example would be SHZOUT.RUN1. The type specifies the density of the tape. Most tapes are 1600 or 6250 bits per inch and the specification here should be T. The reel-number identifies the tape within the NCC system and is assigned by the tape librarian when the user calls and requests a tape.

The value of 3 in the USE statement above indicates that the output is to be written to unit 3, the default. It should be noted that the user should change this if internal specifications in the input stream for the model have changed the output unit number.

The output files for the SHORTZ Model, depending on the length of the meteorological data base, can be quite long. It is possible to write a tape file that is longer than will fit on a typical tape. The SHORTZ Model has the capability to write more than one tape, but this capability has not been put into the POSTZ program. The user should ensure that the SHORTZ run is restricted enough so that more than one tape is not

written. The SHORTZ User's Instructions provide discussions concerning the output length for tapes. This will typically not be a problem for most runs of either program. Given the possibility for long output, a tape should be dedicated to the SHORTZ output. However, it is possible to write the output to a single file within a tape, using the MOVE statement. The format for this statement is:

```
@MOVE output-tape-file.,n
```

In this above statement, the value of n is the number of end of file marks to skip on the tape to which the output is to be written. A similar statement is needed in the ECL for the POSTZ model which will read the tape (discussed later). For more information on running SHORTZ on the UNIVAC computer, consult the User's Instructions.

The MS-DOS version of the SHORTZ Model is much simpler to run. An executable version of the program is generally obtained on a floppy diskette, and called SHORTZ.EXE. The program can be executed by typing d:SHORTZ where d is the disk drive where the SHORTZ model is currently located. The user should be logged into the drive where the input files are located. The program will prompt for the name of the card input file name, which is an ASCII disk file in exactly the same format as the card-image input file for the UNIVAC version. It is suggested that the user create the input file with a screen or line editor program. The SHORTZ program will also prompt for an output file name where the printed output is to be written. Finally, the SHORTZ program will prompt for the tape output file name. After completion of the SHORTZ run, the output can be copied to the line printer by the command COPY outputfilename LPT1:. Do not attempt this with the tape output file since the tape output is not in ASCII, but rather in unformatted form. No job control statements are required in the input stream for the MS-DOS version of the SHORTZ program.

Whether running on the UNIVAC, or on a micro-computer, once the SHORTZ output tape (or file) is created, the user is ready to run POSTZ. The following chapter discusses the preparation of inputs for the POSTZ program.

2.0 POSTZ USER INSTRUCTIONS

2.1 Program Options

The POSTZ computer program is designed to analyze an output tape from the SHORTZ air quality model. The SHORTZ program should be run first. Some guidance is given in Chapter 1.0 on the running of SHORTZ, but the user is encouraged to refer to the SHORTZ User's Instructions ("User's Instructions for the SHORTZ and LONGZ Computer Programs, Volumes I and II", EPA Document Numbers EPA-903/9-82-004a and b).

2.1.1 Output Tables

The POSTZ program's major function is to produce a series of output tables. There are three separate output tables that can be produced by the POSTZ program. Each of these tables is described as follows:

- o High-5 Table. The POSTZ program produces a table of the highest five concentration estimates at each receptor. For example, if the model has been instructed to compute 3-hour average concentrations (see Section 2.1.2 for a discussion of averaging time options) for a full year of hourly concentration data produced by SHORTZ, the POSTZ program will use the hourly concentrations produced by SHORTZ to compute 3-hour averages for every 3-hour period in the year (see Section 2.1.3 concerning option of running versus block averages). The POSTZ program will also sort all these 3-hour averages to determine the five highest values at each receptor location. When printing the results, the model also prints the ending hour and day for each concentration printed.
- o Top-50 Table. The POSTZ program sorts all the computed average concentrations (for a particular averaging time) to determine the highest 50 values regardless of receptor. The program prints the ending hour, day and the receptor coordinates for each concentration printed.
- o Exceedance Table. The POSTZ program sorts and records all values above a user specified criteria value. For example, the user may

desire to print out all 24-hour average concentrations above 37 micrograms per cubic meter (24-hour PSD Increment for TSP). A maximum of 100 values may be printed in this table. The values are sorted in order of concentration, very similar to the Top-50 table. The POSTZ program also prints the ending hour, day and receptor coordinates for each concentration printed.

2.1.2 Averaging Times

The user can request the POSTZ program to print any one, any two or all three of the above tables for each of 6 separate averaging times. The averaging times are:

- o one-hour average concentrations,
- o three-hour average concentrations,
- o eight-hour average concentrations,
- o 24-hour average concentrations,
- o annual-average concentrations (in reality, this option is for any long-term average, since the number of days per year is an input specified by the user, thus if 30 day averages are required, the user can specify that there are 30 days per year), and
- o an additional averaging time to be specified by the user. The length of this averaging time may be any value from one hour to 24 hours.

The switches at the start of the program enable or disable any of the above tables.

2.1.3 Calms Policy

The POSTZ program can be requested to implement the EPA calms policy when computing averages. If the calms policy is requested, when values of wind speed are less than 1.0 meters per second, the program considers the concentrations as invalid and averages on the basis of the other concentrations within the time period. A full discussion of the calms policy as it is implemented in the POSTZ program is contained in the Guideline on Air Quality Models, (EPA-450/2-78-027R). It should be noted that the use of the calms policy is an option of the POSTZ program, and is entirely at the discretion of the user.

2.1.4 Running or Block Averages

The user can specify whether running or block averages are to be computed. Running averages mean that the average is computed every hour for the previous n hours where n is the averaging time selected. For example, if there are 24 hours in the data base and running 3-hour average concentrations are to be computed, the first period will cover hours 1 through 3, while the second period will cover hours 2 through 4. Twenty-two different but overlapping 3-hour averages will be calculated from the 24-hour data base.

Block averages mean that the individual averaging periods do not overlap. For example, in the above case if block averages were to be computed rather than running averages, the first period would include hours 1 through 3 while the second period would include hours 4 through 6. Eight non-overlapping 3-hour averages will be calculated from the 24-hour data base.

The POSTZ program requires that all averaging times are controlled by the same switch for running or block averages, so that it is not possible in the same run to compute running averages for 3-hour concentrations and block averages for 24-hour concentrations. The one exception to the above rule is for annual averages. Annual averages (or any averaging period chosen to be processed as an annual average) must be computed with block averages. Even if running averages are used for the remainder of the averaging times, block averages will be automatically used for the annual averages.

2.1.5 Restricting Time Limits

The POSTZ program allows the user to select a specific portion of the sequential data tape for analysis. Thus, if a SHORTZ run was made for a full year and a sequential concentration tape subjected to POSTZ analysis, the user may restrict the POSTZ analysis and all the tables produced in the analysis to a smaller period of time than the full year. For example, a POSTZ analysis might be run for just the summer months. The user restricts the period of time by providing to the program a start date and time for the analysis to begin, and ending date and time for the program to stop.

2.1.6 Restrict Receptors

Similar to the above analysis, the user may restrict the POSTZ analysis to consider only a portion of the receptor network for the SHORTZ run. Both grid and discrete receptors may be selected for analysis. The default condition for the program is to assume all receptors are to be included. An initial switch tells the program that receptor restriction will be used, and the program then assumes all receptors are to be

excluded. One by one, then, the user instructs the program which receptors are to be included.

2.1.7 Restrict Sources

Similar to the receptor restriction, it is possible for the program to exclude the concentrations from certain sources. The program initially begins by assuming all sources are to be included. Once the user tells the program (through a switch) that source restriction is to be performed, the program then assumes that all sources are to be excluded, until the user selects, one by one, the sources to be included in the analysis.

2.1.8 Specify Background

The user can add a background concentration to each receptor. The program allows a "blanket" value of the background to be assigned to all receptors, as well as a specific format for separate background concentrations for each receptor.

2.1.9 Scale Concentrations

The concentrations resulting from specific sources can be scaled. The individual source is identified and a scaling factor is used for the contribution to the concentrations computed by SHORTZ for that source.

2.2 Model Parameters and Definitions

In this section the major model parameters are discussed. Specifically, the model parameters are defined, and the format for the input file is presented in the next section. Following are descriptions of the input parameters:

PTITLE This is a run title for the POSTZ run. It is not the same as the run title for the SHORTZ run. POSTZ prints both the run title for the SHORTZ run and PTITLE on the first page of the POSTZ output. The title may be used for record keeping or to label the output.

ISW A total of 25 separate switches are included in the array ISW(25). They assume values of 0, 1 or 2 depending on the switch and desires of the user. In general a value of 0 is used to decline a particular option (leaving the space blank also declines the option). Placing a 1 or 2 in the switch selects the option and often requires subsequent cards containing more information which would be left out if the switch were not selected. The first 5 switches

control the various program options. ISW(1) specifies whether the time period for the analysis is to be restricted to particular hours or days. If this option is selected, the user is required to provide information later in the runstream which tells the program how to restrict the time period. ISW(2) determines if the analysis is to be restricted to certain receptors. If the switch is selected, the user is required to provide information on which receptors to restrict the analysis to on a later card. ISW(3) determines if the analysis is to be restricted to certain sources. If selected the user must provide a list of the sources to include later in the runstream. ISW(4) specifies that background concentrations are to be added to receptors. Depending on whether the value for the switch is 1 or 2 the user may add a uniform background to all receptors, or he may specify a specific background for each receptor. ISW(5) determines if concentrations from certain sources are to be scaled. If selected the user must provide information later in the runstream. Switches 6 through 23 select the various output tables to be prepared. In general, the switches are grouped in threes for each averaging time. Thus switches 6-8 refer to 1-hour averages, switches 9-11 refer to 3-hour averages, switches 12-14 refer to 8-hour averages, switches 15-17 refer to 24-hour averages, switches 18-20 refer to annual averages, and switches 21-23 refer to the user specified averaging time. Each group of three switches determines whether a high-5, top-50 or exceedance table are to be prepared. If the any of the switches pertaining to the user specified averaging time are selected (switches 21-23) the user is required to provide information on the averaging time desired later in the runstream. ISW(24) determines whether running or block averages are to be computed for all averaging times except annual (annual averages are always block averages). If the switch is 0, block averages are used, if the value is 1 running averages are used. Finally, ISW(25) determines whether the EPA calms policy is to be implemented or not. If the switch is 0, the calms policy is not implemented, if the value is 1 then the calms policy is implemented.

JULST

One item of information not passed to the tape from the SHORTZ program is the Julian day number of the start of the meteorological record.

Therefore, the user is required on all runs to specify the Julian day number for the start of the sequential analysis. JULST is the day number (from 1 to 366) for the start of the meteorological data that was used in the SHORTZ run to create the tape being analyzed by the current run of POSTZ.

IYR Like JULST, IYR is the year for the start of the meteorological data. The year numbers can be provided using values four digits long, such as 1986 or it can be provided using values with two digits, such as 86, as long as the user is consistent in all date information, using the same format for all dates provided to the POSTZ program.

IDYST If the user elects to restrict the analysis to certain days, he specifies the day the analysis is to start on with IDYST. If IDYST is less than JULST, IDYST is set equal to JULST (unless IYRST is greater than IYR).

IYRST If the user elects to restrict the analysis to certain days, he specifies the year the analysis is to start in with IYRST. If IYRST is less than IYR, IYRST is set equal to IYR.

IDYEND If the user elects to restrict the analysis to certain days, IDYEND is used to specify the last day for the analysis. If IDYEND is selected so that the ending day is beyond the end of the sequential tape, IDYEND is reset to reflect the end of the tape.

IYREND If the user elects to restrict the analysis to certain days, IYREND is used to specify the year in which the last day of the analysis occurs. If IYREND is selected so that the ending day is beyond the end of the sequential tape, IYREND is reset to reflect the end of the tape.

NXINCL If the user elects to restrict the analysis to certain receptors, the parameter NXINCL is used to indicate the number of X grid points which will be included in the analysis. The SHORTZ program allows the specification of two types of receptors: grid receptors and discrete receptors. This parameter concerns only the grid receptors and specifies the number of X grid points which will be included in the analysis. If there are only discrete receptors

in this run, NXINCL should be set to 0.

NYINCL If the user elects to restrict the analysis to certain receptors, the parameter NYINCL is used to indicate the number of Y grid points which will be included in the analysis (see note under NXINCL concerning type of receptors). If the value of NXINCL is set to 0, there are no grid points, and NYINCL is not read.

XX The X-grid values to include in the analysis if the analysis is to be restricted to certain receptors. It is important to note that these X-grid values must have been in the original SHORTZ run. NXINCL values of XX are read.

YY The Y-grid values to include in the analysis if the analysis is to be restricted to certain receptors. It is important to note that these Y-grid values must have been in the original SHORTZ run. NYINCL values of YY are read.

NXYINC If the user elects to restrict the analysis to certain receptors, the parameter NXYINC indicates the number of discrete receptors to include in the analysis (see note under NXINCL concerning the type of receptors). If there are no discrete receptors, this value should be set to 0.

XDISCR If the user elects to restrict the analysis to certain receptors, the individual X coordinate values for the discrete receptors to include in the run are stored in XDISCR. It is important to note that the discrete receptors specified here must have been in the original SHORTZ run. NXYINC values of xdiscr are read.

YDISCR If the user elects to restrict the analysis to certain receptors, the individual Y coordinate values for the discrete receptors to include in the run are stored in YDISCR. It is important to note that the discrete receptors specified here must have been in the original SHORTZ run. NXYINC are read.

NSELIM Contrary to the implied name of this parameter, it is used to specify the number of sources to include in the run if the user elects to restrict the analysis to certain sources.

K If the user elects to restrict the analysis to

certain sources, the individual source identification numbers as specified in the original SHORTZ run are stored in K. NSELIM values of K are read.

BACK If the user elects to assign a uniform background concentration to all the receptors, the value is stored in BACK.

NUMDIS If the user elects to specify a different background concentration for specific receptors, the number of receptors to be specified in this manner is entered in NUMDIS.

X1 If the user elects to specify a different background concentration for specific receptors, the values are input into the program by first identifying the receptor by coordinates, and then specifying the value to use for background at that receptor. The receptor coordinates must have been in the original SHORTZ run. X1 is used to specify the X-coordinate value for background identification. NUMDIS values of X1 are read.

Y1 If the user elects to specify a different background for specific receptors, (see note under X1 above) Y1 is used to specify the Y-coordinate value for background identification. NUMDIS values of Y1 are read.

VAL If the user elects to specify a different background concentration for specific receptors, the value to be used at a specific receptor whose coordinates have been identified by X1 and Y1 is stored in VAL.

NSCALE If the user elects to scale the concentrations for a specific source, the number of sources to scale in this manner is specified by NSCALE.

ISCALE If the user elects to scale the concentrations for a particular source, the individual source identification number as stated in the original SHORTZ run is specified in ISCALE. NSCALE values of ISCALE are read.

SCALE If the user elects to scale the concentrations for a particular source, the scaling value is specified by SCALE. To double the concentrations from a particular source, the value of SCALE would be set to 2. NSCALE values

of SCALE are read.

NDYYR If annual concentrations are to be computed (as determined by the setting to a value of 1 for any of the switches ISW(18), ISW(19) or ISW(20)), the number of days to be considered one year are specified by NDYYR. It should be noted that if the user desires to compute an average of less than one year, but greater than one day (e.g. 30-day average), the NDYYR value may be set to any number desired. There is no requirement that the "annual" concentrations actually be one year averages. There is a requirement, however, that any averages computed using the annual options must be block averages.

IOTHER If the user desires to specify an averaging time other than the ones established, the value of IOTHER allow the specification of the number of hours for a different average. The restrictions are that the value must be at least one hour, and that the value cannot be greater than 24 hours.

ONEEX If the user elects to print out exceedance tables, the criteria for the exceedance of one-hour average concentrations is specified in ONEEX.

THREX If the user elects to print out exceedance tables, the criteria for the exceedance of three-hour average concentrations is specified in THREX.

EIGEX If the user elects to print out exceedance tables, the criteria for the exceedance of eight-hour average concentrations is specified in EIGEX.

TWYEX If the user elects to print out exceedance tables, the criteria for the exceedance of 24-hour average concentrations is specified in TWYEX.

ANNEX If the user elects to print out exceedance tables, the criteria for the exceedance of annual average concentrations is specified in ANNEX.

OTHEX If the user elects to print out exceedance tables, the criteria for the exceedance for the user specified averaging time period is

specified in OTHEx.

2.3 Format for the Input File

The POSTZ program requires two types of input. The first is the SHORTZ output tape, which has been discussed in Section 1.0. The second type of input is the specification of all the parameters listed in Section 2.2. The format for input of these parameters is an ASCII "card-image" file. In actuality, very little processing is currently done with cards. However, the format for the input to all computer models is usually based on the concept of 80-column records, simulating card input. The records are typically stored in a disk file. For the UNIVAC version of the model, the card-image input file may be stored in a different file than the Executive Control Language (ECL) command file which controls the POSTZ run, or they may be placed between the ECL statements at the proper location. In Section 2.4, the format for the ECL to use with the POSTZ Model is discussed. Here the format for the card-image input file is presented in Table 2-1. The MS-DOS version of the computer program is much simpler to use. The card-image input file is located in a disk file with no control statements. When the program is initiated by the command POSTZ, the program prompts the user for the name of the input file. Other prompts are for the name of the SHORTZ output file, and for the name of a file to store the output from the POSTZ run.

2.4 Executive Control Language (ECL) for the POSTZ Program

To run the POSTZ Model on the UNIVAC computer it is necessary to create a batch input command file, instructing the UNIVAC as to the location of the input files, the location of the program to be executed (POSTZ) and the destination for any output. The assumption has been made here that the user is familiar with the UNIVAC operating system, and can create the input streams with an editor program, or alternatively to create them off-line on a micro-computer and "upload" the input stream to the UNIVAC. The command file must contain certain Executive Control language (ECL) statements for the POSTZ program to work. The statements and the order they should appear are discussed as follows:

```
@RUN,priority jobid/95,acctnum/userid, projectid/uid,time
```

where priority is the run priority, jobid is a six character name for the run, acctnum is the user's account number, userid is the user identification code, projectid is the project identification code, uid is the ADP identifier and time is the maximum runtime in minutes.

Table 2-1

User's Instructions for Creating the Card Image
Input File

<u>Card Group</u>	<u>Card No.</u>	<u>Parameter</u>	<u>Format</u>	<u>Description</u>
1	1	PTITLE	A80	Run title for the POSTZ run, different from the run title for the SHORTZ run used to create the output tape
2	1	ISW(1)	25I2 (col 2)	Switch to determine if time period of analysis is to be restricted. If =0, use entire time period on the output tape from the SHORTZ run. If =1, include Card Group 4 to specify time period restriction
		ISW(2)	(col 4)	Switch to determine if analysis is to be restricted to certain receptors. If =0, all receptors will be included in the POSTZ run. If =1, restrict analysis only to those receptors specified in Card Group 5.
		ISW(3)	(col 6)	Switch to determine if the analysis is to be restricted to only certain sources. If =0, all sources will be included. If =1, restrict analysis to only those sources specified in Card Group 6.
		ISW(4)	(col 8)	Switch to determine if background concentrations are to be added to the SHORTZ Model results. If =0, no background concentrations are included; if =1, uniform background is to be added to all receptors as specified in Card Group 7; if =2, separate

Table 2-1 (continued)

User's Instructions for Creating the Card Image
Input File

<u>Card Group</u>	<u>Card No.</u>	<u>Parameter</u>	<u>Format</u>	<u>Description</u>
				background is to be added to each receptor as specified in Card Group 7.
	ISW(5)		(col 10)	Switch to determine if contributions from particular sources are to be scaled. If =0, no source scaling is done; if =1, scaling will be performed for sources and values specified in Card Group 8.
	ISW(6)		(col 12)	Switch to determine if a high-5 output table is to be prepared for 1-hour average concentrations. If =0, no high-5 table for 1-hour concentrations. If =1, prepare a high-5 table by receptor for 1 hour average concentrations.
	ISW(7)		(col 14)	Switch to determine if a Top-50 table is to be prepared for 1-hour average concentrations. If =0, no top-50 table for 1-hour concentrations. If =1, prepare a top-50 table for 1 - h o u r a v e r a g e concentrations.
	ISW(8)		(col 16)	Switch to determine if an exceedance table is to be prepared for 1-hour average concentrations. If =0, no exceedance table for 1-hour concentrations. If =1, prepare an exceedance table for 1 - h o u r a v e r a g e concentrations. Exceedance

Table 2-1 (continued)

User's Instructions for Creating the Card Image
Input File

<u>Card Group</u>	<u>Card No.</u>	<u>Parameter</u>	<u>Format</u>	<u>Description</u> value is specified in Card Group 11 (ONEEX).
		ISW(9)	(col 18)	Switch to determine if a high-5 output table is to be prepared for 3-hour average concentrations. If =0, no high-5 table for 3-hour concentrations. If =1, prepare a high-5 table by receptor for 3 hour average concentrations.
		ISW(10)	(col 20)	Switch to determine if a Top-50 table is to be prepared for 3-hour average concentrations. If =0, no top-50 table for 3-hour concentrations. If =1, prepare a top-50 table for 3 - h o u r a v e r a g e concentrations.
		ISW(11)	(col 22)	Switch to determine if an exceedance table is to be prepared for 3-hour average concentrations. If =0, no exceedance table for 3-hour concentrations. If =1, prepare an exceedance table for 3 - h o u r a v e r a g e concentrations. Exceedance value is specified in Card Group 11 (THREX).
		ISW(12)	(col 24)	Switch to determine if a high-5 output table is to be prepared for 8-hour average concentrations. If =0, no high-5 table for 8-hour concentrations. If =1, prepare a high-5 table by

Table 2-1 (continued)

User's Instructions for Creating the Card Image
Input File

<u>Card Group</u>	<u>Card No.</u>	<u>Parameter</u>	<u>Format</u>	<u>Description</u>
				receptor for 8 hour average concentrations.
	ISW(13)	(col 26)		Switch to determine if a Top-50 table is to be prepared for 8-hour average concentrations. If =0, no top-50 table for 8-hour concentrations. If =1, prepare a top-50 table for 8 - h o u r a v e r a g e concentrations.
	ISW(14)	(col 28)		Switch to determine if an exceedance table is to be prepared for 8-hour average concentrations. If =0, no exceedance table for 8-hour concentrations. If =1, prepare an exceedance table for 8 - h o u r a v e r a g e concentrations. Exceedance value specified in Card Group 11 (EIGEX).
	ISW(15)	(col 30)		Switch to determine if a high-5 output table is to be prepared for 24-hour average concentrations. If =0, no high-5 table for 24-hour concentrations. If =1, prepare a high-5 table by receptor for 24 hour average concentrations.
	ISW(16)	(col 32)		Switch to determine if a Top-50 table is to be prepared for 24-hour average concentrations. If =0, no top-50 table for 24-hour concentrations. If =1, prepare a top-50 table for

Table 2-1 (continued)

User's Instructions for Creating the Card Image
Input File

<u>Card Group</u>	<u>Card No.</u>	<u>Parameter</u>	<u>Format</u>	<u>Description</u>
				24 - hour average concentrations.
	ISW(17)	(col 34)		Switch to determine if an exceedance table is to be prepared for 24-hour average concentrations. If =0, no exceedance table for 24-hour concentrations. If =1, prepare an exceedance table for 24-hour average concentrations. Exceedance value specified in Card Group 11 (TWYEX).
	ISW(18)	(col 36)		Switch to determine if a high-5 output table is to be prepared for annual average concentrations. If =0, no high-5 table for annual concentrations. If =1, prepare a high-5 table by receptor for annual average concentrations. Must input the number of days per year in Card Group 9.
	ISW(19)	(col 38)		Switch to determine if a Top-50 table is to be prepared for annual average concentrations. If =0, no top-50 table for annual concentrations. If =1, prepare a top-50 table for annual average concentrations.
	ISW(20)	(col 40)		Switch to determine if an exceedance table is to be prepared for annual average concentrations. If =0, no exceedance table for annual

Table 2-1 (continued)

User's Instructions for Creating the Card Image
Input File

<u>Card Group</u>	<u>Card No.</u>	<u>Parameter</u>	<u>Format</u>	<u>Description</u>
				concentrations. If =1, prepare an exceedance table for annual average concentrations. Exceedance value specified in Card Group 11 (ANNEX).
	ISW(21)	(col 42)		Switch to determine if a high-5 output table is to be prepared for user specified average concentrations. If =0, no high-5 table for user specified concentrations. If =1, prepare a high-5 table by receptor for user specified average concentrations.
	ISW(22)	(col 44)		Switch to determine if a Top-50 table is to be prepared for user specified average concentrations. If =0, no top-50 table for user specified concentrations. If =1, prepare a top-50 table for user specified average concentrations.
	ISW(23)	(col 46)		Switch to determine if an exceedance table is to be prepared for user specified average concentrations. If =0, no exceedance table for user specified concentrations. If =1, prepare an exceedance table for user specified average concentrations. Exceedance value specified in Card Group 11 (OTHEX).
	ISW(24)	(col 48)		Switch to determine whether

Table 2-1 (continued)

User's Instructions for Creating the Card Image
Input File

<u>Card Group</u>	<u>Card No.</u>	<u>Parameter</u>	<u>Format</u>	<u>Description</u>
				block averages or running averages are computed in all analyses. If =0, then block averages are computed. If =1, then running averages are computed.
		ISW(25)	(col 50)	Switch to determine if EPA calms policy is to be implemented. If =0, the calms policy is not implemented, if =1, the calms policy is implemented.
3	1	JULST	I5	Julian day for the start of the data on the tape from the SHORTZ run.
		IYR	I5	Year for the start of the data on the tape from the SHORTZ run. It can either be of the form 1986 or of the form 86 -- the program will use either.
4	1	[This card is only read if ISW(1)=1]		
		IDYST	I5	The Julian day for the start of the analysis.
		IYRST	I5	The year for the start of the analysis.
		IDYEND	I5	The Julian Day for the end of the analysis.
		IYREND	I5	The year for the end of the analysis.
5	[This card group is only read if ISW(2)=1]			
	1	NXINCL	I5	The number of X grid points to included in the analysis.

Table 2-1 (continued)

User's Instructions for Creating the Card Image
Input File

<u>Card Group</u>	<u>Card No.</u>	<u>Parameter</u>	<u>Format</u>	<u>Description</u>
	2	[This card is not read if NXINCL=0] [This card can be repeated as often as necessary to include all the X grid points]		
		XX	8F10.0	The X grid points to include in the analysis. Note, each X value to be used must be specified here. It is not possible to specify the starting x value and the increment for other values as it is in SHORTZ.
	3	[This card is not read if NXINCL=0]		
		NYINCL	8F10.0	The number of Y grid points to include in the analysis.
	4	[This card is not read if NXINCL=0] [This card can be repeated as often as necessary to include all the Y grid points]		
		YY	8F10.0	The Y grid points to be included in the analysis. (See note on format for X grid points above).
	5	NXYINC	I5	The number of discrete receptors to include in the analysis.
	6	[This card is not read if NXYINC=0] [This card can be repeated as often as necessary to include all the discrete receptors]		
		XDISCR	8F10.0	The x values for the discrete receptors.
	7	[This card is not read if NXYINC=0] [This card can be repeated as often as necessary to include all the discrete receptors]		
		YDISCR	8F10.0	The y values for the discrete receptors.
6	[This card group is only read if ISW(3)=1]			
	1	NSELIM	I5	The number of sources to

Table 2-1 (continued)

User's Instructions for Creating the Card Image
Input File

<u>Card Group</u>	<u>Card No.</u>	<u>Parameter</u>	<u>Format</u>	<u>Description</u> include in the run
	2	[This card is repeated NSELIM times]		
		K	I5	The source identification number of the source to be included in the run.
7	[This card group is not read if ISW(4)=0]			
	<u>If ISW(4)=1 the following format applies</u>			
	1	BACK	F10.0	The uniform background concentration to apply to all receptors.
	<u>If ISW(4)=2 the following format applies</u>			
	1	NUMDIS	I5	The number of receptors for which a background value is to be specified
	2	[This card is repeated NUMDIS times]		
		X1	F10.0	The x-coordinate of the receptor for background specification
		Y1	F10.0	The y-coordinate of the receptor for background specification
		VAL	F10.0	The background concentration to use for the identified receptor.
8	[This card group is not read if ISW(5)=0]			
	1	NSCALE	I5	The number of sources to scale
	2	[This card is repeated NSCALE times]		
		ISCALE	I5	The source identification number of the source to be scaled.
		SCALE	F10.0	The scaling value

Table 2-1 (continued)

User's Instructions for Creating the Card Image
Input File

<u>Card Group</u>	<u>Card No.</u>	<u>Parameter</u>	<u>Format</u>	<u>Description</u>
9	[This card group is only read if ISW(18), ISW(19) or ISW(20) =1]			
	1	NDYYR	I5	The number of days per year. (Note this value can be any desired number less than 366. For example, if the user desired a 30 day average value, the annual can be set to 30 days with this card.)
10	[This card group is only read if ISW(21), ISW(22) or ISW(23) =1]			
	1	IOTHER	I5	The averaging time to be specified by the user. (Number of hours)
11	1	[This card is not read if ISW(8)=0] ONEEX F10.0		
		The exceedance value for 1-hour concentrations		
	2	[This card is not read if ISW(11)=0] THREX F10.0		
		The exceedance value for 3-hour concentrations		
	3	[This card is not read if ISW(14)=0] EIGEX F10.0		
		The exceedance value for 8-hour concentrations		
	4	[This card is not read if ISW(17)=0] TWYEX F10.0		
		The exceedance value for 24-hour concentrations		
	5	[This card is not read if ISW(20)=0] ANNEX F10.0		
		The exceedance value for annual concentrations		
	6	[This card is not read if ISW(23)=0] OTHEX F10.0		
		The exceedance value for user specified average concentrations		

```
@CAT,P print-file(+1).
```

where print-file is a name specified for the output destination. This is an optional card which allows the output from the POSTZ run to be stored in a file on the disk for later access with an editor program. This structure is ideal for remote batch jobs.

```
@BRKPT PRINT$,print-file
```

This card is only included if the @CAT card is included. It redirects the output for the run to the file named in the @CAT command.

```
@ASG/options output-tape-file.,type,reel-number  
@USE 2,output-tape-file
```

These two cards specify the SHORTZ output tape. The parameter output-tape-file is a name used for the purposes of this run to identify the file on the tape used for input to the POSTZ run. The values of type and reel-number are the same as for the SHORTZ run which created the tape (see Chapter 1.0). As with the SHORTZ run, it is possible to use a specific file on a tape, rather than the entire tape as the above command would imply. If a specific file on the tape is to be read, the additional command shown below is needed:

```
@MOVE output-tape-file.,n
```

where n is the number of end-of-file marks to skip on the tape of the output file from the SHORTZ run.

```
@ASG,A program-file.
```

This card locates the program file and assigns it to the run. The actual name for the program file will be determined by the user and the system he is working on. To inquire regarding the means to obtain a copy of POSTZ or the proper program file name if using the National Computer Center, the user should contact the nearest regional office of EPA.

```
@ASG,A card-input-file.
```

This card is optional, depending on whether the card-image input file is included in the command runstream, or in a separate file. If in a separate file, the above command must be included, and card-input-file is the specification of the filename for the card-image input file.

```
@XQT program-file.ABS
```

This card actually begins execution of the program. The ABS

element for the file containing the program is assumed to be the relocatable (executable) program produced by the FORTRAN compiler. The user may have this file named differently than is assumed above. If the input data is located in a file, then the following statement is required:

```
@ADD card-input-file.
```

If the cards are to be included in the command runstream, the previous statement must not be included and the cards themselves occur here in the runstream in the order and format indicated in Table 2-1.

```
@BRKPT PRINT$  
@FREE print-file.
```

These cards are only included if the output has been redirected to a print file defined by the previous @CAT statement.

```
@FIN
```

This card terminates the run.

2.5 M-S DOS Operation of POSTZ

The MS-DOS version of the program is generally obtained on a floppy diskette. The program uses over 330 kilobytes of memory and is called POSTZ.EXE. Execution of the MS-DOS version of the program is accomplished by typing:

```
d:POSTZ
```

where d is the drive designator for the location of the program. The program will prompt the user for the name of the card-image input file (Table 2-1) and the SHORTZ output tape file. It will also ask for a new disk file name to be given to the output from the POSTZ program. The POSTZ program informs the user on the progress of the run by advising on the day and hour of data currently being processed. At the completion of the POSTZ run, the user can transfer the output to the line printer by typing COPY output-filename LPT1:

3.0 SAMPLE INPUT AND OUTPUT FILES

Sample input and output files have been taken from the User's Instructions for the SHORTZ Model. Essentially the same input file used in the test case for the SHORTZ Model has been used here, with two exceptions: the output tables from the test SHORTZ run are quite voluminous and not germane to the POSTZ development, so the control options have been shut off for the output, and the output tape selection has been made by setting KSW to 2 in Column 1 of Card 1. The input file from the SHORTZ run is included as Figure 3-1. The output file from the SHORTZ run has been included as Figure 3-2.

The POSTZ test run uses the output tape written by the SHORTZ program for the test case above as an input. The card-image input stream is depicted in Figure 3-3. The output file from the POSTZ run is depicted in Figure 3-4. These Figures were made from runs of the POSTZ Model on a COMPAQ DESKPRO computer, using MS-DOS Version 2.1. The Program was also tested on the NCC UNIVAC with this same test case and produced identical output values. The output results also match the values given in the User's Instructions for the SHORTZ Model.

Figure 3-1 Sample SHORTZ Input File

286	349	232	226	285	293	299	329
323	314	323	274	290	288	296	308
326							
317	363	364	265	238	232	226	226
232	286	235	293	296	311	274	290
323							
349	317	323	308	229	241	280	267
256	232	232	229	268	323	308	338
344							
329	347	320	235	258	311	286	280
280	302	280	229	226	254	314	335
344							

274.

.683

366.7

1 1 1 1 1

116 117 118 -117 -118

116 318.15 6043804488740 67.1 229 472 160.98 2.60

117 318.15 6043804488740 62.5 229 444 162.14 1.85

118 1260.00 6023304487800 229.0 229 411 881.46 3.20

0100	170	5.4017	953	283	.17	.0735	.1051	.0735	.1051
0200	190	6.6878	1068	284	.17	.0735	.1051	.0735	.1051
0300	210	10.0316	1184	285	.17	.0735	.1051	.0735	.1051
0400	220	9.7744	1299	285	.17	.0735	.1051	.0735	.1051
0500	245	8.2311	1415	283	.17	.0735	.1051	.0735	.1051
0600	255	9.2600	1530	282	.17	.0735	.1051	.0735	.1051
0700	255	9.7744	1645	280	.17	.0735	.1051	.0735	.1051
0800	250	10.2889	1598	280	.17	.0735	.1051	.0735	.1051
0900	250	9.0028	1551	280	.17	.0735	.1051	.0735	.1051
1000	250	8.4883	1504	279	.17	.0735	.1051	.0735	.1051
1100	250	8.2311	1457	279	.17	.0735	.1051	.0735	.1051
1200	250	7.2022	1410	279	.17	.0735	.1051	.0735	.1051
1300	250	9.2600	1363	279	.17	.0735	.1051	.0735	.1051
1400	250	7.7167	1316	278	.17	.0735	.1051	.0735	.1051
1500	255	6.6878	1269	278	.17	.0735	.1051	.0735	.1051
1600	260	6.1733	1221	277	.17	.0735	.1051	.0735	.1051
1700	260	7.7167	1174	276	.17	.0735	.1051	.0735	.1051
1800	265	6.6878	1127	276	.17	.0735	.1051	.0735	.1051
1900	260	7.7167	1080	275	.17	.0735	.1051	.0735	.1051
2000	250	6.6878	1033	275	.17	.0735	.1051	.0735	.1051
2100	250	5.9161	986	275	.17	.0735	.1051	.0735	.1051
2200	240	6.1733	939	275	.17	.0735	.1051	.0735	.1051
2300	260	6.1733	892	274	.17	.0735	.1051	.0735	.1051
0000	270	5.9161	845	274	.17	.0735	.1051	.0735	.1051

Figure 3-2 Sample SHORTZ Ouput File

SHORTZ (VERSION 82326)

AN AIR QUALITY DISPERSION MODEL IN
SECTION 2. NON-GUIDELINE MODELS,
IN UNAMAP (VERSION 5) DEC 82.

SOURCE: FILE 23 ON UNAMAP MAGNETIC TAPE FROM NTIS.

TABLE 1

- GENERAL INPUT DATA -

NUMBER OF INPUT SOURCES	(NSOURC) =	3
NUMBER OF X GRID COORDINATES	(NXPNTS) =	17
NUMBER OF Y GRID COORDINATES	(NYPNTS) =	15
TOTAL NUMBER OF HOURS IN EACH DAY	(NHOURLS) =	24
NUMBER OF DAYS OR CASES	(NDAYS) =	1
NUMBER OF CONCENTRATION REPORTS (SOURCE COMBINATIONS)	(NGROUP) =	5
NUMBER OF DISCRETE CALCULATION POINTS	(NXWYPT) =	1
MET DATA INPUT CARD RATE (1=HOURLY, 2=2 HOURLY, ETC)	(ISW(1)) =	1
IS CONCENTRATION CALCULATED AT BASE RATE PRINTED	(ISW(2)) =	0
NO. OF HOURS IN FIRST AVERAGE CONCENTRATION PRINTED	(ISW(3)) =	24
NO. OF HOURS IN SECOND AVERAGE CONCENTRATION PRINTED	(ISW(4)) =	0
NO. OF HOURS IN THIRD AVERAGE CONCENTRATION PRINTED	(ISW(5)) =	0
ARE TERRAIN ELEVATION HEIGHTS USED	(ISW(7)) =	1
IS WIND SPEED TERRAIN FOLLOWING	(ISW(9)) =	0
ARE CONCENTRATIONS AVERAGED OVER DAYS OR CASES	(ISW(11)) =	0
IS THE FORMAT FOR SOURCE DATA READ	(ISW(12)) =	0
IS COORDINATE SYSTEM CARTESIAN (=0) OR POLAR (=1)	(ISW(13)) =	0
ARE DISCRETE RECEPTORS CARTESIAN (=0) OR POLAR (=1)	(ISW(14)) =	0
ARE SOURCE COORDINATES CARTESIAN (=0) OR POLAR (=1)	(ISW(15)) =	0
SIGEPU SIGAPU FOR ALL SOURCES OPTION	(ISW(16)) =	0
RURAL/URBAN MODE OPTION (RURAL=0),(URBAN=1)	(ISW(17)) =	0
MODEL UNITS CONVERSION FACTOR	(TK) =	.10000000E+07
ACCELERATION OF GRAVITY	(G) =	9.8000 (METERS/SEC**2)
HEIGHT OF MEASUREMENT OF WIND SPEED, ETC	(ZR) =	6.0960 (METERS)
ENTRAINMENT COEFFICIENT FOR UNSTABLE ATMOSPHERE	(GAMMA1) =	.600
ENTRAINMENT COEFFICIENT FOR STABLE ATMOSPHERE	(GAMMA2) =	.560
DISTANCE OVER WHICH RECTILINEAR PLUME EXPANSION OCCURS	(XRY) =	50.0000 (METERS)
DECAY COEFFICIENT FOR PHYSICAL OR CHEMICAL DEPLETION	(DECAY) =	.00000000E+00
ANGULAR DISPL OF GRID SYSTEM FROM TRUE NORTH	(ROTATE) =	.683
ELEVATION OF BASE OF WEATHER STATION	(HA) =	366.70 (METERS)
X ORIGIN OF POLAR COORDINATES	(UTMX) =	.00 (METERS)
Y ORIGIN OF POLAR COORDINATES	(UTMY) =	.00 (METERS)

- COORDINATE SYSTEM X AXIS (METERS) *-*

.50200000E+06, .50300000E+06, .50400000E+06, .50450000E+06, .50500000E+06, .50550000E+06, .50600000E+06, .50650000E+06,
 .50700000E+06, .50750000E+06, .50800000E+06, .50850000E+06, .50900000E+06, .50950000E+06, .51000000E+06, .51100000E+06,
 .51200000E+06,

- COORDINATE SYSTEM Y AXIS (METERS) *-*

.44870000E+07, .44880000E+07, .44885000E+07, .44890000E+07, .44895000E+07, .44900000E+07, .44905000E+07, .44910000E+07,
 .44915000E+07, .44920000E+07, .44930000E+07, .44940000E+07, .44950000E+07, .44960000E+07, .44970000E+07,

- COORDINATES OF DISCRETE POINTS (METERS,METERS) *-*

(X,Y) = (505167.0, 4489107.0), (

TABLE 1 (CONT)

- GENERAL INPUT DATA -

NUMBER OF SOURCES IN EACH CONCENTRATION REPORT GROUP 1 TO 5 = 1, 1, 1, 1, 1,
SOURCE NUMBERS FOR EACH OF THE ABOVE GROUPS = 116, 117, 118, -117, -118,

TABLE 2

- GENERAL INPUT DATA -

- GRID SYSTEM TERRAIN HEIGHTS (METERS) *-*

- GRID SYSTEM X AXIS (METERS) -									
602000.000	603000.000	604000.000	604500.000	605000.000	605500.000	606000.000	606500.000	607000.000	
- HEIGHT -									
Y AXIS (METERS)									
4497000.000	329.0000000	347.0000000	320.0000000	235.0000000	258.0000000	311.0000000	286.0000000	280.0000000	280.0000000
4496000.000	349.0000000	317.0000000	323.0000000	308.0000000	229.0000000	241.0000000	280.0000000	267.0000000	256.0000000
4495000.000	317.0000000	363.0000000	364.0000000	265.0000000	238.0000000	232.0000000	226.0000000	226.0000000	222.0000000
4494000.000	286.0000000	349.0000000	232.0000000	226.0000000	285.0000000	293.0000000	299.0000000	329.0000000	323.0000000
4493000.000	305.0000000	244.0000000	229.0000000	250.0000000	305.0000000	274.0000000	268.0000000	296.0000000	300.0000000
4492000.000	311.0000000	344.0000000	226.0000000	244.0000000	286.0000000	296.0000000	229.0000000	299.0000000	290.0000000
4491500.000	326.0000000	317.0000000	229.0000000	238.0000000	268.0000000	235.0000000	286.0000000	305.0000000	332.0000000
4491000.000	335.0000000	320.0000000	226.0000000	235.0000000	258.0000000	244.0000000	293.0000000	326.0000000	328.0000000
4490500.000	354.0000000	280.0000000	226.0000000	232.0000000	229.0000000	282.0000000	296.0000000	335.0000000	320.0000000
4490000.000	338.0000000	308.0000000	232.0000000	229.0000000	229.0000000	290.0000000	323.0000000	290.0000000	280.0000000
4489500.000	288.0000000	296.0000000	290.0000000	226.0000000	232.0000000	229.0000000	238.0000000	244.0000000	250.0000000
4489000.000	241.0000000	308.0000000	253.0000000	226.0000000	238.0000000	268.0000000	314.0000000	262.0000000	274.0000000
4488500.000	250.0000000	259.0000000	230.0000000	226.0000000	262.0000000	282.0000000	320.0000000	370.0000000	274.0000000
4488000.000	230.0000000	230.0000000	226.0000000	229.0000000	274.0000000	349.0000000	360.0000000	305.0000000	366.0000000
4487000.000	358.0000000	347.0000000	317.0000000	341.0000000	375.0000000	396.0000000	332.0000000	351.0000000	327.0000000

- GRID SYSTEM X AXIS (METERS) -									
607500.000	608000.000	608500.000	609000.000	609500.000	610000.000	611000.000	612000.000		
- HEIGHT -									
Y AXIS (METERS)									
4497000.000	302.0000000	290.0000000	229.0000000	226.0000000	254.0000000	314.0000000	335.0000000	344.0000000	
4496000.000	232.0000000	232.0000000	229.0000000	268.0000000	323.0000000	308.0000000	338.0000000	344.0000000	
4495000.000	296.0000000	235.0000000	293.0000000	296.0000000	311.0000000	274.0000000	290.0000000	322.0000000	
4494000.000	314.0000000	323.0000000	274.0000000	290.0000000	288.0000000	296.0000000	308.0000000	326.0000000	
4493000.000	274.0000000	290.0000000	271.0000000	290.0000000	286.0000000	317.0000000	320.0000000	396.0000000	
4492000.000	399.0000000	349.0000000	305.0000000	283.0000000	283.0000000	293.0000000	360.0000000	362.0000000	
4491500.000	369.0000000	363.0000000	360.0000000	354.0000000	290.0000000	320.0000000	369.0000000	335.0000000	
4491000.000	223.0000000	320.0000000	379.0000000	372.0000000	372.0000000	277.0000000	344.0000000	329.0000000	
4490500.000	290.0000000	323.0000000	215.0000000	354.0000000	311.0000000	314.0000000	290.0000000	295.0000000	
4490000.000	274.0000000	265.0000000	311.0000000	355.0000000	354.0000000	347.0000000	335.0000000	360.0000000	
4489500.000	241.0000000	329.0000000	293.0000000	347.0000000	354.0000000	360.0000000	372.0000000	366.0000000	
4489000.000	250.0000000	280.0000000	363.0000000	329.0000000	293.0000000	347.0000000	314.0000000	366.0000000	
4488500.000	250.0000000	241.0000000	305.0000000	286.0000000	326.0000000	372.0000000	335.0000000	381.0000000	
4488000.000	317.0000000	296.0000000	247.0000000	280.0000000	366.0000000	354.0000000	373.0000000	320.0000000	
4487000.000	305.0000000	280.0000000	381.0000000	300.0000000	256.0000000	286.0000000	305.0000000	375.0000000	

TABLE 2 (CONT)

- GENERAL INPUT DATA -

** DISCRETE POINT TERRAIN HEIGHTS (METERS) **

X (METERS)	Y (METERS)	HEIGHT	X (METERS)	Y (METERS)	HEIGHT	X (METERS)	Y (METERS)	HEIGHT
---------------	----------------	--------	---------------	----------------	--------	---------------	----------------	--------

605167.0	4489107.0	274.0000000						
----------	-----------	-------------	--	--	--	--	--	--

TABLE 3

- SOURCE INPUT DATA -

- SOURCE INVENTORY -

C T	SOURCE T	SOURCE	X	Y	HEIGHT	IF TYPE=0	IF TYPE=0	ANGLE	STACK	ELEVATION	PARTICULATE DISTRIBUTION
A A	NUMBER Y	STRENGTH	COORDINATE	COORDINATE	ABOVE	TEMP (DEG K)	VOL. EMISS.	TO	INNER	AT	SETTLING FREQUENCY
R P		P(GRAMS/SEC)	(METERS)	(METERS)	GROUND	IF TYPE=10R2	RT. M**3/SEC	LONG	RADIUS	STACK	VELOCITY
D E	E				(METERS)	LENGTH SHORT	IF TYPE=10R2	SIDE	(METERS)	BASE	(METERS/SEC)
						SIDE (MTRS)	LENGTH LONG	(DEG)		(METERS)	OCCURRENCE
							SIDE (MTRS)				(FRACTION)

X	116 0	318.150	604380.00	4488740.00	67.10	472.000	160.980	.0	2.600	229.00	
X	117 0	318.150	604380.00	4488740.00	62.50	444.000	162.140	.0	1.850	229.00	
X	118 0	1260.000	602330.00	4487800.00	229.00	411.000	881.460	.0	3.200	229.00	

TABLE 4

- METEOROLOGICAL INPUT DATA -

HOUR	WIND DIRECTION (DEGREES) THETA	WIND SPEED (MTR/SEC) UBAR	LAYER DEPTH (METERS) HM	AMBIENT TEMP (DEG K) TA	VERT GRAD OF POT (DEG K/M) DPDZ	STAB TMP CAT. ISTBLE	WND SPD POWER LAW EXPONENT P	STD DEV EL ANGLE, SOR TYPE 0 SIGEPU(RAD)	STD DEV AZ ANGLE, SOR TYPE 0 SIGAPU(RAD)	STD DEV EL ANGLE, SOR TYPE 10R2 SIGEPL(RAD)	STD DEV AZ ANGLE, SOR TYPE 10R2 SIGAPL(RAD)	LATERAL DIFFUSION COEFFICIENT ALPHA
100	170.0000	5.4017	953.000	283.000	.0000		.1700	.0735000	.1051000	.0735000	.1051000	.9000
200	190.0000	6.6878	1068.000	284.000	.0000		.1700	.0735000	.1051000	.0735000	.1051000	.9000
300	210.0000	10.0316	1184.000	285.000	.0000		.1700	.0735000	.1051000	.0735000	.1051000	.9000
400	220.0000	9.7744	1299.000	285.000	.0000		.1700	.0735000	.1051000	.0735000	.1051000	.9000
500	245.0000	8.2311	1415.000	283.000	.0000		.1700	.0735000	.1051000	.0735000	.1051000	.9000
600	255.0000	9.2600	1530.000	282.000	.0000		.1700	.0735000	.1051000	.0735000	.1051000	.9000
700	255.0000	9.7744	1645.000	280.000	.0000		.1700	.0735000	.1051000	.0735000	.1051000	.9000
800	250.0000	10.2889	1598.000	280.000	.0000		.1700	.0735000	.1051000	.0735000	.1051000	.9000
900	250.0000	9.0028	1551.000	280.000	.0000		.1700	.0735000	.1051000	.0735000	.1051000	.9000
1000	250.0000	8.4883	1504.000	279.000	.0000		.1700	.0735000	.1051000	.0735000	.1051000	.9000
1100	250.0000	8.2311	1457.000	279.000	.0000		.1700	.0735000	.1051000	.0735000	.1051000	.9000
1200	250.0000	7.2022	1410.000	279.000	.0000		.1700	.0735000	.1051000	.0735000	.1051000	.9000
1300	250.0000	9.2600	1363.000	279.000	.0000		.1700	.0735000	.1051000	.0735000	.1051000	.9000
1400	250.0000	7.7167	1316.000	278.000	.0000		.1700	.0735000	.1051000	.0735000	.1051000	.9000
1500	255.0000	6.6878	1269.000	278.000	.0000		.1700	.0735000	.1051000	.0735000	.1051000	.9000
1600	260.0000	6.1733	1221.000	277.000	.0000		.1700	.0735000	.1051000	.0735000	.1051000	.9000
1700	260.0000	7.7167	1174.000	276.000	.0000		.1700	.0735000	.1051000	.0735000	.1051000	.9000
1800	265.0000	6.6878	1127.000	276.000	.0000		.1700	.0735000	.1051000	.0735000	.1051000	.9000
1900	260.0000	7.7167	1080.000	275.000	.0000		.1700	.0735000	.1051000	.0735000	.1051000	.9000
2000	250.0000	6.6878	1033.000	275.000	.0000		.1700	.0735000	.1051000	.0735000	.1051000	.9000
2100	250.0000	5.9161	986.000	275.000	.0000		.1700	.0735000	.1051000	.0735000	.1051000	.9000
2200	240.0000	6.1733	939.000	275.000	.0000		.1700	.0735000	.1051000	.0735000	.1051000	.9000
2300	260.0000	6.1733	892.000	274.000	.0000		.1700	.0735000	.1051000	.0735000	.1051000	.9000
0	270.0000	5.9161	845.000	274.000	.0000		.1700	.0735000	.1051000	.0735000	.1051000	.9000

TABLE 5

24 HOUR GROUND LEVEL CONCENTRATION (MICROGRAMS/CUBIC METER) FROM SOURCES 116

- HOUR(S) 0 TO 2300 -

- GRID SYSTEM X AXIS (METERS) -

(THE MAXIMUM CONCENTRATION IS 703.9803000 AT X= 605000.0, Y=4489000.0)

602000.000 603000.000 604000.000 604500.000 605000.000 605500.000 606000.000 606500.000 607000.000
 Y AXIS (METERS) - CONCENTRATION -

4497000.000	.5925970	1.5044350	.2215371	.2029481	.8092649	1.6497090	1.5834970	.7528650	.1957660
4496000.000	.3250352	1.9542720	.3437609	.2930565	1.2350180	2.2151770	1.5886710	.4777890	.1430093
4495000.000	.1003984	2.3557710	.5860771	.4359421	1.9995920	2.8550010	1.2547620	.2413343	.4718212
4494000.000	.0107155	2.1938170	.9932383	.5869537	3.4535380	3.3057270	.6900617	.5326683	.1240870
4493000.000	.0001398	1.0225120	2.0061160	1.2503640	6.0568220	2.6153250	.6121413	2.7726070	3.2921000
4492000.000	.0000000	.1291423	4.5009410	2.6044530	9.5372980	1.1373510	4.5135740	5.2521950	1.8503420
4491500.000	.0000000	.0104869	6.9260990	4.0643040	9.9648290	2.2496440	8.0388390	6.9329140	3.3992300
4491000.000	.0000000	.0001106	9.6898230	6.8793920	7.4840510	9.0961670	10.4509100	5.5114570	1.1425100
4490500.000	.0000000	.0000000	10.3085100	12.7106900	3.7723870	18.4789900	10.1667100	2.4862360	11.5944300
4490000.000	.0000000	.0000000	4.0858920	24.4354800	23.5652100	23.2355400	8.7312210	36.0789500	71.5564900
4489500.000	.0000000	.0000000	.0795788	26.5601800	54.1037000	31.3449100	176.5287000	192.4516000	123.0640000
4489000.000	.0000000	.0000000	.0000000	2.0146020	703.9803000	490.3597000	222.5909000	96.9382000	57.1597600
4488500.000	.0000000	.0000000	.0000000	.0000000	.0004179	1.1893320	5.6338900	7.7552720	6.6504450
4488000.000	.0000000	.0000000	.0000000	.0000000	.0000000	.0000000	.0000022	.0005458	.0120160
4487000.000	.0000000	.0000000	.0000000	.0000000	.0000000	.0000000	.0000000	.0000000	.0000000

- GRID SYSTEM X AXIS (METERS) -

(THE MAXIMUM CONCENTRATION IS 703.9803000 AT X= 605000.0, Y=4489000.0)

607500.000 608000.000 608500.000 609000.000 609500.000 610000.000 611000.000 612000.000
 Y AXIS (METERS) - CONCENTRATION -

4497000.000	.1205282	.3690108	.7620249	.9642982	.8712346	.7558341	.8099805	.4795285
4496000.000	.4177227	.9779685	1.2349760	1.0731000	.9768595	1.0377040	.6650574	.1539801
4495000.000	1.3120880	1.6332830	1.3763450	1.3519490	1.3465440	.9755375	.1934258	.1341339
4494000.000	2.2635730	1.8939370	1.9466140	1.5292850	.7420271	.2520663	.2905229	1.0955530
4493000.000	2.9139360	2.5960250	1.2115910	.3447785	.2888307	.7725706	2.3680250	3.7925540
4492000.000	2.2827470	.5253664	.9010550	2.4378300	4.1883640	5.7801790	9.9890360	13.5326400
4491500.000	.7158939	1.8991570	4.7386790	7.4601800	10.3277900	14.0069900	19.1290900	17.5970500
4491000.000	4.4014030	9.5842400	14.8854800	21.3618900	26.7578700	28.3180900	23.1297100	15.9462500
4490500.000	22.4247200	36.0867500	45.3380200	44.9431600	38.2156300	30.4879400	19.2423800	13.2881100
4490000.000	37.2356100	73.9470800	55.4491100	40.6044500	30.7198900	24.1052800	15.9505300	10.9282900
4489500.000	77.3923500	55.7816800	39.3820900	29.2389300	21.9905100	16.8919300	10.5752900	7.1162450
4489000.000	34.9214000	24.8581000	18.4492000	13.7789600	10.5927400	8.5643200	5.7936580	4.2427380
4488500.000	5.9596820	5.3525480	5.1360030	4.4392390	3.9732790	3.5169310	2.7542090	2.2460310
4488000.000	.0546519	.1355394	.2301360	.3511621	.4662012	.5462136	.6486255	.6844387
4487000.000	.0000000	.0000000	.0000002	.0000041	.0000330	.0001659	.0014541	.0058393

TABLE 5 (CONT)

24 HOUR GROUND LEVEL CONCENTRATION (MICROGRAMS/CUBIC METER) FROM SOURCES 116

- HOUR(S) 0 TO 2300 -

- DISCRETE POINT RECEPTORS -

(THE MAXIMUM CONCENTRATION IS, 719.1874000 AT X= 605167.0, Y=4489107.0)

X (METERS)	Y (METERS)	CONCENTRATION	X (METERS)	Y (METERS)	CONCENTRATION	X (METERS)	Y (METERS)	CONCENTRATION
605167.0	4489107.0	719.1874000						

TABLE 6

24 HOUR GROUND LEVEL CONCENTRATION (MICROGRAMS/CUBIC METER) FROM SOURCES 117

- HOUR(S) 0 TO 2300 -

- GRID SYSTEM X AXIS (METERS) -

(THE MAXIMUM CONCENTRATION IS 216.5484000 AT X= 605500.0, Y=4489000.0)

Y AXIS (METERS)	602000.000	603000.000	604000.000	604500.000	605000.000	605500.000	606000.000	606500.000	607000.000
	- CONCENTRATION -								

4497000.000	.5840322	1.4828680	.2146315	.1615749	.6288304	1.2922060	1.2360030	.5874428	.155455
4496000.000	.3203222	1.9250540	.3346512	.2346455	.9492611	1.7073390	1.2343310	.3717966	.1279575
4495000.000	.0988631	2.3213540	.5734432	.3430317	1.5264980	2.1777650	.9569063	.1963373	.458650
4494000.000	.0105380	2.1602910	.9705455	.5254368	2.6471320	2.5434830	.5392794	.5246304	1.934782
4493000.000	.0001374	1.0023660	1.9604090	.9396726	4.6258500	1.9679630	.5648772	2.7292520	2.250991
4492000.000	.0000000	.1268465	4.3821580	1.8483790	6.9935610	.9255843	4.1460890	5.1488360	4.697100
4491500.000	.0000000	.0102633	6.7157480	2.7222210	6.9393590	1.9615770	7.6763530	6.7776840	3.387017
4491000.000	.0000000	.0001079	9.3189390	4.1925190	4.8390230	7.8298220	9.9173630	5.4485790	.957944
4490500.000	.0000000	.0000000	9.7613190	6.4423120	2.3080330	16.3799900	9.5169190	1.9119500	8.7907060
4490000.000	.0000000	.0000000	3.7404190	7.9690680	13.3092200	19.8600300	6.1210470	27.0237800	59.422250
4489500.000	.0000000	.0000000	.0689247	1.8308670	16.7915200	12.9612100	109.0088000	138.9838000	95.190950
4489000.000	.0000000	.0000000	.0000000	.0000014	41.7861600	216.5484000	156.8864000	63.3541500	40.6658900
4488500.000	.0000000	.0000000	.0000000	.0000000	.0000538	.5913732	3.8970960	6.0713320	4.836996
4488000.000	.0000000	.0000000	.0000000	.0000000	.0000000	.0000000	.0000016	.0004690	.009472
4487000.000	.0000000	.0000000	.0000000	.0000000	.0000000	.0000000	.0000000	.0000000	.0000000

- GRID SYSTEM X AXIS (METERS) -

(THE MAXIMUM CONCENTRATION IS 216.5484000 AT X= 605500.0, Y=4489000.0)

Y AXIS (METERS)	607500.000	608000.000	608500.000	609000.000	609500.000	610000.000	611000.000	612000.000
	- CONCENTRATION -							

4497000.000	.1150303	.3662494	.7521905	.9521827	.8637392	.7544968	.8096063	.4794340
4496000.000	.4096686	.9619373	1.2152960	1.0632890	.9753856	1.0347220	.6647487	.1527778
4495000.000	1.2995060	1.6006310	1.3666630	1.3436700	1.3420590	.9668295	.1903371	.1032366
4494000.000	2.2527070	1.9883940	1.9192530	1.5154350	.7354209	.2462026	.2182376	.3272409
4493000.000	2.8488630	2.5593260	1.1878810	.3303909	.2248282	.5794514	1.8588020	3.2477819
4492000.000	2.2813640	.4903683	.6732105	1.8319390	3.2802450	4.7972110	9.9227020	12.9278900
4491500.000	.6442634	1.4357500	3.6918760	6.1586300	8.8994750	12.5591900	17.4358900	15.9378500
4491000.000	3.2892370	7.5257510	12.9623100	19.2873900	24.3718700	25.2739100	20.3776100	14.1755200
4490500.000	18.4208900	32.0906000	40.6405300	40.7618100	34.1396900	27.0921400	16.6419900	11.2396900
4490000.000	74.0384400	52.9497000	48.5968200	35.6159700	26.4697500	20.4153800	13.0948200	8.9330140
4489500.000	59.6277000	46.1479800	31.5282300	23.8167400	17.8261500	13.6433500	8.4997210	5.6953920
4489000.000	25.0575900	18.7355900	14.6463000	10.8235500	8.2446820	6.7851320	4.5713420	3.3774980
4488500.000	4.3904240	4.0098480	3.9984690	3.4562500	3.1392980	2.8085160	2.1907600	1.7971560
4488000.000	.0421786	.1047905	.1766849	.2744120	.3728145	.4362422	.5200560	.5465428
4487000.000	.0000000	.0000000	.0000002	.0000032	.0000258	.0001311	.0011658	.0046919

TABLE 6 (CONT)

24 HOUR GROUND LEVEL CONCENTRATION (MICROGRAMS/CUBIC METER) FROM SOURCES 117

- HOUR(S) 0 TO 2300 -

- DISCRETE POINT RECEPTORS -

(THE MAXIMUM CONCENTRATION IS, 227.1076000 AT X= 605167.0, Y=4489107.0)

X (METERS)	Y (METERS)	CONCENTRATION	X (METERS)	Y (METERS)	CONCENTRATION	X (METERS)	Y (METERS)	CONCENTRATION
---------------	----------------	---------------	---------------	----------------	---------------	---------------	----------------	---------------

605167.0	4489107.0	227.1076000						
----------	-----------	-------------	--	--	--	--	--	--

TABLE 7

24 HOUR GROUND LEVEL CONCENTRATION (MICROGRAMS/CUBIC METER) FROM SOURCES 118

- HOUR(S) 0 TO 2300 -

- GRID SYSTEM X AXIS (METERS) -

(THE MAXIMUM CONCENTRATION IS 65.3336300 AT X= 606000.0, Y=4489000.0)

502000.000 603000.000 604000.000 604500.000 605000.000 605500.000 606000.000 606500.000 607000.000
 Y AXIS (METERS) - CONCENTRATION -

4497000.000	.3135576	1.1191820	2.4490670	1.3766790	.4973253	.1563836	.2596268	.7094654	1.269761
4496000.000	.4302749	1.5187040	2.5337910	1.0875440	.2505524	.2450550	.7960175	1.5226540	1.797777
4495000.000	.5746663	2.3235350	2.3928300	.5726251	.2453905	.8452041	1.8052000	2.1243720	1.8221500
4494000.000	.7817338	3.3899610	1.2991400	.2889899	.9876341	2.4715770	2.9515600	2.4768090	2.530560
4493000.000	1.2206600	3.7246600	.5328916	.9622607	3.2909870	3.4518580	3.0046340	3.2693050	2.391691
4492000.000	1.9315820	6.4932910	.7938274	3.6616540	4.4052410	4.3743300	3.1393580	1.5182350	1.121592
4491500.000	2.3091350	5.8106370	2.0385550	4.4751840	4.5382950	3.7920220	1.7906620	.4858125	.9882267
4491000.000	2.6643630	4.8580160	3.7374360	4.2439250	4.7512300	1.8459250	.5377139	1.4648860	3.971211
4490500.000	2.9568150	1.8521610	3.9000510	4.3490660	1.8716770	.6002166	2.3016290	6.6225160	10.919150
4490000.000	1.4772880	.6725184	3.3761590	1.7218000	.4834537	3.7874290	11.1454100	19.0566000	29.1677500
4489500.000	.0689084	.5232643	2.1860000	.4017198	3.7743600	12.9386800	29.6034100	43.2896300	47.094040
4489000.000	.0000054	.6161535	.2956836	4.4699620	23.8142900	50.7727500	65.3336300	44.5826300	39.261280
4488500.000	.0000000	.0001355	2.7162780	12.3209900	28.6942000	35.0744900	39.9559200	41.1220700	24.6059900
4488000.000	.0000000	.0000000	.2453971	1.8873240	7.8827760	17.9980300	18.0238400	12.8005000	14.423670
4487000.000	.0000000	.0000000	.0000000	.0000166	.0016618	.0189031	.0523170	.1466552	.305695

- GRID SYSTEM X AXIS (METERS) -

(THE MAXIMUM CONCENTRATION IS 65.3336300 AT X= 606000.0, Y=4489000.0)

607500.000 608000.000 608500.000 609000.000 609500.000 610000.000 611000.000 612000.000
 Y AXIS (METERS) - CONCENTRATION -

4497000.000	1.5469320	1.3850730	1.1540450	1.1603670	1.2592300	1.2547480	.6689617	.1272152
4496000.000	1.5470840	1.3814250	1.4639680	1.5267730	1.3030820	.8503131	.2135680	.1101346
4495000.000	1.9263260	1.8645220	1.7182410	1.1378530	.5829611	.2401789	.1625615	.8552070
4494000.000	2.4063330	1.6419410	.7519130	.2978919	.1623062	.2902096	1.1545400	2.3772560
4493000.000	1.0286170	.3459035	.2472275	.5895145	1.2517220	2.1714160	3.9261340	5.7273220
4492000.000	.6079088	1.5147780	2.7660580	4.0587530	5.4021010	5.9989530	11.7122400	15.7295000
4491500.000	2.5406560	4.5690850	6.5648190	8.7079200	10.7005000	14.1991300	19.9945200	29.3542400
4491000.000	5.6531310	9.5975520	14.7412200	19.3742300	23.5744100	23.9203200	25.0618100	20.4360300
4490500.000	15.9165200	24.2241200	29.9472900	34.3427500	32.2480800	29.8619100	22.4374800	17.0261600
4490000.000	37.3819400	39.6715300	40.9504600	37.9937100	31.9081800	26.6182000	19.3672900	15.5222100
4489500.000	41.7538000	42.7579900	32.9927600	29.9173700	25.5605900	22.1635100	17.1780000	13.4967000
4489000.000	30.9936600	28.7169900	28.5403300	22.9327100	18.6185700	17.1673000	12.4156800	10.0756900
4488500.000	19.6042800	16.4967900	16.3192200	13.4202300	12.2871700	11.2341000	8.3089940	6.9537420
4488000.000	11.0185600	9.3390420	7.5187000	7.3496350	7.6490470	6.7862250	5.7677610	4.6890510
4487000.000	.3644837	.4713520	.7421083	.7505662	.7901366	.9259540	1.0948520	1.2943520

TABLE 7 (CONT)

24 HOUR GROUND LEVEL CONCENTRATION (MICROGRAMS/CUBIC METER) FROM SOURCES 119

- HOUR(S) 0 TO 2300 -

- DISCRETE POINT RECEPTORS -

(THE MAXIMUM CONCENTRATION IS, 32.5627500 AT X= 605167.0, Y=4489107.0)

X (METERS)	Y (METERS)	CONCENTRATION	X (METERS)	Y (METERS)	CONCENTRATION	X (METERS)	Y (METERS)	CONCENTRATION
605167.0	4489107.0	32.5627500						

TABLE 8

24 HOUR GROUND LEVEL CONCENTRATION (MICROGRAMS/CUBIC METER) FROM SOURCES 116 -117

- HOUR(S) 0 TO 2300 -

- GRID SYSTEM X AXIS (METERS) -

(THE MAXIMUM CONCENTRATION IS 745.7665000 AT X= 605000.0, Y=4489000.0)

602000.000 603000.000 604000.000 604500.000 605000.000 605500.000 606000.000 606500.000 607000.000
 Y AXIS (METERS) - CONCENTRATION -

4497000.000	1.1766290	2.9873030	.4361686	.3645229	1.4380950	2.9419150	2.8195000	1.3403080	.3512210
4496000.000	.6453575	3.8793260	.6784121	.5277020	2.1842790	3.9225160	2.8230010	.8495857	.2709569
4495000.000	.1992616	4.6771250	1.1595200	.7789738	3.5260900	5.0327660	2.2116590	.4376717	.9304715
4494000.000	.0212535	4.3541080	1.9637840	1.2123910	6.1006700	5.8492090	1.2293410	1.0572990	3.6755520
4493000.000	.0002772	2.0248780	3.9665250	2.1900370	10.6826700	4.5832890	1.1770190	5.5018590	6.5431190
4492000.000	.0000000	.2559888	8.3831010	4.4528310	16.5308600	2.0629360	8.6596630	10.4110200	9.5474400
4491500.000	.0000000	.0207502	13.6418500	6.7865250	16.9041900	4.2112210	15.7151900	13.7106000	5.7863470
4491000.000	.0000000	.0002185	19.0087600	11.0719100	12.3230700	16.9259900	20.3682800	10.9600400	2.1005590
4490500.000	.0000000	.0000000	20.0698300	19.1530000	6.0804200	34.8598800	19.6836300	4.2981950	20.3851300
4490000.000	.0000000	.0000000	7.8263110	32.4045500	36.8754300	43.0955700	14.8522700	63.1027500	130.9787000
4489500.000	.0000000	.0000000	.1485035	28.3910400	70.8952200	44.3061200	285.5375000	331.4354000	219.0550000
4489000.000	.0000000	.0000000	.0000000	2.0146030	745.7665000	706.9080000	379.4773000	150.2924000	97.9255500
4488500.000	.0000000	.0000000	.0000000	.0000000	.0004718	1.7807050	9.5309860	13.8266000	11.4874400
4488000.000	.0000000	.0000000	.0000000	.0000000	.0000000	.0000000	.0000038	.0011158	.0214899
4487000.000	.0000000	.0000000	.0000000	.0000000	.0000000	.0000000	.0000000	.0000000	.0000000

- GRID SYSTEM X AXIS (METERS) -

(THE MAXIMUM CONCENTRATION IS 745.7665000 AT X= 605000.0, Y=4489000.0)

607500.000 608000.000 608500.000 609000.000 609500.000 610000.000 611000.000 612000.000
 Y AXIS (METERS) - CONCENTRATION -

4497000.000	.2355585	.7352602	1.5142150	1.9164810	1.7349740	1.5103310	1.6195870	.9599626
4496000.000	.9273913	1.9399060	2.4502710	2.1363890	1.9522450	2.0724260	1.3299060	.3067579
4495000.000	2.6115930	3.2339130	2.7430080	2.6956190	2.6886030	1.9423670	.3837628	.2373706
4494000.000	4.5162800	2.7823300	3.8658660	3.0447210	1.4777480	.4982688	.5093615	1.9329040
4493000.000	5.7627990	5.1553510	2.3994720	.6751694	.5136589	1.3520220	4.2268270	7.0413350
4492000.000	4.5541110	1.0157350	1.5742650	4.2697700	7.4686090	10.5773900	19.8117400	25.3714700
4491500.000	1.3601570	3.3349060	8.4305550	13.6188100	19.2272600	26.5661900	36.5649700	32.5349200
4491000.000	7.6906390	17.2099900	27.8477900	40.6492800	51.1297400	53.5920100	44.0063200	30.1217700
4490500.000	40.8456100	68.1773400	85.9785600	85.7049800	72.3553200	57.5800700	35.8843500	24.5278000
4490000.000	151.2740000	136.8968000	104.0459000	76.2204100	57.1896500	44.5206700	28.9453500	19.9613000
4489500.000	137.0201000	101.9296000	70.9103200	53.0556700	39.8166500	30.5352700	19.0750200	12.8116400
4489000.000	59.9789900	43.5936900	33.0955000	24.6025200	18.8374300	15.3494500	10.3650000	7.6202350
4488500.000	10.3501100	9.3623940	9.1344720	7.8954890	7.1125770	6.3254470	4.9449700	4.0431970
4488000.000	.0968305	.2403299	.4068209	.6255742	.8390156	.9824557	1.1686820	1.2309810
4487000.000	.0000000	.0000000	.0000004	.0000073	.0000588	.0002971	.0026299	.0105312

TABLE 8 (CONT)

24 HOUR GROUND LEVEL CONCENTRATION (MICROGRAMS/CUBIC METER) FROM SOURCES 116 -117

- HOUR(S) 0 TO 2300 -

- DISCRETE POINT RECEPTORS -

(THE MAXIMUM CONCENTRATION IS, 946.2949000 AT X= 605167.0, Y=4489107.0)

X (METERS)	Y (METERS)	CONCENTRATION	X (METERS)	Y (METERS)	CONCENTRATION	X (METERS)	Y (METERS)	CONCENTRATION
---------------	----------------	---------------	---------------	----------------	---------------	---------------	----------------	---------------

605167.0	4489107.0	946.2949000						
----------	-----------	-------------	--	--	--	--	--	--

TABLE 9

24 HOUR GROUND LEVEL CONCENTRATION (MICROGRAMS/CUBIC METER) FROM SOURCES 116 -118

- HOUR(S) 0 TO 2300 -

- GRID SYSTEM X AXIS (METERS) -

(THE MAXIMUM CONCENTRATION IS 769.5807000 AT X= 605000.0, Y=4489000.0)

602000.000 603000.000 604000.000 604500.000 605000.000 605500.000 606000.000 606500.000 607000.000
 Y AXIS (METERS) - CONCENTRATION -

4497000.000	1.4901870	4.1064860	2.8852360	1.7412020	1.9354210	3.0982990	3.0791260	2.0427730	1.620982
4496000.000	1.0756320	5.3980290	3.2122040	1.6152460	2.4348310	4.1675710	3.6190190	2.3722400	2.0687440
4495000.000	.7739279	7.0006590	3.5523500	1.3515990	3.7714800	5.8779710	4.0168690	2.5620440	2.7525210
4494000.000	.8029872	7.7440680	3.2629240	1.5013800	7.0883040	8.3207860	4.0809010	3.5341080	5.205213
4493000.000	1.2209370	5.7495380	4.4994160	3.1522970	13.9736600	8.0351470	4.1816530	2.7711640	9.924809
4492000.000	1.8315820	6.7492790	9.6769280	8.1144850	20.9361000	6.4372650	11.7990200	11.9292600	9.9612080
4491500.000	2.3091350	5.8313880	15.6804000	11.2617100	21.4424800	8.0032420	17.4958600	14.1962100	7.574474
4491000.000	2.6643630	4.8582350	22.7462000	15.3158400	17.0743000	18.7719100	20.9059900	12.4249200	6.071870
4490500.000	2.9568150	1.8521610	23.9698800	23.5020700	7.9520980	35.4591900	21.9852600	11.0207100	31.3042900
4490000.000	1.4772880	.6725184	11.2024700	34.1263500	37.3588800	46.8830000	25.9976800	81.1693600	160.1465000
4489500.000	.0689084	.5232643	2.3345040	28.7927700	74.6695800	57.2448000	315.1409000	374.7249000	266.149000
4489000.000	.0000054	.6161535	.2956836	6.4845650	769.5807000	757.6808000	444.8110000	204.9750000	137.0869000
4488500.000	.0000000	.0001355	2.7162780	12.3209900	28.6946800	36.8551900	49.4869000	54.9486800	36.0934300
4488000.000	.0000000	.0000000	.2453971	1.8873240	7.8827760	17.9980300	18.0238400	12.8016200	14.445160
4487000.000	.0000000	.0000000	.0000000	.0000166	.0016618	.0189031	.0523170	.1466552	.305695

- GRID SYSTEM X AXIS (METERS) -

(THE MAXIMUM CONCENTRATION IS 769.5807000 AT X= 605000.0, Y=4489000.0)

607500.000 608000.000 608500.000 609000.000 609500.000 610000.000 611000.000 612000.000
 Y AXIS (METERS) - CONCENTRATION -

4497000.000	1.7824900	2.1203330	2.6682600	3.0768480	3.0042030	2.7650790	2.2385480	1.1467780
4496000.000	2.3744750	3.3213310	3.9142390	3.6631620	3.2553260	2.9227390	1.5433740	.4158925
4495000.000	4.4379190	5.0984340	4.4612490	3.8334720	3.2715640	2.1825460	.5463243	.8927676
4494000.000	6.9226130	5.4242720	4.6177800	3.3326130	1.6400540	.7984794	1.6639020	4.3100600
4493000.000	6.7914160	5.5012530	2.6467000	1.2646840	1.7653810	3.5234380	8.0529610	12.7686500
4492000.000	5.1720200	2.5305130	4.3403230	8.3285240	12.9707100	17.5763400	30.5239800	41.6000600
4491500.000	3.9008140	7.9039910	14.9953700	22.3267300	29.9277600	40.7653100	56.5495700	53.8991500
4491000.000	14.3437700	26.9075400	42.5890100	60.9235100	74.7041500	77.4123300	69.0581300	50.5577900
4490500.000	56.7621400	92.4014600	115.8258000	120.0477000	104.6034000	87.4419900	58.3218300	41.5539600
4490000.000	198.6560000	175.5683000	144.8964000	114.1141000	89.0978300	71.1388700	48.3126400	35.3835100
4489500.000	178.7738000	144.6877000	103.9031000	82.9730500	65.3772400	52.6987800	36.2530100	26.3083400
4489000.000	90.9726600	72.3106800	61.6358300	47.5352400	37.4559900	32.5167500	22.7806800	17.6959300
4488500.000	29.9543800	25.8591800	25.4537000	21.3157200	19.3997500	17.5595500	13.2539600	10.9969300
4488000.000	11.1153900	9.5793710	7.9255210	7.9752100	8.4880630	7.7687810	6.9364420	5.9110330
4487000.000	.3644837	.4713520	.7421088	.7505735	.7901954	.9252511	1.0974830	1.2948930

TABLE 9 (CONT)

24 HOUR GROUND LEVEL CONCENTRATION (MICROGRAMS/CUBIC METER) FROM SOURCES 116 -118

- HOUR(S) 0 TO 2300 -

- DISCRETE POINT RECEPTORS -

(THE MAXIMUM CONCENTRATION IS, 978.8577000 AT X= 605167.0, Y=4489107.0)

X (METERS)	Y (METERS)	CONCENTRATION	X (METERS)	Y (METERS)	CONCENTRATION	X (METERS)	Y (METERS)	CONCENTRATION
605167.0	4489107.0	978.8577000						

Figure 3-3 Sample POSTZ Input File

THIS IS A TEST OF THE POSTZ PROGRAM

0 1 1 2 1 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 1 0

1 1986

3

602000. 603000. 604000.

4

4494000. 4495000. 4496000. 4497000.

1

605167.

4489107.

2

116

117

5

602000. 4494000. 1000.

605167. 4489107. 1000.

602000. 4495000. 1000.

603000. 4496000. 1000.

604000. 4497000. 500.

2

116 2.

117 2.

Figure 3-4 Sample POSTZ Output File

POSTZ - VERSION 1.0
A POST PROCESSOR FOR THE
SHORTZ AIR QUALITY MODEL
JULY, 1986

POSTZ - A POST PROCESSOR FOR THE SHORTZ MODEL

POSTZ RUN TITLE: THIS IS A TEST OF THE POSTZ PROGRAM
 SHORTZ RUN TITLE: EXAMPLE SHORT TERM PROBLEM - PROGRAM SHORTZ

ISW(1) RESTRICT TIME LIMITS (1=YES,0=NO)	0
ISW(2) LIMIT RECEPTORS TO ANALYZE (1=YES,0=NO)	1
ISW(3) LIMIT SOURCES TO ANALYZE (1=YES,0=NO)	1
ISW(4) SPECIFY BACKGROUND CONCENTRATIONS (0=NO,1=UNIFORM,2=BY RECEPTOR)	2
ISW(5) SCALE CONCENTRATIONS FOR SPECIFIC SOURCES (1=YES,0=NO)	1

1-HOUR AVERAGE ANALYSIS:

ISW(6) HIGH-5 TABLE PREPARED (1=YES,0=NO)	0
ISW(7) TOP 50 TABLE PREPARED (1=YES,0=NO)	0
ISW(8) EXCEEDANCE TABLE PREPARED (1=YES,0=NO)	0

3-HOUR AVERAGE ANALYSIS:

ISW(9) HIGH-5 TABLE PREPARED (1=YES,0=NO)	0
ISW(10) TOP 50 TABLE PREPARED (1=YES,0=NO)	0
ISW(11) EXCEEDANCE TABLE PREPARED (1=YES,0=NO)	0

8-HOUR AVERAGE ANALYSIS:

ISW(12) HIGH-5 TABLE PREPARED (1=YES,0=NO)	0
ISW(13) TOP-50 TABLE PREPARED (1=YES,0=NO)	0
ISW(14) EXCEEDANCE TABLE PREPARED (1=YES,0=NO)	0

24-HOUR AVERAGE ANALYSIS:

ISW(15) HIGH-5 TABLE PREPARED (1=YES,0=NO)	1
ISW(16) TOP-50 TABLE PREPARED (1=YES,0=NO)	0
ISW(17) EXCEEDANCE TABLE PREPARED (1=YES,0=NO)	0

ANNUAL AVERAGE ANALYSIS:

ISW(18) HIGH-5 TABLE PREPARED (1=YES,0=NO)	0
ISW(19) TOP-50 TABLE PREPARED (1=YES,0=NO)	0
ISW(20) EXCEEDANCE TABLE PREPARED (1=YES,0=NO)	0

USER-SPECIFIED AVERAGING TIME ANALYSIS

ISW(21) HIGH-5 TABLE PREPARED (1=YES,0=NO)	0
ISW(22) TOP-50 TABLE PREPARED (1=YES,0=NO)	0
ISW(23) EXCEEDANCE TABLE PREPARED (1=YES,0=NO)	0
ISW(24) BLOCK OR RUNNING AVERAGES (0=BLOCK,1=RUNNING)	1
ISW(25) CALMS POLICY (1=YES,0=NO)	0

JULIAN DAY FOR START OF ANALYSIS	1
YEAR FOR START OF ANALYSIS	1986
JULIAN DAY FOR END OF ANALYSIS	1
YEAR FOR END OF ANALYSIS	1986

RESTRICTING ANALYSIS TO CERTAIN RECEPTORS
THE FOLLOWING RECEPTORS WERE INCLUDED

(502000., 4494000.)	(503000., 4494000.)	(504000., 4494000.)	(502000., 4495000.)
(503000., 4495000.)	(504000., 4495000.)	(502000., 4496000.)	(503000., 4496000.)
(504000., 4496000.)	(502000., 4497000.)	(503000., 4497000.)	(504000., 4497000.)
(505167., 4489107.)	(		

THE ANALYSIS HAS BEEN CONFINED TO CERTAIN SOURCES
THE FOLLOWING SOURCES (BY IDENTIFICATION NUMBER) WERE INCLUDED

116

117

SEPARATE BACKGROUND CONCENTRATIONS HAVE BEEN
SPECIFIED FOR EACH RECEPTOR
(X-COORD,Y-COORD) VALUE

(602000., 4494000.) 1000. (605167., 4489107.) 1000. (602000., 4495000.) 1000. (603000., 4496000.) 1000.
(604000., 4497000.) 500. (

THE CONCENTRATIONS FROM CERTAIN SOURCES WERE
 SCALED BY THE FOLLOWING AMOUNTS
 (IDENTIFICATION NUMBER, SCALING VALUE)

(116, 2.00) (117, 2.00) (118, 1.00) (

HIGH FIVE TABLE FOR 24 HOUR AVERAGES

RECEPTOR COORDINATES
METERSHIGHEST FIVE CONCENTRATIONS
VALUE(DAY,ENDING HOUR)

X	Y	ELEV.	HIGHEST	2ND HIGH	3RD HIGH	4TH HIGH	5TH HIGH
602000.	4494000.	286.	1000.04(1,24)	958.38(1,23)	915.71(1,22)	875.04(1,21)	833.38(1,20)
603000.	4494000.	349.	8.71(1, 2)	8.71(1, 3)	8.71(1, 4)	8.71(1, 5)	8.71(1, 5)
604000.	4494000.	232.	3.93(1, 2)	3.93(1, 3)	3.93(1, 4)	3.93(1, 5)	3.93(1, 5)
602000.	4495000.	317.	1000.40(1,24)	958.73(1,23)	917.07(1,22)	875.40(1,21)	832.73(1,20)
603000.	4495000.	363.	9.35(1, 2)	9.35(1, 3)	9.35(1, 4)	9.35(1, 5)	9.35(1, 5)
604000.	4495000.	364.	2.32(1, 2)	2.32(1, 3)	2.32(1, 4)	2.32(1, 5)	2.32(1, 5)
602000.	4496000.	349.	1.29(1, 1)	1.29(1, 2)	1.29(1, 3)	1.29(1, 4)	1.29(1, 5)
603000.	4496000.	317.	1007.76(1,24)	966.09(1,23)	924.43(1,22)	882.76(1,21)	841.09(1,20)
604000.	4496000.	323.	1.36(1, 2)	1.36(1, 3)	1.36(1, 4)	1.36(1, 5)	1.36(1, 5)
602000.	4497000.	329.	2.35(1, 1)	2.35(1, 2)	2.35(1, 3)	2.35(1, 4)	2.35(1, 5)
603000.	4497000.	347.	5.97(1, 2)	5.97(1, 3)	5.97(1, 4)	5.97(1, 5)	5.97(1, 5)
604000.	4497000.	320.	500.87(1,24)	480.04(1,23)	459.21(1,22)	438.37(1,21)	417.54(1,20)
605167.	4489107.	274.	2892.59(1,24)*	2850.92(1,23)*	2807.47(1,22)	2694.41(1,21)	2586.46(1,20)

- DENOTES PEAK VALUE

APPENDIX A
COMPLETE FORTRAN LISTING FOR THE POSTZ PROGRAM
(UNIVAC Version)

PROGRAM POSTZ

C POSTZ - A POST PROCESSOR FOR THE SHORTZ MODEL. POSTZ WAS WRITTEN
C BY KIRK D. WINGES, TRC ENVIRONMENTAL CONSULTANTS, INC.,
C 15924 22ND AVE. SE, MILL CREEK, WA, 98012 (206) 485-2992

C THE SHORTZ MODEL MUST BE RUN FIRST AND THE OPTION SELECTED TO
C WRITE AN OUTPUT TAPE (CARD 1, COLUMN 1 SHOULD BE A "2").
C THE SHORTZ MODEL HAS THE CAPABILITY TO USE A LARGE NUMBER
C OF RECEPTORS. IF POSTZ IS TO BE USED TO ANALYZE THE OUTPUT
C TAPE FROM A SHORTZ RUN, THE NUMBER OF RECEPTORS MUST BE LIMITED
C TO A TOTAL OF NO MORE THAN 300 (GRID AND DISCRETE RECEPTORS).

C THE POSTZ PROGRAM HAS TWO INPUT STREAMS: THE OUTPUT TAPE FROM THE
C SHORTZ MODEL AS NOTED ABOVE, AND A "CARD IMAGE" FILE SPECIFYING
C HOW THE POST PROCESSING IS TO BE ACCOMPLISHED. THERE ARE MANY
C OPTIONS FOR THE POSTZ ANALYSIS OF AN OUTPUT TAPE. IN GENERAL,
C THE OPTIONS TO BE USED ARE SPECIFIED WITH A SERIES OF SWITCHES
C ON CARD 2. THE REMAINING CARDS TO BE READ ARE DETERMINED BY
C WHICH SWITCHES HAVE BEEN SET. THE FOLLOWING DESCRIPTION IS
C INTENDED TO PROVIDE AN OUTLINE FOR THE PROGRAM OPTIONS AND
C REQUIRED INPUT VARIABLES IN THE CARD IMAGE FILE.

USER'S INSTRUCTIONS FOR CREATING THE CARD IMAGE INPUT FILE

CARD GROUP	CARD NO.	PARAMETER	FORMAT	DESCRIPTION
1	1	PTITLE	A80	RUN TITLE FOR THE POSTZ RUN, DIFFERENT FROM THE RUN TITLE FOR THE SHORTZ RUN USED TO CREATE THE OUTPUT TAPE
2	1	ISW(1)	24I2	SWITCH TO DETERMINE IF TIME PERIOD OF ANALYSIS IS TO BE RESTRICTED. IF =0, USE ENTIRE TIME PERIOD ON THE OUTPUT TAPE FROM THE SHORTZ RUN. IF =1, INCLUDE CARD GROUP 4 TO SPECIFY TIME PERIOD RESTRICTION
		ISW(2)		SWITCH TO DETERMINE IF ANALYSIS IS TO BE RESTRICTED TO CERTAIN RECEPTORS. IF =0, ALL RECEPTORS WILL BE INCLUDED IN THE POSTZ RUN. IF =1, RESTRICT ANALYSIS ONLY TO THOSE RECEPTORS SPECIFIED IN CARD GROUP 5.
		ISW(3)		SWITCH TO DETERMINE IF THE ANALYSIS IS TO BE RESTRICTED TO ONLY CERTAIN SOURCES. IF

=0, ALL SOURCES WILL BE INCLUDED. IF =1, RESTRICT ANALYSIS TO ONLY THOSE SOURCES SPECIFIED IN CARD GROUP 6.

ISW(4)

SWITCH TO DETERMINE IF BACKGROUND CONCENTRATIONS ARE TO BE ADDED TO THE SHORTZ MODEL RESULTS. IF =0, NO BACKGROUND CONCENTRATIONS ARE INCLUDED; IF =1, UNIFORM BACKGROUND IS TO BE ADDED TO ALL RECEPTORS AS SPECIFIED IN CARD GROUP 7; IF =2, SEPARATE BACKGROUND IS TO BE ADDED TO EACH RECEPTOR AS SPECIFIED IN CARD GROUP 7.

ISW(5)

SWITCH TO DETERMINE IF CONTRIBUTIONS FROM PARTICULAR SOURCES ARE TO BE SCALED. IF =0, NO SOURCE SCALING IS DONE; IF =1, SCALING WILL BE PERFORMED FOR SOURCES AND VALUES SPECIFIED IN CARD GROUP 8.

ISW(6)

SWITCH TO DETERMINE IF A HIGH-5 OUTPUT TABLE IS TO BE PREPARED FOR 1-HOUR AVERAGE CONCENTRATIONS. IF =0, NO HIGH-5 TABLE FOR 1-HOUR CONCENTRATIONS. IF =1, PREPARE A HIGH-5 TABLE BY RECEPTOR FOR 1 HOUR AVERAGE CONCENTRATIONS.

ISW(7)

SWITCH TO DETERMINE IF A TOP-50 TABLE IS TO BE PREPARED FOR 1-HOUR AVERAGE CONCENTRATIONS. IF =0, NO TOP-50 TABLE FOR 1-HOUR CONCENTRATIONS. IF =1, PREPARE A TOP-50 TABLE FOR 1-HOUR AVERAGE CONCENTRATIONS.

ISW(8)

SWITCH TO DETERMINE IF AN EXCEEDANCE TABLE IS TO BE PREPARED FOR 1-HOUR AVERAGE CONCENTRATIONS. IF =0, NO EXCEEDANCE TABLE FOR 1-HOUR CONCENTRATIONS. IF =1,

PREPARE AN EXCEEDANCE TABLE
FOR 1-HOUR AVERAGE
CONCENTRATIONS. EXCEEDANCE
VALUE SPECIFIED IN CARD GROUP
11 (ONEEX).

ISW(9) SWITCH TO DETERMINE IF A
HIGH-5 OUTPUT TABLE IS TO BE
PREPARED FOR 3-HOUR AVERAGE
CONCENTRATIONS. IF =0, NO
HIGH-5 TABLE FOR 3-HOUR
CONCENTRATIONS. IF =1,
PREPARE A HIGH-5 TABLE BY
RECEPTOR FOR 3 HOUR AVERAGE
CONCENTRATIONS.

ISW(10) SWITCH TO DETERMINE IF A
TOP-50 TABLE IS TO BE
PREPARED FOR 3-HOUR AVERAGE
CONCENTRATIONS. IF =0, NO
TOP-50 TABLE FOR 3-HOUR
CONCENTRATIONS. IF =1,
PREPARE A TOP-50 TABLE FOR
3-HOUR AVERAGE
CONCENTRATIONS.

ISW(11) SWITCH TO DETERMINE IF AN
EXCEEDANCE TABLE IS TO BE
PREPARED FOR 3-HOUR AVERAGE
CONCENTRATIONS. IF =0, NO
EXCEEDANCE TABLE FOR 3-HOUR
CONCENTRATIONS. IF =1,
PREPARE AN EXCEEDANCE TABLE
FOR 3-HOUR AVERAGE
CONCENTRATIONS. EXCEEDANCE
VALUE SPECIFIED IN CARD GROUP
11 (THREX).

ISW(12) SWITCH TO DETERMINE IF A
HIGH-5 OUTPUT TABLE IS TO BE
PREPARED FOR 8-HOUR AVERAGE
CONCENTRATIONS. IF =0, NO
HIGH-5 TABLE FOR 8-HOUR
CONCENTRATIONS. IF =1,
PREPARE A HIGH-5 TABLE BY
RECEPTOR FOR 8 HOUR AVERAGE
CONCENTRATIONS.

ISW(13) SWITCH TO DETERMINE IF A
TOP-50 TABLE IS TO BE
PREPARED FOR 8-HOUR AVERAGE
CONCENTRATIONS. IF =0, NO
TOP-50 TABLE FOR 8-HOUR
CONCENTRATIONS. IF =1,
PREPARE A TOP-50 TABLE FOR

8-HOUR AVERAGE
CONCENTRATIONS.

ISW(14)

SWITCH TO DETERMINE IF AN
EXCEEDANCE TABLE IS TO BE
PREPARED FOR 8-HOUR AVERAGE
CONCENTRATIONS. IF =0, NO
EXCEEDANCE TABLE FOR 8-HOUR
CONCENTRATIONS. IF =1,
PREPARE AN EXCEEDANCE TABLE
FOR 8-HOUR AVERAGE
CONCENTRATIONS. EXCEEDANCE
VALUE SPECIFIED IN CARD GROUP
11 (EIGEX).

ISW(15)

SWITCH TO DETERMINE IF A
HIGH-5 OUTPUT TABLE IS TO BE
PREPARED FOR 24-HOUR AVERAGE
CONCENTRATIONS. IF =0, NO
HIGH-5 TABLE FOR 24-HOUR
CONCENTRATIONS. IF =1,
PREPARE A HIGH-5 TABLE BY
RECEPTOR FOR 24 HOUR AVERAGE
CONCENTRATIONS.

ISW(16)

SWITCH TO DETERMINE IF A
TOP-50 TABLE IS TO BE
PREPARED FOR 24-HOUR AVERAGE
CONCENTRATIONS. IF =0, NO
TOP-50 TABLE FOR 24-HOUR
CONCENTRATIONS. IF =1,
PREPARE A TOP-50 TABLE FOR
24-HOUR AVERAGE
CONCENTRATIONS.

ISW(17)

SWITCH TO DETERMINE IF AN
EXCEEDANCE TABLE IS TO BE
PREPARED FOR 24-HOUR AVERAGE
CONCENTRATIONS. IF =0 NO
EXCEEDANCE TABLE FOR 24-HOUR
CONCENTRATIONS. IF =1
PREPARE AN EXCEEDANCE TABLE
FOR 24-HOUR AVERAGE
CONCENTRATIONS. EXCEEDANCE
VALUE SPECIFIED IN CARD GROUP
11 (TWYEX).

ISW(18)

SWITCH TO DETERMINE IF A
HIGH-5 OUTPUT TABLE IS TO BE
PREPARED FOR ANNUAL AVERAGE
CONCENTRATIONS. IF =0, NO
HIGH-5 TABLE FOR ANNUAL
CONCENTRATIONS. IF =1,
PREPARE A HIGH-5 TABLE BY
RECEPTOR FOR ANNUAL AVERAGE

FOR USER SPECIFIED AVERAGE
CONCENTRATIONS. EXCEEDANCE
VALUE SPECIFIED IN CARD GROUP
11 (OTHEX).

ISW(24)

SWITCH TO DETERMINE WHETHER
BLOCK AVERAGES OR RUNNING
AVERAGES ARE COMPUTED IN ALL
ANALYSES. IF =0, THEN BLOCK
AVERAGES ARE COMPUTED. IF
=1, THEN RUNNING AVERAGES
ARE COMPUTED.

ISW(25)

SWITCH TO DETERMINE IF EPA
CALMS POLICY IS TO BE
IMPLEMENTED. IF =0, CALMS
POLICY IS NOT IMPLEMENTED, IF
=1, CALMS POLICY IS
IMPLEMENTED.

3 1 JULST I5

JULIAN DAY FOR THE START OF
THE DATA ON THE TAPE FROM
THE SHORTZ RUN.

IYRI5

YEAR FOR THE START OF THE
DATA ON THE TAPE FROM THE
SHORTZ RUN. IT CAN EITHER
BE OF THE FORM 1986 OR OF
THE FORM 86 -- THE PROGRAM
WILL USE EITHER.

4 1 [THIS CARD IS ONLY READ IF ISW(1)=1]
IDYST I5 THE JULIAN DAY FOR THE START
OF THE ANALYSIS.

IYRST I5 THE YEAR FOR THE START OF
THE ANALYSIS.

IDYEND I5 THE JULIAN DAY FOR THE END
OF THE ANALYSIS.

IYREND I5 THE YEAR FOR THE END OF THE
ANALYSIS.

5 [THIS CARD GROUP IS ONLY READ IF ISW(2)=1]
1 NXINCL I5 THE NUMBER OF X GRID POINTS
TO INCLUDED IN THE ANALYSIS.

2 [THIS CARD IS NOT READ IF NXINCL=0]
[THIS CARD CAN BE REPEATED AS OFTEN AS NECESSARY
TO INCLUDE ALL THE X GRID POINTS]
XX 8F10.0 THE X GRID POINTS TO INCLUDE
IN THE ANALYSIS. NOTE, EACH
X VALUE TO BE USED MUST BE
SPECIFIED HERE. IT IS NOT

POSSIBLE TO SPECIFY THE
STARTING X VALUE AND THE
INCREMENT FOR OTHER VALUES
AS IT IS IN SHORTZ.

3 [THIS CARD IS NOT READ IF NXINCL=0]
NYINCL 8F10.0 THE NUMBER OF Y GRID POINTS
TO INCLUDE IN THE ANALYSIS.

4 [THIS CARD IS NOT READ IF NXINCL=0]
[THIS CARD CAN BE REPEATED AS OFTEN AS NECESSARY
TO INCLUDE ALL THE Y GRID POINTS]
YY 8F10.0 THE Y GRID POINTS TO BE
INCLUDED IN THE ANALYSIS.
(SEE NOTE ON FORMAT FOR X
GRID POINTS ABOVE).

5 NXYINC I5 THE NUMBER OF DISCRETE
RECEPTORS TO INCLUDE IN THE
ANALYSIS.

6 [THIS CARD IS NOT READ IF NXYINC=0]
[THIS CARD CAN BE REPEATED AS OFTEN AS NECESSARY
TO INCLUDE ALL THE DISCRETE RECEPTORS]
XDISCR 8F10.0 THE X VALUES FOR THE
DISCRETE RECEPTORS.

7 [THIS CARD IS NOT READ IF NXYINC=0]
[THIS CARD CAN BE REPEATED AS OFTEN AS NECESSARY
TO INCLUDE ALL THE DISCRETE RECEPTORS]
YDISCR 8F10.0 THE Y VALUES FOR THE
DISCRETE RECEPTORS.

6 [THIS CARD GROUP IS ONLY READ IF ISW(3)=1]
1 NSELIM I5 THE NUMBER OF SOURCES TO
INCLUDE IN THE RUN

2 [THIS CARD IS REPEATED NSELIM TIMES]
K I5 THE SOURCE IDENTIFICATION
NUMBER OF THE SOURCE TO BE
INCLUDED IN THE RUN.

7 [THIS CARD GROUP IS NOT READ IF ISW(4)=0]

IF ISW(4)=1 THE FOLLOWING FORMAT APPLIES

1 BACK F10.0 THE UNIFORM BACKGROUND
CONCENTRATION TO APPLY TO
ALL RECEPTORS.

IF ISW(4)=2 THE FOLLOWING FORMAT APPLIES

1 NUMDIS I5 THE NUMBER OF RECEPTORS FOR
WHICH A BACKGROUND VALUE IS
TO BE SPECIFIED

2 [THIS CARD IS REPEATED NUMDIS TIMES]

	X1	F10.0	THE X-COORDINATE OF THE RECEPTOR FOR BACKGROUND SPECIFICATION
	Y1	F10.0	THE Y-COORDINATE OF THE RECEPTOR FOR BACKGROUND SPECIFICATION
	VAL	F10.0	THE BACKGROUND CONCENTRATION TO USE FOR THE IDENTIFIED RECEPTOR.
8	[THIS CARD GROUP IS NOT READ IF ISW(5)=0]		
	1	NSCALE I5	THE NUMBER OF SOURCES TO SCALE
	2	[THIS CARD IS REPEATED NSCALE TIMES]	
		ISCALE I5	THE SOURCE IDENTIFICATION NUMBER OF THE SOURCE TO BE SCALED.
	SCALE	F10.0	THE SCALING VALUE
9	[THIS CARD GROUP IS ONLY READ IF ISW(18), ISW(19) OR ISW(20) =1]		
	1	NDYYR I5	THE NUMBER OF DAYS PER YEAR. (NOTE THIS VALUE CAN BE ANY DESIRED NUMBER LESS THAN 366. FOR EXAMPLE, IF THE USER DESIRED A 30 DAY AVERAGE VALUE, THE ANNUAL CAN BE SET TO 30 DAYS WITH THIS CARD.)
10	[THIS CARD GROUP IS ONLY READ IF ISW(21), ISW(22) OR ISW(23) =1]		
	1	IOTHER I5	THE AVERAGING TIME TO BE SPECIFIED BY THE USER (NUMBER OF HOURS)
11	1	[THIS CARD IS NOT READ IF ISW(8)=0]	
		ONEEX F10.0	THE EXCEEDANCE VALUE FOR 1-HOUR CONCENTRATIONS
	2	[THIS CARD IS NOT READ IF ISW(11)=0]	
		THREX F10.0	THE EXCEEDANCE VALUE FOR 3-HOUR CONCENTRATIONS
	3	[THIS CARD IS NOT READ IF ISW(14)=0]	
		EIGEX F10.0	THE EXCEEDANCE VALUE FOR 8-HOUR CONCENTRATIONS
	4	[THIS CARD IS NOT READ IF ISW(17)=0]	
		TWYEX F10.0	THE EXCEEDANCE VALUE FOR 24-HOUR CONCENTRATIONS


```

11  CONTINUE
    DO 12 I=1,NYPNTS
      Y(I)=ZZ(NXPNTS+I)
12  CONTINUE
10  IF(NXWYPT.EQ.0) GOTO 13
    DO 14 I=1,NXWYPT
      XDISC(I)=ZZ(NXPNTS+NYPNTS+I)
      YDISC(I)=ZZ(NXPNTS+NYPNTS+NXWYPT+I)
14  CONTINUE
C NXXYY IS THE TOTAL NUMBER OF RECEPTOR POINTS
13  NXXYY=NXPNTS*NYPNTS+NXWYPT
    CALL INPOUP(1,ZZ,NXXYY)
C NIJ IS THE NUMBER OF GRID RECEPTOR POINTS
    NIJ=NXPNTS*NYPNTS
    CALL INPOUP(1,ROTATE,11)
    CALL INPOUP(1,DMYNSQ,33*300)
    CALL SEQANL(NSOURC,NXPNTS,NYPNTS,NXWYPT,NXXYY,X,Y,XDISC,YDISC,
1ZZ,TITLE,NUMSQ,NHOURS,NDAYS,IUNT,JUNT,NIJ)
    WRITE(JUNT,9015)
9015 FORMAT('1')
    END

```

```

SUBROUTINE SEQANL(NSOURC,NXPNTS,NYPNTS,NXWYPT,NXXYY,X,Y,XDISC,
1YDISC,ZZ,TITLE,NUMSQ,NHOURS,NDAYS,IUNT,JUNT,NIJ)

```

```

C
C SUBROUTINE SEQANL -- PART OF POSTZ
C THIS SUBROUTINE IS THE MAJOR PORTION OF THE POSTZ PROGRAM. ALL
C THE INPUT AND OUTPUT IS MANAGED FROM THIS ROUTINE. SUBROUTINE
C SORT IS THE MAJOR ANALYTICAL TOOL, WHILE SEVERAL ROUTINES ARE
C CALLED TO WRITE OUTPUT TABLES
C

```

```

      INTEGER HOUR,PGCT,PTITLE(20),TITLE(20)
      COMMON ONE(300,5),
      *IONEDY(300,5),IEIGSK(8),ITWYSK(24),
      2IONETM(300,5),ONE50(50),ION50D(50),ION50T(50),ION50R(50),
      3ONEE(100),IONED(100),IONET(100),IONER(100),THR(300,5),
      4ITHRDY(300,5),ITHRTM(300,5),THR50(50),ITH50D(50),ITH50T(50),
      5ITH50R(50),THRE(100),ITHED(100),ITHTET(100),ITHER(100),
      6EIG(300,5),IEIGDY(300,5),IEIGTM(300,5),EIG50(50),IEI50D(50),
      7IEI50T(50),IEI50R(50),EIGE(100),IEIED(100),IEIET(100),IEIER(100),
      8TWY(300,5),ITWYDY(300,5),ITWYTM(300,5),TWY50(50),ITW50D(50),
      9ITW50T(50),ITW50R(50),TWYE(100),ITWED(100),ITWET(100),ITWER(100),
      AANN(300,5),IANNDY(300,5),IANNTM(300,5),ANN50(50),IAN50D(50),
      BIAN50T(50),IAN50R(50),ANNE(100),IANED(100),IANET(100),IANER(100),
      COTH(300,5),IOTHDY(300,5),IOTHTM(300,5),OTH50(50),IOT50D(50),
      DIOT50T(50),IOT50R(50),OTHE(100),IOTED(100),IOTET(100),IOTER(100),
      ETHRC(300),ANNC(300),
      FEIGC(300),TWYC(300),OTHC(300),ISW(25),IELIM(300),XDISCR(300),
      GYDISCR(300),ISELIM(300),BCKG(300),SCLE(300),CON(300),CONT(300),
      HONEC(300),BACKOT(300)
      COMMON /MET/ THETA,UBAR,HM,TA,DPDZ,ISTBLE,P,SIGEPU,SIGAPU,SIGEPL,
      1SIGAPL,ALPHA,HOUR,NUMSQB(300),QB(300),TSB(300),VOLB(300)
      DIMENSION X(300),Y(300),XDISC(300),YDISC(300),ZZ(300),NUMSQ(300),
      1XX(300),YY(300),ISHOLD(8),HOLD(300,24)
      DATA HOLD/7200*0./

```

```

C CLEAR THE SCLE ARRAY USED TO SCALE CONCENTRATIONS FOR A PARTICULAR
C SOURCE

```

```

      DO 7 I=1,NSOURC
      SCLE(I)=1.

```

```

7      CONTINUE

```

```

      PGCT=1

```

```

      LNCT=4

```

```

C WRITE TITLE FOR OUTPUT

```

```

      WRITE(JUNT,9020) PGCT

```

```

9020 FORMAT(1X,'1',105X,'POSTZ - PAGE NO. ',I3,///)

```

```

      WRITE(JUNT,9021)

```

```

9021 FORMAT(43X,'POSTZ - A POST PROCESSOR FOR THE SHORTZ MODEL',/)

```

```

C READ THE TITLE CARD FOR THE POSTZ RUN

```

```

      READ(IUNT,9006) (PTITLE(J),J=1,20)

```

```

9006 FORMAT(20A4)

```

```

C READ THE SWITCHES

```

```

      READ(IUNT,9007) (ISW(I),I=1,25)

```

```

9007 FORMAT(25I2)

```

```

C READ THE JULIAN DAY (JULST) AND THE YEAR FOR THE START OF THE

```

```

C SHORTZ RUN METEOROLOGICAL DATA

```

```

      READ(IUNT,9008) JULST,IYR

```

```

9008 FORMAT(I5,I5)

```

C WRITE THE SWITCH INFORMATION IN THE OUTPUT FILE

```
WRITE(JUNT,9022) (PTITLE(I),I=1,20),(TITLE(I),I=1,20),  
1(ISW(J),J=1,11)
```

```
9022 FORMAT(20X,'POSTZ RUN TITLE: ',20A4,/,20X,'SHORTZ RUN TITLE: ',  
120A4,/,20X,'ISW(1) RESTRICT TIME LIMITS (1=YES,0=NO)',40X,  
2I1,/,20X,'ISW(2) LIMIT RECEPTORS TO ANALYZE (1=YES,0=NO)',  
334X,I1,/,20X,'ISW(3) LIMIT SOURCES TO ANALYZE (1=YES,0=NO)',  
436X,I1,/,20X,'ISW(4) SPECIFY BACKGROUND CONCENTRATIONS (0=NO,1=UNI  
5FORM,2=BY RECEPTOR)',9X,I1,/,20X,'ISW(5) SCALE CONCENTRATIONS',  
6' FOR SPECIFIC SOURCES (1=YES,0=NO)',19X,I1,/,  
715X,'1-HOUR AVERAGE ANALYSIS:',/,20X,'ISW(6) HIGH-5 TABLE',  
8' PREPARED (1=YES,0=NO)',39X,I1,/,20X,'ISW(7) TOP 50 TABLE',  
9' PREPARED (1=YES,0=NO)',39X,I1,/,20X,'ISW(8) EXCEEDANCE TABLE',  
A' PREPARED (1=YES,0=NO)',35X,I1,/,15X,'3-HOUR AVERAGE ANALYSIS:',  
B/,20X,'ISW(9) HIGH-5 TABLE PREPARED (1=YES,0=NO)',39X,I1,/,20X,  
C'ISW(10) TOP 50 TABLE PREPARED (1=YES,0=NO)',38X,I1,/,20X,  
D'ISW(11) EXCEEDANCE TABLE PREPARED (1=YES,0=NO)',34X,I1,/) )
```

```
WRITE(JUNT,9023) (ISW(J),J=12,25)
```

```
9023 FORMAT(15X,'8-HOUR AVERAGE ANALYSIS:',/,20X,  
1'ISW(12) HIGH-5 TABLE PREPARED (1=YES,0=NO)',38X,I1,/,20X,,  
2'ISW(13) TOP-50 TABLE PREPARED (1=YES,0=NO)',38X,I1,/,20X,  
3'ISW(14) EXCEEDANCE TABLE PREPARED (1=YES,0=NO)',34X,I1,/,15X,  
4'24-HOUR AVERAGE ANALYSIS:',/,20X,  
5'ISW(15) HIGH-5 TABLE PREPARED (1=YES,0=NO)',38X,I1,/,20X,  
6'ISW(16) TOP-50 TABLE PREPARED (1=YES,0=NO)',38X,I1,/,20X,  
7'ISW(17) EXCEEDANCE TABLE PREPARED (1=YES,0=NO)',34X,I1,/,15X,  
8'ANNUAL AVERAGE ANALYSIS:',/,20X,  
9'ISW(18) HIGH-5 TABLE PREPARED (1=YES,0=NO)',38X,I1,/,20X,  
A'ISW(19) TOP-50 TABLE PREPARED (1=YES,0=NO)',38X,I1,/,20X,  
B'ISW(20) EXCEEDANCE TABLE PREPARED (1=YES,0=NO)',34X,I1,/,15X,  
C'USER-SPECIFIED AVERAGING TIME ANALYSIS:',/,20X,  
D'ISW(21) HIGH-5 TABLE PREPARED (1=YES,0=NO)',38X,I1,/,20X,  
E'ISW(22) TOP-50 TABLE PREPARED (1=YES,0=NO)',38X,I1,/,20X,  
F'ISW(23) EXCEEDANCE TABLE PREPARED (1=YES,0=NO)',34X,I1,/,20X,  
G'ISW(24) BLOCK OR RUNNING AVERAGES (0=BLOCK,1-RUNNING)',27X,I1,  
H/,20X,'ISW(25) CALMS POLICY (1=YES,0=NO)',47X,I1)
```

```
IYRST=IYR
```

```
IDYST=JULST
```

```
IYREND=IYR
```

```
IDYEND=JULST+NDAYS-1
```

```
401 ITEST=IYREND/4
```

```
ITEST2=ITEST*4
```

```
IMAX=365
```

```
IF(ITEST.EQ.ITEST2) IMAX=366
```

```
IF(IDYEND.LE.IMAX) GOTO 400
```

```
IYREND=IYREND+1
```

```
IDYEND=IDYEND-IMAX
```

```
GOTO 401
```

```
400 IF(ISW(1).NE.1) GOTO 10
```

C THIS ROUTINE ALLOWS THE USER TO SELECT A PORTION OF THE TIME
C PERIOD IN THE SEQUENTIAL SHORTZ TAPE FOR ANALYSIS. IT BASICALLY
C RESTRICTS THE ANALYSIS TO A STARTING JULIAN DAY AND YEAR AND AN
C ENDING JULIAN DAY AND YEAR.

```
READ(IUNT,9009) IDYST,IYRST,IDYEND,IYREND
```

```
9009 FORMAT(4I5)
```

```

        IF(IYR-IYRST) 1,2,3
3       IYRST=IYR
2       IF(JULST.GT.IDYST) IDYST=JULST
1       IF(IYR-IYREND) 10,5,6
6       IYREND=IYR
5       IF(JULST.GT.IDYEND) IDYEND=JULST
10      WRITE(JUNT,9024) IDYST,IYRST,IDYEND,IYREND
9024    FORMAT(/,20X,'JULIAN DAY FOR START OF ANALYSIS',46X,I3,/,
        120X,'YEAR FOR START OF ANALYSIS',50X,I5,/,20X,'JULIAN DAY ',
        2'FOR END OF ANALYSIS',48X,I3,/,20X,'YEAR FOR END OF ANALYSIS',
        352X,I5)
        IF(ISW(2).EQ.0) GOTO 20
C THIS ROUTINE ALLOWS THE USER TO RESTRICT THE ANALYSIS TO ONLY CERTAIN
C SELECTED RECEPTORS. AN ARRAY CALLED IELIM IS INITIALIZED AT 1 TO
C INDICATE ALL RECEPTORS ARE TO BE ELIMINATED. FOR THOSE TO BE
C THE ARRAY ELEMENT IS LATER CHANGES TO 0
        DO 11 I=1,NXXYY
            IELIM(I)=1
11      CONTINUE
        READ(IUNT,9011) NXINCL
C IF THE NUMBER OF X GRID ELEMENTS TO INCLUDE IS 0, THERE ARE NO
C GRID RECEPTORS TO INCLUDE
        IF(NXINCL.EQ.0) GOTO 12
C READ THE X AND Y RECEPTORS TO INCLUDE
        READ(IUNT,9012) (XX(I),I=1,NXINCL)
        READ(IUNT,9011) NYINCL
        READ(IUNT,9012) (YY(I),I=1,NYINCL)
9011    FORMAT(I5)
C THIS ROUTINE CHECKS TO ENSURE THE RECEPTORS THE USER HAS SPECIFIED
C WERE INDEED IN THE ORIGINAL SHORTZ RUN
        DO 13 II=1,NXINCL
            DO 13 JJ=1,NYINCL
                IGO=0
                DO 14 I=1,NXPNTS
                    DO 14 J=1,NYPNTS
                        IF(X(I).NE.XX(II).OR.Y(J).NE.YY(JJ)) GOTO 14
                IGO=1
                K=(J-1)*NXPNTS+I
                IELIM(K)=0
                GOTO 13
14      CONTINUE
            IF(IGO.EQ.0) CALL EROUT(2)
13      CONTINUE
12      READ(IUNT,9011) NXYINC
C IF NEITHER GRID NOR DISCRETE RECEPTORS ARE SELECTED, AN ERROR HAS
C DETECTED IN THE INPUT STREAM
        IF(NXINCL.EQ.0.AND.NXYINC.EQ.0) CALL EROUT(1)
        IF(NXYINC.EQ.0) GOTO 25
C THE DISCRETE RECEPTORS ARE READ
        READ(IUNT,9012) (XDISCR(I),I=1,NXYINC)
9012    FORMAT(8F10.0)
        READ(IUNT,9012) (YDISCR(I),I=1,NXYINC)
C THIS ROUTINE CHECKS TO ENSURE THAT SELECTED DISCRETE RECEPTORS WERE
C INDEED IN THE ORIGINAL SHORTZ RUN
        DO 17 I=1,NXYINC

```

```

      IGO=0
      DO 18 J=1,NXWYPT
      IF(XDISC(J).NE.XDISCR(I).OR.YDISC(J).NE.YDISCR(I)) GOTO 18
      IGO=1
      IELIM(NIJ+J)=0
18    CONTINUE
      IF(IGO.NE.1) CALL EROUT(3)
17    CONTINUE
C PGCT IS A PAGE COUNT INDEX USED TO NUMBER PAGES
25    PGCT=PGCT+1
      WRITE(JUNT,9020) PGCT
      WRITE(JUNT,9025)
9025  FORMAT(45X,'RESTRICTING ANALYSIS TO CERTAIN RECEPTORS',/,
148X,'THE FOLLOWING RECEPTORS WERE INCLUDED',//,1X,'-----
2-----
3-----')
      NOPNTS=0
      IF(NXPNTS.EQ.0.AND.NYPNTS.EQ.0) GOTO 26
      DO 27 I=1,NYPNTS
      DO 27 J=1,NXPNTS
      K=(I-1)*NXPNTS+J
      IF(IELIM(K).EQ.1) GOTO 27
      NOPNTS=NOPNTS+1
      XX(NOPNTS)=X(J)
      YY(NOPNTS)=Y(I)
27    CONTINUE
26    DO 28 I=1,NXWYPT
      K=NIJ+I
      IF(IELIM(K).EQ.1) GOTO 28
      NOPNTS=NOPNTS+1
      XX(NOPNTS)=XDISC(I)
      YY(NOPNTS)=YDISC(I)
28    CONTINUE
      WRITE(JUNT,9026) (XX(K),YY(K),K=1,NOPNTS)
9026  FORMAT(10X,'(',F10.0,',',F10.0,')',5X,'(',F10.0,',',F10.0,')',
15X,'(',F10.0,',',F10.0,')',5X,'(',F10.0,',',F10.0,')')
20    IF(ISW(3).EQ.0) GOTO 30
C THIS ROUTINE ALLOWS THE USER TO ELIMATE CERTAIN SOURCES FORM
C INCLUSION IN THE POSTZ RUN
C THE PARAMETER NSELIM IS THE NUMBER OF SOURCES TO INCLUDED IN
C THE POSTZ RUN
      READ(IUNT,9011) NSELIM
      DO 21 I=1,NSOURC
      ISELIM(I)=1
21    CONTINUE
      DO 22 I=1,NSELIM
      READ(IUNT,9011) K
      IGO=0
C THIS ROUTINE CHECKS TO ENSURE THE SOURCE TO BE INCLUDED WAS INDEED
C IN THE ORIGICAL SHORTZ RUN
      DO 23 J=1,NSOURC
      IF(NUMSQ(J).NE.K) GOTO 23
      IGO=1
      ISELIM(J)=0
23    CONTINUE

```

```

      IF(IGO.EQ.0) CALL EROUT(4)
22  CONTINUE
      PGCT=PGCT+1
      WRITE(JUNT,9020) PGCT
      WRITE(JUNT,9027)
9027 FORMAT(41X,'THE ANALYSIS HAS BEEN CONFINED TO CERTAIN SOURCES',/,
135X,'THE FOLLOWING SOURCES (BY IDENTIFICATION NUMBER) WERE ',
2'INCLUDED',/,', '-----'
3'-----')
      NOSO=0
      DO 24 I=1,NSOURC
      IF(ISELIM(I).EQ.1) GOTO 24
      NOSO=NOSO+1
      ISHOLD(NOSO)=NUMSQ(I)
      IF(NOSO.LT.8) GOTO 24
      WRITE(JUNT,9028) (ISHOLD(J),J=1,NOSO)
9028 FORMAT(10X,8(15,6X))
      NOSO=0
24  CONTINUE
      WRITE(JUNT,9028) (ISHOLD(J),J=1,NOSO)
30  IF(ISW(4)-1) 40,31,32
C THIS ROUTINE ALLOW THE SPECIFICATION OF BACKGROUND VALUES TO BE
C ADDED TO THE CONCENTRATIONS ON THE TAPE. BACKGROUND CAN BE
C SPECIFIED IN TWO WAYS: A UNIFORM BACKGROUND IS USED FOR ALL RECEPTORS
C IN ALL ANALYSES, AND SEPARATE BACKGROUND CONCENTRATIONS ARE USED FOR
C INDIVIDUAL RECEPTOR
31  READ(IUNT,9013) BACK
9013 FORMAT(F10.0)
      DO 33 I=1,NXXYY
      BCKG(I)=BACK
33  CONTINUE
      PGCT=PGCT+1
      WRITE(JUNT,9020) PGCT
      WRITE(JUNT,9029) BACK
9029 FORMAT(42X,'A UNIFORM BACKGROUND CONCENTRATION OF ',F10.2,/,
137X,'MICROGRAMS PER CUBIC METER HAS BEEN ADDED TO ALL RECEPTORS')
      GOTO 40
32  PGCT=PGCT+1
C THIS ROUTINE ALLOW THE DIFFERENT BACKGROUND CONCENTRATIONS TO BE USED
C FOR EACH RECEPTOR
      WRITE(JUNT,9020) PGCT
      WRITE(JUNT,9030)
9030 FORMAT(43X,'SEPARATE BACKGROUND CONCENTRATIONS HAVE BEEN ',/,
153X,'SPECIFIED FOR EACH RECEPTOR',/,55X,'(X-COORD,Y-COORD) VALUE',
2/,', '-----'
3'-----'
4')
34  READ(IUNT,9011) NUMDIS
C THE NUMBER OF RECEPTORS TO HAVE A BACKGROUND SPECIFICATION IS
C READ AS NUMDIS
      IF(NUMDIS) 49,49,45
45  NBACK=0
      DO 46 I=1,NUMDIS
C THE COORDINATES FOR EACH RECEPTORS TO HAVE A BACKGROUND SPECIFIED
C ARE READ ALONG WITH THE BACKGROUND VALUE

```

```

      READ(IUNT,9012) X1,Y1,VAL
      IGO=0
      DO 35 II=1,NXPNTS
      DO 35 J=1,NYPNTS
      IF(X1.NE.X(II).OR.Y1.NE.Y(J)) GOTO 35
      IGO=1
      K=(J-1)*NXPNTS+II
      NBACK=NBACK+1
C XX, YY AND BACKOT ARE USED STRICTLY FOR OUTPUT
      XX(NBACK)=X(II)
      YY(NBACK)=Y(J)
      BACKOT(NBACK)=VAL
      BCKG(K)=VAL
      GOTO 46
35    CONTINUE
      DO 47 J=1,NXWYPT
      IF(X1.NE.XDISC(J).OR.Y1.NE.YDISC(J)) GOTO 47
      IGO=1
      K=NIJ+J
      NBACK=NBACK+1
      XX(NBACK)=XDISC(J)
      YY(NBACK)=YDISC(J)
      BACKOT(NBACK)=VAL
      BCKG(K)=VAL
      GOTO 46
47    CONTINUE
      IF(IGO.EQ.0) CALL EROUT(12)
46    CONTINUE
49    NHOLD=0
      IF(NBACK.GT.200) NHOLD=NBACK-200
      NBACK=NBACK-NHOLD
37    WRITE(JUNT,9031) (XX(I),YY(I),BACKOT(I),I=1,NBACK)
9031  FORMAT(2X,'( ',F9.0,' ',', ',F9.0,' ') ',F9.0,2X,'( ',F9.0,' ',', ',F9.0,' ') ',
1F9.0,2X,'( ',F9.0,' ',', ',F9.0,' ') ',F9.0,2X,'( ',F9.0,' ',', ',F9.0,' ') ',
2F9.0)
      IF(NHOLD.EQ.0) GOTO 40
      PGCT=PGCT+1
      WRITE(JUNT,9020) PGCT
      NBACK=NBACK+NHOLD
      WRITE(JUNT,9031) (XX(I),YY(I),BACKOT(I),I=201,NBACK)
40    IF(ISW(5).EQ.0) GOTO 50
C THIS ROUTINE ALLOWS THE CONTRIBUTION FROM ANY INDIVIDUAL SOURCE TO BE
C SCALED BY A PARTICULAR VALUE, SCALE
      READ(IUNT,9011) NSCALE
      DO 41 I=1,NSCALE
      READ(IUNT,9014) ISCALE,SCALE
9014  FORMAT(I5,F10.0)
      IGO=0
      DO 42 J=1,NSOURC
      IF(NUMSQ(J).NE.ISCALE) GOTO 42
      IGO=1
      SCLE(J)=SCALE
42    CONTINUE
      IF(IGO.EQ.0) CALL EROUT(5)
41    CONTINUE

```

```

PGCT=PGCT+1
WRITE(JUNT,9020) PGCT
WRITE(JUNT,9032)
9032 FORMAT(44X,'THE CONCENTRATIONS FROM CERTAIN SOURCES WERE',/,50X,
1'SCALED BY THE FOLLOWING AMOUNTS',/,47X,'(IDENTIFICATION NUMBER,SC
2ALING VALUE)',/,/, ' -----'
3-----')
WRITE(JUNT,9033) (NUMSQ(I),SCLE(I),I=1,NSOURC)
9033 FORMAT(5X,'(',I5,',',F7.2,')',5X,'(',I5,',',F7.2,')',
15X,'(',I5,',',F7.2,')',5X,'(',I5,',',F7.2,')',
25X,'(',I5,',',F7.2,')',5X,'(',I5,',',F7.2,')')
C
C THE FOLLOWING ROUTINES CHECK TO ENSURE THERE IS ENOUGH MET DATA
C IN THE ORIGINAL SHORTZ RUN TO COMPLETE THE ANALYSES REQUESTED BY
C THE USER
50 IF(ISW(9).EQ.0.AND.ISW(10).EQ.0.AND.ISW(11).EQ.0) GOTO 60
IF(NHOURS.LT.3) CALL EROUT(6)
60 IF(ISW(12).EQ.0.AND.ISW(13).EQ.0.AND.ISW(14).EQ.0) GOTO 70
IF(NHOURS.LT.8) CALL EROUT(7)
70 IF(ISW(15).EQ.0.AND.ISW(16).EQ.0.AND.ISW(17).EQ.0) GOTO 80
IF(NHOURS.LT.24) CALL EROUT(8)
80 IF(ISW(18).EQ.0.AND.ISW(19).EQ.0.AND.ISW(20).EQ.0) GOTO 90
C IF AN ANNUAL CONCENTRATION IS TO BE COMPUTED, THIS ROUTINE ASKS
C THE NUMBER OF DAYS PER YEAR IN THE ANNUAL RUN
READ(IUNT,9011) NDYYR
NHRYR=NDYYR*24
IF(NDAYS.LT.NDYYR) CALL EROUT(9)
90 IF(ISW(21).EQ.0.AND.ISW(22).EQ.0.AND.ISW(23).EQ.0) GOTO 100
C OTHER IS USED WHEN THE USER WANTS TO SPECIFY AN AVERAGING OTHER
C THAN THE STANDARD VALUES (E.G. 1-HOUR, 3-HOUR, 8-HOUR, 24-HOUR, AND
C ANNUAL.
READ(IUNT,9011) IOTHER
IF(NHOURS.LT.IOTHER) CALL EROUT(10)
100 JDAY=0
JULD=JULST-1
C IF AN EXCEEDANCE TABLE IS TO BE PREPARED, THE CRITERIA FOR THE
C EXCEEDANCE IS SPECIFIED IN THE NEXT LINES
IF(ISW(8).EQ.1) READ(IUNT,9012) ONEEX
IF(ISW(11).EQ.1) READ(IUNT,9012) THREX
IF(ISW(14).EQ.1) READ(IUNT,9012) EIGEX
IF(ISW(17).EQ.1) READ(IUNT,9012) TWYEX
IF(ISW(20).EQ.1) READ(IUNT,9012) ANNEX
IF(ISW(23).EQ.1) READ(IUNT,9012) OTHEx
C
C MAIN LOOP - OVER THE TOTAL NUMBER OF DAYS
C
DO 1000 IDAY=1,NDAYS
JDAY=JDAY+1
JULD=JULD+1
C TEST TO DETERMINE IF LEAP YEAR
ITEST=IYR/4
IF(ITEST-IYR/4) 110,111,110
110 IF(JULD.GT.365) GOTO 112
GOTO 120
111 IF(JULD.GT.366) GOTO 112

```

```

        GOTO 120
112    IYR=IYR+1
        JULD=1
C TEST TO DETERMINE IF BEYOND END YEAR OR DAY, OR BEFORE START
C YEAR OR DAY.
    120    IF(IYR-IYREND) 130,121,2000
    121    IF(JULD.GT.IDYEND) GOTO 2000
C
C LOOP OVER NUMBER OF HOURS PER DAY
C
    130    DO 900 IHR=1,NHOURS
C READ THE INPUT TAPE (FROM THE SHORTZ RUN) TO OBTAIN THE MET DATA
        CALL INPOUP(1,THETA,1213)
C ISKIP IS AN PART OF THE CALMS POLICY IMPLEMENTATION
        ISKIP=0
C THE FOLLOWING ARE COUNTERS FOR THE NUMBER OF "VALID" (AS DEFINED
C BY THE CALMS POLICY) AND TOTAL HOURS PROCESSED
        I3CT=I3CT+1
        IF(I3CT.LE.3) GOTO 132
        I3CT=1
132    I8CT=I8CT+1
        IF(I8CT.GT.8) GOTO 133
        IF(UBAR.GE.1.) I8VAL=I8VAL+1
        GOTO 134
133    I8CT=1
        I8VAL=0
        IF(UBAR.GE.1.) I8VAL=1
134    I24CT=I24CT+1
        IF(I24CT.GT.24) GOTO 135
        IF(UBAR.GE.1.) I24VAL=I24VAL+1
        GOTO 136
135    I24CT=1
        I24VAL=0
        IF(UBAR.GE.1.) I24VAL=1
136    IANNCT=IANNCT+1
        IF(IANNCT.GT.NHRYR) GOTO 138
        IF(UBAR.GE.1.) IANVAL=IANVAL+1
        GOTO 139
138    IANNCT=1
        IANVAL=0
        IF(UBAR.GE.1.) IANVAL=1
139    IOTHCT=IOETHCT+1
        IF(IOETHCT.GT.IOETHER) GOTO 137
        IF(UBAR.GE.1.) IOTVAL=IOTVAL+1
        GOTO 140
137    IOTHCT=1
        IOTVAL=0
        IF(UBAR.GE.1.) IOTVAL=1
140    IF(ISW(25).EQ.1.AND.UBAR.LT.1.) ISKIP=1
        DO 151 I=1,NXXYY
        CONT(I)=0.
151    CONTINUE
C
C LOOP ON SOURCES

```

```

C
DO 180 ISRC=1,NSOURC
C READ THE CONCENTRATION DATA FROM THE TAPE
CALL INPOUP(1,CON,NXXYY)
IF(IYR-IYRST) 180,150,160
150 IF(JULD.LT.IDYST) GOTO 180
160 IF(ISELIM(ISRC).EQ.1) GOTO 180
IF(ISKIP.EQ.1) GOTO 180
DO 170 I=1,NXXYY
IF(ISELIM(ISRC).EQ.1) GOTO 170
IF(IELIM(I).EQ.1) GOTO 170
CONT(I)=CONT(I)+CON(I)*SCLE(ISRC)
170 CONTINUE
180 CONTINUE
IF(IYR-IYRST) 900,181,182
181 IF(JULD.LT.IDYST) GOTO 900
182 IF(ISKIP.EQ.1) GOTO 191
DO 190 I=1,NXXYY
C CONT IS THE TOTAL CONCENTRATION FROM ALL SOURCES INCLUDING BACKGROUND
CONT(I)=CONT(I)+BCKG(I)
190 CONTINUE
C
C THE MAIN LOOP ON RECEPTORS
C
191 DO 300 IR=1,NXXYY
IF(IELIM(IR).EQ.1) GOTO 300
DO 290 I=1,23
J=25-I
C HOLD IS USED FOR RUNNING AVERAGES. THE PREVIOUS 24-HOURS OF
C TOTAL CONCENTRATIONS BY RECEPTOR ARE STORED IN HOLD
HOLD(IR,J)=HOLD(IR,J-1)
290 CONTINUE
HOLD(IR,1)=CONT(IR)
C THE SORT SUBROUTINE IS THE MAJOR ANALYSIS TOOL FOR THE POSTZ
C PROGRAM. FOR EACH AVERAGIN TIME, SORT KEEPS TRACK OF THE
C HIGH-5, TOP-50 AND EXCEEDANCE TABLE INFORMATION. IN THIS FIRST
C CALL, THE THE HIGH-5 FOR THE 1-HOUR ANALYSIS ARE STORED IN THE
C ARRAY ONE, WHILE THE TOP 50 FOR ALL RECEPTORS ARE STORED IN
C ONE50 AND THE EXCEEDANCE TABEL DATA IS STORED IN ONEE.
C SUBSEQUENT CALLS USE SIMILAR NOMENCLATURE
CALL SORT(1,ISW(6),ISW(7),ISW(8),CONT,IR,ONEC,HOLD,1,1,JULD,
1IHR,ONE,IONEDY,IONETM,ONE50,ION50D,ION50T,ION50R,ONEE,IONED,
2IONET,IONER,ONEEX,ISW(24))
CALL SORT(3,ISW(9),ISW(10),ISW(11),CONT,IR,THRC,HOLD,I3CT,3,JULD,
1IHR,THR,ITHRDY,ITHRTM,THR50,ITH50D,ITH50T,ITH50R,THRE,ITHED,
2ITHET,ITHER,THREX,ISW(24))
IT=0
C THIS ROUTINE IS PART OF THE CALMS POLICY IMPLEMENTATION
DO 200 I=1,7
IEIGSK(I)=IEIGSK(I+1)
IT=IT+IEIGSK(I)
200 CONTINUE
IEIGSK(8)=ISKIP
IT=8-IT-ISKIP
IF(IT.LT.6) IT=6

```

```

    CALL SORT(8,ISW(12),ISW(13),ISW(14),CONT,IR,EIGC,HOLD,I8CT,IT,
    1JULD,IHR,EIG,IEIGDY,IEIGTM,EIG50,IEI50D,IEI50T,IEI50R,EIGE,
    2IEIED,IEIET,IEIER,EIGEX,ISW(24))
C THIS ROUTINE IS PART OF THE CALMS POLICY IMPLEMENTATION
    IT=0
    DO 210 I=1,23
    ITWYSK(I)=ITWYSK(I+1)
    IT=IT+ITWYSK(I)
210  CONTINUE
    ITWYSK(24)=ISKIP
    IT=24-IT-ISKIP
    IF(IT.LT.18) IT=18
    CALL SORT(24,ISW(15),ISW(16),ISW(17),CONT,IR,TWYC,HOLD,I24CT,IT,
    1JULD,IHR,TWY,ITWYDY,ITWYTM,TWY50,ITW50D,ITW50T,ITW50R,TWYE,ITWED,
    2ITWET,ITWER,TWYEX,ISW(24))
    IF(ISW(25).NE.1) IANVAL=IANNCT
    CALL SORT(NHRYR,ISW(18),ISW(19),ISW(20),CONT,IR,ANNC,HOLD,IANNCT,
    1IANVAL,JULD,IHR,ANN,IANNNDY,IANNNTM,ANN50,IAN50D,IAN50T,IAN50R,ANNE,
    2IANED,IANET,IANER,ANNEX,0)
    CALL SORT(IOTHER,ISW(21),ISW(22),ISW(23),CONT,IR,OTHC,HOLD,
    1IOTHCT,IOTHER,JULD,IHR,OTH,IOTRDY,IOTRTM,OTH50,IOT50D,IOT50T,
    2IOT50R,OTHE,IOTED,IOTET,IOTER,OTHEX,ISW(24))
300  CONTINUE
900  CONTINUE
1000 CONTINUE
C
C THE MAJOR LOOPS HAVE BEEN CLOSED, THE NEXT CALLS WRITE THE
C OUTPUT TABLES
C
2000 IF(ISW(6).EQ.1) CALL H5OUT(1,NXPNTS,NYPNTS,NXWYPT,NXXYY,X,Y,
    1XDISC,YDISC,ZZ,PGCT,LNCT,ONE,IONEDY,IONETM,IELIM)
    IF(ISW(7).EQ.1) CALL T50OUT(1,NXPNTS,NYPNTS,X,Y,
    1XDISC,YDISC,ZZ,PGCT,LNCT,ONE50,ION50D,ION50T,ION50R)
    IF(ISW(8).EQ.1) CALL EXOUT(1,NXPNTS,NYPNTS,X,Y,
    1XDISC,YDISC,ZZ,PGCT,LNCT,ONEE,IONED,IONET,IONER,ONEEX)
    IF(ISW(9).EQ.1) CALL H5OUT(3,NXPNTS,NYPNTS,NXWYPT,NXXYY,X,Y,
    1XDISC,YDISC,ZZ,PGCT,LNCT,THR,ITHRDY,ITHRTM,IELIM)
    IF(ISW(10).EQ.1) CALL T50OUT(3,NXPNTS,NYPNTS,X,Y,
    1XDISC,YDISC,ZZ,PGCT,LNCT,THR50,ITH50D,ITH50T,ITH50R)
    IF(ISW(11).EQ.1) CALL EXOUT(3,NXPNTS,NYPNTS,X,Y,
    1XDISC,YDISC,ZZ,PGCT,LNCT,THRE,ITHED,ITHET,ITHER,THREX)
    IF(ISW(12).EQ.1) CALL H5OUT(8,NXPNTS,NYPNTS,NXWYPT,NXXYY,X,Y,
    1XDISC,YDISC,ZZ,PGCT,LNCT,EIG,IEIGDY,IEIGTM,IELIM)
    IF(ISW(13).EQ.1) CALL T50OUT(8,NXPNTS,NYPNTS,X,Y,
    1XDISC,YDISC,ZZ,PGCT,LNCT,EIG50,IEI50D,IEI50T,IEI50R)
    IF(ISW(14).EQ.1) CALL EXOUT(8,NXPNTS,NYPNTS,X,Y,
    1XDISC,YDISC,ZZ,PGCT,LNCT,EIGE,IEIED,IEIET,IEIER,EIGEX)
    IF(ISW(15).EQ.1) CALL H5OUT(24,NXPNTS,NYPNTS,NXWYPT,NXXYY,X,Y,
    1XDISC,YDISC,ZZ,PGCT,LNCT,TWY,ITWYDY,ITWYTM,IELIM)
    IF(ISW(16).EQ.1) CALL T50OUT(24,NXPNTS,NYPNTS,X,Y,
    1XDISC,YDISC,ZZ,PGCT,LNCT,TWY50,ITW50D,ITW50T,ITW50R)
    IF(ISW(17).EQ.1) CALL EXOUT(24,NXPNTS,NYPNTS,X,Y,
    1XDISC,YDISC,ZZ,PGCT,LNCT,TWYE,ITWED,ITWET,ITWER,TWYEX)
    IF(ISW(18).EQ.1) CALL H5OUT(NHRYR,NXPNTS,NYPNTS,NXWYPT,NXXYY,X,Y,
    1XDISC,YDISC,ZZ,PGCT,LNCT,ANN,IANNNDY,IANNNTM,IELIM)

```

```
IF(ISW(19).EQ.1) CALL T50OUT(NHRYR,NXPNTS,NYPNTS,X,Y,  
1XDISC,YDISC,ZZ,PGCT,LNCT,ANN50,IAN50D,IAN50T,IAN50R)  
IF(ISW(20).EQ.1) CALL EXOUT(NHRYR,NXPNTS,NYPNTS,X,Y,  
1XDISC,YDISC,ZZ,PGCT,LNCT,ANNE,IANED,IANET,IANER,ANNEX)  
IF(ISW(21).EQ.1) CALL H5OUT(IOTHER,NXPNTS,NYPNTS,NXWYPT,NXXYY,X,Y,  
1XDISC,YDISC,ZZ,PGCT,LNCT,OTH,IOTHDY,IOTHTM,IELIM)  
IF(ISW(22).EQ.1) CALL T50OUT(IOTHER,NXPNTS,NYPNTS,X,  
1Y,XDISC,YDISC,ZZ,PGCT,LNCT,OTH50,IOT50D,IOT50T,IOT50R)  
IF(ISW(23).EQ.1) CALL EXOUT(IOTHER,NXPNTS,NYPNTS,X,Y,  
1XDISC,YDISC,ZZ,PGCT,LNCT,OTHE,IOTED,IOTET,IOTER,OTHEX)  
RETURN  
END
```

```

      SUBROUTINE SORT(N,I1,I2,I3,CONT,IR,CAL,HOLD,ICT,NVAL,JULD,IHR,H5,
      1IH5DY,IH5TM,T50,IT5ODY,IT5OTM,IR50,E,IEDY,IETM,IRE,EX,IBR)
C
C SUBROUTINE SORT -- PART OF POSTZ
C THIS SUBROUTINE KEEPS TRACK OF TOP 5, TOP 50 AND EXCEEDANCE
C TABLE DATA FOR EACH AVERAGING TIME. SUBROUTINE SEQANL CALLS SORT
C FOR EACH OF THE AVERAGING TIMES SELECTED BY THE USER
C
      DIMENSION CONT(300),CAL(300),HOLD(300,24),H5(300,5),IH5DY(300,5),
      1IH5TM(300,5),T50(50),IT5ODY(50),IT5OTM(50),E(100),IEDY(100),
      2IETM(100),IRE(100),IR50(50)
C IF THIS AVERAGING TIME HAS NOT BEEN SELECTED, RETURN TO SEQANL
      IF(I1.EQ.0.AND.I2.EQ.0.AND.I3.EQ.0) RETURN
C TEST TO SEE WHETHER RUNNING OR BLOCK AVERAGES
      IF(IBR.EQ.1) GOTO 10
C ROUTINE TO COMPUTE BLOCK AVERAGES
      CAL(IR)=CAL(IR)+CONT(IR)
C FOR BLOCK AVERAGES, RETURN IF THE COUNTER DOES NOT EQUAL THE
C AVERAGING TIME
      IF(ICT.LT.N) RETURN
      GOTO 30
C ROUTINE TO COMPUTE RUNNING AVERAGES
10      C1=0.
      DO 20 I=1,N
      C1=C1+HOLD(IR,I)
20      CONTINUE
      C1=C1/NVAL
      GOTO 36
C C1 IS THE AVERAGE CONCENTRATION TO BE EXAMINED TO DETERMINE
C IF IT NEEDS TO BE ADDED TO THE TOP 5 TABLE FOR THE RECEPTOR, OR
C TO THE TOP-50 TABLE FOR ALL RECEPTORS
30      C1=CAL(IR)/NVAL
36      IF(I1.NE.1) GOTO 40
C TEST FOR THE HIGH-5 TABLE
      DO 31 I=1,5
      IF(C1.GT.H5(IR,I)) GOTO 32
31      CONTINUE
      GOTO 40
32      IF(I.EQ.5) GOTO 33
      DO 34 J=I,4
      K=5+I-J
C MAKE ROOM IN THE ARRAYS FOR VALUE, DAY AND TIME
      H5(IR,K)=H5(IR,K-1)
      IH5DY(IR,K)=IH5DY(IR,K-1)
      IH5TM(IR,K)=IH5TM(IR,K-1)
34      CONTINUE
33      H5(IR,I)=C1
      IH5DY(IR,I)=JULD
      IH5TM(IR,I)=IHR
40      IF(I2.NE.1) GOTO 50
      DO 41 I=1,50
      IF(C1.GT.T50(I)) GOTO 42
41      CONTINUE
      GOTO 50
C THE ROUTINE FOR THE TOP-50 TABLE

```

```

42  IF(I.EQ.50) GOTO 43
    DO 44 J=I,49
      K=50+I-J
      T50(K)=T50(K-1)
      IT50DY(K)=IT50DY(K-1)
      IT50TM(K)=IT50TM(K-1)
      IR50(K)=IR50(K-1)
44  CONTINUE
43  T50(I)=C1
    IT50DY(I)=JULD
    IT50TM(I)=IHR
    IR50(I)=IR
C THE ROUTINE FOR THE EXCEEDANCE TABLE
50  IF(I3.NE.1) GOTO 100
    IF(C1.LE.EX) GOTO 100
    DO 51 I=1,100
      IF(C1.GE.E(I)) GOTO 52
51  CONTINUE
    GOTO 100
52  IF(I.EQ.100) GOTO 53
    DO 54 J=I,99
      K=100+I-J
      E(K)=E(K-1)
      IEDY(K)=IEDY(K-1)
      IETM(K)=IETM(K-1)
      IRE(K)=IRE(K-1)
54  CONTINUE
53  E(I)=C1
    IEDY(I)=JULD
    IETM(I)=IHR
    IRE(I)=IR
100 IF(IBR.EQ.1) RETURN
    CAL(IR)=0.
    RETURN
    END

```

```

SUBROUTINE H5OUT(N,NX,NY,NXY,NTOT,X,Y,XD,YD,Z,PGCT,LNCT,
1H5,IDAY,ITIME,IELIM)

```

C

C SUBROUTINE H5OUT -- PART OF POSTZ

C THIS SUBROUTINE WRITES THE HIGH-5 OUTPUT TABLE

C

```

      INTEGER PGCT
      COMMON /FILES/ IUNT,JUNT
      CHARACTER*1 HSTAR(300,2)
      DIMENSION X(300),Y(300),XD(300),YD(300),Z(300),H5(300,5),
1IDAY(300,5),ITIME(300,5),IELIM(300)
      PK1=0.
      PK2=0.
      IPK1=0
      IPK2=0
      DO 50 I=1,NTOT
      HSTAR(I,1)=' '
      IF(H5(I,1).LT.PK1) GOTO 60
      PK1=H5(I,1)
      IPK1=I
60    HSTAR(I,2)=' '
      IF(H5(I,2).LT.PK2) GOTO 50
      PK2=H5(I,2)
      IPK2=I
50    CONTINUE
      HSTAR(IPK1,1)='*'
      HSTAR(IPK2,2)='*'
      PGCT=PGCT+1
      WRITE(JUNT,9000) PGCT
9000  FORMAT(1X,'1',105X,'POSTZ - PAGE NO. ',I3,///)
      WRITE(JUNT,9001) N
9001  FORMAT(46X,'HIGH FIVE TABLE FOR ',I5,' HOUR AVERAGES',///,
12X,'RECEPTOR COORDINATES',42X,'HIGHEST FIVE CONCENTRATIONS',/,
28X,'METERS',51X,'VALUE(DAY,ENDING HOUR)',/,
35X,'X',11X,'Y',7X,'ELEV.',9X,'HIGHEST',12X,'2ND HIGH',12X,
4'3RD HIGH',12X,'4TH HIGH',12X,'5TH HIGH',/, ' -----
5-----
6-----')
      LNCT=11
      IF(NX.EQ.0.OR.NY.EQ.0) GOTO 20
      DO 10 I=1,NY
      DO 10 J=1,NX
      K=(I-1)*NX+J
      IF(IELIM(K).EQ.1) GOTO 10
      WRITE(JUNT,9002) X(J),Y(I),Z(K),H5(K,1),IDAY(K,1),ITIME(K,1),
1HSTAR(K,1),H5(K,2),IDAY(K,2),ITIME(K,2),HSTAR(K,2),
2(H5(K,L),IDAY(K,L),ITIME(K,L),L=3,5)
9002  FORMAT(1X,F10.0,2X,F10.0,2X,F6.0,2X,F10.2,'(' ,I3,',',',I2,')',
1A1,1X,F10.2,'(' ,I3,',',',I2,')',A1,1X,F10.2,'(' ,I3,',',',I2,')',
22X,F10.2,'(' ,I3,',',',I2,')',2X,F10.2,'(' ,I3,',',',I2,')')
      LNCT=LNCT+1
      IF(LNCT.LT.60) GOTO 10
      PGCT=PGCT+1
      WRITE(JUNT,9000) PGCT
      WRITE(JUNT,9003) N

```

```

9003 FORMAT(46X,'HIGH FIVE TABLE FOR ',I5,' HOUR AVERAGES (CONT.)',/,/,
12X,'RECEPTOR COORDINATES',42X,'HIGHEST FIVE CONCENTRATIONS',/,
28X,'METERS',51X,'VALUE(DAY,ENDING HOUR)',/,/,
35X,'X',11X,'Y',7X,'ELEV.',9X,'HIGHEST',12X,'2ND HIGH',12X,
4'3RD HIGH',12X,'4TH HIGH',12X,'5TH HIGH',/, ' -----
5-----
6-----')
LNCT=11
10 CONTINUE
20 IF(NXY.EQ.0) GOTO 30
DO 40 I=1,NXY
K=NX*NY+I
IF(IELIM(K).EQ.1) GOTO 40
WRITE(JUNT,9002) XD(I),YD(I),Z(K),H5(K,1),IDAY(K,1),ITIME(K,1),
1HSTAR(K,1),H5(K,2),IDAY(K,2),ITIME(K,2),HSTAR(K,2),
2(H5(K,L),IDAY(K,L),ITIME(K,L),L=3,5)
LNCT=LNCT+1
IF(LNCT.LT.60) GOTO 40
PGCT=PGCT+1
WRITE(JUNT,9000) PGCT
WRITE(JUNT,9003) N
40 CONTINUE
30 WRITE(JUNT,9004)
9004 FORMAT(/,1X,'* - DENOTES PEAK VALUE')
RETURN
END

```

```

SUBROUTINE T50OUT(N,NX,NY,X,Y,XD,YD,Z,PGCT,LNCT,
1T50,IDAY,ITIME,IR)

```

```

C
C SUBROUTINE T50OUT -- PART OF POSTZ
C THIS SUBROUTINE WRITES THE TOP-50 OUTPUT TABLE
C

```

```

      INTEGER PGCT
      COMMON /FILES/ IUNT,JUNT
      DIMENSION X(300),Y(300),XD(300),YD(300),Z(300),T50(50),IDAY(50),
1ITIME(50),IR(50)
      PGCT=PGCT+1
      WRITE(JUNT,9000) PGCT
9000  FORMAT(1X,'1',105X,'POSTZ - PAGE NO. ',I3,///)
      WRITE(JUNT,9001) N
9001  FORMAT(41X,'TOP 50 TABLE FOR ',I5,' HOUR AVERAGE CONCENTRATIONS',
1//,33X,'RECEPTOR COORDINATES',32X,'ENDING',/,7X,'RANK',8X,'VALUE',
211X,'X',14X,'Y',11X,'ELEVATION',6X,'DAY',6X,'TIME',/, ' -----
3-----
4-----')
      LNCT=9
      NT=NX*NY
      DO 10 K=1,50
      IF(IDAY(K).EQ.0) RETURN
      IF(IR(K).GT.NT) GOTO 20
      J=(IR(K)-1)/NX+1
      I=IR(K)-(J-1)*NX
      X1=X(I)
      Y1=Y(J)
      GOTO 30
20    I=IR(K)-NT
      X1=XD(I)
      Y1=YD(I)
30    WRITE(JUNT,9002) K,T50(K),X1,Y1,Z(IR(K)),IDAY(K),ITIME(K)
9002  FORMAT(6X,I5,5X,F10.2,5X,F10.0,5X,F10.0,5X,F10.0,5X,I5,5X,I5)
      LNCT=LNCT+1
      IF(LNCT.LE.60) GOTO 10
      PGCT=PGCT+1
      WRITE(JUNT,9000) PGCT
      WRITE(JUNT,9004) N
9004  FORMAT(41X,'TOP 50 TABLE FOR ',I5,' HOUR AVERAGE CONCENTRATIONS',
1' (CONT.)',
2//,33X,'RECEPTOR COORDINATES',32X,'ENDING',/,7X,'RANK',8X,'VALUE',
311X,'X',14X,'Y',11X,'ELEVATION',6X,'DAY',6X,'TIME',/, ' -----
4-----
5-----')
      LNCT=9
10    CONTINUE
      RETURN
      END

```

```

      SUBROUTINE EXOUT(N,NX,NY,X,Y,XD,YD,Z,PGCT,LNCT,
      ,1E,IDAY,ITIME,IR,EX)

```

C

C SUBROUTINE EXOUT -- PART OF POSTZ

C THIS SUBROUTINE WRITES THE EXCEEDANCE OUTPUT TABLE

C

```

      INTEGER PGCT
      COMMON /FILES/ IUNT,JUNT
      DIMENSION X(300),Y(300),XD(300),YD(300),Z(300),E(100),IDAY(100),
      1ITIME(100),IR(100)
      PGCT=PGCT+1
      WRITE(JUNT,9000) PGCT
9000 FORMAT(1X,' ',105X,'POSTZ - PAGE NO. ',I3,///)
      WRITE(JUNT,9001) N,EX
9001 FORMAT(39X,'EXCEEDANCE TABLE FOR ',I5,' HOUR AVERAGE CONCENTRATION
      1S',/,48X,'VALUES ABOVE ',F10.2,' ARE PRINTED',
      1//,33X,'RECEPTOR COORDINATES',32X,'ENDING',/,7X,'RANK',8X,'VALUE',
      211X,'X',14X,'Y',11X,'ELEVATION',6X,'DAY',6X,'TIME',/, ' -----
      3-----
      4-----')
      LNCT=10
      NT=NX*NY
      DO 10 K=1,100
      IF(IDAY(K).EQ.0) RETURN
      IF(IR(K).GT.NT) GOTO 20
      J=(IR(K)-1)/NX+1
      I=IR(K)-(J-1)*NX
      X1=X(I)
      Y1=Y(J)
      GOTO 30
20  I=IR(K)-NT
      X1=XD(I)
      Y1=YD(I)
30  WRITE(JUNT,9002) K,E(K),X1,Y1,Z(IR(K)),IDAY(K),ITIME(K)
9002 FORMAT(6X,I5,5X,F10.2,5X,F10.0,5X,F10.0,5X,F10.0,5X,I5,5X,I5)
      LNCT=LNCT+1
      IF(LNCT.LE.60) GOTO 10
      PGCT=PGCT+1
      WRITE(JUNT,9000) PGCT
      WRITE(JUNT,9004) N
9004 FORMAT(39X,'EXCEEDANCE TABLE FOR ',I5,' HOUR AVERAGE CONCENTRATION
      1S (CONT.)',/,48X,'VALUES ABOVE ',F10.2,' ARE PRINTED',
      1//,33X,'RECEPTOR COORDINATES',32X,'ENDING',/,7X,'RANK',8X,'VALUE',
      211X,'X',14X,'Y',11X,'ELEVATION',6X,'DAY',6X,'TIME',/, ' -----
      3-----
      4-----')
      LNCT=10
10  CONTINUE
      RETURN
      END

```

SUBROUTINE EROUT(N)

C

C SUBROUTINE EROUT -- PART OF POSTZ

C THIS SUBROUTINE WRITES THE ERROR MESSAGES

C

```

COMMON /FILES/ IUNT,JUNT
GOTO(1,2,3,4,5,6,7,8,9,10,11,12),N
1  WRITE(JUNT,9000)
9000 FORMAT(1X,'**ERROR** NO RECEPTORS HAVE BEEN INCLUDED')
STOP
2  WRITE(JUNT,9001)
9001 FORMAT(1X,'**ERROR** GRID RECEPTOR TO BE INCLUDED IS NOT',/,
1      1X,'          IN ORIGINAL SHORTZ RUN')
STOP
3  WRITE(JUNT,9002)
9002 FORMAT(1X,'**ERROR** DISCRETE RECEPTOR TO BE INCLUDED IS NOT',/,
1      1X,'          IN ORIGINAL SHORTZ RUN')
STOP
4  WRITE(JUNT,9003)
9003 FORMAT(1X,'**ERROR** SOURCE NUMBER TO BE INCLUDED IS NOT IN',/,
1      1X,'          ORIGNIAL SHORTZ RUN')
STOP
5  WRITE(JUNT,9004)
9004 FORMAT(1X,'**ERROR** SOURCE TO BE SCALED IN NOT IN ORIGINAL',/,
1      1X,'          SHORTZ RUN')
STOP
6  WRITE(JUNT,9005)
9005 FORMAT(1X,'**ERROR** THERE ARE TOO FEW HOURS TO COMPUTE A',/,
1      1X,'          3-HOUR AVERAGE')
STOP
7  WRITE(JUNT,9006)
9006 FORMAT(1X,'**ERROR** THERE ARE TOO FEW HOURS TO COMPUTE AN',/,
1      1X,'          8-HOUR AVERAGE')
STOP
8  WRITE(JUNT,9007)
9007 FORMAT(1X,'**ERROR** THERE ARE TOO FEW HOURS TO COMPUTE A',/,
1      1X,'          24-HOUR AVERAGE')
STOP
9  WRITE(JUNT,9008)
9008 FORMAT(1X,'**ERROR** THERE ARE FEWER DAYS IN THE TAPE FILE',/,
1      1X,'          THAN HAVE BEEN SPECIFIED AS THE NUMBER',/,
2      1X,'          OF DAYS PER YEAR')
STOP
10 WRITE(JUNT,9009)
9009 FORMAT(1X,'**ERROR** THERE ARE TOO FEW HOURS TO COMPUTE THE',/,
1      1X,'          USER-SPECIFIED AVERAGING TIME')
STOP
11 WRITE(JUNT,9010)
9010 FORMAT(1X,'**ERROR** THE GRID RECEPTOR FOR WHICH BACKGROUND',/,
1      1X,'          HAS BEEN SPECIFIED IS NOT IN THE ORIGINAL',/,
2      1X,'          SHORTZ OUTPUT FILE')
STOP
12 WRITE(JUNT,9011)
9011 FORMAT(1X,'**ERROR** THE DISCRETE RECEPTOR FOR WHICH BACKGROUND',/,
1      1X,'          HAS BEEN SPECIFIED IS NOT IN THE ORIGINAL',/,

```

```
2      1X, '          SHORTZ OUTPUT FILE')  
  STOP  
  RETURN  
  END
```

SUBROUTINE INPOUP(I,ADR1,ADR2)

C
C SUBROUTINE INPOUP -- PART OF POSTZ.
C THIS SUBROUTINE IS TAKEN FROM THE SHORTZ MODEL AND IS USED TO
C READ THE INPUT TAPE. IT CAN ALSO BE USED TO WRITE THE OUTPUT
C TAPE, AND THAT IS ONE OF ITS PURPOSES IN THE SHORTZ MODEL
C

INTEGER TITLE,DATS,ADR2
DIMENSION XEND(14),ADR1(1),BUFIN(2000),BUFOT(2000,2),IXEND(14)
COMMON /DIM/ NSOURC,NGROUP,NXPNTS,NYPNTS,NXWYPT,NHOURS,NDAYS
1,IOVRSN
COMMON /IO/ NOGO,IT1REC,IT2REC,NINTP,NOTTP,NINFL(3),NOTFL(3)
COMMON /RST/ ISW(20),TITLE(20),KUNR(6),KFNR(3),DD1(3),I3,DATS(2),
1IH,IB,IPRT(100),NLINE,KSW,NGROPS,IHOUR(1464),MUNT(4),ITABLE,IPAGE
2,ND,LINE,IPC,IBLNK
COMMON /FILES/ IUNT,JUNT
EQUIVALENCE (XEND,IXEND),(JOVRSN,XOVRSN),(IVSN,XVSN)
DATA JOVRSN/9903/
DATA IXEND/0541600000000,13*0/,NI,NO,ISREC/3*1/,IT1REC,IT2REC,NOB,
1IEND,LSW,IWRD/6*0/,NIB,NWRD/2*2000/,XFT/0.0/
NOGO = 0
NINTP=1
NINFL(1)=2
IF (I .EQ. 2) GO TO 200
IF (I .EQ. 3) GO TO 350
IF (LSW .EQ. 0) GO TO 20
IT1REC = IT1REC+1
CALL NTRANS(NINFL(NI),22,2,ADR2,ADR1,IEOF)
10 IF (IEOF .GT. 0) GO TO 370
IF (IEOF .EQ. -1) GO TO 10
IF (IEOF .EQ. -2) GO TO 180
GO TO 190
20 N = 0
30 N = N+1
IF (N .GT. ADR2) GO TO 370
40 NIB = NIB+1
IF (NIB .GT. IWRD) GO TO 80
ADR1(N) = BUFIN(NIB)
IF (I .GT. 0) GO TO 30
IF (ADR2 .NE. 8) GO TO 50
IF (N .LT. 8) GO TO 30
XVSN = ADR1(N)
IF (ADR1(N) .EQ. XOVRSN) GO TO 30
IVSN = 9902
NIB = NIB-1
IOVRSN = JOVRSN
GO TO 30
50 IF (IVSN .EQ. JOVRSN) GO TO 30
IF (ADR2 .NE. 49.OR.N .LT. 49) GO TO 30
NIB = NIB-13
K = 2
CALL FFDASC(K,TITLE(15),KFNR(1))
K = 4
CALL FFDASC(K,TITLE(11),KUNR(1))
DO 60 K=1,10

```

60 TITLE(21-K) = TITLE(11-K)
   K = 10
   CALL FFDASC(K,TITLE(11),TITLE(1))
   DO 70 K=16,20
70  TITLE(K) = IBLNK
   GO TO 30
80  JSW = 1
   IEND = 0
   IT1REC = IT1REC+1
   NIB = 0
90  CALL NTRANS(NINFL(NI),22,2,NWRD,BUFIN,IEOF)
100 IF (IEOF .GT. 0) GO TO 130
   IF (IEOF .EQ. -1) GO TO 100
   IF (IEOF .EQ. -2) GO TO 110
   IF (JSW .EQ. 2) GO TO 150
   IF (IEND .EQ. 1) GO TO 160
   WRITE (JUNT,9001) NINFL(NI),IT1REC
   LINE = 200
   GO TO 190
110 IF (JSW .EQ. 2) GO TO 150
   IEND = IEND+1
   IF (IEND .GT. 1) GO TO 120
   IT1REC = IT1REC-1
   IF (IT1REC .LE. 0) GO TO 80
   GO TO 90
120 WRITE (JUNT,9002) NINFL(NI),IT1REC
   LINE = 200
   GO TO 180
130 IWRD = IEOF
   IF (IT1REC .GT. 1) GO TO 140
   IF (IEOF .NE. NWRD) LSW = 1
140 IF (JSW .EQ. 2) GO TO 160
   IF (IEND .EQ. 0) GO TO 40
   IF (BUFIN(1) .NE. XEND(1)) GO TO 160
   IF (IEOF .NE. 14) GO TO 160
   JSW = 2
   GO TO 90
150 CALL NTRANS(NINFL(NI),22,11,22,22,22)
   NI = NI+1
   IF (NI .GT. NINTP) GO TO 170
   GO TO 80
160 WRITE (JUNT,9003) NINFL(NI),IT1REC
   LINE = LINE+2
   CALL NTRANS(NINFL(NI),22,7,-1,22,22)
   GO TO 180
170 WRITE (JUNT,9004)
   LINE = LINE+2
   NI = 1
   GO TO 80
180 NOGO = 1
   IT1REC = 0
   LSW = 0
   IWRD = 0
   NIB = 2000
   GO TO 370

```

```

190 NOGO = 2
    IF (IT2REC .LE. 0) GO TO 370
    GO TO 360
200 JSW = 1
    N = 0
210 N = N+1
    IF (N .GT. ADR2) GO TO 370
220 NOB = NOB+1
    IF (NOB .GT. NWRD) GO TO 230
    BUFOT(NO,2) = ADR1(N)
    GO TO 210
230 IT2REC = IT2REC+1
240 IF (NOB .GT. NWRD) NOB = NWRD
    IF (NOB .LT. 4) NOB = 4
    CALL NTRANS(NOTFL(NO),22,1,NOB,BUFOT(1,2),IEOF)
250 IF (IEOF .GT. 0) GO TO 330
    IF (IEOF .EQ. -1) GO TO 250
    IF (IEOF .EQ. -2) GO TO 270
260 WRITE (JUNT,9005) NOTFL(NO),IT2REC
    LINE = 200
    GO TO 190
270 IF (NO+1 .LE. NOTTP) GO TO 280
    WRITE (JUNT,9006)
    LINE = LINE+2
    NOGO = 2
    GO TO 370
280 IF (IT2REC .GT. 2) GO TO 310
    WRITE (JUNT,9009) NOTFL(NO)
    LINE = LINE+2
    NO = NO+1
    IF (NO .GT. NOTTP) GO TO 270
    IF (IT2REC .LE. 1) GO TO 300
    CALL NTRANS(NOTFL(NO),22,1,NWRD,BUFOT(1,1),IEOF)
290 IF (IEOF .GT. 0) GO TO 300
    IF (IEOF .EQ. -1) GO TO 290
    IT2REC = 1
    GO TO 260
300 IT2REC = 0
    GO TO 230
310 CALL NTRANS(NOTFL(NO),22,7,-2,22,22)
    CALL NTRANS(NOTFL(NO),22,9,22,22,22)
    CALL NTRANS(NOTFL(NO),22,1,14,XEND,IEOF)
    CALL NTRANS(NOTFL(NO),22,9,9,11,22)
    IT2REC = IT2REC-2
    WRITE (JUNT,9007) NOTFL(NO),ISREC,IT2REC
    LINE = LINE+2
    NO = NO+1
    IF (NO .GT. NOTTP) GO TO 270
    XFT = FLOAT(NWRD)*0.005625+0.75
    IT2REC = IT2REC+1
    ISREC = IT2REC
    CALL NTRANS(NOTFL(NO),22,1,NWRD,BUFOT(1,1),IEOF)
320 IF (IEOF .GT. 0) GO TO 230
    IF (IEOF .EQ. -1) GO TO 320
    GO TO 260

```

```

330 XFT = XFT+FLOAT(NWRD)*0.005625+0.75
    NOB = 0
    IF (JSW .NE. 1) GO TO 360
    DO 340 J=1,NWRD
340 BUFOT(J,1) = BUFOT(J,2)
    GO TO 220
350 JSW = 2
    IF (NOB .GT. 0) GO TO 230
360 CALL NTRANS(NOTFL(NO),22,9,9,8,-1)
    XFT = (XFT+12.0)/12.0
    WRITE (JUNT,9008) NOTFL(NO),ISREC,IT2REC,XFT
    LINE = LINE+1
370 CONTINUE
    RETURN
9001 FORMAT (24H1*** READ ERROR ON UNIT ,I2,11H AT RECORD ,I6/)
9002 FORMAT (25H1*** END OF DATA ON UNIT ,I2,2H, ,I6,13H RECORDS READ/)
9003 FORMAT (25H0*** END OF FILE ON UNIT ,I2,2H, ,I6,13H RECORDS READ/)
9004 FORMAT (86H0*** WARNING - MORE INPUT REELS THAN UNITS ASSIGNED PRO
1G. GOING TO FIRST UNIT ASSIGNED/)
9005 FORMAT (25H1*** WRITE ERROR ON UNIT ,I2,11H AT RECORD ,I6/)
9006 FORMAT (71H0*** ERROR - MORE OUTPUT REELS REQUIRED THAN UNITS ASSI
1GNED, PROG STOPS)
9007 FORMAT (32H0*** END OF OUTPUT REEL ON UNIT ,I2,9H RECORDS ,I6,9H T
1HROUGH ,I6,8H WRITTEN/)
9008 FORMAT (32H *** END OF OUTPUT DATA ON UNIT ,I2,9H RECORDS ,I6,9H T
1HROUGH ,I6,10H WRITTEN, ,F8.3,18H FEET OF TAPE USED/)
9009 FORMAT (47H0*** WARNING - NOT ENOUGH ROOM ON REEL ON UNIT ,I2,44H
1PROG. STARTS FIRST OUTPUT REC. ON NEXT REEL/)
    END

```

REPORT DOCUMENTATION PAGE		1. REPORT NO. EPA-910/9-86-144	2.	3. Recipient's Accession No.
4. Title and Subtitle USER'S GUIDE FOR POSTZ A POST-PROCESSOR FOR THE SHORTZ AIR QUALITY MODEL			5. Report Date July 1986	
			6.	
7. Author(s) Kirk D. Winges			8. Performing Organization Rept. No. 3481-R81	
9. Performing Organization Name and Address TRC Environmental Consultants, Inc. 15924 22nd Avenue SE Mill Creek, Washington 98012			10. Project/Task/Work Unit No.	
			11. Contract(C) or Grant(G) No. (C) 68-02-3886 (G)	
12. Sponsoring Organization Name and Address U. S. Environmental Protection Agency Region 10 1200 Sixth Avenue Seattle, Washington 98101			13. Type of Report & Period Covered Final	
			14.	
15. Supplementary Notes				
16. Abstract (Limit: 200 words) This report provides instructions for the use of the POSTZ computer program, a post-processor for the SHORTZ air quality model. The POSTZ program is designed to read a sequential output tape of concentrations produced by the SHORTZ model. The POSTZ program provides summary tables of the highest concentrations for different averaging times. The POSTZ program allows the user to restrict the analysis to specific receptors, sources or periods of meteorological data. In addition, the user can scale the concentrations from a particular source if desired. The user can select between running or block averages, and can implement the EPA calms policy if desired. The output tables can be in the form of the highest five concentrations for each receptor, the top 50 concentrations for all receptors, or all concentrations computed to be above a user specified criteria value.				
17. Document Analysis a. Descriptors Air Pollution, Meteorology, Turbulent Diffusion b. Identifiers/Open-Ended Terms Dispersion Modeling, Complex Terrain, SHORTZ, Post-processor c. COSATI Field/Group				
18. Availability Statement Release unlimited		19. Security Class (This Report) Unclassified		21. No. of Pages 96
		20. Security Class (This Page) Unclassified		22. Price