

United States
Environmental Protection
Agency


Environmental Monitoring
and Support Laboratory
P.O. Box 15027
Las Vegas NV 89114

EPA-600/3-79-116 ✓
December 1979

Research and Development



Distribution of Phytoplankton in Montana Lakes



RESEARCH REPORTING SERIES

Research reports of the Office of Research and Development, U.S. Environmental Protection Agency, have been grouped into nine series. These nine broad categories were established to facilitate further development and application of environmental technology. Elimination of traditional grouping was consciously planned to foster technology transfer and maximum interface in related fields. The nine series are:

1. Environmental Health Effects Research
2. Environmental Protection Technology
3. Ecological Research
4. Environmental Monitoring
5. Socioeconomic Environmental Studies
6. Scientific and Technical Assessment Reports (STAR)
7. Interagency Energy—Environment Research and Development
8. "Special" Reports
9. Miscellaneous Reports

This report has been assigned to the ECOLOGICAL RESEARCH series. This series describes research on the effects of pollution on humans, plant and animal species, and materials. Problems are assessed for their long- and short-term influences. Investigations include formations, transport, and pathway studies to determine the fate of pollutants and their effects. This work provided the technical basis for setting standards to minimize undesirable changes in living organisms in the aquatic, terrestrial, and atmospheric environments.

EPA-600/3-79-116
December 1979

DISTRIBUTION OF PHYTOPLANKTON IN MONTANA LAKES

by

S. C. Hern, V. W. Lambou, F. A. Morris*,
M. K. Morris*, W. D. Taylor, and L. R. Williams

Water and Land Quality Branch
Monitoring Operations Division
Environmental Monitoring and Support Laboratory
Las Vegas, Nevada 89114

*Department of Biological Sciences
University of Nevada, Las Vegas
Las Vegas, Nevada 89154

ENVIRONMENTAL MONITORING AND SUPPORT LABORATORY
OFFICE OF RESEARCH AND DEVELOPMENT
U.S. ENVIRONMENTAL PROTECTION AGENCY
LAS VEGAS, NEVADA 89114

DISCLAIMER


This report has been reviewed by the Environmental Monitoring and Support Laboratory-Las Vegas, U.S. Environmental Protection Agency, and approved for publication. Mention of trade names or commercial products does not constitute endorsement or recommendation for use.

FOREWORD

Protection of the environment requires effective regulatory actions which are based on sound technical and scientific information. This information must include the quantitative description and linking of pollutant sources, transport mechanisms, interactions, and resulting effects on man and his environment. Because of the complexities involved, assessment of specific pollutants in the environment requires a total systems approach which transcends the media of air, water, and land. The Environmental Monitoring and Support Laboratory-Las Vegas contributes to the formation and enhancement of a sound monitoring data base for exposure assessment through programs designed to:

- develop and optimize systems and strategies for monitoring pollutants and their impact on the environment
- demonstrate new monitoring systems and technologies by applying them to fulfill special monitoring needs of the Agency's operating programs

This report presents the species and abundance of phytoplankton in the 15 lakes sampled by the National Eutrophication Survey in the State of Montana, along with results from the calculation of several commonly used biological indices of water quality and community structure. These data can be used to biologically characterize the study lakes, and as baseline data for future investigations. This report was written for use by Federal, State, and local governmental agencies concerned with water quality analysis, monitoring, and/or regulation. Private industry and individuals similarly involved with the biological aspects of water quality will find the document useful. For further information contact the Water and Land Quality Branch, Monitoring Operations Division.



George B. Morgan
Director

Environmental Monitoring and Support Laboratory
Las Vegas

CONTENTS

	<u>Page</u>
Foreword	iii
Introduction	1
Materials and Methods	3
Lake and Site Selection	3
Sample Preparation	3
Examination	4
Quality Control	5
Results	6
Nygaard's Trophic State Indices	6
Palmer's Organic Pollution Indices	6
Species Diversity and Abundance Indices	8
Species Occurrence and Abundance	10
Literature Cited	11
Appendix A. Phytoplankton Species list for the State of Montana.	12
Appendix B. Summary of Phytoplankton Data	15

INTRODUCTION

The collection and analysis of phytoplankton data were included in the National Eutrophication Survey in an effort to determine relationships between algal characteristics and trophic status of individual lakes.

During spring, summer, and fall of 1975, the Survey sampled 156 lakes in 11 States. Over 450 algal species and varieties were identified and enumerated from the 430 water samples examined.

This report presents the species and abundance of phytoplankton in the 15 lakes sampled in the State of Montana (Table 1). The Nygaard's Trophic State (Nygaard 1949), Palmer's Organic Pollution (Palmer 1969), and species diversity and abundance indices are also included.

TABLE 1. LAKES SAMPLED IN THE STATE OF MONTANA

STORET No.	Lake Name	County
3001	Canyon Ferry Reservoir	Lewis & Clark, Broadwater
3002	Clark Canyon Reservoir	Beaverhead
3003	Flathead Lake	Flathead, Lake
3004	Georgetown Reservoir	Granite, Deer Lodge
3005	Hebgen Reservoir	Gallatin
3006	Koocanusa Reservoir	Lincoln
3007	Mary Ronan Lake	Lake
3008	McDonald Lake	Flathead
3009	Nelson Reservoir	Phillips
3010	Seeley Lake	Missoula
3011	Swan Lake	Flathead
3012	Tally Lake	Flathead

(Continued)

TABLE 1. LAKES SAMPLED IN THE STATE OF MONTANA

STORET No.	Lake Name	County
3013	Tiber Reservoir	Toole, Liberty
3014	Tongue River Reservoir	Big Horn
3016	Whitefish Lake (lower)	Flathead

MATERIALS AND METHODS

LAKE AND SITE SELECTION

Lakes and reservoirs included in the Survey were selected through discussions with State water pollution agency personnel and U.S. Environmental Protection Agency Regional Offices (U.S. Environmental Protection Agency 1975). Screening and selection strongly emphasized lakes with actual or potential accelerated eutrophication problems. As a result, the selection was limited to lakes:

- (1) impacted by one or more municipal sewage treatment plant outfalls either directly into the lake or by discharge to an inlet tributary within approximately 40 kilometers of the lake;
- (2) 40 hectares or larger in size; and
- (3) with a mean hydraulic retention time of at least 30 days.

Specific selection criteria were waived for some lakes of particular State interest.

Sampling sites for a lake were selected based on available information on lake morphometry, potential major sources of nutrient input, and on-site judgment of the field limnologist (U.S. Environmental Protection Agency 1975). Primary sampling sites were chosen to reflect the deepest portion of each major basin in a test lake. Where many basins were present, selection was guided by nutrient source information on hand. At each sampling site, a depth-integrated phytoplankton sample was taken. Depth-integrated samples were uniform mixtures of water from the surface to a depth of 15 feet (4.6 meters) or from the surface to the lower limit of the photic zone representing 1 percent of the incident light, whichever was greater. If the depth at the sampling site was less than 15 feet (4.6 meters), the sample was taken from just off the bottom to the surface. Normally, a lake was sampled three times in 1 year, providing information on spring, summer, and fall conditions.

SAMPLE PREPARATION

To preserve the sample 4 milliliters (ml) of Acid-Lugol's solution (Prescott 1970) were added to each 130-ml sample from each site at the time of collection. The samples were shipped to the Environmental Monitoring and Support Laboratory, Las Vegas, Nevada, where equal volumes from each site

were mixed to form two 130-ml composite samples for a given lake. One composite sample was put into storage and the other was used for the examination.

Prior to examination, the composite samples were concentrated by the settling method. Solids were allowed to settle for at least 24 hours prior to siphoning off the supernate. The volume of the removed supernate and the volume of the remaining concentrate were measured and concentrations determined. A small (8-ml) library subsample of the concentrate was then taken. The remaining concentrate was gently agitated to resuspend the plankton and poured into a capped, graduated test tube. If a preliminary examination of a sample indicated the need for a more concentrated sample, the contents of the test tube were further concentrated by repeating the settling method. Final concentrations varied from 15 to 40 times the original.

Permanent slides were prepared from concentrated samples after analysis was complete. A ring of clear Karo® corn syrup with phenol (a few crystals of phenol were added to each 100 ml of syrup) was placed on a glass slide. A drop of superconcentrate from the bottom of the test tube was placed in the ring. This solution was thoroughly mixed and topped with a coverglass. After the syrup at the edges of the coverglass had hardened, the excess was scraped away and the mount was sealed with clear fingernail polish. Permanent diatom slides were prepared by drying sample material on a coverglass, heating in a muffle furnace at 400° C for 45 minutes, and mounting in Hyrax®. Finally, the mounts were sealed with clear fingernail polish.

Backup samples, library samples, permanent sample slides, and Hyrax®-mounted diatom slides are being stored and maintained at the Environmental Monitoring and Support Laboratory-Las Vegas.

EXAMINATION

The phytoplankton samples were examined with the aid of binocular compound microscopes. A preliminary examination was performed to precisely identify and list all forms encountered. The length of this examination varied depending on the complexity of the sample. An attempt was made to find and identify all of the forms present in each sample. Often forms were observed which could not be identified to species or to genus. Abbreviated descriptions were used to keep a record of these forms (e.g., lunate cell, blue-green filament, Navicula #1). Diatom slides were examined using a standard light microscope. If greater resolution was essential to accurately identify the diatoms, a phase-contrast microscope was used.

After the species list was compiled, phytoplankton were enumerated using a Neubauer Counting Chamber with a 40X objective lens and a 10X ocular lens. All forms within each field were counted. The count was continued until a minimum of 100 fields had been viewed, or until the dominant form had been observed a minimum of 100 times.

®Registered trademark

QUALITY CONTROL

Project phycologists performed internal quality control intercomparisons regularly on 7 percent of the species identification and counts. Although an individual had primary responsibility for analyzing a sample, taxonomic problems were discussed among the phycologists.

Additional quality control checks were performed on the Survey samples by Dr. G. W. Prescott of the University of Montana at the rate of 5 percent. Quality control checks were made on 75 percent of these samples to verify species identifications while checks were made on the remaining 25 percent of the samples to verify genus counts. Presently, the agreement between quality control checks for species identification and genus enumerations is satisfactory.

RESULTS

A phytoplankton species list for the State is presented in Appendix A. Appendix B summarizes all of the phytoplankton data collected from the State by the Survey. The latter is organized by lake, and includes an alphabetical phytoplankton species list with concentrations for individual species given by sampling date. Results from the application of several indices are presented (Nygaard's Trophic State, Palmer's Organic Pollution, and species diversity and abundance). Each lake has been assigned a four-digit STORET number. (STORET (STOrage and RETrieval) is the U.S. Environmental Protection Agency's computer system which processes and maintains water quality data.) The first two digits of the STORET number identify the State; the last two digits identify the lake.

NYGAARD'S TROPHIC STATE INDICES

Five indices devised by Nygaard (1949) were proposed under the assumption that certain algal groups are indicative of levels of nutrient enrichment. These indices were calculated in order to aid in determining the surveyed lakes' trophic status. As a general rule, Cyanophyta, Euglenophyta, centric diatoms, and members of the Chlorococcales are found in waters that are eutrophic (rich in nutrients), while desmids and many pennate diatoms generally cannot tolerate high nutrient levels and so are found in oligotrophic waters (poor in nutrients).

In applying the indices to the Survey data, the number of taxa in each major group was determined from the species list for each sample. The ratios of these groups give numerical values which can be used as a biological index of water richness. The five indices and the ranges of values established for Danish lakes by Nygaard for each trophic state are presented in Table 2. The appropriate symbol, (E) eutrophic and (O) oligotrophic, follows each calculated value in the tables in Appendix B. A question mark (?) following a calculated value in these tables was entered when that value was within the range of both classifications.

PALMER'S ORGANIC POLLUTION INDICES

Palmer (1969) analyzed reports from 165 authors and developed algal pollution indices for use in rating water samples with high organic pollution. Two lists of organic-pollution-tolerant forms were prepared, one containing 20 genera, the other, 20 species (Tables 3 and 4). Each form was assigned a pollution index number ranging from 1 for moderately tolerant forms to 6 for

TABLE 2. NYGAARD'S TROPHIC STATE INDICES ADAPTED FROM HUTCHINSON (1967)

Index	Calculation	Oligotrophic	Eutrophic
Myxophycean	<u>Myxophyceae</u> Desmideae	0.0-0.4	0.1-3.0
Chlorophycean	<u>Chlorococcales</u> Desmideae	0.0-0.7	0.2-9.0
Diatom	<u>Centric Diatoms</u> <u>Pennate Diatoms</u>	0.0-0.3	0.0-1.75
Euglenophyte	<u>Euglenophyta</u> <u>Myxophyceae + Chlorococcales</u>	0.0-0.2	0.0-1.0
Compound	<u>Myxophyceae + Chlorococcales +</u> <u>Centric Diatoms + Euglenophyta</u> Desmideae	0.0-1.0	1.2-25

TABLE 3. ALGAL GENUS POLLUTION INDEX
(Palmer 1969)

Genus	Pollution Index
<u>Anacystis</u>	1
<u>Ankistrodesmus</u>	2
<u>Chlamydomonas</u>	4
<u>Chlorella</u>	3
<u>Closterium</u>	1
<u>Cyclotella</u>	1
<u>Euglena</u>	5
<u>Gomphonema</u>	1
<u>Lepocinclis</u>	1
<u>Melosira</u>	1
<u>Micractinium</u>	1
<u>Navicula</u>	3
<u>Nitzschia</u>	3
<u>Oscillatoria</u>	5
<u>Pandorina</u>	1
<u>Phacus</u>	2
<u>Phormidium</u>	1
<u>Scenedesmus</u>	4
<u>Stigeoclonium</u>	2
<u>Synedra</u>	2

TABLE 4. ALGAL SPECIES POLLUTION INDEX
(Palmer 1969)

Species	Pollution Index
<u>Ankistrodesmus falcatus</u>	3
<u>Arthrospira jenneri</u>	2
<u>Chlorella vulgaris</u>	2
<u>Cyclotella meneghiniana</u>	2
<u>Euglena gracilis</u>	1
<u>Euglena viridis</u>	6
<u>Gomphonema parvulum</u>	1
<u>Melosira varians</u>	2
<u>Navicula cryptocephala</u>	1
<u>Nitzschia acicularis</u>	1
<u>Nitzschia palea</u>	5
<u>Oscillatoria chlorina</u>	2
<u>Oscillatoria limosa</u>	4
<u>Oscillatoria princeps</u>	1
<u>Oscillatoria putrida</u>	1
<u>Oscillatoria tenuis</u>	4
<u>Pandorina morum</u>	3
<u>Scenedesmus quadricauda</u>	4
<u>Stigeoclonium tenue</u>	3
<u>Synedra ulna</u>	3

extremely tolerant forms. Palmer based the index numbers on occurrence records and/or where emphasized by the authors as being especially tolerant of organic pollution.

In analyzing a water sample, any of the 20 genera or species of algae present in concentrations of 50 per milliliter or more are recorded. The pollution index numbers of the algae present are totaled, providing a genus score and a species score. Palmer determined that a score of 20 or more for either index can be taken as evidence of high organic pollution, while a score of 15 to 19 is taken as probable evidence of high organic pollution. Lower figures suggest that the organic pollution of the sample is not high, that the sample is not representative, or that some substance or factor interfering with algal persistence is present and active.

SPECIES DIVERSITY AND ABUNDANCE INDICES

"Information content" of biological samples is being used commonly by biologists as a measure of diversity. Diversity in this connection means the degree of uncertainty attached to the specific identity of any randomly selected individual. The greater the number of taxa and the more equal their proportions, the greater the uncertainty, and hence, the diversity (Pielou 1966). There are several methods of measuring diversity, e.g., the formulas given by Brillouin (1962) and Shannon and Weaver (1963). The method which is appropriate depends on the type of biological sample on hand.

Pielou (1966) classifies the types of biological samples and gives the measure of diversity appropriate for each type. The Survey phytoplankton samples are what she classifies as larger samples (collections in Pielou's terminology) from which random subsamples can be drawn. According to Pielou, the average diversity per individual (H) for these types of samples can be estimated from the Shannon-Wiener formula (Shannon and Weaver 1963):

$$H = -\sum_{i=1}^S P_i \log_x P_i$$

where P is the proportion of the i th taxon in the sample, which is calculated from n_i/N ; n_i is the number of individuals per milliliter of the i th taxon; N is the total number of individuals per ml; and S is the total number of taxa. However, Basharin (1959) and Pielou (1966) have pointed out that H calculated from the subsample is a biased estimator of the sample H , and if this bias is to be accounted for, we must know the total number of taxa present in the sample since the magnitude of this bias depends on it.

Pielou (1966) suggests that if the number of taxa in the subsample falls only slightly short of the number in the larger sample, no appreciable error will result in considering S , estimated from the subsample, as being equal to the sample value. Even though considerable effort was made to find and identify all taxa, the Survey samples undoubtedly contain a fair number of rare phytoplankton taxa which were not encountered.

In the Shannon-Wiener formula, an increase in the number of taxa and/or an increase in the evenness of the distribution of individuals among taxa will increase the average diversity per individual from its minimal value of zero. Sager and Hasler (1969) found that the richness of taxa was of minor importance in determination of average diversity per individual for phytoplankton and they concluded that phytoplankton taxa in excess of the 10 to 15 most abundant ones have little effect on H. This was verified by our own calculations. Our counts are in number per milliliter and since logarithms to the base 2 were used in our calculations, H is expressed in units of bits per individual. When individuals of a taxon were so rare that they were not counted, a value of 1/130 per milliliter or 0.008 per milliliter was used in the calculations since at least one individual of the taxon must have been present in the collection.

A Survey sample for a given lake represents a composite of all phytoplankton collected at different sampling sites on the lake during a given sampling period. Since the number of samples (M) making up a composite is a function of both the complexity of the lake sampled and its size, it should affect the richness-of-taxa component of the diversity of our phytoplankton collections. The maximum diversity (MaxH) (i.e., when the individuals are distributed among the taxa as evenly as possible) was estimated from $\log_2 S$ (Pielou 1966), while the minimum diversity (MinH), was estimated from the formula:

$$\text{MinH} = -\frac{S-1}{N} \log_2 \frac{1}{N} - \frac{N-(S-1)}{N} \log_2 \frac{N-(S-1)}{N}$$

given by Zand (1976). The total diversity (D) was calculated from HN (Pielou 1966). Also given in Appendix B are L (the mean number of individuals per taxa per milliliter) and K (the number of individuals per milliliter of the most abundant taxon in the sample).

The evenness component of diversity (J) was estimated from H/MaxH (Pielou 1966). Relative evenness (RJ) was calculated from the formula:

$$\text{RJ} = \frac{H - \text{MinH}}{\text{MaxH} - \text{MinH}}$$

given by Zand (1976). Zand suggests that RJ be used as a substitute for both J and the redundancy expression given by Wilhm and Dorris (1968). As pointed out by Zand, the redundancy expression given by Wilhm and Dorris does not properly express what it is intended to show, i.e., the position of H in the range between MaxH and MinH. RJ may range from 0 to 1; being 1 for the most even samples and 0 for the least even samples.

Zand (1976) suggests that diversity indices be expressed in units of "sits", i.e., in logarithms to base S (where S is the total number of taxa in the sample) instead of in "bits", i.e., in logarithms to base 2. Zand points out that the diversity index in sits per individual is a normalized number ranging from 1 for the most evenly distributed samples to 0 for the least evenly distributed samples. Also, it can be used to compare different samples, independent of the number of taxa in each. The diversity in bits per

individual should not be used in direct comparisons involving various samples which have different numbers of taxa. Since MaxH equals $\log S$, the expression in sits is equal to $\log_5 S$, or 1. Therefore diversity in sits per individual is numerically equivalent to J , the evenness component for the Shannon-Wiener formula.

SPECIES OCCURRENCE AND ABUNDANCE

The alphabetic phytoplankton species list for each lake, presented in Appendix B, gives the concentrations of individual species by sampling date. Concentrations are in cells, colonies, or filaments (CEL, COL, FIL) per milliliter. An "X" after a species name indicates that the species identified in the preliminary examination was in such a low concentration that it did not appear in the count. A blank space indicates that the organism was not found in the sample collected on that date. Column S is used to designate the examiner's subjective opinion of the five dominant taxa in a sample, based upon relative size and concentration of the organism. The percent column (%C) presents, by abundance, the percentage composition of each taxon.

LITERATURE CITED

- Basharin, G. P. 1959. On a statistical estimate for the entropy of a sequence of independent random variables, pp. 333-336. In: Theory of Probability and Its Applications (translation of "Teoriya Veroyatnosei i ee Premeneniya"). N. Artin (ed). 4. Society for Industrial and Applied Mathematics, Philadelphia.
- Brillouin, L. 1962. Science and Information Theory (2nd ed.). Academic Press, New York. 351 pp.
- Hutchinson, G. E. 1967. A Treatise on Limnology. II. Introduction to Lake Biology and the Limnoplankton. John Wiley and Sons, Inc., New York. 1,115 pp.
- Nygaard, G. 1949. Hydrobiological studies of some Danish ponds and lakes. II. (K danske Vidensk. Selsk.) Biol. Sci. 7:293.
- Palmer, C. M. 1969. A composite rating of algae tolerating organic pollution. J. Phycol. 5:78-82.
- Pielou, E. C. 1966. The measurement of diversity in different types of biological collections. J. Theor. Biol. 13:131-144.
- Prescott, G. W. 1970. How to Know the Freshwater Algae. William C. Brown Company, Dubuque. 348 pp.
- Sager, P. E., and A. D. Hasler. 1969. Species diversity in lacustrine phytoplankton. I. The components of the index of diversity from Shannon's formula. Amer. Natur. 103(929):51-59.
- Shannon, C. E., and W. Weaver. 1963. The Mathematical Theory of Communication. University of Illinois Press, Urbana. 117 pp.
- U.S. Environmental Protection Agency. 1975. National Eutrophication Survey Methods 1973-1976. Working Paper No. 175. Environmental Monitoring and Support Laboratory, Las Vegas, Nevada, and Corvallis Environmental Research Laboratory, Corvallis, Oregon. 91 pp.
- Wilhm, V. L., and T. C. Dorris. 1968. Biological parameters for water quality criteria. Bio-Science. 18:477.
- Zand, S. M. 1976. Indexes associated with information theory in water quality. J. Water Pollut. Contr. Fed. 48(8):2026-2031.

APPENDIX A
PHYTOPLANKTON SPECIES LIST FOR THE STATE OF MONTANA

Achnanthes flexella
Achnanthes lanceolata
 v. *dubia*
Achnanthes lanceolata
 v. *rostrata*
Achnanthes microcephala
Actinastrum gracilimum
Amphipleura pellucida
Anabaena flos-aquae
Anabaena planctonica
Ankistrodesmus falcatus
Ankistrodesmus falcatus
 v. *acicularis*
Aphanizomenon flos-aquae
Aphanothece
Asterionella formosa
Asterionella formosa
 v. *gracillima*
Botryococcus braunii
Caloneis amphisbaena
Campylodiscus noricus
 v. *hibernica*
Ceratium hirundinella
Ceratium hirundinella
 f. *furcoides*
Ceratium hirundinella
 f. *scotticum*
Chlorella
Chroococcus limneticus
Closterium
Cocconeis pediculus
Cocconeis placentula
 v. *lineata*
Coelastrum microporum
Coelastrum sphaericum
Coelosphaerium kuetzingianum
Coelosphaerium naegelianum
Cosmarium
Crucigenia rectangularis
Cryptomonas erosa
Cryptomonas erosa
 v. *reflexa*
Cryptomonas marssonii
Cryptomonas reflexa
Cyclotella bodanica
Cyclotella comta
Cyclotella kuetzingiana
Cyclotella ocellata
Cymatopleura elliptica
Cymatopleura solea

Cymatopleura solea
 v. *apiculata*
Cymbella cistula
Cymbella cymbiformis
 v. *nonpunctata*
Cymbella minuta
 f. *latens*
Cymbella minuta
 v. *silesiaca*
Cymbella prostrata
Cymbella triangulum
Dactylococcopsis
Diatoma vulgare
Dictyosphaerium pulchellum
Dinobryon bavaricum
Dinobryon cylindricum
Dinobryon divergens
Dinobryon sociale
Dinobryon sociale
 v. *americanum*
Diploneis finnica
Elakatothrix
Epithemia sorex
Epithemia turgida
Eudorina elegans
Euglena
Eumotia valida
Fragilaria construens
Fragilaria crotonensis
Fragilaria leptostauron
Glenodinium edax
Glenodinium gymnodinium
 v. *biscutelliforme*
Gloeocapsa
Gloecystis
Golenkinia
Gomphonema angustatum
Gomphonema olivaceum
Gomphosphaeria aponina
Gonium sociale
Gymnodinium albulum
Gymnodinium ordinatum
Gyrosigma womleyi
Hannaea arcus
Hantzschia amphioxys
Lagerheimia
Lyngbya birgei
Mallomonas acaroides
Melosira distans
Melosira granulata

Melosira granulata
 V. angustissima
Melosira italica
Melosira varians
Meridion circulare
Microcystis aeruginosa
Microcystis incerta
Mougeotia
Navicula cryptocephala
Navicula radiosa
Navicula rhynchocephala
 V. germainii
Navicula tripunctata
 V. schizonemoides
Navicula viridula
 V. avenacea
Neidium iridis
Nitzschia acicularis
Nitzschia dissipata
Nitzschia filiformis
Nitzschia longissima
 V. reversa
Nitzschia sigmoidea
Nitzschia vermicularis
Oedogonium
Oocystis
Opephora martyi
Oscillatoria limnetica
Oscillatoria limosa
Pandorina morum
Pascherina tetras
Pediastrum boryanum
Pediastrum duplex
Pediastrum duplex
 V. reticulatum
Peridinium inconspicuum
Peridinium willei
Phormidium
Pinnularia

Quadrigula lacustris
Rhizosolenia eriensis
Rhoicosphenia curvata
Rhopalodia gibba
Scenedesmus acuminatus
Scenedesmus bijuga
Scenedesmus brasiliensis
 V. norvegicus
Scenedesmus dimorphus
Scenedesmus opoliensis
Scenedesmus quadricauda
Scenedesmus quadricauda
 V. quadrispina
Schroederia setigera
Sphaerocystis schroeteri
Staurostrum
Stephanodiscus niagarae
Stipitococcus
Surirella biseriata
Surirella ovata
Synedra acus
Synedra cyclopus
Synedra delicatissima
 V. angustissima
Synedra ulna
Synedra ulna
 V. chaseana
Synedra ulna
 V. contracta
Tabellaria fenestrata
Tetraedron caudatum
Tetraedron minimum
Tetraedron minimum
 V. scrobiculatum
Tetrastrum glabrum
Tetrastrum staurogeniaeforme
Trachelomonas dubia
Trachelomonas girardiana
Trachelomonas volvocina

APPENDIX B. SUMMARY OF PHYTOPLANKTON DATA

This appendix was generated by computer. Because it was only possible to use upper case letters in the printout, all scientific names are printed in upper case and are not italicized.

The alphabetic phytoplankton lists include taxa without species names (e.g., EUNOTIA, EUNOTIA #1, FLAGELLATE, FLAGELLATES, MICROCYSTIS INCERTA ?, CHLOROPHYTAN COCCOID CELLED COLONY). When species determinations were not possible, symbols or descriptive phrases were used to separate taxa for enumeration purposes. Each name on a list, however, represents a unique species different from any other name on the same list, unless otherwise noted, for counting purposes.

Numbers were used to separate unidentified species of the same genus. A generic name listed alone is also a unique species. A question mark (?) is placed immediately after the portion of a name which was assigned with uncertainty. Numbered, questioned, or otherwise designated taxa were established on a lake-by-lake basis; therefore NAVICULA #2 from lake A cannot be compared to NAVICULA #2 from lake B. Pluralized categories (e.g., FLAGELLATES, CENTRIC DIATOMS, SPP.) were used for counting purposes when taxa could not be properly differentiated on the counting chamber.

LAKE NAME: CANYON FERRY RES.
STORET NUMBER: 3001

NYGAARD TROPHIC STATE INDICES

DATE	05 28 75	07 31 75	09 03 75	10 22 75
MYXOPHYCEAN	01/0 E	4.00 E	02/0 E	02/0 E
CHLOROPHYCEAN	02/0 E	1.00 E	0/0 0	02/0 E
EUGLENOPHYTE	0/03 ?	0/05 ?	0/02 ?	0/04 ?
DIATOM	0.11 ?	0.05 ?	0.67 E	0.10 ?
COMPOUND	05/0 E	6.00 E	04/0 E	06/0 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	05 28 75	07 31 75	09 03 75	10 22 75
GENUS	08	05	01	04
SPECIES	00	03	00	00

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	05 28 75	07 31 75	09 03 75	10 22 75
AVERAGE DIVERSITY H	3.43	1.85	2.37	2.99
NUMBER OF TAXA S	28.00	29.00	10.00	29.00
NUMBER OF SAMPLES COMPOSITED M	5.00	5.00	5.00	5.00
MAXIMUM DIVERSITY MAXH	4.61	4.86	3.32	4.86
MINIMUM DIVERSITY MINH	0.16	0.08	0.08	0.38
TOTAL DIVERSITY D	7388.22	9261.10	3135.51	2442.83
TOTAL NUMBER OF INDIVIDUALS/ML N	2154.00	5006.00	1323.00	817.00
EVENNESS COMPONENT J	0.71	0.38	0.71	0.62
RELATIVE EVENNESS RJ	0.71	0.38	0.71	0.59
MEAN NUMBER OF INDIVIDUALS/TAXA L	76.93	172.62	132.30	28.17
NUMBER/ML OF MOST ABUNDANT TAXON K	411.00	2433.00	389.00	265.00

LAKE WAHPE; CANYON FERRY RES.
STORE NUMBER: 3001

CONTINUED

TAXA	FORM	05 28 75			07 31 75			09 03 75			10 22 75		
		IS	NC	ALGAL UNITS PER ML	IS	NC	ALGAL UNITS PER ML	IS	NC	ALGAL UNITS PER ML	IS	NC	ALGAL UNITS PER ML
ACHNANTHES LANCEOLATA													
V. DUBIA	CEL						X						
ANABAENA	FIL						X						
APHANIZOMENON FLOS-AQUAE	FIL			2134.6			1731		2.9	39	1132.4		265
ASTEPIDNELLA FORMOSA	CEL		1.6	34		1.9	94		5.9	78			X
CALONEIS AMPHISBAENA	CEL						X						
CERATIUM HIRUNDINELLA													
F. SCOTTICUM	CEL						X						
CHRODODONAS ?	CEL	13	19.1	411		3.7	187		123.5	311	13117.6		144
COCconeis PEDICULUS	CEL		1.6	34			X						X
COCconeis PLACENTULA													
V. LINEATA	CEL						X				2.9		24
COELOSPHAERIUM NAEGELIANUM	COL						X		2.9	19			X
COGNARIUM	CEL						X						
CRYPTOMONAS	CEL												X
CRYPTOMONAS PROBA	CEL		1.6	34					2.9	39		2.9	24
CYMATOPLURA SOLEA	CEL			X									X
CYMBELLA #1	CEL			X			X				5.9		48
CYMBELLA #2	CEL			X									X
CYMBELLA MINUTA													
F. LATENS	CEL						X						
CYMBELLA SPP.	CEL	15	6.4	137									
CYMBELLA TRIANGULUM	CEL												X
DIATOMA VULGARE	CEL	11	9.5	205									X
DINORRYTON CYLINDRICUM	CEL		6.4	137									
EPITHEMIA SOREX	CEL			X			X				2.9		24
EUDORINA ELEGANS	COL									X			
FRAGILARIA	CEL	12	12.7	274									
FRAGILARIA CROTONENSIS	CEL			X	11	48.6	2433	12	29.4	389			X
FRAGILARIA LEPTOSTAUROM	CEL				14	4.7	234						X
GOMPHONEMA	CEL						X				5.9		48
GOMPHONEMA OTIVACRUM	CEL		3.2	68									
GYROSIGNA WORMLEYI	CEL			1			X						
HELOSIRA DISTANS	CEL	4	17.5	376									
HELOSIRA GRANULATA	CEL							11	29.4	389			
HELOSIRA GRANULATA													
V. ANGUSTISSIMA	CEL			X									
HELOSIRA ITALICA	CEL						X				2114.7		120
MICROCYSTIS ARRUGINOSA	COL						X						
NAVICULA	CEL		1.6	34									
NAVICULA #1	CEL			X							41	5.9	48
NAVICULA #2	CEL											2.9	24
NAVICULA CRYPTOCEPHALA	CEL						X						
NAVICULA TRIPUNCTATA													
V. SCHIZONEMOIDES	CEL						X						X
NAVICULA VIRIDULA													
V. AVENACEA	CEL		1.6	34			X					2.9	24
NEIDIUM	CEL												X
NITZSCHIA	CEL						X						
NITZSCHIA #1	CEL				15	3.7	187						
NITZSCHIA #2	CEL	11	11	00240			X						X
NITZSCHIA DISSIPATA	CEL						X						
NITZSCHIA SIGMOIDEA	CEL		1.6	34									
OOCYSTIS	CEL			X									
PHORMIDIUM	FIL		1.6	34									
RHOICOSPHEMIA CURVATA	CEL			X									X
SCENEDESMUS	COL						X						X
SCHROEDERIA SETIGERA	CEL			X							2.9		24
STEPHANODISCUS	CEL							13	2.9	39			
STEPHANODISCUS NIAGARAE	CEL												X
SYNEDRA OVATA	CEL		3.2	68									
SYNEDRA ULNA													
V. CONTRACTA	CEL			X	13	2.9	140			X			X
TOTAL				2154			5006			1323			817

LAKE NAME: CLARK CANYON RES.
STORET NUMBER: 3002

NYGAARD TROPHIC STATE INDICES

DATE	05 28 75	07 31 75	09 03 75	10 20 75
MYXOPHYCEAN	0/0 0	02/0 E	01/0 E	02/0 E
CHLOROPHYCEAN	01/0 E	02/0 E	01/0 E	01/0 E
EUGLENOPHYTE	0/01 ?	0/04 ?	0/02 ?	0/03 ?
DIATOM	0/05 ?	0/05 ?	0/0 ?	1.00 E
COMPOUND	01/0 E	04/0 E	02/0 E	05/0 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	05 28 75	07 31 75	09 03 75	10 20 75
GENUS	00	00	00	00
SPECIES	00	00	00	00

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	05 28 75	07 31 75	09 03 75	10 20 75
AVERAGE DIVERSITY H	2.18	0.99	0.97	1.64
NUMBER OF TAXA S	9.00	11.00	4.00	9.00
NUMBER OF SAMPLES COMPOSITED X	3.00	3.00	3.00	3.00
MAXIMUM DIVERSITY MAXH	3.17	3.46	2.00	3.17
MINIMUM DIVERSITY MINH	0.16	0.22	0.02	0.13
TOTAL DIVERSITY D	1140.14	472.23	1972.01	1110.28
TOTAL NUMBER OF INDIVIDUALS/ML N	523.00	477.00	2033.00	677.00
EVENNESS COMPONENT J	0.49	0.29	0.49	0.52
RELATIVE EVENNESS RJ	0.68	0.24	0.48	0.50
MEAN NUMBER OF INDIVIDUALS/TAXA L	58.11	43.36	508.25	75.22
NUMBER/ML OF MOST ABUNDANT TAXON K	175.00	371.00	1634.00	327.00

LAKE NAME: CLARK CANYON RES.
STORE NUMBER: 3002

CONTINUED

TAXA	FORM	05 28 75			07 31 75			09 03 75			10 20 75		
		ALGAL			ALGAL			ALGAL			ALGAL		
		18	QC	PER ML	18	QC	PER ML	18	QC	PER ML	18	QC	PER ML
ANABAENA	FIL	1	1	1	11111.1	53	1	1	1	1	1	1	1
APHANIZOEMON PLOS-AQUAF.	FIL	1	1	1	1	1	1	1180.4	1634	1140.3	327	1	1
ASTERIONELLA FORMOSA	CEL	1	1	X	1	1	1	1	1	1	1	1	1
CHROOMONAS ?	CEL	12133.5	175	13111.1	53	13110.7	210	13131.0	210	1	1	1	1
COELOSPHAERIUM NAEGELIANUM	CUL	1	1	1	1	1	1	1	1	1	1	1	X
CRYPTOMONAS EROSA	CEL	1	1	1	X	1	1	1	1	1	1	1	1
CRYPTOMONAS MARSSONII	CEL	1127.7	145	1	1	1217.1	145	12117.3	117	1	1	1	1
CYANOPHYTAN FILAMENT	FIL	1	1	1	X	1	1	1	1	1	1	1	1
CYNATOPLEURA SOLEA	CEL	1	1	1	1	1	1	1	1	1	1	1	X
CYMBELLA	CEL	1	1	1	1	1	1	1	1	1	1	1	X
DIATOMA VULGARE	CEL	1	1	1	X	1	1	1	1	1	1	1	1
EUNOTIA	CEL	1	1	1	X	1	1	1	1	1	1	1	1
EUNOTIA VALIDA	CEL	13116.6	87	1	1	1	1	1	1	1	1	1	1
FLAGELLATE	CEL	1	1	X	1	1	1	1	1	1	1	1	1
FRAGILARIA #1	CEL	1	1	1	X	1	1	1	1	1	1	1	1
FRAGILARIA #2	CEL	1	1	1	X	1	1	1	1	1	1	1	1
FRAGILARIA #3	CEL	1	1	X	1	1	1	1	1	1	1	1	1
GOMPHONEMA	CEL	1	1	1	X	1	1	1	1	1	1	1	1
Hantzschia amphioxys	CEL	15111.1	50	1	1	1	1	1	1	1	1	1	1
MELOSIRA VARIANS	CEL	1	1	1	1	1	1	1	1	1	1	1	X
NITZSCHIA	CEL	1	1	X	1	1	1	1	1	1	1	1	1
OCCYSTIS	CEL	1	1	1	X	1	1	1	1	1	1	1	1
SCHROEDERIA SETIGERA	CEL	14111.1	50	12177.0	371	1411.0	36	1413.4	23	1	1	1	1
STEPHANODISCUS	CEL	1	1	1	1	1	1	1	1	1	1	1	X
TOTAL				523			477			2033			677

LAKE NAME: FLATHEAD LAKE
 STORET NUMBER: 3003

NYGAARD TROPHIC STATE INDICES

DATE	05 29 75	07 25 75	09 08 75
MYXOPHYCEAN	1.00 E	01/0 E	1.00 E
CHLOROPHYCEAN	0/01 0	03/0 E	2.00 E
EUGLENOPHYTE	0/01 ?	0/04 ?	0.33 E
DIATOM	0.12 ?	0.75 E	0.25 ?
COMPOUND	2.00 E	07/0 E	5.00 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	05 29 75	07 25 75	09 08 75
GENUS	00	00	00
SPECIES	00	00	00

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	05 29 75	07 25 75	09 08 75
AVERAGE DIVERSITY H	2.00	2.15	1.60
NUMBER OF TAXA S	19.00	20.00	14.00
NUMBER OF SAMPLES COMPOSITED M	10.00	10.00	10.00
MAXIMUM DIVERSITY MAXH	4.25	4.32	3.81
MINIMUM DIVERSITY MINH	1.01	0.36	0.95
TOTAL DIVERSITY D	308.00	1197.55	177.60
TOTAL NUMBER OF INDIVIDUALS/ML N	154.00	557.00	111.00
EVENNESS COMPONENT J	0.47	0.50	0.42
RELATIVE EVENNESS RJ	0.31	0.46	0.23
MEAN NUMBER OF INDIVIDUALS/TAXA L	8.11	27.85	7.93
NUMBER/ML OF MOST ABUNDANT TAXON K	67.00	257.00	37.00

LAKE NAME: FLATHEAD LAKE
STORE NUMBER: 3003

CONTINUED

TAXA	FORM	06 29 76			07 26 76			09 08 76		
		IS	QC	ALGAL UNITS PER ML	IS	QC	ALGAL UNITS PER ML	IS	QC	ALGAL UNITS PER ML
ANABAENA	FIL						X			
ASTERIONELLA FORMOSA	CEL	11	43.5	67	14	7.7	43			X
BOTRYDOCOCCUS BRAUNII	COL									X
CENTRIC DIATOM	CEL				12	23.0	128	11	33.3	37
CHLOROPHYTAN COCCOID CELLED COLONY	COL						X			
CHROOCOCCUS LIMNETICUS	COL									
CHROOMONAS ?	CEL	18	6.5	10			X	12	33.3	37
CLOSTERIUM	CEL			X						
COCCIDIUM	CEL									X
CRYPTOMONAS	CEL									X
CRYPTOMONAS EROSA	CEL	14	6.8	10			X			
CYMATOPLEURA ELLIPTICA	CEL			X						
CYMBELLA	CEL			X			X			
CYMBELLA CYMBIFORMIS										
V. NONPUNCTATA	CEL			X						
DINOBRYON BAVARICUM	CEL			X			X			
DINOBRYON CYLINDRICUM	CEL			X		7.7	43			
DINOBRYON DIVERGENS	CEL	13	16.0	29	11	46.1	257			
DINOBRYON SOCIALE	CEL						X			
EUDORINA ELEGANS	COL			X						
FRAGILARIA CROTONEENSIS	CEL			X			X			
GLOEOCYSTIS	COL									X
GYMNODINIUM	CEL			X						
GYROSIGMA ?	CEL			X						
MALLONONAS ACAROIDES	CEL			X			X			X
MALLONONAS PSEUDOCORONATA ?	CEL						X			
NELOSIRA ITALICA	CEL			X			X			
NAVICULA	CEL									X
NITZSCHIA	CEL							13	33.3	37
OOCYSTIS	COL				18	7.7	43			
OSCILLATORIA	FIL			X						
PEDIASTRUM BORTANUM	COL						X			
RHIZOSOLENIA ERIENSIS	CEL						X			
SCENEDESMUS DIMORPHUS	COL						X			X
SYNEDRA	CEL			X						
TABELLARIA FENESTRATA	CEL	13	24.7	38	13	7.7	43			X
TRACHELOMONAS VOLVOICINA	CEL									X
TOTAL				184			557			111

LAKE NAME: GEORGETOWN RES.
STORET NUMBER: 3004

NYGAARD TROPHIC STATE INDICES

DATE	07 29 75	09 04 75
MYXOPHYCEAN	1.75 E	05/0 E
CHLOROPHYCEAN	2.75 E	04/0 E
EUGLENOPHYTE	0.06 ?	0/09 ?
DIATOM	0.07 ?	0.25 ?
COMPOUND	5.00 E	10/0 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	07 29 75	09 04 75
GENUS	05	06
SPECIES	00	00

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	07 29 75	09 04 75
AVERAGE DIVERSITY H	2.55	2.04
NUMBER OF TAXA S	44.00	18.00
NUMBER OF SAMPLES COMPOSITED M	3.00	3.00
MAXIMUM DIVERSITY MAXH	5.46	4.17
MINIMUM DIVERSITY MINH	0.21	0.14
TOTAL DIVERSITY D	6673.35	3015.12
TOTAL NUMBER OF INDIVIDUALS/ML N	2617.00	1478.00
EVENNESS COMPONENT J	0.47	0.49
RELATIVE EVENNESS RJ	0.45	0.48
MEAN NUMBER OF INDIVIDUALS/TAXA L	59.48	82.11
NUMBER/ML OF MOST ABUNDANT TAXON K	732.00	641.00

LAKE NAME: GEORGETOWN RES.
STORE NUMBER: 3004

CONTINUED

07 29 75

09 04 75

TAXA	FORM	07 29 75			09 04 75		
		IS	SC	ALGAL UNITS PER ML	IS	SC	ALGAL UNITS PER ML
ACHNANTHES MICROCEPHALA	CEL			X			
AMPHIPLEURA PELLUCIDA	CEL			X			
ANABAENA #1	FIL			X			
ANABAENA #2	FIL		1.3	35			
ANABAENA PLANCTONICA	FIL				12	3.8	56
ASTERIONELLA FORMOSA	CEL			X			X
CHROOCOCCUS LIMNETICUS	COL			X			
CHROOMONAS ?	CEL				13	43.4	641
COCCONEIS PLACENTULA							
V. LINEATA	CEL			X			
COELASTRUM SPHAERICUM	COL			X		1.9	28
COELOSPHAERIUM RUETZINGIANUM	COL			X			
COSMARUM #1	CEL			X			
COSMARUM #2	CEL			X			
CRYPTOMONAS EROSA	CEL	13	14.7	384			X
CYCLOTELLA BODANICA	CEL		2.7	70			
CYNELLA	CEL			X			
DICTYOSPHAERIUM PULCHELLUM	COL			X			
DINOBRIUM DIVERGENS	CEL			X			
EPITHEMIA BOREX	CEL			X			
EPITHEMIA TURGIDA	CEL			X			
FLAGELLATE #1	CEL	14	14.7	384			
FRAGILARIA	CEL			X			
FRAGILARIA CROTOMENSIS	CEL	11	28.0	732	11	38.8	529
GLENODINIUM EDAX	CEL						X
GLOEOCAPSA	COL					1.9	28
GLOEOCYSTIS	COL			X			
GOMPHONEMA	CEL			X			
GONIUM SOCIALE	COL			X			
LAGERHEIMIA	CEL			X			
LYNGBYA	FIL			X			
MELOSIIRA GRANULATA							
V. ANGUSTISSIMA	CEL						X
MICROCYSTIS INCERTA	COL			X		3.8	56
MOUGESOTIA	FIL						X
NAVICULA RADIOSA	CEL			X			
NITESCENIA	CEL			X			
OOCYSTIS	CEL	12	24.0	628			X
OSCILLATORIA	FIL				15	5.7	84
OSCILLATORIA #1	FIL						X
OSCILLATORIA #2	FIL						
PEDIASTRUM BORYANUM	COL			X			
PERIDINIUM WILLEI	CEL			X			
QUADRIGULA LACUSTRIS	COL			X			
RHOPALODIA GIBBA	CEL			X			
SCENEDESMUS OPOLIENSIS	COL		2.7	70			
SCENEDESMUS QUADRICAUDA	COL						X
SCENEDESMUS QUADRICAUDA							
V. QUADRISPINA	COL			X			
SCHROEDERIA SETIGERA	CEL			X			
STAUROSTRUM	CEL			X			
STAUROSTRUM #2	CEL			X			
SYNEDRA	CEL			X			
SYNEDRA ULNA							
V. CHASEANA	CEL						X
TABELLARIA FENESTRATA	CEL						X
TETRAEDRON CAUDATUM	CEL			X			
TETRAEDRON MINIMUM	CEL				14	3.8	56
TETRAEDRON MINIMUM							
V. SCROBICULATUM	CEL	15	12.0	314			
TRACHELOMONAS VOLVOICINA	CEL			X			
TOTAL				2617			1478

LAKE NAME: HEDGEN RES.
STORET NUMBER: 3005

NYGAARD TROPHIC STATE INDICES

DATE	07 30 75	09 03 75	10 20 75
MYXOPHYCEAN	07/0 E	06/0 E	06/0 E
CHLOROPHYCEAN	02/0 E	01/0 E	02/0 E
EUGLENOPHYTE	0/09 ?	0/07 ?	0.12 ?
DIATOM	0.50 E	0.50 E	0.14 ?
COMPOUND	12/0 E	10/0 E	10/0 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	07 30 75	09 03 75	10 20 75
GENUS	01	00	02
SPECIES	00	00	00

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	07 30 75	09 03 75	10 20 75
AVERAGE DIVERSITY H	2.47	2.42	2.53
NUMBER OF TAXA S	20.00	19.00	21.00
NUMBER OF SAMPLES COMPOSITED M	4.00	4.00	4.00
MAXIMUM DIVERSITY MAXH	4.32	4.25	4.39
MINIMUM DIVERSITY MINH	0.34	0.22	0.25
TOTAL DIVERSITY D	1482.00	2207.04	2279.53
TOTAL NUMBER OF INDIVIDUALS/ML N	600.00	912.00	901.00
EVENNESS COMPONENT J	0.57	0.57	0.58
RELATIVE EVENNESS RJ	0.54	0.55	0.56
MEAN NUMBER OF INDIVIDUALS/TAXA L	30.00	48.00	42.90
NUMBER/ML OF MOST ABUNDANT TAXON K	171.00	316.00	428.00

LAKE NAME: MEEGEN RES.
STORET NUMBER: 3005

CONTINUED

TAXA	FORM	07 30 75			09 03 75			10 20 75		
		ALGAL			ALGAL			ALGAL		
		IS	%C	UNITS PER ML	IS	%C	UNITS PER ML	IS	%C	UNITS PER ML
ANABAENA #1	FIL			X						
ANABAENA #2	FIL	13	14.3	86						
ANABAENA PLANCTONICA	FIL			X	15	3.8	35			
ANKISTRODESMUS FALCATUS V. ACICULARIS	CEL			X						
APHANIZOMENON FLOS-AQUAE	FIL	12	14.3	86		3.8	35	14	4.0	43
APHANOTHECE	COL	14	14.3	86						
ASTERIONELLA FORMOSA	CEL			X	12	11.5	105		4.0	43
CAMPYLODISCUS NURICUS V. HIBERNICA	CEL						X			
CHLOPHELLA	CEL									X
CHROCOCCUS	COL									X
CHROMONAS ?	CEL	18	20.5	171		30.8	201		9.5	86
COCCONEIS PLACENTULA V. LINEATA	CEL			X						
CRYPTOMONAS EROSA	CEL		7.2	43	13	7.7	70			X
CRYPTOMONAS MARSSONII	CEL						X			
CRYPTOMONAS REFLEXA	CEL							13	4.0	43
CYCLOTELLA	CEL			X						
CYMBELLA	CEL									X
EUMOTIA CURVATA ?	CEL								4.0	43
FRAGILARIA CROTONENSIS	CEL	11	21.3	120	11	34.6	316			X
FRAGILARIA LEPTOSTAURON	CEL			X						
GLOEOPHOSPHAERIA	COL					3.0	35			
GOMPHOSPHERIA	COL							11	4.0	43
GOMPHOSPHERIA APOINIA	COL			X			X			X
LYMBRYA BIRGEI	FIL						X			
MALLOMONAS ?	CEL									X
MELOSIRA	CEL			X						
MELOSIRA GRANULATA	CEL						X	12	47.5	420
MELOSIRA VARIANS	CEL						X			
MICROCYSTIS	COL							15	9.5	86
MICROCYSTIS INCERTA	COL						X			X
NAVICULA	CEL			X						X
NEIDIUM	CEL						X			
NITZSCHIA ACUMINATA ?	CEL									X
OOCYSTIS	CEL			X						
OSCILLATORIA LINOSA	FIL			X						
RHOPALODIA GIUBBA	CEL						X			
SCHROEDERIA SETIGERA	CEL						X		9.5	86
STEPHANODISCUS	CEL			X	14	3.8	35			
SYNEDRA ULNA	CEL			X			X			X
TRACHELONAS	CEL									X
TOTAL				600			912			901

LAKE NAME: KOOCANUSA RES.
STORET NUMBER: 3006

NYGAARD TROPHIC STATE INDICES

DATE	06 02 75	07 24 75	09 05 75
MYXOPHYCEAN	0/0 0	0/0 0	2.00 E
CHLOROPHYCEAN	01/0 E	02/0 E	1.00 E
EUGLENOPHYTE	0/01 ?	0/02 ?	0/03 ?
DIATOM	0.33 E	0.33 E	1.00 E
COMPOUND	02/0 E	03/0 E	5.00 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	06 02 75	07 24 75	09 05 75
GENUS	04	00	00
SPECIES	03	00	00

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	06 02 75	07 24 75	09 05 75
AVERAGE DIVERSITY H	2.28	1.49	1.75
NUMBER OF TAXA S	11.00	10.00	11.00
NUMBER OF SAMPLES COMPOSITED M	5.00	4.00	6.00
MAXIMUM DIVERSITY MAXH	3.46	3.32	3.46
MINIMUM DIVERSITY MINH	0.13	0.16	0.38
TOTAL DIVERSITY D	1928.88	882.08	434.00
TOTAL NUMBER OF INDIVIDUALS/ML N	846.00	592.00	248.00
EVENNESS COMPONENT J	0.66	0.45	0.51
RELATIVE EVENNESS RJ	0.65	0.43	0.45
MEAN NUMBER OF INDIVIDUALS/TAXA L	76.91	59.20	22.55
NUMBER/ML OF MOST ABUNDANT TAXON K	339.00	355.00	124.00

LAKE NAME: KOOCANUSA RES.
STORE NUMBER: 3006

CONTINUED

TAXA	06 02 75						07 24 75						09 05 75					
			ALGAL						ALGAL						ALGAL			
	FORM	IS	QC	PER ML	IS	QC	PER ML	IS	QC	PER ML	IS	QC	PER ML	IS	QC	PER ML	IS	QC
ANABAENA	FIL	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
APHANIZOMENON FLOS-AQUAE	FIL	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
ASTERIONELLA FORMOSA	CEL	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
BOTRYOCOCCUS BRAUNII	COL	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
CENTRIC DIATOM	CEL	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
CYPRIDIUM HIRUNDINELLA	CEL	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
CHROOMONAS ?	CEL	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
CRYPTOMONAS EROSA	CEL	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
CRYPTOMONAS MARSSONII	CEL	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
FRAGILARIA CROTONENSIS	CEL	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
GOLENKRINIA	CEL	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
HANNAEA ARCUS	CEL	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
MELOSIRA GRANULATA	CEL	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
MELOSIRA GRANULATA	CEL	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
V. ANGUSTISSIMA	CEL	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
MELOSIRA VARIANS	CEL	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
NAVICULA	CEL	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
NITZSCHIA	CEL	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
NOCTISTIS	CEL	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
PANDORINA MORUM	COL	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
PASCHERINA TETRAS	COL	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SPHAEROCYSTIS SCHROETERI	COL	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
STAUROSTRUM	CEL	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SYNEURA ULNA	CEL	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
TOTAL				846			592			240								

LAKE NAME: MARY RONAN LAKE
STORET NUMBER: 3007

NYGAARD TROPHIC STATE INDICES

DATE	06 02 75	07 28 75	09 05 75	10 22 75
MYXOPHYCEAN	03/0 E	04/0 E	04/0 E	03/0 E
CHLOROPHYCEAN	01/0 E	04/0 E	04/0 E	05/0 E
EUGLENOPHYTE	0/04 ?	0/08 ?	0/08 ?	0/08 ?
DIATOM	0/07 ?	0/02 ?	0.25 ?	0.40 E
COMPOUND	04/0 E	08/0 E	09/0 E	10/0 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	06 02 75	07 28 75	09 05 75	10 22 75
GENUS	01	00	01	02
SPECIES	00	00	00	00

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	06 02 75	07 28 75	09 05 75	10 22 75
AVERAGE DIVERSITY H	1.17	2.81	2.45	2.86
NUMBER OF TAXA S	16.00	14.00	18.00	17.00
NUMBER OF SAMPLES COMPOSITED M	3.00	3.00	3.00	3.00
MAXIMUM DIVERSITY MAXH	4.00	3.81	4.17	4.09
MINIMUM DIVERSITY MINH	0.06	0.16	0.19	0.08
TOTAL DIVERSITY D	4002.57	2638.59	2508.80	7719.14
TOTAL NUMBER OF INDIVIDUALS/ML N	3421.00	939.00	1024.00	2699.00
EVENNESS COMPONENT J	0.29	0.74	0.59	0.70
RELATIVE EVENNESS RJ	0.29	0.73	0.57	0.70
MEAN NUMBER OF INDIVIDUALS/TAXA L	213.81	67.07	56.89	158.76
NUMBER/ML OF MOST ABUNDANT TAXON K	2787.00	245.00	373.00	851.00

LAKE NAME: MARY ROMAN LAKE
STORE NUMBER: 3007

CONTINUED

TAXA	FORM	06 02 75			07 28 75			09 05 75			10 22 75		
		IS	QC	ALGAL UNITS PER ML	IS	QC	ALGAL UNITS PER ML	IS	QC	ALGAL UNITS PER ML	IS	QC	ALGAL UNITS PER ML
ANABAENA	FIL			X							14	4.3	117
ANABAENA #1	FIL				4.4	41							
ANABAENA #2	FIL				4.4	41							
ANABAENA FLOS-AQUAE	FIL						1115.1	155					
ANKISTRODESMUS	CEL		0.9	32							1.1		29
ANKISTRODESMUS FALCATUS	CEL				4.4	41							
ANKISTRODESMUS FALCATUS V. ACICULARIS	CEL									X			
APHANIZOMENON FLOS-AQUAE	FIL	13	2.0	95	1126.1	245	1219.1	93	1131.5				851
APHANOTHPCE	COL				1514.4	41	13121.2	217					
CERATIUM HIRUNDINELLA	CEL				1214.4	41				X			
CHROOCOCCUS LIMNETICUS ?	COL									X			
CHROOMONAS ?	CEL				117.4	163	14136.4	373	1519.0				264
CRUCIGENIA RECTANGULARIS	COL				13117.4	163							
CRYPTOMONAS EROSA	CEL			X			1519.1	93	12125.0				675
CRYPTOMONAS MARSSONII	CEL			X	14117.4	163	6.1	62					
CRYPTOMONAS SPP.	CEL	12	9.0	190									
CYMBELLA	CEL			X									X
CYMBELLA CISTULA	CEL								X				
DINOBRYON DIVERGENS	CEL	11	1.5	2787									
EPITHEMIA	CEL						X						
FRAGILARIA	CEL								X				
FRAGILARIA #2	CEL			X							2.2		59
FRAGILARIA CROTONENSIS	CEL		2.0	95			X		X		4.3		117
GLOEOCYSTIS	COL						X						
GYROSIGMA	CEL			X									
MALLOMONAS	CEL	15	1.0	63									
MALLOMONAS ACAROIDES	CEL							3.0	31				
MELOBIRA	CEL										4.3		117
MICROCYSTIS INCERTA	COL	14	3.7	127							13110.9		294
NAVICULA	CEL		0.9	32									
NAVICULA ?	CEL								X				
OOCYSTIS	CEL						X				1.1		29
OPEPHORA MARTYI	CEL			X									
PEDIASTRUM BORYANUM	COL						X				1.1		29
PEDIASTRUM DUPLEX V. PETICULATUM	COL									X			
QUADRIGULA	COL								X				
SCENEDESMUS BRASILIENSIS V. NORVEGICUS	COL												X
SCHROEDERIA SETIGERA	CEL								X		2.2		59
STEPHANODISCUS	CEL								X		2.2		59
SYNEDRA ACUS	CEL												X
SYNEDRA ULNA	CEL			X									
TABELLARIA FENESTRATA	CEL												X
TOTAL				3421			939			1024			2699

LAKE NAME: MCDONALD LAKE
STORET NUMBER: 3008

NYGAARD TROPHIC STATE INDICES

DATE	06 01 75	07 28 75
MYXOPHYCEAN	0/0 0	01/0 E
CHLOROPHYCEAN	0/0 0	01/0 E
EUGLENOPHYTE	0/0 ?	0/02 ?
DIATOM	0.12 ?	1.00 E
COMPOUND	01/0 E	03/0 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	06 01 75	07 28 75
GENUS	00	01
SPECIES	00	00

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	06 01 75	07 28 75
AVERAGE DIVERSITY H	0.74	0.01
NUMBER OF TAXA S	14.00	5.00
NUMBER OF SAMPLES COMPOSITED M	3.00	3.00
MAXIMUM DIVERSITY MAXH	3.81	2.32
MINIMUM DIVERSITY MINH	1.37	0.50
TOTAL DIVERSITY D	51.80	0.57
TOTAL NUMBER OF INDIVIDUALS/ML N	70.00	57.00
EVENNESS COMPONENT J	0.19	0.00
RELATIVE EVENNESS RJ	-0.25	-0.26
MEAN NUMBER OF INDIVIDUALS/TAXA L	5.00	11.40
NUMBER/ML OF MOST ABUNDANT TAXON K	56.00	57.00

LAKE NAME: McDONALD LAKE
 STORET NUMBER: 3008

CONTINUED

TAXA	FORM	06 01 75			07 28 75		
		ALGAL			ALGAL		
		IS	QC	PER ML	IS	QC	PER ML
ACHMANTHES FLEXILLA	CEL	1	1	X	1	1	
ANABAENA	FIL	1	1		1	1	X
ASTERIONELLA FORMOSA	CEL	1	1	X	1	1	X
COCCONEIS PLACENTULA		1	1		1	1	
V. LINEATA	CEL	1	1	X	1	1	
CYCLOTELLA OCELLATA	CEL	1	1		11100	1	57
CYNATOPEURA SOLEA		1	1		1	1	
V. APICULATA	CEL	1	1	X	1	1	
DINOBRYON CYLINDRICUM	CEL	1	1	X	1	1	X
DINOBRYON DIVERGENS	CEL	11100	0	56	1	1	
FRAGILARIA CROTONENSIS	CEL	1	1	X	1	1	
GYNODINIUM ORDINATUM	CEL	12120	0	14	1	1	
HELOBIRA ITALICA	CEL	1	1	X	1	1	
NAVICULA	CEL	1	1	X	1	1	
OOCYSTIS	CEL	1	1		1	1	X
PERIDINIUM INCONSPICUUM	CEL	1	1	X	1	1	
PERIDINIUM WILLEI	CEL	1	1	X	1	1	
SYNEDRA CYCLOPUM	CEL	1	1	X	1	1	
SYNEDRA ULNA	CEL	1	1	X	1	1	
TOTAL				70			57

LAKE NAME: NELSON RES.
STORET NUMBER: 3009

NYGAARD TROPHIC STATE INDICES

DATE	05 30 75	07 24 75	09 08 75
MYXOPHYCEAN	01/0 E	04/0 E	02/0 E
CHLOROPHYCEAN	06/0 E	03/0 E	02/0 E
EUGLENOPHYTE	0/07 ?	0/07 ?	0/04 ?
DIATOM	0.50 E	0.29 ?	0.50 E
COMPOUND	08/0 E	09/0 E	05/0 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	05 30 75	07 24 75	09 08 75
GENUS	00	02	05
SPECIES	00	03	00

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	05 30 75	07 24 75	09 08 75
AVERAGE DIVERSITY H	1.86	1.29	0.91
NUMBER OF TAXA S	13.00	19.00	12.00
NUMBER OF SAMPLES COMPOSITED M	3.00	3.00	3.00
MAXIMUM DIVERSITY MAXH	3.70	4.25	3.58
MINIMUM DIVERSITY MINH	0.17	0.19	0.03
TOTAL DIVERSITY D	1452.66	1398.36	4041.31
TOTAL NUMBER OF INDIVIDUALS/ML N	781.00	1084.00	4441.00
EVENNESS COMPONENT J	0.50	0.30	0.25
RELATIVE EVENNESS RJ	0.48	0.28	0.25
MEAN NUMBER OF INDIVIDUALS/TAXA L	60.08	57.05	370.08
NUMBER/ML OF MOST ABUNDANT TAXON K	347.00	523.00	3800.00

LAKE NAME: NELSON RES.
STORET NUMBER: 3009

CONTINUED

TAXA	FORM	05 30 75			07 24 75			09 08 75		
		ALGAL			ALGAL			ALGAL		
		IS	QC	PER ML	IS	QC	PER ML	IS	QC	PER ML
ACTINABSTRUM	CEL			X						
ANABAENA	FIL						X			
ANKISTRODERMUS FALCATUS	CEL	14	5.9	43	13	6.9	75			
APHANIZOMENON FLOS-AQUAE	FIL				11	44.8	486	11	85.6	3000
BOTRYOCOCCUS BRAUNII	COL						X			
CENTRIC DIATOM	CEL	13	33.4	261			X			
CHLOROPHYTAN COCCOID CELLED COLONY	COL									X
CHROOMONAS ?	CEL	12	44.4	347	12	48.2	523	15	3.9	171
COCCONEIS	CEL						X			
COELASTRUM MICROPORUM	COL			X						
CRYPTOMONAS EROSA	CEL						X			X
CRYPTOMONAS MARSSOMII	CEL	11	11.1	97					1.0	43
CIMBELLA MINUTA										
V. SILESIAEA	CEL						X			
EPITHEMIA	CEL						X			
FLAGELLATE #2	CEL							13	4.3	192
FRAGILARIA	CEL						X			X
GYROSIGMA	CEL						X			
NELOSIIRA ITALICA	CEL						X			
MICROCYSTIS AERUGINOSA	COL						X			
NAVICULA RHYNCHOCEPHALA										
V. GERMAINII	CEL						X			
NITZSCHIA ACICULARIS	CEL	15	5.9	43						
NITZSCHIA LONGISSIMA										
V. REVERSA	CEL									X
NITZSCHIA VERMICULARIS	CEL			X			X			
ODEOGONIUM	FIL						X			
OSCILLATORIA	FIL						X	12	2.9	120
OSCILLATORIA #1	FIL			X						
PASCHERINA TETRAS	COL			X						
SCENEDESMUS ACUMINATUS	COL			X						
SCENEDESMUS DIMORPHUS	COL									X
SCHROEDERIA SETIGERA	CEL			X			X	14	2.4	107
STEPHANODIACUS NIAGARAE	CEL									X
TETRASTRUM STAUROGENIAEFORME	COL			X						
TOTAL				181			1084			4441

LAKE NAME: SEELEY LAKE
STORET NUMBER: 3010

NYGAARD TROPHIC STATE INDICES

DATE	05 28 75	07 29 75	09 04 75
MYXOPHYCEAN	04/0 E	02/0 E	02/0 E
CHLOROPHYCEAN	01/0 E	02/0 E	01/0 E
EUGLENOPHYTE	0/05 ?	0.25 E	0/03 ?
DIATOM	0.12 ?	0.38 E	1.00 E
COMPOUND	06/0 E	10/0 E	05/0 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	05 28 75	07 29 75	09 04 75
GENUS	01	01	02
SPECIES	00	00	00

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	05 28 75	07 29 75	09 04 75
AVERAGE DIVERSITY H	2.14	2.50	2.96
NUMBER OF TAXA S	19.00	28.00	16.00
NUMBER OF SAMPLES COMPOSITED M	2.00	2.00	3.00
MAXIMUM DIVERSITY MAXH	4.25	4.81	4.00
MINIMUM DIVERSITY MINH	0.13	0.30	0.12
TOTAL DIVERSITY D	3642.28	2557.50	4522.88
TOTAL NUMBER OF INDIVIDUALS/ML N	1702.00	1023.00	1528.00
EVENNESS COMPONENT J	0.50	0.52	0.74
RELATIVE EVENNESS RJ	0.49	0.49	0.74
MEAN NUMBER OF INDIVIDUALS/TAXA L	89.58	36.54	95.50
NUMBER/ML OF MOST ABUNDANT TAXON K	826.00	341.00	425.00

LAKE NAME: SEELEY LAKE
STORET NUMBER: 3010

CONTINUED

TAXA	FORM	05 28 75			07 29 75			09 04 75		
		ALGAL			ALGAL			ALGAL		
		IS	SC	PER ML	IS	SC	PER ML	IS	SC	PER ML
ACHNANTHES LANCEOLATA	CEL									
V. ROSTRATA	FIL						X			
ANABAENA PLANCTONICA	CEL	14	1.4	24			X	15	5.6	85
ANKISTRODERMUS FALCATUS	CEL						X			
ASTERIONELLA FORMOSA	CEL		1.4	24		2.5	26			X
CHROONOMAS ?	CEL					12133.3	341			
COCCONEIS	CEL						X			
CRYPTOMONAS	CEL	13	0.3	142		2.5	26	14	11.1	170
CYANOPHYTAN FILAMENT	FIL			X						
CYCLOTELLA COMTA	CEL						X			
DACTYLOCOCCOPSIS	CEL			X						
DINOBRYON CYLINDRICUM	CEL			X						X
DINOBRYON DIVERGENS	CEL			X		14110.3	105			X
DINOBRYON SPP.	CEL	11	48.5	826				13	27.0	425
EPITHEMIA TURGIDA	CEL						X			
EUDORINA ELEGANS	COL						X			
FLAGELLATE #2	CEL		0.3	142					11.1	170
FRAGILARIA #2	CEL			X						
FRAGILARIA CONSTRUENS	CEL					13120.5	210			
FRAGILARIA CROTONENSIS	CEL	16	4.2	71		1517.7	79	11	10.4	297
GOMPHONEMA ANGUSTATUM	CEL		1.4	24						
GOMPHOSPHERIA	COL						X			
GYMNODINIUM	CEL								2.7	42
LUNATE CELL	CEL								2.7	42
MELOSIRA #1	CEL						X			
MELOSIRA DISTANS	CEL						X			
MELOSIRA ITALICA	CEL	12	25.0	425					9.6	85
MELOSIRA SPP.	CEL					1120.5	210			
MELOSIRA VARIANS	CEL						X			
MERIDION CIRCULARE	CEL						X			
MICROCYSTIS INCERTA	COL			X				12	0.3	127
MOUGEOTIA	FIL									X
NAVICULA	CEL						X			
NAVICULA #1	CEL			X						
NAVICULA #2	CEL			X						
NEIDIUM INTIDIS	CEL						X			
NITZSCHIA	CEL		1.4	24						
OOCYSTIS	CEL						X			
PERIDINIUM INCONSPICUUM	CEL									X
PINNULARIA	CEL						X			
SCHROEDERIA SETIGERA	CEL			X					5.6	85
STEPHANODISCUS	CEL									X
STEPHANODISCUS NIAGARAE	CEL						X			
SURIRELLA BISERIATA	CEL						X			
SYNEDRA ULNA	CEL						X			
TABELLARIA FENESTRATA	CEL			X		2.5	26			
TRACHELOMONAS VOLVOICINA	CEL						X			
TOTAL				1702			1023			1528

LAKE NAME: SWAN LAKE
STORET NUMBER: 3011

NYGAARD TROPHIC STATE INDICES

DATE	06 02 75	07 28 75	09 05 75
MYXOPHYCEAN	0/0 0	0/0 0	0/0 0
CHLOROPHYCEAN	01/0 E	0/0 0	0/0 0
EUGLENOPHYTE	0/01 ?	0/0 ?	0/0 ?
DIATOM	0.14 ?	0.50 E	0.33 E
COMPOUND	02/0 E	02/0 E	01/0 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	06 02 75	07 28 75	09 05 75
GENUS	00	00	00
SPECIES	00	00	00

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	06 02 75	07 28 75	09 05 75
AVERAGE DIVERSITY H	1.89	1.00	1.79
NUMBER OF TAXA S	15.00	8.00	6.00
NUMBER OF SAMPLES COMPOSITED M	3.00	3.00	3.00
MAXIMUM DIVERSITY MAXH	3.91	3.00	2.58
MINIMUM DIVERSITY MINH	0.18	0.13	0.10
TOTAL DIVERSITY D	1612.17	580.00	918.48
TOTAL NUMBER OF INDIVIDUALS/ML N	853.00	580.00	516.00
EVENNESS COMPONENT J	0.48	0.33	0.69
RELATIVE EVENNESS RJ	0.46	0.31	0.68
MEAN NUMBER OF INDIVIDUALS/TAXA L	56.87	72.50	86.00
NUMBER/ML OF MOST ABUNDANT TAXON K	545.00	290.00	238.00

LAKE NAME: SWAN LAKE
STORET NUMBER: 3011

CONTINUED

TAXA	06 02 78				07 28 78				09 05 75			
	FORM	ALGAL		PER ML	ALGAL		PER ML	PER ML	ALGAL		PER ML	PER ML
		IS	QC		IS	QC			IS	QC		
ACHMANTHES MICROCEPHALA	CEL	1	2.01	24	1	1	1	1	1	1	1	1
ASTERIONELLA FORMOSA	CEL	131	5.51	47	11	90.01	290	12123.11	119	1	1	1
CHRODOPHONAS ?	CEL	1	1	1	121	50.01	290	11146.11	236	1	1	1
CRYPTOMONAS ROSA	CEL	121	5.51	47	1	1	1	1123.11	119	1	1	1
CYCLOTELLA KUTZINGIANA	CEL	1	1	1	1	1	1	141	7.01	40	1	1
CYMBELLA	CEL	1	1	1	1	1	1	1	1	1	1	1
DINOBRYON BAVARICUM	CEL	1	1	1	1	1	1	1	1	1	1	1
DINOBRYON DIVERGENS	CEL	1	1	1	1	1	1	1	1	1	1	1
DINOBRYON SOCIALE	CEL	1	1	1	1	1	1	1	1	1	1	1
DINOBRYON APP.	CEL	11	63.91	545	1	1	1	1	1	1	1	1
FRAGILARIA 82	CEL	1	1	1	1	1	1	1	1	1	1	1
FRAGILARIA CROTONENSIS	CEL	1	1	1	1	1	1	1	1	1	1	1
FRAGILARIA LEPTOSTAURON	CEL	1	1	1	1	1	1	1	1	1	1	1
GYNHODINIUM ALBULUM	CEL	141	11.11	95	1	1	1	1	1	1	1	1
GYROSIGNA	CEL	1	1	1	1	1	1	1	1	1	1	1
MALLOMONAS	CEL	1	1	1	1	1	1	1	1	1	1	1
MELOBIRA	CEL	1	1	1	1	1	1	1	1	1	1	1
MELOBIRA ITALICA	CEL	151	5.51	47	1	1	1	1	1	1	1	1
PENNATE DIATON	CEL	1	1	1	1	1	1	1	1	1	1	1
SCHROEDERIA SETIGERA	CEL	1	1	1	1	1	1	1	1	1	1	1
SYNEDRA ULNA	CEL	1	1	1	1	1	1	1	1	1	1	1
TABELLARIA FENESTRATA	CEL	1	1	1	1	1	1	1	1	1	1	1
TOTAL				853			580				516	

LAKE NAME: TALLY LAKE
STORET NUMBER: 3012

NYGAARD TROPHIC STATE INDICES

DATE	06 02 75	07 28 75	09 05 75
MYXOPHYCEAN	1.00 E	02/0 E	03/0 E
CHLOROPHYCEAN	1.00 E	0/0 0	01/0 E
EUGLENOPHYTE	0/02 ?	0/02 ?	0/04 ?
DIATOM	0.50 E	0.33 E	2.00 E
COMPOUND	4.00 E	03/0 E	06/0 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	06 02 75	07 28 75	09 05 75
GENUS	02	00	00
SPECIES	00	00	00

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	06 02 75	07 28 75	09 05 75
AVERAGE DIVERSITY H	2.67	0.81	1.78
NUMBER OF TAXA S	15.00	8.00	10.00
NUMBER OF SAMPLES COMPOSITED M	2.00	2.00	2.00
MAXIMUM DIVERSITY MAXH	3.91	3.00	3.32
MINIMUM DIVERSITY MINH	0.12	0.42	0.06
TOTAL DIVERSITY D	3783.39	114.21	3465.66
TOTAL NUMBER OF INDIVIDUALS/ML N	1417.00	141.00	1947.00
EVENNESS COMPONENT J	0.68	0.27	0.54
RELATIVE EVENNESS RJ	0.68	0.16	0.53
MEAN NUMBER OF INDIVIDUALS/TAXA L	94.47	17.63	194.70
NUMBER/ML OF MOST ABUNDANT TAXON K	322.00	106.00	1107.00

LAKE NAME: TALLY LAKE
STORE NUMBER: 3012

CONTINUED

TAXA	FORM	06 02 75			07 28 75			09 05 75		
		ALGAL			ALGAL			ALGAL		
		IS	QC	UNITS PER ML	IS	QC	UNITS PER ML	IS	QC	UNITS PER ML
ANKISTRODESMUS FALCATUS	CEL								2.01	30
ANKISTRODESMUS FALCATUS V. ACICULARIS	CEL			X						
ASTERIONELLA FORMOSA	CEL	13	15.9	226			X			
CENTRIC DIATOM	CEL						X	13	7.9	153
CERATIUM HIRUNDINELLA F. FURCOIDES	CEL			X						
CHROOCOCCLUS	COL						X			X
CHROOMONAS ?	CEL		2.3	32	11	75.2	106	15	9.8	191
COELOSPHARIUM	COL									X
CONHARIUM	CEL			X						
CRYPTOMONAS EROSA	CEL		4.5	64			X	14	2.0	38
DINOBRYON CYLINDRICUM	CEL	11	22.7	322						
DINOBRYON DIVERGENS	CEL							12	21.6	420
EPITHEMIA	CEL			X						
EUDORINA ELEGANS	COL			X						
FLAGELLATE	CEL	15	110.2	259						
FRAGILARIA CROTOMENIS	CEL			X			X	11	56.9	1107
MELOSIRA DISTANS	CEL									X
MELOSIRA VARIANS	CEL			X						
OSCILLATORIA LIMNETICA	FIL		2.3	32	12	24.8	35			X
STEPHANODISCUS	CEL	14	13.6	193						
SYNEDRA ACUS	CEL	12	20.5	290						
SYNEDRA DELICATISSIMA V. ANGUSTISSIMA	CEL						X			
TOTAL				1417			141			1947

LAKE NAME: TIBER RES
STORET NUMBER: 3013

NYGAARD TROPHIC STATE INDICES

DATE	05 30 75	07 25 75
MYXOPHYCEAN	01/0 E	03/0 E
CHLOROPHYCEAN	05/0 E	02/0 E
EUGLENOPHYTE	0.33 E	0.20 ?
DIATOM	0/07 ?	0/09 ?
COMPOUND	08/0 E	06/0 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	05 30 75	07 25 75
GENUS	04	03
SPECIES	03	00

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	05 30 75	07 25 75
AVERAGE DIVERSITY H	1.88	1.70
NUMBER OF TAXA S	20.00	19.00
NUMBER OF SAMPLES COMPOSITED M	6.00	6.00
MAXIMUM DIVERSITY MAXH	4.32	4.25
MINIMUM DIVERSITY MINH	0.27	0.10
TOTAL DIVERSITY D	1457.00	3665.20
TOTAL NUMBER OF INDIVIDUALS/ML N	775.00	2156.00
EVENNESS COMPONENT J	0.44	0.40
RELATIVE EVENNESS RJ	0.40	0.39
MEAN NUMBER OF INDIVIDUALS/TAXA L	38.75	113.47
NUMBER/ML OF MOST ABUNDANT TAXON K	417.00	1390.00

LAKE NAME: TIDEW RES
STOREY NUMBER: 3013

CONTINUED

05 30 75

07 25 75

TAXA	FORM	05 30 75			07 25 75		
		IS	QC	ALGAL UNITS PER ML	IS	QC	ALGAL UNITS PER ML
ACTINASTRUM GRACILIMUM	CEL			X			
ANABAENA	FIL						X
ANKISTRUEDESMUS FALCATUS							
V. ACICULARIS	CEL	12	23.1	179			
APHANIZOONEMON FLOS-AQUAE	FIL						X
ASTERIONELLA FORMOSA	CEL						X
ASTERIONELLA FORMOSA							
V. GRACILLINA	CEL			X			
CHRODIONAS ?	CEL	11	83.0	417	13	6.4	139
CHRYSOPHYTAN COCCOID CELL	CEL	15	3.9	30			
CRYPTOMONAS	CEL				14	3.2	70
CRYPTOMONAS EROSA	CEL	14	3.9	30			
CRYPTOMONAS MARSSONII	CEL						X
CYANOPHYTAN FILAMENT	FIL			X			
CYMBELLA	CEL			X			
CYST	CEL			X			
EUGLENA	CEL					1.6	35
FRAGILARIA	CEL				12	16.1	340
GOMPHONEMA OLIVACEUM	CEL						X
GYRUSIGMA	CEL			X			
HANNAEA ARCUS	CEL			X			
NAVICULA	CEL			X			
NAVICULA #1	CEL						X
NAVICULA #2	CEL					1.6	35
NITZSCHIA	CEL			X			
NITZSCHIA #1	CEL						X
NITZSCHIA #2	CEL						X
NITZSCHIA LONGISSIMA	CEL						
V. REVERSA	CEL						X
NITZSCHIA SPP.	CEL				11	64.5	1390
PEDIASTRUM BORYANUM	COL			X			
PHORMIDIUM	FIL						X
SCENEDESMUS DINORPHUS	COL			X			
SCHROEDERIA SETIGERA	CEL				15	6.4	139
SPHAEROCTISTIS SCHROETERI	COL						X
SURIELLA	CEL			X			
SYNEDRA ACUS	CEL	13	11.5	89			
SYNEDRA ULNA	CEL						X
TETRASTRUM GLABRUM	COL			X			
TRACHELOMONAS DUBIA	CEL			X			
TRACHELOMONAS GIRARDIANA	CEL		3.9	30			
TOTAL				775			2156

LAKE NAME: TONGUE RIVER RES.
STORET NUMBER: 3014

NYGAARD TROPHIC STATE INDICES

DATE	05	23	75	08	29	75	10	15	75
MYXOPHYCEAN	0/0	0		2.00	E		2.00	E	
CHLOROPHYCEAN	01/0	E		2.00	E		3.00	E	
EUGLENOPHYTE	1.00	F		0.75	E		0.20	?	
DIATOM	1.00	E		0.50	E		0.17	?	
COMPOUND	03/0	E		9.00	E		8.00	E	

PALMER'S ORGANIC POLLUTION INDICES

DATE	05	23	75	08	29	75	10	15	75
GENUS			05			05			09
SPECIES			00			00			00

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	05	23	75	08	29	75	10	15	75
AVERAGE DIVERSITY	H		1.90		2.91		2.70		
NUMBER OF TAXA	S		8.00		18.00		25.00		
NUMBER OF SAMPLES COMPOSITED	M		3.00		4.00		3.00		
MAXIMUM DIVERSITY	MAXH		3.00		4.17		4.64		
MINIMUM DIVERSITY	MINH		0.04		0.05		0.12		
TOTAL DIVERSITY	D		4396.60		12550.83		6701.40		
TOTAL NUMBER OF INDIVIDUALS/ML	N		2314.00		4313.00		2482.00		
EVENNESS COMPONENT	J		0.63		0.70		0.58		
RELATIVE EVENNESS	RJ		0.63		0.70		0.58		
MEAN NUMBER OF INDIVIDUALS/TAXA	L		289.25		239.61		99.28		
NUMBER/ML OF MOST ABUNDANT TAXON	K		1106.00		946.00		670.00		

LAKE HAMP; TONGUE RIVER RES.
STORET NUMAPP: 3014

CONTINUED

TAXA	FORM	05 23 75		08 29 75		10 15 75	
		IS	QC	IS	QC	IS	QC
ANKISTRODESMUS FALCATUS	CEL						
V. ACICULARIS	FIL	1.8	34				
APHANIZOMENON FLOS-AQUAE	CEL			3	6.1	265	X
ASTERIONELLA FORMOSA	CEL				8.8	378	X
CELL	CEL	2.9	67				
CHROOMONAS ?	CEL			5	20.2	870	197
CLOSTERIUM	CEL					4	7.9
COCCONEIS	CEL						X
CRYPTOMONAS	CEL					X	
CRYPTOMONAS EROSA	CEL			4	6.1	265	
CRYPTOMONAS EROSA	CEL						X
V. REFLEXA	CEL						
CRYPTOMONAS MARSSONII	CEL					X	
CRYPTOMONAS SPP.	CEL	14	11.6	268			X
CYANOPHYTAN FILAMENT	FIL					2	23.8
CYCLOTELLA	CEL						X
DIATOMA VULGARE	CEL					X	
DINOBRYON SOCIALE	CEL						X
V. AMERICANUM	CEL	1.8	34				
ELAKATOTHRIX	CEL				1.8	76	
EPITHEMIA SOREX	CEL						X
EUGLENA	CEL	11	47.8	1106		3.2	79
EUGLENA SPP.	CEL				2	21.9	946
FRAGILARIA CROTONENSIS	CEL				2.6	113	3
FRAGILARIA LEPTOSTAURON	CEL					22.2	552
GLENODINIUM	CEL	1.5	34				X
GLENODINIUM GYMNODINIUM	CEL						
V. BISCUTELLIFORME	CEL				2	1.1	908
HANTZSCHIA	CEL						
HELOSIRA	CEL					4.8	118
MICROCYSTIS	COL					3.2	79
NAVICULA	CEL					X	
NAVICULA #2	CEL					4.8	118
NITZSCHIA FILIFORMIS	CEL						X
NITZSCHIA LONGISSIMA	CEL						X
V. REVERSA	CEL					1.6	39
PEDIASTRUM DUPLEX	COL					1.6	39
SCHROEDERIA SETIGERA	CEL					X	X
SPHAEROCYSTIS SCHROETERI	COL						X
STAUROSTRUM	CEL					X	
STEPHANODISCUS	CEL	12	31.8	737	0.9	38	11
STIPITOCOCCUS	CEL				9.6	416	670
SURIPELLA OVATA	CEL					X	X
SYNEDRA ULNA	CEL	1.5	34				X
TRACHELOMONAS PMSIFERA	CEL						
V. JAVANICA ?	CEL				0.9	38	
TOTAL			2314		4313		2482

LAKE NAME: WHITEFISH LAKE
STORET NUMBER: 3016

NYGAARD TROPHIC STATE INDICES

DATE	06 02 75	07 28 75	09 05 75
MYXOPHYCEAN	0/0 0	0/0 0	01/0 E
CHLOROPHYCEAN	0/0 0	01/0 E	02/0 E
EUGLENOPHYTE	0/0 ?	0/01 ?	0/03 ?
DIATOM	0.17 ?	0.14 ?	0/01 ?
COMPOUND	02/0 E	02/0 E	03/0 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	06 02 75	07 28 75	09 05 75
GENUS	02	04	00
SPECIES	00	00	00

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	06 02 75	07 28 75	09 05 75
AVERAGE DIVERSITY H	2.14	2.42	1.20
NUMBER OF TAXA S	16.00	13.00	6.00
NUMBER OF SAMPLES COMPOSITED M	3.00	3.00	3.00
MAXIMUM DIVERSITY MAXH	4.00	3.70	2.58
MINIMUM DIVERSITY MINH	0.22	0.10	0.11
TOTAL DIVERSITY D	1568.62	3467.86	586.80
TOTAL NUMBER OF INDIVIDUALS/ML N	733.00	1433.00	489.00
EVENNESS COMPONENT J	0.54	0.65	0.47
RELATIVE EVENNESS RJ	0.51	0.65	0.45
MEAN NUMBER OF INDIVIDUALS/TAXA L	45.81	110.23	81.50
NUMBER/ML OF MOST ABUNDANT TAXON K	259.00	524.00	314.00

LAKE NAME: WHITEFISH LAKE
STORE NUMBER: 3016

CONTINUED

TAXA	FORM	06 02 75			07 28 75			09 05 75		
		IS	QC	ALGAL UNITS PER ML	IS	QC	ALGAL UNITS PER ML	IS	QC	ALGAL UNITS PER ML
ASTERIONELLA FORMOSA	CEL	14	111.7	86	14	7.3	105			X
CAMPYLODISCUS MORICUS										
V. HIBERNICA	CEL			X						
CHROCOCCUS LIMNETICUS	CEL									X
CHROOMONAS ?	CEL	15	111.7	86						
CRYPTOMONAS	CEL				13	4.9	70			
CRYPTOMONAS EROSA	CEL									X
CYCLOTELLA	CEL					2.4	35			
CYMBELLA PROSTRATA	CEL						X			
CYMBELLA TRIANGULUM	CEL			X						
DIMOBRYON DIVERGENS	CEL									
DIPLOMEIS FINNICA	CEL			X	11	34.1	489	11	64.2	314
FRAGILARIA 82	CEL			X						
FRAGILARIA CROTONENSIS	CEL						X			
GYMNODINIUM	CEL	11	35.3	259	12	36.6	524			
GYMNODINIUM ALPULUM	CEL					2.4	35			
GYROSIGNA	CEL					2.4	35			
HANTZSCHIA	CEL			X						
MELOBIRA	CEL					2.4	35			
PINNULARIA	CEL			X						
SCENEDESMUS BIJUGA	CEL				15	4.9	70			
SCHROEDERIA SETIGERA	CEL									
SPHAEROCYSTIS ? SCHROETERI	CEL							13	7.2	35
STEPHANODIACUS	CEL	13	111.7	86				12	28.6	140
SURIKELLA	CEL			X			X			
SYNEDRA ACUS	CEL	12	29.5	218						
SYNEDRA ULNA	CEL			X						
SYNEDRA ULNA										
V. CHASEANA	CEL			X						
TABELLARIA FENESTRATA	CEL			X		2.4	35			
TOTAL				733			1433			489

TECHNICAL REPORT DATA

(Please read Instructions on the reverse before completing)

1. REPORT NO. EPA-600/3-79-116		2.		3. RECIPIENT'S ACCESSION NO.	
4. TITLE AND SUBTITLE DISTRIBUTION OF PHYTOPLANKTON IN MONTANA LAKES				5. REPORT DATE December 1979	
				6. PERFORMING ORGANIZATION CODE	
7. AUTHOR(S) S.C. Hern, V.W. Lambou, F.A. Morris, M.K. Morris, W.D. Taylor, and L.R. Williams				8. PERFORMING ORGANIZATION REPORT NO.	
9. PERFORMING ORGANIZATION NAME AND ADDRESS Environmental Monitoring and Support Laboratory Office of Research and Development U.S. Environmental Protection Agency Las Vegas, NV 89114				10. PROGRAM ELEMENT NO. 1BD884	
				11. CONTRACT/GRANT NO.	
12. SPONSORING AGENCY NAME AND ADDRESS U.S. Environmental Protection Agency-Las Vegas, NV Office of Research and Development Environmental Monitoring and Support Laboratory Las Vegas, NV 89114				13. TYPE OF REPORT AND PERIOD COVERED 02-21-75 to 12-11-75	
				14. SPONSORING AGENCY CODE EPA/600/07	
15. SUPPLEMENTARY NOTES					
16. ABSTRACT This is a data report presenting the species and abundance of phytoplankton in the 15 lakes sampled by the National Eutrophication Survey in the State of Montana. Results from the calculation of several water quality indices are also included (Nygaard's Trophic State Index, Palmer's Organic Pollution Index, and species diversity and abundance indices).					
17. KEY WORDS AND DOCUMENT ANALYSIS					
a. DESCRIPTORS		b. IDENTIFIERS/OPEN ENDED TERMS		c. COSATI Field/Group	
*aquatic microbiology lakes *phytoplankton water quality		Montana lake eutrophication Nygaard's trophic indices Palmer's organic pollution indices Species diversity and abundance		06 C, M 08 H 13 B	
18. DISTRIBUTION STATEMENT RELEASE TO PUBLIC		19. SECURITY CLASS (This Report) UNCLASSIFIED		21. NO. OF PAGES 52	
		20. SECURITY CLASS (This page) UNCLASSIFIED		22. PRICE	