
U.S. ENVIRONMENTAL PROTECTION AG NATIONAL EUTROPHICATION SURV WORKING PAPER SERIES



REPORT
ON
CONESUS LAKE
LIVINGSTON COUN
NEW YORK
EPA REGION II
WORKING PAPER NO.

PACIFIC NORTHWEST ENVIRONMENTAL RESEARCH LA

An Associate Laboratory of the

NATIONAL ENVIRONMENTAL RESEARCH CENTER - CORVALLIS, Ol

and

NATIONAL ENVIRONMENTAL RESEARCH CENTER - LAS VEC

REPORT
ON
CONESUS LAKE
LIVINGSTON COUNTY
NEW YORK
EPA REGION II
WORKING PAPER No. 156

WITH THE COOPERATION OF THE

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

AND THE

NEW YORK NATIONAL GUARD

DECEMBER, 1974

CONTENTS

		<u>Page</u>
For	eword	ii
Lis	t of New York Study Lakes	iv
Lak	e and Drainage Area Map	V
Sec	tions	
I.	Conclusions	1
II.	Lake and Drainage Basin Characteristics	3
III.	Lake Water Quality Summary	4
IV.	Nutrient Loadings	8
٧.	Literature Reviewed	12
VI.	Appendices	13

FOREWORD

The National Eutrophication Survey was initiated in 1972 in response to an Administration commitment to investigate the nation-wide threat of accelerated eutrophication to fresh water lakes and reservoirs.

OBJECTIVES

The Survey was designed to develop, in conjunction with state environmental agencies, information on nutrient sources, concentrations, and impact on selected freshwater lakes as a basis for formulating comprehensive and coordinated national, regional, and state management practices relating to point-source discharge reduction and non-point source pollution abatement in lake watersheds.

ANALYTIC APPROACH

The mathematical and statistical procedures selected for the Survey's eutrophication analysis are based on related concepts that:

- a. A generalized representation or model relating sources, concentrations, and impacts can be constructed.
- b. By applying measurements of relevant parameters associated with lake degradation, the generalized model can be transformed into an operational representation of a lake, its drainage basin, and related nutrients.
- c. With such a transformation, an assessment of the potential for eutrophication control can be made.

LAKE ANALYSIS

In this report, the first stage of evaluation of lake and water-shed data collected from the study lake and its drainage basin is documented. The report is formatted to provide state environmental agencies with specific information for basin planning [\$303(e)], water quality criteria/standards review [\$303(c)], clean lakes [\$314(a,b)], and water quality monitoring [\$106 and \$305(b)] activities mandated by the Federal Water Pollution Control Act Amendments of 1972.

Beyond the single lake analysis, broader based correlations between nutrient concentrations (and loading) and trophic condition are being made to advance the rationale and data base for refinement of nutrient water quality criteria for the Nation's fresh water lakes. Likewise, multivariate evaluations for the relationships between land use, nutrient export, and trophic condition, by lake class or use, are being developed to assist in the formulation of planning guidelines and policies by EPA and to augment plans implementation by the states.

ACKNOWLEDGMENT

The staff of the National Eutrophication Survey (Office of Research & Development, U. S. Environmental Protection Agency) expresses sincere appreciation to the New York Department of Environmental Conservation for professional involvement and to the New York National Guard for conducting the tributary sampling phase of the Survey.

Henry L. Diamond, Commissioner of the New York Department of Environmental Conservation, and Leo J. Hetling, Director, and Italo G. Carcich, Senior Sanitary Engineer, Environmental Quality Research, Department of Environmental Conservation, provided invaluable lake documentation and counsel during the Survey.

Major General John C. Baker, the Adjutant General of New York, and Project Officer Lieutenant Colonel Fred Peters, who directed the volunteer efforts of the New York National Guardsmen, are also gratefully acknowledged for their assistance to the Survey.

NATIONAL EUTROPHICATION SURVEY

STUDY LAKES

STATE OF NEW YORK

LAKE NAME

Allegheny Reservoir

Black Canadaigua Cannonsville Carry Falls Cassadaga Cayuga Champlain

Chautauqua Conesus Cross Goodyear Huntington Keuka Long

Lower St. Regis

Otter Owasco

Raquette Pond

Round

Sacandaga Res.

Saratoga Schroon Seneca Swan

Swinging Bridge Res.

COUNTY

Cattaraugas, NY; McLean,

Warren, PA St. Lawrence Ontario Delaware

St. Lawrence Chautauqua

Seneca, Tompkins

Clinton, Essex, NY; Addison, Chittenden, Franklin, VT

Chautauqua Livingston

Cayuga, Onondaga

Otsego
Sullivan
Ontario
Hamilton
Franklin
Cayuga
Cayuga
Franklin
Saratoga

Fulton, Saratoga

Saratoga Essex, Warren

Seneca, Schyler, Yates

Sullivan Sullivan

CONESUS LAKE

STORET NO. 3639

I. CONCLUSIONS

A. Trophic Condition:

Survey data and the records of others (Ketelle and Uttormark, 1971) show that Conesus Lake is eutrophic. Of the 26 New York lakes sampled in the fall of 1972, when essentially all were well-mixed, 11 had less mean total phosphorus, 21 had less mean dissolved phosphorus, and three had less mean inorganic nitrogen. For all New York data, 15 had less mean chlorophyll <u>a</u> and 6 had greater Secchi disc transparency.

Depression of dissolved oxygen with depth occurred at both sampling stations in July, and Survey limnologists also noted an algal bloom in progress at that time.

B. Rate-Limiting Nutrient:

A significant loss of nutrients occurred in the algal assay sample between the time of collection and the beginning of the assay, and the results are not indicative of lake conditions. However, the lake data indicate that nitrogen was limiting during the May and October samplings (N/P ratios were less than 8/1), and phosphorus was limiting during the July sampling when the N/P ratio was 19/1.

C. Nutrient Controllability:

1. Point sources--During the sampling year, the mean annual contribution from point sources was about 9% of the total phosphorus

load, all of which originated from septic tanks along the lakeshore. The Conesus Lake area is now served by a peripheral sewer system which has eliminated discharges that once reached the lake, and the City of Livonia has diverted its effluent out of the basin since the summer of 1973 (Oglesby, 1974). Also, the only industrial source of nutrients is now using land disposal of wastes.

The existing phosphorus loading rate of Conesus Lake is 3.2 lbs/ acre/year or 0.36 $g/m^2/year$ which is at a rate proposed by Vollenweider (in press) as a mesotrophic rate (see page 11). It is expected that the control measures recently put into practice will alleviate the eutrophic symptoms evident in Conesus Lake.

2. Non-point sources (see page 11)--The phosphorus exports of the Conesus Lake tributaries were quite high as compared to streams studied elsewhere in New York (e.g., tributaries to Canadaigua Lake*). Even so, the phosphorus export of Wilkins Creek was from two to nine times higher than the other Conesus tributaries. The high export rate and the low N/P export ratio indicate the impact of the City of Livonia which discharged to Wilkins Creek during much of the sampling year.

In all, it is estimated that non-point sources contributed about 93% of the total phosphorus reaching Conesus Lake (ignoring the contribution from Livonia during a part of the sampling year).

^{*} Working Paper No. 149.

II. LAKE AND DRAINAGE BASIN CHARACTERISTICS

- A. Lake Morphometry[†]:
 - 1. Surface area: 3,185 acres.
 - 2. Mean depth: 29.2 feet.
 - 3. Maximum depth: 62 feet.
 - 4. Volume: 93,002 acre/feet.
 - 5. Mean hydraulic retention time: 1.7 years.
- B. Tributary and Outlet: (See Appendix A for flow data)

1. Tributaries -

	<u>Name</u>	Drainage area*	Mean flow*
	Long Point Gulley North Gulley Creek Denshore Gulley Wilkins Creek Hannas Creek Conesus inlet Davis Creek Minor tributaries & immediate drainage -	1.9 mi ²	2.3 cfs 2.9 cfs 2.7 cfs 2.2 cfs 3.0 cfs 31.9 cfs 8.7 cfs
	Total	64.7 mi ²	76.8 cfs
2.	Outlet -		
	Conesus Creek	69.7 mi ² **	76.8 cfs

C. Precipitation***:

- 1. Year of sampling: 33.0 inches.
- 2. Mean annual: 31.0 inches.

[†] Stewart and Markello, 1974.

^{*} Drainage areas are accurate within $\pm 5\%$, except for small basins ($\pm 10\%$); mean daily flows are accurate within ± 5 to 25%; and normalized mean monthly flows are accurate within $\pm 15\%$.

^{**} Includes area of lake.

^{***} See Working Paper No. 1, "Survey Methods".

III. LAKE WATER QUALITY SUMMARY

Conesus Lake was sampled three times during the open-water season of 1972 by means of a pontoon-equipped Huey helicopter. Each time, samples for physical and chemical parameters were collected from two stations on the lake and from a number of depths at each station (see map, page v). During each visit, a single depth-integrated (15 feet or near bottom to surface) sample was composited from the stations for phytoplankton identification and enumeration; and during the last visit, a single five-gallon depth-integrated sample was collected for algal assays. Also each time, a depth-integrated sample was collected from each of the stations for chlorophyll <u>a</u> analysis. The maximum depths sampled were 42 feet at station 1 and 46 feet at station 2.

The results obtained are presented in full in Appendix B, and the data for the fall sampling period, when the lake was essentially well-mixed, are summarized below. Note, however, the Secchi disc summary is based on all values.

For differences in the various parameters at the other sampling times, refer to Appendix B.

A. Physical and chemical characteristics:

FALL VALUES

(10/13/72)

<u>Parameter</u>	Minimum	<u>Mean</u>	<u>Median</u>	Maximum
Temperature (Cent.) Dissolved oxygen (mg/l) Conductivity (µmhos) pH (units) Alkalinity (mg/l) Total P (mg/l) Dissolved P (mg/l) NO2 + NO3 (mg/l) Ammonia (mg/l)	14.0 7.4 330 7.9 114 0.022 0.012 0.020 0.040	14.3 8.3 339 8.1 118 0.029 0.021 0.027 0.076	14.4 8.2 340 8.1 117 0.029 0.023 0.025 0.080	14.5 9.3 345 8.4 122 0.036 0.029 0.040 0.150
Secchi disc (inches)	75	ALL VALUES	<u>5</u> 144	156

B. Biological characteristics:

1. Phytoplankton -

Sampling Date		inant era	Number per ml
05/27/72	1. 2. 3. 4. 5.	Dinobryon Fragilaria Schroederia Cryptomonas Flagellates Other genera	982 356 36 36 30 37
		Total	1,477
07/27/72	1. 2. 3. 4. 5.	Fragilaria Cyclotella Dinobryon Schroederia Cryptomonas Other genera	588 149 140 90 81 145
		Tota1	1,193
10/13/72	1. 2. 3. 4. 5.	Anabaena Flagellates Melosira Dinobryon Melosira Other genera	1,642 407 346 286 271 482
		Total	3,434

2. Chlorophyll \underline{a} - (Because of instrumentation problems during the 1972 sampling, the following values may be in error by plus or minus 20 percent.)

Sampling Date	Station Number	Chlorophyll <u>a</u> (μg/l)
05/27/72	01 02	5.8 7.7
07/27/72	01 02	10.5 5.3
10/13/72	01 02	3.5 26.4

C. Limiting Nutrient Study:

A significant loss of nutrients occurred in the algal assay sample between the time of collection and the beginning of the assay, and the results are not indicative of conditions in the lake. However, the lake data indicate that nitrogen was limiting during the May and October samplings (N/P ratios were less than 8/1), and phosphorus was limiting during the July sampling when the N/P ratio was 19/1.

IV. NUTRIENT LOADINGS (See Appendix C for data)

For the determination of nutrient loadings, the New York National Guard collected monthly near-surface grab samples from each of the tributary sites indicated on the map (page v), except for the high runoff months of April and May when two samples were collected. Sampling was begun in November, 1972, and was completed in October, 1973.

Through an interagency agreement, stream flow estimates for the year of sampling and a "normalized" or average year were provided by the New York District Office of the U.S. Geological Survey for the tributary sites nearest the lake.

In this report, nutrient loads for sampled tributaries were determined by using a modification of a U.S. Geological Survey computer program for calculating stream loadings*. Nutrient loadings for unsampled "minor tributaries and immediate drainage" ("ZZ" of U.S.G.S.) were estimated by using the means of the nutrient loads, in lbs/mi²/year, at stations A-1, B-1, C-1, F-1, G-1, and H-1 and multiplying the means by the ZZ area in mi².

There are no known point sources impacting Conesus Lake.

A. Waste Sources:

- 1. Known municipal None
- 2. Known industrial None

^{*} See Working Paper No. 1.

B. Annual Total Phosphorus Loading - Average Year:

1. Inputs -

2.

		11 - D/	٥/ ٥
Source		lbs P/ yr	% of total
a. Tributa	ries (non-point load)	-	
North G	Creek inlet	340 280 250 870 620 4,620 400	3.1 2.6 2.3 8.0 5.7 42.7 3.7
	ributaries & immediat ge (non-point load) -		20.3
c. Known mu	unicipal STP's - None	,-	-
d. Septic	tanks* -	740	6.8
e. Known in	ndustrial - None	-	-
f. Direct p	orecipitation** -	500	4.8
	Total	10,860	100.0
Outputs -			
Lake outlet	- Conesus Creek	4,650	

^{3.} Net annual P accumulation - 6,210 pounds

^{*} Estimate based on 1,185 shoreline dwellings; see Working Paper No. 1.
** See Working Paper No. 1.

C. Annual Total Nitrogen Loading - Average Year:

1. Inputs -

Sou	rce ·	lbs N/	% of total
a.	Tributaries (non-point load)	-	
	Long Point Gulley North Gulley Creek Denshore Gulley Wilkins Creek Hannas Creek Conesus inlet Davis Creek	11,200 8,780 10,220 6,290 15,030 96,810 20,490	3.8 3.0 3.5 2.1 5.1 32.8 6.9
b.	Minor tributaries & immediate drainage (non-point load) -		22.6
c.	Known municipal STP's - None	-	-
d.	Septic tanks* -	27,850	9.4
e.	Known industrial - None	-	-
f.	Direct precipitation** -	30,680	10.8
	Total	294,820	100.0
0ut	puts -		

^{2.}

Lake outlet - Conesus Creek 162,600

3. Net annual N accumulation - 132,220 pounds

^{*} Estimate based on 1,185 shoreline dwellings; see Working Paper No. 1. ** See Working Paper No. 1.

D. Mean Annual Non-point Nutrient Export by Subdrainage Area:

<u>Tributary</u>	<u>lbs P/mi²/yr</u>	lbs N/mi ² /yr	N/P Ratio
Long Point Gulley	162	5,333	33/1
North Gulley Creek	108	3,377	31/1
Denshore Gulley	104	4,258	41/1
Wilkins Creek	458	3,311	7/1
Hannas Creek	230	5,567	24/1
Conesus inlet	161	3,373	21/1
Davis Creek	51	2,627	52/1

E. Yearly Loading Rates:

In the following table, the existing phosphorus loading rates are compared to those proposed by Vollenweider (in press). Essentially, his "dangerous" rate is the rate at which the receiving waters would become eutrophic or remain eutrophic; his "permissible" rate is that which would result in the receiving water remaining oligotrophic or becoming oligotrophic if morphometry permitted. A mesotrophic rate would be considered one between "dangerous" and "permissible".

	Tota	1 Phosphorus	Total Nitrogen		
Units	Total	Accumulated	Total	Accumulated	
lbs/acre/yr grams/m²/yr	3.4 0.38	1.9 0.22	92.6 10.4	41.5 4.7	
g. ae, , g .		****	, , ,	***	

Vollenweider loading rates for phosphorus (g/m²/yr) based on mean depth and mean hydraulic retention time of Conesus Lake:

"Dangerous" (eutrophic rate) 0.44
"Permissible" (oligotrophic rate) 0.22

V. LITERATURE REVIEWED

- Birge, Edward A., and Chancey Juday, 1914. A limnological study of the Finger Lakes of New York. Bull. 32, U.S. Bur. Fish.
- Ketelle, Martha J., and Paul D. Uttormark, 1971. Problem lakes in the United States. EPA Water Poll. Contr. Res. Ser., Proj. 16010 EHR, Wash., D.C.
- Oglesby, Ray T., 1974. Personal communication (industrial and municipal effluents). Cornell U., Ithaca.
- Stewart, Kenton M., and Samuel J. Markello, 1974. Seasonal variations in concentrations of nitrate and total phosphorus, and calculated nutrient loading for six lakes in western New York. Hydrobiologia 44(1).
- Vollenweider, Richard A., (in press). Input-output models. Schweiz. A. Hydrol.

VII. APPENDICES

APPENDIX A

TRIBUTARY FLOW DATA

TRIBUTARY FLOW INFORMATION FOR NEW YORK

11/26/74

LAKE CODE 3639

CONESUS LAKE

TOTAL DRAINAGE AREA OF LAKE 69.70

Su	B-DRAINAGE	NORMALIZED FLOWS												
TRIBUTARY	AREA	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN
3639A1	2.09	2.20	3.10	6.60	6.70	3.60	1.50	0.40	0.20	0.10	0.50	0.80	1.90	2.29
3639B1	2.64	2.70	3.90	8.30	8.40	4.60	1.90	0.60	0.30	0.10	0.70	1.00	2.40	2.90
3639C1	2.43	2.50	3.60	7.70	7.80	4.20	1.80	0.50	0.30	0.10	0.60	1.00	2.20	2.68
3639D1	1.93	2.10	2.90	6.20	6.20	3.40	1.40	0.40	0.20	0.10	0.50	0.70	1.80	2.15
3639E1	69.70	57.59	81.43	158.88	198.60	148.95	84.41	44.69	25.82	19.86	15.89	27.80	58.59	76.77
3639F1	2.74	2.80	4.00	8.60	8.70	4.70	2.00	0.60	0.30	0.20	0.70	1.10	2.40	3.00
363961	28.70	30.0ú	43.00	91.00	93.00	50.00	21.00	6.10	3.40	1.60	7.40	11.00	26.00	31.87
3639H1	7.80	8.10	11.00	25.00	25.00	14.00	5.80	1.60	0.90	0.40	2.00	3.10	7.60	8.69
3639ZZ	21.49	22.00	31.00	66.00	67.00	36.00	15.00	4.40	2.40	1.20	5.30	8.20	19.00	23.06

SUMMARY

TOTAL DRAINAGE AREA OF LAKE = 69.70 SUM OF SUB-DRAINAGE AREAS = 69.82 TOTAL FLOW IN = 922.30 TOTAL FLOW OUT = 922.51

MEAN MONTHLY FLOWS AND DAILY FLOWS

TRIBUTARY	MONTH	YEAR	MEAN FLOW	DAY	FLOW	DAY	FLOW	DAY	FLOW
3639A1	11	72	3.80	4	4.50				
	12	72	11.00	3 7	7.60				
	1	73	6.20	7	7.80				
	2	73	5.50	3	14.00				
	? 3	73	11.00	4	23.00				
	4	73	16.00	7	34.00	14	9.40		
	5 7	73	4.70	4	4.30	30	5.20		
	7	73	0.50	7	0.0				
	8	73	0.0	7	0.0				
	9	73	0.0	9	0.0				
	10	73	0.10	13	0.10				
363981	11	72	4.70		3.60				
	12	72	14.00	5 3 7	9.60				
	1	73	7.60	7	9.80				
	3	73	7.00	3	18.00				
	3	73	14.00	4	29.00				
		73	20.00	7	43.00	14	12.00		
	4 5 7	73	6.00	4	5.40	30	6.70		
	7	73	0.80	7	1.40				
	8	73	0.10	7	0.0				
	9	73	0.10	9	0.03				
	10	73	0.10	13	0.10				

LAKE CODE 3639 CONESUS LAKE

MEAN MONTHLY FLOWS AND DAILY FLOWS

TRIBUTARY	MONTH	YEAR	MEAN FLOW	DAY	FLOW	DAY	FLOW	DAY	FLOW
3639C1	11	72	4.70						
	12	72	13.00	3	9.20				
	1	73	7.00	7	9.00				
	5	7 3	6.40	3	16.00				
	3	73	13.00	4	27.00				
	4	73	18.00	7	40.00	14	11.00		
	5	73	5.50	4	5.00	30	6.20		
	7	73	0.70	7	0.0				
	8	73	0.10	7	0.0				
	9	73	0.0	9	0.0				
363901	10	73 73	0.10	13	0.10				
303901	11 12	72 72	3.50	5	2.50				
	1	73	10.00 5.80	3 7	7.10 7.30				
•	Ş	73	5.10	3	13.00				
	3	73	10.00	4	21.00				
	3 4	73	14.00	7	32.00	14	8.70		
	5	73	4.50	4	4.00	30	4.90		
	5 7	73	0.50	7	1.00	30	4670		
	8	73	0.10	7	0.04				
	9	73	0.10	9	0.03				
	10	73	0.10	13	0.10				
3639E1	11	72	40.00	5	91.00				
	12	72	350.00	3	250.00				
	1	73	160.00	7	220.00				
	Ş.	73	150.00	3	380.00				
	3	73	280.00	4	590.00				
	4	73	470.00	7	92.00	14	280.00	•	
	5	73	200.00	4	150.00	30	260.00		
	7 8	73 73	59.00 8.00	7	87.00				
	9	73	7.50	7 9	7.00 8.00				
,	10	73	2.70	13	1.50				
3639F1	ii	72	5.20	5	3.80				
	iż	72	14.00	3	10.00				
	1	73	7.90	7	10.00				
	2	73	7.20	3	18.00				
	3	73	15.00	4	30.00				
	4	73	20.00	7	44.00	14	12.00		
	5	73	6.20	4	5.60	30	6.90		
	7	73	0.80	7	1.50				
	8	73	0.10	7	0.0				
	9	73	0.10	9	0.0				
	10	73	0.10	13	0.10				

LAKE CODE 3639 CONESUS LAKE

MEAN MONTHLY FLOWS AND DAILY FLOWS

TRIBUTARY	монтн	YEAR	MEAN FLOW	DAY	FLOW	DAY	FLOW	YAC	FLOW
363961	11	7 2	52.00	5	39.00				
	15	72	150.00	5 3	100.00				
	1	73	84.00	7	100.00				
	1 2 3	73	77.00	3	200.00				
	3	73	160.00	4	320.00				
	4	73	550.00	7	470.00	14	130.00		
	5	73	66.00	4	59 .0 0	30	73.00		
	7	73	8.00	7	15.00				
	Я	73	0.60	7	0.70				
	9	73	0.50	9	0.40				•
	10	73	1.30	13	0.70				
3639H1	11	72	15.00	5	11.00				
	12	72	46.00	3	30 .0 0				
	1	73	23.00	7	30.00				
	2 3	73	20.00	3	52.00				
	3	73	43.00	4	86.00				
	4	73	58.0 0	7	130.00	14	35.00		
	5 7	73	18.00	4	16.00	30	20.00		
		73	2.10	7	4.10				
	8	73	0.20	7	0.0				
	9	73	0.10	9	0.0				
	10	73	0.30	13	0.20				
3639ZZ	11	72	39.00						
	12	72	110.00						
	1	73	62.00						
	2	73	55.00						
	3	73	110.00						
	4	73	160.00						
	5	73	47.00						
	5 7	73	5.40						
	7	73	5.80						
	8	73	0.40						
	9	73	0.40						
	10	73	0.90						

APPENDIX B

PHYSICAL and CHEMICAL DATA

363901 42 40 00.0 077 50 00.0 CONESUS LAKE 36051 NEW YORK

						11EP/ 6	ALES	2111 0030	1202 FEET DEP	тн	
DATE FROM TO	TIME DEPTH OF DAY FEET	00010 WATER TEMP CENT	00300 DO MG/L	00077 TRANSP SECCHI INCHES	00094 CNDUCTVY FIELD MICROMHO	00400 PH SU	00410 T ALK CACO3 MG/L	00630 N02&N03 N-TOTAL MG/L	00610 NH3-N TOTAL MG/L	00665 PHOS-TOT MG/L P	00666 PHOS-DIS MG/L P
10	DAT FECT	CCIVI	1407 L	1404.23		•		,			
72/05/27	18 35 0000	19.3	12.0	132	360	8.40	119	0.030	0.020	0.013	0.006
	18 35 0010	16.9	12.0	_	340	8.50	118	0.060	0.050	0.020	0.013
	18 35 0030	10.0	14.0		360	8.10	119	0.100	0.040	0.061	0.020
72/07/27			2,00	156	340	8.50	110	0.020	0.040	0.013	0.015
12,01,2,	12 15 0004	24.3	8.6	_	340	8.50	110	0.020	0.040	0.011	0.008
	12 15 0015	23.9	6.2		330	8.40	112	0.160	0.060	0.011	0.008
	12 15 0025	17.0	3.8		340	7.50	117	0.270	0.060	0.014	0.009
	12 15 0032	13.8	3.4		345	7.30	115	0.260	0.060	0.013	0.015
72/10/13				78	340	8.30	122	0.040	0.150	0.034	0.025
12. 10. 10	14 30 0004	14.5	8.1		340	7.95	122	0.020	0.080	0.036	0.029
	14 30 0015	14.5	7.4		340	7.90	121	0.020	0.090	0.036	0.026
	14 30 0025	14.5	7.7		340	7.90	115	0.020	0.080	0.030	0.024
	14 30 0035	14.4	8.0		340	7.90	116	0.020	0.080	0.029	0.022
	14 30 0042	14.4	8.3		340	7.90	117	0.020	0.080	0.028	0.022

DATE	TIME	DEPTH	32217 CHLRPHYL
FROM	0F		Δ
TO	DAY	FEET	UG/L
72/05/27	18 3	5 0000	5.8J
72/07/27	12 1	5 0000	10.5J
72/10/13	14 3	0 0000	3.5J

363902 42 40 00.0 077 50 00.0 CONESUS LAKE 36051 NEW YORK

·	11EPALES 6	2111202 0013 FEET	DEPTH

DATE FROM TO	TIME OF Day	DEPTH FEET	00010 WATER TEMP CENT	00300 DO MG/L	00077 TRANSP SECCHI INCHES	00094 CNDUCTVY FIELD MICROMHO	00400 PH SU	00410 T ALK CACO3 MG/L	00630 NO26NO3 N-TOTAL MG/L	00610 NH3-N TOTAL MG/L	00665 PHOS-TOT MG/L P	00666 PHOS-DIS MG/L P
72/05/27	20 3	0 0000	18.9	11.4	156	340	8.40	121	0.050	0.020	0.016	0.008
		0 0010	17.0	12.4		320	8.40	120	0.030	0.020	0.010	0.010
72/07/27					156	325	8.40	115	0.040	0.050	0.011	0.009
		5 0004	23.8	9.6		325	8.40	115	0.040	0.040	0.012	0.009
		5 0015	23.7	8.4		340	8.40	114	0.040	0.040	0.011	0.008
		5 0035	14.0	3.6		360	7.40	113	0.270	0.050	0.010	0.009
		5 0046	11.9	3.0		370		118	0.270	0.040	0.011	0.009
72/10/13					75	345	8.40	114	0.030	0.040	0.023	0.012
		0 0004	14.2	8 .9		330	8.35	119	0.030	0.040	0.022	0.013
		0 0015	14.1	8.6		340	8.30	115	0.030	0.050	0.024	0.013
	14 0	0 0026	14.0	9.3		330	8.30	115	0.040	0.070	0.029	0.029

DATE FROM TO	OF	•	DEPTH FEET	32217 CHLRPHYL A UG/L
72/05/27 72/07/27 72/10/13	20 20	30 45	0000	7.7. 5.3.

J VALUE KNOWN TO BE IN ERROR

APPENDIX C

TRIBUTARY DATA

3639A1 LS3639A1 42 47 00.0 077 43 30.0 LONG POINT GULLEY 36 LIVINGSTON CO T/CONESUS LAKE ST HWY 256 BRDG 11EPALES 2111204

4 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 N02&N03 N-TOTAL MG/L	00625 TOT KJEL N MG/L	00610 NH3-N TOTAL MG/L	00671 PHOS-DIS ORTHO MG/L P	00665 PHOS-TOT MG/L P
		•		250	0.045	0.050	0 054
72/11/04		_	0.310	0.350	0.065	0.050	0.056
72/12/03	09 4	5	2.100	0.420	0.069	0.052	0.069
73/01/07	15 00	D	2.000	0.580	0.017	0.027	0.035
73/02/03	09 00	0	2.400	1.150	0.060	0.041	0.080
73/03/04	16 00	0	2.140	0.960	0.096	0.054	0.150
73/04/07	12 3	0	1.840	0.270	0.017	0.026	0.045
73/04/14	16 19	5	1.160	2.800	0.081	0.014	0.025
73/05/04	14 00	0	0.490	0.900	0.084	0.060	0.095
73/05/30	17 0	0	0.430	0.840	0.025	0.026	0.065

363981 LS363981
42 46 30.0 077 42 30.0
NORTH GULLEY CREEK
36 LIVINGSTON CO
T/CONESUS LAKE
BRDG IN ST MARGARETS CHAPEL
11EPALES 2111204
4 0000 FEET DEPTH

DATE	TIME DEPTH	00630 COM3SON NATOT-N	00625 TOT KJEL N	00610 NH3-N Total	00671 PHOS-DIS ORTHO	00665 PHOS-TOT
TO	DAY FEET	MG/L	MG/L	MG/L	MG/L P	MG/L P
72/11/05	10 40	0.640	0.400	0.005K	0.032	0.039
72/12/03	11 00	1.160	0.630	0.097	0.060	0.084
73/01/07	14 00	1.140		0.035	0.027	
73/02/03	10 30	1.260	0.700	0.058	0.036	0.075
73/03/04	15 00	1.400	0.720	0.100	0.048	0.160
73/04/07	14 05	1.220	0.400	0.048	0.032	0.070
73/04/14	15 30	0.790	0.950	0.033	0.014	0.030
73/05/04	13 15	0.160	1.300	0.035	0.008	0.020
73/05/30	18 30	0.540	0.420	0.006	0.020	0.030
73/07/07	12 30	0.052	2.310	0.080	0.005K	0.005K
73/09/09	10 20	0.062	1.260	0.072	0.011	0.035
73/10/13	14 45	0.010K	0.710	0.009		0.005

K VALUE KNOWN TO BE LESS THAN INDICATED

3639C1 LS3639C1
42 47 30.0 077 42 30.0
DENSHORE GULLEY
36 LIVINGSTON CO
T/CONESUS LAKE
BRDG NEAR MCPHERSONS COVE
11EPALES 2111204
4 0000 FEET DEPTH

DATE	TIME	DEPTH		00625 TOT KJEL	00610 NH3-N	00671 PHOS-DIS	00665 PHOS-TOT
FROM	0F		N-TOTAL	N	TOTAL	ORTHO	
TO	DAY	FEET	MG/L	MG/L	MG/L	MG/L P	MG/L P
73/01/07	14 30	0	1.380	0.360	0.005K	0.010	0.019
73/02/03	10 19	5	1.560	0.790	0.027	0.019	0.045
73/03/04	15 19	5	1.700	0.580	0.058	0.032	0.085
73/04/07	13 50	0	1.460	0.630	0.064	0.044	0.085
73/04/14	16 00	0	0.090	1.980	0.069	0.006	0.025
73/05/04	13 00	0	0.154	1.470	0.031	0.011	0.025
73/05/30	18 19	5	0.078	0.560	0.013	0.006	0.015

K VALUE KNOWN TO BE LESS THAN INDICATED

363901 LS3639D1
42 49 30.0 077 41 30.0
WILKINS CREEK
36 LIVINGSTON CO
T/CONESUS LAKE
BRDG 1.5 MI W OF LIVONIA BELO STP
11EPALES 2111204
4 0000 FEET DEPTH

DATE FROM TO	TIME DEPTH OF DAY FEET	00630 NO2&NO3 N-TOTAL MG/L	00625 TOT KJEL N MG/L	00610 NH3-N Total MG/L	00671 PHOS-DIS ORTHO MG/L P	00665 PHOS-TOT
••			-107 E	1107 E	1407 6	MOZE
72/11/05	10 20	0.910	0.450	0.020	0.280	0.325
73/01/07	13 20	1.320	0.420	0.017	0.060	0.090
73/02/03	09 45	1.340	0.350	0.031	0.052	0.075
73/03/04	14 45	1.500	0.600	0.063	0.042	0.120
73/04/07	13 35	1.280	0.690	0.042	0.038	0.120
73/04/14	15 00	0.910	2.300	0.060	0.026	0.045
73/05/04	12 45	0.273	1.380	0.035	0.037	0.060
73/05/30	18 00	0.450	0.560	0.019	0.063	0.105
73/07/07	12 00	0.022	0.800	0.027	0.290	0.315
73/08/07		0.025	0.810	0.046	0.378	0.450
73/09/09		0.022	1.320	0.060	0.450	0.520
73/10/13	14 15	0.010K	0.600	0.012	0.317	0.365

K VALUE KNOWN TO BE LESS THAN INDICATED

3639D2 LS3639D2
42 49 30.0 077 40 30.0
WILKINS CREEK
36 LIVINGSTON CO
T/CONESUS LAKE
BRDG .25 MI W OF LIVONIA ABOV STP
11EPALES 2111204
4 0000 FEET DEPTH

		00630	00625	00610	00671	00665
DATE	TIME DEPTH	N054N03	TOT KJEL	NH3-N	PHOS-DIS	PHOS-TOT
FROM	0F	N-TOTAL	N	TOTAL	ORTHO	
10	DAY FEET	MG/L	MG/L	MG/L	MG/L P	MG/L P
72/11/05	10 05	0.720	0.350	0.006	0.046	0.088
73/01/07	13 40	1.520	0.260	0.063	0.035	0.063
73/02/03		1.320	0.600	0.028	0.040	0.070
73/03/04	14 30	1.400	0.360	0.040	0.058	0.145
73/04/07	13 20	1.460	0.840	0.120	0.060	
73/04/14	14 45	1.480		0.072	0.046	0.060
73/05/04	12 30	1.200	0.780	0.056	0.054	0.075
73/05/30	17 45	1.020	0.420	0.016	0.046	0.110
73/07/07	11 50	0.610	0.290	0.037	0.042	0.075
73/08/07	20 15	0.840	0.340	0.035	0.032	0.040
73/09/09	09 20	0.570		0.126	0.044	0.055
73/10/13	14 00	0.120	1.430	0.068	0.177	

3639E1 LS3639E1
42 50 00.0 077 42 30.0
CONESUS CREEK
36 LIVINGSTON CO
0/CONESUS LAKE
ST HWY BRDG IN LAKEVILLE
11EPALES 2111204
4 0000 FEET DEPTH

			00630	00625	00610	00671	00665
DATE	TIME	DEPTH	K0N920N	TOT KJEL	NH3-N	PHOS-DIS	PHOS-TOT
FROM	0F		N-TOTAL	N	TOTAL	ORTHO	
TO	DAY	FEET	MG/L	MG/L	MG/L	MG/L P	MG/L P
72/11/05	09 30)	0.140	0.500	0.005K	0.006	0.026
72/12/03	10 00)	0.550	0.460	0.022	0.008	0.026
73/01/07	13 30)	0.097	0.400	0.026	0.005	0.019
73/02/03	09 00)	0.360	0.800	0.080	0.022	0.040
73/03/04	14 15	;	0.640	0.785	0.170	0.042	0.075
73/04/07	13 09	5	0.168	0.460	0.036	0.005K	0.020
73/04/14	14 30)	0.154	0.960	0.063	0.005K	0.025
73/05/04	12 15	5	0.140	0.910	0.040	0.008	0.030
73/05/30	17 30)	0.110	1.400	0.050	0.010	0.025
73/07/07	11 40)	0.031	1.320	0.052	0.006	0.015
73/68/07	20 00)	0.054	0.600	0.019	0.015	0.015
73/09/09	09 00)	0.027	2.300	0.072	0.008	0.035
73/10/13	13 45	5	0.010K	1.050	0.046	0.015	0.055

K VALUE KNOWN TO BE LESS THAN INDICATED

3639F1 LS3639F1
42 50 00.0 077 42 30.0
HANNAS CREEK
36 LIVINGSTON CO
T/CONESUS LAKE
BRDG IN PEBBLE BEACH
11EPALES 2111204
4 0000 FEET DEPTH

DATE FROM TO	TIME OF Day	DEPTH FEET	00630 NO28NO3 N-TOTAL MG/L	00625 TOT KJEL N MG/L	00610 NH3-N TOTAL MG/L	00671 PHOS-DIS ORTHO MG/L P	00665 PHOS-TOT MG/L P
72/11/05	09 49	5	3.400	0.650	0.027	0.079	0.105
72/12/03	10 00)	0.430	0.810	0.066	0.066	0.105
73/01/07	15 20)	1.000	0.580	0.014	0.020	0.038
73/02/03	09 19	5 '	1.760	1.890	0.294	0.105	0.170
73/03/04	14 00)	1.720	1.320	0.318	0.099	0.190
73/04/07	12 49	5	1.060	0.705	0.105	0.060	0.100
73/04/14	14 19	5	0.420	2.000	0.069	0.013	0.030
73/05/04	12 00)	0.490	1.800	0.044	0.038	0.060
73/05/30	17 19	5	0.660	0.800	0.013	0.068	0.100
73/07/07	11 30)	0.084	2.900	0.072	0.032	0.080

3639G1 LS3639G1
42 43 30.0 077 43 00.0
CONESUS INLET
36 LIVINGSTON CO
I/CONESUS LAKE
BRDG ON RD BETWEEN ST HWY 45 & E SWAMP R
11EPALES 2111204
4 0000 FEET DEPTH

			00630	00625	00610	00671	00665
DATE	TIME	DEPTH	N02&N03	TOT KJEL	NH3-N	PHOS-DIS	PHOS-TOT
FROM	OF		N-TOTAL	N [*]	TOTAL	ORTHO	
TO	DAY	FEET	MG/L	4G/L	MG/L	MG/L P	MG/L P
72/11/05	11 1	0	0.117	0.500	0.005K	0.019	0.038
73/01/07	15 0	0	0.168	0.350	0.072	0.007	0.017
73/02/03			0.220	0.240	0.030	0.008	0.035
73/03/04	15 4	5	0.530	0.480	0.120	0.029	0.079
73/04/07	14 3	0	0.400	0.460	0.069	0.017	0.040
73/04/14			1.040	1.050	0.056	0.006	0.020
73/05/04			0.042	2.100	0.050	0.019	0.035
7			0.052	1.050	0.013	0.029	0.055
73/07/07			0.027	3.300	0.115	0.050	0.135
73/08/07	21 4	5	0.018	1.470	0.022	0.031	0.165
73/09/09	11 0	Ō	0.110	2.520	0.580	0.040	0.315
73/10/13			0.017	3.000	0.084	0.023	0.025

K VALUE KNOWN TO BE LESS THAN INDICATED

3639H1 LS3639H1
42 43 00.0 077 42 30.0
DAVIS CREEK
36 LIVINGSTON CO
I/CONESUS LAKE
BROG ON RD W OFF ST HWY B
11EPALES 2111204
4 0000 FEET DEPTH

			00630	00625	00610	00671	00665
DATE	TIME	DEPTH	N056N03	TOT KJEL	NH3-N	PHOS-DIS	PHOS-TOT
FROM	0F		N-TOTAL	N	TOTAL	ORTHO	
TO	DAY	FEET	MG/L	MG/L	MG/L	MG/L P	MG/L P
72/11/05	11 00	0	0.210	0.250	0.005K	0.006	0.009
72/12/03	11 00	D	0.357	0.150	0.023	0.006	0.012
73/01/07	14 0	0	0.450	0.130	0.005K	0.005K	0.010
73/02/03			0.480	0.210	0.023	0.007	0.030
73/03/04	15 30	Ó	0.600	0.500	0.056	0.016	0.085
73/04/07	14 19	5	0.580	0.290	0.033	0.011	0.020
73/04/14	15 4	5	0.378	1.600	0.072	0.005K	0.020
73/05/04	13 3	0	0.066	1.980	0.054	0.005K	0.010
73/05/30	18 4	5	0.088	1.890	0.025	0.005K	0.005K
73/07/07	12 4	5	0.273	1.050	0.046	0.013	0.020

K VALUE KNOWN TO BE LESS THAN INDICATED