

PB-209

POLLUTION OF SUBSURFACE WATER BY SA
LANDFILLS. VOLUME 3

A. A. Fungaroli

Drexel University
Philadelphia, Pennsylvania

1971

DISTRIBUTED BY:

NTIS

National Technical Information
U. S. DEPARTMENT OF C
5285 Port Royal Road, Springfield

This document has been approved for public release and sale.

EPA-SW-12RG.2-71

PB 209 002

POLLUTION OF SUBSURFACE WATER BY SANITARY LANDFILLS

Volume 3

This interim report (SW-12rg.2) on work performed under solid waste management research grant EP-000162 to Drexel University was written by A. A. FUNGAROLI and is reproduced as received from the grantee.

Volume 1 is a narrative description of the project and will be available through the Superintendent of Documents,

U.S. Government Printing Office, Washington, D.C. 20402.

Volume 2 is a compilation of the experimental data collected and is available through the National Technical Information Service, Springfield, Virginia 22151

N O T I C E

THIS DOCUMENT HAS BEEN REPRODUCED FROM
THE BEST COPY FURNISHED US BY THE SPONSOR-
ING AGENCY. ALTHOUGH IT IS RECOGNIZED
THAT CERTAIN PORTIONS ARE ILLEGIBLE, IT
IS BEING RELEASED IN THE INTEREST OF MAK-
ING AVAILABLE AS MUCH INFORMATION AS
POSSIBLE.

BIBLIOGRAPHIC DATA SHEET	1. Report No. EPA-SW-12RG.2-71	2.	3. Recipient's Accession No.
4. Title and Subtitle Pollution of Subsurface Water by Sanitary Landfills Volume 3		5. Report Date 1971	
7. Author(s) A. A. Fungaroli		8. Performing Organization Rept. No.	
9. Performing Organization Name and Address Drexel University Philadelphia, Pennsylvania 19104		10. Project/Task/Work Unit No.	
		11. COSATI/Grant No. EP-000162	
12. Sponsoring Organization Name and Address U.S. Environmental Protection Agency Office of Solid Waste Management Programs Rockville, Maryland 20852		13. Type of Report & Period Covered Interim Jan. 1, 1969 to Sept. 29, 1969	
		14.	
15. Supplementary Notes			
16. Abstracts This study was to provide quantitative information as to the behavior of sanitary landfills under natural and simulated environmental conditions in an environment common to southeastern Pennsylvania and a large portion of the region extending between Washington, D.C., and Boston, Massachusetts. The long-range objectives were: (1) To provide means for predicting the movement of pollutants in subsurface regions under existing and proposed sanitary landfill sites. (2) To develop hydrologic, geologic, and soil criteria for the evaluation of site suitability for sanitary landfill operations. (3) To appraise design methods and remedial procedures for reducing any undesirable contaminant movement. A laboratory and a field sanitary landfill were developed to generate the data needed to attain these long-range objectives. This report consists of three volumes: Volume 1 (available from the U.S. Environmental Protection Agency, Cincinnati, Ohio 45213) describes the experimental facilities; Volume 2 (also available from the National Technical Information Service) contains the experimental data collected from Oct. 1, 1967, to Dec. 31, 1968; this volume (Volume 3) contains the experimental data collected from Jan. 1, 1969, to Sept. 29, 1969.			
17. Key Words and Document Analysis. 17a. Descriptors *Pollution, *Sanitary landfill, *Refuse disposal, Earth fill, Geologic processes, Temperature, Aerobic processes, Anaerobic processes, Experimental data, Experimentation, Lysimeters 17b. Identifiers/Open-Ended Terms *Subsurface water, Groundwater, Gas production, Gas composition, Kennett square plot plan, *Pollutants, *Contaminant, *Controlled environmental conditions, *Precipitation, Leachate, Pennsylvania, Boston, (Massachusetts), Washington, (D.C.), Percolation, Compacting, Settlement 17c. COSATI Field/Group 13B			
18. Availability Statement Release to public		19. Security Class (This Report) UNCLASSIFIED	21. No. of Pages 174
		20. Security Class (This Page) UNCLASSIFIED	22. Price \$3 or \$0.95

This report has been reviewed and approved for publication by the U.S. Environmental Protection Agency. Approval does not signify that the contents necessarily reflect the views and policies of the U.S. Environmental Protection Agency, nor does mention of commercial products constitute endorsement or recommendation by the U.S. Government.

FOREWORD

An important objective of the Office of Solid Waste Management Programs is to aid in developing economic and efficient solid waste management practices. As authorized under the Solid Waste Disposal Act (Public Law 89-272) and the Resource Recovery Act (Public Law 91-512), the Office has awarded almost 100 research grants to nonprofit institutions in this effort to stimulate and accelerate the development of new or improved ways for handling the Nation's discarded solids.

The present document reports on work done under one of these research grants, and was received from the grantee in three volumes. Volume 1 is a narrative description of the project. Volume 2 is a compilation of the experimental data collected from October 1, 1967, to December 31, 1968, and is also available through the National Technical Information Service, Springfield, Virginia 22151. This volume is a compilation of the experimental data collected from January 1, 1969, to September 29, 1969.

Research Grant EP-000162 has been renewed to cover an additional 3 years of research. Volume 4 of this series is an interim report covering an additional year of testing and evaluation. This volume is currently being processed and will be published in early 1972. A final report covering the entire 6-year project period is expected for publication in the fall of 1972.

It is recognized that a sanitary landfill, unless properly engineered and on a suitable site, can pollute subsurface water. To determine the kind and degree of contamination under varying field and laboratory conditions was an aim of this project. From this, criteria were developed which can be useful to others in the design of landfills and prediction of their performance.

TABLE OF CONTENTS

	<u>Page</u>
INTRODUCTION	1
SECTION I - LABORATORY EXPERIMENTAL SANITARY LANDFILL	2
Figure 1 - V.S.J. Thermistor Location	3
Section 1-A - Lysimeter Temperatures	4
Section 1-B - Lysimeter Gas Composition	29
Section 1-C1 - Lysimeter Leachate Analysis	36
Section 1-C2 - Cumulative Grams of Pollutants	40
Section 1-C3 - Mass Flow Rate of Pollutants	43
SECTION II - FIELD EXPERIMENTAL FACILITY	46
Figure 2 - Kennett Square Plot Plan	47
Section 2-A - Field Landfill Temperatures	48
Table 1 - Field Temperature Locations	49
Section 2-B - Field Gas Composition	82
Section 2-C - Field Ground-Water Samples	127

INTRODUCTION


The data presented herein has been obtained from the experimental facilities described in Volume 1. The data is separated into three sections and includes all results obtained from January 1, 1969 to September 29, 1969.

Section I contains data obtained from the laboratory experimental sanitary landfill. Section II contains data obtained from the field experimental facility. Each of the two main sections are divided into three subsections; A contains temperature data, B contains percentages of gases generated, and C contains chemical composition of leachate.

SECTION I

LABORATORY EXPERIMENTAL SANITARY LANDFILL

Note: Figure 1 - shows thermistor locations and positions of the four sampling ports.



Y.S.I. THERMISTOR LOCATION

Fig. 1

SECTION 1-A
LYSIMETER TEMPERATURES

Notes:

1. Nomenclature

MO	= month
DA	= day of the month
YR	= year 196-
DAY NO	= day of the year
HR	= hour

2. T1 through T15 = temperatures correspond to locations shown in Fig. 1.

3. Dates not recorded indicates no temperature data available.

LYSINETER TEMPERATURES

DEGREES FAHRENHEIT

MO	DA	YR	DAY	NO	HR	T7	T4	T5	T15	T14	T8	T9
1	1	9	461	0		39.0	0.0	57.9	64.5	65.5	62.0	60.0
1	1	9	461	4		38.9	0.0	58.0	64.5	65.4	62.0	59.9
1	1	9	461	8		38.8	0.0	58.0	64.5	65.4	62.0	59.8
1	1	9	461	12		38.5	0.0	57.9	64.5	65.4	62.0	59.8
1	1	9	461	16		38.1	0.0	57.3	64.5	65.1	62.0	59.9
1	1	9	461	20		38.3	0.0	57.5	64.5	65.4	61.9	60.1
1	2	9	462	0		38.2	0.0	57.3	64.5	65.4	62.0	60.2
1	2	9	462	4		38.0	0.0	57.1	64.4	65.4	62.0	60.6
1	2	9	462	8		38.0	0.0	56.9	64.4	65.4	62.1	60.9
1	2	9	462	12		37.9	0.0	56.7	64.3	65.3	62.1	61.1
1	2	9	462	16		37.9	0.0	56.6	64.3	65.3	62.1	61.2
1	2	9	462	20		37.9	0.0	56.6	64.2	65.3	62.2	61.4
1	3	9	463	0		38.0	0.0	56.8	64.2	65.2	62.3	61.5
1	3	9	463	4		38.1	0.0	57.0	64.2	65.2	62.3	61.6
1	3	9	463	8		38.4	0.0	57.0	64.1	65.2	62.4	61.5
1	3	9	463	12		38.5	0.0	57.0	64.1	65.1	62.4	61.5
1	3	9	463	16		38.3	0.0	56.9	64.1	65.1	62.5	61.3
1	3	9	463	20		38.6	0.0	52.8	64.1	65.1	62.5	61.0
1	4	9	464	0		38.7	0.0	52.9	64.0	65.1	62.5	60.7
1	4	9	464	4		38.8	0.0	57.0	64.0	65.1	62.5	60.5
1	4	9	464	8		38.2	0.0	52.8	64.0	65.1	62.5	60.3
1	4	9	464	12		38.4	0.0	56.7	64.0	65.1	62.4	60.2
1	4	9	464	16		38.7	0.0	52.7	64.0	65.0	62.3	60.2
1	4	9	464	20		38.8	0.0	56.8	63.9	61.0	62.3	60.2
1	6	9	466	12		39.0	0.0	56.9	63.8	64.9	62.1	60.1
1	6	9	466	16		38.7	0.0	57.0	63.8	64.8	62.1	60.1
1	6	9	466	20		44.0	0.0	56.9	63.8	64.8	62.1	59.9
1	7	9	467	0		39.7	0.0	56.9	63.8	64.9	62.1	59.7
1	7	9	467	4		39.2	0.0	57.0	63.7	64.8	62.1	59.6
1	7	9	467	8		38.9	0.0	56.9	63.7	64.8	62.1	59.3
1	7	9	467	12		39.0	0.0	56.7	63.7	64.8	61.8	59.0
1	7	9	467	16		39.0	0.0	56.7	63.7	64.7	61.8	59.0
1	7	9	467	20		38.7	0.0	56.7	63.6	64.8	61.8	59.1
1	8	9	468	0		38.6	0.0	56.6	63.7	64.8	61.7	59.2
1	8	9	468	4		38.8	0.0	56.4	63.7	64.8	61.6	59.3
1	8	9	468	8		38.6	0.0	56.2	63.6	64.8	61.6	59.4
1	8	9	468	12		38.6	0.0	56.2	63.6	64.6	61.6	59.6
1	8	9	468	16		38.7	0.0	56.3	63.6	64.7	61.6	59.6
1	8	9	468	20		38.9	0.0	56.4	63.5	64.7	61.6	59.4
1	9	9	469	0		38.9	0.0	56.5	63.5	64.7	61.6	59.1
1	9	9	469	4		39.2	0.0	56.4	63.5	64.6	61.6	58.8
1	9	9	469	8		39.2	0.0	56.5	63.4	64.6	61.5	58.5
1	9	9	469	12		39.2	0.0	56.5	63.4	64.6	61.5	58.5
1	9	9	469	16		39.2	0.0	56.5	63.4	64.6	61.5	58.5
1	9	9	469	20		39.2	0.0	56.5	63.4	64.6	61.5	58.5
1	10	9	470	0		39.2	0.0	56.5	63.4	64.6	61.5	58.5
1	10	9	470	4		39.2	0.0	56.5	63.4	64.6	61.5	58.5
1	10	9	470	8		39.2	0.0	56.5	63.4	64.6	61.5	58.5
1	10	9	470	12		36.7	0.0	55.7	63.3	64.5	60.8	58.2
1	10	9	470	16		36.8	0.0	55.5	63.3	64.4	60.8	58.4
1	10	9	470	20		36.9	0.0	55.2	63.2	64.5	60.8	58.8
1	11	9	471	0		36.6	0.0	55.1	63.2	64.5	60.8	59.1
1	11	9	471	4		36.5	0.0	55.1	63.1	64.4	60.9	59.3
1	11	9	471	8		36.5	0.0	55.2	63.0	64.3	60.9	59.5

LYSIMETER TEMPERATURES

DEGREES FAHRENHEIT

MO	DA	YR	LAY NO	T2	T7	T4	T5	T15	T14	T8	T9
1	11	9	471	12	35.5	0.0	55.4	63.0	64.3	60.9	59.4
1	11	9	471	16	36.2	0.0	55.4	63.0	64.3	61.0	59.5
1	11	9	471	20	37.1	0.0	55.6	63.0	64.2	61.0	59.4
1	12	9	472	0	37.2	0.0	55.6	62.8	64.2	61.0	59.2
1	12	9	472	4	37.2	0.0	55.6	62.8	64.2	61.0	59.2
1	12	9	472	8	37.2	0.0	55.6	62.8	64.2	61.0	59.2
1	12	9	472	12	37.2	0.0	55.6	62.8	64.2	61.0	59.2
1	12	9	472	16	37.2	0.0	55.6	62.8	64.2	61.0	59.2
1	12	9	472	20	37.2	0.0	55.6	62.8	64.2	61.0	59.2
1	13	9	473	0	37.2	0.0	55.6	62.8	64.2	61.0	59.2
1	13	9	473	4	37.2	0.0	55.6	62.8	64.2	61.0	59.2
1	13	9	473	8	37.2	0.0	55.6	62.8	64.2	61.0	59.2
1	13	9	473	12	38.2	0.0	55.9	62.8	64.0	60.6	58.2
1	13	9	473	16	36.1	0.0	56.0	62.8	64.0	60.6	58.1
1	13	9	473	20	36.3	0.0	56.0	62.7	63.8	60.5	58.5
1	14	9	474	0	36.3	0.0	55.9	62.7	63.8	60.6	58.8
1	14	9	474	4	36.5	0.0	55.8	62.7	63.8	60.6	59.0
1	14	9	474	8	36.4	0.0	55.9	62.7	63.8	60.6	59.1
1	14	9	474	12	36.0	0.0	55.8	62.7	63.8	60.6	59.3
1	14	9	474	16	36.0	0.0	55.6	62.7	63.7	60.6	59.4
1	14	9	474	20	36.3	0.0	55.7	62.7	61.7	60.7	59.5
1	15	9	475	0	34.3	0.0	55.8	62.7	63.7	60.7	59.5
1	15	9	475	4	36.2	0.0	55.6	62.7	63.6	60.8	59.2
1	15	9	475	8	36.3	0.0	55.6	62.7	63.7	60.7	59.4
1	15	9	475	12	36.3	0.0	55.6	62.6	63.6	60.8	59.2
1	15	9	475	16	36.7	0.0	55.9	62.7	63.6	60.8	59.2
1	15	9	475	20	36.9	0.0	55.8	62.6	63.6	60.8	59.2
1	16	9	476	0	36.6	0.0	55.6	62.6	63.6	60.8	59.2
1	16	9	476	4	36.9	0.0	55.5	62.6	61.6	60.8	59.2
1	16	9	476	8	36.9	0.0	55.6	62.6	63.1	60.7	59.2
1	16	9	476	12	34.4	0.0	55.7	62.7	63.6	60.8	59.2
1	16	9	476	16	36.6	0.0	55.5	62.7	63.6	60.8	59.2
1	16	9	476	20	35.6	0.0	55.6	62.5	61.5	60.8	59.1
1	17	9	477	0	37.4	0.0	55.7	62.4	63.5	60.8	59.1
1	17	9	477	4	37.3	0.0	55.8	62.6	63.5	60.8	59.1
1	17	9	477	8	35.7	0.0	55.9	60.5	63.5	60.8	59.0
1	17	9	477	12	35.0	0.0	55.8	62.6	63.5	60.8	59.2
1	17	9	477	16	34.5	0.0	55.8	60.5	63.5	60.8	59.2
1	17	9	477	20	35.0	0.0	55.9	60.5	61.5	60.9	59.1
1	18	9	478	0	35.0	0.0	54.1	60.5	61.5	60.8	59.0
1	18	9	478	4	37.8	0.0	56.1	62.6	63.4	60.8	58.9
1	18	9	478	8	38.3	0.0	56.3	62.5	61.4	60.8	58.8
1	18	9	478	12	38.2	0.0	56.4	62.6	61.5	60.8	58.6
1	18	9	478	16	38.4	0.0	56.4	62.6	63.4	60.7	58.5
1	18	9	478	20	38.2	0.0	56.4	62.6	63.5	60.7	58.4
1	19	9	479	0	39.2	0.0	56.5	62.6	63.5	60.7	58.2
1	19	9	479	4	38.7	0.0	56.7	62.7	63.5	60.6	58.1
1	19	9	479	8	39.6	0.0	56.9	62.7	63.4	60.6	57.9
1	19	9	479	12	39.0	0.0	57.0	62.7	63.5	60.5	57.7
1	19	9	479	16	38.9	0.0	55.1	62.7	63.4	60.4	57.6
1	19	9	479	20	38.9	0.0	57.0	62.7	63.4	60.4	57.4
1	20	9	480	0	39.0	0.0	57.2	62.7	63.4	60.4	57.4
1	20	9	480	4	37.2	0.0	57.3	62.8	63.5	60.2	57.4

LYSIMETER TEMPERATURES

DEGREES FAHRENHEIT

MO	DA	YR	DAY NO	HR	T1	T4	T9	T19	T14	T11	T4
1	20	9	480	8	39.0	0.0	57.4	60.8	61.5	60.2	57.4
1	20	9	480	12	39.0	0.0	57.4	60.8	61.5	60.2	57.4
1	20	9	480	16	39.0	0.0	57.4	60.8	61.5	60.2	57.4
1	20	9	480	20	39.0	0.0	57.4	60.8	61.5	60.2	57.4
1	21	9	481	0	39.0	0.0	57.4	60.8	61.5	60.2	57.4
1	21	9	481	4	39.0	0.0	57.4	60.8	61.5	60.2	57.4
1	21	9	481	8	39.0	0.0	57.4	60.8	61.5	60.2	57.4
1	21	9	481	12	39.0	0.0	57.4	60.8	61.5	60.2	57.4
1	21	9	481	16	39.0	0.0	57.4	60.8	61.5	60.2	57.4
1	21	9	481	20	39.0	0.0	57.4	60.8	61.5	60.2	57.4
1	22	9	482	0	39.0	0.0	57.4	60.8	61.5	60.2	57.4
1	22	9	482	4	39.0	0.0	57.4	60.8	61.5	60.2	57.4
1	22	9	482	8	39.0	0.0	57.4	60.8	61.5	60.2	57.4
1	22	9	482	12	39.3	0.0	57.1	63.0	63.6	60.2	57.6
1	22	9	482	16	39.8	0.0	57.0	63.0	61.6	60.2	55.5
1	22	9	482	20	40.3	0.0	57.1	61.0	63.6	60.2	57.5
1	23	9	483	0	40.4	0.0	57.2	63.0	63.6	60.1	55.3
1	23	9	483	4	40.4	0.0	55.3	63.0	63.6	60.1	57.1
1	23	9	483	8	40.5	0.0	57.5	63.0	63.6	60.1	56.8
1	23	9	483	12	40.4	0.0	57.5	63.0	63.6	60.0	56.7
1	23	9	483	16	39.0	0.0	57.5	63.0	61.6	60.0	56.7
1	23	9	483	20	39.7	0.0	57.7	63.0	63.6	59.9	57.0
1	24	9	484	0	39.4	0.0	57.8	63.0	61.6	59.8	55.2
1	24	9	484	4	39.0	0.0	57.9	63.1	63.6	59.8	57.4
1	24	9	484	8	44.0	0.0	57.9	63.1	63.6	59.9	57.5
1	24	9	484	12	40.4	0.0	58.0	61.1	63.6	59.8	57.7
1	24	9	484	16	39.8	0.0	58.1	63.1	63.6	59.9	57.8
1	24	9	484	20	40.0	0.0	58.3	63.2	63.6	59.9	58.0
1	25	9	485	0	40.0	0.0	58.3	63.2	63.6	59.9	58.1
1	25	9	485	4	39.9	0.0	58.4	63.2	63.6	60.0	58.2
1	25	9	485	8	39.3	0.0	58.3	63.3	63.7	60.0	58.3
1	25	9	485	12	39.1	0.0	58.5	63.3	63.6	60.0	58.4
1	25	9	485	16	39.0	0.0	58.2	63.4	63.6	60.1	58.8
1	25	9	485	20	39.0	0.0	58.2	63.4	63.6	60.1	58.8
1	26	9	486	0	39.2	0.0	58.3	63.4	63.7	60.2	59.0
1	26	9	486	4	39.4	0.0	58.3	63.4	63.7	60.2	59.2
1	26	9	486	8	39.0	0.0	58.3	63.5	63.7	60.3	59.2
1	26	9	486	12	39.5	0.0	58.2	63.5	61.6	60.3	59.4
1	26	9	486	16	38.3	0.0	58.1	63.5	63.7	60.4	59.4
1	26	9	486	20	38.5	0.0	58.0	63.6	63.7	60.5	59.7
1	27	9	487	0	38.2	0.0	57.8	63.5	63.8	60.6	60.0
1	27	9	487	4	38.1	0.0	57.2	63.5	63.8	60.7	60.2
1	27	9	487	8	37.9	0.0	57.6	63.5	63.8	60.7	60.4
1	27	9	487	12	38.5	0.0	57.7	0.0	63.8	60.8	60.6
1	28	9	488	12	39.7	0.0	57.0	63.6	64.0	61.3	61.1
1	28	9	488	16	37.7	0.0	56.8	63.6	63.9	61.4	61.1
1	28	9	488	20	37.9	0.0	56.9	63.5	63.9	61.5	61.1
1	29	9	489	0	37.9	0.0	56.9	63.5	63.9	61.6	61.0
1	29	9	489	4	39.0	0.0	56.9	63.5	63.9	61.6	60.9
1	29	9	489	8	39.2	0.0	56.8	63.5	63.9	61.7	60.7
1	29	9	489	12	39.4	0.0	56.7	63.9	63.9	61.7	60.6
1	29	9	489	16	39.3	0.0	52.8	63.1	63.9	61.7	60.5
1	29	9	489	20	39.7	0.0	50.8	63.5	63.9	61.7	60.5

LYSIMETER TEMPERATURES

DEGREES FAHRENHEIT

MO	DA	YR	DAY	NO	FR	T7	T4	T5	T15	T14	T8	T9
1	30	9	490	0		39.4	0.0	56.8	63.4	60.0	61.7	60.5
1	30	9	490	4		39.1	0.0	57.0	61.4	63.9	61.7	60.4
1	30	9	490	8		39.3	0.0	57.1	61.4	64.0	61.8	60.4
1	30	9	490	12		38.6	0.0	55.2	63.4	60.0	61.7	60.4
1	30	9	490	16		39.8	0.0	57.2	63.4	64.0	61.8	60.4
1	30	9	490	20		39.7	0.0	57.1	63.4	64.0	61.8	60.4
1	31	9	491	0		39.5	0.0	57.2	63.4	60.0	61.8	60.6
1	31	9	491	4		39.8	0.0	57.4	63.4	64.0	61.8	60.5
1	31	9	491	8		39.9	0.0	53.5	63.5	64.0	61.8	60.4
1	31	9	491	12		40.6	0.0	53.6	63.5	60.0	61.8	60.3
1	31	9	491	16		40.2	0.0	53.5	63.5	64.0	61.8	60.2
1	31	9	491	20		39.8	0.0	57.5	63.5	60.0	61.8	60.1
2	1	9	492	0		39.2	0.0	53.6	63.5	64.0	61.8	59.9
2	1	9	492	4		39.0	0.0	55.8	63.5	64.1	61.8	59.7
2	1	9	492	8		39.0	0.0	55.8	63.5	60.1	61.7	59.6
2	1	9	492	12		39.1	0.0	57.9	63.5	64.1	61.7	59.4
2	1	9	492	16		39.2	0.0	58.0	63.6	64.1	61.6	59.2
2	1	9	492	20		38.5	0.0	58.0	63.6	64.2	61.6	59.0
2	2	9	493	0		38.2	0.0	58.0	63.6	64.1	61.5	58.9
2	2	9	493	4		38.7	0.0	57.8	63.6	60.1	61.5	58.9
2	2	9	493	8		39.2	0.0	51.8	63.6	64.2	61.4	58.8
2	2	9	493	12		39.5	0.0	57.9	63.7	64.2	61.4	58.8
2	2	9	493	16		39.5	0.0	58.0	63.7	60.2	61.3	58.7
2	2	9	493	20		39.7	0.0	58.0	63.7	60.2	61.3	58.6
2	3	9	494	0		39.5	0.0	58.1	63.7	64.2	61.3	58.5
2	3	9	494	4		39.5	0.0	58.0	61.7	64.2	61.2	58.4
2	3	9	494	8		39.5	0.0	58.0	63.8	64.2	61.1	58.3
2	3	9	494	12		41.3	0.0	58.1	63.8	64.3	61.1	58.2
2	3	9	494	16		41.5	0.0	58.1	63.8	60.3	61.1	58.2
2	3	9	494	20		40.5	0.0	58.1	63.8	64.3	61.0	58.2
2	4	9	495	0		39.8	0.0	58.1	63.8	60.3	61.0	58.3
2	4	9	495	4		39.6	0.0	58.1	63.8	64.3	60.9	58.4
2	4	9	495	8		39.2	0.0	58.1	63.9	64.4	60.9	58.7
2	4	9	495	12		38.1	0.0	53.9	63.8	64.4	60.8	59.0
2	4	9	495	16		37.6	0.0	53.7	63.8	60.4	60.9	59.2
2	4	9	495	20		38.3	0.0	57.6	63.9	64.4	60.9	59.5
2	5	9	496	0		38.1	0.0	57.5	63.8	64.4	61.0	59.7
2	5	9	496	4		38.9	0.0	57.6	63.8	64.4	61.1	59.8
2	5	9	496	8		38.6	0.0	57.6	63.8	60.4	61.1	59.9
2	5	9	496	12		38.3	0.0	53.4	63.8	60.4	61.1	59.9
2	5	9	496	16		38.4	0.0	57.3	63.8	64.4	61.2	59.8
2	5	9	496	20		39.0	0.0	57.2	63.8	64.4	61.2	59.3
2	6	9	497	0		38.7	0.0	57.1	63.8	60.0	61.3	59.6
2	6	9	497	4		38.6	0.0	57.2	63.8	64.4	61.3	59.2
2	6	9	497	8		38.5	0.0	53.3	63.8	64.4	61.3	59.5
2	6	9	497	12		38.7	0.0	57.2	63.8	60.4	61.3	59.4
2	6	9	497	16		39.2	0.0	57.1	63.8	64.4	61.3	59.2
2	6	9	497	20		39.6	0.0	53.2	63.8	64.4	61.3	59.1
2	7	9	498	0		39.5	0.0	57.3	63.8	64.4	61.3	58.8
2	7	9	498	4		39.6	0.0	57.4	63.7	60.4	61.2	58.6
2	7	9	498	8		39.2	0.0	53.5	63.8	64.4	61.2	58.3
2	7	9	498	12		39.5	0.0	57.5	63.8	64.4	61.1	58.2
2	7	9	498	16		39.3	0.0	53.0	63.8	60.3	61.1	58.1

LYSIMETER TEMPERATURES

DEGREES FAHRENHEIT

MU	DA	YR	DAY	NO	HR	T7	T4	T5	T15	T14	T8	T9
2	7	9	498	20		40.3	0.0	57.5	63.8	60.4	61.0	58.0
2	8	9	499	0		41.3	0.0	53.2	63.7	64.3	61.0	58.0
2	8	9	499	4		41.2	0.0	53.6	63.8	64.4	60.9	57.8
2	8	9	499	3		41.0	0.0	57.7	63.8	64.0	60.8	53.6
2	8	9	499	12		40.8	0.0	53.7	63.8	64.4	60.8	53.7
2	8	9	499	16		40.9	0.0	57.6	63.8	64.3	60.8	57.7
2	8	9	499	20		41.5	0.0	57.7	63.8	64.3	60.7	57.7
2	9	9	500	0		41.6	0.0	57.9	63.8	64.4	60.7	57.6
2	9	9	500	4		41.6	0.0	58.0	63.8	64.3	60.6	57.5
2	9	9	500	9		40.9	0.0	58.0	63.8	60.3	60.6	57.5
2	9	9	500	12		41.0	0.0	57.9	63.8	64.3	60.5	57.4
2	9	9	500	16		41.1	0.0	57.9	63.8	64.4	60.5	57.6
2	9	9	500	20		40.8	0.0	58.0	63.8	60.3	60.4	57.7
2	10	9	501	0		40.5	0.0	58.0	63.8	64.4	60.4	53.7
2	10	9	501	4		40.2	0.0	57.9	63.8	64.4	60.4	57.8
2	10	9	501	3		40.0	0.0	57.8	63.8	64.4	60.4	58.0
2	10	9	501	12		39.9	0.0	57.6	63.8	60.3	60.4	58.1
2	10	9	501	16		39.6	0.0	57.9	63.7	64.2	60.5	58.4
2	10	9	501	20		39.6	0.0	57.9	63.7	64.2	60.5	58.4
2	11	9	502	0		39.6	0.0	57.9	63.7	64.2	60.5	58.4
2	11	9	502	4		39.6	0.0	57.9	63.7	64.2	60.5	58.4
2	11	9	502	8		39.6	0.0	57.9	63.7	64.2	60.5	58.4
2	11	9	502	12		39.6	0.0	57.9	63.7	64.2	60.5	58.4
2	11	9	502	16		39.3	0.0	57.8	63.7	64.2	60.5	58.4
2	11	9	502	20		39.3	0.0	57.9	63.7	64.2	60.5	58.3
2	12	9	503	0		39.0	0.0	58.0	63.7	60.2	60.5	58.3
2	12	9	503	4		39.1	0.0	58.0	63.7	64.2	60.5	58.1
2	12	9	503	8		39.2	0.0	58.1	63.7	64.2	60.5	58.0
2	12	9	503	12		40.1	0.0	58.1	63.7	60.2	60.5	57.9
2	13	9	504	12		40.0	0.0	58.0	63.8	64.2	60.4	58.7
2	13	9	504	16		38.9	0.0	51.9	63.8	60.2	60.5	58.9
2	13	9	504	20		38.9	0.0	57.6	63.8	64.1	60.5	59.1
2	14	9	505	0		38.5	0.0	53.6	63.8	64.2	60.6	59.2
2	14	9	505	4		38.2	0.0	53.6	63.7	64.1	60.6	59.3
2	14	9	505	8		38.2	0.0	53.6	63.7	64.1	60.6	59.3
2	14	9	505	12		38.4	0.0	53.5	63.7	64.1	60.7	59.4
2	14	9	505	16		33.3	0.0	57.2	63.7	60.1	60.7	59.4
2	14	9	505	20		38.2	0.0	51.1	63.7	64.1	60.8	59.5
2	15	9	506	0		38.5	0.0	53.2	63.7	60.1	60.8	59.6
2	15	9	506	4		38.3	0.0	53.2	63.7	64.1	60.9	59.6
2	15	9	506	8		38.5	0.0	57.1	63.6	64.1	60.9	59.6
2	15	9	506	12		38.3	0.0	57.0	61.6	60.1	61.0	59.7
2	15	9	506	16		45.4	0.0	52.9	61.6	64.1	61.0	59.6
2	15	9	506	20		43.2	0.0	53.0	63.6	64.1	61.0	59.7
2	16	9	507	0		48.1	0.0	57.1	63.6	64.1	61.1	59.6
2	16	9	507	4		49.8	0.0	53.3	63.6	64.1	61.1	59.7
2	16	9	507	8		49.2	0.0	53.4	63.6	64.1	61.1	59.7
2	16	9	507	12		49.6	0.0	53.5	63.5	64.1	61.1	59.7
2	16	9	507	16		50.0	0.0	55.5	63.5	64.1	61.2	59.7
2	16	9	507	20		50.2	0.0	57.5	63.5	64.1	61.2	59.7
2	17	9	508	0		50.2	0.0	57.6	63.5	60.1	61.2	59.7
2	17	9	508	4		50.7	0.0	58.1	63.5	64.1	61.2	59.8
2	17	9	508	8		50.9	0.0	58.3	63.4	64.1	61.2	59.8

LYSIMETER TEMPERATURES

DEGREES FAHRENHEIT

MO	DA	YR	LAY	NO	PR	T7	T4	T5	T15	T14	T8	T9
2	17	9	508	12		50.7	0.0	58.5	63.5	64.1	61.2	59.8
2	17	9	508	16		50.7	0.0	58.5	63.5	64.1	61.2	59.8
2	17	9	508	20		50.7	0.0	58.5	63.5	64.1	61.2	59.8
2	18	9	509	0		50.7	0.0	58.5	63.5	64.1	61.2	59.8
2	18	9	509	4		50.7	0.0	58.5	63.5	64.1	61.2	59.8
2	18	9	509	8		50.7	0.0	58.5	63.5	64.1	61.2	59.8
2	18	9	509	12		42.2	0.0	59.3	63.5	60.0	61.2	58.7
2	18	9	509	16		43.0	0.0	59.2	63.5	64.0	61.1	58.6
2	18	9	509	20		42.5	0.0	59.2	63.6	60.1	61.1	58.7
2	19	9	510	0		40.4	0.0	59.2	63.6	64.1	61.1	58.8
2	19	9	510	4		41.8	0.0	59.2	63.6	60.0	61.1	58.8
2	19	9	510	8		41.7	0.0	59.2	63.6	64.0	61.0	58.9
2	19	9	510	12		41.5	0.0	59.1	63.7	64.1	61.0	59.0
2	19	9	510	16		41.6	0.0	59.0	63.7	64.1	61.0	59.1
2	19	9	510	20		41.1	0.0	58.9	63.7	64.1	61.0	59.2
2	20	9	511	0		41.4	0.0	59.0	63.7	64.1	61.1	59.3
2	20	9	511	4		41.5	0.0	59.0	63.8	60.1	61.0	59.4
2	20	9	511	8		41.4	0.0	59.0	63.8	64.1	61.1	59.6
2	20	9	511	12		40.8	0.0	59.1	63.8	64.1	61.1	59.6
2	20	9	511	16		40.7	0.0	59.0	63.8	64.1	61.1	59.7
2	21	9	512	0		41.1	0.0	58.8	63.8	60.1	61.2	59.7
2	21	9	512	4		41.1	0.0	58.8	63.8	60.1	61.2	59.7
2	21	9	512	8		41.1	0.0	58.8	63.8	60.1	61.2	59.7
2	21	9	512	12		41.1	0.0	59.1	63.9	64.1	61.2	59.4
2	21	9	512	16		41.2	0.0	59.1	63.9	64.1	61.2	59.1
2	21	9	512	20		41.1	0.0	59.1	63.9	64.1	61.2	59.2
2	22	9	513	0		41.6	0.0	59.0	64.0	64.1	61.2	58.8
2	22	9	513	4		41.6	0.0	59.1	64.0	64.2	61.1	58.7
2	22	9	513	8		41.4	0.0	59.1	0.0	64.2	61.1	58.6
2	22	9	513	12		41.4	0.0	59.1	0.0	64.2	61.1	58.6
2	22	9	513	16		41.4	0.0	59.1	0.0	64.2	61.1	58.6
2	22	9	513	20		41.4	0.0	59.1	0.0	64.2	61.1	58.6
2	23	9	514	0		41.4	0.0	59.1	0.0	64.2	61.1	58.6
2	23	9	514	4		41.4	0.0	59.1	0.0	64.2	61.1	58.6
2	23	9	514	8		41.4	0.0	59.1	0.0	64.2	61.1	58.6
2	23	9	514	12		41.4	0.0	59.1	0.0	64.2	61.1	58.6
2	23	9	514	16		41.4	0.0	59.1	0.0	64.2	61.1	58.6
2	23	9	514	20		41.4	0.0	59.1	0.0	64.2	61.1	58.6
2	24	9	515	0		41.4	0.0	59.1	0.0	64.2	61.1	58.6
2	24	9	515	4		41.4	0.0	59.1	0.0	64.2	61.1	58.6
2	24	9	515	8		41.4	0.0	59.1	0.0	64.2	61.1	58.6
2	24	9	515	12		41.1	0.0	59.5	64.4	64.3	60.9	60.0
2	24	9	515	16		44.9	0.0	59.3	60.3	64.4	60.8	60.0
2	24	9	515	20		40.3	0.0	59.4	60.3	64.4	60.9	60.0
2	25	9	516	12		40.6	0.0	59.1	64.4	64.4	61.0	0.0
2	25	9	516	16		40.5	0.0	59.1	60.5	64.5	61.0	0.0
2	25	9	516	20		40.2	0.0	59.0	60.5	60.5	61.0	0.0
2	26	9	517	0		40.2	0.0	58.9	60.5	60.5	61.0	0.0
2	26	9	517	4		40.2	0.0	58.9	60.5	60.5	61.0	0.0
2	26	9	517	8		40.2	0.0	58.9	60.5	60.5	61.0	0.0
2	26	9	517	12		42.8	0.0	58.8	64.4	60.5	61.0	0.0
2	26	9	517	16		42.2	0.0	58.9	60.5	64.5	61.0	0.0
2	26	9	517	20		41.5	0.0	58.9	64.5	64.5	61.0	0.0

LYSIMETER TEMPERATURES

DEGREES FAHRENHEIT

MO	DA	YR	DAY NO	HR	T7	T4	T5	T15	T14	T8	T9
2	27	9	518	0	41.5	0.0	58.8	64.5	64.5	61.0	0.0
2	27	9	518	4	41.5	0.0	58.7	60.5	64.4	61.0	0.0
2	27	9	518	8	41.4	0.0	58.7	60.5	64.5	61.0	0.0
2	28	9	519	12	38.6	0.0	58.6	64.5	64.6	61.1	0.0
2	28	9	519	16	39.4	0.0	58.7	64.5	64.6	61.1	0.0
2	28	9	519	20	39.7	0.0	58.5	60.5	64.6	61.2	0.0
3	1	9	520	0	40.3	0.0	58.5	64.5	64.6	61.2	0.0
3	1	9	520	4	40.1	0.0	58.5	64.5	64.6	61.2	0.0
3	1	9	520	8	40.2	0.0	58.6	60.5	64.6	61.3	0.0
3	1	9	520	12	40.5	0.0	58.5	60.5	60.6	61.3	0.0
3	1	9	520	16	40.8	0.0	58.4	64.1	60.6	61.3	0.0
3	1	9	520	20	40.5	0.0	58.5	60.5	60.7	61.4	0.0
3	2	9	521	0	40.2	0.0	58.6	60.5	60.7	61.4	0.0
3	2	9	521	4	43.7	0.0	58.2	60.5	64.7	61.4	0.0
3	2	9	521	8	49.1	0.0	58.3	60.5	64.7	61.4	0.0
3	4	9	523	12	44.5	0.0	60.4	64.6	64.8	61.6	0.0
3	4	9	523	16	42.1	0.0	60.4	60.2	64.8	61.6	0.0
3	4	9	523	20	47.0	0.0	60.5	64.6	64.8	61.7	0.0
3	5	9	524	0	43.0	0.0	60.3	60.6	60.8	61.7	0.0
3	5	9	524	4	42.4	0.0	60.7	60.6	60.8	61.7	0.0
3	5	9	524	8	42.1	0.0	60.6	60.7	60.8	61.7	0.0
3	5	9	524	12	41.7	0.0	60.6	60.7	60.8	61.7	0.0
3	5	9	524	16	40.4	0.0	60.3	64.7	64.8	61.8	0.0
3	5	9	524	20	40.2	0.0	60.7	64.7	64.8	61.8	0.0
3	6	9	525	0	41.2	0.0	60.7	64.7	64.8	61.8	0.0
3	6	9	525	4	41.3	0.0	60.2	64.7	64.8	61.8	0.0
3	6	9	525	8	41.2	0.0	60.5	64.8	64.8	61.9	0.0
3	6	9	525	12	40.1	0.0	60.4	64.8	64.8	61.9	0.0
3	6	9	525	16	40.3	0.0	60.3	60.8	64.8	61.9	0.0
3	6	9	525	20	40.4	0.0	60.2	64.8	60.9	61.9	0.0
3	7	9	526	0	40.7	0.0	60.1	60.8	64.9	61.9	0.0
3	7	9	526	4	40.8	0.0	60.1	60.8	64.9	61.9	0.0
3	7	9	526	8	39.2	0.0	60.1	60.9	60.9	62.0	0.0
3	7	9	526	12	40.7	0.0	59.8	60.9	60.9	62.0	0.0
3	7	9	526	16	41.1	0.0	59.5	60.9	60.9	62.1	0.0
3	7	9	526	20	41.8	0.0	59.4	64.9	64.9	62.1	0.0
3	8	9	527	0	42.1	0.0	59.5	60.9	64.9	62.1	0.0
3	8	9	527	4	42.1	0.0	59.5	60.9	65.0	62.2	0.0
3	8	9	527	8	41.8	0.0	59.1	60.9	61.0	62.3	0.0
3	10	9	529	12	39.8	0.0	60.0	61.0	61.1	62.1	0.0
3	10	9	529	16	39.4	0.0	59.9	61.1	65.1	62.1	0.0
3	10	9	529	20	40.7	0.0	59.8	61.1	65.1	62.0	0.0
3	11	9	530	0	40.9	0.0	59.8	61.1	61.1	62.0	0.0
3	11	9	530	4	41.0	0.0	59.8	61.1	61.0	62.0	0.0
3	11	9	530	8	40.8	0.0	59.7	61.1	65.2	62.0	0.0
3	11	9	530	12	40.7	0.0	59.8	61.1	61.2	62.0	0.0
3	11	9	530	16	40.3	0.0	59.8	65.1	61.2	62.0	0.0
3	11	9	530	20	40.1	0.0	59.8	65.1	61.2	62.0	0.0
3	12	9	531	0	40.3	0.0	59.6	65.1	65.2	62.0	0.0
3	12	9	531	4	40.1	0.0	59.4	61.1	65.2	62.1	0.0
3	12	9	531	8	40.1	0.0	59.2	61.1	61.2	62.1	0.0
3	12	9	531	12	40.6	0.0	59.3	61.1	61.3	62.1	0.0
3	12	9	531	16	41.1	0.0	59.4	61.1	61.3	62.1	0.0

LYSIMETER TEMPERATURES

DEGREES FAHRENHEIT

MO	DA	YR	LAY	NO	F	T7	T4	T5	T15	T14	T8	T9
3	12	9	531	20		41.2	0.0	59.5	65.1	61.3	62.2	0.0
3	13	9	532	0		41.4	0.0	59.5	61.1	65.3	62.2	0.0
3	13	9	532	4		41.2	0.0	59.4	61.1	61.3	62.2	0.0
3	13	9	532	8		41.4	0.0	59.4	61.1	65.2	62.2	0.0
3	14	9	533	0		41.0	0.0	59.4	65.1	61.3	62.4	0.0
3	14	9	533	4		40.9	0.0	59.3	61.1	61.3	62.4	0.0
3	14	9	533	8		40.9	0.0	59.3	61.1	61.2	62.4	0.0
3	14	9	533	12		41.0	0.0	59.2	61.1	61.3	62.3	0.0
3	14	9	533	16		41.0	0.0	59.2	61.1	65.3	62.3	0.0
3	16	9	535	16		41.5	0.0	59.8	65.2	65.4	61.9	0.0
3	16	9	535	20		41.6	0.0	59.8	61.2	61.4	61.8	0.0
3	17	9	536	0		41.5	0.0	59.9	61.4	61.4	61.9	0.0
3	17	9	536	4		41.4	0.0	59.8	61.3	65.4	61.8	0.0
3	17	9	536	8		41.2	0.0	59.9	65.3	61.4	61.8	0.0
3	17	9	536	12		41.3	0.0	60.0	65.3	61.4	61.8	0.0
3	17	9	536	16		41.4	0.0	60.1	61.3	65.4	61.8	0.0
3	17	9	536	20		41.7	0.0	60.0	65.4	65.4	61.8	0.0
3	18	9	537	0		41.9	0.0	60.1	61.4	65.5	61.8	0.0
3	18	9	537	4		41.8	0.0	60.2	61.4	61.5	61.8	0.0
3	18	9	537	8		41.8	0.0	60.3	61.4	65.5	61.8	0.0
3	18	9	537	12		41.5	0.0	60.3	65.4	61.5	61.8	0.0
3	18	9	537	16		43.1	0.0	60.4	78.5	61.5	61.8	0.0
3	19	9	538	20		42.1	0.0	59.9	61.5	61.6	62.0	0.0
3	20	9	539	0		41.7	0.0	59.9	61.5	61.6	62.0	0.0
3	20	9	539	4		41.7	0.0	60.0	65.5	65.6	62.1	0.0
3	20	9	539	20		41.5	0.0	59.8	61.6	61.6	62.2	0.0
3	22	9	541	16		42.0	0.0	59.9	61.5	61.8	62.3	0.0
3	22	9	541	20		42.4	0.0	59.8	61.5	61.8	62.3	0.0
3	23	9	542	0		42.4	0.0	60.0	65.4	61.8	62.3	0.0
3	23	9	542	4		42.3	0.0	60.1	65.5	61.8	62.2	0.0
3	25	9	544	12		43.0	0.0	60.5	65.6	61.8	62.1	0.0
3	25	9	544	16		42.5	0.0	60.4	65.6	61.8	62.1	0.0
3	25	9	544	20		42.4	0.0	60.3	61.6	65.8	62.1	0.0
3	26	9	545	0		42.6	0.0	60.2	61.6	61.8	62.0	0.0
3	26	9	545	4		42.6	0.0	60.3	61.6	61.8	62.0	0.0
3	26	9	545	8		42.9	0.0	60.3	61.6	65.8	62.1	0.0
3	26	9	545	12		43.4	0.0	60.4	61.6	65.8	62.1	0.0
3	26	9	545	16		42.2	0.0	60.3	65.8	65.9	62.2	0.0
3	26	9	545	20		43.3	0.0	60.5	65.7	65.8	62.1	0.0
3	27	9	546	0		40.0	0.0	60.3	65.8	65.9	62.2	0.0
3	27	9	546	4		42.2	0.0	60.4	65.8	65.9	62.2	0.0
3	27	9	546	8		42.2	0.0	60.3	65.9	65.9	60.2	0.0
3	27	9	546	12		42.4	0.0	60.2	65.9	65.9	62.2	0.0
3	27	9	546	16		40.8	0.0	60.0	65.8	66.0	62.2	0.0
3	31	9	550	16		41.6	0.0	60.3	66.0	66.0	62.0	0.0
4	1	9	551	12		50.1	0.0	60.1	65.9	66.0	62.0	0.0
4	1	9	551	16		50.5	0.0	60.3	65.9	66.0	62.1	0.0
4	1	9	551	20		51.2	0.0	60.4	65.9	66.1	62.2	0.0
4	2	9	552	0		51.5	0.0	60.5	65.9	64.1	62.2	0.0
4	2	9	552	4		51.5	0.0	60.8	65.9	65.0	62.2	0.0
4	2	9	552	8		51.5	0.0	61.0	66.0	66.0	62.3	0.0
4	2	9	552	12		51.5	0.0	61.1	65.9	66.1	62.3	0.0
4	2	9	552	16		52.8	0.0	61.4	65.9	66.1	62.3	0.0

LYSIMETER TEMPERATURES

DEGREES FAHRENHEIT

MJ	DA	YR	LAY	NO	T2	T4	T5	T11	T14	T18	T19
4	2	9	552	20	52.8	0.0	61.6	65.9	66.0	60.1	0.0
4	3	9	553	12	51.3	0.0	62.0	66.0	66.0	62.4	0.0
4	3	9	553	16	56.4	0.0	62.1	66.0	66.0	62.4	0.0
4	3	9	553	20	56.8	0.0	62.2	66.0	66.0	62.5	0.0
4	4	9	554	0	52.7	0.0	62.4	66.0	66.0	62.4	0.0
4	4	9	554	4	52.7	0.0	62.6	66.1	66.1	62.5	0.0
4	4	9	554	8	56.8	0.0	62.7	66.1	66.1	62.5	0.0
4	4	9	554	12	52.0	0.0	62.9	66.1	66.1	62.5	0.0
4	4	9	554	16	48.8	0.0	62.9	66.1	66.1	62.5	0.0
4	4	9	554	20	47.3	0.0	63.1	66.1	66.1	62.5	0.0
4	5	9	555	0	48.2	0.0	63.3	66.2	66.1	62.5	0.0
4	5	9	555	4	48.0	0.0	63.4	66.2	66.1	62.5	0.0
4	5	9	555	8	48.0	0.0	63.5	66.2	66.1	62.5	0.0
4	5	9	555	12	47.9	0.0	63.6	66.2	66.1	62.5	0.0
4	5	9	555	16	47.8	0.0	63.6	66.3	66.1	62.4	0.0
4	5	9	555	20	48.0	0.0	63.8	66.3	66.1	62.5	0.0
4	6	9	556	0	43.9	0.0	63.9	66.4	66.1	62.4	0.0
4	6	9	556	4	48.0	0.0	63.9	66.4	66.1	62.4	0.0
4	8	9	558	12	52.8	0.0	64.5	67.0	66.4	62.2	0.0
4	8	9	558	16	52.8	0.0	60.6	67.1	66.4	62.2	0.0
4	8	9	558	20	53.2	0.0	60.7	65.1	66.4	62.2	0.0
4	9	9	559	0	50.0	0.0	60.7	63.2	62.5	62.2	0.0
4	9	9	559	4	53.3	0.0	60.6	63.2	60.5	62.0	0.0
4	9	9	559	8	53.2	0.0	60.7	63.3	63.5	62.1	0.0
4	9	9	559	12	53.0	0.0	60.9	63.3	66.5	62.1	0.0
4	9	9	559	16	53.0	0.0	65.0	67.3	62.4	62.1	0.0
4	9	9	559	20	52.9	0.0	61.1	63.4	66.5	62.1	0.0
4	10	9	560	0	52.8	0.0	65.3	63.4	62.6	62.1	0.0
4	10	9	560	4	53.0	0.0	61.4	63.5	66.6	62.1	0.0
4	10	9	560	8	53.1	0.0	61.5	63.5	66.6	62.1	0.0
4	10	9	560	12	51.5	0.0	61.6	67.5	66.7	62.0	0.0
4	10	9	560	16	52.6	0.0	65.7	67.6	66.7	62.0	0.0
4	10	9	560	20	51.1	0.0	61.8	67.6	66.7	61.9	0.0
4	11	9	561	0	50.9	0.0	61.8	67.7	62.7	61.9	0.0
4	11	9	561	4	50.8	0.0	61.9	67.7	66.8	61.9	0.0
4	11	9	561	8	47.8	0.0	65.8	63.8	66.8	61.9	0.0
4	11	9	561	12	41.1	0.0	61.7	63.8	62.8	61.9	0.0
4	11	9	561	16	40.9	0.0	61.6	67.9	62.8	61.9	0.0
4	14	9	564	12	48.2	0.0	64.7	68.5	63.3	60.3	0.0
4	14	9	564	16	53.3	0.0	64.7	68.5	65.4	61.4	0.0
4	14	9	564	20	57.4	0.0	64.7	68.6	67.5	62.5	0.0
4	15	9	565	12	54.7	0.0	64.3	68.6	67.4	62.4	0.0
4	15	9	565	16	54.7	0.0	64.2	68.5	67.3	62.3	0.0
4	15	9	565	20	54.9	0.0	64.5	68.5	67.4	62.4	0.0
4	16	9	566	12	54.4	0.0	65.2	68.4	67.5	62.5	0.0
4	16	9	566	16	51.5	0.0	65.1	68.5	67.5	62.5	0.0
4	16	9	566	20	53.2	0.0	65.3	68.5	67.5	62.5	0.0
4	17	9	567	0	52.9	0.0	65.4	68.5	67.5	62.5	0.0
4	17	9	567	4	52.7	0.0	65.4	68.5	67.5	62.4	0.0
4	18	9	568	4	52.6	0.0	65.3	68.6	67.5	62.5	0.0
4	18	9	568	8	52.7	0.0	65.4	68.5	67.5	62.5	0.0
4	18	9	568	12	52.4	0.0	65.4	68.6	67.6	62.4	0.0
4	18	9	568	16	52.5	0.0	65.6	68.6	67.6	62.4	0.0

LYSIMETER TEMPERATURES

DEGREES FAHRENHEIT

MU	DA	YR	DAY	NO	T2	T7	T4	T5	T15	T14	T11	T9
4	18	9	568	20	52.6	0.0	65.7	68.6	67.6	62.7	0.0	
4	21	9	571	12	51.7	0.0	64.9	68.7	67.7	62.3	0.0	
4	21	9	571	16	51.9	0.0	65.0	68.6	67.7	62.4	0.0	
4	21	9	571	20	52.2	0.0	65.2	68.6	67.7	62.5	0.0	
4	22	9	572	0	52.1	0.0	65.2	68.6	67.7	62.5	0.0	
4	22	9	572	4	52.1	0.0	65.1	68.6	67.7	62.5	0.0	
4	22	9	572	8	52.2	0.0	64.8	68.6	67.7	62.5	0.0	
4	23	9	573	12	52.7	0.0	64.9	68.5	67.7	62.6	0.0	
4	23	9	573	16	51.0	0.0	65.0	68.5	67.6	62.6	0.0	
4	23	9	573	20	53.0	0.0	65.1	68.4	67.6	62.6	0.0	
4	24	9	574	0	53.1	0.0	65.1	68.4	67.6	62.6	0.0	
4	24	9	574	4	52.8	0.0	65.2	68.4	67.6	62.5	0.0	
4	24	9	574	8	52.6	0.0	65.2	68.4	67.6	62.5	0.0	
4	24	9	574	12	52.0	0.0	65.2	68.4	67.6	62.5	0.0	
4	24	9	574	16	51.3	0.0	65.0	68.4	67.6	62.4	0.0	
4	28	9	578	12	54.4	0.0	66.6	68.6	67.5	61.6	0.0	
4	28	9	578	16	53.7	0.0	66.8	68.7	67.5	61.6	0.0	
4	30	9	580	12	54.6	0.0	66.8	69.1	67.6	61.5	0.0	
4	30	9	580	16	54.3	0.0	66.8	69.1	67.6	61.5	0.0	
4	30	9	580	20	56.2	0.0	66.8	69.1	67.6	61.6	0.0	
5	1	9	581	0	60.0	0.0	66.9	69.1	67.7	61.7	0.0	
5	2	9	582	0	60.6	0.0	67.2	69.2	67.7	61.6	0.0	
5	3	9	583	0	61.0	0.0	68.1	69.4	67.8	61.6	0.0	
5	4	9	584	0	61.4	0.0	69.1	69.6	67.9	61.7	0.0	
5	5	9	585	0	61.9	0.0	70.1	69.9	67.9	61.8	0.0	
5	6	9	586	0	61.5	0.0	71.0	70.2	68.0	61.8	0.0	
5	7	9	587	0	65.8	0.0	71.6	70.4	68.1	61.9	0.0	
5	8	9	588	0	66.7	0.0	72.9	71.0	68.4	62.3	0.0	
5	9	9	589	0	62.2	0.0	72.7	71.5	68.7	62.3	0.0	
5	10	9	590	0	63.1	0.0	72.5	71.7	68.8	62.3	0.0	
5	11	9	591	0	62.0	0.0	72.1	72.0	69.1	62.4	0.0	
5	12	9	592	0	62.2	0.0	72.1	72.2	69.3	62.6	0.0	
5	13	9	593	0	62.4	0.0	72.1	72.3	69.6	62.8	0.0	
5	14	9	594	0	62.7	0.0	72.1	72.5	69.8	63.0	0.0	
5	15	9	595	0	61.9	0.0	72.1	72.6	69.8	63.0	0.0	
5	16	9	596	0	62.4	0.0	72.5	72.8	70.1	63.1	0.0	
5	17	9	597	0	62.8	0.0	72.6	72.9	70.1	63.1	0.0	
5	18	9	598	0	62.9	0.0	72.9	73.1	70.3	62.9	0.0	
5	19	9	599	0	63.0	0.0	73.2	73.4	70.5	62.7	0.0	
5	20	9	600	0	62.4	0.0	73.4	73.5	70.5	62.6	0.0	
5	21	9	601	0	62.3	0.0	73.4	73.7	70.7	62.8	0.0	
5	22	9	602	0	62.3	0.0	73.4	73.9	70.9	63.0	0.0	
5	23	9	603	0	62.2	0.0	73.4	74.0	71.1	63.2	0.0	
5	24	9	604	0	61.9	0.0	73.5	74.1	71.1	63.2	0.0	
5	25	9	605	0	61.9	0.0	73.5	74.2	71.3	62.8	0.0	
5	26	9	606	0	62.0	0.0	73.5	74.3	71.4	62.5	0.0	
5	27	9	607	0	62.3	0.0	73.5	74.3	71.4	62.7	0.0	
5	28	9	608	0	62.5	0.0	73.4	74.3	71.5	62.8	0.0	
5	29	9	609	0	61.9	0.0	73.6	74.4	71.5	62.8	0.0	
5	30	9	610	0	64.8	0.0	73.9	74.6	71.6	62.7	0.0	
5	31	9	611	0	67.7	0.0	74.3	74.8	71.7	62.6	0.0	
6	1	9	612	0	70.7	0.0	74.7	75.0	71.8	62.6	0.0	
6	2	9	613	0	73.7	0.0	75.0	75.3	71.9	62.5	0.0	

LYSIMETER TEMPERATURES

DEGREES FAHRENHEIT

MU	DA	YR	DAY	NO	HR	T7	T4	T5	T15	T14	T11	T9
6	3	9	614	0		71.3	0.0	75.6	74.4	72.1	62.7	0.0
6	4	9	615	0		71.0	0.0	76.3	75.5	72.2	63.1	0.0
6	5	9	616	0		71.9	0.0	77.8	75.6	72.4	63.3	0.0
6	6	9	617	0		72.1	0.0	77.6	75.7	72.5	63.2	0.0
6	7	9	618	0		72.3	0.0	78.1	75.9	72.6	63.0	0.0
6	8	9	619	0		72.4	0.0	78.6	76.1	72.7	67.7	0.0
6	9	9	620	0		72.6	0.0	79.1	76.4	72.7	62.4	0.0
6	10	9	621	0		72.5	0.0	79.3	76.7	72.9	62.5	0.0
6	11	9	622	0		70.9	0.0	79.5	76.9	72.9	63.0	0.0
6	12	9	623	0		71.5	0.0	79.8	77.2	73.0	63.2	0.0
6	13	9	624	0		71.5	0.0	79.9	77.5	73.2	63.2	0.0
6	14	9	625	0		71.4	0.0	80.1	77.8	73.3	63.3	0.0
6	15	9	626	0		71.3	0.0	80.3	78.1	73.5	63.3	0.0
6	16	9	627	0		71.2	0.0	80.5	78.6	73.7	63.4	0.0
6	17	9	628	0		71.3	0.0	80.4	78.7	73.9	63.7	0.0
6	18	9	629	0		71.3	0.0	80.3	78.8	74.1	64.0	0.0
6	19	9	630	0		71.4	0.0	80.2	78.9	74.3	64.2	0.0
6	20	9	631	0		71.4	0.0	80.4	79.0	74.5	64.4	0.0
6	21	9	632	0		70.9	0.0	80.6	78.9	74.5	64.3	0.0
6	22	9	633	0		71.1	0.0	80.6	79.0	74.6	64.4	0.0
6	23	9	634	0		71.3	0.0	80.5	79.1	74.8	64.6	0.0
6	24	9	635	0		71.6	0.0	80.5	79.3	74.9	64.7	0.0
6	25	9	636	0		71.3	0.0	80.5	79.3	75.0	64.9	0.0
6	26	9	637	0		70.9	0.0	80.6	79.4	75.1	65.0	0.0
6	27	9	638	0		70.9	0.0	80.7	79.4	75.2	65.0	0.0
6	28	9	639	0		70.8	0.0	80.9	79.5	75.3	64.8	0.0
6	29	9	640	0		70.6	0.0	81.1	79.7	75.4	64.7	0.0
6	30	9	641	0		70.4	0.0	81.3	79.9	75.5	64.7	0.0
7	1	9	642	0		73.2	0.0	81.9	80.1	75.6	64.6	0.0
7	2	9	643	0		76.0	0.0	82.6	80.3	75.8	64.6	0.0
7	3	9	644	0		76.3	0.0	83.2	80.4	75.9	64.8	0.0
7	7	9	648	0		76.6	0.0	84.9	81.2	76.4	64.6	0.0
7	8	9	649	0		76.2	0.0	84.7	81.3	76.6	64.6	0.0
7	9	9	650	0		76.5	0.0	84.7	81.5	76.7	65.3	0.0
7	10	9	651	0		77.1	0.0	84.7	81.5	76.7	65.4	0.0
7	11	9	652	0		76.2	0.0	85.0	81.6	76.8	65.5	0.0
7	12	9	653	0		77.2	0.0	85.3	81.8	76.9	65.4	0.0
7	13	9	654	0		77.0	0.0	85.5	81.9	76.9	65.4	0.0
7	14	9	655	0		77.0	0.0	85.8	82.2	77.2	65.1	0.0
7	15	9	656	0		76.8	0.0	86.1	82.4	77.2	65.0	0.0
7	16	9	657	0		76.8	0.0	86.2	82.5	77.3	65.0	0.0
7	17	9	658	0		76.6	0.0	86.5	82.6	77.4	64.9	0.0
7	23	9	664	0		76.4	0.0	87.4	84.4	78.8	65.7	0.0
7	24	9	665	0		75.5	0.0	87.0	84.4	78.9	66.2	0.0
7	25	9	666	0		75.5	0.0	87.0	84.3	79.0	66.5	0.0
7	26	9	667	0		75.2	0.0	87.0	84.3	79.0	66.8	0.0
7	27	9	668	0		75.5	0.0	87.2	84.4	79.1	66.7	0.0
7	28	9	669	0		75.8	0.0	87.5	84.5	79.2	66.7	0.0
7	29	9	670	0		77.2	0.0	87.5	84.6	79.3	66.6	0.0
7	30	9	671	0		76.5	0.0	87.5	84.7	79.4	66.6	0.0
7	31	9	672	0		76.4	0.0	87.7	84.9	79.5	66.6	0.0
8	1	9	673	0		76.1	0.0	87.8	85.0	79.5	66.5	0.0
8	2	9	674	0		75.9	0.0	88.0	85.0	79.6	66.5	60.9

LYSIMETER TEMPERATURES

DEGREES FAHRENHEIT

MO	DA	YR	DAY	NO	T1	T4	T5	T15	T14	T8	T9
8	3	9	675	0	77.1	0.0	88.0	85.2	79.7	66.7	0.0
8	4	9	676	0	78.3	0.0	87.9	85.4	79.9	66.8	61.9
8	5	9	677	0	74.1	0.0	87.6	85.4	79.9	66.9	61.5
8	12	9	684	0	72.5	0.0	84.7	84.7	80.2	66.7	60.3
9	18	9	721	0	66.6	0.0	81.7	81.9	77.6	64.5	59.2
9	19	9	722	0	66.5	0.0	80.8	81.6	77.3	64.7	60.1
9	22	9	725	0	65.6	0.0	79.7	80.7	76.9	64.6	59.5
9	23	9	726	0	65.1	0.0	79.8	80.5	76.6	64.5	59.6
9	24	9	727	0	67.5	0.0	79.7	80.3	76.4	64.4	59.2
9	25	9	728	0	66.5	0.0	80.1	80.3	76.2	64.3	58.6
9	29	9	732	0	67.4	0.0	79.8	79.8	75.2	64.6	60.6

LYSIMETER TEMPERATURES

DEGREES FAHRENHEIT

MO	DA	YR	DAY	NO	HR	T1	T2	T3	T10	T11	T12	T13
1	1	9	461	0		35.6	43.5	0.0	57.4	53.4	86.4	82.1
1	1	9	461	4		35.1	43.2	0.0	58.5	60.2	86.2	81.5
1	1	9	461	8		34.8	42.6	0.0	59.9	57.5	84.4	78.0
1	1	9	461	12		34.8	42.3	0.0	59.8	59.0	83.4	75.8
1	1	9	461	16		34.8	42.0	0.0	60.4	57.2	82.4	74.8
1	1	9	461	20		35.1	41.4	0.0	61.8	59.4	79.4	71.7
1	2	9	462	0		35.4	41.4	0.0	63.0	65.0	79.7	72.4
1	2	9	462	4		30.2	41.6	0.0	61.9	59.4	80.2	73.1
1	2	9	462	8		34.1	41.6	0.0	60.3	58.4	80.6	73.7
1	2	9	462	12		34.0	41.4	0.0	64.4	61.1	79.1	73.6
1	2	9	462	16		32.7	41.8	0.0	61.0	58.3	82.4	75.6
1	2	9	462	20		33.3	42.0	0.0	62.1	61.2	83.3	76.6
1	3	9	463	0		33.4	42.0	0.0	61.7	59.6	83.1	76.4
1	3	9	463	4		31.7	41.9	0.0	60.7	62.4	83.4	76.7
1	3	9	463	8		34.1	42.3	0.0	61.2	59.8	82.8	78.1
1	3	9	463	12		35.2	42.1	0.0	57.8	54.7	84.7	80.3
1	3	9	463	16		35.2	42.2	0.0	58.0	61.4	83.5	79.0
1	3	9	463	20		35.5	42.3	0.0	60.0	61.5	84.0	78.9
1	4	9	464	0		35.8	42.5	0.0	56.6	52.3	86.1	79.3
1	4	9	464	4		35.7	42.5	0.0	59.7	62.5	84.8	77.4
1	4	9	464	8		35.0	42.1	0.0	60.2	62.6	82.5	75.6
1	4	9	464	12		34.8	42.3	0.0	58.8	58.6	83.8	73.4
1	4	9	464	16		35.7	42.7	0.0	59.7	62.3	86.1	79.1
1	4	9	464	20		35.8	42.6	0.0	53.1	52.9	82.0	79.2
1	6	9	466	12		36.6	42.7	0.0	59.6	57.8	85.6	80.2
1	6	9	466	16		37.2	42.1	0.0	58.6	60.1	85.0	79.5
1	6	9	466	20		38.3	43.9	0.0	56.7	53.0	86.5	83.5
1	7	9	467	0		37.8	43.2	0.0	57.5	59.8	87.0	82.2
1	7	9	467	4		37.3	42.5	0.0	58.0	56.4	86.6	80.8
1	7	9	467	8		37.1	42.5	0.0	54.7	50.7	86.6	80.6
1	7	9	467	12		37.8	42.2	0.0	59.4	60.0	85.7	80.1
1	7	9	467	16		37.6	42.5	0.0	57.0	54.3	85.8	78.3
1	7	9	467	20		37.2	42.2	0.0	59.5	54.4	85.0	77.7
1	8	9	468	0		37.1	42.2	0.0	58.4	54.9	84.9	77.6
1	8	9	468	4		37.2	42.1	0.0	60.1	63.1	84.5	77.1
1	8	9	468	8		36.9	42.2	0.0	60.8	63.0	83.8	75.6
1	8	9	468	12		37.1	42.0	0.0	56.0	53.0	84.9	78.4
1	8	9	468	16		38.1	42.4	0.0	56.4	53.1	85.1	78.3
1	8	9	468	20		38.3	42.3	0.0	55.1	52.9	85.9	80.1
1	9	9	469	0		38.2	42.6	0.0	52.7	48.7	84.2	78.8
1	9	9	469	4		38.9	42.5	0.0	57.0	58.7	85.7	81.2
1	9	9	469	8		39.6	42.7	0.0	55.7	52.5	86.1	81.0
1	9	9	469	12		39.6	42.7	0.0	55.7	52.5	86.1	81.0
1	9	9	469	16		39.6	42.7	0.0	55.7	52.5	86.1	81.0
1	9	9	469	20		39.6	42.7	0.0	55.7	52.5	86.1	81.0
1	10	9	470	0		39.6	42.7	0.0	55.7	52.5	86.1	81.0
1	10	9	470	4		39.6	42.7	0.0	55.7	52.5	86.1	81.0
1	10	9	470	8		39.6	42.7	0.0	55.7	52.5	86.1	81.0
1	10	9	470	12		36.0	39.5	0.0	61.1	63.2	74.2	67.5
1	10	9	470	16		35.3	39.4	0.0	59.8	61.8	74.3	66.9
1	10	9	470	20		37.6	39.3	0.0	60.6	59.1	73.8	66.3
1	11	9	471	0		36.5	38.9	0.0	61.0	63.7	72.1	65.6
1	11	9	471	4		40.6	40.1	0.0	58.4	59.6	77.9	72.1
1	11	9	471	8		41.8	40.3	0.0	58.9	61.7	79.2	73.1

LYSIMETER TEMPERATURES

DEGREES FAHRENHEIT

MO	DA	YR	DAY	NO	HR	T1	T2	T3	T10	T11	T12	T13
1	11	9	471	12		42.5	39.9	0.0	59.1	61.0	78.6	72.4
1	11	9	471	16		43.9	40.6	0.0	56.7	52.6	82.0	76.6
1	11	9	471	20		45.1	41.1	0.0	56.2	57.3	83.3	76.5
1	12	9	472	0		45.6	41.1	0.0	56.8	53.1	82.0	76.1
1	12	9	472	4		45.6	41.1	0.0	56.8	53.1	82.0	76.1
1	12	9	472	8		45.6	41.1	0.0	56.8	53.1	82.0	76.1
1	12	9	472	12		45.6	41.1	0.0	56.8	53.1	82.0	76.1
1	12	9	472	16		45.6	41.1	0.0	56.8	53.1	82.0	76.1
1	12	9	472	20		45.6	41.1	0.0	56.8	53.1	82.0	76.1
1	13	9	473	0		45.6	41.1	0.0	56.8	53.1	82.0	76.1
1	13	9	473	4		45.6	41.1	0.0	56.8	53.1	82.0	75.1
1	13	9	473	8		45.6	41.1	0.0	56.8	53.1	82.0	76.1
1	13	9	473	12		41.7	41.0	0.0	60.4	61.1	80.0	75.4
1	13	9	473	16		32.6	40.2	0.0	60.6	58.1	80.3	75.9
1	13	9	473	20		32.1	40.5	0.0	61.3	61.5	83.7	76.5
1	14	9	474	0		31.2	40.9	0.0	60.2	61.2	84.5	79.2
1	14	9	474	4		31.4	41.2	0.0	58.6	54.7	86.4	82.7
1	14	9	474	8		30.1	41.2	0.0	58.6	54.7	85.4	80.1
1	14	9	474	12		33.0	40.3	0.0	60.7	61.3	82.0	78.3
1	14	9	474	16		31.7	40.7	0.0	56.6	52.5	84.7	80.6
1	14	9	474	20		31.9	40.7	0.0	59.5	60.2	85.9	80.9
1	15	9	475	0		31.5	40.8	0.0	56.8	52.2	83.8	80.0
1	15	9	475	4		32.2	40.8	0.0	57.7	53.6	84.0	79.7
1	15	9	475	8		31.8	41.2	0.0	57.2	51.1	84.4	81.2
1	15	9	475	12		31.9	41.1	0.0	59.8	61.7	83.1	79.3
1	15	9	475	16		31.8	41.6	0.0	56.2	52.1	85.0	80.8
1	15	9	475	20		31.6	41.5	0.0	59.3	61.2	84.1	80.5
1	16	9	476	0		31.5	41.3	0.0	59.4	57.5	82.9	79.8
1	16	9	476	4		32.4	41.4	0.0	59.7	60.9	82.7	79.2
1	16	9	476	8		31.9	41.2	0.0	58.7	57.1	81.3	78.0
1	16	9	476	12		31.9	40.9	0.0	55.3	53.8	81.9	79.2
1	16	9	476	16		33.0	41.6	0.0	58.1	56.2	86.1	81.4
1	16	9	476	20		34.3	41.9	0.0	58.2	55.0	84.3	81.4
1	17	9	477	0		34.0	41.8	0.0	60.0	62.4	85.4	80.9
1	17	9	477	4		34.3	42.1	0.0	59.3	56.4	85.9	81.4
1	17	9	477	8		34.7	42.4	0.0	60.1	59.7	86.1	81.4
1	17	9	477	12		30.0	41.8	0.0	58.8	54.4	85.5	81.6
1	17	9	477	16		32.3	41.4	0.0	56.0	52.0	84.5	82.2
1	17	9	477	20		30.5	41.8	0.0	55.9	52.0	84.9	82.7
1	18	9	478	0		30.7	41.6	0.0	57.0	53.4	86.4	83.5
1	18	9	478	4		35.7	42.1	0.0	55.6	51.9	88.1	84.0
1	18	9	478	8		34.7	42.5	0.0	54.5	50.8	88.7	85.1
1	18	9	478	12		35.7	42.2	0.0	57.4	54.5	87.3	82.9
1	18	9	478	16		35.4	42.9	0.0	55.3	51.8	89.6	85.4
1	18	9	478	20		38.4	43.1	0.0	55.6	52.4	91.3	84.5
1	19	9	479	0		39.4	44.6	0.0	55.7	52.6	91.7	87.4
1	19	9	479	4		40.7	44.1	0.0	56.0	53.4	91.7	88.0
1	19	9	479	8		41.8	44.6	0.0	56.4	56.7	90.6	88.2
1	19	9	479	12		40.8	43.8	0.0	55.3	50.0	91.0	87.5
1	19	9	479	16		41.1	43.8	0.0	55.6	52.5	90.6	87.6
1	19	9	479	20		41.5	44.1	0.0	55.5	50.2	91.5	86.9
1	20	9	480	0		40.8	43.7	0.0	55.7	52.4	90.1	85.9
1	20	9	480	4		40.0	43.3	0.0	55.6	50.1	89.4	85.2

LYSIMETER TEMPERATURES

DEGREES FAHRENHEIT

MU	DA	YR	DAY	NO	HR	T1	T2	T3	T10	T11	T12	T13
1	20	9	480	8		39.6	43.2	0.0	54.6	51.0	88.8	85.0
1	20	9	480	12		39.6	43.2	0.0	54.6	51.0	88.8	85.0
1	20	9	480	16		39.6	43.2	0.0	54.6	51.0	88.8	85.0
1	20	9	480	20		39.6	43.2	0.0	54.6	51.0	88.8	85.0
1	21	9	481	0		39.6	43.2	0.0	54.6	51.0	88.8	85.0
1	21	9	481	4		39.6	43.2	0.0	54.6	51.0	88.8	85.0
1	21	9	481	8		39.6	43.2	0.0	54.6	51.0	88.8	85.0
1	21	9	481	12		39.6	43.2	0.0	54.6	51.0	88.8	85.0
1	21	9	481	16		39.6	43.2	0.0	54.6	51.0	88.8	85.0
1	21	9	481	20		39.6	43.2	0.0	54.6	51.0	88.8	85.0
1	22	9	482	0		39.6	43.2	0.0	54.6	51.0	88.8	85.0
1	22	9	482	4		39.6	43.2	0.0	54.6	51.0	88.8	85.0
1	22	9	482	8		39.6	43.2	0.0	54.6	51.0	88.8	85.0
1	22	9	482	12		39.6	42.6	0.0	58.1	61.1	84.4	79.8
1	22	9	482	16		39.0	44.3	0.0	54.6	52.2	89.8	85.2
1	22	9	482	20		39.0	44.7	0.0	55.4	53.1	88.4	84.5
1	23	9	483	0		39.0	44.8	0.0	54.2	51.2	89.5	85.0
1	23	9	483	4		39.0	44.8	0.0	54.8	50.1	89.2	84.7
1	23	9	483	8		39.0	44.7	0.0	52.9	49.4	89.3	84.7
1	23	9	483	12		38.8	44.2	0.0	58.1	57.6	89.0	85.2
1	23	9	483	16		35.6	43.2	0.0	58.3	60.1	88.9	84.1
1	23	9	483	20		38.3	43.6	0.0	58.3	57.6	89.6	84.5
1	24	9	484	0		38.6	43.8	0.0	55.2	54.0	87.1	84.0
1	24	9	484	4		38.6	43.6	0.0	57.5	57.2	89.6	84.0
1	24	9	484	8		40.0	48.9	0.0	56.1	52.4	89.8	84.8
1	24	9	484	12		38.0	44.5	0.0	58.3	56.4	89.6	84.7
1	24	9	484	16		39.0	43.9	0.0	58.7	56.6	90.6	86.3
1	24	9	484	20		38.7	44.3	0.0	57.8	54.2	87.8	85.8
1	25	9	485	0		38.6	43.8	0.0	57.3	53.7	90.1	86.4
1	25	9	485	4		38.0	41.8	0.0	58.3	61.6	89.8	85.6
1	25	9	485	8		36.5	43.4	0.0	59.2	54.6	88.1	83.6
1	25	9	485	12		35.7	43.3	0.0	59.1	58.3	86.9	83.2
1	25	9	485	16		35.8	41.6	0.0	59.1	59.4	87.5	83.1
1	25	9	485	20		38.3	41.6	0.0	59.1	59.4	87.5	83.2
1	26	9	486	0		43.6	42.5	0.0	59.3	56.0	87.7	83.4
1	26	9	486	4		37.8	43.3	0.0	58.2	57.8	86.5	82.2
1	26	9	486	8		37.0	43.1	0.0	61.1	63.4	84.8	80.4
1	26	9	486	12		36.0	42.4	0.0	61.9	62.8	84.3	79.0
1	26	9	486	16		35.5	42.5	0.0	61.0	58.1	83.3	78.1
1	26	9	486	20		35.4	42.5	0.0	61.2	57.9	83.1	79.5
1	27	9	487	0		35.4	42.4	0.0	62.7	62.7	83.0	79.8
1	27	9	487	4		35.3	42.2	0.0	60.8	54.7	83.2	78.0
1	27	9	487	8		35.2	42.0	0.0	62.6	63.5	83.0	79.2
1	27	9	487	12		35.7	42.6	0.0	61.5	59.6	82.4	77.4
1	28	9	488	12		34.5	41.8	0.0	61.6	61.5	80.4	66.3
1	28	9	488	16		32.5	41.8	0.0	61.1	60.8	81.3	74.9
1	28	9	488	20		32.5	41.8	0.0	60.2	57.8	82.6	70.8
1	29	9	489	0		30.4	41.9	0.0	60.8	61.7	80.5	74.6
1	29	9	489	4		36.3	42.7	0.0	57.8	53.4	81.9	78.4
1	29	9	489	8		36.8	40.8	0.0	59.1	51.8	82.2	78.6
1	29	9	489	12		37.7	42.9	0.0	57.6	53.2	84.5	80.2
1	29	9	489	16		38.3	43.2	0.0	61.7	62.3	84.7	80.6
1	29	9	489	20		39.6	43.2	0.0	59.3	60.4	85.5	81.9

LYSIMETER TEMPERATURES

DEGREES FAHRENHEIT

MO	DA	YR	DAY	NO	HR	T1	T2	T3	T10	T11	T12	T13
1	30	9	490	0		40.3	43.9	0.0	59.7	53.0	83.1	82.5
1	30	9	490	4		40.8	41.8	0.0	59.8	56.5	87.3	82.9
1	30	9	490	8		40.8	44.0	0.0	59.6	58.8	87.7	83.0
1	30	9	490	12		41.6	43.1	0.0	59.8	60.2	87.7	82.9
1	30	9	490	16		39.8	41.2	0.0	61.2	58.3	82.1	81.6
1	30	9	490	20		41.4	43.9	0.0	59.3	55.9	88.5	84.0
1	31	9	491	0		42.4	44.1	0.0	58.8	58.3	89.1	84.7
1	31	9	491	4		44.0	44.4	0.0	58.6	58.2	90.0	81.3
1	31	9	491	8		41.2	44.7	0.0	59.8	59.0	88.2	82.7
1	31	9	491	12		36.7	40.5	0.0	57.6	53.4	84.6	81.0
1	31	9	491	16		41.2	44.1	0.0	53.1	53.2	83.7	83.9
1	31	9	491	20		36.5	44.4	0.0	58.2	57.1	89.1	84.3
2	1	9	492	0		35.7	43.8	0.0	58.2	55.7	88.3	83.9
2	1	9	492	4		31.1	43.4	0.0	55.8	51.9	88.3	82.4
2	1	9	492	8		31.3	43.1	0.0	57.2	53.8	82.9	84.1
2	1	9	492	12		36.5	43.4	0.0	55.5	51.7	89.0	84.3
2	1	9	492	16		32.0	43.4	0.0	58.1	59.1	87.8	82.9
2	1	9	492	20		35.0	42.7	0.0	58.1	55.3	86.0	81.2
2	2	9	493	0		34.2	42.5	0.0	57.8	54.4	84.7	80.0
2	2	9	493	4		35.8	42.7	0.0	58.4	58.4	87.6	83.2
2	2	9	493	8		36.5	43.1	0.0	57.5	54.6	88.1	83.7
2	2	9	493	12		37.0	43.5	0.0	56.1	52.4	85.9	82.3
2	2	9	493	16		37.4	43.4	0.0	56.8	54.0	88.2	83.2
2	2	9	493	20		31.6	43.7	0.0	56.4	52.6	88.3	83.2
2	3	9	494	0		35.6	43.5	0.0	56.2	56.1	88.2	83.5
2	3	9	494	4		33.2	43.2	0.0	55.2	51.3	88.4	83.3
2	3	9	494	8		38.0	43.3	0.0	52.7	53.0	87.1	84.2
2	3	9	494	12		38.9	46.2	0.0	52.2	52.0	88.5	83.2
2	3	9	494	16		38.6	45.9	0.0	57.8	57.3	88.3	82.0
2	3	9	494	20		36.7	44.8	0.0	59.0	58.1	82.6	81.5
2	4	9	495	0		31.6	40.1	0.0	58.0	50.0	86.0	79.6
2	4	9	495	4		34.8	40.1	0.0	53.8	53.2	84.2	78.2
2	4	9	495	8		33.9	41.6	0.0	60.8	62.2	82.6	75.3
2	4	9	495	12		32.8	42.3	0.0	61.8	62.1	81.6	74.1
2	4	9	495	16		33.3	42.0	0.0	61.0	59.1	82.4	76.9
2	4	9	495	20		33.5	42.2	0.0	60.2	57.2	83.2	73.1
2	5	9	496	0		34.3	42.3	0.0	59.2	60.1	84.7	79.8
2	5	9	496	4		36.2	42.7	0.0	60.4	61.5	85.8	80.3
2	5	9	496	8		31.6	42.5	0.0	60.2	61.7	83.4	78.4
2	5	9	496	12		34.9	42.1	0.0	59.0	52.4	82.4	77.4
2	5	9	496	16		31.2	42.2	0.0	57.0	52.5	81.8	78.5
2	5	9	496	20		35.9	42.8	0.0	57.8	55.2	83.8	78.8
2	6	9	497	0		35.9	42.5	0.0	52.5	52.3	84.2	79.3
2	6	9	497	4		31.8	42.4	0.0	53.1	52.8	83.9	79.3
2	6	9	497	8		31.7	42.5	0.0	59.4	61.0	83.8	79.4
2	6	9	497	12		32.2	42.8	0.0	55.8	51.5	80.2	80.6
2	6	9	497	16		34.1	43.8	0.0	56.4	53.7	83.1	83.4
2	6	9	497	20		38.2	43.5	0.0	51.5	51.7	88.8	83.5
2	7	9	498	0		34.2	44.0	0.0	56.2	59.4	88.6	80.1
2	7	9	498	4		38.1	43.9	0.0	56.4	53.8	83.2	83.6
2	7	9	498	8		37.4	43.4	0.0	57.7	58.3	81.9	82.2
2	7	9	498	12		37.0	41.7	0.0	55.8	51.9	80.0	81.5
2	7	9	498	16		37.9	43.7	0.0	56.2	52.7	88.8	84.0

LYSIMETER TEMPERATURES

DEGREES FAHRENHEIT

	MO	DA	YR	DAY	NO	HR	T1	T2	T3	T10	T11	T12	T13
	2	7	9	498	20		38.1	40.2	0.0	56.5	52.6	85.6	82.5
	2	8	9	499	0		39.6	45.3	0.0	52.7	53.9	81.6	83.1
	2	8	9	499	4		43.6	41.3	0.0	53.4	49.6	87.6	82.5
	2	8	9	499	8		37.6	45.1	0.0	51.8	51.9	82.9	78.0
	2	8	9	499	12		37.5	45.4	0.0	51.4	51.5	86.3	81.3
	2	8	9	499	16		38.2	45.2	0.0	57.2	56.3	88.9	83.2
	2	8	9	499	20		38.5	45.9	0.0	55.5	51.7	88.9	84.0
	2	9	9	500	0		38.8	44.1	0.0	55.5	52.2	88.7	83.7
	2	9	9	500	4		38.8	42.0	0.0	56.4	54.0	87.9	83.5
	2	9	9	500	8		37.1	40.8	0.0	58.0	58.1	82.8	77.7
	2	9	9	500	12		33.6	45.5	0.0	58.1	58.0	85.2	80.9
	2	9	9	500	16		37.7	45.3	0.0	51.0	50.9	84.9	80.7
	2	9	9	500	20		32.9	45.0	0.0	58.3	60.1	84.4	79.0
	2	10	9	501	0		36.2	44.7	0.0	58.9	58.2	83.0	78.1
	2	10	9	501	4		35.7	44.7	0.0	59.1	59.9	82.5	77.5
	2	10	9	501	8		35.0	44.2	0.0	59.4	60.2	81.3	76.2
	2	10	9	501	12		31.2	44.1	0.0	53.0	52.6	82.0	72.1
	2	10	9	501	16		32.6	43.4	0.0	57.5	54.4	80.3	79.1
	2	10	9	501	20		32.6	43.4	0.0	57.5	54.4	80.3	79.1
	2	11	9	502	0		32.6	43.4	0.0	57.5	54.4	80.3	79.1
	2	11	9	502	4		32.6	43.4	0.0	57.5	54.4	80.3	79.1
	2	11	9	502	8		32.6	43.4	0.0	57.5	54.4	80.3	79.1
	2	11	9	502	12		32.6	43.4	0.0	57.5	54.4	80.3	79.1
	2	11	9	502	16		36.5	43.4	0.0	57.0	52.9	84.2	79.1
	2	11	9	502	20		36.8	43.1	0.0	57.1	54.0	84.7	80.5
	2	12	9	503	0		36.9	43.1	0.0	56.7	54.7	85.2	81.2
	2	12	9	503	4		37.1	43.2	0.0	54.1	50.1	86.0	81.7
	2	12	9	503	8		37.8	43.5	0.0	53.8	51.0	86.5	82.1
	2	12	9	503	12		38.2	44.2	0.0	58.5	58.7	87.8	82.7
	2	13	9	504	16		36.0	43.7	0.0	60.3	54.5	80.7	70.9
	2	13	9	504	20		34.0	43.2	0.0	58.3	50.0	83.2	78.6
	2	13	9	504	24		30.1	42.7	0.0	59.0	55.4	82.5	77.5
	2	14	9	505	0		31.3	42.5	0.0	59.2	51.4	82.3	77.8
	2	14	9	505	4		31.1	42.0	0.0	58.9	55.7	80.5	77.3
	2	14	9	505	8		31.1	42.0	0.0	58.9	55.7	80.5	77.3
	2	14	9	505	12		35.4	42.7	0.0	58.9	55.4	80.4	77.3
	2	14	9	505	16		33.3	42.2	0.0	59.4	60.6	80.0	72.2
	2	14	9	505	20		31.1	42.5	0.0	53.1	52.7	81.2	75.8
	2	15	9	506	0		31.4	42.6	0.0	52.9	54.1	82.4	78.8
	2	15	9	506	4		35.2	42.6	0.0	58.6	61.0	80.5	75.9
	2	15	9	506	8		35.2	42.3	0.0	58.5	53.2	81.8	71.5
	2	15	9	506	12		35.2	42.5	0.0	59.0	55.2	80.6	77.3
	2	15	9	506	16		36.8	64.4	0.0	58.8	58.8	81.5	76.3
	2	15	9	506	20		37.2	75.5	0.0	59.4	56.8	83.3	78.2
	2	16	9	507	0		31.2	75.8	0.0	59.6	56.7	82.8	78.3
	2	16	9	507	4		31.2	75.8	0.0	58.8	54.9	83.4	79.1
	2	16	9	507	8		33.3	75.8	0.0	59.2	61.6	81.7	76.8
	2	16	9	507	12		37.4	72.0	0.0	59.1	60.8	82.1	77.0
	2	16	9	507	16		37.2	72.2	0.0	60.3	62.0	83.0	77.8
	2	16	9	507	20		33.4	71.9	0.0	59.8	56.5	81.1	78.7
	2	17	9	508	0		37.0	71.8	0.0	60.1	58.0	81.7	78.1
	2	17	9	508	4		33.3	76.7	0.0	59.2	60.1	83.8	78.4
	2	17	9	508	8		37.6	76.8	0.0	58.1	50.1	83.2	78.4

LYSIMETER TEMPERATURES

DEGREES FAHRENHEIT

MO	DA	YR	DAY	NO	FR	T1	T2	T3	T10	T11	T12	T11
2	17	9	508	12		37.6	76.4	0.0	60.6	62.6	81.7	79.7
2	17	9	508	16		37.6	76.4	0.0	60.6	62.6	83.7	79.7
2	17	9	508	20		37.6	76.4	0.0	60.6	62.6	81.7	79.7
2	18	9	509	0		37.6	76.4	0.0	60.6	62.6	83.7	79.7
2	18	9	509	4		37.6	76.4	0.0	60.6	62.6	83.7	79.7
2	18	9	509	8		37.6	76.4	0.0	60.6	62.6	83.7	79.7
2	18	9	509	12		37.9	46.8	0.0	59.7	59.7	85.8	81.1
2	18	9	509	16		38.3	47.5	0.0	58.1	50.5	85.8	80.8
2	18	9	509	20		38.4	47.4	0.0	53.8	53.8	80.3	81.2
2	19	9	510	0		38.4	47.2	0.0	57.2	52.9	81.6	80.3
2	19	9	510	4		37.4	42.8	0.0	59.3	62.0	84.6	79.1
2	19	9	510	8		33.1	46.8	0.0	59.1	51.8	80.3	79.0
2	19	9	510	12		37.7	42.3	0.0	60.5	61.9	81.3	80.1
2	19	9	510	16		38.0	46.6	0.0	59.2	61.9	81.2	81.0
2	19	9	510	20		36.9	46.1	0.0	58.1	53.7	82.4	79.0
2	20	9	511	0		37.4	42.2	0.0	60.2	59.4	83.2	78.9
2	20	9	511	4		35.4	46.3	0.0	59.4	61.8	83.1	78.5
2	20	9	511	8		37.4	42.1	0.0	59.6	61.2	83.1	78.3
2	20	9	511	12		37.4	45.1	0.0	60.2	61.6	82.4	76.6
2	20	9	511	16		33.8	45.1	0.0	58.3	50.5	80.7	80.0
2	21	9	512	0		38.8	46.0	0.0	58.5	59.9	86.2	80.8
2	21	9	512	4		38.8	46.0	0.0	58.5	59.9	86.2	80.8
2	21	9	512	8		38.8	46.0	0.0	58.5	59.9	86.2	80.8
2	21	9	512	12		39.2	41.5	0.0	55.3	58.8	85.9	80.8
2	21	9	512	16		39.2	45.0	0.0	57.0	53.9	86.1	81.4
2	21	9	512	20		39.5	45.6	0.0	56.7	55.0	84.9	82.5
2	22	9	513	0		40.0	42.4	0.0	57.1	53.3	86.6	82.6
2	22	9	513	4		40.4	46.5	0.0	58.4	56.7	84.6	82.9
2	22	9	513	8		39.7	45.8	0.0	53.2	52.1	81.2	81.1
2	22	9	513	12		39.7	45.8	0.0	53.2	52.1	81.2	81.1
2	22	9	513	16		39.7	45.8	0.0	53.2	52.1	81.2	81.1
2	22	9	513	20		39.7	45.8	0.0	53.2	52.1	81.2	81.1
2	23	9	514	0		39.7	45.8	0.0	53.2	52.1	81.2	81.1
2	23	9	514	4		39.7	45.8	0.0	53.2	52.1	81.2	81.1
2	23	9	514	8		39.7	45.8	0.0	53.2	52.1	81.2	81.1
2	23	9	514	12		39.7	45.8	0.0	53.2	52.1	81.2	81.1
2	23	9	514	16		39.7	45.8	0.0	53.2	52.1	81.2	81.1
2	23	9	514	20		39.7	45.8	0.0	53.2	52.1	81.2	81.1
2	24	9	515	0		39.7	45.8	0.0	53.2	52.1	81.2	81.1
2	24	9	515	4		39.7	45.8	0.0	53.2	52.1	81.2	81.1
2	24	9	515	8		39.7	45.8	0.0	53.2	52.1	81.2	81.1
2	24	9	515	12		39.9	45.1	0.0	58.2	54.9	85.8	81.4
2	24	9	515	16		36.5	40.2	0.0	59.8	61.7	81.9	80.6
2	24	9	515	20		36.7	44.5	0.0	58.2	55.3	83.0	82.0
2	25	9	516	12		31.2	41.1	0.0	53.8	50.3	83.9	83.5
2	25	9	516	16		32.5	40.8	0.0	58.0	54.8	85.0	81.0
2	25	9	516	20		32.0	40.9	0.0	57.2	55.3	84.8	80.4
2	26	9	517	0		31.6	44.5	0.0	58.0	54.2	80.7	80.1
2	26	9	517	4		31.6	44.5	0.0	58.0	54.2	80.7	80.1
2	26	9	517	8		31.6	44.5	0.0	58.0	54.2	80.7	80.1
2	26	9	517	12		32.5	43.4	0.0	59.1	60.7	85.6	80.9
2	26	9	517	16		33.1	47.1	0.0	53.8	50.0	87.1	81.7
2	26	9	517	20		32.7	46.4	0.0	51.3	53.5	85.5	80.7

LYSIMETER TEMPERATURES

DEGREES FAHRENHEIT

MU	DA	YR	DAY	NO	HR	T1	T2	T3	T10	T11	T12	T13
2	27	9	518	0		36.7	46.2	0.0	58.5	54.8	81.8	80.1
2	27	9	518	4		32.7	42.2	0.0	57.6	58.7	85.5	80.1
2	27	9	518	8		36.6	42.2	0.0	59.4	61.2	85.6	80.0
2	28	9	519	12		32.2	42.4	0.0	61.4	61.1	83.3	77.5
2	28	9	519	16		32.2	43.4	0.0	61.4	62.8	80.1	78.2
2	28	9	519	20		31.7	44.5	0.0	60.2	62.1	83.8	79.3
3	1	9	520	0		36.9	40.5	0.0	59.3	52.7	86.3	81.3
3	1	9	520	4		36.9	44.4	0.0	59.2	52.5	81.8	81.0
3	1	9	520	8		36.9	44.8	0.0	59.8	62.2	84.9	81.4
3	1	9	520	12		37.6	44.9	0.0	59.9	60.3	81.6	81.3
3	1	9	520	16		38.2	41.2	0.0	57.5	52.6	86.4	81.9
3	1	9	520	20		37.8	44.9	0.0	53.8	59.0	82.5	81.4
3	2	9	521	0		33.3	41.7	0.0	59.5	53.6	80.8	80.3
3	2	9	521	4		38.0	42.5	0.0	59.8	61.6	83.6	80.3
3	2	9	521	8		38.2	47.0	0.0	58.0	53.5	84.1	79.6
3	4	9	523	12		38.3	48.6	0.0	59.9	53.6	81.9	80.5
3	4	9	523	16		39.4	50.7	0.0	58.8	54.5	82.6	81.3
3	4	9	523	20		39.2	51.5	0.0	58.5	54.5	82.5	82.2
3	5	9	524	0		38.0	51.5	0.0	59.4	56.1	84.6	79.9
3	5	9	524	4		33.2	51.0	0.0	60.8	60.9	82.2	75.9
3	5	9	524	8		32.5	50.6	0.0	58.7	53.9	82.4	77.5
3	5	9	524	12		32.1	41.0	0.0	60.7	62.5	83.0	78.0
3	5	9	524	16		32.3	40.4	0.0	60.7	58.5	85.2	79.4
3	5	9	524	20		36.7	43.9	0.0	59.7	56.4	80.8	79.9
3	6	9	525	0		32.7	44.1	0.0	59.3	61.6	84.9	79.8
3	6	9	525	4		32.8	41.6	0.0	53.8	53.3	84.0	79.9
3	6	9	525	8		32.9	41.6	0.0	58.7	57.9	84.7	80.2
3	6	9	525	12		37.8	43.8	0.0	57.3	57.0	87.1	82.0
3	6	9	525	16		33.5	44.6	0.0	62.2	61.8	82.6	81.2
3	6	9	525	20		37.2	44.6	0.0	60.3	62.8	85.8	80.3
3	7	9	526	0		38.0	44.9	0.0	60.2	57.3	83.3	82.5
3	7	9	526	4		38.2	44.9	0.0	61.1	60.0	86.2	81.4
3	7	9	526	8		31.0	43.1	0.0	60.0	62.9	73.8	73.0
3	7	9	526	12		33.1	40.6	0.0	62.2	60.9	79.7	74.8
3	7	9	526	16		36.3	45.4	0.0	60.8	53.2	82.2	77.6
3	7	9	526	20		32.7	42.5	0.0	59.2	55.5	83.1	79.1
3	8	9	527	0		32.6	46.4	0.0	60.1	61.8	80.6	78.3
3	8	9	527	4		32.4	42.5	0.0	60.3	53.8	84.5	78.4
3	8	9	527	8		32.2	42.3	0.0	59.9	62.1	84.3	78.4
3	10	9	529	12		31.4	41.4	0.0	59.5	58.2	83.0	73.4
3	10	9	529	16		31.0	43.6	0.0	52.8	50.2	81.4	80.1
3	10	9	529	20		51.5	41.0	0.0	59.4	61.4	81.7	80.4
3	11	9	530	0		59.2	45.1	0.0	60.1	53.9	80.3	79.7
3	11	9	530	4		59.9	45.0	0.0	60.4	62.0	83.8	79.1
3	11	9	530	8		59.8	44.8	0.0	59.2	58.7	83.3	78.0
3	11	9	530	12		59.3	44.9	0.0	60.8	63.0	82.2	73.5
3	11	9	530	16		59.3	44.7	0.0	59.7	60.8	81.2	73.6
3	11	9	530	20		58.7	41.9	0.0	62.3	59.8	80.9	75.2
3	12	9	531	0		59.0	40.2	0.0	61.0	58.2	82.5	78.3
3	12	9	531	4		59.1	44.0	0.0	61.8	62.4	81.3	75.6
3	12	9	531	8		59.3	40.0	0.0	60.7	53.0	80.7	76.0
3	12	9	531	12		59.4	40.5	0.0	60.7	55.5	81.6	76.7
3	12	9	531	16		59.5	41.0	0.0	60.6	57.9	82.6	77.5

LYSIMETER TEMPERATURES

DEGREES FAHRENHEIT

MU	DA	YR	DAY	NO	TH	T1	T2	T3	T10	T11	T12	T13
3	12	9	531	20		60.4	41.8	0.0	60.6	59.5	81.7	78.5
3	13	9	512	0		60.8	41.8	0.0	56.4	52.5	81.8	78.5
3	13	9	532	4		60.7	41.5	0.0	60.4	62.8	83.1	71.7
3	13	9	532	8		60.1	41.5	0.0	59.4	60.5	83.2	77.8
3	14	9	533	0		45.3	41.6	0.0	60.0	60.2	80.3	78.5
3	14	9	533	4		40.9	41.8	0.0	59.0	51.5	81.6	80.7
3	14	9	533	8		40.7	41.6	0.0	58.4	57.6	81.8	80.0
3	14	9	533	12		41.0	41.4	0.0	58.8	58.4	85.0	79.9
3	14	9	533	16		41.0	41.4	0.0	58.7	51.1	82.4	81.2
3	16	9	535	16		45.7	42.6	0.0	56.6	52.6	89.3	80.1
3	16	9	535	20		45.5	42.2	0.0	59.6	56.0	88.8	80.5
3	17	9	536	0		41.4	42.6	0.0	58.5	50.9	88.8	83.8
3	17	9	536	4		41.8	42.1	0.0	58.8	59.2	89.0	83.1
3	17	9	536	8		41.7	42.0	0.0	57.3	52.9	88.2	82.1
3	17	9	536	12		45.2	46.3	0.0	53.5	53.4	88.9	83.8
3	17	9	536	16		42.5	45.7	0.0	63.0	62.5	78.8	71.3
3	17	9	536	20		41.2	46.8	0.0	53.1	50.8	91.3	82.8
3	18	9	537	0		44.0	43.2	0.0	53.5	53.5	89.7	85.6
3	18	9	537	4		42.5	47.0	0.0	58.1	54.7	89.4	80.5
3	18	9	537	8		42.6	46.9	0.0	58.2	50.4	87.9	82.9
3	18	9	537	12		43.4	46.3	0.0	60.2	58.2	86.7	81.1
3	18	9	537	16		47.4	43.4	0.0	58.8	50.7	82.8	81.8
3	19	9	538	20		41.4	42.8	0.0	60.8	62.3	86.8	82.7
3	20	9	539	0		42.4	42.0	0.0	60.2	52.8	84.8	80.4
3	20	9	539	4		46.5	46.2	0.0	60.0	53.8	83.9	83.5
3	20	9	539	20		47.6	41.7	0.0	60.7	60.6	80.0	72.3
3	22	9	541	16		41.4	43.0	0.0	58.0	60.1	88.3	83.0
3	22	9	541	20		41.2	43.4	0.0	56.7	53.1	88.8	80.2
3	23	9	542	0		41.5	43.6	0.0	52.8	50.3	88.3	83.7
3	23	9	542	4		42.0	43.4	0.0	52.6	53.9	83.1	81.5
3	25	9	544	12		42.1	41.8	0.0	59.9	58.4	82.8	82.1
3	25	9	544	16		46.1	46.9	0.0	61.3	61.0	83.9	80.8
3	25	9	544	20		46.0	43.3	0.0	60.5	60.9	87.2	82.7
3	26	9	545	0		41.7	43.4	0.0	59.2	55.9	83.1	82.6
3	26	9	545	4		41.5	43.5	0.0	58.6	59.0	88.5	83.7
3	26	9	545	8		41.0	48.1	0.0	58.1	50.5	90.6	85.9
3	26	9	545	12		41.7	48.9	0.0	58.6	59.9	89.6	80.0
3	26	9	545	16		42.6	46.1	0.0	59.1	56.9	83.7	80.9
3	26	9	545	20		40.5	47.2	0.0	60.0	58.2	82.9	82.4
3	27	9	546	0		42.1	42.1	0.0	59.5	53.0	83.6	78.5
3	27	9	546	4		41.4	42.2	0.0	58.1	53.6	80.2	79.7
3	27	9	546	8		41.3	42.2	0.0	59.0	53.4	84.3	78.4
3	27	9	546	12		41.9	46.8	0.0	58.8	55.1	85.4	80.1
3	27	9	546	16		42.1	41.4	0.0	53.9	51.0	83.1	81.1
3	31	9	550	16		40.7	42.1	0.0	59.3	51.6	80.6	78.9
4	1	9	551	12		49.2	54.1	0.0	61.0	59.2	87.8	82.0
4	1	9	551	16		48.4	50.1	0.0	60.6	58.2	87.2	82.2
4	1	9	551	20		48.7	51.1	0.0	61.1	62.4	87.6	81.7
4	2	9	552	0		49.8	51.4	0.0	59.3	55.3	87.0	81.2
4	2	9	552	4		50.0	51.6	0.0	59.5	54.7	88.4	80.8
4	2	9	552	8		50.2	51.7	0.0	59.7	53.9	89.7	80.4
4	2	9	552	12		51.7	51.8	0.0	59.9	53.3	89.2	80.0
4	2	9	552	16		52.6	53.4	0.0	58.5	54.8	89.8	80.6

LYSIMETER TEMPERATURES

DEGREES FAHRENHEIT

MO	DA	YR	DAY	NO	PP	T1	T2	T3	T10	T11	T12	T13
4	2	9	552	20		52.8	57.0	0.0	59.1	55.3	89.1	83.9
4	3	9	553	12		53.5	59.0	0.0	60.4	62.2	80.9	80.1
4	3	9	553	16		53.2	60.3	0.0	58.7	54.5	83.3	82.5
4	3	9	553	20		53.1	60.6	0.0	59.4	52.6	87.4	80.3
4	4	9	554	0		50.8	60.3	0.0	60.0	53.0	84.9	79.7
4	4	9	554	4		52.5	60.3	0.0	53.2	52.8	80.5	79.3
4	4	9	554	8		52.6	60.2	0.0	59.3	57.4	80.2	78.8
4	4	9	554	12		52.3	50.6	0.0	59.0	51.9	81.7	81.1
4	4	9	554	16		51.8	52.7	0.0	58.3	53.0	82.0	81.6
4	4	9	554	20		52.1	52.4	0.0	57.8	53.6	81.5	81.4
4	5	9	555	0		52.3	52.2	0.0	59.0	51.4	81.8	80.8
4	5	9	555	4		51.7	52.0	0.0	58.5	54.8	83.8	83.2
4	5	9	555	8		51.5	52.2	0.0	58.2	50.8	88.3	84.1
4	5	9	555	12		50.1	51.9	0.0	58.6	55.7	88.7	83.5
4	5	9	555	16		51.8	52.2	0.0	57.9	50.4	89.0	84.3
4	5	9	555	20		51.3	52.4	0.0	59.0	53.9	90.0	80.7
4	6	9	556	0		51.9	52.4	0.0	57.2	53.4	89.9	84.5
4	6	9	556	4		50.4	52.6	0.0	59.1	59.0	88.6	84.0
4	8	9	558	12		52.5	57.1	0.0	58.9	58.1	91.0	85.9
4	8	9	558	16		52.4	57.6	0.0	53.6	58.3	90.3	83.2
4	8	9	558	20		53.2	51.3	0.0	58.4	61.1	85.1	81.0
4	9	9	559	0		50.9	53.2	0.0	59.9	52.3	83.1	78.7
4	9	9	559	4		50.6	53.7	0.0	58.6	51.3	88.2	83.0
4	9	9	559	8		51.8	55.9	0.0	57.8	52.5	89.7	84.2
4	9	9	559	12		53.0	57.1	0.0	57.0	53.6	91.2	85.5
4	9	9	559	16		51.8	53.0	0.0	56.1	52.6	91.3	86.5
4	9	9	559	20		52.6	53.0	0.0	58.7	57.2	90.5	82.2
4	10	9	560	0		51.8	56.8	0.0	58.8	58.0	90.2	86.0
4	10	9	560	4		52.2	53.0	0.0	52.2	52.5	90.0	81.7
4	10	9	560	8		52.8	57.1	0.0	54.8	53.0	89.7	81.8
4	10	9	560	12		51.4	55.5	0.0	52.8	53.0	92.4	87.5
4	10	9	560	16		52.5	56.1	0.0	57.1	53.6	92.2	83.5
4	10	9	560	20		50.4	51.4	0.0	57.0	53.5	90.3	85.3
4	11	9	561	0		54.9	51.2	0.0	53.2	53.7	90.8	80.5
4	11	9	561	4		51.5	51.1	0.0	59.2	58.9	89.6	83.6
4	11	9	561	8		51.7	51.7	0.0	52.7	52.8	83.9	80.2
4	11	9	561	12		51.0	48.7	0.0	59.3	53.4	86.7	81.5
4	11	9	561	16		54.1	48.9	0.0	59.8	56.8	88.8	80.8
4	14	9	564	12		51.5	53.0	0.0	56.9	55.4	83.5	82.5
4	14	9	564	16		52.0	58.1	0.0	57.8	56.0	96.0	83.1
4	14	9	564	20		52.4	62.2	0.0	58.7	56.7	88.6	83.8
4	15	9	565	12		57.5	58.3	0.0	62.6	64.1	83.6	80.2
4	15	9	565	16		53.5	58.1	0.0	58.7	55.4	85.5	80.7
4	15	9	565	20		52.8	58.5	0.0	55.9	52.1	86.9	83.1
4	16	9	566	12		49.0	52.2	0.0	59.1	57.8	85.7	81.4
4	16	9	566	16		48.1	57.6	0.0	58.7	56.3	87.3	81.4
4	16	9	566	20		48.9	57.1	0.0	58.7	58.5	85.7	80.7
4	17	9	567	0		49.4	56.5	0.0	59.8	59.4	84.5	80.7
4	17	9	567	4		49.1	56.6	0.0	58.9	55.7	84.6	81.0
4	18	9	568	4		48.1	56.4	0.0	56.8	53.0	87.1	82.0
4	18	9	568	8		47.3	57.1	0.0	57.5	55.0	88.4	83.9
4	18	9	568	12		48.4	56.4	0.0	56.1	52.5	87.5	82.2
4	18	9	568	16		47.4	56.7	0.0	55.5	52.2	88.6	83.9

LYSIMETER TEMPERATURES

DEGREES FAHRENHEIT

MO	DA	YR	DAY	NO	HR	T1	T2	TJ	T10	T11	T12	T13
4	18	9	568	20		47.8	55.6	0.0	55.7	52.4	87.7	82.1
4	21	9	571	12		48.9	55.2	0.0	60.5	61.0	83.4	79.3
4	21	9	571	16		48.7	55.4	0.0	59.3	58.1	84.0	79.0
4	21	9	571	20		48.5	55.6	0.0	58.1	55.1	84.6	78.9
4	22	9	572	0		49.4	55.4	0.0	59.8	57.1	80.4	76.6
4	22	9	572	4		49.6	55.2	0.0	61.0	60.6	79.0	75.9
4	22	9	572	8		49.7	55.3	0.0	60.3	58.1	79.0	75.5
4	23	9	573	12		49.3	56.8	0.0	56.5	55.2	86.3	81.0
4	23	9	573	16		49.4	56.9	0.0	56.3	55.3	85.7	80.5
4	23	9	573	20		49.6	56.9	0.0	55.7	51.8	84.3	79.2
4	24	9	574	0		49.5	56.8	0.0	58.4	59.9	83.1	79.0
4	24	9	574	4		49.4	56.4	0.0	57.6	54.1	82.7	78.4
4	24	9	574	8		49.4	56.1	0.0	56.7	55.4	81.7	78.1
4	24	9	574	12		50.0	53.8	0.0	60.3	60.1	73.7	69.5
4	24	9	574	16		47.7	54.1	0.0	62.5	64.4	76.3	72.6
4	28	9	578	12		49.8	58.5	0.0	57.0	54.2	89.9	86.1
4	28	9	578	16		47.8	58.3	0.0	57.2	58.3	93.7	89.4
4	30	9	580	12		49.0	55.5	0.0	59.9	59.5	82.5	77.6
4	30	9	580	16		49.2	55.6	0.0	57.8	53.9	83.6	77.8
4	30	9	580	20		48.3	60.4	0.0	54.3	50.6	86.1	81.0
5	1	9	581	0		48.4	64.5	0.0	56.9	54.0	87.2	82.1
5	2	9	582	0		49.1	64.5	0.0	55.3	51.5	87.8	81.8
5	3	9	583	0		50.4	65.1	0.0	55.7	51.9	89.3	84.0
5	4	9	584	0		51.8	65.6	0.0	56.1	52.3	90.8	86.2
5	5	9	585	0		53.1	66.3	0.0	56.5	52.7	92.4	88.4
5	6	9	586	0		54.4	66.9	0.0	60.8	59.5	91.6	86.0
5	7	9	587	0		58.5	70.6	0.0	59.6	57.0	92.6	86.8
5	8	9	588	0		55.1	71.1	0.0	57.4	58.1	94.2	88.4
5	9	9	589	0		57.0	83.7	0.0	56.9	54.9	92.2	85.8
5	10	9	590	0		69.2	71.7	0.0	57.8	57.9	88.0	84.0
5	11	9	591	0		70.2	69.0	0.0	59.1	60.2	86.8	82.8
5	12	9	592	0		66.0	70.1	0.0	59.0	58.5	86.5	82.3
5	13	9	593	0		61.8	71.2	0.0	58.9	56.8	86.2	81.8
5	14	9	594	0		57.7	72.3	0.0	58.7	55.1	85.9	81.3
5	15	9	595	0		57.1	69.4	0.0	56.7	53.1	89.6	84.9
5	16	9	596	0		59.8	71.6	0.0	58.7	55.5	93.1	87.0
5	17	9	597	0		59.6	74.3	0.0	59.1	59.1	90.5	84.7
5	18	9	598	0		59.6	75.8	0.0	58.0	56.7	92.3	86.5
5	19	9	599	0		59.6	77.3	0.0	57.0	54.4	94.1	88.4
5	20	9	600	0		59.2	67.6	0.0	57.7	54.5	91.0	86.3
5	21	9	601	0		61.8	69.6	0.0	58.4	56.5	91.3	86.1
5	22	9	602	0		64.4	69.6	0.0	59.2	58.4	91.6	85.9
5	23	9	603	0		67.0	69.6	0.0	60.0	60.4	91.8	85.7
5	24	9	604	0		73.5	68.1	0.0	53.1	49.7	90.8	86.0
5	25	9	605	0		66.4	68.8	0.0	55.1	52.0	90.9	86.0
5	26	9	606	0		59.3	69.8	0.0	57.1	54.3	91.1	86.0
5	27	9	607	0		59.2	71.4	0.0	57.9	56.2	91.5	86.6
5	28	9	608	0		59.1	73.1	0.0	58.8	58.2	91.8	87.1
5	29	9	609	0		59.0	69.3	0.0	58.2	56.6	93.0	88.2
5	30	9	610	0		63.4	75.9	0.0	57.8	55.7	95.0	90.2
5	31	9	611	0		67.8	82.5	0.0	57.3	54.9	97.0	92.2
6	1	9	612	0		72.3	89.1	0.0	56.8	54.0	99.0	94.2
6	2	9	613	0		76.8	95.6	0.0	56.3	53.1	101.0	96.2

LYSIMETER TEMPERATURES

DEGREES FAHRENHEIT

MO	DA	YR	LAY	NO	IN	T1	T2	T3	T10	T11	T12	T13
6	3	9	614	0		64.4	89.4	0.0	56.5	53.0	91.7	90.5
6	4	9	615	0		64.7	84.9	0.0	57.7	53.9	90.6	85.0
6	5	9	616	0		64.4	92.3	0.0	54.8	53.7	96.9	92.0
6	6	9	617	0		64.9	89.6	0.0	54.5	51.2	95.4	90.3
6	7	9	618	0		65.3	88.4	0.0	55.7	53.8	94.3	89.0
6	8	9	619	0		65.7	87.3	0.0	56.9	56.3	93.3	87.8
6	9	9	620	0		66.0	86.1	0.0	58.9	58.8	92.2	86.5
6	10	9	621	0		66.3	87.0	0.0	59.2	60.0	93.7	88.8
6	11	9	622	0		66.6	79.0	0.0	55.6	53.8	94.2	88.8
6	12	9	623	0		66.1	77.0	0.0	56.7	53.4	97.4	92.0
6	13	9	624	0		66.7	77.9	0.0	56.9	53.6	94.7	89.2
6	14	9	625	0		67.3	78.8	0.0	57.1	53.9	95.6	90.1
6	15	9	626	0		67.9	79.8	0.0	57.3	54.1	96.5	91.1
6	16	9	627	0		68.5	80.9	0.0	57.6	54.3	93.8	88.2
6	17	9	628	0		68.4	80.2	0.0	58.3	55.8	90.4	85.9
6	18	9	629	0		68.4	79.6	0.0	59.0	57.3	92.1	87.0
6	19	9	630	0		68.3	79.0	0.0	59.9	58.8	88.8	84.7
6	20	9	631	0		69.6	78.3	0.0	55.6	52.4	97.8	93.2
6	21	9	632	0		71.1	80.0	0.0	56.3	53.1	98.5	93.5
6	22	9	633	0		69.9	80.5	0.0	57.1	53.8	97.4	91.7
6	23	9	634	0		68.8	81.0	0.0	57.9	54.5	96.3	90.5
6	24	9	635	0		67.7	81.5	0.0	58.7	55.2	95.2	89.3
6	25	9	636	0		67.4	81.6	0.0	57.7	54.4	95.1	90.2
6	26	9	637	0		67.1	81.9	0.0	56.7	53.5	95.0	91.2
6	27	9	638	0		67.1	77.1	0.0	58.3	55.0	92.4	87.6
6	28	9	639	0		67.3	81.9	0.0	57.1	53.6	94.0	89.1
6	29	9	640	0		68.0	80.5	0.0	57.2	54.9	95.3	90.9
6	30	9	641	0		68.8	79.2	0.0	57.2	56.2	96.6	92.7
7	1	9	642	0		69.4	85.4	0.0	58.1	56.2	96.1	91.9
7	2	9	643	0		70.1	90.8	0.0	59.0	56.2	95.6	91.1
7	3	9	644	0		69.8	92.8	0.0	57.2	54.0	97.5	92.1
7	7	9	648	0		71.0	86.5	0.0	59.1	55.8	91.5	84.9
7	8	9	649	0		70.8	82.7	0.0	62.0	60.7	85.5	79.1
7	9	9	650	0		72.5	96.1	0.0	59.0	57.3	88.4	83.5
7	10	9	651	0		71.6	89.9	0.0	57.2	53.7	95.7	88.4
7	11	9	652	0		68.9	89.6	0.0	58.2	55.2	93.7	88.4
7	12	9	653	0		71.9	93.1	0.0	56.3	53.2	99.0	92.8
7	13	9	654	0		71.1	90.0	0.0	56.4	53.0	95.2	88.5
7	14	9	655	0		70.9	89.5	0.0	57.5	56.2	95.4	89.3
7	15	9	656	0		72.3	88.0	0.0	55.8	52.8	100.7	94.9
7	16	9	657	0		70.2	91.7	0.0	57.4	54.4	100.0	94.3
7	17	9	658	0		70.2	99.0	0.0	58.3	54.8	94.8	89.9
7	23	9	664	0		70.2	85.1	0.0	61.5	61.1	88.6	81.0
7	24	9	665	0		68.5	86.1	0.0	60.6	57.5	80.0	85.0
7	25	9	666	0		68.8	85.5	0.0	61.8	61.0	91.0	84.1
7	26	9	667	0		69.2	86.0	0.0	60.9	51.9	91.2	85.5
7	27	9	668	0		68.1	87.4	0.0	60.6	55.5	92.5	86.9
7	28	9	669	0		68.1	88.8	0.0	60.2	59.1	93.8	88.3
7	29	9	670	0		73.3	86.9	0.0	61.1	59.4	80.8	86.7
7	30	9	671	0		72.1	80.2	0.0	59.5	56.2	95.0	91.8
7	31	9	672	0		73.3	84.6	0.0	57.3	56.0	101.1	96.5
8	1	9	673	0		73.2	84.1	0.0	57.5	55.4	97.7	95.1
8	2	9	674	0		71.7	83.6	0.0	57.9	54.8	98.2	93.8

LYSIMETER TEMPERATURES

DEGREES FAHRENHEIT

ML	DA	YR	DAY	NO	FD	T1	T2	T3	T10	T11	T12	T13
8	3	7	675	0		71.5	84.3	0.0	59.5	56.7	94.3	91.6
8	4	7	676	0		69.5	85.1	0.0	61.1	53.5	91.5	89.4
8	5	0	677	0		65.9	82.0	0.0	60.1	57.6	87.6	81.9
8	12	0	684	0		64.7	84.2	0.0	57.8	0.0	87.5	83.1
8	18	9	721	0		53.1	79.3	0.0	60.8	59.1	83.9	79.3
8	19	0	722	0		59.6	72.7	0.0	59.1	54.2	83.7	77.2
8	22	0	725	0		57.2	84.2	0.0	57.3	57.3	90.0	82.9
8	23	0	726	0		61.2	76.1	0.0	57.6	56.6	90.3	83.5
8	24	0	727	0		65.5	72.2	0.0	57.7	57.5	89.4	84.7
8	25	1	728	0		65.9	74.3	0.0	55.2	53.2	92.0	87.5
8	29	1	732	0		67.1	70.3	0.0	60.7	61.0	79.8	72.9

SECTION 1-B
LYSIMETER GAS COMPOSITION

Notes:

1. Nomenclature

CO_2 = Carbon Dioxide
 O_2 = Oxygen
 N_2 = Nitrogen
 CH_4 = Methane
 H_2S = Hydrogen
 CO = Carbon Monoxide

2. All results are in percent of total gas.

LYSIMETER GAS ANALYSIS

						TOP PORT					
MO	DA	YR	DAY	NO	LOC	CO2	O2	N2	CH4	H2S	CO
1	6	9		466	G1	0.4	20.0	79.5	0.0	0.0	0.0
1	8	9		468	G1	0.9	20.6	78.4	0.1	0.0	0.0
1	12	9		472	G1	1.0	19.1	79.9	0.0	0.0	0.0
1	14	9		474	G1	1.0	18.7	80.2	0.1	0.0	0.0
1	17	9		477	G1	1.6	18.8	79.6	0.1	0.0	0.0
1	24	9		484	G1	1.0	19.3	79.6	0.1	0.0	0.0
1	27	9		487	G1	1.0	19.3	79.6	0.1	0.0	0.0
1	31	9		491	G1	0.8	19.4	79.7	0.1	0.0	0.0
2	5	9		496	G1	0.7	19.1	80.1	0.1	0.0	0.0
2	7	9		498	G1	0.6	20.1	79.1	0.2	0.0	0.0
2	10	9		501	G1	1.0	18.9	79.9	0.1	0.0	0.0
2	19	9		510	G1	0.9	18.7	80.3	0.1	0.0	0.0
2	21	9		512	G1	0.8	19.0	79.9	0.2	0.0	0.0
2	24	9		515	G1	0.4	19.5	80.0	0.1	0.0	0.0
2	27	9		518	G1	0.8	19.3	79.7	0.2	0.0	0.0
3	4	9		523	G1	1.3	18.5	79.9	0.2	0.0	0.0
3	7	9		526	G1	1.1	18.9	79.8	0.2	0.0	0.0
3	10	9		529	G1	1.5	18.2	80.1	0.2	0.0	0.0
3	13	9		532	G1	2.0	17.7	80.0	0.2	0.0	0.0
3	19	9		538	G1	0.4	19.4	80.1	0.1	0.0	0.0
3	21	9		540	G1	1.2	19.3	79.4	0.1	0.0	0.0
3	24	9		543	G1	0.5	19.7	79.7	0.2	0.0	0.0
3	31	9		550	G1	1.4	18.3	80.1	0.2	0.0	0.0
4	11	9		561	G1	1.0	19.5	79.4	0.2	0.0	0.0
4	18	9		568	G1	2.5	16.4	80.3	0.8	0.0	0.0
4	25	9		575	G1	3.4	16.1	79.9	0.5	0.0	0.0
5	2	9		582	G1	2.9	16.5	80.2	0.2	0.0	0.0
5	9	9		589	G1	2.7	16.8	80.4	0.0	0.0	0.0
5	16	9		596	G1	2.1	17.1	80.6	0.1	0.0	0.0
5	23	9		603	G1	3.7	38.5	57.5	0.2	0.0	0.0
6	2	9		613	G1	2.7	17.5	79.6	0.1	0.0	0.0
6	13	9		622	G1	0.0	0.0	0.0	0.0	0.0	0.0
6	23	9		632	G1	6.2	14.3	79.1	0.2	0.0	0.0
6	30	9		639	G1	4.9	29.5	63.3	0.2	0.0	0.0
7	8	9		649	G1	3.9	18.4	77.5	0.2	0.0	0.0
7	15	9		656	G1	2.5	16.1	81.3	0.1	0.0	0.0
7	22	9		663	G1	2.2	16.5	81.2	0.1	0.0	0.0
7	29	9		670	G1	4.4	29.2	66.3	0.1	0.0	0.0
8	5	9		677	G1	2.3	16.4	81.2	0.1	0.0	0.0
8	12	9		684	G1	7.6	8.1	83.6	0.5	0.0	0.0
8	19	9		691	G1	11.6	13.4	72.2	0.1	0.0	0.0
8	26	9		698	G1	7.3	11.7	80.7	0.0	0.0	0.0
9	3	9		705	G1	4.6	15.0	80.2	0.2	0.0	0.0
9	9	9		711	G1	11.5	15.5	72.1	0.2	0.0	0.0
9	16	9		718	G1	7.5	16.0	86.2	0.1	0.0	0.0
9	23	9		725	G1	4.4	29.2	66.3	0.1	0.0	0.0
9	30	9		732	G1	4.6	16.3	78.4	0.6	0.0	0.0

LYSIMETER GAS ANALYSIS

MO	DA	YR	DAY	NO	LOC	CO2	SECOND PORT				CO
							O2	N2	CH4	H2S	
1	6	9		466	G2	21.7	6.4	51.3	20.5	0.0	0.0
1	8	9		468	G2	21.7	6.4	51.3	20.5	0.0	0.0
1	12	9		472	G2	22.9	5.3	52.6	19.2	0.0	0.0
1	14	9		474	G2	19.8	7.3	57.3	15.5	0.0	0.0
1	17	9		477	G2	21.3	6.0	54.5	18.2	0.0	0.0
1	24	9		484	G2	23.9	5.6	51.4	19.1	0.0	0.0
1	27	9		487	G2	23.9	5.6	51.4	19.1	0.0	0.0
1	31	9		491	G2	22.7	5.6	52.7	19.0	0.0	0.0
2	5	9		496	G2	21.3	7.1	54.7	16.9	0.0	0.0
2	7	9		498	G2	23.3	4.5	53.3	18.9	0.0	0.0
2	10	9		501	G2	22.1	6.5	53.8	17.6	0.0	0.0
2	19	9		510	G2	24.5	5.3	49.5	20.7	0.0	0.0
2	21	9		512	G2	19.9	6.8	54.5	18.8	0.0	0.0
2	24	9		515	G2	19.4	8.3	56.2	16.1	0.0	0.0
2	27	9		518	G2	22.1	6.7	52.2	19.0	0.0	0.0
3	4	9		523	G2	23.9	8.0	57.7	10.3	0.0	0.0
3	7	9		526	G2	19.6	8.0	55.2	17.2	0.0	0.0
3	10	9		529	G2	19.6	8.0	55.2	17.2	0.0	0.0
3	13	9		532	G2	27.9	3.8	45.4	22.9	0.0	0.0
3	19	9		538	G2	27.9	3.8	45.4	22.9	0.0	0.0
3	21	9		540	G2	20.6	5.7	60.5	13.2	0.0	0.0
3	24	9		543	G2	26.2	2.2	55.1	16.5	0.0	0.0
3	31	9		550	G2	20.7	7.0	55.4	16.8	0.0	0.0
4	11	9		561	G2	23.1	5.6	50.2	21.0	0.0	0.0
4	18	9		568	G2	26.8	3.5	41.5	28.3	0.0	0.0
4	25	9		575	G2	26.3	5.6	44.9	23.2	0.0	0.0
5	2	9		582	G2	26.3	5.6	44.9	23.2	0.0	0.0
5	9	9		589	G2	34.4	0.1	38.5	26.9	0.0	0.0
5	16	9		596	G2	25.0	2.6	51.2	21.2	0.0	0.0
5	23	9		603	G2	20.1	4.9	52.5	22.5	0.0	0.0
6	2	9		613	G2	23.7	5.6	49.6	21.1	0.0	0.0
6	13	9		622	G2	27.7	5.1	37.7	29.5	0.0	0.0
6	23	9		632	G2	30.1	6.2	33.7	30.0	0.0	0.0
6	30	9		639	G2	27.7	7.5	44.7	20.2	0.0	0.0
7	8	9		649	G2	29.7	4.8	40.3	25.2	0.0	0.0
7	15	9		656	G2	17.5	8.2	73.4	0.9	0.0	0.0
7	22	9		663	G2	21.3	2.6	58.2	17.9	0.0	0.0
7	29	9		670	G2	21.0	5.6	54.0	19.3	0.0	0.0
8	5	9		677	G2	21.5	2.6	58.6	17.3	0.0	0.0
8	12	9		684	G2	27.5	4.5	38.7	29.3	0.0	0.0
8	19	9		691	G2	21.8	5.4	49.8	23.0	0.0	0.0
8	26	9		698	G2	20.4	3.7	60.6	15.3	0.0	0.0
9	3	9		705	G2	24.4	3.7	51.1	20.8	0.0	0.0
9	9	9		711	G2	21.8	5.3	50.0	22.9	0.0	0.0
9	16	9		718	G2	21.3	2.6	58.2	17.9	0.0	0.0
9	23	9		725	G2	21.0	5.6	54.0	19.3	0.0	0.0
9	30	9		732	G2	32.2	5.6	35.1	27.1	0.0	0.0

LYSIMETER GAS ANALYSIS

MO	DA	YR	DAY	NO	LOC	THIRD PORT					
						CO2	O2	N2	CH4	H2S	CO
1	6	9		466	G3	27.1	4.0	47.8	21.2	0.0	0.0
1	8	9		468	G3	29.1	1.3	44.0	25.5	0.0	0.0
1	12	9		472	G3	23.2	4.8	51.8	20.2	0.0	0.0
1	14	9		474	G3	30.2	1.7	41.9	26.2	0.0	0.0
1	17	9		477	G3	27.0	1.9	46.3	24.7	0.0	0.0
1	24	9		484	G3	28.4	2.9	46.0	22.7	0.0	0.0
1	27	9		487	G3	30.0	1.9	43.9	24.1	0.0	0.0
1	31	9		491	G3	30.9	2.1	41.7	25.3	0.0	0.0
2	5	9		496	G3	31.4	1.8	42.3	24.4	0.0	0.0
2	7	9		498	G3	31.4	1.8	41.5	25.3	0.0	0.0
2	10	9		501	G3	32.3	1.0	40.4	26.3	0.0	0.0
2	19	9		510	G3	32.0	1.2	39.4	27.4	0.0	0.0
2	21	9		512	G3	31.8	0.4	39.4	28.4	0.0	0.0
2	24	9		515	G3	31.6	1.5	38.9	27.9	0.0	0.0
2	27	9		518	G3	33.8	0.6	36.6	28.9	0.0	0.0
3	4	9		523	G3	28.0	4.0	43.3	24.7	0.0	0.0
3	7	9		526	G3	28.0	4.0	43.3	24.7	0.0	0.0
3	10	9		529	G3	20.1	11.7	59.0	9.1	0.0	0.0
3	13	9		532	G3	20.1	11.7	59.0	9.1	0.0	0.0
3	19	9		538	G3	29.6	1.0	50.3	19.1	0.0	0.0
3	21	9		540	G3	31.5	0.4	47.9	20.2	0.0	0.0
3	24	9		543	G3	31.4	0.6	45.1	22.9	0.0	0.0
3	31	9		550	G3	32.4	0.8	40.4	26.3	0.0	0.0
4	11	9		561	G3	34.1	0.4	34.5	31.1	0.0	0.0
4	18	9		568	G3	32.7	0.6	33.3	33.4	0.0	0.0
4	25	9		575	G3	37.4	0.3	27.3	35.0	0.0	0.0
5	2	9		582	G3	32.0	1.1	36.6	30.3	0.0	0.0
5	9	9		589	G3	31.8	2.1	42.8	23.3	0.0	0.0
5	16	9		596	G3	25.9	1.5	44.4	28.2	0.0	0.0
5	23	9		603	G3	16.1	3.3	62.2	18.4	0.0	0.0
6	2	9		613	G3	26.0	1.8	44.3	27.8	0.0	0.0
6	13	9		622	G3	31.2	0.4	48.0	20.5	0.0	0.0
6	23	9		632	G3	42.2	1.3	37.3	19.2	0.0	0.0
6	30	9		639	G3	39.7	3.4	22.8	34.2	0.0	0.0
7	8	9		649	G3	36.5	4.5	36.0	23.0	0.0	0.0
7	15	9		656	G3	33.7	1.4	40.9	24.1	0.0	0.0
7	22	9		663	G3	23.4	3.5	52.8	20.4	0.0	0.0
7	29	9		670	G3	36.6	2.8	26.7	33.9	0.0	0.0
8	5	9		677	G3	23.2	3.7	53.8	19.4	0.0	0.0
8	12	9		684	G3	43.0	7.3	22.1	27.5	0.0	0.0
8	19	9		691	G3	36.2	2.1	20.2	41.5	0.0	0.0
8	26	9		698	G3	28.0	10.5	35.3	26.2	0.0	0.0
9	3	9		705	G3	40.2	2.1	24.8	32.9	0.0	0.0
9	9	9		711	G3	46.2	1.7	33.5	18.6	0.0	0.0
9	16	9		718	G3	23.4	3.5	52.9	20.1	0.0	0.0
9	23	9		725	G3	29.3	3.2	29.7	37.8	0.0	0.0
9	30	9		732	G3	41.0	2.9	42.6	13.4	0.0	0.0

LYSIMETER GAS ANALYSIS

FOURTH PORT

MO	DA	YR	DAY	NO	LOC	CO2	O2	N2	CH4	H2S	CO
1	6	9		466	G4	27.5	1.9	50.3	20.3	0.0	0.0
1	8	9		468	G4	24.0	4.9	50.5	20.5	0.0	0.0
1	12	9		472	G4	25.1	3.9	50.4	20.6	0.0	0.0
1	14	9		474	G4	26.3	3.5	47.2	23.0	0.0	0.0
1	17	9		477	G4	24.9	3.4	50.3	21.4	0.0	0.0
1	24	9		484	G4	26.9	3.6	47.7	21.7	0.0	0.0
1	27	9		487	G4	25.6	4.8	49.8	19.8	0.0	0.0
1	31	9		491	G4	27.2	3.5	47.3	22.0	0.0	0.0
2	5	9		496	G4	27.2	3.5	47.3	22.0	0.0	0.0
2	7	9		498	G4	28.1	3.4	47.9	20.6	0.0	0.0
2	10	9		501	G4	28.1	3.4	47.9	20.6	0.0	0.0
2	19	9		510	G4	28.7	2.9	43.5	24.9	0.0	0.0
2	21	9		512	G4	26.2	2.8	47.2	23.8	0.0	0.0
2	24	9		515	G4	28.4	3.3	44.1	24.1	0.0	0.0
2	27	9		518	G4	30.2	2.3	42.2	25.3	0.0	0.0
3	4	9		523	G4	29.8	2.7	41.6	25.9	0.0	0.0
3	7	9		526	G4	27.5	3.8	44.3	24.4	0.0	0.0
3	10	9		529	G4	28.8	2.9	43.2	25.1	0.0	0.0
3	13	9		532	G4	28.8	2.9	43.2	25.1	0.0	0.0
3	19	9		538	G4	25.7	3.3	54.2	16.8	0.0	0.0
3	21	9		540	G4	27.4	2.7	52.5	17.4	0.0	0.0
3	24	9		543	G4	29.8	1.9	47.5	20.8	0.0	0.0
3	31	9		550	G4	30.4	2.3	45.6	21.7	0.0	0.0
4	11	9		561	G4	28.6	2.8	42.9	25.7	0.0	0.0
4	18	9		568	G4	29.8	2.3	38.7	29.2	0.0	0.0
4	25	9		575	G4	33.4	1.9	34.4	30.3	0.0	0.0
5	2	9		582	G4	28.6	2.1	40.1	29.1	0.0	0.0
5	9	9		589	G4	31.5	1.9	43.4	23.2	0.0	0.0
5	16	9		596	G4	26.0	1.8	48.1	24.1	0.0	0.0
5	23	9		603	G4	23.4	3.6	46.1	26.9	0.0	0.0
6	2	9		613	G4	25.9	2.8	47.5	23.8	0.0	0.0
6	13	9		622	G4	25.0	2.6	48.5	23.9	0.0	0.0
6	23	9		632	G4	27.3	2.5	38.1	32.2	0.0	0.0
6	30	9		639	G4	29.3	2.5	34.0	34.1	0.0	0.0
7	8	9		648	G4	6.4	17.1	71.4	5.1	0.0	0.0
7	15	9		656	G4	25.9	2.8	45.2	26.0	0.0	0.0
7	22	9		663	G4	27.2	0.4	44.5	28.0	0.0	0.0
7	29	9		670	G4	37.7	15.9	30.1	16.2	0.0	0.0
8	3	9		677	G4	15.5	6.2	26.1	52.2	0.0	0.0
8	12	9		687	G4	8.2	16.5	70.0	5.3	0.0	0.0
8	19	9		691	G4	4.9	15.5	79.4	0.2	0.0	0.0
8	26	9		698	G4	4.1	15.6	80.4	0.0	0.0	0.0
9	3	9		703	G4	43.8	5.6	45.3	5.4	0.0	0.0
9	9	9		711	G4	4.9	15.6	79.3	0.2	0.0	0.0
9	16	9		718	G4	27.0	0.4	44.6	28.0	0.0	0.0
9	23	9		725	G4	29.1	15.7	29.8	16.4	0.0	0.0
9	30	9		732	G4	37.8	6.6	40.3	15.3	0.0	0.0

LYSINETER GAS ANALYSIS

SOIL SURFACE

MO	DA	YR	DAY	NO	LOC	CO2	O2	N2	CH4	H2S	CO
1	6	9		466	G5	0.1	20.1	79.8	0.0	0.0	0.0
1	8	9		468	G5	0.0	19.8	80.2	0.0	0.0	0.0
1	12	9		472	G5	0.1	19.7	80.2	0.0	0.0	0.0
1	14	9		474	G5	0.1	20.1	79.9	0.0	0.0	0.0
1	17	9		477	G5	1.2	19.3	79.5	0.0	0.0	0.0
1	24	9		484	G5	0.0	0.0	0.0	0.0	0.0	0.0
1	27	9		487	G5	0.8	20.2	78.7	0.3	0.0	0.0
1	31	9		491	G5	0.1	20.5	79.5	0.0	0.0	0.0
2	5	9		496	G5	0.1	20.3	79.6	0.0	0.0	0.0
2	7	9		498	G5	0.1	19.7	80.2	0.0	0.0	0.0
2	10	9		501	G5	0.6	19.8	80.1	0.0	0.0	0.0
2	19	9		510	G5	0.1	18.5	81.5	0.0	0.0	0.0
2	21	9		512	G5	0.0	20.1	79.8	0.0	0.0	0.0
2	24	9		515	G5	0.1	19.4	80.5	0.0	0.0	0.0
2	27	9		518	G5	0.1	20.3	79.7	0.0	0.0	0.0
3	4	9		523	G5	0.1	20.7	79.3	0.0	0.0	0.0
3	7	9		526	G5	0.1	19.6	80.4	0.0	0.0	0.0
3	10	9		529	G5	0.1	20.1	79.9	0.0	0.0	0.0
3	13	9		532	G5	0.1	20.1	79.9	0.0	0.0	0.0
3	19	9		538	G5	1.0	20.0	79.9	0.0	0.0	0.0
3	21	9		540	G5	0.1	20.1	79.8	0.0	0.0	0.0
3	24	9		543	G5	0.2	19.5	80.3	0.0	0.0	0.0
3	31	9		550	G5	0.1	20.1	79.7	0.1	0.0	0.0
4	11	9		561	G5	0.1	19.5	80.5	0.1	0.0	0.0
4	18	9		568	G5	0.1	19.8	79.8	0.3	0.0	0.0
4	25	9		575	G5	0.1	19.8	80.2	0.0	0.0	0.0
5	2	9		582	G5	0.1	19.9	79.9	0.9	0.0	0.0
5	9	9		589	G5	0.1	19.9	80.0	0.0	0.0	0.0
5	16	9		596	G5	0.1	19.9	80.0	0.0	0.0	0.0
5	23	9		603	G5	0.2	19.7	80.1	0.0	0.0	0.0
6	2	9		613	G5	0.1	20.6	79.3	0.0	0.0	0.0
6	13	9		622	G5	3.5	24.1	72.4	0.0	0.0	0.0
6	23	9		632	G5	0.0	0.0	0.0	0.0	0.0	0.0
6	30	9		639	G5	2.5	22.1	75.4	0.0	0.0	0.0
7	8	9		648	G5	27.1	22.9	50.5	0.0	0.0	0.0
7	15	9		656	G5	0.0	0.0	0.0	0.0	0.0	0.0
7	22	9		663	G5	12.2	43.7	44.0	0.0	0.0	0.0
7	29	9		670	G5	25.9	22.4	52.0	0.0	0.0	0.0
8	3	9		677	G5	12.2	43.7	44.0	0.0	0.0	0.0
8	12	9		687	G5	10.3	30.9	59.2	0.0	0.0	0.0
8	19	9		691	G5	10.2	19.9	69.8	10.0	0.0	0.0
8	26	9		698	G5	0.3	18.7	81.0	0.0	0.0	0.0
9	3	9		703	G5	0.0	0.0	0.0	0.0	0.0	0.0
9	9	9		711	G5	0.2	20.0	79.7	0.2	0.0	0.0
9	16	9		718	G5	12.2	43.7	44.0	0.0	0.0	0.0
9	23	9		725	G5	25.4	22.4	52.0	0.0	0.0	0.0
9	30	9		732	G5	0.0	0.0	0.0	0.0	0.0	0.0

LYSIMETER GAS ANALYSIS

ROOM AIR

MO	DA	YR	DAY	NO	LGC	CO2	O2	N2	CH4	H2S	CO
1	6	9		466	G6	0.0	0.0	0.0	0.0	0.0	0.0
1	8	9		468	G6	1.3	18.8	79.6	0.3	0.0	0.0
1	12	9		472	G6	1.8	18.4	79.7	0.1	0.0	0.0
1	14	9		474	G6	1.6	17.9	80.3	0.2	0.0	0.0
1	17	9		477	G6	0.9	17.9	81.1	0.1	0.0	0.0
1	24	9		484	G6	1.5	17.5	80.7	0.2	0.0	0.0
1	27	9		487	G6	0.2	19.5	80.3	0.0	0.0	0.0
1	31	9		491	G6	1.1	19.3	79.4	0.2	0.0	0.0
2	5	9		496	G6	1.6	21.1	77.2	0.2	0.0	0.0
2	7	9		498	G6	1.4	18.4	79.9	0.2	0.0	0.0
2	10	9		501	G6	1.8	18.3	79.8	0.1	0.0	0.0
2	19	9		510	G6	1.2	18.5	80.1	0.2	0.0	0.0
2	21	9		512	G6	1.5	18.4	79.8	0.3	0.0	0.0
2	24	9		515	G6	1.6	19.5	78.6	0.3	0.0	0.0
2	27	9		518	G6	1.4	18.2	80.1	0.3	0.0	0.0
3	4	9		523	G6	2.1	18.1	79.5	0.3	0.0	0.0
3	7	9		526	G6	2.3	17.5	79.7	0.5	0.0	0.0
3	10	9		529	G6	2.6	17.0	79.9	0.4	0.0	0.0
3	13	9		532	G6	3.5	15.9	80.2	0.4	0.0	0.0
3	19	9		538	G6	1.6	17.9	80.5	0.1	0.0	0.0
3	21	9		540	G6	1.6	17.4	80.9	0.1	0.0	0.0
3	24	9		543	G6	1.1	18.2	80.7	0.0	0.0	0.0
3	31	9		550	G6	2.9	16.8	79.9	0.3	0.0	0.0
4	11	9		561	G6	5.0	15.4	79.0	0.6	0.0	0.0
4	18	9		568	G6	4.9	13.8	79.9	1.4	0.0	0.0
4	25	9		575	G6	6.9	12.7	79.4	1.0	0.0	0.0
5	2	9		582	G6	5.1	14.0	80.4	0.4	0.0	0.0
5	9	9		589	G6	4.5	14.9	80.4	0.1	0.0	0.0
5	16	9		596	G6	3.4	15.2	80.1	0.0	0.0	0.0
5	23	9		603	G6	4.5	15.2	79.8	0.3	0.0	0.0
6	2	9		613	G6	3.8	15.6	80.3	0.1	0.0	0.0
6	13	9		622	G6	11.1	14.6	73.9	0.3	0.0	0.0
6	23	9		632	G6	12.4	14.0	73.5	0.6	0.0	0.0
6	30	9		639	G6	0.1	19.3	80.6	0.0	0.0	0.0
7	8	9		648	G6	4.9	17.3	77.8	0.2	0.0	0.0
7	15	9		656	G6	13.8	14.2	71.7	0.1	0.0	0.0
7	22	9		663	G6	3.4	16.9	79.5	0.1	0.0	0.0
7	29	9		670	G6	0.0	0.0	0.0	0.0	0.0	0.0
8	3	9		677	G6	3.4	17.0	79.4	0.0	0.0	0.0
8	12	9		687	G6	12.9	5.7	80.3	0.9	0.0	0.0
8	19	9		691	G6	12.0	6.3	81.5	0.1	0.0	0.0
8	26	9		698	G6	12.1	8.2	79.6	0.0	0.0	0.0
9	3	9		703	G6	8.2	11.6	80.1	0.0	0.0	0.0
9	10	9		711	G6	12.0	6.4	81.4	0.0	0.0	0.0
9	16	9		718	G6	3.4	16.9	79.5	0.1	0.0	0.0
9	23	9		725	G6	0.0	0.0	0.0	0.0	0.0	0.0
9	30	9		732	G6	4.4	16.8	78.8	0.0	0.0	0.0

SECTION 1-C1
LYSIMETER LEACHATE ANALYSIS

Notes:

1. Nomenclature

VOL IN = volume distilled water added to soil surface
LEACHATE = volume of water removed from bottom
FE = total iron content of leachate
ZN = total zinc content of leachate
NI = total nickel content of leachate
CU = total copper content of leachate
PH = hydrogen ion concentration
HARD = total hardness in milligrams per liter as CaCO_3
D.O. = dissolved oxygen
 PO_4 = phosphate ion
 CL^- = chloride ion
NA = sodium ion
S. SOL = suspended solids
N FRE = free ammonia nitrogen
N AMO = organic nitrogen
COD = chemical oxygen demand
BOD = biological oxygen demand
RES. = total residue on evaporation
% VOL = % volatile portion of residue
ML = milliliters
MG/L = milligrams per liter

LYSIMETER LEACHATE ANALYSIS

PAGE NO. 1

MO	DA	YR	DAY NO	VOL IN ML	LEACHATE ML	FE MG/L	ZN MG/L	NI MG/L	CU MG/L
1	3	9	463	65200.00	58000.00	690.00	167.00	0.18	0.04
1	13	9	473	65200.00	57000.00	660.00	141.00	0.18	0.05
1	20	9	480	65200.00	38300.00	660.00	16.00	0.02	0.0
1	27	9	487	64100.00	50000.00	630.00	28.00	0.07	0.0
2	4	9	495	62660.00	47250.00	290.00	31.00	0.11	0.03
2	10	9	501	62660.00	40000.00	580.00	26.00	0.08	0.0
2	19	9	510	62660.00	48000.00	680.00	25.00	0.07	0.0
2	24	9	515	63390.00	56000.00	780.00	25.00	0.09	0.0
3	4	9	523	65200.00	55000.00	780.00	22.00	0.09	0.03
3	10	9	530	65200.00	48000.00	600.00	80.00	0.19	0.02
3	18	9	538	65200.00	48000.00	250.00	6.00	0.15	0.0
3	24	9	544	65200.00	50000.00	250.00	39.00	0.10	0.0
3	31	9	551	37520.00	52230.00	340.00	18.00	0.0	0.0
4	7	9	558	32910.00	44280.00	396.00	9.00	0.0	0.0
4	14	9	565	32910.00	38990.00	480.00	15.00	0.0	0.0
4	21	9	571	32890.00	35900.00	840.00	1.20	0.19	9.90
4	29	9	579	16070.00	27600.00	1441.00	1.65	0.18	8.53
5	6	9	586	3440.00	16600.00	1397.00	2.25	0.16	5.77
5	12	9	592	3440.00	16600.00	1716.00	2.47	0.18	5.77
5	20	9	600	3440.00	13200.00	580.00	33.00	0.17	0.40
5	28	9	608	2950.00	13200.00	520.00	22.50	0.20	0.30
6	3	9	614	0.0	9500.00	580.00	17.50	0.12	0.60
6	9	9	620	0.0	4900.00	780.00	21.00	0.20	0.40
6	17	9	628	0.0	6500.00	1200.00	27.50	0.23	0.50
6	23	9	634	0.0	5900.00	700.00	19.00	0.20	0.20
6	30	9	640	0.0	5700.00	1000.00	27.50	0.17	0.78
7	7	9	647	0.0	4400.00	900.00	24.00	0.20	1.50
7	14	9	654	0.0	4200.00	940.00	25.50	0.20	0.50
7	21	9	661	0.0	4000.00	1060.00	24.00	0.29	0.20
7	28	9	668	2290.00	3800.00	140.00	30.00	0.29	0.50
8	4	9	675	5350.00	3600.00	950.00	16.00	0.07	0.10
8	11	9	682	5350.00	3300.00	1180.00	18.00	0.12	0.10
8	18	9	689	5350.00	2700.00	1100.00	18.00	0.07	0.10
8	25	9	696	5350.00	2600.00	1040.00	17.00	0.11	0.11
9	2	9	704	4160.00	2800.00	900.00	17.00	0.07	0.11
9	8	9	710	4160.00	2900.00	950.00	16.00	0.08	0.11
9	15	9	717	4160.00	3100.00	1040.00	14.00	1.00	0.17
9	23	9	725	4160.00	3200.00	1000.00	25.00	0.08	0.14
9	29	9	732	17063.00	3000.00	120.00	7.79	0.08	0.08

MO	DA	YR	DAY NO	ID	PH	HARD	D.O.	PO4	SO4	CL	NA
						MG/L	MG/L	MG/L	MG/L	MG/L	MG/L
1	6	9	463	LAB 1	5.5	3500.0	0.0	0.0	180.0	300.0	730.0
1	13	9	473	LAB 1	5.5	3700.0	0.0	0.0	170.0	290.0	490.0
1	20	9	480	LAB 1	5.4	2800.0	0.0	0.0	200.0	290.0	310.0
1	27	9	487	LAB 1	5.5	1400.0	0.0	0.0	180.0	160.0	370.0
2	4	9	495	LAB 1	4.8	1100.0	0.0	0.0	180.0	240.0	420.0
2	10	9	501	LAB 1	5.5	1500.0	0.0	0.0	200.0	150.0	420.0
2	19	9	510	LAB 1	5.5	1600.0	0.0	0.0	150.0	220.0	410.0
2	24	9	515	LAB 1	5.7	1500.0	0.0	0.0	164.0	200.0	370.0
3	4	9	523	LAB 1	5.7	1500.0	0.0	0.0	160.0	170.0	390.0
3	10	9	530	LAB 1	5.2	2600.0	0.0	0.0	450.0	262.0	630.0
3	18	9	538	LAB 1	5.8	1400.0	0.0	0.0	60.0	144.0	330.0
3	24	9	544	LAB 1	5.8	1140.0	0.0	0.0	32.0	144.0	330.0
3	31	9	551	LAB 1	6.5	1700.0	0.0	0.0	130.0	144.0	330.0
4	7	9	558	LAB 1	5.3	800.0	0.0	1.5	227.0	154.0	370.0
4	14	9	565	LAB 1	5.4	950.0	0.0	8.5	175.0	159.0	390.0
4	21	9	571	LAB 1	5.4	750.0	0.0	15.0	122.0	154.0	360.0
4	29	9	579	LAB 1	5.5	1150.0	0.0	30.0	120.0	283.0	580.0
5	6	9	586	LAB 1	5.6	2200.0	0.0	21.0	260.0	235.0	680.0
5	12	9	592	LAB 1	5.6	2300.0	0.0	10.0	272.0	293.0	660.0
5	20	9	600	LAB 1	5.5	1700.0	0.0	11.0	120.0	286.0	630.0
5	28	9	608	LAB 1	5.5	1850.0	0.0	10.0	240.0	287.0	908.0
6	3	9	614	LAB 1	5.7	2350.0	0.0	11.0	260.0	280.0	741.0
6	9	9	620	LAB 1	5.7	2050.0	0.0	10.0	260.0	313.0	800.0
6	17	9	628	LAB 1	5.7	1750.0	0.0	0.0	440.0	405.0	800.0
6	23	9	634	LAB 1	5.7	2200.0	0.0	0.0	100.0	300.0	680.0
6	30	9	640	LAB 1	5.7	1900.0	0.0	0.0	282.0	335.0	740.0
7	7	9	647	LAB 1	5.7	1750.0	0.0	0.0	235.0	335.0	740.0
7	14	9	654	LAB 1	5.7	2350.0	0.0	0.0	444.0	370.0	800.0
7	21	9	661	LAB 1	5.6	2300.0	0.0	0.0	450.0	385.0	770.0
7	28	9	668	LAB 1	5.7	2150.0	0.0	0.0	320.0	340.0	740.0
8	4	9	675	LAB 1	5.8	1900.0	0.0	0.0	210.0	350.0	770.0
8	11	9	682	LAB 1	5.7	2350.0	0.0	0.0	240.0	395.0	800.0
8	18	9	689	LAB 1	5.4	2400.0	0.0	0.0	400.0	400.0	740.0
8	25	9	696	LAB 1	5.5	2300.0	0.0	0.0	260.0	390.0	740.0
9	2	9	704	LAB 1	5.7	2400.0	0.0	0.0	300.0	380.0	840.0
9	8	9	710	LAB 1	5.9	2150.0	0.0	0.0	330.0	400.0	710.0
9	15	9	717	LAB 1	0.0	0.0	0.0	0.0	340.0	390.0	660.0
9	23	9	725	LAB 1	0.0	0.0	0.0	0.0	400.0	0.0	660.0
9	29	9	732	LAB 1	5.2	0.0	0.0	0.0	0.0	373.0	0.0

LYSIMETER LEACHATE ANALYSIS PAGE NO. 3

MO	DA	YR	DAY NO	ID	S.SOL	N FRE	N AMO	COD	ALK	RES	%VOL
					MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	%
1	6	9	463	LAB 1	635.0	67.2	106.2	16815.0	1649.0	0.0	12.6
1	13	9	473	LAB 1	635.0	86.2	167.2	13280.0	0.0	9500.0	0.0
1	20	9	480	LAB 1	795.0	50.4	68.7	4177.0	0.0	5400.0	0.0
1	27	9	487	LAB 1	730.0	56.6	88.8	9080.0	0.0	6815.0	0.0
2	4	9	495	LAB 1	730.0	67.2	101.1	7033.0	0.0	8415.0	0.0
2	10	9	501	LAB 1	850.0	72.2	100.0	7604.0	0.0	7580.0	0.0
2	19	9	510	LAB 1	765.0	62.7	87.0	10282.0	0.0	7580.0	0.0
2	24	9	515	LAB 1	575.0	65.0	82.0	7925.0	0.0	8400.0	0.0
3	4	9	523	LAB 1	645.0	65.0	83.7	8968.0	0.0	6680.0	0.0
3	10	9	530	LAB 1	145.0	113.1	169.9	8885.0	300.0	14000.0	0.0
3	18	9	538	LAB 1	390.0	72.0	87.0	8625.0	5700.0	6650.0	0.0
3	24	9	544	LAB 1	720.0	58.2	67.1	9716.0	500.0	15600.0	8.7
3	31	9	551	LAB 1	1160.0	69.1	82.4	8808.0	600.0	6560.0	7.9
4	7	9	558	LAB 1	1150.0	78.0	116.0	11804.0	8500.0	7200.0	9.5
4	14	9	565	LAB 1	1160.0	62.2	89.5	10896.0	8500.0	6600.0	7.9
4	21	9	571	LAB 1	927.0	57.1	61.6	9000.0	500.0	8200.0	9.3
4	29	9	579	LAB 1	1320.0	78.0	116.0	23100.0	700.0	7300.0	0.0
5	6	9	586	LAB 1	1546.0	78.0	116.0	21900.0	500.0	11700.0	48.3
5	12	9	592	LAB 1	1000.0	80.0	116.0	22100.0	600.0	14150.0	49.8
5	20	9	600	LAB 1	700.0	81.2	116.2	23700.0	300.0	13210.0	50.3
5	28	9	608	LAB 1	520.0	81.2	135.8	18500.0	9700.0	12520.0	50.5
6	3	9	614	LAB 1	820.0	109.2	120.4	19700.0	700.0	12460.0	50.2
6	9	9	620	LAB 1	930.0	126.0	140.0	18700.0	600.0	14540.0	49.4
6	17	9	628	LAB 1	210.0	173.6	218.4	27100.0	700.0	13600.0	39.0
6	23	9	634	LAB 1	257.0	120.4	126.0	24730.0	500.0	18690.0	38.3
6	30	9	640	LAB 1	230.0	131.6	156.8	18934.0	300.0	16940.0	53.3
7	7	9	647	LAB 1	242.0	142.8	148.4	24730.0	700.0	19900.0	44.4
7	14	9	654	LAB 1	134.0	131.6	151.2	26573.0	900.0	20490.0	52.1
7	21	9	661	LAB 1	147.0	154.0	170.8	28416.0	1300.0	22760.0	52.0
7	28	9	668	LAB 1	1925.0	145.0	151.2	29440.0	1100.0	18500.0	55.8
8	4	9	675	LAB 1	1510.0	158.0	167.0	27050.0	1200.0	18190.0	52.3
8	11	9	682	LAB 1	1085.0	158.0	175.0	26537.0	1200.0	19550.0	52.2
8	18	9	689	LAB 1	1025.0	144.0	144.0	24832.0	700.0	18540.0	55.6
8	25	9	696	LAB 1	1875.0	147.0	164.0	25728.0	800.0	17543.0	53.4
9	2	9	704	LAB 1	1040.0	158.0	161.0	26880.0	1500.0	17456.0	51.6
9	8	9	710	LAB 1	1095.0	0.0	196.0	26490.0	1000.0	16736.0	50.9
9	15	9	717	LAB 1	465.0	188.0	199.0	28480.0	0.0	9840.0	49.8
9	23	9	725	LAB 1	695.0	144.0	134.0	30400.0	0.0	15345.0	52.4
9	29	9	732	LAB 1	0.0	176.4	207.2	28416.0	0.0	18800.0	45.0

SECTION 1-C2
CUMULATIVE GRAMS OF POLLUTANTS

Notes:

1. Nomenclature - same as Section 1-C1.
2. Results are cumulative grams of each pollutant since 12/30/68.

CUMULATIVE GRAMS OF POLLUTANTS

MO	DA	YR	DN	HARDNESS GRAMS	SODIUM GRAMS	IRON GRAMS	ZINC GRAMS	NICKEL GRAMS	COPPER GRAMS	LEACHATE LITERS
1	6	9	463	203.0	42.3	40.02	9.69	0.01	0.0	58.000
1	13	9	473	413.9	70.3	77.64	17.72	0.02	0.0	57.000
1	20	9	480	521.1	82.1	102.92	18.34	0.02	0.0	38.300
1	27	9	487	591.1	100.6	134.42	19.74	0.02	0.0	50.000
2	4	9	495	643.1	120.5	148.12	21.20	0.03	0.0	47.250
2	10	9	501	703.1	137.3	171.32	22.24	0.03	0.0	40.000
2	19	9	510	779.9	157.0	203.96	23.44	0.04	0.0	48.000
2	24	9	515	863.9	177.7	247.64	24.84	0.04	0.0	56.000
3	4	9	523	946.4	199.1	290.54	26.05	0.05	0.0	55.000
3	10	9	530	1071.2	229.4	319.34	29.89	0.06	0.0	48.000
3	18	9	538	1138.4	245.2	331.34	30.18	0.06	0.0	48.000
3	24	9	544	1195.4	261.7	343.84	32.13	0.07	0.0	50.000
3	31	9	551	1284.2	279.0	361.60	33.07	0.07	0.0	52.230
4	7	9	558	1319.6	295.3	379.13	33.47	0.07	0.0	44.280
4	14	9	565	1356.7	310.5	397.85	34.05	0.07	0.0	38.990
4	21	9	571	1383.6	323.5	428.00	34.10	0.07	0.4	35.900
4	29	9	579	1415.3	339.5	467.78	34.14	0.08	0.6	27.600
5	6	9	586	1451.9	350.8	490.97	34.18	0.08	0.7	16.600
5	12	9	592	1490.0	361.7	519.45	34.22	0.09	0.8	16.600
5	20	9	600	1512.5	370.0	527.11	34.65	0.09	0.8	13.200
5	28	9	608	1536.9	382.0	533.97	34.95	0.09	0.8	13.200
6	3	9	614	1559.2	389.1	539.48	35.12	0.09	0.8	9.500
6	9	9	620	1569.3	393.0	543.30	35.22	0.09	0.8	4.900
6	17	9	628	1580.6	398.2	551.10	35.40	0.09	0.8	6.500
6	23	9	634	1593.6	402.2	555.23	35.51	0.10	0.8	5.900
6	30	9	640	1604.4	406.4	560.93	35.67	0.10	0.8	5.700
7	7	9	647	1612.1	409.7	564.89	35.77	0.10	0.8	4.400
7	14	9	654	1622.0	413.0	568.84	35.88	0.10	0.8	4.200
7	21	9	661	1631.2	416.1	573.08	35.98	0.10	0.8	4.000
7	28	9	668	1639.4	418.9	573.61	36.09	0.10	0.8	3.800
8	4	9	675	1646.2	421.7	577.03	36.15	0.10	0.8	3.600
8	11	9	682	1654.0	424.3	580.92	36.21	0.10	0.8	3.300
8	18	9	689	1660.5	426.3	583.89	36.26	0.10	0.8	2.700
8	25	9	696	1666.4	428.2	586.60	36.30	0.10	0.8	2.600
9	2	9	704	1673.2	430.6	589.12	36.35	0.10	0.8	2.800
9	8	9	710	1679.4	432.7	591.87	36.39	0.10	0.8	2.900
9	15	9	717	1679.4	434.7	595.10	36.44	0.10	0.8	3.100
9	23	9	725	1679.4	436.8	598.30	36.52	0.11	0.8	3.200
9	29	9	732	1679.4	436.8	598.66	36.54	0.11	0.8	3.000

CUMULATIVE GRAMS OF POLLUTANTS

<u>MO</u>	<u>DA</u>	<u>YR</u>	<u>DN</u>	<u>PHOSPHATE</u> GRAMS	<u>SULFATE</u> GRAMS	<u>CHLORIDE</u> GRAMS	<u>SUS.SOL</u> GRAMS	<u>N FREE</u> GRAMS	<u>N AMON</u> GRAMS	<u>COD</u> GRAMS
1	6	9	463	0.0	10.4	17.4	36.8	3.9	6.2	975.4
1	13	9	473	0.0	20.1	33.9	73.0	8.8	15.7	1732.2
1	20	9	480	0.0	27.8	45.0	103.5	10.7	18.3	1892.2
1	27	9	487	0.0	36.8	53.0	140.0	13.6	22.8	2346.2
2	4	9	495	0.0	45.3	64.4	174.5	16.7	27.5	2678.5
2	10	9	501	0.0	53.3	70.4	208.5	19.6	31.5	2982.7
2	19	9	510	0.0	60.5	80.9	245.2	22.6	35.7	3476.2
2	24	9	515	0.0	69.7	92.1	277.4	26.3	40.3	3920.0
3	4	9	523	0.0	78.5	101.5	312.9	29.9	44.9	4413.3
3	10	9	530	0.0	100.1	114.1	319.8	35.3	53.1	4839.7
3	18	9	538	0.0	103.0	121.0	338.5	38.7	57.2	5253.7
3	24	9	544	0.0	104.6	128.2	374.5	41.7	60.6	5739.5
3	31	9	551	0.0	111.3	135.7	435.1	45.3	64.9	6199.6
4	7	9	558	0.1	121.4	142.5	486.0	48.7	70.0	6722.2
4	14	9	565	0.4	128.2	148.7	531.3	51.1	73.5	7147.1
4	21	9	571	0.9	132.6	154.2	564.6	53.2	75.7	7470.2
4	29	9	579	1.8	135.9	162.1	601.0	55.3	78.9	8107.7
5	6	9	586	2.1	140.2	166.0	626.7	56.6	80.9	8471.3
5	12	9	592	2.3	144.7	170.8	643.3	58.0	82.8	8838.1
5	20	9	600	2.4	146.3	174.6	652.5	59.0	84.3	9151.0
5	28	9	608	2.6	149.5	178.4	659.4	60.1	86.1	9395.2
6	3	9	614	2.7	152.0	181.0	667.1	61.1	87.3	9582.3
6	9	9	620	2.7	153.2	182.6	671.7	61.8	87.9	9673.9
6	17	9	628	2.7	156.1	185.2	673.1	62.9	89.4	9850.1
6	23	9	634	2.7	156.7	187.0	674.6	63.6	90.1	9996.0
6	30	9	640	2.7	158.3	188.9	675.9	64.4	91.0	10103.9
7	7	9	647	2.7	159.3	190.4	677.0	65.0	91.7	10212.7
7	14	9	654	2.7	161.2	191.9	677.5	65.5	92.3	10324.3
7	21	9	661	2.7	163.0	193.5	678.1	66.2	93.0	10438.0
7	28	9	668	2.7	164.2	194.7	685.4	66.7	93.5	10549.9
8	4	9	675	2.7	165.0	196.0	690.9	67.3	94.1	10647.2
8	11	9	682	2.7	165.8	197.3	694.4	67.8	94.7	10734.8
8	18	9	689	2.7	166.8	198.4	697.2	68.2	95.1	10801.6
8	25	9	696	2.7	167.5	199.4	702.1	68.6	95.5	10868.8
9	2	9	704	2.7	168.4	200.5	705.0	69.0	96.0	10944.0
9	8	9	710	2.7	169.3	201.6	708.2	69.0	96.6	11020.8
9	15	9	717	2.7	170.4	202.8	709.6	69.6	97.2	11109.1
9	23	9	725	2.7	171.6	202.8	711.8	70.0	97.6	11206.4
9	29	9	732	2.7	171.6	204.0	711.8	70.6	98.2	11291.6

SECTION 1-C3
MASS FLOW RATE OF POLLUTANTS

Notes:

1. Nomenclature - same as Section 1-C1.
2. Results in milligrams and not grams as indicated in the column headings.

MASS FLOW RATE

GRAMS PER WEEK

MO	DA	YR	DN	HARDNESS GRAMS	SODIUM GRAMS	IRON GRAMS	ZINC GRAMS	NICKEL GRAMS	COPPER GRAMS	LEACHATE LITERS
1	6	9	463	203000.0	42340.0	40020.00	*****	10.44	2.3	58.000
1	13	9	473	210900.0	27930.0	37620.00	*****	10.26	2.8	57.000
1	20	9	480	107239.9	11873.0	25277.99	612.80	0.77	0.0	38.300
1	27	9	487	70000.0	18500.0	31500.00	*****	3.50	0.0	50.000
2	4	9	495	51975.0	19845.0	13702.50	*****	5.20	1.4	47.250
2	10	9	501	60000.0	16800.0	23200.00	*****	3.20	0.0	40.000
2	19	9	510	76800.0	19680.0	32640.00	*****	3.36	0.0	48.000
2	24	9	515	84000.0	20720.0	43680.00	*****	5.04	0.0	56.000
3	4	9	523	82500.0	21450.0	42900.00	*****	4.95	1.6	55.000
3	10	9	530	124800.0	30240.0	28800.00	*****	9.12	1.0	48.000
3	18	9	538	67200.0	15840.0	12000.00	288.00	7.20	0.0	48.000
3	24	9	544	57000.0	16500.0	12500.00	*****	5.00	0.0	50.000
3	31	9	551	88790.9	17235.9	17758.20	940.14	0.0	0.0	52.230
4	7	9	558	35424.0	16383.6	17534.88	398.52	0.0	0.0	44.280
4	14	9	565	37040.5	15206.1	18715.20	584.85	0.0	0.0	38.990
4	21	9	571	26925.0	12924.0	30155.99	43.08	6.82	355.4	35.900
4	29	9	579	31740.0	16008.0	39771.59	45.54	4.97	235.4	27.600
5	6	9	586	36520.0	11288.0	23190.18	37.35	2.66	95.8	16.600
5	12	9	592	38180.0	10956.0	28485.58	41.00	2.99	95.8	16.600
5	20	9	600	22440.0	8316.0	7656.00	435.60	2.24	5.3	13.200
5	28	9	608	24420.0	11985.6	6864.00	297.00	2.64	4.0	13.200
6	3	9	614	22325.0	7039.5	5510.00	166.25	1.14	5.7	9.500
6	9	9	620	10045.0	3920.0	3822.00	102.90	0.98	2.0	4.900
6	17	9	628	11375.0	5200.0	7800.00	178.75	1.49	3.3	6.500
6	23	9	634	12980.0	4012.0	4130.00	112.10	1.18	1.2	5.900
6	30	9	640	10830.0	4218.0	5700.00	156.75	0.97	4.4	5.700
7	7	9	647	7700.0	3256.0	3960.00	105.60	0.88	6.6	4.400
7	14	9	654	9870.0	3360.0	3948.00	107.10	0.84	2.1	4.200
7	21	9	661	9200.0	3080.0	4240.00	96.00	1.16	0.8	4.000
7	28	9	668	8170.0	2812.0	532.00	114.00	1.10	1.9	3.800
8	4	9	675	6840.0	2772.0	3420.00	57.60	0.25	0.4	3.600
8	11	9	682	7755.0	2640.0	3894.00	59.40	0.40	0.3	3.300
8	18	9	689	6480.0	1998.0	2970.00	48.60	0.19	0.3	2.700
8	25	9	696	5980.0	1924.0	2704.00	44.20	0.29	0.3	2.600
9	2	9	704	6720.0	2352.0	2520.00	47.60	0.20	0.3	2.800
9	8	9	710	6235.0	2059.0	2755.00	46.40	0.23	0.3	2.900
9	15	9	717	0.0	2046.0	3224.00	43.40	3.10	0.5	3.100
9	23	9	725	0.0	2112.0	3200.00	80.00	0.26	0.4	3.200
9	29	9	732	0.0	0.0	360.00	23.37	0.24	0.2	3.000

MASS FLOW RATE

GRAMS PER WEEK

MO	DA	YR	DN	PHOSPHATE GRAMS	SULFATE GRAMS	CHLORIDE GRAMS	SUS.SOL GRAMS	N FREE GRAMS	N AMON GRAMS	COD GRAMS
1	6	9	463	0.0	10440.0	17400.0	36830.0	3897.6	6159.6	975270.0
1	13	9	473	0.0	9690.0	16530.0	36195.0	4913.4	9530.4	756960.0
1	20	9	480	0.0	7660.0	11107.0	30448.5	1930.3	2631.2	159979.0
1	27	9	487	0.0	9000.0	8000.0	36500.0	2830.0	4440.0	454000.0
2	4	9	495	0.0	8505.0	11340.0	34492.5	3175.2	4777.0	332309.3
2	10	9	501	0.0	8000.0	6000.0	34000.0	2888.0	4000.0	304160.0
2	19	9	510	0.0	7200.0	10560.0	36720.0	3009.6	4176.0	493536.0
2	24	9	515	0.0	9184.0	11200.0	32200.0	3640.0	4592.0	443800.0
3	4	9	523	0.0	8800.0	9350.0	35475.0	3575.0	4603.5	493240.0
3	10	9	530	0.0	21600.0	12576.0	6960.0	5428.8	8155.2	426480.0
3	18	9	538	0.0	2880.0	6912.0	18720.0	3456.0	4176.0	414000.0
3	24	9	544	0.0	1600.0	7200.0	36000.0	2910.0	3355.0	485800.0
3	31	9	551	0.0	6789.9	7521.1	60586.8	3609.1	4303.8	460041.8
4	7	9	558	66.4	10051.6	6819.1	50922.0	3453.8	5136.5	522681.1
4	14	9	565	331.4	6823.2	6199.4	45228.4	2425.2	3489.6	424834.9
4	21	9	571	538.5	4379.8	5528.6	33279.3	2049.9	2211.4	323099.9
4	29	9	579	828.0	3312.0	7810.8	36432.0	2152.8	3201.6	637559.8
5	6	9	586	348.6	4316.0	3901.0	25663.6	1294.8	1925.6	363539.8
5	12	9	592	166.0	4515.2	4863.8	16600.0	1328.0	1925.6	366859.8
5	20	9	600	145.2	1584.0	3775.2	9240.0	1071.8	1533.8	312839.9
5	28	9	608	132.0	3168.0	3788.4	6864.0	1071.8	1792.6	244199.9
6	3	9	614	104.5	2470.0	2660.0	7790.0	1037.4	1143.8	187150.0
6	9	9	620	49.0	1274.0	1533.7	4557.0	617.4	686.0	91629.9
6	17	9	628	0.0	2860.0	2632.5	1365.0	1128.4	1419.6	176150.0
6	23	9	634	0.0	590.0	1770.0	1516.3	710.4	743.4	145906.9
6	30	9	640	0.0	1607.4	1909.5	1311.0	750.1	893.8	107923.8
7	7	9	647	0.0	1034.0	1474.0	1064.8	628.3	653.0	108911.9
7	14	9	654	0.0	1864.8	1554.0	562.8	552.7	635.0	111606.6
7	21	9	661	0.0	1800.0	1540.0	588.0	616.0	683.2	113664.0
7	28	9	668	0.0	1216.0	1292.0	7315.0	551.0	574.6	111871.9
8	4	9	675	0.0	756.0	1260.0	5436.0	568.8	601.2	97379.9
8	11	9	682	0.0	792.0	1303.5	3580.5	521.4	577.5	87572.1
8	18	9	689	0.0	1080.0	1080.0	2767.5	388.8	388.8	67046.4
8	25	9	696	0.0	676.0	1014.0	4875.0	382.2	426.4	66892.8
9	2	9	704	0.0	840.0	1064.0	2912.0	442.4	450.8	75263.9
9	8	9	710	0.0	957.0	1160.0	3175.5	0.0	568.4	76820.9
9	15	9	717	0.0	1054.0	1209.0	1441.5	582.8	616.9	88287.9
9	23	9	725	0.0	1280.0	0.0	2224.0	460.8	428.8	97279.9
9	29	9	732	0.0	0.0	1119.0	0.0	529.2	621.6	85248.0

SECTION II
FIELD EXPERIMENTAL FACILITY

Note: Figure 2 - shows plot plan of the field facility area indicating all instrumentation.




Fig. 2

SECTION 2-A
FIELD LANDFILL TEMPERATURES

Notes:

1. Nomenclature

MO	=	month
DA	=	day of the month
DAY NO	=	day of the year
YR	=	year 196-

2. T1 through T50 = temperature locations as listed in Table 1.

3. Temperatures are in degrees Fahrenheit.

TABLE 1
FIELD TEMPERATURE LOCATIONS*

T1 - From 9/10/68 Groundwater Temp.	T26 N-12
2 - outside atmosphere	27 P-14
3 - west - 2 feet	28 P-18
4 - south - 2 feet	29 P-23
5 - east - 2 feet	30 A-4
6 - north - 2 feet	31 A-8
7 - west - 4 feet	32 A-13
8 - south - 4 feet	33 B-18
9 - east - 4 feet	34 B-4
10 - north - 4 feet	35 B-8
11 - west - 6 feet	36 B-13
12 - south - 6 feet	37 C-18
13 - east - 6 feet	38 C-4
14 - north - 6 feet	39 C-8
15 - west - 8 feet	40 C-13
16 - south - 8 feet	41 D-18
17 - east - 8 feet	42 D-4
18 - north - 8 feet	43 D-8
19 - west - 10 feet	44 D-13
20 - south - 10 feet	45 E-18
21 - east - 10 feet	46 E-4
22 - north - 10 feet	47 E-8
23 - west - 12 feet	48 E-13
24 - south - 12 feet	49 E-18
25 - east - 12 feet	50 Ground Temp 6" below surface

* Refers to Figure 2.

FIELD TEMPERATURE DATA

DEGREES FAHRENHEIT

MO	DA	YR	DAY	NO	T1	T2	T3	T4	T5	T6
1	1	9	1	1	53.5	14.1	35.4	35.3	35.4	36.2
1	2	9	2	1	53.5	17.2	35.4	35.2	35.4	36.3
1	3	9	3	1	53.5	35.7	35.2	35.0	35.2	36.0
1	4	9	4	1	53.6	23.8	35.1	34.9	35.0	35.9
1	5	9	5	1	53.6	13.0	35.0	34.8	34.9	35.8
1	6	9	6	1	53.6	29.2	35.0	34.6	34.8	35.6
1	7	9	7	1	53.6	28.4	34.8	34.5	34.6	35.4
1	8	9	8	1	53.6	26.9	34.7	34.5	34.6	35.2
1	9	9	9	1	53.6	39.9	34.8	34.3	34.4	35.2
1	10	9	10	1	53.6	22.1	34.6	34.3	34.4	35.1
1	11	9	11	1	53.6	26.4	34.6	34.3	34.4	35.0
1	12	9	12	1	53.6	24.6	34.6	34.2	34.3	35.0
1	13	9	13	1	53.6	36.1	34.6	34.1	34.2	34.8
1	14	9	14	1	53.7	24.6	34.4	34.0	34.2	34.8
1	15	9	15	1	53.7	23.6	34.4	33.9	34.1	34.6
1	16	9	16	1	53.7	24.6	34.3	33.9	34.1	34.6
1	17	9	17	1	53.7	30.2	34.3	33.8	34.0	34.5
1	18	9	18	1	53.7	26.7	34.3	33.7	34.0	34.4
1	19	9	19	1	53.7	43.3	34.3	33.7	34.0	34.4
1	20	9	20	1	53.7	27.9	34.2	33.7	33.9	34.4
1	21	9	21	1	53.7	37.2	34.2	33.7	33.9	34.4
1	22	9	22	1	53.7	46.8	34.2	33.7	33.8	34.4
1	23	9	23	1	53.7	44.8	34.2	33.7	33.8	34.4
1	24	9	24	1	53.7	44.0	34.2	33.7	33.8	34.4
1	25	9	25	1	53.7	27.7	34.2	33.7	33.7	34.3
1	26	9	26	1	53.8	23.5	34.0	33.7	33.7	34.3
1	27	9	27	1	53.8	25.7	34.0	33.7	33.7	34.4
1	28	9	28	1	53.8	21.6	34.0	33.7	33.7	34.4
1	29	9	29	1	53.7	29.5	34.0	33.6	33.7	34.3
1	30	9	30	1	53.7	27.8	34.0	33.6	33.6	34.3
1	31	9	31	1	53.8	47.2	34.1	33.6	33.6	34.3
2	1	9	32	1	53.8	34.4	34.0	33.7	33.6	34.3
2	2	9	33	1	53.8	36.3	34.0	33.6	33.6	34.3
2	3	9	34	1	53.8	38.4	34.0	33.6	33.6	34.3
2	4	9	35	1	53.8	27.4	33.9	33.6	33.6	34.3
2	5	9	36	1	53.8	23.8	33.8	33.6	33.6	34.3
2	6	9	37	1	53.8	34.6	33.9	33.6	33.6	34.3
2	7	9	38	1	53.8	40.5	33.9	33.6	33.6	34.3
2	8	9	39	1	53.8	32.3	33.8	33.6	33.6	34.3
2	9	9	40	1	35.8	32.1	33.8	33.6	33.6	34.3
2	10	9	41	1	53.8	24.6	33.7	33.6	33.6	34.1
2	11	9	42	1	53.8	26.5	33.8	33.6	33.6	34.2
2	12	9	43	1	53.8	37.1	33.8	33.6	33.6	34.2
2	13	9	44	1	53.8	35.6	33.8	33.6	33.5	34.2
2	14	9	45	1	53.8	19.9	33.7	33.6	33.6	34.1
2	15	9	46	1	53.8	19.0	33.7	33.6	33.6	34.2
2	16	9	47	1	53.8	25.8	33.7	33.6	33.5	34.2
2	17	9	48	1	53.8	28.1	33.7	33.5	33.5	34.1
2	18	9	49	1	53.8	28.7	33.7	33.5	34.1	34.1
2	19	9	50	1	53.8	32.5	33.7	33.5	33.5	34.1
2	20	9	51	1	53.8	30.7	33.6	33.5	33.5	34.0
2	21	9	52	1	53.8	32.8	33.7	33.4	33.4	34.0
2	22	9	53	1	53.8	22.3	33.6	33.5	33.4	34.0
2	23	9	54	1	53.8	32.8	33.6	33.4	33.4	34.0

FIELD TEMPERATURE DATA

DEGREES FAHRENHEIT

MO	DA	YR	DAY NO		T1	T2	T3	T4	T5	T6
2	24	9	55	1	53.9	32.3	33.6	33.4	33.4	34.0
2	25	9	56	1	53.9	37.4	33.7	33.4	33.4	34.0
2	26	9	57	1	53.9	33.7	33.7	33.5	33.4	34.0
2	27	9	58	1	53.9	34.7	33.7	33.5	33.4	34.0
2	28	9	59	1	53.9	37.4	33.7	33.4	33.4	34.0
3	1	9	60	1	53.9	31.7	33.6	33.4	33.3	33.9
3	2	9	61	1	53.9	35.6	33.6	33.4	33.3	33.9
3	3	9	62	1	53.8	42.5	33.7	33.4	33.3	33.9
3	4	9	63	1	53.9	43.4	33.6	33.4	33.3	33.9
3	5	9	64	1	53.9	29.0	33.5	33.4	33.3	33.9
3	6	9	65	1	53.9	41.2	33.6	33.4	33.2	33.9
3	7	9	66	1	53.9	37.0	33.6	33.4	33.3	33.9
3	8	9	67	1	53.9	41.7	33.6	33.4	33.3	33.9
3	9	9	68	1	53.9	28.1	33.5	33.4	33.3	33.9
3	10	9	69	1	53.9	37.6	33.6	33.4	33.3	33.9
3	11	9	70	1	53.9	20.2	33.3	33.3	33.3	33.8
3	12	9	71	1	53.9	29.0	33.3	33.3	33.3	33.8
3	13	9	72	1	53.9	34.1	33.6	33.4	33.3	33.9
3	14	9	73	1	53.9	41.2	33.5	33.3	33.2	33.8
3	15	9	74	1	53.9	34.1	33.6	33.4	33.3	33.6
3	16	9	75	1	53.9	42.6	34.0	33.4	33.2	33.7
3	17	9	76	1	53.9	54.7	36.6	33.4	33.2	33.7
3	18	9	77	1	53.9	46.7	34.1	33.4	33.2	33.6
3	19	9	78	1	53.9	48.2	34.0	33.4	33.3	33.7
3	20	9	79	1	53.9	50.1	33.9	33.4	33.4	33.8
3	21	9	80	1	53.9	43.3	33.8	33.4	33.3	33.9
3	22	9	81	1	53.9	42.5	33.7	33.4	33.5	33.9
3	23	9	82	1	53.9	41.0	33.5	33.4	33.5	34.0
3	24	9	83	1	53.9	45.2	34.1	34.6	35.4	35.3
3	25	9	84	1	53.9	46.9	34.5	35.2	36.1	35.9
3	26	9	85	1	53.9	42.2	35.8	36.7	37.7	37.0
3	27	9	86	1	53.5	34.4	36.4	37.1	38.0	37.5
3	28	9	87	1	53.5	32.1	37.0	37.4	38.2	37.9
3	29	9	88	1	53.1	37.9	37.3	37.5	38.2	38.1
3	31	9	90	1	53.5	34.2	38.7	38.8	39.2	39.0
4	1	9	91	1	53.5	38.3	38.6	38.6	38.9	38.9
4	2	9	92	1	53.5	60.6	38.4	38.4	38.6	38.6
4	3	9	93	1	53.5	41.5	38.9	39.1	39.1	39.0
4	4	9	94	1	53.5	45.1	39.7	40.0	40.0	39.7
4	5	9	95	1	53.5	53.8	40.4	40.8	40.7	40.4
4	7	9	97	1	53.5	59.7	42.9	43.5	43.2	42.6
4	8	9	98	1	53.3	62.0	43.4	44.0	43.7	43.1
4	9	9	99	1	53.5	56.9	44.2	44.9	44.5	43.8
4	10	9	100	1	53.5	61.4	45.0	45.8	45.3	44.6
4	11	9	101	1	53.5	52.2	46.0	46.9	46.4	45.5
4	12	9	102	1	53.5	50.3	46.9	47.8	47.2	46.4
4	14	9	104	1	53.5	63.0	47.4	48.0	47.6	46.9
4	15	9	105	1	53.5	54.4	47.4	48.1	47.7	47.0
4	16	9	106	1	53.5	56.9	47.7	48.4	48.0	47.3
4	17	9	107	1	53.5	59.4	48.3	49.2	48.7	47.9
4	18	9	108	1	53.5	58.0	49.4	50.4	49.9	48.8
4	19	9	109	1	53.4	69.0	50.6	51.5	51.0	49.9
4	21	9	111	1	53.5	59.4	52.5	53.0	52.7	51.8

FIELD TEMPERATURE DATA

DEGREES FAHRENHEIT.

MO.	DA.	YR.	DAY.	NO.	T1	T2	T3	T4	T5	T6
4	22	9	112	1	53.4	50.3	52.5	52.9	52.6	51.9
4	23	9	113	1	53.5	50.1	52.2	52.6	52.2	51.8
4	24	9	114	1	53.5	46.1	51.7	51.9	51.6	51.3
4	25	9	115	1	53.5	52.3	51.0	51.2	50.8	50.7
4	26	9	116	1	53.4	63.1	50.4	50.6	50.2	50.1
4	28	9	118	1	53.4	68.1	51.1	51.9	51.4	50.5
4	29	9	119	1	53.3	59.8	52.2	53.3	52.8	51.6
4	30	9	120	1	53.4	47.3	53.3	54.5	53.9	52.7
5	1	9	121	1	53.4	59.1	53.7	54.6	54.0	53.2
5	2	9	122	1	53.4	65.4	53.5	54.4	53.9	53.2
5	3	9	123	1	53.3	61.2	53.7	54.6	54.1	53.2
5	6	9	126	1	53.3	59.6	55.8	57.1	56.6	55.8
5	8	9	128	1	53.3	75.4	56.6	57.7	57.4	57.3
5	9	9	129	1	53.3	61.2	56.9	58.2	57.7	57.6
5	10	9	130	1	53.3	51.8	57.6	58.8	58.3	58.2
5	12	9	132	1	53.3	51.2	57.1	57.8	57.5	57.5
5	13	9	133	1	53.3	56.9	56.4	57.0	56.7	56.7
5	23	9	143	1	53.2	58.9	61.5	62.5	62.3	61.2
5	24	9	144	1	53.3	56.1	61.6	62.6	62.3	61.3
5	26	9	146	1	53.2	60.1	61.5	62.4	62.2	61.0
5	27	9	147	1	53.3	67.4	62.0	62.9	62.6	61.4
5	28	9	148	1	53.3	65.2	61.9	62.8	62.6	61.4
5	29	9	149	1	53.3	80.2	61.9	62.9	62.7	61.5
5	30	9	150	1	53.2	80.6	64.2	65.6	65.2	63.9
5	31	9	151	1	53.3	83.5	64.4	65.7	65.3	64.1
6	2	9	152	1	53.2	78.1	66.0	67.2	66.8	65.9
6	3	9	153	1	53.3	65.9	67.1	68.3	67.9	66.8
6	4	9	154	1	53.2	61.9	67.8	68.8	68.3	67.4
6	6	9	156	1	53.3	69.9	67.0	67.6	67.3	66.6
6	7	9	158	1	53.3	68.7	66.7	67.3	67.0	66.2
6	9	9	160	1	53.2	63.7	67.3	68.3	67.9	66.7
6	10	9	161	1	53.3	75.1	67.5	68.4	68.0	66.9
6	11	9	162	1	53.3	74.3	67.5	68.3	67.9	66.9
6	12	9	163	1	53.3	71.8	67.6	68.5	68.1	67.0
6	14	9	165	1	53.2	77.0	68.9	70.0	69.5	68.3
6	16	9	167	1	53.2	63.1	70.7	71.8	71.1	70.1
6	17	9	168	1	53.2	70.0	70.8	71.5	71.0	70.4
6	18	9	169	1	53.2	62.7	70.8	71.4	70.9	70.4
6	19	9	170	1	53.2	75.9	70.5	71.1	70.6	70.3
6	20	9	171	1	53.2	85.6	70.2	70.8	70.4	69.9
6	21	9	172	1	53.2	75.4	70.6	71.3	70.9	69.9
6	22	9	173	1	53.2	76.6	70.6	71.2	70.9	70.1
6	23	9	174	1	53.2	74.8	70.5	71.3	71.0	70.0
6	24	9	175	1	53.2	89.3	70.5	71.2	70.9	70.1
6	25	9	176	1	53.0	71.6	70.5	71.4	71.2	70.1
6	26	9	177	1	53.1	67.0	70.7	71.6	71.4	70.3
6	27	9	178	1	53.8	86.9	72.7	71.1	71.0	70.0
6	28	9	179	1	53.2	72.1	71.2	71.9	71.6	70.5
6	29	9	180	1	53.2	70.1	72.0	72.8	72.5	71.1
6	30	9	181	1	53.1	69.1	72.8	73.7	73.4	71.7
7	1	9	182	1	53.1	76.9	73.4	74.1	73.8	72.5
7	2	9	183	1	53.1	68.0	73.8	74.6	74.3	73.1
7	3	9	184	1	53.1	69.8	73.8	74.4	74.1	73.2

FIELD TEMPERATURE DATA

DEGREES FAHRENHEIT

MO	DA	YR	DAY NO		T1	T2	T3	T4	T5	T6
7	4	9	185	1	53.1	70.7	74.0	74.5	74.2	73.6
7	5	9	186	1	53.1	72.4	74.2	74.7	74.4	73.8
7	6	9	187	1	53.1	67.6	74.6	75.0	74.7	74.2
7	7	9	188	1	53.1	61.8	74.8	75.3	75.0	74.5
7	8	9	189	1	53.0	61.3	74.6	74.8	74.7	74.5
7	9	9	190	1	53.1	65.1	73.7	73.6	73.4	73.5
7	10	9	191	1	53.1	64.9	72.8	72.8	72.9	72.8
7	11	9	192	1	53.0	68.2	72.4	72.4	72.5	72.3
7	12	9	193	1	53.0	74.1	72.5	72.6	72.7	71.9
7	13	9	194	1	53.0	76.1	72.6	72.7	72.9	72.0
7	14	9	195	1	53.0	77.0	72.7	72.8	73.0	72.1
7	15	9	196	1	53.0	86.3	72.9	73.1	73.3	72.2
7	16	9	197	1	53.0	90.5	73.3	73.8	73.8	72.5
7	17	9	198	1	53.0	81.1	73.8	74.4	74.3	72.9
9	15	9	258	1	53.0	78.3	70.9	71.2	71.4	71.0
9	17	9	260	1	53.3	75.9	71.1	71.6	71.7	71.1
9	26	9	269	1	53.3	67.2	66.7	67.0	67.4	68.0

FIELD TEMPERATURE DATA

DEGREES FAHRENHEIT

MO	DA	YR	DAY	NO	T7	T8	T9	T10	T11	T12	T13
1	1	9	1	1	46.6	46.6	46.9	48.3	54.1	54.1	55.8
1	2	9	2	1	46.5	46.4	46.8	48.2	54.0	54.0	55.6
1	3	9	3	1	46.2	46.1	46.5	47.9	53.7	53.7	55.4
1	4	9	4	1	46.0	46.0	46.3	47.8	53.5	53.5	55.2
1	5	9	5	1	45.9	45.9	46.2	47.6	53.4	53.4	55.1
1	6	9	6	1	45.7	45.6	45.9	47.4	53.2	53.2	54.8
1	7	9	7	1	45.5	45.5	45.8	47.2	53.0	53.0	54.6
1	8	9	8	1	45.3	45.3	45.6	47.0	52.8	52.8	54.4
1	9	9	9	1	45.2	45.1	45.4	46.8	52.6	52.6	54.2
1	10	9	10	1	45.1	44.9	45.2	46.7	52.5	52.5	54.0
1	11	9	11	1	44.9	44.8	45.1	46.5	52.3	52.3	53.8
1	12	9	12	1	44.8	44.6	44.9	46.3	52.1	52.1	53.7
1	13	9	13	1	44.7	44.5	44.8	46.2	52.0	52.0	53.5
1	14	9	14	1	44.6	44.4	44.7	46.0	51.9	51.9	53.4
1	15	9	15	1	44.4	44.2	44.5	45.8	51.7	51.6	53.2
1	16	9	16	1	44.4	44.1	44.4	45.8	51.6	51.6	53.1
1	17	9	17	1	44.2	43.9	44.2	45.6	51.4	51.4	52.9
1	18	9	18	1	44.0	43.8	44.1	45.4	51.3	51.2	52.8
1	19	9	19	1	44.0	43.7	44.1	45.3	51.2	51.2	52.7
1	20	9	20	1	43.7	43.5	43.8	45.1	51.0	50.9	52.4
1	21	9	21	1	43.6	43.4	43.7	45.0	50.8	50.8	52.3
1	22	9	22	1	43.5	43.3	43.6	44.8	50.7	50.6	52.1
1	23	9	23	1	43.4	43.1	43.5	44.7	50.6	50.5	52.0
1	24	9	24	1	43.3	43.0	43.3	44.6	50.4	50.4	51.8
1	25	9	25	1	43.2	42.9	43.1	44.5	50.3	50.2	51.7
1	26	9	26	1	43.1	42.9	43.1	44.4	50.2	50.1	51.6
1	27	9	27	1	43.0	42.7	42.9	44.2	50.0	50.0	51.4
1	28	9	28	1	42.9	42.7	42.9	44.1	49.9	49.9	51.3
1	29	9	29	1	42.8	42.5	42.7	44.0	49.8	49.8	51.1
1	30	9	30	1	42.7	42.4	42.6	43.9	49.7	49.6	51.0
1	31	9	31	1	42.6	42.4	42.5	43.8	49.6	49.5	50.9
2	1	9	32	1	42.5	42.3	42.4	43.7	49.5	49.4	50.8
2	2	9	33	1	42.4	42.2	42.3	43.6	49.3	49.2	50.6
2	3	9	34	1	42.4	42.1	42.2	43.5	49.2	49.2	50.5
2	4	9	35	1	42.2	42.0	42.1	43.4	49.0	49.0	50.3
2	5	9	36	1	42.2	42.0	42.1	43.3	48.9	48.9	50.2
2	6	9	37	1	42.1	41.9	42.0	43.2	48.9	48.9	50.2
2	7	9	38	1	42.1	41.8	41.9	43.1	48.8	48.8	50.1
2	8	9	39	1	42.0	41.8	41.9	43.0	48.7	48.7	49.9
2	9	9	40	1	41.9	41.7	41.8	43.0	48.6	48.6	49.9
2	10	9	41	1	41.6	41.6	41.7	42.7	48.4	48.5	49.7
2	11	9	42	1	41.8	41.6	41.7	42.8	48.4	48.4	49.7
2	12	9	43	1	41.8	41.6	41.7	42.8	48.4	48.4	49.6
2	13	9	44	1	41.7	41.5	41.6	42.7	48.2	48.3	49.5
2	14	9	45	1	41.6	41.5	41.5	42.6	48.1	48.1	49.3
2	15	9	46	1	41.5	41.4	41.4	42.5	48.0	48.0	49.2
2	16	9	47	1	41.5	41.3	41.4	42.4	47.9	48.0	49.1
2	17	9	48	1	41.4	41.3	41.3	42.4	47.9	47.9	49.0
2	18	9	49	1	41.2	41.3	42.3	42.3	47.8	47.8	48.9
2	19	9	50	1	41.3	41.1	41.2	42.2	47.7	47.7	48.8
2	20	9	51	1	41.2	41.1	41.1	42.1	47.6	47.6	48.7
2	21	9	52	1	41.2	41.0	41.1	42.1	47.5	47.6	48.7
2	22	9	53	1	41.2	41.0	41.0	42.0	47.5	47.5	48.6
2	23	9	54	1	41.1	40.9	41.0	42.0	47.4	47.4	48.5

FIFLD TEMPERATURE DATA

DEGRFES FAHRENHEIT

MO	DA	YR	DAY	NO	T7	T8	T9	T10	T11	T12	T13
2	24	9	55	1	41.0	40.9	40.9	41.9	47.3	47.3	48.4
2	25	9	56	1	41.0	40.8	40.9	41.8	47.3	47.3	48.3
2	26	9	57	1	40.9	40.8	40.8	41.8	47.1	47.2	48.2
2	27	9	58	1	40.9	40.8	40.8	41.7	47.1	47.1	48.1
2	28	9	59	1	40.9	40.7	40.7	41.7	47.0	47.0	48.0
3	1	9	60	1	40.8	40.6	40.7	41.6	47.0	47.0	48.0
3	2	9	61	1	40.7	40.6	40.6	41.5	46.9	46.9	47.9
3	3	9	62	1	40.7	40.6	40.6	41.5	46.8	46.9	47.8
3	4	9	63	1	40.6	40.5	40.5	41.4	46.7	46.8	47.7
3	5	9	64	1	40.6	40.5	40.5	41.4	46.6	46.7	47.6
3	6	9	65	1	40.5	40.4	40.4	41.3	46.6	46.7	47.6
3	7	9	66	1	40.5	40.4	40.4	41.2	46.5	46.6	47.5
3	8	9	67	1	40.5	40.4	40.4	41.2	46.5	46.6	47.4
3	9	9	68	1	40.4	40.3	40.3	41.2	46.4	46.5	47.3
3	10	9	69	1	40.4	40.3	40.3	41.1	46.4	46.5	47.3
3	11	9	70	1	40.2	40.2	40.2	41.0	46.2	46.4	47.1
3	12	9	71	1	40.3	40.2	40.2	40.9	46.2	46.3	47.1
3	13	9	72	1	40.3	40.2	40.2	41.0	46.2	46.3	47.1
3	14	9	73	1	40.2	40.1	40.1	40.9	46.1	46.2	47.0
3	15	9	74	1	39.9	40.0	40.0	40.7	45.8	46.1	46.8
3	16	9	75	1	39.9	40.0	40.0	40.6	45.7	46.0	46.7
3	17	9	76	1	39.8	39.9	39.9	40.7	45.6	46.0	46.7
3	18	9	77	1	39.8	39.9	39.9	40.6	45.6	45.9	46.6
3	19	9	78	1	39.9	39.9	39.9	40.6	45.6	45.9	46.6
3	20	9	79	1	39.8	39.8	39.9	40.6	45.6	45.9	46.6
3	21	9	80	1	39.8	39.8	39.8	40.6	45.7	45.8	46.6
3	22	9	81	1	39.8	39.8	39.8	40.6	45.7	45.8	46.6
3	23	9	82	1	40.0	39.8	39.8	40.6	45.7	45.8	46.6
3	24	9	83	1	39.9	39.8	39.8	40.6	45.6	45.7	46.5
3	25	9	84	1	39.9	39.8	39.8	40.5	45.6	45.7	46.4
3	26	9	85	1	39.9	39.8	39.8	40.8	46.4	46.1	46.0
3	27	9	86	1	39.6	39.5	39.5	40.2	45.2	45.2	45.9
3	28	9	87	1	39.7	39.5	39.6	40.2	45.2	45.2	45.9
3	29	9	88	1	39.8	39.7	39.7	40.2	45.1	45.1	45.8
3	31	9	90	1	40.2	40.1	40.1	40.5	45.1	45.0	45.7
4	1	9	91	1	40.4	40.2	40.3	40.6	45.1	45.0	45.7
4	2	9	92	1	40.5	40.4	40.5	40.7	45.1	45.0	45.7
4	3	9	93	1	40.7	40.5	40.6	40.8	45.1	45.0	45.6
4	4	9	94	1	40.8	40.6	40.7	40.9	45.1	45.0	45.6
4	5	9	95	1	40.9	40.7	40.9	41.0	45.1	45.0	45.6
4	7	9	97	1	41.3	41.1	41.2	41.4	45.1	45.0	45.6
4	8	9	98	1	41.6	41.4	41.4	41.5	45.1	45.0	45.6
4	9	9	99	1	41.8	41.6	41.6	41.7	45.1	45.0	45.6
4	10	9	110	1	42.1	41.9	41.9	41.9	45.2	45.1	45.6
4	11	9	101	1	42.5	42.2	42.2	42.2	45.2	45.1	45.6
4	12	9	102	1	42.8	42.6	42.5	42.5	45.2	45.2	45.6
4	14	9	104	1	43.6	43.4	43.2	43.1	45.4	45.3	45.7
4	15	9	105	1	43.9	43.7	43.5	43.3	45.4	45.4	45.7
4	16	9	106	1	44.2	44.0	43.9	43.6	45.5	45.4	45.7
4	17	9	107	1	44.5	44.3	44.2	43.9	45.6	45.5	45.8
4	18	9	108	1	44.8	44.6	44.5	44.2	45.7	45.6	45.8
4	19	9	109	1	45.1	44.9	44.8	44.4	45.8	45.8	45.9
4	21	9	111	1	45.9	45.7	45.6	45.1	46.0	46.0	46.1

FIELD TEMPERATURE DATA

CEGRFES FAHRENHEIT

MO	DA	YR	DAY_NO		T7	T8	T9	T10	T11	T12	T13
4	22	9	112	1	46.2	46.0	45.9	45.3	46.2	46.1	46.1
4	23	9	113	1	46.6	46.5	46.3	45.7	46.3	46.3	46.2
4	24	9	114	1	46.9	46.8	46.7	46.0	46.4	46.4	46.3
4	25	9	115	1	47.2	47.1	47.0	46.3	46.5	46.5	46.4
4	26	9	116	1	47.5	47.3	47.3	46.6	46.7	46.7	46.5
4	28	9	118	1	47.7	47.7	47.7	47.0	46.9	47.0	46.7
4	29	9	119	1	47.9	47.8	47.9	47.1	47.1	47.2	46.9
4	30	9	120	1	48.1	48.0	48.1	47.3	47.2	47.3	46.9
5	1	9	121	1	48.3	48.3	48.3	47.5	47.4	47.5	47.1
5	2	9	122	1	48.6	48.6	48.5	47.7	47.5	47.6	47.2
5	3	9	123	1	48.8	48.9	48.8	48.0	47.6	47.7	47.3
5	6	9	126	1	49.5	49.6	49.6	48.6	48.0	48.2	47.7
5	8	9	128	1	50.1	50.3	50.2	49.2	48.4	48.5	47.9
5	9	9	129	1	50.3	50.6	50.4	49.4	48.4	48.6	48.0
5	10	9	130	1	50.7	50.9	50.7	49.8	48.6	48.8	48.1
5	12	9	132	1	51.2	51.4	51.4	50.4	48.9	49.1	48.4
5	13	9	133	1	51.5	51.7	51.6	50.6	49.1	49.2	48.5
5	22	9	143	1	53.3	53.7	53.7	52.5	50.5	50.8	49.9
5	24	9	144	1	53.6	54.0	54.0	52.8	50.6	51.0	50.1
5	26	9	146	1	54.3	54.6	54.6	53.3	50.9	51.3	50.3
5	27	9	147	1	54.7	55.1	55.1	53.8	51.2	51.6	50.6
5	28	9	148	1	54.9	55.3	55.3	54.0	51.3	51.7	50.7
5	29	9	149	1	55.1	55.6	55.6	54.2	51.5	51.9	50.8
5	30	9	150	1	55.6	56.0	56.1	54.6	51.8	52.2	51.1
5	31	9	151	1	55.7	56.1	56.2	54.7	51.8	52.2	51.2
6	2	9	152	1	56.2	56.6	56.6	55.1	52.1	52.5	51.4
6	3	9	153	1	56.5	56.9	56.9	55.5	52.3	52.7	51.6
6	4	9	154	1	57.0	57.3	57.3	55.9	52.5	52.8	51.7
6	6	9	156	1	57.7	58.1	58.0	56.6	52.7	53.2	52.0
6	7	9	158	1	58.1	58.4	58.4	57.0	52.9	53.4	52.2
6	9	9	160	1	58.6	58.9	59.0	57.7	53.3	53.8	52.5
6	10	9	161	1	58.8	59.2	59.3	57.9	53.5	53.9	52.8
6	11	9	162	1	59.1	59.5	59.6	58.2	53.7	54.2	52.9
6	12	9	163	1	59.3	59.7	59.8	58.4	53.9	54.4	53.1
6	14	9	165	1	59.7	60.2	60.3	58.9	54.3	54.8	53.4
6	16	9	167	1	60.2	60.7	60.8	59.3	54.6	55.1	53.7
6	17	9	168	1	60.9	61.4	61.4	60.0	55.0	55.6	54.1
6	18	9	169	1	61.0	61.5	61.5	60.1	55.1	55.7	54.2
6	19	9	170	1	61.2	61.7	61.7	60.3	55.2	55.8	54.3
6	20	9	171	1	61.5	62.0	62.0	60.6	55.5	56.0	54.5
6	21	9	172	1	61.7	62.2	62.2	60.8	55.6	56.2	54.7
6	22	9	173	1	61.9	62.4	62.5	61.1	55.8	56.4	54.9
6	23	9	174	1	62.1	62.6	62.7	61.3	56.0	56.5	55.0
6	24	9	175	1	62.2	62.8	62.9	61.5	56.2	56.7	55.2
6	25	9	176	1	62.4	62.9	63.0	61.7	56.3	56.9	55.4
6	26	9	177	1	62.4	63.0	63.1	61.8	56.4	57.0	55.4
6	27	9	178	1	64.7	63.1	63.2	62.0	56.9	57.3	55.9
6	28	9	179	1	62.9	63.4	63.5	62.3	56.8	57.4	55.9
6	29	9	180	1	63.0	63.6	63.7	62.4	57.0	57.5	56.1
6	30	9	181	1	63.2	63.8	63.9	62.7	57.2	57.7	56.3
7	1	9	182	1	63.3	63.9	64.1	63.0	57.4	57.9	56.5
7	2	9	183	1	63.7	64.2	64.3	63.1	57.5	58.0	56.7
7	3	9	184	1	63.9	64.5	64.5	63.4	57.7	58.3	56.8

FIELD TEMPERATURE DATA

DEGREES FAHRENHEIT

MO	DA	YR	DAY NO		T7	T8	T9	T10	T11	T12	T13
7	4	9	185	1	64.2	64.7	64.8	63.6	57.9	58.5	56.9
7	5	9	186	1	64.5	64.9	65.0	63.9	58.1	58.6	57.1
7	6	9	187	1	64.8	65.1	65.2	64.3	58.3	58.7	57.3
7	7	9	188	1	65.1	65.4	65.5	64.5	58.5	58.9	57.5
7	8	9	189	1	65.3	65.6	65.7	64.7	59.1	59.2	57.6
7	9	9	190	1	65.5	65.8	65.9	64.9	58.9	59.3	57.8
7	10	9	191	1	65.7	66.0	66.1	65.1	59.0	59.4	58.0
7	11	9	192	1	65.8	66.1	66.3	65.3	59.2	59.6	58.2
7	12	9	193	1	65.8	66.2	66.4	65.4	59.3	59.9	58.3
7	13	9	194	1	65.9	66.2	66.5	65.5	59.6	60.1	58.4
7	14	9	195	1	65.9	66.2	66.5	65.6	59.9	60.2	58.6
7	15	9	196	1	65.9	66.3	66.6	65.6	59.8	60.3	58.5
7	16	9	197	1	66.0	66.4	66.7	65.6	60.0	60.5	58.9
7	17	9	198	1	66.0	66.5	66.8	65.7	60.2	60.6	59.1
9	15	9	258	1	69.9	70.4	71.2	70.4	65.6	66.3	65.4
9	17	9	260	1	69.7	70.1	71.0	70.2	65.7	66.5	65.6
9	26	9	269	1	68.2	68.8	69.8	68.9	65.6	66.4	65.8

FIELD TEMPERATURE DATA

DEGREES FAHRENHEIT

MO	DA	YR	DAY	NO		T14	T15	T16	T17	T18	T19
1	1	9	1	2		55.0	56.7	57.4	57.4	57.4	0.0
1	2	9	2	2		54.8	56.7	57.4	57.3	57.3	0.0
1	3	9	3	2		54.6	56.4	57.2	57.1	57.0	0.0
1	4	9	4	2		54.5	56.3	57.1	57.0	56.9	0.0
1	5	9	5	2		54.3	56.2	57.0	56.9	56.8	0.0
1	6	9	6	2		54.0	56.1	56.9	56.7	56.6	0.0
1	7	9	7	2		53.9	55.9	56.7	56.5	56.5	0.0
1	8	9	8	2		53.6	55.8	56.7	56.4	56.3	0.0
1	9	9	9	2		53.4	55.6	56.5	56.1	56.1	0.0
1	10	9	10	2		53.2	55.5	56.4	56.0	56.0	0.0
1	11	9	11	2		53.1	55.4	56.3	55.9	55.8	0.0
1	12	9	12	2		52.9	55.2	56.2	55.7	55.7	0.0
1	13	9	13	2		52.7	55.1	56.1	55.5	55.5	0.0
1	14	9	14	2		52.6	55.0	55.9	55.5	55.4	0.0
1	15	9	15	2		52.4	54.9	55.8	55.2	55.2	0.0
1	16	9	16	2		52.3	54.8	55.8	55.1	55.1	0.0
1	17	9	17	2		52.1	54.6	55.6	54.9	54.9	0.0
1	18	9	18	2		51.9	54.5	55.5	54.8	54.8	0.0
1	19	9	19	2		51.9	54.5	55.5	54.8	54.8	0.0
1	20	9	20	2		51.6	54.2	55.2	54.5	54.5	0.0
1	21	9	21	2		51.5	54.1	55.1	54.4	54.4	0.0
1	22	9	22	2		51.3	54.0	55.0	54.1	54.2	0.0
1	23	9	23	2		51.1	53.8	54.9	54.0	54.0	0.0
1	24	9	24	2		51.0	53.7	54.8	53.9	53.9	0.0
1	25	9	25	2		50.9	53.6	54.7	53.8	53.8	0.0
1	26	9	26	2		50.8	53.6	54.7	53.7	53.7	0.0
1	27	9	27	2		50.6	53.4	54.5	53.5	53.5	0.0
1	28	9	28	2		50.5	53.3	54.5	53.4	53.4	0.0
1	29	9	29	2		50.4	53.2	54.3	53.3	53.3	0.0
1	30	9	30	2		50.2	53.0	54.2	53.2	53.2	0.0
1	31	9	31	2		50.1	52.9	54.1	53.1	53.1	0.0
2	1	9	32	2		50.0	52.9	54.0	52.9	52.9	0.0
2	2	9	33	2		49.8	52.8	53.9	52.8	52.8	0.0
0	3	9	34	2		49.7	52.7	53.9	52.7	52.7	0.0
2	4	9	35	2		49.5	52.6	53.8	52.6	52.5	0.0
2	5	9	36	2		49.4	52.5	53.7	52.5	52.5	0.0
2	6	9	37	2		49.3	52.4	53.7	52.5	52.4	0.0
2	7	9	38	2		49.2	52.4	53.6	52.3	52.2	0.0
2	8	9	39	2		49.1	52.3	53.5	52.2	52.1	0.0
2	9	9	40	2		49.0	52.2	53.4	52.2	52.0	0.0
2	10	9	41	2		49.1	52.0	53.3	52.2	52.1	0.0
2	11	9	42	2		48.6	52.0	53.3	52.0	51.9	0.0
2	12	9	43	2		49.8	52.0	53.3	51.9	51.8	0.0
2	13	9	44	2		48.7	51.9	53.1	51.8	51.7	0.0
2	14	9	45	2		48.2	51.8	53.0	51.7	51.6	0.0
2	15	9	46	2		48.5	51.7	52.9	51.6	51.5	0.0
2	16	9	47	2		48.3	51.6	52.9	51.5	51.4	0.0
2	17	9	48	2		48.2	51.6	52.8	51.4	51.2	0.0
2	18	9	49	2		48.1	51.5	52.8	51.3	51.2	0.0
2	19	9	50	2		48.0	51.4	52.7	51.2	51.1	0.0
2	20	9	51	2		48.0	51.3	52.6	51.2	51.0	0.0
2	21	9	52	2		47.8	51.2	52.5	51.0	50.8	0.0
2	22	9	53	2		47.7	51.2	52.5	50.9	50.8	0.0
2	23	9	54	2		47.7	51.1	52.4	50.9	50.7	0.0

FIELD TEMPERATURE DATA

DEGREES FAHRENHEIT

MO	DA	YR	LAY	NO		T14	T15	T16	T17	T18	T19
2	24	9		55	2	47.6	51.0	52.3	50.8	50.6	0.0
2	25	9		56	2	47.5	50.9	52.3	50.7	50.5	0.0
2	26	9		57	2	47.5	50.9	52.2	50.7	50.5	0.0
2	27	9		58	2	47.4	50.8	52.1	50.6	50.4	0.0
2	28	9		59	2	47.2	50.7	52.0	50.5	50.2	0.0
3	1	9		60	2	47.1	50.7	52.0	50.4	50.2	0.0
3	2	9		61	2	47.0	50.6	52.0	50.3	50.1	0.0
3	3	9		62	2	47.0	50.5	51.9	50.2	50.0	0.0
3	4	9		63	2	46.9	50.5	51.8	50.2	49.9	0.0
3	5	9		64	2	46.9	50.4	51.7	50.1	49.9	0.0
3	6	9		65	2	46.8	50.4	51.7	50.0	49.7	0.0
3	7	9		66	2	46.7	50.3	51.6	50.0	49.6	0.0
3	8	9		67	2	46.7	50.3	51.6	49.9	49.6	0.0
3	9	9		68	2	46.6	50.2	51.6	49.9	49.5	0.0
3	10	9		69	2	46.6	50.1	51.5	49.9	49.5	0.0
3	11	9		70	2	46.5	50.0	51.4	49.8	49.4	0.0
3	12	9		71	2	46.5	50.0	51.3	49.8	49.4	0.0
3	13	9		72	2	46.3	50.0	51.4	49.7	49.2	0.0
3	14	9		73	2	46.2	49.9	51.3	49.5	49.1	0.0
3	15	9		74	2	46.4	49.6	51.1	49.7	49.3	0.0
3	16	9		75	2	46.1	49.5	50.9	49.5	49.0	0.0
3	17	9		76	2	46.2	49.5	50.9	49.5	49.0	0.0
3	18	9		77	2	46.1	49.4	50.9	49.4	49.0	0.0
3	23	9		82	2	45.8	49.5	50.8	49.0	48.6	0.0
3	24	9		83	2	45.6	49.4	50.7	48.9	48.5	0.0
3	25	9		84	2	45.5	49.3	50.7	48.8	48.4	0.0
3	26	9		85	2	45.1	48.9	50.3	48.4	48.0	0.0
3	27	9		86	2	45.1	48.9	50.3	48.3	48.0	0.0
3	28	9		87	2	45.1	48.8	50.2	48.3	47.9	0.0
3	29	9		88	2	45.0	48.8	50.2	48.2	47.9	0.0
3	31	9		90	2	44.9	48.7	50.0	48.1	47.7	0.0
4	1	9		91	2	44.9	48.7	50.0	48.0	47.7	0.0
4	2	9		92	2	44.9	48.6	49.9	48.0	47.6	0.0
4	3	9		93	2	44.9	48.5	49.9	48.0	47.6	0.0
4	4	9		94	2	44.9	48.5	49.9	47.9	47.5	0.0
4	5	9		95	2	44.9	48.5	49.8	47.9	47.5	0.0
4	7	9		97	2	44.9	48.4	49.7	47.8	47.4	0.0
4	8	9		98	2	44.9	48.4	49.7	47.8	47.4	0.0
4	9	9		99	2	44.9	48.3	49.7	47.8	47.3	0.0
4	10	9		110	2	44.9	48.3	49.7	47.8	47.3	0.0
4	11	9		101	2	44.9	48.3	49.6	47.8	47.3	0.0
4	12	9		101	2	45.0	48.3	49.6	47.8	47.2	0.0
4	14	9		104	2	45.1	48.3	49.6	47.8	47.2	0.0
4	15	9		105	2	45.1	48.3	49.6	47.7	47.2	0.0
4	16	9		106	2	45.2	48.3	49.6	47.7	47.2	0.0
4	17	9		107	2	45.2	48.3	49.6	47.8	47.2	0.0
4	18	9		107	2	45.3	48.3	49.6	47.8	47.2	0.0
4	19	9		109	2	45.4	48.3	49.5	47.8	47.2	0.0
4	21	9		111	2	45.6	48.3	49.6	47.9	47.2	0.0
4	22	9		112	2	45.7	48.3	49.6	47.9	47.3	0.0
4	23	9		113	2	45.8	48.4	49.6	47.9	47.3	0.0
4	24	9		114	2	45.9	48.4	49.6	48.0	47.3	0.0
4	25	9		115	2	46.1	48.4	49.6	48.0	47.4	0.0

FIELD TEMPERATURE DATA

DEGREES FAHRENHEIT

MO	DA	YR	DAY	NO		T14	T15	T16	T17	T18	T19
4	26	9	116	2		46.2	48.5	49.6	48.1	47.4	0.0
4	28	9	118	2		46.5	48.6	49.7	48.2	47.5	0.0
4	29	9	119	2		46.6	48.6	49.7	48.3	47.5	0.0
4	30	9	120	2		46.7	48.7	49.8	48.4	47.6	0.0
5	1	9	121	2		46.9	48.8	49.8	48.4	47.7	0.0
5	2	9	122	2		47.0	48.8	49.8	48.5	47.7	0.0
5	3	9	123	2		47.1	48.9	49.9	48.6	47.8	0.0
5	6	9	126	2		47.5	49.1	50.0	48.9	48.0	0.0
5	8	9	128	2		47.8	49.2	50.1	49.1	48.1	0.0
5	9	9	129	2		47.9	49.3	50.2	49.1	48.2	0.0
5	10	9	130	2		48.0	49.4	50.2	49.2	48.3	0.0
5	12	9	132	2		48.3	49.5	50.3	49.4	48.4	0.0
5	13	9	133	2		48.5	49.6	50.4	49.5	48.5	0.0
5	23	9	143	2		50.0	50.4	51.0	50.5	49.5	0.0
5	24	9	144	2		50.1	50.5	51.1	50.6	49.5	0.0
5	26	9	146	2		50.4	50.6	51.2	50.8	49.7	0.0
5	27	9	147	2		50.7	50.8	51.4	51.0	49.9	0.0
5	28	9	148	2		50.8	50.9	51.5	51.1	50.0	0.0
5	29	9	149	2		50.9	51.0	51.5	51.2	50.1	0.0
5	30	9	150	2		51.3	51.2	51.7	51.5	50.3	0.0
5	31	9	151	2		51.3	51.2	51.7	51.5	50.3	0.0
6	2	9	152	2		51.6	51.3	51.8	51.7	50.5	0.0
6	3	9	153	2		51.7	51.5	51.9	51.8	50.6	0.0
6	4	9	154	2		51.9	51.6	52.0	51.9	50.7	0.0
6	6	9	156	2		52.2	51.7	52.1	52.1	50.8	0.0
6	7	9	158	2		52.4	51.9	52.2	52.3	51.1	0.0
6	9	9	160	2		52.8	52.1	52.4	52.5	51.2	0.0
6	10	9	161	2		53.0	52.2	52.4	52.6	51.4	0.0
6	11	9	162	2		53.2	52.3	52.5	52.8	51.4	0.0
6	12	9	163	2		53.3	52.4	52.6	52.9	51.6	0.0
6	14	9	165	2		53.8	52.6	52.8	53.2	51.8	0.0
6	16	9	167	2		54.2	52.8	53.0	53.5	52.0	0.0
6	17	9	168	2		54.6	53.1	53.3	53.8	52.3	0.0
6	18	9	169	2		54.6	53.2	53.3	53.9	52.4	0.0
6	19	9	170	2		54.8	53.2	53.3	54.0	52.5	0.0
6	20	9	171	2		55.0	53.3	53.5	54.1	52.6	0.0
6	21	9	172	2		55.2	53.5	53.5	54.3	52.7	0.0
6	22	9	173	2		55.4	53.6	53.7	54.4	52.9	0.0
6	23	9	174	2		55.6	53.7	53.8	54.5	53.0	0.0
6	24	9	175	2		55.8	53.8	53.8	54.7	53.1	0.0
6	25	9	176	2		55.9	53.9	54.0	54.8	53.2	0.0
6	26	9	177	2		55.9	54.2	54.3	54.9	53.2	0.0
6	27	9	179	2		56.4	54.8	54.4	55.7	53.6	0.0
6	28	9	179	2		56.4	54.8	54.4	55.7	53.6	0.0
6	29	9	180	2		56.6	54.9	54.5	55.8	53.7	0.0
6	30	9	181	2		56.8	55.0	54.6	55.9	53.9	0.0
7	1	9	182	2		56.9	55.1	54.8	56.0	54.2	0.0
7	2	9	183	2		57.1	55.2	54.8	56.2	54.2	0.0
7	3	9	184	2		57.3	55.3	55.1	56.4	54.4	0.0
7	4	9	185	2		57.5	55.4	55.2	56.4	54.6	0.0
7	5	9	186	2		57.6	55.5	55.2	56.5	54.8	0.0
7	6	9	187	2		57.8	55.6	55.4	56.6	54.9	0.0
7	7	9	188	2		58.0	55.7	55.7	56.8	55.0	0.0

FIELD TEMPERATURE DATA

DEGREES FAHRENHEIT

MO	DA	YR	DAY NO		T14	T15	T16	T17	T18	T19
7	8	9	189	2	58.2	55.8	55.8	56.9	55.1	0.0
7	9	9	190	2	58.4	56.0	55.7	57.0	55.3	0.0
7	10	9	191	2	58.5	56.1	56.0	57.1	55.4	0.0
7	11	9	192	2	58.7	56.2	56.0	57.3	55.6	0.0
7	12	9	193	2	59.0	56.3	56.0	57.5	55.7	0.0
7	13	9	194	2	59.1	56.4	56.1	57.6	55.8	0.0
7	14	9	195	2	59.3	56.5	56.2	57.7	55.9	0.0
7	15	9	196	2	59.5	56.6	56.3	57.9	56.1	0.0
7	16	9	197	2	59.7	56.7	56.4	58.0	56.2	0.0
7	17	9	198	2	59.8	56.8	56.5	58.1	56.3	0.0
9	15	7	258	2	66.0	62.0	61.7	64.2	62.2	58.2
9	17	9	260	2	66.2	62.1	61.9	64.4	62.4	58.4
9	26	9	269	2	66.1	62.4	62.2	64.7	62.7	58.6

FIELD TEMPERATURE DATA

DEGREES FAHRENHEIT

MO	DA	YR	DAY	NO	T20	T21	T22	T23	T24	T25	T26
1	1	9	1	2	0.0	57.9	57.6	57.2	57.1	0.0	56.9
1	2	9	2	2	0.0	57.9	57.5	57.0	57.0	0.0	56.8
1	3	9	3	2	0.0	57.8	57.4	56.9	56.9	0.0	56.7
1	4	9	4	2	0.0	57.7	57.4	57.0	56.8	0.0	56.7
1	5	9	5	2	0.0	57.7	57.3	56.9	56.9	0.0	56.7
1	6	9	6	2	0.0	57.6	57.2	56.8	56.8	0.0	56.6
1	7	9	7	2	0.0	57.5	57.2	56.8	56.8	0.0	56.5
1	8	9	8	2	0.0	57.4	57.1	56.7	56.7	0.0	56.5
1	9	9	9	2	0.0	57.3	57.0	56.6	56.6	0.0	56.4
1	10	9	10	2	0.0	57.3	57.0	56.6	56.6	0.0	56.4
1	11	9	11	2	0.0	57.2	56.9	56.6	56.6	0.0	56.3
1	12	9	12	2	0.0	57.1	56.8	56.5	56.5	0.0	56.2
1	13	9	13	2	0.0	57.0	56.8	56.4	56.4	0.0	56.2
1	14	9	14	2	0.0	57.0	56.7	56.4	56.4	0.0	56.2
1	15	9	15	2	0.0	56.9	56.6	56.3	56.3	0.0	56.1
1	16	9	16	2	0.0	56.9	56.6	56.3	56.3	0.0	56.0
1	17	9	17	2	0.0	56.8	56.5	56.2	56.2	0.0	55.9
1	18	9	18	2	0.0	56.7	56.4	56.1	56.1	0.0	55.9
1	19	9	19	2	0.0	56.7	56.4	56.1	56.1	0.0	55.8
1	20	9	20	2	0.0	56.5	56.3	56.0	56.0	0.0	55.9
1	21	9	21	2	0.0	56.4	56.2	56.0	56.0	0.0	55.7
1	22	9	22	2	0.0	56.3	56.2	55.9	55.9	0.0	55.6
1	23	9	23	2	0.0	56.3	56.1	55.8	55.8	0.0	55.5
1	24	9	24	2	0.0	56.2	56.0	55.7	55.8	0.0	55.9
1	25	9	25	2	0.0	56.1	56.0	55.7	55.7	0.0	55.4
1	26	9	26	2	0.0	56.1	55.9	55.7	55.7	0.0	55.4
1	27	9	27	2	0.0	56.0	55.8	55.6	55.6	0.0	55.3
1	28	9	28	2	0.0	55.9	55.8	55.6	55.6	0.0	55.3
1	29	9	29	2	0.0	55.8	55.7	55.5	55.5	0.0	55.2
1	30	9	30	2	0.0	55.7	55.6	55.4	55.4	0.0	55.1
1	31	9	31	2	0.0	55.6	55.6	55.4	55.4	0.0	55.1
2	1	9	32	2	0.0	55.6	55.5	55.4	55.3	0.0	55.0
2	2	9	33	2	0.0	55.5	55.4	55.2	55.2	0.0	54.9
0	3	9	34	2	0.0	55.4	55.3	55.2	55.2	0.0	54.9
2	4	9	35	2	0.0	55.3	55.2	55.1	55.1	0.0	54.8
2	5	9	36	2	0.0	55.2	55.1	55.1	55.1	0.0	54.8
2	6	9	37	2	0.0	55.2	55.1	55.1	55.1	0.0	54.8
2	7	9	38	2	0.0	55.1	55.0	55.0	55.0	0.0	54.7
2	8	9	39	2	0.0	55.1	55.0	54.9	54.9	0.0	54.6
2	9	9	40	2	0.0	55.0	54.9	54.9	54.9	0.0	54.6
2	10	9	41	2	0.0	54.8	54.8	54.8	54.8	0.0	54.6
2	11	9	42	2	0.0	54.9	54.8	54.8	54.8	0.0	54.5
2	12	9	43	2	0.0	54.9	54.8	54.8	54.8	0.0	54.4
2	13	9	44	2	0.0	54.8	54.7	54.7	54.7	0.0	54.4
2	14	9	45	2	0.0	54.7	54.6	54.6	54.6	0.0	54.4
2	15	9	46	2	0.0	54.6	54.5	54.5	54.6	0.0	54.3
2	16	9	47	2	0.0	54.6	54.5	54.5	54.5	0.0	54.2
2	17	9	48	2	0.0	54.5	54.4	54.5	54.5	0.0	54.1
2	18	9	49	2	0.0	54.4	54.3	54.4	54.4	0.0	54.1
2	19	9	50	2	0.0	54.8	54.2	54.3	54.3	0.0	54.0
2	20	9	51	2	0.0	54.2	54.2	54.3	54.3	0.0	54.0
2	21	9	52	2	0.0	54.2	54.1	54.2	54.3	0.0	53.9
2	22	9	53	2	0.0	54.1	54.1	54.2	54.2	0.0	53.9
2	23	9	54	2	0.0	54.1	54.0	54.1	54.1	0.0	53.8

FIELD TEMPERATURE DATA

DEGREES FAHRENHEIT

MO	DA	YR	DAY	NO	T20	T21	T22	T23	T24	T25	T26
2	24	9	55	2	0.0	54.0	53.9	54.1	54.1	0.0	53.8
2	25	9	56	2	0.0	53.9	53.9	54.0	54.0	0.0	53.7
2	26	9	57	2	0.0	53.8	53.8	54.0	54.0	0.0	53.7
2	27	9	58	2	0.0	53.8	53.8	53.9	53.9	0.0	53.7
2	28	9	59	2	0.0	53.8	53.7	53.9	53.9	0.0	53.6
3	1	9	60	2	0.0	53.7	53.7	53.8	53.8	0.0	53.5
3	2	9	61	2	0.0	53.6	53.6	53.8	53.8	0.0	53.4
3	3	9	62	2	0.0	53.6	53.5	53.8	53.8	0.0	53.4
3	4	9	63	2	0.0	53.5	53.5	53.7	53.7	0.0	53.3
3	5	9	64	2	0.0	53.4	53.4	53.6	53.6	0.0	53.3
3	6	9	65	2	0.0	53.3	53.3	53.6	53.6	0.0	53.2
3	7	9	66	2	0.0	53.3	53.3	53.5	53.5	0.0	53.1
3	8	9	67	2	0.0	53.3	53.3	53.5	53.5	0.0	53.1
3	9	9	68	2	0.0	53.2	53.2	53.4	53.4	0.0	53.0
3	10	9	69	2	0.0	53.1	53.1	53.4	53.4	0.0	53.0
3	11	9	70	2	0.0	53.0	53.0	53.3	53.3	0.0	53.0
3	12	9	71	2	0.0	53.0	53.0	53.3	53.3	0.0	53.0
3	13	9	72	2	0.0	53.0	53.0	53.3	53.3	0.0	52.9
3	14	9	73	2	0.0	52.9	52.9	53.2	53.2	0.0	52.8
3	15	9	74	2	0.0	52.6	52.7	53.1	53.1	0.0	52.7
3	16	9	75	2	0.0	52.6	52.7	53.0	53.0	0.0	52.7
3	17	9	76	2	0.0	52.5	52.7	53.0	53.0	0.0	52.7
3	18	9	77	2	0.0	52.5	52.6	52.9	53.0	0.0	52.7
3	23	9	82	2	0.0	52.5	52.5	52.9	52.9	0.0	52.5
3	24	9	83	2	0.0	52.4	52.4	52.9	52.8	0.0	52.4
3	25	9	84	2	0.0	52.4	52.4	52.8	52.7	0.0	52.3
3	26	9	85	2	0.0	52.0	52.0	52.5	52.4	0.0	52.0
3	27	9	86	2	0.0	52.0	52.0	52.4	52.4	0.0	51.9
3	28	9	87	2	0.0	51.9	51.9	52.4	52.3	0.0	51.9
3	29	9	88	2	0.0	51.9	51.9	52.4	52.3	0.0	51.9
3	31	9	90	2	0.0	51.8	51.8	52.3	52.2	0.0	51.8
4	1	9	91	2	0.0	51.7	51.8	52.2	52.2	0.0	51.8
4	2	9	92	2	0.0	51.7	51.7	52.2	52.1	0.0	51.7
4	3	9	93	2	0.0	51.6	51.7	52.2	52.1	0.0	51.7
4	4	9	94	2	0.0	51.6	51.6	52.2	52.1	0.0	51.6
4	5	9	95	2	0.0	51.6	51.6	52.1	52.1	0.0	51.6
4	7	9	97	2	0.0	51.4	51.5	52.1	52.0	0.0	51.5
4	8	9	98	2	0.0	51.4	51.5	52.0	52.0	0.0	51.5
4	9	9	99	2	0.0	51.4	51.4	52.0	51.9	0.0	51.5
4	10	9	100	2	0.0	51.3	51.4	52.0	51.9	0.0	51.4
4	11	9	101	2	0.0	51.3	51.3	51.9	51.8	0.0	51.4
4	12	9	101	2	0.0	51.3	51.3	51.9	51.9	0.0	51.4
4	14	9	104	2	0.0	51.2	51.2	51.9	51.8	0.0	51.3
4	15	9	105	2	0.0	51.2	51.2	51.8	51.8	0.0	51.3
4	16	9	106	2	0.0	51.2	51.2	51.8	51.7	0.0	51.2
4	17	9	107	2	0.0	51.1	51.2	51.8	51.7	0.0	51.2
4	18	9	108	2	0.0	51.1	51.1	51.8	51.7	0.0	51.2
4	19	9	109	2	0.0	51.1	51.1	51.8	51.7	0.0	51.2
4	21	9	111	2	0.0	51.0	51.0	51.7	51.6	0.0	51.2
4	22	9	112	2	0.0	51.0	51.0	51.7	51.6	0.0	51.1
4	23	9	113	2	0.0	50.9	51.0	51.7	51.6	0.0	51.1
4	24	9	114	2	0.0	50.9	50.9	51.7	51.6	0.0	51.1
4	25	9	115	2	0.0	50.9	50.9	51.7	51.6	0.0	51.1

FIELD TEMPERATURE DATA

DEGREES FAHRENHEIT

MO	DA	YR	DAY NO		T20	T21	T22	T23	T24	T25	T26
4	26	9	116	2	0.0	50.9	50.9	51.6	51.5	0.0	51.1
4	28	9	118	2	0.0	50.9	50.9	51.6	51.5	0.0	51.0
4	29	9	119	2	0.0	50.9	50.9	51.6	51.5	0.0	51.0
4	30	9	120	2	0.0	50.9	50.8	51.6	51.5	0.0	51.0
5	1	9	121	2	0.0	50.9	50.9	51.6	51.5	0.0	51.0
5	2	9	122	2	0.0	50.9	50.8	51.6	51.5	0.0	51.0
5	3	9	123	2	0.0	50.9	50.8	51.6	51.5	0.0	51.0
5	6	9	126	2	0.0	50.8	50.8	51.6	51.4	0.0	50.9
5	8	9	128	2	0.0	50.9	50.8	51.5	51.4	0.0	51.0
5	9	9	129	2	0.0	50.9	50.8	51.6	51.4	0.0	50.9
5	10	9	130	2	0.0	50.9	50.8	51.5	51.4	0.0	51.0
5	12	9	132	2	0.0	50.9	50.8	51.5	51.4	0.0	51.0
5	13	9	133	2	0.0	50.9	50.8	51.6	51.5	0.0	50.9
5	23	9	143	2	0.0	51.1	50.9	51.7	51.6	0.0	51.0
5	24	9	144	2	0.0	51.2	51.0	51.7	51.6	0.0	51.1
5	26	9	146	2	0.0	51.2	51.0	51.7	51.6	0.0	51.1
5	27	9	147	2	0.0	51.4	51.1	51.9	51.7	0.0	51.2
5	28	9	148	2	0.0	51.4	51.2	51.9	51.8	0.0	51.2
5	29	9	149	2	0.0	51.4	51.2	51.9	51.8	0.0	51.2
5	30	9	150	2	0.0	51.5	51.2	51.9	51.8	0.0	51.3
5	31	9	151	2	0.0	51.5	51.2	51.9	51.8	0.0	51.3
6	2	9	152	2	0.0	51.5	51.3	51.9	51.8	0.0	51.3
6	3	9	153	2	0.0	51.6	51.3	52.0	51.9	0.0	51.4
6	4	9	154	2	0.0	51.6	51.3	52.0	51.9	0.0	51.4
6	6	9	156	2	0.0	51.7	51.4	52.1	51.9	0.0	51.4
6	7	9	158	2	0.0	51.7	51.4	52.1	52.0	0.0	51.5
6	9	9	160	2	0.0	51.9	51.5	52.2	52.0	0.0	51.5
6	10	9	161	2	0.0	51.9	51.6	52.3	52.1	0.0	51.6
6	11	9	162	2	0.0	51.9	51.6	52.3	52.1	0.0	51.6
6	12	9	163	2	0.0	51.9	51.6	52.3	52.1	0.0	51.6
6	14	9	165	2	0.0	52.0	51.7	52.4	52.2	0.0	51.7
6	16	9	167	2	0.0	52.2	51.8	52.4	52.3	0.0	51.8
6	17	9	168	2	0.0	52.3	51.9	52.5	52.4	0.0	51.9
6	18	9	169	2	0.0	52.3	51.9	52.5	52.5	0.0	51.9
6	19	9	170	2	0.0	52.3	51.9	52.5	52.5	0.0	51.9
6	20	9	171	2	0.0	52.4	51.9	52.6	52.5	0.0	51.9
6	21	9	172	2	0.0	52.5	52.0	52.6	52.5	0.0	52.0
6	22	9	173	2	0.0	52.5	52.0	52.6	52.5	0.0	52.0
6	23	9	174	2	0.0	52.5	52.1	52.7	52.6	0.0	52.0
6	24	9	175	2	0.0	52.6	52.1	52.7	52.6	0.0	52.1
6	25	9	176	2	0.0	52.7	52.7	52.7	52.7	0.0	52.1
6	26	9	177	2	0.0	54.5	52.1	52.9	52.9	0.0	52.1
6	27	9	178	2	0.0	55.7	54.5	55.3	55.0	0.0	54.4
6	28	9	179	2	0.0	53.5	52.3	53.3	52.9	0.0	52.3
6	29	9	180	2	0.0	53.5	52.4	53.3	53.0	0.0	52.4
6	30	9	181	2	0.0	53.5	52.6	53.3	53.0	0.0	52.5
7	1	9	182	2	0.0	53.5	52.6	53.4	53.1	0.0	52.6
7	2	9	183	2	0.0	53.5	52.5	53.4	53.2	0.0	52.6
7	3	9	184	2	0.0	53.6	52.6	53.5	53.3	0.0	52.7
7	4	9	185	2	0.0	53.6	52.7	53.5	53.4	0.0	52.7
7	5	9	186	2	0.0	53.7	52.8	53.5	53.4	0.0	52.8
7	6	9	187	2	0.0	53.8	52.8	53.5	53.5	0.0	52.9
7	7	9	188	2	0.0	53.8	52.9	53.6	53.6	0.0	53.0

FIELD TEMPERATURE DATA

DEGREES FAHRENHEIT

MO	DA	YR	DAY NO		T20	T21	T22	T23	T24	T25	T26
7	8	9	199	2	0.0	53.8	53.0	53.7	53.7	0.0	53.1
7	9	9	190	2	0.0	53.9	53.0	53.6	53.6	0.0	53.1
7	10	9	191	2	0.0	53.9	53.0	53.7	53.7	0.0	53.1
7	11	9	192	2	0.0	54.0	53.2	53.8	53.7	0.0	53.2
7	12	9	193	2	0.0	54.0	53.2	53.8	53.7	0.0	53.2
7	13	9	194	2	0.0	54.0	53.3	53.8	53.7	0.0	53.2
7	14	9	195	2	0.0	54.1	53.3	53.8	53.8	0.0	53.2
7	15	9	196	2	0.0	54.2	53.4	53.9	53.9	0.0	53.3
7	16	9	197	2	0.0	54.3	53.5	54.0	53.9	0.0	53.3
7	17	9	198	2	0.0	54.4	53.5	54.0	53.9	0.0	53.4
9	15	9	258	2	58.1	59.2	57.6	57.6	57.7	0.0	0.0
9	17	9	260	2	58.3	59.4	57.7	57.7	57.9	0.0	0.0
9	26	9	269	2	58.6	59.7	58.0	58.0	58.1	0.0	0.0

FIELD TEMPERATURE DATA

DEGREES FAHRENHEIT

MO	DA	YR	DAY	NO	T27	T28	T29	T30	T31	T32
1	1	9	1	3	0.0	54.5	0.0	42.1	52.6	0.0
1	2	9	2	3	0.0	54.5	0.0	41.9	52.5	0.0
1	3	9	3	3	0.0	54.4	0.0	41.7	52.2	0.0
1	4	9	4	3	0.0	54.4	0.0	41.7	52.0	0.0
1	5	9	5	3	0.0	54.4	0.0	41.5	52.0	0.0
1	6	9	6	3	0.0	54.4	0.0	41.3	51.8	0.0
1	7	9	7	3	0.0	54.4	0.0	41.2	51.6	0.0
1	8	9	8	3	0.0	54.3	0.0	40.9	51.4	0.0
1	9	9	9	3	0.0	54.2	0.0	40.6	51.3	0.0
1	10	9	10	3	0.0	54.2	0.0	40.5	51.2	0.0
1	11	9	11	3	0.0	54.2	0.0	40.3	51.0	0.0
1	12	9	12	3	0.0	54.1	0.0	40.1	50.9	0.0
1	13	9	13	3	0.0	54.2	0.0	40.0	50.8	0.0
1	14	9	14	3	0.0	54.1	0.0	39.9	50.7	0.0
1	15	9	15	3	0.0	54.1	0.0	39.7	50.5	0.0
1	16	9	16	3	0.0	54.1	0.0	39.6	50.4	0.0
1	17	9	17	3	0.0	54.0	0.0	39.4	50.3	0.0
1	18	9	18	3	0.0	54.0	0.0	39.2	50.2	0.0
1	19	9	19	3	0.0	54.0	0.0	39.2	50.1	0.0
1	20	9	20	3	0.0	54.0	0.0	39.0	49.9	0.0
1	21	9	21	3	0.0	54.0	0.0	39.0	49.7	0.0
1	22	9	22	3	0.0	54.0	0.0	38.8	49.6	0.0
1	23	9	23	3	0.0	54.0	0.0	38.8	49.5	0.0
1	24	9	24	3	0.0	54.0	0.0	38.7	49.4	0.0
1	25	9	25	3	0.0	54.0	0.0	38.7	49.2	0.0
1	26	9	26	3	0.0	54.0	0.0	38.6	49.1	0.0
1	27	9	27	3	0.0	54.0	0.0	38.4	48.9	0.0
1	28	9	28	3	0.0	53.9	0.0	38.5	48.9	0.0
1	29	9	29	3	0.0	53.9	0.0	38.3	48.7	0.0
1	30	9	30	3	0.0	53.9	0.0	38.3	48.7	0.0
1	31	9	31	3	0.0	53.9	0.0	38.3	48.5	0.0
2	1	9	32	3	0.0	53.8	0.0	38.2	48.4	0.0
2	2	9	33	3	0.0	53.8	0.0	38.1	48.3	0.0
2	3	9	34	3	0.0	53.8	0.0	38.1	48.2	0.0
2	4	9	35	3	0.0	53.7	0.0	38.0	48.1	0.0
2	5	9	36	3	0.0	53.7	0.0	38.0	48.0	0.0
2	6	9	37	3	0.0	53.7	0.0	37.9	47.9	0.0
2	7	9	38	3	0.0	53.7	0.0	37.9	47.8	0.0
2	8	9	39	3	0.0	53.7	0.0	37.9	47.8	0.0
2	9	9	40	3	0.0	53.7	0.0	37.8	47.7	0.0
2	10	9	41	3	0.0	53.8	0.0	38.0	47.3	0.0
2	11	9	42	3	0.0	53.7	0.0	37.8	47.5	0.0
2	12	9	43	3	0.0	53.6	0.0	37.8	47.5	0.0
2	13	9	44	3	0.0	53.6	0.0	37.7	47.3	0.0
2	14	9	45	3	0.0	53.6	0.0	37.8	47.1	0.0
2	15	9	46	3	0.0	53.6	0.0	37.7	47.1	0.0
2	16	9	47	3	0.0	53.5	0.0	37.7	47.0	0.0
2	17	9	48	3	0.0	53.5	0.0	37.6	47.0	0.0
2	18	9	49	3	0.0	53.5	0.0	37.6	46.9	0.0
2	19	9	50	3	0.0	53.5	0.0	37.5	46.8	0.0
2	20	9	51	3	0.0	53.5	0.0	37.5	46.7	0.0
2	21	9	52	3	0.0	53.4	0.0	37.4	46.7	0.0
2	22	9	53	3	0.0	53.4	0.0	37.4	46.6	0.0
2	23	9	54	3	0.0	53.4	0.0	37.3	46.6	0.0

FIELD TEMPERATURE DATA

DEGREES FAHRENHEIT

MO	DA	YR	DAY NO.		T27	T28	T29	T30	T31	T32
2	24	9	55	3	0.0	53.4	0.0	37.3	46.5	0.0
2	25	9	56	3	0.0	53.4	0.0	37.2	46.4	0.0
2	26	9	57	3	0.0	53.4	0.0	37.4	46.3	0.0
2	27	9	58	3	0.0	53.3	0.0	37.2	46.2	0.0
2	28	9	59	3	0.0	53.2	0.0	37.2	46.2	0.0
3	1	9	60	3	0.0	53.0	0.0	37.1	46.1	0.0
3	2	9	61	3	0.0	52.9	0.0	37.1	46.0	0.0
3	3	9	62	3	0.0	52.9	0.0	37.1	46.0	0.0
3	4	9	63	3	0.0	52.9	0.0	37.2	45.9	0.0
3	5	9	64	3	0.0	52.9	0.0	37.1	45.8	0.0
3	6	9	65	3	0.0	52.8	0.0	37.1	45.8	0.0
3	7	9	66	3	0.0	52.9	0.0	37.1	45.7	0.0
3	8	9	67	3	0.0	52.9	0.0	37.1	45.6	0.0
3	9	9	68	3	0.0	52.9	0.0	37.0	45.6	0.0
3	10	9	69	3	0.0	52.9	0.0	37.0	45.5	0.0
3	11	9	70	3	0.0	52.9	0.0	37.1	45.3	0.0
3	12	9	71	3	0.0	52.9	0.0	37.1	45.4	0.0
3	13	9	72	3	0.0	52.9	0.0	36.9	45.3	0.0
3	14	9	73	3	0.0	52.8	0.0	36.9	45.3	0.0
3	15	9	74	3	0.0	52.9	0.0	38.4	44.9	0.0
3	16	9	75	3	0.0	52.8	0.0	37.8	44.8	0.0
3	17	9	76	3	0.0	52.8	0.0	37.7	44.8	0.0
3	18	9	77	3	0.0	52.7	0.0	37.6	44.7	0.0
3	23	9	82	3	0.0	52.8	0.0	36.8	44.9	0.0
3	24	9	83	3	0.0	52.9	0.0	37.2	44.9	0.0
3	25	9	84	3	0.0	52.9	0.0	37.4	44.8	0.0
3	26	9	85	3	0.0	52.6	0.0	37.4	44.4	0.0
3	27	9	86	3	0.0	52.6	0.0	37.6	44.4	0.0
3	28	9	87	3	0.0	52.6	0.0	38.0	44.3	0.0
3	29	9	88	3	0.0	52.6	0.0	38.3	44.3	0.0
3	31	9	90	3	0.0	52.6	0.0	39.0	44.2	0.0
4	1	9	91	3	0.0	52.6	0.0	39.1	44.2	0.0
4	2	9	92	3	0.0	52.6	0.0	39.2	44.2	0.0
4	3	9	93	3	0.0	52.6	0.0	39.3	44.2	0.0
4	4	9	94	3	0.0	52.6	0.0	39.5	44.2	0.0
4	5	9	95	3	0.0	52.6	0.0	39.6	44.2	0.0
4	7	9	97	3	0.0	52.6	0.0	40.3	44.2	0.0
4	8	9	98	3	0.0	52.6	0.0	40.7	44.2	0.0
4	9	9	99	3	0.0	52.6	0.0	41.1	44.2	0.0
4	10	9	100	3	0.0	52.6	0.0	41.5	44.2	0.0
4	11	9	101	3	0.0	52.6	0.0	42.0	44.2	0.0
4	12	9	102	3	0.0	52.6	0.0	42.5	44.2	0.0
4	14	9	104	3	0.0	52.7	0.0	43.5	44.3	0.0
4	15	9	105	3	0.0	52.7	0.0	43.8	44.4	0.0
4	16	9	106	3	0.0	52.7	0.0	44.2	44.4	0.0
4	17	9	107	3	0.0	52.7	0.0	44.6	44.5	0.0
4	18	9	108	3	0.0	52.7	0.0	44.9	44.6	0.0
4	19	9	109	3	0.0	52.8	0.0	45.3	44.6	0.0
4	21	9	111	3	0.0	52.7	0.0	46.5	44.8	0.0
4	22	9	112	3	0.0	52.7	0.0	46.8	44.9	0.0
4	23	9	113	3	0.0	52.8	0.0	47.2	45.0	0.0
4	24	9	114	3	0.0	52.7	0.0	47.5	45.0	0.0
4	25	9	115	3	0.0	52.7	0.0	47.6	45.1	0.0

FIELD TEMPERATURE DATA

DEGREES FAHRENHEIT

MO	DA	YR	DAY NO		T27	T28	T29	T30	T31	T32
4	26	9	116	3	0.0	52.7	0.0	47.7	45.2	0.0
4	28	9	118	3	0.0	52.7	0.0	47.7	45.5	0.0
4	29	9	119	3	0.0	52.8	0.0	47.9	45.6	0.0
4	30	6	120	3	0.0	52.8	0.0	48.3	45.7	0.0
5	1	9	121	3	0.0	52.8	0.0	48.8	45.9	0.0
5	2	9	122	3	0.0	52.8	0.0	49.1	46.0	0.0
5	3	9	123	3	0.0	52.8	0.0	49.4	46.1	0.0
5	6	9	126	3	0.0	52.8	0.0	50.4	46.4	0.0
5	8	9	128	3	0.0	52.8	0.0	51.5	46.7	0.0
5	9	9	129	3	0.0	52.8	0.0	51.9	46.8	0.0
5	10	9	130	3	0.0	52.8	0.0	52.3	46.9	0.0
5	12	9	132	3	0.0	52.8	0.0	52.9	47.2	0.0
5	13	9	133	3	0.0	52.8	0.0	53.0	47.3	0.0
5	23	9	143	3	0.0	52.9	0.0	54.8	48.7	0.0
5	24	9	144	3	0.0	52.9	0.0	55.1	48.8	0.0
5	26	9	146	3	0.0	52.9	0.0	55.6	49.1	0.0
5	27	9	147	3	0.0	53.0	0.0	55.9	49.4	0.0
5	28	9	148	3	0.0	53.0	0.0	56.1	49.5	0.0
5	29	9	149	3	0.0	53.1	0.0	56.3	49.6	0.0
5	30	9	150	3	0.0	53.0	0.0	56.9	49.9	0.0
5	31	9	151	3	0.0	53.0	0.0	56.9	49.9	0.0
6	2	9	152	3	0.0	53.1	0.0	57.8	50.1	0.0
6	3	9	153	3	0.0	53.2	0.0	58.4	50.3	0.0
6	4	9	154	3	0.0	53.1	0.0	58.9	50.5	0.0
6	6	9	156	3	0.0	53.3	0.0	59.7	50.7	0.0
6	7	9	158	3	0.0	53.5	0.0	59.9	50.9	0.0
6	9	9	160	3	0.0	53.6	0.0	60.2	51.2	0.0
6	10	9	161	3	0.0	53.6	0.0	60.4	51.4	0.0
6	11	9	162	3	0.0	53.6	0.0	60.6	51.5	0.0
6	12	9	163	3	0.0	53.6	0.0	60.7	51.7	0.0
6	14	9	165	3	0.0	53.6	0.0	61.1	52.0	0.0
6	16	9	167	3	0.0	53.6	0.0	61.8	52.3	0.0
6	17	9	168	3	0.0	53.6	0.0	62.5	52.6	0.0
6	18	9	169	3	0.0	53.6	0.0	62.6	52.7	0.0
6	19	9	170	3	0.0	53.6	0.0	62.7	52.8	0.0
6	20	9	171	3	0.0	53.5	0.0	62.9	53.0	0.0
6	21	9	172	3	0.0	53.6	0.0	63.0	53.2	0.0
6	22	9	173	3	0.0	53.5	0.0	63.1	53.3	0.0
6	23	9	174	3	0.0	53.6	0.0	63.2	53.5	0.0
6	24	9	175	2	0.0	53.6	0.0	63.3	53.9	0.0
6	25	9	176	3	0.0	53.7	0.0	63.4	53.7	0.0
6	26	9	177	2	0.0	53.7	0.0	63.5	53.8	0.0
6	27	9	178	3	0.0	56.0	0.0	64.9	56.2	0.0
6	28	9	179	3	0.0	54.1	0.0	63.7	54.3	0.0
6	29	9	180	3	0.0	54.2	0.0	63.8	54.3	0.0
6	30	9	181	3	0.0	54.4	0.0	64.0	54.5	0.0
7	1	9	182	3	0.0	54.4	0.0	64.3	54.8	0.0
7	2	9	183	3	0.0	54.5	0.0	64.6	54.8	0.0
7	3	9	184	3	0.0	54.5	0.0	64.9	55.0	0.0
7	4	9	185	2	0.0	54.4	0.0	65.0	55.2	0.0
7	5	9	186	3	0.0	54.4	0.0	65.2	55.5	0.0
7	6	9	187	3	0.0	54.4	0.0	65.5	55.6	0.0
7	7	9	188	2	0.0	54.5	0.0	65.7	55.7	0.0

FIELD TEMPERATURE DATA

DEGREES FAHRENHEIT

MO	DA	YR	DAY NO		T27	T28	T29	T30	T31	T32
7	8	9	189	3	0.0	54.6	0.0	65.9	55.8	0.0
7	9	9	190	3	0.0	54.4	0.0	65.9	56.0	0.0
7	10	9	191	3	0.0	54.4	0.0	66.0	56.1	0.0
7	11	9	192	3	0.0	54.5	0.0	65.9	56.2	0.0
7	12	9	193	3	0.0	54.5	0.0	65.9	56.3	0.0
7	13	9	194	3	0.0	54.4	0.0	65.9	56.5	0.0
7	14	9	195	3	0.0	54.4	0.0	65.8	56.6	0.0
7	15	9	196	3	0.0	54.3	0.0	65.8	56.7	0.0
7	16	9	197	3	0.0	54.3	0.0	65.8	56.8	0.0
7	17	9	198	3	0.0	54.4	0.0	65.9	56.9	0.0
9	15	9	258	3	0.0	56.2	0.0	68.4	62.2	55.8
9	17	9	260	3	0.0	56.4	0.0	68.0	62.3	56.0
9	26	9	265	3	0.0	56.3	0.0	66.6	62.5	56.4

FIELD TEMPERATURE DATA

DEGREES FAHRENHEIT

MO	DA	YR	DAY	NU	T33	T34	T35	T36	T37	T38	T39
1	1	9	1	3	54.8	42.0	51.8	55.3	54.0	41.8	50.2
1	2	9	2	3	54.9	41.7	51.7	55.2	54.0	41.6	50.2
1	3	9	3	3	54.8	41.6	51.5	55.2	54.0	41.4	49.9
1	4	9	4	3	54.8	41.5	51.3	55.1	54.0	41.4	49.8
1	5	9	5	3	54.8	41.5	51.2	55.0	54.0	41.4	49.7
1	6	9	6	3	54.9	41.3	51.1	55.0	54.0	41.1	49.5
1	7	9	7	3	54.8	41.1	50.9	54.9	54.0	41.0	49.4
1	8	9	8	3	54.8	40.9	50.7	54.9	54.0	40.8	49.2
1	9	9	9	3	54.8	40.7	50.6	54.8	53.9	40.6	49.1
1	10	9	10	3	54.8	40.5	50.5	54.7	53.9	40.4	48.9
1	11	9	11	3	54.8	40.4	50.3	54.7	53.9	40.3	48.9
1	12	9	12	3	54.8	40.2	50.2	54.6	53.9	40.1	48.7
1	13	9	13	3	54.8	40.1	50.1	54.6	53.8	40.0	48.6
1	14	9	14	3	54.8	40.1	49.9	54.5	53.9	39.9	48.5
1	15	9	15	3	54.8	39.8	49.8	54.4	53.8	39.7	48.3
1	16	9	16	3	54.7	39.7	49.6	54.4	53.8	39.6	48.3
1	17	9	17	3	54.7	39.5	49.6	54.3	53.8	39.5	48.2
1	18	9	18	3	54.7	39.4	49.5	54.2	53.7	39.4	48.0
1	19	9	19	3	54.7	39.4	49.4	54.2	53.7	39.4	48.0
1	20	9	20	3	54.7	39.1	49.2	54.1	53.7	39.2	47.8
1	21	9	21	3	54.6	39.1	49.0	54.0	53.7	39.1	47.7
1	22	9	22	3	54.6	38.9	48.9	53.9	53.7	39.0	47.5
1	23	9	23	3	54.6	38.8	48.8	53.9	53.7	38.9	47.2
1	24	9	24	3	54.6	38.8	48.7	53.8	53.6	38.9	47.0
1	25	9	25	3	54.6	38.7	48.5	53.8	53.6	38.9	47.0
1	26	9	26	3	54.6	38.7	48.4	53.7	53.6	38.8	47.0
1	27	9	27	3	54.6	38.6	48.2	53.6	53.6	38.7	46.9
1	28	9	28	3	54.6	38.6	48.1	53.6	53.5	38.7	46.8
1	29	9	29	3	54.5	38.5	48.0	53.4	53.5	38.6	46.7
1	30	9	30	3	54.5	38.4	47.9	53.4	53.5	38.5	46.7
1	31	9	31	3	54.4	38.4	47.8	53.3	53.4	38.6	46.5
2	1	9	32	3	54.5	38.3	47.7	53.3	53.4	38.5	46.5
2	2	9	33	3	54.4	38.2	47.6	53.2	53.3	38.4	46.5
2	3	9	34	3	54.4	38.2	47.5	53.1	53.3	38.4	46.3
2	4	9	35	3	54.4	38.1	47.4	53.0	53.3	38.3	46.2
2	5	9	36	3	54.4	38.1	47.3	53.0	53.3	38.3	46.1
2	6	9	37	3	54.3	38.1	47.3	52.9	53.3	38.2	46.1
2	7	9	38	3	54.3	38.0	47.2	52.9	53.3	38.2	46.0
2	8	9	39	3	54.3	38.0	47.1	52.8	53.2	38.2	46.0
2	9	9	40	3	54.3	38.0	47.0	52.8	53.2	38.1	45.9
2	10	9	41	3	54.1	38.1	46.7	52.6	53.0	38.4	45.6
2	11	9	42	3	54.2	37.9	46.8	52.6	53.1	38.2	45.7
2	12	9	43	3	54.2	37.8	46.8	52.6	53.1	38.1	45.7
2	13	9	44	3	54.2	37.9	46.7	52.5	53.1	38.1	45.6
2	14	9	45	3	54.1	38.0	46.5	52.4	53.0	38.2	45.4
2	15	9	46	3	54.1	37.8	46.4	52.3	53.0	38.1	45.4
2	16	9	47	3	54.1	37.8	46.4	52.3	53.0	38.0	45.3
2	17	9	48	3	54.1	37.7	46.4	52.2	53.0	37.9	45.3
2	18	9	49	3	54.0	37.7	46.3	52.2	53.0	38.0	45.3
2	19	9	50	3	54.0	37.6	46.2	52.1	52.9	37.9	45.2
2	20	9	51	3	53.9	37.6	46.1	52.0	52.9	37.9	45.1
2	21	9	52	3	54.0	37.5	46.1	52.0	52.9	37.8	45.1
2	22	9	53	3	53.9	37.5	46.0	51.9	52.9	37.8	45.0
2	23	9	54	3	53.9	37.4	45.9	51.9	52.9	37.7	45.0

FIELD TEMPERATURE DATA

DEGREES FAHRENHEIT

MO.	DA	YR.	DAY NO		T33	T34	T35	T36	T37	T38	T39
2	24	9	55	3	53.9	37.4	45.8	51.8	52.8	37.7	44.9
2	25	9	56	3	53.9	37.4	45.8	51.8	52.8	37.6	44.9
2	26	9	57	3	53.8	37.4	45.5	51.7	52.8	37.8	44.8
2	27	9	58	3	53.8	37.4	45.6	51.7	52.8	37.7	44.8
2	28	9	59	3	53.8	37.3	45.6	51.6	52.7	37.6	44.7
3	1	9	60	3	53.8	37.3	45.5	51.5	52.7	37.6	44.7
3	2	9	61	3	53.8	37.2	45.4	51.4	52.7	37.6	44.6
3	3	9	62	3	53.7	37.2	45.3	51.4	52.7	37.6	44.5
3	4	9	63	3	53.7	37.2	45.3	51.3	52.6	37.5	44.5
3	5	9	64	3	53.6	37.2	45.1	51.2	52.6	37.5	44.4
3	6	9	65	3	53.6	37.1	45.2	51.2	52.6	37.4	44.4
3	7	9	66	3	53.6	37.1	45.1	51.2	52.5	37.5	44.3
3	8	9	67	3	53.6	37.1	45.1	51.1	52.5	37.5	44.3
3	9	9	68	3	53.6	37.1	45.0	51.0	52.5	37.5	44.2
3	10	9	69	3	53.5	37.1	44.9	51.0	52.5	37.5	44.2
3	11	9	70	3	53.4	37.2	44.7	50.9	52.4	37.6	44.0
3	12	9	71	3	53.4	37.1	44.7	50.9	52.4	37.5	44.1
3	13	9	72	3	53.4	37.0	44.7	50.9	52.4	37.4	44.1
3	14	9	73	3	53.4	37.0	44.7	50.8	52.4	37.4	44.0
3	15	9	74	3	0.0	37.4	44.3	50.5	52.2	38.6	43.6
3	16	9	75	3	0.0	37.3	44.3	50.4	52.1	38.1	43.6
3	17	9	76	3	0.0	37.3	44.2	50.4	52.1	38.0	43.6
3	18	9	77	3	0.0	37.3	44.2	50.3	52.1	37.9	43.5
3	23	9	82	3	0.0	36.9	44.4	50.4	52.2	37.4	43.7
3	24	9	83	3	0.0	37.1	44.3	50.4	52.1	38.0	43.7
3	25	9	84	3	0.0	37.2	44.3	50.3	52.1	38.3	43.6
3	26	9	85	3	0.0	37.2	43.9	49.9	51.8	38.3	43.2
3	27	9	86	3	0.0	37.4	43.9	49.9	51.7	38.4	43.2
3	28	9	87	3	0.0	37.8	43.8	49.8	51.7	38.8	43.2
3	29	9	88	3	0.0	38.2	43.8	49.8	51.7	39.1	43.2
3	31	9	90	3	0.0	38.8	43.8	49.7	51.6	39.6	43.2
4	1	9	91	3	0.0	39.0	43.8	49.6	51.6	39.7	43.3
4	2	9	92	3	0.0	39.2	43.8	49.6	51.6	39.8	43.3
4	3	9	93	3	0.0	39.3	43.8	49.6	51.6	39.8	43.3
4	4	9	94	3	0.0	39.4	43.8	49.5	51.5	39.9	43.4
4	5	9	95	3	0.0	39.6	43.8	49.5	51.5	40.1	43.4
4	7	9	97	3	0.0	40.2	43.9	49.4	51.4	40.7	43.5
4	8	9	98	3	0.0	40.6	43.9	49.4	51.4	41.1	43.5
4	9	9	99	3	0.0	41.0	43.9	49.3	51.4	41.4	43.5
4	10	9	100	3	0.0	41.4	43.9	49.3	51.4	41.8	43.6
4	11	9	101	3	0.0	41.8	43.9	49.2	51.4	42.2	43.6
4	12	9	102	3	0.0	42.3	44.0	49.2	51.3	42.8	43.7
4	14	9	104	3	0.0	43.3	44.1	49.1	51.3	43.7	43.9
4	15	9	105	3	0.0	43.6	44.2	49.1	51.3	44.0	44.0
4	16	9	106	3	0.0	44.0	44.2	49.0	51.2	44.3	44.1
4	17	9	107	3	0.0	44.3	44.3	49.0	51.2	44.7	44.2
4	18	9	108	3	0.0	44.7	44.4	49.0	51.2	45.0	44.6
4	19	9	109	3	0.0	45.0	44.5	48.9	51.2	45.4	44.9
4	21	9	111	3	0.0	46.1	44.7	48.9	51.1	46.5	44.7
4	22	9	112	3	0.0	46.5	44.8	48.8	51.1	46.9	44.8
4	23	9	113	3	0.0	46.9	44.9	48.8	51.1	47.2	44.9
4	24	9	114	3	0.0	47.2	45.0	48.8	51.0	47.6	45.1
4	25	9	115	3	0.0	47.4	45.1	48.8	51.0	47.7	45.2

FIELD TEMPERATURE DATA

DEGREES FAHRENHEIT

MO	DA	YR	DAY NO		T33	T34	T35	T36	T37	T38	T39
4	24	9	116	3	0.0	47.5	45.2	48.8	51.0	47.7	45.4
4	28	9	118	3	0.0	47.6	45.4	48.7	50.9	47.8	45.7
4	29	9	119	3	0.0	47.8	45.6	48.7	50.9	48.0	45.8
4	30	6	120	3	0.0	48.0	45.7	48.7	50.9	48.4	45.9
5	1	9	121	3	0.0	48.4	45.8	48.7	50.9	48.8	46.1
5	2	9	122	3	0.0	48.8	45.9	48.6	50.9	49.2	46.2
5	3	9	123	3	0.0	49.0	46.0	48.6	50.9	49.4	46.3
5	6	9	126	3	0.0	49.9	46.4	48.6	50.8	50.4	46.7
5	8	9	128	3	0.0	50.8	46.7	48.6	50.8	51.3	47.0
5	9	9	129	3	0.0	51.2	46.7	48.6	50.8	51.7	47.1
5	10	9	130	3	0.0	51.6	46.9	48.6	50.8	52.0	47.3
5	12	9	132	3	0.0	52.2	47.1	48.6	50.7	52.6	47.6
5	13	9	133	3	0.0	52.4	47.3	48.6	50.7	52.7	47.8
5	23	9	143	3	0.0	54.5	48.6	48.8	50.6	54.9	49.2
5	24	9	144	3	0.0	54.9	48.8	48.0	50.6	55.2	49.4
5	26	9	146	3	0.0	55.5	49.0	48.8	50.6	55.7	49.7
5	27	9	147	3	0.0	55.9	49.3	49.0	50.7	56.1	49.9
5	28	9	148	3	0.0	56.0	49.4	49.0	50.6	56.2	50.1
5	29	9	149	3	0.0	56.3	49.6	49.0	50.6	56.4	50.2
5	30	9	150	3	0.0	56.7	49.9	49.1	50.6	56.8	50.5
5	31	9	151	3	0.0	56.7	49.9	49.1	50.6	56.9	50.5
6	2	9	152	3	0.0	57.4	50.1	49.1	50.6	57.5	50.8
6	3	9	153	3	0.0	57.8	50.2	49.2	50.6	57.9	51.0
6	4	9	154	3	0.0	58.3	50.4	49.2	50.6	58.3	51.1
6	6	9	156	3	0.0	59.1	50.6	49.3	50.6	59.0	51.4
6	7	9	158	3	0.0	59.3	50.8	49.4	50.6	59.2	51.6
6	9	9	160	3	0.0	59.7	51.1	49.5	50.6	59.5	51.9
6	10	9	161	3	0.0	59.9	51.3	49.5	50.6	59.8	52.1
6	11	9	162	3	0.0	60.2	51.4	49.5	50.6	60.0	52.3
6	12	9	163	3	0.0	60.3	51.6	49.5	50.6	60.0	52.5
6	14	9	165	3	0.0	60.6	51.9	49.6	50.6	60.4	52.7
6	16	9	167	3	0.0	61.1	52.2	49.7	50.6	60.9	53.0
6	17	9	168	3	0.0	61.7	52.5	49.8	50.7	61.5	53.4
6	18	9	169	3	0.0	61.8	52.6	49.9	50.7	61.5	53.4
6	19	9	170	3	0.0	61.9	52.7	49.9	50.7	61.6	53.5
6	20	9	171	3	0.0	62.0	52.8	49.9	50.7	61.7	53.7
6	21	9	172	3	0.0	62.1	53.0	50.0	50.7	61.8	53.8
6	22	9	173	3	0.0	62.2	53.2	50.1	50.7	61.9	54.0
6	23	9	174	3	0.0	62.4	53.2	50.1	50.7	62.0	54.1
6	24	9	175	3	0.0	62.5	53.4	50.1	50.7	62.2	54.3
6	25	9	176	3	0.0	63.2	53.5	50.2	50.7	62.2	54.4
6	26	9	177	3	0.0	62.7	53.6	50.1	50.7	62.2	54.4
6	27	9	178	3	0.0	62.5	52.8	53.8	56.7	62.3	54.4
6	28	9	179	3	0.0	0.0	0.0	50.4	50.7	62.5	54.8
6	29	9	180	3	0.0	0.0	0.0	50.4	50.7	62.7	55.0
6	30	9	181	3	0.0	0.0	0.0	50.5	50.7	62.9	55.1
7	1	9	182	3	0.0	0.0	0.0	50.6	50.7	63.1	55.3
7	2	9	183	3	0.0	0.0	0.0	50.6	50.8	63.4	55.4
7	3	9	184	3	0.0	0.0	0.0	50.6	50.8	63.6	55.5
7	4	9	185	3	0.0	0.0	0.0	50.7	50.8	63.7	55.7
7	5	9	186	3	0.0	0.0	0.0	50.8	50.8	63.7	55.9
7	6	9	187	3	0.0	0.0	0.0	50.8	50.8	63.9	56.0
7	7	9	188	3	0.0	0.0	0.0	50.9	50.8	64.0	56.1

FIELD TEMPERATURE DATA

DEGREES FAHRENHEIT

MO	DA	YR	DAY NO.		T33	T34	T35	T36	T37	T38	T39
7	8	9	189	3	0.0	0.0	0.0	51.0	50.8	64.1	56.2
7	9	9	190	3	0.0	0.0	0.0	51.1	50.9	64.2	56.4
7	10	9	191	3	0.0	0.0	0.0	51.2	50.9	64.2	56.4
7	11	9	192	3	0.0	0.0	0.0	51.2	50.9	64.2	56.6
7	12	9	193	3	0.0	0.0	0.0	51.2	50.9	64.2	56.6
7	13	9	194	3	0.0	0.0	0.0	51.3	51.0	64.2	56.7
7	14	9	195	3	0.0	0.0	0.0	51.3	51.0	64.2	56.8
7	15	9	196	3	0.0	0.0	0.0	51.3	51.0	64.3	56.9
7	16	9	197	3	0.0	0.0	0.0	51.4	51.0	64.3	57.0
7	17	9	198	3	0.0	0.0	0.0	51.5	51.0	64.3	57.1
9	15	9	258	3	53.4	0.0	61.4	55.2	52.6	66.6	61.3
9	17	9	260	3	53.7	0.0	61.5	55.4	52.8	66.4	61.4
9	26	9	269	3	53.9	0.0	61.6	55.8	52.9	64.9	61.4

FIELD TEMPERATURE DATA

DEGREES FAHRENHEIT

MO	DA	YR	DAY	NO		T40	T41	T42	T43	T44	T45
1	1	9	1	4		54.7	54.3	40.6	50.7	55.3	48.4
1	2	9	2	4		54.7	54.2	40.4	50.4	55.2	48.2
1	3	9	3	4		54.6	54.2	40.3	50.1	55.1	48.0
1	4	9	4	4		54.5	54.3	40.2	49.9	55.0	47.9
1	5	9	5	4		54.4	54.2	40.1	49.8	55.0	47.8
1	6	9	6	4		54.4	54.2	39.9	49.6	54.9	47.6
1	7	9	7	4		54.3	54.2	39.7	49.5	54.8	47.4
1	8	9	8	4		54.2	54.1	39.5	49.3	54.7	47.3
1	9	9	9	4		54.1	54.1	39.2	49.2	54.6	47.1
1	10	9	10	4		54.1	54.1	39.0	49.0	54.5	46.9
1	11	9	11	4		54.0	54.0	38.9	48.9	54.4	46.7
1	12	9	12	4		53.9	54.0	38.7	48.7	54.3	46.5
1	13	9	13	4		53.9	54.0	38.7	48.6	54.2	46.4
1	14	9	14	4		53.8	54.0	38.6	48.5	54.1	46.3
1	15	9	15	4		53.8	54.0	38.4	48.3	54.1	46.1
1	16	9	16	4		53.7	54.0	38.3	48.2	54.0	46.0
1	17	9	17	4		53.7	53.9	38.1	48.0	53.9	45.8
1	18	9	18	4		53.6	53.9	38.0	47.9	53.8	45.7
1	19	9	19	4		53.6	53.9	38.0	48.0	53.8	45.7
1	20	9	20	4		54.8	54.0	37.8	47.9	53.6	45.6
1	21	9	21	4		53.9	53.9	37.8	47.8	53.5	45.4
1	22	9	22	4		54.0	53.9	37.6	47.5	50.6	45.1
1	23	9	23	4		54.2	53.9	37.5	47.3	53.3	45.1
1	24	9	24	4		54.0	53.8	37.5	47.2	53.2	45.0
1	25	9	25	4		53.9	53.8	37.5	47.1	53.1	44.9
1	26	9	26	4		53.0	53.8	37.5	47.0	53.1	44.8
1	27	9	27	4		52.9	53.7	37.3	46.7	53.0	44.6
1	28	9	28	4		52.9	53.7	37.3	46.6	52.9	44.5
1	29	9	29	4		53.0	53.7	37.1	46.4	52.7	44.3
1	30	9	30	4		52.9	53.7	37.2	46.5	52.8	44.4
1	31	9	31	4		54.0	53.7	37.1	46.5	52.6	44.3
2	1	9	32	4		54.1	53.7	37.1	46.4	52.6	44.1
2	2	9	33	4		54.0	53.7	37.0	46.3	52.5	44.0
2	3	9	34	4		53.9	53.7	37.1	46.2	52.4	44.0
2	4	9	35	4		52.4	53.6	37.0	46.0	52.3	43.7
2	5	9	36	4		52.3	53.5	37.0	45.8	52.2	43.7
2	6	9	37	4		53.1	53.5	36.9	45.7	52.2	43.6
2	7	9	38	4		52.7	53.5	36.9	45.6	52.1	43.6
2	8	9	39	4		52.9	53.5	36.9	45.5	52.0	43.5
2	9	9	40	4		52.1	53.4	36.9	45.5	52.0	43.4
2	10	9	41	4		51.9	53.3	37.1	45.2	51.7	43.5
2	11	9	42	4		52.0	53.4	37.0	45.3	51.8	43.3
2	12	9	43	4		52.1	53.4	36.9	45.3	51.8	43.3
2	13	9	44	4		52.0	53.3	36.9	45.2	51.7	43.1
2	14	9	45	4		51.8	53.3	37.0	45.1	51.8	43.2
2	15	9	46	4		51.7	53.3	36.9	45.0	51.5	43.0
2	16	9	47	4		51.6	53.3	36.8	44.9	51.4	42.9
2	17	9	48	4		51.6	53.3	36.8	44.9	51.4	42.9
2	18	9	49	4		51.6	53.2	36.7	44.8	51.3	42.8
2	19	9	50	4		51.6	53.2	36.7	44.8	51.3	42.7
2	20	9	51	4		51.5	53.1	36.6	44.6	51.2	42.8
2	21	9	52	4		51.5	53.2	36.6	44.7	51.1	43.0
2	22	9	53	4		51.3	53.1	36.6	44.6	51.0	42.6
2	23	9	54	4		51.4	53.1	36.6	44.5	51.0	42.6

FIELD TEMPERATURE DATA.

DEGREES FAHRENHEIT

MO	DA	YR	DAY_NO		T40	T41	T42	T43	T44	T45
2	24	9	55	4	51.3	53.0	36.6	44.5	50.9	42.7
2	25	9	56	4	51.2	53.0	36.6	44.4	50.9	42.7
2	26	9	57	4	51.1	53.0	36.7	44.4	50.8	42.5
2	27	9	58	4	51.1	53.0	36.5	44.4	50.8	42.4
2	28	9	59	4	51.0	52.9	36.5	44.4	50.7	42.3
2	1	9	60	4	51.2	52.9	36.5	44.4	50.6	42.2
3	2	9	61	4	50.9	52.9	36.5	44.3	50.5	42.1
3	3	9	62	4	50.9	52.9	36.5	44.3	50.5	42.1
3	4	9	63	4	50.8	52.9	36.4	44.2	50.4	42.0
3	5	9	64	4	51.2	52.8	36.4	44.2	50.3	42.0
3	6	9	65	4	50.9	52.8	36.3	44.2	50.3	42.0
3	7	9	66	4	50.7	52.7	36.4	44.0	50.2	41.9
3	8	9	67	4	50.7	52.7	36.4	44.0	50.2	41.9
3	9	9	68	4	50.6	52.7	36.3	44.0	50.1	41.8
3	10	9	69	4	50.7	52.7	36.3	43.9	50.1	41.8
3	11	9	70	4	50.3	52.6	36.5	43.8	50.0	41.8
3	12	9	71	4	50.8	52.6	36.4	43.5	49.9	41.8
3	13	9	72	4	50.4	52.6	36.5	43.7	49.9	41.6
3	14	9	73	4	50.3	52.6	36.4	43.8	49.8	41.5
3	15	9	74	4	49.9	52.4	37.7	43.5	49.5	42.0
3	16	9	75	4	50.1	52.4	37.3	43.4	49.5	42.0
3	17	9	76	4	49.9	52.3	37.5	43.3	49.4	41.8
3	18	9	77	4	49.9	52.2	37.5	43.3	49.4	41.8
3	23	9	82	4	49.9	52.4	38.4	43.5	49.5	41.5
3	24	9	83	4	49.8	52.3	39.5	43.6	49.4	41.9
3	25	9	84	4	49.8	52.3	39.8	43.5	49.4	41.7
3	26	9	85	4	49.4	51.9	39.8	43.1	48.9	41.4
3	27	9	86	4	49.3	51.9	40.1	43.1	48.9	41.5
3	28	9	87	4	49.3	51.9	40.4	43.2	48.9	41.6
3	29	9	88	4	49.3	51.9	40.6	43.3	48.8	41.7
3	31	9	90	4	49.2	51.8	40.9	43.5	48.8	42.0
4	1	9	91	4	49.3	51.6	41.0	43.6	48.7	42.2
4	2	9	92	4	49.1	51.8	40.9	43.7	48.7	42.2
4	3	9	93	4	49.1	51.8	40.9	43.7	48.6	42.3
4	4	9	94	4	49.0	51.7	41.1	43.7	48.6	42.5
4	5	9	95	4	48.9	51.7	41.5	43.8	48.6	42.6
4	7	9	97	4	48.9	51.6	42.4	44.0	48.5	42.7
4	8	9	98	4	48.8	51.6	42.3	44.0	48.5	42.8
4	9	9	99	4	48.8	51.6	43.3	44.0	48.5	43.0
4	10	9	100	4	48.8	51.6	43.8	44.1	48.4	43.0
4	11	9	101	4	48.7	51.6	44.3	44.2	48.4	43.2
4	12	9	102	4	48.7	51.5	44.9	44.3	48.4	43.4
4	14	9	104	4	48.6	51.5	45.8	44.6	48.4	43.8
4	15	9	105	4	48.6	51.5	46.0	44.6	48.3	44.0
4	16	9	106	4	48.6	51.4	46.3	44.8	48.3	44.3
4	17	9	107	4	49.2	51.4	46.6	44.9	48.3	44.4
4	18	9	108	4	49.1	51.4	47.0	45.1	48.3	44.6
4	19	9	109	4	49.5	51.4	47.5	45.2	48.3	44.8
4	21	9	111	4	49.1	51.3	48.9	45.6	48.3	45.2
4	22	9	112	4	48.9	51.3	49.3	45.7	48.3	45.4
4	23	9	113	4	49.5	51.3	49.6	45.8	48.3	45.6
4	24	9	114	4	49.1	51.2	49.7	46.0	48.3	45.9
4	25	9	115	4	49.8	51.2	49.6	46.1	48.3	46.1

FIELD TEMPERATURE DATA

DEGREES FAHRENHEIT

MO	DA	YR	DAY NO		T40	T41	T42	T43	T44	T45
4	26	9	116	4	49.9	51.2	49.5	46.4	48.3	46.4
4	28	9	118	4	49.3	51.2	49.7	46.7	48.3	46.7
4	29	9	119	4	48.7	51.1	50.1	46.9	48.4	46.9
4	30	9	120	4	48.8	51.1	50.7	46.9	48.4	47.1
5	1	9	121	4	48.8	51.1	51.2	47.1	48.4	47.2
5	2	9	122	4	49.2	51.1	51.4	47.2	48.4	47.4
5	3	9	123	4	48.9	51.1	51.5	47.4	48.5	47.6
5	4	9	126	4	48.6	51.0	52.6	47.8	48.5	48.2
5	8	9	128	4	48.6	50.9	53.6	48.1	48.6	48.6
5	9	9	129	4	48.5	51.0	53.9	48.2	48.6	48.8
5	10	9	130	4	48.5	50.9	54.3	48.5	48.7	49.0
5	12	9	132	4	48.5	50.9	54.7	48.8	48.8	49.4
5	13	9	133	4	48.5	50.9	54.7	49.0	48.8	49.7
5	23	9	143	4	49.0	50.8	57.2	50.6	49.3	51.2
5	24	9	144	4	49.0	50.8	57.6	50.7	49.3	51.5
5	26	9	146	4	49.0	50.8	57.9	51.0	49.4	51.9
5	27	9	147	4	49.0	50.9	58.3	51.4	49.6	52.2
5	28	9	148	4	49.1	50.9	58.4	51.4	49.6	52.4
5	29	9	149	4	49.1	50.9	58.6	51.6	49.7	52.5
5	30	9	150	4	49.0	50.9	59.4	51.9	49.8	52.9
5	31	9	151	4	49.0	50.9	59.5	52.0	49.8	52.9
6	2	9	152	4	49.1	50.9	60.3	52.2	49.9	53.3
6	3	9	153	4	50.7	50.9	60.8	52.5	50.0	53.6
6	4	9	154	4	50.0	50.9	61.4	52.6	50.1	53.8
6	6	9	156	4	49.8	50.9	61.9	53.0	50.2	54.2
6	7	9	158	4	49.7	50.9	62.0	53.2	50.3	54.5
6	9	9	160	4	49.7	50.9	62.5	53.5	50.4	55.0
6	10	9	161	4	49.9	50.9	62.7	53.7	50.5	55.2
6	11	9	162	4	49.8	50.9	62.8	54.0	50.5	55.4
6	12	9	163	4	49.9	50.9	62.9	54.1	50.6	55.6
6	14	9	165	4	50.0	50.9	63.4	54.5	50.7	56.0
6	15	9	167	4	50.0	50.9	64.1	54.8	50.8	56.4
6	17	9	168	4	50.2	50.9	64.6	55.1	51.0	56.8
6	18	9	169	4	50.2	51.1	64.7	55.2	51.1	56.9
6	19	9	170	4	50.2	50.9	64.7	55.4	51.1	57.0
6	20	9	171	4	50.3	50.9	64.6	55.6	51.2	57.2
6	21	9	172	4	50.3	50.9	64.7	55.7	51.2	57.4
6	22	9	173	4	50.4	50.9	64.9	56.0	51.3	57.6
6	23	9	174	4	50.4	51.0	64.9	56.0	51.4	57.7
6	24	9	175	4	50.5	50.9	64.9	56.2	51.5	57.9
6	25	9	176	4	50.5	51.0	65.0	56.4	51.5	58.0
6	26	9	177	4	50.5	51.4	65.1	56.4	51.6	58.0
6	27	9	178	4	50.8	51.1	65.3	58.8	53.8	59.8
6	28	9	179	4	50.7	51.1	65.4	57.0	51.8	58.4
6	29	9	180	4	50.8	51.1	65.7	57.1	51.9	58.5
6	30	9	181	4	50.8	51.1	66.0	57.2	52.0	58.6
7	1	9	182	4	50.9	51.1	66.3	57.4	52.1	58.8
7	2	9	183	4	50.9	51.1	66.6	57.4	52.1	59.0
7	3	9	184	4	51.0	51.2	66.8	57.5	52.2	59.1
7	4	9	185	4	51.0	51.1	66.8	57.7	52.3	59.2
7	5	9	186	4	51.1	51.1	66.8	58.0	52.4	59.3
7	6	9	187	4	51.2	51.3	67.0	58.1	52.6	59.5
7	7	9	188	4	51.2	51.4	67.1	58.2	52.7	59.7

FIELD TEMPERATURE DATA

DEGREES FAHRENHEIT

MO	DA	YR	DAY	NO	T40	T41	T42	T43	T44	T45
7	8	9	189	4	51.2	51.4	67.2	58.3	52.7	59.8
7	9	9	190	4	51.3	51.2	67.0	58.5	52.7	60.0
7	10	9	191	4	51.4	51.3	66.9	58.6	52.9	60.1
7	11	9	192	4	51.5	51.4	66.7	58.8	53.0	60.2
7	12	9	193	4	51.5	51.2	66.6	58.8	52.9	60.5
7	13	9	194	4	51.6	51.3	66.6	58.9	53.0	60.6
7	14	9	195	4	51.6	51.3	66.7	59.0	53.1	60.7
7	15	9	196	4	51.7	51.2	66.8	59.1	53.2	60.7
7	16	9	197	4	51.7	51.3	66.0	59.2	53.2	60.7
7	17	9	198	4	51.8	51.3	67.0	59.2	53.3	60.8
9	15	9	258	4	55.5	52.9	68.3	63.9	57.4	65.2
9	17	9	260	4	55.7	53.1	68.1	64.0	57.6	65.2
9	26	9	269	4	56.1	53.2	65.9	63.6	58.0	64.7

FILLD TEMPERATURE DATA

DEGREES FAHRENHEIT

MO	DA	YR	DAY	NO	T46	T47	T48	T49	T50	T51		
1	1	9	1	4	42.1	49.9	54.7	55.2	32.1	0.0	0.0	
1	2	9	2	4	41.9	49.7	54.6	55.2	27.0	0.0	0.0	
1	3	9	3	4	41.7	49.4	54.5	55.2	30.0	0.0	0.0	
1	4	9	4	4	41.6	49.3	54.4	55.1	27.0	0.0	0.0	
1	5	9	5	4	41.5	49.1	54.3	55.1	24.1	0.0	0.0	
1	6	9	6	4	41.2	48.9	54.2	55.1	26.4	0.0	0.0	
1	7	9	7	4	41.0	48.7	54.1	55.1	30.1	0.0	0.0	
1	8	9	8	4	40.8	48.6	54.0	55.1	30.3	0.0	0.0	
1	9	9	9	4	40.6	48.4	53.9	55.0	30.9	0.0	0.0	
1	10	9	10	4	40.4	48.2	53.8	55.0	28.9	0.0	0.0	
1	11	9	11	4	40.3	48.1	53.7	54.9	28.0	0.0	0.0	
1	12	9	12	4	40.1	48.0	53.6	54.9	28.1	0.0	0.0	
1	13	9	13	4	40.0	47.8	53.5	54.9	29.0	0.0	0.0	
1	14	9	14	4	39.9	47.7	53.4	54.9	25.7	0.0	0.0	
1	15	9	15	4	39.7	47.5	53.3	54.9	30.2	0.0	0.0	
1	16	9	16	4	39.6	47.4	53.3	54.9	24.9	0.0	0.0	
1	17	9	17	4	39.4	47.3	53.1	54.8	29.3	0.0	0.0	
1	18	9	18	4	39.3	47.1	53.0	54.8	31.3	0.0	0.0	
1	19	9	19	4	39.2	47.0	53.0	54.8	31.5	0.0	0.0	
1	20	9	20	4	39.0	46.8	52.8	54.7	31.9	0.0	0.0	
1	21	9	21	4	38.9	46.7	52.7	54.6	32.0	0.0	0.0	
1	22	9	22	4	38.8	46.6	52.6	54.6	32.1	0.0	0.0	
1	23	9	23	4	38.7	46.4	52.5	54.6	32.1	0.0	0.0	
1	24	9	24	4	38.6	46.3	52.4	54.5	32.6	0.0	0.0	
1	25	9	25	4	38.5	46.1	52.3	54.5	33.4	0.0	0.0	
1	26	9	26	4	38.5	46.1	52.3	54.5	32.2	0.0	0.0	
1	27	9	27	4	38.5	45.8	52.1	54.4	32.1	0.0	0.0	
1	28	9	28	4	38.3	45.8	52.1	54.4	29.6	0.0	0.0	
1	30	9	30	4	38.0	45.5	51.9	44.3	31.7	0.0	0.0	
1	29	9	29	4	38.1	45.6	52.0	54.3	31.3	0.0	0.0	
1	31	9	31	4	38.0	45.3	51.8	54.2	31.9	0.0	0.0	
2	1	9	32	4	37.9	45.2	51.7	54.2	31.9	0.0	0.0	
2	2	9	33	4	37.8	45.1	51.6	54.2	32.0	0.0	0.0	
2	3	9	34	4	37.8	45.0	51.5	54.1	32.1	0.0	0.0	
2	4	9	35	4	37.7	44.9	51.4	54.1	32.1	0.0	0.0	
2	5	9	36	4	37.7	44.8	51.3	54.0	32.2	0.0	0.0	
2	6	9	37	4	37.6	44.7	51.3	54.0	32.1	0.0	0.0	
2	7	9	38	4	37.6	44.6	51.2	54.0	32.0	0.0	0.0	
2	8	9	39	4	37.6	44.5	51.1	54.0	32.1	0.0	0.0	
2	9	9	40	4	37.5	44.4	51.0	53.9	32.0	0.0	0.0	
2	10	9	41	4	37.6	44.1	50.8	53.8	32.2	0.0	0.0	
2	11	9	42	4	37.4	44.2	50.9	53.8	32.0	0.0	0.0	
2	12	9	43	4	37.4	44.1	50.8	53.8	31.7	0.0	0.0	
2	13	9	44	4	37.3	44.0	50.7	53.8	31.9	0.0	0.0	
2	14	9	45	4	37.4	43.9	50.6	53.7	32.1	0.0	0.0	
2	15	9	46	4	37.3	43.8	50.5	53.6	30.8	0.0	0.0	
2	16	9	47	4	37.2	43.7	50.5	53.6	30.3	0.0	0.0	
2	17	9	48	4	37.1	43.6	50.4	53.5	30.5	0.0	0.0	
2	18	9	49	4	37.0	43.6	50.3	53.5	31.4	0.0	0.0	
2	19	9	50	4	37.0	43.5	50.2	53.4	31.0	0.0	0.0	
2	20	9	51	4	37.0	43.4	50.1	53.4	31.4	0.0	0.0	
2	21	9	52	4	36.9	43.4	50.1	53.4	31.6	0.0	0.0	
2	22	9	53	4	36.9	43.3	49.9	53.3	31.7	0.0	0.0	
2	23	9	54	4	36.8	43.2	49.9	53.3	31.6	0.0	0.0	

FIELD TEMPERATURE DATA

DEGREES FAHRENHEIT

MO	DA	YR	DAY	NO	T46	T47	T48	T49	T50	T51		
2	24	9	55	4	36.8	43.1	49.8	53.2	31.7	0.0	0.0	
2	25	9	56	4	36.8	43.0	49.7	53.2	31.8	0.0	0.0	
2	26	9	57	4	36.9	43.0	49.6	53.1	31.9	0.0	0.0	
2	27	9	58	4	36.7	42.9	49.6	53.1	32.0	0.0	0.0	
2	28	9	59	4	36.7	42.8	49.5	53.0	32.0	0.0	0.0	
3	1	9	60	4	36.7	42.7	49.5	53.0	32.0	0.0	0.0	
3	2	9	61	4	36.6	42.6	49.4	52.9	32.1	0.0	0.0	
3	3	9	62	4	36.6	42.6	49.3	52.9	32.1	0.0	0.0	
3	4	9	63	4	36.5	42.6	49.2	52.9	32.1	0.0	0.0	
3	5	9	64	4	36.5	42.4	49.1	52.8	32.1	0.0	0.0	
3	6	9	65	4	36.5	42.5	49.1	52.8	32.1	0.0	0.0	
3	7	9	66	4	36.5	42.3	49.0	52.7	32.1	0.0	0.0	
3	8	9	67	4	36.5	42.3	48.9	52.7	32.1	0.0	0.0	
3	9	9	68	4	36.4	42.2	48.8	52.6	32.2	0.0	0.0	
3	10	9	69	4	36.4	42.1	48.8	52.6	33.2	0.0	0.0	
3	11	9	70	4	36.4	42.0	48.6	52.5	32.2	0.0	0.0	
3	12	9	71	4	36.4	42.0	48.7	52.5	32.2	0.0	0.0	
3	13	9	72	4	36.3	42.0	48.7	52.5	32.2	0.0	0.0	
3	14	9	73	4	36.3	41.9	48.5	52.4	33.1	0.0	0.0	
3	15	9	74	4	36.7	41.5	48.1	52.2	35.7	0.0	0.0	
3	16	9	75	4	36.5	41.5	48.1	52.1	34.4	0.0	0.0	
3	17	9	76	4	36.6	41.5	47.9	52.1	35.0	0.0	0.0	
3	18	9	77	4	36.5	41.4	48.0	52.1	33.8	0.0	0.0	
3	23	9	82	4	36.3	41.6	48.0	52.1	33.8	0.0	0.0	
3	24	9	83	4	37.0	41.5	48.0	52.1	37.5	0.0	0.0	
3	25	9	84	4	37.3	41.4	47.9	52.0	42.3	0.0	0.0	
3	26	9	85	4	37.2	41.1	47.5	51.7	39.4	0.0	0.0	
3	27	9	86	4	37.5	41.1	47.5	51.6	36.9	0.0	0.0	
3	28	9	87	4	37.9	41.0	47.5	51.6	36.6	0.0	0.0	
3	29	9	88	4	38.2	41.1	47.4	51.6	38.2	0.0	0.0	
3	31	9	90	4	38.8	41.1	47.3	51.5	35.3	0.0	0.0	
4	1	9	91	4	38.9	41.2	47.3	51.4	34.6	0.0	0.0	
4	2	9	92	4	39.0	41.2	47.2	51.4	44.4	0.0	0.0	
4	3	9	93	4	39.1	41.3	47.1	51.4	38.0	0.0	0.0	
4	4	9	94	4	39.3	41.4	47.1	51.3	39.2	0.0	0.0	
4	5	9	95	4	39.6	41.4	47.1	51.3	46.6	0.0	0.0	
4	7	9	97	4	40.2	41.6	47.0	51.2	50.4	0.0	0.0	
4	8	9	98	4	40.6	41.6	46.9	51.2	44.2	0.0	0.0	
4	9	9	99	4	41.0	41.7	46.9	51.1	46.5	0.0	0.0	
4	10	9	110	4	41.4	41.7	46.9	51.1	51.4	0.0	0.0	
4	11	9	101	4	41.8	41.8	46.9	51.1	49.7	0.0	0.0	
4	12	9	102	4	42.3	41.9	46.8	51.0	43.9	0.0	0.0	
4	14	9	104	4	43.2	42.2	46.8	50.9	53.2	0.0	0.0	
4	15	9	105	4	43.5	42.3	46.8	50.9	48.5	0.0	0.0	
4	16	9	106	4	43.7	42.5	46.7	50.9	52.9	0.0	0.0	
4	17	9	107	4	44.0	42.6	46.8	50.9	55.7	0.0	0.0	
4	18	9	108	4	44.4	42.7	46.7	50.8	56.2	0.0	0.0	
4	19	9	109	4	44.8	42.9	46.7	50.8	59.5	0.0	0.0	
4	21	9	111	4	46.0	43.2	46.7	50.7	57.7	0.0	0.0	
4	22	9	112	4	46.4	43.4	46.7	50.7	51.9	0.0	0.0	
4	23	9	113	4	46.7	43.6	46.7	50.7	47.8	0.0	0.0	
4	24	9	114	4	47.0	43.7	46.8	50.6	47.6	0.0	0.0	
4	25	9	115	4	47.1	43.9	46.7	50.6	44.7	0.0	0.0	

FIELD TEMPERATURE DATA

DEGREES FAHRENHEIT

MO	DA	YR	DAY	NO	T46	T47	T48	T49	T50	T51		
4	26	9	116	4	47.1	44.1	46.8	50.6	48.5	0.0	0.0	
4	28	9	118	4	47.4	44.5	46.8	50.5	55.9	0.0	0.0	
4	29	9	119	4	47.6	44.7	46.8	50.5	58.2	0.0	0.0	
4	30	9	120	4	48.0	44.9	46.8	50.5	53.8	0.0	0.0	
5	1	9	121	4	48.5	45.0	46.9	50.5	49.9	0.0	0.0	
5	2	9	122	4	48.8	45.1	46.9	50.4	52.0	0.0	0.0	
5	3	9	123	4	49.0	45.3	46.9	50.4	53.9	0.0	0.0	
5	6	9	126	4	49.9	45.8	47.0	50.3	54.9	0.0	0.0	
5	8	9	128	4	50.6	46.2	47.1	50.3	65.2	0.0	0.0	
5	9	9	129	4	50.8	46.3	47.2	50.3	62.2	0.0	0.0	
5	10	9	130	4	51.1	46.5	47.2	50.3	53.9	0.0	0.0	
5	12	9	132	4	51.6	46.9	47.3	50.2	51.0	0.0	0.0	
5	13	9	133	4	51.8	47.0	47.3	50.2	52.1	0.0	0.0	
5	23	9	143	4	53.8	48.6	48.0	50.2	61.9	0.0	0.0	
5	24	9	144	4	54.2	48.8	48.0	50.2	61.3	0.0	0.0	
5	26	9	146	4	54.7	49.0	48.2	50.2	60.7	0.0	0.0	
5	27	9	147	4	55.1	49.4	48.3	50.3	67.2	0.0	0.0	
5	28	9	148	4	55.2	49.5	48.4	50.3	60.5	0.0	0.0	
5	29	9	149	4	55.4	49.7	48.5	50.3	66.7	0.0	0.0	
5	30	9	150	4	55.9	50.1	48.6	50.3	76.2	0.0	0.0	
5	31	9	151	4	55.9	50.1	48.6	50.3	81.4	0.0	0.0	
6	2	9	152	4	56.6	50.3	48.7	50.3	72.1	0.0	0.0	
6	3	9	153	4	56.9	50.5	48.8	50.3	70.6	0.0	0.0	
6	4	9	154	4	57.3	50.7	48.9	50.3	65.0	0.0	0.0	
6	6	9	156	4	57.9	51.0	49.0	50.3	65.3	0.0	0.0	
6	7	9	158	4	58.1	51.2	49.1	50.3	67.3	0.0	0.0	
6	9	9	160	4	58.5	51.6	49.3	50.4	67.2	0.0	0.0	
6	10	9	161	4	58.8	51.8	49.4	50.4	65.4	0.0	0.0	
6	11	9	162	4	59.0	52.0	49.5	50.4	71.1	0.0	0.0	
6	12	9	163	4	59.1	52.1	49.5	50.4	69.9	0.0	0.0	
6	14	9	165	4	59.5	52.5	49.7	50.4	74.7	0.0	0.0	
6	16	9	167	4	60.1	52.8	49.8	50.5	70.9	0.0	0.0	
6	17	9	168	4	60.8	53.2	50.0	50.5	74.0	0.0	0.0	
6	18	9	169	4	60.9	53.3	50.1	50.5	70.2	0.0	0.0	
6	19	9	170	4	60.9	53.4	50.1	50.5	74.5	0.0	0.0	
6	20	9	171	4	61.0	53.6	50.2	50.5	80.5	0.0	0.0	
6	21	9	172	4	61.1	53.7	50.3	50.5	74.0	0.0	0.0	
6	22	9	173	4	61.3	54.0	50.4	50.6	79.5	0.0	0.0	
6	23	9	174	4	61.5	54.1	50.5	50.6	71.2	0.0	0.0	
6	24	9	175	4	61.6	54.3	50.5	50.6	76.3	0.0	0.0	
6	25	9	176	4	61.8	54.4	50.6	50.6	73.8	0.0	0.0	
6	26	9	177	4	62.1	54.7	50.7	50.6	75.0	0.0	0.0	
6	27	9	178	4	63.6	56.7	52.9	52.7	79.6	0.0	0.0	
6	28	9	179	4	62.2	54.9	50.9	50.7	74.2	0.0	0.0	
6	29	9	180	4	62.5	55.1	51.0	50.8	73.5	0.0	0.0	
6	30	9	181	4	62.7	55.3	51.1	50.8	72.9	0.0	0.0	
7	1	9	182	4	63.0	55.5	51.2	50.8	75.7	0.0	0.0	
7	2	9	183	4	63.4	55.6	51.2	50.8	70.0	0.0	0.0	
7	3	9	184	4	63.7	55.8	51.4	50.8	73.4	0.0	0.0	
7	4	9	185	4	63.8	56.0	51.5	50.9	73.8	0.0	0.0	
7	5	9	186	4	63.8	56.2	51.6	50.9	74.2	0.0	0.0	
7	6	9	187	4	64.0	56.5	51.7	50.9	73.8	0.0	0.0	
7	7	9	188	4	64.2	56.7	51.9	51.0	73.5	0.0	0.0	

FILLO TEMPERATURE DATA

DEGREES FAHRENHEIT

MO	DA	YR	DAY NO		T46	T47	T48	T49	T50	T51		
7	8	9	189	4	64.4	56.7	51.9	51.0	68.7	0.0	0.0	
7	9	9	190	4	64.3	56.8	51.9	51.0	67.4	0.0	0.0	
7	10	9	191	4	64.4	57.0	52.0	51.0	69.2	0.0	0.0	
7	11	9	192	4	64.3	57.2	52.2	51.2	70.4	0.0	0.0	
7	12	9	193	4	64.2	57.2	52.2	51.0	75.9	0.0	0.0	
7	13	9	194	4	64.2	57.3	52.3	51.0	73.3	0.0	0.0	
7	14	9	195	4	64.3	57.4	52.3	51.1	70.7	0.0	0.0	
7	15	9	196	4	64.4	57.5	52.4	51.1	78.5	0.0	0.0	
7	16	9	197	4	64.5	57.6	52.5	51.1	80.0	0.0	0.0	
7	17	9	198	4	64.6	57.7	52.6	51.2	76.4	0.0	0.0	
9	15	9	258	4	67.3	63.5	57.8	53.6	71.5	0.0	0.0	
9	17	9	260	4	67.1	63.6	58.0	53.8	70.5	0.0	0.0	
9	26	9	269	4	55.3	63.5	58.4	54.2	67.1	0.0	0.0	

SECTION 2-B
FIELD GAS COMPOSITION

Notes:

1. Nomenclature; same as in Section 1-B.
2. All results in percent of total gas.

FIELD GAS ANALYSIS

MO	DA	YR	DAY	NO	LOC	CO2	O2	N2	CH4	H2S	CO
1	2	9		2	A1	2.5	16.8	80.6	0.4	0.0	0.0
2	6	9		37	A1	3.7	14.5	81.7	0.1	0.0	0.0
2	25	9		55	A1	4.9	11.7	83.1	0.2	0.0	0.0
3	26	9		85	A1	4.4	15.5	80.1	0.1	0.0	0.0
4	25	9		115	A1	3.2	17.2	79.6	0.1	0.0	0.0
5	22	9		142	A1	4.1	15.7	80.1	0.1	0.0	0.0
6	18	9		169	A1	5.0	16.4	78.5	0.1	0.0	0.0
8	14	9		225	A1	0.2	16.3	83.5	0.0	0.0	0.0
9	11	9		253	A1	1.0	10.4	88.2	0.0	0.0	0.0

FIELD GAS ANALYSIS

MO	DA	YR	DAY	NO	LUC	CO2	O2	N2	CH4	H2S	CO
1	2	9		2	A2	5.7	14.1	80.1	0.1	0.0	0.0
2	6	9		37	A2	6.2	12.0	81.7	0.1	0.0	0.0
2	25	9		55	A2	6.8	10.6	82.4	0.2	0.0	0.0
3	26	9		85	A2	7.1	11.4	81.2	0.2	0.0	0.0
4	25	9		115	A2	7.7	13.8	78.4	0.1	0.0	0.0
5	22	9		142	A2	7.1	13.8	79.0	0.1	0.0	0.0
6	18	9		169	A2	8.3	13.5	78.5	0.1	0.0	0.0
8	14	9		225	A2	7.3	10.2	82.5	0.0	0.0	0.0
9	11	9		253	A2	6.3	13.9	79.7	0.0	0.0	0.0

FIELD GAS ANALYSIS

MO	DA	YR	DAY	NO	LUC	CO2	O2	N2	CH4	H2S	CO
1	2	9		2	A3	10.6	11.7	77.6	0.1	0.0	0.0
2	6	9		37	A3	9.2	17.2	73.3	0.2	0.0	0.0
2	25	9		55	A3	10.2	10.1	79.5	0.2	0.0	0.0
3	26	9		85	A3	9.7	9.6	80.5	0.2	0.0	0.0
4	25	9		115	A3	10.3	10.7	78.8	0.2	0.0	0.0
5	22	9		142	A3	9.3	11.4	79.1	0.2	0.0	0.0
6	18	9		169	A3	10.5	11.0	78.3	0.1	0.0	0.0
8	14	9		225	A3	4.6	12.2	83.2	0.0	0.0	0.0
9	11	9		253	A3	4.5	13.4	76.4	0.0	0.0	0.0

FIELD GAS ANALYSIS

MO	DA	YR	DAY	NO	LOC	CO2	O2	N2	CH4	H2S	CO
1	2	9		2	A4	9.4	12.4	77.7	0.1	0.0	0.0
2	6	9		37	A4	9.7	11.5	78.6	0.2	0.0	0.0
2	25	9		55	A4	9.3	11.2	79.4	0.2	0.0	0.0
3	26	9		85	A4	11.0	10.5	78.3	0.2	0.0	0.0
4	25	9		115	A4	9.5	10.9	79.4	0.2	0.0	0.0
5	22	9		142	A4	8.4	11.5	79.9	0.1	0.0	0.0
6	18	9		169	A4	6.6	9.8	83.4	0.1	0.0	0.0
8	14	9		225	A4	10.2	9.4	79.7	0.0	0.0	0.0
9	11	9		253	A4	0.0	0.0	0.0	0.0	0.0	0.0

FIELD GAS ANALYSIS

MU	DA	YR	DAY	NO	LUC	CU2	O2	N2	CH4	H2S	CO
1	2	9		2	B1	3.4	16.8	79.7	0.1	0.0	0.0
2	6	9		37	B1	4.8	14.4	80.7	0.1	0.0	0.0
2	25	9		55	B1	5.2	12.8	81.8	0.2	0.0	0.0
3	26	9		85	B1	5.3	12.9	81.6	0.2	0.0	0.0
4	25	9		115	B1	6.1	14.3	79.5	0.1	0.0	0.0
5	22	9		142	B1	4.0	15.5	80.9	0.1	0.0	0.0
6	18	9		169	B1	6.6	13.2	79.9	0.1	0.0	0.0
8	14	9		225	B1	5.6	9.9	84.5	0.0	0.0	0.0
9	11	9		253	B1	2.5	17.1	80.3	0.0	0.0	0.0

FIELD GAS ANALYSIS

MO	DA	YR	DAY	NO	LOC	CO2	O2	N2	CH4	H2S	CO
1	2	9		2	B2	5.9	15.7	78.2	0.1	0.0	0.0
2	6	9		37	B2	5.2	14.2	80.5	0.1	0.0	0.0
2	25	9		55	B2	6.8	12.5	80.5	0.2	0.0	0.0
3	26	9		85	B2	6.6	11.9	81.3	0.2	0.0	0.0
4	25	9		115	B2	8.3	12.3	79.3	0.2	0.0	0.0
5	22	9		142	B2	8.5	3.4	87.9	0.1	0.0	0.0
6	18	9		169	B2	8.7	13.2	77.8	0.1	0.0	0.0
8	14	9		225	B2	5.6	49.1	45.2	0.1	0.0	0.0
9	11	9		253	B2	0.0	0.0	0.0	0.0	0.0	0.0

FIELD GAS ANALYSIS

MO	DA	YR	DAY	NO	LOC	CO2	O2	N2	CH4	H2S	CO
1	2	9		2	B3	11.6	12.0	76.2	0.2	0.0	0.0
2	6	9		37	B3	10.8	10.8	78.1	0.3	0.0	0.0
2	25	9		55	B3	10.5	9.7	79.4	0.3	0.0	0.0
3	26	9		85	B3	10.5	9.3	79.8	0.3	0.0	0.0
4	25	9		115	B3	10.3	10.5	79.0	0.2	0.0	0.0
5	22	9		142	B3	10.4	10.7	78.6	0.2	0.0	0.0
6	18	9		169	B3	13.7	7.5	78.5	0.2	0.0	0.0
8	14	9		225	B3	9.4	12.3	78.1	0.1	0.0	0.0
9	11	9		253	B3	9.9	12.1	78.0	0.0	0.0	0.0

FIELD GAS ANALYSIS

MO	DA	YR	DAY	NO	LOC	CO2	O2	N2	CH4	H2S	CO
1	2	9		2	B4	8.8	13.3	77.8	0.2	0.0	0.0
2	6	9		37	U4	7.2	13.7	78.9	0.1	0.0	0.0
2	25	9		55	B4	7.0	12.9	79.8	0.2	0.0	0.0
3	26	9		85	B4	7.2	11.7	81.0	0.2	0.0	0.0
4	25	9		115	B4	7.7	12.0	80.1	0.3	0.0	0.0
5	22	9		142	B4	7.1	12.2	80.4	0.2	0.0	0.0
6	18	9		169	B4	8.0	12.2	79.5	0.2	0.0	0.0
8	14	9		225	B4	0.0	0.0	0.0	0.0	0.0	0.0
9	11	9		253	B4	6.5	13.5	79.8	0.1	0.0	0.0

FIELD GAS ANALYSIS

MO	DA	YR	DAY	NO	LUC	CO2	O2	N2	CH4	H2S	CO
1	2	9		2	C1	0.9	17.7	81.3	0.1	0.0	0.0
2	6	9		37	C1	1.3	16.6	80.0	0.8	0.0	0.0
2	25	9		55	C1	0.6	18.7	80.6	0.1	0.0	0.0
3	26	9		85	C1	1.4	15.5	83.0	0.2	0.0	0.0
4	25	9		115	C1	2.5	15.7	81.5	0.2	0.0	0.0
5	22	9		142	C1	1.9	15.9	81.9	0.2	0.0	0.0
6	18	9		169	C1	4.8	18.5	76.4	0.2	0.0	0.0
8	14	9		225	C1	2.6	11.7	85.6	0.0	0.0	0.0
9	11	9		253	C1	3.7	13.4	82.9	0.0	0.0	0.0

FIELD GAS ANALYSIS

MO	DA	YR	DAY	NO	LNC	CO2	O2	N2	CH4	H2S	CO
1	2	9		2	C2	1.4	16.4	82.1	0.1	0.0	0.0
2	6	9		37	C2	1.3	16.7	81.9	0.1	0.0	0.0
2	25	9		55	C2	1.3	15.9	72.6	0.2	0.0	0.0
3	26	9		85	C2	1.7	15.0	83.1	0.2	0.0	0.0
4	25	9		115	C2	2.3	15.0	82.4	0.2	0.0	0.0
5	22	9		142	C2	2.4	16.3	81.1	0.2	0.0	0.0
6	18	9		169	C2	3.3	15.5	80.9	0.1	0.0	0.0
8	14	9		225	C2	3.5	21.1	75.4	0.0	0.0	0.0
9	11	9		253	C2	7.9	12.9	79.1	0.0	0.0	0.0

FIELD GAS ANALYSIS

MO	DA	YR	DAY	NO	LOC	CO2	O2	N2	CH4	H2S	CO
1	2	9		2	C3	2.1	17.8	80.0	0.1	0.0	0.0
2	6	9		37	C3	1.1	18.0	80.8	0.1	0.0	0.0
2	25	9		55	C3	2.2	15.5	82.2	0.2	0.0	0.0
3	26	9		85	C3	2.3	14.4	83.0	0.3	0.0	0.0
4	25	9		115	C3	2.9	14.7	82.1	0.3	0.0	0.0
5	22	9		142	C3	3.2	14.3	82.1	0.3	0.0	0.0
6	18	9		169	C3	2.9	14.8	82.1	0.3	0.0	0.0
8	14	9		225	C3	3.9	11.4	84.4	0.1	0.0	0.0
9	11	9		253	C3	0.0	0.0	0.0	0.0	0.0	0.0

FIELD GAS ANALYSIS

MO	DA	YR	DAY	NO	LOC	CO2	O2	N2	CH4	H2S	CO
1	2	9		2	C4	1.6	17.6	80.7	0.0	0.0	0.0
2	6	9		37	C4	1.4	16.5	82.0	0.1	0.0	0.0
2	25	9		55	C4	0.6	18.7	80.7	0.0	0.0	0.0
3	26	9		85	C4	1.0	16.3	82.5	0.2	0.0	0.0
4	25	9		115	C4	1.6	15.0	83.0	0.3	0.0	0.0
5	22	9		142	C4	0.0	0.0	0.0	0.0	0.0	0.0
6	18	9		169	C4	1.6	14.9	83.1	0.3	0.0	0.0
8	14	9		225	C4	1.7	11.3	87.2	0.0	0.0	0.0
9	11	9		253	C4	4.5	15.0	80.5	0.0	0.0	0.0

FIELD GAS ANALYSIS

MO	DA	YR	DAY	NO	LOC	CO2	O2	N2	CH4	H2S	CO
1	2	9		2	D1	1.3	18.6	80.0	0.0	0.0	0.0
2	6	9		37	D1	1.4	18.7	79.8	0.0	0.0	0.0
2	25	9		55	D1	1.8	15.7	82.4	0.0	0.0	0.0
3	26	9		85	D1	0.0	0.0	0.0	0.0	0.0	0.0
4	25	9		115	D1	3.4	16.6	80.0	0.0	0.0	0.0
5	22	9		142	D1	4.3	7.3	88.4	0.0	0.0	0.0
6	18	9		169	D1	3.3	16.6	79.9	0.0	0.0	0.0
8	14	9		225	D1	4.3	9.2	86.4	0.0	0.0	0.0
9	11	9		253	D1	3.7	13.4	82.9	0.0	0.0	0.0

FIELD GAS ANALYSIS

MO	DA	YR	DAY	NO	LOC	CO2	O2	N2	CH4	H2S	CU
1	2	9		2	D2	6.4	14.5	78.4	0.2	0.0	0.0
2	6	9		37	D2	5.9	13.5	80.5	0.1	0.0	0.0
2	25	9		55	D2	5.9	13.6	79.8	0.5	0.0	0.0
3	26	9		85	D2	6.1	13.1	80.8	0.1	0.0	0.0
4	25	9		115	D2	7.1	13.0	79.8	0.1	0.0	0.0
5	27	9		142	D2	6.7	13.5	79.7	0.1	0.0	0.0
6	18	9		169	D2	7.1	13.0	79.8	0.1	0.0	0.0
8	14	9		225	D2	7.4	9.9	83.7	0.0	0.0	0.0
9	11	9		253	D2	7.9	12.9	79.1	0.0	0.0	0.0

FIELD GAS ANALYSIS

MO	DA	YR	DAY	NO	LQC	CO2	O2	N2	CH4	H2S	CO
1	2	9		2	D3	7.1	3.6	79.1	0.1	0.0	0.0
2	6	9		37	D3	6.9	13.1	79.9	0.1	0.0	0.0
2	25	9		55	D3	6.5	13.2	80.2	0.1	0.0	0.0
3	26	9		85	D3	7.1	12.1	80.7	0.1	0.0	0.0
4	25	9		115	D3	7.6	12.3	80.0	0.1	0.0	0.0
5	22	9		142	D3	7.3	12.6	80.0	0.1	0.0	0.0
6	18	9		169	D3	7.6	12.2	80.0	0.1	0.0	0.0
8	14	9		225	D3	4.1	4.6	88.3	0.0	0.0	0.0
9	11	9		253	D3	0.0	0.0	0.0	0.0	0.0	0.0

FIELD GAS ANALYSIS

MU	DA	YR	DAY	NO	LOC	CO2	O2	N2	CH4	H2S	CO
1	2	9		2	D4	5.0	15.0	79.9	0.1	0.0	0.0
2	6	9		37	D4	5.4	14.3	80.2	0.1	0.0	0.0
2	25	9		55	D4	5.5	13.8	80.6	0.0	0.0	0.0
3	26	9		85	D4	4.7	14.2	81.1	0.0	0.0	0.0
4	25	9		115	D4	6.1	13.1	80.8	0.1	0.0	0.0
5	22	9		142	D4	10.8	12.4	76.7	0.0	0.0	0.0
6	18	9		169	D4	6.1	13.0	80.7	0.0	0.0	0.0
8	14	9		225	D4	5.2	9.7	85.0	0.0	0.0	0.0
9	11	9		253	D4	4.3	15.0	80.3	0.0	0.0	0.0

FIELD GAS ANALYSIS

MO	DA	YR	DAY	NO	LOC	CO2	O2	N2	CH4	H2S	CO
1	2	9		2	E1	1.0	17.8	81.2	0.0	0.0	0.0
2	6	9		37	E1	1.0	17.8	81.1	0.0	0.0	0.0
2	25	9		55	E1	0.8	17.7	81.5	0.0	0.0	0.0
3	26	9		85	E1	0.1	18.0	81.0	0.0	0.0	0.0
4	25	9		115	E1	1.5	16.7	81.8	0.0	0.0	0.0
5	22	9		142	E1	0.5	18.7	80.7	0.0	0.0	0.0
6	18	9		169	E1	1.5	16.7	81.3	0.0	0.0	0.0
8	14	9		225	E1	3.4	11.3	85.2	0.0	0.0	0.0
9	11	9		253	E1	3.1	16.1	80.7	0.0	0.0	0.0

FIELD GAS ANALYSIS

MU	DA	YR	DAY	NO	LOC	CO2	O2	N2	CH4	H2S	CO
1	2	9		2	F2	2.2	17.1	80.7	0.0	0.0	0.0
2	6	9		37	E2	2.3	15.3	82.4	0.0	0.0	0.0
2	25	9		55	E2	2.1	16.9	80.9	0.0	0.0	0.0
3	26	9		85	F2	0.5	28.2	71.3	0.0	0.0	0.0
4	25	9		115	E2	2.6	16.1	81.4	0.0	0.0	0.0
5	22	9		142	E2	0.6	18.6	80.7	0.0	0.0	0.0
6	18	9		169	F2	2.2	16.5	81.3	0.0	0.0	0.0
8	14	9		225	E2	6.2	6.5	87.3	0.0	0.0	0.0
9	11	9		253	E2	1.9	17.3	80.8	0.0	0.0	0.0

FIELD GAS ANALYSIS

MO	DA	YR	DAY	NO	LOC	CO2	O2	N2	CH4	H2S	CO
1	2	9		2	E3	2.2	17.8	80.1	0.0	0.0	0.0
2	6	9		37	E3	2.2	16.7	81.1	0.0	0.0	0.0
2	25	9		55	E3	1.8	16.7	81.4	0.0	0.0	0.0
3	26	9		85	F3	1.9	16.3	81.8	0.0	0.0	0.0
4	25	9		115	E3	2.2	16.5	81.3	0.0	0.0	0.0
5	22	9		142	F3	1.9	16.7	81.3	0.0	0.0	0.0
6	18	9		169	F3	2.2	16.5	81.2	0.0	0.0	0.0
8	14	9		225	E3	2.7	11.4	85.8	0.0	0.0	0.0
9	11	9		253	E3	9.9	12.1	78.0	0.0	0.0	0.0

FIELD GAS ANALYSIS

MU	DA	YR	DAY	NO	LOC	CO2	O2	N2	CH4	H2S	CO
1	2	9		2	E4	1.7	18.0	80.2	0.0	0.0	0.0
2	6	9		37	E4	0.0	0.0	0.0	0.0	0.0	0.0
2	25	9		55	E4	0.0	0.0	0.0	0.0	0.0	0.0
3	26	9		85	E4	1.3	18.2	80.5	0.0	0.0	0.0
4	25	9		115	E4	2.3	16.8	80.9	0.0	0.0	0.0
5	22	9		142	E4	2.2	18.2	79.5	0.0	0.0	0.0
6	18	9		169	E4	2.2	16.8	80.9	0.0	0.0	0.0
8	14	9		225	E4	2.1	11.4	86.4	0.0	0.0	0.0
9	11	9		253	E4	6.5	13.3	79.8	0.0	0.0	0.0

FIELD GAS ANALYSIS

MU	DA	YR	DAY	NO	LOC	CO2	O2	N2	CH4	H2S	CO
1	2	9		2	W1	23.1	1.6	74.1	1.3	0.0	0.0
1	14	9		14	W1	13.5	7.1	78.8	0.6	0.0	0.0
1	6	9		37	W1	11.9	5.7	81.6	0.7	0.0	0.0
1	18	9		77	W1	17.5	1.5	80.2	0.8	0.0	0.0
1	25	9		56	W1	15.7	2.3	81.7	0.7	0.0	0.0
1	26	9		85	W1	18.4	2.6	78.4	0.7	0.0	0.0
4	2	9		92	W1	20.8	1.5	77.1	0.7	0.0	0.0
4	9	9		99	W1	22.9	1.2	75.4	0.6	0.0	0.0
4	16	9		106	W1	25.1	1.4	72.9	0.6	0.0	0.0
4	25	9		115	W1	28.2	1.0	70.5	0.3	0.0	0.0
5	1	9		121	W1	29.0	1.1	69.6	0.3	0.0	0.0
5	8	9		128	W1	28.4	1.2	70.2	0.1	0.0	0.0
5	13	9		133	W1	31.0	0.9	67.8	0.1	0.0	0.0
5	22	9		142	W1	17.4	5.9	76.6	0.6	0.0	0.0
5	27	9		147	W1	24.8	1.6	73.4	0.1	0.0	0.0
6	6	9		156	W1	25.1	1.7	72.9	0.1	0.0	0.0
6	11	9		161	W1	26.6	1.7	71.5	0.1	0.0	0.0
6	18	9		168	W1	23.9	1.4	74.4	0.2	0.0	0.0
6	26	9		176	W1	19.5	2.2	77.7	0.1	0.0	0.0
7	3	9		184	W1	19.7	3.3	76.9	0.1	0.0	0.0
7	25	9		205	W1	16.3	4.3	79.3	0.1	0.0	0.0
8	1	9		212	W1	13.3	12.2	74.4	0.1	0.0	0.0
8	7	9		219	W1	13.3	12.2	74.4	0.1	0.0	0.0
8	14	9		226	W1	15.4	10.1	73.1	1.3	0.0	0.0
8	23	9		235	W1	13.3	12.2	74.4	0.3	0.0	0.0
8	28	9		240	W1	23.5	2.1	73.5	0.8	0.0	0.0
9	6	9		248	W1	19.2	6.4	74.2	0.2	0.0	0.0
9	11	9		253	W1	19.3	6.2	74.0	0.7	0.0	0.0
9	17	9		259	W1	28.2	1.8	63.9	5.9	0.0	0.0
9	26	9		268	W1	29.2	4.1	64.9	1.8	0.0	0.0

FIELD GAS ANALYSIS

MO	DA	YR	DAY	NO	LOC	CO2	O2	N2	CH4	H2S	CO
1	2	9		2	W2	22.5	1.9	74.3	1.3	0.0	0.0
1	14	9		14	W2	23.6	1.5	73.2	1.7	0.0	0.0
1	6	9		37	W2	21.7	3.6	73.6	1.1	0.0	0.0
1	18	9		77	W2	21.8	1.3	75.8	1.0	0.0	0.0
1	25	9		56	W2	22.0	1.3	77.5	1.2	0.0	0.0
1	26	9		85	W2	20.4	2.3	76.3	1.0	0.0	0.0
4	2	9		92	W2	23.1	1.6	74.7	0.6	0.0	0.0
4	9	9		99	W2	22.9	1.1	75.0	1.0	0.0	0.0
4	16	9		106	W2	21.9	2.4	4.8	0.9	0.0	0.0
4	25	9		115	W2	24.9	1.1	73.2	0.9	0.0	0.0
5	1	9		121	W2	24.4	1.4	73.5	0.7	0.0	0.0
5	8	9		128	W2	17.2	1.6	80.0	0.1	0.0	0.0
5	13	9		133	W2	15.1	10.6	73.8	0.4	0.0	0.0
5	22	9		142	W2	26.6	2.1	70.4	0.8	0.0	0.0
5	27	9		147	W2	26.9	1.2	70.9	0.8	0.0	0.0
6	6	9		156	W2	17.8	6.4	75.2	0.5	0.0	0.0
6	11	9		161	W2	31.8	1.1	66.2	0.9	0.0	0.0
6	18	9		168	W2	32.5	1.4	64.6	1.3	0.0	0.0
6	26	9		176	W2	32.2	1.4	65.7	0.6	0.0	0.0
7	3	9		184	W2	39.4	1.9	57.4	1.3	0.0	0.0
7	25	9		205	W2	26.5	3.4	68.6	1.1	0.0	0.0
8	1	9		212	W2	19.7	10.5	69.1	0.5	0.0	0.0
8	7	9		219	W2	19.7	10.5	69.1	0.5	0.0	0.0
8	14	9		226	W2	20.0	8.1	70.4	1.3	0.0	0.0
8	23	9		235	W2	17.3	11.5	70.4	0.5	0.0	0.0
8	28	9		240	W2	23.5	2.1	73.5	0.8	0.0	0.0
9	6	9		248	W2	39.5	1.6	57.8	1.3	0.0	0.0
9	11	9		253	W2	42.2	1.4	55.7	0.6	0.0	0.0
9	17	9		259	W2	41.2	1.9	51.2	5.6	0.0	0.0
9	26	9		268	W2	31.3	2.8	49.2	5.6	0.0	0.0

FIELD GAS ANALYSIS

MO	DA	YR	DAY	NO	LOC	CO2	O2	N2	CH4	H2S	CO
1	2	9		2	W3	27.3	0.3	68.4	2.0	0.0	0.0
1	14	9		14	W3	26.6	2.4	70.9	0.2	0.0	0.0
1	6	9		37	W3	27.0	1.8	69.7	1.5	0.0	0.0
1	18	9		77	W3	23.7	1.6	73.5	1.2	0.0	0.0
1	25	9		56	W3	27.1	2.2	73.4	1.3	0.0	0.0
1	26	9		85	W3	23.6	1.2	74.2	1.1	0.0	0.0
4	2	9		92	W3	21.8	2.1	74.7	0.5	0.0	0.0
4	9	9		99	W3	24.2	1.2	73.5	1.1	0.0	0.0
4	16	9		106	W3	22.3	2.9	73.8	1.0	0.0	0.0
4	25	9		115	W3	24.8	1.3	71.8	2.0	0.0	0.0
5	1	9		121	W3	26.1	1.1	71.7	1.0	0.0	0.0
5	8	9		128	W3	30.9	1.8	66.4	0.8	0.0	0.0
5	13	9		133	W3	25.7	2.0	71.2	0.9	0.0	0.0
5	22	9		142	W3	25.7	2.1	71.2	0.9	0.0	0.0
5	27	9		147	W3	26.8	1.3	70.1	0.9	0.0	0.0
6	6	9		156	W3	29.0	1.3	68.6	1.0	0.0	0.0
6	11	9		161	W3	28.9	2.3	68.4	0.4	0.0	0.0
6	18	9		168	W3	29.0	2.1	67.7	1.2	0.0	0.0
6	26	9		176	W3	29.6	2.1	67.4	0.7	0.0	0.0
7	3	9		184	W3	30.4	2.6	65.4	1.4	0.0	0.0
7	25	9		205	W3	28.9	3.2	66.8	1.1	0.0	0.0
8	1	9		212	W3	12.5	13.7	72.5	1.2	0.0	0.0
8	7	9		219	W3	12.5	13.7	72.5	1.2	0.0	0.0
8	14	9		226	W3	13.9	11.9	72.9	1.1	0.0	0.0
8	23	9		235	W3	2.0	36.8	60.7	0.4	0.0	0.0
8	28	9		240	W3	15.1	11.1	73.5	0.3	0.0	0.0
9	6	9		248	W3	30.5	2.7	65.3	1.3	0.0	0.0
9	11	9		253	W3	39.6	2.1	57.4	0.7	0.0	0.0
9	17	9		259	W3	40.4	3.1	50.8	5.8	0.0	0.0
9	26	9		268	W3	39.6	2.1	53.3	4.8	0.0	0.0

FIELD GAS ANALYSIS

MO	DA	YR	DAY	NO	LOC	CO2	O2	N2	CH4	H2S	CO
1	2	9		2	W4	32.0	2.0	64.5	1.5	0.0	0.0
1	14	9		14	W4	20.4	6.4	72.2	1.0	0.0	0.0
2	6	9		37	W4	29.4	3.1	66.3	1.2	0.0	0.0
2	25	9		56	W4	23.6	2.9	72.4	1.0	0.0	0.0
3	18	9		77	W4	26.5	1.2	71.1	1.1	0.0	0.0
3	26	9		85	W4	26.6	1.2	74.2	1.1	0.0	0.0
4	2	9		92	W4	25.4	1.6	71.0	2.0	0.0	0.0
4	9	9		99	W4	25.4	1.1	71.6	1.9	0.0	0.0
4	16	9		106	W4	26.3	1.3	71.5	0.9	0.0	0.0
4	25	9		115	W4	27.0	1.0	71.1	0.9	0.0	0.0
5	1	9		121	W4	26.9	1.0	70.3	1.7	0.0	0.0
5	8	9		128	W4	0.0	0.0	0.0	0.0	0.0	0.0
5	13	9		133	W4	27.2	1.2	70.6	0.8	0.0	0.0
5	22	9		142	W4	26.3	2.1	71.5	0.7	0.0	0.0
5	27	9		147	W4	31.5	1.0	66.6	0.8	0.0	0.0
6	6	9		156	W4	26.7	2.8	69.7	0.8	0.0	0.0
6	11	9		161	W4	29.5	1.1	68.5	0.8	0.0	0.0
6	18	9		168	W4	29.8	1.3	67.8	0.9	0.0	0.0
6	26	9		176	W4	27.2	1.8	70.4	0.5	0.0	0.0
7	3	9		184	W4	30.6	1.2	66.9	1.1	0.0	0.0
7	25	9		205	W4	23.6	4.1	71.4	0.9	0.0	0.0
8	1	9		212	W4	26.8	1.9	70.8	0.4	0.0	0.0
8	7	9		219	W4	26.8	1.9	70.8	0.4	0.0	0.0
8	14	9		276	W4	11.9	6.4	79.4	0.3	0.0	0.0
8	23	9		235	W4	12.0	23.8	60.7	0.4	0.0	0.0
8	28	9		240	W4	0.0	0.0	0.0	0.0	0.0	0.0
9	6	9		248	W4	29.8	3.9	65.8	0.4	0.0	0.0
9	11	9		253	W4	37.9	1.7	37.5	2.8	0.0	0.0
9	17	9		259	W4	35.9	2.1	57.5	2.5	0.0	0.0
9	26	9		268	W4	37.5	2.1	58.1	3.3	0.0	0.0

FIELD GAS ANALYSIS

MO	DA	YR	DAY	NO	LOC	CO2	O2	N2	CH4	H2S	CO
1	2	9		2	W5	29.9	4.3	65.0	0.7	0.0	0.0
1	14	9		14	W5	31.3	1.9	65.7	1.1	0.0	0.0
2	6	9		37	W5	21.9	7.3	70.2	0.6	0.0	0.0
2	25	9		56	W5	45.3	1.1	52.9	0.6	0.0	0.0
3	18	9		77	W5	25.5	3.7	70.0	0.8	0.0	0.0
3	26	9		85	W5	26.6	1.1	71.2	1.0	0.0	0.0
4	2	9		92	W5	42.6	1.3	55.5	0.7	0.0	0.0
4	9	9		99	W5	44.6	0.9	53.9	0.5	0.0	0.0
4	16	9		106	W5	28.2	1.8	69.4	0.7	0.0	0.0
4	25	9		115	W5	26.3	1.3	71.7	0.7	0.0	0.0
5	1	9		121	W5	27.5	1.2	70.6	0.7	0.0	0.0
5	8	9		128	W5	24.7	2.8	71.2	1.2	0.0	0.0
5	13	9		133	W5	27.6	1.2	69.7	1.2	0.0	0.0
5	22	9		142	W5	7.9	2.2	88.2	1.6	0.0	0.0
5	27	9		147	W5	26.3	1.4	71.6	0.6	0.0	0.0
6	6	9		156	W5	26.7	2.2	70.5	0.5	0.0	0.0
6	11	9		161	W5	28.4	1.2	69.9	0.5	0.0	0.0
6	18	9		168	W5	27.7	1.8	69.8	0.6	0.0	0.0
6	26	9		176	W5	26.2	1.9	71.3	0.5	0.0	0.0
7	3	9		184	W5	32.2	18.9	48.2	0.6	0.0	0.0
7	25	9		205	W5	25.8	3.8	68.3	0.3	0.0	0.0
8	1	9		212	W5	26.7	11.0	62.4	0.4	0.0	0.0
8	7	9		219	W5	26.7	11.0	62.4	0.4	0.0	0.0
8	14	9		276	W5	0.0	0.0	0.0	0.0	0.0	0.0
8	23	9		235	W5	26.1	11.0	62.3	0.4	0.0	0.0
8	28	9		240	W5	19.2	2.4	77.1	1.3	0.0	0.0
9	6	9		248	W5	29.4	2.2	67.0	1.4	0.0	0.0
9	11	9		253	W5	31.4	1.9	65.8	1.4	0.0	0.0
9	17	9		259	W5	30.4	2.9	65.6	1.6	0.0	0.0
9	26	9		268	W5	35.9	2.4	60.8	1.8	0.0	0.0

FIELD GAS ANALYSIS

MO	DA	YR	DAY	NO	LOC	CU2	O2	N2	CH4	H2S	CO
1	2	9		2	W6	0.0	0.0	0.0	0.0	0.0	0.0
1	14	9		14	W6	0.0	0.0	0.0	0.0	0.0	0.0
2	6	9		37	W6	44.9	2.6	51.9	0.5	0.0	0.0
2	25	9		56	W6	29.5	1.5	68.2	0.8	0.0	0.0
3	18	9		77	W6	0.0	0.0	0.0	0.0	0.0	0.0
3	26	9		85	W6	27.6	1.7	69.9	0.8	0.0	0.0
4	2	9		92	W6	15.6	10.7	73.3	0.3	0.0	0.0
4	9	9		99	W6	15.9	1.5	81.8	0.8	0.0	0.0
4	16	9		106	W6	23.7	4.7	70.7	0.8	0.0	0.0
4	25	9		115	W6	16.2	1.3	81.8	0.7	0.0	0.0
5	1	9		121	W6	28.6	1.0	69.7	0.7	0.0	0.0
5	8	9		128	W6	27.2	1.1	72.8	0.2	0.0	0.0
5	13	9		133	W6	7.8	2.1	89.3	0.7	0.0	0.0
5	22	9		142	W6	26.6	1.8	70.9	0.6	0.0	0.0
5	27	9		147	W6	26.8	1.1	71.4	0.6	0.0	0.0
6	6	9		156	W6	8.1	7.8	83.9	0.2	0.0	0.0
6	11	9		161	W6	28.3	1.9	69.1	0.6	0.0	0.0
6	18	9		168	W6	27.4	1.8	70.1	0.8	0.0	0.0
6	26	9		176	W6	27.1	1.5	70.8	0.4	0.0	0.0
7	3	9		184	W6	21.6	2.6	75.7	0.0	0.0	0.0
7	25	9		205	W6	24.0	2.9	72.5	0.5	0.0	0.0
8	1	9		212	W6	27.5	5.7	68.4	0.3	0.0	0.0
8	7	9		219	W6	27.5	5.7	68.4	0.3	0.0	0.0
8	14	9		276	W6	16.1	15.6	67.7	0.4	0.0	0.0
8	23	9		235	W6	17.5	8.7	73.4	0.3	0.0	0.0
8	28	9		240	W6	29.2	2.8	67.8	0.2	0.0	0.0
9	6	9		248	W6	29.8	2.2	67.2	0.8	0.0	0.0
9	11	9		253	W6	18.4	13.5	77.8	0.3	0.0	0.0
9	17	9		259	W6	28.5	3.4	67.3	0.8	0.0	0.0
9	26	9		268	W6	27.5	5.4	66.5	0.6	0.0	0.0

FIELD GAS ANALYSIS

MO	DA	YR	DAY	NO	LOC	CO2	O2	N2	CH4	H2S	CO
1	2	9		2	X1	34.4	2.4	62.3	1.0	0.0	0.0
1	14	9		14	X1	16.2	3.5	79.6	0.5	0.0	0.0
2	6	9		37	X1	17.1	3.8	78.7	0.4	0.0	0.0
2	25	9		56	X1	16.1	3.5	80.0	0.4	0.0	0.0
3	18	9		77	X1	16.4	4.1	79.2	0.4	0.0	0.0
3	26	9		85	X1	12.3	8.2	79.4	0.2	0.0	0.0
4	2	9		92	X1	14.4	5.6	79.3	0.3	0.0	0.0
4	9	9		99	X1	17.9	5.2	76.7	0.3	0.0	0.0
4	16	9		106	X1	19.3	9.2	71.2	0.4	0.0	0.0
4	25	9		115	X1	19.4	5.4	75.0	0.3	0.0	0.0
5	1	9		121	X1	35.3	7.7	56.6	0.4	0.0	0.0
5	8	9		128	X1	21.8	5.1	72.8	0.2	0.0	0.0
5	13	9		133	X1	22.3	5.3	72.1	0.1	0.0	0.0
5	22	9		142	X1	17.6	8.9	73.3	0.1	0.0	0.0
5	27	9		147	X1	21.4	5.3	73.2	0.1	0.0	0.0
6	6	9		156	X1	20.8	5.7	73.4	0.1	0.0	0.0
6	11	9		161	X1	22.6	4.7	72.4	0.2	0.0	0.0
6	18	9		168	X1	18.5	4.1	77.2	0.2	0.0	0.0
6	26	9		176	X1	20.1	3.9	75.9	0.2	0.0	0.0
7	3	9		184	X1	22.3	3.9	73.4	0.4	0.0	0.0
7	25	9		205	X1	10.5	4.5	84.7	0.2	0.0	0.0
8	1	9		212	X1	17.7	14.7	68.3	0.0	0.0	0.0
8	7	9		214	X1	17.7	14.1	68.3	0.4	0.0	0.0
8	19	9		226	X1	10.5	13.5	75.3	0.6	0.0	0.0
8	23	9		235	X1	6.0	16.4	76.9	0.5	0.0	0.0
8	28	9		240	X1	14.1	6.3	79.0	0.6	0.0	0.0
9	6	9		248	X1	35.7	7.3	56.2	0.6	0.0	0.0
9	11	9		253	X1	25.3	3.9	72.0	0.5	0.0	0.0
9	17	9		259	X1	40.5	9.7	46.3	3.8	0.0	0.0
9	26	9		268	X1	38.5	9.3	46.7	1.8	0.0	0.0

FIELD GAS ANALYSIS

MU	DA	YR	DAY	NO	LOC	CO2	O2	N2	CH4	H2S	CO
1	2	9		2	X2	20.4	2.0	76.8	0.8	0.0	0.0
1	14	9		14	X2	21.3	2.3	75.6	0.8	0.0	0.0
2	6	9		37	X2	21.7	1.8	76.0	0.6	0.0	0.0
2	25	9		56	X2	20.2	1.4	77.8	0.5	0.0	0.0
3	18	9		77	X2	20.2	1.5	77.8	0.5	0.0	0.0
3	26	9		85	X2	20.6	1.5	77.5	0.4	0.0	0.0
4	2	9		92	X2	21.4	1.1	77.1	0.4	0.0	0.0
4	9	9		99	X2	21.5	1.2	76.8	0.5	0.0	0.0
4	16	9		106	X2	24.7	1.0	73.9	0.4	0.0	0.0
4	25	9		115	X2	0.0	0.0	0.0	0.0	0.0	0.0
5	1	9		121	X2	22.5	2.9	73.7	0.8	0.0	0.0
5	8	9		128	X2	25.5	2.9	71.2	0.2	0.0	0.0
5	13	9		133	X2	28.0	0.9	70.7	0.4	0.0	0.0
5	22	9		142	X2	26.9	1.9	70.8	0.3	0.0	0.0
5	27	9		147	X2	27.8	1.1	70.7	0.3	0.0	0.0
6	6	9		156	X2	27.1	1.6	70.9	0.2	0.0	0.0
6	11	9		161	X2	30.4	0.9	69.6	0.4	0.0	0.0
6	18	9		168	X2	31.2	1.4	67.2	0.2	0.0	0.0
6	26	9		176	X2	29.9	2.3	67.1	0.6	0.0	0.0
7	3	9		184	X2	25.8	1.6	72.3	0.2	0.0	0.0
7	25	9		205	X2	29.6	2.5	67.2	0.6	0.0	0.0
8	1	9		212	X2	25.2	13.1	61.2	0.4	0.0	0.0
8	7	9		214	X2	25.2	13.1	61.2	0.4	0.0	0.0
8	19	9		226	X2	21.9	6.1	70.9	0.9	0.0	0.0
8	23	9		235	X2	28.5	1.5	69.4	0.5	0.0	0.0
8	28	9		240	X2	27.1	2.1	69.0	1.7	0.0	0.0
9	6	9		248	X2	31.1	6.9	60.7	1.2	0.0	0.0
9	11	9		253	X2	30.2	1.1	59.4	0.6	0.0	0.0
9	17	9		259	X2	21.5	1.2	75.6	1.6	0.0	0.0
9	26	9		268	X2	27.0	1.9	70.3	0.7	0.0	0.0

FIELD GAS ANALYSIS

MO	DA	YR	DAY	NO	LUC	CO2	O2	N2	CH4	H2S	CO
1	2	9		2	X3	31.3	1.8	65.8	1.0	0.0	0.0
1	14	9		14	X3	0.0	0.0	0.0	0.0	0.0	0.0
2	6	9		37	X3	28.5	1.3	69.4	0.7	0.0	0.0
2	25	9		56	X3	25.2	1.5	72.6	0.7	0.0	0.0
3	18	9		77	X3	24.3	1.4	73.7	0.6	0.0	0.0
3	26	9		85	X3	22.2	1.3	75.9	0.6	0.0	0.0
4	2	9		92	X3	24.6	1.5	73.2	0.6	0.0	0.0
4	9	9		99	X3	27.1	1.2	73.2	0.6	0.0	0.0
4	16	9		106	X3	25.5	1.0	72.9	0.6	0.0	0.0
4	25	9		115	X3	25.5	0.9	73.0	0.6	0.0	0.0
5	1	9		121	X3	26.0	1.1	72.3	0.6	0.0	0.0
5	8	9		128	X3	30.1	1.0	68.7	0.0	0.0	0.0
5	13	9		133	X3	27.5	0.9	70.9	0.6	0.0	0.0
5	22	9		142	X3	26.7	1.5	71.3	0.5	0.0	0.0
5	27	9		147	X3	28.9	1.0	69.5	0.5	0.0	0.0
6	6	9		156	X3	26.6	0.8	72.0	0.6	0.0	0.0
6	11	9		161	X3	28.1	1.6	69.5	0.6	0.0	0.0
6	18	9		168	X3	29.2	1.3	68.9	0.2	0.0	0.0
6	26	9		176	X3	32.2	1.5	65.4	0.8	0.0	0.0
7	3	9		184	X3	28.1	1.4	69.8	0.5	0.0	0.0
7	25	9		205	X3	26.1	3.5	69.7	0.7	0.0	0.0
8	1	9		212	X3	26.5	4.1	68.4	0.9	0.0	0.0
8	7	9		214	X3	26.5	4.1	68.4	0.9	0.0	0.0
8	19	9		226	X3	22.2	5.8	71.1	0.8	0.0	0.0
8	23	9		235	X3	26.5	4.1	68.4	0.9	0.0	0.0
8	28	9		240	X3	31.5	2.2	64.7	1.6	0.0	0.0
9	6	9		248	X3	32.5	2.2	64.4	0.8	0.0	0.0
9	11	9		253	X3	32.5	2.2	63.6	1.7	0.0	0.0
9	17	9		259	X3	34.9	1.4	62.1	1.6	0.0	0.0
9	26	9		268	X3	33.4	2.1	62.4	2.7	0.0	0.0

FIELD GAS ANALYSIS

MO	DA	YR	DAY	NO	LOC	CO2	O2	N2	CH4	H2S	CO
1	2	9		2	X4	30.5	3.3	65.6	0.6	0.0	0.0
1	14	9		14	X4	24.5	4.6	70.2	0.7	0.0	0.0
2	6	9		37	X4	25.2	5.4	68.9	0.5	0.0	0.0
2	25	9		55	X4	19.8	6.3	73.4	0.4	0.0	0.0
3	18	9		77	X4	20.6	5.1	73.8	0.4	0.0	0.0
3	26	9		85	X4	28.9	7.0	63.8	0.3	0.0	0.0
4	2	9		92	X4	12.4	10.0	77.3	0.3	0.0	0.0
4	9	9		99	X4	16.2	6.6	76.7	0.4	0.0	0.0
4	16	9		106	X4	26.9	1.1	71.6	0.5	0.0	0.0
4	25	9		115	X4	22.3	4.6	72.7	0.4	0.0	0.0
5	1	9		121	X4	22.4	4.4	72.8	0.4	0.0	0.0
5	8	9		128	X4	18.8	6.7	74.2	0.2	0.0	0.0
5	13	9		133	X4	21.2	7.1	71.2	0.3	0.0	0.0
5	22	9		142	X4	17.7	6.2	81.6	0.4	0.0	0.0
5	27	9		147	X4	21.8	4.3	73.3	0.4	0.0	0.0
6	6	9		156	X4	19.6	0.8	74.6	0.6	0.0	0.0
6	11	9		161	X4	22.9	3.8	72.9	0.4	0.0	0.0
6	18	9		168	X4	30.3	3.7	65.6	0.3	0.0	0.0
6	26	9		176	X4	30.5	2.3	65.8	0.5	0.0	0.0
7	3	9		184	X4	19.4	5.0	75.2	0.3	0.0	0.0
7	25	9		205	X4	0.0	0.0	0.0	0.0	0.0	0.0
8	1	9		212	X4	17.1	14.1	68.2	0.5	0.0	0.0
8	7	9		219	X4	17.1	14.1	68.2	0.5	0.0	0.0
8	14	9		226	X4	13.7	17.8	68.3	0.1	0.0	0.0
8	23	9		235	X4	17.1	14.1	68.3	0.5	0.0	0.0
8	28	9		240	X4	26.1	2.5	71.1	0.3	0.0	0.0
9	8	9		248	X4	28.5	2.1	68.3	1.1	0.0	0.0
9	11	9		253	X4	27.1	2.5	70.0	0.4	0.0	0.0
9	17	9		259	X4	27.9	1.4	62.1	1.6	0.0	0.0
9	26	9		268	X4	28.0	2.6	67.3	2.1	0.0	0.0

FIELD GAS ANALYSIS

MO	DA	YR	DAY	NO	LUC	CO2	O2	N2	CH4	H2S	CO
1	2	9		2	X5	33.1	1.9	64.5	0.5	0.0	0.0
1	14	9		14	X5	29.8	2.1	67.3	0.7	0.0	0.0
2	6	9		37	X5	31.6	1.2	66.7	0.5	0.0	0.0
2	25	9		55	X5	27.4	1.7	70.3	0.5	0.0	0.0
3	18	9		77	X5	26.5	2.3	70.7	0.4	0.0	0.0
3	26	9		85	X5	27.8	1.5	70.3	0.4	0.0	0.0
4	2	9		92	X5	26.5	2.0	71.0	0.5	0.0	0.0
4	9	9		99	X5	27.1	1.6	70.8	0.5	0.0	0.0
4	16	9		106	X5	26.9	1.7	70.9	0.5	0.0	0.0
4	25	9		115	X5	25.7	1.3	72.4	0.5	0.0	0.0
5	1	9		121	X5	27.5	1.3	70.7	0.5	0.0	0.0
5	8	9		128	X5	26.8	1.5	71.2	0.5	0.0	0.0
5	13	9		133	X5	27.5	1.3	70.7	0.4	0.0	0.0
5	22	9		142	X5	25.8	1.5	72.2	0.5	0.0	0.0
5	27	9		147	X5	23.7	1.4	74.4	0.5	0.0	0.0
6	6	9		156	X5	26.5	1.1	72.1	0.2	0.0	0.0
6	11	9		161	X5	27.6	1.2	70.7	0.4	0.0	0.0
6	18	9		168	X5	32.2	1.6	65.8	0.3	0.0	0.0
6	26	9		176	X5	31.4	2.3	65.8	0.4	0.0	0.0
7	3	9		184	X5	28.2	1.4	70.1	0.3	0.0	0.0
7	25	9		205	X5	0.0	0.0	0.0	0.0	0.0	0.0
8	1	9		212	X5	19.1	1.5	79.4	0.0	0.0	0.0
8	7	9		219	X5	19.1	1.5	79.4	0.0	0.0	0.0
8	14	9		226	X5	0.8	18.3	80.9	0.0	0.0	0.0
8	23	9		235	X5	1.5	19.1	79.8	0.0	0.0	0.0
8	28	9		240	X5	0.6	19.6	79.8	0.0	0.0	0.0
9	8	9		248	X5	1.6	18.6	78.8	0.0	0.0	0.0
9	11	9		253	X5	0.8	19.3	79.9	0.0	0.0	0.0
9	17	9		259	X5	0.0	0.0	0.0	0.0	0.0	0.0
9	26	9		268	X5	1.8	19.3	78.9	0.0	0.0	0.0

FIELD GAS ANALYSIS

MO	DA	YR	DAY	NO	LOC	CO2	O2	N2	CH4	H2S	CO
1	2	9		2	X6	32.8	2.1	64.5	0.5	0.0	0.0
1	14	9		14	X6	29.1	1.3	69.1	0.5	0.0	0.0
2	6	9		37	X6	29.6	2.4	67.5	0.5	0.0	0.0
2	25	9		55	X6	31.7	1.2	67.1	0.0	0.0	0.0
3	18	9		77	X6	26.6	1.9	70.9	0.5	0.0	0.0
3	26	9		85	X6	0.0	0.0	0.0	0.0	0.0	0.0
4	2	9		92	X6	23.8	3.5	72.3	0.5	0.0	0.0
4	9	9		99	X6	27.9	1.1	70.5	0.6	0.0	0.0
4	16	9		106	X6	26.4	1.8	71.4	0.5	0.0	0.0
4	25	9		115	X6	27.9	0.9	70.7	0.5	0.0	0.0
5	1	9		121	X6	27.7	1.1	70.7	0.5	0.0	0.0
5	8	9		128	X6	26.3	1.1	72.1	0.4	0.0	0.0
5	13	9		133	X6	0.0	0.0	0.0	0.0	0.0	0.0
5	22	9		142	X6	25.6	1.4	72.9	0.0	0.0	0.0
5	27	9		147	X6	26.1	1.2	72.2	0.4	0.0	0.0
6	6	9		156	X6	28.7	0.9	69.7	0.5	0.0	0.0
6	11	9		161	X6	27.0	1.2	71.3	0.4	0.0	0.0
6	18	9		168	X6	27.4	1.2	70.9	0.4	0.0	0.0
6	26	9		176	X6	26.2	2.1	71.4	0.3	0.0	0.0
7	3	9		184	X6	29.1	0.9	69.4	0.4	0.0	0.0
7	25	9		205	X6	28.7	1.1	89.8	0.4	0.0	0.0
8	1	9		212	X6	19.1	0.9	79.9	0.0	0.0	0.0
8	7	9		219	X6	19.1	0.4	79.9	0.0	0.0	0.0
8	14	9		226	X6	12.7	10.2	76.5	0.5	0.0	0.0
8	23	9		235	X6	1.7	19.4	79.5	0.0	0.0	0.0
8	28	9		240	X6	21.6	1.9	76.2	0.3	0.0	0.0
9	8	9		248	X6	0.0	0.0	0.0	0.0	0.0	0.0
9	11	9		253	X6	28.9	1.7	67.7	0.5	0.0	0.0
9	17	9		259	X6	32.6	0.5	66.5	0.5	0.0	0.0
9	26	9		268	X6	31.4	1.2	67.1	0.3	0.0	0.0

FIELD GAS ANALYSIS

MO	DA	YR	DAY	NO	LOC	CO2	O2	N2	CH4	H2S	CO
1	2	9		2	Y1	20.3	1.6	76.2	1.8	0.0	0.0
1	14	9		14	Y1	0.0	0.0	0.0	0.0	0.0	0.0
2	6	9		37	Y1	19.2	1.4	78.0	1.3	0.0	0.0
2	25	9		56	Y1	17.4	1.5	79.8	1.3	0.0	0.0
3	18	9		77	Y1	18.6	1.8	78.5	1.1	0.0	0.0
3	26	9		85	Y1	16.4	3.8	78.8	1.0	0.0	0.0
4	2	9		92	Y1	20.3	1.4	76.9	1.3	0.0	0.0
4	9	9		99	Y1	21.6	1.3	75.9	1.1	0.0	0.0
4	16	9		106	Y1	23.5	1.8	73.8	0.9	0.0	0.0
4	25	9		115	Y1	26.2	1.1	71.7	0.9	0.0	0.0
5	1	9		121	Y1	27.2	1.1	70.9	0.9	0.0	0.0
5	8	9		128	Y1	26.1	1.8	71.4	0.6	0.0	0.0
5	13	9		133	Y1	22.7	5.2	71.9	0.1	0.0	0.0
5	22	9		142	Y1	22.2	0.6	77.0	0.1	0.0	0.0
5	27	9		147	Y1	25.4	1.1	73.1	0.4	0.0	0.0
6	6	9		156	Y1	23.0	1.4	75.0	0.5	0.0	0.0
6	11	9		161	Y1	26.9	2.1	70.3	0.6	0.0	0.0
6	18	9		168	Y1	27.1	2.7	69.7	0.5	0.0	0.0
6	26	9		176	Y1	21.1	3.1	75.5	0.3	0.0	0.0
7	3	9		184	Y1	16.5	5.6	77.3	0.4	0.0	0.0
7	25	9		205	Y1	16.4	5.7	77.4	0.5	0.0	0.0
8	1	9		212	Y1	15.3	6.9	72.1	0.5	0.0	0.0
8	7	9		219	Y1	15.3	6.9	72.1	0.5	0.0	0.0
8	14	9		226	Y1	9.4	22.1	67.3	0.8	0.0	0.0
8	23	9		235	Y1	11.3	15.8	72.4	0.3	0.0	0.0
8	28	9		240	Y1	21.0	1.1	77.6	0.3	0.0	0.0
9	9	9		248	Y1	56.0	2.5	35.1	6.3	0.0	0.0
9	11	9		253	Y1	19.0	3.2	77.2	0.7	0.0	0.0
9	17	9		259	Y1	26.0	2.5	65.1	6.3	0.0	0.0
9	26	9		268	Y1	16.0	5.9	72.4	0.5	0.0	0.0

FIELD GAS ANALYSIS

MO	DA	YR	DAY	NO	LOC	CO2	O2	N2	CH4	H2S	CO
1	2	9		2	Y2	21.3	1.1	76.3	1.3	0.0	0.0
1	14	9		14	Y2	20.2	2.2	76.3	1.3	0.0	0.0
2	6	9		37	Y2	21.5	1.8	75.7	1.0	0.0	0.0
2	25	9		56	Y2	19.6	1.4	78.1	0.9	0.0	0.0
3	18	9		77	Y2	20.2	1.5	77.5	0.8	0.0	0.0
3	26	9		85	Y2	20.2	1.7	77.3	0.8	0.0	0.0
4	2	9		92	Y2	23.1	1.6	74.7	0.6	0.0	0.0
4	9	9		99	Y2	21.1	1.3	76.9	0.7	0.0	0.0
4	16	9		106	Y2	22.3	1.6	75.7	0.4	0.0	0.0
4	25	9		115	Y2	0.0	0.0	0.0	0.0	0.0	0.0
5	1	9		121	Y2	25.8	1.1	72.9	0.2	0.0	0.0
5	8	9		128	Y2	24.2	1.5	73.5	0.7	0.0	0.0
5	13	9		133	Y2	26.1	1.2	71.8	0.7	0.0	0.0
5	22	9		142	Y2	23.5	2.9	72.8	0.6	0.0	0.0
5	27	9		147	Y2	24.6	1.6	74.5	0.4	0.0	0.0
6	6	9		156	Y2	26.8	1.8	70.6	0.6	0.0	0.0
6	11	9		161	Y2	27.7	1.7	69.8	0.7	0.0	0.0
6	18	9		168	Y2	23.9	1.3	74.0	0.7	0.0	0.0
6	26	9		176	Y2	27.3	1.6	70.4	0.6	0.0	0.0
7	3	9		184	Y2	27.0	1.8	70.0	1.2	0.0	0.0
7	25	9		205	Y2	27.0	1.8	70.0	1.2	0.0	0.0
8	1	9		212	Y2	24.3	1.6	73.0	1.2	0.0	0.0
8	7	9		219	Y2	24.3	1.6	73.0	1.2	0.0	0.0
8	14	9		226	Y2	12.1	6.0	81.1	0.7	0.0	0.0
8	23	9		235	Y2	0.0	0.0	0.0	0.0	0.0	0.0
8	28	9		240	Y2	24.3	2.4	71.9	1.4	0.0	0.0
9	9	9		248	Y2	0.0	0.0	0.0	0.0	0.0	0.0
9	11	9		253	Y2	20.9	4.3	73.9	0.8	0.0	0.0
9	17	9		259	Y2	20.3	6.4	72.1	1.2	0.0	0.0
9	26	9		268	Y2	19.1	5.1	74.2	1.6	0.0	0.0

FIELD GAS ANALYSIS

MO	DA	YR	DAY	NO	LOC	CO2	O2	N2	CH4	H2S	CO
1	2	9		2	Y3	28.9	2.6	67.8	0.7	0.0	0.0
1	14	9		14	Y3	0.0	0.0	0.0	0.0	0.0	0.0
2	6	9		37	Y3	15.5	1.4	82.7	0.3	0.0	0.0
2	25	9		56	Y3	8.3	15.1	76.5	0.1	0.0	0.0
3	18	9		77	Y3	20.6	4.7	74.2	0.5	0.0	0.0
3	26	9		85	Y3	0.0	0.0	0.0	0.0	0.0	0.0
4	2	9		92	Y3	21.9	2.9	74.7	0.5	0.0	0.0
4	9	9		99	Y3	23.9	1.8	73.7	0.6	0.0	0.0
4	16	9		106	Y3	23.1	1.7	74.3	0.9	0.0	0.0
4	25	9		115	Y3	23.2	1.4	74.9	0.5	0.0	0.0
5	1	9		121	Y3	25.0	1.3	72.2	0.5	0.0	0.0
5	8	9		128	Y3	20.9	3.4	75.1	0.6	0.0	0.0
5	13	9		133	Y3	0.0	0.0	0.0	0.0	0.0	0.0
5	22	9		142	Y3	0.0	0.0	0.0	0.0	0.0	0.0
5	27	9		147	Y3	24.4	2.6	72.3	0.7	0.0	0.0
6	6	9		156	Y3	25.8	1.8	71.6	0.7	0.0	0.0
6	11	9		161	Y3	21.1	5.5	73.0	0.4	0.0	0.0
6	18	9		168	Y3	8.4	9.1	82.2	0.1	0.0	0.0
6	26	9		176	Y3	24.8	2.7	73.9	0.4	0.0	0.0
7	3	9		184	Y3	20.5	5.9	72.9	0.6	0.0	0.0
7	25	9		205	Y3	20.5	5.9	72.9	0.5	0.0	0.0
8	1	9		212	Y3	16.8	6.5	76.2	0.4	0.0	0.0
8	7	9		219	Y3	16.8	6.5	76.2	0.4	0.0	0.0
8	14	9		226	Y3	15.7	10.6	73.5	0.2	0.0	0.0
8	23	9		235	Y3	12.4	12.1	75.2	0.3	0.0	0.0
8	28	9		240	Y3	16.7	10.4	72.7	0.3	0.0	0.0
9	9	9		248	Y3	28.0	2.9	67.2	0.5	0.0	0.0
9	11	9		253	Y3	16.6	10.5	72.4	0.6	0.0	0.0
9	17	9		259	Y3	18.0	7.9	72.2	0.5	0.0	0.0
9	26	9		268	Y3	0.0	0.0	0.0	0.0	0.0	0.0

FIELD GAS ANALYSIS

MU	DA	YR	DAY	NO	LOC	CO2	O2	N2	CH4	H2S	CO
1	2	9		2	Y4	0.0	0.0	0.0	0.0	0.0	0.0
1	14	9		14	Y4	18.8	4.3	76.3	0.5	0.0	0.0
2	6	9		37	Y4	27.2	3.8	68.2	0.8	0.0	0.0
2	25	9		56	Y4	27.3	1.7	70.2	0.8	0.0	0.0
3	18	9		77	Y4	26.8	1.9	70.6	0.7	0.0	0.0
3	26	9		85	Y4	0.0	0.0	0.0	0.0	0.0	0.0
4	2	9		92	Y4	0.0	0.0	0.0	0.0	0.0	0.0
4	9	9		99	Y4	0.0	0.0	0.0	0.0	0.0	0.0
4	16	9		106	Y4	0.0	0.0	0.0	0.0	0.0	0.0
4	15	9		115	Y4	25.7	1.6	72.2	0.5	0.0	0.0
5	1	9		121	Y4	24.9	2.2	72.4	0.5	0.0	0.0
5	8	9		128	Y4	24.0	2.5	72.9	0.5	0.0	0.0
5	13	9		133	Y4	24.8	2.5	72.1	0.5	0.0	0.0
5	22	9		142	Y4	22.8	3.5	73.2	0.4	0.0	0.0
5	27	9		147	Y4	25.2	1.7	72.4	0.5	0.0	0.0
6	6	9		156	Y4	25.4	2.8	71.1	0.6	0.0	0.0
6	11	9		161	Y4	26.8	2.7	70.1	0.4	0.0	0.0
6	18	9		168	Y4	8.5	9.1	82.2	0.1	0.0	0.0
6	26	9		176	Y4	24.8	2.9	71.8	0.4	0.0	0.0
7	3	9		184	Y4	23.2	6.0	70.6	0.2	0.0	0.0
7	25	9		205	Y4	23.1	6.1	70.6	0.2	0.0	0.0
8	1	9		212	Y4	0.0	0.0	0.0	0.0	0.0	0.0
8	7	9		219	Y4	24.2	12.4	62.9	0.3	0.0	0.0
8	14	9		226	Y4	23.2	5.2	71.1	0.3	0.0	0.0
8	23	9		235	Y4	24.2	10.1	75.7	0.3	0.0	0.0
8	28	9		240	Y4	19.8	7.8	71.7	0.5	0.0	0.0
9	8	9		248	Y4	23.0	10.0	76.5	0.5	0.0	0.0
9	11	9		253	Y4	25.8	7.8	65.6	0.6	0.0	0.0
9	17	9		259	Y4	29.5	2.9	67.2	0.5	0.0	0.0
9	26	9		268	Y4	26.0	7.3	76.2	0.8	0.0	0.0

FIELD GAS ANALYSIS

MO	DA	YR	DAY	NO	LOC	CO2	O2	N2	CH4	H2S	CO
1	2	9		2	Y5	30.0	2.5	66.9	0.6	0.0	0.0
1	14	9		14	Y5	21.5	7.5	70.5	0.6	0.0	0.0
2	6	9		37	Y5	27.6	3.6	68.2	0.5	0.0	0.0
2	25	9		56	Y5	23.6	4.6	71.2	0.5	0.0	0.0
3	18	9		77	Y5	25.7	2.4	71.3	0.6	0.0	0.0
3	26	9		85	Y5	24.7	2.7	72.1	0.5	0.0	0.0
4	2	9		92	Y5	22.6	3.4	73.5	0.5	0.0	0.0
4	9	9		99	Y5	24.1	2.8	72.6	0.5	0.0	0.0
4	16	9		106	Y5	23.3	3.1	73.1	0.5	0.0	0.0
4	15	9		115	Y5	25.9	1.5	72.0	0.5	0.0	0.0
5	1	9		121	Y5	26.4	1.2	71.8	0.6	0.0	0.0
5	8	9		128	Y5	22.2	3.1	74.3	0.4	0.0	0.0
5	13	9		133	Y5	26.0	1.3	72.1	0.5	0.0	0.0
5	22	9		142	Y5	23.2	5.4	70.3	1.0	0.0	0.0
5	27	9		147	Y5	23.9	2.4	73.2	0.5	0.0	0.0
6	6	9		156	Y5	22.6	1.4	75.6	0.4	0.0	0.0
6	11	9		161	Y5	27.3	1.2	70.4	0.4	0.0	0.0
6	18	9		168	Y5	24.9	1.2	73.4	0.4	0.0	0.0
6	26	9		176	Y5	25.9	2.4	71.3	0.3	0.0	0.0
7	3	9		184	Y5	23.6	4.4	71.6	0.2	0.0	0.0
7	25	9		205	Y5	23.6	4.3	71.7	0.3	0.0	0.0
8	1	9		212	Y5	21.1	6.3	72.3	0.3	0.0	0.0
8	7	9		219	Y5	21.1	6.3	72.3	0.3	0.0	0.0
8	14	9		226	Y5	14.7	9.8	75.2	0.2	0.0	0.0
8	23	9		235	Y5	21.5	5.8	72.4	0.3	0.0	0.0
8	28	9		240	Y5	22.9	7.6	8.9	0.5	0.0	0.0
9	8	9		248	Y5	23.1	6.2	70.3	0.4	0.0	0.0
9	11	9		253	Y5	20.8	5.5	73.4	0.3	0.0	0.0
9	17	9		259	Y5	26.5	2.8	70.1	0.6	0.0	0.0
9	26	9		268	Y5	29.4	3.9	66.2	0.5	0.0	0.0

FIELD GAS ANALYSIS

MO	DA	YR	DAY	NO	LUC	CO2	O2	N2	CH4	H2S	CU
1	2	9		2	Y6	33.3	2.1	63.9	0.6	0.0	0.0
1	14	9		14	Y6	30.1	1.6	67.4	0.8	0.0	0.0
2	6	9		37	Y6	30.1	1.9	67.0	0.6	0.0	0.0
2	25	9		56	Y6	27.7	1.7	70.0	0.6	0.0	0.0
3	18	9		77	Y6	0.0	0.0	0.0	0.0	0.0	0.0
3	26	9		85	Y6	26.7	1.3	71.3	0.6	0.0	0.0
4	2	9		92	Y6	25.0	1.2	73.3	0.6	0.0	0.0
4	9	9		99	Y6	26.7	1.2	71.4	0.6	0.0	0.0
4	16	9		106	Y6	26.9	1.1	71.5	0.6	0.0	0.0
4	15	9		115	Y6	26.9	1.0	71.6	0.5	0.0	0.0
5	1	9		121	Y6	27.3	1.2	71.1	0.5	0.0	0.0
5	8	9		128	Y6	25.3	1.4	72.8	0.5	0.0	0.0
5	13	9		133	Y6	15.0	9.9	74.7	0.1	0.0	0.0
5	22	9		142	Y6	30.8	2.5	65.9	0.7	0.0	0.0
5	27	9		147	Y6	25.4	1.1	72.8	0.5	0.0	0.0
6	6	9		156	Y6	25.2	1.3	73.0	0.4	0.0	0.0
6	11	9		161	Y6	28.2	1.0	70.4	0.4	0.0	0.0
6	18	9		168	Y6	21.6	1.4	74.4	0.2	0.0	0.0
6	26	9		176	Y6	23.7	1.2	74.7	0.4	0.0	0.0
7	3	9		184	Y6	0.0	0.0	0.0	0.0	0.0	0.0
7	25	9		205	Y6	26.3	1.3	72.0	0.3	0.0	0.0
8	1	9		212	Y6	19.3	6.3	74.8	0.3	0.0	0.0
8	7	9		219	Y6	19.3	6.3	74.8	0.3	0.0	0.0
8	14	9		226	Y6	20.4	7.5	71.7	0.3	0.0	0.0
8	23	9		235	Y6	19.3	6.4	74.0	0.2	0.0	0.0
8	28	9		240	Y6	29.0	2.7	67.6	0.6	0.0	0.0
9	8	9		248	Y6	29.3	2.6	67.6	0.5	0.0	0.0
9	11	9		253	Y6	28.9	3.2	66.8	0.4	0.0	0.0
9	17	9		259	Y6	26.4	3.2	69.2	0.5	0.0	0.0
9	26	9		268	Y6	28.2	3.5	68.4	0.5	0.0	0.0

FIELD GAS ANALYSIS

MO	DA	YR	DAY	NO	LOC	CO2	O2	N2	CH4	H2S	CO
1	2	9		2	Z1	18.0	1.7	78.7	1.5	0.0	0.0
1	14	9		14	Z1	0.0	0.0	0.0	0.0	0.0	0.0
2	6	9		37	Z1	11.8	7.8	79.5	0.9	0.0	0.0
2	25	9		55	Z1	14.1	5.1	79.8	1.0	0.0	0.0
3	18	9		77	Z1	17.0	2.5	79.4	1.2	0.0	0.0
3	26	9		85	Z1	19.6	1.9	77.5	1.0	0.0	0.0
4	2	9		92	Z1	33.5	7.1	58.9	0.5	0.0	0.0
4	9	9		99	Z1	21.2	1.2	76.9	0.8	0.0	0.0
4	16	9		106	Z1	23.1	1.7	74.1	1.2	0.0	0.0
4	25	9		115	Z1	25.0	1.2	73.2	0.6	0.0	0.0
5	1	9		121	Z1	26.3	1.1	72.0	0.5	0.0	0.0
5	8	9		128	Z1	26.3	1.3	71.6	0.5	0.0	0.0
5	13	9		133	Z1	25.9	1.2	72.2	0.6	0.0	0.0
5	22	9		142	Z1	0.0	0.0	0.0	0.0	0.0	0.0
5	27	9		147	Z1	24.7	1.2	73.1	0.8	0.0	0.0
6	6	9		156	Z1	24.9	1.2	72.4	1.3	0.0	0.0
6	11	9		161	Z1	27.1	1.4	70.3	1.2	0.0	0.0
6	18	9		168	Z1	26.4	1.5	71.1	1.0	0.0	0.0
6	26	9		176	Z1	22.8	2.3	73.7	1.1	0.0	0.0
7	3	9		184	Z1	26.5	1.4	71.0	0.9	0.0	0.0
7	25	9		205	Z1	18.5	2.6	78.2	0.6	0.0	0.0
8	1	6		219	Z1	24.2	2.4	72.0	1.3	0.0	0.0
8	7	9		219	Z1	24.2	2.4	72.0	1.3	0.0	0.0
8	14	9		226	Z1	3.7	18.0	77.8	0.4	0.0	0.0
8	23	9		235	Z1	24.2	2.4	72.0	1.3	0.0	0.0
8	28	9		240	Z1	0.0	0.0	0.0	0.0	0.0	0.0
9	6	9		248	Z1	14.2	7.4	77.0	1.3	0.0	0.0
9	11	9		253	Z1	5.7	18.0	75.3	1.8	0.0	0.0
9	17	9		259	Z1	0.0	0.0	0.0	0.0	0.0	0.0
9	26	9		268	Z1	8.5	12.6	78.0	0.8	0.0	0.0

FIELD GAS ANALYSIS

MO	DA	YR	DAY	NO	LOC	CO2	O2	N2	CH4	H2S	CO
1	2	9		2	22	0.0	0.0	0.0	0.0	0.0	0.0
1	14	9		14	22	22.2	1.9	74.1	1.7	0.0	0.0
2	6	9		37	22	24.4	2.2	72.0	1.4	0.0	0.0
2	25	9		55	22	22.0	1.3	75.4	1.4	0.0	0.0
3	18	9		77	22	21.3	1.7	75.8	1.2	0.0	0.0
3	26	9		85	22	23.0	1.6	74.2	1.2	0.0	0.0
4	2	9		92	22	0.0	0.0	0.0	0.0	0.0	0.0
4	9	9		99	22	22.6	1.2	75.2	1.0	0.0	0.0
4	16	9		106	22	22.8	1.7	73.6	1.8	0.0	0.0
4	25	9		115	22	25.1	1.1	72.9	0.9	0.0	0.0
5	1	9		121	22	25.5	1.1	72.7	0.7	0.0	0.0
5	8	9		128	22	24.7	1.5	72.3	1.4	0.0	0.0
5	13	9		133	22	26.6	1.2	70.8	1.3	0.0	0.0
5	22	9		142	22	26.1	1.7	71.5	0.6	0.0	0.0
5	27	9		147	22	27.2	1.2	70.9	0.7	0.0	0.0
6	6	9		156	22	28.5	1.4	69.4	0.7	0.0	0.0
6	11	9		161	22	29.8	1.2	68.3	0.6	0.0	0.0
6	18	9		168	22	30.3	1.1	67.8	0.4	0.0	0.0
6	26	9		176	22	26.9	1.4	70.7	0.8	0.0	0.0
7	3	9		184	22	30.9	1.2	67.2	0.6	0.0	0.0
7	25	9		205	22	27.4	1.3	70.1	1.1	0.0	0.0
8	1	6		219	22	9.6	6.1	83.6	0.7	0.0	0.0
8	7	9		219	22	9.6	6.1	83.6	0.7	0.0	0.0
8	14	9		226	22	15.1	10.7	73.1	0.6	0.0	0.0
8	23	9		235	22	9.6	6.2	83.6	0.7	0.0	0.0
8	28	9		240	22	12.7	8.1	73.1	6.1	0.0	0.0
9	6	9		248	22	25.5	1.7	72.0	0.8	0.0	0.0
9	11	9		253	22	27.1	1.1	70.8	0.9	0.0	0.0
9	17	9		259	22	33.2	2.1	61.8	2.9	0.0	0.0
9	26	9		268	22	29.8	1.0	68.7	0.7	0.0	0.0

FIELD GAS ANALYSIS

MO	DA	YR	DAY	NO	LOC	CO2	O2	N2	CH4	H2S	CO
1	2	9		2	Z3	0.0	0.0	0.0	0.0	0.0	0.0
1	14	9		14	Z3	18.4	7.5	72.9	1.1	0.0	0.0
2	6	9		37	Z3	18.5	12.8	68.0	1.0	0.0	0.0
2	25	9		55	Z3	12.0	6.7	80.1	1.2	0.0	0.0
3	18	9		77	Z3	17.0	7.3	74.8	0.9	0.0	0.0
3	26	9		85	Z3	0.0	0.0	0.0	0.0	0.0	0.0
4	2	9		92	Z3	18.2	9.2	76.0	0.7	0.0	0.0
4	9	9		99	Z3	13.8	9.0	76.6	0.6	0.0	0.0
4	16	9		106	Z3	13.9	9.5	76.0	0.6	0.0	0.0
4	25	9		115	Z3	16.2	7.9	75.4	0.5	0.0	0.0
5	1	9		121	Z3	65.4	3.6	30.9	0.2	0.0	0.0
5	8	9		128	Z3	15.7	8.7	75.1	0.4	0.0	0.0
5	13	9		133	Z3	26.2	0.9	72.2	0.5	0.0	0.0
5	22	9		142	Z3	17.7	7.7	74.3	0.4	0.0	0.0
5	27	9		147	Z3	0.0	0.0	0.0	0.0	0.0	0.0
6	6	9		156	Z3	19.6	4.4	75.6	0.4	0.0	0.0
6	11	9		161	Z3	20.8	6.5	72.2	0.4	0.0	0.0
6	18	9		168	Z3	19.4	7.3	72.8	0.4	0.0	0.0
6	26	9		176	Z3	24.5	7.3	67.7	0.5	0.0	0.0
7	3	9		184	Z3	21.9	6.2	71.4	0.4	0.0	0.0
7	25	9		205	Z3	17.4	7.5	74.6	0.6	0.0	0.0
8	1	6		219	Z3	16.4	8.2	74.8	0.5	0.0	0.0
8	7	9		219	Z3	16.4	8.2	74.8	0.5	0.0	0.0
8	14	9		226	Z3	3.4	18.1	78.1	0.5	0.0	0.0
8	23	9		235	Z3	16.4	8.2	74.8	0.4	0.0	0.0
8	28	9		240	Z3	18.9	8.8	71.8	0.2	0.0	0.0
9	6	9		248	Z3	18.8	13.2	67.7	0.3	0.0	0.0
9	11	9		253	Z3	18.4	7.9	72.5	1.1	0.0	0.0
9	17	9		259	Z3	21.6	8.9	67.7	1.6	0.0	0.0
9	26	9		268	Z3	19.4	4.6	75.4	0.6	0.0	0.0

FIELD GAS ANALYSIS

MO	DA	YR	DAY	NO	LOC	CO2	O2	N2	CH4	H2S	CO
1	2	9		2	Z4	0.0	0.0	0.0	0.0	0.0	0.0
1	14	9		14	Z4	0.0	0.0	0.0	0.0	0.0	0.0
2	6	9		37	Z4	0.0	0.0	0.0	0.0	0.0	0.0
2	25	9		55	Z4	0.0	0.0	0.0	0.0	0.0	0.0
3	18	9		77	Z4	0.0	0.0	0.0	0.0	0.0	0.0
3	26	9		85	Z4	0.0	0.0	0.0	0.0	0.0	0.0
4	2	9		92	Z4	0.0	0.0	0.0	0.0	0.0	0.0
4	9	9		99	Z4	0.0	0.0	0.0	0.0	0.0	0.0
4	16	9		106	Z4	0.0	0.0	0.0	0.0	0.0	0.0
4	25	9		115	Z4	0.0	0.0	0.0	0.0	0.0	0.0
5	1	9		121	Z4	0.0	0.0	0.0	0.0	0.0	0.0
5	8	9		128	Z4	0.0	0.0	0.0	0.0	0.0	0.0
5	13	9		133	Z4	25.5	1.9	72.0	0.6	0.0	0.0
5	22	9		142	Z4	1.1	19.5	79.4	0.0	0.0	0.0
5	27	9		147	Z4	0.5	19.6	79.8	0.0	0.0	0.0
6	6	9		156	Z4	4.8	45.7	49.4	0.0	0.0	0.0
6	11	9		161	Z4	1.1	16.9	81.9	0.0	0.0	0.0
6	18	9		168	Z4	1.4	19.4	79.1	0.0	0.0	0.0
6	26	9		176	Z4	0.7	16.9	82.9	0.0	0.0	0.0
7	3	9		184	Z4	1.0	16.9	81.9	0.0	0.0	0.0
7	25	9		205	Z4	0.7	19.4	79.8	0.0	0.0	0.0
8	1	9		212	Z4	0.0	0.0	0.0	0.0	0.0	0.0
8	7	9		219	Z4	0.0	0.0	0.0	0.0	0.0	0.0
8	14	9		226	Z4	0.0	0.0	0.0	0.0	0.0	0.0
8	23	9		235	Z4	0.0	0.0	0.0	0.0	0.0	0.0
8	28	9		240	Z4	0.0	0.0	0.0	0.0	0.0	0.0
9	6	9		248	Z4	0.0	0.0	0.0	0.0	0.0	0.0
9	11	9		253	Z4	0.0	0.0	0.0	0.0	0.0	0.0
9	17	9		259	Z4	0.0	0.0	0.0	0.0	0.0	0.0
9	26	9		268	Z4	0.0	0.0	0.0	0.0	0.0	0.0

FIELD GAS ANALYSIS

MO	DA	YR	DAY	NO	LOC	CO2	O2	N2	CH4	H2S	CO
1	2	9		2	Z5	37.1	1.3	60.9	0.7	0.0	0.0
1	14	9		14	Z5	32.5	2.1	64.7	0.7	0.0	0.0
2	6	9		37	Z5	35.1	1.4	62.8	0.7	0.0	0.0
2	25	9		55	Z5	30.0	1.3	67.8	0.8	0.0	0.0
3	18	9		77	Z5	29.8	1.1	68.3	0.8	0.0	0.0
3	26	9		85	Z5	29.0	1.1	69.2	0.7	0.0	0.0
4	2	9		92	Z5	29.8	1.2	68.2	0.9	0.0	0.0
4	9	9		99	Z5	28.5	0.9	69.9	0.7	0.0	0.0
4	16	9		106	Z5	28.8	1.1	69.4	0.7	0.0	0.0
4	25	9		115	Z5	29.5	0.8	69.1	0.6	0.0	0.0
5	1	9		121	Z5	29.0	1.1	69.2	6.7	0.0	0.0
5	8	9		128	Z5	28.3	0.4	70.6	0.5	0.0	0.0
5	13	9		133	Z5	28.8	1.1	69.5	0.6	0.0	0.0
5	22	9		142	Z5	27.7	1.1	70.5	0.7	0.0	0.0
5	27	9		147	Z5	27.6	1.0	70.8	0.5	0.0	0.0
6	6	9		156	Z5	28.1	1.5	69.9	0.5	0.0	0.0
6	11	9		161	Z5	27.7	1.3	70.3	0.6	0.0	0.0
6	18	9		168	Z5	27.9	1.1	70.3	0.6	0.0	0.0
6	26	9		176	Z5	27.7	1.1	70.6	0.6	0.0	0.0
7	3	9		184	Z5	28.4	1.2	67.6	0.6	0.0	0.0
7	25	9		205	Z5	25.3	2.2	72.0	0.5	0.0	0.0
8	1	9		212	Z5	28.9	0.6	69.8	0.5	0.0	0.0
8	7	9		219	Z5	28.9	0.6	69.8	0.5	0.0	0.0
8	14	9		226	Z5	0.3	16.2	83.1	0.3	0.0	0.0
8	23	9		235	Z5	28.9	0.6	69.8	0.8	0.0	0.0
8	28	9		240	Z5	29.6	3.8	65.2	1.4	0.0	0.0
9	6	9		248	Z5	35.4	1.1	62.7	0.8	0.0	0.0
9	11	9		253	Z5	37.3	1.1	60.7	0.9	0.0	0.0
9	17	9		259	Z5	27.6	7.2	65.5	0.6	0.0	0.0
9	26	9		268	Z5	26.8	1.9	9.5	1.6	0.0	0.0

FIELD GAS ANALYSIS

MO	DA	YR	DAY	NO	LOC	CO2	O2	N2	CH4	H2S	CO
1	2	9		2	Z6	37.5	1.8	60.1	0.7	0.0	0.0
1	14	9		14	Z6	31.9	3.0	64.4	0.7	0.0	0.0
2	6	9		37	Z6	32.2	2.6	64.6	0.7	0.0	0.0
2	25	9		55	Z6	29.4	1.6	68.2	0.8	0.0	0.0
3	18	9		77	Z6	29.5	2.2	67.5	0.8	0.0	0.0
3	26	9		85	Z6	26.5	1.8	71.2	0.4	0.0	0.0
4	2	9		92	Z6	27.8	1.3	70.1	0.7	0.0	0.0
4	9	9		99	Z6	28.7	1.1	69.5	0.8	0.0	0.0
4	16	9		106	Z6	25.0	2.1	72.4	0.5	0.0	0.0
4	25	9		115	Z6	0.0	0.0	0.0	0.0	0.0	0.0
5	1	9		121	Z6	35.8	1.5	61.9	0.8	0.0	0.0
5	8	9		128	Z6	27.2	1.6	70.8	0.2	0.0	0.0
5	13	9		133	Z6	25.8	1.1	72.6	0.5	0.0	0.0
5	22	9		142	Z6	26.8	1.9	70.6	0.5	0.0	0.0
5	27	9		147	Z6	36.1	1.0	62.4	0.4	0.0	0.0
6	6	9		156	Z6	26.1	2.2	71.1	0.4	0.0	0.0
6	11	9		161	Z6	27.6	1.3	70.4	0.5	0.0	0.0
6	18	9		168	Z6	28.1	1.4	69.9	0.5	0.0	0.0
6	26	9		176	Z6	26.8	1.5	71.2	0.4	0.0	0.0
7	3	9		184	Z6	27.1	1.3	70.9	0.0	0.0	0.0
7	25	9		205	Z6	22.3	3.7	73.7	0.4	0.0	0.0
8	1	9		212	Z6	8.5	4.7	86.7	0.1	0.0	0.0
8	7	9		219	Z6	8.5	4.7	86.7	0.1	0.0	0.0
8	14	9		226	Z6	15.1	5.1	79.3	0.3	0.0	0.0
8	23	9		235	Z6	8.5	4.6	86.7	0.1	0.0	0.0
8	28	9		240	Z6	27.4	4.1	68.1	0.4	0.0	0.0
9	6	9		248	Z6	28.8	1.5	61.9	0.9	0.0	0.0
9	11	9		253	Z6	32.2	2.6	64.2	0.8	0.0	0.0
9	17	9		259	Z6	21.6	7.2	70.3	0.6	0.0	0.0
9	26	9		268	Z6	31.1	1.7	66.3	0.8	0.0	0.0

FIELD CHEMICAL ANALYSIS

MO	DA	YR	DAY NO	WELL	FE	ZN	NI	CU	TDS	ALK	NO3
				NO	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L
2	6	0	37	1	0.0	0.04	0.0	0.0	79	20	6.3
2	25	0	56	1	0.04	0.06	0.0	0.0	80	25	5.3
3	26	0	85	1	0.0	0.14	0.0	0.0	75	16	5.1
4	25	0	115	1	0.0	0.04	0.0	0.0	70	23	6.6
5	22	0	142	1	0.0	0.07	0.0	0.0	78	25	4.0
6	18	0	169	1	0.0	0.02	0.0	0.0	60	31	6.0
7	17	0	198	1	0.0	0.04	0.0	0.0	61	2	6.0
8	14	0	226	1	0.0	0.04	0.0	0.0	76	0	5.6
9	11	0	254	1	0.0	0.01	0.0	0.0	60	23	6.0

FIELD CHEMICAL ANALYSIS

MO	DA	YR	DAY NO	WELL	PH	HARD	PO4	SO4	CL	NA	SS
2	6	0	37	1	6.5	45.0	0.2	8.0	10.0	6.0	125.0
2	25	0	56	1	6.5	50.0	0.5	8.0	9.0	7.0	170.0
3	26	0	85	1	6.0	57.0	0.4	8.0	11.0	8.0	157.0
4	25	0	115	1	6.5	65.0	0.2	2.0	10.0	6.0	90.0
5	27	0	142	1	6.0	55.0	0.3	3.0	10.0	6.0	25.0
6	18	0	169	1	5.8	48.0	0.1	3.0	16.0	6.0	0.0
7	17	0	198	1	4.9	42.0	0.0	3.0	10.0	9.0	0.0
8	14	0	226	1	4.9	41.0	0.3	3.0	10.0	5.0	0.0
0	11	0	254	1	5.3	47.0	0.4	3.0	10.0	0.0	0.0

FIELD CHEMICAL ANALYSIS

MO	DA	YP	DAY	NO	WELL	N FREE	NAMON	COD	BOD	RES	%VOL	MPN
2	6	9	37	1	0.0	0.8	48.0	0.0	0.0	19.3	0.0	0.0
2	25	9	56	1	0.0	0.4	50.0	0.0	140.0	20.3	0.0	0.0
3	26	9	85	1	0.0	0.4	36.0	0.0	115.0	14.9	0.0	0.0
4	25	9	115	1	0.0	0.5	43.0	0.0	70.0	18.7	0.0	0.0
5	22	9	142	1	0.0	0.8	20.0	0.0	143.0	0.0	0.0	0.0
6	18	9	169	1	0.0	0.5	18.0	0.0	120.0	15.2	0.0	0.0
7	17	9	198	1	0.0	0.6	0.0	0.0	70.0	12.3	0.0	0.0
8	14	9	226	1	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0
9	11	9	254	1	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0

FIELD CHEMICAL ANALYSIS

MO	DA	YR	DAY NO	WELL	FE	ZN	NI	CU	TDS	ALK	NO3
					MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L
2	6	9	37	2	0.0	0.01	0.0	0.0	81	12	6.7
2	25	9	56	2	0.0	0.03	0.0	0.0	80	12	4.0
3	26	9	85	2	0.0	0.05	0.0	0.0	82	16	5.2
4	25	9	115	2	0.0	0.02	0.0	0.0	75	27	4.9
5	22	9	142	2	0.0	0.04	0.0	0.0	80	28	5.4
6	18	9	169	2	0.0	0.01	0.0	0.0	55	31	5.8
7	17	9	198	2	0.0	0.02	0.0	0.0	62	0	6.2
8	14	9	226	2	0.0	0.04	0.0	0.0	76	0	6.2
9	11	9	254	2	0.0	0.01	0.0	0.0	68	21	6.1

FIELD CHEMICAL ANALYSIS

MO	DA	YP	DAY	NO	WELL	PH	HARD	P24	SO4	CL	NA	SS
2	6	9	27	2		7.0	60.0	0.5	4.0	16.0	6.0	0.0
2	25	9	56	2		6.8	40.0	0.4	5.0	16.0	7.0	16.0
3	26	9	85	2		6.3	62.0	0.4	4.0	14.0	6.0	70.0
4	25	9	115	2		6.3	81.0	0.5	3.0	13.0	6.0	95.0
5	22	9	142	2		6.0	55.0	0.4	3.0	15.0	6.0	30.0
6	18	9	169	2		5.8	48.0	0.1	2.0	22.0	6.0	18.0
7	17	9	199	2		4.8	42.0	0.0	3.0	12.0	6.0	0.0
8	14	9	226	2		4.8	43.0	0.5	3.0	12.0	5.0	0.0
9	11	9	254	2		5.1	0.0	0.4	3.0	12.0	0.0	0.0

FIELD CHEMICAL ANALYSIS

MO	DA	YP	DAY	NO	WELL	N	EPEE	NAMON	COD	BOD	PES	%VOL	MPN
2	6	9	37	2	0.0	0.5	86.0	0.0	380.0	57.7	0.0	0.0	
2	25	9	56	2	0.0	0.2	121.0	0.0	182.0	37.5	0.0	0.0	
3	26	9	95	2	0.0	0.5	29.0	0.0	140.0	0.0	0.0	0.0	
4	25	9	115	2	0.0	0.5	36.0	0.0	80.0	0.0	0.0	0.0	
5	22	9	142	2	0.0	0.8	5.0	0.0	160.0	18.1	0.0	0.0	
6	18	9	169	2	0.0	0.3	22.0	0.0	170.0	33.3	0.0	0.0	
7	17	9	198	2	0.0	0.6	15.0	0.0	126.0	31.5	0.0	0.0	
8	14	9	226	2	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	
9	11	9	254	2	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	

FIELD CHEMICAL ANALYSIS

MT	DA	YR	DAY	NO	WELL	FE	ZN	NI	CU	TDS	ALK	NO3
					NO	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L
1	2	9	2	3	3	0.40	0.12	0.0	0.0	45	22	3.9
1	14	9	14	3	3	0.0	0.08	0.0	0.0	47	14	4.2
2	6	9	37	3	3	0.0	0.01	0.0	0.0	45	14	4.1
2	25	9	56	3	3	0.04	0.06	0.0	0.0	47	10	3.2
3	18	9	77	3	3	0.0	0.0	0.0	0.0	48	14	2.9
3	26	9	85	3	3	0.0	0.07	0.0	0.0	49	12	3.4
4	2	9	92	3	3	0.63	0.0	0.0	0.0	45	24	3.6
4	9	9	99	3	3	0.05	0.90	0.0	0.0	50	30	4.0
4	15	9	106	3	3	0.0	0.11	0.0	0.0	56	30	3.9
4	25	9	115	3	3	0.07	0.04	0.0	0.0	50	23	6.6
5	1	9	121	3	3	0.14	0.04	0.0	0.0	44	29	4.0
5	9	9	128	3	3	0.0	0.05	0.0	0.0	50	25	0.0
5	13	9	132	3	3	0.0	0.02	0.0	0.0	44	26	0.0
5	22	9	142	3	3	0.07	0.05	0.0	0.0	45	31	0.0
5	27	9	147	3	3	0.28	0.0	0.0	0.0	0	28	0.0
6	6	9	157	3	3	0.0	0.0	0.0	0.0	0	26	0.0
6	18	9	169	3	3	0.0	0.01	0.0	0.0	42	26	4.1
6	26	9	177	3	3	0.0	0.03	0.0	0.0	37	28	4.2
7	3	9	184	3	3	0.0	0.03	0.0	0.0	39	31	4.2
7	11	9	192	3	3	0.0	0.04	0.0	0.0	41	3	3.5
7	17	9	198	3	3	0.34	0.05	0.0	0.0	40	8	4.2
7	25	9	206	3	3	0.0	0.05	0.0	0.10	41	12	0.8
8	1	9	213	3	3	0.0	0.03	0.0	0.0	41	7	4.4
8	7	9	219	3	3	0.0	0.02	0.0	0.0	49	4	4.2
8	14	9	226	3	3	0.0	0.02	0.0	0.0	41	7	4.1
8	23	9	235	3	3	0.08	0.03	0.0	0.0	41	6	3.9
8	28	9	240	3	3	0.0	0.03	0.0	0.0	41	0	3.9
9	5	9	249	3	3	0.0	0.02	0.0	0.0	0	0	3.9
9	11	9	254	3	3	0.0	0.01	0.0	0.0	43	7	4.2
9	17	9	260	3	3	0.01	0.01	0.0	0.0	42	11	4.5
9	26	9	260	3	3	0.0	0.01	0.0	0.0	42	7	4.3

FIELD CHEMICAL ANALYSIS

MO	DA	YR	DAY	NO	WELL	PH	HARD	PO4	SO4	CL	NA	SS
1	2	9	2	3	5.4	29.0	0.0	1.0	7.0	5.0	25.0	
1	14	9	14	3	6.2	28.0	0.0	1.0	8.0	5.0	0.0	
2	6	9	27	3	7.1	30.0	0.2	1.0	8.0	5.0	160.0	
2	25	9	56	3	7.0	38.0	0.3	2.0	9.0	5.0	174.0	
3	18	9	77	3	6.1	36.0	0.0	1.0	9.0	5.0	75.0	
3	26	9	85	3	6.7	35.0	0.3	2.0	8.0	5.0	0.0	
4	2	9	92	3	6.1	31.0	0.4	1.0	10.0	5.0	148.0	
4	9	9	99	3	6.2	35.0	0.4	1.0	10.0	5.0	87.0	
4	16	9	106	3	6.3	36.0	0.3	2.0	9.0	6.0	34.0	
4	25	9	115	3	6.7	36.0	0.2	2.0	11.0	5.0	35.0	
5	1	9	121	3	6.2	27.0	0.3	2.0	4.0	6.0	36.0	
5	8	9	128	3	6.4	29.0	0.3	2.0	5.0	5.0	24.0	
5	13	9	133	3	6.3	25.0	0.3	2.0	6.0	5.0	20.0	
5	22	9	142	3	6.1	55.0	0.3	3.0	9.0	6.0	29.0	
5	27	9	147	3	6.2	28.0	0.3	3.0	9.0	5.0	28.0	
6	6	9	157	3	6.3	24.0	0.2	2.0	9.0	5.0	25.0	
6	11	9	162	3	6.2	25.0	0.2	2.0	9.0	5.0	27.0	
6	18	9	169	3	6.1	26.0	0.3	3.0	8.0	5.0	38.0	
6	26	9	177	3	6.0	26.0	0.3	2.0	9.0	5.0	38.0	
7	3	9	184	3	6.2	27.0	0.3	2.0	10.0	6.0	71.0	
7	11	9	192	3	4.9	27.0	0.2	5.0	10.0	5.0	18.0	
7	17	9	198	3	4.9	26.0	0.0	3.0	10.0	4.0	18.0	
7	25	9	206	3	5.2	40.0	0.4	4.0	10.0	5.0	0.0	
8	1	9	213	3	5.1	29.0	0.4	5.0	10.0	5.0	0.0	
8	7	9	220	3	5.3	26.0	0.3	0.0	10.0	6.0	0.0	
8	14	9	227	3	5.1	29.0	0.3	2.0	12.0	5.0	0.0	
8	23	9	235	3	5.0	31.0	0.4	2.0	10.0	0.0	0.0	
8	28	9	240	3	0.0	26.0	0.4	2.0	10.0	0.0	0.0	
9	6	9	249	3	0.0	23.0	0.4	0.0	10.0	0.0	0.0	
9	11	9	254	3	5.1	29.0	0.3	3.0	10.0	0.0	0.0	
9	17	9	260	3	4.9	28.0	0.4	2.0	10.0	0.0	0.0	
9	26	9	269	3	4.9	22.0	0.4	2.0	10.0	0.0	0.0	

FIELD CHEMICAL ANALYSIS

MO	DA	YR	DAY NO	WELL	N FREE	NAMON	COD	BOD	RES	%VOL	MPN
1	2	0	2	3	0.0	0.2	0.0	0.0	110.0	0.0	0.0
1	14	0	14	3	0.0	0.2	0.0	0.0	260.0	0.0	0.0
2	6	0	17	3	0.2	0.1	80.0	0.0	0.0	17.1	0.0
2	25	9	56	3	0.0	0.2	50.0	0.0	127.0	14.7	0.0
3	18	9	77	3	0.0	0.3	62.0	0.0	180.0	9.5	0.0
3	26	9	85	3	0.1	0.2	104.0	0.0	0.0	0.0	0.0
4	2	0	92	3	0.0	0.1	57.0	0.0	250.0	9.2	0.0
4	9	0	99	3	0.0	0.1	68.0	0.0	66.0	0.0	0.0
4	16	9	106	3	0.0	0.1	68.0	0.0	48.0	0.0	0.0
4	25	9	115	3	0.0	0.5	100.0	0.0	60.0	18.7	0.0
5	1	0	121	3	0.0	0.5	30.0	0.0	166.0	12.0	0.0
5	8	0	128	3	0.0	0.9	30.0	0.0	130.0	12.4	0.0
5	13	9	133	3	0.0	1.0	35.0	0.0	130.0	12.2	0.0
5	22	9	142	3	0.0	0.5	10.0	0.0	140.0	19.0	0.0
5	27	9	147	3	0.0	0.6	15.0	0.0	120.0	15.2	0.0
6	6	0	157	3	0.0	0.7	5.0	0.0	90.0	18.5	0.0
6	11	9	162	3	0.0	0.6	26.0	0.0	110.0	26.4	0.0
6	18	9	169	3	0.0	0.9	20.0	0.0	140.0	27.9	0.0
6	26	0	177	3	0.0	0.3	20.0	0.0	156.0	21.2	0.0
7	3	9	184	3	0.0	0.3	25.0	0.0	156.0	13.6	0.0
7	11	9	192	3	0.0	0.4	28.0	0.0	66.0	10.0	0.0
7	17	9	198	3	0.0	0.3	3.0	0.0	253.0	18.4	0.0
7	25	0	206	3	0.0	0.3	0.0	0.0	0.0	0.0	0.0
8	1	9	213	3	0.0	0.4	0.0	0.0	0.0	0.0	0.0
8	7	9	220	3	0.0	0.3	0.0	0.0	0.0	0.0	0.0
8	14	9	227	3	0.0	0.5	0.0	0.0	0.0	0.0	0.0
8	23	9	235	3	0.0	0.4	20.0	0.0	0.0	0.0	0.0
8	28	9	240	3	0.0	0.3	9.0	0.0	0.0	0.0	0.0
9	6	9	249	3	0.0	0.4	0.0	0.0	0.0	0.0	0.0
9	11	9	254	3	0.0	0.5	0.0	0.0	0.0	0.0	0.0
9	17	0	260	3	0.0	0.6	0.0	0.0	0.0	0.0	0.0
9	26	9	269	3	0.0	0.6	0.0	0.0	480.0	9.7	0.0

FIELD CHEMICAL ANALYSIS

MO	DA	YR	DAY NO	WELL	FE	7N	NI	CU	TDS	ALK	NO3
				NO	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L
1	2	9	2	4	0.0	0.04	0.0	0.0	50	20	5.7
1	14	9	14	4	0.0	0.04	0.0	0.0	49	16	6.2
2	6	9	37	4	0.0	0.03	0.0	0.0	61	16	0.0
2	25	9	56	4	0.0	0.02	0.0	0.0	59	10	4.1
3	18	9	77	4	0.0	0.0	0.0	0.0	60	16	3.9
3	26	9	85	4	0.0	0.09	0.0	0.0	62	24	4.5
4	2	9	92	4	0.0	0.80	0.0	0.0	58	16	4.7
4	9	9	99	4	0.0	0.70	0.0	0.0	62	27	5.8
4	16	9	106	4	0.0	0.11	0.0	0.0	62	27	6.0
4	25	9	115	4	0.0	0.03	0.0	0.0	55	23	5.2
5	1	9	121	4	0.0	0.02	0.0	0.0	58	27	6.0
5	8	9	128	4	0.0	0.04	0.0	0.0	60	21	0.0
5	13	9	133	4	0.0	0.0	0.0	0.0	50	24	0.0
5	22	9	142	4	0.0	0.03	0.0	0.0	58	27	0.0
5	27	9	147	4	0.10	0.0	0.0	0.0	0	26	0.0
6	6	9	157	4	0.0	0.02	0.0	0.0	0	21	5.5
6	11	9	162	4	0.0	0.0	0.0	0.0	0	26	5.2
6	18	9	169	4	0.0	0.01	0.04	0.0	49	25	5.5
6	26	9	177	4	0.0	0.02	0.0	0.0	55	23	5.4
7	3	9	184	4	0.0	0.04	0.0	0.06	47	28	5.6
7	11	9	192	4	0.0	0.03	0.0	0.0	46	7	5.3
7	17	9	198	4	0.0	0.04	0.0	0.0	46	7	5.4
7	25	9	206	4	0.0	0.05	0.0	0.0	46	21	6.6
8	1	9	213	4	0.0	0.02	0.0	0.0	50	4	5.9
8	7	9	219	4	0.0	0.0	0.0	0.0	65	6	5.7
8	14	9	226	4	0.10	0.05	0.0	0.0	50	9	5.7
8	23	9	235	4	0.0	0.04	0.0	0.0	0	4	5.4
8	28	9	240	4	0.05	0.07	0.0	0.02	48	4	5.6
9	6	9	249	4	0.0	0.05	0.0	0.0	0	8	5.7
9	11	9	254	4	0.0	0.03	0.0	0.0	60	7	5.7
9	17	9	260	4	0.0	0.01	0.0	0.0	51	9	5.9
9	26	9	269	4	0.0	0.01	0.0	0.0	60	8	5.8

FIELD CHEMICAL ANALYSIS

MO	DA	YR	DAY	NO	WELL	PH	HARD	PO4	SO4	CL	NA	SS
1	2	9		2	4	5.7	28.0	0.0	0.0	0.0	5.0	14.0
1	14	9		14	4	6.8	35.0	0.0	2.0	10.0	5.0	0.0
2	6	9		37	4	6.8	35.0	0.1	2.0	10.0	6.0	86.0
2	25	9		56	4	6.8	33.0	0.3	3.0	10.0	6.0	41.0
3	18	9		77	4	6.1	33.0	0.3	3.0	10.0	6.0	47.0
3	26	9		85	4	6.1	35.0	0.2	1.0	9.0	6.0	27.0
4	2	9		92	4	6.9	31.0	0.1	2.0	9.0	6.0	148.0
4	9	9		99	4	6.9	35.0	0.4	3.0	8.0	6.0	168.0
4	16	9		106	4	6.8	37.0	0.2	3.0	7.0	6.0	67.0
4	25	9		115	4	6.2	37.0	0.2	0.0	3.0	6.0	48.0
5	1	9		121	4	6.3	36.0	0.2	0.0	6.0	4.0	21.0
5	8	9		128	4	6.3	33.0	0.4	0.0	7.0	8.0	28.0
5	13	9		133	4	6.1	25.0	0.2	0.0	7.0	6.0	40.0
5	22	9		142	4	6.2	38.0	0.2	0.0	9.0	6.0	21.0
5	27	9		147	4	6.3	37.0	0.2	0.0	11.0	5.0	24.0
6	6	9		157	4	6.2	39.0	0.1	0.0	11.0	6.0	27.0
6	11	9		162	4	6.2	36.0	0.1	0.0	9.0	6.0	22.0
6	18	9		169	4	6.0	31.0	0.1	0.0	12.0	6.0	29.0
6	26	9		177	4	5.8	34.0	0.2	1.0	9.0	6.0	32.0
7	3	9		184	4	6.0	31.0	0.1	2.0	11.0	6.0	35.0
7	11	9		192	4	5.0	29.0	0.1	3.0	11.0	6.0	10.0
7	17	9		198	4	4.9	34.0	0.0	2.0	10.0	6.0	15.0
7	25	9		206	4	5.2	43.0	0.4	3.0	11.0	5.0	0.0
8	1	9		213	4	5.0	4.0	0.4	4.0	10.0	6.0	0.0
8	7	9		219	4	5.0	6.0	0.3	2.0	10.0	6.0	0.0
8	14	9		226	4	4.9	9.0	0.1	2.0	10.0	6.0	0.0
8	23	9		235	4	5.0	9.0	0.3	2.0	10.0	0.0	0.0
8	28	9		240	4	0.0	29.0	0.4	2.0	10.0	0.0	0.0
9	6	9		249	4	5.2	27.0	0.4	0.0	11.0	0.0	0.0
9	11	9		254	4	5.0	30.0	0.2	2.0	10.0	0.0	0.0
9	17	9		260	4	5.1	29.0	0.2	2.0	10.0	0.0	0.0
9	26	9		269	4	5.0	24.0	0.2	1.0	10.0	0.0	0.0

FIELD CHEMICAL ANALYSIS

MO	DA	YR	DAY NO	WELL	N FREE	NAMON	COD	BOD	RES	%VOL	MPN
1	2	9	2	4	0.0	0.2	0.0	0.0	0.0	0.0	0.0
1	14	9	14	4	0.0	0.0	0.0	0.0	111.0	0.0	0.0
2	6	9	37	4	0.1	0.2	32.0	0.0	95.0	9.3	0.0
2	25	9	56	4	0.0	0.2	25.0	0.0	115.0	22.8	0.0
3	18	9	77	4	0.0	0.2	40.0	0.0	110.0	0.0	0.0
3	26	9	85	4	0.0	0.1	100.0	0.0	98.0	21.6	0.0
4	2	9	92	4	0.0	0.2	68.0	0.0	175.0	9.2	0.0
4	9	9	99	4	0.0	0.0	69.0	0.0	65.0	0.0	0.0
4	16	9	106	4	0.0	0.0	78.0	0.0	46.0	0.0	0.0
4	25	9	115	4	0.0	0.6	82.0	0.0	65.0	18.9	0.0
5	1	9	121	4	0.1	1.0	25.0	0.0	123.0	16.2	0.0
5	8	9	128	4	0.0	1.2	40.0	0.0	135.0	14.8	0.0
5	13	9	133	4	0.0	0.2	140.0	0.0	170.0	21.5	0.0
5	22	9	142	4	0.0	0.2	20.0	0.0	132.0	29.2	0.0
5	27	9	147	4	0.0	0.7	13.0	0.0	100.0	20.3	0.0
6	6	9	157	4	0.0	0.7	0.0	0.0	110.0	26.4	0.0
6	11	9	162	4	0.0	0.0	25.0	0.0	70.0	10.9	0.0
6	18	9	169	4	0.0	0.9	30.0	0.0	130.0	32.5	0.0
6	26	9	177	4	0.0	0.2	32.0	0.0	150.0	12.2	0.0
7	3	9	184	4	0.0	0.7	28.0	0.0	146.0	14.3	0.0
7	11	9	192	4	0.0	0.0	28.0	0.0	148.0	25.6	0.0
7	17	9	198	4	0.1	0.2	3.0	0.0	145.0	20.6	0.0
7	25	9	206	4	0.0	0.4	10.0	0.0	0.0	0.0	0.0
8	1	9	213	4	0.0	0.4	10.0	0.0	0.0	0.0	0.0
8	7	9	219	4	0.0	0.3	0.0	0.0	0.0	0.0	0.0
8	14	9	226	4	0.0	0.5	0.0	0.0	0.0	0.0	0.0
8	23	9	235	4	0.0	0.5	10.0	0.0	0.0	0.0	0.0
8	28	9	240	4	0.0	0.3	14.0	0.0	0.0	0.0	0.0
9	6	9	249	4	0.0	0.4	5.0	0.0	0.0	0.0	0.0
9	11	9	254	4	0.0	0.4	0.0	0.0	0.0	0.0	0.0
9	17	9	260	4	0.0	0.5	5.0	0.0	0.0	0.0	0.0
9	26	9	269	4	0.0	0.5	8.0	0.0	500.0	11.3	0.0

FIELD CHEMICAL ANALYSIS

MO	DA	YR	DAY NO	WELL	FE	ZN	NI	CU	TDS	ALK	NO3
				NO	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L
2	6	0	37	5	0.0	0.0	0.0	0.0	47	14	4.3
2	25	9	56	5	0.12	0.02	0.0	0.0	27	16	0.4
3	26	9	85	5	0.05	0.02	0.0	0.0	19	24	0.4
4	25	9	115	5	0.0	0.0	0.0	0.0	45	20	3.5
5	22	9	142	5	0.0	0.02	0.0	0.0	43	23	4.2
6	18	9	169	5	0.0	0.01	0.0	0.0	43	23	4.1
7	17	9	198	5	0.0	0.04	0.08	0.0	37	6	3.8
8	14	9	224	5	0.0	0.02	0.0	0.0	41	0	4.7
9	11	0	254	5	0.0	0.12	0.0	0.0	49	9	5.3

FIELD CHEMICAL ANALYSIS

MO	DA	YR	DAY NO	WELL	PH	HARD	PO4	SO4	CL	NA	SS
2	6	9	37	5	6.1	30.0	0.3	11.0	8.0	5.0	95.0
2	25	9	56	5	6.0	15.0	0.4	11.0	5.0	1.0	32.0
3	26	9	85	5	6.9	24.0	0.3	11.0	4.0	1.0	30.0
4	25	9	115	5	6.5	28.0	0.3	10.0	4.0	4.0	23.0
5	22	9	143	5	6.2	0.0	0.3	8.0	1.0	5.0	32.0
6	18	9	169	5	6.1	37.0	0.1	9.0	8.0	5.0	14.0
7	17	9	198	5	5.0	33.0	0.0	6.0	10.0	4.0	19.0
9	11	9	254	5	5.0	27.0	0.3	2.0	10.0	0.0	0.0

FIELD CHEMICAL ANALYSIS

MO	DA	YR	DAY NO	WELL	N FREE	NAMON	COD	BOD	RES	%VOL	MPN
2	6	9	37	5	0.0	0.9	22.0	0.0	95.0	12.4	0.0
2	25	9	56	5	0.3	0.3	29.0	0.0	60.0	14.5	0.0
3	26	9	85	5	0.0	0.3	68.0	0.0	75.0	16.5	0.0
4	25	9	115	5	0.0	0.5	68.0	0.0	75.0	0.0	0.0
5	22	9	143	5	0.0	0.2	5.0	0.0	140.0	21.4	0.0
6	18	9	169	5	0.0	0.4	27.0	0.0	120.0	47.3	0.0
7	17	9	198	5	0.0	0.3	3.0	0.0	136.0	46.3	0.0
9	11	9	254	5	0.0	0.2	0.0	0.0	0.0	0.0	0.0

FIELD CHEMICAL ANALYSIS

MO	DA	YR	DAY NO	WELL	FE	ZN	NI	CU	TDS	ALK	NO3
				NO	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L
2	6	9	37	6	0.0	0.0	0.0	0.0	58	14	5.3
2	25	9	56	6	0.0	0.02	0.0	0.0	57	10	1.7
3	26	9	85	6	0.0	0.06	0.0	0.0	58	13	4.1
4	25	9	115	6	0.0	0.02	0.0	0.0	55	20	3.6
5	22	9	142	6	0.0	0.04	0.0	0.0	55	25	0.0
6	18	9	169	6	0.0	0.01	0.0	0.0	48	2	5.1
7	17	9	198	6	0.0	0.04	0.0	0.0	43	8	4.3
8	14	9	226	6	0.0	0.0	0.0	0.0	0	4	0.0
9	11	9	254	6	0.0	0.01	0.0	0.03	45	32	4.4

FIELD CHEMICAL ANALYSIS

MO	DA	YR	DAY NO	WELL	PH	HARD	PO4	SO4	CL	NA	SS
2	6	9	37	6	7.1	30.0	0.2	3.0	6.0	6.0	83.0
2	25	9	56	6	6.8	25.0	0.2	2.0	9.0	6.0	185.0
3	26	9	85	6	5.7	35.0	0.3	5.0	8.0	6.0	45.0
4	25	9	115	6	5.7	31.0	0.2	5.0	6.0	6.0	33.0
5	22	9	142	6	5.8	44.0	0.3	4.0	1.0	8.0	17.0
6	18	9	169	6	5.4	34.0	0.1	1.0	13.0	6.0	29.0
7	17	9	198	6	4.9	28.0	0.0	3.0	10.0	6.0	15.0
8	14	9	226	6	5.0	0.0	0.0	2.0	10.0	0.0	0.0
9	11	9	282	6	0.0	24.0	0.2	4.0	10.0	0.0	0.0

FIELD CHEMICAL ANALYSIS

MO	DA	YR	DAY NO	WELL	N FREE	NAMCN	COD	BOD	RES	%VOL	MPN
2	6	9	37	6	0.0	0.5	97.0	0.0	115.0	24.1	0.0
2	25	9	56	6	0.0	0.1	128.0	0.0	150.0	37.1	0.0
3	26	9	85	6	0.0	0.1	72.0	0.0	78.0	22.5	0.0
4	25	9	115	6	0.0	0.2	71.0	0.0	70.0	0.0	0.0
5	22	9	142	6	0.0	0.7	20.0	0.0	140.0	16.6	0.0
6	18	9	169	6	0.0	0.1	27.0	0.0	280.0	44.1	0.0
7	17	9	198	6	0.0	0.5	0.0	0.0	130.0	11.6	0.0
8	14	9	226	6	0.0	0.2	0.0	0.0	0.0	0.0	0.0
9	11	9	282	6	0.0	0.2	5.0	0.0	0.0	0.0	0.0

FIELD CHEMICAL ANALYSIS

MO	DA	YR	DAY	NO	WELL	FE	ZN	NI	CU	TDS	ALK	NO3
						MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L
2	25	9		56	7	0.0	0.01	0.0	0.0	48	16	5.3
3	26	9		85	7	0.0	0.05	0.0	0.0	50	17	3.7
4	25	9		115	7	0.0	0.0	0.0	0.0	0	23	0.0
5	22	9		142	7	0.0	0.03	0.0	0.0	45	27	5.0

FIELD CHEMICAL ANALYSIS

MO	DA	YR	DAY	NO	WELL	PH	HARD	PO4	SO4	CL	NA	SS
2	25	9		56	7	6.1	27.0	0.3	1.0	6.0	5.0	43.0
3	26	9		85	7	6.2	33.0	0.3	2.0	6.0	5.0	33.0
4	25	9		115	7	6.2	0.0	0.0	0.0	0.0	6.0	42.0
5	22	9		147	7	5.8	48.0	0.3	2.0	5.0	5.0	24.0

FIELD CHEMICAL ANALYSIS

MO	DA	YR	DAY NO	WELL	N FREE	NAMCN	COD	BOD	RES	%VOL	MPN
2	25	9	56	7	0.0	0.1	64.0	0.0	98.0	6.1	0.0
3	26	9	85	7	0.0	0.1	71.0	0.0	78.0	3.7	0.0
4	25	9	115	7	0.0	0.5	75.0	0.0	85.0	0.0	0.0
5	22	9	142	7	0.0	0.1	0.0	0.0	120.0	19.4	0.0

FIELD CHEMICAL ANALYSIS

MO	DA	YR	DAY NO	WELL	FE	ZN	NI	CU	TDS	ALK	NO3
				NO	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L
1	2	9	2	8	0.0	0.0	0.0	0.0	66	16	5.1
1	14	9	14	8	0.0	0.0	0.0	0.0	66	12	5.7
2	4	9	37	8	0.0	0.0	0.0	0.0	70	10	5.5
2	25	9	56	8	0.0	0.0	0.0	0.0	68	9	4.2
3	18	9	77	8	0.0	0.0	0.0	0.0	70	10	3.9
3	26	9	85	8	0.0	0.0	0.0	0.0	69	20	4.6
4	2	9	92	8	0.0	0.0	0.0	0.0	68	12	5.1
4	9	9	99	8	0.0	0.0	0.0	0.04	69	23	5.3
4	16	9	106	8	0.0	0.90	0.0	0.0	70	23	5.1
4	25	9	115	8	0.0	0.0	0.0	0.0	62	20	5.3
5	1	9	121	8	0.0	0.0	0.0	0.0	65	24	5.5
5	8	9	128	8	0.0	0.0	0.0	0.0	65	24	0.0
5	13	9	133	8	0.0	0.0	0.0	0.0	65	23	0.0
5	22	9	142	8	0.0	0.0	0.0	0.0	66	23	0.0
5	27	9	147	8	0.0	0.0	0.0	0.0	0	24	4.9
6	6	9	157	8	0.0	0.0	0.0	0.0	0	26	5.1
6	11	9	162	8	0.0	0.01	0.0	0.03	0	25	4.9
6	18	9	169	8	0.0	0.0	0.0	0.0	60	23	5.2
6	26	9	177	8	0.0	0.01	0.0	0.0	62	24	5.3
7	3	9	184	8	0.0	0.02	0.0	0.0	59	25	5.4
7	11	9	192	8	0.0	0.02	0.0	0.0	52	0	4.9
7	17	9	198	8	0.0	0.02	0.0	0.0	59	2	4.9
7	25	9	206	8	0.0	0.03	0.0	0.0	61	9	5.6
8	1	9	213	8	0.0	0.02	0.0	0.0	60	16	5.6
8	7	9	219	8	0.0	0.01	0.0	0.0	80	9	5.6
8	14	9	226	8	0.0	0.01	0.0	0.0	65	6	4.7
8	23	9	235	8	0.0	0.02	0.0	0.0	0	9	5.3
8	28	9	240	8	0.0	0.02	0.0	0.0	62	0	5.0
9	6	9	249	8	0.0	0.0	0.0	0.0	0	13	5.1
9	11	9	254	8	0.0	0.01	0.0	0.0	70	12	5.3
9	17	9	260	8	0.0	0.0	0.0	0.0	61	14	5.4
9	26	9	269	8	0.0	0.0	0.0	0.05	69	9	5.3

FIELD CHEMICAL ANALYSIS

MO	DA	YR	DAY	NO	WELL	PH	HARD	PO4	SO4	CL	NA	SS
1	2	9		2	8	5.3	34.0	0.0	0.0	0.0	5.0	9.0
1	14	9		14	8	5.8	36.0	0.1	2.0	16.0	5.0	0.0
2	6	9		37	8	6.9	40.0	0.0	2.0	15.0	5.0	179.0
2	25	9		56	8	6.1	34.0	0.3	3.0	15.0	6.0	39.0
3	18	9		77	8	6.1	33.0	0.3	3.0	14.0	5.0	125.0
3	26	9		85	8	6.4	45.0	0.1	3.0	12.0	6.0	32.0
4	2	9		92	8	6.0	40.0	0.1	3.0	14.0	6.0	75.0
4	9	9		99	8	6.1	45.0	0.2	3.0	14.0	6.0	174.0
4	16	9		106	8	6.1	42.0	0.2	3.0	14.0	6.0	83.0
4	25	9		115	8	6.1	38.0	0.1	2.0	11.0	5.0	53.0
5	1	9		121	8	6.1	48.0	0.2	2.0	11.0	5.0	25.0
5	8	9		128	8	6.1	40.0	0.1	2.0	12.0	6.0	19.0
5	13	9		133	8	6.1	41.0	0.1	2.0	11.0	5.0	37.0
5	22	9		142	8	6.1	40.0	0.2	2.0	12.0	5.0	35.0
5	27	9		147	8	6.1	42.0	0.2	2.0	15.0	6.0	48.0
6	6	9		157	8	6.1	39.0	0.1	2.0	0.0	6.0	38.0
6	11	9		162	8	6.1	42.0	0.2	2.0	15.0	5.0	34.0
6	18	9		169	8	6.1	41.0	0.1	2.0	19.0	6.0	42.0
6	26	9		177	8	6.0	43.0	0.2	2.0	20.0	6.0	21.0
7	3	9		184	8	5.7	44.0	0.3	3.0	15.0	6.0	40.0
7	11	9		192	8	4.9	40.0	0.2	4.0	15.0	6.0	22.0
7	17	9		198	8	4.9	43.0	0.0	2.0	11.0	5.0	16.0
7	25	9		206	8	4.9	41.0	0.2	4.0	1.0	5005.0	0.0
8	1	9		213	8	4.9	43.0	0.2	5.0	13.0	5.0	0.0
8	7	9		219	8	4.9	46.0	0.3	0.0	13.0	6.0	0.0
8	14	9		226	8	5.0	42.0	0.1	2.0	11.0	6.0	0.0
8	23	9		235	8	4.9	46.0	0.3	2.0	10.0	0.0	0.0
8	28	9		240	8	0.0	40.0	0.2	2.0	10.0	0.0	0.0
9	6	9		249	8	4.9	52.0	0.2	0.0	10.0	0.0	0.0
9	11	9		254	8	5.0	46.0	0.4	1.0	10.0	0.0	0.0
9	17	9		260	8	5.0	47.0	0.4	2.0	10.0	0.0	0.0
9	26	9		269	8	5.1	39.0	0.3	1.0	10.0	0.0	0.0

FIELD CHEMICAL ANALYSIS

MO	DA	YR	DAY NO	WELL	N FREE	NAMON	COD	BOD	RES	%VOL	MPN
1	2	9	2	8	0.0	0.2	60.0	0.0	0.0	0.0	0.0
1	14	9	14	8	0.0	0.3	80.0	0.0	60.0	0.0	0.0
2	6	9	37	8	0.0	0.4	86.0	0.0	63.0	39.5	0.0
2	25	9	56	8	0.0	0.1	207.0	0.0	100.0	9.1	0.0
3	18	9	77	8	0.0	0.2	186.0	0.0	85.0	8.2	0.0
3	26	9	85	8	0.0	0.3	82.0	0.0	98.0	5.2	0.0
4	2	9	92	8	0.0	0.2	142.0	0.0	150.0	3.3	0.0
4	9	9	99	8	0.0	0.2	140.0	0.0	64.0	17.7	0.0
4	16	9	106	8	0.0	0.1	135.0	0.0	64.0	19.8	0.0
4	25	9	115	8	0.0	1.2	132.0	0.0	85.0	0.0	0.0
5	1	9	121	8	0.0	0.8	35.0	0.0	107.0	28.7	0.0
5	8	9	128	8	0.0	1.4	27.0	0.0	130.0	12.4	0.0
5	13	9	133	8	0.0	0.8	55.0	0.0	108.0	17.3	0.0
5	22	9	142	8	0.0	0.4	10.0	0.0	210.0	32.8	0.0
5	27	9	147	8	0.0	0.5	7.0	0.0	160.0	20.3	0.0
6	6	9	157	8	0.0	0.5	15.0	0.0	100.0	9.4	0.0
6	11	9	162	8	0.0	0.3	25.0	0.0	140.0	51.1	0.0
6	18	9	169	8	0.0	0.3	20.0	0.0	120.0	35.1	0.0
6	26	9	177	8	0.0	0.4	22.0	0.0	143.0	12.3	0.0
7	3	9	184	8	0.0	0.5	20.0	0.0	113.0	13.5	0.0
7	11	9	192	8	0.0	0.2	20.0	0.0	160.0	15.4	0.0
7	17	9	198	8	0.0	0.2	23.0	0.0	76.0	9.1	0.0
7	25	9	206	8	0.0	0.5	10.0	0.0	0.0	0.0	0.0
8	1	9	213	8	0.0	0.5	10.0	0.0	0.0	0.0	0.0
8	7	9	219	8	0.0	0.6	0.0	0.0	0.0	0.0	0.0
8	14	9	226	8	0.0	0.4	9.0	0.0	0.0	0.0	0.0
8	23	9	235	8	0.0	0.3	0.0	0.0	0.0	0.0	0.0
8	28	9	240	8	0.0	0.3	0.0	0.0	0.0	0.0	0.0
9	6	9	249	8	0.0	0.5	0.0	0.0	0.0	0.0	0.0
9	11	9	254	8	0.0	0.6	0.0	0.0	0.0	0.0	0.0
9	17	9	260	8	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	26	9	269	8	0.0	0.3	0.0	0.0	480.0	9.7	0.0

FIELD CHEMICAL ANALYSIS

MO	DA	YR	DAY NO	WELL	FE	ZN	NI	CU	TDS	ALK	NO3
				NO	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L
2	6	0	37	9	0.0	0.0	0.0	0.0	58	14	4.9
2	25	0	56	9	0.0	0.02	0.0	0.0	59	10	4.3
3	26	0	85	9	0.0	0.07	0.0	0.0	60	20	4.5
4	25	9	115	9	0.0	0.0	0.0	0.0	50	0	0.0
5	22	9	142	9	0.0	0.02	0.0	0.02	56	18	0.0
6	18	9	169	9	0.0	0.01	0.0	0.0	60	0	5.7
7	17	9	198	9	0.0	0.02	0.0	0.0	0	0	6.1
8	14	0	226	9	0.0	0.02	0.0	0.0	48	7	5.3
9	11	0	254	9	0.0	0.01	0.0	0.0	60	18	5.9

FIELD CHEMICAL ANALYSIS

MO	DA	YR	DAY NO	WELL	PH	HARD	PO4	SO4	CL	NA	SS
2	6	9	37	9	6.9	30.0	0.4	1.0	10.0	5.0	46.0
2	25	9	56	9	6.2	31.0	0.4	1.0	10.0	5.0	40.0
3	26	9	85	9	6.1	38.0	0.3	1.0	9.0	5.0	50.0
4	25	9	115	9	0.0	0.0	0.3	2.0	9.0	5.0	48.0
5	22	9	142	9	6.2	40.0	0.4	2.0	10.0	5.0	14.0
6	18	9	169	9	6.2	35.0	0.1	3.0	15.0	5.0	21.0
7	17	9	196	9	4.8	33.0	0.0	2.0	11.0	6.0	14.0
8	14	9	226	9	4.9	37.0	0.4	3.0	12.0	5.0	0.0
9	11	9	254	9	5.7	10.0	0.1	2.0	10.0	0.0	0.0

FIELD CHEMICAL ANALYSIS

MO	DA	YR	DAY	NO	WELL	N FREE	NAMCN	COD	BOD	RES	%VOL	MPN
2	6	9	37	9	9	0.0	0.2	34.0	0.0	77.0	8.4	0.0
2	25	9	56	9	9	0.0	0.1	43.0	0.0	66.0	16.4	0.0
3	26	9	85	9	9	0.0	0.2	42.0	0.0	105.0	14.7	0.0
4	25	9	115	9	9	0.0	0.6	43.0	0.0	123.0	0.0	0.0
5	22	9	142	9	9	0.0	0.6	0.0	0.0	110.0	17.4	0.0
6	18	9	169	9	9	0.0	0.1	20.0	0.0	170.0	32.2	0.0
7	17	9	196	9	9	0.0	0.0	10.0	0.0	93.0	13.2	0.0
8	14	9	226	9	9	0.0	0.2	20.0	0.0	0.0	0.0	0.0
9	11	9	254	9	9	0.0	0.6	0.0	0.0	0.0	0.0	0.0

FIELD CHEMICAL ANALYSIS

MO	DA	YR	DAY	NO	WELL	FE	ZN	NI	CU	TDS	ALK	NO3
					NO	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L
1	2	9	2	10	10	0.0	0.0	0.0	0.0	62	23	5.7
1	14	9	14	10	10	0.0	0.0	0.0	0.0	63	18	6.0
2	6	9	37	10	10	0.0	0.0	0.0	0.0	63	14	5.5
2	25	9	56	10	10	0.0	0.03	0.0	0.0	66	13	4.2
3	18	9	77	10	10	0.0	0.11	0.0	0.0	65	0	4.9
3	26	9	85	10	10	0.0	0.0	0.0	0.0	68	20	5.0
4	2	9	92	10	10	0.0	0.0	0.0	0.0	65	16	5.2
4	9	9	99	10	10	0.0	0.0	0.0	0.0	65	30	5.7
4	16	9	106	10	10	0.0	0.04	0.0	0.0	64	33	6.2
4	25	9	115	10	10	0.0	0.0	0.0	0.0	60	13	6.4
5	1	9	121	10	10	0.0	0.0	0.0	0.0	61	19	6.0
5	8	9	128	10	10	0.0	0.0	0.0	0.0	60	18	0.0
5	13	9	133	10	10	0.0	0.0	0.0	0.0	51	17	0.0
5	22	9	142	10	10	0.13	0.10	0.0	0.0	60	19	0.0
5	27	9	147	10	10	0.0	0.0	0.0	0.0	0	21	6.0
6	6	9	157	10	10	0.0	0.0	0.0	0.0	0	21	5.4
6	11	9	162	10	10	0.0	0.04	0.0	0.06	0	23	5.4
6	18	9	169	10	10	0.0	0.0	0.0	0.0	60	24	5.5
6	26	9	177	10	10	0.0	0.0	0.0	0.0	60	23	6.1
7	3	9	184	10	10	0.0	0.01	0.0	0.0	59	27	5.6
7	11	9	192	10	10	0.0	0.01	0.0	0.0	55	0	5.3
7	17	9	198	10	10	0.0	0.02	0.0	0.0	52	7	5.4
7	25	9	206	10	10	0.0	0.02	0.0	0.0	59	10	5.7
8	1	9	213	10	10	0.0	0.0	0.0	0.0	52	21	5.7
8	7	9	219	10	10	0.0	0.01	0.0	0.0	70	17	5.6
8	14	9	226	10	10	0.0	0.0	0.0	0.0	55	6	5.6
8	22	9	235	10	10	0.0	0.01	0.0	0.0	0	13	5.4
8	28	9	240	10	10	0.0	0.01	0.0	0.0	51	0	5.4
9	6	9	249	10	10	0.0	0.01	0.0	0.0	0	23	5.7
9	11	9	254	10	10	0.0	0.01	0.0	0.0	65	15	5.7
9	17	9	260	10	10	0.0	0.01	0.0	0.0	58	19	5.9
9	26	9	269	10	10	0.0	0.01	0.0	0.0	62	21	5.9

FIELD CHEMICAL ANALYSIS

MO	DA	YR	DAY	NO	WELL	PH	HARD	PO4	SO4	CL	NA	SS
1	2	9		2	10	5.4	42.0	0.0	0.0	0.0	5.0	11.0
1	14	9		14	10	6.0	42.0	0.0	1.0	10.0	6.0	57.0
2	6	9		37	10	6.5	40.0	0.4	1.0	11.0	6.0	36.0
2	25	9		56	10	6.4	45.0	0.0	1.0	8.0	7.0	42.0
3	18	9		77	10	6.0	42.0	0.3	1.0	8.0	6.0	27.0
3	26	9		85	10	6.6	45.0	0.4	1.0	8.0	6.0	47.0
4	2	9		92	10	6.7	50.0	0.4	2.0	10.0	6.0	35.0
4	9	9		99	10	6.7	42.0	0.4	1.0	7.0	6.0	107.0
4	16	9		106	10	6.7	41.0	0.3	1.0	7.0	7.0	92.0
4	25	9		115	10	6.9	31.0	0.3	2.0	8.0	6.0	47.0
5	1	9		121	10	6.3	38.0	0.3	1.0	7.0	6.0	28.0
5	8	9		128	10	6.5	38.0	0.4	2.0	7.0	6.0	25.0
5	13	9		133	10	6.3	38.0	0.3	2.0	8.0	6.0	18.0
5	22	9		142	10	6.2	38.0	0.3	2.0	7.0	7.0	24.0
5	27	9		147	10	6.2	37.0	0.3	2.0	0.0	6.0	0.0
6	6	9		157	10	6.3	38.0	0.2	2.0	0.0	6.0	35.0
6	11	9		162	10	6.2	36.0	0.1	2.0	11.0	6.0	49.0
6	18	9		169	10	6.3	36.0	0.1	2.0	15.0	7.0	25.0
6	26	9		177	10	6.2	35.0	0.3	2.0	15.0	6.0	21.0
7	3	9		184	10	6.2	35.0	0.2	3.0	10.0	5.0	24.0
7	11	9		192	10	0.0	0.0	0.1	3.0	10.0	7.0	59.0
7	17	9		198	10	5.0	39.0	0.0	3.0	10.0	6.0	25.0
7	25	9		206	10	5.2	32.0	0.3	4.0	10.0	6.0	0.0
8	1	9		213	10	5.2	31.0	0.3	0.0	10.0	6.0	0.0
8	7	9		219	10	5.2	32.0	0.3	0.0	10.0	6.0	0.0
8	14	9		226	10	5.1	30.0	0.4	2.0	10.0	6.0	0.0
8	23	9		235	10	5.2	31.0	0.4	2.0	10.0	0.0	0.0
8	28	9		240	10	0.0	29.0	0.4	2.0	10.0	0.0	0.0
9	6	9		249	10	0.0	31.0	0.4	0.0	10.0	0.0	0.0
9	11	9		254	10	0.0	33.0	0.5	2.0	11.0	0.0	0.0
9	17	9		260	10	0.0	25.0	0.5	1.0	10.0	0.0	0.0
9	26	9		269	10	0.0	31.0	0.5	1.0	10.0	0.0	0.0

FIELD CHEMICAL ANALYSIS

MO	DA	YR	DAY	NO	WELL	N FREE	NAMON	COD	BOD	RES	%VOL	MPN
1	2	9	2	10	10	0.0	0.0	32.0	0.0	0.0	0.0	0.0
1	14	9	14	10	10	0.0	0.0	84.0	0.0	97.0	8.9	0.0
2	6	9	37	10	10	0.0	0.8	162.0	0.0	0.0	11.1	0.0
2	25	9	56	10	10	0.0	0.0	207.0	0.0	110.0	8.0	0.0
3	18	9	77	10	10	0.0	0.2	186.0	0.0	92.0	11.6	0.0
3	26	9	85	10	10	0.0	0.8	103.0	0.0	76.0	6.1	0.0
4	2	9	92	10	10	0.0	0.1	164.0	0.0	50.0	13.0	0.0
4	9	9	99	10	10	0.0	0.1	142.0	0.0	63.0	0.0	0.0
4	16	9	106	10	10	0.0	0.1	78.0	0.0	52.0	0.0	0.0
4	25	9	115	10	10	0.0	0.7	71.0	0.0	60.0	10.5	0.0
5	1	9	121	10	10	0.0	1.1	28.0	0.0	68.0	15.5	0.0
5	8	9	128	10	10	0.0	0.5	23.0	0.0	155.0	12.9	0.0
5	13	9	133	10	10	0.0	0.5	130.0	0.0	170.0	23.2	0.0
5	22	9	142	10	10	0.0	0.6	0.0	0.0	130.0	19.1	0.0
5	27	9	147	10	10	0.0	1.0	13.0	0.0	110.0	20.8	0.0
6	6	9	157	10	10	0.0	0.6	15.0	0.0	60.0	4.9	0.0
6	11	9	162	10	10	0.0	0.4	29.0	0.0	150.0	25.5	0.0
6	18	9	169	10	10	0.0	0.1	29.0	0.0	140.0	16.6	0.0
6	26	9	177	10	10	0.1	0.2	30.0	0.0	86.0	13.4	0.0
7	3	9	184	10	10	0.1	0.5	18.0	0.0	160.0	18.3	0.0
7	11	9	192	10	10	0.0	0.2	20.0	0.0	0.0	0.0	0.0
7	17	9	198	10	10	0.4	0.4	5.0	0.0	90.0	13.3	0.0
7	25	9	206	10	10	0.0	0.3	10.0	0.0	0.0	0.0	0.0
8	1	9	213	10	10	0.0	0.3	10.0	0.0	0.0	0.0	0.0
8	7	9	219	10	10	0.0	0.3	0.0	0.0	0.0	0.0	0.0
8	14	9	226	10	10	0.0	0.6	13.0	0.0	0.0	0.0	0.0
8	23	9	235	10	10	0.0	0.5	0.0	0.0	0.0	0.0	0.0
8	28	9	240	10	10	0.0	0.6	5.0	0.0	0.0	0.0	0.0
9	6	9	249	10	10	0.0	0.5	0.0	0.0	0.0	0.0	0.0
9	11	9	254	10	10	0.0	0.4	0.0	0.0	0.0	0.0	0.0
9	17	9	260	10	10	0.0	0.1	0.0	0.0	0.0	0.0	0.0
9	26	9	269	10	10	0.0	0.8	0.0	0.0	480.0	4.1	0.0

FIELD CHEMICAL ANALYSIS

MO	DA	YR	DAY NO	WELL	FE	ZN	NI	CU	TDS	ALK	NO3
				NO	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L
2	6	9	37	11	0.0	0.0	0.0	0.0	72	16	5.9
3	26	9	85	11	0.0	0.0	0.0	0.0	78	12	4.8
4	25	9	115	11	0.0	0.0	0.0	0.0	68	23	5.9
5	22	9	142	11	0.0	0.03	0.0	0.0	70	23	0.0

FIELD CHEMICAL ANALYSIS

MO	DA	YR	DAY	NO	WELL	PH	HARD	PO4	SO4	CL	NA	SS
2	6	9	37	11		7.2	50.0	0.4	1.0	11.0	6.0	75.0
3	26	9	85	11		6.7	42.0	0.3	2.0	11.0	6.0	77.0
4	25	9	115	11		6.7	40.0	0.3	1.0	11.0	6.0	43.0
5	22	9	142	11		6.1	40.0	0.3	2.0	11.0	8.0	54.0
9	11	9	254	11		0.0	0.0	0.0	2.0	10.0	0.0	0.0

FIELD CHEMICAL ANALYSIS

MO	DA	YR	DAY NO	WELL	N FREE	NAMON	COD	BOD	RES	%VOL	MPN
2	6	9	37	11	0.0	0.3	48.0	0.0	1055.0	17.1	0.0
3	26	9	85	11	0.0	0.2	82.0	0.0	125.0	4.3	0.0
4	25	9	115	11	0.0	1.6	36.0	0.0	110.0	9.7	0.0
5	22	9	142	11	0.0	0.6	5.0	0.0	150.0	21.1	0.0
9	11	9	254	11	0.0	0.5	0.0	0.0	0.0	0.0	0.0

FIELD CHEMICAL ANALYSIS

MO	DA	YR	DAY NO	WFLI	FF	ZN	NI	CU	TDS	ALK	NO3
				NO	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L
1	2	9	2	12	0.0	0.13	0.0	0.0	43	23	1.4
1	14	9	14	12	0.0	0.17	0.0	0.0	43	22	1.4
2	6	9	37	12	0.04	0.01	0.0	0.0	56	24	2.0
2	25	9	56	12	0.0	0.05	0.0	0.0	62	26	1.3
3	18	9	77	12	0.0	0.07	0.0	0.0	68	21	1.9
3	26	9	85	12	0.50	0.06	0.0	0.0	63	24	2.1
4	2	9	92	12	0.0	0.11	0.0	0.0	59	32	2.4
4	9	9	99	12	0.0	0.06	0.0	0.0	62	20	3.0
4	16	9	106	12	0.0	0.05	0.0	0.0	65	23	2.2
4	25	9	115	12	0.0	0.02	0.0	0.0	55	23	2.8
5	1	9	121	12	0.0	0.05	0.0	0.0	54	23	3.0
5	8	9	128	12	0.0	0.06	0.12	0.0	55	21	0.0
5	13	9	133	12	0.0	0.08	0.13	0.0	49	27	0.0
5	22	9	142	12	0.07	0.02	0.20	0.10	50	25	0.0
5	27	9	147	12	0.0	0.02	0.13	0.0	0	21	3.1
6	6	9	157	12	0.0	0.01	0.20	0.0	0	23	2.9
6	11	9	162	12	0.08	0.04	0.17	0.0	0	20	3.5
6	14	9	169	12	0.0	0.01	0.08	0.0	50	22	3.1
6	26	9	177	12	0.0	0.05	0.50	0.0	50	23	3.4
7	3	9	184	12	0.0	0.12	0.60	0.0	55	21	2.6
7	11	9	192	12	0.0	0.15	0.30	0.0	48	6	2.3
7	17	9	198	12	0.0	0.04	0.30	0.0	45	32	2.3
7	25	9	206	12	0.0	0.06	0.20	0.0	52	24	3.0
8	1	9	213	12	0.08	0.0	0.06	0.0	73	36	0.4
8	7	9	219	12	0.0	0.01	0.12	0.0	60	23	2.4
8	14	9	226	12	0.05	0.02	0.18	0.0	49	23	3.5
8	23	9	235	12	0.0	0.04	0.50	0.0	0	26	2.5
8	28	9	240	12	0.0	0.05	0.32	0.0	49	0	2.7
9	6	9	249	12	0.0	0.02	0.06	0.0	0	31	1.1
9	11	9	254	12	0.0	0.02	0.0	0.0	60	38	3.0
9	17	9	260	12	0.0	0.0	0.26	0.0	55	29	3.1
9	26	9	269	12	0.0	0.01	0.36	0.0	52	31	2.9

FIELD CHEMICAL ANALYSIS

MO	DA	YR	DAY	NO	WELL	PH	HARD	PO4	SO4	CL	NA	SS
1	2	9		2	12	5.3	29.0	0.4	1.0	11.0	4.0	21.0
1	14	9		14	12	6.2	25.0	0.1	1.0	9.0	4.0	43.0
2	6	9		37	12	6.2	26.0	0.6	1.0	10.0	5.0	36.0
2	25	9		56	12	6.2	44.0	0.4	2.0	9.0	4.0	67.0
3	18	9		77	12	5.4	44.0	0.3	2.0	9.0	6.0	30.0
3	26	9		85	12	6.5	46.0	0.4	1.0	8.0	4.0	26.0
4	2	9		92	12	5.7	50.0	0.5	1.0	9.0	4.0	96.0
4	9	9		99	12	5.9	48.0	0.4	2.0	8.0	4.0	136.0
4	16	9		106	12	6.0	49.0	0.4	1.0	7.0	4.0	106.0
4	25	9		115	12	6.2	42.0	0.4	2.0	6.0	4.0	49.0
5	1	9		121	12	6.2	38.0	0.4	1.0	3.0	4.0	50.0
5	8	9		128	12	6.2	36.0	0.4	1.0	7.0	3.0	196.0
5	13	9		133	12	6.2	38.0	0.4	1.0	7.0	4.0	43.0
5	22	9		142	12	6.2	38.0	0.4	2.0	1.0	6.0	172.0
5	27	9		147	12	6.4	35.0	0.2	2.0	1.0	4.0	70.0
6	6	9		157	12	6.5	34.0	0.1	2.0	0.0	7.0	24.0
6	11	9		162	12	6.4	39.0	0.1	1.0	1.0	4.0	29.0
6	18	9		169	12	6.4	37.0	0.1	1.0	12.0	5.0	20.0
6	26	9		177	12	6.3	37.0	0.1	3.0	0.0	5.0	170.0
7	3	9		184	12	6.2	35.0	0.1	2.0	10.0	5.0	43.0
7	11	9		192	12	4.9	38.0	0.1	2.0	10.0	5.0	0.0
7	17	9		198	12	5.1	34.0	0.0	2.0	10.0	4.0	37.0
7	25	9		206	12	5.2	39.0	0.4	2.0	10.0	4.0	0.0
8	1	9		213	12	5.3	41.0	0.5	0.0	10.0	0.0	0.0
8	7	9		219	12	5.3	38.0	0.5	2.0	10.0	0.0	0.0
8	14	9		226	12	5.2	42.0	0.4	0.0	10.0	0.0	0.0
8	23	9		235	12	5.2	44.0	0.3	2.0	10.0	0.0	0.0
8	28	9		240	12	0.0	41.0	0.4	1.0	11.0	0.0	0.0
9	6	9		249	12	5.3	31.0	0.4	0.0	11.0	0.0	0.0
9	11	9		254	12	5.3	33.0	0.4	2.0	11.0	0.0	0.0
9	17	9		260	12	5.3	25.0	0.4	1.0	11.0	0.0	0.0
9	26	9		269	12	0.3	21.0	0.4	1.0	11.0	0.0	0.0

FIELD CHEMICAL ANALYSIS

MO	DA	YR	DAY NO	WELL	N FREE	NAMON	COD	BOD	RES	%VOL	MPN
1	2	9	2	12	0.0	0.2	60.0	0.0	587.0	0.0	0.0
1	14	9	14	12	0.0	0.2	75.0	0.0	684.0	15.2	0.0
2	6	9	37	12	0.0	0.4	75.0	0.0	215.0	22.7	0.0
2	25	9	56	12	0.0	0.2	150.0	0.0	189.0	6.7	0.0
3	18	9	77	12	0.0	0.1	129.0	0.0	170.0	6.5	0.0
3	26	9	85	12	0.0	0.2	79.0	0.0	165.0	8.7	0.0
4	2	9	92	12	0.0	0.1	142.0	0.0	130.0	8.1	0.0
4	9	9	99	12	0.0	0.0	143.0	0.0	120.0	8.1	0.0
4	16	9	106	12	0.0	0.1	135.0	0.0	420.0	12.7	0.0
4	25	9	115	12	0.9	1.4	135.0	0.0	123.0	0.0	0.0
5	1	9	121	12	0.4	1.0	5.0	0.0	473.0	23.2	0.0
5	8	9	128	12	0.0	0.7	30.0	0.0	370.0	12.9	0.0
5	13	9	133	12	0.2	0.5	140.0	0.0	270.0	20.7	0.0
5	22	9	142	12	0.2	0.8	5.0	0.0	310.0	10.5	0.0
5	27	9	147	12	0.2	1.2	15.0	0.0	350.0	9.4	0.0
6	6	9	157	12	0.1	1.0	15.0	0.0	410.0	32.5	0.0
6	11	9	162	12	0.0	0.3	40.0	0.0	350.0	16.8	0.0
6	18	9	169	12	0.0	0.7	35.0	0.0	450.0	48.7	0.0
6	26	9	177	12	0.1	0.9	30.0	0.0	2313.0	12.4	0.0
7	3	9	184	12	0.0	0.8	28.0	0.0	90.0	7.7	0.0
7	11	9	192	12	0.0	0.3	28.0	0.0	176.0	8.6	0.0
7	17	9	198	12	0.0	0.4	23.0	0.0	153.0	15.3	0.0
7	25	9	206	12	0.0	0.6	10.0	0.0	0.0	0.0	0.0
8	1	9	213	12	0.0	0.7	10.0	0.0	0.0	0.0	0.0
8	7	9	219	12	0.1	0.6	0.0	0.0	0.0	0.0	0.0
8	14	9	226	12	0.1	0.7	16.0	0.0	0.0	0.0	0.0
8	23	9	235	12	0.0	0.7	0.0	0.0	0.0	0.0	0.0
8	28	9	240	12	0.0	0.7	14.0	0.0	0.0	0.0	0.0
9	6	9	249	12	0.1	0.9	18.0	0.0	0.0	0.0	0.0
9	11	9	254	12	0.1	0.8	0.0	0.0	0.0	0.0	0.0
9	17	9	260	12	0.0	0.1	0.0	0.0	0.0	0.0	0.0
9	26	9	269	12	0.1	0.4	0.0	0.0	480.0	13.2	0.0

FIELD CHEMICAL ANALYSIS

MO	DA	YR	DAY	NO	WELL	FE	ZN	NI	CU	TDS	ALK	NO3
					NO	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L
1	2	9	2	13	110.00	0.0	0.0	0.0	0.0	168	169	0.0
1	14	9	14	13	0.0	0.0	0.0	0.0	0.0	176	100	0.0
2	6	9	37	13	0.0	0.0	0.0	0.0	0.0	205	78	0.0
2	25	9	56	13	0.0	0.01	0.0	0.0	0.0	184	60	0.0
3	18	9	77	13	0.35	0.0	0.0	0.0	0.0	186	75	0.0
3	26	9	85	13	0.18	0.10	0.0	0.0	0.0	176	52	0.0
4	2	9	92	13	0.63	0.0	0.0	0.0	0.0	160	52	0.0
4	9	9	99	13	0.05	0.09	0.0	0.0	0.0	150	27	0.0
4	16	9	106	13	0.45	0.03	0.0	0.0	0.0	139	23	0.0
4	25	9	115	13	0.07	0.0	0.0	0.0	0.0	115	23	0.0
5	1	9	121	13	0.17	0.0	0.0	0.0	0.0	125	22	0.0
5	8	9	128	13	0.35	0.0	0.0	0.0	0.0	123	24	0.0
5	13	9	133	13	0.07	0.0	0.0	0.0	0.0	110	23	0.0
5	22	9	142	13	0.28	0.0	0.03	0.0	0.0	100	29	0.0
5	27	9	147	13	0.0	0.0	0.0	0.0	0.0	0	24	0.1
6	6	9	157	13	0.0	0.01	0.0	0.0	0.0	0	24	0.0
6	11	9	162	13	0.08	0.02	0.0	0.0	0.0	0	22	0.7
6	18	9	169	13	0.08	0.05	0.08	0.0	0.0	70	21	0.2
6	26	9	177	13	0.0	0.02	0.0	0.0	0.0	80	20	0.2
7	3	9	184	13	0.0	0.03	0.0	0.0	0.0	60	19	0.7
7	11	9	192	13	0.0	0.07	0.0	0.0	0.0	70	52	0.4
7	17	9	198	13	0.0	0.03	0.0	0.0	0.0	60	27	1.0
7	25	9	206	13	0.0	0.03	0.0	0.0	0.0	74	37	1.0
8	1	9	213	13	0.0	0.01	0.0	0.0	0.0	49	22	2.4
8	7	9	219	13	0.0	0.04	0.0	0.0	0.0	70	20	1.0
8	14	9	226	13	0.05	0.01	0.0	0.0	0.0	64	32	1.1
8	23	9	235	13	0.0	0.02	0.10	0.0	0.0	0	31	1.5
8	28	9	240	13	0.0	0.03	0.06	0.0	0.0	57	0	1.7
9	6	9	249	13	0.06	0.04	0.32	0.0	0.0	0	30	3.2
9	11	9	254	13	0.0	0.05	0.0	0.0	0.0	80	28	0.6
9	17	9	260	13	0.01	0.01	0.0	0.0	0.0	80	31	0.4
9	26	9	269	13	0.0	0.0	0.0	0.0	0.0	75	27	0.5

FIELD CHEMICAL ANALYSIS

MO	DA	YR	DAY	NO	WELL	PH	HARD	PO4	SO4	CL	NA	SS
1	2	9		2	13	5.9	80.0	0.0	1.0	12.0	6.0	122.0
1	14	9		14	13	6.0	80.0	0.1	1.0	12.0	5.0	0.0
2	6	9		37	13	6.2	90.0	0.2	1.0	12.0	6.0	141.0
2	25	9		56	13	6.2	80.0	0.3	2.0	8.0	6.0	130.0
3	18	9		77	13	6.0	91.0	0.2	1.0	11.0	7.0	72.0
3	26	9		85	13	7.0	69.0	0.3	1.0	12.0	5.0	49.0
4	2	9		42	13	6.0	70.0	0.2	1.0	9.0	5.0	35.0
4	9	9		99	13	6.0	65.0	0.2	1.0	11.0	5.0	93.0
4	16	9		106	13	6.0	58.0	0.3	1.0	10.0	5.0	128.0
4	25	9		115	13	6.5	65.0	0.2	1.0	14.0	5.0	48.0
5	1	9		121	13	6.0	65.0	0.2	2.0	10.0	5.0	142.0
5	8	9		128	13	6.1	48.0	0.2	1.0	11.0	5.0	285.0
5	13	9		133	13	6.2	51.0	0.2	1.0	10.0	6.0	86.0
5	22	9		142	13	6.3	50.0	0.3	1.0	0.0	10.0	185.0
5	27	9		147	13	6.2	51.0	0.2	1.0	0.0	5.0	220.0
6	6	9		157	13	6.2	50.0	0.1	2.0	0.0	5.0	595.0
6	11	9		162	13	6.1	48.0	0.1	2.0	0.0	6.0	165.0
6	18	9		169	13	6.1	46.0	0.1	2.0	0.0	6.0	136.0
6	26	9		177	13	6.1	49.0	0.1	1.0	0.0	6.0	174.0
7	3	9		184	13	6.3	47.0	0.1	1.0	14.0	6.0	155.0
7	11	9		192	13	5.6	45.0	0.1	3.0	14.0	6.0	56.0
7	17	9		198	13	5.3	44.0	0.0	2.0	12.0	6.0	35.0
7	25	9		206	13	5.3	45.0	0.3	4.0	12.0	6.0	0.0
8	1	9		213	13	5.4	46.0	0.3	2.0	12.0	4.0	0.0
8	7	9		219	13	5.4	41.0	0.2	2.0	13.0	6.0	0.0
8	14	9		226	13	5.5	43.0	0.2	2.0	14.0	5.0	0.0
8	23	9		235	13	5.4	40.0	0.2	2.0	14.0	5.0	35.0
8	28	9		240	13	5.0	38.0	0.3	1.0	15.0	5.0	35.0
9	6	9		249	13	5.5	43.0	0.3	2.0	13.0	5.0	35.0
9	11	9		254	13	5.5	42.0	0.3	2.0	15.0	0.0	0.0
9	17	9		260	13	5.4	40.0	0.3	2.0	15.0	0.0	0.0
9	26	9		269	13	5.5	41.0	0.3	0.0	12.0	0.0	0.0

FIELD CHEMICAL ANALYSIS

MO	DA	YR	DAY	NO	WELL	N FREE	NAMON	COD	BOD	RES	%VOL	MPN
1	2	9	2	13		0.0	0.9	86.0	0.0	160.0	0.0	0.0
1	14	9	14	13		0.0	1.0	84.0	0.0	105.0	0.0	0.0
2	6	9	37	13		0.0	1.0	90.0	0.0	205.0	6.2	0.0
2	25	9	56	13		0.0	1.3	103.0	0.0	240.0	8.7	0.0
3	18	9	77	13		0.0	1.2	129.0	0.0	145.0	19.5	0.0
3	26	9	85	13		0.2	0.7	107.0	0.0	158.0	13.0	0.0
4	2	9	42	13		0.1	0.5	143.0	0.0	130.0	7.0	0.0
4	9	9	99	13		0.0	0.5	142.0	0.0	120.0	11.7	0.0
4	16	9	106	13		0.1	0.4	135.0	0.0	67.0	12.0	0.0
4	25	9	115	13		0.0	0.7	142.0	0.0	300.0	10.5	0.0
5	1	9	121	13		0.0	0.5	35.0	0.0	257.0	14.5	0.0
5	8	9	128	13		0.0	1.1	28.0	0.0	490.0	7.2	0.0
5	13	9	133	13		0.0	0.0	25.0	0.0	370.0	20.7	0.0
5	22	9	142	13		0.0	0.7	22.0	0.0	220.0	13.2	0.0
5	27	9	147	13		0.0	0.7	22.0	0.0	140.0	16.8	0.0
6	6	9	157	13		0.0	0.0	5.0	0.0	140.0	16.2	0.0
6	11	9	162	13		0.0	0.6	64.0	0.0	130.0	35.8	0.0
6	18	9	169	13		0.0	0.4	30.0	0.0	550.0	29.7	0.0
6	26	9	177	13		0.0	0.7	32.0	0.0	240.0	11.3	0.0
7	3	9	184	13		0.0	0.4	28.0	0.0	90.0	4.3	0.0
7	11	9	192	13		0.0	0.2	25.0	0.0	126.0	39.4	0.0
7	17	9	198	13		0.0	0.2	10.0	0.0	500.0	13.3	0.0
7	25	9	206	13		0.0	0.3	10.0	0.0	0.0	0.0	0.0
8	1	9	213	13		0.0	0.4	10.0	0.0	0.0	0.0	0.0
8	7	9	219	13		0.0	0.4	25.0	0.0	0.0	0.0	0.0
8	14	9	226	13		0.0	0.5	20.0	0.0	0.0	0.0	0.0
8	23	9	235	13		0.0	0.0	0.0	0.0	500.0	13.3	0.0
8	28	9	240	13		0.0	0.6	14.0	0.0	500.0	13.3	0.0
9	6	9	249	13		0.0	0.8	14.0	0.0	500.0	13.3	0.0
9	11	9	254	13		0.0	0.6	11.0	0.0	0.0	0.0	0.0
9	17	9	260	13		0.0	0.1	7.0	0.0	0.0	0.0	0.0
9	26	9	269	13		0.0	0.4	6.0	0.0	530.0	14.4	0.0

FIELD CHEMICAL ANALYSIS

MO	DA	YR	DAY	NO	WELL	FE	ZN	NI	CU	TDS	ALK	NO3
					NO	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L
2	6	9		37	14	0.66	0.01	0.0	0.0	72	14	1.3
2	25	9		56	14	0.20	0.02	0.0	0.0	68	14	3.5
3	26	9		85	14	0.0	0.0	0.0	0.0	0	0	0.0
4	25	9		115	14	0.17	0.0	0.0	0.0	60	0	4.9
5	22	9		142	14	2.02	0.02	0.0	0.0	60	0	0.0

FIELD CHEMICAL ANALYSIS

MO	DA	Y?	DAY	NO	WELL	PH	HARD	PO4	SO4	CL	NA	SS
2	6	?		37	14	6.8	85.0	0.3	1.0	10.0	10.0	55144.0
2	25	?		56	14	7.0	57.0	0.4	2.0	11.0	11.0	3060.0
4	25	9		115	14	7.0	0.0	0.4	1.0	9.0	7.0	330.0
5	22	9		142	14	0.0	48.0	0.0	1.0	0.0	7.0	197.0

FIELD CHEMICAL ANALYSIS

MO	DA	YR	DAY NO	WELL	N FREE	NAMON	COD	BOD	RES	%VOL	MPN
2	6	9	37	14	0.0	0.9	50.0	0.0	0.0	5.0	0.0
2	25	9	56	14	0.0	0.3	50.0	0.0	115.0	6.1	0.0
4	25	9	115	14	0.0	0.0	0.0	0.0	90.0	0.0	0.0
5	22	9	142	14	0.1	0.6	0.0	0.0	240.0	15.2	0.0

μσ605