


**Working for Clean Water**  
An Information Program for Advisory Groups

# **Cost-Effectiveness Analysis**

**Instructor Guide**





*This program was prepared by*

The Pennsylvania State University  
Institute of State & Regional Affairs  
Middletown, PA 17057

Dr. Charles A. Cole  
Project Director  
Dr. E. Drannon Buskirk, Jr.  
Project Co-Director  
Prof. Lorna Chr. Stoltzfus  
Editor

*This guide was prepared by*

E. Drannon Buskirk, Jr.

*Advisory Team for the Project*

David Elkinton, State of West  
Virginia  
Steve Frishman, private citizen  
Michele Frome, private citizen  
John Hammond, private citizen  
Joan Jurancich, State of California  
Richard Wetherington, EPA  
Region 10  
Rosemary Henderson, EPA Region 6  
George Hoessel, EPA Region 3  
George Neiss, EPA Region 5  
Ray Pfortner, EPA Region 2  
Paul Pinault, EPA Region 1  
Earlene Wilson, EPA Region 7  
Dan Burrows, EPA Headquarters  
Ben Gryctko, EPA Headquarters  
Robert Hardaker, EPA Headquarters  
Charles Kauffman, EPA Headquarters  
Steve Maier, EPA Headquarters

*EPA Project Officer*

Barry H. Jordan  
Office of Water Programs  
Operations

*Acknowledgements*

Typists  
Jan Russ, Tess Startoni,  
Ann Kirsch, Janie Fuller

Student Assistants  
Fran Costanzi, Kathy DeBatt,  
Michael Lapano, Mike Moulds  
Terry Switzer

Graphics support was provided by  
the Office of Public Awareness,  
Environmental Protection Agency.

This information program was  
financed with federal funds from  
the U.S. Environmental Protection  
Agency under Cooperative Agreement  
No. CT900980 01. The information  
program has been reviewed by the  
Environmental Protection Agency  
and approved for publication.  
Approval does not signify that the  
contents necessarily reflect the  
views and policies of the Environ-  
mental Protection Agency, nor does  
mention of trade names or commercial  
products constitute endorsement of  
recommendation for use.

This project is dedicated to the  
memory of Susan A. Cole.

## Cost-Effectiveness Analysis

---

The Federal Water Pollution Control Act Amendments of 1972, Public Law 92-500, is a landmark piece of environmental legislation. In addition to setting a national goal of zero pollution discharge, it provides the basis for managing the nation's water quality. The U.S. Environmental Protection Agency (EPA) has established rules and regulations to carry out the provisions of the Act, including the use of cost-effectiveness analysis in the facility planning process. Cost-effectiveness analysis permits the selection of a plan from among alternative proposals. It is an attempt to integrate all important considerations early in the planning process.

Upon the completion of this session the participant should:

- Know the scope of cost-effectiveness analysis
- Be familiar with the assessment procedures
- Understand the role of citizens in analysis of the alternatives.

## Required Materials

---

☐ Set of slides and cassette tape for the audiovisual presentation, "Cost-Effectiveness Analysis"

☐ Slide projector, cassette-tape player, and screen

☐ Set of transparencies with overhead projector and chalkboard or flip chart with easel for guided discussion

☐ Copy of the handbook "Cost-Effectiveness Analysis" for each participant

☐ Copy of the handouts for each participant. They include: Problem Background (1 page), Selected Nonmonetary Effects (1 page), Discount Tables (2 pages), and Cost-Effectiveness Analysis Accounts Sheet, Present Worth Analysis (3 pages)

☐ Electronic calculators (optional).

## Important Notes

---

1. Several instructional options exist. The instructor may:
  - a. Show the slide-tape program without substantive discussion
  - b. The audiovisual presentation may precede a problem exercise
  - c. The audiovisual presentation and the problem exercise may be covered together. In this arrangement, the slide-tape program is stopped several times at musical interludes. At these intervals, various aspects of the exercise are discussed. The arrangement of alternating the slide-tape program and the exercise should reinforce the cost-effectiveness analysis principles.
2. In preparing for the presentation, preview the slide-tape script. This program features a case study. Principles of cost-effectiveness analysis are not introduced until relatively late in the program.
3. Charts are used to facilitate discussion. It may be necessary for the instructor or an assistant to prepare these charts prior to the presentation. The contents for the charts are listed in the Appendix.
4. Charts made by the instructor should contain only information that is essential to the discussion. Charts with many words or numbers are difficult to read. However, transparencies of numerical tables may be needed for discussion of the present worth analysis.
5. Small electronic calculators can greatly speed up the computations.
6. Do not hand out the answers to the problem exercise (i.e., present worth analysis answer sheets) until the end of the session. These answer sheets are separate from the background information and worksheets.
7. Some persons have an aversion to economics or mathematics. In dealing with these problems, the instructor must be able to present the material with minimum technical jargon, and maximum practical experiences and anecdotes.
8. Encourage the participants to take notes on the discussion. Worksheets are provided. Note-taking will reinforce the learning experience.

## Suggested Activities

---

|                                    |            |
|------------------------------------|------------|
| Introductory Comments . . . . .    | 5 minutes  |
| Audiovisual Presentation . . . . . | 16 minutes |
| Guided Discussion . . . . .        | 34 minutes |
| Closing Remarks . . . . .          | 5 minutes  |

TOTAL TIME     60 minutes

### Introductory Comments (5 minutes)

1. Give a little history of the use of cost-effectiveness analysis in water quality planning. Mention the impetus of Public Law 92-500 and The Clean Water Act amendments of 1977.
2. Discuss briefly the procedure's role, advantages, and disadvantages (e.g., bias towards quantified monetary costs).
3. Caution the participants that they are advisors rather than analysts who will perform the studies. The analysis can involve very technical considerations. The objective of this session is to get the participants familiar enough with cost-effectiveness to provide meaningful advice, rather than to develop technical competence.

### Audiovisual Presentation - Guided Discussion (50 minutes)

Note: The A/V presentation may be played in its entirety after discussion of the first five items OR used step-wise at appropriate points throughout.

*See item 6 which follows.*

1. Discuss the scope of cost-effectiveness analysis. The EPA has published guidelines (Federal Register, Vol. 43, No. 188, September 27, 1978) for comparing wastewater management alternatives. The topics include effectiveness in meeting goals, monetary costs, financial costs, environmental effects, social and economic effects, technical reliability, implementation feasibility, and public acceptance.

*Use chart 1 on Elements of Cost-Effectiveness Analysis.*

2. In the detailed cost-effectiveness evaluation, additional considerations and procedures must be taken into account. They are:

- Total present worth calculations for monetary costs — a procedure for estimating costs to a point-in-time
- Flow reduction approaches such as water conservation programs (watersaving devices, pricing policies, regulations, and public education)

- Staging of collection and treatment facilities.

*Use chart 2 on  
Wastewater Manage-  
ment Options.*

3. The formation of a facilities plan is not limited to these topics for cost-effectiveness analysis. Other considerations are required by the law and EPA regulations in developing alternatives. They include considerations of:

- Treatment and discharge of the effluent by conventional methods
- Innovative and alternative systems, especially land treatment and wastewater reuse.

Cost-effectiveness analysis provides an opportunity to see that all of these considerations have been included in the planning effort.

*Use chart 3 on  
Water Quality  
Planning.*

4. The participant may question where all these considerations fit into the planning process. Cost-effectiveness analysis primarily involves the latter steps of the process in which the alternatives are formed, evaluated, and displayed for the selection of a plan.

5. Much information has been introduced. Briefly recap the main points, as: Cost-effectiveness analysis is a procedure for comparing alternatives. Monetary costs and nonmonetary factors such as environmental effects and implementation feasibility provide the basis for the evaluation.

Ask the participants to keep these points in mind as the case study and exercise are covered.

*Script is in  
Appendix.*

6. Start the slide-tape program, "Cost-Effectiveness Analysis". It documents the case study featured in the citizen handbook.

At this point either show the audiovisual without interruption. OR stop it at intervals to discuss the cost-effectiveness problem. The musical intervals in the presentation provide appropriate starting and stopping points.

7. The development and preliminary screening of alternatives are not a central focus of cost-effectiveness analysis. However, they are important because data is gathered, and assumptions are made at this phase which establish the boundaries for the analysis.

8. Briefly explore the roles that advisory groups have in this part of the planning process, such as:

*Important!*

- Identifying problems and need areas
- Having knowledge of local values
- Questioning analysis assumptions and procedures

Pointing out innovative and alternative technologies, and multiple use options.

9. Restart the audiovisual presentation if using the second instructional approach. Stop the tape at the next musical interval.

10. The evaluation of monetary costs is quite important in cost-effectiveness analysis.

Discuss the types of monetary costs that should be included in an analysis, for example: capital, mitigation, opportunity, operations and management (O&M) and replacement costs.

Which ones are apparently missing in the problem exercise?

*Opportunity costs associated with a lost recreation site.*

11. Present worth analysis is used to put all monetary costs on a comparative basis by discounting future costs back to the present. This procedure works like the interest rate computation in reverse.

Briefly discuss what is needed for a present worth analysis, such as:

- Disaggregated costs and benefits such as revenues from the sale of waste nutrients
- Facility life span
- Water Resource Council interest and discount rate
- Estimated salvage value of the facilities at end of the project period.

12. Pass out the handout materials to the participants. Tell them to look over the background for the cost-effectiveness problem. At this point do not pass out the answer sheets to the present worth analysis problem.

*Use handouts on Problem Background, and Discount Tables.*



13. Costs and revenues presented on the problem background handout have to be calculated for each year for each alternative. These separate discounted costs and revenues are then aggregated into the following equation which gives the total present worth (PW) of different alternatives:

*Use chart 4 on Present Worth Analysis.*

$$\text{Total PW} = \text{initial capital costs} + \text{PW of future costs} - \text{PW of revenues and salvage.}$$

Go through one or two sample present worth calculations in the problem exercise. Have the participants follow along with the worksheets and discount tables. Simple, straightforward calculations are suggested. These calculations should demonstrate the use of the discount tables. Sample calculations could include upgrading costs and O&M costs.

*Use handout on Present Worth Analysis.*

Hand out the answer sheets to the present worth analysis problem.

*Important!*

Based upon this limited exercise, discuss how cost-effectiveness calculations can go wrong.

- Use of improper table discount rate and life span
- Costs of monetary benefits attributed to wrong years
- Inaccurate assessment of the magnitude of impacts
- Avoidance of some costs such as opportunity costs
- Mechanical computation errors.

14. Mention the role of advisory groups in evaluating monetary costs, such as identifying costs and benefits, and checking assumptions and procedures of the analysis.

15. Start the audiovisual presentation again if using the second approach. Stop the tape at the next musical interval.

*Use chart 5 on Non-monetary Factors.*

16. Nonmonetary effects are another important area in evaluating wastewater management alternatives. These additional factors include:

- Environmental effects, including economic and social considerations
- Resource use and energy consumption
- Reliability and feasibility
- Implementation capability

- Public acceptability.

17. Not only are these considerations difficult to compare quantitatively, but they are also very complex. Refer participants to a list of approximately 30 environmental factors given in the citizen handbook.

Discuss briefly the nonmonetary impacts of the problem exercise, including:

*Use handout on Non-monetary Effects.*

- Aquatic enrichment, possibly eutrophication
- Decreased stream diversity
- Aesthetic losses and recreational losses
- Land owners inconvenienced by sewer construction, traffic disruption, and noise
- Flexibility of staged-growth alternative
- Temporary loss of wildlife habitat along sewer.

18. If using the second instructional option, start the slide-tape program again and play it until the end.

19. The last step in cost-effectiveness analysis is the display of all information for the comparative evaluation of alternatives. An accounts sheet is often the best way to organize the diverse categories of information.

Using the handout provided, set up a display of all the information for cost-effectiveness analysis of the alternatives given in the problem exercise.

*Use handout on Cost-Effectiveness Analysis Accounts Sheet.*

Please note that this analysis is abbreviated and incomplete, and is used only for illustrative purposes.

20. Advisory groups can assist in this last part of the analysis procedure. They can:

- Assist in identifying tradeoffs, especially the composite effects of alternatives
- Evaluate all factors together.

*Important!*

## Closing Remarks (5 minutes)

---

1. Briefly reiterate the main points about cost-effectiveness analysis that were discussed at the end of the citizen handbook. They are:

- Cost-effectiveness analysis permits the systematic comparison of wastewater management alternatives. The costs of achieving comparable goals using different alternatives are compared.

- It should result in an integrated documentation of both monetary and nonmonetary factors — a display that clearly shows the tradeoffs among the alternatives.

- The main components of cost-effectiveness analysis are monetary costs, nonmonetary factors such as environment and social costs, and implementation considerations such as system reliability.

- Cost-effectiveness analysis is part of a five-step planning sequence. It is most useful in the latter steps of the process — the evaluation of alternatives, and the selection of a plan.

- Costs and benefits of several alternatives are compared at the same point in time through present worth analysis.

- Advisory groups can give valuable assistance at several places in analysis process.

2. Answer any remaining questions.

## Selected Resources

---

Guidance for Preparing a Facility Plan. EPA-430/9-76-015.

Washington, DC: Office of Water Program Operations, Municipal Construction Division, U.S. Environmental Protection Agency, May 1975. 32 pp. with references and appendices. Order No. MCD-46.

This publication briefly discusses the facility planning process. Featured are the considerations at each planning step such as cost-effectiveness analysis, the format of plans, and the relationship of facility plans to other water quality management and planning programs. More detailed instructions are given in the January 1974 version of the same document. This document is available from the General Services Administration, Centralized Mailing List Service, Building 41, Denver Federal Center, Denver, CO 80225. Give the order number and the document title when placing orders.

University of Wisconsin-Extension, Department of Engineering and Applied Science. Facility Planning for Wastewater Treatment Works. FP201 Second Series, seminar - workshop manual, "Cost-Effectiveness Analysis" workshop. Atlanta, GA: Region IV, U.S. Environmental Protection Agency, November 28 - December 1, 1978. pp. B1-B10 and E1-E13.

This manual is used during an intensive four-day series of seminars and workshops on current issues in facility planning. Topics include: cost-effectiveness analysis, innovative and alternative systems; nonmonetary assessment; statutory and regulatory requisites; EPA policy on the review of waste treatment alternatives; small and individual systems; project management; public participation; land treatment, pretreatment; sludge disposal; sewer system evaluation; plan development. Order from Professor John Quigley, University of Wisconsin-Extension, 432 North Lake Street, Madison, WI 53706.

Schmidt, C.J. and D.E. Ross. Cost-Effectiveness Analysis of Municipal Wastewater Reuse. WPD-4-76-01. Washington, DC: Water Planning Division, U.S. Environmental Protection Agency, April 1975. 116 pp. with 5 appendices.

This book pertains specifically to alternatives which reuse wastewater, but it contains a chapter on cost-effectiveness analysis. This section gives the basic procedures for the technique, the EPA cost-effectiveness guidelines, and formats for present worth calculations. This document is available from Library Services, U.S. Environmental Protection Agency, Research Triangle Park, NC 27711.

Conclusions Wastewater Management Study of the Central Pennypack. Publication Number 53. Harrisburg, PA: Bureau of Water Quality Management, Department of Environmental Resources, November 1977. 78 pp.

The analysis of three wastewater management alternatives is summarized. The key issues, the cost-effectiveness evaluation, and an implementation schedule are given. Appendices make up over half of the document, and contain consultant reports, letters, and cost calculations. The position and rationale of the Department of Environmental Resources are featured. Copies are available free (as long as they last) from the Pennsylvania Department of Environmental Resources, Bureau of Water Quality Management, Division of Water Quality, P.O. Box 263, Harrisburg, PA 17120

Construction Grants Program. Municipal Wastewater Treatment Works. Appendix A: Cost-Effectiveness Analysis. Federal Register. Vol. 43, No. 188. September 27, 1978.

Copies of the Federal Register can be obtained through local libraries.

## Appendix

---

A. Contents of charts for use by the instructor in the suggested activities. These pages may be used to make transparencies, or the contents may be copied onto flip charts.

1. Elements of Cost-Effectiveness Analysis
2. Wastewater Management
3. Water Quality Planning
4. Present Worth Analysis
5. Nonmonetary Factors

B. Handouts for use by the instructor in the guided discussion. Copies will need to be made for each participant.

1. Problem Background
2. Discount Tables (2 pages)
3. Present Worth Analysis (3 pages)
4. Selected Nonmonetary Effects
5. Cost-Effectiveness Analysis Accounts Sheet

C. Copy of the script for the slide-tape program, "Cost-Effectiveness Analysis."

# Elements of Cost-Effectiveness Analysis

Goal effectiveness

Monetary costs

Economic costs

Social costs

Environmental effects

System reliability

Implementation feasibility

Public acceptance

# Wastewater Management

Conventional treatment and disposal  
Alternative and innovative systems



# Water Quality Planning

1. Determine problems
2. Define solution objectives
3. Develop alternatives
4. Evaluate options
5. Select plan

# Present Worth Analysis

$$\begin{array}{ccccccc} \text{Total} & & \text{Initial} & & \text{PW of} & & \text{PW of} \\ \text{Present} & = & \text{Capital} & + & \text{Future} & - & \text{Revenues} \\ \text{Worth (PW)} & & \text{Costs} & & \text{Costs} & & \end{array}$$

# Nonmonetary Factors

Environmental effects

Resource use

Reliability and flexibility

Implementation capability

Public acceptability

## Problem Background

In the screening process, the wastewater management options have been narrowed down to two alternatives with the same total treatment capacity and the same quality of effluent. However, they differ as to costs, salvage values, construction stages, and nonmonetary aspects.

Both alternatives are conventional treatment systems, consisting of a secondary activated sludge process and gravity sewers. Unfortunately, the site for the treatment plant is a wooded area that is presently used as a boy scout camp. A shallow, slow-moving stream is to receive the effluent.

### Monetary Costs

|   | <u>Alternative A</u>        | <u>Alternative B</u>  |
|---|-----------------------------|-----------------------|
| Capacity (million gallons per day)                        | 10 mgd                      | 10 mgd                |
| Linear flow increase over 20 years                        | 2 to 10 mgd                 | 2 to 10 mgd           |
| Planning period (years)                                   | 20                          | 20                    |
| Initial plant cost  | \$3,000,000                 | \$2,000,000 (@ 5 mgd) |
| Salvage value at end of 20 years                          | \$0                         | \$750,000             |
| Upgrading cost at year 10 to 10 mgd                       | \$0                         | \$1,500,000           |
| Constant annual O & M cost, years 1 to 10                 | \$126,000                   | \$84,000              |
| years 11 to 20  | \$126,000                   | \$165,000             |
| Variable annual O & M cost, years 1 to 10 linear increase | \$0 to 68,000 over 20 years | \$0 to 29,000         |
| years 11 to 20 linear increase                            |                             | \$0 to 29,000         |
| Interest rate   | 7%                          | 7%                    |
| Mitigation costs  |                             |                       |
| Capital - year 1  | \$113,000                   | \$65,000              |
| year 10   | \$0                         | 88,000                |

Hodgman, Charles D., editor, C.R.C. Standard Mathematical Tables, 12th Edition  
Cleveland, OH: Chemical Rubber Publishing Company, 1959. pages 451 and 467.

## Source

Present Value  $1/(1+i)^n$ 

| Periods<br>n | Rate i     |            |            |            |            |
|--------------|------------|------------|------------|------------|------------|
|              | .00 (0%)   | .065 (6½%) | .07 (7%)   | .075 (7½%) | .08 (8%)   |
| 1            | .9173 0023 | .9389 0714 | .9145 7044 | .9302 3250 | .9250 2593 |
| 2            | .8509 9811 | .8810 5928 | .8794 1873 | .8653 4882 | .8573 4224 |
| 3            | .8000 1024 | .8278 4009 | .8162 0758 | .8019 6057 | .7918 3285 |
| 4            | .7620 0300 | .7773 2109 | .7628 0521 | .7458 0037 | .7350 2985 |
| 5            | .7472 5517 | .7298 8094 | .7129 8618 | .6965 5803 | .6805 8120 |
| 6            | .7019 0054 | .6853 9112 | .6684 1222 | .6519 6152 | .6361 6064 |
| 7            | .6650 5711 | .6485 0621 | .6327 4974 | .6167 5490 | .6011 0910 |
| 8            | .6274 1217 | .6109 3119 | .5950 0910 | .5797 0223 | .5646 0888 |
| 9            | .5918 0810 | .5753 5123 | .5593 3374 | .5445 5347 | .5297 4597 |
| 10           | .5583 0178 | .5418 2601 | .5258 4929 | .5111 0303 | .4963 9819 |
| 11           | .5267 8753 | .5102 1221 | .4942 0250 | .4793 4119 | .4643 2856 |
| 12           | .4969 0910 | .4803 5285 | .4643 1198 | .4493 5413 | .4342 8910 |
| 13           | .4688 4002 | .4522 6176 | .4362 0445 | .4212 2008 | .4061 2856 |
| 14           | .4423 0090 | .4257 0025 | .4106 1724 | .3955 1347 | .3803 9910 |
| 15           | .4172 6500 | .4006 2652 | .3854 4602 | .3702 1602 | .3550 2602 |
| 16           | .3936 4628 | .3769 0554 | .3616 3160 | .3463 0917 | .3310 3217 |
| 17           | .3714 6112 | .3546 1251 | .3392 5402 | .3238 5095 | .3085 0710 |
| 18           | .3506 4379 | .3337 8969 | .3183 6702 | .3029 0913 | .2875 1013 |
| 19           | .3303 1301 | .3134 4384 | .2980 0833 | .2825 6913 | .2671 3013 |
| 20           | .3113 0173 | .2944 0703 | .2789 1000 | .2634 1315 | .2479 1621 |
| 21           | .2931 5310 | .2762 2608 | .2607 1309 | .2452 1621 | .2297 1927 |
| 22           | .2758 0510 | .2588 5229 | .2433 1007 | .2278 1315 | .2123 1621 |
| 23           | .2593 9726 | .2424 1911 | .2269 0858 | .2114 1166 | .1959 1472 |
| 24           | .2438 7855 | .2269 0193 | .2114 4602 | .1959 4910 | .1804 5216 |
| 25           | .2293 0863 | .2124 0301 | .1969 0218 | .1814 0526 | .1659 0832 |
| 26           | .2156 1003 | .1986 5441 | .1831 5358 | .1676 5666 | .1521 5972 |
| 27           | .2026 3795 | .1856 6235 | .1701 6152 | .1546 6460 | .1391 6766 |
| 28           | .1903 4011 | .1733 6451 | .1578 6368 | .1423 6676 | .1268 6982 |
| 29           | .1786 5074 | .1616 7510 | .1461 7427 | .1306 7735 | .1151 8041 |
| 30           | .1674 1013 | .1504 3451 | .1349 3368 | .1194 3676 | .1039 3982 |
| 31           | .1566 5154 | .1396 7591 | .1241 7508 | .1086 7816 | .0931 8122 |
| 32           | .1463 5740 | .1293 8176 | .1138 8093 | .0983 8401 | .0828 8707 |
| 33           | .1365 8622 | .1196 0058 | .1041 0075 | .0886 0383 | .0731 0689 |
| 34           | .1273 1163 | .1103 2601 | .0948 2618 | .0793 2926 | .0638 3232 |
| 35           | .1186 0522 | .1016 2959 | .0861 2976 | .0706 3284 | .0551 3590 |
| 36           | .1103 4077 | .0933 6515 | .0778 6532 | .0623 6840 | .0468 7146 |
| 37           | .1026 0318 | .0856 2756 | .0701 2773 | .0546 3081 | .0391 3387 |
| 38           | .0953 3855 | .0783 6293 | .0628 6310 | .0473 6618 | .0318 6924 |
| 39           | .0884 5552 | .0714 8040 | .0559 8057 | .0404 8365 | .0249 8671 |
| 40           | .0820 2210 | .0650 4678 | .0495 4695 | .0340 5003 | .0185 5309 |
| 41           | .0760 1005 | .0590 3466 | .0435 3483 | .0280 3791 | .0125 4097 |
| 42           | .0703 5710 | .0533 8171 | .0378 8188 | .0223 8496 | .0068 8802 |
| 43           | .0650 2962 | .0480 5423 | .0325 5440 | .0170 5748 | .0015 6054 |
| 44           | .0600 0903 | .0430 3364 | .0275 3381 | .0120 3689 | .0005 3995 |
| 45           | .0552 5007 | .0382 1415 | .0227 1432 | .0070 4000 | .0000 4306 |
| 46           | .0507 5751 | .0337 2159 | .0182 2176 | .0025 4744 | .0000 5050 |
| 47           | .0465 5811 | .0295 2818 | .0140 2835 | .0000 5400 | .0000 5750 |
| 48           | .0426 0950 | .0256 3524 | .0101 3541 | .0000 6050 | .0000 6400 |
| 49           | .0389 4500 | .0216 4230 | .0068 4247 | .0000 6700 | .0000 7050 |
| 50           | .0354 2830 | .0181 4916 | .0033 4933 | .0000 7350 | .0000 7700 |

Present Value of Annuity  $[1-(1+i)^{-n}]/i$ 

| Periods<br>n | Rate i       |              |              |              |              |
|--------------|--------------|--------------|--------------|--------------|--------------|
|              | .06 (6%)     | .065 (6½%)   | .07 (7%)     | .075 (7½%)   | .08 (8%)     |
| 1            | 0.9433 0623  | 0.9389 0714  | 0.9345 7044  | 0.9302 3250  | 0.9250 2593  |
| 2            | 1.8333 0267  | 1.8200 2642  | 1.8050 1817  | 1.7955 0517  | 1.7812 0475  |
| 3            | 2.6730 1195  | 2.6484 7551  | 2.6234 1694  | 2.6005 2574  | 2.5770 0909  |
| 4            | 3.4661 0501  | 3.4257 0500  | 3.3872 1126  | 3.3493 2627  | 3.3121 2084  |
| 5            | 4.2123 6170  | 4.1556 7914  | 4.1001 0741  | 4.0455 8490  | 3.9927 1004  |
| 6            | 4.9173 2173  | 4.8410 1750  | 4.7665 3960  | 4.6938 4042  | 4.6228 7860  |
| 7            | 5.5823 5144  | 5.4845 1977  | 5.3892 8940  | 5.2960 0132  | 5.2061 7000  |
| 8            | 6.2097 0381  | 6.0887 6090  | 5.9712 0551  | 5.8573 0355  | 5.7466 3891  |
| 9            | 6.8016 0227  | 6.6501 0110  | 6.5132 3225  | 6.3788 8703  | 6.2468 8701  |
| 10           | 7.3600 8705  | 7.1858 3022  | 7.0215 8151  | 6.8640 5090  | 6.7100 8140  |
| 11           | 7.8868 7458  | 7.6880 4246  | 7.4980 7444  | 7.3154 2415  | 7.1389 0120  |
| 12           | 8.3838 4394  | 8.1587 2532  | 7.9420 8630  | 7.7352 7827  | 7.5360 7802  |
| 13           | 8.8526 8290  | 8.5997 4208  | 8.3576 5074  | 8.1258 4026  | 7.9047 7504  |
| 14           | 9.2949 8303  | 8.9138 4233  | 8.7454 0790  | 8.4891 6373  | 8.2442 3098  |
| 15           | 9.7122 4800  | 9.4026 6585  | 9.1079 1401  | 8.8271 1975  | 8.5591 7809  |
| 16           | 10.1058 9527 | 9.7677 6418  | 9.4168 4800  | 9.1155 0674  | 8.8513 0910  |
| 17           | 10.4772 5900 | 10.1105 7070 | 9.7612 2290  | 9.4399 5970  | 9.1216 3811  |
| 18           | 10.8276 0148 | 10.4324 6638 | 10.0500 8091 | 9.7060 0908  | 9.3718 8714  |
| 19           | 11.1581 1040 | 10.7347 1022 | 10.3355 0524 | 9.9590 7821  | 9.6035 0920  |
| 20           | 11.4699 2122 | 11.0185 0725 | 10.5940 1425 | 10.1944 0170 | 9.8181 4741  |
| 21           | 11.7640 7602 | 11.2849 8433 | 10.8355 2737 | 10.4134 8033 | 10.0108 0316 |
| 22           | 12.0415 8172 | 11.5351 9502 | 11.0612 4050 | 10.6171 0101 | 10.2007 4366 |
| 23           | 12.3033 7898 | 11.7701 3673 | 11.2721 8738 | 10.8066 8931 | 10.3710 5895 |
| 24           | 12.5503 6733 | 11.9907 3871 | 11.4693 3400 | 10.9820 6680 | 10.5287 5828 |
| 25           | 12.7833 5610 | 12.1978 7673 | 11.6535 8318 | 11.1469 4586 | 10.6747 7019 |
| 26           | 13.0031 6619 | 12.3924 7251 | 11.8257 7867 | 11.2994 8452 | 10.8099 7705 |
| 27           | 13.2105 3414 | 12.5749 9706 | 11.9867 0904 | 11.4413 8095 | 10.9351 6177 |
| 28           | 13.4061 0428 | 12.7404 7004 | 12.1371 1125 | 11.5733 7763 | 11.0510 7819 |
| 29           | 13.5907 2102 | 12.8974 8984 | 12.2776 7407 | 11.6961 6521 | 11.1584 0601 |
| 30           | 13.7648 3115 | 13.0586 7591 | 12.4090 4118 | 11.8103 8627 | 11.2577 8331 |
| 31           | 13.9290 8590 | 13.2006 3405 | 12.5318 1419 | 11.9166 3839 | 11.3497 0939 |
| 32           | 14.0840 4319 | 13.3339 2925 | 12.6465 5512 | 12.0154 7757 | 11.4349 0914 |
| 33           | 14.2302 2061 | 13.4590 8850 | 12.7537 0002 | 12.1071 2099 | 11.5138 8877 |
| 34           | 14.3681 4114 | 13.5766 0892 | 12.8540 0936 | 12.1920 4070 | 11.5869 3307 |
| 35           | 14.4982 4030 | 13.6869 5673 | 12.9476 7230 | 12.2725 1111 | 11.6545 6822 |
| 36           | 14.6209 8711 | 13.7905 0970 | 13.0352 0776 | 12.3485 2224 | 11.7171 9270 |
| 37           | 14.7367 6031 | 13.8878 6847 | 13.1170 1660 | 12.4211 0952 | 11.7751 7851 |
| 38           | 14.8460 1016 | 13.9792 1021 | 13.1931 7345 | 12.4794 1151 | 11.8285 6800 |
| 39           | 14.9490 7465 | 14.0649 8011 | 13.2649 2840 | 12.5339 8931 | 11.8785 8240 |
| 40           | 15.0462 0657 | 14.1455 2687 | 13.3317 0584 | 12.5844 0860 | 11.9246 1311 |
| 41           | 15.1380 1892 | 14.2211 5109 | 13.3941 2011 | 12.6309 6155 | 11.9672 7157 |
| 42           | 15.2245 4332 | 14.2921 6119 | 13.4521 4898 | 12.6739 1772 | 12.0066 4297 |
| 43           | 15.3061 7294 | 14.3588 4708 | 13.5069 6107 | 12.7135 2811 | 12.0432 3951 |
| 44           | 15.3831 8202 | 14.4214 4327 | 13.5579 0810 | 12.7500 2616 | 12.0770 7362 |
| 45           | 15.4558 3200 | 14.4802 2812 | 13.6055 2159 | 12.7818 2898 | 12.1084 0150 |
| 46           | 15.5243 6900 | 14.5354 2575 | 13.6500 2018 | 12.8095 3858 | 12.1374 0850 |
| 47           | 15.5890 2821 | 14.5872 6422 | 13.6910 0704 | 12.8340 4297 | 12.1642 0744 |
| 48           | 15.6500 2681 | 14.6359 1940 | 13.7304 7143 | 12.8560 1602 | 12.1891 3619 |
| 49           | 15.7075 7227 | 14.6810 1151 | 13.7667 8853 | 12.8760 2244 | 12.2121 0311 |
| 50           | 15.7618 6004 | 14.7245 2067 | 13.8007 4029 | 12.8948 1157 | 12.2331 8161 |

## DISCOUNT TABLES (CONTINUED)

### Present Value of Gradient Series

| n  | 7%       | 8%       | 10%     | 12%     | 15%     | 20%     | n  |
|----|----------|----------|---------|---------|---------|---------|----|
| 1  | 0.0000   | 0.0000   | 0.0000  | 0.0000  | 0.0000  | 0.0000  | 1  |
| 2  | 0.8734   | 0.8573   | 0.8264  | 0.7972  | 0.7561  | 0.6944  | 2  |
| 3  | 2.5060   | 2.4450   | 2.3291  | 2.2208  | 2.0712  | 1.8519  | 3  |
| 4  | 4.7947   | 4.6501   | 4.3781  | 4.1273  | 3.7864  | 3.2986  | 4  |
| 5  | 7.6467   | 7.3724   | 6.8618  | 6.3970  | 5.7751  | 4.9061  | 5  |
| 6  | 10.9784  | 10.5233  | 9.6842  | 8.9302  | 7.9368  | 6.5806  | 6  |
| 7  | 14.7149  | 14.0242  | 12.7631 | 11.6443 | 10.1924 | 8.2551  | 7  |
| 8  | 18.7889  | 17.8061  | 16.0287 | 14.4715 | 12.4807 | 9.8831  | 8  |
| 9  | 23.1404  | 21.8081  | 19.4215 | 17.3563 | 14.7548 | 11.4335 | 9  |
| 10 | 27.7156  | 25.9768  | 22.8913 | 20.2541 | 16.9795 | 12.8871 | 10 |
| 11 | 32.4665  | 30.2657  | 26.3963 | 23.1289 | 19.1289 | 14.2330 | 11 |
| 12 | 37.3506  | 34.6339  | 29.9012 | 25.9523 | 21.1849 | 15.4667 | 12 |
| 13 | 42.3302  | 39.0463  | 33.3772 | 28.7024 | 23.1352 | 16.5883 | 13 |
| 14 | 47.3718  | 43.4723  | 36.8005 | 31.3624 | 24.9725 | 17.6008 | 14 |
| 15 | 52.4461  | 47.8857  | 40.1520 | 33.9202 | 26.6930 | 18.5095 | 15 |
| 16 | 57.5271  | 52.2640  | 43.4164 | 36.3670 | 28.2960 | 19.3208 | 16 |
| 17 | 62.5923  | 56.5883  | 46.5820 | 38.6973 | 29.7828 | 20.0419 | 17 |
| 18 | 67.6220  | 60.8426  | 49.6396 | 40.9080 | 31.1565 | 20.6805 | 18 |
| 19 | 72.5991  | 65.0134  | 52.5827 | 42.9979 | 32.4213 | 21.2439 | 19 |
| 20 | 77.5091  | 69.0898  | 55.4069 | 44.9676 | 33.5822 | 21.7395 | 20 |
| 21 | 82.3393  | 73.0629  | 58.1095 | 46.8188 | 34.6448 | 22.1742 | 21 |
| 22 | 87.0793  | 76.9257  | 60.6893 | 48.5543 | 35.6150 | 22.5546 | 22 |
| 23 | 91.7201  | 80.6726  | 63.1462 | 50.1776 | 36.4988 | 22.8867 | 23 |
| 24 | 96.2545  | 84.2997  | 65.4813 | 51.6929 | 37.3023 | 23.1760 | 24 |
| 25 | 100.6765 | 87.8041  | 67.6964 | 53.1047 | 38.0314 | 23.4276 | 25 |
| 30 | 120.9718 | 103.4558 | 77.0766 | 58.7821 | 40.7526 | 24.2628 | 30 |
| 35 | 138.1353 | 116.0920 | 83.9872 | 62.6052 | 42.3587 | 24.6614 | 35 |
| 40 | 152.2928 | 126.0422 | 88.9526 | 65.1159 | 43.2830 | 24.8469 | 40 |
| 45 | 163.7559 | 133.7331 | 92.4545 | 66.7343 | 43.8051 | 24.9316 | 45 |
| 50 | 172.9051 | 139.5928 | 94.8889 | 67.7625 | 44.0958 | 24.9698 | 50 |

#### Source

Grant, Eugene L., W. Grant Ireson, Richard S. Leavenworth. Principles of Engineering Economy. Sixth Edition. New York, NY: The Ronald Company, 1972. pp. 606-607.

## Present Worth Analysis

### Alternative A

#### Step 1

Initial cost = \$3,000,000

#### Step 2

To find the present worth of operating costs, it will be necessary to calculate separately the present worth of the constant costs and the variable costs.

- a. Present worth of constant annual costs equals that cost times the uniform series present worth factor @ 7.0% for 20 years. Thus:

\$126,000 (10.5940) = \$1,335,000

- b. Present worth of a variable cost increasing linearly is found by first finding the amount of increase per year. This amount is \$68,000/20 years or \$3,400 per year. This increase is known as a gradient series. This series times the correct gradient series' present worth factor @ 7.0% for 20 years yields the present worth of the variable cost. Thus:

\$3,400 (77.5091) = \$ 264,000

#### Step 3

Mitigation costs are at the base year. No discounting is necessary.

\$ 113,000

#### Step 4

Sum of numbers obtained in the steps above yields present worth:

|                                       |                |
|---------------------------------------|----------------|
| initial cost =                        | \$3,000,000    |
| present worth of constant O&M costs = | 1,335,000      |
| present worth of variable O&M costs = | 264,000        |
| present worth of mitigation costs =   | <u>113,000</u> |
| total present worth                   | \$4,712,000    |

## Present Worth Analysis (continued)

### Step 5

As before, the present worth just derived times the capital recovery factor @ 7.0% for 20 years will yield the average annual equivalent cost. Thus:

$$\$4,712,000 (.9439) = \underline{\$ 444,800}$$

which is the average annual equivalent cost of the plant for 20 years.

### Alternative B

#### Step 1

$$\text{initial cost} = \underline{\$2,000,000}$$

#### Step 2

Calculate the present worth of the O&M costs as follows:

- a. Present worth of constant annual cost years 1-10 equals given cost times uniform series present worth factors @ 7.0% for 10 years. Thus:

$$\$84,000 (7.024) = \underline{\$ 590,000}$$

- b. Present worth of the variable O&M costs years 1-10 equals the gradient series (\$2,900) times the present worth factor of a gradient series @ 7.0% for 10 years. Thus:

$$\$2,900 (27.7156) = \underline{\$ 80,400}$$

- c. The present worth of the constant O&M costs year 11-20 are first calculated as in (a) above using the given cost for years 11-20. This, however, yields present worth in year 11 which must be converted to present worth in year 1. This is accomplished by multiplying the present worth (year 11) times the single payment present worth factor @ 7.0% for 10 years (.5083). Thus, present worth in year 1 equals:

$$\$165,000 (7.024) (.5083) = \underline{\$ 589,100}$$

- d. The present worth of the variable O&M costs years 11-20 which is \$2,900. This yields the present worth in year 11 which again must be converted to present worth in year 1 by multiplying the present worth (year 11) times the single payment present worth factor @ 7.0% for 10 years

$$\$2,000 (27.7156) (.5083) =$$



## Present Worth Analysis (continued)

### Step 3

To determine the present worth of the upgrade cost which occurs at year 10, multiply the upgrade cost times the single payment present worth factors @ 7.0% for 10 years. Thus:

$$\$1,500,000 (.5083) = \underline{\$ 763,000}$$

### Step 4

The present worth of the salvage value at the end of 20 years equals that value times the single payment present worth factor @ 7.0% for 20 years. Thus:

$$\$750,000 (.2584) = \underline{\$ 194,000}$$

### Step 5

The mitigation of impacts is done in two stages; costs in year 10 must be discounted. Those in the base year are not discounted.

$$\$65,000 + (\$88,000 \times .5083) = \underline{\$ 109,700}$$

### Step 6

The sums of the values obtained in Steps 1, 2, 3, and 5 minus the value obtained in Step 4 will equal the present worth of the plan. Thus:

|   |                |
|---|----------------|
| initial cost=                             | \$2,000,000    |
| present worth of constant O&M year 1-10=  | 590,000        |
| present worth of variable O&M year 1-10=  | 80,400         |
| present worth of constant O&M year 11-20= | 589,100        |
| present worth of variable O&M year 11-20= | 40,900         |
| present worth of upgrade at year 10=      | 763,000        |
| present worth of mitigation costs=        | <u>109,700</u> |
| TOTAL                                     | \$4,173,100    |

Subtract from the total the present worth of salvage value

$$\begin{array}{r} \text{present worth of salvage value=} \\ \text{total present worth=} \end{array} \quad \begin{array}{r} \$ 194,000 \\ \underline{\$3,979,100} \end{array}$$

### Step 7

As before, the present worth just derived times the capital inventory factor @7.0% for 20 years will yield the average annual equivalent cost. Thus:

$$\$3,979,100 (.09439) = \underline{\$ 375,600}$$

which is the average annual equivalent cost of the plant over 20 years.

## SELECTED NONMONETARY EFFECTS

1. Construction of the sewers will cause dust, noise, traffic disruption, and other inconveniences. The total magnitude, at least initially, should be less for the staged alternative. Social and secondary impacts such as development are not considered extensively in either alternative.
2. Aesthetic and recreational losses occur as the woodland is cut for the construction site, and the stream undergoes eutrophication. This impact would be reduced slightly with the staged alternative.
3. A decline in diversity of aquatic organisms would also accompany the eutrophication processes and construction activities. Full recovery from the construction effects may be delayed by the staged alternative.
4. Low stream flows will not dilute the effluent sufficiently. Flow augmentation with associated mitigative costs will be necessary. Except for timing, no significant differences seem to exist between the alternatives.
5. Temporary wildlife habitat destruction will occur along the sewer routes from construction activities. Depending upon the location of the interceptors, more losses may occur with the nonstaged alternative.
6. Since the two plans for the treatment plant use the same site and same disposal methods, no opportunity costs exist. However, the location of sewers through prime farmland in one alternative, but not the other one, could generate opportunity costs.
7. The staged alternative permits more growth flexibility compared with the other option.

## COST-EFFECTIVENESS ANALYSIS ACCOUNTS SHEET

| <u>Factor</u>                  | <u>Evaluation</u>    |                      |
|--------------------------------|----------------------|----------------------|
|                                | <u>Alternative A</u> | <u>Alternative B</u> |
| 1. Water Quality Goals         | _____                | _____                |
| 2. Monetary Costs              |                      |                      |
| A. System Outlay Costs         | _____                | _____                |
| B. Opportunity Costs           | _____                | _____                |
| 3. Financial Costs             | _____                | _____                |
| 4. Environmental Effects       |                      |                      |
| A. Hydrology                   | _____                | _____                |
| B. Biology                     | _____                | _____                |
| C. Air Quality                 | _____                | _____                |
| D. Land                        | _____                | _____                |
| E. Energy and Resource Use     | _____                | _____                |
| 5. Social and Economic Changes |                      |                      |
| A. Land Values                 | _____                | _____                |
| B. Employment                  | _____                | _____                |
| C. Dislocation                 | _____                | _____                |
| D. Health                      | _____                | _____                |
| E. Aesthetics                  | _____                | _____                |
| 6. Technical Reliability       | _____                | _____                |
| 7. Implementation Feasibility  | _____                | _____                |
| 8. Public Acceptability        | _____                | _____                |

Audiovisual Script  
COST-EFFECTIVENESS ANALYSIS

| Slide Description                 | Narrative  |
|-----------------------------------|--|
| 1. Cassette Start                 |  |
| 2. Title: Cost-Effective Analysis | Music  |
| 3. Map of Pa. with arrow          | Near the Southeast border of Pennsylvania is the large metropolitan area that takes in Philadelphia, Pa., Trenton, N.J., and Wilmington, Del. Within this area, a rapidly dwindling supply of open space and green areas--and the occurrence of water quality problems have in recent years been cause for much concern.             |
| 4. Closeup of map of area         | At the heart of one particular wastewater management controversy is an area known as the Pennypack Watershed. It seems that the area along Pennypack Creek represents the only significant remaining green belt that is adjacent to Philadelphia. And to preserve this area and to deal with pollution problems,                     |
| 5. Group of people at meeting     | the three local municipalities and a private citizens group called the Pennypack Watershed Association got involved in an interesting wastewater management problem.   |
| (Graphic)                         |  |
| 6. List of alternatives           | In the early 1970's, several alternative wastewater management proposals had been made; including:<br><br>a spray irrigation system<br><br>and<br><br>an interceptor or pipeline leading to an existing wastewater treatment plant in Philadelphia. Well, --after the various alternative proposals were made, the problem became -- |
| (Graphic)                         |  |
| 7. Question mark over meeting     | How to decide which of the alternatives was <u>best</u> for the area?  |

- (Graphic)
8. Cost-Effectiveness Analysis
- Cost-Effectiveness Analysis is the basis for the selection of alternatives.
- (Graphic)
9. Facilities planning  
6-step sequence
- Cost-Effectiveness Analysis
1. Determine problems
  2. Define objectives
  3. Develop alternatives
  4. Evaluate alternatives
  5. Select plan
  6. Revise plan
- is part of a 6-step planning sequence and is most useful in the latter steps of the process — the evaluation of alternatives, and the selection of a plan.
- (Graphic)
10. Same as above, except number  
1. Highlighted.
- First, of course, water quality problems must be determined. Sometimes there is no present problem existing. But, water supply and wastewater treatment requirements must be considered for the future.
- For example, when it is projected that future wastewater treatment will exceed present capacity or if future treatment will fail to meet water quality standards, then the community does have a problem.
11. Photo of sedimentation
- Water quality problems on the Pennypack that needed to be evaluated included:
- Sedimentation and debris,
12. Split scene: Flooding  
and dry stream beds
- Flooding,  
Seasonally low stream flows, and
13. Photo of stream encroachment
- Stream encroachment; developments were gradually getting closer and closer to the shoreline of the creek.
- (Graphic)
14. Facilities planning: highlights
1. Determination of problems
  2. Definition of objectives
  3. Development of alternatives
  4. Evaluation of alternatives
  5. Plan selection
  6. Revision of continued planning
- If it has been determined that problems do exist, the next steps are to come up with some answers to the problems — and develop some alternative methods of dealing with the different water quality problems.

- (graphic)
15. List of alternatives
- Some of the alternatives might include:
- 1) No facility needed--perhaps the problem could be dealt with in another way;
  - 2) the improvement of existing facilities;
  - 3) conventional collection and treatment systems; and,
  - 4) alternative and innovative systems.
16. Photo of advisory group
- Words:
17. Phased Development  
Energy Requirements  
Multiple Use Opportunities
- These and other considerations involve phased development, energy requirements, and multiple use opportunities.
18. Graphic of brainstorming session
- A good, old-fashioned brain-storming session is what's needed as a means of public participation. With input from all concerned citizens. Ideas, no matter how unconventional they might seem, should be discussed and considered. Other modes of public participation exist, and should be used.
19. View of Pennypack area
- In the Pennypack case, the following alternatives were explored:
20. Split screen:
- spray irrigation/interceptor
- Of all the alternatives, the two that looked most promising were spray irrigation and an interceptor. Both of these alternatives met water quality criteria and standards.
21. Population graphic
- Population projections were considered -- and although they varied slightly between consultants, the difference was not enough to effect wastewater flow estimates.
22. Map of Pennypack
- Another consideration was one of the legality of transferring wastes from one local government authority into another.

23. Advisory group picture

(Graphic)

24. List

Other assumptions, considerations, alternatives--and, well --the whole general scope of the Pennypack study included:

- construction site availability
- environmental effects
- social effects
- public acceptability
- implementation feasibility
- legality
- site suitability and capacity
- and last but certainly not least--
- economic costs.

#### MUSIC

25. Facilities planning  
sequence: highlight

- Determination of problems
- Definition of objectives
- Development of alternatives
- Evaluation of alternatives

Cost-Effectiveness Analysis, although used throughout the planning process, is primarily involved in the evaluation of alternatives.

For each alternative various costs have to be determined. There are both monetary and nonmonetary costs.

26. Monetary Costs:

- present and future capital costs
- operation, maintenance and replacement costs
- opportunity costs
- mitigation costs

Monetary Costs examples might include present and future capital costs, operation, maintenance and replacement costs, opportunity costs such as the loss of potential income or resources, and mitigation costs.

(Graphic)

27. PRESENT WORTH ANALYSIS

Since amounts of money and timing of money outlays will vary among alternatives, it is necessary to express them on a common basis --and at the same point in time.

Present worth analysis has been developed for making such cost comparisons.

What information is needed to make a present worth analysis? How is the calculation done?

(Graphic)

28. Present Worth Discounting

$$\text{\$} \times (1 + r)^t$$

Cost      Interest or Discount Rate      Year

The present worth of future costs and benefits are estimated by a discounting procedure which, in essence, is the reverse of interest calculations. Hence, the discounting equation as shown, is merely the opposite of the interest calculation equation. In both instances, the only information needed is the cost, the interest or discount rate, and the year in which the cost occurs.

(Graphic)

29. Total = Initial Capital Worth (PW) Costs

$$+$$

PW of Future Costs

$$-$$

PW of Revenues & Salvage Values

Such costs are calculated on a year-by-year basis, and are aggregated to give the total present worth of each alternative.

(Graphic)

30. Same as above with present worth highlighted

If all costs, monetary and nonmonetary, are similar and treatment efficiencies are comparable, the project with the LOWEST PRESENT WORTH must be selected to qualify for federal cost-sharing grants.

Music

31. Photo Ducks

32. Photo decaying wood

In the case of the Pennypack, the consultants did not agree on monetary costs.

As resolved by DER, the following cost estimates were made:



33. Bar graph  
Capital, operating and  
management costs
- The spray irrigation alternative had  
higher capital, operation and management,  
and replacement costs:
- About 1/3 higher, than the interceptor  
option.
34. Bar graph  
Mitigation Costs
- Both alternatives would have adverse effects  
on stream flows — the costs for lessening  
these adverse effects are called mitigation  
costs, and they would be about 3 times higher  
for the interceptor.
35. Advisory group meeting photo
- Situations that will need mitigation are  
commonly overlooked and advisory groups  
can be of special assistance in identify-  
ing such possible costs and pointing them  
out to the agency or consultant.
- (Graphic)
36. List of costs
- In the Pennypack case, it turned out that  
the interceptor, at first, appeared slightly  
less expensive than the spray irrigation  
but that was without consideration of the  
9 million dollar opportunity cost
- (Graphic)
37. Same as above with opportunity  
cost highlighted
- that should be charged against the inter-  
ceptor alternative. Overall, spray irriga-  
tion was more cost-effective.
38. Photos split screen
- House and field/geese by  
stream
- Other factors, such as energy use, reliability  
and flexibility, and environmental impacts  
must be included in the cost-effectiveness  
analysis.

Music

- (Graphic)  
39. Nonmonetary evaluation

If economic costs were all that mattered, the alternative with lowest present worth would be chosen; however, nonmonetary factors are just as important.

- (Graphic)  
40. List

These factors are:

- environmental effects (including social impacts)
- reliability and flexibility
- implementation capability
- resource use and energy consumption, and,
- public acceptance

- (Graphic)  
41. Same as above but with environmental highlighted

The environmental assessment is done concurrently with other studies in the facilities planning process.

- (Photo split screen)  
42. Stream bottom sampling & groundwater sampling

An inventory of environmental conditions should be compiled. It will provide a base against which predicted environmental changes may be evaluated--sampling stream bottom organisms, and taking groundwater samples are examples of evaluation techniques that can be included in the inventory.

- (Graphic)  
43. Direct and indirect effects

Both direct and indirect environmental effects may be revealed in the analysis.

44. Picture of treatment plant

Direct effects relate directly to the location, construction and operation of the project.

Examples of direct beneficial effects include recharged groundwaters from land treatment.

45. Photo of sewer overflow

Negative effects may include erosion along sewer lines, overflows from sewer manholes, odors, loss of open space, noise, and air pollution from incinerated sludge.

(Graphic)  
46. With indirect highlighted

Indirect effects are the indirect changes that are induced by a project.

PHOTO:  
47. development near stream

These include changes in population, economic growth, and land use such as development around sewer interceptors.

Split screen:  
48. spray/interceptor photo

In the Pennypack example, regarding environmental effects, spray irrigation was much more advantageous compared to the interceptor alternative.

49. Stream photo

Spray irrigation would increase streamflow, while the interceptor would reduce streamflow.

Spray irrigation would permit more kinds of aquatic organisms to live.

50. Photo of deer

Spray would stimulate less development, thus disturbing fewer wildlife habitats, and

51. Photo of spray system

would require less use of treatment chemicals, but much greater commitments of land and energy resources.

52. Photo of Park area

Spray would make feasible open spaces and a wilderness park.

PHOTO:  
53. Advisory group meeting with different advantages and disadvantages

It is not enough for an advisory group to simply identify the advantages or disadvantages of various alternatives because if the project is to succeed in the long run, it must be acceptable to the people.

54. News headlines

The advisory group should assist in developing a public participation program such as informational meetings and media publicity that reaches all elements in the community.

55. Field photo: Stream

56. Wildlife photo: Bird

57. Wildlife photo: Deer

## Music

- (Graphic)
58. Plan selection
- The selection of the alternative plan that is best suited to a community's water quality goals is the main purpose of facilities planning.
59. Cost-effectiveness analysis
- and cost-effectiveness analysis provides the basis for this decision.
60. Sample of accounts sheet
- All significant costs and effects of each alternative must be clearly displayed. Costs and effects can be displayed in various formats, although an approach suggested by EPA is an accounts sheet.
61. Pennypack accounts matrix
- As shown by the matrix for the Pennypack, these accounts can be quite lengthy. It is not always easy to see relationships among the various items.
- Photos:
62. Woman at meeting
- But individuals do not have to deal with these costs and effects alone, that's why there is an advisory group, to help each other. . .
63. Advisory group photos
- . . . to, as a group, assist in identifying tradeoffs, especially the composite effects of alternatives --and to evaluate all factors together.
- 64.
- 65.
- 66.
- 67.
- 68.
69. Pennypack acknowledgement
- Credit slide
70. Produced by The Pennsylvania State University, The Capitol Campus, under a grant provided by U.S. Environmental Protection Agency
- Credit slide

END

Working for Clean Water is a program designed to help advisory groups improve decision making in water quality planning. It aims at helping people focus on essential issues and questions, by providing trained instructors and materials suitable for persons with non-technical backgrounds. These materials include a citizen handbook on important principles and considerations about topics in water quality planning, an audiovisual presentation, and an instructor guide for elaborating points, providing additional information, and engaging in problem-solving exercises.

This program consists of 18 informational units on various aspects of water quality planning:

- |  |   |
|--|---|
| • Role of Advisory Groups                                      | • Innovative and Alternative Technologies         |
| • Public Participation   | • Industrial Pretreatment                         |
| • Nonpoint Source Pollution: Agriculture, Forestry, and Mining | • Land Treatment                                  |
| • Urban Stormwater Runoff                                      | • Water Conservation and Reuse                    |
| • Groundwater Contamination                                    | • Multiple Use                                    |
| • Facility Planning in the Construction Grants Program         | • Environmental Assessment                        |
| • Municipal Wastewater Processes: Overview                     | • Cost-Effectiveness Analysis                     |
| • Municipal Wastewater Processes: Details                      | • Wastewater Facilities Operation and Maintenance |
| • Small Systems  | • Financial Management                            |

The units are not designed to make technical experts out of citizens and local officials. Each unit contains essential facts, key questions, advice on how to deal with the issues, and clearly-written technical backgrounds. In short, each unit provides the information that citizen advisors need to better fulfill their role.

This program is available through public participation coordinators at the regional offices of the United States Environmental Protection Agency.