

United States
Environmental Protection
Agency

Environmental Monitoring
and Support Laboratory
P O Box 15027
Las Vegas NV 89114

Research and Development



Distribution of Phytoplankton in Oklahoma Lakes

Working Paper 701



DISTRIBUTION OF PHYTOPLANKTON IN OKLAHOMA LAKES

by

S. C. Hern, V. W. Lambou, F. A. Morris*,
M. K. Morris*, W. D. Taylor, and L. R. Williams

Water and Land Quality Branch
Monitoring Operations Division
Environmental Monitoring and Support Laboratory
Las Vegas, Nevada 89114

*Department of Biological Sciences
University of Nevada, Las Vegas
Las Vegas, Nevada 89154

WORKING PAPER NO. 701

NATIONAL EUTROPHICATION SURVEY
OFFICE OF RESEARCH AND DEVELOPMENT
U.S. ENVIRONMENTAL PROTECTION AGENCY

November 1978

DISCLAIMER

This report has been reviewed by the Environmental Monitoring and Support Laboratory-Las Vegas, U.S. Environmental Protection Agency, and approved for publication. Mention of trade names or commercial products does not constitute endorsement or recommendation for use.

FOREWORD

The National Eutrophication Survey was initiated in 1972 in response to an Administration commitment to investigate the nationwide threat of accelerated eutrophication to freshwater lakes and reservoirs. The Survey was designed to develop, in conjunction with State environmental agencies, information on nutrient sources, concentrations, and impact on selected freshwater lakes as a basis for formulating comprehensive and coordinated national, regional, and State management practices relating to point source discharge reduction and nonpoint source pollution abatement in lake watershed.

The Survey collected physical, chemical, and biological data from 815 lakes and reservoirs throughout the contiguous United States. To date, the Survey has yielded more than two million data points. In-depth analyses are being made to advance the rationale and data base for refinement of nutrient water quality criteria for the Nation's freshwater lakes.

CONTENTS

	<u>Page</u>
Foreword	iii
Introduction	1
Materials and Methods	3
Lake and Site Selection	3
Sample Preparation	3
Examination	4
Quality Control	5
Results	6
Nygaard's Trophic State Indices	6
Palmer's Organic Pollution Indices	6
Species Diversity and Abundance Indices	8
Species Occurrence and Abundance	10
Literature Cited	11
Appendix A. Phytoplankton Species list for the State of Oklahoma	12
Appendix B. Summary of Phytoplankton Data	16

INTRODUCTION

The collection and analysis of phytoplankton data were included in the National Eutrophication Survey in an effort to determine relationships between algal characteristics and trophic status of individual lakes.

During spring, summer, and fall of 1974, the Survey sampled 179 lakes in 10 States. Over 700 algal species and varieties were identified and enumerated from the 573 water samples examined.

This report presents the species and abundance of phytoplankton in the 15 lakes sampled in the State of Oklahoma (Table 1). The Nygaard's Trophic State (Nygaard 1949), Palmer's Organic Pollution (Palmer 1969), and species diversity and abundance indices are also included.

TABLE 1. LAKES SAMPLED IN THE STATE OF OKLAHOMA

STORET No.	Lake Name	County
4001	Altus Reservoir	Greer, Kiowa
4002	Arbuckle Lake	Murray
4003	Lake Ellsworth	Caddo, Comanche
4004	Lake Eufaula	Haskell, McIntosh, Okmulgee, Pittsburg
4005	Fort Cobb Reservoir	Caddo
4006	Fort Supply Reservoir	Woodward
4007	Foss Dam Reservoir	Custer
4008	Lake Frances	Adair
4009	Grand Lake O' The Cherokees	Mayes, Delaware, Craig, Ottawa
4010	Lake Hefner	Oklahoma

(Continued)

TABLE 1. LAKES SAMPLED IN THE STATE OF OKLAHOMA (Continued)

STORET No.	Lake Name	County
4011	Keystone Reservoir	Tulsa, Creek, Osage, Pawnee
4012	Oologah Lake	Nowata, Rogers
4013	Tenkiller Ferry Reservoir	Cherokee, Sequoyah
4014	Lake Thunderbird	Cleveland
4015	Wister Reservoir	LeFlore

MATERIALS AND METHODS

LAKE AND SITE SELECTION

Lakes and reservoirs included in the Survey were selected through discussions with State water pollution agency personnel and U.S. Environmental Protection Agency Regional Offices (U.S. Environmental Protection Agency 1975). Screening and selection strongly emphasized lakes with actual or potential accelerated eutrophication problems. As a result, the selection was limited to lakes:

- (1) impacted by one or more municipal sewage treatment plant outfalls either directly into the lake or by discharge to an inlet tributary within approximately 40 kilometers of the lake;
- (2) 40 hectares or larger in size; and
- (3) with a mean hydraulic retention time of at least 30 days.

Specific selection criteria were waived for some lakes of particular State interest.

Sampling sites for a lake were selected based on available information on lake morphometry, potential major sources of nutrient input, and on-site judgment of the field limnologist (U.S. Environmental Protection Agency 1975). Primary sampling sites were chosen to reflect the deepest portion of each major basin in a test lake. Where many basins were present, selection was guided by nutrient source information on hand. At each sampling site, a depth-integrated phytoplankton sample was taken. Depth-integrated samples were uniform mixtures of water from the surface to a depth of 15 feet (4.6 meters) or from the surface to the lower limit of the photic zone representing 1 percent of the incident light, whichever was greater. If the depth at the sampling site was less than 15 feet (4.6 meters), the sample was taken from just off the bottom to the surface. Normally, a lake was sampled three times in 1 year, providing information on spring, summer, and fall conditions.

SAMPLE PREPARATION

To preserve the sample 4 milliliters (ml) of Acid-Lugol's solution (Prescott 1970) were added to each 130-ml sample from each site at the time of collection. The samples were shipped to the Environmental Monitoring and Support Laboratory, Las Vegas, Nevada, where equal volumes from each site

were mixed to form two 130-ml composite samples for a given lake. One composite sample was put into storage and the other was used for the examination.

Prior to examination, the composite samples were concentrated by the settling method. Solids were allowed to settle for at least 24 hours prior to siphoning off the supernate. The volume of the removed supernate and the volume of the remaining concentrate were measured and concentrations determined. A small (8-ml) library subsample of the concentrate was then taken. The remaining concentrate was gently agitated to resuspend the plankton and poured into a capped, graduated test tube. If a preliminary examination of a sample indicated the need for a more concentrated sample, the contents of the test tube were further concentrated by repeating the settling method. Final concentrations varied from 15 to 40 times the original.

Permanent slides were prepared from concentrated samples after analysis was complete. A ring of clear Karo® corn syrup with phenol (a few crystals of phenol were added to each 100 ml of syrup) was placed on a glass slide. A drop of superconcentrate from the bottom of the test tube was placed in the ring. This solution was thoroughly mixed and topped with a coverglass. After the syrup at the edges of the coverglass had hardened, the excess was scraped away and the mount was sealed with clear fingernail polish. Permanent diatom slides were prepared by drying sample material on a coverglass, heating in a muffle furnace at 400° C for 45 minutes, and mounting in Hyrax®. Finally, the mounts were sealed with clear fingernail polish.

Backup samples, library samples, permanent sample slides, and Hyrax®-mounted diatom slides are being stored and maintained at the Environmental Monitoring and Support Laboratory-Las Vegas.

EXAMINATION

The phytoplankton samples were examined with the aid of binocular compound microscopes. A preliminary examination was performed to precisely identify and list all forms encountered. The length of this examination varied depending on the complexity of the sample. An attempt was made to find and identify all of the forms present in each sample. Often forms were observed which could not be identified to species or to genus. Abbreviated descriptions were used to keep a record of these forms (e.g., lunate cell, blue-green filament, Navicula #1). Diatom slides were examined using a standard light microscope. If greater resolution was essential to accurately identify the diatoms, a phase-contrast microscope was used.

After the species list was compiled, phytoplankton were enumerated using a Neubauer Counting Chamber with a 40X objective lens and a 10X ocular lens. All forms within each field were counted. The count was continued until a minimum of 100 fields had been viewed, or until the dominant form had been observed a minimum of 100 times.

®Registered trademark

QUALITY CONTROL

Project phycologists performed internal quality control intercomparisons regularly on 7 percent of the species identification and counts. Although an individual had primary responsibility for analyzing a sample, taxonomic problems were discussed among the phycologists.

Additional quality control checks were performed on the Survey samples by Dr. G. W. Prescott of the University of Montana at the rate of 5 percent. Quality control checks were made on 75 percent of these samples to verify species identifications while checks were made on the remaining 25 percent of the samples to verify genus counts. Presently, the agreement between quality control checks for species identification and genus enumerations is satisfactory.

RESULTS

A phytoplankton species list for the State is presented in Appendix A. Appendix B summarizes all of the phytoplankton data collected from the State by the Survey. The latter is organized by lake, and includes an alphabetical phytoplankton species list with concentrations for individual species given by sampling date. Results from the application of several indices are presented (Nygaard's Trophic State, Palmer's Organic Pollution, and species diversity and abundance). Each lake has been assigned a four-digit STORET number. (STORET (STOrage and RETrieval) is the U.S. Environmental Protection Agency's computer system which processes and maintains water quality data.) The first two digits of the STORET number identify the State; the last two digits identify the lake.

NYGAARD'S TROPHIC STATE INDICES

Five indices devised by Nygaard (1949) were proposed under the assumption that certain algal groups are indicative of levels of nutrient enrichment. These indices were calculated in order to aid in determining the surveyed lakes' trophic status. As a general rule, Cyanophyta, Euglenophyta, centric diatoms, and members of the Chlorococcales are found in waters that are eutrophic (rich in nutrients), while desmids and many pennate diatoms generally cannot tolerate high nutrient levels and so are found in oligotrophic waters (poor in nutrients).

In applying the indices to the Survey data, the number of taxa in each major group was determined from the species list for each sample. The ratios of these groups give numerical values which can be used as a biological index of water richness. The five indices and the ranges of values established for Danish lakes by Nygaard for each trophic state are presented in Table 2. The appropriate symbol, (E) eutrophic and (O) oligotrophic, follows each calculated value in the tables in Appendix B. A question mark (?) following a calculated value in these tables was entered when that value was within the range of both classifications.

PALMER'S ORGANIC POLLUTION INDICES

Palmer (1969) analyzed reports from 165 authors and developed algal pollution indices for use in rating water samples with high organic pollution. Two lists of organic-pollution-tolerant forms were prepared, one containing 20 genera, the other, 20 species (Tables 3 and 4). Each form was assigned a pollution index number ranging from 1 for moderately tolerant forms to 6 for

TABLE 2. NYGAARD'S TROPHIC STATE INDICES ADAPTED FROM HUTCHINSON (1967)

Index	Calculation	Oligotrophic	Eutrophic
Myxophycean	<u>Myxophyceae</u> <u>Desmideae</u>	0.0-0.4	0.1-3.0
Chlorophycean	<u>Chlorococcales</u> <u>Desmideae</u>	0.0-0.7	0.2-9.0
Diatom	<u>Centric Diatoms</u> <u>Pennate Diatoms</u>	0.0-0.3	0.0-1.75
Euglenophyte	<u>Euglenophyta</u> <u>Myxophyceae + Chlorococcales</u>	0.0-0.2	0.0-1.0
Compound	<u>Myxophyceae + Chlorococcales +</u> <u>Centric Diatoms + Euglenophyta</u> <u>Desmideae</u>	0.0-1.0	1.2-25

TABLE 3. ALGAL GENUS POLLUTION INDEX
(Palmer 1969)

Genus	Pollution Index
<u>Anacystis</u>	1
<u>Ankistrodesmus</u>	2
<u>Chlamydomonas</u>	4
<u>Chlorella</u>	3
<u>Closterium</u>	1
<u>Cyclotella</u>	1
<u>Euglena</u>	5
<u>Gomphonema</u>	1
<u>Lepocinclis</u>	1
<u>Melosira</u>	1
<u>Micractinium</u>	1
<u>Navicula</u>	3
<u>Nitzschia</u>	3
<u>Oscillatoria</u>	5
<u>Pandorina</u>	1
<u>Phacus</u>	2
<u>Phormidium</u>	1
<u>Scenedesmus</u>	4
<u>Stigeoclonium</u>	2
<u>Synedra</u>	2

TABLE 4. ALGAL SPECIES POLLUTION INDEX
(Palmer 1969)

Species	Pollution Index
<u>Ankistrodesmus falcatus</u>	3
<u>Arthrospira jenneri</u>	2
<u>Chlorella vulgaris</u>	2
<u>Cyclotella meneghiniana</u>	2
<u>Euglena gracilis</u>	1
<u>Euglena viridis</u>	6
<u>Gomphonema parvulum</u>	1
<u>Melosira varians</u>	2
<u>Navicula cryptocephala</u>	1
<u>Nitzschia acicularis</u>	1
<u>Nitzschia palea</u>	5
<u>Oscillatoria chlorina</u>	2
<u>Oscillatoria limosa</u>	4
<u>Oscillatoria princeps</u>	1
<u>Oscillatoria putrida</u>	1
<u>Oscillatoria tenuis</u>	4
<u>Pandorina morum</u>	3
<u>Scenedesmus quadricauda</u>	4
<u>Stigeoclonium tenue</u>	3
<u>Synedra ulna</u>	3

extremely tolerant forms. Palmer based the index numbers on occurrence records and/or where emphasized by the authors as being especially tolerant of organic pollution.

In analyzing a water sample, any of the 20 genera or species of algae present in concentrations of 50 per milliliter or more are recorded. The pollution index numbers of the algae present are totaled, providing a genus score and a species score. Palmer determined that a score of 20 or more for either index can be taken as evidence of high organic pollution, while a score of 15 to 19 is taken as probable evidence of high organic pollution. Lower figures suggest that the organic pollution of the sample is not high, that the sample is not representative, or that some substance or factor interfering with algal persistence is present and active.

SPECIES DIVERSITY AND ABUNDANCE INDICES

"Information content" of biological samples is being used commonly by biologists as a measure of diversity. Diversity in this connection means the degree of uncertainty attached to the specific identity of any randomly selected individual. The greater the number of taxa and the more equal their proportions, the greater the uncertainty, and hence, the diversity (Pielou 1966). There are several methods of measuring diversity, e.g., the formulas given by Brillouin (1962) and Shannon and Weaver (1963). The method which is appropriate depends on the type of biological sample on hand.

Pielou (1966) classifies the types of biological samples and gives the measure of diversity appropriate for each type. The Survey phytoplankton samples are what she classifies as larger samples (collections in Pielou's terminology) from which random subsamples can be drawn. According to Pielou, the average diversity per individual (H) for these types of samples can be estimated from the Shannon-Wiener formula (Shannon and Weaver 1963):

$$H = \frac{1}{S} \sum_{i=1}^S P_i \log_x P_i$$

where P is the proportion of the i th taxon in the sample, which is calculated from n_i/N ; n_i is the number of individuals per milliliter of the i th taxon; N is the total number of individuals per ml; and S is the total number of taxa. However, Basharin (1959) and Pielou (1966) have pointed out that H calculated from the subsample is a biased estimator of the sample H , and if this bias is to be accounted for, we must know the total number of taxa present in the sample since the magnitude of this bias depends on it.

Pielou (1966) suggests that if the number of taxa in the subsample falls only slightly short of the number in the larger sample, no appreciable error will result in considering S , estimated from the subsample, as being equal to the sample value. Even though considerable effort was made to find and identify all taxa, the Survey samples undoubtedly contain a fair number of rare phytoplankton taxa which were not encountered.

In the Shannon-Wiener formula, an increase in the number of taxa and/or an increase in the evenness of the distribution of individuals among taxa will increase the average diversity per individual from its minimal value of zero. Sager and Hasler (1969) found that the richness of taxa was of minor importance in determination of average diversity per individual for phytoplankton and they concluded that phytoplankton taxa in excess of the 10 to 15 most abundant ones have little effect on H. This was verified by our own calculations. Our counts are in number per milliliter and since logarithms to the base 2 were used in our calculations, H is expressed in units of bits per individual. When individuals of a taxon were so rare that they were not counted, a value of 1/130 per milliliter or 0.008 per milliliter was used in the calculations since at least one individual of the taxon must have been present in the collection.

A Survey sample for a given lake represents a composite of all phytoplankton collected at different sampling sites on the lake during a given sampling period. Since the number of samples (M) making up a composite is a function of both the complexity of the lake sampled and its size, it should affect the richness-of-taxa component of the diversity of our phytoplankton collections. The maximum diversity (MaxH) (i.e., when the individuals are distributed among the taxa as evenly as possible) was estimated from $\log_2 S$ (Pielou 1966), while the minimum diversity (MinH), was estimated from the formula:

$$\text{MinH} = -\frac{S-1}{N} \log_2 \frac{1}{N} - \left[\frac{N-(S-1)}{N} \right] \log_2 \left[\frac{N-(S-1)}{N} \right]$$

given by Zand (1976). The total diversity (D) was calculated from HN (Pielou 1966). Also given in Appendix B are L (the mean number of individuals per taxa per milliliter) and K (the number of individuals per milliliter of the most abundant taxon in the sample).

The evenness component of diversity (J) was estimated from H/MaxH (Pielou 1966). Relative evenness (RJ) was calculated from the formula:

$$\text{RJ} = \frac{H - \text{MinH}}{\text{MaxH} - \text{MinH}}$$

given by Zand (1976). Zand suggests that RJ be used as a substitute for both J and the redundancy expression given by Wilhm and Dorris (1968). As pointed out by Zand, the redundancy expression given by Wilhm and Dorris does not properly express what it is intended to show, i.e., the position of H in the range between MaxH and MinH. RJ may range from 0 to 1; being 1 for the most even samples and 0 for the least even samples.

Zand (1976) suggests that diversity indices be expressed in units of "sits", i.e., in logarithms to base S (where S is the total number of taxa in the sample) instead of in "bits", i.e., in logarithms to base 2. Zand points out that the diversity index in sits per individual is a normalized number ranging from 1 for the most evenly distributed samples to 0 for the least evenly distributed samples. Also, it can be used to compare different samples, independent of the number of taxa in each. The diversity in bits per

individual should not be used in direct comparisons involving various samples which have different numbers of taxa. Since $\text{MaxH} = \log S$, the expression in sits is equal to $\log S$, or 1. Therefore diversity in sits per individual is numerically equivalent to J, the evenness component for the Shannon-Wiener formula.

SPECIES OCCURRENCE AND ABUNDANCE

The alphabetic phytoplankton species list for each lake, presented in Appendix B, gives the concentrations of individual species by sampling date. Concentrations are in cells, colonies, or filaments (CEL, COL, FIL) per milliliter. An "X" after a species name indicates that the species identified in the preliminary examination was in such a low concentration that it did not appear in the count. A blank space indicates that the organism was not found in the sample collected on that date. Column S is used to designate the examiner's subjective opinion of the five dominant taxa in a sample, based upon relative size and concentration of the organism. The percent column (%C) presents, by abundance, the percentage composition of each taxon.

LITERATURE CITED

- Basharin, G. P. 1959. On a statistical estimate for the entropy of a sequence of independent random variables, pp. 333-336. In: *Theory of Probability and Its Applications* (translation of "Teoriya Veroyatnosei i ee Premeneniya"). N. Artin (ed). 4. Society for Industrial and Applied Mathematics, Philadelphia.
- Brillouin, L. 1962. *Science and Information Theory* (2nd ed.). Academic Press, New York. 351 pp.
- Hutchinson, G. E. 1967. *A Treatise on Limnology*. II. Introduction to Lake Biology and the Limnoplankton. John Wiley and Sons, Inc., New York. 1,115 pp.
- Nygaard, G. 1949. Hydrobiological studies of some Danish ponds and lakes. II. (K danske Vidensk. Selsk.) Biol. Sci. 7:293.
- Palmer, C. M. 1969. A composite rating of algae tolerating organic pollution. J. Phycol. 5:78-82.
- Pielou, E. C. 1966. The measurement of diversity in different types of biological collections. J. Theor. Biol. 13:131-144.
- Prescott, G. W. 1970. *How to Know the Freshwater Algae*. William C. Brown Company, Dubuque. 348 pp.
- Sager, P. E., and A. D. Hasler. 1969. Species diversity in lacustrine phytoplankton. I. The components of the index of diversity from Shannon's formula. Amer. Natur. 103(929):51-59.
- Shannon, C. E., and W. Weaver. 1963. *The Mathematical Theory of Communication*. University of Illinois Press, Urbana. 117 pp.
- U.S. Environmental Protection Agency. 1975. *National Eutrophication Survey Methods 1973-1976*. Working Paper No. 175. Environmental Monitoring and Support Laboratory, Las Vegas, Nevada, and Corvallis Environmental Research Laboratory, Corvallis, Oregon. 91 pp.
- Wilhm, V. L., and T. C. Dorris. 1968. Biological parameters for water quality criteria. Bio-Science. 18:477.
- Zand, S. M. 1976. Indexes associated with information theory in water quality. J. Water Pollut. Contr. Fed. 48(8):2026-2031.

APPENDIX A
PHYTOPLANKTON SPECIES FOR THE STATE OF OKLAHOMA

<i>Achnanthes lanceolata</i>	<i>Cymatopleura solea</i>
<i>Achnanthes microcephala</i>	<i>Cymbella</i> sp.
<i>Actinastrum gracilimum</i>	<i>Dactylococcopsis</i> sp.
<i>Actinastrum hantzschii</i>	<i>Diatoma vulgare</i>
v. <i>fluviatile</i>	<i>Dictyosphaerium pulchellum</i>
<i>Anabaena planctonica</i>	<i>Dinobryon bavarium</i>
<i>Anabaenopsis circularis</i>	<i>Dinobryon divergens</i>
<i>Ankistrodesmus falcatus</i>	<i>Dinobryon sertularia</i>
<i>Ankistrodesmus falcatus</i>	<i>Dinobryon sociale</i>
v. <i>acicularis</i>	<i>Diploneis smithii</i>
<i>Ankistrodesmus falcatus</i>	<i>Diploneis smithii</i>
v. <i>mirabilis</i>	f. <i>elliptica</i> ?
<i>Aphanizomenon flos-aquae</i>	<i>Diplopsalis acuta</i>
<i>Aphanocapsa</i> sp.	<i>Elakatothrix gelatinosa</i>
<i>Aphanothece</i> sp.	<i>Entomoneis paludosa</i>
<i>Asterionella formosa</i>	<i>Euastrum</i> sp.
<i>Attheya zachariasii</i>	<i>Eudorina elegans</i>
<i>Binuclearia</i> ? sp.	<i>Euglena acus</i>
<i>Botryococcus braunii</i>	<i>Euglena ehrenbergii</i>
<i>Carteria</i> sp.	<i>Euglena gracilis</i>
<i>Cerasterias irregulare</i>	<i>Euglena oxyuris</i>
<i>Ceratium hirundinella</i>	v. <i>minor</i>
f. <i>brachyceras</i>	<i>Euglena subehrenbergii</i>
<i>Ceratium hirundinella</i>	<i>Euglena tripteris</i>
f. <i>furcoides</i>	<i>Eunotia pectinalis</i>
<i>Chlamydomonas</i> sp.	<i>Fragilaria crotonensis</i>
<i>Chlorogonium</i> sp.	<i>Franceia</i> sp.
<i>Chroococcus dispersus</i>	<i>Glenodinium gymmodinium</i>
<i>Chroomonas acuta</i>	<i>Glenodinium gymmodinium</i>
<i>Closterium aciculare</i>	v. <i>biscutelliforme</i>
<i>Cocconeis</i> sp.	<i>Glenodinium oculatum</i>
<i>Coelastrum cambricum</i>	<i>Gloeocystis</i> sp.
<i>Coelastrum microporum</i>	<i>Golenkinia radiata</i>
<i>Coelastrum reticulatum</i>	<i>Gomphonema parvulum</i>
<i>Coelastrum reticulatum</i>	<i>Gomphosphaeria</i> sp.
v. <i>polychordon</i>	<i>Gymmodinium albulum</i>
<i>Coelastrum sphaericum</i>	<i>Gyrosigma fasciola</i> ?
<i>Coelosphaerium naegelianum</i>	<i>Hantzschia</i> sp.
<i>Coelosphaerium pallidum</i>	<i>Kirchneriella contorta</i>
<i>Coscinodiscus</i> sp.	<i>Lagerheimia</i> sp.
<i>Cosmarium clepsydra</i>	<i>Lepocinclis fusiformis</i> ?
v. <i>nanum</i>	<i>Lyngbya lagerheimii</i>
<i>Crucigenia apiculata</i>	<i>Mallomonas acaroides</i>
<i>Crucigenia crucifera</i>	<i>Mastogloia</i> sp.
<i>Crucigenia quadrata</i>	<i>Melosira ambigua</i>
<i>Crucigenia tetrapedia</i>	<i>Melosira distans</i>
<i>Crucigenia truncata</i>	<i>Melosira granulata</i>
<i>Cryptomonas erosa</i>	<i>Melosira granulata</i>
<i>Cryptomonas marssonii</i>	v. <i>angustissima</i>
<i>Cryptomonas reflexa</i>	<i>Melosira granulata</i>
<i>Cyclotella meneghiniana</i>	v. <i>angustissima</i> f. <i>spiralis</i>
<i>Cyclotella stelligera</i>	<i>Melosira italica</i>

Melosira varians
Merismopedia glauca
Merismopedia minima
Merismopedia tenuissima
Mesostigma viridis
Micractinium pusillum
Microcystis aeruginosa
Microcystis incerta
Mougeotia sp.
Navicula citreus ?
Navicula cuspidata
Navicula pygmaea
Nitzschia acicularis
Nitzschia apiculata
Nitzschia filiformis
Nitzschia hantzschiana
Nitzschia holsatica
Nitzschia longissima
 v. *reversa*
Nitzschia tryblionella
 v. *debilis*
Nitzschia vermicularis
Oocystis sp.
Oscillatoria agardhii
Oscillatoria limnetica
Pandorina morum
Pediastrum biradiatum
 v. *longecornutum*
Pediastrum boryanum
Pediastrum duplex
Pediastrum duplex
 v. *clathratum*
Pediastrum duplex
 v. *reticulatum*
Pediastrum simplex
Pediastrum simplex
 v. *duodenarium*
Pediastrum tetras
 v. *tetraodon*
Peridinium inconspicuum
Peridinium quadridens
Phacus acuminatus
Phacus acuminatus
 v. *dresepolskii*
Phacus caudatus
Phacus caudatus
 v. *minor*
Phacus curvicauda
Phacus helikoides
Phacus megalopsis
Phacus nordstedtii
Phacus pleuronectes

Phacus pseudonordstedtii
Phacus suecicus
Phacus tortus
Phormidium sp.
Pleurosigma delicatulum
Pteromonas aculeata
Raphidiopsis curvata
Rhizosolenia sp.
Rhodomonas ? *minuta*
Rhoicosphenia curvata
Scenedesmus abundans
Scenedesmus acuminatus
Scenedesmus arcuatus
Scenedesmus arcuatus
 v. *platydisca*
Scenedesmus balatonicus
Scenedesmus bicaudatus
Scenedesmus bijuga
Scenedesmus denticulatus
Scenedesmus dimorphus
Scenedesmus intermedius
Scenedesmus intermedius
 v. *bicaudatus*
Scenedesmus obliquus
Scenedesmus opoliensis
Scenedesmus protuberans
Scenedesmus quadricauda
Scenedesmus quadricauda
 v. *longispina* f. *granulatus*
Scenedesmus raciborskii
Schroederia setigera
Skeletonema potamos
Sphaerocystis schroeteri
Staurastrum leptocladum
Staurastrum tetracerum
Stephanodiscus astraea
 v. *minutula*
Surirella angusta
Surirella ovata
Synedra acus
Synedra delicatissima
Synedra delicatissima
 v. *angustissima*
Synedra ulna
Symura ? sp.
Tabellaria fenestrata
Tetraedron caudatum
 v. *longispinum*
Tetraedron constrictum
Tetraedron gracile
Tetraedron gracile
 v. *excavatum*

Tetraedron minimum
Tetraedron minimum
 v. *scrobiculatum*
Tetraedron muticum
Tetraedron trigonum
Tetraedron victoriae
Tetrastrum elegans
Tetrastrum glabrum
Tetrastrum heteracanthum
Tetrastrum staurogeniaeforme

Trachelomonas bulla ?
Trachelomonas fluviatilis
Trachelomonas hispida
Trachelomonas intermedia
Trachelomonas pulchella
Trachelomonas volvocina
Trachelomonas volvocina
 v. *compressa*
Treubaria setigerum
Treubaria triappendiculata

APPENDIX B. SUMMARY OF PHYTOPLANKTON DATA

This appendix was generated by computer. Because it was only possible to use upper case letters in the printout, all scientific names are printed in upper case and are not italicized.

The alphabetic phytoplankton lists include taxa without species names (e.g., EUNOTIA, EUNOTIA #1, FLAGELLATE, FLAGELLATES, MICROCYSTIS INCERTA ?, CHLOROPHYTAN COCCOID CELLED COLONY). When species determinations were not possible, symbols or descriptive phrases were used to separate taxa for enumeration purposes. Each name on a list, however, represents a unique species different from any other name on the same list, unless otherwise noted, for counting purposes.

Numbers were used to separate unidentified species of the same genus. A generic name listed alone is also a unique species. A question mark (?) is placed immediately after the portion of a name which was assigned with uncertainty. Numbered, questioned, or otherwise designated taxa were established on a lake-by-lake basis; therefore NAVICULA #2 from lake A cannot be compared to NAVICULA #2 from lake B. Pluralized categories (e.g., FLAGELLATES, CENTRIC DIATOMS, SPP.) were used for counting purposes when taxa could not be properly differentiated on the counting chamber.

LAKE NAME: ALTUS RES.
STORET NUMBER: 4001

NYGAARD TROPHIC STATE INDICES

DATE	03 29 74	06 10 74	10 24 74
MYXOPHYCEAN	1.50 E	2.00 E	3.00 E
CHLOROPHYCEAN	3.00 E	1.67 E	3.00 E
EUGLENOPHYTE	0.22 E	0.27 E	0.17 ?
DIATOM	0.50 E	0.40 E	0.60 E
COMPOUND	6.50 E	5.33 E	8.50 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	03 29 74	06 10 74	10 24 74
GENUS	65	18	14
SPECIES	90	63	06

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	03 29 74	06 10 74	10 24 74
AVERAGE DIVERSITY H	0.62	2.85	1.92
NUMBER OF TAXA S	24.00	32.00	26.00
NUMBER OF SAMPLES COMPOSITED M	2.00	3.00	3.00
MAXIMUM DIVERSITY MAXH	4.58	5.00	4.70
MINIMUM DIVERSITY MINH	0.04	0.14	0.05
TOTAL DIVERSITY D	4945.74	8438.85	14878.08
TOTAL NUMBER OF INDIVIDUALS/PL N	7977.00	2961.00	7749.00
EVENESS COMPONENT J	0.14	0.57	0.41
RELATIVE EVFNESS RJ	0.13	0.56	0.41
MEAN NUMBER OF INDIVIDUALS/TAXA L	332.38	92.53	298.04
NUMBER/ML OF MOST ABUNDANT TAXON K	7319.00	1330.00	4825.00

LAKE NAME: ALIUS RCS.
STURET NUMBER: 4061

CONTINUED

	03 29 74			06 10 74			10 24 74		
TAXA	FORM	IS	IC	ALGAL UNITS PER ML	IS	IC	ALGAL UNITS PER ML	IS	IC
AMABALMA	FIL	1		X	1	1.00	30		
AMABAENOPSIS CIRCULARIS	FIL	1							X
AMISTRUEDESMUS FALCATUS	CEL	1							X
AMISTRUEDESMUS FALCATUS V. ACICULARIS	CEL	1				2.00	60		
AMISTRUEDESMUS FALCATUS V. MIRABILIS	CEL	1		X	1				
APHANIZOUMENON FLOS-AQUAE	FIL	1		140	1	1.00	30		
ATTHEYA	CEL	1			1	1.00	30		
CARTERIA	CEL	121	1.90	155	121	6.20	242		
CENTRIC DIAIOMS	CEL	1						131	8.60
CERATIUM HIRUNDINELLA									667
F. FURCIFORMES	CEL	1					X		
CHLAMYDOMONAS	CEL	1					X		
CHLAMYDOMONAS ACUTA	CEL	130	2.90	232		9.20	272		0.70
CLOSTERIUM #1	CEL	1				3.10	91		0.70
CLOSTERIUM #2	CEL	1		X	1		X		
COELASTRUM MICROPORUM	CEL	1							X
COSCIINOUSCUS	CEL	1							X
COSMARIUM CLEPSTORA									
V. NANUM	CEL	1							X
CRUCIGENIA TETRAPEDIA	CEL	1		X					X
CRYPTOMONAS EROSA	CEL	1				1.00	30		
CRYPTOMONAS MAMMILLI	CEL	1					140	2.00	205
CRYPTOMONAS REFLEXA	CEL	1		X	1				
CYCLOTELLA	CEL	1					X		
CYCLOTELLA MNEGINIANA	CEL	1							X
CYMBELLA	CEL	1	0.50	30					
DACTYLOCOCCOPSIS	CEL	140	1.00	77					
DICTYOSPHAERIUM PULCHELLUM	CEL	1		X	1				
DIPLOPSALIS ACUTA	CEL	1					X		
ENTOMONIS	CEL	1		X	1				
EUGLENA	CEL	1		X	131	5.10	151		
FLAGELLATE #2	CEL	1		X	1	5.10	151		
FRAGILARIA	CEL	1		X	1				
FRAGILARIA CRUTOMENSIS	CEL	1		X	1				
GYMNOIDINIUM ALBULUM	CEL	1					X		
GYROSIGNA FASCIOLA ?	CEL	1							
LYNGBYA	FIL	1						2.60	205
MELOSTRA GRANULATA									
V. ANGUSTISSIMA	CEL	1		X	1				
MERISNUPEDIA MINIMA	CEL	1				7.20	212		X
MICROCYSTIS	CEL	1				8.20	242		
MICROCYSTIS INCERTA	CEL	1					X		
NAVICULA #1	CEL	1					1162.30	4825	
NAVICULA #2	CEL	1					1.30	103	
NETZSCHIA	CEL	1				1.00	30		
NETZSCHIA #1	CEL	1					X		
NETZSCHIA #5	CEL	1		X	1				
NETZSCHIA LONGISSIMA									
V. REVERSA	CEL	1						0.70	51
NETZSCHIA TRYBLIONELLA									
V. DIBILIS	CEL	1					X		
OOCYSTIS	CEL	1		X	1		X	0.70	51
OSCILLATORIA #1	FIL	1					12115.90	1232	
OSCILLATORIA #2	FIL	1					151	2.60	205
OSCILLATORIA AGARICII	FIL	11191.80		7319	11144.90		1330		
PEDIASTRUM DUPLEX									
V. CLATINATUM	CEL	1					X		
PHACUS	CEL	1					X		X
PHACUS CAUDATUS									
V. MINOR	CEL	1							X
PHACUS MURDSTEDTII	CEL	1	0.50	30					
SCENEDESMUS BALATONICUS	CEL	1		X	151	2.00	60		
SCENEDESMUS BIJUGA	CEL	1							X
SCENEDESMUS QUADRICAUDA	CEL	1	0.50	30			X		
STAUROSTRAUM	CEL	1		X	1		X		
STEPHANODISCUS	CEL	150	1.00	77					
SYNEURA DELICATISSIMA									
V. ANGUSTISSIMA	CEL	1					X	1.30	103
SYNEURA ULNA	CEL	1					X		
TETRAEDRUM MINIMUM									
V. SCROICULATUM	CEL	1							X
TRACHELOMONAS PULCHELLA	CEL	1					X		
TOTAL				7977			2961		7749

LAKE NAME: ARBUCKLE LAKE
STORE NUMBER: 4002

NYGAARD TROPHIC STATE INDICES

DATE	03 30 74	06 12 74	10 23 74
MYXOPHYCEAN	0/04 D	0.83 E	1.29 E
CHLOROPHYCEAN	1.50 E	0.83 E	1.86 E
EUGLENOPHYTE	0.33 E	0.50 E	0.36 E
DIATOM	0.62 E	5.00 E	0.50 E
COMPOUND	3.25 E	3.33 E	4.71 E

PALMER'S URGANIC POLLUTION INDICES

DATE	03 30 74	06 12 74	10 23 74
GENUS	12	01	07
SPECIES	09	00	04

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	03 30 74	06 12 74	10 23 74
AVERAGE DIVERSITY H	0.98	3.08	4.33
NUMBER OF TAXA S	30.00	38.00	54.00
NUMBER OF SAMPLES COMPOSITED M	3.00	4.00	4.00
MAXIMUM DIVERSITY MAXH	4.91	5.25	5.75
MINIMUM DIVERSITY MINH	0.03	0.34	0.49
TOTAL DIVERSITY D	13287.82	3973.20	5429.82
TOTAL NUMBER OF INDIVIDUALS/ML N	13559.00	1290.00	1254.00
EVENESS COMPONENT J	0.20	0.59	0.75
RELATIVE EVENESS RJ	0.20	0.56	0.74
MEAN NUMBER OF INDIVIDUALS/TAXA L	451.97	33.95	23.22
NUMBER/ML OF MOST ABUNDANT TAXON K	11709.00	430.00	164.00

TAXA	FORM	02 30 74				06 12 74				10 23 74			
		IS		ZC		IS		ZC		IS		ZC	
				ALGAL UNITS PER ML				ALGAL UNITS PER ML				ALGAL UNITS PER ML	
ANABAENA	FIL												
ANABAENA #1	FIL					151	7.41	95		141	7.81	98	
ANKISTHODESMUS FALCATUS													
V. MIRABILIS	CEL			1.1	150								
APHANIZOEMON FLOS-AQUAE	FIL							X				X	
ASTERIONELLA FORMOSA	CEL				X								
CARTERIA	CEL										1.31	16	
CERATIUM HIRUNDINELLA													
F. BRACHYCERAS	CEL							X			1.31	16	
CHLAMYDOMONAS	CEL						3.71	48					
CHLOROPHYTUM COCCOID CELLUL COLONY	COL							X					
CHROOONAS ACUTA	CEL	151	3.31	450						7.81	98		
CLOSTERIUM	CEL			0.4	50		3.71	48		2.81	33		
CLOSTERIUM ACICULARE	CEL				X			X				X	
COELASTRUM MICROPORUM	COL							X		1.31	16		
COELASTRUM RETICULATUM	COL									3.91	49		
COELOSPHAERIUM MAEGELIANUM	CEL							X				X	
COELOSPHAERIUM PALLIUM	COL									1.31	16		
COSMARIUM	CEL							X				X	
COSMARIUM #2	CEL				X		3.71	48					
COSMARIUM CLEPSTORA													
V. NANUM	CEL										1.31	16	
CRUCIGENIA TETRAPLIDIA	COL										2.81	33	
CRYPTONONAS	CEL										3.91	49	
CRYPTONONAS ERUSA	CEL	141	1.81	250		131	11.11	143					
CYCLOTELLA MEMPHINIANA	CEL	121	3.31	450									
CYCLOTELLA STELLIGERA	CEL						3.71	48					
CYMATOPLEURA SOLIDA	CEL							X					
CYNBELLA	CEL											X	
DIATURA VULGARI	CEL				X								
GICTYOSPHAERIUM PULCHELLUM	COL									1.31	16		
DIMORPHUM DIVERGENS	CEL							X					
DIPLOMEIS	CEL				X								
DIPLOPSALIS ACUTA	CEL							X		1.31	16		
ELAKATOTMIX	CEL											X	
ELAKATOTMIX GELATINOSA	CEL							X					
EUAETIUM	CEL							X				X	
EUGLENA #1	CEL							X				X	
EUGLENA #2	CEL							X		1.31	16		
EUGLENA #3	CEL											X	
EUGLENA #4	CEL											X	
FRAGILARIA	CEL				X								
GLENODINIUM GYMNODINIUM													
V. BISCUTELLIFORME	CEL							X					
GLENODINIUM OCULATUM	CEL							X					
GYMNODINIUM ALBULUM	CEL											X	
GYROSIGMA	CEL				X								
LYNGBYA	FIL										1.31	16	
MALLONONAS ACAROIDES	CEL				X							X	
MELOSIRA	CEL			0.4	50		3.71	48		151	5.21	65	
MELOSIRA DISTANS	CEL	1186.4		11709		12133.31		430		12110.41		131	
MELOSIRA VARIANS	CEL				X								
MERTSMOPEIDIA MINIMA	COL											X	
MESOSTIGMA VIRIDIS	CEL							X					
MICROCYSTIS AERUGINOSA	COL							X					
MICROCYSTIS INCERTA	COL						3.71	48		3.91	49		
MOUGECTIA	FIL						7.41	95				X	
NAVICULA	CEL											X	
NAVICULA #1	CEL				X								
NAVICULA #2	CEL			0.4	50								
NETZSCHIA #1	CEL										1.31	16	
NOCTYSIS	CEL				X			X		1113.11		104	
OSCILLATORIA	FIL											X	
PEDIASTRUM EORTANUM	COL				X								
PEDIASTRUM DUPLEX													
V. ?	COL				X								
PEDIASTRUM SIMPLEX													
V. GUUDENARIUM	COL				X	1114.81		191		131	5.21	65	
PENNATE DIATOM	CEL											X	
PERIDINIUM #1	CEL				X								
PERIDINIUM #2	CEL				X								
PERIDINIUM INCONSPICUUM	CEL							X					
PHACUS	CEL											X	
PHACUS ACUMINATUS	CEL							X					
PHACUS CURVICAUDA	CEL				X								
PHACUS MELIROIDES	CEL											X	
PHACUS MEGALOPSIS	CEL											X	
SCENEDESMUS AEGUATUS	COL											X	
SCENEDESMUS BALATONICUS	COL											X	
SCENEDESMUS DENTICULATUS	COL									5.21	65		
SCENEDESMUS INTERMEDIUS	COL									1.31	16		
SCENEDESMUS QUADRICAUDA	COL	131	1.51	200				X		5.21	65		

LAKE NAME: ARBUCALE LAKE
 STORE NUMBER: 4002

CONTINUED

TAXA	05 30 74				06 12 74				10 23 74			
	ALGAL				ALGAL				ALGAL			
	IS	XC	PER ML	IS	XC	PER ML	IS	XC	PER ML	IS	XC	PER ML
STAUASTRUM	CEL	1	0.71	100	1	1	X	1	1	1		1
STAUASTRUM LEPTOCLADUM	CEL	1	1		1	1		1	1	1	X	1
STAUASTRUM TETRACIUM	CEL	1	1		1	1		1	1	1	X	1
STEPHANODISCUS	CEL	1	1		1	1	X	1	1	1		1
STEPHANODISCUS ASTRAEA	CEL	1	1		1	1		1	1	1		1
V. MINUTULA	CEL	1	0.41	90	141	3.71	48	1	2.61	33		1
SUMIRELLA	CEL	1	1		1	1		1	1	1	X	1
SYNEDRA DELICATISSIMA	CEL	1	1		1	1		1	5-21	65		1
SYNEDRA ULNA	CEL	1	1	X	1	1		1	1	1		1
TETRAEDRUM MINIMUM	CEL	1	1		1	1		1	1	1		1
V. SCHUBICULATUM	CEL	1	1		1	1		1	1.31	16		1
TRACHELOHUMAS FLUVIATILIS	CEL	1	1		1	1	X	1	1	1		1
TRACHELOHUMAS HISPIDA	CEL	1	0.41	90	1	1	X	1	1	1		1
TRACHELOHUMAS INTERMEDIA	CEL	1	1		1	1		1	1	1	X	1
TOTAL				13559			1290			1254		

LAKE NAME: LAKE ELLSWORTH
 STORE NUMBER: 4003

NYGAARD TROPHIC STATE INDICES

DATE	04 01 74	06 10 74	10 24 74
MYXOPHYCEAN	1.00 E	1.67 E	3.00 E
CHLOROPHYCEAN	9.00 E	4.00 E	12.0 E
EUGLENOPHYTE	0.10 ?	0.41 E	0.20 ?
DIATOM	1.33 E	03/0 E	1.50 E
COMPOUND	15.0 E	9.00 E	21.0 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	04 01 74	06 10 74	10 24 74
GENUS	05	10	01
SPECIES	03	03	00

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	04 01 74	06 10 74	10 24 74
AVERAGE DIVERSITY	M 2.10	3.02	1.89
NUMBER OF TAXA	S 26.00	42.00	29.00
NUMBER OF SAMPLES COMPOSITED	M 2.00	4.00	4.00
MAXIMUM DIVERSITY MAXH	4.70	5.39	4.86
MINIMUM DIVERSITY MINH	0.07	0.12	0.16
TOTAL DIVERSITY	D 10777.20	14541.30	4023.81
TOTAL NUMBER OF INDIVIDUALS/ML	N 5132.00	4815.00	2129.00
EVENESS COMPONENT	J 0.45	0.56	0.39
RELATIVE EVENESS	KJ 0.44	0.56	0.37
MEAN NUMBER OF INDIVIDUALS/TAXA	L 197.38	114.64	73.41
NUMBER/ML OF MOST ABUNDANT TAXON	K 2532.00	1605.00	1352.00

TAXA	FORM	04 01 74			06 10 74			10 24 74		
		IS		ALGAL	IS		ALGAL	IS		ALGAL
		IS	SC	UNITS PER ML	IS	SC	UNITS PER ML	IS	SC	UNITS PER ML
ACTINASTRUM Hantzschii	CEL									X
V. FLUVIATILE	FIL						X			
AMARANTHA										
AMNISTRODESUS FALCATUS	CEL		113.2	675		3.9	188		1.4	29
V. MIRABILIS	FIL					2.3	113			
APHANIZOEMON FLOS-AQUAE	COL						X			
APHANOTHECE	CEL					1137.3	1805		1163.5	1322
CARTERIA										
CERATIUM HIPUDINELLA	CEL						X			X
V. BRACHYTERAS	CEL					12116.4	790			
CHLARTODONAS	COL					5.8	38			
CHLOROCUCCALEAN COLONY #9	CEL					5.8	38			
CHLOROPHYTAN COCCOID CELL	COL			X						
CHLOROPHYTAN LUNATE CELLED COLONY	CEL									
CHLORODONAS ACUTA	CEL		12149.3	2532		2.3	113		5.4	115
CLOSTERIUM #1	CEL						X			
CLOSTERIUM #2	CEL						X			
COELASTRUM MICROFORUM	COL			X		0.8	38		1.4	29
COSMARION CLESTORA										
V. NANUM	CEL									X
CRUCIGENIA CRUCIFERA	COL									X
CRUCIGENIA QUADRATA	COL			X						
CRUCIGENIA TRUNCATA	COL						X			
CRYPTONUMAS EROSA	CEL			X		1311.7	564		2.7	58
CRYPTONUMAS MARSSONII	CEL			X						
CRYPTONUMAS REFLEXA	CEL			X						
CRYPTONUMAS SPP.	CEL		1121.0	1180						
CYDRELLA	CEL			X						X
DACYLOCCOPUS	CEL									X
DICTYOSPHAERIUM PULCHELLUM	COL			X			X			
DIPLOPSALLIS ACUTA	CEL						X			
EUAETRUM	CEL			X			X			
EUGLENA	CEL						X			X
EUGLENA EHRENBERGII	CEL						X			
EUGLENA TRIPYTERIS	CEL						X			X
FLAGELLATE	CEL					3.9	188			
FRAGILARIA	CEL									X
GLENODINIUM	CEL		0.7	34						
GLENODINIUM GYMNODINIUM										
V. DISCUTELLIFORME	CEL						X			
HELOSIRA	CEL					1.6	75			
HELOSIRA AMBIGUA	CEL			X						
HELOSIRA DISTANS	CEL		4.0	203		1.6	75			
HELOSIRA GRANULATA	CEL		2.6	135					110.8	230
HERISROPEDIA MINIMA	COL								1.4	29
HESOTIGNA VIRIDIS	CEL					1.6	75			X
MICROCYSTIS INCERTA	COL					1.6	75			
MOUGEOTIA	FIL						X			
NAVICULA	CEL			X						
NUCTISTIS	CEL			X					4.0	86
OSCILLATORIA	FIL			X						X
OSCILLATORIA LIMNETICA	FIL					0.8	38			
PEDIASTRUM DUPLEX										
V. CLATHRATUM	COL									X
PEDIASTRUM DUPLEX										
V. RETICULATUM	COL						X			
PEDIASTRUM TETRAS										
V. TETRAODON	COL						X			X
PERIDINIUM QUADRICENS	CEL						X			
PHACUS	CEL									X
PHACUS ACUMINATUS										
V. DREZEPOLSKII	CEL					1.6	75			
PHACUS CURVICAUDA	CEL						X			
PHACUS TURFUS	CEL						X			
SCENEDESMUS BICAUDATUS	COL									X
SCENEDESMUS BIJUGA	COL						X			X
SCENEDESMUS DENTICULATUS	COL									X
SCENEDESMUS INTERNEDIUS										
V. BICAUDATUS	COL			X						
SCHROEDERIA SETIGERA	CEL						X			
STEPHANODISCUS	CEL			X					9.4	201
STEPHANODISCUS ASTRAEA										
V. MINUTULA	CEL									
SYNECHA	CEL		7.9	405						
TETRAEDRUM CONSTRICTUM	CEL									X
TETRAEDRUM GRACILE	CEL						X			
TETRAEDRUM MUTICUM	CEL					1.8	38			
TETRASTRUM ELEGANS	COL									
TETRASTRUM STAUROGENIAEFORME	COL			X						X
TRACHELONUMAS	CEL		1.3	68						
TRACHELONUMAS MISPIDA	CEL						X			
TREUBARIA SETIGERUM	CEL			X			X			
TOTAL				5132			4615			2129

LAKE NAME: LAKE EUFAULA
 STUPEI NUMBER: 4004

NYGAARD TROPHIC STATE INDICES

DATE	04 01 74	06 31 74	08 28 74	10 21 74
MYXOPHYCEAN	01/0 E	1.00 E	4.50 E	7.00 E
CHLOROPHYCEAN	04/0 E	4.50 E	4.50 E	8.00 E
EUGLENOPHYTE	0.20 ?	0.55 E	0.28 E	0.13 ?
DIATOM	2.50 E	05/0 E	2.00 E	1.00 E
COMPOUND	11/0 E	11.0 E	14.5 E	22.0 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	04 01 74	06 31 74	08 28 74	10 21 74
GENUS	08	05	03	05
SPECIES	03	00	00	00

SPECIES DIVERSITY AND ABUNDANCE INDICES

	DATE	04 01 74	06 31 74	08 28 74	10 21 74
AVERAGE DIVERSITY	H	3.11	3.05	2.77	2.14
NUMBER OF TAXA	S	15.00	31.00	36.00	34.00
NUMBER OF SAMPLES COMPOSITED	M	9.00	1.00	9.00	9.00
MAXIMUM DIVERSITY	MAXH	3.91	4.95	5.25	5.09
MINIMUM DIVERSITY	MINH	0.11	0.26	0.23	0.22
TOTAL DIVERSITY	D	4626.72	4161.55	5506.76	3971.84
TOTAL NUMBER OF INDIVIDUALS/ML	N	1552.00	1371.00	1988.00	1856.00
EVENESS COMPONENT	J	0.80	0.62	0.53	0.42
RELATIVE EVENESS	RJ	0.79	0.60	0.51	0.40
MEAN NUMBER OF INDIVIDUALS/TAXA	L	103.47	44.23	52.32	54.59
NUMBER/ML OF MOST ABUNDANT TAXON	K	355.00	351.00	891.00	817.00

LAKE NAME: LAKE EUPAULA
STUPEL NUMBER: 4004

CONTINUED

TAXA	FORM	04 01 74			06 31 74			08 28 74			10 21 74		
		IS	SC	ALGAL UNITS PER ML	IS	SC	ALGAL UNITS PER ML	IS	SC	ALGAL UNITS PER ML	IS	SC	ALGAL UNITS PER ML
ACTINASTRUM	CEL					2.11	29						X
AMABAENA #1	FIL												X
AMABAENA #3	FIL						X	151	3.51	69			
AMABAENOPSIS	FIL								1.71	34			
ANKISTRUESMUS	CEL						X						
ANKISTRUESMUS FALCATUS													
V. MIRABILIS	CEL		5.71	89									
APHANIZUMENON	FIL					2.11	29		1.71	34			X
BOTRYOCOCCUS BRAUNII	COL									X			
CARTERIA	CEL					4.21	58						X
CENTRIC DIATOM	CEL					4.21	58						X
CERATJUM HIRUNDINELLA											14116.01		297
F. BRACHYCERAS	CEL									X			
CHLAMYDOMONAS	CEL					6.41	88		1.71	34	12120.01		371
CHRUONONAS ACUTA	CEL	12122.91		355	12125.61		351	14110.41		206	11144.01		817
CHRYSOPHYTAN CELL #9	CEL						X						X
CLOSTERIUM	CEL						X			X			X
COELASTRUM MICROPORUM	COL				141	4.21	58			X			X
COSMARJUM	CFL						X						
COSMARJUM CLEPSYDRA													
V. HAMM	CEL									X			
CRYPTICUMNAS	CEL	151	2.81	44						X			
CRYPTICUMNAS EROSA	CEL				111	19.21	263				13112.01		223
CYCLOTELLA	CEL		8.61	133									
CYMBELLA	CEL												X
EUDORINA ELEGANS	COL												X
EUGLENA	CEL		2.81	44									
EUGLENA #1	CEL						X			X			X
EUGLENA #2	CEL						X						
EUGLENA #3	CEL						X						
FRAGILARIA CROTONENSIS	CEL									X			
GLENODINIUM OCULATUM	CEL						X						
GORPMONEMA	CEL												X
GORPMUSPHERIA	CEL									X			
LYNGBYA	FIL								1.71	34			
LYNGBYA LAGERHEIMII	FIL									X			X
MELOSIRA DISTANS	CEL	13117.11		466	151	4.21	58	13117.41		206	151	5.31	99
MELOSIRA GRANULATA	CEL			X			X	11144.81		891			X
MELOSIRA GRANULATA													
V. ANGUSTISSIMA	CEL			X						X			X
MELOSIRA GRANULATA													
V. ANGUSTISSIMA F. SPIRALIS	CEL									X			
MELOSIRA VARIANS	CFL									X			
MERISNOPEUTIA MINIMA	CUL												X
MICROCYSTIS AERUGINOSA	COL												X
MICROCYSTIS INCERTA	COL							1.71		34			
NAVICULA	CEL			X									X
NITZSCHIA	CEL		2.81	44									X
NITZSCHIA #1	CEL									X	2.61		49
OOCYSTIS	CEL									X			
OSCILLATORIA	FIL									X			
OSCILLATORIA #1	FIL			X				1.71		34			X
OSCILLATORIA #2	FIL												X
PEDIASTRUM DUPLEX													
V. RETICULATUM	COL						X			X			
PEDIASTRUM SIMPLEX													
V. QUODENARIUM	COL						X						
PHACUS	CEL						X						
PIERUMONAS	CEL												
SCENEDESMUS ACUMINATUS	COL	141	5.71	89									
SCENEDESMUS DENTICULATUS	COL									X			
SCENEDESMUS OGNOPHUS	COL					2.11	29						X
SCENEDESMUS INTERMEDIUS	COL	111	17.11	266									X
SCENEDESMUS OPOLIENSIS	COL						X						X
SCENEDESMUS QUADRILAMMA	COL									X			X
SCHPODERIA SETIGERA	CEL					2.11	29		3.51	69			X
SKELETUMENA POTAMUS	CEL		5.71	89		2.11	29						X
SPHAEROCYSTIS SCHNUETERI	COL												X
STEPHANODISCUS	CEL				131	21.31	292						
STEPHANODISCUS ASTRAEA													
V. MINUTULA	CEL							12112.11		240			
SYNEDRA	CEL							3.51		69			
TETRAEDROM MINIMUM	CEL							1.71		34			
TETRASTRUM STAUROGEMIAEFORME	COL		8.61	133			X						
TRACHELUMONAS	CEL												X
TRACHELUMONAS #2	CEL									X			
TRACHELUMONAS #3	CEL									X			
TRACHELUMONAS INTERMEDIA	CEL						X			X			
TRACHELUMONAS VOLVOICINA	CEL						X			X			
TREUBARIA	CEL									X			
TOTAL				1552			1371			1988			1854

LAKE NAME: FT. COBB RES.
STORE NUMBER: 4005

NYGAARD TROPHIC STATE INDICES

DATE	04 01 74	06 11 74	10 24 74
MYXOPHYCEAN	1.67 E	1.60 E	1.50 E
CHLOPOPHYCEAN	4.33 E	3.20 E	2.00 E
EUGLENOPHYTE	0.39 E	0.37 E	0.38 E
DIATOM	0.50 E	3.00 E	4.00 E
COMPOUND	9.67 E	7.80 E	5.50 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	04 01 74	06 11 74	10 24 74
GENUS	05	07	05
SPECIES	03	03	00

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	04 01 74	06 11 74	10 24 74
AVERAGE DIVERSITY H	1.98	3.64	3.38
NUMBER OF TAXA S	45.00	54.00	45.00
NUMBER OF SAMPLES COMPOSITED M	3.00	3.00	3.00
MAXIMUM DIVERSITY MAXH	5.49	5.75	5.49
MINIMUM DIVERSITY MINH	0.12	0.14	0.38
TOTAL DIVERSITY D	10054.44	18294.64	4674.54
TOTAL NUMBER OF INDIVIDUALS/ML N	5078.00	5026.00	1383.00
EVENESS COMPONENT J	0.36	0.63	0.62
RELATIVE EVENESS RJ	0.35	0.63	0.59
MEAN NUMBER OF INDIVIDUALS/TAXA L	112.84	93.07	30.73
NUMBER/ML OF MOST ABUNDANT TAXON K	2443.00	1138.00	268.00

LAKE NAME: FT. CLOD RES.
STATION NUMBER: 4605

CONTINUED

TAXA	FORM	04 01 74			06 11 74			10 24 74		
		ALGAL			ALGAL			ALGAL		
		IS	XC	PER ML	IS	XC	PER ML	IS	XC	PER ML
ACTINASTRUM GRACILIMUM	CEL			X						
ANABAENA	FIL				1.4	69				X
ANABAENA #1	FIL						14	6.1		112
ANKISTRODESMUS FALCATUS	CEL				1.4	69				
ANKISTRODESMUS FALCATUS										
V. ACICULARIS	CEL	151	2.51	120						
APHANIZOENOM FLOS-AQUAE	FIL			X	0.7	34		1.6		22
BOTRYOCOCCUS BRAUNII	COL			X						X
CARTERIA	CEL				22.6	1138		1.6		22
CENTRIC DIATOM	CEL	1148.1		2443						
CERATIUM HIRUNDINELLA										
F. BRACHYCERAS	CEL									X
CHLOROCOCCALEAN COLONY #9	CEL				2.0	103				
CHLOROPHYTUM FLAGELLATED COLONY	COL									
CHROOCOCCUS	COL									
CHROOMONAS ACUTA	CEL	12135.4		1800	15115.4	793	15119.4		268	
CLOSTERIUM #1	CEL			X						
CLOSTERIUM #2	CEL			X	0.7	34				
CLOSTERIUM #3	CEL									X
CLOSTERIUM #4	CEL						3.3			45
CLOSTERIUM #5	CEL									X
COELASTRUM	COL			X						
COELASTRUM MICROPORUM	COL									X
COELASTRUM RETICULATUM										
V. POLYCHROMOM	COL						1.6			22
COELOSPHAERIUM MARGELIANUM	COL									
COELOSPHAERIUM PALLIDUM	COL	1.3		64			8.1			112
COSCIINUISCUS	CEL						12119.4			268
COSMARIUM #1	CEL									
COSMARIUM #2	CEL									X
COSMARIUM #3	CEL									X
CRUCIGENIA	COL				7.7	34				
CRUCIGENIA TETRAPELIA	CEL			X						
CRYPTOCODAS	CEL						3.3			45
CRYPTOCODAS EROSA	CEL	13	3.0	193	12115.1	758				
CYCLOTELLA	CEL									
CYRATOPLEURA SOLER	CEL			X						
CYMBELLA	CEL									
CYST	CEL			X						
DACTYLOCOCCOPSIS	CEL	1.3		64						
DICTYOSPHAERIUM PULCHELLUM	COL			X			1.6			22
DIMOBRYUM DIVERGENS	CEL	14	3.2	101						
ELAKATONNIX GELATINOSA	CEL				4.1	207				
EUDORINA ELEGANS	COL									
EUGLENA #1	CEL									
EUGLENA #2	CEL									
EUGLENA #3	CEL									X
EUGLENA #4	CEL									X
EUGLENA ACUS	CEL			X						X
EUGLENA EHRENBERGII	CEL									
EUGLENA GRACILIS	CEL			X						
EUGLENA ORYXIS										
V. MINOR	CEL			X						X
EUGLENA SUBEHRENBERGII	CEL									X
EUGLENA TRIPTERIS	CEL			X						
FRAGILARIA	CEL			X						
GLENODINIUM GYMNODINIUM	CEL				0.7	34				
GLENODINIUM GYMNODINIUM										
V. DISCUTELLIFORME	CEL									X
GLENKINIA	CEL									X
GYROSIGMA ?	CEL			X						
KIRCHNERIELLA CONTORTA	COL				0.7	34				
LEPOCINCLIS	CEL									X
MELOSIRA DISTANS	CEL				6.2	310				X
MELOSIRA GRANULATA	CEL			X	0.7	34				X
MELOSIRA GRANULATA										
V. ANGUSTISSIMA	CEL	3.6		32						X
NEIRISNOPEDIA MINIMA	COL						1.6			22
NEIRISNOPEDIA TENUISSIMA	COL				1.4	69				
NEOSIGMA VIRIDIS	CEL				0.7	34				
MICROCYSTIS AERUGINOSA	COL									X
MICROCYSTIS INCERTA	COL				0.7	34		1.6		22
NAVICULA	CEL			X						
NITZSCHIA	CEL	1.3		64				1.6		22
NITZSCHIA VERNICULARIS	CEL			X						
NOCTYSIS	CEL	0.6		32	2.0	103				
OSCILLATORIA #1	FIL			X			11	17.8		246
OSCILLATORIA #2	FIL									X
OSCILLATORIA LIMNETICA	FIL			X						
PEDIASTRUM DUPLEX										
V. RETICULATUM	COL			X	0.7	34				

TAXA	FORM	04 01 74			06 11 74			10 24 74		
		ALGAL			ALGAL			ALGAL		
		IS	XC	PER ML	IS	XC	PER ML	IS	XC	PER ML
PEDIASTRUM SIMPLEX										
V. DUODENARIUM	COL			X			X	131	6.41	89
PERIDINIUM INCONSPICUUM	CEL			X						
PHACUS	CEL									X
PHACUS CURVICAUDA	CEL			X			X			
PHACUS HELIODES	CEL			X					1.61	22
PHACUS MEGALOPSIS	CEL			X						
PHACUS PSEUDOMOROSTEDTII	CEL					0.71	34			
PHACUS TURIDUS	CEL						X			
SCENEDESMUS ARCUATUS	COL									X
SCENEDESMUS BALATONICUS	COL									X
SCENEDESMUS BIJUGA	COL					0.71	34			
SCENEDESMUS QUADRICAUDA	COL		0.61	32		0.71	34			
SCHROEDERIA SETIGERA	CEL					3.41	172			X
SAPLETONERA POTAMOS	CEL					3.41	172			
SPHAEROCTYSTIS SCHAGETERI	COL			X		1.41	69		1.61	22
STAUROSTRUM #1	CEL			X						
STAUROSTRUM #2	CEL						X			
STAUROSTRUM LEPTODIADUM										
V. ?	CEL									X
STEPHANODISCUS ASTRALA										
V. MINUTULA	CEL			X		131	11.01	552		
SYNEDRA ACUS	CEL		0.61	32						
SYNEDRA ULNA	CEL			X						
TETRAEDROM GRACILE	CEL			X		0.71	34			
TETRAEDROM GRACILE										
V. EXCAVATUM	CEL									X
TETRASTRUM ELEGANS	COL		0.61	32						
TOTAL				5078			5026			1383

LAKE NAME: FORT SUPPLY RES.
 STORE NUMBER: 4CC6

NYGAARD TROPHIC STATE INDICES

DATE	03 29 74	06 10 74	10 24 74
MYXOPHYCEAN	1.50 E	0.50 E	1.33 E
CHLOROPHYCEAN	4.50 E	3.25 E	4.67 E
EUGLENOPHYTE	0.27 E	0.20 ?	0.28 E
DIATOM	0.43 E	0.40 E	0.29 ?
COMPOUND	8.50 E	5.00 E	8.33 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	03 29 74	06 10 74	10 24 74
GENUS	14	06	16
SPECIES	03	03	03

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	03 29 74	06 10 74	10 24 74
AVERAGE DIVERSITY H	2.74	2.63	3.38
NUMBER OF TAXA S	31.00	33.00	39.00
NUMBER OF SAMPLES COMPOSITED M	2.00	2.00	2.00
MAXIMUM DIVERSITY MAXH	4.95	5.04	5.29
MINIMUM DIVERSITY MINH	0.07	0.23	0.19
TOTAL DIVERSITY D	17067.46	4484.15	6416.20
TOTAL NUMBER OF INDIVIDUALS/ML N	6229.00	1705.00	2490.00
EVENESS COMPONENT J	0.55	0.52	0.64
RELATIVE EVENESS RJ	0.55	0.50	0.63
MEAN NUMBER OF INDIVIDUALS/TAXA L	200.94	51.67	63.85
NUMBER/ML OF MOST ABUNDANT TAXON K	3098.00	682.00	557.00

LAKE NAME: FORT SUPPLY RES.
STOCK NUMBER: 4006

CONTINUED

TAXA	FORM	03 29 74				06 10 74				10 24 74			
				ALGAL UNITS PER ML				ALGAL UNITS PER ML				ALGAL UNITS PER ML	
		IS	2C			IS	2C			IS	2C		
AMNISTRUGESMUS	CEL		1.1	70									
AMNISTRUGESMUS FALCATUS	CEL					151	8.6	166		1	2.4	59	
APHANIZOENUM ?	FIL											X	
CARTERIA	CEL											X	
CHLANTOMONAS	CEL					131	14.3	243		121	14.1	352	
CHROOMONAS	CEL			X									
CHROOMONAS ACUTA	CEL		5.7	352		141	11.4	195		151	10.6	264	
CLOSTERIUM	CEL	151	1.1	70									
CLOSTERIUM #1	CEL			X				X			1.2	29	
CLOSTERIUM ACICULARE	CEL							X			1.2	29	
COELASTRUM MICROPURUM	COL			X				X				X	
COELOSPHAERIUM ? PALLIDUM	COL						2.9	49					
COSMARIUM	CEL											X	
COSMARIUM #1	CEL							X					
COSMARIUM #2	CEL							X					
CRUCIGEMIA QUADRATA	CEL		1.1	70							4.7	117	
CRYPTOMONAS	CEL							X			2.4	59	
CRYPTOMONAS EROSA	CEL		0.6	35									
CRYPTOMONAS REFLEXA	CEL		0.6	35									
CYCLOTELLA HEMEGNIANA	CEL		5.7	352									
CYMBELLA #1	CEL			X									
CYMBELLA #2	CEL			X									
DACTYLOCOCCOPSIS	CEL		2.3	141									
DIATOMA	CEL			X									
DICTYOSPHAERIUM PULCHELLUM	COL											X	
DIPLOEIS SMITHII													
F. ELLIPTICA ?	CEL	141	2.3	141				X			1.2	29	
DIPLOPSALIS ACUTA	CEL							X					
FLAATUTIMIA	COL		0.6	35									
FLAATUTIMIA GELATINOSA	CEL							X					
EUGLENA	CEL							X					
EUGLENA #1	CEL			X									
EUGLENA ORYOMIS													
V. MINOR	CEL											X	
EUGLENA TRIPTERIS ?	CEL											X	
FLAGELLATE #2	CEL		1.7	106									
FRAGILARIA	CEL											X	
KIRCHNERIELLA	CEL	114	9.7	3098								X	
KIRCHNERIELLA COMTUTA	COL						5.7	97					
MELOSIRA	CEL											X	
MELOSIRA GRANULATA	CEL			X									
MELOSIRA GRANULATA													
V. ANGUSTISSIMA	CEL		1.1	70				X					
NERISPOEDIA TENUISSIMA	COL							X					
MICROCYSTIS AERUGINOSA	COL											X	
MICROCYSTIS INCERTA	COL	121	10.2	634						131	15.3	381	
NITZSCHIA	CEL										1.2	29	
NITZSCHIA #1	CEL										1.2	29	
NITZSCHIA #2	CEL						2.9	49				X	
NITZSCHIA #3	CEL							X					
NITZSCHIA ACICULARIS	CEL		1.1	70									
NITZSCHIA FILIFORMIS	CEL			X									
NITZSCHIA LONGISSIMA													
V. REVERSA	CEL							X					
NITZSCHIA TRYBLIUMELLA													
V. DEBILIS	CEL							X					
ODCYSTIS	CEL	131	7.9	493		114	10.3	682		141	14.1	352	
OSCILLATORIA	FIL		6.8	422									
OSCILLATORIA AGARCHII	FIL										2.4	59	
PEDIASTHUM BRYANUM	COL							X				X	
PEDIASTHUM DUPLEX													
V. RETICULATUM	COL							X				X	
PENNATE DIATOM	CEL											X	
PHACUS	CEL							X			1.2	29	
PHACUS #2	CEL			X									
PHACUS ACUMINATUS	CEL			X									
PHACUS MELIODES	CEL											X	
PHACUS REGALOPSIS	CEL							X					
PLEUROSIGMA	CEL			X									
SCENEDESAMUS ARCUATUS													
V. PLATYDISCA	COL											X	
SCENEDESAMUS INTERMEDIUS	COL							X				X	
SCENEDESAMUS PROTUBERANS	COL							X					
SCENEDESAMUS QUADRICAUDA	COL			X				X					
SCENEDESAMUS RACIBORSKI	COL										1.2	29	
SCENODIERIA SETIGERA	CEL		0.6	35			2.9	49			1.2	29	
SPHAEROCTYSTIS SCHRGETERI	COL							X			1.2	29	
STEPHANODISCUS ASTRAEA													
V. MINUTULA	CEL					121	11.4	195		111	22.4	557	
SYNEOPA ULMA	CEL											X	
TETRASTRUM STAUROGLENIAEFORNE	COL							X			1.2	29	
TRACHELUMONAS INTERMEDIA	CEL											X	
TOTAL				6229				1705				2490	

LAKE NAME: FOSS DAM RES.
STORE NUMBER: 4007

MYGAARD TROPHIC STATE INDICES

DATE	03 29 74	06 10 74	10 24 74
MYXOPHYCEAN	06/0 E	4.50 E	2.50 E
CHLOROPHYCEAN	05/0 E	4.50 E	2.50 E
EUGLENOPHYTE	0.27 E	0.28 E	0.10 ?
DIATOM	0.40 E	0.50 E	0/01 ?
COMPOUND	18/0 E	12.5 E	5.50 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	03 29 74	06 10 74	10 24 74
GENUS	12	07	05
SPECIES	03	00	00

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	03 29 74	06 10 74	10 24 74
AVERAGE DIVERSITY H	2.72	2.97	1.35
NUMBER OF TAXA S	30.00	37.00	16.00
NUMBER OF SAMPLES COMPOSITED M	2.00	3.00	3.00
MAXIMUM DIVERSITY MAXH	4.91	5.21	4.00
MINIMUM DIVERSITY MINH	0.13	0.34	0.06
TOTAL DIVERSITY D	7591.52	3670.92	4363.20
TOTAL NUMBER OF INDIVIDUALS/ML N	2791.00	1236.00	3232.00
EVENNESS COMPONENT J	0.55	0.57	0.34
RELATIVE EVENNESS RJ	0.55	0.55	0.33
MEAN NUMBER OF INDIVIDUALS/TAXA L	93.03	33.41	202.00
NUMBER/ML OF MOST ABUNDANT TAXON K	1029.00	555.00	2471.00

LAKE NAME: FOSS DAM RES.
STORE NUMBER: 4067

CONTINUED

TAXA	FORM	03 29 74				06 10 74				10 24 74			
		IS		XC		IS		XC		IS		XC	
		ALGAL UNITS PER ML		ALGAL UNITS PER ML		ALGAL UNITS PER ML		ALGAL UNITS PER ML		ALGAL UNITS PER ML		ALGAL UNITS PER ML	
ACTINASTRUM MANTZSCHII													
V. FLUVIATILE	CEL							X					
ANABAEANA	FIL							X					
ANKISTRODESMUS	CEL					141	12.11	149					
ANKISTRODESMUS FALCATUS	CEL			2.11	39					0.71		23	
ANKISTRODESMUS FALCATUS													
V. MIRABILIS	CEL			6.31	176								
APHANIZOENON	FIL							X					
CARTERIA	CEL							X					
CENTRIC DIATOM	CEL			1.01	29								
CERATIUM HIRUNDINELLA													
S. FURCIDES	CEL					151	1.71	21					
CHROOCHUMUS ACUTA	CEL			1.01	29		9.21	64		0.71		23	
CLOSTERIUM	CEL							X		141	0.71	23	
COELOSPHAERIUM PALLIDUM	COL					131	1.71	21				X	
COENAPIUM	CEL						3.51	43		0.71		23	
CRYPTOMONAS	CEL					421	3.51	43	151	0.71		23	
CYCLOTELLA MENEGHINIANA	CEL				X			X					
CYMATOPLAURA SOLLA	CEL				X								
CYTOBELL	CEL			1.01	29								
DACTYLOCOCCOPSIS	CEL	131	36.91		1029								
DIPLOPSALIS ACUTA	CEL							X					
EUGLENA #1	CEL			1.01	29			X					
EUGLENA #2	CEL							X					
EUGLENA ACUS	CEL				X								
EUGLENA SUBHRENBENGERII	CEL							X					
GLENODINIUM	CEL			1.51	29								
HIRMENIELLA CONTORTA	CEL				X								
LYNGBYA #1	FIL						1.71	21					
LYNGBYA #2	FIL				X								
NELOSTIA GRANULATA	CEL			1.01	29								
NELOSTIA MINIMA	COL						6.91	85					
MICROCYSTIS AERUGINOSA	COL				X			X				X	
MICROCYSTIS INCERTA	COL						9.21	64					
NOUGETIA	CEL						3.51	43					
NAVICULA	CEL	151	5.31		147		3.51	43					
NITZSCHIA LONGISSIMA							1.71	21					
V. REVERSA	CEL				X								
NITZSCHIA VERRUCALIS	CEL							X		2.81		92	
ODCYSTIS	FIL				X								
OSCILLATORIA	FIL	121	12.01		393	11	44.91	555	11	176.51		2471	
OSCILLATORIA #1	FIL							X		121	12.21	393	
OSCILLATORIA #2	FIL							X					
OSCILLATORIA #3	FIL			2.11	39								
OSCILLATORIA LIMNETICA	FIL												
PHACUS CAUDATUS													
V. MINOR	CEL				X			X					
PHACUS MEGALOPSIS	CEL						1.71	21					
PLEUROSIGNA	CEL				X								
RAPHIDIOPSIS	FIL									2.11		69	
RHOICOSPHEMIA CURVATA	CEL				X								
SCENEDESMUS BIJUGA	COL				X		1.71	21				X	
SCENEDESMUS DIMORPHUS	COL							X					
SCENEDESMUS QUADRICAUDA	COL							X					
SPHAEROCTYSIS SCHROETERI	COL						3.51	43					
STEPHANODISCUS	CEL												
STEPHANODISCUS ASTRAEA													
V. MINUTULA	CEL	141	4.21		118								
SURIPELLA	CEL							X					
SURIPELLA #9	CEL				X								
SURIPELLA OVATA	CEL				X								
SYNEORA	CEL	11	24.21		676								
SYNEORA DELICATISSIMA	CEL							X	131	0.71		23	
SYNEORA ULNA	CEL				X								
TETRAEDRUM MINIMUM													
V. SCHROBICULATUM	CEL							X		2.11		69	
TETRASTRUM STAUROGENIAEFORME	COL						1.71	21				X	
TRACHELONOMAS	CEL											X	
TOTAL					2791			1236				3232	

LAKE NAME: LAKE FRANCES
STORE NUMBER: 4008

NYGAARD TROPHIC STATE INDICES

DATE	04 03 74	06 14 74	10 18 74
MYXOPHYCEAN	03/0 E	1.67 E	1.00 E
CHLOROPHYCEAN	03/0 E	2.00 E	3.00 E
EUGLENGPHYTE	0.17 ?	0.55 E	0.62 E
DIATOM	0.42 E	0.67 E	2.00 E
COMPOUND	12/0 E	7.00 E	9.50 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	04 03 74	06 14 74	10 18 74
GENUS	09	01	05
SPECIES	03	00	00

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	04 03 74	06 14 74	10 18 74
AVERAGE DIVERSITY H	3.02	2.37	2.46
NUMBER OF TAXA S	30.00	33.00	28.00
NUMBER OF SAMPLES COMPOSITED M	2.00	2.00	2.00
MAXIMUM DIVERSITY MAXH	4.91	5.04	4.81
MINIMUM DIVERSITY MINH	0.18	1.20	0.08
TOTAL DIVERSITY D	6064.16	587.76	11525.10
TOTAL NUMBER OF INDIVIDUALS/ML N	2008.00	248.00	4685.00
EVENESS COMPONENT J	0.62	0.47	0.51
RELATIVE EVENESS RJ	0.61	0.31	0.51
MEAN NUMBER OF INDIVIDUALS/TAXA L	66.93	7.52	167.32
NUMBER/ML OF MOST ABUNDANT TAXON K	476.00	82.00	1745.00

TAXA	FORM	04 03 74			06 14 74			10 18 74		
		IS	XC	ALGAL UNITS PER ML	IS	XC	ALGAL UNITS PER ML	IS	XC	ALGAL UNITS PER ML
ACMANTHUS LANCEOLATA	CEL			X						
ACTINASTRUM GRACILIMUM	CEL									X
ANABAENA PLANCIONICA	FIL				12116.51		41			
ANABAENOPSIS CIRCULARIS	FIL			X						
AMMISTRODESMUS FALCATUS	CEL		3.01	79			X			
AMMISTRODESMUS FALCATUS V. MIRABILIS	CEL									
APHANIZOEMON FLOS-AQUAE	FIL				141 8.51		21		0.71	32
ASTERIONELLA FORMOSA	CEL	13110.51		211	151 8.51		21			
CENTRIC DIATOMS	CEL	12122.41		449						
CHLAMYDOMONAS	CEL			X					0.71	32
CHLOROCOCCALEAN COLONY ?	COL									
CHROODONAS ACUTA	CEL		13.11	264						X
CLOSTERIUM	CEL									X
CLOSTERIUM #1	CEL									X
COELASTRUM RICKOPURUM	COL			X			X			
COSNARIUM	CEL									X
COSNARIUM #1	CEL						X			
CRYPTICOMUS EROSA	CEL	141 6.61		132	13125.31		62	13111.01		517
CYCLotella	CEL							11137.21		1745
CYMBELLA	CEL			X						X
CYMBELLA #1	CEL						X			
DACTYLOCCOCCOPSIS	CEL								1.41	65
DICTYOSPHAERIUM PULCHELLUM	COL		2.61	53					0.71	32
DIMORBYTON DIVERGENS	CEL		2.61	53						
ELARATUTHRIX GELATINOSA	CEL								0.71	32
EUGLENA #1	CEL						X		0.71	32
EUGLENA #2	CEL						X		0.71	32
EUGLENA #3	CEL						X			
EUGLENA ACUS	CEL						X			
GLENNODINIUM OCULATUM	CEL						X			X
GOMPHONEMA	CEL		2.61	53						
GYROSIGMA	CEL			X			X			
HELOSIRA DISTANS	CEL			X			X			
HELOSIRA GRANULATA	CEL			X			X	9.01		420
HELOSIRA GRANULATA V. ANGUSTISSIMA	CEL				11133.11		82			X
HELOSIRA GRANULATA V. ANGUSTISSIMA F. SPIRALIS	CEL				8.51		21			
HELOSIRA ITALICA	CEL	151 9.21		185						X
HELOSIRA VARIANS	CEL			X						
HELOSITIGMA VIRIDIS	CEL						X			
MICROCYSTIS AERUGINOSA	COL						X			X
MICROCYSTIS INCERTA	COL						X			X
NAVICULA	CEL		2.61	53						
NAVICULA #1	CEL						X			
NITZSCHIA	CEL						X			
NITZSCHIA #1	CEL							141 5.51		259
OSCILLATORIA #1	FIL			X			X			
OSCILLATORIA #2	FIL			X						
OSCILLATORIA #3	FIL						X			
PANDORINA MORUM	COL			X						X
PENNATE DIATOM	CEL			X						
PHACUS CAUDATUS	CEL						X			
PHACUS CURVICAUDA	CEL									X
PHACUS PLEURONECTES	CEL									X
PTERODONAS ACULEATA	CEL									
RAPHIDIGOPSIS CURVATA	FIL						X			
SCENEDESMUS BIJUGA	COL						X			
SCENEDESMUS DIMORPHUS	COL						X			X
SCENEDESMUS DIMORPHUS ?	COL						X			
SCENEDESMUS OPULIENTIS	COL						X			
SCENEDESMUS GUADRICAUDA	COL						X			
SKELTONIA POTANUS	CEL							12128.31		1325
STAGNASTRUM	CEL						X			
STEPHANODISCUS	CEL			X						
STEPHANODISCUS ASTRAEA	CEL									
V. MINUTULA	CEL							6.11		194
SURIRELLA	CEL			X						
SYNEURA #1	CEL			X						
SYNEURA #2	CEL			X						
SYNEURA DELICATISSIMA	CEL			X						
V. ANGUSTISSIMA	CEL			X						
SYNEURA SPP.	CEL	11123.71		476						
SYNEURA ULNA	CEL			X			X			X
TRACHELONONAS	CEL			X						
TRACHELONONAS FLUVIATILIS	CEL						X			
TRACHELONONAS HISPIDA	CEL									X
TOTAL				2108			248			4685

LAKE NAME: GRAND LAKE CHERUKES
 STORE NUMBER: 4009

NYGAARD TROPHIC STATE INDICES

DATE	04 02 74	06 14 74	08 29 74	10 21 74
MYXOPHYCEAN	02/0 E	05/0 E	2.50 E	4.00 E
CHLOROPHYCEAN	06/0 E	20/0 E	6.50 E	9.00 E
EUGLENOPHYTE	0.12 ?	0.20 ?	0.44 E	0.15 ?
DIATOM	3.00 E	1.17 E	1.50 E	2.50 E
COMPOUND	12/0 E	37/0 E	16.0 E	20.0 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	04 02 74	06 14 74	08 29 74	10 21 74
GENUS	11	14	21	01
SPECIES	00	03	07	00

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	04 02 74	06 14 74	08 29 74	10 21 74
AVERAGE DIVERSITY H	2.63	2.97	3.30	3.12
NUMBER OF TAXA S	15.00	51.00	49.00	28.00
NUMBER OF SAMPLES COMPOSITED M	7.00	7.00	7.00	7.00
MAXIMUM DIVERSITY MAXH	3.91	5.67	5.61	4.81
MINIMUM DIVERSITY MINH	0.14	0.19	0.17	0.24
TOTAL DIVERSITY D	3313.93	10424.70	12507.00	4084.08
TOTAL NUMBER OF INDIVIDUALS/ML N	1171.00	3510.00	3790.00	1309.00
EVENESS COMPONENT J	0.72	0.52	0.59	0.65
RELATIVE EVENESS RJ	0.72	0.51	0.58	0.64
MEAN NUMBER OF INDIVIDUALS/TAXA L	78.07	68.82	77.35	46.75
NUMBER/ML OF MOST ABUNDANT TAXON K	306.00	1387.00	1430.00	367.00

TAXA	FORM	04 22 74			06 14 74			08 29 74			10 21 74		
		IS		ALGAL UNITS PER ML	IS		ALGAL UNITS PER ML	IS		ALGAL UNITS PER ML	IS		ALGAL UNITS PER ML
		IS	ZC		IS	ZC		IS	ZC		IS	ZC	
ACTINASTRUM GRACILIMUM	CEL	1			1			1			1		
ANKISTRUDDESMUS FALCATUS	CEL	1		X	1			1	4.4	167	1	3.5	46
ANKISTRUDDESMUS FALCATUS	CEL	1			1			1			1		
V. ACICULARIS	CEL	1		X	1			1			1		
ANKISTRUDDESMUS FALCATUS	CEL	1			1			1			1		
V. MIRABILIS	CEL	1			1	2.0	69	1			1		X
APHANIZUONUM	FIL	1			1			1			1		
CENTRIC DIATOM	CEL	1	123.8	279	1	1.3	46	1			1		
CERATIUM HIRUNDINELLA	CEL	1			1			1			1		
F. BRACHYCERAS	CEL	1			1			1			1		
CHLAMYDOMONAS	CEL	1			1	6.6	231	1	1.3	48	1		
CHLOROGONIUM	CEL	1			1			1	1.3	48	1		
CHLOROMONAS ACUTA	CEL	1	126.1	306	1	2.6	92	1	7.5	286	1	121.0	275
CLUSTERIUM	CEL	1			1			1			1		X
COCCONEIS	CEL	1			1			1			1		X
COELASPIRUM MICROPORUM	CEL	1			1			1			1		
COELASTRUM RETICULATUM	CEL	1			1			1			1		
V. POLYCHORDON	CEL	1			1			1			1		
CRUCIGENIA TETRAPEGIA	CEL	1			1	2.6	92	1			1		
CRYPTOMONAS	CEL	1	7.2	84	1	2.6	92	1			1		
CRYPTOMONAS EROSA	CEL	1			1			1	1.9	71	1	3.5	46
CRYPTOMONAS KEPLER	CEL	1			1			1	0.6	24	1		X
CYCLOTELLA REMEGHINIANA	CEL	1			1			1			1	3.5	46
DICTYOSPHAERIUM PULCHELLUM	CEL	1			1	0.7	23	1			1		X
DIPLOPSALIS ACUTA	CEL	1			1			1			1		
EUAETIUM	CEL	1			1			1			1		
EUGLENA	CEL	1	4.8	56	1		X	1	1.9	71	1		
EUGLENA #1	CEL	1			1			1			1		X
EUGLENA #2	CEL	1			1			1			1		
FLAGELLATE #2	CEL	1			1			1			1	14.1	184
FRANCEIA	CEL	1			1		X	1			1		
GLENODINIUM	CEL	1			1			1			1		
GOLENNINIA	CEL	1			1			1	0.6	24	1		
GOLENNINIA RADIIATA	CEL	1			1			1			1	3.5	46
GOMPHONEMA PARVULUM	CEL	1			1			1			1		
KIRCHNERIELLA	CEL	1			1		X	1			1		
LAGERHEIMIA	CEL	1		X	1			1			1		
LEPOCINCLIS	CEL	1			1			1			1		
NELOSIRA DISTANS	CEL	1	14.3	167	1	2.6	92	1	14.5	548	1	128.0	367
NELOSIRA GRANULATA	CEL	1	4.8	56	1	25.7	902	1	6.3	238	1	7.0	92
NELOSIRA GRANULATA	CEL	1			1			1			1		
V. ANGUSTISSIMA	CEL	1			1	1.3	46	1			1	3.5	46
NELOSIRA GRANULATA	CEL	1			1			1			1		
V. ANGUSTISSIMA F. SPIRALIS	CEL	1			1			1			1		
NELOSIRA VARIANS	CEL	1			1		X	1			1		
NERISROPEDIA MINIMA	CEL	1			1			1			1	1.8	23
NERISROPEDIA TENUISSIMA	CEL	1			1			1			1		
NEOSOSTIGIA VIRIDIS	CEL	1			1		X	1	1.3	48	1	3.5	46
NICTRACTINIUM	CEL	1	9.5	111	1			1			1		
NICROCYSTIS INCERTA	CEL	1			1	0.7	23	1	1.9	71	1		X
NAVICULA CITRUS ?	CEL	1			1		X	1			1		
NITZSCHIA	CEL	1			1		X	1			1	3.5	46
NITZSCHIA ACICULARIS	CEL	1			1			1	0.6	24	1		
NITZSCHIA HAMTZSCHIANA	CEL	1			1			1	2.5	95	1		
NITZSCHIA HOLSATICA	CEL	1			1	3.3	116	1			1		
NITZSCHIA VERNICULARIS	CEL	1		X	1			1			1		
OOCYSTIS	CEL	1			1		X	1			1		
OSCILLATORIA	FIL	1			1	0.7	23	1	37.7	1430	1		
OSCILLATORIA #1	FIL	1		X	1		X	1			1		
OSCILLATORIA #2	FIL	1		X	1		X	1			1		X
PANDORINA MURUM	CEL	1			1		X	1			1		
PEDIASTRUM BIRADIATUM	CEL	1			1			1			1		
V. LONGECORNUTUM	CEL	1			1		X	1			1		
PEDIASTRUM DUPLEX	CEL	1			1			1			1		
V. CLATHRATUM	CEL	1			1			1			1		
PEDIASTRUM DUPLEX	CEL	1			1			1			1		
V. RETICULATUM	CEL	1			1	3.7	23	1			1		
PEDIASTRUM TETRAS	CEL	1			1			1			1		
V. TETRAUDON	CEL	1			1			1			1		X
PENNETE DIATOM	CEL	1			1	0.7	23	1			1		
PERIDINIUM QUADRIDENS ?	CEL	1			1			1			1		
PHACUS	CEL	1			1		X	1			1		
PHACUS ACUMINATUS	CEL	1			1			1			1		
PHACUS MEGALOPSIS	CEL	1			1		X	1			1		
PHACUS PLEURONECTES	CEL	1			1			1			1		
PHORIDIUM	CEL	1			1			1			1		X
PTEROMONAS	CEL	1			1		X	1			1		
PTEROMONAS ACULEATA	CEL	1			1			1			1		
RAPHIDIOPSIS CURVATA	FIL	1			1			1	3.1	119	1		
SCENEDESMUS ACUMINATUS	CEL	1	4.8	56	1			1			1		
SCENEDESMUS BICAUDATUS	CEL	1			1			1	1.3	48	1	3.5	46
SCENEDESMUS BIJUGA	CEL	1			1			1	0.6	24	1		
SCENEDESMUS DENTICULATUS	CEL	1			1	0.7	23	1			1		

LAKE NAME: GRAND LAKE CHEROKEE
STORET NUMBER: 4609

CONTINUED

TAXA	04 22 74						06 14 74						08 29 74						10 21 74					
	FORM		IS		ZC		IS		ZC		IS		ZC		IS		ZC		IS		ZC		IS	
			ALGAL		UNITS		PER ML		ALGAL		UNITS		PER ML		ALGAL		UNITS		PER ML		ALGAL		UNITS	
SCENEDESMUS DIMORPHUS	COL																							
SCENEDESMUS INTERMEDIUS	COL																							
SCENEDESMUS INTERMEDIUS	COL																							
V. BICAUDATUS	COL																							
SCENEDESMUS OBLIQUUS	COL																							
SCENEDESMUS PROTUBERANS	COL																							
SCENEDESMUS QUADRICAUDA	COL																							
SCENEDESMUS QUADRICAUDA	COL																							
V. LONGISPINA F. GRANULATUS	COL																							
SCHWABERIA SETIGERA	CEL																							
SKELETONEMA POTANUS	CEL																							
SPHAEROCTYSIS SCHROETERI	CEL																							
STEPHANODISCUS ASTRAEA	CEL																							
V. MINUTULA	CEL																							
SURIELLA	CEL																							
SYNEDRA DELICATISSIMA ?	CEL																							
SYNEDRA DELICATISSIMA	CEL																							
V. ANGUSTISSIMA	CEL																							
TETRAEDRUM MINIMUM	CEL																							
TETRAEDRUM MUTICUM	CEL																							
TETRASTRUM STAUROGEMMAEFORME	COL																							
TRACHELONOMAS	CEL																							
TRACHELONOMAS FLUVIATILIS	CEL																							
TRACHELONOMAS HISPIDA	CEL																							
TRACHELONOMAS INTERMEDIA	CEL																							
TREBUBARIA TRIAPPENDICULATA	CEL																							
- TOTAL																								

LAKE NAME: LAKE HEFNER
STORE NUMBER: 4010

NYGAARD TROPHIC STATE INDICES

DATE	03 29 74	06 11 74	10 24 74
MYXOPHYCEAN	2.00 E	6.00 E	5.00 E
CHLOPOPHYCEAN	2.00 E	2.00 E	5.00 E
EUGLENOPHYTE	0/04. ?	0.12 ?	0/10 ?
DIATOM	0.33 E	02/0 E	3.00 E
COMPOUND	5.00 E	11.0 E	13.0 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	03 29 74	06 11 74	10 24 74
GENUS	01	01	00
SPECIES	02	00	00

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	03 29 74	06 11 74	10 24 74
AVERAGE DIVERSITY H	2.04	2.68	2.05
NUMBER OF TAXA S	13.00	15.00	19.00
NUMBER OF SAMPLES COMPOSITED M	1.00	3.00	3.00
MAXIMUM DIVERSITY MAXH	3.70	3.91	4.25
MINIMUM DIVERSITY MINH	0.58	0.11	0.23
TOTAL DIVERSITY D	373.32	4070.92	1756.85
TOTAL NUMBER OF INDIVIDUALS/ML N	183.00	1519.00	857.00
EVENESS COMPONENT J	0.55	0.69	0.48
RELATIVE EVENESS RJ	0.47	0.68	0.46
MEAN NUMBER OF INDIVIDUALS/TAXA L	14.08	101.27	45.11
NUMBER/ML OF MOST ABUNDANT TAXON K	74.00	507.00	556.00

LAKE NAME: LAKE HEFNER
STURIT NUMBER: 4C10

CONTINUED

	C3 29 74				06 11 74				10 24 74			
TAXA	FORM	IS	ZC	ALGAL UNITS PER ML	IS	ZC	ALGAL UNITS PER ML	IS	ZC	ALGAL UNITS PER ML	IS	ZC
ANABAENA	FIL	1	1		12	11.9	181	1	1	1.4	12	
APHANIZOMENUM FLOS-AQUAE	FIL	1	1	X	1	1	X	1	1	1.4	12	
CARTERIA	CEL	1	1		1	1		1	1	0.7	6	
CERATIUM MINUDINELLA												
P. FUNCOIDES	CEL	1	1		15	2.4	36	1	1			
CHROCOCCUS DISPERSUS	COL	1	1		1	1	X	1	1			
CHROOMONAS ACUTA	CEL	14	9.8	18	13	33.4	507	1	1	164.9	556	
CLOSTRIDIUM	CEL	1	1	X	1	1	X	1	1	1.4	12	
COELASTRUM MICROPOKUM	COL	1	1		1	1		1	1			
COELOSPHAERIUM PALLIDUM	COL	1	1	X	1	2.4	36	1	1	8.8	79	
CRYPTOMONAS	CEL	1	1		1	1		1	1	0.7	6	
CRYPTOMONAS ERGSA	CEL	1	1	X	1	2.4	36	1	1			
CRYPTOMONAS REFLEXA	CEL	12	9.8	18	1	1		1	1			
CYCLOTELLA MENEGHINIANA	CEL	13	40.4	74	1	1		1	1			
DACTYLOCOCCOPSIS	CEL	1	1		1	1		1	1	3.6	31	
DIMOBRYUM SOCIALE	CEL	1	1	X	1	1		1	1			
DIPLOMEIS SMITHII	CEL	1	1	X	1	1		1	1			
GLOEOCYSTIS	COL	1	1		1	1		1	1			
HASTOGLDIA	CEL	1	1	X	1	1		1	1			
HELOSIRA DISTANS	CEL	1	1		1	1	X	1	1			
HELOSIRA GRANULATA	CEL	1	1		1	1		1	1			
MICROCYSTIS AERUGINOSA	COL	1	1		1	23.4	362	1	1	2.1	18	
MICROCYSTIS INCEATA	COL	1	1		1	4.7	72	1	1			
NITZSCHIA #1	CEL	15	9.8	18	1	1		1	1			
NITZSCHIA LONGISSIMA	CEL	1	1		1	1		1	1			
V. REVERSA	CEL	1	1		1	1		1	1			
ODCYSTIS	COL	1	30.1	55	14	11.4	181	1	1	1.4	12	
PHACUS	CEL	1	1		1	2.4	36	1	1			
SCHROEDERIA SLTIGERA	CEL	1	1	X	1	4.7	72	1	1	2.1	18	
SPHAEROCYSTIS SCHROETERI	COL	1	1		1	1		1	1	0.7	6	
STEPHANODISCUS	CEL	1	1		1	1	X	1	1	7.9	68	
TETRASTRUM GLABRUM	COL	1	1		1	1		1	1	2.9	25	
TOTAL				183			1519				657	

LAKE NAME: KEYSTONE RES.
 SIGRET NUMBER: 4011

NYGAARD TROPHIC STATE INDICES

DATE	04 02 74	06 12 74	10 23 74
MYXOPHYCEAN	02/0 E	01/0 E	5.00 E
CHLOROPHYCEAN	15/0 E	02/0 E	16.0 E
EUGLENOPHYTE	0.12 ?	0/03 ?	0.24 E
DIATOM	0.46 E	3.00 E	6.30 ?
COMPOUND	25/0 E	06/0 E	29.0 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	04 02 74	06 12 74	10 23 74
GENUS	19	05	14
SPECIES	04	00	05

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	04 02 74	06 12 74	10 23 74
AVERAGE DIVERSITY H	2.83	1.95	2.51
NUMBER OF TAXA S	44.00	10.00	47.00
NUMBER OF SAMPLES COMPOSITED M	9.00	9.00	9.00
MAXIMUM DIVERSITY MAXH	5.46	3.32	5.55
MINIMUM DIVERSITY MINH	0.13	0.13	0.05
TOTAL DIVERSITY D	12500.11	1548.30	32456.81
TOTAL NUMBER OF INDIVIDUALS/ML N	4417.00	794.00	12931.00
EVENESS COMPONENT J	0.52	0.59	0.45
RELATIVE EVENESS RJ	0.51	0.58	0.45
MEAN NUMBER OF INDIVIDUALS/TAXA L	100.39	79.40	275.13
NUMBER/ML OF MOST ABUNDANT TAXON K	2146.00	344.00	4551.00

		04 02 74			06 12 74			10 23 74		
TAXA	FORM	IS	ZC	ALGAL UNITS PER ML	IS	ZC	ALGAL UNITS PER ML	IS	ZC	ALGAL UNITS PER ML
ACTINASTRUM GRACILIMUM	COL			26						18
AMABALMUPSIS	CEL									37
AMRISTRODESMUS FALCATUS	CEL									461
AMRISTRODESMUS FALCATUS V. ACICULARIS	CEL			X						
AMRISTRODESMUS FALCATUS V. MIRABILIS	CEL			265						
ASTERIONELLA FORMOSA	CEL			X						
BIMUCLEARIA ?	FIL									X
CENTRIC DIATOPS	CEL	11	48.61	2146						
CHLAMYDOMONAS	CEL			53	141	6.71	53	12	127.21	3519
CHROOONAS ACUTA	CEL	13	11.41	563	12	43.31	364		2.11	276
CHRYSOPHYTAN CELL	CEL	12	13.21	450						
CHRYSOPHYTAN CELL #9	CEL							141	2.31	295
CLOSTERIUM #1	CEL									X
COELASTRUM MICROPORUM	COL			26			X			X
CRUCIGEMIA APICULATA	COL									X
CRUCIGEMIA TETRAPEOIA	COL									X
CRYPTONONAS	CEL	141	3.61	159						
CRYPTONONAS EROSA	CEL				11	30.31	238			
CRYPTONONAS REFLEXA	CEL			X						
CYCLOTELLA	CEL				131	13.41	106			
CYCLOTELLA NEMEGHINIANA	CEL			X				13	22.21	2874
DICTYOSPHAERIUM PULCHELLUM	COL			X						X
ENTOMONEIS	CEL								0.11	10
ENTOMONEIS PALUDOSA	CEL	151	1.21	53						X
EUGLENA	CEL			132					0.11	10
GLENULINIUM UCULATUM	CEL							151	1.01	129
GLENKINIA	CEL			X						
GOMPHONEMA	CEL			X						
LYNGBYA	FIL			X					0.11	10
MELOSIRA DISTANS	CEL			79			X		0.11	10
MELOSIRA VARIANS	CEL			X						
NEPISMODIDIA MINIMA	COL						X			X
NICADOCYSTIS INCERTA	COL									X
NAVICULA #1	CEL									X
NAVICULA #2	CEL			X						
NAVICULA #3	CEL			X			X			
NAVICULA CUSPIDATA	CEL									X
NAVICULA PYGMAEA	CEL									X
NITZSCHIA #1	CEL			53					0.41	55
NITZSCHIA #2	CEL								0.41	55
NITZSCHIA #3	CEL			X						
NITZSCHIA ACICULARIS	CEL			185						
NITZSCHIA APICULATA	CEL								0.31	57
NITZSCHIA LONGISSIMA	CEL									
V. REVERSA	CEL			X					0.61	74
NITZSCHIA TRYBLIONELLA	CEL									
V. DEBILIS	CEL								0.41	55
NITZSCHIA TRYBLIONELLA	CEL			X						
V. DEBILIS ?	CEL			26						X
NITZSCHIA VERMICULARIS	CEL			26			X		0.61	74
ODOCYSTIS	CEL									X
OSCILLATORIA #1	FIL									
OSCILLATORIA #3	FIL			X						
PEUDASTRUM BURNANUM	COL			26						X
PHACUS	CEL									X
PHACUS ACUMINATUS	CEL									
V. PREZEPOLSKII	CEL			X						
PHACUS MEGALOPSIS	CEL								0.31	37
PLEURONISMA DELICATULUP	CEL									X
SCENEDESMUS ACUMINATUS	COL			26						
SCENEDESMUS BALATUNICUS	COL									X
SCENEDESMUS BIJUGA	COL			X						X
SCENEDESMUS DENTICULATUS	COL			26						
SCENEDESMUS DINORPHIUS	COL								1.31	166
SCENEDESMUS INTERMEDIUS	COL			26					0.31	37
SCENEDESMUS PROTUBERANS	COL			X					0.41	55
SCENEDESMUS QUADRICAUDA	COL			26						
SCHAUUEDERIA SETIGERA	CEL								0.11	10
SKELETONEMA POTANOS	CEL			79	151	6.71	53	11	35.21	4551
STEPHANODISCUS	CEL			X						
SUTIRELLA	CEL			26						
SUTIRELLA ANGUSTA	CEL			X						
SYNEDRA	CEL			X						
TETRASTRUM HETERACANTHUM	COL									X
TETRASTRUM STAUROGENIAEFORME	COL			X					0.11	10
TRACHELONONAS #1	CEL									X
TRACHELONONAS INTERMEDIA	CEL								0.11	10
TOTAL				4417			794			12931

LAKE NAME: UOLOGAH LAKE
 STGRET NUMBER: 4012

MYGAARD TROPHIC STATE INDICES

DATE	04 07 74	06 13 74	08 28 74	10 21 74
MYXOPHYCEAN	01/0 E	0/0 0	1.00 E	1.33 E
CHLOROPHYCEAN	05/0 E	02/0 E	2.50 E	3.00 E
EUGLENOPHYTE	0.33 E	0.50 E	1.14 E	0.62 E
DIATOM	1.50 E	1.00 E	5.00 E	2.00 E
COMPOUND	11/0 E	07/0 E	10.0 E	9.00 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	04 07 74	06 13 74	08 28 74	10 21 74
GENUS	01	04	01	07
SPECIES	00	00	00	02

SPECIES DIVERSITY AND ABUNDANCE INDICES

	DATE	04 07 74	06 13 74	08 28 74	10 21 74
AVERAGE DIVERSITY	H	2.12	1.46	2.39	1.58
NUMBER OF TAXA	S	17.00	11.00	29.00	41.00
NUMBER OF SAMPLES COMPOSITED	M	6.00	6.00	6.00	6.00
MAXIMUM DIVERSITY	MAXH	4.09	3.46	4.86	5.36
MINIMUM DIVERSITY	MINH	0.15	0.45	0.28	0.11
TOTAL DIVERSITY	D	2739.04	293.46	2791.52	7948.98
TOTAL NUMBER OF INDIVIDUALS/ML	N	1292.00	201.00	1166.00	5031.00
EVENESS COMPONENT	J	0.52	0.42	0.49	0.29
RELATIVE EVENESS	KJ	0.50	0.34	0.47	0.28
MEAN NUMBER OF INDIVIDUALS/TAXA	L	76.00	18.27	40.26	122.71
NUMBER/ML OF MOST ABUNDANT TAXON	K	494.00	86.00	567.00	3783.00

LAKE NAME: OOLJGAH LAKE
STORE NUMBER: 4012

CONTINUED

	04 27 74				06 13 74				08 26 74				10 21 74			
TAXA	FORM	IS	ZC	ALGAL UNITS PER ML	IS	ZC	ALGAL UNITS PER ML	IS	ZC	ALGAL UNITS PER ML	IS	ZC	ALGAL UNITS PER ML	IS	ZC	ALGAL UNITS PER ML
AMABAENA	FIL							141	3.01	35						X
ANKISTRUGESMUS FALCATUS																
V. ACICULARIS	CEL			X												
ANKISTRUGESMUS FALCATUS																
V. MIRABILIS	CEL			X						X						
APHANIZOENON FLUS-AQUAE	FIL															X
CENTRIC DIATOM	CEL						X									
CERATUM MIRUNDINELLA																
F. BRACHYCERAS	CEL															X
CHLAAMYDOMONAS	CEL												1.1		54	
CHLOROPHYTUM COLONY	COL									X						
CHROODUMNAS ACUTA	CEL	121	30.21	494					6.11	71	1175.21				3783	
CLOSTERIUM #1	CEL									X						X
CLOSTERIUM #2	CEL									X						X
CLOSTERIUM #3	CEL									X						X
COELASTRUM ?	COL									X						
COELASTRUM MICROPSAUM	COL															X
CRUCIGENIA TETRAPEDIA	CEL												0.51		27	
CRYPTONUMNAS	CEL			X												
CRYPTONUMNAS EROSA	CEL							131	15.21	177	121	3.81			190	
CRYPTONUMNAS SPP.	CEL	111	29.41	380												
CYCLOTELLA REMEGHIANNA	CEL										131	8.11			408	
DACTYLOCOCCOPSIS	CEL		5.91	76												X
DIPLOPSALIS ACUTA	CEL															X
EUGLENA #1	CEL									X						
EUGLENA #2	CEL															X
EUGLENA #3	CEL															X
EUGLENA #5	CEL			X												
EUGLENA ACUS	CEL									X						
EUGLENA GRACILIS	CEL							151	3.01	35						
EUGLENA DISTURIS																
V. MINOR	CEL									X						
EUGLENA TRIPTERIS	CEL									X						
GLENNODINIUM	CEL									X						
GLENNODINIUM OCULATUM	CEL								3.01	35			0.51		27	
GLIOECYSTIS	COL															X
GOMPHONEMA	CEL			X												
GYROSIGMA	CEL						X			X						
HANTZSCHIA	CEL						X									
LEPOCINCLIS	CEL															X
NELOSIRA #2	CEL						X									
NELOSIRA DISTANS	CEL	131	17.61	228	111	42.81	86			X	151	2.71			136	
NELOSIRA GRANULATA	CEL							111	48.51	567			0.51		27	
NELOSIRA GRANULATA																
V. ANGUSTISSIMA	CEL									X						X
MICROCYSTIS INCERTA	COL									X			1.11		54	
NAVICULA	CEL			X												
NITZSCHIA	CEL						X						0.51		27	
NITZSCHIA #1	CEL				121	42.81	86									
ODCYSTIS	CEL				121	42.81	X									
PEDIASTRUM DUPLEX																
V. RETICULATUM	COL									X						X
PEDIASTRUM SIMPLEX																
V. DUODENARIUM	COL															X
PENNATE DIATOM	CEL												1.11		54	
PERIDINIUM QUADRIDENS	CEL									X						
PHACUS	CEL															X
PHACUS CAUDATUS	CEL															X
PHACUS CURVICAUDA	CEL									X						
PHACUS PSEUDOMURDSTEDTII	CEL															
PTERONUMNAS	CEL									X						X
RHOODUMNAS ? MINUTA	CEL			X												
SCENEZESMUS BICAUDATUS	COL				131	14.41	29		3.01	35						
SCENEZESMUS DENTICULATUS	COL			X												
SCENEZESMUS DIMORPHUS	COL			X												X
SCENEZESMUS QUADRICAUDA	COL												0.51		27	
SCHROEDERIA SETIGERA	CEL															X
SKELETONEMA POTAMIS	CEL	141	5.91	76			X		6.11	71	141	3.21			163	
SPHAEROCYSTIS SCHRUETERI	CEL									X						
STEPHANODISCUS	CEL			X												
STEPHANODISCUS ASTRAEA																
V. MINUTULA	CEL							121	12.21	142						X
SYNEDRA ULNA	CEL															X
TETRAEDRON GRACILE	CEL															X
TETRASTRUM GLABRUM	COL												0.51		27	
TETRASTRUM STAUROGENIAEFORME	CEL	151	2.91	38												
TRACHELUMONAS	CEL			X			X									
TRACHELUMONAS BULLA ?	CEL									X						X
TRACHELUMONAS FLUVIATILIS	CEL															
TRACHELUMONAS INTERMEDIA	CEL									X			0.51		27	
TOTAL				1292			201			1168			5031			

LAKE NAME: TENKILLER FERRY RES.
STORET NUMBER: 4013

NYGAARD TROPHIC STATE INDICES

DATE	04 03 74	06 14 74	08 30 74	10 21 74
MYXOPHYCEAN	01/0 E	01/0 E	2.50 E	04/0 E
CHLOROPHYCEAN	0/0 0	07/0 E	4.50 E	11/0 E
EUGLENOPHYTE	0/01 ?	0/08 ?	0.14 ?	0.07 ?
DIATOM	0.87 E	1.25 E	0.60 E	1.00 E
COMPOUND	08/0 E	13/0 E	9.50 E	19/0 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	04 03 74	06 14 74	08 30 74	10 21 74
GENUS	02	02	08	05
SPECIES	02	02	04	05

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	04 03 74	06 14 74	08 30 74	10 21 74
AVERAGE DIVERSITY	M 1.79	2.04	3.20	3.03
NUMBER OF TAXA	S 20.00	23.00	32.00	28.00
NUMBER OF SAMPLES COMPOSITED	M 4.00	4.00	4.00	4.00
MAXIMUM DIVERSITY	MAXH 4.32	4.52	5.00	4.81
MINIMUM DIVERSITY	MINH 0.09	0.28	0.13	0.10
TOTAL DIVERSITY	D 4909.97	1785.00	9980.80	10914.06
TOTAL NUMBER OF INDIVIDUALS/ML	N 2743.00	875.00	3119.00	3672.00
EVENNESS COMPONENT	J 0.41	0.45	0.64	0.63
RELATIVE EVENNESS	RJ 0.41	0.42	0.64	0.63
MEAN NUMBER OF INDIVIDUALS/TAXA	L 137.15	38.04	97.47	128.64
NUMBER/ML OF MOST ABUNDANT TAXON	K 1685.00	369.00	873.00	1328.00

TAXA	FORM	04 03 74				06 14 74				08 30 74				10 21 74			
		IS		XC		IS		XC		IS		XC		IS		XC	
		ALGAL UNITS PER ML		ALGAL UNITS PER ML		ALGAL UNITS PER ML		ALGAL UNITS PER ML		ALGAL UNITS PER ML		ALGAL UNITS PER ML		ALGAL UNITS PER ML		ALGAL UNITS PER ML	
ACHNAITHES MICROCEPHALA	CEL									13128.01	873						
ANABAENA	FIL							X									
ANKISTRUDESPUS FALCATUS	CEL													121	7.0	253	
ANKISTRUDESPUS FALCATUS																	
V. MIRABILIS	CEL									2.71	83						
APHANLECAPSA	COL									2.71	83						
ASTERIONELLA FORMOSA	CEL				X												
CERATUM HIRUNDINELLA																	
F. BRACHYTERAS	CEL										X					X	
CHLAMYDOMONAS	CEL					141	5.31	46								X	
CHLOROGONIUM	CEL							X									
CHROOONAS ACUTA	CEL	141	16.51	289				X							8.81	316	
COELASTRUM MICROPODUM	COL										X					X	
COSMARUM	CEL																
CRYPTOGONAS	CEL	151	1.71	48						151	4.01	125				X	
CRYPTOGONAS EROSA	CEL					131	21.01	184									
CYCLOTELLA MENEGHINIANA	CEL			3.51	96	121	42.21	369						131	12.31	443	
CYNATOPLEURA SOLEA	CEL				X												
CYMBELLA	CEL				X												
DACTYLOCOCCOPSIS	CEL				X										3.51	126	
EUDORINA ELEGANS	CEL										X						
FLAGELLATE #2	CEL							X							3.51	126	
FRAGILLARIA CROTONENSIS	CEL							X							1.71	63	
FRANCEJA	CEL										X						
GLENODINIUM	CEL				X						X						
GLENODINIUM GYMNODINIUM	CEL										X						
GOLENKINIA	CEL							X									
GOLENKINIA RADIATA	CEL															X	
GOMPHENIA	CEL				X											X	
KIRCHNERIELLA	CEL							X							1.71	63	
LAGERHEIMIA	CEL									2.71	83						
LYNGBYA	FIL										X						
MELOSIRA DISTANS	CEL				X			X							110.51	379	
MELOSIRA GRANULATA	CEL	121	17.51	481		1121	1.01	184						1136.91	1328		
MELOSIRA GRANULATA																	
V. ANGUSTISSIMA	CEL					151	1.51	92									
MELOSIRA GRANULATA																	
V. ANGUSTISSIMA F. SPIRALIS	CEL										X						
MELOSIRA VARIANS	CEL				X												
MERISERPEDIA GLAUCA	COL									1.31	42					X	
MERISERPEDIA TENUISSIMA	COL															X	
MICROLYSTIS INCERTA	COL														3.51	126	
NAVICULA #1	CEL			1.71	48												
NAVICULA #2	CEL				X												
NITZSCHIA	CEL			1.71	48												
NITZSCHIA #1	CEL										X						
NITZSCHIA #2	CEL									4.01	125						
NITZSCHIA ACICULARIS	CEL							X		6.71	208						
NITZSCHIA MODICATA	CEL							X									
OSCILLATORIA	FIL										X						
PANDORINA RUMI	COL				X												
PEDIASTRUM BIRADIATUM																	
V. LONGICORNUTUM	COL										X						
PEDIASTRUM DUPLEX	COL							X									
PEDIASTRUM SIMPLEX	COL							X									
PEDIASTRUM TETRAS																	
V. TETRAEDRON	COL															X	
PERIDINIUM INCONSPICUUM	CEL										X						
PERIDINIUM QUADRIVENS	CEL													151	1.71	63	
PHACUS																	
RAPHIDIDIPSIS	FIL									111	16.71	457					
RHIZOSOLENIA	CEL										X						
RHIZOSOLENIA CURVATA	CEL														3.51	126	
SCENEDES MUS ABUNDANS	COL							X									
SCENEDES MUS BICAUDATUS	COL															X	
SCENEDES MUS BIJUGA	COL															X	
SCENEDES MUS DENTICULATUS	COL									1.31	42						
SCENEDES MUS DIPORPHUS	COL															X	
SCENEDES MUS QUADRICAUDA	COL							X			X					X	
SCHAEFERIA SETIGERA	CEL							X									
SKELETONEMA POTAMOS	CEL				X			X									
STAUASTRUM TETRACERUM	CEL										X						
STEPHANODISCUS	CEL									141	12.01	374					
STEPHANODISCUS #1	CEL				X												
STEPHANODISCUS ASTRAEA																	
V. MINUTULA	CEL	111	161.41	1605													
SYNEORA	CEL							X		121	13.31	416					
SYNEORA DELICATISSIMA																	
V. ANGUSTISSIMA	CEL	131	1.71	48													
TETRAEDRON CAUDATUM																	
V. LONGISPINUM	CEL															X	
TETRAEDRON MINIMUM																	
V. SCRIBICULATUM	CEL									5.31	166	141	5.31	190			
TRACHELUMONAS	CEL										X						
TRACHELUMONAS VOLVUCINA	CEL															X	
TREUBARIA	CEL									1.31	42						

TOTAL

2743

873

3119

3602

LAKE NAME: THUNDERBIRD LAKE
STORE NUMBER: 4014

NYGAARD TROPIC STATE INDICES

DATE	03 30 74	06 11 74	10 23 74
MYXOPHYCEAN	1.00 E	2.50 E	8.00 E
CHLOROPHYCEAN	2.00 E	2.50 E	3.00 E
EUGLENOPHYTE	0/03 ?	0.40 E	0.09 ?
DIATOM	1.50 E	1.00 E	4.00 E
COMPOUND	6.00 E	6.00 E	16.0 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	03 30 74	06 11 74	10 23 74
GENUS	01	00	06
SPECIES	00	00	00

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	03 30 74	06 11 74	10 23 74
AVERAGE DIVERSITY H	0.99	1.32	3.07
NUMBER OF TAXA S	13.00	23.00	22.00
NUMBER OF SAMPLES COMPOSITED M	3.00	3.00	3.00
MAXIMUM DIVERSITY MAXH	3.70	4.52	4.46
MINIMUM DIVERSITY MINH	0.03	0.14	0.15
TOTAL DIVERSITY D	6511.23	2558.16	5099.27
TOTAL NUMBER OF INDIVIDUALS/ML N	6577.00	1938.00	1661.00
EVENESS COMPONENT J	0.27	0.29	0.69
RELATIVE EVENESS RJ	0.27	0.27	0.68
MEAN NUMBER OF INDIVIDUALS/TAXA L	505.92	84.26	75.50
NUMBER/ML OF MOST ABUNDANT TAXON K	5622.00	1366.00	406.00

TAXA	FORM	03 30 74				06 11 74				10 23 74			
		IS		XC		IS		XC		IS		XC	
		ALGAL UNITS PER ML		ALGAL UNITS PER ML		ALGAL UNITS PER ML		ALGAL UNITS PER ML		ALGAL UNITS PER ML		ALGAL UNITS PER ML	
ANABAENA	FIL	1	1	1		141	2.31	44		1	1	1	X
ANASTRODES MUS FALCATUS	CEL	1	1	0.61	38	1	1	1		1	1	1	
V. ACICULARIS	FIL	141	0.61	38		1	1	1		1	1	1	
APHANIZOENON	FIL	1	1	1		1	1	1	X	1	1	1	X
APHANIZOENON FLOS-AQUAE	CEL	121	5.21	344		1	1	1		1	1	1	
ASTERIONELLA FORMOSA	CEL	1	1	1		1	1	1	X	1	1	1	X
CARTERIA	CEL	1	1	1		1	1	1		141	6.71	111	
CHLAMYDOMONAS	CEL	1	1	1.71	115	111	70.51	1364		111	1.1	184	
CHLAMYDOMONAS ACUTA	CEL	1	1	1	X	151	2.31	44		1	1	1	X
CLOSTERIUM	CEL	1	1	1		1	1	1	X	1	1	1	
COELASTRUM MICROPORUM	CEL	1	1	1		1	1	1		151	4.51	74	
COELASTRUM SPHAERICUM	CEL	1	1	1		1	1	1		1	1	2.21	37
COELUSPHAERIUM	CEL	1	1	1		121	18.21	352		1	1	4.51	74
CRYPTONOMAS	CEL	151	1.21	76		1	1	1		1	1	1	
CRYPTONOMAS EROSA	CEL	1	1	0.61	38	1	1	1		1	1	1	
CRYPTONOMAS REFLEXA	CEL	1	1	1		1	1	1		1	1	1	X
CYCLOTELLA REMEGMINIANA	CEL	1	1	1		1	1	1		1	1	1	X
CYCLOTELLA STELLIGERA	CEL	1	1	1		1	1	1	X	1	1	1	
CYRILLIA	CEL	1	1	1		1	1	1		1	1	4.51	74
DACTYLOCOCCOPSIS	CEL	1	1	1		1	1	1	X	1	1	1	
DICTYOSPHAERIUM PULCHELLUM	CEL	1	1	1	X	1	1	1		1	1	1	
DIMORPHON SOCIALE	CEL	1	1	1		1	1	1	X	1	1	1	
EUASTRUM	CEL	1	1	1		1	1	1	X	1	1	1	
EUGLENA	CEL	1	1	1		1	1	1	X	1	1	1	
HEKCHNEIELLA	CEL	1	1	1.71	115	1	1	1		1	1	1	
HELGSIMA DISTANS	CEL	131	2.31	153		1	1	1	X	131	24.41	406	
HELGSIMA GRANULATA	CEL	111	65.51	5622		1	1	1	X	111	26.71	332	
HELIOSPIRIDA MINIMA	CEL	1	1	1		1	1	1	X	1	1	113.31	221
MICROCYSTIS AERUGINOSA	CEL	1	1	1		1	1	1	X	1	1	6.71	111
MICROCYSTIS INCERTA	CEL	1	1	1		1	1	1	X	1	1	1	X
NAVICULA	CEL	1	1	1		1	1	1		1	1	1	
NISSCHIA	CEL	1	1	1	X	1	1	1		1	1	1	
ODONOSTOMA	CEL	1	1	1		1	1	1	X	1	1	1	
OSCILLATORIA	FIL	1	1	1		1	1	1		121	2.21	37	
PLEODIASTRUM SIMPLEX	CEL	1	1	1		1	1	1		1	1	1	X
PHACUS	CEL	1	1	1		1	1	1	X	1	1	1	
PHACUS CAUDATUS	CEL	1	1	1		1	1	1	X	1	1	1	
V. MINOR	CEL	1	1	1		1	1	1	X	1	1	1	
RMOLICUSPHEMIA CURVATA	CEL	1	1	1		1	1	1	X	1	1	1	X
SCENEDESMUS BIJUGA	CEL	1	1	1		1	1	1	X	1	1	1	
SCHULDERIA SETIGERA	CEL	1	1	1		1	1	1		1	1	1	
STEPHANODISCUS	CEL	1	1	2.61	38	1	1	1		1	1	1	
TETRAELUM VICTORIAE	CEL	1	1	1		1	1	1	X	1	1	1	X
TRACHELUMNAS INTERMEDIA	CEL	1	1	1		131	6.81	132		1	1	1	
TOTAL					6577			1938				1661	

LAKE NAME: WISTER RES.
 STOKET NUMBER: 4015

NYGAARD TROPHIC STATE INDICES

DATE	03 28 74	06 07 74	08 26 74	10 21 74
MYXOPHYCEAN	2.00 E	0270 E	2.50 E	4.00 E
CHLOROPHYCEAN	14.0 E	0370 E	2.00 E	4.00 E
EUGLENOPHYTE	0.25 E	1.20 E	0.44 E	0.62 E
DIATOM	1.25 E	1.33 E	0470 E	0.83 E
COMPOUND	25.0 E	1570 E	8.50 E	18.0 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	03 26 74	06 07 74	08 26 74	10 21 74
GENUS	04	04	01	09
SPECIES	03	00	00	04

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	03 28 74	06 07 74	08 26 74	10 21 74
AVERAGE DIVERSITY	H	3.46	1.23	2.92
NUMBER OF TAXA	S	41.00	21.00	20.00
NUMBER OF SAMPLES COMPOSITED	M	2.00	2.00	2.00
MAXIMUM DIVERSITY	MAXH	5.36	4.39	4.32
MINIMUM DIVERSITY	MINH	0.29	0.07	0.31
TOTAL DIVERSITY	D	5864.70	4677.69	1909.68
TOTAL NUMBER OF INDIVIDUALS/ML	N	1695.00	3803.00	654.00
EVENNESS COMPONENT	J	0.65	0.28	0.68
RELATIVE EVENNESS	RJ	0.63	0.27	0.66
MEAN NUMBER OF INDIVIDUALS/TAXA	L	41.34	181.10	32.70
NUMBER/ML OF MOST ABUNDANT TAXON	K	325.00	2884.00	250.00

		03 28 74				06 07 74				08 26 74				10 21 74			
TAXA	FORM	IS	XC	ALGAL UNITS PER ML	IS	XC	ALGAL UNITS PER ML	IS	XC	ALGAL UNITS PER ML	IS	XC	ALGAL UNITS PER ML	IS	XC	ALGAL UNITS PER ML	
ANABAENA #1	FIL																
ANABAENA #2	FIL																
ANABAENA #3	FIL							141	4.71	31							
ANKISTRODESMUS FALCATUS	CEL						X										
ANKISTRODESMUS FALCATUS V. MIRABILIS	CEL	19	19.2	325													
APHANITHEC	CEL																
ASTERIONELLA FORMOSA	CEL								4.71	31							
ATTHEYA ZACHARIASI	CEL			X													
CARTERIA	CEL									X							
CENTRIC DIATOM	CEL			X													
CERASTERIAS IRREGULARE	CEL			X													
CHLAMYDOMONAS	CEL						X										
CHROOCUCCUS DISPIPSUS	CEL		1.9	33													
CHROOMONAS ACUTA	CEL	12	17.3	293			X										
CLOSTERIUM	CEL												0.8		28		
CLOSTERIUM ACICULARE	CEL			X					4.71	31							
COELASTRUM CAMBRILUM	CEL						X										
COELASTRUM MICROPORUM	CEL			X	51	0.8	32										
COSMARIUM	CEL																
CRUCIGENIA APICULATA	CEL			X							X		0.8		28		
CRUCIGENIA TETRAPEDIA	CEL																
CRYPTOMONAS	CEL			X													
CRYPTOMONAS ROSA	CEL								4.71	31							
CRYPTOMONAS REFLEXA	CEL			X							141	2.2			83		
CRYPTOMONAS SPP.	CEL			X													
CYANOPHYTAN FILAMENT	FIL	31	9.6	163													
CYCLotella	CEL												1.5		55		
DACTYLOCUCLUPIS	CEL																
DIATOMA VULGARE	CEL										31	8.1			303		
DINODRYUM BAVARIUM	CEL						X										
DINODRYUM SERTULARIA	CEL			X													
EUGLENA	CEL			X			X		4.71	31							
EUMOTIA PECTINALIS	CEL																
FLAGELLATE	CEL		3.8	65													
FLAGELLATES	CEL				131	4.71	254										
GLENODINIUM UCULATUM	CEL		1.9	33													
GYMNODINIUM	CEL																
GYMNODINIUM ALBULUM	CEL			X													
HANTZSCHIA	CEL												2.2		83		
KIRCHNERIELLA	CEL																
LEPOCINCLIS FUSIFORMIS ?	CEL		1.9	33									3.7		138		
LYNGBYA	FIL			X													
NELOSIRA DISTANS	CEL	11	15.3	260	141	1.7	63	11	9.51	62							
NELOSIRA GRANULATA	CEL		3.8	65	11	175.8	2884	12	138.21	250	12	140.7			1515		
NELOSIRA GRANULATA V. ANGUSTISSIMA	CEL							12	14.4	94	11	23.0			854		
NELOSIRA GRANULATA V. ANGUSTISSIMA F. SPIRALIS	CEL	141	9.6	163	12	12.5	475			X		3.0			110		
NEPISMOPEdia TENUISSIMA	CEL						X										
MICRACTINIUM PUSILLUM	CEL							151	4.71	31							
MICROCYSTIS INCERTA	CEL		3.8	65													
NAVICULA	CEL												1.5		55		
NITZSCHIA	CEL						X										
NITZSCHIA #2	CEL																
OOCYSTIS	CEL					2.5	95										
OSCILLATORIA	FIL		1.9	33									5.9		220		
PANDORINA NIGRUM	CEL																
PEGIASTRUM DUPLEX	CEL						X										
V. PECTICULATUM	CEL			X													
PEGIASTRUM TETRAS	CEL																
V. TETRADOM	CEL																
PENNATE DIATOM	CEL									X							
PHACUS	CEL			X													
PHACUS SUMICUS	CEL			X													
SCENEDESMUS ABUNDANS	CEL																
SCENEDESMUS ACUMINATUS	CEL			X									0.8		28		
SCENEDESMUS INTERMEDIUS	CEL																
V. BICAUDATUS	CEL																
SCENEDESMUS QUADRICAUDA	CEL		1.9	33						X							
SKELETONEMA POTANOS	CEL			X									1.5		55		
SPHAEROCASTIS SCHPOETERI	CEL		1.9	33													
STEPHANODISCUS	CEL																
SURIARELLA	CEL			X									0.8		28		
SYNEDRA	CEL		1.9	33													
SYNEDRA ACUS	CEL																
SYNURA ?	CEL																
TABELLARIA FENESTRATA	CEL												1.5				
TETRAEDROM GRACILE	CEL						X										
TETRAEDROM MINIMUM	CEL										X						
TETRAEDROM MINIMUM	CEL			X													
V. SCROBICULATUM	CEL																

LAKE NAME: WISTER RES.
STORET NUMBER: 4615

CONTINUED

TAXA	03 28 74				06 07 74				08 26 74				10 23 74			
	IS	SC	ALGAL UNITS PER ML	IS	SC	ALGAL UNITS PER ML	IS	SC	ALGAL UNITS PER ML	IS	SC	ALGAL UNITS PER ML	IS	SC	ALGAL UNITS PER ML	IS
TETRAEDRON TRIGONUM	CEL															
TETRASTRUM STAUROGEMIAEFORME	CEL															
TRACHELORHOMAS	CEL															
TRACHELORHOMAS #1	CEL															
TRACHELORHOMAS #2	CEL															
TRACHELORHOMAS #3	CEL															
TRACHELORHOMAS FLUVIATILIS	CEL															
TRACHELORHOMAS INTERMEDIA	CEL															
TRACHELORHOMAS VOLVOICINA	CEL															
TRACHELORHOMAS VOLVOICINA	CEL															
V. CRAPPESSA	CEL															
TOTAL			1695			3803			654			3721				