

**U.S. ENVIRONMENTAL PROTECTION AGENCY  
NATIONAL EUTROPHICATION SURVEY  
WORKING PAPER SERIES**



REPORT  
ON  
SHENANGO RIVER RESERVOIR  
MERCER COUNTY  
PENNSYLVANIA  
EPA REGION III  
WORKING PAPER No. 426

**PACIFIC NORTHWEST ENVIRONMENTAL RESEARCH LABORATORY**

An Associate Laboratory of the  
**NATIONAL ENVIRONMENTAL RESEARCH CENTER - CORVALLIS, OREGON**  
and

**NATIONAL ENVIRONMENTAL RESEARCH CENTER - LAS VEGAS, NEVADA**

REPORT  
ON  
SHENANGO RIVER RESERVOIR  
MERCER COUNTY  
PENNSYLVANIA  
EPA REGION III  
WORKING PAPER No. 426

WITH THE COOPERATION OF THE  
PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL RESOURCES  
AND THE  
PENNSYLVANIA NATIONAL GUARD  
JUNE, 1975

## CONTENTS

	<u>Page</u>
Foreword	ii
List of Pennsylvania Study Lakes	iv
Lake and Drainage Area Maps	v, vi

Sections

I. Conclusions	1
II. Lake and Drainage Basin Characteristics	4
III. Lake Water Quality Summary	6
IV. Nutrient Loadings	10
V. Literature Reviewed	17
VI. Appendices	18

## F O R E W O R D

The National Eutrophication Survey was initiated in 1972 in response to an Administration commitment to investigate the nationwide threat of accelerated eutrophication to fresh water lakes and reservoirs.

### OBJECTIVES

The Survey was designed to develop, in conjunction with state environmental agencies, information on nutrient sources, concentrations, and impact on selected freshwater lakes as a basis for formulating comprehensive and coordinated national, regional, and state management practices relating to point-source discharge reduction and non-point source pollution abatement in lake watersheds.

### ANALYTIC APPROACH

The mathematical and statistical procedures selected for the Survey's eutrophication analysis are based on related concepts that:

- a. A generalized representation or model relating sources, concentrations, and impacts can be constructed.
- b. By applying measurements of relevant parameters associated with lake degradation, the generalized model can be transformed into an operational representation of a lake, its drainage basin, and related nutrients.
- c. With such a transformation, an assessment of the potential for eutrophication control can be made.

### LAKE ANALYSIS

In this report, the first stage of evaluation of lake and watershed data collected from the study lake and its drainage basin is documented. The report is formatted to provide state environmental agencies with specific information for basin planning [§303(e)], water quality criteria/standards review [§303(c)], clean lakes [§314(a,b)], and water quality monitoring [§106 and §305(b)] activities mandated by the Federal Water Pollution Control Act Amendments of 1972.

Beyond the single lake analysis, broader based correlations between nutrient concentrations (and loading) and trophic condition are being made to advance the rationale and data base for refinement of nutrient water quality criteria for the Nation's fresh water lakes. Likewise, multivariate evaluations for the relationships between land use, nutrient export, and trophic condition, by lake class or use, are being developed to assist in the formulation of planning guidelines and policies by EPA and to augment plans implementation by the states.

ACKNOWLEDGMENT

The staff of the National Eutrophication Survey (Office of Research & Development, U. S. Environmental Protection Agency) expresses sincere appreciation to the Pennsylvania Department of Environmental Resources for professional involvement and to the Pennsylvania National Guard for conducting the tributary sampling phase of the Survey.

Walter A. Lyon, Director of the Bureau of Water Quality Management, Richard M. Boardman, Chief of the Division of Water Quality, and James T. Ulanoski, Aquatic Biologist of the Division of Water Quality, provided invaluable lake documentation and counsel during the Survey, reviewed the preliminary reports, and provided critiques most useful in the preparation of this Working Paper series.


Major General Harry J. Mier, Jr., the Adjutant General of Pennsylvania, and Project Officer Major Ronald E. Wickard, who directed the volunteer efforts of the Pennsylvania National Guardsmen, are also gratefully acknowledged for their assistance to the Survey.


## NATIONAL EUTROPHICATION SURVEY

## STUDY LAKES

## STATE OF PENNSYLVANIA

<u>LAKE NAME</u>	<u>COUNTY</u>
Allegheny Reservoir	McKean, Warren, PA; Cattaraugus, NY
Beaver Run Reservoir	Westmoreland
Beltzville	Carbon
Blanchard Reservoir	Centre
Canadohta	Crawford
Conneaut	Crawford
Conewago (Pinchot)	York
Greenlane	Montgomery
Harveys	Luzerne
Indian	Somerset
Naomi	Monroe
Ontelaunee	Berks
Pocono	Monroe
Pymatuning Reservoir	Crawford, PA; Ashtabula, OH
Shenango River Reservoir	Mercer
Stillwater	Monroe
Wallenpaupack	Pike, Wayne





## SHENANGO RIVER RESERVOIR\*

STORET NO. 4216

### I. CONCLUSIONS

#### A. Trophic Condition:

Survey data indicate that Shenango River Reservoir is eutrophic. It ranked fourteenth in overall trophic quality when the 17 Pennsylvania lakes sampled in 1973 were compared using a combination of six lake parameters\*\*. Thirteen of the lakes had less median total phosphorus, 11 had less and two had the same median dissolved phosphorus, nine had less median inorganic nitrogen, 15 had less mean chlorophyll a, and 14 had greater mean Secchi disc transparency. Marked depression of dissolved oxygen with depth occurred at sampling stations 1 and 2 in July, 1973.

Survey limnologists noted algae over much of the reservoir surface in July, but no macrophytes were observed during any of the sampling visits.

#### B. Rate-Limiting Nutrient:

The algal assay results indicate that the reservoir was phosphorus limited at the time the sample was collected (04/20/73). The lake data indicate phosphorus limitation at the other sampling times as well.

---

\* Table of metric conversions--Appendix A.

\*\* See Appendix B.

C. Nutrient Controllability:

1. Point sources--The phosphorus contribution of the listed point sources amounted to almost 38% of the total reaching Shenango River Reservoir during the sampling year; including Greenville (26.3%), Reynolds Heights (5.9%), Westinghouse Electric (2.4%), and Jamestown (1.7%). The six remaining listed point sources collectively contributed a total of 1.3%.

The present phosphorus loading rate of 3.92 g/m<sup>2</sup>/yr is three times that proposed by Vollenweider (Vollenweider and Dillon, 1974) as a eutrophic rate (see page 16). For this reason, all phosphorus inputs to Shenango River Reservoir, as well as upstream Pymatuning Reservoir, should be minimized to the greatest practicable extent to slow the aging of this reservoir (nearly 14% of the total phosphorus load to Shenango River Reservoir was contributed by the outlet of Pymatuning Reservoir\*).

2. Non-point sources--Over 62% of the total phosphorus input to Shenango River Reservoir came from non-point sources during the sampling year. The Shenango River contributed 39.6% of the total (after accounting for nine point sources); Pymatuning Creek, 18.7%; and Lackawannock Creek, 1.2%. The six remaining gaged tributaries collectively accounted for 1.8%

---

\* See Working Paper No. 425, "Report on Pymatuning Reservoir".

of the total. Ungaged tributaries were estimated to have contributed 0.6%.

Brush Run, Lackawannock Creek, and Pymatuning Creek had phosphorus export rates of 36, 30, and 27 kg/km<sup>2</sup>/yr, respectively (see page 15). These rates are considerably higher than those of the other unimpacted tributaries of the reservoir and may be due to unidentified point sources rather than to non-point source inputs.

## II. LAKE AND DRAINAGE BASIN CHARACTERISTICS

### A. Lake Morphometry<sup>†</sup>:

1. Surface area: 14.41 kilometers<sup>2</sup>.
2. Mean depth: 2.5 meters.
3. Maximum depth: 10.7 meters.
4. Volume:  $36.025 \times 10^6 \text{ m}^3$ .
5. Mean hydraulic retention time: 21 days (based on outlet flow).

### B. Tributary and Outlet: (See Appendix C for flow data)

#### 1. Tributaries -

<u>Name</u>	<u>Drainage area (km<sup>2</sup>)*</u>	<u>Mean flow (m<sup>3</sup>/sec)*</u>
Shenango River	929.8	12.0
Pymatuning Creek	385.9	3.2
Booth Run	27.2	0.2
Brush Run	14.2	0.1
Lackawannock Creek	23.3	0.2
Daley Run	8.1	0.1
Magargee Run	23.5	0.1
Golden Run	11.7	0.1
Pine Hollow Run	11.3	0.1
Minor tributaries & immediate drainage -	<u>63.2</u>	<u>0.9</u>
Totals	1,498.2	17.0

#### 2. Outlet -

Shenango River	1,512.6**	20.0
----------------	-----------	------

<sup>†</sup> Ulanoski, 1975.

\* For limits of accuracy, see Working Paper No. 175, "...Survey Methods, 1973-1976".

\*\* Includes area of lake.

C. Precipitation\*:

1. Year of sampling: 89.6 centimeters.
2. Mean annual: 89.8 centimeters.

\* See Working Paper No. 175.

### III. LAKE WATER QUALITY SUMMARY

Shenango River Reservoir was sampled three times during the open-water season of 1973 by means of a pontoon-equipped Huey helicopter. Each time, samples for physical and chemical parameters were collected from three stations on the lake and from a number of depths at each station (see map, page v). During each visit, a single depth-integrated (near bottom to surface) sample was composited from the stations for phytoplankton identification and enumeration; and during the first visit, a single 18.9-liter depth-integrated sample was composited for algal assays. Also each time, a depth-integrated sample was collected from each of the stations for chlorophyll a analysis. The maximum depths sampled were 6.1 meters at station 1, 8.8 meters at station 2, and 4.0 meters at station 3.

The lake sampling results are presented in full in Appendix D and are summarized in the following table.

A. SUMMARY OF PHYSICAL AND CHEMICAL CHARACTERISTICS FOR SHENANGO RIVER RESERVOIR  
STORET CODE 4216

PARAMETER	1ST SAMPLING (4/20/73)				2ND SAMPLING (7/31/73)				3RD SAMPLING (10/8/73)			
	3 SITES				3 SITES				3 SITES			
	RANGE	MEAN	MEDIAN	RANGE	MEAN	MEDIAN	RANGE	MEAN	MEDIAN	RANGE	MEAN	MEDIAN
TEMP (C)	10.2 - 86.0	33.5	14.0	23.6 - 25.6	24.8	24.7	18.0 - 18.3	18.2	18.2	18.0 - 18.3	18.2	18.2
DISS OXY (MG/L)	9.9 - 15.5	12.6	12.8	0.5 - 7.4	5.0	5.4	6.2 - 8.8	7.3	6.8	6.2 - 8.8	7.3	6.8
CNDCTVY (MICROMHO)	180. - 385.	230.	213.	198. - 215.	206.	206.	177. - 212.	191.	191.	177. - 212.	191.	191.
PH (STAND UNITS)	7.9 - 13.5	9.3	8.6	6.4 - 8.0	7.0	6.8	7.4 - 7.9	7.6	7.6	7.4 - 7.9	7.6	7.6
TOT ALK (MG/L)	32. - 44.	36.	36.	60. - 68.	62.	61.	55. - 75.	62.	61.	55. - 75.	62.	61.
TOT P (MG/L)	0.023 - 0.065	0.037	0.029	0.047 - 0.096	0.064	0.058	0.049 - 0.112	0.077	0.064	0.049 - 0.112	0.077	0.064
ORTHO P (MG/L)	0.004 - 0.011	0.007	0.007	0.006 - 0.014	0.009	0.008	0.005 - 0.013	0.008	0.007	0.005 - 0.013	0.008	0.007
NO2+N03 (MG/L)	0.340 - 0.600	0.459	0.435	0.040 - 0.080	0.056	0.050	0.040 - 0.290	0.191	0.240	0.040 - 0.290	0.191	0.240
AMMONIA (MG/L)	0.030 - 0.060	0.043	0.040	0.060 - 0.720	0.188	0.105	0.030 - 0.200	0.083	0.070	0.030 - 0.200	0.083	0.070
KJEL N (MG/L)	0.400 - 0.600	0.480	0.450	0.600 - 1.400	0.980	0.950	0.700 - 1.600	1.029	1.000	0.700 - 1.600	1.029	1.000
INORG N (MG/L)	0.370 - 0.660	0.502	0.470	0.110 - 0.760	0.244	0.160	0.130 - 0.360	0.274	0.320	0.130 - 0.360	0.274	0.320
TOTAL N (MG/L)	0.810 - 1.100	0.939	0.945	0.660 - 1.440	1.036	1.000	0.990 - 1.650	1.220	1.240	0.990 - 1.650	1.220	1.240
CHLRPYL A (UG/L)	9.7 - 13.9	12.2	12.9	22.3 - 57.5	45.0	55.3	13.8 - 36.3	23.2	19.5	13.8 - 36.3	23.2	19.5
SECCHI (METERS)	0.9 - 0.9	0.9	0.9	0.6 - 0.9	0.8	0.9	0.7 - 1.2	1.0	1.0	0.7 - 1.2	1.0	1.0

## B. Biological characteristics:

## 1. Phytoplankton\* -

<u>Sampling Date</u>	<u>Dominant Genera</u>	<u>Algal Units per ml</u>
04/20/73	1. Melosira 2. Asterionella 3. Flagellates 4. Ankistrodesmus 5. Synedra Other genera	1,706 1,389 198 99 79 <u>120</u>
	Total	3,591
07/31/73	1. Anabaena 2. Aphanizomenon (?) 3. Stephanodiscus 4. Melosira 5. Flagellates Other genera	2,071 323 323 296 215 <u>885</u>
	Total	4,113

## 2. Chlorophyll a -

<u>Sampling Date</u>	<u>Station Number</u>	<u>Chlorophyll a (<math>\mu\text{g/l}</math>)</u>
04/20/73	01	12.9
	02	9.7
	03	13.9
07/31/73	01	57.5
	02	22.3
	03	55.3
10/08/73	01	36.3
	02	13.8
	03	19.5

\* The October sample was lost in shipment.

C. Limiting Nutrient Study:

1. Autoclaved, filtered, and nutrient spiked -

<u>Spike (mg/l)</u>	<u>Ortho P Conc. (mg/l)</u>	<u>Inorganic N Conc. (mg/l)</u>	<u>Maximum yield (mg/l-dry wt.)</u>
Control	0.020	0.514	5.7
0.050 P	0.070	0.514	15.0
0.050 P + 1.0 N	0.070	1.514	23.3
1.0 N	0.020	1.514	4.7

2. Discussion -

The control yield of the assay alga, Selenastrum capricornutum, indicates that the potential primary productivity of Shenango River Reservoir was high at the time the sample was collected. The addition of phosphorus alone produced a significant increase in yield, but no such increase occurred with the addition of only nitrogen. This indicates limitation by phosphorus.

The lake data further substantiate phosphorus limitation. At all sampling times, the mean N/P ratios were 27/1 or greater.

#### IV. NUTRIENT LOADINGS (See Appendix E for data)

For the determination of nutrient loadings, the Pennsylvania National Guard collected monthly near-surface grab samples from each of the tributary sites indicated on the map (page vi), except for the high runoff months of February and April when two samples were collected. Sampling was begun in May, 1973, and was completed in April, 1974.

Through an interagency agreement, stream flow estimates for the year of sampling and a "normalized" or average year were provided by the Pennsylvania District Office of the U.S. Geological Survey for the tributary sites nearest the lake.

In this report, nutrient loads for sampled tributaries were determined by using a modification of a U.S. Geological Survey computer program for calculating stream loadings\*. Nutrient loads shown are those measured minus point-source loads, if any.

Nutrient loads for unsampled "minor tributaries and immediate drainage" ("ZZ" of U.S.G.S.) were estimated using the means of the nutrient loads, in kg/km<sup>2</sup>/year, at stations C-1, F-1, G-1, and H-1 and multiplying the means by the ZZ area in km<sup>2</sup>.

The operators of the Greenville, Reynolds Heights, Westinghouse Electric Corp., Jamestown, Greenville Tubes Division, Commodore Perry

---

\* See Working Paper No. 175.

School District, R.D. Werner Co., Inc., and Anderson's Mobile Home Park wastewater treatment plants provided monthly effluent samples and corresponding flow data. St. Paul's Home did not participate in the Survey, and nutrient loads were estimated at 1.134 kg P and 3.401 kg N/capita/year.

Estimates of nutrient contributions by wild ducks and geese were based on the following numbers of waterfowl using Shenango River Reservoir as provided by the Pennsylvania Department of Environmental Resources (Ulanoski, 1975).

Summer resident ducks	250
Summer resident geese	50
Migratory ducks	2,000
Migratory geese	300

In calculating the nutrient loads, the following assumptions were made:

1. Each wild duck contributes 0.45 kg total nitrogen and 0.20 kg total phosphorus per year (Paloumpis and Starrett, 1960).
2. Each wild goose contributes the same amount as one duck since geese typically feed in fields away from the lake several hours each day.
3. Summer or winter resident waterfowl are at the lake for six months of the year.
4. Migratory waterfowl spend a total of one month per year at the lake; i.e., 15 days during Spring migration and 15 days during Fall migration.

## A. Waste Sources\*:

## 1. Known municipal -

<u>Name</u>	<u>Pop. Served</u>	<u>Treatment</u>	<u>Mean Flow (m<sup>3</sup>/d)</u>	<u>Receiving Water</u>
Anderson's Mobile Home Park	94	lagoon	14.2	Big Run
Commodore Perry Sch. District	1,088	act. sludge	17.8	Little Shenango River
Reynolds Heights	5,859**	trickling filter	2,217.6	Shenango River
Greenville	10,000	trickling filter	5,874.1	Shenango River
St. Paul's Old Folk's Home	70	lagoon	37.8	Shenango River
Jamestown	960	act. sludge	613.2	Shenango River

## 2. Known industrial -

<u>Name</u>	<u>Product</u>	<u>Treatment</u>	<u>Mean flow (m<sup>3</sup>/d)</u>	<u>Receiving Water</u>
R. D. Werner Company	aluminum products	none	362.0	Little Shenango River
Greenville Tubes Division	stainless steel tubing	none	1,682.4	Big Run
Westing- house Electric	electrical equipment	lime neutral. & sedimentation	36.7	Shenango River

\* Treatment plant questionnaires.

\*\* Estimate based on flow of 0.3785 m<sup>3</sup>/capita/day.

## B. Annual Total Phosphorus Loading - Average Year:

## 1. Inputs -

<u>Source</u>	<u>kg P/ yr</u>	<u>% of total</u>
<b>a. Tributaries (non-point load) -</b>		
Shenango River	22,345	39.5
Pymatuning Creek	10,545	18.6
Booth Run	80	0.1
Brush Run	505	0.9
Lackawannock Creek	690	1.2
Daley Run	70	0.1
Magargee Run	110	0.2
Golden Run	60	0.1
Pine Hollow Run	200	0.4
<b>b. Minor tributaries &amp; immediate drainage (non-point load) -</b>		350
<b>c. Known municipal STP's -</b>		0.6
Anderson's Mobile Home Park	25	<0.1
Commodore Perry Sch. Dist.	45	0.1
Reynolds Heights	3,315	5.9
Greenville	14,865	26.3
St. Paul's Old Folks Home	80	0.1
Jamestown	965	1.7
<b>d. Septic tanks* -</b>		5
<b>e. Known industrial -</b>		<0.1
R. D. Werner Company	120	0.2
Greenville Tubes Division	495	0.9
Westinghouse Electric	1,360	2.4
<b>f. Wild ducks and geese -</b>		70
<b>g. Direct precipitation** -</b>		<u>250</u>
Total	56,550	100.0

## 2. Outputs -

Lake outlet - Shenango River 42,060

## 3. Net annual P accumulation - 14,490 kg.

\* Estimate based on two lakeshore parks; see Working Paper No. 175.

\*\* See Working Paper No. 175.

## C. Annual Total Nitrogen Loading - Average Year:

## 1. Inputs -

<u>Source</u>	<u>kg N/ yr</u>	<u>% of total</u>
<b>a. Tributaries (non-point load) -</b>		
Shenango River	486,915	64.1
Pymatuning Creek	154,155	20.3
Booth Run	7,020	0.9
Brush Run	3,510	0.5
Lackawannock Creek	9,320	1.2
Daley Run	4,015	0.5
Magargee Run	6,645	0.9
Golden Run	2,940	0.4
Pine Hollow Run	2,175	0.3
<b>b. Minor tributaries &amp; immediate drainage (non-point load) -</b>		20,350
		2.7
<b>c. Known municipal STP's -</b>		
Anderson's Mobile Home Park	45	<0.1
Commodore Perry Sch. Dist.	135	<0.1
Reynolds Heights	8,345	1.1
Greenville	31,545	4.1
St. Paul's Old Folks Home	240	<0.1
Jamestown	2,070	0.3
<b>d. Septic tanks* -</b>		70
		<0.1
<b>e. Known industrial -</b>		
R. D. Werner Company	235	<0.1
Greenville Tubes Division	2,750	0.4
Westinghouse Electric	2,005	0.3
<b>f. Wild ducks and geese -</b>		155
		<0.1
<b>g. Direct precipitation** -</b>		<u>15,555</u>
		<u>2.0</u>
<b>Total</b>	<b>760,195</b>	<b>100.0</b>

## 2. Outputs -

Lake outlet - Shenango River 894,835

## 3. Net annual N loss - 134,640 kg.

\* Estimate based on two lakeshore parks; see Working Paper No. 175.

\*\* See Working Paper No. 175.

## D. Mean Annual Non-point Nutrient Export by Subdrainage Area:

<u>Tributary</u>	<u>kg P/km<sup>2</sup>/yr</u>	<u>kg N/km<sup>2</sup>/yr</u>
Shenango River	24	524
Pymatuning Creek	27	399
Booth Run	3	258
Brush Run	36	247
Lackawannock Creek	30	400
Daley Run	9	496
Magargee Run	5	283
Golden Run	5	251
Pine Hollow Run	18	192

E. Yearly Loading Rates:

In the following table, the existing phosphorus loading rates are compared to those proposed by Vollenweider (Vollenweider and Dillon, 1974). Essentially, his "dangerous" rate is the rate at which the receiving water would become eutrophic or remain eutrophic; his "permissible" rate is that which would result in the receiving water remaining oligotrophic or becoming oligotrophic if morphometry permitted. A mesotrophic rate would be considered one between "dangerous" and "permissible".

Note that Vollenweider's model may not be applicable to water bodies with short hydraulic retention times.

	Total Phosphorus		Total Nitrogen	
	Total	Accumulated	Total	Accumulated
grams/m <sup>2</sup> /yr	3.92	1.01	52.8	loss*

Vollenweider loading rates for phosphorus (g/m<sup>2</sup>/yr) based on mean depth and mean hydraulic retention time of Shenango River Reservoir:

"Dangerous" (eutrophic rate)	1.26
"Permissible" (oligotrophic rate)	0.63

---

\* There was an apparent loss of nitrogen during the sampling year. This may have been due to nitrogen fixation in the reservoir, solubilization of previously sedimented nitrogen, recharge with nitrogen-rich ground water, unknown and unsampled point sources discharging directly to the reservoir, or underestimation of the nitrogen loads from the listed point sources. Whatever the cause, a similar nitrogen loss had occurred at Shagawa Lake, Minnesota, which has been intensively studied by EPA's National Eutrophication and Lake Restoration Branch (Malueg et al., 1975).

## V. LITERATURE REVIEWED

- Ketelle, Martha J., and Paul D. Uttormark, 1971. Problem lakes in the United States. EPA Water Poll. Contr. Res. Ser., Proj. #16010 EHR, Washington, DC.
- Malueg, Kenneth W., D. Phillips Larsen, Donald W. Schultz, and Howard T. Mercier; 1975. A six-year water, phosphorus, and nitrogen budget for Shagawa Lake, Minnesota. Jour. Environ. Qual., vol. 4, no. 2, pp. 236-242.
- Paloumpis, A. A., and W. C. Starrett, 1960. An ecological study of benthic organisms in three Illinois River flood plain lakes. Amer. Midl. Nat., vol. 64, no. 2, pp. 406-435.
- Ulanoski, James, 1975. Personal communication (lake morphometry; waterfowl numbers). PA Dept. Env. Resources, Harrisburg.
- Vollenweider, R. A., and P. J. Dillon, 1974. The application of the phosphorus loading concept to eutrophication research. Natl. Res. Council of Canada Publ. No. 13690, Canada Centre for Inland Waters, Burlington, Ontario.

VII. APPENDICES

APPENDIX A

CONVERSION FACTORS

## CONVERSION FACTORS

Hectares x 2.471 = acres

Kilometers x 0.6214 = miles

Meters x 3.281 = feet

Cubic meters x  $8.107 \times 10^{-4}$  = acre/feet

Square kilometers x 0.3861 = square miles

Cubic meters/sec x 35.315 = cubic feet/sec

Centimeters x 0.3937 = inches

Kilograms x 2.205 = pounds

Kilograms/square kilometer x 5.711 = lbs/square mile

## **APPENDIX B**

### **LAKE RANKINGS**

LAKES RANKED BY INDEX NOS.

RANK	LAKE CODE	LAKE NAME	INDEX NO
1	4224	LAKE NAOMI	445
2	4220	BELTZVILLE DAM	423
3	4222	HARVEY'S LAKE	413
4	4228	STILLWATER LAKE	401
5	4227	POCONO LAKE	389
6	4223	INDIAN LAKE	388
7	3641	ALLEGHENY RESERVOIR	385
8	4229	LAKE WALLENPAUPACK	371
9	4221	CANADOHTA LAKE	369
10	4219	BEAVER RUN RESERVOIR	360
11	4204	CONNEAUT LAKE	307
12	4226	PINCHOT LAKE	256
13	4213	PYMATUNING RESERVOIR	206
14	4216	SHENANGO RIVER RESERVOIR	157
15	4225	ONTELAUNEE DAM	101
16	4201	BLANCHARD RESERVOIR	85
17	4207	GREENLANE DAM	53

PERCENT OF LAKES WITH HIGHER VALUES (NUMBER OF LAKES WITH HIGHER VALUES)

LAKE CODE	LAKE NAME	MEDIAN TOTAL P	MEDIAN INORG N	500- MEAN SEC	MEAN CHLORA	15- MIN DO	MEDIAN DISS P	INDEX NO
3641	ALLEGHENY RESERVOIR	56 ( 9)	38 ( 6)	63 ( 10)	100 ( 16)	69 ( 11)	59 ( 8)	385
4201	BLANCHARD RESERVOIR	13 ( 2)	13 ( 2)	25 ( 4)	31 ( 5)	3 ( 0)	0 ( 0)	85
4204	CONNEAUT LAKE	44 ( 7)	63 ( 10)	69 ( 11)	56 ( 9)	34 ( 5)	41 ( 6)	307
4207	GREENLANE DAM	6 ( 1)	6 ( 1)	19 ( 3)	13 ( 2)	3 ( 0)	6 ( 1)	53
4213	PYMATUNING RESERVOIR	0 ( 0)	72 ( 11)	6 ( 1)	0 ( 0)	100 ( 16)	28 ( 4)	206
4216	SHENANGO RIVER RESERVOIR	19 ( 3)	44 ( 7)	13 ( 2)	6 ( 1)	47 ( 7)	28 ( 4)	157
4219	BEAVER RUN RESERVOIR	94 ( 15)	19 ( 3)	88 ( 14)	81 ( 13)	19 ( 2)	59 ( 8)	360
4220	BELTZVILLE DAM	88 ( 14)	25 ( 4)	94 ( 15)	94 ( 15)	34 ( 5)	88 ( 13)	423
4221	CANADOHTA LAKE	50 ( 8)	97 ( 15)	56 ( 9)	19 ( 3)	59 ( 9)	88 ( 13)	369
4222	HARVEY'S LAKE	63 ( 10)	81 ( 13)	100 ( 16)	63 ( 10)	47 ( 7)	59 ( 8)	413
4223	INDIAN LAKE	100 ( 16)	31 ( 5)	75 ( 12)	75 ( 12)	19 ( 2)	88 ( 13)	388
4224	LAKE NAOMI	81 ( 13)	88 ( 14)	44 ( 7)	69 ( 11)	88 ( 14)	75 ( 12)	445
4225	ONTELAUNEE DAM	25 ( 4)	0 ( 0)	0 ( 0)	44 ( 7)	19 ( 2)	13 ( 2)	101
4226	PINCHOT LAKE	31 ( 5)	56 ( 9)	31 ( 5)	38 ( 6)	81 ( 13)	19 ( 3)	256
4227	POCONO LAKE	38 ( 6)	97 ( 15)	50 ( 8)	88 ( 14)	75 ( 12)	41 ( 6)	389
4228	STILLWATER LAKE	72 ( 11)	72 ( 11)	38 ( 6)	25 ( 4)	94 ( 15)	100 ( 16)	401
4229	LAKE WALLENPAUPACK	72 ( 11)	50 ( 8)	81 ( 13)	50 ( 8)	59 ( 9)	59 ( 8)	371

LAKE DATA TO BE USED IN RANKINGS

LAKE CODE	LAKE NAME	MEDIAN TOTAL P	MEDIAN INORG N	500- MEAN SEC	MEAN CHLORA	15- MIN DO	MEDIAN DISS P
3641	ALLEGHENY RESERVOIR	0.016	0.380	414.250	3.700	13.800	0.006
4201	BLANCHARD RESERVOIR	0.064	1.300	453.143	15.187	14.900	0.046
4204	CUNNEAUT LAKE	0.023	0.185	402.000	7.567	14.600	0.007
4207	GREENLANE DAM	0.066	1.475	460.222	24.011	14.900	0.020
4213	PYMATUNING RESERVOIR	0.070	0.180	467.750	56.333	7.700	0.008
4216	SHENANGO RIVER RESERVOIR	0.058	0.340	463.555	26.800	14.500	0.008
4219	BEAVER RUN RESERVOIR	0.009	0.835	384.833	5.183	14.800	0.006
4220	BELTZVILLE DAM	0.010	0.815	362.444	4.856	14.600	0.005
4221	CANADOHTA LAKE	0.020	0.130	436.000	19.167	14.100	0.005
4222	HARVEY'S LAKE	0.015	0.160	338.000	5.967	14.500	0.006
4223	INDIAN LAKE	0.008	0.520	400.222	5.211	14.800	0.005
4224	LAKE NAOMI	0.014	0.135	443.333	5.533	8.000	0.005
4225	ONTELAUNEE DAM	0.040	2.150	470.667	11.783	14.800	0.011
4226	PINCHOT LAKE	0.027	0.245	453.000	13.950	11.500	0.008
4227	POCONO LAKE	0.024	0.130	438.800	4.980	13.200	0.007
4228	STILLWATER LAKE	0.015	0.180	449.000	18.233	7.900	0.004
4229	LAKE WALLENPAUPACK	0.015	0.250	394.583	9.617	14.100	0.006

## **APPENDIX C**

### **TRIBUTARY FLOW DATA**

## TRIBUTARY FLOW INFORMATION FOR PENNSYLVANIA

1/27/75

LAKE CODE 4216 SHENANGO RIVER RES

TOTAL DRAINAGE AREA OF LAKE(SQ KM) 1512.6

TRIBUTARY	SUB-DRAINAGE AREA(SQ KM)	NORMALIZED FLOWS(CMS)												MEAN
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
4216A1	1512.6	27.35	33.50	41.14	31.12	21.41	12.80	11.52	9.34	8.47	9.40	13.42	21.27	19.99
4216A2	929.8	16.99	15.89	22.60	20.64	11.89	8.21	6.99	5.35	7.67	6.97	7.56	13.62	12.01
4216B1	385.9	3.31	5.97	9.57	6.46	3.40	1.76	0.99	0.27	0.25	0.82	1.98	3.60	3.18
4216C1	27.2	0.34	0.37	0.62	0.37	0.18	0.06	0.03	0.01	0.01	0.03	0.09	0.20	0.19
4216D1	14.2	0.10	0.11	0.15	0.11	0.07	0.03	0.02	0.01	0.01	0.02	0.05	0.07	0.06
4216E1	23.3	0.28	0.37	0.40	0.48	0.40	0.27	0.16	0.12	0.08	0.07	0.11	0.20	0.24
4216F1	8.1	0.10	0.10	0.15	0.10	0.06	0.03	0.02	0.01	0.01	0.02	0.04	0.07	0.06
4216G1	23.5	0.21	0.23	0.31	0.23	0.14	0.06	0.04	0.02	0.02	0.04	0.09	0.15	0.13
4216H1	11.7	0.10	0.11	0.17	0.11	0.06	0.02	0.01	0.01	0.00	0.01	0.03	0.06	0.06
4216J1	11.3	0.10	0.11	0.16	0.11	0.07	0.03	0.02	0.01	0.01	0.02	0.04	0.07	0.06
4216ZZ	77.4	1.16	1.25	1.84	1.56	0.88	0.57	0.45	0.31	0.42	0.42	0.54	0.96	0.86

## SUMMARY

TOTAL DRAINAGE AREA OF LAKE = 1512.6  
 SUM OF SUB-DRAINAGE AREAS = 1512.5      TOTAL FLOW IN = 202.79  
 TOTAL FLOW OUT = 240.75

## MEAN MONTHLY FLOWS AND DAILY FLOWS(CMS)

TRIBUTARY	MONTH	YEAR	MEAN FLOW	DAY	FLOW	DAY	FLOW	DAY	FLOW
4216A1	5	73	37.66	19	41.91				
	6	73	26.87	9	51.25				
	7	73	7.50	14	7.50				
	8	73	7.50	11	7.50				
	9	73	8.04	15	8.21				
	10	73	9.80	13	10.48				
	11	73	17.10	17	16.14				
	12	73	28.32	16	14.44				
	1	74	47.29	12	20.10				
	2	74	41.63	9	41.06				
4216A2	3	74	39.93	9	53.80				
	4	74	36.53	13	45.59				
	5	73	22.85	19	18.09				
	6	73	14.19	9	20.81				
	7	73	4.11	14	3.23				
	8	73	4.73	11	3.43				
	9	73	5.30	15	5.21				
	10	73	6.80	13	5.89				
	11	73	10.79	17	9.29				
	12	73	16.17	16	11.50				
4216ZZ	1	74	26.45	12	13.62				
	2	74	20.59	9	19.62				
	3	74	26.08	9	72.77				
	4	74	23.59	13	23.53				

## TRIBUTARY FLOW INFORMATION FOR PENNSYLVANIA

1/27/75

LAKE CODE 4216 SHENANGO RIVER RES

## MEAN MONTHLY FLOWS AND DAILY FLOWS(CMS)

TRIBUTARY	MONTH	YEAR	MEAN FLOW	DAY	FLOW	DAY	FLOW	DAY	FLOW
4216B1	5	73	6.65	19	2.18				
	6	73	3.99	9	6.48				
	7	73	0.49	14	0.18				
	8	73	0.29	11	0.09				
	9	73	0.13	15	0.15				
	10	73	0.55	13	0.20				
	11	73	2.61	17	1.36				
	12	73	5.64	16	4.16				
	1	74	6.54	12	0.79				
	2	74	2.89	9	1.13				
	3	74	9.97	9	21.04				
	4	74	6.63	13	5.72				
4216C1	5	73	0.37	19	0.07				
	6	73	0.14	9	0.12				
	7	73	0.02	14	0.03				
	8	73	0.02	11	0.00				
	9	73	0.00	15	0.00				
	10	73	0.02	13	0.02				
	11	73	0.10	17	0.25				
	12	73	0.31	16	0.04				
	1	74	0.59	12	0.08				
	2	74	0.16	9	0.14				
	3	74	1.19	9	0.31				
	4	74	0.48	13	0.15				
4216D1	5	73	0.11	19	0.04				
	6	73	0.06	9	0.05				
	7	73	0.02	14	0.02				
	8	73	0.02	11	0.01				
	9	73	0.01	15	0.01				
	10	73	0.02	13	0.02				
	11	73	0.05	17	0.08				
	12	73	0.10	16	0.03				
	1	74	0.14	12	0.04				
	2	74	0.06	9	0.06				
	3	74	0.22	9	0.09				
	4	74	0.12	13	0.06				
4216E1	5	73	0.40	19	0.18				
	6	73	0.25	9	0.23				
	7	73	0.10	14	0.13				
	8	73	0.10	11	0.04				
	9	73	0.05	15	0.05				
	10	73	0.09	13	0.10				
	11	73	0.21	17	0.31				
	12	73	0.37	16	0.14				
	1	74	0.48	12	0.19				
	2	74	0.26	9	0.25				
	3	74	0.65	9	0.34				
	4	74	0.42	13	0.25				

## TRIBUTARY FLOW INFORMATION FOR PENNSYLVANIA

1/27/75

LAKE CODE 4216 SHENANGO RIVER RES

## MEAN MONTHLY FLOWS AND DAILY FLOWS(CMS)

TRIBUTARY	MONTH	YEAR	MEAN FLOW	DAY	FLOW	DAY	FLOW	DAY	FLOW
4216F1	5	73	0.10	19	0.03				
	6	73	0.05	9	0.05				
	7	73	0.01	14	0.02				
	8	73	0.01	11	0.00				
	9	73	0.00	15	0.00				
	10	73	0.01	13	0.01				
	11	73	0.04	17	0.08				
	12	73	0.09	16	0.02				
	1	74	0.14	12	0.03				
	2	74	0.06	9	0.05				
	3	74	0.24	9	0.09				
	4	74	0.12	13	0.06				
4216G1	5	73	0.23	19	0.07				
	6	73	0.12	9	0.10				
	7	73	0.03	14	0.05				
	8	73	0.03	11	0.01				
	9	73	0.01	15	0.01				
	10	73	0.03	13	0.03				
	11	73	0.09	17	0.17				
	12	73	0.20	16	0.05				
	1	74	0.31	12	0.08				
	2	74	0.13	9	0.12				
	3	74	0.51	9	0.20				
	4	74	0.27	13	0.12				
4216H1	5	73	0.11	19	0.02				
	6	73	0.05	9	0.04				
	7	73	0.01	14	0.01				
	8	73	0.01	11	0.00				
	9	73	0.00	15	0.00				
	10	73	0.01	13	0.01				
	11	73	0.03	17	0.08				
	12	73	0.09	16	0.02				
	1	74	0.16	12	0.03				
	2	74	0.05	9	0.05				
	3	74	0.31	9	0.09				
	4	74	0.14	13	0.05				
4216J1	5	73	0.11	19	0.03				
	6	73	0.05	9	0.05				
	7	73	0.01	14	0.02				
	8	73	0.01	11	0.00				
	9	73	0.00	15	0.00				
	10	73	0.01	13	0.01				
	11	73	0.04	17	0.08				
	12	73	0.10	16	0.02				
	1	74	0.15	12	0.03				
	2	74	0.06	9	0.05				
	3	74	0.25	9	0.09				
	4	74	0.12	13	0.06				

## TRIBUTARY FLOW INFORMATION FOR PENNSYLVANIA

1/27/75

LAKE CODE 4216 SHENANGO RIVER RES

## MEAN MONTHLY FLOWS AND DAILY FLOWS(CMS)

TRIBUTARY	MONTH	YEAR	MEAN FLOW	DAY	FLOW	DAY	FLOW	DAY	FLOW
4216ZZ	5	73	1.67	19	1.13				
	6	73	1.02	9	1.50				
	7	73	0.26	14	0.20				
	8	73	0.28	11	0.19				
	9	73	0.28	15	0.28				
	10	73	0.40	13	0.34				
	11	73	0.76	17	0.62				
	12	73	1.25	16	0.85				
	1	74	1.90	12	0.79				
	2	74	1.30	9	1.16				
	3	74	2.12	9	5.13				
	4	74	1.73	13	1.61				

## APPENDIX D

### PHYSICAL and CHEMICAL DATA

STORED RETRIEVAL DATE 75/01/27

421601  
41 17 12.0 080 25 46.0  
SHENANGO RIVER RESERVOIR  
42085 PENNSYLVANIA

DATE FROM TO	TIME OF DAY	DEPTH FEET	WATER TEMP CENT	00010 DU MG/L	00300 TRANSP SECCHI INCHES	00077 CNDUCTVY FIELD MICROMHO	00094 PH SU	00410 TALK CACO3 MG/L	11EPALÉS 3		2111202 0012 FEET DEPTH		00671 PHOS-DIS ORTHO MG/L P
									NH3-N TOTAL MG/L	TOT KJEL N MG/L	00625 NO2&NO3 N-TOTAL MG/L	00630 NO2&NO3 N-TOTAL MG/L	
73/04/20	16 15	0000	14.5		36	190	8.80	36	0.040	0.400	0.410	0.004	
	16 15	0004	14.2	13.8			190	8.80	35	0.030	0.400	0.420	0.011
	16 15	0008	13.8	13.5			240	8.60	35	0.040	0.400	0.450	0.008
73/07/31	10 30	0000	25.0		25	214	8.00	60	0.070	1.200	0.050	0.012	
	10 30	0005	24.7	7.4			213	7.40	60	0.060	1.000	0.050	0.008
	10 30	0020	24.3	3.4			215	6.90	64	0.330	1.300	0.080	0.010
73/10/08	09 25	0000	18.0	8.8	28	177	7.70	55	0.100	1.600	0.050	0.012	
	09 25	0014	18.1	8.2			177	7.90	55	0.090	1.000	0.040	0.013

DATE FROM TO	TIME OF DAY	DEPTH FEET	PHUS-TOT MG/L P	00665 CHLRPHYL A UG/L		32217
73/04/20	16 15	0000	0.029		12.9	
	16 15	0004	0.065			
	16 15	0008	0.025			
73/07/31	10 30	0000	0.080		57.5	
	10 30	0005	0.080			
	10 30	0020	0.096			
73/10/08	09 25	0000	0.112		36.3	
	09 25	0014	0.110			

STORET RETRIEVAL DATE 75/01/27

421602  
 41 16 06.0 080 27 33.0  
 SHENANGO RIVER RESERVOIR  
 42085 PENNSYLVANIA

DATE FROM TO	TIME OF DAY	DEPTH FEET	WATER TEMP CENT	00010 DO MG/L	00300 TRANSP SECCHI INCHES	00077 CNDUCTVY FIELD MICROMHO	00094 PH SU	11EPALES 3		2111202 0029 FEET DEPTH				00671 PHOS-DIS ORTHO MG/L P
								TALK CACO <sub>3</sub> MG/L	NH <sub>3</sub> -N TOTAL MG/L	TOT KJEL N MG/L	N <sub>2</sub> &NO <sub>3</sub> N-TOTAL MG/L			
73/04/20	16 40	0000	11.4		35	385	8.30	38	0.040	0.400	0.510	0.007		
	16 40	0008	10.5	10.4		180	7.90	33	0.050	0.400	0.560	0.008		
	16 40	0015	10.4	10.2		200	8.40	32	0.060	0.500	0.590	0.007		
	16 40	0029	10.2	9.9		250	8.10	33	0.060	0.500	0.600	0.006		
	73/07/31	10 05	0000	24.7			36	198	6.60	60	0.120	0.900	0.050	0.006
10 05		0005	24.6	5.4	198	6.60		60	0.160	0.700	0.050	0.008		
10 05		0015	24.5	4.4	199	6.60		60	0.190	0.800	0.050	0.010		
10 05		0025	23.6	0.5	207	6.40		68	0.720	1.400	0.040	0.014		
73/10/08		09 55	0000	18.3	6.8	48		193	7.70	61	0.040	1.000	0.290	0.007
	09 55	0015	18.2	6.6	191		7.60	61	0.030	0.700	0.290	0.005		
	09 55	0026	18.2	6.2	191		7.50	62	0.070	0.800	0.290	0.005		

DATE FROM TO	TIME OF DAY	DEPTH FEET	PHOS-TOT MG/L P	00665 CHLRPHYL A UG/L	32217	
73/04/20	16 40	0000	0.023	9.7		
	16 40	0008	0.023			
	16 40	0015	0.028			
	16 40	0029	0.030			
	73/07/31	10 05	0000	0.048	22.3	
10 05		0005	0.047			
10 05		0015	0.049			
10 05		0025	0.070			
73/10/08		09 55	0000	0.061	13.8	
	09 55	0015	0.062			
	09 55	0026	0.064			

STORET RETRIEVAL DATE 75/01/27

421603  
 41 18 31.0 080 28 21.0  
 SHENANGO RIVER RESERVOIR  
 42085 PENNSYLVANIA

DATE FROM TO	TIME OF DAY	DEPTH FEET	WATER TEMP CENT	00010 DO MG/L	00300 TRANSP SECCHI INCHES	00077 CNDUCTVY FIELD MICROMHO	00094 PH SU	00410 T ALK CACO3 MG/L	115PALES 3		2111202 0015 FEET DEPTH		00671 PHOS-DIS ORTHO MG/L P
									NH3-N TOTAL MG/L	TOT KJEL N MG/L	00625 NO2&NO3 N-TOTAL MG/L	00630 NO2&NO3 N-TOTAL MG/L	
73/04/20	17 10 0000	82.0	15.5	37	225			37	0.040	0.600	0.360	0.007	
	17 10 0004	82.0	15.0		195	13.50	37	0.030	0.600	0.340	0.007		
	17 10 0011	86.0	12.2		240	10.90	44	0.040	0.600	0.350	0.010		
73/07/31	09 35 0000	25.6		35	205	7.30	62	0.070	1.200	0.060	0.008		
	09 35 0005	25.5	7.0		204	7.10	61	0.070	0.700	0.070	0.008		
	09 35 0010	25.5	6.7		206	6.70	63	0.090	0.600	0.060	0.008		
73/10/08	10 15 0000	18.3	8.2	48	196	7.50	64	0.050	1.000	0.240	0.006		
	10 15 0013	18.0	6.4		212	7.40	75	0.200	1.100	0.140	0.007		

DATE FROM TO	TIME OF DAY	DEPTH FEET	PHOS-TUT MG/L P	00665 A UG/L	32217 CHLRPHYL	
73/04/20	17 10 0000	0.060		13.9		
	17 10 0004	0.056				
	17 10 0011	0.036				
73/07/31	09 35 0000	0.058		55.3		
	09 35 0005	0.058				
	09 35 0010	0.056				
73/10/08	10 15 0000	0.049		19.5		
	10 15 0013	0.082				

## **APPENDIX E**

**TRIBUTARY and WASTEWATER  
TREATMENT PLANT DATA**

STORRET RETRIEVAL DATE 75/02/03

4216A1  
41 16 03.0 080 28 13.0  
SHENANGO RIVER  
42039 7.5 SHARPSVILLE  
0/SHENANGO RIVER RES  
SEC RD BRDG IN NE SHARPSVILLE  
11EPALES 2111204  
4 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 NU2&N03 N-TOTAL MG/L	00625 TUT KJEL N MG/L	00610 NH3-N TOTAL MG/L	00671 PHOS-DIS ORTHO MG/L P	00665 PHOS-TUT MG/L P
73/05/14	09 05		0.132	0.750	0.012	0.008	0.055
73/05/15	19 30		0.336	1.000	0.160	0.016	0.055
73/07/12	20 00		0.100	1.200	0.220	0.015	0.075
73/08/12	12 05		0.090	0.840	0.142	0.010	0.060
73/09/15	11 00		0.076	1.760	0.147	0.009	0.055
73/10/13	14 15		0.260	0.650	0.046	0.012	0.050
73/11/18	13 45		0.232	0.700	0.152	0.008	0.050
73/12/15	14 15		0.630	0.600	0.076	0.016	0.045
74/01/13	11 35		0.940	0.700	0.112	0.020	0.060
74/02/09	10 45		0.672	0.900	0.130	0.010	0.050
74/02/24	14 15		0.700	0.900	0.145	0.020	0.125
74/03/23	10 45		0.820	1.100	0.075	0.015	0.070
74/04/10	09 45		0.742	1.200	0.130	0.015	0.115
74/04/21	15 25		0.550	1.100	0.030	0.005K	0.060

K VALUE KNOWN TO BE  
LESS THAN INDICATED

STORET RETRIEVAL DATE 75/02/03

4216A2  
 41 17 13.0 080 19 15.0  
 SHENANGO RIVER  
 42 7.5 FREDONIA  
 1/SHENANGO RIVER RES  
 RU 43082 BRUG AT BIG BEND  
 11EPALES 2111204  
 4 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 N+TOTAL MG/L	00625 TOT KJEL MG/L	00610 NH3-N MG/L	00671 PHOS-DIS TOTAL MG/L	00665 PHOS-TOT MG/L P
73/05/19	10	45	0.450	1.300	0.072	0.035	0.080
73/06/16	09	50	0.550	0.750	0.039	0.044	0.105
73/07/12	19	30	0.450	0.780	0.023	0.064	0.130
73/08/12	10	15	0.220	0.290	0.038	0.078	0.195
73/09/15	10	20	0.198	0.860	0.046	0.060	0.180
73/10/13	13	50	0.270	0.950	0.084	0.090	0.200
73/11/18	13	45	0.350	1.100	0.072	0.072	0.130
73/12/16	14	10	0.740	1.100	0.084	0.040	0.080
74/01/13	11	30	0.520	0.500	0.152	0.032	0.085
74/02/09	14	25	0.510	1.400	0.175	0.015	0.055
74/02/23	14	25	0.630	1.100	0.100	0.010	0.077
74/03/10	09	50	1.105	0.700	0.115	0.020	0.165
74/03/23	13	45	0.740	0.600	0.080	0.030	0.075
74/04/21	14	20	0.410	1.100	0.035	0.010	0.035

STORED RETRIEVAL DATE 75/02/03

421681  
 41 20 25.0 000 31 00.0  
 PYMATUNING CREEK  
 42 MERCER CO HWY MA  
 1/SHENANDO RIVER RES  
 HWY 718 BRDG U+ PA-0H 4000R  
 116MALES 2111204  
 4 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 N02&N03 N-TOTAL MG/L	00625 TOT KJEL N MG/L	00610 NH3-N TOTAL MG/L	00671 PHOS-DIS ORTHO MG/L P	00665 PHOS-TOT MG/L P
73/05/19	12 14		0.160	0.780	0.072	0.060	0.125
73/06/16	10 00		0.140	1.500	0.231	0.160	0.280
73/07/12	19 40		0.013	1.100	0.017	0.020	0.080
73/08/12	10 05		0.026	0.940	0.027	0.030	0.125
73/09/15	10 45		0.012	1.540	0.054	0.024	0.090
73/10/13	14 00		0.126	1.230	0.027	0.028	0.150
73/11/18	14 00		0.380	0.500	0.050	0.076	0.190
73/12/16	14 20		1.180	0.900	0.072	0.044	0.085
74/01/13	12 00		1.000	0.500	0.048	0.104	0.195
74/02/10	11 00		1.180	0.800	0.066	0.030	0.055
74/02/24	14 45		1.090	1.100	0.115	0.025	0.090
74/03/23	09 55		0.672	0.700	0.047	0.020	0.057
74/04/10	10 00		0.690	1.100	0.065	0.025	0.090
74/04/21	15 00		0.140	1.000	0.035	0.030	0.075

STORET RETRIEVAL DATE 75/02/03

4216C1  
41 20 50.0 080 31 00.0  
BOOTH RUN  
42 MERCER CO HWY MA  
T/SHENANGO RIVER RES  
RD 43037 BRDG AT NE CORNER OF ORANGEVILLE  
11EPALES 2111204  
4 0000 FEET DEPTH

DATE FROM TU	TIME OF DAY	DEPTH FEET	00630 N02&N03 N-TOTAL	00625 TOT KJEL MG/L	00610 NH3-N N MG/L	00671 PHOS-DIS TOTAL MG/L	00665 PHOS-TUT P MG/L
73/05/19	11 44		0.240	0.440	0.027	0.005K	0.010
73/06/16	09 45		0.370	0.480	0.018	0.009	0.015
73/07/12	19 30		0.440	0.500	0.022	0.011	0.025
73/10/13	13 45		0.250	0.150	0.012	0.009	0.004
73/11/18	14 15		0.312	0.300	0.016	0.005K	0.015
73/12/16	10 25		0.750	0.900	0.036	0.008	0.010
74/01/13	13 25		1.040	0.400	0.036	0.005K	0.010
74/02/10	11 00		1.280	0.200	0.025	0.005K	0.005
74/02/24	14 00		0.870	0.600	0.035	0.010	0.035
74/03/23	10 00		0.720	0.300	0.035	0.010	0.010
74/04/10	10 15		0.770	0.600	0.040	0.010	0.010
74/04/21	14 55		0.380	1.200	0.045	0.005K	0.015

K VALUE KNOWN TO BE  
LESS THAN INDICATED

STORET RETRIEVAL DATE 75/02/03

→Z16U1  
 41 18 30.0 380 26 00.0  
 BRUSH RUN  
 42 7.5 SHARPSVILLE  
 T/SHENANDO RIVER RES  
 RD T587 BRDG → MI W OF HWY 18  
 11EPALES 2111204  
 4 0000 FEET DEPTH

DATE	TIME	DEPTH	00630 NO2SN03	00625 TOT KJEL	00610 NH3-N	00671 PHOS-DIS	00665 PHOS-TOT
FROM	OF		N-TOTAL	N	TOTAL	URTHO	
TU	DAY	FEET	MG/L	MG/L	MG/L	MG/L P	MG/L P
73/05/19	11	20	0.280	0.580	0.050	0.100	0.120
73/06/16	09	30	0.520	2.730	0.300	0.270	0.375
73/07/12	14	00	1.580	0.750	0.017	0.490	0.650
73/08/12	11	10	1.500	0.260	0.038	0.680	0.795
73/09/15	10	30	1.760	0.630	0.044	0.590	0.710
73/10/13	12	50	0.810	0.500	0.038	0.320	0.400
73/11/18	14	30	0.616	0.450	0.068	0.160	0.210
73/12/16	15	00	0.850	0.500	0.128	0.080	0.100
74/01/13	12	30	1.060	0.200	0.132	0.084	0.100
74/02/10	11	15	0.990	0.700	0.175	0.130	0.175
74/02/24	14	00	0.890	1.300	0.130	0.050	0.100
74/03/23	10	35	0.540	1.000	0.080	0.030	0.055
74/04/10	10	30	0.670	1.400	0.070	0.015	0.025
74/04/21	14	35	0.240	1.000	0.110	0.025	0.075

STORET RETRIEVAL DATE 75/02/03

4216E1  
 41 17 00.0 080 19 12.0  
 LACKAWANNOCK  
 42 7.5 FREDONIA  
 T/SHENANGO RIVER RES  
 RD TS54 BRDG AT BIG BEND  
 11EPALES 2111204  
 4 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 N02&N03	00625 TOT KJEL	00610 NH3-N	00671 PHOS-DIS	00665 PHOS-TOT
			MG/L	MG/L	MG/L	MG/L P	MG/L P
73/05/19	10	35	0.220	0.370	0.027	0.011	0.020
73/06/16	09	55	0.360	2.200	0.042	0.015	0.390
73/07/12	19	40	0.320	1.080	0.019	0.027	0.210
73/08/12	10	25	0.231	0.210	0.019	0.028	0.035
73/09/15	10	15	0.200	0.720	0.022	0.019	0.240
73/10/13	13	40	0.154	0.800	0.017	0.027	0.175
73/11/18	13	50	0.232	0.700	0.032		0.020
73/12/16	14	15	0.710	1.500	0.084	0.012	0.015
74/01/13	11	45	0.650	0.100K	0.032	0.008	0.015
74/02/09	14	20	0.620	0.550	0.020	0.006	0.015
74/02/23	14	20	0.610	0.700	0.040	0.005K	0.020
74/03/10	09	45	0.990	0.550	0.050	0.005	0.092
74/03/23	12	50	0.600	0.600	0.030	0.010	0.015
74/04/21	14	15	0.330	0.300	0.015	0.005	0.025

K VALUE KNOWN TO BE  
 LESS THAN INDICATED

STORET RETRIEVAL DATE 75/02/03

42161  
 41 16 55.0 000 21 03.0  
 DALEY RUN  
 42 7.5 FREDUNIA  
 T/SHENANDOAH RIVER RES  
 PA HWY 254 BRUG 4 MI E OF CLARK  
 11EPALES 2111204  
 4 0000 FEET DEPTH

DATE FRM TU	TIME OF DAY	DEPTH FEET	00630 N2&N03 N-TOTAL	00625 TOT KJEL N	00610 NH3-N TOTAL	00671 PHOS-01IS ORTHO	00665 PHOS-TOT P
			MG/L	MG/L	MG/L	MG/L P	MG/L P
73/05/19	10 20		0.800	0.360	0.028	0.014	0.020
73/06/16	10 05		1.200	5.100	0.138	0.053	
73/07/12	20 00		0.740	0.580	0.024	0.031	0.105
73/08/12	10 40		0.176	0.520	0.019	0.025	0.065
73/09/15	10 10		0.450	0.960	0.020	0.037	0.045
73/10/13	14 00		0.189	0.350	0.014	0.031	0.045
73/11/18	14 00		0.630	0.150	0.016	0.010	0.021
73/12/16	14 25		2.160	0.600	0.028	0.016	0.025
74/01/13	11 55		1.920	0.700	0.032	0.012	0.025
74/02/09	14 15		1.920	0.400	0.050	0.010	0.015
74/02/23	14 35		1.430	0.600	0.030	0.015	0.045
74/03/10	10 05		1.520	2.400	0.100	0.015	0.075
74/03/23	14 05		1.600	0.800	0.025	0.010	0.020
74/04/21	14 10		0.730	0.300	0.020	0.005	0.025

STORET RETRIEVAL DATE 75/02/03

4216G1  
 41 16 58.0 080 23 18.0  
 MAGARTEE RUN  
 42 7.5 SHARPSVILLE  
 T/SHENANGO RIVER RES  
 PA HWY 258 BRDG 1.2 MI E OF CLARK  
 11EPALES 2111204  
 4 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 N02&N03 N-TOTAL	00625 TOT KJEL	00610 NH3-N TOTAL	00671 PHOS-DIS URTHO	00665 PHOS-TOT
			MG/L	MG/L	MG/L	MG/L P	MG/L P
73/05/19	10 05		0.170	0.310	0.005K	0.007	0.010
73/06/16	10 15		0.840	3.600	0.095	0.044	
73/07/12	20 10		0.035	0.390	0.029		0.025
73/08/12	10 50		0.024	1.000	0.044	0.010	0.035
73/09/15	10 00		0.042	1.400	0.045	0.005	0.040
73/10/13	14 10		0.017	0.450	0.014	0.014	0.030
73/11/18	14 10		0.080	1.100	0.040	0.008	0.022
73/12/16	14 35		1.180	0.400	0.028	0.005	0.027
74/01/13	12 05		1.180	0.100K	0.012	0.005K	0.025
74/02/09	14 05		1.090	0.300	0.020	0.005K	0.010
74/02/23	14 45		0.970	1.000	0.035	0.015	0.030
74/03/10	10 10		0.850	3.700	0.128	0.015	0.040
74/03/23	14 10		0.710	1.100	0.025	0.005	0.020
74/04/21	14 05		0.232	0.400	0.015	0.005K	0.025

K VALUE KNOWN TO BE  
 LESS THAN INDICATED

STORRET RETRIEVAL DATE 75/02/03

4216H1  
41 16 58.0 0.00 24 50.0  
GOLDEN RUN  
42 7.5 SHARPSVILLE  
T/SHENANDO RIVER RES  
PA HWY 258 BRDG JUST E OF CLARK  
11EPALES 2111204  
4 0000 FEET DEPTH

DATE	TIME	DEPTH	00630 N028N03	00625 TOT KJEL	00610 NH3-N	00671 PHOS-DIS	00665 PHOS-TOT
FROM TU	OF DAY	FEET	MG/L	MG/L	MG/L	MG/L P	MG/L P
73/05/14	09	50	0.520	0.350	0.022	0.012	0.020
73/06/16	10	22	0.800	3.050	0.056	0.030	
73/07/17	20	15	0.170	0.320	0.039	0.018	0.030
73/08/12	10	55	0.040	0.100K	0.029	0.015	0.030
73/09/15	09	45	0.064	0.520	0.044	0.012	0.035
73/10/13	14	20	0.015	0.650	0.031	0.013	0.020
73/11/18	14	20	0.042	0.550	0.016	0.012	0.045
73/12/16	14	45	1.100	0.800	0.040	0.026	0.035
74/01/04	12	16	1.400	0.200	0.028	0.010	0.020
74/02/09	14	00	1.500	0.600	0.030	0.014	0.015
74/02/23	14	50	0.940	0.900	0.030	0.020	0.045
74/03/10	10	15	1.000	3.100	0.250	0.025	0.080
74/03/23	14	20	1.000	0.800	0.025	0.020	0.045
74/04/21	14	00	0.380	0.800	0.020	0.005	0.015

K VALUE KNOWN TO BE  
LESS THAN INDICATED

STORET RETRIEVAL DATE 75/02/03

4216J1  
 41 15 30.0 080 27 30.0  
 PINE HOLLOW RUN  
 42 7.5 SHARPSVILLE  
 T/SHENANGO RIVER RES  
 PA HWY 518 BRDG JUST W OF LAMONTS CORNER  
 11EPALES 2111204  
 4 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 NO2&NO3 N-TOTAL MG/L	00625 TOT KJEL N MG/L	00610 NH3-N TOTAL MG/L	00671 PHOS-DIS URTHO MG/L P	00665 PHOS-TOT MG/L P
73/05/14	09	28	0.300	0.350	0.032	0.050	0.005
73/06/16	10	45	0.510	1.540	0.096	0.056	
73/07/12	20	20	0.189	0.340	0.042	0.075	0.095
73/08/12	10	00	0.038	0.480	0.115	0.063	0.100
73/09/15	11	15	0.170	0.400	0.044	0.138	0.160
73/10/13	14	50	0.200	0.400	0.049	0.154	0.190
73/11/18	13	50	0.108	0.250	0.056	0.168	0.195
73/12/16	14	00	0.790	0.400	0.072	0.056	0.080
74/01/13	11	20	0.750	0.600	0.088	0.080	0.115
74/02/09	10	00	0.660	0.300	0.050	0.030	0.035
74/02/24	13	00	0.920	1.300	0.270	0.110	0.250
74/03/23	10	55	0.610	0.600	0.055	0.035	0.065
74/04/10	09	30	0.910	1.300	0.120	0.035	0.075
74/04/21	15	25	0.068	0.900	0.025	0.065	0.075

STORED RETRIEVAL DATE 75/02/03

4216AB TF4216AB P01000U  
41 23 55.0 080 23 10.0  
BOROUGH OF GREENVILLE  
42 7.5 GREENVILLE W  
U/SHENANGO RIVER RESERVOIR  
SHENANGO RIVER RESERVOIR  
TIEPALES 2141204  
4 0000 FEET DEPTH

STORET RETRIEVAL DATE 75/02/03

4216AB TF4216AH P010000  
 41 23 55.0 080 23 10.0  
 TURBOON OF GREENVILLE  
 42 7.5 GREENVILLE W  
 U/SHENANGO RIVER RESERVO  
 SHENANGO RIVER RESERVOIR  
 TIEPALES 2141204  
 4 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	NO2&N03 N-TOTAL	00630 TOT KJEL MG/L	00625 NH3-N N MG/L	00610 TOTAL MG/L	00671 PHOS-DIS ORTHO MG/L P	00665 PHOS-TOT MG/L P	50051 FLOW RATE INST MGD	50053 CONDUIT FLOW-MGD MONTHLY
74/06/25 09 00 CP(T)- 74/06/26 15 00		13.400		6.200	0.420	6.900		8.900	1.640	1.210

STORET RETRIEVAL DATE 75/02/03

4216AC            T4216AC            P007013  
 41 24 44.0 080 23 13.0  
 REYNOLDS DISPOSAL (GREENVILLE)  
 42      7.5 GREENVILLE W  
 D/SHENANGO RIVER RESERVO  
 SHENANGO RIVER RESERVOIR  
 11EPALS            2141204  
 4                0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 NO2&NO3 N-TOTAL MG/L	00625 TOT KJEL N MG/L	00610 NH3-N TOTAL MG/L	00671 PHOS-DIS ORTHO MG/L P	00665 PHOS-TOT MG/L P	50051 FLOW RATE INST MGD	50053 CONDUIT FLOW-MGD MONTHLY
73/07/17	11 00								
CP(T)-			0.100	11.000	0.490	3.900	5.900	0.388	0.575
73/07/17	16 07								
73/08/20	11 00								
CP(T)-			0.980	16.000	3.740	6.600	7.300	0.207	0.325
73/08/20	16 00								
73/09/20	11 00								
CP(T)-			0.340	15.600	9.660	6.380	9.200	0.295	0.250
73/09/20	16 00								
73/10/18	11 00								
CP(T)-			1.200	21.000	7.100	5.700	7.900	0.195	0.207
73/10/18	16 00								
73/11/19	11 00								
CP(T)-			0.350	12.000	0.830	4.700	6.100	0.608	0.388
73/11/19	16 00								
73/12/20	11 00								
CP(T)-			0.600	8.900	0.790	2.310	4.500	0.388	0.608
73/12/20	16 00								
74/01/21	11 00								
CP(T)-			2.520	3.600	0.210	0.740	1.250	1.110	0.608
74/01/21	16 00								
74/02/20	11 00								
CP(T)-			2.000	10.000	1.250	3.500	4.900	0.608	0.608
74/02/20	16 00								
74/03/20	11 00								
CP(T)-			3.520	2.000	0.050K	1.450	2.200	0.608	0.853
74/03/20	16 00								
74/04/19	11 00								
CP(T)-			3.800	4.000	0.100	1.900	2.700	0.853	1.110
74/04/19	16 00								
74/05/20	11 00								
CP(T)-			1.480	9.000	0.210	1.900	3.400	0.853	1.110
74/05/20	16 00								
74/06/20	11 00								
CP(T)-			1.200	14.000	1.250	3.500	5.700	0.388	0.388
74/06/20	16 00								

K VALUE KNOWN TO BE  
LESS THAN INDICATED

STORER RETRIEVAL DATE 75/02/03

4215AU NU4215AU PUUUUU\*

41 24 36.0 080 23 38.0

WESTINGHOUSE ELECTRIC CORP

42 7.5 GREENVILLE W

T/SHENANGO RIVER RESERVO

SHENANGO RIVER RESERVOIR

11PALES 2141204

4 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 NU2&N03 N-TOTAL MG/L	00625 TOT KJEL N MG/L	00610 NH3-N TOTAL MG/L	00671 PHOS-DIS ORTHO MG/L P	00665 PHOS-TOT MG/L P	50051 FLOW RATE INST MGD	50053 CONDUIT FLOW-MGD MONTHLY
73/08/01	09 00		40.000		0.370	3.900	10.500	0.010	0.010
73/09/04	14 30						1.580	0.010	0.010
73/10/02	14 00		197.000		5.600	16.000	45.000	0.010	0.010
73/11/01	11 00		255.000	15.000	3.000	140.000	158.000	0.010	0.010
73/12/10	12 30		71.000	1.000K	0.725	68.000	75.000	0.010	0.010
74/01/04	10 00		370.000	0.250K	0.040K	0.130	3.900	0.010	0.010
74/02/01	10 00		126.000	5.000	2.100	173.000	180.000	0.010	0.010
74/03/01	08 00		166.000	2.800	1.950	170.000	170.000	0.010	0.010
74/04/01	08 00		38.000	1.000K	0.270	115.000	126.000	0.010	0.010
74/05/06	11 00		160.000	2.900	2.800	220.000	300.000	0.010	0.010
74/06/01	08 00		185.000	2.600	2.300	64.000	96.000	0.010	0.010
74/07/01	12 00		81.000	2.000	0.990	73.000	73.000	0.010	0.010
74/08/27			2.760	1.300	0.050K		71.000	0.010	0.010

K VALUE KNOWN TO BE  
LESS THAN INDICATED

STORET RETRIEVAL DATE 75/02/03

4216AE AS4216AE P000960  
 41 23 05.0 080 26 30.0  
 JAMESTOWN STP  
 42 7.5 GREENVILLE W  
 T/SHENAGO RESERVOIR  
 SHENAGO RIVER  
 11EPALES 2141204  
 4 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 N02&N03 MG/L	00625 TOT KJEL N MG/L	00610 NH3-N TOTAL MG/L	00671 PHOS-DIS ORTHO MG/L P	00665 PHOS-TOT MG/L P	50051 FLOW RATE INST MGD	50053 CONDUIT FLOW-MGD MONTHLY
73/08/13	12 00								
CP(T)-			3.400	0.460	0.154	6.670	7.600	0.093	0.120
73/08/14	12 00								
73/09/17	00 00								
CP(T)-			5.100	0.550	0.088	8.000	8.200	0.072	0.116
73/09/17	24 00								
73/10/14	07 00								
73/11/13	00 00								
CP(T)-			10.600	7.380	0.086	7.375	7.380	0.085	0.103
73/11/13	02 00								
73/12/14									
74/01/14	00 00								
CP(T)-			14.300	6.500	0.220	5.550	5.800	0.112	0.156
74/01/14	04 00								
74/02/17	00 00								
CP(T)-			10.400	1.400	0.048	4.100	4.400	0.127	0.201
74/02/17	04 00								
74/03/17	00 00								
CP(T)-			7.100	1.000K	0.050K	1.650	1.800	0.241	0.189
74/03/17	04 00								
74/04/17	00 00								
CP(T)-			8.000	1.000K	0.340	2.200	2.300	0.240	0.253
74/04/17	24 00								
74/05/17	12 00								
74/06/15									
74/07/15	16 00								
74/08/14									

K VALUE KNOWN TO BE  
 LESS THAN INDICATED

STORET RETRIEVAL DATE 75/02/10

4216WA NO421-WA P0000000  
 41 24 07.0 080 27 22.0  
 GREENVILLE TUBES DIVISION  
 42 7.0 GREENVILLE W  
 F/SHENANOGH RIVER RESERVO  
 BIG RUN  
 11EPALES 2141204  
 4 0000 FEET DEPTH

DATE FROM TU	TIME OF DAY	DEPTH FEET	00630 NO2&NO3 N-TOTAL MG/L	00625 TOT KJEL N MG/L	00610 NH3-N TOTAL MG/L	00671 PHOS-DIS ORTHO MG/L P	00665 PHOS-TUR MG/L P	50051 FLOW RATE INST MGD	50053 CONDUIT FLOW-MGD MONTHLY
73/06/21		0.130	1.320	0.140	0.350	3.000	0.320	0.269	
73/07/17	14 30	2.150	0.180			0.039	0.320	0.800	
73/08/17	11 30	1.000	0.190	0.072	0.120	2.600	0.320	0.800	
73/09/25	15 00	0.560	0.110	0.012	0.077	0.280	0.320	0.266	
73/10/26	14 00	3.800	0.500K	0.130	0.052	0.058	0.320	0.260	
74/04/11	14 00	3.680	1.000K	0.071	0.050K	0.050K	0.320	0.266	
74/05/20		17.600	1.000K	0.240	0.015		0.320	0.269	
74/06/17	03 00	3.200	1.000K	0.100	0.050K	0.050K	0.320	0.800	
74/09/12	14 00	2.400	0.500K	0.050K	0.050K	0.057	0.320	0.270	

K VALUE KNOWN TO BE  
 LESS THAN INDICATED

STORED RETRIEVAL DATE 75/02/03

4216YA 45421 'A 2000203  
 41 25 00.0 080 14 00.0  
 COMMODORE PERRY SCHOOL DISTRICT  
 42 250 CLEVELAND  
 T/SHENANGO RIVER RESERVO  
 LITTLE SHENANGO RIVER  
 11PALES 2141204  
 4 0000 FEET DEPTH

DATE	TIME	DEPTH	00630 NO26N03 N-TOTAL	00625 TOT KJEL N	00610 NH3-N TOTAL	00671 PHOS-DIS ORTHO	00662 PHOS-TOT MG/L P	00051 FLOW RATE INST MG/D	00053 CONDUIT FLOW-MG/D MONTHLY
FROM TO	OF DAY	FEET	MG/L	MG/L	MG/L	MG/L P	MG/L P		
73/06/26	10 00		43.200	0.470	0.055	8.300	8.600	0.002	0.003
73/07/23	10 00		29.000	2.300	0.140	4.800	5.500	0.002	0.001
73/08/24	10 00		8.250	2.200	0.023	1.640	2.200	0.001	0.001
73/09/25	10 00		20.000	1.000	0.520	6.300	6.500	0.004	0.006
73/10/25	10 00		4.600	0.300	0.010K	6.100	6.500	0.009	0.005
73/11/23	10 00		5.600	0.500K	0.018	5.200	5.300	0.001	0.006
73/12/21	10 00		13.000	0.500K	0.034	3.940	4.500	0.008	0.006
74/01/25	10 00		19.200	0.500K	0.150	5.100	5.200	0.010	0.007
74/02/25	10 00		24.000	2.500	0.077	5.600	8.700	0.009	0.006
74/03/25	10 00		26.000	1.200	0.050K	7.100	8.200	0.008	0.007
74/04/25	10 00		25.200	2.200	0.050K	7.300	8.400	0.009	0.006
74/05/24	10 00		18.500	3.400	0.050K	8.300	8.400	0.009	0.006
74/06/21	10 00		52.000	4.200	0.050K	13.000	15.700	0.0005	0.002

K VALUE KNOWN TO BE  
 LESS THAN INDICATED

STORET RETRIEVAL DATE 75/02/03

+216YB NO4216YH P000000\*

+1 24 39.0 080 23 20.0  
 R. D. WERNER CO. INC. (GREENSVIL  
 42 7.5 GREENVILLE W  
 T/SHENANDO RIVER RESERVO  
 LITTLE SHENANDO  
 11EPALES 2141204  
 4 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 N02&N03 N-TOTAL	00625 TOT KJEL N	00610 NH3-N TOTAL	00671 PHOS-DIS URTHO	00665 PHOS-TOT MG/L P	50051 FLOW RATE INST MGD	50053 CONDUIT FLOW-MGD MONTHLY
73/07/10	15 05		0.140	1.100	0.049		1.400	0.045	0.046
73/08/15	15 10		0.044		0.085	0.065	1.200	0.046	0.046
73/09/06	18 00		0.066	1.500	0.080	0.052		0.096	0.096
73/11/14	13 00		0.290	1.100	0.031	0.093	1.250	0.045	0.046
73/12/31	10 00		0.240	1.000	0.040K	0.150	0.550	0.045	0.046
74/01/21	14 30		1.280	1.400	0.060	0.140	0.530	0.046	0.046
74/02/28	09 00		1.240	1.000K	0.100	0.220	0.330	0.045	0.046
74/03/26	14 00		0.720	1.000K	0.050K	0.100	0.490	0.046	0.046
74/04/29	09 00		0.200	1.200	0.650	0.330	0.350	0.044	0.046
74/05/23	13 30		0.121	3.300	0.050K	0.017	0.760	0.045	0.046
74/06/29	16 00		0.240	1.200	0.050K	0.115	1.650	0.044	0.045
74/07/31	08 30		0.056	1.000K	0.050K	0.310	1.650	0.042	0.043

K VALUE KNOWN TO BE  
 LESS THAN INDICATED

STORET RETRIEVAL DATE 75/02/03

42162A PU421624 P000094  
 41 24 21.0 040 26 57.0  
 ANDERSONS MURKIE HUME PARK  
 42 7.5 GREENVILLE W  
 T/SHENANGU RIVER RESERVO  
 BIG RUN  
 11EPAL8 2141204  
 4 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 N02&N03 N-TOTAL MG/L	00625 TOT KJEL MG/L	00610 NH3-N TOTAL MG/L	00671 PHOS-DIS ORTHO MG/L P	00665 PHOS-TOT MG/L P	50051 FLOW RATE INST MGD	50053 CONDUIT FLOW-MGD MONTHLY
73/07/02	10 00		0.280	0.700	0.030	2.400	2.400	0.003	0.004
73/08/30	10 00			2.700	0.058	4.620	5.300	0.003	0.004
73/10/05	10 00		0.180	8.550	2.100	5.550	6.050	0.003	0.004
73/11/06	09 30		0.090	12.500	1.470	6.900	7.800	0.003	0.004
73/12/04	10 30		0.090	21.000	6.700	7.200	8.900	0.003	0.003
74/01/07	10 00		0.120	29.000	4.700	5.800	6.700	0.003	0.003
74/02/05	10 30		0.480	6.400	3.500	4.500	4.700	0.003	0.003
74/03/06	11 00		0.280	4.900	2.400	3.750	4.000	0.003	0.004
74/04/03	10 00		1.280	1.000K	0.250K	1.400	3.100	0.004	0.004
74/05/08	09 30		1.160	1.000K	1.000K	0.460	1.800	0.004	0.004
74/06/08	09 00		1.440	1.000K	1.000K	0.420	0.630	0.004	0.004

K VALUE KNOWN TO BE  
LESS THAN INDICATED