




United States  
Environmental Protection  
Agency

Solid Waste And  
Emergency Response  
(5102 G)

EPA/540/R-93/014  
December 1992  
PB93-963215

# **SUPERFUND:**

**Progress at  
National  
Priority  
List Sites**



# **IOWA 1992 UPDATE**



Printed on Recycled Paper

**NATIONAL PRIORITIES LIST SITES:**  
**Iowa**

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
Office of Emergency & Remedial Response  
Office of Program Management  
Washington, DC 20460

U.S. Environmental Protection Agency  
Region 5, Library (PL-12J)  
77 West Jackson Boulevard, 12th Floor  
Chicago, IL 60604-3590

If you wish to purchase copies of any additional State volumes, contact:

National Technical Information Service (NTIS)  
U.S. Department of Commerce  
5285 Port Royal Road  
Springfield, VA 22161  
(703) 486-4650

The complete set of the 49 State reports may be ordered as PB93-963250.

---

---

# TABLE OF CONTENTS

---

## INTRODUCTION

A Brief Overview of Superfund .....	v
Streamlining Superfund: The Superfund Accelerated Cleanup Model .....	ix
How Superfund Works.....	x

## THE VOLUME

How to Use the State Book .....	xi
---------------------------------	----

## A SUMMARY OF THE STATE PROGRAM .....xv

## THE NPL REPORT

Progress to Date .....	xix
------------------------	-----

## THE NPL FACT SHEETS ..... 1

## THE GLOSSARY

Terms used in the NPL Book .....	G-1
----------------------------------	-----

---

---

# INTRODUCTION

---

## A BRIEF OVERVIEW OF SUPERFUND

**D**uring the second half of the Twentieth Century, the environmental consequences of more than 100 years of industrialization in the United States became increasingly clear. Authors such as Rachel Carson wrote passionately about the often-hidden environmental effects of our modern society's widespread use of chemicals and other hazardous materials. Their audience was small at first, but gradually their message spread. Growing concern turned to action, as people learned more about the environment and began to act on their knowledge

The 1970s saw environmental issues burst onto the national scene and take hold in the national consciousness. The first Earth Day was observed in 1970, the year that the U.S. Environmental Protection Agency (EPA) was founded. By the end of the 1970s, Love Canal in New York and the Valley of the Drums in



Kentucky had entered the popular lexicon as synonyms for pollution and environmental degradation.

---

### Superfund Is Established

The industrialization that gave Americans the world's highest standard of living also created problems that only a national program could address. By 1980, the U.S. Congress had passed numerous environmental laws, implemented by the EPA, but many serious hazardous waste problems were slipping through the cracks.

Responding to growing concern about public health and environmental threats from uncontrolled releases of hazardous materials, the U.S. Congress passed the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). Popularly known as Superfund, CERCLA had one seemingly simple job—to uncover and clean up hazardous materials spills and contaminated sites.

### A Big Job

Few in Congress, the EPA, the environmental community, or the general public knew in 1980 just how big the nation's hazardous materials problem is. Almost everyone thought that Superfund would be a short-lived program requiring relatively few resources to clean up at most a few hundred sites. They were quite mistaken.

As the EPA set to work finding sites and gauging their potential to harm people and the environment, the number of sites grew. Each discovery seemed to lead to another, and today almost 36,000 hazardous waste sites have been investigated as potential hazardous waste sites. They are catalogued in the EPA's computerized database, CERCLIS (for the Comprehensive Environmental Re-

---

---

## INTRODUCTION

---

sponse, Compensation, and Liability Information System).

The damage to public health and the environment that each site in CERCLIS might cause is evaluated; many sites have been referred to State and local governments for cleanup. The EPA lists the nation's most serious hazardous waste sites on the National Priorities List, or NPL. (These Superfund sites are eligible for federally-funded cleanup, but whenever possible the EPA makes polluters pay for the contamination they helped create.) The NPL now numbers 1,275 sites, with 50 to 100 added each year. By the end of the century, the NPL may reach as many as 2,100 sites.

Superfund faces some of the most complex pollution problems ever encountered by an environmental program. Improperly stored or disposed chemicals and the soil they contaminate are one concern. More difficult to correct are the wetlands and bays, and the groundwater, lakes, and rivers often used for drinking water that are contaminated by chemicals spreading through the soil or mixing with

storm water runoff. Toxic vapors contaminate the air at some sites, threatening the health of people living and working near by.

Superfund aims to control immediate public health and environmental threats by tackling the worst problems at the worst sites first. Wherever possible, Superfund officials use innovative treatment techniques—many developed or refined by the EPA—to correct hazardous materials problems once and for all. Many of the treatment techniques they use did not exist when the program was created.

The EPA Administrator had challenged Superfund to complete construction necessary for cleanup work at 130 NPL sites by the end of the 1992 federal fiscal year. By September 30, 1992, the end of fiscal year 1992, construction had been completed at a total of 149 NPL sites. Superfund is well on its way of meeting the Administrator's goal of completing construction at 200 NPL sites by the end of fiscal year 1993, and 650 sites by the end of fiscal year 2000.

---

### Quick Cleanup at Non-NPL Sites

Long-standing hazardous waste sites are not Superfund's only concern. The EPA also responds to hazardous spills and other emergencies, hauling away chemicals for proper treatment or disposal. Superfund teams perform or supervise responses at rail and motor vehicle accidents, fires, and other emergencies involving hazardous substances. They also evacuate people living and working near by, if necessary, and provide clean drinking water to people whose own water is contaminated. Removal crews also post warning signs and take other precautions to keep people and animals away from hazardous substances.



*Superfund employee prepares equipment for groundwater treatment.*

---

---

## INTRODUCTION

---

Quick Cleanups, or Removals, are not limited to emergencies. When cleanup crews at contaminated sites find hazardous substances that immediately threaten people or the environment, they act right away to reduce the threat or to remove the chemicals outright. As the EPA implements the Superfund Accelerated Cleanup Model (SACM), more and more sites will undergo quick cleanups, and many of these will be cleaned up completely without ever being included on the NPL. (See "Streamlining Superfund: The Superfund Accelerated Cleanup Model.")

Some of Superfund's most significant gains in public health and environmental protection have been won by the removal program. As of March 31, 1992, the Emergency Response



*Superfund employee removing drums from a Superfund site.*

Program had logged more than 2,300 removal completions since Superfund was established.

### The Public's Role

Superfund is unique among federal programs in its commitment to citizen participation. Although the EPA is responsible for determining how dangerous a site is and how best to clean it up, the Agency relies on citizen input as it makes these decisions.

Community residents are often invaluable sources of information about a hazardous waste site, its current and previous owners, and the activities that took place there. Such information can be crucial to experts evaluating a site and its potential dangers.

Residents also comment on EPA cleanup plans by stating their concerns and preferences at public meetings and other forums and in formal, written comments to Agency proposals. The EPA takes these comments and concerns seriously, and has modified many proposals in response to local concerns. For, ultimately, it is the community and its citizens that will live with the results of the EPA's decisions and actions; it is only fair that citizens participate in the process.

### A Commitment to Communication

The Superfund program is very serious about public outreach and communication. Community relations coordinators are assigned to each NPL site to help the public understand the potential hazards present, as well as the cleanup alternatives. Local information repositories, such as libraries or other public buildings, have been established near each NPL site to ensure that the public has an opportunity to review all relevant information and the proposed cleanup plans.

The individual State volumes contain summary fact sheets on NPL sites in each State and territory. Together, the fact sheets provide a concise report on site conditions and the progress made toward site cleanups as of March 1992. The EPA revises these volumes periodically to provide an up-to-date record of program activities. A glossary of key terms relating to hazardous waste management and Superfund site cleanup is provided at the back of this book.

---

---

## INTRODUCTION

---

Superfund is, of course, a public program, and as such it belongs to everyone of us. This volume, along with other State volumes, comprises the EPA's report on Superfund progress to the program's owners for the year 1992.



# STREAMLINING SUPERFUND: THE SUPERFUND ACCELERATED CLEANUP MODEL

**H**istorically, critics and supporters alike have measured Superfund's progress by the number of hazardous waste sites deleted from the NPL. Although easy enough to tally, this approach is too narrow. It misses the major gains Superfund makes by reducing major risks at the nation's worst hazardous sites long before all clean-up work is done and the site deleted. It also ignores the Removal Program's contributions to meeting Superfund's twin mandates of maximizing public health and environmental protection.

Renewing Superfund's commitment to rapid protection from hazardous materials, the EPA is streamlining the program. The Superfund Accelerated Cleanup Model, or SACM, will take Early Actions, such as removing hazardous wastes or contaminated materials, while experts study the site. SACM also will combine similar site studies to reduce the time required to evaluate a site and its threats to people and the environment. This way, immediate public health and environmental threats will be addressed while long-term cleanups are being planned.

Emergencies such as train derailments and motor vehicle accidents will continue to be handled expeditiously. Teams of highly trained technicians will swing into action right away, coordinating the cleanup and removal of hazardous substances to ensure public safety as quickly as possible.

## Breaking With Tradition

The traditional Superfund process begins with a lengthy phase of study and site assessment, but SACM will save time by combining separate, yet similar, activities. Each EPA Region will form a Decision Team of site managers,

risk assessors, community relations coordinators, lawyers, and other experts to monitor the studies and quickly determine whether a site requires Early Action (taking less than five years), Long-term Action, or both.

While the site studies continue, the Decision Team will begin the short-term work required to correct immediate public health or environmental threats from the site. Besides removing hazardous materials, Early Actions include taking precautions to keep contaminants from moving off the site and restricting access to the site. Early Actions could eliminate most human risk from these sites, and Superfund will further focus its public participation and public information activities on site assessment and Early Action.

## Long-Term Solutions

While Early Actions can correct many hazardous waste problems—and provide the bulk of public health and environmental protection—some contamination will take longer to correct. Cleanups of mining sites, wetlands, estuaries, and projects involving incineration of contaminants or restoration of groundwater can take far longer than the three to five years envisioned for Early Actions. Under SACM, these sites will be handled much as they are now.

Also under SACM, the EPA will continue its pursuit of potentially responsible parties who may have caused or contributed to site contamination. Expedited enforcement and procedures for negotiating potentially responsible party settlements will secure their participation. Superfund personnel will continue to oversee clean-up work performed by potentially responsible parties.

---

---

## INTRODUCTION

---

### HOW SUPERFUND WORKS


**E**ach Superfund site presents a different set of complex problems. The same hazardous materials and chemicals often contaminate many sites, but the details of each site are different. Almost always, soil is contaminated with one or more chemicals. Their vapors may taint the air over and around the site. Contaminants may travel through the soil and reach underground aquifers which may be used for drinking water, or they may spread over the site to contaminate streams, ponds, and wetlands. The contaminating chemicals may interact with each other, presenting even more complicated cleanup problems.

Superfund's cleanup process is arduous and exacting. It requires the best efforts of hundreds of experts in science and engineering, public health, administration and management, law, and many other fields.

The average NPL site takes from seven to ten years to work its way through the system, from discovery to the start of long-term cleanup. Actual cleanup work can take years, decades if contaminated groundwater must be treated. Of course, imminent threats to public health or the environment are corrected right away.

The diagram to the right presents a simplified view of the cleanup process. The major steps in the Superfund process are:

- Detailed studies to determine whether conditions are serious enough to add the site to the National Priorities List of sites eligible for federally funded cleanup under Superfund;
  - Selection, design, and implementation of a cleanup plan, after a thorough review of the most effective cleanup options, given site conditions, contaminants present, and their potential threat to public health or the environment.
  - Follow-up to ensure that the cleanup work done at the site continues to be effective over the long term.
- Site discovery and investigation to identify contaminants and determine whether emergency action is required;
- Emergency site work such as removing contaminants for proper treatment or disposal, and securing the site to keep people and animals away, if warranted by conditions at the site;
- Site evaluation to determine how people living and working nearby, and the environment, may be exposed to site contaminants;



From the earliest stages, EPA investigators work hard to identify those responsible for the contamination. As their responsibility is established, the EPA negotiates with these "responsible parties" to pay for cleaning up the problem they helped create. This "enforcement first" policy saves Superfund Trust Fund monies for use in cleanups where the responsible parties cannot be identified, or where they are unable to fund cleanup work.

---

---

# THE VOLUME

---

## How to Use the State Book

**T**he site fact sheets presented in this book are comprehensive summaries that cover a broad range of information. The fact sheets describe hazardous waste sites on the NPL and their locations, as well as the conditions leading to their listing ("Site Description"). The summaries list the types of contaminants that have been discovered and related threats to public and ecological health ("Threats and Contaminants"). "Cleanup Approach" presents an overview of the cleanup activities completed, underway, or planned. The fact sheets conclude with a brief synopsis of how much progress has been made in protecting public health and the environment. The summaries also pinpoint other actions, such as

legal efforts to involve polluters responsible for site contamination and community concerns.

The fact sheets are arranged in alphabetical order by site name. Because site cleanup is a dynamic and gradual process, all site information is accurate as of the date shown on the bottom of each page. Progress always is being made at NPL sites, and the EPA periodically will update the site fact sheets to reflect recent actions and will publish updated State volumes. The following two pages show a generic fact sheet and briefly describe the information under each section.

---

## How Can You Use This State Book?

You can use this book to keep informed about the sites that concern you, particularly ones close to home. The EPA is committed to involving the public in the decision making process associated with hazardous waste cleanup. The Agency solicits input from area residents in communities affected by Superfund sites. Citizens are likely to be affected not only by hazardous site conditions, but also by the remedies that combat them. Site cleanups take many forms and can affect communities in different ways. Local traffic may be rerouted, residents may be relocated, temporary water supplies may be necessary.

Definitive information on a site can help citizens sift through alternatives and make decisions. To make good choices, you must know what the threats are and how the EPA

intends to clean up the site. You must understand the cleanup alternatives being proposed for site cleanup and how residents may be affected by each one. You also need to have some idea of how your community intends to use the site in the future, and you need to know what the community can realistically expect once the cleanup is complete.

The EPA wants to develop cleanup methods that meet community needs, but the Agency only can take local concerns into account if it understands what they are. Information must travel both ways in order for cleanups to be effective and satisfactory. Please take this opportunity to learn more, become involved, and assure that hazardous waste cleanup at "your" site considers your community's concerns.

# THE VOLUME

SITE NAME STATE EPA ID# ABC0000000		EPA REGION XX COUNTY NAME LOCATION  Other Names:	
<b>NPL LISTING HISTORY</b> Provides the dates when the site was Proposed, made Final, and Deleted from the NPL.		<b>Site Description</b>	
<b>SITE RESPONSIBILITY</b> Identifies the Federal, State, and/or potentially responsible parties taking responsibility for cleanup actions at the site.		<b>Site Responsibility:</b>	
<b>ENVIRONMENTAL PROGRESS</b> Summarizes the actions to reduce the threats to nearby residents and the surrounding environment and the progress towards cleaning up the site.		<b>Threats and Contaminants</b>	
		<b>Cleanup Approach</b>	
		<b>Response Action Status</b>	
		<b>Site Facts:</b>	
		<b>Environmental Progress</b>	
		<b>Site Repository</b>	

**A**

**B**

**C**

**D**

**E**

**NPL Listing History**  
Proposed XX/XX/XX  
Final XX/XX/XX

**SITE REPOSITORY**  
Lists the location of the primary site repository. The site repository may include community relations plans, public meeting announcements and minutes, fact sheets, press releases, and other site-related documents.

**A****SITE DESCRIPTION**

This section describes the location and history of the site. It includes descriptions of the most recent activities and past actions at the site that have contributed to the contamination. Population estimates, land usages, and nearby resources give readers background on the local setting surrounding the site.

**B****THREATS AND CONTAMINANTS**

The major chemical categories of site contamination are noted, as well as which environmental resources are affected. Icons representing each of the affected resources (may include air, groundwater, surface water, soil, and contamination to environmentally sensitive areas) are included in the margins of this section. Potential threats to residents and the surrounding environments arising from the site contamination also are described.

**C****CLEANUP APPROACH**

This section contains a brief overview of how the site is being cleaned up.

**D****RESPONSE ACTION STATUS**

Specific actions that have been accomplished or will be undertaken to clean up the site are described here. Cleanup activities at NPL sites are divided into separate phases, depending on the complexity and required actions at the site. Two major types of cleanup activities often are described: initial, immediate, or emergency actions to quickly remove or reduce imminent threats to the community and surrounding areas; and long-term remedial phases directed at final cleanup at the site. Each stage of the cleanup strategy is presented in this section of the summary. Icons representing the stage of the cleanup process (initial actions, site investigations, EPA selection of the cleanup remedy, engineering design phase, cleanup activities underway, and completed cleanup) are located in the margin next to each activity description.

**E****SITE FACTS**

Additional information on activities and events at the site are included in this section. Often details on legal or administrative actions taken by the EPA to achieve site cleanup or other facts pertaining to community involvement with the site cleanup process are reported here.

---

---

## THE VOLUME

---

The “icons,” or symbols, accompanying the text allow the reader to see at a glance which environmental resources are affected and the status of cleanup activities at the site.

### Icons in the Threats and Contaminants Section



Contaminated *Groundwater* resources in the vicinity or underlying the site. (Groundwater is often used as a drinking water source.)



Contaminated *Surface Water and Sediments* on or near the site. (These include lakes, ponds, streams, and rivers.)



Contaminated *Air* in the vicinity of the site. (Air pollution usually is periodic and involves contaminated dust particles or hazardous gas emissions.)



Contaminated *Soil and Sludges* on or near the site. (This contamination category may include bulk or other surface hazardous wastes found on the site.)



Threatened or contaminated *Environmentally Sensitive Areas* in the vicinity of the site. (Examples include wetlands and coastal areas or critical habitats.)

### Icons in the Response Action Status Section



*Initial, Immediate, or Emergency Actions* have been taken or are underway to eliminate immediate threats at the site.



*Site Studies* at the site to determine the nature and extent of contamination are planned or underway.



*Remedy Selected* indicates that site investigations have been concluded, and the EPA has selected a final cleanup remedy for the site or part of the site.



*Remedy Design* means that engineers are preparing specifications and drawings for the selected cleanup technologies.




*Cleanup Ongoing* indicates that the selected cleanup remedies for the contaminated site, or part of the site, currently are underway.



*Cleanup Complete* shows that all cleanup goals have been achieved for the contaminated site or part of the site.

---

## **A SUMMARY OF THE STATE PROGRAM**



# Superfund Activities in Iowa


The State of Iowa is located within EPA Region 7, which includes the four central States. The State covers 56,275 square miles. According to the 1990 Census, Iowa experienced a 5 percent

decrease in population between 1980 and 1990, and is ranked thirtieth in U.S. population with approximately 2,476,800 residents.

The Iowa Environmental Quality Act of 1972, most recently amended in 1991, provides the State the authority to execute the Superfund program in Iowa. The statute authorizes the State to issue orders and injunctions against the polluters to clean up contaminated sites and, in the event that polluters willfully fail to comply, to collect triple the cost of the cleanup. The statute also mandates the State to provide technical advice and assistance to political subdivisions and to other persons upon request. The Hazardous Waste Remedial Fund was established in 1984. In addition to the 10 percent contribution from the State required by the Federal Superfund program, this fund can be used for emergency response, removals and long-term cleanup activities, studies and design activities, operation and maintenance activities, and the development of alternatives to land disposal. This funding is only available provided the State's attempts to negotiate with the polluters have failed. Currently, 20 sites in the State of Iowa have been listed as final on the NPL. No new sites have been proposed for listing in 1992.

## The Department of Natural Resources implements the Superfund Program in the State of Iowa

### Activities responsible for hazardous waste contamination in the State of Iowa include:



### Facts about the 20 NPL sites in Iowa:



Immediate Actions (such as removing hazardous substances or restricting site access) were performed at eight sites.



Five sites endanger sensitive environments.




Thirteen sites are located near residential areas.



## Most Sites Have Multiple Contaminants and Contaminated Media:

*Media Contaminated at Sites*



*Contaminants Found at Sites*

Percentage of Sites	
Heavy Metals	70%
VOCs	60%
Creosotes	10%
Pesticides/Herbicides	10%
Acids	10%
Petrochemicals/Explosives	10%
Phenols	5%

## The Potentially Responsible Party Pays...

In the State of Iowa, potentially responsible parties are paying for or conducting cleanup activities at 18 sites.

### For Further Information on NPL Sites and Hazardous Waste Programs in the State of Iowa Please Contact:

☎ EPA Region 7 Public Affairs Office	For information concerning community involvement	(913) 551-7003
☎ National Response Center	To report a hazardous waste emergency	(800) 424-8802
☎ Department of Natural Resources: Solid Waste Section	For information about the State's responsibility in the Superfund Program	(515) 281-4968
☎ EPA Region 7 Waste Management Division: Superfund Branch	For information about the Regional Superfund Program	(913) 551-7062
☎ EPA Superfund Hotline	For information about the Federal Superfund Program	(800) 424-9068

---

---

# THE NPL REPORT

---

## PROGRESS TO DATE

The following Progress Report lists all sites currently on, or deleted from, the NPL and briefly summarizes the status of activities for each site at the time this report was prepared. The steps in the Superfund cleanup process are arrayed across the top of the chart, and each site's progress through these steps is represented by an arrow (⇒) indicating the current stage of cleanup.

Large and complex sites often are organized into several cleanup stages. For example, separate cleanup efforts may be required to address the source of the contamination, hazardous substances in the groundwater, and surface water pollution, or to clean up different areas of a large site. In such cases, the chart portrays cleanup progress at the site's *most advanced* stage, reflecting the status of site activities rather than administrative accomplishments.

- ⇒ An arrow in the "Initial Response" category indicates that an emergency cleanup, immediate action, or initial action has been completed or currently is underway. Emergency or initial actions are taken as an interim measure to provide immediate relief from exposure to hazardous site conditions or to stabilize a site to prevent further contamination.
- ⇒ A final arrow in the "Site Studies" category indicates that an investigation to determine the nature and extent of the contamination at the site currently is ongoing or planned.
- ⇒ A final arrow in the "Remedy Selection" category means that the EPA has selected the final cleanup strategy for the site. At the few sites where the EPA has

determined that initial response actions have eliminated site contamination, or that any remaining contamination will be naturally dispersed without further cleanup activities, a "No Action" remedy has been selected. In these cases, the arrows are discontinued at the "Remedy Selection" step and resume in the "Construction Complete" category.


- ⇒ A final arrow at the "Remedial Design" stage indicates that engineers currently are designing the technical specifications for the selected cleanup remedies and technologies.
- ⇒ A final arrow in the "Cleanup Ongoing" column means that final cleanup actions have been started at the site and currently are underway.
- ⇒ A final arrow in the "Construction Complete" category is used only when all phases of the site cleanup plan have been performed, and the EPA has determined that no additional construction actions are required at the site. Some sites in this category currently may be undergoing long-term operation and maintenance or monitoring to ensure that the cleanup actions continue to protect human health and the environment.
- ✓ A check in the "Deleted" category indicates that the site cleanup has met all human health and environmental goals and that the EPA has deleted the site from the NPL.

Further information on the activities and progress at each site is given in the site "Fact Sheets" published in this volume.

## Progress Toward Cleanup at NPL Sites in the State of Iowa


Site Name	County	NPL	Date	Initial Response	Site Studies	Remedy Selected	Remedy Design	Cleanup Ongoing	Construction Complete	Deleted
AIDEX CORPORATION	MILLS	Final	09/08/83	⇧	⇧	⇧	⇧	⇧	⇧	
DES MOINES TCE	POLK	Final	09/08/83		⇧	⇧	⇧	⇧		
E.I. DUPONT DE NEMOURS & CO, INC. (COUNTRY ROAD X23)	LEE	Final	08/30/90		⇧	⇧	⇧			
ELECTRO-COATINGS, INC.	LINN	Final	10/04/89	⇧	⇧					
FAIRFIELD COAL GASIFICATION PLANT	JEFFERSON	Final	08/30/90	⇧	⇧	⇧	⇧			
FARMER'S MUTUAL COOPERATIVE	SIOUX	Final	08/30/90		⇧					
IOWA ARMY AMMUNITION PLANT	DES MOINES	Final	08/30/90		⇧					
JOHN DEERE (OTTUMWA WORKS LANDFILL)	WAPELLO	Final	02/21/90		⇧	⇧	⇧	⇧	⇧	
LABOUNTY DUMP SITE	FLOYD	Final	09/08/83		⇧	⇧	⇧	⇧	⇧	
LAWRENCE TODTZ FARM	CLINTON	Final	06/10/86		⇧	⇧	⇧	⇧	⇧	
LEHIGH PORTLAND CEMENT CO.	CERRO GORDO	Final	08/30/90	⇧	⇧	⇧				
MID-AMERICA TANNING CO.	WOODBURY	Final	03/30/89	⇧	⇧					
MIDWEST MANUFACTURING/NORTH FARM	JASPER	Final	06/10/86		⇧	⇧				
NORTHWESTERN STATES PORTLAND CEMENT CO.	CERRO GORDO	Final	08/30/90	⇧	⇧	⇧	⇧			
PEOPLES NATURAL GAS CO.	DUBUQUE	Final	08/30/90	⇧	⇧	⇧				
RED OAK CITY LANDFILL	MONTGOMERY	Final	03/13/89		⇧					
SHAW AVENUE DUMP	FLOYD	Final	07/22/87		⇧	⇧	⇧	⇧		
SHELLER-GLOBE CORP. DISPOSAL	LEE	Final	08/30/90		⇧					
VOGEL PAINT AND WAX COMPANY	SIOUX	Final	06/10/86	⇧	⇧	⇧	⇧	⇧		
WHITE FARM EQUIPMENT CO. DUMP	FLOYD	Final	08/30/90		⇧	⇧	⇧			

## Progress Toward Cleanup at NPL Sites in the State of Iowa (Continued)



# AIDEX CORPORATION IOWA

EPA ID# IAD042581256



**EPA REGION 7**  
Mills County  
7 miles south of Council Bluffs

## Site Description

---

The 15-acre Aidex Corporation site is a former pesticide formulation facility located approximately 7 miles south of Council Bluffs. In 1976, a building used to formulate the herbicide atrazine and other pesticides was destroyed by a fire. The surrounding soil was contaminated by water used to extinguish the blaze. In 1980, Aidex filed for bankruptcy. Cleanup operations were undertaken at the site in 1981. When cleanup began, approximately 3,400 drums containing pesticides were stored in open areas on the site. A concrete pit in the destroyed building contained about 2 feet of contaminated water, and a large underground storage tank also held contaminated materials. Soil, groundwater, and surface water were contaminated by pesticides spills. Approximately 600 people live within 3 miles of the rural site. A shallow aquifer underlies the site and is contaminated. Within a 2-mile radius of the site are 42 shallow domestic water wells.

**Site Responsibility:** This site is being addressed through Federal actions.

**NPL LISTING HISTORY**  
Proposed Date: 10/23/81  
Final Date: 09/08/83

## Threats and Contaminants

---



The groundwater was contaminated with atrazine, a pesticide produced at the site. The soil was contaminated with other pesticides including aldrin and chlordane from wastes stored at the site and as a result of the 1976 fire. The potential existed for pesticides to migrate off the Aidex site in either the soil or the groundwater. Flooding occurring in the area could have facilitated migration of contaminants into the Missouri River flood plain. The threat of direct contact with or ingestion of contaminated soil and groundwater has been eliminated.

## Cleanup Approach

---

The site is being addressed in three stages: immediate actions and two long-term remedial phases directed at cleanup of the soil and groundwater and cleanup of surface contamination at the entire site.

## Response Action Status

---



**Immediate Actions:** In late 1981, the EPA constructed a security fence around the site to restrict access.



**Soil and Groundwater:** Cleanup technologies selected to address contamination by pesticides in the soil and groundwater included: (1) excavating buried wastes from within the perimeter of the disposal trench and transporting the wastes off site for disposal in a secure landfill; (2) grading, when necessary, and seeding the remaining soils; (3) expanding the monitoring well network by adding two wells to monitor mid-range and deep water quality downgradient of the site; (4) vacuuming the buildings to remove loose dust from all accessible interior surfaces and washing floors and walls; and (5) testing all monitoring wells biannually for 30 years or until a determination is made that the site no longer poses a threat to nearby drinking water supplies. The EPA and the Army Corps of Engineers removed 20,608 cubic yards of contaminated soil and buried wastes. The wastes were transported off site, and the site was backfilled and graded in mid-1988. The State followed by collecting biannual groundwater samples from on- and off-site monitoring wells, beginning in 1987. The EPA collected additional samples from the interior of the on-site buildings in 1987, 1988, and 1991. Based on these samples, it was determined that the groundwater is safe and no further cleanup is necessary.



**Surface Cleanup:** The EPA and the Army Corps of Engineers supervised cleanup work consisting of gathering and placing wastes in approved containers, storing wastes that were spread throughout the yard, draining and decontaminating a buried tank and waste pit, and constructing a drainage ditch around the site to prevent excessive water from entering. This work was performed in 1983, and off-site disposal of the collected materials followed in a second phase.

**Site Facts:** The Department of Justice, on behalf of the EPA, brought a Federal civil action, seeking monetary relief against parties potentially responsible for wastes at the site. In 1992, a Consent Decree was entered by the court that required the parties to pay back the cleanup costs incurred.

## Environmental Progress




The removal of wastes to a secure landfill and the establishment of security measures at the Aidex Corporation site eliminated the potential for exposure to hazardous materials while cleanup activities were taking place. Site cleanup has been completed and the EPA is proceeding to delete the site from the NPL.

## Site Repository



Glenwood City Hall, 107 S. Locust Street, Glenwood, IA 55134

**DES MOINES  
TCE  
IOWA**  
EPA ID# IAD980687933



**EPA REGION 7**

Polk County

Southwest of downtown Des Moines

**Other Names:**  
**Tuttle Street Landfill**  
**Des Moines Vocational School**  
**Dychem**  
**Dico Company**

## Site Description

---

This site is an area or plume of contaminated groundwater that spreads southwest of downtown Des Moines, in the flood plain of the Raccoon River. The surrounding area is industrial and commercial, with some recreational parklands. The city's public water supply was discovered to be contaminated with trichloroethylene (TCE) in 1976. By 1978, the EPA had traced the problem to the city's groundwater extraction gallery, with the Dico Company as the potential source of contamination. Dico disposed of oily wastes from the degreasing of metal parts by dumping and spreading them as a means of dust control on company property. Early in 1979, the company voluntarily stopped this activity. In 1984, the Des Moines Water Works stopped using the groundwater gallery. The EPA ordered Dico to clean up the groundwater in 1986. During cleanup activities, workers discovered that another plume of contaminated groundwater was being drawn into the extraction system. An investigation was initiated to address contamination stemming from the north and west of the Dico property. The public water system serves approximately 258,300 people.

**Site Responsibility:** This site is being addressed through Federal and potentially responsible parties' actions.


**NPL LISTING HISTORY**

Proposed Date: 12/30/82

Final Date: 09/08/83

## Threats and Contaminants

---



The groundwater and soil are contaminated with volatile organic compounds (VOCs), including tetrachloroethylene, TCE, and vinyl chloride from former industrial waste disposal practices. The extraction system has eliminated the threat of contaminated drinking water. Most of the area to the east of the Raccoon River has been filled to raise the land above flood level. Contaminants may have been disposed of in those areas along with fill material.

## Cleanup Approach

---

The site is being addressed in three long-term remedial phases focusing on groundwater cleanup, source control, and cleanup of the "north plume."

## Response Action Status

---



**Groundwater:** The remedy for cleanup of groundwater features: (1) collecting contaminated groundwater with extraction wells; (2) isolating the northernmost section of the public groundwater supply system; (3) treating the groundwater by exposing it to air to evaporate 96 percent of the TCE; (4) discharging the treated water to the Raccoon River; and (5) operating the extraction wells until water collected from all monitoring wells reveals less than 5 micrograms per liter of TCE for four consecutive months. Dico, under EPA monitoring, designed and built the groundwater extraction and treatment system, featuring seven extraction wells and an air stripping system. Pesticide-contaminated soil was discovered during construction of the air stripping system. Temporary delays occurred while the soil was sampled and stockpiled on site. Cleanup operations began in late 1987. Dico has been leading the operation and maintenance of the groundwater system since the beginning of 1988, and will continue to do so until late 1999 when cleanup is expected to be complete.



**Source Control:** In 1989, Dico began an intensive study of the sources of the pollution on its property. This investigation will identify sources as well as potential remedies. The study is expected to be completed and a final cleanup remedy selected in late 1992.



**North Plume:** In 1988, the EPA began investigating the new area of contaminated groundwater that was being drawn into the treatment system. The EPA installed additional monitoring wells to the north and west of the Raccoon River near the Fleur Drive Bridge and north to about 25th and High Street. The wells have been monitored to determine the extent of contamination and its source(s) and to warn of any approaching danger to the public water supply. This investigation was completed in the spring of 1992. A baseline risk assessment was performed and concluded that no further action is warranted as the existing groundwater extraction and treatment system will cleanup the contaminated groundwater plume.

**Site Facts:** In 1986, the EPA issued an Administrative Order requiring Dico to design, build, and operate a groundwater extraction system. Dico signed an Administrative Order on Consent with the EPA in August 1989 to conduct a study of how to control the potential sources of contamination at its property.

## Environmental Progress



Groundwater cleanup at the Des Moines TCE site is currently underway, continually reducing the potential for exposure to hazardous materials through drinking water.




## **Site Repository**



Des Moines City Library, 100 Locust, Des Moines, IA 50308

# E.I. DUPONT DE NEMOURS & COMPANY, INC. (COUNTY ROAD X23) IOWA

EPA ID# IAD980685804



## EPA REGION 7

Lee County

3 1/2 miles southwest of West Point

### Other Names:

Baier, James Farm

McCarl Farm

## Site Description

The E.I. DuPont de Nemours & Company, Inc. (County Road X23) site, an industrial waste dump in a rural area of Lee County, consists of two areas off County Road X23, about 3 1/2 miles southeast of West Point. In the early 1950s, DuPont sent wastes from its nearby Fort Madison paint plant to the two disposal sites, which are about a mile apart and cover 4 acres. One is known as the Baier farm subsite and the other as the DuPont/McCarl subsite. DuPont estimates that between 1949 and 1953, a contractor disposed of 48,000 to 72,000 drums of paint waste at the two subsites. These wastes were placed in shallow trenches and burned, then the soil was graded flat. The properties drop off to ravines on the northwestern sides. The company estimates that 4,500 to 7,000 tons of ash and unburned sludges still may exist on the areas. Approximately 1,200 people depend on private wells within 3 miles of the site as their sole source of drinking water. Two creeks about a mile from the site are used for limited recreational activities. Approximately 160 people live within a mile of the site; 1,250 live within 3 miles, with the closest population being 500 feet from the site. There are 40 private wells within a mile, and 330 private wells within 3 miles; the nearest is 500 feet from the site. Water is consumed by the nearby population as well as local livestock.


**Site Responsibility:** This site is being addressed through Federal and potentially responsible parties' actions.

### NPL LISTING HISTORY

Proposed Date: 06/24/88

Final Date: 08/30/90

## Threats and Contaminants



Groundwater and soils are contaminated with heavy metals, including cadmium and lead, and volatile organic compounds (VOCs) from former disposal activities. Potential human health threats consist of ingesting contaminated groundwater and direct contact with both groundwater and soil. Contaminants also could accumulate in plants that are consumed by cattle.

## Cleanup Approach

---

The site is being addressed in two stages: initial actions and a single long-term remedial phase directed at cleanup of the entire site.

## Response Action Status

---



**Initial Actions:** In late 1991, DuPont removed contaminated surface material, incapable of being stabilized, to an off-site Federally approved disposal facility.



**Entire Site:** In 1985, three groundwater monitoring wells were installed by the EPA at the Baier subsite. Sampling in 1986 showed elevated concentrations of metals. Downstream water samples showed similar findings. When the McCarl subsite was studied in 1986, groundwater and soil samples again revealed metals. In 1989, the EPA ordered DuPont to perform a study of contamination at the site. DuPont completed the study in early 1991. Based on the results of this study, the EPA recommended stabilization and solidification of contaminated soil and monitoring of the groundwater as cleanup remedies. DuPont is expected to complete the design of these cleanup remedies in late 1992, with cleanup activities scheduled to begin shortly thereafter.

**Site Facts:** On July 5, 1989, the EPA issued a Unilateral Order to DuPont requiring DuPont to undertake a study of site contamination and cleanup options at the Baier subsite. In late 1991, the EPA issued a Consent Decree requiring DuPont to design and conduct the site cleanup.

## Environmental Progress



The removal of contaminated surface material has reduced any risks to public health or the environment while designs of the selected remedies are being completed.


## Site Repository



Idol Raschid Library, 3421 Avenue L., Fort Madison, IA 68901

# ELECTRO-COATINGS INC. IOWA

EPA ID# IAD005279039



## EPA REGION 7

Linn County  
Cedar Rapids

### Site Description

---

The 1-acre Electro-Coatings, Inc. site is a chromium-plating shop in Cedar Rapids that has been operational since 1947. It lies at the northern edge of Cedar Lake and on the eastern edge of the Cedar River. In 1976, an unknown amount of chromic acid leaked from a deep pit into the groundwater. The owners then began a long series of monitoring and cleanup actions in response to State investigations and requirements. In 1982, the Iowa Department of Natural Resources (IDNR) found high levels of hexavalent chromium in a neighboring company's well. The State required that Electro-Coatings, Inc. determine the extent of contamination. Electro-Coatings monitored the neighboring wells, installed on- and off-site monitoring wells, and conducted monthly sampling. Cedar Rapids municipal wells serving nearly 10,000 people lie within 3 miles of the site. The nearest people live 10 feet from the site, and the nearest well is 2,000 feet away. Approximately 12,100 residents live within 1 mile of the site; 109,100 are within a 3-mile radius of the site. Groundwater underlying the Electro-Coatings site is used for the public drinking water supply and for industrial processes.

**Site Responsibility:** This site is being addressed through Federal, State, and potentially responsible parties' actions.

#### NPL LISTING HISTORY

Proposed Date: 06/24/88

Final Date: 10/04/89

### Threats and Contaminants

---



Groundwater is contaminated with hexavalent chromium, a heavy metal, from wastewater spills. The chief threat to public health is drinking polluted groundwater. Analysts have not yet determined the total area of groundwater pollution; however, groundwater resources supplying municipal drinking wells have not shown signs of chromium contamination. Nearby water bodies, including lakes and streams, potentially are threatened by site contamination.

### Cleanup Approach

---

The site is being addressed in two stages: initial actions and a long-term remedial phase focusing on cleanup of the entire site.

## Response Action Status

---



**Initial Actions:** In 1977, after the wastewater spill, the owners installed new monitoring wells to define the area of groundwater contamination and undertook some cleanup actions at the site. In 1976, the leaking deep pit tank was removed, and 18,000 pounds of ferrous sulfate and 6,600 pounds of sulfuric acid were added to the area to chemically change the remaining hexavalent chromium to the less hazardous form of the chemical. A new pit tank and floor were installed. Other actions consisted of monitoring and sampling.



**Entire Site:** After discovering chromium in the neighboring well in 1982, the State required the installation of five more monitoring wells to track the extent and migration of the contaminant plume. An intensive study to determine the full extent and nature of the contamination currently is underway and is planned to be completed in 1992. The EPA then will select the most appropriate remedies for site cleanup.

**Site Facts:** In June 1977, the State issued an Executive Order requiring Electro-Coatings to install monitoring wells to define the extent of the contaminated plume. Public concern has been targeted on the contamination of Cedar Lake by Electro-Coatings and other sources.

## Environmental Progress



After removing a leaking tank and breaking down the hexavalent chromium to a less hazardous form at the Electro-Coatings site, the EPA determined that the site does not currently pose an immediate threat to public health or the environment while investigations into final remedies are being completed.


## Site Repository



Contact the Region 7 Superfund Community Relations Office.

# FAIRFIELD COAL GASIFICATION PLANT IOWA

EPA ID# IAD981124167



EPA REGION 7

Jefferson County

Fairfield

## Site Description

The Fairfield Coal Gasification Plant site occupies one city block between West Burlington and West Washington Avenues in Fairfield. The plant produced a natural gas substitute from coal from 1878 until 1950. The plant has been owned and operated by Iowa Electric Light and Power since 1917. Since 1950, the utility has used the site as an operations facility. The main wastes are polycyclic aromatic hydrocarbons (PAHs) and volatile organic compounds (VOCs), which are found in the coal tar left over from the gasification process, and cyanide salts left in the iron oxide waste produced when the gas is purified. Operators sold some of the coal tar and buried some in an earthen pit on the site or dumped it in a nearby ditch. Disposal methods for the iron-cyanide waste are unknown, but it also may have been dumped on site. In 1985, the utility found that groundwater near the site was contaminated. The utility began a *monitoring program* to assure that private wells were unaffected. The EPA became involved in 1987 by conducting an expanded site investigation, installing and sampling on- and off-site monitoring wells, and conducting surface and subsurface soil sampling. In 1989, Iowa Electric found that the foundation for a gas holder was the main source of the pollution. The gas holder was removed and destroyed in the 1950s, and wastes were dumped or left in its place. An estimated 1,000 people live within 1 mile of the site; 9,000 live within 3 miles. The local drinking water supply depends on both surface water and groundwater and serves 11,000 people. There are 23 drinking water wells within a 3-mile radius of the site; the closest is 1,900 feet away. Shallow and deep groundwater wells are within 2 miles of the site. The closest well uses the shallow aquifer. Cedar Creek is less than 3 miles downslope of the site and is used for recreation.

**Site Responsibility:** This site is being addressed through Federal and potentially responsible parties' actions.

### NPL LISTING HISTORY

Proposed Date: 06/24/88

Final Date: 08/30/90

## Threats and Contaminants



In 1985, the utility detected PAHs including anthracene and pyrene from the coal gasification processes in the groundwater near the site. On-site groundwater and soil contain VOCs such as benzene, toluene, and xylene and the metals, lead and mercury. Contaminated soil and groundwater could pose a risk to public health. Private drinking water wells are not contaminated.

## Cleanup Approach

---

The site is being addressed in two stages: immediate actions and a long-term remedial phase focusing on cleanup of the groundwater and soil.

## Response Action Status

---



**Immediate Actions:** Under EPA monitoring, the utility undertook an emergency cleanup action featuring a groundwater extraction system. Currently operational, it is designed to contain the contaminated area of groundwater. The system will continue to operate until the contamination levels set by the EPA and the State are achieved.



**Groundwater and Soil:** Also under the EPA's guidance, the utility completed an intensive study of groundwater and soil contamination at the site in 1990. The remedy selected includes excavating and incinerating contaminated soil and source areas, continuing the groundwater extraction and treatment system, and conducting a pilot study for possible in-place bioremediation of the contaminated groundwater. The potentially responsible parties began the technical design for the remedy in early 1991, and expect to be completed with the design in mid-1992.

**Site Facts:** In 1989, Iowa Electric entered into an Administrative Order on Consent with the EPA to conduct additional investigations. The Utility signed a Consent Decree with the EPA in March 1991 for performance of the technical design and cleanup activities.

## Environmental Progress



The groundwater extraction system currently in use at the Fairfield Coal site has reduced the level of contamination, while the design of the technical specifications for the remaining site cleanup is underway.


## Site Repository



Fairfield Public Library, Court & Washington, Fairfield, IA 52556

# FARMERS' MUTUAL COOPERATIVE IOWA

EPA ID# IAD022193577



## EPA REGION 7

Sioux County  
Hospers

### Site Description

---

The Farmers' Mutual Cooperative is an agricultural supply and service business that has operated at this 6-acre site since 1908. The cooperative lies along the eastern side of the Floyd River and currently stores bulk grain, fertilizers, and pesticides. In 1984, the Iowa Department of Environmental Quality found volatile organic compounds (VOCs) and grain fumigant in two municipal wells in Hospers. The Iowa Department of Natural Resources prohibited the use of these two wells, in addition to a third well nearby. The Hospers municipal wells serve approximately 1,900 people and are within a 3-mile radius of the site. There are 109 deep and shallow wells and approximately 1,100 people within 3 miles of the Cooperative. The closest residence is approximately 100 feet away. Residents use the groundwater for drinking, irrigating crops, and watering stock.

**Site Responsibility:** This site is being addressed through Federal, State, and potentially responsible parties' actions.

#### NPL LISTING HISTORY

Proposed Date: 06/24/88

Final Date: 08/30/90

### Threats and Contaminants

---



The groundwater and soil are contaminated with VOCs and various herbicides such as atrazine and dual. Groundwater contaminants have polluted water under the Cooperative property and the closed public wells. A sample taken from the Floyd River indicated the presence of carbon tetrachloride and various pesticides. Public health could be harmed by drinking contaminated groundwater; however, Hospers' current public water supplies are not contaminated.

### Cleanup Approach

---

This site is being addressed in a single long-term remedial phase focusing on cleanup of the entire site.



## Response Action Status

---



**Entire Site:** In 1987, the Cooperative, under State monitoring, began an intensive study of groundwater and soil pollution at and around the site. This investigation is intended to pinpoint the nature and extent of pollution problems and to recommend the best option for final cleanup. Field work and sampling at the site were completed in late 1991. Initial plans for site cleanup include pumping contaminated groundwater and treating it through granular activated carbon. A final remedy selection is expected in late 1992.

**Site Facts:** In 1986, the State issued an Administrative Order, requiring the Cooperative to conduct a study to determine the type and extent of the contamination and to identify cleanup alternatives. Partial results were submitted to the State in 1987, and negotiations culminated in a Consent Order, signed in 1987, providing for a groundwater study and completion of the site study.

## Environmental Progress



After adding this site to the NPL, the EPA performed preliminary investigations and determined that no immediate actions were needed at the Farmers' Mutual Cooperative site, pending selection of the final site cleanup approach.


## Site Repository



Hospers City Hall, Hospers, IA 51238

# IOWA ARMY AMMUNITION PLANT IOWA

EPA ID# IA7213820445



## EPA REGION 7

Des Moines County  
40 miles west of Burlington

### Site Description

---

The 19,127-acre Iowa Army Ammunition Plant (IAAP) site's primary activity since 1941 has been to load, assemble, and pack a variety of conventional ammunitions and fusing systems. Wastes currently produced at IAAP consist of various explosive-laden sludges, wastewater, and solids; lead-contaminated sludges; ashes from incineration and open burning of explosives; and waste solvents from industrial and laboratory operations. Past operations also generated waste pesticides, radioactive wastes (which have been removed from the site), and incendiaries. The Army has identified a number of potentially contaminated areas, including an abandoned 4-acre settling lagoon, the Line 800 Pinkwater Lagoon, which received wastewater containing explosives from 1943 to 1955. It now holds an estimated 37,000 cubic yards of hazardous sludges. A second area under investigation involves an earthen and concrete dam across Brush Creek, the former Line 1 impoundment, which was used from 1948 to 1957. Wastewater flowed through a 3 1/2-acre sedimentation area where explosives settled out. The liquids subsequently overflowed the dam into Brush Creek. Approximately 100 people live within 3 miles of the site and obtain drinking water from private wells within 3 miles of the base. Surface water within 3 miles downstream of the site is used for recreational activities.

**Site Responsibility:** This site is being addressed through Federal actions.

#### NPL LISTING HISTORY

Proposed Date: 07/14/89

Final Date: 08/30/90

### Threats and Contaminants

---



The Army conducted tests from 1981 to 1984 and detected explosives from former waste disposal practices in surface water and wells downgradient of the lagoon and dam. In 1984, the U.S. Army detected explosives and lead in creek sediments. People using Brush Creek for recreational purposes may be at risk due to the contaminated sludge lagoons. Individuals drinking from contaminated wells also may be at risk.

## Cleanup Approach

---

This site is being addressed in a single long-term remedial phase focusing on cleanup of the entire site.

## Response Action Status

---



**Entire Site:** In 1990, the Army began a study to determine the nature and extent of contamination at the site and identified 43 individual sites requiring investigation. With the assistance of the EPA, samples were collected from these potential areas of contamination. After analyzing these samples, the EPA and the Army determined that approximately three-quarters of the sites need further investigation. Further site investigation is scheduled to begin in mid-1992 and to continue for approximately one year. The selection of a remedy for the initial group of sites is anticipated by 1995.

**Site Facts:** A Federal Facilities Compliance Agreement between the Army and the EPA was signed in 1988. The installation subsequently was proposed for the NPL, and an Interagency Agreement was negotiated in late 1990. The IAAP site is participating in the Installation Restoration Program, a specially funded program established by the Department of Defense (DOD) in 1978 to identify, investigate, and control the migration of hazardous contaminants at military and other DOD facilities.

## Environmental Progress



After adding this site to the NPL, the EPA performed preliminary investigations and determined that no immediate actions were needed at the IAAP site while further studies leading to long-term cleanup activities are taking place.

## Site Repository




Contact the Region 7 Superfund Community Relations Office.

# JOHN DEERE (OTTUMWA WORKS LANDFILLS)

IOWA

EPA ID# IAD005291182



EPA REGION 7

Wapello County  
Ottumwa

## Site Description

The John Deere (Ottumwa Works Landfills) site consists of a 118-acre tract of land and has been used for the manufacture of farm implements since 1946. From 1911 until 1973, the company disposed of approximately 3,000 tons of solvents, paint sludges, acids, heavy metals, and cyanide on site. The site is located 200 feet from prime agricultural land. Approximately 700 people obtain drinking water from private wells within 3 miles of the site. The main water supply for Ottumwa (population 27,000) is the Des Moines River; the intake is 4,000 feet upstream from the John Deere landfills. The river also is used for recreational activities. The city's secondary water supply, which is used intermittently throughout the year, is Black Lake. It is located 500 feet downgradient of the on-site landfills.

**Site Responsibility:** This site is being addressed through Federal and potentially responsible parties' actions.

### NPL LISTING HISTORY

Proposed Date: 06/24/88

Final Date: 02/21/90

## Threats and Contaminants



Low levels of various heavy metals from site disposal activities have been detected in the soil, surface water, and sediments. Also, low levels of methylene chloride, a volatile organic compound (VOC), were detected in the soil and sediments.

Potential risks may have existed for individuals who accidentally ingested or came in direct contact with contaminated soil and surface water.

## Cleanup Approach

---

Intensive investigations of site conditions have shown that the site does not pose a significant threat to people and the environment. To ensure that there are no future threats, groundwater monitoring and land-use restrictions have been put in place.

## Response Action Status

---



**Entire Site:** Under EPA monitoring, the John Deere Company began an investigation in 1990 to determine the type and extent of contamination. Field work was completed in late 1990, and the investigation was completed in late 1991. Based on the results of this investigation, the EPA selected a remedy requiring the John Deere Company to maintain the existing fence around the site, and to continue monitoring the groundwater to ensure that it remains safe. In addition, a deed restriction now limits site use to non-residential activities.

**Site Facts:** In 1989, the John Deere Company entered into an Administrative Order on Consent with the EPA to conduct an investigation to determine the type and extent of contamination at the site and to identify alternative technologies for the cleanup. In the spring of 1992, the company and the Iowa Department of Transportation signed a Consent Decree requiring the John Deere Company to clean up the site.

## Environmental Progress



The EPA will continue to monitor the groundwater at the John Deere (Ottumwa Works Landfills) site to ensure that site conditions remain safe. The EPA is moving the site towards deletion.

## Site Repository




Ottumwa Public Library, 129 N. Court Street, Ottumwa, IA 52501

# LABOUNTY SITE

## IOWA

EPA ID# IAD980631063



## EPA REGION 7

Floyd County  
Charles City

### Site Description

---

The Labounty Site covers 8 1/2 acres on the Cedar River flood plain. From 1953 to 1977, Salsbury Laboratories, a manufacturer of veterinary pharmaceuticals, disposed of over 6 million cubic feet of sludges containing various compounds and metals on the site. This has resulted in the contamination of a shallow groundwater aquifer that connects to the Cedar River. Investigations by the EPA and the Iowa Department of Environmental Quality in 1977 and 1978 revealed that major waste components were being leached and transported from the disposal site by groundwater to the Cedar River. The State of Iowa ordered the site closed in 1977. That same year, Salsbury constructed a 24-well groundwater monitoring system, and, in 1980, completed a clay cap over the wastes. Approximately 10,000 people live within 3 miles of the site. The nearest residence is 1,000 feet from the site. People in the area use groundwater in the adjacent aquifer for drinking water supplies.

**Site Responsibility:** This site is being addressed through Federal, State, and potentially responsible parties' actions.


#### NPL LISTING HISTORY

Proposed Date: 12/30/82

Final Date: 09/08/83

### Threats and Contaminants

---



Volatile organic compounds (VOCs) and arsenic leached into the groundwater and surface water from the disposal site. Drinking contaminated surface water and groundwater or inhaling volatilized contaminants from the site were potential threats to individuals prior to cleanup.

### Cleanup Approach

---

This site is being addressed in a long-term remedial phase focusing on cleanup of the entire site.

## Response Action Status

---



**Entire Site:** The parties potentially responsible for the site contamination installed a groundwater monitoring system in 1979 and a clay cap in 1980. The capping has effectively reduced the leaching of wastes located above the water table. However, capping was not effective in reducing pollutant leaching where wastes were placed below the water table. Therefore, between 1985 and 1986 under EPA monitoring, the potentially responsible parties installed an upgradient groundwater diversion wall. The wall diverts groundwater around the fill material into the Cedar River. Salsbury continues to sample monitoring wells and the Cedar River. The EPA has conducted field sampling and reviews the site to ensure that the remedy remains protective.

**Site Facts:** The State of Iowa issued an Administrative Order in 1977 that required the owner, Salsbury Laboratories, to prevent runoff, cease operations, and submit a plan for the removal of wastes. In 1985, the EPA and Salsbury entered into an Administrative Order on Consent for the construction of the upgradient diversion wall and monitoring system in the upper and lower Cedar Valley aquifers.

## Environmental Progress



All cleanup activities have been completed at the Labounty Site. The EPA and the potentially responsible parties will continue to test the effectiveness of the completed cleanup actions. The site is expected to be deleted from the NPL in late 1992.


## Site Repository



Contact the Region 7 Superfund Community Relations Office.

# LAWRENCE TODTZ FARM IOWA

EPA ID# IAD000606038



## EPA REGION 7

Clinton County  
1 mile west of Camanche

**Other Names:**  
**DuPont Company Landfill**

## Site Description

---

The Lawrence Todtz Farm site is located in a predominantly agricultural area of Clinton and covers slightly over 6 acres. Municipal solid waste and industrial solid and liquid wastes were disposed of at the site from 1958 to 1975. The E.I. DuPont de Nemours Company, Inc.'s cellophane plant buried 4,300 tons of liquid waste at the site from 1972 to 1975. The wastes were reported to include strong acids and bases, plasticizers, resins, alcohols, inorganic salts, paints, and pigments. The site was closed in 1975 and capped with approximately 2 feet of "red sugar" clay and topsoil overlay. One hundred people live within 1 mile of the site. Within 1/4 mile of the site are 10 farmhouses with private wells for drinking water and approximately 12 mobile homes. Murphy's Lake (formerly Willow Lake) and Bandixen Lake, located near the site, are used for recreational activities such as fishing and swimming. Two chemical industrial plants are located within a mile of the landfill. Evidence of deer, raccoon, and cattle has been seen on the site. Wild geese were observed on the site and the surrounding lakes.

**Site Responsibility:** This site is being addressed through Federal and potentially responsible parties' actions.


### NPL LISTING HISTORY

Proposed Date: 09/05/85

Final Date: 06/10/86

## Threats and Contaminants

---



Groundwater samples from on-site monitoring wells detected heavy metals including arsenic, barium, and lead; sodium; and volatile organic compounds (VOCs) including benzene and toluene from the former waste disposal activities on the site. Sodium was the only contaminant detected at levels above health guidelines in groundwater samples collected from area residential wells. Analyses of soil samples collected in 1988 detected only arsenic at levels that may have posed adverse health effects. Future contamination of surface water (on-site ponds and nearby lakes) could have occurred if there had been a release from the impoundment, because the lakes are hydraulically connected to the shallow sand and gravel aquifer.



## Cleanup Approach

---

The site is being addressed in a long-term remedial phase focusing on cleanup of the entire site.

## Response Action Status

---



**Entire Site:** The parties potentially responsible for the site contamination installed an alternate water supply that included drilling a new well to supply water to three area residents. This was completed in the summer of 1989. Under the EPA's monitoring, the potentially responsible parties have graded the site area and installed a 2-foot soil cover over the impoundment. Cleanup activities were completed in late 1991. Monitoring of the impoundment and municipal landfill will continue to ensure the long-term effectiveness of the cleanup activities.

**Site Facts:** In November 1990, a Consent Decree between the EPA and the potentially responsible parties was entered in court. Under this Decree, the parties agreed to perform long-term cleanup of the site.

## Environmental Progress



The installation of an alternate water source, and construction of a 2-foot soil cover and groundwater monitoring system have eliminated the potential for exposure to contaminated soil and groundwater at the Lawrence Todtz Farm site.

## Site Repository




Clinton Main Library, 306 Eighth Avenue, South Clinton, IA 52732

# LEHIGH PORTLAND CEMENT CO.

IOWA

EPA ID# IAD005288634



EPA REGION 7

Cerro Gordo County

Northern section of Mason City

## Site Description

The Lehigh Portland Cement Company owns and operates this Portland cement processing facility on approximately 150 acres in the northern section of Mason City. The facility has been in operation since 1911. The southern side of the site is bordered by 25th Street, and a small residential area is located to the north of the site. The site is composed of abandoned limestone quarries and mine tailings piles. Waste kiln dust, a by-product in the manufacturing of cement, has been discarded in piles throughout the facility, and a large quantity also was disposed of directly into two of the four abandoned quarries on the property. The quarries are filled with water and have drained into Calmus Creek directly south of the site. In 1984, the Iowa Department of Water, Air, and Waste Management (WAWM) conducted a comprehensive study of Calmus Creek and found contaminants that may have come from Blue Waters Pond, one of the quarries on the Lehigh site. Another NPL site, the Northwestern States Portland Cement Company, is situated immediately south of the site and is separated from it by Calmus Creek. An estimated 31,000 people obtain drinking water from public and private wells within 3 miles of the site. Wells are the sole source of drinking water in the area. A small subdivision of about 300 residents is located a mile north of the site. The Winnebago River, within 3 miles downstream of the site, is used for recreational activities, especially sport fishing.

**Site Responsibility:** This site is being addressed through Federal, State, and potentially responsible parties' actions.

### NPL LISTING HISTORY

Proposed Date: 06/24/88

Final Date: 08/30/90

## Threats and Contaminants



Groundwater on site is contaminated with heavy metals including arsenic, as well as elevated pH levels caused by the former process waste disposal practices at the site. However, no significant levels of contaminants were found in off-site municipal, or private drinking water wells. Sulfates, and elevated pHs were detected in Arch Pond and Blue Waters Pond, both on the Lehigh site. Calmus Creek is polluted, and people who use the creek for recreation or who may eat fish from it could be at risk. The pH level of soil, sediments, and surface water of the quarry is high enough to be considered above normal; therefore, direct contact with these substances could be a health hazard. If the contaminant plume migrates from Calmus Creek into the Cedar Valley Aquifer, the private wells may become contaminated and could pose a health hazard to people who use them.

## Cleanup Approach

---

The site is being addressed in two stages: initial actions and a long-term remedial phase directed at cleanup of the entire site.

## Response Action Status

---



**Initial Action:** After the Iowa Department of Natural Resources (IDNR) found that surface water contamination in the creek was related to contaminants at the site, a weir was placed in the southeastern corner to control water elevations, because one of the quarries overflows during heavy rainfall. Dikes also were constructed to separate three of the quarries; an aboveground piping system was installed, which pumps water from one of the quarries to another. Lehigh installed three monitoring wells and sampled groundwater and surface water.



**Entire Site:** The EPA selected a remedy which includes draining the quarry ponds, treating the extracted water before discharging it, and consolidating and/or capping all the cement kiln dust, and installing dewatering wells, if necessary. The design of the remedy is planned to begin in late 1992.

**Site Facts:** In 1985, the State issued an Administrative Order, requiring Lehigh to conduct a hydrogeological investigation of the quarry. In 1989, the State issued another Administrative Order, requiring Lehigh to conduct a study to determine the type and extent of contamination on the site.

## Environmental Progress



The construction of dikes to isolate the contamination in the quarries and the installment of a piping system that pumps water from one quarry to another have helped to reduce the potential for migration of contaminants or accidental exposure to contaminated groundwater or surface water while the Lehigh Portland Cement Co. site awaits further cleanup activities.


## Site Repository



Mason City Public Library, 225 Second Street, Mason City, IA 50401

# MID-AMERICA TANNING CO. IOWA

EPA ID# IAD085824688



**EPA REGION 7**  
Woodbury County  
5 miles south of Sergeant Bluff

## Site Description

The Mid-America Tanning Company site, located south of Sergeant Bluff, covers approximately 100 acres and has processed hides under several names since 1969. In 1979, the Mid-America Tanning Company discharged an estimated 1,000 cubic yards of tannery sludges containing chromium into two unlined trenches on the property. U.S. Tanning acquired the operation in 1985. Wastes were treated on site. Solids were settled out in concrete-lined ponds, while liquids were chemically treated and then discharged into an oxbow lake. The site is in the Missouri River flood plain. Approximately 85 people live within a mile of the site, and 850 people live within 3 miles.

**Site Responsibility:** This site is being addressed through Federal actions.

**NPL LISTING HISTORY**  
Proposed Date: 06/24/88  
Final Date: 03/30/89

## Threats and Contaminants



Monitoring wells on site show that the groundwater is contaminated with heavy metals including arsenic, barium, chromium, lead, and cadmium from the former process waste disposal practices. The sediments and surface water of the oxbow lake contain elevated levels of heavy metals. The groundwater, used by local residents as a drinking water supply, may be polluted with heavy metals; drinking such tainted water could be hazardous to public health. About 2 miles south of the site is a wetland used as a nesting site for the piping plover, an endangered species.

## Cleanup Approach

The site is being addressed in two stages: initial actions and a single long-term remedial phase focusing on cleanup of the entire site.

## Response Action Status

---



**Initial Actions:** In 1990, the EPA removed approximately 1,300 cubic yards of contaminated soil and sludge from on-site burial pits. This material later will be immobilized as part of the final cleanup remedy. The EPA also removed any raw materials found on site and recycled them, where possible. These initial actions were completed in late 1991.



**Entire Site:** Due to financial difficulties encountered by the potentially responsible party in early 1990, the EPA had to initiate studies into the nature and extent of contamination at the site. The EPA completed these investigations in late 1991 and chose the following remedy: on-site immobilization of heavily contaminated soil and sludge and capping of contaminated areas. Design of these cleanup remedies began in 1992 and is slated for completion in 1993.

**Site Facts:** The EPA issued a Unilateral Administrative Order to the potentially responsible party in late 1989. Due to financial difficulties, the party did not comply with the initial actions specified in the Order.

## Environmental Progress



The EPA has completed initial actions to address elevated levels of cadmium, arsenic, barium, and lead in the groundwater by excavating and consolidating contaminated materials. These actions will contain the source of contamination and will reduce the potential for direct contact with hazardous wastes on site while a final cleanup remedy is being planned.


## Site Repository



Sergeant Bluff City Hall, 401 Fourth Street, Sergeant Bluff, IA 54054

# MIDWEST MANUFACTURING/ NORTH FARM IOWA

EPA ID# IAD069625655



## EPA REGION 7

Jasper County  
2 miles north of Kellogg

**Other Names:**  
North Farm  
Smith-Jones

## Site Description

---

The Midwest Manufacturing/North Farm site contains two subsites: the North Farm subsite, which is an unlined disposal cell 2 miles from the facility; and the Midwest Manufacturing subsite, which is the plant facility. The sites were combined because they contain the same wastes and affect the same population. From 1973 to 1981, under Smith-Jones ownership, the plant was engaged in electroplating special-order stamped metal pieces, a process that involved using various heavy metals. The plant currently manufactures high-speed flywheel ring gears and assemblies for automobiles. Prior to a wastewater treatment plant being brought on line in 1977, the electroplating waste from the plant was discharged directly into the North Skunk River. From 1977 to 1978, the sludge produced by this process was disposed of in an unlined cell at North Farm, 2 miles northeast of the plant. The unlined cell does not have a soil cap and lacks a leachate collection system or other containment measures to prevent the release of hazardous substances. A trench near the plant itself also was used to dispose of the sludge produced by the treatment process. In 1982, the EPA collected sludge samples from the disposal trench, and concentrations of metals were found to be below the concentrations that would designate the sludge as hazardous. Groundwater samples identified the potential for contaminant migration from the disposal trench. During an EPA site visit in 1987, a manmade drainage ditch was discovered to the west of the disposal trench at the plant. The sediments in this ditch were covered with a black, oily substance that had a petroleum odor. Stressed vegetation and an oily substance floating on top of the water were observed in a marshy area located on the western end of the plant property. Approximately 700 people depend on wells located within 3 miles of the site for their drinking water supply.

**Site Responsibility:** This site is being addressed through Federal and potentially responsible parties' actions.

### NPL LISTING HISTORY

Proposed Date: 09/05/85

Final Date: 06/10/86

## Threats and Contaminants

---



Midwest Plant city well #1 showed elevated levels of zinc from the former waste disposal activities during sampling in 1982. Recent groundwater studies found elevated levels of volatile organic compounds (VOCs) such as vinyl chloride, trichloroethylene, and dichloroethylene and the heavy metals cadmium and nickel. Surface soils at both subsites contain high concentrations of heavy metals. Adverse health effects could result from ingesting vegetables grown on contaminated soils or watered with contaminated groundwater. Consuming contaminated groundwater may pose a health risk to area residents. The site is located within a critical habitat of the Indiana bat, which is on the endangered species list of the U.S. Fish and Wildlife Service.

## Cleanup Approach

---

The site is being addressed in two long-term remedial phases directed at cleanup of the Midwest Manufacturing Plant subsite and the North Farm subsite.

## Response Action Status

---



**Midwest Manufacturing Plant Subsite:** The EPA concluded a study of the nature and extent of contamination at the plant site in 1990. Based on the results of the study, the EPA has selected a remedy that includes extracting and treating the groundwater through air stripping and filtration, along with capping the site to contain contamination.



**North Farm Subsite:** The remedy for the North Farm subsite has been selected and includes excavation of contaminated soil within and around the disposal cell, treatment and disposal of the soil in a regulated facility, and backfilling and grading of excavated areas with clean fill.

**Site Facts:** Smith-Jones Midwest Manufacturing and Merl Brown were issued special Notice Letters in September 1987 regarding their potential liability for site contamination.

## Environmental Progress



After adding the Midwest Manufacturing North Farm site to the NPL, the EPA performed a preliminary assessment of site conditions and determined that there were no immediate actions required to reduce the potential for exposure to contaminants while permanent cleanup remedies are being planned.

## **SITE REPOSITORY**




Kellogg City Library, Kellogg City Hall, Kellogg, IA 50135

---



# NORTHWESTERN STATES PORTLAND CEMENT CO. IOWA

EPA ID# IAD980852461



## Site Description

The Northwestern States Portland Cement Co. (NWSPCC) site covers 150 acres of a 250-acre parcel of land in Mason City. The NWSPCC began limestone mining operations in 1908. The company ceased the mining in 1950 and abandoned the quarry west of the plant. In 1969, the NWSPCC began to use the quarry for the disposal of waste kiln dust containing hydroxides, potassium, chromium, and sulfates. An estimated 2 million tons of waste kiln dust were disposed of in the quarry. Over the years, the water level rose approximately 2 feet per year, filling in the quarry so that it held approximately 420 million gallons of water. Rainwater runoff drains from the quarry into adjacent Calmus Creek, a tributary of the Winnebago River. The Iowa Department of Natural Resources (IDNR) conducted an investigation in 1984, when a citizen became concerned over the Winnebago River turning white. Calmus Creek was found to have a higher than normal pH level. The Mason City municipal wells are within 3 miles of the site and serve approximately 30,000 people. About 300 people obtain their drinking water from private wells within 1 1/2 miles of the site. The municipal wells are connected to the deep Jordan aquifer. The private wells are served by the Cedar Valley aquifer. Calmus Creek and the Winnebago River are used for recreational activities, including fishing.

**Site Responsibility:** This site is being addressed through Federal, State, and potentially responsible parties' actions.

### NPL LISTING HISTORY

Proposed Date: 06/24/88

Final Date: 08/30/90

## Threats and Contaminants



The groundwater is contaminated with sulfates, sodium, and elevated pH from the former process waste disposal practices at the site. Although the groundwater is contaminated, municipal and private drinking water wells are not polluted. If the contaminant plume migrates from Calmus Creek and into the Cedar Valley aquifer, the private wells may become contaminated and pose a health hazard to people who use them. Sediments and soils are contaminated with higher than normal pH. Calmus Creek is contaminated with higher than normal pH, and people who use the creek for recreation or eat fish from it may be at risk. The increased pH found in soil, sediments, and surface water of the quarry is considered caustic; therefore, coming in direct contact with these substances would pose a health risk.

## Cleanup Approach

---

The site is being addressed in two stages: initial actions and a single long-term remedial phase focusing on cleanup of the entire site.

## Response Action Status

---



**Initial Actions:** The State ordered the NWSPCC to stop discharges into Calmus Creek, and the company complied by installing a system that intercepts the flow and pumps the water back into the quarry. In 1987, the company began treating the surface water before discharging it into the creek.



**Entire Site:** The NWSPCC has pumped most of the water from the quarry. The NWSPCC also conducted an investigation, under State supervision, to determine the extent of contamination at the site. The investigation was completed in 1990. Based on the results of the investigation, a remedy was selected. Along with pumping the water from the quarry, it includes construction of a permanent drain system in the quarry to collect precipitation runoff and groundwater inflow; installation of a cap over the quarry area filled with waste kiln dust to minimize infiltration through to kiln dust; installation of bedrock dewatering wells to collect contaminated groundwater, to prevent migration of contaminated groundwater, and to maintain groundwater levels; installation of kiln dust dewatering wells, if necessary; treatment of contaminated waters and final discharge into Calmus Creek; and continued operation of a dewatering system. The design of these technologies by the NWSPCC began in 1991 and is scheduled to be completed in late 1992.

**Site Facts:** In 1985, the State issued an Administrative Order to the NWSPCC to stop discharges into Calmus Creek. In addition, the Order instructed the company to conduct a study, under State supervision, to determine the effect of the quarry on the environment. This study was completed in 1987. In 1989, the State issued an Administrative Order to the NWSPCC to conduct an additional site study which was completed in 1990.

## Environmental Progress



Pumping the water from the quarry and treating surface water prior to release to Calmus Creek have reduced the potential for exposure to contaminated water and sediments at the Northwestern States Portland Cement Co. site while the design of the final site remedy is taking place.


## Site Repository



Mason City Public Library, 225 Second Street, Mason City, IA 50401

# PEOPLES NATURAL GAS CO. IOWA

EPA ID# IAD980852578



## EPA REGION 7

Dubuque County  
East Dubuque

Other Names:  
Key City Coal Gasification Plant

### Site Description

---

The Peoples Natural Gas Co. site is located in Dubuque and covers approximately 5 acres. From 1890 until 1954, the Key City Gas Company owned and operated this gas plant, where a natural gas substitute was produced from coal. In 1954, the North Central Public Service Company took over operations until 1957, when Peoples Natural Gas Company assumed operations. The company used the site as a storage and maintenance area and did not manufacture gas. Peoples Natural Gas sold the site to the City of Dubuque, which operates the Dubuque Municipal Garage on the site. Two waste products resulting from coal gasification are of primary concern: coal tar sludges and spent iron oxide. Coal tar sludges were produced during the coal or coke combustion and during the oil injection processes, and spent iron oxide wastes were produced during the gas purification process. Spent iron oxide wastes, removed from the three gas cleaning boxes (purifiers), were dumped behind two gas holding tanks on the site at least twice a year. Approximately 5,400 cubic yards of spent iron oxide wastes were deposited in the northeastern section of the site. Coal tars were removed from the gas in the wash box and condenser. These wastes either were sold or disposed of in pits or holding tanks. Two coal tar waste storage tanks were used at the Key City plant, one aboveground and one below. Both tanks have been removed. Evidence of materials left in the underground tank, as well as migration of waste out of the tank, is supported by a study done by the Iowa Department of Transportation in 1983 while conducting a right-of-way survey for the proposed extension of U.S. 61. An estimated 60,000 people obtain drinking water from municipal wells within 3 miles of the site. Approximately 2,400 people live within a mile of the site, and 21,000 people live within 3 miles. The Mississippi River is approximately 500 feet east of the site. Surface water downstream is used for industrial and recreational activities. A wildlife and fish refuge is 2 miles downstream, and wetlands are within 1/2 mile of the site.

**Site Responsibility:** This site is being addressed through Federal and potentially responsible parties' actions.

#### NPL LISTING HISTORY

Proposed Date: 06/24/88

Final Date: 08/30/90

## Threats and Contaminants

---



Phenols, polycyclic aromatic hydrocarbons (PAHs), and inorganic chemicals from the gasification process wastes were detected by the State in on-site wells. Soil samples collected at the site in 1983 also contained phenols, PAHs, and inorganic chemicals. Accidental ingestion of or direct contact with contaminated soil or groundwater may pose potential health threats to individuals. No private drinking water wells have been identified in the area. The wetlands and the wildlife and fish refuge may be threatened by runoff from the site.

## Cleanup Approach

---

The site is being addressed in two stages: immediate actions and a long-term remedial phase focusing on soil and groundwater cleanup.

## Response Action Status

---



**Immediate Actions:** Under EPA monitoring, the parties potentially responsible for the site contamination removed the contaminated coal tar sludges and soils containing contaminants above human health standards from within the construction corridor for U.S. Highway 61. Contaminated soil currently is being incinerated off site at a federally approved facility. Incineration is expected to continue through late 1993.



**Soil and Groundwater:** A complete study of the extent and type of groundwater and soil contamination was completed by the parties potentially responsible for the contamination. A remedy was selected which requires excavation and incineration of contaminated soils, and pump and treatment of contaminated groundwater. Restrictions on land and groundwater use will also be implemented. Design of the remedy is slated to begin in early 1992.

**Site Facts:** The EPA signed an Administrative Order on Consent with Midwest Gas (of Iowa Public Service, a successor corporation of Peoples Natural Gas), the Iowa Department of Transportation, and the City of Dubuque in 1989. The Order requires the company to remove or treat any contaminated soil. It also requires completion of an investigation to determine the need for treatment of residual soil and for groundwater treatment.

## Environmental Progress



By removing contaminated coal tar sludges and soils, the potential for exposure to hazardous materials at the People's Natural Gas Co. site has been reduced while further cleanup activities are being planned.


## Site Repository



---

Carnegie Stout Public Library, Eleventh and Bluff, Dubuque, IA 52001

**RED OAK  
CITY LANDFILL  
IOWA**  
EPA ID# IAD980632509



**EPA REGION 7**  
Montgomery County  
1/2 miles northwest of Red Oak  
  
**Other Names:**  
**Union Carbide Disposal**

## Site Description

The 40-acre Red Oak City Landfill is an inactive landfill located within an old limestone quarry in a rural setting. Of the 40 acres, 20 acres were used for disposal. The landfill is bounded on the west by Parkwest Road and on the east by the East Nishnabotna River. Quarrying activities at the site were conducted by strip mining from the late 1940s to the early 1960s. A limestone rim was left in place between the quarry pit and the west bank of the river to prevent flooding. Red Oak purchased the site property in the mid-1950s and converted it into a municipal landfill. From 1962 until 1974, hazardous substances were deposited in the landfill. The landfill lacks a leachate collection system and other engineering structures such as a liner or an effective cover to contain the disposed hazardous wastes. There is a thin layer of soil covering the landfill, and at some points, waste materials, including 55-gallon drums, are exposed to the surface. The eastern portion of the landfill, adjacent to the East Nishnabotna River, is being eroded as a result of river bank undercutting and surface water runoff. In 1981, Union Carbide Corp. and Uniroyal, Inc. notified the EPA that wastes they had sent to the landfill contained metals, volatile organic compounds (VOCs), and alcohol. In 1984, the EPA observed leachate seeping from the landfill into the river. Approximately 7,000 people within 3 miles of the site depend on groundwater as a source of drinking water. The nearest residence uses a private well 1,800 feet away from the landfill. There are 250 people living within a mile of the site.

**Site Responsibility:** This site is being addressed through Federal and potentially responsible parties' actions.

**NPL LISTING HISTORY**  
Proposed Date: 06/10/86  
Final Date: 03/13/89

## Threats and Contaminants



VOCs including toluene and xylene and heavy metals including chromium, lead, and barium from the landfilling practices have been detected in the groundwater and the surface water. The sediments near the landfill contain toluene. Wells located near the landfill may be contaminated. Accidentally ingesting or coming in direct contact with the contaminated groundwater, surface water, or sediments could be hazardous to the health of people in the area. There also is prime agricultural land adjacent to the site, which could be contaminated by chemicals from the site. The landfill is situated in permeable soil, which increases the chances of the groundwater being contaminated.

## Cleanup Approach

---

The site is being addressed in a single long-term remedial phase focusing on cleanup of the entire site.

## Response Action Status

---



**Entire Site:** The investigative work to determine the extent and nature of the contamination on site originally was begun by the EPA and then taken over by the potentially responsible parties. This investigation is expected to be completed in late 1992. At that time a final remedy decision will be made.

**Site Facts:** The potentially responsible parties signed a Consent Order in November 1989 with the EPA, in which they agreed to study the nature and extent of contamination at the site and to evaluate cleanup alternatives.

## Environmental Progress



After placing the Red Oak City Landfill site on the NPL, the EPA determined, after a preliminary assessment of site conditions, that no immediate actions were required while further investigations leading to the selection of a final cleanup remedy are taking place.

## Site Repository




Red Oak Public Library, Second and Washington, Red Oak, IA 51566

# SHAW AVENUE DUMP

IOWA

EPA ID# IAD980630560



EPA REGION 7

Floyd County  
Charles City

## Site Description

The Shaw Avenue Dump site, an 8-acre city dump, is located in southeastern Charles City, approximately 500 feet east of the Cedar River. The City owns the site and operated it as a municipal waste dump without a permit. Two areas in the northern half of the site were used from 1949 to 1953 to dispose of 14,000 to 28,000 cubic feet of arsenic-contaminated solid waste generated by Salsbury Laboratories in the production of animal pharmaceuticals. Sludge from the Charles City wastewater treatment plant, which received liquid wastes discharged from Salsbury, was placed in the northern waste cells and in an undefined area on the southern portion of the site. The northern disposal area no longer is in use and has been covered with soil and vegetated. Between the southern and northern areas, trenches were used for disposing of lime sludges from the drinking water treatment plant. The City and the public used this area for open burning of wastes. The site is within a large residential area. A high school is located approximately 1,000 feet north of the site. Students use a stadium within 500 feet of the northern waste disposal cells. One residence, 1,500 feet southeast of the site, uses a private well for domestic purposes. The Charles City municipal water supply system, within 2 miles uphill of the site, serves 8,800 people. The Cedar River flows through Charles City and is used for recreational fishing, swimming, and canoeing.

**Site Responsibility:** This site is being addressed through Federal, county, and potentially responsible parties' actions.

### NPL LISTING HISTORY

Proposed Date: 09/05/85

Final Date: 07/22/87

## Threats and Contaminants



The groundwater and soils are contaminated with arsenic from the disposal site. The Cedar River also is contaminated with arsenic. Students playing on school grounds, city employees grading areas of the site, construction workers on site, and trespassers may inhale contaminated dust during future excavation. Direct contact with the contaminated soil, groundwater, and surface water could result in irritation of the skin and mucous membranes. The site is surrounded by a fence with no-trespassing signs and a locked gate.



## Cleanup Approach

---

The site is being addressed in two long-term remedial phases focusing on cleanup of chemical fill and contaminated soil and cleanup of groundwater.

## Response Action Status

---



**Chemical Fill and Contaminated Soil:** The EPA began an investigation of the site and its cleanup alternative in 1987. The parties potentially responsible for site contamination took over the investigation in 1988 and completed it in late 1991. In early 1992, the potentially responsible parties began cleanup activities. The remedy initially called for stabilization of chemical fill and contaminated soil. However, treatability tests indicated that stabilization would not be effective. All contaminated materials are now being removed off site to a federally approved landfill as described in the contingency remedy. Cleanup is scheduled to be completed by late 1992.



**Groundwater:** An investigation of the nature and extent of groundwater contamination is expected to begin in 1993, and will result in the selection of cleanup alternatives.

**Site Facts:** In March 1987, the EPA sent letters notifying Salsbury Laboratories and Charles City of their potential responsibility and requested information about their use of the site. A Consent Order was completed on May 26, 1988. Under this Order, the potentially responsible parties will conduct an investigation to determine the type and extent of contamination on the site.

## Environmental Progress



The ongoing removal of contaminated soils from the Shaw Avenue Dump site is reducing the risk of exposure to hazardous materials while the investigations leading to selection of a groundwater remedy are taking place.


## Site Repository



Charles City Public Library, 106 Milwaukee, Charles City, IA 66101

# SHELLER-GLOBE CORP. DISPOSAL IOWA

EPA ID# IAD980630750



## EPA REGION 7

Lee County  
4 miles northwest of Keokuk

Other Names:  
Grimes Property

## Site Description

---

Sheller-Globe Corp. operated an industrial landfill and solvent burning area from 1947 to 1970. The 5-acre site was filled in and sold in 1980 to an individual who built a home on it and drew water from a 300-foot-deep on-site well. The water from the well contains lead and zinc, possibly from the distribution lines. The homeowner permanently relocated in the fall of 1991. The site is no longer used for residential purposes. In the past, the Sheller-Globe Corporation manufactured rubber products, including automobile weather stripping, at a facility located in Keokuk. Liquids, sludges, and rubber stripping from the operation were deposited near a ravine with no system for diverting surface runoff. According to the company, among these wastes were at least 1,000 drums of paint sludge, volatile organic compounds (VOCs), isopropyl alcohol, and resins containing fluorocarbons. Solvents routinely were burned in the open. In 1987, the EPA found heavy metal and VOC contamination in soil, groundwater, and surface water during testing. The EPA also observed seepage and an oil sheen on an intermittent stream near the northeastern edge of the site. More recently, the EPA also found 52 drums on the surface, as well as scrap rubber and polyurethane foam. An estimated 1,125 people obtained their drinking water from private wells within 3 miles of the heavily wooded rural site. Many now obtain drinking water from one of two rural water districts recently made available.


**Site Responsibility:** This site is being addressed through Federal and potentially responsible parties' actions.

### NPL LISTING HISTORY

Proposed Date: 05/05/89  
Final Date: 08/30/90

## Threats and Contaminants

---



The groundwater and soils are contaminated with heavy metals including arsenic, chromium, lead, nickel, and zinc and VOCs from the former disposal activities. Accidental ingestion of contaminated groundwater or soil may cause a potential health threat. The Mississippi River, approximately 3 miles downstream of the site, is used for recreational boating and fishing and could be subject to pollution from the site runoff.

## Cleanup Approach

---

The site is being addressed in a single long-term remedial phase focusing on cleanup of the entire site.

## Response Action Status

---



**Entire Site:** An investigation of the site and the possible cleanup alternatives by the potentially responsible parties began in late 1990. Investigations to date have included sampling of surface and subsurface soils, surface water, glacial till groundwater, and bedrock groundwater. Field work is expected to be completed in late 1992. The decision on cleanup methods is scheduled for early 1993.

**Site Facts:** An Administrative order on Consent, requiring the potentially responsible parties to conduct site studies, was signed October 18, 1990.

## Environmental Progress



Following listing of the Sheller-Globe Corp. Disposal site on the NPL, the EPA determined, after an initial evaluation of the site conditions, that the site did not require any immediate actions while intensive studies leading to the selection of a final cleanup remedy are taking place.


## Site Repository



Contact the Region 7 Superfund Community Relations Office.

# VOGEL PAINT & WAX COMPANY IOWA

EPA ID# IAD980630487



## Site Description

Vogel Paint & Wax Company used a 2-acre disposal area within an 80-acre parcel of land. A sand and gravel pit was used by the company for disposal of its paint and varnish production wastes. From 1967 to 1979, the site received paint wastes containing heavy metals, volatile organic compounds (VOCs), and mineral spirits. Liquid wastes were dumped into several trenches from 8 to 12 feet deep. The trenches were left open for extended periods to allow evaporation. Partially filled and full drums and other debris were dumped on top of the liquid wastes. The trenches eventually were covered with 1 to 2 feet of soil. The company has conducted numerous investigations in conjunction with the Iowa Department of Natural Resources (IDNR) to determine the extent of the pollution. The site lies within a primarily agricultural area, and Maurice, with a population of 288, is located 2 miles northeast of the site. Struble is 3 miles south of the site and has a population of 59. The Southern Sioux County Rural Water System well field, located approximately 2 miles downstream of the site, serves 3,200 people. Within 1,600 feet upstream of the disposal site is an agricultural well and a residential well used for drinking water.

**Site Responsibility:** This site is being addressed through Federal, State, and potentially responsible parties' actions.

### NPL LISTING HISTORY

Proposed Date: 10/15/84

Final Date: 06/10/86

## Threats and Contaminants



The groundwater is contaminated with heavy metals including cadmium, chromium, lead, and mercury and VOCs such as benzene and xylene from the former disposal activities. The soil and surface water are contaminated with heavy metals. Any contaminated soil above the waste trench area may be a potential health hazard if airborne dust is inhaled or direct contact is made with the contaminants in the soil. Contaminated surface water could affect plant and animal life in the intermittent streams.

## Cleanup Approach

The site is being addressed in three stages: an initial action and two long-term remedial phases focusing on source control and cleanup of the groundwater.

## Response Action Status

---



**Initial Action:** As a preliminary action, a 2-foot thick clay cap was placed over the disposal area, and floating hydrocarbons are removed from the top of the water table on a monthly basis. This action has reduced the floating hydrocarbons from about 2 feet thick to only intermittent presence.



**Source Control:** After evaluating alternative cleanup methods, the EPA selected a remedy for cleanup of the site. The potentially responsible parties are excavating contaminated soils and separating solid and liquid waste for off-site incineration, recycling, or disposal. An estimated 10,000 cubic yards of contaminated soils will be treated using a bioremediation process in a fully contained surface impoundment unit. Treated soil will be stabilized, if necessary, to prevent leaching of metals, placed back into the excavation area, and covered. Carbon absorption is being used when necessary to control losses of VOCs into the atmosphere. Leaching standards for soils have been established. The potentially responsible parties completed design activities for the cleanup in 1991. Site cleanup activities began immediately thereafter.



**Groundwater:** The potentially responsible parties are pumping and air stripping contaminated groundwater, with discharge to the nearby stream. Losses of VOCs into the atmosphere from the groundwater treatment process is being controlled by carbon absorption, as necessary. Health-based standards for groundwater have been established. The potentially responsible parties began construction in 1991. Construction is expected to be completed in late 1993.

**Site Facts:** A State Consent Order has been signed and the Vogel Paint & Wax Co. has taken responsibility for the costs incurred to date. The site currently is listed on the State Abandoned or Uncontrolled Sites Registry (SAUSR). Substantial changes or transfer of property on this registry is prohibited without written approval of the Director of the IDNR.

## Environmental Progress



By placing a cap over the areas of greatest contamination and removing the floating contaminants from standing water, the Vogel Paint & Wax Company site no longer poses an immediate threat to the public or the environment as additional cleanup activities are being designed.


## Site Repository



Contact the Region 7 Superfund Community Relations Office.

# WHITE FARM EQUIPMENT CO. DUMP IOWA

EPA ID# IAD065210734



## EPA REGION 7

Floyd County  
Along the northern boundary of  
Charles City

### Site Description

---

The White Farm Equipment Co. Dump site occupies approximately 20 acres along the northern border of Charles City. The dump is located in an old sand and gravel pit that is bordered by low-lying areas and farmland. Tractors and other farm equipment have been manufactured near the dump since the early 1900s. White Farm Equipment operated on land leased from H.E. Construction Co. until it filed for bankruptcy in 1980. Allied Products Co. purchased the operation in late 1986. Starting in the 1920s, White Farm's operations generated foundry sand, sludges, and dust from air pollution control equipment. Since 1971, the plant intermittently has been disposing of foundry sands, baghouse dust, and other industrial wastes at the site. Approximately 650,000 cubic yards of these wastes were placed on site. Nearby residents have complained of dust blowing off the dump. Charles City draws its drinking water from an aquifer underlying the White Farm Equipment Co. Dump site. There are about 10,000 people living within 3 miles of the site who use drinking water from public and private wells within 3 miles of the site, and 2,300 people live within a 1-mile radius of the site. The contamination from the site flows into the Cedar River, which is used for recreational activities.

**Site Responsibility:** This site is being addressed through Federal and potentially responsible parties' actions.


#### NPL LISTING HISTORY

Proposed Date: 06/24/88

Final Date: 08/30/90

### Threats and Contaminants

---



Heavy metals including arsenic, chromium, copper, lead, nickel, and zinc and volatile organic compounds (VOCs) from the former waste disposal practices are contaminating the groundwater. Sediments, soils, and surface water contain heavy metals. Health of individuals could be at risk if the contaminated groundwater, surface water, soil, or sediments are accidentally ingested or touched. The pollutants also may be affecting the Cedar River wetlands, disturbing the ecological balance.

## Cleanup Approach

---

The site is being addressed in a single long-term remedial phase directed at cleanup of the entire site.

## Response Action Status

---



**Entire Site:** One of the parties potentially responsible for the contamination investigated the nature and extent of contamination. The investigation included characterization of waste in the landfill, determination of contamination spread by rainwater runoff, detection of contamination spread by air, detection of contamination spread by dissolved metal, and determination of groundwater movement and evaluation of possible connections between the shallow aquifer and the drinking water aquifer. The EPA chose a compacted soil and vegetative layer cap as the cleanup measure. The potentially responsible parties will design and implement the remedy, scheduled to begin in 1992.

**Site Facts:** In 1989, the EPA and two parties potentially responsible for the contamination signed an Administrative Order on Consent. In that Order, one of the parties agreed to take responsibility for the site investigation to determine the nature and the extent of the contamination. In 1991, a Consent Decree was signed by the party to design and perform site cleanup.

## Environmental Progress



After adding the site to the NPL, the EPA determined that no immediate actions were required while cleanup activities are being planned and work is started.

## Site Repository



Charles City Public Library, 106 Milwaukee, Charles City, IA 50616

---

---

# GLOSSARY

---

## Terms Used in the NPL Book

**T**his glossary defines terms used throughout the NPL Volumes. The terms and abbreviations contained in this glossary apply specifically to work performed under the Superfund program in the context of hazardous waste management. These terms may have other meanings when used in a different context. A table of common toxic chemicals found at NPL sites, their sources, and their potential threats is located on page G-15

---

**Acids:** Substances, characterized by low pH (less than 7.0), that are used in chemical manufacturing. Acids in high concentration can be very corrosive and react with many inorganic and organic substances. These reactions possibly may create toxic compounds or release heavy metal contaminants that remain in the environment long after the acid is neutralized.

**Administrative Order On Consent:** A legal and enforceable agreement between the EPA and the parties potentially responsible for site contamination. Under the terms of the Order, the potentially responsible parties (PRPs) agree to perform or pay for site studies or cleanups. It also describes the oversight rules, responsibilities, and enforcement options that the government may exercise in the event of non-compliance by potentially responsible parties. This Order is signed by PRPs and the government; it does not require approval by a judge.

**Administrative Order [Unilateral]:** A legally binding document issued by the EPA, directing the parties potentially responsible to perform site cleanups or studies (generally, the EPA does not issue Unilateral Orders for site studies). This type of Order is not signed by the PRPs and does not require approval by a judge.

**Aeration:** A process that promotes breakdown of contaminants in soil or water by exposing them to air.

**Agency for Toxic Substances and Disease Registry (ATSDR):** The Federal agency within the U.S. Public Health Service charged with carrying out the health-related responsibilities of CERCLA.

**Air Stripping:** A process whereby volatile organic chemicals (VOCs) are removed from contaminated material by forcing a stream of air through the contaminated material in a pressurized vessel. The contaminants are evaporated into the air stream. The air may be further treated before it is released into the atmosphere.

**Ambient Air:** Any unconfined part of the atmosphere. Refers to the air that may be inhaled by workers or residents in the vicinity of contaminated air sources.

**Applicable or Relevant and Appropriate Requirements (ARARs):** Federal, State, or local laws which apply to Superfund activities at NPL sites. Both emergency and long-term actions must comply with these laws or provide sound reasons for allowing a waiver. ARARs must be identified for each site relative to the characteristics of the site, the substances found at the site, or the cleanup alternatives being considered for the site.



---

---

## GLOSSARY

---

**Aquifer:** An underground layer of rock, sand, or gravel capable of storing water within cracks and pore spaces, or between grains. When water contained within an aquifer is of sufficient quantity and quality, it can be tapped and used for drinking or other purposes. The water contained in the aquifer is called groundwater. A "sole source aquifer" supplies 50 percent or more of the drinking water of an area.

**Artesian (Well):** A well made by drilling into the earth until water is reached, which, due to internal pressure, flows up like a fountain.

**Asbestos:** A mineral fiber that can pollute air or water and is known to cause cancer or asbestosis when inhaled.

**Attenuation:** The naturally occurring process by which a compound is reduced in concentration over time through adsorption, degradation, dilution, or transformation.

**Background Level:** The amount of a substance typically found in the air, water, or soil from natural, as opposed to human, sources.

**Baghouse Dust:** Dust accumulated in removing particulates from the air by passing it through cloth bags in an enclosure.

**Bases:** Substances characterized by high pH (greater than 7.0), which tend to be corrosive in chemical reactions. When bases are mixed with acids, they neutralize each other, forming salts.

**Berm:** A ledge, wall, or a mound of earth used to prevent the migration of contaminants.

**Bioaccumulate:** The process by which some contaminants or toxic chemicals gradually collect and increase in concentration in living tissue, such as in plants, fish, or people, as they breathe contaminated air, drink contaminated water, or eat contaminated food.

**Biological Treatment:** The use of bacteria or other microbial organisms to break down toxic organic materials into carbon dioxide and water.

**Bioremediation:** A cleanup process using naturally occurring or specially cultivated microorganisms to digest contaminants and break them down into non-hazardous components.

**Bog:** A type of wetland that is covered with peat moss deposits. Bogs depend primarily on moisture from the air for their water source, are usually acidic, and are rich in plant residue [see Wetland].

**Boom:** A floating device used to contain oil floating on a body of water or to restrict the potential overflow of waste liquids from containment structures.

**Borehole:** A hole that is drilled into the ground and used to sample soil or ground-water.

**Borrow Pit:** An excavated area where soil, sand, or gravel has been dug up for use elsewhere.

**Cap:** A layer of material, such as clay or a synthetic material, used to prevent rainwater from penetrating and spreading contaminated materials. The surface of the cap generally is mounded or sloped so water will drain off.

**Carbon Adsorption:** A treatment system in which contaminants are removed from ground-water and surface water by forcing water through tanks containing activated carbon, a specially treated material that attracts and holds or retains contaminants.

**Carbon Disulfide:** A degreasing agent formerly used extensively for parts washing. This compound has both inorganic and organic

properties, which increase cleaning efficiency. However, these properties also cause chemical reactions that increase the hazard to human health and the environment.

**Carbon Treatment:** [see Carbon Adsorption].

**Cell:** In solid waste disposal, one of a series of holes in a landfill where waste is dumped, compacted, and covered with layers of dirt.

**CERCLA:** [see Comprehensive Environmental Response, Compensation, and Liability Act].

**Characterization:** The sampling, monitoring, and analysis of a site to determine the extent and nature of toxic releases. Characterization provides the basis for acquiring the necessary technical information to develop, screen, analyze, and select appropriate cleanup techniques.

**Chemical Fixation:** The use of chemicals to bind contaminants, thereby reducing the potential for leaching or other movement.

**Chromated Copper Arsenate:** An insecticide/herbicide formed from salts of three toxic metals: copper, chromium, and arsenic. This salt is used extensively as a wood preservative in pressure-treating operations. It is highly toxic and water-soluble, making it a relatively mobile contaminant in the environment.

**Cleanup:** Actions taken to eliminate a release or threat of release of a hazardous substance. The term "cleanup" sometimes is used interchangeably with the terms remedial action, removal action, response action, or corrective action.

**Closure:** The process by which a landfill stops accepting wastes and is shut down under Federal

guidelines that ensure the protection of the public and the environment.

**Comment Period:** A specific interval during which the public can review and comment on various documents and EPA actions related to site cleanup. For example, a comment period is provided when the EPA proposes to add sites to the NPL. Also, there is minimum 3-week comment period for community members to review and comment on the remedy proposed to clean up a site.

**Community Relations:** The EPA effort to establish and maintain two-way communication with the public. The goals of community relations programs include creating an understanding of EPA programs and related actions, assuring public input into decision-making processes related to affected communities, and making certain that the Agency is aware of, and responsive to, public concerns. Specific community relations activities are required in relation to Superfund cleanup actions [see Comment Period].

**Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA):** Congress enacted the CERCLA, known as Superfund, in 1980 to respond directly to hazardous waste problems that may pose a threat to the public health and the environment. The EPA administers the Superfund program.

**Confluence:** The place where two bodies of water, such as streams or rivers, come together.

**Confined Aquifer:** An aquifer in which groundwater is confined under pressure that is significantly greater than atmospheric pressure.

---

---

## GLOSSARY

---

**Consent Decree:** A legal document, approved and issued by a judge, formalizing an agreement between the EPA and the parties potentially responsible for site contamination. The decree describes cleanup actions that the potentially responsible parties are required to perform, or the costs incurred by the government that the parties will reimburse, and the roles, responsibilities, and enforcement options that the government may exercise in the event of non-compliance by potentially responsible parties. If a settlement between the EPA and a potentially responsible party includes cleanup actions, it must be in the form of a Consent Decree. A Consent Decree is subject to a public comment period.

**Consent Order:** [see Administrative Order on Consent].

**Containment:** The process of enclosing or containing hazardous substances in a structure, typically in a pond or a lagoon, to prevent the migration of contaminants into the environment.

**Contaminant:** Any physical, chemical, biological, or radiological material or substance whose quantity, location, or nature produces undesirable health or environmental effects.

**Contingency Plan:** A document setting out an organized, planned, and coordinated course of action to be followed in case of a fire, explosion, or other accident that releases toxic chemicals, hazardous wastes, or radioactive materials into the environment.

**Cooperative Agreement:** A contract between the EPA and the States, wherein a State agrees to manage or monitor certain site cleanup responsibilities and other activities on a cost-sharing basis.

**Cost Recovery:** A legal process by which potentially responsible parties can be required to pay back the Superfund program for money

it spends on any cleanup actions [see Potentially Responsible Parties].

**Cover:** Vegetation or other material placed over a landfill or other waste material. It can be designed to reduce movement of water into the waste and to prevent erosion that could cause the movement of contaminants.

**Creosotes:** Chemicals used in wood preserving operations and produced by distillation of tar, including polycyclic aromatic hydrocarbons and polynuclear aromatic hydrocarbons [see PAHs and PNAs]. Contaminating sediments, soils, and surface water, creosotes may cause skin ulcerations and cancer through prolonged exposure.

**Culvert:** A pipe used for drainage under a road, railroad track, path, or through an embankment.

**Decommission:** To revoke a license to operate and take out of service.

**Degradation:** The process by which a chemical is reduced to a less complex form.

**Degrease:** To remove grease from wastes, soils, or chemicals, usually using solvents.

**Deletion:** A site is eligible for deletion from the NPL when Superfund response actions at the site are complete. A site is deleted from the NPL when a notice is published in the Federal Register.

**De minimis:** This legal phrase pertains to settlements with parties who contributed small amounts of hazardous waste to a site. This process allows the EPA to settle with small, or *de minimis* contributors, as a single group rather than as individuals, saving time, money, and effort.

**Dewater:** To remove water from wastes, soils, or chemicals.

---

---

## GLOSSARY

---

**Dike:** A low wall that can act as a barrier to prevent a spill from spreading.

**Dioxin:** An organic chemical by-product of pesticide manufacture which is known to be one of the most toxic man-made chemicals.

**Disposal:** Final placement or destruction of toxic, radioactive, or other wastes; surplus or banned pesticides or other chemicals; polluted soils; and drums containing hazardous materials. Disposal may be accomplished through the use of approved secure landfills, surface impoundments, land farming, deep well injection, or incineration.

**Downgradient:** A downward hydrologic slope that causes groundwater to move toward lower elevations. Therefore, wells *downgradient* of a contaminated groundwater source are prone to receiving pollutants.

**Ecological Assessment:** A study of the impact of man-made or natural activity on living creatures and their environment.

**Effluent:** Wastewater, treated or untreated, that flows out of a treatment plant, sewer, or industrial outfall. Generally refers to wastes discharged into surface waters.

**Emission:** Pollution discharged into the atmosphere from smokestacks, other vents, and surface areas of commercial or industrial facilities.

**Emulsifiers:** Substances that help in mixing materials that do not normally mix; e.g., oil and water.

**Endangerment Assessment:** A study conducted to determine the risks posed to public health or the environment by contamination at NPL sites. The EPA or the State conducts the study when a legal action is to be taken to direct the potentially responsible parties to clean up a site or pay for the cleanup. An endangerment

assessment supplements an investigation of the site hazards.

**Enforcement:** EPA, State, or local legal actions taken against parties to facilitate settlements; to compel compliance with laws, rules, regulations, or agreements; or to obtain penalties or criminal sanctions for violations. Enforcement procedures may vary, depending on the specific requirements of different environmental laws and related regulatory requirements. Under CERCLA, for example, the EPA will seek to require potentially responsible parties to clean up a Superfund site or pay for the cleanup [see Cost Recovery].

**Erosion:** The wearing away of land surface by wind or water. Erosion occurs naturally from weather or surface runoff, but can be intensified by such land-related practices as farming, residential or industrial development, road building, or timber-cutting. Erosion may spread surface contamination to off-site locations.

**Estuary (estuarine):** Areas where fresh water from rivers and salt water from nearshore ocean waters are mixed. These areas may include bays, mouths of rivers, salt marshes, and lagoons. These water ecosystems shelter and feed marine life, birds, and wildlife.

**Evaporation Ponds:** Areas where sewage sludge or other watery wastes are dumped and allowed to dry out.

**Feasibility Study:** The analysis of the potential cleanup alternatives for a site. The feasibility study usually starts as soon as the remedial investigation is underway. In this volume, the feasibility study is referred to as a site study [see also Remedial Investigation].

---

---

## GLOSSARY

---

**Filtration:** A treatment process for removing solid (particulate) matter from water by passing the water through sand, activated carbon, or a man-made filter. The process is often used to remove particles that contain contaminants.

**Flood Plain:** An area along a river, formed from sediment deposited by floods. Flood plains periodically are inundated by natural floods, which can spread contamination.

**Flue Gas:** The air that is emitted from a chimney after combustion in the burner occurs. The gas can include nitrogen oxides, carbon oxides, water vapor, sulfur oxides, particles, and many chemical pollutants.

**Fly Ash:** Non-combustible residue that results from the combustion of flue gases. It can include nitrogen oxides, carbon oxides, water vapor, sulfur oxides, as well as many other chemical pollutants.

**French Drain System:** A crushed rock drain system constructed of perforated pipes, which is used to drain and disperse wastewater.

**Gasification (coal):** The conversion of soft coal into gas for use as a fuel.

**General Notice Letter:** [See Notice Letter].

**Generator:** A facility that emits pollutants into the air or releases hazardous wastes into water or soil.

**Good Faith Offer:** A voluntary offer, generally in response to a Special Notice letter, made by a potentially responsible party, consisting of a written proposal demonstrating a potentially responsible party's qualifications and willingness to perform a site study or cleanup.

**Groundwater:** Water that fills pores in soils or openings in rocks to the point of saturation. In aquifers, groundwater occurs in sufficient

quantities for use as drinking and irrigation water and other purposes.

**Groundwater Quality Assessment:** The process of analyzing the chemical characteristics of groundwater to determine whether any hazardous materials exist.

**Halogens:** Reactive non-metals, such as chlorine and bromine. Halogens are very good oxidizing agents and, therefore, have many industrial uses. They are rarely found by themselves; however, many chemicals such as polychlorinated biphenyls (PCBs), some volatile organic compounds (VOCs), and dioxin are reactive because of the presence of halogens.

**Hazard Ranking System (HRS):** The principal screening tool used by the EPA to evaluate relative risks to public health and the environment associated with abandoned or uncontrolled hazardous waste sites. The HRS calculates a score based on the potential of hazardous substances spreading from the site through the air, surface water, or groundwater and on other factors such as nearby population. The HRS score is the primary factor in deciding if the site should be on the NPL.

**Hazardous Waste:** By-products of society that can pose a substantial present or potential hazard to human health and the environment when improperly managed. Hazardous waste possesses at least one of four characteristics (ignitability, corrosivity, reactivity, or toxicity), or appears on special EPA lists.

**Heavy Metals:** Metallic elements with high atomic weights, such as arsenic, lead, mercury, and cadmium. Heavy metals are very hazardous even at low concentrations and tend to accumulate in the food chain.

**Herbicide:** A chemical pesticide designed to control or destroy plants, weeds, or grasses.

---

---

## GLOSSARY

---

**Hot Spot:** An area or vicinity of a site containing exceptionally high levels of contamination.

**Hydrocarbons:** Chemical compounds that consist entirely of hydrogen and carbon.

**Hydrology:** The properties, distribution, and circulation of water.

**Hydrogeology:** The geology of groundwater, with particular emphasis on the chemistry and movement of water.

**Impoundment:** A body of water or sludge confined by a dam, dike, floodgate, or other barrier.

**Incineration:** A group of treatment technologies involving destruction of waste by controlled burning at high temperatures, e.g., burning sludge to reduce the remaining residues to a non-burnable ash that can be disposed of safely on land, in some waters, or in underground locations.

**Infiltration:** The movement of water or other liquid down through soil from precipitation (rain or snow) or from application of wastewater to the land surface.

**Influent:** Water, wastewater, or other liquid flowing into a reservoir, basin, or treatment plant.

**Injection Well:** A well into which waste fluids are placed, under pressure, for purposes of disposal.

**Inorganic Chemicals:** Chemical substances of mineral origin, not of basic carbon structure.

**Installation Restoration Program:** The specially funded program established in 1978 under which the Department of Defense has been identifying and evaluating its hazardous waste sites and controlling the migration of hazardous contaminants from those sites.

**Intake:** The source from where a water supply is drawn, such as from a river or water body.

**Interagency Agreement:** A written agreement between the EPA and a Federal agency that has the lead for site cleanup activities, setting forth the roles and responsibilities of the agencies for performing and overseeing the activities. States often are parties to interagency agreements.

**Interim (Permit) Status:** Conditions under which hazardous waste treatment, storage, and disposal facilities, that were operating when regulations under the RCRA became final in 1980, are temporarily allowed by the EPA to continue to operate while awaiting denial or issuance of a permanent permit. The facility must comply with certain regulations to maintain interim status.

**Lagoon:** A shallow pond or liquid waste containment structure. Lagoons typically are used for the storage of wastewaters, sludges, liquid wastes, or spent nuclear fuel.

**Landfarm:** To apply waste to land or incorporate waste into the surface soil, such as fertilizer or soil conditioner. This practice commonly is used for disposal of composted wastes and sludges.

**Landfill:** A disposal facility where waste is placed in or on land. *Sanitary* landfills are disposal sites for non-hazardous solid wastes. The waste is spread in layers, compacted to the smallest practical volume, and covered with soil at the end of each operating day. *Secure chemical* landfills are disposal sites for hazardous waste. They are designed to minimize the chance of release of hazardous substances into the environment [see Resource Conservation and Recovery Act].

**Leach, Leaching [v.t.]:** The process by which soluble chemical components are dissolved and carried through soil by water or some other percolating liquid.

---

---

## GLOSSARY

---

**Leachate [n]:** The liquid that trickles through or drains from waste, carrying soluble components from the waste.

**Leachate Collection System:** A system that gathers liquid that has leaked into a landfill or other waste disposal area and pumps it to the surface for treatment.

**Liner:** A relatively impermeable barrier designed to prevent leachate (waste residue) from leaking from a landfill. Liner materials include plastic and dense clay.

**Long-term Remedial Phase:** Distinct, often incremental, steps that are taken to solve site pollution problems. Depending on the complexity, site cleanup activities can be separated into several of these phases.

**Long-term Response Action:** An action which requires a continuous period of on-site activity before cleanup goals are achieved. These actions typically include the extraction and treatment of groundwater and monitoring actions.

**Marsh:** A type of wetland that does not contain peat moss deposits and is dominated by vegetation. Marshes may be either fresh or saltwater and tidal or non-tidal [see Wetland].

**Migration:** The movement of oil, gas, contaminants, water, or other liquids through porous and permeable soils or rock.

**Mill Tailings:** [See Mine Tailings].

**Mine Tailings:** A fine, sandy residue left from mining operations. Tailings often contain high concentrations of lead, uranium, and arsenic or other heavy metals.

**Mitigation:** Actions taken to improve site conditions by limiting, reducing, or controlling toxicity and contamination sources.

**Modeling:** A technique using a mathematical or physical representation of a system or theory that tests the effects that changes on system components have on the overall performance of the system.

**Monitoring Wells:** Special wells drilled at specific locations within, or surrounding, a hazardous waste site where groundwater can be sampled at selected depths and studied to obtain such information as the direction in which groundwater flows and the types and amounts of contaminants present.

**National Priorities List (NPL):** The EPA's list of the most serious uncontrolled or abandoned hazardous waste sites identified for possible long-term cleanup under Superfund. The EPA is required to update the NPL at least once a year.

**Natural Attenuation:** [See Attenuation].

**Neutrals:** Organic compounds that have a relatively neutral pH, complex structure and, due to their organic bases, are easily absorbed into the environment. Water is the most commonly known neutral, however, naphthalene, pyrene, and trichlorobenzene also are examples of neutrals.

**Nitroaromatics:** Common components of explosive materials, which will explode if activated by very high temperatures or pressures; 2,4,6-Trinitrotoluene (TNT) is a nitroaromatic.

**Notice Letter:** A General Notice Letter notifies the parties potentially responsible for site contamination of their possible liability. A Special Notice Letter begins a 60-day formal period of negotiation during which the EPA is not allowed to start work at a site or initiate enforcement actions against potentially responsible parties, although the EPA may undertake certain investigatory and planning activities.

The 60-day period may be extended if the EPA receives a good faith offer from the PRPs within that period. [See also Good Faith Offer].

**On-Scene Coordinator (OSC):** The predesignated EPA, Coast Guard, or Department of Defense official who coordinates and directs Superfund removal actions or Clean Water Act oil- or hazardous-spill corrective actions.

**Operation and Maintenance:** Activities conducted at a site after a cleanup action is completed to ensure that the cleanup or containment system is functioning properly.

**Organic Chemicals/Compounds:** Chemical substances containing mainly carbon, hydrogen, and oxygen.

**Outfall:** The place where wastewater is discharged into receiving waters.

**Overpacking:** Process used for isolating large volumes of waste by jacketing or encapsulating waste to prevent further spread or leakage of contaminating materials. Leaking drums may be contained within oversized barrels as an interim measure prior to removal and final disposal.

**Pentachlorophenol (PCP):** A synthetic, modified petrochemical that may be used as a wood preservative because of its toxicity to termites and fungi. It is a common component of creosotes and can cause cancer.

**Perched (groundwater):** Groundwater separated from another underlying body of groundwater by a confining layer, often clay or rock.

**Percolation:** The downward flow or filtering of water or other liquids through subsurface rock or soil layers, usually continuing downward to groundwater.

**Pesticide:** A substance or mixture of substances intended to prevent, destroy, or repel any pest. If misused, pesticides can accumulate in the foodchain and contaminate the environment.

**Petrochemicals:** Chemical substances produced from petroleum in refinery operations and as fuel oil residues. These include fluoranthene, chrysene, mineral spirits, and refined oils. Petrochemicals are the bases from which volatile organic compounds (VOCs), plastics, and many pesticides are made. These chemical substances often are toxic to humans and the environment.

**Phenols:** Organic compounds that are used in plastics manufacturing and are by-products of petroleum refining, tanning, textile, dye, and resin manufacturing. Phenols are highly poisonous.

**Physical Chemical Separation:** The treatment process of adding a chemical to a substance to separate the compounds for further treatment or disposal.

**Pilot Testing:** A small-scale test of a proposed treatment system in the field to determine its ability to clean up specific contaminants.

**Plugging:** The process of stopping the flow of water, oil, or gas into or out of the ground through a borehole or well penetrating the ground.

**Plume:** A body of contaminated groundwater flowing from a specific source. The movement of the groundwater is influenced by such factors as local groundwater flow patterns, the character of the aquifer in which groundwater is contained, and the density of contaminants [see Migration].

**Pollution:** Generally, the presence of matter or energy whose nature, location, or quantity produces undesired health or environmental effects.



---

---

## GLOSSARY

---

**Polycyclic Aromatic Hydrocarbons or Polyaromatic Hydrocarbons (PAHs):**

PAHs, such as pyrene, are a group of highly reactive organic compounds found in motor oil. They are a common component of creosotes and can cause cancer.

**Polychlorinated Biphenyls (PCBs):**

A group of toxic chemicals used for a variety of purposes including electrical applications, carbonless copy paper, adhesives, hydraulic fluids, microscope immersion oils, and caulking compounds. PCBs also are produced in certain combustion processes. PCBs are extremely persistent in the environment because they are very stable, non-reactive, and highly heat resistant. Chronic exposure to PCBs is believed to cause liver damage. It also is known to bioaccumulate in fatty tissues. PCB use and sale was banned in 1979 with the passage of the Toxic Substances Control Act.

**Polynuclear Aromatic Hydrocarbons (PNAs):**

PNAs, such as naphthalene, and biphenyls, are a group of highly reactive organic compounds that are a common component of creosotes, which can be carcinogenic.

**Polyvinyl Chloride (PVC):** A plastic made from the gaseous substance vinyl chloride. PVC is used to make pipes, records, raincoats, and floor tiles. Health risks from high concentrations of vinyl chloride include liver cancer and lung cancer, as well as cancer of the lymphatic and nervous systems.

**Potable Water:** Water that is safe for drinking and cooking.

**Potentially Responsible Parties (PRPs):**

Parties associated with a Superfund site who may be liable for the cost of remedying the release of hazardous substances. This may include owners or operators of the site or transporters who disposed of materials at the site. PRPs may admit liability, or liability may be determined by a court of law. PRPs may sign a

Consent Decree or Administrative Order on Consent to participate in the site cleanup without admitting liability.

**Precipitation:** The removal of solids from liquid waste so that the solid and liquid portions can be disposed of safely; the removal of particles from airborne emissions. Electrochemical precipitation is the use of an anode or cathode to remove the hazardous chemicals. Chemical precipitation involves the addition of some substance to cause the solid portion to separate.

**Preliminary Assessment:** The process of collecting and reviewing available information about a known or suspected waste site or release to determine if a threat or potential threat exists.

**Pump and Treat:** A groundwater cleanup technique involving the extracting of contaminated groundwater from the subsurface and the removal of contaminants, using one of several treatment technologies.

**Radionuclides:** Elements, including radium and uranium-235 and -238, which break down and produce radioactive substances due to their unstable atomic structure. Some are man-made, and others are naturally occurring in the environment. Radon, the gaseous form of radium, decays to form alpha particle radiation, which cannot be absorbed through skin. However, it can be inhaled, which allows alpha particles to affect unprotected tissues directly and thus cause cancer. Radiation also occurs naturally through the breakdown of granite.

**RCRA:** [See Resource Conservation and Recovery Act].

**Recharge Area:** A land area where rainwater saturates the ground and soaks through the earth to reach an aquifer.

**Record of Decision (ROD):** A public document that explains which cleanup alternative(s) will be used to clean up sites listed on the NPL. It is based on information generated during the remedial investigation and feasibility study and consideration of public comments and community concerns.

**Recovery Wells:** Wells used to withdraw contaminants or contaminated groundwater.

**Recycle:** The process of minimizing waste generation by recovering usable products that might otherwise become waste.

**Remedial Action (RA):** The actual construction or implementation phase of a Superfund site cleanup following the remedial design [see Cleanup].

**Remedial Design:** A phase of site cleanup where engineers design the technical specifications for cleanup remedies and technologies.

**Remedial Investigation:** An in-depth study designed to gather the data necessary to determine the nature and extent of contamination at a Superfund site, establish the criteria for cleaning up the site, identify the preliminary alternatives for cleanup actions, and support the technical and cost analyses of the alternatives. The remedial investigation is usually done with the feasibility study. In this volume, the remedial investigation is referred to as a site study [see also Feasibility Study].

**Remedial Project Manager (RPM):** The EPA or State official responsible for overseeing cleanup actions at the site.

**Remedy Selection:** The selection of the final cleanup strategy for the site. At the few sites where the EPA has determined that initial response actions have eliminated site contamination, or that any remaining con-

tamination will be naturally dispersed without further cleanup activities, a "No Action" remedy is selected [see Record of Decision].

**Removal Action:** Short-term immediate actions taken to address releases of hazardous substances [see Cleanup].

**Residual:** The amount of a pollutant remaining in the environment after a natural or technological process has taken place, e.g., the sludge remaining after initial wastewater treatment, or the particulates remaining in air after the air passes through a scrubber.

**Resource Conservation and Recovery Act (RCRA):** A Federal law that established a regulatory system to track hazardous substances from the time of generation to disposal. The law requires safe and secure procedures to be used in treating, transporting, storing, and disposing of hazardous substances. RCRA is designed to prevent new, uncontrolled hazardous waste sites.

**Retention Pond:** A small body of liquid used for disposing of wastes and containing overflow from production facilities. Sometimes retention ponds are used to expand the capacity of such structures as lagoons to store waste.

**Runoff:** The discharge of water over land into surface water. It can carry pollutants from the air and land and spread contaminants from its source.

**Scrubber:** An air pollution control device that uses a spray of water or reactant or a dry process to trap pollutants in emissions.

**Sediment:** The layer of soil, sand, and minerals at the bottom of surface waters such as streams, lakes, and rivers, that absorbs contaminants.

---

---

## GLOSSARY

---

**Seeps:** Specific points where releases of liquid, usually leachate, form from waste disposal areas, particularly along the lower edges of landfills.

**Seepage Pits:** A hole, shaft, or cavity in the ground used for the storage of liquids, usually in the form of leachate, from waste disposal areas. The liquid gradually leaves the pit by moving through the surrounding soil.

**Septage:** Residue remaining in a septic tank after the treatment process.

**Sinkhole:** A hollow depression in the land surface in which drainage collects; associated with underground caves and passages that facilitate the movement of liquids.

**Site Characterization:** The technical process used to evaluate the nature and extent of environmental contamination, which is necessary for choosing and designing cleanup measures and monitoring their effectiveness.

**Site Inspection:** The collection of information from a hazardous waste site to determine the extent and severity of hazards posed by the site. It follows, and is more extensive than, a preliminary assessment. The purpose is to gather information necessary to score the site, using the Hazard Ranking System, and to determine if the site presents an immediate threat that requires a prompt removal action.

**Slag:** The fused refuse or dross separated from a metal in the process of smelting.

**Sludge:** Semi-solid residues from industrial or water treatment processes that may be contaminated with hazardous materials.

**Slurry Wall:** Barriers used to contain the flow of contaminated groundwater or subsurface

liquids. Slurry walls are constructed by digging a trench around a contaminated area and filling the trench with an impermeable material that prevents water from passing through it. The groundwater or contaminated liquids trapped within the area surrounded by the slurry wall can be extracted and treated.

**Smelter:** A facility that melts or fuses ore, often with an accompanying chemical change, to separate the metal. Emissions from smelters are known to cause pollution.

**Soil Gas:** Gaseous elements and compounds that occur in the small spaces between particles of soil. Such gases can move through or leave the soil or rock, depending on changes in pressure.

**Soil Vapor Extraction:** A treatment process that uses vacuum wells to remove hazardous gases from soil.

**Soil Washing:** A water-based process for mechanically scrubbing soils in-place to remove undesirable materials. There are two approaches: dissolving or suspending them in the wash solution for later treatment by conventional methods, and concentrating them into a smaller volume of soil through simple particle size separation techniques [see Solvent Extraction].

**Stabilization:** The process of changing an active substance into inert, harmless material, or physical activities at a site that act to limit the further spread of contamination without actual reduction of toxicity.

**Solidification/Stabilization:** A chemical or physical reduction of the mobility of hazardous constituents. Mobility is reduced through the binding of hazardous constituents into a solid mass with low permeability and resistance to leaching.

---

---

## GLOSSARY

---

**Solvent:** A substance capable of dissolving another substance to form a solution. The primary uses of industrial solvents are as cleaners for degreasing, in paints, and in pharmaceuticals. Many solvents are flammable and toxic to varying degrees.

**Solvent Extraction:** A means of separating hazardous contaminants from soils, sludges, and sediment, thereby reducing the volume of the hazardous waste that must be treated. It generally is used as one in a series of unit operations. An organic chemical is used to dissolve contaminants as opposed to water-based compounds, which usually are used in soil washing.

**Sorption:** The action of soaking up or attracting substances. It is used in many pollution control systems.

**Special Notice Letter:** [See Notice Letter].

**Stillbottom:** Residues left over from the process of recovering spent solvents.

**Stripping:** A process used to remove volatile contaminants from a substance [see Air Stripping].

**Sumps:** A pit or tank that catches liquid runoff for drainage or disposal.

**Superfund:** The program operated under the legislative authority of the CERCLA and Superfund Amendments and Reauthorization Act (SARA) to update and improve environmental laws. The program has the authority to respond directly to releases or threatened releases of hazardous substances that may endanger public health, welfare, or the environment. The "Superfund" is a trust fund that finances cleanup actions at hazardous waste sites.

**Surge Tanks:** A holding structure used to absorb irregularities in flow of liquids, including liquid waste materials.

**Swamp:** A type of wetland that is dominated by woody vegetation and does not accumulate peat moss deposits. Swamps may be fresh or saltwater and tidal or non-tidal [see Wetlands].

**Thermal Treatment:** The use of heat to remove or destroy contaminants from soil.

**Treatability Studies:** Testing a treatment method on contaminated groundwater, soil, etc., to determine whether and how well the method will work.

**Trichloroethylene (TCE):** A stable, colorless liquid with a low boiling point. TCE has many industrial applications, including use as a solvent and as a metal degreasing agent. TCE may be toxic to people when inhaled, ingested, or through skin contact and can damage vital organs, especially the liver [see Volatile Organic Compounds].

**Unilateral [Administrative] Order:** [see Administrative Order].

**Upgradient:** An upward hydrologic slope; demarks areas that are higher than contaminated areas and, therefore, are not prone to contamination by the movement of polluted groundwater.

**Vacuum Extraction:** A technology used to remove volatile organic compounds (VOCs) from soils. Vacuum pumps are connected to a series of wells drilled to just above the water table. The wells are sealed tightly at the soil surface, and the vacuum established in the soil draws VOC-contaminated air from the soil pores into the well, as fresh air is drawn down from the surface of the soil.

---

---

## GLOSSARY

---

**Vegetated Soil Cap:** A cap constructed with graded soils and seed for vegetative growth, to prevent erosion [see Cap].

**Vitrification:** The process of electrically melting wastes and soils or sludges to bind the waste in a glassy, solid material more durable than granite or marble and resistant to leaching.

**Volatile Organic Compounds (VOCs):** VOCs are manufactured as secondary petrochemicals. They include light alcohols, acetone, trichloroethylene, perchloroethylene, dichloroethylene, benzene, vinyl chloride, toluene, and methylene chloride. These potentially toxic chemicals are used as solvents, degreasers, paints, thinners, and fuels. Because of their volatile nature, they readily evaporate into the air, increasing the potential exposure to humans. Due to their low water solubility, environmental persistence, and widespread industrial use, they are commonly found in soil and groundwater.

**Waste Treatment Plant:** A facility that uses a series of tanks, screens, filters, and other treatment processes to remove pollutants from water.

**Wastewater:** The spent or used water from individual homes or industries.

**Watershed:** The land area that drains into a stream or other water body.

**Water Table:** The upper surface of the groundwater.

**Weir:** A barrier to divert water or other liquids.

**Wetland:** An area that is regularly saturated by surface or groundwater and, under normal circumstances, is capable of supporting vegetation typically adapted for life in saturated soil conditions. Wetlands are critical to sustaining many species of fish and wildlife. Wetlands generally include swamps, marshes, and bogs. Wetlands may be either coastal or inland. Coastal wetlands have salt or brackish (a mixture of salt and fresh) water, and most have tides, while inland wetlands are non-tidal and freshwater. Coastal wetlands are an integral component of estuaries.

**Wildlife Refuge:** An area designated for the protection of wild animals, within which hunting and fishing are either prohibited or strictly controlled.

## Some Common Contaminants at NPL Sites

Contaminant Category	Example Chemical Types	Sources	Potential Health Threats*
Heavy Metals	Arsenic, Barium, Beryllium, Cadmium, Cobalt, Copper, Chromium, Lead, Manganese, Mercury, Nickel, Silver, Selenium, Zinc	Electroplating, batteries, paint pigments, photography, smelting, thermometers, fluorescent lights, solvent recovery	Tumors, cancers, and kidney, brain, neurological, bone and liver damage
Volatile Organic Compounds (VOCs)	Trichloroethylene (TCE), Perchloroethylene (PCE), Acetone, Benzene, Ketone, Methyl chloride, Toluene, Vinyl Chloride, Dichloroethylene	Solvents and degreasers, gasoline octane enhancers, oils and paints, dry cleaning fluids, chemical manufacturing.	Cancers, kidney and liver damage, impairment of the nervous system resulting in sleepiness and headaches, leukemia
Pesticides/Herbicides	Chlordane, DDT 4-4, DDE, Heptachlor, Aldrin, Endrin, Atrazine, Dieldrin, Toxaphene	Agricultural applications, pesticide and herbicide production	Various effects ranging from nausea to nervous disorders. Dioxin is a common by-product of the manufacture of pesticides and is both highly toxic and a suspected carcinogen.
Polychlorinated biphenyls (PCBs)	—	Electric transformers and capacitors, insulators and coolants, adhesives, caulking compounds, carbonless copy paper, hydraulic fluids.	Cancer and liver damage.
Creosotes	Polyaromatic hydrocarbons (PAHs), Polynuclear aromatics (PNAs), Phenolic Tars, Pentachlorophenol (PCP)	Wood preserving, fossil fuel combustion	Cancers and skin ulcerations with prolonged exposure
Radiation (Radionuclides)	Radium-226, Radon, Uranium-235, Uranium-238	Mine tailings, radium products, natural decay of granites	Cancer

Sources: *Toxic Chemicals—What They Are, How They Affect You (EPA, Region 5)*  
*Glossary of Environmental Terms (EPA, 1988)*

\*The potential for risk due to these contaminants is linked to a number of factors; for example, the length and level of exposure and environmental and health factors such as age.