




**U.S. ENVIRONMENTAL PROTECTION AGENCY
NATIONAL EUTROPHICATION SURVEY
WORKING PAPER SERIES**



PACIFIC NORTHWEST ENVIRONMENTAL RESEARCH LABORATORY
An Associate Laboratory of the
NATIONAL ENVIRONMENTAL RESEARCH CENTER - CORVALLIS, OREGON
and
NATIONAL ENVIRONMENTAL RESEARCH CENTER - LAS VEGAS, NEVADA



905R75004

REPORT
ON
KENT LAKE
OAKLAND AND LIVINGSTON COUNTIES
MICHIGAN
EPA REGION V
WORKING PAPER No. 199

WITH THE COOPERATION OF THE
MICHIGAN DEPARTMENT OF NATURAL RESOURCES
AND THE

MICHIGAN NATIONAL GUARD
FEBRUARY, 1975

**U.S. Environmental Protection Agency
Region 5, Library (PL-12J)
77 West Jackson Boulevard, 12th Floor
Chicago, IL 60604-3590**

CONTENTS

	<u>Page</u>
Foreword	ii
List of Michigan Study Lakes	iv
Lake and Drainage Area Map	v
<u>Sections</u>	
I. Conclusions	1
II. Lake and Drainage Basin Characteristics	4
III. Lake Water Quality Summary	5
IV. Nutrient Loadings	9
V. Literature Reviewed	14
VI. Appendices	15

F O R E W O R D

The National Eutrophication Survey was initiated in 1972 in response to an Administration commitment to investigate the nationwide threat of accelerated eutrophication to fresh water lakes and reservoirs.

OBJECTIVES

The Survey was designed to develop, in conjunction with state environmental agencies, information on nutrient sources, concentrations, and impact on selected freshwater lakes as a basis for formulating comprehensive and coordinated national, regional, and state management practices relating to point-source discharge reduction and non-point source pollution abatement in lake watersheds.

ANALYTIC APPROACH

The mathematical and statistical procedures selected for the Survey's eutrophication analysis are based on related concepts that:

- a. A generalized representation or model relating sources, concentrations, and impacts can be constructed.
- b. By applying measurements of relevant parameters associated with lake degradation, the generalized model can be transformed into an operational representation of a lake, its drainage basin, and related nutrients.
- c. With such a transformation, an assessment of the potential for eutrophication control can be made.

LAKE ANALYSIS

In this report, the first stage of evaluation of lake and watershed data collected from the study lake and its drainage basin is documented. The report is formatted to provide state environmental agencies with specific information for basin planning [§303(e)], water quality criteria/standards review [§303(c)], clean lakes [§314(a,b)], and water quality monitoring [§106 and §305(b)] activities mandated by the Federal Water Pollution Control Act Amendments of 1972.

Beyond the single lake analysis, broader based correlations between nutrient concentrations (and loading) and trophic condition are being made to advance the rationale and data base for refinement of nutrient water quality criteria for the Nation's fresh water lakes. Likewise, multivariate evaluations for the relationships between land use, nutrient export, and trophic condition, by lake class or use, are being developed to assist in the formulation of planning guidelines and policies by EPA and to augment plans implementation by the states.

ACKNOWLEDGMENT

The staff of the National Eutrophication Survey (Office of Research & Development, U. S. Environmental Protection Agency) expresses sincere appreciation to the Michigan Department of Natural Resources for professional involvement and to the Michigan National Guard for conducting the tributary sampling phase of the Survey.

A. Gene Gazlay, former Director, and David H. Jenkins, Acting Director, Michigan Department of Natural Resources; and Carlos Fetterolf, Chief Environmental Scientist, and Dennis Tierney, Aquatic Biologist, Bureau of Water Management, Department of Natural Resources, provided invaluable lake documentation and counsel during the course of the Survey. John Vogt, Chief of the Bureau of Environmental Health, Michigan Department of Public Health, and his staff were most helpful in identifying point sources and soliciting municipal participation in the Survey.


Major General Clarence A. Schnipke (Retired), then the Adjutant General of Michigan, and Project Officer Colonel Albert W. Lesky, who directed the volunteer efforts of the Michigan National Guardsmen, are also gratefully acknowledged for their assistance to the Survey.

NATIONAL EUTROPHICATION SURVEY

STUDY LAKES

STATE OF MICHIGAN

<u>LAKE NAME</u>	<u>COUNTY</u>
Allegan Res.	Allegan
Barton	Kalamazoo
Belleville	Wayne
Betsie	Benzie
Brighton	Livingston
Caro Res.	Tuscola
Charlevoix	Charlevoix
Chemung	Livingston
Constantine Res.	St. Joseph
Crystal	Montcalm
Deer	Marquette
Ford	Washtenaw
Fremont	Newago
Higgins	Roscommon
Holloway Res.	Genesee, Lapeer
Houghton	Roscommon
Jordon	Ionia, Barry
Kent	Oakland
Long	St. Joseph
Macatawa	Ottawa
Manistee	Manistee
Mona	Muskegon
Muskegon	Muskegon
Pentwater	Oceana
Pere Marquette	Mason
Portage	Houghton
Randall	Branch
Rogers Pond	Mecosta
Ross	Gladwin
St. Louis Res.	Gratiot
Sanford	Midland
Strawberry	Livingston
Thompson	Livingston
Thornapple	Barry
Union	Branch
White	Muskegon



KENT LAKE
STORET NO. 2643

I. CONCLUSIONS

A. Trophic Condition:

Survey data and the records of others show that Kent Lake is eutrophic. Of the 35 Michigan lakes sampled in November when essentially all were well-mixed, 14 had less mean total phosphorus, 10 had less mean dissolved phosphorus, and 11 had less mean inorganic nitrogen; of all 41 lakes sampled, 38 had less mean chlorophyll a, and 24 had greater mean Secchi disc transparency*.

Depletion of dissolved oxygen with depth was observed at station 2 in June and September, and Survey limnologists noted a heavy algal bloom in progress in September, 1972.

Ketelle and Uttormark (1971) report that algal blooms are intense and frequent in this lake.

B. Rate-Limiting Nutrient:

There was a significant nutrient loss in the algal assay sample, and the results are not representative of conditions in the lake at the time the sample was taken (09/20/72). However, the lake data indicate nitrogen limitation in June and September but phosphorus limitation in November.

* See Appendix A.

C. Nutrient Controllability:

1. Point sources--During the sampling year, Kent Lake received a total phosphorus load at a rate about five times that proposed by Vollenweider (in press) as "dangerous"; i.e., a eutrophic rate (see page 13). However, the mean hydraulic retention time of Kent Lake is a relatively short 33 days, and Vollenweider's model may not be applicable.

It is calculated that the communities of Milford and Wixom contributed about 54% of the total phosphorus load to Kent Lake during the sampling year with Wixom contributing over 35% of the total.

Phosphorus removal at the 80% level is currently being provided at the Milford wastewater treatment plant. It is estimated that provision of the same level of phosphorus removal at the Wixom plant* would reduce the phosphorus load to the lake to about 10 lbs/acre/yr or $1.14 \text{ g/m}^2/\text{yr}$. While this loading rate would still be about $3\frac{1}{2}$ times the eutrophic rate of $0.30 \text{ g/m}^2/\text{yr}$; in view of the questionable applicability of Vollenweider's model, it is likely the lower phosphorus loading rate would result in persistent phosphorous limitation in Kent Lake (see page 8) and a reduction in the incidence and severity of nuisance algal blooms.

* Operation of phosphorus removal facilities at the Wixom plant began in September, 1974.

2. Non-point sources (see page 12)--During the sampling year, the phosphorus export of the Huron River was a relatively low 45 lbs/mi² of drainage area. This export rate is similar to the export rates of unimpacted Michigan streams studied elsewhere.

In all, it is estimated that non-point sources, including precipitation, contributed about 46% of the total phosphorus load to Kent Lake during the sampling year.

II. LAKE AND DRAINAGE BASIN CHARACTERISTICS

A. Lake Morphometry[†]:

1. Surface area: 1,000 acres.
2. Mean depth: 6.6 feet.
3. Maximum depth: 38 feet.
4. Volume: 6,600 acre-feet.
5. Mean hydraulic retention time: 33 days.

B. Tributary and Outlet: (See Appendix B for flow data)

1. Tributaries -

<u>Name</u>	<u>Drainage area*</u>	<u>Mean flow*</u>
Huron River	134.0 mi ²	90.6 cfs
Minor tributaries & immediate drainage -	<u>12.4 mi²</u>	<u>9.4 cfs</u>
Totals	146.4 mi ²	100.0 cfs

2. Outlet -

Huron River	148.0 mi ^{2**}	100.0 cfs
-------------	-------------------------	-----------

C. Precipitation***:

1. Year of sampling: 32.6 inches.
2. Mean annual: 33.1 inches.

[†] MI Dept. Cons. lake inventory map (1957); mean depth from Fetterolf (1973).

* Drainage areas are accurate within $\pm 5\%$; mean daily flows for 74% of the sampling sites are accurate within $\pm 25\%$ and the remaining sites up to $\pm 40\%$; and mean monthly flows, normalized mean monthly flows, and mean annual flows are slightly more accurate than mean daily flows.

** Includes area of lake.

*** See Working Paper No. 1, "Survey Methods, 1972".

III. LAKE WATER QUALITY SUMMARY

Kent Lake was sampled three times during the open-water season of 1972 by means of a pontoon-equipped Huey helicopter. Each time, samples for physical and chemical parameters were collected from three stations on the lake and from two or more depths at each station (see map, page v). During each visit, a single depth-integrated (15 feet or near bottom to surface) sample was composited from the stations for phytoplankton identification and enumeration; and during the second visit, a single five-gallon depth-integrated sample was composited for algal assays. Also each time, a depth-integrated sample was collected from each of the stations for chlorophyll a analysis. The maximum depths sampled were 15 feet at station 1, 35 feet at station 2, and 9 feet at station 3.

The results obtained are presented in full in Appendix C, and the data for the fall sampling period, when the lake essentially was well-mixed, are summarized below. Note, however, the Secchi disc summary is based on all values.

For differences in the various parameters at the other sampling times, refer to Appendix C.

A. Physical and chemical characteristics:

FALL VALUES

(11/13/72)

<u>Parameter</u>	<u>Minimum</u>	<u>Mean</u>	<u>Median</u>	<u>Maximum</u>
Temperature (Cent.)	6.0	6.3	6.4	6.5
Dissolved oxygen (mg/l)	8.8	9.3	9.0	10.6
Conductivity (μ mhos)	430	444	440	465
pH (units)	8.0	8.1	8.1	8.2
Alkalinity (mg/l)	187	192	191	200
Total P (mg/l)	0.029	0.040	0.042	0.047
Dissolved P (mg/l)	0.012	0.015	0.015	0.017
NO ₂ + NO ₃ (mg/l)	0.080	0.091	0.080	0.140
Ammonia (mg/l)	0.220	0.326	0.335	0.410

ALL VALUES

Secchi disc (inches)	34	45	45	60
----------------------	----	----	----	----

B. Biological characteristics:

1. Phytoplankton -

<u>Sampling Date</u>	<u>Dominant Genera</u>	<u>Number per ml</u>
06/15/72	1. Melosira	3,007
	2. Cocconeis	2,174
	3. Fragilaria	761
	4. Pediastrum	725
	5. Stephanodiscus	543
	Other genera	<u>2,935</u>
	Total	10,145
09/20/72	1. Microcystis	4,932
	2. Anabaena	1,900
	3. Melosira	679
	4. Dinobryon	317
	5. Flagellates	271
	Other genera	<u>634</u>
	Total	8,733
11/13/72	1. Asterionella	5,940
	2. Flagellates	4,210
	3. Fragilaria	1,053
	4. Dinobryon	1,053
	5. Synedra	526
	Other genera	<u>2,030</u>
	Total	14,812

2. Chlorophyll a -
 (Because of instrumentation problems during the 1972 sampling,
 the following values may be in error by plus or minus 20 percent.)

<u>Sampling Date</u>	<u>Station Number</u>	<u>Chlorophyll <u>a</u> (μg/l)</u>
06/15/72	01	16.2
	02	17.6
	03	30.1
09/20/72	01	41.3
	02	57.5
	03	52.5
11/13/72	01	19.6
	02	33.0
	03	37.7

C. Limiting Nutrient Study:

There was a loss of 44% of the dissolved phosphorus and 29% of the inorganic nitrogen in the assay sample between the time of sample collection and the beginning of the assay, and the assay results are not representative of conditions in the lake at the time the sample was collected (09/20/72).

The lake data indicate nitrogen limitation in June and September (N/P ratios = 9/1 and less) but phosphorus limitation in November (N/P = 28/1).

IV. NUTRIENT LOADINGS (See Appendix D for data)

For the determination of nutrient loadings, the Michigan National Guard collected monthly near-surface grab samples from each of the tributary sites indicated on the map (page v), except for the high runoff months of April and May when two samples were collected. Sampling was begun in October, 1972, and was completed in October, 1973.

Through an interagency agreement, stream flow estimates for the year of sampling and a "normalized" or average year were provided by the Michigan District Office of the U.S. Geological Survey for the tributary sites nearest the lake.

In this report, nutrient loads for sampled tributaries were determined by using a modification of the U.S. Geological Survey computer program for calculating stream loadings*. Nutrient loadings for unsampled "minor tributaries and immediate drainage" ("ZZ" of U.S.G.S.) were estimated by using the means of the nutrient concentrations in the Huron River at station A-4 and the mean annual ZZ flow.

The operator of the Milford wastewater treatment plant provided monthly effluent samples and corresponding flow data. However, the Village of Wixom did not participate in the Survey, and nutrient loads were estimated at 2.5 lbs P and 7.5 lbs N/capita/year.

* See Working Paper No. 1.

In this report, all of the nutrient loads attributed to the two treatment plants are assumed to have reached Kent Lake during the sampling year. In the following loading tables, the loads given for the Huron River are those measured at station A-2 minus the STP loads.

A. Waste Sources:

1. Known municipal[†] -

<u>Name</u>	<u>Pop. Served</u> ^{††}	<u>Treatment</u>	<u>Mean Flow (mgd)</u>	<u>Receiving Water</u>
Milford	4,699	act. sludge + P removal	0.700	Huron River
Wixom	2,010	act. sludge + P-removal**	0.201*	Norton Creek

2. Industrial - Unknown

† Howard, 1973.

†† 1970 Census.

* Estimated at 100 gal/capita/day.

** Phosphorus removal began in September, 1974.

B. Annual Total Phosphorus Loading - Average Year:

1. Inputs -

<u>Source</u>	<u>lbs P/ yr</u>	<u>% of total</u>
a. Tributaries (non-point load) -		
Huron River	6,040	42.7
b. Minor tributaries & immediate drainage (non-point load) -	330	2.3
c. Known municipal STP's -		
Milford	2,610	18.4
Wixom	5,020	35.5
d. Septic tanks - Unknown	?	-
e. Industrial - Unknown	?	-
f. Direct precipitation* -	<u>160</u>	<u>1.1</u>
Total	14,160	100.0

2. Outputs -

Lake outlet - Huron River 10,860

3. Net annual P accumulation - 3,300 pounds

* See Working Paper No. 1.

C. Annual Total Nitrogen Loading - Average Year:

1. Inputs -

<u>Source</u>	<u>lbs N/ yr</u>	<u>% of total</u>
a. Tributaries (non-point load) -		
Huron River	132,290	66.1
b. Minor tributaries & immediate drainage (non-point load) -	18,910	9.4
c. Known municipal STP's -		
Milford	24,430	12.2
Wixom	15,080	7.5
d. Septic tanks - Unknown	?	-
e. Industrial - Unknown	?	-
f. Direct precipitation* -	<u>9,630</u>	<u>4.8</u>
Total	200,340	100.0

2. Outputs -

Lake outlet - Huron River 215,840

3. Net annual N loss - 15,500 pounds

D. Mean Annual Non-point Nutrient Export by Subdrainage Area:

<u>Tributary</u>	<u>lbs P/mi²/yr</u>	<u>lbs N/mi²/yr</u>
Huron River	45	987

* See Working Paper No. 1.

E. Yearly Loading Rates:

In the following table, the existing phosphorus loading rates are compared to those proposed by Vollenweider (in press). Essentially, his "dangerous" rate is the rate at which the receiving waters would become eutrophic or remain eutrophic; his "permissible" rate is that which would result in the receiving water remaining oligotrophic or becoming oligotrophic if morphometry permitted. A mesotrophic rate would be considered one between "dangerous" and "permissible".

Note that Vollenweider's model may not be applicable to water bodies with very short hydraulic retention times.

Units	Total Phosphorus		Total Nitrogen	
	Total	Accumulated	Total	Accumulated
lbs/acre/yr	14.2	3.3	202.3	loss*
grams/m ² /yr	1.59	0.37	22.5	-

Vollenweider loading rates for phosphorus (g/m²/yr) based on mean depth and mean hydraulic retention time of Kent Lake:

"Dangerous" (eutrophic rate)	0.30
"Permissible" (oligotrophic rate)	0.15

* The apparent loss of nitrogen may be due to nitrogen fixation in the lake, solubilization of previously sedimented nitrogen, unmeasured ground-water inputs, or underestimation of nitrogen contributions. However, a similar nitrogen loss has been observed in Shagawa Lake, Minnesota, which has been studied intensively by EPA's National Eutrophication and Lake Restoration Branch.

V. LITERATURE REVIEWED

- Fetterolf, Carlos, 1973. Personal communication (mean depth of Kent Lake). MI Dept. Nat. Resources, Lansing.
- Howard, Alan, 1973. Treatment plant questionnaire (Milford STP). MI Dept. Publ. Health, Lansing.
- Jackson, George, 1971. A biological investigation of Norton Creek, vicinity of Ford Motor Company, Wixom, Oakland County, Michigan. MI Dept. Nat. Resources, Lansing.
- Ketelle, Martha J., and Paul D. Uttormark, 1971. Problem lakes of the United States. EPA Water Poll. Contr. Res. Ser., Proj. 16010 EHR.
- Vollenweider, Richard A. (in press). Input-output models. Schweiz. Z. Hydrol.

VI. APPENDICES

APPENDIX A

LAKE RANKINGS

LAKE DATA TO BE USED IN RANKINGS

LAKE CODE	LAKE NAME	-----FALL VALUES-----			-----ALL VALUES-----		
		MEAN TOTAL P	MEAN DISS P	MEAN INORG N	500- MEAN SEC	MEAN CHLORA	15- MIN DO
26A0	HOLLOWAY RESERVOIR	0.062	0.043	1.461	439.375	10.678	9.200
26A1	CARO RESERVOIR	0.117	0.022	3.835	473.000	11.967	9.500
26A2	BOARDMAN HYDRO POND	0.006	0.005	0.358	363.500	1.267	6.600
2603	ALLEGAN LAKE	0.123	0.057	1.168	470.222	20.311	12.600
2606	BARTON LAKE	0.121	0.086	1.489	456.167	27.800	14.850
2609	BELLEVILLE LAKE	0.118	0.048	1.420	465.250	28.262	8.200
2610	BETSIÉ LAKE	0.025	0.008	0.273	461.667	4.567	7.400
2613	BRIGHTON LAKE	0.109	0.073	1.015	456.000	44.233	7.500
2617	LAKE CHARLEVOIX	0.007	0.006	0.230	351.250	3.008	9.240
2618	LAKE CHEMUNG	0.044	0.014	0.132	404.333	13.483	14.800
2621	CONSTANTINE RESERVOIR	0.027	0.008	0.910	456.167	39.317	7.500
2629	FORD LAKE	0.105	0.058	1.536	456.167	14.733	14.000
2631	FREMONT LAKE	0.372	0.342	1.406	441.667	28.500	14.800
2640	JORDAN LAKE	0.180	0.144	1.998	427.667	20.517	14.900
2643	KENT LAKE	0.040	0.015	0.417	455.000	33.944	13.000
2648	LAKE MACATAWA	0.197	0.120	2.358	477.600	25.600	12.200
2649	MANISTEE LAKE	0.018	0.010	0.304	451.333	6.317	11.380
2659	MUSKEGON LAKE	0.087	0.043	0.469	436.444	9.511	14.800
2665	PENTWATER LAKE	0.027	0.017	0.496	430.667	16.083	14.800
2671	RANDALL LAKE	0.246	0.183	0.818	457.333	27.217	8.020
2672	ROGERS POND	0.026	0.015	0.183	435.500	8.133	9.600
2673	ROSS RESERVOIR	0.034	0.021	0.460	465.333	10.383	8.200
2674	SANFORD LAKE	0.016	0.008	0.307	458.750	13.791	8.300
2683	THORNAPPLE LAKE	0.042	0.032	1.737	442.833	14.650	10.800
2685	UNION LAKE	0.083	0.064	1.252	455.500	15.667	8.200
2688	WHITE LAKE	0.027	0.019	0.367	417.778	9.211	13.400
2691	MONA LAKE	0.307	0.241	0.963	451.667	27.783	14.100
2692	LONG LAKE	0.163	0.148	0.749	418.400	10.067	13.500

LAKE DATA TO BE USED IN RANKINGS

LAKE CODE	LAKE NAME	-----FALL VALUES-----				-----ALL VALUES-----			
		MEAN TOTAL P	MEAN DISS P	MEAN INORG N	500- MEAN SEC	MEAN CHLORA	15- MIN DO ₂		
2693	ST LOUIS RESERVOIR	0.134	0.093	1.227	462.667	5.583	8.420		
2694	CRYSTAL LAKE	0.009	0.006	0.164	380.000	2.986	13.000		
2695	HIGGINS LAKE	0.007	0.005	0.058	268.500	1.043	9.400		
2696	HOUGHTON LAKE	0.018	0.008	0.136	420.833	9.217	8.200		
2697	THOMPSON LAKE	0.043	0.029	0.436	407.889	11.967	14.800		
2698	PERE MARQUETTE LAKE	0.032	0.024	0.346	448.667	11.833	8.600		
2699	STRAWBERRY LAKE	0.069	0.050	0.567	419.800	11.117	13.600		

PERCENT OF LAKES WITH HIGHER VALUES (NUMBER OF LAKES WITH HIGHER VALUES)

LAKE CODE	LAKE NAME	-----FALL VALUES-----			-----ALL VALUES-----			INDEX NO
		MEAN TOTAL P	MEAN UISS P	MEAN INORG N	500- MEAN SEC	MEAN CHLORA	15- MIN DO	
2640	HOLLOWAY RESERVOIR	46 (16)	43 (15)	17 (6)	57 (20)	60 (21)	63 (22)	286
2641	CARO RESERVOIR	29 (10)	54 (19)	0 (0)	3 (1)	49 (17)	54 (19)	189
2642	BOARDMAN HYDRO POND	97 (34)	97 (34)	69 (24)	91 (32)	94 (33)	97 (34)	545
2603	ALLEGAN LAKE	20 (7)	31 (11)	31 (11)	6 (2)	29 (10)	40 (14)	157
2606	BARTON LAKE	23 (8)	20 (7)	14 (5)	29 (9)	14 (5)	3 (1)	103
2609	BELLEVILLE LAKE	26 (9)	37 (13)	20 (7)	11 (4)	11 (4)	79 (26)	184
2610	BETSIÉ LAKE	77 (27)	77 (27)	80 (28)	17 (6)	86 (30)	94 (33)	431
2613	BRIGHTON LAKE	31 (11)	23 (8)	34 (12)	34 (12)	0 (0)	90 (31)	212
2617	LAKE CHARLEVOIX	91 (32)	91 (32)	83 (29)	94 (33)	89 (31)	60 (21)	508
2618	LAKE CHEMUNG	49 (17)	71 (25)	94 (33)	86 (30)	46 (16)	11 (2)	357
2621	CONSTANTINE RESERVOIR	71 (25)	83 (29)	40 (14)	29 (9)	3 (1)	90 (31)	316
2629	FORD LAKE	34 (12)	29 (10)	11 (4)	29 (9)	37 (13)	23 (8)	163
2631	FREMONT LAKE	0 (0)	0 (0)	23 (8)	54 (19)	9 (3)	11 (2)	97
2640	JORDAN LAKE	11 (4)	11 (4)	6 (2)	69 (24)	26 (9)	0 (0)	123
2643	KENT LAKE	57 (20)	69 (24)	63 (22)	40 (14)	6 (2)	36 (12)	271
2648	LAKE MACATAWA	9 (3)	14 (5)	3 (1)	0 (0)	23 (8)	43 (15)	92
2649	MANISTEE LAKE	80 (28)	74 (26)	77 (27)	46 (16)	80 (28)	46 (16)	403
2659	MUSKEGON LAKE	37 (13)	40 (14)	54 (19)	60 (21)	69 (24)	11 (2)	271
2665	PENTWATER LAKE	69 (24)	63 (22)	51 (18)	66 (23)	31 (11)	11 (2)	291
2671	RANDALL LAKE	6 (2)	6 (2)	43 (15)	23 (8)	20 (7)	86 (30)	184
2672	ROGERS POND	74 (26)	66 (23)	86 (30)	63 (22)	77 (27)	51 (18)	417
2673	ROSS RESERVOIR	60 (21)	57 (20)	57 (20)	9 (3)	63 (22)	79 (26)	325
2674	SANFORD LAKE	86 (30)	80 (28)	74 (26)	20 (7)	43 (15)	71 (25)	374
2683	THORNAPPLE LAKE	54 (19)	46 (16)	9 (3)	51 (18)	40 (14)	49 (17)	249
2685	UNION LAKE	40 (14)	26 (9)	26 (9)	37 (13)	34 (12)	79 (26)	242
2688	WHITE LAKE	66 (23)	60 (21)	66 (23)	80 (28)	74 (26)	31 (11)	377
2691	MONA LAKE	3 (1)	3 (1)	37 (13)	43 (15)	17 (6)	20 (7)	123
2692	LONG LAKE	14 (5)	9 (3)	46 (16)	77 (27)	66 (23)	27 (9)	239

PERCENT OF LAKES WITH HIGHER VALUES (NUMBER OF LAKES WITH HIGHER VALUES)

LAKE CODE	LAKE NAME	-----FALL VALUES-----			-----ALL VALUES-----			INDEX NO
		MEAN TOTAL P	MEAN DISS P	MEAN INORG N	500- MEAN SEC	MEAN CHLORA	15- MIN DO	
2693	ST LOUIS RESERVOIR	17 (6)	17 (6)	29 (10)	14 (5)	83 (29)	69 (24)	229
2694	CRYSTAL LAKE	89 (31)	89 (31)	89 (31)	89 (31)	91 (32)	36 (12)	483
2695	HIGGINS LAKE	94 (33)	94 (33)	97 (34)	97 (34)	97 (34)	57 (20)	536
2696	HOUGHTON LAKE	83 (29)	86 (30)	91 (32)	71 (25)	71 (25)	79 (26)	481
2697	THOMPSON LAKE	51 (18)	49 (17)	60 (21)	83 (29)	51 (18)	11 (2)	305
2698	PERE MARQUETTE LAKE	63 (22)	51 (18)	71 (25)	49 (17)	54 (19)	66 (23)	354
2699	STRAWBERRY LAKE	43 (15)	34 (12)	49 (17)	74 (26)	57 (20)	27 (9)	284

APPENDIX B

TRIBUTARY FLOW DATA

TRIBUTARY FLOW INFORMATION FOR MICHIGAN

2/3/75

LAKE CODE 2643 KENT LAKE

TOTAL DRAINAGE AREA OF LAKE(SQ MI) 148.00

TRIBUTARY	SUB-DRAINAGE AREA(SQ MI)	NORMALIZED FLOWS(CFS)											
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
2643A1	148.00	107.06	117.87	154.21	138.49	119.83	84.37	59.62	52.94	60.21	74.84	119.83	112.96
2643A2	134.00	93.80	105.00	149.00	163.00	117.00	76.30	57.30	46.30	52.40	62.70	76.10	89.50
2643Z2	14.00	9.80	10.90	15.60	17.10	12.20	8.00	6.00	4.80	5.50	6.60	8.00	9.30

MEAN MONTHLY FLOWS AND DAILY FLOWS(CFS)	TRIBUTARY	MONTH	YEAR	MEAN FLOW	DAY	TOTAL DRAINAGE AREA OF LAKE = 148.00											
						SUM OF SUB-DRAINAGE AREAS = 148.00											

SUMMARY

TOTAL FLOW IN = 1202.20
TOTAL FLOW OUT = 1202.23

MEAN MONTHLY FLOWS AND DAILY FLOWS(CFS)

TRIBUTARY	MONTH	YEAR	MEAN FLOW	DAY	FLOW	DAY	FLOW	DAY	FLOW
2643A1	10	72	80.00	29	133.00				
	11	72	163.00						
	12	72	163.00	2	210.00				
	1	73	210.00	7	257.00				
	2	73	161.00	4	197.00				
	3	73	296.00	4	180.00				
	4	73	178.00	6	157.00	22	205.00		
	5	73	131.00	6	106.00	20	97.00		
	6	73	224.00	2	164.00				
	7	73	122.00	7	139.00				
2643A2	8	73	86.00	4	69.00				
	9	73	64.00	8	49.00				
	10	73	98.00	13	86.00				
	11	72	86.00	29	134.00				
	12	72	121.00						
	1	72	128.00	2	109.00				
	2	73	187.00	7	225.00				
	3	73	138.00	4	181.00				
	4	73	235.00	4	155.00				
	5	73	201.00	6	242.00	22	183.00		
	6	73	151.00	5	144.00	22	114.00		
	7	73	159.00	2	179.00				
	8	73	101.00	7	91.00				
	9	73	74.00	4	68.00				
	10	73	49.00	8	48.00				
			81.00	13	72.00				

2/3/75

TRIBUTARY FLOW INFORMATION FOR MICHIGAN

LAKE CODE 2643 KENT LAKE

MEAN MONTHLY FLOWS AND DAILY FLOWS(CFS)

TRIBUTARY	MONTH	YEAR	MEAN FLOW	DAY	FLOW	DAY	FLOW
2643ZZ	10	72	9.00				
	11	72	13.00				
	12	72	13.00				
	1	73	20.00				
	2	73	14.00				
	3	73	25.00				
	4	73	21.00				
	5	73	16.00				
	6	73	17.00				
	7	73	11.00				
	8	73	7.80				
	9	73	5.20				
	10	73	8.50				

APPENDIX C

PHYSICAL and CHEMICAL DATA

STORET RETRIEVAL DATE 75/02/04

264301
42 30 00.0 083 37 00.0
KENT LAKE
26 MICHIGAN

DATE FROM TO		TIME OF DAY		DEPTH FEET		WATER TEMP CENT		DO MG/L		TRANSP SECCHI INCHES		CONDUCTIVITY FIELD MICROMHO		PH SU		T ALK CACO3 MG/L		NO2&NO3 N-TOTAL MG/L		NH3-N TOTAL MG/L		PHOS-TOT MG/L		PHOS-DIS MG/L	
72/06/15	10 39 0000	10 39 0015	10 39 0030	10 39 0045	10 39 0060	10 39 0075	10 39 0090	10 39 0105	10 39 0120	10 39 0135	10 39 0150	10 39 0165	10 39 0180	10 39 0195	10 39 0210	10 39 0225	10 39 0240	10 39 0255	10 39 0270	10 39 0285	10 39 0300	10 39 0315	10 39 0330	10 39 0345	10 39 0360
72/09/20	14 35 0000	14 35 0015	14 35 0030	14 35 0045	14 35 0060	14 35 0075	14 35 0090	14 35 0105	14 35 0120	14 35 0135	14 35 0150	14 35 0165	14 35 0180	14 35 0195	14 35 0210	14 35 0225	14 35 0240	14 35 0255	14 35 0270	14 35 0285	14 35 0300	14 35 0315	14 35 0330	14 35 0345	14 35 0360
72/11/13	13 45 0000	13 45 0015	13 45 0030	13 45 0045	13 45 0060	13 45 0075	13 45 0090	13 45 0105	13 45 0120	13 45 0135	13 45 0150	13 45 0165	13 45 0180	13 45 0195	13 45 0210	13 45 0225	13 45 0240	13 45 0255	13 45 0270	13 45 0285	13 45 0300	13 45 0315	13 45 0330	13 45 0345	13 45 0360

DATE FROM TO		TIME OF DAY		DEPTH FEET		CHLOROPHYL A UG/L	
72/06/15	10 39 0000	10 39 0015	10 39 0030	10 39 0045	10 39 0060	10 39 0075	10 39 0090
72/09/20	14 35 0000	14 35 0015	14 35 0030	14 35 0045	14 35 0060	14 35 0075	14 35 0090
72/11/13	13 45 0000	13 45 0015	13 45 0030	13 45 0045	13 45 0060	13 45 0075	13 45 0090

J* VALUE KNOWN TO BE IN ERROR

STORET RETRIEVAL DATE 75/02/04

264302
42 30 00.0 083 37 00.0
KENT LAKE
26 41CHIGUAN

DATE FROM TO		TIME OF DAY		DEPTH FEET		WATER TEMP CENT		DO MG/L		TRANSP SECCHI INCHES		CONDUCTIVITY FIELD MICROMHO		PH SU		T ALK CACO3 MG/L		NU2&NU3 N-TOTAL MG/L		00610 NH3-N TOTAL MG/L		00665 PHOS-TOT MG/L		00666 PHOS-DIS MG/L	
72/06/15		11 30		0000		22.0		8.2				520		8.25		180		0.040		0.060		0.044		0.018	
		11 30		0015		19.0		3.4				525		7.33		181		0.020		0.160		0.058		0.020	
		11 30		0025		10.6		0.0				520		7.42		179		0.040		0.480		0.050		0.018	
		11 30		0035		8.2		0.0				550		7.20		222		0.050		4.300		1.000		0.900	
72/09/20		15 15		0000						36		590		8.30		149		0.050		0.120		0.027		0.014	
		15 15		0004		21.4		4.7				590		8.30		149		0.050		0.110		0.040		0.020	
		15 15		0015		21.3		8.8				590		8.30		148		0.050		0.100		0.035		0.019	
		15 15		0020		19.9		2.0				600		7.55		160		0.050		0.440		0.072		0.050	
		15 15		0025		12.5		0.0				600		7.15		190		0.100		1.990		0.355		0.238	
72/11/13		14 05		0000						50		440		8.10		189		0.080		0.390		0.047		0.016	
		14 05		0004		6.5		8.8				440		8.00		190		0.080		0.390		0.045		0.016	
		14 05		0015		6.1		8.8				440		8.10		191		0.080		0.400		0.045		0.017	
		14 05		0022		6.5		4.0				440		8.10		192		0.080		0.390		0.043		0.016	
		14 05		0030		6.3		4.0				445		8.10		196		0.080		0.410		0.041		0.012	

DATE FROM TO		TIME OF DAY		DEPTH FEET		CHLOROPHYL A UG/L	
72/06/15		11 30		0000		17.60	
72/09/20		15 15		0000		57.50	
72/11/13		14 05		0000		33.00	

J* VALUE KNOWN TO BE IN ERROR

264303
42 30 00.0 003 37 00.0
KENT LAKE
26 MICHIGAN

DATE FROM	TIME OF DAY	DEPTH FEET	CHLOROPHYL A UG/L	32217
72/06/15	12 10	0000		30.1 J
72/09/20	15 00	0000		52.5 J
72/11/13	13 25	0000		37.7 J

J* VALUE KNOWN TO BE IN ERROR

APPENDIX D

TRIBUTARY and WASTEWATER
TREATMENT PLANT DATA

STORET RETRIEVAL DATE 75/02/04

2643A1 L52643A1
42 31 00.0 083 41 30.0
HURON RIVER
26 7.5 KENT LAKE
0/KENT LAKE
KENSINGTON RD BRDG 4.5 MI E .5 MI S BRIGHTON
11EPALES 2111204
4 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 NO2&NO3 N-TOTAL MG/L	00625 TOT KJEL N MG/L	00610 NH3-N TOTAL MG/L	00671 PHOS-DIS URTHO MG/L P	00665 PHOS-TUT MG/L P
72/10/29	09	50	0.104	1.450	0.290	0.025	0.090
72/12/02	11	00	0.156	1.470	0.230	0.010	0.038
73/01/07	10	08	0.310	3.000	0.280	0.006	0.032
73/02/04	10	00	0.210	0.490	0.066	0.007	0.035
73/03/04	10	00	0.240	0.690	0.074	0.011	0.045
73/04/06	11	30	0.066	0.830	0.027	0.006	0.045
73/04/22	14	00	0.050	0.840	0.240	0.026	0.055
73/05/06	11	34	0.010K	0.780	0.007	0.009	0.055
73/05/20	13	15	0.010K	0.725	0.032	0.013	0.050
73/06/02	10	40	0.019	0.460	0.033	0.012	0.045
73/07/07	15	30	0.031	1.030	0.058	0.022	0.060
73/08/04	10	30	0.130	1.680	0.092	0.031	0.060
73/09/08	10	00	0.046	1.050	0.052	0.011	0.090
73/10/13	14	00	0.043	0.900	0.078	0.008	0.045

K VALUE KNOWN TO BE
LESS THAN INDICATED

STORET RETRIEVAL DATE 75/02/04

2643A2 L52643A2
43 34 00.0 083 37 30.0
MURON RIVER
26 7.5 KENT LAKE
1/KENT LAKE
DANSON RD BRUG 2 MI SW MILEORD BELO STP
11EPALES 2111204
4 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630		00625		00610		00571		00665	
			NO2-N W-TOTAL	MG/L	TOT N	MG/L	NO3-N TOTAL	MG/L	PHOS-UIS URIN	MG/L	PHOS-TOT	MG/L
72/10/29	11 05		0.110		0.400		0.140		0.015		0.058	
72/12/02	13 10		0.108		1.100		0.140		0.015		0.088	
73/02/04	09 00		0.270		0.510		0.084		0.011		0.035	
73/03/04	13 00		0.294		0.720		0.089		0.013		0.060	
73/04/05	13 00		0.147		0.530		0.048		0.008		0.035	
73/04/22	10 15		0.105		0.740		0.054		0.013		0.065	
73/05/05	11 30		0.054		0.640		0.056		0.016		0.040	
73/05/22	11 45		0.044		1.230		0.080		0.017		0.050	
73/06/02	10 50		0.032		0.805		0.056		0.017		0.050	
73/07/07	14 30		0.100		0.420		0.120		0.035		0.070	
73/08/04	10 45		0.120		1.200		0.154		0.056		0.150	
73/09/04	08 20		0.094		0.740		0.080		0.066		0.145	
73/10/13	12 30		0.084		0.740		0.054		0.026		0.110	

STORET RETRIEVAL DATE 75/02/04

2643A3 LS2643A3
42 35 00.0 083 37 00.0
MURON RIVER
26 7.5 MILFORD
T/KENI LAKE
BELO HUBBELL POND DAM WSW MILFORD ABVSTP
11EPALES 2111204
4 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 NO2-N TOTAL MG/L	00625 TOT KJEL N MG/L	00610 NH3-N TOTAL MG/L	00671 PHOS-DIS ORTHOP MG/L P	00665 PHOS-TOT MG/L P
72/10/29	11 20		0.100	0.650	0.098	0.010	0.030
72/12/02	10 00		0.169	1.380	0.096	0.011	0.026
73/01/07	08 50		0.310	0.780	0.115	0.008	0.027
73/02/04	09 00		0.290	0.595	0.060	0.009	0.030
73/03/04	13 30		0.310	0.740	0.056	0.010	0.050
73/04/06			0.176	0.630	0.044	0.005K	0.025
73/04/22	09 54		0.090	1.200	0.029	0.008	0.045
73/05/05	10 30		0.042	0.780	0.063	0.008	0.035
73/05/22	11 00		0.011	1.700	0.032	0.007	0.042
73/06/02	11 10		0.025	1.050	0.115	0.014	0.040
73/07/07	14 45		0.010K	0.710	0.018	0.017	0.055
73/08/04	11 00		0.015	1.050	0.021	0.020	0.057
73/09/08	08 30		0.016	0.890	0.025	0.011	0.065
73/10/13	12 45		0.044	0.645	0.033	0.007	0.045

K VALUE KNOWN TO BE
LESS THAN INDICATED

STORET RETRIEVAL DATE 75/02/J4

2043A4 LS264JA4
42 34 30.0 083 33 30.0
MURON RIVER
26 7.5 MILFORD
1/KENT LAKE
WIXOM BRDG 1.75 MI SE MILEORD
11EPALES 2111204
4 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 NO2-N N-TOTAL MG/L	00025 TUT KJEL N MG/L	00010 NH3-N TOTAL MG/L	00671 PHOS-DIS ORTHU MG/L P	00665 PHOS-TOT MG/L P
72/10/29	12 25		0.052	0.600	0.105	0.005K	0.013
72/12/02	11 00		0.120	1.540	0.087	0.005K	0.017
73/01/07	10 10		0.260	0.420	0.084	0.005K	0.013
73/02/04	10 30		0.294	0.335	0.058	0.005K	0.015
73/03/04	14 45		0.260	0.630	0.046	0.005K	0.020
73/04/06	12 30		0.190	0.580	0.011	0.005K	0.015
73/04/22	10 31		0.138	0.680	0.007	0.005K	0.020
73/05/05	09 30		0.160	1.430	0.066	0.005K	0.015
73/05/22	10 45		0.083	0.940	0.046	0.005K	0.015
73/06/02	11 45		0.046	1.000	0.038	0.006	0.015
73/07/07	15 15		0.016K	1.100	0.020	0.008	0.030
73/08/04	12 40		0.012	1.210	0.050	0.007	0.020
73/09/08	09 25		0.021	1.320	0.067	0.013	0.020
73/10/13	13 15		0.016K	0.750	0.025	0.005K	0.025

K VALUE KNOWN TO BE
LESS THAN INDICATED

STORET RETRIEVAL DATE 75/02/04

264381 LS264381
42 35 30.0 083 36 00.0
PETTIBONE CREEK
26 7.5 MILFORD
T/KENT LAKE
CITY BRDG SW EDGE MILFORD ON LIBERTY ST
11EPALES 2111204
4 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 NO2&NO3 N-TOTAL MG/L	00625 TOT KJEL N MG/L	00610 NH3-N TOTAL MG/L	00671 PHOS-DIS ORTHO MG/L P	00665 PHOS-TOT MG/L P
72/10/29	11 35		0.047	0.400	0.052	0.013	0.034
72/12/02	10 45		0.080	0.460	0.022	0.008	0.021
73/02/04	09 40		0.126	0.310	0.017	0.005K	0.015
73/03/04	14 00		0.189	0.420	0.033	0.005K	0.015
73/04/06	12 15		0.063	0.420	0.013	0.005K	0.010
73/04/22	09 20		0.040	0.580	0.026	0.008	0.020
73/05/05	09 45		0.014	0.500	0.010	0.013	0.015
73/05/22	10 30		0.010K	0.980	0.010	0.005K	0.015
73/06/02	11 15		0.010K	0.580	0.050	0.005K	0.015
73/07/07	15 00		0.010K	0.560	0.025	0.007	0.010
73/08/04	11 15		0.010K	0.640	0.014	0.005K	0.010
73/09/08	09 00		0.010K	1.900	0.071	0.005K	0.020
73/10/13	12 55		0.010K	0.420	0.018	0.005K	0.020

K VALUE KNOWN TO BE
LESS THAN INDICATED

STORET RETRIEVAL DATE 75/02/04

2643C1 LS2643C1
42 34 30.0 083 34 00.0
NORTON CREEK
26 7.5 MILFORD
T/KENT LAKE
GARDEN RD BRDG 1.5 MI SE OFMILFORD
11EPALES 2111204
4 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 NO2AN03 N-TOTAL MG/L	00625 TOF KJEL N MG/L	00610 NH3-N TOTAL MG/L	00671 PHOS-DIS URTHO MG/L P	00665 PHOS-TOT MG/L P
72/10/29	12	15	0.250	0.450	0.200	0.072	0.132
72/12/02	12	30	0.430	1.000	0.273	0.025	0.092
73/01/07	09	20	0.270	2.730	0.200	0.005K	0.013
73/02/04	10	15	0.378	1.150	0.300	0.042	0.130
73/03/04	14	30	0.360	1.250	0.210	0.054	0.155
73/04/06	12	20	0.220	0.450	0.115	0.076	0.150
73/04/22	09	40	0.044	1.500	0.096	0.105	0.200
73/05/05	08	45	0.032	1.750	0.065	0.067	0.130
73/05/22	11	29	0.020	1.320	0.036	0.100	0.170
73/06/02	11	30	0.010K	1.250	0.042	0.089	0.130
73/07/07	15	05	0.010K	1.100	0.147	0.231	0.370
73/08/04	12	30	0.010K	1.700	0.132	0.189	0.375
73/09/08	09	10	0.220	0.430	0.210	0.066	0.185
73/10/13	13	00	0.150	1.050	0.139		

K VALUE KNOWN TO BE
LESS THAN INDICATED

STORET RETRIEVAL DATE 75/02/04

264350 P0264350 P004500
 42 35 00.0 083 37 00.0
 MILFORD
 26 7.5 MILFORD
 T/KENT LAKE
 MURON RIVER
 11EPALES
 2141204
 4 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 NO2&NO3 N-TOTAL MG/L	00625 TOT KJEL N MG/L	00610 NH3-N TOTAL MG/L	00671 PHOS-DIS URTHO MG/L P	00665 PHOS-TOT MG/L P	50051 FLOW RATE INST MGD	50053 CONDUIT FLOW-MGD MONTHLY
73/02/01	08 00								
CP(T)-			0.115	7.150	0.103	0.400	0.885	0.756	0.720
73/02/02	08 00								
73/03/06	09 00		0.140	9.300	3.100	0.666	1.200	0.800	0.750
CP(T)-									
73/03/07	09 00		0.195	10.000	0.350	0.420	0.720	0.780	0.720
73/04/01	09 00		0.130	13.200	1.160	0.820	1.350	0.760	0.700
73/04/30	08 00								
CP(T)-									
73/05/01	08 00		0.115	5.600	1.500	0.210	1.850	0.900	0.790
73/06/07	08 00								
CP(T)-			0.440	11.500	1.100	0.210	1.100	0.888	0.860
73/07/10	08 00								
CP(T)-			0.390	17.800	6.600	0.250	1.000	0.851	0.850
73/08/05	08 00								
CP(T)-			1.320	2.200	0.180	0.740	0.780	1.100	0.750
73/08/06	08 00								
73/09/26	09 00		0.080	11.500	0.580	0.640	1.650	0.787	0.680
CP(T)-									
73/12/04	08 00								
CP(T)-								0.779	0.720
73/12/05	08 00								
74/02/06	08 00		0.280	20.000	5.600	0.650	1.400	0.771	0.830
CP(T)-									
74/02/07	08 00								
74/06/02	08 00								
CP(T)-			0.040	7.500	0.065	0.360	0.630	1.400	0.850
74/06/03	08 00								
74/07/09	08 00								
CP(T)-									
74/07/10	08 00								

**U.S. Environmental Protection Agency
Region 5, Library (PL-12J)
77 West Jackson Boulevard, 12th Floor
Chicago, IL 60604-3590**

