United States
Environmental Protection
Agency

Office of Health and
Environmental Assessment
Washington DC 20460

EPA/600/9-85/035F
April 1986

Research and Development

EPA

A Bibliography For Lead

EPA/600/9-85/035F
April 1986

A Bibliography For Lead

Environmental Criteria and Assessment Office
Office of Health and Environmental Assessment
Office of Research and Development
U.S. Environmental Protection Agency
Research Triangle Park, N.C. 27711

DISCLAIMER

This document has been reviewed in accordance with U.S. Environmental Protection Agency policy and approved for publication. Mention of trade names or commercial products does not constitute endorsement or recommendation for use.

PREFACE

This bibliography is a by-product of the production of the U.S. Environmental Protection Agency's (1986) Air Quality Criteria for Lead by EPA's Environmental Criteria and Assessment Office at Research Triangle Park, North Carolina. Air quality criteria documents review and assess the available information regarding the relationship between concentrations of a pollutant in the ambient atmosphere and its effects on the public health and welfare. The documents provide the scientific basis for EPA's decisions concerning national standards for air quality.

Updating of EPA's original (1977) criteria document for lead began in 1981 with the compilation of relevant scientific articles, reports, and documents published since 1977. The process of collecting references for this bibiliography continued until September 1985 and was aided by periodic computer searches of literature databases and by reading or scanning of current literature.

It should be noted that the overlap between articles cited in the criteria document and those listed here is not 100 percent. Many more articles pertaining to lead were included in the bibliography than were suitable for the criteria document. Also, certain background literature used in the criteria document was omitted from the bibliography because it did not deal with lead per se. Virtually every item in this bibliography was actually obtained and examined to verify the accuracy of the information given here. Because of the lag in obtaining copies of some reports, coverage of the literature appearing in 1985 is less complete than for the years 1978-1984. A number of the more significant articles published prior to 1978 were also included.

Reflecting the criteria document's emphasis on the public health effects of lead, this bibliography focuses particularly on scientific literature dealing with lead's biomedical effects. Somewhat less, but still considerable, attention is given to ecological effects, atmospheric processes, environmental measurements, and other topics covered in the lead criteria document. Relatively little coverage is devoted to aspects of lead such as methods for controlling its release into the environment or the clinical treatment of lead-poisoned persons, because these topics fall outside the scope of the criteria document.

Although a separate document, Ambient Water Quality Criteria for Lead (U.S. Environmental Protection Agency, 1980), is concerned more specifically with lead in water, the overlap in coverage between the air quality and water quality criteria documents is considerable. This overlap is evident in the present bibliography, which includes scientific studies of lead's health effects without regard to the medium of exposure.

This bibliography is the result of the efforts and contributions of numerous individuals. Particular acknowledgement is owed to Sherry Stubbs of Systems Research and Development (SRD) Corporation, who handled most of the details of verifying and entering information into the bibliography. Deborah

Staves assisted in this effort, along with Gayle Webster, who did virtually all of the word processing. Mary Williamson and Mike Lesh, also of SRD, helped as well.

Various individuals with Northrop Services, Inc. (NSI) also played important roles in obtaining and filing the articles. Those individuals included Kathryn Flynn, Patricia Tierney, John Bennett, Tami Jones, Carolyn Stephens, and Barbara Best-Nichols. Monitoring SRD's and NSI's efforts for EPA on a day-to-day basis were Vandy Bradow and Douglas B. Fennell, the latter of whom also coordinated the computer searches and formulated the style and format conventions used in this bibliography.

Members of the Environmental Criteria and Assessment Office's scientific staff involved in the preparation of the revised Air Quality Criteria for Lead had primary responsibility for identifying articles, judging their relevance for inclusion here, and proof-reading the final product. Listed alphabetically, they were: J. Michael Davis, Ph.D., Robert W. Elias, Ph.D., Dennis J. Kotchmar, M.D., and David E. Weil, Ph.D. Finally, several contributors and reviewers for Air Quality Criteria for Lead indirectly assisted this effort by noting articles to be cited in the criteria document. Particular thanks goes to Paul Mushak, Ph.D., of the University of North Carolina School of Medicine, who reviewed the bibliograpy and suggested additional entries.

Aaseth, J. (1983) Recent advance in the therapy of metal poisonings with chelating agents. Hum. Toxicol. 2: 257-272.

Abbrecht, P.; Mouw, D.; Vander, A.; Kalitis, K. (1978) The effect of chronic, low-level lead poisoning on the erythropoietin response to hypoxia. Proc. Soc. Exp. Biol. Med. 158: 109-112.

Abbritti, G.; Perticoni, G. F.; Colangeli, C.; Curradi, F.; Cianchetti, C.; Siracusa, A.; Morucci, P. (1977) Piombo e neuropatia [Lead and neuropathy]. Med. Lav. 68: 412-430.

Abd-Elfattah, A.; Wada, K. (1981) Adsorption of lead, copper, zinc, cobalt, and cadmium by soils that differ in cation-exchange materials. J. Soil Sci. 32: 271-283.

Abd-Elraof, T. K.; Dauterman, W. C.; Mailman, R. B. (1981) In vivo metabolism and excretion of propoxur and malathion in the rat: effect of lead treatment. Toxicol. Appl. Pharmacol. 59: 324-330.

Abdulla, M. (1980) Effect of oral zinc intake on the biological effect of lead. Dev. Toxicol. Environ. Sci. 8: 599-602.

Abdulla, M.; Haeger-Aronsen, B.; Svensson, S. (1976) Effect of ethanol and zinc on ALA-dehydratase activity in red blood cells. Enzyme 21: 248-252.

Abdulla, M.; Svensson, S.; Haeger-Aronsen, B. (1979) Antagonistic effects of zinc and aluminum on lead inhibition of δ-aminolevulinic acid dehydratase. Arch. Environ. Health 34: 464-469.

Abdullah, M. I.; Royle, L. G. (1973) The occurrence of lead in natural waters. In: Barth, D.; Berlin, A.; Engel, R.; Recht, P.; Smeets, J., eds. Enviromental health aspects of lead: proceedings, international symposium; October 1972; Amsterdam, The Netherlands. Luxembourg: Commission of the European Communities; pp. 113-124.

Abraham, G. E. (1984) Nutrition and the premenstrual tension syndromes. J. Appl. Nutr. 36: 103-117.

Acebal, S. A.; Rebello, A. L. (1983) Studies on the anodic stripping voltammetry of lead in polluted estuarine waters. Anal. Chim. Acta 148: 71-78.

Acra, A.; Dajani, R.; Raffoul, Z.; Karahagopian, Y. (1981) Lead-glazed pottery: a potential health hazard in the Middle East. Lancet 1(8217): 433-434.

Adamiak-Ziemba, J.; Bolanowska, W. (1970) Proba oceny ekspozycji zawodowej na czteroetylek olowiu na podstawie jego stezen w powietrzu i stezen trojetylku olowiu w moczu [Occupational exposure to tetraethyl lead as estimated by tetraethyl lead concentration in air and triethyl lead concentration in urine]. Med. Pr. 21: 172-179.

Adams, J. G., III; Newman, M. V.; DeSimone, J.; Steinberg, M. H. (1977) The effect of lead on HbS and HbF synthesis in sickle cell anemia. Clin. Res. 25: 575A.

Adams, J.; Buelke-Sam, J. (1981) Behavioral assessment of the postnatal animal: testing and methods development. In: Kimmel, C. A.; Buelke-Sam, J., eds. Developmental toxicology. New York, NY: Raven Press; pp. 233-258.

Adams, J.; Kimmel, C. A.; Buelke-Sam, J.; Miller, D. R.; Nelson, C. J. (1982) Behavioral assessment of rats treated prenatally with low doses of d-amphetamine. I: Physical and early behavioral characteristics. Teratology 25: 26A.

Adams, L. W.; Geis, A. D. (1983) Effects of roads on small mammals. J. Appl. Ecol. 20: 403-415.

Adaudi, A. O.; Aliu, Y. O. (1980) Urinary delta-aminolevulinic acid (ALA) excretion in humans and cattle as an index of exposure to lead. Vet. Hum. Toxicol. 22: 403-405.

Adebonojo, F. O. (1974) Hematologic status of urban black children in Philadelphia: emphasis on the frequency of anemia and elevated blood lead levels. Clin. Pediatr. (Philadelphia) 13: 874-888.

Adeloju, S. B.; Bond, A. M.; Hughes, H. C. (1983) Determination of selenium, copper, lead and cadmium in biological materials by differential pulse stripping voltammetry. Anal. Chim. Acta 148: 59-69.

Adeloju, S. B.; Bond, A. M.; Noble, M. L. (1984) Evaluation of some dry ashing methods for anodic stripping voltammetric determination of cadmium and lead in biological materials. Anal. Chim. Acta 161: 303-314.

Adler, M. W.; Adler, C. H. (1977) Toxicity to heavy metals and relationship to seizure thresholds. Clin. Pharmacol. Ther. 22: 774-779.

Agerty, H. A. (1952) Lead poisoning in children. Med. Clin. North Am. 36: 1587-1597.

Aggarwal, A. L.; Patel, T. S.; Rayani, C. V.; Chatterjee, S. K. (1979) Biologic effects of airborne lead on occupationally exposed traffic policemen and permanent shopkeepers stationed at Ahmedabad City. Indian J. Med. Res. 70: 650-656.

Aggett, J.; Kjellström, T.; Crowe, D., eds. (1979) Proceedings of the second New Zealand seminar on trace elements and health; January; Auckland, New Zealand. Auckland, New Zealand: University of Auckland.

Agrawal, Y. K.; Patel, M. P.; Merh, S. S. (1981) Lead in soils and plants: its relationship to traffic volume and proximity to highway (Lalbag, Baroda City). Int. J. Environ. Stud. 16: 222-224.

Ahlberg, J.; Ramel, C.; Wachtmeister, C. A. (1972) Organolead compounds shown to be genetically active. Ambio 1: 29-31.

Ahlgren, L.; Haeger-Aronsen, B.; Mattson, S.; Schutz, A. (1980) In-vivo determination of lead in the skeleton after occupational exposure to lead. Br. J. Ind. Med. 37: 109-113.

Ahrland, S. (1966) Factors contributing to (b)-behaviour in acceptors. Struct. Bonding (Berlin) 1: 207-220.

Ahrland, S. (1968) Thermodynamics of complex formation between hard and soft acceptors and donors. Struct. Bonding (Berlin) 5: 118-149.

Ahrland, S. (1973) Thermodynamics of the stepwise formation of metal-ion complexes in aqueous solution. Struct. Bonding (Berlin) 15: 167-188.

Aitio, A.; Ahotupa, M.; Parkki, M. G. (1978) Inhibition of drug metabolizing enzymes by heavy metals in vitro. Biochem. Biophys. Res. Commun. 83: 850-856.

Aitio, A.; Ahotupa, M.; Parkki, M. G. (1980) Effect of metal salts on UDP-glucuronosyltransferase activity of various aglycones in rat liver microsomes in vitro. Eur. J. Drug Metab. Pharmacokinet. 5: 35-40.

Akland, G. G. (1976) Air quality data for metals, 1970 through 1974, from the National Air Surveillance Networks. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Research and Development; EPA report no. EPA 600/ 4-76-041. Available from: NTIS, Springfield, VA; PB-260905.

Al-Biaty, I. A.; Fritz, J. S. (1983) Concentration of metal ions by complexing with N-methylfurohydroxamic acid and sorption on XAD-4 resin. Anal. Chim. Acta 146: 191-200.

Al-Khayat, T. M. N.; Abdel Aziz, F. T. (1981) Some studies on the effects of ambilhar on mobilisation and excretion of lead. J. Clin. Chem. Clin. Biochem. 19: 21-23.

Al-Naimi, T.; Edmonds, M. I.; Fremlin, J. H. (1980) The distribution of lead in human teeth, using charged particle activation analysis. Phys. Med. Biol. 25: 719-726.

Alary, J.; Bourbon, P.; Esclassan, J.; Lepert, J.-C.; Vandaele, J.; Klein, F. (1983) Zinc, lead, molybdenum contamination in the vicinity of an electric steelworks and environmental response to pollution abatement by bag filter. Water Air Soil Pollut. 20: 137-145.

Albahary, C. (1972) Lead and hemopoiesis: the mechanism and consequences of the erythropathy of occupational lead poisoning. Am. J. Med. 52: 367-378.

Albahary, C.; Richet, G.; Guillaume, J.; Morel-Maroger, L. (1965) Le rein dans le saturnisme professionel [The kidney during occupational lead poisoning]. Arch. Mal. Prof. Med. Trav. Secur. Soc. 26: 5-19.

Albahary, C.; Truhant, R.; Boudene, C.; Desoille, H. (1961) Le dépistage de l'imprégnation saturnine par un test de mobilisation du plomb [A case study of lead uptake from a test for lead mobilization]. Presse Med. 69: 2121-2123.

Albasel, N.; Cottenie, A. (1985) Heavy metal contamination near major highways, industrial and urban areas in Belgian grassland. Water Air Soil Pollut. 24: 103-109.

Albert, R. E.; Shore, R. E.; Sayers, A. J.; Strehlow, C.; Kneip, T. J.; Pasternack, B. S.; Freidhoff, A. J.; Covan, F.; Cimino, J. A. (1974) Follow-up of children overexposed to lead. Environ. Health Perspect. 7: 33-39.

Alberts, J. J.; Giesy, J. P. (1983) Conditional stability constants of trace metals and naturally occurring humic materials: application in equilibrium models and verification with field data. In: Christman, R. F.; Gjessing, E. T. Aquatic and terrestrial humic materials: symposium; November 1981; Chapel Hill, NC. Woburn, MA: Butterworth; pp. 333-348.

Aldridge, W. N.; Street, B. W. (1984) The binding of triethyllead to rat and cat hemoglobin. Toxicol. Appl. Pharmacol. 73: 350-353.

Alessio, L.; Bertazzi, P. A.; Monelli, O.; Toffoletto, F. (1976) Free erythrocyte protoporphyrin as an indicator of the biological effect of lead in adult males. III. Behavior of free erythrocyte protoporphyrin in workers with past lead exposure. Int. Arch. Occup. Environ. Health 38: 77-86.

Alessio, L.; Bertazzi, P. A.; Monelli, O.; Foa, V. (1976) Free erythrocyte protoporphyrin as an indicator of the biological effect of lead in adult males. II. Comparison between free erythrocyte protoporphyrin and other indicators of effect. Int. Arch. Occup. Environ. Health 37: 89-105.

Alessio, L.; Castoldi, M. R.; Buratti, M.; Maroni, M.; Bertazzi, P. A. (1977) Behavior of some indicators of biological effect in female lead workers. Int. Arch. Occup. Environ. Health 40: 283-292.

Alessio, L.; Castoldi, M. R.; Buratti, M.; Calzaferri, G.; Odone, P.; Ivana, C. (1978) Confronto fra un metodo estrattivo ed un metodo a lettura diretta per la determinazione fluorimetrica della protoporfirina eritrocitaria [Comparison between an extraction and a direct reading method for the fluorimetric determination of erythrocyte protoporphyrin]. Med. Lav. 69: 563-575.

Alessio, L.; Castoldi, M. R.; Monelli, O.; Toffoletto, F.; Zocchetti, C. (1979) Indicators of internal dose in current and past exposure to lead. Int. Arch. Occup. Environ. Health 44: 127-132.

Alessio, L.; Castoldi, M. R.; Odone, P.; Franchini, I. (1981) Behavior of indicators of exposure and effect after cessation of occupational exposure to lead. Br. J. Ind. Med. 38: 262-267.

Alexander, F. W. (1982) Lead levels and abnormal births. Presented at: International symposium on low level lead exposure and its effect on human beings [under the auspices of Pura Foods and Clear Charitable Trust]; May; London, United Kingdom.

Alexander, F. W.; Delves, H. T. (1981) Blood lead levels during pregnancy. Int. Arch. Occup. Environ. Health 48: 35-39.

Alexander, F. W.; Delves, H. T.; Clayton, B. E. (1973) The uptake and excretion by children of lead and other contaminants. In: Barth, D.; Berlin, A.; Engel, R.; Recht, P.; Smeets, J., eds. Environmental health aspects of lead: proceedings, international symposium; October 1972; Amsterdam, The Netherlands. Luxembourg: Commission of the European Communities; pp. 319-331.

Alfano, D. P.; LeBoutillier, J. C.; Petit, T. L. (1982) Hippocampal mossy fiber pathway development in normal and postnatally lead-exposed rats. Exp. Neurol. 75: 308-319.

Alfano, D. P.; Petit, T. L. (1981) Behavioral effects of postnatal lead exposure: possible relationship to hippocampal dysfunction. Behav. Neural Biol. 32: 319-333.

Alfano, D. P.; Petit, T. L. (1982) Neonatal lead exposure alters the dendritic development of hippocampal dentate granule cells. Exp. Neurol. 75: 275-288.

Alfano, D. P.; Petit, T. L. (1985) Postnatal lead exposure and the cholinergic system. Physiol. Behav. 34: 449-455.

Alfano, D. P.; Petit, T. L.; LeBoutillier, J. C. (1983) Development and plasticity of the hippocampal-Cholinergic system in normal and early lead exposed rats. Dev. Brain Res. 10: 117-124.

Ali, A. R.; Smales, O. R. C.; Aslam, M. (1978) Surma and lead poisoning. Br. Med. J. 2(6142): 915-916.

Allain, P.; Mauras, Y. (1979) Micromethode de dosage du plomb et du cadmium dans le sang et l'urine par absorption atomique au four graphite [Microdetermination of lead and cadmium in blood and urine by graphite furnace atomic absorption spectrophotometry]. Clin. Chim. Acta 91: 41-46.

Allcroft, R. (1950) Lead as a nutritional hazard to farm livestock. IV: Distribution of lead in the tissues of bovines after ingestion of various lead compounds. J. Comp. Pathol. 60: 190-208.

Allen-Price, E. D. (1960) Uneven distribution of cancer in West Devon: with particular reference to the divers water-supplies. Lancet 1(7136): 1235-1238.

Allen, J. R.; McWey, P. J.; Suomi, S. J. (1974) Pathobiological and behavioral effects of lead intoxication in the infant rhesus monkey. Environ. Health Perspect. 7: 239-246.

Allen, J.; Bellinger, E. G.; Higgins, R. I. (1981) A full shift true breathing zone air sampler and its application to lead workers. Proc. Inst. Mech. Eng. 195: 325-328.

Alli, B. A. (1977) Lead poisoning in children. J. Natl. Med. Assoc. 69: 797-798.

Allinson, D. W.; Dzialo, C. (1981) The influence of lead, cadmium, and nickel on the growth of ryegrass and oats. Plant Soil 62: 81-89.

Alt, F.; Massman, H. (1978) Bestimmung von Blei in Blut mittels Atomabsorptions-spektrometrie [Determination of lead in blood by atomic absorption spectrometry]. Spectrochim. Acta 33: 337-342.

Alvares, A. P. (1978) Research review: interactions between environmental chemicals and drug biotransformation in man. Clin. Pharmacokinet. 3: 462-477.

Alvares, A. P.; Fischbein, A.; Sassa, S.; Anderson, K. E.; Kappas, A. (1976) Lead intoxication: effects on cytochrome P-450-mediated hepatic oxidations. Clin. Pharmacol. Ther. 19: 183-190.

Alvares, A. P.; Kapelner, S.; Sassa, S.; Kappas, A. (1975) Drug metabolism in normal children, lead-poisoned children, and normal adults. Clin. Pharmacol. Ther. 17: 179-183.

Alvares, A. P.; Kappas, A. (1979) Lead and polychlorinated biphenyls: effects on heme and drug metabolism. Drug Metab. Rev. 10: 91-106.

Alvares, A. P.; Leigh, S.; Cohn, J.; Kappas, A. (1972) Lead and methyl mercury: effects of acute exposure on cytochrome P-450 and the mixed function oxidase system in the liver. J. Exp. Med. 135: 1406-1409.

Alzona, J.; Cohen, B. L.; Rudolph, H.; Jow, H. N.; Frohliger, J. O. (1979) Indoor-outdoor relationships for airborne particulate matter of outdoor origin. Atmos. Environ. 13: 55-60.

Ambe, K. (1983) Anaemia of female workers handling organic solvent or lead. Yokohama Med. J. 34: 351-358.

American Public Health Association. (1955) Methods for determining lead in air and in biological materials. New York, NY: American Public Health Association.

American Society for Testing and Materials. (1975) Tentative method of test for lead in the atmosphere by colorimetric dithizone procedure: D 3112-72T. In: 1975 annual book of ASTM standards; part 26. gaseous fuels; coal and coke; atmospheric analysis. Philadelphia, PA: American Society for Testing and Materials; pp. 633-641.

Amore, C.; Castagna, A.; Currao, A.; Giuffrida, E.; Sarro, F.; Sinatra, F. (1983) Relationship between heavy metals and sediments in the southern Ionian continental shelf. Mar. Pollut. Bull. 14: 352-356.

Anagnostopoulos, A. (1983) Air lead and dust in Thessaloniki. In: Rutter, M.; Russell Jones, R., eds. Lead versus health: sources and effects of low level lead exposure. New York, NY: John Wiley and Sons; pp. 107-113.

Anand, J. K.; Felton, D. J. C.; Hackman, B. W.; Hughes-Nurse, J.; Skeet, B.; Toothill, C. (1982) Blood lead levels of neonates [letter]. Dev. Med. Child Neurol. 24: 89.

Anders, E.; Bagnell, C. R., Jr.; Krigman, M. R.; Mushak, P. (1982) Influence of dietary protein composition on lead absorption in rats. Bull. Environ. Contam. Toxicol. 28: 61-67.

Anders, E.; Dietz, D. D.; Bagnell, C. R., Jr.; Gaynor, J.; Krigman, M. R.; Ross, D. W.; Leander, J. D.; Mushak, P. (1982) Morphological, pharmacokinetic, and hematological studies of lead-exposed pigeons. Environ. Res. 28: 344-363.

Andersen, C.; Laursen, J. (1982) Distribution of heavy metals in Lumbricus terrestris, Aporrectodea longa and A. rosea measured by atomic absorption and X-ray fluorescence spectrometry. Pedobiologia 24: 347-356.

Andersen, J. R. (1985) Zeeman-corrected graphite furnace atomic-absorption spectrometric screening method for the determination of lead in infant formulas and powdered milks. Analyst (London) 110: 315-316.

Anderson, C. (1980) Lead and cadmium content in earthworms (Lumbricidae) from sewage sludge amended arable soil. In: Dindal, D. L., ed. Soil biology as related to land use practices: proceedings of the 7th international soil zoology colloquium of the International Society of Soil Science (ISSS); July-August; Syracuse, NY. Washington DC: U.S. Environmental Protection Agency; pp. 148-156; EPA report no. EPA-560/13-80-038. Available from: NTIS, Springfield, VA; PB81-155251.

Anderson, C.; Danylchuk, K. D. (1977) The effect of chronic low level lead intoxication on the Haversian remodeling system in dogs. Lab. Invest. 37: 466-469.

Anderson, C.; Danylchuk, K. D. (1979) Retardation of bone formation in dogs exposed to lead. In: Nielsen, S. W.; Migaki, G.; Scarpelli, D. G., eds. Animals as monitors of environmental pollutants: proceedings of a symposium; 1977; Storrs, CT. Washington, DC: National Academy of Sciences; p. 377.

Anderson, C.; Danylchuk, K. D. (1980) Haversian bone-remodelling rates in the beagle after cessation of exposure to chronic low doses of lead. J. Environ. Pathol. Toxicol. 3: 413-422.

Anderson, D. G.; Clark, J. L. (1974) Neighborhood screening in communities throughout the nation for children with elevated blood lead levels. Environ. Health Perspect. 7: 3-6.

Anderson, K. E.; Fishbein, A.; Kestenbaum, D.; Sassa, S.; Alvares, A. P.; Kappas, A. (1977) Plumbism from airborne lead in a firing range: an unusual exposure to a toxic heavy metal. Am. J. Med. 63: 306-312.

Anderson, O. (1983) Effects of coal combustion products and metal compounds on sister chromatid exchange (SCE) in a macrophagelike cell line. Environ. Health Perspect. 47: 239-253.

Anderson, R. G.; Brown, B. C. (1981) The determination of lead in mosses by means of its catalytic effect on the persulphate oxidation of pyrogallol red. Talanta 28: 365-368.

Anderson, R. J.; Davies, B. E. (1980) Dental caries prevalence and trace elements in soil, with special reference to lead. J. Geol. Soc. London 137: 547-558.

Anderson, R. J.; Davies, B. E.; Nunn, J. H.; James, P. M. C. (1979) The dental health of children from five villages in north Somerset with reference to environmental cadmium and lead. Br. Dent. J. 147: 159-161.

Anderson, R. L.; Walbridge, C. T.; Fiandt, J. T. (1980) Survival and growth of Tanytarsus dissimilis (chironomidae) exposed to copper, cadmium, zinc, and lead. Arch. Environ. Contam. Toxicol. 9: 329-335.

Anderson, R. V. (1977) Concentration of cadmium, copper, lead, and zinc in six species of freshwater clams. Bull. Environ. Contam. Toxicol. 18: 492-496.

Anderson, R. V. (1978) The effects of lead on oxygen uptake in the crayfish, Orconectes virilis (Hagen). Bull. Environ. Contam. Toxicol. 20: 394-400.

Anderson, W. J.; Patrick, G. (1981) Lead induced vascular lesions in the central nervous system of the rat. Anat. Rec. 199: 11A.

Anderson-Bledsoe, K. L.; Scanlon, P. F. (1983) Heavy metal concentrations in tissues of Virginia river otters. Bull. Environ. Contam. Toxicol. 30: 442-447.

Andersson, K.; Nilsson, C.-A.; Nygren, O. (1984) A new method for the analysis of tetramethyllead in blood. Scand. J. Work Environ. Health 10: 51-55.

Andren, A. W.; Lindberg, S. E.; Bate, L. C. (1975) Atmospheric input and geochemical cycling of selected trace elements in Walker Branch watershed. Oak Ridge, TN: Oak Ridge National Laboratory, Environmental Sciences Division; ORNL publication no. 728. Available from: NTIS, Springfield, VA; ORNL/NSF/EATC-13.

Andresen, A. M.; Johnson, A. H.; Siccama, T. G. (1980) Levels of lead, copper, and zinc in the forest floor in the northeastern United States. J. Environ. Qual. 9: 293-296.

Angell N. F. (1978) Operant behavior of rats exposed before or after weaning to low levels of lead [dissertation]. Rochester, NY: University of Rochester. Available from: NTIS, Springfield, VA; UR-34901533.

Angell, N. F.; Lavery, J. P. (1982) The relationship of blood lead levels to obstetric outcome. Am. J. Obstet. Gynecol. 142: 40-46.

Angell, N. F.; Weiss, B. (1982) Operant behavior of rats exposed to lead before or after weaning. Toxicol. Appl. Pharmacol. 63: 62-71.

Angle, C. R.; Marcus, A.; Cheng, I.-H.; McIntire, M. S. (1984) Omaha childhood blood lead and environmental lead: a linear total exposure model. Environ. Res. 35: 160-170.

Angle, C. R.; McIntire, M. S. (1964) Lead poisoning during pregnancy: fetal tolerance of calcium disodium edetate. Am. J. Dis. Child. 108: 436-439.

Angle, C. R.; McIntire, M. S. (1977) Environmental controls and the decline of blood lead. Pediatr. Res. 10: 345.

Angle, C. R.; McIntire, M. S. (1977) Is busing good for your blood lead? Presented at: 2nd annual French-American congress on clinical and analytical toxicology; August; St. Adele, Canada. Washington, DC: National Institute of Environmental Health Sciences.

Angle, C. R.; McIntire, M. S. (1977) Lead, mercury and cadmium toxicity in children. Paediatrician 6: 204-225.

Angle, C. R.; McIntire, M. S. (1978) Increase in blood and tissue lead of anemic rats. Clin. Toxicol. 12: 601-602.

Angle, C. R.; McIntire, M. S. (1978) Low level lead and inhibition of erythrocyte pyrimidine nucleotidase. Environ. Res. 17: 296-302.

Angle, C. R.; McIntire, M. S. (1979) Environmental lead and children: the Omaha study. J. Toxicol. Environ. Health 5: 855-870.

Angle, C. R.; McIntire, M. S. (1980) Childhood lead poisoning, inhibition of pyrimidine 5'-nucleotidase (P5N) and accumulation of pyrimidine nucleotides (PyN). Pediatr. Res. 14: 530.

Angle, C. R.; McIntire, M. S. (1982) Children, the barometer of environmental lead. Adv. Pediatr. 27: 3-31.

Angle, C. R.; McIntire, M. S.; Brunk, G. (1977) Effect of anemia on blood and tissue lead in rats. J. Toxicol. Environ. Health 3: 557-563.

Angle, C. R.; McIntire, M. S.; Colucci, A. V. (1974) Lead in air, dustfall, soil, housedust, milk and water: correlation with blood lead of urban and suburban school children. In: Hemphill, D. D., ed. Trace substances in environmental health - VIII: [proceedings of University of Missouri's 8th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 23-29.

Angle, C. R.; McIntire, M. S.; Swanson, M. S.; Stohs, S. J. (1982) Erythrocyte nucleotides in children - increased blood lead and cytidine triphosphate. Pediatr. Res. 16: 331-334.

Angle, C. R.; Schwartz, J.; Pirkle, J. L.; Pitcher, H. (1985) Blood lead levels and stature in the NHANES II survey. Pediatr. Res. 19: 195A.

Angle, C. R.; Stohs, S. J.; Cook, L. R.; Mitchell, M. S. (1985) Erythrocyte pyrimidine 5' nucleotidase isoenzymes in congenital deficiency and in lead exposure. Pediatr. Res. 19: 257A.

Angle, C. R.; Stohs, S. J.; McIntire, M. S.; Swanson, M. S.; Rovang, K. S. (1980) Lead-induced accumulation of erythrocyte pyrimidine nucleotides in the rabbit. Toxicol. Appl. Pharmacol. 54: 161-167.

Anid, P.; Delcarte, E.; Impens, R. (1983) Heavy metals transfer from town refuse compost to plants. In: International conference: heavy metals in the environment; September; Heidelberg, West Germany. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 653-656.

Anke, M.; Klinger, G.; Grün, M.; Krause, G. (1980) Die Spurenelementaufnahme und der Einfluss hormonaler Kontrazeptiva auf den Spurenelemementgehalt von Stuhl und Urin [Trace element intake and the influence of hormonal contraceptives on the trace element content of feces and urine]. Dtsch. Gesundheitswes. 35: 1967-1972.

Anku, V. D.; Harris, J. W. (1974) Peripheral neuropathy and lead poisoning in a child with sickle-cell anemia. J. Pediatr. (St. Louis) 85: 337-340.

Annest, J. L. (1983) Trends in the blood lead levels of the U.S. population: the second National Health and Nutrition Examination Survey (NHANES II) 1976-1980. In: Rutter, M.; Russell Jones, R., eds. Lead versus health: sources and effects of low level lead exposure. New York, NY: John Wiley and Sons; pp. 33-58.

Annest, J. L.; Mahaffey, K. (1984) Blood lead levels for persons ages 6 months-74 years: United States, 1976-80. Hyattsville, MD: U.S. Department of Health and Human Services, National Center for Health Statistics; DHHS pub. no. (PHS) 84-1683. (Vital and health statistics: series 11, no. 233). Available from: GPO, Washington, DC; S/N 017-022-00846-7.

Annest, J. L.; Mahaffey, K. R.; Cox, D. H.; Roberts, J. (1982) Blood lead levels for persons 6 months-74 years of age: United States, 1976-80. Hyattsville, MD: U.S. Department of Health and Human Services; DHHS publ no. (PHS) 82-1250. (Advance data from vital and health statistics of the National Center for Health Statistics: no. 79).

Annest, J. L.; O'Connell, D.; Roberts, J.; Murphy, R. S. (1981) Blood lead levels from the Second National Health and Nutrition Survey, 1976-1980. Presented at the American Public Health Association meeting: silver anniversary of the National Health Survey Act contributed papers session; November.

Annest, J. L.; Pirkle, J. L.; Makuc, D.; Neese, J. W.; Bayse, D. D.; Kovar, M. G. (1983) Chronological trend in blood lead levels between 1976 and 1980. N. Engl. J. Med. 308: 1373-1377.

Aono, H.; Araki, S. (1984) The effects of CaEDTA injection on lead, zinc, copper and ALAD in erythrocyte, plasma and urine in lead-exposed workers: a 24-h observation. Int. Arch. Occup. Environ. Health 55: 13-18.

Anonymous. (1961) Bericht der Eidg. Bleibenzin-Kommission an den Bundesrat über ihre Tätigkeit im Zeitraum 1947-1960 [Report of the Swiss leaded gasoline commission to the Federal Council on its activities during the period 1947-1960]. Mitt Geb. Lebensmittelunters. Hyg. (Bern) 52: 135-165.

Anonymous. (1966) Nephropathy in chronic lead poisoning [editorial]. J. Am. Med. Assoc. 197: 722.

Anonymous. (1978) Acute renal failure in lead poisoning. Lancet 2(8081): 140.

Anonymous. (1978) Calcium and vitamin D intake of lead-burdened children. Nutr. Rev. 36: 212-213.

Anonymous. (1978) Interactions of lead poisoning and vitamin E deficiency. Nutr. Rev. 36: 156-158.

Anonymous. (1978) Lead and mental handicap. Lancet 1(8060): 365-367.

Anonymous. (1978) Lead and motor neurone disease. Br. Med. J. 2(6133): 308.

Anonymous. (1978) Lead biopsies of human teeth. Nutr. Rev. 36: 144-145.

Anonymous. (1979) Lead and cadmium may leach from drinking glass decorations. J. Am. Med. Assoc. 241: 544.

Anonymous. (1981) Children, gardens ... and lead! Mother Earth News 70: 38-41.

Anonymous. (1981) Effects of lead on glutathione metabolism. Nutr. Rev. 39: 378-379.

Anonymous. (1981) Metabolism of vitamin D in lead poisoning. Nutr. Rev. 39: 372-373.

Anonymous. (1981) Nutritional influences on lead absorption in man. Nutr. Rev. 39: 363-365.

Anonymous. (1982) Lead in petrol and elsewhere. Lancet 1(8285): 1337-1338.

Anonymous. (1982) Lead in petrol. Br. Med. J. 284(6315): 529.

Anonymous. (1983) How much will it all cost [letter]? Nature (London) 302: 643.

Anonymous. (1983) Lead pollution: British government goes for lead-free gasoline [letter]. Nature (London) 302: 643.

Anonymous. (1983) Lead report brings new alarm over petrol. New Sci. 97: 291.

Anonymous. (1984) Treatment of lead poisoning in children. Lancet 8389: 1278-1279.

Anthony, R. G.; Kozlowski, R. (1982) Heavy metals in tissues of small mammals inhabiting waste-water-irrigated habitats. J. Environ. Qual. 11: 20-22.

Antonovics, J.; Bradshaw, A. D.; Turner, R. G. (1971) Heavy metal tolerance in plants. Adv. Ecol. Res. (London) 7: 185.

Appleby, P. G.; Oldfield, F. (1983) The assessment of ^{210}Pb data from sites with varying sediment accumulation rates. Hydrobiologia 103: 29-35.

Applied Geochemistry Research Group. (1978) The Wolfson geochemical atlas of England and Wales. Oxford, United Kingdom: Clarendon Press.

Arai, F.; Yamamura, Y.; Yoshida, M. (1981) Excretion of triethyl lead, diethyl lead and inorganic lead after injection of tetraethyl lead in rabbits. Sangyo Igaku 23: 496-504.

Araki, S. (1973) On the behaviour of "active deposit of lead (Teisinger)" in the Japanese free from occupational exposure to lead. Ind. Health 11: 203-224.

Araki, S. (1978) The effects of water restriction and water loading on urinary excretion of lead, δ-aminolevulinic acid and coproporphyrin. Br. J. Ind. Med. 35: 312-317.

Araki, S.; Aono, H.; Fukahori, M.; Tabuki, K. (1984) Behavior of lead and zinc in plasma, erythrocytes, and urine and ALAD in erythrocytes following intravenous infusion of CaEDTA in lead workers. Arch. Environ. Health 39: 363-367.

Araki, S.; Honma, T. (1976) Relationships between lead absorption and peripheral nerve conduction velocities in lead workers. Scand. J. Work. Environ. Health 4: 225-231.

Araki, S.; Honma, T.; Yanagihara, S.; Ushio, K. (1980) Recovery of slowed nerve conduction velocity in lead-exposed workers. Int. Arch. Occup. Environ. Health 46: 151-157.

Araki, S.; Murata, K.; Aono, H.; Yanagihara, S.; Ushio, K. (1983) A comparison of the diminution rates of lead in blood and lead mobilized by CaEDTA after termination of occupational exposure: a long-term observation in two lead workers. J. Toxicol. Clin. Toxicol. 20: 475-486.

Araki, S.; Murata, K.; Ushio, K.; Sakai, R. (1983) Dose-response relationship between tobacco consumption and melanin pigmentation in the attached gingiva. Arch. Environ. Health 38: 375-378.

Araki, S.; Murata, K.; Yanagihara, S.; Ushio, K. (1982) High medical consultation rates of lead workers after industrial dispute over lead effects. Int. Arch. Environ. Health 49: 241-250.

Araki, S.; Ushio, K. (1982) Assessment of the body burden of chelatable lead: a model and its application to lead workers. Br. J. Ind. Med. 39: 157-160.

Aranyi, C. (1981) Effect of industrial particulate samples on alveolar macrophages. Research Triangle Park, NC: U.S. Environmental Protection Agency, Health Effects Research Laboratory; EPA report no. EPA-600/1-81-003. Available from: NTIS, Springfield, VA; PB81-150963.

Archer, A.; Giltrow, J. P.; Waldron, H. A. (1980) Blood lead concentrations in pre-school children in Birmingham. J. R. Soc. Med. 73: 328-332.

Argonne National Laboratory. (1980) Health and environmental effects document for batteries: 1980. Argonne, IL: U.S. Department of Energy, Argonne National Laboratory. Available from: NTIS, Springfield, VA; ANL/ES-105.

Arizono, K.; Ito, T.; Ariyoshi, T. (1984) Studies on lead-induced zinc-thionein in adrenalectomized rats. Eisei Kagaku 30: 384-389.

Arlauskas, A.; Baker, R. S. U.; Bonin, A. M.; Tandon, R. K.; Crisp, P. T.; Ellis, J. (1985) Mutagenicity of metal ions in bacteria. Environ. Res. 36: 379-388.

Arnvig, E.; Grandjean, P.; Beckmann, J. (1980) Neurotoxic effects of heavy lead exposure determined with psychological tests. Toxicol. Lett. 5: 399-404.

Arvik, J. H.; Zimdahl, R. L. (1974) Barriers to the foliar uptake of lead. J. Environ. Qual. 3: 369-373.

Arvik, J. H.; Zimdahl, R. L. (1974) The influence of temperature, pH, and metabolic inhibitors on uptake of lead by plant roots. J. Environ. Qual. 3: 374-376.

Aseni, P.; Bossa, R.; Galatulas, I.; Perrone, G. (1979) Lead effect on blood coagulation: interaction with calcium. IRCS Med. Sci. 7: 235.

Ash, C. P. J.; Lee, D. L. (1980) Lead, cadmium, copper and iron in earthworms from roadside sites. Environ. Pollut. Ser. A 22: 59-67.

Ashby, J. A. S. (1980) A neurological and biochemical study of early lead poisoning. Br. J. Ind. Med. 37: 133-140.

Ashford, N. A.; Gecht, R. D., Hattis, D. B.; Katz, J. I. (1977) The effects of OSHA medical removal protection on labor costs of selected lead industries. Cambridge, MA: Massachusetts Institute of Technology, Center for Policy Alternatives; CPA report no. CPA-77/11. Available from: NTIS, Springfield, VA; PB-278653.

Ashraf, M. H.; Fosmire, G. J. (1985) Effects of marginal zinc deficiency on subclinical lead toxicity in the rat neonate. J. Nutr. 115: 334-346.

Aslam, M.; Healy, M. A.; Fernando, N. P. (1982) Pathogenesis and treatment of neonatal lead-induced convulsions. In: Hemphill, D. D., ed. Trace substances in environmental health-XVI: [proceedings of University of Missouri's 16th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 311-316.

Asogwa, S. E. (1979) Blood lead concentrations in road-side battery chargers in Nigeria. Arh. Hig. Rada Toksikol. 30: 157-162.

Asokan, S. K. (1974) Experimental lead cardiomyopathy: myocardial structural changes in rats given small amounts of lead. J. Lab. Clin. Med. 84: 20-25.

Atchison, W. D.; Narahashi, T. (1984) Mechanism of action of lead on neuromuscular junctions. Neurotoxicology 5: 267-282.

Aten, C. F.; Bourke, J. B.; Martini, J. H.; Walton, J. C. (1980) Arsenic and lead in an orchard environment. Bull. Environ. Contam. Toxicol. 24: 108-115.

Atkins, D. P.; Trueman, I. C.; Clarke, C. B.; Bradshaw, A. D. (1982) The evolution of lead tolerance by Festuca rubra on a motorway verge. Environ. Pollut. Ser. A 27: 233-241.

Atkins, P. R. (1969) Lead in a suburban environment. J. Air Pollut. Control Assoc. 19: 591-594.

Atkins, P. R.; Kruger, P. (1968) The natural removal of lead pollutants from a suburban atmosphere. Stanford, CA: Stanford University, Department of Civil Engineering; technical report no. 98. Available from: NTIS, Springfield, VA; PB-260100.

Attenburrow, A. A.; Campbell, S.; Logan, R. W.; Goel, K. M. (1980) Surma and blood lead levels in Asian children in Glasgow. Lancet 1(8163): 323.

Aub, J. C.; Fairhall, L. T.; Minot, A. S.; Reznikoff, P.; Hamilton, A. (1926) Lead poisoning. Baltimore, MD: The Williams and Wilkins Company. (Medicine monographs: v. 7).

Aub, J. C.; Reznikoff, P. (1924) Lead studies. III: The effects of lead in red blood cells. Part 3: a chemical explanation of the reaction of lead with red blood cells. J. Exp. Med. 40: 189-208.

Audesirk, G.; Audesirk, T. (1983) Effects of chronic low level lead exposure on the physiology of individually identifiable neurons. Neurotoxicology 4: 13-25.

Audesirk, G.; Audesirk, T. (1984) Chronic lead exposure reduces junctional resistance at an electrical synapse. Neurotoxicology 5: 1-7.

Auermann, E.; Bortitz, S. (1977) Verunreinigung von pflanzlichen Lebensmitteln durch bleihaltigen Strassenstaub [Impurities in plant foodstuffs caused by road dust containing lead]. Nahrung 21: 793-797.

Aufderheide, A. C.; Angel, J. L.; Kelley, J. O.; Outlaw, A. C.; Outlaw, M. A.; Rapp, G., Jr.; Wittmers, L. E., Jr. (1985) Lead in bone III. prediction of social correlates from skeletal lead content in four colonial American populations (Catoctin Furnace, College Landing, Governor's Land, and Irene Mound). Am. J. Phys. Anthro. 66: 353-361.

Aufderheide, A. C.; Neiman, F. D.; Wittmers, L. E., Jr.; Rapp, G. (1981) Lead in bone. II: Skeletal-lead content as an indicator of lifetime lead ingestion and the social correlates in an archaeological population. Am. J. Phys. Anthro. 55: 285-291.

Aungst, B. J.; Dolce, J. A.; Fung, H. (1981) The effect of dose on the disposition of lead in rats after intravenous and oral administration. Toxicol. Appl. Pharmacol. 61: 48-57.

Aungst, B. J.; Fung, H. (1981) Intestinal lead absorption in rats: effects of circadian rhythm, food, undernourishment, and drugs which alter gastric emptying and GI motility. Res. Commun. Chem. Pathol. Pharmacol. 34: 515-530.

Aungst, B. J.; Fung, H. (1981) Kinetic characterization of in vitro lead transport across the rat small intestine. Toxicol. Appl. Pharmacol. 61: 39-47.

Aungst, B. J.; Fung, H.-L. (1983) Inhibition of oral lead absorption in rats by phosphate-containing products. J. Pharm. Sci. 72: 345-348.

Aurand, K.; Drews, M.; Seifert, B. (1983) A passive sampler for the determination of the heavy metal burden of indoor environments. Environ. Technol. Lett. 4: 433-440.

Averill, D. R., Jr.; Needleman, H. L. (1980) Neonatal lead exposure retards cortical synaptogenesis in the rat. In: Needleman, H. L., ed. Low level lead exposure: the clinical implications of current research. New York, NY: Raven Press; pp. 201-210.

Avery, D. D.; Cross, H. A.; Schroeder, T. (1974) The effects of tetraethyl lead on behavior in the rat. Pharmacol. Biochem. Behav. 2: 473-479.

Aviv, A.; John, E.; Bernstein, J.; Goldsmith, D. I.; Spitzer, A. (1980) Lead intoxication during development: its late effects on kidney function and blood pressure. Kidney Int. 17: 430-437.

Awad, L.; Huel, G.; Lazar, P.; Boudene, C. (1981) Facteurs de variation interindividuelle de la plombémie [Factors of interindividual variations of blood lead levels]. Rev. Epidemiol. Sante Publique 29: 113-124.

Azar, A.; Snee, R. D.; Habibi, K. (1975) An epidemiologic approach to community air lead exposure using personal air samplers. In: Griffin, T. B.; Knelson, J. H., eds. Lead. Stuttgart, West Germany: Georg Thieme Publishers; pp. 254-290. (Coulston, F.; Korte, F., eds. Environmental quality and safety: supplement v. 2).

Azar, A.; Trochimowicz, H. J.; Maxfield, M. E. (1973) Review of lead studies in animals carried out at Haskell Laboratory: two year feeding study and response to hemmorhage study. In: Barth, D.; Berlin, A.; Engel, R.; Recht, P.; Smeets, J., eds. Environmental health aspects of lead: proceedings, international symposium; October 1972; Amsterdam, The Netherlands. Luxembourg: Commission of the European Communities; pp. 199-210.

Aziz-Alrahman, A. M.; Al-Hajjaji, M. A.; Al-Zamil, I. Z. (1983) Determination of lead and cadmium in soils by atomic absorption spectrophotometry after solvent extraction as iodide complexes. Int. J. Environ. Anal. Chem. 15: 9-18.

Aznárez, J.; Palacios, F.; Vidal, J. C.; Galbán (1984) Extraction - atomic-absorption spectrophotometric determination of lead by hydride generation in non-aqueous media. Analyst (London) 109: 713-715.

Babich, H.; Bewley, R. J. F.; Stotzky, G. (1983) Application of the "ecological dose" concept to the impact of heavy metals on some microbe-mediated ecologic processes in soil. Arch. Environ. Contam. Toxicol. 12: 421-426.

Babich, H.; Davis, D. L. (1981) Food tolerances and action levels: do they adequately protect children? Bioscience 31: 429-438.

Babich, H.; Stotzky, G. (1979) Abiotic factors affecting the toxicity of lead to fungi. Appl. Environ. Microbiol. 38: 506-513.

Babich, H.; Stotzky, G. (1985) Heavy metal toxicity to microbe-mediated ecologic processes: a review and potential application to regulatory policies. Environ. Res. 36: 111-137.

Babish, J. G.; Stoewsand, G. S.; Furr, A. K.; Parkinson, T. F.; Bache, C. A.; Gutenmann, W. H.; Wszolek, P. C.; Lisk, D. J. (1979) Elemental and polychlorinated biphenyl content of tissues and intestinal aryl hydrocarbon hydroxylase activity of guinea pigs fed cabbage grown on municipal sewage sludge. J. Agric. Food Chem. 27: 399-402.

Back, H. (1983) Interactions, uptake and distribution of barium, cadmium, lead and zinc in tubificid worms (Annelida Oligochaeta). In: International conference: heavy metals in the environment; September; Heidelberg, West Germany. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 370-373.

Bade, V.; Huber, F. (1970) Reaktionen von Organometallverbindungen. IV: Über den Einfluss der organischen Liganden und des Zentralatoms auf die Geschwindigkeit der Acidolyse von Tetraorganoplumbanen und Tetraorganostannanen [Reactions of organometallic compounds. IV: The influence of the organic ligand and the central atom on the speed of acidolysis of organolead compounds and analogous tin compounds]. J. Organometal. Chem. 24: 387-397.

Badri, M. A.; Aston, S. R. (1983) Observations on heavy metal geochemical associations in polluted and non-polluted estuarine sediments. Environ. Pollut. Ser. B 6: 181-193.

Baes, C. F., III; Ragsdale, H. L. (1981) Age-specific lead distribution in xylem rings of three tree genera in Atlanta, Georgia. Environ. Pollut. Ser. B 2: 21-35.

Baetjer, A. M. (1950) Pulmonary carcinoma in chromate workers. I: A review of the literature and report of cases. Arch. Ind. Hyg. Occup. Med. 2: 487-504.

Baghurst, P.; Oldfield, R.; Wigg, N.; McMichael, A.; Robertson, E.; Vimpani, G. (1985) Some characteristics and correlates of blood lead in early childhood: preliminary results from the Port Pirie study. In: Bornschein, R. L.; Rabinowitz, M. B., eds. The second international conference on prospective studies of lead; April 1984; Cincinnati, OH. Environ. Res. 38: 24-30.

Bagliano, G.; Benischek, F.; Huber, I. (1981) A rapid and simple method for the determination of trace metals in hair samples by atomic absorption spectrometry. Anal. Chim. Acta 123: 45-56.

Baham, J.; Sposito, G. (1983) Chemistry of water-soluble, metal-complexing ligands extracted from an anaerobically-digested sewage sludge. J. Environ. Qual. 12: 96-100.

Baier, R. W. (1977) Lead distribution in the Cape Fear River estuary. J. Environ. Qual. 6: 205-210.

Baier, R. W.; Healy, M. L. (1977) Partitioning and transport of lead in Lake Washington. J. Environ. Qual. 6: 291-296.

Bailey, R. J.; Russell, P. F. (1981) Predicting drinking water lead levels. Environ. Technol. Lett. 2: 57-66.

Baily, P.; Norval, E.; Kilroe-Smith, T. A.; Skikne, M. I.; Röllin, H. B. (1978) The application of metal-coated graphite tubes to the determination of trace metals in biological materials: 1. the determination of lead in blood using a tungsten-coated graphite tube. Microchem. J. 24: 107-116.

Baker, A. A.; Headridge, J. B. (1981) Determination of bismuth, lead and tellurium in copper by atomic absorption spectrometry with introduction of solid samples into an induction furnace. Anal. Chim. Acta 125: 93-99.

Baker, E. L.; Feldman, R. G.; White, R. A.; Harley, J. P.; Niles, C. A.; Dinse, G. E.; Berkey, C. S. (1984) Occupational lead neurotoxicity: a behavioural and electrophysiological evaluation: study design and year one results. Br. J. Ind. Med. 41: 352-361.

Baker, E. L.; Feldman, R. G.; White, R. F.; Harley, J. P. (1983) The role of occupational lead exposure in the genesis of psychiatric and behavioral disturbances. Acta Psychiatr. Scand. Suppl. 67: 38-48.

Baker, E. L.; Goyer, R. A.; Fowler, B. A.; Khettry, U.; Bernard, D. B.; Adler, S.; White, R. D.; Babayan, R.; Feldman, R. G. (1980) Occupational lead exposure, nephropathy, and renal cancer. Am. J. Ind. Med. 1: 139-148.

Baker, E. L., Jr.; Folland, D. S.; Taylor, T. A.; Frank, M.; Peterson, W.; Lovejoy, G.; Cox, D.; Housworth, J.; Landrigan, P. J. (1977) Lead poisoning in children of lead workers: house contamination with industrial dust. N. Engl. J. Med. 296: 260-261.

Baker, E. L., Jr.; Hayes, C. G.; Landrigan, P. J.; Handke, J. L.; Leger, R. T.; Housworth, W. J.; Harrington, J. M. (1977) A nationwide survey of heavy metal absorption in children living near primary copper, lead, and zinc smelters. Am. J. Epidemiol. 106: 261-273.

Baker, E. L., Jr.; Landrigan, P. J.; Barbour, A. G.; Cox, D. H.; Folland, D. S.; Ligo, R. N.; Throckmorton, J. (1979) Occupational lead poisoning in the United States: clinical and biochemical findings related to blood lead levels. Br. J. Ind. Med. 36: 314-322.

Baker, M. D.; Johnston, J. R.; Maclatchy, A. E.; Bezuidenhout, B. N. (1981) The relationship of serum uric acid to subclinical blood lead. Rheumatol. Rehab. 20: 208-210.

Baker, M. D.; Mayfield, C. I.; Inniss, W. E.; Wong, P. T. S. (1983) Toxicity of pH, heavy metals and bisulfite to a freshwater green alga. Chemosphere 12: 35-44.

Baksi, S. N.; Hughes, M. J. (1981) Regional alterations of brain catecholamines by lead ingestion in rats: influence of dietary calcium. In: 65th annual meeting of the Federation of American Societies for Experimental Biology; April; Atlanta, GA. Fed. Proc. Fed. Am. Soc. Exp. Biol. 40: 258.

Baksi, S. N.; Hughes, M. J. (1983) Effects of chronic lead ingestion by the weanling rat on adrenal catecholamine levels. J. Auton. Nerv. Syst. 8: 287-289.

Baksi, S. N.; Kenny, A. D. (1978) Effect of lead ingestion on vitamin D_3 metabolism in Japanese quail. Res. Commun. Chem. Pathol. Pharmacol. 21: 375-378.

Baksi, S. N.; Kenny, A. D. (1979) Vitamin D metabolism in Japanese quail: effects of lead exposure and dietary calcium. Toxicol. Appl. Pharmacol. 51: 489-495.

Balamut, R.; Doran, D.; Giridhar, G.; Mitchell, D.; Soule, S. (1982) Systematic error between erythrocyte protoporphyrin in proficiency test samples and patients' samples as measured with two hematofluorometers. Clin. Chem. (Winston-Salem, NC) 28: 2421-2422.

Baldwin, R. W.; Cunningham. G. J.; Pratt, D. (1964) Carcinogenic action of motor engine oil additives. Br. J. Cancer 18: 503-507.

Ball, D. J. (1984) Environmental implications of increasing particulate emissions resulting from diesel engine penetration of the European automotive market. Sci. Total Environ. 33: 15-30.

Ball, G. V.; Sorensen, L. B. (1969) Pathogenesis of hyperuricemia in saturnine gout. N. Engl. J. Med. 280: 1199-1202.

Ballesteros, G. M.; Zúñiga-Charles, M. A.; Sánchez-Anzaldo, F. J. (1979) Correlacion entre hemoglobina y acido delta-aminolevulinico urinario en sujetos expuestos a plomo [Correlation of urinary hemoglobin and delta-aminolevulinic acid in adult males exposed to lead]. Rev. Invest. Clin. 31: 245-249.

Baló, J.; Bajtai, A.; Szende, B. (1965) Chronicus ólomphosphat kezeléssel létrehozott kiserletes veseadenomak [Experimental adenomas of the kidney produced by chronic administration of lead phosphate]. Magyar Onkol. 9: 144-151.

Baloh, R. W. (1974) Laboratory diagnosis of increased lead absorption. Arch. Environ. Health 28: 198-208.

Baloh, R. W.; Spivey, G. H.; Brown, C. P.; Campion, D. S.; Valentine, J. L.; Gonik, H. C. (1979) Neurologic function in lead workers. Clin. Res. 27: 52A.

Baloh, R. W.; Spivey, G. H.; Brown, C. P.; Morgan, D.; Campion, D. S.; Browdy, B. L.; Valentine, J. L.; Gonik, H. C.; Massey, F. J., Jr.; Culver, B. D. (1979) Subclinical effects of chronic increased lead absorption--a prospective study. II. Results of baseline neurologic testing. J. Occup. Med. 21: 490-496.

Baloh, R.; Sturm, R.; Green, B.; Gleser, G. (1975) Neuropsychological effects of chronic asymptomatic increased lead absorption: a controlled study. Arch. Neurol. 32: 326-330.

Balter, N. J.; Matarazzo, W. J.; Gallagher, K.; Monos, D.; Strasburg, S.; Gray, I. (1980) Modulation of human lymphocyte transformation by cadmium and lead. In: Hemphill, D. D., ed. Trace substances in environmental health-XIV: [proceedings of University of Missouri's 14th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 167-174.

Banásová, V. (1981) Dislokation von Schwermetalle neben der Autobahn Bratislava-Malacky. I. Pb, Cd und Zn-Gehalt des Bodens [Dislocation of heavy metals along the highway Bratislava-Malacky. I. Pb, Cd and Zn content in the soil]. Biologia (Bratislava) 36: 57-67.

Bander, L. K.; Morgan, K. J.; Zabik, M. E. (1983) Dietary lead intake of preschool children. Am. J. Public Health 73: 789-794.

Bansal, S. K.; Murthy, R. C.; Chandra, S. V. (1983) Effects of certain mono-, di- and trivalent metal cations on the K^+-stimulated p-nitrophenyl phosphatase in rat brain. Acta Pharmacol. Toxicol. 53: 333-336.

Bansal, S. K.; Murthy, R. C.; Chandra, S. V. (1985) The effects of some divalent metals on cardiac and brachial Ca^{2+}-ATPase in a freshwater fish Saccobranchus fossilis. 9: 373-377.

Baraf, H. S. B.; Caldwell, D. S.; Reynolds, P.; Holmes, E. W. (1978) Gouty arthritis and illicit alcohol or "moonshine": lead nephropathy or ethanol abuse? Clin. Res. 26: 373A.

Barbour, A. K. (1980) The environmental pressures on non-ferrous metals production. Part 1: lead, zinc and copper. Met. Mater. (March): 42-46.

Barbour, A. K. (1983) Environmental aspects of zinc, lead and cadmium production and use: Sir Robert Horne memorial lecture. Chem. Ind. (London) 11: 409-415.

Barbour, A. K. (1983) Environmental aspects of lead production and use. Met. Bull. Mon. 154: 23-27.

Barclay-Estrup, P.; Rinne, R. J. K. (1978) Lead and zinc accumulation in two feather mosses in northwestern Ontario, Canada. Oikos 30: 106-108.

Barfoot, K. M.; Mitchell, I. V.; Eschbach, H. L.; Mason, P. I.; Gilboy, W. B. (1979) The analysis of air particulate deposits using 2 MeV protons. J. Radioanal. Chem. 53: 255-271.

Barfoot, K. M.; Vargas-Aburto, C.; MacArthur, J. D. (1984) Multi-elemental measurements of air particulate pollution at a site in Mexico City. Atmos. Environ. 18: 467-471.

Barghigiani, C.; Maserti, E.; Seritti, A.; Ferrara, R. (1983) Accumulation and release of Cu and Pb by Dunaliella salina. In: International conference: heavy metals in the environment; September; Heidelberg, West Germany. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 634-637.

Barkigia, K. M.; Fajer, J.; Adler, A. D.; Williams, G. J. B. (1980) Crystal and molecular structure of (5,10,15,20-tetra-n-propylporphinato)lead(II): a "roof" porphyrin. Inorg. Chem. 19: 2057-2061.

Barlow, K. A.; Beilin, L. J. (1968) Renal disease in primary gout. Q. J. Med. 37: 79-98.

Barlow, P. J. (1977) Blood lead and cadmium determinations in Soluene-350 (T. M.) digests. Int. J. Environ. Stud. 11: 9-15.

Barltrop, D. (1966) The prevalence of pica. Am. J. Dis. Child. 112: 116-123.

Barltrop, D. (1969) Transfer of lead to the human foetus. In: Barltrop, D.; Burland, W. L., eds. Mineral metabolism in pediatrics. Philadelphia, PA: Davis Co.; pp. 135-151.

Barltrop, D. (1972) Children and environmental lead. In: Hepple, P., ed. Lead in the environment: proceedings of a conference; London, United Kingdom. London, United Kingdom: Institute of Petroleum; pp. 52-60.

Barltrop, D. (1975) Assessment of the health hazard of various lead compounds. Atlanta, GA: U.S. Department of Health, Education and Welfare, Center for Disease Control.

Barltrop, D. (1975) Significance of lead-contaminated soils and dusts for human populations. Arh. High. Rada Toksikol. Suppl. 26: 81-96.

Barltrop, D. (1979) Geochemical and man-made sources of lead and human health. Philos. Trans. R. Soc. London Ser. B 288: 205-211.

Barltrop, D. (1979) Health effects of lead in the environment. In: International conference: management and control of heavy metals in the environment; September; London, United Kingdom. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 56-57.

Barltrop, D. (1982) Nutritional and maturational factors modifying the absorption of inorganic lead from the gastrointestinal tract. In: Hunt, V. R.; Smith, M. K.; Worth, D. Environmental factors in human growth and development. Cold Spring Harbor, NY: Cold Spring Harbor Laboratory; pp. 35-41. (Banbury report 11).

Barltrop, D. (1985) Lead and brain damage [editorial]. Hum. Toxicol. 4: 121.

Barltrop, D.; Barrett, A. J.; Dingle, J. T. (1971) Subcellular distribution of lead in the rat. J. Lab. Clin. Med. 77: 705-712.

Barltrop, D.; Khoo, H. E. (1975) The influence of nutritional factors on lead absorption. Postgrad. Med. J. 51: 795-800.

Barltrop, D.; Killala, N. J. P. (1967) Fecal excretion of lead by children. Lancet 2(7524): 1017-1019.

Barltrop, D.; Meek, F. (1975) Absorption of different lead compounds. Postgrad. Med. J. 51: 805-809.

Barltrop, D.; Meek, F. (1979) Effect of particle size on lead absorption from the gut. Arch. Environ. Health 34: 280-285.

Barltrop, D.; Strehlow, C. D. (1976) Westway nursery testing project: report to Greater London Council. London, United Kingdom: St. Mary's Hospital Medical School, Paediatric Unit.

Barltrop, D.; Strehlow, C. D. (1977) The absorption of lead by children: report to International Lead Zinc Research Organization, Inc. London, United Kingdom: St. Mary's Hospital Medical School, Paediatric Unit.

Barltrop, D.; Strehlow, C. D. (1978) The absorption of lead by children. In: Kirchgessner, M., ed. Trace element metabolism in man and animals - 3: proceedings of the 3rd international symposium; July 1977; Freising, West Germany. Freising-Weihenstephan, West Germany: Technische Universität München; pp. 332-334.

Barltrop, D.; Strehlow, C. D.; Thornton, I.; Webb, J. S. (1974) Significance of high soil lead concentrations for childhood lead burdens. Environ. Health Perspect. 7: 75-82.

Barltrop, D.; Strehlow, C. D.; Thornton, I.; Webb, J. S. (1975) Absorption of lead from dust and soil. Postgrad. Med. J. 51: 801-804.

Barnaby, W. (1982) Higher lead levels mean lower IQs for English children. Ambio 11: 322-323.

Barnes, D. W.; Munson, A. E. (1978) Reticuloendothelial activity and cellular immunity in mice exposed to lead acetate. J. Reticuloendothel. Soc. 24: 7a.

Barnes, D.; Hamadah, M. A.; Ottaway, J. M. (1976) The lead, copper and zinc content of tree rings and bark: a measurement of local metallic pollution. Sci. Total Environ. 5: 63-67.

Barnett, N. W.; Chen, L. S.; Kirkbright, G. F. (1983) Determination of trace concentrations of lead and nickel in freeze-dried human milk by atomic absorption spectrometry and inductively-coupled plasma emission spectrometry. Anal. Chim. Acta 149: 115-121.

Barr, M.; Meinrath, H.; Isherwood, R. (1979) Research into lead pollution [letter]. Lancet 1(8129): 1289.

Barratt, R. S.; McCulloch, R. D. (1980) Airborne lead levels throughout Birmingham. Int. Environ. Saf. 1: 7-11.

Barrett, B.; Howells, R. (1984) Legal control of standards: lead in petrol. Sci. Total Environ. 33: 1-13.

Barrett, C. D.; Belk, H. D. (1977) Blood lead study of long term hand soldering operators. J. Occup. Med. 19: 791-794.

Barrett, J.; Livesey, P. J. (1982) The acetic acid component of lead acetate: its effect on rat weight and activity. Neurobehav. Toxicol. Teratol. 4: 105-108.

Barrett, J.; Livesey, P. J. (1983) Lead induced alterations in maternal behavior and offspring development in the rat. Neurobehav. Toxicol. Teratol. 5: 557-563.

Barrett, J.; Livesey, P. J. (1985) Low level lead effects on activity under varying stress conditions in the developing rat. Pharmacol. Biochem. Behav. 22: 107-118.

Barrie, L. A.; Vet, R. J. (1984) The concentration and deposition of acidity, major ions and trace metals in the snowpack of the eastern Canadian shield during the winter of 1980-81. Atmos. Environ. 18: 1459-1469.

Barrow, W.; Himmel, M.; Squire, P. G.; Tornabene, T. G. (1978) Evidence for alteration of the membrane-bound ribosomes in Micrococcus luteus cells exposed to lead. Chem. Biol. Interact. 23: 387-397.

Barrow, W.; Tornabene, T. G. (1979) Chemical and ultrastructural examination of lead-induced morphological convertants of Bacillus subtilis. Chem. Biol. Interact. 26: 207-222.

Barry, P. S. I. (1975) A comparison of concentrations of lead in human tissues. Br. J. Ind. Med. 32: 119-139.

Barry, P. S. I. (1975) Lead levels in blood. Nature (London) 258: 775.

Barry, P. S. I. (1978) Distribution and storage of lead in human tissues. In: Nriagu, J. O., ed. The biogeochemistry of lead in the environment; part B. biological effects. Amsterdam, The Netherlands: Elsevier/North Holland Biomedical Press; pp. 97-150. (Topics in environmental health: v. 1B).

Barry, P. S. I. (1979) Assessment of the contribution of environmental air lead to body burden. In: Internasionale konferensi oor lugbesoedeling [International conference on air pollution]: v. 1; October; Pretoria, South Africa. Pretoria, South Africa: Council for Scientific and Industrial Research; paper no. 9.

Barry, P. S. I. (1981) Concentrations of lead in the tissues of children. Br. J. Ind. Med. 38: 61-71.

Barry, P. S. I.; Connolly, R. (1981) Lead concentrations in mediaeval bones. Int. Arch. Occup. Environ. Health 48: 173-177.

Barry, P. S. I.; Mossman, D. B. (1970) Lead concentrations in human tissues. Br. J. Ind. Med. 27: 339-351.

Barry, S. A. S.; Clark, S. C. (1978) Problems of interpreting the relationship between the amounts of lead and zinc in plants and soil on metalliferous wastes. New Phytol. 81: 773-783.

Barthalmus, G. T.; Leander, J. D.; McMillan, D. E.; Mushak, P.; Krigman, M. R. (1977) Chronic effects of lead on schedule-controlled pigeon behavior. Toxicol. Appl. Pharmacol. 42: 271-284.

Barthel, W. F.; Smrek, A. L.; Angel, G. P.; Liddle, J. A.; Landrigan, P. J.; Gehlbach, S. H.; Chisolm, J. J. (1973) Modified Delves cup atomic absorption determination of lead in blood. J. Assoc. Off. Anal. Chem. 56: 1252-1256.

Barton, J. C.; Conrad, M. E. (1978) Effects of ethanol on the absorption and retention of lead (40317). Proc. Soc. Exp. Biol. Med. 159: 213-218.

Barton, J. C.; Conrad, M. E. (1981) Effect of phosphate on the absorption and retention of lead in the rat. Am. J. Clin. Nutr. 34: 2192-2198.

Barton, J. C.; Conrad, M. E.; Harrison, L.; Nuby, S. (1978) Effects of calcium on the absorption and retention of lead. J. Lab. Clin. Med. 91: 366-376.

Barton, J. C.; Conrad, M. E.; Harrison, L.; Nuby, S. (1980) Effects of vitamin D on the absorption and retention of lead. Am. J. Physiol. 238: G124-G130.

Barton, J. C.; Conrad, M. E.; Holland, R. (1981) Iron, lead, and cobalt absorption: similarities and dissimilarities (41025). Proc. Soc. Exp. Biol. Med. 166: 64-69.

Barton, J. C.; Conrad, M. E.; Nuby, S.; Harrison, L. (1978) Effects of iron on the absorption and retention of lead. J. Lab. Clin. Med. 92: 536-547.

Baruah, J. K.; Rasool, C. G.; Bradley, W. G.; Munsat, T. L. (1981) Retrograde axonal transport of lead in rat sciatic nerve. Neurology 31: 612-616.

Basolo, F.; Pearson, R. G. (1967) Mechanisms of inorganic reactions: a study of metal complexes in solution. New York, NY: John Wiley & Sons, Inc.; pp. 23-25, 113-119.

Batley, G. E. (1983) Electroanalytical techniques for the determination of heavy metals in seawater. Mar. Chem. 12: 107-117.

Batlle, A. M. C.; Bustos, N. L.; Stella, A. M.; Wider, E. A.; Conti, H. A.; Mendez, A. (1983) Enzyme replacement therapy in porphyrias-IV. First successful human clinical trial of δ-aminolevulinate dehydratase-loaded erythrocyte ghosts. Int. J. Biochem. 15: 1261-1265.

Batschelet, E.; Brand, L.; Steiner, A. (1979) On the kinetics of lead in the human body. J. Math. Biol. 8: 15-23.

Batuman, V.; Haddad, B.; Tepper, E.; Maesaka, J. K.; Wedeen, R. P. (1979) The role of lead in gout nephropathy. Kidney Int. 16: 918.

Batuman, V.; Landy, E.; Maesaka, J. K.; Wedeen, R. P. (1983) Contribution of lead to hypertension with renal impairment. N. Engl. J. Med. 309: 17-21.

Batuman, V.; Maesaka, J. K.; Haddad, B.; Tepper, E.; Landry, E.; Wedeen, R. P. (1981) The role of lead in gout nephropathy. N. Engl. J. Med. 304: 520-523.

Bauchinger, M.; Dresp, J.; Schmid, E.; Englert, N.; Krause, Chr. (1977) Chromosome analyses of children after ecological lead exposure. Mutat. Res. 56: 75-80.

Bauchinger, M.; Schmid, E. (1972) Chromosomenanalysen in Zellkulturen des chinesischen Hamsters nach Applikation von Bleiacetat [Chromosome analysis in Chinese hamster cell cultures after treatment with lead acetate]. Mutat. Res. 14: 95-100.

Bauchinger, M.; Schmid, E.; Einbrodt, H. J.; Dresp, J. (1976) Chromosome aberrations in lymphocytes after occupational exposure to lead and cadmium. Mutat. Res. 40: 57-62.

Bauchinger, M.; Schmid, E.; Schmidt, D. (1972) Chromosomenanalyse bei Verkehrspolizisten mit erhöhter Bleilast [Chromosome analysis of policemen with increased blood lead level]. Mutat. Res. 16: 407-412.

Baum, E. J.; Henry, R.; Pitter, R. L. (1974) Airborne lead from reentrained street dusts. Presented at: the annual meeting of the Air Pollution Control Association, Pacific Northwest international section; November; Boise, ID. Pittsburgh, PA: Air Pollution Control Association; paper no. 74-AP-30.

Baumann, H.; Heumann, K. G. (1985) Brom/Blei-Verhältnisse in Aerosolen und Autoabgasen [Bromine lead ratios in aerosols and motor-car exhausts]. Fresenius Z. Anal. Chem. 320: 512-518.

Baumann, J. L.; Kreimer-Birnbaum, M. (1982) Low lead level and porphyrin metabolism. Clin. Res. 30: 384A.

Baumann, S. B.; Robinson, G. S.; Otto, D. A.; Barton, C. N.; Mushak, P.; Schroeder, S. R. (1985) Late positive brain waves (P3) elicited by auditory stimuli in lead exposed children. Toxicologist 5: 83.

Bax, M. (1981) Lead and impaired abilities. Dev. Med. Child. Neurol. 23: 565-566.

Baxter, C. S.; Wey, H. E.; Cardin, A. B. (1978) Evidence for specific lead-δ-aminolevulinate complex formation by ^{13}C nuclear magnetic spectroscopy. Toxicol. Appl. Pharmacol. 45: 307.

Baxter, J. C.; Aguilar, M.; Brown, K. (1983) Heavy metals and persistent organics at a sewage sludge disposal site. J. Environ. Qual. 12: 311-316.

Baxter, J. C.; Barry, B.; Johnson, D. E.; Kienholz, E. W. (1982) Heavy metal retention in cattle tissues from ingestion of sewage sludge. J. Environ. Qual. 11: 616-620.

Baxter, J. C.; Johnson, D. E.; Kienholz, E. W. (1983) Heavy metals and persistent organics content in cattle exposed to sewage sludge. J. Environ. Qual. 12: 316-319.

Baxter, J. C.; Johnson, D.; Burge, W. D.; Kienholz, E.; Cramer, W. N. (1983) Effects on cattle from exposure to sewage sludge: project summary. Cincinnati, OH: U.S. Environmental Protection Agency, Municipal Environmental Research Laboratory; EPA report no. EPA-600/2-83-012. Available from: NTIS, Springfield, VA; PB83-170589.

Bazzaz, F. A.; Carlson, R. W.; Rolfe, G. L. (1974) The effect of heavy metals on plants: part I. inhibition of gas exchange in sunflower by Pb, Cd, Ni and Tl. Environ. Pollut. 7: 241-246.

Bazzaz, F. A.; Carlson, R. W.; Rolfe, G. L. (1975) Inhibition of corn and sunflower photosynthesis by lead. Physiol. Plant 34: 326-329.

Bazzaz, M. B.; Govindjee (1974) Effects of lead chloride on chloroplast reactions. Environ. Lett. 6: 175-191.

Beattie, A. D.; Dagg, J. H.; Goldberg, A.; Wang, I.; Ronald, J. (1972) Lead poisoning in rural Scotland. Br. Med. J. 2(5812): 488-491.

Beattie, A. D.; Moore, M. R.; Devenay, W. T.; Miller, A. R.; Goldberg, A. (1972) Environmental lead pollution in an urban soft-water area. Br. Med. J. 2(5812): 491-493.

Beattie, A. D.; Moore, M. R.; Goldberg, A. (1972) Tetraethyl-lead poisoning. Lancet 2(7766): 12-15.

Beattie, A. D.; Moore, M. R.; Goldberg, A.; Finlayson, M. J. W.; Graham, J. F.; Mackie, E. M.; Main, J. C.; McLaren, D. A.; Murdoch, K. M.; Stewart, G. T. (1975) Role of chronic low-level lead exposure in the aetiology of mental retardation. Lancet 1(7907): 589-592.

Beaudoin, A. R.; Fisher, D. L. (1981) An in vivo/in vitro evaluation of teratogenic action. Teratology 23: 57-61.

Bechetoille, A.; Allain, P.; Ebran, J. M.; Mauras, Y. (1983) Modifications des concentrations sanguines du zinc, du plomb et de l'activité de l'ALA-dehydratase au cours des neuropathies optiques alcoolo-tabagiques [Modifications in blood zinc and lead concentrations and ALA-dehydratase activity in optic neuropathy from alcohol and tobacco abuse]. J. Fr. Ophtalmol. 6: 231-235.

Becker, D. M.; Kramer, S. (1977) The neurological manifestations of porphyria: a review. Medicine 56: 411-423.

Becker, E. W. (1983) Limitations of heavy metal removal from waste water by means of algae. Water Res. 17: 459-466.

Becker, J. (1982) Lead in petrol: Europe too soft? Nature (London) 300: 6-7.

Becker, R. O.; Spadaro, J. A.; Berg, E. W. (1968) The trace elements of human bone. J. Bone Jt. Surg. 50A: 326-334.

Beckert W. F. (1978) Mercury, lead, arsenic, and cadmium in biological tissue: the need for adequate standard reference materials. Las Vegas, NV: U.S. Environmental Protection Agency; EPA report no. EPA-600/4-78-051. Available from: NTIS, Springfield, VA; PB-288198.

Beckman, L. (1978) The Rönnskär smelter-occupational and environmental effects in and around a polluting industry in northern Sweden. Ambio 7: 226-231.

Beckman, L.; Nordenson, I.; Nordström, S. (1982) Occupational and environmental risks in and around a smelter in northern Sweden: VIII. three-year follow-up of chromosomal aberrations in workers exposed to lead. Hereditas 96: 261-264.

Bederka, J. P., Jr.; McLellan, J. S. (1974) Developmental effects of lead. In: Khan, M. A. Q.; Bederka, J. P., Jr., eds. Survival in toxic environments. New York, NY: Academic Press, Inc.; pp. 515-520.

Beeby, A. (1980) Lead assimilation and brood-size in the woodlouse Porcellio scaber (Crustacea, Isopoda) following oviposition. Pedobiologia 20: 360-365.

Beeby, A.; Eaves, S. L. (1983) Short-term changes in Ca, Pb, Zn and Cd concentrations of the garden snail Helix aspersa Müller from a central London car park. Environ. Pollut. Ser. A 30: 233-244.

Beeftink, W. G.; Nieuwenhuize, J.; Stoeppler, M.; Mohl, C. (1982) Heavy-metal accumulation in salt marshes from the Western and Eastern Scheldt. Sci. Total Environ. 25: 199-223.

Beek, B.; Obe, G. (1974) Effect of lead acetate on human leukocyte chromosomes in vitro. Experientia 30: 1006-1007.

Beek, B.; Obe, G. (1975) The human leukocyte test system: VI. the use of sister chromatid exchanges as possible indicators for mutagenic activities. Humangenetik 29: 127-134.

Beevers, D. G.; Cruickshank, J. K.; Yeoman, W. B.; Carter, G. F.; Goldberg, A.; Moore, M. R. (1980) Blood-lead and cadmium in human hypertension. J. Environ. Pathol. Toxicol. 4: 251-260.

Beevers, D. G.; Erskine, E.; Robertson, M.; Beattie, A. D.; Campbell, B. C.; Goldberg, A.; Moore, M. R.; Hawthorne, V. M. (1976) Blood-lead and hypertension. Lancet 2(7975): 1-3.

Behari, J. R. (1981) Determination of lead in blood. Int. J. Environ. Anal. Chem. 10: 149-154.

Behrens, B.; Baumann, A. (1933) Zur Pharmakologie des Bleis. X: Die Beziehung der Bleiablagerung zum Calciumstoffwechsel: die Verteilung des Bleis im Knochensystem unter normalen und pathologischen Bedingungen [The pharmacology of lead. X: The correlation between lead storage and calcium metabolism: the distribution of lead in the bone system under normal and under pathologic conditions]. Z. Gesamte Exp. Med. 92: 251-264.

Behrens, W. J.; Duedall, I. W. (1981) Temporal variations of heavy metals in Mercenaria mercenaria. J. Cons. Cons. Int. Explor. Mer. 39: 219-222.

Behrens, W. J.; Duedall, I. W. (1981) The behaviour of heavy metals in transplanted hard clams, Mercenaria mercenaria. J. Cons. Cons. Int. Explor. Mer. 39: 223-230.

Belchev, S. M.; Radev, D. D. (1980) Emission spectral determination of lead in air. Dokl. Bolg. Akad. Nauk 33: 819-820.

Belknap, E. L. (1936) Clinical studies on lead absorption in the human: III. blood pressure observations. J. Ind. Hyg. Toxicol. 18: 380-390.

Bell, A. (1981) Blood lead levels of some children in New South Wales. Med. J. Aust. 1: 23-26.

Bell, J. U.; Thomas, J. A. (1980) Effects of lead on mammalian reproduction. In: Singhal, P. L.; Thomas, J. A., eds. Lead toxicity. Baltimore, MD: Urban and Schwarzenberg, Inc.; pp. 169-185.

Bell, R. R.; Spickett, J. T. (1981) The influence of milk in the diet on the toxicity of orally ingested lead in rats. Food Cosmet. Toxicol. 19: 429-436.

Bellanti, J. A.; Balter, N. J.; Schwartz, S. L.; Gray, I. (1980) Heavy metals: effects of lead, cadmium and chromium in a rodent model. In: Asher, I. M., ed. Inadvertant modification of the immune system: the effects of foods, drugs, and environmental contaminants: proceedings of the fourth FDA science symposium held at the U.S. Naval Academy; August 1978; Annapolis, MD. Rockville, MD: U.S. Department of Health and Human Services, Food and Drug Administration; pp. 191-195; DHHS publication no. FDA-80-1074.

Bellinger, D.; Leviton, A.; Waternaux, C.; Allred, E. (1985) Methodological issues in modeling the relationship between low-level lead exposure and infant development: examples from the Boston lead study. In: Bornschein, R. L.; Rabinowitz, M. B., eds. The second international conference on prospective studies of lead; April 1984; Cincinnati, OH. Environ. Res. 38: 119-129.

Bellinger, D. C.; Needleman, H. L. (1983) Lead and the relationship between maternal and child intelligence. J. Pediatr. (St. Louis) 102: 523-527.

Bellinger, D. C.; Needleman, H. L.; Leviton, A.; Waternaux, C.; Rabinowitz, M. B.; Nichols, M. L. (1984) Early sensory-motor development and prenatal exposure to lead. Neurobehav. Toxicol. Teratol. 6: 387-402.

Bellinger, D.; Needleman, H. L. (1983) Lead vs. intelligence: reply [letter]. J. Pediatr. (St. Louis) 103: 831-833.

Bellinger, D.; Needleman, H. L.; Bromfield, R.; Mintz, M. (1984) A followup study of the academic attainment and classroom behavior of children with elevated dentine lead levels. Biol. Trace Elem. Res. 6: 207-223.

Belman, S., ed. (1981) Proceedings of a workshop/conference on the role of metals in carcinogenesis; March 1980; Atlanta, GA. Environ. Health Perspect. 40: 1-252.

Beloian, A. (1982) Use of a food consumption model to estimate human contaminant intake. Environ. Monitor. Assess. 2: 115-127.

Beloian, A.; McDowell, M. (1981) Estimates of lead intakes among children up to 5 years of age, 1973-1978 and 1980. Washington, DC: U.S. Food and Drug Administration, Bureau of Foods; Division of Nutrition final internal report. Available from: U.S. Food and Drug Administration, Bureau of Foods, Washington, DC.

Bemiller, P. M.; Reeder, S. C. (1985) Effect of lead on fibroblasts taken from an 84-year-old donor. Mech. Ageing Dev. 30: 169-177.

Bemiller, P. M.; Kraus, E. R., Jr. (1983) The effect of clinical and subclinical concentrations of lead on the in vitro aging of human fibroblasts. Mech. Ageing Dev. 22: 79-87.

Bendich, A.; Belisle, E. H.; Strausser, H. R. (1981) Immune responses of rats chronically fed subclinical doses of lead. Clin. Exp. Immunol. 43: 189-194.

Benes, P.; Cejchanová, M.; Havlík, B. (1985) Migration and speciation of lead in a river system heavily polluted from a smelter. Water Res. 19: 1-6.

Bengtsson, G.; Gunnarsson, T.; Rundgren, S. (1983) Growth changes caused by metal uptake in a population of Onychiurus armatus (Collembola) feeding on metal polluted fungi. Oikos 40: 216-225.

Bengtsson, G.; Nordström, S.; Rundgren, S. (1983) Population density and tissue metal concentration of lumbricids in forest soils near a brass mill. Environ. Pollut. Ser. A 30: 87-108.

Bengtsson, G.; Rundgren, S. (1982) Population density and species number of enchytraeids in coniferous forest soils polluted by a brass mill. Pedobiologia 24: 211-218.

Bengtsson, M.; Johansson, G. (1984) Preconcentration and matrix isolation of heavy metals through a two-stage solvent extraction in a flow system. Anal. Chim. Acta 158: 147-156.

Benignus, V. A.; Otto, D. A. (1981) EEG laterality in children as a function of age and blood lead (PB). Psychophysiology 18: 159.

Benignus, V. A.; Otto, D. A.; Muller, K. E.; Seiple, K. J. (1981) Effects of age and body lead burden on CNS function in young children: II. EEG spectra. Electroencephalogr. Clin. Neurophysiol. 52: 240-248.

Berdicevsky, I.; Shachar, M.; Yannai, S. (1983) Conversion of inorganic lead into a highly-toxic organic derivative of marine microorganisms. Arch. Toxicol. Suppl. 6: 285-291.

Beresford, W. A.; Donovan, M. P.; Henninger, J. M.; Waalkes, M. P. (1981) Lead in the bone and soft tissues of box turtles caught near smelters. Bull. Environ. Contam. Toxicol. 27: 349-352.

Berezina, O. V. (1979) Slozhnye formy povedeniya zhivotnykh pri vozdeistvii tyazhelykh metallov (na primere svintsa) [Complex forms of animal behavior with respect to heavy metals (as exemplified by lead)]. In: Gigienicheskie Aspekty Okhrany Okruzhayushchei Sredy. Moscow, USSR: Akademiya Meditsinskikh Nauk USSR, Institut Obshchei i Kommunal'noi Gigieny; pp. 81-82.

Berg, B. A.; Zenz, C. (1967) Environmental and clinical control of lead exposure in a non-ferrous foundry. J. Am. Ind. Hyg. Assoc. 28: 175-178.

Berg, J. W.; Burbank, F. (1972) Correlations between carcinogenic trace metals in water supplies and cancer mortality. Ann. N. Y. Acad. Sci. 199: 249-261.

Berg, L. R.; Nordstrom, J. O.; Ousterhout, L. E. (1980) The prevention of chick growth depression due to dietary lead by increased dietary calcium and phosphorus levels. Poult. Sci. 59: 1860-1863.

Bergamini, V.; Sibour, F. (1960) La diagnosi precoce di sofferenza nervosa-periferica da intossicazione esogena (Ricerche neurofisiologiche) [The precise diagnosis of peripheral-nerve pain caused by exogenous poisoning (neurophysiological investigations)]. Riv. Patol. Nerv. Ment. 81: 416-439.

Berger, H. W. (1973) The NBS lead paint poisoning project: housing and other aspects. Washington, DC: U.S. Department of Commerce, National Bureau of Standards; NBS technical note 759.

Berger, H. W. (1973) Final report, phase I lead paint survey sampling plan and preliminary screening. Washington, DC: U.S. Department of Commerce, National Bureau of Standards; NBS report no. 10958.

Berglind, R.; Dave, G.; Sjöbeck, M.-L. (1985) The effects of lead on δ-aminolevulinic acid dehydratase activity, growth, hemoglobin content, and reproduction in Daphnia magna. Ecotoxicol. Environ. Saf. 9: 216-229.

Bergsøe, S.; Gram, N. (1979) Lead smelting, refining and pollution. In: Cigan, J. M.; Mackay, T. S.; O'Keefe, T. J., eds. Lead-zinc-tin '80: proceedings of a world symposium on metallurgy and environmental control; February 1980; Las Vegas, NV. New York, NY: American Institute of Mining, Metallurgical & Petroleum Engineers (AIME); pp. 1023-1030.

Berisha, A.; Buznikov, G. A.; Mal'chenko, L. A.; Rakić, L. (1983) Deistvie solei tyazhelykh metallov na pazvitie zarodyshei morskikh ezhei i na cintez belkov kletkami myshinykh perevivnykh opukholei [The effect of salts of heavy metals on the development of sea urchin embryos and the protein synthesis in mouse transplantable tumor cells]. Ontogenez 14: 173-179.

Beritić, T. (1971) Lead concentration found in human blood in association with lead colic. Arch. Environ. Health 23: 289-291.

Beritić, T. (1984) Lead neuropathy. CRC Crit. Rev. Toxicol. 12: 149-213.

Berk, J. V.; Young, R. A.; Brown, S. R.; Hollowell, C. D. (1981) Impact of energy-conserving retrofits on indoor air quality in residential housing. Presented at: 74th annual meeting of the Air Pollution Control Association; June; Philadelphia, PA. Pittsburgh, PA: Air Pollution Control Association; paper no. 81-22.1.

Berk, P. D.; Tschudy, D. P.; Shepley, L. A.; Waggoner, J. G.; Berlin, N. I. (1970) Hematologic and biochemical studies in a case of lead poisoning. Am. J. Med. 48: 137-144.

Berlin, A. (1982) Assessment of exposure to lead of the general population in the European community through biological monitoring. Environ. Monit. Assess. 2: 225-231.

Berlin, A.; Amavis, R.; Langevin, M. (1977) Research on lead in drinking water in Europe (in relation to the possible uptake of lead by man). Luxembourg: Commission of the European Economic Communities.

Berlin, A.; Del Castilho, P.; Smeets, J. (1973) European intercomparison programmes. In: Barth, D.; Berlin, A.; Engel, R.; Recht, P.; Smeets, J., eds. Environmental health aspects of lead: proceedings, international symposium; October 1972; Amsterdam, The Netherlands. Luxembourg: Commission of the European Communities; pp. 1033-1049.

Berlin, A.; Schaller, K. H. (1974) European standardized method for the determination of δ-aminolevulinic acid dehydratase activity in blood. Z. Klin. Chem. Klin. Biochem. 12: 389-390.

Berlin, M.; Lee, I. P.; Russell, L. D. (1983) Effects of metals on male reproduction. In: Clarkson, T. W.; Nordberg, G. F.; Sager, P. R., eds. Reproductive and developmental toxicity of metals [proceedings of a joint meeting; May 1982; Rochester, NY]. New York, NY: Plenum Press; pp. 27-40.

Berman, E. (1976) The challenge of getting the lead out. In: LaFleur, P. D., ed. Accuracy in trace analysis: sampling, sample handling, analysis - volume 2. Proceedings of the 7th materials research symposium; October 1974; Gaithersburg, MD. Washington, DC: U.S. Department of Commerce, National Bureau of Standards; NBS special publication no. 422; pp. 715-719.

Berman, E. (1981) Heavy metals. Lab. Med. 12: 677-684.

Bernard, A.; Roels, H. A.; Buchet, J.-P.; Lauwerys, R. R. (1980) Comparison, by sodium dodecyl sulfate-polyacrylamide gel electrophoresis, of urinary proteins excreted by workers exposed to cadmium, mercury or lead. Toxicol. Lett. 5: 219-222.

Bernard, S. R. (1977) Dosimetric data and metabolic model for lead. Health Phys. 32: 44-46.

Berndt, H.; Gücer, S.; Messerschmidt, J. (1982) Direkte Blei-Bestimmung in Urin mit einer neuen Mikromethode der Flammen-Atomabsorptionsspektrometrie (Schlaufen-AAS) [Direct determination of lead in urine with a new micro-method of flame atomic absorption spectroscopy (loop-AAS)]. J. Clin. Chem. Clin Biochem. 20: 85-90.

Bernstein, D. M.; Kneip, T. J.; Kleinman, M. T.; Riddick, R.; Eisenbud, M. (1974) Uptake and distribution of airborne trace metals in man. In: Hemphill, D. D., ed. Trace substances in environmental health - VIII: [proceedings of University of Missouri's 8th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 329-334.

Bernstein, D. M.; Rahn, K. A. (1979) New York summer aerosol study: trace element concentrations as a function of particle size. Ann. N.Y. Acad. Sci. 322: 87-97.

Bertagnolli, J. F.; Katz, S. A. (1979) Colored gift wrapping papers as a potential source of toxic metals. Int. J. Environ. Anal. Chem. 6: 321-325.

Bertel, O.; Buehler, F. R.; Ott, J. (1978) Lead-induced hypertension: blunted beta-adrenoceptor-mediated functions. Br. Med. J. 1(6112): 551.

Bertenshaw, M. P.; Gelsthorpe, D. (1981) Determination of lead in drinking water by atomic-absorption spectrophotometry with electrothermal atomisation. Analyst (London) 106: 23-31.

Berwick, D. M.; Komaroff, A. L. (1982) Cost effectiveness of lead screening. N. Engl. J. Med. 306: 1392-1398.

Berwick, D. M.; Komaroff, A. L. (1982) Cost effectiveness of lead screening [letter]. N. Engl. J. Med. 307: 1270.

Best, J. B.; Morita, M. (1982) Planarians as a model system for in vitro teratogenesis studies. Teratog. Carcinog. Mutagen. 2: 277-291.

Betta, A.; DeSanta, A.; Savonitto, C.; D'Andrea, F. (1983) Flicker fusion test and occupational toxicology: performance evaluation in workers exposed to lead and solvents. Hum. Toxicol. 2: 83-90.

Betts, P. R.; Astley, R.; Raine, D. N. (1973) Lead intoxication in children in Birmingham. Br. Med. J. 1(5850): 402-406.

Betz, L. R.; Grob, R. L. (1984) Generation of a lead metal aerosol test atmosphere. J. Environ. Sci. Health A 19: 489-506.

Betz, L. R.; Grob, R. L. (1984) Lead aerosol collection studies using solid sorbent packed sampling tubes. Anal. Lett. 17: 701-734.

Beveridge, A.; Pickering, W. F. (1983) The influence of surfactants on the adsorption of heavy metal ions by clays. Water Res. 17: 215-225.

Beveridge, A.; Pickering, W. F. (1984) Influence of surfactants on the determination of Cu, Pb and Cd by ASV. Water Res. 18: 1119-1123.

Beyer, W. N.; Moore, J. (1980) Lead residues in eastern tent caterpillars Malacosoma americanum and their host plant Prunus serotina close to a major highway. Environ. Entomol. 9: 10-12.

Bezel, V. S. (1983) Ecological prognostication of consequences of industrial pollution of terrestrial ecosystems with heavy metals. Sov. J. Ecol. 13: 345-351.

Bhat, R. V.; Krishnamachari, K. A. V. R. (1980) Environmental lead toxicity in cattle. Bull. Environ. Contam. Toxicol. 25: 142-145.

Bhattacharyya, D.; Jumawan, A. B., Jr.; Grieves, R. B. (1979) Separation of toxic heavy metals by sulfide precipitation. Sep. Sci. Technol. 14: 441-452.

Bhattacharyya, M. H. (1983) Bioavailability of orally administered cadmium and lead to the mother, fetus, and neonate during pregnancy and lactation: an overview. Sci. Total Environ. 28: 327-342.

Biagini, G.; Baccarani Contri, M.; Preda, P.; Caudarella, R. (1978) Chronic lead nephropathy - correlation between morphological and functional data. J. Submicrosc. Cytol. 10: 123.

Biagini, G.; Caudarella, R.; Vangelista, A. (1977) Renal morphological and functional modification in chronic lead poisoning. In: Brown, S. S., ed. Clinical chemistry and chemical toxicology of metals. New York, NY: Elsevier/North-Holland Biomedical Press; pp. 123-126.

Biagini, G.; Misciattelli, M. E.; Baccarani, M. C.; Vangelista, A.; Raffi, G. B.; Caudarella, R. (1977) Aspetti in microscopia elettronica delle alterazioni renali in corso di intossicazione cronica da piombo [Electron microscopy features of renal changes in chronic lead poisoning]. Lav. Um. 29: 179-187.

Bianco, A.; Gibb, F. R.; Morrow, P. E. (1974) Inhalation study of a submicron size lead-212 aerosol. In: Snyder, W. S., ed. Proceedings of the third international congress of the International Radiation Protection Association; September 1973; Washington, DC. Oak Ridge, TN: U.S. Atomic Energy Commission; pp. 1214-1219. Available from: NTIS, Springfield, VA; CONF-730907-P2.

Bicknell, J.; Clayton, B. E.; Delves, H. T. (1968) Lead in mentally retarded children. J. Ment. Def. Res. 12: 282-293.

Biddappa, C. C.; Chino, M.; Kumazawa, K. (1982) Migration of heavy metals in two Japanese soils. Plant Soil 66: 299-316.

Biesinger, K. E.; Christensen, G. M. (1972) Effects of various metals on survival, growth, reproduction, and metabolism of Daphnia magna. J. Fish. Res. Board Can. 29: 1691-1700.

Biggins, P. D. E.; Harrison, R. M. (1978) Identification of lead compounds in urban air. Nature (London) 272: 531-532.

Biggins, P. D. E.; Harrison, R. M. (1979) Atmospheric chemistry of automotive lead. Environ. Sci. Technol. 13: 558-565.

Biggins, P. D. E.; Harrison, R. M. (1980) Chemical speciation of lead compounds in street dusts. Environ. Sci. Technol. 14: 336-339.

Billard, R.; Roubaud, P. (1985) The effect of metals and cyanide on fertilization in rainbow trout (Salmo gairdneri). Water Res. 19: 209-214.

Billick, I. H. (1981) Lead: a case study in interagency policy-making. Environ. Health Perspect. 42: 73-79.

Billick, I. H. (1982) Prediction of pediatric blood lead levels from gasoline consumption [submitted to docket for public hearing on lead phasedown proposed rulemaking, April 15.] Available from: U.S. Environmental Protection Agency, Central Docket Section Washington, DC; docket no. A-81-36; document no. IVA.4.

Billick, I. H. (1983) Sources of lead in the environment. In: Rutter, M.; Russell Jones, R., eds. Lead versus health: sources and effects of low level lead exposure. New York, NY: John Wiley and Sons, Ltd.; pp. 59-77.

Billick, I. H.; Curran, A. S.; Shier, D. R. (1979) Analysis of pediatric blood lead levels in New York City for 1970-1976. Environ. Health Perspect. 31: 183-190.

Billick, I. H.; Curran, A. S.; Shier, D. R. (1980) Relation of pediatric blood lead levels to lead in gasoline. Environ. Health Perspect. 34: 213-217.

Billick, I. H.; Gray, V. E. (1978) Lead based paint poisoning research: review and evaluation 1971-1977. Washington, DC: U.S. Department of Housing and Urban Development, Office of Policy Development and Research; HUD report no. HUD 0000809. Available from: NTIS, Springfield, VA; PB80-136849.

Billick, I. H.; Hall, W. G.; Shier, D. R. (1978) Analysis of lead level measurements obtained in a survey of dwelling units in Pittsburgh, Pennsylvania. In: 4th joint conference on sensing of environmental pollutants; November 1977; New Orleans, LA. Washington, DC: American Chemical Society; pp. 810-813.

Billick, I. H.; Shier, D. R.; Spiegelman, C. H. (1982) Sensitivity of trends in geometric mean blood levels to random measurement errors. Sci. Total Environ. 24: 233-248.

Bing, S. (1980) The Massachusetts childhood lead-poisoning prevention program: an advocate's view. In: Needleman, H. L., ed. Low level lead exposure: the clinical implications of current research. New York, NY: Raven Press; pp. 293-297.

Birch, J.; Harrison, R. M.; Laxen, D. P. H. (1980) A specific method for 24-48 hour analysis of tetraalkyl lead in air. Sci. Total Environ. 14: 31-42.

Bird, T. D.; Wallace, D. M.; Labbe, R. F. (1982) The porphyria, plumbism, pottery puzzle. JAMA J. Am. Med. Assoc. 247: 813-814.

Birkhead, M. (1981) How the fishermen kill the swans. New Sci. 2: 14-15.

Birks, L. S. (1972) X-ray absorption and emission. Anal. Chem. 44: 557R-562R.

Birnie, S. E.; Noden, F. G. (1980) Determination of tetramethyl- and tetraethyllead vapours in air following collection on a glass-fibre-iodised carbon filter disc. Analyst (London) 105: 110-118.

Biscaldi, G.; Calligaro, A.; Pavesi, L.; Robustelli della Cuna, G. (1982) Reattivitá e aspetti morfologici e ultrastrutturali dei linfociti nella impregnazione saturnina [Biological, morphological and ultrastructural properties of lymphocyte in excessive lead absorption]. G. Ital. Med. Lav. 4: 137-139.

Bisessar, S. (1982) Effect of heavy metals on microorganisms in soils near a secondary lead smelter. Water Air Soil Pollut. 17: 305-308.

Bishop, D. F.; McBride, L.; Desnick, R. J. (1982) Fluorometric coupled-enzyme assay for delta-aminolevulinate synthase. Enzyme 28: 94-108.

Bishop, J. R. (1980) Atmospheric lead and the related blood-levels of workers in high-speed can-making. Am. Ind. Hyg. Assoc. J. 41: 61-63.

Bishop, L.; Hill, W. J. (1983) A study of the relationship between blood lead levels and occupational air lead levels. Am. Stat. 37: 471-475.

Bitton, G. (1983) Bacterial and biochemical tests for assessing chemical toxicity in the aquatic environment: a review. CRC Crit. Rev. Environ. Control 13: 51-67.

Bizri, Y.; Cromer, M.; Scharff, J. P.; Guillet, B.; Rouiller, J. (1984) Constantes de stabilité de complexes organo-minéraux. Interactions des ions plombeux avec les composés organiques hydrosolubles des eaux gravitaires de podzol [Stability constants of organo-mineral complexes. Interactions of lead ions with watersoluble organic compounds from the passage of heavy water through podzol]. Geochim. Cosmochim. Acta 48: 227-234.

Bjørn, H.; Gyrd-Hansen, N.; Kraul, I. (1982) Birdshooting, lead pellets, and grazing cattle. Bull. Environ. Contam. Toxicol. 29: 174-176.

Björklund, H.; Goldowitz, D.; Hoffer, B.; Olson, L. (1981) Differential adrenergic neurotoxicity and Timm staining of heavy metals after intraocular injections of lead, cadmium or mercury. In: Meeting on chemical indices and mechanisms of organ-directed toxicity; March; Barcelona, Spain. Gen. Pharmacol. 12(2): A6.

Björklund, H.; Hoffer, B.; Olson, L.; Seiger, Å. (1981) Differential morphological changes in sympathetic nerve fibers elicited by lead, cadmium, and mercury. Environ. Res. 26: 69-80.

Björklund, H.; Lind, B.; Piscator, M.; Hoffer, B.; Olson, L. (1981) Lead, zinc, and copper levels in intraocular brain tissue grafts, brain, and blood of lead-exposed rats. Toxicol. Appl. Pharmacol. 60: 424-430.

Björklund, H.; Olson, L.; Seiger, A.; Hoffer, B. (1980) Chronic lead and brain development: intraocular brain grafts as a method to reveal regional and temporal effects in the central nervous system. Environ. Res. 22: 224-236.

Björklund, H.; Palmer, M. R.; Lind, B.; Hoffer, B. J.; Olson, L. (1983) Postnatal lead exposure alters spontaneous cerebellar Purkinje neuron discharge. Environ. Res. 31: 448-459.

Blackfan, K. D. (1917) Lead poisoning in children with especial reference to lead as a cause of convulsions. Am. J. Med. Sci. 153: 877-887.

Blacklock, E. C.; Sadler, P. A. (1981) A rapid screening method for heavy metals in biological materials by emission spectroscopy. Clin. Chim. Acta 113: 87-94.

Blackman, S. S., Jr. (1936) Intranuclear inclusion bodies in the kidney and liver caused by lead poisoning. Bull. Johns Hopkins Hosp. 58: 384-403.

Blackman, S. S., Jr. (1937) The lesions of lead encephalitis in children. Bull. Johns Hopkins Hosp. 61: 1-43.

Blair, J. A.; Coleman, I. P. L.; Hilburn, M. E. (1979) The transport of the lead cation across the intestinal membrane. J. Physiol. 286: 343-350.

Blair, J. A.; Hilburn, M. E.; Leeming, R. J.; McIntosh, M. J.; Moore, M. R. (1982) Lead and tetrahydrobiopterin metabolism: possible effects on IQ [letter]. Lancet 1(8278): 964.

Blake, K. C. H. (1976) Absorption of ^{203}Pb from gastrointestinal tract of man. Environ. Res. 11: 1-4.

Blake, K. C. H. (1980) Radioactive lead studies in the human [dissertation]. Capetown, South Africa: University of Capetown.

Blake, K. C. H.; Barbezat, G. O.; Mann, M. (1983) Effect of dietary constituents on the gastrointestinal absorption of ^{203}Pb in man. Environ. Res. 30: 182-187.

Blake, K. C. H.; Mann, M. (1983) Effect of calcium and phosphorus on the gastrointestinal absorption of ^{203}Pb in man. Environ. Res. 30: 188-194.

Blakley, B. R. (1980) The effect of lead on the immune system [dissertation]. Cincinnati, OH: University of Cincinnati. Available from: University Microfilms, Ann Arbor, MI; publication no. 81-07,479.

Blakley, B. R.; Archer, D. L. (1981) The effect of lead acetate on the immune response in mice. Toxicol. Appl. Pharmacol. 61: 18-26.

Blakley, B. R.; Archer, D. L. (1982) Mitogen stimulation of lymphocytes exposed to lead. Toxicol. Appl. Pharmacol. 62: 183-189.

Blakley, B. R.; Archer, D. L.; Osborne, L. (1982) The effect of lead on immune and viral interferon production. Can. J. Comp. Med. 46: 43-46.

Blakley, B. R.; Sisodia, C. S.; Mukkur, T. K. (1980) The effect of methylmercury, tetraethyl lead, and sodium arsenite on the humoral immune response in mice. Toxicol. Appl. Pharmacol. 52: 245-254.

Blanchard, G.; Maunaye, M.; Martin, G. (1984) Removal of heavy metals from waters by means of natural zeolites. Water Res. 18: 1501-1507.

Bland, S.; Ackroyd, D. R.; Marsh, J. G.; Millward, G. E. (1982) Heavy metal content of oysters from the Lynher Estuary, U.K. Sci. Total Environ. 22: 235-241.

Blanksma, L. A.; Sachs, H. K.; Murray, E. F.; O'Connell, M. J. (1969) Failure of urinary Δ-aminolevulinic acid (ALA) test to detect pediatric lead poisoning. Am. J. Clin. Pathol. 52: 96.

Blaszkewicz, M.: Neidhart, B. (1983) A sensitive method for simultaneous determination of airborne organolead compounds; part 1: chromatographic separation and chemical reaction detection. Int. J. Environ. Anal. Chem. 14: 11-21.

Blaustein, M. P. (1977) Sodium ions, calcium ions, blood pressure regulation, and hypertension: a reassessment and a hypothesis. Am. J. Physiol. 232: C165-C173.

Bloch, P.; Garavaglia, G.; Mitchell, G.; Shapiro, I. M. (1976) Measurement of lead content of children's teeth in situ by X-ray fluorescence. Phys. Med. Biol. 20: 56-63.

Block, J. L. (1969) The accident that saved five lives. Good Housekeeping 169: 60-70.

Blouin, A. G.; Blouin, J. H.; Kelly, T. C. (1983) Lead, trace mineral intake, and behavior of children. Top. Early Child. Spec. Educ. 3: 63-71.

Blumberg, W. E.; Eisinger, J.; Lamola, A. A.; Zuckerman D. M. (1977) Zinc protoporphyrin level in blood determined by a portable hematofluorometer: a screening device for lead poisoning. J. Lab. Clin. Med. 89: 712-723.

Blumer, W. (1978) Lead poisoning as a result of automobile traffic: diagnosis, treatment and prevention. J. Clin. Chem. Clin. Biochem. 16: 55-56.

Blumer, W.; Reich, T. (1976) Bleibenzin und Krebsmortalität [Leaded gasoline and cancer mortality]. Schweiz. Med. Wochenschr. 106: 503-506.

Blumer, W.; Reich, T. (1980) Leaded gasoline - a cause of cancer. Environ. Int. 3: 465-471.

Boeckx, R. L.; Posti, B.; Coodin, F. J. (1977) Gasoline sniffing and tetraethyl lead poisoning in children. Pediatrics 60: 140-145.

Bogden, J. D.; Thind, I. S.; Louria, D. B.; Caterini, H. (1978) Maternal and cord blood metal concentrations and low birth weight--a case-control study. Am. J. Clin. Nutr. 31: 1181-1187.

Bogen, D. C.; Welford, G. A.; Morse, R. S. (1976) General population exposure of stable lead and ^{210}Pb to residents of New York City. Health Phys. 30: 359-362.

Boggess, W. R., ed. (1977) Lead in the environment: a report and analysis of research at Colorado State University, University of Illinois at Urbana-Champaign and University of Missouri at Rolla. Washington, DC: National Science Foundation; NSF report no. NSF/RA-770214. Available from: NTIS, Springfield, VA; PB-278278.

Bohn, R.; Raisch, R. (1979) Determination of resuspended dust emissions from paved roadways for the Montana air pollution study emission inventory. In: Learning to use our environment; 25th annual technical meeting of the Institute of Environmental Sciences; April-May; Seattle, WA. Mt. Prospect, IL: Institute of Environmental Sciences; pp. 476-480.

Boiteau, H. L.; Stoklov, M.; Remond, D.; Buffet, H.; Metayer, C.; Vincent, F.; Corneteau, H.; Faure, J. (1983) Taux de plomb, de cadmium et de mercure dans les cheveux des habitants des régions de Nantes et de Grenoble [Lead, cadmium and mercury in hair of inhabitants of the Nantes and Grenoble areas]. Toxicol. Eur. Res. 5:281-291.

Bolanowska, W. (1968) Distribution and excretion of triethyllead in rats. Br. J. Ind. Med. 25: 203-208.

Bolanowska, W.; Garczyński, H. (1968) Metabolizm czteroetylku ołowiu u królików [Metabolism of tetraethyl lead in rabbits]. Med. Prac. 19: 235-243.

Bolanowska, W.; Piotrowski, J.; Garczyński, H. (1967) Triethyllead in the biological material in cases of acute tetraethyllead poisoning. Arch. Toxicol. 22: 278-282.

Bolger, G. T.; Gengo, P.; Klockowski, R.; Luchowski, E.; Siegel, H.; Janis, R. A.; Triggle, A. M.; Triggle, D. J. (1983) Characterization of binding of the Ca^{++} channel antagonist, [^{3}H] nitrendipine, to guinea-pig ileal smooth muscle. J. Pharmacol. Exp. Ther. 225: 291-309.

Bollingberg, H. J.; Johansen, P. (1979) Lead in spotted wolffish, Anarhichas minor, near a zinc-lead mine in Greenland. J. Fish. Res. Board Can. 36: 1023-1028.

Bomberger, D. C.; Gwinn, J. L.; Mabey, W. R.; Tusé, D.; Chou, T. W. (1983) Environmental fate and transport at the terrestrial-atmospheric interface. In: Swann, R. L.; Eschenroeder, A., eds. Fate of chemicals in the environment: compartmental and multimedia models for predictions. Washington, DC: American Chemical Society; pp. 197-214.

Bonazountas, M. (1983) Soil and groundwater fate modeling. In: Swann, R. L.; Eschenroeder, A., eds. Fate of chemicals in the environment: compartmental and multimedia models for predictions. Washington, DC: American Chemical Society; pp. 41-65

Bond, A. M.; Wallace, G. G. (1984) Liquid chromatography with electrochemical and/or spectrophotometric detection for automated determination of lead, cadmium, mercury, cobalt, nickel, and copper. Anal. Chem. 56: 2085-2090.

Bondarenko, G. P. (1968) An experimental study of the solubility of galena in the presence of fulvic acids. Geochem. Int. 5: 525-531.

Bondy, S. C. (1982) Neurotransmitter binding interactions as a screen for neurotoxicity. In: Prasad, K. N.; Vernadakis, A., eds. Mechanisms of actions of neurotoxic substances. New York, NY: Raven Press; pp. 25-50.

Bondy, S. C.; Agrawal, A. K. (1980) The inhibition of cerebral high affinity receptor sites by lead and mercury compounds. Arch. Toxicol. 46: 249-256.

Bondy, S. C.; Anderson, C. L.; Harrington, M. E.; Prasad, K. N. (1979) The effects of organic and inorganic lead and mercury on neurotransmitter high-affinity transport and release mechanisms. Environ. Res. 19: 102-111.

Bondy, S. C.; Harrington, M. E.; Anderson, C. L.; Prasad, K. N. (1979) The effect of low concentrations of an organic lead compound on the transport and release of putative neurotransmitters. Toxicol. Lett. 3: 35-41.

Bonner, F. W.; Bridges, J. W. (1983) Toxicological properties of trace elements. In: Rose, J., ed. Trace elements in health: a review of current issues. London, United Kingdom: Butterworth and Company, Ltd.; pp. 1-20.

Bonsignore, D.; Calissano, P.; Cartasegna, C. (1965) Un semplice metodo per la determinazione della δ-amino-levulinico-deidratasi nel sangue: comportamento dell'enzima nell'intossicazione saturnina [A simple method for determining δ-aminolevulinic dehydratase in the blood: behavior of the enzyme in lead poisoning]. Med. Lav. 56: 199-205.

Booker, D. V.; Chamberlain, A. C.; Newton, D.; Stott, A. N. B. (1969) Uptake of radioactive lead following inhalation and injection. Br. J. Radiol. 42: 457-466.

Boone, J.; Hearn, T.; Lewis, S. (1979) Comparison of interlaboratory results for blood lead with results from a definitive method. Clin. Chem. 25: 389-393.

Booze, R. M.; Mactutus, C. F. (1985) Experimental design considerations: a determinant of acute neonatal toxicity. Teratology 31: 187-191.

Booze, R. M.; Mactutus, C. F.; Annau, Z.; Tilson, H. A. (1983) Neonatal triethyl lead neurotoxicity in rat pups: initial behavioral observations and quantification. Neurobehav. Toxicol. Teratol. 5: 367-375.

Border, E. A.; Cantrell, A. C.; Kilroe-Smith, T. A. (1976) The in vitro effect of zinc on the inhibition of human δ-aminolevulinic acid dehydratase by lead. Br. J. Ind. Med. 33: 85-87.

Border, E. A.; Cantrell, A. C.; Kilroe-Smith, T. A. (1976) The in vitro effect of zinc and other metal ions on the activity of human erythrocyte aminolaevulinic acid dehydratase. Environ. Res. 11: 319-325.

Bordo, B. M.; Filippini, G.; Massetto, N.; Musicco, M.; Boeri, R. (1982) Electrophysiological study of subjects occupationally exposed to lead and with low levels of lead poisoning. Scand. J. Work Environ. Health 8 (suppl. 1): 142-147.

Bordo, B.; Massetto, N.; Musicco, M.; Filippini, G.; Boeri, R. (1982) Electrophysiologic changes in workers with "low" blood lead levels. Am. J. Ind. Med. 3: 23-32.

Borgman, R. F.; Lightsey, S. F.; Roberts, W. R. (1982) Hair element concentrations and hypertension in South Carolina. Royal Soc. Health J. 102: 1-2.

Borgmann, U.; Kramar, O.; Loveridge, C. (1978) Rates of mortality, growth, and biomass production of Lymnaea palustris during chronic exposure to lead. J. Fish. Res. Board Can. 35: 1109-1115.

Borhani, N. O. (1981) Exposure to trace elements and cardiovascular disease. Circulation 63(1): 260A-263A.

Borkar, M. D.; Paul, A. C.; Pillai, K. C. (1984) Pb and ^{210}Pb in a tropical river environment. Sci. Total Environ. 34: 279-288.

Bornhausen, M.; Hagen, U. (1984) Operant behaviour performance changes in rats after prenatal and postnatal exposure to heavy metals. IRCS Med. Sci. 12: 805-806.

Bornschein, R. L.; Hammond, P. B.; Dietrich, K. N.; Succop, P.; Krafft, K.; Clark, S.; Berger, O.; Pearson, D.; Que Hee, S. (1985) The Cincinnati Prospective Study of low-level lead exposure and its effects on child development: protocol and status report. In: Bornschein, R. L.; Rabinowitz, M. B., eds. The second international conference on prospective studies of lead; April 1984; Cincinnati, OH. Environ. Res. 38: 4-18.

Bornschein, R.; Pearson, D.; Reiter, L. (1980) Behavioral effects of moderate lead exposure in children and animal models: part 1, clinical studies. CRC Crit. Rev. Toxicol. 8: 43-99.

Bornschein, R.; Pearson, D.; Reiter, L. (1980) Behavioral effects of moderate lead exposure in children and animal models: part 2, animal studies. CRC Crit. Rev. Toxicol. 8: 101-152.

Bornschein, R.; Rafales, L. S.; Hastings, L.; Loch, R. K.; Michaelson, I. A. (1981) Does lead produce hyperactivity in rats or mice? In: Lynam, D. R.; Piantanida, L. G.; Cole, J. F., eds. Environmental lead: proceedings of the second international symposium on environmental lead research; December 1978; Cincinnati, OH. New York, NY: Academic Press; pp. 49-68. (Coulston, F.; Korte, F., eds. Ecotoxicology and environmental quality series).

Bornschein, R. L.; Succop, P.; Dietrich, K. N.; Clark, C. S.; Que Hee, S.; Hammond, P. B. (1985) The influence of social and environmental factors on dust lead, hand lead, and blood lead levels in young children. In: Bornschein, R. L.; Rabinowitz, M. B., eds. The second international conference on prospective studies of lead; April 1984; Cincinnati, OH. Environ. Res. 38: 108-118.

Borová, J.; Ponka, P.; Neuwirt, J. (1973) Study of intracellular iron distribution in rabbit reticulocytes with normal and inhibited heme synthesis. Biochim. Biophys. Acta 320: 143-156.

Bortoli, A.; Mattiello, G. (1983) L'esposizione al piombo nella popolazione adulta non professionalmente esposta [Environmental lead contamination in the nonoccupationally exposed population]. G. Ital. Med. Lav. 5: 85-88.

Bortoli, A.; Mattiello, G.; Zotti, S.; Bonvicini, P.; Trabuio, G.; Fazzin, G. (1983) Blood-lead levels in patients with chronic liver diseases. Int. Arch. Occup. Environ. Health 52: 49-57.

Bortoli, A.; Fazzin, G.; Trabuio, G. F.; Rossetto, L.; Paccagnella, D.; Cibin, M. (1983) Effect of alcohol and smoke on blood lead and cadmium concentrations. In: International conference: heavy metals in the environment; September; Heidelberg, West Germany. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 590-593.

Boscolo, P.; Galli, G.; Iannaccone, A.; Martino, F.; Porcelli, G.; Troncone, L. (1981) Plasma renin activity and urinary kallikrein excretion in lead-exposed workers as related to hypertension and nephropathy. Life Sci. 28: 175-184.

Boscolo, P.; Masci, O.; Carelli, G.; Sperduto, B.; Finelli, V. N. (1983) Effect of the treatment with EDTA and zinc on the erythrocyte ALAD activity in lead-exposed workers. Acta Med. Rom. 21: 45-50.

Boscolo, P.; Porcelli, G.; Cecchetti, G.; Salimei, E.; Iannaccone, A. (1978) Urinary kallikrein activity of workers exposed to lead. Br. J. Ind. Med. 35: 226-229.

Boscolo, P.; Salimei, E.; Adamo, A.; Porcelli, G. (1977) Effects of environmental lead levels on the urinary kallikrein excretion of exposed workers. Life Sci. 20: 1715-1721.

Bose, A.; Vashistha, K.; O'Loughlin, B. J. (1983) Azarcón por empacho - another cause of lead toxicity. Pediatrics 72: 106-108.

Botts, R. P. (1977) The short-term effects of lead on domestic and wild animals. Corvallis, OR: Corvallis Environmental Research Laboratory; EPA report no. EPA-600/3-77-009. Available from: NTIS, Springfield, VA; PB-272099.

Boudene, C.; Arsac, F.; Meininger, J. (1975) Etude des taux de plomb dans l'air et dans la population en France [Study of the lead levels in the air and in the population of France]. In: International symposium on environmental lead research; May; Dubrovnik, Yugoslavia. Arh. Hig. Rada Toksikol. Suppl. 26: 179-189.

Boudene, C.; Despaux-Pages, N.; Comoy, E.; Bohuon, C. (1984) Immunological and enzymatic studies of erythrocytic δ-aminolevulinate dehydratase: comparison of results obtained in normal and lead-exposured subjects. Int. Arch. Occup. Environ. Health 55: 87-96.

Boudene, C.; Malet, D.; Masse, R. (1977) Fate of ^{210}Pb inhaled by rats. Toxicol. Appl. Pharmacol. 41: 271-276.

Bouldin, T. W.; Meighan, M. E.; Gaynor, J. J.; Goines, N. D.; Mushak, P.; Krigman, M. R. (1985) Differential vulnerability of mixed and cutaneous nerves in lead nephropathy J. Neuropathol. Exp. Neurol. 44: 384-396.

Bouldin, T. W.; Mushak, P.; O'Tuama, L. A.; Krigman, M. R. (1975) Blood-brain barrier dysfunction in acute lead encephalopathy: a reappraisal. Environ. Health Perspect. 12: 81-88.

Bouley, G.; Dubreuil, A.; Arsac, F.; Boudène, C. (1977) Effet du plomb microparticulaire, introduit dans l'appareil respiratoire, sur la sensibilité de la souris à l'infection par aérosol de Pasteurella multocida [Effect of microparticulate lead, introduced through respiratory apparatus, on the resistance of mice to infection by aerosolized Pasteurella multocida]. C. R. Hebd. Seances Acad. Sci. Ser. D 285: 1553-1556.

Bourcier, D. R.; Hindin, E. (1979) Lead, iron, chromium and zinc in road runoff at Pullman, Washington. Sci. Total Environ. 12: 205-215.

Boutron, C. (1979) Present enrichments for Pb, Cd, Cu, Zn, and Ag in northern and southern hemisphere background aerosols: global pollution or natural phenomena? In: Stoeber, W.; Jaenicke, R., eds. Aerosole in Naturwissenschaft, Medizin und Technik, Dynamik und Nachweis Ultrafeiner Aerosole, [Jahrestagung der Gesellschaft fuer Aerosolforschung], 6th [Aerosols in natural science, medicine and technology, dynamics and measurement of ultarfine aerosols (yearly conference of the Association for Aerosol Research), 6th]; September 1978; Vienna, Austria. Mainz, West Germany: Max-Planck-Institut fuer Chemie, Gesellschaft fuer Aerosolforschung; pp. 311-316.

Boutron, C. (1979) Trace element content of Greenland snows along an east-west transect. Geochim. Cosmochim. Acta 43: 1253-1258.

Boutron, C. (1982) Atmospheric trace metals in the snow layers deposited at the South Pole from 1928 to 1977. Atmos. Environ. 16: 2451-2459.

Boutron, C.; Lorius, C. (1979) Trace metals in Antarctic snows since 1914. Nature (London) 277: 551-554.

Boutron, C. F.; Patterson, C. C. (1983) The occurrence of lead in Antarctic recent snow, firn deposited over the last two centuries and prehistoric ice. Geochim. Cosmochim. Acta 47: 1355-1368.

Boutwell, J. H. (1976) Accuracy and quality control in trace element analysis. In: LaFleur, P. D., ed. Accuracy in trace analysis: sampling, sample handling, analysis - volume 1. Proceedings of the 7th materials research symposium; October 1974; Gaithersburg, MD. Washington, DC: U.S. Department of Commerce, National Bureau of Standards; NBS special publication no. 422; pp. 35-40.

Bouzanne, M. (1981) Dosage de micropolluants minéraux des eaux (Cu, Pb, Cd, Zn): par voltampérométrie de redissolution anodique impulsionnelle sur electrode tournante à film de mercure [Determination of traces of inorganic pollutants (Cu, Pb, Cd, Zn) in waters, by differential pulse anodic stripping voltammetry at a rotating mercury film electrode]. Analusis 9: 461-467.

Bowman, R. E.; Bushnell, P. J. (1980) Scotopic visual deficits in young monkeys given chronic daily low levels of lead. In: Merigan, W. H.; Weiss, B., eds. Neurotoxicity of the visual system. New York, NY: Raven Press; pp. 219-231.

Box, V.; Cherry, N.; Waldron, H. A.; Dattani, J.; Griffiths, K. D.; Hill, F. G. H. (1981) Plasma vitamin D and blood lead concentrations in Asian children [letter]. Lancet 2(8242): 373.

Boyd, J. N.; Stoewsand, G. S.; Babish, J. G.; Telford, J. N.; Lisk, D. J. (1982) Safety evaluation of vegetables cultured on municipal sewage sludge-amended soil. Bull. Environ. Contam. Toxicol. 11: 399-405.

Boyd, S. D.; Wasserman, G. S.; Green, V. A.; Wise, G. W.; Roberts, D.; Williams, J. (1981) Lead arsenate ingestion in eight children. Clin. Toxicol. 18: 489-491.

Boyer, K. W.; Capar, S. G. (1977) Fortification variability in rat diets fortified with arsenic, cadmium, and lead. J. Toxicol. Environ. Health 3: 745-753.

Boyer, K. W.; Jones, J. W.; Linscott, D.; Wright, S. K.; Stroube, W.; Cunningham, W. (1980) Trace element levels in tissues from cattle fed a sewage sludge amended diet. In: Hemphill, D. D., ed. Trace substances in environmental health - XIV: [proceedings of University of Missouri's 14th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 449-456.

Boyer, K. W.; Johnson, R. D. (1982) Levels of lead, cadmium, and zinc in selected canned foods (1980/1981). J. Food Saf. 4: 207-222.

Boyland, E.; Dukes, C. E.; Grover, P. L.; Mitchley, B. C. V. (1962) The induction of renal tumours by feeding lead acetate to rats. Br. J. Cancer 16: 283-288.

Bozzelli, J. W.; Kebbekus, B. B. (1979) Lead and toxic metals in airborne particulates. Trenton, NJ: New Jersey Department of Environmental Protection, Program on Environmental Cancer and Toxic Substances. Available from: NTIS, Springfield, VA; PB80-137201.

Bradford, W. L. (1977) Urban stormwater pollutant loadings: a statistical summary through 1972. J. Water Pollut. Control Fed. 49: 613-622.

Bradley, J. E.; Baumgartner, R. J. (1958) Subsequent mental development of children with lead encephalopathy, as related to type of treatment. J. Pediatr. (St. Louis) 53: 311-315.

Bradley, J. E.; Powell, A. E.; Niermann, W.; McGrady, K. R.; Kaplan, E. (1956) The incidence of abnormal blood levels of lead in a metropolitan pediatric clinic: with observation on the value of coproporphyrinuria as a screening test. J. Pediatr. (St. Louis) 49: 1-6.

Bradley, M.; O'Grady, J.; Cutler, M.; Donald, J.; Moore, M. (1983) Contradictory effects of low level of lead exposure on behaviour: hyperactivity from initial stimulation later reverses to hypoactivity. In: International conference: heavy metals in the environment; September; Heidelberg, West Germany. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 594-597.

Bradley, R.; Burt, A. J.; Read, D. J. (1982) The biology of mycorrhiza in the Ericaceae: VIII. the role of mycorrhizal infection in heavy metal resistance. N. Phytol. 91: 197-209.

Bradow, R. L. (1980) Diesel particle emissions. In: Symposium on health aspects of automotive emissions; May; New York, NY. Bull. N.Y. Acad. Med. 56: 797-811.

Brady, K.; Herrera, Y.; Zenick, H. (1975) Influence of parental lead exposure on subsequent learning ability of offspring. Pharmacol. Biochem. Behav. 3: 561-565.

Bragt, P. C.; van Dura, E. A. (1983) Toxicokinetics of hexavalent chromium in the rat after intratracheal administration of chromates of different solubilities. Ann. Occup. Hyg. 27: 315-322.

Brandt, A. D.; Reichenbach, G. S. (1943) Lead exposures at the Government Printing Office. J. Ind. Hyg. Toxicol. 25: 445-450.

Brandt, M.; Bentz, J. M. (1971) A cooperative study of the determination of lead in milk. Microchem. J. 16: 113-120.

Branica, M.; Konrad, Z., eds. (1980) Lead in the marine environment: proceedings of the international experts discussion on lead occurrence, fate and pollution in the marine environment; October 1977; Rovinj, Yugoslavia. New York, NY: Pergamon Press.

Brantley, L. C.; Hammond, J. R. (1982) Assessment of airborne exposures to lead during military vehicle finishing operations. Mil. Med. 147: 49-50.

Brashear, C. W.; Kopp, V. J.; Krigman, M. R. (1978) Effect of lead on the developing peripheral nervous system. J. Neuropathol. Exp. Neurol. 37: 414-425.

Bratton, G. R.; Zmudzki, J.; Bell, M. C.; Warnock, L. G. (1981) Thiamin (vitamin B_1) effects on lead intoxication and deposition of lead in tissues: therapeutic potential. Toxicol. Appl. Pharmacol. 59: 164-172.

Bratton, G. R.; Zmudzki, J.; Richardson, E. W. (1985) Lead concentrations in fresh frozen and formalin fixed tissues from lead poisoned calves: guidelines for diagnosis. Vet. Hum. Toxicol. 27: 7-10.

Bratton, G. R.; Zmudzki, J.; Kincaid, N.; Joyce, J. (1981) Thiamin as treatment of lead poisoning in ruminants. Mod. Vet. Prac. 62: 441-446.

Braude, G. L.; Nash, A. M.; Wolf, W. J.; Carr, R. L.; Chaney, R. L. (1980) Cadmium and lead content of soybean products. J. Food Sci. 45: 1187-1189.

Braunstein, G. D.; Dahlgren, J.; Loriaux, D. L. (1978) Hypogonadism in chronically lead-poisoned men. Infertility 1: 33-51.

Bridbord, K. (1978) Occupational lead exposure and women. Prev. Med. 7: 311-321.

Bridbord, K. (1980) Low-level exposure to lead in the workplace. In: Needleman, H. L., ed. Low level lead exposure: the clinical implications of current research. New York, NY: Raven Press; pp. 267-278.

Bridbord, K. C. (1977) Human exposure to lead from motor vehicle emissions. Washington, DC: U.S. Department of Health, Education, and Welfare, National Institute of Occupational Safety and Health; NIOSH publication no. 77-145. Available from: NTIS, Springfield, VA; PB-274762.

Bridbord, K.; Blejer, H. P. (1977) Prophylactic chelation therapy in occupational lead poisoning: a review. Am. Ind. Hyg. Assoc. J. 38: 536-542.

Bridbord, K.; Stein, H. P. (1979) Health implications of trace metals in the environment. In: Risby, T. H., ed. Ultratrace metal analysis in biological sciences and environment: symposium; August 1977; Chicago, IL. Adv. Chem. Ser. 172: 27-32.

Brieger, H.; Rieders, F. (1959) Chronic lead and mercury poisoning: contemporary views on ancient occupational diseases. J. Chronic Dis. 9: 177-184.

Brierley, G. P. (1977) Effects of heavy metals on isolated mitochondria. In: Lee, S. D., ed. Biochemical effects of environmental pollutants. Ann Arbor, MI: Ann Arbor Science; pp. 397-411.

Brihaye, C.; Duyckaerts, G. (1982) Determination of traces of metals by anodic stripping voltammetry at a rotating glassy carbon ring-disc electrode: part I. method and instrumentation with evaluation of some parameters. Anal. Chim. Acta 143: 111-120.

Brihaye, C.; Duyckaerts, G. (1983) Determination of traces of metals by anodic stripping voltammetry at a rotating glassy carbon ring-disc electrode: part 2. Comparison between linear anodic stripping voltammetry with ring collection and various other stripping techniques. Anal. Chim. Acta 146: 37-43.

Brihaye, C.; Gillain, G.; Duyckaerts, G. (1983) Determination of traces of metals by anodic stripping voltammetry at a rotating glassy carbon ring-disc electrode. Anal. Chim. Acta 148: 51-57.

Brinkman, F. E.; Fish, R. H., eds. (1981) Environmental speciation and monitoring needs for trace metal-containing substances from energy-related processes: proceedings of the DOE/NBS workshop held at the National Bureau of Standards; May; Gaithersburg, MD. Washington, DC: U.S. Department of Commerce, National Bureau of Standards; NBS special publication NBS SP 618. Available from: NTIS, Springfield, VA; PB82-132770.

Britton, D. (1964) The structure of the Pb_9^{-4} ion. Inorg. Chem. 3: 305.

Brix, K. A. (1982) Environmental and occupational hazards to the fetus. J. Reprod. Med. 27: 577-583.

Brix, H.; Lyngby, J. E.; Schierup, H.-H. (1983) Eelgrass (Zostera marina L.) as an indicator organism of trace metals in the Limfjord, Denmark. Mar. Environ. Res. 8: 165-181.

Brockhaus, A.; Freier, I.; Ewers, U.; Baginski, B.; Krämer, U.; Dolgner, R. (1980) Epidemiologische Untersuchungen zur ökologischen Bleibelastung von männlichen Grosstadtbewohnern in Nordwestdeutschland [Concentrations of lead and free erythrocyte porphyrin in the blood of adult urban men in north-west Germany]. Int. Arch. Occup. Environ. Health 46: 59-70.

Brodeur, J.; Lacasse, Y.; Talbot, D.; (1983) Influence of removal from occupational lead exposure on blood and saliva lead concentrations. Toxicol. Lett. 19: 195-199.

Brogsitter, Ad. M.; Wodarz, H. (1922) Nierenveränderungen bei Bleivergiftung und Gicht [Renal changes with lead intoxication and gout]. Dtsch. Arch. Klin. Med. 139: 129-142.

Brooks, R. R.; Trow, J. M. (1979) Lead and cadmium content of some New Zealand and overseas cigarettes. N. Z. J. Sci. 22: 289-291.

Brooks, R. R.; Trow, J. M.; Bolviken, B. (1979) Biogeochemical anomalies in Fennoscandia: a study of copper, lead and nickel levels in Melandrium dioicum and Viscaria alpina. J. Geochem. Explor. 11: 73-87.

Brooks, R. R.; Trow, J. M.; Fredskild, B. (1980) Lead levels in Viscaria alpina from Greenland. Oikos 35: 425-428.

Brown, A. (1983) Petrol sniffing lead encephalopathy. N. Z. Med. J. 96: 421-422.

Brown, C. P.; Spivey, G. H.; Valentine, J. L.; Browdy, B. L. (1980) Cigarette smoking and lead levels in occupationally exposed lead workers. J. Toxicol. Environ. Health 6: 877-883.

Brown, D. R. (1975) Neonatal lead exposure in the rat: decreased learning as a function of age and blood lead concentrations. Toxicol. Appl. Pharmacol. 32: 628-637.

Brown, K. S.; Cherry, W. H.; Forbes, W. F. (1979) Studies of trace-metal levels in human tissues - VI. Concerning the estimation of lead levels in human lung and vertebra, with particular reference to formalin fixation. Bull. Environ. Contam. Toxicol. 22: 552-560.

Brown, K. S.; Cherry, W. H.; Forbes, W. F. (1979) Blood lead concentration as an indicator of lead body burden [letter]. Can. Med. Assoc. J. 120: 1485-1486.

Brown, K. W.; Black, S. C. (1983) Quality assurance and quality control data validation procedures used for the Love Canal and Dallas lead soil monitoring programs. Environ. Monit. Asses. 3: 113-122.

Brown, K. W.; Thomas, J. C.; Slowey, J. F. (1983) The movement of metals applied to soils in sewage effluent. Water Air Soil Pollut. 19: 43-54.

Brown, K. W.; Thomas, J. C.; Slowey, J. F. (1983) Metal accumulation by bermudagrass grown on four diverse soils amended with secondarily treated sewage effluent. Water Air Soil Pollut. 20: 431-446.

Brown, L. M.; Pottern, L. M.; Blot, W. J. (1984) Lung cancer in relation to environmental pollutants emitted from industrial sources. Environ. Res. 34: 250-261.

Brown, R. S.; Hingerty, B. E.; Dewan, J. C.; Klug, A. (1983) Pb(II)-catalysed cleavage of the sugar-phosphate backbone of yeast $tRNA^{Phe}$--implications for lead toxicity and self-splicing RNA. Nature (London) 303: 543-546.

Brown, S.; Dragann, N.; Vogel, W. H. (1971) Effects of lead acetate on learning and memory in rats. Arch. Environ. Health 22: 370-372.

Browne, F. X.; Grizzard, T. J. (1979) Water pollution: nonpoint sources. J. Water Pollut. Control Fed. 51: 1428-1444.

Bruaux, P.; Claeys-Thoreau, F.; Ducoffre, G.; Lafontaine, A.; Grech, A.; Vassallo, A. (1983) Exposure to lead and cadmium of the general population of Malta. Int. Arch. Occup. Environ. Health 53: 119-125.

Bruce, W. R.; Heddle, J. A. (1979) The mutagenic activity of 61 agents as determined by the micronucleus, Salmonella, and sperm abnormality assays. Can. J. Genet. Cytol. 21: 319-334.

Bruenger, F. W.; Stevens, W.; Stover, B. J. (1973) The association of ^{210}Pb with constituents of erythrocytes. Health Phys. 25: 37-42.

Brügmann, L. (1984) Electrochemical speciation of trace metals in sea water. Sci. Total Environ. 37: 41-60.

Brügmann, L.; Danielsson, L.-G.; Magnusson, B.; Westerlund, S. (1983) Intercomparison of different methods for the determination of trace metals in seawater. Mar. Chem. 13: 327-339.

Brümmer, G.; Herms, U. (1983) Influence of soil reaction and organic matter on the solubility of heavy metals in soils. In: Ulrich, B.; Pankrath, J., eds. Effects of accumulation of air pollutants in forest ecosystems: proceedings of a workshop; May 1982; Göttingen, Germany. Dordrecht, The Netherlands: D. Reidel Publishing Company; pp. 233-243.

Brunekreef, B. (1983) Comment on "development of an air quality standard for lead from community studies." Environ. Sci. Technol. 17: 375-378.

Brunekreef, B. D. (1984) The relationship between air lead and blood lead in children: a critical review. Sci. Total Environ. 38: 79-123.

Brunekreef, B.; Noy, D.; Biersteker, K.; Boleij, J. (1983) Blood lead levels of Dutch city children and their relationship to lead in the environment. J. Air Pollut. Control Assoc. 33: 872-876.

Brunekreef, B.; Veenstra, S. J.; Biersteker, K.; Boleij, J. S. M. (1981) The Arnhem lead study: 1. lead uptake by 1- to 3-year-old children living in the vicinity of a secondary lead smelter in Arnhem, The Netherlands. Environ. Res. 25: 441-448.

Bruschi, G.; Bruschi, M. E.; Caroppo, M.; Orlandini, G.; Spaggiari, M.; Cavatorta, A. (1985) Cytoplasmic free $[Ca^{2+}]$ is increased in the platelets of spontaneously hypertensive rats and essential hypertensive patients. Clin. Sci. 68: 179-184.

Bryan, E. H. (1974) Concentrations of lead in urban stormwater. J. Water Pollut. Control Fed. 46: 2419-2421.

Bryan, G. W. (1983) Brown seaweed, Fucus vesiculosus, and the gastropod, Littorina littoralis, as indicators of trace-metal availability in estuaries. Sci. Total Environ. 28: 91-104.

Bryce-Smith, D. (1971) Lead pollution from petrol. Chem. Br. 7: 284-286.

Bryce-Smith, D.; Deshpande, R. R.; Hughes, J.; Waldron, H. A. (1977) Lead and cadmium levels in stillbirths. Lancet 1(8022): 1159.

Bryce-Smith, D.; Mathews, J.; Stephens, R. (1978) Mental health effects of lead on children. Ambio 7: 192-203.

Bryce-Smith, D.; Stephens, R. (1981) Exposure to lead [letter]. Lancet 2(8251): 877.

Bryce-Smith, D.; Stephens, R. (1982) Lead and brain function [letter]. Dev. Med. Child Neurol. 24: 90-91.

Bryce-Smith, D.; Stephens, R. (1983) Sources and effects of environmental lead. In: Rose, J., ed. Trace elements in health: a review of current issues. London, United Kingdom: Butterworth and Company, Ltd.; pp. 83-131.

Buat-Ménard, P.; Arnold, M. (1978) The heavy metal chemistry of atmospheric particulate matter emitted by Mount Etna volcano. Geophys. Res. Lett. 5: 245-248.

Buc, H. A.; Kaplan, J. C. (1978) Red-cell pyrimidine 5'-nucleotidase and lead poisoning. Clin. Chim. Acta 87: 49-55.

Buchet, J.-P.; Lauwerys, R.; Roels, H.; Bernard, A. (1980) Relationship between exposure to heavy metals and prevalence of renal dysfunction. Arch. Toxicol. Suppl. 4: 215-218.

Buchet, J.-P.; Lauwerys, R.; Roels, H.; Hubermont, G. (1977) Mobilization of lead during pregnancy in rats. Int. Arch. Occup. Environ. Health 40: 33-36.

Buchet, J. P.; Lauwerys, R.; Vandevoorde, A.; Pycke, J. M. (1981) Evaluation de la quantité moyenne de cadmium, plomb, manganèse, cuivre, chrome, mercure, calcium, zinc et arsenic ingérée journellement par la population adulte belge [Assessment of the average quantity of cadmium, lead, manganese, copper, chrome, mercury, calcium, zinc and arsenic ingested daily by the adult population of Belgium]. Arch. Belg. Med. Soc. Hyg. Med. Trav. Med. Leg. 39: 465-480.

Buchet, J. P.; Lauwerys, R.; Vandevoorde, A.; Pycke, J. M. (1983) Oral daily intake of cadmium, lead, manganese, copper, chromium, mercury, calcium, zinc and arsenic in Belgium: a duplicate meal study. Food Chem. Toxicol. 21: 19-24.

Buchet, J.-P.; Roels, H.; Bernard, A.; Lauwerys, R. (1980) Assessment of renal function of workers exposed to inorganic lead, cadmium or mercury vapor. J. Occup. Med. 22: 741-750.

Buchet, J.-P.; Roels, H.; Bernard, A.; Lauwerys, R. (1981) Assessment of renal function of workers simultaneously exposed to inorganic lead and cadmium. J. Occup. Med. 23: 348-352.

Buchet, J.-P.; Roels, H.; Hubermont, G.; Lauwerys, R. (1976) Effect of lead on some parameters of the heme biosynthetic pathway in rat tissues in vivo. Toxicology 6: 21-34.

Buchet, J.-P.; Roels, H.; Hubermont, G.; Lauwerys, R. (1978) Placental transfer of lead, mercury, cadmium, and carbon monoxide in women: II. influence of some epidemiological factors on the frequency distributions of the biological indices in maternal and umbilical cord blood. Environ. Res. 15: 494-503.

Buchet, J.-P.; Roels, H.; Lauwerys, R. (1978) Influence of sex hormones on free erythrocyte protoporphyrin response to lead in rats. Toxicology 9: 361-369.

Buchthal, F.; Behse, F. (1979) Electrophysiology and nerve biopsy in men exposed to lead. Br. J. Ind. Med. 36: 135-147.

Buchthal, F.; Behse, F. (1979) Nerve conduction, nerve biopsy and electromyography in men with increased blood levels of lead. Acta Neurol. Scand. Suppl. 60: 58.

Buchthal, F.; Behse, F. (1981) Nerve conduction and nerve biopsy in men exposed to lead. In: Lynam, D. R.; Piantanida, L. G.; Cole, J. F., eds. Environmental lead: proceedings of the second international symposium on lead research; December 1978; Cincinnati, OH. New York, NY: Academic Press; pp. 69-94. (Coulston, F.; Korte, F., eds. Ecotoxicology and environmental quality series).

Buckle, E. R.; Tsakiropoulos, P. (1981) The particles of heavy metal smokes: bismuth, lead, cadmium and zinc. Anal. Proc. 18: 73-76.

Buckup, H. (1977) The influence of the lead on the human organism. Rev. Act. Metallges. AG. 20: 94-100.

Budiansky, S. (1981) Lead: the debate goes on, but not over science. Environ. Sci. Technol. 15: 243-246.

Buffle, J.; Greter, F.-L. (1979) Voltammetric study of humic and fulvic substances: part II. mechanism of reaction of the Pb-fulvic complexes on the mercury electrode. J. Electroanal. Chem. 101: 231-251.

Buffle, J.; Greter, F.-L.; Nembrini, G.; Paul, J.; Haerdi, W. (1976) Capabilities of voltammetric techniques for water quality control problems. Z. Anal. Chem. 282: 339-350.

Buggiani, S. S.; Vannucchi, C. (1980) Mercury and lead concentrations in some species of fish from the Tuscan coasts (Italy). Bull. Environ. Contam. Toxicol. 25: 90-92.

Bull, K. R.; Every, W. J.; Freestone, P.; Hall, J. R.; Osborn, D. (1983) Alkyl lead pollution and bird mortalities on the Mersey Estuary, UK, 1979-1981. Environ. Pollut. Ser. A 31: 239-259.

Bull, R. J. (1977) Effects of trace metals and their derivatives on the control of brain energy metabolism. In: Lee, S. D., ed. Biochemical effects of environmental pollutants. Ann Arbor, MI: Ann Arbor Science; pp. 425-440.

Bull, R. J. (1980) Lead and energy metabolism. In: Singhal, P. L.; Thomas, J. A., eds. Lead toxicity. Baltimore, MD: Urban and Schwarzenberg, Inc.; pp. 119-168.

Bull, R. J. (1983) Delayed metabolic maturation of the cerebral cortex of rat pups derived from lead-treated dams. J. Toxicol. Environ. Health 11: 211-225.

Bull, R. J.; Lutkenhoff, S. D.; McCarty, G. E.; Miller, R. G. (1979) Delays in the postnatal increase of cerebral cytochrome concentrations in lead-exposed rats. Neuropharmacology 18: 83-92.

Bull, R. J.; McCauley, P. T.; Taylor, D. H.; Croften, K. M. (1983) The effects of lead on the developing central nervous system of the rat. Neurotoxicology 4: 1-18.

Bull, R. J.; Stanaszek, P. M.; O'Neill, J. J.; Lutkenhoff, S. D. (1975) Specificity of the effects of lead on brain energy metabolism for substrates donating a cytoplasmic reducing equivalent. Environ. Health Perspect. 12: 89-95.

Bulsma, J. B.; De France, H. F. (1976) Cytogenetic investigations in volunteers ingesting inorganic lead. Int. Arch. Occup. Environ. Health 38: 145-148.

Bunker, V. W.; Lawson, M. S.; Delves, H. T.; Clayton, B. E. (1984) The intake and excretion of lead and cadmium by the elderly. Am. J. Clin. Nutr. 39: 803-808.

Bunzl, K.; Hötzl, H.; Rosner, G.; Winkler, R. (1984) Spatial distribution of radionuclides in soil around a coal-fired power plant: ^{210}Pb, ^{210}Po, ^{226}Ra, ^{232}Th, ^{40}K emitted with the fly ash and ^{137}Cs from the worldwide weapon testing fallout. Sci. Total Environ. 38: 15-31.

Bunzl, K.; Kracke, W. (1984) Distribution of ^{210}Pb, ^{210}Po, stable lead and fallout ^{137}Cs in soil, plants and moorland sheep of a heath. Sci. Total Environ. 39: 143-159.

Bunzl, K.; Kracke, W.; Kreuzer, W. (1980) Stable lead, ^{210}Pb and ^{210}Po in the liver and kidneys of cattle: II. animals from an area near an abandoned lead mine. Food Cosmet. Toxicol. 18: 133-137.

Burchfiel, J. L.; Duffy, F. H.; Bartels, P. H.; Needleman, H. L. (1980) The combined discriminating power of quantitative electroencephalography and neuropsychologic measures in evaluating central nervous system effects of lead at low levels. In: Needleman, H. L., ed. Low level lead exposure: the clinical implications of current research. New York, NY: Raven Press; pp. 75-89.

Burke, T., ed. (1983) Lead in drinking water. Stevenage, United Kingdom: Water Research Centre; technical report no. TR187. Available from: NTIS, Springfield, VA; PB84-201789.

Burmeister, E. (1980) Die aquatische Makrofauna des Breiniger Berges unter besonderer Berücksichtigung des Einflusses von Schwermetallen auf das Arteninventar [The aquatic macrofauna of the Breiniger Berg with special regard to the influence of heavy metals on the species inventory]. Spixiana 3: 59-90.

Burnett, M. W.; Patterson, C. C. (1980) Perturbation of natural lead transport in nutrient calcium pathways of marine ecosystems by industrial lead. In: Goldberg, E. D.; Horibe, Y.; Saruhashi, K., eds. Isotope marine chemistry. Tokyo, Japan: Uchida Rokakuho Publishing Co., Ltd.; pp. 413-438.

Burright, R. G.; Donovick, P. J.; Michels, K.; Fanelli, R. J.; Dolinsky, Z. (1982) Effect of amphetamine and cocaine on seizure in lead treated mice. Pharmacol. Biochem. Behav. 16: 631-635.

Burright, R. G.; Engellenner, W. J.; Donovick, P. J. (1983) Lead exposure and agonistic behavior of adult mice of two ages. Physiol. Behav. 30: 285-288.

Burrows, G. E. (1981) Lead toxicosis in domestic animals: a review of the role of lead mining and primary lead smelters in the United States. Vet. Hum. Toxicol. 23: 337-343.

Burrows, G. E.; Sharp, J. W.; Root, R. G. (1981) A survey of blood lead concentrations in horses in the north Idaho lead/silver belt area. Vet. Hum. Toxicol. 23: 328-330.

Burton, D. J. (1980) An overview of occupational exposure control technology in nonferrous smelting. Am. J. Ind. Med. 1: 293-305.

Burton, K. W.; Morgan, E.; Williams, A. T. (1983) Trace heavy metals in Fucus and P. vulgata along the Glamorgan Heritage Coast, South Wales. Water Air Soil Pollut. 19: 377-388.

Burton, K. W.; Morgan, E.; Roig, A. (1981) The influence of heavy metals upon the growth of sitka-spruce in South Wales forests; I. upper critical and foliar concentrations. Plant Soil 73: 327-336.

Burton, K. W.; Morgan, E.; Roig, A. (1984) The influence of heavy metals upon the growth of sitka-spruce in South Wales forest; II. greenhouse experiments. Plant Soil 78: 271-282.

Burton, R. M.; Suggs, J. C. (1984) Philadelphia roadway study. Research Triangle Park, NC: U.S. Environmental Protection Agency, Environmental Monitoring Systems Laboratory; EPA report no: 600/4-84-070. Available from: NTIS, Springfield, VA; PB84-226927.

Bushnell, P. J. (1978) Behavioral toxicology of lead in the infant Rhesus monkey [dissertation]. Madison, WI: University of Wisconsin-Madison. Available from: University Microfilms, Ann Arbor, MI; publication no. 78-15,037.

Bushnell, P. J.; Bowman, R. E. (1979) Reversal learning deficits in young monkeys exposed to lead. Pharmacol. Biochem. Behav. 10: 733-742.

Bushnell, P. J.; Bowman, R. E. (1979) Persistence of impaired reversal learning in young monkeys exposed to low levels of dietary lead. J. Toxicol. Environ. Health 5: 1015-1023.

Bushnell, P. J.; Bowman, R. E. (1979) Effects of chronic lead ingestion on social development in infant Rhesus monkeys. Neurobehav. Toxicol. 1: 207-219.

Bushnell, P. J.; Bowman, R. E.; Allen, J. R.; Marlar, R. J. (1977) Scotopic vision deficits in young monkeys exposed to lead. Science (Washington, DC) 196: 333-335.

Bushnell, P. J.; DeLuca, H. F. (1981) Lactose facilitates the intestinal absorption of lead in weanling rats. Science (Washington, DC) 211: 61-63.

Bushnell, P. J.; DeLuca, H. F. (1983) The effects of lactose on the absorption and retention of dietary lead. J. Nutr. 113: 365-378.

Bushnell, P. J.; Levin, E. D. (1983) Effects of zinc deficiency on lead toxicity in rats. Neurobehav. Toxicol. Teratol. 5: 283-288.

Bushnell, P. J.; Shelton, S. E.; Bowman, R. E. (1979) Elevation of blood lead concentration by confinement in the Rhesus monkey. Bull. Environ. Contam. Toxicol. 22: 819-826.

Butler, J. D.; Macmurdo, S. D. (1974) Interior and exterior atmospheric lead concentrations of a house situated near an urban motorway. Int. J. Environ. Stud. 6: 181-184.

Butrimovitz, G. P.; Sharlip, I.; Lo, R. (1983) Extremely low seminal lead concentrations and male fertility. Clin. Chim. Acta 135: 229-231.

Butt, E. M.; Nusbaum, R. E.; Gilmore, T. C.; Didio, S. L.; Mariaro, Sister. (1964) Trace metal levels in human serum and blood. In: Proceedings of the sixth annual air pollution medical research conference; January 1963; San Francisco, CA. Arch. Environ. Health 8: 52-57.

Butt, E. M.; Pearson, H. E.; Simonsen, D. G. (1952) Production of meningoceles and cranioschisis in chick embryos with lead nitrate. Proc. Soc. Exp. Biol. Med. 79: 247-249.

Byczkowski, J. Z.; Sorenson, J. R. J. (1984) Effects of metal compounds on mitochondrial function: a review. Sci. Total Environ. 37: 133-162.

Byers, R. K. (1959) Lead poisoning: review of the literature and report on 45 cases. Pediatrics 23: 585-603.

Byers, R. K.; Lord, E. E. (1943) Late effects of lead poisoning on mental development. Am. J. Dis. Child. 66: 471-494.

Byington, K. H.; Hansbrough, E. (1979) Inhibition of the enzymatic activity of ligandin by organogermanium, organolead or organotin compounds and the biliary excretion of sulfobromophthalein by the rat. J. Pharmacol. Exp. Ther. 208: 248-253.

Byington, K. H.; Yates, D. A.; Mullins, W. A. (1980) Binding of triethyllead chloride by hemoglobin. Toxicol. Appl. Pharmacol. 52: 379-385.

Byrd, J. E.; Perona, M. J. (1980) The temporal variations of lead concentration in a freshwater lake. Water Air Soil Pollut. 13: 207-220.

Cadman, H. C. (1905) Lead as an abortifacient [letter]. Br. Med. J. 1: 653.

Calabrese, E. J. (1979) Does exposure to elevated levels of lead enhance sodium induced hypertension? Med. Hypotheses 5: 817-824.

Calabrese, E. J. (1979) Increased sensitivity to lead-animal model: feline porphyria. Med. Hypotheses 5: 649-651.

Caldwell, K. C.; Taddeini, L.; Woodburn, R. L.; Anderson, G. L.; Lobell, M. (1979) Induction of myeloperoxidase deficiency in granulocytes in lead-intoxicated dogs. Blood 53: 588-593.

Cali, S. P.; Reed, W. P. (1976) The role of the National Bureau of Standards: standard reference materials in accurate trace analysis. In: LaFleur, P. D., ed. Accuracy in trace analysis: sampling, sample handling, analysis - volume 1. Proceedings of the 7th materials research symposium; October 1974; Gaithersburg, MD. Washington, DC: U.S. Department of Commerce National Bureau of Standards; NBS special publication no. 422; pp. 41-63.

California Institute of Technology. (1978) Mass balance determinations for pollutants in urban regions: methodology with applications to lead, zinc, cadmium and arsenic. Las Vegas, NV: U.S. Environmental Protection Agency, Environmental Monitoring and Support Laboratory; EPA report no. EPA-600/4-78-046. Available from: NTIS, Springfield, VA; PB-286241.

Camerlynck, R.; Kiekens, L. (1982) Speciation of heavy metals in soils based on charge separation. Plant Soil 68: 331-339.

Cameron, W. R.; Wunderlich, R. C., Jr.; Loop, A. S. (1980) Mental retardation and related conditions: diagnosis and treatment. In: Hemphill, D. D., ed. Trace substances in environmental health - XIV: [proceedings of University of Missouri's 14th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 294298.

Campara, P.; D'Andrea, F.; Micciolo, R.; Savonitto, C.; Tansella, M.; Zimmermann-Tansella, Ch. (1984) Psychological performance of workers with blood-lead concentration below the current threshold limit value. Int. Arch. Occup. Environ. Health 53: 233-246.

Campbell, B. C.; Baird, A. W. (1977) Lead poisoning in a group of demolition workers. Br. J. Ind. Med. 34: 298-304.

Campbell, B. C.; Beattie, A. D.; Elliott, H. L.; Goldberg, A.; Moore, M. R.; Beevers, D. G.; Tree, M. (1979) Occupational lead exposure and renin release. Arch. Environ. Health 34: 439-443.

Campbell, B. C.; Beattie, A. D.; Moore, M. R.; Goldberg, A.; Reid, A. G. (1977) Renal insufficiency associated with excessive lead exposure. Br. Med. J. 1(6059): 482-485.

Campbell, B. C.; Brodie, M. J.; Thompson, G. G.; Meredith, P. A.; Moore, M. R.; Goldberg, A. (1977) Alterations in the activity of enzymes of haem biosynthesis in lead poisoning and acute hepatic porphyria. Clin. Sci. Mol. Med. 53: 335-340.

Campbell, B. C.; Elliott, H. L.; Meredith, P. A. (1981) Lead exposure and renal failure: does renal insufficiency influence lead kinetics? Toxicol. Lett. 9: 121-124.

Campbell, B. C.; Meredith, P. A.; Moore, M. R.; Goldberg, A. (1978) Erythrocyte delta-aminolaevulinic acid dehydratase activity and changes in delta-aminolaevulinic acid concentration in various forms of anaemia. Br. J. Haematol. 40: 397-400.

Campbell, B. C.; Meredith, P. A.; Moore, M. R.; Watson, W. S. (1984) Kinetics of lead following intravenous administration in man. Toxicol. Lett. 21: 231-235.

Campbell, B. C.; Meredith, P. A.; Scott, J. J. C. (1985) Lead exposure and changes in the renin-angiotensin-aldosterone system in man. Toxicol. Lett. 25: 25-32.

Campbell, B. C.; Moore, M. R.; Goldberg, A.; Hernandez, L. A.; Dick, W. C. (1978) Subclinical lead exposure: a possible cause of gout. Br. Med. J. 2(6149): 1403.

Campbell, J. B.; Woolley, D. E.; Vijakan, V. K.; Overmann, S. R. (1982) Morphometric effects of postnatal lead exposure on hippocampal development of the 15-day-old rat. Dev. Brain Res. 3: 595-612.

Canberk, A.; Sehirli, I.; Canberk, Y.; Koyuncuoğlu, H. (1978) Urine δ-aminolevulinic acid and erythropoietic activity in human lead intoxication. Toxicol. Appl. Pharmacol. 44: 257-261.

Candura, F.; Franco, G.; Malamani, T.; Scalisi, L. (1979) Sulphydryl compounds in lead poisoning [letter]. Lancet 1(8111): 330.

Cannon, H. L.; Bowles, J. M. (1962) Contamination of vegetation by tetraethyl lead. Science (Washington, DC) 137: 765-766.

Cantarow, A.; Trumper, M. (1944) Lead poisoning. Baltimore, MD: Williams and Wilkins.

Canterford, G. S.; Canterford, D. R. (1980) Toxicity of heavy metals to the marine diatom Ditylum brightwellii (West) Grunow: correlation between toxicity and metal speciation. J. Mar. Biol. Assoc. U.K. 60: 227-242.

Cantrell, A. C.; Kilroe-Smith, T. A.; Simões, M. M.; Border, E. A. (1977) The effect of zinc and pH on the behavior of δ-aminolevulinic acid dehydratase activity in baboons exposed to lead. Br. J. Ind. Med. 34: 110-113.

Capar, S. G. (1977) Atomic absorption spectrophotometric determination of lead, cadmium, zinc, and copper in clams and oysters: collaborative study. J. Assoc. Off. Anal. Chem. 60: 1400-1407.

Capar, S. G. (1978) Changes in lead concentration of foods stored in their opened cans. J. Food Saf. 1: 241-245.

Capar, S. G.; Subjoc, C. A. (1982) Defining a lowest level of reliable measurement for lead in foods. J. Assoc. Off. Anal. Chem. 65: 1025-1029.

Capel, I. D.; Pinnock, M. H.; Dorrell, H. M.; Williams, D. C.; Grant, E. C. G. (1981) Comparison of concentrations of some trace, bulk, and toxic metals in the hair of normal and dyslexic children. Clin. Chem. (Winston-Salem, NC) 27: 879-881.

Capelli, R.; Contardi, V.; Cosma, B.; Minganti, V.; Zanicchi, G. (1983) A four-year study on the distribution of some heavy metals in five marine organisms of the Ligurian Sea. Mar. Chem. 12: 281-293.

Caplan, K. J.; Knutson, G. W. (1979) Experimental analysis of lead-in-air sources in lead-acid battery manufacture. Am. Ind. Hyg. Assoc. J. 40: 637-643.

Caplun, E.; Petit, D.; Picciotto, E. (1984) Lead in petrol. Endeavour 8: 135-144.

Caprio, R. J.; Margulis, H. L.; Joselow, M. M. (1974) Lead absorption in children and its relationship to urban traffic densities. Arch. Environ. Health 28: 195-197.

Carberry, J. B. (1980) Water quality degradation due to non-point pollution from urban sources. Newark, DE: Delaware University. Available from: NTIS, Springfield, VA; PB81-124364.

Carey, A. E.; Gowen, J. A.; Forehand, T. J.; Tai, H.; Wiersma, G. B. (1980) Soils: heavy metal concentrations in soils of five United States cities, 1972 Urban Soils Monitoring Program. Pestic. Monit. J. 13: 150-154.

Carey, P. M. (1983) Supplementary guidelines for lead implementation plans--updated projections for motor vehicle lead emissions. Ann Arbor, MI: U.S. Environmental Protection Agency, Office of Mobile Sources; EPA draft report no. EPA-450/2-83-002. Available from: NTIS, Springfield, VA; PB84-104603.

Carlson, B. L.; Nielsen, S. W. (1985) Influence of dietary calcium on lead poisoning in mallard ducks (Anas platyrynchos). Am. J. Vet. Res. 46: 276-282.

Carlson, R. W.; Bazzaz, F. A.; Stukel, J. J.; Wedding, J. B. (1976) Physiological effects, wind reentrainment, and rainwash of Pb aerosol particulate deposited on plant leaves. Environ. Sci. Technol. 10: 1139-1142.

Carlson, R. W.; Rolfe, G. L. (1979) Growth of rye grass and fescue as affected by lead-cadmium-fertilizer interaction. J. Environ. Qual. 8: 348-352.

Carlson, R. W.; Stukel, J. J.; Bazzaz, F. A. (1977) Aerosol studies. In: Rolfe, G. L.; Reinbold, K. A., eds. Environmental contamination of lead and other heavy metals. Urbana, IL: Institute for Environmental Studies; pp. 51-66.

Carmichael, N. G.; Winder, C.; Lewis, P. D. (1981) Dose response relationships during perinatal lead administration in the rat: a model for the study of lead effects on brain development. Toxicology 21: 117-128.

Carmichael, N. G.; Winder, C.; Lewis, P. D. (1982) Effects of chronic low-level lead intake on the developing rat brain: definition of an experimental system with preliminary findings. Neuropathol. Appl. Neurobiol. 8: 240-241.

Carmignani, M.; Boscolo, P.; Marchetti, P.; Iannaccone, A. (1980) Neurogenic components in cardiovascular reactivity of chronically lead-exposed rats. Dev. Toxicol. Environ. Sci. 8: 595-598.

Carmignani, M.; Boscolo, P.; Ripanti, G.; Finelli, V. N. (1983) Effects of chronic exposure to cadmium and/or lead on some neurohumoral mechanisms regulating cardiovascular function in the rat. In: International conference: heavy metals in the environment; September; Heidelberg, West Germany. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 557-560.

Carpenter, S. J. (1982) Enhanced teratogenicity of orally administered lead in hamsters fed diets deficient in calcium or iron. Toxicology 24: 259-271.

Carpenter, S. J.; Ferm, V. H. (1977) Embryopathic effects of lead in the hamster: a morphologic analysis. Lab. Invest. 37: 369-385.

Carpenter, S. J.; Ferm, V. H.; Gale, T. F. (1973) Permeability of the golden hamster placenta to inorganic lead: radioautographic evidence. Experientia 29: 311-313.

Carroll, K. G.; Spinelli, F. R.; Goyer, R. A. (1970) Electron probe microanalyser localization of lead in kidney tissue of poisoned rats. Nature (London) 227: 1056.

Carroll, P. T.; Silbergeld, E. K.; Goldberg, A. M. (1977) Alteration of central cholinergic function by chronic lead acetate exposure. Biochem. Pharmacol. 26: 397-402.

Carter, G. F. (1978) The paper punched disc technique for lead in blood samples with abnormal haemoglobin values. Br. J. Ind. Med. 35: 235-240.

Carter, R. B.; Leander, J. D. (1980) Chronic low-level lead exposure: effects on schedule-controlled responding revealed by drug challenge. Neurobehav. Toxicol. 2: 345-353.

Carton, J. A.; Diaz, J.; Vallina, E.; Arribas, J. M. (1984) Hepatitis bei Saturnismus [Hepatitis in lead poisoning]. Dtsch. Med. Wochenschr. 109: 195-196.

Carty, A. J.; Taylor, N. J. (1977) Binding of heavy metals at biologically important sites: synthesis and molecular structure of aquo(bromo)-DL-penicillaminatocadmium(II) dihydrate. Inorg. Chem. 16: 177-181.

Carvalho, F. M.; Barreto, M. L.; Silvany-Neto, A. M. (1984) Multiple causes of anaemia amongst children living near a lead smelter in Brazil. Sci. Total Environ. 35: 71-84.

Carvalho, F.; Tavares, T. M.; Souza, S. P.; Linhares, P. S. (1984) Lead and cadmium concentrations in the hair of fishermen from the Subae River Basin, Brazil. Environ. Res. 33: 300-306.

Casey, C. E.; Robinson, M. F. (1978) Copper, manganese, zinc, nickel, cadmium and lead in human foetal tissues. Br. J. Nutr. 39: 639-646.

Caspers, M. L. (1978) Isoelectric focusing of membrane proteins of lead treated red blood cells. Fed. Proc. Fed. Am. Soc. Exp. Biol. 37: 1819.

Cass, G. R. (1975) Lead as a tracer for automotive particulates: projecting the sulfate air quality impact of oxidation catalyst equipped cars in Los Angeles. Pasadena, CA: California Institute of Technology, Environmental Quality Laboratory; EQL memorandum no. 12.

Cass, G. R.; McRae, G. J. (1983) Source-receptor reconciliation of routine air monitoring data for trace metals: an emission inventory assisted approach. Environ. Sci. Technol. 17: 129-139.

Cassidy, R. M. (1981) The separation and determination of metal species by modern liquid chromatography. In: Lawrence, J. F., ed. Trace analysis: v. 1. New York, NY: Academic Press; pp. 121-192.

Castellino, N.; Aloj, S. (1964) Kinetics of the distribution and excretion of lead in the rat. Br. J. Ind. Med. 21: 308-314.

Castellino, N.; Aloj, S. (1969) Intracellular distribution of lead in the liver and kidney of the rat. Br. J. Ind. Med. 26: 139-143.

Castellino, N.; Lamanna, P.; Grieco, B. (1966) Biliary excretion of lead in the rat. Br. J. Ind. Med. 23: 237-239.

Casto, B. C.; Meyers, J.; DiPaolo, J. A. (1979) Enhancement of viral transformation for evaluation of the carcinogenic or mutagenic potential of inorganic metal salts. Cancer Res. 39: 193-198.

Castoldi, M. R.; Odone, P.; Buratti, M.; Alessio, L. (1979) Determination of erythrocyte zinc protoporphyrin: methodological problems. In: International conference: management and control of heavy metals in the environment; September; London, United Kingdom. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 113-117.

Castranova, V.; Bowman, L.; Reasor, M. J.; Miles, P. R. (1980) Effects of heavy metal ions on selected oxidative metabolic processes in rat alveolar macrophages. Toxicol. Appl. Pharmacol. 53: 14-23.

Castro Mendoza, H. J.; de la Piedra, C.; Rubert, L.; Jerez, E.; Martin-Oar, J. E.; Aranjo, C. (1978) Actividad de la enzima porfobilinogeno-sintetasa en sangre, higado y riñón de ratas intoxicadas con plomo [Activity of the enzyme porphobilinogen-synthetase in blood, liver and kidney of rats with lead intoxication]. Rev. Clin. Esp. 151: 183-187.

Catizone, O.; Gray, P. (1941) Experiments on chemical interference with the early morphogenesis of the chick: II. the effects of lead on the central nervous system. J. Exp. Zool. 87: 71-83.

Catton, M. J.; Harrison, M. J. G.; Fullerton, P. M.; Kazantzis, G. (1970) Subclinical neuropathy in lead workers. Br. Med. J. 2(5670): 80-82.

Cavalleri, A.; Baruffini, A.; Minoia, C.; Bianco, L. (1981) Biological response of children to low levels of inorganic lead. Environ. Res. 25: 415-423.

Cavalleri, A.; Minoia, C. (1981) Plasma lead values: are they accurate? [letter]. Clin. Chem. (Winston-Salem, NC) 27: 765.

Cavalleri, A.; Minoia, C.; Ceroni, M.; Poloni, M. (1984) Lead in cerebrospinal fluid and its relationship to plasma lead in humans. J. Appl. Toxicol. 4: 63-65.

Cavalleri, A.; Minoia, C.; Pozzoli, L.; Baruffini, A. (1978) Determination of plasma lead levels in normal subjects and in lead-exposed workers. Br. J. Ind. Med. 35: 21-26.

Cavalleri, A.; Minoia, C.; Pozzoli, L.; Polatti, F.; Bolis, P. F. (1978) Lead in red blood cells and in plasma of pregnant women and their offspring. Environ. Res. 17: 403-408.

Cavalleri, A.; Trimarchi, F.; Gelmi, C.; Baruffini, A.; Minoia, C.; Biscaldi, G.; Galto, G. (1982) Effects of lead on the visual system of occupationally exposed subjects. Scand. J. Work Environ. Health 8(suppl. 1): 148-151.

Cawse, P. A. (1974) A survey of atmospheric trace elements in the U.K. (1972-73). Harwell, United Kingdom: Atomic Energy Research Establishment, Environmental & Medical Sciences Division. Available from: NTIS, Springfield, VA; AERE-R7669.

Cenci, G.; Morozzi, G.; Caldini, G. (1985) Injury by heavy metals in Escherichia coli. Bull. Environ. Contam. Toxicol. 34: 188-195.

Cerklewski, F. L. (1979) Influence of dietary zinc on lead toxicity during gestation and lactation in the female rat. J. Nutr. 109: 1703-1709.

Cerklewski, F. L. (1980) Reduction in neonatal lead exposure by supplemental dietary iron during gestation and lactation in the rat. J. Nutr. 110: 1453-1457.

Cerklewski, F. L.; Forbes, R. M. (1976) Influence of dietary zinc on lead toxicity in the rat. J. Nutr. 106: 689-696.

Cermak, J. E.; Lombardi, D. J.; Thompson, R. S. (1974) Physical modeling of atmospheric diffusion. In: Fulkerson, W.; Schults, W. D.; Van Hook, R. I., comps. Proceedings of the first annual NSF trace contaminants conference; August 1973; Oak Ridge, TN. Washington, DC: National Science Foundation; pp. 37-72. Available from: NTIS, Springfield, VA; AEC-CONF/730802.

Cernik, A. A. (1974) Determination of blood lead using a 4.0 mm paper punched disc carbon sampling cup technique. Br. J. Ind. Med. 31: 239-244.

Cernik, A. A.; Sayers, M. P. H. (1971) Determination of lead in capillary blood using a paper punched disc atomic absorption technique: application to the supervision of lead workers. Br. J. Ind. Med. 28: 392-398.

Chadzynski, L. (1980) Finding the source of lead. In: Needleman, H. L., ed. Low level lead exposure: the clinical implications of current research. New York, NY: Raven Press; pp. 239-251.

Chamberlain, A. C. (1970) Interception and retention of radioactive aerosols by vegetation. Atmos. Environ. 4: 57-77.

Chamberlain, A. C. (1983) Author's reply [to J. R. Goldsmith]. Atmos. Environ. 17: 2366-2367.

Chamberlain, A. C. (1983) Effect of airborne lead on blood lead. Atmos. Environ. 17: 677-692.

Chamberlain, A. C. (1983) Fallout of lead and uptake by crops. Atmos. Environ. 17: 693-706.

Chamberlain, A. C. (1985) Prediction of response of blood lead to airborne and dietary lead from volunteer experiments with lead isotopes. Proc. R. Soc. London Ser. B 224: 149-182.

Chamberlain, A. C.; Clough, W. S.; Heard, M. J.; Newton, D.; Stott, A. N. B.; Wells, A. C. (1975) Uptake of inhaled lead from motor exhaust. Postgrad. Med. J. 51: 790-794.

Chamberlain, A. C.; Clough, W. S.; Heard, M. J.; Newton, D.; Stott, A. N. B.; Wells, A. C. (1975) Uptake of lead by inhalation of motor exhaust. Proc. R. Soc. London Ser. B 192: 77-110.

Chamberlain, A. C.; Heard, M. J. (1981) Lead tracers and lead balances. In: Lynam, D. R.; Piantanida, L. G.; Cole, J. F., eds. Environmental lead: proceedings of the second international symposium on environmental lead research; December 1978; Cincinnati, OH. New York, NY: Academic Press; pp. 175-198. (Coulston, F.; Korte, F., eds. Ecotoxicology and environmental quality series).

Chamberlain, A. C.; Heard, M. J.; Little, P.; Newton, D.; Wells, A. C.; Wiffen, R. D. (1978) Investigations into lead from motor vehicles. Harwell, United Kingdom: United Kingdom Atomic Energy Authority; report no. AERE-R9198.

Chamberlain, A. C.; Heard, M. J.; Little, P.; Wiffen, R. D. (1979) The dispersion of lead from motor exhausts. In: Proceedings of the Royal Society discussion meeting, pathways of pollutants in the atmosphere; 1977; London, United Kingdom. Philos. Trans. R. Soc. London Ser. A 290: 577-589.

Chambers, D.; Farrant, G. B.; Mendham, J. (1984) Lead levels in exhaust replacement centres. Sci. Total Environ. 33: 31-36.

Chandra, S. V.; Ali, M. M.; Saxena, D. K.; Murthy, R. C. (1981) Behavioral and neurochemical changes in rats simultaneously exposed to manganese and lead. Arch. Toxicol. 49: 49-56.

Chandra, S. V.; Murthy, R. C.; Husain, T.; Bansal, S. K. (1984) Effect of interaction of heavy metals on (NA^+-K^+) ATPase and the uptake of ^{3}H-DA and ^{3}H-NA in rat brain synaptosomes. Acta Pharmacol. Toxicol. 54: 210-213.

Chandra, S. V.; Murthy, R. C.; Saxena, D. K.; Lal, B. (1983) Effects of pre- and postnatal combined exposure to Pb and Mn on brain development in rats. Ind. Health 21: 273-279.

Chaney, W. R.; Strickland, R. C. (1984) Relative toxicity of heavy metals to red pine pollen germination and germ tube elongation. J. Environ. Qual. 13: 391-394.

Chang, A. C.; Page, A. L.; Bingham, F. T. (1982) Heavy metal absorption by winter wheat following termination of cropland sludge applications. J. Environ. Qual. 11: 705-708.

Chang, L. W.; Wade, P. R.; Lee, G. W. (1981) An ultrastructural reevaluation of lead-induced pathology in the kidney. Environ. Res. 26: 136-151.

Chang, L. W.; Wade, P. R.; Pounds, J. G.; Reuhl, K. R. (1980) Prenatal and neonatal toxicology and pathology of heavy metals. Adv. Pharmacol. Chemother. 17: 195-231.

Chang, L. W.; Wade, P. R.; Reuhl, K. R.; Olson, M. J. (1980) Ultrastructural changes in renal proximal tubules after tetraethyllead intoxication. Environ. Res. 23: 208-223.

Chang, S.-G.; Dod, R. L.; Giauque, R. D.; Novakov, T. (1977) Photodecomposition of lead bromochloride. In: Rosen, H., ed. Annual report 1976-77. Berkeley, CA: Lawrence Berkeley Laboratory, Energy and Environment Division; pp. 74-82. Available from: NTIS, Springfield, VA; LBL-6819.

Channa Reddy, C.; Scholz, R. W.; Massaro, E. J. (1981) Cadmium, methylmercury, mercury, and lead inhibition of calf liver glutathione S-transferase exhibiting selenium-independent glutathione peroxidase activity. Toxicol. Appl. Pharmacol. 61: 460-468.

Chao, S.-H.; Suzuki, Y.; Zysk, J. R.; Cheung, W. Y. (1984) Activation of calmodulin by various metal cations as a function of ionic radius. Mol. Pharmacol. 26: 75-82.

Chapman, B. M.; Jones, D. R. Jung, R. F. (1983) Processes controlling metal ion attenuation in acid mine drainage streams. Geochim. Cosmochim. Acta 47: 1957-1973.

Chapman, R. E.; Barnes, K. A. (1980) Forecasting lead paint abatement costs: a computerized approach. Washington, DC: U.S. Department of Commerce, National Bureau of Standards; report no. NBSIR 80-1977. Available from: NTIS, Springfield, VA; PB80-162886.

Charcot; Gombault. (1881) Note relative a l'étude anatomique de la néphrite saturnine expérimentale [Note on the anatomical study of experimental lead nephritis]. Arch. Physiol. Norm. Pathol. 13: 126-154.

Charcot, J.-M. (1874) Leçons cliniques sur les maladies des vieillards et les maladies chroniques [Clinical studies of geriatric and chronic diseases]. 2nd rev. ed. Paris, France: Adrien Delahaye.

Charney, E.; Kessler, B.; Farfel, M.; Jackson, D. (1983) Childhood lead poisoning: a controlled trial of the effect of dust-control measures on blood lead levels. N. Engl. J. Med. 309: 1089-1093.

Charney, E.; Sayre, J.; Coulter, M. (1980) Increased lead absorption in inner city children: where does the lead come from? Pediatrics 65: 226-231.

Chase, D. S.; Wainwright, S. J. (1983) The vertical distribution of copper, zinc and lead in weathered tips of copper smelter waste in the Lower Swansea Valley. Environ. Pollut. Ser. B 5: 133-146.

Chasko, G. G.; Hoehn, T. R.; Howell-Heller, P. (1984) Toxicity of lead shot to wild black ducks and mallards fed natural foods. Bull. Environ. Contam. Toxicol. 32: 417-428.

Chatman, T.; Wilson, D. J. (1975) Lead levels in human deciduous teeth in Tennessee. Environ. Lett. 8: 173-183.

Chatt, A.; Secord, C. A.; Tiefenbach, B.; Jervis, R. E. (1980) Scalp hair as a monitor of community exposure to environmental pollutants. In: Brown, A. C.; Crounse, R. C., eds. Hair, trace elements and human illness. New York, NY: Praeger; pp. 46-73.

Chattopadhyay, A.; Roberts, T. M.; Jervis, R. E. (1977) Scalp hair as a monitor of community exposure to lead. Arch. Environ. Health 32: 226-236.

Chau, Y. K.; Wong, P. T. S.; Bengert, G. A.; Kramar, O. (1979) Determination of tetraalkyllead compounds in water, sediment, and fish samples. Anal. Chem. 51: 186-188.

Chau, Y. K.; Wong, P. T. S.; Bengert, G. A.; Dunn, J. L. (1984) Determination of dialkyllead, trialkyllead, tetraalkyllead, and lead(II) compounds in sediment and biological samples. Anal. Chem. 56: 271-274.

Chau, Y. K.; Wong, P. T. S.; Goulden, P. D. (1980) A sensitive technique for the analysis of tetraalkyllead compounds. In: Branica, M.; Konrad, Z., eds. Lead in the marine environment: proceedings of the international experts discussion on lead occurrence, fate and pollution in the marine environment; October 1977; Rovinj, Yugoslavia. Oxford, United Kingdom: Pergamon Press; pp. 77-81.

Chau, Y. K.; Wong, P. T. S.; Kramar, O. (1983) The determination of dialkyllead, trialkyllead, tetraalkyllead and lead (II) ions in water by chelation/extraction and gas chromatography/atomic absorption spectrometry. Anal. Chim. Acta 146: 211-217.

Chavalitnitikul, C.; Levin, L.; Chen, L.-C. (1984) Study and models of total lead exposures of battery workers. Am. Ind. Hyg. Assoc. J. 45: 802-808.

Cheng, T. C.; Sullivan, J. T. (1984) Effects of heavy metals on phagocytosis by molluscan hemocytes. Mar. Environ. Res. 14: 305-315.

Cheraskin, E.; Ringsdorf, W. M., Jr. (1979) The distribution of lead in human hair. J. Med. Assoc. State Ala. 48: 30.

Cheraskin, E.; Ringsdorf, W. M., Jr. (1979) Tobacco consumption and human hair lead levels [letter]. South. Med. J. 72: 1350.

Cheung, W. Y. (1984) Calmodulin: its potential role in cell proliferation and heavy metal toxicity. Fed. Proc. Fed. Am. Soc. Exp. Biol. 43: 2995-2999.

Chi-Ming, L.; Hsiu-Chen, W.; To-Chia, C.; Hsueh-Fen, M. (1978) Diagnostic parameters for detecting early lead poisoning. Chinese Med. J. 4: 403-406.

Chiba, M.; Kikuchi, M. (1979) 5-aminolevulinate dehydratase activity in blood of rabbits given tin or lead. Br. J. Ind. Med. 36: 323-325.

Chiba, M.; Kikuchi, M. (1984) The in vitro effects of zinc and manganese on δ-aminolevulinic acid dehydratase activity inhibited by lead or tin. Toxicol. Appl. Pharmacol. 73: 388-394.

Chiba, M.; Kikuchi, M. (1984) The in vivo effects of manganese and zinc on δ-aminolevulinic acid dehydratase activity inhibited by lead. Toxicol. Lett. 20: 143-147.

Chiesura, P. (1970) Escrezione urinaria di catabolíti del piombotetraetile nell'uomo [Urinary excretion of tetraethyl lead catabolites in man]. Med. Lav. 61: 437-441.

Chigbo, F. E.; Smith, R. W.; Shore, F. L. (1982) Uptake of arsenic, cadmium, lead and mercury from polluted waters by the water hyacinth Eichornia crassipes. Environ. Pollut. Ser. A 27: 31-36.

Chisolm, J. J., Jr. (1962) Aminoaciduria as a manifestation of renal tubular injury in lead intoxication and a comparison with patterns of aminoaciduria seen in other diseases. J. Pediatr. (St. Louis) 60: 1-17.

Chisolm, J. J., Jr. (1965) Chronic lead intoxication in children. Dev. Med. Child Neurol. 7: 529-536.

Chisolm, J. J., Jr. (1968) Determination of δ-aminolevulinic acid in plasma. Anal. Biochem. 22: 54-64.

Chisolm, J. J., Jr. (1968) The use of chelating agents in the treatment of acute and chronic lead intoxication in childhood. J. Pediatr. (St. Louis) 73: 1-38.

Chisolm, J. J., Jr. (1973) Management of increased lead absorption and lead poisoning in children. N. Engl. J. Med. 289: 1016-1018.

Chisolm, J. J., Jr. (1974) Lead in red blood cells and plasma. J. Pediatr. (St. Louis) 84: 163-164.

Chisolm, J. J., Jr. (1978) Evidence for interactions among lead, zinc, and iron in children. Clin. Toxicol. 12: 603.

Chisolm, J. J., Jr. (1980) Lead and other metals: a hypothesis of interaction. In: Singhal, P. L.; Thomas, J. A., eds. Lead toxicity. Baltimore, MD: Urban and Schwarzenberg, Inc.; pp. 461-482.

Chisolm, J. J., Jr. (1980) Poisoning from heavy metals (mecury, lead, and cadmium). Pediatr. Ann. 9: 458-468.

Chisolm, J. J., Jr. (1981) Dose-effect relationships for lead in young children: evidence in children for interactions among lead, zinc, and iron. In: Lynam, D. R.; Piantanida, L. G; Cole, J. F., eds. Environmental lead: proceedings of the second international symposium on environmental lead research; December 1978; Cincinnati, OH. New York, NY: Academic Press; pp. 1-7. (Coulston, F.; Korte, F., eds. Ecotoxicology and environmental quality series).

Chisolm, J. J., Jr. (1983) Relationship between level of lead absorption in children and type, age, and condition of housing in Baltimore, Maryland, USA. In: International conference: heavy metals in the environment; September; Heidelberg, West Germany. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 282-285.

Chisolm, J. J., Jr. (1984) The continuing hazard of lead exposure and its effects in children. Neurotoxicology 5: 23-42.

Chisolm, J. J., Jr.; Barltrop, D. (1979) Recognition and management of children with increased lead absorption. Arch. Dis. Child. 54: 249-262.

Chisolm, J. J., Jr.; Barrett, M. B.; Harrison, H. V. (1975) Indicators of internal dose of lead in relation to derangement in heme synthesis. Johns Hopkins Med. J. 137: 6-12.

Chisolm, J. J., Jr.; Brown, D. H. (1975) Micro-scale photofluorometric determination of "free erythrocyte porphyrin" (protoporphyrin IX). Clin. Chem. (Winston-Salem, NC) 21: 1669-1682.

Chisolm, J. J., Jr.; Brown, D. H. (1978) Standardization of methodology for zinc protoporphyrin in erythrocytes: including new spectral data on zinc protoporphyrin. For publication in: Proceedings: XIX international congress on occupational health; September; Dubrovnik, Yugoslavia. New York, NY: International Lead Zinc Research Organization.

Chisolm, J. J., Jr.; Brown, D. H. (1979) Micromethod for zinc protoporphyrin in erythrocytes: including new data on the absorptivity of zinc protoporphyrin and new observations in neonates and sickle cell disease. Biochem. Med. 22: 214-237.

Chisolm, J. J., Jr.; Harrison, H. E. (1956) The exposure of children to lead. Pediatrics 18: 943-958.

Chisolm, J. J., Jr.; Harrison, H. C.; Eberlein, W. R.; Harrison, H. E. (1955) Amino-aciduria, hypophosphatemia, and rickets in lead poisoning: study of a case. Am. J. Dis. Child. 89: 159-168.

Chisolm, J. J., Jr.; Hastings, C. W.; Cheung, D. K. K. (1974) Microphotofluorometric assay for protoporphyrin in acidified acetone extracts of whole blood. Biochem. Med. 9: 113-135.

Chisolm, J. J., Jr.; Mellits, E. D.; Barrett, M. B. (1976) Interrelationships among blood lead concentration, quantitative daily ALA-U and urinary lead output following calcium EDTA. In: Nordberg, G. F.; ed. Proceedings of third meeting of the subcommittee on the toxicology of metals under the Permanent Commission and International Association on Occupational Health; November 1974; Tokyo, Japan. Amsterdam, The Netherlands: Elsevier Publishing Co.; pp. 416-433.

Chisolm, J. J., Jr.; Mellits, E. D.; Quaskey, S.A. (1985) The relationship between the level of lead absorption in children and the age, type, and condition of housing. In: Bornschein, R. L.; Rabinowitz, M. B., eds. The second international conference on prospective studies of lead; April 1984; Cincinnati, OH. Environ. Res. 38: 31-45.

Chisolm, J. J., Jr.; Thomas, D. J. (1983) Developmental toxicity of metals: implications for public health. In: Clarkson, T. W.; Nordberg, G. F.; Sager, P. R., eds. Reproductive and developmental toxicity of metals [proceedings of a joint meeting; May 1982; Rochester, NY]. New York, NY: Plenum Press; pp. 541-566.

Chisolm, J. J.; Thomas, D. J.; Hamill, T. G. (1985) Erythrocyte porphobilinogen synthase activity as an indicator of lead exposure in children. Clin. Chem. (Winston-Salem, NC) 31: 601-605.

Chmiel, K. M.; Harrison, R. M. (1981) Lead content of small mammals at a roadside site in relation to the pathways of exposure. Sci. Total Environ. 17: 145-154.

Chmielnicka, J.; Komsta-Szumska, E.; Szymańska, J. (1981) Arginase and kallikrein activities as biochemical indicies of occupational exposure to lead. Br. J. Ind. Med. 38: 175-178.

Chmielnicka, J.; Szymańska, J. A. (1979) Evaluation of methods for the estimation of 5-aminolevulinate dehydratase for a broad range of lead concentrations in the blood of exposed workers. J. Clin. Chem. Clin. Biochem. 17: 373-377.

Choie, D. D.; Richter, G. W. (1972) Cell proliferation in rat kidney induced by lead acetate and effects of uninephrectomy on the proliferation. Am. J. Pathol. 66: 265-275.

Choie, D. D.; Richter, G. W. (1972) Cell proliferation in rat kidneys after prolonged treatment with lead. Am. J. Pathol. 68: 359-370.

Choie, D. D.; Richter, G. W. (1973) Simulation of DNA synthesis in rat kidney by repeated administration of lead (37043). Proc. Soc. Exp. Biol. Med. 142: 446-449.

Choie, D. D.; Richter, G. W. (1974) Cell proliferation in mouse kidney induced by lead. I: Synthesis of deoxyribonucleic acid. Lab. Invest. 30: 647-651.

Choie, D. D., Richter, G. W. (1974) Cell proliferation in mouse kidney induced by lead: II. synthesis of ribonucleic acid and protein. Lab. Invest. 30: 652-656.

Choie, D. D.; Richter, G. W. (1978) G_2 sub-population in mouse liver induced into mitosis by lead acetate. Cell Tissue Kinet. 11: 235-239.

Choie, D. D.; Richter, G. W. (1980) Effects of lead on the kidney. In: Singhal, P. L.; Thomas, J. A., eds. Lead toxicity. Baltimore, MD: Urban and Schwarzenberg, Inc.; pp. 187-212.

Choie, D. D.; Richter, G. W.; Young, L. B. (1975) Biogenesis of intranuclear lead-protein inclusions in mouse kidney. Beitr. Pathol. 155: 197-203.

Cholak, J. (1961) Further investigations of atmospheric concentration of lead. Arch. Environ. Health 8: 126-136.

Cholak, J.; Schafer, L. J.; Yeager, D. (1968) The air transport of lead compounds present in automobile exhaust gases. J. Am. Ind. Hyg. Assoc. 29: 562-568.

Chow, A.; Gesser, H. D. (1981) Preconcentration of trace metals from aquatic environmental samples. In: Satena, J.; Fisher, F., eds. Hazard assessment of chemicals: current developments; volume 1. New York, NY: Academic Press; pp. 17-57.

Chow, C. P.; Cornish, H. H. (1978) Effects of lead on the induction of hepatic microsomal enzymes by phenobarbital and 3,4-benzpyrene. Toxicol. Appl. Pharmacol. 43: 219-228.

Chow, T. J. (1978) Lead in natural waters. In: Nriagu, J. O., ed. The biogeochemistry of lead in the environment; part A. ecological cycles. New York, NY: Elsevier/North-Holland Biomedical Press; pp. 185-218. (Topics in environmental health: v. 1A).

Chow, T. J.; Earl, J. L.; Bennet, C. F. (1969) Lead aerosols in marine atmosphere. Environ. Sci. Technol. 3: 737-740.

Chow, T. J.; Earl, J. L.; Snyder, C. B. (1972) Lead aerosol baseline: concentration at White Mountain and Laguna Mountain, California. Science (Washington, DC) 178: 401-402.

Chow, T. J.; Patterson, C. C. (1962) The occurrence and significance of lead isotopes in pelagic sediments. Geochim. Cosmochim. Acta 26: 263-308.

Chow, T. J.; Patterson, C. C. (1966) Concentration profiles of barium and lead in Atlantic waters off Bermuda. Earth Planet. Sci. Lett. 1: 397-400.

Chow, T. J.; Patterson, C. C.; Settle, D. (1974) Occurrence of lead in tuna [letter]. Nature (London) 251: 159-161.

Chow, T. J.; Snyder, C. B.; Earl, J. L. (1975) Isotope ratios of lead as pollutant source indicators. Proceedings of the symposium on isotope ratios as pollutant source and behavior indicators; Vienna, Austria. International Atomic Energy Agency paper no. IAEA-SM-191/4.

Chowdhury, A. R.; Dewan, A.; Gandhi, D. N. (1984) Toxic effect of lead on the testes of rat. Biomed. Biochim. Acta 43: 95-100.

Christensen, E. R.; Chien, N. (1981) Fluxes of arsenic, lead, zinc, and cadmium to Green Bay and Lake Michigan sediments. Environ. Sci. Technol. 15: 553-558.

Christensen, E. R.; Scherfig, J.; Dixon, P. S. (1979) Effects of manganese, copper and lead on Selenastrum capricornutum and Chlorella stigmatophora. Water Res. 13: 79-92.

Christensen, E. R.; Scherfig, J.; Koide, M. (1978) Metals from urban runoff in dated sediments of a very shallow estuary. Environ. Sci. Technol. 12: 1168-1173.

Christensen, G.; Hunt, E.; Fiandt, J. (1977) The effect of methylmercuric chloride, cadmium chloride, and lead nitrate on six biochemical factors of the brook trout (Salvelinus fontinalis). Toxicol. Appl. Pharmacol. 42: 523-530.

Christensen, T. H. (1982) Comparison of methods for preparation of municipal compost for analysis of metals by atomic absorption spectrophotometry. Int. J. Environ. Anal. Chem. 12: 211-221.

Christoffersson, J. O.; Schûtz, A.; Ahlgren, L.; Haeger-Aronsen, B.; Mattsson, S.; Skerfving, S. (1984) Lead in finger-bone analysed in vivo in active and retired lead workers. Am. J. Ind. Med. 6: 447-457.

Christophers, A. J. (1980) Environmental lead question: a point of view from Victoria. Med. J. Aust. 2: 300-304.

Chruściel, H. (1975) Wplyw toksycznych czynników środowiska pracy na powstawanie leukoplakii u hutników cynku i olowiu [The effect of toxic environmental products on the development of leucoplakia in workers in zinc and lead processing plants]. Czas. Stomatol. 28: 103-110.

Chu, I.; Secours, V.; Toft, P.; Villeneuve, D. C. (1977) Effect of lead on tissue disposition of nitrilotriacetic acid (NTA) in rats. Bull. Environ. Contam. Toxicol. 18: 462-465.

Chumbley, C. G.; Unwin, R. J. (1982) Cadmium and lead content of vegetable crops grown on land with a history of sewage sludge application. Environ. Pollut. Ser. B 4: 231-237.

Church, T. M.; Tramontano, J. M.; Scudlark, J. R.; Jickells, T. D.; Tokos, J. J., Jr.; Knap, A. H.; Galloway, J. N. (1984) The wet deposition of trace metals to the Western Atlantic Ocean at the mid-Atlantic coast and on Bermuda. Atmos. Environ. 18: 2657-2664.

Cibulka, J.; Mader, P., Sova, Z.; Muzikár, V.; Pardus, I. (1983) Lead and cadmium in the tissues of broilers fed a diet with added activated sewage sludge. In: International conference: heavy metals in the environment; September; Heidelberg, West Germany. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 405-408.

Ćirović, M.; Rakić, L.; Dimitrijević, R. (1983) Glycine, vibrations and triaethyllead effects upon the synthesis of total proteins and myeline basic proteins (BPM) in rat brain following memorizing processes. Neurosci. Lett. Suppl. 14: S66.

Clapp, R. W. (1980) The Massachusetts childhood lead-poisoning prevention program. In: Needleman, H. L., ed. Low level lead exposure: the clinical implications of current research. New York, NY: Raven Press; pp. 285-291.

Claeys-Thoreau, F.; Bruaux, P.; Ducoffre, G.; Lafontaine, A. (1983) Exposure to lead of the Belgian population. Int. Arch. Occup. Environ. Health 53: 109-117.

Clark, A. R. L. (1977) Placental transfer of lead and its effects on the newborn. Postgrad. Med. J. 53: 674-678.

Clark, C. S.; Bornschein, R. L.; Succop, P.; Que Hee, S. S.; Hammond, P. B.; Peace, B. (1985) Condition and type of housing as an indicator of potential environmental lead exposure and pediatric blood lead levels. Environ. Res. 38: 46-53.

Clark, D. R., Jr. (1979) Lead concentrations: bats vs. terrestrial small mammals collected near a major highway. Environ. Sci. Technol. 13: 338-341.

Clarke, A. N.; Wilson, D. J. (1974) Preparation of hair for lead analysis. Arch. Environ. Health 28: 292-296.

Clarkson, T. W.; Kench, J. E. (1956) Urinary excretion of amino acids by men absorbing heavy metals. Biochem. J. 62: 361-372.

Clarkson, T. W.; Kench, J. E. (1958) The sedimentation rate and fragility of human erythrocytes _in vitro_ after exposure to lead chloride. Br. J. Ind. Med. 15: 115-119.

Clarkson, T. W.; Kench, J. E. (1958) Uptake of lead by human erythrocytes _in vitro_. Biochem. J. 69: 432-439.

Clarkson, T. W.; Nordberg, G. F.; Sager, P. R., eds. (1983) Reproductive and developmental toxicity of metals [proceedings of a joint meeting; May 1982; Rochester, NY]. New York, NY: Plenum Press.

Clarkson, T. W.; Weiss, B.; Cox, C. (1983) Public health consequences of heavy metals in dump sites. Environ. Health Perspect. 48: 113-127.

Clausen, I. H. S. (1984) Lead (Pb) in spiders: a possible measure of atmospheric Pb pollution. Environ. Pollut. Ser. B 8: 217-230.

Clausen, J.; Rastogi, S. C. (1977) Heavy metal pollution among autoworkers: I. lead. Br. J. Ind. Med. 34: 208-215.

Clayton, B. E.; Delves, T.; Graham, P. J.; Lansdown, R. (1979) Research into lead pollution [letter]. Lancet 1(8111): 324.

Clegg, D. E.; Eddington, I. W.; McKinnon, P. J.; Sheumack, M. D. (1984) Lead levels in deciduous teeth of Queensland children. Med. J. Aust. 141: 590-593.

Clench-Aas, J.; Thomassen, Y.; Levy, F.; Skaug, K. (1984) Blood lead - a function of vehicular emissions and smoking: part I. Lillestrøm, Norway: Norwegian Institute for Air Research.

Clevenger, T. E.; Hinderberger, E. J., Jr.; Yates, D. A.; James, W. D. (1984) Analysis for trace elements in magnetohydrodynamic (MHD) pilot power plant effluents. Environ. Sci. Technol. 18: 253-257.

Coello, W. F.; Saleem, Z. A.; Khan, M. A. Q. (1974) Ecological effects of lead in auto-exhaust. In: Khan, M. A. Q.; Bederka, J. P., Jr., eds. Survival in toxic environments. New York, NY: Academic Press, Inc.; pp. 499-513.

Coerr, S. (1980) EPA's air standard for lead. In: Needleman, H. L., ed. Low level lead exposure: the clinical implications of current research. New York, NY: Raven Press; pp. 253-257.

Coggins, A. J.; Tuckwell, K. D.; Byrne, R. E. (1979) An investigation of the heavy metal content of the water and sediments in a reservoir supplying drinking water to a major mining center. Environ. Sci. Technol. 13: 1281-1285.

Cohen, A. F.; Cohen, B. L. (1980) Protection from being indoors against inhalation of suspended particulate matter of outdoor origin. Atmos. Environ. 14: 183-184.

Cohen, C. J.; Bowers, G. N.; Lepow, M. L. (1973) Epidemiology of lead poisoning: a comparison between urban and rural children. J. Am. Med. Assoc. 226: 1430-1433.

Cohen, D. J.; Johnson, W. T.; Caparulo, B. K. (1976) Pica and elevated blood lead level in autistic and atypical children. Am. J. Dis. Child. 130: 47-48.

Cohen, G. J.; Ahrens, W. E. (1959) Chronic lead poisoning: a review of seven years' experience at the Children's Hospital, District of Columbia. J. Pediatr. (St. Louis) 54: 271-284.

Cohen, J. J.; Coles, D. G.; Ramspott, L. D. (1980) Lead encapsulation of nuclear waste: a risk assessment. Trans. Am. Nucl. Soc. 34: 350-351.

Cohen, M. M. (1979) Biochemical aspects of lead neurotoxicity. In: Vinken, P. J.; Bruyn, G. W., eds. Intoxications of the nervous system: part I. Amsterdam, The Netherlands: Elsevier/North-Holland Biomedical Press; pp. 65-72. (Vinken, P. J.; Bruyn, G. W., eds. Handbook of clinical neurology: v. 36).

Cohen, N. (1970) The retention and distribution of lead-210 in the adult baboon [dissertation]. New York, NY: New York University. Available from: University Microfilms, Ann Arbor, MI; publication no. 71-68.

Coker, D. T. (1978) A simple, sensitive technique for personal and environmental sampling and analysis of lead alkyl vapours in air. Ann. Occup. Hyg. 21: 33-38.

Colby, H. D.; Heaps, P. R.; Johnson, P. B.; Pope, M. R.; Marquess, M. L.; Zulkowski, J. A.; Wolfe, M. A. (1980) Comparative actions of cadmium (Cd), zinc (Zn), and lead (Pb) in vitro on pulmonary, adrenal and hepatic mixed function oxidases (MFO). Pharmacologist 22: 199.

Colby, H. D.; Johnson, P. B.; Zulkoski, J. S.; Pope, M. R.; Miles, P. R. (1981) Comparative effects of cadmium, zinc, and lead in vitro on pulmonary, adrenal, and hepatic microsomal metabolism in the guinea pig: J. Toxicol. Environ. Health 8: 907-915.

Cole, D. R.; Rose, A. W. (1984) Distribution and mode of occurrence of zinc and lead in glacial soils. J. Geochem. Explor. 20: 137-160.

Cole, J. F. (1981) Lead debate [letter]. Environ. Sci. Technol. 15: 722-724.

Cole, J. F., ed. (1975) Proceedings of the 1974 conference on standards of occupational lead exposure. J. Occup. Med. 17: 75-125.

Cole, L. J.; Bachhuber, L. J. (1915) The effect of lead on the germ cells of the male rabbit and fowl as indicated by their progeny. Proc. Soc. Exp. Biol. Med. 12: 24-29.

Cole, R.; Cole, J. (1976) Correlations between disturbed haem synthesis and fetal malformation. Lancet 2(7986): 640.

Coleman, D. (1983) Lead is a hazard [letter]. Nature (London) 303: 108.

Coleman, I. P. L.; Hilburn, M. E.; Blair, J. A. (1978) The intestinal absorption of lead. Biochem. Soc. Trans. 6: 915-917.

Colle, A.; Grimaud, J. A.; Boucherat, M.; Manuel, Y. (1980) Lead poisoning in monkeys: functional and histopathological alterations of the kidneys. Toxicology 18: 145-158.

Collingridge, D.; McEvoy, J. (1981) A cost effective comparison of controls on environmental lead: a decision methodology. Int. J. Environ. Stud. 16: 139-145.

Collins, B. J.; Sell, N. J. (1982) Lead contamination associated with snowmobile trails. Environ. Res. 27: 159-163.

Collins, C. J.; Nielsen, V. K.; Kirkby, H.; Gyntelberg, F. (1982) Absence of peripheral neuropathy in long-term lead-exposed subjects. Acta Neurol. Scand. 65: 241-247.

Collins, M. F.; Hrdina, P. D.; Whittle, E.; Singhal, R. L. (1982) Lead in blood and brain regions of rats chronically exposed to low doses of the metal. Toxicol. Appl. Pharmacol. 65: 314-322.

Collins, M. F.; Hrdina, P. D.; Whittle, E.; Singhal, R. L. (1984) The effects of low-level lead exposure in developing rats: changes in circadian locomotor activity and hippocampal noradrenaline turnover. Can. J. Physiol. Pharmacol. 62: 430-435.

Colliver, J. A.; Kolm, P.; Verhulst, S. J. (1983) Dentine lead and IQ: interpretation of results of residuals analysis [letter]. J. Pediatr. (St. Louis) 102: 573-574.

Colombi, A.; Maroni, M.; Ferioli, A.; Valla, C.; Coletti, G.; Foá, V. (1983) Liquid chromatography of urinary porphyrins for the biological monitoring of occupational exposure to porphyrinogenic substances. Am. J. Ind. Med. 4: 551-564.

Colombo, A. (1985) The underdefined nature of the blood lead-air lead relationship from biological and statistical grounds. Atmos. Environ. 19: 1485-1493.

Colombo, A.; Fantechi, R. (1983) Isotopic lead experiment: a dynamic analysis of the isotopic lead experiment results. Luxembourg: Commission of the European Communities.

Columbano, A.; Ledda, G. M.; Sirigu, P.; Perra, T.; Pani, P. (1983) Liver cell proliferation induced by a single dose of lead nitrate. Am. J. Pathol. 110: 83-88.

Commission of the European Communities. (1978) Third international symposium on ceramics: proceedings of the session on lead and cadmium release from ceramic glazes; October 1976; Bologna, Italy. Luxembourg: Commission of the European Communities. (Environment and quality of life series).

Committee on Environmental Hazards. (1978) National standard for airborne lead. Pediatrics 62: 1070-1071.

Compton, R. D.; Thomas, L. A. (1980) Analysis of air samples for lead and manganese. Tex. J. Sci. 32: 351-355.

Congiu, L.; Corongiu, F. P.; Dore, M.; Montaldo, C.; Vargiolu, S.; Casula, D.; Spiga, G. (1979) The effect of lead nitrate on the tissue distribution of mercury in rats treated with methylmercury chloride. Toxicol. Appl. Pharmacol. 51: 363-366.

Conrad, M. E.; Barton, J. C. (1978) Factors affecting the absorption and excretion of lead in the rat. Gastroenterology 74: 731-740.

Conradi, S.; Ronnevi, L.-O.; Nise, G.; Vesterberg, O. (1980) Abnormal distribution of lead in amyotrophic lateral sclerosis: reestimation of lead in the cerebrospinal fluid. J. Neurol. Sci. 48: 413-418.

Conradi, S.; Ronnevi, L.-O.; Stibler, H. (1978) Serum protein binding of lead in vitro in amyotrophic lateral sclerosis patients and controls. J. Neurol. Sci. 37: 95-105.

Conradi, S.; Ronnevi, L.-O.; Vesterberg, O. (1976) Abnormal tissue distribution of lead in amyotrophic lateral sclerosis. J. Neurol. Sci. 29: 259-265.

Conradi, S.; Ronnevi, L.-O.; Vesterberg, O. (1978) Lead concentration in skeletal muscle in amyotrophic lateral sclerosis patients and control subjects. J. Neurol. Neurosurg. Psychiatry 41: 1001-1004.

Coodin, F. J.; Boeckx, R. (1978) Lead poisoning from sniffing gasoline [letter]. N. Engl. J. Med. 298: 347.

Cook, J. A.; Dougherty, W. J.; Holt, T. (1981) Distribution of ^{203}Pb during lead-potentiated endotoxic shock. Exp. Mol. Pathol. 34: 253-263.

Cook, J. A.; Hoffman, E. O.; Di Luzio, N. R. (1975) Influence of lead and cadmium on the susceptibility of rats to bacterial challenge. Proc. Soc. Exp. Biol. Med. 150: 741-747.

Cook, J. A.; Karns, L. (1978) Effect of RES stimulation and suppression on lead sensitization to endotoxic shock. Res. J. Reticuloendothel. Soc. 24: 1A.

Cook, J. A.; Marconi, E. A.; Di Luzio, N. R. (1974) Lead, cadmium, endotoxin interaction: effect on mortality and hepatic function. Toxicol. Appl. Pharmacol. 28: 292-302.

Cooke, R. E.; Glynn, K. L.; Ullman, W. W.; Lurie, N.; Lepow, M. (1974) Comparative study of a micro-scale test for lead in blood, for use in mass screening programs. Clin. Chem. (Winston-Salem, NC) 20: 582-585.

Cools, A.; Salle, H. J. A.; Verberk, M. M.; Zielhuis, R. L. (1976) Biochemical response of male volunteers ingesting inorganic lead for 49 days. Int. Arch. Occup. Environ. Health 38: 129-139.

Coombs, M. A. (1980) In vivo distribution and excretion studies and in vitro blood studies on the kinetics of lead-203 in beagle dogs [dissertation]. Rochester, NY: University of Rochester. Available from: NTIS, Springfield, VA; UR-3490-1883.

Cooper, G. P.; Fox, D. A.; Howell, W. E.; Laurie, R. D.; Tsang, W.; Lewkowski, J. P. (1980) Visual evoked responses in rats exposed to heavy metals. In: Merigan, W. H.; Weiss, B., eds. Neurotoxicity of the visual system. New York, NY: Raven Press; pp. 203-218.

Cooper, G. P.; Manalis, R. S. (1974) Effects of polyvalent cations on synaptic transmission in frog neuromuscular junction and frog sympathetic ganglion. In: Xintaras, C.; Johnson, B. L.; de Groot, I., eds. Behavioral toxicology: early detection of occupational hazards. Cincinnati, OH: U.S. Department of Health, Education, and Welfare, National Institute for Occupational Safety and Health; pp. 267-276; DHEW (NIOSH) publication no. 74-126. Available from: NTIS, Springfield, VA; PB-259322.

Cooper, G. P.; Manalis, R. S. (1983) Influence of heavy metals on synaptic transmission: a review. Neurotoxicology 4: 69-84.

Cooper, G. P.; Sigwart, C. D. (1980) Neurophysiological effects of lead. In: Singhal, R. L.; Thomas, J. A., eds. Lead toxicity. Baltimore, MD: Urban and Schwarzenberg, Inc.; pp. 401-423.

Cooper, G. P.; Steinberg, D. (1977) Effects of cadmium and lead on adrenergic neuromuscular transmission in the rabbit. Am. J. Physiol. 232: C128-C131.

Cooper, G. P.; Suszkiw, J. B.; Manalis, R. S. (1984) Heavy metals: effects on synaptic transmission. Neurotoxicology 5: 247-266.

Cooper, G. P.; Suszkiw, J. B.; Manalis, R. S. (1984) Presynaptic effects of heavy metals. In: Narahashi, T., ed. Cellular and molecular neurotoxicology. New York, NY: Raven Press; pp. 1-21.

Cooper, W. C. (1976) Cancer mortality patterns in the lead industry. Ann. N.Y. Acad. Sci. 271: 250-259.

Cooper, W. C. (1980) Occupational lead exposure: what are the risks [letter in response to a letter by Kang]? Science (Washington, DC) 208: 129.

Cooper, W. C. (1981) Mortality in employees of lead production facilities and lead battery plants, 1971-1975. In: Lynam, D. R.; Piantanida, L. G.; Cole, J. F., eds. Environmental lead: proceedings of the second international symposium on environmental lead research; December 1978; Cincinnati, OH. New York, NY: Academic Press; pp. 111-143. (Coulston, F., Korte, F., eds. Ecotoxicology and environmental quality series).

Cooper, W. C. (1984) Mortality in employees of lead battery plants and lead production plants, 1947-1980: final report. Project LH-157. New York, NY: The International Lead Zinc Research Organization, Inc.

Cooper, W. C.; Gaffey, W. R. (1975) Mortality of lead workers. In: Cole, J. F., ed. Proceedings of the 1974 conference on standards of occupational lead exposure; February 1974; Washington, DC. J. Occup. Med. 17: 100-107.

Cooper, W. C.; Tabershaw, I. R.; Nelson, K. W. (1973) Laboratory studies of workers in lead smelting and refining. In: Barth, D.; Berlin, A.; Engel, R.; Recht, P.; Smeets, J., eds. Environmental health aspects of lead: proceedings, international symposium; October 1972; Amsterdam, The Netherlands. Luxembourg: Commission of the European Communities; pp. 517-530.

Cope, R. F.; Pancamo, B. P.; Rinehart, W. E.; Ter Haar, G. L. (1979) Personnel monitoring for tetraalkyl lead in the workplace. Am. Ind. Hyg. Assoc. J. 40: 372-379.

Cornelio, G.; De Zotti, R.; Patussi, V.; Cociancich, L.; Furlan, G. (1985) Lead exposure in the ceramic industry: evaluation of job exposure in three factories different in size and work organisation. Int. Arch. Occup. Environ. Health 55: 207-215.

Coro Antich, R. M.; Amoedo Mon, M. (1980) Effectos teratogénicos del plomo [Teratogenic effects of lead]. Rev. CENIC Cienc. Biol. 11: 115-128.

Corongiu, F.P.; Milia, A. (1982) Rise of hepatic glutathione concentration induced in rats by chronic lead nitrate treatment: its role in aflatoxin B_1 intoxication. Res. Commum. Chem. Pathol. Pharmacol. 38: 97-111.

Corrin, M. L. (1977) Inadvertent weather modification. In: Boggess, W. R., ed. Lead in the environment. Washington, DC: National Science Foundation; pp. 199-201; NSF report no. NSF/RA-770214. Available from: NTIS, Springfield, VA; PB-278278.

Corrin, M. L.; Natusch, D. F. S. (1977) Physical and chemical characteristics of environmental lead. In: Boggess, W. R.; ed. Lead in the environment. Washington, DC: National Science Foundation; pp. 7-31; NSF report no. NSF/RA-770214. Available from: NTIS, Springfield, VA; PB-278278.

Corsi, G.; Bartolucci, G. B. (1982) Biological monitoring of workers with past lead exposure: biochemical findings. Scand. J. Work Environ. Health 8: 260-266.

Corsi, G.; Bartolucci, G. B.; Fardin, P.; Negrin, P.; Manzoni, S. (1984) Biochemical and electrophysiological study of subjects with a history of past lead exposure. Am. J. Ind. Med. 6: 281-290.

Corsini, A.; Chiang, S.; Difruscia, R. (1982) Direct preconcentration of trace elements in aqueous solutions on macroreticular acrylic ester resin [letter]. Anal. Chem. 54: 1433-1435.

Corum, C. R.; Garcia, L., Jr.; Repko, J. D. (1981) Screening for lead absorption. Occup. Health Saf. 50: 8-12.

Cory-Slechta, D. A. (1984) The behavioral toxicity of lead: problems and perspectives. In: Thompson, T.; Dews, P., eds. Advances in behavioral pharmacology: v. 4. New York, NY: Academic Press; pp. 211-255.

Cory-Slechta, D. A.; Bissen, S. T.; Young, A. M.; Thompson, T. (1981) Chronic postweaning lead exposure and response duration performance. Toxicol. Appl. Pharmacol. 60: 78-84.

Cory-Slechta, D. A.; Garman, R. H.; Seidman, D. (1980) Lead-induced crop dysfunction in the pigeon. Toxicol. Appl. Pharmacol. 52: 462-467.

Cory-Slechta, D. A.; Thompson, T. (1979) Behavioral toxicity of chronic postweaning lead exposure in the rat. Toxicol. Appl. Pharmacol. 47: 151-159.

Cory-Slechta, D. A.; Weiss, B. (1985) Alterations in schedule-controlled behavior of rodents correlated with prolonged lead exposure. In: Seiden, L. S.; Balster, R. L., eds. Behavioral pharmacology. New York, NY: Alan R. Liss, Inc.; pp. 487-501.

Cory-Slechta, D. A.; Weiss, B.; Cox, C. (1983) Delayed behavioral toxicity of lead with increasing exposure concentration. Toxicol. Appl. Pharmacol. 71: 342-352.

Cory-Slechta, D. A.; Weiss, B.; Cox, C. (1985) Performance and exposure indices of rats exposed to low concentrations of lead. Toxicol. Appl. Pharmacol. 78: 291-299.

Costa, L. G.; Fox, D. A. (1983) A selective decrease of cholinergic muscarinic receptors in the visual cortex of adult rats following developmental lead exposure. Brain Res. 276: 259-266.

Costa, M. (1980) Metal carcinogenesis testing: principles and in vitro methods. Clifton, NJ: Humana Press, Inc.

Costa, M.; Cantoni, O.; de Mars, M.; Swartzendruber, D. E. (1982) Toxic metals produce and S-phase-specific cell cycle block. Res. Commun. Chem. Pathol. Pharmacol. 38: 405-419.

Coughtrey, P. J.; Martin, M. H.; Chard, J.; Shales, S. W. (1980) Micro-organisms and metal retention in the woodlouse Oniscus asellus. Soil Biol. Biochem. 12: 23-27.

Coulehan, J. L.; Hirsch, W.; Brillman, J.; Sanandria, J.; Welty, T. K.; Colaiaco, P.; Koros, A.; Lober, A. (1983) Gasoline sniffing and lead toxicity in Navajo adolescents. Pediatrics 71: 113-117.

Coulson, D. M.; Haynes, D. L.; Balazs, M. E.; Dolder, M. P. (1973) Survey of manual methods of measurements of asbestos, beryllium, lead, cadmium, selenium, and mercury in stationary source emissions. Research Triangle Park, NC: U.S. Environmental Protection Agency; EPA report no. EPA-650/4-74-015. Available from: NTIS, Springfield, VA; PB-234326.

Countess, R. J.; Wolff, G. T.; Cadle, S. H. (1980) The Denver winter aerosol: a comprehensive chemical characterization. J. Air Pollut. Control Assoc. 30: 1194-1200.

Cowan, L. D.; Leviton, A. (1980) Epidemiologic considerations in the study of the sequelae of low level lead exposure. In: Needleman, H. L., ed. Low level lead exposure: the clinical implications of current research. New York, NY: Raven Press; pp. 91-119.

Cox, J. A. ; Slonawska, K.; Gatchell, D. K.; Hiebert, A. G. (1984) Metal speciation by Donnan dialysis. Anal. Chem. 56: 650-653.

Cox, J. L.; Harrison, S. D., Jr. (1983) Correlation of metal toxicity with in vitro calmodulin inhibition. Biochem. Biophys. Res. Commun. 115: 106-111.

Craan, A. G.; Nadon, G.; P'An, A. Y. S. (1984) Lead flux through the kidney and salivary glands of rats. Am. J. Physiol. 247: F773-F783.

Cragg, B.; Rees, S. (1984) Increased body: brain weight ratio in developing rats after low exposure to organic lead. Exp. Neurol. 86: 113-121.

Craig, P. J.; Wood, J. M. (1981) The biological methylation of lead: an assessment of the present position. In: Lynam, D. R.; Piantanida, L. G.; Cole, J. F., eds. Environmental lead: proceedings of the second international symposium on environmental lead research; December 1978; Cincinnati, OH. New York, NY: Academic Press; pp. 333-349. (Coulston, F.; Korte, F., eds. Ecotoxicology and environmental series).

Craig, P. J.; Rapsomanikis, S. (1985) Reactions of methylcobalamin with tin and lead compounds. Inorg. Chim. Acta 107: 39-43.

Craig, P. J.; Wood, J. M. (1981) The biological methylation of lead: an assessment of the present position. In: Lynam, D. R.; Piantanida, L. G.; Cole, J. F., eds. Environmental lead: proceedings of the second international symposium on environmental lead research; December 1978; Cincinnati, OH. New York, NY: Academic Press; pp. 333-349. (Coulston, F.; Korte, F., eds. Ecotoxicology and environmental quality series).

Cramer, K.; Dahlberg, L. (1966) Incidence of hypertension among lead workers: a follow-up study based on regular control over 20 years. Br. J. Ind. Med. 23: 101-104.

Cramer, K.; Goyer, R. A.; Jagenburg, R.; Wilson, M. H. (1974) Renal ultrastructure, renal function, and parameters of lead toxicity in workers with different periods of lead exposure. Br. J. Ind. Med. 31: 113-127.

Cramer, M. B.; Johnson, T. D.; Clarke, D. E. (1980) Low-level lead exposure during growth and development: absence of behavioral and cholinergic neuromuscular toxicity. Res. Commun. Subst. Abuse 1: 111-124.

Craswell, P. W.; Price, J.; Boyle, P. D.; Heazlewood, V. J.; Baddeley, H.; Lloyd, M.; Thomas, B. J.; Thomas, B. W. (1984) Chronic renal failure with gout: a marker of chronic lead poisoning. Kidney Int. 26: 319-323.

Crawford, M. D.; Crawford, T. (1969) Lead content of bones in a soft and a hard water area. Lancet 1(7597): 699-701.

Crawford, W. A.; Jones, R.; Rainsford, F.; Shandar, A. (1980) Anatomy of an industrial inorganic lead poisoning epidemic. Med. J. Aust. 2: 318-319.

Creason, J. P.; Hammer, D. I.; Colucci, A. V.; Priester, L.; Davis, J. (1976) Blood trace metals in military recruits. South. Med. J. 69: 289-293.

Creason, J. P.; Hinners, T. A.; Bumgarner, J. E.; Pinkerton, C. (1975) Trace elements in hair, as related to exposure in metropolitan New York. Clin. Chem. (Winston-Salem, NC) 21: 603-612.

Cremer, J. E. (1959) Biochemical studies on the toxicity of tetraethyl lead and other organolead compounds. Br. J. Ind. Med. 16: 191-199.

Cremer, J. E.; Callaway, S. (1961) Further studies on the toxicity of some tetra and trialkyl lead compounds. Br. J. Ind. Med. 18: 277-282.

Crews, H. M.; Burrell, J. A.; McWeeny, D. J. (1983) An assessment of the bio-availability of heavy metals in food by in vitro enzymolysis. In: International conference: heavy metals in the environment; September; Heidelberg, West Germany. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 278-281.

Crockford, G. W.; Mitran, E. (1981) Human performance in relation to occupational lead exposure. In: Lynam, D. R.; Piantanida, L. G.; Cole, J. F., eds. Environmental lead: proceedings of the second international symposium on environmental lead research; December 1978; Cincinnati, OH. New York, NY: Academic Press; pp. 95-109. (Coulston, F.; Korte, F., eds. Ecotoxicology and environmental quality series).

Crofton, K. M.; Taylor, D. H.; Bull, R. J.; Sivulka, D. J.; Lutkenhoff, S. D. (1980) Developmental delays in exploration and locomotor activity in male rats exposed to low level lead. Life Sci. 26: 823-831.

Crosby, W. H. (1977) Lead-contaminated health food: the tip of an iceberg [editorial]. J. Am. Med. Assoc. 238: 1544.

Crump, D. R.; Barlow, P. J. (1980) A field method of assessing lead uptake by plants. Sci. Total Environ. 15: 269-274.

Crump, D. R.; Barlow, P. J. (1982) Factors controlling the lead content of a pasture grass. Environ. Pollut. Ser. B 3: 181-192.

Csopak, H.; Szajn, H. (1973) Factors affecting the zinc content of E. coli alkaline phosphatase. Arch. Biochem. Biophys. 157: 374-379.

Cubbon, R. C. P.; Roberts, W.; Marshall, K. (1981) The extraction of lead from ceramic tableware by foodstuffs. Trans. J. Br. Ceram. Soc. 80: 125-127.

Cuddihy, R. G.; McClellan, R. O.; Griffith, W. C. (1979) Variability in target organ deposition among individuals exposed to toxic substances. Toxicol. Appl. Pharmacol. 49: 179-187.

Culbard, E.; Thornton, I.; Watt, J.; Moorcroft, S.; Brooks, K. (1983) Sources and distribution of lead and cadmium in United Kingdom dusts and soils. In: International conference: heavy metals in the environment; September; Heidelberg, West Germany. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 426-429.

Culbard, E.; Moorcroft, S.; Watt, J.; Thornton, I.; Thomas, J. F. A. (1983) A nationwide reconnaissance survey of metals in urban dusts and soils. Miner. Environ. 5: 82-84.

Cullen, M. R.; Kayne, R. D.; Robins, J. M. (1984) Endocrine and reproductive dysfunction in men associated with occupational inorganic lead intoxication. Arch. Environ. Health 39: 431-440.

Cullen, M. R.; Robins, J. M.; Eskenazi, B. (1983) Adult inorganic lead intoxication: presentation of 31 new cases and a review of recent advances in the literature. Medicine 62: 221-247.

Cumings, J. N. (1959) Heavy metals and the brain. Part 3: lead. Springfield, IL: Thomas; pp. 93-155.

Cumming, G. L.; Krstic, D.; Worden, J. M.; Baadsgaard, H. (1984) Isotopic composition of lead in galena and Ni-arsenides of the Midwest deposit, northern Saskatchewan. Can. J. Earth Sci. 21: 649-656.

Curtis, D. B.; Gancarz, A. J. (1978) Lead isotopes as indicators of environmental contamination from the uranium mining and milling industry in the Grants Mineral Belt, New Mexico. Presented at: OECD stabilization and environmental impact of uranium mill tailings conference; Albuquerque, NM; pp. 143-153.

Curzon, M. E. J.; Spector, P. C.; Losee, F. L.; Crocker, D. C. (1977) Dental caries related to Cd and Pb in whole human dental enamel. In: Hemphill, D. D., ed. Trace substances in environmental health - XI: [proceedings of University of Missouri's 11th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 23-29.

Custer, T. W.; Franson, J. C.; Pattee, O. H. (1984) Tissue lead distribution and hematologic effects in American kestrels (Falco sparverius L.) fed biologically incorporated lead. J. Wildl. Dis. 20: 39-43.

Custer, T. W.; Mulhern, B. L. (1983) Heavy metal residues in prefledgling black-crowned night-herons from three Atlantic coast colonies. Bull. Environ. Contam. Toxicol. 30: 178-185.

Cutler, M. G. (1977) Effects of exposure to lead on social behaviour in the laboratory mouse. Psychopharmacology 52: 279-282.

Czarnezki, J. M. (1985) Accumulation of lead in fish from Missouri streams impacted by lead mining. Bull. Environ. Contam. Toxicol. 34: 736-745.

Czech, D. A.; Hoium, E. (1984) Some aspects of feeding and locomotor activity in adult rats exposed to tetraethyl lead. Neurobehav. Toxicol. Teratol. 6: 357-361.

Czuba, M.; Hutchinson, T. C. (1980) Copper and lead levels in crops and soils of the Holland Marsh area - Ontario. J. Environ. Qual. 9: 566-575.

Czuba, M.; Mortimer, D. C. (1983) Effects of heavy metals absorbed from water on the laser-induced fluorescence in Elodea densa. Ecotoxicol. Environ. Saf. 7: 447-450.

Dabeka, R. W. (1979) Graphite-furnace atomic absorption spectrometric determination of lead and cadmium in foods after solvent extraction and stripping. Anal. Chem. 51: 902-907.

Dacre, J. C.; Ter Haar, G. L. (1977) Lead levels in tissues from rats fed soils containing lead. Arch. Environ. Contam. Toxicol. 6: 111-119.

Dagg, J. H.; Goldberg, A.; Lochhead, A.; Smith, J. A. (1965) The relationship of lead poisoning to acute intermittent porphyria. Q. J. Med. 34: 163-175.

Dahlgren, J. (1978) Abdominal pain in lead workers. Arch. Environ. Health 33: 156-159.

Daines, R. H.; Motto, H.; Chilko, D. M. (1970) Atmospheric lead: its relationship to traffic volume and proximity to highways. Environ. Sci. Technol. 4: 318-322.

Daines, R. H.; Smith, D. W.; Feliciano, A.; Trout, J. R. (1972) Air levels of lead inside and outside of homes. Ind. Med. Surg. 41: 26-28.

D'Alauro, F.; Lin-Fu, J. S.; Ecker, T. J. (1984) Toxic metal contamination of folk remedy [letter]. J. Am. Med. Assoc. 252: 3127.

Dallenbach, F. D. (1964) Phenolrotausscheidung und Trypanblauspeicherung bei der Blei-Nephropathie der Ratte [Phenol red excretion and trypan blue accumulation in the rat with lead nephropathy]. Virchows Arch. Pathol. Anat. Physiol. 338: 91-110.

Dally, S.; Danan, M. (1984) Le saturnisme en 1984 [Lead poisoning in 1984]. Rev. Prat. (France) 34: 2496-2501.

Dalprá, L.; Tibiletti, M.G.; Nocera, G.; Giulotto, P.; Auriti, L.; Carnelli, V.; Simoni, G. (1983) SCE analysis in children exposed to lead emission from a smelting plant. Mutat. Res. 120: 249-256.

Damstra, T. (1977) Toxicological properties of lead. Environ. Health Perspect. 19: 297-307.

Damstra, T. (1978) Environmental chemicals and nervous system dysfunction. Yale J. Biol. Med. 51: 457-468.

Damstra, T. (1978) Neurochemistry and toxicology: overview. Environ. Health Perspect. 26: 121-124.

Dang, H. S.; Jaiswal, D. D.; Somasundaram, S.; Deshpande, A.; Dacosta, H. (1984) Concentrations of four essential trace elements in breast milk of mothers from two socio-economic groups: preliminary observations. Sci. Total Environ. 35: 85-89.

Danielsson, B. R. G.; Dencker, L.; Lindgren, A. (1983) Transplacental movement of inorganic lead in early and late gestation in the mouse. Arch. Toxicol. 54: 97-107.

Danielsson, B. R. G.; Oskarsson, A.; Dencker, L. (1984) Placental transfer and fetal distribution of lead in mice after treatment with dithiocarbamates. Arch. Toxicol. 55: 27-33.

Danielsson, L. G.; Jagner, D.; Josefson, M.; Westerlund, S. (1981) Computerized potentiometric stripping analysis for the determination of cadmium, lead, copper and zinc in biological materials. Anal. Chim. Acta 127: 147-156.

Danielsson, L.-G.; Magnusson, B.; Westerlund, S.; Zhang, K. (1983) Trace metals in the Göta River estuary. Estuarine Coastal Shelf Sci. 17: 73-85.

Danielsson, L.-G.; Westerlund, S. (1984) Short-term variations in trace metal concentrations in the Baltic. Mar. Chem. 15: 273-277.

Danilović, V. (1958) Chronic nephritis due to ingestion of lead-contaminated flour. Br. Med. J. 1(5061): 27-28.

Danjoy, D'L. (1864) De l'albuminurie dans l'encephalopathie et l'amaurose saturnines [On albuminuria in encephalopathy and lead amaurosis]. Arch. Gen. Med. 1: 402-423.

Danscher, G.; Hall, E.; Fredens, K.; Fjerdingstad, E.; Fjerdingstad, E. J. (1975) Heavy metals in the amygdala of the rat: zinc, lead and copper. Brain Res. 94: 167-172.

Dantzer, R. (1980) Conditioned taste aversion as an index of lead toxicity. Pharmacol. Biochem. Behav. 13: 133-135.

Dantzer, R. (1980) Effects of postnatal lead exposure on lithium induced polydipsia and glucoprivic feeding in rats. Neurobehav. Toxicol. 2: 373-377.

Darrow, D. K.; Schroeder, H. A. (1974) Childhood exposure to environmental lead. Adv. Exp. Med. Biol. 48: 425-445.

Daum, K. A.; Newland, L. W. (1982) Complexing effects on behavior of some metals. In: Hutzinger, O., ed. The handbook of environmental chemistry, vol. 2/part B. New York, NY: Springer-Verlag; pp. 129-139.

David, O. J.; Clark, J.; Hoffman, S. (1979) Childhood lead poisoning: a re-evaluation. Arch. Environ. Health 34: 106-111.

David, O.; Clark, J.; Voeller, K. (1972) Lead and hyperactivity. Lancet 2(7783): 900-903.

David, O. J.; Grad, G.; McGann, B.; Koltun, A. (1982) Mental retardation and "nontoxic" lead levels. Am. J. Psychiatry 139: 806-809.

David, O. J.; Hoffman, S.; Clark, J.; Grad, G.; Sverd, J. (1983) Penicillamine in the treatment of hyperactive children with moderately elevated lead levels. In: Rutter, M.; Russell Jones, R., eds. Lead versus health: sources and effects of low level lead exposure. New York, NY: John Wiley & Sons; pp. 297-317.

David, O. J.; Hoffman, S. P.; Clark, J.; Grad, G.; Sverd, J. (1983) The relationship of hyperactivity to moderately elevated lead levels. Arch. Environ. Health 38: 341-346.

David, O. J.; Hoffman, S.; Kagey, B. (1979) Sub-clinical lead levels and behavior in children. In: Hemphill, D. D., ed. Trace substances in environmental health - XIII: [proceedings of University of Missouri's 13th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 52-58.

David, O. J.; Hoffman, S.; Koltun, A. (1978) Threshold levels and lead toxicity. Psychopharmacol. Bull. 14: 50-53.

David, O. J.; Hoffman, S.; McGann, B.; Sverd, J.; Clark, J. (1976) Low lead levels and mental retardation. Lancet 2(8000): 1376-1379.

David, O. J.; Hoffman, S. P.; Sverd, J.; Clark, J. (1977) Lead and hyperactivity: lead levels among hyperactive children. J. Abnorm. Child Psychol. 5: 405-416.

David, O. J.; Hoffman, S. P.; Sverd, J.; Clark, J.; Voeller, K. (1976) Lead and hyperactivity: behavioral response to chelation: a pilot study. Am. J. Psychiatry 133: 1155-1158.

David, O. J.; Katz, S.; Arcoleo, C. G.; Clark, J. (1985) Chelation therapy in children as treatment of sequelae in severe lead toxicity. Arch. Environ. Health 40: 109-113.

David, O. J.; Wintrob, H. L.; Arcoleo, C. G. (1982) Blood lead stability. Arch. Environ. Health 37: 147-150.

Davidson, A. N. (1977) The biochemistry of brain development and mental retardation: the eleventh Blake Marsh lecture delivered before the Royal College of Psychiatrists, 7 February, 1977. Br. J. Psychiatr. 131: 565-574.

Davidson, C. I. (1976) Relation between airborne concentration and deposition of trace metals. In: Friedlander, S. K.; Brooks, N. H.; Morgan, J. J., eds. Mass balances for pollutants in urban regions: methodology with applications to lead, zinc, cadmium, and arsenic in the Los Angeles basin. Pasadena, CA: W. M. Keck Laboratories; pp. 15-52.

Davidson, C. I. (1977) Deposition of trace metal-containing aerosols on smooth, flat surfaces and on wild oat grass (Avena fatua) [dissertation]. Pasadena, CA: California Institute of Technology. Available from: University Microfilms, Ann Arbor, MI; publication no. 77-20,801.

Davidson, C. I.; Chu, L.; Grimm, T. C.; Nasta, M. A.; Qamoos, M. P. (1981) Wet and dry deposition of trace elements onto the Greenland ice sheet. Atmos. Environ. 15: 1429-1437.

Davidson, C. I.; Elias, R. W. (1982) Dry deposition and resuspension of trace elements in the remote High Sierra. Geophys. Res. Lett. 9: 91-93.

Davidson, C. I.; Friedlander, S. K. (1978) A filtration model for aerosol dry deposition: application to trace metal deposition from the atmosphere. J. Geophys. Res. 83: 2343-2352.

Davidson, C. I.; Goold, W. D.; Mathison, T. P.; Wiersma, G. B.; Brown, K. W.; Reilly, M. T. (1985) Airborne trace elements in Great Smoky Mountains, Olympic, and Glacier National Parks. Environ. Sci. Technol. 19: 27-35.

Davidson, C. I.; Goold, W. D.; Nasta, M. A.; Reilly, M. T. (1981) Airborne size distributions of trace elements in an industrial section of Pittsburgh. Presented at: 74th annual meeting of the Air Pollution Control Association; June; Philadelphia, PA. Pittsburgh, PA: Air Pollution Control Association; paper no. 81-28.6.

Davidson, C. I.; Grimm, T. C.; Nasta, M. A. (1981) Airborne lead and other elements derived from local fires in the Himalayas. Science (Washington, DC) 214: 1344-1346.

Davidson, C. I.; Hering, S. V.; Friedlander, S. K. (1976) The deposition of Pb-containing particulate from the Los Angeles atmosphere. In: International conference on environmental sensing and assessment, vol. 2; September 1975; Las Vegas, NV. New York, NY: Institute of Electrical & Electronics Engineers, Inc.; pp. 6.3.1-6.3.4.

Davidson, C. I.; Osborn, J. F. (1985) The sizes of airborne trace metal-containing particles. In: Nriagu, J. O.; Davidson, C. I., eds. Toxic metals in the air. New York, NY: Wiley: in press.

Davies, B. E. (1978) Plant-available lead and other metals in British garden soils. Sci. Total Environ. 9: 243-262.

Davies, B. E.; Conway, D.; Holt, S. (1979) Lead pollution of London soils: a potential restriction on their use for growing vegetables. J. Agric. Sci. Camb. 93: 749-752.

Davies, B. E.; Crews, H. M. (1983) The contribution of heavy metals in potato peel to dietary intake. Sci. Total Environ. 30: 261-264.

Davies, B. E.; Ginnever, R. C.; Lear, J. M. (1981) Cadmium and lead contaminated soils in some British metal mining areas. In: Hemphill, D. D., ed. Trace substances in environmental health - XV: [proceedings of University of Missouri's 15th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 323-332.

Davies, C. N. (1947) The sedimentatation of small suspended particles. In: Symposium on particle size analysis; February. Trans. Inst. Chem. Eng. Suppl. 25: 25-39.

Davies, J. M. (1984) Long term mortality study of chromate pigment workers who suffered lead poisoning. Br. J. Ind. Med. 41: 170-178.

Davies, J. M. (1984) Lung cancer mortality among workers making lead chromate and zinc chromate pigments at three English factories. Br. J. Ind. Med. 41: 158-169.

Davies, P. H.; Everhart, W. H. (1973) Effects of chemical variations in aquatic environments: vol. 3 lead toxicity to rainbow trout and testing application factor concept. Washington, DC: U.S. Environmental Protection Agency; EPA report no. EPAR373011C. Available from: NTIS, Springfield, VA; PB-221345.

Davis, J. M. (1982) Ethological approaches to behavioral toxicology. In: Mitchell, C. L., ed. Nervous system toxicology. New York, NY: Raven Press; pp. 29-44. (Dixon, R. L., ed. Target organ toxicology series).

Davis, J. R.; Abrahams, R. H.; Fischbein, W. I.; Fabrega, E. A. (1968) Urinary delta-aminolevulinic acid (ALA) levels in lead poisoning: II: correlation of ALA values with clinical findings in 250 children with suspected lead ingestion. Arch. Environ. Health 17: 164-171.

Davis, J. R.; Andelman, S. L. (1967) Urinary delta-aminolevulinic acid (ALA) levels in lead poisoning. Arch. Environ. Health 15: 53-59.

Davis, J. R.; Avram, M. J. (1978) A comparison of the stimulatory effects of cadmium and zinc on normal and lead-inhibited human erythrocytic δ-aminolevulinic acid dehydratase activity _in vitro_. Toxicol. Appl. Pharmacol. 44: 181-190.

Davis, R. K.; Horton, A. W.; Larson, E. E.; Stemmer, K. L. (1963) Inhalation of tetramethyllead and tetraethyllead: a comparison of the effects in rats and dogs. Arch. Environ. Health 6: 473-479.

Davison, A. N. (1977) The biochemistry of brain development and mental retardation: the eleventh Blake Marsh lecture delivered before the Royal College of Psychiatrists, 7 February 1977. Br. J. Psychiatry 131: 565-574.

Day, C. M.; Tennant, F. S. (1982) Peripheral blood findings associated with asymptomatic lead exposure. Am. J. Med. Technol. 48: 139-140.

Day, J. P.; Fergusson, J. E.; Chee, T. M. (1979) Solubility and potential toxicity of lead in urban street dust. Bull. Environ. Contam. Toxicol. 23: 497-502.

Day, J. P.; Hart, M.; Robinson, M. S. (1975) Lead in urban street dust. Nature (London) 253: 343-345.

De Gennaro, L. D. (1978) The effects of lead nitrate on the central nervous system of the chick embryo: I. observations of light and electron microscopy. Growth 42: 141-155.

De Graeve, J.; Rondia, D.; Jamin, P. (1975) Concentration du plomb dans l'eau potable et plombemie d'une population adulte [Lead concentration in drinking water and plumbism in an adult population]. In: Recent advances in the assessment of the health effects of environmental pollution: proceedings, international symposium, vol. 2; June 1974; Paris, France. Luxembourg: Commission of the European Communities; pp. 523-535.

de Haas, E. J. M.; de Wolff, F. A. (1981) Microassay of lead in blood, with an improved procedure for silanization of reagent tubes. Clin. Chem. (Winston-Salem, NC) 27: 205.

De Jonghe, W. R. A.; Adams, F. C. (1980) Organic and inorganic lead concentrations in environmental air in Antwerp, Belgium. Atmos. Environ. 14: 1177-1180.

De Jonghe, W. R. A.; Chakraborti, D.; Adams, F. C. (1980) Sampling of tetraalkyllead compounds in air for determination by gas chromatography-atomic absorption spectrometry. Anal. Chem. 52: 1974-1977.

De Jonghe, W. R. A.; Chakraborti, D.; Adams, F. C. (1981) Identification and determination of individual tetraalkyllead species in air. Environ. Sci. Technol. 15: 1217-1222.

de la Burde, B.; Choate, M. S., Jr. (1972) Does asymptomatic lead exposure in children have latent sequelae? J. Pediatr. (St. Louis) 81: 1088-1091.

de la Burde, B.; Choate, M. S., Jr. (1975) Early asymptomatic lead exposure and development at school age. J. Pediatr. (St. Louis) 87: 638-642.

De Rosa, E.; Brighenti, F.; Rossi, A.; Caroldi, S.; Gori, G. P.; Chiesura, P. (1980) The ceramics industry and lead poisoning: lead poisoning in relation to technology and jobs. Scand. J. Work Environ. Health 6: 306-311.

De Rosa, E.; Gobbato, F. (1970) Epidemia di saturnismo non professionale per inquinamento da effluenti industriali [Non-professional saturnism: a pollution epidemic from industrial emission]. Ig. Mod. 63: 472-484.

De Rosa, E.; Rossi, A.; Toffolo, D.; Brighenti, F.; Rosa, A.; Caroldi, S. (1980) The ceramics industry and lead poisoning: long-term testing. Scand. J. Work Environ. Health 6: 312-315.

De Rossett, S. E. (1981) Effects of lead on spontaneous alternation, reactivity, and intracranial self-stimulation [dissertation]. Lexington, KY: University of Kentucky. Available from: University Microfilms International, Ann Arbor, MI; publication no. 81-29,740.

De Vries, C. R.; Ingram, P.; Walker, S. R.; Linton, R. W.; Gutknecht, W. F.; Shelburne, J. D. (1983) Acute toxicity of lead particulates on pulmonary alveolar macrophages: ultrastructural and microanalytical studies. Lab. Invest. 48: 35-44.

De Vries, M. P. C.; Tiller, K. G. (1978) Sewage sludge as a soil amendment, with special reference to Cd, Cu, Mn, Ni, Pb and Zn - comparison of results from experiments conducted inside and outside a glasshouse. Environ. Pollut. 16: 231-240.

Debacker, P.; Vandenbalck, J. L.; Patriarche, G. J.; Christian, G. D. (1981) Simultaneous determination of tin and lead by anodic stripping voltammetry in aqueous-alcoholic medium: application to the direct determination of these elements in canned foods. Microchem. J. 26: 192-197.

deBruin, A. (1971) Certain biological effects of lead upon the animal organism. Arch. Environ. Health 23: 249-264.

DeCastro, F. J.; Rolfe, U. T. (1978) Does lead play a role in adolescent hypertension? Clin. Pediatr. (Philadelphia) 17: 727.

Dedolph, R.; Ter Haar, G.; Holtzman, R.; Lucas, H., Jr. (1970) Sources of lead in perennial ryegrass and radishes. In: Symposium on air conservation and lead, division of water, air, and waste chemistry, 157th national meeting, American Chemical Society; April 1969; Minneapolis, MN. Environ. Sci. Technol. 4: 217-223.

Deeming, S. B.; Weber, C. W. (1977) Evaluation of hair analysis for determination of zinc status using rats. Am. J. Clin. Nutr. 30: 2047-2052.

DeHaven, D. L.; Krigman, M. R.; Gaynor, J. J.; Mailman, R. B. (1984) The effects of lead administration during development on lithium-induced polydipsia and dopaminergic function. Brain Res. 297: 297-304.

Deitch, R. (1982) Uncertainty about harm done by lead in petrol. Lancet 1(8269): 463.

Dejmkova, E.; Schiller, P. (1979) Air pollution by lead and its determination with the accent on nuclear analytical methods. Acta Fac. Pharm. Univ. Comenianae 33: 195-211.

Deknudt, G.; Colle, A.; Gerber, G. B. (1977) Chromosomal abnormalities in lymphocytes from monkeys poisoned with lead. Mutat. Res. 45: 77-83.

Deknudt, G.; Deminatti, M. (1978) Chromosome studies in human lymphocytes after in vitro exposure to metal salts. Toxicology 10: 67-75.

Deknudt, G.; Gerber, G. B. (1979) Chromosomal aberrations in bone-marrow cells of mice given a normal or a calcium-deficient diet supplemented with various heavy metals. Mutat. Res. 68: 163-168.

Deknudt, G.; Leonard, A.; Ivanov, B. (1973) Chromosome aberrations observed in male workers occupationally exposed to lead. Environ. Physiol. Biochem. 3: 132-138.

Deknudt, G.; Manuel, Y.; Gerber, G. B. (1977) Chromosomal aberrations in workers professionally exposed to lead. J. Toxicol. Environ. Health 3: 885-891.

del Castilho, P.; Herber, R. F. M. (1977) The rapid determination of cadmium, lead, copper and zinc in whole blood by atomic absorption spectrometry with electrothermal atomization: improvements in precision with a peak-shape monitoring device. Anal. Chim. Acta 94: 269-274.

Del Rosario, A. R.; Guirguis, G. H.; Perez, G. P.; Matias, V. C.; Li, T. H.; Flessel, C. P. (1982) A rapid and precise system for lead determination in whole blood. Int. J. Environ. Anal. Chem. 12: 223-231.

Delahunty, T. (1984) Creatine kinase-BB isoenzyme in rat plasma after chronic lead intoxication. Biochem. Biophys. Res. Commun. 125: 192-198.

Della Fiorentina, H.; Grogna, M.; Dewiest, F. (1979) Simplified determination of urinary δ-aminolevulinic acid in a wide range of concentrations. Clin. Chem. (Winston-Salem, NC) 25: 581-583.

Deluca, J.; Donovick, P. J.; Burright, R. G. (1982) The effects of genotype and food deprivation on lead-induced hyperactivity in mice. Behav. Genet. 12: 581-582.

Delves, H. T. (1970) A micro-sampling method for the rapid determination of lead in blood by atomic-absorption spectrophotometry. Analyst (London) 95: 431-438.

Delves, H. T. (1977) Analytical techniques for blood-lead measurements. J. Anal. Toxicol. 1: 261-264.

Delves, H. T.; Clayton, B. E.; Carmichael, A.; Bubear, M.; Smith M. (1982) An appraisal of the analytical significance of tooth-lead measurements as possible indices of environmental exposure of children to lead. Ann. Clin. Biochem. 19: 329-337.

Delves, H. T.; Sherlock, J. C.; Quinn, M. J. (1984) Temporal stability of blood lead concentrations in adults exposed only to environmental lead. Hum. Toxicol. 3: 279-288.

DeMichele, S. J. (1984) Nutrition of lead. Comp. Biochem. Physiol. 78A: 401-408.

Dencker, L.; Danielsson, B.; Khayat, A.; Lindgren, A. (1983) Disposition of metals in the embryo and fetus. In: Clarkson, T. W.; Nordberg, G. F.; Sager, P. R., eds. Reproductive and developmental toxicity of metals [proceedings of a joint meeting; May 1982; Rochester, NY]. New York, NY: Plenum Press; pp. 607-631.

Denton, G. R. W.; Burdon-Jones, C. (1981) Influence of temperature and salinity on the uptake, distribution and depuration of mercury, cadmium and lead by the black-lip oyster Saccostrea echinata. Mar. Biol. 64: 317-326.

Denton, J. E.; Potter, G. D.; Santolucito, J. A. (1980) A comparison of skull and femur lead levels in adult rats. Environ. Res. 23: 264-269.

Denton, J. E.; Potter, G. D.; Santolucito, J. A. (1981) Effects of lead on benzene metabolism. J. Toxicol. Environ. Health 7: 893-900.

Dequidt, J.; Vaast, D.; Lespagnol, A. (1971) Risques d'impregnation saturnine au voisinage d'usines de traitement du plomb [Saturnism hazards in lead processing plant areas]. Pollut. Atmos. 13: 289-292.

Der, R.; Fahim, Z.; Hilderbrand, D.; Fahim, M. (1974) Combined effect of lead and low protein diet on growth, sexual development, and metabolism in female rats. Res. Commun. Chem. Pathol. Pharmacol. 9: 723-738.

Der, R.; Fahim, Z.; Yousef, M.; Fahim, M. (1976) Environmental interaction of lead and cadmium on reproduction and metabolism of male rats. Res. Commun. Chem. Pathol. Pharmacol. 14: 689-713.

Der, R.; Yousef, M.; Fahim, Z.; Fahim, M. (1977) Effects of lead and cadmium on adrenal and thyroid functions in rats. Res. Commun. Chem. Pathol. Pharmacol. 17: 237-253.

DeSilva, P. E. (1981) Determination of lead in plasma and studies on its relationship to lead in erythrocytes. Br. J. Ind. Med. 38: 209-217.

DeSilva, P. E. (1984) Blood lead levels and the haematocrit correction. Ann. Occup. Hyg. 28: 417-428.

DeSilva, P. E.; Donnan, M. B. (1980) Blood lead levels in Victorian children. Med. J. Aust. 2: 315-318.

DeSilva, P. E.; Donnan, M. B. (1981) Blood lead levels in Victorian children [letter]. Med. J. Aust. 1: 93.

Dessi, S.; Batetta, B.; Laconi, E.; Ennas, C.; Pani, P. (1984) Hepatic cholesterol in lead nitrate induced liver hyperplasia. Chem. Biol. Interact. 48: 271-279.

Devars du Mayne, J. F.; Prevost, C.; Gaudin, B.; Languille, M.; Cerf, M.; Nordmann, Y. (1984) Saturnisme traité par l'acide 2.3 dimercaptosuccinique [Lead poisoning treated with 2.3 dimercaptosuccinic acid]. Presse Med. 13: 2209.

Devi Prasad, P. V.; Devi Prasad, P. S. (1982) Effect of cadmium, lead and nickel on three freshwater green algae. Water Air Soil Pollut. 17: 263-268.

Devoto, G.; Spinazzola, A. (1973) L'effet de la présence du plomb dans l'air, dans l'eau et les denrées alimentaires sur son taux d'absorption chez différentes catégories de personnes [The effects of the presence of lead in the air, in water and in foodstuffs on the rate of absorption among different categories of people]. In: Barth, D.; Berlin, A.; Engel, R.; Recht, P.; Smeets, J., eds. Environmental health aspects of lead: proceedings, international symposium; October 1972; Amsterdam, The Netherlands. Luxembourg: Commission of the European Communities; pp. 859-867.

Dhar, A.; Banerjee, P. K. (1979) Effect of lead on certain aspects of protein metabolism. Int. J. Vitam. Nutr. Res. 49: 322-329.

Dhar, A.; Ghosal, B.; Banerjee, P. K. (1980) Changes in free amino acid nitrogen concentration and transaminases in lead treated rats. Int. J. Vitam. Nutr. Res. 50: 416-421.

Di Ferrante, E.; Berlin, A. (1979) Lead: exposure and health effects: report on research sponsored by the Commission of the European Communities. In: Di Ferrante, E., ed. Trace metals exposure and health effects: proceedings of the research seminar held at the University of Surrey; July 1978; Guildford, United Kingdom. New York, NY: Pergamon Press; pp. 5-11.

Di Giulio, R. T.; Scanlon, P. F. (1984) Effects of cadmium and lead ingestion on tissue concentrations of cadmium, lead, copper, and zinc in mallard ducks. Sci. Total Environ. 39: 103-110.

Di Giulio, R. T.; Scanlon, P. F. (1985) Heavy metals in aquatic plants, clams, and sediments from the Chesapeake Bay, U.S.A. implications for waterfowl. Sci. Total Environ. 41: 259-274.

Di Giulio, R. T.; Scanlon, P. F. (1984) Heavy metals in tissues of waterfowl from the Chesapeake Bay, USA. Environ. Pollut. Ser. A 35: 29-48.

Dickinson, L.; Reichert, E. L.; Ho, R. C. S.; Rivers, J. B.; Kominami, N. (1972) Lead poisoning in a family due to cocktail glasses. Am. J. Med. 52: 391-394.

Dida, B. X.; Stozenić, S.; Mikić, M.; Dragojević, M.; Rakić, L. (1979) Proteins and lipids in serum during chronic lead poisoning. Acta Biol. Med. Exp. Suppl. 1: 170-171.

Diemel, J. A. L.; Brunekreef, B.; Boleij, J. S. M.; Biersteker, K.; Veenstra, S. J. (1981) The Arnhem lead study: II. indoor pollution, and indoor/outdoor relationships. Environ. Res. 25: 449-456.

Dieter, M. P.; Finley, M. T. (1979) δ-Aminolevulinic acid dehydratase enzyme activity in blood, brain, and liver of lead-dosed ducks. Environ. Res. 19: 127-135.

Dietrich, K. N.; Krafft, K. M.; Shukla, R.; Bornschein, R. L.; Succop, P. A. (1985) The neurobehavioral effects of prenatal and early postnatal lead exposure. Neurobehav. Toxicol. Teratol. in press. Supplied by: Dr. K. N. Dietrich, Cincinnati, OH.

Dietrich, K. N.; Krafft, K. M.; Pearson, D. T.; Bornschein, R. L.; Hammond, P. B.; Succop, P. A. (1985) Postnatal lead exposure and early sensorimotor development. In: Bornschein, R. L.; Rabinowitz, M. B., eds. The second international conference on prospective studies of lead; April 1984; Cincinnati, OH. Environ. Res. 38: 130-136.

Dietrich, K. N.; Krafft, K. M.; Pearson, D. T.; Harris, L. C.; Bornschein, R. L.; Hammond, P. B.; Succop, P. A. (1985) Contribution of social and developmental factors to lead exposure during the first year of life. Pediatrics 75: 1114-1119.

Dietrich, K. N.; Pearson, D. T.; Krafft, K. M.; Hammond, P. B.; Bornschein, R. L.; Succop, P. A. (1984) Lead exposure and early sensorimotor development. Presented at: 1984 Gatlinburg conference on research in mental retardation and developmental disabilities; March; Gatlinburg, TN. Cincinnati, OH: University of Cincinnati Medical Center, Department of Environmental Health.

Dietrich, K. N.; Pearson, D. T.; Samuels, S. J.; Succop, P. A. (1983) Lead vs. intelligence [letter]. J. Pediatr. (St. Louis) 103: 831.

Dietz, D. D.; McMillan, D. E.; Grant, L. D.; Kimmel, C. A. (1978) Effects of lead on temporally-spaced responding in rats. Drug Chem. Toxicol. 1: 401-419.

Dietz, D. D.; McMillan, D. E.; Mushak, P. (1979) Effects of chronic lead administration on acquisition and performance of serial position sequences by pigeons. Toxicol. Appl. Pharmacol. 47: 377-384.

Dietzmann, H. E.; Parness, M. A.; Bradow, R. L. (1981) Emissions from gasoline and diesel delivery trucks by chassis transient cycle. In: Energy-sources technology conference and exhibition; January; Houston, TX. New York, NY: American Society of Mechanical Engineers; ASME paper no. 81-DPG-6.

Dillard, R. A. (1978) Detection, evaluation, and management of children exposed to lead. Tex. Med. 74: 65-68.

Dillman, R. O.; Crumb, C. K.; Lidsky, M. J. (1979) Lead poisoning from a gunshot wound: report of a case and review of the literature. Am. J. Med. 66: 509-514.

Dillon, P. J.; Evans, R. D. (1982) Whole-lake lead burdens in sediments of lakes in southern Ontario, Canada. Hydrobiologia 91: 121-130.

Dilts, P. V., Jr.; Ahokas, R. A. (1979) Effects of dietary lead and zinc on pregnancy. Am. J. Obstet. Gynecol. 135: 940-946.

Dilts, P. V., Jr.; Ahokas, R. A. (1980) Effects of dietary lead and zinc on fetal organ growth. Am. J. Obstet. Gynecol. 136: 889-896.

Dimaio, V. J. M.; Garriott, J. (1980) A fatal case of lead poisoning due to a retained bullet. Forensic Sci. Gaz. 2: 2-3.

Dinari, G.; Cohen, M. I.; McNamara, H.; Kochen, J. A. (1979) Effect of lead exposure on the activity of some hepatic enzymes in the rat. Pediatr. Res. 13: 644-646.

Dine, M. S. (1980) Evaluation of the free erythrocyte porphyrin (FEP) test in a private practice: the incidence of iron deficiency and increased lead absorption in 9- to 13-month-old infants. Pediatrics 65: 303-306.

Ding, T.; Rees, C. E. (1984) The sulphur isotope systematics of the Taolin lead-zinc ore deposit, China. Geochim. Cosmochim. Acta 48: 2381-2392.

Dingwall-Fordyce, I.; Lane, R. E. (1963) A follow-up study of lead workers. Br. J. Ind. Med. 20: 313-315.

DiPaolo, J. A.; Casto, B. C. (1979) Quantitative studies of in vitro morphological transformation of Syrian hamster cells of inorganic metal salts. Cancer Res. 39: 1008-1013.

Dipaolo, J. A.; Nelson, R. L.; Casto, B. C. (1978) In vitro neoplastic transformation of Syrian hamster cells by lead acetate and its relevance to environmental carcinogenesis. Br. J. Cancer 38: 452-455.

Dissanayake, C. B.; Senaratne, A.; Weerasooriya, S. V. R. (1984) Environmental significance of trace elements in human hair - a case study from Sri Lanka. Intern. J. Environ. Stud. 23: 41-48.

Dixit, S. S.; Witcomb, D. (1983) Heavy metal burden in water, substrate, and macroinvertebrate body tissue of a polluted river Irwell (England). Environ. Pollut. Ser. B 6: 161-172.

Djordjevic, Sh.; Stankovic, M. (1960) Air pollution and communal saturnism in Malo Rudare Village. Higijena 12: 35-44.

Djurić, D.; Graovac-Leposavić, L.; Milić, S.; Seničar, L. (1972) Lead contamination of Meza Valley: lead mobilization with Ca-Na_2-EDTA from the body of inhabitants. Prac. Lek. (Praque) 24: 49-50.

Djurić, D.; Kerin, Z.; Graovac-Leposavić, L.; Novak, L.; Kop, M. (1971) Environmental contamination by lead from a mine and smelter. Arch. Environ. Health 23: 275-279.

Dobbins, A.; Johnson, D. R.; Nathan, P. (1978) Effect of exposure to lead on maturation of intestinal iron absorption of rats. J. Toxicol. Environ. Health 4: 541-550.

Dobryszycka, W.; Owczarek, H. (1981) Effects of lead, copper, and zinc on the rat's lactate dehydrogenase in vivo and in vitro. Arch. Toxicol. 48: 21-27.

Dodge, R. E.; Gilbert, T. R. (1984) Chronology of lead pollution contained in banded coral skeletons. Mar. Biol. (Berlin) 82: 9-13.

Doe, B. R. (1970) Lead isotopes. New York, NY: Springer-Verlag. (Engelhardt, W.; Hahn, T.; Roy, R.; Winchester, J. W.; Wyllie, P. J., eds. Minerals, rocks and inorganic materials: monograph series of theoretical and experimental studies: v. 3).

Doelman, P. (1978) Lead and terrestrial microbiota. In: Nriagu, J. O., ed. The biogeochemistry of lead in the environment; part B. biological effects. Amsterdam, The Netherlands: Elsevier/North-Holland Biomedical Press; pp. 343-353. (Topics in environmental health: v. 1B).

Doelman, P.; Haanstra, L. (1979) Effects of lead on the decomposition of organic matter. Soil Biol. Biochem. 11: 481-485.

Doelman, P.; Haanstra, L. (1979) Effects of lead on the soil bacterial microflora. Soil Biol. Biochem. 11: 487-491.

Doelman, P.; Haanstra, L. (1984) Short-term and long-term effects of cadmium, chromium, copper, nickel, lead and zinc on soil microbial respiration in relation to abiotic soil factors. Plant Soil 79: 317-327.

Doeltz, M. K.; Mackie, M.; Rich, P. A.; Lent, D.; Sigman, C. C.; Helmes, C. T. (1984) A study of organometallic compounds for the selection of candidates for carcinogen biossay. J. Environ. Sci. Health Part A 19: 27-65.

Dogan, S.; Nembrini, G.; Haerdi, W. (1981) A novel approach for determination of tin, lead and copper in biological samples and sediments by alternating current anodic stripping voltammetry. Anal. Chim. Acta 130: 385-390.

Dogra, R. K. S.; Shanker, R.; Saxena, A. K.; Khanna, S.; Srivastava, S. N.; Shukla, L. J.; Zaidi, S. H. (1984) Air pollution: significance of pulmonary dust deposits in bovine species. Environ. Pollut. Ser. A 36: 109-120.

Dolcourt, J. L.; Finch, C.; Coleman, G. D.; Klimas, A. J.; Milar, C. R. (1981) Hazard of lead exposure in the home from recycled automobile storage batteries. Pediatrics 68: 225-230.

Dolcourt, J. L.; Hamrick, H. J.; O'Tuama, L. A.; Wooten, J.; Barker, E. L., Jr. (1978) Increased lead burden in children of battery workers: asymptomatic exposure resulting from contaminated work clothing. Pediatrics 62: 563-566.

Dolinsky, Z. S.; Burright, R. G.; Donovick, P. J. (1983) Behavioral changes in mice following lead administration during several stages of development. Physiol. Behav. 30: 583-589.

Dolinsky, Z. S.; Burright, R. G.; Donovick, P. J.; Glickman, L. T.; Babish, J.; Summers, B.; Cypess, R. H. (1981) Behavioral effects of lead and Toxocara canis in mice. Science (Washington, DC) 213: 1142-1144.

Dolinsky, Z.; Fink, E.; Burright, R. G.; Donovick, P. J. (1981) The effects of lead, d-amphetamine, and time of day on activity levels in the mouse. Pharmacol. Biochem. Behav. 14: 877-880.

Dolnikowski, G. G.; Watson, J. T.; Allison, J. (1984) Direct determination of metals in archaeological artifacts by fast atom bombardment mass spectrometry. Anal. Chem. 56: 197-201.

Dolske, D. A.; Sievering, H. (1979) Trace element loading of southern Lake Michigan by dry deposition of atmospheric aerosol. Water Air Soil Pollut. 12: 485-502.

Domański, T.; Trojanowska, B. (1980) Studies on metabolic kinetics of lead and alkaline earth elements (Ca, Ba). Acta Physiol. Pol. 31: 439-447.

Domer, F. R.; Llera, J.-C. (1978) Blood-brain barrier permeability changes caused by lead exposure and amphetamine in mice. Res. Commun. Psychol. Psychiatr. Behav. 3: 101-108.

Domer, F. R.; Wolf, C. L. (1979) Drugs, lead and the blood-brain barrier. Res. Commun. Psychol. Psychiatr. Behav. 4: 135-148.

Domer, F. R.; Wolf, C. L. (1980) Effects of lead on movement of albumin into brain. Res. Commun. Chem. Pathol. Pharmacol. 29: 381-384.

Dominik, J.; Forstner, U.; Mangini, A.; Reineck, H.-E. (1978) ^{210}Pb and ^{137}Cs chronology of heavy metal pollution in a sediment core from the German Bight (North Sea). Senckenbergiana Marit. 10: 213-223.

Dominik, J.; Mangini, A.; Prosi, F. (1984) Sedimentation rate variations and anthropogenic metal fluxes into Lake Constance sediments. Environ. Geol. 5: 151-157.

Dömling, H.-J.; Kolb, C. (1979) Untersuchungen über die Abgabe von Blei und Cadmium aus Porzellan- und Keramikgeschirr. Teil 2: Schadmetallabgabe an Lebensmittel [Investigations into the emission of lead and cadmium from porcelain and ceramic dishes. Part 2: emission of noxious metals into foodstuffs]. Dtsch. Lebensm. Rundsch. 75: 152-156.

Donadio, R. E. (1982) OSHA criteria for laboratory proficiency in blood lead analysis. Am. J. Public Health 72: 404-405.

Donald, J. M.; Cutler, M. G.; Moore, M. R.; Bradley, M. (1981) Development and social behaviour in mice after prenatal and postnatal administration of low levels of lead acetate. Neuropharmacology 20: 1097-1104.

Donaldson, W. E.; Leeming, T. K. (1984) Dietary lead: effects on hepatic fatty acid composition in chicks. Toxicol. Appl. Pharmacol. 73: 119-123.

Dong, A.; Chesters, G.; Simsiman, G. V. (1984) Metal composition of soil, sediments, and urban dust and dirt samples from the Menomonee River watershed, Wisconsin, U.S.A. Water Air Soil Pollut. 22: 257-275.

Doniec, J.; Trojanowska, B.; Trycinka-Ochocka, M.; Garlicka, I. (1983) Effects of $Na_2CaEDTA$ on lead deposits in rabbit osseous tissue. Toxicol. Lett. 19: 1-5.

Donovan, D. T.; Vought, V. M.; Rakow, A. B. (1971) Laboratories which conduct lead analyses on biologic specimens. Arch. Environ. Health 23: 111-113.

Donovan, M. P.; Schein, L. G.; Thomas, J. A. (1980) Inhibition of androgen-receptor interaction in mouse prostate gland cytosol by divalent metal ions. Mol. Pharmacol. 17: 156-162.

Donovick, P. J.; Engellenner, W. J.; Hardy, C.; Yuhl, D.; Burright, R. G. (1982) Agonistic behavior in Fuller brain-weight mice following the administration of lead. Behav. Genet. 12: 582-583.

Dorn, C. R.; Pierce, J. O., II; Phillips, P. E.; Chase, G. R. (1976) Airborne Pb, Cd, Zn and Cu concentration by particle size near a Pb smelter. Atmos. Environ. 10: 443-446.

Dorrington, V. H.; Pyatt, F. B. (1983) Some aspects of tissue accumulation and tolerance to available heavy metal ions by Rubus fruticosus L., a colonizer of spoil tips in S.W. England. Int. J. Environ. Stud. 20: 229-237.

Doss, M.; Baumann, H.; Lorrek, M.; Laubenthal, F.; Schneider, J. (1984) Lead poisoning as a toxogenetic disease. Klin. Wochenschr. 62: 430-431.

Doss, M.; Becker, U.; Sixel, F.; Geisse, S.; Solcher, H.; Schneider, J.; Kufner, G.; Schlegel, H.; Stoeppler, M. (1982) Persistent protoporphyrinemia in hereditary porphobilinogen synthase (δ-aminolevulinic acid dehydrase) deficiency under low lead exposure: a new molecular basis for the pathogenesis of lead intoxication. Klin. Wochenschr. 60: 599-606.

Doss, M.; Laubenthal, F.; Stoeppler, M. (1984) Lead poisoning in inherited δ-aminolevulinic acid dehydratase deficiency. Int. Arch. Occup. Environ. Health 54: 55-63.

Doss, M.; Müller, W. A. (1982) Acute lead poisoning in inherited porphobilinogen synthase (δ-aminolevulinic acid dehydrase) deficiency. Blut 45: 131-139.

Doss, M.; Von Tiepermann, R. (1978) Urinary porphyrin profiles in acute lead poisoning: relationship to and differentation from acute intermittent porphyria. J. Clin. Chem. Clin. Biochem. 16: 57-58.

Døssing, M.; Paulev, P.-E. (1983) Blood- and air-lead concentrations during five years of occupational exposure: the effectiveness of an occupational hygiene programme and problems due to welding operations. Ann. Occup. Hyg. 27: 367-372.

Douglas, G. R.; Bell, R. D. L.; Grant, C. E.; Wytsma, J. M.; Bora, K. C. (1980) Effect of lead chromate on chromosome aberration, sister-chromatid exchange and DNA damage in mammalian cells in vitro. Mutat. Res. 77: 157-163.

Doyle, J. J. (1979) Toxic and essential elements in bone - a review. J. Anim. Sci. 49: 482-497.

Dragović, D. (1980) Lead in the blood of the women in childbed [sic], in the umbilical cord of the new born children and in placenta. Acta Biol. Med. Exp. 5: 63-67.

Drasch, G.; Meyer, L.; Kreglinger, R. (1979) Untersuchungen zum Bleigehalt menschlicher Knochen [Investigations on lead concentrations of human bones]. Arbeitsmed. Sozialmed. Präventivmed. 2: 32-34.

Dresner, D. L.; Ibrahim, N. G.; Mascarenhas, B. R.; Levere, R. D. (1982) Modulation of bone marrow heme and protein synthesis by trace elements. Environ. Res. 28: 55-66.

Dresp, J.; Bauchinger, M.; Schmid, E.; Englert, N. (1978) Chromosome analysis of children exposed to the emission of lead-smelting plant. Mutat. Res. 53: 181.

Drew, W. G.; Kostas, J.; McFarland, D. J.; De Rossett, S. E. (1979) Effects of neonatal lead exposure on apomorphine-induced aggression and stereotypy in the rat. Pharmacology 18: 257-262.

Drill, S.; Konz, J.; Mahar, H.; Morse, M. (1979) The environmental lead problem: an assessment of lead in drinking water from a multi-media perspective. Washington, DC: U.S. Environmental Protection Agency; EPA report no. EPA-570/9-79-003. Available from: NTIS, Springfield, VA; PB-296556.

Driscoll, J. W.; Stegner, S. E. (1976) Behavioral effects of chronic lead ingestion on laboratory rats. Pharmacol. Biochem. Behav. 4: 411-417.

Driscoll, J. W.; Stegner, S. E. (1978) Lead-produced changes in the relative rate of open field activity of laboratory rats. Pharmacol. Biochem. Behav. 8: 743-747.

Drossos, C. G.; Mavroidis, K. T.; Papadopoulou-Daifotis, Z.; Michalodimitrakis, D. N.; Salamalikis, L. X.; Gounaris, A. K.; Varonos, D. D. (1982) Environmental lead pollution in Greece. Am. Ind. Hyg. Assoc. J. 43: 796-798.

Drummond, A. H. (1981) School health personnel should be aware of lead poisoning in children, a persistent disease of industrialized society, and be prepared to take action should they encounter it. J. Sch. Health 51: 43-47.

Dubas, T. C.; Hrdina, P. D. (1978) Behavioural and neurochemical consequences of neonatal exposure to lead in rats. J. Environ. Pathol. Toxicol. 2: 473-484.

Dubas, T. C.; Stevenson, A.; Singhal, R. L.; Hrdina, P. D. (1978) Regional alterations of brain biogenic amines in young rats following chronic lead exposure. Toxicology 9: 185-190.

Dubi, J.; Schneider, P.; Regli, F. (1979) L'intoxication saturnine: a propos d'un cas d'encéphalopathie aigue chez un adulte [Lead intoxication: a case study of acute encephalopathy in an adult]. Schweiz. Med. Wochenschr. 109: 123-127.

Dubreuil, A.; Hollande, E.; Bouley, G.; Boudene, C. (1979) Effects of lead microparticles on the growth characteristics of the BHK21 fibroblast cell line. Toxicology 13: 249-262.

Duce, R. A.; Hoffman, G. L.; Zoller, W. H. (1975) Atmospheric trace metals at remote northern and southern hemisphere sites: pollution or natural? Science (Washington, DC) 187: 59-61.

Duce, R. A.; Ray, B. J.; Hoffman, G. L.; Walsh, P. R. (1976) Trace metal concentration as a function of particle size in marine aerosols from Bermuda. Geophys. Res. Lett. 3: 339-346.

Ducoffre, G.; Bruaux, P.; Claeys-Thoreau, F.; Lafontaine, A.; Schifflers, E.; Smans, M. (1980) Statistical study of some parameters able to influence blood lead levels. Dev. Toxicol. Environ. Sci. 8: 607-611.

Dudley, D. M. T. (1982) Critique: blood lead analyses 1981. Atlanta, GA: U.S. Centers for Disease Control.

Dugandzić, M.; Stanković, B.; Milovanić, L.; Kuricanac, Z. (1973) Izlucivanje 5-hidroksiindolsircetne kiseline u mokraci osoba izlozenih olovu [Urinary excretion of 5-hydroxyindolacetic acid in lead-exposed persons]. Arh. Hig. Rada 24: 37-44.

Duggan, M. J. (1980) Lead in urban dust: an assessment. Water Air Soil Pollut. 14: 309-321.

Duggan, M. J. (1983) Contribution of lead in dust to children's blood lead. Environ. Health Perspect. 50: 371-381.

Duggan, M. J. (1983) Lead in dust as a source of children's body lead. In: Rutter, M.; Russell Jones, R., eds. Lead versus health: sources and effects of low level lead exposure. New York, NY: John Wiley and Sons; pp. 115-139.

Duggan, M. J. (1983) The uptake and excretion of lead by young children. Arch. Environ. Health 38: 246-247.

Duggan, M. J. (1984) Temporal and spatial variations of lead in air and in surface dust-implications for monitoring. Sci. Total Environ. 33: 37-48.

Duggan, M. J.; Burton, M. A. S. (1983) Atmospheric metal deposition in London. Int. J. Environ. Stud. 21: 301-307.

Duggan, M. J.; Inskip, M. J.; Rundle, S. A.; Moorcroft, J. S. (1985) Lead in playground dust and on the hands of schoolchildren. Sci. Total Environ. 44: 65-79.

Duggan, M. J.; Williams, S. (1977) Lead-in-dust in city streets. Sci. Total Environ. 7: 91-97.

Dulude, G. R.; Conley, M. K.; Sotera, J. J. (1980) An automated method for the determination of Pb in blood. Clin. Chem. (Winston-Salem, NC) 26: 974.

Dungey, C. E. (1981) Use of downdraft booth design in removing toxic dusts from protective clothing. In: Proceedings of the symposium on occupational health: hazard control technology in the foundry and secondary non-ferrous smelting industries; December 1979; Chicago, IL. Cincinnati, OH: National Institute for Occupational Safety and Health; pp. 358-366.

Dunlop, A. C.; Atherden, P. R.; Govett, G. J. S. (1983) Lead distribution in drainage channels about the Elura zinc-lead-silver deposit, Cobar, New South Wales, Australia. J. Geochem. Explor. 18: 195-204.

Dupré, B.; Allègre, C. J. (1983) Pb-Sr isotope variation in Indian Ocean basalts and mixing phenomena. Nature (London) 303: 142-146.

Dupuy, B.; Lechevalier, B.; Berthelin, C.; Prevot, P. (1984) Étude du nerf périphérique dans un cas de neuropathie saturnine [Peripheral nerves study in a case of lead neuropathy]. Rev. Neurol. 140: 406-414.

Dupuy, D.; Szabo, S. (1984) Protective effects of heavy metals on ethanol-induced gastric erosions. Fed. Proc. Fed. Am. Soc. Exp. Biol. 43: 946.

Durando, M. L.; Aragon, S. R. (1982) Atmospheric lead in downtown Guatemala City. Environ. Sci. Technol. 16: 20-23.

Durfor, C. N.; Becker, E. (1964) Public water supplies of the 100 largest cities in the United States, 1962. Washington, DC: U.S. Department of Interior, Geological Survey; USGS water supply paper no. 1812.

Durum, W. H.; Hem, J. D.; Heidel, S. G. (1971) Reconnaissance of selected minor elements in surface waters of the United States, October 1970. Washington, DC: U.S. Department of Interior, Geological Survey; USGS circular no. 643.

Dutkiewicz, B.; Chodór, H. (1979) Steżenie olowiu w moczu jako wskaźnik narazenia przy mieszanej ekspozycji na ołow, cynk i kadm [Urinary lead concentration as a risk factor during mixed exposure to lead, zinc and cadmium]. Med. Pr. 30: 195-200.

Dutkiewicz, B.; Chodór, H.; Milkowska, G.; Nadolska, J.; Paprotny, W. (1978) Ocena przydatnósci wskazńików ekspozycji na olów w mieszanym narażeniu na olów, cynk i kadm [Evaluation of the usefulness of some indices in combined exposure to lead, zinc and cadmium]. Bromatol. Chem. Toksykol. 11: 67-74.

Dutkiewicz, B.; Dutkiewicz, T.; Milkowska, G. (1979) The effect of mixed exposure to lead and zinc on ALA level in urine. Int. Arch. Occup. Environ. Health 42: 341-348.

Dutkiewicz, T.; Kulka, E.; Sokolowska, D. (1982) Ocena dróg wchlaniania olówiu i kadmu u dzieci z okregów przemyslowych [Appraisal of lead and cadmium absorption in children residing in industrial regions]. Bromatol. Chem. Toksykol. 15: 41-46.

Dutot, A.; Faucherre, J. (1979) Le plomb et le zinc des anneaux de croissance des conifères en tant que traceurs chronologigues de la pollution atmosphérique [Lead and zinc in tree rings as chronological tracers of atmospheric pollution]. C. R. Hebd. Seances Acad. Sci. Ser. D 288: 1283-1286.

Duvenkamp, A. (1984) Karyokinetic reactions in rat kidney proximal convoluted segment epithelium on long-term lead supply with drinking water. Acta Anat. 119: 121-123.

Dyck, P. J.; Windebank, A. J.; Low, P. A.; Baumann, W. J. (1980) Blood nerve barrier in rat and cellular mechanisms of lead-induced segmental demyelination. J. Neuropathol. Exp. Neurol. 39: 700-709.

Dzubay, T. G.; Stevens, R. K. (1975) Ambient air analysis with dichotomous sampler and X-ray fluorescence spectrometer. Environ. Sci. Technol. 9: 663-668.

Dzubay, T. G.; Stevens, R. K.; Richards, L. W. (1979) Composition of aerosols over Los Angeles freeways. Atmos. Environ. 13: 653-659.

Eales, W. (1905) Lead as an abortifacient [letter]. Br. Med. J. 1:653.

Earl, F. L.; Vish, T. J. (1979) Teratogenicity of heavy metals. In: Oehme, F. W., ed. Toxicity of heavy metals in the environment, part 2. New York, NY: Marcel Dekker, Inc.; pp. 617-639.

Eastin, W. C., Jr.; Hoffman, D. J.; O'Leary, C. T. (1983) Lead accumulation and depression of δ-aminolevulinic acid dehydratase (ALAD) in young birds fed automotive waste oil. Arch. Environ. Contam. Toxicol. 12: 31-35.

Eastwood, I. W.; Jackson K. W. (1984) Interlaboratory comparison of soil lead determinations. Environ. Pollut. Ser. B 8: 231-243.

Eaton, D. L.; Stacey, N. H.; Wong, K.-L.; Klaassen, C. D. (1980) Dose-response effects of various metal ions on rat liver metallothionein, glutathione, heme oxygenase, and cytochrome P-450. Toxicol. Appl. Pharmacol. 55: 393-402.

Eatough, D. J.; Eatough, N. L.; Hill, M. W.; Mangelson, N. F.; Ryder, J.; Hansen, L. D.; Meisenheimer, R. G.; Fischer, J. W. (1979) The chemical composition of smelter flue dusts. Atmos. Environ. 13: 489-506.

Edelman, W. M. T.; van Beersum, I.; Jans, T. (1983) Uptake of cadmium, zinc, lead, and copper by earthworms near a zinc-smelting complex: influence of soil pH and organic matter. Bull. Environ. Contam. Toxicol. 30: 424-427.

Edelstein, S.; Fullmer, C. S.; Wasserman, R. H. (1984) Gastrointestinal absorption of lead in chicks: involvement of the cholecalciferol endocrine system. J. Nutr. 114: 692-700.

Edens, F. W.; Benton, E.; Bursian, S. J.; Morgan, G. W. (1976) Effect of dietary lead on reproductive performance in Japanese quail, Coturnix coturnix japonica. Toxicol. Appl. Pharmacol. 38: 307-314.

Edgington, D. N.; Robbins, J. A. (1976) Records of lead deposition in Lake Michigan sediments since 1800. Environ. Sci. Technol. 10: 266-274.

Edgington, D. N.; Robbins, J. A. (1979) [Untitled letter]. Environ. Sci. Technol. 13: 480-482.

Ediger, R. D.; Coleman, R. L. (1972) A modified Delves cup atomic absorption procedure for the determination of lead in blood. At. Absorpt. Newsl. 11: 33-36.

Edwards, H. W., ed. (1976) Environmental contamination caused by lead: final report; National Science Foundation grant no. AEN74-17624 A01. Fort Collins, CO: Colorado State University.

Edwards, H. W.; Rosenvold, R. J.; Wheat, H. G. (1975) Sorption of organic lead vapor on atmospheric dust particles. In: Hemphill, D. D., ed. Trace substances in environmental health - IX: [proceedings of University of Missouri's 9th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 197-205.

Edwards, H. W.; Wheat, H. G. (1978) Seasonal trends in Denver atmospheric lead concentrations. Environ. Sci. Technol. 12: 687-692.

Edwards, M. A.; Amerine, M. A. (1977) Lead content of wines determined by atomic absorption spectrophotometry using flameless atomization. Am. J. Enol. Vitic. 28: 239-240.

Edwards, M. J.; Beatson, J. (1984) Effects of lead and hyperthermia on prenatal brain growth of guinea pigs. Teratology 30: 413-421.

Egan, B. A.; Mahoney, J. R. (1972) Numerical modeling of advection and diffusion of urban area source pollutants. J. Appl. Meteorol. 11: 312-322.

Eichner, E. R. (1984) Erythroid karyorrhexis in the peripheral blood smear in severe arsenic poisoning: a comparison with lead poisoning. Am. J. Clin. Pathol. 81: 533-537.

Eisenreich, S. J. (1982) Atmospheric role in trace metal exchange at the air-water interface. J. Great Lakes Res. 8: 243-256.

Eisenstein, R.; Kawanoue, S. (1975) The lead line in bone - a lesion apparently due to chondroclastic indigestion. Am. J. Pathol. 80: 309-316.

Eisinger, J. (1978) Biochemistry and measurement of environmental lead intoxication. Q. Rev. Biophys. 11: 439-466.

Eisinger, J. (1979) Living with lead. Nature (London) 278: 207-208.

el Ghandour, M. F. M.; Abdel Salam, M. S.; Hindy, K. T.; Kamel, M. M. (1982) Studies on air pollution from construction plants in the Helwan industrial area. III. Alkali, earth alkali and heavy metal constituents of dust-fall. Environ. Pollut. Ser. B 4: 303-313.

El-Gazzar, R. M.; Finelli, V. N.; Boiano, J.; Petering, H. G. (1978) Influence of dietary zinc on lead toxicity in rats. Toxicol. Lett. 1: 227-234.

El-Shobokshy, M. S. (1984) A preliminary analysis of the inhalable particulate lead in the ambient atmosphere of the city of Riyadh, Saudi Arabia. Atmos. Environ. 18: 2125-2130.

El-Waseef, A. (1982) Uroporphyrinogen-I-synthetase activity in red blood cells of lead-exposed workers. Acta Medica Academiae Scientiarum Hungaricae, Tomus 39: 95-100.

El-Zoghby, S. M.; El-Sewedy, S. M.; Saad, A. A.; Mostafa, M. H.; El-Kholy, Z. A.; El-Toukhy, M. A.; Abdel-Tawab, G. A. (1978) In vitro studies of the effect of metal ions, EDTA and their mixtures on kynurenine aminotransferase and kynurenine hydrolase. Acta Vitaminol. Enzymol. 32: 145-149.

Elfving, D. C.; Bache, C. A.; Lisk, D. J. (1979) Lead content of vegetables, millet, and apple trees grown on soils amended with colored newsprint. J. Agric. Food Chem. 27: 138-140.

Elfving, D. C.; Haschek, W. M.; Stehn, R. A.; Bache, C. A.; Lisk, D. J. (1978) Heavy metal residues in plants cultivated on and in small mammals indigenous to old orchard soils. Arch. Environ. Health 33: 95-99.

Elias, R. W.; Croxdale, J. (1980) Investigations of the deposition of lead-bearing aerosols on the surfaces of vegetation. Sci. Total Environ. 14: 265-278.

Elias, R. W.; Davidson, C. (1980) Mechanisms of trace element deposition from the free atmosphere to surfaces in a remote High Sierra canyon. Atmos. Environ. 14: 1427-1432.

Elias, R. W.; Hinkley, T. K.; Hirao, Y.; Patterson, C. C. (1976) Improved techniques for studies of mass balances and fractionations among families of metals within terrestrial ecosystems. Geochim. Cosmochim. Acta 40: 583-587.

Elias, R.; Hirao, Y.; Patterson, C. C. (1978) The deposition of lead aerosols on plant surfaces in a remote subalpine ecosystem. In: Adriano, D. C.; Brisbin, I. L., Jr., eds. Environmental chemistry and cycling processes: proceedings of a symposium; April 1976; Augusta, GA. Washington, DC: U.S. Department of Energy, Technical Information Center; pp. 691-699. Available from: NTIS, Springfield, VA; CONF-760429.

Elias, R. W.; Hirao, Y.; Patterson, C. C. (1982) The circumvention of the natural biopurification of calcium along nutrient pathways by atmospheric inputs of industrial lead. Geochim. Cosmochim. Acta 46: 2561-2580.

Elias, R. W.; Patterson, C. C. (1980) Toxicological implications of biogeochemical studies of atmospheric lead. In: Toribara, T. Y.; Miller, M. W.; Morrow, P. E., eds. Polluted rain. New York, NY: Plenum Press; pp. 391-403.

Elinder, C. G.; Friberg, L.; Lind, B.; Jawaid, M. (1983) Lead and cadmium levels in blood samples from the general population of Sweden. Environ. Res. 30: 233-253.

Ellaway, M.; Hart, B. T.; Beckett, R. (1982) Trace metals in sediments from the Yarra River. Aust. J. Mar. Freshwater Res. 33: 761-778.

Ellenbog, U. (1927) Von den gifftigen besen Tempffen und Reuchen: eine Gewerbe-hygienische Schrift des XV. Jahrhunderts [On toxic herb vapors and fumes: an industrial hygiene report from the fifteenth century]. In: Koelsch, F.; Zoepel, F., eds. Münchener Beiträge zur Geschichte und Literatur der Naturwissenschaften und Medizin, special edition no. 2: reprint of the first Augsburg edition (1471) with biography and a historical evaluation of the medical content and printing history. Munich, West Germany: Verlag der Münchener Drück; pp. xxix-xliv.

Ellender, G.; Sewell, D. K. B.; Ham, K. N.; Storey, E. (1978) Lead-loaded ion-exchange resin bead as a calcergen. Calcif. Tissue Res. 26: 253-258.

Eller, P. M.; Hartz, J. C. (1977) A study of methods for the determination of lead and cadmium. Am. Ind. Hyg. Assoc. J. 38: 116-124.

Ellis, B. H.; Bourcier, D. R.; Galke, W. A. (1983) Canned fruit juices and orange drink as a source of lead in the human environment. In: Hemphill, D. D., ed. Trace substances in environmental health - XVII: [proceedings of University of Missouri's 17th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 358-364.

Ellis, J. B.; Revitt, D. M. (1982) Incidence of heavy metals in street surface sediments: solubility and grain size studies. Water Air Soil Pollut. 17: 87-100.

Elsokkary, I. H. (1980) Contamination of edible parts of seven plant crops and soils by heavy metals in urban area by air pollution in Alexandria district, Egypt. Stud. Environ. Sci. 8: 433-438.

Elwood, P. C. (1982) Blood lead levels in residents close to old lead tips in Wales. J. Geol. Soc. London 139: 102.

Elwood, P. C. (1983) For debate ... changes in blood lead concentrations in women in Wales 1972-82. Br. Med. J. 286: 1553-1555.

Elwood, P. C. (1983) Blood lead and petrol lead [letter]. Br. Med. J. 286: 1515.

Elwood, P. C. (1983) Turin isotopic lead experiment. Lancet 1(8329): 869.

Elwood, P. C.; Gallacher, J. (1984) Effect of dust control on blood lead. N. Engl. J. Med. 310: 924-925.

Elwood, P. C.; Gallacher, J. E. J. (1984) Lead in petrol and levels of lead in blood: scientific evidence and social policy. J. Epidemiol. Comm. Health 38: 315-318.

Elwood, P. C.; Phillips, K. M.; Lowe, N.; Phillips, J. K.; Toothill, C. (1983) Hardness of domestic water and blood lead levels. Hum. Toxicol. 2: 645-648.

Elwood, P. C.; Thomas, H.; Sheltawy, M. (1978) Blood-lead levels in mothers and their children [letter]. Lancet 1(8078): 1363-1364.

Elwood, W. J.; Clayton, B. E.; Cox, R. A.; Delves, H. T.; King, E.; Malcolm, D.; Ratcliffe, J. M.; Taylor, J. F. (1977) Lead in human blood and in the environment near a battery factory. Br. J. Prev. Soc. Med. 31: 154-163.

Ely, D. L.; Mostardi, R. A.; Woebkenberg, N.; Worstell, D. (1981) Aerometric and hair trace metal content in learning-disabled children. Environ. Res. 25: 325-339.

Elzerman, A. W.; Armstrong, D. E.; Andren, A. W. (1979) Particulate zinc, cadmium, lead, and copper in the surface microlayer of southern Lake Michigan. Environ. Sci. Technol. 13: 720-725.

Ember, L. (1979) Complex issues surround lead-in-air standards. Chem. Eng. News 57: 22-26.

Emmerson, B. T. (1963) Chronic lead nephropathy: the diagnostic use of calcium EDTA and the association with gout. Australas. Ann. Med. 12: 310-324.

Emmerson, B. T. (1968) The clinical differentiation of lead gout from primary gout. Arthritis Rheum. 11: 623-634.

Emmerson, B. T. (1973) Chronic lead nephropathy. Kidney Int. 4: 1-5.

Emmerson, B. T. (1980) Uricosuric diuretics. Kidney Int. 18: 677-685.

Emmerson, B. T.; Mirosch, W.; Douglas, J. B. (1971) The relative contributions of tubular reabsorption and secretion to urate excretion in lead nephropathy. Aust. N. Z. J. Med. 4: 353-362.

Engel, A.; Murphy, R. S.; Maurer, K.; Collins, E. (1978) Plan and operation of the HANES I augmentation survey of adults 25-74 years: United States, 1974-1975. Hyattsville, MD: U.S. Department of Health, Education, and Welfare, National Center for Health Statistics; DHEW pub. no. (PHS)78-1314. (Vital and health statistics series 1, programs and collections procedures: no. 14).

Englert, N. (1980) Periphere motorische Nervenleitgeschwindigkeit bei Probanden mit beruflicher Blei-Exposition [Peripheral motor nerve conduction velocity in test subjects occupationally exposed to lead]. Arbeitsmed. Sozialmed. Praeventivmed. 15: 254-260.

Ennis, J. M.; Harrison, H. E. (1950) Treatment of lead encephalopathy with BAL (2,3-dimercaptopropanol). Pediatrics 5: 853-868.

Environmental Sciences Associates. (1981) Low level blood lead control: assignment of values for metexchange kits A, C, D and H. Bedford, MA: Environmental Sciences Associates, Inc., ESA technical report no. 81-2.

Environmental Sciences Associates, Inc. (1977) Lead in paint: the feds are coming and the states will follow. Trace Substances: Winter.

Epstein, S. S.; Mantel, N. (1968) Carcinogenicity of tetraethyl lead. Experientia 24: 580-581.

Erenberg, G.; Rinsler, S. S.; Fish, B. G. (1974) Lead neuropathy and sickle cell disease. Pediatrics 54: 438-441.

Erickson, M. M.; Poklis, A.; Gantner, G. E.; Dickinson, A. W.; Hillman, L. S. (1983) Tissue mineral levels in victims of sudden infant death syndrome: I. toxic metals - lead and cadmium. Pediatr. Res. 17: 779-784.

Ericson, J. E.; Shirahata, H.; Patterson, C. C. (1979) Skeletal concentrations of lead in ancient Peruvians. N. Engl. J. Med. 300: 946-951.

Ernhart, C. B. (1982) Lead levels and confounding variables [letter]. Am. J. Psychiatry 139: 1524.

Ernhart, C. B. (1982) Lead results: no justification [letter]. Sci. News (Washington, DC) 122: 3.

Ernhart, C. B. (1983) Lead vs. intelligence [letter]. J. Pediatr. (St. Louis) 103: 830-831.

Ernhart, C. B. (1984) EPA review of lead study [letter]. Science (Washington, DC) 223: 118.

Ernhart, C. B.; Landa, B.; Schell, N. B. (1981) Subclinical levels of lead and developmental deficit - a multivariate follow-up reassessment. Pediatrics 67: 911-919.

Ernhart, C. B.; Landa, B.; Schell, N. B. (1981) Lead levels and intelligence [letter]. Pediatrics 68: 903-905.

Ernhart, C. B.; Landa, B.; Schell, N. B. (1982) Lead study questioned: in reply [letter]. Pediatrics 69: 135.

Ernhart, C. B.; Landa, B.; Wolf, A. W. (1985) Subclinical lead level and developmental deficit: reanalyses of data. J. Learning Disabilities 18: 475-479.

Ernhart, C. B.; Wolf, A. W.; Sokol, R. J.; Brittenham, G. M.; Erhand, P. (1985) Fetal lead exposure: antenatal factors. In: Bornschein, R. L.; Rabinowitz, M. B., eds. The second international conference on prospective studies of lead; April 1984; Cincinnati, OH. Environ. Res. 38: 54-66.

Ernst, W. H. O.; Bast-Cramer, W. B. (1980) The effect of lead contamination of soils and air on its accumulation in pollen. Plant Soil 57: 491-496.

Errera, J. J. (1979) The lead curtain around us. J. Am. Med. Technol. 41: 21-23.

Erspamer, J. P.; Niemczyk, T. M. (1982) Effect of graphite surface type on determination of lead and nickel in a magnesium chloride matrix by furnace atomic absorption spectrometry. Anal. Chem. 54: 2150-2154.

Eskew, A. E.; Crutcher, J. C.; Zimmerman, S. L.; Johnston, G. W.; Butz, W. C. (1961) Lead poisoning resulting from illicit alcohol consumption. J. Forensic Sci. 6: 337-350.

Estes, S. A.; Uden, P. C.; Barnes, R. M. (1981) High-resolution gas chromatography of trialkyllead chlorides with an inert solvent venting interface for microwave excited helium plasma detection. Anal. Chem. 53: 1336-1340.

Estiandan, F. S.; Schafer, G. H.; Gedang, D. B.; Sakai, D. T.; Moffitt, R. A. (1978) Electrolytic determination of surface lead in empty metal containers. J. Assoc. Off. Anal. Chem. 61: 1496-1498.

Evans, G. F.; Rodes, C. E. (1979) Los Angeles catalyst study: annual report. Research Triangle Park, NC: U.S. Environmental Protection Agency, Environmental Monitoring and Support Laboratory; EPA report no. EPA-600/4-79-033. Available from: NTIS, Springfield, VA; PB80-102783.

Evans, R. D.; Rigler, F. H. (1980) Calculation of the total anthropogenic lead in the sediments of a rural Ontario lake. Environ. Sci. Technol. 14: 216-218.

Evans, W. H.; Read, J. I.; Lucas, B. E. (1978) Evaluation of a method for the determination of total cadmium, lead and nickel in foodstuffs using measurement by flame atomic-absorption spectrophotometry. Analyst (London) 103: 580-594.

Everard, M.; Denny, P. (1984) The transfer of lead by freshwater snails in Ullswater, Cumbria, Environ. Pollut. Ser. A 35: 299-314.

Everett, R. G.; Hicks, B. B.; Berg, W. W.; Winchester, J. W. (1979) An analysis of particulate sulfur and lead gradient data collected at Argonne National Laboratory. Atmos. Environ. 13: 931-934.

Everson, J.; Patterson, C. C. (1980) "Ultra-clean" isotope dilution/mass spectrometric analyses for lead in human blood plasma indicate that most reported values are artificially high. Clin. Chem. (Winston-Salem, NC) 26: 1603-1607.

Everson, J.; Patterson, C. C. (1981) Plasma lead values: are they accurate [response to Cavallerito and Minoia's letter to editor]? Clin. Chem. (Winston-Salem, NC) 27: 765-766.

Ewers, U.; Brockhaus, A.; Winneke, G.; Freier, I.; Jermann, E.; Krämer, U. (1982) Lead in deciduous teeth of children living in a non-ferrous smelter area and a rural area of the FRG. Int. Arch. Occup. Environ. Health 50: 139-151.

Ewers, U.; Erbe, R. (1980) Effects of lead, cadmium and mercury on brain adenylate cyclase. Toxicology 16: 227-237.

Ewers, U.; Stiller-Winkler, R.; Idel, H. (1982) Serum immunoglobulin, complement C3, and salivary IgA levels in lead workers. Environ. Res. 29: 351-357.

Ewert, T.; Beginn, U.; Winneke, G.; Hofferberth, B.; Joerg, J. (1985) Untersuchungen von VEPs, SEPs des N. med. und sensible NLG des N. med. und N. rad. an bleiexponierten Kindern [Sensory neurography, visual and somatosensory evoked potentials (VEP and SEP) in children exposed to lead]. Verh. Dtsch. Ges. Neurol. 3: 399-402.

Ewing, R. A.; Bell, M. A.; Lutz, G. A. (1979) The health and environmental impacts of lead: an assessment of the need for limitations. Washington, DC: U.S. Environmental Protection Agency, Office of Toxic Substances; EPA report no. EPA-560/2-79-001. Available from: NTIS, Springfield, VA; PB-296903.

Exon, J. H.; Koller, L. D.; Kerkvliet, N. I. (1979) Lead-cadmium interaction: effects on viral-induced mortality and tissue residues in mice. Arch. Environ. Health 34: 469-475.

Exon, J. H.; Talcott, P. A.; Koller, L. D. (1985) Effect of lead, polychlorinated biphenyls, and cyclophosphamide on rat natural killer cells, interleukin 2, and antibody synthesis. Fundam. Appl. Toxicol. 5: 158-164.

Eyden, B. P.; Maisin, J. R.; Mattelin, G. (1978) Long-term effects of dietary lead acetate on survival, body weight and seminal cytology in mice. Bull. Environ. Contam. Toxicol. 19: 266-272.

Facchetti, S. (1979) Isotope study of lead in petrol. In: International conference: management and control of heavy metals in the environment; September; London, United Kingdom. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 95-102.

Facchetti, S.; Geiss, F. (1982) Isotopic lead experiment: status report. Luxembourg: Commission of the European Communities; Publication no. EUR 8352 EN.

Fahim, M. S.; Fahim, Z.; Hall, D. G. (1976) Effects of subtoxic lead levels on pregnant women in the state of Missouri. Res. Commun. Chem. Pathol. Pharmacol. 13: 309-331.

Fahim, M. S.; Khare, N. K. (1980) Effects of subtoxic levels of lead and cadmium on urogenital organs of male rats. Arch. Androl. 4: 357-362.

Fairey, F. S.; Gray, J. W., III. (1970) Soil lead and pediatric lead poisoning in Charleston, S.C. J. S. C. Med. Assoc. 66: 79-82.

Faith, R. E.; Luster, M. I.; Kimmel, C. A. (1979) Effect of chronic developmental lead exposure on cell-mediated immune functions. Clin. Exp. Immunol. 35: 413-420.

Falandysz, J. (1984) Trace metals and organochlorines in plankton from the southern Baltic. Mar. Pollut. Bull. 15: 416-418.

Falk, H. L. (1977) Conclusions of the committee on human health consequences of lead exposure from automobile emissions. Environ. Health Perspect. 19: 243-246.

Fallis, B. W. (1982) Trace metals in sediments and biota from Strathcona Sound, NWT; Nanisivik Marine Monitoring Programme, 1974-1979. Winnipeg, MB, Canada: Department of Fisheries and Oceans; Canadian Technical Report of Fisheries and Aquatic Sciences; No. 1082.

Fang, Z.; Růzicka, J.; Hansen, E. H. (1984) An efficient flow-injection system with on-line ion-exchange preconcentration for the determination of trace amounts of heavy metals by atomic absorption spectrometry. Anal. Chim. Acta 164: 23-39.

Fang, Z.; Xu, S.; Zhang, S. (1984) The determination of trace amounts of heavy metals in waters by a flow-injection system including ion-exchange preconcentration and flame atomic absorption spectrometric detection. Anal. Chim. Acta 164: 41-50.

Farkas, W. R.; Stanawitz, T. (1979) Effects of plumbous ion on guanine metabolism. J. Inorg. Biochem. 11: 31-38.

Farkas, W. R.; Stanawitz, T.; Schneider, M. (1978) Saturnine gout: lead-induced formation of guanine crystals. Science (Washington, DC) 199: 786-787.

Farmer, J. G. (1978) Lead concentration profiles in lead-210 dated Lake Ontario sediment cores. Sci. Total Environ. 10: 117-127.

Farmer, J. G. (1979) Lead in wild blackberries from suburban roadsides. J. Sci. Food Agric. 30: 816-818.

Farmer, J. G. (1983) Metal pollution in marine sediment cores from the west coast of Scotland. Mar. Environ. Res. 8: 1-28.

Farmer, J. G.; Cross, J. D. (1978) Bromine in soil - an indicator of automobile exhaust lead pollution? Water Air Soil Pollut. 9: 193-198.

Farmer, J. G.; Gibson, M. J.; Lovell, M. (1983) Trace-element speciation and partitioning in environmental geochemistry and health. Miner. Environ. 5: 57-66.

Farmer, J. G.; Lyon, T. D. B. (1977) Lead in Glasgow street dirt and soil. Sci. Total Environ. 8: 89-93.

Farrington, J. W.; Goldberg, E. D.; Risebrough, R. W.; Martin, J. H.; Bowen, V. T. (1983) U.S. "mussel watch" 1976-1978: an overview of the trace-metal, DDE, PCB, hydrocarbon, and artifical radionuclide data. Environ. Sci. Technol. 17: 490-496.

Farris, F. F.; Poklis, A.; Griesmann, G. E. (1978) Atomic absorption spectroscopic determination of lead extracted from acid-solubilized tissues. J. Assoc. Off. Anal. Chem. 61: 660-663.

Fassbender, C. P. (1978) Biochemical behavior of delta-aminolevulinic acid dehydratase during oral chronic lead poisoning in sheep. J. Clin. Chem. Clin. Biochem. 16: 59-60.

Fathi, M. (1983) Bindung von Quecksilber, Cadmium und Blei in pflanzlichen und tierischen Geweben im Hinblick auf die menschliche Ernährung [Binding of mercury, cadmium and lead in plant and animal tissues with respect to human nutrition]. Fresenius Z. Anal. Chem. 316: 589-593.

Favalli, L.; Chiari, M. C.; Piccinini, F.; Rozza, A. (1977) Experimental investigations on the contraction induced by lead in arterial smooth muscle. Acta Pharmacol. Toxicol. 41: 412-420.

Federal Register. (1971) National primary and secondary ambient air quality standards. F.R. (April 30) 36: 8186-8201.

Federal Register. (1973) Regulation of fuels and fuel additives: control of lead additives in gasoline. F.R. (December 6) 38: 33734-33741.

Federal Register. (1977) Lead: proposed national ambient air quality standard. F.R. (December 14) 42: 63076-63094.

Federal Register. (1978) Occupational exposure to lead: attachments to the preamble for the final standard. F.R. (November 21) 43: 54354-54509.

Federal Register. (1978) National ambient air quality standard for lead: final rules and proposed rulemaking. F.R. (October 5) 43: 46246-46277.

Federal Register. (1979) Lead in food: advance notice of proposed rulemaking: request for data. F.R. (August 31) 44: 51233-51242.

Federal Register. (1979) Air programs: ambient air quality monitoring, data reporting, and surveillance provisions. F.R. (May 10) 44: 27558-27604.

Federal Register. (1979) Occupational safety and health standard; occupational exposure to lead; appendices to standard. F.R. (October 23) 44: 60980-60995.

Federal Register. (1980) National primary and secondary ambient air quality standards for lead; petition for reconsideration or revision. F. R. (June 18) 45: 41211-41214.

Federal Register. (1980) Designation of ambient air monitoring equivalents methods for lead. F.R. (March 6) 45: 14648-14649.

Federal Register. (1981) Occupational exposure to lead; supplemental statement of reasons; and amendment of standard. F.R. (January 21) 46: 6134-6228.

Federal Register. (1981) Ambient air monitoring reference and equivalent methods; designation of ambient air monitoring equivalent method for lead. F.R. (June 4) 46: 29986-29987.

Federal Register. (1981) Air programs: ambient air quality monitoring, data reporting, and surveillance provisions for lead. F.R. (September 3) 46: 44159-44172.

Federal Register. (1982) Regulation of fuels and fuel additives: withdrawal of proposed rule. F.R. (August 27) 47: 38070-38078.

Federal Register. (1982) Regulation of fuels and fuel additives: proposed rule. F.R. (August 27) 47: 38078-38089.

Federal Register. (1982) Regulation of fuels and fuel additives: suspension of compliance date for small refineries. F.R. (August 27) 47: 38090-38094.

Federal Register. (1982) Air quality criteria document for lead: public meeting. F.R. (December 17) 47: 56551-56552.

Federal Register. (1982) Fuel and fuel additives; proposed suspension of compliance date for small refineries. F.R. (February 22) 47: 7814.

Federal Register. (1982) EPA regulations under consideration: Clean Air Act. F.R. (October 28) 47: 48753-48767.

Federal Register. (1982) 40 CFR Part 80: regulation of fuels and fuel additives: final rule. F.R. (October 29) 47: 49322-49334.

Feeney, D. M.; Longo, J. F.; Cosden, M. A.; Zenick, H.; Padich, R. (1979) Detection of the effects of lead exposure by visual evoked response latency. Physiol. Psychol. 7: 143-145.

Fejerman, N.; Gimenez, E. R.; Vallejo, N. E.; Medina, C. S. (1973) Lennox's syndrome and lead intoxication. Pediatrics 52: 227-234.

Feldman, R. G. (1978) Urban lead mining: lead intoxication among deleaders. N. Engl. J. Med. 298: 1143-1145.

Feldman, R. G. (1982) Neurological picture of lead poisoning. Acta Neurol. Scand. Suppl. 66: 185-199.

Feldman, R. G.; Haddow, J.; Chisolm, J. J. (1973) Chronic lead intoxication in urban children: motor nerve conduction velocity studies. In: Desmedt, J.; Karger, S., eds. New developments in electromyography and clinical neurophysiology: v. 2. Basel, Switzerland: S. Karger; pp. 313-317.

Feldman, R. G.; Haddow, J.; Kopito, L.; Schwachman, H. (1973) Altered peripheral nerve conduction velocity. Am. J. Dis. Child 125: 39-41.

Feldman, R. G.; Hayes, M. K.; Younes, R.; Aldrich, F. D. (1977) Lead neuropathy in adults and children. Arch. Neurol. 34: 481-488.

Feldman, R. G.; Ricks, N. L.; Baker, E. L. (1980) Neuropsychological effects of industrial toxins: a review. Am. J. Ind. Med. 1: 211-227.

Feldman, R. G.; Travers, P. H. (1983) Lead exposure among artisans and hobbyists. Albany, NY: New York State Department of Health. Occup. Med. Current Concepts 6: 1-4.

Fell, G. S. (1984) Lead toxicity: problems of definition and laboratory evaluation. Ann. Clin. Biochem. 21: 453-460.

Ferguson, J. (1983) Concentrations and speciation of lead, zinc and cadmium in seawater-like smelter effluent and adjacent marine environments, Port Pirie, South Australia. Aust. J. Mar. Freshwater Res. 34: 375-385.

Fergusson, J. E.; Hayes, R. W.; Yong, T. S.; Thiew, S. H. (1980) Heavy metal pollution by traffic in Christchurch, New Zealand: lead and cadmium content of dust, soil, and plant samples. N. Z. J. Sci. 23: 293-310.

Fergusson, J. E.; Hibbard, K. A.; Ting, R. L. H. (1981) Lead in human hair: general survey - battery factory employees and their families. Environ. Pollut. Ser. B 2: 235-248.

Fergusson, J. E.; Jansen, M. L.; Sheat, A. W. (1980) Lead in deciduous teeth in relation to environmental lead. Environ. Technol. Lett. 1: 376-383.

Fergusson, J. E.; Ryan, D. E. (1984) The elemental composition of street dust from large and small urban areas related to city type, source and particle size. Sci. Total Environ. 34: 101-116.

Ferm, V. H. (1969) The synteratogenic effect of lead and cadmium. Experientia 25: 56-57.

Ferm, V. H.; Carpenter, S. J. (1967) Developmental malformations resulting from the administration of lead salts. Exp. Mol. Pathol. 7: 208-213.

Ferm, V. H.; Ferm, D. W. (1971) The specificity of the teratogenic effect of lead in the golden hamster. Life Sci. 10: 35-39.

Ferm, V. H.; Hanlon, D. P. (1983) Metal-induced congenital malformations. In: Clarkson, T. W.; Nordberg, G. F.; Sager, P. R., eds. Reproductive and developmental toxicity of metals [proceedings of a joint meeting; May 1982; Rochester, NY]. New York, NY: Plenum Press; pp. 383-397.

Fernando, N. P.; Healy, M. A.; Aslam, M.; Davis, S. S.; Hussein, A. (1981) Lead poisoning and traditional practices: the consequences for world health. A study in Kuwait. Public Health 95: 250-260.

Ferreira da Silva, D.; Schröder, U.; Diehl, H. (1983) Metabolism of tetraorganolead compounds by rat-liver microsomal mono-oxygenase: II. enzymic dealkylation of tetraethyl lead. Xenobiotica 13: 583-590.

Ferris, N. J.; Cragg, B. G. (1984) Organic lead and histological parameters of brain development. Acta Neuropathol. 63: 306-312.

Fetterolk, D. D.; Syty A. (1979) Sample preparation and the determination of lead in chewing gum by nonflame atomic absorption spectrometry. J. Agric. Food Chem. 27: 377-380.

Filerman, B. A.; Berliner, J. A. (1977) The effects of lead on cell surface and ultrastructure in a rat liver cell line. Fed. Proc. Fed. Am. Soc. Exp. Biol. 36: 1066.

Filerman, B. A.; Berliner, J. A. (1980) An in vitro study of the effects of lead on an epithelioid cell line. J. Environ. Pathol. Toxicol. 3: 491-511.

Filippini, L.; Simmler, F. (1980) Blei-Intoxikation durch Schnupftabak [Lead intoxication due to taking snuff]. Dtsch. Med. Wochenschr. 105: 1504-1506.

Filkins, J. P. (1970) Bioassay of endotoxin inactivation in the lead-sensitized rat. Proc. Soc. Exp. Biol. Med. 134: 610-612.

Filkins, J. P. (1979) Role of the RES in lead salt sensitization to endotoxin shock. Adv. Exp. Med. Biol. 21: 21-27.

Filkins, J. P.; Buchanan, B. J. (1973) Effects of lead acetate on sensitivity to shock, intravascular carbon and endotoxin clearances, and hepatic endotoxin detoxification. Proc. Soc. Exp. Biol. Med. 142: 471-475.

Fimreite, N. (1984) Effects of lead shot ingestion in willow grouse. Bull. Environ. Contam. Toxicol. 33: 121-126.

Fine, B. P.; Jortner, B. S.; Ty, A.; Gause, D. (1978) The effects of body burdens of lead on the growing rat kidney. Pediatr. Res. 12: 541.

Fine, B. P.; Jortner, B. S.; Ty, A.; Gause, D.; Lyons, M. (1979) The effects of body burdens of lead on the growing rat kidney. Environ. Res. 19: 215-220.

Fine, P. R.; Thomas, C. W.; Suhs, R. H.; Cohnberg, R. E.; Flashner, B. A. (1972) Pediatric blood lead levels: a study in 14 Illinois cities of intermediate population. J. Am. Med. Assoc. 221: 1475-1479.

Finelli, V. N.; El-Gazzar, R. M. (1977) Interaction of lead and zinc on the prothrombin activity in rats. Toxicol. Lett. 1: 33-39.

Finelli, V. N.; Klauder, D. S.; Karaffa, M. A.; Petering, H. G. (1975) Interaction of zinc and lead on δ-aminolevulinate dehydratase. Biochem. Biophys. Res. Commun. 65: 303-311.

Finley, M. T.; Dieter, M. P. (1978) Influence of laying on lead accumulation in bone of mallard ducks. J. Toxicol. Environ. Health 4: 123-129.

Fischbein, A.; Alvares, A. P.; Anderson, K. E.; Sassa, S.; Kappas, A. (1977) Lead intoxication among demolition workers: the effect of lead on the hepatic cytochrome P-450 system in humans. J. Toxicol. Environ. Health 3: 431-437.

Fischbein, A.; Anderson, K. E.; Sassa, S.; Lilis, R.; Kon, S.; Sarkozi, L.; Kappas, A. (1981) Lead poisoning from "do-it-yourself" heat guns for removing lead-based paint: report of two cases. Environ. Res. 24: 425-431.

Fischbein, A.; Cohn, J.; Ackerman, G. (1980) Asbestos, lead, and the family: household risks. J. Fam. Pract. 10: 989-992.

Fischbein, A.; Daum, S. M.; Davidow, B.; Slavin, G.; Alvares, A. P.; Sassa, S.; Anderson, K. E.; Kappas, A.; Eisinger, J.; Blumberg, W. E.; Winicow, E. H.; Selikoff, I. J. (1978) Lead hazard among ironworkers dismantling lead-painted elevated subway line in New York City. N. Y. State J. Med. 78: 1250-1259.

Fischbein, A.; Goldberg, R.; Haymes, N.; Kon, S. H.; Sarkozi, L. (1978) Health effects of low-level lead exposure among iron workers repairing an elevated railway in New York City. Mt. Sinai J. Med. 45: 698-712.

Fischbein, A.; Leeds, M.: Solomon, S. (1984) Lead exposure among iron workers in New York City: a continuing occupational hazard in the 1980's. N. Y. State J. Med. 84: 445-448.

Fischbein, A.; Lilis, R. (1978) Zinc protoporphyrin and blood lead levels. J. Occup. Med. 20: 391.

Fischbein, A.; Nicholson, W. J.; Weisman, I. (1980) Comparative lead emissions from conventional and jacketed ammunition. Am. Ind. Hyg. Assoc. J. 41: 525-527.

Fischbein, A.; Rice, C.; Sarkozi, L.; Kon, S. H.; Petrocci, M.; Selikoff, I. J. (1979) Exposure to lead in firing ranges. J. Am. Med. Assoc. 241: 1141-1144.

Fischbein, A.; Thornton, J. C.; Berube, L.; Villa, F.; Selikoff, I. J. (1982) Lead exposure reduction in workers using stabilizers in PVC manufacturing: the effect of a new encapsulated stabilizer. Am. Ind. Hyg. Assoc. J. 43: 652-655.

Fischbein, A.; Thornton, J. C.; Lilis, R.; Valciukas, J. A.; Bernstein, J.; Selikoff, I. J. (1980) Zinc protoporphyrin, blood lead and clinical symptoms in two occupational groups with low-level exposure to lead. Am. J. Ind. Med. 1: 391-399.

Fischbein, A.; Thornton, J.; Blumberg, W. E.; Bernstein, J.; Valciukas, J. A.; Moses, M.; Davidow, B.; Kaul, B.; Sirota, M.; Selikoff, I. J. (1980) Health status of cable splicers with low-level exposure to lead: results of a clinical survey. Am. J. Public Health 70: 697-700.

Fischbein, A.; Wallace, J. (1982) Difficult cases of lead poisoning [letter]. Lancet 1(8264): 170.

Fischbein, A.; Wallace, J.; Anderson, K. E.; Sassa, S.; Kon, S.; Rohl, A. N.; Kappas, A. (1982) Lead poisoning in an art conservator. J. Am. Med. Assoc. 247: 2007-2009.

Fischer, A. B. (1980) Acute and chronic effects of lead on mammalian cells in vitro. In: Branica, M.; Konrad, Z., eds. Lead in the marine environment: proceedings of the international experts discussion on lead occurrence, fate and pollution in the marine environment; October 1977; Rovinj, Yugoslavia. Elmsford, NY: Pergamon Press; pp. 279-297.

Fischer, H.; Weigert, P. (1975) Untersuchungen über den Blei- und Cadmiumgehalt menschlicher Organe [Investigation on the lead and cadmium contents of human organs]. Oeffentl. Gesundheitsw. 37: 732-737.

Fishman, M. J.; Erdmann, D. E. (1973) Water analysis. Anal. Chem. 45: 361R-403R.

Fjerdingstad, E. J.; Danscher, G.; Fjerdingstad, E. (1974) Hippocampus: selective concentration of lead in the normal rat brain. Brain Res. 80: 350-354.

Flanagan, P. R.; Chamberlain, M. J.; Valberg, L. S. (1980) Lead retention in human subjects. Clin. Res. 28: 677A.

Flanagan, P. R.; Chamberlain, M. J.; Valberg, L. S. (1982) The relationship between iron and lead absorption in humans. Am. J. Clin. Nutr. 36: 823-829.

Flanagan, P. R.; Hamilton, D. L.; Haist, J.; Valberg, L. S. (1979) Interrelationships between iron and lead absorption in iron-deficient mice. Gastroenterology 77: 1074-1081.

Flatmark, T.; Romslo, I. (1975) Energy-dependent accumulation of iron by isolated rat liver mitochondria. J. Biol. Chem. 250: 6433-6438.

Flegal, A. R. (1984) Stable isotopic ratios of lead in surface waters of the central Pacific. Mar. Chem. 14: 281-287.

Flegal, A. R.; Patterson, C. C. (1983) Vertical concentration profiles of lead in the central Pacific at 15°N and 20°S. Earth Planet. Sci. Lett. 64: 19-32.

Fleischer, N.; Mouw, D. R.; Vander, A. J. (1980) Chronic effects of lead on renin and renal sodium excretion. J. Lab. Clin. Med. 95: 759-770.

Fleshman, K. R.; Hall, J. C. (1978) Effects of chronic lead administration on liver function in rats. Physiologist 21: 37.

Fletcher, D.J. (1982) Hair analysis: proven and problematic applications. Postgrad. Med. 72: 79-88.

Fletcher, W. K.; Holmes, G. S.; Lewis, A. G. (1983) Geochemistry and biological availability of iron and trace elements in the upper Fraser River estuary. Mar. Chem. 12: 195-217.

Flindt, M. L. H.; King, E.; Walsh, D. B. (1976) Blood lead and erythrocyte δ-aminolevulinic acid dehydratase levels in Manchester taxi drivers. Br. J. Ind. Med. 33: 79-84.

Flora, S. J. S.; Singh, S.; Tandon, S. K. (1983) Role of selenium in protection against lead intoxication. Acta Pharmacol. Toxicol. 53: 28-32.

Flynn, E. R. (1978) Neurochemical and behavioral effects of prenatal lead ingestion: brain lead content, brain calcium, activity level and maze learning [dissertation]. Waco, TX: Baylor University. Available from: University Microfilms, Ann Arbor, MI; publication no. 79-12,501.

Flynn, J. C.; Flynn, E. R.; Patton, J. H. (1979) Effects of pre- and post-natal lead on affective behavior and learning in the rat. Neurobehav. Toxicol. 1 (Suppl. 1): 93-103.

Foà, V.; Maroni, M.; Buratti, M.; Colombi, A. (1983) Health effects of low level occupational exposure to arsenic and lead. In: International conference: heavy metals in the environment; September; Heidelberg, West Germany. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 509-512.

Folio, M. R.; Hennigan, C.; Errera, J. (1982) A comparison of five toxic metals among rural and urban children. Environ. Pollut. Ser. A 29: 261-269.

Folkmann, F.; Gaarde, C.; Huus, T.; Kemp, K. (1974) Proton induced X-ray emission as a tool for trace element analysis. Nucl. Instrum. Methods 116: 487-499.

Folsom, B. L., Jr.; Lee, C. R. (1983) Contaminant uptake by Spartina alterniflora from an upland dredged material disposal site--application of a saltwater plant bioassay. In: International conference: heavy metals in the environment; September; Heidelberg, West Germany. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 646-648.

Fonseca, J. M. L.; Pedrero, P. S.; Otero, Y. S. (1981) Determinacion simultanea de plomo, cadmio y cinc en especies marinas por oscilopolarografia de monobarrido lineal de potencial [Simultaneous determination of lead, cadmium and zinc in marine species by oscillapolarography of linear mono-remains of potential]. An. Quim. 77: 171-175.

Fonzi, S.; Penque, L. (1967) Processi immunitari nella intossicazione sperimentale da piombo. Nota V. Comportamento del potere complementare durante immunizzazione attiva [Immunitary processes in experimental lead poisoning. Note V. Behavior of the complementary power of the serum during active immunization]. Lav. Um. 19: 320-323.

Fonzi, S.; Penque, L.; Raddi, R. (1967) Processi immunitari nella intossicazione sperimentale da piombo. Nota I. Comportamento elettroforetico delle siero proteine in corso di intossicazione, prima e dopo stimolo vaccinico [Immunitary processes in experimental lead poisoning. Note I. Behavior of electrophoretic pattern before and after active immunization]. Lav. Um. 19: 123-140.

Fonzi, S.; Penque, L.; Raddi, R. (1967) Processi immunitari nella intossicazione sperimentale da piombo. Nota II. Comportamento delle globuline anticorpali in corso di intossicazione, prima e durante stimolo vaccinico [Immunitary processes in experimental lead poisoning. Note II. Behavior of anti-body globulins before and during active immunization]. Lav. Um. 19: 200-205.

Fonzi, S.; Penque, L.; Raddi, R. (1967) Processi immunitari nella intossicazione sperimentale da piombo. Nota VI. Variazioni degli anticorpi antitifici (completi ed incompleti) in corso di immunizzazione attiva specifica [Immunitary processes in experimental lead poisoning. Note. VI. The behavior of antithyphus antibodies (complete and incomplete) during active immunization]. Lav. Um. 19: 324-328.

Forbes, G. B.; Reina, J. C. (1972) Effect of age on gastrointestinal absorption (Fe, Sr, Pb) in the rat. J. Nutr. 102: 647-652.

Forbes, R. M.; Sanderson, G. C. (1978) Lead toxicity in domestic animals and wildlife. In: Nriagu, J. O. ed. The biogeochemistry of lead in the environment; part B. biological effects. Amsterdam, The Netherlands: Elsevier/North-Holland Biomedical Press; pp. 225-277. (Topics in environmental health: v.1B).

Forni, A. (1980) Chromosomal effects of lead: a critical review. Rev. Environ. Health 3: 113-129.

Forni, A.; Cambiaghi, G.; Secchi, G. C. (1976) Initial occupational exposure to lead: chromosome and biochemical findings. Arch. Environ. Health 31: 73-78.

Forni, A.; Sciamé, A.; Bertazzi, P. A.; Alessio, L. (1979) Cytogenetic findings of women occupationally exposed to lead. In: International conference: management and control of heavy metals in the environment; September; London, United Kingdom. Edinburgh, United Kingdom: CEP Consultants, Ltd; pp. 123-126.

Forni, A.; Sciamé, A.; Bertazzi, P. A.; Alessio, L. (1980) Chromosome and biochemical studies in women occupationally exposed to lead. Arch. Environ. Health 35: 139-146.

Forni, A.; Sciamé, A.; Goffredi, M.; Ortisi, E. (1981) Effetto del tempo di coltura sulla frequenza di aberrazioni cromosomiche nei linfociti di esposti a piombo e di controlli, Atti 5th Convegno nazionale de citogenetica Medica; April 1980; Ancona.

Forschner, E.; Wolf, H. O. (1981) Maschinell entbeintes Fleisch (MEF) und maschinell entbeintes Geflügelfleisch (MEGEF) - Belastung mit Blei, Cadmium und Quecksilber [Mechanically deboned meat and mechanically deboned poultry - contamination with lead, cadmium and mercury]. Arch. Lebensmittelhyg. 32: 200-203.

Forsyth, D. S.; Marshall, W. D.; Collette, M. C. (1985) Interaction of alkyllead salts with avian eggs. J. Environ. Sci. Health A20: 177-191.

Forth, W.; Rummel, W.; Pfleger, K.; Andres, H. (1968) Der Einfluss von Liganden auf die Retention von Eisen nach oraler Verabfolgung an normale und anämische Ratten [The influence of ligands upon retention of iron by normal and anemic rats after oral application]. Naunyn Schmiedebergs Arch. Pharmakol. Exp. Pathol. 261: 225-238.

Fosse, G.; Justesen, N. P. B. (1978) Lead in deciduous teeth of Norwegian children. Arch. Environ. Health 33: 166-175.

Fosse, G.; Wesenberg, G. B. R. (1981) Lead, cadmium, zinc and copper in deciduous teeth of Norwegian children in the pre-industrial age. Int. J. Environ. Stud. 16: 163-170.

Foster, J. D.; Louria, D. B; Stinson, L. (1979) Influence of documented lead poisoning on environmental modification programs in Newark, New Jersey. Arch. Environ. Health 34: 368-371.

Foster, J. F.; Beatty, G. H.; Howes, J. E., Jr. (1975) Interlaboratory cooperative study of the precision and accuracy of the measurement of lead in the atmosphere using the colorimetric dithizone procedure; DS 55-S5. ASTM Data Ser. DS 55-S5 1975.

Foster, R. L.; Lott, P. F. (1980) X-ray diffractometry examination of air filters for compounds emitted by lead smelting operations. Environ. Sci. Technol. 14: 1240-1244.

Fouts, P. J.; Page, I. H. (1942) The effect of chronic lead poisoning on arterial blood pressure in dogs. Am. Heart J. 24: 329-331.

Fowler, B. A. (1978) General subcellular effects of lead, mercury, cadmium, and arsenic. Environ. Health Perspect. 22: 37-41.

Fowler, B. A. (1983) Ultrastructural and biochemical alterations of cellular organelles by prenatal exposure to toxic trace metals. In: Clarkson, T. W.; Nordberg, G. F.; Sager, P. R., eds. Reproductive and developmental toxicity of metals [proceedings of a joint meeting; May 1982; Rochester, NY]. New York, NY: Plenum Press; pp. 437-451.

Fowler, B. A.; Kimmel, C. A.; Woods, J. S.; McConnell, E. E.; Grant, L. D. (1980) Chronic low-level lead toxicity in the rat: III. an integrated assessment of long-term toxicity with special reference to the kidney. Toxicol. Appl. Pharmacol. 56: 59-77.

Fowler, B. A.; Mahaffey, K. R. (1978) Interactions among lead, cadmium, and arsenic in relation to porphyrin excretion patterns. Environ. Health Perspect. 25: 87-90.

Fowler, B. A.; Squibb, K. S.; Oskarsson, A. (1981) Mitochondrial membrane potential ($\Delta\Psi$) and energy-linked membrane transformation: inhibition by Pb binding in vitro. J. Cell Biol. 91: 287a.

Fowler, B. A.; Squibb, K. S.; Oskarsson, A.; Taylor, J. A.; Carver, G. T. (1981) Lead-induced alteration of renal mitochondrial membrane structure and function. Toxicologist 1: 19.

Fox, D. A. (1984) Psychophysically and electrophysiologically determined spatial vision deficits in developmentally lead-exposed rats have a cholinergic component. In: Narahashi, T., ed. Cellular and molecular neurotoxicology. New York, NY: Raven Press; pp. 123-140.

Fox, D. A.; Lewkowski, J. P.; Copper, G. P. (1977) Acute and chronic effects of neonatal lead exposure on development of the visual evoked response in rats. Toxicol. Appl. Pharmacol. 40: 449-461.

Fox, D. A.; Lewkowski, J. P.; Cooper, G. P. (1979) Persistent visual cortex excitability alterations produced by neonatal lead exposure. Neurobehav. Toxicol. 1: 101-106.

Fox, D. A.; Overmann, S. R.; Woolley, D. E. (1978) Early lead exposure and ontogeny of seizure responses in the rat. Toxicol. Appl. Pharmacol. 45: 270.

Fox, D. A.; Overmann, S. R.; Woolley, D. E. (1979) Neurobehavioral ontogeny of neonatally lead-exposed rats: II. maximal electroshock seizures in developing and adult rats. Neurotoxicology 1: 149-170.

Fox, D. A.; Sillman, A. J. (1979) Heavy metals affect rod, but not cone, photoreceptors. Science (Washington, DC) 206: 78-80.

Fox, D. A.; Wright, A. A. (1982) Evidence that low-level developmental lead exposure produces toxic amblyopia. Soc. Neurosci. Abstr. 8: 81.

Fox, D. A.; Wright, A. A.; Costa, L. G. (1982) Visual acuity deficits following neonatal lead exposure: cholinergic interactions. Neurobehav. Toxicol. Teratol. 4: 689-693.

Foy, C. D.; Chaney, R. L.; White, M. C. (1978) The physiology of metal toxicity in plants. Annu. Rev. Plant Physiol. 29: 511-566.

Franiczek, W. (1982) Wpływ zatrucia ołowiem na rozwój umysłowy, percepcję wzrokową i neurotycyność u dzieci [Effect of lead poisoning of children on their mental development, visual perception and neuroticism]. Pediatr. Pol. 57: 405-410.

Frank, H. A. (1980) Lead alkyl components as discriminating factors in the comparison of gasolines. J. Forensic Sci. Soc. 20: 285-292.

Franke, J. P.; de Zeeuw, R. A. (1977) Toxic metal analysis by differential pulse anodic stripping voltammetry in clinical and forensic toxicology. J. Anal. Toxicol. 1: 291-295.

Franson, J. C. (1982) Toxicity of dietary lead in young cockerels. Vet. Hum. Toxicol. 24: 421-423.

Franson, J. C.; Sileo, L.; Pattee, O. H.; Moore, J. F. (1983) Effects of chronic dietary lead in American kestrels (Falco sparverius). J. Wildl. Dis. 19: 110-113.

Franz, D. A.; Hadley, W. M. (1981) Lead in Albuquerque street dirt and the effect of curb paint. Bull. Environ. Contam. Toxicol. 27: 353-358.

Franzin, W. G.; McFarlane, G. A. (1981) Elevated Zn, Cd and Pb concentrations in waters of ice-covered lakes near a base metal smelter during the snow melt, April 1977. Environ. Pollut. Ser. B 2: 11-19.

Franzin, W. G.; McFarlane, G. A.; Lutz, A. (1979) Atmospheric fallout in the vicinity of a base metal smelter at Flin-Flon, Manitoba, Canada. Environ. Sci. Technol. 13: 1513-1522.

Fraser, J. L.; Lum, K. R. (1983) Availability of elements of environmental importance in incinerated sludge ash. Environ. Sci. Technol. 17: 52-54.

Fraser, J.; Parkin, D. T.; Verspoor, E. (1978) Tolerance to lead in the freshwater isopod Asellus aquaticus. Water Res. 12: 637-641.

Freedman, M. L.; Cohen, H. S.; Ibrahim, N. G.; Gruenspecht, N. (1979) Ethanol, lead, and benzene inhibition of rabbit reticulocyte heme and protein synthesis: increased in vitro toxicity in iron-deficient cells. Environ. Res. 18: 291-299.

Freedman, M. L.; Cunningham, P. M.; Schindler, J. E.; Zimmerman, M. J. (1980) Effect of lead speciation on toxicity. Bull. Environ. Contam. Toxicol. 25: 389-393.

Freedman, M. L.; Rosman, J. (1976) A rabbit reticulocyte model for the role of hemin-controlled repressor in hypochromic anemias. J. Clin. Invest. 57: 594-603.

Freeman, H. C.; Huq, F.; Stevens, G. N. (1976) Metal binding by D-penicillamine: crystal structure of D-penicillaminatocadmium(II) hydrate. J. Chem. Soc. Chem. Commun. (3): 90-91.

Freeman, H. C.; Stevens, G. N.; Taylor, I. F., Jr. (1974) Metal binding in chelation therapy: the crystal structure of D-penicillaminatolead(II). J. Chem. Soc. Chem. Commun. (10): 366-367.

Freeman, J. L.; Yousef, M. K.; Naegle, S. R.; Barth, D. S. (1983) Biokinetics of ^{74}As, ^{109}Cd and ^{203}Pb: wild and laboratory rodents. In: Hemphill, D. D., ed. Trace substances in environmental health - XVII: [proceedings of University of Missouri's 17th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 51-57.

Freeman, R. (1965) Reversible myocarditis due to chronic lead poisoning in childhood. Arch. Dis. Child. 40: 389-393.

Freeman, R. (1973) Unusual complications of chronic lead poisoning in childhood. Clin. Toxicol. Bull. 3: 75-89.

Fremlin, J. M.; Edmonds, M. I. (1980) The determination of lead in human teeth. Nucl. Instrum. Methods 173: 211-215.

Friant, S. L. (1979) Trace metal concentrations in selected biological, sediment, and water column samples in a northern New England river. Water Air Soil Pollut. 11: 455-465.

Friberg, L.; Vahter, M. (1983) Assessment of exposure to lead and cadmium through biological monitoring: results of a UNEP/WHO global study. Environ. Res. 30: 95-128.

Friedheim, E.; Corvi, C.; Graziano, J.; Donnelli, T.; Breslin, D. (1983) Choroid plexus as protective sink for heavy metals? Lancet 1(8331): 981-982.

Friedheim, E.; Graziano, J. H.; Popovac, D.; Dragovic, D.; Kaul, B. (1978) Treatment of lead poisoning by 2,3-dimercaptosuccinic acid. Lancet 2(8102): 1234-1235.

Friedland, A. J.; Johnson, A. H.; Siccama, T. G.; Mader, D. L. (1984) Trace metal profiles in the forest floor of New England. Soil Sci. Soc. Am. J. 48: 422-425.

Friedlander, M. A.; Brooks, C. T.; Sheehe, P. R. (1981) Blood pressure and creatinine clearance in lead-exposed children: the effect of treatment. Arch. Environ. Health 36: 310-315.

Friedlander, S. K. (1977) Smoke, dust and haze: fundamentals of aerosol behavior. New York, NY: John Wiley & Sons; pp. 1-23.

Frigieri, P.; Croce, E.; Pioltini, F.; Buratti, M.; Cambiaghi, G.; Bertelli, G. (1983) Applicazione di una metodica in aas ad effetto zeeman per la determinazione del piombo plasmatico [Application of a Zeeman effect atomic absorption spectrophotometric method for determination of lead in plasma]. Med. Lav. (Milan) 74: 231-238.

Fritsch, A. J.; Prival, M. (1972) Response to the Environmental Protection Agency's notice for additional health effects information concerning the use of leaded gasoline (in the Federal Register, June 14, 1972). Washington, DC: Center for Science in the Public Interest.

Froom, J.; Boisseau, V.; Sherman, A. (1981) Selective screening for lead poisoning in an urban teaching practice. Clin. Toxicol. 18: 743-751.

Fuchs, N. A. (1964) The mechanics of aerosols. Oxford, United Kingdom: Pergamon Press; pp. 21-69, 181-287.

Fugaš, M. (1977) Biological significance of some metals as air pollutants. Part I: lead. Research Triangle Park, NC: U.S. Environmental Protection Agency, Health Effects Research Laboratory; EPA report no. EPA-600/1-77-041. Available from: NTIS, Springfield, VA; PB-274055.

Fugaš, M.; Prpić-Majić, D. (1979) Specific aspects of lead exposure of school age children in a contaminated area. In: International conference: management and control of heavy metals in the environment; September; London, United Kingdom. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 77-80.

Fugaš, M.; Sarîc, M. (1981) Health study of a lead-exposed population. In: Lynam, D. R.; Piantanida, L. G.; Cole, J. F., eds. Environmental lead: proceedings of the second international symposium on environmental lead research; December 1978; Cincinnati, OH. New York, NY: Academic Press; pp. 145-168. (Coulston, F.; Korte, F., eds. Ecotoxicology and environmental quality series).

Fugaš, M.; Wilder, B.; Pauković, R.; Hrsak, J.; Steiner-Škreb, D. (1973) Concentration levels and particle size distribution of lead in the air of an urban and an industrial area as a basis for the calculation of population exposure. In: Barth, D.; Berlin, A.; Engel, R.; Recht, P.; Smeets, J., eds. Environmental health aspects of lead: proceedings, international symposium; October 1972; Amsterdam, The Netherlands. Luxembourg: Commission of the European Communities; pp. 961-968.

Fujita, H.; Orii, Y.; Sano, S. (1981) Evidence of increased synthesis of δ-aminolevulinic acid dehydratase in experimental lead-poisoned rats. Biochim. Biophys. Acta 678: 39-50.

Fujita, H.; Sato, K.; Ikeda, M. (1982) Age difference in response of erythrocyte δ-aminolevulinic acid dehydratase amount to lead administration in rats. Ind. Health 20: 199-207.

Fujita, H.; Sato, K.; Sano, S. (1982) Increase in the amount of erythrocyte δ-aminolevulinic acid dehydratase in workers with moderate lead exposure. Int. Arch. Occup. Environ. Health 50: 287-297.

Fukumoto, K. (1982) Studies on changes of erythrocyte membrane in workers exposed to lead. J. Osaka City Med. Center 31: 487-504.

Fukumoto, K.; Karai, I.; Horiguchi, S. (1983) Effect of lead on erythrocyte membranes. Br. J. Ind. Med. 40: 220-223.

Fuller, C.; Hammond, D. E. (1983) The fallout rate of Pb-210 on the western coast of the United States. Geophys. Res. Lett. 10: 1164-1167.

Fullerton, P. M. (1966) Chronic peripheral neuropathy produced by lead poisoning in guinea-pigs. J. Neuropathol. Exp. Neurol. 25: 214-236.

Fullmer, C. S.; Edelstein, S.; Wasserman, R. H. (1985) Lead-binding properties of intestinal calcium-binding proteins. J. Biol. Chem. 260: 6816-6819.

Fulwood, R.; Johnson, C. L.; Bryner, J. D.; Gunter, E. W.; MacGrath, C. R. (1982) Hematological and nutritional biochemistry reference data for persons 6 months - 74 years of age: United States, 1976-80. Hyattsville, MD: U.S. Department of Health and Human Services, National Center for Health Statistics; DHHS publication no. (PHS) 83-1682. (National health survey series 11, no. 232).

Furst, A.; Schlauder, M.; Sasmore, D. P. (1976) Tumorigenic activity of lead chromate. Cancer Res. 36: 1779-1783.

Fytianos, K.; Vasilikiotis, G. S. (1983) Concentration of heavy metals in seawater and sediments from the Northern Aegean Sea, Greece. Chemosphere 12: 83-91.

Gable, C. B.; Sempos, C. T.; Yetley, E. A. (1985) Factors associated with an abnormal mean corpuscular volume. [69th annual meeting of American Societies for experimental biology, Anaheim, Calif., Apr. 21-26, 1985] Fed. Proc. 44: 757.

Gabor, S.; Kelemen, J.; Kovacs, I.; Andras, I. (1983) Acumularea cadmiului şi plumbului în organism la copii în relaţie cu poluarea [Cadmium and lead accumulation in children, with reference to pollution]. Pediatria (Bucharest) 32: 61-66.

Gadde, R. R.; Laitinen, H. A. (1974) Studies of heavy metal adsorption by hydrous iron and manganese oxides. Anal. Chem. 46: 2022-2026.

Gaertner, R. R. W.; Hollebone, B. R. (1983) The in vitro inhibition of hepatic ferrochelatase by divalent lead and other soft metal ions. Can. J. Biochem. Cell Biol. 61: 214-222.

Gaffey, W. R. (1980) Occupational lead exposure: what are the risks [letter in response to a letter by Kang]? Science (Washington, DC) 208: 130-131.

Gage, J. C.; Litchfield, M. H. (1968) The migration of lead from polymers in the rat gastro-intestinal tract. Food Cosmet. Toxicol. 6: 329-338.

Gage, J. C.; Litchfield, M. H. (1969) The migration of lead from paint films in the rat gastro-intestinal tract. J. Oil Colour Chem. Assoc. 52: 236-243.

Gailey, F. A.; Lloyd, O. L. (1985) Grass and surface soils as monitors of atmospheric metal pollution in central Scotland. Water Air Soil Pollut. 24: 1-18.

Gainer, J. H. (1973) Activation of the Rauscher leukemia virus by metals. J. Natl. Cancer Inst. (U.S.) 51: 609-613.

Gainer, J. H. (1974) Lead aggravates viral disease and represses the antiviral activity of interferon inducers. Environ. Health Perspect. 7: 113-119.

Gainer, J. H. (1977) Effects on interferon of heavy metal excess and zinc deficiency. Am. J. Vet. Res. 38: 863-867.

Gainer, J. H. (1977) Effects of heavy metals and of deficiency of zinc on mortality rates in mice infected with encephalomyocarditis virus. Am. J. Vet. Res. 38: 869-872.

Galal-Gorchev, H. (1979) Man's lead burden [letter]. Environ. Sci. Technol. 13: 503.

Gale, N. L.; Wixson, B. G. (1979) Control of heavy metals in lead industry effluents by algae and other aquatic vegetation. In: International conference: management and control of heavy metals in the environment; September; London, United Kingdom. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 580-583.

Gale, T. F. (1978) A variable embryotoxic response to lead in different strains of hamsters. Environ. Res. 17: 325-333.

Galke, W. (1979) Relationship of lead in hair and blood to soil, air, and paint lead exposure: a study of children in Charleston, SC [dissertation]. Chapel Hill, NC: University of North Carolina. Available from: University Microfilms, Ann Arbor, MI: publication no. 80-05,038.

Galke, W. A.; Hammer, D. I.; Keil, J. E.; Lawrence, S. W. (1975) Environmental determinants of lead burdens in children. In: Hutchinson, T. C.; Epstein, S.; Page, Al. L.; Van Loon, J.; Davey, T., eds. International conference on heavy metals in the environment: symposium proceedings, v. 3; October; Toronto, ON, Canada. Toronto, ON, Canada: Institute for Environmental Studies; pp. 53-74. See also: Washington, DC: U.S Environmental Protection Agency; EPA report no. EPA-600/J-78-022 1975. Available from: NTIS, Springfield, VA; PB-283567.

Gallacher, J. E. J.; Elwood, P. C.; Phillips, K. M.; Davies, B. E.; Jones, D. T. (1984) Relation between pica and blood lead in areas of differing lead exposure. Arch. Dis. Child. 59: 40-44.

Gallacher, J.; Harris, L.; Elwood, P. C. (1983) Lead toxicity from water. Nature (London) 305: 280.

Gallagher, K.; Matarazzo, W. J.; Gray, I. (1979) Trace metal modification of immunocompetence: II. effect of Pb^{2+}, Cd^{2+}, and Cr^{3+} on RNA turnover, hexokinase activity, and blastogenesis during B-lymphocyte transformation in vitro. Clin. Immunol. Immunopathol. 13: 369-377.

Gallant, A. R. (1975) Testing a subset of the parameters of a nonlinear regression model. J. Am. Stat. Assoc. 70: 927-932.

Galle, P.; MorelMaroger, L. (1965) Les lésions rénales du saturnisme humain et expérimental [Renal lesions of clinical and experimental lead poisoning]. Nephron 2: 273-286.

Galloway, J. N.; Likens, G. E. (1979) Atmospheric enhancement of metal deposition in Adirondack lake sediments. Limnol. Oceanogr. 24: 427-433.

Galloway, J. N.; Thornton, J. D.; Norton, S. A.; Volchok, H. L.; McLean, R. A. N. (1982) Trace metals in atmospheric deposition: a review and assessment. Atmos. Environ. 16: 1677-1700.

Galt, R. M.; McCreary, P. A.; Laing, G. H.; Hass, G. M. (1980) Lead vs. magnesium in dietary induction of rat tumors. In: Hemphill, D. D., ed. Trace substances in environmental health -XIV: [proceedings of University of Missouri's 14th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 189-194.

Gamble, D. S.; Schnitzer, M.; Kerndorff, H. (1983) Multiple metal ion exchange equilibria with humic acid. Geochim. Cosmochim. Acta 47: 1311-1323.

Gandrud, B. W.; Lazrus, A. L. (1972) Design of system for removing water-soluble materials from IPC-1478 filter paper. Environ. Sci. Technol. 6: 455-457.

Ganley, J. T.; Springer, G. S. (1974) Physical and chemical characteristics of particulates in spark ignition engine exhaust. Environ. Sci. Technol. 8: 340-347.

Gant, V. A. (1938) Lead poisoning. Ind. Med. 7: 679-699.

Garbarino, J. R.; Taylor, H. E. (1979) An inductive-coupled plasma atomic-emission spectrometric method for routine water quality testing. Appl. Spectrosc. 33: 220-226.

Garber, B. T.; Wei, E. (1974) Influence of dietary factors on the gastrointestinal absorption of lead. Toxicol. Appl. Pharmacol. 27: 685-691.

Garcia-Cañero, R.; Kapoor, S. C.; Rabinowitz, M.; van Rossum, G. D. V. (1981) Effect of Pb on O_2 consumption and substrate transport in isolated renal proximal tubules and mitochondria. Pharmacologist 23: 190.

Garcia-Miragaya, J. (1984) Levels, chemical fractionation, and solubility of lead in roadside soils of Caracas, Venezuela. Soil Sci. 138: 147-152.

Garcia-Miragaya, J.; Castro, S.; Paolini, J. (1981) Lead and zinc levels and chemical fractionation in road-side soils of Caracas, Venezuela. Water Air Soil Pollut. 15: 285-297.

Garcia-Toledo, A.; Babich, H.; Stotzky, G. (1985) Training of Rhizopus stolonifer and Cunninghamella blakesleeana to copper: cotolerance to cadmium, cobalt, nickel, and lead. Can. J. Microbiol. 31: 485-492.

Gardner, M. J. (1985) Accuracy of determination of cadmium, copper, lead, nickel and zinc in river waters. Analyst (London) 110: 1-10.

Gardner, M. J.; Hunt, D. T. E. (1981) Adsorption of trace metals during filtration of potable water samples with particular reference to the determination of filterable lead concentration. Analyst (London) 106: 471-474.

Garibaldi, P.; Facchetti, S.; Quagliardi, A.; Vanini, G.; Gaddo, P. P.; De Bortoli, M.; Gaglione, P. (1975) Petrols additivated with isotopically differentiated lead: proposal of an experiment to estimate the incidence of traffic on the environment pollution by lead - first experimental results. In: Recent advances in the assessment of the health effects of environmental pollution: proceedings, international symposium, v. 3; June 1974; Paris, France. Luxembourg: Commission of the Eurpoean Communities; pp. 1287-1299.

Garibaldi, P.; Vanini, G.; Gilli, G. (1981) Isotopic tracing of lead into children from automobile exhaust. In: Lynam, D. R.; Piantanida, L. G.; Cole, J. F., eds. Environmental lead: proceedings of the second international symposium on environmental lead research; December 1978; Cincinnati, OH. New York, NY: Academic Press; pp. 9-21. (Coulston, F.; Korte, F., eds. Ecotoxicology and environmental quality series).

Garland, C. J.; Wilkins, D. A. (1981) Effect of calcium on the uptake and toxicity of lead in Hordeum vulgare L. and Festuca ovina L. New Phytol. 87: 581-593.

Garnys, V. P.; Freeman, R.; Smythe, L. E. (1981) Blood lead levels in Victorian children [comments]. Med. J. Aust. 1: 87-88.

Garnys, V. P.; Freeman, R.; Smythe, L. E. (1979) Lead burden of Sydney schoolchildren: part 1. Kensington, Australia: University of New South Wales.

Garrod, A. B. (1859) Changes in the kidneys of gouty subjects. In: The nature and treatment of gout and rheumatic gout. London, United Kingdom: Walton and Maberly; pp. 236-249.

Gartside, P. S.; Buncher, C. R.; Lerner, S. (1982) Relationship of air lead and blood lead for workers at an automobile battery factory. Int. Arch. Occup. Environ. Health 50: 1-10.

Garty, J.; Fuchs, C. (1982) Heavy metals in the lichen Ramalina duriaei transplanted in biomonitoring stations. Water Air Soil Pollut. 17: 175-183.

Garza-Chapa, R.; Leal-Garza, C. H.; Molina-Ballesteros, G. (1977) Análisis cromosómico en personas profesionalmente expuestas a contaminacion con plomo [Chromosome analysis in subjects exposed professionally to lead contamination]. Arch. Invest. Med. 8: 11-20.

Gasper, J. R.; Dauzvardis, P. A. (1979) Body burdens: an integrated approach to health risk assessment. Prepared for: national conference on hazardous material risk assessment, disposal, and management; April; Miami Beach, FL. Argonne, IL: Argonne National Laboratory.

Gäth, J.; Thiess, A. M. (1972) Chromosomen-Untersuchungen bei Chemiearbeitern [Chromosome studies in chemical workers]. Zentralbl. Arbeitsmed. 22: 357-362.

Gatzke, H.-D. (1980) The influence of lead on the protein metabolism of the brain. Anat. Anz. 148: 309-322.

Gause, D.; Chase, W.; Foster, J.; Louria, D. B. (1977) Reduction in lead levels among children in Newark. J. Med. Soc. N. J. 74: 958-960.

Gawlicka, B. (1980) Activity of non-specific esterases in the marrow-cells of rats after the injection of mercury and lead. Folia Histochem. Cytochem. 18: 277-285.

Gaworski, C. L.; Sharma, R. P. (1978) The effects of heavy metals on [^{3}H]thymidine uptake in lymphocytes. Toxicol. Appl. Pharmacol. 46: 305-313.

Geist, C. R.; Balko, S. W. (1980) Effects of postnatal lead acetate exposure on activity and emotionality in developing laboratory rats. Bull. Psychon. Soc. 15: 288-290.

Geist, C. R.; Mattes, B. R. (1979) Behavioral effects of postnatal lead acetate exposure in developing laboratory rats. Physiol. Psychol. 7: 399-402.

Geist, C. R.; Praed, J. E. (1982) Chronic lead exposure of rats: open-field performance. Percept. Mot. Skills 55: 487-490.

Geladi, P.; Adams, F. (1978) The determination of cadmium, copper, iron, lead and zinc in aerosols by atomic-absorption spectrometry. Anal. Chim. Acta 96: 229-241.

Gelman, B. B.; Michaelson, I. A. (1979) Neonatal lead toxicity and in vitro lipid peroxidation of rat brain. J. Toxicol. Environ. Health 5: 671-682.

Gelman, B. B.; Michaelson, I. A.; Bornschein, R. L. (1979) Brain lipofuscin concentration and oxidant defense enzymes in lead-poisoned neonatal rats. J. Toxicol. Environ. Health 5: 683-698.

Gelman, B. B.; Michaelson, I. A.; Bus, J. S. (1978) The effect of lead on oxidative hemolysis and erythrocyte defense mechanisms in the rat. Toxicol. Appl. Pharmacol. 45: 119-129.

General Electric Company. (1972) Indoor-outdoor carbon monoxide pollution study. Research Triangle Park, NC: U.S. Environmental Protection Agency, National Environmental Research Center, Quality Assurance and Environmental Monitoring Laboratory; EPA report no. EPA-R4-73-020. Available from: NTIS, Springfield, VA; PB-220428.

Gentel, J. E.; Manary, O. J.; Valenta, J. C. (1973) Characterization of particulates and other non-regulated emissions from mobile sources and the effects of exhaust emissions control devices on these emissions. Ann Arbor, MI: U.S. Environmental Protection Agency, Office of Air and Water Programs; publication no. APTD-1567. Available from: NTIS, Springfield, VA; PB-224243.

Geomet, Inc. (1981) Comparison of indoor and outdoor air quality. Palo Alto, CA: Electric Power Research Institute; EPRI report no. EA-1733. Available from: EPRI, Palo Alto, CA; EPRI-EA-1733.

George, A. C.; Breslin, A. J. (1967) Deposition of natural radon daughters in human subjects. Health Phys. 13: 375-378.

George, J. C.; March, G. L.; McKeown, B. A. (1983) Effects of environmental lead poisoning on the breast muscle of the Canada goose: an ultrastructural study. Cytobios 36: 201-216.

George, J. W. (1980) Hematology of lead poisoning in cattle [dissertation]. Athens, GA: University of Georgia. Available from: University Microfilms, Ann Arbor, MI; order no. 81-07,913.

George, J. W.; Duncan, J. R. (1982) Pyrimidine-specific 5' nucleotidase activity in bovine erythrocytes: effect of phlebotomy and lead poisoning. Am. J. Vet. Res. 43: 17-20.

Georges, J. (1981) The influence of the surfactant in a perfluorinated emulsion of the determination of thallium, lead and cadmium by anodic stripping voltammetry. Anal. Chim. Acta 127: 233-238.

Geppert, T. (1882) Chronische Nephritis nach Bleivergiftung [Chronic nephritis following lead poisoning]. Dtsch. Med. Wochenschr. 8: 241-242.

Gerakis, P. A.; Veresoglou, D. S.; Sakellariadis, S. D. (1980) Differential response of sugar beet Beta vulgaris L. cultivars to lead. Environ. Pollut. 21: 77-83.

Gerber, G. B.; Leonard, A.; Jacquet, P. (1980) Toxicity, mutagenicity and teratogenicity of lead. Mutat. Res. 76: 115-141.

Gerber, G. B.; Maes, J. (1978) Heme synthesis in the lead-intoxicated mouse embryo. Toxicology 9: 173-179.

Gerber, G.; Maes, J.; Deroo, J. (1978) Effect of dietary lead on placental blood flow and on fetal uptake of alpha-amino isobutyrate. Arch. Toxicol. 41: 125-131.

Gerber, G. B.; Maes, J.; Gilliavod, N.; Casale, G. (1978) Brain biochemistry of infant mice and rats exposed to lead. Toxicol. Lett. 2: 51-63.

Gerhardt, R. E.; Crecelius, E. A.; Hudson, J. B. (1980) Trace element content of moonshine. Arch. Environ. Health 35: 332-334.

Germain, M. J.; Braden, G. L.; Fitzgibbons, J. P. (1984) Failure of chelation therapy in lead nephropathy. Arch. Intern. Med. 144: 2419-2420.

Gerritse, R. G.; Van Driel, W.; Smilde, K. W.; Van Luit, B. (1983) Uptake of heavy metals by crops in relation to their concentration in the soil solution. Plant Soil 75: 393-404.

Gershanik, J. J.; Brooks, G. G.; Little, J. A. (1974) Blood lead values in pregnant women and their offspring. Am. J. Obstet. Gynecol. 119: 508-511.

Gershanik, J. J.; Brooks, G. G.; Little, J. A. (1974) Fetal blood lead values in a rural area. J. Pediatr. (St. Louis) 84: 112-113.

Gershbein, L. L.; Gershbein, J. D.; French, R. (1983) Behavior of male rats fed low levels of metallic salts. Res. Commun. Chem. Pathol. Pharmacol. 39: 507-510.

Gerstle, R. W.; Albrinck, D. N. (1982) Atmospheric emissions of metals from sewage sludge incineration. J. Air Pollut. Control Assoc. 32: 1119-1123.

Gestring, W. D.; Jarrell, W. M. (1982) Plant availability of phosphorus and heavy metals in soils amended with chemically treated sewage sludge. J. Environ. Qual. 11: 669-675.

Gething, J. (1975) Tetramethyl lead absorption: a report of human exposure to a high level of tetramethyl lead. Br. J. Ind. Med. 32: 329-333.

Gettleman, L.; Nathanson, D.; Shklar, G.; Brathwaite, W. J., Jr.; Darmiento, L.; Levine, P.; Judes, H. (1978) Preliminary evaluation of the histotoxicity and radiopacity of lead-containing elastic impression materials. J. Am. Dent. Assoc. 96: 987-993.

Getz, L. L.; Best, L. B.; Prather, M. (1977) Lead in urban and rural song birds. Environ. Pollut. 12: 235-238.

Getz, L. L.; Haney, A. W.; Larimore, R. W.; McNurney, J. W.; Leland, H. V.; Price, P. W.; Rolfe, G. L.; Wortman, R. L.; Hudson, J. L.; Solomon, R. L.; Reinbold, K. A. (1977) Transport and distribution in a watershed ecosystem. In: Boggess, W. R., ed. Lead in the environment. Washington, DC: National Science Foundation; pp. 105-133; NSF report no. NSF/RA-770214. Available from: NTIS, Springfield, VA; PB-278278.

Getz, L. L.; Verner, L.; Prather, M. (1977) Lead concentrations in small mammals living near highways. Environ. Pollut. 13: 151-157.

Ghafour, S. Y.; Khuffash, F. A.; Ibrahim, H. S.; Reavey, P. C. (1984) Congenital lead intoxication with seizures due to prenatal exposure. Clin. Pediatr. 23: 282-283.

Ghafourian, H.; Rahimi, H.; Banisadr, A.; Shahisavandi, K.; Bayat, I. (1983) An investigation of the amount of lead in blood of Tehran citizens in 1980-1981. Int. J. Environ. Stud. 21: 309-316.

Ghelberg, N. W.; Bodor, E.; Piersică, Z. (1983) Hair analysis - a screening test for heavy metal burden of the organism. In: Shuval, H. I., ed. Developments in ecology and environmental quality: volume II: proceedings of an international meeting of the Israel Ecological Society; May; Jerusalem. Philadelphia, PA: Balaban International Science Services; pp. 577-584.

Giannattasio, R. C.; Bedo, A. V.; Pirozzi, M. J. (1952) Lead poisoning: observations in fourteen cases. Am. J. Dis. Child. 84: 316-321.

Giauque, R. D.; Goda, L. Y.; Brown, N. E. (1974) Characterization of aerosols in California by X-ray-induced X-ray fluorescence analysis. Environ. Sci. Technol. 8: 436-441.

Giavini, E.; Prati, M.; Vismara, C. (1980) Effects of cadmium, lead and copper on rat preimplantation embryos. Bull. Environ. Contam. Toxicol. 25: 702-705.

Gibson, J. F.; Hadfield, S. G.; Hughes, M. N.; Poole, R. K. (1980) Effects of trialkyllead compounds on growth, respiration and ion transport in Escherichia coli K12. J. Gen. Microbiol. 116: 99-110.

Gibson, J. L.; Love, W.; Hardie, D.; Bancroft, P.; Turner, A. J. (1893) Notes on lead-poisoning as observed among children in Brisbane. In: Huxtable, L. R., ed. Intercolonial medical congress of Australasia: transactions of the 3rd session; September 1892; Sydney, Australia. Sydney, Australia: Charles Potter; pp. 76-83.

Gibson, M. J.; Farmer, J. G. (1981) Tetraalkyl lead in the urban atmosphere of Glasgow. Environ. Technol. Lett. 2: 521-530.

Gibson, M. J.; Farmer, J. G. (1984) Chemical partitioning of trace metal contaminants in urban street dirt. Sci. Total Environ. 33: 49-57.

Gibson, R. S. (1980) Hair as a biopsy material for the assessment of trace element status in infancy: a review. J. Human Nutr. 34: 405-416.

Gibson, S. L. M.; Goldberg, A. (1970) Defects in haem synthesis in mammalian tissues in experimental lead poisoning and experimental porphyria. Clin. Sci. 38: 63-72.

Gibson, T.; Highton, J.; Potter, C.; Simmonds, H. A. (1980) Renal impairment and gout. Ann. Rheum. Dis. 39: 417-423.

Gibson, T.; Simmonds, H. A.; Potter, C.; Jeyarajah, N.; Highton, J. (1978) Gout and renal function. Eur. J. Rheumatol. Inflammation 1: 79-85.

Gietzen, D. W.; Woolley, D. E. (1984) Acetylcholinesterase activity in the brain of rat pups and dams after exposure to lead via the maternal water supply. Neurotoxicology 5: 235-246.

Gilani, S. H. (1973) Congenital anomalies in lead poisoning. Obstet. Gynecol. 41: 265-269.

Gilani, S. H. (1973) Congenital cardiac anomalies in lead poisoning. Pathol. Microbiol. (Basel) 39: 85-90.

Gilbert, C.; Tuthill, R. W.; Calabrese, E. J.; Peters, H. A. (1979) A comparison of lead hazards in the housing environment of lead poisoned children versus nonpoisoned controls. J. Environ. Sci. Health Part A 14: 145-168.

Gilfrich, J. V.; Burkhalter, P. G.; Birks, L. S. (1973) X-ray spectrometry for particulate air pollution--a quantitative comparison of techniques. Anal. Chem. 45: 2002-2009.

Gill, B. J.; Madill, H. D. (1980) An occupational hygiene survey of an indoor firing range at CFB North Bay. Downsview, ON, Canada: Defence and Civil Institute of Environmental Medicine; DCIEM-TR-80-R-65.

Gillberg, C.; Norén, J. G.; Wahlström, J.; Rasmussen, P. (1982) Heavy metals and neuropsychiatric disorders in six-year-old children: aspects of dental lead and cadmium. Acta Paedopsychiat. 48: 253-263.

Gillette, D. A.; Winchester, J. W. (1972) A study of aging of lead aerosols - I: observations. Atmos. Environ. 6: 443-450.

Gilmartin, J. E.; Alo, D. K.; Richmond, M. E.; Bache, C. A.; Lisk, D. J. (1985) Lead in tissues of cats fed pine voles from lead arsenate-treated orchards. Bull. Environ. Contam. Toxicol. 34: 291-294.

Gish, C. D.; Christensen, R. E. (1973) Cadmium, nickel, lead, and zinc in earthworms from roadside soil. Environ. Sci. Technol. 7: 1060-1062.

Gittelman, R.; Eskenazi, B. (1983) Lead and hyperactivity revisited: an investigation of non-disadvantaged children. Arch. Gen. Psychiatry 40: 827-833.

Gjessing, E.; Lygren, E.; Berglind, L.; Gulbrandsen, T.; Skaane, R. (1984) Effect of highway runoff on lake water quality. Sci. Total Environ. 33: 245-257.

Glickman, L.; Valciukas, J. A.; Lilis, R.; Weisman, I. (1984) Occupational lead exposure: effects on saccadic eye movements. Int. Arch. Occup. Environ. Health 54: 115-125.

Gloag, D. (1980) Is low-level lead pollution dangerous? Br. Med. J. 281: 1622-1625.

Gloag, D. (1981) Sources of lead pollution. Br. Med. J. 282: 41-44.

Glodowski, S.; Kublik, Z. (1983) The direct and indirect determination of traces of copper, lead and cadmium in mercury by voltammetry at the hanging mercury drop electrode. Anal. Chim. Acta 149: 137-146.

Gmerek, D. E.; McCafferty, M. R.; O'Neill, K. J.; Melamed, B. R.; O'Neill, J. J. (1981) Effect of inorganic lead on rat brain mitochondrial respiration and energy production. J. Neurochem. 36: 1109-1113.

Godzik, S.; Florkowski, T.; Piorek, S.; Sassen, M. M. A. (1979) An attempt to determine the tissue contamination of Quercus robur L. and Pinus silvestris L. foliage by particulates from zinc and lead smelters. Environ. Pollut. 18: 97-106.

Goede, A. A.; de Bruin, M. (1984) The use of bird feather parts as a monitor for metal pollution. Environ. Pollut. Ser. B 8: 281-298.

Goering, P. L.; Fowler, B. A. (1984) Regulation of lead inhibition of δ-aminolevulinic acid dehydratase by a low molecular weight, high affinity renal lead-binding protein. J. Pharmacol. Exp. Ther. 231: 66-71.

Goldberg, A. (1968) Lead poisoning as a disorder of heme synthesis. Semin. Hematol. 5: 424-433.

Goldberg, A. (1983) The chief scientist reports...a retrospect on 25 years of lead research. Health Bull. 41: 270-274.

Goldberg, A. M. (1979) The effects of inorganic lead on cholinergic transmission. Prog. Brain Res. 49: 465-470.

Goldberg, A. M.; Meredith, P. A.; Miller, S.; Moore, M. R.; Thompson, G. G. (1978) Hepatic drug metabolism and haem biosynthesis in lead-poisoned rats. Br. J. Pharmacol. 62: 529-536.

Goldberg, A. M.; Silbergeld, E. K. (1977) Animal models of hyperactivity. In: Hanin, I.; Usdin, E., eds. Animal models in psychiatry and neurology. Oxford, United Kingdom: Pergamon Press; pp. 371-384.

Goldberg, D.; Davidow, B. (1982) Cost effectiveness of lead screening [letter]. N. Engl. J. Med. 307: 1268.

Goldberg, E. D.; Koide, M.; Hodge, V.; Flegal, A. R.; Martin, J. (1983) U.S. mussel watch: 1977-1978 results on trace metals and radionuclides. Estuarine Coastal Shelf Sci. 16: 69-93.

Goldberg, R. L.; Kaplan, S. R.; Fuller, G. C. (1983) Effect of heavy metals on human rheumatoid synovial cell proliferation and collagen synthesis. Biochem. Pharmacol. 32: 2763-2766.

Goldblatt, C. J.; Anthony, R. G. (1983) Heavy metals in northern fur seals (Callorhinus ursinus) from the Pribilof Islands, Alaska. J. Environ. Qual. 12: 478-482.

Goldhaber, S. Z. (1983) Cardiovascular effects of potential occupational hazards. J. Am. Coll. Cardiol. 2: 1210-1215.

Goldings, A. S.; Stewart, R. M. (1982) Organic lead encephalopathy: behavioral change and movement disorder following gasoline inhalation. J. Clin. Psychol. 43: 70-72.

Goldman, D.; Hejtmancik, M. R., Jr.; Williams, B. J.; Ziegler, M. G. (1978) Noradrenergic effects of lead in the neonatal rat. Pharmacologist 20: 186.

Goldman, D.; Hejtmancik, M. R., Jr.; Williams, B. J.; Ziegler, M. G. (1980) Altered noradrenergic systems in the lead-exposed neonatal rat. Neurobehav. Toxicol. 2: 337-343.

Goldman, J. M.; Vander, A. J.; Mouw, D. R. (1979) Acute effects of lead on plasma renin activity, renin secretion, and renin metabolism. Fed. Proc. Fed. Am. Soc. Exp. Biol. 38: 892.

Goldman, J. M.; Vander, A. J.; Mouw, D. R.; Keiser, J.; Nicholls, M. G. (1981) Multiple short-term effects of lead on the renin-angiotensin system. J. Lab. Clin. Med. 97: 251-263.

Goldsmith, C. D., Jr.; Scanlon, P. F. (1977) Lead levels in small mammals and selected invertebrates associated with highways of different traffic densities. Bull. Environ. Contam. Toxicol. 17: 311-316.

Goldsmith, C. D., Jr.; Scanlon, P. F.; Pirie, W. R. (1976) Lead concentrations in soil and vegetation associated with highways of different traffic densities. Bull. Environ. Contam. Toxicol. 16: 66-70.

Goldsmith, J. R. (1974) Food chain and health implications of airborne lead. Sacramento, CA: State of California, Air Resources Board; report no. ARB-R-102-74-36. Available from: NTIS, Springfield, VA; PB-248745.

Goldsmith, J. R. (1983) Effect of airborne lead on blood lead [discussion of A. C. Chamberlain's paper]. Atmos. Environ. 17: 2365-2366.

Goldsmith, J. R.; Hexter, A. C. (1967) Respiratory exposure to lead: epidemiological and experimental dose-response relationships. Science (Washington, DC) 158: 132-134.

Goldstein, G. W. (1979) Pathogenesis of brain edema and hemorrhage: role of the brain capillary. Pediatrics 64: 357-360.

Goldstein, G. W. (1984) Brain capillaries: a target for inorganic lead poisoning. Neurotoxicology 5: 167-176.

Goldstein, G. W.; Ar, D. (1983) Lead activates calmodulin sensitive processes. Life Sci. 33: 1001-1006.

Goldstein, G. W.; Asbury, A. K.; Diamond, I. (1974) Pathogenesis of lead encephalopathy: uptake of lead and reaction of brain capillaries. Arch. Neurol. (Chicago) 31: 382-389.

Goldstein, G. W.; Diamond, I. (1974) Metabolic basis of lead encephalopathy. In: Plum, F., ed. Brain dysfunction in metabolic disorders. Res. Publ. Assoc. Nerv. Ment. Dis. 53: 293-304.

Goldstein, G. W.; Wolinksy, J. S.; Csejtey, J. (1977) Isolated brain capillaries: a model for the study of lead encephalopathy. Ann. Neurol. 1: 235-239.

Goldwater, L. J. (1972) An assessment of the scientific justification for establishing 2 μg/m^3 as the maximum safe level for airborne lead. Ind. Med. 41: 13-18.

Goldwater, L. J.; Hoover, A. W. (1967) An international study of "normal" levels of lead in blood and urine. Arch. Environ. Health. 15: 60-63.

Golter, M.; Michaelson, I. A. (1975) Growth, behavior, and brain catecholamines in lead-exposed neonatal rats: a reappraisal. Science (Washington, DC) 187: 359-361.

Golubovich, E. Ya.; Avkhimenko, M. M.; Chirková, E. M. (1968) Biochemical and morphological changes in the testicles of rats induced by small doses of lead. Toksikol. Nov. Prom. Khim. Veschestv 10: 63-73.

Gonick, H. C.; Raghavan, S. R. V.; Culver, B. D. (1981) Erythrocyte lead-binding protein: relationship to blood lead levels and toxicity. In: Lynam, D. R.; Piantanida, L. G.; Cole, J. F., eds. Environmental lead: proceedings of the second international symposium on environmental lead research; December 1978; Cincinnati, OH. New York, NY: Academic Press; pp. 253-267. (Coulston, F.; Korte, F., eds. Ecotoxicology and environmental quality series).

Gonick, H. C. (1978) Trace metals and the kidney. Miner. Electrolyte Metab. 1: 107-120.

Gonick, H. C.; Rubini, M. E.; Gleason, I. O.; Sommers, S. C. (1965) The renal lesion in gout. Ann. Intern. Med. 62: 667-674.

Gonzalez-Fernandez, E.; Gonzalez Moreno, P. (1983) Screening analysis for lead in whole blood and urine by Delves cup method using quality control samples. Comparison with the dithizone method. Ind. Health 21: 91-105.

Gonzalez, J. J.; Werk, E. E.; Thrasher, K.; Loadholdt, C. B. (1978) The renin aldosterone system and potassium levels in chronic lead intoxication. Clin. Res. 26: 47A.

Gordon, N. C.; Brown, S.; Khosla, V. M.; Hansen, L. S. (1979) Lead poisoning: a comprehensive review and report of a case. Oral Surg. Oral Med. Oral Pathol. 47: 500-512.

Gorshkov, V. V.; Orlova, L. P.; Voronkova, M. A. (1980) Concentration and atomic-absorption determination of cadmium and lead in natural materials. J. Anal. Chem. USSR (Engl. Transl.) 35: 839-843.

Goulder, R.; Blanchard, A. S.; Sanderson, P. L.; Wright, B. (1980) Relationships between heterotrophic bacteria and pollution in an industrialized estuary. Water Res. 14: 591-601.

Goulding, F. S.; Jaklevic, J. M.; Loo, B. W. (1975) Fabrication of monitoring system for determining mass and composition of aerosol as a function of time. Washington, DC: U.S. Environmental Protection Agency; EPA report no. EPA-650/ 2-75-048. Available from: NTIS, Springfield, VA; PB-257690.

Govoni, S.; Lucchi, L.; Battaini, F.; Spano, P. F.; Trabucchi, M. (1984) Chronic lead treatment affects dopaminergic control of prolactin secretion in rat pituitary. Toxicol. Lett. 20: 237-241.

Govoni, S.; Memo, M.; Lucchi, L.; Spano, P. F.; Trabucchi, M. (1980) Brain neuro-transmitter systems and chronic lead intoxication. Pharmacol. Res. Commun. 12: 447-460.

Govoni, S.; Memo, M.; Spano. P. F.; Trabucchi, M. (1979) Chronic lead treatment differentially affects dopamine synthesis in various rat brain areas. Toxicology 12: 343-349.

Govoni, S.; Montefusco, O.; Spano, P. F.; Trabucchi, M. (1978) Effect of chronic lead treatment on brain dopamine synthesis and serum prolactin release in the rat. Toxicol. Lett. 2: 333-337.

Govoni, S.; Spano, P. F.; Trabucchi, M. (1978) Neurochemical changes induced by dietary lead chronic assumption. Dev. Toxicol. Environ. Sci. 3: 381-385.

Goyer, R. A. (1968) The renal tubule in lead poisoning: I. mitochondrial swelling and aminoaciduria. Lab. Invest. 19: 71-77.

Goyer, R. A. (1971) Lead toxicity: a problem in environmental pathology. Am. J. Pathol. 64: 167-181.

Goyer, R. A. (1978) Calcium and lead interactions: some new insights. J. Lab. Clin. Med. 91: 363-365.

Goyer, R. A. (1981) Lead. In: Bronner, F.; Coburn, J. W., eds. Disorders of mineral metabolism. Volume I: trace minerals. New York: Academic Press; pp. 160-199.

Goyer, R. A. (1983) Intracellular sites of toxic metals. Neurotoxicology 4: 147-156.

Goyer, R. A.; Cherian, M. G. (1979) Ascorbic acid and EDTA treatment of lead toxicity in rats. Life Sci. 24: 433-438.

Goyer, R. A.; Cherian, M. G. (1979) Ascorbic acid-EDTA (ethylenediaminetetracetate) treatment of lead toxicity in rats. Fed. Proc. Fed. Am. Soc. Exp. Biol. 37: 938.

Goyer, R. A.; Krall, A. R. (1969) Further observations on the morphology and biochemistry of mitochondria isolated from kidneys of normal and lead intoxicated rats. Fed. Proc. Fed. Am. Soc. Exp. Biol. 28: 619A.

Goyer, R. A.; Krall, A. R. (1969) Ultrastructural transformation in mitochondria isolated from kidneys of normal and lead-intoxicated rats. J. Cell Biol. 41: 393-400.

Goyer, R. A.; Leonard, D. L.; Bream, P. R.; Irons, T. G. (1970) Aminoaciduria in experimental lead poisoning. Proc. Soc. Exp. Biol. Med. 135: 767-771.

Goyer, R. A.; Leonard, D. L.; Moore, J. F.; Rhyne, B.; Krigman, M. R. (1970) Lead dosage and the role of the intranuclear inclusion body: an experimental study. Arch. Environ. Health 20: 705-711.

Goyer, R. A.; May, P.; Cates, M. M.; Krigman, M. R. (1970) Lead and protein content of isolated intranuclear inclusion bodies from kidneys of lead-poisoned rats. Lab. Invest. 22: 245-251.

Goyer, R. A.; Moore, J. F. (1974) Cellular effects of lead. Adv. Exp. Med. Biol. 48: 447-462.

Goyer, R. A.; Mushak, P. (1977) Lead toxicity laboratory aspects. In: Goyer, R. A.; Mehlman, M. A., eds. Toxicology of trace elements. Washington, DC: Hemisphere Publishing Corporation; pp. 41-77. (Mehlman, M. A., ed. Advances in modern toxicology: v. 2).

Goyer, R. A.; Rhyne, B. C. (1973) Pathological effects of lead. Int. Rev. Exp. Pathol. 12: 1-77.

Goyer, R. A.; Tsuchiya, K.; Leonard, D. L.; Kahyo, H. (1972) Aminoaciduria in Japanese workers in the lead and cadmium industries. Am. J. Clin. Pathol. 57: 635-642.

Goyer, R. A.; Wilson, M. H. (1975) Lead-induced inclusion bodies: results of ethylenediaminetetraacetic acid treatment. Lab. Invest. 32: 149-156.

Graben, N.; Wilhelms, W.; Kloppel, H. A.; Tiepermann, R. V.; Doss, M. (1978) Acute heavy lead poisoning in welders. J. Clin. Chem. Clin. Biochem. 16: 63.

Graef, J. W. (1979) Clinical aspects of lead poisoning. In: Vinken, P. J.; Bruyn, G. W., eds. Handbook of clinical neurology. Vol. 36: intoxications of the nervous system: part 1. Amsterdam, The Netherlands: Elsevier/North-Holland Biomedical Press; pp. 1-34.

Graef, J. W. (1980) Management of low level lead exposure. In: Needleman, H. L., ed. Low level lead exposure: the clinical implications of current research. New York, NY: Raven Press, pp. 121-126.

Graham, D. L.; Kalman, S. M. (1974) Lead in forage grass from a suburban area in northern California. Environ. Pollut. 7: 209-215.

Graham, J. A. G.; Maxton, D. G.; Twort, C. H. C. (1981) Painter's palsy: a difficult case of lead poisoning. Lancet 2(8256): 1159-1160.

Graham, B. W. L. (1984) Lead pollution in Auckland, New Zealand: airborne particulate matter. New Zealand J. Sci. 27: 327-336.

Gram, N. (1981) Lead smelter design for exposure control. In: Proceedings of the symposium on occupational health hazard control technology in the foundry and secondary non-ferrous smelting industries; December 1979; Chicago, IL. Washington, DC: U.S. Department of Health and Human Services, National Institute for Occupational Health and Safety; pp. 306-314; DHHS publication no. 81-114. Available from: NTIS, Springfield, VA; PB81-167710.

Gramlich, J. W.; Machlan, L. A.; Murphy, T. J.; Moore, L. J. (1977) The determination of zinc, cadmium and lead in biological and environmental materials by isotope dilution mass spectrometry. In: Hemphill, D. D., ed. Trace substances in environmental health - XI: [proceedings of University of Missouri's 11th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 376-380.

Granahan, P.; Huber, A. M. (1978) Effect of ingested lead on prenatal development and trace element deposition in the rat. Fed. Proc. Fed. Am. Soc. Exp. Biol. 37: 895.

Granata, A.; De Angelis, L.; Piscaglia, M.; Drago, G. (1970) Correlazione tra incidenza della mortalitá per neoplasie e contenuto in ioni metallici delle acque in distribuzione potabile urbana [Correlation between neoplasm mortality and the metal ion content of urban drinking water]. Minerva Med. 61: 1941-1950.

Grandjean, P. (1975) Lead in Danes: historical and toxicological studies. In: Griffin, T. B.; Knelson, J. H., eds. Lead. Stuttgart, West Germany: Georg Thieme Publishers; pp. 6-75. (Coulston, F.; Korte, F., eds. Environmental quality and safety: supplement v. 2).

Grandjean, P. (1978) Lead concentration in single hairs as a monitor of occupational lead exposure. Int. Arch. Occup. Environ. Health 42: 69-81.

Grandjean, P. (1978) Regional distribution of lead in human brains. Toxicol. Lett. 2: 65-69.

Grandjean, P. (1978) Widening perspectives of lead toxicity: a review of health effects of lead exposure in adults. Environ. Res. 17: 303-321.

Grandjean, P. (1979) Lead content of scalp hairs as an indicator of occupational lead exposure. In: Deichmann, W. B., ed. Toxicology and occupational medicine. New York, NY: Elsevier/North-Holland Inc.; pp. 311-318.

Grandjean, P. (1979) Occupational lead exposure in Denmark: screening with the haematofluorometer. Br. J. Ind. Med. 36: 52-58.

Grandjean, P. (1981) Blood lead concentrations reconsidered. Nature (London) 291: 188.

Grandjean, P. (1983) Health significance of organolead compounds. In: Rutter, M.; Russell Jones, R., eds. Lead versus health: sources and effects of low level lead exposure. New York, NY: John Wiley and Sons; pp. 179-189.

Grandjean, P. (1983) Storage depots in the body: passive retention or time bomb? Am. J. Med. 4: 689-690.

Grandjean, P. (1984) Lead poisoning: hair analysis shows the calendar of events. Hum. Toxicol. 3: 223-228.

Grandjean, P. (1984) Section III -- Biological indicators of lead neurotoxicity in children. In: Studies in epidemiology on exposure of elderly to cadmium: lead neurotoxicity in children; welders' exposure to chromium and nickel. Copenhagen, Denmark: World Health Organization; pp. 65-138. (European cooperation on environmental health aspects of the control of chemicals--interim document 15).

Grandjean, P.; Arnvig, E.; Beckmann, J. (1978) Psychological dysfunctions in lead-exposed workers: relation to biological parameters of exposure. Scand. J. Work Environ. Health 4: 295-303.

Grandjean, P.; Arnvig, E.; Beckmann, J. (1979) Psychological dysfunctions in males occupationally exposed to inorganic lead. In: International conference: management and control of heavy metals in the environment; September; London, United Kingdom. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 85-88.

Grandjean, P.; Beckmann, J. (1981) Symptoms and signs of lead neurotoxicity. Meeting on chemical indices and mechanisms of organ-directed toxicity; March; Barcelona, Spain. Gen. Pharmacol. 12: A7.

Grandjean, P.; Hollnagel, H.; Olsen, N. B. (1981) Occupationally related lead exposure in the general population: a population study of 40-year-old men. Scand. J. Work Environ. Health 7: 298-301.

Grandjean, P.; Kon, S. H. (1981) Lead exposure of welders and bystanders in a ship repair yard. Am. J. Ind. Med. 2: 65-70.

Grandjean, P.; Lintrup, J. (1978) Erythrocyte-Zn-protoporphyrin as an indicator of lead exposure. Scand. J. Clin. Lab. Invest. 38: 669-675.

Grandjean, P.; Lintrup, J. (1981) Sources of variation in fluorometry of zinc protoporphyrin in blood. Scand. J. Work Environ. Health 7: 311-312.

Grandjean, P.; Nielsen, O. V.; Shapiro, I. M. (1979) Lead retention in ancient Nubian and contemporary populations. J. Environ. Pathol. Toxicol. 2: 781-787.

Grandjean, P.; Nielsen, T. (1979) Organolead compounds: environmental health aspects. Residue Rev. 72: 98-148.

Grandjean, P.; Olsen, N. B.; Hollnagel, H. (1981) Influence of smoking and alcohol consumption on blood lead levels. Int. Arch. Occup. Environ. Health 48: 391-397.

Grandjean, P.; Wulf, H. C.; Niebuhr, E. (1983) Sister chromatid exchange in response to variations in occupational lead exposure. Environ. Res. 32: 199-204.

Grandstaff, D. E.; Myer, G. H. (1979) Lead contamination of urban snow. Arch. Environ. Health 34: 222-223.

Granick, J. L.; Sassa, S.; Granick, S.; Levere, R. D.; Kappas, A. (1973) Studies in lead poisoning: II. correlation between the ratio of activated to inactivated δ-aminolevulinic acid dehydratase of whole blood and the blood lead level. Biochem. Med. 8: 149-159.

Granick, J. L.; Sassa, S.; Kappas, A. (1978) Some biochemical and clinical aspects of lead intoxication. Adv. Clin. Chem. 20: 288-339.

Granick, S.; Sassa, S.; Granick, J. L.; Levere, R. D.; Kappas, A. (1972) Assays for porphyrins, δ-aminolevulinic-acid dehydratase, and porphyrinogen synthetase in microliter samples of whole blood: applications to metabolic defects involving the heme pathway. Proc. Natl. Acad. Sci. U.S.A. 69: 2381-2385.

Grant, G. C.; Buckle, D. C. (1980) Simultaneous determination of S, Cl, K, Ca, Fe, Cu, Zn, Se, Br, Rb, and Pb in blood plasma and erythrocytes by proton-induced X-ray emission (PIXE). Clin. Chem. (Winston-Salem, NC) 26: 1056.

Grant, L. D.; Kimmel, C. A.; West, G. L.; Martinez-Vargas, C. M.; Howard, J. L. (1980) Chronic low-level lead toxicity in the rat: II. effects on postnatal physical and behavioral development. Toxicol. Appl. Pharmacol. 56: 42-58.

Grant, R. L.; Calvery, H. O.; Laug, E. P.; Morris, H. J. (1938) The influence of calcium and phosphorus on the storage and toxicity of lead and arsenic. J. Pharmacol. Exp. Ther. 64: 446-457.

Graovac-Leposavić, L.; Djurić, D.; Valjarević, V.; Seničar, H.; Seničar, L.; Milić, S.; Delić, V. (1973) Environmental lead contamination of Meža Valley - study on lead exposure of population. In: Barth, D.; Berlin, A.; Engel, R.; Recht, P.; Smeets, J., eds. Environmental health aspects of lead: proceedings, international symposium; October 1972; Amsterdam, The Netherlands. Luxembourg: Commission of the European Communities; pp. 685-705.

Grasmick, C.; Huel, G. (1985) The combined effect of tobacco and alcohol consumption on the level of lead and cadmium in blood. Sci. Total Environ. 41: 207-217.

Gray, L. E., Jr.; Reiter, L. (1977) Lead-induced developmental and behavioral changes in the mouse. Toxicol. Appl. Pharmacol. 41: 140.

Gray, N. F.; Clarke, J. (1984) Heavy metals in heterotrophic slimes in Irish rivers. Environ. Technol. Lett. 5: 201-206.

Graziano, J. H.: Siris, E. S.; LoIacono, N.; Silverberg, S. J.; Jurgeon, L. (1985) 2,3-dimercaptosuccinic acid as an antidote for lead intoxication. Clin. Pharmacol. Ther. 37: 431-438.

Graziano, J. H.; Leong, J. K.; Friedheim, E. (1978) 2,3-Dimercaptosuccinic acid: a new agent for the treatment of lead poisoning. J. Pharmacol. Exp. Ther. 206: 696-700.

Graziano, J. H.; Piomelli, S.; Friedheim, E. (1976) The identification of 2,3-dimercaptosuccinic acid as a potentially useful drug for the treatment of lead-poisoning. Blood 48: 964.

Greathouse, D. G.; Craun, G. F. (1978) Cardiovascular disease study - occurrence of inorganics in household tap water and relationships to cardiovascular mortality rates. In: Hemphill, D. D., ed. Trace substances in environmental health - XII: [proceedings of University of Missouri's 12th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 31-39.

Greathouse, D. G.; Craun, G. F.; Worth, D. (1976) Epidemiologic study of the relationship between lead in drinking water and blood lead levels. In: Hemphill, D. D., ed. Trace substances in environmental health - X: [proceedings of University of Missouri's 10th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 9-24.

Greathouse, D.; Shuka, R. (1985) Infant blood lead and environmental lead exposure - a longitudinal analysis. Am. J. Epidemiol.: in press.

Green, D. G.; Green, L. W.; Page, J. A.; Poland, J. S.; van Loon, G. (1981) The determination of copper, cadmium, and lead in sea water by anodic stripping voltammetry with a thin film mercury electrode. Can. J. Chem. 59: 1476-1486.

Green, R. A.; Selby, L. A.; Zumwalt, R. W. (1978) Experimental lead intoxication in dogs: a comparison of blood lead and urinary delta-aminolevulinic acid following intoxication and chelation therapy. Can. J. Comp. Med. 42: 205-213.

Green, V. A.; Wise, G. W.; Callenbach, J. C. (1978) Lead poisoning. In: Oehme, F. W., ed. Hazardous and toxic substances, vol. 2. Toxicity of heavy metals in the environment: parts 1 and 2. New York, NY: Marcel Dekker, Inc.; pp. 123-141.

Greenberg, A.; Bozzelli, J. W.; Cannova, F.; Forstner, E.; Giorgio, P.; Stout, D.; Yokoyama, R. (1981) Correlations between lead and coronene concentrations at urban, suburban, and industrial sites in New Jersey. Environ. Sci. Technol. 15: 566-570.

Greene, M. H.; Hoover, R. N.; Eck, R. L.; Fraumeni, J. F., Jr. (1979) Cancer mortality among printing plant workers. Environ. Res. 20: 66-73.

Greenfield, I. (1957) Lead poisoning--X: effects of lead absorption on the products of conception. N.Y. State J. Med. 57: 4032-4034.

Greenfield, I.; Gray, I. (1950) Lead poisoning; IX. the failure of lead poisoning to affect the heart and blood vessels. Am. Heart J. 39: 430-435.

Greengard, J.; Adams, B.; Berman, E. (1965) Acute lead encephalopathy in young children: evaluation of therapy with a corticosteroid and moderate hypothermia. J. Pediatr. (St. Louis) 66: 707-711.

Greenhalgh, J. R.; James, A. C.; Smith, H.; Hodgson, A. (1979) Absorption of lead ions from the lung. In: National Radiological Protection Board annual research and development report; no. NRPB/R&D 3. Harwell, United Kingdom: National Radiological Protection Board; pp. 38-42.

Greer, L. E.; Brewer, G. J. (1984) The effects of fetal lead exposure on working memory and reference memory using the depot parenteral technique. Fed. Proc. Fed. Am. Soc. Exp. Biol. 43: 680.

Gregory, A. R. (1979) Encapsulation of hazardous material. J. Environ. Pathol. Toxicol. 2: 1541-1542.

Gregory, R. J. (1980) Lead and impaired cognitive/behavioral function [letter]. Dev. Med. Child Neurol. 22: 546-547.

Gregory, R. J.; Mohan, P. J. (1977) Effect of asymptomatic lead exposure on childhood intelligence: a critical review. Intelligence 1: 381-400.

Gregson, S. K.; Alloway, B. J. (1984) Gel permeation chromatography studies on the speciation of lead in solutions of heavily polluted soils. J. Soil Sci. 35: 55-61.

Greter, F.-L.; Buffle, J.; Haerdi, W. (1979) Voltammetric study of humic and fulvic substances. Part I: study of the factors influencing the measurement of their complexing properties with lead. J. Electroanal. Chem. 101: 211-229.

Griffin, T. B.; Coulston, F.; Golberg, L.; Wills, H.; Russell, J. C. (1975) Biologic effects of airborne particulate lead on continuously exposed rats and rhesus monkeys. In: Griffin, T. B.; Knelson, J. H., eds. Lead. Stuttgart, West Germany: George Thieme Publishers; pp. 202-220. (Coulston, F.; Korte, F., eds. Environmental quality and safety: supplement v. 2).

Griffin, T. B.; Coulston, F.; Wills, H.; Russell, J. C.; Knelson, J. H. (1975) Clinical studies on men continuously exposed to airborne particulate lead. In: Griffin, T. B.; Knelson, J. H., eds. Lead. Stuttgart, West Germany: Georg Thieme Publishers; pp. 221-240. (Coulston, F.; Korte, F., eds. Environmental quality and safety: supplement v. 2).

Griffiths, G. J. G. (1980) Practical aspects of air pollution control in the lead industry. Tydskr. Skoon Lug 5: 5-10.

Grodzins, L. (1980) Traces of toxicity: applications of the scanning proton microprobe. Trans. N. Y. Acad. Sci. 40: 93-98.

Grodzińska, K.; Grodziński, W.; Zeveloff, S. I. (1983) Contamination of roe deer forage in a polluted forest of southern Poland. Environ. Pollut. Ser. A 30: 257-276.

Grogan, D. P.; Bucholz, R. W. (1981) Acute lead intoxication from a bullet in an intervertebral disc space. J. Bone Jt. Surg. 63-A: 1180-1182.

Gross-Selbeck, E. (1978) Behavioural deviations in rats chronically exposed to lead at the accepted no-effect level. Naunyn-Schmiedebergs Arch. Pharmacol. Suppl. 302: R17.

Gross-Selbeck, E. (1979) Effects of prenatal and neonatal lead exposure at the accepted no-effect level on operant behaviour of rats. Naunyn-Schmiedebergs Arch. Pharmacol. 308: R46.

Gross-Selbeck, E. (1981) Behavioural screening in lead-exposed rats: an animal model to analyze subtle consequences of low-level lead exposure in children. Z. Versuchstierkund. 23: 195-196.

Gross-Selbeck, E.; Gross-Selbeck, M. (1980) A biphasic effect of lead on operant behaviour of rats induced by different exposure. Toxicol. Lett. Spec. Iss. 1: 128.

Gross-Selbeck, E.; Gross-Selbeck, M. (1981) Changes in operant behavior of rats exposed to lead at the accepted no-effect level. Clin. Toxicol. 18: 1247-1256.

Gross, S. B. (1976) Classifying lead body burdens using Z scores. Toxicol. Appl. Pharmacol. 38: 345-355.

Gross, S. B. (1979) Oral and inhalation lead exposures in human subjects (Kehoe balance experiments). New York, NY: Lead Industries Association.

Gross, S. B. (1981) Human oral and inhalation exposures to lead: summary of Kehoe balance experiments. J. Toxicol. Environ. Health 8: 333-377.

Gross, S. B.; Parkinson, E. S. (1974) Analyses of metals in human tissues using base (TMAH) digests and graphite furnace atomic absorption spectrophotometry. At. Absorpt. Newsl. 13: 107-108.

Gross, S. B.; Pfitzer, E. A. (1974) Influence of pathological change on lead in human tissues. In: Hemphill, D. D., ed. Trace substances in environmental health - VIII: [proceedings of University of Missouri's 8th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 335-340.

Gross, S. B.; Pfitzer, E. A.; Yeager, D. W.; Kehoe, R. A. (1975) Lead in human tissues. Toxicol. Appl. Pharmacol. 32: 638-651.

Groth, E., III. (1980) [Untitled letter]. Arch. Environ. Health 35: 58-59.

Gruden, N.; Buben, M. (1977) Influence of lead on calcium metabolism. Bull. Environ. Contam. Toxicol. 18: 303-307.

Gruden, N.; Buben, M. (1979) Calcium metabolism in fed and fasted lead-treated animals. Environ. Res. 18: 270-275.

Grunder, F. I.; Moffitt, A. E., Jr. (1979) Evaluation of zinc protoporphyrin in an occupational environment. Am. Ind. Hyg. Assoc. J. 40: 686-694.

Grundt, I. K.; Ammitzbøll, T.; Clausen, J. (1981) Triethyllead treatment of cultured brain cells: effect on accumulation of radioactive precursors in galactolipids. Neurochem. Res. 6: 193-201.

Grundt, I. K.; Neskovic, N. M. (1980) Comparison of the inhibition by methyl-mercury and triethyllead of galactolipid accumulation in rat brain. Environ. Res. 23: 282-291.

Gruys, E. (1979) Falende nierfunctie door kwik- en loodvergiftiging bij kalveren [Renal failure caused by mercury and lead poisoning in the calf]. Tijdschr. Diergeneeskd. 104: 417-423.

Guariglia, A.; Savazzi, G.; Minari, M.; Falzoi, M.; Franchini, I. (1975) Significato dell' indagine elettromiografica nell'intossicazione saturnina [Significance of electromyographic indications in lead poisoning]. Med. Lav. 66: 127-135.

Guerit, J. M.; Meulders, M.; Amand, G.; Roels, H. A.; Buchet, J.-P.; Lauwerys, R.; Bruaux, P.; Claeys-Thoreau, F.; Ducoffre, G.; Lafontaine, A. (1981) Lead neurotoxicity in clinically asymptomatic children living in the vicinity of an ore smelter. Clin. Toxicol. 18: 1257-1267.

Guinee, V. F. (1972) Lead poisoning [editorial]. Am. J. Med. 52: 283-288.

Guinee, V. J. (1973) Epidemiologic studies of lead exposure in New York City. In: Barth, D.; Berlin, A.; Engel, R.; Recht, P.; Smeets, J.; eds. Environmental health aspects of lead: proceedings, international symposium; October 1972; Amsterdam, The Netherlands. Luxembourg: Commission of the European Communities, pp. 763-772.

Gularek, M. (1981) Der Einfluss von Blei auf die Immunabwehr gegen Tumorzellen: "in vitro-Untersuchung mit dem LMC-Test" [The effect of lead on immunological resistance to tumor cells: "in vitro investigation with the LMC test"] [dissertation]. Düsseldorf, West Germany: Düsseldorf University. Available from: NTIS, Springfield, VA; DE84-770322.

Gull, W. W.; Sutton, H. G. (1872) On the pathology of the morbid state commonly called chronic Bright's disease with contracted kidney ("arterio-capillary fibrosis"). Medico Clin. Tr. 55: 273-326.

Gulson, B. L.; Tiller, K. G.; Mizon, K. J.; Merry, R. M. (1981) Use of lead isotopes in soils to identify the source of lead contamination near Adelaide, South Australia. Environ. Sci. Technol. 15: 691-696.

Gusev, M. I. (1962) New studies on the effect of low lead concentrations on the human organism. In: Ryazanov, V. A., ed. Limits of allowable concentrations of atmospheric pollutants: book 5. Washington, DC: U.S. Public Health Service; pp. 19-29.

Gusserow, A. (1861) Untersuchungen über Bleivergiftung [Studies of lead intoxication]. Arch. Pathol. Anat. Physiol. Klin. Med. 21: 443-452.

Gustavsson, I. (1983) The concentrations of cadmium, lead and copper in filtrated Baltic Sea water samples collected at two seasons in 1969. Acta Hydrochim. Hydrobiol. 11: 309-317.

Gutniak, O.; Koziolowa, H.; Kowalski, E. (1964) Free protoporphyrin content of erythrocytes in chronic tetraethyl lead poisoning. Lancet 1(7343): 1137-1138.

Guttas, J. J.; Carter, G. T.; Horwitz, B. A. (1983) Plasma membrane protection against the acute effects of inorganic lead on the respiratory rates of intact liver cells. J. Toxicol. Environ. Health 12: 731-736.

Gydesen, H.; Rasmussen, L.; Pilegaard, K.; Andersen, A.; Hovmand, M. F. (1981) Differences in the regional deposition of cadmium, copper, lead and zinc in Denmark as reflected in bulk precipitation, epiphytic cryptogams and animal kidneys. Ambio 10: 229-230.

Haas, T.; Mache, K.; Schaller, K.-H.; Mache, W.; Valentin, H. (1972) Untersuchungen über die ökologische Bleibelastung im Kindesalter [Investigations into ecological lead levels in children]. Zentralbl. Bakteriol. Parasitenkd. Infektionskr. Hyg. Abt. 1: Orig. Reihe B 156: 353-360. Also published in: Barth, D.; Berlin, A.; Engel, R.; Recht, P.; Smeets, J., eds. (1973) Environmental health aspects of lead; proceedings, international symposium; October 1972; Amsterdam, The Netherlands. Luxembourg: Commission of the European Communities, pp. 741-748.

Haas, T.; Wieck, A. G.; Schaller, K. H.; Mache, K.; Valentin, H. (1972) Die usuelle Bleibelastung bei Neugeborenen und ihren Müttern [The usual lead load in new-born infants and their mothers]. Zentralbl. Bakteriol. Parasitenkd. Infektionskr. Hyg. Abt. 1: Orig. Reihe B 155: 341-349.

Haavikko, K.; Anttila, A.; Helle, A.; Vuori, E. (1984) Lead concentrations of enamel and dentine of deciduous teeth of children from two Finnish towns. Arch. Environ. Health 39: 78-84.

Haber, C. L.; Tornabene, T. G.; Skogerboe, R. K. (1980) Regulation of bacterial abstraction of lead by cell surface charge and chemical equilibria. Chemosphere 9: 21-31.

Habercam, J. W.; Keil, J. E.; Reigart, J. R.; Croft, H. W. (1974) Lead content of human blood, hair, and deciduous teeth: correlation with environmental factors and growth. J. Dent. Res. 53: 1160-1163.

Habermann, E.; Crowell, K.; Janicki, P. (1983) Lead and other metals can substitute for Ca^{2+} in calmodulin. Arch. Toxicol. 54: 61-70.

Habibi, K. (1970) Automotive particulate emissions and their control. Presented at: joint meeting of Society of Automotive Engineers, mid-Michigan section and American Chemical Society, midland section; October; Midland, MI. New York, NY: Society of Automotive Engineers; SAE technical paper no. 710638.

Habibi, K. (1970) Characterization of particulate lead in vehicle exhaust: experimental techniques. Environ. Sci. Technol. 4: 252-253.

Habibi, K. (1973) Characterization of particulate matter in vehicle exhaust. Environ. Sci. Technol. 7: 223-234.

Hackett, D.; Tuellner, H.; Miner, W. D.; Nock, P. E.; Rushton, B.; Maule, W.; Cowie, J. R. (1981) Neurotoxic effects of lead in guinea pigs. In: Meeting on chemical indices and mechanisms of organ-directed toxicity; March; Barcelona, Spain. Gen. Pharmacol. 12: A5.

Hackett, P. L.; Hess, J. O.; Sikov, M. R. (1978) Lead distribution and effects during development in the rat. In: Mahlum, D. D.; Sikov, M. R.; Hackett, P. L.; Andrew, F. D., eds. Developmental toxicology of energy-related pollutants: proceedings of the 17th annual Hanford biology symposium; October 1977; Richland, WA; pp. 505-519. Available from: NTIS, Springfield, VA; CONF-771017.

Hackett, P. L.; Hess, J. O.; Sikov, M. R. (1979) Cross-placental transfer and distribution of inhaled or ingested lead nitrate in rats. Teratology 19: 28A.

Hackett, P. L.; Hess, J. O.; Sikov, M. R. (1982) Distribution and effects of intravenous lead in the fetoplacental unit of the rat. J. Toxicol. Environ. Health 9: 1021-1032.

Hackett, P. L.; Hess, J. O.; Sikov, M. R. (1982) Effect of dose level and pregnancy on the distribution and toxicity of intravenous lead in rats. J. Toxicol. Environ. Health 9: 1007-1020.

Hackett, P. L.; Kelman, B. J. (1983) Availability of toxic trace metals to the conceptus. Sci. Total Environ. 28: 433-442.

Haeffner, E. W.; Zimmermann, H.-P.; Hoffmann, C. J. K. (1984) Influence of triethyl lead on the activity of enzymes of the ascites tumor cell plasma membrane and its microviscosity. Toxicol. Lett. 23: 183-188.

Haeger, B. (1957) Increased content of a δ-aminolaevulic acid-like substance in urine from workers in lead industry. Scand. J. Clin. Lab. Invest. 9: 211-212.

Haeger-Aronsen, B. (1960) Studies on urinary excretion of δ-aminolaevulic acid and other haem precursors in lead workers and lead-intoxicated rabbits. Scand. J. Clin. Lab. Invest. 12(suppl. 47): 1-128.

Haeger-Aronsen, B.; Abdulla, M.; Fristedt, B. I. (1971) Effect of lead on δ-aminolevulinic acid dehydrase activity in red blood cells. Arch. Environ. Health 23: 440-445.

Haenninen, H. (1982) Behavioral effects of occupational exposure to mercury and lead. Acta Neurol. Scand. Suppl. 66: 167-175.

Haenninen, H.; Hernberg, S.; Mantere, P.; Vesanto, R.; Jalkanen, M. (1978) Psychological performance of subjects with low exposure to lead. J. Occup. Med. 20: 683-689.

Haenninen, H.; Mantere, P.; Hernberg, S.; Seppäläinen, A. M.; Kock, B. (1979) Subjective symptoms in low-level exposure to lead. Neurotoxicology 1: 333-347.

Hager, C.-D.; Huber, F. (1980) Organobleiverbindungen von Mercaptocarbonsäuren [Organolead compounds of mercaptocarboxylic acids]. Z. Naturforsch. 35b: 542-547.

Halatcheva, L.; Nikolova, P. (1980) The effect of heavy metals (lead, manganese, mercury) on the concentration of free amino acids in the liver of rats. Arch. Toxicol. Suppl. 4: 355-357.

Hale, M. E., Jr.; Lawrey, J. D. (1985) Annual rate of lead accumulation in the lichen Pseudoparmelia baltimorensis. Bryologist 88: 5-7.

Halen, R. J. (1981) The role of lead in gout nephropathy. N. Engl. J. Med. 304: 1545.

Hall, A.; Cantab, M. D. (1905) The increasing use of lead as an abortifacient: a series of thirty cases of plumbism. Br. Med. J. 1: 584-587.

Hall, C.; Hughes, M. K.; Lepp, N. W.; Dollard, G. J. (1975) Cycling of heavy metals in woodland ecosystems. In: Hutchinson, T. C.; Epstein, S.; Page, Al. L.; Van Loon, J.; Davey, T., eds. International conference on heavy metals in the environment: symposium proceedings, volume II, part 1; October; Toronto, ON, Canada. Toronto, ON, Canada: University of Toronto, Institute for Environmental Studies; pp. 227-245.

Hall, W. (1974) Survey plans and data collection and analysis methodologies: results of a pre-survey for the magnitude and extent of the lead based paint hazard in housing. Washington, DC: U.S. Department of Commerce, National Bureau of Standards; report no. NBSIR 74-426. Available from: NTIS, Springfield, VA; COM-74-11074.

Halla, J. T.; Ball, G. V. (1982) Saturnine gout: a review of 42 patients. Semin. Arthritis Rheum. 11: 307-314.

Hallam, C.; Thompson, K. C. (1985) Determination of lead and cadmium in potable waters by atom-trapping atomic-absorption spectrophotometry. Analyst (London) 110: 497-500.

Hallauer, J. F.; Stiller-Winkler, R.; Brockhaus, A. (1983) Alteration of the immune status in mice and rats exposed to lead. In: International conference: heavy metals in the environment; September; Heidelberg, West Germany. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 710-713.

Hallauer, J. F.; Stiller-Winkler, R.; Brockhaus, A.; Schlipköter, H.-W. (1983) The influence of lead on the immune system as measured on level of C3 component of complement, immunoglobulin G and antibodies against tetanus toxoid. In: Hemphill, D. D., ed. Trace substances in environmental health - XVII: [proceedings of University of Missouri's 17th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 58-64.

Hallberg, R. O. (1979) Heavy metals in the sediments of the Gulf of Bothnia northern Baltic Sea. Ambio 8: 265-269.

Hally, J.; Houdková, Z.; Chaluš, F. (1982) Migrace olova v životním prostředí [Migration of lead in the environment]. Acta Mont. 59: 97-104.

Halpern, M. (1978) Indoor/outdoor air pollution exposure continuity relationships. J. Air Pollut. Control Assoc. 28: 689-691.

Halveda, C. J.; Sohi, G. S.; Richardson, C. E. (1980) Evaluation of lead, zinc, and copper excretion in chronic moonshine drinkers. South. Med. J. 73: 710-715.

Hamada, T.; Horiguchi, S.; Nakano, H. (1977) Cutaneous manifestations of occupational chronic arsenical poisoning. (Studies on lead arsenate poisoning, part 3). Osaka City Med. J. 23: 9-20.

Hambach, A.; Stiller-Winkler, R.; Oberbarnscheidt, J.; Ewers, U. (1983) Sind Suppressor-T-Zellen die primären Zielzellen der immunotoxischen Wirkungen von Blei [Suppressor T cells - a sensitive target of lead toxicity]? Zentralbl. Bakteriol. Parasitenkd. Infektionskr. Hyg. Abt. 1 Orig. Reihe B 178: 316-328.

Hamilton, A. (1985) Forty years in the poisonous trades. Am. J. Ind. Med. 7: 3-18.

Hamilton, A.; Reznikoff, P.; Burnham, G. M. (1925) Tetra-ethyl lead. J. Am. Med. Assoc. 84: 1481-1486.

Hamilton, D. L. (1978) Interrelationships of lead and iron retention in iron-deficient mice. Toxicol. Appl. Pharmacol. 46: 651-661.

Hamilton, D. L. (1979) Lead retention in mice with calcium deficiency. Biol. Soc. 22: 17.

Hamilton, E. I.; Clifton, R. J. (1979) Isotopic abundances of lead in estuarine sediments, Swansea Bay, Bristol Channel. Estuarine Coastal Mar. Sci. 8: 271-278.

Hamilton, R. S.; Revitt, D. M.; Warren, R. S. (1984) Levels and physicochemical associations of Cd, Cu, Pb and Zn in road sediments. Sci. Total Environ. 33: 59-74.

Hamilton-Taylor, J.; Willis, M. (1984) Depositional fluxes of metals and phytoplankton in Windermere as measured by sediment traps. Limnol. Oceanogr. 29: 695-710.

Hamir, A. N. (1981) Lead poisoning of dogs in Australia. Vet. Rec. 108: 438-439.

Hamir, A. N.; Sullivan, N. D.; Handson, P. D.; Wilkinson, J. S.; Lavelle, R. B. (1981) Clinical signs, radiology and tissue lead distribution of dogs administered a mixture of lead chloride, lead bromide and lead sulphate. Aust. Vet. J. 57: 401-406.

Hammer, D. I.; Finklea, J. F.; Hendricks, R. H.; Hinners, T. A.; Riggan, W. B.; Shy, C. M. (1972) Trace metals in human hair as a simple epidemiologic monitor of environmental exposure. In: Hemphill, D. D., ed. Trace substances in environmental health - V: [proceedings of University of Missouri's 5th annual conference on trace substances in environmental health]; June 1971; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 25-38.

Hammerle, R. H.; Pierson, W. R. (1975) Sources and elemental composition of aerosol in Pasadena, Calif., by energy-dispersive X-ray fluorescence. Environ. Sci. Technol. 9: 1058-1068.

Hammett, F. S.; Wallace, V. L. (1928) Studies in the biology of metals. VII. The influence of lead on the development of the chick embryo. J. Exp. Med. 48: 659-665.

Hammond, P. B. (1971) The effects of chelating agents on the tissue distribution and excretion of lead. Toxicol. Appl. Pharmacol. 18: 296-310.

Hammond, P. B. (1973) The effects of D-penicillamine on the tissue distribution and excretion of lead. Toxicol. Appl. Pharmacol. 26: 241-246.

Hammond, P. B. (1973) The relationship between inhibition of δ-aminolevulinic acid dehydratase by lead and lead mobilization by ethylenediamine tetraacetate (EDTA). Toxicol. Appl. Pharmacol. 26: 466-475.

Hammond, P. B. (1977) Exposure of humans to lead. Annu. Rev. Pharmacol. Toxicol. 17: 197-214.

Hammond, P. B. (1977) Human health implications. In: Boggess, W. R., ed. Lead in the environment. Washington, DC: National Science Foundation; pp. 195-198; NSF report no. NSF/RA-770214. Available from: NTIS, Springfield, VA; PB-278278.

Hammond, P. B. (1981) Correlation of renal effects with common indices of lead exposure. In: Lynam, D. R.; Piantanida, L. G.; Cole, J. F., eds. Environmental lead: proceedings of the second international symposium on environmental lead research; December 1978; Cincinnati, OH. New York, NY: Academic Press; pp. 227-229. (Coulston, F.; Korte, F., eds. Ecotoxicology and environmental quality series).

Hammond, P. B. (1982) Clinical significance and biochemical basis of lead toxicity in the world population. In: Prasad, A. S., ed. Clinical, biochemical, and nutritional aspects of trace elements. New York, NY: Alan R. Liss, Inc.; pp. 513-519.

Hammond, P. B. (1982) Exposure to lead. In: Chisholm, J. J., Jr.; O'Hara, D. M., eds. Lead absorption in children. Baltimore, MD: Urban and Schwarzenburg, Inc.; pp. 55-61.

Hammond, P. B.; Aronson, A. L. (1964) Lead poisoning in cattle and horses in the vicinity of a smelter. Ann. N. Y. Acad. Sci. 111: 595-611.

Hammond, P. B.; Aronson, A. L.; Olson, W. C. (1967) The mechanism of mobilization of lead by ethylenediaminetetraacetate. J. Pharmacol. Exp. Ther. 157: 196-206.

Hammond, P. B.; Bornschein, R. L.; Succop, P. (1985) Dose-effect and dose-response relationships of blood lead to erythrocytic protoporphyrin in young children. In: Bornschein, R. L.; Rabinowitz, M. B., eds. The second international conference on prospective studies of lead; April 1984; Cincinnati, OH. Environ. Res. 38: 187-196.

Hammond, P. B.; Bornschein, R. L.; Succop, P. A.; Clark, C. S. (1983) Profiles of lead burdens in early childhood. A longitudinal study in a high risk environment. In: International conference: heavy metals in the environment; September; Heidelberg, West Germany. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 262-268.

Hammond, P. B.; Bornschein, R. L.; Zenick, H. (1984) Toxicological considerations in the assessment of lead exposure. Neurotoxicology 5: 53-66.

Hammond, P. B.; Clark, C. S.; Gartside, P. S.; Berger, O.; Walker, A.; Michael, L. W. (1980) Fecal lead excretion in young children as related to sources of lead in their environments. Int. Arch. Occup. Environ. Health 46: 191-202.

Hammond, P. B.; Hong, C. D.; O'Flaherty, E. J.; Lerner, S. I.; Hanenson, I. B. (1982) The rat as an animal model of lead nephropathy. In: Porter, G., ed. Nephrotoxic mechanisms of drugs and environmental agents. New York, NY: Plenum Press; pp. 267-277.

Hammond, P. B.; Lerner, S. I.; Gartside, P. S.; Hanenson, I. B.; Roda, S. B.; Foulkes, E. C.; Johnson, D. R.; Pesce, A. J. (1980) The relationship of biological indices of lead exposure to the health status of workers in a secondary lead smelter. J. Occup. Med. 22: 475-484.

Hammond, P. B.; Lerner, S. I.; Hong, C. G. (1980) New perspectives on lead. Am. J. Ind. Med. 1: 401-404.

Hammond, P. B.; O'Flaherty, E. J.; Gartside, P. S. (1979) The impact of ambient air lead on uptake and retention of lead in man - a critique of the recent literature. In: International conference: management and control of heavy metals in the environment; September; London, United Kingdom. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 93-94.

Hammond, P. B.; O'Flaherty, E. J.; Gartside, P. S. (1981) The impact of air-lead on blood-lead in man - a critique of the recent literature. Food Cosmet. Toxicol. 19: 631-638.

Hammond, P. B.; O'Flaherty, E. J.; Gartside, P. S. (1982) Impact of air-lead on blood-lead in man [letter]. Food Chem. Toxicol. 20: 493.

Hampp, R.; Lendzian, K. (1974) Effect of lead ions on chlorophyll synthesis. Naturwissenschaften 61: 218-219.

Hampp, R.; Ziegler, H. (1974) Anreicherung von Blei in Schliesszellen [Lead enrichment of constrictor cells]. Naturwissenschaften 61: 326-327.

Hana, A. A. K.; Al-Bassam, K. S. (1983) A survey of lead pollution in Baghdad. Water Air Soil Pollut. 19: 3-14.

Handke, J. L.; Blejer, H. P.; Palmer, A.; Johnson, B. L.; Burg, J. R.; Stringer, W. T.; Infante, P. F.; Cottrill, C. A.; Xintaras, C. (1979) Bunker Hill lead smelter study: a preliminary report. J. Environ. Pathol. Toxicol. 2: 347-348.

Handy, H. L. (1971) Lead as an environmental poison. Clin. Pharmacol. Ther. 12: 982-1002.

Hankin, L.; Heichel, G. H.; Botsford, R. A. (1973) Lead poisoning from colored printing inks: a risk for magazine chewers. Clin. Pediatr. (Philadelphia) 12: 654-655.

Hankin, L.; Heichel, G. H.; Botsford, R. A. (1974) Lead on wrappers of specialty foods as a potential hazard for children. Clin. Pediatr. (Philadelphia) 13: 1064-1065.

Hankin, L.; Heichel, G. H.; Botsford, R. A. (1976) Lead on painted handles of kitchen utensils. Clin. Pediatr. (Philadelphia) 15: 635-636.

Hankin, L.; Heichel, G. H.; Botsford, R. A. (1975) Lead content of pet foods. Bull. Environ. Contam. Toxicol. 13: 630-632.

Hanna, T. L.; Dietzler, D. N.; Smith, C. H.; Gupta, S.; Zarkowsky, H. S. (1976) Erythrocyte porphyrin analysis in the detection of lead poisoning in children: evaluation of four micromethods. Clin. Chem. (Winston-Salem, NC) 22: 161-168.

Hänninen, H.; Mantere, P.; Hernberg, S.; Seppalainan, A. M.; Kock, B. (1979) Subjective symptoms in low-level exposure to lead. Neurotoxicology 1: 333-347.

Hansen, J. C.; Christensen, L. B.; Tarp, U. (1980) Hair lead concentration in children with minimal cerebral dysfunction. Dan. Med. Bull. 27: 259-262.

Hansen, J. C.; Kromann, N.; Wulf, H. C.; Albøge, K. (1983) Human exposure to heavy metals in East Greenland: II. lead. Sci. Total Environ. 26: 245-254.

Hansen, J. P. B.; Døssing, M.; Paulev, P.-E. (1981) Chelatable lead body burden (by calcium-disodium EDTA) and blood lead concentration in man. J. Occup. Med. 23: 39-43.

Hansen, K. S.; Sharp, F. R. (1978) Gasoline sniffing, lead poisoning, and myoclonus. J. Am. Med. Assoc. 240: 1375-1376.

Harada, K.; Miura, H. (1983) An experimental study of a substance resembling tricarboxylic porphyrin in the urine of suffering from experimentally induced lead poisoning. Nippon Eiseigaku Zasshi. 38: 817-822.

Harada, K.; Miura, H. (1984) Free erythrocyte protoporphyrin (FEP) and zinc protoporphyrin (ZnP) as biological parameters for lead poisoning. Int. Arch. Occup. Environ. Health 53: 365-377.

Harary, I.; Berliner, J. (1980) Electron microscopic examination of lead treated L_6 skeletal muscle line cells in culture. J. Environ. Pathol. Toxicol. 4: 305-316.

Harary, I.; Masamitsu, M. (1978) Lead inhibition of the preparation for fusion of the L_6 line of skeletal muscle cells. Dev. Biol. 65: 28-37.

Hardiman, R. T.; Banin, A.; Jacoby, B. (1984) The effect of soil type and degree of metal contamination upon uptake of Cd, Pb and Cu in bush beans (Phaseolus vulgaris L.). Plant Soil 81: 3-15.

Hardiman, R. T.; Jacoby, B.; Banin, A. (1984) Factors affecting the distribution of cadmium, copper and lead and their effect upon yield and zinc content in bush beans (Phaseolus vulgaris L.). Plant Soil 81: 17-27.

Harding, J. P. C.; Whitton, B. A. (1981) Accumulation of zinc, cadmium and lead by field populations of Lemanea. Water Res. 15: 301-319.

Harding, P. (1981) The control of lead: cost benefit analysis. Ann. Occup. Hyg. 24: 147-154.

Hardy, H. L.; Chamberlin, R. I.; Maloof, C. C.; Boylen, G. W., Jr.; Howell, M. C. (1971) Lead as an environmental poison. Clin. Pharmacol. Ther. 12: 982-1002.

Hardy, K. A.; Akselsson, R.; Nelson, J. W.; Winchester, J. W. (1976) Elemental constituents of Miami aerosol as function of particle size. Environ. Sci. Technol. 10: 176-182.

Hare, C. T.; Black, F. M. (1981) Motor vehicle particulate emission factors. Presented at: 74th meeting and exposition of the Air Pollution Control Association; June. Philadelphia, PA: Air Pollution Control Association; paper no. 81-56.5.

Harkov, R. (1981) Long-term trends in ambient lead levels at five locations in New Jersey. J. Air. Pollut. Control Assoc. 31: 783-784.

Harlan, W. R.; Landis, J. R.; Schmouder, R. L.; Goldstein, N. G.; Harlan, L. C. (1984) Blood lead and blood pressure: relationship in the adolescent and adult U.S. population. J. Am. Med. Assoc. 253: 530-534.

Harlan, W. R.; Sharrett, A. R.; Weill, H.; Turino, G. M.; Borhani, N. O.; Resnekov, L. (1981) Impact of the environment on cardiovascular disease: report of the American Heart Association task force on environment and the cardiovascular system. Circulation 63: 242A-271A.

Harley, J. H. (1970) Discussion: sources of lead in perennial ryegrass and radishes. Environ. Sci. Technol. 4: 225.

Harley, N. H.; Kneip, T. H. (1985) An integrated metabolic model for lead in humans of all ages: final report to the U.S. Environmental Protection Agency. Contract no. B44899. New York, NY: New York University School of Medicine, Department of Environmental Medicine.

Harris, J. W.; Greenberg, M. S. (1954) Erythrocyte fragilities in plumbism. Clin. Res. Proc. 2: 55.

Harris, M. R. (1981) Concentration of lead in the atmosphere and soil measured in the vicinity of a secondary lead smelter. Environ. Technol. Lett. 2: 233-242.

Harris, M. R. (1981) Distribution of lead in winter wheat plants grown in the vicinity of a lead smelter. Environ. Technol. Lett. 2: 243-252.

Harris, M. R.; Harrison, S. J.; Lepp, N. W. (1984) Seasonal variations in the metal content of amenity grass and its use as an indicator of reclamation treatment performance. Sci. Total Environ. 34: 267-278.

Harris, P.; Holley, M. R. (1972) Lead levels in cord blood. Pediatrics 49: 606-608.

Harris, R. W.; Elsen, W. R. (1967) Ceramic glaze as a source of lead poisoning. J. Am. Med. Assoc. 202: 208-210.

Harrison, G. E.; Carr, T. E. F.; Sutton, A.; Humphreys, E. R. (1969) Effect of alginate on the absorption of lead in man. Nature (London) 224: 1115-1116.

Harrison, P. R.; Matson, W. R.; Winchester, J. W. (1971) Time variations of lead, copper and cadmium concentrations in aerosols in Ann Arbor, Michigan. Atmos. Environ. 5: 613-619.

Harrison, R. M. (1979) Toxic metals in street and household dusts. Sci. Total Environ. 11: 89-97.

Harrison, R. M.; Biggins, P. D. E. (1979) The speciation and atmospheric chemistry of automotive inorganic lead compounds in urban air. In: International conference: management and control of heavy metals in the environment; September; London, United Kingdom. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 381-385.

Harrison, R. M.; Laxen, D. P. H. (1978) Sink processes for tetraalkyllead compounds in the atmosphere. Environ. Sci. Technol. 12: 1384-1392.

Harrison, R. M.; Laxen, D. P. H. (1980) Physicochemical speciation of lead in drinking water. Nature (London) 286: 791-793.

Harrison, R. M.; Laxen, D. P. H. (1981) Lead pollution: causes and control. New York, NY: Chapman and Hall.

Harrison, R. M.; Laxen, D. P. H. (1981) Measurements of gaseous lead alkyls in polluted atmospheres [letter followed by author's reply]. Atmos. Environ. 15: 422-424.

Harrison, R. M.; Laxen, D. P. H.; Birch, J. (1979) Tetraalkyllead in air: sources, sinks and concentrations. In: International conference: management and control of heavy metals in the environment; September; London, United Kingdom. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 257-261.

Harrison, R. M.; Laxen, D. P. H.; Wilson, S. J. (1981) Chemical associations of lead, cadmium, copper, and zinc in street dusts and roadside soils. Environ. Sci. Technol. 15: 1378-1383.

Harrison, R. M.; Perry, R. (1977) The analysis of tetraalkyl lead compounds and their significance as urban air pollutants. Atmos. Environ. 11: 847-852.

Harrison, R. M.; Perry, R.; Slater, D. H. (1975) The contribution of organic lead compounds to total lead levels in urban atmospheres. In: Recent advances in the assessment of the health effects of environmental pollution: proceedings, international symposium, vol. 3; June 1974; Paris, France. Luxembourg: Commission of the European Communities; pp. 1783-1788.

Harrison, R. M.; Radojević, M. (1985) Determination of tetraalkyl and ionic alkyllead compounds in environmental samples by butylation and gas chromatography-atomic absorption. Environ. Technol. Lett. 6: 129-136.

Harrison, R. M.; Sturges, W. T. (1983) The measurement and interpretation of Br/Pb ratios in airborne particles. Atmos. Environ. 17: 311-328.

Harrison, R. M.; Williams, C. R. (1982) Airborne cadmium, lead and zinc at rural and urban sites in north-west England. Atmos. Environ. 16: 2669-2681.

Harry, G. J.; Toews, A. D.; Krigman, M. R.; Morell, P. (1985) The effect of lead toxicity and milk deprivation on myelination in the rat. Toxicol. Appl. Pharmacol. 77: 458-464.

·t, D.; Graziano, J.; Piomelli, S. (1980) Red blood cell protoporphyrin accumulation in experimental lead poisoning. Biochem. Med. 23: 167-178.

art, D.; Piomelli, S.; Graziano, J. (1978) Time sequence of RBC protoporphyrin (PP) accumulation in lead poisoning. Pediatr. Res. 12: 465.

Hart, M. H.; Smith, J. L. (1979) Effect of vitamin D on lead absorption and retention. Fed. Proc. Fed. Am. Soc. Exp. Biol. 38: 384.

Hart, M. H.; Smith, J. L. (1981) Effect of vitamin D and low dietary calcium on lead uptake and retention in rats. J. Nutr. 111: 694-698.

Harter, R. D. (1983) Effect of soil pH on adsorption of lead, copper, zinc, and nickel. Soil Sci. Soc. Am. J. 47: 47-51.

Hartwell, T. D.; Handy, R. W.; Harris, B. S.; Williams, S. R.; Gehlbach, S. H. (1983) Heavy metal exposure in populations living around zinc and copper smelters. Arch. Environ. Health 38: 284-295.

Harvey, P. G. (1984) Lead and children's health - recent research and future questions. J. Child Psychol. Psychiatr. 25: 517-522.

Harvey, P. G.; Hamlin, M. W.; Kumar, R.; Delves, H. T. (1984) Blood lead, behaviour and intelligence test performance in preschool children. Sci. Total Environ. 40: 45-60.

Hasan, J.; Vihko, V.; Hernberg, S. (1967) Deficient red cell membrane /Na^+ + K^+/-ATPase in lead poisoning. Arch. Environ. Health 14: 313-318.

Hasan, M. Z.; Seth, T. D. (1981) Effect of lead and zinc administration on liver, kidney and brain levels of copper, lead, manganese and zinc and on erythrocyte ALA-D activity in rats. Toxicol. Lett. 7: 353-358.

Haschek, W. M.; Lisk, D. J.; Stehn, R. A. (1979) Accumulations of lead in rodents from two old orchard sites in New York. In: Nielsen, S. W.; Migaki, G.; Scarpelli, D. G., eds. Animals as monitors of environmental pollutants: proceedings of a symposium. Washington, DC: National Academy of Sciences; pp. 192-199.

Haschke, F.; Steffan, I.; Schilling, R.; Schuster, E.; Salzer, H. P. (1985) Lead content of water and of reconstituted infant formula in Vienna. Miner. Electrolyte Metab. 11: 45-51.

Hass, G. M.; Brown, D. V. L.; Eisenstein, R.; Hemmens, A. (1964) Relations between lead poisoning in rabbit and man. Am. J. Pathol. 45: 691-727.

Hass, G. M.; McDonald, J. H.; Oyasu, R.; Battifora, H. A.; Palouchek, J. T. (1967) Renal neoplasia induced by combinations of dietary lead subacetate and N-2-fluorenylacetamide. In: King, J. S., Jr., ed. Renal neoplasia. Boston, MA: Little, Brown and Company; pp. 377-412.

Hassein, K. A.; Coghill, S. B.; Milne, G.; Hopwood, D. (1984) The uptake of lead by small intestine, colon and gallbladder of the guinea pig in vivo. Histochemistry 81: 591-596.

Hasselblad, V. (1981) Modeling dose response relationships for health effects data. In: Environmetrics 81: selected papers; April; Alexandria, VA. Philadelphia, PA: Society for Industrial and Applied Mathematics; pp. 179-194.

Hasselblad, V.; Nelson, W. (1975) Additional analyses of the seven city lead study. In: Griffin, T. B.; Knelson, J. H., eds. Lead. Stuttgart, West Germany: Georg Thieme Publishers; pp. 147-151. (Coulston, F.; Korte, F., eds. Environmental quality and safety: supplement v. 2).

Hasselblad, V.; Stead, A. G.; Galke, W. (1980) Analysis of coarsely grouped data from the lognormal distribution. J. Am. Stat. Assoc. 75: 771-778.

Hassett, J. J.; Miller, J. E. (1977) Uptake of lead by corn from roadside soil samples. Commun. Soil Sci. Plant Anal. 8: 49-55.

Hassett, J. J.; Miller, J. E.; Koeppe, D. E. (1976) Interaction of lead and cadmium on maize root growth and uptake of lead and cadmium by roots. Environ. Pollut. 11: 297-302.

Hastings, L.; Cooper, G. P.; Bornschein, R. L.; Michaelson, I. A. (1977) Behavioral effects of low level neonatal lead exposure. Pharmacol. Biochem. Behav. 7: 37-42.

Hastings, L.; Cooper, G. P.; Bornschein, R. L.; Michaelson, I. A. (1979) Behavioral deficits in adult rats following neonatal lead exposure. Neurobehav. Toxicol. 1: 227-231.

Hastings, L.; Sun, T.-J. (1984) The role of attentional processes in postnatal lead neurotoxicity. Pharmacol. Biochem. Behav. 20: 995.

Hastings, L.; Zenick, H.; Succop, P.; Sun, T. J.; Sekeres, R. (1984) Relationship between hematopoietic parameters and behavioral measures in lead-exposed rats. Toxicol. Appl. Pharmacol. 73: 416-422.

Hattis, D. R.; Goble, R.; Ashford, N. (1982) Airborne lead: a clearcut case of differential protection. Environment 24: 14-42.

Haust, H. L.; Ali, H.; Haines, D. S.; Forret, C. J. (1980) Short-term administration of dimercaptopropanol (BAL) and calcium disodium edetate (EDTA) for diagnostic and therapeutic lead mobilization. Int. J. Biochem. 12: 897-904.

Haust, H. L.; Poon, H. C.; Inwood, M.; O'Hea, E. K.; Haines, D. S. M.; Forret, C. J.; Keys, D. S. (1985) Occupational lead exposure: studies in two brothers showing differential susceptibility to lead. Clin. Biochem. 18: 102-108.

Havelda, C. J.; Sohi, G. S.; Richardson, C. E. (1980) Evaluation of lead, zinc, and copper excretion in chronic moonshine drinkers. South. Med. J. 73: 710-715.

Havránek, E.; Bumbálová, A. (1981) Multielement analysis of air samples determination of iron, zinc, lead, and bromine content by the radionuclide X-ray fluorescence analysis. Chem. Zvesti 35: 57-63.

Havránek, E.; Bumbálová, A.; Dejmkova, E. (1980) Nondestructive determination of airborne lead particulates by the radionuclide X-ray fluorescence analysis. Chem. Zvesti. 34: 373-379.

Hawk, B. A.; Schroeder, S. R.; Robinson, S.; Otto, D. A.; Mushak, P.; Barton, C. N. (1985) Effects of lead on cognitive function of black children from low socioeconomic status (SES) families: a replication. Toxicologist 5: 28.

Hayakawa, K. (1972) Microdetermination and dynamic aspects of in vivo alkyl lead compounds: II. studies on the dynamic aspects of alkyl lead compounds in vivo. Jpn. J. Hyg. 26: 526-535.

Hayashi, M. (1983) Lead toxicity in the pregnant rat: 1. the effect of high-level lead on δ-aminolevulinic acid dehydratase activity in maternal and fetal blood or tissues. Environ. Res. 30: 152-160.

Hayashi, M. (1983) Lead toxicity in the pregnant rat. II. Effects of low-level lead on δ-aminolevulinic acid dehydratase activity in maternal and fetal blood or tissue. Ind. Health 21: 127-135.

Hayashi, M.; Ito, O.; Ohira, S.; Akuzawa, Y. (1982) Transfer of lead and cadmium from cow milk to butter. Bull. Environ. Contam. Toxicol. 29: 658-664.

Healy, M. A.; Aslam, M. (1983) The therapy of lead-induced convulsions. In: International conference: heavy metals in the environment; September; Heidelberg, West Germany. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 616-619.

Healy, M. A.; Aslam, M.; Harrison, P. G.; Fernando, N. P. (1984) Lead-induced convulsions in young infants - a case history and the role of GABA and sodium valproate in the pathogenesis and treatment. J. Clin. Hospital Pharmacy 9: 199-207.

Healy, M. A.; Harrison, P. G.; Aslam, M. (1982) Interactive coupling between lead and phosphoryl systems relevant to the human body. In: Hemphill, D. D., ed. Trace substances in environmental health - XVI: [proceedings of University of Missouri's 16th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 300-304.

Heard, M. J.; Chamberlain, A. C. (1982) Effect of minerals and food on uptake of lead from the gastrointestinal tract in humans. Hum. Toxicol. 1: 411-415.

Heard, M. J.; Chamberlain, A. C. (1983) Uptake of lead by humans and effects of minerals and food. Sci. Total Environ. 30: 245-253.

Heard, M. J.; Chamberlain, A. C. (1984) Uptake of Pb by human skeleton and comparative metabolism of Pb and alkaline earth elements. Health Phys. 47: 857-865.

Heard, M. J.; Wells, A. C.; Newton, D.; Chamberlain, A. C. (1979) Human uptake and metabolism of tetra ethyl and tetra methyl lead vapour labelled with ^{203}Pb. In: International conference: management and control of heavy metals in the environment; September; London, United Kingdom. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 103-108.

Heck, J. D.; Costa, M. (1982) In vitro assessment of the toxicity of metal compounds: I. mammalian cell transformation. Biol. Trace Elem. Res. 4: 71-82.

Heck, J. D.; Costa, M. (1982) In vitro assessment of the toxicity of metal compounds: II. mutagenesis. Biol. Trace Elem. Res. 4: 319-330.

Hecker, L. H.; Allen, H. E.; Dinman, B. D.; Neel, J. V. (1974) Heavy metal levels in acculturated and unacculturated populations. Arch. Environ. Health 29: 181-185.

Hecq, P.; Demuth, C.; Berger, A. (1981) Physical and mathematical simulation of Pb dispersion in and around a Pb industry in a urbanized area. In: 12th international technical meeting on air pollution modeling and its application; August; Menlo Park, CA. Menlo Park, CA: SRI International; pp. 432-448.

Heddle, J. A.; Bruce, W. R. (1977) Comparison of tests for mutagenicity or carcinogenicity using assays for sperm abnormalities, formation of micronuclei, and mutations in Salmonella. In: Hiatt, H. H.; Watson, J. D.; Winsten, J. A., eds. Origins of human cancer. Book C: Human risk assessment. Cold Spring Harbor, NY: Cold Spring Harbor Laboratory; pp. 1549-1557. (Cold Spring Harbor conferences on cell proliferation: v. 4).

Hedley, G.; Lockley, J. C. (1975) Quality of water discharged from an urban motorway. Water Pollut. Control (Don Mills Can.) 74: 659-674.

Heffron, C. L.; Reid, J. T.; Furr, A. K.; Parkinson, T. F.; King, J. M.; Bache, C. A.; St. John, L. E., Jr.; Gutenmann, W. H.; Lisk, D. J. (1977) Lead and other elements in sheep fed colored magazines and newsprint. J. Agric. Food Chem. 25: 657-660.

Heichel, G. H.; Hankin, L. (1976) Roadside coniferous windbreaks as sinks for vehicular lead emissions. J. Air Pollut. Control Assoc. 26: 767-770.

Heidam, N. Z. (1983) Studies of the aerosol in the Greenland atmosphere; SAGA I: results 1979-1980. Roskilde, Denmark: Riso National Laboratory; National Agency of Environmental Protection report no. MST-LUFT-A--73. Available from: NTIS, Springfield, VA; DE84-751004.

Heidorn, K. C.; Rohac, I. Z. (1981) Trends of airborne particulate lead in Ontario: 1971-1979. J. Air Pollut. Control Assoc. 31: 1097-1098.

Heinrichs, H. (1979) Determination of lead in geological and biological materials by graphite furnace atomic absorption spectrometry. Fresenius Z. Anal. Chem. 295: 355-361.

Heinrichs, H. (1982) Trace element discharge from a brown coal fired power plant. Environ. Technol. Lett. 3: 127-136.

Heinrichs, H.; Mayer, R. (1977) Distribution and cycling of major and trace elements in two central European forest ecosystems. J. Environ. Qual. 6: 402-407.

Heinrichs, H.; Mayer, R. (1980) The role of forest vegetation in the biogeochemical cycle of heavy metals. J. Environ. Qual. 9: 111-118.

Heit, M. (1977) A review of current information on some ecological and health related aspects of the release of trace metals into the environment associated with the combustion of coal. New York, NY: Energy Research and Development Administration, Health and Safety Lab. Available from: NTIS, Springfield, VA; HASL-320.

Heit, M.; Klusek, C. (1984) Evidence of deposition of anthropogenic pollutants in remote Rocky Mountain lakes. Water Air Soil Pollut. 22: 403-416.

Hejtmancik, M. R., Jr.; Dawson, E. B.; Williams, B. J. (1982) Tissue distribution of lead in rat pups nourished by lead-poisoned mothers. J. Toxicol. Environ. Health 9: 77-86.

Hejtmancik, M., Jr.; Williams, B. J. (1977) Lead (Pb) exposure and norepinephrine (NE) cardiotoxicity: participation of the vagus nerve. Pharmacologist 19: 134.

Hejtmancik, M., Jr.; Williams, B. J. (1978) Neonatal lead (Pb) exposure and norepinephrine (NE) cardiotoxicity. Pharmacologist 20: 263.

Hejtmancik, M. R., Jr.; Williams, B. J. (1979) Effect of chronic lead exposure on the direct and indirect components of the cardiac response to norepinephrine. Toxicol. Appl. Pharmacol. 51: 239-245.

Hejtmancik, M., Jr.; Williams, B. J. (1979) Time and level of perinatal lead exposure for development of norepinephrine cardiotoxicity. Res. Commun. Chem. Pathol. Pharmacol. 24: 367-376.

Helis, H. M.; de Meester, P.; Hodgson, D. J. (1977) Binding of penicillamine to toxic metal ions: synthesis and structure of potassium(D-penicillaminato)(L-Penicillaminato) cobaltate(III) dihydrate, $K[Co(D\text{-}pen)(L\text{-}pen)]\cdot 2H_2O$. J. Am. Chem. Soc. 99: 3309-3312.

Helmy, M. M.; Lemke, A. E.; Jacob, P. G.; Al-Sultan, Y. Y. (1979) Haematological changes in Kuwait mullet, Liza macrolepis (Smith), induced by heavy metals. Indian J. Mar. Sci. 8: 278-281.

Hem, J. D. (1976) Geochemical controls on lead concentrations in stream water and sediments. Geochim. Cosmochim. Acta 40: 599-609.

Hem, J. D.; Durum, W. H. (1973) Solubility and occurrence of lead in surface water. J. Am. Water Works Assoc. 65: 562-568.

Hemminki, K.; Niemi, M.-L.; Koskinen, K.; Vainio, H. (1980) Spontaneous abortions among women employed in the metal industry in Finland. Int. Arch. Occup. Environ. Health 47: 53-60.

Hemphill, D. D.; Clevenger, T. C. (1979) Dispersion of heavy metals from primary lead smelters and consequent plant uptake. In: International conference: management and control of heavy metals in the environment; September; London, United Kingdom. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 267-270.

Hemphill, F. E.; Kaeberle, M. L.; Buck, W. B. (1971) Lead suppression of mouse resistance to Salmonella typhimurium. Science (Washington, DC) 172: 1031-1032.

Henderson, D. A. (1954) A follow-up of cases of plumbism in children. Australas. Ann. Med. 3: 219-224.

Henderson, D. A.; Inglis, J. A. (1957) The lead content of bone in chronic Bright's disease. Australas. Ann. Med. 6: 145-154.

Henderson, K.; Brooks, A.; Raynesford, A.; Upledger, J. E. (1980) Trace mineral hair analysis in autistic children. J. Am. Osteo. Assoc. 80: 298.

Henderson, M. J.; Toothill, C. (1983) Urinary coproporphyrin in lead intoxication: a study in the rabbit. Clin. Sci. 65: 527-532.

Henderson, R. W.; Andrews, D.; Lightsey, G. R. (1979) Leaching of lead from ceramics. Bull. Environ. Contam. Toxicol. 21: 102-104.

Hennig. (1849/50) Berichte aus deutschen Kliniken und Krankenhäusern [Reports from German clinics and hospitals]. Dtsch. Klin. 1/2: 115-116.

Henning, S. J.; Leeper, L. L. (1984) Effect of cortisone on intestinal uptake of lead in the suckling rat. Biol. Neonate 46: 249-253.

Henning, I.; Clausen, S. (1984) Lead (Pb) in spiders: a possible measure of atmospheric Pb pollution. Environ. Pollut. Ser. B. 8: 217-230.

Heptinstall, R. H. (1974) Pathology of the kidney. 2nd ed., v. 2. Boston, MA: Little, Brown and Company; pp. 1043-1122.

Herber, R. F. M. (1980) Estimation of blood lead values from blood porphyrin and urinary 5-aminolevulinic acid levels in workers. Int. Arch. Occup. Environ. Health 45: 169-179.

Herber, R. F. M.; Sallé, H. J. A. (1978) On the value of 5-aminolevulinic acid dehydratase activity as predictor for lead in blood. Int. Arch. Occup. Environ. Health 41: 147-150.

Herberg, S.; Laamanen, A. (1964) Results of diagnostic lead mobilisation tests in a Finnish series. Ann. Med. Intern. Fenn. 53: 123-128.

Herling, R. J.; Gafford, R. D.; Carlson, R. R.; Lyles, A.; Bradow, R. (1977) Characterization of sulfate and gaseous emissions from California consumer-owned, catalyst-equipped vehicles. From: International automotive engineering congress and exposition; February-March; Detroit, MI. Warrendale, PA: Society of Automotive Engineers, Inc.; SAE paper no. 770062.

Herman, A. W.; McNelles, L. A.; Campbell, J. L. (1973) Choice of physical parameters in charged particle induced X-ray fluorescence analysis. Int. J. Appl. Radiat. Isotop. 24: 677-688.

Herman, Z. S.; Kmieciak-Kolada, K.; Szkilnik, R.; Brus, R.; Ludyga, K.; Winter, R.; Jonek, J.; Konecki, J.; Kusz, J.; Bodziony, J.; Hebrowska, B.; Kaminski, K.; Ostrowska, M.; Wyrebowska, J.; Laskey, J. (1980) Chronic toxicity of lead and cadmium: I. changes in the central nervous system of the parental generation of rats after chronic intoxication with lead and cadmium. Research Triangle Park, NC: U.S. Environmental Protection Agency, Health Effects Research Laboratory; EPA report no. EPA-600/1-80-012. Available from: NTIS, Springfield, VA; PB81-110850.

Herman, Z. S.; Kmieciak-Kolada, K.; Szkilnik, R.; Brus, R.; Jonek, J.J.; Ludyga, K.; Winter, R.; Bodziony, J.; Hebrowska, B.; Kaminski, K.; Piskorska, D.; Wyrebowska, J. (1981) Chronic toxicity of lead and cadmium: II. changes in the central nervous system of the F_1 generation of rats after chronic intoxication with lead and cadmium. Research Triangle Park, NC: U.S. Environmental Protection Agency; EPA report no. EPA-600/1-81-013. Available from: NTIS, Springfield, VA; PB81-150989.

Herman, Z. S.; Kmieciak-Kolada, K.; Szkilnik, R.; Felinska, W.; Slominska Zurek, J.; Bien, B.; Winter, R.; Bodziony, J.; Hebrowska, B.; Kaminski, K.; Piskorska, D.; Wyebowska, J.; Ludyga, K.; Strokowska, M.; Konecki, J.; Kowalczyk, G.; Wolha, M. (1982) Chronic toxicity of lead and cadmium: III. effects of chronic intoxication on the reproductive function of the F_1 generation and on the central nervous system of the F_2 generation of rats. Research Triangle Park, NC: U.S. Environmental Protection Agency, Health Effects Research Laboratory; EPA project summary no. EPA-600/S1-82-006.

Hermann, R.; Neumann-Mahlkau, P. (1985) The mobility of zinc, cadmium, copper, lead, iron and arsenic in ground water as a function of redox potential and pH. Sci. Total Environ. 43: 1-12.

Hernberg, S. (1978) Lead pollution in workroom environments. Presented at: Centro Ceramico problems of lead and fluorine air pollution from industrial sources international conference; January; Bologna, Italy. Bologna, Italy: Centro Ceramico; pp. 203-211.

Hernberg, S. (1980) Biochemical and clinical effects and responses as indicated by blood concentration. In: Singhal, R. I.; Thomas, J. A., eds. Lead toxicity. Baltimore, MD: Urban and Schwarzenberg, Inc.; pp. 367-399.

Hernberg, S. (1983) A decade of occupational health epidemiology in Finland. Lancet (8348): 498-500.

Hernberg, S.; Nikkanen, J. (1970) Enzyme inhibition by lead under normal urban conditions. Lancet 1(7637): 63-64.

Hernberg, S.; Nikkanen, J.; Mellin, G.; Lilius, H. (1970) δ-aminolevulinic acid dehydrase as a measure of lead exposure. Arch. Environ. Health 21: 140-145.

Hernberg, S.; Nurminen, M.; Hasan, J. (1967) Nonrandom shortening of red cell survival times in men exposed to lead. Environ. Res. 1: 247-261.

Hernberg, S.; Seppäläinen, A. M.; Hanninen, H. (1978) Relationship between PbB and effects on the central and peripheral nervous system. Clin. Toxicol. 12: 603-604.

Hernberg, S.; Seppäläinen, A. M.; Mantere, P. (1984) A prospective study on the early neurotoxic effect of lead. Scand. J. Work Environ. Health 10: 130.

Hernberg, S.; Tola, S. (1979) The battle against occupational lead poisoning in Finland: experiences during the 15-year period 1964-1978. Scand. J. Work Environ. Health 5: 336-344.

Hernberg, S.; Veikko, V.; Hasan, J. (1967) Red cell membrane ATPases in workers exposed to inorganic lead. Arch. Environ. Health 14: 319-324.

Herron, M. M.; Langway, C. C., Jr.; Weiss, H. V.; Cragin, J. H. (1977) Atmospheric trace metals and sulfate in the Greenland ice sheet. Geochim. Cosmochim. Acta 41: 915-920.

Hershelman, G. P.; Schafer, H. A.; Jan, T. K.; Young, D. R. (1981) Metals in marine sediments near a large California municipal outfall. Mar. Pollut. Bull. 12: 131-134.

Hershko, C.; Abrahamov, A.; Moreb, J.; Hersh, M.; Shiffman, R.; Shahin, A.; Richter, E. D.; Konijn, A. M.; Weissenberg, E.; Graver, F.; Avni, A.; Shahin, S.; Eisenberg, A.; Yaffe, Y. (1984) Lead poisoning in a West Bank Arab village. Arch. Intern. Med. 144: 1969-1973.

Hershko, C.; Konijn, A. M.; Moreb, J.; Link, G.; Graver, F.; Weissenberg, E. (1984) Iron depletion and blood lead levels in a population with endemic lead poisoning. Isr. J. Med. Sci. 20: 1039-1043.

Hertz, M. M.; Bolwig, T. G.; Grandjean, P.; Westergaard, E. (1981) Lead poisoning and the blood-brain barrier. Acta Neurol. Scand. 63: 286-296.

Hesley, K. L.; Wimbish, G. H. (1981) Blood lead and zinc protoporphyrin in lead industry workers. Am. Ind. Hyg. Assoc. J. 42: 42-46.

Hessel, D. W. (1968) A simple and rapid quantitative determination of lead in blood. At. Absorp. Newsl. 7: 55-56.

Hewitt, C. N. (1984) Environmental monitoring and assessment of the demolition of a lead works. Environ. Technol. Lett. 5: 397-402.

Hewitt, C. N.; Harrison, R. M.; De Mora, S. J. (1984) Comment on the atmospheric distribution of lead over a number of marine regions. Mar. Chem. 15: 189-190.

Heyder, J.; Armbruster, L.; Gebhart, J.; Grein, E.; Stahlhofen, W. (1975) Total deposition of aerosol particles in the human respiratory tract for nose and mouth breathing. J. Aerosol Sci. 6: 311-328.

Heywood, R.; James, R. W.; Pulsford, A. H.; Sortwell, R. J.; Barry, P. S. I. (1979) Chronic oral administration of alkyl lead solutions to the rhesus monkey. Toxicol. Lett. 4: 119-125.

Heywood, R.; James, R. W.; Sortwell, R. J.; Prentice, D. E.; Barry, P. S. I. (1978) The intravenous toxicity of tetra-alkyl lead compounds in rhesus monkeys. Toxicol. Lett. 2: 187-197.

Heyworth, F.; Spickett, J.; Dick, M.; Margetts, B.; Armstrong, B. (1981) Tailings from a lead mine and lead levels in schoolchildren: a preliminary report. Med. J. Aust. 2: 232-234.

Hiasa, Y.; Ohshima, M.; Yoshiteru, K.; Fujita, T.; Yuasa, T.; Miyashiro, A. (1983) Basic lead acetate: promoting effect on the development of renal tubular cell tumors in rats treated with N-ethyl-N-hydroxyethylnitrosamine. J. Natl. Cancer Inst. 70: 761-765.

Hibben, C. R.; Hagar, S. S.; Mazza, C. P. (1984) Comparison of cadmium and lead content of vegetable crops grown in urban and suburban gardens. Environ. Pollut. Ser. B 7: 71-80.

Hickey, M. G.; Kittrick, J. A. (1984) Chemical partitioning of cadmium, copper, nickel and zinc in soils and sediments containing high levels of heavy metals. J. Environ. Qual. 13: 372-376.

Hickman, J. R.; McBain, D. C.; Armstrong, V. C. (1982) The contribution of drinking water to exposure to toxic substances in Canada. Environ. Monit. Assess. 2: 71-83.

Hicks, B. B.; Wesely, M. L.; Durham, J. L. (1980) Critique of methods to measure dry deposition: workshop summary. Research Triangle Park, NC: U.S. Environmental Protection Agency, Environmental Sciences Research Laboratory; EPA report no. EPA-600/9-80-050. Available from NTIS, Springfield, VA; PB81-126443.

Hicks, J. M.; Gutierrez, A. N.; Worthy, B. E. (1973) Evaluation of the Delves micro system for blood lead analysis. Clin. Chem. (Winston-Salem, NC) 19: 322-325.

Hicks, R. M. (1972) Air-borne lead as an environmental toxin: a review. Chem. Biol. Interact. 5: 361-390.

Hietanen, E.; Aitio, A.; Koivusaari, U.; Kilpiö, J.; Nevalainen, T.; Närhi, M,; Savolainen, H.; Vainio, H. (1982) Tissue concentrations and interaction of zinc with lead toxicity in rabbits. Toxicology 25: 113-127.

Hietanen, E.; Kilpiö, J.; Koivusaari, U.; Nevalainen, T.; Narhi, M.; Savolainen, H.; Vainio, H. (1980) Neurotoxicity of lead in rabbits. Dev. Toxicol. Environ. Sci. 8: 67-70.

Hilbelink, D. R. (1980) Caudal dysplasia: an animal model in the cadmium-lead treated golden hamster. Teratology 21: 44A.

Hilburn, M. E. (1979) Environmental lead in perspective. Chem. Soc. Rev. 8: 63-84.

Hilburn, M. E.; Coleman, I. P. L.; Blair, J. A. (1980) Factors influencing the transport of lead across the small intestine of the rat. Environ. Res. 23: 301-308.

Hilderbrand, D. C.; Der, R.; Griffin, W. T.; Fahim, M. S. (1973) Effect of lead acetate on reproduction. Am. J. Obstet. Gynecol. 115: 1058-1065.

Hill, C. H. (1980) Interactions of vitamin C with lead and mercury. Ann. N. Y. Acad. Sci. 355: 262-266.

Hinderberger, E. J.; Kaiser, M. L.; Koirtyohann, S. R. (1981) Furnace atomic absorption analysis of biological samples using the L'vov platform and matrix modification. At. Spectrosc. 2: 1-7.

Hine, C. H.; Lewis, H. A.; Northrup, J.; Hall, S.; Embree, J. W. (1981) Kidney function in lead workers. In: Lynam, D. R.; Piantanida, L. G.; Cole, J. F., eds. Environmental lead: proceedings of the second international symposium on environmental lead research; December 1978; Cincinnati, OH. New York, NY: Academic Press; pp. 231-252. (Coulston, F.; Korte, F., eds. Ecotoxicology and environmental quality series).

Hinton, D. E.; Heatfield, B. M.; Lipsky, M. M.; Trump, B. F. (1980) Animal model: chemically induced renal tubular carcinoma in rats. Am. J. Pathol. 100: 317-320.

Hinton, D. E.; Lipsky, M. M.; Heatfield, B. M.; Trump, B. F. (1979) Opposite effects of lead on chemical carcinogenesis in kidney and liver of rats. Bull. Environ. Contam. Toxicol. 23: 464-469.

Hiraide, M.; Mizutani, J.; Miziuke, A. (1983) Rapid separation by flotation of suspended solids in fresh waters for the determination of adsorbed heavy metals. Anal. Chim. Acta 151: 329-337.

Hirano, A.; Iwata, M. (1979) Neuropathology of lead intoxication. In: Vinken, P. J.; Bruyn, G. W., eds. Handbook of clinical neurology. Vol. 36: Intoxications of the nervous system. Amsterdam, The Netherlands: Elsevier/North-Holland Biomedical Press; pp. 35-64.

Hirano, A.; Kochen, J. A. (1973) Neurotoxic effects of lead in the chick embryo. Lab. Invest. 29: 659-668.

Hirao, Y.; Fukumoto, K.; Sugisaki, H.; Kimura, K. (1979) Determination of lead in seawater by furnace atomic absorption spectrometry after concentration with yield tracer. Anal. Chem. 51: 651-653.

Hirao, Y.; Matsumoto, E.; Todoroki, H.; Imamura, T.; Fukuda, E.; Kimura, K. (1983) Record of lead pollution in sediments of the Tokyo Bay, Japan. Geochem. J. 17: 19-27.

Hirao, Y.; Patterson, C. C. (1974) Lead aerosol pollution in the High Sierra overrides natural mechanisms which exclude lead from a food chain. Science (Washington, DC) 184: 989-992.

Hirsch, G. H. (1973) Effect of chronic lead treatment on renal function. Toxicol. Appl. Pharmacol. 25: 84-93.

Hirsch, R. S.; McClure, J.; Vernon-Roberts, B. (1984) Induction and characterisation of local (simple) calcergy in granulation tissue in the rat by lead acetate injection into polyurethane sponges. Aust. J. Exp. Biol. Med. Sci. 62: 727-742.

Hirsch, R. S.; McClure, J.; Vernon-Roberts, B.; Smith, K. (1985) A study of calcergy in the rat induced by the implantation of polyurethane sponges soaked in lead acetate. Aust. J. Exp. Biol. Med. Sci. 63: 249-260.

Hirschler, D. A.; Gilbert, L. F. (1964) Nature of lead in automobile exhaust gas. Arch. Environ. Health 8: 297-313.

Hirschler, D. A.; Gilbert, L. F.; Lamb, F. W.; Niebylski, L. M. (1957) Particulate lead compounds in automobile exhaust gas. Ind. Eng. Chem. 49: 1131-1142.

Hjelle, J. J.; Kemal, M.; Poklis, A. (1978) Effects of acute inorganic lead administration on *in vivo* drug metabolism and cytochrome P-450 in the rat. Toxicol. Lett. 2: 361-364.

Hjelle, J. J.; Poklis, A.; Fischer, V. W. (1982) The effect of inorganic lead on hepatic biochemical and ultrastructural changes produced by phenobarbital. Toxicol. Lett. 10: 101-108.

Ho, Y. B. (1979) Lead contamination in street dust in Hong Kong. Bull. Environ. Contam. Toxicol. 21: 639-642.

Hodges, D. J.; Skelding, D. (1981) Determination of lead in urine by atomic-absorption spectroscopy with electrothermal atomisation. Analyst (London) 106: 299-304.

Hödrejärv, H.; Ott, R. (1983) On the occurrence of heavy metals in elks (*Alces alces*). In: International conference: heavy metals in the environment; September; Heidelberg, West Germany. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 533-536.

Hodson, P. V. (1979) Factors affecting the sublethal toxicity of lead to fish. In: International conference: management and control of heavy metals in the environment; September; London, United Kingdom. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 135-138.

Hodson, P. V.; Blunt, B. R.; Jensen, D.; Morgan, S. (1979) Effect of fish age on predicted and observed chronic toxicity of lead to rainbow trout in Lake Ontario water. J. Great Lakes Res. 5: 84-89.

Hodson, P. V.; Blunt, B. R.; Spry, D. J. (1978) pH-induced changes in blood lead of lead-exposed rainbow trout (*Salmo gairdneri*). J. Fish. Res. Board Can. 35: 437-445.

Hodson, P. V.; Blunt, B. R.; Spry, D. J. (1978) Chronic toxicity of water-borne and dietary lead to rainbow trout (Salmo gairdneri) in Lake Ontario water. Water Res. 12: 869-878.

Hodson, P. V.; Blunt, B. R.; Spry, D. J.; Austen, K. (1977) Evaluation of erythrocyte δ-amino levulinic acid dehydratase activity as a short-term indicator in fish of a harmful exposure to lead. J. Fish. Res. Board Can. 34: 501-508.

Hodson, P. V.; Hilton, J. W.; Blunt, B. R.; Slinger, S. J. (1980) Effects of dietary ascorbic acid on chronic lead toxicity to young rainbow trout Salmo gairdneri. Can. J. Fish. Aquat. Sci. 37: 170-176.

Hodson, P. V.; Spry, D. J. (1985) Effect of sulfite dechlorination on the accumulation of waterborne lead by rainbow trout (Salmo gairdneri). Can. J. Fish. Aquat. Sci. 42: 841-844.

Hoffer, B.; Olson, L.; Björklund, H.; Henschen, A.; Palmer, M. (1984) Some toxic effects of lead and other metals in the nervous system: in oculo experimental models. In: Narahashi, T., ed. Cellular and molecular neurotoxicology. New York, NY: Raven Press; pp. 141-152.

Hoffman, D. J.; Franson, J. C.; Pattee, O. H.; Bunck, C. M.; Murray, H. C. (1985) Biochemical and hematological effects of lead ingestion in nestling American kestrels (Falco sparverius). Comp. Biochem. Physiol. 80C: 431-439.

Hoffman, D. J.; Niyogi, S. K. (1977) Metal mutagens and carcinogens affect RNA synthesis rates in a distinct manner. Science (Washington, DC) 198: 513-514.

Hoffman, D. J.; Pattee, O. H.; Wiemeyer, S. N.; Mulhern, B. (1981) Effects of lead shot ingestion on δ-aminolevulinic acid dehydratase activity, hemoglobin concentration, and serum chemistry in bald eagles. J. Wildl. Dis. 17: 423-431.

Hoffmann, E. O.; Di Luzio, N. R.; Holper, K.; Brettschneider, L.; Coover, J. (1974) Ultrastructural changes in the liver of baboons following lead and endotoxin administration. Lab. Invest. 30: 311-319.

Hoffmann, E. O.; Trejo, R. A.; Di Luzio, N. R.; Lamberty, J. (1972) Ultrastructural alterations of liver and spleen following acute lead administration in rats. Exp. Mol. Pathol. 17: 159-170.

Hoffmann, M.; Hagberg, S.; Karlsson, A.; Nilsson, R.; Ranstam, J.; Högstedt, B. (1984) Inorganic lead exposure does not effect [sic] lymphocyte micronuclei in car radiator repair workers. Hereditas 101: 223-226.

Hofreuter, D. H.; Catcott, E. J.; Keenan, R. G.; Xintaras, C. (1961) The public health significance of atmospheric lead. Arch. Environ. Health 3: 568-574.

Hofschreuder, P.; Harssema, H.; Brunekreef, B. (1981) Dispersion and deposition of lead from motor exhausts and its effect on vegetables grown along a highway. In: Stoeber, W.; Hochrainer, D., eds. Aerosols in science, medicine and technology-aerosols in and from industrial processes: proceedings of the 9th conference; September; Duisburg, West Germany. Schmallenberg, West Germany: Gesellschaft fuer Schmallenberg; pp. 98-103.

Hofstein, H.; Kohlmann, H. J. (1982) An investigation of foreign by-product coke plant and blast furnace wastewater control technology and regulation. Research Triangle Park, NC: U.S. Environmental Protection Agency, Industrial Environmental Research Laboratory; EPA project summary report no. EPA-600/S2-81-245. Available from: NTIS, Springfield, VA; PB82-221771.

Hogan, G. D.; Wotton, D. L. (1984) Pollutant distribution and effects in forests adjacent to smelters. J. Environ. Qual. 13: 377-382.

Hogan, G. R. (1980) Effects of ovariectomy and orchiectomy on lead-induced mortality in rats. Environ. Res. 21: 314-316.

Hogan, G. R. (1982) Variation of lead-induced lethality in estradiol-treated mice. J. Toxicol. Environ. Health 9: 353-357.

Hogan, G. R.; Adams, D. P. (1979) Lead-induced leukocytosis in female mice. Arch. Toxicol. 41: 295-300.

Hoggan, M. C.; Davidson, A.; Brunelle, M. F.; Nevitt, J. S.; Gins, J. D. (1978) Motor vehicle emissions and atmospheric lead concentrations in the Los Angeles area. J. Air Pollut. Control Assoc. 28: 1200-1206.

Högstedt, B.; Kolnig, A. M.; Mitelman, F.; Schütz, A. (1979) Correlation between blood-lead and chromosomal aberrations [letter]. Lancet 2(8136): 262.

Hogstedt, C.; Hane, M.; Agrell, A.; Bodin, L. (1983) Neuropsychological test results and symptoms among workers with well-defined long-term exposure to lead. Br. J. Ind. Med. 40: 99-105.

Høiland, K.; Oftedal, P. (1980) Lead-tolerance in Deschampsia flexuosa from a naturally lead polluted area in S Norway. Oikos 34: 168-172.

Holak, W. (1980) Analysis of foods for lead, cadmium, copper, zinc, arsenic, and selenium, using closed system sample digestion: collaborative study. J. Assoc. Off. Anal. Chem. 63: 485-495.

Holcombe, G. W.; Benoit, D. A.; Leonard, E. N.; McKim, J. M. (1976) Long-term effects of lead exposure on three generations of brook trout (Salvelinus fontinalis). J. Fish. Res. Board Can. 33: 1731-1741.

Hole, K.; Dahle, H.; Klove, H. (1979) Lead intoxication as an etiologic factor in hyperkinetic behavior in children: a negative report. Acta Paediatr. Scand. 68: 759-760.

Holleman, J. W.; Hammons, A. S. (1978) Levels of chemical contaminants in nonoccupationally exposed U.S. residents. Oak Ridge, TN: Oak Ridge National Lab. Available from: NTIS, Springfield, VA; ORNL/EIS-142.

Holm, J. (1979) Blei- und Cadmiumbelastungen in Fleisch- und Organproben bei Pferden und mögliche Gesundheitsschädliche Wirkungen für den Verbraucher [Lead and cadmium content in meat and organ tests of horses and possible noxious effects for the consumer]. Fleischwirtschaft 59: 736-738.

Holmes, C. W.; Martin, E. A. (1977) Migration of anthropogenically induced trace metals (barium and lead) in a continental shelf environment. In: Joint conference on sensing of environmental pollutants, 4th; November; New Orleans, LA. Washington, DC: American Chemical Society; pp. 672-676.

Holtzman, D.; DeVries, C.; Nguyen, H.; Olson, J.; Bensch, K. (1984) Maturation of resistance to lead encephalopathy: cellular and subcellular mechanisms. Neurotoxicology 5: 97-124.

Holtzman, D.; Herman, M. M.; Shen Hsu, J.; Mortell, P. (1980) The pathogenesis of lead encephalopathy: effects of lead carbonate feedings on morphology, lead content, and mitochondrial respiration in brains of immature and adult rats. Virchows Arch. A: Pathol. Anat. Histol. 387: 147-164.

Holtzman, D.; Obana, K.; Olson, J. (1980) Ruthenium red inhibition of in vitro lead effects on brain mitochondrial respiration. J. Neurochem. 34: 1776-1778.

Holtzman, D.; Shen Hsu, J. (1976) Early effects of inorganic lead on immature rat brain mitochondrial respiration. Pediatr. Res. 10: 70-75.

Holtzman, D.; Shen Hsu, J.; Desautel, M. (1981) Absence of effects of lead feedings and growth-retardation on mitochondrial and microsomal cytochromes in the developing brain. Toxicol. Appl. Pharmacol. 58: 48-56.

Holtzman, D.; Shen Hsu, J.; Mortell, P. (1977) Effects of inorganic lead on isolated rat brain mitochondrial respiration. Pediatr. Res. 11: 407.

Holtzman, D.; Shen Hsu, J.; Mortell, P. (1978) In vitro effects of inorganic lead on isolated rat brain mitochondrial respiration. Neurochem. Res. 3: 195-206.

Holtzman, D.; Shen Hsu, J.; Mortell, P. (1978) The pathogenesis of lead encephalopathy in the rat pup: effects of maternal $PbCO_3$ feedings from birth. Pediatr. Res. 12: 1077-1082.

Holtzman, R. B. (1978) Application of radiolead to metabolic studies. In: J. O. Nriagu, ed. The biogeochemistry of lead in the environment; part B. biological effects. Amsterdam, The Netherlands: Elsevier/North-Holland Biomedical Press; pp. 37-96. (Topics in environmental health: v. 1B).

Holtzman, R. B.; Lucas, H. F., Jr.; Ilcewicz, F. H. (1969) The concentration of lead in human bone. In: Radiological physics division annual report; July 1968-June 1969; Argonne, IL.: Argonne National Laboratory; pp. 43-49; report no. ANL-7615. Available from: NTIS, Springfield, VA; ANL-7615.

Homer, J. R.; Cotton, R.; Evans, E. H. (1979) The effects of lead on whole-leaf photosynthesis determined by fluorescence measurements. Biochem. Soc. Trans. 7: 1259-1260.

Homer, J. R.; Cotton, R.; Evans, E. H. (1981) Changes in photosystem 2 activity associated with plant tolerance to lead. Plant Sci. Lett. 21: 269-274.

Homma, K.; Kawai, K.; Nozaki, K. (1979) Metal-fume generation and its application to inhalation experiments. In: Willeke, K., ed. Generation of aerosols and facilities for exposure experiments: symposium of the American Chemical Society/Chemical Society of Japan Congress; April; Honolulu, HI. Ann Arbor MI: Ann Arbor Science Publishers, Inc.; pp. 361-377.

Honda, K.; Nasu, T.; Tatsukawa, R. (1984) Metal distribution in the earthworm, Pheretima hilgendorfi, and their variations with growth. Arch. Environ. Contam. Toxicol. 13: 427-432.

Honda, K.; Sahrul, M.; Hidaka, H.; Tatsukawa, R. (1983) Organ and tissue distribution of heavy borchgrevinski. Biol. Chem. 47: 2521-2532.

Honda, K.; Tatsukawa, R.; Itano, K.; Miyazaki, N.; Fujiyama, T. (1983) Heavy metal concentrations in muscle, liver and kidney tissue of striped dolphin, Stenella coeruleoalba, and their variations with body length, weight, age and sex. Agric. Biol. Chem. 47: 1219-1228.

Hong, C. D.; Hanenson, I. G.; Lerner, S.; Hammond, P. B.; Pesce, A. J.; Pollak, V. E. (1980) Occupational exposure to lead: effects on renal function. Kidney Int. 18: 489-494.

Hong, C. D.; Pollak, V. E.; Pesce, A. J.; Hanenson, I. B.; Brooks, S. (1978) Proximal renal tubular dysfunction in asymptomatic occupational lead (Pb) poisoning. Kidney Int. 14: 654. Also in: Clin. Res. 26: 690A.

Hong, J.-S.; Tilson, H. A.; Hudson, P.; Ali, S. F.; Wilson, W. E.; Hunter, V. (1983) Correlation of neurochemical and behavioral effects of triethyl lead chloride in rats. Toxicol. Appl. Pharmacol. 69: 471-479.

Hooghiemstra, J. S.; Harssema, H.; Hofschreuder, P. (1984) Emission, dispersion and deposition of automotive pollutants - preliminary communication. Sci. Total Environ. 33: 141-145.

Hooghiemstra-Tielbeek, M.; Keizer, M. G.; de Haan, F. A. M. (1983) Displacement of lead from polluted top soil by treatment with HCl or $FeCl_3$. Neth. J. Agric. Sci. 31: 189-199.

Hopkin, S. P.; Martin, M. H. (1983) Heavy metals in the centipede Lithobius variegatus (Chilopoda). Environ. Pollut. Ser. B 6: 309-318.

Hopkin, S. P.; Martin, M. H. (1984) Assimilation of zinc, cadmium, lead and copper by the centipede Lithobius variegatus (Chilopoda). J. Appl. Ecol. 21: 535-546.

Hopkins, A. (1970) Experimental lead poisoning in the baboon. Br. J. Ind. Med. 27: 130-140.

Hopkins, D. R.; Houk, V. N. (1976) Federally-assisted screening projects for childhood lead poisoning control: the first three years (July 1972-June 1975). Am. J. Public Health 66: 485-486.

Hopper, J. L.; Balderas, A.; Mathews, J. D. (1982) Analysis of variation in blood lead levels in Melbourne families. Med J. Aust. 2: 573-576.

Hopper, J. L.; Mathews, J. D. (1983) Extensions to multivariate normal models for pedigree analysis: II. modeling the effect of shared environment in the analysis of variation in blood lead levels. Am. J. Epidemiol. 117: 344-355.

Hopps, H. C. (1974) The biologic bases for using hair and nail for analyses of trace elements. In: Hemphill, D. D., ed. Trace substances in environmental health - VIII: [proceedings of University of Missouri's 8th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 59-73.

Horiguchi, S.; Nakano, H.; Shinagawa, K.; Teramoto, K.; Kiyota, I.; Karai, I. (1977) A long-term health examination upon lead arsenate workers in an insecticides factory (Studies on lead arsenate poisoning, Part 2). Osaka City Med. J. 23: 99-102.

Horiguchi, S.; Teramoto, K.; Nakano, H.; Shinagawa, K.; Endo, G.; Kiyota, I. (1974) Osmotic fragility test of red blood cells of lead workers by coil planet centrifuge. Osaka City Med. J. 20: 51-53.

Horiguchi, S.; Utsunomiya, T. (1973) An estimate of the body burden of lead in the healthy Japanese population: an attempt to assume absorption and excretion of lead in the healthy Japanese population, part 2. Osaka City Med. J. 19: 1-5.

Horiuchi, K.; Horiguchi, S.; Suekane, M. (1959) Studies on the industrial lead poisoning. 1: Absorption, transportation, deposition and excretion of lead. 6: The lead contents in organ-tissues of the normal Japanese. Osaka City Med. J. 5: 41-70.

Horn, J. (1970) Isolation and examination of inclusion bodies in the rat kidney after chronic lead poisoning. Virchows Arch. B 6: 313-317.

Horvat, D. J.; Prpić-Majić, D. (1978) Cytogenetic and biochemical study of lead-exposed population. Mutat. Res. 53: 200-201.

Houba, C.; Remacle, J.; Dubois, D.; Thorez, J. (1983) Factors affecting the concentrations of cadmium, zinc, copper and lead in the sediments of the Vesdre River. Water Res. 17: 1281-1286.

Houk, V. N. (1980) Implications of newer data for screening and evaluation of children. In: Needleman, H. L., ed. Low level lead exposure: the clinical implications of current research. New York, NY: Raven Press; pp. 231-237.

Hovmand, M. F. (1980) Atmospheric long range transport of lead to Denmark. Tellus 32: 42-47.

Howard, J. K. (1978) Interrelationships of glutathione reductase, 5-aminolevulinic acid dehydratase, and free sulfhydryl groups in the erythrocytes of normal and lead-exposed persons. J. Toxicol. Environ. Health 4: 51-57.

Howell, R. (1984) Acute toxicity of heavy metals to two species of marine nematodes. Mar. Environ. Res. 11: 153-161.

Hower, J.; Prinz, B.; Gono, E. (1976) Die Bedeutung der Bleiimmissionsbelastung für Schwangere und Neugeborene im Ruhrgebiet; II. Mitteilung [The importance of lead pollution for pregnant women and the newborn in the Ruhr area; II. Communication]. Zentralbl. Bakteriol. Parasitenkd. Infektionskrankh. Hyg. Abt. 1 Orig. Reihe B 162: 70-76.

Hrdina, P. O.; Hanin, I.; Dubas, T. C. (1980) Neurochemical correlates of lead toxicity. In: Singhal, P. L.; Thomas, J. A., eds. Lead toxicity. Baltimore, MD: Urban and Schwarzenberg, Inc.; pp. 273-300.

Hrsak, J.; Fugas, M. (1979) Distribution of particulate lead, zinc and cadmium around a lead smeltery. In: International conference: management and control of heavy metals in the environment; September; London, United Kingdom. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 584-587.

Hsu, F. S.; Krook, L.; Pond, W. G.; Duncan, J. R. (1975) Interactions of dietary calcium with toxic levels of lead and zinc in pigs. J. Nutr. 105: 112-118.

Hsu, J. M. (1981) Lead toxicity as related to glutathione metabolism. J. Nutr. 111: 26-33.

Htun, M. N.; Ramachandran, P. N. (1977) An investigation of blood lead content and atmospheric lead levels in Bangkok. Water Air Soil Pollut. 7: 79-93.

Huat, L. H.; Zakariya, D.; Eng, K. H. (1983) Lead concentrations in breast milk of Malaysian urban and rural mothers. Arch. Environ. Health 38: 205-209.

Hubermont, G.; Buchet, J.-P.; Roels, H.; Lauwerys, R. (1976) Effect of short-term administration of lead to pregnant rats. Toxicology 5: 379-384.

Hubermont, G.; Buchet, J.-P.; Roels, H.; Lauwerys, R. (1978) Placental transfer of lead, mercury and cadmium in women living in a rural area: importance of drinking water in lead exposure. Int. Arch. Occup. Environ. Health 41: 117-124.

Hubert, J. S.; Candelaria, R. M.; Rosenblum, B.; Applegate, H. G. (1981) A survey of ambient air levels of lead in El Paso, Texas from 1972-1979. J. Air Pollut. Control Assoc. 31: 259-261.

Hudson, J. L.; Stukel, J. J.; Solomon, R. L.; (1975) Measurement of the ambient lead concentration in the vicinity of Urbana-Champaign, Illinois. Atmos. Environ. 9: 1000-1006.

Huel, G.; Boudene, C.; Ibrahim, M. A. (1981) Cadmium and lead content of maternal and newborn hair: relationship to parity, birth weight, and hypertension. Arch. Environ. Health 36: 221-227.

Hughes, M. K. (1981) Cycling of trace metals in ecosystems. In: Lepp, N. W., ed. Effect of heavy metal pollution on plants. Vol. 1: effects of trace metals on plant function. Barking, United Kingdom: Applied Science Publishers, Ltd.; pp. 95-118. (Mellanby, K., ed. Pollution monitoring series).

Hughes, T. J.; Pellizzari, E.; Little, L.; Sparacino, C.; Kolber, A. (1980) Ambient air pollutants: collection, chemical characterization and mutagenicity testing. Mutat. Res. 76: 51-83.

Huguet, J. M.; Braun, J. P.; Burgat-Sacaze, V.; Benard, P.; Rico, A. G. (1982) Acute kidney disturbances by lead acetate in the rat. Toxicol. Lett. 10: 395-398.

Hulse, M.; Mahoney, J. S.; Schroder, G. D.; Hacker, C. S.; Pier, S. M. (1980) Environmentally acquired lead, cadmium, and manganese in the cattle egret, Bubulcus ibis, and the laughing gull, Larus atricilla. Arch. Environ. Contam. Toxicol. 9: 65-78.

Human Nutrition Information Service. (1983) Food consumption: households in the United States, seasons and year 1977-78; nationwide food consumption survey 1977-78. Washington, DC: U.S. Department of Agriculture; NFCS 1977-78 report no. H-6. Available from: GPO, Washington, DC; S/N 001-000-04335-8.

Hung, I. J. (1980) Lead poisoning in two families. J. Formosan Med. Assoc. 79: 740-748.

Hungspreugs, M.; Silpipat, S.; Tonapong, C.; Lee, R. F.; Windom, H. L.; Tenore, K. R. (1984) Heavy metals and polycyclic hydrocarbon compounds in benthic organisms of the Upper Gulf of Thailand. Mar. Pollut. Bull. 15: 213-218.

Hungspreugs, M.; Yuangthong, C. (1984) The present levels of heavy metals in some molluscs of the Upper Gulf of Thailand. Water Air Soil Pollut. 22: 395-402.

Hunt, A.; Jones, J.; Oldfield, F. (1984) Magnetic measurements and heavy metals in atmospheric particulates of anthropogenic origin. Sci. Total Environ. 33: 129-139.

Hunt, T. J.; Hepner, R.; Seaton, K. W. (1982) Childhood lead poisoning and inadequate child care. Am. J. Dis. Child. 136: 538-542.

Hunter, J. M. (1977) The summer disease: an integrative model of the seasonality aspects of childhood lead poisoning. Soc. Sci. Med. 11: 691-703.

Hunter, J. M. (1978) The summer disease: some field evidence on seasonality in childhood lead poisoning. Soc. Sci. Med. 12: 85-94.

Huntzicker, J. J.; Friedlander, S. K.; Davidson, C. I. (1975) Material balance for automobile-emitted lead in Los Angeles basin. Environ. Sci. Technol. 9: 448-457.

Hursh, J. B. (1973) Retention of ^{210}Pb in beagle dogs. Health Phys. 25: 29-35.

Hursh, J. B.; Mercer, T. T. (1970) Measurement of ^{212}Pb loss rate from human lungs. J. Appl. Physiol. 28: 268-274.

Hursh, J. B.; Schraub, A.; Sattler, E. L.; Hofmann, H. P. (1969) Fate of ^{212}Pb inhaled by human subjects. Health Phys. 16: 257-267.

Hursh, J. B.; Suomela, J. (1968) Absorption of ^{212}Pb from the gastrointestinal tract of man. Acta Radiol. 7: 108-120.

Hutchinson, T. C. (1980) Effects of acid leaching on cation loss from soils. In: Hutchinson, T. C.; Havas, M., eds. Effects of acid precipitation on terrestrial ecosystems: North Atlantic Treaty Organization conference on effects of acid precipitation on vegetation and soils; May 1978; Toronto, ON, Canada. New York, NY: Plenum Press; pp. 481-497.

Hutchinson, T. C.; Whitby, L. M. (1973) A study of airborne contamination of vegetation and soils by heavy metals from the Sudbury, Ontario, copper-nickel smelters. In: Hemphill, D. D., ed. Trace substances in environmental health - VII: [proceedings of University of Missouri's 7th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 179-189.

Hutchison, F.; Wai, C. M. (1979) Cadmium, lead, and zinc in reclaimed phosphate mine waste dumps in Idaho. Bull. Environ. Contam. Toxicol. 23: 377-380.

Hutchison, F.; Wai, C. M.; Jernegan, M.; Hicks, W.; Long, R. (1979) Distribution of cadmium, lead and zinc in soil around two phosphate processing plants in Pocatello, Idaho. Bull. Environ. Contam. Toxicol. 22: 426-429.

Hutton, M. (1980) Metal contamination of feral pigeons Columba livia from the London area: part 2-biological effects of lead exposure. Environ. Pollut. Ser. A 22: 281-293.

Hutton, M. (1983) The effects of environmental lead exposure and in vitro zinc on tissue δ-aminolevulinic acid dehydratase in urban pigeons. Comp. Biochem. Physiol. 74C: 441-446.

Hutton, M.; Goodman, G. T. (1980) Metal contamination of feral pigeons Columba livia from the London area: part 1-tissue accumulation of lead, cadmium and zinc. Environ. Pollut. Ser. A 22: 207-217.

Huybreghts, G.; Vanderborght, O. L. J. (1979) Mobilisation of radioactive ^{210}Pb from the skeletons of mice. In: Hemphill, D. D., ed. Trace substances in environmental health - XIII: [proceedings of University of Missouri's 13th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 439-445.

Hyland, K.; McBrien, D. C. H. (1979) The effect of lead nitrate on purified pig heart pyruvate dehydrogenase. Biochem. Soc. Trans. 7: 1124-1126.

Hyvärinen, H.; Sipilä, T. (1984) Heavy metals and high pup mortality in the Saimaa ringed seal population in eastern Finland. Mar. Pollut. Bull. 15: 335-337.

Iannaccone, A.; Boscolo, P.; Cavallotti, C. (1978) Glucose-6-phosphate dehydrogenase in kidneys of lead-poisoned rats and adrenalectomized rats. Nephron 20: 220-226.

Iannaccone, A.; Carmignani, M.; Boscolo, P. (1981) Neurogenic and humoral mechanisms in arterial hypertension of chronically lead-exposed rats. Med. Lav. 72: 13-21.

Iannaccone, A.; Carmignani, M.; Boscolo, P. (1981) Reattivita cardiovascolare nel ratto dopo cronica esposizione a cadmio o piombo [Cardiovascular reactions in the rat following chronic exposure to cadmium and lead]. Ann. Ist. Super. Sanita 17: 655-660.

Ihnat, M. (1981) Analytical approach to the determination of copper, zinc, cadmiun and lead in natural fresh waters. Int. J. Environ. Anal. Chem. 10: 217-246.

Ihnat, M. (1982) Copper, zinc, cadmium and lead in waters of selected southern Ontario agricultural watersheds. Int. J. Environ. Anal. Chem. 11: 189-210.

Ikeda, M.; Kaneko, I.; Watanabe, T.; Ishihara, N.; Miura, T. (1978) An automated system for the determination of lead in blood, manganese in urine and nickel in waste water. Am. Ind. Hyg. Assoc. J. 39: 226-232.

Ikeda, M.; Nishibe, J.; Hamada, S.; Tujino, R. (1981) Determination of lead at the ng ml^{-1} level by reduction to plumbane and measurement by inductively-coupled plasma emission spectrometry. Anal. Chim. Acta 125: 109-115.

Imbus, C. E.; Warner, J.; Smith, E.; Pegelow, C. H.; Allen, J. P.; Powars, D. R. (1978) Peripheral neuropathy in lead-intoxicated sickle cell patients. Muscle Nerve 1: 168-171.

Imhoff, K. R.; Koppe, P. (1980) The fate of heavy metals in the Ruhr system and their influence on drinking water quality. Prog. Water Technol. 13: 211-225.

Impelman, D.; Lear, C. L.; Wilson, R.; Fox, D. A. (1982) Central effects of low level developmental lead exposure on optic nerve conduction and the recoverability of geniculocortical responses in hooded rats. Soc. Neurosci. Abstr. 8: 81.

Indraprasit, S.; Alexander, G. V.; Gonick, H. C. (1974) Tissue composition of major and trace elements in uremia and hypertension. J. Chronic Dis. 27: 135-161.

Ingalls, M. N.; Garbe, R. J. (1982) Ambient pollutant concentrations from mobile sources in microscale situations. From: Passenger car meeting; June; Troy, MI. Warrendale, PA: Society of Automotive Engineers; SAE Paper No. 820787.

Ingalls, T. H. (1983) Epidemiology, etiology, and prevention of multiple sclerosis: hypothesis and fact. Am. J. Forensic Med. Pathol. 4: 55-61.

Inglis, J. A.; Henderson, D. A.; Emerson. B. T. (1978) The pathology and pathogenesis of chronic lead nephropathy occurring in Queensland. J. Pathol. 124: 65-76.

Inman, J. C.; Parker, G. R. (1978) Decomposition and heavy metal dynamics of forest litter in northwestern Indiana. Environ. Pollut. 17: 39-51.

Inskip, M.; Atterbury, N. (1983) The legacy of lead-based paint: potential hazards to 'do-it-yourself' enthusiasts and children. In: International conference: heavy metals in the environment; September; Heidelberg, West Germany. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 286-289.

International Agency for Research on Cancer. (1980) Lead and lead compounds. In: IARC monographs on the evaluation of the carcinogenic risk of chemicals to humans: some metals and metallic compounds; October 1979; Lyon, France. Geneva, Switzerland: World Health Organization/IARC; pp. 325-416. (IARC monographs on the carcinogenic risk of chemicals to humans: v. 23).

International Commission on Radiological Protection, Task Group on Lung Dynamics. (1966) Deposition and retentio models for internal dosimetry of the human respiratory tract. Health Phys. 12: 173-207.

International conference: heavy metals in the environment: v. 1 and 2; September 1983; Heidelberg, West Germany. Edinburgh, United Kingdom: CEP Consultants, Ltd.

International conference: management and control of heavy metals in the environment; September 1979; London, United Kingdom. Edinburgh, United Kingdom: CEP Consultants, Ltd.

International Lead Zinc Research Organization. (1982) Locations of major lead operations in the United States [map]. New York, NY: International Lead Zinc Research Organization.

Ireland, M. P. (1975) The effect of the earthworm Dendrobaena rubida on the solubility of lead, zinc, and calcium in heavy metal contaminated soil in Wales. J. Soil Sci. 26: 313-318.

Ireland, M. P. (1977) Lead retention in toads Xenopus laevis fed increasing levels of lead-contaminated earthworms. Environ. Pollut. 12: 85-92.

Ireland, M. P. (1979) Distribution of essential and toxic metals in the terrestrial gastropod Arion ater. Environ. Pollut. 20: 271-278.

Ireland, M. P.; Fischer, E. (1978) Effect of Pb^{++} on Fe^{+++} tissue concentrations and delta-aminolaevulinic acid dehydratase activity in Lumbricus terrestris. Acta Biol. Acad. Sci. Hung. 29: 395-400.

Ireland, M. P.; Richards, K. S. (1977) The occurrence and localisation of heavy metals and glycogen in the earthworms Lumbricus rubellus and Dendrobaena rubida from a heavy metal site. Histochemistry 51: 153-166.

Ireland, M. P.; Richards, K. S.; Gwynn, I. ap (1979) The localisation of lead in the skin of light- and dark-adapted Xenopus laevis. Histochemistry 65: 31-39.

Irving, H. M.; Williams, R. J. P. (1953) Stability of transition-metal complexes. J. Chem. Soc.: 3192-3210.

Irwig, L. M.; Harrison, W. O.; Rocks, P.; Webster, I.; Andrew, M. (1978) Lead and morbidity: a dose-response relationship. Lancet 2(8079): 4-7.

Irwig, L. M.; Harrison, W. O.; Webster, I.; Andrew, M. (1978) Lead and morbidity [letter]. Lancet 2(8088): 533.

Ishihara, N.; Shiojima, S.; Hasegawa, K. (1984) Lead and zinc concentrations in plasma, erythrocytes, and urine in relation to ALA-D activity after intravenous infusion of Ca-EDTA. Br. J. Ind. Med. 41: 235-240.

Israël, H.; Israël, G. W. (1974) Trace elements in the atmosphere. Ann Arbor, MI: Ann Arbor Science Publishers.

Issaq, H. J.; Zielinski, W. L., Jr. (1974) Loss of lead from aqueous solutions during storage. Anal. Chem. 46: 1328-1329.

Iu, K. L.; Pulford, I. D.; Duncan, H. J. (1982) Influence of soil waterlogging on subsequent plant growth and trace metal content. Plant Soil 66: 423-427.

Ivanova-Chemishanska, L.; Antonov, G.; Khinkova, L.; Volcheva, Vl.; Khristeva, V. (1980) Deistvie na oloviniya atsetat v"rkhu reproduktsiyata na m"zhki beli pl"khove [Effect of lead acetate on reproduction in male white rats]. Khig. Zdraveopaz. 23: 304-308.

Iyengar, G. V. (1984) Reference values for elemental concentrations in some human samples of clinical interest: a preliminary evaluation. Sci. Total Environ. 38: 125-131.

Jablanović, M.; Mihajlović, R.; Rozhaja, D.; Hoxha, Y.; Mihajlović, L. (1978) Accumulation and distribution of lead and cadmium in some higher plants cultivated in industrial region of Kosovska Mitrovica. Acta Biol. Med. Exp. 3: 47-50.

Jachimczak, D.; Skotarczak, B. (1978) The effect of fluorine and lead ions on the chromosomes of human leucocytes in vitro. Gehet. Pol. 19: 353-358.

Jackson, D. R.; Watson, A. P. (1977) Disruption of nutrient pools and transport of heavy metals in a forested watershed near a lead smelter. J. Environ. Qual. 6: 331-338.

Jackson, K. S.; Skippen, G. B. (1978) Geochemical dispersion of heavy metals via organic complexing: a laboratory study of copper, lead, zinc, and nickel behaviour at a simulated sediment-water boundary. J. Geochem. Explor. 10: 117-138.

Jackson, K. W. (1978) Interlaboratory comparison of results of erythrocyte protoporphyrin analysis. Clin. Chem. (Winston-Salem, NC) 24: 2135-2138.

Jackson, K. W.; Ebdon, L.; Webb, D. C.; Cox, A. G. (1981) Determination of lead in vegetation by a rapid microsampling-cup atomic absorption procedure with solid sample introduction. Anal. Chim. Acta 128: 67-74.

Jackson, K. W.; Marczak, E.; Mitchell, D. G. (1978) Rapid determination of lead in biological tissues by microsampling-cup atomic absorption spectrometry. Anal. Chim. Acta 97: 37-42.

Jacobs, G. (1981) Lead poisoning in a cat. J. Am. Vet. Med. Assoc. 179: 1396-1397.

Jacquet, P. (1976) Effets du plomb administrŕe durant la gestation à des souris C57B1 [Effects of lead administered during the gestation period of mice C57B1]. C. R. Seances Soc. Biol. Ses Fil. 170: 1319-1322.

Jacquet, P. (1977) Early embryonic development in lead-intoxicated mice. Arch. Pathol. Lab. Med. 101: 641-643.

Jacquet, P. (1978) Influence de la progestérone et de l'estradiol exogènes sur le processus de l'implantation embryonnaire, chez la souris femelle intoxiquée par le plomb [Influence of progesterone and exogenous estradiol on the process of embryonic implantation in a female mouse with lead intoxication]. C. R. Seances Soc. Biol. Ses Fil. 172: 1037-1040.

Jacquet, P. (1984) The use of the embryo-culture techniques in the research on the teratogenic and mutagenic properties of metals. Toxicol. Environ. Chem. 7: 269-285.

Jacquet, P.; Gerber, G. B. (1979) Teratogenic effects of lead in the mouse. Biomedicine 30: 223-229.

Jacquet, P.; Gerber, G. B.; Léonard, A.; Maes, J. (1977) Plasma hormone levels in normal and lead-treated pregnant mice. Experientia 33: 1375-1377.

Jacquet, P.; Gerber, G. B.; Maes, J. (1977) Biochemical studies in embryos after exposure of pregnant mice to dietary lead. Bull. Environ. Contam. Toxicol. 18: 271-277.

Jacquet, P.; Léonard, A.; Gerber, G. B. (1975) Embryonic death in mouse due to lead exposure. Experienta 31: 24-25.

Jacquet, P.; Léonard, A.; Gerber, G. B. (1976) Action of lead on early divisions of the mouse embryo. Toxicology 6: 129-132.

Jacquet, P.; Léonard, A.; Gerber, G. B. (1977) Cytogenetic investigations on mice treated with lead. J. Toxicol. Environ. Health 2: 619-624.

Jacquet, P.; Tachon, P. (1981) Effects of long-term lead exposure on monkey leukocyte chromosomes. Toxicol. Lett. 8: 165-169.

Jagner, D.; Danielsson, L. G.; Årén, K. (1979) Potentiometric stripping analysis for lead in urine. Anal. Chim. Acta 106: 15-21.

Jagner, D.; Josefson, M.; Westerlund, S. (1981) Determination of zinc, cadmium, lead and copper in sea water by means of computerized potentiometric stripping analysis. Anal. Chim. Acta 129: 153-161.

Jagner, D.; Josefson, M.; Westerlund, S. (1981) Simultaneous determination of cadmium and lead in urine by means of computerized potentiometric stripping analysis. Anal. Chim. Acta 128: 155-161.

Jagner, D.; Josefson, M.; Westerlund, S.; Årén, K. (1981) Simultaneous determination of cadmium and lead in whole blood and in serum by computerized potentiometric stripping analysis. Anal. Chem. 53: 1406-1410.

Jaklevic, J. M.; Goulding, F. S.; Jarrett, B. V.; Meng, J. D. (1973) Application of X-ray fluorescence techniques to measure elemental composition of particles in the atmosphere. Presented at: 165th American society meeting on analytical methods applied to air pollution measurements; April; Dallas, TX. Available from: NTIS, Springfield, VA; LBL-1743.

Jaklevic, J. M.; Walter, R. L. (1977) Comparison of minimum detectable limits among X-ray spectrometers. In: Dzubay, T. G., ed. X-ray fluorescence analysis of environmental samples. Ann Arbor, MI: Ann Arbor Science Publishers Inc.; pp. 63-75.

James, L. F.; Lazar, V. A.; Binns, W. (1966) Effects of sublethal doses of certain minerals on pregnant ewes and fetal development. Am. J. Vet. Res. 27: 132-135.

James, P. R. (1978) Lead poisoning [letter]. Med. J. Aust. 1: 278.

James, W. H. (1982) Effects of alcohol and smoking on blood lead in middle-aged British men [letter]. Br. Med. J. 284(6321): 1046.

Jansen, S. J.; Carnow, B. W.; Namekata, T. (1978) Morton Grove lead study: an investigation of the contribution of airborne lead from automobile exhaust to blood lead levels in suburban children. Available from: NTIS, Springfield, VA; PB-280717.

Janssens, M.; Dams, R. (1975) Man's impact on atmospheric lead concentrations - pollution sources and baseline levels in western Europe. Water Air Soil Pollut. 5: 97-107.

Jantzen, G. (1981) Blutbleiuntersuchungen durch den öffentlichen Gesundheitsdienst in einem industriellen Belastungsgebiet [Blood lead studies by the public health service in an industrial area]. Das öffentliche Gesundheitswesen 43: 604-609.

Jarvie, A. W. P.; Markall, R. N.; Potter, H. R. (1981) Decomposition of organolead compounds in aqueous systems. Environ. Res. 25: 241-249.

Jarvie, A. W. P.; Markall, R. N.; Potter, H. R. (1975) Chemical alkylation of lead. Nature (London) 255: 217-218.

Jarvie, A. W. P.; Whitmore, A. P.; Markall, R. N.; Potter, H. R. (1983) Lead biomethylation, an elusive goal. Environ. Pollut. Ser. B 6: 81-94.

Järvinen, V.; Anttila, A.; Lappalainen, R.; Rytömaa, I. (1984) Lead content of deciduous molar enamel in Finland, as measured by proton-induced x-ray emission. Scand. J. Work Environ. Health 10: 103-107.

Jason, K. M.; Kellogg, C. K. (1980) Behavioral neurotoxicity of lead. In: Singhal, P. L.; Thomas, J. A., eds. Lead toxicity. Baltimore, MD: Urban and Schwarzenberg, Inc.; pp. 241-271.

Jason, K. M.; Kellogg, C. K. (1981) Neonatal lead exposure: effects on development of behavior and striatal dopamine neurons. Pharmacol. Biochem. Behav. 15: 641-649.

Jaworowski, Z. (1967) Stable and radioactive lead in environment and human body. Warsaw, Poland: Nuclear Energy Information Center; report no. NEIC-RR-29.

Jaworowski, Z. (1968) Stable lead in fossil ice and bones. Nature (London) 217: 152-153.

Jaworowski, Z.; Barbalat, F.; Blain, C.; Peyre, E. (1985) Heavy metals in human and animal bones from ancient and contemporary France. Sci. Total Environ. 43: 103-126.

Jaworowski, Z.; Bilkiewicz, J.; Dobosz, E.; Wödkiewicz, L. (1975) Stable and radioactive pollutants in a Scandinavian glacier. Environ. Pollut. 9: 305-315.

Jaworowski, Z.; Bysiek, M.; Kownacka, L. (1981) Flow of metals into the global atmosphere. Geochim. Cosmochim. Acta 45: 2185-2199.

Jaworowski, Z.; Bysiek, M.; Kownacka, L. (1983) Reply to C. C. Patterson's criticism of "Flow of metals into the global atmosphere" [letter]. Geochim. Cosmochim. Acta 47: 1169-1175.

Jaworski, J. F. (1979) Effects of lead in the environment - 1978: quantitative aspects. National Research Council Canada. NRCC Associate Committee on Scientific Criteria for Environmental Quality. Publication no. NRCC 16736 of the Environmental Secretariat. Available from: Publications, NRCC/CNRC, Ottawa, ON, Canada.

Jeanmaire, L.; Patti, F.; Gros, R. (1978) Teneur en plomb 210 d'os humains provenant de la region parisienne [Lead 210 levels in human bones from the Paris area]. CEA Centre d'Etudes Nucleaires de Fontenay-aux-Roses. Available from: NTIS, Springfield, VA; CEA-R-4938.

Jeffries, D. J.; French, M. C. (1972) Lead concentrations in small mammals trapped on roadside verges and field sites. Environ. Pollut. 3: 147-156.

Jelinek, C. F. (1982) Levels of lead in the United States food supply. J. Assoc. Off. Anal. Chem. 65: 942-946.

Jenne, E. A.; Luoma, S. N. (1977) Forms of trace elements in soils, sediments, and associated waters: an overview of their determination and biological availability. In: Drucker, H.; Wildung, R. E., eds. Biological implications of metals in the environment. Proceedings of the fifteenth annual Hanford life sciences symposium; September-October 1975; Richland, WA. Washington, DC: Energy Research and Development Administration; pp. 110-143. Available from: NTIS, Springfield, VA; CONF-750929.

Jennett, J. C.; Foil, J. L. (1979) Trace metal transport from mining, milling, and smelting watersheds. J. Water Pollut. Control Fed. 51: 378-404.

Jennett, J. C.; Hassett, J. M.; Smith, J. E. (1980) The use of algae to control heavy metals in the environment. Mineral. Environ. 2: 26-31.

Jennett, J. C.; Wixson, B. G.; Kramer, R. L. (1981) Some effects of century old abandoned lead mining operations on streams in Missouri, U.S.A. Miner. Environ. 3: 17-20.

Jennett, J. C.; Wixson, B. G.; Lowsley, I. H.; Purushothaman, K.; Bolter, E.; Hemphill, D. D.; Gale, N. L.; Tranter, W. H. (1977) Transport and distribution from mining, milling, and smelting operations in a forest ecosystem. In: Boggess, W. R., ed. Lead in the environment. Washington, DC: National Science Foundation; pp. 135-178; NSF report no. NSF/RA-770214. Available from: NTIS, Springfield, VA; PB-278278.

Jensen, T. E.; Baxter, M.; Rachlin, J. W.; Jani, V. (1982) Uptake of heavy metals by Plectonema boryanum (Cyanophyceae) into cellular components, especially polyphosphate bodies: an X-ray energy dispersive study. Environ. Pollut. Ser. A 27: 119-127.

Jeyaratnam, J.; Devathasan, G.; Ong, C. N.; Phoon, W. O.; Wong, P. K. (1985) Neurophysiological studies on workers exposed to lead. Br. J. Ind. Med. 42: 173-177.

Jhaveri, R. C.; Lavorgna, L.; Dube, S. K.; Glass, L.; Khan, F.; Evans, H. E. (1979) Relationship of blood pressure to blood lead concentrations in small children. Pediatrics 63: 674-676.

Jhaveri, R.; Lavorgna, L.; Khan, F.; Ubriani, R.; Evans, H. E.; Glass, L. (1977) Inverse relationship of serum thyroxine and blood lead concentrations [letter]. J. Pediatr. (St. Louis) 91: 345-346.

Jian, Z.; Ying-Han, X.; Hong-Fu, C. (1985) The effects of lead ion on immune function of rabbit alveolar macrophages: quantitation of immune phagocytosis and rosette formation by Cr *in vitro*. Toxicol. Appl. Pharmacol. 78: 484-487.

Jin, K.; Taga, M. (1982) Determination of lead by continuous-flow hydride generation and atomic absorption spectrometry: comparison of malic acid-dichromate, nitric acid-hydrogen peroxide and nitric acid-peroxodisulfate reaction matrices in combination with sodium tetrahydroborate. Anal. Chim. Acta 143: 229-236.

Johanson, W. C., Jr.; Luby, J. P. (1972) A report on a study to determine the blood lead levels in Dallas children. Dallas, TX: Dallas Health Department.

Johansson, T. B.; Akselsson, R.; Johansson, S. A. E. (1970) X-ray analysis: elemental trace analysis at the 10^{-12}g level. Nucl. Instrum. Methods 84: 141-143.

Johansson, T. B.; Van Grieken, R. E.; Nelson, J. W.; Winchester, J. W. (1975) Elemental trace analysis of small samples by proton induced X-ray emission. Anal. Chem. 47: 855-860.

Johansson, T. B.; Van Grieken, R. E.; Winchester, J. W. (1976) Elemental abundance variation with particle size in north Florida aerosols. J. Geophys. Res. 81: 1039-1046.

John, M. K. (1972) Lead availability related to soil properties and extractable lead. J. Environ. Qual. 1: 295-298.

John, M. K. (1977) Varietal response to lead by lettuce. Water Air Soil Pollut. 8: 133-144.

John, M. K.; Van Laerhoven, C. (1972) Lead uptake by lettuce and oats as affected by lime, nitrogen, and sources of lead. J. Environ. Qual. 1: 169-171.

Johnsen, I. B.; Pilegaard, K.; Nymand, E. (1983) Heavy metal uptake in transplanted and *in situ* yarrow (*Achillea millefolium*) and epiphytic cryptogams at rural, urban and industrial localities in Denmark. Environ. Monit. Assess. 3: 13-22.

Johnson, A. H.; Siccama, T. G.; Friedland, A. J. (1982) Spatial and temporal patterns of lead accumulation in the forest floor in the northeastern United States. J. Environ. Qual. 11: 577-580.

Johnson, B. L.; Burg, J. R.; Xintaras, C.; Handke, J. L. (1980) A neurobehavioral examination of workers from a primary nonferrous smelter. Neurotoxicology 1: 561-581.

Johnson, B. L.; Mason, R. W. (1984) A review of public health regulations on lead. Neurotoxicology 5: 1-22.

Johnson, D. B. (1976) Ultragiant urban aerosol particles. Science (Washington, DC) 194: 941-942.

Johnson, D. E.; Prevost, R. J.; Tillery, J. B.; Kimball, K. T.; Hosenfeld, J. M. (1978) Epidemiologic study of the effects of automobile traffic on blood lead levels. Research Triangle Park, NC: U.S. Environmental Protection Agency, Health Effects Research Laboratory; EPA report no. EPA-600/1-78-055. Available from: NTIS, Springfield, VA; PB-285826.

Johnson, D. E.; Prevost, R. J.; Tillery, J. B.; Thomas, R. E. (1978) The distribution of cadmium and other metals in human tissue. Research Triangle Park, NC: U.S. Environmental Protection Agency; EPA report no. EPA-600/1-78-035. Available from: NTIS, Springfield, VA; PB-285200.

Johnson, D. E.; Tillery, J. B.; Hosenfeld, J. M.; Register, J. W. (1974) Development of analytic techniques to measure human exposure to fuel additives. Research Triangle Park, NC: U.S. Environmental Protection Agency, National Environmental Research Center; EPA report no. EPA-650/1-74-003. Available from: NTIS, Springfield, VA; PB-232124.

Johnson, D. E.; Tillery, J. B.; Prevost, R. J. (1975) Levels of platinum, palladium, and lead in populations of southern California. Environ. Health Perspect. 12: 27-33.

Johnson, D. R.; Foulkes, E. C.; Hammond, P. B. (1976) The renal handling of δ-aminolevulinic acid in normal and lead-poisoned rabbits. Toxicol. Appl. Pharmacol. 38: 101-109.

Johnson, D. R.; Kleinman, L. I. (1979) Effects of lead exposure on renal function in young rats. Toxicol. Appl. Pharmacol. 48: 361-367.

Johnson, J. H. (1978) Comparison of the oral lethality of lead acetate and lead carbonate to the rabbit. Am. J. Vet. Res. 39: 1241-1243.

Johnson, J. L. (1980) Detection of leaded gasoline usage in catalyst-equipped vehicles: color test for lead in tail pipe deposits. J. Air Pollut. Control Assoc. 30: 1232-1233.

Johnson, L.; Barlow, P. J.; Barratt, R. S. (1984) Paint lead levels in a restricted environment. J. R. Soc. Health 104: 96-98.

Johnson, M. S.; Pluck, H.; Hutton, M.; Moore, G. (1982) Accumulation and renal effects of lead in urban populations of feral pigeons, Columba livia. Arch. Environ. Contam. Toxicol. 11: 761-767.

Johnson, M. S.; Roberts, R. D.; Hutton, M.; Inskip, M. J. (1978) Distribution of lead, zinc and cadmium in small mammals from polluted environments. Oikos 30: 153-159.

Johnson, M.; Roberts, D.; Firth, N. (1978) Lead and zinc in the terrestrial environment around derelict metalliferous mines in Wales (U. K.). Sci. Total Environ. 10: 61-78.

Johnson, N. E.; Tenuta, K. (1979) Diets and lead blood levels of children who practice pica. Environ. Res. 18: 369-376.

Johnson, W. L.; Damron, B. L. (1982) Influence of lead acetate or lead shot ingestion upon white Chinese geese. Bull. Environ. Contam. Toxicol. 29: 177-183.

Johnston, W. R.; Harrison, R. M. (1983) A design for a filtered air cabinet used in the study of foliar uptake of airborne lead by crop plants. Environ. Technol. Lett. 4: 291-296.

Johnston, W. R.; Harrison, R. M. (1984) Deposition of metallic and organic pollutants alongside the M6 motorway. Sci. Total Environ. 33: 119-127.

Johnstone, R. T. (1964) Clinical inorganic lead intoxication. Arch. Environ. Health 8: 250-255.

Jones, J. W.; Boyer, K. W. (1979) Sample homogenization procedure for determination of lead in canned foods. J. Assoc. Off. Anal. Chem. 62: 122-128.

Jones, J. W.; Gajan, R. J.; Boyer, K. W.; Fiorino, J. A. (1977) Dry ash-voltammetric determination of cadmium, copper, lead, and zinc in foods. J. Anal. Chem. Assoc. 60: 826-832.

Jones, K.; McDonald, A. (1983) The efficiency of different methods of extracting lead from street dust. Environ. Pollut. Ser. B. 6: 133-143.

Jones, M. M.; Vaughn, W. K. (1978) HSAB theory and acute metal ion toxicity and detoxification processes. J. Inorg. Nucl. Chem. 40: 2081-2088.

Jones, R. D.; Commins, B. T.; Cernik, A. A. (1972) Blood lead and carboxyhaemoglobin levels in London taxi drivers. Lancet 2(7772): 302-303.

Jores, L. (1902) Ueber die pathologische Anatomie der chronischen Bleivergiftung des Kaninchens: eine experimentelle Studie [The pathologic anatomy of chronic lead intoxication in the rabbit: an experimental study]. Beitr. Pathol. Anat. Allg. Pathol. 31: 183-216.

Joselow, M. M.; Banta, J. E.; Fisher, W.; Valentine, J. (1974) Environmental contrasts: blood lead levels of children in Honolulu and Newark. J. Environ. Health 37: 10-12.

Joselow, M. M.; Bogden, J. D. (1972) A simplified micro method for collection and determination of lead in blood using a paper disk-in-Delves cup technique. At. Absorpt. Newsl. 11: 99-101.

Joselow, M. M.; Flores, J. (1977) Application of the zinc protoporphyrin (ZP) test as a monitor of occupational exposure to lead. Am. Ind. Hyg. Assoc. J. 38: 63-66.

Joshi, S. R. (1985) Recent sedimentation rates and ^{210}Pb fluxes in Georgian Bay and Lake Huron. Sci. Total Environ. 41: 219-233.

Jost, D.; Sartorius, R. (1979) Improved ambient air quality due to lead in petrol regulation. Atmos. Environ. 13: 1463-1465.

Jowett, D. (1964) Population studies on lead-tolerant Agrostis tenuis. Evolution (Lawrence, KS) 18: 70-81.

Jugo, S. (1977) Metabolism of toxic heavy metals in growing organisms: a review. Environ. Res. 13: 36-46.

Jugo, S. (1980) Chelatable fraction of ^{203}Pb in blood of young and adult rats. Environ. Res. 21: 336-342.

Jugo, S.; Maljković, T.; Kostial, K. (1975) Influence of chelating agents on the gastrointestinal absorption of lead. Toxicol. Appl. Pharmacol. 34: 259-263.

Jugo, S.; Maljković, T.; Kostial, K. (1975) The effect of chelating agents on lead excretion in rats in relation to age. Environ. Res. 10: 271-279.

Kabata-Pendias, A.; Gondek, B. (1978) Bioavailability of heavy metals in the vicinity of a copper smelter. In: Hemphill, D. D., ed. Trace substances in environmental health - XII: [proceedings of University of Missouri's 12th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 523-531.

Kacew, S.; Singhal, R. L. (1980) Aspects of molecular mechanisms underlying the biochemical toxicology of lead. In: Singhal, P. L.; Thomas, J. A., eds. Lead toxicity. Baltimore, MD: Urban and Schwarzenberg, Inc.; pp. 43-78.

Kachru, D. N.; Tandon, S. K. (1981) Possible biological indicators of lead poisoning: a study in rabbits. Chemosphere 10: 215-221.

Kägler, S. H.; Tillmanns, V.; Hebold, F. (1978) Erste Erfahrungen mit dem "Röntgenboy" zur Blei-bestimmung in Ottokraftstoffen [First experiences with the "Roentgenboy" to determine lead in Otto fuels]. Erdoel Kohle Erdgas Petrochem. Brennst. Chem. 31: 538.

Kaiser, G. H.; Fry, K.; Ireland, J. G. (1980) Ingestion of lead shot by dunlin. Murrelet 61: 37.

Kajimoto, M.; Kondo, M.; Niwa, M.; Suzuki, T.; Kimura, H.; Sasaki, A.; Urata, G. (1983) Increase of δ-aminolevulinic acid dehydratase (ALAD) in rat erythrocytes in lead poisoning. Arch. Toxicol. 52: 1-11.

Kalia, K.; Murthy, R. C.; Chandra, S. V. (1984) Tissue disposition of ^{54}Mn in lead pretreated rats. Ind. Health 22: 49-52.

Kalman, D.; Schumacher, R.; Covert, D.; Eaton, D. L. (1984) Biological availability of lead in a paint aerosol; 1. physical and chemical characterization of a lead paint aerosol. Toxicol. Lett. 22: 301-306.

Kaminski, E. J.; Fischer, C. A.; Kennedy, G. L., Jr.; Calandra, J. C. (1977) Response of pulmonary macrophages to lead. Br. J. Exp. Pathol. 58: 9-12.

Kammholz, L. P.; Thatcher, L. G.; Blodgett, F. M.; Good, T. A. (1972) Rapid protoporphyrin quantitation for detection of lead poisoning. Pediatrics 50: 625-631.

Kang, H. K.; Infante, P. F.; Carra, J. S. (1980) Occupational lead exposure and cancer [letter]. Science (Washington, DC) 207: 935-936.

Kang, H. K.; Infante, P. F.; Carra, J. S. (1983) Determination of blood-lead elimination patterns of primary lead smelter workers. J. Toxicol. Environ. Health 11: 199-210.

Kansal, B. D.; Singh, J. (1983) Influence of the municipal waste water and soil properties on the accumulation of heavy metals in plants. In: International conference: heavy metals in the environment; September; Heidelberg, West Germany. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 413-416.

Kant, G. J.; Lenox, R. H.; Meyerhoff, J. L.; Kenion, C. C.; Annau, Z. (1984) Effects of chronic lead exposure on release of endogenous catecholamines: a preliminary communication. Neurotoxicology 5: 227-234.

Kantor, A. F.; Curnen, M. G. M.; Meigs, J. W.; Flannery, J. T. (1979) Occupations of fathers of patients with Wilms's Tumour. J. Epidemiol. Comm. Health 33: 253-256.

Kaplan, M. L.; Peresie, H. J.; Jeffcoat, M. K. (1980) The lead content of blood and deciduous teeth in lead-exposed beagle pups. In: Needleman, H. L., ed. Low level lead exposure: the clinical implications of current research. New York, NY: Raven Press; pp. 221-230.

Kapoor, S. C.; van Rossum, G. D. V.; O'Neill, K. J.; Mercorella, I. (1985) Uptake of inorganic lead in vitro by isolated mitochondria and tissue slices of rat renal cortex. Biochem. Pharmacol. 34: 1439-1448.

Karacić, V.; Prpić-Majić, D.; Telisman, S. (1980) The relationship between zinc protoporphyrin (ZPP) and "free" erythrocyte protoporphyrin (FEP) in lead-exposed individuals. Int. Arch. Occup. Environ. Health 47: 165-177.

Karacić, V.; Prpić-Majić, D., Skender, L. (1984) Lead absorption in cows: biological indicators of ambient lead exposure. Bull. Environ. Contam. Toxicol. 32: 290-294.

Karai, I.; Fukumoto, K.; Horiguchi, S. (1979) The effects of heavy metal ions on osmotic resistance of human red blood cells. Osaka City Med. J. 25: 153-157.

Karai, I.; Fukumoto, K.; Horiguchi, S. (1978) Osmotic fragility of red blood cells in lead administered rabbits by the use of coil planet centrifuge. Osaka City Med. J. 25: 159-163.

Karai, I.; Fukumoto, K.; Horiguchi, S. (1981) Studies on osmotic fragility of red blood cells determined with a coil planet centrifuge for workers occupationally exposed to lead. Int. Arch. Occup. Environ. Health 48: 273-281.

Karai, I.; Fukumoto, K.; Horiguchi, S. (1982) Relationships between osmotic fragility of red blood cells and various hematologic data in workers exposed to lead. Int. Arch. Occup. Environ. Health 50: 17-24.

Karai, I.; Fukumoto, K.; Horiguchi, S. (1982) Mechanism of increased osmotic resistance of red cells in workers exposed to lead. Br. J. Ind. Med. 39: 153-156.

Karai, I.; Fukumoto, K.; Kageyama, K.; Horiguchi, S. (1982) Effect of lead in vitro on water metabolism and osmotic fragility of human erythrocytes. Br. J. Ind. Med. 39: 295-299.

Karai, I.; Lee, S. I.; Horiguchi, S.; Fukumoto, K.; Matsumura, S.; Takise, S. (1983) Combined effects of lead and EDTA on Na^+, K^+-ATPase activity of erythrocyte membranes. J. Toxicol. Environ. Health 12: 721-730.

Karalekas, P. C., Jr.; Craun, G. F.; Hammonds, A. F.; Ryan, C. R.; Worth, D. J. (1976) Lead and other trace metals in drinking water in the Boston metropolitan area. J. N. Engl. Water Works Assoc. 90: 150-172.

Karalekas, P. C., Jr.; Ryan, C. R.; Taylor, F. B. (1983) Control of lead, copper, and iron pipe corrosion in Boston. J. Am. Water Works Assoc. 75: 92-95.

Karamanos, R. E.; Bettany, J. R.; Stewart, J. W. B. (1976) The uptake of native and applied lead by alfalfa and bromegrass from soil. Can. J. Soil Sci. 56: 485-494.

Karataglis, S. S. (1982) Combined tolerance to copper, zinc and lead by populations of Agrostis tenuis. Oikos 38: 234-241.

Karataglis, S. S.; Alexiadis, C. (1982) Umweltverschmutzung durch Blei. [Environmental lead pollution.] Ber. Dtsch. Ges. 95: 441-447.

Kardell, L.; Larsson, J. (1978) Lead and cadmium in oak tree rings (Quercus robur L). Ambio 7: 117-121.

Karp, W. B.; Robertson, A. F. (1977) Correlation of human placental enzymatic activity with trace metal concentration in placentas from three geographical locations. Environ. Res. 13: 470-477.

Kashner, T. M. (1982) Cost effectiveness of lead screening [letter]. N. Engl. J. Med. 307: 1269.

Kasprzak, K. S.; Hoover, K. L.; Poirier, L. A. (1985) Effects of dietary calcium acetate on lead subacetate carcinogenicity in kidneys of male Sprague-Dawley rats. Carcinogenesis 6: 279-282.

Kassenaar, A.; Morell, H.; London, I. M. (1957) The incorporation of glycine into globin and the synthesis of heme in vitro in duck erythrocytes. J. Biol. Chem. 229: 423-435.

Kato, Y.; Ogura, H. (1978) Mineral phase in experimental ectopic calcification induced by lead acetate in the rat. Calcif. Tissue Res. 25: 69-74.

Kato, Y.; Takimoto, S.; Ogura, H. (1978) Comparison of the effects of lead disodium ethylenediaminetetraacetate and lead acetate on hard tissues. Toxicol. Appl. Pharmacol. 43: 519-525.

Kaufman, A. (1973) Gasoline sniffing among children in a Pueblo Indian village. Pediatrics 51: 1060-1064.

Kaufman, A.; Wiese, W. (1978) Gasoline sniffing leading to increased lead absorption in children. Clin. Pediatr. (Philadelphia) 17: 475-477.

Kaul, B.; Davidow, B.; Eng, Y. M.; Gewirtz, M. H. (1983) Lead, erythrocyte protoporphyrin, and ferritin levels in cord blood. Arch. Environ. Health 38: 296-300.

Kaul, B.; Slavin, G.; Davidow, B. (1983) Free erythrocyte protoporphyrin and zinc protoporphyrin measurements compared as primary screening methods for detection of lead poisoning. Clin. Chem. (Winston-Salem, NC) 29: 1467-1470.

Kawai, M.; Toriumi, H.; Katagiri, Y.; Maruyama, Y. (1983) Home lead-work as a potential source of lead exposure for children. Int. Arch. Occup. Environ. Health. 53: 37-46.

Kawamoto, J. C.; Overmann, S. R.; Woolley, D. E.; Vijayan, V. K. (1984) Morphometric effects of preweaning lead exposure on the hippocampal formation of adult rats. Neurotoxicology 5: 125-148.

Kay, R. N. B.; Quarterman, J. (1982) Absorption of lead by the lymphatic system in lambs. J. Physiol. (London) 322: 27.

Kay, S. H.; Haller, W. T.; Garrard, L. A. (1984) Effects of heavy metals on water hyacinths (Eichhornia crasspes (Mart.) Solms). Aquat. Toxicol. 5: 117-128.

Kazacos, M.; Moore, P. (1984) Chronic lead poisoning in a two-year-old child: a 12-month follow-up study. Med. J. Aust. 140: 429-430.

Kazantzis, G. (1970) Industrial hazards to the kidney and urinary tract. In: Slater, J. D. H., ed. Sixth symposium on advanced medicine: proceedings of a conference held at the Royal College of Physicians of London; February; London, United Kingdom. London, United Kingdom: Pitman Medical & Scientific Publishing Co. Ltd.; pp. 263-274.

Kazantzis, G. (1979) Heavy metals and renal damage. Eur. J. Clin. Invest. 9: 3-4.

Kazantzis, G. (1981) Role of cobalt, iron, lead, manganese, mercury, platinum, selenium, and titanium in carcinogenesis. Environ. Health Perspect. 40: 143-161.

Kazimir, J.; Clarke, B.; Brennan, E. (1982) Trees indicate decreased lead pollution along New Jersey highways. J. Air Pollut. Control Assoc. 32: 957-958.

Keaton, C. M. (1937) The influence of lead compounds on the growth of barley. Soil Sci. 43: 401-411.

Keen, P. (1974) Trace elements in plants and soil in relation to cancer. S. Afr. Med. J. 48: 2363-2364.

Keenlyside, R. A. (1984) The gasoline-sniffing syndrome. In: Grandjean, P., ed. Biological effects of organolead compounds. Boca Raton, FL: CRC Press; pp. 219-225.

Kehoe, R. A. (1961) The metabolism of lead in man in health and disease: the normal metabolism of lead. (The Harben lectures, 1960). J. R. Inst. Public Health Hyg. 24: 81-97.

Kehoe, R. A. (1961) The metabolism of lead in man in health and disease: the metabolism of lead under abnormal conditions. (The Harben lectures, 1960). J. R. Inst. Public Health Hyg. 24: 129-143.

Kehoe, R. A. (1961) The metabolism of lead in man in health and disease: present hygienic problems relating to the absorption of lead. (The Harben lectures, 1960). J. R. Inst. Public Health Hyg. 24: 177-203.

Kehoe, R. A.; Thamann, F. (1931) The behavior of lead in the animal organism: II. tetraethyl lead. Am. J. Hyg. 13: 478-498.

Keiser, J. A.; Vander, A. J.; Germain, C. L. (1983) Clearance of renin in unanesthetized rats: effects of chronic lead exposure. Toxicol. Appl. Pharmacol. 69: 127-137.

Keiser, J. A.; Vander, A. J.; Germain, C. L. (1983) Effects of lead on the secretion and disappearance of renin in rabbits. Toxicol. Appl. Pharmacol. 69: 117-126.

Keizer, M. G.; Hooghiemstra-Tielbeek, M.; de Haan, F. A. M. (1982) Contamination of soil and street dust with lead and cadmium near a lead smelter at Arnhem, Netherlands. Neth. J. Agric. Sci. 29: 227-235.

Kelepertsis, A. E.; Andrulakis, I. (1983) Geobotany biogeochemistry for mineral exploration of sulfide deposits in northern Greece-heavy metal accumulation by Rumex acetosella L. and Minuartia verna (L.) Hiern. J. Geochem. Explor. 18: 267-274.

Keller, C. A. (1980) Lead transfer in maternal milk, and the absorption, retention, distribution and excretion of lead in suckling mice [dissertation]. Rochester, NY: University of Rochester. Available from: University Microfilms, Ann Arbor, MI; publication no. 81-03,356.

Keller, C. A.; Doherty, R. A. (1980) Distribution and excretion of lead in young and adult female mice. Environ. Res. 21: 217-228.

Keller, C. A.; Doherty, R. A. (1980) Bone lead mobilization in lactating mice and lead transfer to suckling offspring. Toxicol. Appl. Pharmacol. 55: 220-228.

Keller, C. A.; Doherty, R. A. (1980) Lead and calcium distributions in blood, plasma, and milk of the lactating mouse. J. Lab. Clin. Med. 95: 81-89.

Kelliher, D. J.; Hilliard, E. P.; Poole, D. B. R.; Collins, J. D. (1973) Chronic lead intoxication in cattle: preliminary observations on its effects on the eryothrocyte and on porphyrin metabolism. Ir. J. Agric. Res. 12: 61-69.

Kello, D.; Kostial, K. (1973) The effect of milk diet on lead metabolism in rats. Environ. Res. 6: 355-360.

Kello, D.; Kostial, K. (1978) Lead and cadmium in hair as an indicator of body burden in rats of different age. Bull. Environ. Contam. Toxicol. 20: 618-623.

Kelly, J. E., III; Levy, R. A. (1978) Lead shot poisoning. Conservationist 32: 30-33, 48.

Kelman, B. J.; Walter, B. K. (1979) Transplacental movements of lead in the guinea pig at 60 days gestational age. Teratology 19: 34A.

Kelman, B. J.; Walter, B. K. (1980) Transplacental movements of inorganic lead from mother to fetus. Proc. Soc. Exp. Biol. Med. 163: 278-282.

Kelsall, M. A.; Hunter, R. E. (1978) Biological indicator of summational exposures to lead: tooth lead in children living in Cleveland and its suburbs. Research Triangle Park, NC: U.S. Environmental Protection Agency; EPA report no. EPA-600/1-78-053. Available from: NTIS, Springfield, VA; PB-286196.

Kelsey, D. S.; McLean, W. T. (1979) Adenoviral meningoencephalitis in a patient with lead toxicity. Arch. Neurol. (Chicago) 36: 384-385.

Kemp, K.; Danscher, G. (1979) Multi-element analysis of the rat hippocampus by proton induced X-ray emission spectroscopy (phosphorus, sulphur, chlorine, potassium, calcium, iron, zinc, copper, lead, bromine, and rubidium). Histochemistry 59: 167-176.

Kendall, R. J. (1980) The toxicology of lead shot and environmental lead ingestion in avian species with emphasis on the biological significance in mourning dove populations [dissertation]. Blacksburg, VA: Virginia Polytechnic Institute and State University. Available from: University Microfilms, Ann Arbor, MI; publication no. 80-24,007.

Kendall, R. J.; Scanlon, P. F. (1981) Chronic lead ingestion and nephropathy in ringed turtle doves. Poult. Sci. 60: 2028-2032.

Kendall, R. J.; Scanlon, P. F. (1981) Ecological aspects of lead contamination in mourning doves from Middle Atlantic States. Am. Zool. 20: 774.

Kendall, R. J.; Scanlon, P. F. (1981) Effects of chronic lead ingestion on reproductive characteristics of ringed turtle doves Streptopelia risoria and on tissue lead concentrations of adults and their progeny. Environ. Pollut. Ser. A 26: 203-213.

Kendall, R. J.; Scanlon, P. F. (1981) Tissue lead concentrations in Japanese quail ingesting lead pellets or shot with lead pellets. Bull. Environ. Contam. Toxicol. 26: 652-655.

Kendall, R. J.; Scanlon, P. F. (1982) The toxicology of ingested lead acetate in ringed turtle doves Streptopelia risoria. Environ. Pollut. Ser. A 27: 255-262.

Kendall, R. J.; Scanlon, P. F. (1982) Tissue lead concentrations and blood characteristics of rock doves from an urban setting in Virginia. Arch. Environ. Contam. Toxicol. 11: 265-268.

Kendall, R. J.; Scanlon, P. F. (1982) Tissue lead concentrations and blood characteristics of mourning doves from southwestern Virginia. Arch. Environ. Contam. Toxicol. 11: 269-272.

Kendall, R. J.; Scanlon, P. F.; Di Giulio, R. T. (1982) Toxicology of ingested lead shot in ringed turtle doves. Arch. Environ. Contam. Toxicol. 11: 259-263.

Kendall, R. J.; Veit, H. P.; Scanlon, P. F. (1981) Histological effects and lead concentrations in tissues of adult male ringed turtle doves that ingested lead shot. J. Toxicol. Environ. Health 8: 649-658.

Kenis, P.; Zirino, A.; Clavell, C. (1978) Automated anodic stripping voltammetry for the analysis of copper, zinc, lead and cadmium for environmental monitoring. San Diego, CA: Naval Ocean Systems Center; Naval Ocean Systems Center no. NOSC-TR-243. Available from: NTIS, Springfield, VA; AD-A062-004.

Kennedy, G. L.; Arnold, D. W. (1971) Absence of mutagenic effects after treatment of mice with lead compounds. Newsl. Environ. Mutagen. Soc. 5: 37.

Kennedy, G. L.; Arnold, D. W.; Calandra, J. C. (1975) Teratogenic evaluation of lead compounds in mice and rats. Food Cosmet. Toxicol. 13: 629-632.

Kennedy, G. L., Jr. (1973) Blood and tissue lead content study following exposure of male albino rats to lead-containing expressway dirt, neighborhood street dirt, lead acetate, or lead oxide. Northbrook, IL: Industrial Bio-Test Laboratories; Research report IBT no. E1733C.

Kennedy, G.; Arnold, D.; Keplinger, M. L.; Calandra, J. C. (1971) Mutagenic and teratogenic studies with lead acetate and tetraethyl lead. Toxicol. Appl. Pharmacol. 19: 370.

Keogh, J. P. (1984) Recognizing lead poisoning in adults. Arch. Intern. Med. 144: 1944-1945.

Keppler, J. F.; Maxfield, M. E.; Moss, W. D.; Tietjen, G.; Linch, A. L. (1970) Interlaboratory evaluation of the reliability of blood lead analyses. J. Am. Ind. Hyg. Assoc. 31: 412-429.

Kerin, Z. (1975) Relationship between lead content in the soil and in the plants contaminated by industrial emissions of lead aerosols. In: Hutchinson, T. C.; Epstein, S.; Page, A. L.; Van Loon, J.; Davey, T., eds. International conference on heavy metals in the environment: symposium proceedings; volume II, part 2; October; Toronto, ON, Canada. Toronto, ON, Canada: University of Toronto, Institute for Environmental Studies; pp. 487-502.

Kerkvliet, N. I.; Baecher-Steppan, L. (1982) Immunotoxicology studies on lead: effects of exposure on tumor growth and cell-mediated tumor immunity after syngeneic or allogeneic stimulation. Immunopharmacology 4: 213-224.

Keser-Stanković, M. (1977) Lead effects on the membrane potential of smooth muscle cells. Folia Med. Fac. Med. Univ. Saraeviensis 12: 81-90.

Keser-Stanković, M.; Hukovic, S.; Stankovie, D.; Zulie, I. (1980) The effects of heavy metals on neuro-muscular transmission of isolated organs. In: Abstracts of the second international congress on toxicology; July; Brussels, Belgium. Toxicol. Lett. Spec. Iss. 1: 129.

Keser-Stanković, M.; Stanković, D. (1977) Effects of EDTA (ethylenediaminetetraacetate) and EDTA combinations with lead on isolated ileum with dependent nerves in treated and normal animals. Folia Med. (Sarajevo) 12: 91-102.

Khalid, B. Y.; Salih, B. M.; Issac, M. W. (1981) Lead contamination of soil in Baghdad City, Iraq. Bull. Environ. Contam. Toxicol. 27: 634-638.

Khan, D. H.; Frankland, B. (1983) Effects of cadmium and lead on radish plants with particular reference to movement of metals through soil profile and plant. Plant Soil 70: 335-345.

Khan, D. H.; Frankland, B. (1984) Cellulolytic activity and root biomass production in some metal-contaminated soils. Environ. Pollut. Ser. A 33: 63-74.

Khan, M. Y.; Buse, M.; Louria, D. B. (1977) Lead cardiomyopathy in mice. Arch. Pathol. Lab. Med. 101: 89-94.

Khan, S.; Khan, N. N. (1983) Influence of lead and cadmium on the growth and nutrient concentration of tomato (Lycopersicum esculentum) and eggplant (Solanum melongena). Plant Soil 74: 387-394.

Khandekar, R. N.; Ashawa, S. C.; Kelkar, D. N. (1978) Dental lead levels in Bombay inhabitants. Sci. Total Environ. 10: 129-133.

Khandekar, R. N.; Dhaneshwar, R. G.; Palrecha, M. M.; Zarapkar, L. R. (1981) Simultaneous determination of lead, cadmium and zinc in aerosols by anodic stripping voltammetry. Fresenius Z. Anal. Chem. 307: 365-368.

Khandekar, R. N.; Kelkar, D. N.; Vohra, K. G. (1982) Bromine to lead ratios in suspended air particulate matter in greater Bombay. Atmos. Environ. 16: 621-624.

Khandekar, R. N.; Mishra, U. C.; Vohra, K. G. (1984) Environmental lead exposure of an urban Indian population. Sci. Total Environ. 40: 269-278.

Khandekar, R. N.; Mishra, U. C. (1984) Determination of lead, cadmium, copper and zinc in human tissues by differential pulse anodic stripping voltammetry. Fresenius Z. Anal. Chem. 319: 577-580.

Kharab, P.; Singh, I. (1985) Genotoxic effects of potassium dichromate, sodium arsenite, cobalt chloride and lead nitrate in diploid yeast. Mutat. Res. 155: 117-120.

Khare, N.; Der, R.; Ross, G.; Fahim, M. (1978) Prostatic cellular changes after injection of cadmium and lead into rat prostate. Res. Commun. Chem. Pathol. Pharmacol. 20: 351-365.

Khera, A. K.; Wibberley, D. G.; Dathan, J. G. (1980) Placental and stillbirth tissue lead concentrations in occupationally exposed women. Br. J. Ind. Med. 37: 394-396.

Khera, A. K.; Wibberley, D. G.; Edwards, K. W.; Waldron, H. A. (1980) Cadmium and lead levels in blood and urine in a series of cardiovascular and normotensive patients. Int. J. Environ. Stud. 14: 309-312.

Kihlström, I.; Odenbro, A. (1983) Effect of triethyl lead on the placental uptake and transfer of the non-metabolisable α-aminoisobutyric acid in guinea pigs. Toxicology 27: 111-118.

Kijewski, H.; Lowitz, H. D. (1982) Der Nachweis von Blei als Hydrid in Knochenbiopsieproben von Patienten mit lange zurüliegenden Bleivergiftungen [The proof that lead is a hydride by bone biopsy of patients with past lead poisoning]. Arch. Toxicol. 50: 301-311.

Killham, K.; Firestone, M. K. (1983) Vesicular arbuscular mycorrhizal mediation of grass response to acidic and heavy metal depositions. Plant Soil 72: 39-48.

Kim, C. S.; O'Tuama, L. A.; Cookson, S. L.; Mann, J. D. (1980) The effects of lead poisoning on calcium transport by brain in 30-day-old albino rabbits. Toxicol. Appl. Pharmacol. 52: 491-496.

Kim, C. S.; O'Tuama, L. A. (1978) Selective changes in tyrosine transport by isolated choroid plexus exposed to inorganic lead. Toxicol. Appl. Pharmacol. 45: 213-217.

Kimball, K. D.; Baker, A. L. (1983) Temporal and morphological factors related to mineral composition in Myriophyllum heterophyllum Michx. Aquatic Botany 16: 189-205.

Kimmel, C. A. (1984) Critical periods of exposure and developmental effects of lead. In: Kacew, S.; Reasor, M. J., eds. Toxicology and the newborn. Amsterdam, The Netherlands: Elsevier; pp. 219-235.

Kimmel, C. A.; Grant, L. D.; Sloan, C. S.; Gladen, B. C. (1980) Chronic low-level lead toxicity in the rat. Toxicol. Appl. Pharmacol. 56: 28-41.

Kinard, J. T.; Tisdale, J.; Alexander, E. (1976) Assessment of lead distribution patterns in urban and rural environments. J. Environ. Sci. Health Part A 11: 153-164.

King, D. W.; Chen, C.-C.; Hsu, J. L. (1978) Effect of lead and cadmium on δ-aminolevulinic acid dehydratase activity in the blood of chick embryos. Fed. Proc. Fed. Am. Soc. Exp. Biol. 37: 939.

King, D. W.; Chen, C. C.; Wun, W. S.; Hsu, J. L. (1978) Effects of zinc and lead on the activity of d-aminolevulinic acid dehydratase of the chick embryo. Teratology 17: 49A.

King, D. W.; Chen, D. C. C.; Wung, A. W. S.; Hsu, J. L.; Lai, J. M.; Chiang, H.-N.; Lu, G. R. (1980) Interrelationships of zinc, cadmium and lead in chick embryogenesis. Proc. Natl. Sci. Counc. Repub. China 4: 55-64.

King, E. (1981) Particle size, solubility, and biochemical indicators. In: Lynam, D. R.; Piantanida, L. G.; Cole, J. F., eds. Environmental lead: proceedings of the second international symposium on environmental lead research; December 1978; Cincinnati, OH. New York, NY: Academic Press; pp. 169-173. (Coulston, F.; Korte, F., eds. Ecotoxicology and environmental quality series).

King, E. (1982) Lead poisoning. Public Health Rev. 10: 49-76.

King, E. (1983) Assessment of occupational exposure to lead. Chem. Ind. (London) 7: 261-263.

King, E. (1983) Changes in blood lead concentrations in women in Wales 1972-82. Br. Med. J. 286: 2059-2060.

King, E.; Conchie, A.; Hiett, D.; Milligan, B. (1979) Industrial lead absorption. Ann. Occup. Hyg. 22: 213-239.

Kiran, M. R.; Bedi, S. J. (1984) Cometes surattensis Burm. var. ambajiensis Bedi and Madala as an indicator of copper-lead-zinc mineralization. J. Geochem. Explor. 20: 47-53.

Kirchgessner, M.; Reichlmayr-Lais, A. M. (1981) Changes of iron concentration and iron-binding capacity in serum resulting from alimentary lead deficiency. Biol. Trace Elem. Res. 3: 279-285.

Kirchgessner, M.; Reichlmayr-Lais, A. M. (1981) Retention, Absorbierbarkeit und intermeditäre Verfügbarkeit von Eisen bei alimentärem Bleimangel [Retention, absorbability and intermediate availability of iron with alimentary lead deficiency]. Int. J. Vitam. Nutr. Res. 51: 421-424.

Kirchgessner, M.; Reichlmayr-Lais, A. M. (1982) Konzentrationen verschiedener Stoffwechselmetaboliten im experimentellen Bleimangel [Concentrations of various metabolites with experimental lead deficiency]. Ann. Nutr. Metab. 26: 50-55.

Kirchgessner, M.; Reichlmayr-Lais, A. M. (1982) Lead deficiency and its effects on growth and metabolism. In: Gawthorne, J. M.; Howell, J. M.; White, C. L., eds. Trace element metabolism in man and animals: proceedings of the 4th international symposium; May 1981; Perth, Western Australia. New York, New York: Springer-Verlag; pp. 390-393.

Kirchgessner, M.; Reichlmayr-Lais, A. M.; Schwarz, F. J. (1981) Interactions of trace elements in human metabolism. In: Harper, A. E.; Davis, G. K., eds. Nutrition in health and disease and international development: symposia from the XII international congress of nutrition; San Diego, CA. New York, NY: Alan R. Liss, Inc.; pp. 189-197. (Progress in clinical and biological research: v. 77).

Kiremidjian-Schumacher, L.; Stotzky, G.; Dickstein, R. A.; Schwartz, J. (1981) Influence of cadmium, lead, and zinc on the ability of guinea pig macrophages to interact with macrophage migration inhibitory factor. Environ. Res. 24: 106-116.

Kiremidjian-Schumacher, L.; Stotzky, G.; Likhite, V.; Schwartz, J.; Dickstein, R. A. (1981) Influence of cadmium, lead, and zinc on the ability of sensitized guinea pig lymphocytes to interact with specific antigen and to produce lymphokine. Environ. Res. 24: 96-105.

Kirkby, H.; Nielsen, C. J.; Nielsen, V. K.; Gyntelberg, F. (1983) Subjective symptoms after long term lead exposure in secondary lead smelting workers. Br. J. Ind. Med. 40: 314-317.

Kirkconnell, S. C.; Hicks, L. E. (1980) Residual effects of lead poisoning on Denver developmental screening test scores. J. Abnorm. Child Psychol. 8: 257-267.

Kirkham, M. B. (1983) Elemental content of soil, sorghum and wheat on sludge-injected agricultural land. Agric. Ecosyst. Environ. 9: 281-292.

Kirkpatrick, D. C.; Coffin, D. E. (1974) The trace metal content of representative Canadian diets in 1970 and 1971. J. Inst. Can. Sci. Technol. Aliment. 7: 56-58.

Kirkpatrick, D. C.; Coffin, D. E. (1977) The trace metal content of a representative Canadian diet in 1972. Can. J. Public Health 68: 162-164.

Kirkpatrick, D. C.; Conacher, H. B. S.; Méranger, J. C.; Dabeka, R.; Collins, B.; McKenzie, A. D.; Lacroix, G. M. A.; Savary, G. (1980) The trace element content of Canadian baby foods and estimation of trace element intake by infants. Can. Inst. Food Sci. Technol. J. 13: 154-161.

Kirsch-Volders, M.; Hens, L.; Verschaeve, L.; Alexander, A.; Driesen, M.; Poma, K.; Susanne, C. (1978) Modification of human acrocentric associations after in vivo exposure to environmental mutagens. Acta Anthropogenet. 2: 1-16.

Kishi, R.; Ikeda, T.; Miyake, H.; Uchino, E.; Tsuzuki, T.; Inoue, K. (1983) Effects of low lead exposure on neuro-behavioral function in the rat. Arch. Environ. Health 38: 25-33.

Kiszely, G.; Simon, N.; Fischer-Halász, K.; Berkó, G. (1978) Die Möglichkeiten des früheren Nachweises der Bleibelastung [The possibilities for earlier detection of lead burden]. J. Hyg. Epidemiol. Microbiol. Immunol. 22: 284-293.

Kitchen, I.; McDowell, J.; Winder, C.; Wilson, J. M. (1984) Low-level lead exposure alters morphine antinociception in neonatal rats. Toxicol. Lett. 22: 119-123.

Kjellström, T. (1980) The effect of lead on the nervous system of children. Chem. N.Z. 44: 14-17.

Klaassen, C. D.; Shoeman, D. W. (1974) Biliary excretion of lead in rats, rabbits, and dogs. Toxicol. Appl. Pharmacol. 29: 434-446.

Klauder, D. S.; Murthy, L; Petering, H. G. (1973) Effect of dietary intake of lead acetate on copper metabolism in male rats. In: Hemphill, D. D., ed. Trace substances in environmental health - VI: [proceedings of University of Missouri's 6th annual conference on trace substances in environmental health]; June 1972; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 131-136.

Klauder, D. S.; Petering, H. G. (1975) Protective value of dietary copper and iron against some toxic effects of lead in rats. Environ. Health Perspect. 12: 77-80.

Klauder, D. S.; Petering, H. G. (1977) Anemia of lead intoxication: a role for copper. J. Nutr. 107: 1779-1785.

Klein, V. J.; Zoulfos, K. (1985) Untersuchung über die Akkumulation von Blei und Cadmium in Blut, Lebern und Nieren von Kaninchen [Investigations on the accumulation of lead and cadmium in blood, livers, and kidneys of rabbits]. Arch. Lebensmittelhyg. 36: 43-44.

Klein, A. W.; Koch, T. R. (1981) Lead accumulations in brain, blood, and liver after low dosing of neonatal rats. Arch. Toxicol. 47: 257-262.

Klein, A. W.; Koch, T.; Lapinsky, P.; Schein, J.; Moda, L. (1978) The effects of critical periods and low levels of lead exposure on prenatal rat brain morphology. Anat. Rec. 190: 447.

Klein, M. C.; Sayre, J. W.; Kotok, D. (1974) Lead poisoning: current status of the problem facing pediatricians. Am. J. Dis. Child. 127: 805-807.

Klein, M.; Namer, R.; Harpur, E.; Corbin, R. (1970) Earthenware containers as a source of fatal lead poisoning: case study and public-health considerations. N. Engl. J. Med. 283: 669-672.

Kleinman, L. I. (1982) The effect of lead on the maturing kidney. In: Hunt, V. R.; Smith, M. K.; Worth, D., eds. Environmental factors in human growth and development. Cold Spring Harbor, NY: Cold Spring Harbor Laboratory; pp. 153-171. (Banbury report 11).

Kline, T. S. (1960) Myocardial changes in lead poisoning. Am. J. Dis. Child. 99: 48-54.

Klinenberg, J. R. (1969) Saturnine gout--a moonshine malady. N. Engl. J. Med. 280: 1238-1239.

Klink, F.; Jungblut, J. R.; Oberheuser, F.; Siegers, C. P. (1983) Cadmium- und Bleikonzentrationen im Fruchtwasser von rauchenden und nichtrauchenden Gravida [The concentration of cadmium and lead in the amniotic fluid of pregnant women who smoke and who do not smoke]. Geburtshilfe Frauenheilkde. 43: 695-698.

Klohs, W. D.; Goff, C. W.; Bernacki, R. J. (1978) Glycosyltransferases in plant and animal tissues: effects of fixation and lead on enzyme activity. J. Histochem. Cytochem. 26: 772-781.

Klusek, C. S.; Miller, K. M.; Heit, M. (1983) Trace element and radionuclide mass balances at a coal-fired electric generating station. Environ. Int. 9: 139-144.

Knap, A. H.; Jickells, T. D. (1983) Trace metals and organochlorines in the goosebeaked whale. Mar. Pollut. Bull. 14: 271-274.

Kneip, T. J. (1978) Concentrations of lead and cadmium in garden vegetables grown in New York City. Presented at: Toxic-element studies: food crops and urban vegetable gardens. A symposium sponsored by the New York City Gardening Program; June; The Bronx, NY. Ithaca, NY: Cornell University Cooperative Extension; pp. 1-22.

Kneip, T. J.; Kleinman, M. T.; Gorczynski, J.; Lippmann, M. (1981) A study of filter penetration by lead in New York City air. In: Lynam, D. R.; Piantanida, L. G.; Cole, J. F., eds. Environmental lead: proceedings of the second international symposium on environmental lead research; December 1978; Cincinnati, OH. New York, NY: Academic Press; pp. 291-308. (Coulston, F.; Korte, F., eds. Ecotoxicology and environmental quality series).

Kneip, T. J.; Laurer, G. R. (1972) Isotope excited X-ray fluorescence. Anal. Chem. 44: 57A-68A.

Kneip, T. J.; Mallon, R. P.; Harley, N. H. (1982) An organ compartment model of lead biokinetics. Proceedings national conference on lead zinc and cadmium at workplace - environment and health care; December; New Delhi, India. New Delhi, India; Indian Lead Zinc Information Centre.

Kneip, T. J.; Mallon, R. P.; Harley, N. H. (1983) Biokinetic modelling for mammalian lead metabolism. Neurotoxicology 4: 189-192.

Knelson, J. H.; Johnson, R. J.; Coulston, F.; Golberg, L.; Griffin, T. (1973) Kinetics of respiratory lead uptake in humans. In: Barth, D.; Berlin, A.; Engel, R.; Recht, P.; Smeets, J., eds. Environmental health aspects of lead: proceedings, international symposium; October 1972; Amsterdam, The Netherlands. Luxembourg; Commission of the European Communities; pp. 391-401.

Kobayashi, N.; Okamoto, T. (1974) Effects of lead oxide on the induction of lung tumors in Syrian hamsters. J. Natl. Cancer Inst. (U.S.) 52: 1605-1610.

Kobayashi, Y.; Hori, M. (1979) Studies on lead in the environment of large cities in Japan. In: Preprints of papers presented at the 17th national meeting, American Chemical Society, Division of Environmental Chemistry; April; Honolulu, HI. Washington, DC: American Chemical Society; pp. 494-497.

Kober, T. E.; Cooper, G. P. (1976) Lead competitively inhibits calcium-dependent synaptic transmission in the bullfrog sympathetic ganglion. Nature (London) 262: 704-705.

Kochen, J. A. (1978) Plasma bicarbonate levels and tissue lead distribution. Pediatr. Res. 12: 508.

Kochen, J. A.; Greener, Y. (1973) Levels of lead in blood and hematocrit: implications for the evaluation of the newborn and anemic patient. Pediatr. Res. 7: 937-944.

Koeppe, D. E. (1977) The uptake, distribution, and effect of cadmium and lead in plants. Sci. Total Environ. 7: 197-206.

Koeppe, D. E. (1981) Lead: understanding the minimal toxicity of lead in plants. In: Lepp, N. W., ed. Effect of heavy metal pollution on plants; v. 1. effects of trace metals on plant function. Barking, United Kingdom: Applied Science Publishers, Ltd.; pp. 55-76. (Mellanby, K., ed. Pollution monitoring series).

Koeppe, D. E., comp.; Rolfe, G. L.; Reinbold, K. A., eds. (1977) Environmental contamination by lead and other heavy metals. Volume IV: soil-water-air-plant studies. Urbana-Champaigne, IL: University of Illinois, Institute for Environmental Studies. Available from: NTIS, Springfield, VA; PB-287154.

Koinuma, S. (1926) Impotence of workmen. J. Am. Med. Assoc. 86: 1924.

Koizumi, H.; Yasuda, K. (1976) Determination of lead, cadmium, and zinc using the Zeeman effect in atomic absorption spectrometry. Anal. Chem. 48: 1178-1182.

Kolber, A. R.; Krigman, M. R.; Morell, P. (1980) The effect of in vitro and in vivo lead intoxication on monosaccharide transport in isolated rat brain microvessels. Brain Res. 192: 513-521.

Kolbye, A. C., Jr.; Mahaffey, K. R.; Fiorino, J. A.; Corneliussen, P. C.; Jelinek, C. F. (1974) Food exposures to lead. Environ. Health Perspect. 7: 65-74.

Koller, L. D. (1973) Immunosuppression produced by lead, cadmium, and mercury. Am. J. Vet. Res. 34: 1457-1458.

Koller, L. D. (1978) Effects of environmental contaminants on cell mediated immunity. Cincinnati, OH: U.S. Environmental Protection Agency, Health Effects Research Laboratory; EPA report no. EPA-600/1-78-071. Available from: NTIS, Springfield, VA; PB-292034.

Koller, L. D. (1979) Immune response altered by lead in CBA/J mice. In: Nielsen, S. W.; Migaki, G.; Scarpelli, D. G., eds. Animals as monitors of environmental pollutants: proceedings of a symposium; 1977; Storrs, CT. Washington, DC: National Academy of Sciences; pp. 209-219.

Koller, L. D.; Brauner, J. A. (1977) Decreased B-lymphocyte response after exposure to lead and cadmium. Toxicol. Appl. Pharmacol. 42: 621-624.

Koller, L. D.; Exon, J. H.; Kerkvliet, N. I. (1980) Interaction of metals: immunological implications; part I. lead-cadmium. In: Asher, I. M., ed. Inadvertent modification of the immune response: the effects of foods, drugs, and environmental contaminants: proceedings of the fourth FDA science symposium; August 1978; U. S. Naval Academy. Rockville, MD: U.S. Department of Health and Human Services, Food and Drug Administration; HHS publication no. (FDA) 80-1074; pp. 280-282. Available from: GPO; S/N 017-012-00286-2.

Koller, L. D.; Exon, J. H.; Moore, S. A.; Watanabe, P. G. (1983) Evaluation of ELISA for detecting in vivo chemical immunomodulation. J. Toxicol. Environ. Health 11: 15-22.

Koller, L. D.; Exon, J. H.; Roan, J. G. (1976) Humoral antibody response in mice after single dose exposure to lead or cadmium. Proc. Soc. Exp. Biol. Med. 151: 339-342.

Koller, L. D.; Kovacic, S. (1974) Decreased antibody formation in mice exposed to lead. Nature (London) 250: 148-150.

Koller, L. D.; Roan, J. G. (1977) Effects of lead and cadmium on mouse peritoneal macrophages. J. Reticuloendothel. Soc. 21: 7-12.

Koller, L. D.; Roan, J. G. (1980) Effects of lead, cadmium and methylmercury on immunological memory. J. Environ. Pathol. Toxicol. 4: 47-52.

Koller, L. D.; Roan, J. G. (1980) Response of lymphocytes from lead, cadmium, and methylmercury exposed mice in the mixed lymphocyte culture. J. Environ. Pathol. Toxicol. 4: 393-398.

Koller, L. D.; Roan, J. G.; Brauner, J. A.; Exon, J. H. (1977) Immune response in aged mice exposed to lead. J. Toxicol. Environ. Health 3: 535-543.

Koller, L. D.; Roan, J. G.; Kerkvliet, N. I. (1979) Mitogen stimulation of lymphocytes in CBA mice exposed to lead and cadmium. Environ. Res. 19: 177-188.

Kolton, L.; Yaari, Y. (1982) Sites of action of lead on spontaneous transmitter release from motor nerve terminals. Isr. J. Med. Sci. 18: 165-170.

Komulainen, H. (1983) Enhancement of 5-hydroxytryptamine uptake in rabbit hypothalamic synaptosomes but not in blood platelets by zinc and lead ex vivo. Acta Pharmacol. Toxicol. 53: 166-174.

Komulainen, H.; Pietarinen, R.; Tuomisto, J. (1983) Increase in dopamine uptake in rat striatal synaptosomes after an acute in vivo administration of organic and inorganic lead. Acta Pharmacol. Toxicol. 52: 381-389.

Komulainen, H.; Tuomisto, J. (1981) Effect of heavy metals on dopamine, noradrenaline and serotonin uptake and release in rat brain synaptosomes. Acta Pharmacol. Toxicol. 48: 199-204.

Konat, G. (1984) Triethyllead and cerebral development: an overview. Neurotoxicology 5: 87-96.

Konat, G.; Clausen, J. (1978) Protein composition of forebrain myelin isolated from triethyllead-intoxicated young rats. J. Neurochem. 30: 907-909.

Konat, G.; Clausen, J. (1980) Suppressive effect of triethyllead on entry of proteins into the CNS myelin sheath in vitro. J. Neurochem. 35: 382-387.

Konat, G.; Offner, H.; Clausen, J. (1978) Effect of triethyllead on protein synthesis in rat forebrain. Exp. Neurol. 59: 162-167.

Konat, G.; Offner, H.; Clausen, J. (1979) The effect of triethyllead on total and myelin protein synthesis in rat forebrain slices. J. Neurochem. 32: 187-190.

Kondo, M.; Kajimoto, M.; Urata, G. (1983) Alteration of activities of δ-aminolevulinic acid synthase, δ-aminolevulinic acid dehyratase and δ-aminolevulinic acid dehydratase inhibitor in the bone marrow cells of lead poisoned rats. Exp. Hematol. 11: 324-331.

Konietzko, H. (1979) Die chronische Bleivergiftung [Chronic lead poisoning]. Med. Welt 30: 683-686.

Konovalov, G. S.; Ivanova, A. A.; Kolesnikova, T. Kh. (1966) Rare and dispersed elements (microelements) in the water and in the suspended substances in rivers of the European territory of U.S.S.R. Gidrokhim. Mater. 42: 94-111.

Kopinski, R. P.; Pinhey, J. T.; Rowe, B. A. (1984) The chemistry of aryllead(IV) tricarboxylates. Reaction with derivatives of malonic acid: new routes to α-aryl carboxylic acids and arylated barbituric acid derivatives. Aust. J. Chem. 37: 1245-1254.

Kopito, L. E.; Davis, M. A.; Shwachman, H. (1974) Sources of error in determining lead in blood by atomic absorption spectrophotometry. Clin. Chem. (Winston-Salem, NC) 20: 205-211.

Kopp, J. F.; Kroner, R. C. (1967) Trace metals in waters of the United States: a five year summary of trace metals in rivers and lakes of the United States (October 1, 1962 - September 30, 1967). Cincinnati, OH: U.S. Department of the Interior, Division of Pollution Surveillance. Available from: NTIS, Springfield, VA; PB-215680.

Kopp, J. F.; McKee, D. (1983) Methods for chemical analysis of water and wastes. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Monitoring and Support Laboratory; p. 74; EPA report no. EPA-600/4-79-020. Available from: NTIS, Springfield, VA; PB84-128677.

Kopp, S. J.; Baker, J. C.; D'Agrosa, L. S.; Hawley, P. (1978) Simultaneous recording of His bundle electrogram, electrocardiogram, and systolic tension from intact modified Langendorff rat heart preparations. I: effects of perfusion time, cadmium, and lead. Toxicol. Appl. Pharmacol. 46: 475-487.

Kopp, S. J.; Bárány, M. (1979) Phosphorylation of the 19,000-dalton light chain of myosin in perfused rat heart under the influence of negative and positive inotropic agents. J. Biol. Chem. 254: 12007-12012.

Kopp, S. J.; Bárány, M. (1980) Influence of isoproterenol and calcium on cadmium- or lead-induced negative inotropy related to cardiac myofibrillar protein phosphorylations in perfused rat heart. Toxicol. Appl. Pharmacol. 55: 8-17.

Kopp, S. J.; Bárány, M.; Erlanger, M.; Perry, E. F.; Perry, H. M., Jr. (1980) The influence of chronic low-level cadmium and/or lead feeding on myocardial contractility related to phosphorylation of cardiac myofibrillar proteins. Toxicol. Appl. Pharmacol. 54: 48-56.

Kopp, S. J.; Glonek, T.; Erlanger, M.; Perry, E. F.; Bárány, M.; Perry, H. M., Jr. (1980) Altered metabolism and function of rat heart following chronic low level cadmium/lead feeding. J. Mol. Cell. Cardiol. 12: 1407-1425.

Kopp, S. J.; Glonek, T.; Erlanger, M.; Perry, E. F.; Perry, H. M., Jr.; Bárány, M. (1980) Cadmium and lead effects on myocardial function and metabolism. J. Environ. Pathol. Toxicol. 4: 205-227.

Kopp, S. J.; Perry, H. M., Jr.; Feliksik, J. M.; Erlanger, M.; Perry, E. F. (1983) In vivo assessment of cardiac contractility following chronic dietary cadmium or cadmium plus lead ingestion in the rat. In: Hemphill, D. D., ed. Trace substances in environmental health - XVII: [proceedings of University of Missouri's 17th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 165-173.

Koranda, J.; Moore, K.; Stuart, M.; Conrado, C. (1979) Dietary effects on lead uptake and trace element distribution in mallard ducks dosed with lead shot. Livermore, CA: Lawrence Livermore Laboratory. Available from: NTIS, Springfield, VA; UCID-18044.

Koranda, J. J.; Stuart, M.; Thompson, S.; Conrado, C. (1979) Biogeochemical studies of wintering waterfowl in the Imperial and Sacramento Valleys. Livermore, CA: Lawrence Livermore Laboratory. Available from: NTIS, Springfield, VA; UCID-18288.

Korman, E. F.; Ward, J. F.; Myers, L. S., Jr. (1977) Toxic effect of metals on DNA synthesis. Los Angeles, CA: University of California. Available from: NTIS, Springfield, VA; UCLA-12-1130.

Kosaka, M. (1983) Effects of lead, other metals and diphenylthiocarbazone on conditioned avoidance behavior in rats. Nichidai Igaku Zasshi 42: 537-546.

Koshi, K.; Iwasaki, K. (1983) Solubility of low-solubility chromates and their clastogenic activity in cultured cells. Ind. Health 21: 57-65.

Kośmider, S.; Petelenz, T. (1962) Zmiany elektrokardiograficzne u starszych osob z przewlekłym zawodowym zatruciem ołowiem [Electrocardiographic changes in elderly patients with chronic professional lead poisoning]. Pol. Arch. Med. Wewn. 32: 437-442.

Kostas, J.; McFarland, D. J.; Drew, W. G. (1978) Lead-induced behavioral disorders in the rat: effects of amphetamine. Pharmacology 16: 226-236.

Kostas, J.; McFarland, D. J.; Drew, W. G. (1976) Lead-induced hyperactivity: chronic exposure during the neonatal period in the rat. Pharmacology 14: 435-442.

Kostial, K. (1983) Specific features of metal absorption in suckling animals. In: Clarkson, T. W.; Nordberg, G. F.; Sager, P. R., eds. Reproductive and developmental toxicity of metals [proceedings of a joint meeting; May 1982; Rochester, NY]. New York, NY: Plenum Press; pp. 727-744.

Kostial, K.; Kello, D. (1979) Bioavailability of lead in rats fed "human" diets. Bull. Environ. Contam. Toxicol. 21: 312-314.

Kostial, K.; Kello, D.; Jugo, S.; Rabar, I.; Maljković, T. (1978) Influence of age on metal metabolism and toxicity. Environ. Health Perspect. 25: 81-86.

Kostial, K.; Momčilović, B. (1974) Transport of lead 203 and calcium 47 from mother to offspring. Arch. Environ. Health 29: 28-30.

Kostial, K.; Šimonovic, J.; Pišonić, M. (1971) Lead absorption from the intestine in newborn rats. Nature (London) 233: 564.

Kostial, K.; Vouk, V. B. (1957) Lead ions and synaptic transmission in the superior cervical ganglion of the cat. Br. J. Pharmacol. 12: 219-222.

Kotok, D. (1972) Development of children with elevated blood levels: a controlled study. J. Pediatr. (St. Louis) 80: 57-61.

Kotok, D.; Kotok, R.; Heriot, T. (1977) Cognitive evaluation of children with elevated blood lead levels. Am. J. Dis. Child. 131: 791-793.

Kowalczyk, D. F. (1984) Clinical management of lead poisoning. J. Am. Vet. Med. Assoc. 184: 858-860.

Kowalczyk, G. S.; Choquette, C. E.; Gordon, G. E. (1978) Chemical element balances and identification of air pollution sources in Washington, DC. Atmos. Environ. 12: 1143-1153.

Kowalski, S.; Parker, G. H.; Persinger, M. A. (1982) Interactions of 2-ppm lead in the water supply with food deprivation upon maze-swimming behavior of mice. Percept. Mot. Skills 55: 515-519.

Krailo, M. D.; Brown, K. S.; Cherry, W. H.; Forbes, W. F. (1980) Factors associated with normal lead concentrations in rib. In: Hemphill, D. D., ed. Trace substances in environmental health - XIV: [proceedings of University of Missouri's 14th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 51-58.

Krajnović-Ozretić, M.; Ozretić, B. (1980) The ALA-D activity test in lead-exposed grey mullet Mugil auratus. Mar. Ecol. Prog. Ser. 3: 187-191.

Krall, V.; Sachs, H.; Rayson, B.; Lazar, B.; Growe, G.; O'Connell, L. (1980) Effects of lead poisoning on cognitive test performance. Percept. Mot. Skills 50: 483-486.

Kramer, H. L.; Steiner, J. W.; Vallely, P. J. (1983) Trace element concentrations in the liver, kidney, and muscle of Queensland cattle. Bull. Environ. Contam. Toxicol. 30: 588-594.

Krasovskiĭ, G. N.; Vasukovich, L. Y.; Chariev, O. G. (1979) Experimental study of biological effects of lead and aluminum following oral administration. Environ. Health Perspect. 30: 47-51.

Krause, G. H. M.; Kaiser, H. (1977) Plant response to heavy metals and sulfur dioxide. Environ. Pollut. 12: 63-71.

Krause, W. (1983) Wirkungen von Medikamenten und Umweltgiften auf die menschliche Spermatogenese [Effects of drugs and environmental toxins on human spermatogenesis]. Dermatosen Beruf Umwelt 31: 175-182.

Krehbiel, D.; Davis, G. A.; LeRoy, L. M.; Bowman, R. E. (1976) Absence of hyperactivity in lead-exposed developing rats. Environ. Health Perspect. 18: 147-157.

Kremer, H. U.; Frank, M. N. (1955) Coexisting myxedema and chronic plumbism. Ann. Intern. Med. 42: 1130-1136.

Kretzschmar, J. G.; Delespaul, I.; De Rijck, T. (1980) Heavy metal levels in Belgium: a five year survey. Sci. Total Environ. 14: 85-97.

Krigman, M. R. (1978) Neuropathology of heavy metal intoxication. Environ. Health Perspect. 26: 117-120.

Krigman, M. R.; Bertram, E.; Bagnell, R.; Bendeich, E. G. (1978) Perturbation of caudate nucleus ontogenesis by low-level lead burdens. Fed. Proc. Fed. Am. Soc. Exp. Biol. 37: 843.

Krigman, M. R.; Bouldin, T. W.; Bagnell, C. R.; Rhyne, J. (1979) Heavy metal vasculopathy in the neonatal rat. J. Neuropathol. Exp. Neurol. 38: 327.

Krigman, M. R.; Druse, M. J.; Traylor, T. D.; Wilson, M. N.; Newell, L. R.; Hogan, E. L. (1974) Lead encephalopathy in the developing rat: effect upon myelination. J. Neuropathol. Exp. Neurol. 33: 58-73.

Krigman, M. R.; Druse, M. J.; Traylor, T. D.; Wilson, M. N.; Newell, L. R.; Hogan, E. L. (1974) Lead encephalopathy in the developing rat: effect on cortical ontogenesis. J. Neuropathol. Exp. Neurol. 33: 671-686.

Krigman, M. R.; Toews, A. D.; Morell, P. (1980) Effect of neonatal lead exposure on myelination in the rat. J. Neuropathol. Exp. Neurol. 39: 369.

Krigman, M. R.; Traylor, D. T.; Hogan, E. L.; Mushak, P. (1974) Subcellular distribution of lead in the brains of intoxicated and control rats. J. Neuropathol. Exp. Neurol. 33: 562.

Krishnaswami, S.; Graustein, W. C.; Turekian, K. K.; Dowd, J. F. (1982) Radium, thorium and radioactive lead isotopes in groundwaters: application to the in situ determination of adsorption-desorption rate constants and retardation factors. Water Resour. Res. 18: 1663-1675.

Kromhout, D.; Wibowo, A. A. E.; Herber, R. F. M.; Dalderup, L. M.; Heerdink, H.; de Lezenne Coulander, C.; Zielhuis, R. L. (1985) Trace metals and coronary heart disease risk indicators in 152 elderly men (the Zutphen study). Am. J. Epidemiol. 122: 378-385.

Kruckenberg, S. M.; Dennis, S. M.; Leipold, H. W.; Oehme, F. W.; Cook, J. E. (1976) Teratogenicity of lead acetate in Microtus ochrogaster (Prairie voles). Vet. Toxicol. 18: 58-60.

Ku, Y.; Alvarez, G. H.; Mahaffey, K. R. (1978) Comparative effects of feeding lead acetate and phospholipid-bound lead on blood and tissue lead concentrations in young and adult rats. Bull. Environ. Contam. Toxicol. 20: 561-567.

Kubasik, N. P.; Volosin, M. T.; Murray, M. H. (1972) Carbon rod atomizer applied to measurement of lead in whole blood by atomic absorption spectrophotometry. Clin. Chem. (Winston-Salem, NC) 18: 410-412.

Kubo, T.; Komoike, Y.; Kumazawa, J.; Takano, Y.; Horiguchi, S. (1982) Blood and urine tests of lead workers, report 2, centered on erythrocyte zinc protoporphyrin (ZPP) and urinary delta-amino levulinic acid. Sumitomo Sangyo Eisei 18: 61-77.

Kubota, J.; Lazar, V. A.; Losee, F. (1968) Copper, zinc, cadmium, and lead in human blood from 19 locations in the United States. Arch. Environ. Health 16: 788-793.

Kuch, A.; Wagner, I. (1983) A mass transfer model to describe lead concentrations in drinking water. Water Res. 17: 1303-1307.

Kuettel, M. R.; Kaplan, S. (1984) Sites of lead localization in embryonic chick tissues following treatment. Teratology 29: 29-34.

Kufner, G.; Schlegel, H. (1978) Analysis of the diagnostically relevant heme precursors (5-aminolevulinic acid, coproporphyrin and protoporphyrin) in lead intoxication by thin layer chromatography: international symposium on porphyrias and lead intoxication; 1977; Marburg, West Germany. J. Clin. Chem. Clin. Biochem. 16: 61-62.

Kuhnert, P. M.; Erhard, P.; Kuhnert, B. R. (1977) Lead and δ-aminolevulinic acid dehydratase in RBC's of urban mothers and fetuses. Environ. Res. 14: 73-80.

Kuhnlein, H. V.; Calloway, D. H. (1977) Minerals in human teeth: differences between preindustrial and contemporary Hopi Indians. Am. J. Clin. Nutr. 30: 883-886.

Kumakawa, J.; Yoshida, T.; Kuroiwa, Y. (1981) Effect of heavy metals on some enzymes of rat liver and factors which modify the metal actions, especially of cadmium. Proceedings of 7th symposium on environmental pollutants and toxicology; November; Kobe, Japan. J. Pharmacobio Dyn. 4: s-76.

Kumar, S.; Pant, S. C. (1984) Comparative effects of the sublethal poisoning of zinc, copper and lead on the gonads of the teleost Puntius conchonius Ham. Toxicol. Lett. 23: 189-194.

Kuna, R. A.; Ulrich, C. E. (1984) Subchronic inhalation toxicity of two motor fuels. J. Am. Coll. Toxicol. 3: 217-229.

Kuratsuka, K.; Fujiwara, H. (1984) The assay of endotoxin by intravenous injection of lead acetate-treated mice. J. Biol. Stand. 12: 413-425.

Kurlander, H. M.; Patten, B. M. (1979) Metals in spinal cord tissue of patients dying of motor neuron disease. Ann. Neurol. 6: 21-24.

Kurt, T. L.; McAnalley, B. H.; Garriott, J. C. (1982) Lead encephalopathy from gasoline sniffing: successful treatment with chelation. Tex. Med. 78: 52-54.

Kusell, M.; Lake, L.; Andersson, M.; Gerschenson, L. E. (1978) Cellular and molecular toxicology of lead: II. effect of lead on δ-aminolevulinic acid synthetase of cultured cells. J. Toxicol. Environ. Health 4: 515-525.

Kusell, M.; O'Cheskey, S.; Gerschenson, L. E. (1978) Cellular and molecular toxicology of lead: I. effect of lead on cultured cell proliferation. J. Toxicol. Environ. Health 4: 503-513.

Kussmaul, A.; Maier, R. (1872) Zur pathologischen Anatomie des chronischen Saturnismus [Pathological anatomy of chronic saturnism]. Dtsch. Arch. Klin. Med. 9: 283-302.

LaBelle, S. J.; Bhattacharyya, M. H.; Loutfy, R. O.; Varma, R. (1980) Procedures for safe handling of off-gases from electric vehicle lead-acid batteries during overcharge. Argonne, IL: Argonne National Laboratories. Available from: NTIS, Springfield, VA; ANL/CNSV-TM-28.

Lacatena, R. M.; Busiello, V.; Di Girolamo, A.; Di Girolamo, M. (1981) Effect of Pb^{2+} on Friend leukemia cells during erythroid maturation. Toxicol. Appl. Pharmacol. 57: 346-354.

Lacey, R. F.; Moore, M. R.; Richards, W. N. (1985) Lead in water, infant diet and blood: the Glasgow duplicate diet study. Sci. Total Environ. 41: 235-257.

Lach, H.; Dziubek, K.; Krawczyk, S.; Szaroma, W. (1977) Influence of chronic doses of mercuric acetate and lead acetate on the number and activity of Gomori-positive glial cells in the mouse brain. Acta Biol. Acad. Sci. Hung. 28: 367-373.

Lachant, N. A.; Tomoda, A.; Tanaka, K. R. (1984) Inhibition of the pentose phosphate shunt by lead: a potential mechanism for hemolysis in lead poisoning. Blood 63: 518-524.

Lacz, J. P. (1978) Behavioral and neurochemical alterations associated with neonatal lead encephalopathy models [dissertation]. Omaha, NE: University of Nebraska Medical Center. Available from: University Microfilms, Ann Arbor, MI; publication no. 79-106,075.

LaFleur, P. D., ed. (1976) Accuracy in trace analysis: sampling, sample handling, analysis; v. 1 and 2. proceedings of the 7th materials research symposium; October 1974; Gaithersburg, MD. Washington, DC: U.S. Department of Commerce, National Bureau of Standards; NBS special publication no. 422. Available from: NTIS, Springfield, VA; PB-258092/6.

Lagerwerff, J. V. (1970) Air as a source of lead in edible crops [discussion of paper by G. Ter Haar]. Environ. Sci. Technol. 4: 230.

Lagerwerff, J. V.; Armiger, W. H.; Specht, A. W. (1973) Uptake of lead by alfalfa and corn from soil and air. Soil Sci. 115: 455-460.

Lagerwerff, J. V.; Brower, D. L. (1973) Exchange adsorption or precipitation of lead in soils treated with chlorides of aluminum, calcium, and sodium. Soil Sci. Soc. Am. Proc. 37: 11-13.

Lagerwerff, J. V.; Specht, A. W. (1970) Contamination of roadside soil and vegetation with cadmium, nickel, lead, and zinc. Environ. Sci. Technol. 4: 583-586.

Laird, E. E.; Chettle, D. R.; Scott, M. C. (1982) The factors affecting in vivo x-ray fluorescence measurements of lead in bone. Nucl. Instrum. Methods 193: 377-382.

Lake, L. M.; O'Cheskey, S.; Masuji, H.; Gerschenson, L. E. (1980) Isolation of lead-resistant cells from an established rat glioma cell line. Chem. Biol. Interact. 30: 237-240.

Lake, L.; Gerschenson, L. E. (1978) Cellular and molecular toxicology of lead: III. effect of lead on heme synthesis. J. Toxicol. Environ. Health 4: 527-540.

Lamola, A.-A.; Joselow, M.; Yamane, T. (1975) Zinc protoporphyrin (ZPP): a simple, sensitive, fluorometric screening test for lead poisoning. Clin. Chem. (Winston-Salem, NC) 21: 93-97.

Lamola, A.-A.; Piomelli, S.; Poh-Fitzpatrick, M. B.; Yamane, T.; Harber, L. C. (1975) Erythropoietic protoporphyria and lead intoxication: the molecular basis for difference in cutaneous photosensitivity: II. different binding of erythrocyte protoporphyrin to hemoglobin. J. Clin. Invest. 56: 1528-1535.

Lamon, J. M.; Frykholm, B. C.; Tschudy, D. P. (1978) The effect of intravenous hematin on the biochemical parameters of lead intoxication. Clin. Res. 26: 291A.

Lamon, J. M.; Frykholm, B. C.; Tschudy, D. P. (1979) Hematin administration to an adult with lead intoxication. Blood 53: 1007-1011.

Lampert, P. W.; Schochet, S. S., Jr. (1968) Demyelination and remyelination in lead neuropathy: electron microscopic studies. J. Neuropathol. Exp. Neurol. 27: 527-545.

Lancereaux, E. (1862) Note relative a un cas de paralysie saturnine avec altération des cordons nerveux et des muscles paralysés [Note on a case of saturnine paralysis with alteration of the paralyzed nerve funiculi and muscles]. Gaz. Med. Paris: 709-713.

Lancranjan, I.; Popescu, H. I.; Găvănescu, O.; Klepsch, I.; Serbanescu, M. (1975) Reproductive ability of workmen occupationally exposed to lead. Arch. Environ. Health 30: 396-401.

Landaw, S. A.; Schooley, J. C. (1973) Decreased erythropoietin synthesis and ineffective erythropoiesis in acutely lead-poisoned rats. In: American Society of Hematology: sixteenth annual meeting, plenary session; December; Chicago, IL. Blood 42: 996.

Landaw, S. A.; Schooley, J. C.; Arroyo, F. L. (1973) Decreased erythropoietin (ESF) synthesis and impaired erythropoiesis in acutely lead-poisoned rats. Clin. Res. 21: 559.

Landrigan, P. J. (1979) Neurologic effects of exposure to lead [letter]. J. Pediatr. (St. Louis) 94: 504-505.

Landrigan, P. J. (1983) Toxic exposures and psychiatric disease - lessons from the epidemiology of cancer. Acta Psychiatr. Scand. 67: 6-15.

Landrigan, P. J.; Albrecht, W. N.; Watanabe, A.; Lee, S. (1981) Health hazard evaluation HETA 80-116-1034. Cincinnati, OH: National Institute of Occupational Safety and Health, Division of Standards Development and Technology Transfer, Public Dissemination; NIOSH report no. HETA 80-116-1034. Available from: NTIS, Springfield, VA; PB82-196833.

Landrigan, P. J.; Baker, E. L. (1981) Exposure of children to heavy metals from smelters: epidemiology and toxic consequences. Environ. Res. 25: 204-224.

Landrigan, P. J.; Baker, E. L.; Whitworth, R. H.; Feldman, R. G. (1980) Neuro-epidemiologic evaluations of children with chronic increased lead absorption. In: Needleman, H. L., ed. Low level lead exposure: the clinical implications of current research. New York, NY: Raven Press; pp. 17-33.

Landrigan, P. J.; Baker, E. L., Jr.; Feldman, R. G.; Cox, D. H.; Eden, K. V.; Orenstein, W. A.; Mather, J. A.; Yankel, A. J.; von Lindern, I. H. (1976) Increased lead absorption with anemia and slowed nerve conduction in children near a lead smelter. J. Pediatr. (St. Louis) 89: 904-910.

Landrigan, P. J.; Baker, E. L., Jr.; Himmelstein, J. S.; Stein, G. F.; Wedding, J. P.; Straub, W. E. (1982) Exposure to lead from the Mystic River bridge: the dilemma of deleading. N. Engl. J. Med. 306: 673-676.

Landrigan, P. J.; Gehlbach, S. H.; Rosenblum, B. F.; Shoults, J. M.; Candelaria, R. M.; Barthel, W. F.; Liddle, J. A.; Smrek, A. L.; Staehling, N. W.; Sanders, J. F. (1975) Epidemic lead absorption near an ore smelter: the role of particulate lead. N. Engl. J. Med. 292: 123-129.

Landrigan, P. J.; Goyer, R. A.; Clarkson, T. W.; Sandler, D. P.; Smith, J. H.; Thun, M. J.; Wedeen, R. P. (1984) The work-relatedness of renal disease. Arch. Environ. Health 39: 225-230.

Landrigan, P. J.; Houk, V. N. (1984) EPA review of lead study [letter]. Science (Washington, DC) 223: 118.

Landrigan, P. J.; Tamblyn, P. B.; Nelson, M.; Kerndt, P.; Kronoveter, K. J.; Zack, M. M. (1980) Lead exposure in stained glass workers. Am. J. Ind. Med. 1: 177-180.

Landrigan, P. J.; Whitworth, R. H.; Baloh, R. W.; Staehling, N. W.; Barthel, W. F.; Rosenblum, B. T. (1975) Neuropsychological dysfunction in children with chronic low-level lead absorption. Lancet 1(7909): 708-712.

Landsberger, S.; Jervis, R. E.; Kajrys, G.; Monaro, S. (1983) Characterization of trace elemental pollutants in urban snow using proton induced X-ray emission and instrumental neutron activation analysis. Int. J. Environ. Anal. Chem. 16: 95-130.

Landy, M. P. (1980) An evaluation of differential pulse anodic stripping voltammetry at a rotating glassy carbon electrode for the determination of cadmium, copper, lead and zinc in Antarctic snow samples. Anal. Chim. Acta 121: 39-49.

Landy, M. P.; Peel, D. A. (1981) Short-term fluctuations in heavy metal concentrations in Antarctic snow. Nature (London) 291: 144-146.

Lane, R. E. (1949) The care of the lead worker. Br. J. Ind. Med. 6: 125-143.

Lane, R. E. (1964) Health control in inorganic lead industries: a follow-up of exposed workers. Arch. Environ. Health 8: 243-250.

Lane, S. D.; Martin, E. S. (1982) An ultrastructural examination of lead localisation in germinating seeds of Raphanus sativus. Z. Pflanzenphysiol. 107: 33-40.

Lane, S. D.; Martin, E. S.; Garrod, J. F. (1978) Lead toxicity effects on indole-3-ylacetic acid-induced cell elongation. Planta 144: 79-84.

Lang, J. M.; Snow, L.; Carlson, R.; Black, F.; Zweidinger, R.; Tejada, S. (1981) Characterization of particulate emissions from in-use gasoline-fueled motor vehicles. New York, NY: Society of Automotive Engineers; SAE paper no. 811-186.

Lannefors, H.; Hansson, H.-C. (1981) Indoor/outdoor elemental concentration relationships at a nursery school. Nucl. Instrum. Methods 181: 441-444.

Lannefors, H.; Hansson, H.-C.; Granat, L. (1983) Background aerosol composition in southern Sweden - fourteen micro and macro constituents measured in seven particle size intervals at one site during one year. Atmos. Environ. 17: 87-101.

Lansdown, R. (1979) Moderately raised blood lead levels in children. Proc. R. Soc. London Ser. B. 205: 145-151.

Lansdown, R. G.; Shepherd, J.; Clayton, B. E.; Delves, H. T.; Graham, P. J.; Turner, W. C. (1974) Blood-lead levels, behaviour, and intelligence: a population study. Lancet (7857): 538-541.

Lansdown, R.; Yule, W.; Urbanowicz, M.-A.; Millar, I. B. (1983) Blood lead, intelligence, attainment and behaviour in school children: overview of a pilot study. In: Rutter, M.; Russell Jones, R., eds. Lead versus health. New York, NY: John Wiley & Sons, Ltd.; pp. 267-296.

Lanthorn, T.; Isaacson, R. L. (1978) Effects of chronic lead ingestion in adult rats. Physiol. Psychol. 6: 93-95.

LaPorte, R. E.; Talbott, E. E. (1978) Effects of low levels of lead exposure on cognitive function - a review. Arch. Environ. Health 33: 236-239.

Larmo, M.; Savolainen, H. (1981) Nervous system porphyrins in low-level peroral lead exposure. Exp. Neurol. 74: 260-264.

Larsen, P. F.; Zdanowicz, V.; Johnson, A. C. (1983) Trace metal distributions in the surficial sediments of Penobscot Bay, Maine. Bull. Environ. Contam. Toxicol. 31: 566-573.

Larsen, V. J. (1983) The significance of atmospheric deposition of heavy metals in four Danish lakes. Sci. Total Environ. 30: 111-127.

Larsen, V. J.; Schierup, H. (1981) The use of straw for removal of heavy metals from waste water. J. Environ. Qual. 10: 188-193.

Laskey, J. W.; Rehnberg, G. L.; Hein, J. F.; Carter, S. D. (1982) Effects of chronic manganese (Mn_3O_4) exposure on selected reproductive parameters in rats. J. Toxicol. Environ. Health 9: 677-687.

Laskin, S.; Kuschner, M.; Drew, R. T. (1970) Studies in pulmonary carcinogenesis. In: Hanna, M. G., Jr.; Nettesheim, P.; Gilbert, J. R., eds. Inhalation carcinogenesis: proceedings of a biology division, Oak Ridge National Laboratory, conference; October 1969; Gatlinburg, TN. Washington, DC: U.S. Atomic Energy Commission; pp. 321-350. Available from: NTIS, Springfield, VA; CONF-691001.

Lasley, S. M.; Greenland, R. D.; Minnema, D. J.; Michaelson, I. A. (1984) Influence of chronic inorganic lead exposure on regional dopamine and 5-hydroxytryptamine turnover in rat brain. Neurochem. Res. 9: 1675-1688.

Lassen, E. D.; Hoffman, L. J.; Kaeberle, M. L.; Buck, W. B. (1980) Increased susceptibility of lead-exposed swine to Salmonella choleraesuis var kunzendorf. Am. J. Vet. Res. 41: 463-468.

Laties, V. G.; Cory-Slechta, D. A. (1979) Some problems in interpreting the behavioral effects of lead and methylmercury. Neurobehav. Toxicol. 1 (suppl. 1): 129-135.

Lau, C. M.; Ure, A. M.; West, T. S. (1983) The determination of lead and cadmium in soils by atom-trapping atomic absorption spectrometry. Anal. Chim. Acta 146: 171-179.

Lau, W. M.; Wong, H. M. (1982) An ecological survey of lead contents in roadside dusts and soils in Hong Kong. Environ. Res. 28: 39-54.

Lau, W. M.; Wong, M. H. (1983) The effect of particle size and different extractants on the contents of heavy metals in roadside dusts. Environ. Res. 31: 229-242.

Laug, E. P.; Kunze, F. M. (1948) The penetration of lead through the skin. J. Ind. Hyg. Toxicol. 30: 256-259.

Laughlin, N. K.; Bowman, R. E.; Levin, E. D.; Bushnell, P. J. (1983) Neurobehavioral consequences of early exposure to lead in rhesus monkeys: effects on cognitive behaviors. In: Clarkson, T. W.; Nordberg, G. F.; Sager, P. R., ed. Reproductive and developmental toxicity of metals [proceedings of a joint meeting; May 1982; Rocester, NY]. New York, NY: Plenum Press; pp. 497-515.

Laumond, F.; Copin-Montegut, G.; Courau, P.; Nicolas, E. (1984) Cadmium, copper and lead in the western Mediterranean Sea. Mar. Chem. 15: 251-261.

Laurer, G. R.; Albert, R. E.; Kneip, T. J.; Pasternack, B.; Strehlow, C.; Nelson, N.; Kent, F. S. (1973) The distribution of lead paint in New York City tenement buildings. Am. J. Public Health 63: 163-168.

Lauwerys, R. R. (1982) The lead debate continues [letter]. Environ. Sci. Technol. 16: 208A-209A.

Lauwerys, R.; Buchet, J.-P.; Roels, H.; Berlin, A.; Smeets, J. (1975) Intercomparison program of lead, mercury, and cadmium analysis in blood, urine, and aqueous solutions. Clin. Chem. (Winston-Salem, NC) 21: 551-557.

Lauwerys, R.; Buchet, J.-P.; Roels, H.; Hubermont, G. (1978) Placental transfer of lead, mercury, cadmium, and carbon monoxide in women. I: Comparison of the frequency distributions of the biological indices in maternal and umbilical cord blood. Environ. Res. 15: 278-289.

Lauwerys, R.; Buchet, J.-P.; Roels, H. A.; Materne, D. (1974) Relationship between urinary δ-aminolevulinic acid excretion and the inhibition of red cell δ-aminolevulinate dehydratase by lead. Clin. Toxicol. 7: 383-388.

Lauwerys, R.; Roels, H.; Buchet, J.-P.; Bernard, A. A.; Verhoeven, L.; Konings, J. (1983) The influence of orally-administered vitamin C or zinc on the absorption of and the biological response to lead. J. Occup. Med. 25: 668-678.

Laveskog, A. (1971) A method for determining tetramethyl lead (TML) and tetraethyl lead (TEL) in air. In: Englund, H. M.; Beery, W. T., eds. Proceedings of the second international clean air congress of the International Union of Air Pollution Prevention Associations; December 1970; Washington, DC. New York, NY: Academic Press; pp. 549-557.

Law, S. L.; Gordon, G. E. (1979) Sources of metals in municipal incinerator emissions. Environ. Sci. Technol. 13: 432-438.

Lawrence, D. A. (1981) Lead effects on the immune system. In: Lynam, D. R.; Piantanida, L. G.; Cole, J. F., eds. Environmental lead: proceedings of the second international symposium on environmental lead research; December 1978; Cincinnati, OH. New York, NY: Academic Press; pp. 269-290. (Coulston, F.; Korte, F., eds. Ecotoxicology and environmental quality series).

Lawrence, D. A. (1981) Heavy metal modulation of lymphocyte activities: I. in vitro effects of heavy metals on primary humoral immune responses. Toxicol. Appl. Pharmacol. 57: 439-451.

Lawrence, D. A. (1981) Heavy metal modulation of lymphocyte activities - II. lead, an in vitro mediator of B-cell activation. Int. J. Immunopharmacol. 3: 153-161.

Lawrence, D. A. (1981) In vivo and in vitro effects of lead on humoral and cell-mediated immunity. Infect. Immun. 31: 136-143.

Lawther, P. J.; Commins, B. T.; Ellison, J. M.; Biles, B. (1973) More observations on airborne lead. In: Barth, D.; Berlin, A.; Engel, R.; Recht, P.; Smeets, J., eds. Environmental health aspects of lead: proceedings, international symposium; October 1972; Amsterdam, The Netherlands. Luxembourg: Commission of the European Communities; pp. 373-387.

Laxen, D. P. H. (1983) A curved response to lead pollution. In: International conference: heavy metals in the environment; September; Heidelberg, West Germany. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 290-293.

Laxen, D. P. H.; Harrison, R. M. (1977) The highway as a source of water pollution: an appraisal with the heavy metal lead. Water Res. 11: 1-11.

Laxen, D. P. H.; Harrison, R. M. (1983) Physico-chemical speciation of selected metals in the treated effluent of a lead-acid battery manufacturer and in the receiving river. Water Res. 17: 71-80.

Laxen, D. P. H.; Lindsay, F.; Fulton, M.; Raab, G. (1985) The importance of lead-in-air as an exposure source - an assessment for children in Edinburgh. Environ. Technol. Lett. 6: 107-114.

Lay-Har, N. T. (1980) A survey of blood lead levels in Hong Kong. Mod. Med. Asia 16: 43-45.

Lazrus, A. L.; Lorange, E.; Lodge, J. P., Jr. (1970) Lead and other metal ions in United States precipitation. Environ. Sci. Technol. 4: 55-58.

le Nobel, C. (1887) Ueber die Einwirkung von Reductionsmitteln auf Haematin und das Vorkommen der Reductionsproducte in pathologischem Harne [The effect of reduction agents on hematin and the incidence of the reduction products in the urine]. Pfluegers Arch. Gesamte Physiol. Menschen Tiere 40: 501-523.

Le Quesne, P. M. (1982) Metal-induced diseases of the nervous system. Br. J. Hosp. Med. 29: 535-538.

Lead Development Association. (1973) Medical aspects of lead absorption in industrial processes: proceedings of a meeting; July 1972; London, United Kingdom. London, United Kingdom: Lead Development Association.

Leander, J. D. (1980) Low-level lead exposure: attenuation of d-amphetamine's rate-increasing effects. Neurotoxicology 1: 551-559.

Leckie, W. J. H.; Tompsett, S. L. (1958) The diagnostic and therapeutic use of edathamil calcium disodium (EDTA,Versene) in excessive inorganic lead absorption. Q. J. Med. 27: 65-82.

Ledda-Columbano, G. M.; Columbano, A.; Pani, P. (1983) Lead and liver cell proliferation: effect of repeated administrations. Am. J. Pathol. 113: 315-320.

Ledolter, J.; Tiao, G. C. (1979) Statistical models for ambient air pollutants, with special reference to the Los Angeles Catalyst Study (LACS) data. Environ. Sci. Technol. 13: 1233-1240.

Ledolter, J.; Tiao, G. C.; Graves, S. B.; Hsieh, J.; Hudak, G. B. (1979) Statistical analysis of the Los Angeles Catalyst Study data. Research Triangle Park, NC: U.S. Environmental Protection Agency, Environmental Monitoring and Support Laboratory; EPA report no. EPA-600/4-79-070. Available from: NTIS, Springfield, VA; PB80-144439.

Lee, C. R.; Folsom, B. L., Jr.; Engler, R. M. (1980) Availability and plant uptake of heavy metals from contaminated dredged material placed in flooded and upland disposal environments. In: Peterson, S. A.; Randolph, K. K., eds. Management of bottom sediments containing toxic substances: proceedings of the fifth United States-Japan experts' meeting; November 1979; New Orleans, LA. Corvallis, OR: Corvallis Environmental Research Laboratory; pp. 45-59; EPA report no. EPA-600/9-80-044. Available from: NTIS, Springfield, VA; PB81-173825.

Lee, F. Y.; Kittrick, J. A. (1984) Electron microprobe analysis of elements associated with zinc and copper in an oxidizing and an anaerobic soil environment. Soil Sci. Soc. Am. J. 48: 548-554.

Lee, H. H.; Xu, C. H. (1984) Differential response of marine organisms to certain metal and agrichemical pollutants. Bull. Environ. Contam. Toxicol. 33: 460-467.

Lee, J.; Jonasson, I. R.; Goodfellow, W. D. (1984) Metal accumulation by bryophytes in some zinc-rich blanket bogs, Selwyn Mountains, Yukon Territory. Can. J. Bot. 62: 722-728.

Lee, I. P. (1983) Effects of environmental metals on male reproduction. In: Clarkson, T. W.; Nordberg, G. F.; Sager, P. R., eds. Reproductive and developmental toxicity of metals [proceedings of a joint meeting; May 1982; Rochester, NY]. New York, NY: Plenum Press; pp. 253-278.

Lee, K. C.; Cunningham, B. A.; Chung, K. H.; Paulsen, G. M.; Liang, G. H. (1976) Lead effects on several enzymes and nitrogenous compounds in soybean leaf. J. Environ. Qual. 5: 357-359.

Lee, R. E., Jr.; Duffield, F. V. (1979) Sources of environmentally important metals in the atmosphere. In: Risby, T. H., ed. Ultratrace metal analysis in biological sciences and environment: symposium; August 1977; Chicago, IL. Washington, DC: American Chemical Society; pp. 146-171.

Lee, R. E., Jr.; Goranson, S. S. (1972) National air surveillance cascade impactor network. I. Size distribution measurements of suspended particulate matter in air. Environ. Sci. Technol. 6: 1019-1024.

Lee, R. E., Jr.; Goranson, S. S.; Enrione, R. E.; Morgan, G. B. (1972) National air surveillance cascade impactor network. II. Size distribution measurements of trace metal components. Environ. Sci. Technol. 6: 1025-1030.

Lee, R. E., Jr.; Patterson, R. K.; Crider, W. L.; Wagman, J. (1971) Concentration and particle size distribution of particulate emissions in automobile exhaust. Atmos. Environ. 5: 225-237.

Lee, R. E., Jr.; Patterson, R. K.; Wagman, J. (1968) Particle-size distribution of metal components in urban air. Environ. Sci. Technol. 2: 288-290.

Lee, S. W.; Méranger, J. C. (1980) Direct methods for the determination of lead in whole blood by anodic stripping voltammetry. Am. J. Med. Technol. 46: 853-857.

Lee, W. R. (1981) What happens in lead poisoning? J. R. Coll. Physicians (London) 15: 48-52.

Lee, Y. H.; Shaikh, Z. A.; Tohyama, C. (1983) Urinary metallothionein and tissue metal levels of rats injected with cadmium, mercury, lead, copper or zinc. Toxicology 27: 337-345.

Leeming, R. J.; Pheasant, A. E.; Blair, J. A. (1981) The role of tetrahydrobiopterin in neurological disease: a review. J. Ment. Def. Res. 25: 231-241.

Leeming, T. K.; Donaldson, W. E. (1984) Effect of dietary methionine and lysine on the toxicity of ingested lead acetate in the chick. J. Nutr. 114: 2155-2159.

Lefauconnier, J. M.; Cesarini, E.; Inserm, B. G. (1984) Effect of alcohol consumption on blood and brain lead levels in lead-administered rats. Neurotoxicology 5: 307.

Lefauconnier, J. M.; Lavielle, E.; Terrien, N.; Bernard, G.; Fournier, E. (1980) Effect of various lead doses on some cerebral capillary functions in the suckling rat. Toxicol. Appl. Pharmacol. 55: 467-476.

Lefauconnier, J. M.; Terrien, N.; Lavielle, E.; Bernard, G. (1980) Inorganic lead distribution in the nervous system of rats intoxicated with various lead doses and of control rats. In: Abstracts of the second international congress of toxicology; July; Brussels, Belgium. Toxicol. Lett. Spec. Iss. 1: 130.

Legge, T. M. (1901) Industrial lead poisoning. J. Hyg. 1: 96-108.

Legittimo, P. C.; Piccardi, G.; Pantani, F. (1980) Cu, Pb and Zn determination in rainwater by differential pulse anodic stripping voltammetry. Water Air Soil Pollut. 14: 435-441.

Legotte, P. A.; Rosa, W. C.; Sutton, D. C. (1980) Determination of cadmium and lead in urine and other biological samples by graphite-furnace atomic-absorption spectrometry. Talanta 27: 39-44.

Lehn, H.; Schoer, J.; Nagel, U. (1982) Blei in Pflanzen und Böden in der Umgebung der Blei- und Silberhütte Braubach [Lead in plants and soils in the vicinity of the Braubach lead and silver mines]. Naturwissenschaften 69: 496-498.

Leikin, S.; Eng, G. (1963) Erythrokinetic studies of the anemia of lead poisoning. Pediatrics 31: 996-1002.

Lejeune, E.; Tolot, F.; Meunier, P. (1969) Goutte et hyperuricémie au cours du saturnisme [Gout and hyperuricemia in lead poisoning]. Rev. Rhum. Mal. Osteo-Articulaires 36: 161-173.

Lenox, R. H.; Kant, G. J.; Meyerhoff, J. L.; Frazier, J. M.; Annau, Z. (1984) Regional brain and pituitary cyclic nucleotide response following central cholinergic stimulation in rats chronically exposed to lead. Neurotoxicology 5: 213-226.

Léonard, A. (1983) The mutagenic and genotoxic effects of heavy metals. In: International conference: heavy metals in the environment; September; Heidelberg, West Germany. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 700-705.

Léonard, A.; Deknudt, G.; Debackere, M. (1974) Cytogenetic investigations on leucocytes of cattle intoxicated with heavy metals. Toxicology 2: 269-273.

Léonard, A.; Linden, G.; Gerber, G. B. (1973) Étude, chez la souris, des effets génétiques et cytogénétiques d'une contamination par le plomb [Study in the mouse of genetic and cytogenetic effects of lead contamination]. In: Barth, D.; Berlin, A.; Engel, R.; Recht, P.; Smeets, J., eds. Environmental health aspects of lead: proceedings, international symposium; October 1972; Amsterdam, The Netherlands. Luxembourg: Commission of the European Communities, Centre for Information and Documentation; pp. 303-309.

Leonard, A.; Gerber, G. B.; Jacquet, P. (1983) Effect of lead on reproductive capacity and development of mammals. In: Clarkson, T. W.; Nordberg, G. F.; Sager, P. R., eds. Reproductive and developmental toxicity of metals [proceedings of a joint meeting; May 1982; Rochester, NY]. New York, NY: Plenum Press; pp. 357-368.

Leonowicz-Babiak, K.; Widera, M.; Sarosiek, J.; Sidorowicz, A.; Tlatlik-Nowak, U.; Medon, P. (1980) Bioaccumulation of lead and zinc in polisaprobic zone bacteria Sphaerotilus natans. Pol. Arch. Hydrobiol. 27: 89-94.

Lepel, E. A.; Stefansson, K. M.; Zoller, W. H. (1978) The enrichment of volatile elements in the atmosphere by volcanic activity: Augustine volcano 1976. J. Geophys. Res. 83: 6213-6220.

Lepow, M. L.; Bruckman, L.; Gillette, M.; Markowitz, S.; Robino, R.; Kapish, J. (1975) Investigations into sources of lead in the environment of urban children. Environ. Res. 10: 415-426.

Lepow, M. L.; Bruckman, L.; Rubino, R. A.; Markowitz, S.; Gillette, M.; Kapish, J. (1974) Role of airborne lead in increased body burden of lead in Hartford children. Environ. Health Perspect. 7: 99-102.

Lepp, N. W.; Dollard, G. J. (1974) Studies on the behaviour of lead in wood: binding of free and complexed ^{210}Pb to xylem tissue. Oecologia 16: 369-373.

Lepp, N. W., ed. (1981) Effect of heavy metal pollution on plants; v. 2. metals in the environment. Barking, United Kingdom: Applied Science Publishers, Ltd. Mellanby, K., ed. Pollution monitoring series).

Lerner, S. (1975) Blood lead analysis--precision and stability. J. Occup. Med. 17: 153-154.

Lerner, S. ; Gartside, P.; Roy, B. (1982) Free erythrocyte protoporphyrin, zinc protoporphyrin and blood lead in newly re-exposed smelter workers: a prospective study. Am. Ind. Hyg. Assoc. J. 43: 516-520.

Lester, J. N.; Harrison, R. M.; Perry, R. (1979) The balance of heavy metals through a sewage treatment works: I. lead, cadmium and copper. Sci. Total Environ. 12: 13-23.

Lester, J. N.; Harrison, R. M.; Perry, R. (1977) Rapid flameless atomic absorption analysis of the metallic content of sewage sludges: I. lead, cadmium and copper. Sci. Total Environ. 8: 153-158.

Letunova, S. V.; Alekseeva, S. A.; Niyazova, G. A. (1982) Effect of geochemical factors of the habitat on group structure of microbial communities in soil. Sov. J. Ecol. (Engl. Transl.) 13: 101-106.

Levander, O. A. (1979) Lead toxicity and nutritional deficiencies. Environ. Health Perspect. 29: 115-125.

Levander, O. A.; Morris, V. C.; Ferretti, R. J. (1978) Effect of cell age on the filterability of erythrocytes from vitamin E-deficient lead-poisoned rats. J. Nutr. 108: 145-151.

Levander, O. A.; Morris, V. C.; Ferretti, R. J. (1977) Effect of oxidants, hydrazines, and aminoquinolines on the filterability of erythrocytes from vitamin E-deficient lead-poisoned rats. J. Nutr. 107: 2135-2143.

Levander, O. A.; Morris, V. C.; Ferretti, R. J. (1977) Vitamin E deficiency worsens hematological response to lead poisoning. In: Hemphill, D. D., ed. Trace substances in environmental health - XI: [proceedings of University of Missouri's 11th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 222-228.

Levander, O. A.; Morris, V. C.; Ferretti, R. J. (1978) Effects of vitamin E deficiency and lead toxicity on the filterability of rat erythrocytes. Prog. Clin. Biol. Res. 21: 575-593.

Levander, O. A.; Morris, V. C.; Welsh, S. O. (1978) Filterability and morphology of red blood cells (RBC) from vitamin E-deficient lead-poisoned vs. iron-deficient rats. J. Supramol. Struct. Suppl. 2: 204.

Levander, O. A.; Welsh, S. O. (1981) Crosslinking of membrane proteins in red blood cells from vitamin E-deficient lead-poisoned rats. Life Sci. 28: 147-154.

Levander, O. A.; Welsh, S. O.; Morris, V. C. (1980) Erythrocyte deformability as affected by vitamin E deficiency and lead toxicity. Ann. N. Y. Acad. Sci. 355: 227-239.

Levi, D. S.; Curran, A. S.; Alexander, S. D.; Davidow, B.; Piomelli, S. (1976) Physiological significance of erythrocyte protoporphyrin (EP) in moderate body lead burden. Pediatr. Res. 10: 378.

Levin, E. D.; Bowman, R. E. (1983) The effect of pre- or postnatal lead exposure on Hamilton search task in monkeys. Neurobehav. Toxicol. Teratol. 5: 391-394.

Levinson, A.; Zeldes, M. (1939) Lead intoxication in children: a study of 26 cases. Arch. Pediatr. 56: 738-748.

Levitt, C.; Godes, J.; Eberhardt, M.; Ing, R.; Simpson, J. M. (1984) Sources of lead poisoning [letter]. J. Am. Med. Assoc. 252: 3127-3128.

Lewis, B. W.; Collins, R. J.; Wilson, H. S. (1955) Seasonal incidence of lead poisoning in children in St. Louis. South. Med. J. 48: 298-301.

Leyden, D. E.; Wegscheider, W. (1981) Preconcentration for trace element determination in aqueous samples. Anal. Chem. 53: 1059A-1065A.

Liang, C. N.; Tabatabai, M. A. (1977) Effects of trace elements on nitrogen mineralisation in soils. Environ. Pollut. 12: 141-147.

Liang, C. N.; Tabatabai, M. A. (1978) Effects of trace elements on nitrification in soils. J. Environ. Qual. 7: 291-293.

Lilienthal, H.; Werner, W.; Winneke, G. (1983) Modification of lead-induced neurobehavioral effects by perinatal carbon monoxide-exposure in rats. In: International conference: heavy metals in the environment; September; Heidelberg, West Germany. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 582-585.

Lilienthal, H.; Winneke, G.; Brockhaus, A.; Molik, B.; Schlipköter, H.-W. (1983) Learning-set formation in rhesus monkeys pre- and postnatally exposed to lead. In: International conference: heavy metals in the environment; September; Heidelberg, West Germany. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 901-903.

Lilis, R. (1981) Long-term occupational lead exposure, chronic nephropathy, and renal cancer: a case report. Am. J. Ind. Med. 2: 293-297.

Lilis, R.; Dumitriu, C.; Roventa, A.; Nestorescu, B.; Pilat, L. (1967) Renal function in chronic lead poisoning. Med. Lav. 58: 506-512.

Lilis, R.; Eisinger, J.; Blumberg, W.; Fischbein, A.; Selikoff, I. J. (1978) Hemoglobin, serum iron, and zinc protoporphyrin in lead-exposed workers. Environ. Health Perspect. 25: 97-102.

Lilis, R.; Fischbein, A. (1976) Chelation therapy in workers exposed to lead: a critical review. J. Am. Med. Assoc. 235: 2823-2824.

Lilis, R.; Fischbein, A.; Diamond, S.; Anderson, H. A.; Selikoff, I. J.; Blumberg, W. E.; Eisinger, J. (1977) Lead effects among secondary lead smelter workers with blood lead levels below 80 µg/100 ml. Arch. Environ. Health 32: 256-266.

Lilis, R.; Fischbein, A.; Eisinger, J.; Blumberg, W. E.; Diamond, S.; Anderson, H. A.; Rom, W.; Rice, C.; Sarkozi, L.; Kon, S.; Selikoff, I. J. (1977) Prevalence of lead disease among secondary lead smelter workers and biological indicators of lead exposure. Environ. Res. 14: 255-285.

Lilis, R.; Fischbein, A.; Valciukas, J. A.; Blumberg, W.; Selikoff, I. J. (1980) Kidney function and lead: relationships in several occupational groups with different levels of exposure. Am. J. Ind. Med. 1: 405-412.

Lilis, R.; Gavrilescu, N.; Nestorescu, B.; Dumitriu, C.; Roventa, A. (1968) Nephropathy in chronic lead poisoning. Br. J. Ind. Med. 25: 196-202.

Lilis, R.; Valciukas, J. A.; Kon, S.; Sarkosi, L.; Campbell, C.; Selikoff, I. J. (1982) Assessment of lead health hazards in a body shop of an automobile assembly plant. Am. J. Ind. Med. 3: 33-51.

Lilis, R.; Valciukas, J. A.; Malkin, J.; Weber, J.-P. (1985) Effects of low-level lead and arsenic exposure on copper smelter workers. Arch. Environ. Health 40: 38-47.

Lilis, R.; Valciukas, J. A.; Weber, J.-P.; Fischbein, A.; Nicholson, W. J.; Campbell, C.; Malkin, J.; Selikoff, I. J. (1984) Distribution of blood lead, blood cadmium, urinary cadmium, and urinary arsenic levels in employees of a copper smelter. Environ. Res. 33: 76-95.

Lilis, R.; Valciukas, J.; Fischbein, A.; Andrews, G.; Selikoff, I. J.; Blumberg, W. (1979) Renal function impairment in secondary lead smelter workers: correlations with zinc protoporphyrin and blood lead levels. J. Environ. Pathol. Toxicol. 2: 1447-1474.

Lin-Fu, J. S. (1972) Undue absorption of lead among children - a new look at an old problem. N. Engl. J. Med. 286: 702-710.

Lin-Fu, J. S. (1973) Vulnerability of children to lead exposure and toxicity: parts one and two. N. Engl. J. Med. 289: 1229-1233; 1289-1293.

Lin-Fu, J. S. (1979) Lead exposure among children - a reassessment. N. Engl. J. Med. 300: 731-732.

Lin-Fu, J. S. (1980) Lead poisoning and undue lead exposure in children: history and current status. In: Needleman, H. L., ed. Low level lead exposure: the clinical implications of current research. New York, NY: Raven Press; pp. 5-16.

Lin-Fu, J. S. (1982) Children and lead: new findings and concerns. N. Engl. J. Med. 307: 615-617.

Lin-Fu, J. S. (1982) Cost effectiveness of lead screening [letter]. N. Engl. J. Med. 307: 1268-1269.

Linch, A. L.; Wiest, E. G.; Carter, M. D. (1970) Evaluation of tetraalkyl lead exposure by personnel monitor surveys. J. Am. Ind. Hyg. Assoc. 31: 170-179.

Lindberg, S. E.; Harriss, R. C. (1981) The role of atmospheric deposition in an eastern U.S. deciduous forest. Water Air Soil Pollut. 16: 13-31.

Lindberg, S. E.; Harriss, R. C.; Turner, R. R. (1982) Atmospheric deposition of metals to forest vegetation. Science (Washington, DC) 215: 1609-1611.

Lindberg, S. E.; Harriss, R. C.; Turner, R. R.; Shriner, D. S.; Huff, D. D. (1979) Mechanisms and rates of atmospheric deposition of selected trace elements and sulfate to a deciduous forest watershed [dissertation]. Oak Ridge, TN: Oak Ridge National Laboratory, Environmental Sciences Division; publication no. 1299. Available from: NTIS, Springfield, VA; ORNL/TM-6674.

Lindberg, S. E.; Turner, R. R. (1983) Trace metals in rain at forested sites in the eastern United States. In: International conference: heavy metals in the environment; September; Heidelberg, West Germany. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 107-114.

Lindberg, S. E.; Turner, R. R.; Lovett, G. M. (1982) Processes of atmospheric deposition of metals and acids to forests. For presentation at the 75th annual meeting of the Air Pollution Control Association; June; New Orleans, LA. Pittsburgh, PA: Air Pollution Control Association; paper no. 82-55M.3.

Lindeberg, P. (1981) Getting the lead out of Swedish petrol: step by leaden step. Ambio 10: 351-352.

Linden, M. A.; Manton, W. I.; Stewart, R. M.; Thal, E. R.; Feit, H. (1982) Lead poisoning from retained bullets: pathogenesis, diagnosis, and management. Ann. Surg. 195: 305-313.

Lindh, U.; Brune, D.; Nordberg, G.; Wester, P.-O. (1980) Levels of antimony, arsenic, cadmium, copper, lead, mercury, selenium, silver, tin and zinc in bone tissue of industrially exposed workers. Sci. Total Environ. 16: 109-116.

Lindsay, S. F.; Bookhout, T. A. (1978) Lead and mercury levels in vegetation from strip-mined areas in eastern Ohio. Bull. Environ. Contam. Toxicol. 19: 360-364.

Lindsay, W. L. (1973) Inorganic reactions of sewage wastes with soils. In: Proceedings of the joint conference on recycling municipal sludges and effluents on land; July; Champaign, IL. Washington, DC: National Association of State Universities and Land Grant Colleges; pp. 91-96. Available from: NTIS, Springfield, VA; PB-277106.

Linton, R. W.; Bryan, S. R. (1985) Comparison of laser and ion microprobe detection sensitivity for lead in biological microanalysis. Anal. Chem. 57: 440-443.

Linton, R. W.; Natusch, D. F. S.; Solomon, R. L.; Evans, C. A., Jr. (1980) Physicochemical characterization of lead in urban dusts. A microanalytical approach to lead tracing. Environ. Sci. Technol. 14: 159-164.

Linzon, S. N. (1982) Contamination of soil and vegetation by nickel, lead, arsenic, and mercury emitted by different industrial sources in Ontario. Presented at: 75th annual meeting of the Air Pollution Control Association; June; New Orleans, LA. Pittsburgh, PA: Air Pollution Control Association; paper no. 82-55M.1.

Lioy, P. J.; Daisey, J. M.; Reiss, N. M.; Harkov, R. (1983) Characterization of inhalable particulate matter, volatile organic compounds and other chemical species measured in urban areas in New Jersey - I. summertime episodes. Atmos. Environ. 17: 2321-2330.

Lioy, P. J.; Mallon, R. P.; Kneip, T. J. (1980) Long-term trends in total suspended particulates, vanadium, manganese, and lead at near street level and elevated sites in New York City. J. Air Pollut. Control Assoc. 30: 153-156.

Little, P.; Fleming, R. G.; Heard, M. J. (1981) Uptake of lead by vegetable foodstuffs during cooking. Sci. Total Environ. 17: 111-131.

Little, P.; Heard, M. J. (1983) Measurement of environmental exposure to lead: a case study in West London. Chem. Ind. (London) (7):264-270.

Little, P.; Martin, M. H. (1972) A survey of zinc, lead and cadmium in soil and natural vegetation around a smelting complex. Environ. Pollut. 3: 241-254.

Little, P.; Wiffen, R. D. (1977) Emission and deposition of petrol engine exhaust Pb--I. deposition of exhaust Pb to plant and soil surfaces. Atmos. Environ. 11: 437-447.

Little, P.; Wiffen, R. D. (1978) Emission and deposition of lead from motor exhausts--II. airborne concentration, particle size and deposition of lead near motorways. Atmos. Environ. 12: 1331-1341.

Litzner, St.; Weyrauch, F.; Barth, E. (1931) Untersuchungen über Bleiausscheidung durch die Nieren und ihre Beeinflussung durch bestimmte Kostformen und Arzneimittel beim Menschen [Studies on lead excretion through the kidneys and the effect of specific diets and medicaments on said excretion in man]. Arch. Gewerbepathol. Gewerbehyg. 2: 330-344.

Lloyd, R. D.; Mays, C. W.; Atherton, D. R.; Bruenger, F. W. (1975) ^{210}Pb studies in beagles. Health Phys. 28: 575-583.

Loch, R. K.; Rafales, L. S.; Michaelson, I. A.; Bornschein, R. L. (1978) The role of undernutrition in animal models of hyperactivity. Life Sci. 22: 1963-1970.

Lockeretz, W. (1975) Lead content of deciduous teeth of children in different environments. Arch. Environ. Health 30: 583-587.

Lodenius, M.; Kuusi, T.; Laaksovirta, K.; Liukkonen-Lilja, H.; Piepponen, S. (1981) Lead, cadmium and mercury contents of fungi in Mikkeli, SE Finland, Ann. Bot. Fenn. 18: 183-186.

Logner, K. R.; Neathery, M. W.; Miller, W. J.; Gentry, R. P.; Blackmon, D. M.; White, F. D. (1984) Lead toxicity and metabolism from lead sulfate fed to Holstein calves. J. Dairy Sci. 67: 1007-1013.

Loi, F.; Battista, G.; Malentacchi, G. M.; Paradiso, C.; Pompella, A.; Rubegni, M.; Federico, A. (1981) Familial lead poisoning from contaminated wine. Ital. J. Neurol. Sci. 3: 283-290.

Long, P. E.; Pepper, D. W. (1976) A comparison of six numerical schemes for calculating the advection of atmospheric pollution. In: Third symposium on atmospheric turbulence, diffusion, and air quality; October; Raleigh, NC. Boston, MA: American Meteorological Society; pp. 181-187.

Long, S. J.; Suggs, J. C.; Walling, J. F. (1979) Lead analysis of ambient air particulates: interlaboratory evaluation of EPA lead reference method. J. Air Pollut. Control Assoc. 29: 28-31.

Lorch, D. W.; Schäfer, H. (1981) Localization of lead in cells of Phymatodocis nordstedtiana (Chlorophyta) with the laser microprobe analyzer (LAMMA 500). Fresenius Z. Anal. Chem. 308: 246-248.

Lorenzo, A. V.; Gewirtz, M.; Averill, D. (1978) CNS lead toxicity in rabbit offspring. Environ. Res. 17: 131-150.

Lorenzo, A. V.; Gewirtz, M.; Maher, C.; Davidowski, L. I. (1977) The equilibration of lead between blood and milk of lactating rabbits. Life Sci. 21: 1679-1683.

Lorimer, G. (1886) Saturnine gout, and its distinguishing marks. Br. Med. J. 2(1334): 163.

Loring, D. H. (1984) Trace-metal geochemistry of sediments from Baffin Bay. Can. J. Earth Sci. 21: 1368-1378.

Louis-Ferdinand, R. T.; Brown, D. R.; Fiddler, S. F.; Daughtrey, W. C.; Klein, A. W. (1978) Morphometric and enzymatic effects of neonatal lead exposure in the rat brain. Toxicol. Appl. Pharmacol. 43: 351-360.

Louis-Ferdinand, R.; Stout, M.; Beuthin, F. (1978) Inhibition of brain and kidney gamma γ-glutamyltranspeptidase following lead acetate administration. Pharmacologist 20: 179.

Lovering, T. G., ed. (1976) Lead in the environment. Washington, DC: U.S. Department of the Interior, Geological Survey; Geological Survey professional paper no. 957. Available from: GPO, Washington, DC; S/N 024-001-02911-1.

Loyke, H. F. (1985) Blood lead concentrate and blood pressure after CCl_4 treatment. Bull. Environ. Contam. Toxicol. 34: 730-735.

Low, K. S.; Lee, C. K. (1979) Effect of car exhausts on lead contamination in vegetables grown adjacent to Kuala Lumpur-Ceras highway. Pertanika 2: 149-151.

Low, K. S.; Lee, C. K.; Arshad, M. Y. (1979) A study of lead content in soils and grass around roadside locations in and around Kuala Lumpur. Pertanika 2: 105-110.

Lowenberg, R.; Kneip, T. J. (1978) Dietary intakes of lead and cadmium in vegetables grown in New York City. Presented at: Proceedings toxic element studies: food crops and urban vegetable gardens. A symposium sponsored by the New York City Gardening Program; June; The Bronx, NY. Ithaca, NY: Cornell University Cooperative Extension.

Lower, W. R.; Rose, P. S.; Drobney, V. K. (1978) In situ mutagenic and other effects associated with lead smelting. Mutat. Res. 54: 83-93.

Lower, W. R.; Thompson, W. A.; Drobney, V. K.; Yanders, A. F. (1983) Mutagenicity in the vicinity of a lead smelter. Teratog. Carcinog. Mutagen. 3: 231-253.

Lower, W.; Plewa, M. (1978) Evidence for in situ environmental mutagenesis and other toxic effects from a lead smelting operation. Mutat. Res. 53: 87.

Lu, C. M.; Wang, H. C.; Chien, T. C.; Miao, H. F. (1978) Diagnostic parameters for detecting early lead poisoning. Clin. Med. J. 4: 403-406.

Lubin, A. H.; Caffo, A. L.; Reece, R. (1978) A longitudinal study of interaction between environmental lead and blood lead concentrations during pregnancy, at delivery and in the first 6 months of life. Pediatr. Res. 12: 425.

Lubin, A. H.; Kasler, J. S.; Shrock, R. O.; Signs, S. A. (1981) Lead and iron status of breast and formula-fed infants. In: Hemphill, D. D., ed. Trace substances in environmental health - XV: [proceedings of University of Missouri's 15th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 166-170.

Lubin, A. H.; Shrock, R. O.; Signs, S. A.; Kasler, J. S. (1981) Smoking, infant birthweight and lead burden in developing children. In: Hemphill, D. D., ed. Trace substances in environmental health - XV: [proceedings of University of Missouri's 15th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 29-34.

Lubin, A. H.; Signs, S. A.; Caffo, A. L. (1981) An analysis of tapwater lead concentration in homes of children with undue body lead burden. In: Hemphill, D. D., ed. Trace substances in environmental health - XV: [proceedings of University of Missouri's 15th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 171-177.

Lubran, M. M. (1980) Lead toxicity and heme biosynthesis. Ann. Clin. Lab. Sci. 10: 402-413.

Lucas, J. M. (1981) Effect of analytical variability on measurements of population blood lead levels. Am. Ind. Hyg. Assoc. J. 42: 88-96.

Lucchi, L.; Memo, M.; Airaghi, M. L.; Spano, P. F.; Trabucchi, M. (1981) Chronic lead treatment induces in rat a specific and differential effect on dopamine receptors in different brain areas. Brain Res. 213: 397-404.

Ludwig, F. L.; Kealoha, J. H. S.; Shelar, E. (1977) Selecting sites for monitoring total suspended particulates. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards; EPA report no. EPA-450/3-77-018. Available from: NTIS, Springfield, VA; PB-276712.

Ludwig, G. D. (1957) Saturnine gout: a secondary type of gout. Arch. Int. Med. 100: 802-812.

Luke, C. L.; Kometani, T. Y.; Kessler, J. E.; Loomis, T. C.; Bove, J. L.; Nathanson, B. (1972) X-ray spectrometric analysis of air pollution dust. Environ. Sci. Technol. 6: 1105-1109.

Lum, K. R.; Betteridge, J. S.; Macdonald, R. R. (1982) The potential availability of P, Al, Cd, Co, Cr, Cu, Fe, Mn, Ni, Pb and Zn in urban particulate matter. Environ. Technol. Lett. 3: 57-62.

Lum, K. R.; Leslie, J. K. (1983) Dissolved and particulate metal chemistry of the central and eastern basins of Lake Erie. Sci. Total Environ. 30: 99-109.

Lundberg, E.; Frech, W.; Lindberg, I. (1984) Determination of lead in biological materials by constant-temperature electrothermal atomic absorption spectrometry. Anal. Chim. Acta 160: 205-215.

Lundgren, D. A. (1967) An aerosol sampler for determination of particle concentration as a function of size and time. J. Air Pollut. Control Assoc. 17: 225-229.

Lundgren, D. A. (1970) Atmospheric aerosol composition and concentration as a function of particle size and of time. J. Air Pollut. Control Assoc. 20: 603-608.

Lundgren, D. A. (1971) Determination of particulate composition, concentration and size distribution changes with time. Atmos. Environ. 5: 645-651.

Luoma, S. N.; Davis, J. A. (1983) Requirements for modeling trace metal partitioning in oxidized estuarine sediments. Mar. Chem. 12: 159-181.

Lurakis, M. F.; Pitone, J. M. (1984) Occupational lead exposure, acute intoxication, and chronic nephropathy: report of a case and review of the literature. J. Am. Osteopath. Assoc. 83: 361-366.

Luster, M. I.; Faith, R. E.; Kimmel, C. A. (1978) Depression of humoral immunity in rats following chronic developmental lead exposure. J. Environ. Pathol. Toxicol. 1: 397-402.

Lüthje, H. (1896) Ueber Bleigicht und den Einfluss der Bleiintoxication auf die Harnsäureausscheidung [Saturnine gout and the influence of lead intoxication on the uric acid secretion]. Z. Klin. Med. 29: 266-323.

Lyell, A. (1981) Metal allergy: a false alarm [letter]. Br. Med. J. 282(6258): 149.

Lynam, D. R. (1972) The atmospheric diffusion of carbon monoxide and lead from an expressway [dissertation]. Cincinnati, OH: University of Cincinnati. Available from: University Microfilms, Ann Arbor, MI; publication no. 73-3827.

Lynam, D. R.; Hughmark, G. A.; Fort, B. F., Jr.; Hall, C. A. (1983) Blood lead concentrations and gasoline lead usage. In: International conference: heavy metals in the environment; September; Heidelberg, West Germany. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 417-420.

Lynch, A. J.; McQuaker, N. R.; Brown, D. F. (1980) ICP/AES analysis and the composition of airborne and soil materials in the vicinity of a lead/zinc smelter complex. J. Air Pollut. Control Assoc. 30: 257-260.

Lytle, T. F.; Lytle, J. S. (1982) Heavy metals in oysters and clams of St. Louis Bay, Mississippi. Bull. Environ. Contam. Toxicol. 29: 50-57.

Ma, W.-C. (1982) The influence of soil properties and worm-related factors on the concentration of heavy metals in earthworms. Pedobiologia 24: 109-119.

Ma, W.; Edelman, T.; van Beersum, I.; Jans, T. (1983) Uptake of cadmium, zinc, lead, and copper by earthworms near a zinc-smelting complex: influence of soil pH and organic matter. Bull. Environ. Contam. Toxicol. 30: 424-427.

Maccioli, F. J.; Risby T. H. (1978) Determination of toxic metals and metalloids in ambient air. University Park, PA: The Pennsylvania State University Press. (The Pennsylvania State University studies: no. 42).

MacFarland, H. N.; Ulrich, C. E.; Holdsworth, C. E.; Kitchen, D. N.; Halliwell, W. H.; Blum, S. C. (1984) A chronic inhalation study with unleaded gasoline vapor. J. Am. Coll. Toxicol. 3: 231-248.

Machlan, L. A.; Gramlich, J. W.; Murphy, T. J.; Barnes, I. L. (1976) The accurate determination of lead in biological and environmental samples by isotope dilution mass spectrometry. In: LaFleur, P. D., ed. Accuracy in trace analysis: sampling, sample handling, analysis - volume 2. Proceedings of the 7th materials research symposium; October 1974; Gaithersburg, MD. Washington, DC: National Bureau of Standards; NBS special publication no. 422; pp. 929-935. Available from: NTIS, Springfield, VA: PB-258092/6.

Machle, W.; Gregorius, F. (1948) Cancer of the respiratory system in the United States chromate-producing industry. Public Health Rep. 63: 1114-1127.

Mack, R. B. (1982) Toxic encounters of the dangerous kind: childhood lead poisoning - North Carolina style. N. C. Med. J. 43: 130.

Mackenzie, C. J. G. (1981) Environmental lead and young children [letter]. Can. Med. Assoc. J. 124: 124.

Mackie, A. C.; Stephens, R.; Townsend, A.; Waldron, H. A. (1977) Tooth lead levels in Birmingham children. Arch. Environ. Health 32: 178-185.

MacLean, A. J.; Halstead, R. L.; Finn, B. J. (1969) Extractability of added lead in soils and its concentration in plants. Can. J. Soil Sci. 49: 327-334.

MacLeod, K. E.; Lee, R. E., Jr. (1973) Selected trace metal determination of spot tape samples by anodic stripping voltammetry. Anal. Chem. 45: 2380-2383.

Maedgen, J. L.; Hacker, C. S.; Schroder, G. D.; Weir, F. W. (1982) Bioaccumulation of lead and cadmium in the Royal Tern and Sandwich Tern. Arch. Environ. Contam. Toxicol. 11: 99-102.

Maenhaut, W.; Zoller, W. H.; Duce, R. A.; Hoffman, G. L. (1979) Concentration and size distribution of particulate trace elements in the south polar atmosphere. J. Geophys. Res. 84: 2421-2431.

Maes, J.; Gerber, G. B. (1978) Increased ALA dehydratase activity and spleen weight in lead-intoxicated rats. A consequence of increased blood cell destruction. Experientia 34: 381-382.

Magadur, J. L.; Beydon, D.; Fabry, J. P.; Morel, G.; Gradiski, D. (1979) Lead poisoning in man: interpretation of ALA test. In: International conference management and control of heavy metals in the environment; September; London, United Kingdom. Edinburgh, United Kingdom: CEP Consultants Ltd.

Magid, E.; Hilden, M. (1975) Elevated levels of blood lead in alcoholic liver disease. Int. Arch. Occup. Environ. Health 35: 61-65.

Mahaffey, K. R. (1977) Quantities of lead producing health effects in humans: sources and bioavailability. Environ. Health Perspect. 19: 285-295.

Mahaffey, K. R. (1977) Relation between quantities of lead ingested and health effects of lead in humans. Pediatrics 59: 448-456.

Mahaffey, K. R. (1978) Environmental exposure to lead. In: Nriagu, J. O., ed. The biogeochemistry of lead in the environment; part B. biological effects. Amsterdam, The Netherlands: Elsevier/North-Holland Biomedical Press; pp. 1-36. (Topics in environmental health: v. 1B).

Mahaffey, K. R. (1980) Nutrient-lead interactions. In: Singhal, R. L.; Thomas, J. A., eds. Lead toxicity. Baltimore, MD: Urban and Schwarzenberg, Inc.; pp. 425-460.

Mahaffey, K. R. (1981) Nutritional factors in lead poisoning. Nutr. Rev. 39: 353-362.

Mahaffey, K. R. (1983) Biotoxicity of lead: influence of various factors. Fed. Proc. Fed. Am. Soc. Exp. Biol. 42: 1730-1734.

Mahaffey, K. R. (1983) Differences in exposure and metabolic response of infants and adults to lead, cadmium and zinc. In: Clarkson, T. W.; Nordberg, G. F.; Sager, P. R., eds. Reproductive and developmental toxicity of metals [proceedings of a joint meeting; May 1982; Rochester, NY]. New York, NY: Plenum Press; pp. 777-806.

Mahaffey, K. R. (1983) Sources of lead in the urban environment. Am. J. Public Health 73: 1357-1358.

Mahaffey, K. R., ed. (1985) Dietary and environmental lead: human health effects. Amsterdam, The Netherlands: Elsevier/North-Holland Biomedical Press.

Mahaffey, K. R.; Annest, J. L. (1985) Association of blood lead level, hand-to-mouth activity, and pica among young children. Fed. Proc. Fed. Am. Soc. Exp. Biol. 44: 752.

Mahaffey, K. R.; Annest, J. L.; Barbano, H. E.; Murphy, R. S. (1979) Preliminary analysis of blood lead concentrations for children and adults: HANES II, 1976-1978. In: Hemphill, D. D., ed. Trace substances in environmental health - XIII: [proceedings of University of Missouri's 13th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 37-51.

Mahaffey, K. R.; Annest, J. L.; Roberts, J.; Murphy, R. S. (1982) National estimates of blood lead levels: United States, 1976-1980: association with selected demographic and socioeconomic factors. N. Engl. J. Med. 307: 573-579.

Lynch, A. J.; McQuaker, N. R.; Brown, D. F. (1980) ICP/AES analysis and the composition of airborne and soil materials in the vicinity of a lead/zinc smelter complex. J. Air Pollut. Control Assoc. 30: 257-260.

Lytle, T. F.; Lytle, J. S. (1982) Heavy metals in oysters and clams of St. Louis Bay, Mississippi. Bull. Environ. Contam. Toxicol. 29: 50-57.

Ma, W.-C. (1982) The influence of soil properties and worm-related factors on the concentration of heavy metals in earthworms. Pedobiologia 24: 109-119.

Ma, W.; Edelman, T.; van Beersum, I.; Jans, T. (1983) Uptake of cadmium, zinc, lead, and copper by earthworms near a zinc-smelting complex: influence of soil pH and organic matter. Bull. Environ. Contam. Toxicol. 30: 424-427.

Maccioli, F. J.; Risby T. H. (1978) Determination of toxic metals and metalloids in ambient air. University Park, PA: The Pennsylvania State University Press. (The Pennsylvania State University studies: no. 42).

MacFarland, H. N.; Ulrich, C. E.; Holdsworth, C. E.; Kitchen, D. N.; Halliwell, W. H.; Blum, S. C. (1984) A chronic inhalation study with unleaded gasoline vapor. J. Am. Coll. Toxicol. 3: 231-248.

Machlan, L. A.; Gramlich, J. W.; Murphy, T. J.; Barnes, I. L. (1976) The accurate determination of lead in biological and environmental samples by isotope dilution mass spectrometry. In: LaFleur, P. D., ed. Accuracy in trace analysis: sampling, sample handling, analysis - volume 2. Proceedings of the 7th materials research symposium; October 1974; Gaithersburg, MD. Washington, DC: National Bureau of Standards; NBS special publication no. 422; pp. 929-935. Available from: NTIS, Springfield, VA: PB-258092/6.

Machle, W.; Gregorius, F. (1948) Cancer of the respiratory system in the United States chromate-producing industry. Public Health Rep. 63: 1114-1127.

Mack, R. B. (1982) Toxic encounters of the dangerous kind: childhood lead poisoning - North Carolina style. N. C. Med. J. 43: 130.

Mackenzie, C. J. G. (1981) Environmental lead and young children [letter]. Can. Med. Assoc. J. 124: 124.

Mackie, A. C.; Stephens, R.; Townsend, A.; Waldron, H. A. (1977) Tooth lead levels in Birmingham children. Arch. Environ. Health 32: 178-185.

MacLean, A. J.; Halstead, R. L.; Finn, B. J. (1969) Extractability of added lead in soils and its concentration in plants. Can. J. Soil Sci. 49: 327-334.

MacLeod, K. E.; Lee, R. E., Jr. (1973) Selected trace metal determination of spot tape samples by anodic stripping voltammetry. Anal. Chem. 45: 2380-2383.

Maedgen, J. L.; Hacker, C. S.; Schroder, G. D.; Weir, F. W. (1982) Bioaccumulation of lead and cadmium in the Royal Tern and Sandwich Tern. Arch. Environ. Contam. Toxicol. 11: 99-102.

Maenhaut, W.; Zoller, W. H.; Duce, R. A.; Hoffman, G. L. (1979) Concentration and size distribution of particulate trace elements in the south polar atmosphere. J. Geophys. Res. 84: 2421-2431.

Maes, J.; Gerber, G. B. (1978) Increased ALA dehydratase activity and spleen weight in lead-intoxicated rats. A consequence of increased blood cell destruction. Experientia 34: 381-382.

Magadur, J. L.; Beydon, D.; Fabry, J. P.; Morel, G.; Gradiski, D. (1979) Lead poisoning in man: interpretation of ALA test. In: International conference management and control of heavy metals in the environment; September; London, United Kingdom. Edinburgh, United Kingdom: CEP Consultants Ltd.

Magid, E.; Hilden, M. (1975) Elevated levels of blood lead in alcoholic liver disease. Int. Arch. Occup. Environ. Health 35: 61-65.

Mahaffey, K. R. (1977) Quantities of lead producing health effects in humans: sources and bioavailability. Environ. Health Perspect. 19: 285-295.

Mahaffey, K. R. (1977) Relation between quantities of lead ingested and health effects of lead in humans. Pediatrics 59: 448-456.

Mahaffey, K. R. (1978) Environmental exposure to lead. In: Nriagu, J. O., ed. The biogeochemistry of lead in the environment; part B. biological effects. Amsterdam, The Netherlands: Elsevier/North-Holland Biomedical Press; pp. 1-36. (Topics in environmental health: v. 1B).

Mahaffey, K. R. (1980) Nutrient-lead interactions. In: Singhal, R. L.; Thomas, J. A., eds. Lead toxicity. Baltimore, MD: Urban and Schwarzenberg, Inc.; pp. 425-460.

Mahaffey, K. R. (1981) Nutritional factors in lead poisoning. Nutr. Rev. 39: 353-362.

Mahaffey, K. R. (1983) Biotoxicity of lead: influence of various factors. Fed. Proc. Fed. Am. Soc. Exp. Biol. 42: 1730-1734.

Mahaffey, K. R. (1983) Differences in exposure and metabolic response of infants and adults to lead, cadmium and zinc. In: Clarkson, T. W.; Nordberg, G. F.; Sager, P. R., eds. Reproductive and developmental toxicity of metals [proceedings of a joint meeting; May 1982; Rochester, NY]. New York, NY: Plenum Press; pp. 777-806.

Mahaffey, K. R. (1983) Sources of lead in the urban environment. Am. J. Public Health 73: 1357-1358.

Mahaffey, K. R., ed. (1985) Dietary and environmental lead: human health effects. Amsterdam, The Netherlands: Elsevier/North-Holland Biomedical Press.

Mahaffey, K. R.; Annest, J. L. (1985) Association of blood lead level, hand-to-mouth activity, and pica among young children. Fed. Proc. Fed. Am. Soc. Exp. Biol. 44: 752.

Mahaffey, K. R.; Annest, J. L.; Barbano, H. E.; Murphy, R. S. (1979) Preliminary analysis of blood lead concentrations for children and adults: HANES II, 1976-1978. In: Hemphill, D. D., ed. Trace substances in environmental health - XIII: [proceedings of University of Missouri's 13th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 37-51.

Mahaffey, K. R.; Annest, J. L.; Roberts, J.; Murphy, R. S. (1982) National estimates of blood lead levels: United States, 1976-1980: association with selected demographic and socioeconomic factors. N. Engl. J. Med. 307: 573-579.

Mahaffey, K. R.; Capar, S. G.; Gladen, B. C.; Fowler, B. A. (1981) Concurrent exposure to lead, cadmium, and arsenic. J. Lab. Clin. Med. 98: 463-481.

Mahaffey, K. R.; Fowler, B. A. (1977) Effects of concurrent administration of lead, cadmium, and arsenic in the rat. Environ. Health Perspect. 19: 165-171.

Mahaffey, K. R.; Goyer, R.; Haseman, J. K. (1973) Dose-response to lead ingestion in rats fed low dietary calcium. J. Lab. Clin. Med. 82: 92-100.

Mahaffey, K. R.; Michaelson, I. A. (1980) The interaction between lead and nutrition. In: Needleman, H. L., ed. Low level lead exposure: the clinical implications of current research. New York, NY: Raven Press; pp. 159-200.

Mahaffey, K. R.; Rader, J. I. (1980) Metabolic interactions: lead, calcium, and iron. Ann. N.Y. Acad. Sci. 355: 285-297.

Mahaffey, K. R.; Rosen, J. F.; Chesney, R. W.; Peeler, J. T.; Smith, C. M.; De Luca, H. F. (1982) Association between age, blood lead concentration, and serum 1,25-dihydroxycholecalciferol levels in children. Am. J. Clin. Nutr. 35: 1327-1331.

Mahaffey, K. R.; Smith, C.; Tanaka, Y.; DeLuca, H. F. (1979) Stimulation of gastrointestinal lead absorption by 1,25-dihydroxyvitamin D_3. Fed. Proc. Fed. Am. Soc. Exp. Biol. 38: 384.

Mahaffey, K. R.; Treloar, S.; Banks, T. A.; Peacock, B. J.; Parekh, L. E. (1976) Differences in dietary intake of calcium, phosphorus and iron of children having normal and elevated blood lead concentrations. J. Nutr. 106(7): xxx.

Mahaffey Six, K.; Goyer, R. A. (1970) Experimental enhancement of lead toxicity by low dietary calcium. J. Lab. Clin. Med. 76: 933-942.

Mahaffey-Six, K.; Goyer, R. A. (1972) The influence of iron deficiency on tissue content and toxicity of ingested lead in the rat. J. Lab. Clin. Med. 79: 128-136.

Maher, C. C.; Roettgers, D. M.; Conlon, H. J. (1979) Interlaboratory comparison of blood lead determinations. Am. Ind. Hyg. Assoc. J. 40: 230-237.

Maher, W. A. (1983) An investigation of trace element losses during lyophilization of marine biological samples. Sci. Total Environ. 26: 173-181.

Maier, R. (1882) Experimentelle Studien über Bleivergiftung: I. Magen und Darm [Experimental studies in lead poisoning: I. stomach and intestines]. Arch. Pathol. Anat. Physiol. 90: 455-481.

Mailman, R. B.; DeHaven, D. L. (1984) Responses of neurotransmitter systems to toxicant exposure. In: Narahashi, T., ed. Cellular and molecular neurotoxicology. New York, NY: Raven Press; pp. 207-224.

Mailman, R. B.; Krigman, M. R.; Mueller, R. A.; Mushak, P.; Breese, G. R. (1978) Lead exposure during infancy permanently increases lithium-induced polydipsia. Science (Washington, DC) 201: 637-639.

Mailman, R. B.; Krigman, M.; Mushak, P.; Mueller, R. A.; Breese, G. R. (1977) Lead enhances lithium-induced polydipsia. Pharmacologist 19: 134.

Maines, M. D.; Kappas, A. (1976) The induction of heme oxidation in various tissues by trace metals: evidence for the catabolism of endogenous heme by hepatic heme oxygenase. Ann. Clin. Res. 8(suppl. 17): 39-46.

Maines, M. D.; Qato, M.; Carranza, C. (1984) Alteration of heme and cytochrome metabolism in the brain by metal ions. In: Narahashi, T., ed. Cellular and molecular neurotoxicology. New York, NY: Raven Press; pp. 241-256.

Maisin, J. R.; Jade, J. M.; Lambiet-Collier, M. (1975) Progress report on morphological studies of the toxic effects of lead on the reproductive organs and embryos. Brussels, Belgium: Economic Community of Europe; contract no. 080-74-7; Env. B.

Maisin, J. R.; Lambiet-Collier, M.; De Saint-Georges, L. (1978) Toxicité du plomb pour les embryons de la souris [Lead toxicity for mouse embryos]. C. R. Seances Soc. Biol. Ses. Fil. 172: 1041-1043.

Makasev, K. K.; Krivdina, L. V. (1972) Status of the interstitial tissues of vascular walls and their penetration under lead poisoning. Tr. Nauchno-Issled. Inst. Kraev. Patol. (Alma-Ata). 23: 11-13.

Maker, H. S.; Lehrer, G. M.; Silides, D. J. (1975) The effect of lead on mouse brain development. Environ. Res. 10: 76-91.

Mäki-Paakkanen, J.; Sorsa, M.; Vainio, H. (1981) Chromosome aberrations and sister chromatid exchanges in lead-exposed workers. Hereditas 94: 269-275.

Makotchenko, V. M. (1965) The functional condition of the adrenal cortex in chronic poisoning with heavy metals (lead, mercury). Tr. Ukr. Nauch. Issled Inst. Eksp. Endokrinol. 20: 162-170.

Malamud, S. W.; Martinez, A. D.; Contreras, M.; Bellani, M. E. (1979) Ictericia en la intoxicación plumbica [Jaundice in lead poisoning]. Prensa Med. Argent. 66: 215-219.

Malcolm, D. (1971) Prevention of long-term sequelae following the absorption of lead. Arch. Environ. Health 23: 292-298.

Malcolm, D.; Barnett, H. A. R. (1982) A mortality study of lead workers: 1925-1976. Br. J. Ind. Med. 39: 404-410.

Malecki, M. R.; Neuhauser, E. F.; Loehr, R. C. (1982) The effect of metals on the growth and reproduction of Eisenia foetida (Oligochaeta, Lumbricidae). Pedobiologia 24: 129-137.

Maliszewska, W.; Dec, S.; Wierzbicka, H.; Wózniakowska, A. (1985) The influence of various heavy metal compounds on the development and activity of soil micro-organisms. Environ. Pollut. Ser. A 37: 195-215.

Malone, C.; Koeppe, D. E.; Miller, R. J. (1974) Localization of lead accumulated by corn plants. Plant Physiol. 53: 388-394.

Malone, C. P.; Miller, R. J.; Koeppe, D. E. (1978) Root growth in corn and soybeans: effects of cadmium and lead on lateral root initiation. Can. J. Bot. 56: 277-281.

Malpass, C. A., Jr.; Asokan, S. K.; Ulmer, F. T. (1971) Experimental lead cardiomyopathy. Circulation 44(suppl. 2): II-104.

Mamane, Y.; Ganor, E.; Donagi, A. E. (1982) Aerosol composition of urban and desert origin in the eastern Mediterranean. Water Air Soil Pollut. 18: 475-484.

Mambeeva, A. A.; Kobkova, I. D. (1969) Soderzhanie katekholaminov v tkanyakh serdechno-sosudistoi sistemy pri eksperimentalnoi svintsovoi intoksikatsii [The concentration of catecholamines in tissues of the cardiovascular system in experimental lead intoxication]. Izv. Akad. Nauk Kaz. SSR. Ser. Biol. 1: 77-82.

Manalis, R. S.; Cooper, G. P. (1973) Presynaptic and postsynaptic effects of lead at the frog neuromuscular junction. Nature (London) 243: 354-356.

Manalis, R. S.; Cooper, G. P.; Pomeroy, S. L. (1984) Effects of lead on neuromuscular transmission in the frog. Brain Res. 294: 95-109.

Mandybur, T. I.; Cooper, G. P. (1979) Increased spinal cord lead content in amyotrophic lateral sclerosis--possibly a secondary phenomenon. Med. Hypotheses 5: 1313-1315.

Mandybur, T. I.; Cooper, G. P. (1979) Increased lead uptake by spinal cord during experimental allergic encephalomyelitis in rats. Toxicol. Appl. Pharmacol. 50: 163-165.

Manhes, G.; Allegre, C. J.; Provost, A. (1984) U-Th-Pb systematics of the eucrite "Juvinas": precise age determination and evidence for exotic lead. Geochim. Cosmochim. Acta 48: 2247-2264.

Maňkovská, B. (1980) The contents of As, Cd, Pb, and Zn in the hair of roe deer from industrial and comparative areas. Biologica 35: 547-551.

Mann, A. W.; Lintern, M. (1983) Heavy metal dispersion patterns from tailings dumps, Northampton District, Western Australia. Environ. Pollut. Ser. B 6: 33-49.

Mannino, S. (1982) Determination of lead in fruit juices and soft drinks by potentiometric stripping analysis. Analyst (London) 107: 1466-1470.

Mannino, S. (1983) Simultaneous determination of lead and tin in fruit juices and soft drinks by potentiometric stripping analysis. Analyst (London) 108: 1257-1260.

Manor, E.; Marmor, A.; Gefen, S. (1978) Lead poisoning due to lead-glazed pottery. Fam. Physician 7: 110.

Mansi, M.; Romano, V.; Senatore, F. (1981) Some heavy-metal pollutants in the air of Naples. J. Air Pollut. Control Assoc. 31: 881-882.

Mantere, P.; Hänninen, H.; Hernberg, S. (1982) Subclinical neurotoxic lead effects: two-year follow-up studies with psychological test methods. Neurobehav. Toxicol. Teratol. 4: 725-727.

Mantere, P.; Hänninen, H.; Hernberg, S.; Luukkonen, R. (1984) A prospective follow-up study on psychological effects in workers exposed to low levels of lead. Scand. J. Work Environ. Health 10: 43-50.

Manton, W. I. (1977) Sources of lead in blood: identification by stable isotopes. Arch. Environ. Health 32: 149-159.

Manton, W. I. (1985) Total contribution of airborne lead to blood lead. Br. J. Ind. Med. 42: 168-172.

Manton, W. I.; Cook, J. D. (1979) Lead content of cerebrospinal fluid and other tissue in amyotrophic lateral sclerosis (ALS). Neurology 29: 611-612.

Manton, W. I.; Cook, J. D. (1984) High accuracy (stable isotope dilution) measurements of lead in serum and cerebrospinal fluid. Brit. J. Ind. Med. 41: 313-319.

Manton, W. I.; Kirkpatrick, J. B.; Cook, J. D. (1984) Does the choroid plexus really protect the brain from lead? Lancet (8398): 351.

Manton, W. I.; Malloy, C. R. (1983) Distribution of lead in body fluids after ingestion of soft solder. Brit. J. Ind. Med. 40: 51-57.

Mao, P.; Molnar, J. J. (1967) The fine structure and histochemistry of lead-induced renal tumors in rats. Am. J. Pathol. 50: 571-603.

Maples, T. W.; Jacoby, J. A.; Johnson, D. E.; Ter Haar, G. L.; Buckingham, F. M. (1982) Effectiveness of employee training and motivation programs in reducing exposure to inorganic lead and lead alkyls. Am. Ind. Hyg. Assoc. J. 43: 692-694.

Marcus, A. H. (1979) The body burden of lead: comparison of mathematical models for accumulation. Environ. Res. 19: 79-90.

Marcus, A. H. (1983) Compartmental models with spatial diffusion: estimation for bone-seeking tracers. Math. Biosci. 64: 233-248.

Marcus, A. H. (1985) Testing alternative nonlinear kinetic models in compartmental analysis. In: Eisenfeld, J.; Delisi, C., eds. Mathematics and computers in biomedical applications. Amsterdam, The Netherlands: Elsevier; pp. 259-267.

Marcus, A. H. (1985) Multicompartment kinetic models for lead: I. bone diffusion models for long-term retention. Environ. Res. 36: 441-458.

Marcus, A. H. (1985) Multicompartment kinetic models for lead: II. linear kinetics and variable absorption in humans without excessive lead exposures. Environ. Res. 36: 459-472.

Marcus, A. H. (1985) Multicompartment kinetic model for lead: III. lead in blood plasma and erythrocytes. Environ. Res. 36: 473-489.

Marcus, M.; Hollander, M.; Lucas, R. E.; Pfeiffer, N. C. (1975) Micro-scale blood lead determinations in screening: evaluation of factors affecting results. Clin. Chem. (Winston-Salem, NC) 21: 533-536.

Marcus, S. M. (1978) Lead poisoning from industrial exposure. Albany, NY: New York State Department of Health. Occup. Med. Curr. Concepts 1(2): 1-4.

Marcus, S. M. (1982) Experience with D-penicillamine in treating lead poisoning. Vet. Hum. Toxicol. 24: 18-20.

Marcus, S. M.; Joselow, M. M.; Kemp, F.; Ziering, R.; Mihalovic, D.; Anderson, L. (1977) Warning: spurious elevations of blood lead in micro puncture techniques [letter]. J. Pediatr. (St. Louis) 91: 164.

Marcus, S. M.; Purn, J. M. (1982) Defects in brain-stem auditory evoked potential resulting from lead poisoning. Pediatr. Res. 16: 114A.

Marecek, J.; Shapiro, I. M.; Burke, A.; Katz, S. H.; Hediger, M. L. (1983) Low-level lead exposure in childhood influences neuropsychological performance. Arch. Environ. Health 38: 355-359.

Markowitz, M. E.; Rosen, J. F. (1981) Zinc (Zn) and copper (Cu) metabolism in $CaNa_2EDTA$-treated children with plumbism. Pediatr. Res. 15: 635.

Markowitz, M. E.; Rosen, J. F. (1984) Assessment of lead stores in children: validation of an 8-hour $CaNa_2EDTA$ provocative test. J. Pediatr. (St. Louis) 104: 337-341.

Marlowe, M.; Errera, J. (1982) Low lead levels and behavior problems in children. Behav. Disorders 7: 163-172.

Marlowe, M.; Errera, J.; Jacobs, J. (1983) Increased lead and cadmium burdens among mentally retarded children and children with borderline intelligence. Am. J. Ment. Defic. 87: 477-483.

Marlowe, M.; Folio, R.; Hall, D.; Errera, J. (1982) Increased lead burdens and trace-mineral status in mentally retarded children. J. Spec. Ed. 16: 87-99.

Marlowe, M.; Stellern, J.; Moon, C.; Errera, J. (1985) Main and interaction effects of metallic toxins on aggressive classroom behavior. Aggressive Behav. 11: 41-48.

Marquis, D. K. L.; Verlangieri, A. J.; Wilson, M. C. (1984) Effects of neonatal lead intoxication on the discrimination of apomorphine hydrochloride (A) and sodium pentobarbital (P) from saline (S) in rats. Fed. Proc. Fed. Am. Soc. Exp. Biol. 43: 760.

Marrero, O.; Meigs, J. W.; Stark, A. D.; Quah, R. F. (1983) Seasonal patterns in children's blood-lead levels: a second peak in late winter. Conn. Med. 47: 1-5.

Marshall, E. (1982) EPA may allow more lead in gasoline. Science (Washington, DC) 215: 1375-1378.

Marshall, E. (1982) The politics of lead. Science (Washington, DC) 216: 496.

Marshall, E. (1983) EPA faults classic lead poisoning study: a review questions a study linking lead in teeth with low IQ scores; EPA finds other grounds for regulation. Science (Washington, DC) 222: 906-907.

Mart, L.; Nürnberg, H. W.; Dyrssen, D. (1984) Trace metal levels in the eastern Artic Ocean. Sci. Total Environ. 39: 1-14.

Mart, L.; Nürnberg, H. W.; Rützel, H. (1985) Levels of heavy metals in the tidal Elbe and its estuary and the heavy metal input into the sea. Sci. Total Environ. 44: 35-49.

Martens, C. S.; Wesolowski, J. J.; Kaifer, R.; John, W. (1973) Lead and bromine particle size distributions in the San Francisco Bay area. Atmos. Environ. 7: 905-914.

Martin, A. E.; Fairweather, F. A.; Buxton, R. St. J.; Roots, L. M. (1975) Recent epidemiological studies on environmental lead of industrial origin. In: Recent advances in the assessment of the health effects of environmental pollution; v. 2. proceedings, international symposium; June 1974; Paris, France. Luxembourg: Commission of the European Communities; pp. 1113-1122.

Martin, A. H.; Ogilvie, D. (1979) Behavioral malfunctions and histopathology of mouse central nervous system after pre- or post-natal exposure to lead. Anat. Rec. 193: 749.

Martin, E. S.; Lane, S. D.; O'Neill, P. (1981) Lead and horticultural crops. Sci. Hortic. (Canterbury, Engl.) 32: 68-77.

Martin, K. S.; Wicks, A. C. B. (1977) Some clinical aspects of industrial lead poisoning. Cent. Afr. J. Med. 23: 53-55.

Martin, M. H.; Coughtrey, P. J. (1981) Impact of metals on ecosystem function and productivity. In: Lepp, N. W., ed. Effect of heavy metal pollution on plants; v. 2. metals in the environment. Barking, United Kingdom: Applied Science Publishers, Ltd.; pp. 119-158. (Mellanby, K., ed. Pollution monitoring series).

Martin, M. H.; Duncan, E. M.; Coughtrey, P. J. (1982) The distribution of heavy metals in a contaminated woodland ecosystem. Environ. Pollut. Ser. B 3: 147-157.

Martincić, D.; Nürnberg, H. W.; Stoeppler, M.; Branica, M. (1984) Bioaccumulation of heavy metals by bivalves from Lim Fjord (North Adriatic Sea). Mar. Biol. (Berlin) 81: 177-188.

Martinez, E. G.; Junco Muñoz, P. R.; Molina Ballesteros, G.; Arrieta Alcalde, N. D. (1981) Toxic effects of lead impurities found in aluminum factories. Am. J. Ind. Med. 2: 161-165.

Mas, A.; Arola, L. (1985) Cadmium and lead toxicity effects on zinc, copper, nickel and iron distribution in the developing chick embryo. Comp. Biochem. Physiol. 80C: 185-188.

Massaro, E. J.; Miller, G. D.; Massaro, T. F. (1984) Multiple dose exposure effects on the tissue distribution of lead in the preweanling rat. Neurotoxicology 5: 333-352.

Masuda, N.; Nishimura, M.; Torii, T. (1982) Pathway and distribution of trace elements in Lake Vanda, Antarctica. Nature (London) 298: 154-156.

Matarazzo, W. J.; Carbone, M. T.; Gray, I. (1979) Murine lymphocyte activation by Cd^{2+}, Pb^{2+} or Cr^{3+} in drinking water. In: Hemphill, D. D., ed. Trace substances in environmental health - XIII: [proceedings of University of Missouri's 13th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 382-388.

Máthé, I.; Bota, V.; Osan, A.; Kovács, I.; Tambrea, M. (1983) Studiu privind effectul anemiant al plumbului la cobai si actiunea protectoare a fierului [Study regarding the anaemizing effect of lead in guinea pigs and the protective effect of iron]. Rev. Med. (Tirgu-Mures, Rom.) 29: 131-134.

Mathis, B. J.; Cummings, T. F.; Gower, M.; Taylor, M.; King, C. (1979) Dynamics of manganese, cadmium, and lead in experimental power plant ponds. Hydrobiologia 67: 197-206.

Matson, W. R.; Griffin, R. M.; Schreiber, G. B. (1971) Rapid sub-nanogram simultaneous analysis of Zn, Cd, Pb, Cu, Bi and Tl. In: Hemphill, D. D., ed. Trace substances in environmental health - IV: [proceedings of University of Missouri's 4th annual conference on trace substances in environmental health]; June 1970; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 396-406.

Matsumoto, K.; Matsui, T.; Kawamori, M. (1979) Studies on tetraethyl lead intoxication: Part 1. the effects on sleeping-waking cycle in rat. Nippon Eiseigaku Zasshi 34: 670-676.

Matthew, G. K. (1981) Lead in drinking water and health. Sci. Total Environ. 18: 61-75.

Matthews, K. M. (1983) Lead extraction from natural waters - a simple and rapid technique. Anal. Lett. 16: 633-642.

Mattison, D. R. (1983) Ovarian toxicity: effects on sexual maturation, reproduction and menopause. In: Clarkson, T. W.; Nordberg, G. F.; Sager, P. R., eds. Reproductive and developmental toxicity of metals [proceedings of a joint meeting; May 1982; Rochester, NY]. New York, NY: Plenum Press; pp. 317-342.

Mattison, D. R.; Gates, A. H.; Leonard, A.; Wide, M.; Hemminki, K.; Peereboom-Stegeman, J. H. J. C. (1983) Reproductive and developmental toxicity of metals: female reproductive system. In: Clarkson, T. W.; Nordberg, G. F.; Sager, P. R., eds. Reproductive and developmental toxicity of metals [proceedings of a joint meeting; May 1982; Rochester, NY]. New York, NY: Plenum Press; pp. 41-91.

Mauras, Y.; Allain, P. (1979) Inhibition of delta-aminolevulinic acid dehydratase in human red blood cells by lead and activation by zinc or cysteine. Enzyme 24: 181-187.

Mauzerall, D.; Granick, S. (1956) The occurrence and determination of δ-aminolevulinic acid and porphobilinogen in urine. J. Biol. Chem. 219: 435-446.

Maxfield, M. E.; Henry, N. W., III (1975) In vitro effect of lead in blood on the determination of delta-aminolevulinic acid dehydrase. In: Griffin, T. B.; Knelson, J. H., eds. Lead. Stuttgart, West Germany: Georg Thieme Publishers; pp. 241-253. (Coulston, F.; Korte, F., eds. Environmental quality and safety: supplement v. 2).

Maxwell, J. D.; Meyer, U. A. (1976) Effect of lead on hepatic δ-aminolaevulinic acid synthetase activity in the rat: a model for drug sensitivity in intermittent acute porphyria. Eur. J. Clin. Invest. 6: 373-379.

Mayers, M. R. (1947) Industrial exposure to lead. Occup. Med. 3: 77-83.

Mayfield, S. A. (1983) Language and speech behaviors of children with undue lead absorption: a review of the literature. J. Speech Hear. Res. 26: 362-368.

Mazliak, P.; Decotte, A. M.; Kader, J. C. (1977) Effect of heavy metals (lead, cadmium and mercury) upon oleyl-CoA desaturase. Chem. Biol. Interact. 16: 115-119.

McAllister, R. G., Jr.; Michelakis, A. M.; Sandstead, H. H. (1971) Plasma renin activity in chronic plumbism: effect of treatment. Arch. Intern. Med. 127: 919-923.

McBride, W. G.; Black, B. P.; English, B. J. (1982) Blood lead levels and behaviour of 400 preschool children. Med. J. Aust. 2: 26-29.

McCabe, E. B. (1979) Age and sensitivity to lead toxicity: a review. Environ. Health Perspect. 29: 29-33.

McCabe, E. B. (1978) Lead poisoning [letter]. N. Engl. J. Med. 298: 1261.

McCabe, L. J.; Symons, J. M.; Lee, R. D.; Robeck, G. G. (1970) Survey of community water supply systems. J. Am. Water Works Assoc. 62: 670-687.

McCarren, M.; Eccles, C. U. (1983) Neonatal lead exposure in rats: I. effects on activity and brain metals. Neurobehav. Toxicol. Teratol. 5: 527-531.

McCarren, M.; Eccles, C. U. (1983) Neonatal lead exposure in rats: II. effects on the hippocampal afterdischarge. Neurobehav. Toxicol. Teratol. 5: 533-540.

McCauley, P. T.; Bull, R. J. (1978) Lead-induced delays in synaptogenesis in the rat cerebral cortex. Fed. Proc. Fed. Am. Soc. Exp. Biol. 37: 740.

McCauley, P. T.; Bull, R. J.; Lutkenhoff, S. D. (1979) Association of alterations in energy metabolism with lead-induced delays in rat cerebral cortical development. Neuropharmacology 18: 93-101.

McCauley, P. T.; Bull, R. J.; Tonti, A. P.; Lutkenhoff, S. D.; Meister, M. V.; Doerger, J. U.; Stober, J. A. (1982) The effect of prenatal and postnatal lead exposure on neonatal synaptogenesis in rat cerebal cortex. J. Toxicol. Environ. Health 10: 639-651.

McClain, R. M.; Becker, B. A. (1972) Effects of organolead compounds on rat embryonic and fetal development. Toxicol. Appl. Pharmacol. 21: 265-274.

McClain, R. M.; Becker, B. A. (1975) Teratogenicity, fetal toxicity, and placental transfer of lead nitrate in rats. Toxicol. Appl. Pharmacol. 31: 72-82.

McColl, K. E. L.; Goldberg, A. (1980) Abnormal porphyrin metabolism in diseases other than porphyria. Clin. Haematol. 9: 427-444.

McConnell, P.; Berry, M. (1978) Effect of postnatal lead exposure on Purkinje cell dendritic development in the rat. Neuropathol. Appl. Neurobiol. 4: 239-240.

McConnell, P.; Berry, M. (1979) The effects of postnatal lead exposure on Purkinje cell dendritic development in the rat. Neuropathol. Appl. Neurobiol. 5: 115-132.

McCreight, J. D.; Schroeder, D. B. (1977) Cadmium, lead and nickel content of Lycoperdon perlatum Pers. in a roadside environment. Environ. Pollut. 13: 265-268.

McCusker, J. (1979) Longitudinal changes in blood lead level in children and their relationship to season, age, and exposure to paint or plaster. Am. J. Public Health 69: 348-352.

McDonald, C.; Duncan, H. J. (1979) Particle size distribution of metals in the atmosphere of Glasgow. Atmos. Environ. 13: 977-980.

McDonald, J. (1981) The lead contamination problem with emphasis on the lead content of wine. Am. J. Enol. Vitic. 32: 219-222.

McDonnell, D. B. (1981) Simultaneous determination of copper, lead, cadmium and zinc in nonferrous smelter products by differential-pulse polarography. Analyst (London) 106: 790-793.

McDowell, A.; Engel, A.; Massey, J. T.; Maurer, K. (1981) Plan and operation of the second National Health and Nutrition Examination Survey, 1976-80. Washington, DC: U.S. Department of Health and Human Services, National Center for Health Statistics; DHHS publication no. (PHS) 81-1317. (Vital and health statistics series 1, programs and collection procedures: no. 15).

McFarland, D. J. (1978) Effects of neonatal lead exposure on learning and performance in the rat [dissertation]. Lexington, Kentucky, University of Kentucky. Available from: University Microfilms, Ann Arbor, MI; publication no. 79-18,062.

McIntire, M. S.; Angle, C. R. (1973) Air lead/blood lead in G-6-PD deficient black school children. In: Barth, D.; Berlin, A.; Engel, R.; Recht, P.; Smeets, J., eds. Environmental health aspects of lead: proceedings, international symposium; October 1972; Amsterdam, The Netherlands. Luxembourg: Commission of the European Communities; pp. 749-761.

McIntosh, A. W.; Hunter, J. V.; Krug, P. (1980) Input into and fate of lead in a small reservoir. New Brunswick, NJ: Rutgers; final technical completion report project A-056-NJ. Available from: NTIS, Springfield, VA; PB81-148074.

McIntosh, M. J.; Meredith, P. A.; Moore, M. R.; Goldberg, A. (1985) Neurotoxic action of lead: effect on tetrahydrobiopterin metabolism in the rat. Comp. Biochem. Physiol. 81C: 227-231.

McIntosh, M. J.; Moore, M. R.; Goldberg, A.; Fell, G. S.; Cunningham, C.; Halls, D. J. (1982) Studies of lead and cadmium exposure in Glasgow, U. K. Ecol. Dis. 1: 177-184.

McKeague, J. A.; Wolynetz, M. S. (1980) Background levels of minor elements in some Canadian soils. Geoderma 24: 299-307.

McKhann, C. F.; Vogt, E. C. (1926) Lead poisoning in children: with notes on therapy. Am. J. Dis. Child. 32: 386-392.

McKiernan, M. J.; Beevers, D. G. (1983) The prevalence of hypertension amongst workers occupationally exposed to inorganic lead. In: International conference: heavy metals in the environment; September; Heidelberg, West Germany. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 623-625.

McLachlin, J. R.; Goyer, R. A.; Cherian, M. G. (1980) Formation of lead-induced inclusion bodies in primary rat kidney epithelial cell cultures: effect of actinomycin D and cycloheximide. Toxicol. Appl. Pharmacol. 56: 418-431.

McLaughlin, M.; Linch, A. L.; Snee, R. D. (1973) Longitudinal studies of lead levels in a US population. Arch. Environ. Health 27: 305-311.

McLean, K.; Parker, G. H.; Persinger, M. A. (1982) Lead in the water supply alters swimming-maze behavior in adult mice. Percept. Mot. Skills 55: 507-512.

McLean, R. O.; Shields, B. (1977) A study of factors causing changes in the lead levels of crops growing beside roadways. Environ. Pollut. 14: 267-273.

McLellan, J. S.; VonSmolinski, A. W.; Bederka, J. P., Jr.; Boulos, B. M. (1974) Developmental toxicology of lead in the mouse. Fed. Proc. Fed. Am. Soc. Exp. Biol. 33: 288.

McMichael, A. J.; Johnson, H. M. (1982) Long-term mortality profile of heavily-exposed lead smelter workers. J. Occup. Med. 24: 375-378.

McMulkin, C. S. (1978) A review of lead poisoning in dogs. Vet. Hum. Toxicol. 20: 13-14.

McNamara, A.; Williams, D. F. (1984) Enzyme histochemistry of the tissue response to pure metal implants. J. Biomed. Mater. Res. 18: 185-206.

McNeil, J. L.; Ptasnik, J. A. (1975) Evaluation of longterm effects of elevated blood lead concentrations in asymptomatic children. In: Recent advances in the assessment of the health effects of environmental pollution; v. 2. proceedings, international symposium, vol. 2; June 1974; Paris, France. Luxembourg: Commission of the European Communities; pp. 571-590.

McNeil, J. L.; Ptasnik, J. S.; Croft, D. B. (1975) El Paso smelter effects on Smeltertown children. In: International conference on heavy metals in the environment: symposium proceedings; volume III; October; Toronto, ON, Canada. Toronto, ON, Canada: University of Toronto, Institute for Environmental Studies; pp. 265-277.

McNeilly, T.; Williams, S. T.; Christian, P. J. (1984) Lead and zinc in a contaminated pasture at Minera, North Wales, and their impact on productivity and organic matter breakdown. Sci. Total Environ. 38: 183-198.

McNiff, E. F.; Cheng, L. K.; Woodfield, H. C.; Fung, H.-L. (1978) Effects of L-cysteine, L-cysteine derivatives and ascorbic acid on lead excretion in rats. Res. Commun. Chem. Pathol. Pharmacol. 20: 131-137.

McNurney, J. M.; Larimore, R. W.; Wetzel, M. J. (1977) Distribution of lead in the sediments and fauna of a small midwestern stream. In: Drucker, H.; Wildung, R. E., eds. Biological implications of metals in the environment. Proceedings of the fifteenth annual Hanford life sciences symposium; September-October 1975; Richland, WA. Energy Research and Development Administration, Technical Information Center. Available from: NTIS, Springfield, VA; CONF-750929.

McQueen, E. G. (1951) The syndrome of gout. Med. J. Aust. 1: 644-650.

Medeiros, D. M.; Pellum, L. K. (1984) Elevation of cadmium, lead, and zinc in the hair of adult black female hypertensives. Bull. Environ. Contam. Toxicol. 32: 525-532.

Medeiros, D. M.; Pellum, L. K. (1985) Blood pressure and hair cadmium, lead, copper, and zinc concentrations in Mississippi adolescents. Bull. Environ. Contain. Toxicol. 34: 163-169.

Medón, P.; Tlatlik-Nowak, U.; Sidorowicz, A. (1984) Growth rate of the bacterium Sphaerotilus natans in lead-containing medium and the effect of calcium ions. Environ. Res. 35: 228-236.

Mędraś, K,; Zawirska, B. (1968) Tumoren und Störungen des Porphyrinstoffwechsels bei Ratten mit chronischer experimenteller Bleiintoxikation: II. Mikrofluoroskopische Untersuchungen der Nierenporphyrine und einleitende qualitative Untersuchungen der Harn- und Organporphyrine [Tumors and porphyrin metabolism disorders in rats suffering chronic experimental lead intoxication: II. microfluoroscopic studies of the renal porphyrins and initial qualitative studies of the urine and organ porphyrins]. Zentralbl. Allg. Pathol. Pathol. Anat. 111: 185-191.

Mehani, S. (1966) Lead retention by the lungs of lead-exposed workers. Ann. Occup. Hyg. 9: 165-171.

Meigs, J. W.; Marrero, O.; Stark, A.; Quah, R. F. (1980) Seasonal variation in children's blood-lead levels: a second peak in late winter. Am. J. Epidemiol. 112: 451.

Mele, P. C.; Bushnell, P. J.; Bowman, R. E. (1984) Prolonged behavioral effects of early postnatal lead exposure in rhesus monkeys: fixed-interval responding and interactions with scopolamine and pentobarbital. Neurobehav. Toxicol. Teratol. 6: 129-135.

Melgaard, B.; Clausen, J.; Rastogi, S. C. (1976) Electromyographic changes in automechanics with increased heavy metal levels. Acta Neurol. Scand. 54: 227-240.

Mellins, R. B.; Jenkins, C. D. (1955) Epidemiological and psychological study of lead poisoning in children. J. Am. Med. Assoc. 158: 15-20.

Melnick, R. S. (1983) Airborne lead: the advocates get their standard. In: Regulation and the courts: the case of the Clean Air Act. Washington, DC: The Brookings Institution; pp. 269-298.

Memo, M.; Lucchi, L.; Spano, P. F.; Trabucchi, M. (1980) Effect of chronic lead treatment on gaba-ergic receptor function in rat brain. Toxicol. Lett. 6: 427-432.

Memo, M.; Lucchi, L.; Spano, P. F.; Trabucchi, M. (1980) Lack of correlation between the neurochemical and behavioural effects induced by d-amphetamine in chronically lead-treated rats. Neuropharmacology 19: 795-799.

Memo, M.; Lucchi, L.; Spano, P. F.; Trabucchi, M. (1981) Dose-dependent and reversible effects of lead on rat dopaminergic system. Life Sci. 28: 795-799.

Mencel, S. J.; Thorp, R. H. (1976) A study of blood lead levels in residents of the Sydney area. Med. J. Aust. 1: 423-426.

Méranger, J. C.; Hollebone, B. R.; Blanchette, G. A. (1981) The effects of storage times, temperatures and container types on the accuracy of atomic absorption determinations of Cd, Cu, Hg, Pb and Zn in whole heparinized blood. J. Anal. Toxicol. 5: 33-41.

Méranger, J. C.; Khan, T. R.; Vairo, C.; Jackson, R.; Li, W. C. (1983) Lake water acidity and the quality of pumped cottage water in selected areas of Northern Ontario. Int. J. Environ. Anal. Chem. 15: 185-212.

Méranger, J. C.; Subramanian, K. S.; Chalifoux, C. (1979) A national survey for cadmium, chromium, copper, lead, zinc, calcium, and magnesium in Canadian drinking water supplies. Environ. Sci. Technol. 13: 707-711.

Meredith, P. A.; Campbell, B. C. (1983) Lead and the renin-angiotensin system. In: International conference: heavy metals in the environment; September; Heidelberg, West Germany. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 706-709.

Meredith, P. A.; Campbell, B. C.; Moore, M. R.; Goldberg, A. (1977) The effects of industrial lead poisoning on cytochrome P450 mediated phenazone (antipyrine) hydroxylation. Eur. J. Clin. Pharmacol. 12: 235-239.

Meredith, P. A.; Elliott, H. L.; Campbell, B. C.; Moore, M. R. (1979) Changes in serum aluminium, blood zinc, blood lead and erythrocyte δ-aminolaevulinic acid dehydratase activity during haemodialysis. Toxicol. Lett. 4: 419-424.

Meredith, P. A.; Moore, M. R. (1978) The effects of zinc and lead on δ-aminolaevulinate dehydratase. Biochem. Soc. Trans. 6: 760-762.

Meredith, P. A.; Moore, M. R. (1979) An evaluation of the use of haem-biosynthetic parameters in the detection of industrial and environmental lead exposure: erythrocyte, δ-aminolaevulinate dehydratase and blood protoporphyrin concentrations. Biochem. Soc. Trans. 7: 39-41.

Meredith, P. A.; Moore, M. R. (1979) The influence of lead on haem biosynthesis and biodegradation in the rat. Biochem. Soc. Trans. 7: 637-639.

Meredith, P. A.; Moore, M. R. (1980) The in vivo effects of zinc on erythrocyte delta-aminolaevulinic acid dehydratase in man. Int. Arch. Occup. Environ. Health 45: 163-168.

Meredith, P. A.; Moore, M. R.; Campbell, B. C.; Thompson, G. G.; Goldberg, A. (1978) Delta-aminolaevulinic acid metabolism in normal and lead-exposed humans. Toxicology 9: 1-9.

Meredith, P. A.; Moore, M. R.; Goldberg, A. (1979) Erythrocyte δ-aminolaevulinic acid dehydratase activity and blood protoporphyrin concentrations as indices of lead exposure and altered haem biosynthesis. Clin. Sci. 56: 61-69.

Merlini, M.; Pozzi, G. (1977) Lead and freshwater fishes: part 2 - ionic lead accumulation. Environ. Pollut. 13: 119-126.

Merry, R. H.; Tiller, K. G. (1978) The contamination of pasture by a lead smelter in a semi-arid environment. Aust. J. Exp. Agric. Anim. Husb. 18: 89-96.

Merry, R. H.; Tiller, K. G.; Alston, A. M. (1983) Accumulation of copper, lead and arsenic in some Australian orchard soils. Aust. J. Soil Res. 21: 549-561.

Merry, R. H.; Tiller, K. G.; De Vries, M. P. C.; Cartwright, B. (1981) Contamination of wheat crops around a lead-zinc smelter. Environ. Pollut. 2: 37-48.

Messman, J. D.; Rains, T. C. (1981) Determination of tetraalkyllead compounds in gasoline by liquid chromatography-atomic absorption spectrometry. Anal. Chem. 53: 1632-1636.

Mets, J. T. (1981) Biological monitoring of occupational exposure to lead with a zinc protoporphyrin (ZPP) meter. S. Afr. Med. J. 60: 891-896.

Meyer, B. R. (1984) The nephrotoxicity of environmental exposure to lead, mercury and cadmium. Albany, NY: New York State Department of Health. Occup. Med. Current Concepts 7(2): 1-4.

Meyer, B. R.; Fischbein, A.; Rosenman, K.; Lerman, Y.; Drayer, D. E.; Reidenberg, M. M. (1984) Increased urinary enzyme excretion in workers exposed to nephrotoxic chemicals. Am. J. Med. 76: 989-998.

Meyer, B. R.; Reidenberg, M. M.; Sassa, S.; Fischbein, A.; Drayer, D. E. (1982) Urinary N-acetyl-β- glucosaminidase excretion related to lead exposure. Clin. Res. 30: 255A.

Michaelson, I. A. (1973) Effects of inorganic lead on RNA, DNA and protein content in the developing neonatal rat brain. Toxicol. Appl. Pharmacol. 26: 539-548.

Michaelson, I. A. (1980) An appraisal of rodent studies on the behavioral toxicity of lead: the role of nutritional status. In: Singhal, R. L.; Thomas, J. A., eds. Lead toxicity. Baltimore, MD: Urban and Schwarzenberg, Inc.; pp. 302-365.

Michaelson, I. A.; Bornschein, R. L.; Loch, R. K.; Rafales, L. S. (1977) Minimal brain dysfunction hyperkinesis: significance of nutritional status in animal models of hyperactivity. In: Hanin, I.; Usdin, E., eds. Animal models in psychiatry and neurology. Oxford, United Kingdom: Pergamon Press; pp. 37-50.

Michaelson, I. A.; Bradbury, M. (1982) Effect of early inorganic lead exposure on rat blood-brain barrier permeability to tyrosine or choline. Biochem. Pharmacol. 31: 1881-1885.

Michaelson, I. A.; Rafales, L. S.; Bornschein, R. L.; Loch, R. K. (1978) Lead and hyperactivity in animals. Psychopharmacol. Bull. 14: 48-50.

Michaelson, I. A.; Sauerhoff, M. W. (1973) The effect of chronically ingested inorganic lead inorganic lead on brain levels of Fe, Zn, Cu, and Mn of 25 day old rat. Life Sci. 13: 417-428.

Michaelson, I. A.; Sauerhoff, M. W. (1974) Animal models of human disease: severe and mild lead encephalopathy in the neonatal rat. Environ. Health Perspect. 7: 201-225.

Michie, N. D.; Dixon, E. J. (1977) Distribution of lead and other metals in tea leaves, dust and liquors. J. Sci. Food Agric. 28: 215-224.

Midgley, D. (1984) Lead-selective electrodes based on lead(IV) oxide. Anal. Chim. Acta 159: 63-70.

Mielke, H. W.; Anderson, J. C.; Berry, K. J.; Mielke, P. W.; Chaney, R. L.; Leech, M. (1983) Lead concentrations in inner-city soils as a factor in the child lead problem. Am. J. Public Health 73: 1366-1369.

Mielke, H.; Blake, B.; Burroughs, S.; Hassinger, N. (1984) Urban lead levels in Minneapolis: the case of the Hmong children. Environ. Res. 34: 64-76.

Mierau, G. W.; Favara, B. E. (1975) Lead poisoning in roadside populations of deer mice. Environ. Pollut. 8: 5564.

Mietz, J. A.; Sjogren, R. E. (1983) Incidence of plasmid-linked antibiotic-heavy metal resistant enterics in water-sediment from agricultural and harbor sites. Water Air Soil Pollut. 20: 147-159.

Mikhail, T. H.; El-Sawaf, H. A.; Ibrahim, K. M.; Awadallah, R.; El-Dessoukey, E. A. (1980) Evaluation of the effect of lead exposure on the liver in Egyptian lead tank welders. Z. Ernaehrungswiss. 19: 50-56.

Milar, C. R.; Mushak, P. (1982) Lead contaminated housedust: hazard, measurement and decontamination. In: Chisolm, J. J., Jr.; O'Hara, D. M., eds. Lead absorption in children: management, clinical and environmental aspects. Baltimore, MD: Urban and Schwarzenberg, Inc.; pp. 143-152.

Milar, C. R.; Schroeder, S. R.; Mushak, P.; Boone, L. (1981) Failure to find hyperactivity in preschool children with moderately elevated lead burden. J. Pediatr. Psychol. 6: 85-95.

Milar, C. R.; Schroeder, S. R.; Mushak, P.; Dolcourt, J. L.; Grant, L. D. (1980) Contributions of the caregiving environment to increased lead burden of children. Am. J. Ment. Defic. 84: 339-344.

Milar, K. S.; Krigman, M. R.; Grant, L. D. (1981) Effects of neonatal lead exposure on memory in rats. Neurobehav. Toxicol. Teratol. 3: 369-373.

Milberg, R. P.; Lagerwerff, J. V.; Brower, D. L.; Biersdorf, G. T. (1980) Soil lead accumulation alongside a newly constructed roadway. J. Environ. Qual. 9: 6-8.

Milburn, H.; Mitran, E.; Crockford, G. W. (1976) An investigation of lead workers for subclinical effects of lead using three performance tests. Ann. Occup. Hyg. 19: 239-249.

Miles, C. D.; Brandle, J. R.; Daniel, D. J.; Chu-Der, O.; Schnare, P. D.; Uhlik, D. J. (1972) Inhibition of photosystem II in isolated chloroplasts by lead. Plant Physiol. 49: 820-825.

Milić, S.; Stanković, M.; Delić, V.; Djordjević, V. (1973) Biochemical parameters in evaluation of environmental lead exposure. In: Barth, D.; Berlin, A.; Engel, R.; Recht, P.; Smeets, J., eds. Environmental health aspects of lead: proceedings, international symposium; October 1972; Amsterdam, The Netherlands. Luxembourg: Commission of the European Communities; pp. 561-568.

Millar, I. B. (1978) Monitoring of lead in the environment. J. Epidemiol. Comm. Health 32: 111-116.

Millar, I. B. (1979) Blood lead level survey [letter]. Arch. Dis. Child. 54: 729.

Millar, I. B.; Cooney, P. A. (1982) Urban lead - a study of environmental lead and its significance to school children in the vicinity of a major trunk road. Atmos. Environ. 16: 615-620.

Millar, J. A.; Cummings, R. L. C.; Battistini, V.; Carswell, F.; Goldberg, A. (1970) Lead and δ-aminolaevulinic acid dehydratase levels in mentally retarded children and in lead-poisoned suckling rats. Lancet 2(7675): 695-698.

Miller, C. D.; Buck, W. B.; Hembrough, F. B.; Cunningham, W. L. (1982) Fetal rat development as influenced by maternal lead exposure. Vet. Hum. Toxicol. 24: 163-166.

Miller, E.; Sobotka, T.; Michel, T.; Levin, R.; Krop, S. (1977) Neurotoxic and other correlates of early Pb exposure in beagle dogs. Fed. Proc. Fed. Am. Soc. Exp. Biol. 36: 355.

Miller, G. D.; Massaro, T. F.; Koperek, E. (1984) Low-level lead exposure and the time-dependent organ-tissue distribution of essential elements in the neonatal rat. Biol. Trace Elem. Res. 6: 519-530.

Miller, J.; Boswell, F. C. (1981) Cadmium, lead and zinc in growing rats fed corn leaf tissue grown on soil amended with sewage sludge or heavy metal salts. Environ. Health Perspect. 42: 197-202.

Miller, J. E.; Hassett, J. J.; Koeppe, D. E. (1975) The effect of soil lead sorption capacity on the uptake of lead by corn. Commun. Soil Sci. Plant Anal. 6: 349-358.

Miller, J. E.; Hassett, J. J.; Koeppe, D. E. (1977) Interactions of lead and cadmium on metal uptake and growth of corn plants. J. Environ. Qual. 6: 18-20.

Miller, R. G.; Doerger, J. U.; Kopfler, F. C.; Stober, J.; Roberson, P. (1985) Influence of the time of acidification after sample collection on the preservation of drinking water for lead determination. Anal. Chem. 57: 1020-1023.

Miller, R. J.; Koeppe, D. E. (1971) Accumulation and physiological effects of lead in corn. In: Hemphill, D. D., ed. Trace substances in environmental health - IV: [proceedings of University of Missouri's 4th annual conference on trace substances in environmental health]; June 1970; Columbia, MO. Columbia, MO: University of Missouri - Columbia; pp. 186-193.

Miller, R. K.; Shaikh, Z. A. (1983) Prenatal metabolism: metals and metallothionein. In: Clarkson, T. W.; Nordberg, G. F.; Sager, P. R., eds. Reproductive and developmental toxicity of metals [proceedings of a joint meeting; May 1982; Rochester, NY]. New York, NY: Plenum Press; pp. 151-204.

Miller, R. W.; Brent, R. L.; Brown, A. K.; Finberg, L.; Frantz, C.; Goldbloom, V. C.; Heavenrich, R. M.; Peebles, T. C.; Stevenson, J. L., Jr. (1978) National standard for airborne lead. Pediatrics 62: 1070-1071.

Miller, V. R.; Hebble, T. L.; Paulson, D. L. (1982) Recovery of cadmium, zinc, and lead from lead smelter flue dusts. Washington, DC: U.S. Department of the Interior, Bureau of Mines; report of investigation no. RI 8659. Available from: NTIS, Springfield, VA; PB82-232471.

Miller, W. P.; McFee, W. W. (1983) Distribution of cadmium, zinc, copper, and lead in soils of industrial northwestern Indiana. J. Environ. Qual. 12: 29-33.

Mills, A. L. (1971) Lead in the environment. Chem. Br. 7: 160-162.

Milne, J. B.; Dickman, M. (1977) Lead concentrations in algae and plants grown over lead contaminated sediments taken from snow dumps in Ottawa, Canada. J. Environ. Sci. Health Part A 12: 173-189.

Mindus, P.; Kolmodin-Hedman, B. (1981) Told by her doctor to drink large amounts of water--suffered lead poisoning. Acta Med. Scand. 209: 425-428.

Minear, R. A.; Ball, R. O.; Church, R. L. (1981) Data base for influent heavy metals in publicly owned treatment works. Knoxville, TN: University of Tennessee; U.S. Environmental Protection Agency report no. EPA-600/2-81-220. Available from: NTIS, Springfield, VA; PB82-108168.

Minsker, D. H.; Moskalski, N.; Peter, C. P.; Robertson, R. T.; Bokelman, D. L. (1982) Exposure of rats to lead nitrate in utero or postpartum; effects on morphology and behavior. Biol. Neonate 41: 193-203.

Missale, C.; Battaini, F.; Govoni, S.; Castelletti, L.; Spano, P. F.; Trabucchi, M. (1984) Chronic lead exposure differentially affects dopamine transport in rat striatum and nucleus accumbens. Toxicology 33: 81-90.

Mistry, P.; Lucier, G. W.; Fowler, B. A. (1982) Characterization studies on the 63,000 dalton ^{203}Pb binding component of rat kidney cytosol. In: 66th annual meeting of the Federation of American Societies for Experimental Biology; April; New Orleans, LA. Fed. Proc. Fed. Am. Soc. Exp. Biol. 41: 527.

Mistry, P.; Lucier, G. W.; Fowler, B. A. (1985) High-affinity lead binding proteins in rat kidney cytosol mediate cell-free nuclear translocation of lead. J. Pharmacol. Exp. Ther. 232: 462-469.

Mitchell, D. G.; Aldous, K. M. (1974) Lead content of foodstuffs. Environ. Health Perspect. 7: 59-64.

Mitchell, D. G.; Aldous, K. M.; Ryan, F. J. (1974) Mass screening for lead poisoning: capillary blood sampling and automated Delves-cup atomic-absorption analysis. N.Y. State J. Med. 74: 1599-1603.

Mitchell, D. G.; Doran, D. (1985) Effect of bias in hematofluorometer measurements of protoporphyrin in screening programs for lead poisoning. Clin. Chem. (Winston-Salem, NC) 30: 386-390.

Mitchell, D. G.; Ryan, F. J.; Aldous, K. M. (1972) The precise determination of lead in whole blood by solvent extraction-atomic absorption spectrometry. At. Absorpt. Newsl. 11: 120-121.

Mitchell, R. A.; Drake, J. E.; Wittlin, L. A.; Rejent, T. A. (1977) Erythrocyte porphobilinogen synthase (delta-aminolaevulinate dehydratase) activity: a reliable and quantitative indicator of lead exposure in humans. Clin. Chem. (Winston-Salem, NC) 23: 105-111.

Mitchell, W.; Kim, C.; O'Tuama, L.; Pritchard, J. (1980) Blood-brain barrier maturation affects susceptibility to lead. Neurology 30: 353.

Mitchell, W. G.; Cookson, S. L.; Mann, J. D.; Loda, F. A. (1981) Effects of lead on behavioral responses to morphine in juvenile rats. Clin. Res. 29: 892A.

Mitchell, W. J.; Midgett, M. R. (1979) Measuring inorganic and alkyl lead emissions from stationary sources. J. Air Pollut. Control Assoc. 29: 959-962.

Mittelstaedt, R. A.; Pounds, J. G. (1984) Subcellular distribution of lead in cultured rat hepatocytes. Environ. Res. 35: 188-196.

Miwa, S.; Ishida, Y.; Takegawa, S.; Urata, G.; Toyoda, T. (1981) A case of lead intoxication: clinical and biochemical studies. Am. J. Hematol. 11: 99-105.

Mizutani, A. (1979) Lead ions in enzyme histochemistry, with special reference to OCT and related enzymes. In: Abstracts of the nineteenth annual meeting of the Japan Society of Histochemistry and Cytochemistry; November 1978; Gifu, Japan. Acta Histochem. Cytochem. 12: 157-164.

Mobarak, N.; P'an, A. Y. S. (1984) Lead distribution in the saliva and blood fractions of rats after intraperitoneal injections. Toxicology 32: 67-74.

Modak, A. T.; Purdy, R. H.; Stavinoha, W. B. (1978) Changes in acetylcholine concentration in mouse brain following ingestion of lead acetate in drinking water. Drug Chem. Toxicol. 1: 373-389.

Moel, D. I.; Sachs, H. K.; Cohn, R. A.; Drayton, M. A. (1985) Renal function 9 to 17 years after childhood lead poisoning. J. Pediatr. (St. Louis) 106: 729-733.

Mohammed-Brahim, B.; Buchet, J. P.; Bernard, A.; Lauwerys, R. (1984) In vitro effects of lead, mercury and cadmium on the enzymic activity of red-blood cell pyrimidine 5'-nucleotidase. Toxicol. Lett. 20: 195-199.

Mohammed-Brahim, B.; Buchet, J. P.; Lauwerys, R. (1985) Erythrocyte pyrimidine 5'-nucleotidase activity in workers exposed to lead, mercury or cadmium. Int. Arch. Occup. Environ. Health 55: 247-252.

Moingeon, P.; Bidart, J. M.; Alberici, G. F.; Boudéne, C.; Bohuon, C. (1984) In vivo modulation of muscarine receptors in rat brain by acute lead intoxication. Toxicology 31: 135-142.

Mok, K. K.; Smythe, L. E. (1978) Forms of lead in Sydney city air. Search 9: 49-50.

Moldowan, M. J.; Behr, K. (1979) The effect of lead on aminopyrine N-demethylation. Res. Commun. Chem. Pathol. Pharmacol. 25: 343-355.

Molina, G.; Zúñiga, M. A.; Cárdenas, A. Alvarez, R. M.; Solís-Cámara, P., Jr.; Solís-Cámara, P. (1983) Psychological alterations in children exposed to a lead-rich home environment. Bull. Panam Health Org. 17: 186-192.

Molina, R.; Murillo, B.; Prieto, J. M.; Viguera, J.; Galnares, A. (1979) Free erythrocyte protoporphyrin in workers exposed to lead. Arh. Hig. Rada Toksikol. 30: 139-143.

Molina-Ballesteros, G.; Zúñiga-Charles, M. A.; Gonzalez-Ramirez, J. D.; Navarrete-Cadena, C. (1981) Blood protoporphyrin IX as a biological indicator of increased absorption of lead. Toxicol. Lett. 7: 195-200.

Molina-Ballesteros, G.; Zúñiga-Charles, M. A.; Ortega, A. C.; Solís-Cámara, R. P.; Solís-Cámara, V. P. (1983) Lead concentrations in the blood of children from pottery-making families exposed to lead salts in a Mexican village. Bull. Panam. Health Organ. 17: 35-41.

Molina-Ballesteros, G.; Zúñiga-Charles, M. A.; Sanchez-Anzaldo, F. J.; Gonzalez-Ramirez, J. D. (1978) Urinary δ-aminolevulinic acid as a biological indicator throughout penicillamine therapy in lead intoxication. Arch. Environ. Health 33: 308-313.

Möller, B.; Carlsson, L.-E.; Johansson, G. I.; Malmqvist, K. G.; Hammarström, L.; Berlin, M. (1982) Lead levels determined in Swedish permanent teeth by particle-induced X-ray emmission. Scand. J. Work Environ. Health 8: 267-272.

Molls, M.; Pon, A.; Streffer, C.; Van Beuningen, D.; Zamboglou, N. (1983) The effects of lead and X-rays, alone or in combination, on blastocyst formation and cell kinetics of preimplantation mouse embryos in vitro. Int. J. Radiat. Biol. 43: 57-69.

Mombeshora, C.; Osibanjo, O.; Ajayi, S. O. (1983) Pollution studies on Nigerian rivers: the onset of lead pollution of surface waters in Ibadan. Environ. Int. 9: 81-84.

Momčilović, B. (1978) The effect of maternal dose on lead retention in suckling rats. Arch. Environ. Health 33: 115-117.

Momčilović, B.; Kostial, K. (1974) Kinetics of lead retention and distribution in suckling and adult rats. Environ. Res. 8: 214-220.

Monaenkova, A. M. (1957) K voprosu o funktsionalnom sostoyanii shchitovidnoi zhelezy pri chronicheskikh intoksikatsiyakh nokotorymi promyshlennymi yadami (svinets rtut) [Functional state of the thyroid in chronic intoxication with some industrial poisons]. Gig. Tr. Prof. Zabol. 1: 44-48.

Monkiewicz, J.; Jączewski, S.; Dynarowicz, I. (1975) Zawartość metali ciężkich w nasieniu buhajów z różnych środowisk [The content of heavy metals in the semen of bulls from various environments]. Med. Weter. 31: 684-686.

Montagnini, F.; Neufeld, H. S.; Uhl, C. (1984) Heavy metal concentrations in some non-vascular plants in an Amazonian rainforest. Water Air Soil Pollut. 21: 317-321.

Montaldi, A.; Zentilin, L.; Venier, P.; Gola, I.; Bianchi, V.; Paglialunga, S.; Levis, A. G. (1985) Interaction of nitrilotriacetic acid with heavy metals in the induction of sister chromatid exchanges in cultured mammalian cells. Environ. Mutagen. 7: 381-390.

Moody, J. R. (1982) NBS clean laboratories for trace element analysis. Anal. Chem. 54: 1358A-1376A.

Moore, J. F.; Goyer, R. A.; Wilson, M. (1973) Lead-induced inclusion bodies: solubility, amino acid content, and relationship to residual acidic nuclear proteins. Lab. Invest. 29: 488-494.

Moore, J. F.; Mushak, P.; Krigman, M. R. (1975) Distribution of lead in subcellular fractions of cerebrums of guinea pigs. Environ. Health Perspect. 10: 266-267.

Moore, M. R. (1977) Lead in drinking water in soft water areas--health hazards. Sci. Total Environ. 7: 109-115.

Moore, M. R. (1980) Prenatal exposure to lead and mental retardation. In: Needleman, H. L., ed. Low level lead exposure: the clinical implications of current research. New York, NY: Raven Press; pp. 53-65.

Moore, M. R. (1983) Lead exposure and water plumbosolvency. In: Rutter, M.; Russell Jones, R., eds. Lead versus health: sources and effects of low level lead exposure. New York, NY: John Wiley and Sons; pp. 79-106.

Moore, M. R. (1984) Uptake of lead from water. In: Inorganics in drinking water and cardiovascular disease: proceedings.

Moore, M. R.; Campbell, B. C.; Goldberg, A. (1977) Lead. In: Lenihan, J.; Fletcher, W. W., eds. The chemical environment. New York, NY: Academic Press; pp. 64-92. (Environment and man: v. 6).

Moore, M. R.; Campbell, B. C.; Meredith, P. A.; Beattie, A. D.; Goldberg, A.; Campbell, D. (1978) The association between lead concentrations in teeth and domestic water lead concentrations. Clin. Chim. Acta 87: 77-83.

Moore, M. R.; Goldberg, A.; Bushnell, I. W. R.; Day, R.; Fyfe, W. M. (1982) A prospective study of the neurological effects of lead in children. Neurobehav. Toxicol. and Teratol. 4: 739-743.

Moore, M. R.; Goldberg, A.; Carr, K.; Toner, P.; Lawrie, T. D. V. (1974) Biochemical and electron-microscopical studies of chronic lead exposure in the heart and other organs in rats. Scott. Med. J. 19: 155-156.

Moore, M. R.; Goldberg, A.; Fyfe, W. M.; Low, R. A.; Richards, W. N. (1981) Lead in water in Glasgow - a story of success. Scott. Med. J. 26: 354-355.

Moore, M. R.; Goldberg, A.; Fyfe, W. M.; Richards, W. N. (1981) Maternal lead levels after alterations to water supply [letter]. Lancet 2(8239): 203-204.

Moore, M. R.; Goldberg, A.; Meredith, P. A.; Lees, R.; Low, R. A.; Pocock, S. J. (1979) The contribution of drinking water lead to maternal blood lead concentrations. Clin. Chim. Acta 95: 129-133.

Moore, M. R.; Goldberg, A.; Pocock, S. J.; Meredith, A.; Stewart, I. M.; MacAnespie, H.; Lees, R.; Low, A. (1982) Some studies of maternal and infant lead exposure in Glasgow. Scot. Med. J. 27: 113-122.

Moore, M. R.; Hughes, M. A.; Goldberg, D. J. (1979) Lead absorption in man from dietary sources: the effect of cooking upon lead concentrations of certain foods and beverages. Int. Arch. Occup. Environ. Health 44: 81-90.

Moore, M. R.; Meredith, P. A. (1976) The association of delta-aminolaevulinic acid with the neurological and behavioural effects of lead exposure. In: Hemphill, D. D., ed. Trace substances in environmental health - X: [proceedings of University of Missouri's 10th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 363-371.

Moore, M. R.; Meredith, P. A. (1977) The storage of samples for blood and water lead analysis. Clin. Chim. Acta 75: 167-170.

Moore, M. R.; Meredith, P. A. (1979) An evaluation of the use of haem-biosynthetic parameters in the detection of industrial and environmental lead exposure: δ-aminolaevulinic acid and coproporphyrin. Biochem. Soc. Trans. 7: 37-39.

Moore, M. R.; Meredith, P. A. (1979) The carcinogenicity of lead. Arch. Toxicol. 42: 87-94.

Moore, M. R.; Meredith, P. A. (1979) The effect of carbon monoxide upon erythrocyte δ-aminolevulinicacid dehydratase activity. Arch. Environ. Health 34: 158-161.

Moore, M. R.; Meredith, P. A.; Campbell, B. C.; Goldberg, A.; Pocock, S. J. (1977) Contribution of lead in drinking water to blood-lead. Lancet 2(8039): 661-662.

Moore, M. R.; Meredith, P. A.; Campbell, B. C.; Watson, W. S. (1979) The gastrointestinal absorption of lead 203 chloride in man. In: Hemphill, D. D., ed. Trace substances in environmental health - XIII: [proceedings of University of Missouri's 13th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 368-373.

Moore, M. R.; Meredith, P. A.; Goldberg, A. (1977) A retrospective analysis of blood-lead in mentally retarded children. Lancet 1(8014): 717-719.

Moore, M. R.; Meredith, P. A.; Goldberg, A. (1980) Lead and heme biosynthesis. In: Singhal, P. L.; Thomas, J. A., eds. Lead toxicity. Baltimore, MD: Urban and Schwarzenberg, Inc.; pp. 79-118.

Moore, M. R.; Meredith, P. A.; Goldberg, A.; Carr, K. E.; Toner, P. G.; Lawrie, T. D. V. (1975) Cardiac effects of lead in drinking water of rats. Clin. Sci. Mol. Med. 49: 337-341.

Moore, M. R.; Meredith, P. A.; Watson, W. S.; Sumner, D. J.; Taylor, M. K.; Goldberg, A. (1980) The percutaneous absorption of lead-203 in humans from cosmetic preparations containing lead acetate, as assessed by whole-body counting and other techniques. Food Cosmet. Toxicol. 18: 399-405.

Moore, M. R.; Richards, W. N.; Sherlock, J. G. (1985) Successful abatement of lead exposure from water supplies in the west of Scotland. In: Bornschein, R. L.; Rabinowitz, M. B., eds. The second international conference on prospective studies of lead; April 1984; Cincinnati, OH. Environ. Res. 38: 67-76.

Moran, J. B.; Baldwin, M. J.; Manary, O. J.; Valenta, J. C. (1972) Effect of fuel additives on the chemical and physical characteristics of particulate emissions in automotive exhaust. Final report. Research Triangle Park, NC: U.S. Environmental Protection Agency; EPA report no. EPA-R2-72-066. Available from: NTIS, Springfield, VA; PB-222799.

Moran, P. J. (1984) Water quality control and its effect on the concentration of heavy metals in Port Kembla Harbour, N.S.W. Mar. Pollut. Bull. 15: 294-297.

Moreau, T.; Orssaud, G.; Juguet, B.; Busquet, G. (1982) Plombémie et pression artérielle: premiers résultats d'une enquête transversale de 431 sujets de sexe masculin [Blood lead levels and arterial pressure: initial results of a cross sectional study of 431 male subjects] [letter]. Rev. Epidemol. Sante Publique. 30: 395-397.

Morgan, A.; Holmes, A. (1978) The fate of lead in petrol-engine exhaust particulates inhaled by the rat. Environ. Res. 15: 44-56.

Morgan, A.; Holmes, A.; Evans, J. C. (1977) Retention, distribution, and excretion of lead by the rat after intravenous injection. Br. J. Ind. Med. 34: 37-42.

Morgan, B. B., Jr.; Repko, J. D. (1974) Evaluation of behavioral functions in workers exposed to lead. In: Xintaras, C.; Johnson, B. L.; De Groot, I., eds. Behavioral toxicology: early detection of occupational hazards. Washington, DC: U.S. Department of Health, Education and Welfare; pp. 248-266: DHEW publication no. (NIOSH) 74-126.

Morgan, G. W.; Edens, F. W.; Thaxton, P.; Parkhurst, C. R. (1975) Toxicity of dietary lead in Japanese quail. Poult. Sci. 54: 1636-1642.

Morgan, J. M. (1968) The consequences of chronic lead exposure. Ala. J. Med. Sci. 5: 454-457.

Morgan, J. M. (1975) Chelation therapy in lead nephropathy. South. Med. J. 68: 1001-1006.

Morgan, J. M. (1976) Hyperkalemia and acidosis in lead nephropathy. South. Med. J. 69: 881-886.

Morgan, J. M.; Burch, H. B. (1972) Comparative tests for diagnosis of lead poisoning. Arch. Intern. Med. 130: 335-340.

Morgan, J. M.; Hartley, M. W.; Miller, R. E. (1966) Nephropathy in chronic lead poisoning. Arch. Intern. Med. 118: 17-29.

Moriarty, F.; Hanson, H. M.; Freestone, P. (1984) Limitations of body burden as an index of environmental contamination: heavy metals in fish Cottus gobio L. from the River Ecclesbourne, Derbyshire. Environ. Pollut. Ser. A 34: 297-320.

Morozzi, G.; Cenci, G.; Caldini, G. (1982) Die Widerstandsfähigkeit eines in der Umwelt vorkommenden Escherichia coli-Stammes gegenüber bestimmten Schwermetallen [The tolerance of an environmental strain of Escherichia coli to some heavy metals]. Zentralbl. Bakteriol. Parasitenkd. Infektionskrankh. Hyg. Abt. 1: Orig. Reihe B 176: 55-62.

Morrell, G.; Giridhar, G. (1976) Rapid micromethod for blood lead analysis by anodic stripping voltammetry. Clin. Chem. (Winston-Salem, NC) 22: 221-223.

Morris, H. P.; Laug, E. P.; Morris, H. J.; Grant, R. L. (1938) The growth and reproduction of rats fed diets containing lead acetate and arsenic trioxide and the lead and arsenic content of newborn and suckling rats. J. Pharmacol. Exp. Ther. 64: 420-445.

Morrissey, R. E.; Mottet, N. K. (1980) Neural tube defects and brain anomalies: a review of selected teratogens and their possible modes of action. Neurotoxicology 2: 125-162.

Morrison, G. M. P.; Revitt, D. M.; Ellis, J. B.; Balmer, P.; Svensson, G. (1984) Heavy metal partitioning between the dissolved and suspended solid phases of stormwater runoff from a residential area. Sci. Total Environ. 33: 287.

Morrison, J. N.; Quarterman, J. (1982) The effect of sub-clinical iron deficiency on lead absorption. Proc. Nutr. Soc. 41: 21A.

Morrison, J. N.; Quarterman, J.; Humphries, W. R. (1977) The effect of dietary calcium and phosphate on lead poisoning in lambs. J. Comp. Pathol. 87: 417-429.

Morrow, P. E.; Beiter, H.; Amato, F.; Gibb, F. R. (1980) Pulmonary retention of lead: an experimental study in man. Environ. Res. 21: 373-384.

Morse, D. L.; Landrigan, P. J.; Rosenblum, B. F.; Hubert, J. S.; Housworth, J. (1979) El Paso revisited: epidemiologic follow-up of an environmental lead problem. J. Am. Med. Assoc. 242: 739-741.

Morse, D. L.; Watson, W. N.; Housworth, J.; Witherell, L. E.; Landrigan, P. J. (1979) Exposure of children to lead in drinking water. Am. J. Public Health 69: 711-712.

Mortensen, R. A. (1942) The absorption of lead tetraethyl with radioactive lead as indicator. J. Ind. Hyg. Toxicol. 24: 285-288.

Morton, D. E.; Saah, A. J.; Silberg, S. L.; Owens, W. L.; Roberts, M. A.; Saah, M. D. (1982) Lead absorption in children of employees in a lead-related industry. Am. J. Epidemiol. 115: 549-555.

Moses, H. A. (1978) Effect of lead on gamma amino butyric acid synthesis. Research Triangle Park, NC: U.S. Environmental Protection Agency; EPA report no. EPA-600/1-78-009. Available from: NTIS, Springfield, VA; PB-277022.

Mottet, N. K.; Ferm, V. H. (1983) The congenital teratogenicity and perinatal toxicity of metals. In: Clarkson, T. W.; Nordberg, G. F.; Sager, P. R., eds. Reproductive and developmental toxicity of metals [proceedings of a joint meeting; May 1982; Rochester, NY]. New York, NY: Plenum Press; pp. 93-125.

Motto, H. L.; Daines, R. H.; Chilko, D. M.; Motto, C. K. (1970) Lead in soils and plants: its relationship to traffic volume and proximity to highways. Environ. Sci. Technol. 4: 231-238.

Mouvet, C.; Bourg, A. C. M. (1983) Speciation (including adsorbed species) of copper, lead, nickel and zinc in the Meuse River: observed results compared to values calculated with a chemical equilibrium computer program. Water Res. 17: 641-649.

Mouw, D.; Kalitis, K.; Anver, M.; Schwartz, J.; Constan, A.; Hartung, R.; Cohen, B.; Ringler, D. (1975) Lead: possible toxicity in urban vs. rural rats. Arch. Environ. Health 30: 276-280.

Mouw, D. R.; Vander, A. J.; Cox, J.; Fleischer, N. (1978) Acute effects of lead on renal electrolyte excretion and plasma renin activity. Toxicol. Appl. Pharmacol. 46: 435-447.

Mouw, D. R.; Wagner, J. G.; Kalitis, K.; Vander, A. J.; Mayor, G. H. (1978) The effect of parathyroid hormone on the renal accumulation of lead. Environ. Res. 15: 20-27.

Mudge, G. P. (1984) Densities and settlement rates of spent shotgun pellets in British wetland soils. Environ. Pollut. Ser. B 8: 299-318.

Mudroch, A. (1983) Distribution of major elements and metals in sediment cores from the western basin of Lake Ontario. J. Great Lakes Res. 9: 125-133.

Mudroch, A.; Arafat, N.; Davies, S. (1984) Changes in chemical speciation of soluble metals in Quebec lakes. Environ. Technol. Lett. 5: 237-244.

Mueller, P. (1983) Food-chain analysis (lead and cadmium) in free-living animal populations in the Saarland. Wiss. Umwelt 1: 4-7.

Mueller, P. K.; Helwig, H. L.; Alcocer, A. E.; Gong, W. K.; Jones, E. E. (1963) Concentration of fine particles and lead in car exhaust. In: Symposium on air pollution measurement methods: fourth Pacific area national meeting, American Society for Testing and Materials; October 1962; Los Angles, CA. Philadelphia, PA: American Society for Testing and Materials; pp. 60-77.

Muir, W. R. (1975) A review of studies on the effects of lead smelter emissions in El Paso, Texas. In: International conference on heavy metals in the environment; symposium proceedings: volume III; October, Toronto, ON, Canada. Toronto, ON, Canada: University of Toronto, Institute for Environmental Studies; pp. 297-304.

Mukherji, S.; Maitra, P. (1976) Toxic effects of lead on growth and metabolism of germinating rice (Oryza sativa L.) seeds and mitosis of onion (Allium cepa L.) root tip cells. Indian J. Exp. Biol. 14: 519-521.

Mukherji, S.; Maitra, P. (1977) Growth and metabolism of germinating rice (Oryza sativa L.) seeds as influenced by toxic concentrations of lead. Z. Pflanzenphysiol. 81: 26-33.

Mullen, A. A.; Mosley, R. E.; Nelson, Z. C. (1980) Studies to determine the absorption and excretion dynamics of lead. Research Triangle Park, NC: U.S. Environmental Protection Agency; EPA report no. EPA-600/3-80-030. Available from: NTIS, Springfield, VA; PB80-166861.

Mullenix, P. (1980) Effect of lead on spontaneous behavior. In: Needleman, H. L., ed. Low level lead exposure: the clinical implications of current research. New York, NY: Raven Press; pp. 211-220.

Müller, H.-A.; Ramin, D. (1963) Morphologie und Morphogenese der durch Schwermetalle (Pb, Bi) hervorgerufenen Kerneinschlüsse in den Hauptstückepithelien der Rattenniere [Morphology and morphogenesis of heavy metal-induced nuclear inclusions (Pb, Bi) in the main systemic parts of the renal rat epithelium]. Beitr. Pathol. Anat. Allg. Pathol. 128: 445-467.

Müller, K. H. (1979) Der Bleigehalt innerstädtischer Böden als Mass für die Entsorgung von Kraftfahrzeug-Abgasen [The lead content of inner-city soils as a measure of the release of vehicle exhaust]. Naturwissenschaften 66: 108-109.

Müller, P. (1983) Nahrungskettenanalyse (Blei und Cadmium) in freilebenden Tierpopulationen im Saarland [Food-chain analysis (lead and cadmium) in free-living animal populations in the Saar area]. Wiss. Umwelt 1: 4-7.

Müller, S.; Gillert, K.-E.; Krause, C.; Gross, U.; L'Age-Stehr, J.; Diamantstein, T. (1977) Suppression of delayed type hypersensitivity of mice by lead. Experientia 33: 667-668.

Munro, I. C.; Willes, R. F.; Truelove, J. F. (1975) Absorption and tissue distribution of inorganic lead in the developing infant monkey (Macaca irus). Toxicol. Appl. Pharmacol. 33: 128-129.

Munro, J. K., Jr.; Wixson, B. G. (1974) First-order simulation run for lead transport through Crooked Creek Watershed-new lead belt Missouri. In: Novakov, T., ed. Proceedings of the 2nd NSF-RANN conference; trace contaminants in the environment; pp. 183-189.

Murakami, M.; Hirosawa, K. (1973) Electron microscope autoradiography of kidney after administration of ^{210}Pb in mice. Nature (London) 245: 153-154.

Muramoto, S. (1980) Effect of complexans (EDTA, NTA and DTPA) on the exposure to high concentrations of cadmium, copper, zinc and lead. Bull. Environ. Contam. Toxicol. 25: 941-946.

Muramoto, S.; Oki, Y. (1983) Removal of some heavy metals from polluted water by water hyacinth (Eichhornia crassipes). Bull. Environ. Contam. Toxicol. 30: 170-177.

Muramoto, S.; Oki, Y. (1984) Influence of anionic surface-active agents on the uptake of heavy metals by water hyacinth (Eichhornia crassipes). Bull. Environ. Contam. Toxicol. 33: 444-450.

Murashov, B. F. (1966) Functional state of the adrenal cortex in chronic intoxication with tetraethyl lead. Gig. Tr. Prof. Zabol. 10: 46-47.

Muro, L. A.; Goyer, R. A. (1969) Chromosome damage in experimental lead poisoning. Arch. Pathol. 87: 660-663.

Murozumi, M.; Chow, T. J.; Patterson, C. (1969) Chemical concentrations of pollutant lead aerosols, terrestrial dusts and sea salts in Greenland and Antarctic snow strata. Geochim. Cosmochim. Acta 33: 1247-1294.

Murphy, T. J. (1976) The role of the analytical blank in accurate trace analysis. In: LaFleur, P. D., ed. Accuracy in trace analysis: sampling, sample handling, analysis - volume 1. Proceedings of the 7th materials research symposium; October 1974; Gaithersburg, MD. Washington, DC: U.S. Department of Commerce, National Bureau of Standards; NBS special publication no. 422; pp. 509-539. Available from: NTIS, Springfield, VA; PB-258092/6.

Murray, H. M.; Guruk, M.; Zenick, H. (1978) Effects of lead exposure on the developing rat parietal cortex. In: Wahlum, D. D.; Sikov, M. R.; Hackett, P. D.; Andrew, F. D., eds. Developmental toxicology of energy-related pollutants. Proceedings of the 17th annual Hanford biology symposium; October 1977; Richland, WA; pp. 520-535. U.S. Department of Energy. (Symposium series v. 47). Available from: NTIS, Springfield, VA; CONF-771017.

Murray, R. E. (1939) Plumbism and chronic nephritis in young people in Queensland. In: Service publication (School of Public Health and Tropical Medicine): number 2. Glebe, New South Wales, Australia: Australasian Medical Publishing Company, Limited; pp. 1-81.

Muskett, C. J.; Caswell, R. (1980) An investigation into lead in two indoor small-bore rifle ranges. Ann. Occup. Hyg. 23: 283-294.

Muskett, C. J.; Jones, M. P. (1980) The dispersal of lead, cadmium and nickel from motor vehicles and effects on roadside invertebrate macrofauna. Environ. Pollut. Ser. A 23: 231-242.

Muskett, C. J.; Roberts, L. H.; Page, B. J. (1979) Cadmium and lead pollution from secondary metal refinery operations. Sci. Total Environ. 11: 73-87.

Myerson, R. M.; Eisenhauer, J. H. (1963) Atrioventricular conduction defects in lead poisoning. Am. J. Cardiol. 11: 409-412.

Mykkänen, H. M.; Dickerson, J. W. T.; Lancaster, M. (1980) Strain differences in lead intoxication in rats. Toxicol. Appl. Pharmacol. 52: 414-421.

Mykkänen, H. M.; Dickerson, J. W. T.; Lancaster, M. C. (1979) Effect of age on the tissue distribution of lead in the rat. Toxicol. Appl. Pharmacol. 51: 447-454.

Mykkänen, H. M.; Fullmer, C. S.; Wasserman, R. H. (1984) Effect of phosphate on the intestinal absorption of lead (^{203}Pb) in chicks. J. Nutr. 114: 68-74.

Mykkänen, H. M.; Lancaster, M. C.; Dickerson, J. W. T. (1982) Concentrations of lead in the soft tissues of male rats during a long-term dietary exposure. Environ. Res. 28: 147-153.

Mykkänen, H. M.; Wasserman, R. H. (1981) Gastrointestinal absorption of lead (^{203}Pb) in chicks: influence of lead, calcium, and age. J. Nutr. 111: 1757-1765.

Mykkänen, H. M.; Wasserman, R. H. (1982) Effect of vitamin D on the intestinal absorption of ^{203}Pb and ^{47}Ca in chicks. J. Nutr. 112: 520-527.

Mykytiuk, A. P.; Russell, D. S.; Sturgeon, R. E. (1980) Simultaneous determination of iron, cadmium, zinc, copper, nickel, lead, and uranium in seawater by stable isotope dilution spark source mass spectrometry. Anal. Chem. 52: 1281-1283.

Mylroie, A. A. (1980) Effect of ingested lead on tissue levels of copper, iron, zinc and manganese in rats. In: Hemphill, D. D., ed. Trace substances in environmental health - XIV: [proceedings of University of Missouri's 14th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 195-202.

Mylroie, A. A.; Collins, H.; Hill, G. (1983) Effects of magnesium ingestion and length of exposure to lead on blood and tissue lead levels in rats. In: Hemphill, D. D., ed. Trace substances in environmental health - XVII: [proceedings of University of Missouri's 17th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 288-296.

Mylroie, A. A.; Collins, H.; Hill, G.; Austin, L. R. (1982) Altered activity of erythrocyte superoxide dismutase and ceruloplasmin in rats ingesting lead acetate. In: Hemphill, D. D., ed. Trace substances in environmental health - XVI: [proceedings of University of Missouri's 16th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 305-310.

Mylroie, A. A.; Hickmon, T.; Hill, G. (1981) Effects of supplemental magnesium on blood and tissue lead levels and toxicity of ingested lead in the rat. In: Hemphill, D. D., ed. Trace substances in environmental health - XV: [proceedings of University of Missouri's 15th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 178-183.

Mylroie, A. A.; Moore, L.; Erogbogbo, U. (1977) Influence of dietary factors on blood and tissue lead concentrations and lead toxicity. Toxicol. Appl. Pharmacol. 41: 361-367.

Mylroie, A. A.; Moore, L.; Olyai, B.; Anderson, M. (1978) Increased susceptibility to lead toxicity in rats fed semipurified diets. Environ. Res. 15: 57-64.

Mylroie, A. A.; Patterson, L. (1979) The influence of dietary manganese on tissue content and toxicity of ingested lead in the rat. In: Hemphill, D. D., ed. Trace substances in environmental health - XIII: [proceedings of University of Missouri's 13th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 374-381.

Nackowski, S. B.; Putnam, R. D.; Robbins, D. A.; Varner, M. O.; White, L. D.; Nelson, K. W. (1977) Trace metal contamination of evacuated blood collection tubes. Am. Ind. Hyg. Assoc. J. 38: 503-508.

Naegle, S. R.; Yousef, M. K.; Barton, J. T. (1983) Biokinetics of ^{74}As, ^{109}Cd and ^{203}Pb: effects of age, ambient temperature and previous exposure. In: Hemphill, D. D., ed. Trace substances in environmental health - XVII: [proceedings of University of Missouri's 17th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 344-349.

Nagatoshi, K. (1979) Experimental chronic lead poisoning. Folia Psychiatr. Neurol. Jpn. 33: 123-131.

Nagourney, S. J.; Bogen, D. C. (1981) Determination of Mn and Pb in atmospheric deposition at a remote coastal site. Water Air Soil Pollut. 15: 425-432.

Nagy, S.; Rouseff, R. L. (1981) Lead contents of commercially canned single-strength orange juice stored at various temperatures. J. Agric. Food Chem. 29: 889-890.

Nakagawa, K.; Asami, M.; Kuriyama, K. (1980) Inhibition of release of lysosomal enzymes in young rat brain by lead acetate. Toxicol. Appl. Pharmacol. 56: 86-92.

Nakazawa, T.; Kodama, M.; Kinoshita, S.; Murata, I. (1985) Lead tetraacetate oxidation of 3-amino-9-cyanazuleno [2,1-d] triazole and 1-amino-9-cyanazuleno [1,2-d] triazole. A novel oxidative cleavage of aminotriazole ring. Tetrahedron Lett. 26: 335-338.

Naplekora, N. N.; Bulauko, G. I. (1983) Enzyme activity of soils polluted with lead compounds. Pochvovedeni (7): 35-40.

Narwal, R. P.; Singh, B. R.; Panhwar, A. R. (1983) Plant availability of heavy metals in a sludge-treated soil: I. effect of sewage sludge and soil pH on the yield and chemical composition of rape. J. Environ. Qual. 12: 358-365.

Nasralla, M. M. (1984) Lead in Jeddah urban dust. Environ. Pollut. Ser. B 8: 133-141.

Nasreen, Khan, M. A. (1979) Responses of the ciliate Oxytricha fallax strain to lead acetate. Indian J. Exp. Biol. 17: 982-984.

Natelson, E. A.; Fred, H. L. (1976) Lead poisoning from cocktail glasses: observations on two patients. J. Am. Med. Assoc. 236: 2527.

Nathanson, B.; Nudelman, H. (1980) Ambient lead concentrations in New York City and their health implications. Bull. N. Y. Acad. Med. 56: 866-875.

Nathany, M.; Martinez, J. D. (1978) Use of Spanish moss to determine gradients in atmospheric heavy metals adjacent to highways. In: Hemphill, D. D., ed. Trace substances in environmental health - XII: [proceedings of University of Missouri's 12th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: Univeristy of Missouri-Columbia; pp. 430-437.

Nation, J. R.; Bourgeois, A. E.; Clark, D. E. (1983) Behavioral effects of chronic lead exposure in the adult rat. Pharmacol. Biochem. Behav. 18: 833-840.

Nation, J. R.; Clark, D. E.; Bourgeois, A. E.; Rogers, J. K. (1982) Conditioned suppression in the adult rat following chronic exposure to lead. Toxicol. Lett. 14: 63-67.

National Academy of Sciences. (1972) Lead: airborne lead in perspective. Washington, DC: National Academy of Sciences. (Biologic effects of atmospheric pollutants).

National Academy of Sciences. (1974) Recommended dietary allowances. 8th ed. Washington, DC: National Academy of Sciences.

National Academy of Sciences. (1976) Recommendations for the prevention of lead poisoning in children. Washington, DC: National Academy of Sciences. Available from: NTIS, Springfield, VA; PB-257645.

National Academy of Sciences, Committee on Lead in the Human Environment. (1980) Lead in the human environment. Washington, DC: National Academy of Sciences.

National Air Pollution Control Administration. (1969) Air quality criteria for particulate matter. Washington, DC: U.S. Department of Health, Education, and Welfare; publication no. AP-49. Available from: NTIS, Springfield, VA; PB-190251.

National Air Pollution Control Administration. (1969) Control techniques for particulate air pollutants. Washington, DC: U.S. Department of Health, Education and Welfare; publication no. AP-51. Available from: NTIS, Springfield, VA; PB-190253.

National Air Pollution Control Administration. (1965) Survey of lead in the atmosphere of three urban communities. Washington, DC: U.S. Department of Health, Education and Welfare, Public Health Service; PHS publication no. 99-AP-12. Available from: NTIS, Springfield, VA; PB-170739/BE.

National Air Pollution Surveillance Reports (NAPS). (1971-1976) Air Pollution Control Directorate, Ottawa, Canada, report series EPS-5-AP.

National Bureau of Standards. (1973) Lead paint survey sampling plan and preliminary screening. Washington, DC: U.S. Department of Commerce, National Bureau of Standards; NBS report 10958. Available from: Gaithersburg, MD: National Bureau of Standards.

National Cancer Institute. (1979) Bioassay of lead dimethyldithiocarbamate for possible carcinogenicity. Bethesda, MD: National Cancer Institute; NIH 79-1707. Available from: NTIS, Springfield, VA; PB-298512.

National Institute for Occupational Safety and Health. (1978) Criteria for a recommended standard .... occupational exposure to inorganic lead: revised criteria - 1978. Washington, DC: U. S. Department of Health, Education, and Welfare; DHEW (NIOSH) publication no. 78-158.

National Institute for Occupational Safety and Health. (1980) Proceedings of a workshop/conference on the role of metals in carcinogenesis; March; Atlanta, GA. Cincinnati, OH: National Institute for Occupational Safety and Health; NIOSH report no. 210-79-0039. Available from: NTIS, Springfield, VA; PB82-160524.

National Institute for Occupational Safety and Health. (1981) Toxicity of selected particulates to alveolar macrophages. Cincinnati, OH: National Institute for Occupational Safety and Health. Available from: NTIS, Springfield, VA; PB84-242882.

National Science Foundation. (1974) Trace contaminants in the environment. In: Pezzotti, C., ed. Proceedings of the second annual NSF-RANN trace contaminants conference; August; Pacific Grove, CA. Berkeley, CA: Lawrence Berkeley Laboratory, Energy and Environment Division; report no. LBL-3217. Available from: NTIS, Springfield, VA; LBL-3217.

Ndiokwere, C. L. (1984) A study of heavy metal pollution from motor vehicle emissions and its effect on roadside soil, vegetation and crops in Nigeria. Environ. Pollut. Ser. B 7: 35-42.

Ndiokwere, C. L. (1984) An investigation of the heavy metal content of sediments and algae from the River Niger and Nigerian Atlantic coastal waters. Environ. Pollut. Ser. B 7: 247-254.

Neal, P. A.; Dreessen, W. C.; Edwards, T. I.; Reinhart, W. H.; Webster, S. H.; Castberg, H. T.; Fairhall, L. T. (1941) A study of the effect of lead arsenate exposure on orchardists and consumers of sprayed fruit. Washington, DC: Government Printing Office; U.S. Public Health bulletin no. 267.

Neal, R. A. (1980) Metabolism of toxic substances. In: Doull, J.; Klaassen, C. D.; Amdur, M. O., eds. Toxicology: the basic science of poisons. 2nd ed. New York, NY: Macmillan Publishing Co., Inc.; pp. 56-69.

Nechay, B. R.; Saunders, J. P. (1978) Inhibitory characteristics of lead chloride in sodium- and potassium-dependent adenosinetriphosphatase preparations derived from kidney, brain, and heart of several species. J. Toxicol. Environ. Health 4: 147-159.

Nechay, B. R.; Saunders, J. P. (1978) Inhibition by lead and cadmium of human Na^+, K^+ -ATPase activity. Toxicol. Appl. Pharmacol. 45: 349.

Nechay, B. R.; Saunders, J. P. (1978) Inhibitory characteristics of cadmium, lead, and mercury in human sodium and potassium dependent adenosinetriphosphatase preparations. J. Environ. Pathol. Toxicol. 2: 283-290.

Nechay, B. R.; Williams, B. J. (1977) Characteristics of sodium and potassium dependent adenosine triphosphatase (Na^+, K^+-ATPase) inhibition by lead. In: Brown, S. S., ed. Clinical chemistry and chemical toxicology of metals. New York, NY: Elsevier/North-Holland Biomedical Press; pp. 69-70.

Needleman, H. L. (1977) Lead in the child's world, a model for action. In: Hemphill, D. D., ed. Trace substances in environmental health - XI: [proceedings of University of Missouri's 11th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 229-235.

Needleman, H. L. (1977) Studies in subclinical lead exposure. Research Triangle Park, NC: U.S. Environmental Protection Agency, Health Effects Research Laboratory; EPA report no. EPA-600/1-77-037. Available from: NTIS, Springfield, VA; PB-271649.

Needleman, H. L. (1978) Lead poisoning [letter]. N. Engl. J. Med. 298: 1262.

Needleman, H. L. (1980) Human lead exposure: difficulties and strategies in the assessment of neuropsychological impact. In: Singhal, R. L.; Thomas, J. A., eds. Lead toxicity. Baltimore, MD: Urban and Schwarzenberg, Inc.; pp. 1-17.

Needleman, H. L. (1981) A book review. Psychol. Med. 11: 213.

Needleman, H. L. (1981) Environmental lead question [letter]. Med. J. Aust. 1: 194-195.

Needleman, H. L. (1981) Studies in children exposed to low levels of lead. Boston, MA: Children's Hospital Medical Center; U.S. Environmental Protection Agency report no. EPA-600/1-81-066. Available from: NTIS, Springfield, VA; PB82-108432.

Needleman, H. L. (1982) The lead debate: a response. Environ. Sci. Technol. 16: 208A.

Needleman, H. L. (1982) The neurobehavioral consequences of low lead exposure in childhood. Neurobehav. Toxicol. Teratol. 4: 729-732.

Needleman, H. L. (1983) Lead at low dose and the behavior of children. Neurotoxicology 4: 121-133.

Needleman, H. L. (1983) Lead at low dose and the behavior of children. Acta Psychiatr. Scand. Suppl. 67: 26-37.

Needleman, H. L. (1983) Low level lead exposure and neuropsychological performance. In: Rutter, M.; Russell Jones, R., eds. Lead versus health. New York, NY: John Wiley & Sons, Ltd.; pp. 229-248.

Needleman, H. L. (1984) EPA review of lead study [letter]. Science (Washington, DC) 223: 116.

Needleman, H. L. (1984) The hazard to health of lead exposure at low dose. In: Nriagu, J. O., ed. Changing metal cycles and human health. New York, NY: Springer-Verlag; pp. 311-322.

Needleman, H. L.; Bellinger, D. (1984) The developmental consequences of childhood exposure to lead: recent studies and methodological issues. In: Lahey, B. B.; Kazdin, A. E., eds. Advances in clinical child psychology: v. 7. New York, NY: Plenum Press; pp. 195-220.

Needleman, H. L.; Bellinger, D.; Leviton, A. (1981) Does lead at low dose affect intelligence in children? Pediatrics 68: 894-896.

Needleman, H. L.; Bellinger, D.; Leviton, A.; Rabinowitz, M.; Nichols, M. (1983) Umbilical cord blood lead levels and neuropsychological performance at 12 months of age. Pediatr. Res. 17: 179A.

Needleman, H. L.; Davidson, I.; Sewell, E. M.; Shapiro, I. M. (1974) Subclinical lead exposure in Philadelphia schoolchildren: identification by dentine lead analysis. N. Engl. J. Med. 290: 245-248.

Needleman, H. L.; Frank, R. (1982) Cost effectiveness of lead screening [letter]. N. Engl. J. Med. 307: 1269-1270.

Needleman, H. L.; Geiger, S. K.; Frank, R. (1985) Lead and IQ scores: a reanalysis [letter]. Science (Washington, DC) 227: 701-704.

Needleman, H. L.; Gunnoe, C.; Leviton, A.; Peresie, H. (1978) Neuropsychological dysfunction in children with "silent" lead exposure. Pediatr. Res. 12: 374.

Needleman, H. L.; Gunnoe, C.; Leviton, A.; Reed, R.; Peresie, H.; Maher, C.; Barrett, P. (1979) Deficits in psychologic and classroom performance of children with elevated dentine lead levels. N. Engl. J. Med. 300: 689-695.

Needleman, H. L.; Houk, V. N.; Billick, I. H.; Buchart, E.; Chadzynski, L.; Challop, R.; Chisolm, J. J., Jr.; Curran, A. S.; Davidow, B.; Field, P.; Graef, J.; Greenberg, N. H.; Lin-Fu, J. S.; Melia, E. P.; Piomelli, S.; Reigart, J. R.; Robinson, B.; Sayre, J. W.; Sobolesky, W. J.; Welcome, M. (1978) Preventing lead poisoning in young children: a statement by the Center for Disease Control. J. Pediatr. (St. Louis) 93: 709-720.

Needleman, H. L.; Landrigan, P. J. (1981) The health effects of low level exposure to lead. Ann. Rev. Public Health 2: 277-298.

Needleman, H. L.; Leviton, A. (1979) Lead and neurobehavioural deficit in children [letter]. Lancet 2(8133): 104.

Needleman, H. L.; Leviton, A.; Bellinger, D. (1982) Lead-associated intellectual deficit [letter]. N. Engl. J. Med. 306: 367.

Needleman, H. L.; Piomelli, S. (1978) The effects of low level lead exposure. New York, NY: Natural Resources Defense Council, Inc.

Needleman, H. L.; Rabinowitz, M.; Leviton, A. (1983) The risk of minor congenital anomalies in relation to umbilical cord blood lead levels. Pediatr. Res. 17(4): 300A.

Needleman, H. L.; Rabinowitz, M.; Leviton, A.; Linn, S.; Schoenbaum, S. (1984) The relationship between prenatal exposure to lead and congenital anomalies. J. Am. Med. Assoc. 251: 2956-2959.

Needleman, H. L.; Scanlon, J. (1973) Getting the lead out. N. Engl. J. Med. 288: 466-467.

Needleman, H. L.; Shapiro, I. M. (1974) Dentine lead levels in asymptomatic Philadelphia school children: subclinical exposure in high and low risk groups. Environ. Health Perspect. 7: 27-31.

Nehring, R. B. (1976) Aquatic insects as biological monitors of heavy metal pollution. Bull. Environ. Contam. Toxicol. 15: 147-154.

Nehring, R. B.; Nisson, R.; Minasian, G. (1979) Reliability of aquatic insects versus water samples as measures of aquatic lead pollution. Bull. Environ. Contam. Toxicol. 22: 103-108.

Neilan, B. A.; O'Neill, K.; Handwerger, B. S. (1983) Effect of low-level lead exposure on antibody-dependent and natural killer cell-mediated cytotoxicity. Toxicol. Appl. Pharmacol. 69: 272-275.

Neilan, B. A.; Taddeini, L.; McJilton, C. E.; Handwerger, B. S. (1980) Decreased T cell function in mice exposed to chronic, low levels of lead. Clin. Exp. Immunol. 39: 746-749.

Nelson, D. B.; Pikna, D. J.; Blodgett, F. M. (1980) Serial FEP screening for Pb poisoning. Pediatr. Res. 14: 516.

Nelson, D. J.; Kiremidjian-Schumacher, L.; Stotzky, G. (1982) Effects of cadmium, lead, and zinc on macrophage-mediated cytotoxicity toward tumor cells. Environ. Res. 28: 154-163.

Neri, L. C.; Hewitt, D.; Johansen, H. (1983) Health effects of low level occupational exposure to lead: the Trail, British Columbia study. Arch. Environ. Health 38: 180-189.

Neri, L. C.; Johansen, H. L.; Schmitt, N.; Pagan, R. T.; Hewitt, D. (1978) Blood lead levels in children in two British Columbia communities. In: Hemphill, D. D., ed. Trace substances in environmental health - XII: [proceedings of University of Missouri's 12th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 403-410.

Neri, L. C.; Nair, R. C.; Neutel, C. I.; Flack, S. L. (1983) A study of the dose response relationship of certain trace metals on the health of children in Kamloops, B.C.: final report (1977-1983). Ottawa, ON, Canada: University of Ottawa, Department of Epidemiology and Community Medicine.

Neshkov, N. S. (1971) The effect of chronic intoxication with ethyl gasoline on spermatogenesis and sexual function of males. Gig. Tr. Prof. Zabol 15: 45-46.

Nestmann, E. R.; Matula, T. I.; Douglas, G. R.; Bora, K. C.; Kowbel, D. J. (1979) Detection of the mutagenic activity of lead chromate using a battery of microbial tests. Mutat. Res. 66: 357-365.

Netzer, A.; Hughes, D. E. (1984) Adsorption of copper, lead and cobalt by activated carbon. Water Res. 18: 927-933.

Neubecker, T. A.; Allen, H. E. (1983) The measurement of complexation capacity and conditional stability constants for ligands in natural waters. Water Res. 17: 1-14.

Neuberger, J. S. (1982) Lung cancer excess in an abandoned lead-zinc mining and smelting area. Sci. Total Environ. 25: 287-294.

Newland, L. W.; Daum, K. A. (1982) Lead. In: Hutzinger, O., ed. The handbook of environmental chemistry: v. 3, part B. New York, NY: Springer-Verlag; pp. 1-26.

Newman, M. C.; McIntosh, A. W. (1982) The influence of lead in components of a freshwater ecosystem on molluscan tissue lead concentrations. Aquat. Toxicol. 2: 1-19.

Newman, M. C.; McIntosh, A. W. (1983) Lead elimination and size effects on accumulation by two freshwater gastropods. Arch. Environ. Contam. Toxicol. 12: 25-29.

Newman, M. C.; McIntosh, A. W. (1983) Slow accumulation of lead from contaminated food sources by the freshwater gastropods, Physa integra and Campeloma decisum. Arch. Environ. Contam. Toxicol. 12: 685-692.

Newman, M. C.; McIntosh, A. W.; Greenhut, V. A. (1983) Geochemical factors complicating the use of Aufwuchs as a biomonitor for lead levels in two New Jersey reservoirs. Water Res. 17: 625-630.

Ney, J. J.; Van Hassel, J. H. (1983) Sources of variability in accumulation of heavy metals by fishes in a roadside stream. Arch. Environ. Contam. Toxicol. 12: 701-706.

Ng, A.; Patterson, C. (1981) Natural concentrations of lead in ancient Arctic and Antarctic ice. Geochim. Cosmochim. Acta 45: 2109-2121.

Ng, A.; Patterson, C. C. (1982) Changes of lead and barium with time in California off-shore basin sediments. Geochim. Cosmochim. Acta 46: 2307-2321.

Nguyen, V. D.; Valenta, P.; Nürnberg, H. W. (1979) Voltammetry in the analysis of atmospheric pollutants. The determination of toxic trace metals in rain water and snow by differential pulse stripping voltammetry. Sci. Total Environ. 12: 151-167.

Nicklow, C. W.; Comas-Haezebrouck, P. H.; Feder, W. A. (1983) Influence of varying soil lead levels on lead uptake of leafy and root vegetables. J. Am. Soc. Hortic. Sci. 108: 193-195.

Nicolls, D. M.; Kuliszewski, M. J. (1984) Kidney urokinase activity following acute exposure to lead. Biochem. Pharmacol. 33: 181-186.

Nieboer, E.; Richardson, D. H. S. (1980) The replacement of the nondescript term heavy metals by a biologically and chemically significant classification of metal ions. Environ. Pollut. Ser. B. 1: 3-26.

Nieburg, P. I.; Weiner, L. S.; Oski, B. F.; Oski, F. A. (1974) Red blood cell δ-aminolevulinic acid dehydrase activity. Am. J. Dis. Child. 127: 348-350.

Nielsen, C. J.; Nielsen, V. K.; Kirkby, H.; Gyntelberg, F. (1982) Absence of peripheral neuropathy in long-term lead-exposed subjects. Acta Neurol. Scand. 65: 241-247.

Nielsen, F. H. (1984) Ultratrace elements in nutrition. Ann. Rev. Nutr. 4: 21-41.

Nielsen, T. (1984) Atmospheric occurrence of organolead compounds. In: Grandjean, P., ed. Biological effects of organolead compounds. Boca Raton, FL: CRC Press; pp. 44-62.

Nielsen, T.; Jensen, K. A.; Grandjean, P. (1978) Organic lead in normal human brains. Nature (London) 274: 602-603.

Niklowitz, W. J. (1974) Ultrastructural effects of acute tetraethyllead poisoning on nerve cells of the rabbit brain. Environ. Res. 8: 17-36.

Niklowitz, W. J. (1975) Neurofibrillary changes after acute experimental lead poisoning. Neurology 25: 927-934.

Niklowitz, W. J.; Mandybur, T. I. (1975) Neurofibrillary changes following childhood lead encephalopathy: case report. J. Neuropathol. Exp. Neurol. 34: 445-455.

Nise, G.; Vesterberg, O. (1978) Blood lead determination by flameless atomic absorption spectroscopy. Clin. Chem. Acta 84: 129-136.

Nishida, H.; Miyai, M. (1984) Distribution function of heavy metals in river sediment. Bull. Environ. Contam. Toxicol. 32: 212-219.

Nishida, H.; Miyai, M.; Tada, F.; Suzuki, S. (1981) Index and classification of pollution by heavy metals - in the case of river sediment. J. Pharmacobio Dyn. 4: 67.

Nishida, H.; Miyai, M.; Tada, F.; Suzuki, S. (1982) Computation of the index of pollution caused by heavy metals in river sediment. Environ. Pollut. Ser. B 4: 241-248.

Nishihara, T.; Shimamoto, T.; Wen, K. C.; Kondo, M. (1985) Accumulation of lead, cadmium and chromium in several organs and tissues of carp. Eisei Kagaku 31: 119-123.

Nishioka, H. (1975) Mutagenic activities of metal compounds in bacteria. Mutat. Res. 31: 185-189.

Nissenbaum, A.; Swaine, D. J. (1976) Organic matter - metal interactions in recent sediments: the role of humic substances. Geochim. Cosmochim. Acta 40: 809-816.

Noble, A. C.; Orr, B. H.; Cook, W. B.; Campbell, J. L. (1976) Trace element analysis of wine by proton-induced X-ray fluorescence spectrometry. J. Agric. Food Chem. 24: 532-535.

Nogaki, K. (1957) [On the action of lead on the body of lead refinery workers: particularly on the conception, pregnancy and parturition, in the case of females and on the vitality of their newborn]. Igaku Kenkyu 27: 1314-1338.

Nolan, B. M. (1982) School blood lead levels [letter]. Med. J. Aust. 1: 57.

Nolan, C.; Duke, E.; Lorenzon, G.; Sabbioni, E.; Marafante, E. (1984) Heavy metal uptake and intracellular binding in isolated gill preparations of Mytilus galloprovincialis L. Sci. Total Environ. 40: 83-92.

Noller, B. N. (1978) Evaluation of micro-techniques for routine determination of lead in whole blood. Aust. J. Med. Technol. 9: 77-82.

Nomura, T.; Yamashita, T. (1982) Determination of lead by adsorption of the extracted 8-quinolinolate on the electrodes of a piezoelectric quartz crystal. Anal. Chim. Acta 143: 243-247.

Nordberg, G. F. (1979) Factors influencing metabolism and toxicity of metals. In: Di Ferrante, E., ed. Trace metals: exposure and health effects: proceedings of the research seminar; July 1978; Guildford, United Kingdom. New York, NY: Pergamon Press; pp. 157-158.

Nordberg, G.; Norseth, T. (1976) Critical organ concept and indicators of early effects in evaluating and establishing dose-response relationships for toxic metals. In: Nordberg, G. F., ed. Effects and dose-response relationships of toxic metals: proceedings from an international meeting; November 1974; Tokyo, Japan. Amsterdam, The Netherlands: Elsevier Scientific Publishing Company; pp. 131-139.

Nordenson, I.; Beckman, G.; Beckman, L.; Nordström, S. (1978) Occupational and environmental risks in and around a smelter in northern Sweden: IV. chromosomal aberrations in workers exposed to lead. Hereditas 88: 263-267.

Nordenson, I.; Nordström, S.; Sweins, A.; Beckman, L. (1982) Chromosomal aberrations in lead-exposed workers. Hereditas 96: 265-268.

Nordman, C. H. (1975) Environmental lead exposure in Finland: a study on selected population groups [dissertation]. Helsinki, Finland: University of Helsinki.

Nordman, C. H.; Hernberg, S.; Nikkanen, J.; Ryhanen, A. (1973) Blood lead levels and erythrocyte δ-aminolevulinic acid dehydratase activity in people living around a secondary lead smelter. Work Environ. Health 10: 19-25.

Nordström, S.; Beckman, L.; Nordenson, I. (1978) Occupational and environmental risks in and around a smelter in northern Sweden: I. variations in birth weight. Hereditas 88: 43-46.

Nordström, S.; Beckman, L.; Nordenson, I. (1978) Occupational and environmental risks in and around a smelter in northern Sweden: III. frequencies of spontaneous abortion. Hereditas 88: 51-54.

Nordström, S.; Beckman, L.; Nordenson, I. (1979) Occupational and environmental risks in and around a smelter in northern Sweden: V. spontaneous abortion among female employees and decreased birth weight in their offspring. Hereditas 90: 291-296.

Nordström, S.; Beckman, L.; Nordenson, I. (1979) Occupational and environmental risks in and around a smelter in northern Sweden: VI. congenital malformations. Hereditas 90: 297-302.

Norimatsu, H.; Talmage, R. V. (1979) Influence of calcitonin on the initial uptake of lead and mercury by bone. Proc. Soc. Exp. Biol. Med. 161: 94-98.

Norris, R. H.; Lake, P. S. (1984) Trace metal concentrations in fish from the South Esk River, northeastern Tasmania, Australia. Bull. Environ. Contam. Toxicol. 33: 348-354.

Norseth, T.; Nordhagen, A.-L. (1977) The influence of an industrial complexing agent on the distribution and excretion of lead and mercury. In: Brown, S. S., ed. Clinical chemistry and chemical toxicology of metals. Amsterdam, The Netherlands: Elsevier/North-Holland Biomedical Press; pp. 137-140.

Norton, M. G.; Murray, A. J. (1983) The metal content of fish and shellfish in Liverpool Bay. Chem. Ecol. 1: 159-172.

Nozaki, K. (1966) Method for studies on inhaled particles in human respiratory system and retention of lead fume. Ind. Health 4: 118-128.

Nriagu, J. O. (1978) Lead in soils, sediments and major rock types. In: Nriagu, J. O., ed. The biogeochemistry of lead in the environment; part A. ecological cycles. Amsterdam, The Netherlands: Elsevier/North-Holland Biomedical Press; pp. 15-72. (Topics in environmental health: v. 1A).

Nriagu, J. O. (1978) Lead in the atmosphere. In: Nriagu, J. O., ed. The biogeochemistry of lead in the environment; part A. ecological cycles. Amsterdam, The Netherlands: Elsevier/North-Holland Biomedical Press; pp. 137-184. (Topics in environmental health: v. 1A).

Nriagu, J. O., ed. (1978) The biogeochemistry of lead in the environment. Amsterdam, The Netherlands: Elsevier/North Holland Biomedical Press. (Topics in environmental health: v. 1A and 1B).

Nriagu, J. O. (1979) Global inventory of natural and anthropogenic emissions of trace metals to the atmosphere. Nature (London) 279: 409-411.

Nriagu, J. O. (1980) Lead in the atmosphere and its effect on lead in humans. In: Singhal, R. L.; Thomas, J. A., eds., Lead toxicity. Baltimore, MD: Urban and Schwarzenberg, Inc.; pp. 483-503.

Nriagu, J. O. (1983) Occupational exposure to lead in ancient times. Sci. Total Environ. 31: 105-116.

Nriagu, J. O. (1983) Saturnine gout among Roman aristocrats: did lead poisoning contribute to the fall of the Empire? N. Engl. J. Med. 308: 660-663.

Nriagu, J. O.; Kemp, A. L. W.; Wong, H. K. T.; Harper, N. (1979) Sedimentary record of heavy metal pollution in Lake Erie. Geochim. Cosmochim. Acta 43: 247-258.

Nriagu, J. O.; Wong, H. K. T.; Snodgrass, W. J. (1983) Historical records of metal pollution in sediments of Toronto and Hamilton harbours. J. Great Lakes Res. 9: 365-373.

Nürnberg, H. W. (1984) The voltammetric approach in trace metal chemistry of natural waters and atmospheric precipitation. Anal. Chim. Acta 164: 1-21.

Nürnberg, H. W. (1984) Trace analytical procedures with modern voltammetric determination methods for the investigation and monitoring of ecotoxic heavy metals in natural waters and atmospheric precipitates. Sci. Total Environ. 37: 9-34.

Nutrition Foundation, Inc. (1982) Assessment of the safety of lead and lead salts in food: a report of the Nutritional Foundation's Export Advisory Committee. Washington, DC: The Nutrition Foundation.

Nye, L. J. J. (1933) Chronic nephritis and lead poisoning. Sydney, Australia: Angus and Robertson, Ltd.

Nygaard, S. P.; Ottosen, J.; Hansen, J. C. (1977) Whole-blood lead concentration in Danes: relation to age and environment. Dan. Med. Bull. 24: 49-51.

Nyholm, N.; Nielsen, T. K.; Pedersen, K. (1983/1984) Modeling heavy metals transport in an Arctic fjord system polluted from mine tailings. Ecol. Modell. 22: 285-324.

O'Brien, B. J. (1979) The exposure commitment method with application to exposure of man to lead pollution. London, United Kingdom: University of London, Monitoring and Assessment Research Centre; MARC Report no. 13.

O'Connor, B. H.; Kerrigan, G. C.; Nouwland, C. R. (1978) Temporal variation in atmospheric particulate lead and bromine levels for Perth, Western Australia (1971-1976). Atmos. Environ. 12: 1907-1916.

O'Connor, B. H.; Kerrigan, G. C.; Thomas, W. W.; Pearce, A. T. (1977) Use of bromine levels in airborne particulate samples to infer vehicular lead concentrations in the atmosphere. Atmos. Environ. 11: 635-638.

O'Connor, B. H.; Taylor, K. R. (1978) Environmental health aspects of vehicular lead emissions in Australia. Australas. Phys. Sci. Med. 1: 12-17.

O'Flaherty, E. J.; Hammond, P. B.; Lerner, S. I.; Hanenson, I. B.; Roda, S. M. B. (1980) The renal handling of δ-aminolevulinic acid in the rat and in the human. Toxicol. Appl. Pharmacol. 55: 423-432.

O'Flaherty, E. J.; Hammond, P. B.; Lerner, S. I. (1982) Dependence of apparent blood lead half-life on the length of previous lead exposure in humans. Fundam. Appl. Toxicol. 2: 49-54.

O'Grady, K. T. (1981) The recovery of the River Twymyn from lead mine pollution and the zinc loading of the recolonising fauna. Miner. Environ. 3: 126-137.

O'Neill, J. G. (1981) Effects of intraperitoneal lead and cadmium on the humoral immune response of Salmo trutta. Bull. Environ. Contam. Toxicol. 27: 42-48.

O'Riordan, M. L.; Evans, H. J. (1974) Absence of significant chromosome damage in males occupationally exposed to lead. Nature (London) 247: 50-53.

O'Tuama, L. A.; Kim, C. S.; Gatzy, J. T.; Krigman, M. R.; Mushak, P. (1976) The distribution of inorganic lead in guinea pig brain and neural barrier tissues in control and lead-poisoned animals. Toxicol. Appl. Pharmacol. 36: 1-9.

O'Tuama, L. A.; Rogers, J. F.; Rogan, W. (1979) Lead absorption by children of battery workers [letter]. J. Am. Med. Assoc. 241: 1893.

Oberly, T. J.; Piper, C. E.; McDonald, D. S. (1982) Mutagenicity of metal salts in the L5178Y mouse lymphoma assay. J. Toxicol. Environ. Health 9: 367-376.

Obrig, T. G. (1983) The effect of metals on protein biosynthesis in rabbit reticulocyte lysates and whole cells. Res. Commu. Chem. Pathol. Pharmacol. 42: 165-168.

Odenbro, A.; Greenberg, N.; Vroegh, K.; Bederka, J.; Kihlström, J.-E. (1983) Functional disturbances in lead-exposed children. Ambio 12: 40-44.

Odenbro, A.; Kihlström, J. E. (1977) Frequency of pregnancy and ova implantation in triethyl lead-treated mice. Toxicol. Appl. Pharmacol. 39: 359-363.

Odenbro, A.; Orberg, J.; Lundqvist, E. (1982) Progesterone and oestrogen concentrations in plasma during blastocyst implantation in mice exposed to triethyl lead. Acta Pharmacol. Toxicol. 50: 241-245.

Odone, P.; Castoldi, M. R.; Guercilena, S.; Alessio, L. (1979) Erythrocyte zinc protoporphyrin as an indicator of the biological effect of lead in adults and children. In: International conference: management and control of heavy metals in the environment; September; London, United Kingdom. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp 66-69.

Odum, W. E.; Drifmeyer, J. E. (1978) Sorption of pollutants by plant detritus: a review. Environ. Health Perspect. 27: 133-137.

Oehme, F. W. (1978) Mechanisms of heavy metal inorganic toxicities. In: Oehme, F. W., ed. Toxicity of heavy metals in the environment: part 1. New York, NY: Marcel Dekker, Inc.; pp. 69-85. (Block, S. S., ed. Hazardous and toxic substances: a series of reference books and textbooks: no. 2).

Oehme, M.; Lund, W. (1978) The determination of copper, lead, cadmium and zinc in human teeth by anodic stripping voltammetry. Anal. Chim. Acta 100: 389-398.

Ogilvie, D. M. (1977) Sublethal effects of lead acetate on the x-maze performance of albino mice (Mus musculus L.) Can. J. Zool. 55: 771-775.

Ogilvie, D. M. (1978) Effect of lead acetate on memory in mice. Bull. Environ. Contam. Toxicol. 19: 143-146.

Ogilvie, D. M.; Martin, A. H. (1981) Splenomegaly and adrenal weight changes in isolated adult mice chronically exposed to lead. Bull. Environ. Contam. Toxicol. 26: 647-651.

Ogilvie, D. M.; Martin, A. H. (1982) Aggression and open-field activity of lead-exposed mice. Arch. Environ. Contam. Toxicol. 11: 249-252.

Ohi, G.; Seki, H.; Minowa, K.; Mizoguchi, I.; Sugimori, F. (1980) Acute lead poisoning of the pigeon induced by single, intraperitoneal administration of lead acetate. Arch. Toxicol. 46: 265-272.

Ohi, G.; Seki, H.; Minowa, K.; Ohsawa, M.; Mizoguchi, I.; Sugimori, F. (1981) Lead pollution in Tokyo - the pigeon reflects its amelioration. Environ. Res. 26: 125-129.

Ohnishi, A.; Dyck, P. J. (1981) Retardation of Schwann cell division and axonal regrowth following nerve crush in experimental lead neuropathy. Ann. Neurol. 10: 469-477.

Okamoto, Y.; Kawai, M. (1984) An association between increased porphyrin precursors and onset of abdominal symptoms in lead poisoning. Toxicol. Lett. 21: 219-223.

Okazaki, H.; Aronson, S. M.; DiMaio, D. J.; Olvera, J. E. (1963) Acute lead encephalopathy of childhood: histologic and chemical studies, with particular reference to angiopathic aspects. In: Yahr, M. D., ed. Transactions of the American Neurological Association, 1963: v. 88. New York, NY: Springer Publishing Company, Inc.; pp. 248-250.

Okieimen, F. E.; Ogbeifun, D. E.; Nwala, G. N.; Kumsah, C. A. (1985). Binding of cadmium, copper, and lead ions by modified cellulosic materials. Bull. Environ. Contam. Toxicol. 34: 866-870.

Okubo, T.; Omae, K.; Sakurai, H.; Sugita, M.; Tsuchiya, K. (1983) The relationship of airborne lead to blood lead in school children. J. UOEH 5(suppl.): 137-144.

Okubo, T.; Tsuchiya, K.; Nagasaki, M.; Nakajima, T.; Kamijyo, H.; Mizoguchi, I. (1978) A further study of the biological effects of lead on urban and suburban Tokyo school children. Int. Arch. Occup. Environ. Health 41: 17-23.

Oldfield, F.; Appleby, P. G.; Petit, D. (1980) A re-evaluation of lead-210 chronology and the history of total lead influx in a small south Belgian pond. Ambio 9: 97-99.

Olin, A.; Söderquist, R. (1972) The crystal structure of β-$[Pb_6O(OH)_6](ClO_4)_4$ H_2O. Acta Chem. Scand. 26: 3505-3514.

Oliver, T. (1885) A clinical lecture on lead-poisoning. Br. Med. J. 2(1294): 731-735.

Oliver, T. (1891) Lead poisoning in its acute and chronic forms. London, United Kingdom: Young J. Pentland.

Oliver, T. (1911) Lead poisoning and the race. Br. Med. J. 1(2628): 1096-1098.

Ollivier, A. (1863) De l'albuminurie saturnine [On lead albuminuria]. Arch. Génér. Med. 2: 530-546, 708-724.

Olsen, N. B.; Hollnagel, H.; Grandjean, P. (1981) Indicators of lead exposure in an adult Danish suburban population. Dan. Med. Bull. 28: 168-176.

Olsen, S.; Pessenda, L. C. R.; Ruzicka, J.; Hansen, E. H. (1983) Combination of flow injection analysis with flame atomic-absorption spectrophotometry: determination of trace amounts of heavy metals in polluted seawater. Analyst (London) 108: 905-917.

Olson, K. W.; Skogerboe, R. K. (1975) Identification of soil lead compounds from automotive sources. Environ. Sci. Technol. 9: 227-230.

Olson, L.; Björklund, H.; Henschen, A.; Palmer, M.; Hoffer, B. (1984) Some toxic effects of lead, other metals and antibacterial agents on the nervous system - animal experiment models. Acta Neurol. Scand. Suppl. 70: 77-87.

Olson, L.; Björklund, H.; Hoffer, B.; Freedman, R.; Marwaha, J.; Palmer, M.; Seiger, A. (1981) Silent Purkinje neurons: an effect of early chronic lead treatment on cerebellar grafts. Presented at: Meeting on chemical indices and mechanisms of organ-directed toxicity; March; Barcelona, Spain. Gen. Pharmacol. 12: A6.

Omenetto, N.; Human, H. G. C.; Cavalli, P.; Rossi, G. (1984) Direct determination of lead in blood by laser-excited flame atomic-fluorescence spectrometry. Analyst (London) 109: 1067-1070.

Ondov, J. M.; Ragaini, R. C.; Biermann, A. H. (1979) Emissions and particle-size distributions of minor and trace elements at two western coal-fired power plants equipped with cold-side electrostatic precipitators. Environ. Sci. Technol. 13: 946-953.

Ong, C. N.; Lee, W. R. (1978) Lead induced transformation of human erythrocytes into echinocytes. Ann. Acad. Med. 7: 240-243.

Ong, C. N.; Lee, W. R. (1980) Distribution of lead-203 in human peripheral blood in vitro. Br. J. Ind. Med. 37: 78-84.

Ong, C. N.; Lee, W. R. (1980) High affinity of lead for fetal haemoglobin. Br. J. Ind. Med. 37: 292-298.

Ong, C. N.; Lee, W. R. (1980) Interaction of calcium and lead in human erythrocytes. Br. J. Ind. Med. 37: 70-77.

Onishi, G. M.; Kuhnlein, H. V.; Brown, D. F. (1979) Trace elements in deciduous teeth from Kamloops and Trail. Can. Fed. Biol. Soc. 22: 17.

Ontario Ministry of the Environment. (1975) Report of the Lead Data Analysis Task Force. Toronto, ON, Canada: Ontario Ministry of the Environment.

Ophus, E. M.; Mylius, E. A. (1977) Lead levels in human lungs. Bull. Environ. Contam. Toxicol. 18: 734-741.

Orfanos, A. P.; Murphey, W. H.; Guthrie, R. (1977) A simple fluorometric assay of protoporphyrin in erythrocytes (EPP) as a screening test for lead poisoning. J. Lab. Clin. Med. 89: 659-665.

Orssaud, G.; Claude, J. R. ; Moreau, T.; Lellouch, J.; Juguet, B.; Festy, B. (1985) Blood lead concentration and blood pressure. Br. Med. J. 290: 244.

Osborn, D.; Every, W. J.; Bull, K. R. (1983) The toxicity of trialkyl lead compounds to birds. Environ. Pollut. Ser. A 31: 261-275.

Osheroff, M. R.; Uno, H.; Bowman, R. E. (1982) Lead inclusion bodies in the anterior horn cells and neurons of the substantia nigra in the adult rhesus monkey. Toxicol. Appl. Pharmacol. 64: 570-576.

Oskarsson, A. (1983) Redistribution and increased brain uptake of lead in rats after treatment with diethyldithiocarbamate. Arch. Toxicol. Suppl. 6: 279-284.

Oskarsson, A. (1984) Dithiocarbamate-induced redistribution and increased brain uptake of lead in rats. Neurotoxicology 5: 283-294.

Oskarsson, A.; Lind, B. (1985) Increased lead levels in brain after long-term treatment with lead and dithiocarbamate or thiuram derivatives in rats. Acta Pharmacol. Toxicol. 56: 309-315.

Oskarsson, A.; Squibb, K. S.; Fowler, B. A. (1982) Intracellular binding of lead in the kidney: the partial isolation and characterization of postmitochondrial lead binding components. Biochem. Biophys. Res. Commun. 104: 290-298.

Osweiler, G. D.; Ruhr, L. P. (1978) Lead poisoning in feeder calves. J. Am. Vet. Med. Assoc. 172: 498-500.

Othman, I. (1985) A preliminary investigation of the lead level in whole blood of normal and occupationally exposed populations in Damascus City. Sci. Total Environ. 43: 141-148.

Otto, D., ed. (1978) Multidisciplinary perspectives in event-related brain potential research. Proceedings of the fourth international congress on event-related slow potentials of the brain (EPIC IV); April 1976; Hendersonville, NC. Research Triangle Park, NC: U.S. Environmental Protection Agency, Health Effects Research Laboratory; EPA report no. EPA-600/9-77-043. Available from: NTIS, Springfield, VA; PB-297137.

Otto, D. A.; Baumann, S. B.; Robinson, G. S.; Schroeder, S. R.; Kleinbaum, D. G.; Barton, C. N.; Mushak, P. (1985) Auditory and visual evoked potentials in children with undue lead absorption. Toxicologist 5: 81.

Otto, D. A.; Benignus, V. A.; Muller, K. E.; Barton, C. N. (1981) Effects of age and body lead burden on CNS function in young children. I. Slow cortical potentials. Electroencephalogr. Clin. Neurophysiol. 52: 229-239.

Otto, D.; Benignus, V.; Muller, K.; Barton, C. (1983) Electrophysiological evidence of changes in CNS function at low-to-moderate blood lead levels in children. In: Rutter, M.; Russell Jones, R., eds. Lead versus health: sources and effects of low level lead exposure. New York, NY: John Wiley & Sons; pp. 319-331.

Otto, D.; Benignus, V.; Muller, K.; Barton, C.; Seiple, K.; Prah, J.; Schroeder, S. (1982) Effects of low to moderate lead exposure on slow cortical potentials in young children: two year follow-up study. Neurobehav. Toxicol. Teratol. 4: 733-737.

Otto, D.; Karrer, R.; Halliday, R.; Horst, R. L.; Klorman, R.; Squires, N.; Thatcher, R. W.; Fenelon, B.; Lelord, G. (1984) Developmental aspects of event-related potentials: aberrant development. Ann. N. Y. Acad. Sci. 425: 319-337.

Otto, D.; Reiter, L. (1984) Developmental changes in slow cortical potentials of young children with elevated body lead burden: neurophysiological considerations. Ann. N. Y. Acad. Sci. 425: 377-383.

Otto, D.; Robinson, G.; Baumann, S.; Schroeder, S.; Mushak, P.; Kleinbaum, D.; Boone, L. (1985) 5-year follow-up study of children with low-to-moderate lead absorption: electrophyiological evaluation. In: Bornschein, R. L.; Rabinowitz, M. B., eds. The second international conference on prospective studies of lead; April 1984; Cincinnati, OH. Environ. Res. 38: 168-186.

Overmann, S. R. (1977) Behavioral effects of asymptomatic lead exposure during neonatal development in rats. Toxicol. Appl. Pharmacol. 41: 459-471.

Overmann, S. R.; Fox, D. A.; Woolley, D. E. (1979) Neurobehavioral ontogeny of neonatally lead-exposed rats. I. Reflex development and somatic indices. Neurotoxicology 1: 125-147.

Overmann, S. R.; Zimmer, L.; Woolley, D. E. (1981) Motor development, tissue weights and seizure susceptibility in perinatally lead-exposed rats. Neurotoxicology 2: 725-742.

Oxley, G. R. (1982) Blood lead concentrations: apparent reduction over approximately one decade. Int. Arch. Occup. Environ. Health 49: 341-343.

Oyanguren, H.; Pérez, E. (1966) Poisoning of industrial origin in a community. Arch. Environ. Health 13: 185-189.

Oyasu, R.; Battifora, H. A.; Clasen, R. A.; McDonald, J. H.; Hass, G. M. (1970) Induction of cerebral gliomas in rats with dietary lead subacetate and 2-acetylaminofluorene. Cancer Res. 30: 1248-1261.

Ozoh, P. T. E. (1979) Malformations and inhibitory tendencies induced to Brachydanio rerio (Hamilton-Buchanan) eggs and larvae due to exposures in low concentrations of lead and copper ions. Bull. Environ. Contam. Toxicol. 21: 668-675.

Ozoh, P. T. E. (1980) Effect of lead on pigment pattern formation in zebrafish Brachydanio rerio. Bull. Environ. Contam. Toxicol. 24: 276-282.

Ozoh, P. T. E. (1980) Effects of reversible incubations of zebrafish eggs in copper and lead ions with or without shell membranes. Bull. Environ. Contam. Toxicol. 24: 270-275.

Pace, F.; Ferrara, R.; Del Carratore, G. (1977) Effects of sub-lethal doses of copper sulfate and lead nitrate on growth and pigment composition of Dunaliella salina Teod. Bull. Environ. Contam. Toxicol. 17: 679-685.

Pachuta, D. G.; Love, L. J. C. (1980) Determination of lead in urban air particulates by microsampling cup atomic absorption spectrometry. Anal. Chem. 52: 444-448.

Pacific Northwest Laboratory. (1978) Distribution of inhaled lead nitrate in pregnant rats. In: Wiley, W. R. and staff members. Annual report for 1977 to the DOE Assistant Secretary for Environment. Richland, WA: Pacific Northwest Laboratories. Available from: NTIS, Springfield, VA; PNL-2500 PTI.

Paciga, J. J.; Jervis, R. E. (1976) Multielement size characterization of urban aerosols. Environ. Sci. Technol. 10: 1124-1128.

Packham, R. F. (1971) The leaching of toxic stabilizers from unplasticized PVC water pipe: part II - a survey of lead levels in uPVC distribution systems. Water Treat. Exam. 20: 144-151.

Padich, R.; Zenick, H. (1977) The effects of developmental and/or direct lead exposure on FR behavior in the rat. Pharmacol. Biochem. Behav. 6: 371-375.

Padich, R. A.; Dietrich, K. N.; Pearson, D. T. (1985) Attention, activity level, and lead exposure at 18 months. In: Bornschein, R. L.; Rabinowitz, M. B., eds. The second international conference on prospectve studies of lead; April 1984; Cincinnati, OH. Environ. Res. 38: 137-143.

Padmanabham, M. (1983) Comparative study of the adsorption-desorption behaviour of copper(II), zinc(II), cobalt(II) and lead(II) at the goethite-solution interface. Aust. J. Soil Res. 21: 515-525.

Page, A. L.; Ganje, T. J. (1970) Accumulations of lead in soils for regions of high and low motor vehicle traffic density. Environ. Sci. Technol. 4: 140-142.

Page, A. L.; Ganje, T. J.; Joshi. M. S. (1971) Lead quantities in plants, soil, and air near some major highways in southern California. Hilgardia 41: 1-31.

Page, D. S.; Gilfillan, E. S.; Hanson, S. A.; Hotham, J. R.; Foster, J. C. (1984) Correlation of body burden of heavy metals with physiological stress indicators in Mytilus edulis and Mya arenaria exposed to heavy metals in the field. Mar. Environ. Res. 14: 505.

Pagenkopf, G. K. (1983) Gill surface interaction model for trace-metal toxicity to fishes: role of complexation, pH, and water hardness. Environ. Sci. Technol. 17: 342-347.

Paglia, D. E.; Valentine, W. N. (1975) Characteristics of a pyrimidine-specific 5'-nucleotidase in human erythrocytes. J. Biol. Chem. 250: 7973-7979.

Paglia, D. E.; Valentine, W. N.; Dahlgren, J. G. (1975) Effects of low-level lead exposure on pyrimidine 5'-nucleotidase and other erythrocyte enzymes: possible role of pyrimidine 5'-nucleotidase in the pathogenesis of lead-induced anemia. J. Clin. Invest. 56: 1164-1169.

Paglia, D. E.; Valentine, W. N.; Fink, K. (1977) Lead poisoning: further observations on erythrocyte pyrimidine-nucleotidase deficiency and intracellular accumulation of pyrimidine nucleotides. J. Clin. Invest. 60: 1362-1366.

Päivöke, A. (1979) The effects of lead and arsenate on the growth and acid phosphatase activity of pea seedlings. Ann. Bot. Fenn. 16: 18-27.

Palloti, G.; Consolino, A.; Bencivenga, B.; Iacoponi, V. (1983) Lead levels in whole blood of an adult population group from Rome. Sci. Total Environ. 31: 81-87.

Palmer, K. T.; Kucera, C. L. (1980) Lead contamination of sycamore and soil from lead mining and smelting operations in eastern Missouri. J. Environ. Qual. 9: 106-111.

Palmer, M. R.; Björklund, H.; Freedman, R.; Taylor, D. A.; Marwaha, J.; Olson, L.; Seiger, A.; Hoffer, B. J. (1981) Permanent impairment of spontaneous Purkinje cell discharge in cerebellar grafts caused by chronic lead exposure. Toxicol. Appl. Pharmacol. 60: 431-440.

Palmer, M. R.; Björklund, H.; Taylor, D. A.; Seiger, A.; Olson, L.; Hoffer, B. J. (1984) Chronic lead exposure of the developing brain: electrophysiological abnormalities of cerebellar Purkinje neurons. Neurotoxicology 5: 149-166.

Palmisano, P. A.; Sneed, R. C.; Cassady, G. (1969) Untaxed whiskey and fetal lead exposure. J. Pediatr. (St. Louis) 75: 869-872.

Pambuccian, Gr.; Filcescu, M. (1980) Lésions réactionnelles de la gencive par exposition chronique au plomb [Gingival lesions in reaction to chronic exposure to lead]. Rev. Roum. Morphol. Embryol. Physiol. Morphol. Embryol. 26: 47-49.

P'an, A. Y. (1981) Lead levels in saliva and in blood. J. Toxicol. Environ. Health 7: 273-280.

Panova, Z. (1972) Early changes in the ovarian function of women in occupational contact with inorganic lead. Works of the United Research Institute of Hygiene and Industrial Safety [Sofia, Bulgaria]: 161-166.

Parikh, D. J.; Pandya, C. B.; Ghodasara, N. B.; Ramanathan, N. L. (1979) Exposure of workers to inorganic lead in some small and medium industries. Indian J. Med. Res. 70: 116-124.

Parmley, R. T.; Barton, J. C.; Conrad, M. E.; Austin, R. L. (1979) Ultrastructural radioautography and cytochemistry of lead absorption. Am. J. Pathol. 96: 85-99.

Parr, D. R.; Harris, E. J. (1976) The effect of lead on the calcium-handling capacity of rat heart mitochondria. Biochem. J. 158: 289-294.

Parra, A. G.; Establier, R.; Escolar, D. (1984) Heavy metals in recent sediments from the Bay of Cadiz, Spain. Mar. Pollut. Bull. 15: 307-310.

Parslow, J. L. F.; Thomas, G. J.; Williams, T. D. (1982) Heavy metals in the livers of waterfowl from the Ouse Washes, England. Environ. Pollut. Ser. A 29: 317-327.

Paskins-Hurlburt, A. J.; Tanaka, Y.; Skoryna, S. C.; Moore, W., Jr.; Stara, J. F. (1977) The binding of lead by a pectic polyelectrolyte. Environ. Res. 14: 128-140.

Patel, B.; Balani, M. C.; Patel, S. (1985) Sponge 'sentinel' of heavy metals. Sci. Total Environ. 41: 143-152.

Patel, P. M.; Wallace, A.; Romney, E. M. (1977) Effect of chelating agents on phytotoxicity of lead and lead transport. Commun. Soil Sci. Plant Anal. 8: 733-740.

Paton, T. J.; Cembrowski, G. S. (1982) Fluorometric assay of erythrocyte protoporphyrin: simple screening test for lead poisoning and iron deficiency. Can. Med. Assoc. J. 127: 860-862.

Patrick, F. M.; Loutit, M. W. (1978) Passage of metals to freshwater fish from their food. Water Res. 12: 395-398.

Pattee, O. H. (1984) Eggshell thickness and reproduction in American Kestrels exposed to chronic dietary lead. Arch. Environ. Contam. Toxicol. 13: 29-34.

Pattenden, N. J. (1974) Atmospheric concentrations and deposition rates of some trace elements measured in the Swansea/Neath/Port Talbot area. Harwell, United Kingdom: Atomic Energy Research Establishment, Environment and Medical Sciences Division. Available from: NTIS, Springfield, VA; AERE-R7729.

Patterson, C. C. (1965) Contaminated and natural lead environments of man. Arch. Environ. Health. 11: 344-360.

Patterson, C. C. (1980) An alternative perspective - lead pollution in the human environment: origin, extent and significance. In: National Academy of Sciences, Committee on Lead in the Human Environment. Lead in the human environment. Washington, DC: National Academy of Sciences; pp. 265-349.

Patterson, C. C. (1982) Natural levels of lead in humans. Chapel Hill, NC: University of North Carolina, Institute for Environmental Studies. (Carolina environmental essay series: v. 3).

Patterson, C. C. (1983) British mega exposures to industrial lead. In: Rutter, M.; Russell Jones, R., eds. Lead versus health: sources and effects of low level lead exposure. New York, NY: John Wiley and Sons; pp. 17-32.

Patterson, C. C. (1983) Criticism of "Flow of metals into the global atmosphere" [letter]. Geochim. Cosmochim. Acta 47: 1163-1168.

Patterson, C. C.; Settle, D. M. (1976) The reduction of orders of magnitude errors in lead analyses of biological materials and natural waters by evaluating and controlling the extent and sources of industrial lead contamination introduced during sample collecting, handling, and analyses. In: LaFleur, P. D., ed. Accuracy in trace analysis: sampling, sample handling, and analysis - volume 1. Proceedings of the 7th materials research symposium; October 1974; Gaithersburg, MD: U.S. Department of Commerce, National Bureau of Standards; NBS special publication no. 422; pp. 321-352.

Patterson, C.; Settle, D.; Glover, B. (1976) Analysis of lead in polluted coastal seawater. Mar. Chem. 4: 305-319.

Patterson, M. R.; Munro, J. K.; Luxmoore, R. J. (1975) Simulation of lead transport on the Crooked Creek watershed. In: Hemphill, D. D., ed. Trace substances in environmental health - IX: [proceedings of University of Missouri's 9th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 217-225.

Patterson, R. L., Jr.; Lockhart, L. B., Jr. (1964) Geographical distribution of lead-210 (RaD) in the ground-level air. In: Adams, J.; Louden, W., eds. The natural radiation environment. Chicago, IL: The University of Chicago Press; pp. 383-392.

Patton, J. H. (1978) The behavioral and physiological effects of administering lead to neonatal rats: a test of the model of childhood hyperactivity [dissertation]. Baylor University. Available from: University Microfilms International, Ann Arbor, MI; publication no. 79-09,300.

Paul, C. (1860) Étude sur l'intoxication lente par les préparations de plomb, de son influence sur le produit de la conception [Study of the effect of slow lead intoxication on the product of conception]. Arch. Gen. Med. 15: 513-533.

Paulev, P.-E.; Gry, C.; Døssing, M. (1979) Motor nerve conduction velocity in asymptomatic lead workers. Int. Arch. Occup. Environ. Health 43: 37-43.

Paulev, P.-E.; Solgaard, P.; Tjell, J. C. (1978) Interlaboratory comparison of lead and cadmium in blood, urine, and aqueous solutions. Clin. Chem. (Winston-Salem, NC) 24: 1797-1800.

Pawlaczyk-Szpilowa, M.; Slowik, J. (1981) The biocumulation [sic] of copper and lead by Scenedesmus obliquus. Acta Microbiol. Pol. 30: 79-87.

Pawlak, J. (1979) Pollution inputs to the Oslo commission area. Ambio 8: 36-37.

Pearl, D. S.; Ammerman, C. B.; Henry, P. R.; Littell, R. C. (1981) Effect of dietary lead and calcium on tissue lead accumulation and depletion in sheep. In: Hemphill, D. D., ed. Trace substances in environmental health - XV: [proceedings of University of Missouri's 15th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 184-189.

Pearl, D. S.; Ammerman, C. B.; Henry, P. R.; Littell, R. C. (1983) Influence of dietary lead and calcium on tissue lead accumulation and depletion, lead metabolism and tissue mineral composition in sheep. J. Anim. Sci. 56: 1416-1426.

Pearl, M.; Boxt, L. M. (1980) Radiographic findings in congenital lead poisoning. Radiology 136: 83-84.

Pearson, D. T.; Dietrich, K. N. (1985) The behavioral toxicology and teratology of childhood: models, methods, and implications for intervention. Neurotoxicology 6: 165-181.

Pearson, R. G.; Mawby, R. J. (1967) The nature of metal-halogen bonds. In: Gutmann, V., ed. Halogen chemistry: volume 3. New York, NY: Academic Press, Inc.; pp. 55-84.

PEDCo Environmental, Inc. (1981) Field study to determine spatial variability of lead from roadways. Research Triangle Park, NC: U. S. Environmental Protection Agency, Monitoring and Data Analysis Division; EPA report no. EPA-450/4-83-002. Available from: NTIS, Springfield, VA; PB83-207845.

Pedell. (1884) Wahre Gicht mit Nierenschrumpfung bei Bleiintoxication [True gout and renal atrophy with lead intoxication]. Dtsch. Med. Wochenschr. 10: 129-131.

Peden, M. E. (1977) Flameless atomic absorption determinations of cadmium, lead, and manganese in particle size fractionated aerosols. In: Kirchhoff, W. H., ed. Methods and standards for environmental measurement: proceedings of the 8th materials research symposium; September 1976; Gaithersburg, MD. Washington, DC: U.S. Department of Commerce, National Bureau of Standards; special publication no. 464; pp. 367-378.

Pedersen, R. S. (1978) Lead poisoning treated with haemodialysis. Scand. J. Urol. Nephrol. 12: 189-190.

Pegues, W. L. (1960) Lead fume from welding on galvanized and zinc-silicate coated steels. J. Am. Ind. Hyg. Assoc. 21: 252-255.

Peirson, D. H.; Cawse, P. A.; Cambray, R. S. (1974) Chemical uniformity of airborne particulate material, and a maritime effect. Nature (London) 251: 675-679.

Peirson, D. H.; Cawse, P. A.; Salmon, L.; Cambray, R. S. (1973) Trace elements in the atmospheric environment. Nature (London) 241: 252-256.

Peitzman, S. J.; Bodison, W.; Ellis, I. (1985) Moonshine drinking among hypertensive veterans in Philadelphia. Arch. Intern. Med. 145: 632-634.

Pejić, S. (1928) The nature of the primary renal lesion produced by lead. Ann. Intern. Med. 1: 577-604.

Peng, T.; Gitelman, H. J.; Garner, S. C. (1979) Acute lead-induced increase in serum calcium in the rat without increased secretion of calcitonin. Proc. Soc. Exp. Biol. Med. 160: 114-117.

Penny, D. G.; Bederka, J. P., Jr.; McLellan, J. S.; Coello, W. F.; Saleem, Z. A.; Khan, M. A. Q. (1974) Ecological and health effects of pollutants in automobile exhaust. In: Khan, M. A. Q.; Bederka, J. P., Jr., eds. Survival in toxic environments. New York, NY: Academic Press, Inc.; pp. 497-498.

Pentschew, A. (1965) Morphology and morphogenesis of lead encephalopathy. Acta Neuropathol. 5: 133-160.

Pentschew, A.; Garro, F. (1966) Lead encephalo-myelopathy of the suckling rat and its implications on the porphyrinopathic nervous diseases: with special reference to the permeability disorders of the nervous system's capillaries. Acta Neuropathol. 6: 266-278.

Penumarthy, L.; Oehme, F. W.; Galitzer, S. J. (1980) Effects of chronic oral lead administration in young Beagle dogs. J. Environ. Pathol. Toxicol. 3: 465-490.

Penumarthy, L.; Oehme, F. W.; Hayes, R. H. (1980) Lead, cadmium, and mercury tissue residues in healthy swine, cattle, dogs, and horses from the midwestern United States. Arch. Environ. Contam. Toxicol. 9: 193-206.

Penzien, D. B.; Scott, D. R. C.; Motiff, J. P. (1982) The effects of lead toxication on learning in rats. Arch. Environ. Health 37: 85-87.

Percy, K. E. (1983) Heavy metal and sulphur concentrations in Sphagnum magellanicum Brid. in the Maritime Provinces, Canada. Water Air Soil Pollut. 19: 341-349.

Perdih, A. (1982) Die Schwermetallgrenzen in der Kosmetik - eine modellartige Schätzung [Limits of heavy metals in cosmetics - estimation by model]. Parfuem. Kosmet. 63: 732-739.

Perera, F. P.; Karim Ahmed, A. (1978) Respirable particles: impact of airborne fine particulates on health and the environment. New York, NY: Natural Resources Defense Council, Inc.

Perino, J. (1973) The relation of subclinical lead levels to cognitive and sensorimotor ability in preschool black children [dissertation]. Hempsted, NY: Hofstra University. Available from: University Microfilms, Ann Arbor, MI; publication no. 73-25,323.

Perino, J.; Ernhart, C. B. (1974) The relation of subclinical lead level to cognitive and sensorimotor impairment in black preschoolers. J. Learn. Dis. 7: 616-620.

Perlstein, M. A.; Attala, R. (1966) Neurologic sequelae of plumbism in children. Clin. Pediatr. (Philadelphia) 5: 292-298.

Perrin, J. M.; Merkens, M. (1979) Blood lead levels in a rural population: relative elevations among migrant farmworker children. Pediatrics 64: 540-542.

Perry, H. M., Jr.; Erlanger, M. W. (1977) Effect of a second metal on cadmium-induced hypertension. In: Hemphill, D. D., ed. Trace substances in environmental health - XI: [proceedings of University of Missouri's 11th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 280-288.

Perry, H. M., Jr.; Erlanger, M. W. (1978) Pressor effects of chronically feeding cadmium and lead together. In: Hemphill, D. D., ed. Trace substances in environmental health - XII: [proceedings of University of Missouri's 12th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia MO: University of Missouri-Columbia; pp. 268-275.

Perry, R.; Whitelaw, K.; Harrison, R. M. (1978) A correlation study of vehicle-generated air pollutants. Water Air Soil Pollut. 10: 115-127.

Persson, H. E.; Knave, B.; Goldberg, J. M.; Johansson, B.; Holmqvist, I. (1979) Långvarig exposition för bly; III. en neurologisk och neurofysiologisk undersökning av personal vid Rönnskärsverken, Boliden AB [Protracted exposure to lead; III. a neurological and neurophysiological study of personnel at the Ronnskars Works: Boliden, Inc.]. Arbete Och Halsa 1: 1-28.

Perttilä, M.; Tervo, V.; Parmanne, R. (1982) Age dependence of the concentrations of harmful substances in Baltic herring (Clupea harengus). Chemosphere 11: 1019-1026.

Peter, F.; Reynolds, R. G. (1978) Lead-erythrocyte protoporphyrin correlation in blood of exposed workers. Health Lab. Sci. 15: 144-149.

Peter, F.; Strung, G. (1983) Effect of ingested lead on concentration of blood and tissue lead in rabbits. Clin. Biochem. (Amsterdam) 16: 202-205.

Petering, H. G. (1978) Some observations on the interaction of zinc, copper, and iron metabolism in lead and cadmium toxicity. Environ. Health Perspect. 25: 141-145.

Petering, H. G. (1980) The influence of dietary zinc and copper on the biologic effects of orally ingested lead in the rat. Ann. N.Y. Acad. Sci. 355: 298-308.

Peters, E. T.; Lawter, J. R.; Benson, A. L. (1981) Metal particulate emissions from stationary sources; volume 2. characterization of collection filters. Research Triangle Park, NC: U.S. Environmental Protection Agency, Environmental Sciences Research Laboratory; EPA project summary report no. EPA-600/S2-80-203. Complete report available from: NTIS, Springfield, VA; PB81-121154.

Peterson, P. J. (1978) Lead and vegetation. In: Nriagu, J. O., ed. The biogeochemistry of lead in the environment; part B. biological effects. Amsterdam, The Netherlands: Elsevier/North-Holland Biomedical Press; pp. 355-384. (Topics in environmental health: volume 1B).

Petit, T. L.; Alfano, D. P. (1979) Differential experience following developmental lead exposure: effects on brain and behavior. Pharmacol. Biochem. Behav. 11: 165-171.

Petit, T. L.; Alfano, D. P.; LeBoutillier, J. C. (1983) Early lead exposure and the hippocampus: a review and recent advances. Neurotoxicology 4: 79-94.

Petit, T. L.; LeBoutillier, J. C. (1979) Effects of lead exposure during development on neocortical dendritic and synaptic structure. Exp. Neurol. 64: 482-492.

Petkov, K. (1979) Efekt na olovoto i kadmiumot vo trevite vrz nekoi konstituenti na krvta i zdravjeto na konjite [The effect of lead and cadmium in the pasture on some blood constituents and the health of horses]. Acta Biol. Med. Exp. Suppl. 1: 216-217.

Petrie, L. M.; Baier, R. W. (1978) Thin-mercury-film voltammetry of inorganic lead(II) complexes in seawater. Anal. Chem. 50: 351-357.

Petrusz, P.; Weaver, C. M.; Grant, L. D.; Mushak, P.; Krigman, M. R. (1979) Lead poisoning and reproduction: effects on pituitary and serum gonadotropins in neonatal rats. Environ. Res. 19: 383-391.

Pettine, M.; LaNoce, T.; Macchi, G.; Millero, F. J. (1982) Heavy metals in the Tiber River basin. Mar. Pollut. Bull. 13: 327-329.

Phalen, R. F.; Oldham, M. J.; Beaucage, C. B.; Crocker, T. T.; Mortensen, J. D. (1985) Postnatal enlargement of human tracheobronchial airways and implications for partical deposition. Anat. Rec. 212: 368-380.

Phillips, D. J. H.; Ho, C. T.; Ng, L. H. (1982) Trace elements in the Pacific oyster in Hong Kong. Arch. Environ. Contam. Toxicol. 11: 533-537.

Phung, H. T.; Lund, L. J.; Page, A. L.; Bradford, G. R. (1979) Trace elements in fly ash and their release in water and treated soils. J. Environ. Qual. 8: 171-175.

Piccardi, E. B.; Clauser, M. (1983) Absorption of copper by Iris pseudacorus. Water Air Soil Pollut. 19: 185-192.

Piccardi, G.; Cerofolini, C.; Martini, M. (1983) Determination of lithogenic and anthropogenic contribution of heavy metals to the sediments of Elsa River (Italy). Environ. Technol. Lett. 4: 145-148.

Piccinini, F.; Favalli, L.; Chiari, M. C. (1977) Experimental investigations on the contraction induced by lead in arterial smooth muscle. Toxicology 8: 43-51.

Piccolo, A.; Stevenson, F. J. (1982) Infrared spectra of Cu^{2+}, Pb^{2+}, and Ca^{2+} complexes of soil humic substances. Geoderma 27: 195-208.

Pickering, W. F. (1983) Extraction of copper, lead, zinc or cadmium ions sorbed on calcium carbonate. Water Air Soil Pollut. 20: 299-309.

Pickett, J. B.; Bornstein, J. C. (1984) Some effects of lead at mammalian neuromusclar junction. Am. J. Physiol. 246: C271-C276.

Pienta, R. J. (1980) A transformation bioassay employing cryopreserved hamster embryo cells. In: Mishra, N.; Dunkel, V.; Mehlman, M., eds. Mammalian cell transformation by chemical carcinogens. Princeton Junction, NJ: Senate Press, Inc.; pp. 47-83. (Advances in modern environmental toxicology: volume I).

Piepho, R. W.; Ryan, C. F.; Lacz, J. P. (1976) The effects of chronic lead intoxication on the γ-aminobutyric acid content of the rat CNS. Pharmacologist 18: 125.

Pierce, J. O.; Koirtyohann, S. R.; Clevenger, T. E.; Lichte, F. E. (1976) The determination of lead in blood: a review and critique of the state of the art, 1975. New York, NY: International Lead Zinc Research Organization, Inc.

Pierrard, J. M. (1969) Photochemical decomposition of lead halides from automobile exhaust. Environ. Sci. Technol. 3: 48-51.

Pierrard, J. M.; Pfeifer, C. G.; Snee, R. D. (1983) Assessment of blood lead levels in the USA from NHANES II data. In: International conference: heavy metals in the environment; September; Heidelberg, West Germany. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 421-424.

Pierson, W. R.; Brachaczek, W. W. (1976) Particulate matter associated with vehicles on the road. Warrendale, PA: Society of Automotive Engineers; SAE technical paper no. 760039. SAE transactions 85: 209-227.

Pihl, R. O; Parkes, M. (1977) Hair element content in learning disabled children. Science (Washington, DC) 198: 204-206.

Pilegaard, K. (1978) Airborne metals and SO_2 monitored by epiphytic lichens in an industrial area. Environ. Pollut. 17: 81-92.

Pilotte, J. O.; Winchester, J. W.; Nelson, J. W. (1978) Components of lead in the atmosphere of St. Louis, Missouri. J. Appl. Meteorol. 17: 627-635.

Pincus, D.; Saccar, C. V. (1979) Lead poisoning. Am. Fam. Physician 19: 120-124.

Pines, A. G. (1965) Sostoyanie nekotorykh pokazatelei obschchei reaktivnosti pri svintsovykh intoksikatsiyakh [Indexes of general reactivity in saturnine toxicity]. Vroch. Delo. 3: 93-96.

Pinkerton, C.; Creason, J. P.; Hammer, D. I.; Colucci, A. V. (1973) Multi-media indices of environmental trace-metal exposure in humans. In: Hoekstra, W. G.; Suttie, J. W.; Ganther, H. E.; Mertz, W., eds. Trace element metabolism in animals - 2: proceedings of the 2nd international symposium on trace element metabolism in animals; Madison, WI. Baltimore, MD: University Park Press; pp. 465-469.

Piomelli, S. (1973) A micromethod for free erythrocyte porphyrins: the FEP test. J. Lab. Clin. Med. 81: 932-940.

Piomelli, S. (1980) The effects of low-level lead exposure on heme metabolism. In: Needleman, H. L., ed. Low level lead exposure: the clinical implications of current research. New York, NY: Raven Press; pp. 67-74.

Piomelli, S. (1982) Cost effectiveness of lead screening [letter]. N. Engl. J. Med. 307: 1269.

Piomelli, S.; Corash, L.; Corash, M. B.; Seaman, C.; Mushak, P.; Glover, B.; Padgett, R. (1980) Blood lead concentrations in a remote Himalayan population. Science (Washington, DC) 210: 1135-1137.

Piomelli, S.; Davidow, B. (1972) Free erythrocyte protoporphyrin concentration: a promising screening test for lead poisoning. Pediatr. Res. 6: 366.

Piomelli, S.; Davidow, B.; Guinee, V. F.; Young, P.; Gay, G. (1973) The FEP (free erythrocyte porphyrins) test: a screening micromethod for lead poisoning. Pediatrics 51: 254-259.

Piomelli, S.; Graziano, J. (1980) Laboratory diagnosis of lead poisoning. Pediatr. Clin. North Am. 27: 843-853.

Piomelli, S.; Rosen, J. F.; Chisolm, J. J., Jr.; Graef, J. W. (1984) Management of childhood lead poisoning. J. Pediatr. (St. Louis). 105: 523-532.

Piomelli, S.; Seaman, C.; Curran, A.; Davidow, B. (1978) The threshold of lead toxicity in children. Pediatr. Res. 12: 426.

Piomelli, S.; Seaman, C.; Zullow, D.; Curran, A.; Davidow, B. (1977) Metabolic evidence of lead toxicity in "normal" urban children. Clin. Res. 25: 459A.

Piomelli, S.; Seaman, C.; Zullow, D.; Curran, A.; Davidow, B. (1982) Threshold for lead damage to heme synthesis in urban children. Proc. Natl. Acad. Sci. U.S.A. 79: 3335-3339.

Piper, W. N.; Tephly, T. R. (1974) Differential inhibition of erythrocyte and hepatic uroporphyrinogen I synthetase activity by lead. Life Sci. 14: 873-876.

Piper, W. N.; van Lier, R. B. L. (1977) Pteridine regulation of inhibition of hepatic uroporphyrinogen I synthetase activity by lead chloride. Mol. Pharmacol. 13: 1126-1135.

Pirkle, J. L.; Annest, J. L. (1984) Blood lead levels [letter]. N. Engl. J. Med. 310: 1125-1126.

Pirkle, J. L.; Schwartz, J.; Landis, J. R.; Harlan, W. R. (1985) The relationship between blood lead levels and blood pressure and its cardiovascular risk implications. Am. J. Epidemiol. 121: 246-258.

Pisanetz, M.; Karastanev, I.; Germakian, A. (1982) Porphyrin biosynthesis disorders in persons occupationally exposed to chronic lead effect. Folia Med. 24: 24-28.

Piver, W. T. (1977) Environmental transport and transformation of automotive-emitted lead. Environ. Health Perspect. 19: 247-259.

Pleban, P. A.; Kerkay, J.; Pearson, K. H. (1981) Polarized Zeeman-effect flameless atomic absorption spectrometry of cadmium, copper, lead, and manganese in human kidney cortex. Clin. Chem. (Winston-Salem, NC) 27: 68-72.

Pleban, P.; Pearson, K. H.; Shamberger, R. J. (1978) Blood and urine lead analysis by Zeeman effect flameless atomic absorption. Clin. Chem. (Winston-Salem, NC) 24: 1031.

Plechaty, M. M.; Noll, B.; Sunderman, F. W., Jr. (1977) Lead concentrations in semen of healthy men without occupational exposure to lead. Ann. Clin. Lab. Sci. 7: 515-518.

Pocock, S. J. (1980) Factors influencing household water lead: a British national survey. Arch. Environ. Health 35: 45-51.

Pocock, S. J.; Shaper, A. G.; Ashby, D.; Delves, T.; Whitehead, T. P. (1984) Blood lead concentration, blood pressure, and renal function. Br. Med. J. 289: 872-874.

Pocock, S. J.; Shaper, A. G.; Walker, M.; Wale, C. J.; Clayton, B.; Delves, T.; Lacey, R. F.; Packham, R. F.; Powell, P. (1983) Effects of tap water lead, water hardness, alcohol, and cigarettes on blood lead concentrations. J. Epidemiol. Comm. Health 37: 1-7.

Poduslo, J. F.; Low, P. A.; Windebank, A. J.; Dyck, P. J.; Berg, C. T.; Schmelzer, J. D. (1982) Altered blood-nerve barrier in experimental lead neuropathy assessed by changes in endoneurial albumin concentration. J. Neurosci. 2: 1507-1514.

Poet, S. E.; Moore, H. E.; Martell, E. A. (1972) Lead 210, bismuth 210, and polonium 210 in the atmosphere: accurate ratio measurement and application to aerosol residence time determination. J. Geophys. Res. 77: 6515-6527.

Poirier, L. A.; Theiss, J. C.; Arnold, L. J.; Shimkin, M. B. (1984) Inhibition by magnesium and calcium acetates of lead subacetate- and nickel acetate-induced lung tumors in strain A mice. Cancer Res. 44: 1520-1522.

Poldoski, J. E. (1980) Determination of lead and cadmium in fish and clam tissue by atomic absorption spectrometry with a molybdenum and lanthanum treated pyrolytic graphite atomizer. Anal. Chem. 52: 1147-1151.

Polemio, M.; Bufo, S. A.; Senesi, N. (1982) Minor elements in south-east Italy soils. Plant Soil 69: 57-66.

Polemio, M.; Senesi, N.; Bufo, S. A. (1982) Soil contamination by metals: a survey in industrial and rural areas of southern Italy. Sci. Total Environ. 25: 71-79.

Pompeii, C. W. (1979) Leaded gasoline...a source of lead intoxication overlooked. Mod. Cast. 69: 66C.

Poole, C.; Smythe, L. E.; Alpers, M. (1980) Blood lead levels in Papua New Guinea children living in a remote area. Sci. Total Environ. 15: 17-24.

Popenoe, E. A.; Schmaeler, M. A. (1979) Interaction of human DNA polymerase β with ions of copper, lead, and cadmium. Arch. Biochem. Biophys. 196: 109-120.

Popham, J. D.; D'Auria, J. M. (1983) Combined effect of body size, season, and location on trace element levels in mussels (Mytilus edulis). Arch. Environ. Contam. Toxicol. 12: 1-14.

Popham, J. D.; D'Auria, J. M. (1983) Statistical approach for deciding if mussels (mytilus edulis) have been collected from a water body polluted with trace metals. Environ. Sci. Technol. 17: 576-582.

Popoff, N.; Weinberg, S.; Feigin, I. (1963) Pathologic observations in lead encephalopathy: with special reference to the vascular changes. Neurology 13: 101-112.

Popovac, D.; Graziano, J.; Seaman, C.; Kaul, B.; Colakovic, B.; Popovac, R.; Osmani, I.; Haxhiu, M.; Begraca, M.; Bozovic, Z.; Mikic, M. (1982) Elevated blood lead in a population near a lead smelter in Kosovo, Yugoslavia. Arch. Environ. Health 37: 19-23.

Porritt, N. (1931) Cumulative effects of infinitesimal doses of lead. Br. Med. J. 2(3680): 92-94.

Port, C. L. (1976) Acute and chronic lead neuropathy. Animal model: lead neuropathy in gerbils following short- and long-term administration of lead acetate. Am. J. Pathol. 85: 519-522.

Posner, H. S. (1977) Indices of potential lead hazard. Environ. Health Perspect. 19: 261-284.

Posner, H. S.; Damstra, T.; Nriagu, J. O. (1978) Human health effects of lead. In: Nriagu, J. O., ed. The biogeochemistry of lead in the environment; part B. biological effects. Amsterdam, The Netherlands: Elsevier/North-Holland Biomedical Press; pp. 173-223. (Topics in environmental health: volume 1B).

Post, E. M.; Levin, M.; Oski, F. A. (1978) The influence of iron on lead mobilization by EDTA. Pediatr. Res. 12: 426.

Post, M. A.; Campbell, P. G. (1980) Lead chromate pigments - a literature survey on environmental and toxic effects. Washington, DC: U.S. Department of Commerce, National Bureau of Standards; report no. NBSIR 80-1974. Available from: NTIS, Springfield, VA; PB80-160666.

Pott, F.; Brockhaus, A. (1971) Vergleich der enteralen und pulmonalen Resorptionsquote von Bleiverbindungen [Comparison of the enteral and pulmonary absorption rates of lead compounds]. Zentralbl. Bakteriol. Parasitenkd. Infektionskrankh. Hyg. Abt. 1 Orig. Reihe B 155: 1-17.

Potter, H. R.; Jarvie, A. W. P.; Markall, R. N. (1977) Detection and determination of alkyl lead compounds in natural waters. Water Pollut. Control (Don Mills Can.) 76: 123-128.

Pounds, J. G. (1984) Effect of lead intoxication on calcium homeostasis and calcium-mediated cell function: a review. Neurotoxicology 5: 295-332.

Pounds, J. G.; Marlar, R. J.; Allen, J. R. (1978) Metabolism of lead-210 in juvenile and adult rhesus monkeys Macaca mulatta. Bull. Environ. Contam. Toxicol. 19: 684-691.

Pounds, J. G.; Mittelstaedt, R. A. (1983) Mobilization of cellular calcium-45 and lead-210: effect of physiological stimuli. Science (Washington, DC) 220: 308-310.

Pounds, J. G.; Morrison, D.; Wright, R.; Casciano, D. A.; Shaddock, J. G. (1982) Effect of lead on calcium-mediated cell function in the isolated rat hepatocyte. Toxicol. Appl. Pharmacol. 63: 402-408.

Pounds, J. G.; Wright, R.; Kodell, R. L. (1982) Cellular metabolism of lead: a kinetic analysis in the isolated rat hepatocyte. Toxicol. Appl. Pharmacol. 66: 88-101.

Pounds, J. G.; Wright, R.; Morrison, D.; Casciano, D. A. (1982) Effect of lead on calcium homeostasis in the isolated rat hepatocyte. Toxicol. Appl. Pharmacol. 63: 389-401.

Powell, H. C.; Myers, R. R.; Lampert, P. W. (1982) Changes in schwann cells and vessels in lead neuropathy. Am. J. Pathol. 109: 193-205.

Powers R. J. (1979) Dirtfall [letter]. Pediatrics 64: 124.

Powers, W. J., Jr.; Foulkes, E. C. (1985) Effects of lead on the renal response to extracellular volume expansion. Proc. Soc. Exp. Biol. Med. 178: 367-372.

Preer, J. R.; Rosen, W. G. (1977) Lead and cadmium content of urban garden vegetables. In: Hemphill, D. D., ed. Trace substances in environmental health - XI: [proceedings of University of Missouri's 11th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 399-405.

Preer, J. R.; Sekhon, H. S.; Stephens, B. R.; Collins, M. S. (1980) Factors affecting heavy metal content of garden vegetables. Environ. Pollut. Ser. B 1: 95-104.

Preer, J. R.; Sekhon, H. S.; Weeks, J., Jr.; Stephens, B. R. (1980) Heavy metals in garden soil and vegetables in Washington, D.C. In: Hemphill, D. D., ed. Trace substances in environmental health - XIV: [proceedings of University of Missouri's 14th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 516-521.

Prendergast, W. D. (1910) The classification of the symptoms of lead poisoning. Br. Med. J. (2576): 1164-1166.

Přerovská, I. (1973) Einfluss von Blei auf biochemische Veränderungen im Serum und Veränderungen in der Aderwand im Hinblick auf Atherosklerose [Influence of lead on biochemical changes in serum and changes in the arteries with regard to arteriosclerosis]. In: Barth, D.; Berlin, A.; Engel, R.; Recht, P.; Smeets, J., eds. Environmental health aspects of lead: proceedings, international symposium; October 1972; Amsterdam, The Netherlands. Luxembourg: Commission of the European Communities; pp. 551-558.

Přerovská, I.; Teisinger, J. (1970) Excretion of lead and its biological activity several years after termination of exposure. Br. J. Ind. Med. 27: 352-355.

Press, M. F. (1977) Lead encephalopathy in neonatal Long-Evans rats: morphological studies. J. Neuropathol. Exp. Neurol. 34: 169-193.

Press, M. F. (1977) Neuronal development in the cerebellum of lead poisoned neonatal rats. Acta Neuropathol. (Berlin) 40: 259-268.

Press, M. F. (1985) Lead-induced permeability changes in immature vessels of the developing cerebellar microcirculation. Acta Neuropathol. 67: 86-95.

Přibil, R. (1972) Analytical applications of EDTA and related compounds. New York, NY: Pergamon Press; p. 27. (Belcher, R.; Freiser, H., eds. International series of monographs in analytical chemistry: v. 52).

Price, J.; Baddeley, H.; Kenardy, J. A.; Thomas, B. J.; Thomas, B. W. (1984) In vivo x-ray fluorescence estimation of bone lead concentrations in Queensland adults. Br. J. Radiology 57: 29-33.

Priest, P.; Navarre, J.-L.; Ronneau, C. (1981) Elemental background concentration in the atmosphere of an industrialized country. Atmos. Environ. 15: 1325-1330.

Prigge, E.; Baumert, H.-P.; Hochrainer, D.; Oberdörster, G. (1977) Effekte einer Bleiinhalation allein und in Kombination mit Kohlenmonoxid bei nichttragenden und tragenden Ratten und deren Feten: I. Die Verteilung von Blei in Blut und Leber [Effects of lead inhalation exposures alone and in combination with carbon monoxide in nonpregnant and pregnant rats and fetuses: I. distribution of lead in blood and liver]. Zentralbl. Bakteriol. Parasitenkd. Infektionskrankh. Hyg. Abt. 1: Orig. Reihe B 165: 283-293.

Prigge, E.; Greve, J. (1977) Effekte einer Bleiinhalation allein und in Kombination mit Kohlenmonoxid bei nichttragenden und tragenden Ratten und deren Feten: II. Effekte auf die Aktivität der δ-Aminolävulinsäure-Dehydratase, den Hämatokrit und das Körpergewicht [Effects of lead inhalation exposures alone and in combination with carbon monoxide in nonpregnant and pregnant rats and fetuses: II. effects on δ-aminolevulinic acid dehydratase activity, hematocrit and body weight]. Zentralbl. Bakteriol. Parasitenkd. Infektionskrankh. Hyg. Abt. 1: Orig. Reihe B 165: 294-304.

Prinz, B.; Hower, J.; Gono, E. (1978) Erhebungen über den Einfluss der Bleiimmissionsbelastung auf den Blutbleispiegel und die neurologische Entwicklung von Säuglinge im westlichen Ruhrgebiet [Inquiry into the effect of lead immission load on the blood lead spectrum and the neurological development of infants in the western area of the Ruhr]. Staub Reinhalt. Luft 38: 87-130.

Prosi, F. (1983) Storage of heavy in organs of limnic and terrestric [sic] invertebrates and their effects on the cellular level. In: International conference: heavy metals in the environment; September; Heidelberg, West Germany. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 459-462.

Provenzano, G. (1978) Motor vehicle lead emissions in the United States: an analysis of important determinants, geographic patterns and future trends. J. Air Pollut. Control Assoc. 28: 1193-1199.

Provenzano, G. (1980) The social costs of excessive lead exposure during childhood. In: Needleman, H. L., ed. Low level lead exposure: the clinical implications of current research. New York, NY: Raven Press; pp. 299-315.

Prpić-Majić, D. (1978) Study of children's blood-lead levels within families. Research Triangle Park, NC: U.S. Environmental Protection Agency; EPA report no. EPA-600/1-78-067. Available from: NTIS, Springfield, VA; PB-290181.

Prpić-Majić, D.; Keršanc, A.; Pongračić, J.; Fugaš, M. (1979) Biological indices of lead absorption and residential distance from lead emitting source. In: International conference: management and control of heavy metals in the environment; September; London, United Kingdom. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 89-92.

Prpić-Majić, D.; Meczner, J.; Telišman, S.; Keršanc, A. (1984) Biological monitoring of lead effects in a smelter community before and after emission control. Sci. Total Environ. 32: 277-288.

Prpić-Majić, D.; Mueller, P. K.; Beritić, T.; Stanley, R.; Twiss, S. (1973) Delta-aminolevulinic acid dehydratase activity, lead blood levels, and the reticulocyte count. In: Barth, D.; Berlin, A.; Engel, R.; Recht, P.; Smeets, J., eds. Environmental health aspects of lead: proceedings, international symposium; October 1972; Amsterdam, The Netherlands. Luxembourg: Commission of the European Communities; pp. 211-220.

Prpić-Majić, D.; Pongračić, J.; Keršanc, A.; Telišman, S.; Karačić, V. (1979) Increased lead absorption in children in the vicinity of a lead smelting plant. Arh. Hig. Rada Toksikol. 30(suppl.): 151-156.

Prpić-Majić, D.; Telišman, S.; Kežić, S. (1984) In vitro study on lead and alcohol interaction and the inhibition of erythrocyte delta-aminolevulinic acid dehydratase in man. Scand. J. Work Environ. Health 10: 235-238.

Pryor, G. T.; Uyeno, E. T.; Tilson, H. A.; Mitchell, C. L. (1983) Assessment of chemicals using a battery of neurobehavioral test: a comparative study. Neurobehav. Toxicol. Teratol. 5: 91-117.

Pudelski, J.; Kurgan, J.; Kozielski, J.; Krzywiecki, A.; Polońska, A. (1982) Przewlekłe nieswoiste choroby układu oddechowego u pracownikow slaskich zakładow lin i drutu w Zabrzu [Chronic non-specific respiratory disorders in workers of the Silesian factory of cables and wires in Zabrze]. Pneum. Pol. 50: 411-414.

Pueschel, S. M.; Kopito, L.; Schwachman, H. (1972) Children with an increased lead burden: a screening and follow-up study. J. Am. Med. Assoc. 222: 462-466.

Puhač, I.; Hrgović, N.; Stanković, M.; Popović, S. (1963) [Laboratory investigations of the possibility of application of lead nitrates compounds as a raticide means by decreasing reproductive capability of rats]. Acta Vet. (Belgrade) 13: 3-9.

Purdue, L. J.; Enrione, R. E.; Thompson, R. J.; Bonfield, B. A. (1973) Determination of organic and total lead in the atmosphere by atomic absorption spectrometry. Anal. Chem. 45: 527-530.

Purdy, S. E.; Blair, J. A.; Leeming, R. J.; Hilburn, M. E. (1981) Effect of lead on tetrahydrobiopterin synthesis and salvage: a cause of neurological dysfunction. Int. J. Environ. Stud. 17: 141-145.

Purser, D. A.; Berrill, K. R.; Majeed, S. K. (1983) Effects of lead exposure on peripheral nerve in the cynomolgus monkey. Br. J. Ind. Med. 40: 402-412.

Qazi, Q. H.; Go, S. C.; Smithwick, E. M.; Madahar, D. P. (1972) Osmotic resistance of abnormal red cells exposed to lead in vitro. Br. J. Hematol. 23: 631-633.

Qazi, Q. H.; Madahar, C.; Yuceoglu, A. M. (1980) Temporary increase in chromosome breakage in an infant prenatally exposed to lead. Hum. Genet. 53: 201-203.

Quah, R. F.; Stark, A. D.; Meigs, J. W.; DeLouise, E. R. (1982) Children's blood lead levels in New Haven: a population-based demographic profile. Environ. Health Perspect. 44: 159-164.

Quarles, H. D., III; Hanawalt, R. B.; Odum, W. E. (1974) Lead in small mammals, plants, and soil at varying distances from a highway. J. Appl. Ecol. 11: 937-949.

Quarterman, J.; Humphries, W. R.; Morrison, J. N.; Morrison, E. (1980) The influence of dietary amino acids on lead absorption. Environ. Res. 23: 54-67.

Quarterman, J.; Morrison, E. (1978) The effect of age on the absorption and excretion of lead. Environ. Res. 17: 78-83.

Quarterman, J.; Morrison, E. (1981) Milk and heavy metal absorption. Proc. Nutr. Soc. Engl. Scot. 40: 25A.

Quarterman, J.; Morrison, E.; Morrison, J. N.; Humphries, W. R. (1978) Dietary protein and lead retention. Environ. Res. 17: 68-77.

Quarterman, J.; Morrison, J. N. (1975) The effects of dietary calcium and phosphorus on the retention and excretion of lead in rats. Br. J. Nutr. 34: 351-362.

Quarterman, J.; Morrison, J. N.; Carey, L. F. (1973) The influence of dietary calcium and phosphate on lead metabolism. In: Hemphill, D. D., ed. Trace substances in environmental health - VII: [proceedings of University of Missouri's 7th annual conference on trace substances in environment health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 347-352.

Quarterman, J.; Morrison, J. N.; Humphries, W. R. (1978) The influence of high dietary calcium and phosphate on lead uptake and release. Environ. Res. 17: 60-67.

Quarterman, J.; Morrison, J. N.; Morrison, E. (1977) Changes in water intake, urine production and salt metabolism in lead-poisoned sheep. Proc. Nutr. Soc. 36: 102A.

Que Hee, S. S.; Finelli, V. N.; Fricke, F. L.; Wolnik, K. A. (1982) Metal content of stack emissions, coal and fly ash from some eastern and western power plants in the U.S.A. as obtained by ICP-AES. Int. J. Environ. Anal. Chem. 13: 1-18.

Que Hee, S. S.; Peace, B.; Clark, C. S.; Boyle, J. R.; Bornschein, R. L.; Hammond, P. B. (1985) Evolution of efficient methods to sample lead sources, such as house dust and hand dust, in the homes of children. In: Bornschein, R. L.; Rabinowitz, M. B., eds. The second international conference on prospective studies of lead; April 1984; Cincinnati, OH. Environ. Res. 38: 77-95.

Quinn, M. J. (1983) Factors affecting blood lead concentrations in the UK. In: International conference: heavy metals in the environment; September; Heidelberg, West Germany. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 294-297.

Qureshi, S. A.; Saksena, A. B.; Singh, V. P. (1980) Acute toxicity of four heavy metals to benthic fish food organisms from the River Khan, Ujjain. Int. J. Environ. Stud. 15: 59-61.

Rabe, A.; French, J. H.; Fersko, R.; Sinha, B. (1983) Effects of early exposure to lead on behavior of preweaning rats. Teratology 27: 70A.

Rabe, A.; French, J. H.; Sinha, B.; Fersko, R. (1985) Functional consequences of prenatal exposure to lead in immature rats. Neurotoxicology 6: 43-54.

Rabinowitz, M. (1984) Effects of tap water lead, water hardness, alcohol, and cigarettes on blood lead concentrations. J. Epidemiol. Comm. Health 38: 348.

Rabinowitz, M. B. (1974) Lead contamination of the biosphere by human activity: a stable isotope study [dissertation]. Los Angeles, CA: University of California, Los Angeles. Available from: University Microfilms, Ann Arbor, MI: publication no. 74-21,115.

Rabinowitz, M. B.; Kopple, J. D.; Wetherill, G. W. (1980) Effect of food intake and fasting on gastrointestinal lead absorption in humans. Am. J. Clin. Nutr. 33: 1784-1788.

Rabinowitz, M.; Leviton, A.; Bellinger, D. (1985) Home refinishing, lead paint, and infant blood lead levels. Am. J. Public Health 75: 403-404.

Rabinowitz, M.; Leviton, A.; Needleman, H. (1984) Variability of blood lead concentrations during infancy. Arch. Environ. Health 39: 74-77.

Rabinowitz, M. B.; Leviton, A.; Needleman, H. L. (1985) Lead in milk and infant blood, a dose-response model. Arch. Environ. Health: in press.

Rabinowitz, M.; Leviton, A.; Needleman, H.; Bellinger, D.; Waternaux, C. (1985) Environmental correlates of infant blood lead levels in Boston. In: Bornschein, R. L.; Rabinowitz, M. B., eds. The second international conference on prospective studies of lead; April 1984; Cincinnati, OH. Environ. Res. 38: 96-107.

Rabinowitz, M. B.; Needleman, H. L. (1982) Temporal trends in the lead concentrations of umbilical cord blood. Science (Washington, DC) 216: 1429-1431.

Rabinowitz, M.; Needleman, H. L. (1983) Petrol lead sales and umbilical cord blood lead levels in Boston, Massachusetts [letter]. Lancet (8314/5): 63.

Rabinowitz, M. B.; Needleman, H. L. (1984) Environmental, demographic, and medical factors related to cord blood lead levels. Biol. Trace Elem. Res. 6: 57-67.

Rabinowitz, M.; Needleman, H.; Burley, M.; Finch, H.; Rees, J. (1984) Lead in umbilical blood, indoor air, tap water, and gasoline in Boston. Arch. Environ. Health 39: 299-301.

Rabinowitz, M. B.; Wetherill, G. W. (1972) Identifying sources of lead contamination by stable isotope techniques. Environ. Sci. Technol. 6: 705-709.

Rabinowitz, M. B.; Wetherill, G. W.; Kopple, J. D. (1973) Lead metabolism in the normal human: stable isotope studies. Science (Washington, DC) 182: 725-727.

Rabinowitz, M. B.; Wetherill, G. W.; Kopple, J. D. (1976) Kinetic analysis of lead metabolism in healthy humans. J. Clin. Invest. 58: 260-270.

Rabinowitz, M. B.; Wetherill, G. W.; Kopple, J. D. (1977) Magnitude of lead intake from respiration by normal man. J. Lab. Clin. Med. 90: 238-248.

Rabinowitz, M.; Wetherill, G.; Kopple, J. (1976) Delayed appearance of tracer lead in facial hair. Arch. Environ. Health 31: 220-223.

Rachlin, J. W.; Jensen, T. E.; Baxter, M.; Jani, V. (1982) Utilization of morphometric analysis in evaluating response of Plectonema boryanum (Cyanophyceae) to exposure to eight heavy metals. Arch. Environ. Contam. Toxicol. 11: 323-333.

Rachlin, J. W.; Jensen, T. E.; Warkentine, B. (1982) The growth response of the green alga (Chlorella saccharophila) to selected concentrations of the heavy metals Cd, Cu, Pb, and Zn. In: Hemphill, D. D., ed. Trace substances in environmental health - XVI: [proceedings of University of Missouri's 16th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 145-154.

Rachlin, J. W.; Jensen, T. E.; Warkentine, B. (1983) The growth response of the diatom Navicula incerta to selected concentrations of the metals: cadmium, copper, lead and zinc. Bull. Torrey Bot. Club 110: 217-223.

Rachlin, J. W.; Warkentine, B.; Jensen, T. E. (1983) The response of the marine diatom Nitzschia closterium to selected concentrations of the divalent cations Cd, Cu, Pb and Zn. In: Hemphill, D. D., ed. Trace substances in environmental health - XVII: [proceedings of University of Missouri's 17th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 72-81.

Radding, S. B.; Furst, A. (1980) A review of metals and carcinogenicity. In: Bhatnagar, R. S., ed. Molecular basis of environmental toxicity. Ann Arbor, MI: Ann Arbor Science Publishers, Inc.; pp. 359-372.

Rader, J. I.; Celesk, E. M.; Peeler, J. T.; Mahaffey, K. R. (1981) Comparative toxicity to weanling and adult rats of lead acetate in water. In: Hemphill, D. D., ed. Trace substances in environmental health - XV: [proceedings of University of Missouri's 15th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 131-143.

Rader, J. I.; Peeler, J. T.; Mahaffey, K. R. (1981) Comparative toxicity and tissue distribution of lead acetate in weanling and adult rats. Environ. Health Perspect. 42: 187-195.

Radian Corporation. (1984) Review of proposed EPA ambient lead criteria standard document: final report. Washington, DC: U.S. Department of Energy, Environmental Issues Division; report no. DOE/EP/12086-T5. Available from: NTIS, Springfield, VA; DE84-007885.

Radošević, Z.; Šarić, M.; Beritić, T.; Knežević, J. (1961) The kidney in lead poisoning. Br. J. Ind. Med. 18: 222-230.

Radulescu, I. C.; Dinischiotu, G. T.; Maugsch, C.; Ionescu, C.; Teodorescu-Exarcu, I. (1957) Recherches sur l'atteinte du rein dans le saturnisme industriel par l'étude du clearance de la créatinine et de l'urée [Research on damage to the kidney in industrial lead poisoning through the study of creatinine and urine clearance]. Arch. Mal. Prof. 18: 125-137.

Radziuk, B.; Thomassen, Y.; Van Loon, J. C. (1979) Determination of alkyl lead compounds in air by gas chromatography and atomic absorption spectrometry. Anal. Chim. Acta 105: 255-262.

Rafales, L. S.; Bornschein, R. L.; Michaelson, I. A.; Loch, R. K.; Barker, G. F. (1979) Drug induced activity in lead-exposed mice. Pharmacol. Biochem. Behav. 10: 95-104.

Rafales, L. S.; Greenland, R. D.; Zenick, H.; Goldsmith, M.; Michaelson, I. A. (1981) Responsiveness to d-amphetamine in lead-exposed rats as measured by steady state levels of catecholamines and locomotor activity. Neurobehav. Toxicol. Teratol. 3: 363-367.

Ragaini, R. C.; Ralston, H. R.; Roberts, N. (1977) Environmental trace metal contamination in Kellogg, Idaho, near a lead smelting complex. Environ. Sci. Technol. 11: 773-781.

Ragan, H. A. (1983) The bioavailability of iron, lead and cadmium via gastrointestinal absorption: a review. Sci. Total Environ. 28: 317-326.

Raghavan, S. R. V.; Culver, B. D.; Gonick, H. C. (1979) Erythrocyte lead-binding protein: relationship to blood lead levels and toxicity. Clin. Res. 27: 49A.

Raghavan, S. R. V.; Culver, B. D.; Gonick, H. C. (1980) Erythrocyte lead-binding protein after occupational exposure. I. Relationship to lead toxicity. Environ. Res. 22: 264-270.

Raghavan, S. R. V.; Culver, B. D.; Gonick, H. C. (1981) Erythrocyte lead-binding protein after occupational exposure. II. Influence on lead inhibition of membrane Na^+, K^+-adenosinetriphosphatase. J. Toxicol. Environ. Health 7: 561-568.

Raghavan, S. R. V.; Gonick, H. C. (1977) Isolation of low-molecular-weight lead-binding protein from human erythrocytes. Proc. Soc. Exp. Biol. Med. 155: 164-167.

Raiten, D. J.; Massaro, T. F.; Zuckerman, C. (1984) Vitamin and trace element assessment of autistic and learning disabled children. Nutr. Behav. 2:9-17.

Rajegowda, B. K.; Glass, L.; Evans, H. E. (1972) Lead concentrations in the newborn infant. J. Pediatr. (St. Louis) 80: 116-118.

Ramakrishna, R. S.; Ponnampalam, M.; Brooks, R. R.; Ryan, D. E. (1982) Blood lead levels in Sri Lankan families recovering gold and silver from jewellers' waste. Arch. Environ. Health 37: 118-120.

Rambousek. (1909/10) Beitrag zur Pathologie des Stoffwechsels und des Blutes bei chronischer Bleivergiftung [Contribution to the chronic lead poisoning pathology of the metabolism and of the blood]. Z. Exp. Pathol. Ther. 7: 686-692.

Rameau, J. T. L. B. (1973) Lead as an environmental pollutant. In: Barth, D.; Berlin, A.; Engel, R.; Recht, P.; Smeets, J., eds. Environmental health aspects of lead: proceedings, international symposium; October 1972; Amsterdam, The Netherlands. Luxembourg: Commission of the European Communities, Center for Information and Documentation; pp. 189-197.

Ramel, C. (1973) The effect of metal compounds on chromosome segregation. Mutat. Res. 21: 45-46.

Ramirez-Cervantes, B.; Embree, J. W.; Hine, C. H.; Nelson, K. W.; Varner, M. O.; Putnam, R. D. (1978) Health assessment of employees with different body burdens of lead. J. Occup. Med. 20: 610-617.

Rana, S. V. S.; Kumar, A. (1977) Some observations on the intake of inorganic lead and animal growth. Bull. Environ. Contam. Toxicol. 17: 759-763.

Rantanen, J. (1983) Community and occupational studies of lung cancer and polycyclic organic matter. Environ. Health Perspect. 47: 325-332.

Rao, D. S.; Saxena, A. B. (1981) Acute toxicity of mercury, zinc, lead, cadmium, manganese to the Chironomus sp. Int. J. Environ. Stud. 16: 225-226.

Rapin, F.; Nembrini, G. P.; Förstner, U.; Garcia, J. I. (1983) Heavy metals in marine sediment phases determined by sequential chemical extraction and their interaction with interstitial water. Environ. Technol. Lett. 4: 387-396.

Raspor, B.; Nürnberg, H. W.; Valenta, P.; Branica, M. (1984) Studies in seawater and lake water on interactions of trace metals with humic substances isolated from marine and estuarine sediments: II. voltammetric investigations on trace metal complex formation in the dissolved phase. Mar. Chem. 15: 231-249.

Rastogi, S. C.; Clausen, J. (1976) Absorption of lead through the skin. Toxicology 6: 371-376.

Rastogi, S. C.; Clausen, J.; Srivastava, K. C. (1976) Selenium and lead: mutual detoxifying effects. Toxicology 6: 377-388.

Ratcliffe, D.; Beeby, A. (1980) Differential accumulation of lead in living and decaying grass on roadside verges. Environ. Pollut. Ser. A 23: 279-286.

Ratcliffe, D.; Beeby, A. N. (1984) Monitoring roadside lead deposition by sampling vegetation - some problems of interpretation. Sci. Total Environ. 33: 103-112.

Ratcliffe, J. M. (1975) An evaluation of the use of biological indicators in an atmospheric lead survey. Atmos. Environ. 9: 623-629.

Ratcliffe, J. M. (1977) Developmental and behavioural functions in young children with elevated blood lead levels. Br. J. Prev. Soc. Med. 31: 258-264.

Ratcliffe, J. M. (1979) Neurological and behavioural toxicology of moderate lead exposure in children. In: International conference: management and control of heavy metals in the environment; September; London, United Kingdom. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 81-84.

Rather, J. A.; Millbank, J. W.; Thornton, I. (1983) Nitrogen fixation by white clover (Trifolium repens) in grasslands on soils contaminated with cadmium, lead and zinc. J. Soil Sci. 34: 127-136.

Rathore, H. S.; Sanghvi, P. K.; Swarup, H. (1979) Toxicity of cadmium chloride and lead nitrate to Chironomus tentans larvae. Environ. Pollut. 18: 173-177.

Rathus, M.; Latham, S.; Golding, G.; Rowan, C. (1982) Blood lead levels in Queensland children. Med. J. Aust. 2: 183-185.

Ray, S. (1978) Bioaccumulation of lead in Atlantic salmon Salmo salar. Bull. Environ. Contam. Toxicol. 19: 631-636.

Ray, S.; Macknight, S. D. (1984) Trace metal distributions in Saint John Harbour sediments. Mar. Pollut. Bull. 15: 12-18.

Ray, S.; McLeese, D. W.; Peterson, M. R. (1981) Accumulation of copper, zinc, cadmium and lead from two contaminated sediments by three marine invertebrates--a laboratory study. Bull. Environ. Contam. Toxicol. 26: 315-322.

Reaves, G. A.; Berrow, M. L. (1984) Total lead concentrations in Scottish soils. Geoderma 32: 1-8.

Reddy, C. N.; Patrick, W. H., Jr. (1977) Effect of redox potential and pH on the uptake of cadmium and lead by rice plants. J. Environ. Qual. 6: 259-262.

Reddy, M. R.; Dunn, S. J. (1983) Heavy metal and micronutrient uptake in soybeans as influenced by sewage sludge amendment. Sci. Total Environ. 30: 85-98.

Reddy, T. P.; Vaidyanath, K. (1978) Synergistic interaction of gamma rays and some metallic salts in the induction of chlorophyll mutations in rice. Mutat. Res. 52: 361-365.

Redfearn, J. (1982) New offensive: lead additives in petrol. Nature (London) 295: 359.

Redig, P. T.; Stowe, C. M.; Barnes, D. M.; Arent, T. D. (1980) Lead toxicosis in raptors. J. Am. Vet. Med. Assoc. 177: 941-943.

Reece, R. M.; Reed, A. J.; Clark, C. S.; Angoff, R.; Casey, K. R.; Challop, R. S.; McCabe, E. A. (1972) Elevated blood lead levels and the in situ analysis of wall paint by X-ray fluorescence. Am. J. Dis. Child. 124: 500-502.

Reel, J. R.; Wolkowski-Tyl, R.; Lawton, A. D.; Lamb, J. C., IV. (1984) Lead acetate (PbAc): reproduction and fertility assessment in CD-1 mice when administered in the drinking water. Research Triangle Park, NC: National Institute of Environmental Health Sciences, National Toxicology Program; NTP-84-108. Available from: NTIS, Springfield, VA; PB84-208016.

Reeves, R. D.; Brooks, R. R. (1983) Hyperaccumulation of lead and zinc by two metallophytes from mining areas of central Europe. Environ. Pollut. Ser. A 31: 277-285.

Refowitz, R. M. (1984) Thyroid function and lead: no clear relationship. J. Occup. Med. 26: 579-583.

Regunathan, S.; Sundaresan, R. (1984) Pyruvate metabolism in the brain of young rats intoxicated with inorganic lead. J. Neurochem. 43: 1346-1351.

Regunathan, S.; Sundaresan, R. (1985) Effects of organic and inorganic lead on synaptosomal uptake, release, and receptor binding of glutamate in young rats. J. Neurochem. 44: 1642-1646.

Rehnlund, S.; Bergfors, P.-G.; Gustavson, K.-H.; Kollberg, H. (1979) Lead concentrations in the blood of children in the vicinity of a sulfide-ore smelting plant. An evaluation of the influence of various sources of lead pollution in the children's environment. Ambio 8: 118-120.

Rehwoldt, R.; Lasko, L.; Shaw, C.; Wirhowski, E. (1973) The acute toxicity of some heavy metal ions toward benthic organisms. Bull. Environ. Contam. Toxicol. 10: 291-294.

Reichenbach, T. (1979) Untersuchungen zur Frage subklinischer neurogener Schädigungen bei Personen mit beruflicher chronischer Exposition gegenüber Blei und gegenüber Trichloräthylen [Investigations on the question of subclinical neurogenic damage in persons with chronic occupational exposure to lead and to trichlorethylene] [dissertation]. Erlangen-Nürnberg, West Germany: Friedrich Alexander Universität.

Reichert, W. L.; Federighi, D. A.; Malins, D. C. (1979) Uptake and metabolism of lead and cadmium in coho salmon Oncorhynchus kisutch. Comp. Biochem. Physiol. 63C: 229-234.

Reichlmayr-Lais, A. M.; Kirchgessner, M. (1981) Zur Essentialität von Blei für das tierische Wachstum [Why lead is essential for animal growth]. Z. Tierphysiol. Tierernaehr. Futtermittelkd. 46: 1-8.

Reichlmayr-Lais, A. M.; Kirchgessner, M. (1981) Eisen-, Kupfer- und Zinkgehalte in Neugeborenen sowie in Leber und Milz wachsender Ratten bei alimentärem Blei-Mangel [Iron, copper and zinc contents in newborns as well as in the liver and spleen of growing rats in the case of alimentary lead deficiency]. Z. Tierphysiol. Tierernaehr. Futtermittelkd. 46: 8-14.

Reichlmayr-Lais, A. M.; Kirchgessner, M. (1981) Aktivitäts-Veränderungen verschiedener Enzyme im alimentären Blei-Mangel [Activity changes of different enzymes in alimentary lead deficiency]. Z. Tierphysiol. Tierernaehr. Futtermittelkd. 46: 145-150.

Reichlmayr-Lais, A. M.; Kirchgessner, M. (1981) Katalase- und Coeruloplasmin-activität im Blut bzw. Serum von Ratten im Blei-Mangel [Catalase and ceruloplasmin activity in the blood and serum of rats with lead deficiency]. Zentralbl. Veterinaermed. Reihe A 28: 410-414.

Reichlmayr-Lais, A. M.; Kirchgessner, M. (1981) Depletionsstudien zur Essentialität von Blei an wachsenden Ratten [Depletion studies on the essentiality of lead in growing rats]. Arch. Tierenaehr. 31: 731-737.

Reichlmayr-Lais, A. M.; Kirchgessner, M. (1981) Hämatologische Veränderungen bei alimentärem Bleimangel [Hematological changes with alimentary lead deficiency]. Ann. Nutr. Metab. 25: 281-288.

Reif, M. C.; Constantiner, A.; Levitt, M. F. (1981) Chronic gouty nephropathy: a vanishing syndrome? N. Engl. J. Med. 304: 535-536.

Reigart, J. R.; Graber, C. D. (1976) Evaluation of the humoral immune response of children with low level lead exposure. Bull. Environ. Contam. Toxicol. 16: 112-117.

Reigart, J. R.; Whitlock, N. H. (1976) Longitudinal observations of the relationship between free erythrocyte porphyrins and whole blood lead. Pediatrics 57: 54-59.

Reisinger, K.; Stoeppler, M.; Nürnberg, H. W. (1981) Evidence for the absence of biological methylation of lead in the environment. Nature (London) 291: 228-230.

Reiter, E. R.; Henmi, T.; Katen, P. C. (1977) Modeling atmospheric transport. In: Boggess, W. R., ed. Lead in the environment. Washington, DC: National Science Foundation; pp. 73-92; NSF report no. NSF/RA-770214. Available from: NTIS, Springfield, VA; PB-278278.

Reiter, L. W. (1982) Age-related effects of chemicals on the central nervous system. In: Hunt, V. R.; Smith, M. K.; Worth, D. Environmental factors in human growth and development. Cold Spring Harbor, NY: Cold Spring Harbor Laboratory; pp. 245-267. (Banbury report 11).

Reiter, L. W.; Anderson, G. E.; Laskey, J. W.; Cahill, D. F. (1975) Developmental and behavioral changes in the rat during chronic exposure to lead. Environ. Health Perspect. 12: 119-123.

Reiter, L. W.; Ash, M. E. (1976) Neurotoxicity during lead exposure in the rat. Toxicol. Appl. Pharmacol. 37: 160.

Reiter, L. W.; MacPhail, R. C. (1982) Factors influencing motor activity measurements in neurotoxicology. In: Mitchell, C. L., ed. Nervous system toxicology. New York, NY: Raven Press; pp. 45-65. (Dixon, R. L., ed. Target organ toxicology series).

Rendall, R. E. G.; Baily, P.; Soskolne, C. L. (1975) The effect of particle size on absorption of inhaled lead. Am. Ind. Hyg. Assoc. J. 36: 207-213.

Renwick, W. H.; Edenborn, H. M. (1983) Metal and bacterial contamination in New Jersey estuarine sediments. Environ. Pollut. Ser. B 5: 175-185.

Repko, J. D.; Corum, C. R. (1979) Critical review and evaluation of the neurological and behavioral sequelae of inorganic lead absorption. CRC Crit. Rev. Toxicol. 6: 135-187.

Repko, J. D.; Corum, C. R.; Jones, P. D.; Garcia, L. S., Jr. (1978) The effects of inorganic lead on behavioral and neurologic function. Cincinnati, OH: U.S. Department of Health, Education, and Welfare, National Institute for Occupational Safety and Health; DHEW (NIOSH) publication no. 78-128; 92 p.

Reuter, J. H.; Perdue, E. M. (1977) Importance of heavy metal-organic matter interactions in natural waters. Geochim. Cosmochim. Acta 41: 325-334.

Revis, N. W.; Major, T. C.; Horton, C. Y. (1980) The effects of calcium, magnesium, lead, or cadmium on lipoprotein metabolism and atherosclerosis in the pigeon. J. Environ. Pathol. Toxicol. 4: 293-303.

Revis, N. W.; Schmoyer, R. L.; Bull, R. (1982) The relationship of minerals commonly found in drinking water to atherosclerosis and hypertension in pigeons. J. Am. Water Works Assoc. 74: 656-659.

Revis, N. W.; Zinsmeister, A. R.; Bull, R. (1981) Atherosclerosis and hypertension induction by lead and cadmium ions: an effect prevented by calcium ion. Proc. Natl. Acad. Sci. U.S.A. 78: 6494-6498.

Rexnord, Inc. (1981) Proceedings of the symposium on occupational health hazard control technology in the foundry and secondary non-ferrous smelting industries; December 1979; Chicago, IL. Washington, DC: U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health; DHHS (NIOSH) publication no. 81-114. Available from: NTIS, Springfield, VA; PB81-167710.

Reyners, H., Gianfelici de Reyners, E.; Maisin, J. R. (1979) An ultrastructural study of the effects of lead in the central nervous system of the rat. In: International conference: management and control of heavy metals in the environment; September; London, United Kingdom. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 58-61.

Reyners, H.; Gianfelici de Reyners, E.; Maisin, J. R.; Winneke, G.; Csicsaky, M. (1983) Effects of a combined Pb and CO intoxication on the brain ultrastructure of the rat. In: International conference: heavy metals in the environment; September; Heidelberg, West Germany. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 904-906.

Reyners, H.; Gianfelici de Reyners, E.; Tachon, P.; Laschi, A.; Maisin, J. R. (1980) Lead encephalopathy in the adult monkey: an ultrastructural approach. In: Abstracts of the second international congress on toxicology: mechanisms of toxicity and hazard evaluation; July; Brussels, Belgium. Toxicol. Lett. Spec. Iss. 1: 76.

Reyners, H.; Gianfelici de Reyners, E.; Van Der Parren, J.; Maisin, J. R. (1978) Evolution de equilibre des populations gliales dans le cortex cérébral du rat intoxiqué au plomb [Evolution of the equilibrium of the glial population in the cerebral cortex of the lead-intoxicated rat]. C. R. Seances Soc. Biol. Ses Fil. 172: 998-1002.

Reynolds, P. P., Knapp, M. J.; Baraf, H. S. B.; Holmes, E. W. (1983) Moonshine and lead: relationship to the pathogenesis of hyperuricemia in gout. Arthritis Rheum. 26: 1057-1064.

Rhoads, K.; Sanders, C. L. (1985) Lung clearance, translocation, and acute toxicity of arsenic, beryllium, cadmium, cobalt, lead, selenium, vanadium, and ytterbium oxides following deposition in rat lung. Environ. Res. 36: 359-378.

Rhode, S. F.; Weber, J. H. (1984) Aqueous methylation of lead(II) ion by a dimethylcobalt(III) macrocyclic complex. Environ. Technol. Lett. 5: 63-68.

Rhodes, R. C.; Fair, D. H.; Frazer, J. E.; Long, S. J.; Loseke, W. A.; Wheeler, V. A.; Walling, J. F. (1978) Air quality data for metals 1975 from the National Air Surveillance Networks. Research Triangle Park, NC: U.S. Environmental Protection Agency, Environmental Monitoring and Support Laboratory; EPA report no. EPA-600/4-78-059. Available from: NTIS, Springfield, VA; PB-293106.

Rhodes, R. C.; Fair, D. H.; Frazer, J. E.; Long, S. J.; Loseke, W. A.; Wheeler, V. A.; Walling, J. F. (1979) Air quality data for metals 1976 from the National Air Surveillance Networks. Research Triangle Park, NC: U.S. Environmental Protection Agency, Environmental Monitoring and Support Laboratory; EPA report no. EPA 600/4-79-054. Available from: NTIS, Springfield, VA; PB80-147432.

Ribarov, S. R.; Benov, L. C.; Benchev, I. C. (1981) The effect of lead on hemoglobin-catalyzed lipid peroxidation. Biochim. Biophys. Acta 664: 453-459.

Rica, C. C.; Kirkbright, G. F. (1982) Determination of trace concentrations of lead and nickel in human milk by electrothermal atomisation atomic absorption spectrophotometry and inductively-coupled plasma emission spectroscopy. Sci. Total Environ. 22: 193-201.

Rice, C.; Fischbein, A.; Lilis, R.; Sarkozi, L.; Kon, S.; Selikoff, I. J. (1978) Lead contamination in the homes of employees of secondary lead smelters. Environ. Res. 15: 375-380.

Rice, D. C. (1983) Central Nervous effects of perinatal exposure to lead or methylmercury in the monkey. In: Clarkson, T. W.; Nordberg, G. F.; Sager, P. R., eds. Reproductive and developmental toxicity of metals [proceedings of a joint meeting; May 1982; Rochester, NY]. New York, NY: Plenum Press; pp. 517-539.

Rice, D. C. (1984) Behavioral deficit (delayed matching to sample) in monkeys exposed from birth to low levels of lead. Toxicol. Appl. Pharmacol. 75: 337-345.

Rice, D. C. (1985) Chronic low-lead exposure from birth produces deficits in discrimination reversal in monkeys. Toxicol. Appl. Pharmacol. 77: 201-210.

Rice, D. C. (1985) Effect of lead on schedule-controlled behavior in monkeys. In: Behavior pharmacology: the current status. New York, NY: Alan R. Liss, Inc., pp. 473-486.

Rice, D. C.; Gilbert, S. G. (1985) Low-level lead exposure from birth produces behavioral toxicity (DRL) in monkeys. Toxicol. Appl. Pharmacol. 80: 421-426.

Rice, D. C.; Gilbert, S. G.; Willes, R. F. (1979) Neonatal low-level lead exposure in monkeys: locomotor activity, schedule-controlled behavior, and the effects of amphetamine. Toxicol. Appl. Pharmacol. 51: 503-513.

Rice, D. C.; Willes, R. F. (1979) Neonatal low-level lead exposure in monkeys (*Macaca fascicularis*): effect on two-choice non-spatial form discrimination. J. Environ. Pathol. Toxicol. 2: 1195-1203.

Richards, W. N.; Moore, M. R. (1984) Lead hazard controlled in Scottish water systems. J. Am. Water Works Assoc. 76: 60-67.

Richet, G.; Albahary, C.; Ardaillou, R.; Sultan, C.; Morel-Maroger, A. (1964) Le rein du saturnisme chronique [The kidney in chronic lead poisoning]. Rev. Fr. Etud. Clin. Biol. 9: 188-196.

Richet, G.; Albahary, C.; Morel-Maroger, L.; Guillaume, P.; Galle, P. (1966) Les altérations rénales dans 23 cas de saturnisme professionnel [Renal changes in 23 cases of occupational lead poisoning]. Bull. Mem. Soc. Med. Hop. Paris 117: 441-466.

Richet, G.; Mignon, F.; Ardaillou, R. (1965) Goutte secondaire des néphropathies chroniques [Gout secondary to chronic nephropathy]. Presse Med. 73: 633-638.

Richter, E. D.; Neiman, S.; Yaffe, Y.; Gruener, N. (1980) Lead exposure: effects in Israel. Isr. J. Med. Sci. 16: 89-95.

Richter, E. D.; Yaffe, Y.; Gruener, N. (1979) Air and blood lead levels in a battery factory. Environ. Res. 20: 87-98.

Richter, G. W.; Velasquez, M. J.; Shedd, R. (1979) Ferritin in rat kidneys with specific lesions due to a single dose of lead. Am. J. Pathol. 94: 483-495.

Rickard, D. G.; Dulley, M. E. R. (1983) The levels of some heavy metals and chlorinated hydrocarbons in fish from the tidal Thames. Environ. Pollut. Ser. B 5: 101-119.

Rickard, D. T.; Nriagu, J. O. (1978) Aqueous environmental chemistry of lead. In: Nriagu, J. O., ed. The biogeochemistry of lead in the environment; part A. ecological cycles. Amsterdam, The Netherlands: Elsevier/North-Holland Biomedical Press; pp. 219-284. (Topics in environmental health: v. 1A).

Ridgway, L. P.; Karnofsky, D. A. (1952) The effects of metals on the chick embryo: toxicity and production of abnormalities in development. Ann. N. Y. Acad. Sci. 55: 203-215.

Rieke, F. E. (1969) Lead intoxication in shipbuilding and shipscrapping 1941 to 1968. Arch. Environ. Health 19: 521-539.

Riley, J. P.; Towner, J. V. (1984) The distribution of alkyl lead species in the Mersey Estuary. Mar. Pollut. Bull. 15: 153-158.

Rimland, B.; Larson, G. E. (1983) Hair mineral analysis and behavior: an analysis of 51 studies. J. Learn. Dis. 16: 279-285.

Rinne, R. J. K.; Barclay-Estrup, P. (1980) Heavy metals in a feather moss, Pleurozium schreberi, and in soils in NW Ontario, Canada. Oikos 34: 59-67.

Rippe, D. F.; Berry, L. J. (1973) Metabolic manifestations of lead acetate sensitization to endotoxin in mice. J. Reticuloendothel. Soc. 13: 527-535.

Rippey, B. (1982) Sediment-water interactions of Cu, Zn and Pb discharged from a domestic Pollut. Ser. B 3: 199-214.

Rippey, B.; Murphy, R. J.; Kyle, S. W. (1982) Anthropogenically derived changes in the sedimentary flux of Mg, Cr, Ni, Cu, Zn, Hg, Pb, and P in Lough Neagh, Northern Ireland. Environ. Sci. Technol. 16: 23-30.

Ritter, C. J.; Rinefierd, S. M. (1983) Natural background and pollution levels of some heavy metals in soils from the area of Dayton, Ohio. Environ. Geol. 5: 73-78.

Rius, R. A.; Lucchi, L.; Govoni, S.; Trabucchi, M. (1984) In vivo chronic lead exposure alters [^{3}H] nitrendipine binding in rat striatum. Brain Res. 322: 180-183.

Rizescu, M.; Colonas, F.; Rozescu, F. (1979) Examenul citologic al cavitatii bucale la muncitorii expusi la plumb si acizi minerali [Cytological examination of the buccal cavity in workers exposed to lead and mineral acids]. Rev. Ig. Bacteriol. Virusol. Parazitol. Epidemiol. Pneumoftiziol. Ig. 28: 363-366.

Rizzo, G.; Ceccarelli, S. (1982) Esposizione a rischio saturnino in una fonderia di metalli: dati di un'indagine elettroneuromiografica [Exposure to lead in a metals foundry: data from an electroneuromographical study]. G. Ital. Med. Lav. 4: 231-234.

Robberecht, H.; Deelstra, H.; Berghe, D. V.; Van Grieken, R. (1983) Metal pollution and selenium distributions in soils and grass near non-ferrous plant. Sci. Total Environ. 29: 229-241.

Robberecht, H.; Van Grieken, R. (1983) Determination of trace selenium in biological material by preconcentration and X-ray emission spectrometry. Anal. Chim. Acta 147: 113-121.

Robbins, J. A.; Snitz, F. L. (1972) Bromine and chlorine loss from lead halide automobile exhaust particulates. Environ. Sci. Technol. 6: 164-169.

Robbins, J. M.; Cullen, M. R.; Conners, B. B.; Kayne, R. D. (1983) Depressed thyroid indexes associated with occupational exposure to inorganic lead. Arch. Intern. Med. 143: 220-224.

Robel, R. J.; Howard, C. A.; Udevitz, M. S.; Curnutte, B., Jr. (1981) Lead contamination in vegetation, cattle dung, and dung beetles near an interstate highway, Kansas. Environ. Entomol. 10: 262-263.

Roberts, R. D.; Johnson, M. S.; Hutton, M. (1978) Lead contamination of small mammals from abandoned metalliferous mines. Environ. Pollut. 15: 61-69.

Roberts, T. M. (1975) A review of some biological effects of lead emissions from primary and secondary smelters. In: Hutchinson, T. C.; Epstein, S.; Page, A. L.; Van Loon, J.; Davey, T., eds. International conference on heavy metals in the environment: symposium proceedings, vol. 2, part 2; October; Toronto, ON, Canada. Toronto, ON, Canada: University of Toronto, Institute for Environmental Studies; pp. 503-532.

Roberts, T. M.; Hutchinson, T. C.; Paciga, J.; Chattopadhyay, A.; Jervis, R. E.; VanLoon, J.; Parkinson, D. K. (1974) Lead contamination around secondary smelters: estimation of dispersal and accumulation by humans. Science (Washington, DC) 186: 1120-1123.

Robinson, E.; Ludwig, F. L. (1964) Size distributions of atmospheric lead aerosols. Menlo Park, CA: Stanford Research Institute; SRI project no. PA-4788. New York, NY: International Lead Zinc Research Organization.

Robinson, E.; Robbins, R. C. (1971) Emissions, concentrations, and fate of particulate atmospheric pollutants. Final report. Washington, DC: American Petroleum Institute; API publication no. 4076.

Robinson, J. (1981) Lead in Greenland snow. Ecotoxicol. Environ. Saf. 5: 24-37.

Robinson, M. J.; Karpinski, F. E., Jr.; Brieger, H. (1958) The concentration of lead in plasma, whole blood and erythroctyes of infants and children. Pediatrics 21: 793-796.

Robinson, R. O. (1978) Tetraethyl lead poisoning from gasoline sniffing. J. Am. Med. Assoc. 240: 1373-1374.

Robinson, S. H.; Cantoni, O.; Costa, M. (1984) Analysis of metal-induced DNA lesions and DNA-repair replication in mammalian cells. Mutat. Res. 131: 173-181.

Robinson, T. R. (1974) Delta-aminolevulinic acid and lead in urine of lead antiknock workers. Arch. Environ. Health 28: 133-138.

Robinson, T. R. (1976) The health of long service tetraethyl lead workers. J. Occup. Med. 18: 31-40.

Robson, C. D.; Foster, K. E. (1962) Evaluation of air particulate sampling equipment. Am. Ind. Hyg. Assoc. J. 23: 404-410.

Rockway, S. W.; Weber, C. W.; Lei, K. Y.; Kemberling, S. R. (1984) Lead concentrations of milk, blood, and hair in lactating women. Int. Arch. Occup. Environ. Health 53: 181-187.

Röderer, G. (1979) Inhibition of mitosis and cytokinesis of Poterioochromonas malhamensis by triethyl lead and diethyl lead. Evidence for antimicrotubular activity. Eur. J. Cell Biol. 20: 134.

Röderer, G. (1980) On the toxic effects of tetraethyl lead and its derivatives on the chrysophyte Poterioochromonas malhamensis; I. tetraethyl lead. Environ. Res. 23: 371-384.

Röderer, G. (1981) On the toxic effects of tetraethyl lead and its derivatives on the chrysophyte Poterioochromonas malhamensis; II. triethyl lead, diethyl lead, and inorganic lead. Environ. Res. 25: 361-371.

Röderer, G. (1982) Biological effects of inorganic and organic compounds of mercury, lead, tin, and arsenic. In: Hemphill, D. D., eds. Trace substances in environmental health - XVI: [proceedings of University of Missouri's 16th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 137-144.

Röderer, G. (1983) On the toxic effects of tetraethyl lead and its derivatives on the chrysophyte Poterioochromonas malhamensis; IV. Influence of lead antidotes and related agents. Chem. Biol. Interact. 46: 247-254.

Röderer, G. (1983) Trimethyl lead toxicity in the freshwater algae Euglena gracilis and Poterioochromonas malhamensis; In: International conference: heavy metals in the environment; September; Heidelberg, West Germany. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 362-365.

Röderer, G. (1984) On the toxic effects of tetraethyl lead and its derivatives on the chrysophyte Poterioochromonas malhamensis; V. electron microscopical studies. Environ. Exp. Bot. 24: 17-30.

Röderer, G.; Doenges, K. H. (1983) Influence of trimethyl lead and inorganic lead on the in vitro assembly of microtubules from mammalian brain. Neurotoxicology 4: 171-180.

Röderer, G.; Doenges, K. H.; Zimmermann, H.-P. (1984) Ultrastructural aspects of the neurotoxic action of alkyl lead compounds. Naunyn-Schmiedebergs Arch. Pharmacol. 325: R26.

Rodier, P. M. (1983) Critical processes in CNS development and the pathogenesis of early injuries. In: Clarkson, T. W.; Nordberg, G. F.; Sager, P. R., eds. Reproductive and developmental toxicity of metals [proceedings of a joint meeting; May 1982; Rochester, NY]. New York, NY: Plenum Press; pp. 455-471.

Rodier, P. M. (1983) Effects of metals: the developing central nervous system. In: Clarkson, T. W.; Nordberg, G. F.; Sager, P. R., eds. Reproductive and developmental toxicity of metals [proceedings of a joint meeting; May 1982; Rochester, NY]. New York, NY: Plenum Press; pp. 127-149.

Rodolfo-Sioson, S. A.; Ahrens, F. A. (1980) The effects of lead on collagen biosynthesis in neonatal rats. Res. Commun. Chem. Pathol. Pharmacol. 29: 317-328.

Rodríguez-Flores, M.; Rodríguez-Castellón, E. (1982) Lead and cadmium levels in soil and plants near highways and their correlation with traffic density. Environ. Pollut. Ser. B 4: 281-290.

Roels, H. A.; Balis-Jacques, M. N.; Buchet, J.-P.; Lauwerys, R. R. (1979) The influence of sex and of chelation therapy on erythrocyte protoporphyrin and urinary δ-aminolevulinic acid in lead-exposed workers. J. Occup. Med. 21: 527-539.

Roels, H.; Bernard, A.; Buchet, J.-P.; Lauwerys, R.; Masson, P. (1978) Urinary excretion of β_2-microglobulin and other proteins in workers exposed to cadmium, lead or mercury. Path. Biol. 26: 329-331.

Roels, H.; Bernard, A.; Buchet, J.-P.; Lauwerys, R.; Masson, P.; Seminck, T. (1978) Response of β_2-microglobulin and other proteins in workers exposed to cadmium, lead or mercury. Cah. Med. Trav. 15: 78-92.

Roels, H. A.; Buchet, J.-P.; Bernard, A.; Hubermont, G.; Lauwerys, R. R.; Masson, P. (1978) Investigations of factors influencing exposure and response to lead, mercury, and cadmium in man and in animals. Environ. Health Perspect. 25: 91-96.

Roels, H. A.; Buchet, J.-P.; Lauwerys, R. R.; Bruaux, P.; Claeys-Thoreau, F.; Lafontaine, A.; Verduyn, G. (1980) Exposure to lead by the oral and the pulmonary routes of children living in the vicinity of a primary lead smelter. Environ. Res. 22: 81-94.

Roels, H. A.; Buchet, J.-P.; Lauwerys, R.; Bruaux, P.; Claeys-Thoreau, F.; Lafontaine, A.; van Overschelde, J.; Verduyn, G. (1978) Lead and cadmium absorption among children near a nonferrous metal plant: a follow-up study of a test case. Environ. Res. 15: 290-308.

Roels, H. A.; Buchet, J.-P.; Lauwerys, R.; Hubermont, G.; Bruaux, P. (1975) Response of heme biosynthetic pathway parameters in men, women, and children moderately exposed to lead. In: Hutchinson, T. C.; Epstein, S.; Page, A. L.; Van Loon, J.; Davey, T., eds. International conference on heavy metals in the environment: symposium proceedings, vol. 3; October; Toronto, ON, Canada. Toronto, ON, Canada: University of Toronto, Institute for Environmental Studies; pp. 105-124.

Roels, H.; Buchet, J.-P.; Lauwerys, R.; Hubermont, G.; Bruaux, P.; Claeys-Thoreau, F.; Lafontaine, A.; Van Overschelde, J. (1976) Impact of air pollution by lead on the heme biosynthetic pathway in school-age children. Arch. Environ. Health 31: 310-316.

Roels, H. A.; Buchet, J.-P.; Lauwerys, R. R.; Sonnet, J. (1975) Comparison of in vivo effect of inorganic lead and cadmium on glutathione reductase system and δ-aminolevulinate dehydratase in human erythrocytes. Br. J. Ind. Med. 32: 181-192.

Roels, H.; Hubermont, G.; Buchet, J.-P.; Lauwerys, R. (1978) Placental transfer of lead, mercury, cadmium, and carbon monoxide in women: III. factors influencing the accumulation of heavy metals in the placenta and the relationship between metal concentration in the placenta and in maternal and cord blood. Environ. Res. 16: 236-247.

Roels, H.; Lauwerys, R.; Buchet, J.-P.; Berlin, A.; Smeets, J. (1974) Comparison of four methods for determination of δ-aminolevulinic acid in urine, and evaluation of clinical factors. Clin. Chem. (Winston-Salem, NC) 20: 753-760.

Roels, H.; Lauwerys, R.; Buchet, J.-P.; Hubermont, G. (1977) Effects of lead on lactating rats and their sucklings. Toxicology 8: 107-113.

Roels, H. A.; Lauwerys, R. R.; Buchet, J.-P.; Vrelust, M.-T. (1975) Response of free erythrocyte porphyrin and urinary-δ-aminolevulinic acid in men and women moderately exposed to lead. Int. Arch. Arbeitsmed. 34: 97-108.

Rohbock, E. (1979) Measurements of the gaseous organic lead portion in urban air. In: International conference: management and control of heavy metals in the environment; September; London, United Kingdom. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 386-389.

Rohbock, E. (1981) The effect of airborne heavy metals on automobile passengers in Germany. Environ. Int. 5: 133-139.

Rohbock, E.; Georgii, H.-W.; Müller, J. (1980) Measurements of gaseous lead alkyls in polluted atmospheres. Atmos. Environ. 14: 89-98.

Rohbock, E.; Schmitt, G. (1981) Vergleich des Aromaten- und Bleigehaltes europäischer Benzine [Comparison of the aromatic and lead content of European petrols]. Environ. Technol. Lett. 2: 263-270.

Rohn, R. D.; Hill, J. R.; Shelton, J. E. (1982) Somatomedin activity before and after chelation therapy in lead-intoxicated children. Arch. Environ. Health 37: 369-373.

Rolfe, G. L. (1973) Lead uptake by selected tree seedlings. J. Environ. Qual. 2: 153-157.

Rolfe, G. L. (1974) Lead distribution in tree rings. For. Sci. 20: 283-286.

Rolfe, G. L.; Haney, A. (1975) An ecosystem analysis of environmental contamination by lead. Washington, DC: National Science Foundation. Available from: NTIS, Springfield, VA; PB-248593.

Rolfe, G. L.; Haney, A.; Reinbold, K. A. (1977) Environmental contamination by lead and other heavy metals. vol. II: Ecosystem analysis. Urbana-Champaign, IL: University of Illinois, Institute for Environmental Studies. (Final report: National Science Foundation RANN Program).

Rolfe, G. L.; Jennett, J. C. (1975) Environmental lead distribution in relation to automobile and mine and smelter sources. In: Krenkel, P. A., ed. Heavy metals in the aquatic environment: proceedings of the international conference; December 1973; Nashville, TN. New York, NY: Pergamon Press; pp. 231-241.

Rolfe, G. L.; Reinbold, K. A. (1977) Environmental contamination by lead and other heavy metals. vol. 1: Introduction and summary. Urbana-Champaign, IL: University of Illinois, Institute for Environmental Studies. (Final report: National Science Foundation RANN Program).

Rom, W. N. (1976) Effects of lead on the female and reproduction: a review. Mt. Sinai J. Med. 43: 542-552.

Rom, W. N. (1980) Effects of lead on reproduction. In: Infante, P. F.; Legator, M. S., eds. Proceedings of a workshop on methodology for assessing reproductive hazards in the workplace; April 1978; Cincinnati, OH. Washington, DC: U.S. Department of Health and Human Services (NIOSH); pp. 33-42.

Ronneau, C.; Cara, J. (1984) Correlations of element deposition on pastures with analysis of cows' hair. Sci. Total Environ. 39: 135-142.

Roots, L. M. (1979) Tests available for assessing recent exposure to inorganic lead compounds and their use for screening purposes. Sci. Total Environ. 11: 59-68.

Rosas, I.; Báez, A.; Belmont, R. (1983) Oyster (Crassostrea virginica) as indicator of heavy metal pollution in some lagoons of the Gulf of Mexico. Water Air Soil Pollut. 20: 127-135.

Roscoe, D. E.; Nielsen, S. W. (1979) Lead poisoning in mallard ducks Anas platyrhynchos. In: Nielsen, S. W.; Migaki, G.; Scarpelli, D. G., eds. Animals as monitors of environmental pollutants: proceedings of a symposium, 1977; Storrs, CT. Washington, DC: National Academy of Sciences; pp. 165-176.

Rose, D. N.; Cummings, C. E.; Molinaro, J.; Fertig, A. (1982) Screening for lead toxicity among autobody repair workers. Am. J. Ind. Med. 3: 405-412.

Rose, H. E.; Quarterman, J. (1984) Effects of dietary phytic acid on lead and cadmium uptake and depletion in rats. Envion. Res. 35: 482-489.

Rosén, I.; Wildt, K.; Gullberg, B.; Berlin, M. (1983) Neurophysiological effects of lead exposure. Scand. J. Work Environ. Health 9: 431-441.

Rosen, J. F. (1978) Calcitonin (CT) inhibits and parathyroid hormone (PTH) enhances the mobilization of lead-203 (^{203}Pb) in thyroparathyroidectomized (TPTX) rats. Pediatr. Res. 12: 511.

Rosen, J. F. (1978) The effects of glucocorticoids and vitamin A (VA) on lead-203 (^{203}Pb) transport in bone organ culture. Pediatr. Res. 12: 511.

Rosen, J. F. (1978) The metabolism of lead-203 (^{203}Pb) in thyroparathyroidectomized (TPTX) rats after infusions with calcium (Ca) and zinc (Zn). Pediatr. Res. 12: 512.

Rosen, J. F. (1983) The metabolism of lead in isolated bone cell populations: interactions between lead and calcium. Toxicol. Appl. Pharmacol. 71: 101-112.

Rosen, J. F. (1985) Metabolic and cellular effects of lead: a guide to low level lead toxicity in children. In: Mahaffey, K. R., ed. Dietary and environmental lead: human health effects. Amsterdam, The Netherlands: Elsevier/North-Holland Biomedical Press; pp. 157-185.

Rosen, J. F.; Chesney, R. W. (1983) Circulating calcitriol concentrations in health and disease. J. Pediatr. (St. Louis) 103: 1-7.

Rosen, J. F.; Chesney, R. W.; Hamstra, A. J.; DeLuca, H. F.; Mahaffey, K. R. (1980) Reduction in 1,25-dihydroxyvitamin D in children with increased lead absorption. N. Engl. J. Med. 302: 1128-1131.

Rosen, J. F.; Chesney, R. W.; Hamstra, A. J.; DeLuca, H. F.; Mahaffey, K. R. (1981) Reduction in 1,25-dihydroxyvitamin D in children with increased lead absorption. In: Brown, S. S.; Davis, D. S., eds. Organ-directed toxicity: chemical indices and mechanisms. New York, NY: Pergamon Press; pp. 91-95.

Rosen, J. F.; Haymovits, A. (1974) Lead intoxication: evidence for a rapidly displaceable red-cell-lead (RBC-Pb) compartment. Pediatr. Res. 8:164.

Rosen, J. F.; Markowitz, M. E. (1980) D-penicillamine: its actions on lead transport in bone organ culture. Pediatr. Res. 14: 330-335.

Rosen, J. F.; Sorell, M. (1978) The metabolism and subclinical effects of lead in children. In: Nriagu, J. O., ed. The biogeochemistry of lead in the environment; part B. biological effects. Amsterdam, The Netherlands: Elsevier/North-Holland Biomedical Press; pp. 151-172. (Topics in environmental health: v. 1B).

Rosen, J. F.; Trinidad, E. E. (1974) Significance of plasma lead levels in normal and lead-intoxicated children. Environ. Health Perspect. 7: 139-144.

Rosen, J. F.; Trinidad, E. E. (1974) The skeletal metabolism of lead: studies of lead transport in bone organ culture. Pediatr. Res. 8: 164.

Rosen, J. F.; Zarate-Salvador, C.; Trinidad, E. E. (1974) Plasma lead levels in normal and lead-intoxicated children. J. Pediatr. (St. Louis) 84: 45-48.

Rosenblum, W. I.; Johnson, M. G. (1968) Neuropathologic changes produced in suckling mice by adding lead to the maternal diet. Arch. Pathol. 85: 640-648.

Rosenkranz, H. S.; Poirier, L. A. (1979) Evaluation of the mutagenicity and DNA-modifying activity of carcinogens and noncarcinogens in microbial systems. J. Natl. Cancer Inst. (U.S.) 62: 873-892.

Rosenman, K. D. (1984) Cardiovascular disease and work place exposures. Arch. Environ. Health 39: 218-224.

Rosenow, M. K.; Zucchini, G. L.; Bridwell, P. M.; Stuart, F. P.; Friedman, A. M. (1983) Properties of liposomes containing ^{212}Pb. Int. J. Nucl. Med. Biol. 10: 189-197.

Rosenthal, R.; Rubin, D. B. (1985) Statistical analysis: summarizing evidence versus establishing facts. Psychol. Bull. 97: 527-529.

Ross, C. A. (1982) Gasoline sniffing and lead encephalopathy. Can. Med. Assoc. J. 127: 1195-1197.

Ross, S. J. (1905) Lead as an abortifacient [letter]. Br. Med. J. 1:653.

Rossin, A. C.; Sterritt, R. M.; Lester, J. N. (1982) The influence of process parameters on the removal of heavy metals in activated sludge. Water Air Soil Pollut. 17: 185-198.

Rossin, A. C.; Sterritt, R. M.; Lester, J. N. (1983) The influence of flow conditions on the removal of heavy metals in the primary sedimentation process. Water Air Soil Pollut. 19: 105-121.

Rostron, C. (1982) Are we at risk from lead? - part 1. Food Chem. Toxicol. 20: 617-621.

Rostron, C. (1982) Are we at risk from lead? - part 2. Food Chem. Toxicol. 20: 967-970.

Roth, H.-P.; Kirchgessner, M. (1981) Zur alimentären Zinkabhängigkeit der δ-Aminolävulinsäure-Dehydratase [Dependence of delta-aminolaevulinic acid dehydratase upon alimentary zinc]. Z. Tierphysiol. Tiernaehr. Futtermittelkd. 46: 59-63.

Rother, J. A.; Millbank, J. W.; Thornton, I. (1982) Seasonal fluctuations in nitrogen fixation (acetylene reduction) by free-living bacteria in soils contaminated with cadmium, lead and zinc. J. Soil Sci. 33: 101-113.

Rother, J. A.; Millbank, J. W.; Thornton, I. (1982) Effects of heavy-metal additions on ammonification and nitrification in soils contaminated with cadmium, lead and zinc. Plant Soil 69: 239-258.

Rother, J. A.; Millbank, J. W.; Thornton, I. (1983) Nitrogen fixation by white clover (Trifolium repens) in grasslands on soils contaminated with cadmium, lead and zinc. J. Soil Sci. 34: 127-136.

Rouseff, R. L.; Ting, S. V. (1980) Lead uptake of grapefruit juices stored in cans as determined by flameless atomic absorption spectroscopy. J. Food Sci. 45: 965-968.

Routh, D. K.; Mushak, P.; Boone, L. (1979) A new syndrome of elevated blood lead and microcephaly. J. Pediatr. Psychol. 4: 67-76.

Roy, B. R. (1977) Effects of particle sizes and solubilities of lead sulphide dust on mill workers. Am. Ind. Hyg. Assoc. J. 38: 327-332.

Roy, P. S.; Crawford, E. A. (1984) Heavy metals in a contaminated Australian estuary - dispersion and accumulation trend. Estuarine Coastal Mar. Sci. 19: 341-358.

Rozhaja, D. A.; Dermaku, S.; Halili, F.; Rizvanolli, S.; Berisha, A. (1979) Total blood serum lipids and cholesterol of laboratory rats exposed to industrial pollutants. Acta. Biol. Med. Exp. 4: 93-95.

Rufman, N. M.; Rotenberg, Z. A. (1980) Special kinetic features of the photodecomposition of organolead compounds at lead electrode surfaces. Sov. Electrochem. Engl. Transl. 16: 309-314.

Ruhling, Å.; Tyler, G. (1968) An ecological approach to the lead problem. Bot. Notis. 121: 321-342.

Ruhling, Å.; Tyler, G. (1969) Ecology of heavy metals--a regional and historical study. Bot. Notis. 122: 248-259.

Ruhr, L. P. (1984) Blood lead, delta-aminolevulinic acid dehydratase and free erythrocyte porphyrins in normal cattle. Vet. Hum. Toxicol. 26: 105-107.

Ruick, G.; Schmidt, M. (1981) Zum Verhalten der Elemente Kupfer, Blei, Cadmium und Zink in Tabakpflanzen [On the retention of the elements copper, lead, cadmium and zinc in tobacco plants]. Nahrung 25: 617-624.

Rummo, J. H. (1974) Intellectual and behavioral effects of lead poisoning in children [dissertation]. Chapel Hill, NC: University of North Carolina. Available from: University Microfilms, Ann Arbor, MI; publication no. 74-26,930.

Rummo, J. H.; Routh, D. K.; Rummo, N. J.; Brown, J. F. (1979) Behavioral and neurological effects of symptomatic and asymptomatic lead exposure in children. Arch. Environ. Health 34: 120-124.

Ruppert, P. H.; Dean, K. F.; Reiter, L. W. (1985) Development of locomotor activity of rat pups exposed to heavy metals. Toxicol. Appl. Pharmacol. 78: 69-77.

Ruse, M.; Suciu, I.; Zegreaunu, O. (1977) Zur Mitbeteiligung von Gonaden bei chronischen Vergiftungen mit Schwermetallen [Effect on the gonads of chronic intoxication by heavy metals]. Z. inner. Med 32: 469-470.

Russell, J. C.; Griffin, T. B.; McChesney, E. W.; Coulston, F. (1978) Metabolism of airborne particulate lead in continuously exposed rats: effect of penicillamine on mobilization. Ecotoxicol. Environ. Saf. 2: 49-53.

Russell, R. D.; Farquhar, R. M. (1960) Introduction. In: Lead isotopes in geology. New York, NY: Interscience; pp. 1-12.

Russell Jones, R. (1981) Is low-level lead pollution dangerous [letter]? Br. Med. J. 282: 147.

Russell Jones, R. (1981) Lead in petrol [letter]. Lancet 2(8237): 100.

Russell Jones, R. (1981) Lead poisoning London [letter]? Br. Med. J. 282: 1320.

Russell Jones, R. (1981) Sources of lead pollution [letter]. Br. Med. J. 282: 477.

Russell Jones, R. (1983) The contribution of petrol lead to blood lead via air, dust and food [discussion of A. C. Chamberlain's paper]. Atmos. Environ. 17: 2367-2370.

Russell Jones, R.; Stephens, R. (1983) The contribution of lead in petrol to human lead intake. In: Rutter, M.; Russell Jones, R., eds. Lead versus health: sources and effects of low level lead exposure. New York, NY: John Wiley and Sons; pp. 141-177.

Ruthven, J. A.; Cairns, J., Jr. (1973) Response of fresh-water protozoan artificial communities to metals. J. Protozool. 20: 127-135.

Rutter, M. (1980) Raised lead levels and impaired cognitive/behavioral functioning. Dev. Med. Child Neurol. (Suppl.) 42: 1-26.

Rutter, M. (1983) Scientific issues and state of the art in 1980. In: Rutter, M.; Russell Jones, R., eds. Lead versus health: sources and effects of low level lead exposure. New York, NY: John Wiley and Sons; pp. 1-15.

Rutter, M. (1983) Low level lead exposure: sources, effects and implications. In: Rutter, M.; Russell Jones, R., eds. Lead versus health: sources and effects of low level lead exposure. New York, NY: John Wiley & Sons; pp. 333-370.

Ryabukhin, Y. S. (1980) Nuclear-based methods for the analysis of trace element pollutants in human hair. J. Radioanal. Chem. 60: 7-30.

Ryu, J. E.; Ziegler, E. E.; Fomon, S. J. (1978) Maternal lead exposure and blood lead concentration in infancy. J. Pediatr. (St. Louis) 93: 476-478.

Ryu, J. E.; Ziegler, E. E.; Nelson, S. E.; Fomon, S. J. (1983) Dietary intake of lead and blood lead concentration in early infancy. Am. J. Dis. Child. 137: 886-891.

Saar, R. A.; Weber, J. H. (1982) Fulvic acid: modifier of metal-ion chemistry. Environ. Sci. Technol. 16: 510A-517A.

Sabbioni, E.; Goetz, L.; Bignoli, G. (1984) Health and environmental implications of trace metals released from coal-fired power plants: an assessment study of the situation in the European Community. Sci. Total Environ. 40: 141-154.

Sabbioni, E.; Marafante, E. (1976) Identification of lead-binding components in rat liver: in vivo study. Chem. Biol. Interact. 15: 1-20.

Sachs, H. K. (1978) Intercurrent infection in lead poisoning. Am. J. Dis. Child. 132: 315-316.

Sachs, H. K. (1981) Prognosis for children with chronic lead exposure. In: Lynam, D. R.; Piantanida, L. G.; Cole, J. F., eds. Environmental lead: proceedings of the second international symposium on environmental lead research; December 1978; Cincinnati, OH. New York, NY: Academic Press; pp. 41-68. (Coulston, F.; Korte, F., eds. Ecotoxicology and environmental quality series).

Sachs, H. K.; Krall, V.; Drayton, M. A. (1982) Neuropsychological assessment after lead poisoning without encephalopathy. Percept. Motor Skills 54: 1283-1288.

Sachs, H. K.; Krall, V.; McCaughran, D. A.; Rozenfeld, I. H.; Youngsmith, N.; Growe, G.; Lazar, B. S.; Novar, L.; O'Connell, L.; Rayson, B. (1978) IQ following treatment of lead poisoning: a patient-sibling comparison. J. Pediatr. (St. Louis) 93: 428-431.

Sachs, H. K.; McCaughran, D. A.; Krall, V.; Rozenfeld, I. H.; Youngsmith, N. (1979) Lead poisoning without encephalopathy: effect of early diagnosis on neurologic and psychologic salvage. Am. J. Dis. Child. 133: 786-790.

Sadiq, M. (1983) Complexing of lead by DTPA in calcareous soils. Water Air Soil Pollut. 20: 247-255.

Sadiq, M.; Zaidi, T. H.; Amir-ul-Hoda; Mian, A. A. (1982) Heavy metal concentrations in shrimp, crab, and sediment obtained from AD-Dammam sewage outfall area. Bull. Environ. Contam. Toxicol. 29: 313-319.

Saenger, P.; Forster, E.; Kream, J. (1981) 6β-Hydroxycortisol: a noninvasive indicator of enzyme induction. J. Clin. Endocrinol. Metab. 52: 381-384.

Saenger, P.; Markowitz, M. E.; Rosen, J. F. (1982) 6β-hydroxycortisol (6βOHF) as index of microsomal inhibition in lead burdened children. Dev. Pharmacol. 16: 130A.

Saenger, P.; Markowitz, M. E.; Rosen, J. F. (1984) Depressed excretion of 6β-hydroxycortisol in lead-toxic children. J. Clin. Endocrinol. Metab. 58: 363-367.

Saenger, P.; Rosen, J. F.; Markowitz, M. E. (1982) Diagnostic significance of edetate disodium calcium testing in children with increased lead absorption. Am. J. Dis. Child. 136: 312-315.

Saito, K.; Fujimoto, S.; Sasaki, T.; Saito, T.; Kurasaki, M.; Kaji, H. (1981) Relationship between gastric cancer and blood trace metal levels. In: Hemphill, D. D., ed. Trace substances in environmental health - XV: [proceedings of University of Missouri's 15th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 35-44.

Sakai, T.; Yanagihara, S.; Kunugi, Y.; Ushio, K. (1983) Mechanisms of ALA-D inhibition by lead and of its restoration by zinc and dithiothreitol. Br. J. Ind. Med. 40: 61-66.

Sakai, T.; Yanagihara, S.; Ushio, K. (1981) Erythrocyte factors concerned in the inhibition of ALA-D by lead. Br. J. Ind. Med. 38: 268-274.

Sakata, M.; Shimoda, O. (1982) A simple and rapid method for the determination of lead and cadmium in sediment by graphite furnace atomic absorption spectrometry. Water Res. 16: 231-235.

Sakurai, H.; Sugita, M.; Tsuchiya, K. (1974) Biological response and subjective symptoms in low level lead exposure. Arch. Environ. Health 29: 157-163.

Salaki, J.; Louria, D. B.; Thind, I. S. (1975) Influence of lead intoxication on experimental infections. Clin. Res. 23: 417A.

Salim, R. (1983) Adsorption of lead on the suspended particles of river water. Water Res. 17: 423-429.

Sallé, H. J. A.; Zielhuis, R. L. (1977) Influence of smoking on aminolevulinic acid dehydratase activity, haematocrite and lead in blood in adult urban women. Amsterdam, The Netherlands: University of Amsterdam, Coronel Laboratory for Occupational and Environmental Health.

Salomons, W.; Foerstner, U. (1980) Trace metal analysis on polluted sediments. Part II: evaluation of environmental impact. Environ. Technol. Lett. 1: 506-517.

Saltzman, B. E.; Yeager, D. W.; Meiners, B. G. (1983) Reproducibility and quality control in the analysis of biological samples for lead and mercury. Am. Ind. Hyg. Assoc. J. 44: 263-267.

Samant, H. S.; Vaidya, O. C. (1982) Evaluation of the sampling buckets used in the Sangamo collector, type A for heavy metals in precipitation. Atmos. Environ. 16: 2183-2186.

Sanagi, S.; Tamaki, Y.; Seki, Y.; Sugimoto, K.; Aono, H.; Hirata, M.; Takahashi, M.; Goto, S. (1979) Nerve conduction studies of chronic subclinical neuropathy due to lead and N-hexane. Acta Neurol. Scand. Suppl. 68: 258.

Sanai, G. H.; Ziai, N.; Ghiami, A.; Ghasemi, A. (1977) Lead intoxication in Teheran tile manufacturing workers. In: Zaidi, S. H., ed. Environmental pollution and human health: proceedings of the international symposium on industrial toxicology, 1st; November 1975; Lucknow, India. Lucknow, India: Industrial Toxicology Research Centre; pp. 77-87.

Sanchez Sanchez, M. L.; Rubio Perez, P.; Calvo Manuel, E.; Arroyo Vicente, M.; Millan Nuñez-Cortes, J.; Espinos Perez, D. (1979) Criterios en el diagnostico del saturnismo. II: Niveles de plomo en sangre y orina correspondientes a individuos normales y a pacientes con saturnismo, en situacion basal y tras administracion de calcio - EDTA intravenoso [Criteria for diagnosing lead poisoning. II: Lead levels in blood and urine before and after I.V. administration of calcium-EDTA in normal and lead-poisoned individuals]. Rev. Clin. Esp. 153: 207-211.

Sandberg, R. G.; Wong, M. M. (1980) Ferric chloride leach-electrolysis process for production of lead. Am. J. Ind. Med. 1: 283-291.

Sandstead, H. H. (1967) Effect of chronic lead intoxication on in vivo I^{131} uptake by the rat thyroid. Proc. Soc. Exp. Biol. Med. 124: 18-20.

Sandstead, H. H. (1977) Nutrient interactions with toxic elements. In: Goyer, R. A.; Mehlman, M. A., eds. Toxicology of trace elements. Washington, DC: Hemisphere Publishing Corporation; pp. 241-256. (Mehlman, M. A., ed. Advances in modern toxicology: v. 2).

Sandstead, H. H.; Doherty, R. A.; Mahaffey, K. A. (1983) Effects and metabolism of toxic trace metals in the neonatal period. In: Clarkson, T. W.; Nordberg, G. F.; Sager, P. R., eds. Reproductive and developmental toxicity of metals [proceedings of a joint meeting; May 1982; Rochester, NY]. New York, NY: Plenum Press; pp. 205-224.

Sandstead, H. H.; Michelakis, A. M.; Temple, T. E. (1970) Lead intoxication: its effects on the renin-aldosterone response to sodium deprivation. Arch. Environ. Health 20: 356-363.

Sandstead, H. H.; Orth, D. N.; Abe, K.; Stiel, J. (1970) Lead intoxication: effect on pituitary and adrenal function in man. Clin. Res. 18: 76.

Sandstead, H. H.; Stant, E. G.; Brill, A. B.; Arias, L. I.; Terry, R. T. (1969) Lead intoxication and the thyroid. Arch. Int. Med. 123: 632-635.

Sanguinetti, F.; Dompè, M. (1981) Interferenze da farmaci nel monitoraggio biologico della esposizione al piombo [Interference of drugs with biologic monitoring of lead exposure]. Ann. 1st. Super. Sanit. 17: 645-648.

Santhanakrishnan, B. R.; Bai, T. P. (1978) Lead poisoning in children in Madras City. Indian Pediatr. 15: 469-472.

Santillan-Medrano, J.; Jurinak, J. J. (1975) The chemistry of lead and cadmium in soil: solid phase formation. Soil Sci. Soc. Am. Proc. 39: 851-856.

Santos-Anderson, R. M.; Tso, M. O. M.; Valdes, J. J.; Annau, Z. (1984) Chronic lead administration in neonatal rats: electron microscopy of the retina. J. Neuropathol. Exp. Neurol. 43: 175-187.

Santschi, P. H.; Li, Y.-H.; Adler, D. M.; Amdurer, M.; Bell, J.; Nyffeler, U. P. (1983) The relative mobility of natural (Th, Pb and Po) and fallout (Pu, Am, Cs) radionuclides in the coastal marine environment: results from model ecosystems (MERL) and Narragansett Bay. Geochim. Cosmochim. Acta 47: 201-210.

Šarić, M. (1984) Reproduction and exposure to lead. Ann. Acad. Med. 13: 383-388.

Šarić, M.; Prpić-Majić, D.; Kostial, K. (1985) Exposure to lead and reproduction. Presented at: Second National Academy of Sciences/Council of the Academies of Yugoslavia Joint Workshop, selected aspects of exposure to heavy metals in the environment: monitors, indicators, and high risk groups; April, Washington, DC. Washington, DC: National Academy of Sciences; 1-2.

Sarto, F.; Stella, M.; Acqua, A. (1978) Studio citogenetico su un gruppo di lavoratori con indici di aumentato assorbimento di piombo [Cytogenetic studies in 20 workers occupationally exposed to lead]. Med. Lav. 69: 172-180.

Sartor, F.; Manuel, Y.; Rondia, D.; Geubelle, F. (1983) Possible minimal renal dysfunctions, impairment of the heme biosynthetic pathway and blood lead levels in children living in a soft water area. In: International conference: heavy metals in the environment; September; Heidelberg, West Germany. Edinburgh, United Kingdom: CEP Consultants, Ltd.; p. 425.

Sartor, F.; Rondia, D. (1980) Blood lead levels and age: a study in two male urban populations not occupationally exposed. Arch. Environ. Health 35: 110-116.

Sartor, F.; Rondia, D. (1981) Aminolevulinate dehydratase and blood lead levels in urban male adults. Int. Arch. Environ. Health 49: 45-51.

Sartor, F. A.; Rondia, D. (1981) Setting legislative norms for environmental lead exposure: results of an epidemiological survey in the east of Belgium. Toxicol. Lett. 7: 251-257.

Sartorelli, E.; Loi, F.; Gori, R. (1985) Lead silicate toxicity: a comparison among different compounds. Environ. Res. 36: 420-425.

Sassa, S. (1982) Delta-aminolevulinic acid dehydratase assay. Enzyme 28: 133-145.

Sassa, S.; Granick, J. L.; Granick, S.; Kappas, A.; Levere, R. D. (1973) Studies in lead poisoning: I. microanalysis of erythrocyte protoporphyrin levels by spectrofluorometry in the detection of chronic lead intoxication in the subclinical range. Biochem. Med. 8: 135-148.

Sassa, S.; Granick, S.; Kappas, A. (1975) Effect of lead and genetic factors on heme biosynthesis in the human red cell. Ann. N. Y. Acad. Sci. 244: 419-440.

Sassa, S.; Whetsell, W. O., Jr.; Kappas, A. (1979) Studies on porphyrin-heme biosynthesis in organotypic cultures of chick dorsal root ganglia: II. the effect of lead. Environ. Res. 19: 415-426.

Sasser, L. B.; Hall, G. G.; Bratton, G. R.; Zmudzki, J. (1984) Absorption and tissue distribution of lead in thiamin-replete and thiamin-deficient rats. J. Nutr. 114: 1816-1825.

Sastry, K. V.; Agrawal, M. K. (1979) Effects of lead nitrate on the activities of a few enzymes in the kidney and ovary of Heteropneustes fossillis. Bull. Environ. Contam. Toxicol. 22: 55-59.

Sastry, K. V.; Gupta, P. K. (1978) Alterations in the activity of some digestive enzymes of Channa punctatus, exposed to lead nitrate. Bull. Environ. Contam. Toxicol. 19: 549-555.

Sastry, K. V.; Gupta, P. K. (1978) Histopathological and enzymological studies on the effects of chronic lead nitrate intoxication in the digestive system of a freshwater teleost, Channa punctatus. Environ. Res. 17: 472-479.

Sastry, K. V.; Gupta, P. K. (1978) In vitro inhibition of digestive enzymes by heavy metals and their reversal by chelating agent: part II. lead nitrate intoxication. Bull. Environ. Contam. Toxicol. 20: 736-742.

Sastry, K. V.; Gupta, P. K. (1979) Alteration in the activities of three peptidases and lipase in the digestive system of the fish Channa punctatus exposed to lead nitrate. Bull. Environ. Contam. Toxicol. 21: 190-195.

Satija, N. K.; Seth, T. D. (1978) The influence of lead and zinc exposure on blood δ-aminolevulinic acid dehydratase activity in rodents. Toxicol. Lett. 1: 343-346.

Satija, N. K.; Seth, T. D.; Tandon, D. S. (1978) Dopamine and noradrenaline levels in the brains of lead and zinc poisoned rats. Toxicology 10: 13-16.

Sato, K.; Fujita, H.; Inui, S.; Ikeda, M. (1983) Changes in urinary δ-aminolevulinic acid at low lead exposure level with special reference to production activity. Int. Arch. Occup. Environ. Health 52: 25-32.

Sato, S. M.; Frazier, J. M.; Goldberg, A. M. (1984) Perturbation of a hippocampal zinc-binding pool after postnatal lead exposure in rats. Exp. Neurol. 85: 620-630.

Satsmadjis, J.; Voutsinou-Taliadouri, F. (1983) Mytilus galloprovincialis and Parapenaeus longirostris as bioindicators of heavy metal and organochlorine pollution. Mar. Biol. (Berlin) 76: 115-124.

Satzger, R. D.; Clow, C. S.; Bonnin, E.; Fricke, F. L. (1982) Determination of background levels of lead and cadmium in raw agricultural crops by using differential pulse anodic stripping voltammetry. J. Assoc. Off. Anal. Chem. 65: 987-991.

Sauerhoff, M. W.; Michaelson, I. A. (1973) Hyperactivity and brain catecholamines in lead-exposed developing rats. Science (Washington, DC) 182: 1022-1024.

Saunders, T. R.; Pierson, W. P.; Miller, R. I. (1982) Effect of lead-containing elastic impression materials on whole blood lead levels. J. Prosthet. Dent. 47: 209-211.

Sávay, Gy.; Csillik, B. (1959) Lead reactive substances in peripheral synapses. Experientia 15: 396-397.

Sayre, J. (1981) Dust lead contribution to lead in children. In: Lynam, D. R.; Piantanida, L. G.; Cole, J. F., eds. Environmental lead: proceedings of the second international symposium on environmental lead research; December 1978; Cincinnati, OH. New York, NY: Academic Press; pp. 23-40. (Coulston, F.; Korte, F., eds. Ecotoxicology and environmental quality series).

Sayre, J. W.; Charney, E.; Vostal, J.; Pless, I. B. (1974) House and hand dust as a potential source of childhood lead exposure. Am. J. Dis. Child. 127: 167-170.

Sayre, J. W.; Katzel, M. D. (1979) Household surface lead dust: its accumulation in vacant homes. Environ. Health Perspect. 29: 179-182.

Sborgia, G.; Assennato, G.; L'Abbate, N.; DeMarinis, L.; Paci, C.; DeNicolo, M.; DeMarinis, G.; Montrone, N.; Ferrannini, E.; Specchio, L.; Masi, G.; Olivieri, G. (1983) Comprehensive neurophysiological evaluation of lead-exposed workers. In: Gilioli, R.; Cassitto, M. G.; Foa, V., eds. Neurobehavioral methods in occupational health: proceedings of the international symposium on neurobehavioral methods in occupational health; June 1982; Como and Milan, Italy. London, United Kingdom: Pergamon Press; pp. 283-294. (Advances in the biosciences: v. 46).

Scanlon, J. (1971) Umbilical cord blood lead concentration. Am. J. Dis. Child. 121: 325-326.

Scanlon P. F. (1979) Lead contamination of mammals and invertebrates near highways with different traffic volumes. In: Nielsen, S. W.; Migaki, G.; Scarpelli, D. G., eds. Animals as monitors of environmental pollutants: proceedings of a symposium; 1977; Storrs, CT. Washington, DC: National Academy of Sciences; pp. 200-208.

Scanlon, P. F.; Kendall, R. J.; Lochmiller, R. L., II; Kirkpatrick, R. L. (1983) Lead concentrations in pine voles from two Virginia orchards. Environ. Pollut. Ser. B 6: 157-160.

Scanlon, P. F.; Oderwald, R. G.; Dietrick, T. J.; Coggin, J. L. (1980) Heavy metal concentrations in feathers of ruffed grouse shot by Virginia hunters. Bull. Environ. Contam. Toxicol. 25: 947-949.

Scanlon, P. F.; Stotts, V. D.; Oderwald, R. G.; Dietrick, T. J.; Kendall, R. J. (1980) Lead concentrations in livers of Maryland waterfowl with and without ingested lead shot present in gizzards. Bull. Environ. Contam. Toxicol. 25: 855-860.

Scarlato, G.; Smirne, S.; Poloni, A. E. (1969) L'encefalopatia saturnina acuta dell'adulto [Acute saturnine encephalopathy in the adult]. Acta Neurol. 24: 578-580.

Scarponi, L.; Perucci, P. (1984) Effect of some metals and related metal-organic compounds on ALA-dehydratase activity of corn. Plant Soil 79: 69-75.

Schaffner, R. M. (1981) Lead in canned foods. Food Technol. (Chicago) 35: 60-64.

Schaller, K. H.; Gonzales, J.; Thürauf, J.; Schiele, R. (1980) Früherkennung von Nierenschäden bei beruflich gegenüber Blei, Quecksilber und cadmium exponierten Personen [Detection of early kidney damages in workers exposed to lead, mercury, and cadmium]. Zentralbl. Bakteriol. Mikrobiol. Hyg. Abt. 1 Orig. B 171: 320-335.

Scharding, N. N.; Oehme, F. W. (1973) The use of animal models for comparative studies of lead poisoning. Clin. Toxicol. 6: 419-424.

Schaule, B.; Patterson, C. C. (1980) The occurrence of lead in the northeast Pacific and the effects of anthropogenic inputs. In: Branica, M.; Konrad, Z., eds. Lead in the marine environment. New York, NY: Pergamon Press; pp. 31-43.

Schaule, B. K.; Patterson, C. C. (1981) Lead concentrations in the northeast Pacific: evidence for global anthropogenic perturbations. Earth Planet. Sci. Lett. 54: 97-116.

Schecher, W. D.; Driscoll, C. T. (1985) Interactions of copper and lead with Nostoc muscorum. Water Air Soil Pollut. 24: 85-101.

Schenkel, H. (1983) Effects of Zn and glutathione on the activity of lead-inhibited delta aminolevulinic acid dehydratase in blood of fattening bulls. In: International conference: heavy metals in the environment; September; Heidelberg, West Germany. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 567-570.

Scheuhammer, A. M.; Cherian, M. G. (1982) Influence of chronic $MnCl_2$ and EDTA treatment on tissue levels and urinary excretion of trace metals in rats. Arch. Environ. Contam. Toxicol. 11: 515-520.

Schiele, R.; Schalle, K.-H.; Valentin, H. (1974) Über die Beeinflussung des Tryptophan-Stoffwechsels durch Blei [The influence of lead upon the tryptophan metabolism]. Klin. Wochenschr. 52: 401-404.

Schinner, M. (1980) The distribution of lead emissions over a wide area in an east alpine basin. Environ. Pollut. 22: 247-258.

Schlegel, H.; Kufner, G. (1978) Time course and compartment relations of heme synthesis disturbances induced by inorganic lead compounds in man. J. Clin. Chem. Clin. Biochem. 16: 57.

Schlegel, H.; Kufner, G. (1979) Long-term observation of biochemical effects of lead in human experiments. J. Clin. Chem. Clin. Biochem. 17: 225-233.

Schlick, E.; Friedberg, K. D. (1980) The action of small doses of lead on erythrocyte D-aminolevulinic acid dehydratase in the mouse. Arch. Toxicol. 43: 213-220.

Schlick, E.; Friedberg, K. D. (1981) The influence of low lead doses on the reticuloendothelial system and leucocytes of mice. Arch. Toxicol. 47: 197-207.

Schlick, E.; Kamran, M. A.; Friedberg, K. D. (1979) The influence of minimal doses of lead on D-Ala-D, RES and leukocytes of mice. Naunyn Schmiedebergs Arch. Pharmacol. 308: R48.

Schlick, E.; Kamran, M. A.; Friedberg, K. D. (1980) Lead in blood and tissues of mice after administration of low lead doses. Arch. Toxicol. 46: 221-232.

Schlipköter, H.-W.; Frieler, L. (1979) Der Einfluss kurzzeitiger Bleiexposition auf die Bakterienclearance der Lunge [The influence of short-term lead exposure on the bacterial clearance of the lung]. Zentralbl. Bakteriol. Parasitenkd. Infektionskr. Hyg. Abt. 1: Orig. Reihe B 168: 256-265.

Schlipköter, H.-W.; Klitze, M.; Unnewehr, J. (1979) Wirkung von Blei und Kohlenmonoxid bei diabetischer Stoffwechsellage [Effect of lead and carbon monoxide under the condition of diabetic metabolism]. Zentralbl. Bakteriol. Parasitenkd. Infektionskr. Hyg. Abt. 1: Orig. Reihe B 168: 395-402.

Schlipköter, H.-W.; Winneke, G. (1980) Behavioral studies on the effects of ingested lead on the developing central nervous system of rats. In: Environmental quality of life: lead environmental research program 1976-80. Brussels, Luxembourg: Commission of the European Communities; pp. 127-134.

Schmid, E.; Bauchinger, M.; Pietruck, S.; Hall, G. (1972) Die cytogenetische Wirkung von Blei in menschlichen peripheren Lymphocyten in vitro und in vivo [The cytogenetic effect of lead in human peripheral lymphocytes in vitro and in vivo]. Mutat. Res. 16: 401-406.

Schmidt, G. J.; Scott, R. P. W. (1984) Simple and sensitive ion chromatograph for trace metal determination. Analyst (London) 109: 997-1002.

Schmidt, J. C.; Czech, D. A. (1977) Effect of tetraethyl lead and restricted food intake on locomotor activity in the rat. Pharmacol. Biochem. Behav. 7: 489-492.

Schmidt, R.; Wilber, C. G. (1978) Mercury and lead content of human body tissues from a selected population. Med. Sci. Law 18: 155-158.

Schmidt, U.; Huber, F. (1976) Methylation of organolead and lead(II) compounds to $(CH_3)_4Pb$ by microorganisms. Nature (London) 259: 157-158.

Schmitt, N.; Philion, J. J.; Larsen, A. A.; Harnadek, M.; Lynch, A. J. (1979) Surface soil as a potential source of lead exposure for young children. Can. Med. Assoc. J. 121: 1474-1478.

Schneider, E. W. (1982) Detection of leaded-gasoline usage in catalyst-equipped vehicles: a gamma-ray transmission gauge for measuring catalytic converter lead contamination. J. Air Pollut. Control Assoc. 32: 521-525.

Schneider, E. W.; Hill, R. F. (1982) Rapid determination of lead for industrial hygiene surveys. Nucl. Instrum. Methods 193: 303-307.

Schneider, J. K.; Gagosian, R. B.; Cochran, J. K.; Trull, T. W. (1983) Particle size distributions of n-alkanes and ^{210}Pb in aerosols off the coast of Peru. Nature (London) 304: 429-432.

Schnitzer, M.; Hansen, E. H. (1970) Organo-metallic interactions in soils: 8. an evaluation of methods for the determination of stability constants of metal-fulvic acid complexes. Soil Sci. 109: 333-340.

Schnitzer, M.; Kerndorff, H. (1981) Reactions of fulvic acid with metal ions. Water Air Soil Pollut. 15: 97-108.

Schoenbrod, D. (1980) Why regulation of lead has failed. In: Needleman, H. L., ed. Low level lead exposure: the clinical implications of current research. New York, NY: Raven Press; pp. 259-266.

Schottenfeld, R. S.; Cullen, M. R. (1984) Organic affective illness associated with lead intoxication. Am. J. Psychiatry 141: 1423-1426.

Schrauzer, G. N.; Kuehn, K.; Hamm, D. (1981) Effects of dietary selenium and of lead on the genesis of spontaneous mammary tumors in mice. Biol. Trace Elem. Res. 3: 185-196.

Schroeder, H. A.; Balassa, J. J. (1961) Abnormal trace metals in man: lead. J. Chron. Dis. 14: 408-425.

Schroeder, H. A.; Mitchener, M. (1971) Toxic effects of trace elements on the reproduction of mice and rats. Arch. Environ. Health 23: 102-106.

Schroeder, H. A.; Mitchener, M.; Nason, A. P. (1970) Zirconium, niobium, antimony, vanadium and lead in rats: life term studies. J. Nutr. 100: 59-68.

Schroeder, H. A.; Tipton, I. H. (1968) The human body burden of lead. Arch. Environ. Health 17: 965-978.

Schroeder, S. R.; Hawk, B.; Otto, D. A.; Mushak, P.; Hicks, R. E. (1985) Separating the effects of lead and socal factors on IQ. In: Bornschein, R. L.; Rabinowitz, M. B., eds. The second international conference on prospective studies of lead; April 1984; Cincinnati, OH. Environ. Res. 38: 144-154.

Schubert, J.; Riley, E. J.; Tyler, S. A. (1978) Combined effects in toxicology--a rapid systematic testing procedure: cadmium, mercury, and lead. J. Toxicol. Environ. Health 4: 763-776.

Schuck, E. A.; Locke, J. K. (1970) Relationship of automotive lead particulates to certain consumer crops. Environ. Sci. Technol. 4: 324-330.

Schulz-Baldes, M.; Rehm, E.; Farke, H. (1983) Field experiments on the fate of lead and chromium in an intertidal benthic mesocosm, the Bremerhaven Caisson. Mar. Biol. (Berlin) 75: 307-318.

Schumann, G. B.; Lerner, S. I.; Weiss, M. A.; Gawronski, L.; Lohiya, G. K. (1980) Inclusion-bearing cells in industrial workers exposed to lead. Am. J. Clin. Pathol. 74: 192-196.

Schumer, W.; Erve, P. R. (1973) Endotoxin sensitivity of adrenalectomized rats treated with lead acetate. J. Reticuloendothel. Soc. 13: 122-125.

Schütz, A. (1979) Cadmium and lead. Scand. J. Gastroenterol. 14: 223-231.

Schütz, L.; Rahn, K. A. (1982) Trace-element concentrations in erodible soils. Atmos. Environ. 16: 171-176.

Schütze, I.; Müller, W. (1978) Bestimmung von Spurenmetallen in Nahrungsfetten und Emulgatoren mittels flammenloser Atom-Absorptionsspektrometrie. I. Mitt. Bestimmung der ionogen gebundenen Schwermetalle Kupfer, Eisen, Nickel, Zink, Blei und Cadmium in Nahrungsfetten [Determination of trace metals in fats and emulsifiers by flameless atomic absorption spectrometry. I. Determination of the ionogenically bound heavy metals copper, iron, nickel, zinc, lead and cadmium in dietary fat]. Nahrung 22: 777-788.

Schwanitz, G.; Gebhart, E.; Rott, H.-D., Schaller, K.-H.; Essing, H.-G.; Lauer, O.; Prestele, H. (1975) Chromosomenuntersuchungen bei Personen mit beruflicher Bleiexposition [Chromosome investigations in subjects with occupational lead exposure]. Dtsch. Med. Wochenschr. 100: 1007-1011.

Schwanitz, G.; Lehnert, G.; Gebhart, E. (1970) Chromosomenschäden bei beruflicher Bleibelastung [Chromosome damage after occupational exposure to lead]. Dtsch. Med. Wochenschr. 95: 1636-1641.

Schwark, W. S.; Haluska, M.; Powell, K.; Blackshear, P. (1983) Lead intoxication and the amygdaloid kindling model of epileptogenesis in the adult rat. Neurobehav. Toxicol. Teratol. 5: 325-329.

Schwartz, J.; Angle, C.; Pitcher, H. (1985) The relationship between childhood blood lead and stature. Pediatrics: in press.

Schwartz, S.; Zieve, L.; Watson, C. J. (1951) An improved method for the determination of urinary coproporphyrin and an evaluation of factors influencing the analysis. J. Lab. Clin. Med. 37: 843-859.

Schwarz, K. (1975) Potential essentiality of lead. In: International symposium on environmental lead research; May; Dubrovnik, Yugoslavia. Arh. Hig. Rada Toksikol. 26 (Suppl): 13-28.

Schwarz, K.; Crosby, W. H. (1977) Lead, health food, and leukemia [letter]. J. Am. Med. Assoc. 238: 2262-2263.

Schworer, I.; Kaul, A. (1980) Tierexperimentelle Untersuchungen über die Elimination von inkorporiertem Blei unter biologischen Stresssituationen und Applikation von Na_2Ca-EDTA [Elimination of lead from rats under biological stress and application of disodium, calcium-EDTA]. J. Clin. Chem. Clin. Biochem. 18: 163-168.

Scokart, P. O.; Meeus-Verdinne, K.; De Borger, R. (1983) Mobility of heavy metals in polluted soils near zinc smelters. Water Air Soil Pollut. 20: 451-463.

Scoppa, P.; Roumengous, M.; Penning, W. (1973) Hepatic drug metabolizing activity in lead-poisoned rats. Experientia 29: 970-972.

Scott, D. R.; Hemphill, D. C.; Holboke, L. E.; Long, S. J.; Loseke, W. A.; Pranger, L. J.; Thompson, R. J. (1976) Atomic absorption and optical emission analysis of NASN atmospheric particulate samples for lead. Environ. Sci. Technol. 10: 877-880.

Scott, D. R.; Loseke, W. A.; Holboke, L. E.; Thompson, R. J. (1976) Analysis of atmospheric particulates for trace elements by optical emission spectrometry. Appl. Spectrosc. 30: 392-405.

Scott, K. M.; Hwang, K. M.; Jurkowitz, M.; Brierley, G. P. (1971) Ion transport by heart mitochondria: XXIII. the effects of lead on mitochondrial reactions. Arch. Biochem. Biophys. 147: 557-567.

Scoullos, M.; Dassenakis, M. (1983) Trace metals in a tidal Mediterranean embayment. Mar. Pollut. Bull. 14: 24-29.

Scroczynski, J.; Zajusz, K.; Kossman, S.; Wegiel, A. (1967) Effect of experimental lead poisoning on the development of arteriosclerosis. Pol. Arch. Med. Wewn. 38: 641-664.

Scully, R. E.; Mark, E. J.; McNeely, B. U. (1982) Case records of the Massachusetts General Hospital: case 27-1982. N. Engl. J. Med. 307: 104-112.

Searle, C. E.; Harnden, D. G. (1979) Lead in hair-dye preparations [letter]. Lancet 2(8151): 1070.

Searle, J.; Craswell, P.; Boyle, P.; Low, K. L. (1981) The current status of chronic lead nephrophathy in Queensland. Aust. N. Z. J. Med. 11: 600-601.

Seawright, A. A.; Brown, A. W.; Aldridge, W. N.; Verschoyle, R. D.; Street, B. W. (1980) Neuropathological changes caused by trialkyllead compounds in the rat. Dev. Toxicol. Environ. Sci. 8: 71-74.

Secchi, G. C.; Alessio, L. (1974) Laboratory results of some biological measures in workers exposed to lead. Arch. Environ. Health 29: 351-354.

Secchi, G. C.; Alessio, L.; Cambiaghi, G. (1971) Ricerche sull'attivita' ALA-deidrasica eritrocitaria di soggetti non esposti a contatto professionale con piombo ed abitanti in zone rurali ed urbane [Studies on ALA-dehydratase activity of erythrocytes in subjects not occupationally exposed to lead, living in urban and rural areas]. Med. Lav. 62: 435-450.

Secchi, G.; Alessio, L.; Cambiaghi, G. (1973) Na^+/K^+-ATPase activity of erythrocyte membranes: in urban populations not occupationally exposed to lead. Arch. Environ. Health 27: 399-400.

Secchi, G. C.; Alessio, L.; Cambiaghi, G.; Andreoletti, F. (1973) ALA-dehydratase activity of erythrocytes and blood lead levels in "critical" population groups. In: Barth, D.; Berlin, A.; Engel, R.; Recht, P.; Smeets, J., eds. Environmental health aspects of lead: proceedings, international symposium; October 1972; Amsterdam, The Netherlands. Luxembourg; Commission of the European Communities; pp. 595-602.

Secchi, G. C.; Alessio, L.; Cirla, A. (1970) The effect of experimental lead poisoning on some enzymatic activities of the kidney. Clin. Chim. Acta 27: 467-474.

Secchi, G. C.; Alessio, L.; Gervasini, N.; Rezzonico, A. (1969) Ricerche enzimologiche sugli eritrociti nella intossicazione saturnina sperimentale [Enzymologic studies on the red blood cells in experimental lead poisoning]. Med. Lav. 60: 241-257.

Secchi, G. C.; Erba, L.; Cambiaghi, G. (1974) Delta-aminolevulinic acid dehydratase activity of erythrocytes and liver tissue in man: relationship to lead exposure. Arch. Environ. Health 28: 130-132.

Secchi, G. C.; Rezzonico, A.; Alessio, L. (1968) Variazioni dell'attivitá Na^+-K^+-ATPasica delle membrane eritrocitarie nelle diverse fasi della intossicazione saturnina [Changes in Na^+-K^+-ATPase activity of erthrocytic membranes in different phases of lead poisoning]. Lav. Med. 22: 191-196.

Seeley, J. L.; Skogerboe, R. K. (1974) Combined sampling-analysis method for the determination of trace elements in atmospheric particulates. Anal. Chem. 46: 415-421.

Seeliger, U.; Edwards, P. (1977) Correlation coefficients and concentration factors of copper and lead in seawater and benthic algae. Mar. Pollut. Bull. 8: 16-19.

Selander, S.; Cramér, K. (1970) Interrelationships between lead in blood, lead in urine, and ALA in urine during lead work. Br. J. Ind. Med. 27: 28-39.

Selye, H.; Tuchweber, B.; Bertók, L. (1966) Effect of lead acetate on the susceptibility of rats to bacterial endotoxins. J. Bacteriol. 91: 884-890.

Sensirivatana, R.; Supachadhiwong, O.; Phancharoen, S.; Mitrakul, C. (1983) Neonatal lead poisoning: an unusual clinical manifestation. Clin. Pediatr. (Philadelphia) 22: 582-584.

Seppäläinen, A. M. (1975) Applications of neurophysiological methods in occupational medicine: a review. Scand. J. Work Environ. Health 1: 1-14.

Seppäläinen, A. M. (1978) Diagnostic utility of neuroelectric measures in environmental and occupational medicine. In: Otto, D. A., ed. Multidisciplinary perspectives in event-related brain potential research. Proceedings of the fourth international congress on event-related slow potentials of the brain (EPIC IV); April 1976; Hendersonville, NC. Research Triangle Park, NC: U.S. Environmental Protection Agency, Health Effects Research Laboratory, pp. 448-452; EPA-600/9-77-043. Available from: NTIS, Springfield, VA; PB-297137.

Seppäläinen, A. M. (1984) Electrophysiological evaluation of central and peripheral neural effects of lead exposure. Neurotoxicology 5: 43-52.

Seppäläinen, A. M.; Hernberg, S. (1972) Sensitive technique for detecting subclinical lead neuropathy. Br. J. Ind. Med. 29: 443-449.

Seppäläinen, A. M.; Hernberg, S. (1979) Relationships between blood lead levels and nerve conduction velocities. Acta Neurol. Scand. Suppl. 60: 259.

Seppäläinen, A. M.; Hernberg, S. (1980) Subclinical lead neuropathy. Am. J. Ind. Med. 1: 413-420.

Seppäläinen, A. M.; Hernberg, S. (1982) A follow-up study of nerve conduction velocities in lead exposed workers. Neurobehav. Toxicol. Teratol. 4: 721-723.

Seppäläinen, A. M.; Hernberg, S.; Kock, B. (1979) Relationship between blood lead levels and nerve conduction velocities. Neurotoxicology 1: 313-332.

Seppäläinen, A. M.; Hernberg, S.; Vesanto, R.; Kock, B. (1983) Early neurotoxic effects of occupational lead exposure: a prospective study. Neurotoxicology 4: 181-192.

Seppäläinen, A. M.; Tola, S.; Hernberg, S.; Kock, B. (1975) Subclinical neuropathy at "safe" levels of lead exposure. Arch. Environ. Health 30: 180-183.

Servant, J. (1975) The deposition of lead over France (1972-1973) consideration about the budget importance of the dry deposition. In: International conference on heavy metals in the environment; symposium proceedings: volume II, part 2; October; Toronto, ON, Canada. Toronto, ON, Canada: University of Toronto, Institute for Environmental Studies; pp. 975-986.

Servant, J. (1982) Atmospheric trace elements from natural and industrial sources. London, United Kingdom: University of London, Monitoring and Assessment Research Centre.

Servant, J.; Delapart, M. (1981) Blood lead and lead-210 origins in residents of Toulouse. Health Phys. 41: 483-487.

Seshia, S. S.; Rajani, K. R,; Boeckx, R. L.; Chow, P. N. (1978) The neurological manifestations of chronic inhalation of leaded gasoline. Dev. Med. Child Neurol. 20: 323-334.

Sessa, T.; Ferrari, E.; D'Amato, C. C. (1965) Velocita' di conduzione nervosa nei saturnini [Velocity of nerve conduction in saturnism]. Folia Med. 48: 658-668.

Seto, D. S. Y.; Freeman, J. M. (1964) Lead neuropathy in childhood. Am. J. Dis. Child. 107: 337-342.

Settle, D. M.; Patterson, C. C. (1980) Lead in albacore: guide to lead pollution in Americans. Science (Washington, DC) 207: 1167-1176.

Settle, D. M.; Patterson, C. C. (1982) Magnitude and sources of precipitation and dry deposition fluxes of industrial and natural leads to the North Pacific at Enewetak. J. Geophys. Res. 87: 8857-8869.

Seubert, A.; Seubert, S.; Nottbohm, L.; Ippen, H. (1980) Epidemiological study on the relationships between lead exposure and porphyrin metabolism. Int. J. Biochem. 12: 891-895.

Severs, R.; Whitehead, L.; Lane, R. (1978) Air quality correlates of chronic disease mortality: Harris County, Texas 1969-1971. Tex. Rep. Biol. Med. 36: 169-184.

Severson, R. C.; Gough, L. P. (1983) Rehabilitation materials from surface-coal mines in western U.S.A. 1. Chemical characteristics of spoil and replaced cover-soil. Reclamation Revegetation Res. 2: 83-102.

Seward, T. M. (1984) The formation of lead(II) chloride complexes to 300°C: a spectrophotometric study. Geochim. Cosmochim. Acta 48: 121-134.

Shacklette, H. T.; Hamilton, J. C.; Boerngen, J. G.; Bowles, J. M. (1971) Elemental composition of surficial materials in the conterminous United States: an account of the amounts of certain chemical elements in samples of soils and other regoliths. Washington, DC: U.S. Department of the Interior, Geological Survey; Geological Survey professional paper no. 574-D.

Shaffi, S. A. (1979) Lead toxicity: biochemical and physiological imbalance in nine freshwater teleosts. Toxicol. Lett. 4: 155-161.

Shafiq-ur-Rehman. (1984) Lead-induced regional lipid peroxidation in brain. Toxicol. Lett. 21: 333-337.

Shafiq-ur-Rehman; Chandra, O. (1984) Regional interrelationships of zinc, copper, and lead in the brain following lead intoxication. Bull. Environ. Contam. Toxicol. 32: 157-165.

Shah, B. G.; Belonje, B. (1978) Lead concentration in the livers of Canadians. Bull. Environ. Contam. Toxicol. 20: 484-491.

Shah, B. G.; Momčilović, B.; McLaughlan, J. M. (1980) Increased retention of lead in young rats fed suboptimal protein and minerals. Nutr. Rep. Int. 21: 1-9.

Shaheen, S. J. (1984) Neuromaturation and behavior development: the case of childhood lead poisoning. Dev. Psychol. 20: 542-550.

Shamberger, R. J. (1980) Trace metals in health and disease. In: Brewster, M. A.; Naito, H. K., eds. Nutritional elements and clinical biochemistry. New York, NY: Plenum Press; pp. 241-275.

Shannon, H. S.; Williams, M. K.; King, E. (1976) Sickness absence of lead workers and controls. Br. J. Ind. Med. 33: 236-242.

Shaper, A. G.; Pocock, S. J.; Ashby, D.; Walker, M.; Whitehead, T. P. (1985) Biochemical and haematological response to alcohol intake. Ann. Clin. Biochem. 22: 50-61.

Shaper, A. G.; Pocock, S. J.; Walker, M.; Wale, C. J.; Clayton, B.; Delves, H. T.; Hinks, L. (1982) Effects of alcohol and smoking on blood lead in middle-aged British men. Br. Med. J. 284: 299-302.

Shapiro, H.; Frey, F. W. (1968) The organic compounds of lead. New York, NY: John Wiley & Sons. (Seyferth, D., ed. The chemistry of organometallic compounds: a series of monographs).

Shapiro, I. M.; Burke, A.; Mitchell, G.; Bloch, P. (1978) X-ray fluorescence analysis of lead in teeth of urban children in situ: correlation between the tooth lead level and the concentration of blood lead and free erythroporphyrins. Environ. Res. 17: 46-52.

Shapiro, I. M.; Dobkin, B.; Tuncay, O. C.; Needleman, H. L. (1973) Lead levels in dentine and circumpulpal dentine of deciduous teeth of normal and lead poisoned children. Clin. Chim. Acta 46: 119-123.

Shapiro, I. M.; Grandjean, P.; Nielsen, O. V. (1980) Lead levels in bones and teeth of children in ancient Nubia: evidence of both minimal lead exposure and lead poisoning. In: Needleman, H. L., ed. Low level lead exposure: the clinical implications of current research. New York, NY: Raven Press; pp. 35-41.

Shapiro, I. M.; Marecek, J. (1984) Dentine lead concentration as a predictor of neuropsychological functioning in inner-city children. Biol. Trace Elem. Res. 6: 69-78.

Shapiro, I. M.; Mitchell, G.; Davidson, I.; Katz, S. H. (1975) The lead content of teeth: evidence establishing new minimal levels of exposure in a living preindustrialized human population. Arch. Environ. Health 30: 483-486.

Shapiro, M. A.; Sooky, A. A.; Burgut, R. (1983) An investigation of the influence of changes in environmental lead levels on the blood lead levels of Detroit children 1972-78. In: Shuval, H. I., ed. Developments in ecology and environmental quality: volume II: proceedings of an international meeting of the Israel Ecological Society; May; Jerusalem. Philadelphia, PA: Balaban International Science Services; p. 585.

Sharma, R. M.; Buck, W. B. (1976) Effects of chronic lead exposure on pregnant sheep and their progeny. Vet. Toxicol. 18: 186-188.

Sharpe, W. E.; Young, E. S.; Hershey, D. R. (1980) Lead and cadmium in Clarion County cistern water supplies. University Park, PA: Cooperative Extension Service. (Rural Development: v. 4, no. 4).

Sharrett, A. R.; Carter, A. P.; Orheim, R. M.; Feinleib, M. (1982) Daily intake of lead, cadmium, copper, and zinc from drinking water: the Seattle study of trace metal exposure. Environ. Res. 28: 456-475.

Sharrett, A. R.; Orheim, R. M.; Carter, A. P.; Hyde, J. E.; Feinleib, M. (1982) Components of variation in lead, cadmium, copper, and zinc concentration in home drinking water: the Seattle study of trace metal exposure. Environ. Res. 28: 476-498.

Shaw, C. F., III; Allred, A. L. (1970) Nonbonded interactions in organometallic compounds of Group IV B. Organometallic Chem. Rev. A 5: 95-142.

Shaw, S. C.; Rorison, I. H.; Baker, A. J. M. (1984) Solubility of heavy metals in lead mine spoil extracts. Environ. Pollut. Ser. B 8: 23-33.

Shearer, S. D.; Akland, G. G.; Fair, D. H.; McMullen, T. B.; Tabor, E. C. (1972) Concentrations of particulate lead in the ambient air of the United States. Statement presented at Public Hearing on Gasoline Lead Additives Regulations; May; Los Angeles, CA. Research Triangle Park, NC: U.S. Environmental Protection Agency, National Environmental Research Center.

Shearer, T. R.; Larson, K.; Neuschwander, J.; Gedney, B. (1982) Minerals in the hair and nutrient intake of autistic children. J. Autism Develop. Disorders 12: 25-34.

Sheffet, A.; Thind, I.; Miller, A. M.; Louria, D. B. (1982) Cancer mortality in a pigment plant utilizing lead and zinc chromates. Arch. Environ. Health 37: 44-52.

Shellenberger, M. K. (1984) Effects of early lead exposure on neurotransmitter systems in the brain. A review with commentary. Neurotoxicology 5: 177-212.

Shelling, D. H. (1932) Effect of dietary calcium and phosphorus on toxicity of lead in the rat: rationale of phosphate therapy. Proc. Soc. Exp. Biol. Med. 30: 248-254.

Shellshear, I. D. (1973) Lead poisoning in childhood: a case report with environmental implications. N.Z. Med. J. 78: 251-254.

Shellshear, I. D.; Jordan, L. D.; Hogan, D. J.; Shannon, F. T. (1975) Environmental lead exposure in Christchurch children: soil lead a potential hazard. N. Z. Med. J. 81: 382-386.

Shelton, E. M. (1977) Motor gasolines, summer 1976. Bartlesville, OK: U.S. Energy Research and Development Administration; Bartlesville Energy Research Center. Available from: NTIS, Springfield, VA; BERC/PPS-77/1.

Shelton, K. R.; Egle, P. M. (1982) The proteins of lead-induced intranuclear inclusion bodies. J. Biol. Chem. 257: 11802-11807.

Shenker, B. J.; Matarazzo, W. J.; Hirsch, R. L.; Gray, I. (1977) Trace metal modification of immunocompetence: 1. effect of trace metals in the cultures on in vitro transformation of B lymphocytes. Cell. Immunol. 34: 19-24.

Sherlock, J.; Walters, B. (1983) Dietary intake of heavy metals and its estimation. Chem. Ind. (London) (4 July): 508-518.

Sherlock, J. C. (1983) Heavy metal intakes by critical groups. In: International conference: heavy metals in the environment; September; Heidelberg, West Germany. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 269-273.

Sherlock, J. C.; Ashby, D.; Delves, H. I.; Forbes, G. I.; Moore, M. R.; Patterson, W. J.; Pocock, S. J.; Quinn, M. J.; Richards, W. N.; Wilson, T. S. (1984) Reduction in exposure to lead from drinking water and its effect on blood lead concentrations. Hum. Toxicol. 3: 383-392.

Sherlock, J. C.; Smart, G. A.; Read, J. I.; Brooke, P. J.; Forbes, G.; Patterson, W.; Richards, W.; Moore, M.; Wilson, T. (1983) Intakes of copper, zinc, cadmium, tin, iron, nickel and arsenic in a population exposed to lead from water. Sci. Total Environ. 30: 255-260.

Sherlock, J. C.; Smart, G. A.; Walters, B.; Evans, W. H.; McWeeny, D. J.; Cassidy, W. (1983) Dietary surveys on a population at Shipham, Somerset, United Kingdom. Sci. Total Environ. 29: 121-142.

Sherlock, J.; Smart, G.; Forbes, G. I.; Moore, M. R.; Patterson, W. J.; Richards, W. N.; Wilson, T. S. (1982) Assessment of lead intakes and dose-response for a population in Ayr exposed to a plumbsolvent water supply. Hum. Toxicol. 1: 115-122.

Shiber, J. G.; Shatila, T. A. (1978) Lead, cadmium, copper, nickel and iron in limpets, mussels and snails from the coast of Ras Beirut, Lebanon. Mar. Environ. Res. 1: 125-134.

Shields, M.; Grygorczyk, R.; Fuhrmann, G. F.; Schwarz, W.; Passow, H. (1985) Lead-induced activation and inhibition of potassium-selective channels in the human red blood cell. Biochim. Biophys. Acta 815: 223-232.

Shier, D. R.; Hall, W. G. (1977) Analysis of housing data collected in a lead-based paint survey in Pittsburgh, Pennsylvania: part I. Washington, DC: National Bureau of Standards; report no. NBSIR 77-1250.

Shigeta, S.; Aikawa, H.; Misawa, T.; Kondo, A. (1978) Lead transfer from mother rats to litters through maternal milk and the difference of lead transfer in the body between mature and immature rats. Nippon Eiseigaku Zasshi 32: 747-752.

Shigeta, S.; Misawa, T.; Aikawa, H. (1977) Effect of lead on operant behaviour in rats. Tokai J. Exp. Clin. Med. 2: 153-161.

Shigeta, S.; Misawa, T.; Aikawa, H.; Hirase, F.; Nagata, M. (1979) Effects of lead on Sidman avoidance behavior by lever pressing in rats. Nippon Eiseigaku Zasshi 34: 677-682.

Shih, T.-M.; Hanin, I. (1978) Chronic lead exposure in immature animals: neurochemical correlates. Life Sci. 23: 877-888.

Shih, T.-M.; Hanin, I. (1978) Effects of chronic lead exposure on levels of acetylcholine and choline and on acetylcholine turnover rate in rat brain areas _in vivo_. Psychopharmacology (Berlin) 58: 263-269.

Shih, T.-M.; Khachaturian, Z. S.; Hanin, I. (1977) Involvement of both cholinergic and catecholaminergic pathways in the central action of methylphenidate: a study utilizing lead-exposed rats. Psychopharmacology (Berlin) 55: 187-193.

Shimojo, N.; Asano, N.; Yamaguchi, S. (1983) Lead absorption after low level lead exposure and behavioral effects of such exposure in neonatal rats. Nippon Eiseigaku Zasshi 38: 797-805.

Shirahata, H.; Elias, R. W.; Patterson, C. C.; Koide, M. (1980) Chronological variations in concentrations and isotopic compositions of anthropogenic atmospheric lead in sediments of a remote subalpine pond. Geochim. Cosmochim. Acta 44: 149-162.

Shirai, T.; Ohshima, M.; Masuda, A.; Tamano, S.; Ito, N. (1984) Promotion of 2-(ethylnitrosamino)ethanol-induced renal carcinogenesis in rats by nephrotoxic compounds: positive responses with folic acid, basic lead acetate, and N-(3,5-dichlorophenyl)succinimide but not with 2,3-dibromo-1-propanol phosphate. J. Natl. Cancer Inst. 72: 477-482.

Shore, R.; Pasternack, B.; Friedman, D.; Albert, R. (1981) The late effects of low-level exposure to lead in childhood. Am. J. Epidemiol. 114: 427-428.

Shrivastava, A. K.; Tandon, S. G. (1982) Microdetermination of lead in water samples, preconcentration by coprecipitation followed by its atomic absorption spectrophotometric determination. Int. J. Environ. Anal. Chem. 12: 169-176.

Shukla, G. S.; Singhal, R. L. (1984) The present status of biological effects of toxic metals in the environment: lead, cadmium, and manganese. Can. J. Physiol. Pharmacol. 62: 1015-1031.

Siccama, T. G.; Smith, W. H. (1978) Lead accumulation in a northern hardwood forest. Environ. Sci. Technol. 12: 593-594.

Sicko-Goad, L. (1982) A morphometric analysis of algal response to low dose, short-term heavy metal exposure. Protoplasma 110: 75-86.

Sicko-Goad, L.; Lazinsky, D. (1981) Accumulation and cellular effects of heavy metals in benthic and planktonic algae. Micron 22: 289-290.

Sieber, E. (1936) Histochemischer Bleinachweis im Knochen [Histochemical detection of lead in the bone]. Naunyn Schmiedebergs Arch. Exp. Pathol. Pharmakol. 181: 273-280.

Siegel, G. J.; Fogt, S. K. (1979) Effects of Pb^{++} and other divalent cations on ouabain binding to E. electricus electroplax (Na^+ + K^+)-adenosinetriphosphatase. Mol. Pharmacol. 15: 43-48.

Siegel, G. J.; Fogt, S. K.; Iyengar, S. (1978) Characteristics of lead ion-stimulated phosphorylation of Electrophorus electricus electroplax (Na+ + K+)-adenosine triphosphatase and inhibition of ATP-ADP exchange. J. Biol. Chem. 253: 7207-7211.

Siegel, G. J.; Iyengar, S.; Fogt, S. K. (1980) Electrophorus electricus (Na+ + K+)-ATPase. Evidence for simultaneous Na+ and K+ binding in the presence of Pb^{2+}. J. Biol. Chem. 255: 3935-3943.

Siegers, C.-P.; Jungblut, J.; Klink, F. (1983) Cadmium and lead concentrations in the human amniotic fluid of smokers and non-smokers. Naunyn Schmiedebergs Arch. Pharmacol. Suppl. 324: R84.

Siegers, C.-P.; Jungblut, J. R.; Klink, F.; Oberheuser, F. (1983) Effect of smoking on cadmium and lead concentrations in human amniotic fluid. Toxicol. Lett. 19: 327-331.

Sievering, H.; Dave, M.; Dolske, D.; McCoy, P. (1980) Trace element concentrations over mid-lake Michigan as a function of meteorology and source region. Atmos. Environ. 14: 39-53.

Silbergeld, E. K. (1982) Current status of neurotoxicology, basic and applied. Trends NeuroSci. (Pers. Ed.) 5: 291-294.

Silbergeld, E. K. (1982) Neurochemical and ionic mechanisms of lead neurotoxicity. In: Prasad, K. N.; Vernadakis, A., eds. Mechanisms of actions of neurotoxic substances. New York, NY: Raven Press; pp. 1-23.

Silbergeld, E. K. (1983) Effects of lead on reproduction: review of experimental studies. In: Rutter, M.; Russell Jones, R., eds. Low level lead exposure: lead versus health. London, United Kingdom: John Wiley & Sons Ltd. pp. 217-227.

Silbergeld, E. K. (1983) Experimental studies of lead neurotoxicity: implications for mechanisms, dose-response, and reversibility. In: Rutter, M.; Russell Jones, R., eds. Low level lead exposure. London, United Kingdom: John Wiley & Sons; pp. 191-216.

Silbergeld, E. K. (1983) Indirectly acting neurotoxins. Acta Psychiatr. Scand. 67(suppl. 303): 16-25.

Silbergeld, E. K. (1983) Localization of metals: issues of importance to neurotoxicology of lead. Neurotoxicology 4: 193-200.

Silbergeld, E. K. (1984) Behavioral teratology of lead. In: Yanai, J., ed. Neurobehavioral teratology. Amsterdam, The Netherlands: Elsevier Science Publishers; pp. 433-445.

Silbergeld, E. K. (1984) Mitochondrial mechanisms of lead neurotoxicity. In: Narahashi, T., ed. Cellular and molecular neurotoxicology. New York, NY: Raven Press; pp. 153-164.

Silbergeld, E. K.; Adler, H. S. (1978) Subcellular mechanisms of lead neurotoxicity. Brain Res. 148: 451-467.

Silbergeld, E. K.; Adler, H. S.; Costa, J. L. (1977) Subcellular localization of lead in synaptosomes. Res. Commun. Chem. Pathol. Pharmacol. 17: 715-725.

Silbergeld, E. K.; Fales, J. T.; Goldberg, A. M. (1974) Evidence for a junctional effect of lead on neuromuscular function. Nature (London) 247: 49-50.

Silbergeld, E. K.; Fales, J. T.; Goldberg, A. M. (1974) The effects of inorganic lead on the neuromuscular junction. Neuropharmacology 13: 795-801.

Silbergeld, E. K.; Goldberg, A. M. (1973) A lead-induced behavioral disorder. Life Sci. 13: 1275-1283.

Silbergeld, E. K.; Goldberg, A. M. (1974) Hyperactivity: a lead-induced behavior disorder. Environ. Health Perspect. 7: 227-232.

Silbergeld, E. K.; Goldberg, A. M. (1974) Lead-induced behavioral dysfunction: an animal model of hyperactivity. Exp. Neurol. 42: 146-157.

Silbergeld, E. K.; Goldberg, A. M. (1980) Problems in experimental studies of lead poisoning. In: Singhal, R. L.; Thomas, J. A., eds. Lead toxicity. Baltimore, MD: Urban and Schwarzenberg, Inc.; pp. 19-41.

Silbergeld, E. K.; Hruska, R. E. (1980) Neurochemical investigations of low level lead exposure. In: Needleman, H. L., ed. Low level lead exposure: the clinical implications of current research. New York, NY: Raven Press; pp. 135-157.

Silbergeld, E. K.; Hruska, R. E.; Bradley, D. Lamon, J. M.; Frykholm, B. C. (1982) Neurotoxic aspects of porphyrinopathies: lead and succinylacetone. Environ. Res. 29: 459-471.

Silbergeld, E. K.; Hruska, R. E.; Miller, L. P.; Eng, N. (1980) Effects of lead in vivo and in vitro on GABAergic neurochemistry. J. Neurochem. 34: 1712-1718.

Silbergeld, E. K.; Lamon, J. M. (1980) Role of altered heme synthesis in lead neurotoxicity. J. Occup. Med. 22: 680-684.

Silbergeld, E. K.; Lamon, J. M. (1982) Effects of altered porphyrin synthesis on brain neurochemistry. Neurobehav. Toxicol. Teratol. 4: 635-642.

Silbergeld, E. K.; Miller, L. P.; Kennedy, S.; Eng, N. (1979) Lead, GABA, and seizures: effects of subencephalopathic lead exposure on seizure sensitivity and GABAergic function. Environ. Res. 19: 371-382.

Silbergeld, E. K.; Wolinsky, J. S.; Goldstein, G. W. (1980) Electron probe microanalysis of isolated brain capillaries poisoned with lead. Brain Res. 189: 369-376.

Sillman, A. J.; Bolnick, D. A.; Bosetti, J. B.; Haynes, L. W.; Walter, A. E. (1982) The effects of lead and of cadmium on the mass photoreceptor potential: the dose-response relationship. Neurotoxicology 3: 179-194.

Sillman, A. J.; Bolnick, D. A.; Bosettii, J. B.; Haynes, L. W.; Walter, A. E. (1984) The effect of lead on photoreceptor response amplitude - influence of the light stimulus. Exp. Eye Res. 39: 183-193.

Silva, P. A.; Hughes, P.; Faed, J. M. (1985) Blood lead levels in 579 Dunedin eleven year old children: a report from the Dunedin Multidisciplinary Health and Development Research Unit. N. Z. Med. J.: in press.

Silva, P. A.; Hughes, P.; Williams, S.; Faed, J. M. (1985) Blood lead, intelligence, reading attainment, and behaviour in eleven year old children in Dunedin, New Zealand. J. Child Psychol. Psychiatry: submitted.

Silver, W.; Rodriguez-Torres, R. (1968) Electrocardiographic studies in children with lead poisoning. Pediatrics 41: 1124-1127.

Simmon, V. F. (1979) In vitro mutagenicity assays of chemical carcinogens and related compounds with Salmonella typhimurium. J. Natl. Cancer Inst. (U.S.) 62: 893-899.

Simmon, V. F.; Rosenkranz, H. S.; Zeiger, E.; Poirier, L. A. (1979) Mutagenic activity of chemical carcinogens and related compounds in the intraperitoneal host-mediated assay. J. Natl. Cancer Inst. (U.S.) 62: 911-918.

Simon, J.; Liese, T. (1981) Spurenbestimmung von Pb und Cd in knochen - Vergleich von AAS und inverser polarographie [Trace determination of Pb and Cd in bones - comparison of AAS and DPASV]. Fresenius Z. Anal. Chem. 309: 383-385.

Simon, N.; Kószó, F.; Siklósi, Cs. (1978) Correlations between chronic exposure to lead and excretion of heme precursors in ceramics industry workers. J. Clin. Chem. Clin. Biochem. 16: 65.

Simons, T. J. B. (1985) Influence of lead ions on cation permeability in human red cell ghosts. J. Membrane Biol. 84: 61-71.

Simpson, J. M.; Clark, J. L.; Challop, R. S.; McCabe, E. B. (1973) Elevated blood lead levels in children: a 27-city neighborhood survey. Health Serv. Rep. 88: 419-422.

Simpson, R. D. (1979) Uptake and loss of zinc and lead by mussels Mytilus edulis and relationships with body weight and reproductive cycle. Mar. Pollut. Bull. 10: 74-78.

Simpson, R. L.; Good, R. E.; Leck, M. L.; Whigham, D. F. (1983) The ecology of freshwater tidal wetlands. Bioscience 33: 255-259.

Simpson, R. L.; Good, R. E.; Walker, R.; Frasco, B. R. (1983) The role of Delaware River freshwater tidal wetlands in the retention of nutrients and heavy metals. J. Environ. Qual. 12: 41-48.

Simpson, V. R.; Hunt, A. E.; French, M. C. (1979) Chronic lead poisoning in a herd of mute swans. Environ. Pollut. 18: 187-202.

Sin, Y. M.; Wong, M. K.; Low, L. K. (1985) Effect of lead on tissue deposition of mercury in mice. Bull. Environ. Contam. Toxicol. 34: 438-445.

Singer, M. J.; Hanson, L. (1969) Lead accumulation in soils near highways in the Twin Cities metropolitan area. Soil Sci. Soc. Am. Proc. 33: 152-153.

Singer, R.; Valciukas, J. A.; Lilis, R. (1983) Lead exposure and nerve conduction velocity: the differential time course of sensory and motor nerve effects. Neurotoxicology 4: 193-202.

Singh, B. R.; Narwal, R. P. (1984) Plant availability of heavy metals in a sludge-treated soil: II. metal extractability compared with plant metal uptake. J. Environ. Qual. 13: 344-349.

Singh, N.; Donovan, C. M.; Hanshaw, J. B. (1978) Neonatal lead intoxication in a prenatally exposed infant. J. Pediatr. (St. Louis) 93: 1019-1021.

Singh, N. P.; Thind, I. S.; Vitale, L. F.; Pawlow, M. (1979) Intake of magnesium and toxicity of lead: an experimental model. Arch. Environ. Health 34: 168-173.

Singhal, R. L.; Thomas, J. A., eds. (1980) Lead toxicity. Baltimore, MD: Urban and Schwarzenberg, Inc.

Singhal, R. L.; Vijayvargiya, R.; Shukla, G. S. (1985) Toxic effects of cadmium and lead on reproductive functions. In: Thomas, J. A., ed. Endocrine toxicology. New York, NY: Raven Press; pp. 149-179.

Sinn, W. (1980) Über den Zusammenhang von Luftbleikonzentration und Bleigehalt des Blutes von Anwohnern und Berufstätigen im Kerngebiet einer Grossstadt (Blutbleistudie Frankfurt): I. Versuchsanlage und differenzprüfung [Relationship between lead concentration in the air and blood lead levels of people living and working in the centre of a city (Frankfurt blood lead study): I. experimental method and examination of differences]. Int. Arch. Occup. Environ. Health 47: 93-118.

Sinn, W. (1981) [Relationship between lead concentration in the air and blood lead levels of people living and working in the center of a city (Frankfurt blood lead study): II. correlations and conclusions]. Int. Arch. Occup. Environ. Health 48: 1-23.

Sippel, A. J. A.; Geraci, J. R.; Hodson, P. V. (1983) Histopathological and physiological responses of rainbow trout (Salmo gairdneri Richardson) to sublethal levels of lead. Water Res. 17: 1115-1118.

Sirover, M. A.; Loeb, L. A. (1976) Infidelity of DNA synthesis in vitro: screening for potential metal mutagens or carcinogens. Science (Washington, DC) 194: 1434-1436.

Sissoëff, I.; Grisvard, J.; Guillé, E. (1976) Studies on metal ions - DNA interactions: specific behaviour of reiterative DNA sequences. Prog. Biophys. Mol. Biol. 31: 165-199.

Sixel-Dietrich, F.; Doss, M.; Pfeil, C.-H.; Solcher, H. (1985) Acute lead intoxication due to intravenous injection. Hum. Toxicol. 4: 301-309.

Skei, J.; Paus, P. E. (1979) Surface metal enrichment and partitioning of metals in a dated sediment core from a Norwegian fjord. Geochim. Cosmochim. Acta 43: 239-246.

Skogerboe, R. K. (1974) Monitoring trace metal particulates: an evaluation of the sampling and analysis problems; ASTIM STP 555. Philadelphia, PA: American Society for Testing and Materials; pp. 125-136.

Skogerboe, R. K. (1976) Analytical chemistry of lead. In: Edwards, H. W., ed. Environmental contamination caused by lead: final report. Fort Collins, CO: Colorado State University; pp. 131-178.

Skogerboe, R. K. (1982) The analytical blank: sources and effects on lead analyses. J. Assoc. Off. Anal. Chem. 65: 957-964.

Skogerboe, R. K.; Dick, D. L.; Lamothe, P. J. (1977) Evaluation of filter inefficiencies for particulate collection under low loading conditions. Atmos. Environ. 11: 243-249.

Skogerboe, R. K.; Hartley, A. M.; Vogel, R. S.; Koirtyohann, S. R. (1977) Monitoring for lead in the environment. In: Boggess, W. R. ed. Lead in the environment. Washington, DC: National Science Foundation; pp. 33-70; NSF report no. NSF/RA-770214. Available from: NTIS, Springfield, VA; PB-278278.

Skogerboe, R. K.; Koirtyohann, S. R. (1976) Accuracy assurance in the analysis of environmental samples. In: LaFleur, P. D., ed. Accuracy in trace analysis: sampling, sample handling, analysis - volume 1. Proceedings of the 7th materials research symposium; October 1974; Gaithersburg, MD. Washington, DC: U.S. Department of Commerce, National Bureau of Standards; NBS special publication no. 422; pp. 199-210. Available from: NTIS, Springfield, VA; PB-258092.

Skorkowska-Zieleniewska, J.; Cabalska, B.; Golabek, B.; Symonowicz, H.; Nowakowska, M. (1984) Biochemiczna ocena poziomu olowiu we włosach populacji mieszanej: cz. II. porownanie poziomu ołowiu we włosach dzieci zdrowych i w wybranych chorobach [Biochemical assessment of lead content in the hair in a mixed population: part II. comparison of lead levels in the hair of healthy children and in various diseases]. Rocz. Panstw. Zakl. Hig. 35: 337-340.

Skougstad, M. W.; Fishman, M. J. (1979) Inorganic pollution in water - the analyst's viewpoint. In: Frei, R. W., ed. Recent advances in environmental analysis: v. 2. New York, NY: Gordon and Breach Science Publishers; pp. 179-196. (Current topics in environmental and toxicological chemistry v. 2).

Škreb, Y.; Habazin-Novak, V.; Hors, N. (1981) The rate of DNA synthesis in HeLa cells during combined long-term and acute exposures to lead. Toxicology 19: 1-10.

Slavin, S.; Peterson, G. E.; Lindahl, P. C. (1975) Determination of heavy metals in meats by atomic absorption spectroscopy. At. Absorp. Newsl. 14: 57-59.

Sleet, R. B.; Soares, J. H., Jr. (1978) Effects of vitamin E deficiency on tissue lead deposition and on hepatic xanthine dehydrogenase activity in the mallard duck. Proc. West. Pharmacol. Soc. 21: 481-482.

Sleet, R. B.; Soares, J. H., Jr. (1979) Some effects of vitamin E deficiency on hepatic xanthine dehydrogenase activity, lead, and α-tocopherol concentrations in tissues of lead-dosed mallard ducks. Toxicol. Appl. Pharmacol. 47: 71-78.

Slorach, S. A. (1982) The WHO/UNEP pilot project on assessment of human exposure to pollutants through biological monitoring. Environ. Monit. Assess. 2: 33-41.

Slowik, J. (1981) Biocumulation [sic] of copper and lead by Sphaerotilus natans. Acta Microbiol. Pol. 30: 183-193.

Sly, P. G. (1983) Sedimentology and geochemistry of recent sediments off the mouth of the Niagara River, Lake Ontario. J. Great Lakes Res. 9: 134-159.

Smart, G. A.; Warrington, M.; Evans, W. H. (1981) The contribution of lead in water to dietary lead intakes. J. Sci. Food Agric. 32: 129-133.

Smith, C. M.; DeLuca, H. F.; Tanaka, Y.; Mahaffey, K. R. (1978) Stimulation of lead absorption by vitamin D administration. J. Nutr. 108: 843-847.

Smith, C. M.; DeLuca, H. F.; Tanaka, Y.; Mahaffey, K. R. (1981) Effect of lead ingestion on functions of vitamin D and its metabolites. J. Nutr. 111: 1321-1329.

Smith, D. F. (1978) Learned aversion and rearing movement in rats given LiCl, $PbCl_2$ or NaCl. Experientia 34: 1200-1201.

Smith, D. L. (1976) Lead absorption in police small-arms instructors. J. Soc. Occup. Med. 26: 139-140.

Smith, F. L., 2nd; Rathmell, T. K.; Marcil, G. E. (1938) The early diagnosis of acute and latent plumbism. Am. J. Clin. Pathol. 8: 471-508.

Smith, H. D. (1964) Pediatric lead poisoning. Arch. Environ. Health 8: 256-261.

Smith, J. D.; Plues, L.; Heyraud, M.; Cherry, R. D. (1984) Concentrations of the elements Ag, Al, Ca, Cd, Cu, Fe, Mg, Mn, Pb and Zn, and the radionuclides ^{210}Pb and ^{210}Po in the digestive gland of the squid Nototodarus gouldi. Mar. Environ. Res. 13: 55-68.

Smith, M. E.; Kaster, J. L. (1983) Effect of rural highway runoff on stream benthic macroinvertebrates. Environ. Pollut. Ser. A 32: 157-170.

Smith, M.; Delves, T.; Lansdown, R.; Clayton, B.; Graham, P. (1983) The effects of lead exposure on urban children: the Institute of Child Health/Southampton study. London, United Kingdom: Spastics International Medical Publications. Dev. Med. Child. Neurol. 25(5): suppl. 47.

Smith, R. A. H.; Bradshaw, A. D. (1972) Stabilization of toxic mine wastes by the use of tolerant plant populations. Trans. Inst. Min. Metall. Sec. B 81: A230-A237.

Smith, R. M.; Butt, A. M.; Thakur, A. (1985) Determination of lead, mercury and cadmium by liquid chromatography using on-column derivatisation with dithiocarbamates. Analyst (London) 110: 35-37.

Smith, W. H. (1971) Lead contamination of roadside white pine. For. Sci. 17: 195-198.

Smith, W. H. (1973) Metal contamination of urban woody plants. Environ. Sci. Technol. 7: 631-636.

Smith, W. H. (1976) Lead contamination of the roadside ecosystem. J. Air Pollut. Control Assoc. 26: 753-766.

Smith, W. H. (1981) Air pollution and forests: interactions between air contaminants and forest ecosystems. New York, NY: Springer-Verlag.

Smith, W. H.; Siccama, T. G. (1981) The Hubbard Brook ecosystem study: biogeochemistry of lead in the northern hardwood forest. J. Environ. Qual. 10: 323-333.

Snediker, D. K. (1982) Lead levels tell another story [letter]. Sci. News (Washington, DC) 121: 227.

Snee, R. D. (1981) Evaluation of studies of the relationship between blood lead and air lead. Int. Arch. Occup. Environ. Health 48: 219-242.

Snee, R. D. (1982) Development of an air quality standard for lead from community studies. Environ. Sci. Technol. 16: 241-246.

Snee, R. D. (1982) Models for the relationship between blood lead and air lead. Int. Arch. Occup. Environ. Health 50: 303-319.

Snee, R. D. (1982) Silver Valley lead study: further analysis of the relationship between blood lead and air lead. J. Air Pollut. Control Assoc. 32: 170-175.

Snee, R. D. (1983) Comment on "Development of an air quality standard for lead from community studies" [letter]. Environ. Sci. Technol. 17: 376-378.

Snowdon, C. T. (1973) Learning deficits in lead-injected rats. Pharmacol. Biochem. Behav. 1: 599-603.

Sobel, A. E.; Gawron, O.; Kramer, B. (1938) Influence of vitamin D in experimental lead poisoning. Proc. Soc. Exp. Biol. Med. 38: 433-435.

Sobel, A. E.; Yuska, H.; Peters, D. D.; Kramer, B. (1940) The biochemical behavior of lead: I. influence of calcium, phosphorus, and vitamin D on lead in blood and bone. J. Biol. Chem. 132: 239-265. Reprinted (1981) in Nutr. Rev. 39: 374-377.

Sobolesky, W. J. (1982) Some problems associated with the environmental phases of a childhood lead poisoning prevention program. In: Chisolm, J. J., Jr.; O'Hara, D., eds. Lead absorption in children: management, clinical and environmental aspects. Baltimore, MD: Urban and Schwarzenberg, Inc.; pp. 135-141.

Sobotka, T. J.; Brodie, R. E.; Cook, M. P. (1975) Psychophysiologic effects of early lead exposure. Toxicology 5: 175-191.

Sobotka, T. J.; Cook, M. P. (1974) Postnatal lead acetate exposure in rats: possible relationship to minimal brain dysfunction. Am. J. Ment. Defic. 79: 5-9.

Sobotka, T.; Miller, E.; Spaid, S. (1977) Neurobehavioral correlates of early lead exposure in beagle dogs. Fed. Proc. Fed. Am. Soc. Exp. Biol. 36: 355.

Sobue, G.; Pleasive, D. (1985) Experimental lead neuropathy: inorganic lead inhibits proliferation but not differentiation of Schwann cells. Ann. Neurol. 17: 462-468.

Solgaard, P.; Aarkrog, A.; Fenger, J.; Flyger, H.; Graabaek, A. M. (1978) Decrease in content of lead in Danish cereals. Nature (London) 272: 346-347.

Solgaard, P.; Aarkrog, A.; Fenger, J.; Flyger, H.; Graabaek, A. M. (1979) Lead in Danish food-stuffs: evidence of decreasing concentrations. Dan. Med. Bull. 26: 179-182.

Soliman, M. H.; El-Sadek, Y. M.; El-Kashlan, K. M.; Gabr, Y.; El-Waseef, A. (1976) Evaluation of some parameters of lead exposure and possible correlation between them. J. Egypt. Med. Assoc. 59: 469-480.

Solly, S. R. B.; Revfeim, K. J. A.; Finch, G. D. (1981) Concentrations of cadmium, copper, selenium, zinc, and lead in tissues of New Zealand cattle, pigs, and sheep. N. Z. J. Sci. 24: 81-87.

Solomon, B. A. (1979) Dyslexia - a lead toxicity symptom? Md. State Med. J. 43-45.

Solomon, R. L.; Hartford, J. W.; Hudson, J. L.; Neaderhouser, D.; Stukel, J. J. (1977) Spatial variation of airborne lead concentration in an urban area. J. Air Pollut. Control Assoc. 27: 1095-1099.

Solomon, R. L.; Natusch, D. F. S. (1977) Environmental contamination by lead and other heavy metals; volume III: distribution and characterization of urban dusts. Urbana-Champaign, IL: University of Illinois, Institute for Environmental Studies. (Final report: National Science Foundation RANN Program).

Somervaille, L. J.; Laird, E. E.; Chettle, D. R.; Scott, M. C. (1983) Lead body stores assessed in-vivo by X-ray fluorescence. In: International conference: heavy metals in the environment v. 1; September; Heidelberg, Germany. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 521-524.

Sommers, S. C.; Churg, J. (1982) Kidney pathology in hyperuricemia and gout. In: Yü, T.-F.; Berger, L., eds. The kidney in gout and hyperuricemia. Mount Kisco, NY: Futura Publishing Company; pp. 95-174.

Sonneborn, M. (1978) Diagnosis of environmental lead intoxication by different methods. J. Clin. Chem. Clin. Biochem. 16: 61.

Sonntag-Dierks, L. (1982) Über den Blei- und Cadmiumgehalt des Zahnsteins und der Zähne bei Bewohnern im Gebiet verschiedener Blei- und Zinkhütten [The lead and cadmium content of the tartar and teeth of residents in the vicinity of various lead and zinc works] [dissertation]. Munich, West Germany: Ludwig-Maximilian University. Available from: NTIS, Springfield, VA; DE84-770182.

Sorensen, E. M. B.; Moretti, E. S.; Lindenbaum, A. (1979) Lead decorporation following therapy with the dibutyl ester of diethylenetriaminepentaacetate in the mouse. Bull. Environ. Contam. Toxicol. 22: 617-624.

Sorenson, E. M. B.; Moretti, E. S.; Lindenbaum, A. (1980) Chelation therapy and the tissue distribution and excretion of lead in mice. Arch. Environ. Contam. Toxicol. 9: 619-626.

Sorrell, M.; Rosen, J. F.; Roginsky, M. (1977) Interactions of lead, calcium, vitamin D, and nutrition in lead-burdened children. Arch. Environ. Health 32: 160-164.

Southgate, T.; Slinn, D. J.; Eastham, J. F. (1983) Mine-derived metal pollution in the Isle of Man. Mar. Pollut. Bull. 14: 137-140.

Sparrow, D.; Garvey, A. J.; Sharrett, A. R.; Silbert, J. E. (1981) The influence on blood pressure of trace metals in drinking water. Am. J. Epidemiol. 114: 419-420.

Sparrow, D.; Sharrett, A. R.; Garvey, A. J.; Craun, G. F.; Silbert, J. E. (1984) Trace metals in drinking water: lack of influence on blood pressure. J. Chronic Dis. 37: 59-65.

Specter, M. J.; Guinee, V. F.; Davidow, B. (1971) The unsuitability of random urinary delta aminolevulinic acid samples as a screening test for lead poisoning. J. Pediatr. (St. Louis) 79: 799-804.

Spector, S.; Brown, K. E. (1982) Lead study questioned [letter]. Pediatrics 69: 134-135.

Speecke, A.; Hoste, J.; Versieck, J. (1976) Sampling of biological materials. In: LaFleur, P. D., ed. Accuracy in trace analysis: sampling, sample handling, analysis - volume 1. Proceedings of the 7th materials research symposium; October 1974; Gaithersburg, MD. Washington, DC: U.S. Department of Commerce, National Bureau of Standards; NBS special publication no. 422; pp. 299-310. Available from NTIS, Springfield, VA; PB-258092.

Spehar, R. L.; Anderson, R. L.; Fiandt, J. T. (1978) Toxicity and bioaccumulation of cadmium and lead in aquatic invertebrates. Environ. Pollut. 15: 195-208.

Speich, M.; Métaver, C.; Arnaud, P.; Nguven, V. G.; Boiteau, H.-L. (1983) Concentrations of lead, magnesium, calcium, zinc and cadmium in twenty rabbit tissues after exposure to low lead doses and atherogenic diet. Ann. Nutr. Metab. 27: 531-541.

Spence, I.; Drew, C.; Johnston, G. A. R.; Lodge, D. (1985) Acute effects of lead at central synapses in vitro. Brain Res. 333: 103-109.

Spengler, J. D.; Billick, I.; Ryan, P. B. (1984) Modeling population exposures to airborne lead. In: Berglund, B.; Lindvall, T.; Sundell, J., eds. Indoor air: v. 4, chemical characterization and personal exposure; August; Stockholm, Sweden. Stockholm, Sweden: Swedish Council for Building Research; pp. 87-94.

Spengler, J. D.; Thurston, G. D.; Turner, W. A.; Letz, R. (1982) Mass and elemental composition of fine and coarse particles in six U.S. cities. Presented at: 75th annual meeting of the Air Pollution Control Association; June; New Orleans, LA. Pittsburgh, PA: Air Pollution Control Association; paper no. 82-39.7.

Spickett, J. T.; Bell, R. R.; Stawell, J.; Polan, S. (1984) The influence of dietary citrate on the absorption and retention of orally ingested lead. Agents Actions 15: 459-462.

Spielholtz, G. I.; Kaplan, F. S. (1980) The problem of lead in Mexican pottery. Talanta 27: 997-1000.

Spit, B. J.; Wibowo, A. A. E.; Feron, V. J.; Zielhuis, R. L. (1981) Ultrastructural changes in the kidneys of rabbits treated with lead acetate. Arch. Toxicol. 49: 85-91.

Spittler, T. M.; Feder, W. A. (1978) A study of soil contamination and plant lead uptake in Boston urban gardens. Presented at: Toxic element studies: food crops and urban vegetable gardens. A symposium sponsored by the New York City Gardening Program; June; The Bronx, NY. Ithaca, NY: Cornell University Cooperative Extension. Also in: Commun. Soil Sci. Plant Anal. 10: 1195-1210 (1979).

Spivey, G. H.; Baloh, R. W.; Brown, C. P.; Browdy, B. L.; Campion, D. S.; Valentine, J. L.; Morgan, D. E.; Culver, B. D. (1980) Subclinical effects of chronic increased lead absorption - a prospective study: III. neurologic findings at follow-up examination. J. Occup. Med. 22: 607-612.

Spivey, G. H.; Brown, C. P.; Baloh, R. W.; Campion, D. S.; Valentine, J. L.; Massey, F. J., Jr.; Browdy, B. L.; Culver, B. D. (1979) Subclinical effects of chronic increased lead absorption -- a prospective study. I. Study design and analysis of symptoms. J. Occup. Med. 21: 423-429.

Sposito, G.; Bingham, F. T.; Yadav, S. S.; Inouye, C. A. (1982) Trace metal complexation by fulvic acid extracted from sewage sludge: II. development of chemical models. Soil Sci. Soc. Am. J. 46: 51-56.

Sposito, G.; LeVesque, C. S.; LeClaire, J. P.; Chang, A. C. (1983) Trace metal chemistry in arid-zone field soils amended with sewage sludge: III. effect of time on the extraction of trace metals. Soil Sci. Soc. Am. J. 47: 898-902.

Sprague, J. B. (1982) [Untitled letter]. Environ. Sci. Technol. 16: 209A.

Spurzem, J. R.; Lockey, J. E. (1983) Reproductive hazards of lead. Albany, NY: New York State Department of Health. Occup. Med. Current Concepts 6(3): 1-4.

Srivastava, L.; Tandon, S. K. (1984) Effect of zinc on lead-induced changes in brain lysosomal enzymes in the chick embryo. Toxicol. Lett. 20: 111-114.

Srivastava, U.; Thakur, M. L. (1981) Effect of lead exposure on the cellular growth of the brain in the rat progeny. In: Tsang, R. C.; Nichols, B. L., Jr., eds. Progress in clinical and biological research. Vol. 61: Nutrition and child health: perspectives for the 1980s: proceedings of the 21st annual meeting of the American College of Nutrition; September 1980; Bethesda, MD. New York, NY: Alan R. Liss; p. 191.

Sroczyński, J.; Zajusz, K.; Kossmann, S.; Wegiel, A. (1967) Wplyw doświadczalnego zatrucia olowiem na rozwój miazdzycy [Effect of experimental lead poisoning on the development of atherosclerosis]. Pol. Arch. Med. Wewn. 38: 641-646.

Stack, M. (1982) Tooth-lead analysis [letter]. Dev. Med. Child Neurol. 24: 89-90.

Stack, M. V.; Burkitt, A. J.; Nickless, G. (1976) Trace metals in teeth at birth (1957-1963 and 1972-1973). Bull. Environ. Contam. Toxicol. 16: 764-766.

Staessen, J.; Bulpitt, C. J.; Roels, H.; Bernard, A.; Fagard, R.; Joossens, J. V.; Lauwerys, R.; Lijnen, P.; Amery, A. (1984) Urinary cadmium and lead concentrations and their relation to blood pressure in a population with low exposure. Br. J. Ind. Med. 41: 241-248.

Stanković, V.; Jugo, S. (1976) Supressive effect of lead on antibody response of rats to S. typhimurium. Period. Biol. 78(suppl. 1): 64-65.

Stanković-Keser, M.; Stanković, D.; Igic, R. (1976) Mechanisms of hypertensive lead action in chronic lead intoxication. Folia Med. (Sarajevo) 11: 141-149.

Stanwell-Smith, R.; Thompson, S. G.; Haines, A. P.; Ward, R. J.; Cashmore, G.; Stedronska, J.; Hendry, W. F. (1983) A comparative study of zinc, copper, cadmium, and lead levels in fertile and infertile men. Fertil. Steril. 40: 670-677.

Stark, A. D.; Quah, R. F.; Meigs, J. W.; Delouise, E. R. (1982) Relationship of sociodemographic factors to blood lead concentrations in New Haven children. J. Epidemiol. Commun. Health 36: 133-139.

Stark, A. D.; Quah, R. F.; Meigs, J. W.; DeLouise, E. R. (1982) The relationship of environmental lead to blood-lead levels in children. Environ. Res. 27: 372-383.

Starr, R. H., Jr. (1985) Current research on the developmental ecology of lead exposure during childhood. In: Bornschein, R. L.; Rabinowitz, M. B., eds. The second international conference on prospective studies of lead; April 1984; Cincinnati, OH. Environ. Res. 38: 197-210.

Stasik, M.; Byczkowska, Z.; Szendzikowski, S.; Friedarczuk, Z. (1969) Acute tetraethyl lead poisoning. Arch. Toxicol. 24: 283-291.

Steenhout, A. (1982) Kinetics of lead storage in teeth and bones: an epidemiologic approach. Arch. Environ. Health 37: 224-231.

Steenhout, A.; Pourtois, M. (1981) Lead accumulation in teeth as a function of age with different exposures. Br. J. Ind. Med. 38: 297-303.

Steenhout, A.; Vandenbreede, S.; Mouchette, A.; Vermiglio, M.; Toussaint, J. C. (1983) Children's tooth lead indices in Brussels: cumulative contribution of drinking water and traffic density to lead exposure. In: International conference: heavy metals in the environment; September; Heidelberg, West Germany. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 602-604.

Stein, J. M. (1980) An overview of the lead abatement program response to the silent epidemic. In: Needleman, H. L., ed. Low level exposure: the clinical implications of current research. New York, NY: Raven Press; pp. 279-284.

Stein, V. B.; Canelli, E.; Richards, A. H. (1980) Simplified determination of cadmium, lead and chromium in estuarine waters by flameless atomic absorption. Int. J. Environ. Anal. Chem. 8: 99-106.

Stella, M.; Rossi, R.; Martinucci, G. B.; Rossi, G.; Bonfante, A. (1978) BUdR as a tracer of the possible mutagenic activity of Pb^{++} in human lymphocyte cultures. Biochem. Exp. Biol. 14: 221-231.

Stellern, J.; Marlowe, M.; Cossairt, A.; Errara, J. (1983) Low lead and cadmium levels and childhood visual-perception development. Percept. Motor Skills 56: 539-544.

Stendell, R. C.; Smith, R. I.; Burnham, K. P.; Christensen, R. E. (1979) Exposure of waterfowl to lead: a nationwide survey of residues in wing bones of seven species, 1972-73. Washington, DC: United States Department of the Interior, Fish and Wildlife Service; special scientific report - wildlife no. 223.

Stepanova, M. D. (1980) Sostoyanie i elementnyi khimicheskii sostav pshenitsy vyrashchennoi na pochvakh, zagryaznennykh svintsom i kadmiem [State and elemental chemical composition of wheat grown on soils polluted with cadmium and lead]. Izv. Sib. Otd. Akad. Nauk SSSR, Ser. Biol. Nauk 1: 129-137.

Stephens, M. C. C.; Gerber, G. B. (1981) Development of glycolipids and gangliosides in lead treated neonatal rats. Toxicol. Lett. 7: 373-378.

Stephens, R. (1981) Human exposure to lead from motor vehicle emissions. Int. J. Environ. Stud. 17: 73-83.

Stephens, R.; Jones, R. R. (1984) Blood lead on a traffic-free island. Lancet 2: 976.

Stephens, R.; Waldron, H. A. (1975) The influence of milk and related dietary constituents on lead metabolism. Food Cosmet. Toxicol. 13: 555-563.

Sterling, T. D.; Kobayashi, D. M. (1977) Exposure to pollutants in enclosed "living spaces." Environ. Res. 13: 1-35.

Stern, D. A.; Grant, C. L. (1981) A laboratory investigation of heavy metal adsorption on marine dredge spoils. Bull. Environ. Contam. Toxicol. 26: 213-218.

Sternowsky, H. J.; Wessolowski, R. (1985) Lead and cadmium in breast milk: higher levels in urban vs rural mothers during the first 3 months of lactation. Arch. Toxicol. 57: 41-45.

Sterritt, R. M.; Lester, J. N. (1980) Interactions of heavy metals with bacteria. Sci. Total Environ. 14: 5-17.

Sterritt, R. M.; Lester, J. N. (1984) Comparison of methods for the determination of conditional stability constants of heavy metal-fulvic acid complexes. Water Res. 18: 1149-1153.

Stevens, C. D.; Feldhake, C. J.; Kehoe, R. A. (1960) Isolation of triethyllead ion from liver after inhalation of tetraethyllead. J. Pharmacol. Exp. Ther. 128: 90-94.

Stevenson, A. J.; Kacew, S.; Singhal, R. L. (1977) Reappraisal of the use of a single dose of lead for the study of cell proliferation in kidney, liver, and lung. J. Toxicol. Environ. Health 2: 1125-1134.

Stevenson, A. J.; Kacew, S.; Singhal, R. L. (1977) Influence of lead on hepatic, renal and pulmonary nucleic acid, polyamine, and cyclic adenosine 3':5'-monophosphate metabolism in neonatal rats. Toxicol. Appl. Pharmacol. 40: 161-170.

Stevenson, D. J. (1980) The lead content and acidity of Christchurch precipitation. N. Z. J. Sci. 23: 311-312.

Stevenson, F. J. (1979) Lead-organic matter interactions in a mollisol. Soil Biol. Biochem. 11: 493-499.

Stevenson, F. J.; Welch, L. F. (1979) Migration of applied lead in a field soil. Environ. Sci. Technol. 13: 1255-1259.

Stewart, D. D. (1895) Lead convulsions: a study of sixteen cases. Am. J. Med. Sci. 109: 288-306.

Stewart, D. J. (1974) Teeth as indicators of exposure of children to lead. Arch. Dis. Child. 49: 895-897.

Stewart, K. M. (1984) Lead in the environment: a study in Nithsdale. Environ. Health 92: 92-98.

Stewart, M.; Hughes, E. G.; Barltrop, D. (1981) Monitoring occupational lead exposure [letter]. Lancet 1(8231): 1210-1211.

Sthapit, P. R.; Ottaway, J. M.; Fell, G. S. (1984) Determination of lead in natural and tap waters by flame atomic-fluorescence spectrometry. Analyst (London) 109: 1061-1065.

Stiller, D. (1973) Topochemie tubulärer Enzymmuster während der experimentallen Cancerisierung: Untersuchungen zur Enzymhistochemie der chronischen Bleinephropathie der Ratte [Topochemical behaviour of tubular enzyme pattern in experimental cancerization: histochemical investigations on the chronic lead nephropathy of rats]. Exp. Pathol. 8: 137-154.

Stiller, D.; Friedrich, H.-J. (1983) Ultrastructural and ultrahistochemical investigations of lead-induced intranuclear inclusion bodies in rat kidney. Exp. Pathol. 24: 133-141.

Stinson, M. D.; Eaton, D. L. (1983) Concentrations of lead, cadmium, mercury, and copper in the crayfish (Pacifasticus leniusculus) obtained from a lake receiving urban runoff. Arch. Environ. Contam. Toxicol. 12: 693-700.

Stober, T.; Stelte, W.; Kunze, K. (1983) Lead concentrations in blood, plasma, erythrocytes, and cerebrospinal fluid in amyotrophic lateral sclerosis. J. Neurol. Sci. 61: 21-26.

Stoeppler, M. (1978) Automated blood lead determinations by electrothermal atomic absorption spectroscopy. J. Clin. Chem. Clin. Biochem. 16: 58-59.

Stoewsand, G. S. (1980) Trace metal problems with industrial waste materials applied to vegetable producing soils. In: Graham, H. D., ed. The safety of foods. 2nd ed. Westport CT: Avi Publishing Co.; pp. 423-443.

Stöfen, D. (1973) Less noted European papers on lead. In: Barth, D.; Berlin, A.; Engel, R.; Recht, P.; Smeets, J., eds. Environmental health aspects of lead: proceedings, international symposium; October 1972; Amsterdam, The Netherlands. Luxembourg: Commission of the European Communities; pp. 441-448.

Stöfen, D. (1974) Blei als Umweltgift; die verdeckte Bleivergiftung - ein Massenphänomen [Lead as an environmental toxin; hidden lead poisoning - a mass phenomenon]? Eshwege, West Germany: G. E. Schroeder-Verlag.

Stöfen, D. (1978) Subclinical effects of lead, an ubiquitous poison. J. Clin. Chem. Clin. Biochem. 16: 64-65.

Stolzenburg, T. R.; Andren, A. W.; Stolzenburg, M. R. (1982) Source reconciliation of atmospheric aerosols. Water Air Soil Pollut. 17: 75-85.

Stone, C. L.; Fox, M. R. S. (1984) Effects of low levels of dietary lead and iron on hepatic RNA, protein, and minerals in young Japanese quail. Environ. Res. 33: 322-332.

Stone, C. L.; Mahaffey, K. R.; Spivey Fox, M. R. (1979) A rapid bioassay system for lead using young Japanese quail. J. Environ. Pathol. Toxicol. 2: 767-779.

Stoneburner, D. L.; Harrison, C. S. (1981) Heavy metal residues in sooty tern tissues from the Gulf of Mexico and North Central Pacific Ocean. Sci. Total Environ. 17: 51-58.

Stoner, G. D.; Shimkin, M. B.; Troxell, M. C.; Thompson, T. L.; Terry, L. S. (1976) Test for carcinogenicity of metallic compounds by the pulmonary tumor response in strain A mice. Cancer Res. 36: 1744-1747.

Stopps, G. J. (1968) Symposium on air quality criteria - lead. J. Occup. Med. 10: 550-564.

Stopps, G. J. (1969) Discussion [of the epidemiological bases for possible air quality criteria for lead]. J. Air Pollut. Control Assoc. 19: 719-721.

Stopps, G. J. (1971) Is there a safe level of lead exposure? J. Wash. Acad. Sci. 61: 103-109.

Stover, B. J. (1959) Pb^{212}(ThB) tracer studies in adult beagle dogs. Proc. Soc. Exp. Biol. Med. 100: 269-272.

Stowe, H. D.; Goyer, R. A. (1971) The reproductive ability and progeny of F_1 lead-toxic rats. Fertil. Steril. 22: 755-760.

Stowe, H. D.; Goyer, R. A.; Krigman, M. M.; Wilson, M.; Cates, M. (1973) Experimental oral lead toxicity in young dogs: clinical and morphologic effects. Arch. Pathol. 95: 106-116.

Strain, W. H.; Varnes, A. W.; Paxton, C. A.; Drenski, T. L.; Hill, O. A., Jr. (1981) Problems associated with heavy metals in drinking water. In: Hemphill, D. D., ed. Trace substances in environmental health - XV: [proceedings of University of Missouri's 15th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 104-110.

Strehlow, C. D.; Barltrop, D. (1978) Nutritional status and lead exposure in a multiracial population. In: Hemphill, D. D., ed. Trace substances in environmental health - XII: [proceedings of University of Missouri's 12th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 40-47.

Strömgren, T. (1982) Effect of heavy metals (Zn, Hg, Cu, Cd, Pb, Ni) on the length growth of Mytilus edulis. Mar. Biol. (Berlin) 72: 69-72.

Studnitz, W. von; Haeger-Aronsen, B. (1962) Urinary excretion of amino acids in lead-poisoned rabbits. Acta Pharmacol. Toxicol. 19: 36-42.

Stuik, E. J. (1974) Biological response of male and female volunteers to inorganic lead. Int. Arch. Arbeitsmed. 33: 83-97.

Stukas, V. J.; Wong, C. S. (1983) Application of isotope dilution mass spectrometry to the determination of Cu, Cd, Pb, Zn, Ni, Fe and Cr in seawater. Mar. Chem. 12: 133-146.

Stull, D. R. (1947) Vapor pressure of pure substances: organic compounds. Ind. Eng. Chem. 39: 517-540.

Stumpf, W. E.; Sar, M.; Grant, L. D. (1980) Autoradiographic localization of ^{210}Pb and its decay products in rat forebrain. Neurotoxicology 1: 593-606.

Stupfel, M.; Valleron, A. J.; Radford, E. (1983) Lead, cadmium, iron, zinc, copper, manganese, calcium and magnesium in SPF male rats exposed to a dilution of automotive exhaust gas throughout their lives. Sci. Total Environ. 32: 65-71.

Sturgeon, R. E.; Mitchell, D. F.; Berman, S. S. (1983) Atomization of lead in graphite furnace atomic absorption spectrometry. Anal. Chem. 55: 1059-1064.

Sturrock, R. R. (1979) A quantitative histological study of the effects of acute triethyl lead poisoning on the adult mouse brain. Neuropathol. Appl. Neurobiol. 5: 419-431.

Subramanlan, K. S.; Meranger, J.-C.; MacKeeen, J. E. (1983) Graphite furnace atomic absorption spectrometry with matrix modification for determination of cadmium and lead in human urine. Anal. Chem. 55: 1064-1067.

Sudakova, A. I.; Shevchenko, Z. T.; Nosova, L. I. (1983) State of cells of the peripheral blood and bone marrow of white rats under the prolonged effect of lead. Cytol. Genet. Engl. Transl. 17: 1-5.

Suddendorf, R. F.; Wright, S. K.; Boyer, K. W. (1981) Metals and other elements: sampling procedure and determination of lead in canned foods. J. Assoc. Off. Anal. Chem. 64: 657-660.

Suga, R. S.; Fischinger, A. J.; Knoch, F. W. (1981) Establishment of normal values in adults for zinc protoporphyrin (ZPP) using hematofluorometer: correlation with normal blood lead values. Am. Ind. Hyg. Assoc. J. 42: 637-642.

Suga, R.; Knoch, F. W. (1980) Establishment of normal values in adults for zinc protoporphyrin using hematofluorometer and its correlation with normal blood lead values. Clin. Chem. (Winston-Salem, NC) 26: 1054.

Sugimae, A.; Skogerboe, R. K. (1978) Dual approach to the emission spectrographic determination of elements in airborne particulate matter. Anal. Chim. Acta 97: 1-11.

Sugita, M. (1978) The biological half-time of heavy metals: the existence of a third, "slowest" component. Int. Arch. Occup. Environ. Health 41: 25-40.

Suketa, Y.; Ban, K.; Yamamoto, T. (1981) Effects of ethanol and lead ingestion on urinary sodium excretion and related enzyme activity in rat kidney. Biochem. Pharmacol. 30: 2293-2297.

Suketa, Y.; Hasegawa, S.; Yamamoto, T. (1979) Changes in sodium and potassium in urine and serum of lead-intoxicated rats. Toxicol. Appl. Pharmacol. 47: 203-207.

Suketa, Y.; Kawamoto, J. (1977) Effects of lead and other inhibitors on the activation of K^+-dependent p-nitrophenylphosphatase activity by glycine. J. Toxicol. Environ. Health 2: 663-669.

Suketa, Y.; Ujue, M.; Okada, S. (1981) A possible mechanism for changes in renal K^+-dependent phosphatase activity in lead-treated rats. Toxicol. Appl. Pharmacol. 59: 230-237.

Suketa, Y.; Ujue, M.; Okada, S. (1982) Alteration of sodium and potassium mobilization and of adrenal function by long-term ingestion of lead. Biochem. Pharmacol. 31: 2913-2919.

Suketa, Y.; Yamanaka, N.; Yamamoto, T. (1976) Effect of lead on glycine cleavage activity in rat liver mitochondria. J. Toxicol. Environ. Health 2: 25-29.

Sulek, A. M.; Elkins, E. R.; Zink, E. W. (1978) Lead in evaporated milk by anodic stripping voltammetry and atomic absorption spectrophotometry: cooperative interlaboratory study. J. Assoc. Off. Anal. Chem. 61: 931-936.

Summers, B.; Cypess, R. H. (1983) Neuropathological studies of experimental toxocariasis in lead exposed mice. Brain Res. Bull. 10: 547-550.

Sunderman, F. W., Jr. (1977) Metal carcinogenesis. In: Goyer, R. A.; Mehlman, M. A., eds. Toxicology of trace elements. Washington, DC: Hemisphere Publishing Corporation; pp. 257-295. (Mehlman, M. A., ed. Advances in modern toxicology: v.2).

Sundström, R.; Conradi, N. G.; Sourander, P. (1984) Vulnerability to lead in protein-deprived suckling rats. Acta Neuropathol. 62: 276-283.

Sung, M. W.; Yang, W. J. (1979) Effects of some heavy metals (Al, Cd, Hg, and Pb) on ATP content in plant leaves. Korean J. Bot. 22: 107-113.

Sušnik, J.; Blatnik, D.; Fugaš, M.; Prpić-Majić, D. (1978) Chromosomal investigations in humans after long-term exposure to lead. Arh. Hig. Rada 29: 305-315.

Sutton, R. H.; Wilson, P. D. (1983) Lead poisoning in grey-headed fruit bats (Pteropus poliocephalus). J. Wildl. Dis. 19: 294-296.

Suzuki, K.; Esashi, T.; Suzue, R.; Nishimura, H.; Matsumoto, H. (1979) Tissue concentrations of cadmium, lead and chromium in Japanese ranging from the fetus to elder subjects. Toxicol. Lett. 4: 481-484.

Suzuki, S.; Suzuki, T. (1974) Interrelationships of some biochemical indicators of lead absorption with special reference to serum delta-aminolevulinic acid and its renal clearance. Ind. Health 12: 37-48.

Suzuki, T.; Hongo, T.; Morita, M.; Yamamoto, R. (1984) Elemental contamination of Japanese women's hair from historical samples. Sci. Total Environ. 39: 81-91.

Swan, J. M.; Sacks, R. D. (1985) Direct determination of lead in urban particulate material and lubricating oil with thin silver films electrically vaporized from membrame filters. Anal. Chem. 57: 1261-1264.

Swanson, M. S.; Angle, C. R.; Stohs, S. J. (1982) Effect of lead chelation therapy with EDTA in children on erythrocyte pyrimidine 5'-nucleotidase and with cytidine triphosphate levels. Int. J. Clin. Pharmacol. Ther. Toxicol. 20: 497-500.

Swanson, M. S.; Angle, C. R.; Stohs, S. J.; Rovang, K. S. (1980) Erythrocyte nucleotides from control and lead-treated rabbits. Res. Commun. Chem. Pathol. Pharmacol. 27: 353-361.

Swinyard, C. A.; Sutton, D. B.; Saloum, L. M. (1983) Lead in the environment: experimental studies of lead toxicity in animals and their relevance to marginal lead toxicity in children. Senten Ijo 23: 29-60.

Symeonides, C. (1979) Tree-ring analysis for tracing the history of pollution: application to a study in northern Sweden. J. Environ. Qual. 8: 482-486.

Szefer, P.; Falandysz, J. (1983) Investigations of trace metals in long-tailed duck (Clangula hyemalis L.) from the Gdańsk Bay. Sci. Total Environ. 29: 269-276.

Szold, P. D. (1974) Plumbism and iron deficiency [letter]. N. Engl. J. Med. 290: 520.

Szopa, P. S.; Mcginnes, E. A., Jr.; Pierce, J. O. (1973) Distribution of lead within the xylem of trees exposed to air-borne lead compounds. Wood Sci. 6: 72-77.

Szymczak, M. R.; Adrian, W. J. (1978) Lead poisoning in Canada geese in southeast Colorado. J. Wildl. Manage. 42: 299-306.

Tabershaw, I. R.; Ruotolo, B. P. W.; Gleason. R. P. (1943) Plumbism resulting from oxyacetylene cutting of painted structural steel. J. Ind. Hyg. Toxicol. 25: 189-191.

Tachon, P.; Laschi, A.; Briffaux, J. P.; Brain, G. (1983) Lead poisoning in monkeys during pregnancy and lactation. Sci. Total Environ. 30: 221-229.

Takahashi, H.; Koshi, K. (1981) Solubility and cell toxicity of cobalt, zinc and lead. Ind. Health 19: 47-59.

Takaku, F.; Aoki, Y.; Urata, G. (1973) Delta-aminolevulinic acid synthetase activity in erythroblasts of patients with various hematological disorders. Jpn. J. Clin. Haematol. 14: 1303-1310.

Takala, K.; Olkkonen, H. (1981) Lead content of an epiphytic lichen in the urban area of Kuopio, east central Finland. Ann. Bot. Fenn. 18: 85-89.

Takamatsu, T.; Kusakabe, R.; Yoshida, T. (1983) Analysis of metal-humic acid interaction by paper chromatography using humic acid-impregnated filter paper. Soil Sci. 136: 371-381.

Taketani, S.; Kohno, H.; Kinoshita, S.; Tokunaga, R. (1985) The effects of lead on differentiation of the Friend leukemia cells and rat bone marrow cells. Toxicol. Appl. Pharmacol. 77: 374-380.

Takeuchi, H.; Takahashi, M.; Hara, I.; Hashimoto, K.; Suenaka, T.; Genba, H. (1975) An electrophysiological study on peripheral nerve injuries of workers handling lead. Jpn. J. Ind. Health 17: 467-474.

Talbot, R. W.; Andren, A. W. (1983) Relationships between Pb and ^{210}Pb in aerosol and precipitation at a semiremote site in northern Wisconsin. J. Geophys. Res. 88: 6752-6760.

Talbot, V.; Chegwidden, A. (1983) Heavy metals in the sediments of Cockburn Sound, Western Australia, and its surrounding areas. Environ. Pollut. Ser. B 5: 187-205.

Talbott, E. O.; Burgess, R. A.; Murphy, P. A.; Kuller, L. H. (1982) Blood lead levels among high-risk children, Detroit, Michigan. Am. J. Public Health 72: 1288-1290.

Talbott, J. H. (1949) Diagnosis and treatment of gouty arthritis. Postgrad. Med. 5: 386-393.

Talbott, J. H.; Terplan, K. L. (1960) The kidney in gout. Medicine (Baltimore) 39: 405-467.

Talcott, P. A.; Koller, L. D. (1983) The effect of inorganic lead and/or a polychlorinated biphenyl on the developing immune system of mice. J. Toxicol. Environ. Health 12: 337-352.

Talcott, P. A.; Koller, L. D.; Exon, J. H. (1985) The effect of lead and polychlorinated biphenyl exposure on rat natural killer cell cytotoxicity. Int. J. Immunopharmacol. 7: 255-261.

Talmage, R. V.; Vander Wiel, C. J. (1979) A study of the action of calcitonin by its effects on lead-induced hypercalcemia. Calcif. Tissue Int. 29: 219-224.

Talmage, R. V.; Vander Wiel, C. J. (1982) Reduction of lead-induced hypercalcemia by calcitonin: comparison between thyroid-intact and thyroidectomized rats. Calcif. Tissue Int. 34: 97-102.

Talmage, R. V.; Vander Wiel, C. J.; Norimatsu, H. (1978) A reevaluation of the cause of acute hypercalcemia following intravenous administration of lead acetate. Calcif. Tissue Res. 26: 149-153.

Tan, T. C.; Chia, C. K.; Teo, C. K. (1985) Uptake of metal ions by chemically treated human hair. Water Res. 19: 157-162.

Tan, T. L. (1980) Effect of long-term lead exposure on the seawater and sediment bacteria from heterogeneous continuous flow cultures. Microb. Ecol. 5: 295-311.

Tanaka, J.; Ichikuni, M. (1982) Monitoring of heavy metals in airborne particles by using bark samples of Japanese cedar collected from the metropolitan region of Japan. Atmos. Environ. 16: 2015-2018.

Tanaka, Y.; Stara, J. F. (1979) Algal polysaccharides: their potential use to prevent chronic metal poisoning. In: Hoppe, H. A.; Levring T.; Tanaka, Y., eds. Marine algae in pharmaceutical science. Berlin, West Germany: Walter de Gruyter; pp. 525-544.

Tandon, S. K.; Flora, S. J. S.; Singh, S. (1985) Chelation in metal intoxication: XIV. comparative effect of thiol and amino chelators on lead-poisoned rats with normal or damaged kidneys. Toxicol. Appl. Pharmacol. 79: 204-210.

Tanis, A. L. (1955) Lead poisoning in children. Am. J. Dis. Child. 89: 325-331.

Tanquerel des Planches, L. (1839) Traite des maladies de plomb ou saturnines [Treatise on lead-related maladies]. v.1. Paris, France: Ferra, Libraire-Editeur.

Tanquerel des Planches, L. (1839) Traité des maladies de plomb ou saturnines [Treatise on lead-related maladies]. v. 2. Paris, France: Ferra, Libraire-Editeur.

Tara, B.; Wielgus-Serafińska, E.; Kawka, E.; Dec, R.; Mielzyńska, I. (1979) Localization and accumulation of zinc and lead in some invertebrate tissue from the steel plant "Katowice" area. Acta Physiol. Pol. 30: 196-197.

Tara, S.; Francon, F. (1975) Deux cas de goutte saturnine a modalité mineure [Two cases of saturnine gout of minor modality]. Rhumatologic (Paris) 5: 238-243.

Tarifeño-Silva, E.; Kawasaki, L. Y.; Yu, D. P.; Gordon, M. S.; Chapman, D. J. (1982) Aquacultural approaches to recycling of dissolved nutrients in secondarily treated domestic wastewaters-III: uptake of dissolved heavy metals by artifical food chains. Water Res. 16: 59-65.

Task Group on Lung Dynamics. (1965) Deposition and retention models for internal dosimetry of the human respiratory tract. Health Phys. 12: 173-207.

Taskinen, H.; Nordman, H.; Hernberg, S.; Engström, K. (1981) Blood lead levels in Finnish preschool children. Sci. Total Environ. 20: 117-129.

Tate, M. B.; Bates, M. H. (1984) Bulk deposition of metals in Tulsa, Oklahoma. Water Air Soil Pollut. 22: 15-26.

Tatsumi, Y.; Yoda, K.; Ikeda, A. (1983) Effects of soil pollution by heavy metals on annual plants in Sakai City. Jpn. J. Ecol. 33: 293-303.

Tatsumoto, M.; Patterson, C. C. (1963) Concentrations of common lead in some Atlantic and Mediterranean waters and in snow. Nature (London) 199: 350-352.

Tatsumoto, M.; Patterson, C. C. (1963) The concentration of common lead in sea water. In: Geis, J.; Goldberg, E. D., eds. Earth science and meteorites. Amsterdam, The Netherlands: North Holland Biomedical Press; pp. 74-89.

Taussig, F. J. (1936) Abortion spontaneous and induced: medical and social aspects. St. Louis, MO: The C. V. Mosby Company; pp. 111, 354-355.

Tavares, T. M.; Carvalho, F. M.; Peso-Aguiar, M. C. (1983) Hg, Pb and Cd pollution in the Todos as Santos Bay, Brazil. In: International conference: heavy metals in the environment; September; Heidelberg, West Germany. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 853-855.

Tavolato, B.; Licandro, A. C.; Argentiero, V. (1980) Lead polyneuropathy of nonindustrial origin. Eur. Neurol. 19: 273-276.

Taylor, D.; Nathanson, J.; Hoffer, B.; Olson L.; Seiger, A. (1978) Lead blockade of norepinephrine-induced inhibition of cerebellar Purkinje neurons. J. Pharmacol. Exp. Ther. 206: 371-381.

Taylor, D. H.; Noland, E. A.; Brubaker, C. M.; Crofton, K. M.; Bull, R. J. (1982) Low level lead (Pb) exposure produces learning deficits in young rat pups. Neurobehav. Toxicol. Teratol. 4: 311-314.

Taylor, G. F.; Appleyard, E. C. (1983) Weathering of the zinc-lead lode, Dugald River, Northwest Queensland: I. the gossan profile. J. Geochem. Explor. 18: 87-110.

Taylor, G. F.; Scott, K. M. (1983) Weathering of the zinc-lead lode, Dugald River, Northwest Queensland: II. surface mineralogy and geochemistry. J. Geochem. Explor. 18: 111-130.

Taylor, J. R. (1984) Neurotoxicity of certain environmental substances. Clin. Lab. Med. 4: 489-497.

Taylor, P.; Lopata, V. J. (1984) Stability and solubility relationships between some solids in the system $PbO-CO_2-H_2O$. Can. J. Chem. 62: 395-402.

Taylor, R. T.; Hanna, M. L. (1976) Methylcobalamin: methylation of platinum and demethylation with lead. J. Environ. Sci. Health Part A 11: 201-211.

Taylor, S. R. (1964) Abundance of chemical elements in the continental crust: a new table. Geochim. Cosmochim. Acta 28: 1273-1285.

Taylor, W. (1978) Lead--an epidemiological look at potential sources of contamination [master's thesis]. Cincinnati, OH: University of Cincinnati. Available from: NTIS, Springfield, VA; AD-A061674.

Taymaz, K.; Yigit, V.; Özbal, H.; Ceritoglu, A.; Müftügil, N. (1984) Heavy metal concentrations in water, sediment and fish from Izmit Bay, Turkey. Int. J. Environ. Anal. Chem. 16: 253-265.

Teichert-Kuliszewska, K.; Nicholls, D. M. (1985) Rat kidney brush border enzyme activity following subchronic oral lead exposure. Toxicol. Appl. Pharmacol. 77: 211-218.

Teisinger, J.; Srbová, J. (1956) Zur Frage der Therapie der chronischen Bleivergiftung mit dem Calciumdinatriumsalz der Äthylendiamintetraessigsäure [The therapy of chronic lead intoxication with the calcium disodium salt of ethylene diamine tetraacetic acid]. Arch. Gewerbepathol. Gewerbehyg. 14: 579-593.

Teisinger, J.; Srbová, J. (1959) The value of mobilization of lead by calcium ethylenediamine-tetraacetate in the diagnosis of lead poisoning. Br. J. Ind. Med. 16: 148-152.

Teisinger, J.; Stýblová, V. (1961) Neurologický obraz chronické otravy olovem [Neurological picture of chronic lead poisoning]. Acta Univ. Carol. Med. Suppl. 14: 199-206.

Telišman, S.; Prpić-Majić, D. (1979) The relative applicability of PbB, ALAD and EP in the assessment of external exposure and health effect of inorganic lead. In: International conference: management and control of heavy metals in the environment; September; London, United Kingdom. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 62-65.

Telišman, S.; Prpić-Majić, D.; Beritić, T. (1983) Inorganic lead and mentally retarded children. In: International conference: heavy metals in the environment; September; Heidelberg, West Germany. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 605-608.

Telišman, S.; Prpić-Majić, D.; Kežić, S. (1984) In vivo study on lead and alcohol interaction and the inhibition of erythrocyte delta-aminolevulinic acid dehydratase in man. Scand. J. Work Environ. Health 10: 239-244.

Telišman, S.; Prpić-Majić, D.; Beritić, T. (1983) PbB and ALAD in mentally retarded and normal children. Int. Arch. Occup. Environ. Health 52: 361-369.

Tennekoon, G.; Aitchison, C. S.; Frangia, J.; Price, D. L.; Goldberg, A. M. (1979) Chronic lead intoxication: effects on developing optic nerve. Ann. Neurol. 5: 558-564.

Tennekoon, G. I.; Price, D. L.; Goldberg, A. M. (1977) The effect of lead on myelination. Ann. Neurol. 2: 254-255.

Tephly, T. R.; Wagner, G.; Sedman, R.; Piper, W. (1978) Effects of metals on heme biosynthesis and metabolism. Fed. Proc. Fed. Am. Soc. Exp. Biol. 37: 35-39.

Tepper, L. B. (1963) Renal function subsequent to childhood plumbism. Arch. Environ. Health 7: 76-85.

Tepper, L. B.; Levin, L. S. (1975) A survey of air and population lead levels in selected American communities. In: Griffin, T. B.; Knelson, J. H., eds. Lead. Stuttgart, West Germany: Georg Thieme Publishers; pp. 152-196. (Coulston, F.; Korte, F., eds. Environmental quality and safety: supplement v. 2).

Ter Haar, G. (1970) Air as a source of lead in edible crops. Environ. Sci. Technol. 4: 226-229.

Ter Haar, G. (1973) The sources and pathways of lead in the environment. In: Barth, D.; Berlin, A.; Engel, R.; Recht, P.; Smeets, J., eds. Environmental health aspects of lead: proceedings, international symposium; October 1972; Amsterdam, The Netherlands. Luxembourg: Commission of the European Communities; pp. 59-76.

Ter Haar, G. (1975) Lead in the environment - origins, pathways and sinks. In: Griffin, T. B.; Knelson, J. H., eds. Lead. Stuttgart, West Germany: Gerog Thieme Publishers; pp. 76-94. (Coulston, F.; Korte, F., eds. Environmental quality and safety; supplement v. 2).

Ter Haar, G. (1979) Sources of lead in children. In: International conference: management and control of heavy metals in the environment; September; London, United Kingdom. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 70-76.

Ter Haar, G. (1981) Lead debate [letter]. Environ. Sci. Technol. 15: 722.

Ter Haar, G.; Aronow, R. (1974) New information on lead in dirt and dust as related to the childhood lead problem. Environ. Health Perspect. 7: 83-89.

Ter Haar, G.; Aronow, R. (1975) Tracer studies of ingestion of dust by urban children. In: Griffin, T. B.; Knelson, J. H., eds. Lead. Stuttgart, West Germany: Georg Thieme Publishers; pp. 197-201. (Coulston, F.; Korte, F., eds. Environmental quality and safety: supplement v. 2).

Ter Haar, G.; Aronow, R. (1975) The use of tracer techniques and environmental sources for evaluation of the lead problem in children. In: Recent advances in the assessment of the health effects of environmental pollution: proceedings, international symposium; vol. 2; June 1974; Paris, France. Luxembourg: Commission of the European Communities; pp. 1177-1186.

Ter Haar, G. L.; Bayard, M. A. (1971) Composition of airborne lead particles. Nature (London) 232: 553-554.

Ter Haar, G.; Chadzynski, L. (1979) An investigation of elevated blood lead levels in Detroit children. Arch. Environ. Health 34: 145-150.

Ter Haar, G. L.; Holtzman, R. B.; Lucas, H. F., Jr. (1967) Lead and lead-210 in rainwater. Nature (London) 216: 353-355.

Ter Haar, G. L.; Lenane, D. L.; Hu, J. N.; Brandt, M. (1972) Composition, size and control of automotive exhaust particulates. J. Air Pollut. Control Assoc. 22: 39-46.

Ter Haar, G. L.; Lynam, D. R.; Hawkes, A. S. (1981) Sources of lead in soil, dust, and "dirt" and its impact on humans. Presented at: International conference on environmental pollution; September; Thessaloniki, Greece.

Tera, O.; Schwartzman, D. W.; Watkins, T. R. (1985) Identification of gasoline lead in children's blood using isotopic analysis. Arch. Environ. Health 40: 120-123.

Terada, K.; Matsumoto, K.; Inaba, T. (1985) Preconcentration of copper, lead, cadmium and zinc ions from water with 2-mercaptobenzothiazole loaded on glass beads with the aid of collodion. Anal. Chim. Acta 170: 225-235.

Teraoka, H. (1984) Relation between aortal sclerosis and metals in biogeochemical environments. Arch. Environ. Contam. Toxicol. 13: 119-127.

Tessier, A.; Rapin, F.; Carignan, R. (1985) Trace metals in oxic lake sediments: possible adsorption onto iron oxyhydroxides. Geochim. Cosmochim Acta 49: 183-194.

Thackston, E. L.; Wilson, D. J.; Hanson, J. S.; Miller, D. L., Jr. (1980) Lead removal with adsorbing colloid flotation. J. Water Pollut. Control Fed. 52: 317-328.

Thalacker, V. R. (1980) Untersuchungen an hessischen Bieren. VII: Mitteilung: Ermittlung des Gehalts einiger Spurenelemente in untergärigen Vollbieren [Analysis of Hessian beers. VII: determination of the content of certain trace elements in lager beers]. Monatsschr. Brau. 33: 401-405.

Thatcher, R. W.; Lester, M. L.; McAlaster, R.; Horst, R. (1982) Effects of low levels of cadmium and lead on cognitive functioning in children. Arch. Environ. Health 37: 159-166.

Thatcher, R. W.; Lester, M. L.; McAlaster, R.; Horst, R.; Ignasias, S. W. (1983) Intelligence and lead toxins in rural children. J. Learn. Dis. 16: 355-359.

Thatcher, R. W.; McAlaster, R.; Lester, M. L. (1984) Evoked potentials related to hair cadmium and lead in children. Ann. N.Y. Acad. Sci. 425: 384-390.

Thawley, D. G. (1979) The antagonistic effect of zinc on urinary δ-aminolevulinic acid excretion during lead intoxication. In: Hemphill, D. D., ed. Trace substances in environmental health - XIII: [proceedings of University of Missouri's 13th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 208-216.

Thawley, D. G.; Pratt, S. E.; Selby, L. A. (1978) Antagonistic effect of zinc on increased urine δ-aminolevulinic acid excretion in lead-intoxicated rats. Environ. Res. 15: 218-226.

Thawley, D. G.; Willoughby, R. A.; McSherry, B. J.; MacLeod, G. K.; Mackay, K. H.; Mitchell, W. R. (1977) Toxic interactions among Pb, Zn, and Cd with varying levels of dietary Ca and vitamin D: hematological system. Environ. Res. 14: 463-475.

Thayer, J. S.; Brinckman, F. E. (1982) The biological methylation of metals and metalloids. In: Stone, F. G. A.; West, R., eds. Advances in organometallic chemistry: v. 20. New York, NY: Academic Press; pp. 314-356.

Theis, T. L.; Padgett, L. E. (1983) Factors affecting the release of trace metals from municipal sludge ashes. J. Water Pollut. Control Fed. 55: 1271-1279.

Therrell, B. L., Jr.; Drosche, J. M.; Dziuk, T. W. (1978) Analysis for lead in undiluted whole blood by tantalum ribbon atomic absorption spectrophotometry. Clin. Chem. (Winston-Salem, NC) 24: 1182-1185.

Thind, I. S. (1978) Delayed development of age specific natural resistance in baby rats born of and nourished by lead poisoned mothers. Fed. Proc. Fed. Am. Soc. Exp. Biol. 37: 1488.

Thind, I. S.; Khan, M. Y. (1978) Potentiation of the neurovirulence of Langat virus infection by lead intoxication in mice. Exp. Mol. Pathol. 29: 342-347.

Thind, I. S.; Singh, N. P. (1977) Potentiation of Langat virus infection by lead intoxication: influence on host defenses. Acta Virol. (Engl. Ed.) 21: 317-325.

Thoburn, T. W. (1978) Correlation of ZPP values and blood lead values in lead workers. J. Occup. Med. 20: 236.

Thoelen, H.; Richterich, R.; Pletscher, A,; Staub, H. (1952) Über das Verhalten von Aminosäuren und Fermenten bei Schwermetallvergiftungen. I. Mitteilung: Die experimentelle, akute und subakute Bleivergiftung [The behavior of amino acids and enzymes with heavy metal intoxications. Report 1: experimental, acute and subacute lead intoxication]. Naunyn Schmiedebergs Arch. Exp. Pathol. Pharmakol. 215: 389-401.

Thomas, H. F. (1980) Domestic water usage and blood lead levels. Public Health 94: 294-295.

Thomas, H. F.; Elwood, P. C. (1978) "First flush" water lead. Lancet (8080): 109-110.

Thomas, H. F.; Elwood, P. C.; Toothill, C.; Morton, M. (1981) Blood and water lead in a hard water area. Lancet 8228: 1047-1048.

Thomas, H. F.; Elwood, P. C.; Welsby, E.; St. Leger, A. S. (1979) Relationship of blood lead in women and children to domestic water lead. Nature (London) 282: 712-713.

Thomas, H. F.; Moore F.; Welsby, E.; Elwood, P. C.; Firth, J. N. M. (1977) The hazard of old lead mines in Wales. Br. J. Prev. Soc. Med. 31: 265-268.

Thomas, H. V.; Milmore, B. K.; Heidbreder, G. A.; Kogan, B. A. (1967) Blood lead of persons living near freeways. Arch. Environ. Health 15: 695-702.

Thomas, J. A.; Brogan, W. C., III. (1983) Some actions of lead on the sperm and on the male reproductive system. Am. J. Ind. Med. 4: 127-134.

Thomas, M.; Petit, D.; Lamberts, L. (1984) Pond sediments as historical record of heavy metals fallout. Water Air Soil Pollut. 23: 51-59.

Thomas, W.; Rühling, Å.; Simon, H. (1984) Accumulation of airborne pollutants (PAH, chlorinated hydrocarbons, heavy metals) in various plant species and humus. Environ. Pollut. Ser. A 36: 295-310.

Thomasino, J. A.; Zuroweste, E.; Brooks, S. M.; Petering, H. G.; Lerner, S. I.; Finelli, V. N. (1977) Lead, zinc, and erythrocyte δ-aminolevulinic acid dehydratase: relationships in lead toxicity. Arch. Environ. Health 32: 244-247.

Thompson, J. A. (1971) Balance between intake and output of lead in normal individuals. Br. J. Ind. Med. 28: 189-194.

Thompson, J. A. J.; Crerar, J. A. (1980) Methylation of lead in marine sediments. Mar. Pollut. Bull. 11: 251-253.

Thompson, J.; Proctor, J. (1983) Vegetation and soil factors on a heavy metal mine spoil heap. New Phytol. 94: 297-308.

Thompson, R. J. (1979) Collection and analysis of airborne metallic elements. In: Ultratrace metal analysis in biological sciences and environment, symposium; August 1977; Chicago, IL. Washington, DC: American Chemical Society; pp. 54-72.

Thornton, I.; Abrahams, P. (1983) Soil ingestion - a major pathway of heavy metals into livestock grazing contaminated land. Sci. Total Environ. 28: 287-294.

Thornton, J. D.; Eisenreich, S. J. (1982) Impact of land-use on the acid and trace element composition of precipitation in the North Central U.S. Atmos. Environ. 16: 1945-1955.

Thornton, J. D.; Eisenreich, S. J.; Munger, J. W.; Gorham, E. (1981) Trace metal and strong acid composition of rain and snow in northern Minnesota. In: Eisenreich, S. J., ed. Atmospheric pollutants in natural waters. Ann Arbor, MI: Ann Arbor Science Publishers, Inc.; pp. 261-284.

Thrane, K. E. (1978) Background levels in air of lead, cadmium, mercury and some chlorinated hydrocarbons measured in south Norway. Atmos. Environ. 12: 1155-1161.

Thurman, D. A. (1981) Mechanism of metal tolerance in higher plants. In: Lepp, N. W., ed. Effect of heavy metal pollution on plants: volume 2, metals in the environment. London, United Kingdom: Applied Science Publishers; pp. 239-249.

Thurston, D. L.; Middelkamp, J. N.; Mason, E. (1955) The late effects of lead poisoning. J. Pediatr. (St. Louis) 47: 413-423.

Tiao, G. C.; Hillmer, S. C. (1978) Statistical models for ambient concentrations of carbon monoxide, lead, and sulfate based on the LACS [Los Angeles Catalyst Study] data. Environ. Sci. Technol. 12: 820-828.

Tierney, D. R.; Blackwood, T. R.; Briggs, T. M. (1979) Status assessment of toxic chemicals: lead. Cincinnati, OH: U.S. Environmental Protection Agency; EPA report no. EPA-600/2-79-210H. Available from: NTIS, Springfield, VA; PB80-146376.

Tigner-Weekes, L.; Pegelow, C.; Lee, S.; Powars, D. (1979) Lead screening in sickle cell disease. J. Pediatr. (St. Louis) 95: 738-740.

Tigner-Weekes, L.; Pegelow, C. H.; Powars, D. R. (1977) Problems with lead (Pb) screening in sickle cell disease (SSD). Pediatr. Res. 11: 482.

Tillman, P.; Grot, J.; Steinke, J. (1978) Blood lead levels in an institutionalized developmentally disabled population. Ment. Retard. 16: 265-266.

Tills, A. R.; Alloway, B. J. (1983) The speciation of lead in soil solution from very polluted soils. Environ. Technol. Lett. 4: 529-534.

Tilson, H. A.; Mactutus, C. F.; McLamb, R. L.; Burne, T. A. (1982) Characterization of triethyl lead chloride neurotoxicity in adult rats. Neurobehav. Toxicol. Teratol. 4: 671-681.

Timm, F. (1936) Der histochemische Nachweis des "normalen" Bleis in menschlichen Hartgeweben [Histochemical detection of "normal" lead in human hard tissues]. Virchows Arch. Pathol. Anat. Physiol. 297: 502-507.

Timm, F.; Schulz, G. (1966) Hoden und Schwermetalle [Testicles and heavy metals]. Histochemie 7: 15-21.

Timpo, A. E.; Amin, J. S.; Casalino, M. B.; Yuceoglu, A. M. (1979) Congenital lead intoxication. J. Pediatr. (St. Louis) 94: 765-767.

Tiwari, I.; Timms, P.; Rothe, P. (1985) Lead poisoning and euthyroid hyperthyroxinaemia [letter]. Lancet 1(8444): 1508-1509.

Tjell, J. C.; Hovmand, M. F.; Mosbaek, H. (1979) Atmospheric lead pollution of grass grown in a background area in Denmark. Nature (London) 280: 425-426.

Toews, A. D.; Blaker, W. D.; Thomas, D. J.; Gaynor, J. J.; Krigman, M. R.; Mushak, P.; Morell, P. (1983) Myelin deficits produced by early postnatal exposure to inorganic lead or triethyltin are persistent. J. Neurochem. 41: 816-822.

Toews, A. D.; Kolber, A.; Hayward, J.; Krigman M. R.; Morell, P. (1978) Experimental lead encephalopathy in the suckling rat: concentration of lead in cellular fractions enriched in brain capillaries. Brain Res. 147: 131-138.

Toews, A. D.; Krigman, M. R.; Thomas, D. J.; Morell, P. (1980) Effect of inorganic lead exposure of myelination in the rat. Neurochem. Res. 5: 605-616.

Tokarski, E.; Reio, L. (1978) Effect of lead poisoning on the thiamine status and function in liver and blood of rats. Acta Chem. Scand. 32: 375-379.

Tola, S. (1977) Biological monitoring in connection with lead exposure. Scand. J. Clin. Lab. Invest. 37: 73.

Tola, S. (1978) Occupational lead exposure. In: Advanced course in industrial toxicology, 3rd: [papers]; August; Helsinki, Finland. Helsinki, Finland: Institute of Occupational Health; pp. 96-105.

Tola, S.; Hernberg, S.; Asp, S.; Nikkanen, J. (1973) Parameters indicative of absorption and biological effect in new lead exposure: a prospective study. Br. J. Ind. Med. 30: 134-141.

Tola, S.; Nordman, C. H. (1977) Subjective symptoms and exposure to lead. Int. Arch. Occup. Environ. Health 40: 153-162.

Tola, S.; Nordman, C.-H. (1977) Smoking and blood lead concentrations in lead-exposed workers and an unexposed population. Environ. Res. 13: 250-255.

Tolan, A.; Elton, G. A. H. (1973) Lead intake from food. In: Barth, D.; Berlin, A.; Engel, R.; Recht, P.; Smeets, J., eds. Environmental health aspects of lead: proceedings, international symposium; October 1972; Amsterdam, The Netherlands. Luxembourg: Commission of the European Communities; pp. 77-84.

Tollerud, D. J.; Weiss, S. T.; Elting, E.; Speizer, F. E.; Ferris, B. (1983) The health effects of automobile exhaust: VI. relationship of respiratory symptoms and pulmonary function in tunnel and turnpike workers. Arch. Environ. Health 38: 334-340.

Tomaszewski, J. J.; Wozniak, K.; Donica, H. (1979) Evaluation of laboratory tests for lead poisoning in populations with environmental exposure. Chemosphere 8: 129-133.

Tominaga, M.; Bansho, K.; Umezaki, Y. (1985) The electrothermal atomic absorption spectrometric determination of lead, manganese, vanadium and molybdenum in sea water with ascorbic acid to reduce matrix effects. Anal. Chim. Acta 169: 171-177.

Tominaga, M.; Umezaki, Y. (1983) Evaluation of interference suppressors in electrothermal atomic absorption spectrometry. Anal. Chim. Acta 148: 285-291.

Tomita, T.; Sato, T.; Saito, K.; Takakuwa, E. (1979) Effects of lead and arsenic on the formation of 5β-H steroids. Toxicol. Lett. 3: 291-297.

Tomokuni, K. (1974) δ-aminolevulinic acid dehydratase test for lead exposure. Arch. Environ. Health 29: 274-281.

Tomokuni, K. (1979) Interaction of zinc and other metal on the activity of erythrocyte δ-aminolevulinic acid dehydratase in vitro. J. Toxicol. Sci. 4: 11-17.

Tomokuni, K.; Ogata, M. (1972) Simple method for determination of urinary δ-aminolevulinic acid as an index of lead exposure. Clin. Chem. (Winston-Salem, NC) 18: 1534-1536.

Tomokuni, K.; Ogata, M. (1976) Relationship between lead concentration in blood and biological response for porphyrin metabolism in workers occupationally exposed to lead. Arch. Toxicol. 35: 239-246.

Tomokuni, K.; Ogata, M. (1981) Relationship between lead concentration in blood and the activities of erythrocyte pyrimidine 5'-nucleotidase and delta-aminolevulinate dehydratase in the mice exposed to lead. Arch. Toxicol. 47: 67-69.

Tönz, O. (1957) Nierenveraenderungen bei experimenteller chronischer Bleivergiftung (Ratten) [Changes in the kidney from experimental chronic lead poisoning (rats)]. Z. Gesamte Exp. Med. 128: 361-377.

Toriumi, H.; Kawai, M. (1981) Free erythrocyte protoporphyrin (FEP) in a general population, workers exposed to low-level lead, and organic-solvent workers. Environ. Res. 25: 310-316.

Tornabene, T. G.; Gale, N. L.; Koeppe, D. E.; Zimdahl, R. L.; Forbes, R. M. (1977) Effects on microorganisms, plants, and animals. In: Boggess, W. R., ed. Lead in the environment. Washington, DC: National Science Foundation; pp. 181-193; NSF report no. NSF/RA-770214. Available from: NTIS, Springfield, VA; PB-278278.

Torsi, G.; Desimoni, E.; Palmisano, F.; Sabbatini, L. (1981) Determination of lead in air by electrothermal atomic spectrometry with electrostatic accumulation furnace. Anal. Chem. 53: 1035-1038.

Torsi, G.; Palmisano, F. (1983) Electrostatic capture of gaseous tetraalkyllead compounds and their determination by electrothermal atomic-absorption spectrometry. Analyst (London) 108: 1318-1322.

Torsi, G.; Palmisano, F. (1984) Electrochemical preconcentration combined with atomic absorption spectrometry for the determination of heavy metals in water samples. Sci. Total Environ. 37: 35-40.

Tosteson, T. D.; Spengler, J. D.; Weker, R. A. (1982) Atomic absorption analysis in a personal monitoring study. Boston, MA: Harvard University School of Public Health.

Tosteson, T. D.; Spengler, J. D.; Weker, R. A. (1982) Aluminum, iron, and lead content of respirable particulate samples from a personal monitoring study. In: Spengler, J.; Hollowell, C.; Moschandreas, D.; Fanger, O., eds. Indoor air pollution: proceedings of the international symposium on indoor air pollution, health and energy conservation; October, 1981. Environ. Int. 8: 265-268.

Toussaint, C. J.; Boniforti, R. (1979) Application of X-ray fluorescence spectrometry to the study of the marine environment. Int. J. Environ. Anal. Chem. 6: 217-228.

Travis, C. C.; Etnier, E. L.; Kirkscey, K. A. (1978) Carcinogenic risk of lead-210 and polonium-210 in tobacco smoke: a selected, annotated bibliography. Oak Ridge, TN: Oak Ridge National Laboratory. Available from: NTIS, Springfield, VA; ORNL-5411.

Trefry, J. H.; Metz, S. (1984) Selective leaching of trace metals from sediments as a function of pH. Anal. Chem. 56: 745-749.

Trejo, R. A.; Di Luzio, N. R. (1971) Impaired detoxification as a mechanism of lead acetate-induced hypersensitivity to endotoxin. Proc. Soc. Exp. Biol. Med. 136: 889-893.

Trejo, R. A.; Di Luzio, N. R.; Loose, L. D.; Hoffman, E. (1972) Reticuloendothelial and hepatic functional alterations following lead acetate administration. Exp. Mol. Pathol. 17: 145-158.

Trevisan, A.; Buzzo, A,; Scarpa, F. M. (1981) Studio comparativo delle metodiche di determinazione dell'attivita amino levulinico deidratasi eritrocitaria [Comparative study of methods for measurements of erythrocyte aminolevulinic acid dehydratase activity]. Med. Lav. 72: 113-117.

Trevisan, A.; Chiesura, P.; Sabbatucci, M.; Raimondi, M.; Buzzo, A. (1983) In vivo interaction of lead with aminolevulinic acid dehydratase and induction of a thermolabile factor: an experimental model. Toxicol. Lett. 18: 77-81.

Trevisan, A.; Gori, G. P.; Zangirolami, A.; Benevento, C.; Rosa, A.; Chiesura, P. (1980) Site of action of metals on the aminolevulinic acid dehydratase of human erythrocytes. Enzyme 25: 33-36.

Triebig, G.; Büttner, J. (1983) Neurotoxische Arbeitsstoffe: I. Metalle und ihre Verbindungen; Eine Literaturübersicht der Jahre 1970 bis 1982 [Occupational relevant neurotoxins: I. metals and their compounds; a literature review of the years 1970 to 1982]. Zentralbl. Bakteriol. Milcrobiol. Hyg. Abt. 1 Orig. B 177: 11-36.

Triebig, G.; Nottbohm, L. (1983) Nerve conduction velocity study in workers chronically exposed to lead. In: International conference: heavy metals in the environment: v. 2; September; Heidelberg, West Germany. Edinburgh, United Kingdom: CEP consultants, Ltd.; pp. 907-911.

Triebig, G.; Weltle, D.; Valentin, H. (1984) Investigations on neurotoxicity of chemical substances at the workplace: V. determination of the motor and sensory nerve conduction velocity in persons occupationally exposed to lead. Int. Arch. Occup. Environ. Health 53: 189-204.

Triggle, C. R.; Fodor, G.; Pfeiffer, C. J.; Scott, T. M. (1978) The interaction of cadmium, manganese, zinc, and lead with calcium-dependent physiological processes and the possible implications in cardiovascular and cerebrovascular diseases. In: Plaa, G. L.; Duncan, W. A. M., eds. Proceedings of the first international congress on toxicology: toxicology as a predictive science. New York, NY: Academic Press; pp. 488-489.

Trindade, H. A.; Pfeiffer, W. C. (1982) Relationship between ambient lead concentrations and lead in gasoline in Rio de Janeiro, Brazil. Atmos. Environ. 16: 2749-2751.

Trost, R. E. (1980) Ingested shot in waterfowl harvested on the Upper Mississippi National Wildlife Refuge. Wildl. Soc. Bull. 8: 71-74.

Truelove, J. F.; Gilbert, S. G.; Rice, D. C. (1985) Effect of diet on blood lead concentration in the cynomolgus monkey. Fundam. Appl. Toxicol. 5: 588-596.

Truscott, R. B. (1970) Endotoxin studies in chicks: effect of lead acetate. Can. J. Comp. Med. 34: 134-137.

Tsuchiya, H.; Mitani, K.; Kodama, K.; Nakata, T. (1984) Placental transfer of heavy metals in normal pregnant Japanese women. Arch. Environ. Health 39: 11-17.

Tsuchiya, K. (1979) Lead. In: Friberg, L.; Nordberg, G. F.; Vouk, V. B., eds. Handbook on the toxicology of metals. Amsterdam, The Netherlands: Elsevier/North-Holland Biomedical Press; pp. 451-484.

Tsuchiya, K.; Harashima, S. (1965) Lead exposure and the derivation of maximum allowable concentrations and threshold limit values. Br. J. Ind. Med. 22: 181-186.

Tsuchiya, K.; Iwao, S. (1978) Interrelationships among zinc, copper, lead, and cadmium in food, feces, and organs of humans. Environ. Health Perspect. 25: 119-124.

Tsuchiya, K.; Okubo, T.; Nagasaki, M.; Nakajima, T.; Kamijo, H.; Mizoguchi, I. (1977) Biologic effects of lead on school children of urban and suburban Tokyo. Int. Arch. Occup. Environ. Health 38: 247-257.

Tsuchiya, K.; Sugita, M.; Park, C. B. (1976) Biological effects of exposure to lead in ambient air among Tokyo inhabitants. Keio J. Med. 25: 193-211.

Tsuchiya, K.; Sugita, M.; Sakurai, H. (1978) Dose-response relationships at different exposure levels: re-examination in establishing no-effect levels. Sangyo Igaku 20: 247-253.

Tsuchiya, K.; Sugita, M.; Seki, Y.; Kobayashi, Y.; Hori, M.; Park, Ch. B. (1975) Study of lead concentrations in atmosphere and population in Japan. In: Griffin, T. B.; Knelson, J. H., eds. Lead. Stuttgart, West Germany: Georg Thieme Publishers; pp. 95-145. (Coulston, F.; Korte, F., eds. Environmental quality and safety: supplement v. 2).

Tsushida, T.; Takeo, T. (1979) Direct determination of copper, lead and cadmium in tea infusions by flameless atomic absorption spectrometry. Agric. Biol. Chem. 43: 1347-1348.

Tsushida, T.; Takeo, T. (1980) Determination of copper, lead and cadmium in tea by graphite furnace atomic absorption spectrophotometry. J. Jpn. Soc. Food Sci. Technol. 27: 585-589.

Turekian, K. K.; Cochran, J. K. (1981) Pb in surface air at Enewetak and the Asian dust flux to the Pacific. Nature (London) 292: 522-524.

Turlakiewicz, Z.; Jakubowski, M.; Chmielnicka, J. (1985) Determination of diethyllead in the urine by flameless atomic absorption spectrometry. Br. J. Ind. Med. 42: 63-66.

Turnbull, J.; Brodeur, J. (1984) Influence d'un retard de croissance sur la perméabilité de la barrière hémato-encéphalique chez le rat nouveau-né exposé au plomb [Influence of growth retardation on the permeability of the blood-brain barrier in newborn rats exposed to lead]. Can. J. Physiol. Pharmacol. 62: 142-145.

Turner, D. (1980) Lead in petrol 2 - environmental health. Chem. Br. 16: 312-314.

Turner, J. E.; Lee, E. H.; Jacobson, K. B.; Christie, N. T.; Williams, M. W.; Hoeschele, J. D. (1983) Investigation of correlations between chemical parameters of metal ions and acute toxicity in mice and Drosophila. Sci. Total Environ. 28: 343-354.

Turner, R. R.; Lowry, P. D. (1983) Comparison of coal gasification and combustion residues. J. Environ. Eng. 109: 305-320.

Twarog, T.; Cherian, M. G. (1984) Chelation of lead by dimercaptopropane sulfonate and a possible diagnostic use. Toxicol. Appl. Pharmacol. 72: 550-556.

Tyler, G. (1972) Heavy metals pollute nature, may reduce productivity. Ambio 1: 52-59.

Tyler, G. (1978) Leaching rates of heavy metal ions in forest soil. Water Air Soil Pollut. 9: 137-148.

Tyler, G. (1982) Metal accumulation by wood-decaying fungi. Chemosphere 11: 1141-1146.

Tyler, R. L. (1970) Philadelphia combats "silent epidemic" in the "ghetto": lead poisoning control. J. Environ. Health 33: 64-71.

Tyrer, F. H. (1977) A cautionary tale of a lead hazard in recycling of waste. J. Soc. Occup. Med. 27: 26-30.

U.S. Bureau of Mines. (1974) Lead. In: Minerals yearbook 1972; volume I. metals, minerals, and fuels. Washington, DC: U.S. Department of the Interior; pp. 695-725.

U.S. Bureau of Mines. (1975) Lead. In: Minerals yearbook 1973; volume I. metals, minerals, and fuels. Washington, DC: U.S. Department of the Interior; pp. 685-713.

U.S. Bureau of Mines. (1976) Lead. In: Minerals yearbook 1974; volume I. metals, minerals, and fuels. Washington, DC: U.S. Department of the Interior; pp. 727-752.

U.S. Bureau of Mines. (1977) Lead. In: Minerals yearbook 1975; volume I. metals, minerals, and fuels. Washington, DC: U.S. Department of the Interior; pp. 813-840.

U.S. Bureau of Mines. (1978) Lead. In: Minerals yearbook 1976; volume I. metals, minerals, and fuels. Washington, DC: U.S. Department of the Interior; pp. 727-755.

U.S. Bureau of Mines. (1980) Lead. In: Minerals yearbook 1978-79; volume I. metals and minerals. Washington, DC: U.S. Department of the Interior; pp. 507-538

U.S. Bureau of Mines. (1980) Lead. In: Minerals yearbook 1977; volume I. metals and minerals. Washington, DC: U.S. Department of the Interior; pp. 553-581.

U.S. Bureau of Mines. (1981) Lead. In: Minerals yearbook 1980; volume I. metals and minerals. Washington, DC: U.S. Department of the Interior; pp. 479-505.

U.S. Bureau of Mines. (1982) Lead. In: Minerals yearbook; centennial edition 1981; volume I. Interior; pp. 509-536.

U.S. Bureau of Mines. (1983) Lead. In: Minerals yearbook 1982; volume I. metals and minerals. Washington, DC: U.S. Department of the Interior; pp. 515-542.

U.S. Bureau of Mines. (1984) Lead. In: Minerals yearbook 1983; volume I. metals and minerals. Washington, DC: U.S. Department of the Interior; pp. 533-561.

U.S. Centers for Disease Control. (1973) Human lead absorption - Texas. Morb. Mortal. Wkly. Rep. 22: 405-407.

U.S. Centers for Disease Control. (1977) Surveillance of childhood lead poisoning - United States. Morb. Mortal. Wkly. Rep. 26: 49.

U.S. Centers for Disease Control. (1977) Increased lead absorption in children of lead workers - Vermont. Morb. Mortal. Wkly. Rep. 26: 61-62.

U.S. Centers for Disease Control. (1978) Follow-up on lead poisoning - Texas. Morb. Mortal. Wkly. Rep. 27: 1.

U.S. Centers for Disease Control. (1978) Preventing lead poisoning in young children: a statement by the Center for Disease Control. J. Pediatr. (St. Louis) 93: 709-720.

U.S. Centers for Disease Control. (1978) Preventing lead poisoning in young children: a statement by the Center for Disease Control. Atlanta, GA: U.S. Department of Health, Education and Welfare; pub. no. 00-2629. Available from: NTIS, Springfield, VA; HRP-0027804/4.

U.S. Centers for Disease Control. (1979) Lead poisoning. In: Annual summary 1978: reported morbidity and mortality in the United States. Morb. Mortal. Wkly. Rep. 27(54): 84-87.

U.S. Centers for Disease Control. (1979) Surveillance of childhood lead poisoning - United States. Morb. Mortal. Wkly. Rep. 28: 117-118.

U.S. Centers for Disease Control. (1980) Lead poisoning. In: Annual summary 1979: reported morbidity and mortality in the United States. Morb. Mortal. Wkly. Rep. 28(54): 112-114.

U.S. Centers for Disease Control. (1980) Surveillance of childhood lead poisoning - United States. Morb. Mortal. Wkly. Rep. 29: 170-171.

U.S. Centers for Disease Control. (1981) Erythrocyte protoporphyrin proficiency testing: 1981 data summary. Atlanta, GA: U.S. Department of Health and Human Services, Centers for Disease Control.

U.S. Centers for Disease Control. (1981) Lead poisoning. In: Annual summary 1980: reported morbidity and mortality in the United States. Morb. Mortal. Wkly. Rep. 29(54): 110-111.

U.S. Centers for Disease Control. (1981) Use of lead tetroxide as a folk remedy for gastrointestinal illness. Morb. Mortal. Wkly. Rep. 30: 546-547.

U.S. Centers for Disease Control. (1982) Lead poisoning. In: Annual summary 1981: reported morbidity and mortality in the United States. Morb. Mortal. Wkly. Rep. 30(54): 112-113.

U.S. Centers for Disease Control. (1982) Surveillance of childhood lead poisoning - United States, first quarter fiscal year 1982. Morb. Mortal. Wkly. Rep. 31: 368-369.

U.S. Centers for Disease Control. (1982) Surveillance of childhood lead poisoning - United States. Morb. Mortal. Wkly. Rep. 31: 118-119.

U.S. Centers for Disease Control. (1982) Blood-lead levels in U.S. population. Morb. Mortal. Wkly. Rep. 31: 132-134.

U.S. Centers for Disease Control. (1983) Lead poisoning from Mexican folk remedies - California. Morb. Mortal. Wkly. Rep. 32: 554-555.

U.S. Centers for Disease Control. (1983) Folk remedy-associated lead poisoning in Hmong children - Minnesota. Morb. Mortal. Wkly. Rep. 32: 555-556.

U.S. Centers for Disease Control. (1985) Preventing lead poisoning in young children: A statement by the Centers of Disease Control, January 1985. Atlanta, GA: U. S. Department of Health and Human Services; no. 99-2230.

U.S. Consumer Product Safety Commission. (1974) A report to Congress in compliance with the lead based paint poisoning prevention act, as amended (P.L. 93-151). Washington, DC: U.S. Consumer Product Safety Commission. Available from: NTIS, Springfield, VA; PB-245225.

U.S. Consumer Product Safety Commission. (1983) Lead paint poisoning. Washington, DC: U.S. Consumer Product Safety Commission; fact sheet no. 14. Available from: GPO, Washington, DC; S/N 052-011-00123-6.

U.S. Court of Appeals. (1983) Small Refiner Lead Phase-down Task Force vs. U.S. Environmental Protection Agency et al. nos. 82-2282, 82-2283, 82-2308, 82-2395, and 82-2521.

U.S. Environmental Protection Agency. (1971) Guidelines: air quality surveillance networks. Research Triangle Park, NC: Office of Air Programs; Office of Air Programs publication no. AP-98. Available from: NTIS, Springfield, VA; PB-200728.

U.S. Environmental Protection Agency. (1972) Helena Valley, Montana, area environmental pollution study. Research Triangle Park, NC: Office of Air Programs; Office of Air Programs publication no. AP-91. Available from: NTIS, Springfield, VA; PB-207126.

U.S. Environmental Protection Agency. (1972) EPA's position on the health effects of airborne lead. Washington, DC: Processes and Effects Division. Available from: NTIS, Springfield, VA; PB-228594.

U.S. Environmental Protection Agency. (1975) Chemical analysis of interstate carrier water supply systems. Washington, DC: Division of Water Supply; EPA report no. EPA-430/9-75-005. Available from: NTIS, Springfield, VA; PB-257600.

U.S. Environmental Protection Agency. (1977) Air quality criteria for lead. Research Triangle Park, NC: Health Effects Research Lab, Criteria and Special Studies Office; EPA report no. EPA-600/8-77-017. Available from: NTIS, Springfield, VA; PB-280411.

U.S. Environmental Protection Agency. (1977) Control techniques for lead air emissions: volumes I and II. Durham, NC: Office of Air Quality Planning and Standards; EPA report nos. EPA-450/2-77-012A and EPA-450/2-77-012B. Available from: NTIS, Springfield, VA; PB80-197544 and PB80-197551.

U.S. Environmental Protection Agency. (1977) Second annual catalyst research program report; supplement II. Research Triangle Park, NC: Environmental Monitoring and Support Laboratory; pp. 359-466.

U.S. Environmental Protection Agency. (1978) Ambient water quality criteria: lead. Washington, DC: Criteria and Standards Division. Available from: NTIS, Springfield, VA; PB-292437.

U.S. Environmental Protection Agency. (1978) Air quality data for metals 1975, from the National Air Surveillance Networks. Research Triangle Park, NC: Office of Research and Development; EPA report no. EPA-600/4-78-059. Available from: NTIS, Springfield, VA; PB-293106.

U.S. Environmental Protection Agency. (1979) Air quality data for metals 1976, from the National Air Surveillance Networks. Research Triangle Park, NC: Office of Research and Development; EPA report no. EPA-600/4-79-054. Available from NTIS, Springfield, VA; PB80-147432.

U.S. Environmental Protection Agency. (1980) Ambient water quality criteria for lead. Washington, DC: U.S. Environmental Protection Agency; EPA report no. EPA-440/5-80-057. Available from: NTIS, Springfield, VA; PB81-117681.

U.S. Environmental Protection Agency. (1981) Air quality criteria for particulate matter and sulfur oxides: vols. 1, 2, and 3. Research Triangle Park, NC: Environmental Criteria and Assessment Office; EPA report nos. EPA-600/8-82-029a-c. Available from: NTIS, Springfield, VA; PB84-120393/E99.

U.S. Environmental Protection Agency. (1981) Guidelines for lead monitoring in the vicinity of point sources. Research Triangle Park, NC: Office of Air Quality Planning and Standards; EPA report no. EPA-450/4-81-006.

U.S. Environmental Protection Agency. (1983) Air quality criteria for lead: v. I-IV [external review draft no. 1]. Research Triangle Park, NC: Environmental Criteria and Assessment Office; EPA report no. EPA-600/8-83-028A. Available from: NTIS, Springfield, VA; PB84-144591.

U.S. Environmental Protection Agency. (1983) National air quality and emission trends report, 1981. Research Triangle Park, NC: Office of Air Quality Planning and Standards; EPA report no. EPA 450/4-83-011. Available from: NTIS, Springfield, VA; PB83-262212/A06.

U.S. Environmental Protection Agency. (1984) Air quality criteria for lead: v. I-IV [external review draft no. 2]. Research Triangle Park, NC: Environmental Criteria and Assessment Office; EPA report no. EPA-600/8-83-028B. Available from: NTIS, Springfield, VA; PB85-163996.

U.S. Environmental Protection Agency. (1984) Summary of lead additive reports for refineries. Washington, DC: Office of Mobile Source: draft report.

U.S. Environmental Protection Agency. (1984) National air quality and emission trends report, 1982. Research Triangle Park, NC: Office of Air Quality Planning and Standards; EPA report no. EPA 450/4-84-002. Available from: NTIS, Springfield, VA; PB84-198746/A07.

U.S. Environmental Protection Agency. (1986) Air quality criteria for lead: v. I-IV. Research Triangle Park, NC: Environmental Criteria and Assessment Office: in press; EPA report no. EPA-600/8-83-028C.

U.S. Fish and Wildlife Service. (1976) Proposed use of steel shot for hunting waterfowl in the United States: final environmental statement. Washington, DC: U.S. Department of the Interior, Fish and Wildlife Service. Available from: GPO, Washington, DC; S/N 024-010-00411-8.

U.S. Food and Drug Administration. (1978) FDA compliance program evaluation: FY 75 metals in foods survey (7320.13). Washington, DC: U.S. Department of Health, Education, and Welfare. Available from: NTIS, Springfield, VA; PB82-259334.

U.S. Food and Drug Administration. (1979) Administrative guideline 7417.02 - pottery (ceramics) - cadmium contamination; administrative guideline 7417.03 - pottery (ceramics) - lead contamination. Administrative guidelines manual transmittal no. 79-3; April 23. Washington, DC: Department of Health and Human Services.

U.S. Food and Drug Administration. (1980) Compliance program report of findings: FY 77 total diet studies-infants and toddlers (7320.74). Washington, DC: U.S. Department of Health, Education and Welfare. Available from: NTIS, Springfield, VA; PB82-260506.

U.S. Food and Drug Administration. (1980) Compliance program report of findings: FY 77 total diet studies--adult (7320.73). Washington, DC: U.S. Department of Health, Education and Welfare. Available from: NTIS, Springfield, VA; PB82-260639.

U.S. Food and Drug Administration. (1981) Compliance program report of findings: FY 78 total diet studies-adult (7305.003). Washington, DC: U.S. Department of Health and Human Services. Available from: NTIS, Springfield, VA; PB82-260597.

U.S. Food and Drug Administration. (1982) Compliance program report of findings: FY 79 total diet studies-adult (7305.002). Washington, DC: U.S. Department of Health and Human Services. Available from: NTIS, Springfield, VA; PB83-112722.

U.S. Food and Drug Administration. (1982) Compliance program report of findings: FY 79 total diet studies-infants and toddlers (7305.002). Washington, DC: U.S. Department of Health and Human Services. Available from: NTIS, Springfield, VA; PB82-260613.

U.S. Occupational Safety and Health Administration. (1978) Inorganic lead: final environmental impact statement. Washington, DC: U.S. Department of Labor, Occupational Safety and Health Administration; OSHA Report no. OSHA/IS-78/002. Available from: NTIS, Springfield, VA; PB-284746.

U.S. Occupational Safety and Health Administration. (1982) OSHA criteria for laboratory proficiency in blood lead analysis. Arch. Environ. Health 37: 58-60.

Udevitz, M. S.; Howard, C. A.; Robel, R. J; Curnutte, B., Jr. (1980) Lead contamination in insects and birds near an interstate highway, Kansas. Environ. Entomol. 9: 35-36.

Ueng, T.-H.; Alvares, A. P. (1980) Interaction of cadmium and lead in induction of hepatic metallothionein and inhibition of monooxygenases. In: 71st annual meeting of the American Society of Biological Chemists held with the Biophysics Society; June; New Orleans, LA. Fed. Proc. Fed. Am. Soc. Exp. Biol. 39: 1679.

Ueno, Y.; Rosner, D. E.; dePena, R. G.; Heicklen, J. P. (1982) Formation of monodisperse lead aerosols and identification of particle number concentration by ice nucleation. Sci. Total Environ. 23: 251-258.

Ulmer, D. D.; Vallee, B. L. (1969) Effects of lead on biochemical systems. In: Hemphill, D. D., ed. Trace substances in environmental health - II: [proceedings of the University of Missouri's 2nd annual conference on trace substances in environmental health]; July 1968; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 7-27.

Ulrich, L. (1978) Untersuchungen über den Bleigehalt in Wirbeln und Rippen [Investigation of the lead content in vertebrae and ribs]. Arch. Toxicol. 41: 133-148.

Underwood, E. J. (1978) Interactions of trace elements. In: Oehme, F. W., ed. Toxicity of heavy metals in the environment; part 2. New York, NY: Marcel Dekker, Inc.; pp. 641-668. (Hazardous and toxic substances, v. 2).

Unger, B. C.; Green. V. A. (1977) Blood lead analysis--lead loss to storage containers. Clin. Toxicol. 11: 237-243.

United Kingdom Central Directorate on Environmental Pollution. (1982) The Glasgow duplicate diet study (1979/1980): a joint survey for the Department of the Environment and the Ministry of Agriculture, Fisheries and Food. London, United Kingdom: Her Majesty's Stationery Office; pollution report no. 11.

United Kingdom Department of Health and Social Security, Working Party on Lead in the Environment. (1980) Lead and health: the report of a DHSS working party on lead in the environment. London, United Kingdom: Her Majesty's Stationery Office.

United Kingdom Department of the Environment. (1977) Lead in drinking water: a survey in Great Britain, 1975-1976, report of an interdepartmental working group. London, United Kingdom: Her Majesty's Stationery Office; pollution paper no. 12.

United Kingdom Department of the Environment, Central Unit on Environmental Pollution. (1974) Lead in the environment and its significance to man. London, United Kingdom: Her Majesty's Stationery Office; pollution paper no. 2.

United Kingdom Department of the Environment, Central Directorate on Environmental Pollution. (1982) Blood-lead concentrations in pre-school children in Birmingham: a report of the steering committee on environmental lead in Birmingham; pollution report no. 15. London, United Kingdom: Department of the Environment.

United Kingdom Department of the Environment/Welsh Office. (1982) Lead in the environment. London, United Kingdom: Her Majesty's Stationery Office; circular no. 22/82.

United Kingdom Ministry of Agriculture, Fisheries and Food, Working Party on the Monitoring of Foodstuffs for Heavy Metals. (1972) Survey of lead in food. Second report: survey of lead in food. London, United Kingdom: Her Majesty's Stationery Office.

United Kingdom Ministry of Agriculture, Fisheries and Food. (1982) Survey of lead in food: second supplementary report. London, United Kingdom: Her Majesty's Stationery Office; food surveillance paper no. 10.

United Kingdom Royal Commission on Environmental Pollution. (1983) Lead in the environment: ninth report. London, United Kingdom; Her Majesty's Stationery Office.

Unni, L. K.; Caspers, M. L. (1984) Inhibition of bovine plasma amine oxidase by lead. Biochem. Pharmacol. 33: 2149-2151.

Urban, W. D. (1976) Statistical analysis of blood lead levels of children surveyed in Pittsburgh, Pennsylvania: analytical methodology and summary results. Washington, DC: U.S. Department of Commerce, National Bureau of Standards; report no. NBSIR 76-1024. Available from: NTIS, Springfield, VA; PB-255876.

Urbanowicz, H.; Grabecki, J.; Kozielska, J. (1969) The urinary excretion of 5-hydroxyindoleacetic acid in industrial lead exposure. Med. Lav. 60: 582-586.

Uthus, E. O.; Seamon, B.; Nielsen, F. H. (1985) Studies on the possible essentiality of lead. Fed. Proc. Fed. Am. Soc. Exp. Biol. 44: 752.

Uzych, L. (1985) Teratogenesis and mutagenesis associated with the exposure of human males to lead: a review. Yale J. Biol. Med. 58: 9-17.

Vaccaro, S.; Barghigiani, C.; Colombetti, G.; Lenci, L.; Loi, A. M.; Paggiaro, P. L.; Pagano, G.; Toma, G. (1980) The free erythrocyte protoporphyrin assay in monitoring lead-exposed workers: comparison of two fluorometric methods. Int. Arch. Occup. Environ. Health 45: 35-48.

Vahter, M., ed. (1982) Assessment of human exposure to lead and cadmium through biological monitoring. Stockholm, Sweden: Karolinska Institute.

Vainio, H.; Sorsa, M. (1981) Chromosome aberrations and their relevance to metal carcinogenesis. Environ. Health Perspect. 40: 173-180.

Vaitkus, D. R.; Edwards, H. W.; Johnson, G. R. (1974) Model for environmental transport of automotive lead. In: Hemphill, D. D., ed. Trace substances in environmental health - VII: [proceedings of University of Missouri's 7th annual conference on trace substances in environmental health]; June 1973; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 147-159.

Valciukas, J. A.; Lilis, R. (1980) Psychometric techniques in environmental research. Environ. Res. 21: 275-297.

Valciukas, J. A.; Lilis, R.; Eisinger, J.; Blumberg, W. E.; Fischbein, A.; Selikoff, I. J. (1978) Behavioral indicators of lead neurotoxicity: results of a clinical field survey. Int. Arch. Occup. Environ. Health 41: 217-236.

Valciukas, J. A.; Lilis, R.; Fischbein, A.; Anderson, H. A.; Singer, R. M.; Glickman, L.; Selikoff, I. J. (1980) Lead exposure and behavioral changes: comparisons of three occupational groups with different levels of lead absorption. In: Abstracts of the second international Congress on toxicology: mechanisms of toxicity and hazard evaluation; July; Brussels, Belgium. Toxicol. Lett. Spec. Iss. 1: 76.

Valciukas, J. A.; Lilis, R.; Fischbein, A.; Selikoff, I. J.; Eisinger, J.; Blumberg, W. E. (1978) Central nervous system dysfunction due to lead exposure. Science (Washington, DC) 201: 465-467.

Valciukas, J. A.; Lilis, R.; Petrocci, M. (1981) An integrative index of biological effects of lead. Am. J. Ind. Med. 2: 261-272.

Valciukas, J. A.; Lilis, R.; Singer, R.; Fischbein, A.; Anderson, H. A.; Glickman, L. (1980) Lead exposure and behavioral changes: comparisons of four occupational groups with different levels of lead absorption. Am. J. Ind. Med. 1: 421-426.

Valciukas, J. A.; Singer, R. M. (1982) An embedded figures test in environmental and occupational neurotoxicology. Environ. Res. 28: 183-198.

Valentine, J. L.; Baloh, R. W.; Browdy, B. L.; Gonick, H. C.; Brown, C. P.; Spivey, G. H.; Culver, B. D. (1982) Subclinical effects of chronic increased lead absorption--a prospective study. J. Occup. Med. 24: 120-125.

Valentine, W. N.; Paglia, D. E. (1979) Genetic defects of the human red blood cell and hemolytic anemia. In: Atkinson, D. E.; Fox, C. F., eds. Modulation of protein function; New York, NY: Academic Press, Inc.; pp. 423-447. (ICN-UCLA symposia on molecular and cellular biology: v. 13).

Valentine, W. N.; Paglia, D. E. (1980) Erythrocyte disorders of purine and pyrimidine metabolism. Hemoglobin 4: 669-681.

Valentine, W. N.; Paglia, D. E.; Fink, K.; Madokoro, G. (1976) Lead poisoning: association with hemolytic anemia, basophilic stippling, erythrocyte pyrimidine 5'-nucleotidase deficiency, and intraerythrocytic accumulation of pyrimidines. J. Clin. Invest. 58: 926-932.

Vallee, B. L.; Ulmer, D. D. (1972) Biochemical effects of mercury, cadmium, and lead. Annu. Rev. Biochem. 41: 91-128.

Van Assen, F. J. J. (1958) Een geval van loodvergiftiging als oorzaak van aangeboren afwijkingen bij het nageslacht [A case of lead poisoning as cause of congenital anomalies in the offspring]? Ned. Tijdschr. Verloskd. Gynaecol. 58: 258-263.

Van Barneveld, A. A.; Van Den Hamer, C. J. A. (1985) Influence of Ca and Mg on the uptake and deposition of Pb and Cd in mice. Toxicol. Appl. Pharmacol. 79: 1-10.

Van den Bergh, A. A. H.; Grotepass, W. (1933) Porphyrinämie ohne Porphyrinurie [Porphyrinemia without porphyrinuria]. Klin. Wochenschr. 12: 586-589.

van der Werff, M.; Pruyt, M. J. (1982) Long-term effects of heavy metals on aquatic plants. Chemosphere 11: 727-739.

Van Esch, G. J.; Kroes, R. (1969) The induction of renal tumours by feeding basic lead acetate to mice and hamsters. Br. J. Cancer 23: 765-771.

Van Esch, G. J.; Van Genderen, H.; Vink, H. H. (1962) The induction of renal tumors by feeding of basic lead acetate to rats. Br. J. Cancer 16: 289-297.

Van Espen, P.; Adams, F. (1983) The application of principal component and factor analysis procedures to data for element concentrations in aerosols from a remote region. Anal. Chim. Acta 150: 153-161.

Van Hook, R. I.; Harris, W. F.; Henderson, G. S. (1977) Cadmium, lead, and zinc distributions and cycling in a mixed deciduous forest. Ambio 6: 281-286.

Van Lier, R. B. L.; Piper, W. N. (1977) Regulation of lead inhibition of hepatic uroporphyrinogen I synthetase activity by pteridine derivatives. Fed. Proc. Fed. Am. Soc. Exp. Biol. 36: 355.

van Rossum, G. D. V.; Kapoor, S. C.; Rabinowitz, M. S. (1985) Effects of inorganic lead in vitro on ion exchanges and respiratory metabolism of rat kidney cortex. Arch. Toxicol. 56: 175-181.

Van Wyk, C. W.; Grobler, S. R. (1983) Lead levels in deciduous teeth of children from selected urban areas in the Cape Peninsula. S. Afr. Med. J. 63: 559-562.

Vander, A. J.; Johnson, B. (1981) Accumulation of lead by renal slices in the presence of organic anions. Proc. Soc. Exp. Biol. Med. 166: 583-586.

Vander, A. J.; Mouw, D. R.; Cox, J.; Johnson, B. (1979) Lead transport by renal slices and its inhibition by tin. Am. J. Physiol. 236: F373-F378.

Vander, A. J.; Taylor, D. L.; Kalitis, K.; Mouw, D. R.; Victery, W. (1977) Renal handling of lead in dogs: clearance studies. Am. J. Physiol. 2: F532-F538.

VanderWiel, C. J.; Talmage, R. V. (1982) An ultrastructural study of postprandial changes in bone lining cells of lead-injected thyroidectomized and thyroid-intact rats. Calcif. Tissue Int. 34: 295-300.

Varanasi, U.; Markey, D. (1978) Uptake and release of lead and cadmium in skin and mucus of coho salmon Oncorhynchus kisutch. Comp. Biochem. Physiol. 60C: 187-191.

Varga, J. R. (1979) More on long-term sequelae of exposure to lead [letter]. J. Pediatr. (St. Louis) 94: 680-681.

Varma, M. M.; Doty, K. T. (1979) Environmental lead contamination. J. Environ. Health 42: 68-71.

Varma, M. M.; Joshi, S. R.; Adeyemi, A. O. (1974) Mutagenicity and infertility following administration of lead sub-acetate to Swiss male mice. Experientia 30: 486-487.

Vasilescu, C. (1973) Motor nerve conduction velocity and electromyogram in chronic lead poisoning. Rev. Roum. Neurol. 10: 221-226.

Vasilikiotis, G.; Fytianos, K.; Zotou, A. (1983) Heavy metals in marine organisms of the North Aegean Sea, Greece. Chemosphere 12: 75-81.

Vengris, V. E.; Maré, C. J. (1974) Lead poisoning in chickens and the effect of lead on interferon and antibody production. Can. J. Comp. Med. 38: 328-335.

Venkatakrishna-Bhatt, H. (1984) Influence of oral lead acetate on cognitive functions and learning in rats. Water Air Soil Pollut. 23: 375-380.

Venugopal, B.; Luckey, T. D. (1978) Metal toxicity in mammals - 2: chemcial toxicity of metals and metalloids. New York, NY: Plenum Press; pp. 185-195.

Verger, D.; Leroux-Robert, C.; Ganter, P.; Richet, G. (1967) Les tophus goutteux de la médullaire rénale des urémiques chroniques [Gouty tophus of the renal medulary in chronic uremics]. Nephron 4: 356-370.

Verkleij, J. A. C.; Bast-Cramer, W. B.; Barel, R. A. (1983) Comparative eco-genetic and eco-physiological research of species occurring on heavy metal contaminated soils. In: International conference: heavy metals in the environment; September; Heidelberg, West Germany. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 455-458.

Verlangieri, A. J. (1979) Prenatal and postnatal chronic lead intoxication and running wheel activity in the rat. Pharmacol. Biochem. Behav. 11: 95-98.

Verma, M. P.; Sharma, R. P.; Street, J. C. (1978) Hepatic and renal metallothionein concentrations in cows, swine, and chickens given cadmium and lead in feed. Am. J. Vet. Res. 39: 1911-1915.

Vermande-Van Eck, G. J.; Meigs, J. W. (1960) Changes in the ovary of the rhesus monkey after chronic lead intoxication. Fertil. Steril. 11: 223-234.

Verschaeve, L.; Driesen, M.; Kirsch-Volders, M.; Hens, L.; Susanne, C. (1979) Chromosome distribution studies after inorganic lead exposure. Hum. Genet. 49: 147-158.

Viau, C.; Bernard, A.; Lauwerys, R. R.; Tulkens, P.; Laurent, G.; Maldague, P. (1983) Gentamicin nephrotoxicity in cadmium, lead and mercury pretreated rats. Toxicology 27: 15-25.

Victery, W.; Miller, C. R.; Fowler, B. A. (1984) Lead accumulation by rat renal brush border membrane vesicles. J. Pharmacol. Exp. Ther. 231: 589-596.

Victery, W.; Soifer, N. E.; Weiss, J. S.; Vander, A. J. (1981) Acute effects of lead on the renal handling of zinc in dogs. Toxicol. Appl. Pharmacol. 61: 358-367.

Victery, W.; Vander, A. J.; Markel, H.; Katzman, L.; Shulak, J. M.; Germain, C. (1982) Lead exposure, begun in utero, decreases renin and angiotensin II in adult rats. Proc. Soc. Exp. Biol. Med. 170: 63-67.

Victery, W.; Vander, A. J.; Mouw, D. R. (1978) Effect of acid-base status on renal excretion and accumulation of lead. Fed. Proc. Fed. Am. Soc. Exp. Biol. 37: 921.

Victery, W.; Vander, A. J.; Mouw, D. R. (1979) Renal handling of lead in dogs: stop-flow analysis. Am. J. Physiol. 237: F408-F414.

Victery, W.; Vander, A. J.; Mouw, D. R. (1979) Effect of acid-base status on renal excretion and accumulation of lead in dogs and rats. Am. J. Physiol. 237: F398-F407.

Victery, W.; Vander, A. J.; Schoeps, P.; Germain, C. (1983) Plasma renin is increased in young rats exposed to lead in utero and during nursing (41517). Proc. Soc. Exp. Biol. Med. 172: 1-7.

Victery, W.; Vander, A. J.; Shulak, J. M.; Schoeps, P.; Julius, S. (1982) Lead, hypertension, and the renin-angiotensin system in rats. J. Lab. Clin. Med. 99: 354-362.

Vigdortchik, N. A. (1935) Lead intoxication in the etiology of hypertonia. J. Ind. Hyg. 17: 1-6.

Vighi, M. (1981) Lead uptake and release in an experimental trophic chain. Ecotoxicol. Environ. Saf. 5: 177-193.

Vimpani, G.; McMichael, A.; Robertson, E.; Wigg, N. (1985) The Port Pirie study: a prospective study of pregnancy outcome and early childhood growth and development in a lead-exposed community--protocol and status report. In: Bornschein, R. L.; Rabinowitz, M. B., eds. The second international conference on prospective studies of lead; April 1984; Cincinnati, OH. Environ. Res. 38: 108-118.

Vincent, M.; Vincent, F.; Faure, J. (1978) Bilan de la teneur en éléments métalliques d'une population représentative du département de l'Isere: concentrations sanguines en plomb, cuivre, zinc et mercure etude de facteurs pouvant influencer cette distribution [Examination of metals in a population representative of the department of Isere (850 persons): blood concentrations of lead, copper, zinc and mercury; study of factors which possibly influence this distribution]. Bull. Med. Leg. Toxicol. 21: 753-758.

Vinikour, W. S.; Goldstein, R. M.; Anderson, R. V. (1980) Bioconcentration patterns of zinc, copper, cadmium and lead in selected fish species from the Fox River, Illinois. Bull. Environ. Contam. Toxicol. 24: 727-734.

Virchow, R. (1868) Seltene Gichtablagerungen [Rare gouty deposits]. Virchows Arch. Pathol. Anat. Physiol. 44: 137-138.

Vitale, L. F.; Joselow, M. M.; Wedeen, R. P.; Pawlow, M. (1975) Blood lead--an inadequate measure of occupational exposure. J. Occup. Med. 17: 155-156.

Vives, J.-F.; Bellet, H.; Lapinski, H.; Mirouze, D.; Richard, J.-L.; Hirsch, J.-L.; Soulayrac, M.; Mathieu-Daude, P.; Vallat, G.; Michel, H. (1980) Alcoolisme chronique et intoxication saturnine [Chronic alcoholism and lead poisoning]. Gastroenterol. Clin. Biol. 4: 119-122.

Von Damm, K. L.; Benninger, L. K.; Turekian, K. K. (1979) The ^{210}Pb chronology of a core from Mirror Lake, New Hampshire. Limnol. Oceanogr. 24: 434-439.

vonLindern, I.; Yankel, A. J. (1976) Presentation to the Shoshone heavy metals project committee (Seattle, WA; September 1975). In: Shoshone lead health project: work summary. Boise, ID: Idaho Department of Health & Welfare; pp. 73-89.

Voors, A. W.; Johnson, W. D.; Shuman, M. S. (1982) Additive statistical effects of cadmium and lead on heart-related disease in a North Carolina autopsy series. Arch. Environ. Health 37: 98-102.

Voors, A. W.; Shuman, M. S.; Woodward, G. P.; Gallagher, P. N. (1973) Arterial lead levels and cardiac death: a hypothesis. Environ. Health Perspect. 4: 97.

Vorhees, C. V.; Butcher, R. E. (1982) Behavioural teratogenicity. In: Snell, K., ed. Developmental toxicology. New York, NY: Praeger Publishers; pp. 249-298.

Vos, J. G. (1977) Immune suppression as related to toxicology. CRC Crit. Rev. Toxicol. 5: 67-101.

Vostal, J. J.; Taves, E.; Sayre, J. W.; Charney, E. (1974) Lead analysis of house dust: a method for the detection of another source of lead exposure in inner city children. Environ. Health Perspect. 7: 91-97.

Vouk, V. B.; Piver, W. T. (1983) Metallic elements in fossil fuel combustion products: amounts and form of emissions and evaluation of carcinogenicity and mutagenicity. Environ. Health Perspect. 47: 201-225.

Voutsinou-Taliadouri, F.; Satsmadjis, J. (1983) Distribution of heavy metals in sediments of the Patraikos Gulf (Greece). Mar. Pollut. Bull. 14: 33-35.

Waalkes, M. P.; Klaassen, C. D. (1985) Concentration of metallothionein in major organs of rats after administration of various metals. Fundam. Appl. Toxicol. 5: 473-477.

Wada, O.; Takeo, K.; Yano, Y.; Ono, T.; Nagahashi, M.; Seki, H. (1976) δ-Aminolevulinic acid dehydratase in low level lead exposure. Arch. Environ. Health 31: 211-215.

Wada, O; Yano, Y.; Ono, T.; Toyokawa, K. (1973) The diagnosis of different degrees of lead absorption; in special references to choice and evaluation of various parameters indicative of an increased lead absorption. Ind. Health 11: 55-67.

Wada, O.; Yano, Y.; Toyokawa, K.; Suzuki, T.; Suzuki, S.; Katsunuma, H. (1972) Human responses to lead, in special references to porphyrin metabolism in bone marrow erythroid cells, and clinical and laboratory study. Ind. Health 10: 84-92.

Wade, K. J.; Flanagan, J. T.; Currie, A.; Curtis, D. J. (1980) Roadside gradients of lead and zinc concentrations in surface-dwelling invertebrates. Environ. Pollut. Ser. B 1: 87-93.

Wagner, V.; Wagnerova, M.; Wokounova, D.; Kriz, J.; Madlo, Z.; Mohyla, O. (1981) Correlations between blood lead concentrations and some blood protein levels in children residing in lead-polluted and control areas. J. Hyg. Epidemiol. Microbiol. Immunol. 25: 97-112.

Wagstaff, D. J. (1979) Effects of dietary lead acetate on hepatic detoxication enzyme activity. Bull. Environ. Contam. Toxicol. 23: 753-758.

Wai, C. M.; Knowles, C. R.; Keely, J. F. (1979) Lead caps on wine bottles and their potential problems. Bull. Environ. Contam. Toxicol. 21: 4-6.

Waldron, H. A. (1964) The effect of lead on the fragility of the red cell incubated in vitro. J. Clin. Pathol. 17: 405-406.

Waldron, H. A. (1966) The anaemia of lead poisoning: a review. Br. J. Ind. Med. 23: 83-100.

Waldron, H. A. (1971) Correlation between some parameters of lead absorption and lead intoxication. Br. J. Ind. Med. 28: 195-199.

Waldron, H. A. (1975) Lead levels in blood of residents near the M6-A38(M) interchange, Birmingham. Nature (London) 253: 345-346.

Waldron, H. A. (1978) Health care of people at work. Workers exposed to lead: 1. inorganic lead. J. Soc. Occup. Med. 28: 27-32.

Waldron, H. A. (1978) Health care of people at work. Workers exposed to lead: 2. organic lead. J. Soc. Occup. Med. 28: 109-110.

Waldron, H. A. (1978) Lead and human behaviour. J. Ment. Defic. Res. 22: 69-78.

Waldron, H. A. (1979) Lead in the environment: preliminary communication. J. R. Soc. Med. 72: 753-755.

Waldron, H. A. (1980) Lead. In: Waldron, H. A., ed. Metals in the environment. New York, NY: Academic Press; pp. 155-197.

Waldron, H. A. (1981) Postmortem absorption of lead by the skeleton. Am. J. Phys. Anthro. 55: 395-398.

Waldron, H. A.; Khera, A.; Walker, G.; Wibberley, G.; Green, C. J. S. (1979) Lead concentrations in bones and soil. J. Archaeol. Sci. 6: 292-298.

Waldron, T. (1978) Did Hippocrates describe lead poisoning [letter]? Lancet 2(8103): 1315.

Walker, B., Jr. (1980) Lead content of milk and infant formula. J. Food Prot. 43: 178-179,184.

Walsh, C. T.; Ryden, E. B. (1984) The effect of chronic ingestion of lead on gastrointestinal transit in rats. Toxicol. Appl. Pharmacol. 75: 485-495.

Walsh, D. F.; Berger, B. L.; Bean, J. R. (1977) Residues in fish, wildlife, and estuaries: mercury, arsenic, lead, cadmium, and selenium residues in fish, 1971-73 - National Pesticide Monitoring Program. Pestic. Monit. J. 11: 5-34.

Walsh, T. J.; McLamb, R. L.; Tilson, H. A. (1984) Organometal-induced antinociception: a time- and dose-response comparison of triethyl and trimethyl lead and tin. Toxicol. Appl. Pharmacol. 73: 295-299.

Walsh, T. J.; Tilson, H. A. (1984) Neurobehavioral toxicology of the organoleads. Neurotoxicology 5: 67-86.

Walter, R. L.; Willis, R. D.; Gutknecht, W. F.; Joyce, J. M. (1974) Analysis of biological, clinical, and environmental samples using proton-induced X-ray emission. Anal. Chem. 46: 843-855.

Walter, S. D.; Yankel, A. J.; von Lindern, I. H. (1980) Age-specific risk factors for lead absorption in children. Arch. Environ. Health 35: 53-58.

Walter, W. M.; Miller, J. E.; Hassett, J. J. (1977) Effect of lead and cadmium upon the calcium, magnesium, potassium, and phosphorus concentration in young corn plants. Soil Sci. 124: 145-151.

Walton, J. R. (1973) Granules containing lead in isolated mitochondria. Nature (London) 243: 100-101.

Walton, J. R. (1974) Intranuclear inclusions in the lead-poisoned cultured kidney cell. J. Pathol. 112: 213-215.

Walton, J.; Buckley, I. K. (1977) The lead-poisoned cell: a fine structural study using cultured kidney cells. Exp. Mol. Pathol. 27: 167-182.

Wang, S. T.; Peter, F. (1985) The stability of human blood lead in storage. J. Anal. Toxicol. 9: 85-88.

Wang, Y.-L. (1984) Industrial lead poisoning in China over the past 33 years. Ecotoxicol. Environ. Saf. 8: 526-530.

Wang, J.; Dewald, H. D.; Greene, B. (1983) Anodic stripping voltammetry of heavy metals with a flow injection system. Anal. Chim. Acta 146: 45-50.

Wapnir, R. A.; Goldstein, L.; Moak, S. A. (1979) Effects of lead on transport-related enzymes of the rat small intestinal mucosa. Fed. Proc. Fed. Am. Soc. Exp. Biol. 38: 3373.

Wapnir, R. A.; Moak, S. A.; Lifshitz, F. (1979) Alterations in rat brain glutaminase and aldolase induced by lead ingestion following malnutrition. Biochem. Med. 21: 342-346.

Wapnir, R. A.; Moak, S. A.; Lifshitz, F. (1980) Reduction of lead toxicity on the kidney and the small intestinal mucosa by kaolin and pectin in the diet. Am. J. Clin. Nutr. 33: 2303-2310.

Wapnir, R. A.; Moak, S. A.; Lifshitz, F.; Teichberg, S. (1979) Alterations of intestinal and renal functions in rats after intraperitoneal injections of lead acetate. J. Lab. Clin. Med. 94: 144-151.

Ward, F. N.; Fishman, M. J. (1976) Analytical methods for determination of lead. In: Lovering, T. G., ed. Lead in the environment. Washington, DC: U.S. Department of the Interior, U.S. Geological Survey; Geological Survey professional paper 957; pp. 81-84. Available from: GPO, Washington, DC; S/N 024-001-02911-1.

Ward, N. I.; Brooks, R. R. (1979) Lead levels in wool as an indication of lead in blood of sheep exposed to automotive emissions. Bull. Environ. Contam. Toxicol. 21: 403-408.

Ward, N. I.; Brooks, R. R.; Roberts, E. (1977) Lead levels in whole blood of New Zealand domestic animals. Bull. Environ. Contam. Toxicol. 18: 595-601.

Ward, N. I.; Brooks, R. R.; Roberts, E. (1978) Blood lead levels in sheep exposed to automotive emissions. Bull. Environ. Contam. Toxicol. 20: 44-51.

Ward, N. I.; Roberts, E.; Brooks, R. R. (1977) Lead pollution from a New Zealand battery factory and smelter compared with that from motor-vehicle exhaust emissions. N. Z. J. Sci. 20: 407-412.

Ward, T. J.; Young, P. C. (1984) Effects of metals and sediment particle size on the species composition of the epifauna of Pinna bicolor near a lead smelter, Spencer Gulf, South Australia. Estuarine Coastal Shelf Sci. 18: 79-95.

Wardell, R. E.; Seegmiller, R. E.; Bradshaw, W. S. (1982) Induction of prenatal toxicity in the rat by diethylstilbestrol, zeranol, 3,4,3',4',-tetrachlorobiphenyl, cadmium, and lead. Teratology 26: 229-237.

Warnick, S. L.; Bell, H. L. (1969) The acute toxicity of some heavy metals to different species of aquatic insects. J. Water Pollut. Control Fed. 41: 280-284.

Warren, H. V. (1972) The copper, zinc, lead, and molybdenum contents of some British and Canadian vegetables: a reconnaissance. In: Adams, W. P.; Helleiner, F. M., eds. 22nd international geographical congress; Montreal, PQ, Canada. Toronto, ON, Canada: University of Toronto Press; pp. 1226-1229.

Warren, H. V.; Delavault, R. E.; Fletcher, K.; Wilks, E. (1971) Variations in the copper, zinc, lead, and molybdenum content of some British Columbia vegetables. In: Hemphill, D. D., ed. Trace substances in environmental health - IV: [proceedings of University of Missouri's 4th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 94-103.

Warren, L. J. (1981) Effects of lead on aquatic life. In: Lynam, D. R.; Piantanida, L. G.; Cole, J. F., eds. Environmental lead: proceedings of the second international symposium on environmental lead research; December 1978; Cincinnati, OH. New York, NY: Academic Press; pp. 309-332. (Coulston, F., Korte, F., eds. Ecotoxicology and environmental quality series).

Wasserman, R. H. (1980) Molecular mechanisms of the epithelial transport of toxic metal ions, particularly mercury, cadmium, lead, arsenic, zinc and copper. Washington, DC: U.S. Department of Energy. Available from: NTIS, Springfield, VA; DOE/EV/02792-4.

Wasserman, R. H.; Fullmer, C. S. (1981) Molecular mechanisms of the epithelial transport of toxic metal ions, particularly mercury, cadmium, lead, arsenic, zinc and copper: comprehensive progress report, January 1, 1979 - July 31, 1981. Ithaca, NY: Cornell University. Available from: NTIS, Springfield, VA; DOE/EV 02792-TI.

Watling, H. R. (1981) Effects of metals on the development of oyster embryos. S. Afr. J. Sci. 77: 134-135.

Watling, H. R.; Watling, R. J. (1982) Comparative effects of metals on the filtering rate of the brown mussel (Perna perna). Bull. Environ. Contam. Toxicol. 29: 651-657.

Watling, H. R.; Watling, R. J. (1982) Metal concentrations in oysters from the southern African coast. Bull. Environ. Contam. Toxicol. 28: 460-466.

Watling, H. R.; Watling, R. J. (1983) Sandy beach molluscs as possible bioindicators of metal pollution 2. laboratory studies. Bull. Environ. Contam. Toxicol. 31: 339-343.

Watson, A. P.; Van Hook, R. I.; Jackson, D. R.; Reichle, D. E. (1976) Impact of a lead mining smelting complex on the forest-floor litter arthropod fauna in the new lead belt region of southeast Missouri. Oak Ridge, TN: Oak Ridge National Laboratory, Environmental Sciences Division; Environmental Sciences Division publication no. 881. Available from: NTIS, Springfield, VA; ORNL/NSF/EATC-30.

Watson, R. J.; Decker, E.; Lichtman, H. C. (1958) Hematologic studies of children with lead poisoning. Pediatrics 21: 40-46.

Watson, W. N.; Witherell, L. E.; Giguere, G. C. (1978) Increased lead absorption in children of workers in a lead storage battery plant. J. Occup. Med. 20: 759-761.

Watson, W. S.; Hume, R.; Moore, M. R. (1980) Oral absorption of lead and iron. Lancet 2(8188): 236-237.

Watts, M. T.; Poulsen, B. J.; Szabo, L. L.; Kenny, M. A.; Lee, W. Y. (1981) Evaluation of the radiometer ion scanning system 820 for the analysis of lead in urine. J. Anal. Toxicol. 5: 231-235.

Waughman, G. J.; Kookorinis, E.; Bellamy, D. J. (1983) Influences of climate and heavy metal concentrations in the soil on plants of grassland and flush vegetation in Upper Teesdale. J. Ecol. 71: 177-187.

Way, C. A.; Schroder, G. D. (1982) Accumulation of lead and cadmium in wild populations of the commensal rat, Rattus norvegicus. Arch. Environ. Contam. Toxicol. 11: 407-417.

Webb, R. C.; Winquist, R. J.; Victery, W.; Vander, A. J. (1981) In vivo and in vitro effects of lead on vascular reactivity in rats. Am. J. Physiol. 241: H211-H216.

Webber, M. D.; Monteith, H. D.; Corneau, D. G. M. (1983) Assessment of heavy metals and PCBs at sludge application sites. J. Water Pollut. Control Fed. 55: 187-195.

Weber, C. W.; Nelson, G. W.; de Vaquera, M. V.; Pearson, P. B. (1984) Lead concentration in hair of male pottery workers. Nutr. Rep. Int. 30: 1009-1018.

Weber, J. H. (1983) Metal ion speciation studies in the presence of humic materials. In: Christman, R. F.; Gjessing, E. T., eds. Aquatic and terrestrial humic materials. Ann Arbor, MI: Ann Arbor Science Publishers; pp. 315-331.

Wecker, L.; Miller, S. B.; Cochran, S. R.; Dugger, D. L.; Johnson, W. D. (1985) Trace element concentrations in hair from autistic children. J. Ment. Def. Res. 29: 15-22.

Wedeen, R. P. (1979) Lead enhancement of lithium-induced polydipsia [letter]. Science (Washington, DC) 205: 725-726.

Wedeen, R. P. (1981) "Punch cures the gout." J. Med. Soc. N.J. 78: 201-206.

Wedeen R. P. (1984) Poison in the pot: the legacy of lead. Carbondale, Illinois: Southern Illinois University Press.

Wedeen, R. P. (1982) Lead nephrotoxicity. In: Porter, G., ed. Nephrotoxic mechanisms of drugs and environmental toxins. New York, NY: Plenum Publishing Corp.; pp. 255-265.

Wedeen, R. P. (1985) Blood lead levels, dietary calcium, and hypertension. Ann. Intern. Med. 102: 403-404.

Wedeen, R. P.; Batuman, V.; Landy, E. (1983) The safety of the EDTA lead-mobilization test. Environ. Res. 30: 58-62.

Wedeen, R. P.; Maesaka, J. K.; Weiner, B.; Lipat, G. A.; Lyons, M. M.; Vitale, L. F.; Joselow, M. M. (1975) Occupational lead nephropathy. Am. J. Med. 59: 630-641.

Wedeen, R. P.; Mallik, D. K.; Batuman, V. (1979) Detection and treatment of occupational lead nephropathy. Arch. Intern. Med. 139: 53-57.

Wedeen, R. P.; Mallik, D. K.; Batuman, V.; Bogden, J. D. (1978) Geophagic lead nephropathy: case report. Environ. Res. 17: 409-415.

Wehr, J. D.; Empain, A.; Mouvet, C.; Say, P. J.; Whitton, B. A. (1983) Methods for processing aquatic mosses used as monitors of heavy metals. Water Res. 17: 985-992.

Weinreich, K.; Stelte, W.; Bitsch, I. (1977) Effect of lead acetate on the spontaneous activity of young rats. Nutr. Metab. 21(suppl.): 201-203.

Weir, P. A.; Hine, C. H. (1970) Effects of various metals on behavior of conditioned goldfish. Arch. Environ. Health 20: 45-51.

Weis, P.; Weis, J. S. (1982) Toxicity of methylmercury, mercuric chloride, and lead in killifish (Fundulus heteroclitus) from Southampton, New York. Environ. Res. 28: 364-374.

Weisburger, J. H.; Williams, G. M. (1980) Chemical carcinogens. In: Doull, J.; Klaassen, C. D.; Amdur, M. O., eds. Toxicology: the basic science of poisons. 2nd Ed. New York, NY: Macmillan Publishing Co., Inc.; pp. 84-138.

Weismann, L.; Škrobák, J. (1980) Toxicita pothavy so zvýšeným dosaham olova pre húsenice Scotia segetum (Den. et schiff.) (Lepidoptera) [Toxicity of food with increased content of lead for the caterpillar Scotia segetum (Den. et schiff.) (Lepidoptera)]. Biologia (Bratislava) 35: 823-826.

Weiss, B. (1978) Environmental contaminants as origins of disordered behavior. Rochester, NY: University of Rochester. Available from: NTIS, Springfield, VA; UR-3490-1473.

Weiss, B. (1978) The behavioral toxicology of metals. Fed. Proc. Fed. Am. Soc. Exp. Biol. 37: 22-27.

Weiss, B. (1979) Behavior as a sentry of metal toxicity. In: Di Ferrante, E., ed. Trace metals: exposure and health effects. Proceedings of the research seminar held at the University of Surrey; July 1978; Guildford, United Kingdom. New York, NY: Pergamon Press; pp. 185-198.

Weiss, B. (1980) Conceptual issues in the assessment of lead toxicity. In: Needleman, H. L., ed. Low level lead exposure: the clinical implications of current research. New York, NY: Raven Press; pp. 127-134.

Welch, W. R.; Dick, D. L. (1975) Lead concentrations in tissues of roadside mice. Environ. Pollut. 8: 15-21.

Weller, C. V. (1915) The blastophthoric effect of chronic lead poisoning. J. Med. Res. 33: 271-293.

Wells, A. C.; Venn, J. B.; Heard, M. J. (1977) Deposition in the lung and uptake to blood of motor exhaust labelled with ^{203}Pb. In: Walton, W. H.; McGovern, B., eds. Inhaled particles 4: proceedings of an international symposium; September 1975; Edinburgh, United Kingdom. Oxford, United Kingdom: Pergamon; pp. 175-189.

Welsh, S. O. (1979) Red blood cell (RBC) membrane protein electophoretic patterns and filterability of RBC from vitamin E deficient lead poisoned rats. Fed. Proc. Fed. Am. Soc. Exp. Biol. 38: 875.

Welté, B.; Blès, N.; Montiel, A. (1983) Etude des differentes methodes de speciation des metaux lourds dans les sediments: II. applications [Study of the different methods of speciation of heavy metals in the sediments: II. applications]. Environ. Technol. Lett. 4: 223-238.

Werner, T.; Weinmann, H.-M. (1966) Zehn Jahre Penicillamin [Ten years of penicillamine]. Med. Klin. (Munich) 61: 1827-1831.

Wesenberg, G. B. R. (1983) Effect of acute exposure to cadmium on zinc, copper and lead contents of hard and soft tissues of rats. Int. J. Environ. Stud. 20: 255-263.

Wesenberg, G. B. R.; Fosse, G.; Justesen, N.-P. B.; Rasmussen, P. (1979) Lead and cadmium in teeth, bone and kidneys of rats with a standard Pb-Cd supply. Int. J. Environ. Stud. 14: 223-230.

Wesenberg, G. B. R.; Fosse, G.; Rasmussen, P. (1981) The effect of graded doses of cadmium on lead, zinc and copper content of target and indicator organs in rats. Int. J. Environ. Stud. 17: 191-200.

Wesolowski, J. J.; Flessel, C. P.; Twiss, S.; Stanley, R. L.; Knight, M. W.; Coleman, G. C.; DeGarmo, T. E. (1979) The identification and elimination of a potential lead hazard in an urban park. Arch. Environ. Health 34: 413-418.

Wessel, M. A.; Dominski, A. (1977) Our children's daily lead. Am. Sci. 65: 294-298.

Wewerka, E. M.; Williams, J. M.; Wagner, P. (1982) The use of multimedia environmental goals to evaluate potentially hazardous trace elements in the drainage from high-sulfur coal preparation wastes. Los Alamos, NM: Los Alamos National Laboratory; LA-9189-MS. Available from: NTIS, Springfield, VA; DE82-014115.

Wharf, I.; Onyszchuk, M.; Miller, J. M.; Jones, T. R. B. (1980) Synthesis and spectroscopic studies of phenyllead halide and thiocyanate adducts with hexamethylphosphoramide. J. Organomet. Chem. 190: 417-433.

Wheeler, G. L.; Provenzano, G.; Resek, R. (1977) Environmental contamination by lead and other heavy metals. Vol. 5: Synthesis and modeling. Urbana-Champaign, IL: University of Illinois, Institute for Environmental Studies. (Final report: National Science Foundation RANN Program).

Wheeler, G. L.; Rolfe, G. L. (1979) The relationship between daily traffic volume and the distribution of lead in roadside soil and vegetation. Environ. Pollut. 18: 265-274.

Wheeler, G. L.; Rolfe, G. L.; Reinbold, K. A. (1978) A simulation model for lead movement in a watershed. Ecol. Modell. 5: 67-76.

Wheeler, G. L.; Sale, M. J. (1980) TELOC: a simulation model of the effects of lead on corn (Zea maize) growth. Ecol. Modell. 11: 141-150.

Whetsell, W. O., Jr.; Kappas, A. (1981) Protective effect of exogenous heme against lead toxicity in organotypic cultures of mouse dorsal root ganglia (DRG): electron microscopic observations. J. Neuropathol. Exp. Neurol. 40: 334.

Whetsell, W. O., Jr.; Sassa, S.; Bickers, D.; Kappas, A. (1978) Studies on porphyrin-heme biosynthesis in organotypic cultures of chick dorsal root ganglion. I. Observations on neuronal and non-neuronal elements. J. Neuropathol. Exp. Neurol. 37: 497-507.

Whetsell, W. O., Jr.; Sassa, S.; Kappas, A. (1979) Studies on effects of chronic lead exposure upon porphyrin biosynthesis and myelin in cultures of mouse dorsal root ganglia (DRG). J. Neuropathol. Exp. Neurol. 38: 348.

Whetsell, W. O., Jr.; Sassa, S.; Kappas, A. (1984) Porphyrin-heme biosynthesis in organotypic cultures of mouse dorsal root ganglia: effects of heme and lead on porphyrin synthesis and peripheral myelin. J. Clin. Invest. 74: 600-607.

Whitby, K. T.; Clark, W. E.; Marple, V. A.; Sverdrup, G. M.; Sem, G. J.; Willeke, K.; Liu, B. Y. H.; Pui, D. Y. H. (1975) Characterization of California aerosols - I. Size distributions of freeway aerosol. Atmos. Environ. 9: 463-482.

Whitby, K. T.; Husar, R. B.; Liu, B. Y. H. (1972) The aerosol size distribution of Los Angeles smog. J. Colloid Interface Sci. 39: 177-204.

White, F. D.; Neathery, M. W.; Gentry, R. P.; Miller, W. J.; Logner, K. R.; Blackmon, D. M. (1985) The effects of different levels of dietary lead on zinc metabolism in dairy calves. J. Dairy Sci. 68: 1215-1225.

White, D. H.; Bean, J. R.; Longcore, J. R. (1977) Nationwide residues of mercury, lead, cadmium, arsenic, and selenium in starlings, 1973. Pestic. Monit. J. 11: 35-39.

White, D. H.; Cromartie, E. (1985) Bird use and heavy metal accumulation in waterbirds at dredge disposal impoundments, Corpus Christi, Texas. Bull. Environ. Contam. Toxicol. 34: 295-300.

White, D. H.; Stendell, R. C. (1977) Waterfowl exposure to lead and steel shot on selected hunting areas. J. Wildl. Manage. 41: 469-475.

White, D. J. (1977) Histochemical and histological effects of lead on the liver and kidney of the dog. Br. J. Exp. Pathol. 58: 101-112.

White, J. M.; Harvey, D. R. (1972) Defective synthesis of α and β globin chains in lead poisoning. Nature (London) 236: 71-73.

Whittingham, A.; Roberts, N. L. (1983) Toxicity of trimethyllead chloride to the mallard duck (Anas platyrhynchos). In: International conference: heavy metals in the environment; September; Heidelberg, West Germany. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 714-717.

Whitton, B. A. (1970) Toxicity of zinc, copper and lead to Chlorophyta from flowing waters. Arch. Mikrobiol. 72: 353-360.

Wibberley, D. G.; Khera, A. K.; Edwards, J. H.; Rushton, D. I. (1977) Lead levels in human placentae from normal and malformed births. J. Med. Genet. 14: 339-345.

Wibowo, A. A. E.; Brunekreef, B.; Lebret, E.; Pieters, H. (1980) The feasibility of using lead in hair concentration in monitoring environmental exposure in children. Int. Arch. Occup. Environ. Health 46: 275-280.

Wibowo, A. A. E.; Sallé, H. J. A.; del Castilho, P.; Zielhuis, R. L. (1979) An effect of erythrocyte protoporphyrin on blood manganese in lead-exposed children and adults. Int. Arch. Occup. Environ. Health 43: 177-182.

Wibowo, A. A. E.; Zielhuis, R. L. (1980) Different effects on hemesynthesis in male and female rabbits treated with lead acetate. Arch. Toxicol. 45: 67-73.

Wibowo, A. A. E.; Zielhuis, R. L. (1981) The effect of testosterone administration on lead induced zincprotoporphyrin in blood concentration in castrated male rabbits. Arch. Toxicol. 49: 65-71.

Wide, M. (1978) Effect of inorganic lead on the mouse blastocyst in vitro. Teratology 17: 165-169.

Wide, M. (1980) Interference of lead with implantation in the mouse: effect of exogenous oestradiol and progesterone. Teratology 21: 187-191.

Wide, M. (1983) Lead and development of the early embryo. In: Clarkson, T. W.; Nordberg, G. F.; Sager, P. R., eds. Reproductive and developmental toxicity of metals [proceedings of a joint meeting; May 1982; Rochester, NY]. New York, NY: Plenum Press; pp. 343-355.

Wide, M. (1983) Retained developmental capacity of blastocysts transferred from lead-intoxicated mice. Teratology 28: 293-298.

Wide, M.; Nilsson, B. O. (1979) Interference of lead with implantation in the mouse: a study of the surface ultrastructure of blastocysts and endometrium. Teratology 20: 101-113.

Wide, M.; Nilsson, O. (1977) Differential susceptibility of the embryo to inorganic lead during periimplantation in the mouse. Teratology 16: 273-276.

Wide, M.; Wide, L. (1980) Estradiol receptor activity in uteri of pregnant mice given lead before implantation. Fertil. Steril. 34: 503-508.

Wiebe, J. P. (1981) Effects of lead on testicular endocrinology in the developing male. Am. Zool. 20: 899.

Wiebe, J. P.; Barr, K. J.; Buckingham, K. D. (1982) Lead administration during pregnancy and lactation affects steroidogenesis and hormone receptors in testes of offspring. J. Toxicol. Environ. Health 10: 653-666.

Wiebe, J. P.; Salhanick, A. I.; Myers, K. I. (1983) On the mechanism of action of lead in the testis: in vitro suppression of FSH receptors, cyclic AMP and steroidogenesis. Life Sci. 32: 1997-2005.

Wielgus-Serafińska, E. (1979) Influence of lead poisoning and ultrastructural changes in the body wall of Eisenia-foetida (Savigny), Oligochaeta. 1. Short action of different concentrations of lead and ultrastructural changes in the cells of the body wall. Folia Histochem. Cytochem. 17: 181-187.

Wielopolski, L.; Rosen, J. F.; Slatkin, D. N.; Vartsky, D.; Ellis, K. J.; Cohn, S. H. (1983) Feasibility of noninvasive analysis of lead in the human tibia by soft X-ray fluorescence. Med. Phys. 10: 248-250.

Wielopolski, L.; Slatkin, D. N.; Vartsky, D.; Ellis, K. J.; Cohn, S. H. (1981) Feasibility study for the in vivo measurement of lead in bone using L-X-Ray fluorescence. IEEE Trans. Nucl. Sci. NS-28: 114-116.

Wiener, G. (1970) Varying psychological sequelae of lead ingestion in children. Pubic Health Rep. 85: 19-24.

Wiener, J. G. (1979) Aerial inputs of cadmium, copper, lead, and manganese into a freshwater pond in the vicinity of a coal-fired power plant. Water Air Soil Pollut. 12: 343-353.

Wiersma, G. B. (1979) Kinetic and exposure commitment analyses of lead behaviour in a biosphere reserve. London, United Kingdom: The Monitoring and Assessment Research Centre. (MARC technical report no. 15).

Wiersma, G. B.; Davidson, C. I. (1985) Trace metals in the atmosphere of remote areas. In: Nriagu, J. O.; Davidson, C. I., eds. Toxic metals in the air. New York, NY: Wiley: in press.

Wiersma, G. B.; Frank, C. W.; Davidson, C. I.; Brown, K. W. (1980) Lead particles in the Great Smoky Mountains Biosphere Reserve. Las Vegas, NV: Environmental Monitoring Systems Lab.; EPA-report no. EPA 600/4-80-002. Available from: NTIS, Springfield, VA; PB80-170004.

Wigfield, D. C.; Farant, J.-P. (1979) Factors influencing the pH-activity relationship of δ-aminolevulinic acid dehydratase from human blood, and their relevance to blood lead assay. J. Anal. Toxicol. 3: 161-168.

Wigle, D. T.; Charlebois, E. J. (1978) Electric kettles as a source of human lead exposure. Arch. Environ. Health 33: 72-78.

Wijn, M.; Duives, P.; Herber, R.; Brunekreff, B. (1983) Lead uptake from vegetables grown along highways. Int. Arch. Occup. Environ. Health 52: 263-270.

Wildt, K.; Eliasson, R.; Berlin, M. (1983) Effects of occupational exposure to lead on sperm and semen. In: Clarkson, T. W.; Nordberg, G. F.; Sager, P. R., eds. Reproductive and developmental toxicity of metals [proceedings of a joint meeting; May 1982; Rochester, NY]. New York, NY: Plenum Press; pp. 279-300.

Wilkins, C. (1978) The distribution of lead in the soils and herbage of West Pembrokeshire. Environ. Pollut. 15: 23-30.

Wilkins, J. R., III; Sinks, T. H., Jr. (1984) Paternal occupation and Wilms' tumour in offspring. J. Epidemiol. Community Health 38: 7-11.

Wilkins, J. R., III; Sinks, T. H., Jr. (1984) Occupational exposures among fathers of children with Wilms' tumor. J. Occup. Med. 26: 427-435.

Willems, M. I.; de Schepper, G. G.; Wibowo, A. A. E.; Immel H. R.; Dietrich, A. J. J.; Zielhuis, R. L. (1982) Absence of an effect of lead acetate on sperm morphology, sister chromatid exchanges or on micronuclei formation in rabbits. Arch. Toxicol. 50: 149-157.

Willes, R. F.; Lok, E.; Truelove, J. F. (1977) Retention and tissue distribution of $^{210}Pb(NO_3)_2$ administered orally to infant and adult monkeys. J. Toxicol. Environ. Health 3: 395-406.

Willes, M. J.; Williams, D. R. (1985) The selectivity of meso-dimercaptosuccinic acid for lead(II) in blood plasma. Inorg. Chim. Acta 106: L21-L22.

Willes, R. F.; Rice, D. C.; Truelove, J. F. (1980) Chronic effects of lead in nonhuman primates. In: Singhal, R. L.; Thomas, J. A., eds. Lead toxicity. Baltimore, MD: Urban and Schwarzenberg, Inc.; pp. 213-239.

Williams, B. J.; Griffith, W. H.; Albrecht, C. M.; Pirch, J. H.; Hejtmancik, M. R., Jr.; Nechay, B. R. (1977) Cardiac effects of chronic lead poisoning. In: Brown, S. S., ed. Clinical chemistry and chemical toxicology of metals. New York, NY: Elsevier/North-Holland Biomedical Press; pp. 127-130.

Williams, B. J.; Griffith, W. H., III.; Albrecht, C. M.; Pirch, J. H.; Hejtmancik, M. R., Jr. (1977) Effects of chronic lead treatment on some cardiovascular responses to norepinephrine in the rat. Toxicol. Appl. Pharmacol. 40: 407-413.

Williams, B. J.; Hejtmancik, M. R., Jr.; Abreu, M. (1983) Cardiac effects of lead. Fed. Proc. Fed. Am. Soc. Exp. Biol. 42: 2989-2993.

Williams, D. E.; Vlamis, J.; Pukite, A. H.; Corey, J. E. (1980) Trace element accumulation, movement, and distribution in the soil profile from massive applications of sewage sludge. Soil Sci. 129: 119-132.

Williams, D. E.; Vlamis, J.; Pukite, A. H.; Corey, J. E. (1984) Metal movement in sludge-treated soils after six years of sludge addition: 1. cadmium, copper, lead, and zinc. Soil Sci. 137: 351-359.

Williams, D. R.; Halstead, B. W. (1983) Chelating agents in medicine. J. Toxicol. Clin. Toxicol. 19: 1081-1115.

Williams, M. K. (1978) Permissible limits for occupational exposure to inorganic lead and the blood lead-air lead relationship. Int. Arch. Occup. Environ. Health 41: 151-157.

Williams, M. K. (1984) Biological tests of lead absorption following a brief massive exposure. J. Occup. Med. 26: 532-533.

Williams, M. K.; King, E.; Walford, J. (1969) An investigation of lead absorption in an electric accumulator factory with the use of personal samplers. Br. J. Ind. Med. 26: 202-216.

Williams, M. K.; Walford, J.; King, E. (1983) Blood lead and the symptoms of lead absorption. Br. J. Ind. Med. 40: 285-292.

Williams, M. W.; Hoeschele, J. D.; Turner, J. E.; Jacobson, K. B.; Christie, N. T.; Paton, C. L.; Smith, L. H.; Witschi, H. R.; Lee, E. H. (1982) Chemical softness and acute metal toxicity in mice and Drosophila. Toxicol. Appl. Pharmacol. 63: 461-469.

Williams, M. W.; Turner, J. E. (1981) Comments on softness parameters and metal ion toxicity. J. Inorg. Nucl. Chem. 43: 1689-1691.

Williams, S. T.; McNeilly, T.; Wellington, E. M. H. (1977) The decomposition of vegetation growing on metal mine waste. Soil Biol. Biochem. 9: 271-275.

Williamson, C. S. (1920) Gout: a clinical study of one hundred and sixteen cases. J. Am. Med. Assoc. 74: 1625-1629.

Williamson, P. (1979) Comparison of metal levels in invertebrate detritivores and their natural diets: concentration factors reassessed. Oecologia 44: 75-79.

Williamson, P. (1980) Variables affecting body burdens of lead, zinc and cadmium in a roadside population of the snail Cepaea hortensis Müller. Oecologia 44: 213-220.

Williamson, P.; Evans, P. R. (1972) Lead: levels in roadside invertebrates and small mammals. Bull. Environ. Contam. Toxicol. 8: 280-288.

Willis, T. L. (1978) The environmental transport of lead and cadmium [master's thesis]. Newark, DE: University of Delaware. Available from: NTIS, Springfield, VA; PB80-158033.

Willoughby, R. A.; MacDonald, E.; McSherry, B. J.; Brown, G. (1972) Lead and zinc poisoning and the interaction between Pb and Zn poisoning in the foal. Can. J. Comp. Med. 36: 348-359.

Willoughby, R. A.; Thirapatsakun, T.; McSherry, B. J. (1972) Influence of rations low in calcium and phosphorus on blood and tissue lead concentrations in the horse. Am. J. Vet. Res. 33: 1165-1173.

Wilson, D. O.; Cline, J. F. (1966) Removal of plutonium-239, tungsten-185 and lead-210 from soils. Nature (London) 209: 941-942.

Wilson, V. K.; Thomson, M. L; Dent, C. E. (1953) Amino-aciduria in lead poisoning: a case in childhood. Lancet 2(6776): 66-68.

Wince, L. C.; Donovan, C. A.; Azzaro, A. J. (1980) Alterations in the biochemical properties of central dopamine synapses following chronic postnatal $PbCO_3$ exposure. J. Pharmacol. Exp. Ther. 214: 642-650.

Wince, L.; Azzaro, A. J. (1978) Neurochemical changes of the central dopamine synapse following chronic lead exposure. Neurology 28: 382.

Winchester, J. W.; Bi, M.-T. (1984) Fine and coarse aerosol composition in an urban setting: a case study in Beijing, China. Atmos. Environ. 18: 1399-1409.

Windebank, A. J.; Dyck, P. J. (1981) Kinetics of ^{210}Pb entry into the endoneurium. Brain Res. 225: 67-73.

Windebank, A. J.; McCall, J. T.; Hunder, H. G.; Dyck, P. J. (1980) The endoneurial content of lead related to the onset and severity of segmental demyelination. J. Neuropathol. Exp. Neurol. 39: 692-699.

Winder, C. (1982) Commentary: the interaction between lead and catecholaminergic function. Biochem. Pharmacol. 31: 3717-3721.

Winder, C.; Carmichael, N. G.; Lewis, P. D. (1982) Effects of chronic low level lead exposure on brain development and function. Trends NeuroSci. (Pers. Ed.) 5: 207-209.

Winder, C.; Kitchen, I. (1984) Lead neurotoxicity: a review of the biochemical, neurochemical and drug induced behavioural evidence. Prog. Neurobiol. 22: 59-87.

Winder, C.; Kitchen, I.; Clayton, L. B.; Gardiner, S. M.; Wilson, J. M.; Lewis, P. D. (1984) The effect of perinatal lead administration on the ontogeny of striatal enkephalin levels in the rat. Toxicol. Appl. Pharmacol. 73: 30-34.

Winder, C.; Lazareno, S. (1985) Effect of lead exposure on dopaminergic D2 receptor binding in the 21-day-old rat. Toxicol. Lett. 24: 209-214.

Winegar, D. A.; Levy, B. S.; Andrews, J. S., Jr.; Landrigan, P. J.; Scruton, W. H.; Krause, M. J. (1977) Chronic occupational exposure to lead: an evaluation of the health of smelter workers. J. Occup. Med. 19: 603-606.

Winge, R. K.; Fassel, V. A.; Kniseley, R. N.; DeKalb, E.; Hass, W. J., Jr. (1977) Determination of trace elements in soft, hard, and saline waters by the inductively coupled plasma, multi-element atomic emission spectroscopic (ICP-MAES) technique. Spectrochim. Acta 32B: 327-345.

Winkler, R.; Hotzl, H.; Chatterjee, B. (1981) Analysis of ^{210}Pb and ^{210}Po concentrations in surface air by an α spectrometric method. Health Phys. 41: 495-503.

Winneke, G. (1980) Non-recovery of lead-induced changes of visual evoked potentials in rats. Toxicol. Lett. Spec. Iss. 1: 77.

Winneke, G. (1982) Neurobehavioural and neuropsychological effects of lead [letter]. Lancet 2(8297): 550.

Winneke, G. (1983) Neurobehavioural and neuropsychological effects of lead. In: Rutter, M.; Russell Jones, R., eds. Lead versus health. New York, NY: John Wiley & Sons Ltd.; pp. 249-265.

Winneke, G.; Beginn, U.; Ewert, T.; Havestadt, C.; Krämer, U.; Krause, C.; Thron, H. L.; Wagner, H. M. (1984) Studie zur Erfassung subklinischer Bleiwirkungen auf das Nervensystem bei Kindern mit bekannter pränataler Exposition in Nordenham [Study on the determination of subclinical lead effects on the nervous system of Nordenham children with known pre-natal exposure]. Schriftenr. Ver. Wasser- Boden- Lufthyg. (59): 215-229.

Winneke, G.; Brockhaus, A.; Baltissen, R. (1977) Neurobehavioral and systemic effects of long-term blood lead-elevation in rats. I. Discrimination learning and open field-behavior. Arch. Toxicol. 37: 247-263.

Winneke, G.; Brockhaus, A.; Krämer, U.; Ewers, U.; Kujanek, G.; Lechner, H.; Janke, W. (1981) Neuropsychological comparison of children with different tooth-lead levels: preliminary report. In: International conference: heavy metals in the environment; Amsterdam, The Netherlands. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 553-556.

Winneke, G.; Hrdina, K.-G.; Brockhaus, A. (1982) Neuropsychological studies in children with elevated tooth-lead concentrations. Part I. Pilot study. Int. Arch. Occup. Environ. Health 51: 169-183.

Winneke, G.; Kraemer, U. (1984) Neuropsychological effects of lead in children: interactions with social background variables. Neuropsychobiology 11: 195-202.

Winneke, G.; Krämer, U.; Brockhaus, A.; Ewers, U.; Kujanek, G.; Lechner, H.; Janke, W. (1983) Neuropsychological studies in children with elevated tooth-lead concentrations. Part II. Extended study. Int. Arch. Occup. Environ. Health 51: 231-252.

Winneke, G.; Lilienthal, H.; Werner, W. (1982) Task dependent neurobehavioral effects of lead in rats. Arch. Toxicol. Suppl. 5: 84-93.

Winneke, G.; Lilienthal, H.; Zimmermann, U. (1983) Neurobehavioral effects of lead and cadmium. In: Hayes, A. W.; Schnell, R. C.; Miya, T. S., eds. Developments in the science and practice of toxicology. Amsterdam, The Netherlands: Elsevier Science Publishers B. V.; pp. 85-96.

Winneke, G.; Beginn, U.; Ewert, T.; Havestadt, C.; Kraemer, U.; Krause, C.; Thron, H. L.; Wagner, H. M. (1985) Comparing the effects of perinatal and later childhood lead exposure on neuropsychological outcome. In: Bornschein, R. L.; Rabinowitz, M. B., eds. The second international conference on prospective studies of lead; April 1984; Cincinnati, OH. Environ. Res. 38: 155-167.

Wise, A. (1981) Protective action of calcium phytate against acute lead toxicity in mice. Bull. Environ. Contam. Toxicol. 27: 630-633.

Wise, A. (1982) Blood lead levels after chronic feeding to mice of lead acetate with calcium phytate in the diet. Bull. Environ. Contam. Toxicol. 29: 550-553.

Witkowski, S. A.; Ault, S. R.; Field, R. W. (1982) Lead concentrations in white-tailed deer mandibles and teeth. Bull. Environ. Contam. Toxicol. 28: 561-565.

Witting, U.; Hultsch, E. (1981) Lead elimination by ICRF 158 in rats after chronic lead exposure. Int. Arch. Occup. Environ. Health 48: 89-98.

Wittmers, L. E., Jr.; Alich, A.; Aufderheide, A. C. (1981) Lead in bone. 1. Direct analysis for lead in milligram quantities of bone ash by graphite furnace atomic absorption spectroscopy. Am. J. Clin. Pathol. 75: 80-85.

Witz, S.; Larm, A. M.; Elvin, B. M.; Moore, A. B. (1982) The relationship between concentration of traffic-related pollutants and meteorology at a Los Angeles site. J. Air Pollut. Control Assoc. 32: 643-644.

Witz, S.; MacPhee, R. D. (1976) Effect of different types of glass filters on total suspended particulates and their chemical composition. Los Angles, CA: Southern California Air Pollution Control District Metropolitan Zone.

Wixson, B. G.; Bolter, E.; Gale, N. L.; Hemphill, D. D.; Jennett, J. C.; Koirtyohann, S. R.; Pierce, J. O.; Lowsley, I. H., Jr; Tranter, W. H. (1977) The Missouri lead study: an interdisciplinary investigation of environmental pollution by lead and other heavy metals from industrial development in the new lead belt of southeastern Missouri: vols. 1 and 2. Washington, DC: National Science Foundation. Available from: NTIS, Springfield, VA; PB-274242, PB-281859.

Wixson, B. G.; Gale, N. L.; Downey, K. (1977) Control of environmental contamination by cadmium, lead and zinc near a new lead belt smelter. In: Hemphill, D. D., ed. Trace substances in environmental health - XI: [proceedings of University of Missouri's 11th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 455-461.

Wixson, B. G.; Gale, N. L.; Kearney, W. M. (1982) Effects of emissions from a primary lead smelter in Missouri. Presented at: 75th annual meeting of the Air Pollution Control Association; June; New Orleans, LA. Pittsburgh, PA: Air Pollution Control Association; paper no. 82-55M.2.

Wolff, E. W.; Landy, M. P.; Peel, D. A. (1981) Preconcentration of cadmium, copper, lead, and zinc in water at the 10^{-12} g/g level by adsorption onto tungsten wire followed by flameless atomic absorption spectrometry. Anal. Chem. 53: 1566-1570.

Wolff, E. W.; Peel, D. A. (1985) The record of global pollution in polar snow and ice. Nature (London) 313: 535-540.

Wolff, M. S. (1983) Occupationally derived chemicals in breast milk. Am. J. Ind. Med. 4: 259-281.

Wolnik, K. A.,; Fricke, F. L.; Capar, S. G.; Braude, G. L.; Meyer, M. W.; Satzger, R. D.; Bonnin, E. (1983) Elements in major raw agricultural crops in the United States: 1. Cadmium and lead in lettuce, peanuts, potatotes, soybeans, sweet corn, and wheat. J. Agric. Food Chem. 31: 1240-1244.

Wong, D.; Govindjee. (1976) Effects of lead ions on photosystem I in isolated chloroplasts: studies on the reaction center P700. Photosynthetica 10: 241-254.

Wong, G. T. F.; Moy, C. S. (1984) Cesium-137, metals and organic carbon in the sediments of the James River estuary, Virginia. Estuarine Coastal Shelf Sci. 18: 37-49.

Wong, H. K. T.; Nriagu, J. O.; Coker, R. D. (1984) Atmospheric input of heavy metals chronicled in lake sediments of the Algonquin Provincial Park, Ontario, Canada.. Chem. Geol. 44: 187-201.

Wong, M. H. (1982) Metal cotolerance to copper, lead, and zinc in Festuca rubra. Environ. Res. 29: 42-47.

Wong, M. H.; Bradshaw, A. D. (1982) A comparison of the toxicity of heavy metals, using root elongation of rye grass, Lolium perenne. New Phytol. 91: 255-261.

Wong, M. H.; Cheung, L. C.; Wong. W. C. (1984) Effects of roadside dust on seed germination and root growth of Brassica chinensis and B. parachinensis. Sci. Total Environ. 33: 87-102.

Wong, M. H.; Kwan, S. H. (1981) The uptake of zinc, lead, copper and manganese by carp fed with activated sludge. Toxicol. Lett. 7: 367-372.

Wong, M. H.; Lau, W. M. (1983) Effects of roadside soil extracts on seed germination and root elongation of edible crops. Environ. Pollut. Ser. A 31: 203-215.

Wong, M. H.; Lau, W. M. (1985) Root growth of Cynodon dactylon and Eleusine indica collected from motorways at different concentrations of lead. Environ. Res. 36: 257-267.

Wong, M. H.; Tam, F. Y. (1978) Lead contamination of soil and vegetables grown near motorways in Hong Kong. J. Environ. Sci. Health A13: 13-22.

Wong, M. K.; Koh, L. L. (1982) Trace metals in some East Asian vegetables and fruits. Environ. Exp. Bot. 22: 455-460.

Wong, P. T. S.; Chau, Y. K. (1979) Methylation and toxicity of lead in the aquatic environment. In: International conference: management and control of heavy metals in the environment; September; London, United Kingdom. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp.131-134.

Wong, P. T. S.; Chau, Y. K.; Kramar, O.; Bengert, G. A. (1981) Accumulation and depuration of tetramethyllead by rainbow trout. Water Res. 15: 621-625.

Wong, P. T. S.; Chau, Y. K.; Luxon, P. L. (1975) Methylation of lead in the environment. Nature (London) 253: 263-264.

Wong, P. T. S.; Silverberg, B. A.; Chau, Y. K.; Hodson, P. V. (1978) Lead and the aquatic biota. In: Nriagu, J. O., ed. The biogeochemistry of lead in the environment; part B. biological effects. Amsterdam, The Netherlands: Elsevier/North-Holland Biomedical Press; pp. 279-342. (Topics in environmental health; v. 1B).

Wood, J. M. (1974) Biological cycles for toxic elements in the environment. Science (Washington, DC) 183: 1049-1052.

Wood, J. M. (1984) Alkylation of metals and the activity of metalalkyls. Toxicol. Environ. Chem. 7: 229-240.

Wood, J. M.; Fanchiang, Y.-T.; Ridley, W. P. (1978) The biochemistry of toxic elements. Q. Rev. Biophys. 11: 467-479.

Wood, J. M.; Wang, H.-K. (1983) Microbial resistance to heavy metals. Environ. Sci. Technol. 17: 582A-590A.

Woods, J. S.; Fowler, B. A. (1982) Selective inhibition of δ-aminolevulinic acid dehydratase by indium chloride in rat kidney: biochemical and ultrastructural studies. Exp. Mol. Pathol. 36: 306-315.

Woods, J. S.; Kardish, R.; Fowler, B. A. (1981) Studies on the action of porphyrinogenic trace metals on the activity of hepatic uroporphyrinogen decarboxylase. Biochem. Biophys. Res. Commun. 103: 264-271.

Wooller, K.; Melamed, S. (1978) Simple tests for monitoring excessive lead absorption. Med. J. Aust. 1: 163-164.

Woolley, D. E. (1984) A perspective of lead poisoning in antiquity and the present. Neurotoxicology 5: 353-362.

Woolley, D. E.; Woolley-Efigenio, N. D. (1983) Specific dietary components alter the toxicity of lead exposure in the postweaning rat. Proc. West. Pharmacol. Soc. 26: 179-183.

World Health Organization, United Nations Environmental Programme. (1977) Lead. Geneva, Switzerland: World Health Organization. (Environmental health criteria 3).

World Health Organization. (1980) Recommended health-based limits in occupational exposure to heavy metals: report of a WHO study group. Geneva, Switzerland: World Health Organization. (Technical report series no. 647).

Worth, D.; Matranga, A.; Lieberman, M.; DeVos, E.; Karelekas, P.; Ryan, C.; Craun, G. (1981) Lead in drinking water: the contribution of household tap water to blood lead levels. In: Lynam, D. R.; Piantanida, L. G.; Cole, J. F., eds. Environmental lead: proceedings of the second international symposium on environmental lead research; December 1978; Cincinnati, OH. New York, NY: Academic Press; pp. 199-225. (Coulston, F.; Korte, F., eds. Ecotoxicology and environmental quality series).

Wren, C. D.; Maccrimmon, H. R.; Loescher, B. A. (1983) Examination of bioaccumulation and biomagnification of metals in a precambrian shield lake. Water Air Soil Pollut. 19: 277-291.

Wright, G. L.; Lessler, M. A. (1979) Interaction of lead and high ambient temperatures in the rat. Environ. Res. 18: 377-384.

Wright, L. F.; Saylor, R. P.; Cecere, F. A. (1984) Occult lead intoxication in patients with gout and kidney disease. J. Rheumatol. 11: 517-520.

Wright, M. A.; Stringer, A. (1980) Lead, zinc and cadmium content of earthworms from pasture in the vicinity of an industrial smelting complex. Environ. Pollut. Ser. A 23: 313-321.

Wulf, H. C. (1980) Sister chromatid exchanges in human lymphocytes exposed to nickel and lead: preliminary communication. Dan. Med. Bull. 27: 40-42.

Wünsch, L. (1982) Schnellbestimmung von Blei in Harn mit AAS in Anwesenheit von CaEDTA [Rapid determination of lead in urine by AAS in the presence of CaEDTA]. Fresenius Z. Anal. Chem. 310: 430-431.

Wyrobek, A. J.; Bruce, W. R. (1978) The induction of sperm-shape abnormalities in mice and humans. In: Hollaender, A.; de Serres, F. J., eds. Chemical mutagens: principles and methods for their detection: vol. 5. New York, NY: Plenum Press; pp. 257-285.

Wysocka-Paruszewska, B.; Biel-Baranowska, M. (1979) Effects of chronic lead administration on noradrenaline level and cholinesterase activity in adult rat brain. Pol. J. Pharmacol. Pharm. 31: 399-405.

Yaffe, Y.; Flessel, C. P.; Wesolowski, J. J.; del Rosario, A.; Guirguis, G. N.; Matias, V.; Gramlich, J. W.; Kelly, W. R.; DeGarmo, T. E.; Coleman, G. C. (1983) Identification of lead sources in California children using the stable isotope ratio technique. Arch. Environ. Health 38: 237-245.

Yaffe, Y.; Jenkins, D.; Mahon-Haft, H.; Winkelstein, W.; Flessel, C. P.; Wesolowski, J. J. (1984) Epidemiological monitoring of environmental lead exposures in California state hospitals. Sci. Total Environ. 32: 261-275.

Yamada, M.; Kondo, M.; Tanaka, M.; Okeda, R.; Hatakeyama, S.; Fukui, T.; Tsukagoshi, H. (1984) An autopsy case of acute porphyria with a decrease of both uroporphyrinogen I synthetase and ferrochelatase activities. Acta Neuropathol. 64: 6-11.

Yamamoto, B. K. (1981) Chronic dietary lead administration during different developmental stages: activity changes and neurochemical correlates [dissertation]. Syracuse, NY: Syracuse University. Available from: University Microfilms International, Ann Arbor, MI; publication no. 81-23,947.

Yamamura, Y.; Takakura, J.; Hirayama, F.; Yamauchi, H.; Yoshida, M. (1975) Tetraethyl lead poisoning caused by cleaning work in the aviation fuel tank. Jpn. J. Ind. Health 17: 223-235.

Yamashita, A. (1972) Histopathological studies of experimental kidney tumors in rats. J. Nara Med. Assoc. 23: 83-93.

Yamins, J. G. (1976) The relationship of subclinical lead intoxication to cognitive and language functioning in preschool children [dissertation]. Hempstead, NY: Hofstra University.

Yang, C.-Y.; Yeh, Y.-C. (1982) Isolation and determination of trace amounts of calcium, iron, europium, dysrosium and lead in phosphoric acid. Analyst (London) 107: 1492-1495.

Yankel, A. J.; von Lindern, I. H.; Walter, S. D. (1977) The Silver Valley lead study: the relationship between childhood blood lead levels and environmental exposure. J. Air Pollut. Control Assoc. 27: 763-767.

Yarvote, P. M.; Eckardt, R. E. (1978) What's going on here? J. Occup. Med. 20: 433.

Yen, P. K.-J.; Moin, K.; Shaw, J. H. (1978) Remodeling of cancellous bone in young monkeys. J. Dent. Res. 57: 388-394.

Yen, P. K.-J.; Shaw, J. H. (1978) Lead acetate-based measurement of bone dynamics in young monkeys. J. Dent. Res. 57.

Yip, R.; Norris, T. N.; Anderson, A. S. (1981) Iron status of children with elevated blood lead concentrations. J. Pediatr. (St. Louis) 98: 922-925.

Yocom, J. E. (1982) Indoor-outdoor air quality relationships: a critical review. J. Air Pollut. Control Assoc. 32: 500-520.

Yocom, J. E.; Clink, W. L.; Cote, W. A. (1971) Indoor/outdoor air quality relationships. J. Air Pollut. Control Assoc. 21: 251-259.

Yoshida, K.; Sakurai, H.; Toyama, T. (1982) Gastrointestinal symptoms in lead workers. Jpn. J. Ind. Health 24: 229-235.

Yoshikawa, H. (1984) Interaction of metals. Eisei Kagaku 30: 5-8.

Young, D. R.; Moore, M. D.; Jan, T.-K.; Eganhouse, R. P. (1981) Metals in seafood organisms near a large California municipal outfall. Mar. Pollut. Bull. 12: 134-138.

Young, R. W.; Furr, A. K.; Stoewsand, G. S.; Bache, C. A.; Lisk, D. J. (1978) Lead and other elements in tissues of guinea pigs fed crown vetch grown adjacent to a highway. Cornell Vet. 68: 521-529.

Youroukos, S.; Lyberatos, C.; Philippidou, A.; Gardikas, C.; Tsomi, A. (1978) Increased blood lead levels in mentally retarded children in Greece. Arch. Environ. Health 33: 297-300.

Yousef, M. K.; Naegle, S. R.; Clevenger, T. E.; Barton, J. T.; Rosenwasser, T. L. (1983) Effects of long-term exposure to Cd and Pb on tissue and body fluid constituents in rats. In: Hemphill, D. D., ed. Trace substances in environmental health - XVII: [proceedings of University of Missouri's 17th annual conference on trace substances in environmental health]; June; Columbia, MO. Columbia, MO: University of Missouri-Columbia; pp. 297-306.

Yousef, Y. A.; Wanielista, M. P.; Hvitved-Jacobsen, T.; Harper, H. H. (1984) Fate of heavy metals in stormwater runoff from highway bridges. Sci. Total Environ. 33: 233-244.

Yü, T.-F. (1982) Clinical aspects of nephropathy in gout and hyperuricemic states. In: Yü, T.-F.; Berger, L., eds. The kidney in gout and hyperuricemia. Mt. Kisco, NY: Futura Publishing Co.; pp. 261-292.

Yu, W. L.; Vislay, S. A.; Edwards, R. E. (1977) Is airborne lead from combustion of leaded gasoline a possible health hazard? Observations on 277 Fontana (California) area residents. Clin. Pediatr. (Philadelphia) 16: 791-794.

Yule, F. A.; Lloyd, O. L. (1984) Metal content of an indigenous moss in Armadale, Central Scotland. Water Air Soil Pollut. 21: 261-270.

Yule, W.; Lansdown, R. (1981) Blood lead concentrations and school performance. Br. Med. J. 283: 1336.

Yule, W.; Lansdown, R. (1983) Lead and children's development: recent findings. In: International conference: heavy metals in the environment; September; Heidelberg, West Germany. Edinburgh, United Kingdom: CEP Consultants, Ltd.; pp. 912-916.

Yule, W.; Lansdown, R.; Millar, I. B.; Urbanowicz, M.-A. (1981) The relationship between blood lead concentrations, intelligence and attainment in a school population: a pilot study. Dev. Med. Child Neurol. 23: 567-576.

Yule, W.; Urbanowicz, M.-A.; Lansdown, R.; Millar, I. B. (1984) Teachers' ratings of children's behaviour in relation to blood lead levels. Br. J. Dev. Psychol. 2: 295-305.

Zanoli, P.; Palmieri, B. (1982) Influenza del MSF sull'effetto epatolesivo del nitrato di Pb [Pb $(NO_3)_2$] nel ratto [Influence of MSF on the lethal effects and the increase of blood serum transaminase activity caused by Pb]. Riv. Farmacol. Ter. 13: 169-174.

Zarembski, P. M.; Griffiths, P. D.; Walker, J.; Goodall, H. B. (1983) Lead in neonates and mothers. Clin. Chim. Acta 134: 35-49.

Zawirska, B. (1978) Tumours and disorders of porphyrin metabolism in rats with chronic experimental lead poisoning. J. Clin. Chem. Clin. Biochem. 16: 56.

Zawirska, B. (1981) The role of the kidneys in disorders of porphyrin metabolism during carcinogenesis induced with lead acetate. Environ. Res. 24: 391-408.

Zawirska, B.; Medraś, K. (1968) Tumoren und Störungen des Porphyrinstoffwechsels bei Ratten mit chronischer experimenteller Bleiintoxikation. I. Morphologische Studien [Tumors and porphyrin metabolism disturbances in rats with experimental lead intoxication. I. Morphological studies]. Zentralbl. Allg. Pathol. Pathol. Anat. 111: 1-12.

Zawirska, B.; Medraś, K. (1972) The role of the kidneys in disorders of porphyrin metabolism during carcinogenesis induced with lead acetate. Arch. Immunol. Ther. Exp. 20: 257-272.

Zechałko, A. (1979) Wpływ niedoborów zywieniowych na toksyczność ołowiu i kadmu u szczurów doświadczalnych [Effect of nutritional deficiencies on toxicity of lead and cadmium in laboratory animals]. Bromatol. Chem. Toksykol. 12: 43-51.

Zegarska, Z.; Kilkowska, K.; Romankiewicz-Woźniczko, G. (1974) Developmental defects in white rats caused by acute lead poisoning. Folia Morphol. (Warsaw) 33: 23-28.

Zel'tser, M. E. (1962) K voprosu o funktsional'nom sostoyanii shchitovidnoi zhelezy pri caturnizme (predvarital'noe soobshchenie) [The functional state of the thyroid gland in lead poisoning]. Tr. Inst. Kraev. Patol. Akad. Nauk Kaz. SSR 10: 116-120.

Zenick, H.; Goldsmith, M. (1981) Drug discrimination learning in lead-exposed rats. Science (Washington, DC) 212: 569-571.

Zenick, H.; Lasley, S. M.; Greenland, R.; Caruso, V.; Succop, P.; Price, D.; Michaelson, I. A. (1982) Regional brain distribution of d-amphetamine in lead-exposed rats. Toxicol. Appl. Pharmacol. 64: 52-63.

Zenick, H.; Lasley, S.; Greenland, R.; Michaelson, I. (1981) Brain levels and attenuated response to d-amphetamine in lead exposed rats. Fed. Proc. Fed. Am. Soc. Exp. Biol. 40: 700.

Zenick, H.; Padich, R.; Tokarek, T.; Aragon, P. (1978) Influence of prenatal and postnatal lead exposure on discrimination learning in rats. Pharmacol. Biochem. Behav. 8: 347-350.

Zenick, H.; Pecorraro, F.; Price, D.; Saez, K.; Ward, J. (1979) Maternal behavior during chronic lead exposure and measures of offspring development. Neurobehav. Toxicol. 1: 65-71.

Zenick, H.; Rodriquez, W.; Ward, J.; Elkington, B. (1979) Deficits in fixed-interval performance following prenatal and postnatal lead exposure. Dev. Psychobiol. 12: 509-514.

Zetterlund, B.; Winberg, J.; Lundgren, G.; Johansson, G. (1977) Lead in umbilical cord blood correlated with the blood lead of the mother in areas with low, medium or high atmospheric pollution. Acta Paediatr. Scand. 66: 169-175.

Ziegler, E. E.; Edwards, B. B.; Jensen, R. L.; Mahaffey, K. R.; Fomon, S. J. (1978) Absorption and retention of lead by infants. Pediatr. Res. 12: 29-34.

Zielhuis, R. L. (1975) Dose-response relationships for inorganic lead. I. Biochemical and haematological responses. Int. Arch. Occup. Health 35: 1-18.

Zielhuis, R. L. (1975) Dose-response relationships for inorganic lead. II. Subjective and functional responses - chronic sequelae - no-response levels. Int. Arch. Occup. Health 35: 19-35.

Zielhuis, R. L. (1985) Biological exposure limits: the fetus and EEC politics [editorial]. Br. J. Ind. Med. 42: 145-146.

Zielhuis, R. L.; del Castilho, P.; Herber, R. F. M.; Wibowo, A. A. E. (1978) Levels of lead and other metals in human blood: suggestive relationships, determining factors. Environ. Health Perspect. 25: 103-109.

Zielhuis, R. L.; del Castilho, P.; Herber, R. F. M.; Wibowo, A. A. E.; Sallé, H. J. A. (1979) Concentrations of lead and other metals in blood of two and three year-old children living near a secondary smelter. Int. Arch. Occup. Environ. Health 42: 231-239.

Zielhuis, R. L.; Stuik, E. J.; Herber, R. F. M.; Sallé, H. J. A.; Verberk, M. M.; Posma, F. D.; Jager, J. H. (1977) Smoking habits and levels of lead and cadmium in blood in urban women. Int. Arch. Occup. Environ. Health 39: 53-58.

Zielhuis, R. L.; Wibowo, A. A. E. (1976) Review paper: susceptibility of adult females to lead: effects on reproductive function in females and males. Presented at: 2nd international workshop: permissible limits for occupational exposure to lead; September; Amsterdam, The Netherlands.

Zielhuis, R. L.; Wibowo, A. A. E.; Irwig, L. M.; Harrison, W. O.; Webster, I.; Andrew, M. (1978) Lead and morbidity [letter]. Lancet 2(8088): 532-533.

Zimdahl, R. L. (1976) Entry and movement in vegetation of lead derived from air and soil sources. J. Air Pollut. Control Assoc. 26: 655-660.

Zimdahl, R. L.; Arvik, J. H. (1973) Lead in soils and plants: a literature review. CRC Crit. Rev. Environ. Control 3: 213-224.

Zimdahl, R. L.; Foster, J. M. (1976) The influence of applied phosphorus, manure, or lime on uptake of lead from soil. J. Environ. Qual. 5: 31-34.

Zimdahl, R. L.; Hassett, J. J. (1977) Lead in soil. In: Boggess, W. R., ed. Lead in the environment. Washington, DC: National Science Foundation; pp. 93-98; NSF report no. NSF/RA-770214. Available from: NTIS, Springfield, VA; PB-278278.

Zimdahl, R. L.; Koeppe, D. E. (1977) Uptake by plants. In: Boggess, W. R., ed. Lead in the environment. Washington, DC: National Science Foundation; pp. 99-104; NSF report no. NSF/RA-770214. Available from: NTIS, Springfield, VA; PB-278278.

Zimdahl, R. L.; McCreary, D. T.; Gwynn, S. M. (1978) Lead uptake by plants--the influence of lead source. Bull. Environ. Contam. Toxicol. 19: 431-435.

Zimdahl, R. L.; Skogerboe, R. K. (1977) Behavior of lead in soil. Environ. Sci. Technol. 11: 1202-1207.

Zimering, R. T.; Burright, R. G.; Donovick, P. J. (1982) Effects of pre-natal and continued lead exposure on activity levels in the mouse. Neurobehav. Toxicol. Teratol. 4: 9-14.

Zimmermann-Tansella, C.; Campara, P.; D'Andrea, F.; Savonitto, C.; Tansella, M. (1983) Psychological and physical complaints of subjects with low exposure to lead. Hum. Toxicol. 2: 615-623.

Zimmermann, H.-P.; Röderer, G.; Doenges, K. H. (1984) Influence of triethyl lead on the in vitro and in vivo assembly and disassembly of microtubules from mammalian cells. J. Submicrosc. Cytol. 16: 203-205.

Zmudski, J.; Bratton, G. R.; Womac, C.; Rowe, L. (1983) Lead poisoning in cattle: reassessment of the minimum toxic oral dose. Bull. Environ. Contam. Toxicol. 30: 435-441.

Zmudzki, J.; Bratton, G. R.; Womac, C.; Rowe, L. D. (1984) The influence of milk diet, grain diet, and method of dosing on lead toxicity in young calves. Toxicol. Appl. Pharmacol. 76: 490-497.

Zoller, W. H.; Gladney, E. S.; Duce, R. A. (1974) Atmospheric concentrations and sources of trace metals at the South Pole. Science (Washington, DC) 183: 198-200.

Zollinger, H. U. (1953) Durch chronische Bleivergiftung erzeugte Nierenadenome und -carcinome bei Ratten und ihre Beziehungen zu den entsprechenden Neubildungen des Menschen [Kidney adenomas and carcinomas in rats caused by chronic lead poisoning and their relationship to corresponding human neoplasms]. Virchows Arch. Pathol. Anat. Physiol. 323: 694-710.

Zook, B. C.; London, W. T.; DiMaggio, J. F.; Rothblat, L. A.; Sauer, R. M.; Sever, J. L. (1980) Experimental lead paint poisoning in nonhuman primates. II. Clinical pathologic findings and behavioral effects. J. Med. Primatol. 9: 286-303.

Zook, B. C.; London, W. T.; Wilpizeski, C. R.; Sever, J. L. (1980) Experimental lead paint poisoning in nonhuman primates. III. Pathologic findings. J. Med. Primatol. 9: 343-360.

Zúñiga-Charles, M. A.; Ballesteros, G. M.; Recio, Y. M.; Trujillo-G., C. (1983) Levels of blood lead and other biological indicators in children not exposed to the metal. Proc. West. Pharmacol. Soc. 26: 77-79.

Zúñiga-Charles, M. A.; González-Ramírez, J. D.; Molina-Ballesteros, G. (1981) Erythrocyte protoporphyrin IX as a diagnostic and therapy evaluating tool in lead poisoning. Arch. Environ. Health 36: 40-43.

Zurlo, N.; Griffini, A. M. (1973) Le plomb dans les aliments et dans les boissons consommès á Milan [Lead contents in foods and beverages consumed in Milan]. In: Barth, D.; Berlin, A.; Engel, R.; Recht, P.; Smeets, J., eds. Environmental health aspects of lead: proceedings, international symposium; October 1972; Amsterdam, The Netherlands. Luxembourg: Commission of the European Communities; pp. 93-98.

Zurlo, N.; Griffini, A. M.; Vigliani, E. C. (1970) The content of lead in blood and urine of adults, living in Milan, not occupationally exposed to lead. Am. Ind. Hyg. Assoc. J. 31: 92-95.

Environmental Research Information
Agency Cincinnati OH 45268

Official Business
Penalty for Private Use, $300

Please make all necessary changes on the above label, detach or copy, and return to the address in the upper left-hand corner.

If you do not wish to receive these reports CHECK HERE ☐; detach, or copy this cover, and return to the address in the upper left-hand corner.

EPA/600/9-85/035F