United States
Environmental Protection
Agency

Office of
Solid Waste and
Emergency Response

Publication 9200.5-149
EPA 540/R-94/049
PB94-963278
December 1993

Superfund

U.S. EPA Region VI Inland Area Contingency Plan Louisiana

This document covers a wide spectrum of information for U.S. Environmental Protection Agency Region VI. Within this volume will be covered State specific, sorted by County, environmental and economic topics. Highlighted here are what needs to be protected, by whom, and with what resources. The geographic area covered by this plan is very diverse in nature and activity, requiring a general and adaptable approach. The scope of such a document should never be considered fulfilled or finite. The inclusions to this plan will continually be in a state of review and update. An everchanging plan is the only way to prepare for an everchanging area.

ANNEX F Summary of Area Resources

Appendix I Equipment

I. Federal

II. State

III. Private Contractors

Appendix II. Facility Response Plans (FRPs)

Appendix III. Federal

I. Federal Agencies

II. Federal Trustees

III. Federally Recognized Indian Tribes

Appendix IV. State Agencies

I. Response Agencies

II. State Trustees

III. State Emergency Response Commissions (SERC)

Appendix V. Local Resources

I. Local Emergency Planning Committees (LEPC)

II. Waste Disposal Facilities

Appendix IV. Area Resources

I. Charter Services

II. Hospitals

III. Private Contractors

Appendix V. Environmental Resources

I. Federal Endangers and Threatened Species

II. Federal and State Wildlife Management Areas

III. Federal Wetlands

IV. Federal Fisheries

V. State Fisheries

VI. National Parks

Appendix VI. Economic Resources

I. Drinking Water Intakes

II. Dams

III. State Recreational and Boating Facilities

Appendix VII. Additional State Information

FEDERAL EQUIPMENT LISTING AND SUPPLIES

United States Environmental Protection Agency

ECOLOGY & ENVIRONMENT, INC.
EQUIPMENT TRACKING SYSTEM
TOTAL NON-EXPENDABLE INVENTORY

EPA #	DESCRIPTION	MANUFACTURER	DATE ACQUIRED	RPR	COMMENTS
0	LENS, ZOOM	NIKON	12/19/90	N	Access to EPA64
0	LENS, CAMERA	NIKON	12/19/90	N	Access to EPA64
0	CASE, CAMERA	SEA KING	12/19/90	N	
0	RADIATION DOSIMETER	DOSIMETER CORP.	01/14/91	N	Access to EPA72
0	RADIATION DOSIMETER	DOSIMETER CORP.	01/14/91	N	Access to EPA72
0	DATA BOX	TRIMBLE NAVIGAT	12/12/91	N	Access to EPA72
0	DATA BOX	TRIMBLE NAVIGAT	12/12/91	N	Access to EPA72
0	ANTENNA	TRIMBLE NAVIGAT	12/12/91	N	Access to EPA72
0	ANTENNA	TRIMBLE NAVIGAT	12/12/91	N	Access to EPA72
0	BASE	TRIMBLE NAVIGAT	12/12/91	N	Access to EPA72
0	BASE	TRIMBLE NAVIGAT	12/12/91	N	Access to EPQ72
0	TRANSPORT CASE	TRIMBLE NAVIGAT	12/12/91	N	Access to EPA72
0	TRANSPORT CASE	TRIMBLE NAVIGAT	12/12/91	N	Access to EPA72
0	PROBE, 11.7 EV	HNU SYSTEMS	12/04/87	N	Access to EPA64
0	TRIPOD, VIDEO	SEARS	02/20/88	N	Access to EPA64
0	PROBE, 11.7 EV	HNU SYSTEMS	01/04/88	N	
0	PROBE, 10.2 EV	HNU SYSTEMS	01/04/88	N	
0	LENS, ZOOM	NIKON	01/18/89	N	Access to EPA72
0	LENS, ZOOM	NIKON	01/18/89	N	Access to EPA72
0	TRIPOD, ALUMINUM	MOBILE DRILLING	04/28/89	N	Access to EPA64
0	CASE, CALIBRATOR CAR	SKC	07/17/89	N	
0	PUMP, AIR SAMPLING	SKC	07/17/89	N	
0	PUMP, AIR SAMPLING	SKC	07/17/89	N	
0	PUMP, AIR SAMPLING	SKC	07/17/89	N	
0	PUMP, AIR SAMPLING	SKC	07/17/89	N	
0	PUMP, AIR SAMPLING	SKC	07/17/89	N	
0	CHARGER, AIR SAMPLIN	SKC	07/17/89	N	
0	CYLINDER, AIR	MSA	07/31/89	N	
0	CYLINDER, AIR	MSA	07/31/89	N	
0	CYLINDER, AIR	MSA	07/31/89	N	
0	DUAL-PURPOSE BREATHI	MSA	08/03/89	N	SCRATCHED 3/91
0	DUAL-PURPOSE BREATHI	MSA	08/03/89	N	SCRATCHED 3/91
0	CYLINDER, COMPOSITE	MSA	08/03/89	N	SCRATCHED 3/91
0	CYLINDER, COMPOSITE	MSA	08/03/89	N	SCRATCHED 3/91
0	TEE CONNECTOR, CASCA	WESTERN ENTERPR	11/06/89	N	
0	TEE CONNECTOR, CASCA	WESTERN ENTERPR	11/06/89	N	
0	TEE CONNECTOR, CASCA	WESTERN ENTERPR	11/06/89	N	
0	TEE CONNECTOR, CASCA	WESTERN ENTERPR	11/06/89	N	
0	HOSE ASSEMBLY, CASCA	WESTERN ENTERPR	11/06/89	N	
0	BAILER, STAINLESS ST	JOHNSON	10/11/89	N	
0	BAILER, STAINLESS ST	JOHNSON	10/11/89	N	
0	CONNECTORS, CASCADE	VICTOR	11/14/89	N	
0	CONNECTORS, CASCADE	VICTOR	11/14/89	N	

EQUIPMENT TRACKING SYSTEM
TOTAL NON-EXPENDABLE INVENTORY

EPA #	DESCRIPTION	MANUFACTURER	DATE ACQUIRED	RPR	COMMENTS
0	CONNECTORS, CASCADE	VICTOR	11/14/89	N	
0	CONNECTORS, CASCADE	VICTOR	11/14/89	N	
0	LENS, 50MM	NIKON	12/21/89	N	Access to EPA72
0	LENS, 70-210 ZOOM	PROMASTER	12/21/89	N	
0	LENS, 50MM	NIKON	12/21/89	N	
0	LENS, 50MM	NIKON	12/14/89	N	
0	LENS, 50MM	NIKON	12/14/89	N	
0	CABLE, 12V BATTERY	COLUMBIA SCIENT	02/09/90	N	
0	RETRACT TIP/DRIVE EX	AMS	05/24/90	N	
0	PRINTER, COMPUTER	COMPAQ	09/27/90	N	
0	ISOTHERMAL OVEN	PHOTOVAC	04/11/88	N	not found
0	AUTO SAMPLER	SCINTEX	07/05/88	N	not found
0	PUMP, AIR SAMPLING	SKC	01/20/89	N	part of 691699
0	PUMP, AIR SAMPLING	SKC	01/20/89	N	part of 691699
0	PUMP, AIR SAMPLING	SKC	01/20/89	N	part of 691699
0	PUMP, AIR SAMPLING	SKC	01/20/89	N	part of 691699
0	PUMP, AR SAMPLING	SKC	01/20/89	N	part of 691699
0	CHARGER, AIR SAMPLIN	SKC	01/20/89	N	part of 691699
0	PUMP, AIR SAMPLING	SKC	12/23/88	N	
0	PUMP, AIR SAMPLING	SKC	12/23/88	N	part of set 691
0	PUMP, AIR SAMPLING	SKC	12/23/88	N	part of 691690
0	PUMP, AIR SAMPLING	SKC	12/23/88	N	part of 691690
0	PUMP, AIR SAMPLING	SKC	12/23/88	N	part of 691690
0	CHARGER, AIR SAMPLIN	SKC	12/23/88	N	part of 691690
0	CAMERA LENS, ZOOM	TOKINA	07/02/87	N	
0	Cylinder, Air		07/31/92	N	
162230	VOICE GUN, MEGAPHONE	UNKNOWN	11/01/84	N	
186451	DESK		10/01/82	N	
186460	DESK		10/01/82	N	
186463	DESK		10/01/82	N	
186495	DESK, SECRETARIAL		10/01/82	N	
186521	BOOKCASE		10/01/82	N	
186541	FILE CABINET		10/01/82	N	not found
186542	FILE, CABINET		10/01/82	N	not found
186585	SCBA	MSA	10/01/82	N	missing hose
186756	SCBA	MSA	10/01/82	N	
186771	DESK, EXECUTIVE	UNKNOWN	11/01/84	N	original decal
186771	CHAIR, SIDE, W/ARMS		11/20/82	N	
186772	CHAIR, DESK (SWIVEL,		11/20/82	N	
186773	BOOKCASE		11/20/82	N	
186774	FILE CABINET	UNKNOWN	11/20/82	N	not found
186776	RESPIRATOR, SCBA	MSA	11/20/82	N	not found
186777	RESPIRATOR, SCBA	MSA	11/06/82	N	
186778	RESPIRATOR, SCBA	MSA	11/06/82	N	

EQUIPMENT TRACKING SYSTEM
TOTAL NON-EXPENDABLE INVENTORY

EPA #	DESCRIPTION	MANUFACTURER	DATE ACQUIRED	RPR	COMMENTS
186780	RESPIRATOR, SCBA	MSA	11/20/82	N	
186786	TYPEWRITER	IBM	11/06/82	N	
186792	CYLINDERS, SCBA	MSA	12/02/82	N	Avtex fibers,VA
186793	CYLINDERS, SCBA	MSA	12/02/82	N	
186795	CYLINDERS, SCBA	MSA	11/06/82	N	Avtex fibers,VA
186796	CYLINDERS, SCBA	MSA	11/06/82	N	
186799	CAMERA, INSTAMATIC	POLAROID	11/20/82	N	
186800	READER, MICROFICHE	MICRODESGN	11/20/82	N	
190402	STOOL, DRAFTING		10/01/82	N	not found
192451	HYDROGEN CYLINDER	BIG 3 IND	10/01/82	N	
192466	Projector Carousel		10/01/82	N	
192469	Projection Screen		10/01/82	N	
192791	Binding Machine, Com		12/06/83	N	
192893	Bookcase		01/06/84	N	
192907	Bookcase		01/06/84	N	
192909	FILE, CABINET	HON	12/28/83	N	
192910	FILE, CABINET	HON	12/28/83	N	
192912	DESK	HON	12/08/83	N	
192917	DESK	HON	12/08/83	N	
192921	Bookcase		12/28/83	N	
192922	Bookcase		12/28/83	N	
192931	TABLE, CONFERENCE	ANDERSON HICKEY	01/06/84	N	
192936	DESK	HON	12/08/83	N	
192944	FILE, CABINET	HON	12/28/83	N	
192947	DESK, SECRETARIAL	HON	01/06/84	N	
192955	Bookcase		12/28/83	N	
192958	WORK CENTER, SECRETA	HON	06/21/84	N	
192959	CHAIR, SECRETARIAL	HON	06/21/84	N	
196108	DESK, TECHNICAL		07/12/83	N	
196110	DESK, TECHNICAL		07/01/83	N	
197301	RESPIRATOR, SCBA	MSA	11/06/82	N	
197302	RESPIRATOR, SCBA	MSA	11/20/82	N	
197303	RESPIRATOR, SCBA	MSA	11/06/82	N	
197304	RESPIRATOR, SCBA	MSA	11/20/82	N	
197307	ORGANIC VAPOR ANALYZ	FOXBORO	12/02/82	N	THERM.DESORB.#1
197308	PID ANALYZER, HNU	HNU	11/20/82	N	
197309	PROBE, 11. 7 EV, HNU	HNU	11/20/82	N	
197313	EXPLOSIMETER/O2 METE	DRAEGER	12/02/82	N	
197314	EXPLOSIMETER/O2 METE	DRAEGER	11/20/82	N	
197328	BINOCULARS	SEARS	12/02/82	N	
197330	DESK, TECHNICAL		11/06/82	N	
197332	BOOKCASE		11/06/82	N	
197333	CABINET, FILING		11/06/82	N	
197334	CHAIR, SIDE, W/ARMS		11/06/82	N	

EPA #	DESCRIPTION	MANUFACTURER	DATE ACQUIRED	RPR	COMMENTS
197335	DESK, TECHNICAL		11/06/82	N	
197336	CHAIR, DESK (SWIVEL,		11/06/82	N	
197337	BOOKCASE		11/06/82	N	
197338	CHAIR, SIDE, W/ARMS		11/06/82	N	
197339	BOOKCASE		11/06/82	N	
197340	CHAIR, SIDE, W/ARMS		11/06/82	N	
197341	CABINET, FILING		11/06/82	N	
197342	DESK, TECHNICAL		11/06/82	N	
197343	CHAIR, DESK (SWIVEL,		11/06/82	N	
197344	BOOKCASE		11/06/82	N	
197346	CHAIR, DESK (SWIVEL,		11/06/82	N	
197348	DESK, TECHNICAL		11/05/82	N	
197349	CHAIR, DESK (SWIVEL,		11/06/82	N	
197350	BOOKCASE		11/06/82	N	
197351	CHAIR, SIDE, W/ARMS		11/06/82	N	
197353	CHAIR, DESK (SWIVEL,		11/06/82	N	
197354	BOOKCASE		11/06/82	N	
197355	CHAIR, SIDE, W/ARMS		11/06/82	N	
197356	CABINET, FILING		11/06/82	N	
197359	CHAIR, SECRETARIAL		11/06/82	N	
197362	PUMP, AIR SAMPLING (	MSA	12/02/82	N	ready to excess
197364	RACK, COAT		11/06/82	N	
197365	CYLINDERS, SCBA	MSA	11/06/82	N	
197366	CYLINDERS, SCBA	MSA	11/20/82	N	
197367	CYLINDERS, SCBA	MSA	11/20/82	N	
197368	CYLINDERS, SCBA	MSA	11/20/82	N	
197369	CYLINDERS, SCBA	MSA	11/06/82	N	Avtex fibers,VA
197370	CYLINDERS, SCBA	MSA	11/20/82	N	
197371	CYLINDERS, SCBA	MSA	11/06/82	N	
197372	CYLINDERS, SCBA	MSA	11/20/82	N	
197374	CYLINDERS, SCBA	MSA	11/20/82	N	
197376	CYLINDERS, SCBA	MSA	12/02/82	N	
197377	KIT, FIRST AID, ZEE	ZEE	12/02/82	N	
197383	TOOLS W/TOOLBOX	SEARS	12/02/82	N	
197384	DESORBER, PROGRAMMED	FOXBORO	12/02/82	N	
197386	CONDUCTIVITY METER	YSI	11/20/82	N	
197733	CYLINDER, SCBA, ULTR	MSA	08/01/84	N	
197734	CYLINDER, SCBA, ULTR	MSA	08/01/84	N	
313538	VEHICLE, SUBURBAN, 1	CHEVROLET	07/01/84	N	
313556	MONITOR, HEATSTRESS	MARSH ELEC	07/01/84	N	
313557	MONITOR, HEATSTRESS	MARSH ELEC	07/01/84	N	
313558	MONITOR, HEATSTRESS	MARSH ELEC	07/01/84	N	
313565	REFRIGERATOR	FRIGIDAIRE	05/01/84	N	
313575	PID ANALYZER, HNU	HNU	08/01/84	N	

EQUIPMENT TRACKING SYSTEM
TOTAL NON-EXPENDABLE INVENTORY

EPA #	DESCRIPTION	MANUFACTURER	DATE ACQUIRED	RPR	COMMENTS
313576	PROBE, 11.7 EV	HNU	08/01/84	N	
313577	PID ANALYZER, HNU	HNU	08/01/84	N	
313578	PROBE, 11.7 EV	HNU	08/01/84	N	
313581	STATION, EYEWASH	ENCON	08/01/84	N	
313582	CABINET, FLAMMABLE L	SAFETY EQ.	08/01/84	N	
313583	STATION, EYEWASH	ENCON	08/01/84	N	
313584	CABINET, FLAMMABLE L	SAFETY EQ.	08/01/84	N	
313590	METER, RADIATION (a)	VICTOREEN	08/01/84	N	
313591	METER, RADIATION (a)	VICTOREEN	08/01/84	N	
313626	RECORDER, STRIP CHAR	FOXBORO	08/01/84	N	ready to excess
313627	PACK, ISOTHERMAL, PO	FOXBORO	08/01/84	N	
313628	DESORBER, PROGRAMMED	FOXBORO	08/01/84	N	
313633	ORGANIC VAPOR ANALYZ	FOXBORO	08/01/84	N	
313634	RECORDER, STRIP CHAR	FOXBORO	08/01/84	N	
313635	PACK, ISOTHERMAL, PO	FOXBORO	08/01/84	N	
313636	DESORBER, PROGRAMMED	FOXBORO	08/01/84	N	
313649	CYLINDERS, SCBA	MSA	08/01/84	N	
313659	RESPIRATOR, SCBA	MSA	07/31/84	N	
313660	RESPIRATOR, SCBA	MSA	08/01/84	N	
313661	RESPIRATOR, SCBA	MSA	08/01/84	N	
313662	RESPIRATOR, SCBA	MSA	08/01/84	N	
313663	EXPLOSIMETER/O2 METE	MSA	08/01/84	N	
313665	RESPIRATOR, SCBA	MSA	08/01/84	N	
313666	RESPIRATOR, SCBA	MSA	08/01/84	N	
313667	RESPIRATOR, SCBA	MSA	08/01/84	N	
313668	EXPLOSIMETER/O2 METE	MSA	08/01/84	N	
313686	PRINTER, SPINWRITER	NEC	08/01/84	N	
313687	PRINTER, SPINWRITER	NEC	08/14/84	N	ready to excess
313697	COMPUTER, IBM PCXT	IBM	08/01/84	N	
313700	TOOLS W/TOOLBOX	SEARS	08/01/84	N	
313701	CYLINDERS, SCBA	MSA	08/01/84	N	
313708	TOOLS W/TOOLBOX	SEARS	08/01/84	N	
313709	BINOCULARS	SEARS	08/01/84	N	
313712	CABINET, FILING, 5 D	BECKMAN	08/31/84	N	
313713	CABINET, FILING, 5 D	BECKMAN	08/31/84	N	
313719	TYPEWRITER,SELECTRIC	IBM	11/15/84	N	
313748	TRACTOR FEED, BIDIRE		08/23/84	N	
313749	TRACTOR FEED, BIDIRE		08/23/84	N	ready to excess
313774	KEYBOARD, COMPUTER	IBM	08/01/84	N	
313781	KEYBOARD, COMPUTER	KEYTRONICS	08/01/84	N	
313782	KEYBOARD, COMPUTER	KEYTRONICS	08/01/84	N	
313789	MONITOR, COMPUTER	AMDEK	06/24/85	N	sold GSA
313790	MONITOR, COMPUTER	AMDEK	06/18/85	N	
313798	MODEM, W/CABLES	HAYES	08/01/84	N	

EPA #	DESCRIPTION	MANUFACTURER	DATE ACQUIRED	RPR	COMMENTS
313883	CYLINDERS, SCBA	MSA	08/01/84	N	
313885	CALCULATOR, DESK TOP	TEXAS INST	11/16/84	N	
337360	SCBA	MSA	09/18/84	N	
337362	SCBA	MSA	09/18/84	N	
337364	SCBA	MSA	09/18/84	N	
337366	BOAT, 12-FOOT	SEARS	10/29/84	N	
337375	MANIFOLD, AIR	VICTOR	10/24/84	N	
339204	PROBE, 11.7 EV, HNU	HNU	02/01/84	N	not found
339299	PH METER	CORNING	12/01/83	N	
465700	TABLE, WORK	COX OFFICE	06/05/85	N	
465720	Slide Developing Uni		09/18/85	N	
465722	WORK STATION, COMPUT	COX OFFICE	01/10/86	N	
465727	RADIATION DOSIMETER	DOSIMETER CORP	05/08/86	N	
465728	RADIATION DOSIMETER	DOSIMETER CORP	05/08/86	N	
465741	FILE CABINET	HON	12/22/86	N	
465742	FILE CABINET	HON	12/22/86	N	
465743	FILE CABINET	HON	12/22/86	N	
466384	PID ANALYZER	PHOTOVAC	05/11/87	N	
466392	Lamp, Magnifying		12/09/86	N	
603090	PRINTER	PANASONIC	12/04/92	N	not found
607881	PARTITION, FREE STAN		08/24/83	N	I021
607882	PARTITION, FREE STAN		08/24/83	N	
607883	PARTITION, FREE STAN		08/24/83	N	
607884	PARTITION, FREE STAN		08/24/83	N	
607885	STAND, TYPEWRITER		09/12/84	N	
607886	PARTITION, FREE STAN		08/24/83	N	
607887	PARTITION, FREE STAN		08/24/83	N	
607888	PARTITION, FREE STAN		08/24/83	N	
607889	PARTITION, FREE STAN		08/24/83	N	
607890	PARTITION, FREE STAN		08/24/83	N	
607891	DIVIDER, ROOM		09/11/84	N	
607892	PARTITION, FREESTAND		08/24/83	N	
607893	PARTITION, FREESTAND		08/24/83	N	
607894	PARTITION, FREESTAND		08/24/83	N	
607895	PARTITION, FREESTAND		08/24/83	N	
607896	PARTITION, FREESTAND		08/24/83	N	
607897	PARTITION, FREESTAND		08/24/83	N	
607898	PARTITION, FREESTAND		08/24/83	N	
607899	PARTITION, FREESTAND		08/24/83	N	
607900	PARTITION, FREESTAND		08/24/83	N	
607901	BOARD, BULLETIN		12/02/82	N	
607902	PARTITION, FREESTAND		08/24/83	N	
607903	PARTITION, FREESTAND		08/24/83	N	
607904	PARTITION, FREESTAND		08/24/83	N	

EPA #	DESCRIPTION	MANUFACTURER	DATE ACQUIRED	RPR	COMMENTS
607905	PARTITION, FREESTAND		08/24/83	N	
607906	BOARD, BULLETIN		11/01/84	N	
607908	PARTITION, FREESTAND		08/24/83	N	
607909	PARTITION, FREESTAND		08/24/83	N	
607910	DIVIDER, ROOM		04/08/86	N	
607918	REGULATOR, CALIBRATI	HNU	02/01/84	N	
607925	EXTINGUISHER, FIRE		01/01/01	N	
607926	CABLES, JUMPER		11/20/82	N	
607928	SPOTLIGHT, ROOF, VEH	UNITY	07/13/84	N	
607929	KIT, DETECTOR TUBE	N. DRAEGER	12/02/82	N	
607930	KIT, DETECTOR TUBE	N. DRAEGER	11/20/82	N	
607931	CHAIR, SIDE, W/O ARM		09/11/84	N	
607932	CHAIR, SIDE, W/O ARM		09/11/84	N	
607933	CHAIR, SIDE, W/O ARM		07/12/83	N	
607934	CHAIR, SIDE, W/O ARM		07/12/83	N	
607935	CHAIR, SIDE, W/O ARM		07/12/83	N	
607936	CHAIR, SIDE, W/O ARM		07/12/83	N	
607937	CHAIR, SIDE, W/O ARM		07/12/83	N	
607938	CHAIR, SIDE, W/O ARM		07/12/83	N	
607939	CHAIR, SIDE, W/O ARM		07/12/83	N	
607940	CHAIR, SIDE, W/O ARM		07/12/83	N	
607941	CHAIR, SIDE, W/O ARM		07/12/83	N	
607942	CHAIR, SIDE, W/O ARM		07/12/83	N	
607943	CHAIR, SIDE, W/O ARM		07/12/83	N	
607944	DESK, EXECUTIVE		09/11/84	N	
607945	DESK, EXECUTIVE		09/11/84	N	
607947	CHAIR, DESK (SWIVEL,		07/12/83	N	
607948	CHAIR, DESK (SWIVEL,		07/12/83	N	
607949	CHAIR, DESK (SWIVEL,		07/12/83	N	
607950	CHAIR, DESK (SWIVEL,		07/12/83	N	
607952	TABLE, FOLDING, 8'		07/12/83	N	
607953	TABLE, FOLDING, 5'		07/12/83	N	
607954	TABLE, FOLDING, 8'		07/12/83	N	
607955	CABINET, FILING		09/11/84	N	
607956	CABINET, FILING		09/11/84	N	
607957	CHAIR, SECRETARIAL		09/11/84	N	
607958	CABINET, FILING		09/11/84	N	
607959	CABINET, FILING		09/11/84	N	
607960	CABINET, FILING		09/11/84	N	
607961	CABINET, SECURITY		09/11/84	N	
607962	CABINET, SECURITY		07/12/83	N	
607963	BOOKCASE		09/11/84	N	
607964	BOOKCASE		09/11/84	N	
607965	BOOKCASE		09/11/84	N	

EQUIPMENT TRACKING SYSTEM
TOTAL NON-EXPENDABLE INVENTORY

EPA #	DESCRIPTION	MANUFACTURER	DATE ACQUIRED	RPR	COMMENTS
607966	BOOKCASE		07/12/83	N	
607967	BOOKCASE		07/12/83	N	
607968	BOOKCASE		07/12/83	N	
607969	BOOKCASE		07/12/83	N	
607970	BOOKCASE		07/12/83	N	
607973	KIT, SOIL SAMPLING	OAKFIELD	12/02/82	N	
607974	KIT, SOIL SAMPLING	OAKFIELD	11/20/82	N	
607976	KIT, DILUTOR, OVA	FOXBORO	12/02/82	N	
608022	CYLINDER, SCBA, ULTR	MSA	10/17/85	N	
608023	CYLINDERS, SCBA	MSA	07/31/84	N	
608026	AUGER, HAND		10/11/83	N	not found
608027	WRENCH SET, SOCKET	SEARS	10/22/84	N	
608028	CHARGER, BATTERY (TO	MSA	12/02/82	N	ready to excess
608041	INDICATOR, WATER LEV		12/02/82	N	
608043	WINCH, VEHICLE	RAMSEY	07/13/84	N	sold GSA
608049	LADDER, ALUMINUM		07/01/85	N	
608055	LENS, CAMERA	SIGMA	03/19/86	N	
608061	LENS, CAMERA	SIGMA	03/19/86	N	
608062	FLASH, SPEEDLITE	RICOH	03/19/86	N	
608063	BAG, CAMERA	CPC	03/19/86	N	stolen
608065	LENS, CAMERA	RICOH	03/19/86	N	
608066	LENS, CAMERA	SIGMA	03/19/86	N	
608067	LENS, CAMERA	SIGMA	03/19/86	N	
608068	FLASH, SPEEDLITE	RICOH	03/19/86	N	
608069	BAG, CAMERA, ALUMINU	SIGMA	03/19/86	N	
608070	DATABACK	RICOH	03/19/86	N	
608071	LENS, CAMERA	RICOH	03/19/86	N	sold GSA
608072	LENS, CAMERA	SIGMA	03/19/86	N	sold GSA
608085	CASE, RADIO CARRY	MOTOROLA	08/01/84	N	not found
608087	BOARD, BULLETIN	STEMPLE	11/09/84	N	
608088	BOARD, BULLETIN	STEMPLE	12/18/85	N	
608089	BOARD, BULLETIN	STEMPEL	08/13/85	N	
608090	BOARD, BULLETIN	GHENT	12/11/84	N	
608091	BOARD, BULLETIN	STEMPLE	11/09/84	N	
608092	BOARD, BULLETIN	STEMPEL	08/13/85	N	
608093	ENCLOSURE, ACOUSTICA	MICRO UNIV	01/14/84	N	not found
608094	MULTIMETER, VOLTAGE	MICRONTA	05/15/85	N	
608096	HANDLIGHT, SAFETY	KOEHLER	07/11/84	N	ready to excess
608097	RESPIRATOR,FF,CAN.-B	MSA	07/31/84	N	
608098	CASE, CARRYING, ALUM	ADAPTA	07/18/84	N	
608099	TRANSIT, POCKET	BRUNTON	07/11/84	N	
608103	RESPIRATOR,FF,CAN.-B	MSA	07/31/84	N	
608106	WINCH, VEHICLE	SEARS	07/16/84	N	ready to excess
608107	LAMP, REVOLVING, VEH	ARROW	07/16/84	N	ready to excess

EQUIPMENT TRACKING SYSTEM
TOTAL NON-EXPENDABLE INVENTORY

EPA #	DESCRIPTION	MANUFACTURER	DATE ACQUIRED	RPR	COMMENTS
608108	SPOTLIGHT, ROOF, VEH	UNITY	07/16/84	N	ready to excess
608109	KIT, FIRST AID,	MSA	07/31/84	N	
608110	EXTINGUISHER,FIRE	HALPRIN	07/07/84	N	
608111	CASE,,CARRYING, ALUM	ADAPTA	07/18/84	N	
608112	REGULATOR, CALIBRATI	HNU	08/01/84	N	
608113	TANK, ALUM., HYDROGE		09/27/84	N	not found
608115	EXTINGUISHER,FIRE	HALPRIN	07/07/84	N	
608116	KIT, SOIL SAMPLING	GISCO	07/11/84	N	
608121	TABLE, PRINTER	CAB-TEK	12/26/84	N	
608124	RESPIRATOR, ESCAPE,	ROBT. SHAW	07/11/84	N	
608125	RESPIRATOR,FF,CAN.-B	MSA	07/31/84	N	not found
608127	RESPIRATOR,FF,CAN.-B	MSA	07/31/84	N	not found
608128	RESPIRATOR,FF,CAN.-B	MSA	07/31/84	N	not found
608130	MICROPHONE, REMOTE S	MOTOROLA	08/01/84	N	lost in fire
608131	MICROPHONE, REMOTE S	MOTOROLA	08/01/84	N	lost in fire
608132	PROBE, BETA (TO VICT	VICTOREEN	08/01/84	N	
608133	REGULATOR, CALIBRATI	HNU	08/01/84	N	
608134	PH METER	HACH	07/11/84	N	not found
608135	CONDUCTIVITY METER	HACH	07/11/84	N	
608137	BOARD, BULLETIN	GHENT	08/31/84	N	
608138	BOARD, BULLETIN	AFCO	08/31/84	N	
608139	BOARD, BULLETIN	AFCO	08/31/84	N	
608140	BOARD, BULLETIN	AFCO	08/31/84	N	
608145	RESPIRATOR, ESCAPE,	ROBT. SHAW	07/07/84	N	
608146	RESPIRATOR, ESCAPE,	ROBT. SHAW	07/07/84	N	
608151	CONDUCTIVITY METER	HACH	07/11/84	N	
608152	PH METER	HACH	07/11/84	N	
608153	PH ELECTRODE	HACH	04/10/86	N	ready to excess
608154	PUMP, DETECTOR TUBE	DRAEGER	07/11/84	N	
608156	BOARD, BULLETIN	AFCO	08/31/84	N	
608157	MAPS, SET, TX COASTA	SX DEPT	08/31/84	N	
608158	EASEL	WEB	10/25/84	N	
608159	SCALE, DIGITAL ELECT	SUNBEAM	09/18/84	N	sold GSA
608160	TABLE, FOLDING, 5'		08/31/84	N	
608161	WORKCENTER, COMPUTER	CAB-TEK	04/10/85	N	
608162	CABINET, SECURITY		08/31/84	N	
608163	CABINET, SECURITY		08/31/84	N	
608164	BOOKCASE		08/31/84	N	
608165	ENCLOSURE, ACOUSTICA	MICRO UNIV	12/23/84	N	lost in fire
608173	KIT, FIRST AID, ZEE	ZEE	07/31/84	N	
608174	EXTINGUISHER, FIRE	AMEREX	07/11/84	N	
608175	EXTINGUISHER, FIRE	AMEREX	07/11/84	N	
608176	KIT, DRUM TRANSFER		07/11/84	N	not found
608178	SPRAYER, COMPRESSED	SEARS	08/21/84	N	ready to excess

EQUIPMENT TRACKING SYSTEM
TOTAL NON-EXPENDABLE INVENTORY

EPA #	DESCRIPTION	MANUFACTURER	DATE ACQUIRED	RPR	COMMENTS
608179	SPRAYER, COMPRESSED	SEARS	08/21/84	N	ready to excess
608184	KIT, SOIL SAMPLING	GISCO?	07/11/84	N	
608185	HANDLIGHT, SAFETY	KOEHLER	07/11/84	N	
608186	HORN, AIR, WARNING D		11/26/84	N	
608187	BOARD, MARK 'N WIPE	QUARTET	08/14/86	N	
609671	LENS, CAMERA	SIGMA	03/19/86	N	sold GSA
609672	BAG, CAMERA	CPC	03/19/86	N	
609673	BAG, CAMERA	UNKNOWN	11/01/84	N	sold GSA
609674	DATABACK	RICOH	03/19/86	N	sold GSA
609712	TABLE, COMPUTER	O'SULLIVAN	02/18/86	N	not found
609713	TABLE, PRINTER	O'SULLIVAN	02/18/86	N	not found
609714	CHAIR, COMPUTER		02/18/86	N	
610266	PROBE,10.2EV	HNU	08/01/84	N	
610269	CHARGER, BATTERY, HN	HNU	08/01/84	N	
610270	CASE, LEATHER, RADIO	MOTOROLA	08/01/84	N	lost in fire
610271	CASE, LEATHER, RADIO	MOTOROLA	08/01/84	N	lost in fire
610272	CHARGER, CB BATTERY,	MOTOROLA	08/01/84	N	lost in fire
610273	CHARGER, CB BATTERY,	MOTOROLA	08/01/84	N	lost in fire
610274	PROBE, 10.2 EV	HNU	08/01/84	N	
610275	CHARGER, BATTERY, HN	HNU	08/01/84	N	ready to excess
610276	PROBE, 10.2 EV, HNU	HNU	02/01/84	N	
610277	CHARGER, BATTERY, HN	HNU	02/01/84	N	
610278	CALCULATOR, PRINTING	SHARP	01/01/01	N	ready to excess
610279	PUMP, DETECTOR TUBE	DRAEGER	07/11/84	N	
610558	PROBE, 10.2 EV, HNU	HNU	11/20/82	N	transfer to Chi
610559	CHARGER, BATTERY, HN	HNU	11/20/82	N	
610560	REGULATOR, CALIBRATI	HNU	11/20/82	N	Avtex fibers,VA
610562	BOOKCASE		08/31/84	N	
610563	KIT, CALIBRATION, 26	MSA	08/01/84	N	
610777	POWERSTRIP, SURGE PR		11/13/86	N	not found
610794	FILE CABINET	UNKNOWN	10/21/85	N	not found
610795	FILE CABINET	UNKNOWN	07/12/83	N	
610796	FILE CABINET	UNKNOWN	07/12/83	N	
610797	FILE CABINET	UNKNOWN	07/12/83	N	
610798	FILE CABINET	UNKNOWN	07/12/83	N	
610799	FILE CABINET	UNKNOWN	07/12/83	N	
610800	FILE CABINET	UNKNOWN	07/12/83	N	
611622	Lamp, Drafting		12/09/86	N	
611630	REGULATOR TESTER	MSA	06/01/87	N	
611635	FILE CABINET	HON	07/02/87	N	
611636	FILE CABINET	HON	07/02/87	N	
611638	FILE CABINET	HON	07/02/87	N	
611643	DESK, REGULAR	HON	07/02/87	N	
611647	BOOKCASE	HON	07/02/87	N	

EQUIPMENT TRACKING SYSTEM
TOTAL NON-EXPENDABLE INVENTORY

EPA #	DESCRIPTION	MANUFACTURER	DATE ACQUIRED	RPR	COMMENTS
611648	TABLE, WORK	HON	07/02/87	N	
611657	CHAIR, DESK	HON	07/02/87	N	
611658	CHAIR, DESK	HON	07/02/87	N	
611659	CHAIR, DESK	HON	07/02/87	N	
611662	TABLE, DRAFTING	PLANHOLD	07/06/87	N	
611663	TABLE, DRAFTING	PLANHOLD	07/06/87	N	
611667	Lamp, Drafting		07/06/87	N	
611668	Lamp, Drafting		07/06/87	N	
611669	Lettering System		07/06/87	N	
611671	CAMERA 35MM	MINOLTA	07/02/87	N	
611674	Drafting Light Box		07/27/87	N	
645501	TAPE RECORDER, MICRO	REALISTIC	04/16/87	N	
645502	CAMERA, INSTAMATIC	ANSCO	05/18/87	N	not found
645503	DESK, REGULAR	HON	05/18/87	N	I001
645504	DESK, REGULAR	HON	05/18/87	N	I002A
645505	DESK, REGULAR	HON	05/18/87	N	
645506	DESK, REGULAR	HON	05/18/87	N	
645507	DESK, REGULAR	HON	05/18/87	N	
645508	DESK, SECRETARIAL	HON	05/18/87	N	
645509	CHAIR, DESK	HON	05/18/87	N	I001B
645510	CHAIR, DESK	HON	05/18/87	N	I002E
645511	CHAIR, DESK	HON	05/18/87	N	
645512	CHAIR, DESK	HON	05/18/87	N	
645513	CALCULATOR, DESKTOP	CANON	03/10/87	N	
645514	TABLE, TYPING	TIFFANY	06/09/87	N	
645515	DESK, REGULAR	HON	07/09/87	N	
645516	BOOKCASE	HON	07/09/87	N	I001C
645517	CHAIR, DESK	HON	07/09/87	N	
645518	COOLING VEST	ILC DOVER	08/05/87	N	E050
645519	COOLING VEST	ILC DOVER	08/05/87	N	E051
645520	COOLING VEST	ILC DOVER	08/05/87	N	E052
645521	COOLING VEST	ILC DOVER	08/05/87	N	E053
645522	COOLING VEST	ILC DOVER	08/05/87	N	E054
645523	COOLING VEST	ILC DOVER	08/05/87	N	E055
645524	VEHICLE, CARGO VAN,	CHEVROLET	06/03/87	N	F001
645525	TABLE, WORK	HON	09/08/87	N	not found
645526	TABLE, WORK	HON	09/08/87	N	
645527	CHAIR, DESK	HON	09/08/87	N	
645528	CHAIR, DESK	HON	09/08/87	N	I009C
645529	CHAIR, DESK	HON	09/08/87	N	
645530	DESK, REGULAR	HON	09/08/87	N	I007A
645531	DESK, REGULAR	HON	09/08/87	N	I008A
645532	DESK, REGULAR	HON	09/08/87	N	I009D
645533	FILE CABINET	HON	09/08/87	N	

ECOLOGY & ENVIRONMENT, INC.
EQUIPMENT TRACKING SYSTEM
TOTAL NON-EXPENDABLE INVENTORY

EPA #	DESCRIPTION	MANUFACTURER	DATE ACQUIRED	RPR	COMMENTS
645534	FILE CABINET	HON	09/08/87	N	
645535	FILE CABINET	HON	09/08/87	N	I0000
645536	BOOKCASE	HON	09/08/87	N	
645537	BOOKCASE	HON	09/08/87	N	
645538	BOOKCASE	HON	09/08/87	N	
645539	RADIATION MONITOR	SE INTERNATIONA	09/09/87	N	D002
645540	RADIATION MONITOR	SE INTERNATIONA	09/09/87	N	D003
645541	RADIATION MONITOR	SE INTERNATIONA	09/09/87	N	D004
645542	RADIATION MONITOR	SE INT'L	09/09/87	N	D005
645543	TABLE, CONFERENCE	COX OFFICE	10/05/87	N	
645544	TABLE, DRAFTING	COX OFFICE	10/05/87	N	
645545	DESK, REGULAR	HON	10/05/87	N	
645546	DESK, REGULAR	HON	10/05/87	N	
645547	BOOKCASE	HON	10/05/87	N	
645548	CHAIR, DESK	HON	10/05/87	N	I007B
645549	CHAIR, DESK	HON	10/05/87	N	
645550	FILE CABINET	HON	10/05/87	N	I007C
645551	FILE CABINET,2-DR	HON	10/05/87	N	
645552	FILE CABINET	HON	10/05/87	N	
645553	BINOCULARS	SEARS	10/06/87	N	H003
645554	BINOCULARS	SEARS	10/06/87	N	H004
645555	BINOCULARS	SEARS	10/06/87	N	H005
645556	BINOCULARS	SEARS	10/06/87	N	H006
645558	TABLE, TYPING	TIFFANY	10/20/87	N	
645559	FILE CABINET	HON	10/20/87	N	I001E
645560	DESK, REGULAR	HON	05/18/87	N	
645561	TABLE, WORK	HON	05/18/87	N	
645562	CHAIR, DESK	HON	05/18/87	N	
645563	TRANSIT, POCKET	BRUNTON	10/28/87	N	
645564	TRANSIT, POCKET	BRUNTON	10/28/87	N	
645566	TRANSIT, POCKET	BRUNTON	10/28/87	N	
645567	TRANSIT, POCKET	BRUNTON	10/28/87	N	
645568	CHAIR, SIDE	HON	11/23/87	N	
645569	CHAIR, SIDE	HON	11/23/87	N	
645570	CHAIR, SIDE	HON	11/23/87	N	
645571	CHAIR, SIDE	HON	11/23/87	N	
645572	CHAIR, SIDE	HON	11/23/87	N	
645573	CHAIR, SIDE	HON	11/23/87	N	
645574	CHAIR, SIDE	HON	11/23/87	N	
645575	CHAIR, SIDE	HON	11/23/87	N	
645576	CHAIR, DRAFTING	HON	11/23/87	N	
645577	PID ANALYZER, HNU	HNU SYSTEMS	12/04/87	N	D010
645578	PID ANALYZER, PHOTOV	PHOTOVAC	12/03/87	N	D014
645579	ORGANIC VAPOR ANALYZ	FOXBORO	12/04/87	N	D013

ECOLOGY & ENVIRONMENT, INC.
EQUIPMENT TRACKING SYSTEM
TOTAL NON-EXPENDABLE INVENTORY

EPA #	DESCRIPTION	MANUFACTURER	DATE ACQUIRED	RPR	COMMENTS
645584	VEHICLE, 4WD PICKUP,	CHEVROLET	06/26/91	N	sold GSA
645585	VEHICLE, MINIVAN, 19	PLYMOUTH	07/22/91	N	sold GSA
645587	VEHICLE, 4WD SUBURBA	CHEVROLET	08/06/91	N	sold GSA
645588	COMPASS	BRUNTON	10/10/91	N	
645589	CAP, PICKUP TRUCK	ARE	01/03/92	N	ready to excess
645590	WINCH, VEHICLE	RAMSEY	01/07/92	N	on the geoprobe
645593	TELEPHONE, CELLULAR	MOTOROLA	01/30/92	N	
645594	TELEPHONE, CELLULAR	MOTOROLA	02/04/92	N	
645595	TELEPHONE, CELLULAR	MOTOROLA	02/04/92	N	
645596	TELEPHONE, CELLULAR	MOTOROLA	02/04/92	N	
645597	COMPUTER INTERFACE C	MOTOROLA	02/04/92	N	
645598	MONITOR, RADIATION A	S.E. INTERNATIO	05/20/92	N	
645599	PRINTER	PANASONIC	05/27/92	N	
645600	MONITOX, HCN	BAYER DIAGNOSTI	06/01/92	N	
645601	COMPAQ LTE 386	COMPAQ	06/04/92	N	
645603	TRANSIT	TOPCON	12/19/90	N	
645604	TELEPHONE, CELLULAR	MOTOROLA	12/20/90	N	
645605	TELEPHONE, CELLULAR	MOTOROLA	12/20/90	N	
645606	CARRYING CASE, HNU	HNU SYSTEMS	12/28/87	N	D0120
645608	BATTERY CHARGER, HNU	HNU SYSTEMS	12/28/87	N	ready to excess
645609	CABLE, BATT. CH. ADA	HNU SYSTEMS	12/28/87	N	ready to excess
645610	REGULATOR, HNU	HNU SYSTEMS	12/28/87	N	not found
645611	MONITOX, H2S	MDA	12/18/87	N	
645616	APR, POWERED, RACAL	RACAL	12/28/87	N	
645619	APR, POWERED, RACAL	RACAL	12/28/87	N	
645620	TELEPHONE, MOBILE UN	MOTOROLA	11/23/87	N	
645626	CHAIR, SIDE	UNITED	05/19/87	N	
645627	PHOSGENE DETECTOR, M	MDA	02/04/88	N	
645628	HCN DETECTOR, MONITO	MDA	01/18/88	N	
645631	FILE CABINET	HON	07/25/88	N	
645632	FILE CABINET	HON	07/25/88	N	
645635	CAMERA, 35 MM	NIKON	01/18/89	N	
645636	FILE CABINET	HON	12/21/88	N	
645637	FILE CABINET	HON	12/21/88	N	
645638	FILE CABINET	HON	01/17/89	N	
645639	MOTORIZED CATHEAD HO	MOBILE DRILLING	04/28/89	N	
645641	TABLE, TYPING	TAYLOR OFFICE	02/11/87	N	
645642	MACHINE STAND	TAYLOR OFFICE	02/11/87	N	
645643	CHAIR, SIDE	TAYLOR OFFICE	02/02/87	N	I009B
645644	CHAIR, SIDE	TAYLOR OFFICE	02/02/87	N	
645645	CHAIR, SIDE	TAYLOR OFFICE	02/02/87	N	
645646	CHAIR, SIDE	TAYLOR OFFICE	02/02/87	N	
645647	CHAIR, SIDE	TAYLOR OFFICE	02/02/87	N	
645648	CHAIR, SIDE	TAYLOR OFFICE	02/02/87	N	

EPA #	DESCRIPTION	MANUFACTURER	DATE ACQUIRED	RPR	COMMENTS
[illegible]	CHAIR, SIDE	TAYLOR OFFICE	02/02/87	N	
645650	CHAIR, SIDE	TAYLOR OFFICE	02/02/87	N	
[illegible]	TABLE, CONFERENCE	JASPER	02/02/87	N	
645652	TABLE, END	TAYLOR	02/02/87	N	
645653	BOOKSHELF	EDSEL	02/02/87	N	I006E
645654	BOOKSHELF	EDSEL	02/02/87	N	I007E
645655	PRINTER STAND	BEVIS	02/02/87	N	
645656	TABLE, COMPUTER	BEVIS	02/02/87	N	
645657	DESK, REGULAR	HON	02/02/87	N	
645658	DESK, REGULAR	HON	02/02/87	N	
645659	DESK, REGULAR	HON	02/02/87	N	
645660	DESK, REGULAR	HON	02/02/87	N	
645661	DESK, REGULAR	HON	02/02/87	N	
645662	DESK, SECRETARY	HON	02/02/87	N	
645663	CREDENZA	HON	02/02/87	N	
645664	CHAIR, DESK	HON	02/02/87	N	
645665	CHAIR, DESK	HON	02/02/87	N	
645666	CHAIR, DESK	HON	02/02/87	N	
645667	CHAIR, DESK	HON	02/02/87	N	
645668	CHAIR, DESK	HON	02/02/87	N	
645669	CHAIR, SIDE	HON	02/02/87	N	
645670	CHAIR, SIDE	HON	02/02/87	N	
645671	CHAIR, SECRETARIAL	HON	02/02/87	N	
645672	FILE CABINET	HON	02/02/87	N	I008D
645673	FILE CABINET	HON	02/02/87	N	
645674	FILE CABINET	HON	02/02/87	N	
645675	FILE CABINET	HON	02/02/87	N	
645676	FILE CABINET	HON	02/02/87	N	
645677	FILE CABINET	HON	02/02/87	N	I010B
645678	FILE CABINET	HON	02/02/87	N	I009A
645679	BOOKCASE	HON	02/02/87	N	I008E
645680	BOOKCASE	HON	02/02/87	N	I009E
645681	BOOKCASE	HON	02/02/87	N	I010A
645682	BOOKCASE	HON	02/02/87	N	
645683	BOOKCASE	HON	02/02/87	N	
645684	BOOKCASE	HON	02/02/87	N	
645685	BOOKCASE	HON	02/02/87	N	
645686	BOOKCASE	HON	02/02/87	N	
645687	MICROCASSETTE RECORD	SONY	07/20/87	N	not found
645688	CHAIR, SIDE	UNITED	05/19/87	N	
645689	CHAIR, SIDE	UNITED	05/19/87	N	
645691	DESK, REGULAR	HON	05/07/87	N	
645692	DESK, REGULAR	HON	05/07/87	N	
645693	FILE CABINET	HON	05/07/87	N	

EPA #	DESCRIPTION	MANUFACTURER	DATE ACQUIRED	RPR	COMMENTS
645694	FILE CABINET	HON	05/07/87	N	
645695	CHAIR, SECRETARIAL	HON	05/07/87	N	ready to excess
645696	BOOKCASE	HON	05/07/87	N	
645697	BOOKCASE	HON	05/07/87	N	
645698	CREDENZA	HON	03/12/87	N	
645699	TABLE, DRAFTING	YARBERRY'S	05/13/87	N	
645700	LAMP, DRAFTING	YARBERRY'S	05/13/87	N	
645701	CHAIR, DESK	TAYLOR	06/09/87	N	
645702	CHAIR, DESK	TAYLOR	06/09/87	N	
645705	PID ANALYZER, HNU	HNU SYSTEMS	12/28/87	N	ready to excess
645706	PROBE, 10.2 EV	HNU SYSTEMS	12/28/87	N	ready to excess
645707	BINOCULARS	UNKNOWN	01/01/88	N	
645710	PROBE, 11.7 EV	HNU SYSTEMS	12/28/87	N	ready to excess
645711	DESK, SECRETARIAL	KADET	02/05/87	N	
645712	GENERATOR, ELECTRIC	YAMAHA	01/02/91	N	original decal
645712	CAMERA	VIVITAR	02/26/87	N	
645713	CREDENZA	NATIONWIDE	03/25/87	N	
645714	TABLE, CONFERENCE	BEVIS	03/25/87	N	
645715	FILE CABINET	HON	04/10/87	N	
645716	FILE CABINET	HON	04/10/87	N	
645717	FILE CABINET	HON	04/10/87	N	
645718	FILE CABINET	HON	04/10/87	N	
645719	DESK, REGULAR	HON	04/10/87	N	
645720	DESK, REGULAR	HON	04/10/87	N	
645721	DESK, REGULAR	HON	04/10/87	N	
645722	DESK, REGULAR	HON	04/10/87	N	
645723	BOOKCASE	HON	04/10/87	N	
645724	BOOKCASE	HON	04/10/87	N	
645725	BOOKCASE	HON	04/10/87	N	
645726	BOOKCASE	HON	04/10/87	N	
645727	TABLE, WORK	HON	04/10/87	N	
645728	TABLE, FOLDING	HON	04/10/87	N	
645729	CHAIR, DESK	HON	04/10/87	N	
645730	CHAIR, DESK	HON	04/10/87	N	
645731	CHAIR, DESK	HON	04/10/87	N	
645732	CHAIR, SIDE	HON	04/10/87	N	
645733	CHAIR, SIDE	HON	04/10/87	N	
645734	CHAIR, SIDE	HON	04/10/87	N	
645735	CHAIR, SIDE	HON	04/10/87	N	
645736	CHAIR, SIDE	HON	04/10/87	N	
645737	CHAIR, SIDE	HON	04/10/87	N	
645738	CHAIR, SIDE	HON	04/10/87	N	
645739	CHAIR, SIDE	HON	04/10/87	N	
645740	CHAIR, SIDE	HON	04/10/87	N	

IPA #	DESCRIPTION	MANUFACTURER	DATE ACQUIRED	RPR	COMMENTS
645741	CHAIR, SIDE	HON	04/10/87	N	
645742	CHAIR, SIDE	HON	04/10/87	N	
645743	CHAIR, DESK	HON	04/10/87	N	
645745	FILE CABINET	HON	03/25/87	N	
645746	FILE CABINET	HON	03/25/87	N	
645747	FILE CABINET	HON	03/25/87	N	
645748	FILE CABINET	HON	03/25/87	N	
645749	file cabinet		11/01/84	N	
645750	file cabinet		11/01/84	N	
645751	DESK, REGULAR	HON	03/25/87	N	
645752	DESK, REGULAR	HON	03/25/87	N	
645753	DESK, REGULAR	HON	03/25/87	N	
645754	DESK, REGULAR	HON	03/25/87	N	
645756	BOOKCASE	UNKNOWN	11/01/84	N	sold GSA
645757	BOOKCASE	HON	03/25/87	N	
645758	BOOKCASE	HON	03/25/87	N	
645759	BOOKCASE	HON	03/25/87	N	
645760	BOOKCASE	HON	03/25/87	N	
645761	BOOKCASE	UNKNOWN	11/01/84	N	
645763	TABLE, FOLDING	HON	03/25/87	N	
645764	TABLE, WORK	HON	03/25/87	N	
645765	CHAIR, SIDE	HON	03/25/87	N	
645766	CHAIR, SIDE	HON	03/25/87	N	I001D
645767	CHAIR, SIDE	HON	03/25/87	N	
645768	CHAIR, SIDE	HON	03/25/87	N	
645769	CHAIR, SIDE	HON	03/25/87	N	
645770	CHAIR, SIDE	HON	03/25/87	N	
645771	CHAIR, SIDE	HON	03/25/87	N	
645772	CHAIR, SIDE	HON	03/25/87	N	I006D
645773	CHAIR, SIDE	HON	03/25/87	N	I007D
645774	CHAIR, SIDE	HON	03/25/87	N	I008C
645775	CHAIR, DESK	HON	03/25/87	N	I008B
645776	CHAIR, DESK	HON	03/25/87	N	
645777	CHAIR, DESK	HON	03/25/87	N	
645778	CHAIR, DESK	HON	03/25/87	N	ready to excess
645779	CHAIR			N	
646239	COMPUTER, FIELD	COMPAQ	07/11/88	N	
646240	PRINTER, FIELD COMPU	EPSON	04/05/88	N	
646247	COMPUTER, FIELD	COMPAQ	07/11/88	N	
646248	PRINTER, FIELD COMPU	EPSON	04/05/88	N	
646249	COMPUTER, FIELD	COMPAQ	04/05/88	N	
646250	PRINTER, FIELD COMPU	EPSON	04/05/88	N	
646259	COMPUTER, FIELD	COMPAQ	04/05/88	N	
646262	PRINTER, FIELD COMPU	EPSON	04/05/88	N	

EPA #	DESCRIPTION	MANUFACTURER	DATE ACQUIRED	RPR	COMMENTS
647268	RDTN ALERT MONITOR	SE INT'L	08/13/87	N	
647269	RADIATION ALERT MONI	SE INT'L	08/13/87	N	
647270	RDTN ALERT MONITOR	SE INT'L	08/13/87	N	
647283	EMGCY LIFE SUP APP	INTER,SAFETY	08/20/87	N	
647284	EMGCY LIFE SUP APP	INTER,SAFETY	08/20/87	N	
647285	EMGCY LIFE SUP APP	INTER,SAFETY	08/20/87	N	
647317	CHAIR, DESK	HON	03/14/88	N	
647318	CHAIR. DESK	HON	03/14/88	N	
647319	CHAIR, DESK	HON	03/14/88	N	
647320	CHAIR. DESK	HON	03/14/88	N	
659999	HAND AUGER KIT	BRAINARD-KILMAN	10/16/87	N	not found
660002	CAMERA. 35 MM	ANSCO	10/12/87	N	not found
660044	CALCULATOR	TEXAS INSTR.	09/01/88	N	not found
660082	FLOW METER, DUAL	PHOTOVAC	11/03/88	N	D0148
660422	FILE CABINET	HON	07/19/89	N	
660423	FILE CABINET	HON	07/19/89	N	
660438	Projector, Overhead		01/11/90	N	
660438	Office Divider		03/26/90	N	
660441	FILE CABINET	HON	04/18/90	N	
660456	CHAIR, SIDE	GLOBE	08/31/89	N	
660457	TABLE, FOLDING 8'	GLOBE	08/31/89	N	
660458	TABLE, FOLDING 8'	GLOBE	08/31/89	N	
660459	TABLE, FOLDING 8'	GLOBE	08/31/89	N	
660461	FILE CABINET	HON	08/14/89	N	
660462	FILE CABINET	HON	08/14/89	N	
660463	FILE CABINET	HON	08/14/89	N	
660464	FILE CABINET	HON	08/14/89	N	
660465	FILE CABINET	HON	08/14/89	N	
660466	FILE CABINET	HON	08/14/89	N	
660467	FILE CABINET	HON	08/14/89	N	
660468	FILE CABINET	HON	08/14/89	N	
660469	FILE CABINET	HON	08/14/89	N	
660470	FILE CABINET	HON	08/14/89	N	
660472	CYLINDER, COMPOSITE	MSA	07/24/89	N	
660473	CYLINDER, COMPOSITE	MSA	07/24/89	N	
660474	CYLINDER, COMPOSITE	MSA	07/24/89	N	Avtex fibers,VA
660475	RECEIVER, ELECTROMAG	GEONICS	08/08/89	N	
660476	TRANSMITTER, ELECTRO	GEONICS	08/08/89	N	
660477	POLYRECORDER, OMNIDA	OMNICORDER	08/08/89	N	
660478	SIEVE KIT, STANDARD	BRAINARD KILLMA	08/08/89	N	
660479	SIEVE KIT, STANDARD	BRAINARD KILLMA	08/08/89	N	
660480	TOOL KIT, NON-SPARKI	BERYLCO	08/15/89	N	
691631	CHAIR, DESK	HON	03/14/88	N	
691632	CHAIR, DESK	HON	03/14/88	N	

EQUIPMENT TRACKING SYSTEM
TOTAL NON-EXPENDABLE INVENTORY

IPA #	DESCRIPTION	MANUFACTURER	DATE ACQUIRED	RPR	COMMENTS
691634	CHAIR, DESK	HON	03/14/88	N	
691635	CHAIR, DESK	HON	03/14/88	N	
691636	CHAIR, DESK	HON	03/14/88	N	
691638	CHAIR, DESK	HON	03/14/88	N	
691639	CHAIR, DESK	HON	03/14/88	N	
691640	CHAIR, DESK	HON	03/14/88	N	
691641	CHAIR, DESK	HON	03/14/88	N	
691642	CHAIR, DESK	HON	03/14/88	N	
691643	TABLE, CONFERENCE	LIT	03/14/88	N	
691653	BOOKCASE	TENNSCO	06/08/88	N	
691654	FILE CABINET	HON	06/08/88	N	
691655	FILE CABINET	HON	06/08/88	N	
691659	DOSIMETER	DOSIMETER CORP	06/30/88	N	
691660	DOSIMETER	DOSIMETER CORP	06/30/88	N	
691685	TYPEWRITER		08/17/89	N	
691689	AIR SAMPLING PACK	SKC	12/23/88	N	
691690	AIR SAMPLING PACK	SKC	12/23/88	N	
691691	AIR SAMPLING PACK	SKC	12/23/88	N	
691692	FLOW CALIBRATOR, ELE	SKC	12/23/88	N	
691699	AIR SAMPLING KIT	SKC	01/20/89	N	
695515	ROLATAPE	ROLATAPE CORP.	08/15/89	N	not found
695516	LEVEL/ROD	LIETZ	08/15/89	N	
696391	DESK, REGULAR	GARDNER	12/09/87	N	
696392	CHAIR, DESK	GARDNER	12/09/87	N	
696393	FILE CABINET	GARDNER	12/09/87	N	
696394	BOOKCASE	GARDNER	12/09/87	N	
696395	PID ANALYZER, HNU	HNU SYSTEMS	01/04/88	N	ready to excess
696397	PHOSGENE DETECTOR, M	MDA	02/04/88	N	
696400	VEHICLE, MINIVAN, 19	FORD	05/19/87	N	lost in fire
696401	TELEPHONE, MOBILE UN	MOTOROLA	11/23/87	N	G008
696405	PUMP, AIR SAMPLING	SKC	05/05/88	N	D008C
696406	PUMP, AIR SAMPLING	SKC	05/05/88	N	not found
696407	PUMP, AIR SAMPLING	SKC	05/05/88	N	D006A
696408	PUMP, AIR SAMPLING	SKC	05/05/88	N	D006B
696409	PUMP, AIR SAMPLING	SKC	05/05/88	N	D006D
696410	CHARGER, AUTOMATIC	SKC	05/05/88	N	D009B
696411	FLOW METER, DIGITAL	SKC	05/05/88	N	D009A
696413	FILE CABINET	CARROLL'S	09/26/88	N	
696414	FILE CABINET	CARROLL'S	09/26/88	N	
696415	XRF ANALYSIS SYSTEM	PHOTOVAC	08/05/88	N	D034
696418	APR, POWERED, RACAL	RACAL	12/28/87	N	
696419	APR, POWERED, RACAL	RACAL	12/28/87	N	
696420	XRF PROBE, DUAL SOUR	COLUMBIA SCIENT	02/15/89	N	
696421	PROBE DISTRIBUTION B	COLUMBIA SCIENT	02/15/89	N	D030A

EQUIPMENT TRACKING SYSTEM
TOTAL NON-EXPENDABLE INVENTORY

EPA #	DESCRIPTION	MANUFACTURER	DATE ACQUIRED	RPR	COMMENTS
696422	PH METER, PEN	NESTER	07/17/89	N	
696423	PH METER, PEN	NESTER	07/17/89	N	
696425	PUMP, AIR SAMPLING	SKC	07/17/89	N	
696426	PUMP, AIR SAMPLING	SKC	07/17/89	N	
696427	PUMP, AIR SAMPLING	SKC	07/17/89	N	
696428	PUMP, AIR SAMPLING	SKC	07/17/89	N	
696429	PUMP, AIR SAMPLING	SKC	07/17/89	N	
696431	CALIBRATOR, LOW FLOW	SKC	07/17/89	N	
696432	CONDUCTIVITY METER	NESTER	07/20/89	N	
696433	RELATIVE HUMIDITY ME	NESTER	07/20/89	N	
696434	CYLINDER, AIR	MSA	07/31/89	N	
696435	SELF-CONTAINED BREAT	MSA	07/31/89	N	
696436	CYLINDER, AIR	MSA	07/31/89	N	
696437	SELF-CONTAINED BREAT	MSA	07/31/89	N	
696438	CYLINDER, AIR	MSA	07/31/89	N	
696439	SELF-CONTAINED BREAT	MSA	07/31/89	N	
696440	SIEVE SET	ATM	07/28/89	N	
696441	SURFACE LIGHT/ELEMEN	COLUMBIA SCIENT	08/02/89	N	
696442	MAGNETIC CABLE LOCAT	SCHONSTEDT	08/07/89	N	
696443	INDUCTIVE SIGNAL CLA	SCHONSTEDT	08/07/89	N	
696444	RANDOM AEROSOL MONIT	MIE	08/04/89	N	
696445	LETTERING MACHINE	MAX LETREX	08/11/89	N	
696447	APR, POWERED	RACAL	08/16/89	N	
696448	APR, POWERED	RACAL	08/16/89	N	
696449	LEVEL ROD, FIBERGLAS	LIETZ	08/16/89	N	
696450	PLANIMETER	KOIZUMI	08/22/89	N	
696451	DESK	HON	08/22/89	N	
696452	DESK	HON	08/22/89	N	
696453	DESK	HON	08/22/89	N	
696454	CHAIR	SATURN	08/22/89	N	
696455	CHAIR	SATURN	08/22/89	N	
696456	CHAIR	SATURN	08/22/89	N	
696457	FILE CABINET	HON	08/22/89	N	
696458	FILE CABINET	HON	08/22/89	N	
696459	FILE CABINET	HON	08/22/89	N	
696460	PYROMETER, INFRARED	OMEGA ENGINEERI	08/24/89	N	
696461	KIT, AIR SAMPLING	SKC	07/17/89	N	
696462	CALIBRATOR, LOW FLOW	SKC	07/17/89	N	
696463	CASE, CALIBRATOR CAR	SKC	07/17/89	N	
696464	PERS. AEROSOL MONITO	MIE	07/18/89	N	
696465	PH METER, PEN	NESTER	07/18/89	N	ready to excess
696468	RELATIVE HUMIDITY ME	NESTER	07/18/89	N	ready to excess
696469	WIND SPEED INDICATOR	AIR GUIDE	07/18/89	N	
696470	VEHICLE, BLAZER 4X4,	CHEVROLET	06/16/89	N	

EPA #	DESCRIPTION	MANUFACTURER	DATE ACQUIRED	RPR	COMMENTS
696471	SIEVE	BRAINARD KILMAN	07/24/89	N	
696472	SIEVE	BRAINARD KILMAN	07/24/89	N	
696473	SIEVE	BRAINARD KILMAN	07/24/89	N	
696474	SIEVE	BRAINARD KILMAN	07/24/89	N	
696475	SIEVE	BRAINARD KILMAN	07/24/89	N	
696476	SIEVE	BRAINARD KILMAN	07/24/89	N	
696477	SIEVE	BRAINARD KILMAN	07/24/89	N	
696478	SIEVE	BRAINARD KILMAN	07/24/89	N	
696479	BOOKCASE	HON	07/28/89	N	
696480	BOOKCASE	HON	07/28/89	N	
696481	SCBA, ULTRALITE II	MSA	07/31/89	N	
696482	SCBA, ULTRALITE II	MSA	07/31/89	N	
696483	SCBA, ULTRALITE II	MSA	07/31/89	N	
696484	LEVEL/ROD	LEITZ	08/15/89	N	
696485	BAILER	NORTON	08/15/89	N	
696486	LETTEREX	UNKNOWN	08/01/89	N	
696487	APR, POWERED, FACEPI	RACAL	08/15/89	N	not found
696488	APR, POWERED, FACEPI	RACAL	08/15/89	N	not found
696489	APR, POWERED, TURBO	RACAL	08/15/89	N	
696490	APR, POWERED, TURBO	RACAL	08/15/89	N	
696491	LOCATOR, MAGNETIC &	SCHONSTEDT	08/04/89	N	
696492	BAILER	NORWELL	08/31/89	N	
696493	TRIPOD	WOODS	08/31/89	N	
696494	DESK	HON	08/08/89	N	
696495	EMERGENCY LIFE SUPPO	I.S.I.	09/18/89	N	
696496	EMERGENCY LIFE SUPPO	I.S.I.	09/18/89	N	
696497	EMERGENCY LIFE SUPPO	I.S.I.	09/18/89	N	
696498	FILE CABINET	HON	08/23/89	N	
696499	FILE CABINET	HON	08/23/89	N	
696500	FILE CABINET	HON	08/23/89	N	
696501	FILE CABINET	HON	08/23/89	N	
696502	TOOL KIT, NON-SPARKI	BERYLCO	08/16/89	N	
696503	PYROMETER, INFRARED	OMEGA ENGINEERI	08/28/89	N	
696504	OXYGEN INHALATOR/RES	UNITED OXYGEN E	09/26/89	N	
696506	FIRST AID KIT	NORTH	10/06/89	N	
696507	BAILER, STAINLESS ST	JOHNSON	10/13/89	N	
696508	BAILER, STAINLESS ST	JOHNSON	10/13/89	N	
696509	LIGHT METER	UNKNOWN	11/01/89	N	
696510	SOIL SAMPLING KIT	ARTS MFG & SUPP	11/06/89	N	ready to excess
696311	PYROMETER, INFRARED	OMEGA ENGINEERI	08/15/89	N	
696512	STAND, TYPEWRITER	O'SULLIVAN	08/17/89	N	
696513	STAND, TYPEWRITER	O'SULLIVAN	08/17/89	N	
696514	STAND, TYPEWRITER	O'SULLIVAN	08/17/89	N	
696517	AIR-PURIFYING RESP.,	RACAL	08/15/89	N	

EPA #	DESCRIPTION	MANUFACTURER	DATE ACQUIRED	RPR	COMMENTS
[illegible]	AIR-PURIFYING RESP..	RACAL	08/15/89	N	
[illegible]	AIR-PURIFYING RESP..	RACAL	08/15/89	N	
[illegible]	AIR-PURIFYING RESP..	RACAL	08/15/89	N	
[illegible]	AIR-PURIFYING RESP..	RACAL	08/15/89	N	
696522	AIR-PURIFYING RESP.,	RACAL	08/15/89	N	transfer to San
696523	AIR-PURIFYING RESP.,	RACAL	08/15/89	N	
696524	AIR-PURIFYING RESP.,	RACAL	08/15/89	N	
696525	AIR-PURIFYING RESP.,	RACAL	08/15/89	N	transfer to San
[illegible]	AIR-PURIFYING RESP.,	RACAL	08/15/89	N	transfer to San
[illegible]	AIR-PURIFYING RESP.,	RACAL	08/15/89	N	
[illegible]	LETTERING MACHINE	MAX LETREX	08/11/89	N	
[illegible]	AEROSOL MONITOR, PCR	MIE	08/14/89	N	
[illegible]	PRINTER, DATA LOGGER	OKIDATA	08/14/89	N	
[illegible]	DRILL RIG, MOBILE	MOBILE DRILLING	01/04/88	N	B001
[illegible]	RADIO, TWO-WAY	MOTOROLA	01/02/88	N	G001
696607	RADIO, TWO-WAY	MOTOROLA	01/02/88	N	G003
[illegible]	CHAIR, SIDE	HON	11/23/87	N	
[illegible]	CHAIR, SIDE	HON	11/23/87	N	
696612	LAB KIT, PID	NCP ANALYTICAL	01/29/88	N	D014A
[illegible]	VIDEO RECORDER, VHS	RCA	02/03/88	N	
[illegible]	HCN DETECTOR, MONITO	MDA	01/18/88	N	
696617	PHOSGENE DETECTOR, M	MDA	02/04/88	N	
[illegible]	MONITOX, PHOSGENE	MDA	12/18/87	N	
[illegible]	CALIBRATION KIT, H2S	MDA	12/18/87	N	
[illegible]	GAS GENERATOR, HCN	MDA	03/22/88	N	
[illegible]	GAS GENERATOR, PHOSG	MDA	01/12/88	N	
[illegible]	TRIPOD, CAMERA	SEARS	04/04/88	N	
[illegible]	TRIPOD, CAMERA	SEARS	04/04/88	N	
696624	PSYCHROMETER	BACHARACH	03/23/88	N	D028
696625	LIGHT BOX, DRAFTING	STACOR	11/19/87	N	
696626	FILE CABINET	HON	04/04/88	N	
696627	CABINET, STORAGE	TENNESCO	11/02/87	N	
696628	APR, POWERED, RACAL	RACAL	12/28/87	N	
696630	MONITOX, H2S	MDA	12/18/87	N	Avtex fibers,VA
696631	BOAT, FIBERGLASS	DOLPHIN	04/08/88	N	B002
696632	AUGER, BUCKET	AMS	04/05/88	N	not found
696633	FILE CABINET	COX	05/05/88	N	
696634	PUMP, AIR SAMPLING	SKC	05/05/88	N	D007A
696635	PUMP, AIR SAMPLING	SKC	05/05/88	N	D007C
696636	PUMP, AIR SAMPLING	SKC	05/05/88	N	D007E
696637	PUMP, AIR SAMPLING	SKC	05/05/88	N	D008B
696639	CHARGER, AUTOMATIC	SKC	05/05/88	N	D009H
696640	FLOW METER, DIGITAL	SKC	05/05/88	N	D009G
696641	FILE CABINET	HON	05/03/88	N	

ID #	DESCRIPTION	MANUFACTURER	DATE ACQUIRED	RPR	COMMENTS
[illegible]	DREDGE SAMPLER	WILDCO	06/06/88	N	D033
[illegible]	COOLING VEST	ILC DOVER	07/08/88	N	E056
[illegible]	COOLING VEST	ILC DOVER	07/08/88	N	E057
[illegible]	COOLING VEST	ILC DOVER	07/08/88	N	E058
696646	COOLING VEST	ILC DOVER	07/08/88	N	E059
696647	COOLING VEST	ILC DOVER	07/08/88	N	E060
[illegible]	COOLING VEST	ILC DOVER	07/08/88	N	not found
696649	COOLING VEST	ILC DOVER	07/08/88	N	E062
696650	COOLING VEST	ILC DOVER	07/08/88	N	E063
[illegible]	LIGHT METER	SEKONICS	07/01/88	N	
[illegible]	TRAILER, BOAT	SHORELINE	07/08/88	N	B003
[illegible]	MOTOR, TROLLING	MINN KOTA	07/13/88	N	B002A
[illegible]	COOLING VEST	ILC DOVER	08/09/88	N	
[illegible]	COOLING VEST	ILC DOVER	08/09/88	N	E065
[illegible]	COOLING VEST	ILC DOVER	08/09/88	N	E066
696657	COOLING VEST	ILC DOVER	08/09/88	N	E067
[illegible]	COOLING VEST	ILC DOVER	08/09/88	N	E068
696659	COOLING VEST	ILC DOVER	08/09/88	N	E068
696660	COOLING VEST	ILC DOVER	08/09/88	N	E069
696661	COOLING VEST	ILC DOVER	08/09/88	N	E070
696662	MAP FILE	MAYLINE	08/11/88	N	
696663	MICROWAVE OVEN	SHARP	04/12/88	N	ready to excess
[illegible]	AIR SAMPLER, HI-VOLU	GMW	08/26/88	N	
[illegible]	AIR SAMPLER, HI-VOLU	GMW	08/26/88	N	
[illegible]	AIR SAMPLER, HI-VOLU	GMW	08/26/88	N	
[illegible]	AIR SAMPLER, HI-VOLU	GMW	08/26/88	N	
696669	AIR SAMPLER, HI-VOLU	GMW	08/26/88	N	
696670	PHOTOCOPIER	MITA	08/09/88	N	sold GSA
696672	POWER STRIP, 6-OUTLE	ARCHER	04/01/88	N	D029
696676	FLOW METER, DIGITAL	SKC	05/05/88	N	D009B
696677	CHARGER, AUTOMATIC	SKC	05/05/88	N	D009D
696678	PUMP, AIR SAMPLING	SKC	05/05/88	N	D006C
696679	PUMP, AIR SAMPLING	SKC	05/05/88	N	D008A
696680	PUMP, AIR SAMPLING	SKC	05/05/88	N	D006E
696681	PUMP, AIR SAMPLING	SKC	05/05/88	N	D008D
696682	PUMP, AIR SAMPLING	SKC	05/05/88	N	D007B
696683	CASE, AIR SAMPLING K	SKC	05/05/88	N	D009E
696684	SURGE PROTECTOR	UNKNOWN	05/01/88	N	
696685	CASE, FLOW METER	SKC	05/05/88	N	D009F
696686	SURGE PROTECTOR	UNKNOWN	05/01/88	N	not found
696689	AIR SAMPLER, HI-VOLU	GMW	08/30/88	N	
696690	AIR SAMPLER, HI-VOLU	GMW	08/30/88	N	
696691	AIR SAMPLER, HI-VOLU	GMW	08/30/88	N	
696692	AIR SAMPLER, HI-VOLU	GMW	08/30/88	N	

EPA #	DESCRIPTION	MANUFACTURER	DATE ACQUIRED	RPR	COMMENTS
[illegible]	AIR SAMPLER, HI-VOLU	GMW	08/30/88	N	
[illegible]	BALANCE, TOP LOADING	AMERICAN SCI.	09/02/88	N	D031
[illegible]	GENERATOR, ELECTRIC	YAMAHA	12/15/88	N	
696698	HAND TRUCK, 2-WHEEL	UNKNOWN	06/01/89	N	
696699	RANDOM AEROSOL MONIT	MIE	07/13/89	N	
696700	METEOROLOGICAL STATI	CAMPBELL	07/12/89	N	
696701	METEOROLOGICAL STATI	CAMPBELL	07/12/89	N	
696702	CAMERA, VIDEO	PANASONIC	07/22/89	N	stolen
696703	RANDOM AEROSOL MONIT	MIE	07/13/89	N	
696704	STOCK CART	GRAINGER	11/03/88	N	
696711	TABLE, FOLDING 8'	N/A	08/01/85	N	
[illegible]	COLORIMETRIC G/V TES	DRAEGER	07/26/89	N	
[illegible]	FIELD MICROSCOPE	SWIFT	07/24/89	N	
[illegible]	MAGNETOMETER	EG&G	07/24/89	N	
696745	PUMP, AIR SAMPLING	SKC	07/17/89	N	
696746	PUMP, AIR SAMPLING	SKC	07/17/89	N	
[illegible]	PUMP, AIR SAMPLING	SKC	07/17/89	N	
696748	PUMP, AIR SAMPLING	SKC	07/17/89	N	
696749	PUMP, AIR SAMPLING	SKC	07/17/89	N	
696750	CALIBRATOR, LOW FLOW	SKC	07/17/89	N	
696751	CHARGER, AIR SAMPLER	SKC	07/17/89	N	
696752	VIDEO CASSETTE RECOR	JVC	07/22/89	N	
[illegible]	TV MONITOR/RECEIVER	PANASONIC	07/22/89	N	
[illegible]	SEISMOGRAPH	BISON	07/06/89	N	
[illegible]	EARTH RESISTIVITY ME	BISON	07/06/89	N	
[illegible]	SOUNDING SYSTEM, OFF	BISON	07/06/89	N	
[illegible]	CYLINDER, COMPOSITE	MSA	08/03/89	N	
696758	CYLINDER, COMPOSITE	MSA	08/03/89	N	
696759	CYLINDER, COMPOSITE	MSA	08/03/89	N	
696760	CYLINDER, COMPOSITE	MSA	08/03/89	N	
696761	CYLINDER, COMPOSITE	MSA	08/03/89	N	
696762	PROFILING RECORDER,	GEOPHYS. SURVEY	07/24/89	N	
696763	TRANSDUCER, SUBSURFA	GEOPHYS. SURVEY	07/24/89	N	
696764	VIDEO DISPLAY UNIT	GEOPHYS. SURVEY	07/24/89	N	
696765	TRANSDUCER, SUBSURFA	GEOPHYS. SURVEY	07/24/89	N	
696766	MONITOR, COLOR TV	SAMSUNG	07/24/89	N	
696767	AIR SAMPLER, HI VOL	ANDERSON	07/31/89	N	
696768	AIR SAMPLER, HI VOL	ANDERSON	07/31/89	N	
696769	AIR SAMPLER, HI VOL	ANDERSON	07/31/89	N	
696770	AIR SAMPLER, HI VOL	ANDERSON	07/31/89	N	
696771	AIR SAMPLER, HI VOL	ANDERSON	07/31/89	N	
696772	AIR SAMPLER, HI VOL	ANDERSON	07/31/89	N	
696773	CALIBRATOR, HI VOL	ANDERSON	07/31/89	N	
696774	CALIBRATOR, HI VOL	ANDERSON	07/31/89	N	

EPA #	DESCRIPTION	MANUFACTURER	DATE ACQUIRED	RPR	COMMENTS
696775	CABINET, FLAMMABLES	JUSTRITE	08/03/89	N	
696776	CABINET, FLAMMABLES	JUSTRITE	08/03/89	N	
696777	CABINET, FLAMMABLES	JUSTRITE	08/03/89	N	
696778	EXPLOSIMETER/O2 METE	DRAEGER	08/03/89	N	
696779	EXPLOSIMETER/O2 METE	DRAEGER	08/03/89	N	
696780	RELATIVE HUMIDITY ME	NESTER	07/31/89	N	
696781	RELATIVE HUMIDITY ME	NESTER	07/31/89	N	
696782	MULTITEST METER, ELE	FLUKE	08/03/89	N	
696783	SAMPLER, KEMMERER	KEMMERER	08/01/89	N	
696784	FLASH POINT TESTER	PENSKY MARTEN	08/03/89	N	
696785	ORGANIC VAPOR ANALYZ	FOXBORO	08/04/89	N	
696786	CASCADE AIR LINE SYS	MSA	08/10/89	N	
696787	CASCADE AIR LINE SYS	MSA	08/10/89	N	
696788	LOCATOR, MAGNETIC &	SCHONSTEDT	08/11/89	N	
696789	RADIATION MONITOR	S.E. INT'L	08/14/89	N	
696790	RADIATION MONITOR	S.E. INT'L	08/14/89	N	
696791	SELF-CONTAINED BREAT	MSA	08/03/89	N	
696792	CYLINDER, COMPOSITE	MSA	08/03/89	N	
696793	SELF-CONTAINED BREAT	MSA	08/03/89	N	
696794	CYLINDER, COMPOSITE	MSA	08/03/89	N	
696795	TYPEWRITER, ELECTRIC	IBM	08/08/89	N	
696796	TYPEWRITER, ELECTRIC	IBM	08/08/89	N	
696797	CHAIR, CONFERENCE	HON	08/11/89	N	
696798	CHAIR, CONFERENCE	HON	08/11/89	N	
696799	CHAIR, CONFERENCE	HON	08/11/89	N	
696800	CHAIR, CONFERENCE	HON	08/11/89	N	
696801	CHAIR, CONFERENCE	HON	08/11/89	N	
696802	CHAIR, CONFERENCE	HON	08/11/89	N	
696803	CHAIR, CONFERENCE	HON	08/11/89	N	
696804	BOOKCASE	HON	08/11/89	N	
696805	BOOKCASE	HON	08/11/89	N	
696806	BOOKCASE	HON	08/11/89	N	
696807	BOOKCASE	HON	08/11/89	N	
696808	BOOKCASE	HON	08/11/89	N	
696809	COLORIMETRIC G/V TES	NATIONAL DRAGER	08/14/89	N	Avtex fibers,VA
696810	CHAIR, CONFERENCE	HON	08/11/89	N	
696861	PRINTER	KODAK	05/02/90	N	
696862	PRINTER	KODAK	05/02/90	N	
696863	PRINTER	KODAK	05/02/90	N	
696864	PRINTER	KODAK	05/02/90	N	
696865	PRINTER	KODAK	05/02/90	N	
696866	PRINTER	KODAK	05/02/90	N	
696867	PRINTER	KODAK	05/02/90	N	
696868	PRINTER	KODAK	05/02/90	N	

ITEM #	DESCRIPTION	MANUFACTURER	DATE ACQUIRED	RPR	COMMENTS
[illegible]	PRINTER	KODAK	05/02/90	N	
697001	DATA LOGGER, PORTABL	MIE	08/14/89	N	
697002	PYROMETER, INFRARED	OMEGA ENGINEERI	08/22/89	N	
697003	CARRYING CASE, INSTR	PELICAN	08/30/89	N	Avtex fibers,VA
697004	CARRYING CASE, INSTR	PELICAN	08/30/89	N	
697005	CARRYING CASE, INSTR	PELICAN	08/30/89	N	
697006	CARRYING CASE, INSTR	PELICAN	08/30/89	N	
697007	CARRYING CASE, INSTR	PELICAN	08/30/89	N	
697008	CARRYING CASE, INSTR	PELICAN	08/30/89	N	
697009	CARRYING CASE, INSTR	PELICAN	08/30/89	N	
697010	CARRYING CASE, INSTR	PELICAN	08/30/89	N	
697011	CARRYING CASE, INSTR	PELICAN	08/30/89	N	
697012	CHAIR, SIDE	GLOBE	08/31/89	N	
697013	CHAIR, SIDE	GLOBE	08/31/89	N	
697014	CHAIR, SIDE	GLOBE	08/31/89	N	
697015	CHAIR, SIDE	GLOBE	08/31/89	N	
697016	CHAIR, SIDE	GLOBE	08/31/89	N	
697017	CHAIR, SIDE	GLOBE	08/31/89	N	
697018	CHAIR, SIDE	GLOBE	08/31/89	N	
697019	CHAIR, SIDE	GLOBE	08/31/89	N	
697020	CHAIR, SIDE	GLOBE	08/31/89	N	
724071	MICROCOMPUTER, COMPA	COMPAQ	06/14/90	N	
724072	MICROCOMPUTER, COMPA	COMPAQ	06/14/90	N	
724073	MICROCOMPUTER, COMPA	COMPAQ	06/14/90	N	
724074	MICROCOMPUTER, COMPA	COMPAQ	06/14/90	N	
724075	MICROCOMPUTER, COMPA	COMPAQ	06/14/90	N	
724076	MICROCOMPUTER, COMPA	COMPAQ	06/14/90	N	
724077	MICROCOMPUTER, COMPA	COMPAQ	06/14/90	N	
724084	MICROCOMPUTER, COMPA	COMPAQ	06/14/90	N	
724085	MICROCOMPUTER, COMPA	COMPAQ	06/14/90	N	
724086	MICROCOMPUTER, COMPA	COMPAQ	06/14/90	N	
724111	VEHICLE, 4WD BLAZER,	CHEVROLET	06/12/91	N	
724112	VEHICLE, 4WD BLAZER,	CHEVROLET	06/12/91	N	
724113	TELECOUPLER, PORTABL	COMPUTER PRODUC	10/04/91	N	
724114	TELECOUPLER, PORTABL	COMPUTER PRODUC	10/04/91	N	
724115	TELECOUPLER, PORTABL	COMPUTER PRODUC	10/04/91	N	
724116	TELECOUPLER, PORTABL	COMPUTER PRODUC	10/04/91	N	
724117	TELECOUPLER, PORTABL	COMPUTER PRODUC	10/04/91	N	
724118	TELECOUPLER, PORTABL	COMPUTER PRODUC	10/04/91	N	
724119	VEHICLE, 4WD SUBURBA	CHEVROLET	07/16/91	N	
724120	VEHICLE, 4WD SUBURBA	CHEVROLET	07/16/91	N	
724121	SATELLITE SURVEYOR	TRIMBLE NAVIGAT	12/12/91	N	
724122	SATELLITE, SURVEYOR	TRIMBLE NAVIGAT	12/12/91	N	
724123	HOT PLATE	THERMOLYNE	12/05/91	N	
724124	OVEN, LAB	KOE KOL INDUSTR	12/05/91	N	

ITEM #	DESCRIPTION	MANUFACTURER	DATE ACQUIRED	RPR	COMMENTS
[illegible]	OVEN, LAB	BOEKOL INDUSTRI	12/20/91	N	
[illegible]	OVEN, LAB	TEMPCON	12/12/91	N	
[illegible]	GENERATOR	HONDA	03/30/92	N	
[illegible]	GENERATOR	HONDA	03/30/92	N	
[illegible]	GENERATOR	HONDA	03/30/92	N	
[illegible]	GENERATOR	HONDA	03/30/92	N	
[illegible]	GENERATOR	HONDA	03/30/92	N	
[illegible]	GENERATOR	HONDA	04/07/92	N	
[illegible]	GENERATOR	HONDA	04/07/92	N	
[illegible]	GENERATOR	HONDA	04/07/92	N	
[illegible]	GENERATOR	HONDA	04/07/92	N	
[illegible]	RADIATION ALERT MONI	SE INTERNATIONA	06/29/92	N	
[illegible]	RADIATION ALERT MONI	SE INTERNATIONA	06/29/92	N	
[illegible]	RADIATION ALERT MONI	SE INTERNATIONA	06/29/92	N	
724141	RADIATION ALERT MONI	SE INTERNATIONA	06/29/92	N	
724142	RADIATION ALERT MONI	SE INTERNATIONA	06/29/92	N	
[illegible]	RADIATION ALERT MONI	SE INTERNATIONA	06/29/92	N	
724144	GAS GENERATOR, HCN	COMPUR	07/29/92	N	
724145	GAS GENERATOR, H2S	COMPUR	07/29/92	N	
724322	PROJECTOR, SLIDE	KODAK	02/22/90	N	
724323	PROJECTOR, OVERHEAD	3M	02/22/90	N	
724324	CART, TV/VCR	BRE	02/22/90	N	
724325	PUMP, AIR SAMPLING	GILIAN	02/21/90	N	
[illegible]	PUMP, AIR SAMPLING	GILIAN	02/21/90	N	
[illegible]	PUMP, AIR SAMPLING	GILIAN	02/21/90	N	
[illegible]	PUMP, AIR SAMPLING	GILIAN	02/21/90	N	
[illegible]	PUMP, AIR SAMPLING	GILIAN	02/21/90	N	
[illegible]	PUMP, AIR SAMPLING	GILIAN	02/21/90	N	
724331	GENERATOR, ELECTRICA	HONDA	02/27/90	N	
724332	GENERATOR, ELECTRICA	HONDA	02/27/90	N	
724333	GENERATOR, ELECTRICA	HONDA	02/27/90	N	
724334	GENERATOR, ELECTRICA	HONDA	02/27/90	N	
724335	GENERATOR, ELECTRICA	HONDA	02/27/90	N	
724336	STEAM CLEANER, HIGH	LANDA	02/27/90	N	
724337	BLOOD PRESSURE/PULSE	LABTRON	02/26/90	N	
724338	BLOOD PRESSURE/PULSE	LABTRON	02/26/90	N	
[illegible]	BLOOD PRESSURE/PULSE	LABTRON	02/26/90	N	
724340	FILE CABINET	HON	04/10/90	N	
724341	FILE CABINET	HON	04/10/90	N	
724342	FILE CABINET	HON	04/10/90	N	
724343	FILE CABINET	HON	04/10/90	N	
724344	FILE CABINET	HON	04/10/90	N	
724345	FILE CABINET	HON	04/10/90	N	
724346	FILE CABINET	HON	04/10/90	N	

ERA #	DESCRIPTION	MANUFACTURER	DATE ACQUIRED	RPR	COMMENTS
724347	BOOKCASE	HON	04/10/90	N	
724348	BOOKCASE	HON	04/10/90	N	
724349	BOOKCASE	HON	04/10/90	N	
724350	BOOKCASE	HON	04/10/90	N	
724351	BOOKCASE	HON	04/10/90	N	
724352	DEPTH FINDER	HUMMINGBIRD	05/25/90	N	
724353	METEOROLOGICAL STATI	CAMPBELL SCIENT	06/01/90	N	
724354	RADIO SCANNER, 20-CH	REALISTIC	06/12/90	N	
724355	H2S MONITOR	MDA	07/19/90	N	
724356	H2S DETECTOR	MDA	09/04/90	N	
724357	Plotter, Computer		03/26/90	N	
724358	Digitizer		09/27/90	N	
724359	MICROCOMPUTER	COMPAQ	09/27/90	N	
724360	SCANNER, COMPUTER	HEWLETT PACKARD	09/27/90	N	
724361	STOOL, DRAFTING	UNITED CHAIR	02/07/90	N	
724362	TABLE, DRAFTING LIGH	STACOR	02/07/90	N	
724363	TABLE, WORK	BMC	02/07/90	N	
724364	DOPS PROBE SHIELD, X	COLUMBIA SCIENT	02/28/90	N	
724365	EXTRACTION JACK	AMS	05/24/90	N	
724366	HEAT STRESS MONITOR	METROSONICS	08/08/90	N	
724367	BAR CODE READING UNI	WORTHINGTON	10/15/90	N	
724368	BAR CODE READING UNI	WORTHINGTON	10/15/90	N	
724369	BAR CODE READING UNI	WORTHINGTON	10/15/90	N	
724370	CAMERA, 35 MM	NIKON	12/19/90	N	
724371	HAND PUMP, 1.7"	BRAINARD KILMAN	12/13/89	N	
724372	POCKET DOSIMETER KIT	DOSIMETER CORP.	02/02/90	N	
724373	POCKET DOSIMETER KIT	DOSIMETER CORP.	02/02/90	N	
724374	CHAIR, DESK	HON	01/31/90	N	
724375	CHAIR, DESK	HON	01/31/90	N	
724376	CHAIR, DESK	HON	01/31/90	N	
724377	SHELVING UNIT	RIVET LOCK	03/01/90	N	
724378	SHELVING UNIT	RIVET LOCK	03/01/90	N	
724379	SHELVING UNIT	RIVET LOCK	03/01/90	N	
724380	SHELVING UNIT	RIVET LOCK	03/01/90	N	
724381	GILIBRATOR, HIGH FLO	GILIAN	03/02/90	N	
724382	AIR SAMPLING PUMP	GILIAN	04/16/90	N	
724383	AIR SAMPLING PUMP	GILIAN	04/16/90	N	
724384	AIR SAMPLING PUMP	GILIAN	04/16/90	N	
724385	AIR SAMPLING PUMP	GILIAN	04/16/90	N	
724386	SLUDGE SAMPLER	SOILTEST	03/20/90	N	expendable
724387	PROJECTOR, OVERHEAD	3M	03/05/90	N	
724388	BOOKCASE	BURROUGHS	06/20/90	N	
724389	SERVICING BED, PICKU	CHALLENGER	01/13/92	N	
724389	VEHICLE, 4WD PICKUP,	CHEVROLET	06/06/91	N	

TRACK #	DESCRIPTION	MANUFACTURER	DATE ACQUIRED	RPR	COMMENTS
[illegible]	VEHICLE, SUBURBAN, 1	CHEVROLET	08/01/91	N	
[illegible]	VEHICLE, CONTAINER T	FORD	11/19/90	N	
[illegible]	PLOTTER	HEWLETT-PACKARD	02/13/92	N	
[illegible]	PRINTER, WIDE CARRID	C-ITOH ELECTRON	03/27/92	N	
[illegible]	TABLE, CONFERENCE 8'	UNKNOWN	01/14/92	N	
724426	DRILL MACHINE, HYDRA	GEOPROBE SYSTEM	08/03/92	N	
724427	MONITOX, HCN	COMPUR	07/29/92	N	
724428	GAS GENERATOR, H2S	COMPUR	07/29/92	N	
724429	KEYBOARD, COMPUTER	GATEWAY	08/11/92	N	
[illegible]	COMPUTER, DISK DRIVE	GATEWAY	08/11/92	N	
[illegible]	CAMPER SHELL, PICKUP	ARE	08/02/92	N	
[illegible]	MONITOX, H2S DETECTO	COMPUR	07/29/92	N	
[illegible]	GAS GENERATOR, HCN	COMPUR	07/29/92	N	
[illegible]	MONITOR, COMPUTER	GATEWAY	08/11/92	N	
724435	MONITOX, PHOSGENE DE	COMPUR	07/29/92	N	
724436	COMPUTER	ADVANCED DATA G	02/17/92	N	
724437	PRINTER, PAINT JET X	HEWLETT-PACKARD	02/17/92	N	
724438	DIGITIZER	KURTA	02/19/92	N	
724439	DISK DRIVE, OPTICAL	PANASONIC	02/17/92	N	
724440	MONITOR, COLOR VGA	JVC	02/17/92	N	
724441	Video Projection Pan	PROXIMA	02/28/92	N	
724442	VEHICLE, 4WD PICKUP,	CHEVROLET	06/26/91	N	
724443	SCBA, HIP-AIR	MSA	06/11/92	N	
724444	SCBA, HIP-AIR	MSA	06/11/92	N	
724445	SCBA, HIP-AIR	MSA	06/11/92	N	
724446	SCBA, HIP-AIR	MSA	06/11/92	N	
724447	SCBA, HIP-AIR	MSA	06/11/92	N	
724448	SCBA, HIP-AIR	MSA	06/11/92	N	
724449	SCBA, HIP-AIR	MSA	06/11/92	N	
724450	PRINTER	PANASONIC	07/08/92	N	
724459	MONITOX, HCN	COMPUR	07/29/92	N	
724460	MONITOX, H2S DETECTO	COMPUR	07/29/92	N	
724811	PUMP, WELL	QED	09/11/89	N	
724812	PUMP CONTROLLER	QED	09/11/89	N	
724813	BAILER, TEFLON	NORTON	09/26/89	N	
724814	ULTRASONIC CLEANER	BRANSON	09/27/89	N	
724815	DRILL, HYDRAULIC	ARO	09/07/89	N	
724816	WATER SAMPLER, REMME	WILDCO	08/25/89	N	not found
724817	EMERGENCY LIFE SUPPO	I.S.I.	09/12/89	N	
724818	EMERGENCY LIFE SUPPO	I.S.I.	09/12/89	N	
724819	EMERGENCY LIFE SUPPO	I.S.I.	09/12/89	N	
724820	EMERGENCY LIFE SUPPO	I.S.I.	09/12/89	N	
724821	EMERGENCY LIFE SUPPO	I.S.I.	09/12/89	N	
724822	EMERGENCY LIFE SUPPO	I.S.I.	09/12/89	N	
724823	HEAT STRESS MONITOR	METROSONICS	09/27/89	N	

ID #	DESCRIPTION	MANUFACTURER	DATE ACQUIRED	RPR	COMMENTS
[illegible]	HEAT STRESS MONITOR	METROSONICS	09/27/89	N	
[illegible]	HEAT STRESS MONITOR	METROSONICS	09/27/89	N	
[illegible]	VOC ANALYZER	INTERSCAN	09/07/89	N	
[illegible]	COMPUTER INTERFACE	INTERSCAN	09/07/89	N	
[illegible]	DATA RECORDER	INTERSCAN	09/07/89	N	
724828	H2S ANALYZER	INTERSCAN	09/07/89	N	
[illegible]	DATA RECORDER	INTERSCAN	09/07/89	N	
724831	DUAL-PURPOSE BREATHI	MSA	09/18/89	N	
[illegible]	CYLINDER, COMPOSITE	MSA	09/18/89	N	
724833	DUAL-PURPOSE BREATHI	MSA	09/18/89	N	Avtex fibers,VA
724834	DUAL-PURPOSE BREATHI	MSA	09/18/89	N	
[illegible]	CYLINDER, COMPOSITE	MSA	09/18/89	N	
[illegible]	DUAL-PURPOSE BREATHI	MSA	09/18/89	N	
724837	CYLINDER, COMPOSITE	MSA	09/18/89	N	
[illegible]	CYLINDER, COMPOSITE	MSA	09/18/89	N	
[illegible]	OXYGEN ADMINISTRATOR	LIFE SUPPORT PR	09/27/89	N	
[illegible]	OXYGEN ADMINISTRATOR	LIFE SUPPORT PR	09/27/89	N	
724842	BAILER, TEFLON	NORTON	09/26/89	N	not found
724843	BAILER, TEFLON	NORTON	09/26/89	N	not found
724846	BAILER, TEFLON	NORTON	08/25/89	N	not found
724847	BAILER, TEFLON	NORTON	08/25/89	N	not found
[illegible]	NOISE EXPOSURE METER	ROCOL	10/07/89	N	
[illegible]	NOISE EXPOSURE METER	ROCOL	10/07/89	N	
[illegible]	LIGHT METER	GECONICS	10/09/89	N	
[illegible]	BAILER, STAINLESS ST	JOHNSON	10/11/89	N	
[illegible]	BAILER, STAINLESS ST	JOHNSON	10/11/89	N	
[illegible]	AMBIENT AIR ANALYZER	FOXBORO	10/18/89	N	
[illegible]	DATA LOGGER, AMB. AI	FOXBORO	10/18/89	N	
724859	RADIO, 2-WAY	MOTOROLA	10/27/89	N	
724860	RADIO, 2-WAY	MOTOROLA	10/27/89	N	decal missing
724861	RADIO, 2-WAY	MOTOROLA	10/27/89	N	decal missing
724862	RADIO, 2-WAY	MOTOROLA	10/27/89	N	decal missing
724863	RADIO, 2-WAY	MOTOROLA	10/27/89	N	decal missing
724864	RADIO, 2-WAY	MOTOROLA	10/27/89	N	decal missing
[illegible]	SELF-CONTAINED BREAT	MSA	10/22/89	N	
724866	CYLINDER, COMPOSITE	MSA	10/22/89	N	
724868	CYLINDER, COMPOSITE	MSA	10/22/89	N	
724869	SELF-CONTAINED BREAT	MSA	10/22/89	N	Avtex fibers,VA
724873	SOIL SAMPLING KIT	ARTS MFG & SUPP	11/02/89	N	expendable
724874	CASCADE ASSEMBLY	MSA	10/29/89	N	
724875	CHAIR, DESK	HON	11/14/89	N	
724876	DESK, REGULAR	HON	11/14/89	N	
724877	CHAIR, DESK	HON	11/14/89	N	
724878	CHAIR, DESK	HON	11/14/89	N	

ERA #	DESCRIPTION	MANUFACTURER	DATE ACQUIRED	RPR	COMMENTS
[illegible]	DESK, REGULAR	HON	11/14/89	N	
[illegible]	DESK, REGULAR	HON	11/14/89	N	
[illegible]	BAILER, STAINLESS ST	JOHNSON	10/26/89	N	
[illegible]	HAND PUMP, 1.7"	BRAINARD KILLMA	12/13/89	N	
724883	WATER LEVEL INDICATO	SLOPE INDICATOR	12/18/89	N	
724884	CAMERA, 35MM W/ ZOOM	NIKON	12/22/89	N	
724885	CAMERA, 35MM W/ ZOOM	NIKON	12/22/89	N	
724887	CAMERA, 35MM	NIKON	12/22/89	N	
724888	STREAM BOTTOM SAMPLE	WILDCO	12/27/89	N	
724889	PLANKTON SAMPLER	WILDCO	12/27/89	N	
724890	CAMERA, INSTANT PRIN	POLAROID	12/26/89	N	
[illegible]	HANDTRUCK, 2-WHEEL	VALLEY CRAFT	12/27/89	N	
[illegible]	HANDTRUCK, 2-WHEEL	VALLEY CRAFT	12/27/89	N	
[illegible]	HANDTRUCK, 2-WHEEL	VALLEY CRAFT	12/27/89	N	
[illegible]	RADIATION RATE METER	BICRON	01/23/90	N	
[illegible]	RADIATION RATE METER	BICRON	01/23/90	N	
[illegible]	AIR OUTLET CONNECTIO	WESTERN ENTERPR	11/06/89	N	
724898	CHAIR, DESK	HON	11/15/89	N	
724899	CHAIR, DESK	HON	11/15/89	N	
724900	CAMERA, 35MM	NIKON	12/14/89	N	
724901	CARRYING CASE, CAMER	PELICAN	12/14/89	N	
724902	LENS, TELEPHOTO	PRO	12/14/89	N	
724903	CAMERA, 35MM	NIKON	12/14/89	N	
[illegible]	CARRYING CASE, CAMER	PELICAN	12/14/89	N	
[illegible]	CAMERA, INSTANT PRIN	POLAROID	12/15/89	N	
[illegible]	DESK	HON	12/18/89	N	
724907	FILE CABINET	HON	12/18/89	N	
724908	BOOKCASE	HON	12/18/89	N	
724909	FILE CABINET	HON	12/18/89	N	
724910	BOOKCASE	HON	12/18/89	N	
724911	BOOKCASE	HON	12/18/89	N	
724912	DESK	HON	12/18/89	N	
724913	DESK	HON	12/18/89	N	
724914	FILE CABINET	HON	12/18/89	N	
724915	WATER LEVEL INDICATO	SLOPE INDICATOR	12/19/89	N	
724916	BAILER, 1050 CC	NORWELL	09/01/89	N	
724917	TRIPOD, FIBERGLASS	FORESTRY SUPPLI	09/01/89	N	
724918	TABLE, DRAFTING	MAYLINE	08/24/89	N	
724919	EMERGENCY LIFE SUPPO	I.S.I.	09/15/89	N	
724920	EMERGENCY LIFE SUPPO	I.S.I.	09/15/89	N	
724921	EMERGENCY LIFE SUPPO	I.S.I.	09/15/89	N	
724922	BAILER, 1050 CC	NORWELL	09/22/89	N	
724923	BAILER, 80 CC	NORWELL	09/22/89	N	
724924	BAILER, 80 CC	NORWELL	09/22/89	N	

EPA #	DESCRIPTION	MANUFACTURER	DATE ACQUIRED	RPR	COMMENTS
724921	OXYGEN INHALATOR/RES	UNITED OXYGEN E	09/25/89	N	
724927	CAMERA, INSTANT PRIN	POLAROID	10/03/89	N	
724929	FIRST AID KIT	NORTH	10/05/89	N	ready to excess
724929	BAILER, STAINLESS ST	FORESTRY	10/10/89	N	
724930	BAILER, STAINLESS ST	FORESTRY	10/10/89	N	
724931	LIGHT EXPOSURE METER	SOKONIC	10/09/89	N	
724932	CASCADE SYSTEM	MSA	11/06/89	N	
724933	GROUND PROBE KIT	ARTS MFG & SUPP	11/07/89	N	
724934	PROJECTOR, OVERHEAD	3M	11/20/89	N	
724935	SHELVING UNIT	TENNSCO	12/12/89	N	
724936	SHELVING UNIT	TENNSCO	12/12/89	N	
724937	SHELVING UNIT	TENNSCO	12/12/89	N	
724938	SHELVING UNIT	TENNSCO	12/12/89	N	
724939	PUMP, WELL	GEOSTORE	12/12/89	N	not found
724940	DESK, REGULAR	STYLERITE	12/13/89	N	
724941	CHAIR, DESK	HON	12/13/89	N	
724942	CAMERA, 35MM	NIKON	12/21/89	N	stolen
724943	CAMERA 35MM	NIKON	12/21/89	N	
724944	WATER LEVEL INDICATO	SLOPE IND.	12/22/89	N	
724945	CABINET, STORAGE	TENNSCO	02/07/90	N	
724946	CABINET, STORAGE	TENNSCO	02/07/90	N	
724947	CASE, CATALOG	STEBCO	02/07/90	N	
724948	CASE, CATALOG	STEBCO	02/07/90	N	
724949	CASE, CATALOG	STEBCO	02/07/90	N	
724950	CABINET, MAP CASE	SAFCO	02/07/90	N	
895830	CYLINDER, SCBA, ULTR	MSA	08/01/84	N	
895831	CYLINDER, SCBA, ULTR	MSA	08/01/84	N	
895832	CYLINDER, SCBA, ULTR	MSA	08/01/84	N	
895833	RESPIRATOR, SCBA,ULT	MSA	10/17/85	N	
895834	CYLINDER, SCBA, ULTR	MSA	10/17/85	N	
895835	CYLINDERS, SCBA	MSA	07/31/84	N	
895836	CYLINDER, SCBA, ULTR	MSA	11/20/82	N	
895837	COMPUTER, HARD DISK	IBM	02/20/86	N	
895838	KEYBOARD, COMPUTER	IBM	02/20/86	N	
895839	MONITOR, COMPUTER, M	SYSDYNE	02/20/86	N	
895840	PRINTER, LASERJET	HEWL.-PACK	02/20/86	N	
895841	CARTRIDGE, FONT, TO	HEWL-PACK	02/20/86	N	
895842	COMPUTER,PORTABLE W/	COMPAQ	02/20/86	N	
895843	COMPUTER,PORTABLE W/	COMPAQ	02/20/86	N	
895844	PRINTER,DOT-MATRIX,	PANASONIC	02/20/86	N	
895845	PRINTER,DOT-MATRIX,	PANASONIC	02/20/86	N	
895865	CYLINDER, SCBA, ULTR	MSA	08/01/84	N	
895866	CYLINDERS, SCBA	MSA	08/01/84	N	
895867	CYLINDERS, SCBA	MSA	08/01/84	N	

EPA #	DESCRIPTION	MANUFACTURER	DATE ACQUIRED	RPR	COMMENTS
[illegible]	SWITCH, BLACK BOX	BLACK BOX	02/20/86	N	
[illegible]	CAMERA,35MM	RICOH	03/19/86	N	
[illegible]	RADIATION METER, MIC	LUDLAM MEASUREM	09/02/92	N	
903001	MONITOX, H2S DETECTO	COMPUR	07/29/92	N	
903002	GAS GENERATOR, HCN	COMPUR	07/29/92	N	
903003	MONITOX, HCN	COMPUR	07/29/92	N	
903004	GAS GENERATOR, PHOSG	COMPUR	07/29/92	N	
903005	MONITOX, PHOSGENE DE	COMPUR	07/29/92	N	
903006	GAS GENERATOR, PHOSG	COMPUR	07/29/92	N	
903007	GAS GENERATOR, H2S	COMPUR	07/29/92	N	
903008	MONITOR, 4-GAS	GASTECH	09/18/92	N	
903009	Mercury Analyzer w/Do	JEROME	12/22/92	N	
903010	Vechile, Minivan, 19		04/12/92	N	
903033	GENERATOR, HYDRIDE	BUCK SCIENTIFIC	09/08/92	N	
903034	POWER SUPPLY, SPECTR	BUCK SCIENTIFIC	09/08/92	N	
903035	SPECTROPHOTOMETER, A	BUCK SCIENTIFIC	09/08/92	N	
903036	PRINTER	PANASONIC	12/04/92	N	
903037	PRINTER	PANASONIC	12/04/92	N	
903038	PRINTER	PANASONIC	12/04/92	N	
903039	IMMUNO ASSY KIT	ENSYS	03/19/93	N	
903041	SCANNER/PROGRAMMABLE	REALISTIC	05/20/93	N	
903042	SCANNER/PROGRAMMABLE	REALISTIC	05/20/93	N	
903043	SOIL MOISTURE METER	ROSEMOUNT	06/02/93	N	
[illegible]	CONE PENETROMETER	ELE. INTERNATIO	05/26/93	N	
[illegible]	POCKET PENETROMETER	ELE. INTERNATIO	05/26/93	N	
[illegible]	LEVEL, HAND HELD	SOKKIA	05/26/93	N	
[illegible]	MONITOX DETECTOR, CL	COMPUR	05/26/93	N	
[illegible]	GAS GENERATOR, CL2	COMPUR	05/26/93	N	
903052	MONITOX DETECTOR, CL	COMPUR	05/26/93	N	
903053	GAS GENERATOR, CL2	COMPUR	05/26/93	N	
903054	CELLULAR PHONE	FUJITSU	05/26/93	N	
903055	CELLULAR PHONE	FUJITSU	05/26/93	N	
903056	PH/COND/TEMP METER	CAMBRIDGE SCIEN	05/26/93	N	
903057	PH/COND/TEMP METER	CAMBRIDGE SCIEN	05/26/93	N	
903058	SPECTRACE 9000	TN TECHNOLOGIES	03/01/93	N	
903059	SPECTRACE 9000 PROBE	TN TECHNOLOGIES	03/01/93	N	
903060	DOSIMETER CHARGER	DOSIMETER CORP.	05/25/93	N	
903061	DOSIMETER	DOSIMETER CORP	05/25/93	N	
903062	DOSIMETER	DOSIMETER CORP	05/25/93	N	
903063	DOSIMETER	DOSIMETER CORP	05/25/93	N	
903064	DOSIMETER	DOSIMETER CORP	05/25/93	N	
903065	DOSIMETER CHARGER	DOSIMETER CORP	05/25/93	N	
903066	DOSIMETER	DOSIMETER CORP	05/25/93	N	
903067	DOSIMETER	DOSIMETER CORP	05/25/93	N	

ITEM #	DESCRIPTION	MANUFACTURER	DATE ACQUIRED	RPR	COMMENTS
[illegible]	DOSIMETER	DOSIMETER CORP	05/25/93	N	
[illegible]	DOSIMETER	DOSIMETER CORP	05/25/93	N	
[illegible]	DOSIMETER CHARGER	DOSIMETER CORP	05/25/93	N	
401071	DOSIMETER	DOSIMETER CORP	05/25/93	N	
[illegible]	DOSIMETER	DOSIMETER CORP	05/25/93	N	
[illegible]	DOSIMETER	DOSIMETER CORP	05/25/93	N	
[illegible]	DOSIMETER	DOSIMETER CORP	05/25/93	N	
[illegible]	DOSIMETER CHARGER	DOSIMETER CORP	05/25/93	N	
[illegible]	DOSIMETER	DOSIMETER CORP	05/25/93	N	
[illegible]	DOSIMETER	DOSIMETER CORP	05/25/93	N	
[illegible]	DOSIMETER	DOSIMETER CORP	05/25/93	N	
[illegible]	DOSIMETER	DOSIMETER CORP	05/25/93	N	
[illegible]	Telephone, Cellular		12/07/92	N	
[illegible]	Telephone, Cellular		12/07/92	N	
[illegible]	Telephone, Cellular	Uniden	12/07/92	N	
403094	CAMERA, 35MM	NIKON	01/05/93	N	
[illegible]	CAMERA, 35MM	NIKON	01/05/93	N	
403096	CAMERA, 35MM		01/05/93	N	
403097	CAMERA, 35MM		01/05/93	N	
[illegible]	CAMERA, 35MM		01/05/93	N	
[illegible]	CAMERA, 35MM		01/05/93	N	
[illegible]	PRINTER	PANASONIC	01/05/93	N	
[illegible]	PRINTER	PANASONIC	01/05/93	N	
[illegible]	PRINTER	EPSON	01/05/93	N	
[illegible]	MEGAPHONE		11/01/84	N	
[illegible]	DESK (poor condition			N	added 9/93
[illegible]	SCBA RESPIRATOR	MSA		N	ADDED 9/93
[illegible]	IBM TYPWRITER			N	ADDED 9/93
197358	DESK, SECRETARIAL			N	ADDED 9/93
197378	FIRST AID KIT	ZEE		N	ADDED 9/93
197368	INSTAMATIC CAMERA	VIVITAR		N	ADDED 9/93
197732	SCBA CYLINDER	MSA		N	ADDED 9/93
313664	MSA BATTERY PACK	MSA		N	ADDED 9/93
313669	FIXT FLOW PUMP APR,	MSA		N	ADDED 9/93
[illegible]	COMPUTER TABLE			N	ADDED 9/93
337355	CASCADE KIT			N	ADDED 9/93
[illegible]	CARRY CASE	ZERO HALLIBURTO		N	ADDED 9/93
339169	VEHICLE WINCH	SEARS		N	ADDED 9/93
419696	PRINTER	OKIDATA		N	ADDED 9/93
465721	TABLE			N	ADDED 9/93
466260	CHAIR w/ ARMS, SWIVE			N	ADDED 9/93
466271	CHAIR w/ ARMS, SWIVE			N	added 9/93
511561	35mm CAMERA	KODAK		N	ADDED 9/93
511621	DRAFTING LAMP			N	ADDED 9/93

ID #	DESCRIPTION	MANUFACTURER	DATE ACQUIRED	RPR	COMMENTS
[illegible]	CELLULAR ANTENNA			N	ADDED 9/93
[illegible]	FILE CABINET			N	ADDED 9/93
[illegible]	BLOOD PRESSURE/PULSE			N	ADDED 9/93
[illegible]	RANGE FINDER			N	ADDED 9/93
[illegible]	PRINTER	PANASONIC		N	ADDED 9/93
[illegible]	SKC CHARGER	SKC		N	ADDED
[illegible]	OVA W/ RECORDER	FOXBORO		N	ADDED 9/93
[illegible]	FIELD COMPUTER	COMPAQ		N	ADDED 9/93
[illegible]	WORK TABLE	HON		N	ADDED 9/93
[illegible]	HCN MONITOX	BAYER DIAGNOSTI		N	ADDED 9/93
[illegible]	OVA			N	ADDED 9/93
[illegible]	SKC AUTOMATIC CHARGE	SKC		N	ADDED 9/93
[illegible]	NON SPARKING TOOL KI			N	ADDED 9/93
[illegible]	HEAT STRESS MONITOR			N	ADDED 9/93
[illegible]	PYROMETER	OMEGA		N	ADDED 9/93
[illegible]	MOTOROLA HT600	MOTOROLA		N	ADDED 9/93
[illegible]	INSTAMATIC CAMERA	ROKINON		N	ADDED 9/93
[illegible]	TABLE			N	ADDED 9/93
696704	pH PEN	FISHER SCIENTIF		N	ADDED 9/93
[illegible]	pH PEN	FISHER SCIENTIF		N	ADDED 9/93
[illegible]	2 WAY FM-TRANSCEIVER			N	ADDED 9/93
[illegible]	VOICE OPERATOR 2 WAY			N	ADDED 9/93
[illegible]	VOICE OPERATOR 2 WAY			N	ADDED 9/93
[illegible]	ANALYTICAL BALANCE,	AMERICAN SCI.	05/03/89	N	ADDED 9/93
[illegible]	MHO MICRO PEN	NESTOR INSTRUME		N	ADDED 9/93
[illegible]	FOCUS FREE CAMERA	VIVITAR		N	ADDED 9/93
[illegible]	COMPUTER DISK DRIVE	CURTIS MATHES		N	ADDED 9/93
[illegible]	PRINTER	PANASONIC		N	ADDED 9/93
724457	PRINTER	PANASONIC		N	ADDED 9/93
724636	TRICODER			N	ADDED 9/93
724660	ESC		11/22/93	N	
724844	PLASTIC BAILER			N	ADDED 9/93
724870	SCBA AIR CYLINDER	MSA		N	ADDED 9/93
724886	35mm CAMERA	NIKON		N	ADDED 9/93
903008	MOTOROLA RADIO	MOTOROLA		N	ADDED 9/93
903009	MOTOROLA RADIO	MOTOROLA		N	ADDED 9/93
903010	MOTOROLA RADIO	MOTOROLA		N	ADDED 9/93
903011	2 WAY RADIO	MOTOROLA		N	ADDED 9/93
903012	MOTOROLA RADIO	MOTOROLA		N	ADDED 9/93
903013	MOTOROLA MICRPHONE	MOTOROLA		N	ADDED 9/93
903014	MOTOROLA MICRPHONE	MOTOROLA		N	ADDED 9/93
903015	RADIO CHARGER	MOTOROLA		N	ADDED 9/93
903017	6 WAY RADIO CHARGER			N	ADDED 9/93
903020	VEHICLE, P/U CREW CA	FORD		N	ADDED 9/93

IPA #	DESCRIPTION	MANUFACTURER	DATE ACQUIRED	RPR	COMMENTS
903021	VEHICLE, 4WD P/U, CH	CHEVROLET		N	ADDED 9/93
903022	VEHICLE, SUBURBAN	CHEVROLET		N	ADDED 9/93
903023	VEHICLE, SUBURBAN	CHEVROLET		N	ADDED 9/93
903026	HAZ WASTE FILTRATION			N	ADDED 9/93
903027	pH METER	ORION		N	ADDED 9/93
903027	pH METER			N	ADDED 9/93
903028	2" LEAD SHEILDING			N	ADDED 9/93
903029	PORTABLE PLUS SYSTEM	MCA		N	ADDED 9/93
903030	PMT BASE/PREAM			N	ADDED 9/93
903031	3 X 3 INCH NAI DETEC			N	ADDED 9/93
903032	35mm CAMERA	NIKON		N	ADDED 9/93
903040	PRINTER	PANASONIC		N	ADDED 9/93
903047	3" SURFACE SAMPLER			N	ADDED 9/93
903048	COPIER	XEROX		N	
903049	DIGITAL SCALE BALANC	ACCULAB		N	ADDED 9/93
903050	WEEDEATER			N	ADDED 9/93
903090	PRINTER	PANASONIC		N	ADDED 9/93
903281	8-POSITION TCLP TUMB			N	ADDED 9/93
903703	COMPUTER, COLOR NOTE	NEC	07/13/93	N	ADDED 9/93
903704	15" SUGA MONITOR	NEC	07/13/93	N	ADDED 9/93
903705	ENHANCED KEYBOARD	COMPAQ	07/13/93	N	ADDED 9/93
903706	BATTERY PACK	NEC	08/06/93	N	ADDED 9/93
903707	BATTERY PACK	NEC	08/06/93	N	ADDED 9/93
903708	BATTERY PACK	NEC	08/06/93	N	ADDED 9/93
903709	BATTERY PACK	NEC	08/06/93	N	ADDED 9/93
903710	BATTERY PACK	NEC	08/06/93	N	ADDED 9/93
903711	BATTERY PACK	NEC	08/06/93	N	ADDED 9/93
903712	BATTERY PACK	NEC	08/06/93	N	ADDED 9/93
903713	BATTERY PACK	NEC	08/06/93	N	ADDED 9/93
903714	BATTERY PACK	NEC	08/06/93	N	ADDED 9/93
903715	BATTERY PACK	NEC	08/06/93	N	ADDED 9/93
903716	BATTERY PACK	NEC	08/06/93	N	ADDED 9/93
903717	BATTERY PACK	NEC	08/06/93	N	ADDED 9/93
903718	PAINT JET PRINTER XL	HEWLETT PACKARD	07/13/93	N	ADDED 9/93
903719	DESKJET 1200	HEWLETT PACKARD		N	ADDED 9/93
903720	COLOR NOTEBOOK COMPU	NEC	07/30/93	N	ADDED 9/93
903721	NOTEBOOK POWER SUPPL	NEC	07/30/93	N	ADDED 9/93
903722	NOTEBOOK POWER SUPPL	NEC	07/30/93	N	ADDED 9/93
903723	COLOR NOTEBOOK COMPU	NEC	07/30/93	N	ADDED 9/93
903724	POWER SUPPLY, NOTEBO	NEC	07/30/93	N	ADDED 9/93
903725	COLOR NOTEBOOK COMPU	NEC	07/30/93	N	ADDED 9/93
903726	POWER SUPPLY, NOTEBO	NEC	07/30/93	N	ADDED 9/93
903727	COLOR NOTEBOOK COMPU	NEC	07/30/93	N	ADDED 9/93
903728	POWER SUPPLY, NOTEBO	NEC	07/30/93	N	ADDED 9/93

TRA #	DESCRIPTION	MANUFACTURER	DATE ACQUIRED	RPR	COMMENTS
[illegible]	COLOR NOTEBOOK COMPU	NEC	07/30/93	N	ADDED 9/93
[illegible]	POWER SUPPLY, NOTEBO	NEC	07/30/93	N	ADDED 9/93
[illegible]	COLOR NOTEBOOK COMPU	NEC	07/30/93	N	ADDED 9/93
[illegible]	POWER SUPPLY, NOTEBO	NEC	07/30/93	N	ADDED 9/93
[illegible]	COLOR NOTEBOOK COMPU	NEC	07/30/93	N	ADDED 9/93
903734	POWER SUPPLY, NOTEBO	NEC	07/30/93	N	ADDED 9/93
[illegible]	COLOR NOTEBOOK COMPU	NEC	07/30/93	N	ADDED 9/93
[illegible]	POWER SUPPLY, NOTEBO	NEC	07/30/93	N	ADDED 9/93
903737	COLOR NOTEBOOK COMPU	NEC	07/30/93	N	ADDED 9/93
[illegible]	POWER SUPPLY, NOTEBO	NEC	07/30/93	N	ADDED 9/93
[illegible]	COLOR NOTEBOOK COMPU	NEC	07/30/93	N	ADDED 9/93
[illegible]	POWER SUPPLY,NOTEBOO	NEC	07/30/93	N	ADDED 9/93
[illegible]	COLOR NOTEBOOK COMPU	NEC	07/30/93	N	ADDED 9/93
[illegible]	POWER SUPPLY, NOTEBO	NEC	07/30/93	N	ADDED 9/93
[illegible]	COLOR NOTEBOOK COMPU	NEC	07/30/93	N	ADDED 9/93
903744	POWER SUPPLY, NOTEBO	NEC	07/30/93	N	ADDED 9/93
[illegible]	15" COLOR MONITOR	NEC	07/30/93	N	ADDED 9/93
903746	15" COLOR MONITOR	NEC	07/30/93	N	ADDED 9/93
903747	DOCKING STATION	NEC	07/30/93	N	ADDED 9/93
[illegible]	DOCKING STATION	NEC	07/30/93	N	ADDED 9/93
[illegible]	KEYBOARD, EUROTECH 1	KEYTRONIC	07/30/93	N	ADDED 9/93
[illegible]	KEYBOARD, EUROTECH 1	KEYTRONIC	07/30/93	N	ADDED 9/93
[illegible]	MOUSE	LOGITECH	07/30/93	N	ADDED 9/93
[illegible]	MOUSE	LOGITECH	07/30/93	N	ADDED 9/93
[illegible]	PRINTER, PN48	CITIZEN	07/30/93	N	ADDED 9/93
[illegible]	PRINTER	CITIZEN	07/30/93	N	ADDED 9/93
[illegible]	PRINTER	CITIZEN	07/30/93	N	ADDED 9/93
[illegible]	PRINTER	CITIZEN	07/30/93	N	ADDED 9/93
903757	PRINTER	CITIZEN	07/30/93	N	ADDED 9/93
903758	PRINTER	CITIZEN	07/30/93	N	ADDED 9/93
903759	PRINTER	CITIZEN	07/30/93	N	ADDED 9/93
903760	PRINTER PN48	CITIZEN	07/30/93	N	ADDED 9/93
903761	PRINTER PN48	CITIZEN	07/30/93	N	ADDED 9/93
903762	PRINTER PN48	CITIZEN	07/30/93	N	ADDED 9/93
903763	PRINTER PN48	CITIZEN	07/30/93	N	ADDED 9/93
903764	PRINTER PN48	CITIZEN	07/30/93	N	ADDED 9/93
[illegible]	DOCKING STATION	NEC	07/30/93	N	ADDED 9/93
903766	BATTERY PACK	NEC	07/30/93	N	ADDED 9/93
903767	VHS VIDEO CAMERA	HITACHI	08/27/93	N	ADDED 9/93
[illegible]	REGULATORS (2 STAGE)	AIR PRODUCTS	10/13/93	N	ADDED 10/93
903770	RECREATION VEHICLE	PACE ARROW	10/01/93	N	ADDED 10/93
903771	BOOKCASE	HON	09/30/93	N	ADDED 9/93
903772	BOOKCASE	HON	09/30/93	N	ADDED 9/93
903773	BOOKCASE	HON	09/30/93	N	ADDED 9/93

ECOLOGY & ENVIRONMENT, INC.
EQUIPMENT TRACKING SYSTEM
TOTAL NON-EXPENDABLE INVENTORY

ID #	DESCRIPTION	MANUFACTURER	DATE ACQUIRED	RPR	COMMENTS
[illegible]	BOOKCASE	HON	09/30/93	N	ADDED 9/93
[illegible]	BOOKCASE	HON	09/30/93	N	ADDED 9/93
[illegible]	CONDUTIVITY METER	GEONICS LIMITED	11/19/93	N	
[illegible]	FOLDCORDER	GEONICS LIMITED	11/19/93	N	

FEDERAL EQUIPMENT LISTING AND SUPPLIES

UNITED STATES COAST GUARD;

Marine Safety Office, Galveston
Marine Safety Office,Houston
Marine Safety Office, New Orleans
Marine Safety Office, Port Arthur
Atlantic Area Strike Team

UNITED STATES COAST GUARD RESOURSES

RESPONSE BOATS

MSO GALVESTON

Manufact/Type:	HP:	Crew:	#	Len./Bm./Drft:	Transport:
Alumacraft/John Boat	25-2	2	2	14'/6'/10"	Norm. trail.
Avon/Offshore	70-2	2	1	19'/7'/31"	Norm. trail.
Sealark/Protected water	150	2	1	21'/7'/32.5"	Norm. trail.

MSO HOUSTON

Manufact/Type:	HP:	Crew:	#	Len./Bm./Drft:	Transport:
Alumicraft/John Boat		2	1	12'/4'/10"	Norm. trail.
Alumicraft/John Boat		2	1	14'/5'/10"	Norm. trail.
Boston Whaler/ Protected water	175-2	3	1	27'/10'/21"	Wide trail.
Monarch/Protected water	150	3	1	21'/7'/24"	Norm. trail.
Monarch/Protected water		2	2	27'/7'/18"	Norm. trail.
Unknown/Protected water	308	3	1	32'/12'/3'8"	Wide trail.

BOOM EQUIPMENT

MSO HOUSTON

Manufact/Model:	Type:	Length:	Skirt/Float size:	Conn. type:
Containment Syst/ AFT1	Round	2000'	18"/10"	ASTM
Containment Syst. 12502	Fence	500'	12"/6"	ASTM

MSO GALVESTON

Manufact/Model:	Type:	Length:	Skirt/Float size:	Conn. type:
Performance Boom	Round	2000′	24"/10"	ASTM
Unkown	Fence	5000′	42"20"	

COMMUNICATIONS EQUIPMENT

MSO HOUSTON

Manufact/Model:	Type:	#	Freq:	Band:	Range:	Field Tune:
ICOM/IC-M120	MF	1			15	No
ITT/183499-103	TP	13				No
Macintosh/Hayes/ Gvmt 2400	MOD	1				No
Mita/LOC-550	FAX	1				No
Mitel/Superset 4	TP	3				No
Motorola/ Centracom	MF	1			50	No
Motorola/HT600	PHH	5		VHF-FM	3-5	No
Motorola/MX300-R	MF	6		VHF-FM	3-5	No
Motorola/1HDT5QV2	CP	5				No
PageNet	PAG	8				No
Unisys/Paradyac/ T-48	MOD	1				No
Zigman/ZTX-2090	COM	1				No

MSO GALVESTON

Manufact/Model:	Type:	#	Freq:	Band:	Range:	Field Tune:
AT&T/RHU-84-3	TP	1				No
GTE Mobilnet/ D2J8Q5UM9012	CP	2				No
ICOM/IC-M100	MF	1	Marine	VHF-FM	20	Yes
King/	PHH	2	Marine	VHF-FM	3	Yes

Motorola/	PHH					
Motorola/ Centracom II	MF	1		VHF-FM	20	No
Motorola/HT600	PHH	6		VHF-FM	3	Yes
Motorola/MCX-1000	MF	1	Marine	VHF-FM	20	Yes
Motorola/MX300-R	MF	6	015/6/9	VHF-FM	2	Yes
Motorola/ Page Mart	PAG	12	929.6625		Hstn Ar	No
Murata/E01A1	FAX	1				No
Standard/CNB830	PHH	6	Marine	VHF-FM	3	Yes
SW Bell/Freedom	TP	1				No
SW Bell/SIX 30A	TP	1				No
YAESU/FT-747GX	MF	1	5.320.0	HF		Yes

PUMP EQUIPMENT

MSO HOUSTON

Manufact/Model:	Pump Type:	Drive Type:	Size:	Rate gpm:
Ohler/P-140	Fire	Gasoline	10'drop/2"	140

FIGURE F-I.2
EQUIPMENT SUMMARY BY LOCATION[2]

ITEM-DESCRIPTION	NO. PERSONNEL NEEDED	TEXAS		LOUISIANA				
		GALVESTON	PORT ARANSAS	CAMERON	INTRACOASTAL CITY	HOUMA	GRAND ISLE	VENICE
1. High Volume, Open-Seas Skimmer System (HOSS Barge)	17						1	
a. 72" Open Seas HOSS Boom, Spare 400 Ft		*					1	
2. Fast Response Skimmer System, Model # (On/Trailer)	4-6	#3	#2	#2		#2	#3	
a. Fast Response Skimmer System, Model # (Not on Trailer)	4-6				#1	#2	#2	#1 & #3
b. Oil Storage Barges - 50 BBL					2		2	2
3. Shallow Water Skimmer Vessel with Trailer	3					1	1	1
4. Helicopter Underslung Sprayer - Collectant System, 150 Gallon (HUSS Unit)	3	1	1		1		1	
a. Drum Transport Basket - Sorbent Recovery					1		1	1
b. Collectant, Shell, Oil Herder Drums		4	4		1		1	1
c. Collectant, Exxon Corexit OC-5								
5. Boat Sprayer System	6	1	1				1	1
6. Swiss Delta Suction Skimmer (w/Storage Basket and Hose)	2				1		1	1
7. Hand Skimmer System (w/Storage Basket and Hose)	2	1	1		1		1	1
8. Biological and Chemical Sampling Equipment (w/Trailers)							1	
9. Bird Scarers, Set of 12	2	1	1		2		2	2
10. Waterfowl Rehabilitation Center w/1500 Gal. Tank Skid & 20KW Generator	25-65						1	
a. Bird Cleaning Compound-Polycomplex A-11 Drums							2	
11. Radio System, VHF, Portable (Includes a Single Side Band Set)	4	MAINTAINED AT TOMBA COMMUNICATIONS, MARRERO, LA						
a. Antenna (Directional, for Radio Systems w/200 Ft. of Transmission Line)		1	1					
12. 36" Boom w/Anchoring System	5		1000'				1000'	1000'
13. Expandi 4300 Boom, 750' Sections		2250'	1500'	1500'	1500'	1500'	3750'	3000'
a. Expandi Boom Roto-Pac Unit		1					1	
b. Roto-Table (Extra)							1	
14. Sorbent Material, 3M Brand (Bales of 100 Pads Each)		10	10		7		7	7
15. 60 cfm Air Compressor (Sorbent Recovery)					1		1	1
16. 200 GPM Air Diaphragm Pump, 3"	2						2	
17. 100 GPM Air Diaphragm Pump, 2"	2	1			1		2	1
18. 200 GPM Diesel Centrifugal Trash Pump, Portable 3" x 2" (Wheel Mounted)	2				1		1	1
19. 175 CFM Sullair Compressor							1	
20. Dispersant Handling, Drum Unloading Equipment						1		
21. Dispersant, Exxon 9527 Drums		535 DRUMS MAINTAINED AT EXXON CHEMICAL PLANT IN HOUSTON, TEXAS					10	
22. Dispersant, Bulk, Exxon 9527 (550 Gal. O/S Skid Tanks)		2	2				2	2

[2] This is a sample format for equipment/location summary for the New Orleans area.

FEDERAL EQUIPMENT LISTING AND SUPPLIES

Department of Energy - Strategic Petroleum Reserve

Strategic Petroleum Reserve

The Strategic Petroleum Reserve, operated under contract by Boeing Petroleum Services, Inc., maintains oil pollution response equipment at the Weeks Island site. This equipment is available to the pre-designated federal OSC on a cost reimbursement basis in the event of a spill that exceeds the capabilities of commercial contractors and other resources. This equipment may be obtained by contacting the Department of Energy Project Manager:

Mr. Paul Plaisance, Jr.
686-4478

Mr. Mark Chatelain - (SPR - NOLA, BPS)
686-4830

SPR Equipment

Slurp Skimmers	2
2" Diesel Skimmer Pump	1
23' Flat Bottom Boat (110 HP O/B)	1
22' Aluminum Cruiser (115 HP O/B)	1
Farm Tractor (60 HP)	1
Forklift (10 TON)	1
Trailer Mounted tank (2,500 GAL)	1
Backhoe with Front End Loader	1
Inland Boom w/6" Skirt1,400 Ft.	
Shovels	5
Pitchforks	5
Sorbent Pads	30 Bales
Sorbent Pads	10 Rolls

All equipment cannot be made available due to on-site contingency requirements.

UNITED STATES COAST GUARD

ATLANTIC AREA STRIKE TEAM

EQUIPMENT MANUAL

1991

U.S. Department of Transportation
United States Coast Guard

Commanding Officer
U. S. Coast Guard
Atlantic Area
Strike Team

Aviation Training Center
Mobile, AL 36608-9690
FTS: 537-6601

16465.1
01 MAY 91

U. S. Coast Guard
Atlantic Area Strike Team
Equipment Manual

LETTER OF PROMULGATION

1. Purpose: This Equipment Manual is promulgated to set forth a detailed outline of Atlantic Area Strike equipment available for response to oil and hazardous material incidents.

2. Reference: Availability of equipment of this Manual is governed by the National Contingency Plan (NCP), Coast Guard Marine Safety Manual Volume VI, Chapter 7 (COMDTINST M16000.11), Coast Guard Atlantic Area Directives publications and regulations.

3. Cancellation: This Manual supersedes and cancels the previous Equipment Manual dated 01 December 1988 and all changes thereto.

4. Applicability: A thorough knowledge of this manual is mandatory for all personnel assigned to the Atlantic Area Strike Team and recommended for all units that may require Strike Team services. Equipment identified in this Manual is available to all pre-designated On-Scene Coordinators in accordance with existing directives and regulations. A current inventory of major equipment items described in this manual is attached.

5. Amendments: Changes and/or additions to this Manual will be issued as required.

6. Effective Date: This Manual is effective 29 April 1991.

G. A. WILTSHIRE

Dist: B:a G-MER (3 Copies), B:b, B:c, B:n, C:e, E:n, E:o,
EPA Regions I thru VII
PACAREA STRIKE TEAM (2 Copies)
LANTAREA STRIKE TEAM (40 Copies)

Atlantic Area Strike Team Equipment Inventory April 1991

PUMPS	QTY
Stripper	2
Single Stage	4
Double Stage	5
Thune Eureka	2
TK-5	2
Gormann Rupp	2
Sloane	4
385 Homelite D	3
Bigflow	2
Wilden - Poly	2
- Steel	2
200 GPM Diesel	3
Water Rous	1

PRIME MOVERS	
ADAPTS Type 3	7
VOPS	2
Hydro. Cooler	5

OWOCRS	
Barriers	5
Mooring Sys	2
Retrieval Sys	2
Pump Floats	7
SMSB	1

DRACONES	
Type O 240 K	2
Type F 40 K	3
Type D 10 K	2

OUTBOARDS	
225 HP	3
90 HP	4
50 HP	2
35 HP	9
30 HP	2

COMMUNICATIONS	
MX - 300 R	42
EXPO'S - WP	11
Pagers	42
VOX Headset	8
Repeaters	2
Polaris	21
Scanners	3
ADAPTS Hdsts	7
CB Radios	10
Bone Mics	3
Cellular Phs	6

VEHICLES	QTY
MCP Foldout	1
MCP Travco	1
MCP Trailer	1
GMC Astro	1
White	2
International	1
7.5 Ton	1
5 Ton	1
Chevy 3X3	1
Blazer 4X4	1
Crew Cab 4X4	1
Dodge 4X4	1
Passenger Van	2
Station Wagon	1
ATV	2

TRAILERS	
Tilt Trailer	1
Low Boy-32 Ft	5
Flat Bed-42 Ft	3
Dolly	2
Chem	2
Decon	1
Van Mobilizer	3
Box Trlr-40 Ft	1
Gen/Light	1
Wells Cargo	1
Expandi-Boom	1

BOATS	
32 Ft Munson	1
22 Ft Outrage	1
17 Ft RHIB	1
Avon 15 Ft	7
Jon Boat	1

PALLETS	
ADAPTS-Artic	1
De-watering	1
ADAPTS	1
Support	2
VOPS	1
Lighting	1
Hose	1

FORKLIFT	
6 K LBS	1
20 K LBS	1

MISCELLANEOUS	QTY
Generators	
3.0 KW	3
4.5 KW	2
5 KW 3 ph	2
5.5 KW	1
6 KW	2
10 KW 3 ph	1
Shop Container	1
Salvage Kits	3
OSC Kits	6
Chain Saw	2
Gasoline Winch	1
Mac Computer	5
Telecopier (fax)	3
Aircraft Winch	2
Sample Kits	4
Stokes Litter	2
EMT Kits	5
Oxygen Kit	2
Prtbl Scale	6
Drum Lifter	1
Truck Scales Kit	1
Light Towers	3
Quik Saw	1
VRD	1
Air Compr. I/R	1
Air Compressor	1
Rope Mop	1
Skim Pack	1
Disk Skimmer	1
Interface Meter	2
Survival Suits	11
Expandi-Boom	1800ft

PHOTO EQUIPMENT	
35 mm Auto	8
35 mm Minolta	1
Instant Polaroid	3
VHS Video Cam	2
VCR - VHS	2
VCR - 3/4	1
VCR - Beta	1

E-CITY EQUIPMENT	
OWOCRS	
Barriers	2
Mooring Sys	2
Pump Floats	1
Trailers	
Flat Bed-42 Ft	1
Low Boy-32 Ft	3
Dolly	1
Van Mobilizer	1
ADAPTS Pallet - Artic	
Type 3 Prim Mvr	1
Stripper Pump	1
Sloane Pump	1
Salvage Kit	1
AVON 15 ft	1

CHEM EQUIPMENT	QTY
SCBA's:	
MSA Custom 4500	18
ELSA EEBA's	3
Draeger EEBA's	25
MSA Bottles	43
Respirators:	
Survivair	30
MSA	44

CHEMICAL SUITS	
Fyrepel Viton	8
Fyrepel Butyl	8
Staysafe-PVC	10
ILC Dover-CPE	13
Teflon-5100	16

DETECTORS	
Neotronic Extoxs	2
HNU	6
OVA	5
Scott S-105	4
Draeger Kits	4
Infrared Pyrometer	2
Beta/Gamma	2
PH Meter	6
Gastech 1314	3
Gastech GX-82	5
Gastec GX-86	2
Heat Stress Mntr	2
SKC Sample Pumps	5

COMPRESSORS	
Mako	2
Bauer	1
Booster	1

MISCELLANEOUS CHEM	
Steele Vests	16
Soil Samp Kit	2
Chlorine Kits ABC	3
Decon Shower	2
Vetter System	1
Patch/Plug Kits	4
Weather Station	2
DART Samplers	25
Heat Sealers	3

The Atlantic Area Strike Team (LAST) is one of two teams that make up the U. S. Coast Guard's National Strike Force. We are responsible for providing response support for or on behalf of Federal On-Scene Coordinators (OSC's) in 36 states and the Caribbean. These include 37 Coast Guard OSC's in the coastal zone covering the Atlantic and Gulf coasts, the Caribbean, the Great Lakes, and the Western Rivers and EPA OSC's in the inland zone covering 7 Federal regions (I-VII). The Pacific Area Strike Team provides the support for OSC's in the western United States, Alaska, Hawaii, and the Pacific Islands.

AVAILABLE STRIKE TEAM SUPPORT

The Strike Team is always available to support Coast Guard, EPA, DOD, or DOE OSC's for any emergency response action. This support is not limited to major spill only, We can provide support for spills of any size or cleanups of any duration where the OSC may need our assistance. Strike Team assistance is also available for "non-emergency" removal actions. Since we must continue to maintain a minimum number of people at the unit at all times to respond to "emergencies", assistance for non-emergency cleanups will be provided only to the extent that resources allow. Strike Team assistance can also be provided to State and local response organizations if requested through the cognizant OSC.

Strike Team support to OSC's is divided into two categories: field support and telephone support. Strike Team field support for OSC's has included the following areas:

- On-Scene Technical Assistance
- Site Safety Monitoring
- Air Monitoring and Sampling support
- Cost Documentation
- Field Monitors for Fund-financed responses
- Responsible Party Cleanup Monitoring
- Command Post Organization, Staffing, and Documentation
- Communication support
- Providing cleanup equipment not commercially available or to supplement available equipment
- Providing equipment staged on scene as backup or as a contingency for potential release
- Preliminary assessment of reported releases

Response times to a given area will vary depending on the location of the incident, assistance requested, and the mode of transportation used.

The Strike Team has also provided telephone response support in the following areas:

- Response Methods recommendations
- Chemical Hazard Assessment and research using a number of available on-line computer databases
- CAMEO Air Release Modeling
- Vessel Salvage Assessment using the CG-developed Salvage Assessment Computer Program (a portable computer is also available for field-deployment of this program)
- Dispersant Use Information using the EPA Dispersant Decision Tree Computer Program
- General response support or technical assistance

Response information can be provided to an OSC by telephone (205-639-6601), facsimile machine (205-639-6610), NOAA E-Mail (CGLAST), EPA E-Mail (EPA9359), or MSIS Mailbox (NSFLT).

USE OF STRIKE TEAM EQUIPMENT

To provide this response support, we maintain an extensive inventory of response equipment that is described in this manual. While much of this equipment is used to support Strike Team field activities, some larger equipment items are available for use in cleanup activities. Some of the equipment in our inventory, such as the ADAPTS and VOPS pumping systems, is similar to equipment available through commercial contractors. As a government agency, we are not authorized to compete with these commercial contractors. Our equipment can be used, however, whenever it can be deployed and used in a more timely fashion than available commercial equipment, when a similar piece of equipment cannot be reasonably obtained from commercial sources, or when the use of Strike Team equipment may significantly enhance response actions.

All Strike Team equipment is field deployable over-the-road or via Coast Guard C-130 aircraft (except for Munson workboat and Expandable Command Post). The ADAPTS/VOPS and OWOCRS systems will require logistics support on the receiving end of a deployment. To assist the MSO/COTP with providing the necessary support, we have provided a list of the required items, located on page 1-18 for the ADAPTS/VOPS and page 2-11 for the OWOCRS. Small pieces of equipment and a limited number of personnel may also be able to deploy rapidly via Coast Guard Falcon jets based in Mobile (depending on aircraft availability). Various sections of this manual describe the logistics and support requirements for major equipment items that might be deployed for a response.

FUNDING FOR STRIKE TEAM ASSISTANCE

There has always been a misconception that the OPA Trust Fund or CERCLA funds must be opened before Strike Team support is available. This in not correct. Strike team assistance is available independent of any Federal Fund activation. We are

budgeted to provide response support to OSC's without reimbursement. Although we will provide a summary of our costs incurred during a response, we will not request reimbursement unless our activities on scene are related to Federal removal action or where Strike Team equipment is used to supplement responsible party actions during a cleanup (reimbursement required by Commandant policy). The opening of the appropriate Fund will also likely be necessary when Coast Guard C-130 aircraft are used to transport Strike Team equipment to the scene, however this will not always be the case.

REQUESTING STRIKE TEAM ASSISTANCE

Requests for Strike Team assistance should be made directly to the Atlantic Area Strike Team by phone or message. Our 24-hour phone number is (205) 639-6601 or FTS 537-6601. After working hours, an answering machine will provide the phone number of the Strike team watchstander. If we cannot be contacted through this number, contact National Response Center at (800) 424-8802 and they will forward the information to us. Verbal requests should be confirmed in writing (include in POLREP). Since response support is time-critical, we appreciate early notification any time you believe there might be need for Strike Team assistance. This gives us the opportunity to begin logistics planning, determining CG aircraft availability, etc. before a formal request is made.

TABLE OF CONTENTS

CHAPTER I PUMPING EQUIPMENT

A.	PRIME MOVERS	PG. 1-1
B.	SUBMERSIBLE PUMPS	PG. 1-3
C.	AIR DEPLOYABLE ANTI-POLLUTION TRANSFER SYSTEM (ADAPTS)	PG. 1-7
D.	VISCOUS OIL PUMPING SYSTEM (VOPS)	PG. 1-9
E.	CHEMICAL TRANSFER SYSTEM (TK-5)	PG. 1-10
F.	NON-SUBMERSIBLE PUMPS	PG. 1-12
G.	AIR OPERATED DOUBLE-DIAPHRAGM PUMPS	PG. 1-14
H.	PUMPING SUPPORT EQUIPMENT	PG. 1-16
I.	LOGISTICS REQUIREMENTS	PG. 1-18

CHAPTER II OIL CONTAINMENT & RECOVERY EQUIPMENT

A.	OPEN WATER OIL CONTAINMENT AND RECOVERY SYSTEM (OWOCRS)	PG. 2-1
B.	PORTABLE DRACONE BARGES	PG. 2-7
C.	UNIROYAL SEALED CONTAINER SYSTEM	PG. 2-9
D.	LOGISTICS REQUIREMENTS	PG. 2-11
E.	FAST SURFACE DELIVERY (FSD) SLED	PG. 2-13
F.	EXPANDI HARBOR BOOM	PG. 2-15
G.	SIDE MOUNTED SKIMMING BARRIER (SMSB)	PG. 2-16
H.	ROPE MOP OIL SKIMMER	PG. 2-19
I.	T5 PNEUMATIC DISC SKIMMER	PG. 2-21
J.	SKIM PAK WEIR SKIMMER	PG. 2-22
K.	GT-185 SKIMMER	PG. 2-23

CHAPTER III HAZARDOUS MATERIALS RESPONSE EQUIPMENT

A. PERSONAL PROTECTIVE EQUIPMENT (PPE) PG. 3-1

B. ATMOSPHERE-SUPPLYING BREATHING APPARATUS PG. 3-4

C. AIR PURIFYING RESPIRATORS PG. 3-6

D. BREATHING AIR COMPRESSORS PG. 3-7

E. ENVIRONMENTAL MONITORING EQUIPMENT PG. 3-8

F. SAMPLING EQUIPMENT PG. 3-14

G. EMERGENCY LEAK REPAIR / CONTAINMENT EQUIPMENT PG. 3-15

H. ALL PURPOSE PATCH / PLUGGING EQUIPMENT PG. 3-16

I. VETTER SYSTEM PG. 3-18

J. OVERPACK DRUMS PG. 3-18

K. PCB TEST KITS PG. 3-18

L. LAST REFERENCE LIBRARY PG. 3-19

M. BOOSTER AIR COMPRESSOR PG. 3-20

CHAPTER IV BOATS AND OUTBOARD MOTORS

A. LANTAREA STRIKE TEAM SMALL BOATS PG. 4-1

CHAPTER V VEHICLES

A. COMMAND POSTS PG. 5-1

B. TRACTORS PG. 5-5

C. ALL PURPOSE VEHICLES PG. 5-7

D. LOW BED SEMI-TRAILER PG. 5-11

E. DROP-FRAME SEMI-TRAILER PG. 5-12

F. PERSONNEL DECONTAMINATION TRAILER PG. 5-13

G. LAST SMALL TRAILERS PG. 5-14

H. VAN MOBILIZER PG. 5-15

CHAPTER VI RESPONSE FIELD SUPPORT EQUIPMENT

A. EMERGENCY MEDICAL TECHNICIAN (EMT) SUPPORT KIT PG. 6-1

B. PORTABLE LIGHTING TOWERS PG. 6-2

C. AIR DELIVERY SUPPORT EQUIPMENT PG. 6-3

D. PORTABLE GENERATORS PG. 6-6

E. SUZUKI 4-WHEEL VEHICLES PG. 6-10

F. INGERSOL RAND AIR COMPRESSOR PG. 6-12

G. SALVAGE ASSESSMENT KIT PG. 6-14

H. CONEX BOX (CONTAINER) PG. 6-15

I. PORTABLE WEATHER STATION PG. 6-16

J. OIL / WATER INTERFACE METER PG. 6-17

K. QUICKI-SAW PG. 6-18

CHAPTER VII COMMUNICATIONS

A. LANTAREA STRIKE TEAM COMMUNICATIONS EQUIPMENT PG. 7-1

B. MOUNTED RADIOS PG. 7-3

C. COMPUTERS PG. 7-4

D. TRANSPORTABLE CELLULAR PHONES PG. 7-6

CHAPTER VIII ADMINISTRATION SUPPORT

A. ON SCENE COORDINATOR (OSC) KIT PG. 8-1

B. LAST PHOTO LOCKER PG. 8-2

FACILITY RESPONSE PLANS (FRP)

Listing of all, but not limited to, currently submitted FRP's by State within Region VI.

US ENVIRONMENTAL PROTECTION AGENCY
REGION 6

FACILITY RESPONSE PLAN REVIEW STATUS

DOCKET NUMBER	STATE	FACILITY NAME	NUMBER	PREFIX	NAME	TYPE	SUFFIX	CITY	STATE	ZIP CODE	MAILING NAME	MAILING ADDRESS	CITY	STATE	ZIP CODE
FRP-06-LA-00015	LA	VENICE									L AND L OIL COMPANY	P O BOX 174	VENICE	LA	70091-
FRP-06-LA-00016	LA	HENRY GAS PROCESSING PLANT						ERATH	LA		TEXACO	RT. 1 BOX 356	ERATH	LA	70533-
FRP-06-LA-00017	LA	LAKE CHARLES CHEMICAL PLANT			OLD SPANISH TRAIL			WESTLAKE	LA	70669-	VISTA CHEMICAL CO.	P O BOX 727	WESTLAKE	LA	70669-
FRP-06-LA-00018	LA	NELSON STATION	3400		HOUSTON RIVER	RD		WESTLAKE	LA	70669-	GULF STATES UTILITIES, INC.	ROY S NELSON STATION,P O BOX 429	WESTLAKE	LA	70669-
FRP-06-LA-00019	LA	SUNSHINE OIL & STORAGE, OUACHITA TERMINAL NORTH TANK BATTERY						MONROE	LA	71202-	DAWSON PETROLEUM PRODUCTS	P O BOX 310	RUSTON	LA	71273-
FRP-06-LA-00020	LA	GRAND BAYOU OPERATIONS	875		HIGHWAY 70			BELLE ROSE	LA	70391-	THE DOW CHEMICAL CO.	P O BOX 150	PLAQUE MINE	LA	70765-0150
FRP-06-LA-00021	LA	ARCADIA TERMINAL			HIGHWAY 80			ARCADIA	LA	71001-	CITGO PETROLEUM CORPORATION	P O BOX 3758	TULSA	OK	74102-
FRP-06-LA-00022	LA	MC HUGH NO. 1 FACILITY									COLUMBIA GAS DEVELOPMENT CORPORATION	ONE RIVERWAY, P O BOX 1350	HOUSTON	TX	77251-1350
FRP-06-LA-00023	LA	WELL NO. D-1 PRODUCTION FACILITY									P G AND G RESOURCES COMPANY	6688 N. CENTRAL EXPRESSWAY, STE #1000	DALLAS	TX	75206-3922
FRP-06-LA-00024	LA	BERWICK TERMINAL	3700		FRONT	ST		BERWICK	LA	70091-	L AND L OIL CO., INC.	3421 N. CAUSEWAY BLVD., STE # 502	METAIRIE	LA	70002-
FRP-06-LA-00025	LA	GARDEN ISLAND BAY PRODUCTION FACILITY									P G AND E RESOURCES CO.	6688 N. CENTRAL EXPRESSWAY, ATE # 1000	DALLAS	TX	75206-3922
FRP-06-LA-00026	LA	MANILA VILLAGE FIELD #1									P G AND E RESOURCES OFFSHORE COMPANY	6688 N. CENTRAL EXPRESSWAY, STE # 1000	DALLAS	TX	75296-3922
FRP-06-LA-00027	LA	WELL NO. 1 PRODUCTION FACILITY									P G AND E RESOURCES COMPANY	6688 N. CENTRAL EXPRESSWAY, STE # 1000	DALLAS	TX	75206-3922
FRP-06-LA-00028	LA	RIVER RIDGE (KENNER) FACILITY	100		FLORIDA	ST		RIVER RIDGE	LA	70062-	L AND L OIL COMPANY, INC.	3421 N. COUSEWAY BLVD., ste # 502	METAIRIE	LA	70002-
FRP-06-LA-00029	LA	CROWN POINT FACILITY									L AND L OIL COMPANY, INC.	3421 N. CAUSEWAY BLVD., STE # 502	METIARIE	LA	70002-
FRP-06-LA-00030	LA	DELETED DOCKET, PER DON KLUTH, 4/28/93									DELETED DOCKET, PER DON KLUTH, 4/28/93				
FRP-06-LA-00031	LA	AMELIA FACILTY			LAKE FALOURDE	RD		AMELIA	LA	70340-	L AND L OIL CO., INC.	3421 N. CAUSEWAY BLVD., STE # 502	METRAIRIE	LA	70002-
FRP-06-LA-00032	LA	INTRACOASTAL CITY FACILITY			LA HIGHWAY 333			INTRACOASTAL CITY	A		L AND L OIL COMPANY, INC.	3421 N. CAUSEWAY BLVD., STE # 502	METAIRIE	LA	70002-

US ENVIRONMENTAL PROTECTION AGENCY
REGION 6

FACILITY RESPONSE PLAN REVIEW STATUS

DOCKET NUMBER	STATE	FACILITY NAME	NUMBER	PREFIX	NAME	TYPE	SUFFIX	CITY	STATE	ZIP CODE	MAILING NAME	MAILING ADDRESS	CITY	STATE	ZIP CODE
FRP-06-LA-00033	LA	FORT FOURCHON FACILITY			A J ESTAY	RD		FORT FOURCHON	LA	70357-	L AND L OIL COMPANY, INC.	3421 N. CAUSEWAY BLVD-STE #502	METAIRIE	LA	70002-
FRP-06-LA-00034	LA	MORGAN CITY FACLITY	3205		YOUNGS	RD		MORGAN CITY	LA	70384-	L AND L OIL CO., INC.	3421 N. CAUSEWAY BLVD., STE # 502	METAIRIE	LA	70002-
FRP-06-LA-00035	LA	TRANS STATION - LAKE RACCOURCI FIELD									M W PETROLEUM CO.	1116 COOLIDGE BLVD., P O BOX 51188	LAFAYETTE	LA	70503-
FRP-06-LA-00036	LA	NEW ORLEANS TERMINAL	2701		RICHLAND	AVE		METAIRIE	LA	70001-	MOBIL OIL CORP.	P O BOX 3647	BEAUMONT	LA	77704-
FRP-06-LA-00037	LA	PETROLEUM FUEL AND TERMINAL CO.			L A HWY 44		S	MT AIRY	LA	70076-	PETROLEUM FUEL AND TERMINAL CO.	P O BOX 128	FORT ALLEN	LA	70767-
FRP-06-LA-00038	LA	LAKE CHARLES REFINERY	4401		HIGHWAY 108			LAKE CHARLES	LA	70601-	CITGO PETRO CORP.	P O BOX 1562	LAKE CHARLES	LA	70602-
FRP-06-LA-00039	LA	GRAND RIVER TERMINAL	60300		SHELL OIL FIELD	RD		WHITE CASTLE	LA	70788-	SHELL WESTERN W AND P INC.	P O BOX 576	HOUSTON	LA	77001-
FRP-06-LA-00040	LA	WEST LAKE ERRET BARGE LOADING FAC									SHELL WESTERN E AND P	P O BOX 576	HOUSTON	TX	77001-
FRP-06-LA-00041	LA	TEBONE FRACTIONATION PLANT			HIGHWAY 75			GEISMAR	LA	70734-	SHELL WESTERN E AND P INC.	P O BOX 576	HOUSTON	TX	77001-
FRP-06-LA-00042	LA	MERAUX REFINERY	2500	E	ST BERNARD	HWY		MERAUX	LA	70075-	MURPHY OIL USA, INC.	BOX100	MERAUX	LA	70075-
FRP-06-LA-00043	LA	HOUMA FIELD FACILITY	1301		DUNN	ST		HOUMA	LA	70360-	PHIBRO ENERGY USA, INC.	500 DALLAS AVE, STE # 3200	HOUSTON	TX	77002-4709
FRP-06-LA-00044	LA	DULAC FACILITY	7168		SHRIMPERS ROW			DULAC	LA		PHIBRO ENERGY USA, INC.	500 DALLAS AVE., STE # 3200	HOUSTON	TX	77002-
FRP-06-LA-00045	LA	INTRACOASTAL CITY FACILITY			HIGHWAY 333			ABBEVILLE	LA		PHIBRO ENERGY USA, INC.	500 DALLAS AVE., STE # 3200	HOUSTON	TX	77002-4709
FRP-06-LA-00046	LA	GRETNA FACILITY	1125		4 TH	ST		HARVEY	LA	70058-	PHIBRO ENERGY USA, INC.	500 DALLAS, STE # 3200	HOUSTON	TX	77002-4709
FRP-06-LA-00047	LA	RIGOLETS FIELD FACLITY									AQUILA ENERGY RESOURCES	10370 RICHMOND AVE, STE # 700	HOUSTON	TX	77042-4137
FRP-06-LA-00048	LA	BAYOU DULARGE PRODUCTION FACILITY									BADGER OIL CORP	1001 W. PINHOOK, BUILDING ONE, STE # 104	LAFAYETTE	LA	70503-
FRP-06-LA-00049	LA	VERMILLION ZZ "A" OFFSHORE BARGE LOADING PLATFORM									CONOCO INC.	400 E. KALISTE SALOOM RD.	LAFAYETTE	LA	70508-
FRP-06-LA-00050	LA	FORT ALLEN REFINERY	1940		LOUSIANA HWY		N	FORT ALLEN	LA	70767-	PLACID REFINING COMPANY	1940 HIGHWAY # 1 NORTH	FORT ALLEN	LA	70767-
FRP-06-LA-00051	LA	WEEKS ISLAND FIELD									THE STONE PRTOLEUM CORPORATION	710 HUGH WALLIS ROAD	LAFAYETTE	LA	70508-
FRP-06-LA-00052	LA	SE PASS FIELD PRODUCTION FACILITY									VINTAGE PETROLEUM, INC.	3639 AMBASSADOR CAFFERY, STE # 320	LAFAYETTE	LA	70503-

US ENVIRONMENTAL PROTECTION AGENCY
REGION 6

FACILITY RESPONSE PLAN REVIEW STATUS

DOCKET NUMBER	STATE	FACILITY NAME	NUMBER PREFIX	NAME	TYPE SUFFIX	CITY	STATE	ZIP CODE	MAILING NAME	MAILING ADDRESS	CITY	STATE	ZIP CODE
FRP-06-LA-00053	LA	T RAINOLD SWD S#1 TRANSFER FACILITY							THE STONE PETROLEUM CORPORATION	710 HUGH WALLIS ROAD	LAFAYETTE	LA	70508-
FRP-06-LA-00054	LA	POINT A LA HACHE PRODUCTION FACILITY							BASS ENTERPRIZES PRODUCTION COMPANY	3850 N. CAUSEWAY BLVD. STE # 1900	METAIRIE	LA	70002-
FRP-06-LA-00055	LA	SMITH HEIRS #6 AND T RAINOLD #2 TRANSFER FACILITY							THE STONE PETROLEUM CORPORATION	710 HUGH WALLIS ROAD	LAFAYETTE	LA	70508-
FRP-06-LA-00056	LA	SMITH #2 TRANSFER FACILITY							THE STONE PETROLEUM CORPORATION	710 HUGH WALLIS ROAD	LAFAYETTE	LA	70508-
FRP-06-LA-00057	LA	GRAVOLET #2 PROD FACILITY							BASS ENTERPRISES PRODUCTION CO.	3850 N. CAUSEWAY BLVD.	METAIRIE	LA	70002-
FRP-06-LA-00058	LA	EAST BLOCK 41 FIELD PRODUCTION FAC.							GRIGSBY PETROLEUM, INC.	401 EDWARDS STREET-SUITE 1915	SHREVEPORT	LA	71101-5556
FRP-06-LA-00059	LA	B-1 AND B-1D WELLS PROD FACILITY							VINTAGE PETROLEUM COMPANY	3639 AMBASSADOR CAFFEY,	LAFAYETTE	LA	70503-
FRP-06-LA-00060	LA	COX BAY FIELD PROD FACILITY							BASS ENTERPRISES PRODUCTION COMPANY	3959 N. CAUSEWAY, STE # 1900	METIARIE	LA	70002-
FRP-06-LA-00061	LA	J CHAPLAIN ET AL WELL PRODUCTION FACILITY							DEVON ENERGY CORPORATION	1500 MID AMERICA TOWER, 20 N. BROADWAY	OKLAHOMA CITY	LA	73102-
FRP-06-LA-00062	LA	EAST STUARDS BLUFF FIELD							DENOVO OIL AND GAS, INC.	P O BOX 4394	HOUSTON	TX	77210-
FRP-06-LA-00063	LA	BULK STORAGE FACILITY	9284	CASTER LANDING	-	JENNINGS	LA	70546-	CITGO PIPELINE COMPANY	P O BOX 3758	TULSA	LA	74102-
FRP-06-LA-00064	LA	BULK STORAGE FACILITY WEST GUEYDAN							CITGO PIPELINE COMPANY	P O BOX 3758	TULSA	OK	74102-
FRP-06-LA-00065	LA	CANAL PLANT	272	CABOT	LN	FRANKLIN	LA	70538-	CABOT CORPORATION	P O BOX 598	FRANKLIN	LA	70538-
FRP-06-LA-00066	LA	GIBSON TERMINAL		HIGHWAY 90		GIBSON	A		SHELL OIL COMPANY	P O BOX 86	GIBSON	LA	70356-
FRP-06-LA-00067	LA	BLACK BAYOU TERMINAL							SHELL OIL COMPANY	P O BOX 6026	LAKE CHARLES	LA	70606-
FRP-06-LA-00068	LA	HAYMARK TERMINAL							SHELL OIL COMPANY	P O BOX 6026	LAKE CHARLES	LA	70606-
FRP-06-LA-00069	LA	EUGENE ISLAND PRODUCTION							SHELL OIL COMPANY	P O BOX 86	GIBSON	LA	70356-
FRP-06-LA-00070	LA	GRAND RIVER TERMINAL							SHELL OIL COMPANY	P O BOS 86	GIBSON	LA	70356-
FRP-06-LA-00071	LA	TRANSAMERICAN REFINING CORPORATION							TRANSAMERICAN REFINING CORPORATION	POST OFFICE DRAWER 537	NORCO	LA	70079-

US ENVIRONMENTAL PROTECTION AGENCY
REGION 6

FACILITY RESPONSE PLAN REVIEW STATUS

DOCKET NUMBER	STATE	FACILITY NAME	NUMBER	PREFIX	NAME	TYPE	SUFFIX	CITY	STATE	ZIP CODE	MAILING NAME	MAILING ADDRESS	CITY	STATE	ZIP CODE
FRP-06-LA-00072	LA	BASTIAN BAY FIELD FACILITY									TENNESSEE GA PIPELINE	P O BOX 2511	HOUSTON	TX	77252-
FRP-06-LA-00073	LA	FOUSTINA PLANT	9959		LA 18			ST JAMES	LA	70086-9000	AGRICO CHEMICAL COMPANY	9959 LA 18	ST JAMES	LA	70086-
FRP-06-LA-00074	LA	OPELOUSAS, LOUISIANA LIGHT PRODUCTS TERMINAL			L A HIGHWAY 182	S					CHEVRON USA PRODUCTS COMPANY	1301 MC KINNEY STREET	HOUSTON	TX	77210-
FRP-06-LA-00075	LA	GRAND ISLE FACILITY			HIGHWAY 1			GRAND ISLE	LA	70358-	EXXON COMPANY, USA	P O BOX 61707	NEW ORLEANS	LA	70161-1707
FRP-06-LA-00076	LA	PLAQUEMINE PLANT - BLOCK 110 TANK FARM			LA HIGHWAY 1			PLAQUEMINE	LA	70764-	THE DOW CHEMICAL COMPANY	P O BOX 150	PLAQUMMINE	LA	70765-0150
FRP-06-LA-00077	LA	ST JAMES - ERGON OIL PURCHASING	7405		HIGHWAY 18			ST JAMES	LA	70086-	ERGON-ST. JAMES, INC.	P O BOX 23028	JACKSON	MS	39225-3028
FRP-06-LA-00078	LA	HELL HOLE BAYOU FIELD									CNG PRODUCING COMPANY	CNG TOWER,1450 POYDRAS ST	NEW ORLEANS	LA	70112-6000
FRP-06-LA-00079	LA	MARRERO TERMINAL									AMERICA HESS CORPORATION	12901 AMERICAN PETROLEUM ROAD	GALENA PARK	TX	77547-
FRP-06-LA-00080	LA	VENICE FIELD OFFICE FACILITY									PHIBRO ENERGY USA, INC.	500 DALLAS AVE. STE # 3200	HOUSTON	TX	77002-4709
FRP-06-LA-00081	LA	OCCIDENTAL CHEMICAL CORPORATION	7377		HIGHWAY 3214			CONVENT	LA	70723-	OCCIDENTAL CHEMICAL CORPORATION	7377 HIGHWAY 3214	CONVENT	LA	70723-
FRP-06-LA-00082	LA	KENNER FACILITY	143		FIREHOUSE	DR		KENNER	LA	70062-	SHELL OIL COMPANY	143 FIREHOUSE DRIVE	KENNER	LA	70062-
FRP-06-LA-00083	LA	METAIRIE PLANT	309		JEFFERSON HIGHWAY			JEFFERSON	LA	70121-	SHELL OIL COMPANY	P O BOX 7400	MATAIRIE	LA	70010-
FRP-06-LA-00084	LA	HOUMA CRUDE OIL TERMINAL	1001		CRESENT	BLVD		HOUMA	LA	70360-	FALCO SRD, INC	1001 CRESENT BLVD	HOUMA	LA	70360-
FRP-06-LA-00085	LA	ARCADIA TERMINAL			US HIGHWAY 80		E	ARCADIA	LA	71001-	CHEVRON USA, PRODUCTS CO.	1301 MC KINNEY ST	HOUSTON	TX	77210-
FRP-06-LA-00086	LA	MERMENTAU RIVER LOADING FACILITY			FEDERAL HIGHWAY 190		W	MERMENTAU	LA	70556-	ENRON GAS AND PIPELINE COMPANY	P O BOX 1188	HOUSTON	TX	77251-1188
FRP-06-LA-00087	LA	RIVERSIDE GAS PROCESSING PLANT									ENRON PIPELINE GROUP	P O BOX 1188	HOUSTON	TX	77251-1188
FRP-06-LA-00088	LA	ST JAMES TERMINAL									DOT - S.P.R. MNGMT. OFFICE	900 COMMERCE ROAD EAST	NEW ORLEANS	LA	70123-
FRP-06-LA-00089	LA	P M A G PRODUCTS, INC.	660		LABAUVE (RIVER ROAD)	DR		WESTWEGO	LA	70094-	P M A G PRODUCTS, INC.	660 LABAUVE (RIVER ROAD) DR	WESTWEGO	LA	70094-
FRP-06-LA-00090	LA	BATON ROUGE PLANT	1981	S	WESTPORT	DR					CASTROL INC.	1981 S WESTPORT DR	FORT ALLEN	LA	70767-
FRP-06-LA-00091	LA	CHURCH POINT, LA PLANT									CANAL REFINING CO.	P O BOX 8	CHURCH POINT	LA	70525-

US ENVIRONMENTAL PROTECTION AGENCY
REGION 6

FACILITY RESPONSE PLAN REVIEW STATUS

DOCKET NUMBER	STATE	FACILITY NAME	NUMBER	PREFIX	NAME	TYPE	SUFFIX	CITY	STATE	ZIP CODE	MAILING NAME	MAILING ADDRESS	CITY	STATE	ZIP CODE
FRP-06-LA-00092	LA	LEEVILLE AND FIELD FACILITY									WHITING PETROLEUM CORP.	1700 BROADWAY, STE #2300	DENVER	CO	80290-
FRP-06-LA-00093	LA	NOT OPA PLAN. PCB SITE INVESTIGATION									NOT OPA PLAN. PCB SITE INVESTIGATION				-
FRP-06-LA-00094	LA	BAYOU BLACK TERMINAL	4711-A		BAYOU BLACK	DR		GIBSON	LA	70356-	TRANSCO LIQUIDS CO.	9821 KATY FREEWAY, P O BOX 1047	HOUSTON	TX	77251-1047
FRP-06-LA-00095	LA	CHALMETTE REFINERY	500	W	ST BERNARD	HWY		CHALMETTE	LA	70044-	MOBIL OIL CORP.	P O BOX 1007	CHALMETTE	LA	70044-
FRP-06-LA-00096	LA	DUAL DRILLING RIG 41									DUAL DRILLING COMPANY	1030 CRUSE AVE.	BROUSSARD	LA	70518-
FRP-06-LA-00097	LA	EAST CAMERON BLK #17									MERRICO	1000ENERGY CENTER, P O BOX 8490	ARDMORE	OK	73402-
FRP-06-LA-00098	LA	PINEHILL MILL	300		WILLIAMS LAKE	RD		PINEVILLE	LA	71360-	INTERNATIONAL PAPER COMPANY	P O BOX 5900	PINEVILLE	LA	71361-5870
FRP-06-LA-00099	LA	CO-CODRIE FUEL STORAGE FACILITY									TEXACO EXPLORATION AND PRODUCTION, INC.	P O BOX 60252	NEW ORLEANS	LA	70160-
FRP-06-LA-00100	LA	LOUISIANA MILL	705		COLLIERS	LN		BASTROP	LA	71220-	INTERNATIONAL PAPER	P O BOX 312	BASTROP	LA	71221-0312
FRP-06-LA-00101	LA	MANSFIELD MILL			HIGHWAY 509			MANSFIELD	LA	71052-	INTERNATIONAL PAPER	P O BOX 999	MANSFIELD	LA	71052-
FRP-06-LA-00102	LA	GRAND ISLE BASE			HIGHWAY 1			GRAND ISLE	LA		FREEPORT-MC MORAN	1615 POYDRAS STREET	NEW ORLEANS	LA	70112-
FRP-06-LA-00103	LA	LIEBERMAN PLANT	11730		LA HIGHWAY 538			MOORINGSPORT	LA	71060-	SOUTHWESTERN ELECTRIC POWER COMPANY	P O BOX 21106	SHREVEPORT	LA	71156-
FRP-06-LA-00104	LA	ST JAMES TERMINAL									KOCH GATHERING SYSTEMS, INC.	P O BOX 135	ST JAMES	LA	70086-0135
FRP-06-LA-00105	LA	KUNTZ #4 & UNMANNES FACILITY									KELLY OIL CORP.	1610 JEFFERSON STREET, STE #1100	HOUSTON	TX	77002-
FRP-06-LA-00106	LA	BAYOU PENCHANT & UNMANNED FACILITY									KEYSTONE C/O BRAMMER ENGINEERING, INC.	333 TEXAS ST SUITE 1325	SHREVEPORT	LA	71101-5323
FRP-06-LA-00107	LA	ORANGE GROVE FACILITY #1									KELLEY OIL CORP. C/O BRAMMER ENGINEERING,INC.	333 TEXAS ST SUITE 1325	SHREVEPORT	LA	71101-5323
FRP-06-LA-00108	LA	HUMPHRIES #1									KELLEY OIL CORP. C/O BRAMMER ENGINEERING,INC	333 TEXAS ST SUITE 1325	SHREVEPORT	LA	71101-
FRP-06-LA-00109	LA	COFFEE BAY									GOODRICH OIL CO. - BRAMMER ENGINEERING INC	333 TEXAS ST SUITE 1325	SHREVEPORT	LA	71101-5323
FRP-06-LA-00110	LA	KINGSRIDGE FACILITY									GOODRICH OIL CO. - BRAMMER ENGINEERING	333 TEXAS ST SUITE 1325	SHREVEPORT	LA	71101-5323
FRP-06-LA-00111	LA	COMMINGLING FACILITY #2									KELLEY OIL CORP. - BRAMMER ENGINEERING	333 TEXAS ST SUITE 1325	SHREVEPORT	TX	71101-5323
FRP-06-LA-00112	LA	BERGMAN #1 OR ORANGE GROVE #3									KELLEY OIL CORP. - BRAMMER ENGINEERING	333 TEXAS ST SUITE 1325	SHREVEPORT	LA	71101-5323

US ENVIRONMENTAL PROTECTION AGENCY
REGION 6

FACILITY RESPONSE PLAN REVIEW STATUS

DOCKET NUMBER	STATE	FACILITY NAME	NUMBER	PREFIX	NAME	TYPE	SUFFIX	CITY	STATE	ZIP CODE	MAILING NAME	MAILING ADDRESS	CITY	STATE	ZIP CODE
FRP-06-LA-00113	LA	WYKIE #5 OR ORANGE GROVE #4									KELLEY OIL CORP. - BRAMMER ENGINEERING	333 TEXAS ST SUITE 1325	SHREVEPORT	LA	71191-5323
FRP-06-LA-00114	LA	BRYAN TERMINAL BUILDING									GREATER BATON ROUGE AIRPORT DISTRICT	SUITE 212 RYAN TERMINAL BUILDING	BATON ROUGE	LA	70807-
FRP-06-LA-00115	LA	EASTLAKE OILS, INC	604	N	ENTERPRISE	BLVD		LAKE CHARLES	LA	70601-	EASTLAKE OILS, INC	604 N ENTERPRISE BLVD	LAKE CHARLES	LA	70601-
FRP-06-LA-00116	LA	WEEKS ISLAND TERMINAL			HIGHWAY 83		W	WEEKS ISLAND	LA	70561-	SHELL OIL CO.	P O BOX 86	GIBSON	LA	70356-
FRP-06-LA-00117	LA	LAKE WASHINGTON FACILITY									THE LOUISIANA LAND AND EXPLORATION COMPANY	909 POYDRAS STREET, P O BOX	NEW ORLEANS	LA	
FRP-06-LA-00118	LA	MESQUITO BAY CENTRAL TANK BATTERY									AMAX OIL AND GAS	1300 W. SAM HOUSTON	HOUSTON	TX	
FRP-06-LA-00119	LA	WESTWEGO TERMINAL	106		BRIDGE CITY	AVE					PAKTANK CORP.	2000 WEST LOOP SOUTH, SUITE 2200	HOUSTON	TX	77027-
FRP-06-LA-00120	LA	VERMILION BLOCK 16 FACILITY									FINA OIL AND CHEMICAL CO	14950 HEATHROW FOREST PKWY	HOUSTON	TX	77032-
FRP-06-LA-00121	LA	CAMERON PLANT			HWY 80			CAMERON	LA	70631-	TRANSCO LIQUIDS CORPORATION	P O BOX 1047	HOUSTON	TX	77251-1047
FRP-06-LA-00122	LA	DELCAMBRE OIL STORAGE AND TRANSFER FACILITY	317		COURNY	DR		DEL CAMBRE	LA	70528-	ENRON OIL TRADING AND TRANSPORTATION	P O BOX 1188	HOUSTON	TX	77251-1188
FRP-06-LA-00123	LA	LAFEYOUSE FIELD PRODUCTION FACILITY									PENNZOIL COMPANY	P O BOX 51843	LAFAYETTE	LA	70505-
FRP-06-LA-00124	LA	SOUTH PASS BLOCK 6 FIELD PRODUCTION FACILITY									PENNZOIL COMPANY	P O BOX	LAFAYETTE	LA	70505-
FRP-06-LA-00125	LA	SALT BAY TRANSFER FACILITY									THE LOUISIANA LAND AND EXPLORATION CO.	909 POYDRAS STREET	NEW ORLEANS	LA	70160-
FRP-06-LA-00126	LA	WEST DEER ISLAND FACILITY									THE LOUISIANA LAND AND EXPLORATION CO.	909 POYDRAS STREET	NEW ORLEANS	LA	70160-
FRP-06-LA-00127	LA	EAST BAY BRISTLE FACILITY									THE LOUISIANA LAND AND EXPLORATION CO.	909POYDRAS STREET	NEW ORLEANS	LA	70160-
FRP-06-LA-00128	LA	MANILA VILLAGE FACILITY									THE LOUISIANA LAND AND EXPLORATION CO.	909 POYDRAS STREET	NEW ORLEANS	LA	70160-
FRP-06-LA-00129	LA	BAYOU RAPHAEL FACILITY									THE LOUISIANA LAND AND EXPLORATION CO.	909 POYDRAS	NEW ORLEANS	LA	70160-
FRP-06-LA-00130	LA	LIVETTE FIELD PRODUCTION FACILITY									PENNZOIL COMPANY	P O BOX 51843	LAFAYETTE	LA	70505-
FRP-06-LA-00131	LA	LARGE FIELD PRODUCTION FACILITY									PENNZOIL COMPANY	P O BOX 51843	LAFAYETTE	LA	70505-

US ENVIRONMENTAL PROTECTION AGENCY
REGION 6

FACILITY RESPONSE PLAN REVIEW STATUS

DOCKET NUMBER	STATE	FACILITY NAME	NUMBER	PREFIX	NAME	TYPE	SUFFIX	CITY	STATE	ZIP CODE	MAILING NAME	MAILING ADDRESS	CITY	STATE	ZIP CODE
FRP-06-LA-00132	LA	CHANDELEUR SOUND BLOCK S 1									THE LOUISIANA LAND AND EXPLORATION CO.	909 POYDRAS	NEW ORLEANS	LA	70160-
FRP-06-LA-00133	LA	QUARANTINE BAY FIELD FACILITY									PENNZOIL COMPANY	P O BOX 51843	LAFAYETTE	LA	70505-1843
FRP-06-LA-00134	LA	BAYOU RAMBIO FIELD PRODUCTION FACILITY									PENNZOIL COMPANY	P O BOX 51843	LAFAYETTE	LA	70505-
FRP-06-LA-00135	LA	DEEP LAKE FIELD PRODUCTION FACILITY									PENNZOIL COMPANY	P O BOX 51843	LAFAYETTE	LA	70505-1813
FRP-06-LA-00136	LA	NORCO MANUFACTURING COMPLEX	1205		RIVER	RD		NORCO	LA	70079-	SHELL OIL COMPANY	P O BOX 10	NORCO	LA	70079-
FRP-06-LA-00137	LA	DIXIE INN WOODYARD									INTERNATIONAL PAPER	P O BOX 1127	SPRINGHILL	LA	
FRP-06-LA-00138	LA	TAFT FACILITY									OCCIDENTAL CORPORATION	LA HWY 3142	HAHNVILLE	LA	70057-
FRP-06-LA-00139	LA	SPRINGHILL CONTAINER PLANT									INTERNATIONAL PAPER	3000 SOUTH ARKANSAS STREET	SPRINGHILL	LA	71075-
FRP-06-LA-00140	LA	DEER ISLAND FIELD									SONAT EXPLORATION COMPANY	4 GREENWAY PLAZA	HOUSTON	TX	77210-4792
FRP-06-LA-00141	LA	GARYVILL REFINERY									MARATHON OIL CO.	P O BOX AC	GARYVILLE	LA	70051-0849
FRP-06-LA-00142	LA	FORT ALLEN FACILITY	995		ERNEST WILSON	RD		FORT ALLEN	LA	70767-0128	PETROLEUM FUEL AND TERMINAL COMPANY	P O BOX 128	FORT ALLEN	LA	70767-
FRP-06-LA-00143	LA	DULAC FACILITY	6598		GRAND CANYON	RD		DULAC	LA	70353-	L AND L OIL COMPANY, INC.	3421 N. CAUSEWAY BLVD, STE # 502	METAIRIE	LA	70002-
FRP-06-LA-00144	LA	DUPLICATE													
FRP-06-LA-00145	LA	CAMERON FACILITY			LA HWY 27			CAMERON	LA	70631-	L AND L OIL COMPANY, INC.	3421 N. CAUSEWAY BLVD., STE 502	METAIRIE	LA	70002-
FRP-06-LA-00146	LA	VENICE BASE			MC DERMOTT	RD		VENICE	LA	70091-	FREEPORT-MC MORAN INC.	P O BOX 61119	NEW ORLEANS	LA	70161-
FRP-06-LA-00147	LA	ALLIANCE REFINERY									BP OIL CO.	P O BOX 395	BELL & CHASE	LA	70037-0395
FRP-06-LA-00148	LA	LAKE CHARLES LAB PLANT	2501		HOUSTON RIVER	RD		WESTLAKE	LA	70669-	VISTA CHEMICAL COMPANY	HOUSTON RIVER RD.	WESTLAKE	LA	70667-
FRP-06-LA-00149	LA	SHREVEPORT YARD	1130		COMMERCE	STR		SHREVEPORT	LA	71101-	SOUTHERN PACIFIC TRANSPORTATION COMPANY	1515 ARAPAHOE ST STE # 840	DENVER	CO	80202-
FRP-06-LA-00150	LA	AVONDALE YARD	100		AVONDALE GARDEN	RD		AVONDALE	LA	70094-	SOUTHERN PACIFIC TRANSPORTATION COMPANY	1515 ARAPAHOE ST STE # 840	DENVER	CO	80202-
FRP-06-LA-00151	LA	LAKE CHARLES REFINERY	2200		OLD SPANISH	TL		LAKE CHARLES	LA	70669-	CONOCO, INC	P O BOX 37	WESTLAKE	LA	70669-
FRP-06-LA-00152	LA	LAYFAYETTE YARD	210		JOHNSTON	ST		LAFAYETTE	LA	70501-	SOUTHERN PACIFIC TRANSPORTATION COMPANY	1515 ARAPAHOE ST STE # 840	DENVER	CO	80202-

US ENVIRONMENTAL PROTECTION AGENCY
REGION 6

FACILITY RESPONSE PLAN REVIEW STATUS

DOCKET NUMBER	STATE	FACILITY NAME	NUMBER	PREFIX	NAME	TYPE	SUFFIX	CITY	STATE	ZIP CODE	MAILING NAME	MAILING ADDRESS	CITY	STATE	ZIP CODE
FRP-06-LA-00153	LA	LAKE CHARLES YARD	100	S	SHATTUCK	ST		LAKE CHARLES	LA	70601-	SOUTHERN PACIFIC TRANSPORTATION COMPANY	1515 ARAPAHOE ST STE # 840	DENVER	CO	80202-
FRP-06-LA-00154	LA	GRAND ISLE FACLILITY									EXXON PIPELINE COMPANY	P O BOX 2220	HOUSTON	TX	77252-2220
FRP-06-LA-00155	LA	COUGHLIN POWER STATION			HWY 106			ST LANDRY	LA	71367-0070	CENTRAL LOUSIANA ELECTRIC CO., INC	P O BOX 5000	PINEVILE	LA	71361-5000
FRP-06-LA-00156	LA	IVANHOE PLANT			HWY 83			LOUISA	LA	70538-	DEGUSSA CORPORATION	P O BOX 9320	NEW IBERIA	LA	70562-9320
FRP-06-LA-00157	LA	HARVEY	3540		RIVER	RD		HARVEY	LA	70059-	DELTA COMMODITIES	P O BOX 581	HARVEY	LA	70059-
FRP-06-LA-00158	LA	AVONDALE TANK TERMINAL	5450		RIVER	RD		AVONDALE	LA	70094-	INTERNATIONAL MATEX TERMINALS	321 ST CHARLES AVE	NEW ORLEANS	LA	70130-
FRP-06-LA-00159	LA	HARVEY TANK TERMINAL	1145		4 TH	ST		HARVEY	LA	70058-	INTERNATIONAL MATEX TERMINALS	321 ST CHARLES AVE	NEW ORLEANS	LA	70130-
FRP-06-LA-00160	LA	MOLASSES LIQUID PRODUCTS DIVISION									CARGILL INCORPORATED	P O BOX 9300	MINNEAPOLIS	MN	55440-
FRP-06-LA-00161	LA	ST MARTIN PARISH SCHOOL BOARD									ANADARKO PETROLEUM CORPORATION	P O BOX 1330	HOUSTON	TX	77251-1320
FRP-06-LA-00162	LA	LOUISIANA LONGWOOD YARD #204									INTERNATIONAL PAPER	P O BOX 312	BASTROP	LA	71221-
FRP-06-LA-00163	LA	LAKE RACCOURCI STA #1									EXXON COMPANY USA	P O BOX 61707	NEW ORLEANS	LA	70161-1707
FRP-06-LA-00164	LA	BILLY CAMP FIELD PRODUCTION FACILITY									HUNT OIL COMPANY	FOUNTAIN PLACE, 1445 ROSS	DALLAS	TX	85202-2785
FRP-06-LA-00165	LA	TAFT FACILITY	7760		RIVER	RD.		HAHNVILLE	LA	70057-	AGRICO CHEMICAL CO.	7760 RIVER RD	HAHNVILLE	LA	70057-
FRP-06-LA-00166	LA	DELACROIX CORP #1 WELL - DELCOUR FIELD									BASS ENTERPRISES, INC.	3850 NORTH CAUSEWAY STE #1900	METAIRIE	LA	70002-
FRP-06-LA-00167	LA	SONNEBORN DIVISION FACILITY	1805		FOURTH			HARVEY	LA	70058-	WITCO CORPORATION	P O BOX 308	GRENTNA	LA	70054-
FRP-06-LA-00168	LA	J. CHAFLAIN ET AL #1 WELL AND PRODUCTION FACILITY									DEVON ENERGY CORPORATION	1500 MID AMERICA TOWER,20 NORTH BROADWAY	OKLAHOMA CITY	OK	73102-
FRP-06-LA-00169	LA	CAMINADA MINE									FREEPORT-MC MORAN, INC.	1615 POYDRAS ST	NEW ORLEANS	LA	70161-
FRP-06-LA-00170	LA	PORT SULPHUR OPERATIONS									FREEPORT-MC MORAN, INC.	1615 POYDRAS ST	NEW ORLEANS	LA	70161-
FRP-06-LA-00171	LA	ARCADIA LOUISIANA TERMINAL									EXXON COMPANY USA	P O BOX 549	ARCADIA	LA	71001-
FRP-06-LA-00172	LA	BATON ROUGE TERMINAL	1315		MENGAL	RD		BATON ROUGE	LA	70807-	CHEVRON USA PRODUCTS CO.	1301 MC KINNEY ST	HOUSTON	TX	77210-

US ENVIRONMENTAL PROTECTION AGENCY
REGION 6

FACILITY RESPONSE PLAN REVIEW STATUS

DOCKET NUMBER	STATE	FACILITY NAME	NUMBER	PREFIX	NAME	TYPE	SUFFIX	CITY	STATE	ZIP CODE	MAILING NAME	MAILING ADDRESS	CITY	STATE	ZIP CODE
FRP-06-LA-00173	LA	HARVEY TERMINAL/WAREHOUSE TERMINAL CEMENT PLANT	701		DESTREHAN			HARVEY	LA	70058-	FREEPORT-MC MORAN INC.	1615 POYDRAS ST.	NEW ORLEANS	LA	70161-
FRP-06-LA-00174	LA	MERAUX LOUISIANA	2600	E	ST BERNARD	HWY		MERAUX	LA	70075-	CHEVRON USA, PRODUCTS CO.	1301 MC KINNEY ST	HOUSTON	LA	77210-
FRP-06-LA-00175	LA	WESTLAND-SHREVE PORT	2740		VALLEYVIEW	DR		SHREVEPORT	LA	71108-	WESTLAND OIL CO., INC	P O BOX 8098	SHREVEPORT	LA	71108-
FRP-06-LA-00176	LA	BULK STORAGE FACILITY									CITGO PIPELINE CO.	P O BOX 3785	TULSA	OK	74102-
FRP-06-LA-00177	LA	LOUISIANA PLANT									STAR ENTERPRISE	P O BOX 37	CONVENT	LA	70723-
FRP-06-LA-00178	LA	BATON ROUGE TERMINAL									ERGON OIL PURCHASING	P O BOX 1308	JACKSON	MS	39215-1308
FRP-06-LA-00179	LA	IBERIA FIELD'S 4-TANK BATTERY FACILITIES									ESTATE OF WILLIAM G. HELIS	912 WHITNEY BANK BUILDING, 228 ST CH AVE	NEW ORLEANS	LA	70130-
FRP-06-LA-00180	LA	KOCH GATHERING SYSTEMS, INC									KOCH GATHERING SYSTEMS, INC	P O BOX 135	ST JAMES	LA	70086-0135
FRP-06-LA-00181	LA	COCODRIE ST LANDRY GAS PROCESSING PLANT									LIG-LIQUIDS CORPORATION	P O BOX 100	ST LANDRY	LA	71367-
FRP-06-LA-00182	LA	ADDIS									OCCIDENTAL CHEMICAL CORPORATION	P O BOX 8	ADDIS	LA	70710-
FRP-06-LA-00183	LA	PLAQUEMINE GAS PROCESSING PLANT									LIG-LIQUIDS CORP	P O BOX 100	ST LANDRY	LA	71367-
FRP-06-LA-00184	LA	AYMOND GAS PROCESSING PLANT									LIG-LIQUIDS CORP.	P O BOX 100	ST LANDRY	LA	71367-
FRP-06-LA-00185	LA	GIBSON GAS PROCESSING PLANT									LIG-LIQUIDS CORPORATION	P O BOX 100	ST LANDRY	LA	71367-
FRP-06-LA-00186	LA	CHALKLEY TERMINAL									KOCH GATHERING SYSTEMS, INC.	P O BOX 135	ST JAMES	LA	70086-0135
FRP-06-LA-00187	LA	KEWANEE TERMINAL									KOCH GATHERING SYSTEMS, INC.	P O BOX 135	ST JAMES	LA	70086-0135
FRP-06-LA-00188	LA	BAYOU BLUE TERMINAL									KOCH GATHERING SYSTEMS, INC.	P O BOX 135	ST JAMES	LA	70086-0135
FRP-06-LA-00189	LA	BIG LAKE TERMINAL									KOCH GATHERING SYSTEMS, INC.	P O BOX 135	ST JAMES	LA	70086-0135
FRP-06-LA-00190	LA	EAST BAY CENTRAL FACILITY									SHELL OIL CORPORATION	P O DRAWER 350	EMPIRE	LA	70050-
FRP-06-LA-00191	LA	GEISMAR PLANT									SHELL OIL COMPANY	P O BOX 500	GEISMAR	LA	70734-
FRP-06-LA-00192	LA	WILLOW GLEN POWER STATION									GULF STATES UTILITIES	P O BOX 65	ST GABRIEL	LA	70776-

US ENVIRONMENTAL PROTECTION AGENCY
REGION 6

FACILITY RESPONSE PLAN REVIEW STATUS

DOCKET NUMBER	STATE	FACILITY NAME	NUMBER	PREFIX	NAME	TYPE	SUFFIX	CITY	STATE	ZIP CODE	MAILING NAME	MAILING ADDRESS	CITY	STATE	ZIP CODE
FRP-06-LA-00193	LA	SUNSHINE TERMINAL	1725		HIGHWAY	75					PETROUNITED TERMINALS, INC.	333 CLAY STREET SUITE 4300	HOUSTON	LA	77002-
FRP-06-LA-00194	LA	ARCO II TERMINAL									KOCH GATHERING SYSTEMS, INC.	P O BOX 135	ST JAMES	LA	70086-0135
FRP-06-LA-00195	LA	HODGE LA MILL									STONE CONTAINER CORP.	CALLER SERVICE # 3700, MILL STREET	HODGE	LA	71247-
FRP-06-LA-00196	LA	LAKE CHARLES, LA FACILITY									PPG INDUSTRIES, INC	CHEMICALS POST OFFICE BOX 10000	LAKE CHARLES	LA	70602-
FRP-06-LA-00197	LA	DUAL DRILING #91									DUAL DRILLING COMPANY	1030 CRUSE AVE	BROUSSARD	LA	70518-
FRP-06-LA-00198	LA	DOW CHEMICAL #1 AND #10									PETRO-GUARD COMPANY, INC	5858 WESTHEIMER, STE #400	HOUSTON	TX	77057-
FRP-06-LA-00199	LA	SCHWING #78 AND #10									PETRO-GUARD COMPANY, INC.	5858 WESTHEIMER, STE #400	HOUSTON	TX	77057-
FRP-06-LA-00200	LA	ERATH TERMINAL									KOCH GATHERING SYSTEMS, INC.	P O BOX 135	ST JAMES	LA	70086-0135
FRP-06-LA-00201	LA	LAKE HERMITAGE FACILITY						FORT SULPHUR	LA	70083-	HILCORP ENERGY JOINT VENTURE	1000 LOUISIANA - SUITE 3600	HOUSTON	TX	77002-
FRP-06-LA-00202	LA	PECAN ISLAND FACILITY			FRONTAGE	ROAD		PECAN ISLAND	LA	70543-	EXXON COMPANY, USA	PO BOX 61707	NEW ORLEANS	LA	70161-1707
FRP-06-LA-00203	LA	PECAN GROVE TANK FARM			HWY	108		LAKE CHARLES	LA	70602-	CITGO PIPELINE COMPANY	PO BOX 3758	TULSA	OK	74102-
FRP-06-LA-00204	LA	TANK FARM			TANK FARM	ROAD	W	LAKE CHARLES	LA	70606-	CALCASIEU REFINING COMPANY	PO DRAWER 6028	LAKE CHARLES	LA	70606-
FRP-06-LA-00205	LA	SOUTHEAST AVERY ISLAND PRODUCTION FACILITY							LA		BHP PETROLEUM	5847 SAN FELIPE SUITE 3600	HOUSTON	TX	77057-
FRP-06-LA-00206	LA	FRESH WATER BAYOU FIELD							LA		UNOCAL CORP., ENERGY RES. DIV.	1018 HARDING ST.	LAFAYETTE	LA	70503-
FRP-06-LA-00207	LA	WEST WHITELAKE FIELD							LA		UNOCAL CORP., ENERGY RES. DIV.	1018 HARDING ST.	LAFAYETTE	LA	70503-
FRP-06-LA-00208	LA	EAST WHITE LAKE FIELD							LA		UNOCAL CORP., ENERGY RES. DIV.	1018 HARDING ST.	LAFAYETTE	LA	70503-
FRP-06-LA-00209	LA	BIG BAYOU PIDGEON FIELD							LA		UNOCAL CORP., ENERGY RES. DIV.	1018 HARDING ST.	LAFAYETTE	LA	70503-
FRP-06-LA-00210	LA	OILS SWEET LAKE FACILITY							LA		UNOCAL CORP., ENERGY RES. DIV.	1018 HARDING ST.	LAFAYETTE	LA	70503-
FRP-06-LA-00211	LA	MYETTE POINT SOUTH FIELD							LA		UNOCAL CORP., ENERGY RES. DIV.	1018 HARDING ST.	LAFAYETTE	LA	70503-
FRP-06-LA-00212	LA	BAYOU DULARGE FIELD							LA		EXXON COMPANY, USA	PO BOX 61707	NEW ORLEANS	LA	70161-1707
FRP-06-LA-00213	LA	LAKE PAGIE FIELD							LA		UNOCAL CORP., ENERGY RES. DIV.	1018 HARDING ST.	LAFAYETTE	LA	70503-
FRP-06-LA-00214	LA	BAYOU LONG FIELD							LA		UNOCAL CORP., ENERGY RES. DIV.	1018 HARDING ST.	LAFAYETTE	LA	70503-
FRP-06-LA-00215	LA	LAKE GERO FACILITY							LA		LOUISIANA LAND AND EXPLORATION CO.	909 POYDRAS ST.	NEW ORLEANS	LA	70112-

US ENVIRONMENTAL PROTECTION AGENCY
REGION 6

FACILITY RESPONSE PLAN REVIEW STATUS

DOCKET NUMBER	STATE	FACILITY NAME	NUMBER	PREFIX	NAME	TYPE	SUFFIX	CITY	STATE	ZIP CODE	MAILING NAME	MAILING ADDRESS	CITY	STATE	ZIP CODE
FRP-06-LA-00216	LA	LAKE HATCH FACILITY							LA		LOUISIANA LAND AND EXPLORATION CO.	909 POYDRAS ST.	NEW ORLEANS	LA	70112-
FRP-06-LA-00217	LA	ATCHAFALAYA BAY PRODUCTION FACILITY							LA		AMERADA HESS CORP.	PO BOX 51754	LAFAYETTE	LA	70505-1754
FRP-06-LA-00218	LA	ELOI BAY STORAGE PLATFORM							LA		ENRON OIL TRADING & TRANS.	PO BOX 1188	HOUSTON	TS	77251-1188
FRP-06-LA-00219	LA	JONESVILLE OIL STORAGE AND TRANSFER							LA		ENRON OIL TRADING & TRANS.	PO BOX 1188	HOUSTON	TX	77251-1188
FRP-06-LA-00220	LA	VALENTINE OIL STORAGE AND BARGE FACILITY							LA		ENRON OIL TRADING & TRANS.	PO BOX 1188	HOUSTON	TX	77251-1188
FRP-06-LA-00221	LA	NORCO, LA TERMINAL	1601		RIVER	ROAD		NORCO	LA	70079-0157	GATX TERMINALS CORPORATION	1601 RIVER ROAD	NORCO	LA	70079-0157
FRP-06-LA-00222	LA	MALLARD BAY PRODUCTION FACLILTY							LA		AMERADA HESS CORPORATION	PO BOX 51754	LAFAYETTE	LA	70505-1754
FRP-06-LA-00223	LA	LAC BLANC PRODUCTION AND STORAGE FACILITY							LA		AMERADA HESS CORPORATION	PO BOX 51754	LAFAYETTE	LA	70505-1754
FRP-06-LA-00224	LA	GARDEN CITY PRODUCTION AND STORAGE FACILITY							LA		AMERADA HESS CORPORATION	PO BOX 51754	LAFAYETTE	LA	70505-1754
FRP-06-LA-00225	LA	SOUTH BARATARIA PRODUCTION AND STORAGE FACILITY						LAFITTE	LA		AMERADA HESS CORPORATION	PO BOX 51754	LAFAYETTE	LA	70505-1754
FRP-06-LA-00226	LA	LAKE CHICOT PRODUCTION AND STORAGE FACILITY							LA		AMERADA HESS CORPORATION	PO BOX 51754	LAFAYETTE	LA	70505-1754
FRP-06-LA-00227	LA	MURPHY LAKE PRODUCTION FACILITY							LA		AMERADA HESS CORPORATION	PO BOX 51754	LAFAYETTE	LA	70505-1754
FRP-06-LA-00228	LA	TERMINAL AND TRANSPORT						GARYVILLE	LA		MARATHION OIL COMPANY	539 S.MAIN ST.	FINDLAY	OH	45840-3296
FRP-06-LA-00229	LA	GIBESTOWN TERMINAL			STATE HWY 27			GIBESTOWN	LA		CONOCO INC.	400 E. KALISTE SALOOM RD. / PO BOX 51266	LAFAYETTE	LA	70505-
FRP-06-LA-00230	LA	TWO PIPELINE FACILITIES (CAMERON PARISH)							LA		CONOCO, GULF. DIV.	400 E. KALISTE SALOOM RD. / PO BOX 51266	LAFAYETTE	LA	70505-

US ENVIRONMENTAL PROTECTION AGENCY
REGION 6

FACILITY RESPONSE PLAN REVIEW STATUS

DOCKET NUMBER	STATE	FACILITY NAME	NUMBER	PREFIX	NAME	TYPE	SUFFIX	CITY	STATE	ZIP CODE	MAILING NAME	MAILING ADDRESS	CITY	STATE	ZIP CODE
FRP-06-LA-00231	LA	UNCLE SAM PLANT			BANK RIVER RD,HWY 44		E	UNCLE SAM	LA	70792-9999	AGRICO CHEMICAL CO.	BANK RIVER RD,HWY 44 E	UNCLE SAM	LA	70792-9999
FRP-06-LA-00232	LA	TANK BATTERY NO. 1, GRAND BAY FIELD							LA		HENRY PRODUCTION CO.	PO BOX 53492	LAFAYETTE	LA	70505-
FRP-06-LA-00233	LA	GRAND ISLE SHOREBASE TERMINAL							LA		CONOCO INC.	400 E. KALISTE SALOOM RD. / PO BOX 51266	LAFAYETTE	LA	70505-
FRP-06-LA-00234	LA	WILLIAMS INC.							LA		APACHE CORPORATION	2000 POST OAK BLVD., SUITE 100	HOUSTON	TX	77056-4400
FRP-06-LA-00235	LA	WILLIAMS WELLS 1,2,3,4							LA		APACHE CORPORATION	2000 POST OAK BLVD., SUITE 100	HOUSTON	TX	77056-4400
FRP-06-LA-00236	LA	PETERMAN NO. 1,2,3							LA		LINDER OIL AND GAS	1800 CAROL SUE-SUITE NO. 6	GRETNA	LA	70056-
FRP-06-LA-00237	LA	STATE LEASE 3211 (OR 13211)							LA		APACHE CORPORATION	2000 POST OAK BLVD., SUITE 100	HOUSTON	TX	77056-4400
FRP-06-LA-00238	LA	TENNECO FEE LEASE STOR. AND TRANSFER FAC.							LA		APACHE CORPORATION	2000 POST OAK BLVD., SUITE 100	HOUSTON	TX	77056-4400
FRP-06-LA-00239	LA	DOW CHEMICAL FACILITY							LA		APACHE CORPORATION	2000 POST OAK BLVD., SUITE 100	HOUSTON	TX	77056-4400
FRP-06-LA-00240	LA	ASSUMPTION PARISH SCHOOL							LA		APACHE CORPORATION	2000 POST OAK BLVD., SUITE 100	HOUSTON	TX	77056-4400
FRP-06-LA-00241	LA	PETRON, INC. ALEXANDRIA TERMINAL	501		PORT	ROAD		ALEXANDRIA	LA	71303-	PETRON, INC. ALEXANDRIA TERMINAL	PO BOX 38	JONESVILLE	LA	71343-
FRP-06-LA-00242	LA	VENICE II FACILITY	9		MCDERMOTT	ROAD		VENICE	LA		M-I DRILLING FLUIDS CO.	PO BOX 721110	HOUSTON	TX	77272-
FRP-06-LA-00243	LA	ST. ROSE REFINERY			RIVER ROAD			ST. ROSE	LA	70087-	PHIBRO ENERGY USA, INC.	PO BOX 453	KROTZ SPRINGS	LA	70750-0453
FRP-06-LA-00244	LA	KROTZ SPRINGS REFINERY						KROTZ SPRINGS	LA	70750-	PHIBRO ENERGY USA, INC.	PO BOX 453	KROTZ SPRINGS	LA	70750-0453
FRP-06-LA-00245	LA	JENNINGS BARGE TERMINAL									CANAL REFINING COMPANY	PO BOX 8	CHURCH POINT	LA	70525-
FRP-06-LA-00246	LA	DUPLICATE OF LA00065, PER DON KLUTH, 5-19-93								-					-
FRP-06-LA-00247	LA	FRISCO FIELD							LA		AMERICAN TRAD. & PROD.	1331 LAMAR SUITE 1250	HOUSTON	TX	77010-
FRP-06-LA-00248	LA	GRAND ISLE						GRAND ISLE	LA	70538-	TESORO PETRO. DISTR. CO.	8700 TESORO DRIVE	SAN ANTONIO	TX	78217-
FRP-06-LA-00249	LA	WEST WHITE LAKE FIELD BARGE FACILITY 1						WHITE LAKE	LA		AMERICAN TRAD. & PROD.	1331 LAMAR SUITE 1250	HOUSTON	TX	77010-
FRP-06-LA-00250	LA	RODOMACHER POWER STATION	275		RODEMACHER	ROAD		LENA	LA	71447-9708	CENTRAL LOUISIANA ELECTRIC CO.	2030 DONAHUE FERRY ROAD / PO BOX 5000	PINEVILLE	LA	71361-5000

US ENVIRONMENTAL PROTECTION AGENCY
REGION 6

FACILITY RESPONSE PLAN REVIEW STATUS

DOCKET NUMBER	STATE	FACILITY NAME	NUMBER	PREFIX	NAME	TYPE	SUFFIX	CITY	STATE	ZIP CODE	MAILING NAME	MAILING ADDRESS	CITY	STATE	ZIP CODE
FRP-06-LA-00251	LA	TECHE POWER STATION			NEWMAN	ST		BALDWIN	LA	70514-0300	CENTRAL LOUSIANA ELECTRIC CO.	2030 DONAHUE FERRY ROAD / PO BOX 5000	PINEVILLE	LA	71361-5000
FRP-06-LA-00252	LA	VENICE			HWY 23		S	VENICE	LA	70091-	TESORO PETRO. DISTR. CO.	8700 TESORO DRIVE	SAN ANTONIO	TX	78217-
FRP-06-LA-00253	LA	LEEVILLE (MARTIN FUEL DOCK)			HWY 3090			LEEVILLE	LA	70357-	TESORO PETRO. DISTR. CO.	8700 TESORO DRIVE	SAN ANTONIO	TX	78217-
FRP-06-LA-00254	LA	HOUMA	141		BAYOU DULARGE	ROAD		HOUMA	LA	70363-	TESORO PETRO. DISTR. CO.	8700 TESORO DRIVE	SAN ANTONIO	TX	78217-
FRP-06-LA-00255	LA	AMELIA DOCK			DUHON BYPASS	ROAD		AMELIA	LA	70342-	TESORO PETRO. DISTR. CO.	8700 TESORO DRIVE	SAN ANTONIO	TX	78217-
FRP-06-LA-00256	LA	CAMERON			HWY 27 AND 82			CAMERON	LA	70631-	TESORO PETRO. DISTR. CO.	8700 TESORO DRIVE	SAN ANTONIO	TX	78217-
FRP-06-LA-00257	LA	LAKE WASHINGTON CENTRAL TANK BATTERY							LA		AMAX OIL AND GAS	1300 SW SAM HOUSTON PKWY / PO BOX 42806	HOUSTON	TX	77042-2806
FRP-06-LA-00258	LA	BROWNWELL-KIDD WELL NO. 1							LA		BECHTEL EXPLORATION COMPANY	2121 SAGE ROAD-SUITE 165	HOUSTON	TX	77056-
FRP-06-LA-00259	LA	BULK STORAGE FACILITY (HENDERSON)						HENDERSON	LA	70601-	CITGO PIPELINE CO.	PO BOX 3758	TULSA	OK	74102-
FRP-06-LA-00260	LA	DUPLICATE OF DOCKET# FRP-06-LA-00031													
FRP-06-LA-00261	LA	DUPLICATE OF DOCKET# FRP-06-LA-00029													
FRP-06-LA-00262	LA	DUPLICATE OF DOCKET# FRP-06-LA-00032													
FRP-06-LA-00263	LA	DUPLICATE OF DOCKET# FRP-06-LA-00034													
FRP-06-LA-00264	LA	DUPLICATE OF DOCKET# FRP-06-LA-00143													
FRP-06-LA-00265	LA	COCODRIE COMPRESSOR STATION 523	8166		HWY 56		S	CHAUVIN	LA	70344-	TENNESSEE GAS	SUGAR MILL POINT, 1115 REGAL ROW	HOUMA	LA	70360-
FRP-06-LA-00266	LA	ARCHIE TERMINAL			HWY 84			JONESVILLE	LA	71343-	PETRON INC.	PO BOX 38	JONESVILLE	LA	71343-
FRP-06-LA-00267	LA	BULLY CAMP FIELD							LA		GREENHILL PETROLEUM CORP.	11490 WESTHEIMER ROAD SUITE 200	HOUSTON	TX	77077-6841
FRP-06-LA-00268	LA	GRAND BAY FIELD							LA		GREENHILL PETROLEUM CORP.	11490 WESTHEIMER ROAD, SUITE 200	HOUSTON	TX	77077-6841
FRP-06-LA-00269	LA	DELTA FARMS FIELD							LA		GREENHILL PETROLEUM CORP.	11490 WESTHEIMER ROAD SUITE 200	HOUSTON	TX	77077-6841
FRP-06-LA-00270	LA	TIMBALIER BAY FIELD							LA		GREENHILL PETROLEUM CORP.	11490 WESTHEIMER ROAD SUITE 200	HOUSTON	TX	77077-6841

US ENVIRONMENTAL PROTECTION AGENCY
REGION 6

FACILITY RESPONSE PLAN REVIEW STATUS

DOCKET NUMBER	STATE	FACILITY NAME	NUMBER	PREFIX	NAME	TYPE	SUFFIX	CITY	STATE	ZIP CODE	MAILING NAME	MAILING ADDRESS	CITY	STATE	ZIP CODE
FRP-06-LA-00271	LA	MERAUX TERMINAL	2501		ST. BERNARD	HWY	E	MERAUX	LA	70075-	MURPHY OIL CORP.	200 PEACH STREET	EL DORADO	AR	71730-5836
FRP-06-LA-00272	LA	MAIN PASS BLOCK 35							LA		SLAM RESOURCES, INC.	PO BOX 53846	LAFAYETTE	LA	70505-
FRP-06-LA-00273	LA	OAKDALE PLANT							LA		ARIZONA CHEMICAL COMPANY	OLD OBERLIN HWY, PO BOX 1147	OAKDALE	LA	71463-1147
FRP-06-LA-00274	LA	ROLLINS ENVIRONMENTAL SERVICES LA. INC.							LA		ROLLINS ENVIRONMENTAL SERVICES LA. INC.	PO BOX 74137	BATON ROUGE	LA	70874-4137
FRP-06-LA-00275	LA	ABBEVILLE	1036		PINTAIL	AVE		ABBEVILE	LA	70510-	TESORO PETRO. DISTR. CO.	1036 PINTAIL AVE	ABBEVILLE	LA	70510-
FRP-06-LA-00276	LA	PORT FOURCHON OFFSHORE FAC.			A. J. ESTAY	ROAD		PORT FOURCHON	LA		M-I DRILLING FLUIDS CO.	RT. 1 BOX 327	GOLDEN MEADOW	LA	70357-
FRP-06-LA-00277	LA	DUPLICATE OF DOCKET# FRP-06-LA-00023													
FRP-06-LA-00278	LA	ACTUALLY IN TEXAS (EXXON CHEMICAL CO)													
FRP-06-LA-00279	LA	DERIDDER WOOD PRESERVING PLANT			POST PLANT	ROAD		DERIDDER	LA	70634-	INTERNATIONAL PAPER	PO BOX 519	DERIDDER	LA	70634-
FRP-06-LA-00280	LA	L.P.	10234		HWY 157			PRINCETON	LA	71067-9172	CALUMET LUBRICANTS CO.	10234 HWY 157	PRINCETON	LA	71067-9172
FRP-06-LA-00281	LA	SPRINGHILL PLANT							LA		ARIZONA CHEMICAL CO.	PO BOX 25	SPRINGHILL	LA	71075-
FRP-06-LA-00282	LA	GEISMAR COMPLEX							LA		ARCADIAN CORPORATION	PO BOX 307	GEISMAR	LA	70734-
FRP-06-LA-00283	LA	FROG LAKE							LA		WESTLAND OIL DEVELOPMENT CORP.	200 RIVER POINT DRIVE SUITE 105	CONROE	TX	77305-
FRP-06-LA-00284	LA	LP&L PATERSON GENERATING PLANT	5400		DWYER	ROAD		NEW ORLEANS	LA	70127-	ENTERGY INC.	PO BOX 61000	NEW ORLEANS	LA	70161-
FRP-06-LA-00285	LA	DERIDDER FACILITY			CROSBY	ROAD		DERIDDER	LA	70634-	WESTVACO CORP.	PO BOX 836	DERIDDER	LA	70634-
FRP-06-LA-00286	LA	LAKE CHARLES TERMINAL			SH 384 & LINCOLN RD			LAKE CHARLES	LA	70605-	TRUNKLINE LNG CO.	PO BOX 6327	LAKE CHARLES	LA	70606-
FRP-06-LA-00287	LA	SUMMERVILLE DEPOT						SUMMERVILLE	LA		INTERNATIONAL PAPER	PO BOX 1371	JENA	LA	71342-1371
FRP-06-LA-00288	LA	JENA DEPOT						JENA	LA		INTERNATIONAL PAPER	PO BOX 1371	JENA	LA	71342-1371
FRP-06-LA-00289	LA	FORESTRY SERVICES						JENA	LA		INTERNATIONAL PAPER	PO BOX 1371	JENA	LA	71342-1371
FRP-06-LA-00290	LA	VENICE I FACILITY						VENICE	LA		M-I DRILLING FLUIDS CO.	5950 N. COURSE DR. / PO BOX 721110	HOUSTON	TX	77272-
FRP-06-LA-00291	LA	INTERNATIONAL CITY FACILITY			RT. 3			ABBEVILLE	LA	70510-	M-I DRILLING FLUIDS CO.	5950 N. COURSE DR. / PO BOX 721110	HOUSTON	TX	77272-
FRP-06-LA-00292	LA	BERWICK FACILITY	3309		BELLEVIEW FRONT	ST		BERWICK	LA		M-I DRILLING FLUIDS CO.	5950 N. COURSE DR. / PO BOX 721110	HOUSTON	TX	77272-

US ENVIRONMENTAL PROTECTION AGENCY
REGION 6

FACILITY RESPONSE PLAN REVIEW STATUS

DOCKET NUMBER	STATE	FACILITY NAME	NUMBER	PREFIX	NAME	TYPE	SUFFIX	CITY	STATE	ZIP CODE	MAILING NAME	MAILING ADDRESS	CITY	STATE	ZIP CODE
FRP-06-LA-00293	LA	DUPLICATE OF DOCKET# FRP-06-LA-00145													
FRP-06-LA-00294	LA	SERVICES FOUNDARY DIV.	536		MODERN FARMS	ROAD		WAGGAMAN	LA	70094-	AVONDALE INDUSTRIES, INC.	PO BOX 50280	NEW ORLEANS	LA	70150-0280
FRP-06-LA-00295	LA	ALGIERS FACILITY	3101		PATTERSON	DR.		NEW ORLEANS	LA	70114-	AVONDALE INDUSTRIES, INC.	PO BOX 50280	NEW ORLEANS	LA	70150-0280
FRP-06-LA-00296	LA	WESTWEGO YARD	400		RIVER	ROAD		WESTWAGO	LA	70094-	AVONDALE INDUSTRIES, INC.	PO BOX 50280	NEW ORLEANS	LA	70150-0280
FRP-06-LA-00297	LA	SHIPBUILDING AND REPAIR	5100		RIVER	ROAD		AVONDALE	LA	70094-	AVONDALE INDUSTRIES, INC.	PO BOX 50280	NEW ORLEANS	LA	70150-0280
FRP-06-LA-00298	LA	DUPLICATE OF DOCKET# FRP-06-LA-00297													
FRP-06-LA-00299	LA	GRAND LAKE AND ONSHORE SOPCO GATHERING SYSTEM	140		LOUISIANA	AVE		LAKE ARTHUR	LA	70549-	MOBIL	12450 GREENPOINT DRIVE	HOUSTON	TX	77060-1991
FRP-06-LA-00300	LA	BAY BAPTISIT FACILITY							LA		PENNZOIL CO.	PO BOX 51843	LAFAYETTE	LA	70505-
FRP-06-LA-00301	LA	MARRERO SALES TERMINAL						MERRERO	LA	70072-	STAR ENTERPRISE	4500 FULLER DRIVE SUITE 400	IRVING	TX	75033-
FRP-06-LA-00302	LA	FRONT STREET DOCK	1201		BRASHEN	AVE		MORGAN CITY	LA	70380-	TESORO PETRO. DISTR. CO.	8700 TESORO DRIVE	SAN ANTONIO	TX	78217-
FRP-06-LA-00303	LA	MORGAN CITY TERMINAL	1000		YOUNGS	ROAD		MORGAN CITY	LA	70380-	MOBIL	1000 YOUNGS ROAD	MORGAN CITY	LA	70380-
FRP-06-LA-00304	LA	CAMERON FACILITY			CARTER			CAMERON	LA	70631-	M-I DRILLING FLUIDS CO.	PO BOX 721110	HOUSTON	TX	77272-
FRP-06-LA-00305	LA	DULAC FACILITY	6472		GRAND CAILLOU	ROAD		DULAC	LA	70353-	M-I DRILLING FLUIDS CO.	PO BOX 721110	HOUSTON	TX	77272-
FRP-06-LA-00306	LA	HOUMA FACILITY						HOUMA	LA	70361-	M-I DRILLING FLUIDS CO.	PO BOX 721110	HOUSTON	TX	77272-
FRP-06-LA-00307	LA	HARVEY FACILITY	4300		PETERS	ROAD		HARVEY	LA	70058-	M-I DRILLING FLUIDS CO.	PO BOX 721110	HOUSTON	TX	77272-
FRP-06-LA-00308	LA	ST. ROSE TERMINAL	11942		RIVER	ROAD		ST. ROSE	LA	70087-	INTERNATIONAL MATEX	321 ST. CHARLES AVE.	NEW ORLEANS	LA	70130-
FRP-06-LA-00309	LA	LP&L NINEMILE POINT STEAM ELECTRIC STATION	1617		RIVER	ROAD		WESTWEGO	LA	70094-	ENTERGY INC.	PO BOX 61000	NEW ORLEANS	LA	70161-
FRP-06-LA-00310	LA	LP&L MICHOUD STEAM ELECTRIC STATION	3601		PARIS	ROAD		NEW ORLEANS	LA	70129-	ENTERGY INC.	PO BOX 61000	NEW ORLEANS	LA	70161-
FRP-06-LA-00311	LA	LP&L STERLINGTON STEAM ELECTRIC STATION			HWY 553			STERLINGTON	LA	71280-	ENTERGY INC.	PO BOX 61000	NEW ORLEANS	LA	70161-

US ENVIRONMENTAL PROTECTION AGENCY
REGION 6

FACILITY RESPONSE PLAN REVIEW STATUS

DOCKET NUMBER	STATE	FACILITY NAME	NUMBER	PREFIX	NAME	TYPE	SUFFIX	CITY	STATE	ZIP CODE	MAILING NAME	MAILING ADDRESS	CITY	STATE	ZIP CODE
FRP-06-LA-00312	LA	SOUTH PASS 57 FACILITY							LA		PENNZOIL CO.	PO BOX 51843	LAFAYETTE	LA	70505-1843
FRP-06-LA-00313	LA	LP&L WATERFORD 1 & 2 STEAM ELECTRIC STATION	9500		HIGHWAY 18			KILLONA	LA	70066-	ENTERGY INC.	PO BOX 61000	NEW ORLEANS	LA	70161-
FRP-06-LA-00314	LA	LP&L LITTLE GYPSY STEAM ELECTRIC STATION			HWY 628			MONTZ	LA	70068-	ENTERGY INC.	PO BOX 61000	NEW ORLEANS	LA	70161-
FRP-06-LA-00315	LA	BAYOU CHOCTAW FIELD							LA		DOE SPR	900 COMMERCE ROAD EAST	NEW ORLEANS	LA	70123-
FRP-06-LA-00316	LA	WEST HACKBERRY FACILITY							LA		DOE SPR	900 COMMERCE ROAD EAST	NEW ORLEANS	LA	70123-
FRP-06-LA-00317	LA	WEEKS ISLAND FACILITY							LA		DOE SPR	900 COMMERCE ROAD EAST	NEW ORLEANS	LA	70123-
FRP-06-LA-00318	LA	EMPIRE TERMINAL							LA		CHEVRON PIPELINE CO.	PO BOX 740339	NEW ORLEANS	LA	70174-0339
FRP-06-LA-00319	LA	MAIN PASS 69 TERMINAL							LA		CHEVRON PIPELINE CO.	PO BOX 740339	NEW ORLEANS	LA	70174-0339
FRP-06-LA-00320	LA	FOURCHAN TERMINAL							LA		CHEVRON PIPELINE CO.	PO BOX 740339	NEW ORLEANS	LA	70174-0339
FRP-06-LA-00321	LA	SCHWING LEASE FACILITY							LA		KERR MCGEE CORP.	PO BOX 39400	LAFAYETTE	LA	70593-9400
FRP-06-LA-00322	LA	IOWA TERMINAL			HWY 3059				LA		SHELL PIPELINE CORP.	TWO SHELL PLAZA / PO BOX 2648	HOUSTON	TX	77252-
FRP-06-LA-00323	LA	PORT SULPHUR FACILITY						GRAND ISLE	LA	70358-	FREEPORT SULPHUR CO.	PO BOX 1025	GRAND ISLE	LA	70083-
FRP-06-LA-00324	LA	GRAND ISLE BASE FACILITY			HWY 23			PORT SULPHUR	LA	70083-	FREEPORT SULPHUR CO.	PO BOX 1025	PORT SULPHUR	LA	70083-
FRP-06-LA-00325	LA	FOUR LEAGUE BAY STORAGE AND TRANSFER FAC.	1343	W	TUNNEL	BLVD		HOUMA	LA	70361-	CRYSTAL OIL CO.	PO BOX 21101	SHREVEPORT	LA	71120-
FRP-06-LA-00326	LA	WEST WHITE LAKE PROD. FACILITY							LA		TORCH OPERATING CO.	1850 INDUSTRIAL BLVD.	HOUMA	LA	70364-
FRP-06-LA-00327	LA	BAYOU PERBLANC FIELD							LA		TORCH OPERATING CO.	1850 INDUSTRIAL BLVD.	HOUMA	LA	70364-
FRP-06-LA-00328	LA	DUPLICATE OF LA 00129									DUPLICATE OF LA 00129				-
FRP-06-LA-00329	LA	SPRINGHILL WOOD PROD. FACILITY	2600	S	ARKANSAS			SPRINGHILL	LA	71075-	INTERNATIONAL PAPER CO.	2600 S ARKANSAS	SPRINGHILL	LA	71075-
FRP-06-LA-00330	LA	INTRACOASTAL CITY WAREHOUSE			HWY 333			INTRACOASTAL CITY	LA		BAKER HUGHES INTEQ, INC.	3900 ESSEX LANE, PO BOX 22111	HOUSTON	TX	77227-2111
FRP-06-LA-00331	LA	PORT FOURCHON WAREHOUSE	291		A. J. ESTAY	ROAD		PORT FOURCHON	LA		BAKER HUGHES INTEQ, INC.	3900 ESSEX LANE, PO BOX 22111	HOUSTON	TX	77227-2111
FRP-06-LA-00332	LA	INTRACOASTAL CITY CARGO-TEC			HWY 333			INTRACOASTAL CITY	LA		BAKER HUGHES INTEQ, INC.	3900 ESSEX LANE, PO BOX 22111	HOUSTON	TX	77227-2111
FRP-06-LA-00333	LA	CAMERON WAREHOUSE			JETTY	ROAD		CAMERON	LA		BAKER HUGHES INTEQ, INC.	3900 ESSEX LANE, PO BOX 22111	HOUSTON	TX	77227-2111

US ENVIRONMENTAL PROTECTION AGENCY
REGION 6

FACILITY RESPONSE PLAN REVIEW STATUS

DOCKET NUMBER	STATE	FACILITY NAME	NUMBER	PREFIX	NAME	TYPE	SUFFIX	CITY	STATE	ZIP CODE	MAILING NAME	MAILING ADDRESS	CITY	STATE	ZIP CODE
FRP-06-LA-00334	LA	NORTH BEND LA. FACILITY			HWY 317			CENTERVILLE	LA	70522-	COLUMBIAN CHEMICALS CO.	PO DRAWER 1149	FRANKLIN	LA	70538-
FRP-06-LA-00335	LA	MAIN PASS MINE							LA		FREEPORT MCMORAN	1615 POYDRAS ST. / PO BOX 61119	NEW ORLEANS	LA	70161-
FRP-06-LA-00336	LA	VILLE PLATTE FACILITY	#6		HOLLOWAY	BLVD		VILLE PLATTE	LA	70586-9778	COOPER INDUSTRIES	#6 HOLLOWAY BLVD	VILLE PLATTE	LA	70586-9778
FRP-06-LA-00337	LA	EAST LITTLE CHENIER PROD. FACILITY						OAK GROVE	LA		CLIFFS OIL AND GAS CO.	300 CITICORP CENTER	HOUSTON	TX	77002-
FRP-06-LA-00338	LA	COLE ESTATE / DAWSON TRUST WELL #1							LA		BECHTEL CORP.	PO BOX 4253	HOUSTON	TX	77210-4253
FRP-06-LA-00339	LA	NORTH BUCK POINT FACILITY							LA		SAMEDAN OIL CORP.	12600 NORTHBOROUGH SUITE 250	HOUSTON	TX	77067-3299
FRP-06-LA-00340	LA	S.O. CARTER FACILITY							LA		SAMEDAN OIL CORP.	12600 NORTHBOROUGH SUITE 250	HOUSTON	TX	77067-3299
FRP-06-LA-00341	LA	TIMBALIER BLK. 8 TANK BATTERY							LA		TORCH OPERATING CO.	PO BOX 4096	HOUMA	LA	70361-
FRP-06-LA-00342	LA	CHANDELEUR SOUND AREA BLK. 71 FACILITY							LA		TORCH OPERATING CO.	PO BOX 4096	HOUMA	LA	70361-
FRP-06-LA-00343	LA	WEST LAKE DECADE-LATERRE 27 #1									FINA	14950 HEATHROW FOREST PARKWAY	HOUSTON	TX	77032-
FRP-06-LA-00344	LA	EAST LAKE DECADE-BAYOU DULARGE									FINA	14950 HEATHROW FOREST PARKWAY	HOUSTON	TX	77032-
FRP-06-LA-00345	LA	FOUR LEAGUE BAY FIELD									FINA	14950 HEATHROW FOREST PARKWAY	HOUSTON	TX	77032-
FRP-06-LA-00346	LA	PASS WILSON #1									FINA	14950 HEATHROW FOREST PARKWAY	HOUSTON	TX	77032-
FRP-06-LA-00347	LA	LATERRE									FINA	14950 HEATHROW FOREST PARKWAY	HOUSTON	TX	77032-
FRP-06-LA-00348	LA	WEST LAKE DECADE FACILITY STATE LEASE 8175 #1									FINA	14950 HEATHROW FOREST PARKWAY	HOUSTON	TX	77032-
FRP-06-LA-00349	LA	DUPLANTIS A #1									FINA	14950 HEATHROW FOREST PARKWAY	HOUSTON	TX	77032-
FRP-06-LA-00350	LA	SE MANILA VILLAGE #1							LA		LA. LAND AND EXPLO. CO.	909 POYDRAS ST.	NEW ORLEANS	LA	70112-
FRP-06-LA-00351	LA	SE MANILA VILLAGE #2							LA		LA. LAND AND EXPLO. CO.	909 POYDRAS ST.	NEW ORLEANS	LA	70112-
FRP-06-LA-00352	LA	SE MANILA VILLAGE #3							LA		LA. LAND AND EXPLO. CO.	909 POYDRAS ST.	NEW ORLEANS	LA	70112-
FRP-06-LA-00353	LA	COTTON VALLEY FACILITY						COTTON VALLEY	LA		KERR MCGEE CORP.	PO BOX 97	COTTON VALLEY	LA	71018-

US ENVIRONMENTAL PROTECTION AGENCY
REGION 6

FACILITY RESPONSE PLAN REVIEW STATUS

DOCKET NUMBER	STATE	FACILITY NAME	NUMBER	PREFIX	NAME	TYPE	SUFFIX	CITY	STATE	ZIP CODE	MAILING NAME	MAILING ADDRESS	CITY	STATE	ZIP CODE
FRP-06-LA-00354	LA	FITCH STATION						SAREPTA	LA		KERR MCGEE CORP.	PO BOX 97	COTTON VALLEY	LA	71018-
FRP-06-LA-00355	LA	WELLER STATION						HOMER	LA		KERR MCGEE CORP.	PO BOX 97	COTTON VALLEY	LA	71018-
FRP-06-LA-00356	LA	GOODRICH TANK BATTTERY M-1							LA		CALLON OFFSHORE PRODUCTION, INC.	PO BOX 1287	NATCHEZ	MS	39121-
FRP-06-LA-00357	LA	PRIMARY SEPARATION STATION NO. 1							LA		CALLON OFFSHORE PRODUCTION, INC.	PO BOX 1287	NATCHEZ	MS	39121-
FRP-06-LA-00358	LA	ATLAS REFINERY	3333		MIDWAY	ST.		SHREVEPORT	LA	71109-	ATLAS PROCESSING CO.	PO BOX 3099	SHREVEPORT	LA	71133-
FRP-06-LA-00359	LA	PENNZOIL PACKAGING PLANT	3450		HOLLYWOOD	AVE		SHREVEPORT	LA	71109-	ATLAS PROCESSING CO.	PO BOX 3099	SHREVEPORT	LA	71133-3099
FRP-06-LA-00360	LA	BATON ROUGE CHEMICAL PLANT	4999		SCENIC HWY			BATON ROUGE	LA	70805-	EXXON	PO BOX 241	BATON ROUGE	LA	70821-
FRP-06-LA-00361	LA	ANCHORAGE CHEMICAL TERMINAL	2449	N	RIVER	ROAD		PORT ALLEN	LA	70761-	EXXON	PO BOX 645	PORT ALLEN	LA	70767-
FRP-06-LA-00362	LA	W-1 PRODUCTION FACILITY									ASHLAWN ENERGY INC.	3636 N. CAUSEWAY BLVD SUITE 300	METAIRIE	LA	70002-7216
FRP-06-LA-00363	LA	W-2 PRODUCTION FACILITY									ASHLAWN ENERGY INC.	3636 N. CAUSEWAY BLVD SUITE 300	METAIRIE	LA	70002-7216
FRP-06-LA-00364	LA	E-3 PRODUCTION FACILITY									ASHLAWN ENERGY INC.	3636 N. CAUSEWAY BLVD SUITE 300	METAIRIE	LA	70002-7216
FRP-06-LA-00365	LA	DEER ISLAND SITE 1							LA		PENNZOIL	PO BOX 51843	LAFAYETTE	LA	70505-1843
FRP-06-LA-00366	LA	DEER ISLAND SITE 2							LA		PENNZOIL	PO BOX 51843	LAFAYETTE	LA	70505-1843
FRP-06-LA-00367	LA	FORKED ISLAND TERMINAL			HWY 35 AND HWY 82			FORKED ISLAND	LA	70510-	UNION OIL	RT. 5 BOX 1234	ABBEVILLE	LA	70510-
FRP-06-LA-00368	LA	MERMENTAU TERMINAL			PARISH ROAD P-8-44				LA	70363-	UNION OIL	RT. 5 PO BOX 1234	ABBEVILLE	LA	70510-
FRP-06-LA-00369	LA	GIBSON TANK DISTRICT OFFICE			TORCH	DR.		HOUMA	LA	70363-	UNION OIL	RT. 5 PO BOX 1234	ABBEVILLE	LA	70510-
FRP-06-LA-00370	LA	BAYOU PENCHANT							LA		MOBIL	PO BOX 650232	DALLAS	TX	75265-0232
FRP-06-LA-00371	LA	DEEP LAKE FIELD									MOBIL	PO BOX 650232	DALLAS	TX	75265-0232
FRP-06-LA-00372	LA	INTRACOASTAL LOADING DOCK							LA		MOBIL	PO BOX 650232	DALLAS	TX	75265-0232
FRP-06-LA-00373	LA	BURNS TERMINAL							LA		MOBIL	PO BOX 650232	DALLAS	TX	75265-0232
FRP-06-LA-00374	LA	SUNRISE FIELD							LA		MOBIL	PO BOX 650232	DALLAS	TX	75265-0232
FRP-06-LA-00375	LA	FOUR ISLE DOME FIELD							LA		MOBIL	PO BOX 650232	DALLAS	TX	75265-0232
FRP-06-LA-00376	LA	POINT AU FER FIELD							LA		MOBIL	PO BOX 650232	DALLAS	TX	75265-0232
FRP-06-LA-00377	LA	LOCK PORT FIELD							LA		MOBIL	PO BOX 650232	DALLAS	TX	75265-0232
FRP-06-LA-00378	LA	BAYOU BLEU FIELD							LA		MOBIL	PO BOX 650232	DALLAS	TX	75265-0232
FRP-06-LA-00379	LA	LAKE WASHINGTON A & B FACILITY							LA		PHILLIPS PETROLEUM	PO BOX 51107	LAFAYETTE	LA	70505-1107

US ENVIRONMENTAL PROTECTION AGENCY
REGION 6

FACILITY RESPONSE PLAN REVIEW STATUS

DOCKET NUMBER	STATE	FACILITY NAME	NUMBER	PREFIX	NAME	TYPE	SUFFIX	CITY	STATE	ZIP CODE	MAILING NAME	MAILING ADDRESS	CITY	STATE	ZIP CODE
FRP-06-LA-00380	LA	LAKE WASHINGTON LARGO TERMINAL						FORT SULPHUR	LA		PHILLIPS PETROLEUM	PO BOX 51107	LAFAYETTE	LA	70505-1107
FRP-06-LA-00381	LA	BASTIAN BAY FACILITY							LA		PHILLIPS PETROLEUM	PO BOX 51107	LAFAYETTE	LA	70505-1107
FRP-06-LA-00382	LA	NOT A SITE, PER DAVID ANDERSON, 5-26-93								-	NOT A SITE, PER DAVID ANDERSON, 5-26-93				-
FRP-06-LA-00383	LA	NOT A SITE, PER DAVID ANDERSON, 5-26-93									NOT A SITE, PER DAVID ANDERSON, 5-26-93				-
FRP-06-LA-00384	LA	NOT A SITE, PER DAVID ANDERSON, 5-26-93									NOT A SITE, PER DAVID ANDERSON, 5-26-93				-
FRP-06-LA-00385	LA	NOT A SITE, PER DAVID ANDERSON, 5-26-93									NOT A SITE, PER DAVID ANDERSON, 5-26-93				-
FRP-06-LA-00386	LA	NOT A SITE, PER DAVID ANDERSON, 5-26-93									NOT A SITE, PER DAVID ANDERSON, 5-26-93				-
FRP-06-LA-00387	LA	VENICE DGS							LA		CHEVRON USA	935 GRAVIER ST	NEW ORLEANS	LA	70112-
FRP-06-LA-00388	LA	VENICE VSP							LA		CHEVRON USA	935 GRAVIER ST	NEW ORLEANS	LA	70112-
FRP-06-LA-00389	LA	MP 41 FACILITY							LA		CHEVRON USA	935 GRAVIER ST	NEW ORLEANS	LA	70112-
FRP-06-LA-00390	LA	R/PASS FACILITY							LA		CHEVRON USA	935 GRAVIER ST	NEW ORLEANS	LA	70112-
FRP-06-LA-00391	LA	LEEVILLE FACILITY							LA		CHEVRON USA	935 GRAVIER ST	NEW ORLEANS	LA	70112-
FRP-06-LA-00392	LA	CUTOFF FIELD							LA		CHEVRON USA	935 GRAVIER ST	NEW ORLEANS	LA	70112-
FRP-06-LA-00393	LA	SAB. GAS							LA		CHEVRON USA	935 GRAVIER ST	NEW ORLEANS	LA	70112-
FRP-06-LA-00394	LA	INTRACOASTAL CITY							LA		CHEVRON USA	935 GRAVIER ST	NEW ORLEANS	LA	70112-
FRP-06-LA-00395	LA	BELLE ISLE FACILITY							LA		ORYX ENERGY CO.	PO BOX 2880	DALLAS	TX	75221-2880
FRP-06-LA-00396	LA	BATEMAN LAKE							LA		ORYX ENERGY CO.	PO BOX 2880	DALLAS	TX	75221-2880
FRP-06-LA-00397	LA	DEER ISLAND BAYOU							LA		ORYX ENERGY CO.	PO BOX 2880	DALLAS	TX	75221-2880
FRP-06-LA-00398	LA	POINT AU FER							LA		ORYX ENERGY CO.	PO BOX 2880	DALLAS	TX	75221-2880
FRP-06-LA-00399	LA	HICO KNOWLES FIELD							LA		KERR MCGEE	PO BOX 25861	OKLAHOMA CITY	OK	73125-
FRP-06-LA-00400	LA	MORGAN CITY REGIONAL OFFICE	9752		HWY 90	E		AMELIA	LA	70340-	BROWN AND ROOT	9752 HWY 90	E AMELIA	LA	70340-
FRP-06-LA-00401	LA	RATHBORNE BARGE FACILITY							LA		WESTLAND CORP.	PO BOX 3651	CONROE	TX	77305-3651
FRP-06-LA-00402	LA	JEANERETTE BARGE FACILITY							LA		WESTLAND CORP.	PO BOX 3651	CONROE	TX	77305-3651
FRP-06-LA-00403	LA	DUPLICATE DOCKET MOVED TO DOCKET LA 283							LA		DUPLICATE DOCKET MOVED TO DOCKET NUMBER 283				-

US ENVIRONMENTAL PROTECTION AGENCY
REGION 6

FACILITY RESPONSE PLAN REVIEW STATUS

DOCKET NUMBER	STATE	FACILITY NAME	NUMBER	PREFIX	NAME	TYPE	SUFFIX	CITY	STATE	ZIP CODE	MAILING NAME	MAILING ADDRESS	CITY	STATE	ZIP CODE
FRP-06-LA-00404	LA	GREEN CANYON 52 "CPF" BARGE FACILITY							LA		CONOCO	PO BOX 51266	LAFAYETTE	LA	70505-
FRP-06-LA-00405	LA	LEEVILLE FIELD, LL&E #2 FACILITY									WHITING PETRO. CORP.	1700 BROADWAY SUITE 2300	DENVER	CO	80290-
FRP-06-LA-00406	LA	LEEVILLE FIELD CONSTANTIN #2 FACILITY									WHITING PETRO. CORP.	1700 BROADWAY SUITE 2300	DENVER	CO	80290-
FRP-06-LA-00407	LA	WEST DEER ISLAND AUXILLARY FACILITY						MORGAN CITY	LA		LA. LAND AND EXPLO. CO.	909 POYDRAS ST / PO BOX 60350	NEW ORLEANS	LA	70160-
FRP-06-LA-00408	LA	WEST HACKBERRY CENTRAL TANK BATTERY #2							LA		AMOCO PRODUCTION CO.	PO BOX 39500	LAFAYETTE	LA	70593-
FRP-06-LA-00409	LA	EAST HACKBERRY PRODUCTION FACILITY							LA		AMOCO PRODUCTION CO.	PO BOX 39500	LAFAYETTE	LA	70593-
FRP-06-LA-00410	LA	WEST HACKBERRY CENTRAL TANK BATTERY #3							LA		AMOCO PRODUCTION CO.	PO BOX 39500	LAFAYETTE	LA	70593-
FRP-06-LA-00411	LA	LOUISIANA STATE LEASE NO. 8396							LA		KOG - KANSAS OIL AND GAS CORPORATION	6320 CANOGA AVE. SUITE 1750	WOODLAND HILLS	CA	91367-
FRP-06-LA-00412	LA	WESTWEGO	660		LABAUVE	DR		WESTWEGO	LA	70096-0250	PM AG PRODUCTS, INC.	P.O. BOX 250	WESTWEGO	LA	70096-0250
FRP-06-LA-00413	LA	FOUR LEAGUE BAY CENTRAL TANK BATTERY-AMAX OIL & GAS						FOUR LEAGUE BAY	LA		AMAX OIL & GAS	1300 W. SAM HOUSTON PKWY S-PO BOX 42806	HOUSTON	TX	77042-2306
FRP-06-LA-00414	LA	COMSTOCK OIL & GAS, LA-INC.-LEEVILLE FACILITY							LA		COMSTOCK OIL & GAS-LA, INC.	5005 LBJ FREEWAY SUITE 1000	DALLAS	TX	75244-
FRP-06-LA-00415	LA	BAIRD FACILITY							LA		COMSTOCK OIL & GASOLA, INC.	5005 LBJ FREEWAY SUITE 1000	DALLAS	TX	75244-
FRP-06-LA-00416	la	LOUISIANA ARMY AMMUNITION PLANT-THIOKOL CORPORATION			US HWY 80 EAST			DOYLINE	LA	71023-	THIOKOL CORPORATION	P.O. BOX 30058	SHREVEPORT	LA	71130-0058
FRP-06-LA-00417	LA	PLACID REFINING COMPANY, SEARCY PUMP STATION						SEARCY	LA		FRED BARRON, PLACID REFINING COMPANY	1940 HIGHWAY #1 NORTH	FORT ALLEN	LA	70767-
FRP-06-LA-00418	LA	PLACID REFINING CO. BOYCE PUMP STATION						BOYCE	LA		FRED BARRON, PLACID REFINING CO.	1940 HIGHWAY #1 NORTH	FORT ALLEN	LA	70767-
FRP-06-LA-00419	LA	POINT AU FER PRODUCTION FACILITY							LA		LASMO OIL & GAS, INC.	5858 WESTHEIMER-SUITE 400	HOUSTON	TX	77057-

US ENVIRONMENTAL PROTECTION AGENCY
REGION 6

FACILITY RESPONSE PLAN REVIEW STATUS

DOCKET NUMBER	STATE	FACILITY NAME	NUMBER	PREFIX	NAME	TYPE	SUFFIX	CITY	STATE	ZIP CODE	MAILING NAME	MAILING ADDRESS	CITY	STATE	ZIP CODE
FRF-06-LA-00420	LA	SUNSHINE OIL & STORAGE, OUACHITA TERMINAL, SOUTH TANK BATTERY						MONROE	LA	71202-	DAVISON PETROLEUM PRODUCTS	PO DRAWER 310	RUSTON	LA	71273-0310
FRF-06-LA-00421	LA	EXXON BATON ROUGE REFINERY COMPLEX-MARYLAND TANK FARM	4046		SCENIC	HWY		BATON ROUGE	LA	70821-0551	EXXON COMPANY USA	PO BOX 551	BATON ROUGE	LA	70821-0551
FRF-06-LA-00422		EXXON BATON ROUGE REFINERY COMPLEX-ANCHORAGE TANK FARM	4046		SCENIC	HWY		BATON ROUGE	LA	70821-0551	EXXON COMPANY USA	PO BOX 551	BATON ROUGE	LA	70821-0551
FRF-06-LA-00423	LA	LAKE DECADE							LA		LAKE DECADE	100 ASMA BOULEVARD-SUITE 300	LAFAYETTE	LA	70508-
FRF-06-LA-00424	LA	MAIN PASS BLOCK 46							LA		MAIN PASS BLOCK 46	100 ASMA BOULEVARD-SUITE 300	LAFAYETTE	LA	70508-
FRF-06-LA-00425	la	BAYOU FELICE-SOUTH PASS BLOCK 24 FIELD PRODUCTION FACILITY									BAY COQUILLE, INC.	326 OIL & GAS BUILDING-1100 TULANE AVE.	NEW ORLEANS	LA	70112-
FRF-06-LA-00426	LA	HAYES FIELD							LA		WRT ENERGY CORPORATION	TELSA RESOURCES, INC.-118A SOUTHPARK RD	LAFAYETTE	LA	70508-
FRF-06-LA-00427	LA	WEST HACKBERRY FIELD							LA		WRT ENERGY CORPORATION	TELSA RESOURCES, INC.-118A SOUTHPARK RD	LAYFAYETTE	LA	70508-
FRF-06-LA-00428	LA	DUPLICATE OF LA 00241									DUPLICATE OF LA 00241				-
FRF-06-LA-00429	LA	PROVOST-CYR NO. 1 & 1D PRODUCTION FACILITY							LA		THE STONE PETROLEUM CORPORATION	710 HUGH WALLIS ROAD	LAYFAYETTE	LA	70508-
FRF-06-LA-00430	LA	FRESHWATER TERMINAL			ROAD 3147			VERMILION PARISH	LX		BT OPERATING COMPANY	PO BOX 368	CARENCRO	LA	70520-
FRF-06-LA-00431	LA	BKE-ALLC-SL9680 -CHANDELEUR SOUND BLOCK 63							LA		BKE-ALLC	333 TEXAS STREET-SUITE 1325	SHREVEPORT	LA	71101-5323
FRF-06-LA-00432	LA	BOSTON BAYOU FIELD PRODUCTION FACILITY							LA		CASPEN OIL, INC.	IRON GATE 3, SUITE 201	LAKEWOOD	CO	80226-
FRF-06-LA-00433	LA	TAFT PLANT			LA HIGHWAY 18			TAFT	LA	70057-	UNION CARBIDE CHEMICALS & PLASTICS COMPANY, INC.	PO BOX 50	HAHNVILLE	LA	70057-

US ENVIRONMENTAL PROTECTION AGENCY
REGION 6

FACILITY RESPONSE PLAN REVIEW STATUS

DOCKET NUMBER	STATE	FACILITY NAME	NUMBER	PREFIX	NAME	TYPE	SUFFIX	CITY	STATE	ZIP CODE	MAILING NAME	MAILING ADDRESS	CITY	STATE	ZIP CODE
FRP-06-LA-00434	LA	WEST WHITE LAKE FIELD BARGE FACILITY 2							LA		AMERICAN TRADING & PRODUCTION CORPORATION	1331 LAMAR STE#1250	HOUSTON	TX	77010-
FRP-06-LA-00435	LA	LAKE DE CADE PRODUCTION FACILITY							LA		NEI-NORCEN EXPLORER, INC.	200 WESTLAKE PARK BLVD.-SUITE 800	HOUSTON	TX	77079-2653
FRP-06-LA-00436	LA	SOUTH PASS BLOCK 1 FACILITY							LA		VANTAGE POINT OP CO-SOUTH PASS BLOCK 1 988A	2401 FOUNTAIN VIEW DRIVE-STE 700	HOUSTON	TX	77057-4862
FRP-06-LA-00437	LA	GRAND CHENIER LIQUID HANDLING FACILITY						GRAND CHENIER	LA	70643-	ANR PIPELINE COMPANY	ONE WOODWARD AVENUE	DETROIT	MI	48226-
FRP-06-LA-00438	LA	PATTERSON TERMINAL						PATTERSON	LA	70393-	ANR PIPELINE COMPANY	ONE WOODWARD AVENUE	DETROIT	MI	48226-
FRP-06-LA-00439	LA	LOUIS "DOC" BONIN POWER GENERATING FACILITY	1210		WALKER	RD		LAFAYETTE	LA		CITY OF LAFAYETTE-LAFAYETTE UTILITIES SYSTEM	POWER SUPPLY DIVISION-PO BOX 4017-C	LAFAYETTE	LA	70502-
FRP-06-LA-00440	LA	BLOCK 30-35, BENTON SOUND FACILITY							LA		COLUMBIA MINERALS CORP. INC.	400 TRAVIS STREET - SUITE 1805	SHREVEPORT	LA	71101-3196
FRP-06-LA-00441	LA	MIAMI CORP WELL NO. 3									DESCO OIL COMPANY	952 ECHO LANE-SUITE 300	HOUSTON	TX	77024-
FRP-06-LA-00442	LA	SL 3050 #36 WELL PRODUCTION FACILITY									CAMEX OPERATING COMPANY-ATTN: MR. D.H. OHEIM	PO BOX 51733	LAFAYETTE	LA	70505-
FRP-06-LA-00443	LA	BAYOU SORREL							LA		PLAINS RESOURCES	1600 SMITH-SUITE 1500	HOUSTON	TX	77002-
FRP-06-LA-00444	LA	LAKE MONGOULOIS PRODUCTION FACILITY							LA		PLAINS RESOURCES	1600 SMITH-SUITE 1500	HOUSTON	TX	77002-
FRP-06-LA-00445	LA	LOCKPORT FIELD			RT. 2-BOX 2065			WESTLAKE	LA	70669-	MOBIL EXPLORATION & PRODUCING U.S. INC.	RT. 2-BOX 2065	WESTLAKE	LA	70669-
FRP-06-LA-00446	LA	FOUR ISLE DOME FIELD	2509		PETROLEUM	DR		HOUMA	LA	70363-	MOBIL EXPLORATION & PRODUCING U.S. INC.	2509 PETROLEUM DRIVE	HOUMA	LA	70363-
FRP-06-LA-00447	LA	POINT AU FER FIELD	2509		PETROLEUM	DR		HOUMA	LA	70363-	MOBIL EXPLORATION & PRODUCING U.S. INC.	2509 PETROLEUM DRIVE	HOUMA	LA	70363-
FRP-06-LA-00448	LA	SUNRISE FIELD	2509		PETROLEUM	DR		HOUMA	LA	70363-	MOBIL EXPLORATION & PRODUCING U.S. INC.	2509 PETROLEUM DRIVE	HOUMA	LA	70363-
FRP-06-LA-00449	LA	BAYOU PENCHANT FIELD							LA		MOBIL EXPLORATION & PRODUCING U.S. INC.	2509 PETROLEUM DRIVE	HOUMA	LA	70363-
FRP-06-LA-00450	LA	PECAN ISLAND FACILITY							LA		COLUMBIA GULF TRANSMISSION COMPANY	PECAN ISLAND-HC77 BOX 197	KAPLAN	LA	70548-
FRP-06-LA-00451	LA	CHANDELEUR SOUND FIELD, BLOCK 25, FACILITY #1							LA		CALLON OFFSHORE PRODUCTION, INC.	PO BOX 1287	NATCHEZ	MS	39121-

US ENVIRONMENTAL PROTECTION AGENCY
REGION 6

FACILITY RESPONSE PLAN REVIEW STATUS

DOCKET NUMBER	STATE	FACILITY NAME	NUMBER	PREFIX	NAME	TYPE	SUFFIX	CITY	STATE	ZIP CODE	MAILING NAME	MAILING ADDRESS	CITY	STATE	ZIP CODE
FRP-06-LA-00452	LA	CHANDELEUR SOUND FIELD, BLOCK 25, FACILITY #2							LA		CALLON OFFSHORE PRODUCTION, INC.	PO BOX 1287	NATCHEZ	MS	39121-
FRP-06-LA-00453	LA	BAYOU LONG FIELD							LA		CALLON OFFSHORE PRODUCTION, INC.	PO BOX 1287	NATCHEZ	MS	39121-
FRP-06-LA-00454	LA	BAYOU POSTILLION FIELD							LA		CALLON OFFSHORE PRODUCTION, INC.	PO BOX 1287	NATCHEZ	MS	39121-
FRP-06-LA-00455	LA	BAYOU PENCHANT FIELD							LA		CALLON OFFSHORE PRODUCTION, INC.	PO BOX 1287	NATCHEZ	MS	39121-
FRP-06-LA-00456	LA	MYSTIC BAYOU FIELD							LA		CALLON OFFSHORE PRODUCTION, INC.	PO BOX 1287	NATCHEZ	MS	39121-
FRP-06-LA-00457	LA	SIMON PASS FIELD							LA		CALLON OFFSHORE PRODUCTION, INC.	PO BOX 1287	NATCHEZ	MS	39121-
FRP-06-LA-00458	LA	INTRACOASTAL LOADING DOCK							LA		MOBIL EXPLORATION & PRODUCING U.S. INC.	1250 POYDRAS	NEW ORLEANS	LA	70113-
FRP-06-LA-00459	LA	MOBIL BURNS TERMINAL							LA		MOBIL EXPLORATION & PRODUCING U.S. INC.	1250 POYDRAS	NEW ORLEANS	LA	70113-
FRP-06-LA-00460	LA	FORT PIKE PRODUCTION FACILITY							LA		AQUILA ENERGY RESOURCES CORPORATION	10370 RICHMOND AVENUE-SUITE 700	HOUSTON	TX	77042-4137
FRP-06-LA-00461	LA	MAIN PASS BLOCK 21							LA		BOIS D'ARC OPERATING CORPORATION	4425 94TH AVENUE N.E.	BELLEVUE	WA	98004-
FRP-06-LA-00462	LA	CAMERON						CAMERON	LA		GRASSO MARINE SERVICE CENTERS, INC.	11111 WILCREST GREEN DRIVE-STE. 300	HOUSTON	TX	77042-
FRP-06-LA-00463	LA	E. BAYOU PIGEON FIELD									CALLON OFFSHORE PRODUCTION, INC.	200 NORTH CANAL STREET	NATCHEZ	MS	39121-
FRP-06-LA-00464	LA	ELECTRIC PRODUCTION DEPARTMENT						ALEXANDRIA	LA		CITY OF ALEXANDRIA	1212 HUDSON BLVD	ALEXANDRIA	LA	71302-5035
FRP-06-LA-00465	LA	JRH PROVOST #5 WELL-FAUSSE POINTE FIELD						LOUREVILLE	LA		EQUINOX OIL COMPANY	10077 GROGANS MILL RD-STE 475	THE WOODLANDS	LA	77380-
FRP-06-LA-00466	LA	SL 10061 #1, #5, #5D, #6 & #7 WELLS-SE SAT 1S FL						GRAND ISLE	LA		EQUINOX OIL COMPANY	10077 GROGANS MILL RD-STE 475	THE WOODLANDS	LA	77380-
FRP-06-LA-00467	LA	FORT FOURCHON NOLTY THERIOT TERMINAL						FOURCHON	LA	70357-	L & L OIL COMPANY, INC.	PO BOX 6984	METAIRIE	LA	70009-6984
FRP-06-LA-00468	LA	EASTLAKE OILS, INC. #2	1221	N	FIRST	ST		LAKE CHARLES	LA	70601-	EASTLAKE OILS, INC.	604 NORTH ENTERPRISE BLVD.	LAKE CHARLES	LA	70601-
FRP-06-LA-00469	LA	MORGAN CITY FACILTIY	7056		RAILROAD	AVE		MORGAN CITY	LA	70381-	FHIBRO USA	500 DALLAS AVENUE-SUITE 3200	HOUSTON	TX	77002-4709
FRP-06-LA-00470	LA	RAYNE FIELD							LA		WRT ENERGY CORPORATION	TELSA REOURCES, INC-118A SOUTHPARK RD	LAFAYETTE	LA	70508-

US ENVIRONMENTAL PROTECTION AGENCY
REGION 6

FACILITY RESPONSE PLAN REVIEW STATUS

DOCKET NUMBER	STATE	FACILITY NAME	NUMBER	PREFIX	NAME	TYPE	SUFFIX	CITY	STATE	ZIP CODE	MAILING NAME	MAILING ADDRESS	CITY	STATE	ZIP CODE
FRP-06-LA-00471	LA	BAYOU HENRY FIELD							LA		WRT ENERGY CORPORATION	TELSA RESOURCES, INC-119A SOUTHPARK RD	LAFAYETTE	LA	70508-
FRP-06-LA-00472	LA	VENICE GAS PLANT AND TERMINAL							LA		CHEVRON/WARREN PETROLEUM COMPANY	1350 SOUTH BOULDER	TULSA	OK	74119-
FRP-06-LA-00473	LA	COCODRIE TERMINAL	131	S	ROBERTSON	ST		NEW ORLEANS	LA	70161-	MURPHY EXPLORATION & PRODUCTION	PO BOX 61780	NEW ORLEANS	LA	70112-
FRP-06-LA-00474	LA	LAKE LONG FIELD PRODUCTION FACILITY							LA		KRITI EXPLORATION, INC.	ONE ALLEN CTR-SUITE 1100-500 DALLAS ST.	HOUSTON	TX	77002-
FRP-06-LA-00475	LA	BAYOU SEGNETTE FACILITY							LA		HILCORP ENERGY	PO BOX 266	WESTWEGO	LA	70096-0266
FRP-06-LA-00476	LA	NORDIX, INC.	4735		POINT CLAIR	ROAD		ST GABRIEL	LA	70776-	NORDIX, INC.	9991 MACON RD	CORDOVA	TN	38018-
FRP-06-LA-00477	LA	NORTH WHITE LAKE PRODUCTION FACILITY						WHITE LAKE	LA		GAP ENERGY, INC.	1004 JACQULYN STREET	ABBEVILLE	LA	70510-
FRP-06-LA-00478	LA	LAC BLANC FIELD/WHITE LAKE FIELD							LA		WRT ENERGY CORPORATION	HC 77-BOX 88	KAPLAN	LA	70548-
FRP-06-LA-00479	LA	KROTZ SPRINGS MARINE FEEDSTOCK TERMINAL						KROTZ SPRINGS	LA		CABOT CORPORATION	PO BOX 100	VILLE PLATTE	LA	70586-
FRP-06-LA-00480	LA	E.A. MCILHENNY NO. 1 PRODUCTION FACILITY							LA		WILLIAMS-CODY, INC.	16825 NORTHCHASE DRIVE-SUITE 1200	HOUSTON	TX	77060-
FRP-06-LA-00481	LA	MYSTIC BAYOU FIELD PRODUCTION FACILITY							LA		WILLIAMS-CODY, INC.	16825 NORTHCHASE DRIVE-SUITE 1200	HOUSTON	TX	77060-
FRP-06-LA-00482	LA	BULLY CAMP FIELD PRODUCTION BARGE							LA		HUNT OIL COMPANY	PO BOX 727	SCOTT	LA	70583-
FRP-06-LA-00483	LA	INTRACOASTAL CITY SHORE BASE			HIGHWAY 333			INTRACOASTAL CITY	LA		UNOCAL CORPORATION	ROUTE 3, BOX 1264	ABBEVILLE	LA	70510-
FRP-06-LA-00484	LA	LAKE HATCH FACILITY							LA		SCURLOCK PERMIAN CORPORATION	PO BOX 4648	HOUSTON	TX	77210-4648
FRP-06-LA-00485	LA	PELICAN LAKE							LA		BOIS D'ARC OPERATING CORPORATION	4425 94TH AVE NE	BELLEVUE	WA	98004-
FRP-06-LA-00486	LA	MAIN PASS BLOCK 25							LA		BOIS D'ARC OPERATING CORPORATION	4425 94TH AVENUE	BELLEVUE	WA	98004-
FRP-06-LA-00487	LA	MAIN PASS BLOCK 21							LA		BOIS D'ARC OPERATING CORPORATION	4425 94TH AVENUE NE	BELLEVUE	WA	98004-

US ENVIRONMENTAL PROTECTION AGENCY
REGION 6

FACILITY RESPONSE PLAN REVIEW STATUS

DOCKET NUMBER	STATE	FACILITY NAME	NUMBER PREFIX NAME	TYPE SUFFIX CITY	STATE	ZIP CODE	MAILING NAME	MAILING ADDRESS	CITY	STATE	ZIP CODE
FRP-06-LA-00488	LA	SOUTHEAST PASS-BUNKHOUSE			LA		CRYSTAL OIL COMPANY	PO BOX 21101	SHREVEPORT	LA	71120-
FRP-06-LA-00489	LA	SOUTHEAST PASS-TANK BATTERY #1			LA		CRYSTAL OIL COMPANY	PO BOX 21101	SHREVEPORT	LA	71120-
FRP-06-LA-00490	LA	SOUTHEAST PASS-TANK BATTERY #3			LA		CRYSTAL OIL COMPANY	PO BOX 21101	SHREVEPORT	LA	71120-
FRP-06-LA-00491	LA	CL&F #10-BAYOU PENCHANT FIELD			LA		LINDER OIL COMPANY	PO BOX 397	SCHRIEVER	LA	70395-
FRP-06-LA-00492	LA	GRAND LAKE FIELD			LA		LINDER OIL COMPANY	PO BOX 397	SCHRIEVER	LA	70395-
FRP-06-LA-00493	LA	BLACK BAY FIELD			LA		LINDER OIL COMPANY	PO BOX 397	SCHRIEVER	LA	70395-
FRP-06-LA-00494	LA	BAYOU SORREL			LA		LINDER OIL COMPANY	PO BOX 397	SCHRIEVER	LA	70395-
FRP-06-LA-00495	LA	POINT AU FER FIELD			LA		LINDER OIL COMPANY	PO BOX 397	SCHREIVER	LA	70395-
FRP-06-LA-00496	LA	LITTLE BAYOU PIGEON			LA		LINDER OIL COMPANY	PO BOX 397	SCHRIEVER	LA	70395-
FRP-06-LA-00497	LA	CL&F #7-BAYOU PENCHANT FIELD			LA		LINDER OIL COMPANY	PO BOX 397	SCHRIEVER	LA	70395-
FRP-06-LA-00498	LA	NORTH BAYOU PIGEON FIELD			LA		LINDER OIL COMPANY	PO BOX 397	SCHRIEVER	LA	70395-
FRP-06-LA-00499	LA	LAKE CAMPO FIELD			LA		LINDER OIL COMPANY	PO BOX 397	SCHRIEVER	LA	70395-
FRP-06-LA-00500	LA	HORESHOE BAYOU			LA		LINDER OIL COMPANY	PO BOX 397	SCHRIEVER	LA	70395-
FRP-06-LA-00501	LA	CHANDELEUR SOUND BLOCK 69			LA		LINDER OIL COMPANY	PO BOX 397	SCHRIEVER	LA	70395-
FRP-06-LA-00502	LA	VUC WILLIAMS #1 WELL-BAYOU LONG FIELD		MORGAN CITY	LA		LINDER OIL CO. A PARTNERSHIP	1800 CAROL SUE AVE-STE. 6A	GRETNA	LA	70056-
FRP-06-LA-00503	LA	11300 RASUA KYLE/PETERMAN W#1-BAYOU PIGEON FLD		BAYOU PIGEON	LA		LINDER OIL COMPANY A PARTNERSHIP	1800 CAROL SUE AVENUE	GRETNA	LA	70056-
FRP-06-LA-00504	LA	JM SMYTH#1,SMYTH CHR#3,#4,#4D,#5 WLS-POINT AUFER FLD		MORGAN CITY	LA		LINDER OIL CO. A PARTNERSHIP	1800 CAROL SUE AVE-STE. 6A	GRETNA	LA	70056-
FRP-06-LA-00505	LA	BAYOU LONG FIELD			LA		LINDER OIL COMPANY	PO BOX 397	SCHRIEVER	LA	70395-
FRP-06-LA-00506	LA	CL&F #5-TURTLE BAYOU FIELD			LA		AMERICAN EXPLORER	PO BOX 51205	LAFAYETTE	LA	70505-
FRP-06-LA-00507	LA	CL&F #6-TURTLE BAYOU FIELD			LA		AMERICAN EXPLORER, INC.	PO BOX 51205	LAFAYETTE	LA	70505-
FRP-06-LA-00508	LA	DEER ISLAND FIELD			LA		AMERICAN EXPLORER, INC.	PO BOX 51205	LAFAYETTE	LA	70505-

US ENVIRONMENTAL PROTECTION AGENCY
REGION 6

FACILITY RESPONSE PLAN REVIEW STATUS

DOCKET NUMBER	STATE	FACILITY NAME	NUMBER PREFIX NAME	TYPE SUFFIX CITY	STATE	ZIP CODE	MAILING NAME	MAILING ADDRESS	CITY	STATE	ZIP CODE
FRP-06-LA-00509	LA	CL&F #1,#4&#7-TURTLE BAYOU FIELD			LA		AMERICAN EXPLORER, INC.	PO BOX 51205	LAFAYETTE	LA	70505-
FRP-06-LA-00510	LA	CL&F #1,#2&#D-17 WELLS-DEER ISLAND FIELD		MORGAN CITY	LA		AMERICAN EXPLORER, INC.	PO BOX 51205	LAFAYETTE	LA	70505-
FRP-06-LA-00511	LA	CL&F #5 WELL-TURTLE BAYOU FIELD		MORGAN CITY	LA		AMERICAN EXPLORER, INC.	PO BOX 51205	LAFAYETTE	LA	70505-
FRP-06-LA-00512	LA	CL&F #6 WELL-TURTLE BAYOU FIELD		MORGAN CITY	LA		AMERICAN EXPLORER, INC.	PO BOX 51205	LAFAYETTE	LA	70505-
FRP-06-LA-00513	LA	PHOENIX LAKE FIELD			LA		LAUREL OPERATING COMPANY, INC.	401 WHITNEY AVE-STE. 401	GRETNA	LA	70053-
FRP-06-LA-00514	LA	BAYOU DEFLEUR FIELD			LA		LAUREL OPERATING COMPANY, INC.	401 WHITNEY AVE-STE. 401	GRETNA	LA	70053-
FRP-06-LA-00515	LA	CL&F #1,#4&#7 WELLS-TURTLE BAYOU FIELD		MORGAN CITY	LA		AMERICAN EXPLORER, INC.	PO BOX 51205	LAFAYETTE	LA	70505-
FRP-06-LA-00516	LA	WEEKS ISLAND			LA		FLASH GAS & OIL COMPANY, INC.	PO BOX 231	MANDEVILLE	LA	70470-
FRP-06-LA-00517	LA	POTASH FIELD			LA		FLASH GAS & OIL COMPANY, INC.	PO BOX 231	MANDEVILLE	LA	70470-
FRP-06-LA-00518	LA	BAYOU SORREL FIELD			LA		CORUM PRODUCTION COMPANY	2901 WILCREST-STE. 120	HOUSTON	TX	77042-
FRP-06-LA-00519	LA	BAYOU PENCHANT FIELD			LA		CORUM PRODUCTION COMPANY	2901 WILCREST-STE. 120	HOUSTON	TX	77042-
FRP-06-LA-00520	LA	SOUTHEAST SATURDAY ISLAND FIELD			LA		EQUINOX OIL COMPANY	10077 GROGANS MILL RD-STE. 475	THE WOODLANDS	TX	77380-
FRP-06-LA-00521	LA	BOURG #2-JOE MCHUGH FIELD			LA		EQUINOX OIL COMPANY	10077 GROGANS MILL RD-STE. 475	THE WOODLANDS	TX	77380-
FRP-06-LA-00522	LA	BAY RONQUILLE FACILITY-LAKE WASHINGTON			LA		LLOG EXPLORATION COMPANY	433 METAIRIE RD-STE. 600	METAIRIE	LA	70005-
FRP-06-LA-00523	LA	BAYOU PENCHANT BARGE			LA		LLOG EXPLORATION COMPANY	433 METAIRIE RD-STE. 600	METAIRIE	LA	70005-
FRP-06-LA-00524	LA	BAYOU PIGEON FIELD			LA		LLOG EXPLORATION COMPANY	433 METAIRIE RD-STE. 600	METAIRIE	LA	70005-
FRP-06-LA-00525	LA	DEER ISLAND D-1			LA		LLOG EXPLORATION COMPANY	433 METAIRIE RD-STE. 600	METAIRIE	LA	70005-
FRP-06-LA-00526	LA	BAYOU LONG FIELD			LA		LLOG EXPLORATION COMPANY	433 METAIRIE RD-STE. 600	METAIRIE	LA	70005-
FRP-06-LA-00527	LA	LAKE HERMITAGE FIELD			LA		HILCORP ENERGY COMPANY	PO BOX 266	WESTWEGO	LA	70096-0266
FRP-06-LA-00528	LA	BAYOU CHAUVIN FIELD			LA		M & Z ENGINEERING, INC.	1660 LINCOLN ST. STE. 1412	DENVER	CO	80264-

FEDERALLY RECOGNIZED INDIAN TRIBES

Federal Natural Trustee - Department of the Interior

Bureau of Indian Affairs

Chairman/Tribe	Term Expiration
Ralph Darden, Chairman Chitimacha Tribe P.O. Box 661 Charenton, Louisiana 70523 318/923-4973 FAX:318/923-7791	07/93
Lovelin Poncho, Chairman Coushatta Tribe P.O. Box 818 Elton, Louisiana 70532 318/584-2261 FAX:318/584-2998	06/93
Earl Barbry, Sr., Chairman Tunica-Biloxi Indian Tribe P.O. Box 331 Mansura, Louisiana 71351 318/253-9767 FAX:318/253-9791	03/95

FEDERAL AND STATE
NATURAL RESOURCE TRUSTEES

C. FEDERAL AND STATE NATURAL RESOURCE TRUSTEE CONTACT PERSONS

NOAA's Natural Resource Trusteeship

Table of Authorities

NOAA's natural resource trusteeship derives from the following federal authorities:

- Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) §107(f);
- National Oil and Hazardous Substance Pollution Contingency Plan (NCP), Subpart G;
- Superfund Ammendments and Reauthorization Act (SARA), §104(b)(c), §107(d), §111(c) and (e), §113(b), §122(j), §126;
- Oil Pollution Act of 1990, §1006(a);
- Clean Water Act (CWA), §311(f)(5);
- Executive Order No. 12580, Section 1(c)(4), January 23, 1987;
- Magnuson Fishery Conservation Act, §§1801-1882;
- Anadromous Species Conservation Act, §§757(a)-757(g);
- Fish and Wildlife Coordination Act, §§661-666;
- Endangered Species Act, §§1531-1543;
- Marine Mammal Protection Act, §§1361-1407;
- Whaling Convention Act, §§916-916(l);
- Marine Protection, Research, and Sanctuaries Act, §§1441-1455;
- Coastal Zone Management Act, §§1451-1464; and
- National Ocean Pollution Planning Act §§1701-1709.

Scope of Trusteeship

NOAA acts on behalf of the Secretary of Commerce as a Federal trustee for living and non-living natural resources in coastal and marine areas. Natural resources of concern to NOAA include:

- all life stages, wherever they occur, of fishery resources of the exclusive economic zone (EEZ) and continental shelf;
- anadromous and catadromous species throughout their ranges;
- rivers and tributaries to rivers that historically or presently support anadromous species;
- federally "endangered" or "threatened" species including designated critical habitat and marine mammals for which NOAA has assigned responsibility;
- tidal wetlands, salt marshes, estuaries, and other important habitat supporting fishery and marine resources; and
- living and non-living resources of the National Marine Sanctuaries and National Estuarine Research Reserves.

NOAA is a co-trustee with the U.S. Department of the Interior for certain endangered species and is a co-trustee with the States for fishery resources and endangered species in State waters.

Louisiana Department of Natural Resources
Greg Ducote
(504) 765-7591
FAX: (504) 342-9439
Coastal Management Division
625 N. 4th Street
Baton Rouge, LA

New Mexico
New Mexico Game and Fish Commission
James Koch, Chairman
(505) 982-4302
FAX: (505) 989-9186
Governor's Office
State Capitol Building
Sante Fe, NM 87503

Oklahoma
Oklahoma Department of Wildlife Conservation
Ron Suttles
(405) 521-3851
FAX:
Oklahoma Water Resources Board

(405) 231-2555
FAX:
Oklahoma Department of Natural Resources
Glen Sullivan
(405) 521-2413
FAX:
500 Will Rogers Building
Oklahoma City, OK 73105

Arkansas
Arkansas Game and Fish Commission
Director (501) 223-6305
FAX: (501) 223-

Federal Natural ResourceTrustees

Department of the Interior
Natural Resource Trustee Contact (all DOI resources)
Glenn B. Sekavec
(505) 766-3565
FAX: (505) 766-1059
Regional Environmental Officer
Office of the Secretary
Office of Environmental Affairs
Post Office Box 649
Albuquerque, New Mexico 87103

U.S. Fish and Wildlife Service (FWS)
- Migratory Birds (virtually all birds)
- Anadromous fish
- Endangered plants and animals
- Critical Habitat
- National wildlife refuges
- National Fish Hatcheries
- Impact to wetlands, streams, rivers or ponds may potentially impact trustee species.

National Park Service
Units of the National Park System
- National Parks
- National Seashores
- National Recreational Areas
- National Historical Sites
- National Battlefields

Bureau of Land Management
- BLM lands (13 X 10^6 acres)
- Federally owned subsurface minerals (25 X 10^6 acres)

Bureau of Indian Affairs
- 192 American Indian Reservations

Bureau of Reclaimation
- Federal water projects. Stored and managed water

Department of Commerce
National Oceanic and Atmospheric Administration (NOAA)
Natural Resource Trustee Contact (all DOC resources)
Ronald G. Gouguet
(214) 655-2232
FAX: (214) 655-6460
NOAA Coastal Resource Coordinator
EPA Region VI (6H-MA)
1445 Ross Avenue
Dallas, TX 75202-2733

- all life stages, wherever they occur, of fishery resources of the exclusive economic zone and continental shelf;

- anadromous (e.g. salmon) and catadromous (e.g. eels) species throughout their ranges;

- rivers and tributaries which historically or presently support anadromous species;

- federally endangered and threatened species, including critical habitat, and marine mammals for which NOAA has assigned responsibility;

- tidal wetlands, salt marshes, estuaries, and other important habitat supporting fishery and marine resources; and
- living and non-living resources of the National Marine Sanctuaries and National Estuarine Research Reserves.

Department of Agriculture Natural Resource Trustee

National Forest Lands
Bob James
(404) 347-2836
FAX: (404) 347-2836
U.S. Forest Service
1720 Peachtree Road N.W.
Atlanta, GA 30367

Department of Defense Natural Resource Trustee

Navy, Army, Air Force or Marine Corps facilities

Department of Energy Natural Resource Trustee

Strategic Petroleum Reserve
Daneen Farrow
(504) 734-4721
FAX: (504) 686-4427
900 Commerce Road East
New Orleans, LA 70123

Other DOE facilities
John Bascietto
(202) 586-7917
FAX: (202)

STATE AGENCIES

Agencies with a possible role in a oil or hazardous substance incident. Not limited to those listed.

Refer to Volume I of the U.S. EPA ACP Annex F - Appendix I

State Agency Roster Database Report

Agency	City	State	County	Address	Phone	Telefax	Zip	Agency Type
Dept of Environmental Quality	Lafayette	LA	Acadia	Will Tucker	318-262-5584	318-262-5593	70508-0000	S
Louisiana State Police		LA	Acadia	Byron P. Martien	318-783-5469	- - 90	- 0	S
Dept of Environmental Quality	Lake Charles	LA	Allen	Kirk Manuel	318-475-8644	318-364-8643	70605-0000	S
Louisiana State Police		LA	Allen	Aaron Skaggs	318-639-4899	- - 0	- 0	S
Dept of Environmental Quality	Baton Rouge	LA	Ascension	Chris Piebler	504-295-8480	504-295-8587	70817-1720	S
Louisiana State Police		LA	Ascension	Sheriff's Office	504-621-8300	- - 0	- 0	S
Dept of Environmental Quality	Lockport	LA	Assumption	Kerry St. Pe'	504-568-8699	504-621-2901	70374-0000	S
Louisiana State Police		LA	Assumption	Raymond Babin or Dispatcher	504-369-7203	- - 0	- 0	S
Dept of Environmental Quality	Pineville	LA	Avoyelles	Ron Smith	318-487-5656	318-221-0668	71360-0000	S
Louisiana State Police		LA	Avoyelles	Cindy Dupuy	318-253-7291	- - 0	- 0	S
Dept of Environmental Quality	Lake Charles	LA	Beauregard	Kirk Manuel	318-475-8644	318-364-8643	70605-0000	S
Louisiana State Police		LA	Beauregard	Deputy Glen Mears, Sr.	318-463-3281	- - 0	- 0	S
Louisiana State Police		LA	Beauregard	Deputy Glen Mears, Sr. ID61186	800-999-6710	- - 0	- 0	S
Dept of Environmental Quality	Shreveport	LA	Bienville	Tom Hardaway	318-676-7476	318-521-7573	71130-0000	S
Louisiana State Police		LA	Bienville	Jim Martin	318-263-2019	- - 0	- 0	S
Louisiana State Police		LA	Bienville	Lucky Raley	318-263-2215	- - 0	- 0	S
Dept of Environmental Quality	Shreveport	LA	Bossier	Tom Hardaway	318-676-7476	318-521-7573	71130-0000	S
Louisiana State Police		LA	Bossier	Michael A. Penaluna	318-425-5351	- - 0	- 0	S
Dept of Environmental Quality	Shreveport	LA	Caddo	Tom Hardaway	318-676-7476	318-521-7573	71130-0000	S
Louisiana State Police		LA	Caddo	Michael A. Penaluna	318-425-5351	- - 0	- 0	S
Dept of Environmental Quality	Lake Charles	LA	Calcasieu	Kirk Manuel	318-475-8644	318-364-8643	70605-0000	S
Louisiana State Police		LA	Calcasieu	Sheriff's Office	318-491-3600	- - 0	- 0	S
Dept of Environmental Quality	Monroe	LA	Caldwell	Kirk Cormier	318-362-5439	318-266-5448	71211-4967	S
Louisiana State Police		LA	Caldwell	Sheriff's Office Columbia	318-649-2345	- - 0	- 0	S
Dept of Environmental Quality	Lake Charles	LA	Cameron	Kirk Manuel	318-475-8644	318-364-8643	70605-0000	S
Louisiana State Police		LA	Cameron	Hayes P. Picou, Jr.	318-775-5718	- - 0	- 0	S
Dept of Environmental Quality	Pineville	LA	Catahoula	Ron Smith	318-487-5656	318-221-0668	71360-0000	S
Louisiana State Police		LA	Catahoula	Emmett R. Book (Business)	318-744-5435	- - 0	- 0	S
Louisiana State Police		LA	Catahoula	Emmett R. Book (Home)	318-339-6275	- - 0	- 0	S
Dept of Environmental Quality	Shreveport	LA	Claiborne	Tom Hardaway	318-676-7476	318-521-7573	71130-0000	S
Louisiana State Police		LA	Claiborne	J.C. Bradshaw	318-927-3557	- - 0	- 0	S
Dept of Environmental Quality	Pineville	LA	Concordia	Ron Smith	318-487-5656	318-221-0668	71360-0000	S
Louisiana State Police		LA	Concordia	Morris White	318-757-8248	- - 0	- 0	S
Dept of Environmental Quality	Shreveport	LA	DeSoto	Tom Hardaway	318-676-7476	318-521-7573	71130-0000	S
Louisiana State Police		LA	DeSoto	Tom D. Thigpen (Home)	318-872-6435	- - 0	- 0	S
Louisiana State Police		LA	DeSoto	Tom D. Thigpen	318-872-5130	- - 0	- 0	S
Louisiana State Police		LA	DeSoto	Tom D. Thigpen	318-872-0738	- - 0	- 0	S
Dept of Environmental Quality	Baton Rouge	LA	East Baron Rouge	Chris Piebler	504-295-8480	504-295-8587	70817-1720	S
Louisiana State Police		LA	East Baton Rouge	BRFD/Haz Mat Office	504-383-4448	- - 0	- 0	S
Louisiana State Police		LA	East Baton Rouge	BRFD/Haz Mat Office (Emerg)	- - 911	- - 0	- 0	S
Dept of Environmental Quality	Monroe	LA	East Carroll	Kirk Cormier	318-362-5439	318-266-5448	71211-4967	S
Louisiana State Police		LA	East Carroll	Dale Rinicker	318-559-2800	- - 0	- 0	S
Dept of Environmental Quality	Baton Rouge	LA	East Feliciana	Chris Piebler	504-295-8480	504-295-8587	70817-1720	S
Louisiana State Police		LA	East Feliciana	Travis W. Prewitt	504-683-3320	- - 0	- 0	S
Louisiana State Police		LA	East Feliciana	Travis W. Prewitt	504-634-7691	- - 0	- 0	S
Dept of Environmental Quality	Lafayette	LA	Evangeline	Will Tucker	318-262-5584	318-262-5593	70508-0000	S
Louisiana State Police		LA	Evangeline	Dewey Thibodeaux c/o Sheriff	318-363-2161	- - 0	- 0	S

State Agency Roster Database Report

Agency	City	State	County	Address	Phone	Telefax	Zip	Agency Type
Dept of Environmental Quality	Monroe	LA	Franklin	Kirk Cormier	318-362-5439	318-266-5448	71211-4967	S
Louisiana State Police		LA	Franklin	Bobby F Collins	318-435-2141	- - 0	- 0	S
Dept of Environmental Quality	Pineville	LA	Grant	Ron Smith	318-487-5656	318-221-0668	71360-0000	S
Louisiana State Police		LA	Grant	Ronald C. Sanburn	318-765-3734	- - 0	- 0	S
Dept of Environmental Quality	Lafayette	LA	Iberia	Will Tucker	318-262-5584	318-262-5593	70508-0000	S
Louisiana State Police		LA	Iberia	Henry Bacque	318-369-4427	- - 0	- 0	S
Dept of Environmental Quality	Baton Rouge	LA	Iberville	Chris Piebler	504-295-8480	504-295-8587	70817-1720	S
Louisiana State Police		LA	Iberville 8am-4pm	Stanley H. "Jackie" Jackson	504-687-5140	- - 0	- 0	S
Louisiana State Police		LA	Iberville 8am-4pm	Plaquemine FD after 4pm	504-687-6302	- - 0	- 0	S
Dept of Environmental Quality	Monroe	LA	Jackson	Kirk Cormier	318-362-5439	318-266-5448	71211-4967	S
Louisiana State Police		LA	Jackson	Troy L. Smith	318-259-2361	- - 0	- 0	S
Dept of Environmental Quality	Lockport	LA	Jefferson	Kerry St. Pe'	504-568-8699	504-621-2901	70374-0000	S
Dept of Environmental Quality	Metairie	LA	Jefferson	David Oge'	504-838-5361	504-637-5387	70011-0000	S
Louisiana State Police		LA	Jefferson	Jefferson Office of Emerg Mgmt	504-349-5360	- - 0	- 0	S
Dept of Environmental Quality	Lake Charles	LA	Jefferson Davis	Kirk Manuel	318-475-8644	318-364-8643	70605-0000	S
Louisiana State Police		LA	Jefferson Davis	Tommy Deshotel-Fire Chief	318-821-5508	- - 0	- 0	S
Louisiana State Police		LA	La Salle	E.E. Jr. Jones or Sam Franklin	318-992-2151	- - 0	- 0	S
Dept of Environmental Quality	Lafayette	LA	Lafayette	Will Tucker	318-262-5584	318-262-5593	70508-0000	S
Louisiana State Police		LA	Lafayette	William R. Vincent	- - 911	- - 0	- 0	S
Lousiana State Police		LA	Lafayette	William R. Vincent	318-268-5075	- - 0	- 0	S
Dept of Environmental Quality	Lockport	LA	Lafourche	Kerry St. Pe'	504-568-8699	504-621-2901	70374-0000	S
Louisiana State Police		LA	Lafourche	Sheriff's Office	504-448-2111	- - 0	- 0	S
Louisiana State Police		LA	Lafourche	Fire District No.3	504-632-5825	- - 0	- 0	S
Dept of Environmental Quality	Pineville	LA	Lasalle	Ron Smith	318-487-5656	318-221-0668	71360-0000	S
Dept of Environmental Quality	Monroe	LA	Lincoln	Kirk Cormier	318-362-5439	318-266-5448	71211-4967	S
Louisiana State Police		LA	Lincoln	Van McDonald	318-255-4762	- - 0	- 0	S
Dept of Environmental Quality	Baton Rouge	LA	Livingston	Chris Piebler	504-295-8480	504-295-8587	70817-1720	S
Louisiana State Police		LA	Livingston	Sheriff's Office Livingston	504-686-2241	- - 0	- 0	S
Dept of Environmental Quality	Monroe	LA	Madison	Kirk Cormier	318-362-5439	318-266-5488	71211-4967	S
Louisiana State Police		LA	Madison	Earl J. Pinkney (O)	318-574-3233	- - 0	- 0	S
Louisiana State Police		LA	Madison	Earl J. Pinkney (H)	318-574-1936	- - 0	- 0	S
Louisiana State Police		LA	Madison	Sheriff's Office Tallulah	318-574-1831	- - 0	- 0	S
Louisiana State Police		LA	Madison	Sheriff's Office	318-574-1832	- - 0	- 0	S
Louisiana State Police		LA	Madison	Sheriff's Office	318-574-1833	- - 0	- 0	S
Dept of Environmental Quality	Monroe	LA	Morehouse	Kirk Cormier	318-362-5439	318-266-5448	71211-4967	S
Louisiana State Police		LA	Morehouse	Steve Fuller	318-283-3344	- - 0	- 0	S
Dept of Environmental Quality	Pineville	LA	Natchitoches	Ron Smith	318-487-5656	318-221-0668	71360-0000	S
Louisiana State Police		LA	Natchitoches	Leigh Perkins	318-352-6432	- - 0	- 0	S
Louisiana State Police		LA	Natchitoches	Leigh Perkins	318-352-4453	- - 0	- 0	S
Louisiana State Police		LA	New Orleans	Warren McDaniels/Robert Darcey	504-565-7800	- - 0	- 0	S
Louisiana State Police		LA	New Orleans	24 Hour Emergency	504-565-7833	- - 0	- 0	S
Dept of Environmental Quality	Metairie	LA	Orleans	David Oge'	504-838-5361	504-637-5387	70011-0000	S
Louisiana State Police		LA	Ouachita	Chief Don Nugent	318-343-1122	- - 0	- 0	S
Dept of Environmental Quality	Metairie	LA	Plaquemines	David Oge'	504-838-5361	504-637-5387	70011-0000	S
Louisiana State Police		LA	Plaquemines	R. A. Robichaux, Sr.	504-682-0081	- - 0	- 0	S
Louisiana State Police		LA	Point Coupee	Oneil Leonard, Jr. (O)	504-638-9014	- - 0	- 0	S
Louisiana State Police		LA	Point Coupee	Oneil Leonard, Jr. (H)	504-638-9368	- - 0	- 0	S

State Agency Roster Database Report

Agency	City	State	County	Address	Phone	Telefax	Zip	Agency Type
Louisiana State Police		LA	Point Coupee	Alvin J. Proche	504-638-8250	- - 0	- 0	S
Dept of Environmental Quality	Baton Rouge	LA	Pointe Coupee	Chris Piebler	504-295-8480	504-295-8587	70817-1720	S
Louisiana State Police		LA	Quachita	Chief Don Nugent	318-343-1122	- - 0	- 0	S
Dept of Environmental Quality	Pineville	LA	Rapides	Ron Smith	318-487-5656	318-221-0668	71360-0000	S
Louisiana State Police		LA	Rapides	William N. Godron	318-487-5788	- - 0	- 0	S
Dept of Environmental Quality	Shreveport	LA	Red River	Tom Hardaway	318-676-7476	318-521-7573	71130-0000	S
Louisiana State Police		LA	Red River	Dale Feazel or Russell Adams	318-932-5050	- - 0	- 0	S
Dept of Environmental Quality	Monroe	LA	Richland	Kirk Cormier	318-362-5439	318-266-5448	71211-4967	S
Louisiana State Police		LA	Richland	Ellis Barinsfather (O)	318-387-2572	- - 0	- 0	S
Louisiana State Police		LA	Richland	Ellis Barinfather (H)	318-728-3372	- - 0	- 0	S
Louisiana State Police		LA	SAbine	Winston Hodge	318-256-9303	- - 0	- 0	S
Dept of Environmental Quality	Pineville	LA	Sabine	Ron Smith	318-487-5656	318-221-0668	71360-0000	S
Louisiana State Police		LA	Sabine	Winston Hodge	318-256-2675	- - 0	- 0	S
Dept of Environmental Quality	Metairie	LA	St. Bernard	David Oge'	504-838-5361	504-637-5387	70011-0000	S
Louisiana State Police		LA	St. Bernard	Robert C. Bracamantes	504-278-4267	- - 0	- 0	S
Louisiana State Police		LA	St. Bernard	After 4:30 and Weekends	504-279-1200	- - 0	- 0	S
Dept of Environmental Quality	Metairie	LA	St. Charles	David Oge'	504-838-5361	504-637-5387	70011-0000	S
Louisiana State Police		LA	St. Charles	Curtis Candies	504-783-5050	- - 0	- 0	S
Dept of Environmental Quality	Baton Rouge	LA	St. Helena	Chris Piebler	504-295-8480	504-295-8587	70817-1720	S
Louisiana State Police		LA	St. Helena	Richard Sitman	504-222-6481	- - 0	- 0	S
Dept of Environmental Quality	Metairie	LA	St. James	David Oge'	504-838-5361	504-637-5387	70011-0000	S
Louisiana State Police		LA	St. James	Travis St. Pierre	504-562-2200	- - 0	- 0	S
Louisiana State Police		LA	St. John	Bertram P. Madere (24 Hours)	504-652-6338	- - 0	- 0	S
Dept of Environmental Quality	Metairie	LA	St. John the Baptist	David Oge'	504-838-5361	504-637-5387	70011-0000	S
Dept of Environmental Quality	Lafayette	LA	St. Landry	Will Tucker	318-262-5584	318-262-5593	70508-0000	S
Louisiana State Police		LA	St. Landry	Cornelius Firmin	318-948-3688	- - 0	- 0	S
Dept of Environmental Quality	Lockport	LA	St. Martin	Kerry St. Pe'	504-568-8699	504-621-2901	70374-0000	S
Louisiana State Police		LA	St. Martin	James Thevenet	318-332-1256	- - 0	- 0	S
Dept of Environmental Quality	Lafayette	LA	St. Mary	Will Tucker	318-262-5584	318-262-5593	70508-0000	S
Louisiana State Police		LA	St. Mary	Derhyl Hebert (8:00am-4:30pm)	318-828-4100	- - 0	- 0	S
Louisiana State Police		LA	St. Mary	Derhyl Hebert (Ext 508)	504-385-2520	- - 0	- 0	S
Louisiana State Police		LA	St. Mary	Sheriff's Office 4:30pm-8:00am	318-828-1960	- - 0	- 0	S
Louisiana State Police		LA	St. Mary	Sheriff's Office 4:30pm-8:00am	504-384-1622	- - 0	- 0	S
Dept of Environmental Quality	Lockport	LA	St. Mary (E. Wax L	Kerry St. Pe'	504-568-8699	504-621-2901	70374-0000	S
Louisiana State Police		LA	St. Tammany	Nathan McCrimon	504-893-4978	- - 0	- 0	S
Louisiana State Police		LA	St. Tammany	Sheriff's Office (24 Hours)	504-892-4141	- - 0	- 0	S
Dept of Environmental Quality	Metairie	LA	St. Tammy	David Oge'	504-838-5361	504-637-5387	70011-0000	S
Dept of Environmental Quality	Baton Rouge	LA	Tangipahoa	Chris Piebler	504-295-8480	504-295-8587	70817-1720	S
Louisiana State Police		LA	Tangipahoa	Leo Barker	504-345-6150	- - 0	- 0	S
Dept of Environmental Quality	Monroe	LA	Tensas	Kirk Cormier	318-362-5439	318-266-5448	71211-4967	S
Louisiana State Police		LA	Tensas	Rick Foster	318-766-3992	- - 0	- 0	S
Louisiana State Police		LA	Tensas	(24 Hours)	318-766-3376	- - 0	- 0	S
Dept of Environmental Quality	Lockport	LA	Terrebonne	Kerry St. Pe'	504-568-8699	504-621-2901	70374-0000	S
Louisiana State Police		LA	Terrebonne	Lt. Morris Duplantis	504-876-2500	- - 0	- 0	S
Dept of Environmental Quality	Monroe	LA	Union	Kirk Cormier	318-362-5439	318-266-5448	71211-4967	S
Louisiana State Police		LA	Union	Sheriff Bob Buckley	318-368-3124	- - 0	- 0	S
Dept of Environmental Quality	Lafayette	LA	Vermilion	Will Tucker	318-262-5584	318-262-5593	70508-0000	S

State Agency Roster Database Report

Agency	City	State	County	Address	Phone	Telefax	Zip	Agency Type
Louisiana State Police		LA	Vermillion	Sheriff's Office	318-893-0871	- - 0	- 0	S
Dept of Environmental Quality	Pineville	LA	Vernon	Ron Smith	318-487-5656	318-221-0668	71360-0000	S
Dept of Environmental Quality	Lake Charles	LA	Vernon	Kirk Manuel	318-475-8644	318-364-8643	70605-0000	S
Louisiana State Police		LA	Vernon	Chief Gil Jeane	318-238-0331	- - 0	- 0	S
Dept of Environmental Quality	Metairie	LA	Washington	David Oge'	504-838-5361	504-637-5387	70011-0000	S
Louisiana State Police		LA	Washington	Sheriff's Office Bogalusa	504-732-7160	- - 0	- 0	S
Louisiana State Police		LA	Washington	Sheriff's Office Bogalusa	504-732-7187	- - 0	- 0	S
Louisiana State Police		LA	Washington	Sheriff's Office Franklinton	504-839-3434	- - 0	- 0	S
Dept of Environmental Quality	Shreveport	LA	Webster	Tom Hardaway	318-676-7476	318-521-7573	71130-0000	S
Louisiana State Police		LA	Webster	Sheriff Royce McMahen	318-377-1515	- - 0	- 0	S
Dept of Environmental Quality	Baton Rouge	LA	West Baton Rouge	Chris Piebler	504-295-8480	504-295-8587	70817-1720	S
Louisiana State Police		LA	West Baton Rouge	Laura Jarreau	504-383-4755	- - 0	- 0	S
Louisiana State Police		LA	West Baton Rouge	Sheriff's Office	504-343-9234	- - 0	- 0	S
Dept of Environmental Quality	Monroe	LA	West Carroll	Kirk Cormier	318-362-5439	318-266-5448	71211-4967	S
Louisiana State Police		LA	West Carroll	Sheriff Gary Bennett	318-428-2331	- - 0	- 0	S
Dept of Environmental Quality	Baton Rouge	LA	West Feliciana	Chris Piebler	504-295-8480	504-295-8587	70817-1720	S
Louisiana State Police		LA	West Feliciana	Kenny Simmons	504-635-4177	- - 0	- 0	S
Dept of Environmental Quality	Pineville	LA	Winn	Ron Smith	318-487-5656	318-221-0668	71360-0000	S
Louisiana State Police		LA	Winn	Arthur D. Chandler	318-628-7591	- - 0	- 0	S

STATE EMERGENCY RESPONSE COMMISSION (SERC)

LOCAL EMERGENCY PLANNING COMMITTEE (LEPC) MEMBERS

STATE EMERGENCY RESPONSE COMMISSION (SERC) MEMBERS

FEDERALLY RECOGNIZED INDIAN TRIBES

REGION RESPONSE TEAM (RRT) MEMBERS



SERC HAZARDOUS MATERIALS SPILL PHONE NUMBERS:

ARKANSAS - (501) 374-1201

LOUISIANA - (504) 925-6595

NEW MEXICO - (505) 827-9126

OKLAHOMA - (405) 271-4468

TEXAS - (512) 463-7727

NATIONAL RESPONSE CENTER - (800) 424-8802

COMPILED BY:

STEVE MASON
ENFORCEMENT COORDINATOR
CONTINGENCY PLANNING SECTION (6E-EP)
1445 ROSS AVENUE
DALLAS, TEXAS 75202
(214) 655-2277

ERNEST WOODS
INDIAN COORDINATOR
FEDERAL ASSISTANCE SECTION (6E-FF)
1445 ROSS AVENUE
DALLAS, TEXAS 75202
(214) 655-7454

JULY, 1993

STATE EMERGENCY RESPONSE COMMISSIONS (SERCs)
AS OF JULY, 1993
REGION 6

NAME		AGENCY	ADDRESS	CITY	ST	ZIP	PHONE
** AR							
THOMAS	GOODWIN	STATE POLICE	P.O. BOX 5901	LITTLE ROCK	AR	72215	5012244111
JERRY	HILL	ARKANSAS DEPARTMENT OF HEALTH	4815 WEST MARKHAM	LITTLE ROCK	AR	72201	5016612638
RANDALL	MATHIS	DEPT OF POLLUTION CONTROL & ECOLOGY	8009 NATIONAL DRIVE	LITTLE ROCK	AR	72209	5015627444
JAMES	RYAN	ARKANSAS NATIONAL GUARD	CAMP ROBINSON	NORTH LITTLE ROCK	AR	72118	5017715100
JAY	TERWILLIGER	DEPARTMENT OF LABOR	10421 WEST MARKHAM	LITTLE ROCK	AR	72205	5016824540
JAMES	WITT	OFFICE OF EMERGENCY SERVICES	P.O. BOX 758	CONWAY	AR	72032	5013295601
** LA							
BRYAN	BRADSTON	EXXON CHEMICAL COMPANY	P.O. BOX 241	BATON ROUGE	LA	70821	5043597102
SUE	CASLIN	ALEXANDRIA DAILY TOWN TALK	P.O. BOX 7558	ALEXANDRIA	LA	71306	3184876380
JOHN	COMPTON	DEPT OF AGRICULTURE	5825 FLORIDA BLVD.	BATON ROUGE	LA	70821	5049221245
LOUIS	COOK	DEPARTMENT OF PUBLIC SAFETY	P.O. BOX 66614	BATON ROUGE	LA	70896	5049256113
NANCY JO	CRAIG	NATURE CONSERVATORY	340 ST. JOSEPH STREET	BATON ROUGE	LA	70821	5043881040
WILLIAM	CROFT	DEPARTMENT OF THE MILITARY	P.O. BOX 44217	BATON ROUGE	LA	70804	5043421583
CAROL	DELATTE	LOUISIANA EMERGENCY PREPAREDENESS ASSOC.	P.O. BOX 82358	BATON ROUGE	LA	70884	5047673889
DUDLEY	DIXON	CITY OF WESTLAKE	P.O. BOX 700	WESTLAKE	LA	70669	3184330691
DALE	GIVENS	DEPARTMENT OF ENVIRONMENTAL QUALITY	7920 BLUEBONNET BLVD.	BATON ROUGE	LA	82215	5047650491
CRAIG	GREENE	GULF STATES UTILITIES	P.O. BOX 256	MARINGOUIN	LA	70757	5043814697
BOB	HAYES	DEPARTMENT OF PUBLIC SAFETY - RTK	P.O. BOX 66614	BATON ROUGE	LA	66614	5049256113
TOM	HEBERT	LSU FIREMAN TRAINING CENTER	6868 NICHOLSON DRIVE	BATON ROUGE	LA	70820	5047660600
STANLEY	JACKSON	OFFICE OF EMERGENCY PREPAREDNESS	P.O. BOX 324	PLAQUEMINE	LA	70765	5046875140
MIKE	PENALUNA	CADDO PARISH LEPC	P.O. BOX 192	SHREVEPORT	LA	71161	3184255351
TONIA	PREJEAN		17296 MARSCELLE	PRAIRIEVILLE	LA	70769	5046213475
ROY	ROBICHAUX	FIRE CHIEF ASSOCIATION	P.O. BOX 7033	BELLE CHASE	LA	70037	5043597011
BOBBY	SAVOIE	DEPARTMENT OF HEALTH AND HOSPITALS	P.O. BOX 629	BATON ROUGE	LA	70821	5043426726
TRAVIS	ST. PIERRE	ST. JAMES SHERIFFS OFFICE	P.O. BOX 83	CONVENT	LA	70723	5045622325
** NM							
WILLIAM	MOORE	RINCHEM CHEMICAL	6133 EDITH BLVD., N.E.	ALBUQUERQUE	NM	87107	5053453655
GORDON	SMITH	SANDIA NATIONAL LABS	P.O. BOX 5800	ALBUQUERQUE	NM	87185	5058458889
WILLIAM	TROUTMAN	NM POISON CONTROL	UNIVERSITY OF NEW MEXICO	ALBUQUERQUE	NM	87131	5052774261
IRENE	TRUJILLO	TESD	DEPARTMENT OF PUBLIC SAFETY	SANTA FE	NM	87504	5058279181
JESSE	WADDLES	ALBUQUERQUE FIRE DEPARTMENT	P.O. BOX 2086	ALBUQUERQUE	NM	87103	5057646322
BARAK	WOLFF	EMERGENCY MEDICAL SERVICES	HEALTH & ENVIRONMENT	SANTA FE	NM	87504	5058272509
** OK							
TOM	FEUERBORN	OK CIVIL EMERGENCY MANAGEMENT	P.O. BOX 53365	OKLAHOMA CITY	OK	73152	4055212481
JOAN	LEAVITT	STATE HEALTH DEPARTMENT	1000 NORTH EAST 10TH STREET	OKLAHOMA CITY	OK	73111	4052718056
DAVID	MCBRIDE	DEPARTMENT OF PUBLIC SAFETY	3600 MARTIN LUTHER KING BLVD	OKLAHOMA CITY	OK	73111	4054252424
STEVE	THOMPSON	DEPARTMENT OF ENVIRONMENTAL QUALITY	1000 NORTH EAST 10TH STREET	OKLAHOMA CITY	OK	73111	4052714677
** TX							
LAWRENCE	ALWIN	STATE AUDITOR'S DEPARTMENT	209 EAST 9TH STREET	AUSTIN	TX	78701	5124754115

recycled paper
ecology and environment

DAVID	BARKER	TEXAS WATER COMMISSION	1700 NORTH CONGRESS AVENUE	AUSTIN	TX	78701	
LOUIS	BERRY	DEPARTMENT OF HEALTH	BEREAU OF EMERGENCY MGMT.	AUSTIN	TX	78756	5124587254
BRIAN	BERWICK	ATTORNEY GENERAL'S DEPARTMENT	ENVIRONMENTAL PROTECTION DIV	AUSTIN	TX	78701	
CATHY	BONNER	TEXAS DEPARTMENT OF COMMERCE	FIRST CITY CENTER, STE 1100	AUSTIN	TX	78701	5123209630
JAMES	BRADLEY	TEXAS ENGINEERING EXTENSION SERVICE	TEXAS A&M UNIVERSITY	COLLEGE STATION	TX	77843	
BENNY	COTTLE	ADJUTANT GENERAL'S DEPARTMENT	P.O. BOX 5218	AUSTIN	TX	78763	
JIM	DAILY	DEPT OF HIGHWAYS & PUBLIC TRANS.	STATE HGHWY BUILDING	AUSTIN	TX	78701	5124656261
PAT	EBARB	TEXAS FOREST SERVICE	P.O. BOX 310	LUFKIN	TX	75901	
LUTHER	ELMORE	COMPTOLLER OF PUBLIC ACCOUNTS	111 EAST 17TH STREET	AUSTIN	TX	78701	
KRAIG	GALLIMORE	DEPARTMENT OF AGRICULTURE	P.O. BOX 12847	AUSTIN	TX	78711	5124637434
CATHERINE	GHIGLIERI	STATE BANKING DEPARTMENT	2601 N. LAMAR	AUSTIN	TX	78705	5124754451
NONA	GOLD	TEXAS DEPARTMENT OF AVIATION	410 EAST 5TH STREET	AUSTIN	TX	78701	5124769262
ED	GONZALES	TEXAS AIR CONTROL BOARD	EMERGENCY RESPONSE DIVISION	AUSTIN	TX	78723	
BOB	HALVERSON	STATE BOARD OF INSURANCE	STATE INSURANCE BLDG. #301	AUSTIN	TX	78701	5124753949
HAROLD	HUGHES	PUBLIC UTILITIES COMM. OF TEXAS	7800 SHOAL CREEK BLVD.	AUSTIN	TX	78757	
MARLIN	JOHNSTON	DEPARTMENT OF HUMAN SERVICES	701 WEST 51ST STREET	AUSTIN	TX	78751	5124503050
W. N.	KIRBY	TEXAS EDUCATION AGENCY	WILLIAM TRAVIS BUILDING	AUSTIN	TX	78701	5124753271
GARY	MAURO	GENERAL LAND OFFICE	1700 NORTH CONGRESS AVENUE	AUSTIN	TX	78701	5124752071
PAULA	MCKINNEY	TEXAS DEPARTMENT OF HEALTH	OCCUPATIONAL HEALTH PROGRAM	AUSTIN	TX	78756	
TOM	MILLWEE	DIVISION OF EMERGENCY MANAGEMENT	P.O. BOX 4087	AUSTIN	TX	78773	5124652138
SHARON	NALLS	AMERICAN NATIONAL RED CROSS	2218 PERSHING DRIVE	AUSTIN	TX	78723	
NANCY	OLINGER	ATTORNEY GENERAL'S DEPARTMENT	SUPREME COURT BUILDING	AUSTIN	TX	78711	5124752501
CHARLES	PAGE	TEXAS ENGINEERING EXT. SERVICE	TEXAS A&M UNIVERSITY	COLLEGE STATION	TX	77843	
DENNIS	PALAFOX	TEXAS PARKS AND WILDLIFE	4200 SMITH SCHOOL ROAD	AUSTIN	TX	78744	
LEWANNE	RAY	TEXAS EMPLOYMENT COMMISSION	TEC BUILDING	AUSTIN	TX	78778	5124632222
JIM	ROBERTSON	PARKS & WILDLIFE	4200 SMITH SCHOOL ROAD	AUSTIN	TX	78744	5123894633
WILLIE	SCOTT	DEPARTMENT OF COMMUNITY AFFAIRS	8317 CROSS PARK DRIVE	AUSTIN	TX	78754	5124434100
LIAS	STEEN	PURCHASING & GENERAL SERVICES	1711 SAN JACINTO	AUSTIN	TX	78701	5124633446
AL	STERLING	TEXAS ENGINEERING EXTENSION SERVICE	TEXAS A&M UNIVERSITY SYSTEM	COLLEGE STATION	TX	77843	4098457952
WINDLE	TAYLOR	TEXAS RAILROAD COMMISSION	1701 NORTH CONGRESS AVENUE	AUSTIN	TX	78701	
PAT	TERRY	TEXAS DEPARTMENT MHMR	909 WEST 45TH STREET	AUSTIN	TX	78756	
BILL	UPTON	TEXAS RAILROAD COMMISSION	P.O. BOX 12967	AUSTIN	TX	78711	
VIRGIL	WALSMITH	DEPARTMENT OF PUBLIC SAFETY	TRAFFIC LAW ENFORCEMENT DIV.	AUSTIN	TX	78773	5124652000

LOCAL EMERGENCY RESPONSE COMMITTEE (LEPC)

LOCAL EMERGENCY PLANNING COMMITTEE (LEPC) MEMBERS

STATE EMERGENCY RESPONSE COMMISSION (SERC) MEMBERS

FEDERALLY RECOGNIZED INDIAN TRIBES

REGION RESPONSE TEAM (RRT) MEMBERS



SERC HAZARDOUS MATERIALS SPILL PHONE NUMBERS:

ARKANSAS - (501) 374-1201

LOUISIANA - (504) 925-6595

NEW MEXICO - (505) 827-9126

OKLAHOMA - (405) 271-4468

TEXAS - (512) 463-7727

NATIONAL RESPONSE CENTER - (800) 424-8802

COMPILED BY:

STEVE MASON
ENFORCEMENT COORDINATOR
CONTINGENCY PLANNING SECTION (6E-EP)
1445 ROSS AVENUE
DALLAS, TEXAS 75202
(214) 655-2277

ERNEST WOODS
INDIAN COORDINATOR
FEDERAL ASSISTANCE SECTION (6E-FF)
1445 ROSS AVENUE
DALLAS, TEXAS 75202
(214) 655-7454

JULY, 1993

recycled paper

ecology and environment

** LA

BYRON	MARTIEN	ACADIA PARISH LEPC	P.O. BOX 1273	CROWLEY	LA	70526	3187835469
FLOYD	JOHN	ALLEN PARISH LEPC	P.O. BOX 118	LEBLANC	LA	70651	3187385259
K.	SHANNON	ASCENSION PARISH LEPC	828 SOUTH IRMA BLVD, #104	GONZALES	LA	70737	5046218360
RAYMOND	BABIN	ASSUMPTION PARISH LEPC	141 HIGHWAY 1008	NAPOLEONVILLE	LA	70390	5046318186
CINDY	DUPUY	AVOYELLES PARISH LEPC	COURT HOUSE BUILDING	MARKSVILLE	LA	71351	3182537291
LANCE	THOMASSON	BEAUREGARD PARISH LEPC	P.O. BOX 370	DERIDDER	LA	70634	3184624214
JAMES	MARTIN	BIENVILLE PARISH LEPC	P.O. BOX 479	ARCADIA	LA	71001	3182632019
MICHAEL	PENALUNA	BOSSIER PARISH LEPC	P.O. BOX 192	SHREVEPORT	LA	71161	3184255351
MICHAEL	PENALUNA	CADDO PARISH LEPC	P.O. BOX 192	SHREVEPORT	LA	71161	3184255351
MASON	LINDSAY	CALCASIEU PARISH LEPC	P.O. BOX 1391	LAKE CHARLES	LA	70602	3184373500
RUBE	BATES	CALDWELL PARISH LEPC	P.O. BOX 60	COLUMBIA	LA	71418	3186492801
HAYES	PICOU	CAMERON PARISH LEPC	P.O. BOX 366	CAMERON	LA	70631	3187755718
EMMETT	BOOK	CATAHOULA PARISH LEPC	P.O. BOX 258	HARRISONBURG	LA	71340	3187445435
DENNIS	BUTCHER	CLAIBORNE PARISH LEPC	P.O. BOX 569	HOMER	LA	71040	3189273575
VERNON	WHITE	CONCORDIA PARISH LEPC	ROUTE 1, BOX 70 M	FERRIDAY	LA	71334	3187578248
TOM	THIGPEN	DESOTO PARISH LEPC	P.O. BOX 898	MANSFIELD	LA	71052	3188720738
RONNIE	SPILLMAN	EAST BATON ROUGE LEPC	2332 FLORIDA BLVD.	BATON ROUGE	LA	70821	5043895255
MIKE	SUMRALL	EAST CARROLL PARISH LEPC	400 FIRST STREET	LAKE PROVIDENCE	LA	71254	3185592256
T. W	PREWITT	EAST FELICIANA PARISH LEPC	P.O. BOX 397	CLINTON	LA	70722	5046833320
DALE	REED	EVANGELINE PARISH LEPC	COURTHOUSE BUILDING	VILLE PLATTE	LA	70586	3183635651
SAMUEL	ROBINSON	FRANKLIN PARISH LEPC	210 MAIN STREET	WINNSBORO	LA	71295	3184354505
WILLIAM	BELL	GRANT PARISH LEPC	COURTHOUSE BUILDING	COLFAX	LA	71417	3186273157
WILMA	SUBRA	IBERIA PARISH LEPC	300 IBERIA, STE B-120	NEW IBERIA	LA	70560	3183672216
MICHAEL	THOMPSON	IBERVILLE PARISH LEPC	P.O. BOX 324	PLAQUEMINE	LA	70765	5046875140
TROY	SMITH	JACKSON PARISH POLICE JURY	COURTHOUSE BUILDING	JONESBORO	LA	71251	3182592361
JIM	DUTCHER	JEFFERSON PARISH LEPC	1887 AMES BLVD.	MARRERO	LA	70072	5044316436
GLADYS	ROBINSON	JEFFERSON DAVIS LEPC	P.O. BOX 311	JENNINGS	LA	70546	3188241293
WILLIAM R.	VINCENT	LAFAYETTE PARISH LEPC	P.O. BOX 3286	LAFAYETTE	LA	70502	3182685075
CRAIG	WEBRE	LAFOURCHE PARISH LEPC	P.O. DRAWER 5608	THIBODAUX	LA	70302	5044482211
SAMMY	FRANKLIN	LASALLE PARISH LEPC	P.O. BOX 57	JENA	LA	71342	3189922151
WALTER	SAVAGE	LINCOLN PARISH LEPC	P.O. BOX 979	RUSTON	LA	71273	3182553770
DELMAS	TAYLOR	LIVINGSTON PARISH LEPC	P.O. BOX 427	LIVINGSTON	LA	70754	5046863021
EARL	PINKNEY	MADISON PARISH LEPC	POLICE JURY COURTHOUSE BLDG.	TALLULAH	LA	71282	3185743451
RAY	YARBOROUGH	MOREHOUSE PARISH LEPC	202 EAST JEFFERSON	BASTROP	LA	71220	3182814132
LEIGH	PERKINS	NATCHITOCHES PARISH LEPC	P.O. BOX 751	NATCHITOCHES	LA	71458	3183526432
WARREN	MCDANIELS	ORLEANS PARISH LEPC	1300 PERDIDO STREET, #9E01	NEW ORLEANS	LA	70112	5045657816
JACKIE	LITTLE	OUACHITA PARISH LEPC	413 NATCHITOCHES STREET	WEST MONROE	LA	71291	3183222641
LUKE	PETROVICH	PLAQUEMINES PARISH LEPC	RT 1, BOX 53A	BRAITHWAITE	LA	70040	5043926690
O'NEIL	LEONARD	POINTE COUPEE PARISH LEPC	P.O. BOX 248	NEW ROADS	LA	70760	5046389014
WILLIAM	GODRON	RAPIDES PARISH LEPC	4216 ELLIS STREET	ALEXANDRIA	LA	71315	3184875788
RUSSELL	ADAMS	RED RIVER PARISH LEPC	P.O. BOX 454	COUSHATA	LA	71019	3189326342
MILTON	PREDDY	RICHLAND PARISH LEPC	P.O. BOX 668	RAYVILLE	LA	71269	3187285871
BEN	ISGITT	SABINE PARISH LEPC	P.O. BOX 1440	MANY	LA	71449	3185868200
JOHN	CARNEY	ST. BERNARD PARISH LEPC	8201 WEST JUDGE PEREZ DRIVE	CHALMETTE	LA	70043	5042784220
JOSEPH	YOUNG	ST. CHARLES PARISH LEPC	P.O. BOX 302	HAHNVILLE	LA	70057	5044684733
JOE	LOMBARDO	ST. HELENA PARISH LEPC	P.O. BOX 220	GREENSBURG	LA	70441	5042224141
JODY	CHENIER	ST JAMES PARISH LEPC	P.O. BOX 106	CONVENT	LA	70723	5045622310
BERTRAM	MADERE	ST. JOHN PARISH LEPC	1801 WEST AIRLINE HIGHWAY	LAPLACE	LA	70068	5046523000
CORNELIUS	FIRMIN	ST. LANDRY PARISH LEPC	P.O. BOX 551	OPELOUSAS	LA	70571	3189483688
JAMES	DEVILLIER	ST. MARTIN PARISH LEPC	P.O. BOX 9	ST. MARTINSVILLE	LA	70582	3183322181
DERHYL	HEBERT	ST. MARY PARISH LEPC	COURTHOUSE-5TH FLOOR	FRANKLIN	LA	70538	5048284100
NATHAN	MCCRIMON	ST. TAMMANY PARISH LEPC	P.O. BOX 628	COVINGTON	LA	70434	5048934978
WILLIAM	TURNAGE	TANGIPAHOA PARISH LEPC	P.O. BOX 215	AMITE	LA	70422	5047489602
RICK	FOSTER	TENSAS PARISH LEPC	P.O. BOX 768	ST. JOSEPH	LA	71366	3187663992
AL	LEVRON	TERREBONNE PARISH LEPC	P.O. BOX 2768	HOUMA	LA	70361	5048736727
REGGIE	SKAINS	UNION PARISH LEPC	P.O. BOX 723	FARMERVILLE	LA	71241	3189825344

MICHAEL	BETRAND	VERMILION PARISH LEPC	P.O. BOX 430	ABBEVILLE	LA	70511	3188984300
GIL	JEANE	VERNON PARISH LEPC	P.O. BOX 1267	LEESVILLE	LA	71446	3182380331
LARUE	MARTIN	WASHINGTON PARISH LEPC	1002 MAIN STREET	FRANKLINTON	LA	70438	5048485404
GORDON	ERVIN	WEBSTER PARISH LEPC	P.O. BOX 876	MINDEN	LA	71058	3183777022
CARROLL	BOURGEOIS	WEST BATON ROUGE PARISH LEPC	P.O. BOX 757	PORT ALLEN	LA	70767	5043834755
ED	PREVOST	WEST CARROLL PARISH LEPC	P.O. BOX 269	OAK GROVE	LA	71263	3184283149
TOMMY	BOYETT	WEST FELICIANA PARISH LEPC	P.O. BOX 1927	ST. FRANCISVILLE	LA	70775	5046353620
ARTHUR	CHANDLER	WINN PARISH LEPC	306 SOUTH ABEL STREET	WINNFIELD	LA	71483	3186283923

LOCAL EMERGENCY PLANNING COMMITTEE (LEPC) MEMBERS

STATE EMERGENCY RESPONSE COMMISSION (SERC) MEMBERS

FEDERALLY RECOGNIZED INDIAN TRIBES

REGION RESPONSE TEAM (RRT) MEMBERS



SERC HAZARDOUS MATERIALS SPILL PHONE NUMBERS:

ARKANSAS - (501) 374-1201

LOUISIANA - (504) 925-6595

NEW MEXICO - (505) 827-9126

OKLAHOMA - (405) 271-4468

TEXAS - (512) 463-7727

NATIONAL RESPONSE CENTER - (800) 424-8802

COMPILED BY:

STEVE MASON
ENFORCEMENT COORDINATOR
CONTINGENCY PLANNING SECTION (6E-EP)
1445 ROSS AVENUE
DALLAS, TEXAS 75202
(214) 655-2277

ERNEST WOODS
INDIAN COORDINATOR
FEDERAL ASSISTANCE SECTION (6E-FF)
1445 ROSS AVENUE
DALLAS, TEXAS 75202
(214) 655-7454

JULY, 1993

recycled paper

ecology and environment

FEDERALLY RECOGNIZED INDIAN TRIBES
AS OF JULY, 1993
REGION 6

NAME		ADDRESS		CITY	ST	ZIP	PHONE
** CO							
JUDY	KNIGHT-FRANK	UTE MOUNTAIN UTE TRIBAL COUNCIL	GENERAL DELIVERY	TOWAOC	CO	81344	(303) 565-3751
** LA							
RALPH	DARDEN	CHITIMACHA TRIBAL COUNCIL	P.O. BOX 661	CHARENTON	LA	70523	(318) 923-4973
LOVELIN	PONCHO	COUSHATTA TRIBAL COUNCIL	P.O. BOX 818	ELTON	LA	70532	(318) 584-2261
** NM							
REGINALD	PASQUAL	ACOMA PUEBLO	P.O. BOX 309	ACOMITA	NM	87034	(505) 552-6604
CEDRIC	CHAVEZ	COCHITI PUEBLO	P.O. BOX 70	COCHITI	NM	87041	(505) 465-2254
ALVINO	LUCERO	ISLETA PUEBLO	P.O. BOX 1270	ISLETA	NM	87022	(505) 869-3111
PAUL	TOSA	JEMEZ PUEBLO	P.O. BOX 100	JEMEZ	NM	87024	(505) 834-7359
LEONARD	ATOLE	JICARILLA APACHE TRIBAL COUNCIL	P.O. BOX 147	DULCE	NM	87528	(505) 759-3242
HARRY	EARLY	LAGUNA PUEBLO	P.O. BOX 194	LAGUNA	NM	87026	(505) 552-6654
WENDELL	CHINO	MESCALERO APACHE TRIBAL COUNCIL	P.O. BOX 176	MESCALERO	NM	88340	(505) 671-4495
HERBERT	YATES	NAMBE PUEBLO	ROUTE 1, BOX 117BB	SANTA FE	NM	87501	(505) 455-2036
MANUEL	ARCHULETA	PICURIS PUEBLO	P.O. BOX 127	PENASCO	NM	87553	(505) 587-2519
JACOB	VIARRIAL	POJOAQUE PUEBLO	ROUTE 11, BOX 71	SANTA FE	NM	87501	(505) 455-2278
CARLOS	LUCERO	SAN FELIPE PUEBLO	P.O. BOX A	SAN FELIPE	NM	87001	(505) 867-3381
PETE	MARTINEZ	SAN ILDEFONSO PUEBLO	ROUTE 5, BOX 315 A	SANTA FE	NM	87501	(505) 455-2273
WILFRED	GARCIA	SAN JUAN PUEBLO	P.O. BOX 1099	SAN JUAN	NM	87566	(505) 852-4400
INEZ	BACA	SANDIA PUEBLO	BOX 6008	BERNALILLO	NM	87004	(505) 867-3317
ELISEO	RATON	SANTA ANA PUEBLO	STAR ROUTE BOX 37	BERNALILLO	NM	87004	(505) 867-3301
WALTER	DASHENO	SANTA CLARA PUEBLO	P.O. BOX 580	ESPANOLA	NM	87532	(505) 753-7330
THOMAS	MOQUINO	SANTA DOMINGO PUEBLO	P.O. BOX 99	SANTA DOMINGO	NM	87052	(505) 465-2214
JOSE	SAMORA	TAOS PUEBLO	P.O. BOX 1846	TAOS	NM	87571	(505) 758-9593
CHARLES	DORAME	TESUQUE PUEBLO	ROUTE 11, BOX 1	SANTA FE	NM	87501	(505) 983-2667
MOSES	SHIJE	ZIA PUEBLO	GENERAL DELIVERY	SAN YSIDRO	NM	87053	(505) 867-3304
ROBERT	LEWIS	ZUNI PUEBLO	P.O. BOX 339	ZUNI	NM	87052	(505) 782-4481
** OK							
KENNETH	BLANCHARD	ABSENTEE-SHAWNEE EXECUTIVE COMMITTEE	2025 SOUTH GORDON COOPER DRIVE	SHAWNEE	OK	74801	(405) 275-4030
HENRY	KOSTZUTA	APACHE BUSINESS COMMITTEE	P.O. BOX 1220	ANADARKO	OK	73005	(405) 247-9493
ELMO	CLARK	CADDO TRIBAL COUNCIL	P.O. BOX 487	BINGER	OK	73009	(405) 656-2344
WILMA	MANKILLER	CHEROKEE NATION OF OKLAHOMA	P.O. BOX 948	TAHLEQUAH	OK	74465	(918) 456-0671
EDDIE	WILSON	CHEYENNE-ARAPAHO BUSINESS COMMITTEE	P.O. BOX 38	CONCHO	OK	73022	(405) 262-0345
BILL	ANOATUBBY	CHICKASAW NATION OF OKLAHOMA	P.O. BOX 1548	ADA	OK	74820	(405) 436-2603
HOLLIS	ROBERTS	CHOCTAW NATION OF OKLAHOMA	P.O. DRAWER 1210	DURANT	OK	74701	(405) 924-8280
JOHN	BARRETT	CITIZEN BAND POTAWATOMI BUSINESS COMMITTEE	1901 SOUTH GORDON COOPER DRIVE	SHAWNEE	OK	74801	(405) 275-3121
WALLACE	COFFEE	COMANCHE TRIBAL BUSINESS COMMITTEE	HC 32, BOX 1720	LAWTON	OK	73502	(405) 247-3444

BILL	FIFE	CREEK NATION OF OKLAHOMA	P.O. BOX 580	OKMULGEE	OK	74447	(918) 756-8700
CHARLES	KEECHI	DELAWARE EXECUTIVE COMMITTEE	P.O. BOX 825	ANADARKO	OK	73005	(405) 247-2448
MILDRED	CLEGHORN	FORT SILL APACHE BUSINESS COMMITTEE	ROUTE 2, BOX 121	APACHE	OK	73006	(405) 588-2298
LAWRENCE	MURRAY	IOWA OF OKLAHOMA BUSINESS COMMITTEE	P.O. BOX 190	PERKINS	OK	74059	(405) 547-2403
WANDA	STONE	KAW BUSINESS COMMITTEE	DRAWER 50	KAW CITY	OK	74641	(405) 269-2552
RICCARDO	SALAZAR	KICKAPOO OF OKLAHOMA BUSINESS COMMITTEE	P.O. BOX 70	MCLOUD	OK	7485[illegible]	(405) 964-2075
HERSCHEL	SAHMAUNT	KIOWA BUSINESS COMMITTEE	P.O. BOX 369	CARNEGIE	OK	73015	(405) 654-2300
FLOYD	LEONARD	MIAMI TRIBE OF OKLAHOMA	P.O. BOX 636	MIAMI	OK	74355	(918) 542-1445
BILL	FOLLIS	MODOC TRIBE OF OKLAHOMA	P.O. BOX 939	MIAMI	OK	74355	(918) 542-1190
CHARLES	TILLMAN	OSAGE TRIBAL COUNCIL	TRIBAL ADMINISTRATION BUILDING	PAWHUSKA	OK	74056	(918) 287-2495
KENNETH	BLACK	OTOE-MISSOURIA TRIBAL COUNCIL	P.O. BOX 68	RED ROCK	OK	74651	(405) 732-4434
CHARLES	DAWES	OTTAWA TRIBE OF OKLAHOMA	P.O. BOX 110	MIAMI	OK	74355	(918) 540-1536
ROBERT	CHAPMAN	PAWNEE BUSINESS COUNCIL	P.O. BOX 460	PAWNEE	OK	74058	(918) 762-3624
DONALD	GILES	PEORIA BUSINESS COMMITTEE	P.O. BOX 1527	MIAMI	OK	74355	(918) 540-2535
GENEVIEVE	POLLAK	PONCA BUSINESS COMMITTEE	P.O. BOX 2, WHITE EAGLE	PONCA CITY	OK	74601	(405) 762-8104
LLOYD	BUFFALO	QUAPAW TRIBAL BUSINESS COMMITTEE	P.O. BOX 765	QUAPAW	OK	74363	(918) 542-1853
ELMER	MANATOWA	SAC & FOX OF OKLAHOMA BUSINESS COMMITTEE	ROUTE 2, BOX 246	STROUD	OK	74079	(918) 968-3526
JERRY	HANEY	SEMINOLE NATION OF OKLAHOMA	P.O. BOX 1498	WEWOKA	OK	74884	(405) 257-6287
MARK	DANIEL	SENECA-CAYUGA BUSINESS COMITTEE	P.O. BOX 1283	MIAMI	OK	74355	(918) 542-6609
VIRGINIA	COMORINK	TONKAWA BUSINESS COMMITTEE	P.O. BOX 70	TONKAWA	OK	74653	(405) 628-2561
GARY	MCADAMS	WICHITA EXECUTIVE COMMITTEE	P.O. BOX 729	ANADARKO	OK	73005	(405) 247-2425
LEAFORD	BEARSKIN	WYANDOTTE TRIBE OF OKLAHOMA	P.O. BOX 250	WYANDOTTE	OK	74370	(918) 678-2297

** TX

AMON	SYLESTINE	ALABAMA-COUSHATTA TRIBAL COUNCIL	ROUTE 3, BOX 659	LIVINGSTON	TX	77351	(409) 563-4391
RAUL	GARZA	KICKAPOO TRADITIONAL TRIBE OF TEXAS	P.O. BOX 972	EAGLE PASS	TX	78853	(512) 773-2105
JULIAN	GRANILLO	YSLETA DEL SUR PUEBLO	P.O. BOX 17579	EL PASO	TX	79917	(915) 859-7913

WASTE DISPOSAL FACILITIES

Supplied by State Agencies regulating Waste Disposal Facilities

Refer to Volume I of U.S. EPA ACP Annex F - Appendix VI

Waste Disposal Facilities Database Report

Company Name	Address	City	State	County	Phone	EPA Id #	Permit #	Wasteclass	District #
Corporation									
Browning-Ferris Industries Chemical Ser.	P.O. Box 1195	Nederland	TX	Jefferson	409-727-3156		39021	Class II &	6
Cecos International Inc.	Chaparral Disposal Site	Odessa	TX	Ector	915-333-2826		WDW-146	Class I	10
Cecos International, Inc.	2407 E. Murphy Road	Odessa	TX	Midland	915-333-2826				0
Safety-Kleen Corporation	3304 Womack Road	Orange	TX	Orange	312-697-8460	TXD061290276	70026	Class I	6
Safety-Kleen Corporation	3333 Federal Road	Pasadena	TX	Harris	312-697-8460	TXD000747386	71143	Class I	7
Chemical Waste Management	Highway 73	Port Arthur	TX	Jefferson	409-736-2821				0
Chemical Waste Management, Inc.	P.O. Box 2563	Port Arthur	TX	Jefferson	409-736-2821	TXD000838896	39012	Class I	6
Chemical Waste Management, Inc.	P.O. Box 2563	Port Arthur	TX	Jefferson	409-736-2821	TXD000838896	WDW-160	Class I	6
Texas Ecologist, Inc.	P.O. Box 307	Robstown	TX	Nueces	502-426-7160				0
Texas Ecologists, Inc.	P.O. Box 307	Robstown	TX	Nueces	800-242-3209	TXD069452340	39023	Class I	12
San Angelo Electric Service Co.	P.O. Box 1587	San Angelo	TX	Tom Green	915-653-2336		39046	Class I/Storage	9
KDM Company	4303 Profit Drive	San Antonio	TX	Bexar	512-333-4011	TXD052649027	31905	Class I, II,	8
Safety-Kleen Corporation	5243 Sinclair Road	San Antonio	TX	Bexar	312-697-8460	TXD000729400	69048	Class I	8
Southern States Specialty, Inc.	209 S. Bolivar	San Augustine	TX	San Augustine	409-275-2363		39035	Class I	6
Torque Petroleum Products	6038 F.M. 517	San Leon	TX		713-339-1576				0
3M Company	P.O. Box 33331	St. Paul, Minnesota	TX	Brown	612-778-4594	TXD001806868	30536	Hazardous Waste	9
Brazoria Equipment Co., Inc.	P.O. Box 2417	Texas City	TX	Galveston	713-482-8321		39056	Class II & II	7
Lowry Unitank	P.O. Box 2428	Texas City	TX	Galveston	713-948-1688	TXD091936351	30733	Class I	7
Malone Service Company	P.O. Box 709	Texas City	TX	Galveston	409-945-3301	TXD027147115	50003	Class I	7
Malone Service Company	P.O. Box 709	Texas City	TX	Galveston	409-945-3301				0
Safety-Kleen Corporation	22006 Woodway Drive (Rt. 12)	Waco	TX	McLennan	312-697-8460	TXD980876015	66171	Class I	3
Bell Processing Inc.	P.O. Box 2604	Wichita Falls	TX	Wichita	817-322-8621		39035	Class III	4
Safety-Kleen Corportion	1606 Missile Rd.	Wichita Falls	TX	Wichita	312-697-8460	TXD000747428	64041	Class I	4
Gibraltor Chemical Resources	Highway 155 P.O. Box 248	Winona	TX	Smith	214-877-3227				0
Gibraltor Chemical	Box 248	Winona	TX	Smith	214-877-3227	TXD000742304	WDW-186	Class I	5

Waste Disposal Facilities Database Report

Company Name	Address	City	State	County	Phone	EPA Id #	Permit #	Wasteclass	District #
Chemical Waste Management, Inc.	P.O. Box 9295	Corpus Christi	TX	Nueces	512-852-8284	TXD000761254	50023	Class I	12
SDC Service, Inc.	P.O. Box 7142	Corpus Christi	TX	Nueces	512-855-4551	TXD030923361	50059	Class I	12
Safety-Kleen Corporation	3820 Bratton Road	Corpus Christi	TX	Nueces	312-697-8460	TXD000747402	68053	Class I	12
Heat Energy Advanced Technology	4460 Singleton Blvd.	Dallas	TX	Dallas	214-637-6434	TXD980624035	HW-50029	Class I	4
Disposal Systems, Inc.	2401 Battleground Road	Deer Park	TX	Harris	713-930-2525				0
Empak, Inc.	2759 Battleground Road	Deer Park	TX	Harris	713-623-0000				0
Intercontinental Terminals Company	1943 Battleground Road	Deer Park	TX	Harris	713-479-6024				0
Occidental Chemical Corporation	P.O. Box 500	Deer Park	TX	Harris	713-476-2692	TXD056263528	30550	Class I, II,	7
Parktank Gulf Coast, Inc.	2759 Battleground Road	Deer Park	TX	Harris	713-623-0000				0
Rollins Environmental Services	2027 Battleground Road	Deer Park	TX	Harris	713-479-6001				0
Rollins Environmental Services (TX) Inc.	P.O. Box 609	Deer Park	TX	Harris	713-479-6001	TXD055141378	01429	CLass I	7
Safety-Kleen Corporation	1722 Copper Creek Rd	Denton	TX	Denton	817-383-2611	TXD077603371	65124	Class I	4
Safety-Kleen Corporation	1722 Cooper Creek Road	Denton	TX	Denton	312-697-8460				0
Torque Petroleum Products		Dickerson	TX	Galveston	713-680-2111	TXD980628028	34323	Class I	7
AVV Corp, LTD.	P.O. Box 1640	Dickinson	TX	Galveston	713-242-1999	TXD981053770	34814	Class I	7
Safety-Kleen Corporation	900A Hawkins Blvd	El Paso	TX	El Paso	312-697-8460	TXD000747394	63019	Class I	10
Why Wastewater? Inc.	3350 Doniphan Dr	El Paso	TX	El Paso	915-779-3937	TXD981512106	HW-50209	Class I	10
Ellis County Disposal	P.O. Box 307	Ennis	TX	Ellis	214-875-6616		39054	Class	4
Everett Kates Inc.	2109 David Drive	Fort Worth	TX	Tarrant	817-838-6725		39055	Class III	4
Safety-Kleen Corportion	6529 Midway Rd.	Fort Worth	TX	Tarrant	312-697-8460	TXD981053416	55195	Class I	4
Iso-Tex, Inc.	County Road 129	Friendswood	TX	Brazoria	713-482-1231				0
CNB Batteries, Inc.	South 5th St.	Frisco	TX	Collin	214-377-2121				0
GNB, Inc.	7471 South Fifth	Frisco	TX	Collin	612-681-5145	TXD006451090	HW-50206	Class I	4
Ashland Chemical Company	3101 Wood Drive	Garland	TX	Dallas	214-840-0206	TXD980745095	HW-50007	Class I	4
Southern California Chemical Co, Inc.	1000 North First St.	Garland	TX	Dallas	214-272-4528	TXD047823265	30680	Class I, Class	4
Effluent Treatment Services	6401 Bradley Space P	Haltom City	TX	Tarrant	817-429-4039		39061	Class I	4

Waste Disposal Facilities Database Report

Company Name	Address	City	State	County	Phone	EPA Id #	Permit #	Wasteclass	District #
GE Schenectady	4900 Kingston St.	Denver	CO	Denver	303-329-9070				0
Chemical Waste Management	9131 East 96th Avenue	Thunderson	CO		800-525-1840				0
Continental Environmental Services	P.O. Box 5039	Gainesville	FL	Alachua	904-376-7833				0
Rollins Env. Serv. Inc	13351 Scenic Highway	Baton Rouge	LA	West Baton Rouge	504-778-1234				0
R&D Fabricating & Mgmt. Inc.	108 Parkway Dr.	Lafayette	LA	St. Martin	318-627-3448				0
Rollins	32655 Graysie	Plaquemine	LA	Iberville	504-659-2434				0
Chemical Waste Mgmt. Inc.	Rt. 2 Box 1955	Sulphur	LA	Calcasieu	318-583-2169				0
U.S. Ecology Environmental	333 North Rancho Dr., Ste. 644	Las Vegas	NE	Clark	800-777-7311				0
Rinchem Company, Inc.	6133 Edith NE.	Albuquerque	NM	Bernalillo	505-345-3655				0
Safety-Kleen Corporation	2720 Girard NE	Albuquerque	NM	Bernalillo	505-884-2277				0
Safety-Kleen Corporation	4200 A Hawkins Road	Farmington	NM	San Juan	505-327-9070				0
Enviro-Process Systems	P.O. Box 731	Bronxville	NY	Westchester	914-965-0599				0
U.S.P.C.I.	2000 Claussen Rd., Suite 400S	Oklahoma City	OK	Oklahoma	405-528-8371				0
Ashland Chemical Company	3535 W. 21st St.	Tulsa	OK	Osage	918-587-0168				0
U.S.P.C.I.	Rt. 2, Box 180A	Waynoka	OK	Woodward	405-697-3237				0
Agmet Resource Recovery	23 Acorn St.	Providence	RI	Providence	401-831-0909				0
Diversified Scientific Services, Inc.	P.O. Box 863	Kingston	TN		615-376-0087				0
Safety-Kleen Corporation	4234 Oil Belt Lane	Abilene	TX	Taylor	312-697-8460	TXD062287883	64042	Class I	9
Safety-Kleen Corporation	3811 IH-40 East	Amarillo	TX	Potter	312-697-8460	TXD000747410	61018	Class I	1
Detrex Chemical Industries, Inc.	322 international Parkway	Arlington	TX	Tarrant	817-640-6017	TXD980627137	HW-50021	Class I	4
Chemical Reclamation Services, Inc.	P.O. Box 69	Avalon	TX	Ellis	214-627-3243	TXD046844700	HW-50084	Class I	4
Liberty Waste Disposal Company	P.O. Box 3370	Baytown	TX	Chambers	713-424-5505		39017	Class II &	7
Olin Corporation	P.O. Box 30	Beaumont	TX	Jefferson	409-835-6641		HW-50167	Class I	6
Olin Corporation	1400 Olin Road	Beaumont	TX	Jefferson	409-835-6641				0
Chemical Waste Management	6901 Greenwood Road	Corpus Christi	TX	San Patricio	409-736-2821				0

Waste Disposal Facilities Database Report

Company Name	Address	City	State	County	Phone	EPA Id #	Permit #	Wasteclass	District #
Ashland Chemical Company	8901 Galveston Rd.	Houston	TX	Harris	713-941-3403				0
Disposal Systems, Inc.	Box 1505	Houston	TX	Harris	713-974-5000	TXD000719518	WDW-169	Class I	7
Eltex Chemical & Supply Co.	P.O. Box 4214	Houston	TX	Harris	713-795-5607	TXD074196338	39028	Class I	7
Eltex Chemical and Supply Company	1020 Holcombe, Suite 1114	Houston	TX	Harris	713-795-5607				0
Empak, Inc.	2000 W. Loop S., Suite 1800	Houston	TX	Harris	713-623-0000		WDW-157	Class I	7
Feed Processors (aka Houston Scrap)	P.O. Box 21145	Houston	TX	Harris	713-225-1436	TXD005928130	32498	Class 1	7
Force Road Oil & Vacuum Truck Co.	P.O. Box 9484	Houston	TX	Harris	713-928-2737	TXD000633453	39014	Class I/Storage	7
Force, Inc.	P.O. Box 9484	Houston	TX	Harris	713-928-2737	TXD074165986	39040	Class	7
General Electric Company	8800 Wallisville Road	Houston	TX	Harris	713-672-3541		39063	Class I	7
Global Fuel, Inc.	2505 Collingsworth, Suite 200	Houston	TX	Harris	713-227-0696	TXD093565653	50092	Class I	7
James C. Mcdonald	10822 Stabler Lane	Houston	TX	Harris	713-695-0812		39019	Class	7
Merichem Company	1914 Haden Road	Houston	TX	Harris	713-455-1311		WDW-147	Class I	7
Paktank Corporation	2000 W. Loop S. Suite 1800	Houston	TX	Harris	713-623-0000	TXD000807982	50030	Class I	7
Parkans International	P.O. Box 15519	Houston	TX	Harris	713-675-9141	TXD008105959	37436	Class I	7
R.B. Little, Inc.	P.O. Box 36230	Houston	TX	Harris	- - 0		39018	CLass	7
Stauffer Chemical Company	P.O. Box 5275	Houston	TX	Harris	- - 0	TXD008099079	50095	Class I	7
Treatment One	9001 Airport Blvd Suite 608	Houston	TX	Harris	713-944-9464	TXD055135388	71003	Class I	7
Safety-Kleen Corporation	2130A Grauwyler Rd	Irving	TX	Dallas	312-697-8460	TXD981052061	55194	Class I	4
Technical Environmental Systems, Inc.	500 Battleground Road	LaPorte	TX	Harris	713-476-0645	TXD982290140	HW-50225	Class I	7
Alpha Omega Recycling, Inc.	P.O. Box 9595	Longview	TX	Gregg	- - 0	TXD981514383	50203	Class I	5
Safety-Kleen Corporation	202 Michael Pl.	Longview	TX	Gregg	312-697-8460	TXD000747378	67028	Class I	5
Safety-Kleen Corporation	1 Mile E of Loop 289 on Hwy 62	Lubbock	TX	Lubbock	312-697-8460	TXD000747436	62018	Class I	2
Chastain, R.E.	Box 2257	McAllen	TX	Hidalgo	512-687-7035		39010	Class	11
Safety-Kleen Corporation	4 Mile N. of Jackson Road	Mcallen	TX	Hidalgo	312-697-8460	TXD083145656	68062	Class I	11
Safety-Kleen Corporation	10043 County Road 125	Midland	TX	Midland	312-697-8460	TXD981055690	72023	Class I	10
Safety-Kleen	1580 Industrial Road	Missouri City	TX	Harris	312-697-8460	TXD010803203	71144	Class I	7

Waste Disposal Facilities Database Report

Company Name	Address	City	State	County	Phone	EPA Id #	Permit #	Wasteclass	District #
Resources, Inc.									
Chemical Recycling	P.O. Box 947	Wylie	TX	Collin	214-442-5495	TXD053131223	32355	Class I	4
Chemical Recycling, Inc.	802 Kirby St.	Wylie	TX	Collin	214-442-5495				0
Golden Eagle Oil Refinery	1474 W. 1500 S.	Woods Cross	UT		801-292-4525				0

CHARTER SERVICES

POLCYN, RICHARD J
ROLLING PLAINS AIR SERVICE
HAYS MUNICIPAL AIRPORT
3950 E 8TH ST
HAYS KS 67601
BWMA665C
CEO7
TYPE: ODA
REGIONS:

ROESCH AVIATION INC
RT 3 BOX 86A
COLBY KS 67701
BVVA655C
CEO7
TYPE: ODA
REGIONS: CE EA GL NE NM SO SW WP EU

RTR CORP
NEWTON CITY/COUNTY AIRPORT
816C N OLIVER RD
NEWTON KS 67114
JLRA722S
CEO7
TYPE: ODA
REGIONS:

SCROGGIN, JAMES
UNIVERSAL AVIATION SERVICES
1725 S AIRPORT RD
BOX 12
MANHATTAN KS 66502
UMSA016T
CEO7
TYPE: ODA
REGIONS: CE EA GL NE NM SO SW WP

SKYWAY AIR SERVICE INC
MUNICIPAL AIRPORT
GARDEN CITY KS 67846
BWNA666C
CEO7
TYPE: ODA
REGIONS:

SPICER AIRCRAFT INC
MUNICIPAL AIRPORT
RR1 BOX 33
CLAY CENTER KS 67432
DKSA361B
CEO7
TYPE: ODA
REGIONS: CE EA GL NE NM SO SW WP

THOMAS JETS INC
520 S HOLLAND
SUITE 301
WICHITA KS 67209
THJA456I
CEO7
TYPE: ODA
REGIONS:

TRIANGLE COPTER SERVICE INC
3219 W MAY
WICHITA KS 67213
BVUA654C
CEO7
TYPE: ODR
REGIONS:

UNITED BEECHCRAFT INC
PO BOX 9162
WICHITA KS 67277
BWVA672C
CEO7
TYPE: ODA
REGIONS: CE EA GL NE NM SO SW WP EU

YINGLING AIRCRAFT INC
PO BOX 9248
WICHITA KS 67277
BWRA668C
CEO7
TYPE: ODA
REGIONS:

KENTUCKY

AERO TECH INC
4054 VERSAILLES RD
LEXINGTON KY 40510
IJCA018F
SO01
TYPE: ODA
REGIONS: CE EA GL NE NM SO SW WP

ALLIANT HEALTH SYSTEM INC
CENTRAL AMERICAN AIRWAYS
BOWMAN FIELD
LOUISVILLE KY 40205
NKCA837G
SO01
TYPE: ODA
REGIONS: CE EA GL NE NM SO SW WP

BEGLEY, EDWARD R
GLASGOW AVIATION
390 AIRPORT ROAD
GLASGOW KY 42121
INEA063F
SO01
TYPE: ODA
REGIONS: CE EA GL NE NM SO SW WP

BULLFROG INC
MILLION AIR OWENSBORO
PO BOX 1949
OWENSBORO KY 42302
FGQA883D
SO01
TYPE: ODA
REGIONS: CE EA GL NE NM SO SW WP

CENTRAL AMERICAN AIR TAXI INC
CENTRAL AMERICAN AIR TAXI INC
BOWMAN FIELD
LOUISVILLE KY 40205
AZWA356C
SO01
TYPE: ODA
REGIONS: CE EA GL NE NM SO SW WP

CRESCENT HELICOPTER INC
3800 BRYAN STATION RD
LEXINGTON KY 40516
IOCA078F
SO01
TYPE: ODR
REGIONS: AL CE EA GL NE NM SO SW WP

CRESCENT PAPER TUBE COMPANY INC
CRESCENT AIRWAYS
PO BOX 517
FLORENCE KY 41042
CAWA727C
GL05
TYPE: ODA
REGIONS: CE EA GL NE NM SO SW WP

DAVIS, DONALD C
DON DAVIS AVIATION
2154 HIGHWAY 136W
HENDERSON KY 42420
FGBA878D
SO01
TYPE: ODA ODR
REGIONS: CE EA GL NE NM SO SW WP

EMERALD AVIATION INC
566 AIRPORT ROAD
LONDON CORBIN AIRPORT
LONDON KY 40741
INKA065F
SO01
TYPE: ODA
REGIONS: CE EA GL NE NM SO SW WP

EXECUTIVE EXPRESS INC
1717 LINDY COURT
LEXINGTON KY 40505
LXVA883T
SO01
TYPE: ODA
REGIONS: CE EA GL NE NM SO SW WP

FALCON AVIATION INC
FALCON AVIATION INC
BOWMAN FIELD
LOUISVILLE KY 40205
FFVA875D
SO01
TYPE: ODA
REGIONS: CE EA GL NE NM SO SW WP

HELICOPTERS INC
HELICOPTERS, INC.
BOWMAN FIELD
LOUISVILLE KY 40205
AZUA358S
SO01
TYPE: ODR
REGIONS: CE EA GL NE NM SO SW WP

KENTUCKY FLYING SERVICE CORP
BOWMAN FIELD
LOUISVILLE KY 40205
KVPA896F
SO01
TYPE: ODA
REGIONS: CE EA GL NE NM SO SW WP

SKYRIDERS INC
BLUE GRASS FIELD
PO BOX 24408
LEXINGTON KY 40524
SKZA173I
SO01
TYPE: ODR
REGIONS: CE EA GL NE NM SO SW WP

SPRITE FLITE JETS INC
4050 VERSAILLES RD
LEXINGTON KY 40510
SFJA061I
SO01
TYPE: ODA
REGIONS: CE EA GL NE NM SO SW WP

WILKINSON FLYING SERVICE INC
2285 EXECUTIVE DRIVE
SUITE 400
LEXINGTON KY 40505
FGEA880D
SO01
TYPE: ODA ODR
REGIONS: CE EA GL NE NM SO SW WP

LOUISIANA

AIR MED SERVICES INC
POB 98000
LAFAYETTE LA 70509
XMEA600S
SW03
TYPE: ODA
REGIONS:

AIR RELDAN INC
FAA BLDG SUITE 120
LAKEFRONT ARPT
NEW ORLEANS LA 70126
HEBA615E
SW03
TYPE: ODA
REGIONS:

AQUATIC AVIATION INC
PO DRAWER 900
PATTERSON LA 70392
AQTA236C
SW03
TYPE: ODA
REGIONS: CE EA GL NE NM SO SW WP

BATON ROUGE AIR CHARTER AND MANAGEM
9316 JACKIE COCHRAN
BATON ROUGE LA 70807
GOWA407E
SW03
TYPE: ODA
REGIONS: CE EA GL NE NM SO SW WP

BUTLER AVIATION SERVICE
PO BOX 53
HOUMA LA 70361
YBBA610T
SW03
TYPE: ODA
REGIONS: AL CE EA GL NE NM SO SW WP

CAPITAL CITY AIR SERVICE INC
4460 BLANCHE NOYES AV.
BATON ROUGE LA 70811
XCCA545S
SW03
TYPE: ODA
REGIONS: CE EA GL NE NM SO SW WP

CHARLIE HAMMONDS FLYING SERVICE INC
HAMMONDS AIR SERVICE
1200 DUNN ST
HOUMA LA 70363
HMDA731E
SW03
TYPE: ODA
REGIONS:

CHEM AIR INC
PO BOX 7241
SHREVEPORT LA 71137
GOXA408E
SW03
TYPE: ODR
REGIONS: CE EA GL NE NM SO SW WP

CHERRY AIR INC
123 GRISSOM DRIVE
LAFAYETTE LA 70508
CYOA506B
SW03
TYPE: ODA
REGIONS:

COLIN AIR INC
#1 WREN STREET
NEW ORLEANS LA 70124
IORA323T
SW03
TYPE: ODA
REGIONS:

CREST AIR INC
7615 ESLER FIELD ROAD
ALEXANDRIA ESLER REGIONAL
AIRPORT
PINEVILLE LA 71360
HLVA726E
SW03
TYPE: ODA
REGIONS:

EAGER AVIATION CORP
JIMMIE WEDELL HANGAR
LAKEFRONT ARPT
NEW ORLEANS LA 70126
JABA032B
SW03
TYPE: ODA
REGIONS:

FLEEMAN ENTERPRISES INC
FLEEMAN AVIATION
5410 OPERATIONS ROAD
MONROE LA 71203
HLWA727E
SW03
TYPE: ODA ODR
REGIONS:

GULF AIRE ENTERPRISES INC
PO BOX 1222
THIBODAUX LA 70301
HEWA629E
SW03
TYPE: ODA
REGIONS:

GULF-AIRE AVIATION SERVICES INC
202 W.P.A. ROAD
BELLE CHASSE LA 70037
VGAA834T
SW03
TYPE: ODA
REGIONS:

HEAD AND ENGQUIST EQUIPMENT INC
EXECUTIVE AIR CHARTER
P.O. BOX 52945
BATON ROUGE LA 70805
EXBA760D
SW03
TYPE: ODA
REGIONS:

HUNTER, JEFFERY J
HUNTER AIR SERVICE
110 EAST 92 STREET
CUT OFF LA 70345
JUHA129T
SW03
TYPE: ODA
REGIONS: CE EA GL NE NM SO SW WP

INDUSTRIAL HELICOPTERS INC
PO BOX 90210
LAFAYETTE LA 70509
IIFA004F
SW03
TYPE: ODR
REGIONS:

KINSEY INTERESTS INC
EXECUTIVE TRAVEL AIR
401 EDWARDS STREET
SUITE 1805
SHREVEPORT LA 71107
KNOA757S
SW03
TYPE: ODA
REGIONS: CE EA GL NE NM SO SW WP

LOUISIANA AIRCRAFT INC
4225 CHUCK YEAGER
BATON ROUGE LA 70807
UGIA531K
SW03
TYPE: ODA
REGIONS:

MAYEUXS FLYING SERVICE INC
12706 GOODWOOD BOULEVARD
BATON ROUGE LA 70815
KEVA524F
SW03
TYPE: ODR
REGIONS:

MCMAHAN AVIATION INC
5106 OPERATIONS ROAD
MONROE LA 71203
GQ8A173Q
SW03
TYPE: ODA
REGIONS:

METRO AVIATION INC
PO BOX 7008
SHREVEPORT LA 71137
HDNA610E
SW03
TYPE: ODR
REGIONS: AL CE EA GL NE NM SO SW WP

MODERN FLYING SERVICE INC
130 GLENDALE ST
PINEVILLE LA 71360
HLPA723A
SW03
TYPE: ODA
REGIONS: CE EA GL NE NM SO SW WP

NICHOLS CONSTRUCTION CO
PO BOX 2750
BATON ROUGE LA 70821
JBMA129F
SW03
TYPE: ODA
REGIONS:

OFFSHORE LOGISTICS INC
AIR LOGISTICS
PO BOX 53178
LAFAYETTE LA 70505
ALGA151C
SW03
TYPE: ODR
REGIONS: AL CE EA GL NE NM SO SW WP

PANTHER HELICOPTERS INC
NR 1 COQUILLE DRIVE
BELLE CHASSE LA 70037
PBVA077H
SW03
TYPE: ODR
REGIONS:

PAUL FOURNET AIR SERVICE INC
PO BOX 90440
LAFAYETTE LA 70509
HFBA633E
SW03
TYPE: ODA
REGIONS:

PELICAN AVIATION CORP
PO BOX 9785
NEW IBERIA LA 70562
HEHA619E
SW03
TYPE: ODA
REGIONS:

PELICAN STATE CHARTER SERVICE
100 LUCIA LANE
SHREVEPORT LA 71106
OBZA608B
SW03
TYPE: ODA
REGIONS:

PETROLEUM HELICOPTERS INC
INTERNATIONAL HELICOPTER TRANSPORT
PO BOX 90808
LAFAYETTE LA 70509
HEEA617E
SW03
TYPE: ODA ODR
REGIONS: AL CE EA GL NE NM SO SW WP EU

PRIORITY AIR INC
P.O. BOX 6379
NEW ORLEANS LA 70174
FTMA862E
SW03
TYPE: ODA
REGIONS:

HOSPITALS

Louisiana


Springhill 1
Haynesville 1
Vivian 1
Homer 1
Bernice 1
Farmerville 1
Oak Grove 1
Bastrop 1
Sterlington 1
Bossier City 2
Minden 1
Arcadia 1
Ruston 1
West Monroe 2
Monroe 3
Rayville 1
Delhi 1
Tallulah 1
Barksdale Air Force Base 1
Jonesboro 1
Winnsboro 1
Mansfield 1
Coushatta 1
Columbia 1
Winnfield 1
Olla 1
Natchitoches 1
Jena 1
Ferriday 1
Many 1
England Air Force Base 1
Pineville 4
Alexandria 3
Leesville 1
Fort Polk 1
Marksville 1
Bunkie 1
Jackson 2
Kentwood 1
Franklinton 1
Bogalusa 2
De Ridder 1
Oakdale 1
Saint Francisville 1
Greensburg 1
Merryville 1
Ville Platte 1
Amite 1
Mamou 1
New Roads 1
Zachary 1
Independence 1
Opelousas 2
Greenwell Springs 1
Hammond 2
Kinder 1
Eunice 1
Covington 4
De Quincy 1
Church Point 1
Baton Rouge 7
Arnaudville 1
Mandeville 2
Jennings
Slidell 2
Sulphur 1
Lake Charles 5
Welsh 1
Crowley 1
Rayne 1
Lafayette 8
Breaux Bridge 1
Plaquemine 1
Gonzales 2
Carville 1
22
New Orleans
LaPlace 1
Metairie 3
Donaldsonville 1
New Iberia 2
Lutcher 1
Kenner 1
Chalmette 2
Jefferson 1
Kaplan 1
Abbeville 1
Napoleonville 1
Luling 1
Gretna 1
Cameron 1
Franklin 1
Thibodaux 1
Marrero 1
Raceland 1
Morgan City 1
Houma 2
Port Sulphur 1
Galliano 1
N
0 20 40
Miles

Hospital, Address, Telephone, Administrator, Approval and Facility Codes, Health Care System	Classification Codes: Control	Service	Stay	Facilities	Inpatient Data: Beds	Admissions	Census	Occupancy (percent)	Newborn Data: Bassinets	Births	Expense (thousands of dollars): Total	Payroll	Personnel
★ American Hospital Association (AHA) membership ☐ Joint Commission on Accreditation of Healthcare Organizations (JCAHO) accreditation ☐ American Osteopathic Hospital Association (AOHA) membership ☐ American Osteopathic Association (AOA) accreditation ☐ Commission on Accreditation of Rehabilitation Facilities (CARF) accreditation Control codes 61, 63, 64, 71, 72 and 73 indicate hospitals listed by AOHA, but not registered by AHA. For definition of numerical codes, see page A6													

Louisiana

ABBEVILLE—Vermilion Parish

⊞ ABBEVILLE GENERAL HOSPITAL, 118 N. Hospital Dr., Zip 70510, Mailing Address Drawer 580, Zip 70511; tel. 318/893-5466; Charles W. Landry Ph.D., Chief Executive Officer A1a 9 10 F1 3 6 10 12 14 15 16 35 36 40 46 53 $2495	16	10	S		83	3275	52	58.4	12	241	13264	5023	240

ALEXANDRIA—Rapides Parish

⊞ RAPIDES GENERAL HOSPITAL, 211 Fourth St., Zip 71301, Mailing Address Box 30101, Zip 71301; tel. 318/473-3150; Jim Montgomery, President A1a 2 9 10 F1 3 4 6 7 8 9 10 11 12 14 15 16 17 20 21 23 26 33 34 35 36 37 40 41 44 45 46 47 48 49 52 53 54	23	10	S		349	12813	221	63.3	29	1216	56331	22448	1249
⊞ ST. FRANCES CABRINI HOSPITAL, 3330 Masonic Dr., Zip 71301; tel. 318/487-1122; Greg Muffitt, Administrator A1a 9 10 F1 3 4 7 8 9 10 11 12 13 16 23 26 35 36 40 51 52 54 $0605	23	10	S		224	8813	151	67.4	24	772	–	–	825
⊞ VETERANS ADMINISTRATION MEDICAL CENTER, Zip 71301; tel. 318/473-0010; Charles C. Freeman, Director (Total facility includes 198 beds in nursing home-type unit) A1a 3 5 F1 3 6 10 12 14 15 16 18 19 23 24 26 27 28 31 34 42 44 46 47 49 53	45	10	S	TF	368	5820	341	92.7	0	0	65479	27555	863
				H	170	5565	154	–	0	0	56879	20692	773

AMITE—Tangipahoa Parish

★ HOOD MEMORIAL HOSPITAL, 301 W. Walnut St., Zip 70422; tel. 504/748-9485; A. D. Richardson, Administrator (Nonreporting) A9 10	16	10	S		45	–	–	–	–	–	–	–	–

ARCADIA—Bienville Parish

★ BIENVILLE GENERAL HOSPITAL, 810 Pine St., Mailing Address Drawer 599, Zip 71001; tel. 318/263-2044; Hoye A. Bowman, Administrator A9 10 F1 6 12 35	16	10	S		30	531	6	20.0	0	0	2248	1001	49

ARNAUDVILLE—St. Landry Parish

☐ ST. LUKE GENERAL HOSPITAL, Guidroz St., Zip 70512, Mailing Address P O Box 110, Zip 70512; tel. 318/754-5112; Tom McElree, Administrator (Nonreporting) A1a 9 10	16	10	S		33	–	–	–	–	–	–	–	–

BARKSDALE AIR FORCE BASE—Caddo Parish

⊞ U. S. AIR FORCE HOSPITAL, Barksdale AFB, Zip 71110; tel. 318/456-2365; Lieutenant Colonel Allen W. Middleton, Administrator A1a F1 3 6 12 14 15 23 28 34 35 36 40	41	10	S		60	3602	37	61.7	18	457	–	–	568

BASTROP—Morehouse Parish

⊞ MOREHOUSE GENERAL HOSPITAL, 323 W. Walnut St., Zip 71220, Mailing Address Box 1060, Zip 71221; tel. 318/281-2431; William W. Bing, Administrator A1a 9 10 F1 3 6 10 15 17 34 35 36 41 45 47	16	10	S		119	3888	52	43.7	12	473	–	–	319

BATON ROUGE—East Baton Rouge Parish

⊞ BATON ROUGE GENERAL MEDICAL CENTER, 3600 Florida St., Zip 70806, Mailing Address P O Box 2511, Zip 70821; tel. 504/387-7000; Thomas H. Sawyer, President & Chief Executive Officer (Nonreporting) A1a 6 9 10 $0775	23	10	S		420	–	–	–	–	–	–	–	–
☐ CPC MEADOW WOOD HOSPITAL, 9032 Perkins Rd., Zip 70810; tel. 504/766-8553; Calvin P. Dufore, Administrator (Nonreporting) A1a 10 $0785	33	22	S		85	–	–	–	–	–	–	–	–
☐ EARL K. LONG MEMORIAL HOSPITAL, 5825 Airline Hwy., Zip 70805, Mailing Address P O Box 52999, Zip 70805; tel. 504/356-3361; William C. Bankston, Director A1a 3 5 9 10 F1 2 3 5 6 9 10 12 14 15 16 20 23 24 26 34 35 37 40 51 52 $0715	12	10	S		168	12302	153	91.1	35	3099	–	–	692
⊞ HCA PARKLAND HOSPITAL (Formerly Parkland Hospital), 2414 Bunker Hill Dr., Zip 70808; tel. 504/927-9050; Robert A. Leven, Administrator A1a 9 10 F16 24 28 29 30 32 34 42 45 48 49 $1755	33	22	S		170	1805	85	50.0	0	0	11776	4573	170
⊞ MEDICAL CENTER OF BATON ROUGE, 17000 Medical Center Dr., Zip 70816; tel. 504/292-2470; William L. Anderson, Administrator A1a 10 F1 3 4 5 6 10 11 12 13 14 15 16 23 34 35 43 45 46 47 53 54 $1885	33	10	S		105	4022	51	48.6	0	0	–	–	333
⊞ OUR LADY OF THE LAKE REGIONAL MEDICAL CENTER, 5000 Hennessy Blvd., Zip 70808; tel. 504/765-6565; Brue Chandler, Administrator A1a 6 9 10 F1 2 3 4 5 6 10 12 13 14 15 16 19 23 24 25 26 30 34 35 39 41 42 44 45 46 47 49 53 54 $1475	21	10	S		678	19834	358	52.8	0	0	100516	41572	1838
PARKLAND HOSPITAL See HCA PARKLAND HOSPITAL													
⊞ WOMAN'S HOSPITAL, Goodwood at Airline, Zip 70895, Mailing Address Box 95009, Zip 70895; tel. 504/927-1300; David M. Klein, Administrator A1a 9 10 F1 6 15 16 33 34 37 38 40 41 45 46 47 51	23	44	S		198	13230	107	54.6	80	6673	40863	16120	685

BERNICE—Union Parish

TRI-WARD GENERAL HOSPITAL, First St., Zip 71222, Mailing Address P O Box 697, Zip 71222; tel. 318/285-9066; William A. Colvin III, Administrator A9 10 F14 35	16	10	S		25	574	10	40.5	0	0	1146	608	43

BOGALUSA—Washington Parish

⊞ BOGALUSA COMMUNITY MEDICAL CENTER, 433 Plaza St., Zip 70427; tel. 504/732-7122; Benjamin R. Light Sr., Administrator A1a 9 10 F1 3 6 15 16 23 26 34 35 36 37 40 41 45 52	23	10	S		98	2976	52	52.0	12	119	9222	4459	247
☐ WASHINGTON-ST. TAMMANY REGIONAL MEDICAL CENTER (Formerly Washington-St. Tammany Charity Hospital), 400 Memphis St., Zip 70427, Mailing Address Box 40, Zip 70427; tel. 504/735-1322; Gary Crockett, Administrator A1a 3 5 9 10 F1 6 14 15 16 30 34 35 36 37 40 49 52 $0715	12	10	S		61	2365	40	65.6	10	525	5595	3155	152

BOSSIER CITY—Bossier Parish

⊞ BOSSIER MEDICAL CENTER, 2105 Airline Dr., Zip 71111; tel. 318/741-6000; David A. Bird, Executive Director (Total facility includes 10 beds in nursing home-type unit) A1a 9 10 F1 3 4 6 10 12 14 15 16 19 23 34 35 36 40 41 45 53 54	14	10	S	TF	175	5479	80	45.7	23	621	22660	9579	449
				H	165	5416	76	–	23	621	22596	9535	443
⊞ RIVERSIDE COMMUNITY HOSPITAL, 4900 Medical Dr., Zip 71112; tel. 318/747-9500; Ray Holmes, Administrator A1a 10 F1 3 6 10 14 16 19 24 35 53 $0905	33	10	S		102	1023	15	14.7	0	0	–	–	85

BREAUX BRIDGE—St. Martin Parish

⊞ GARY MEMORIAL HOSPITAL, Mailing Address Box 357, Zip 70517; tel. 318/332-2178; James C. Morrogh, Chief Executive Officer A1a 9 10 F1 6 12 14 15 16 23 34 35 45 46 47	16	10	S		30	684	7	23.3	6	57	2178	978	67

BUNKIE—Avoyelles Parish

⊞ BUNKIE GENERAL HOSPITAL, Evergreen Hwy., Zip 71322, Mailing Address Box 380, Zip 71322; tel. 318/346-6681; Ray A. Lemoine, Administrator A1a 9 10 F1 3 6 12 14 15 16 23 34 35 36 41 45 52 53	16	10	S		49	1068	13	26.5	6	38	2898	1241	80

CAMERON—Cameron Parish

★ SOUTH CAMERON MEMORIAL HOSPITAL, Rte. 1, Box 277, Zip 70631; tel. 318/542-4111; Joseph Soileau, Administrator A9 10 F35 42	16	10	S		27	326	5	18.5	0	0	–	–	33

Hospital, Address, Telephone, Administrator, Approval and Facility Codes, Health Care System	Classification Codes: Control	Service	Stay	Facilities	Inpatient Data: Beds	Admissions	Census	Occupancy (percent)	Newborn Data: Bassinets	Births	Expense (thousands of dollars): Total	Payroll	Personnel
★ American Hospital Association (AHA) membership ☐ Joint Commission on Accreditation of Healthcare Organizations (JCAHO) accreditation ☐ American Osteopathic Hospital Association (AOHA) membership ☐ American Osteopathic Association (AOA) accreditation ☐ Commission on Accreditation of Rehabilitation Facilities (CARF) accreditation Control codes 61, 63, 64, 71, 72 and 73 indicate hospitals listed by AOHA, but not registered by AHA. For definition of numerical codes, see page A5													
CARVILLE—Iberville Parish													
☐ GILLIS W. LONG HANSEN'S DISEASE CENTER, River Rd., Zip 70721; tel. 504/642-4740; John C. Duffy M.D., Director A1a F1 12 15 16 19 23 24 26 31 34 35 42 43 49	44	48	L		241	156	181	75.1	0	0	–	–	–
CHALMETTE—St. Bernard Parish													
☐ CHALMETTE GENERAL HOSPITAL, 801 Virtue St., Zip 70043; tel. 504/277-7711; Stuart L. Smith, Managing Director A1a 9 10 F1 3 6 14 16 17 23 24 25 34 35 44 46 47 53 $9555	33	10	S		114	2879	62	54.4	0	0	–	–	273
☐ DE LA RONDE HOSPITAL, 9001 Patricia St., Zip 70043; tel. 504/277-8011; Bruce G. Krider, Managing Director A1a 9 10 F1 3 6 10 14 16 23 34 35 44 46 47 52 53 54 $9555	33	10	S		118	2743	53	44.9	0	0	–	–	279
CHURCH POINT—Acadia Parish													
☐ ACADIA-ST. LANDRY HOSPITAL, 810 S. Broadway St., Zip 70525; tel. 318/684-5435; Alcus Trahan, Administrator (Nonreporting) A1a 9 10	16	10	S		30	–	–	–	–	–	–	–	–
COLUMBIA—Caldwell Parish													
CALDWELL MEMORIAL HOSPITAL, 410 Main St., Zip 71418, Mailing Address Box 899, Zip 71418; tel. 318/649-6111; Faye Long, Administrator (Nonreporting) A9 10	33	10	S		50	–	–	–	–	–	–	–	–
COUSHATTA—Red River Parish													
L. S. HUCKABAY MD MEMORIAL HOSPITAL, Zip 71019, Mailing Address Box 369, Zip 71019; tel. 318/932-5784; Ronnie Cox, Administrator (Nonreporting) A9 10	33	10	S		74	–	–	–	–	–	–	–	–
COVINGTON—St. Tammany Parish													
AMI HIGHLAND PARK HOSPITAL See HIGHLAND PARK HOSPITAL													
DEPAUL NORTHSHORE HOSPITAL See HCA DEPAUL NORTHSHORE HOSPITAL													
⊞ GREENBRIER HOSPITAL (Formerly HSA Greenbrier Hospital), Greenbrier Blvd., Zip 70434, Mailing Address P O Box 1836, Zip 70434; tel. 504/893-2970; Dominic R. Catalano, Administrator (Nonreporting) A1a 10 $0405	33	22	S		56	–	–	–	–	–	–	–	–
⊞ HCA DEPAUL NORTHSHORE HOSPITAL (Formerly DePaul Northshore Hospital), DePaul Northshore Dr., Mailing Address P O Box 2439, Zip 70434; tel. 504/893-9200; Patrick J. Canal, Administrator (Nonreporting) A1a 10 $1755	33	22	S		64	–	–	–	–	–	–	–	–
⊞ HIGHLAND PARK HOSPITAL (Formerly AMI Highland Park Hospital), One Park Pl., Zip 70433, Mailing Address Drawer 1269, Zip 70433; tel. 504/892-5900; Gerald Peterman, Executive Director (Nonreporting) A1a 9 10 $2425	33	10	S		104	–	–	–	–	–	–	–	–
HSA GREENBRIER HOSPITAL See Greenbrier Hospital													
⊞ ST. TAMMANY PARISH HOSPITAL, 1202 S. Tyler St., Zip 70433; tel. 504/898-4000; James A. Bingham, Administrator (Total facility includes 8 beds in nursing home-type unit) A1a 9 10 F1 3 6 10 12 14 15 16 19 23 30 31 33 34 35 36 41 45 46 47 53	16	10	S	TF H	83 75	3226 3081	52 47	56.5 –	8 8	63 63	15785 –	6969 –	329 317
CROWLEY—Acadia Parish													
⊞ AMERICAN LEGION HOSPITAL, 1305 E. Hwy. 90, Zip 70526; tel. 318/783-3222; Leonard J. Spears, Administrator A1a 9 10 F1 3 6 12 16 34 35 40 45 53	23	10	S		63	2946	33	52.4	10	459	7530	3110	181
DE QUINCY—Calcasieu Parish													
DEQUINCY MEMORIAL HOSPITAL, 110 W. Fourth St., Zip 70633, Mailing Address Box 1166, Zip 70633; tel. 318/786-1200; Michael Daiken, Interim Administrator (Nonreporting) A10	14	10	S		49	–	–	–	–	–	–	–	–
DE RIDDER—Beauregard Parish													
⊞ BEAUREGARD MEMORIAL HOSPITAL, 600 S. Pine St., Zip 70634, Mailing Address P O Box 730, Zip 70634; tel. 318/462-7100; Ted Badger, Administrator A1a 9 10 F1 3 6 10 14 15 16 23 35 40 41 45 47 52 53	16	10	S		102	4161	57	55.9	8	409	11417	5214	311
DELHI—Richland Parish													
☐ RICHLAND PARISH HOSPITAL-DELHI, 507 Cincinnati, Zip 71232; tel. 318/878-5171; Michael E. Cooper, Administrator A1a 9 10 F1 16 23 34 35 41 47	16	10	S		41	945	17	41.5	0	0	–	–	64
DONALDSONVILLE—Ascension Parish													
⊞ PREVOST MEMORIAL HOSPITAL, 301 Memorial Dr., Zip 70346, Mailing Address Box 186, Zip 70346; tel. 504/473-7931; Harold J. Ramirez, Administrator A1a 9 10 F1 14 16 19 34 35 45 49	16	10	S		35	617	10	28.6	0	0	2509	929	55
ENGLAND AIR FORCE BASE—Rapides Parish													
★ U. S. AIR FORCE HOSPITAL, Zip 71311; tel. 318/448-5342; Major Richard J. Febuary, Administrator (Nonreporting)	41	10	S		20	–	–	–	–	–	–	–	–
EUNICE—St. Landry Parish													
⊞ MOOSA MEMORIAL HOSPITAL, Moosa Blvd., Zip 70535, Mailing Address Box 1026, Zip 70535; tel. 318/457-5244; Douglas C. Longman, Administrator A1a 9 10 F1 3 12 14 16 23 26 36 53	16	10	S		64	1848	23	35.9	9	261	–	–	150
FARMERVILLE—Union Parish													
★ UNION GENERAL HOSPITAL, 901 James Ave., Zip 71241, Mailing Address P O Box 398, Zip 71241; tel. 318/368-9751; George E. Tossoon Jr., Administrator (Nonreporting) A9 10	23	10	S		35	–	–	–	–	–	–	–	–
FERRIDAY—Concordia Parish													
★ RIVERLAND MEDICAL CENTER, E. E. Wallace Blvd., Zip 71334, Mailing Address Box 111, Zip 71334; tel. 318/757-6551; Vernon Stevens Jr., Administrator A9 10 F1 3 16 23 34 35 41 45 46 53	16	10	S		42	1988	24	57.1	8	274	–	–	140
FORT POLK—Vernon Parish													
⊞ BAYNE-JONES ARMY COMMUNITY HOSPITAL, Zip 71459; tel. 318/535-3102; Colonel Robert E. Wright, Deputy Commander & Administrator A1a F1 3 6 12 14 15 16 23 24 27 28 30 31 32 34 35 36 37 40 46 47 49 52	42	10	S		135	5955	57	47.1	22	1238	41048	28419	844
FRANKLIN—St. Mary Parish													
⊞ FRANKLIN FOUNDATION HOSPITAL, 1501 Hospital Ave., Zip 70538, Mailing Address Box 577, Zip 70538; tel. 318/828-0760; A. Dale Morgan, Administrator A1a 9 10 F1 3 6 12 15 16 23 34 35 45 47 $1755	16	10	S		29	1468	18	45.0	12	187	5812	2105	123
FRANKLINTON—Washington Parish													
☐ RIVERSIDE MEDICAL CENTER, S. Main St., Zip 70438, Mailing Address Box 528, Zip 70438; tel. 504/839-4431; James Branon, Administrator (Nonreporting) A1a 3 9 10 $8985	16	10	S		48	–	–	–	–	–	–	–	–
GALLIANO—Lafourche Parish													
⊞ LADY OF THE SEA GENERAL HOSPITAL, Mailing Address Box 68, Zip 70354; tel. 504/632-6401; Barney T. Falgout, Administrator A1a 9 10 F1 3 6 10 14 23 35 41 44 45 53	16	10	S		45	1309	16	35.6	0	0	6085	2252	113
GONZALES—Ascension Parish													
AMI RIVERVIEW MEDICAL CENTER, See Riverview Medical Center													
☐ ASCENSION HOSPITAL (Formerly East Ascension General Hospital), 615 E. Worthy Rd., Zip 70737; tel. 504/647-2891; Brian L. Pugh, Administrator (Nonreporting) A1a 9 10	16	10	S		50	–	–	–	–	–	–	–	–
EAST ASCENSION GENERAL HOSPITAL See ASCENSION HOSPITAL													
★ RIVERVIEW MEDICAL CENTER (Formerly AMI Riverview Medical Center), 1125 W. Hwy. 30, Zip 70737; tel. 504/647-5000; Ward Boston III, Executive Director (Nonreporting) A10 $2425	33	10	S		104	–	–	–	–	–	–	–	–

Hospital, Address, Telephone, Administrator, Approval and Facility Codes, Health Care System	Classification Codes: Control	Service	Stay	Facilities	Inpatient Data: Beds	Admissions	Census	Occupancy (percent)	Newborn Data: Bassinets	Births	Expense (thousands of dollars): Total	Payroll	Personnel
★ American Hospital Association (AHA) membership □ Joint Commission on Accreditation of Healthcare Organizations (JCAHO) accreditation • American Osteopathic Hospital Association (AOHA) membership ○ American Osteopathic Association (AOA) accreditation ▲ Commission on Accreditation of Rehabilitation Facilities (CARF) accreditation Control codes 61, 63, 64, 71, 72 and 73 indicate hospitals listed by AOHA but not registered by AHA. For definition of numerical codes, see page A6													
GREENSBURG—St. Helena Parish													
ST. HELENA PARISH HOSPITAL, Mailing Address Box 337, Zip 70441; tel. 504/222-6111; Jean-Paul Lejeune, Administrator (Nonreporting) A9 10	16	10	S		35	–	–	–	–	–	–	–	–
GREENWELL SPRINGS—East Baton Rouge Parish													
□ GREENWELL SPRINGS HOSPITAL, Greenwell Springs Rd., Zip 70739, Mailing Address P O Box 549, Zip 70739; tel. 504/261-2730; Mark T. Ott, Chief Executive Officer A1a 9 10 F19 24 30 31 32 42 44 46 48	12	22	L		123	1328	108	87.8	0	0	7304	4630	252
GRETNA—Jefferson Parish													
□ MEADOWCREST HOSPITAL, 2500 Belle Chase Hwy., Zip 70056; tel. 504/392-3131; Mark F. Keiser, Executive Director A1a 9 10 F1 3 5 6 10 12 14 15 16 20 23 34 35 36 40 45 46 47 51 53 $3015	33	10	S		169	7656	103	60.9	40	2114	–	–	459
HAMMOND—Tangipahoa Parish													
AMI WESTPARK COMMUNITY HOSPITAL See WEST PARK COMMUNITY HOSPITAL													
⊠ SEVENTH WARD GENERAL HOSPITAL, Hwy. 51 S., Zip 70401, Mailing Address Box 2668, Zip 70404; tel. 504/345-2700; James E. Cathey Jr., Administrator A1a 9 10 F1 3 6 12 15 16 19 20 21 23 24 34 35 36 39 40 41 42 44 45 46 47 52 53 54 $2495	16	10	S		223	6179	90	40.4	20	1043	25506	9988	524
⊠ WEST PARK COMMUNITY HOSPITAL (Formerly AMI Westpark Community Hospital), 1900 S. Morrison Blvd., Zip 70403, Mailing Address P O Box 2608, Zip 70404; tel. 504/542-7777; Phyllis Aduddell, Administrator (Nonreporting) A1a 10 $2425	33	10	S		50	–	–	–	–	–	–	–	–
HARAHAN—Orleans Parish													
RIVER OAKS HOSPITAL See New Orleans													
HAYNESVILLE—Claiborne Parish													
NORTH CLAIBORNE HOSPITAL, Hwy. 79, Zip 71038, Mailing Address Drawer 431, Zip 71038; tel. 318/624-0441; G. W. Hightower, Administrator (Nonreporting) A9 10 $1945	16	10	S		30	–	–	–	–	–	–	–	–
HOMER—Claiborne Parish													
★ HOMER MEMORIAL HOSPITAL, E. College St., Zip 71040, Mailing Address Box 809, Zip 71040; tel. 318/927-2024; Bob G. Barber, Administrator A9 10 F1 10 35	14	10	S		57	1188	16	28.1	6	65	–	–	80
HOUMA—Terrebonne Parish													
⊠ BAYOU OAKS HOSPITAL (Formerly HSA Bayou Oaks Hospital), 934 E. Main St., Zip 70360, Mailing Address P O Box 4374, Zip 70361; tel. 504/876-2020; Jeffrey P White, Administrator A1a 10 F15 23 28 29 30 31 32 38 42 47 48 49 $0405	33	22	S		98	791	49	50.0	0	0	6171	2273	117
HSA BAYOU OAKS HOSPITAL See BAYOU OAKS HOSPITAL													
⊠ TERREBONNE GENERAL MEDICAL CENTER, 936 E. Main St., Zip 70360, Mailing Address Box 6037, Zip 70360; tel. 504/873-4141; Alex B. Smith, Executive Director A1a 9 10 F1 2 3 5 6 12 14 15 16 19 34 35 36 40 45 46 47 52 53 54 $0025	16	10	S		225	10056	139	63.2	35	683	–	–	697
INDEPENDENCE—Tangipahoa Parish													
□ LALLIE KEMP REGIONAL MEDICAL CENTER (Formerly Lallie Kemp Charity Hospital), Mailing Address P O Box 70, Zip 70443; tel. 504/878-9421; Thomas W. Landry, Chief Executive Officer A1a 3 5 9 10 F1 3 6 10 12 14 15 16 34 35 37 40 46 47 52 $0715	12	10	S		66	2633	36	51.4	10	613	8958	4258	246
JACKSON—East Feliciana Parish													
EAST LOUISIANA STATE HOSPITAL, Zip 70748, Mailing Address P O Box 498, Zip 70748; tel. 504/634-2651; Warren T. Price Jr., Chief Executive Officer (Nonreporting) A9 10	12	22	L		452	–	–	–	–	–	–	–	–
VILLA FELICIANA CHRONIC DISEASE HOSPITAL AND REHABILITATION CENTER (Formerly Villa Feliciana Geriatric Hospital), Mailing Address Box 438, Zip 70748; tel. 504/634-7793; John A. London, Director (Nonreporting) A10 $0715	12	48	L		490	–	–	–	–	–	–	–	–
JEFFERSON—Jefferson Parish													
⊠ ELMWOOD MEDICAL CENTER (Formerly Bonnabel Hospital), 1321 S. Clearview Pkwy., Zip 70121; tel. 504/734-1900; Steven J. Bell, Executive Director (Newly registered) A1a 10	33	10	S		106	–	–	–	–	–	–	–	–
JENA—La Salle Parish													
⊠ LA SALLE GENERAL HOSPITAL, Hwy. 84, Zip 71342, Mailing Address P O Box 1388, Zip 71342; tel. 318/992-8231; Mary M. Denton, Administrator (Total facility includes 10 beds in nursing home-type unit) A1a 9 10 F1 6 14 16 19 23 34 35 41 45	16	10	S	TF H	67 57	1943 1864	36 32	53.7 –	0 0	0 0	5962 5787	2498 2331	142 –
JENNINGS—Jefferson Davis Parish													
⊠ JENNINGS AMERICAN LEGION HOSPITAL, 1634 Elton Rd., Zip 70546; tel. 318/824-2490; Terry J. Terrebonne, Administrator (Nonreporting) A1a 9 10	23	10	S		57	–	–	–	–	–	–	–	–
JONESBORO—Jackson Parish													
□ JACKSON PARISH HOSPITAL, 600 Beech Springs Rd., Zip 71251, Mailing Address Box 685, Zip 71251; tel. 318/259-4435; Larry J. Ayres, Administrator A1a 9 10 F1 10 15 16 23 35 37 41 53	16	10	S		66	1235	18	27.3	8	142	–	–	97
KAPLAN—Vermilion Parish													
★ ABROM KAPLAN MEMORIAL HOSPITAL, 1310 W. Seventh St., Zip 70548; tel. 318/643-8300; Maxie Borne, Administrator A9 10 F1 3 6 16 35 36 40 52	16	10	S		40	1260	17	42.5	8	214	3609	1885	80
KENNER—Jefferson Parish													
⊠ AMI ST. JUDE MEDICAL CENTER, 180 W. Esplanade Ave., Zip 70065; tel. 504/468-8600; John W. McDaniel, President & Chief Executive Officer A1a 10 F1 3 4 6 10 12 15 16 20 23 26 27 30 31 34 35 36 40 45 46 47 51 53 54 $0125	33	10	S		170	4530	90	52.9	8	340	47128	10971	471
KENTWOOD—Tangipahoa Parish													
★ E. S. PIKE MEMORIAL HOSPITAL, Hwy. 38 W., Zip 70444, Mailing Address Box 89, Zip 70444; tel. 504/229-7313; Shirley B. Frazier, Administrator A9 10 F1 6 10 35	33	10	S		26	721	11	42.3	0	0	1295	822	44
KINDER—Allen Parish													
★ ALLEN PARISH HOSPITAL, Mailing Address Box 1670, Zip 70648; tel. 318/738-2527; Joseph R. Darbone Jr., Administrator A9 10 F1 6 16 34 35 37	13	10	S		25	788	9	36.0	6	145	–	–	6217
LAFAYETTE—Lafayette Parish													
★ CDU OF ACADIANA, Mailing Address P O Box 91526, Zip 70509; tel. 318/234-5614; Kenneth O'Rourke, Administrator (Nonreporting) $0775	23	82	S		52	–	–	–	–	–	–	–	–
CYPRESS HOSPITAL See HCA CYPRESS HOSPITAL													
⊠ HAMILTON MEDICAL CENTER (Formerly Hamilton Medical Center Hospital), 2810 Ambassador Caffery Pkwy., Zip 70506; tel. 318/981-2949; John Smithhisler, Administrator A1a 10 F1 3 6 9 10 11 12 14 15 16 23 35 36 40 45 46 53 54 $1885	33	10	S		73	3190	39	53.4	13	480	–	–	293
⊠ HCA CYPRESS HOSPITAL (Formerly Cypress Hospital), 302 Dulles Dr., Zip 70506; tel. 318/233-9024; Patrick Waugh, Administrator A1a 10 F3 15 24 28 30 31 32 34 42 47 48 49 $1755	33	22	S		94	956	57	60.6	0	0	6423	2457	127
★ INSIGHT HOSPITAL, 310 Youngsville Hwy., Zip 70508; tel. 318/837-8787; Rick Littel, Administrator (Nonreporting) A10	33	22	S		65	–	–	–	–	–	–	–	–
⊠ LAFAYETTE GENERAL MEDICAL CENTER, 1214 Coolidge Ave., Zip 70505, Mailing Address Box 52009 OCS, Zip 70505; tel. 318/261-7991; John J. Burdin Jr., Executive Vice President (Total facility includes 12 beds in nursing home-type unit) A1a 9 10 F1 3 4 5 6 7 8 9 10 11 12 15 16 17 19 20 23 24 25 26 27 31 33 34 35 36 37 39 40 41 42 43 44 45 46 47 51 52 53 54 $7235	23	10	S	TF H	281 269	10540 10419	176 170	62.6 –	16 16	753 753	53831 –	21847 –	906 893

★ American Hospital Association (AHA) membership
△ Joint Commission on Accreditation of Healthcare Organizations (JCAHO) accreditation
• American Osteopathic Hospital Association (AOHA) membership
○ American Osteopathic Association (AOA) accreditation
□ Commission on Accreditation of Rehabilitation Facilities (CARF) accreditation
Control codes 61, 63, 64, 71, 72 and 73 indicate hospitals listed by AOHA, but not registered by AHA. For definition of numerical codes, see page A6

Hospital, Address, Telephone, Administrator, Approval and Facility Codes, Health Care System	Classification Codes: Control	Service	Stay	Facilities	Inpatient Data: Beds	Admissions	Census	Occupancy (percent)	Newborn Data: Bassinets	Births	Expense (thousands of dollars): Total	Payroll	Personnel
⊞ △ OUR LADY OF LOURDES REGIONAL MEDICAL CENTER, 611 St. Landry St., Zip 70506. Mailing Address Box 4027C, Zip 70502; tel. 318/234-7381; Dudley Romero, President & Chief Executive Officer A1a 7 9 10 F1 3 4 5 6 7 8 9 10 11 12 14 15 16 19 23 24 25 26 34 35 36 40 41 42 44 45 46 47 52 53 54 $1475	21	10	S		257	9127	171	60.9	5	22	49648	19053	906
□ UNIVERSITY MEDICAL CENTER, 2390 W. Congress St., Zip 70502. Mailing Address P O Box 4016-C, Zip 70502; tel. 318/261-6000; Gerry Morris M.D., Director A1a 2 3 5 10 F1 3 6 10 12 14 16 29 34 35 36 40 46 47 48 51 52 53 54 $0715	12	10	S		159	10184	135	82.8	25	2702	26430	11400	567
⊞ WOMEN'S AND CHILDREN'S HOSPITAL, 4600 Ambassador Caffery Pkwy., Zip 70508; tel. 318/981-9100; Karen Poole, Administrator A1a 10 F1 6 10 12 15 16 33 34 36 40 46 47 50 51 52 $1885	33	44	S		93	2969	31	33.3	45	1749	–	–	180
LAKE CHARLES—Calcasieu Parish													
□ CHARTER HOSPITAL OF LAKE CHARLES, 4250 Fifth Ave. S., Zip 70605; tel. 318/474-6133; Gary Snuffin, Administrator (Nonreporting) A1a 10 $0695	33	22	S		60	–	–	–	–	–	–	–	–
□ DR. WALTER OLIN MOSS REGIONAL HOSPITAL, 1000 Walters St., Zip 70605; tel. 318/477-3350; Paul Benoit, Director A1a 3 5 9 10 F1 3 14 15 16 31 34 35 37 40 45 46 52 $0715	12	10	S		77	4422	50	51.0	20	1141	12644	6352	316
⊞ HUMANA HOSPITAL-LAKE CHARLES, 4200 Nelson Rd., Zip 70605; tel. 318/474-6370; Doug Sills, Executive Director A1a 10 F1 3 6 12 14 15 16 23 34 35 36 40 45 46 51 52 53 $1235	33	10	S		80	2197	33	41.3	25	863	9723	3430	149
⊞ LAKE CHARLES MEMORIAL HOSPITAL, 1701 Oak Park Blvd., Zip 70601. Mailing Address Drawer M, Zip 70602; tel. 318/494-3000; Elton L. Williams Jr., President A1a 9 10 F1 3 4 5 6 10 12 14 15 16 20 21 23 24 25 26 27 30 31 32 33 34 35 36 40 41 42 44 45 46 47 52 53 54	23	10	S		242	8508	137	56.6	34	809	42604	13511	668
⊞ ST. PATRICK HOSPITAL, 524 S. Ryan St., Zip 70601. Mailing Address P O Box 3401, Zip 70602; tel. 318/436-2511; J. William Hankins, Administrator (Nonreporting) A1a 2 9 10 $0605	21	10	S		222	–	–	–	–	–	–	–	–
LAKE PROVIDENCE—East Carroll Parish													
EAST CARROLL PARISH HOSPITAL (Formerly Regent Hospital-East Carroll), 226 N. Hood St., Zip 71254; tel. 318/559-2441; LaDonna Boone, Administrator (Nonreporting) A9 10	16	10	S		29	–	–	–	–	–	–	–	–
REGENT HOSPITAL-EAST CARROLL See EAST CARROLL PARISH HOSPITAL													
LAPLACE—St. John the Baptist Parish													
□ RIVER PARISHES HOSPITAL (Formerly River Parishes Medical Center), 500 Rue De Sante, Zip 70068; tel. 504/652-7000; Michael D. Snow, Administrator A1a 10 F1 3 5 6 10 12 14 15 16 18 20 23 26 33 34 35 36 40 43 45 46 47 53 $9555	33	10	S		102	2596	32	31.4	9	286	–	–	206
LEESVILLE—Vernon Parish													
□ BYRD MEMORIAL HOSPITAL, 1020 Fertitta Blvd., Zip 71446; tel. 318/239-9041; Greg Griffith, Executive Director A1a 9 10 F1 3 11 16 26 34 35 36 37 40 45 46 53 $5895	33	10	S		70	2406	41	58.6	4	95	–	–	183
LULING—St. Charles Parish													
★ ST. CHARLES HOSPITAL, Paul Maillard Rd., Zip 70070. Mailing Address Box 87, Zip 70070; tel. 504/785-6242; Fred Martinez Jr., Administrator A9 10 F1 3 15 45	16	10	S		50	1564	22	44.0	0	0	–	–	140
LUTCHER—St. James Parish													
ST. JAMES PARISH HOSPITAL, Mailing Address Box 430, Zip 70071; tel. 504/869-5512; Roy L. Mohon, Administrator (Nonreporting) A9 10	16	10	S		32	–	–	–	–	–	–	–	–
MAMOU—Evangeline Parish													
⊞ SAVOY MEDICAL CENTER (Formerly Savoy Memorial Hospital), 801 Poinciana Ave., Zip 70554; tel. 318/468-5261; J. E. Richardson, Administrator (Total facility includes 92 beds in nursing home-type unit) A1a 9 10 F1 3 6 10 15 16 19 34 35 36 37 41 46 47 49 53 54	23	10	S	TF	223	3846	155	69.5	7	219	16555	7409	498
				H	131	3783	66	–	7	219	15487	6787	436
MANDEVILLE—St. Tammany Parish													
BOWLING GREEN INN, 701 Florida Ave., Zip 70448. Mailing Address P O Box 417, Zip 70448; tel. 504/626-5661; Dan Johnson, Executive Director F15 30 32 42 46	33	82	S		44	262	21	47.7	0	0	–	–	36
□ SOUTHEAST LOUISIANA HOSPITAL, Mailing Address Box 3850, Zip 70448; tel. 504/626-8161; Bill W. Floyd M.D., Acting Chief Executive Officer A1a 5 9 10 F15 24 30 32 42 44 46 47 48	12	22	L		431	1348	391	83.9	0	0	17444	10425	568
MANSFIELD—De Soto Parish													
⊞ DE SOTO GENERAL HOSPITAL, 207 Jefferson St., Zip 71052. Mailing Address P O Box 672, Zip 71052; tel. 318/872-4610; Robert R. Taylor, President A1a 9 10 F1 3 6 16 23 35 37 41 45 $1945	23	10	S		35	1320	20	57.1	0	2	4188	1620	96
MANY—Sabine Parish													
SABINE MEDICAL CENTER, 923 Highland Dr., Zip 71449. Mailing Address Box 971, Zip 71449; tel. 318/256-5691; Luther Lewis, Administrator A10 F1 6 16 23 34 35 36 37 41 $5895	33	10	S		63	1629	20	32.3	5	89	4703	1593	85
MARKSVILLE—Avoyelles Parish													
⊞ HUMANA HOSPITAL-MARKSVILLE, Mailing Address Box 255, Zip 71351; tel. 318/253-8611; Lloyd C. Dupuy, Executive Director (Nonreporting) A1a 9 10 $1235	33	10	S		55	–	–	–	–	–	–	–	–
MARRERO—Jefferson Parish													
⊞ WEST JEFFERSON MEDICAL CENTER, 1101 Ave. D, Zip 70072; tel. 504/347-5511; David M. Smith, President & Chief Executive Officer (Total facility includes 30 beds in nursing home-type unit) A1a 9 10 F1 2 3 4 5 6 7 8 9 10 11 12 14 15 16 19 20 22 23 24 27 29 30 33 35 36 40 41 42 44 45 46 47 53 54	16	10	S	TF	361	12112	227	62.9	30	888	69894	27425	1393
				H	331	11875	217	–	30	888	–	–	1375
MERRYVILLE—Beauregard Parish													
MERRYVILLE GENERAL HOSPITAL, Bryan St., Zip 70653. Mailing Address Drawer C, Zip 70653; tel. 318/825-6181; James O. Graham, Administrator (Nonreporting) A9 10 $1585	16	10	S		74	–	–	–	–	–	–	–	–
METAIRIE—Jefferson Parish													
DOCTORS HOSPITAL OF JEFFERSON See HCA DOCTORS HOSPITAL OF JEFFERSON													
⊞ EAST JEFFERSON GENERAL HOSPITAL, 4200 Houme Blvd., Zip 70011; tel. 504/454-4000; Peter J. Betts, President & Chief Executive Officer A1a 9 10 F1 2 3 4 6 7 8 9 10 11 12 14 15 16 19 20 21 23 24 25 26 27 34 35 36 40 41 42 45 46 47 48 51 52 53 54	16	10	S		491	14410	305	62.1	19	852	88718	34738	1587
⊞ HCA DOCTORS HOSPITAL OF JEFFERSON (Formerly Doctors Hospital of Jefferson), 4320 Houme Blvd., Zip 70006; tel. 504/456-5657; Michelle Platek, Administrator A1a 9 10 F1 3 4 6 9 10 12 14 15 16 24 34 37 45 46 47 53 54 $1755	33	10	S		84	3744	59	70.2	0	0	26728	7557	310
⊞ LAKESIDE HOSPITAL, 4700 I-10 Service Rd., Zip 70001; tel. 504/885-3333; Gerald L. Parton, Administrator A1a 9 10 F1 3 6 9 10 12 14 15 16 20 23 34 36 40 46 47 51 53 $1885	33	10	S		186	5841	63	33.9	50	3393	–	–	319
MINDEN—Webster Parish													
□ MINDEN MEDICAL CENTER, 1 Medical Plaza, Zip 71055; tel. 318/377-2321; George E. French III, Administrator (Total facility includes 16 beds in nursing home-type unit) A1a 10 F1 3 6 10 12 14 15 16 19 21 23 26 34 35 36 41 43 44 45 46 47 48 49 53 $1375	33	10	S	TF	108	2476	31	28.7	10	268	9471	3053	169
				H	92	2340	27	–	10	268	9370	2957	–

Hospital, Address, Telephone, Administrator, Approval and Facility Codes, Health Care System	Classification Codes: Control	Service	Stay	Facilities	Inpatient Data: Beds	Admissions	Census	Occupancy (percent)	Newborn Data: Bassinets	Births	Expenses (thousands of dollars): Total	Payroll	Personnel
* American Hospital Association (AHA) membership Joint Commission on Accreditation of Healthcare Organizations (JCAHO) accreditation American Osteopathic Hospital Association (AOHA) membership American Osteopathic Association (AOA) accreditation Commission on Accreditation of Rehabilitation Facilities (CARF) accreditation Control codes 61, 63, 64, 71, 72 and 73 indicate hospitals listed by AOHA, but not registered by AHA. For definition of numerical codes, see page A6													
MONROE—Ouachita Parish													
E A CONWAY MEMORIAL HOSPITAL, 4864 Jackson St., Zip 71210. Mailing Address P O Box 1881, Zip 71210; tel. 318/388-7000; Roy D. Bostick, Director A1a 3 5 9 10 F1 3 6 10 12 14 16 23 34 35 36 37 40 45 46 51 52 53 $0715	12	10	S		203	9591	154	75.9	32	2610	25509	12238	678
HCA NORTH MONROE COMMUNITY HOSPITAL See HCA NORTH MONROE HOSPITAL													
★ HCA NORTH MONROE HOSPITAL (Formerly HCA North Monroe Community Hospital), 3421 Medical Park Dr., Zip 71203; tel. 318/388-1946; David C. Glover, Administrator A1a 10 F3 6 10 12 14 17 20 23 26 33 34 35 36 40 45 47 52 53 $1755	33	10	S		103	4946	77	74.8	10	543	23904	7908	359
★ ST. FRANCIS MEDICAL CENTER, 309 Jackson St., Zip 71201. Mailing Address Box 1901, Zip 71210; tel. 318/362-4000; Sister Anne Marie Twohig, Chief Executive Officer A1a 9 10 F1 2 3 4 5 6 7 8 9 10 11 12 14 15 16 17 19 20 21 23 24 25 26 27 28 29 30 31 32 34 35 36 37 40 41 42 43 44 45 46 47 48 51 52 53 54 $1475	21	10	S		450	14137	289	64.2	37	714	–	–	1415
MORGAN CITY—St. Mary Parish													
★ LAKEWOOD HOSPITAL, 1125 Marguerite St., Zip 70380. Mailing Address Drawer 2308, Zip 70381; tel. 504/384-2200; Raymond J. Rowell, Chief Executive Officer A1a 9 10 F1 3 6 10 12 15 16 23 35 36 40 44 45 48	16	10	S		93	3130	37	39.8	14	385	12094	4620	240
NAPOLEONVILLE—Assumption Parish													
ASSUMPTION GENERAL HOSPITAL, Whitaker Lane, Zip 70390. Mailing Address P O Drawer 546, Zip 70390; tel. 504/369-7241; Lloyd Bourgeois, Acting Administrator A9 10 F1 15 16 27 35 45 52	16	10	S		26	427	5	19.2	0	0	1902	740	47
NATCHITOCHES—Natchitoches Parish													
★ NATCHITOCHES PARISH HOSPITAL, 501 Keyser Ave., Zip 71457. Mailing Address Box 2009, Zip 71457; tel. 318/352-1200; Eugene Spillman, Executive Director (Total facility includes 110 beds in nursing home-type unit) A1a 9 10 F1 10 15 16 19 23 34 35 40 41 45 46 47 53 $1945	16	10	S	TF H	169 59	3275 3214	142 33	84.0 –	13 13	433 433	9694 8331	4173 3213	278 214
NEW IBERIA—Iberia Parish													
★ DAUTERIVE HOSPITAL, 600 N. Lewis St., Zip 70560. Mailing Address P O Box 11210, Zip 70562; tel. 318/365-7311; Kyle Viator, Administrator (Total facility includes 8 beds in nursing home-type unit) A1a 9 10 F1 3 6 12 14 15 16 19 34 35 36 40 45 46 47 53 $1885	33	10	S	TF H	91 83	2976 2957	37 36	40.7 –	15 15	608 608	11899 11878	4186 4167	188 178
★ IBERIA GENERAL HOSPITAL AND MEDICAL CENTER, 2315 E. Main St., Zip 70561. Mailing Address P O Box 13338, Zip 70562; tel. 318/364-0441; Donald R. Hebert, Executive Director (Nonreporting) A1a 9 10	16	10	S		122	–	–	–	–	–	–	–	–
NEW ORLEANS—Orleans Parish													
★ CHARITY HOSPITAL AT NEW ORLEANS, 1532 Tulane Ave., Zip 70140; tel. 504/568-3201; Elliott C. Roberts Sr., Chief Executive Officer (Nonreporting) A1a 2 3 5 6 8 9 10	12	10	S		986	–	–	–	–	–	–	–	–
★ CHILDREN'S HOSPITAL (Children's General Medical & Surgical & Rehabilitation), 200 Henry Clay Ave., Zip 70118; tel. 504/899-9511; Steve Worley, Executive Director A1a 3 5 8 9 10 F1 3 6 9 10 12 14 15 16 23 24 25 26 34 35 38 42 44 45 46 47 51 52 53	23	59	S		115	3582	74	63.8	0	0	–	–	581
★ CPC COLISEUM MEDICAL CENTER, 3601 Coliseum St., Zip 70115; tel. 504/897-9700; Maryann Cikovich, Administrator (Nonreporting) A1a 9 10 $0785	33	22	L		164	–	–	–	–	–	–	–	–
CPC EAST LAKE HOSPITAL, 5650 Read Blvd., Zip 70127; tel. 504/241-0888; Craig Koele, Administrator (Nonreporting) A1a 10 $0785	33	22	S		60	–	–	–	–	–	–	–	–
EYE, EAR, NOSE AND THROAT HOSPITAL, 2626 Napolean Ave., Zip 70115; tel. 504/896-1100; Donald E. Patterson, Chief Executive Officer A1a 3 5 9 10 F1 12 16 34 44 45 46 $6525	23	45	S		41	628	4	9.8	0	0	8552	3634	189
F. EDWARD HEBERT HOSPITAL, 1 Sanctuary Dr., Zip 70114; tel. 504/363-2200; Lynn C. Origen, Administrator A7 F7 10 12 14 15 16 19 23 24 26 42 43 44 45 46 47 48 49	33	46	S		195	1039	76	39.0	0	0	–	–	261
★ HCA DEPAUL HOSPITAL, 1040 Calhoun St., Zip 70118; tel. 504/899-8282; Ralph J. Warte III, Administrator (Nonreporting) A1a 10 $1755	33	22	L		314	–	–	–	–	–	–	–	–
★ HOTEL DIEU HOSPITAL, 2021 Perdido St., Zip 70112. Mailing Address Box 61262, Zip 70161; tel. 504/588-3000; Sister Mary Rose McPhee, President A1a 3 5 9 10 F1 2 3 4 6 9 10 13 15 16 19 20 21 23 24 26 34 35 36 41 43 44 45 46 47 52 53 54 $1855	21	10	S		272	9004	164	60.3	15	1085	48721	18076	713
★ HUMANA HOSPITAL-NEW ORLEANS, 6000 Bullard Ave., Zip 70128. Mailing Address P O Box 29504, Zip 70189; tel. 504/241-6335; Keith LeBlanc, Executive Director A1a 10 F1 2 3 4 5 6 7 8 9 10 11 12 14 15 16 23 24 33 34 35 36 37 40 42 44 46 47 51 53 54 $1235	33	10	S		127	4360	63	49.6	36	1239	–	–	407
JO ELLEN SMITH MEDICAL CENTER, 4444 General Meyer Ave., Zip 70131; tel. 504/363-7011; Ronald J. Enaor, Administrator A1a 3 9 10 F1 3 4 5 6 9 10 11 12 13 14 15 16 23 24 26 30 34 35 37 42 43 44 45 46 47 54 $3015	33	10	S		123	4456	77	62.6	0	0	26212	10777	429
★ MERCY HOSPITAL OF NEW ORLEANS, 301 N. Jefferson Davis Pkwy., Zip 70119; tel. 504/486-7361; Sister Barbara Grant, Chief Executive Officer A1a 9 10 F1 3 6 7 8 9 10 11 12 14 15 16 19 21 23 24 26 34 35 41 45 46 47 53 $5185	21	10	S		248	5641	128	51.6	0	0	37668	13236	626
★ MONTELEPRE MEMORIAL HOSPITAL, 3125 Canal St., Zip 70119; tel. 504/822-8222; W. Clark Wherritt, Administrator (Nonreporting) A9 10	33	10	S		40	–	–	–	–	–	–	–	–
NEW ORLEANS GENERAL HOSPITAL, 625 Jackson Ave., Zip 70130; tel. 504/587-0100; Donald E. West, Administrator A10 F1 3 6 12 14 15 16 20 23 26 31 34 46 47 48 49 53 $0495	33	10	S		109	1824	39	35.8	0	0	–	–	138
★ OCHSNER FOUNDATION HOSPITAL, 1516 Jefferson Hwy., Zip 70121; tel. 504/838-3000; David R. Page, Executive Vice President & Director A1a 2 3 5 8 9 10 F1 2 3 4 6 7 8 9 10 11 12 13 14 15 16 17 19 20 21 23 24 25 26 27 28 30 31 32 34 35 36 37 38 39 40 41 42 44 46 49 51 52 53 54	23	10	S		532	17077	312	58.6	20	1178	138005	53785	2138
★ PENDLETON MEMORIAL METHODIST HOSPITAL, 5620 Read Blvd., Zip 70127; tel. 504/244-5474; Fred Young, President (Total facility includes 18 beds in nursing home-type unit) A1a 9 10 F1 2 3 4 6 8 9 10 11 12 14 15 16 19 20 21 23 24 26 33 34 35 36 40 41 44 45 46 47 52 53 54	23	10	S	TF H	317 299	6608 6393	139 130	43.8 –	58 58	476 476	49502 –	21120 –	753 –
★ RIVER OAKS HOSPITAL (Formerly listed under Harahan), 1525 River Oaks Rd. W., Zip 70123; tel. 504/734-1740; C. O. McPherson, Managing Director (Nonreporting) A1a 3 9 $9655	33	22	L		94	–	–	–	–	–	–	–	–
★ SOUTHERN BAPTIST HOSPITAL, 2700 Napoleon Ave., Zip 70115; tel. 504/899-9311; J. Gordon Reische, Acting President A1a 3 5 9 10 F1 3 4 6 10 12 13 14 15 16 17 19 20 23 24 26 27 30 31 32 33 34 35 36 37 40 41 42 43 44 45 46 47 51 52 53 54	23	10	S		353	12704	264	74.8	46	1700	94541	36179	1551
ST. CHARLES GENERAL HOSPITAL, 3700 St. Charles Ave., Zip 70115; tel. 504/899-7441; Richard Freeman, Chief Executive Officer A1a 10 F1 3 6 9 11 15 16 23 34 35 43 45 46 47 $3015	33	10	S		122	3733	80	65.6	0	0	–	–	298
★ TOURO INFIRMARY, 1401 Foucher St., Zip 70115; tel. 504/897-7011; Barth A. Weinberg, President A1a 2 3 5 8 9 10 F1 2 3 4 6 7 8 9 10 11 12 14 15 16 18 19 20 23 24 25 26 27 28 29 30 31 32 34 35 36 37 40 41 42 43 44 45 46 47 50 51 53 54	23	10	S		391	10888	246	60.0	28	1122	74113	34540	1543

Hospital, Address, Telephone, Administrator, Approval and Facility Codes, Health Care System	Classification Codes: Control	Service	Stay	Facilities	Inpatient Data: Beds	Admissions	Census	Occupancy (percent)	Newborn Data: Bassinets	Births	Expenses (thousands of dollars): Total	Payroll	Personnel
★ American Hospital Association (AHA) membership ⊞ Joint Commission on Accreditation of Healthcare Organizations (JCAHO) accreditation ⊟ American Osteopathic Hospital Association (AOHA) membership ⊡ American Osteopathic Association (AOA) accreditation ⊠ Commission on Accreditation of Rehabilitation Facilities (CARF) accreditation Control codes 61, 63, 64, 71, 72 and 73 indicate hospitals listed by AOHA, but not registered by AHA. For definition of numerical codes, see page A6													
⊞ TULANE UNIVERSITY HOSPITAL AND CLINICS, 1415 Tulane Ave., Zip 70112; tel. 504/588-5263; Bernard C. Rudegeair, Assistant Vice President Hospital Affairs A1a 3 5 9 10 F1 2 3 4 5 6 10 12 13 14 15 16 17 18 20 23 24 26 27 28 29 30 31 32 34 35 36 37 38 39 40 41 42 43 44 45 46 47 51 52 53 54	23	10	S		284	9046	184	64.8	5	507	76547	32967	1608
☐ UNITED MEDICAL CENTER NEW ORLEANS, 3419 St. Claude Ave., Zip 70117; tel. 504/948-8200; Romona Baudy, Executive Director A1a 9 10 F1 3 6 9 10 12 14 15 16 23 35 37 43 46 47 53 $9605	33	10	S		115	3446	56	48.7	11	468	–	–	299
⊞ VETERANS ADMINISTRATION MEDICAL CENTER, 1601 Perdido St., Zip 70146; tel. 504/568-0811; John D. Church Jr., Director A1a 2 3 5 8 F1 2 3 4 6 9 10 12 14 15 16 19 20 23 24 26 27 28 29 30 31 32 34 35 38 41 42 43 44 45 46 47 48 49 53 54	45	10	S		361	8921	304	81.9	0	0	85802	43995	1598
NEW ROADS—Pointe Coupee Parish													
POINTE COUPEE GENERAL HOSPITAL, 2202 False River Dr., Zip 70760; tel. 504/638-6331; Darryl Wagley, Administrator A9 10 F1 3 6 15 16 23 34 35 41 45	16	10	S		27	1055	13	48.1	0	0	3708	1530	87
OAK GROVE—West Carroll Parish													
WEST CARROLL MEMORIAL HOSPITAL, Ross St., Zip 71263. Mailing Address Box 748, Zip 71263; tel. 318/428-3237; Raymond P. Morris, Administrator (Nonreporting) A9 10	23	10	S		52	–	–	–	–	–	–	–	–
OAKDALE—Allen Parish													
⊞ HUMANA HOSPITAL-OAKDALE, 130 N. Hospital Dr., Zip 71463. Mailing Address Box 629, Zip 71463; tel. 318/335-3700; L. Rene' Goux, Executive Director A1a 9 10 F1 3 6 15 23 35 46 53 $1235	33	10	S		61	1663	26	42.6	0	0	–	–	102
OLLA—La Salle Parish													
⊞ HARDTNER MEDICAL CENTER, Zip 71465. Mailing Address P O Box 1218, Zip 71465; tel. 318/495-3131; Malcolm L. Barksdale, Administrator A1a 9 10 F1 6 14 16 23 26 34 35 45	16	10	S		47	1055	18	38.3	6	7	2822	1189	63
OPELOUSAS—St. Landry Parish													
⊞ AMI DOCTORS' HOSPITAL OF OPELOUSAS, 5101 Hwy. 167 S., Zip 70570; tel. 318/948-2100; Brian Riddle, Chief Executive Officer A1a 10 F1 3 6 7 9 10 11 12 14 15 16 19 26 30 33 34 35 36 37 40 45 46 47 $0125	32	10	S		83	2702	37	44.6	6	327	12829	3757	136
⊞ OPELOUSAS GENERAL HOSPITAL, 520 Prudhomme Lane, Zip 70571. Mailing Address Box 1208, Zip 70570; tel. 318/948-3011; Gary I. Keller, Administrator A1a 9 10 F1 3 6 7 8 9 10 11 12 14 15 16 17 23 26 34 35 36 40 41 44 46 47 48 49 52 53 $2495	16	10	S		174	5466	79	45.4	24	830	21342	8226	507
PINEVILLE—Rapides Parish													
☐ CENTRAL LOUISIANA STATE HOSPITAL, W. Shamrock Ave., Zip 71361. Mailing Address P O Box 5031, Zip 71361; tel. 318/484-6200; Roy D. Hill M.D., Chief Executive Officer (Nonreporting) A1a 9 10	12	22	L		570	–	–	–	–	–	–	–	–
☐ HUEY P. LONG REGIONAL MEDICAL CENTER (Formerly Huey P. Long Memorial Hospital), Hospital Blvd., Zip 71361. Mailing Address Box 5352, Zip 71361; tel. 318/448-0811; James E. Morgan, Director A1a 3 5 9 10 F1 3 5 6 12 14 16 23 34 35 40 45 52 $0715	12	10	S		107	5332	69	64.5	30	1369	–	–	379
PINECREST STATE SCHOOL HOSPITAL, Mailing Address Box 191, Zip 71360; tel. 318/640-0754; L. J. Credeur M.D., Medical Director (Nonreporting)	12	62	L		1652	–	–	–	–	–	–	–	–
☐ WOODVIEW REGIONAL HOSPITAL (Formerly listed under Tioga), 5505 Shreveport Hwy., Zip 71360; tel. 318/640-0222; Thomas Luthringer, Executive Director (Nonreporting) A1a 9 10 $5895	33	10	S		53	–	–	–	–	–	–	–	–
PLAQUEMINE—Iberville Parish													
☐ RIVER WEST MEDICAL CENTER, 1725 River W. Dr., Zip 70764; tel. 504/687-9222; Ricky Blunschi, Executive Director (Total facility includes 6 beds in nursing home-type unit) A1a 9 10 F1 3 6 10 12 14 16 19 23 27 34 35 36 40 41 45 53	33	10	S	TF H	83 77	2328 2205	38 33	45.8 –	7 7	305 305	10304 10141	3785 3629	196 190
PORT SULPHUR—Plaquemines Parish													
★ PLAQUEMINES PARISH GENERAL HOSPITAL, Civic Dr., Zip 70083. Mailing Address Rte. 2, Box 105, Zip 70083; tel. 504/564-3346; James G. Fraser, Administrator A9 10 F1 3 6 12 14 16 23 35 41 44 46 47 48 $1755	16	10	S		39	645	7	17.9	0	0	–	–	69
RACELAND—Lafourche Parish													
⊞ ST. ANNE GENERAL HOSPITAL, Hwy. 1 and Twin Oaks Dr., Zip 70394. Mailing Address Box 440, Zip 70394; tel. 504/537-6841; Milton D. Bourgeois Jr., Administrator (Total facility includes 20 beds in nursing home-type unit) A1a 9 10 F1 3 6 10 12 14 15 16 19 34 35 36 41 45 47 53	16	10	S	TF H	75 55	2506 2432	30 28	26.3 –	18 18	361 361	8926 8744	4001 3854	236 –
RAYNE—Acadia Parish													
☐ RAYNE-BRANCH HOSPITAL, 301 S. Chevis St., Zip 70578. Mailing Address Box 427, Zip 70578; tel. 318/334-4217; H. Dale Moore, Administrator (Nonreporting) A1a 9 10	16	10	S		35	–	–	–	–	–	–	–	–
RAYVILLE—Richland Parish													
☐ RICHLAND PARISH HOSPITAL-RAYVILLE, Mailing Address Box 388, Zip 71269; tel. 318/728-4181; Michael E. Cooper, Administrator A1a 9 10 F1 6 10 16 23 34 35 41 45 47 53	16	10	S		75	2060	37	49.3	0	0	–	–	156
RUSTON—Lincoln Parish													
⊞ LINCOLN GENERAL HOSPITAL, 401 E. Vaughn St., Zip 71270. Mailing Address P O Drawer 1368, Zip 71273; tel. 318/255-5780; Allen Tuten, Administrator; Clyde Grau, Assistant Administrator A1a 9 10 F1 3 6 10 12 14 15 16 23 34 35 38 40 45 53 54	23	10	S		129	6076	80	62.0	14	514	16740	7988	426
SAINT FRANCISVILLE—West Feliciana Parish													
⊞ WEST FELICIANA PARISH HOSPITAL, Mailing Address Box 368, Zip 70775; tel. 504/635-3811; Virginia Satterfield, Administrator A1a 9 10 F1 16 23 34 35	16	10	S		23	369	4	17.4	0	0	2115	858	46
SHREVEPORT—Caddo Parish													
☐ CHARTER FOREST HOSPITAL, 9320 Linwood Ave., Zip 71106; tel. 318/688-3930; Frederic S. Goldstein, Administrator A1a 10 F15 18 24 28 29 30 31 32 34 38 42 44 46 48 49 $0695	33	22	S		75	883	51	68.0	0	0	6900	1860	115
☐ DOCTORS' HOSPITAL OF SHREVEPORT (Formerly Doctors' Hospital), 1130 Louisiana Ave., Zip 71165. Mailing Address Box 1526, Zip 71165; tel. 318/227-1211; Charles E. Boyd, Administrator (Nonreporting) A1a 9 10 $9555	33	10	S		157	–	–	–	–	–	–	–	–
⊞ HIGHLAND HOSPITAL, 1453 E. Bert Kouns Industrial Loop, Zip 71105; tel. 318/798-4300; Ronald J. Elder, Administrator A1a 9 10 F1 3 6 7 8 9 10 12 14 15 20 34 35 36 40 45 46 47 53 $1755	33	10	S		116	4181	52	45.6	15	524	19480	6210	268
⊞ HUMANA HOSPITAL-BRENTWOOD, 1800 Irving Pl., Zip 71101; tel. 318/424-6761; Raymond Bane, Executive Director A1a 9 10 F23 24 25 28 30 31 32 42 44 46 47 48 $1235	33	22	S		174	1011	55	31.6	0	0	–	–	186
☐ LOUISIANA STATE UNIVERSITY HOSPITAL, 1541 Kings Hwy., Zip 71130. Mailing Address Box 33932, Zip 71130; tel. 318/674-5000; Gene L. Hammett, Administrator A1a 2 3 5 8 9 10 F1 3 4 6 7 8 9 10 11 12 13 14 15 16 20 22 23 24 26 27 30 34 35 37 38 40 44 46 47 51 52 53 54	12	10	S		436	20518	346	76.9	40	4561	86279	42989	2037
⊞ △ PHYSICIANS AND SURGEONS HOSPITAL, 1530 Line Ave., Zip 71104. Mailing Address Box 4466, Zip 71134; tel. 318/227-3950 (Nonreporting) A1a 7 9 10 $0695	33	10	S		183	–	–	–	–	–	–	–	–

Hospital, Address, Telephone, Administrator, Approval and Facility Codes, Health Care System	Classification Codes: Control	Service	Stay	Facilities	Inpatient Data: Beds	Admissions	Census	Occupancy (percent)	Newborn Data: Bassinets	Births	Expense (thousands of dollars): Total	Payroll	Personnel
■ American Hospital Association (AHA) membership ■ Joint Commission on Accreditation of Healthcare Organizations (JCAHO) accreditation ■ American Osteopathic Hospital Association (AOHA) membership ■ American Osteopathic Association (AOA) accreditation ■ Commission on Accreditation of Rehabilitation Facilities (CARF) accreditation Control codes 61, 63, 64, 71, 72 and 73 indicate hospitals listed by AOHA, but not registered by AHA. For definition of numerical codes, see page A6													
■ SCHUMPERT MEDICAL CENTER, 915 Margaret Pl., Zip 71120. Mailing Address P O Box 21976, Zip 71120; tel. 318/227-4500; James M. Boni, Administrator A1a 3 5 9 10 F1 3 4 6 7 8 9 10 11 12 13 14 15 16 17 20 21 23 24 26 27 28 29 30 32 33 34 35 36 39 41 42 44 45 46 47 48 49 51 52 53 54 $0605	21	10	S		534	19934	368	68.9	25	1218	99537	47368	2286
■ SHRINERS HOSPITALS FOR CRIPPLED CHILDREN, SHREVEPORT UNIT, 3100 Samford Ave., Zip 71103; tel. 318/222-5704; Patricia Carey, Administrator A1a 3 5 F23 24 34 42 46 52 $4125	23	57	S		45	750	24	53.3	0	0	–	–	116
■ VETERANS ADMINISTRATION MEDICAL CENTER, 510 E. Stoner Ave., Zip 71101; tel. 318/221-8411; Robert Dawson, Director A1a 2 3 5 8 F1 3 6 8 9 10 11 12 15 16 21 23 24 26 27 28 30 31 32 34 41 42 44 46 47 48 49 53	45	10	S		341	8936	223	65.4	0	0	51977	26684	1001
■ △ WILLIS-KNIGHTON MEDICAL CENTER, 2600 Greenwood Rd., Zip 71103. Mailing Address P O Box 32600, Zip 71130; tel. 318/632-4600; James K. Elrod, President (Nonreporting) A1a 7 9 10 $1945	23	10	S		426	–	–	–	–	–	–	–	–
SLIDELL—St. Tammany Parish													
□ NORTH SHORE PSYCHIATRIC HOSPITAL, 104 Medical Center Dr., Zip 70461; tel. 504/646-5500; Robert Hall, Administrator (Nonreporting) A1a 10	33	22	S		28	–	–	–	–	–	–	–	–
■ SLIDELL MEMORIAL HOSPITAL, 1001 Gause Blvd., Zip 70458; tel. 504/643-2200; Robert P. Atkinson, Chief Executive Officer A1a 9 F1 2 3 4 6 10 12 14 15 16 20 21 23 26 27 30 31 32 33 35 36 37 40 41 45 46 47 48 51 52 53 54	16	10	S		164	5134	83	50.6	20	636	30566	12181	617
SPRINGHILL—Webster Parish													
■ HUMANA HOSPITAL-SPRINGHILL, 1001 Humana Dr., Zip 71075. Mailing Address Box 917; tel. 318/539-9161; Christine Stewart, Executive Director A1a 9 10 F1 3 6 15 16 35 36 41 45 46 52 $1235	33	10	S		86	1520	23	26.7	10	24	–	–	119
STERLINGTON—Ouachita Parish													
STERLINGTON HOSPITAL (Formerly Sterlington Memorial Hospital), Hwy. 2, Zip 71280. Mailing Address P O Box 567, Zip 71280; Evelyn Ormond, Administrator A9 10 F23 34 42	33	10	S		29	847	17	58.6	0	0	–	–	58
STERLINGTON MEMORIAL HOSPITAL See Sterlington Hospital													
SULPHUR—Calcasieu Parish													
■ WEST CALCASIEU-CAMERON HOSPITAL, Cypress St., Zip 70664. Mailing Address P O Box 2269, Zip 70664; tel. 318/527-7035; Frank R. Gayle, Director A1a 9 10 F1 3 6 10 12 14 15 16 23 24 34 35 36 37 39 40 41 45 52 53	16	10	S		111	4167	59	53.2	10	338	16733	8168	377
TALLULAH—Madison Parish													
MADISON PARISH HOSPITAL, 900 Johnson St., Zip 71282. Mailing Address P O Box 1559, Zip 71284; tel. 318/574-2374; Woodrow N. Burke, Administrator A9 10 F2 6 16 35	13	10	S		47	1282	18	38.3	6	97	2918	1239	98
THIBODAUX—Lafourche Parish													
■ THIBODAUX GENERAL HOSPITAL, 602 N. Acadia Rd., Zip 70301. Mailing Address Box 1118, Zip 70302; tel. 504/447-5500; Joel J. Champagne, Administrator A1a 9 10 F1 3 6 9 10 11 12 14 15 16 19 34 35 36 40 41 45 47 52 53	16	10	S		149	4946	62	41.6	10	699	17529	7939	489
TIOGA—Rapides Parish													
WOODVIEW REGIONAL HOSPITAL See Pineville													
VILLE PLATTE—Evangeline Parish													
■ HUMANA HOSPITAL-VILLE PLATTE, 800 E. Main St., Zip 70586. Mailing Address Box 349, Zip 70586; tel. 318/363-5684; James C. Colligan, Executive Director A1a 9 10 F1 3 6 15 16 34 35 36 40 46 52 $1235	33	10	S		124	2308	33	26.6	10	65	–	–	155
VIVIAN—Caddo Parish													
■ NORTH CADDO MEMORIAL HOSPITAL, 1000 S. Spruce St., Zip 71082. Mailing Address Box 792, Zip 71082; tel. 318/375-3235; Phillip Randy Hartline, Administrator A1a 9 10 F15 16 19 35 $1945	16	10	S		33	1000	19	57.6	0	0	–	–	87
WELSH—Jefferson Davis Parish													
WELSH GENERAL HOSPITAL, 410 S. Simmons St., Zip 70591; tel. 318/734-2555; Robert Watkins, Administrator (Nonreporting) A9 10	14	10	S		81	–	–	–	–	–	–	–	–
WEST MONROE—Ouachita Parish													
■ GLENWOOD REGIONAL MEDICAL CENTER, 925 McMillan Rd., Zip 71294. Mailing Address Box 35805, Zip 71294; tel. 318/329-4200; Larry D. Rentfro, Chief Executive Officer (Total facility includes 10 beds in nursing home-type unit) A1a 9 10 F1 2 3 6 7 8 9 10 11 12 14 15 16 19 21 23 24 33 34 35 36 37 40 41 45 46 48 52 53	23	10	S	TF H	180 170	8293 8079	116 110	64.4 –	17 17	567 567	30327 –	12468 –	622 610
■ WOODLAND HILLS HOSPITAL, 6200 Cypress St., Zip 71291. Mailing Address P O Box 1436, Zip 71294; tel. 318/396-5900; Dennis Owens, Administrator (Nonreporting) A1a 9 10	33	82	S		90	–	–	–	–	–	–	–	–
WINNFIELD—Winn Parish													
■ HUMANA HOSPITAL-WINN PARISH, 301 W. Boundary St., Zip 71483. Mailing Address Box 152, Zip 71483; tel. 318/628-2721; Jan Trawick, Executive Director A1a 9 10 F1 3 6 14 15 16 23 26 34 35 44 45 46 53 $1235	33	10	S		73	1873	32	43.8	0	59	–	–	142
WINNSBORO—Franklin Parish													
FRANKLIN PARISH HOSPITAL, 2106 Loop Rd., Zip 71295; tel. 318/435-9411; John A. Cuny, Administrator (Nonreporting) A9 10	16	10	S		55	–	–	–	–	–	–	–	–
ZACHARY—East Baton Rouge Parish													
■ LANE MEMORIAL HOSPITAL, 6300 Main St., Zip 70791; tel. 504/658-4303; Charlie L. Massey, Administrator (Total facility includes 38 beds in nursing home-type unit) A1a 9 10 F1 3 6 10 12 14 15 16 19 23 34 35 36 37 41 45 53 $2495	16	10	S	TF H	112 74	3682 3672	89 52	79.5 –	14 14	165 165	15769 14746	6803 6492	318 302

PRIVATE CONTRACTORS

Entire United States
Compilation from Federal, State and Private sources

Contractor Roster Database Report

Company Name	Address	City	State	Zip	Phone	Telefax	Services Offered
HELO INC.	PO BOX 201341	ANCHORAGE	AK	99520-0000	907-563-4595	907-563-4787	BIOREMEDIATION
MARTECH USA INC.	300 E 54TH ST	ANCHORAGE	AK	99518-0000	907-561-1970	907-563-0380	BIOREMEDIATION USA
MARTECH USA INC.	300 E 54TH ST	ANCHORAGE	AK	99518-0000	907-561-1970	907-563-0380	CLEANUP
SOUND ENVIRONMENTAL	8740 HARTDELL RD	ANCHORAGE	AK	99507-0000	907-278-6960	907-349-1244	BIOREMEDIATION
VECO ENVIRONMENTAL	813 W NORTHERN LIGHTS BLVD	ANCHORAGE	AK	99503-0000	907-264-8753	907-264-8810	CLEANUP
VRCA ENVIRONMENTAL	5333 FAIRBANKS ST #11	ANCHORAGE	AK	99518-0000	907-562-3700	907-563-1380	EMERGENCY RESPONSE
VRCA ENVIRONMENTAL	6700 ARCTIC SPUR RD	ANCHORAGE	AK	99518-0000	907-349-4827	907-276-3190	BIOREMEDIATION
VRCA ENVIRONMENTAL	6700 ARCTIC SPUR RD	ANCHORAGE	AK	99518-0000	907-349-4827	907-267-3190	CLEANUP
`CHEMTRACK	11711 S GAMBEL RD.	ANCHORAGE	AK	99515-0000	907-349-2511	907-522-3150	BIOREMEDIATION
SELEY CORP.	PO BOX 5380	KETCHIKAN	AK	99901-0000	907-247-3539	907-225-5543	CLEANUP
YORK ENVIRONMENTAL	PO BOX 343	MALVERN	AK	72104-0000	501-332-8686	501-332-8688	EMERGENCY RESPONSE
RIEDEL-PETERSON	1660 S BELTLINE HIGHWAY	MOBILE	AL	36609-0000	205-666-3600	- - 0	CLEANUP CONTR USA
P.E. LAMOREAUX &	PO BOX 2310	TUSCALOOSA	AL	35403-0000	205-752-5543	205-752-4043	BIOREMEDIATION USA
SPILTECH INC.	1501 WESTPARK DR #8	LITTLE ROCK	AR	72204-0000	501-664-7745	501-663-1796	EMERGENCY RESPONSE
SPILTECH INC.	PO BOX 56398	LITTLE ROCK	AR	72215-0000	800-548-3304	501-663-1796	CLEANUP CONTR USA
SPILTECH SERVICES	6807-A W 12TH ST	LITTLE ROCK	AR	72204-0000	501-664-7745	501-663-1796	BIOREMEDIATION USA
SEAARK MARINE INC.	PO BOX 210	MONTICELLO	AR	71655-0000	501-367-9755	501-367-2120	RESPONSE VESSELS
HAZ-TECH	601 PECAN	TEXARKANA	AR	75502-0000	501-772-0520	501-772-0540	EMERGENCY RESPONSE
BIEGERT AVIATION	MEMORIAL AIRPORT,22022 S PRICE	CHANDLER	AZ	85248-0000	602-821-2400	- - 0	AORCRAFT-DISPERSANTS
DUTCH PRIDE PRODUCTS	PO BOX 1651	COTTONWOOD	AZ	86326-0000	602-634-7066	602-634-5494	BIOREMEDIATION USA
RIVERS RUN	PO BOX 568	HUMBOLT	AZ	86329-0000	602-632-8515	602-632-5362	BIOREMEDIATION USA
SCICOMP CORPORATION	3519 E SHEA BLVD #119	PHOENIX	AZ	85028-0000	602-953-9633	602-971-4972	BIOREMEDIATION
SORBENT SCIENCES	PO BOX 2440	CHINO	CA	91710-0000	714-591-4704	- - 0	SORBENT SUPPLIER
ASI	855 W WALNUT ST	COMPTON	CA	90220-0000	310-886-9050	310-886-9058	CLEANUP
GROUNDWATER	4057 PORT CHICAGO HWY	CONCORD	CA	94520-0000	415-671-2387	415-685-9148	BIOREMEDIATION
CELLULOSE RESOURCES	PO BOX 1562	ESCONDIDO	CA	92033-0000	619-741-3731	- - 0	SORBENT
FMS	609 VIA CASITAS	GREENBRAE	CA	94904-0000	415-461-7455	- - 0	BIOREMEDIATION
A.S.I.	1326 WEST 12TH STREET	LONG BEACH	CA	90813-0000	213-436-0211	213-436-8428	EQUIPMENT SUPPLIER
CROSBY AND OVERTON	1610W 17TH ST	LONG BEACH	CA	90813-0000	213-432-5447	- - 0	CLEANUP
HARDING LAWSON	7655 REDWOOD BLVD PO BOX 578	NOVATO	CA	94948-0000	415-892-0821	415-892-0831	BIOREMEDIATION
SOLMAR CORP.	625 W KATELLA AVE #5	ORANGE	CA	92667-0000	714-538-0881	- - 0	BIOREMEDIATION
CLAYTON	1252 QUARRY LN	PLEASANTON	CA	94566-0000	510-426-2600	510-426-0106	BIOREMEDIATION USA
CHEMICAL SAFETY	8388 VICKERS ST #216	SAN DIEGO	CA	92111-0000	619-565-0302	- - 0	ENVIRONMENTAL MANAGEMENT
HALIBURTON NUS	PKWY CT, 16885 W BERNARDO DR	SAN DIEGO	CA	92127-0000	619-451-2131	619-451-1770	BIOREMEDIATION USA
WOODWARD-CLYDE	1550 HOTEL CIRCLE NORTH	SAN DIEGO	CA	92108-0000	619-294-9400	619-293-7920	BIOREMEDIATION
H & H ENVIRONMENTAL	220 CHINA BASIN	SAN FRANCISCO	CA	94107-0000	415-543-4835	- - 0	CLEANUP
COGNIS INC.	2330 CIRCADIAN WAY	SANTA ROSA	CA	95407-0000	707-575-7155	707-575-7833	BIOREMEDIATION USA
ADVANCE SPILL	2205-109 FIRST STREET	SIMI VALLEY	CA	93065-1981	805-581-4602	- - 0	SORBENTS
TURNER DESIGNS	920 WEST MAUDE AVE	SUNNYVALE	CA	94086-9642	408-749-0994	408-749-0998	FIELD ANALYTICAL EQUIPMENT
TURNER DESIGNS	845 W MAUDE AVE	SUNNYVALE	CA	94086-0000	408-749-0994	408-749-0998	BIOREMEDIATION
PENCO OF CALIFORNIA	618 PILCHARD ST	TERMINAL ISLAND	CA	90731-0000	213-547-0919	- - 0	CLEANUP
INTERNATIONAL	23456 HAWTHORNE BLVD	TORRANCE	CA	90505-0000	310-378-9933	310-791-2587	BIOREMEDIATION USA
ESSENCE ENGINEERING	PO BOX 5840 255 W STANLEY AVE	VENTURA	CA	93003-0000	805-656-4900	805-643-9128	CLEANUP
METSON MARINE	1575 SPINNAKER DR #205	VENTURA	CA	93001-0000	805-658-2628	805-658-8354	CLEANUP
DOUGLAS ENGINEERING	181-C MAYHEW WAY	WALNUT CREEK	CA	94596-0000	415-934-7900	415-934-7903	SKIMMERS

Contractor Roster Database Report

Company Name	Address	City	State	Zip	Phone	Telefax	Services Offered
GUARDIAN MARINE	620 WALKER STREET	WATSONVILLE	CA	95706-0000	408-728-3373	408-728-1798	SORBENT
SEALAND	49 BURTVILLE AVE	DERBY	CT	6418-0000	203-735-1817	203-735-2706	CLEANUP
EAST COAST	454 QUINNIPIAC AVE	HEW HAVEN	CT	6513-0000	203-469-2376	203-467-1732	CLEANUP
MSRC-MARINE SPILL	1350 I ST NW #300	WASHINGTON	DC	20005-0000	202-271-0401	202-371-0401	CLEANUP
PETRO CHEM RECOVERY	PO BOX 1458	NORFOLK	FA	23501-0000	804-627-8791	804-640-1261	CLEANUP
OIL RECOVERY CO INC.	251 LEVY RD PO BOX 548	ATLANTIC BEACH	FL	32233-0000	904-241-2200	- - 0	CLEANUP
AMERICAN BOOM AND	8052 ASTONAUT BLVD	CAPE CANAVERAL	FL	32920-0000	407-784-2110	407-783-7598	CLEANUP
CAPE CANAVERAL	8051 ASTRONAUT BLVD	CAPE CANAVERAL	FL	32920-0000	407-868-0670	407-783-7598	CLEANUP
ENVIRONMENTAL	2600 MCCORMICK DR #370	CLEARWATER	FL	34619-0000	813-726-0966	813-725-1728	BIOREMEDIATION USA
ENVIRONMENTAL	2600 MCCORMICK DR #370	CLEARWATER	FL	34619-0000	813-726-0966	813-725-1728	CLEANUP
CONTAINMENT SYSTEMS	PO BOX 1390	COCOA	FL	32923-0000	407-632-5640	407-639-4017	EQUIPMENT
ALPHA PRODUCTS CO.	5990 SW NINTH ST	FORT LAUDERDALE	FL	33317-0000	305-584-5561	- - 0	BIOREMEDIATION
SPILL REPONSE INC	PORT EVERGLADES, PO BOX 290360	FT LAUDERDALE	FL	33329-0000	305-321-5995	305-321-5998	CLEANUP
ENVIRONMENTAL	PO BOX 1703	GAINESVILLE	FL	32602-1703	800-874-7872	904-332-7659	BIOREMEDIATION USA
ENVIRONMENTAL	PO BOX 1703	GAINESVILLE	FL	32602-1703	800-874-7872	904-332-7659	CLEANUP
HUNTER/ESE	PO BOX 1703 SR 26 NEWBERRY RD	GAINESVILLE	FL	32602-1703	904-332-3318	- - 0	CLEANUP
MARINE INDUSTRIAL	PO BOX 43175	JACKSONVILE	FL	32203-3175	904-350-1060	904-350-9104	CLEANUP
EARTH CORE	8917 WESTERN WAY #120	JACKSONVILLE	FL	32256-0000	904-363-3417	904-363-3408	CLEANUP
ENVIROSOLV INC.	1840 SOUTHSIDE BLVD	JACKSONVILLE	FL	32216-0000	904-724-1990	904-724-2508	OIL SOLVENT/DISPERSANT
JACKSONVILLE	PO BOX 3005	JACKSONVILLE	FL	32206-0000	904-355-4164	904-355-4365	CLEANUP
M AND W SOUTHEASTERN	806 TALLEYRAND AVE	JACKSONVILLE	FL	32203-3175	- - 0	- - 0	CLEANUP
OIL RECOVERY OF	6626 GUTHRIE RD	JACKSONVILLE	FL	32205-1547	912-964-1648	- - 0	CLEANUP
AMERICAN COMPLIANCE	4406 S FLORIDA AVE #23	LAKELAND	FL	33813-0000	813-647-1200	813-647-5600	CLEANUP
UNITECH	9164 SOUTH WEST 106TH ST	MIAMI	FL	33176-0000	305-276-1219	- - 0	BIOREMEDIATION
ENVIROTECH	6608 BOULEVARD OF CHAMPIONS	NORTH	FL	33068-0000	305-971-0688	305-978-2172	BIOREMEDIATION/DISPERSANT
EARTH RESOURCES	1227 MARSHALL FARMS RD	OCOEE	FL	34761-0000	407-877-0877	407-877-3622	EMERGENCY RESPONSE
OSPREY BIOTHNICS	PO BOX 758	ONECO	FL	34264-0000	800-553-7785	813-755-0626	BIOREMEDIATON
ORANGE ENVIRONMENTAL	PO BOX 593845	ORLANDO	FL	32859-3845	- - 0	- - 0	CLEANUP
SUB-AQUEOUS	7334 POINT OF ROCKS RD	SARASOTA	FL	34242-0000	813-349-8879	- - 0	CLEANUP
HOWCO ENVIRONMENTAL	843 43RD ST S	ST PETERSBURG	FL	33711-0000	813-323-0818	- - 0	CLEANUP
SEA SPILL SOUTH INC.	3839 4TH ST N #400	ST PETERSBURG	FL	33703-0000	813-821-2003	813-823-6441	CLEANUP
NEED-A-DIVER MARINE	PO BOX 5436	TAMPA	FL	33675-0000	813-247-1146	- - 0	CLEANUP
UNIVERSAL WASTE &	2002 ORIENT RD	TAMPA	FL	33619-0000	- - 0	- - 0	CLEANUP
BRUNSWICK PORT	PO BOX 1336	BRUNSWICK	GA	31521-0000	- - 0	- - 0	CLEANUP
WESTINGHOUSE-HAZTECH	675 PARK N BLVD #F-100	CLARKSTON	GA	30021-1962	404-299-4650	404-299-4703	CLEANUP
WESTINGHOUSE	5280 PANOLA INDUSTRIAL BLVD	DECATUR	GA	30035-0000	404-981-9332	404-981-1786	SITE REMEDIATION
ENGINEERED FABRICS	669 GOODYEAR ST	ROCKMART	GA	30153-0000	404-684-7855	404-684-7438	BOOMS
COASTAL DIVERS AND	120 BRANNEN DR	SAVANNAH	GA	31410-0000	912-897-2398	- - 0	CLEANUP CONT GA,COASTAL SC,NORTH FL
ENSITE INC.	5203 SOUTH ROYAL ATLANTA DR	TUCKER	GA	30084-8611	- - 0	- - 0	EMERGENCY RESPONSE
FLORIDA SPILL	605 TOWNSEND RD PO BOX 1847	COCOA	GL	32923-1847	407-631-7778	407-639-4017	CLEANUP
PACIFIC	PIER 14, FIRST FLOOR	HONOLULU	HI	96817-0000	808-545-5195	808-538-1703	CLEANUP
CENTRAL STATES	319 EAST 7TH PO BOX 684	CENTRALIA	IL	62801-0000	618-532-4784	618-532-5615	EMERGENCY RESPONSE
SKOLNIK INDUSTRIES	4900 S KILBOURN AVE	CHICAGO	IL	60632-4593	312-735-0700	312-735-7257	CLEANUP

Contractor Roster Database Report

Company Name	Address	City	State	Zip	Phone	Telefax	Services Offered
MAECORP INC.	17450 SOUTH HALSTED	HOMEWOOD	IL	60430-0000	312-957-7600	312-957-7324	EMERGENCY RESPONSE
HERITAGE	1175 WESTERN DR	INDIANAPOLIS	IN	46241-0000	317-243-7475	317-243-2046	CLEANUP
SPILL RECOVERY OF	PO BOX 34337, 9901	INDIANAPOLIS	IN	46234-0000	317-291-3972	- - 0	CLEANUP
SPILL RECOVERY OF	PO BOX 34337, 9901	INDIDANAPOLIS	IN	46234-0000	317-291-3972	- - 0	BIOREMEDIATION USA
PETRO BOOM	753 AXE AVE	VALPARAISO	IN	46383-0000	219-477-4889	219-477-4622	BIOREMEDIATION USA
CONTRACTOR	PO BOX 1352	PADUCA	KY	42002-1352	502-898-4052	- - 0	CLEANUP
ENVIRONMENTAL	PO BOX 45212-210	BATON ROUGE	LA	70895-0000	504-665-1903	- - 0	BIOREMEDIATION
ERI/MICROBE MASTERS	PO BOX 45212-210	BATON ROUGE	LA	70895-0000	504-292-6665	504-293-2033	BIOREMEDIATION USA
MICROBE MASTERS INC.	10201 MAYFAIR	BATON ROUGE	LA	70809-0000	504-293-2033	504-664-8000	BIOREMEDIATION
OIL MOP INC.	PO BOX 820	BELLE CHASSE	LA	70037-0000	504-394-6110	504-392-8977	EMERGENCY RESPONSE/DISPOS
OIL SPILL CONTROL	PO BOX 231	FARMERVILLE	LA	71241-0000	318-368-3773	318-368-3843	CLEANUP
INDUSTRIAL CLEANUP	PO BOX 869	GARYVILLE	LA	70051-0000	504-535-2697	504-535-3262	CLEANUP
OOPS-O'BRIEN'S OIL	1700 STUMPF BLVD #51	GRETNA	LA	70056-0000	503-944-0893	- - 0	CLEANUP
BYARS SPILL CONTROL	PO BOX 1578	HARVEY	LA	70059-0000	504-367-0993	- - 0	CLEANUP CONT. SOUTH LA,MS,GULF COAST
ADVANCED	PO BOX 81157	LAFAYETTE	LA	70598-0000	318-232-2000	318-232-9049	MOBILE INCINERATOR
CHEMEX INC.	107B BALBOA, PO BOX 31228	LAFAYETTE	LA	70593-1228	318-837-9148	318-837-2648	CLEANUP
GFC CHEMICAL COMPANY	PO BOX 80537	LAFAYETTE	LA	70598-0537	318-234-8262	318-232-3458	DISPERSANTS
LARCO ENVIRONMENTAL	PO BOX 6237	LAKE CHARLES	LA	70606-0000	318-474-3660	318-474-3665	CLEANUP CONTR USA AND WORLDWIDE
OVAC INC.	PO BOX 16584, 307 CHRISTMAN RD	LAKES CHARLES	LA	70616-0000	318-433-4144	318-436-1602	BIOREMEDIATION USA
ANTI POLLUTION INC.	PO BOX 885	MORGAN CITY	LA	70381-0885	504-384-9517	504-384-7741	EMERGENCY RESPONSE
HALTER INTERNATIONAL	7412 LAKESHORE DRIVE	NEW ORLEANS	LA	70124-0000	504-283-4371	504-283-1742	VESSELS
RIEDEL-PETERSON	14101 OLD GENTILLY RD	NEW ORLEANS	LA	70129-0000	504-254-3600	- - 0	CLEANUP CONTR USA
THOMPSON	PO BOX 52141	NEW ORLEANS	LA	70152-2141	504-393-7661	504-393-7934	CLEANUP CONTR WORLWIDE-PREDOMINANTLY GULF SOUTH
INDUSTRIAL CLEANUP	309 ZACHERY DR	SCOTT	LA	70583-0000	318-234-5104	- - 0	CLEANUP CONTR USA
ENSR CONSULTING AND	35 NAGOG PARK	ACTON	MA	1720-0000	800-722-2440	508-635-9180	BIOREMEDIATION USA
HYDRO-ENVIRONMENTAL	54 NONSET PATH	ACTON	MA	1720-0000	508-263-4044	508-635-0980	CLEANUP
ARTHUR D. LITTLE	25 ACORN PARK	CAMBRIDGE	MA	2140-0000	617-498-5388	617-498-7041	BIOREMEDIATION USA
OCEAN MANAGEMENT	PO BOX 2043	DUXBURY	MA	2332-0000	617-934-0214	- - 0	CLEANUP
ATLANTIC SPILL	36 NEW ST	EAST BOSTON	MA	2128-0000	617-567-5896	617-567-2583	CLEANUP
ENPRO SERVICES INC.	12 MULIKEN WAY	NEWBURYPORT	MA	1950-0000	800-966-1102	508-465-2050	CLEANUP
M & E/ZECCO INC.	345 W MAIN ST	NORTHBOROUGH	MA	1532-0000	508-393-2537	508-393-7485	BIOREMEDIATION USA
M&E/ZECCO INC.	345 W MAIN ST	NORTHBOROUGH	MA	1532-0000	508-393-2537	508-393-7485	CLEANUP
GROUNDWATER	100 RIVER RIDGE DR	NORWOOD	MA	2062-0000	617-769-7600	617-769-7992	BIOREMEDIATION USA
CLEAN HARBORS INC.	1200 CROWN COLONY DR	QUINCY	MA	2269-9137	800-645-8265	617-269-5216	CLEANUP
JET-LINE SERVICES	441R CANTON ST, PO BOX 180	STOUGHTON	MA	2072-0000	617-344-2510	617-341-0635	CLEANUP
C-E ENVIRONMENTAL	CORPORATE PLACE #128/107	WHEATFIELD	MA	1880-0000	617-232-2207	- - 0	BIOREMEDIATION
CLEAN AMERICA INC.	3300 CHILDS ST	BALTIMORE	MD	21226-0000	301-354-0751	- - 0	CLEANUP
DAMES & MOORE INC.	7101 WISCONSIN AVE #700	BETHESDA	MD	20814-4870	301-656-2215	301-656-8059	BIREMEDIATION USA
DAMES & MOORE INC.	7101 WISCONSIN AVE #700	BETHESDA	MD	20814-4870	301-656-2215	301-656-8059	BIREMEDIATION USA
A.B.B. ENVIRONMENTAL	110 FREE ST PO BOX 7050	PORTLAND	ME	4112-0000	207-775-5401	207-772-4762	BIOREMEDIATION USA
THE TRAVERSE GROUP	3772 PLAZA DR #5	ANN ARBOR	MI	48108-0000	313-747-9300	313-747-9229	BIOREMEDIATION USA
PHOENIX ENGINEERING	4240 LAKESHORE RD	DECKERVILLE	MI	48427-0000	313-376-4843	- - 0	NAVIGATION SYSTEM

Contractor Roster Database Report

Company Name	Address	City	State	Zip	Phone	Telefax	Services Offered
INLAND WATERS	2021 S SCHAEFER HWY	DETROIT	MI	48217-0000	313-841-5800	313-841-6495	CLEANUP
MPC ENVIRO.,DIV. OF	8631 W JEFFERSON AVE	DETROIT	MI	48209-0000	313-849-2333	313-849-1623	CLEANUP
ERGON NONWOVENS INC.	PO DRAWER 1639	JACKSON	MI	39215-1639	601-948-3472	- - 0	SORBENT SUPPLIER
MORAVY TRUCKING	PO BOX 530	MT. PLEASANT	MI	48858-0000	517-773-6971	- - 0	CLEANUP
ANDERSON-STPEWELL	2850 VICKSBURG LANE N	PLYMOUTH	MN	55447-1878	612-535-3833	- - 0	CLEANUP
BAY WEST INC.	5 EMPIRE DR	ST PAUL	MN	55103-1867	612-291-0456	612-291-0099	CLEANUP
DYNEX	4751 MUSTANG CIRCLE	ST PAUL	MN	55112-0000	612-784-4040	612-784-5397	EMERGENCY RESPONSE
AMERICLEAN	8427 WABASH AVENUE	ST LOUIS	MO	63134-0000	314-524-2214	314-522-3323	REMOTE DRUM PUNCH
HERITAGE	183 MCDONNELL BLVD	ST LOUIS	MO	63042-0000	314-521-3600	- - 0	EMERGENCY RESPONSE
KEISEL COMPANY	4801 FYLER AVE	ST LOUIS	MO	63116-0000	314-351-5500	314-351-0894	CLEANUP
METROPOLITAN	PO BOX 21734	ST LOUIS	MO	63109-0734	314-772-4357	- - 0	EMERGENCY RESPONSE
REACT ENVIRONMENTAL	2208 WELCH INDUSTRIAL COURT	ST LOUIS	MO	63146-0000	314-569-0991	- - 0	CLEANUP CONTR INTERNATIONAL
RIEDEL-PETERSON	209 FACTORY ST	JACKSON	MS	39202-0000	601-948-2123	- - 0	CLEANUP CONTR USA
HAZ-MAT SERVICES	PO BOX 1014	OCEAN SPRINGS	MS	39564-0000	601-875-9466	601-872-4869	SITE REMEDIATION
C P ENVIRONMENTAL	PO BOX 1348	GLENDIVE	MT	59330-0000	406-365-8371	406-365-8088	EMERGENCY RESPONSE
HIGH RISE SERVICE CO	PO BOX 730	LELAND	NC	28451-0730	919-371-2325	- - 0	CLEANUP
FENN-VAC INC.	PO BOX 62679	NORTH	NC	29419-0000	803-552-8306	803-760-0448	CLEANUP
ESE BIOSCIENCES	3208 SPRING FOREST RD	RALEIGH	NC	27604-0000	919-872-9686	919-872-6747	BIOREMEDIATION
SPECIALIZED MARINE	PO BOX 813	WRIGHTSVILLE	NC	28480-0000	800-277-0638	919-256-6011	BIOREMEDIATION USA
SPECIALIZED MARINE	PO BOX 813	WRIGHTSVILLE	NC	28480-0000	800-277-0638	919-256-6011	CLEANUP
COASTAL	PO BOX 1456	BISMARK	ND	58502-0000	701-255-7203	- - 0	BIOREMEDIATION
COATING SYSTEMS INC.	55 CROWN ST	NASHUA	NH	3060-0000	- - 0	- - 0	CLEANUP
ALPHA ENVIRONMENTAL	116 E 22ND ST, PO BOX 4001	BAYENNE	NJ	7002-0000	201-437-1105	512-288-1995	BIOREMEDIATION USA
KEN'S MARINE SERVICE	116 E 22ND ST, PO BOX 4001	BAYONNE	NJ	7002-0000	201-339-0673	201-339-8029	CLEANUP
SYBRON CHEMICALS INC	PO BOX 66 BIRMINGHAM RD	BIRMINGHAM	NJ	8011-0000	609-893-1100	- - 0	CLEANUP
SYBRON CHEMICALS	PO BOX 66, BIRMINGHMAM RD	BIRMINGHAM	NJ	8011-0000	609-893-1100	- - 0	BIOREMEDIATION USA
UNDERWATER	2735 BUREN AVE	CAMDEN	NJ	8105-0000	800-258-5585	609-963-4740	CLEANUP
G & G ENVIRONMENTAL	16 MARKET ST #136	CLIFTON	NJ	7012-0000	201-473-5000	201-473-5972	SORBENTS
CLEAN HARBORS OF	2301 PENNSYLVANIA AVE	DEPTFORD	NJ	8096-0000	609-589-5000	609-227-9350	CLEANUP
S+D ENVIRONMENTAL	2 GOURMET LN STE G	EDISON	NJ	8837-0000	908-549-8778	908-549-8707	CLEANUP
OMS CORP.	240 MAIN ST, PO BOX 361	GLADSTONE	NJ	7934-0000	908-781-5747	908-781-0732	CLEANUP
DONJON MARINE	1250 LIBERTY AVENUE	HILLSIDE	NJ	7205-0000	201-964-8812	201-964-7426	EMERGENCY RESPONSE
DMS & D ASSOCIATES	PO BOX 129	LINCROFT	NJ	7738-0000	201-542-6272	201-544-9126	SORBENT
AGUILAR ASSOCIATES &	30 FRENEAU AVE	MATAWAN	NJ	7747-0000	908-290-7800	908-290-7806	CLEANUP
CLEAN VENTURE	1160 STATE STREET, PO BOX 936	PERTH AMBOY	NJ	7726-0000	201-442-4900	201-826-9380	CLEANUP
RECON SYSTEMS INC.	5 JOHNSON DR, PO BOX 130	RARITAN	NJ	8869-0130	908-526-1000	908-526-7886	BIOREMEDIATION USA
RECON SYSTEMS INC.	5 JOHNSON DR, PO BOX 130	RARITAN	NJ	8869-0130	908-526-1000	908-526-7886	CLEANUP
IMBACH CORPORATION	400G CORPORATE COURT	SOUTH	NJ	7080-0000	201-755-8400	908-755-2345	BIOREMEDIATION
WORLD GUIDE	163 SARATOGA AVE	BALLSTON SPA	NY	12020-0000	800-234-1276	518-885-2561	CLEANUP
CECOS ENVIRONMENTAL	PO BOX 9	BUFFALO	NY	14217-0000	716-873-4200	- - 0	CLEANUP
WASTE STREAM	302 GROTE ST	BUFFALO	NY	14207-0000	716-876-5290	716-876-2412	BIOREMEDIATION
NATIONAL RESPONSE	466 EDWARDS AVE PO BOX 609	CALVERTON	NY	11933-0000	516-369-8644	513-369-4908	CLEANUP
TREATEK INC.	2801 LONG RD	GRAND ISLAND	NY	14072-0000	716-773-8661	716-773-8110	BIOREMEDIATION
AAA OIL POLLUTION	36-28 14TH ST	LONG ISLAND	NY	11106-0000	718-392-8000	718-482-9535	CLEANUP NY,NJ
PURITY LABORATORIES	PO BOX 145	LUNBROOK	NY	11563-0000	800-242-9009	516-887-6613	BIOREMEDIATION
ECOMARINE	90 PARK AVENUE	NEW YORK	NY	10016-0000	212-297-2177	212-297-2121	RESPONSE VESSELS

Contractor Roster Database Report

Company Name	Address	City	State	Zip	Phone	Telefax	Services Offered
MARINE LOG	345 HUDSON ST	NEW YORK	NY	10014-0000	212-620-7228	212-633-1165	CLEANUP
APPLIED FABRIC	227 THORN AVE PO BOX 575	ORCHARD PARK	NY	14127-0000	716-662-0632	716-662-0636	BOOMS AND OTHER SUPPLIES
GERAGHTY & MILLER	125 E BETHPAGE RD	PLAINVIEW	NY	11704-0000	516-249-7600	516-249-7610	BIOREMEDIATION USA
LACKENBACH SIEGEL	LACKENBACH SIEGEL BLDG.	SCARSDALE	NY	10585-0000	914-723-4300	- - 0	BIOREMEDIATION
SEA SPILL SERVICES	MAIN RD, PO BOX 1178	SOUTHOLD	NY	11971-0000	516-765-3660	516-765-5802	CLEANUP
JAMES MILLER MARINE	PIER 7 1/2	STATEN ISLAND	NY	10301-0000	718-727-7303	- - 0	CLEANUP
ENVIRO-ZYME	STORMVILLE MOUNTAIN ROAD	STORMVILLE	NY	12585-0000	800-882-9904	- - 0	BIOREMEDIATION
OPTECH ENVIRONMENTAL	PO BOX 278	WADDINGTON	NY	13694-0000	315-388-5909	- - 0	CLEANUP
O.H. MATERIALS	16406 U.S ROUTE 224 EAST	FINDLAY	OH	45840-0000	419-423-3526	419-424-4991	EMERGENCY RESPONSE
OHM CORPORATION	16406 US ROUTE 224 E, PO BOX	FINDLAY	OH	45840-0000	800-537-9540	419-424-4990	BIOREMEDIATION USA
EMERGENCY SPILL	PO BOX 450853	WEST LAKE	OH	44145-0000	216-469-0122	- - 0	BIOREMEDIATION USA
GROUNDWATER	771 BROOKSEDGE PLAZA DR	WESTERVILLE	OH	43081-0000	614-882-3136	614-882-0676	BIOREMEDIATION USA
K & M BACKHOE	PO BOX 481	CATOOSA	OK	74015-0000	918-663-8873	918-437-9622	HEAVY EQUIPMENT
HALIBURTON SERVICES	PO BOX 1431	DUNCAN	OK	73536-0448	405-251-4578	- - 0	CLEANUP CONTR WORLDWIDE
PROGRESSIVE	3700 WEST ROBINSON #231	NORMAN	OK	73072-0000	405-321-3931	405-364-1708	EMERGENCY RESPONSE
GEO-MICROBIAL	E MAIN ST	OCHELATA	OK	74051-0000	918-535-2281	918-535-2564	BIOREMEDIATION USA
BIOREMEDIATION INC.	PO BOX 2010	LAKE OSWEGO	OR	97035-0012	503-624-9464	503-684-5268	BIOREMEDIATION
COLUMBIA HELICOPTERS	PO BOX 3500	PORTLAND	OR	97208-0000	503-657-1111	503-678-5841	HELICOPTERS
NORTHWEST	PO BOX 8128	PORTLAND	OR	97207-0000	503-253-2687	503-221-1324	EMERGENCY RESPONSE
RIEDEL ENVIRONMENTAL	4611 N CHANNEL AVE, PO BOX	PORTLAND	OR	97208-0000	503-286-4656	503-283-2602	CLEANUP
MCCUTCHEON	250 PARK RD	APOLLO	PA	15613-8730	412-568-3623	412-567-2571	CLEANUP
BIOSCIENCE INC.	1530 VALLEY CENTER PKWY.#120	BETHLEHEM	PA	18017-0000	215-924-9693	215-691-2170	BIREMEDIATION USA
POLYBAC CORPORATION	COURTNEY PL 3894 COURTNEY ST	BETHLEHEM	PA	18017-8999	215-867-7338	215-861-0991	BIOREMEDIATION
ULTRONIX INC.	RD2 BOX 1000	COOPERSBURG	PA	18036-0000	215-965-8009	- - 0	VOC EMISSION REDUCTION
ERM ENVIROCLEAN INC.	855 SPRINGDALE DR	EXTON	PA	19341-0000	215-524-3500	215-524-7335	CLEANUP
GROUNDWATER &	410 EAGLEVIEW BLVD #110	EXTON	PA	19341-0000	215-458-1077	215-458-1081	CLEANUP
B.E.S. ENVIRONMENTAL	82-86 BOSTON HILL RD	LARKVILLE	PA	18651-3225	717-779-1780	717-779-5316	CLEANUP
GROUNDWATER SERVICES	800 EISENHOWER BLVD	MIDDLETOWN	PA	17057-0000	717-986-1771	717-986-9580	BIOREMEDIATION USA
NETAC NATNL. ENVIRO.	615 WILLIAM PITT WAY	PITTSBURGH	PA	15238-0000	412-826-5511	412-826-3360	BIOREMEDIATION USA
OMNI AJAX	PO DRAWER P	SUGARLOAF	PA	18249-0000	717-788-6000	- - 0	SORBENT
KEYSTONE - BLOCK	PO BOX 9, HULLER LN	TEMPLE	PA	19560-0009	215-926-6915	215-926-6943	CLEANUP
NEW PIG CORPORATION	ONE PORK AVE	TIPTON	PA	16684-0304	800-468-3647	800-621-7447	EQUIPMENT SUPPLIER
ENVIROSAFE	PO BOX 833	VALLEY FORGE	PA	19842-0833	215-962-0800	215-962-0727	CLEANUP
GSM ENVIRONMENT	PO BOX 1200	VALLEY FORGE	PA	19842-0000	800-258-5585	215-495-5208	CLEANUP
RESEARCH PLANNING	PO BOX 328, 1200 PARK ST	COLUMBIA	SC	29202-0000	803-256-7322	803-254-6445	CLEANUP
FERGUSON HARBOR	PO BOX 830	HENDERSONVILLE	TN	37077-0830	615-822-3295	- - 0	CLEANUP CONT USA
INTERNATIONAL	312 DIRECTORS DR	KNOXVILLE	TN	37923-0000	615-690-3211	615-690-3626	CLEANUP CONTR
OSCO INC	618 GRASSMERE PARK #7	NASHVILLE	TN	37211-3643	- - 0	- - 0	CLENAUP CONTR USA
WASTE CONTROL	1610 SHELDON RD	CHANNELVIEW	TS	77530-0000	713-457-6494	713-457-0966	EMERGENCY RESPONSE
ENPROTEC INC.	PO BOX 5198	ABILENE	TX	79608-0000	915-698-5560	- - 0	EMERGENCY RESPONSE
TERRAMAR ENTERPRISES	PO BOX 700	ALVIN	TX	77512-0700	713-331-1959	713-469-7631	SORBENTS
BLACKMON	PO BOX 566	ANDREWS	TX	79714-0000	915-523-6756	- - 0	HEAVY EQUIPMENT
ALPHA ENVIRONMENTAL	PO BOX 90218	AUSTIN	TX	78709-0000	512-288-7500	512-288-1995	BIOREMEDIATION
BIO-GENESIS	13790-A RESEARCH BLVD #333	AUSTIN	TX	78750-0000	512-250-5463	512-250-9561	BIOREMEDIATION

Contractor Roster Database Report

Company Name	Address	City	State	Zip	Phone	Telefax	Services Offered
BIO-GENESIS	13790-A RESEARCH	AUSTIN	TX	78750-0000	512-250-5463	512-250-9561	BIOREMEDIATION
HAZCORP	7004 BEE CAVE RD #2200	AUSTIN	TX	78746-0000	512-328-6766	512-328-6766	EMERGENCY RESPONSE
IT CORPORATION	2499-B CAPITOL OF TEXAS	AUSTIN	TX	78746-0000	512-328-0081	512-328-1452	EMERGENCY RESPONSE
MICRO-BAC	9607 GRAY BLVD.	AUSTIN	TX	78758-0000	512-837-1145	512-837-5968	BIOREMEDIATION
OPPENHIMER	1206 B W 4TH BOX 5561	AUSTIN	TX	78763-0000	512-474-1016	- - 0	BIOREMEDIATION
SOUTHWESTERN	PO BOX 17366	AUSTIN	TX	78760-0000	512-447-9081	512-443-3442	ANALYTICAL DRILLING
STUTTON CORPORATION	1400 A KAREN AVENUE	AUSTIN	TX	75670-0000	512-452-2102	- - 0	DISPERSSANT/SORBENTS
TEXAS ABSORBENTS	1000 WEST AVE #B	AUSTIN	TX	78701-0000	512-472-6366	512-472-6066	EMERGENCY RESPONSE
VALLEN SAFETY SUPPLY	2120 DENTON DR #105	AUSTIN	TX	78758-4530	512-836-9668	512-834-1591	SUPPLIES
BIOREMEDIATION	PO BOX 484	BIG SANDY	TX	75755-0000	214-636-4146	214-636-4160	EMERGENCY RESPONSE
HOUSTON SHIP REPAIR	PO BOX 489, 16201 WOOD DR	CHANNELVIEW	TX	77530-0000	713-452-5841	- - 0	CLEANUP CONTR HOUSTON AND GALVESTON
HOUSTON SHIP REPAIR	PO BOX 489, 16201 WOOD DR	CHANNELVIEW	TX	77530-0000	713-452-5841	- - 0	CLEANUP
ENVIRONMENTAL	1803 TARRANT LANE BOX 9	COLLEYVILLE	TX	79603-4000	817-481-4128	817-329-0631	BIOREMEDIATION
MICROBIAL	1803 TARANT LANE	COLLEYVILLE	TX	76034-0000	817-329-0738	817-329-0631	BIOREMEDIATION
ABERLAN USA	PO BOX 1982	CONROE	TX	77305-0000	- - 0	- - 0	REMOTE SPILL RECOVERY
POSCON INC	1540 MEMORIAL LANE	CONROE	TX	77304-0000	409-539-3037	409-539-2897	SKIMMERS - SHALLOW WATER
MILLER ENVIRONMENTAL	4260 BEACON ST	CORPUS CHRISTI	TX	78405-0000	512-883-5726	- - 0	EMERGENCY RESPONSE
VIA-SANTOS	226 GLENMORE	CORPUS CHRISTI	TX	78412-0000	512-991-4457	- - 0	SORBENT
CHEMICAL PLANT	400 WEST MAIN STREET	DALLAS	TX	75208-0000	214-742-6565	214-741-2221	EMERGENCY RESPONSE/TRANSP
ENVIRODYNAMICS	2900 GASTON AVE	DALLAS	TX	75226-0000	214-826-6311	214-826-6348	EMERGENCY RESPONSE
ESP CORP.	PO BOX 610607	DALLAS	TX	75261-0000	214-641-7777	214-641-7858	BIOREMEDIATION USA
HUDSON RUSH COMPANY	11450 PAGEMILL	DALLAS	TX	75243-0000	214-343-6471	214-349-6622	SOSRBENT
OSEI CORPORATION	5545 HARVEST HILL #1116	DALLAS	TX	75230-0000	214-239-8663	214-239-1264	BIOREMEDIATION
PETRO-GREEN INC.	3952 CANDLENUT LN PO BOX	DALLAS	TX	75381-0000	214-484-7336	214-783-9636	DISPERSANT/SOIL ANALYSIS
RESPONSE VIDEO	11551 FOREST CENTRAL DR #324	DALLAS	TX	75243-0000	214-349-1928	- - 0	VISUAL DOCUMENTATION
SOUTHERN WASTE	1645 RHONME STREET	DALLAS	TX	75229-0000	214-869-0447	214-869-0440	EMERGENCY RESPONSE
DISPOSAL SYSTEMS	2525 BATTLEGROUND RD	DEER PARK	TX	77536-0000	713-930-2525	713-930-2511	TRANSPORTATION/DISPO SAL
REIDEL-PETERSON	1110 HOWARD	DEER PARK	TX	77536-0000	713-479-5295	713-479-6358	EMERGENCY RESPONSE
UNIVAC OF TEXAS	6406 LAPORTE HIGHWAY	DEER PARK	TX	77536-0000	713-479-2090	- - 0	EMERGENCY RESPONSE
PRIORTY ONE SERVICE	305 WEST WOODWARD ST	DENISON	TX	75020-0000	318-369-6248	214-463-3613	BIOREMEDIATION
AGGREKO INC.	1337-8 EAST PARKERVILLE RD	DESOTO	TX	75115-0000	214-230-3804	214-230-0287	ELECTRIC GENERATOR RENTAL
WM W HUNT CONTR INC.	PO BOX 849	EDNA	TX	77957-0000	512-782-5322	- - 0	SORBENT HEAVY EQUIPMENT
PREMIUM SUPPLY	PO DRAWER A	EL CAMPO	TX	77437-0000	800-392-7736	409-543-8054	SUPPLIES
NATURAL OXYGEN	PO BOX 13577	EL PASO	TX	79913-0000	915-833-2168	- - 0	OXYGEHATION MEDIUM
WHY WASTEWATER	3350 DONIPHAN DR	ELPASO	TX	79922-0000	915-581-6602	915-581-8043	EMERGENCY RESPONSE
HAL KESTER &	PO BOX 100792	FORT WORTH	TX	76185-0000	817-292-8405	- - 0	OIL ABSORBENT FIBER
TARMAC	PO BOX 4370	FORT WORTH	TX	76106-0000	817-626-3021	- - 0	EMERGENCY RESPONSE
EMTECH ENVIRONMENTAL	303 ARTHUR ST	FORTH WORTH	TX	76107-2352	817-332-5481	817-332-6728	EMERGENCY

Contractor Roster Database Report

Company Name	Address	City	State	Zip	Phone	Telefax	Services Offered
							RESPONSE/TRANSP
SCI CONTRACTORS INC.	BOX 1464	FRIENDSWOOD	TX	77546-1464	713-482-1468	- - 0	HEAVY EQUIPMENT
MALIN ENVIRONMENTAL	5220 AVE G	GALVESTON	TX	77551-0000	409-744-8510	409-744-4387	CLEANUP CONTR
ECCO INC.	PO BOX 843	GRAPEVINE	TX	76051-0000	817-481-1053	817-488-2135	EMERGENCY RESPONSE
LAVERN GIBSON	BOX 1123	HENDERSON	TX	75653-0000	903-657-6339	903-657-6158	EMERGENCY RESPONSE
MEDINA AGRICULTURAL	PO BOX 309	HONDOSTON	TX	78861-0000	512-426-3011	512-426-2288	BIOREMEDIATION
ABASCO	PO BOX 38573	HOUSTON	TX	77238-0000	713-931-4400	713-931-4406	SPILL RESPONSE PRODUCTS
ABS MARINE SERVICES	16855 NORTH CHASE DR	HOUSTON	TX	77060-0000	713-874-6512	713-874-5964	CLEANUP USA
ACS INDUSTRIES INC.	14208 INDUSTRY ROAD	HOUSTON	TX	77053-0000	713-434-0934	713-433-6201	OIL/WATER SEPARATORS
AM-TEX CORPORATION	1505 SOUTH HIGHWAY 6 #210	HOUSTON	TX	77077-0000	713-589-6000	713-589-2023	EMERGENCY RESPONSE
BIOLOGICAL TREATMENT	7015 GULF FREEWAY #212	HOUSTON	TX	77087-0000	713-644-4338	713-644-0276	BIOREMEDIATION
BIOREMEDIATION	11200 WESTHEIMER RD #925	HOUSTON	TX	77042-0000	713-789-2072	713-789-3360	BIOREMEDIATION
CERTIFIED TANK	14626 MORALES RD	HOUSTON	TX	77032-0000	713-442-8402	713-442-8111	EMERGENCY RESPONSE
CHEMICAL SOLUTION	PO BOX 891185	HOUSTON	TX	77289-1185	713-992-3031	713-992-3341	CLEANING SOLUTIONS
COMPREHENSIVE	2626 SOUTH LOOP #140	HOUSTON	TX	77054-0000	713-669-1122	- - 0	EMERGENCY RESPONSE
DUP'S INC.	PO BOX 4395	HOUSTON	TX	77210-4395	713-228-2361	713-227-2309	BIOREMEDIATION
EARTH MANAGEMENT	1110 NASA RD 1 #203	HOUSTON	TX	77058-0000	713-333-3221	- - 0	SORBENT
ECOMARINE USA	4606 FM 1960 W #240	HOUSTON	TX	77069-0000	713-440-1172	713-444-5185	CLEANUP
ECOSORB	12315 ROBIN BLVD PO BOX 450006	HOUSTON	TX	77245-0000	713-433-5700	713-433-2029	BIOREMEDIATION USA
ENSR REMEDIATION &	3000 RICHMOND AVE #200	HOUSTON	TX	77098-0000	713-520-9030	713-520-5952	CLEANUP CONT USA
ENVIRONMENTAL	13164 MEMORIAL DR BOX 127	HOUSTON	TX	77079-0000	713-499-5466	713-499-5472	CLEANING CONCENTRATE
FLO TREND SYSTEMS	707 LEHMAN	HOUSTON	TX	77018-1513	713-699-0152	713-694-1840	EQUIPMENT
GARNER ENVIRONMENTAL	314 ALLEN GENOA RD	HOUSTON	TX	77017-0000	713-920-1300	713-920-1359	EMERGENCY RESPONSE/TRANSP
GULF COAST BIOSOLVE	16155 PARK ROW #140	HOUSTON	TX	77084-0000	800-243-3387	713-492-1522	BIOREMEDIATION
HARRISON WESTERN	ONE WEST LOOP SOUTH #100	HOUSTON	TX	77027-0000	713-683-5703	303-232-7451	EMERGENCY RESPONSE
HI-WAY EQUIPMENT	6203 LONG DR	HOUSTON	TX	77087-0000	713-649-0940	713-649-5571	HEAVY EQUIPMENT
HYDRO REMEDIATION	5206 FM 1960 WEST #206	HOUSTON	TX	77069-0000	713-537-6304	713-537-6343	MOBILE TREATMENT SYSTEMS
IMPAC	5330 GRIGGS RD	HOUSTON	TX	77021-0000	713-342-5939	713-641-3853	TRAINED TEMPORARY LABOR
JDI INC.	411 NORTHBELT EAST #195	HOUSTON	TX	77060-0000	713-999-0293	713-999-1322	DISPERSANTS, FOAMS
JOYMAI ENVIRONMENTAL	PO BOX 442101	HOUSTON	TX	77244-0000	713-493-2511	713-493-2523	CLEANUP CONTR WORLDWIDE
MARINE MAINTENANCE	PO BOX 5455	HOUSTON	TX	77262-0000	713-928-5911	- - 0	CLEANUP CONTR HOUSTON AND GALVESTON
MYCOBAC	12534 MILL WHEEL #2	HOUSTON	TX	77064-0000	713-894-7371	- - 0	BIOREMEDIATION
NEW PINNACLE &	PO BOX 84221	HOUSTON	TX	77284-0000	713-895-8245	713-895-8915	SPILL RESPONSE VESSEL
PETRO BOOM	16038 VICKERY #220	HOUSTON	TX	77032-0000	219-769-4908	219-769-0173	EQUIPMENT SUPPLIER
R.E. WRIGHT	11331 RICHMOND AVE #102	HOUSTON	TX	77082-0000	713-496-2323	713-496-2322	REMEDIATION EQUIPMENT
SERENGETI	PO BOX 772503	HOUSTON	TX	77215-2503	713-266-4300	713-266-4339	BIOREMEDIATION USA
SKYVISION	5858 WESTHEIMER #70	HOUSTON	TX	77057-0000	713-784-7727	719-977-1043	AERIAL VIDEO SERVICES

Contractor Roster Database Report

Company Name	Address	City	State	Zip	Phone	Telefax	Services Offered
SMIT INTERNATIONAL	400 N BELTWAY 8 #310	HOUSTON	TX	77060-0000	713-931-2150	713-820-9734	CLEANUP CONTR USA
SORB-ALL COMPANY	PO BOX 21148	HOUSTON	TX	77057-0000	713-784-4575	719-977-4579	SORBENT
SOUTH COAST FIRE &	4300 SOUTH WAYSIDE #107	HOUSTON	TX	77087-0000	713-649-6691	713-649-6694	OIL EMULSIFIERS
SPILL CONTAINMENT	2901 WILCREST DR #200	HOUSTON	TX	77042-0000	713-783-0404	- - 0	SORBENT SUPPLIER
SSCI	16811 EL CAMINO REAL #214	HOUSTON	TX	77058-0000	713-486-1943	713-486-7415	ENVIRONMENTAL CONSULTANT
TRICIL ENVIRONMENTAL	PO BOX 19529	HOUSTON	TX	77224-0000	409-985-5527	- - 0	CLEANUP CONTR
TURF FEEDING SYSTEMS	1183 BRITTMORE #400	HOUSTON	TX	77043-0000	713-465-1800	713-465-1866	BIOREMEDIATION
VERDE ENVIRONMENTAL	7309 SCHNIEDER	HOUSTON	TX	77093-0000	713-691-6468	713-691-2331	BIOREMEDIATION
WAKEFIELD ASSOCIATES	2600 SOUTHWEST FREEWAY #716	HOUSTON	TX	77098-0000	713-520-5083	713-520-6291	ULTRAVIOLET OXIDATION EQ.
WASTE MICROBES INC.	4901 MILWEE #109	HOUSTON	TX	77092-0000	713-956-4001	713-956-7305	BIOREMEDIATION
WESTERN DATA SYSTEMS	14726 REGNAL	HOUSTON	TX	77039-0000	713-987-1815	713-987-2743	CLEANUP
WESTERN EMERGENCY	2925 BRIARPARK #405	HOUSTON	TX	77042-0000	- - 0	- - 0	CLEANUP
WESTON SERVICES INC.	5599 SAN FELIPE	HOUSTON	TX	77056-0000	713-621-1620	- - 0	REMEDIATION/WASTE MGMT.
DDA SERVICES	PO BOX 585	KELLER	TX	76248-0000	817-379-0052	817-431-6175	EMERGENCY RESPONSE
3D Oil Company	PO BOX 1172	KILGORE	TX	75663-0000	903-984-9441	- - 0	BIOREMEDIATION
MOBLEY COMPANY INC.	PO BOX 1640	KILGORE	TX	75662-0000	903-984-8646	- - 0	EMERGENCY RESPONSE
S & K SUPPLY	PO BOX 1885	KILGORE	TX	75662-0000	214-984-7624	214-984-8906	OIL ELASTICIZER
THREE D OIL COMPANY	1915 N HWY 135	KILGORE	TX	75662-0000	214-984-9441	- - 0	DISPERSANT
ERI MICROBE MASTERS	5027 SHADY MAPLE	KINGWOOD	TX	77339-0000	713-360-9807	504-293-2033	BIOREMEDIATION
GULF ENVIRONMENTAL	PO BOX 2081	LAPORTE	TX	77572-2081	713-470-0209	713-470-2726	HYDROCARBON REMEDIATION
WIGGINS	PO BOX 1109	LIBERTY	TX	77575-0000	409-336-3881	409-336-6928	SORBENT SUPPLIER
TEXAS CROWN	PO BOX 9821	LONGVIEW	TX	75608-0000	214-297-4412	214-991-3510	BIOREMEDIATION
BERGSTEIN OILFIELD	PO BOX 2724	LUBBOCK	TX	79408-0000	806-744-6278	- - 0	EMERGENCY RESPONSE
ENVIRONMENTAL	1010 SOUTH MAGNOLIA BLVD	MAGNOLIA	TX	77355-1721	713-356-6038	713-356-6224	EMERGENCY RESPONSE
SUNDROP SERVICES	PO BOX 2048	MARSHALL	TX	75670-0000	903-938-9979	903-938-1211	EMERGENCY RESPONSE
ECO-LOGICAL	PO BOX 50571	MIDLAND	TX	79710-0000	915-520-7735	915-520-7737	EMERGENCY RESPONSE
TEXAS SPILL CONTROL	3602 E HWY 158 PO BOX 81014	MIDLAND	TX	79709-0000	915-570-1700	915-687-4025	EMERGENCY RESPONSE
EARTH RESTORATION	4222 PASADENA BLVD	PASADENA	TX	77503-0000	713-476-5995	713-476-0030	EMERGENCY RESPONSE
GULF STATES DIVING	PO BOX 5607	PASADENA	TX	77508-0000	713-998-0082	713-998-0133	DIVERS-HAZMAT
BIO TEX	2020 N GALVESTON	PEARLAND	TX	77581-0000	713-485-3870	- - 0	BIOREMEDIATION
SCIENTIFIC	PO BOX 921	PEARLAND	TX	77588-0000	713-489-0673	- - 0	BIOREMEDIATION
NATIONAL FILTRATION	1108 SUMMIT DR #8	PLANO	TX	75074-0000	214-881-0800	214-881-0199	FILTRATION SYSTEMS
TEXOIL SERVICES	PO BOX 146	PLUM	TX	78952-0000	409-242-5571	409-242-5570	EMERGENCY RESPONSE
EC & ASSOCIATES	PO BOX 898	POST	TX	79356-0000	806-495-3800	- - 0	EMERGENCY RESPONSE
BIOREMEDIATION	333 PRESTONWOOD DR #602	RICHARDSON	TX	75081-0000	214-437-0703	214-437-9408	BIOREMEDIATON
TEXAS ECOLOGIST INC.	PO BOX 307	ROBSTOWN	TX	78380-0000	512-387-3518	- - 0	EMERGENCY RESPONSE
RECLAMATION	115 EAST BAGDAD RD	ROUND ROCK	TX	78664-0000	512-388-9677	- - 0	GYPSUM RECYCLING
TEXAS INDUSTRIAL	3500 SUNRISE RD	ROUND ROCK	TX	78664-0000	800-969-8492	512-255-0013	EMERGENCY RESPONSE
MUD MAN-PRIORTY ONE	9311 SAN PEDRO	SAN ANTONIO	TX	78216-0000	512-690-0305	512-525-0032	BIOREMEDIATION
PETRO ENVIRONMENTAL	PO BOX 680488	SAN ANTONIO	TX	78268-0488	512-680-2950	512-523-5700	BIOREMEDIATION
REMEDIAL SERVICES	3726 BROOM ST	SAN ANTONIO	TX	78217-0000	512-653-9338	- - 0	BIOREMEDIATION
SYNERGISTIC	790 WEST MAYFIELD	SAN ANTONIO	TX	78211-0000	512-927-1424	- - 0	EMERGENCY RESPONSE
TESORO ENVIRONMENTAL	8700 TESORO DR	SAN ANTONIO	TX	78217-0000	210-283-2402	210-283-2403	BIOREMEDIATION USA

Contractor Roster Database Report

Company Name	Address	City	State	Zip	Phone	Telefax	Services Offered
PHOENIX	UPTON RD, PO BOX 744	SMITHVILLE	TX	78957-0000	512-237-4518	- - 0	BIOREMEDIATION USA
COMPLETE	22730 GOSLING ROAD	SPRING	TX	77389-0000	713-353-5438	713-353-5480	EMERGENCY RESPONSE
MALONE TRUCKING	PO BOX 709	TEXAS CITY	TX	77592-0000	713-487-6500	713-480-1009	EMERGENCY RESPONSE
H.G. LUERA LTD	312 BEECHWOOD	VICTORIA	TX	77901-0000	512-575-9540	- - 0	SORBENTS
JET-VAC ENTERPRISES	PO BOX 423	WACO	TX	76703-0000	817-757-4827	- - 0	TRANSPORTATION
REMEDIATION	1952 WEST PARKWAY	WEST VALLEY	UT	84119-0000	801-977-0559	801-975-1257	BIOREMEDIATION
DESIGN ENGINEERING	1606 CHAPEL HILL	ALEXANDRIA	VA	22304-0000	703-823-3189	703-335-2954	
DESIGN ENGINEERING	PO BOX 16037	ALEXANDRIA	VA	22302-0000	703-538-6547	703-538-6537	CLEANUP
PCCI	1201 E ABINGDON DR #201	ALEXANDRIA	VA	22314-0000	703-684-2060	703-684-5343	CLEANUP
UNDERSEA SYSTEMS	20101 RIVER AVE, PO BOX 100	BATTERY PARK	VA	23304-0000	804-357-7405	- - 0	CLEANUP
ICF INCORPORATED	9300 LEE HGIGHWAY	FAIRFAX	VA	22031-1207	703-934-3000	703-934-9740	CLEANUP
BIOVERSAL USA INC.	10626 BEECHNUT COURT	FAIRFAX STATION	VA	22039-0000	703-250-3442	703-250-3559	BIOREMEDIATION
GENERAL TECHNOLOGY	7720 MASON KING COURT	MANASSAS	VA	22110-0000	703-631-6655	- - 0	OIL ELASTICIZER SUPPLIER
INDUSTRIAL MARINE	1301 MARSH ST PO BOX 1779	NORFOLK	VA	23501-0000	80-454-3571	804-543-4561	CLEANUP
INDUSTRIAL MARINE	1301 MARSH ST, PO BOX 1779	NORFOLK	VA	23501-0000	804-543-5718	804-543-4561	BIOREMEDIATION USA
PARKER SYSTEMS INC.	PO BOX 1652	NORFOLK	VA	23501-0000	- - 0	- - 0	EQUIPMENT SUPPLIER
VIKING INSTRUMENTS	12007 SUNRISE VALLEY DR	RESTON	VA	22091-3406	703-758-9339	703-391-2910	ANALYTICAL EQUIPMENT
ENVIRONMENTAL	3705 SANDERS AVE	RICHMOND	VA	23277-0000	804-358-5400	- - 0	CLEANUP
COASTAL REMEDIATION	310 1ST ST	ROANOKE	VA	24008-0000	703-983-0280	703-983-4363	CLEANUP
RESOURCE RECOVERY	425 E PINNER ST	SUFFOLK	VA	23434-0000	804-539-0005	- - 0	CLEANUP
ENVIROSOLUTIONS	5101 CLEVELAND ST #302	VIRGINIA BEACH	VA	23462-0000	804-497-5721	804-497-6882	BIOREMEDIATION USA
TERRA CLEAN	5101 CLEVELAND ST #302	VIRGINIA BEACH	VA	23462-0000	804-497-6931	804-497-6882	BIOREMEDIATION USA
HAMILTON PACIFIC LTD	1808 EAGLE HARBOR LANE	BAINBRIDGE	WA	98110-0000	206-842-2100	- - 0	BIOREMEDIATION
TETRA TECH INC.	11820 NORTHUP WAY #100	BELLEVUE	WA	98005-0000	206-822-9596	206-828-4359	BIOREMEDIATION USA
PACIFIC EQUIPMENT CO	PO BOX 1113	ISSAQUAH	WA	98027-0000	206-392-0304	- - 0	BIOREMEDIATION
CHEMPRO	2203 AIRPORT WAY SOUTH	SEATTLE	WA	98134-0000	206-223-0500	206-223-7791	EMERGENCY RESPONSE
CROWLEY	PO BOX 2287	SEATTLE	WA	98111-0000	206-443-8100	206-443-8620	BIOREMEDIATION USA
CROWLEY	PO BOX 2287	SEATTLE	WA	98111-0000	206-443-8100	206-443-8620	CLEANUP
FOSS ENVIRONMENTAL	660 W EWING ST	SEATTLE	WA	98119-1587	206-281-3823	206-284-3699	CLEANUP
GLOBAL DIVING &	2763 13TH AVE SW	SEATTLE	WA	98134-0000	206-623-0621	- - 0	CLEANUP
PAULSEN & ASSOCIATES	4501 SHILSHOLE AVE NW	SEATTLE	WA	98107-0000	800-733-4501	206-783-0434	BIOREMEDIATION USA
TIDEWATER	6305 NW LOWER RIVER RD	VANCOUVER	WA	98660-0000	206-695-8088	206-695-3731	CLEANUP
AAA ENVIRONMENTAL	5544 W FOREST HOME AVE	MILWAUKEE	WI	53220-0000	414-541-1440	- - 0	CLEANUP USA
E & K HAZARDOUS	2905 PAINE AVE,PO BOX 1249	SHEBOYGAN	WI	53082-1249	414-458-6030	414-452-7254	CLEANUP
A & V INC.	N62 W22632 VILLAGE DR	SUSSEX	WI	53089-0000	414-246-6922	414-246-6932	BIOREMEDIATION
H2O CHEMISTS INC.	N62 W22632 VILLAGE DR	SUSSEX	WI	53089-0000	800-833-2334	414-246-6932	BIOREMEDIATION USA

FEDERAL ENDANGERED AND THREATENED SPECIES

Federal Natural Trustee - Department of the Interior,
Division of U.S. Fish and Wildlife Service (USFWS)

USFWS Region IV - Arkansas and Louisiana
USFWS Region II - Texas, New Mexico and Oklahoma

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
Acadia	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	This bird's range is closely tied to the distribution of southern pines.
Acadia	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
Acadia	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.
Acadia	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
Acadia	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	
Acadia	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.
Acadia	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.
Allen	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	This bird's range is closely tied to the distribution of southern pines.

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
Allen	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
Allen	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.
Allen	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
Allen	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.
Allen	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			cinnamon buff.		
Allen	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.
Ascension	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
Ascension	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	This bird's range is closely tied to the distribution of southern pines.
Ascension	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			flight is level.		the males staying on the nest at night.
Ascension	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.
Ascension	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.
Ascension	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.
Ascension	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.
Assumption	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			considerably, large males may weigh more than 600 pounds.	Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
Assumption	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	This bird's range is closely tied to the distribution of southern pines.
Assumption	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
Assumption	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.
Assumption	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			nearly 6-7 feet from nose to tip of tail.		
Assumption	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.
Assumption	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.
Avoyelles	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	This bird's range is closely tied to the distribution of southern pines.
Avoyelles	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
Avoyelles	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.
Avoyelles	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
Avoyelles	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.
Avoyelles	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.
Avoyelles	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is	Nested in low wet forested areas containing variable amounts of water. When not	Nesting has been recorded from late March to early June, with clutch size usually being three or four

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.
Beauregard	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	This bird's range is closely tied to the distribution of southern pines.
Beauregard	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
Beauregard	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.
Beauregard	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			considerably, large males may weigh more than 600 pounds.	Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
Beauregard	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.
Beauregard	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.
Beauregard	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.
Bienville	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected	This bird's range is closely tied to the distribution of southern pines.

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	with a fungus producing what is known as red-heart disease.	
Bienville	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
Bienville	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.
Bienville	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
Bienville	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.
Bienville	LA	Eskimo Curlew	Medium-sized shorebird, with the	The birds nested in the treeless Arctic tundra, and	Nesting from late May to about mid-June. End of July the breeding

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.	fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.
Bienville	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.
Bossier	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
Bossier	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	This bird's range is closely tied to the distribution of southern pines.

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			on each side of the black cap.		
Bossier	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
Bossier	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.
Bossier	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.
Bossier	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.
Bossier	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	tree tops, especially during migration.	September.
Caddo	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.
Caddo	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
Caddo	LA	American Alligator	A large (up to 16 feet), lizard-like reptile with a broadly rounded snout. General adult coloration is grayish-black.	Broad river valleys, meandering streams, oxbow lakes, marshes, swamps, estuaries, bayous, and creeks with minimal water-flow.	Currently occur in more than 90% of their historic range. They also occur in suitable inland habitat.
Caddo	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	This bird's range is closely tied to the distribution of southern pines.

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			are black. The male has a small red spot on each side of the black cap.		
Caddo	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
Caddo	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.
Caddo	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.
Caddo	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.
Calcasieu	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures,	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.	plowed lands and intertidal zones during migration and winter months.	late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.
Calcasieu	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	This bird's range is closely tied to the distribution of southern pines.
Calcasieu	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
Calcasieu	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.
Calcasieu	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			than 600 pounds.	of bottomland hardwood timber found in its river basin habitats.	the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
Calcasieu	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.
Calcasieu	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.
Caldwell	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	This bird's range is closely tied to the distribution of southern pines.
Caldwell	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	miles is estimated to be the minimum habitat requirement per pair of birds.	dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
Caldwell	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.
Caldwell	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
Caldwell	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.
Caldwell	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.
Caldwell	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above,	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests,	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	birds begin migrating southward during July and apparantly pass through Key West by early September.
Cameron	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.
Cameron	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	This bird's range is closely tied to the distribution of southern pines.
Cameron	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			flight is level.		the males staying on the nest at night.
Cameron	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.
Cameron	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
Cameron	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.
Cameron	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.
Catahoula	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what	This bird's range is closely tied to the distribution of southern pines.

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	is known as red-heart disease.	
Catahoula	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
Catahoula	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.
Catahoula	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
Catahoula	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.
Catahoula	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill	The birds nested in the treeless Arctic tundra, and fed in open natural	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.	grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.
Catahoula	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.
Claiborne	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	This bird's range is closely tied to the distribution of southern pines.
Claiborne	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest.	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			The ivory-bill's flight is level.		are handled by both parents, with the males staying on the nest at night.
Claiborne	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.
Claiborne	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
Claiborne	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.
Claiborne	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.
Claiborne	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	migration.	
Concordia	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
Concordia	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	This bird's range is closely tied to the distribution of southern pines.
Concordia	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
Concordia	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
				sources.	
Concordia	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.
Concordia	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.
Concordia	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.
Desoto	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
Desoto	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long	Open stands of pines with a minimum age of 60 years provide roosting and nesting	This bird's range is closely tied to the distribution of southern pines.

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	
Desoto	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
Desoto	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.
Desoto	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.
Desoto	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.	winter months.	the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.
Desoto	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.
East Baton	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
East Baton	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	This bird's range is closely tied to the distribution of southern pines.
East Baton	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings,	Requires extensive mature stands of lowland hardwood forest without disturbance	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
East Baton	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.
East Baton	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.
East Baton	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.
East Baton	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			and underparts yellow, and the crown grayish.		
East Carroll	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
East Carroll	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
East Carroll	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.
East Carroll	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.
East Carroll	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color,	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			and the under surface of the wings are conspicuously cinnamon buff.		
East Carroll	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.
East Feliciana	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	This bird's range is closely tied to the distribution of southern pines.
East Feliciana	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
East Feliciana	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			feathers. Immatures are dark or mottled.	areas. Fish, waterfowl, and carrion are the primary food sources.	December-March.
East Feliciana	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
East Feliciana	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.
East Feliciana	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.
East Feliciana	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.
Evangeline	LA	Red-Cockaded Woodpecker	The red-cockaded	Open stands of pines with a	This bird's range is closely tied

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	to the distribution of southern pines.
Evangeline	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
Evangeline	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.
Evangeline	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
Evangeline	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	characteristic of southern areas (mixed swamp and cypress swamp).	
Evangeline	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.
Evangeline	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.
Franklin	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	This bird's range is closely tied to the distribution of southern pines.
Franklin	LA	Ivory-Billed Woodpecker	It has a white bill,	Requires extensive mature	Ivory-bills presumably mate for

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
Franklin	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.
Franklin	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
Franklin	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.
Franklin	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
Franklin	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.
Grant	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	This bird's range is closely tied to the distribution of southern pines.
Grant	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
Grant	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.
Grant	LA	Louisiana Black Bear	Possesses skull that	It is now restricted	Based on testicular measurements,

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
Grant	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.
Grant	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.
Grant	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.
Iberia	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting	This bird's range is closely tied to the distribution of southern pines.

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	
Iberia	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
Iberia	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.
Iberia	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
Iberia	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			nose to tip of tail.		
Iberia	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.
Iberia	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.
Iberville	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	This bird's range is closely tied to the distribution of southern pines.
Iberville	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	miles is estimated to be the minimum habitat requirement per pair of birds.	dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
Iberville	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.
Iberville	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
Iberville	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.
Iberville	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.
Iberville	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above,	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests,	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	birds begin migrating southward during July and apparantly pass through Key West by early September.
Jackson	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	This bird's range is closely tied to the distribution of southern pines.
Jackson	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
Jackson	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.
Jackson	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			males may weigh more than 600 pounds.	habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
Jackson	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.
Jackson	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.
Jackson	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.
Jefferson	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
					three.
Jefferson	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	This bird's range is closely tied to the distribution of southern pines.
Jefferson	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
Jefferson	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.
Jefferson	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.
Jefferson	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill	The birds nested in the treeless Arctic tundra, and fed in open natural	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.	grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.
Jefferson	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.
Jefferson Davis	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	This bird's range is closely tied to the distribution of southern pines.
Jefferson Davis	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest.	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			The ivory-bill's flight is level.		are handled by both parents, with the males staying on the nest at night.
Jefferson Davis	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.
Jefferson Davis	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
Jefferson Davis	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.
Jefferson Davis	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.
Jefferson Davis	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	migration.	
La Salle	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	This bird's range is closely tied to the distribution of southern pines.
La Salle	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
La Salle	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.
La Salle	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
					three.
La Salle	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.
La Salle	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.
La Salle	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.
Lafayette	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked.	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	This bird's range is closely tied to the distribution of southern pines.

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.		
Lafayette	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
Lafayette	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.
Lafayette	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
Lafayette	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.
Lafayette	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.	winter months.	the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.
Lafayette	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.
Lafourche	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
Lafourche	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.
Lafourche	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
Lafourche	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks,	Existing data indicates a breeding season of November to April, a gestation period of around 90-95

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	days, litter sizes of 1 to 4 kittens.
Lafourche	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.
Lafourche	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.
Lafourches	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	This bird's range is closely tied to the distribution of southern pines.

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			has a small red spot on each side of the black cap.		
Lincoln	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	This bird's range is closely tied to the distribution of southern pines.
Livingston	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	This bird's range is closely tied to the distribution of southern pines.
Livingston	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
Livingston	LA	Bald Eagle	A large eagle with	Nests near water; requires	Counties shown as present

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.
Livingston	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
Livingston	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.
Livingston	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.
Livingston	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			and underparts yellow, and the crown grayish.		
Madison	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	This bird's range is closely tied to the distribution of southern pines.
Madison	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
Madison	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.
Madison	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
Madison	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks,	Existing data indicates a breeding season of November to April, a gestation period of around 90-95

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	days, litter sizes of 1 to 4 kittens.
Madison	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.
Madison	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.
Morehouse	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	This bird's range is closely tied to the distribution of southern pines.

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			has a small red spot on each side of the black cap.		
Morehouse	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
Morehouse	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.
Morehouse	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
Morehouse	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.
Morehouse	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color,	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			and the under surface of the wings are conspicuously cinnamon buff.		
Morehouse	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.
Natchitoches	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	This bird's range is closely tied to the distribution of southern pines.
Natchitoches	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
Natchitoches	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			feathers. Immatures are dark or mottled.	areas. Fish, waterfowl, and carrion are the primary food sources.	December-March.
Natchitoches	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
Natchitoches	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.
Natchitoches	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.
Natchitoches	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.
Orleans	LA	Red-Cockaded Woodpecker	The red-cockaded	Open stands of pines with a	This bird's range is closely tied

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	to the distribution of southern pines.
Orleans	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
Orleans	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.
Orleans	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
Orleans	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	characteristic of southern areas (mixed swamp and cypress swamp).	
Orleans	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.
Orleans	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.
Ouachita	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	This bird's range is closely tied to the distribution of southern pines.
Ouachita	LA	Ivory-Billed Woodpecker	It has a white bill,	Requires extensive mature	Ivory-bills presumably mate for

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
Ouachita	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.
Ouachita	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
Ouachita	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.
Ouachita	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
Ouachita	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.
Pittsburg	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	This bird's range is closely tied to the distribution of southern pines.
Plaquemanes	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	This bird's range is closely tied to the distribution of southern pines.
Plaquemines	LA	Eskimo Curlew	Medium-sized	The birds nested in the	Nesting from late May to about

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.	treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.
Plaquemines	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
Plaquemines	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.
Plaquemines	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
Plaquemines	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.

County	State	Name of Species	Species Description	Habitat	Comments
Plaquemines	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.
Pointe Coupee	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	This bird's range is closely tied to the distribution of southern pines.
Pointe Coupee	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
Pointe Coupee	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.
Pointe Coupee	LA	Louisiana Black Bear	Possesses skull that	It is now restricted	Based on testicular measurements,

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
Pointe Coupee	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.
Pointe Coupee	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.
Pointe Coupee	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.
Rapides	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting	This bird's range is closely tied to the distribution of southern pines.

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	
Rapides	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
Rapides	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.
Rapides	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
Rapides	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			nose to tip of tail.		
Rapides	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.
Rapides	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.
Red River	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	This bird's range is closely tied to the distribution of southern pines.
Red River	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	miles is estimated to be the minimum habitat requirement per pair of birds.	dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
Red River	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.
Red River	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
Red River	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.
Red River	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.
Red River	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above,	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests,	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	birds begin migrating southward during July and apparantly pass through Key West by early September.
Richland	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	This bird's range is closely tied to the distribution of southern pines.
Richland	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
Richland	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.
Richland	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			males may weigh more than 600 pounds.	habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
Richland	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.
Richland	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.
Richland	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.
Sabine	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.		in early March.
Sabine	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	This bird's range is closely tied to the distribution of southern pines.
Sabine	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
Sabine	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.
Sabine	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
Sabine	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.
Sabine	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.
St Landry	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
St. Bernard	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	This bird's range is closely tied to the distribution of southern pines.

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			black cap.		
St. Bernard	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
St. Bernard	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.
St. Bernard	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
St. Bernard	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.
St. Bernard	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			are conspicuously cinnamon buff.		
St. Bernard	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.
St. Charles	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.
St. Charles	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	This bird's range is closely tied to the distribution of southern pines.
St. Charles	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
St. Charles	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.
St. Charles	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
St. Charles	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.
St. Charles	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.
St. Helena	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long	Open stands of pines with a minimum age of 60 years provide roosting and nesting	This bird's range is closely tied to the distribution of southern pines.

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	
St. Helena	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
St. Helena	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.
St. Helena	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
St. Helena	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			panthers measured nearly 6-7 feet from nose to tip of tail.	cypress swamp).	
St. Helena	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.
St. Helena	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.
St. James	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.
St. James	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected	This bird's range is closely tied to the distribution of southern pines.

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	with a fungus producing what is known as red-heart disease.	
St. James	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
St. James	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.
St. James	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
St. James	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.
St. James	LA	Bachman's Warbler	Total length being 4 to 4 and one-half	Nested in low wet forested areas containing variable	Nesting has been recorded from late March to early June, with clutch

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.
St. John The	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	This bird's range is closely tied to the distribution of southern pines.
St. John the	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
St. John the	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
St. John the	LA	Bald Eagle	A large eagle with	Nests near water; requires	Counties shown as present

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.
St. John the	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.
St. John the	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.
St. John the	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.
St. Landry	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in	This bird's range is closely tied to the distribution of southern pines.

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	those which are infected with a fungus producing what is known as red-heart disease.	
St. Landry	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
St. Landry	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.
St. Landry	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.
St. Landry	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color,	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			and the under surface of the wings are conspicuously cinnamon buff.		
St. Landry	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.
St. Martin	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	This bird's range is closely tied to the distribution of southern pines.
St. Martin	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
St. Martin	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			feathers. Immatures are dark or mottled.	areas. Fish, waterfowl, and carrion are the primary food sources.	December-March.
St. Martin	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
St. Martin	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.
St. Martin	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.
St. Martin	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.
St. Mary	LA	Red-Cockaded Woodpecker	The red-cockaded	Open stands of pines with a	This bird's range is closely tied

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	to the distribution of southern pines.
St. Mary	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
St. Mary	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.
St. Mary	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
St. Mary	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	characteristic of southern areas (mixed swamp and cypress swamp).	
St. Mary	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.
St. Mary	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.
St. Tammany	LA	Gopher Tortoise	The gopher tortoise is a large, (5.9 to 14.6 inches) dark-brown to grayish-black terrestrial turtle with a gular projection beneath the head on the yellowish, hingeless plastron or undershell. The sex of individual turtles can usually be deternined by shell dimensions. A male turtle has a greater degree of lower shell concavity, and a longer gular	The gopher tortoise most often lives on well-drained, sandy soils in transitional (forest and grassy) area. It is commonly associated with a pine overstory and an open understory with a grass and forb groundcover and sunny areas for nesting.	Sometime between late April and mid-July, the female digs out a 6-inch deep nest in sandy soil, lays a clutch of 4 to 12 eggs, and after refilling the hole leaves the eggs for incubation by the sun's heat. Hatching occurs in August and September.

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			projection.		
St. Tammany	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	This bird's range is closely tied to the distribution of southern pines.
St. Tammany	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
St. Tammany	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.
St. Tammany	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
St. Tammany	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts;	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	
St. Tammany	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.
St. Tammany	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.
Tangipahoa	LA	Gopher Tortoise	The gopher tortoise is a large, (5.9 to 14.6 inches) dark-brown to grayish-black terrestrial turtle with a gular projection beneath the head on the yellowish, hingeless plastron or undershell. The sex of individual turtles can usually be deternined by shell dimensions. A male turtle has a greater degree of lower shell	The gopher tortoise most often lives on well-drained, sandy soils in transitional (forest and grassy) area. It is commonly associated with a pine overstory and an open understory with a grass and forb groundcover and sunny areas for nesting.	Sometime between late April and mid-July, the female digs out a 6-inch deep nest in sandy soil, lays a clutch of 4 to 12 eggs, and after refilling the hole leaves the eggs for incubation by the sun's heat. Hatching occurs in August and September.

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			concavity, and a longer gular projection.		
Tangipahoa	LA	Inflated Heelsplitter	The inflated heelsplitter has an oval, compressed to moderately inflated, thin shell. The valves may gape anteriorly, the umbos are low, and there is a prominent posterior wing that may extend anteriorly to the beaks in young individuals. The shell is brown to black and may have green rays in young individuals. The umbonal cavity is very shallow and the inside of the shell is pink to purple. Shell length reaches 140mm.	The preferred habitat of this species is soft, stable substrate in slow to moderate currents. It has been found in sand, mud, silt, and sandy-gravel, but not in large gravel or armored gravel. It is usually collected on the protected side of bars and may occur in depths over 20 feet. The occurence of this species in silt may not indicate that the life cycle can be successful in that substrate. Adult mussels may survive limited amounts of silt where juveniles would suffocate. The occurrence of this species in silt may be because it was established prior to deposition of the silt.	The presently known distribution is limited to the Amite River, Louisiana.
Tangipahoa	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	This bird's range is closely tied to the distribution of southern pines.
Tangipahoa	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest.	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			The ivory-bill's flight is level.		are handled by both parents, with the males staying on the nest at night.
Tangipahoa	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.
Tangipahoa	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
Tangipahoa	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.
Tangipahoa	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.
Tangipahoa	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	migration.	
Tensas	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
Tensas	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	This bird's range is closely tied to the distribution of southern pines.
Tensas	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
Tensas	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
				sources.	
Tensas	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.
Tensas	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.
Tensas	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.
Terrabonne	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			yellow, and the crown grayish.		
Terrebonne	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	This bird's range is closely tied to the distribution of southern pines.
Terrebonne	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
Terrebonne	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.
Terrebonne	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
Terrebonne	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	kittens.
Terrebonne	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.
Union	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	This bird's range is closely tied to the distribution of southern pines.
Union	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
Union	LA	Bald Eagle	A large eagle with	Nests near water; requires	Counties shown as present

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.
Union	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
Union	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.
Union	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.
Union	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			and underparts yellow, and the crown grayish.		
Vermilion	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	This bird's range is closely tied to the distribution of southern pines.
Vermillion	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
Vermillion	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.
Vermillion	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
Vermillion	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks,	Existing data indicates a breeding season of November to April, a gestation period of around 90-95

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	days, litter sizes of 1 to 4 kittens.
Vermillion	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.
Vermillion	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.
Vernon	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
Vernon	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			feathers. Immatures are dark or mottled.	areas. Fish, waterfowl, and carrion are the primary food sources.	December-March.
Vernon	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
Vernon	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.
Vernon	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.
Vernon	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.
Vernon	LA	Red-Cockaded Woodpecker	The red-cockaded	Open stands of pines with a	This bird's range is closely tied

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	to the distribution of southern pines.
Washington	LA	Gopher Tortoise	The gopher tortoise is a large, (5.9 to 14.6 inches) dark-brown to grayish-black terrestrial turtle with a gular projection beneath the head on the yellowish, hingeless plastron or undershell. The sex of individual turtles can usually be deternined by shell dimensions. A male turtle has a greater degree of lower shell concavity, and a longer gular projection.	The gopher tortoise most often lives on well-drained, sandy soils in transitional (forest and grassy) area. It is commonly associated with a pine overstory and an open understory with a grass and forb groundcover and sunny areas for nesting.	Sometime between late April and mid-July, the female digs out a 6-inch deep nest in sandy soil, lays a clutch of 4 to 12 eggs, and after refilling the hole leaves the eggs for incubation by the sun's heat. Hatching occurs in August and September.
Washington	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	This bird's range is closely tied to the distribution of southern pines.

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			neck and the throat are black. The male has a small red spot on each side of the black cap.		
Washington	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
Washington	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.
Washington	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
Washington	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.
Washington	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.		in early March.
Washington	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.
Webster	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	This bird's range is closely tied to the distribution of southern pines.
Webster	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
Webster	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6	Nests near water; requires large trees for nesting. Winters along major rivers	Counties shown as present distribution are those that contain large wintering population. Winter

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	concentrations occur around large bodies of water from December-March.
Webster	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
Webster	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.
Webster	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.
Webster	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			crown grayish.		
West Baton	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
West Baton	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	This bird's range is closely tied to the distribution of southern pines.
West Baton	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
West Baton	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.
West Baton	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts;	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	
West Baton	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.
West Baton	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.
West Carroll	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	This bird's range is closely tied to the distribution of southern pines.

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			black cap.		
West Carroll	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
West Carroll	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.
West Carroll	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
West Carroll	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.
West Carroll	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			are conspicuously cinnamon buff.		
West Carroll	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.
West Feliciana	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	Open stands of pines with a minimum age of 60 years provide roosting and nesting requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	This bird's range is closely tied to the distribution of southern pines.
West Feliciana	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
West Feliciana	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.

County	State	Name of Species	Species Description	Habitat	Comments
				sources.	
West Feliciana	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
West Feliciana	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature panthers measured nearly 6-7 feet from nose to tip of tail.	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and cypress swamp).	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.
West Feliciana	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.
West Feliciana	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.
Winn	LA	Red-Cockaded Woodpecker	The red-cockaded woodpecker 18 to 20 centimeters long	Open stands of pines with a minimum age of 60 years provide roosting and nesting	This bird's range is closely tied to the distribution of southern pines.

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			with a wing span of 35 to 38 centimeters. There are black and white horizontal stripes on its back, and its cheeks and underparts are white. Its flanks are black streaked. The cap and stripe onthe side of the neck and the throat are black. The male has a small red spot on each side of the black cap.	requirements. Cavity excavation for roosting almost always occurs in living pines, and usually in those which are infected with a fungus producing what is known as red-heart disease.	
Winn	LA	Ivory-Billed Woodpecker	It has a white bill, large patches of white on the wings, and white lines on either side of the neck. The males have a red-colored crest, the females a black-colored crest. The ivory-bill's flight is level.	Requires extensive mature stands of lowland hardwood forest without disturbance from cutting. An area of 2 and one-half to 3 square miles is estimated to be the minimum habitat requirement per pair of birds.	Ivory-bills presumably mate for life and normally travel in pairs. Breeding occur during the period of January to May. Nest cavity is excavated in a dead or partially dead tree, 25 to 70 feet from the ground. The clutch size ranges from three to four eggs. Incubation, brooding, and feeding requirements are handled by both parents, with the males staying on the nest at night.
Winn	LA	Bald Eagle	A large eagle with white head and tail in adult, wingspan 6 to 7.5 ft.. Tarsi are bare of feathers. Immatures are dark or mottled.	Nests near water; requires large trees for nesting. Winters along major rivers and reservoirs, and occasionally in rangeland areas. Fish, waterfowl, and carrion are the primary food sources.	Counties shown as present distribution are those that contain large wintering population. Winter concentrations occur around large bodies of water from December-March.
Winn	LA	Louisiana Black Bear	Possesses skull that is longer, more narrow, and flat. Weight varies considerably, large males may weigh more than 600 pounds.	It is now restricted primarily to the Tensas and Atchafalaya River Basins in Louisiana. The Louisiana Black bear's occupied habitat consists primarily of bottomland hardwood timber found in its river basin habitats.	Based on testicular measurements, males probably reach sexual maturity at 3 yrs of age. Parturition in black bears has generally been assumed to occur in late January or early February with the actual birthing often occurring while the female is in hibernation. Litter size ranges from one to three.
Winn	LA	Florida Panther	A large, long-tailed cat with pale brown or rusty upper parts, dull white or buffy under parts; tail tips, back of ears, and sides of nose dark brown or blackish. Mature	Diversity of habitats used by panthers; dominated by uplands (hardwood hammocks, low pinelands, and palm forests). Lower diversity and predominately wetland habitat use are characteristic of southern areas (mixed swamp and	Existing data indicates a breeding season of November to April, a gestation period of around 90-95 days, litter sizes of 1 to 4 kittens.

Federal Endangered Species

County	State	Name of Species	Species Description	Habitat	Comments
			panthers measured nearly 6-7 feet from nose to tip of tail.	cypress swamp).	
Winn	LA	Eskimo Curlew	Medium-sized shorebird, with the slightly curved bill only about 2 inches long. The curlew has a black head, and its feathers have warm buffy brown tips. The underparts are a warm buffy color, and the under surface of the wings are conspicuously cinnamon buff.	The birds nested in the treeless Arctic tundra, and fed in open natural grassland and tundra, burned prairies, meadows, pastures, plowed lands and intertidal zones during migration and winter months.	Nesting from late May to about mid-June. End of July the breeding season is over and the adults are heading south, followed by the young. Spring migration began in late February with the birds moving through northern middle America and the Gulf of Mexico to the coasts of Texas and Louisiana, arriving there in early March.
Winn	LA	Bachman's Warbler	Total length being 4 to 4 and one-half inches. The male is olive green above, face and undeparts yellow, throat patch and crown patch black. The female lacks the black throat; the upper parts are olive green, the forehead and underparts yellow, and the crown grayish.	Nested in low wet forested areas containing variable amounts of water. When not on or near their nests, which were located near the ground, the birds were more often observed high in the tree tops, especially during migration.	Nesting has been recorded from late March to early June, with clutch size usually being three or four eggs, but occasionally five. The birds begin migrating southward during July and apparantly pass through Key West by early September.

WILDLIFE MANAGEMENT AREAS

Federal Natural Trustee - Department of the Interior,
Division of U.S. Fish and Wildlife Service (USFWS)

USFWS Region IV - Arkansas and Louisiana
USFWS Region II - Texas, New Mexico and Oklahoma

State Natural Trustee - See Appropriate Managing
Agency Within This Appendix

Wildlife Management Areas

State	County	Name of Management Area	Location	Managing Agency	Telephone	Status
LA	Allen	West Bay	3 miles west of Oakdale Hwy. 10,7 miles west of Oberlin, Hwy. 26	LA Dept of Wildlife	318-491-2575	State
LA	Avoyelles	Grassy Lake	2 miles north of Bordelonville, Highway 29	LA Dept of Wildlife	318-942-7553	State
LA	Avoyelles	Pomme-de-Terre	6 miles east of Moreauville on La. Hwy. 451	LA Dept of Wildlife	318-942-7553	State
LA	Avoyelles	Spring Bayou	3 miles southeast of Marksville, La. Hwy. 452	LA Dept of Wildlife	318-942-7553	State
LA	Bienville	Jackson-Bienville	12 miles southwest of Ruston, Hwy. 167	LA Dept of Wildlife	318-377-3575	State
LA	Bossier	Bodcau	From Bellevue north to La-Ark line Hwy 157	LA Dept of Wildlife	318-377-3575	State
LA	Bossier	Loggy Bayou	20 miles southeast of Bossier City off U.S. Hwy. 71	LA Dept of Wildlife	318-377-3575	State
LA	Caddo	Soda Lake	15 miles north of Shreveport, La. Highway 1	LA Dept of Wildlife	318-377-3575	State
LA	Calcasieu	Sabine Island	5 miles west of Vinton. Take La. Hwy. 109 to Nibblets Bluff	LA Dept of Wildlife	318-491-2575	State
LA	Caldwell	Boeuf	10 miles southeast of Columbia Highway 559	LA Dept of Wildlife	504-757-4571	State
LA	Catahoula	Saline	20 miles northeast of Alexandria, Hwy. 28	LA Dept of Wildlife	318-757-4571	State
LA	Catahoula	Sicily Island Hills	6 miles west of Sicily Island, La. Hwys. 8,913	LA Dept of Wildlife	318-757-4571	State

Wildlife Management Areas

State	County	Name of Management Area	Location	Managing Agency	Telephone	Status
			and 915			
LA	Concordia	Concordia	5 miles west of Ferriday U.S. Hwy. 84	LA Dept of Wildlife	318-757-4571	State
LA	Concordia	Red River	3 miles west of Shaw off Hwy. 15	LA Dept of Wildlife	318-757-4571	State
LA	Concordia	Three Rivers	50 miles south of Vidalia on La. Hwy. 15	LA Dept of Wildlife	318-757-4571	State
LA	Iberia	Attakapas	20 miles N.W. of Morgan City	LA Dept of Wildlife	318-942-7553	State
LA	Jackson	Jackson-Bienville	12 miles southwest of Ruston, Hwy. 167	LA Dept of Wildlife	318-377-3575	State
LA	Lafourche	Pointe-au Chien	15 miles southeast of Houma.	LA Dept of Wildlife	504-568-5885	State
LA	Lafourche	Wisner	8 miles south of Leesville and 5 miles west of Grand Isle, Highway 1	LA Dept of Wildlife	504-568-5612	State
LA	Lasalle	Saline	20 miles northeast of Alexandria, Hwy. 28	LA Dept of Wildlife	318-757-4571	State
LA	Morehouse	Georgia Pacific	5 miles northwest of Bastrop, west Hwy. 139	LA Dept of Wildlife	318-343-4044	State
LA	Morehouse	Russell Sage	10 miles east of Monroe, U.S. Hwy. 80	LA Dept of Wildlife	318-343-4044	State
LA	Natchitoches	Peason Ridge	15 miles north of Leesville, Hwy. 117	LA Dept of Wildlife	318-487-5885	State
LA	Ouachita	Cities Service	6 miles northeast of Monroe, Hwy. 34	LA Dept of Wildlife	318-343-4044	State
LA	Ouachita	Ouachita	12 miles south of Monroe, on La. Hwy. 841	LA Dept of Wildlife	318-343-4044	State

Wildlife Management Areas

State	County	Name of Management Area	Location	Managing Agency	Telephone	Status
LA	Ouachita	Russell Sage	10 miles east of Monroe, U.S. Hwy. 80	LA Dept of Wildlife	318-343-4044	State
LA	Plaquemines	Bohemia	4 miles south of East Point-a-la-Hach e	LA Dept of Wildlife	504-568-5612	State
LA	Plaquemines	Pass-A-Loutre	10 miles south of Venice, access by boat on Mississippi River	LA Dept of Wildlife	504-568-5885	State
LA	Richland	Russell Sage	10 miles east of Monroe, U.S. Hwy. 80	LA Dept of Wildlife	318-343-4044	State
LA	Sabine	Peason Ridge	15 miles north of Leesville, Hwy. 117	LA Dept of Wildlife	318-487-5885	State
LA	Sabine	Sabine	5 miles west of Many, La. 5 miles off Highway 171	LA Dept of Wildlife	- - 0	State
LA	St. Bernard	Biloxi	9 miles south; Shell Beach 6 miles southwest Hwy. 46	LA Dept of Wildlife	504-568-5612	State
LA	St. Charles	Salvador	10 miles southwest of New Orleans	LA Dept of Wildlife	504-568-5885	State
LA	St. John the	Manchac	17 miles northeast of Laplace, and east of U.S. Hwy. 51	LA Dept of Wildlife	504-568-5612	State
LA	St. Landry	Thistlethwaite	2 miles north of Washington, off Highway 10	LA Dept of Wildlife	318-942-7553	State
LA	St. Martin	Attakapas	20 miles N.W. of Morgan City	LA Dept of Wildlife	318-942-7553	State
LA	St. Mary	Atchafalaya Delta	18 miles S.W. of Morgan City	LA Dept of Wildlife	504-568-5885	State
LA	St. Mary	Attakapas	20 miles N.W. of Morgan City	LA Dept of Wildlife	318-942-7553	State

Wildlife Management Areas

State	County	Name of Management Area	Location	Managing Agency	Telephone	Status
LA	St. Tammany	Pearl River	6 miles east of Slidell	LA Dept of Wildlife	504-342-5875	State
LA	Terrebonne	Pointe-au Chien	15 miles southeast of Houma.	LA Dept of Wildlife	504-568-5885	State
LA	Union	Union	4 miles northwest of Marion, Hwy. 551	LA Dept of Wildlife	318-343-4044	State
LA	Vernon	Fort Polk	10 miles east of Leesville off Highway 28 (north) and U.S. Highway 71 (west) Highway 10 (south)	LA Dept of Wildlife	318-487-5885	State
LA	Vernon	Lutcher-Moore	20 miles west of Leesville, south of La. Hwy. 8	LA Dept of Wildlife	318-487-5885	State
LA	Vernon	Peason Ridge	15 miles north of Leesville, Hwy. 117	LA Dept of Wildlife	318-487-5885	State
LA	Webster	Bodcau	From Bellevue North to La-Ark line Hwy. 157	LA Dept of Wildlife	318-377-3575	State

FEDERAL WETLANDS

Federal Natural Trustee - Department of the Interior,
Division of U.S. Fish and Wildlife Service (USFWS)

National Wetlands Inventory
St. Petersburg, FL
-Scaled to USGS 7.5' quad maps-

Wetland Areas

State	County	7.5 Topo Quad Name	USGS Map #
LA	Allen	Guy	30092-F6
LA	Ascension	Prairieville	30090-C8
LA	Assumption	Labadieville	29090-G8
LA	Assumption	Madewood	29090-H8
LA	Assumption	Amelia	29091-F1
LA	Assumption	Grassy Lake	29091-G1
LA	Assumption	Napoleonville SW	29091-G2
LA	Assumption	Pierre Part	29091-H2
LA	Assumption	Napoleonville	29091-H1
LA	Beauregard	Gordon	30093-D3
LA	Bienville	Ashland	32093-B1
LA	Bienville	Jamestown	32093-C2
LA	Bienville	Wilson Creek	32092-D7
LA	Bossier	Mansfield	32093-A6
LA	Caddo	Stonewall	32093-C7
LA	Caddo	Blanchard	32093-E8
LA	Caddo	Elm Grove	32093-C5
LA	Calcasieu	Moss Bluff	30093-C2
LA	Calcasieu	Gordon	30093-D3
LA	Caldwell	Mason	32091-A8
LA	Cameron	Creole	29093-G1
LA	Cameron	Grand Bayou	29093-G2
LA	Cameron	Cameron	29093-G3
LA	Cameron	Holly Beach	29093-G4
LA	Cameron	Peveto Beach	29093-G5
LA	Cameron	Johnsons Bayou	29093-G6
LA	Cameron	Boudreaux Lake	29093-H1
LA	Cameron	Sweet Lake	29093-H2
LA	Cameron	Hackberry	29093-H3
LA	Cameron	Browns Lake	29093-H4
LA	Cameron	Greens Bayou	29093-H6
LA	Cameron	Deep Lake	29092-F6
LA	Cameron	Cow Island	29092-F7
LA	Cameron	Hog Bayou	29092-F8
LA	Cameron	Collicon Lake	29092-G6
LA	Cameron	Catfish Lake	29092-G7
LA	Cameron	Grand Chenier	29092-G8
LA	Cameron	Latanier Bayou	29092-H5
LA	Cameron	Mallard Bay	29092-H6
LA	Cameron	Latania Lake	29092-H7
LA	Cameron	Lake Misere	29092-H8
LA	Cameron	Hackberry Beach	29093-F1
LA	Cameron	Smith Bayou	29093-F6
LA	Cameron	Creole	29093-G1
LA	Cameron	Grand Bayou	29093-G2

Wetland Areas

State	County	7.5 Topo Quad Name	USGS Map #
LA	Cameron	Cameron	29093-G3
LA	Cameron	Holly Beach	29093-G4
LA	Cameron	Peveto Beach	29093-G5
LA	Cameron	Johnsons Bayou	29093-G6
LA	Cameron	Boudreaux Lake	29093-H1
LA	Cameron	Sweet Lake	29093-H2
LA	Cameron	Browns Lake	29093-H4
LA	Cameron	Hackberry	29093-H3
LA	Cameron	Greens Bayou	29093-H6
LA	Cameron	Rollover Lake	29092-E5
LA	Cameron	Floating Turf Bayou	29092-F5
LA	Cameron	Lake Le Bleu	29092-G5
LA	Claiborne	Summerfield	32092-H7
LA	Concordia	Fairview	31091-C5
LA	Desoto	Stonewall	32093-C7
LA	Desoto	Pleasant Hill	31093-G5
LA	Desoto	Trenton	31093-H6
LA	Desoto	Hunter	31093-H7
LA	E. Baton Rouge	Prairieville	30090-C8
LA	E. Baton Rouge	Fred	30091-F1
LA	East Carroll	Pioneer	32091-F4
LA	East Feliciana	Fred	30091-F1
LA	East Feliciana	Bluff Creek	30090-G8
LA	Evangeline	Pine Prairie	30092-G4
LA	Finn	Weston	32092-B5
LA	Franklin	Como	32091-A5
LA	Franklin	Mason	32091-A8
LA	Franklin	Winnsboro	32091-B6
LA	Franklin	Dunn	32091-D5
LA	Grant	Montgomery	31092-F8
LA	Grant	Georgetown	31092-G4
LA	Iberia	Lake Point	29091-E6
LA	Iberia	Bayou Blanc	29091-E7
LA	Iberia	Bayou Lucien	29091-E8
LA	Iberia	Hammock Lake	29091-F7
LA	Iberia	Cypremort Point	29091-F8
LA	Iberia	Kemper	29091-G6
LA	Iberia	Weeks	29091-G7
LA	Iberia	Tiger Lagoon	29091-G8
LA	Iberia	Centerville NE	29091-H3
LA	Iberia	Centerville NW	29091-H4
LA	Iberia	Charenton	29091-H5
LA	Iberia	Jeanerette	29091-H6
LA	Iberia	New Iberia South	29091-H7
LA	Iberia	Delcambre	29091-H8
LA	Jackson	Weston	32092-B5
LA	Jackson	Clay	32092-D6
LA	Jefferson	Caminada Pass	29090-B1
LA	Jefferson	Bay Tambour	29090-C1
LA	Jefferson	Bay Dosgris	29090-D1
LA	Jefferson	Golden Meadow Farms	29090-D2
LA	Jefferson	Three Bayou Bay	29090-E1
LA	Jefferson	Bay L'Ours	29090-E2

Wetland Areas

State	County	7.5 Topo Quad Name	USGS Map #
LA	Jefferson	Lafitte	29090-F1
LA	Jefferson	Barataria	29090-F2
LA	Jefferson	Bertrandville	29090-G1
LA	Jefferson	Lake Cataouatche East	29090-G2
LA	Jefferson	New Orleans East	29090-H1
LA	Jefferson	New Orleans West	29090-H2
LA	Jefferson	Luling	29090-H3
LA	Jefferson	Barataria Pass	29089-C8
LA	Jefferson	Bay Ronquille	29089-C7
LA	Jefferson	Wilkinson Bay	29089-D8
LA	Jefferson	Lake Laurier	29089-E8
LA	Lafayette	Lafayette	30092-B1
LA	Lafourche	Belle Pass	29090-A2
LA	Lafourche	Calumet Island	29090-A3
LA	Lafourche	Timbalier Island	29090-A4
LA	Lafourche	Caminada Pass	29090-B1
LA	Lafourche	Leeville	29090-B2
LA	Lafourche	Pelican Pass	29090-B3
LA	Lafourche	Jacko Bay	29090-B4
LA	Lafourche	Bay Tambour	29090-C1
LA	Lafourche	Mink Bayou	29090-C2
LA	Lafourche	Bay Courant	29090-C3
LA	Lafourche	Lake Felicity	29090-C4
LA	Lafourche	Bay Dosgris	29090-D1
LA	Lafourche	Golden Meadow Farms	29090-D2
LA	Lafourche	Golden Meadow	29090-D3
LA	Lafourche	Lake Bully Camp	29090-D4
LA	Lafourche	Montegut	29090-D5
LA	Lafourche	Bay L'Ours	29090-E2
LA	Lafourche	Cut Off	29090-E3
LA	Lafourche	Larose	29090-E4
LA	Lafourche	Bourg	29090-E5
LA	Lafourche	Houma	29090-E6
LA	Lafourche	Barataria	29090-F2
LA	Lafourche	Catahoula Bay	29090-F3
LA	Lafourche	Gheens	29090-F4
LA	Lafourche	Lockport	29090-F5
LA	Lafourche	Savoie	29090-F6
LA	Lafourche	Gray	29090-F7
LA	Lafourche	Dess Allemands	29090-G4
LA	Lafourche	Bayou Beouf	29090-G5
LA	Lafourche	Kraemer	29090-G6
LA	Lafourche	Thibodaux	29090-G7
LA	Lafourche	Labadieville	29090-G8
LA	Lafourche	Lower Vacherie	29090-H6
LA	Lafourche	Lac Des Allemands	29090-H5
LA	Lafourche	Lagan	29090-H7
LA	Limestone	Tehuacana	31096-F5
LA	Lincoln	Clay	32092-D6
LA	Lincoln	Wilson Creek	32092-D7
LA	Livingston	Frost	30090-D6
LA	Livingston	Albany	30090-E5
LA	Livingston	Prairieville	30090-C8

Wetland Areas

State	County	7.5 Topo Quad Name	USGS Map #
LA	Madison	Somerset	32091-B2
LA	Morehouse	Bastrop	32091-G8
LA	Morehouse	Goodwill	32091-G5
LA	Natchitoches	Montgomery	31092-F8
LA	Natchitoches	Temple	31092-C8
LA	Natchitoches	Ashland	32093-B1
LA	New Orleans	Chef Menteur	30089-A7
LA	New Orleans	Little Woods	30089-A8
LA	New Orleans	Chalmette	29089-H8
LA	Ouachita	Long Lake	32090-D8
LA	Ouachita	Richland	32091-D7
LA	Plaquemines	Garden Island Pass	29089-A1
LA	Plaquemines	South Pass	29089-A2
LA	Plaquemines	Dixon Bay	29089-A3
LA	Plaquemines	Pass du Bois	29089-A4
LA	Plaquemines	Pass A Loutre East	29089-B1
LA	Plaquemines	Pass A Loutre West	29089-B2
LA	Plaquemines	Pilottown	29089-B3
LA	Plaquemines	Pass Tante Phine	29089-B4
LA	Plaquemines	Bay Coquette	29089-B5
LA	Plaquemines	Breton Islands SE	29089-C1
LA	Plaquemines	Main Pass	29089-C2
LA	Plaquemines	Venice	29089-C3
LA	Plaquemines	Triumph	29089-C4
LA	Plaquemines	Buras	29089-C5
LA	Plaquemines	Bastian Bay	29089-C6
LA	Plaquemines	Bay Ronquille	29089-C7
LA	Plaquemines	Barataria Pass	29089-C8
LA	Plaquemines	Breton Islands	29089-D2
LA	Plaquemines	Taylor Pass	29089-D3
LA	Plaquemines	Coquille Point	29089-D4
LA	Plaquemines	Empire	29089-D5
LA	Plaquemines	Bay Batiste	29089-D7
LA	Plaquemines	Wilkinson Bay	29089-D8
LA	Plaquemines	Black Bay South	29089-E5
LA	Plaquemines	Happy Jack	29089-E6
LA	Plaquemines	Pointe A La Hache	29089-E7
LA	Plaquemines	Lake Laurier	29089-E8
LA	Plaquemines	Point Chicot	29089-F3
LA	Plaquemines	Lake Athanasio	29089-F4
LA	Plaquemines	Black Bay North	29089-F5
LA	Plaquemines	Lake Cuatro Caballo	29089-F6
LA	Plaquemines	Lake Batola	29089-F7
LA	Plaquemines	Delacroix	29089-G7
LA	Plaquemines	Belle Chasse	29089-G8
LA	Plaquemines	Chalmette	29089-H8
LA	Rapides	Jericho	31092-C7
LA	Rapides	Temple	31092-C8
LA	Richland	Dunn	32091-D5
LA	Sabine	Pleasant Hill	31093-G5
LA	St Bernard	Door Point	30089-A2
LA	St Bernard	Three Mile Bay	30089-A3
LA	St Bernard	Malheureux Pt.	30089-A4

Wetland Areas

State	County	7.5 Topo Quad Name	USGS Map #
LA	St Bernard	Alligator Point	30089-A6
LA	St Bernard	Point Chicot	29089-F3
LA	St Bernard	Lake Athanasio	29089-F4
LA	St Bernard	Black Bay North	29089-F5
LA	St Bernard	Lake Cuatro Caballo	29089-F6
LA	St Bernard	Morgan Harbor	29089-G3
LA	St Bernard	Lake Eloi	29089-G4
LA	St Bernard	Lena Lagoon	29089-G5
LA	St Bernard	Delacroix	29089-G7
LA	St Bernard	Belle Chasse	29089-G8
LA	St Bernard	Mitchell Key	29089-H2
LA	St Bernard	Oak Mound Bayou	29089-H3
LA	St Bernard	Lake Eugenie	29089-H4
LA	St Bernard	Pte. Aux Marchettes	29089-H5
LA	St Bernard	Proctor Point	29089-H6
LA	St Bernard	Chalmette	29089-H8
LA	St Charles	Barataria	29090-F2
LA	St Charles	Catahoula Bay	29090-F3
LA	St Charles	Lake Cataouatche East	29090-G2
LA	St Charles	Lake Cataouatche West	29090-G3
LA	St Charles	Dess Allemands	29090-G4
LA	St Charles	Bayou Boeuf	29090-G5
LA	St Charles	Luling	29090-H3
LA	St Charles	Hahville	29090-H4
LA	St Charles	Lac Des Allemands	29090-H5
LA	St Helena	Liverpool	30090-H6
LA	St Helena	Albany	30090-E5
LA	St James	Lower Vacherie	29090-H6
LA	St James	Lagan	29090-H7
LA	St James	Madewood	29090-H8
LA	St John Baptist	Lac Des Allemands	29090-H5
LA	St John Baptist	Lower Vacherie	29090-H6
LA	St Landry	Sunset	30092-D1
LA	St Martin	Parks	30091-B7
LA	St Martin	Morgan City	29091-F2
LA	St Martin	Grassy Lake	29091-G1
LA	St Martin	Napoleonville SW	29091-G2
LA	St Martin	Tiger Island	29091-G3
LA	St Martin	Centerville	29091-G4
LA	St Martin	Franklin	29091-G5
LA	St Martin	Pierre Part	29091-H2
LA	St Martin	Centerville NE	29091-H3
LA	St Martin	Centerville NW	29091-H4
LA	St Mary	Point Au Fer NE	29091-D3
LA	St Mary	Morgan City SE	29091-E1
LA	St Mary	Morgan City SW	29091-E2
LA	St Mary	Lake Salve	29091-E3
LA	St Mary	Belle Isle	29091-E4
LA	St Mary	Pt. Chevreuil	29091-E5
LA	St Mary	Lake Point	29091-E6
LA	St Mary	Amelia	29091-F1
LA	St Mary	Morgan City	29091-F2
LA	St Mary	Patterson	29091-F3

Wetland Areas

State	County	7.5 Topo Quad Name	USGS Map #
LA	St Mary	North Bend	29091-F4
LA	St Mary	Ellerslie	29091-F5
LA	St Mary	Marone Point	29091-F6
LA	St Mary	Hammock Lake	29091-F7
LA	St Mary	Tiger Island	29091-G3
LA	St Mary	Centerville	29091-G4
LA	St Mary	Kemper	29091-G5
LA	St Mary	Kemper	29091-G6
LA	St Mary	Weeks	29091-G7
LA	St Mary	Centerville NW	29091-H4
LA	St Mary	Charenton	29091-H5
LA	St Mary	Jeanerette	29091-H6
LA	St Tammany	Rigolets	30089-B6
LA	St Tammany	North Shore	30089-B7
LA	St Tammany	South Point	30089-B8
LA	St Tammany	Lacombe	30089-C8
LA	St Tammany	St. Tammany	30089-D8
LA	St Tammany	Covington	30090-D1
LA	St Tammany	Madisonville	30090-D2
LA	Tangipahoa	Hammond	30090-E4
LA	Tangipahoa	Albany	30090-E5
LA	Tangipahoa	Springcreek	30090-H4
LA	Tangipahoa	Madisonville	30090-D2
LA	Tensus	Somerset	32091-B2
LA	Tensus	Como	32091-A5
LA	Terrebonne	Timbalier Island	29090-A4
LA	Terrebonne	Cat Island Pass	29090-A5
LA	Terrebonne	Eastern Isles Dernieres	29090-A6
LA	Terrebonne	Central Isles Dernieres	29090-A7
LA	Terrebonne	Western Isles Dernieres	29090-A8
LA	Terrebonne	Jacko Bay	29090-B4
LA	Terrebonne	Lake La Graisse	29090-B5
LA	Terrebonne	Cocodrie	29090-B6
LA	Terrebonne	Dog Lake	29090-B7
LA	Terrebonne	Grand Bayou du Large	29090-B8
LA	Terrebonne	Lake Felicity	29090-C4
LA	Terrebonne	Lake Tambour	29090-C5
LA	Terrebonne	Lake Quitman	29090-C6
LA	Terrebonne	Bayou Sauveur	29090-C7
LA	Terrebonne	Lake Mechant	29090-C8
LA	Terrebonne	Lake Bully Camp	29090-D4
LA	Terrebonne	Montegut	29090-D5
LA	Terrebonne	Dulac	29090-D6
LA	Terrebonne	Lake Theriot	29090-D7
LA	Terrebonne	Lake Penchant	29090-D8
LA	Terrebonne	Bourg	29090-E5
LA	Terrebonne	Houma	29090-E6
LA	Terrebonne	Humphreys	29090-E7
LA	Terrebonne	Bayou Cocodrie	29090-E8
LA	Terrebonne	Gray	29090-F7
LA	Terrebonne	Gibson	29090-F8
LA	Terrebonne	Thibodaux	29090-G7
LA	Terrebonne	East Bay Junop	29091-B1

Wetland Areas

State	County	7.5 Topo Quad Name	USGS Map #
LA	Terrebonne	Oyster Bayou	29091-B2
LA	Terrebonne	Lost Lake	29091-C1
LA	Terrebonne	Fourleague Bay	29091-C2
LA	Terrebonne	Point Au Fer	29091-C3
LA	Terrebonne	Carencro Bayou	29091-D1
LA	Terrebonne	Plumb Bayou	29091-D2
LA	Terrebonne	Point Au Fer NE	29091-D3
LA	Terrebonne	Morgan City SE	29091-E1
LA	Terrebonne	Morgan City SW	29091-E2
LA	Terrebonne	Lake Salve	29091-E3
LA	Terrebonne	Amelia	29091-F1
LA	Union	Farmerville	32092-G4
LA	Vermilion	Hell Hole Bayou	29092-E1
LA	Vermilion	Cheniere Au Tigre	29092-E2
LA	Vermilion	Mulberry Island East	29092-E3
LA	Vermilion	Mulberry Island West	29092-E4
LA	Vermilion	Big Constance Lake	29092-E6
LA	Vermilion	Redfish Point	29092-F1
LA	Vermilion	Fearman Lake	29092-F2
LA	Vermilion	Pumpkin Islands	29092-F3
LA	Vermilion	Pecan Island	29092-F4
LA	Vermilion	Floating Turf Bayou	29092-F5
LA	Vermilion	Hebert Lake	29092-G1
LA	Vermilion	Intracoastal City	29092-G2
LA	Vermilion	Forked Island	29092-G3
LA	Vermilion	Jacks Point Island	29092-G4
LA	Vermilion	Lake Le Bleu	29092-G5
LA	Vermilion	Abbeville East	29092-H1
LA	Vermilion	Abbeville West	29092-H2
LA	Vermilion	Kaplan South	29092-H3
LA	Vermilion	Forked Island NW	29092-H4
LA	Vermilion	Lafayette	30092-B1
LA	Vermilion	Rollover Lake	29092-E5
LA	Vermilion	Latanier Bayou	29092-H5
LA	Vernon	Temple	31092-C8
LA	Vernon	Jericho	31092-C7
LA	Washington	Bond	30089-H2
LA	West Carroll	Pioneer	32091-F4
LA	West Carroll	Oak Grove	32091-G4
LA	West Carroll	Goodwill	32091-G5
LA	Winn	Georgetown	31092-G4
LA	Winn	Montgomery	31092-F8

FEDERAL FISHERIES

Federal Natural Trustee - Department of the Interior,
Division of U.S. Fish and Wildlife Service (USFWS)

USFWS Region IV - Arkansas and Louisiana
USFWS Region II - Texas, New Mexico and Oklahoma

Federal Fisheries Database Report

State	Facility Name	Contact Person	Address	City	Zip Code	Phone #
LA	NATCHITOCHES	T. ANTHONY MAYEUX/KAREN M. KILPATRICK	615 HIGHWAY 1 SOUTH	NATCHITOCHES	71457-0000	318-352-5324
LA	NATIONAL WETLANDS RESEARCH	ROBERT E. STEWART JR.	1010 GUASE BLVD	SLIDELL	70458-0000	504-646-7564

STATE FISHERIES

State Fish Database Report

State	Contact Person	Address	City	Zip Code	Phone
LA	BRUCE SMITH	41 FOWLER RD	FOREST HILL	71430-0000	318-748-6911
LA	MARK LAWSON	PO BOX 1413	LACOMBE	70445-0000	504-882-5228
LA	RICKY YELDELL	PO BOX 4004	MONROE	71211-0000	318-343-4045

NATIONAL PARKS

Federal Natural Trustee - Department of the Interior
Division of National Park Service

National Parks Database Report

County	State	Facility Name	Area Type	Facility Address	City	Zip	Phone	Office Hours	Contact
Orleans	LA	Jean Lafitte Natl Hist		423 Canal Street,	New Orleans	701302341	5045893882	8:00 AM To 5:00	Belous, Robert

DRINKING WATER INTAKES

State Water Supply Database Report

County	State	Source Type	Source Name	State Number	Contact	Phone	Latitude	Longtitude	Location Code	Ground Elev.(ft)	USGS Map #
Ascension	LA	Allied Chemical	S	2005001	Geismar	504-642-8311	0' 0° 0"	0° 0' 0"	State Region 2	0	
Ascension	LA	Ormet Corporation	S	2005165	Burnside	504-473-9241	0' 0° 0"	0° 0' 0"	State Region 2	0	
Ascension	LA	Peoples Wtr	S	1005035	Donaldsonville	504-473-7603	0' 0° 0"	0° 0' 0"	State Region 2	0	
Ascension	LA	Shell Chemical Co.	S	2005034	Geismar	504-379-6542	0' 0° 0"	0° 0' 0"	State Region 2	0	
Assumption	LA	Assumption Par WW	S	1007001	Napoleonville	504-369-6156	0' 0° 0"	0° 0' 0"	State Region 3	0	
Avoyelles	LA	Mansura, Vil of	S	1009010	Donaldsonville	318-964-5160	0' 0° 0"	0° 0' 0"	State Region 6	0	
Bossier	LA	Bossier City Water	S	1015004	Bossier City	318-741-8501	0' 0° 0"	0° 0' 0"	State Region 7	0	
Caddo	LA	Blanchard Water	S	1017006	Blanchard	318-929-4500	0' 0° 0"	0° 0' 0"	State 7	0	
Caddo	LA	East Cove Utilities	S	1017050	Blanchard	318-929-4181	0' 0° 0"	0° 0' 0"	State Region 7	0	
Caddo	LA	East Mooringsport W.	S	1017010	Mooringsport	318-996-7493	0' 0° 0"	0° 0' 0"	State Region 7	0	
Caddo	LA	Lieberman Power	S	2017015	Mooringsport	318-221-2604	0' 0° 0"	0° 0' 0"	State Region 7	0	
Caddo	LA	Mooringsport Water	S	1017023	Mooringsprot	318-996-7661	0' 0° 0"	0° 0' 0"	State Region 7	0	
Caddo	LA	Oil City Water	S	1017026	Oil City	318-995-6321	0' 0° 0"	0° 0' 0"	State Region 7	0	
Caddo	LA	Shreveport Water	S	1017031	Shreveport	318-226-6250	0' 0° 0"	0° 0' 0"	State Region 7	0	
Calcasieu	LA	Houston River Water	S	1019119	Sulphur	318-528-3446	0' 0° 0"	0° 0' 0"	State Region 5	0	
Calcasieu	LA	Kronos Inc.	S	2019127	West Lake	318-882-7091	0' 0° 0"	0° 0' 0"	State Region 5	0	
Concordia	LA	Ferriday, Town of	S	1029005	Ferriday	318-757-3462	0' 0° 0"	0° 0' 0"	State Region 6	0	
Desoto	LA	Logansport Water	S	1031008	Logansport	318-697-4346	0' 0° 0"	0° 0' 0"	State Region 7	0	
Desoto	LA	Mansfield Water	C	1031009	Mansfield	318-872-0406	0' 0° 0"	0° 0' 0"	State Region 7	0	
Grant	LA	Georgetown Water	S	1043004	Georgetown	318-827-5527	0' 0° 0"	0° 0' 0"	State Region 6	0	
Iberville	LA	Dow Usa, La Division	S	2047003	Plaquemine	504-389-1827	0' 0° 0"	0° 0' 0"	State Region 2	0	
Jefferson	LA	E Jefferson WW Dist	S	1051001	Harahan	504-838-4327	0' 0° 0"	0° 0' 0"	State Region 1	0	
Jefferson	LA	Gretna Waterworks	S	1051003	Gretna	504-363-1540	0' 0° 0"	0° 0' 0"	State Region 1	0	
Jefferson	LA	W Jefferson WW Dist	S	1051004	Harahan	504-349-5085	0' 0° 0"	0° 0' 0"	State Region 1	0	
Jefferson	LA	Westwego Waterworks	S	1051005	Westwego	504-341-2888	0' 0° 0"	0° 0' 0"	State Region 1	0	
Lafourche	LA	Lafourche Water Dist	S	1057001	Lockport	504-532-6924	0' 0° 0"	0° 0' 0"	State Region 3	0	
Lafourche	LA	Lockport Waterworks	S	1057002	Lockport	504-532-3117	0' 0° 0"	0° 0' 0"	State Region 3	0	
Lafourche	LA	Thobodaux Waterworks	S	1057003	Thibodaux	504-446-7216	0' 0° 0"	0° 0' 0"	State Region 3	0	
Natchitoches	LA	Nathcitoches W.	S	1069007	Natchitoches	318-352-3404	0' 0° 0"	0° 0' 0"	State Region 7	0	
Orleans	LA	New Orleans-ALgiers	S	1071001	New Orleans	504-361-4331	0' 0° 0"	0° 0' 0"	State Region 1	0	
Orleans	LA	New	S	1071009	New Orleans	504-865-0406	0' 0° 0"	0° 0' 0"	State Region 1	0	
Ouachita	LA	Monroe Water System	S	1073031	Monroe	318-329-2310	0' 0° 0"	0° 0' 0"	State Region 8	0	
Plaquemines	LA	Belle Chasse Water	S	1075001	Belle Chasse	504-682-0081	0' 0° 0"	0° 0' 0"	State Region 1	0	
Plaquemines	LA	Dalcour Waterworks	S	1075004	Belle Chasse	504-392-6690	0' 0° 0"	0° 0' 0"	State Region 1	0	
Plaquemines	LA	Port Sulphur Water	S	1075006	Belle Chasse	504-682-0081	0' 0° 0"	0° 0' 0"	State Region 1	0	
Rapides	LA	Rapides Par. WWKS	C	1079017	Tioga	318-640-1379	0' 0° 0"	0° 0' 0"	State Region 6	0	
Sabine	LA	Ebarb Water System	S	1085043	West Monroe	318-397-2835	0' 0° 0"	0° 0' 0"	State Region 7	0	
Sabine	LA	Fort Polk	S	2085076	Fort Polk	- - 0	0' 0° 0"	0° 0' 0"	State Region 7	0	
Sabine	LA	Many Water System	S	1085016	Many	318-256-2337	0' 0° 0"	0° 0' 0"	State Region 7	0	
Sabine	LA	Pendleton Water	S	1085046	Many	318-256-3804	0' 0° 0"	0° 0' 0"	State Region 7	0	
Sabine	LA	Pirates Cove	S	1085022	West Monroe	318-397-2835	0' 0° 0"	0° 0' 0"	State Region 7	0	
St Bernard	LA	Domino Sugar	S	2087001	Arabi	504-271-5331	0' 0° 0"	0° 0' 0"	State Region 1	0	
St Bernard	LA	St Bernard WW Dist	S	1087001	Chalmette	504-271-1681	0' 0° 0"	0° 0' 0"	State Region 1	0	
St Charles	LA	Shell Oil Co - Norco	S	2089005	Norco	504-465-7133	0' 0° 0"	0° 0' 0"	State Region 3	0	
St Charles	LA	St Charles Water	S	1089001	Luling	504-764-2829	0' 0° 0"	0° 0' 0"	State Region 3	0	
St Charles	LA	St Charles Water	S	1089002	Luling	504-783-5110	0' 0° 0"	0° 0' 0"	State Region 3	0	
St James	LA	Colonial Sugar Co	S	1093001	Gramercy	504-869-5521	0' 0° 0"	0° 0' 0"	State Region 3	0	
St James	LA	Gramercy Waterworks	S	1093002	Gramercy	504-869-8580	0' 0° 0"	0° 0' 0"	State Region 3	0	

State Water Supply Database Report

County	State	Source Type	Source Name	State Number	Contact	Phone	Latitude	Longtitude	Location Code	Ground Elev.(ft)	USGS Map #
St James	LA	Kaiser	S	2093002	Gramercy	504-562-3946	0' 0° 0"	0° 0' 0"	State Region 3	0	
St James	LA	Lutcher Waterworks	S	1093003	Lutcher	504-869-5635	0' 0° 0"	0° 0' 0"	State Region 3	0	
St James	LA	St James Water Dist	S	1093004	Vacherie	504-265-4824	0' 0° 0"	0° 0' 0"	State Region 3	0	
St James	LA	St James Water Dist	S	1093005	Vacherie	504-265-4828	0' 0° 0"	0° 0' 0"	State Region 3	0	
St James	LA	Star Enterprises Inc	S	2093003	Convent	504-562-7681	0' 0° 0"	0° 0' 0"	State Region 3	0	
St John	LA	Ei Dupont De Nemours	S	2095003	Laplace	504-536-1141	0' 0° 0"	0° 0' 0"	State Region 3	0	
St John	LA	Marathon Petroleum	S	2095008	Garyville	504-535-2241	0' 0° 0"	0° 0' 0"	State Region 3	0	
St John	LA	S La Globalplex	S	2095002	Reserve	504-536-8300	0' 0° 0"	0° 0' 0"	State Region 3	0	
St John	LA	St John Water Dist	Garyville	1095003	Garyville	504-652-9569	0' 0° 0"	0° 0' 0"	State Region 3	0	
St John	LA	St John Water Dist	S	1095002	Garyville	504-535-2259	0' 0° 0"	0° 0' 0"	State Region 3	0	
St Mary	LA	Berwick-Bayou Vista	S	1101002	Berwick	504-384-8900	0' 0° 0"	0° 0' 0"	State Region 4	0	
St Mary	LA	City of Franklin WS	S	1101003	Franklin	318-828-3631	0' 0° 0"	0° 0' 0"	State Region 4	0	
St Mary	LA	Morgan City Water	S	1101005	Morgan City	504-385-1770	0' 0° 0"	0° 0' 0"	State Region 4	0	
St Mary	LA	Patterson Water	S	1101006	Patterson	504-395-5205	0' 0° 0"	0° 0' 0"	State Region 4	0	
St Mary	LA	St Mary Parish WW	S	1101009	Amelia	504-631-0215	0' 0° 0"	0° 0' 0"	State Region 4	0	
St Mary	LA	St Mary W.W. Dist #6	S	1101011	Charenton	318-923-7512	0' 0° 0"	0° 0' 0"	State Region 4	0	
St Mary	LA	St Mary Water Works	S	1101010	Centerville	318-836-5831	0' 0° 0"	0° 0' 0"	State Region 4	0	
Tensas	LA	Lake Bruin Water	S	1107001	St. Joseph	318-766-3604	0' 0° 0"	0° 0' 0"	State Region 8	0	
Tensas	LA	Lake Bruin Water	S	1107002	Newellton	318-766-4763	0' 0° 0"	0° 0' 0"	State Region 8	0	
Tensas	LA	Newellton Water	S	1107003	Newellton	318-467-5050	0' 0° 0"	0° 0' 0"	State Region 8	0	
Tensas	LA	Tensas Water	S	1107009	St. Joseph	318-766-3285	0' 0° 0"	0° 0' 0"	State Region 8	0	
Terrabonne	LA	City of Houma Water	S	1109001	Houma	504-873-6755	0' 0° 0"	0° 0' 0"	State Region 3	0	
Terrabonne	LA	Terrebonne Dist No 1	S	1109002	Houma	504-879-2495	0' 0° 0"	0° 0' 0"	State Region 3	0	

STATE RECREATIONAL AND BOATING FACILITIES

limate

r in the coastal region may
s anything else about
e moody *Gulf of Mexico* is the
-maker and gives Louisiana
l subtropical climate.
uisiana is humid and
now rarely falls in the
ons, with only small snowfalls
ed in the northern areas.
ide annual rainfall is about
ar, with the northern regions
nches and some of the
al parishes averaging as high
rainfall a year.
e annual temperature for the
ns of Louisiana is 66 degrees,
es is the annual temperature
region.
t July average temperature in
gion is 83 degrees, while in
uisiana (the Florida Parishes),
ly average temperature is 81

January average temperature
49 degrees, while in the
on, the lowest January
rature is 57 degrees.
e number of days each year
ures 90 degrees and above is
e northern region, 86 days in
es area and 57 days in

mperature statewide by

9°C)
19°C)
(27°C)
C)

mperatures for the coastal
son are:

12°C)
20°C)
(28°C)
C)

Marinas

City	Marinas	Phone
ANACOCO	J & L Marina	318/286-9239
CHAUVIN/HOUMA	Bayou Neuf Mariner	504/594-2628
	Co-Co Marina	504/594-6626
	Sportsman's Paradise	504/594-2414
CONVERSE	Jolly Rogers	318/567-2547
FERRIDAY	Harmon's	318/749-3909
	Spokane Resort	318/757-4303
FLORIEN	Kite's Landing	318/586-7888
	Pirate's Cove	318/565-4467
	Pleasure Point	318/565-4810
	Red's Point	318/565-4256
HOUMA/GIBSON	Bayou Black Marina	504/575-2315
GRAND ISLE	Bon Voyage Marina	504-787-3179
	Bridge Side Marina	504/787-2419
	Cheramie's Marina	504/787-2288
	Cigar's Marina	504/787-3220
	Pirate's Cove Marina	504/787-3880
LAKE CHARLES	Nalma Landing	318/494-1959
MADISONVILLE	Ben's Boat Works	504/845-8967
	Hidden Harbor Marina	504/845-7656
	Marina Beau Chene	504/845-3454
	Marina Del Ray	504/845-4474
	Port Louis	504/845-0044
	Salty's Marina	504/845-8485
MANDEVILLE	Colbert Cove Marina	504/626-1155
	Mariner's Village Marina	504/626-1517
	Prieto Marina	504/626-7847
MANSFIELD	Circle Drive	318/697-4804
MANY	Big Bass Marina	318/586-4721
	Buckeye Landing	318/586-7500
	Cazaiol's Cove	318/645-6140
	Lee's Cottages	318/645-6870
	Matthew's Lakeview Lodge	318/256-9261
	Pendleton Bridge Marina	318/256-2958
	Shadow's Landing	318/586-7334
	Southern Leisure	318/256-3453
	Sunset Marina	318/645-6966
	Toledo Bend RV Camp	318/256-6604
	Turtle Beach	318/256-5595
	Twin Island	318/256-9347
MONROE	Doug Letsinger's Marine Center	318/388-5790
NOBLE	A-1 Camp	318/567-2269
	Holly Point	318/567-3244
	Mary Bison's Camp	318/567-3141
	Sepuivado's Landing	318/645-9479
	Solan's Camp	318/645-9485
	Wright's Landing	318/567-3131
SHREVEPORT	Barron's Landing	318/635-8628
SLIDELL	Bonfouca Marina	504/641-0673
	Marina at Eden Isles	504/641-1044
ZWOLLE	Ethel's Driftwood Motel Lounge	318/645-6455
	Grace's Landing	318/645-9298
	San Miguel	318/645-6748
	Wildwood Lodge	318/645-6114

STATE INFORMATION



Natural & Scenic Rivers of Louisiana

1. PUSHEPATAPA CREEK
2. BOGUE CHITTO RIVER
3. TCHEFUNCTE RIVER
4. TANGIPAHOA RIVER
5. CHAPPEPELLA CREEK
6. TICKFAW RIVER
7. AMITE RIVER
8. COMITE RIVER
9. BLIND RIVER
10. BAYOU DES ALLEMANDS
11. WHISKEY CHITTO CREEK
12. SIX MILE CREEK
13. TEN MILE CREEK
15. LITTLE RIVER
16. BIG CREEK
17. FISH CREEK
18. TROUT CREEK
19. BAYOU BARTHOLOMEW
20. BAYOU L'OUTRE
21. BAYOU D'ARBONNE
22. CORNEY BAYOU
23. MIDDLE FORK OF BAYOU D'ARBONNE
24. SALINE BAYOU
25. BLACK LAKE BAYOU
26. BAYOU KISATCHIE
27. SPRING CREEK
28. SALINE BAYOU
29. BAYOU PENCHANT
30. BAYOU COCODRIE
31. BAYOU COCODRIE
32. WEST PEARL RIVER
33. DORCHEAT BAYOU
34. BAYOU TREPAGNIER
35. BAYOU LA BRANCHE
36. CALCASIEU RIVER
37. BAYOU DUPRE
38. LAKE BORGNE CANAL
39. BASHMAN BAYOU
40. TERRE BEAU BAYOU
41. PIROGUE BAYOU
42. BAYOU BIENVENUE
43. BAYOU CHAPERON
44. HOLMES BAYOU
45. BRADLEY SLOUGH (Bayou)
46. WILSON SLOUGH (Bayou)
47. BAYOU SARA

INDEX

Abbeville Area 44
Alexandria-Pineville Area 64
Alto 91
Amite 19
Arcadia Area 86
Bastrop Area 90
Baton Rouge Area 26
Belle Chasse-Buras Area 14
Bogalusa-Franklinton 23
Bossier City 81
Breaux Bridge-Henderson Area 52
Buras 14
Burnside 36
Bush 23
Cajun Country 39
Cameron 43
Cane River Country 69
Carencro 55
Chalmette Area 14
Cheneyville Area 66
Chestnut-Saline Area 73
Church Point 55
Clinton 30
Columbia 91
Coushatta Area 84
Covington Area 20
Crossroads 63
Crowley Area 60
Delhi-Epps Area 92
DeQuincy 43
DeRidder Area 66
Destrehan-Norco Area 16
Donaldsonville 36
Elizabeth-Kinder Area 66
Elton 60
Epps 92
Eunice Area 59
Farmerville Area 88
Franklin Area 47
Franklinton 23
French Settlement-Port Vincent 29
Garyville 17
Geismar 36
Gonzales-Sorrento Area 36
Gramercy 37
Grand Coteau 56
Grand Isle 15
Grand Marais 52
Greater New Orleans 5
Greensburg 29
Greenwood 82
Hammond Area 18
Harrisonburg 74
Haynesville 86
Henderson 52
Holly Beach-Cameron Area 43
Homer Area 85
Houma 49
Independence 19
Jackson Area 30
Jeanerette Area 46
Jena Area 74
Jennings Area 60
Jonesboro 87
Jonesville-Harrisonburg Area 74
Junction City 86
Keatchie 83
Kenner 15
Kentwood 19
Kinder 66
Lafayette Area 53
Lafourche Parish 51
Lake Charles Area 40
Lake Providence 92
LaPlace-Manchac 17
Leesville Area 68
Logansport 83
Lutcher-Gramercy Area 37
Madisonville 21
Manchac 17
Mandeville Area 21
Mansfield Area 83
Marksville Area 58
Marrero-Westwego Area 14
Marthaville 73
Metairie 15
Minden 85
Monroe-West Monroe 88
Morgan City-Patterson Area 48
Napoleonville 51
Natchitoches 70
Natchitoches Area-Cane River Country 69
New Iberia Area 45
New Orleans Area 6
New Orleans French Quarter 11
New Roads Area 33
Norco 16
Oak Grove 92
Oil City Area 82
Opelousas 56
Patterson 48
Pearl River 23
Pineville 64
Plantation Country 25
Plaquemine Area 35
Ponchatoula 17
Port Allen Area 34
Port Vincent 29
Rayville 91
Reserve-Garyville 17
Robeline-Marthaville Area 73
Rosedale 34
Ruston Area 87
St. Francisville Area 31
St. Joseph Area 75
St. Martinville 44
Saline 73
Shreveport Area 78
Slidell 22
Sorrento 36
Sportsman's Paradise 77
Sulphur 42
Summerfield-Junction City 86
Tallulah 93
Thibodaux Area-Lafourche Parish 51
Toledo Bend Area 84
Tourist Information-Cajun Country 61
Tourist Information-Crossroads 75
Tourist Information-Greater New Orleans 23
Tourist Information-Plantation Country 37
Tourist Information-Sportsman's Paradise 93
Vachene 37
Vidalia 74
Ville Platte 58
Vinton Area 43
Vivian 83
Washington Area 57
West Monroe 88
Westwego 14
Winnfield 73
Winnsboro 91

STATE PHONE NUMBERS AND ADDRESSES

You are cordially invited. . .to ask questions about any topic concerning Louisiana that is of interest to you. The agencies and organizations listed on this page are useful sources of information and would welcome your inquiry. Please feel free to call or write them.

State Information Number
(504) 342-6600

Louisiana Department of Agriculture and Forestry
Office of Forestry
P.O. Box 1628
Baton Rouge, LA 70821
(504) 925-4500

Louisiana Department of Culture, Recreation and Tourism
(as listed below)

Louisiana Litter Control and
Recycling Foundation
P.O. Box 94291
Baton Rouge, LA 70804-9291
(504) 342-8145

Office of Cultural Development
(Includes the Divisions of the Arts, Archaeology and Historic Preservation)
P.O. Box 44247
Baton Rouge, LA 70804-4247
(504) 342-8200

Office of Film and Video
P.O. Box 94361
Baton Rouge, LA 70804-9361
(504) 342-8150

Office of State Library
P.O. Box 131
Baton Rouge, LA 70821
(504) 342-4923

Office of State Museum
P.O. Box 2448
New Orleans, LA 70176-2448
(504) 568-6967

Office of State Parks
P.O. Drawer 44426
Baton Rouge, LA 70804-4426
(504) 342-8111

Office of Tourism
Inquiry Section
P.O. Box 94291
Baton Rouge, LA 70804-9291
(504) 342-8119
1-800-33-GUMBO

Louisiana Department of Economic Development
P.O. Box 94185
Baton Rouge, LA 70804-9185
(504) 342-5359

Louisiana Department of Natural Resources
P.O. Box 94396
Baton Rouge, LA 70804-9396
(504) 342-4500

Louisiana Department of Wildlife and Fisheries
Information Section
P.O. Box 98000
Baton Rouge, LA 70898-9000
(504) 765-2800

Secretary of State
Archives Department
P.O. Box 94125
Baton Rouge, LA 70804-9125
(504) 922-1206

Additional information on Louisiana:

Directory of Louisiana Museums and Historic Sites
Louisiana Association of Museums
P.O. Box 3494
Baton Rouge, LA 70821
$8 postage and handling
(504) 343-4341

Fait à la Main
Maida Owens
Louisiana Division of the Arts
P.O. Box 44247
Baton Rouge, LA 70804
$5 postage and handling
(504) 342-8180

Louisiana Tour Guide
Louisiana Travel Promotion Association
P.O. Box 4003
Baton Rouge, LA 70821
$2.50 postage and handling
(504) 346-1857

The information provided in this guide was compiled as a service to the traveller by the Louisiana Office of Tourism, based on information provided to our office. We suggest that you call the listings for current information before planning your vacation to the State.

Revised May 1, 1992

Wildlife Management Areas & National Forests



● Wildlife Management Areas

▲ Kisatchie National Forests

■ State Forest



Tubing & Canoeing in Louisiana

Tubing

Atchafalaya Basin Back Water Tours,
Gibson (Terrebonne Parish)
(504) 575-2371
Bayou Neuf Marina, Chauvin
(504) 594-2628
Tubing the Amite River
Thunderbird Beach, Denham Springs
(504) 664-2990
Tubing and Canoeing on the Bogue Chitto River and Pushepatapa Creek
Bogue Chitto Outdoor Center,
St. Tammany Parish (504) 735-1173
North Tangi Beach, Amite
(504) 748-7239
Norris Outfitters, Princeton
(318) 949-9522
Canoeing on the Quiska (Whiskey) Chitto/Torro Bayou
White Sands Canoe Rental/Tack-A-Paw Expeditions (800)-621-9306,
(318) 238-0821

1. Amite River
2. Anacoco Creek
3. Atchafalaya Basin
4. Bashman Bayou
5. Bayou Bartholomew
6. Bayou Bienvenu
7. Bayou Cane
8. Bayou Chaperon
9. Bayou Chauvin
10. Bayou Cocodrie
11. Bayou D'Arbonne
12. Bayou de L'outre
13. Bayou des Allemands
14. Bayou Dorchear
15. Bayou Dupre
16. Bayou Grand Caillou
17. Bayou Kisatchie
18. Bayou La Branche
19. Bayou Lacombe
20. Bayou Penchant
21. Bayou Petit Caillou
22. Bayou Teche
23. Bayou Terrebonne
24. Bayou Tortue
25. Bayou Trepagnier
26. Big Bayou Black
27. Big Creek
28. Black Lake Bayou
29. Blind River
30. Bogue Chitto River
31. Bogue Falaya River
32. Bradley Slough
33. Buffalo Cove
34. Calcasieu River
35. Castor Creek
36. Chemin-A-Haut Bayou
37. Comite River
38. Corney Creek Bayou
39. Fish Creek
40. Holmes Bayou
41. Lake Bistineau
42. Lake Borgne Canal
43. Lake Gravenberg
44. Little River
45. Middle Creek (Bayou D'Arbonne)
46. Morgan River
47. Ouachita River
48. Pearl River
49. Pirogue Bayou
50. Pushepatapa Creek
51. Saline Bayou (National Scenic River)
52. Six Mile Creek
53. Spring Creek
54. Tangipahoa River
55. Tchefuncte River
56. Ten Mile Creek
57. Tensas River
58. Terre Beau Bayou
59. Tickfaw River
60. Tiger Bayou
61. Torro Bayou
62. Trout Creek
63. Vermilion River
64. West Pearl River
65. Whiskey Chitto Creek
66. Wilson Slough



Scuba Diving

Jean Lafitte National Historic Park and Preserve, Barataria Unit (Marrero) - guided and self-guided trails of varied lengths.
Joyce Wildlife Swamp and Nature Trail (near Ponchatoula) - 1,000-ft. boardwalk.
Kiroli Park (West Monroe) - trails ranging from ½ mile to 1.7 miles.
Longleaf Vista Trail (Kisatchie National Forest, Kisatchie Ranger District) - 1½ miles.
Louisiana Nature Center (New Orleans) - 2.3 miles.
Louisiana State Arboretum (Ville Platte) - 2½ miles.
LSU Hilltop Arboretum (Baton Rouge).
Magnolia Forest Walk (Rapides Parish near Alexandria) - 1 mile.
Rock Canyon Nature Trail (Catahoula Parish near Aimwell).
Rockefeller Wildlife Refuge (Grand Chenier).
Sabine National Wildlife Refuge (south of Lake Charles) - 1½ miles.
Stuart Lake Trail (Kisatchie National Forest, Catahoula Ranger District) - 1.2 miles.
Tensas River National Wildlife Refuge (southwest of Tallulah) - boardwalk, wildlife-viewing trail and miles of gravel roads.
Walter B. Jacob's Memorial Nature Park (Shreveport) - trails of varied lengths.

Backpacking Trails

Chicot State Park (Ville Platte) - 7½ miles.
Lake Shore Trail (Kisatchie National Forest) - 10 miles on Evan Rd.
Saline Bayou Hiking Trail (Kisatchie National Forest Winn Ranger District).
Vernon Trail System (Kisatchie National Forest Vernon Ranger District) - 10 and 11 miles.
Wild Azalea National Recreation Trail (Kisatchie National Forest, Evangeline District) - 31 miles.

Definitions:

Hiking and Bicycling Trails - Hard-surfaced trails designed for bicycling, jogging and day hiking.

Hiking Trails - Trails designed solely for walking. They generally provide an outdoor experience in a morning, afternoon or one full day. Overnight camping is usually found nearby.

Nature Trails - Trails designed for walking and the interpretation of nature through the use of a printed guidebook or signs.

Backpacking Trails - Trails designed for an overnight experience. Camping along the trail is allowed.

For more information, write the **New Orleans Group of the Sierra Club**, 111 S. Hennessey St., New Orleans, LA 70119.

Dive Shops

City/Port	Dive Shop	Phone
Alexandria	Greg's Dive Service	318/487-4369
	Water Habitat	318/443-5075
Anacoco	Dick's Diving Service	318/286-5565
Baton Rouge	Seven Seas	504/926-1819
Bogalusa	Water Sports Dive Shop	504/732-4114
Covington	Ocean 1 Scuba School	504/892-9647
Houma	Houma Water Sports, Inc.	504/879-2900
Jefferson	Vineyard's Dive Shop	504/833-5657
Kenner	Outdoor Sporting & Scuba East	504/464-6244
Lafayette	Divers Destination	318/984-4678
	Pack & Paddle	318/232-5854
Lake Charles	Venture Sports	318/433-4444
Larose	Charter Time	504/798-7609 504/632-7992
Leesville	The Water Habitat	318/238-0709
Madisonville	Petro-Sal, Inc.	504/845-3802
Marrero	Aqua Tech Dive Center	504/341-3483
Metairie	Harry's Dive Shop	504/888-4882
	Scuba Quest Sport Diving Center	504/834-8243
Monroe	Adventure World	318/323-9462
	Bill's Scuba Adventures	318/345-3483
New Orleans	Caribbean Dive Shop	504/831-7017
	Dive Connections	504/866-5059
	Diver's Exchange	504/368-2986
	Seahorse Diving	504/246-6523
Shreveport	Adventure Sports	318/425-5870
	Scuba Show	318/929-4740
Slidell	Water Sports Center	504/641-3700
Sulphur	Bayou Scuba	318/625-5573



Hiking & Backpacking

Hiking and Bicycling Trails

Audubon Park (New Orleans) - 1.8 miles.
Barnwell Art Center (Shreveport) - 5 miles from the Art Center to Shreveport/Barksdale Highway.
Big Branch Trail (Leesville) - biking and horseback riding.
C. Bickham Dickson Park (Shreveport) - 10 miles.
City Park (Baton Rouge).
City Park (Gonzales).
False River Historical Trail (New Roads).
Harahan Trail (New Orleans) - 12 miles.
Jefferson Linear Park (Kenner) - 10 miles.
Red River Trail (Shreveport) - 4½ miles.
West Park (DeRidder).

Hiking Trails

Algiers Levee Hike (Algiers) - 10 miles.
Caroline Dorman Hiking and Horse Trail (Kisatchie National Forest, Kisatchie Ranger District) - 13 miles.
Chalmette Trail (Scarsdale) - 16 miles.
Cypress-Black Bayou Recreation Area (Bossier City) - 4½ miles.
Dogwood Tour, Socia Branch (Pollock) - ½ mile.
Dogwood Trail (Winnfield) - 1.3 miles.
Emery Trail (Kisatchie National Forest, Catahoula Ranger District) - 2 miles.
Evangeline Ranger District (near Alexandria) - 1 mile.
Fullerton Lake Trail (Fullerton) - 1.6 miles.
Kincaid Recreation Area (Kisatchie National Forest, Evangeline District) trails including the ½ mile Indian Ridge Trail, the 2 mile Lamotte Creek Trail, the 2 mile Wild Azalea Spur Trail, the 10 mile Lakeshore Trail, and the 10 mile Kincaid Trail.
Lake Bistineau (Webster Parish) - trails of varied lengths.
Lake Claiborne State Park (near Homer) - 1 mile.
Lake Fausse Pointe State Park (near St. Martinville) - 6 miles.
Lincoln Parish Park (near Ruston).
Longleaf Vista (Natchitoches) - 1½ miles.
Magnolia Forest Walk (Rapides Parish) - 1 mile.
"Old Stagecoach Road," Sam Houston Jones State Park (northwest of Lake Charles).
Port Hudson State Commemorative Area (near Baton Rouge) - 6 miles.
Poverty Point State Commemorative Area (northeast of Delhi) - 2½ miles.
Rock Canyon Trail (Catahoula Parish).
Saline Bayou Hiking Trail (Natchitoches Parish) - 5 miles.
Stuart Lake Interpretive Trail (Pollock) - 1.2 miles.
Sugar Cane Trail (Kisatchie National Forest, Caney Ranger District) - 7.6 miles.
Valentine Lake Recreation Area (Kisatchie National Forest, Evangeline Ranger District) - 3 miles.
Vernon Trail System (Kisatchie National Forest, Vernon Ranger District) - trails including the 1.6-mile Fullerton Lake Trail, the 10-mile Big Branch Trail and the 10-mile Whiskey Chitto Trail.
Westwego Levee Hike (Westwego-New Orleans) - 10 miles.
Whiskey Chitto Trail (Leesville) - 10 miles.

Nature Trails

Acadiana Park (Lafayette) - 3 miles.
Asphodel Village (Jackson) - 1 mile.
Audubon State Commemorative Area (near St. Francisville) - 1.8 miles.
Briarwood-Caroline Dorman Nature Preserve (near Natchitoches) - trails of varied lengths.
Cameron Prairie National Wildlife Refuge (near Lake Charles).
Cohn Memorial Arboretum (Baton Rouge).
Creole Nature Trail (Lake Charles, Bell City, Sulphur).
Cypress-Black Bayou Nature Trails (Bossier City) - 4½ miles chip trails; 1,400-ft. concrete trails for handicapped.
Dogwood Nature Trail (Kisatchie National Forest, Winn Ranger District) - 1.3 miles.
Fontainebleau State Park (Mandeville) - 1 mile.
Honey Island Nature Trail (Pearl River Wildlife Management Area) - 1 mile.
Indian Creek Nature Trail (Indian Creek Recreation Area near Alexandria) - sections range from ½ mile to 2 miles.
Jacobs Nature Center Trails (Blanchard) - 5 trails, longest 5 miles, ¼ mile handicapped trail.

Camping in Louisiana

Hunting Guides & Camps

City	Guide/Camp	Phone
Baton Rouge	American Sportsman's Club	504/928-5028 504/293-0353
Broussard	Provost Adventures	318/837-2931
Covington	Money Hill Hunting Club	504/892-4443 504/796-5218
Haynesville	Southern Expeditions	318/624-2519
Homer	Tall Timbers Lodge	318/927-5260
Houma	Coup Platte Hunting & Fishing Camp	504/868-7865 504/868-7940
	Kings Guide Service	318/876-6957
Jennings	Skipper's Guiding Service	318/824-4007
Lake Charles	Cameron Wildlife, Inc.	318/474-6598
	White's Hunting Unlimited	318/222-1478
New Orleans	Wetlands Guides & Outfitters	504/581-3769
Rayne	Shot's Hunting Camp	318/334-3577 318/334-5651
Slidell	Dr. Paul Wagner's Honey Island Swamp Tours	504/641-1769
St. Francisville	Twin Silos Hunting Club	504/635-3717 504/635-4344

Other Wildlife Hunted or Trapped in Louisiana

Migratory Game Birds:
Ducks, geese, coots, rails and gallinules

Furbearers:
Beaver, bobcat, coyote, gray fox, mink, muskrat, nutria, opossum, otter, red fox, raccoon and skunk

Other:
Alligator

For more information on limits and seasons, write or call the **Louisiana Department of Wildlife and Fisheries**, P.O. Box 98000, Baton Rouge, LA 70898-9000, (504) 765-2800 or (504) 765-2917.

	Trailer Sites	Tent Sites	Cabins or Lodge	Drinking Water	Electric Hook-ups	Sewer Hook-ups	Water Hook-ups	Showers	Dump Station	Swimming	Fishing	Hunting	Boating	Picnicking	Trails
Acadiana Park*	•	•		•	•		•	•	•					SB	•
Bayou Bodcau Dam Recreation Area	•	•		•							•	•	B	SB	
Bayou Segnette State Park	•	•	•	•	•		•	•	•		•		B	SB	
Caney Lakes Recreation Area	•	•		•	•			•	•	B	•	•	B	B	•
Chemin-A-Haut State Park	•	•	•	•	•		•	•	•	P	•		R	SB	•
Chicot State Park	•	•	•	•	•		•	•	•	P	•		RB	SB	•
Cloud Crossing Recreation Area	•	•		•							•	•	B	B	•
Corney Lake Recreation Area		•		•							•	•	B	B	
Cotile Lake Recreation Area*	•	•		•	•	•	•	•	•	B	•		B	B	•
Crooked Creek Recreation Area*	•	•		•	•		•	•	•		•			•	•
Cypress-Black Bayou Recreation Area*	•	•	•	•	•	•	•	•	•	B	•		RB	SB	•
Dogwood Recreation Area	•	•		•								•		B	
Earl Williamson Park*	•	•		•	•		•		•	B	•		B	SB	
Fairview Riverside State Park	•	•		•	•		•	•	•		•		•	SB	
Fontainebleau State Park	•	•	•	•	•		•	•	•	BP	•		•	SB	•
Fullerton Lake Recreation Area	•	•		•							•	•	•		•
Grand Bois Park*	•	•		•	•		•	•	•					S	•
Grand Isle State Park	•	•		•				•	•	B	•		•	B	
Gum Springs Recreation Area	•	•		•								•		B	
Indian Creek Recreation Area	•	•		•	•		•	•	•	B	•		B	SB	•
Kemper Williams Park*	•	•		•	•		•		•		•			SB	
Kincaid Recreation Area	•	•		•	•		•	•	•	•	•	•	B	B	•
Kisatchie Bayou Recreation Area		•		•							•	•		•	•
Lake Bistineau State Park	•	•	•	•	•		•	•	•	BP	•		RB	SB	•
Lake Bruin State Park	•	•		•	•		•	•	•	B	•		RB	SB	
Lake Claiborne State Park	•	•		•	•		•	•	•	B	•		RB	SB	•
Lake Fausse Pointe State Park	•	•	•	•	•		•	•	•		•		B	SB	•
Lotus Camp Recreation Area	•	•		•								•		•	
Niblett's Bluff Park*	•	•	•	•	•		•	•	•	•	•	•	B	SB	
North Toledo Bend State Park	•	•	•	•	•		•	•	•	P	•		B	SB	
Sam Houston Jones State Park	•	•	•	•	•		•	•			•		RB	B	•
St. Bernard State Park	•	•		•	•		•	•	•	P	•		•	B	
Stuart Lake Recreation Area	•	•		•				•		B	•	•		B	•
Turkey Creek Recreational Park	•	•		•	•	•	•	•	•		•		B	SB	
Valentine Lake Recreation Area	•	•		•				•	•	B	•	•		SB	•

State Parks
During the period of Apr 1 - Sep 30, parks are open 7 a.m. - 10 p.m. daily, and attendants are on duty until 10 p.m. Fridays and Saturdays for camper registration. During Oct 1 - Mar 31, the schedule is 8 a.m. - 7 p.m. daily. Admission is charged per day for all motor vehicles, or per person for vehicles carrying more than four persons. For additional information, inquire at any park entrance. Before traveling great distances, contact the Louisiana Office of State Parks, P.O. Drawer 1111, Baton Rouge, LA 70808-1111, (504) 925-3830.

Kisatchie National Forest
The six ranger districts of Kisatchie (Caney, Vernon, Winn, Catahoula, Kisatchie and Evangeline) offer a variety of recreational facilities. Camping and daily use are free at all recreational areas except Caney Lake, Stuart Lake, Kincaid and Valentine, which require fees for both camping and day use. For additional information, inquire at any forest office or write Kisatchie National Forest, 2500 Shreveport Highway, Pineville, LA 71360, (318) 473-7160.

Alexander State Forest
Both day use and overnight camping are permitted in Alexander State Forest's "Indian Creek Recreation Area." Entrance fees are charged per vehicle, and camping fees are charged per tent and per RV. Fee for use of boat launch. Entrance is from U.S. 165, ten miles south of Alexandria.

CAMPING LEGEND

Swimming:	P – Pool Available B – Beach • – Other Facilities Available
Boating:	R – Rental Boats Available B – Boat Ramp Available • – Boating Facilities Nearby
Picnicking:	S – Picnic Shelter Available B – Bar-B-Q Pits & Tables Available • – No Facilities, But Picnicking Is Allowed
Other Categories:	• – Facilities Available

Hunting in Louisiana

	Deer	Squirrel	Rabbit	Turkey	Waterfowl	Quail	Doves	Woodcock	Snipe
Alexander Forest	●	●	●		●	●	●	●	
Atchafalaya Delta			●		●			●	●
Attakapas	●	●	●		●			●	
Ben's Creek	●	●	●	●		●	●	●	
Big Lake	●	●	●	●	●			●	
Biloxi	●	●	●		●		●		●
Bodcau	●	●	●	●	●	●	●	●	
Boeuf	●	●	●	●	●	●		●	
Bohemia	●	●	●		●		●		●
Boise-Vernon	●	●	●	●		●	●	●	
Catahoula	●	●	●	●	●	●	●	●	
Fort Polk	●	●	●	●		●	●	●	
Georgia Pacific	●	●	●	●	●	●	●	●	
Grassy Lake	●	●	●		●			●	
Jackson-Bienville	●	●	●	●		●		●	
Joyce	●	●	●		●				
Little River	●	●	●	●	●				
Loggy Bayou	●	●	●		●	●	●	●	
Manchac	●		●		●				●
Ouachita	●	●	●		●				
Pass-A-Loutre			●		●				●
Pearl River	●	●	●	●	●			●	●
Peason Ridge	●	●	●	●		●	●	●	
Pointe-au-Chien	●		●		●				●
Pomme-de-Terre	●	●	●		●			●	●
Red Dirt	●	●	●	●	●	●	●	●	
Red River	●	●	●		●			●	
Russell Sage	●	●	●		●	●			
Sabine	●	●	●	●		●	●	●	
Sabine Island	●	●	●		●				
Saline	●	●	●	●	●			●	
Salvador	●		●		●				●
Sandy Hollow	●	●	●	●		●	●	●	
Sherburne	●	●	●	●	●			●	
Sicily Island Hills	●	●	●		●	●		●	
Spring Bayou	●	●	●		●			●	
St. Francisville	●			●	●	●			
Thistlewaite	●	●	●		●			●	
Three Rivers	●	●	●		●	●		●	●
Union	●	●	●					●	
West Bay	●	●	●	●	●	●	●		
Wisner			●		●				

From the mixed pine/hardwood rolling hills to bottomland hardwoods near river beds, flood plains and deltas, to tupelo/cypress swamps, to the largest coastal marsh in the nation, wildlife habitat in Louisiana is both rich and varied.

Hunting is virtually a way of life. Hunting seasons for a wide variety of game begin in early September with the opening of dove season, and continue almost non-stop until the close of turkey season in April.

As the nation's premier waterfowl and woodcock wintering area, Louisiana is a bird hunter's paradise. A resident stock of quail and a healthy influx of doves and other migratory species are frosting on the cake.

Big game hunters take over 150,000 whitetail deer each year, while the restocking of wild turkey flocks has been so successful that numerous areas of the state now offer excellent turkey hunting.

Louisiana also boasts the nation's only large-scale alligator hunting season, and sport hunters come from all over to land one of these prehistoric-looking beasts.

When you add to this the fact that Louisiana boasts approximately 1.7 million acres of publicly owned or managed lands open to hunting, it is readily apparent that the *Bayou State* is truly an *Outdoor Paradise.*





Most Sought-After Fish Species

Freshwater
Largemouth Bass
Spotted Bass
Crappie
Striped Bass
Hybrid Striped Bass
Bream
Blue and Channel Catfish

Coastal Marsh/Beach
Speckled Trout (Spotted Seatrout)
Redfish (Red Drum)
Spanish Mackerel
Flounder
Drum
Croaker
White Trout
Crabs
Shrimp
Oysters

Offshore
King Mackerel
Red Snapper
Cobia (Lemonfish)
Shark
Sailfish
Blue Marlin
Tarpon
Croaker
Bluefish

STREAMS

1. Amite River
2. Atchafalaya River
3. Bayou D'Arbonne
4. Bayou Dorcheat
5. Bayou Lacombe
6. Bayou Sara
7. Big Creek
8. Blind River
9. Blood River
10. Bogue Chitto River
11. Bundick Creek
12. Calcasieu River
13. Chappepeela Creek
14. Comite River
15. Fish Creek
16. Natalbany River
17. Ouachita River
18. Pearl River
19. Pushepatapa Creek
20. Red River
21. Sabine River
22. Six Mile Creek
23. Spring Creek
24. Tangipahoa River
25. Tchefuncte River
26. Ten Mile Creek
27. Tickfaw River
28. Whiskey Chitto Creek

LAKES

1. Anacoco
2. Bistineau
3. Black Bayou
4. Black-Clear
5. Bruin
6. Bundick
7. Caddo
8. Calcasieu
9. Cataouatche
10. Chicot
11. Claiborne
12. Cocodrie
13. Concordia
14. Corney
15. Cross
16. D'Arbonne
17. Deer Park
18. Des Allemands
19. False River
20. Grand
21. Henderson
22. Horseshoe
23. Iatt
24. Indian Creek
25. Kepler
26. Larto
27. Nantachie
28. Old River
29. Penchant
30. St. John
31. St. Joseph
32. Saline-Big
33. Saline-Little
34. Salvador
35. Sibley
36. Six Mile
37. Smithport
38. Terrebonne Bay
39. Toledo Bend
40. Turkey Creek
41. Vernon
42. Verrett
43. Wallace

For more information on limits and seasons, write or call the **Louisiana Department of Wildlife and Fisheries,**
P.O. Box 98000
Baton Rouge, LA
70898-9000
(504) 765-2800
or (504) 765-2917

Charter Fishing

City/Port	Charter	Phone
Barataria	Barataria Charters, Inc.	504/341-5683
Bayou Fourchon	Belle Pass Marina	504/396-2442
Belle Chasse	Southern Seaplane	504/394-5633
Cameron	Hackberry Rod & Gun	318/762-3391
Chauvin	Bayou Neuf Mariner	504/594-2628
	C & B Charter Fishing, Inc.	504/594-2414
	Co-Co Marina	504/594-6626
	Fantastic Island	504/594-4181 504/873-9610
	Sportsman's Paradise	504/594-2414
Empire	Stanley Coulon	504/656-2664
Golden Meadow	Calvin Dufrene	504/475-7985
	Mirage Charters	504/787-2625
	Steve Shook	504/475-7626
Grand Isle	Bon Voyage Marina	504/787-3179
	Cherece IV Charters	504/787-2200
	Deep "C" Charter	504/876-9034
	Doc Kennedy Charters	504/787-2474
	Flipper Too	504/888-4882
	Peter C. Charters, Inc.	504/632-2907
	Pirate's Cove Marina	504/787-3880
	Saltwater Sportsman	504/787-2740
Harahan	LA Fish	504/737-0094
Harvey	Captain Nick's Fishing Charter	504/361-3004
Houma	Big J's Tour Guide Service	504/851-4110 504/758-1747
	Coup Platte Fishing	504/868-7940 504/868-7865
	Lil Ross Charter Service	504/876-7250 504/876-6690
	Pro Bass Guide Service	504/873-8880
	Schouest Charter Service	504/851-0455 504/879-1017
Lake Charles	Nalmar Landing	318/494-1959
Larose	Charter Time, USA	504/798-7609
	Salt Water Guide Service	504/693-7474
Marrero	Cajun Fishing	504/340-6030
	Charter Boat Teaser	504/341-4245 504/534-2928
New Orleans	The Charter Boat, PAT-AL	504/368-3268
	Ed Martin	504/887-7469
Port Fourchon	Charlie Hardison & Sons	504/396-2442
Saint Bernard	Swamp's	504/682-3521
Sulphur	Southern Glory Charters	318/625-3110
Venice	Venice Marina, Inc.	504/534-9357



Fishing in Louisiana

Recreational and commercial fishing is a multi-billion-dollar business in Louisiana. The fishery output of the *Bayou State* is nearly double that of its closest competitor.

Fishing in Louisiana ranges from trying for that lunker largemouth in the vast, untamed *Atchafalaya Swamp* to battling for your life against a jumping, fighting tarpon or blue marlin in the deep-blue, open waters of the *Gulf*. From freshwater to saltwater to anything in between, Louisiana's got it.

Freshwater enthusiasts can also fish for largemouth bass in the world-famous *Toledo Bend Reservoir*, or in one of the state's many excellent lakes or rivers. They can engage in a battle of wits with the crafty spotted bass in one of Louisiana's numerous swift, clear sand- and gravel-bottom upland streams. Or they can spend a lazy afternoon fishing for bream and catfish with a cane pole and a box of worms. They can even capture a sack or two of the Cajun crawfish, locally known as the Louisiana lobster.

An aggressive striped and hybrid striped bass stocking program has added a new and extremely popular fishery to the state, and fish in the 20- to 30-pound range are now frequently caught in *Toledo Bend* and other stocked lakes.

Closer to the coast speckled trout, redfish, crabs, shrimp and oysters abound in the brackish and salty waters of the nation's largest coastal marsh, a vast nursery ground where the mouths of Louisiana's many rivers and bayous meet the salty waters of the *Gulf of Mexico*.

Just a few miles from land, untold thousands of fishermen count their take of red snapper, croaker and Spanish mackerel. These fish are found around the thousands of oil-production platforms that dot Louisiana's continental shelf, serving as artificial reefs.

For the more adventurous angler, big game species such as king mackerel, cobia, shark, blue marlin and tarpon abound in the warm *Gulf* waters a little farther offshore.

Whether an added bonus to an already planned trip or the reason for the trip itself, fishing in the *Outdoor Paradise* is a varied and pleasurable experience.

Fishing Guides

City/Port	Fishing Guide	Phone
Anacoco	Walker's Guide Service	318/286-9200
Broussard	Provost Adventures	318/837-2831
Chauvin	Bayou Neuf Mariner	504/594-2628
	C & B Charter Fishing, Inc.	504/594-2414
	Captin Pascal	504/594-2414
	Townsend & Assoc.	504/594-7772
Converse	Gary Riffle	318/567-3581
Creston	Chandler's Camp-	318/875-2288
	Black Lake Lodge	318/875-2244
Cypremont Point	Richard Legnon's Fishing Service	318/867-4443
Dulac	4-Seasons Fishing & Instructional Guide Service	504/563-2294
Galliano	Dufrene's Guide Service	504/475-7985
	Larry Robichaux Guide	504-693-7474
Houma	Bayou Guide Service	504/872-3788
	Big J's Tour	504/851-4110
	Guide Service	504/758-1747
	Coup Platte Hunting &	504/868-7940
	Fishing Camp	504/868-7865
	4-Seasons	504/563-2294
	King's Guide Service	504/876-6957
	Lil Ross Charter Service	504/876-7250
		504/876-6690
	Ragin' Cajun	504/563-4391
	Guide Service	504/563-4694
	Schouest Charter Service	504/851-0455
		504/879-1017
Jennings	Skipper's Guiding Service	318/824-4007
		318/824-4422
Lake Charles	Big Lake Guide Service	318/598-3268
Larose	Dennis Sanders	504/632-7184
Many	Dennis Lee, Fishing Guide	318/645-6870
	G.P. Sanders	318/645-6393
	Mike's Guide Service	318/645-6047
Marrero	Phil's Saltwater Guide Service	504/348-3264
Metairie	Southern Safaries, Inc.	504/833-2956
		800/966-4868
Monroe	Doug Letsinger Marine	318/388-5790
New Iberia	Clay's Fishing Service	318/364-1405
		318/364-7141
	Gator Guide Service, Frank Dean	318/365-6400
	Gerard Barrilleaux	318/364-7141
		318/364-1405
New Orleans	Wetlands Guides & Outfitters	504/581-3768
Noble	Holly Point Landing Guide Service	318/567-3244
Port Fourchon	Charlie Hardison & Sons	504/396-2442
Raceland	Pete's Fishing Guide	504/537-3263
	Richard Cantrelle	504/537-6073
Slidell	Dr. Paul Wagner's Honey Island Swamp Tours	504/641-1769
Vidalia	Eddie Roberts	318/336-9750
West Monroe	Ross Cagle	318/387-7239
Zwolle	Toledo Bend Guide Service	318/645-4415