

**U.S. DEPARTMENT OF COMMERCE
National Technical Information Service**

PB-265 004

**Algal Nutrient Availability and Limitation in
Lake Ontario during IFYGL. Appendices to Part III.
Algal Nutrient Limitation in Lake Ontario during IFYGL**

Texas Univ. at Dallas, Richardson. Ctr for Environmental Studies

Prepared for

Environmental Research Lab, Duluth, Minn.

Mar 77

ALGAL NUTRIENT AVAILABILITY AND LIMITATION
IN LAKE ONTARIO DURING IFYGL

Appendices to

Part III. Algal Nutrient Limitation in
Lake Ontario During IFYGL.

by

Nagalaxmi Sridharan
and
G. Fred Lee

University of Texas at Dallas
Richardson, Texas 75080

Contract No. R-800537-02

Project Officer

Nelson Thomas
Large Lakes Research Station
Environmental Research Laboratory-Duluth
Grosse Ile, Michigan 48138

ENVIRONMENTAL RESEARCH LABORATORY-DULUTH
OFFICE OF RESEARCH AND DEVELOPMENT
U.S. ENVIRONMENTAL PROTECTION AGENCY
DULUTH, MINNESOTA 55804

TECHNICAL REPORT DATA
(Please read Instructions on the reverse before completing)

1. REPORT NO. EPA-600/3-77-046b		2.	3. RECIPIENT'S ACCESSION NO.	
4. TITLE AND SUBTITLE ALGAL NUTRIENT AVAILABILITY AND LIMITATION IN LAKE ONTARIO DURING IFYGL. Appendices to Part III: Algal Nutrient Limitation in Lake Ontario During IFYGL			5. REPORT DATE March 1977 issuing date	
7. AUTHOR(S) Nagalaxmi Sridharan* and G. Fred Lee			6. PERFORMING ORGANIZATION CODE	
9. PERFORMING ORGANIZATION NAME AND ADDRESS Center for Environmental Studies University of Texas at Dallas Richardson TX 75080			8. PERFORMING ORGANIZATION REPORT NO.	
12. SPONSORING AGENCY NAME AND ADDRESS Environmental Research Laboratory-Duluth Office of Research and Development U.S. Environmental Protection Agency Duluth MN 55804			10. PROGRAM ELEMENT NO. 1BA608	
			11. CONTRACT/GRANT NO. Contract R-800537-02	
15. SUPPLEMENTARY NOTES *University of Wisconsin, Madison WI 53706			13. TYPE OF REPORT AND PERIOD COVERED Final	
16. ABSTRACT <p>This study was conducted on the potential significance of nitrogen, phosphorus and micronutrients in limiting planktonic algal growth in Lake Ontario and its major tributaries. Standard algal assay procedures were used. Samples of the open waters of Lake Ontario and Niagara River waters collected during the spring showed phosphorus limitation. By late summer these waters showed both nitrogen and phosphorus limitation. Genesee and Oswego Rivers showed, in general, nitrogen limitation. Samples of the Black River waters showed both nitrogen and phosphorus limitation.</p> <p>This portion of the report includes the appendices for Part III of this study published separately by the Environmental Protection Agency. Appendices include (1) algal bioassays for Lake Ontario water; (2) algal bioassays for Niagara River waters; (3) algal bioassays for Genesee River waters; (4) algal bioassays for Oswego River waters; and (5) algal bioassays for Black River waters.</p>			14. SPONSORING AGENCY CODE EPA/600/03	
17. KEY WORDS AND DOCUMENT ANALYSIS				
a. DESCRIPTORS Nitrogen Phosphorus Plankton Nutrients		b. IDENTIFIERS/OPEN ENDED TERMS Lake Ontario		c. COSATI Field/Group 06C, F 08H
18. DISTRIBUTION STATEMENT RELEASE TO PUBLIC		19. SECURITY CLASS (This Report) UNCLASSIFIED		
		20. SECURITY CLASS (This page) UNCLASSIFIED		22. PRICE PC A05-MFA01

DISCLAIMER

This report has been reviewed by the Environmental Research Laboratory, U.S. Environmental Protection Agency, and approved for publication. Approval does not signify that the contents necessarily reflect the views and policies of the U.S. Environmental Protection Agency, nor does mention of trade names or commercial products constitute endorsement or recommendation for use.

CONTENTS

<u>Appendix</u>		<u>Page</u>
A	Algal Bioassays for Lake Ontario Water	1
B	Algal Bioassays for Niagara River Waters	35
C	Algal Bioassays for Genesee River Waters	50
D	Algal Bioassays for Oswego River Waters	59
E	Algal Bioassays for Black River Waters	75

APPENDIX A

<u>Table</u>		<u>Page</u>
A.1	Algal Bioassays, Lake Ontario Water, Sample No. 3, Station No. 10, Collected June 26, 1972	3
A.2	AAP Bioassay, Lake Ontario Water, Station No. 10, Collected March 5, 1973	6
A.3	AAP Bioassay, Lake Ontario Water, Station No. 10, Collected April 1, 1973	7
A.4	AAP Bioassay, Lake Ontario Water, Station No. 10, Collected May 2, 1973	8
A.5	AAP Bioassay, Lake Ontario Water, Station No. 10, Collected June 15, 1973	9
A.6	AAP Bioassay, Lake Ontario Water, Station No. 10, Collected August 24, 1972	11
A.7	AAP Test, Lake Ontario Water, Station No. 64, Collected August 23, 1972	13
A.8	AAP Bioassay, Lake Ontario Water, Station No. 75, Collected July 19, 1972	15
A.9	AAP Bioassay, Lake Ontario Water, Station No. 75, Collected March 5, 1973	17
A.10	AAP Bioassay, Lake Ontario Water, Station No. 75, Collected April 1, 1973	18
A.11	AAP Bioassay, Lake Ontario Water, Station No. 75, Collected May 2, 1973	19
A.12	AAP Bioassay, Lake Ontario Water, Station No. 75, Collected June 15, 1973	20
A.13	AAP Bioassay, Lake Ontario Water, Station No. 45, Collected March 5, 1973	22
A.14	AAP Bioassay, Lake Ontario Water, Station No. 45, Collected April 1, 1973	23

<u>Table</u>		<u>Page</u>
A.15	AAP Bioassay, Lake Ontario Water, Station No. 45, Collected May 2, 1973	24
A.16	AAP Bioassay, Lake Ontario Water, Station No. 45, Collected June 15, 1973	25
A.17	PAAP Bioassay, Lake Water near Niagara River No. 19, Collected August 2, 1972	27
A.18	AAP Bioassay, Lake Ontario Water, Sample No. 7 near Niagara River, Collected July 23, 1972	28
A.19	AAP Bioassay, Lake Ontario Water, Sample No. 9 off Rochester Beach, Collected July 19, 1972	30
A.20	AAP Bioassay, Lake Ontario Water, Sample No. 17, near Genesee, Collected August 2, 1972	32
A.21	AAP Test, Lake Ontario Water, Sample No. 20, near Toronto, Collected August 14, 1972	33

Table A.1. ALGAL BIOASSAY, LAKE ONTARIO WATER

SAMPLE No. 3, STATION No. 10

Collected June 26, 1972

CONTENTS	DAYS				
	8	12	14	16	19
Absorbance at 750 nm, 10 cm cell					
Lake Water	0.019	0.025	0.025	-	
	0.032	0.035	0.042	-	
	0.033	0.040	0.051	-	
	0.022	-	-	-	
	0.024	-	-	-	
	0.021	-	0.028	-	
	0.024	-	0.021	-	
	0.031	-	-	-	
	0.033	-	-	-	
	0.027	-	-	-	
Lake Water + 100 P*	0.027	0.099	0.080	0.108	0.093
	0.040	0.055	0.114	0.146	0.128
	0.028	0.108	0.071	0.104	0.093
	0.078	0.092	0.113	0.138	0.120
	0.042	0.056	0.083	0.127	0.104
Lake Water + 1000 N*	0.016	0.050	0.029	-	
	0.018	0.050	0.027	-	
	0.024	0.050	0.027	-	
	0.030	0.058	-	-	
	0.027	0.064	-	-	

* P, N refer to 100 µg P/l, 1000 µg N/l

- No analysis made

Table A.1. (continued)

CONTENTS	DAYS						
	5	8	12	14	16	19	
Lake Water + 100 P + 1000 N		0.027	0.087	0.107	-		
		0.041	0.115	0.113	-		
		0.040	0.101	0.087	-		
		0.061	0.140	0.131	-		
		0.048	0.108	0.100	-		
NAAM-P		0	0.018	-	-		
		0	0.018	-	-		
		0	-	-	-		
		0	-	-	-		
		0	-	-	-		
NAAM-P + 100 P		0.096	0.403	0.575	0.618	0.667	0.560
		0.124	0.466	0.710	0.692	0.762	0.690
		0.121	0.480	0.710	0.661	0.738	0.635
		0.011	0.010	-	-	-	-
		0.018	0.006	-	-	-	-
NAAM-N		-	0.006	0.086	-	-	-
		-	0.003	0.028	-	-	-
		-	0.007	-	-	-	-
		-	0.007	0.023	-	-	-
		-	0.004	0.029	-	-	-
NAAM-N + 1000 N		0.264	0.397	0.440	0.470	0.548	0.461
		0.275	0.423	0.430	0.470	0.546	0.459
		0.318	0.422	0.412	0.478	0.528	0.495
		0.238	0.391	0.405	0.471	0.552	-
		0.020	0.011	-	-	-	-

- No analysis made

Table A.1. (continued)

CONTENTS	DAYS					
	5	8	12	14	16	19
Lake Water +	0.059	0.058	0.075	0.082	-	-
1000 N +	0.039	0.058	0.066	0.054	-	-
micronutrient	0.067	0.066	0.070	0.057	-	-
	0.069	0.067	-	-	-	-
	0.072	0.068	-	-	-	-

- No analysis made

Table A.2. AAP BIOASSAY, LAKE ONTARIO WATER

STATION NO. 10

Collected March 5, 1973

CONTENTS	Absorbance at 750 nm, 10 cm cell			
	8	12	15	18
Lake Water No. 10	0.025	0.045	0.058	0.055
	-	0.112	0.128	0.145
	-	0.030	0.045	-
Lake Water + 100 P	0.065	0.162	0.160	0.188
	0.075	0.150	0.178	0.175
	0.064	0.132	0.190	0.150
Lake Water + 1000 N	-	0.052	0.084	0.080
	-	0.040	0.048	-
	-	0.075	0.066	0.065
Lake Water + 100 P + 1000 N	0.190	0.430	0.488	0.482
	0.290	0.480	0.548	0.548
	0.200	-	-	-
Lake Water + 1000 N + micro	-	0.050	0.050	-
	-	0.055	-	-
	-	0.038	-	-
Lake Water + 100 P + 1000 N + micro	-	0.385	0.436	0.480
	-	0.370	0.428	0.480

- No analysis made

Table A.3. AAP BIOASSAY, LAKE ONTARIO WATER
 STATION No. 10
 Collected April 1, 1973

CONTENTS	DAYS		
	7	15	17
	Absorbance at 750 nm, 10 cm cell		
Lake Water No. 10	0.035	0.058	0.063
	0.028	0.057	0.057
	0.048	0.046	0.043
Lake Water + 100 P	0.053	0.138	0.145
	0.112	0.159	0.172
	0.100	0.167	0.181
Lake Water + 1000 N	0.055	0.083	0.087
	0.043	0.047	0.047
	0.069	0.082	0.085
Lake Water + 100 P + 1000 N	0.098	0.159	0.180
	0.054	0.161	0.177
	0.097	0.147	0.157
Lake Water + micro	--	--	--
	--	--	--
	--	--	--
Lake Water + 1000 N + micro	0.065	0.088	0.095
	0.060	0.075	0.079
	0.062	0.067	0.073
Lake Water + 100 P + 1000 N + micro	0.320	0.467	0.515
	0.335	0.463	0.494
	0.363	0.474	0.527

-- The treatment was not included

Table A.4. AAP BIOASSAY, LAKE ONTARIO WATER

STATION NO. 10

Collected May 2, 1973

CONTENTS	DAYS			
	11	13	18	21
	Absorbance at 750 nm, 10 cm cell			
Lake Water No. 10	0.105	0.129	0.140	0.155
	0.025	0.057	0.103	0.108
	0.118	0.145	0.170	0.185
Lake Water + 100 P	0.162	0.192	0.208	0.220
	0.161	0.186	0.208	0.220
	0.140	0.167	0.195	0.210
Lake Water + 1000 N	0.110	0.130	0.158	0.173
	0.119	0.136	0.151	0.163
	0.100	0.116	0.134	0.143
Lake Water + 100 P + 1000 N	0.305	0.395	0.530	0.532
	0.290	0.368	0.475	0.500
	0.239	0.302	0.405	0.448
Lake Water + micro	--	--	--	--
	--	--	--	--
	--	--	--	--
Lake Water + 1000 N + micro	0.176	0.195	0.225	0.243
	0.184	0.200	0.208	0.213
	0.209	0.226	0.236	0.240
Lake Water + 100 P + 1000 N + micro	0.494	0.571	0.628	0.610
	0.492	0.575	0.628	--
	0.453	0.550	0.580	0.595

-- The treatment was not included

Table A.5. AAP BIOASSAY, LAKE ONTARIO WATER

STATION No. 10

Collected June 15, 1973

CONTENTS	DAYS		
	9	11	14
Absorbance at 750 nm, 10 cm cell			
Lake Water No. 10	0.003	0.001	0.002
	0.002	0.001	0.002
	-	-	-
Lake Water + 25 P	0.107	0.110	0.118
	0.119	0.116	0.136
	0.080	0.085	0.098
Lake Water + 100 P	0.134	0.124	0.144
	0.127	0.124	0.143
	0.118	0.115	0.135
Lake Water + 250 N	0.009	0.014	0.022
	-	-	-
	-	-	-
Lake Water + 1000 N	0.001	0.004	-
	-	0.003	0.000
	-	-	-
Lake Water + 25 P + 250 N	0.154	0.180	0.216
	0.131	0.148	0.206
	0.116	0.139	0.167
Lake Water + 100 P + 1000 N	0.215	0.252	0.360
	0.199	0.230	0.370
	-	-	-

- No analysis made

Table A.5. (continued)

CONTENTS	DAYS		
	9	11	14
Lake Water + 1000 N + micro	0.011	0.017	0.023
	0.001	0.004	0.024
	-	-	-
Lake Water + 100 P + 1000 N + micro	--	--	--
	--	--	--

- No analysis made

-- The treatment was not included

Table A.6. AAP BIOASSAY, LAKE ONTARIO WATER

STATION No. 93

Collected August 24, 1972

CONTENTS	DAYS		
	7	11	18
Absorbance at 750 nm, 10 cm cell			
Lake Water No. 93	0.025	0.030	0.040
	0.020	0.033	0.048
	0.015	0.025	0.025
Lake Water + 100 P	0.051	0.065	0.070
	0.049	0.058	0.060
	0.027	0.048	0.060
Lake Water + 1000 N	0.016	-	-
	-	0.023	-
	0.032	0.037	0.045
Lake Water + 100 P + 1000 N	0.064	0.199	0.250
	0.200	0.170	0.275
	0.122	0.266	0.292
Lake Water + micro	0.011	0.018	0.030
	0.012	0.019	0.025
	0.019	0.025	0.033
Lake Water + 1000 N + micro	0.014	0.016	0.021
	0.019	0.017	0.020
	0.000	0.000	0.000
NAAM-P	0.000	0.000	-
	-	0.000	-
	-	0.000	-

- No analysis made

Table A.6. (continued)

CONTENTS	DAYS		
	7	11	18
NAAM-P + 100 P	0.026	0.236	0.230
	0.023	0.213	0.412
	-	-	-
NAAM-N	0.007	0.062	-
	0.078	0.121	-
	0.077	0.111	0.105
NAAM-N + 1000 N	0.115	0.400	0.350
	0.149	0.449	-
	0.142	0.310	0.375

- No analysis made

Table A.7. AAP TEST, LAKE ONTARIO WATER

STATION No. 64

Collected August 23, 1972

CONTENTS	DAYS		
	7	11	18
Absorbance at 750 nm, 10 cm cell			
Lake Water No. 64	0.034	0.043	0.045
	0.027	0.040	0.046
	0.025	0.038	0.040
Lake Water + 100 P	0.038	0.080	0.087
	0.040	0.064	0.075
	0.035	0.057	0.075
Lake Water + 1000 N	0.039	0.048	0.055
	0.024	0.039	0.037
	0.035	0.028	0.028
Lake Water + 100 P + 1000 N	0.095	0.151	0.195
	0.062	0.160	0.215
	0.036	0.099	0.155
Lake Water + micro	0.000	0.003	-
	0.039	0.048	0.053
	0.030	0.038	0.047
Lake Water + 1000 N + micro	0.136	0.172	0.171
	0.038	0.044	0.055
	0.037	0.044	0.053
NAAM-P	0.000	0.000	-
	-	0.000	-
	-	0.000	-

- No analysis made

Table A.7. (continued)

CONTENTS	DAYS		
	7	11	18
NAAM-P + 100 P	0.026	0.226	0.230
	0.023	0.213	0.412
	-	-	-
NAAM-N	0.007	0.062	-
	0.078	0.121	-
	0.077	0.111	0.105
NAAM-N + 100 N	0.115	0.400	0.350
	0.144	0.449	-
	0.142	0.310	0.375

- No analysis made

Table A.8. AAP BIOASSAY, LAKE ONTARIO WATER
 STATION No. 75
 Collected July 19, 1972

CONTENTS	DAYS						
	6	8	10	13	15	17	
	Absorbance at 750 nm, 10 cm cell						
Lake Water No. 1	-	0.025	0.032				
2	0.008	0.025	-				
3	-	0.015	0.010				
Lake Water + 100 P	1	-	0.020	0.020			
2	-	-	-				
3	-	-	-				
Lake Water + 1000 N	1	-	0.013	0.007			
2	-	0.013	-				
3	-	0.013	-				
Lake Water + 100 P + 1000 N	1	0.136	0.255	0.290	0.315	0.385	0.422
2	0.176	0.355	0.420	0.450	0.478	0.495	
3	0.130	0.220	0.-	0.350	0.390	0.412	
Lake Water + micro	1	-	0.025	-			
2	-	0.025	-				
3	-	0.017	-				
Lake Water + 1000 N + micro	1	-	0.017	-			
2	-	-	-				
3	-	-	-				
NAAM-P	1	0.015	0.020	-			
2	-	0.010	-				
3	-	0.007	-				

- No analysis made

Table A.8. (continued)

CONTENTS		DAYS				
		6	8	10	13	15
NAAM-P + 100 P	1	0.250	0.490	0.750	0.850	0.900
	2	0.160	0.375	0.606	0.800	0.850
	3	0.225	0.330	0.550	0.814	0.910
NAAM-N	1	-	-	-	-	-
		-	-	-	-	-
		-	-	-	-	-
NAAM-N + 1000 N	1	0.041	-	-	-	-
	2	-	-	-	-	-
	3	-	0.110	0.224	0.400	0.435

- No analysis made

Table A.9. AAP BIOASSAY, LAKE ONTARIO WATER
 STATION No. 75
 Collected March 5, 1973

CONTENTS	DAYS			
	8	13	15	18
Absorbance at 750 nm, 10 cm cell				
Lake Water No. 75	-	0.020	-	-
	-	-	-	-
	-	-	-	-
Lake Water + 100 P	0.083	0.125	0.155	0.158
	0.095	0.145	0.165	0.170
	-	-	-	-
Lake Water + 1000 N	-	0.020	0.029	-
	-	-	-	-
	-	-	-	-
Lake Water + 100 P + 1000 N	0.140	0.241	0.428	0.500
	0.300	0.325	-	-
	-	-	-	-
Lake Water + 100 P + 1000N + micro	0.062	0.392	0.390	0.405
	0.025	0.382	-	0.420
	0.062	0.450	-	0.535

- No analysis made

Table A.10. AAP BIOASSAY, LAKE ONTARIO WATER

STATION No. 75

Collected April 1, 1973

CONTENTS	DAYS		
	7	15	17
Absorbance at 750 nm, 10 cm cell			
Lake Water No. 75	0.009	0.015	0.016
	0.004	0.007	0.008
	-	0.007	0.007
Lake Water + 100 P	0.013	0.118	0.137
	0.018	0.125	0.140
	0.013	0.115	0.134
Lake Water + 1000 N	0.003	0.008	0.011
	0.001	0.004	0.006
	-	0.003	0.005
Lake Water + 100 P + 1000 N	0.020	0.156	0.195
	0.052	0.201	0.226
	0.031	0.160	0.187
Lake Water + micro	--	--	--
	--	--	--
	--	--	--
Lake Water + 1000 N + micro	0.003	0.007	0.013
	0.003	0.005	0.007
	-	0.005	0.008
Lake Water + 100 P + 1000 N + micro	0.350	0.448	0.500
	0.340	0.475	0.537
	0.348	0.498	0.580

- No analysis made

-- The treatment was not included

Table A.11. AAP BIOASSAY, LAKE ONTARIO WATER

STATION NO. 75

Collected May 2, 1973

CONTENTS	DAYS			
	11	13	18	21
Absorbance at 750 nm, 10 cm cell				
Lake Water No. 75	0.087	0.100	0.110	0.116
	0.147	0.165	0.173	0.180
	0.137	0.150	0.161	0.168
Lake Water + 100 P	0.184	0.207	0.228	0.236
	0.176	0.215	0.225	-
	0.192	0.219	0.232	-
Lake Water + 1000 N	0.129	0.145	0.168	
	0.174	0.187	0.193	
	0.159	0.185	0.182	
Lake Water + 100 P + 1000 N	0.396	0.500	0.562	
	0.221	0.295	0.375	
	0.394	0.371	0.475	
Lake Water + 1000 N + micro	0.119	0.143	0.170	
	0.145	0.161	0.166	
	0.038	0.046	0.050	
Lake Water + 100 P + 1000 N + micro	0.500	0.600	0.615	
	0.510	0.610	0.615	
	0.514	0.615	0.638	

- No analysis made

Table A.12. AAP BIOASSAY, LAKE ONTARIO WATER
 STATION No. 75
 Collected June 15, 1973

CONTENTS	DAYS		
	9	11	14
	Absorbance at 750 nm, 10 cm cell		
Lake Water No. 75	0.084	0.096	0.115
	0.094	0.071	0.079
	-	-	-
Lake Water + 25 P	0.117	0.118	0.145
	0.144	0.140	0.158
	0.138	0.128	0.148
Lake Water + 100 P	0.181	0.177	0.200
	0.131	0.135	0.148
	0.132	0.135	0.148
Lake Water + 250 N	0.133	0.133	0.144
	0.072	0.076	0.083
	0.023	0.029	0.045
Lake Water + 1000 N	0.080	0.082	0.088
	0.074	0.077	0.085
	0.100	0.096	0.096
Lake Water + 25 P + 250 N	--	--	--
	--	--	--
	--	--	--
Lake Water + 100 P + 1000 N	--	--	--
	--	--	--
	--	--	--

- No analysis made

-- The treatment was not included

Table A.12. (continued)

CONTENTS	DAYS		
	9	11	14
Lake Water + 1000 N + micro	--	--	--
	--	--	--
	--	--	--
Lake Water + 100 P + 1000 N + micro	0.513	0.525	0.546
	0.529	0.540	0.552
	0.498	0.504	0.584

-- The treatment was not included

Table A.13. AAP BIOASSAY, LAKE ONTARIO WATER

STATION No. 45

Collected March 5, 1973

CONTENTS	DAYS			
	8	13	15	18
Absorbance at 750 nm, 10 cm cell				
Lake Water No. 45	-	0.025	0.041	-
	-	0.025	0.030	-
	-	-	-	-
Lake Water + 100 P	0.100	0.138	0.160	0.168
	0.088	0.145	0.170	0.175
	0.100	0.180	0.200	0.200
Lake Water + 1000 N	-	0.037	0.045	-
	-	0.037	0.037	-
	-	0.037	-	-
Lake Water + 100 P + 1000 N	0.208	0.310	0.380	0.418
	0.137	0.422	0.500	0.525
	-	0.318	0.360	0.440
Lake Water + 1000 N + micro	-	0.040	0.052	-
	-	0.032	0.032	-
	-	-	-	-
Lake Water + 100 P + 1000 N + micro	0.061	0.470	0.500	0.505
	0.095	0.460	0.518	0.530
	-	0.430	-	-

- No analysis made

Table A.14. AAP BIOASSAY, LAKE ONTARIO WATER

STATION No. 45

Collected April 1, 1973

CONTENTS	DAYS		
	7	15	17
	Absorbance at 750 nm, 10 cm cell		
Lake Water No. 45	0.007	0.022	0.023
	0.007	0.018	0.016
	-	0.016	0.014
Lake Water + 100 P	0.070	0.143	0.154
	0.073	0.145	0.157
	0.058	0.124	0.139
Lake Water + 1000 N	0.012	0.027	0.030
	0.009	0.013	0.015
	-	0.012	0.013
Lake Water + 100 P + 1000 N	0.048	0.173	0.199
	0.053	0.149	0.177
	0.068	0.176	0.216
Lake Water + micro	--	--	--
	--	--	--
	--	--	--
Lake Water + 1000 N + micro	0.013	0.031	0.035
	0.008	0.013	0.017
	-	0.015	0.016
Lake Water + 100 P + 1000 N + micro	0.345	0.500	0.560
	0.363	0.502	0.553
	0.363	0.509	0.561

-- The treatment was not included

- No analysis made

Table A.15. AAP BIOASSAY, LAKE ONTARIO WATER

STATION No. 45

Collected May 2, 1973

CONTENTS	DAYS			
	11	13	18	21
	Absorbance at 750 nm, 10 cm cell			
Lake Water No. 45	0.095	0.113	0.130	0.135
	0.119	0.125	0.126	0.125
	0.119	0.132	0.143	0.150
Lake Water + 100 P	0.155	0.173	0.200	0.208
	0.138	0.160	0.200	0.208
	0.165	0.186	0.209	-
Lake Water + 1000 N	0.103	0.111	0.140	0.144
	0.065	0.069	0.080	0.080
	0.112	0.120	0.124	0.133
Lake Water + 100 P + 1000 N	0.228	0.287	0.382	0.420
	0.373	0.465	0.535	0.545
	0.145	0.196	0.281	0.325
Lake Water + micro	--	--	--	--
	--	--	--	--
	--	--	--	--
Lake Water + 1000 N + micro	0.070	0.087	0.120	0.125
	0.109	0.119	0.128	0.134
	0.112	0.120	0.128	0.141
Lake Water + 100 P + 1000 N + micro	0.445	0.545	0.570	0.570
	0.405	0.495	0.545	0.560
	0.455	0.532	0.588	0.595

-- The treatment was not included

- No analysis made

Table A.16. AAP BIOASSAY, LAKE ONTARIO WATER

STATION No. 45

Collected June 15, 1973

CONTENTS	DAYS		
	9	11	14
	Absorbance at 750 nm, 10 cm cell		
Lake Water No. 45	0.024	0.036	0.094
	0.006	0.004	0.004
	-	-	-
Lake Water + 25 P	0.148	0.145	0.154
	0.128	0.128	0.144
	0.137	0.135	0.152
Lake Water + 100 P	0.156	0.164	0.172
	0.195	0.204	0.213
	0.155	0.163	0.171
Lake Water + 250 N	0.114	0.043	0.073
	0.114	0.017	0.015
	0.116	0.017	0.018
Lake Water + 1000 N	0.116	0.014	0.023
	0.198	0.234	0.276
	0.114	0.137	0.165
Lake Water + 25 P + 250 N	--	--	--
	--	--	--
	--	--	--
Lake Water + 100 P + 1000 N	0.226	0.233	0.350
	0.219	0.248	0.380
	0.172	0.213	0.365

-- The treatment was not included

- No analysis made

Table A.16. (continued)

CONTENTS	DAYS		
	9	11	14
Lake Water +	--	--	--
1000 N + micro	--	--	--
	--	--	--
Lake Water +	0.502	0.508	0.550
100 P + 1000 N +	0.538	0.558	0.570
micro	0.518	0.528	0.576

-- The treatment was not included

Table A.17. PAAP BIOASSAY

LAKE WATER NEAR NIAGARA RIVER No. 19

Collected August 2, 1972

CONTENTS	DAYS				
	6	8	10	17	20
Absorbance at 750 nm, 10 cm cell					
Lake Water No. 19	0.010	-	-	-	-
	-	-	-	-	-
	-	-	-	-	-
Lake Water + 100 P	0.061	0.095	0.080	0.170	0.196
	-	-	0.080	0.108	0.125
	-	-	0.065	0.097	0.112
Lake Water + 1000 N	0.018	-	-	-	-
	-	-	-	-	-
	-	-	-	-	-
Lake Water + 100 P + 1000 N	0.120	0.193	0.208	0.365	0.413
	0.099	0.250	0.252	0.450	0.485
	0.121	-	0.192	0.336	0.376
Lake Water + micro	--	--	--	--	--
	--	--	--	--	--
	--	--	--	--	--
Lake Water + 1000 N + micro	0.021	-	-	-	-
	-	-	-	-	-
	-	-	-	-	-
Lake Water + 100 P + 1000 N + micro	0.346	0.442	0.430	0.498	0.518
	0.287	0.417	0.411	0.508	0.530
	0.343	-	0.389	0.493	0.521

-- The treatment was not included

- No analysis made

Table A.18. AAP BIOASSAY, LAKE ONTARIO WATER
 SAMPLE No. 7 NEAR NIAGARA RIVER
 Collected July 23, 1972

CONTENTS	DAYS					
	7	10	12	14	17	19
Absorbance at 750 nm, 10 cm cell						
Lake Water No. 1	0.015	0.010	0.025	0.030		
No. 2	0.015	-	0.020	-		
No. 3	0.015	-	-	-		
Lake Water + 100 P						
1	0.075	-	0.095	0.110		
2	0.085	0.095	0.095	0.117		
3	0.050	-	-	-		
Lake Water + 1000 N						
1	0.010	-	0.025	0.025		
2	0.015	0.010	-	-		
3	0.012	-	-	-		
Lake Water + 100 P + 1000 N						
1	0.130	0.152	0.235	0.300	0.387	0.385
2	0.105	0.142	0.185	0.290	0.385	0.394
3	0.350					
Lake Water + micro						
1	0.030	0.027	0.035	0.035		
2	0.020	-	-	-		
3	0.025	-	-	-		
Lake Water + 1000 N + micro						
1	0.015					
2	0.015	-	-	-		
3	0.015	-	-	-		
NAAM-P						
1	0.017	-	-	-		
2	0.010	-	-	-		
3	-	-	-	-		

- No analysis made

Table A.18. (continued)

CONTENTS		DAYS			
		7	10	12	14
NAAM-P + 100 P	1	0.040	-	0.087	0.113
	2	0.063	0.108	0.142	0.157
	3	0.255	0.518	0.532	0.510
NAAM-N	1	0.020	-	-	-
	2	0.012	0.012	-	-
	3	0.042	0.040	0.062	-
NAAM-N + 1000 N	1	0.152	0.435	0.400	-
	2	0.280	0.438	0.422	0.500
	3	0.235	0.400	0.410	0.500

- No analysis made

Table A.19. AAP BIOASSAY, LAKE ONTARIO WATER
 SAMPLE No. 9, OFF ROCHESTER BEACH
 Collected July 19, 1972

CONTENTS	DAYS						
	6	8	10	13	15	17	19
	Absorbance at 750 nm, 10 cm cell						
Lake Water No. 9	0.088	0.145	0.170	0.195	0.225	0.232	
	0.078	-	-	0.166	0.200	0.205	
	0.045	0.120	0.190	0.225	0.270	0.266	
Lake Water + 100 P	0.145	0.185	0.225	0.232	-	-	
	0.155	0.185	0.205	0.217	-	-	
	0.140	0.185	0.210	0.217	-	-	
Lake Water + 1000 N	0.090	0.132	0.190	0.252	0.282	0.292	
	0.100	0.192	0.270	0.280	0.335	0.270	
	0.090	0.130	0.192	0.236	0.270	0.255	
Lake Water + 100 P + 1000 N	0.120	0.175	0.237	0.335	0.370	0.430	0.440
	0.175	0.275	0.340	0.410	0.455	0.490	0.475
	0.185	0.290	0.370	0.435	0.500	0.520	0.495
Lake Water + micro	0.210	0.235	0.245	0.250			
	0.200	0.225	0.235	0.245			
	0.185	0.205	0.230	0.240			
Lake Water + 1000 N + micro	0.355	0.430	0.435	0.415			
	0.327	0.400	0.434	0.433			
	0.355	0.415	0.457	0.445			
NAAM-P	0.015	0.020	-	-			
	-	0.010	-	-			
	-	0.007	-	-			

- No analysis made

Table A.19. (continued)

CONTENTS	DAYS					
	6	8	10	13	15	17
NAAM-P + 100 P	0.250	0.490	0.750	0.850	0.900	
	0.160	0.375	0.606	0.800	0.850	
	0.225	0.330	0.550	0.814	0.910	
NAAM-N	-	-	-			
	-	-	-			
	-	-	-			
NAAM-N + 1000 N	0.041	-	-			
	-	-	-			
	-	0.110	0.227	0.400	0.435	0.440

- No analysis made

Table A.20. AAP BIOASSAY, LAKE ONTARIO WATER
 SAMPLE No. 17, NEAR GENESEE
 Collected August 2, 1972

CONTENTS	DAYS					
	6	8	10	17	20	22
	Absorbance at 750 nm, 10 cm cell					
Lake Water No. 17	-	0.030	-	0.060	0.086	-
	-	0.048	0.040	0.100	0.115	-
	-	-	0.035	0.083	0.097	-
Lake Water + 100 P	-	0.122	0.110	0.175	0.189	-
	-	0.108	-	0.155	0.169	-
	-	-	0.087	0.152	0.162	-
Lake Water + 1000 N	-	0.055	0.042	0.110	0.135	-
	-	0.042	-	0.043	0.061	-
	-	-	0.030	0.065	0.085	-
Lake Water + 100 P + 1000 N	0.092	0.161	0.152	0.334	0.379	0.409
	-	0.105	0.089	0.262	0.300	0.330
	0.076	0.092	0.093	0.275	0.321	0.350
Lake Water + micro + 100 P + 1000 N	0.265	-	-	-	-	-
	0.339	0.710	0.756	1.088	1.068	-
	0.318	0.120	-	0.886	0.996	1.160
Lake Water + 1000 N + micro	0.144	0.206	0.190	0.270	0.294	0.310
	0.145	0.159	0.141	0.230	0.252	0.270
	0.134	0.176	0.134	0.212	0.231	0.240

- No analysis made

Table A.21. AAP TEST, LAKE ONTARIO WATER
 SAMPLE No. 20, NEAR TORONTO
 Collected August 14, 1972

CONTENTS	DAYS			
	7	9	11	13
	Absorbance at 750 nm, 10 cm cell			
Lake Water No. 20	0.003	0.010	0.003	0.002
	0.001	0.012	0.003	0.001
	0.000	0.012	-	0.002
Lake Water + 100 P	0.052	0.080	0.085	0.107
	0.050	0.078	0.086	0.105
	0.096	0.088	0.096	0.118
Lake Water + 1000 N	0.005	0.012	0.006	0.017
	0.000	0.012	0.005	0.003
	0.000	0.012	-	0.003
Lake Water + 100 P + 1000 N	0.031	0.067	0.099	0.124
	0.077	0.132	0.138	0.232
	0.030	0.110	0.092	0.172
Lake Water + micro	0.010	0.025	0.029	0.034
	0.008	0.020	-	0.017
	0.006	0.018	0.009	0.008
Lake Water + 1000 N + micro	0.000	0.010	0.000	-
	0.005	0.018	0.009	0.007
	0.005	0.018	0.009	0.007
Lake Water + 100 P + 1000 N + micro	0.185	0.315	0.395	0.470
	0.200	0.325	0.385	0.450
	0.209	0.325	0.402	0.462

- No analysis made

Table A.21. (continued)

CONTENTS	DAYS			
	7	9	11	13
NAAM-P	0.000	0.005	-	-
	0.000	-	-	0.000
	-	-	-	-
NAAM-N	-	-	-	0.026
	-	-	-	0.000
	-	-	-	0.018
NAAM-N + 1000 N	0.010	0.060	0.180	0.385
	0.017	0.083	0.225	0.416
	0.012	0.083	0.222	0.408

- No analysis made

APPENDIX B

<u>Table</u>		<u>Page</u>
B.1	AAP Bioassay, Niagara River Water, Sample No. 6, Collected July 10, 1972	36
B.2	AAP Bioassay, Niagara River, Sample No. 18, Collected August 2, 1972	38
B.3	AAP Test, Niagara River, Sample No. 27, Collected February 26, 1973	39
B.4	AAP Test, Niagara River, Sample No. 33 - pH 8.6, Collected March 28, 1973	40
B.5	AAP Test, Niagara River, Sample No. 41, Collected April 30, 1973	41
B.6	Algal Assay, Niagara River (at Fort Niagara), Sample No. 50, pH After Auto- claving 8.7, Collected May 27, 1973	42
B.7	AAP Algal Assay, Niagara River (at Fort Niagara), Sample No. 56, Collected June 15, 1973	43
B.8	AAP Test, Niagara River (Beaver Island), Sample No. 32 - pH 8.7, Collected March 28, 1973	45
B.9	AAP Test, Niagara River, Sample No. 40, Collected April 30, 1973	46
B.10	Algal Assay, Niagara River (Beaver Island), Sample No. 49, pH After Auto- claving 8.0, Collected May 27, 1973	47
B.11	Algal Assay, Niagara River (Beaver Island), Sample No. 57, Collected June 15 1973	48

Table B.1. AAP BIOASSAY, NIAGARA RIVER WATER

SAMPLE No. 6

Collected July 10, 1972

CONTENTS	DAYS					
	7	10	12	14	17	19
	Absorbance at 750 nm, 10 cm cell					
River Water No. 6	0.010					
	0.015	-				
	0.010					
River Water + 100 P	0.065	0.070	0.092	0.105	0.143	0.152
	0.080	0.080	0.144	0.114	0.142	0.157
	0.080	-	0.110	-	-	-
River Water + 1000 N	0.015	-	-	-	-	-
	0.015	-	0.023	-	-	-
	0.020	-	-	-	-	-
River Water + 100 P + 100 N	0.045	-	0.122	-	-	-
	0.125	0.210	0.265	0.295	0.600	0.640
	0.115	0.357	0.437	0.465	0.434	0.364
River Water + micro	0.015	0.025	0.027			
	0.010	-	-			
	0.007	-	-			
River Water + 1000 N + micro	0.015	0.015	0.015			
	0.010	-	-			
	0.017	-	-			
NAAM-P	0.017	-	-			
	-	-	-			
	0.010	0.015	0.007			
NAAM-P + LOOP	0.040	-	0.087	0.113		
	0.063	0.108	0.142	0.157		
	0.235	0.318	0.532	0.510		

- No analysis made

Table B.1. (continued)

CONTENTS	DAYS					
	7	10	12	14	17	19
NAAM-N	0.000	-	-			
	0.012	0.012	-			
	0.042	0.042	0.062			
NAAM-N + 1000N	0.152	0.435	0.400	0.500		
	0.280	0.438	0.422	0.500		
	0.235	0.4	0.410	0.500		

- No analysis made

Table B.2. AAP BIOASSAY, NIAGARA RIVER
 SAMPLE No. 18
 Collected August 2, 1972

CONTENTS	DAYS				
	5	8	10	17	20
	Absorbance at 750 nm, 10 cm cell				
River Water No. 18	-	-	0.006	0.000	-
	-	-	-	-	-
	0.011	0.016	0.000	-	-
River Water + 100 P	-	-	0.068	-	-
	-	-	0.070	-	-
	0.084	0.096	0.080	0.146	0.163
River Water + 1000 N	0.013	0.013	0.007	0.025	0.035
	-	-	0.000	-	-
	-	-	-	-	-
River Water + 100 P + 1000 N	0.123	0.171	0.184	0.330	0.381
	0.109	-	0.125	0.326	0.377
	-	-	-	0.142	0.235
River Water + 1000 N + micro	0.024	-	-	-	-
	-	-	-	-	-
	-	-	-	-	-
River Water + 100 P + 1000 N + micro	0.372	-	-	-	-
	0.356	-	-	-	-
	0.315	0.455	0.450	0.558	0.568

- No analysis made

Table B.3. AAP TEST, NIAGARA RIVER

SAMPLE No. 27

Collected February 26, 1973

CONTENTS	DAYS				
	8	12	14	16	19
	Absorbance at 750 nm, 10 cm cell				
River Water No. 27	0.000	0.000	0.000	-	-
	-	-	-	-	-
	-	-	-	-	-
River Water + 100 P	0.205	0.230	0.230	0.250	0.275
	0.205	0.268	0.250	0.268	0.275
	0.205	0.233	0.235	0.245	0.265
River Water + 1000 N	0.005	-	-	-	-
	0.005	-	-	-	-
	-	-	-	-	-
River Water + 100 P + 1000 N + micro	-	0.300	0.495	0.575	0.650
	-	0.340	0.550	0.630	0.680
	-	0.313	0.490	0.530	0.590
NAAM-P	0.000	-	-	-	-
	-	-	-	-	-
	0.000	-	-	-	-
NAAM-P + P	0.332	0.575	0.590	0.600	0.630
	0.313	0.560	0.570	0.570	0.600
	0.245	0.375	0.450	0.535	0.570

- No analysis made

Table B.4. AAP TEST, NIAGARA RIVER

SAMPLE No. 33 - pH 8.6

Collected March 28, 1973

CONTENTS	DAYS					
	9	13	15	17	20	23
	Absorbance at 750 nm, 10 cm cell					
River Water No. 33	0.060	0.063	0.075	-	-	-
	0.050	0.049	0.055	-	-	-
	-	-	0.045	-	-	-
River Water + 100 P	0.100	0.129	0.150	0.164	0.191	0.195
	0.088	0.114	0.135	0.146	0.163	0.183
	0.144	0.168	0.182	0.192	0.200	0.225
River Water + 1000 N	-	0.044	0.050	-	-	-
	0.050	0.044	-	-	-	-
	0.056	-	-	-	-	-
River Water + 100 P + 1000 N	0.118	0.138	0.157	0.181	0.227	0.245
	0.125	0.136	0.170	0.192	0.235	0.333
	0.175	0.174	0.220	0.251	0.310	0.375
River Water + 1000 N + micro	0.030	0.034	0.040	-	-	-
	0.032	0.026	0.029	-	-	-
	0.043	0.039	-	-	-	-
River Water + 100 P + 1000 N + micro	0.196	0.205	0.210	0.219	-	-
	0.156	0.191	0.194	0.194	-	-
	0.156	0.189	0.194	0.200	-	-

- No analysis made

Table B.5. AAP TEST, NIAGARA RIVER

SAMPLE No. 41

Collected April 30, 1973

CONTENTS	DAYS		
	9	11	15
	Absorbance at 750 nm, 10 cm cell		
River Water No. 41	0.127	0.153	0.183
	0.050	0.065	0.096
	0.008	0.009	-
River Water + 100 P	0.022	0.067	0.180
	0.067	0.112	0.172
	0.083	0.139	0.188
River Water + 1000 N	0.007	0.015	0.046
	0.005	0.007	0.007
	0.005	0.008	-
River Water + 100 P + 1000 N	0.050	0.093	0.164
	0.067	0.116	0.182
	0.090	0.114	0.152
River Water + 1000 N + micro	0.008	0.016	0.045
	0.006	0.007	0.007
	0.005	0.008	-
River Water + 100 P + 1000 N + micro	0.365	0.334	0.485
	0.455	0.550	0.572
	0.408	0.545	0.489

- No analysis made

Table B.6. ALGAL ASSAY, NIAGARA RIVER
(at Fort Niagara)

SAMPLE No. 50

pH after autoclaving 8.7

Collected May 27, 1973

CONTENTS	DAYS		
	9	11	13
	Absorbance at 750 nm, 10 cm cell		
River Water No. 50	0.000	0.013	0.015
	0.000	0.001	0.010
	-	-	0.007
River Water + 100 P	0.260	0.293	-
	0.313	0.337	0.365
	0.258	0.283	0.325
River Water + 1000 N	0.000	0.028	0.052
	-	0.007	0.009
	-	0.007	0.008
River Water + 100 P + 1000 N	0.217	0.267	0.309
	0.180	0.230	0.270
	0.288	0.288	0.380
River Water + 1000 N + micro	0.000	0.007	0.017
	-	0.000	0.007
	-	0.007	-
River Water + 100 P + 1000 N + micro	0.640	0.650	0.690
	0.600	0.630	0.650
	0.640	0.670	0.685

- No analysis made

Table B.7. AAP ALGAL ASSAY, NIAGARA RIVER
(at Fort Niagara)

SAMPLE No. 56

Collected June 15, 1973

CONTENTS	DAYS		
	8	10	13
Absorbance at 750 nm, 10 cm cell			
River Water No. 56	0.050	0.039	0.041
	0.047	0.044	0.039
	0.046	0.045	0.059
River Water + 25 P	0.137	0.138	0.178
	0.157	0.170	0.226
	0.140	0.126	0.140
River Water + 100 P	0.149	0.184	0.246
	0.235	0.271	0.299
	0.164	0.185	0.220
River Water + 250 N	0.055	0.060	0.063
	0.052	0.047	0.041
	0.054	0.043	0.042
River Water + 1000 N	0.056	0.045	0.043
	0.054	0.048	0.046
	0.051	0.039	0.039
River Water + 25 P + 250 N	0.172	0.192	0.224
	0.159	0.174	0.200
	0.173	0.189	0.213
River Water + 100 P + 1000 N	0.136	0.155	0.223
	0.154	0.196	0.380
	0.166	0.189	0.265

Table B.7. (continued)

CONTENTS	DAYS		
	8	10	13
River Water +	0.067	0.073	0.129
1000 N + micro	0.058	0.055	0.055
	0.059	0.054	0.062
River Water +	0.500	0.476	0.491
100 P + 1000 N +	0.554	0.578	0.600
micro	0.416	0.480	0.550

Table B.8. AAP TEST, NIAGARA RIVER
(Beaver Island)

SAMPLE No. 32 - pH 8.7

Collected March 28, 1973

CONTENTS	DAYS					
	9	13	15	17	20	23
	Absorbance at 750 nm, 10 cm cell					
River Water No. 32	0.015	0.013	0.020	-	-	-
	-	0.011	0.010	-	-	-
	-	0.011	0.010	-	-	-
River Water + 100 P	0.125	0.154	0.162	0.168	0.171	-
	0.070	0.094	0.107	0.116	0.121	-
	0.125	0.146	0.158	0.164	0.158	-
River Water + 1000 N	-	0.012	-	-	-	-
	-	0.010	-	-	-	-
	-	0.011	-	-	-	-
River Water + 100 P + 1000 N	0.060	0.106	0.114	0.131	0.197	0.260
	0.146	0.171	0.200	0.227	0.278	0.368
	0.136	0.158	0.175	0.198	0.215	0.276
River Water + 1000 N + micro	0.000	0.009	-	-	-	-
	-	-	-	-	-	-
	-	-	-	-	-	-
River Water + 100 P + 1000 N + micro	-	0.449	0.430	-	-	-
	0.472	0.555	0.575	-	-	-
	-	0.445	0.420	-	-	-

- No analysis made

Table B.9. AAP TEST, NIAGARA RIVER
 SAMPLE No. 40
 Collected April 30, 1973

CONTENTS	DAYS		
	9	11	15
Absorbance at 750 nm, 10 cm cell			
River Water No. 40	0.007	0.009	-
	0.006	0.008	-
	0.007	0.007	-
River Water + 100 P	0.096	0.117	0.150
	0.100	0.125	0.150
	0.088	0.110	0.135
River Water + 1000 N	0.007	0.012	0.041
	0.006	0.007	0.008
	0.006	0.008	0.016
River Water + 100 P + 1000 N	0.158	0.200	0.270
	0.150	0.210	0.270
	0.116	0.160	0.212
River Water + 1000 N + micro	0.007	0.010	0.010
	0.006	0.006	-
	0.007	0.007	-
River Water + 100 P + 1000 N + micro	-	-	-
	0.435	0.512	0.548
	0.450	0.524	0.548

- No analysis made

Table B.10. ALGAL ASSAY, NIAGARA RIVER
(Beaver Island)

SAMPLE No. 49

pH after autoclaving 8.0

Collected May 27, 1973

CONTENTS	DAYS		
	11	13	15
	Absorbance at 750 nm, 10 cm cell		
River Water No. 49	0.094	-	-
	0.006	0.012	0.016
	0.004	0.010	0.007
River Water + 100 P	0.118	0.140	0.193
	0.078	0.160	-
	0.145	0.175	0.223
River Water + 1000 N	0.004	0.015	0.035
	0.000	-	0.004
	0.000	-	-
River Water + 100 P + 1000 N	0.107	0.140	0.196
	0.107	0.165	0.215
	0.146	0.180	0.220
River Water + 1000 N + micro	0.000	0.017	0.030
	-	0.007	-
	-	-	0.007
River Water + 100 P + 1000 N + micro	0.575	0.595	0.625
	0.605	0.595	0.605
	0.575	0.638	0.635

- No analysis made

Table B.11. ALGAL ASSAY, NIAGARA RIVER
(Beaver Island)

SAMPLE No. 57

Collected June 15, 1973

CONTENTS	DAYS		
	8	10	13
	Absorbance at 750 nm, 10 cm cell		
River Water No. 57	0.034	0.035	0.033
	0.050	0.052	0.053
	0.020	0.021	0.023
River Water + 25 P	0.204	0.248	0.288
	0.148	0.191	0.214
	0.196	0.240	0.270
River Water + 100 P	0.177	0.240	0.288
	0.157	0.196	0.247
	0.237	0.256	0.277
River Water + 250 N	0.052	0.063	0.071
	0.030	0.033	0.050
	0.010	0.007	0.007
River Water + 1000 N	0.026	0.023	0.020
	0.031	0.028	0.030
	0.010	0.008	0.012
River Water + 25 P + 250 N	0.160	0.180	0.231
	0.205	0.248	0.306
	0.196	0.221	0.250
River Water + 100 P + 1000 N	0.225	0.229	0.411
	0.175	0.205	0.298
	0.221	0.262	0.311
River Water + 1000 N + micro	0.044	0.069	0.088
	0.028	0.033	0.031
	0.040	0.043	0.044

Table B.11. (continued)

CONTENTS	DAYS		
	8	10	13
River Water +	0.480	0.600	0.640
100 P + 1000 N +	0.522	0.549	0.591
micro	0.642	0.570	0.594

APPENDIX C

<u>Table</u>		<u>Page</u>
C.1	AAP Bioassay, Genesee River, Sample No. 14, Collected July 20, 1972	51
C.2	AAP Bioassay, Genesee River, Sample No. 16, Collected August 2, 1972	53
C.3	AAP Test, Genesee River, Sample No. 34, Collected March 29, 1973	54
C.4	AAP Test, Genesee River, Sample No. 42, Collected April 30, 1973	55
C.5	Algal Assay, Genesee River, Sample No. 51, Collected May 28, 1973	56
C.6	Algal Assay, Genesee River, Sample No. 58, Collected June 16, 1973	57

Table C.1. AAP BIOASSAY, GENESEE RIVER

SAMPLE No. 14

Collected July 20, 1972

CONTENTS	DAYS					
	4	5	6	7	10	11
	Aug.1	Aug.2	Aug.3	Aug.4	Aug.7	Aug.8
	Fluorescence at 30X					
River Water No. 14	63	138	-	-	430	360
	70	123	-	460	540	490
	72	192	320	790	400	390
River Water + 100 P	62	132	260	620	930	960
	58	123	-	510	880	900
	61	126	-	640	930	880
River Water + 1000 N	144	135	-	320	310	240
	198	340	430	520	610	550
	159	220	350	610	860	720
River Water + 100 P + 1000 N	189	330	600	1080	1230	1050
	78	-	-	-	450	270
	93	150	-	650	1350	1140
River Water + 1000 N + micro	129	186	550	1500	2550	2220
	126	330	760	1780	2580	2100
	93	201	-	1290	2700	2400
River Water + micro	156	480	700	1020	960	660
	174	670	770	990	1050	810
	132	440	-	930	930	630
NAAM-P	5	-	-	-	-	-
	4	-	-	-	-	-
	5	-	-	-	-	-
NAAM-P + 100 P	114	190	540	1320	330	-
	90	150	320	960	270	-
	93	150	-	940	250	-

- No analysis made

Table C.1. (continued)

CONTENTS	DAYS					
	4	5	6	7	10	11
	Aug.1	Aug.2	Aug.3	Aug.4	Aug.7	Aug.8
NAAM-N	4	-	-	-	-	-
	-	-	-	-	-	-
	-	-	-	-	-	-

- No analysis made

Table C.2. AAP BIOASSAY, GENESEE RIVER

SAMPLE No. 16

Collected August 2, 1972

CONTENTS	DAYS					
	6	8	10	17	20	22
	Absorbance at 750 nm, 10 cm cell					
River Water No. 16	0.064	0.117	0.187	0.308	0.330	0.341
	0.047	0.076	-	0.299	0.335	0.354
	-	-	0.092	0.245	0.278	0.306
River Water + 100 P	0.045	0.095	-	0.316	0.346	0.365
	0.043	0.100	0.111	0.324	0.372	0.407
	-	-	0.057	0.326	0.365	0.394
River Water + 1000 N	0.043	0.077	-	0.276	0.310	0.345
	-	0.085	0.073	0.296	0.325	0.342
	-	-	0.069	0.220	0.302	0.356
River Water + 100 P + 1000 N	-	0.095	0.131	0.325	0.370	0.397
	-	0.083	-	0.254	0.334	0.375
	-	-	0.144	0.286	0.325	0.344
River Water + 1000 N + micro	0.282	0.530	-	0.768	0.920	1.380
	0.265	0.600	0.706	0.936	0.948	1.440
	0.282	0.592	0.738	1.000	0.116	1.450
River Water + 100 P + 1000 N + micro	0.374	0.900	1.042	1.356	2.240	2.310
	0.324	1.140	-	1.216	1.860	1.750
	0.304	0.632	0.956	1.220	2.200	2.050

- No analysis made

Table C.3. AAP TEST, GENESEE RIVER

SAMPLE No. 34

Collected March 29, 1973

CONTENTS	DAYS					
	9	13	15	17	20	23
	Absorbance at 750 nm, 10 cm cell					
River Water No. 34	0.169	0.230	0.235	0.249	0.290	0.303
	0.221	0.290	0.310	0.318	0.331	0.343
	0.205	0.269	0.275	0.291	0.309	0.333
River Water + 100 P	0.288	0.450	0.480	0.498	0.541	0.572
	0.333	0.457	0.485	0.514	0.541	0.572
	0.285	0.428	0.450	0.478	0.546	0.552
River Water + 1000 N	0.181	0.246	0.252	0.264	0.289	0.303
	0.230	0.297	0.300	0.307	0.319	0.322
	0.245	0.306	0.308	0.321	0.326	0.338
River Water + 100 P + 1000 N	0.375	0.581	0.620	0.668	0.698	0.730
	0.330	0.453	0.489	0.519	0.560	0.600
	0.336	0.498	0.528	0.559	0.600	0.650
River Water + 1000 N + micro	0.266	0.316	0.325	-	-	-
	0.254	0.306	0.305	-	-	-
	0.263	0.304	0.305	-	-	-
River Water + 100 P + 1000 N + micro	-	0.659	0.685	-	-	-
	0.610	0.764	0.760	-	-	-
	-	0.718	0.745	-	-	-

- No analysis made

Table C.4. AAP TEST, GENESEE RIVER

SAMPLE No. 42

Collected April 30, 1973

CONTENTS	DAYS		
	9	11	15
Absorbance at 750 nm, 10 cm cell			
River Water No. 42	0.190	0.233	0.275
	0.143	0.181	0.225
	0.166	0.244	0.291
River Water + 100 P	0.010	0.020	0.050
	0.155	0.215	0.295
	0.166	0.209	0.275
River Water + 1000 N	0.140	0.200	0.270
	0.123	0.165	0.239
	0.123	0.193	0.295
River Water + 100 P + 1000 N	0.090	0.169	0.239
	0.195	0.325	0.450
	0.120	0.207	0.255
River Water + 1000 N + micro	0.391	0.462	0.448
	0.375	0.450	0.448
	0.347	0.394	0.386
River Water + 100 P + 1000 N + micro	0.464	0.590	0.560
	0.562	0.675	0.700
	0.517	0.620	0.650

Table C.5. ALGAL ASSAY, GENESEE RIVER

SAMPLE No. 51

Collected May 28, 1973

CONTENTS	DAYS		
	9	11	13
Absorbance at 750 nm, 10 cm cell			
River Water No. 51	0.113	0.155	0.192
	0.123	0.155	0.170
	0.132	0.157	0.170
River Water + 100 P	0.045	0.065	0.078
	0.077	0.115	0.139
River Water + 1000 N	-	-	-
	0.112	0.137	0.115
River Water + 100 P + 1000 N	0.103	0.143	0.175
	0.113	0.143	0.171
	0.138	0.180	0.208
River Water + 1000 N + micro	0.164	0.200	0.236
	0.680	0.700	0.700
	0.665	0.683	0.700
River Water + 100 P + 1000 N + micro	0.645	0.675	0.650
	0.605	0.610	0.650
	0.650	0.675	0.690
	0.640	0.660	0.610

- No analysis made

Table C.6. ALGAL ASSAY, GENESEE RIVER

SAMPLE No. 58

Collected June 16, 1973

CONTENTS	DAYS		
	9	11	13
Absorbance at 750 nm, 10 cm cell			
River Water No. 58	0.254	0.272	0.323
	0.249	0.263	0.329
	0.284	0.308	0.376
River Water + 25 P	0.213	0.259	0.315
	0.301	0.364	0.420
	0.293	0.349	0.419
River Water + 100 P	0.331	0.401	0.479
	0.356	0.402	0.465
	-	-	-
River Water + 250 N	0.288	0.306	0.357
	0.304	0.311	0.375
	0.318	0.326	0.365
River Water + 1000 N	0.266	0.314	0.391
	0.250	0.297	0.375
	0.456	0.458	0.479
River Water + 25 P + 250 N	0.092	0.156	0.216
	0.240	0.271	0.380
	0.269	0.349	0.414
River Water + 100 P + 1000 N	0.329	0.381	0.432
	0.275	0.340	0.531
	0.294	0.354	0.419

- No analysis made

Table C.6. (continued)

CONTENTS	DAYS		
	9	11	13
River Water + 1000 N + micro	0.461	0.598	0.621
	0.461	0.541	0.601
	0.501	0.559	0.610
River Water + 100 B + 1000 N + micro	0.664	0.682	0.730
	0.684	0.708	0.815
	0.639	0.670	0.720

APPENDIX D

<u>Table</u>		<u>Page</u>
D.1	AAP Bioassay, Oswego River, Sample No. 11, Collected July 18, 1972	60
D.2	AAP Bioassay, Oswego River, Sample No. 28, Collected March 2, 1973	62
D.3	AAP Bioassay, Oswego River, Sample No. 29, Collected March 12, 1973	63
D.4	AAP Bioassay, Oswego River, Sample No. 30, Collected March 20, 1973	64
D.5	AAP Bioassay, Oswego River, Sample No. 31 - pH 8.8, Collected March 28, 1973	65
D.6	AAP Bioassay, Oswego River, Sample No. 35 - pH 8.6, Collected March 29, 1973	66
D.7	AAP Bioassay, Oswego River, Sample No. 43, Collected May 1, 1973	67
D.8	AAP Bioassay, Oswego River, Sample No. 52, Collected May 28, 1973	68
D.9	AAP Bioassay, Oswego River, Sample No. 54, Collected May 31, 1973	69
D.10	AAP Bioassay, Oswego River, Sample No. 55, Collected June 4, 1973	71
D.11	AAP Bioassay, Oswego River, Sample No. 59, Collected June 17, 1973	73

Table D.1. AAP BIOASSAY, OSWEGO RIVER

SAMPLE No. 11

Collected July 18, 1972

CONTENTS	DAYS					
	6	8	10	13	15	17
	Absorbance at 750 nm, 10 cm cell					
River Water No. 11	0.132	0.190	-			
	0.165	0.240	0.232			
	0.193	0.265	0.250			
River Water + 100 P	0.165	0.240	-			
	0.175	0.245	-			
	0.176	0.255	0.250			
River Water + 1000 N	0.190	0.345	-			
	0.182	0.360	-			
	0.255	0.400	0.363			
River Water + 100 P + 1000 N	0.285	0.420	0.450	0.654	0.740	0.630
	0.270	0.432	0.450	-	-	-
	0.287	0.430	0.460	-	-	-
River Water + 1000 N + micro	0.194	0.257	0.282	0.292		
	0.185	0.257	-	-		
	0.212	0.270	0.292	0.307		
River Water + 100 P + 1000 N + micro	0.325	0.435	0.485	0.503		
	0.310	0.425	-	-		
	0.344	0.465	0.490	0.512		
NAAM-P	0.015	0.020	-			
	-	0.010	-			
	-	0.007	-			
NAAM-P + 100 P	0.250	0.490	0.750	0.850	0.900	
	0.160	0.375	0.606	0.800	0.850	
	0.225	0.330	0.550	0.814	0.910	

- No analysis made

Table D.1. (continued)

CONTENTS	DAYS					
	6	8	10	13	15	17
NAAM-N	-	-	-	-	-	-
NAAM-N + 1000 N	0.041	-	-	-	-	-
	-	0.110	0.227	0.400	0.435	

- No analysis made

Table D.2. AAP BIOASSAY, OSWEGO RIVER

SAMPLE No. 28

Collected March 2, 1973

CONTENTS	DAYS				
	8	12	14	16	18
	Absorbance at 750 nm, 10 cm cell				
River Water No. 28	0.285	0.342	0.355	0.370	0.410
	0.285	0.360	0.375	0.408	0.440
	0.260	0.340	0.358	0.380	0.425
River Water + 100 P	0.300	0.400	0.418	0.435	0.480
	0.100	0.233	0.345	0.375	0.450
	0.334	0.400	0.420	0.440	0.475
River Water + 1000 N	0.375	0.475	0.520	0.538	0.590
	0.364	0.420	0.450	0.480	0.520
	0.305	0.360	0.400	0.460	0.500
River Water + 100 P + 1000 N	0.385	0.462	0.490	0.530	0.600
	0.400	0.462	0.510	0.550	0.600
	0.400	0.500	0.550	0.600	0.640
River Water + 1000 N + micro	0.458	0.490	0.518	0.545	0.570
	0.520	0.575	0.600	0.610	0.635
	0.425	0.388	0.470	0.490	0.545
River Water + 100 P + 1000 N + micro	0.460	0.500	0.490	0.460	0.550
	0.500	0.570	0.600	0.610	0.645
	0.500	0.600	0.620	0.630	0.660
NAAM-P	0.000	-	-	-	-
	-	-	-	-	-
	0.000	-	-	-	-
NAAM-P + P	0.332	0.575	0.590	0.600	0.630
	0.313	0.560	0.570	0.570	0.600
	0.245	0.375	0.450	0.535	0.570

- No analysis made

Table D.3. AAP BIOASSAY, OSWEGO RIVER

SAMPLE No. 29

Collected March 12, 1973

CONTENTS	DAYS				
	5	8	9	14	22
	Absorbance at 750 nm, 10 cm cell				
River Water No. 29	0.025	0.265	0.306	0.458	-
	-	0.300	0.297	0.400	0.450
	-	0.258	0.281	0.451	0.510
River Water + 100 P	0.060	0.320	0.342	0.448	0.480
	0.067	0.275	0.290	0.442	0.500
	0.065	0.330	0.356	0.467	0.500
River Water + 1000 N	0.085	0.388	0.400	0.490	0.600
	0.098	0.380	0.364	0.484	0.570
	0.083	0.370	0.387	0.552	0.615
River Water + 100 P + 1000 N	0.064	0.362	0.384	0.457	0.545
	0.070	0.375	0.391	0.587	0.700
	0.063	0.350	0.359	0.579	0.690
River Water + 1000 N + micro	0.093	0.425	0.400	0.533	0.585
	0.175	0.470	0.434	0.499	0.500
	0.157	0.500	0.463	0.541	0.585
River Water + 100 P + 1000 N + micro	0.153	0.400	0.392	0.609	0.709
	0.188	0.440	0.359	0.581	0.590
	0.192	0.455	0.355	0.677	0.750
NAAM-P	-	0.025	0.000	0.003	0.000
	-	0.025	0.003	0.007	-
	-	-	0.005	0.007	-
NAAM-P + P (2 µgP/ml)	-	0.070	0.069	0.204	0.400
	-	0.070	0.067	0.213	0.385
	-	0.060	0.052	0.196	0.350

- No analysis made

Table D.4. AAP BIOASSAY, OSWEGO RIVER

SAMPLE No. 30

Collected March 20, 1973

CONTENTS	DAYS				
	5	8	9	14	22
	Absorbance at 750 nm, 10 cm cell				
River Water No. 30	-	-	0.022	0.041	0.081
	0.032	-	0.077	0.141	0.230
	-	-	0.066	0.081	0.168
River Water + 100 P	0.018	-	0.059	0.112	0.200
	-	0.066	0.044	0.041	0.075
	-	-	0.046	0.057	0.100
River Water + 1000 N	0.024	0.097	0.074	0.108	0.166
	-	0.084	0.056	0.080	0.125
	-	0.075	0.048	0.058	0.080
River Water + 1000 P + 1000 N	-	0.085	0.063	0.087	0.130
	0.034	0.102	0.075	0.103	0.176
	-	0.090	0.069	0.084	0.137
River Water + 1000 N + micro	0.166	0.600	0.572	0.717	0.720
	0.140	0.410	0.306	0.691	0.720
	0.160	0.530	0.500	0.643	0.700
River Water + 100 P + 1000 N + micro	0.178	0.480	0.318	0.693	0.740
	0.180	0.410	0.303	0.667	0.720
	0.205	0.490	0.409	0.663	0.700
NAAM-P	-	0.025	0.000	0.003	0.000
	-	0.025	0.003	0.007	-
	-	-	0.005	0.007	-
NAAM-P + P (2 µgP/ml)	-	0.070	0.069	0.204	0.400
	-	0.070	0.067	0.213	0.385
	-	0.060	0.052	0.196	0.350

- No analysis made

Table D.5. AAP BIOASSAY, OSWEGO RIVER

SAMPLE No. 31 - pH 8.8

Collected March 28, 1973

CONTENTS	DAYS					
	10	14	16	18	21	24
	Absorbance at 750 nm, 10 cm cell					
River Water No. 31	0.160	0.160	0.168	0.175	0.180	0.198
	0.163	0.201	0.219	0.233	0.232	0.250
	0.175	0.213	0.230	0.243	0.254	0.265
River Water + 100 P	0.230	0.304	0.330	0.355	0.383	0.415
	0.255	0.345	0.370	0.460	0.438	0.455
	0.203	0.244	0.280	0.311	0.368	0.390
River Water + 1000 N	0.183	0.223	0.242	0.262	0.293	0.300
	0.215	0.316	0.315	0.324	0.350	0.368
	0.232	0.276	0.280	0.291	0.320	0.325
River Water + 100 P + 1000 N	0.280	0.359	0.370	0.405	0.442	0.510
	0.250	0.317	0.332	0.376	0.381	0.452
	0.262	0.283	0.310	0.350	0.338	0.400
River Water + 1000 N + micro	0.355	0.394	0.385	0.492	0.377	-
	0.350	0.354	0.373	0.364	0.350	-
	0.342	0.363	0.380	0.364	0.364	-
River Water + 100 P + 1000 N + micro	0.615	0.694	0.700	-	-	-
	0.635	0.698	0.700	-	-	-
	-	0.634	0.623	-	-	-

- No analysis made

Table D.6. AAP BIOASSAY, OSWEGO RIVER

SAMPLE No. 35 - pH 8.6

Collected March 29, 1973

CONTENTS	DAYS					
	10	14	16	18	21	24
	Absorbance at 750 nm, 10 cm cell					
River Water No. 35	0.350	0.453	0.472	0.471	0.498	0.500
	0.315	0.434	0.438	0.452	0.480	0.482
	0.323	0.415	0.420	0.439	0.458	0.470
River Water + 100 P	0.286	0.392	0.400	-	-	-
	0.330	0.452	0.450	-	-	-
	0.358	0.441	0.439	-	-	-
River Water + 1000 N	0.300	0.463	0.460	-	-	-
	-	0.472	0.478	-	-	-
	0.240	0.279	0.268	-	-	-
River Water + 100 P + 1000 N	0.185	0.316	0.363	0.441	0.510	0.578
	0.400	0.675	0.590	0.645	0.698	0.715
	0.300	0.344	0.381	0.473	0.565	0.615
River Water + 1000 N + micro	0.490	0.603	0.570	-	-	-
	0.430	0.555	0.535	-	-	-
	0.495	0.612	0.572	-	-	-
River Water + 100 P + 1000 N + micro	0.585	0.694	0.655	-	-	-
	0.585	0.697	0.650	-	-	-
	0.620	0.715	0.665	-	-	-

- No analysis made

Table D.7. AAP BIOASSAY, OSWEGO RIVER

SAMPLE No. 43

Collected May 1, 1973

CONTENTS	DAYS		
	9	11	13
	Absorbance at 750 nm, 10 cm cell		
River Water No. 43	0.185	0.238	0.270
	0.168	0.205	0.235
	0.120	0.175	0.185
River Water + 100 P	0.182	0.221	0.265
	0.284	0.330	0.385
	0.254	0.310	0.375
River Water + 1000 N	0.228	0.275	0.295
	0.183	0.252	0.288
	0.146	0.214	0.240
River Water + 100 P + 1000 N	0.300	0.354	0.450
	0.280	0.312	0.370
	0.334	0.370	0.478
River Water + 1000 N + micro	0.416	0.433	0.440
	0.425	0.445	0.458
	0.404	0.435	0.449
River Water + 100 P + 1000 N + micro	0.468	0.405	0.510
	0.475	0.395	0.578
	0.496	0.384	0.578

Table D.8. AAP BIOASSAY, OSWEGO RIVER

SAMPLE No. 52

Collected May 28, 1973

CONTENTS	DAYS		
	9	11	13
Absorbance at 750 nm, 10 cm cell			
River Water No. 52	0.250	0.290	0.330
	0.303	0.335	0.375
	0.315	0.335	0.375
River Water + 100 P	0.343	0.365	0.420
	0.350	0.370	0.425
	0.308	0.330	0.385
River Water + 1000 N	0.183	0.208	0.215
	0.278	0.333	0.390
	0.250	0.288	0.325
River Water + 100 P + 1000 N	0.370	0.395	0.458
	0.316	0.340	0.405
	0.350	0.385	0.435
River Water + 1000 N + micro	0.565	0.600	0.610
	0.565	0.610	0.610
	0.580	0.610	0.620
River Water + 100 P + 1000 N + micro	0.650	0.680	0.700
	0.470	0.490	0.610
	0.665	0.685	0.700

Table D.9. AAP BIOASSAY, OSWEGO RIVER

SAMPLE No. 54

Collected May 31, 1973

CONTENTS	DAYS			
	4	5	6	7
	Fluorescence at 1 X			
River Water No. 54	4.75	5.15	5.32	6.53
	3.35	3.45	4.08	4.52
	5.71	5.38	5.44	6.12
River Water + 25 P	5.00	4.58	5.39	5.75
	4.45	4.90	5.45	5.52
	4.55	5.11	6.32	7.55
River Water + 100 P	5.12	5.35	6.49	7.79
	3.80	4.92	6.28	7.31
	2.70	4.05	6.15	7.20
River Water + 250 N	5.57	5.17	5.95	6.30
	4.78	5.17	5.40	5.50
	4.68	4.80	5.87	6.21
River Water + 1000 N	6.11	6.40	8.39	11.30
	5.03	6.34	8.13	9.00
	5.95	5.45	7.65	8.22
River Water + 25 P + 250 N	5.00	5.02	5.58	6.07
	4.96	4.69	5.55	6.02
	5.25	4.83	5.85	6.18
River Water + 100 P + 1000 N	5.09	5.65	7.71	8.89
	5.10	6.17	8.72	10.60
	4.47	5.45	7.75	8.92

Table D.9. (continued)

CONTENTS	DAYS			
	4	5	6	7
River Water + 1000 N + micro	6.13	6.40	8.10	8.85
	6.05	6.50	8.25	9.05
	6.12	6.87	8.35	8.72
River Water + 100 P + 1000 N + micro	8.95	10.50	12.50	13.60
	9.56	11.80	16.20	16.50
	9.60	12.30	12.00	15.60

Table D.10. AAP BIOASSAY, OSWEGO RIVER

SAMPLE No. 55

Collected June 4, 1973

CONTENTS	DAYS			
	4	5	6	7
	Fluorescence at 1 X			
River Water No. 55	4.87	4.93	5.69	5.88
	3.55	3.67	4.83	5.07
	4.75	4.91	5.68	5.93
River Water + 25 P	2.55	3.24	4.13	5.00
	3.70	4.57	5.93	6.33
	3.25	4.12	5.65	6.45
River Water + 100 P	3.28	4.10	5.95	7.19
	3.47	4.40	6.34	7.10
	3.15	3.75	5.66	6.32
River Water + 250 N	1.68	2.14	2.96	3.48
	1.81	2.26	3.10	3.42
	3.30	3.97	3.88	6.01
River Water + 1000 N	2.35	2.80	3.88	4.57
	3.55	4.03	5.63	6.05
	3.15	3.49	4.68	4.85
River Water + 25 P + 250 N	3.68	4.13	5.57	6.25
	2.88	3.47	4.73	5.28
	2.88	3.32	4.51	4.71
River Water + 100 P + 1000 N	2.12	2.34	3.38	3.62
	3.18	3.35	4.62	4.89
	2.43	2.58	3.52	3.96

Table D.10. (continued)

CONTENTS	DAYS			
	4	5	6	7
River Water + 1000 N + micro	6.50	6.52	8.99	10.90
	7.08	7.61	9.30	9.32
	6.71	7.40	9.45	9.02
River Water + 100 P + 1000 N + micro	9.30	10.70	12.80	12.70
	9.60	11.40	13.20	12.80
	9.60	11.40	12.20	11.40

Table D.11. AAP BIOASSAY, OSWEGO RIVER

SAMPLE No. 59

Collected June 17, 1973

CONTENTS	DAYS		
	8	10	12
Absorbance at 750 nm, 10 cm cell			
River Water No. 59	0.181	0.309	0.285
	0.296	0.345	0.430
	0.193	0.270	0.360
River Water + 25 P	0.214	0.300	0.387
	0.149	0.191	0.329
	0.137	0.176	0.449
River Water + 100 P	0.234	0.302	0.462
	0.223	0.308	0.391
	0.127	0.192	0.273
River Water + 250 N	0.136	0.181	0.290
	0.235	0.293	0.361
	0.337	0.428	0.488
River Water + 1000 N	0.257	0.375	0.419
	0.160	0.304	0.452
	0.208	0.314	0.440
River Water + 25 P + 250 N	0.230	0.320	0.442
	0.228	0.305	0.364
	0.221	0.362	0.410
River Water + 100 P + 1000 N	0.248	0.379	0.571
	0.244	0.334	0.450
	0.134	0.255	0.597

Table D.11 (continued)

CONTENTS	DAYS		
	8	10	12
River Water +	0.579	0.589	0.657
1000 N + micro	0.543	0.574	0.627
	0.515	0.562	0.626
River Water +	0.676	0.720	0.746
100 P + 1000 N +	0.653	0.780	0.807
micro	0.575	0.646	0.698

APPENDIX E

<u>Table</u>		<u>Page</u>
E.1	AAP Bioassay, Black River, Sample No. 12, Collected July 19, 1972	76
E.2	AAP Bioassay, Black River, Sample No. 25, Collected August 28, 1973	78
E.3	AAP Bioassay, Black River, Sample No. 36 - pH 7.5, Collected March 29, 1973	79
E.4	AAP Test, Black River, Sample No. 44, Collected May 1, 1973	80
E.5	Algal Assay, Black River, Sample No. 53, Collected May 31, 1973	81
E.6	Algal Assay, Black River, Sample No. 60, Collected June 17, 1973	82

Table E.1. AAP BIOASSAY, BLACK RIVER

SAMPLE No. 12

Collected July 19, 1972

CONTENTS	DAYS				
	6	8	10	13	15
	Absorbance at 750 nm, 10 cm cell				
River Water No. 12	0.030	0.030	-		
	0.030	0.035	0.030		
	-	-	-		
River Water + 100 P	0.070	0.082	0.080		
	0.072	0.080	0.080		
	-	0.080	-		
River Water + 1000 N	0.030	0.035	0.035		
	-	-	-		
	-	-	-		
River Water + 100 P + 1000 N	0.275	0.425	0.418		
	0.288	0.360	0.375		
	0.273	0.390	0.385		
River Water + 1000 N + micro	-	0.050	-		
	-	0.040	-		
	0.045	0.062	0.064		
River Water + 100 P + 1000 N + micro	-	0.050	0.043		
	-	0.055	-		
	-	0.060	0.050		
NAAM-P	0.015	0.020	-		
	-	0.010	-		
	-	0.007	-		

- No analysis made

Table E.1. (continued)

CONTENTS	DAYS				
	6	8	10	13	15
NAAM-P + 100 P	0.250	0.490	0.750	0.850	0.900
	0.160	0.375	0.606	0.800	0.850
	0.225	0.330	0.550	0.814	0.910
NAAM-N	-	-	-	-	-
	-	-	-	-	-
	-	-	-	-	-
NAAM-N + 1000 N	0.041	-	-	-	-
	-	-	-	-	-
	-	0.110	0.227	0.400	0.435

- No analysis made

Table E.2. AAP BIOASSAY, BLACK RIVER

SAMPLE No. 25

Collected August 28, 1973

CONTENTS	DAYS	
	6	13
	Absorbance at 750 nm, 10 cm cell	
River Water No. 25	0.144	0.21
	0.160	0.20
	0.155	0.205
River Water + 1m 4 mg/ml P	0.155	0.205
	0.180	0.187
	0.148	0.205
River Water + 1m 40 mg/ml N	0.175	0.225
	0.185	0.250
	0.177	0.232
River Water + P + N	0.160	0.464
	0.158	0.400
	0.205	0.490
River Water + N + 1ml 40xmicro	0.135	0.200
	0.135	0.195
	0.146	0.205
River Water + P + N + Micro	0.266	0.390
	0.300	0.472
	0.355	0.448

Table E.3. AAP BIOASSAY, BLACK RIVER
SAMPLE No. 36 - pH 7.5
Collected March 29, 1973

CONTENTS	DAYS		
	10	14	16
Absorbance at 750 nm, 10 cm cell			
River Water No. 36	0.115	0.139	0.125
	0.115	0.141	0.120
	0.115	0.138	0.115
River Water + 100 P	0.282	0.334	0.315
	0.282	0.334	0.315
	0.278	0.344	0.325
River Water + 1000 N	0.103	0.136	0.120
	0.119	0.144	0.120
	0.110	0.135	0.112
River Water + 100 P + 1000 N	0.370	0.510	0.512
	0.480	0.591	0.553
	0.388	0.556	0.552
River Water + 1000 N + micro	0.090	0.118	0.108
	0.098	0.119	0.095
	0.112	0.114	0.092
River Water + 100 P + 1000 N + micro	0.290	0.454	0.468
	0.515	0.610	0.560
	0.515	0.607	0.552

Table E.4. AAP TEST, BLACK RIVER

SAMPLE No. 44

Collected May 1, 1973

CONTENTS	DAYS		
	9	11	15
	Absorbance at 750 nm, 10 cm cell		
River Water No. 44	0.182	0.205	0.235
	0.247	0.270	0.290
	0.170	0.189	0.195
River Water + 100 P	0.234	0.255	0.280
	0.232	0.250	0.280
	0.222	0.245	0.263
River Water + 1000 N	0.190	0.208	0.240
	0.186	0.198	0.216
	0.179	0.195	0.210
River Water + 100 P + 1000 N	0.460	0.520	0.600
	0.395	0.430	0.525
	0.475	0.532	0.600
River Water + 1000 N + micro	0.187	0.206	0.230
	0.182	0.198	0.213
	0.150	0.171	0.185
River Water + 100 P + 1000 N + micro	0.422	0.458	0.535
	0.391	0.440	0.488
	0.570	0.547	0.600

Table E.5. ALGAL ASSAY, BLACK RIVER

SAMPLE No. 53

Collected May 31, 1973

CONTENTS	DAYS		
	9	11	13
	Absorbance at 750 nm, 10 cm cell		
River Water No. 53	0.175	0.200	0.215
	0.138	0.148	0.152
	0.164	0.173	0.179
River Water + 100 P	0.179	0.205	0.206
	0.162	0.190	0.192
	0.171	0.200	0.203
River Water + 1000 N	0.180	0.197	-
	0.180	0.167	-
	0.180	0.167	0.180
River Water + 100 P + 1000 N	0.503	0.538	0.570
	0.503	0.545	0.570
	0.518	0.545	0.570
River Water + 1000 N + micro	0.145	0.168	0.185
	0.124	0.135	0.140
	0.153	0.168	0.172
River Water + 100 P + 1000 N + micro	0.478	0.519	0.550
	0.555	0.580	0.600
	0.500	0.549	0.570

- No analysis made

Table E.6. ALGAL ASSAY, BLACK RIVER

SAMPLE No. 60

Collected June 17, 1973

CONTENTS	DAYS		
	9	11	14
	Absorbance at 750 nm, 10 cm cell		
River Water No. 60	0.110	0.123	0.136
	0.225	0.225	0.244
	0.223	0.226	0.251
River Water + 25 P	0.245	0.239	0.270
	0.225	0.231	0.257
	0.231	0.226	0.246
River Water + 100 P	0.236	0.235	0.252
	0.235	0.233	0.255
	0.228	0.229	0.252
River Water + 250 N	0.311	0.295	0.313
	0.307	0.308	0.339
	0.316	0.310	0.360
River Water + 1000 N	0.332	0.335	0.351
	0.342	0.341	0.370
	0.327	0.335	0.329
River Water + 25 P + 250 N	0.327	0.330	0.359
	0.337	0.340	0.371
	0.327	0.340	0.365
River Water + 100 P + 1000 N	0.488	0.541	0.636
	0.506	0.551	0.590
	0.521	0.539	0.606

Table E.6. (continued).

CONTENTS	DAYS		
	9	11	14
River Water +	0.331	0.351	0.392
1000 N + micro	0.341	0.360	0.370
	0.357	0.355	0.389
River Water +	0.318	0.315	0.330
100 P + 1000 N +	0.299	0.327	0.365
micro	0.317	0.315	0.325

best sellers

NTIS

from NATIONAL TECHNICAL INFORMATION SERVICE

Product Liability: Industry Study. Volumes I and II
PB-265 542/PSK 886 p PC\$21.25/MF\$3.00

An Atlas of Radiation Histopathology
TID-26676/PSK 234 p PC\$7.60/MF\$3.00

The Medical School Admissions Process. A Review of the Literature, 1955-76
PB-263 962/PSK 193 p PC\$7.50/MF\$3.00

Integrated Energy Vocabulary
PB-259 000/PSK 459 p PC\$22.50/MF\$3.00

Nuclear Air Cleaning Handbook. Design, Construction, and Testing of High-Efficiency Air Cleaning Systems for Nuclear Application
ERDA-76/21/PSK 300 p PC\$9.75/MF\$3.00

Evaluation of the Air-To-Air Heat Pump for Residential Space Conditioning
PB-255 652/PSK 293 p PC\$9.25/MF\$3.00

Federal Information Processing Standards Register: Guidelines for Documentation of Computer Programs and Automated Data Systems. Category: Software. Subcategory: Documentation
FIPS-PUB38/PSK 55 p PC\$4.50/MF\$3.00

Life Cycle Costing Emphasizing Energy Conservation: Guidelines for Investment Analysis
ERDA-76/130/PSK 117 p PC\$5.50/MF\$3.00

Analysis of Projected Vs. Actual Costs for Nuclear and Coal-Fired Power Plants
FE-2453-2/PSK 38 p PC\$4.00/MF\$3.00

Quality Criteria for Water
PB-263 943/PSK 537 p PC\$13.00/MF\$3.00

Passive Solar Heating and Cooling Conference and Workshop Proceedings May 18-19, 1976, University of New Mexico, Albuquerque, New Mexico
LA-6637-C/PSK 352 p PC\$10.50/MF\$3.00

Predicting the Performance of Solar Energy Systems
AD-A035 608/PSK 45 p PC\$4.00/MF\$3.00

NIOSH Analysis Methods for Set J
PB-263 959/PSK 128 p PC\$6.00/MF\$3.00

Flat-Plate Solar Collector Handbook: A Survey of Principles, Technical Data and Evaluation Results
UCID-17086/PSK 96 p PC\$5.00/MF\$3.00

How to Order

When you indicate this method of payment, please note if a purchase order is not accompanied by payment, you will be billed an additional \$5.00 *ship and bill* charge. And please include the card expiration date when using American Express.

Normal delivery time takes three to five weeks. It is vital that you order by number or your order will be manually filled, insuring a delay. You can opt for *priority mail* for \$3.00 outside North American continent charge per item. Just check the *priority mail* box. If you're really pressed for time, call the NTIS Rush Handling Service (703) 557-4700. For a \$10.00 charge per item, your order will be sent *priority mail* within 48 hours. Or, you can pick up your order in the Washington

Information Center & Bookstore or at our Springfield Operations Center within 24 hours for a \$6.00 per item charge.

You may also place your order by telephone or if you have an NTIS Deposit Account or an American Express card order through TELEX. The order desk number is (703) 557-4850 and the TELEX number is 89-9405.

Thank you for your interest in NTIS. We appreciate your order.

METHOD OF PAYMENT

- Charge my NTIS deposit account no. _____
- Purchase order no. _____
- Check enclosed for \$ _____
- Bill me. Add \$5.00 per order and sign below. (Not available outside North American continent.)
- Charge to my American Express Card account number _____

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Card expiration date _____

Signature _____

Priority mail requested

NAME _____

ADDRESS _____

CITY, STATE, ZIP _____

Clip and mail to:

NTIS

National Technical Information Service
U.S. DEPARTMENT OF COMMERCE
Springfield, Va. 22161
(703) 557-4850 TELEX 89-9405

Item Number	Quantity		Unit price*	Total Price*
	Paper Copy (PC)	Microfiche (MF)		

All prices subject to change. The prices above are accurate as of 3/31/78
Foreign Prices on Request.

Sub Total	
Additional Charge	
Enter Grand Total	