




Uranium in Water Intercomparison Study

A Statistical Evaluation of the March 13, 1992 Data

Uranium in Water
Intercomparison Study
March 13, 1992



Environmental Protection Agency
Environmental Monitoring Systems Laboratory
Las Vegas, Nevada



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF RESEARCH AND DEVELOPMENT
ENVIRONMENTAL MONITORING SYSTEMS LABORATORY-LAS VEGAS
P.O. BOX 93478
LAS VEGAS, NEVADA 89193-3478
(702/798-2100)

Dear Participant,

Enclosed are the results of the Nuclear Radiation Assessment Division (EMSL-LV) Intercomparison Study for *Uranium In Water; March 13, 1992*.

Please take a few minutes to review this report and the analytical data your laboratory submitted to us. If there are any apparent discrepancies, please notify us immediately.

We encourage you to make use of the computer-automated data-entry system that has been in place for some time now. As the number of participants increases, and it becomes unrealistic for us to receive results by mail or FAX, the computer system will be our only avenue for accepting data.

If you have any questions or comments, please send a message via the data-entry system or contact Frank Novielli at 702/798-2159 or Patricia Honsa at 702/798-2141.

Sincerely,

A handwritten signature in cursive script that reads "Frank Novielli".

Frank Novielli
Senior Chemist
Radioanalysis Branch

Enclosure

NOTICE

This material has been funded wholly by the U.S. Environmental Protection Agency. It has been subject to the Agency's review, and it has been approved for publication as an EPA document.

The following pages consist of separate sections for each of the nuclides in this study with four parts per section. After the first, each part is separated from the next by a new page or a thick horizontal bar. The first page of each section is a statistical summary for the nuclide and starts with a statement of the known value, the control limits, and the warning limits.

The warning limits are placed at two normalized standard deviations above and below the known value and the control limits are three normalized standard deviations above and below the known value. If you keep control charts, these values will be useful for anticipating problems with the accuracy of your analytical methods.

The coin shaped pie chart at the top of the summary page shows the fate of all the samples sent out in number and percentage terms. The pie chart starts at the top and rotates clockwise. The first sector represents those participants who submitted analytical results within both the warning and control limits. The next sector represents those who are in the warning region but not out of control. The third sector represents those who are out of control, but have passed the the outlier test. The fourth sector represents those who have failed the outlier test. The last sector represents those participants who have failed to respond properly. This is the case if no analytical results were returned, or less than three determinations were reported, or if the results were received too late. The reeding on the edge of the coin is spaced at one percent intervals, and the sector shading becomes darker as the data reliability decreases. Sectors with zero width are not shown.

The table in the center shows a number of statistical quantities calculated from the submitted data based on the mean and median values in relation to the known value, both before and after outlier removal. The lower pie chart uses the same construction as the upper chart and shows the distribution of properly submitted data in terms of deviation from the known value divided into sectors representing one, two, three, and greater than three normalized standard deviations.


The second part is an alphabetical listing, in lab-code order, of submitted data and several calculated quantities. An entry that is shaded has been rejected because of one of the reasons listed above or failure of the outlier test. The fifth and sixth columns are a measure of laboratory precision. The Range analysis is a normalized value that you may use to keep precision control charts. If this value is between 2.0 and 3.0, your analytical process precision is in the warning zone; if it exceeds 3.0 it is out of control. The eighth and ninth columns are the differences from the mean of all non-outliers and from the known value, respectively. A tag symbol may appear in the last column. Each page with tags has a symbol definition summary at the bottom. If there is no tag symbol, the data is within the control limits, but it may be in the warning zone.

The third part is a three-column listing of result average, tag symbol, and lab-code in average order excluding those labs not responding properly. In this order, all outliers and out-of-control results appear at the top or bottom of the list.


The last part is two bar chart displays showing frequency distributions of responding participants. The first chart places the known value at the center and a bar at each 0.2 unit of expected precision. The second chart places the mean of the reported measurements at the center and a bar at each 0.2 unit of standard deviation. In both cases, a bar includes those results within 0.1 unit up to the maximum of six. Any results more than six units from the center value are shown cumulatively by a shaded bar one past the sixth unit. If the central tendency of the known value distribution falls away from the center, an error in accuracy is indicated. If the distribution is broad, poor precision is indicated. The mean value distribution is similar but uses the average and standard deviation of reported results as its basis.

Uranium (Natural)**Statistical Summary****130 Participants**

The known value of this nuclide is **25.3 pCi/l** with an expected precision of **3.0**; the control limits are 20.1 to 30.5; the warning regions are 20.1 to 21.8 and 28.8 to 30.5



Statistic	Respondents	Non-outliers
Mean	23.50	Grand Avg 23.71
Std. Dev.	5.12	4.17
Variance	26.17	17.42
% Coef. of Var.	21.77	17.60
% deviation of mean from known value	-7.12	-6.28
Norm. dev. of mean from known value	-0.35	-0.38
Median	24.12	24.13
% deviation of median from known value	-4.68	-4.61
Norm. dev. of median from known value	-0.23	-0.28



Uranium (Natural)

Lab	Res. 1	Res. 2	Res. 3	Exper. Sigma	Rng anal (R + SR)	Average	Normalized deviation (grand-avg) (known)		Tag
A	22.8	24.0	23.4	0.60	0.236	23.40	-0.18	-1.10	
AB	17.7	18.4	18.4	0.40	0.138	18.17	-3.20	-4.12	↓
AE	17.0	16.7	21.0	2.40	0.847	18.23	-3.16	-4.08	↓
AF	26.8	27.9	27.7	0.59	0.217	27.47	2.17	1.25	
AH	22.8	23.3	22.5	0.40	0.158	22.87	-0.49	-1.40	
AI	24.0	23.8	23.1	0.47	0.177	23.63	-0.05	-0.96	
AJ	20.0	25.0	23.0	2.52	0.984	22.67	-0.60	-1.52	
AK	28.0	28.3	27.5	0.40	0.158	27.93	2.44	1.52	
AL	21.5	23.1	21.6	0.90	0.315	22.07	-0.95	-1.87	
AP	29.3	26.2	25.1	2.18	0.827	26.87	1.82	0.90	
AW	14.3	14.3	14.1	0.12	0.039	14.23	-5.47	-6.39	↓
AZ	26.9	27.5	25.8	0.86	0.335	26.73	1.74	0.83	
BA	17.0	14.7	14.6	1.36	0.473	15.43	-4.78	-5.70	↓
BC	25.0	24.1	25.1	0.55	0.197	24.73	0.59	-0.33	
BG	24.8	23.8	24.0	0.53	0.197	24.20	0.28	-0.64	
BH	20.2	21.6	19.7	0.98	0.374	20.50	-1.85	-2.77	
BK	23.0	22.5	22.9	0.26	0.098	22.80	-0.53	-1.44	
BL	22.7	20.7	22.9	1.22	0.433	22.10	-0.93	-1.85	
BM	28.4	27.2	27.0	0.76	0.276	27.53	2.21	1.29	
BN	23.7	25.2	22.4	1.40	0.551	23.77	0.03	-0.89	
BO	22.7	20.9	22.5	0.99	0.354	22.03	-0.97	-1.89	
C	26.9	25.2	27.0	1.01	0.354	26.37	1.53	0.62	
CA	24.8	26.2	24.4	0.95	0.354	25.13	0.82	-0.10	
CC									•
CE	25.0	25.0	24.5	0.29	0.098	24.83	0.65	-0.27	
CG	26.2	26.5	27.3	0.57	0.217	26.67	1.71	0.79	
CJ	27.0	26.0	23.2	1.97	0.748	25.40	0.97	0.06	
CK	24.5	27.8	28.4	2.10	0.768	26.90	1.84	0.92	
CM									•
CO	27.2	19.9	26.1	3.94	1.833	24.40	0.40	-0.52	
CS	24.9	25.2	25.4	0.25	0.098	25.17	0.84	-0.08	
D	25.7	26.0	25.3	0.35	0.138	25.67	1.13	0.21	
DB	21.0	22.0	21.0	0.58	0.197	21.33	-1.37	-2.29	
DE	20.0	20.2	20.3	0.15	0.059	20.17	-2.05	-2.96	
DO	25.2	24.5	29.2	2.54	0.925	26.30	1.49	0.58	
DP	23.6	22.8	22.5	0.57	0.217	22.97	-0.43	-1.35	
DT	27.0	26.0	27.0	0.58	0.197	26.67	1.71	0.79	
DZ	24.4	24.8	24.3	0.26	0.098	24.50	0.46	-0.46	
E	24.1	24.3	24.0	0.15	0.059	24.13	0.24	-0.67	
EH									•
EO									•
ER	25.0	25.0	25.0	0.00	0.000	25.00	0.74	-0.17	
FE	39.0	39.0	39.0	0.00	0.000	39.00	8.83	7.91	×
FJ	17.0	16.2	17.3	0.57	0.217	16.83	-3.97	-4.89	↓
FN	36.1	34.2	32.4	1.85	0.728	34.23	6.07	5.16	↑

• = No data submitted

TAG SYMBOLS

↑ = Above control limit

Ø = Insufficient data

× = Determined to be an outlier

↓ = Below control limit

Uranium (Natural)								
Lab	Res. 1	Res. 2	Res. 3	Exper. Sigma	Rng anal (R + SR)	Average	Normalized deviation (grand-avg) (known) Tag	
FZ	25.0	26.0	27.0	1.00	0.394	26.00	1.32	0.40
GG								•
GN	25.9	27.4	26.9	0.76	0.295	26.73	1.74	0.83
GO								•
GQ	21.6	22.8	21.8	0.64	0.236	22.07	-0.95	-1.87
GZ	29.2	25.4	25.2	2.25	0.788	26.60	1.67	0.75
HE	23.9	24.1	23.7	0.20	0.079	23.90	0.11	-0.81
HK	26.0	26.1	26.9	0.49	0.177	26.33	1.51	0.60
HL	20.1	12.6	9.5	5.45	3.071	14.07	-5.57	-6.49 ↓
HP	16.8	17.4	17.3	0.32	0.118	17.17	-3.78	-4.70 ↓
HU								•
HY	23.8	23.1	22.4	0.70	0.276	23.10	-0.35	-1.27
I	27.2	25.9	25.6	0.85	0.315	26.23	1.46	0.54
ID	18.7	20.6	20.0	0.97	0.374	19.77	-2.28	-3.19 ↓
IE	22.4	22.7	22.0	0.35	0.138	22.37	-0.78	-1.69
J	26.4	26.8	26.1	0.35	0.138	26.43	1.57	0.65
JE	29.1	31.2	28.0	1.63	0.630	29.43	3.30	2.39
JG								•
JP	24.5	25.6	25.4	0.59	0.217	25.17	0.84	-0.08
JS	23.6	23.8	23.6	0.12	0.039	23.67	-0.03	-0.94
JU	26.6	26.6	26.9	0.17	0.059	26.70	1.73	0.81
JY	19.7	17.0	23.6	3.32	1.570	20.10	-2.09	-3.00
K	26.2	19.7	26.2	3.75	1.533	24.03	0.19	-0.73
KH	25.4	25.5	24.9	0.32	0.118	25.27	0.90	-0.02
L	28.7	30.2	29.6	0.76	0.295	29.50	3.34	2.42
LB	10.6	12.0	12.0	0.81	0.276	11.53	-7.03	-7.95 ↓
LH	27.0	27.0	26.0	0.58	0.197	26.67	1.71	0.79
LM								•
LS	13.3	12.6	13.0	0.35	0.138	12.97	-6.20	-7.12 ↓
LT	23.2	23.4	23.3	0.10	0.039	23.30	-0.24	-1.15
LZ	23.7	23.7	23.6	0.06	0.020	23.67	-0.03	-0.94
ME	23.2	24.1	23.8	0.46	0.177	23.70	-0.01	-0.92
MS	32.0	33.0	33.0	0.58	0.197	32.67	5.17	4.25 ↑
N	26.4	25.4	27.4	1.00	0.394	26.40	1.55	0.64
NA	25.0	25.0	25.0	0.00	0.000	25.00	0.74	-0.17
NH	27.4	26.6	22.9	2.40	0.886	25.63	1.11	0.19
NK	20.6	21.7	21.7	0.64	0.217	21.33	-1.37	-2.29
NO	16.3	17.8	19.9	1.81	0.709	18.00	-3.30	-4.21 ↓
NT	21.2	19.7	22.6	1.45	0.571	21.17	-1.47	-2.39
OB	23.1	23.6	22.7	0.45	0.177	23.13	-0.33	-1.25
OF	24.8	26.2	29.6	2.47	0.945	26.87	1.82	0.90
OM								•
OS	23.5	23.2	25.5	1.25	0.453	24.07	0.20	-0.71
OY	25.1	24.6	25.6	0.50	0.197	25.10	0.80	-0.12
OZ	27.1	27.7	28.6	0.76	0.295	27.80	2.36	1.44

• = No data submitted

TAG SYMBOLS

↑ = Above control limit

Ø = Insufficient data

× = Determined to be an outlier

↓ = Below control limit

Uranium (Natural)

Lab	Res. 1	Res. 2	Res. 3	Exper. Sigma	Rng anal (R + SR)	Average	Normalized deviation (grand-avg) (known)		Tag
P	17.1	17.2	14.6	1.47	0.512	16.30	-4.28	-5.20	↓
PB	25.0	24.6	25.3	0.35	0.138	24.97	0.72	-0.19	
PJ									•
PL									•
PP	23.9	23.7	23.6	0.15	0.059	23.73	0.01	-0.90	
PQ	25.1	23.7	24.3	0.70	0.276	24.37	0.38	-0.54	
PV	30.4	29.7	25.5	2.65	0.965	28.53	2.78	1.87	
PX	28.4	27.8	27.5	0.46	0.177	27.90	2.42	1.50	
QJ	21.3	21.4	24.8	1.99	0.689	22.50	-0.70	-1.62	
QM	10.0	11.4	12.0	1.03	0.394	11.13	-7.26	-8.18	↓
QQ	19.7	20.6	21.2	0.75	0.295	20.50	-1.85	-2.77	
QU	33.9	35.1	36.0	1.05	0.413	35.00	6.52	5.60	↑
QX									•
QZ	25.8	25.9	25.9	0.06	0.020	25.87	1.24	0.33	
RF									•
RK	24.3	27.6	25.9	1.65	0.650	25.93	1.28	0.37	
RM	23.2	19.6	28.4	4.42	2.395	23.73	0.01	-0.90	
RN	23.6	23.8	23.5	0.15	0.059	23.63	-0.05	-0.96	
RP	23.9	23.9	23.9	0.01	0.000	23.90	0.11	-0.81	
RR									•
RZ	7.7	7.9	7.8	0.10	0.039	7.80	-8.19	-10.10	×
S	22.6	23.8	21.4	1.20	0.473	22.60	-0.64	-1.56	
SC	26.6	26.3	26.5	0.15	0.059	26.47	1.59	0.67	
SD	28.8	29.6	32.2	1.78	0.669	30.20	3.75	2.83	
SF	21.4	20.6	20.1	0.66	0.256	20.70	-1.74	-2.66	
SI									•
SM	24.1	24.3	23.4	0.47	0.177	23.93	0.13	-0.79	
SS	23.1	25.4	23.8	1.18	0.453	24.10	0.22	-0.69	
ST	20.2	22.7	23.6	1.76	0.669	22.17	-0.89	-1.81	
SW									•
SY									•
SZ	12.4	13.0	13.0	0.35	0.118	12.80	-6.30	-7.22	↓
T	21.2	22.5	19.3	1.61	0.630	21.00	-1.57	-2.48	
TA	24.1	24.6	25.5	0.71	0.276	24.73	0.59	-0.33	
TD	0.4	0.3	0.6	0.15	0.059	0.43	-13.44	-14.36	×
TI	24.5	24.0	26.9	1.55	0.571	25.13	0.82	-0.10	
U	26.7	25.2	27.3	1.08	0.413	26.40	1.55	0.64	
W	23.8	24.5	24.2	0.35	0.138	24.17	0.26	-0.65	
Y	25.8	25.6	25.8	0.12	0.039	25.73	1.17	0.25	
Z	22.5	22.9	22.9	0.23	0.079	22.77	-0.55	-1.46	

Data sorted by Laboratory Average

Average	Tag	Lab	Average	Tag	Lab	Average	Tag	Lab
0.43	×	TD	11.13	↓	QM	12.80	↓	SZ
7.80	×	RZ	11.53	↓	LB	12.97	↓	LS

• = No data submitted

TAG SYMBOLS

↑ = Above control limit

∅ = Insufficient data


× = Determined to be an outlier

↓ = Below control limit

Uranium (Natural)

Data sorted by Laboratory Average

Average	Tag	Lab	Average	Tag	Lab	Average	Tag	Lab
14.07	↓	HL	23.40		A	25.67		D
14.23	↓	AW	23.63		RN	25.73		Y
15.43	↓	BA	23.63		AI	25.87		QZ
16.30	↓	P	23.67		LZ	25.93		RK
16.83	↓	FJ	23.67		JS	26.00		FZ
17.17	↓	HP	23.70		ME	26.23		I
18.00	↓	NO	23.73		RM	26.30		DO
18.17	↓	AB	23.73		PP	26.33		HK
18.23	↓	AE	23.77		BN	26.37		C
19.77	↓	ID	23.90		RP	26.40		N
20.10		JY	23.90		HE	26.40		U
20.17		DE	23.93		SM	26.43		J
20.50		QQ	24.03		K	26.47		SC
20.50		BH	24.07		OS	26.60		GZ
20.70		SF	24.10		SS	26.67		LH
21.00		T	24.13		E	26.67		DT
21.17		NT	24.17		W	26.67		CG
21.33		NK	24.20		BG	26.70		JU
21.33		DB	24.37		PQ	26.73		GN
22.03		BO	24.40		CO	26.73		AZ
22.07		GQ	24.50		DZ	26.87		OF
22.07		AL	24.73		TA	26.87		AP
22.10		BL	24.73		BC	26.90		CK
22.17		ST	24.83		CE	27.47		AF
22.37		IE	24.97		PB	27.53		BM
22.50		QJ	25.00		NA	27.80		OZ
22.60		S	25.00		ER	27.90		PX
22.67		AJ	25.10		OY	27.93		AK
22.77		Z	25.13		TI	28.53		PV
22.80		BK	25.13		CA	29.43		JE
22.87		AH	25.17		JP	29.50		L
22.97		DP	25.17		CS	30.20		SD
23.10		HY	25.27		KH	32.67	↑	MS
23.13		OB	25.40		CJ	34.23	↑	FN
23.30		LT	25.63		NH	35.00	↑	QU
						39.00	×	FE



• = No data submitted

∅ = Insufficient data

TAG SYMBOLS

× = Determined to be an outlier

↑ = Above control limit

↓ = Below control limit

Uranium (Natural)

