


**U.S. ENVIRONMENTAL PROTECTION AGENCY  
NATIONAL EUTROPHICATION SURVEY  
WORKING PAPER SERIES**



**PACIFIC NORTHWEST ENVIRONMENTAL RESEARCH LABORATORY**

An Associate Laboratory of the

**NATIONAL ENVIRONMENTAL RESEARCH CENTER - CORVALLIS, OREGON**

and

**NATIONAL ENVIRONMENTAL RESEARCH CENTER - LAS VEGAS, NEVADA**

REPORT  
ON  
SUMMERSVILLE RESERVOIR  
NICHOLAS COUNTY  
WEST VIRGINIA  
EPA REGION III  
WORKING PAPER No. 469

WITH THE COOPERATION OF THE  
WEST VIRGINIA DEPARTMENT OF NATURAL RESOURCES  
AND THE  
WEST VIRGINIA NATIONAL GUARD  
JUNE, 1975

## CONTENTS

|   | <u>Page</u> |
|---|-------------|
| Foreword                                    | ii          |
| List of West Virginia Study Lakes           | iv          |
| Lake and Drainage Area Map                  | v           |
| <br><u>Sections</u>                         |             |
| I. Conclusions                              | 1           |
| II. Lake and Drainage Basin Characteristics | 3           |
| III. Lake Water Quality Summary             | 4           |
| IV. Nutrient Loadings                       | 8           |
| V. Literature Reviewed                      | 13          |
| VI. Appendices                              | 14          |

## FOREWORD

The National Eutrophication Survey was initiated in 1972 in response to an Administration commitment to investigate the nationwide threat of accelerated eutrophication to fresh water lakes and reservoirs.

### OBJECTIVES

The Survey was designed to develop, in conjunction with state environmental agencies, information on nutrient sources, concentrations, and impact on selected freshwater lakes as a basis for formulating comprehensive and coordinated national, regional, and state management practices relating to point-source discharge reduction and non-point source pollution abatement in lake watersheds.

### ANALYTIC APPROACH

The mathematical and statistical procedures selected for the Survey's eutrophication analysis are based on related concepts that:

- a. A generalized representation or model relating sources, concentrations, and impacts can be constructed.
- b. By applying measurements of relevant parameters associated with lake degradation, the generalized model can be transformed into an operational representation of a lake, its drainage basin, and related nutrients.
- c. With such a transformation, an assessment of the potential for eutrophication control can be made.

### LAKE ANALYSIS

In this report, the first stage of evaluation of lake and watershed data collected from the study lake and its drainage basin is documented. The report is formatted to provide state environmental agencies with specific information for basin planning [§303(e)], water quality criteria/standards review [§303(c)], clean lakes [§314(a,b)], and water quality monitoring [§106 and §305(b)] activities mandated by the Federal Water Pollution Control Act Amendments of 1972.

Beyond the single lake analysis, broader based correlations between nutrient concentrations (and loading) and trophic condition are being made to advance the rationale and data base for refinement of nutrient water quality criteria for the Nation's fresh water lakes. Likewise, multivariate evaluations for the relationships between land use, nutrient export, and trophic condition, by lake class or use, are being developed to assist in the formulation of planning guidelines and policies by EPA and to augment plans implementation by the states.

ACKNOWLEDGMENT

The staff of the National Eutrophication Survey (Office of Research & Development, U. S. Environmental Protection Agency) expresses sincere appreciation to the West Virginia Department of Natural Resources for professional involvement and to the West Virginia National Guard for conducting the tributary sampling phase of the Survey.

Ira S. Latimer, Jr., Director of the Department of Natural Resources; and John H. Hall, Chief of the Water Resources Division; and the Water Resources Division staff provided invaluable lake documentation and counsel during the Survey, reviewed the preliminary reports, and provided critiques most useful in the preparation of this Working Paper series.


Major General Jack W. Blair, the Adjutant General of West Virginia, and Project Officer Major Manuel G. Goble, who directed the volunteer efforts of the West Virginia National Guardsmen, are also gratefully acknowledged for their assistance to the Survey.

## NATIONAL EUTROPHICATION SURVEY

## STUDY LAKES

STATE OF WEST VIRGINIA

| <u>LAKE NAME</u> | <u>COUNTY</u>                             |
|------------------|---|
| Bluestone        | Mercer, Monroe, Summers,<br>WV; Giles, VA |
| Lynn             | Monongalia                                |
| Summersville     | Nicholas                                  |
| Tygart           | Barbour, Taylor                           |



SUMMERSVILLE RESERVOIR

STORET NO. 5403

I. CONCLUSIONS

A. Trophic Condition:

Survey data indicate that Summersville Reservoir is mesotrophic. It ranked third when the four West Virginia lakes sampled in 1973 were compared using a combination of six parameters\*. Two of the lakes had less median total phosphorus, median dissolved phosphorus, median inorganic nitrogen, and mean chlorophyll a, but none of the other lakes had greater mean Secchi disc transparency. Depression of dissolved oxygen with depth occurred at sampling station 1 in September and at station 4 in July.

B. Rate-Limiting Nutrient:

The algal assay results indicate Summersville Reservoir was phosphorus limited at the time the sample was collected (04/03/73). The reservoir data indicate phosphorus limitation at the other sampling times as well.

C. Nutrient Controllability:

1. Point sources--The phosphorus contribution of point sources amounted to 14.3% of the total reaching the reservoir during the sampling year. The wastewater treatment plants at Richwood and Summersville were the only known point sources and contributed 4.1% and 10.2% of the load, respectively.

\* See Appendix A.

The present phosphorus loading of 2.82 g/m<sup>2</sup>/yr is about 1.3 times that proposed by Vollenweider (Vollenweider and Dillon, 1974) as a eutrophic loading (see page 12). While even complete removal of phosphorus at the two point sources would still leave a eutrophic loading (2.41 g/m<sup>2</sup>/yr), the reservoir is phosphorus limited, and all phosphorus inputs should be reduced to the greatest practicable degree to prolong the existing water quality.

2. Non-point sources--Of the gaged tributaries, Gauley River contributed 51.7% of the total phosphorus load; Hominy Creek, 11.1%; Muddlety Creek, 9.2%; Big Beaver Creek, 6.7%; Panther Creek, 1.2%; and Arbuckle Brook was estimated to have contributed 0.3%. The ungaged drainage area was estimated to have contributed 4.9% of the total phosphorus load reaching the reservoir during the sampling year.

The phosphorus export rates of the Summersville Reservoir tributaries ranged from 8 to 20 kg/km<sup>2</sup>/year (see page 11). These rates compare well with the export rates of seven unimpacted tributaries of nearby Bluestone Reservoir\* (mean of 8 kg/km<sup>2</sup>/yr; range of 6 to 12 kg/km<sup>2</sup>/yr).

\* Working Paper No. 467.

## II. LAKE AND DRAINAGE BASIN CHARACTERISTICS<sup>†</sup>

### A. Lake Morphometry<sup>††</sup>:

1. Surface area: 11.02 kilometers<sup>2</sup>.
2. Mean depth: 21.0 meters.
3. Maximum depth: 82.3 meters.
4. Volume:  $231.420 \times 10^6$  m<sup>3</sup>.
5. Mean hydraulic retention time: 50 days (based on outlet flow).

### B. Tributary and Outlet:

(See Appendix C for flow data)

#### 1. Tributaries -

| <u>Name</u>                              | <u>Drainage area (km<sup>2</sup>)*</u> | <u>Mean flow (m<sup>3</sup>/sec)*</u> |
|--|--|---------------------------------------|
| Gauley River                             | 1,367.5                                | 34.4                                  |
| Hominy Creek                             | 269.4                                  | 6.4                                   |
| Panther Creek                            | 43.8                                   | 1.2                                   |
| Big Beaver Creek                         | 102.6                                  | 2.8                                   |
| Muddlety Creek                           | 173.8                                  | 4.6                                   |
| Arbuckle Brook                           | 7.1                                    | 0.2                                   |
| Minor tributaries & immediate drainage - | <u>107.2</u>                           | <u>3.5</u>                            |
| Total                                    | 2,071.4                                | 53.1                                  |

#### 2. Outlet -

|              |           |      |
|--------------|-----------|------|
| Gauley River | 2,082.4** | 53.5 |
|--------------|-----------|------|

### C. Precipitation\*\*\*:

1. Year of sampling: 132.8 centimeters.
2. Mean annual: 103.7 centimeters.

<sup>†</sup> Table of metric equivalents--Appendix B.

<sup>††</sup> Robinson, 1974.

<sup>\*</sup> For limits of accuracy, see Working Paper No. 175, "...Survey Methods, 1973-1976".

<sup>\*\*</sup> Includes area of lake.

<sup>\*\*\*</sup> See Working Paper No. 175.

### III. LAKE WATER QUALITY SUMMARY

Summersville Reservoir was sampled three times during the open-water season of 1973 by means of a pontoon-equipped Huey helicopter. Each time, samples for physical and chemical parameters were collected from four stations on the reservoir and from a number of depths at each station (see map, page v). During each visit, a single depth-integrated (4.6 m to surface) sample was composited from the stations for phytoplankton identification and enumeration; and during the April visit, a single 18.9-liter depth-integrated sample was composited for algal assays. Also each time, a depth-integrated sample was collected from each of the stations for chlorophyll a analysis. The maximum depths sampled were 68.6 meters at station 1, 16.8 meters at station 2, 36.6 meters at station 3, and 18.3 meters at station 4.

The sampling results are presented in full in Appendix D and are summarized in the following table.

A. SUMMARY OF PHYSICAL AND CHEMICAL CHARACTERISTICS FOR SUMMERSVILLE RESERVOIR  
STORET CODE 5403

| PARAMETER         | 1ST SAMPLING ( 4/ 3/73) |       |        | 2ND SAMPLING ( 7/18/73) |       |        | 3RD SAMPLING ( 9/28/73) |       |        |
|-------------------|-------------------------|-------|--------|-------------------------|-------|--------|-------------------------|-------|--------|
|                   | 4 SITES                 |       |        | 4 SITES                 |       |        | 4 SITES                 |       |        |
|                   | RANGE                   | MEAN  | MEDIAN | RANGE                   | MEAN  | MEDIAN | RANGE                   | MEAN  | MEDIAN |
| TEMP (C)          | 6.0 - 12.0              | 9.5   | 9.3    | 9.0 - 27.8              | 20.8  | 21.1   | 9.8 - 25.0              | 22.1  | 23.6   |
| DISS OXY (MG/L)   | 10.2 - 11.5             | 10.9  | 11.0   | 4.1 - 8.6               | 7.3   | 7.5    | 0.4 - 8.4               | 5.7   | 6.0    |
| CNDCTVY (MICROMO) | 50. - 50.               | 50.   | 50.    | 25. - 90.               | 50.   | 50.    | 36. - 88.               | 68.   | 69.    |
| PH (STAND UNITS)  | 7.1 - 7.2               | 7.2   | 7.2    | 6.0 - 7.7               | 6.6   | 6.4    | 5.8 - 7.2               | 6.4   | 6.4    |
| TOT ALK (MG/L)    | 10. - 10.               | 10.   | 10.    | 10. - 14.               | 10.   | 10.    | 10. - 15.               | 11.   | 11.    |
| TOT P (MG/L)      | 0.009 - 0.027           | 0.014 | 0.014  | 0.007 - 0.021           | 0.010 | 0.009  | 0.008 - 0.025           | 0.012 | 0.011  |
| ORTHO P (MG/L)    | 0.002 - 0.006           | 0.003 | 0.002  | 0.004 - 0.009           | 0.007 | 0.007  | 0.005 - 0.016           | 0.007 | 0.007  |
| N02+N03 (MG/L)    | 0.710 - 0.830           | 0.782 | 0.790  | 0.410 - 0.820           | 0.593 | 0.590  | 0.280 - 0.820           | 0.431 | 0.380  |
| AMMONIA (MG/L)    | 0.030 - 0.090           | 0.046 | 0.040  | 0.040 - 0.100           | 0.069 | 0.070  | 0.040 - 0.190           | 0.059 | 0.050  |
| KJEL N (MG/L)     | 0.200 - 0.300           | 0.210 | 0.200  | 0.200 - 0.600           | 0.295 | 0.200  | 0.200 - 0.800           | 0.336 | 0.300  |
| INORG N (MG/L)    | 0.760 - 0.880           | 0.828 | 0.840  | 0.450 - 0.880           | 0.662 | 0.660  | 0.370 - 0.870           | 0.490 | 0.430  |
| TOTAL N (MG/L)    | 0.910 - 1.100           | 0.991 | 0.990  | 0.610 - 1.220           | 0.889 | 0.880  | 0.480 - 1.250           | 0.767 | 0.760  |
| CHLRPYL A (UG/L)  | 0.3 - 0.7               | 0.5   | 0.4    | 4.9 - 19.4              | 13.4  | 14.7   | 2.5 - 7.2               | 4.8   | 4.8    |
| SECCHI (METERS)   | 0.5 - 1.0               | 0.6   | 0.5    | 4.6 - 6.4               | 5.5   | 5.5    | 2.8 - 4.9               | 3.6   | 3.3    |

## B. Biological characteristics:

## 1. Phytoplankton -

| <u>Sampling Date</u> | <u>Dominant Genera</u>  | <u>Algal Units per ml</u>             |
|----------------------|---|---------------------------------------|
| 04/03/73             | 1. <u>Navicula sp.</u><br>2. <u>Tetraedron sp.</u><br>3. <u>Flagellates</u>   | 60<br>20<br>20                        |
|                      |   | Total 100                             |
| 07/18/73             | 1. Flagellates<br>2. <u>Melosira sp.</u><br>3. <u>Synedra sp.</u><br>4. <u>Cyclotella sp.</u><br>5. <u>Sphaerocystis sp.</u>          | 317<br>284<br>67<br>50<br>17          |
|                      |   | Total 735                             |
| 09/28/73             | 1. Centric diatoms<br>2. <u>Dinobryon sp.</u><br>3. <u>Cyclotella sp.</u><br>4. <u>Melosira sp.</u><br>5. Flagellates<br>Other genera | 579<br>482<br>241<br>205<br>133<br>73 |
|                      |   | Total 1,713                           |

## 2. Chlorophyll a -

| <u>Sampling Date</u> | <u>Station Number</u> | <u>Chlorophyll a (µg/l)</u> |
|----------------------|-----------------------|-----------------------------|
| 04/03/73             | 01<br>02<br>03<br>04  | 0.7<br>0.3<br>0.5<br>0.4    |
| 07/18/73             | 01<br>02<br>03<br>04  | 17.3<br>12.1<br>19.4<br>4.9 |
| 09/28/73             | 01<br>02<br>03<br>04  | 5.6<br>7.2<br>2.5<br>4.0    |

C. Limiting Nutrient Study:

1. Autoclaved, filtered, and nutrient spiked -

| <u>Spike (mg/l)</u> | <u>Ortho P Conc. (mg/l)</u> | <u>Inorganic N Conc. (mg/l)</u> | <u>Maximum yield (mg/l-dry wt.)</u> |
|---------------------|-----------------------------|---------------------------------|-------------------------------------|
| Control             | 0.005                       | 0.719                           | 0.1                                 |
| 0.050 P             | 0.055                       | 0.719                           | 11.2                                |
| 0.050 P + 1.0 N     | 0.055                       | 1.719                           | 13.6                                |
| 1.0 N               | 0.005                       | 1.719                           | 0.1                                 |

2. Discussion -

The control yield of the assay alga, Selenastrum capricornutum, indicates that the potential primary productivity of Summersville Reservoir was low at the time the sample was collected (04/03/73). There was a significant increase in yield when only orthophosphorus was added, but the yield was not changed when nitrogen alone was added. Based on these results, phosphorus limitation is indicated.

The reservoir data also indicate phosphorus limitation; i.e., the mean inorganic nitrogen/orthophosphorus ratios were 42/1 or greater at all sampling stations and times, and phosphorus limitation would be expected.

#### IV. NUTRIENT LOADINGS (See Appendix E for data)

For the determination of nutrient loadings, the West Virginia National Guard collected monthly near-surface grab samples from each of the tributary sites indicated on the map (page v), except for the high runoff months of February and March when two samples were collected. Sampling was begun in July, 1973, and was completed in June, 1974.

Through an interagency agreement, stream flow estimates for the year of sampling and a "normalized" or average year were provided by the West Virginia District Office of the U.S. Geological Survey for the tributary sites nearest the lake.

Except for Arbuckle Brook, nutrient loads for sampled tributaries were determined by using a modification of a U.S. Geological Survey computer program for calculating stream loadings\*. Nutrient loads shown are those measured minus point-source loads, if any.

Arbuckle Brook was sampled from the north bank a short distance downstream from the Summersville wastewater treatment plant outfall (also on the north bank), and the high nutrient levels in the samples (see Appendix E) are believed to be due to inadequate mixing of the plant effluent with the stream water at the sampling point. Therefore, the non-point nutrient loads in this stream were estimated.

The nutrient loads of Arbuckle Brook and the unsampled "minor tributaries and immediate drainage" ("ZZ" of U.S.G.S.) were estimated using the means of the nutrient loads, in kg/km<sup>2</sup>/year, at stations B-1, C-1,

\* See Working Paper No. 175.

D-1, and E-1 and multiplying the means by the Arbuckle Brook and ZZ areas in km<sup>2</sup>.

The operators of the Richwood and Summersville wastewater treatment plants provided monthly effluent samples; however, corresponding flow data were not provided by the Summersville operator. Consequently, the nutrient loads from this plant were estimated at 1.134 kg P and 3.401 kg N/capita/year, and flows were estimated at 0.3785 m<sup>3</sup>/capita/day.

#### A. Waste Sources:

##### 1. Known municipal -

| <u>Name</u>   | <u>Pop Served</u> | <u>Treatment</u> | <u>Mean Flow (m<sup>3</sup>/d)</u> | <u>Receiving Water</u> |
|---------------|-------------------|------------------|------------------------------------|------------------------|
| Richwood*     | 4,000             | act. sludge      | 1,519.5                            | Cherry River           |
| Summersville* | 2,800             | Imhoff           | 1,059.8                            | Arbuckle Brook         |

##### 2. Known industrial - None

\* Marlow, 1973; Hypes, 1973.

## B. Annual Total Phosphorus Loading - Average Year:

## 1. Inputs -

| <u>Source</u>  | <u>kg P/<br/>yr</u> | <u>% of<br/>total</u> |
|--|---------------------|-----------------------|
| a. Tributaries (non-point load) -                            |                     |                       |
| Gauley River   | 16,025              | 51.7                  |
| Hominy Creek   | 3,435               | 11.1                  |
| Panther Creek  | 370                 | 1.2                   |
| Big Beaver Creek   | 2,070               | 6.7                   |
| Muddlety Creek   | 2,860               | 9.2                   |
| Arbuckle Brook   | 100                 | 0.3                   |
| b. Minor tributaries & immediate drainage (non-point load) - | 1,530               | 4.9                   |
| c. Known municipal STP's -                                   |                     |                       |
| Richwood   | 1,265               | 4.1                   |
| Summersville   | 3,175               | 10.2                  |
| d. Septic tanks - unknown                                    | -                   | -                     |
| e. Known industrial - none                                   | -                   | -                     |
| f. Direct precipitation* -                                   | <u>195</u>          | <u>0.6</u>            |
| Total  | 31,025              | 100.0                 |

## 2. Outputs -

Lake outlet - Gauley River      27,975

3. Net annual P accumulation - 3,050 kg.

\* See Working Paper No. 175.

## C. Annual Total Nitrogen Loading - Average Year:

## 1. Inputs -

| <u>Source</u>  | <u>kg N/<br/>yr</u> | <u>% of<br/>total</u> |
|--|---------------------|-----------------------|
| a. Tributaries (non-point load) -                            |                     |                       |
| Gauley River   | 868,995             | 62.3                  |
| Hominy Creek   | 183,865             | 13.2                  |
| Panther Creek  | 62,435              | 4.5                   |
| Big Beaver Creek   | 66,240              | 4.8                   |
| Muddlety Creek   | 92,205              | 6.6                   |
| Arbuckle Brook   | 5,830               | 0.4                   |
| b. Minor tributaries & immediate drainage (non-point load) - | 88,010              | 6.3                   |
| c. Known municipal STP's -                                   |                     |                       |
| Richwood   | 4,885               | 0.4                   |
| Summersville   | 9,525               | 0.7                   |
| d. Septic tanks - unknown                                    | -                   | -                     |
| e. Known industrial - none                                   | -                   | -                     |
| f. Direct precipitation* -                                   | <u>11,900</u>       | <u>0.8</u>            |
| Total  | 1,393,890           | 100.0                 |

## 2. Outputs -

Lake outlet - Gauley River 1,414,220

3. Net annual N loss - 20,330 kg.

## D. Mean Annual Non-point Nutrient Export by Subdrainage Area:

| <u>Tributary</u> | <u>kg P/km<sup>2</sup>/yr</u> | <u>kg N/km<sup>2</sup>/yr</u> |
|------------------|-------------------------------|-------------------------------|
| Gauley River     | 12                            | 635                           |
| Hominy Creek     | 13                            | 682                           |
| Panther Creek    | 8                             | 1,425                         |
| Big Beaver Creek | 20                            | 646                           |
| Muddlety Creek   | 16                            | 531                           |

\* See Working Paper No. 175.

E. Yearly Loadings:

In the following table, the existing phosphorus loadings are compared to those proposed by Vollenweider (Vollenweider and Dillon, 1974). Essentially, his "dangerous" loading is one at which the receiving water would become eutrophic or remain eutrophic; his "permissible" loading is that which would result in the receiving water remaining oligotrophic or becoming oligotrophic if morphometry permitted. A mesotrophic loading would be considered one between "dangerous" and "permissible".

Note that Vollenweider's model may not be applicable to water bodies with short hydraulic retention times.

|                          | Total Phosphorus |             | Total Nitrogen |             |
|--------------------------|------------------|-------------|----------------|-------------|
|                          | Total            | Accumulated | Total          | Accumulated |
| grams/m <sup>2</sup> /yr | 2.82             | 0.28        | 126.5          | Loss*       |

Vollenweider phosphorus loadings  
(g/m<sup>2</sup>/yr) based on mean depth and mean  
hydraulic retention time of Summersville  
Reservoir:

|                                      |      |
|--------------------------------------|------|
| "Dangerous" (eutrophic loading)      | 2.20 |
| "Permissible" (oligotrophic loading) | 1.10 |

---

\* There was an apparent loss of nitrogen during the sampling year. This may have resulted from nitrogen fixation in the reservoir, solubilization of previously sedimented nitrogen, unknown and unsampled point sources discharging directly to the reservoir, or underestimation of the minor tributary and immediate drainage load. Whatever the cause, a similar nitrogen loss has occurred at Shagawa Lake, Minnesota, which has been intensively studied by EPA's National Eutrophication and Lake Restoration Branch (Malueg et al., 1975).

## V. LITERATURE REVIEWED

Hypes, John (Operator), 1973. Treatment plant questionnaire (Summersville STP). Summersville.

Malueg, Kenneth W., D. Phillips Larsen, Donald W. Schults, and Howard T. Mercier; 1975. A six-year water, phosphorus, and nitrogen budget for Shagawa Lake, Minnesota. Jour. Environ. Qual., vol. 4, no. 2, pp. 236-242.

Marlow, Forest, 1973. Treatment plant questionnaire (Richwood STP). Richwood.

Robinson, Dave, 1974. Personal communication (lake morphometry). WV Dept. of Nat. Resources, Charleston.

Vollenweider, R. A., and P. J. Dillon, 1974. The application of the phosphorus loading concept to eutrophication research. Natl. Res. Council of Canada Publ. No. 13690, Canada Centre for Inland Waters, Burlington, Ontario.

VI. APPENDICES

APPENDIX A

LAKE RANKINGS

LAKES RANKED BY INDEX NOS.

| RANK | LAKE CODE | LAKE NAME              | INDEX NO |
|------|-----------|------------------------|----------|
| 1    | 5404      | TYGART RESERVOIR       | 450      |
| 2    | 5402      | LAKE LYNN RESERVOIR    | 350      |
| 3    | 5403      | SUMMERSVILLE RESERVOIR | 299      |
| 4    | 5401      | BLUESTONE RESERVOIR    | 100      |

LAKE DATA TO BE USED IN RANKINGS

| LAKE<br>CODE | LAKE NAME              | MEDIAN<br>TOTAL P | MEDIAN<br>INORG N | 500-<br>MEAN SEC | MEAN<br>CHLORA | 15-<br>MIN DO | MEDIAN<br>DISS ORTHO P |
|--------------|------------------------|-------------------|-------------------|------------------|----------------|---------------|------------------------|
| 5401         | BLUESTONE RESERVOIR    | 0.074             | 1.080             | 473.700          | 14.900         | 11.800        | 0.018                  |
| 5402         | LAKE LYNN RESERVOIR    | 0.006             | 0.490             | 403.222          | 4.733          | 14.800        | 0.003                  |
| 5403         | SUMMERSVILLE RESERVOIR | 0.011             | 0.660             | 363.818          | 6.242          | 14.600        | 0.006                  |
| 5404         | TYGART RESERVOIR       | 0.006             | 0.430             | 378.667          | 1.178          | 14.700        | 0.005                  |

## PERCENT OF LAKES WITH HIGHER VALUES (NUMBER OF LAKES WITH HIGHER VALUES)

| LAKE<br>CODE | LAKE NAME              | MEDIAN<br>TOTAL P | MEDIAN<br>INORG N | 500-<br>MEAN SEC | MEAN<br>CHLORA | 15-<br>MIN DO | MEDIAN<br>DISS ORTHO P | INDEX<br>NO |
|--------------|------------------------|-------------------|-------------------|------------------|----------------|---------------|------------------------|-------------|
| 5401         | BLUESTONE RESERVOIR    | 0 ( 0)            | 0 ( 0)            | 0 ( 0)           | 0 ( 0)         | 100 ( 3)      | 0 ( 0)                 | 100         |
| 5402         | LAKE LYNN RESERVOIR    | 83 ( 2)           | 67 ( 2)           | 33 ( 1)          | 67 ( 2)        | 0 ( 0)        | 100 ( 3)               | 350         |
| 5403         | SUMMERSVILLE RESERVOIR | 33 ( 1)           | 33 ( -1)          | 100 ( 3)         | 33 ( 1)        | 67 ( 2)       | 33 ( 1)                | 299         |
| 5404         | TYGART RESERVOIR       | 83 ( 2)           | 100 ( 3)          | 67 ( 2)          | 100 ( 3)       | 33 ( 1)       | 67 ( 2)                | 450         |

## **APPENDIX B**

### **CONVERSION FACTORS**

## CONVERSION FACTORS

Hectares x 2.471 = acres

Kilometers x 0.6214 = miles

Meters x 3.281 = feet

Cubic meters x  $8.107 \times 10^{-4}$  = acre/feet

Square kilometers x 0.3861 = square miles

Cubic meters/sec x 35.315 = cubic feet/sec

Centimeters x 0.3937 = inches

Kilograms x 2.205 = pounds

Kilograms/square kilometer x 5.711 = lbs/square mile

**APPENDIX C**

**TRIBUTARY FLOW DATA**

## TRIBUTARY FLOW INFORMATION FOR WEST VIRGINIA

3/25/75

LAKE CODE 5403 SUMMERSVILLE RESERVOIR

TOTAL DRAINAGE AREA OF LAKE(SQ KM) 2082.4

| TRIBUTARY | SUB-DRAINAGE<br>AREA(SQ KM) | NORMALIZED FLOWS(CMS) |       |       |       |       |       |       |       |       |       |       |       | MEAN  |
|-----------|-----------------------------|-----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|           |                             | JAN                   | FEB   | MAR   | APR   | MAY   | JUN   | JUL   | AUG   | SEP   | OCT   | NOV   | DEC   |       |
| 5403A1    | 2082.4                      | 79.29                 | 76.46 | 93.45 | 70.79 | 56.63 | 31.15 | 31.15 | 28.32 | 28.32 | 31.15 | 48.14 | 67.96 | 53.48 |
| 5403A2    | 1367.5                      | 50.12                 | 51.82 | 66.83 | 50.40 | 38.23 | 27.33 | 25.82 | 19.77 | 9.88  | 14.84 | 24.58 | 33.98 | 34.39 |
| 5403B1    | 269.4                       | 10.48                 | 11.61 | 15.01 | 10.76 | 7.36  | 3.68  | 3.11  | 2.55  | 1.42  | 2.27  | 4.25  | 5.10  | 6.44  |
| 5403C1    | 43.8                        | 1.84                  | 1.84  | 2.41  | 1.84  | 1.27  | 0.71  | 0.71  | 0.57  | 0.28  | 0.57  | 0.85  | 1.27  | 1.18  |
| 5403D1    | 102.6                       | 4.25                  | 4.53  | 5.66  | 4.25  | 2.83  | 1.70  | 1.56  | 1.42  | 0.71  | 1.27  | 2.12  | 3.11  | 2.78  |
| 5403E1    | 173.8                       | 7.08                  | 7.36  | 9.34  | 7.08  | 4.81  | 2.69  | 2.69  | 2.41  | 1.13  | 2.12  | 3.68  | 5.10  | 4.61  |
| 5403F1    | 7.1                         | 0.28                  | 0.28  | 0.42  | 0.28  | 0.20  | 0.11  | 0.11  | 0.08  | 0.06  | 0.08  | 0.14  | 0.17  | 0.19  |
| 5403ZZ    | 119.1                       | 4.81                  | 4.25  | 4.81  | 3.96  | 3.40  | 1.98  | 2.27  | 2.27  | 2.55  | 3.40  | 4.25  | 4.53  | 3.54  |

## SUMMARY

|                               |        |                  |        |
|-------------------------------|--------|------------------|--------|
| TOTAL DRAINAGE AREA OF LAKE = | 2082.4 | TOTAL FLOW IN =  | 638.96 |
| SUM OF SUB-DRAINAGE AREAS =   | 2083.3 | TOTAL FLOW OUT = | 642.79 |

## MEAN MONTHLY FLOWS AND DAILY FLOWS(CMS)

| TRIBUTARY | MONTH | YEAR | MEAN FLOW | DAY | FLOW   | DAY | FLOW   | DAY | FLOW |
|-----------|-------|------|-----------|-----|--------|-----|--------|-----|------|
|           |       |      |           |     |        |     |        |     |      |
| 5403A1    | 7     | 73   | 18.07     | 28  | 3.48   |     |        |     |      |
|           | 8     | 73   | 17.95     | 27  | 10.11  |     |        |     |      |
|           | 9     | 73   | 28.40     | 23  | 49.27  |     |        |     |      |
|           | 10    | 73   | 53.49     | 18  | 48.70  |     |        |     |      |
|           | 11    | 73   | 147.81    | 16  | 122.33 |     |        |     |      |
|           | 12    | 73   | 106.58    | 16  | 97.41  |     |        |     |      |
|           | 1     | 74   | 167.24    | 13  | 4.93   |     |        |     |      |
|           | 2     | 74   | 63.91     | 3   | 69.09  | 17  | 79.29  |     |      |
|           | 3     | 74   | 110.78    | 3   | 93.16  | 17  | 111.00 |     |      |
|           | 4     | 74   | 4.11      | 21  | 4.33   |     |        |     |      |
|           | 5     | 74   | 62.44     | 13  | 194.54 |     |        |     |      |
|           | 6     | 74   | 112.50    | 10  | 28.88  |     |        |     |      |
| 5403A2    | 7     | 73   | 10.68     | 28  | 8.89   |     |        |     |      |
|           | 8     | 73   | 11.98     | 27  | 10.99  |     |        |     |      |
|           | 9     | 73   | 7.36      | 23  | 5.35   |     |        |     |      |
|           | 10    | 73   | 28.63     | 18  | 9.37   |     |        |     |      |
|           | 11    | 73   | 68.05     | 16  | 74.47  |     |        |     |      |
|           | 12    | 73   | 88.49     | 16  | 43.32  |     |        |     |      |
|           | 1     | 74   | 100.30    | 13  | 131.11 |     |        |     |      |
|           | 2     | 74   | 40.01     | 3   | 36.25  | 17  | 44.17  |     |      |
|           | 3     | 74   | 77.42     | 3   | 69.94  | 17  | 74.76  |     |      |
|           | 4     | 74   | 50.57     | 21  | 19.11  |     |        |     |      |
|           | 5     | 74   | 44.83     | 13  | 139.89 |     |        |     |      |
|           | 6     | 74   | 74.70     | 10  | 20.39  |     |        |     |      |

## TRIBUTARY FLOW INFORMATION FOR WEST VIRGINIA

3/25/75

LAKE CODE 5403 SUMMERSVILLE RESERVOIR

## MEAN MONTHLY FLOWS AND DAILY FLOWS(CMS)

| TRIBUTARY | MONTH | YEAR | MEAN FLOW | DAY | FLOW  | DAY | FLOW  | DAY | FLOW |
|-----------|-------|------|-----------|-----|-------|-----|-------|-----|------|
| 5403B1    | 7     | 73   | 3.37      | 28  | 2.27  |     |       |     |      |
|           | 8     | 73   | 2.35      | 27  | 2.29  |     |       |     |      |
|           | 9     | 73   | 0.51      | 23  | 0.40  |     |       |     |      |
|           | 10    | 73   | 1.64      | 18  | 0.40  |     |       |     |      |
|           | 11    | 73   | 10.51     | 16  | 5.27  |     |       |     |      |
|           | 12    | 73   | 13.85     | 16  | 9.51  |     |       |     |      |
|           | 1     | 74   | 17.27     | 13  | 33.41 |     |       |     |      |
|           | 2     | 74   | 5.80      | 3   | 6.37  | 17  | 6.65  |     |      |
|           | 3     | 74   | 11.33     | 3   | 4.81  |     |       |     |      |
|           | 4     | 74   | 7.65      | 20  | 2.80  |     |       |     |      |
|           | 5     | 74   | 6.37      | 13  | 23.22 |     |       |     |      |
|           | 6     | 74   | 6.68      | 10  | 2.52  |     |       |     |      |
| 5403C1    | 7     | 73   | 0.26      | 28  | 0.25  |     |       |     |      |
|           | 8     | 73   | 0.31      | 27  | 0.27  |     |       |     |      |
|           | 9     | 73   | 0.24      | 23  | 0.14  |     |       |     |      |
|           | 10    | 73   | 0.99      | 18  | 0.28  |     |       |     |      |
|           | 11    | 73   | 1.98      | 16  | 2.78  |     |       |     |      |
|           | 12    | 73   | 2.75      | 16  | 1.08  |     |       |     |      |
|           | 1     | 74   | 3.11      | 13  | 4.02  |     |       |     |      |
|           | 2     | 74   | 1.30      | 3   | 1.08  | 17  | 1.39  |     |      |
|           | 3     | 74   | 2.38      | 3   | 2.55  | 17  | 2.21  |     |      |
|           | 4     | 74   | 1.56      | 21  | 0.48  |     |       |     |      |
|           | 5     | 74   | 1.42      | 13  | 3.96  |     |       |     |      |
|           | 6     | 74   | 2.61      | 10  | 0.74  |     |       |     |      |
| 5403D1    | 7     | 73   | 0.62      | 28  | 0.59  |     |       |     |      |
|           | 8     | 73   | 0.74      | 27  | 0.62  |     |       |     |      |
|           | 9     | 73   | 0.57      | 23  | 0.34  |     |       |     |      |
|           | 10    | 73   | 2.27      | 18  | 0.65  |     |       |     |      |
|           | 11    | 73   | 4.76      | 16  | 6.46  |     |       |     |      |
|           | 12    | 73   | 6.40      | 16  | 2.55  |     |       |     |      |
|           | 1     | 74   | 7.22      | 13  | 9.34  |     |       |     |      |
|           | 2     | 74   | 3.03      | 3   | 2.55  | 17  | 3.26  |     |      |
|           | 3     | 74   | 5.55      | 3   | 5.95  | 17  | 5.10  |     |      |
|           | 4     | 74   | 3.60      | 21  | 1.13  |     |       |     |      |
|           | 5     | 74   | 3.31      | 13  | 9.26  |     |       |     |      |
|           | 6     | 74   | 6.09      | 10  | 1.70  |     |       |     |      |
| 5403E1    | 7     | 73   | 1.05      | 28  | 0.99  |     |       |     |      |
|           | 8     | 73   | 1.25      | 27  | 1.08  |     |       |     |      |
|           | 9     | 73   | 0.96      | 23  | 0.57  |     |       |     |      |
|           | 10    | 73   | 3.96      | 18  | 1.08  |     |       |     |      |
|           | 11    | 73   | 7.93      | 16  | 11.04 |     |       |     |      |
|           | 12    | 73   | 10.76     | 16  | 4.25  |     |       |     |      |
|           | 1     | 74   | 12.18     | 13  | 15.86 |     |       |     |      |
|           | 2     | 74   | 5.10      | 3   | 4.25  | 17  | 5.52  |     |      |
|           | 3     | 74   | 9.40      | 3   | 10.19 | 17  | 87.78 |     |      |
|           | 4     | 74   | 6.09      | 21  | 1.90  |     |       |     |      |
|           | 5     | 74   | 5.61      | 13  | 15.69 |     |       |     |      |
|           | 6     | 74   | 10.31     | 10  | 2.92  |     |       |     |      |

## TRIBUTARY FLOW INFORMATION FOR WEST VIRGINIA

3/25/75

LAKE CODE 5403      SUMMERSVILLE RESERVOIR

## MEAN MONTHLY FLOWS AND DAILY FLOWS(CMS)

| TRIBUTARY | MONTH | YEAR | MEAN FLOW | DAY | FLOW | DAY | FLOW | DAY | FLOW |
|-----------|-------|------|-----------|-----|------|-----|------|-----|------|
| 5403F1    | 7     | 73   | 0.04      | 28  | 0.04 |     |      |     |      |
|           | 8     | 73   | 0.05      | 27  | 0.05 |     |      |     |      |
|           | 9     | 73   | 0.04      | 23  | 0.02 |     |      |     |      |
|           | 10    | 73   | 0.16      | 18  | 0.05 |     |      |     |      |
|           | 11    | 73   | 0.31      | 16  | 0.45 |     |      |     |      |
|           | 12    | 73   | 0.45      | 16  | 0.18 |     |      |     |      |
|           | 1     | 74   | 0.51      | 13  | 0.65 |     |      |     |      |
|           | 2     | 74   | 0.21      | 3   | 0.18 | 17  | 0.23 |     |      |
|           | 3     | 74   | 0.40      | 3   | 0.42 | 17  | 0.37 |     |      |
|           | 4     | 74   | 0.25      | 21  | 0.08 |     |      |     |      |
|           | 5     | 74   | 0.23      | 13  | 0.65 |     |      |     |      |
|           | 6     | 74   | 0.42      | 10  | 0.12 |     |      |     |      |

## **APPENDIX D**

### **PHYSICAL and CHEMICAL DATA**

STORET RETRIEVAL DATE 75/03/25

540301  
 38 13 03.0 080 53 31.0  
 SUMMERSVILLE RESERVOIR  
 54067 WEST VIRGINIA

| DATE<br>FROM<br>TO | TIME<br>OF<br>DAY | DEPTH<br>FEET | WATER<br>TEMP<br>CENT | 00010<br>DO<br>MG/L | 00300<br>TRANSP<br>INCHES | 00077<br>SECCHI | 00094<br>CNDUCTVY<br>FIELD<br>MICROMHO | 00400<br>PH<br>SU. | 00410<br>TALK<br>CACO3<br>MG/L | 00610<br>NH3-N<br>TOTAL<br>MG/L | 11EPALES<br>3          |                    | 2111202<br>0180 FEET DEPTH |                                      |
|--------------------|-------------------|---------------|-----------------------|---------------------|---------------------------|-----------------|--|--------------------|--------------------------------|---------------------------------|------------------------|--------------------|----------------------------|--------------------------------------|
|                    |                   |               |                       |                     |                           |                 |  |                    |                                |                                 | NH3-N<br>TOTAL<br>MG/L | TOT KJEL<br>N MG/L | NO2&NO3<br>N-TOTAL<br>MG/L | 00630<br>PHOS-DIS<br>ORTHO<br>MG/L P |
| 73/04/03           | 10 00             | 0000          | 10.1                  |                     |                           |                 | 50K                                    | 7.20               | 10K                            | 0.050                           | 0.200K                 | 0.830              | 0.003                      |                                      |
|                    | 10 00             | 0006          | 10.1                  | 10.7                |                           |                 | 50K                                    | 7.20               | 10K                            | 0.040                           | 0.200K                 | 0.810              | 0.003                      |                                      |
|                    | 10 00             | 0015          | 10.0                  | 10.8                |                           |                 | 50K                                    | 7.20               | 10K                            | 0.040                           | 0.200K                 | 0.780              | 0.002                      |                                      |
|                    | 10 00             | 0050          | 9.2                   | 11.1                |                           |                 | 50K                                    | 7.20               | 10K                            | 0.040                           | 0.200K                 | 0.760              | 0.002                      |                                      |
|                    | 10 00             | 0075          | 8.5                   | 10.7                |                           |                 | 50K                                    | 7.20               | 10K                            | 0.040                           | 0.200K                 | 0.750              | 0.002                      |                                      |
|                    | 10 00             | 0100          | 7.4                   | 11.4                |                           |                 | 50K                                    | 7.20               | 10K                            | 0.050                           | 0.200K                 | 0.730              | 0.003                      |                                      |
|                    | 10 00             | 0135          | 6.3                   | 11.5                |                           |                 | 50K                                    | 7.20               | 10K                            | 0.060                           | 0.200K                 | 0.740              | 0.002                      |                                      |
|                    | 10 00             | 0175          | 6.0                   | 11.1                |                           |                 | 50K                                    | 7.10               | 10K                            | 0.050                           | 0.200K                 | 0.710              | 0.002                      |                                      |
| 73/07/18           | 14 25             | 0000          | 27.4                  | 8.1                 | 204                       |                 | 58                                     | 7.10               | 10K                            | 0.060                           | 0.400                  | 0.530              | 0.009                      |                                      |
|                    | 14 25             | 0005          | 27.2                  |                     |                           |                 | 55                                     |                    |                                |                                 |                        |                    |                            |                                      |
|                    | 14 25             | 0020          | 26.2                  | 8.6                 |                           |                 | 66                                     | 6.90               | 10K                            | 0.050                           | 0.300                  | 0.520              | 0.007                      |                                      |
|                    | 14 25             | 0025          | 24.5                  |                     |                           |                 | 60                                     |                    |                                |                                 |                        |                    |                            |                                      |
|                    | 14 25             | 0030          | 23.0                  |                     |                           |                 | 58                                     |                    |                                |                                 |                        |                    |                            |                                      |
|                    | 14 25             | 0035          | 22.2                  |                     |                           |                 | 56                                     |                    |                                |                                 |                        |                    |                            |                                      |
|                    | 14 25             | 0040          | 21.4                  | 6.6                 |                           |                 | 50                                     | 6.30               | 10                             | 0.060                           | 0.200                  | 0.590              | 0.008                      |                                      |
|                    | 14 25             | 0060          | 18.6                  |                     |                           |                 | 40                                     |                    |                                |                                 |                        |                    |                            |                                      |
|                    | 14 25             | 0080          | 16.9                  | 8.0                 |                           |                 | 35                                     | 6.30               | 10K                            | 0.080                           | 0.500                  | 0.680              | 0.007                      |                                      |
|                    | 14 25             | 0100          | 16.0                  |                     |                           |                 | 32                                     |                    |                                |                                 |                        |                    |                            |                                      |
|                    | 14 25             | 0120          | 15.6                  | 7.8                 |                           |                 | 32                                     | 6.30               | 10K                            | 0.070                           | 0.300                  | 0.700              | 0.006                      |                                      |
|                    | 14 25             | 0140          | 15.4                  |                     |                           |                 | 30                                     |                    |                                |                                 |                        |                    |                            |                                      |
|                    | 14 25             | 0150          | 15.3                  |                     |                           |                 | 27                                     |                    |                                |                                 |                        |                    |                            |                                      |
|                    | 14 25             | 0160          | 15.2                  |                     |                           |                 | 26                                     |                    |                                |                                 |                        |                    |                            |                                      |
|                    | 14 25             | 0170          | 15.1                  | 7.5                 |                           |                 | 26                                     | 6.10               | 10K                            | 0.080                           | 0.300                  | 0.710              | 0.007                      |                                      |
|                    | 14 25             | 0180          | 15.0                  |                     |                           |                 | 27                                     |                    |                                |                                 |                        |                    |                            |                                      |
|                    | 14 25             | 0190          | 14.7                  |                     |                           |                 | 27                                     |                    |                                |                                 |                        |                    |                            |                                      |
|                    | 14 25             | 0200          | 13.6                  |                     |                           |                 | 33                                     |                    |                                |                                 |                        |                    |                            |                                      |
|                    | 14 25             | 0210          | 11.8                  |                     |                           |                 | 30                                     |                    |                                |                                 |                        |                    |                            |                                      |
|                    | 14 25             | 0215          | 10.7                  |                     |                           |                 | 28                                     |                    |                                |                                 |                        |                    |                            |                                      |
|                    | 14 25             | 0220          | 9.8                   |                     |                           |                 | 26                                     |                    |                                |                                 |                        |                    |                            |                                      |
|                    | 14 25             | 0225          | 9.0                   | 5.5                 |                           | 140             | 25                                     | 6.00               | 10K                            | 0.060                           | 0.400                  | 0.820              | 0.007                      |                                      |
| 73/09/28           | 14 55             | 0000          | 25.0                  |                     |                           |                 | 72                                     | 6.70               | 12                             | 0.060                           | 0.600                  | 0.390              | 0.008                      |                                      |
|                    | 14 55             | 0005          | 24.0                  | 8.0                 |                           |                 | 70                                     | 7.20               | 12                             | 0.050                           | 0.500                  | 0.380              | 0.012                      |                                      |
|                    | 14 55             | 0025          | 23.7                  | 6.8                 |                           |                 | 69                                     | 6.20               | 12                             | 0.050                           | 0.400                  | 0.390              | 0.008                      |                                      |
|                    | 14 55             | 0050          | 23.5                  | 6.0                 |                           |                 | 69                                     | 6.20               | 11                             | 0.060                           | 0.400                  | 0.400              | 0.007                      |                                      |
|                    | 14 55             | 0075          | 22.7                  | 2.6                 |                           |                 | 65                                     | 5.80               | 11                             | 0.040                           | 0.400                  | 0.560              | 0.007                      |                                      |
|                    | 14 55             | 0100          | 22.0                  | 4.0                 |                           |                 | 59                                     | 5.80               | 11                             | 0.040                           | 0.400                  | 0.590              | 0.006                      |                                      |

K VALUE KNOWN TO BE  
LESS THAN INDICATED

STORET RETRIEVAL DATE 75/03/25

540301  
38 13 03.0 080 53 31.0  
SUMMERSVILLE RESERVOIR  
54067 WEST VIRGINIA

11EPALES  
3 2111202  
0180 FEET DEPTH

| DATE<br>FROM<br>TO | TIME<br>OF<br>DAY | DEPTH<br>FEET | 00010<br>WATER<br>TEMP<br>CENT | 00300<br>DO | 00077<br>TRANSP<br>SECCHI | 00094<br>CNDUCTVY<br>FIELD | 00400<br>PH | 00410<br>TALK<br>CACO3 | 00610<br>NH3-N<br>TOTAL | 00625<br>TOT KJEL<br>N | 00630<br>NO2&NO3<br>N-TOTAL | 00671<br>PHOS-DIS<br>ORTHO |
|--------------------|-------------------|---------------|--------------------------------|-------------|---------------------------|----------------------------|-------------|------------------------|-------------------------|------------------------|-----------------------------|----------------------------|
| 73/09/28           | 14 55             | 0125          | 21.5                           | 3.6         |                           | 57                         | 5.90        | 11                     | 0.050                   | 0.300                  | 0.600                       | 0.005                      |
|                    | 14 55             | 0150          | 20.9                           | 4.2         |                           | 57                         | 6.10        | 10                     | 0.060                   | 0.500                  | 0.570                       | 0.005                      |
|                    | 14 55             | 0175          | 18.3                           | 0.4         |                           | 48                         | 6.00        | 14                     | 0.190                   | 0.800                  | 0.450                       | 0.005                      |
|                    | 14 55             | 0185          | 12.0                           | 4.5         |                           | 40                         | 5.80        | 10K                    | 0.040                   | 0.300                  | 0.760                       | 0.006                      |
|                    | 14 55             | 0200          | 9.8                            | 3.2         |                           | 36                         | 6.00        | 10                     | 0.050                   | 0.200                  | 0.820                       | 0.006                      |

K VALUE KNOWN TO BE  
LESS THAN INDICATED

STORET RETRIEVAL DATE 75/03/25

540301  
38 13 03.0 080 53 31.0  
SUMMERSVILLE RESERVOIR  
54067 WEST VIRGINIA

11EPALES 2111202  
3 0180 FEET DEPTH

| DATE       | TIME  | DEPTH | PHOS-TOT | CHLRPHYL |
|------------|-------|-------|----------|----------|
| FROM<br>OF |       |       |          | A        |
| TO         | DAY   | FEET  | MG/L P   | UG/L     |
| 73/04/03   | 10 00 | 0000  | 0.014    | 0.7      |
|            | 10 00 | 0006  | 0.009    |          |
|            | 10 00 | 0015  | 0.011    |          |
|            | 10 00 | 0050  | 0.013    |          |
|            | 10 00 | 0075  | 0.011    |          |
|            | 10 00 | 0100  | 0.011    |          |
|            | 10 00 | 0135  | 0.010    |          |
|            | 10 00 | 0175  | 0.014    |          |
| 73/07/18   | 14 25 | 0000  | 0.009    | 17.3     |
|            | 14 25 | 0020  | 0.009    |          |
|            | 14 25 | 0040  | 0.010    |          |
|            | 14 25 | 0080  | 0.011    |          |
|            | 14 25 | 0120  | 0.008    |          |
|            | 14 25 | 0170  | 0.010    |          |
|            | 14 25 | 0225  | 0.012    |          |
| 73/09/28   | 14 55 | 0000  | 0.011    | 5.6      |
|            | 14 55 | 0005  | 0.015    |          |
|            | 14 55 | 0025  | 0.010    |          |
|            | 14 55 | 0050  | 0.009    |          |
|            | 14 55 | 0075  | 0.009    |          |
|            | 14 55 | 0100  | 0.008    |          |
|            | 14 55 | 0125  | 0.008    |          |
|            | 14 55 | 0150  | 0.009    |          |
|            | 14 55 | 0175  | 0.015    |          |
|            | 14 55 | 0185  | 0.010    |          |
|            | 14 55 | 0200  | 0.010    |          |

STORED RETRIEVAL DATE 75/03/25

540302  
38 15 41.0 080 53 03.0  
SUMMERSVILLE RESERVOIR  
54067 WEST VIRGINIA

11EPALES  
3 2111202  
0021 FEET DEPTH

| DATE<br>FROM<br>TO | TIME<br>OF<br>DAY | DEPTH<br>FEET | 00010<br>WATER<br>TEMP<br>CENT | 00300<br>DO<br>MG/L | 00077<br>TRANSP<br>SECCHI<br>INCHES | 00094<br>CNDUCTVY<br>FIELD<br>MICROMHO | 00400<br>PH<br>SU | 00410<br>T ALK<br>CACO <sub>3</sub><br>MG/L | 00610<br>NH3-N<br>TOTAL<br>MG/L | 00625<br>TOT KJEL<br>N<br>MG/L | 00630<br>NO2&NO3<br>N-TOTAL<br>MG/L | 00671<br>PHOS-DIS<br>URTHO<br>MG/L P |
|--------------------|-------------------|---------------|--------------------------------|---------------------|-------------------------------------|--|-------------------|---|---------------------------------|--------------------------------|-------------------------------------|--------------------------------------|
| 73/04/03           | 10 30             | 0000          | 11.8                           |                     | 18                                  | 50K                                    | 7.20              | 10K   | 0.040                           | 0.200K                         | 0.780                               | 0.002                                |
|                    | 10 30             | 0004          | 11.8                           | 10.4                |                                     | 50K                                    | 7.10              | 10K   | 0.050                           | 0.200                          | 0.790                               | 0.002                                |
|                    | 10 30             | 0015          | 10.0                           | 10.8                |                                     | 50K                                    | 7.10              | 10K   | 0.040                           | 0.200K                         | 0.760                               | 0.002                                |
| 73/07/18           | 15 50             | 0000          | 27.4                           | 8.3                 | 252                                 | 55                                     | 7.20              | 10  | 0.060                           | 0.600                          | 0.510                               | 0.009                                |
|                    | 15 50             | 0010          | 27.0                           |                     |                                     | 54                                     |                   |   |                                 |                                |                                     |                                      |
|                    | 15 50             | 0015          | 26.9                           |                     |                                     | 56                                     |                   |   |                                 |                                |                                     |                                      |
|                    | 15 50             | 0018          | 26.7                           | 8.4                 |                                     | 55                                     | 7.00              | 11  | 0.060                           | 0.500                          | 0.500                               | 0.006                                |
|                    | 15 50             | 0020          | 26.4                           |                     |                                     | 55                                     |                   |   |                                 |                                |                                     |                                      |
|                    | 15 50             | 0025          | 25.0                           |                     |                                     | 62                                     |                   |   |                                 |                                |                                     |                                      |
|                    | 15 50             | 0030          | 23.2                           |                     |                                     | 56                                     |                   |   |                                 |                                |                                     |                                      |
|                    | 15 50             | 0040          | 21.1                           | 8.6                 |                                     | 45                                     | 6.40              | 11  | 0.080                           | 0.500                          | 0.600                               | 0.006                                |
|                    | 15 50             | 0045          | 20.6                           |                     |                                     | 46                                     |                   |   |                                 |                                |                                     |                                      |
|                    | 15 50             | 0050          | 19.9                           |                     |                                     | 45                                     |                   |   |                                 |                                |                                     |                                      |
| 73/09/28           | 15 50             | 0055          | 19.2                           | 6.9                 | 112                                 | 44                                     | 6.20              | 10K   | 0.090                           | 0.200K                         | 0.610                               | 0.006                                |
|                    | 15 25             | 0000          | 24.7                           |                     |                                     | 65                                     | 7.00              | 10  | 0.040                           | 0.600                          | 0.350                               | 0.008                                |
|                    | 15 25             | 0005          | 24.0                           | 8.4                 |                                     | 67                                     | 6.60              | 10K   | 0.040                           | 0.400                          | 0.340                               | 0.007                                |
|                    | 15 25             | 0025          | 23.7                           | 7.2                 |                                     | 66                                     | 6.20              | 10K   | 0.050                           | 0.400                          | 0.360                               | 0.006                                |
|                    | 15 25             | 0035          | 23.6                           | 7.6                 |                                     | 66                                     | 6.10              | 10K   | 0.050                           | 0.200K                         | 0.330                               | 0.007                                |

K VALUE KNOWN TO BE  
LESS THAN INDICATED

STORET RETRIEVAL DATE 75/03/25

540302  
38 15 41.0 080 53 03.0  
SUMMERSVILLE RESERVOIR  
54067 WEST VIRGINIA

11EPALES 2111202  
3 0021 FEET DEPTH

| DATE     | TIME  | DEPTH | PHOS-TOT | CHLRPHYL |
|----------|-------|-------|----------|----------|
| FROM     | OF    |       | A        |          |
| TO       | DAY   | FEET  | MG/L P   | UG/L     |
| 73/04/03 | 10 30 | 0000  | 0.027    | 0.3      |
|          | 10 30 | 0004  | 0.015    |          |
|          | 10 30 | 0015  | 0.015    |          |
| 73/07/18 | 15 50 | 0000  | 0.010    | 12.1     |
|          | 15 50 | 0018  | 0.007    |          |
|          | 15 50 | 0040  | 0.007    |          |
|          | 15 50 | 0055  | 0.008    |          |
| 73/09/28 | 15 25 | 0000  | 0.012    | 7.2      |
|          | 15 25 | 0005  | 0.012    |          |
|          | 15 25 | 0025  | 0.010    |          |
|          | 15 25 | 0035  | 0.010    |          |

STORET RETRIEVAL DATE 75/03/25

540303  
38 14 24.0 080 50 57.0  
SUMMERSVILLE RESERVOIR  
54067 WEST VIRGINIA

| DATE<br>FROM<br>TO | TIME<br>OF<br>DAY | DEPTH<br>FEET | 00010<br>WATER<br>CENT | 00300<br>DO<br>MG/L | 00077<br>TRANSP<br>INCHES | 00094<br>CNDUCTVY<br>FIELD<br>MICROMHO | 00400<br>PH<br>SU | 00410<br>T ALK<br>CACO3<br>MG/L | 00610<br>NH3-N<br>TOTAL<br>MG/L | 00625<br>TOT KJEL<br>N<br>MG/L | 00630<br>NO2&NO3<br>N-TOTAL<br>MG/L | 00671<br>PHOS-DIS<br>ORTHO<br>MG/L P | 11EPALES<br>3 | 2111202<br>0084 FEET DEPTH |
|--------------------|-------------------|---------------|------------------------|---------------------|---------------------------|--|-------------------|---------------------------------|---------------------------------|--------------------------------|-------------------------------------|--------------------------------------|---------------|----------------------------|
|                    |                   |               |                        |                     |                           |  |                   |                                 |                                 |                                |                                     |                                      |               |                            |
| 73/04/03           | 11 00 0000        | 12.0          |                        |                     | 18                        | 50K                                    | 7.10              | 10K                             | 0.050                           | 0.200K                         | 0.800                               | 0.003                                |               |                            |
|                    | 11 00 0004        | 12.0          |                        | 10.2                |                           | 50K                                    | 7.10              | 10K                             | 0.040                           | 0.300                          | 0.800                               | 0.006                                |               |                            |
|                    | 11 00 0015        | 11.3          |                        | 10.3                |                           | 50K                                    | 7.10              | 10K                             | 0.050                           | 0.200                          | 0.810                               | 0.004                                |               |                            |
|                    | 11 00 0035        | 10.4          |                        | 11.1                |                           | 50K                                    | 7.10              | 10K                             | 0.040                           | 0.200K                         | 0.800                               | 0.003                                |               |                            |
|                    | 11 00 0055        | 8.4           |                        | 11.0                |                           | 50K                                    | 7.10              | 10K                             | 0.040                           | 0.200K                         | 0.780                               | 0.002                                |               |                            |
|                    | 11 00 0080        | 7.5           |                        | 10.6                |                           | 50K                                    | 7.10              | 10K                             | 0.090                           | 0.300                          | 0.760                               | 0.002                                |               |                            |
| 73/07/18           | 16 30 0000        | 27.8          |                        |                     | 228                       | 67                                     | 7.20              | 10K                             | 0.100                           | 0.200K                         | 0.530                               | 0.005                                |               |                            |
|                    | 16 30 0010        | 27.1          |                        |                     |                           | 63                                     |                   |                                 |                                 |                                |                                     |                                      |               |                            |
|                    | 16 30 0015        | 27.0          |                        |                     |                           | 65                                     |                   |                                 |                                 |                                |                                     |                                      |               |                            |
|                    | 16 30 0020        | 26.1          |                        | 7.2                 |                           | 90                                     | 6.90              | 14                              | 0.080                           | 0.200K                         | 0.450                               | 0.008                                |               |                            |
|                    | 16 30 0025        | 24.7          |                        |                     |                           | 84                                     |                   |                                 |                                 |                                |                                     |                                      |               |                            |
|                    | 16 30 0030        | 23.7          |                        |                     |                           | 89                                     |                   |                                 |                                 |                                |                                     |                                      |               |                            |
|                    | 16 30 0040        | 21.7          |                        | 6.9                 |                           | 63                                     | 6.60              | 11                              | 0.070                           | 0.200K                         | 0.590                               | 0.008                                |               |                            |
|                    | 16 30 0050        | 19.8          |                        |                     |                           | 45                                     |                   |                                 |                                 |                                |                                     |                                      |               |                            |
|                    | 16 30 0060        | 18.7          |                        |                     |                           | 48                                     |                   |                                 |                                 |                                |                                     |                                      |               |                            |
|                    | 16 30 0070        | 17.6          |                        | 7.4                 |                           | 46                                     | 6.40              | 10K                             | 0.080                           | 0.200                          | 0.680                               | 0.007                                |               |                            |
|                    | 16 30 0080        | 16.9          |                        |                     |                           | 39                                     |                   |                                 |                                 |                                |                                     |                                      |               |                            |
|                    | 16 30 0090        | 16.3          |                        |                     |                           | 37                                     |                   |                                 |                                 |                                |                                     |                                      |               |                            |
|                    | 16 30 0100        | 15.7          |                        | 8.0                 |                           | 36                                     | 6.30              | 10K                             | 0.050                           | 0.200K                         | 0.690                               | 0.007                                |               |                            |
|                    | 16 30 0120        | 15.5          |                        | 6.3                 |                           | 38                                     | 6.20              | 10K                             | 0.080                           | 0.200K                         | 0.690                               | 0.006                                |               |                            |
| 73/09/28           | 16 05 0000        | 24.3          |                        |                     | 192                       | 73                                     | 6.50              | 12                              | 0.050                           | 0.200K                         | 0.380                               | 0.006                                |               |                            |
|                    | 16 05 0005        | 23.9          |                        | 7.0                 |                           | 75                                     | 6.80              | 12                              | 0.040                           | 0.200K                         | 0.380                               | 0.007                                |               |                            |
|                    | 16 05 0030        | 23.6          |                        | 6.8                 |                           | 74                                     | 6.50              | 12                              | 0.050                           | 0.200K                         | 0.380                               | 0.010                                |               |                            |
|                    | 16 05 0055        | 23.4          |                        | 5.0                 |                           | 87                                     | 6.40              | 12                              | 0.060                           | 0.200K                         | 0.400                               | 0.007                                |               |                            |
|                    | 16 05 0075        | 22.6          |                        | 6.0                 |                           | 82                                     | 6.40              | 12                              | 0.090                           | 0.200K                         | 0.340                               | 0.006                                |               |                            |
|                    | 16 05 0100        | 22.0          |                        | 5.8                 |                           | 75                                     | 6.40              | 11                              | 0.100                           | 0.200K                         | 0.330                               | 0.007                                |               |                            |

K VALUE KNOWN TO BE  
LESS THAN INDICATED

STORET RETRIEVAL DATE 75/03/25

540303  
38 14 24.0 080 50 57.0  
SUMMERSSVILLE RESERVOIR  
54067 WEST VIRGINIA

11EPALES 2111202  
3 0084 FEET DEPTH

| DATE     | TIME  | DEPTH | PHOS-TOT | CHLRPHYL |
|----------|-------|-------|----------|----------|
| FROM     | OF    |       |          | A        |
| TO       | DAY   | FEET  | MG/L P   | UG/L     |
| 73/04/03 | 11 00 | 0000  | 0.018    | 0.5      |
|          | 11 00 | 0004  | 0.016    |          |
|          | 11 00 | 0015  | 0.017    |          |
|          | 11 00 | 0035  | 0.014    |          |
|          | 11 00 | 0055  | 0.014    |          |
|          | 11 00 | 0080  | 0.013    |          |
| 73/07/18 | 16 30 | 0000  | 0.008    | 19.4     |
|          | 16 30 | 0020  | 0.009    |          |
|          | 16 30 | 0040  | 0.021    |          |
|          | 16 30 | 0070  | 0.009    |          |
|          | 16 30 | 0100  | 0.008    |          |
|          | 16 30 | 0120  | 0.009    |          |
| 73/09/28 | 16 05 | 0000  | 0.009    | 2.5      |
|          | 16 05 | 0005  | 0.011    |          |
|          | 16 05 | 0030  | 0.011    |          |
|          | 16 05 | 0055  | 0.010    |          |
|          | 16 05 | 0075  | 0.012    |          |
|          | 16 05 | 0100  | 0.014    |          |

STORET RETRIEVAL DATE 75/03/25

540304  
38 16 00.0 080 49 00.0  
SUMMERSVILLE RESERVOIR  
54067 WEST VIRGINIA

11EPALES  
3 2111202  
0031 FEET DEPTH

| DATE<br>FROM<br>TO | TIME<br>OF<br>DAY | DEPTH<br>FEET | WATER<br>TEMP<br>CENT | 00010<br>DO<br>MG/L | 00300<br>TRANSP<br>SECCHI<br>INCHES | 00077<br>FIELD<br>MICROMHO | 00094<br>CNDUCTVY | 00400<br>PH<br>SU | 00410<br>T ALK<br>CACO <sub>3</sub><br>MG/L | 00610<br>NH <sub>3</sub> -N<br>TOTAL<br>MG/L | 00625<br>TOT KJEL<br>N<br>MG/L | 00630<br>NO <sub>2</sub> &NO <sub>3</sub><br>N-TOTAL<br>MG/L | 00671<br>PHOS-DIS<br>ORTHO<br>MG/L P |
|--------------------|-------------------|---------------|-----------------------|---------------------|-------------------------------------|----------------------------|-------------------|-------------------|---|--|--------------------------------|--|--------------------------------------|
| 73/04/03           | 11 45             | 0000          | 9.2                   |                     | 38                                  | 50K                        | 7.20              | 10K               | 0.040                                       | 0.200K                                       | 0.820                          | 0.003  |                                      |
|                    | 11 45             | 0006          | 9.3                   | 11.1                |                                     | 50K                        | 7.20              | 10K               | 0.040                                       | 0.200K                                       | 0.790                          | 0.002  |                                      |
|                    | 11 45             | 0015          | 9.1                   | 11.0                |                                     | 50K                        | 7.20              | 10K               | 0.030                                       | 0.200K                                       | 0.810                          | 0.003  |                                      |
|                    |                   | 11 45         | 0026                  | 9.1                 |                                     | 11.0                       | 50K               | 7.20              | 10K   | 0.040  | 0.200K                         | 0.810  | 0.002                                |
|                    |                   | 18 40         | 0000                  | 27.8                |                                     | 8.5                        | 72                | 7.70              | 11  | 0.040  | 0.200                          | 0.410  | 0.005                                |
| 73/07/18           | 18 40             | 0005          | 27.2                  |                     |                                     | 72                         |                   |                   |   |  |                                |  |                                      |
|                    | 18 40             | 0010          | 27.0                  |                     |                                     | 72                         |                   |                   |   |  |                                |  |                                      |
|                    | 18 40             | 0015          | 26.7                  |                     |                                     | 88                         |                   |                   |   |  |                                |  |                                      |
|                    | 18 40             | 0020          | 25.6                  | 7.5                 |                                     | 75                         | 6.90              | 12                | 0.060                                       | 0.200K                                       | 0.430                          | 0.005  |                                      |
|                    | 18 40             | 0025          | 24.5                  |                     |                                     | 63                         |                   |                   |   |  |                                |  |                                      |
|                    | 18 40             | 0030          | 23.3                  |                     |                                     | 59                         |                   |                   |   |  |                                |  |                                      |
|                    | 18 40             | 0040          | 21.5                  | 6.0                 |                                     | 58                         | 6.40              | 10K               | 0.080                                       | 0.200K                                       | 0.550                          | 0.005  |                                      |
|                    | 18 40             | 0045          | 20.8                  |                     |                                     | 51                         |                   |                   |   |  |                                |  |                                      |
|                    | 18 40             | 0050          | 19.9                  |                     |                                     | 47                         |                   |                   |   |  |                                |  |                                      |
|                    | 18 40             | 0055          | 19.3                  |                     |                                     | 46                         |                   |                   |   |  |                                |  |                                      |
|                    | 18 40             | 0060          | 18.5                  | 4.1                 |                                     | 45                         | 6.10              | 10K               | 0.050                                       | 0.200K                                       | 0.670                          | 0.004  |                                      |
|                    | 73/09/28          | 15 45         | 0000                  | 24.4                |                                     | 116                        | 79                | 6.80              | 10  | 0.040  | 0.200                          | 0.330  | 0.006                                |
| 15 45              |                   | 0005          | 23.7                  | 7.6                 | 79                                  |                            | 7.10              | 12                | 0.050                                       | 0.200K                                       | 0.330                          | 0.007  |                                      |
| 15 45              |                   | 0025          | 23.6                  | 7.8                 | 79                                  |                            | 6.60              | 12                | 0.040                                       | 0.200K                                       | 0.330                          | 0.006  |                                      |
|                    |                   | 15 45         | 0045                  | 22.7                | 6.8                                 |                            | 88                | 6.30              | 15  | 0.090  | 0.200                          | 0.280  | 0.016                                |

K VALUE KNOWN TO BE  
LESS THAN INDICATED

STORET RETRIEVAL DATE 75/03/25

540304  
38 16 00.0 080 49 00.0  
SUMMERSVILLE RESERVOIR  
54067 WEST VIRGINIA

11EPALES 2111202  
3 0031 FEET DEPTH

| DATE     | TIME  | DEPTH | PHOS-TOT | CHLRPHYL |
|----------|-------|-------|----------|----------|
| FROM     | OF    |       |          | A        |
| TO       | DAY   | FEET  | MG/L P   | UG/L     |
| 73/04/03 | 11 45 | 0000  | 0.015    | 0.4      |
|          | 11 45 | 0006  | 0.016    |          |
|          | 11 45 | 0015  | 0.015    |          |
|          | 11 45 | 0026  | 0.014    |          |
| 73/07/18 | 18 40 | 0000  | 0.011    | 4.9      |
|          | 18 40 | 0020  | 0.012    |          |
|          | 18 40 | 0040  | 0.012    |          |
|          | 18 40 | 0060  | 0.011    |          |
| 73/09/28 | 15 45 | 0000  | 0.018    | 4.0      |
|          | 15 45 | 0005  | 0.018    |          |
|          | 15 45 | 0025  | 0.016    |          |
|          | 15 45 | 0045  | 0.025    |          |

## **APPENDIX E**

### **TRIBUTARY and WASTEWATER TREATMENT PLANT DATA**

STORET RETRIEVAL DATE 75/03/25

5403A1  
 38 13 20.0 080 53 30.0  
 GAULEY RIVER  
 54061 15 WINONA  
 0/SUMMERSVILLE RES  
 BELO DAM 3 MI ESE OF KESSLERS CROSS LANE  
 11EPALES 2111204  
 4 0000 FEET DEPTH

| DATE<br>FROM<br>TO | TIME<br>OF<br>DAY | DEPTH<br>FEET | 00630<br>NO2&N03<br>N-TOTAL<br>MG/L | 00625<br>TOT KJEL<br>N<br>MG/L | 00610<br>NH3-N<br>TOTAL<br>MG/L | 00671<br>PHOS-DIS<br>ORTHO<br>MG/L P | 00665<br>PHOS-TOT<br>MG/L P |
|--------------------|-------------------|---------------|-------------------------------------|--------------------------------|---------------------------------|--------------------------------------|-----------------------------|
| 73/07/28           | 13                | 10            | 0.680                               | 0.100K                         | 0.018                           | 0.007                                | 0.010                       |
| 73/08/27           | 14                | 35            | 0.605                               | 0.100K                         | 0.043                           | 0.005K                               | 0.010                       |
| 73/09/23           | 16                | 50            | 0.510                               | 0.180                          | 0.046                           | 0.005K                               | 0.005K                      |
| 73/10/18           | 10                | 45            | 0.390                               | 0.200                          | 0.031                           | 0.021                                |                             |
| 73/11/16           | 12                | 15            | 0.530                               | 0.150                          | 0.040                           | 0.005K                               | 0.005K                      |
| 73/12/16           | 09                | 45            | 0.650                               | 0.200                          | 0.048                           | 0.008                                | 0.020                       |
| 74/01/13           | 13                | 25            | 0.740                               | 0.100                          | 0.040                           | 0.008                                | 0.040                       |
| 74/02/03           | 15                | 40            | 0.720                               | 0.100K                         | 0.030                           | 0.005K                               | 0.010                       |
| 74/02/17           | 10                | 05            | 0.672                               | 0.200                          | 0.040                           | 0.010                                | 0.010                       |
| 74/03/03           | 13                | 50            | 0.780                               | 0.300                          | 0.055                           | 0.005                                | 0.035                       |
| 74/03/17           | 10                | 00            | 0.770                               | 0.200                          | 0.030                           | 0.005K                               | 0.015                       |
| 74/04/21           | 14                | 20            | 0.600                               | 0.400                          | 0.060                           | 0.005K                               | 0.015                       |
| 74/05/13           | 19                | 00            | 0.720                               | 0.200                          | 0.050                           | 0.005K                               | 0.015                       |
| 74/06/10           | 10                | 00            | 0.570                               | 0.300                          | 0.060                           | 0.010                                | 0.025                       |

K VALUE KNOWN TO BE  
 LESS THAN INDICATED

STORET RETRIEVAL DATE 75/03/25

5403A2  
 38 15 05.0 080 39 00.0  
 GAULEY RIVER  
 54 NICHOLAS CO HWY  
 I/SUMMERSVILLE RES  
 BANK 25 MI BELO RT 20 BRDG  
 11EPALES 2111204  
 4 0000 FEET DEPTH

| DATE       | TIME | DEPTH     | 00630<br>NU2&N03<br>N-TOTAL | 00625<br>TOT KJEL<br>N | 00610<br>NH3-N<br>TOTAL | 00671<br>PHOS-DIS<br>ORTHO | 00665<br>PHOS-TOT<br>MG/L P |
|------------|------|-----------|-----------------------------|------------------------|-------------------------|----------------------------|-----------------------------|
| FROM<br>OF |      | TO<br>DAY | FEET                        | MG/L                   | MG/L                    | MG/L P                     | MG/L P                      |
| 73/07/28   | 10   | 20        | 0.450                       | 0.100K                 | 0.010                   | 0.005K                     | 0.010                       |
| 73/08/27   | 19   | 15        | 0.340                       | 0.100K                 | 0.021                   | 0.010                      | 0.015                       |
| 73/09/23   | 15   | 20        | 0.270                       | 0.100K                 | 0.025                   | 0.006                      | 0.015                       |
| 73/10/18   | 11   | 20        | 0.450                       | 0.525                  | 0.280                   | 0.011                      | 0.022                       |
| 73/11/16   | 10   | 30        | 0.600                       | 0.150                  | 0.021                   | 0.005K                     | 0.025                       |
| 73/12/16   | 10   | 00        | 0.650                       | 0.100K                 | 0.020                   | 0.005K                     | 0.005                       |
| 74/01/13   | 11   | 20        | 0.870                       | 0.200                  | 0.024                   | 0.005K                     | 0.010                       |
| 74/02/03   | 17   | 00        | 0.750                       | 0.100K                 | 0.015                   |                            | 0.005                       |
| 74/02/17   | 09   | 00        | 0.730                       | 0.100K                 | 0.010                   | 0.005                      | 0.005K                      |
| 74/03/03   | 12   | 25        | 0.790                       | 0.200                  | 0.005                   | 0.005K                     | 0.030                       |
| 74/03/17   | 10   | 00        | 0.820                       | 0.200                  | 0.025                   | 0.005K                     | 0.020                       |
| 74/04/21   | 11   | 10        | 0.600                       | 0.200                  | 0.040                   | 0.005K                     | 0.020                       |
| 74/05/13   | 17   | 55        | 0.680                       | 0.400                  | 0.025                   | 0.005K                     | 0.030                       |
| 74/06/10   | 14   | 30        | 0.570                       | 0.200                  | 0.035                   | 0.005K                     | 0.010                       |

K VALUE KNOWN TO BE  
 LESS THAN INDICATED

STORET RETRIEVAL DATE 75/03/25

540381  
38 13 05.0 080 50 00.0  
HOMINY CREEK  
54 15 WINONA  
T/SUMMERSVILLE RES  
BANK AT END OF RD 2 MI NNE OF MT NEBO  
11EPALES 2111204  
4 0000 FEET DEPTH

| DATE<br>FROM<br>TO | TIME<br>OF<br>DAY | DEPTH<br>FEET | 00630<br>NU26N03<br>N-TOTAL<br>MG/L | 00625<br>TOT KJEL<br>N<br>MG/L | 00610<br>NH3-N<br>TOTAL<br>MG/L | 00671<br>PHOS-DIS<br>ORTHO<br>MG/L P | 00665<br>PHOS-TOT<br>MG/L P |
|--------------------|-------------------|---------------|-------------------------------------|--------------------------------|---------------------------------|--------------------------------------|-----------------------------|
| 73/07/28           | 15 00             |               | 0.750                               | 0.140                          | 0.006                           | 0.005K                               | 0.010                       |
| 73/08/27           | 14 30             |               | 0.720                               | 0.100K                         | 0.008                           | 0.005K                               | 0.015                       |
| 73/09/23           | 16 25             |               | 0.570                               | 0.100K                         | 0.020                           | 0.005K                               | 0.010                       |
| 73/10/18           | 11 03             |               | 0.430                               | 0.250                          | 0.050                           | 0.007                                | 0.040                       |
| 73/11/16           | 11 45             |               | 0.630                               | 0.250                          | 0.012                           | 0.005K                               | 0.010                       |
| 73/12/16           | 10 00             |               | 0.336                               | 0.100                          | 0.020                           | 0.005K                               | 0.005                       |
| 74/01/13           | 14 10             |               | 0.960                               | 0.100                          | 0.016                           | 0.005K                               | 0.020                       |
| 74/02/03           | 15 05             |               | 0.730                               | 0.100K                         | 0.005K                          | 0.015                                | 0.015                       |
| 74/02/17           | 10 25             |               | 0.720                               | 0.100K                         | 0.010                           | 0.005K                               | 0.005K                      |
| 74/03/03           | 13 25             |               | 0.570                               | 0.700                          | 0.010                           | 0.015                                | 0.030                       |
| 74/04/20           | 12 10             |               | 0.540                               | 0.700                          | 0.210                           | 0.005K                               | 0.005K                      |
| 74/05/13           | 18 30             |               | 0.480                               | 0.600                          | 0.020                           | 0.005K                               | 0.035                       |
| 74/06/10           | 12 30             |               | 0.570                               | 0.100                          | 0.035                           | 0.005K                               | 0.020                       |

K VALUE KNOWN TO BE  
LESS THAN INDICATED

STORET RETRIEVAL DATE 75/03/25

5403C1  
 38 16 15.0 080 40 14.0  
 PANTHER CREEK  
 54 NICHOLAS CO HWY  
 T/SUMMERSVILLE RES  
 BANK ALONG RT 39/15 TO SEWELL COAL MINES  
 11EPALES 2111204  
 4 0000 FEET DEPTH

| DATE       | TIME | DEPTH       | 00630<br>NO2&N03<br>N-TOTAL | 00625<br>TOT KJEL | 00610<br>NH3-N | 00671<br>PHOS-DIS<br>TOTAL | 00665<br>PHOS-TOT<br>ORTHO |
|------------|------|-------------|-----------------------------|-------------------|----------------|----------------------------|----------------------------|
| FROM<br>TO | OF   | DAY<br>FEET | MG/L                        | MG/L              | MG/L           | MG/L P                     | MG/L P                     |
| 73/07/28   | 16   | 20          | 1.920                       | 0.580             | 0.400          | 0.005K                     | 0.005K                     |
| 73/08/27   | 19   | 00          | 1.640                       | 0.390             | 0.310          | 0.005K                     | 0.015                      |
| 73/09/23   | 18   | 19          | 1.960                       | 0.500             | 0.378          | 0.005K                     | 0.010                      |
| 73/10/18   | 17   | 45          | 1.800                       | 0.500             | 0.236          | 0.005K                     | 0.010                      |
| 73/11/16   | 12   | 05          | 0.840                       | 0.250             | 0.080          | 0.016                      |                            |
| 73/12/16   | 11   | 35          | 1.000                       | 0.200             | 0.068          | 0.005K                     | 0.005                      |
| 74/01/13   | 15   | 17          | 1.040                       | 0.200             | 0.192          | 0.005K                     | 0.010                      |
| 74/02/03   | 10   | 10          | 1.090                       | 0.200             | 0.150          | 0.010                      | 0.010                      |
| 74/02/17   | 11   | 10          | 1.090                       | 0.300             | 0.145          | 0.005                      | 0.005K                     |
| 74/03/03   | 14   | 30          | 0.970                       | 0.700             | 0.095          | 0.005K                     | 0.025                      |
| 74/03/17   | 10   | 30          | 0.880                       | 0.100             | 0.030          | 0.005K                     | 0.005K                     |
| 74/04/21   | 11   | 40          | 1.200                       | 0.700             | 0.295          | 0.005K                     | 0.010                      |
| 74/05/13   | 17   | 40          | 0.730                       | 0.400             | 0.080          | 0.005K                     | 0.015                      |
| 74/06/10   | 18   | 15          | 1.600                       | 0.500             | 0.430          | 0.005K                     | 0.005K                     |

K VALUE KNOWN TO BE  
 LESS THAN INDICATED

STORET RETRIEVAL DATE 75/03/25

540301  
38 19 40.0 080 40 00.0  
BIG BEAVER CREEK  
54 NICHOLAS CO HWY  
T/SUMMERSVILLE RES  
RT 5 BRDG JUST W OF CRAIGSVILLE  
11EPALES 2111204  
4 0000 FEET DEPTH

| DATE<br>FROM<br>TO | TIME<br>OF<br>DAY | DEPTH<br>FEET | 00630<br>NO2&NO3<br>N-TOTAL<br>MG/L | 00625<br>TOT KJEL<br>N<br>MG/L | 00610<br>NH3-N<br>TOTAL<br>MG/L | 00671<br>PHOS-DIS<br>ORTHO<br>MG/L P | 00665<br>PHOS-TOT<br>MG/L P |
|--------------------|-------------------|---------------|-------------------------------------|--------------------------------|---------------------------------|--------------------------------------|-----------------------------|
| 73/07/28           | 10                | 55            | 0.570                               | 0.480                          | 0.340                           | 0.005K                               | 0.010                       |
| 73/08/27           | 19                | 40            | 0.370                               | 0.270                          | 0.270                           | 0.005K                               | 0.015                       |
| 73/09/23           | 16                | 20            | 0.650                               | 0.570                          | 0.450                           | 0.005K                               | 0.025                       |
| 73/10/18           | 10                | 07            | 0.357                               | 0.150                          | 0.037                           | 0.005K                               | 0.010                       |
| 73/11/16           | 10                | 55            | 0.380                               | 0.600                          | 0.082                           | 0.005K                               | 0.105                       |
| 73/12/16           | 10                | 25            | 0.320                               | 0.100                          | 0.068                           | 0.005K                               | 0.010                       |
| 74/01/13           | 11                | 45            | 0.340                               | 0.100K                         | 0.052                           | 0.005K                               | 0.020                       |
| 74/02/03           | 16                | 35            | 0.312                               | 0.240                          | 0.240                           | 0.010                                | 0.010                       |
| 74/02/17           | 09                | 10            | 0.330                               | 0.300                          | 0.105                           | 0.005K                               | 0.005K                      |
| 74/03/03           | 12                | 35            | 0.312                               | 0.500                          | 0.115                           | 0.005K                               | 0.040                       |
| 74/03/17           | 09                | 00            | 0.340                               | 0.500                          | 0.140                           | 0.005K                               | 0.015                       |
| 74/04/21           | 11                | 20            | 0.270                               | 0.700                          | 0.345                           | 0.005K                               | 0.010                       |
| 74/05/13           | 18                | 15            | 0.232                               | 0.400                          | 0.090                           | 0.005K                               | 0.050                       |
| 74/06/10           | 09                | 40            | 0.352                               | 0.400                          | 0.350                           | 0.005K                               | 0.005K                      |

K VALUE KNOWN TO BE  
LESS THAN INDICATED

STORET RETRIEVAL DATE 75/03/25

5403E1  
 38 17 50.0 080 49 30.0  
 MUDDLETY CREEK  
 54 7.5 SUMMERSVILLE  
 T/SUMMERSVILLE RES  
 BANK AT END OF RD 19/11 1.5 NE SUMMERSVI  
 11EPALES 2111204  
 4 0000 FEET DEPTH

| DATE<br>FROM<br>TO | TIME<br>OF<br>DAY | DEPTH<br>FEET | 00630<br>N02&N03<br>N-TOTAL | 00625<br>TOT KJEL<br>N | 00610<br>NH3-N<br>TOTAL | 00671<br>PHOS-DIS<br>ORTHO | 00665<br>PHOS-TOT<br>MG/L P |
|--------------------|-------------------|---------------|-----------------------------|------------------------|-------------------------|----------------------------|-----------------------------|
| 73/07/28           | 11                | 50            | 0.490                       | 0.180                  | 0.029                   | 0.006                      | 0.015                       |
| 73/08/27           | 20                | 05            | 0.357                       | 0.100K                 | 0.019                   | 0.005K                     | 0.020                       |
| 73/09/23           | 15                | 30            | 0.320                       | 0.100K                 | 0.024                   | 0.005K                     | 0.015                       |
| 73/10/18           | 16                | 05            | 0.176                       | 0.200                  | 0.019                   | 0.005K                     | 0.005K                      |
| 73/11/16           | 16                | 05            | 0.430                       | 0.700                  | 0.132                   | 0.005K                     |                             |
| 73/12/16           | 09                | 45            | 0.390                       | 0.100K                 | 0.040                   | 0.005K                     | 0.005                       |
| 74/01/13           | 12                | 40            | 0.450                       | 0.100                  | 0.028                   | 0.005K                     | 0.020                       |
| 74/02/03           | 09                | 30            | 0.450                       | 0.100K                 | 0.050                   | 0.010                      | 0.010                       |
| 74/02/17           | 09                | 25            | 0.400                       | 0.100                  | 0.035                   | 0.005K                     | 0.005K                      |
| 74/03/03           | 08                | 43            | 0.336                       | 0.300                  | 0.020                   | 0.005K                     | 0.045                       |
| 74/03/17           | 09                | 30            | 0.384                       | 0.300                  | 0.040                   | 0.005K                     | 0.035                       |
| 74/04/21           | 13                | 35            | 0.440                       | 0.400                  | 0.050                   | 0.005K                     | 0.010                       |
| 74/05/13           | 17                | 45            | 0.264                       | 0.400                  | 0.030                   | 0.005K                     | 0.055                       |
| 74/06/10           | 09                | 54            | 0.510                       | 0.300                  | 0.080                   | 0.005K                     | 0.015                       |

K VALUE KNOWN TO BE  
 LESS THAN INDICATED

STORET RETRIEVAL DATE 75/04/14

5403F1  
 38 16 38.0 080 49 55.0  
 ARBUCKLE BRANCH  
 54 7.5 SUMMERSVILLE  
 T/SUMMERSVILLE RES.  
 BANK BELO 'FILTRATION PLANT'  
 11EPALES 2111204  
 4 0000 FEET DEPTH

| DATE<br>FROM<br>TO | TIME<br>OF<br>DAY | DEPTH<br>FEET | 00630<br>N+NO3<br>N-TOTAL<br>MG/L | 00625<br>TOT KJEL<br>N<br>MG/L | 00610<br>NH3-N<br>TOTAL<br>MG/L | 00671<br>PHOS-DIS<br>ORTHO<br>MG/L P | 00665<br>PHOS-TOT<br>MG/L P |
|--------------------|-------------------|---------------|-----------------------------------|--------------------------------|---------------------------------|--------------------------------------|-----------------------------|
| 73/07/28           | 15                | 30            | 0.084                             | 13.000                         | 7.000                           | 6.000                                | 13.000                      |
| 73/08/27           | 19                | 45            | 0.280                             | 8.600                          | 4.600                           | 4.000                                | 7.100                       |
| 73/09/23           | 17                | 15            | 0.140                             | 13.000                         | 9.050                           | 4.300                                | 8.700                       |
| 73/10/18           | 16                | 25            | 0.105                             | 18.000                         | 11.800                          | 7.700                                |                             |
| 73/11/16           | 16                | 20            | 1.000                             | 1.200                          | 0.180                           | 0.128                                | 0.765                       |
| 73/12/16           | 11                | 00            | 0.750                             | 3.100                          | 0.546                           | 0.267                                | 0.830                       |
| 74/01/13           | 14                | 40            | 0.770                             | 1.000                          | 0.188                           | 0.106                                | 0.590                       |
| 74/02/03           | 09                | 45            | 0.610                             | 2.300                          | 0.510                           | 0.115                                | 0.430                       |
| 74/02/17           | 10                | 45            | 0.620                             | 2.900                          | 0.525                           | 0.175                                | 0.630                       |
| 74/03/03           | 09                | 05            | 0.540                             | 1.900                          | 0.290                           | 0.080                                | 0.370                       |
| 74/03/17           | 09                | 45            | 0.672                             | 2.300                          | 0.240                           | 0.100                                | 0.270                       |
| 74/04/21           | 13                | 15            | 0.280                             | 8.550                          | 2.880                           | 0.925                                | 3.000                       |
| 74/05/13           | 17                | 55            | 0.330                             | 2.600                          | 0.550                           | 0.350                                | 1.100                       |
| 74/06/10           | 17                | 30            | 0.504                             | 4.000                          | 0.155                           | 0.052                                | 1.650                       |

STORET RETRIEVAL DATE 75/03/25

5403XA AS5403XA P004000  
 38 13 30.0 080 32 00.0  
 TOWN OF RICHWOOD  
 54061 15 RICHWOOD  
 T/SUMMERSVILLE RESERVOIR  
 CHERRY RIVER TO SUMMERSVILLE LAKE  
 11EPALES 2141204  
 4 0000 FEET DEPTH

| DATE<br>FROM<br>TO | TIME<br>OF<br>DAY | DEPTH<br>FEET | 00630<br>NO2&N03<br>MG/L | 00625<br>TOT KJEL<br>MG/L | 00610<br>NH3-N<br>TOTAL<br>MG/L | 00671<br>PHOS-DIS<br>ORTHO<br>MG/L P | 00665<br>PHOS-TOT<br>MG/L P | 50051<br>FLOW<br>RATE<br>INST MGD | 50053<br>CONDUIT<br>FLOW-MGD<br>MONTHLY |
|--------------------|-------------------|---------------|--------------------------|---------------------------|---------------------------------|--------------------------------------|-----------------------------|-----------------------------------|---|
| 74/01/23           | 10 00             |               | 0.800                    | 10.500                    | 1.280                           | 0.750                                | 2.200                       | 0.396                             | 0.420                                   |
| 74/02/19           | 09 00             |               | 0.960                    | 4.500                     | 1.760                           | 1.040                                | 2.000                       | 0.392                             | 0.400                                   |
| 74/03/18           | 09 00             |               | 1.080                    | 2.300                     | 1.400                           | 0.560                                | 1.150                       | 0.400                             | 0.420                                   |
| 74/04/23           | 09 30             |               | 0.640                    | 5.000                     | 2.400                           | 1.100                                | 1.950                       | 0.401                             | 0.405                                   |
| 74/05/20           | 09 30             |               | 0.320                    | 6.400                     | 3.050                           | 1.250                                | 2.500                       | 0.399                             | 0.400                                   |
| 74/06/20           | 09 15             |               | 2.700                    | 5.300                     | 1.700                           | 0.660                                | 1.850                       | 0.391                             | 0.400                                   |
| 74/07/19           | 10 00             |               | 0.040                    | 9.500                     | 0.120                           | 1.750                                | 3.400                       | 0.410                             | 0.400                                   |
| 74/08/19           | 09 30             |               | 0.040                    | 17.000                    | 0.100                           |                                      | 4.300                       | 0.399                             | 0.400                                   |
| 74/09/20           | 10 30             |               | 0.570                    | 12.000                    | 6.250                           | 1.650                                | 3.500                       | 0.400                             | 0.400                                   |
| 74/10/21           |                   |               | 0.560                    | 14.000                    | 2.800                           | 1.300                                |                             | 0.400                             | 0.372                                   |
| 74/11/20           | 09 00             |               | 0.480                    | 5.000                     | 2.300                           | 0.420                                | 1.200                       | 0.410                             | 0.400                                   |
| 74/12/19           | 09 00             |               | 1.200                    | 4.700                     | 1.500                           | 0.560                                | 0.770                       | 0.385                             | 0.400                                   |

STORET RETRIEVAL DATE 75/03/25

5403XB PR5403XB P002800  
 38 16 40.0 080 49 45.0  
 TOWN OF SUMMERSVILLE  
 54 7.5 SUMMERSVILLE  
 D/SUMMERSVILLE RESERVOIR  
 ARBUCKLE CREEK  
 11EPALES 2141204  
 4 0000 FEET DEPTH

| DATE<br>FROM<br>TO | TIME<br>OF<br>DAY | DEPTH<br>FEET | 00630<br>N02&N03<br>N-TOTAL | 00625<br>TOT KJEL<br>N | 00610<br>NH3-N<br>TOTAL | 00671<br>PHOS-DIS<br>ORTHO | 00665<br>PHOS-TOT<br>MG/L P | 50051<br>FLOW<br>RATE<br>INST MGD | 50053<br>CONDUIT<br>FLOW-MGD<br>MONTHLY |
|--------------------|-------------------|---------------|-----------------------------|------------------------|-------------------------|----------------------------|-----------------------------|-----------------------------------|---|
| 74/01/03           | 14 00             |               | 1.080                       | 3.600                  | 0.220                   | 0.690                      | 2.500                       |                                   |   |
| 74/02/07           | 13 00             |               | 0.720                       | 10.000                 | 1.320                   | 1.160                      | 4.700                       |                                   |   |
| 74/03/04           | 15 00             |               | 0.720                       | 8.450                  | 1.700                   | 2.900                      | 9.700                       |                                   |   |
| 74/05/08           | 09 30             |               | 0.240                       | 32.000                 | 7.200                   | 3.200                      | 7.100                       |                                   |   |
| 74/06/06           | 09 00             |               | 0.470                       | 15.000                 | 2.700                   | 1.330                      | 3.200                       |                                   |   |
| 74/07/16           | 13 30             |               | 0.040                       | 31.000                 | 0.160                   | 3.150                      | 13.500                      |                                   |   |
| 74/08/09           | 14 30             |               | 0.120                       | 20.000                 | 4.900                   | 5.300                      | 16.500                      |                                   |   |
| 74/09/09           | 11 00             |               | 0.400                       | 15.800                 | 2.750                   | 2.800                      | 9.350                       |                                   |   |
| 74/10/16           | 10 00             |               | 1.600                       | 7.700                  | 1.100                   | 0.700                      |                             |                                   |   |
| 74/11/06           | 12 30             |               | 0.480                       | 14.000                 | 3.430                   | 2.750                      | 9.800                       |                                   |   |
| 75/01/03           | 14 00             |               | 1.040                       | 13.000                 | 3.100                   | 1.400                      | 3.300                       |                                   |   |