


**U.S. ENVIRONMENTAL PROTECTION AGENCY
NATIONAL EUTROPHICATION SURVEY
WORKING PAPER SERIES**



DISTRIBUTION OF PHYTOPLANKTON
IN ARKANSAS LAKES

WORKING PAPER NO. 694

**CORVALLIS ENVIRONMENTAL RESEARCH LABORATORY - CORVALLIS, OREGON
and
ENVIRONMENTAL MONITORING & SUPPORT LABORATORY - LAS VEGAS, NEVADA**

DISTRIBUTION OF PHYTOPLANKTON
IN ARKANSAS LAKES

WORKING PAPER NO. 694

DISTRIBUTION OF PHYTOPLANKTON IN ARKANSAS LAKES

by

J. W. Hilgert*, F. A. Morris*, M. K. Morris*, W. D. Taylor,
L. R. Williams, S. C. Hern, and V. W. Lambou

Water and Land Quality Branch
Monitoring Operations Division
Environmental Monitoring and Support Laboratory
Las Vegas, Nevada 89114

*Department of Biological Sciences
The University of Nevada, Las Vegas
Las Vegas, Nevada 89154

WORKING PAPER NO. 694

NATIONAL EUTROPHICATION SURVEY
OFFICE OF RESEARCH AND DEVELOPMENT
U.S. ENVIRONMENTAL PROTECTION AGENCY

September 1977

FOREWORD

The National Eutrophication Survey was initiated in 1972 in response to an Administration commitment to investigate the nationwide threat of accelerated eutrophication to freshwater lakes and reservoirs. The Survey was designed to develop, in conjunction with State environmental agencies, information on nutrient sources, concentrations, and impact on selected freshwater lakes as a basis for formulating comprehensive and coordinated national, regional, and State management practices relating to point source discharge reduction and nonpoint source pollution abatement in lake watershed.

The Survey collected physical, chemical, and biological data from 815 lakes and reservoirs throughout the contiguous United States. To date, the Survey has yielded more than two million data points. In-depth analyses are being made to advance the rationale and data base for refinement of nutrient water quality criteria for the Nation's freshwater lakes.

CONTENTS

	<u>Page</u>
Foreword	iii
Introduction	1
Materials and Methods	3
Lake and Site Selection	3
Sample Preparation	3
Examination	4
Quality Control	5
Results	6
Nygaard's Trophic State Indices	6
Palmer's Organic Pollution Indices	6
Species Diversity and Abundance Indices	8
Species Occurrence and Abundance	10
Literature Cited	11
Appendix A. Phytoplankton Species List for the State of Arkansas	12
Appendix B. Summary of Phytoplankton Data	16

INTRODUCTION

The collection and analysis of phytoplankton data were included in the National Eutrophication Survey in an effort to determine relationships between algal characteristics and trophic status of individual lakes.

During spring, summer, and fall of 1974, the Survey sampled 179 lakes in 10 States. Over 700 algal species and varieties were identified and enumerated from the 573 water samples examined.

This report presents the species and abundance of phytoplankton in the 16 lakes sampled in the State of Arkansas (Table 1). The Nygaard's Trophic State (Nygaard 1949), Palmer's Organic Pollution (Palmer 1969), and species diversity and abundance indices are also included.

TABLE 1. LAKES SAMPLED IN THE STATE OF ARKANSAS

STORET No.	Lake Name	County
0501	Beaver Lake	Benton, Carroll, Washington
0502	Blackfish Lake	Crittenden, St. Francis
0503	Blue Mountain Lake	Logan, Yell
0504	Bull Shoals Lake	Baxter, Boone, Marion (Taney, Ozark in Mo.)
0505	Lake Catherine	Garland, Hot Spring
0506	Lake Chicot	Chicot
0507	DeGray Lake	Clark, Hot Spring
0508	Lake Erling	Lafayette
0509	Grand Lake	Chicot
0510	Lake Hamilton	Garland
0511	Millwood Lake	Hempstead, Howard, Little River, Sevier
0512	Nimrod Lake	Perry, Yell

(Continued)

TABLE 1. LAKES SAMPLED IN THE STATE OF ARKANSAS (Continued)

STORET No.	Lake Name	County
0513	Norfolk Lake	Baxter, Fulton (Ozark in Mo.)
0514	Lake Ouachita	Garland, Montgomery
0515	Table Rock Lake	Boone, Carroll (Barry, Taney in Mo.)
0516	Greer's Ferry Lake	Van Buren, Cleburne

MATERIALS AND METHODS

LAKE AND SITE SELECTION

Lakes and reservoirs included in the Survey were selected through discussions with State water pollution agency personnel and U.S. Environmental Protection Agency Regional Offices (U.S. Environmental Protection Agency 1975). Screening and selection strongly emphasized lakes with actual or potential accelerated eutrophication problems. As a result, the selection was limited to lakes:

- (1) impacted by one or more municipal sewage treatment plant outfalls either directly into the lake or by discharge to an inlet tributary within approximately 40 kilometers of the lake;
- (2) 40 hectares or larger in size; and
- (3) with a mean hydraulic retention time of at least 30 days.

Specific selection criteria were waived for some lakes of particular State interest.

Sampling sites for a lake were selected based on available information on lake morphometry, potential major sources of nutrient input, and on-site judgment of the field limnologist (U.S. Environmental Protection Agency 1975). Primary sampling sites were chosen to reflect the deepest portion of each major basin in a test lake. Where many basins were present, selection was guided by nutrient source information on hand. At each sampling site, a depth-integrated phytoplankton sample was taken. Depth-integrated samples were uniform mixtures of water from the surface to a depth of 15 feet (4.6 meters) or from the surface to the lower limit of the photic zone representing 1 percent of the incident light, whichever was greater. If the depth at the sampling site was less than 15 feet (4.6 meters), the sample was taken from just off the bottom to the surface. Normally, a lake was sampled three times in 1 year, providing information on spring, summer, and fall conditions.

SAMPLE PREPARATION

To preserve the sample 4 milliliters (ml) of Acid-Lugol's solution (Prescott 1970) were added to each 130-ml sample from each site at the time of collection. The samples were shipped to the Environmental Monitoring and Support Laboratory, Las Vegas, Nevada, where equal volumes from each site were mixed to form two 130-ml composite samples for a given lake. One composite sample was put into storage and the other was used for the examination.

Prior to examination, the composite samples were concentrated by the settling method. Solids were allowed to settle for at least 24 hours prior to siphoning off the supernate. The volume of the removed supernate and the volume of the remaining concentrate were measured and concentrations determined. A small (8 ml) library subsample of the concentrate was then taken. The remaining concentrate was gently agitated to resuspend the plankton and poured into a capped, graduated test tube. If a preliminary examination of a sample indicated the need for a more concentrated sample, the contents of the test tube were further concentrated by repeating the settling method. Final concentrations varied from 15 to 40 times the original.

Permanent slides were prepared from concentrated samples after analysis was complete. A drop of superconcentrate from the bottom of the test tube was placed in a ring of clear Karo[®] Corn Syrup with phenol (a few crystals of phenol were added to each 100 ml of syrup) on a glass slide, thoroughly mixed, and topped with a coverglass. After the syrup at the edges of the coverglass had hardened, the excess was scraped away and the mount was sealed with clear fingernail polish. Permanent diatom slides were prepared by drying sample material on a coverglass, heating in a muffle furnace at 400° C for 45 minutes, and mounting in Hyrax[®]. Finally, the mounts were sealed with clear fingernail polish.

Backup samples, library samples, permanent sample slides, and Hyrax[®]-mounted diatom slides are being stored and maintained at the Environmental Monitoring and Support Laboratory-Las Vegas.

EXAMINATION

The phytoplankton samples were examined with the aid of binocular compound microscopes. A preliminary examination was performed to precisely identify and list all forms encountered. The length of this examination varied depending on the complexity of the sample. An attempt was made to find and identify all of the forms present in each sample. Often forms were observed which could not be identified to species or to genus. Abbreviated descriptions were used to keep a record of these forms (e.g., lunate cell, blue-green filament, Navicula #1). Diatom slides were examined using a standard light microscope. If greater resolution was essential to accurately identify the diatoms, a phase-contrast microscope was used.

After the species list was compiled, phytoplankton were enumerated using a Neubauer Counting Chamber with a 40X objective lens and a 10X ocular lens. All forms within each field were counted. The count was continued until a minimum of 100 fields had been viewed, or until the dominant form had been observed a minimum of 100 times.

[®] Registered trademark

QUALITY CONTROL

Internal quality control intercomparisons on species identifications and counts were performed on a regular basis among project phycologists at the rate of 7 percent. Although an individual had primary responsibility for analyzing a sample, taxonomic problems were discussed among the phycologists.

Additional quality control checks were performed on the Survey samples by Dr. G. W. Prescott of the University of Montana at the rate of 5 percent. Quality control checks were made on 75 percent of these samples to verify species identifications while checks were made on the remaining 25 percent of the samples to verify genus counts. Presently, the agreement between quality control checks for species identification and genus enumerations is satisfactory.

RESULTS

A phytoplankton species list for the State is presented in Appendix A. Appendix B summarizes all of the phytoplankton data collected from the State by the Survey. The latter is organized by lake, including an alphabetical phytoplankton species list with concentrations for individual species given by sampling date. Results from the application of several indices are presented (Nygaard's Trophic State, Palmer's Organic Pollution, and species diversity and abundance). Each lake has been assigned a four-digit STORET number. [STORET (STOrage and RETrieval) is the U.S. Environmental Protection Agency's computer system which processes and maintains water quality data.] The first two digits of the STORET number identify the State; the last two digits identify the lake.

NYGAARD'S TROPHIC STATE INDICES

Five indices devised by Nygaard (1949) were proposed under the assumption that certain algal groups are indicative of levels of nutrient enrichment. These indices were calculated in order to aid in determining the surveyed lakes' trophic status. As a general rule, Cyanophyta, Euglenophyta, centric diatoms, and members of the Chlorococcales are found in waters that are eutrophic (rich in nutrients), while desmids and many pennate diatoms generally cannot tolerate high nutrient levels and so are found in oligotrophic waters (poor in nutrients).

In applying the indices to the Survey data, the number of taxa in each major group was determined from the species list for each sample. The ratios of these groups give numerical values which can be used as a biological index of water richness. The five indices and the ranges of values established for Danish lakes by Nygaard for each trophic state are presented in Table 2. The appropriate symbol, (E) eutrophic and (O) oligotrophic, follows each calculated value in the tables in Appendix B. A question mark (?) following a calculated value in these tables was entered when that value was within the range of both classifications.

PALMER'S ORGANIC POLLUTION INDICES

Palmer (1969) analyzed reports from 165 authors and developed algal pollution indices for use in rating water samples with high organic pollution. Two lists of organic pollution-tolerant forms were prepared, one containing 20 genera, the other, 20 species (Tables 3 and 4). Each form was assigned a pollution index number ranging from 1 for moderately tolerant forms to 6 for extremely tolerant forms. Palmer based the index numbers on occurrence records and/or where emphasized by the authors as being especially tolerant of organic pollution.

TABLE 2. NYGAARD'S TROPHIC STATE INDICES ADAPTED FROM HUTCHINSON (1967)

Index	Calculation	Oligotrophic	Eutrophic
Myxophycean	<u>Myxophyceae</u> Desmideae	0.0-0.4	0.1-3.0
Chlorophycean	<u>Chlorococcales</u> Desmideae	0.0-0.7	0.2-9.0
Diatom	<u>Centric Diatoms</u> <u>Pennate Diatoms</u>	0.0-0.3	0.0-1.75
Euglenophyte	<u>Euglenophyta</u> <u>Myxophyceae + Chlorococcales</u>	0.0-0.2	0.0-1.0
Compound	<u>Myxophyceae + Chlorococcales +</u> <u>Centric Diatoms + Euglenophyta</u> Desmideae	0.0-1.0	1.2-25

TABLE 3. ALGAL GENUS POLLUTION INDEX
(Palmer 1969)

Genus	Pollution Index
<i>Anacystis</i>	1
<i>Ankistrodesmus</i>	2
<i>Chlamydomonas</i>	4
<i>Chlorella</i>	3
<i>Closterium</i>	1
<i>Cyclotella</i>	1
<i>Euglena</i>	5
<i>Gomphonema</i>	1
<i>Lepocinclis</i>	1
<i>Melosira</i>	1
<i>Micractinium</i>	1
<i>Navicula</i>	3
<i>Nitzschia</i>	3
<i>Oscillatoria</i>	5
<i>Pandorina</i>	1
<i>Phacus</i>	2
<i>Phormidium</i>	1
<i>Scenedesmus</i>	4
<i>Stigeoclonium</i>	2
<i>Synedra</i>	2

TABLE 4. ALGAL SPECIES POLLUTION
INDEX (Palmer 1969)

Species	Pollution Index
<i>Ankistrodesmus falcatus</i>	3
<i>Arthrospira jenneri</i>	2
<i>Chlorella vulgaris</i>	2
<i>Cyclotella meneghiniana</i>	2
<i>Euglena gracilis</i>	1
<i>Euglena viridis</i>	6
<i>Gomphonema parvulum</i>	1
<i>Melosira varians</i>	2
<i>Navicula cryptocephala</i>	1
<i>Nitzschia acicularis</i>	1
<i>Nitzschia palea</i>	5
<i>Oscillatoria chlorina</i>	2
<i>Oscillatoria limosa</i>	4
<i>Oscillatoria princeps</i>	1
<i>Oscillatoria putrida</i>	1
<i>Oscillatoria tenuis</i>	4
<i>Pandorina morum</i>	3
<i>Scenedesmus quadricauda</i>	4
<i>Stigeoclonium tenue</i>	3
<i>Synedra ulna</i>	3

In analyzing a water sample, any of the 20 genera or species of algae present in concentrations of 50 per milliliter or more are recorded. The pollution index numbers of the algae present are totaled, providing a genus score and a species score. Palmer determined that a score of 20 or more for either index can be taken as evidence of high organic pollution, while a score of 15 to 19 is taken as probable evidence of high organic pollution. Lower figures suggest that the organic pollution of the sample is not high, that the sample is not representative, or that some substance or factor interfering with algal persistence is present and active.

SPECIES DIVERSITY AND ABUNDANCE INDICES

"Information content" of biological samples is being used commonly by biologists as a measure of diversity. Diversity in this connection means the degree of uncertainty attached to the specific identity of any randomly selected individual. The greater the number of taxa and the more equal their proportions, the greater the uncertainty, and hence, the diversity (Pielou 1966). There are several methods of measuring diversity, e.g., the formulas given by Brillouin (1962) and Shannon and Weaver (1963). The method which is appropriate depends on the type of biological sample on hand.

Pielou (1966) classifies the types of biological samples and gives the measure of diversity appropriate for each type. The Survey phytoplankton samples are what she classifies as larger samples (collections in Pielou's terminology) from which random subsamples can be drawn. According to Pielou, the average diversity per individual (H) for these types of samples can be estimated from the Shannon-Wiener formula (Shannon and Weaver 1963):

$$H = -\sum_{i=1}^S P_i \log_x P_i$$

where P is the proportion of the i th taxon in the sample, which is calculated from n_i/N ; n_i is the number of individuals per milliliter of the i th taxon; N is the total number of individuals per ml; and S is the total number of taxa. However, Basharin (1959) and Pielou (1966) have pointed out that H calculated from the subsample is a biased estimator of the sample H , and if this bias is to be accounted for, we must know the total number of taxa present in the sample since the magnitude of this bias depends on it.

Pielou (1966) suggests that if the number of taxa in the subsample falls only slightly short of the number in the larger sample, no appreciable error will result in considering S , estimated from the subsample, as being equal to the sample value. Even though considerable effort was made to find and identify all taxa, the Survey samples undoubtedly contain a fair number of rare phytoplankton taxa which were not encountered.

In the Shannon-Wiener formula, an increase in the number of taxa and/or an increase in the evenness of the distribution of individuals among taxa will increase the average diversity per individual from its minimal value of zero. Sager and Hasler (1969) found that the richness of taxa was of minor importance in determination of average diversity per individual for phytoplankton and they concluded that phytoplankton taxa in excess of the 10 to 15 most abundant ones have little effect on H. This was verified by our own calculations. Our counts are in number per milliliter and since logarithms to the base 2 were used in our calculations, H is expressed in units of bits per individual. When individuals of a taxon were so rare that they were not counted, a value of 1/130 per milliliter or 0.008 per milliliter was used in the calculations since at least one individual of the taxon must have been present in the collection.

A Survey sample for a given lake represents a composite of all phytoplankton collected at different sampling sites on the lake during a given sampling period. Since the number of samples (M) making up a composite is a function of both the complexity of the lake sampled and its size, it should affect the richness-of-taxa component of the diversity of our phytoplankton collections. The maximum diversity (MaxH) (i.e., when the individuals are distributed among the taxa as evenly as possible) was estimated from $\log_2 S$ (Pielou 1966), while the minimum diversity (MinH), was estimated from the formula:

$$\text{MinH} = -\frac{S-1}{N} \log_2 \frac{1}{N} - \left[\frac{N - (S-1)}{N} \right] \log_2 \left[\frac{N - (S-1)}{N} \right]$$

given by Zand (1976). The total diversity (D) was calculated from HN (Pielou 1966). Also given in Appendix B are L (the mean number of individuals per taxa per milliliter) and K (the number of individuals per milliliter of the most abundant taxon in the sample).

The evenness component of diversity (J) was estimated from H/MaxH (Pielou 1966). Relative evenness (RJ) was calculated from the formula:

$$\text{RJ} = \frac{\text{H} - \text{MinH}}{\text{MaxH} - \text{MinH}}$$

given by Zand (1976). Zand suggests that RJ be used as a substitute for both J and the redundancy expression given by Wilhm and Dorris (1968). As pointed out by Zand, the redundancy expression given by Wilhm and Dorris does not properly express what it is intended to show, i.e., the position of H in the range between MaxH and MinH. RJ may range from 0 to 1; being 1 for the most even samples and 0 for the least even samples.

Zand (1976) suggests that diversity indices be expressed in units of "sits", i.e., in logarithms to base S (where S is the total number of taxa in the sample) instead of in "bits", i.e., in logarithms to base 2. Zand points out that the diversity index in sits per individual is a normalized number ranging from 1 for the most evenly distributed samples to 0 for the least

evenly distributed samples. Also, it can be used to compare different samples, independent of the number of taxa in each. The diversity in bits per individual should not be used in direct comparisons involving various samples which have different numbers of taxa. Since MaxH equals $\log S$, the expression in sits is equal to $\log S$, or 1. Therefore diversity in sits per individual is numerically equivalent to J , the evenness component for the Shannon-Wiener formula.

SPECIES OCCURRENCE AND ABUNDANCE

The alphabetic phytoplankton species list for each lake, presented in Appendix B, gives the concentrations of individual species by sampling date. Concentrations are in cells, colonies, or filaments (CEL, COL, FIL) per milliliter. An "X" after a species name indicates the species identified in the preliminary examination was in such a low concentration that it did not appear in the count. A blank space indicates that the organism was not found in the sample collected on that date. Column S is used to designate the examiner's subjective opinion of the five dominant taxa in a sample, based upon relative size and concentration of the organism. The percent column (%C) presents, by abundance, the percentage composition of each taxon.

LITERATURE CITED

- Basharin, G. P. 1959. On a statistical estimate for the entropy of a sequence of independent random variables, pp. 333-336. In N. Artin (ed.), *Theory of Probability and Its Applications* (translation of "Teoriya Veroyatnosei i ee Premeneniya") 4. Society for Industrial and Applied Mathematics, Philadelphia.
- Brillouin, L. 1962. *Science and Information Theory* (2nd ed.). Academic Press, New York. 351 pp.
- Hutchinson, G. E. 1967. *A Treatise on Limnology*. II. Introduction to Lake Biology and the Limnoplankton. John Wiley and Sons, Inc., New York. 1,115 pp.
- Nygaard, G. 1949. Hydrobiological studies of some Danish ponds and lakes. II. (K danske Vidensk. Selsk.) Biol. Sci. 7:293.
- Palmer, C. M. 1969. A composite rating of algae tolerating organic pollution. J. Phycol. 5:78-82.
- Pielou, E. C. 1966. The measurement of diversity in different types of biological collections. J. Theor. Biol. 13:131-144.
- Prescott, G. W. 1970. *How to Know the Freshwater Algae*. William C. Brown Company, Dubuque. 348 pp.
- Sager, P. E. and A. D. Hasler. 1969. Species diversity in lacustrine phytoplankton. I. The components of the index of diversity from Shannon's formula. Amer. Natur. 103(929):51-59.
- Shannon, C. E. and W. Weaver. 1963. *The Mathematical Theory of Communication*. University of Illinois Press, Urbana. 117 pp.
- U.S. Environmental Protection Agency. 1975. *National Eutrophication Survey Methods 1973-1976*. Working Paper No. 175. Environmental Monitoring and Support Laboratory, Las Vegas, Nevada, and Corvallis Environmental Research Laboratory, Corvallis, Oregon. 91 pp.
- Wilhm, V. L. and T. C. Dorris. 1968. Biological parameters for water quality criteria. Bio-Science. 18:477.
- Zand, S. M. 1976. Indexes associated with information theory in water quality. Journal WPCF. 48(8):2026-2031.

APPENDIX A
PHYTOPLANKTON SPECIES LIST FOR THE STATE OF ARKANSAS

Achnanthes lanceolata
Achnanthes lanceolata
 v. *dubia*
Achnanthes microcephala
Actinastrum gracilimum
Actinastrum hantzschii
 v. *fluviatile*
Anabaena planctonica
Anabaenopsis sp.
Anabaenopsis circularis
Anabaenopsis elenkinii
Anabaenopsis raciborskii ?
Ankistrodesmus falcatus
Ankistrodesmus falcatus
 v. *acicularis*
Ankistrodesmus falcatus
 v. *mirabilis*
Aphanizomenon flos-aquae
Aphanocapsa sp.
Aphanothece sp.
Arthrodesmus minor ?
Asterionella formosa
Attheya sp.
Binuclearia sp.
Caloneis lewisii
Capartogramma crucicula
Carteria klebsii
Centritractus sp.
Ceratium hirundinella
Ceratium hirundinella
 f. *brachyceras*
Ceratium hirundinella
 f. *furcoides*
Ceratium hirundinella
 f. *robustum*
Chlamydomonas globosa
Chlorogonium sp.
Chroococcus dispersus
Chroococcus limneticus
Chroomonas acuta
Closteriopsis sp.
Closterium sp.
Cocconeis sp.
Coelastrum cambricum
 v. *intermedium*
Coelastrum microporum
Coelastrum proboscideum
Coelastrum reticulatum
Coelastrum reticulatum
 v. *polychordon*
Coelastrum sphaericum
Coelosphaerium naegelianum

Cosmarium clepsydra
 v. *nanum*
Crucigenia apiculata
Crucigenia crucifera
Crucigenia fenestrata
Crucigenia quadrata
Crucigenia tetrapedia
Crucigenia truncata
Cryptomonas erosa
Cryptomonas marssonii
Cryptomonas reflexa
Cyclotella comta
Cyclotella meneghiniana
Cyclotella michiganiana
Cyclotella stelligera
Cymatopleura elliptica
Cymatopleura solea
Cymbella minuta
Cymbella tumidula
Cymbella ventricosa
Dactylococcopsis irregularis
Diatoma tenue
 v. *elongatum*
Diatoma vulgare
 v. *breve*
Dictyosphaerium pulchellum
Dinobryon bavaricum
Dinobryon cylindricum
Dinobryon divergens
Dinobryon sociale
Elakatothrix gelatinosa
Entomoneis ornata
Euastrum denticulatum
Eudorina elegans
Euglena acus
Euglena gracilis
Euglena limnophila
 v. *lemmermannii* ?
Euglena oxyuris
 v. *minor*
Euglena tripteris
Eunotia pectinalis
 v. *minor* f. *impressa*
Eunotia pectinalis
 v. *ventricosa*
Fragilaria crotonensis
Franceia ovalis ?
Glenodinium gymmodinium
Glenodinium gymmodinium
 v. *biscutelliforme*
Glenodinium kulczynskii
Glenodinium oculatum

Glenodinium penardiforme
Glenodinium quadridens
Gloeocystis sp.
Golenkinia radiata
 v. *brevispina*
Gomphonema gracile
Gomphonema parvulum
Gomphonema truncatum
 v. *capitatum*
Gonatozygon montanum
Gonium pectorale
Gymnodinium albulum
Gymnodinium ordinatum
Gyrosigma sp.
Hantzschia sp.
Kirchneriella contorta
Lagerheimia ciliata
Lagerheimia quadriseta
Lagerheimia subsalsa
Lepocinclis sp.
Lyngbya birgei
Lyngbya contorta
Lyngbya hieronymusii
Lyngbya limnetica
Mallomonas acaroides
Mallomonas pseudocoronata
Melosira distans
Melosira granulata
Melosira granulata
 v. *angustissima*
Melosira granulata
 v. *angustissima* f. *spiralis*
Melosira italica
Melosira varians
Merismopedia glauca
Merismopedia minima
Merismopedia punctata
Merismopedia tenuissima
Mesostigma viridis
Micractinium pusillum
Microcystis aeruginosa
Microcystis incerta
Mougeotia sp.
Navicula capitata
Navicula cuspidata
Navicula salinarum
 v. *intermedia*
Navicula viridula
 v. *linearis*
Nephrocystium sp.
Nitzschia acicularis

Nitzschia holsatica
Nitzschia vermicularis
Oocystis sp.
Ophiocystium capitatum
Oscillatoria lacustris
Oscillatoria limnetica
Pandorina morum
Pediastrum biradiatum
Pediastrum biradiatum
 v. *longecornutum*
Pediastrum boryanum
Pediastrum duplex
Pediastrum duplex
 v. *reticulatum*
Pediastrum simplex
Pediastrum simplex
 v. *duodenarium*
Pediastrum tetras
 v. *tetraodon*
Peridinium inconspicuum
Peridinium minusculum
Peridinium quadridens
Peridinium umbonatum
Peridinium willei
Phacus acuminatus
Phacus caudatus
Phacus chloroplastes
Phacus longicauda
Phacus megalopsis
Phacus pleuronectes ?
Phacus pseudonordstedtii
Phacus tortus
Phacus triqueter
Phormidium mucicola
Pinnularia mesolepta
Pteromonas aculeata
Pteromonas angulosa
Pteromonas cordiformis
Quadrigula sp.
Raphidiopsis curvata
Rhizosolenia sp.
Rhoicosphenia curvata
Scenedesmus abundans
Scenedesmus acuminatus
Scenedesmus arcuatus
 v. *platydisca*
Scenedesmus armatus
 v. ?
Scenedesmus bicaudatus
Scenedesmus bijuga
Scenedesmus brevispina

Scenedesmus denticulatus
Scenedesmus dimorphus
Scenedesmus intermedius
Scenedesmus intermedius
 v. bicaudatus
Scenedesmus ovalternus
 v. graevenitzii
Scenedesmus protuberans
Scenedesmus quadricauda
Scenedesmus quadricauda
 v. quadrispina f. spinosus
Schroederia setigera
Scytonema sp.
Selenastrum minutum
Skeletonema potamos
Spermatozoopsis sp.
Staurastrum cuspidatum
Staurastrum tetracerum
Stephanodiscus astraea
 v. minutula
Stephanodiscus niagarae
Stipitococcus sp.
Surirella angusta
Surirella tenera
Synedra acus
Synedra capitata
Synedra delicatissima
Synedra delicatissima
 v. angustissima
Synedra rumpens
Synedra ulna
Synura uvella
Tabellaria fenestrata

Tetraedron caudatum
Tetraedron caudatum
 v. longispinum
Tetraedron constrictum
Tetraedron gracile
Tetraedron limneticum
Tetraedron minimum
Tetraedron minimum
 v. scrobiculatum
Tetraedron muticum
Tetraedron regulare
Tetraedron trigonum
Tetraedron trigonum
 v. gracile
Tetrastrum elegans
Tetrastrum heteracanthum
Tetrastrum staurogeniaeforme
Trachelomonas bulla
Trachelomonas fluviatilis
Trachelomonas gibberosa
Trachelomonas hispida
Trachelomonas intermedia
Trachelomonas lacustris
Trachelomonas longicauda
Trachelomonas scabra
Trachelomonas scabra
 v. cordata
Trachelomonas scabra
 v. longicollis
Trachelomonas schauinslandii
Trachelomonas volvocina
Treubaria setigerum

APPENDIX B. SUMMARY OF PHYTOPLANKTON DATA

This appendix was generated by computer. Because it was only possible to use upper case letters in the printout, all scientific names are printed in upper case and are not italicized.

The alphabetic phytoplankton lists include taxa without species names (e.g., EUNOTIA, EUNOTIA #1, FLAGELLATE, FLAGELLATES, MICROCYSTIS INCERTA ?, CHLOROPHYTAN COCCOID CELLED COLONY). When species determinations were not possible, symbols or descriptive phrases were used to separate taxa for enumeration purposes. Each name on a list, however, represents a unique species different from any other name on the same list, unless otherwise noted, for counting purposes.

Numbers were used to separate unidentified species of the same genus. A generic name listed alone is also a unique species. A question mark (?) is placed immediately after the portion of a name which was assigned with uncertainty. Numbered, questioned, or otherwise designated taxa were established on a lake-by-lake basis; therefore NAVICULA #2 from lake A cannot be compared to NAVICULA #2 from lake B. Pluralized categories (e.g., FLAGELLATES, CENTRIC DIATOMS, SPP.) were used for counting purposes when taxa could not be properly differentiated on the counting chamber.

LAKE NAME: BEAVER LAKE
STORET NUMBER: 0501

NYGAARD TROPHIC STATE INDICES

DATE	04 05 74	08 30 74	10 09 74
MYXOPHYCEAN	02/7 E	3.50 E	5.00 E
CHLOROPHYCEAN	02/7 E	6.50 E	7.00 E
EUGLENOPHYTE	0.50 E	0.30 E	0.67 E
DIATOM	0.83 E	0.50 E	1.40 E
COMPOUND	11/0 E	14.5 E	27.0 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	04 05 74	08 30 74	10 09 74
GENUS	01	10	01
SPECIES	02	00	00

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	04 05 74	08 30 74	10 09 74
AVERAGE DIVERSITY H	2.91	3.38	3.10
NUMBER OF TAXA S	23.00	51.00	39.00
NUMBER OF SAMPLES COMPOSITED M	6.00	6.00	6.00
MAXIMUM DIVERSITY MAXH	4.52	5.67	5.29
MINIMUM DIVERSITY MINH	0.16	0.22	0.57
TOTAL DIVERSITY D	4888.80	9886.50	2235.10
TOTAL NUMBER OF INDIVIDUALS/ML N	1680.00	2925.00	721.00
EVENNESS COMPONENT J	0.64	0.60	0.59
RELATIVE EVENNESS RJ	0.64	0.58	0.54
MEAN NUMBER OF INDIVIDUALS/TAXA L	73.04	57.35	18.49
NUMBER/ML OF MOST ABUNDANT TAXON K	475.00	549.00	172.00

LAKE NAME: BEAVER LAKE
 STOPT NUMBER: 3571

CONTINUED

TAXA	FORM	04 05 74			08 30 74			10 09 74		
		IS	XC	ALGAL UNITS PER ML	IS	XC	ALGAL UNITS PER ML	IS	XC	ALGAL UNITS PER ML
ACHNANTHES	CEL					4.21	122			
ANABAENA	FIL					2.11	61			X
ANABAENOPSIS RACIBORSKII ?	FIL					1.01	30			
ANKISTRODESMUS FALCATUS										
V. ACICULARIS	CEL		1.9	32						
ASTERIONELLA FORMOSA	CEL			X						
CENTRIC DIATOM	CEL							1123.3		172
CEPATUM HIRUNDINELLA										
F. BRACHYCEPAS	CEL						X			X
CHLAMYDOMONAS	CEL						X	4.7		34
CHLOROGONIUM	CEL						X			
CHROMONAS ACUTA	CEL	22.6		340	211.5		335			
CLOSTERIUM	CEL						X			
COLEASTRUM MICROPOPIUM	CEL						X			
COLEASTRUM RETICULATUM										
V. POLYCHORDON	COL						X			
COSPHOSPHERIUM NAEGELIANUM	COL						X			
CRYPTOMONAS EROSA	CEL	28.3		475			X	9.6		69
CRYPTOMONAS REFLEXA	CEL			X	1.01		30			
DACTYLOCOCCOPSIS	CEL	5.7		95	4.21		122	4.7		34
DACTYLOCOCCOPSIS IRREGULARIS	CEL									X
DINOBYRON DIVERGENS	CEL									X
EUASTRUM DENTICULATUM	CEL									X
EUGLENA	CEL						X			X
EUGLENA GRACILIS	CEL	1.9		32						X
EUGLENA OXYURIS										
V. MINOR	CEL						X			X
FRAGILARIA CROTONENSIS	CEL			X	6.3		133			X
FRANCIA	CEL						X			
GLENODINIUM	CEL						X			
GLENODINIUM OCULATUM	CEL	1.9		32			X			
GOMPHONEMA PARVUM	CEL						X			
GYMNODINIUM ALBULUM	CEL						X			
LEPTOCINCLIS	CEL						X			
LYNGBYA	FIL				418.8		549			
MALLOMONAS ACAROIDES	CEL						X			
MELOSTIRA DISTANS	CEL	51	7.6	127	11	8.3	244	14.3		103
MELOSTIRA GRANULATA	CEL							9.6		69
MELOSTIRA GRANULATA										
V. ANGUSTISSIMA	CEL	9.4		158			X			X
MELOSTIRA VARIANS	CEL	7.6		127						
MESOSTIGMA VIRIDIS	CEL						X			
MOUGEOTIA	FIL						X			
NAVICULA	CEL			X						
NITZSCHIA	CEL				111.5		335			X
NITZSCHIA #1	CEL							4.7		34
OSCILLATORIA	FIL			X			X			X
OSCILLATORIA #1	FIL						X			X
PANDORINA MORUM	COL	1.9		32			X			
PEDIASTRUM BIRADIATUM										
V. LONGECORNUTUM	COL						X			
PEDIASTRUM SIMPLEX	COL						X			X
V. DUNDENARIUM	COL						X			
PEDIASTRUM TETRAS										
V. TETRAEDRON	COL						X			X
PENNATE DIATOM	CEL			X						
PERIDINIUM	CEL									X
PERIDINIUM INCONSPICUUM	CEL									X
PERIDINIUM QUADRIFIDUS	CEL						X			
PHACUS CAUDATUS	CEL						X			X
SCENEDESMUS DENTICULATUS	COL				1.01		30			X
SCENEDESMUS DIMORPHUS	COL						X			X
SCENEDESMUS INTERMEDIUS	COL						X			
SCENEDESMUS QUADRICAUDA	COL				1.01		30			X
SCHROEDERIA SETIGERA	CEL			X			X			
SKELETONEMA POTAMUS	CEL							14.3		103
STAUROSTRUM	CEL						X			
STEPHANODISCUS	CEL									X
STEPHANODISCUS #1	CEL			X						
STEPHANODISCUS ASTRAEA										
V. MINUTULA	CEL	11.3		190	51	6.3	193			X
SYNEEDRA #1	CEL				318.8		549			
SYNEEDRA #2	CEL			X						
SYNEEDRA #3	CEL			X				4.7		34
SYNEEDRA ULNA	CEL						X			X
SYNURA	CEL			X						
TETRAEDRON CONSTRICTUM	CEL									X
TETRAEDRON MINIMUM										
V. SCROBICULATUM	CEL				4.21		122	9.6		69
TRACHELOMONAS	CEL						X			
TRACHELOMONAS BULLA	CEL						X			
TRACHELOMONAS BULLA ?	CEL									X
TRACHELOMONAS HISPIDA	CEL									X
TRACHELOMONAS INTERMEDIA	CEL			X						X
TRACHELOMONAS SCHAUINSLANDII	CEL									X
TREUBARPIA SETIGERUM	CEL						X			
TOTAL				1640			2925			721

LAKE NAME: BLACKFISH LAKE
STORET NUMBER: 0502

NYGAARD TROPHIC STATE INDICES

DATE	03 26 74	06 04 74	10 16 74
MYXOPHYCEAN	01/0 E	02/0 E	03/0 E
CHLOROPHYCEAN	0/0 0	02/0 E	05/0 E
EUGLENOPHYTE	5.00 E	2.00 F	1.25 F
DIATOM	0.17 ?	0.50 F	1.75 F
COMPOUND	07/0 E	13/0 F	21/0 F

PALMER'S ORGANIC POLLUTION INDICES

DATE	03 26 74	06 04 74	10 16 74
GENUS	08	08	22
SPECIES	00	00	02

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	03 26 74	06 04 74	10 16 74
AVERAGE DIVERSITY H	2.76	2.35	4.11
NUMBER OF TAXA S	17.00	17.00	36.00
NUMBER OF SAMPLES COMPOSITED M	3.00	3.00	2.00
MAXIMUM DIVERSITY MAXH	4.09	4.09	5.17
MINIMUM DIVERSITY MINH	0.34	0.16	0.05
TOTAL DIVERSITY D	1344.12	2650.80	47351.31
TOTAL NUMBER OF INDIVIDUALS/ML N	487.00	1128.00	11521.00
EVENNESS COMPONENT J	0.67	0.57	0.79
RELATIVE EVENNESS RJ	0.65	0.56	0.80
MEAN NUMBER OF INDIVIDUALS/TAXA I	28.65	66.35	320.03
NUMBER/ML OF MOST ABUNDANT TAXON K	116.00	475.00	1767.00

LAKE NAME: BLACKFISH LAKE
STOREY NUMBER: 050?

CONTINUED

TAXA	FORM	03 26 74			06 04 74			10 16 74		
		ALGAL			ALGAL			ALGAL		
		S	XC	PER ML	S	XC	PER ML	S	XC	PER ML
CHLAMYDOMONAS	CEL							3	1.7	1744
CHLAMYDOMONAS GLOBOSA	CEL								7.4	42
CHROMONAS ACUTA	CEL	1	19.1	93						
COSLOSPHAERIUM NAEGELIANUM	COL								0.4	42
CRYPTOMONAS	CEL			X						
CRYPTOMONAS EROSA	CEL	4	14.4	70	1	42.1	475	12	12.8	1477
CRYPTOMONAS REFLEXA	CEL								0.7	84
CYCLOTELLA MENEHINIANA	CEL								1.8	210
DACTYLOCOCCOPSIS	CEL						X		5.5	631
EUGLENA #1	CEL				5	5.2	50	4	5.5	631
EUGLENA #2	CEL						X		3.3	379
EUGLENA #3	CEL									X
EUGLENA #4	CEL								0.4	42
EUGLENA #5	CEL			X						
EUGLENA ACUS	CEL						X		0.7	84
EUGLENA SPP.	CEL	1	23.8	116						
EUGLENOPHYTAN CELL	CEL			X						
FLAGELLATE #2	CEL				3	21.1	238		6.5	757
FLAGELLATE #4	CEL								2.6	296
FLAGELLATE #5	CEL								0.4	42
GOMPHONEMA	CEL									X
GYROSTIGMA	CEL		4.7	23						X
KIRCHNERIELLA	CEL								2.6	296
LEPOCINCLIS	CEL					5.2	59	1	8.3	925
LYNGBYA CONTORTA	FIL						X			
MELOSIRA DISTANS	CEL								1.1	126
MELOSIRA GRANULATA	CEL			X						
MELOSIRA GRANULATA	CEL									
V. ANGUSTISSIMA	CEL						X			
MESOMOPEDIA MINIMA	COL								0.4	42
MESOSTIGMA VIRIDIS	CEL								1.1	126
NAVICULA	CEL								1.1	126
NAVICULA #1	CEL			X						
NAVICULA #3	CEL			X						
NAVICULA CUSPIDATA	CEL			X						
NITZSCHIA	CEL			X			X			
NITZSCHIA #2	CEL								15.3	1747
NITZSCHIA HOLSATICA	CEL									
NITZSCHIA SPP.	CEL	2	19.1	93			X			
PHACUS MEGALOPSIS	CEL					5.2	59		0.4	42
PHACUS TRIQUETER	CEL									X
PHORMIDIUM	FIL		9.4	46						
PTEROMONAS ANGULOSA	CEL								1.8	210
PTEROMONAS CORDIFORMIS	CEL								2.6	296
SCENEDESMUS ABUNDANS	COL						X			
SCENEDESMUS BIJUGA	COL								1.5	168
SCENEDESMUS QUADRICAUDA	COL						X		0.4	42
SKLETONEMA POTAMOS	CEL								6.2	715
SPERMATIZOOPSIS	CEL									X
TETRASTRUM ELEGANS	COL								7.7	84
TETRASTRUM HETERACANTHUM	COL								0.4	42
TRACHELOMONAS GIBBEROSA	CEL		4.7	23						
TRACHELOMONAS HISPIDA	CEL	5	4.7	23						
TRACHELOMONAS HISPIDA	CEL									
V. ?	CEL				4	110.5	119			
TRACHELOMONAS INTERMEDIA	CEL			X			X	5	2.9	336
TRACHELOMONAS LONGICAUDA	CEL				2	110.5	119			
TRACHELOMONAS VOLVOVINA	CEL								1.1	126
TOTAL				487			1128			11521

LAKE NAME: BLUE MOUNTAIN LAKE
 STORET NUMBER: 3503

NYGAARD TROPHIC STATE INDICES

DATE	03 28 74	06 06 74	10 18 74
MYXOPHYCEAN	02/0 E	02/0 F	4.00 F
CHLOROPHYCEAN	02/0 E	02/0 F	15.0 F
EUGLENOPHYTE	0.25 E	1.50 F	0.26 F
DIATOM	0.33 E	1.00 F	0.80 F
COMPOUND	07/0 E	12/0 E	28.0 F

PALMER'S ORGANIC POLLUTION INDICES

DATE	03 28 74	06 06 74	10 18 74
GENUS	04	09	14
SPECIES	00	00	00

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	03 28 74	06 06 74	10 18 74
AVERAGE DIVERSITY H	2.41	0.55	2.81
NUMBER OF TAXA S	18.00	17.00	45.00
NUMBER OF SAMPLES COMPOSITED N	2.00	2.00	2.00
MAXIMUM DIVERSITY MAXH	4.17	4.00	5.49
MINIMUM DIVERSITY MINH	0.05	0.05	0.16
TOTAL DIVERSITY D	11688.50	2217.05	10287.41
TOTAL NUMBER OF INDIVIDUALS/ML N	4850.00	4031.00	3661.00
EVENNESS COMPONENT J	0.58	0.13	0.51
RELATIVE EVENNESS RJ	0.58	0.13	0.50
MEAN NUMBER OF INDIVIDUALS/TAXA L	269.44	237.12	81.36
NUMBER/ML OF MOST ABUNDANT TAXON K	1973.00	3742.00	998.00

LAKE NAME: BLUE MOUNTAIN LAKE
 STOPT NUMBER: 0503

CONTINUED

TAXA	FORM	31 29 74			34 36 74			33 39 74		
		S	XC	ALGAL UNITS PER ML	S	XC	ALGAL UNITS PER ML	S	XC	ALGAL UNITS PER ML
ANABAENA	FIL				12	7.7	29			X
ANKISTRODESCHUS	CFL									X
ANKISTRODESCHUS FALCATUS	CFL			X			X			
ASTERIONELLA FORMOSA	CFL	14	3.4	164						
CALONEIS LEWISII	CFL									X
CARPTOGRAMMA CRUCICULA	CFL			X						
CARTERIA	CFL									X
CERATIUM HIRUNDINELLA	CFL									X
CERATIUM HIRUNDINELLA F. BRACHYCERAS	CFL									X
CERATIUM HIRUNDINELLA F. FURCIDES	CFL						X			
CHLAMYDOMONAS	CFL							4	9.1	233
CHROMONAS ACUTA	CFL	12	22.0	1069					1.1	42
CLOSTERIUM	CFL									X
CONEASTRUM MICROPORUM	COL									X
CRUCIGENIA APICULATA	COL								2.3	83
CRUCIGENIA TETRAPEIDIA	COL				5	0.7	29			
CRYPTOMONAS	CFL									X
CRYPTOMONAS EROSA	CFL							5	2.3	83
CRYPTOMONAS MARSSONI	CFL	13	5.1	247						
DACTYLOCCOCCOPSIS	CFL			16.1		0.7	29			
DACTYLOCCOCCOPSIS IPREGULARIS	CFL								4.5	166
DICTYOSPHAERIUM PULCHELLUM	COL			X						
DINOBRYON BAVARIUM	CFL			X			X			
EUGLENA #1	CFL			X	3	1.4	58			
EUGLENA #2	CFL						X			
EUGLENA #3	CFL									X
FLAGELLATE	CFL			X						
GYMNODINIUM ALBULUM	CFL									X
LEPOCINCLIS	CFL									X
MALLOMONAS ACARDIDES	CFL									X
MELOSIRA DISTANS	CFL	13	6.8	329	4	2.1	86	2	22.7	832
MELOSIRA GRANULATA	CFL			40.7	1973	1192.9	3742		127.3	998
MELOSIRA GRANULATA V. ANGUSTISSIMA	CFL									X
MICROCYSTIS AEPUGINOSA	COL									X
NAVICULA	CFL			2.5	123					
NAVICULA CAPITATA	CFL									X
NITZSCHIA #1	CFL					1.4	58		1.1	42
OPHIOPYTIUM CAPITATUM	CFL									X
OSCELLATORIA	FIL			X					4.5	166
PANDORINA MORUM	COL						X			
PEDIASTRUM BIRADIATUM	COL									X
PEDIASTRUM DUPLEX	COL									X
PEDIASTRUM RETICULATUM	COL									X
PEDIASTRUM TETRAS	COL									X
PENNATE DIATOM #1	CFL			0.8	41					
PENNATE DIATOM #2	CFL			2.5	123					
PHACUS	CFL						X			
PHACUS MEGALOPSIS	CFL						X			
PHACUS TORTUS	CFL									X
PINNULARIA MESOLEPTA	CFL									X
PTEROMONAS ANGULOSA	CFL									X
SCENEDESMUS ABUNDANS	COL									X
SCENEDESMUS BICAUDATUS	COL									X
SCENEDESMUS DENTICULATUS	COL								1.1	42
SCENEDESMUS DIMORPHUS	COL									X
SCENEDESMUS INTERMEDIUS	COL								1.1	42
SCENEDESMUS PROTUBERANS	COL									X
SCENEDESMUS QUADRICAUDA	COL									X
STEPHANODISCUS ASTRAEA	CFL									
V. MINUTULA	CFL							3	21.6	700
SYNEDEA	CFL									X
SYNEDEA #1	CFL									
SYNEDEA ULNA	CFL			X						
TABELLARIA FENESTRATA	CFL						X			
TETRAEDRON TRIGONUM	CFL									X
TETRASTRUM HETERACANTHUM	COL									X
TRACHELOMONAS	CFL									X
TRACHELOMONAS #1	CFL						X			
TRACHELOMONAS FLUVIATILIS	CFL						X			
TRACHELOMONAS VOLVOICINA	CFL								1.1	42
TOTAL				4850			4031			3661

LAKE NAME: BULL SHOALS LAKE
STORE NUMBER: 0504

NYGAARD TROPHIC STATE INDICES

DATE	04 06 74	06 20 74	09 05 74	10 15 74
MYXOPHYCEAN	04/0 E	4.00 E	2.33 E	06/0 F
CHLOROPHYCEAN	04/0 E	5.00 E	0.67 ?	05/0 F
EUGLENOPHYTE	0.12 ?	0/18 ?	0/09 ?	0/11 ?
DIATOM	0.67 E	0/03 ?	0.50 E	1.50 F
COMPOUND	17/0 E	9.00 E	3.33 E	14/0 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	04 06 74	06 20 74	09 05 74	10 15 74
GENUS	08	01	00	02
SPECIES	00	00	00	00

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	04 06 74	06 20 74	09 05 74	10 15 74
AVERAGE DIVERSITY H	3.03	2.26	2.29	2.71
NUMBER OF TAXA S	36.00	31.00	22.00	21.00
NUMBER OF SAMPLES COMPOSITED M	8.00	8.00	8.00	8.00
MAXIMUM DIVERSITY MAXH	5.17	4.95	4.46	4.30
MINIMUM DIVERSITY MINH	0.20	0.22	0.46	0.25
TOTAL DIVERSITY D	6641.76	3812.62	1076.30	2471.52
TOTAL NUMBER OF INDIVIDUALS/ML N	2192.00	1687.00	470.00	912.00
EVENNESS COMPONENT J	0.59	0.46	0.51	0.62
RELATIVE EVENNESS RJ	0.57	0.44	0.46	0.60
MEAN NUMBER OF INDIVIDUALS/TAXA L	60.89	54.42	21.36	43.43
NUMBER/ML OF MOST ABUNDANT TAXON K	620.00	927.00	181.00	252.00

LAKE NAME: BULL SHOALS LAKE
STORE NUMBER: 0504

CONTINUED

		04 06 74				06 20 74				10 05 74				11 15 74			
TAXA	FORM	IS	XC	ALGAL UNITS PER ML	IS	XC	ALGAL UNITS PER ML	IS	XC	ALGAL UNITS PER ML	IS	XC	ALGAL UNITS PER ML	IS	XC	ALGAL UNITS PER ML	
ACHNANTHES LANCEOLATA																	
V. DUBIA	CEL			X													
ANABAEINA	FIL			X			X	1	7.7	76							
ANKISTRODESMUS FALCATUS	CEL																
APHANIZOMENON FLOS-AQUAE	FIL				2	7.8	132	2	7.7	76							
APHANOCAPSA	COL						X									X	
APHANOTHECE	COL					3.9	66			X		3.4				31	
ASTERIONELLA FORMOSA	CEL			X		2.0	33										
CENTRIC DIATOM	CEL			X													
CERATIUM HIRUNDINELLA	CEL						X			X							
CEPATIUM HIRUNDINELLA																	
F. BRACHYCERAS	CFL									X							
CERATIUM HIRUNDINELLA																	
F. FURCIDES	CEL						X										
CHROCOCCUS LIMNETICUS	COL						X										
CHROOMONAS ACUTA	CEL	4	17.1	375		13.8	232	5	19.5	181		4	27.6			252	
CLOSTERIUM #1	CEL									X							
CLOSTERIUM #2	CEL						X										
COELASTRUM RETICULATUM																	
V. POLYCHORDON	COL						X										
COELASTRUM SPHAERICUM	COL				5	2.0	33										
COELOSPHAERIUM NAEGELIANUM	COL						X										
COSMARIUM	CEL						X										
COSMARIUM CLEPSYDRA																	
V. NANUM	CEL									X							
CRYPTOMONAS EROSA	CEL	3	13.0	285	3	7.8	132	3	15.3	72						X	
CRYPTOMONAS MARSSONII	CEL						33										
CRYPTOMONAS SPP.	CFL											2	12.9			126	
CYCLOTELLA	CEL												6.9			63	
CYMATOPLEURA SOLEA	CEL			X													
DIATOMA TENUE																	
V. ELONGATUM	CFL		1.4	30													
DIATOMA VULGARE																	
V. BREVE	CEL			X													
DICTYOSPHAERIUM PULCHELLUM	COL						X										
DINOBRYON DIVERGENS	CEL				4	3.9	66										
DINOBRYON SOCIALE	CEL																
FRAGILARIA	CEL			X						X							
FRAGILARIA CROTONENSIS	CFL		7.5	165		54.9	927			X		3	13.8			126	
GLENDONINUM KULCZYNSKII	CEL			X													
GYMNODINIUM	CEL			X													
LAGERHEIMIA CILIATA	CEL						X										
LAGERHEIMIA SUBSALSA	CEL					2.0	33									X	
LYNGBYA HIERONYMUSII	FIL															X	
LYNGBYA LIMNETICA	FIL									X							
MALCOMONAS	CEL									X							
MELOSIRA	CEL									X							
MELOSIRA DISTANS	CFL		2.7	60													
MELOSIRA GRANULATA	CEL			X													
MELOSIRA GRANULATA	CEL											1	20.7			189	
V. ANGUSTISSIMA	CEL																
MELOSIRA ITALICA	CEL	2	28.3	620													
MELOSIRA VARIANS	CEL			X													
MICROCYSTIS AERUGINOSA	COL						X	4	7.7	76						X	
MOUGENTIA	CEL			X					23.2	100							
NAVICULA SALINARUM																	
V. INTERMEDIA	CEL			X													
NITZSCHIA VERMICULARIS	CEL			X													
OOCYSTIS	CEL						X									X	
OSCILLATORIA #1	FIL		0.7	15			X			X						X	
OSCILLATORIA #2	FIL		2.1	45								3.4				31	
OSCILLATORIA LIMNETICA	FIL			X													
PANDORINA MORUM	COL						X										
PEDIASTRUM BORYANUM	COL			X													
PEDIASTRUM SIMPLEX																	
V. DUODENARIUM	COL			X			X									X	
PEDIASTRUM TETRAS																	
V. TETRAOON	COL						X										
PENNATE DIATOM	CEL			X													
PERIDINIUM	CEL			X													
PERIDINIUM #2	CEL			X													
PERIDINIUM QUADRIDENS	CEL															X	
PERIDINIUM WILLET	CEL						X									X	
PHACUS PSEUDONORDSTEDTII	CEL			X												X	
QUADRIGULA	COL															X	
SCENEDESMUS	COL			X													
SCENEDESMUS BIJUGA	COL						X										
SCENEDESMUS QUADRICAUDA	COL		1.4	30													
STAUSTRUM	CEL									X							

LAKE NAME: BULL SHOALS LAKE
STORET NUMBER: 3504

CONTINUED

TAXA	04 06 74				06 20 74				09 05 74				10 15 74			
	FORM	IS	SC	ALGAL UNITS PER ML	IS	SC	ALGAL UNITS PER ML	IS	SC	ALGAL UNITS PER ML	IS	SC	ALGAL UNITS PER ML	IS	SC	ALGAL UNITS PER ML
STEPHANODISCUS ASTRAEA	CEL															
V. MINUTULA	CEL			6.1			134									
STEPHANODISCUS NIAGARAE	CEL			11.2			223									X
SYNEORA #2	CEL			0.7			15									
SYNEORA DELICATISSIMA	CEL			8.9			195			X			X			X
TETRAEDRON MINIMUM	CEL									X			11.3			94
TETRAEDRON MINIMUM	CEL															
V. SCROBICULATUM	CEL															
TOTAL							2192						470			912

LAKE NAME: LAKE CATHERINE
STORET NUMBER: 1505

NYGAARD TROPHIC STATE INDICES

DATE	03 26 74	06 05 74	10 15 74
MYXOPHYCEAN	01/0 E	03/0 E	2.00 F
CHLOROPHYCEAN	06/0 E	08/0 E	8.50 F
EUGLENOPHYTE	0/07 ?	0.18 ?	0.14 ?
DIATOM	0.83 E	0.57 E	0.33 E
COMPOUND	12/0 E	17/0 E	13.5 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	03 26 74	06 05 74	10 15 74
GENUS	11	03	08
SPECIES	03	00	04

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	03 26 74	06 05 74	10 15 74
AVERAGE DIVERSITY H	3.01	1.69	3.57
NUMBER OF TAXA S	25.00	33.00	46.00
NUMBER OF SAMPLES COMPOSITED M	4.00	4.00	4.00
MAXIMUM DIVERSITY MAXH	4.64	5.04	5.52
MINIMUM DIVERSITY MINH	0.05	0.09	0.22
TOTAL DIVERSITY D	19131.56	8745.75	9121.35
TOTAL NUMBER OF INDIVIDUALS/ML N	6356.00	5175.00	2555.00
EVENNESS COMPONENT J	0.65	0.34	0.65
RELATIVE EVENNESS RJ	0.65	0.33	0.64
MEAN NUMBER OF INDIVIDUALS/TAXA L	254.24	156.82	55.54
NUMBER/ML OF MOST ABUNDANT TAXON K	2118.00	3085.00	487.00

LAKE NAME: LAKE CATHERINE
STORET NUMBER: 0505

CONTINUED

TAXA	FORM	73 26 74			36 35 74			13 15 74		
		IS	SC	ALGAL UNITS PER ML	IS	SC	ALGAL UNITS PER ML	IS	SC	ALGAL UNITS PER ML
ANKISTRODES MUS	CEL				2.2		113			
ANKISTRODES MUS FALCATUS	CEL	1.2		77						X
ANKISTRODES MUS FALCATUS V. MIRABILIS	CEL	1.2		77						
ASTERIONELLA FORMOSA	CEL						X			X
CENTRIC DIATOM	CFL				3.5		181			
CENTRITRACTUS	CEL						X			
CHLAMYDOMONAS	CEL	3	6.1	385						
CHLOROPHYTAN FILAMENT	FIL						X			
CHROOMONAS ACUTA	CEL	4	6.7	424	5	4.4	226			X
COELASTRUM RETICULATUM	COL						X			
CRUCIGENIA	COL							2.4		61
CRUCIGENIA TETRAPEDIA	COL			X			X			
CRYPTOMONAS	CFL	1.2		77	2	2.6	136			
CRYPTOMONAS EROSA	CEL			X				4	5.9	152
CRYPTOMONAS REFLEXA	CEL									X
CYCLOTELLA	CEL	7.9		531						
DACTYLOCCOCCOPSIS	CEL			X				9.3		213
DICTYOSPHAERIUM PULCHELLUM	COL				0.4		23	1.2		33
DINOCRYON SOCIALE	CEL						X			X
EUASTRUM	CEL									X
EUGLENA	CEL						X			X
EUGLENA #1	CEL									X
FLAGELLATE	CEL				1.7		90			
FLAGELLATE #2	CEL	7.3		462						
FLAGELLATES	CEL							2.4		61
FRAGILARIA CROTONENSIS	CEL			X						X
GOLENKINIA	CEL									X
GOMPHONEMA	CEL						X			
GONIUM PECTORALE	COL						X			
KIRCHNERIELLA	CFL							2.4		61
MALLONONAS	CEL	0.6		39						
MELOSIRA DISTANS	CFL	33.3		2118	4	2.2	113	4.9		122
MELOSIRA GRANULATA	CFL	2.4		154						
MELOSIRA GRANULATA V. ANGUSTISSIMA	CEL			X	1.3		68	4.9		122
MERISMOPEDIA TENUISSIMA	COL				0.9		45	2.4		61
MESOSTIGMA VIRIDIS	CEL	2.4		154	0.4		23			X
NAVICULA	CEL			X	0.4		23	1.2		30
NITZSCHIA #1	CEL									X
NITZSCHIA #2	CEL	5.5		347			X	17.9		457
OOCYSTIS	CEL									X
OSCILLATORIA	FIL				2.4		23			X
OSCILLATORIA #1	FIL									X
OSCILLATORIA #2	FIL						X			
PANDORINA MORUM	COL						X			
PEDIASTRUM BIRADIATUM	COL						X	3.6		91
PEDIASTRUM TETRAS V. TETRAODON	COL									X
PENNATE DIATOM #1	CEL							19.1		497
PENNATE DIATOMS	CEL				3	3.1	158			
PERIDINIUM INCONSPICUUM	CEL							1.2		30
PHACUS	CEL							1.2		30
RHOICOSPHERIA CURVATA	CEL									X
SCENEDESMUS	COL			X						
SCENEDESMUS ABUNDANS	COL				0.9		45	5	5.9	152
SCENEDESMUS BICAUDATUS	COL									X
SCENEDESMUS DENTICULATUS	COL									X
SCENEDESMUS DIMORPHUS	COL									X
SCENEDESMUS QUADRICAUDA	CEL	0.6		39			X	14.1		364
SKFLETONEMA POTAMOS	CEL	21.8		1386	174.1		3885			X
SPERMATOZOOPSIS	CFL									X
STAUASTRUM	CEL									X
SUPIRELLA	CFL			X						
SYNEORA ACUS	CEL						X			X
SYNEORA RUMPENS	CEL			X						
TABELLARIA FENESTRATA	CEL	1.2		77			X			X
TETRAEDRON CAUDATUM V. LONGISPINUM	CEL									X
TETRAEDRON MINIMUM	CEL	0.6		39						
TETRAEDRON MINIMUM V. SCROBICULATUM	CEL							1.2		30
TETRASTRUM HETERACANTHUM	COL									X
TETRASTRUM STAUROGENIAEFORME	COL						X			
TRACHELOMONAS	CEL				0.4		23			
TRIFURARIA SETIGERUM	CFL									X
TOTAL				6356			5175			2555

LAKE NAME: LAKE CHICOT
STORET NUMBER: 0506

NYGAARD TROPHIC STATE INDICES

DATE	03 26 74	06 05 74	10 16 74
MYXOPHYCEAN	04/0 E	5.00 F	05/0 F
CHLOROPHYCEAN	09/0 E	3.00 F	08/0 F
EUGLENOPHYTE	0.46 E	1.00 F	0.46 E
DIATOM	1.03 E	1.50 E	1.40 E
COMPOUND	23/0 E	19.0 E	26/0 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	03 26 74	06 05 74	10 16 74
GENUS	01	18	06
SPECIES	00	03	00

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	03 26 74	06 05 74	10 16 74
AVERAGE DIVERSITY H	1.68	3.56	3.08
NUMBER OF TAXA S	29.00	30.00	38.00
NUMBER OF SAMPLES COMPOSITED M	3.00	3.00	3.00
MAXIMUM DIVERSITY MAXH	4.86	4.91	5.25
MINIMUM DIVERSITY MINH	0.13	0.13	0.08
TOTAL DIVERSITY D	4799.76	10502.00	20768.44
TOTAL NUMBER OF INDIVIDUALS/ML N	2857.00	2950.00	6743.00
EVENNESS COMPONENT J	0.35	0.73	0.50
RELATIVE EVENNESS RJ	0.33	0.72	0.59
MEAN NUMBER OF INDIVIDUALS/TAXA L	98.52	98.33	177.45
NUMBER/ML OF MOST ABUNDANT TAXON K	1904.00	566.00	2281.00

LAKE NAME: LAKE CHICOT
STOREY NUMBER: 0506

CONTINUED

TAXA	FORM	73 26 74			76 75 74			10 14 74		
		IS	SC	ALGAL UNITS PER ML	IS	SC	ALGAL UNITS PER ML	IS	SC	ALGAL UNITS PER ML
ACHNANTHES MICROCEPHALA	CEL									X
ACTINASTRUM GRACILIMUM	CEL	14	5.4	154						
ANABAENA	FIL			X						
ANABAENOPSIS CIRCULARIS	FIL									X
ANABAENOPSIS ELANKINII	FIL				3	4.0	119			
ANKISTRODESMUS FALCATUS	CEL					2.0	69			
ANKISTRODESMUS FALCATUS V. ACICULARIS	CEL			X				7.5		35
BINUCLEARIA	FIL		1.1	31						
CHROOCOCCUS	COL									X
CHROOMONAS	CEL						X			
CHROOMONAS ACUTA	CEL					3.0	89			
CLOSTEPYUM	CEL						X			
COELASTRUM MICROPORUM	COL			X						
CRUCIGENIA APICULATA	COL			X		1.0	30			
CRUCIGENIA TETRAPEDIA	COL			X						
CRYPTOMONAS EROSA	CEL	3	8.6	246	1	14.1	417			
CRYPTOMONAS MARSSONII	CEL					1.0	30	3	1.5	104
CYANOPHYTAN FILAMENT	FIL							1133.8		2281
CYCLOTELLA	CEL					6.1	179			
CYCLOTELLA MENEGHINIANA	CEL								0.5	35
DACTYLOCOCCOPSIS	CEL		3.2	92		3.0	89			
EUGLENA #1	CEL			X						X
EUGLENA #2	CEL			X						
EUGLENA #3	CEL						X			
EUGLENA #4	CEL						X			
EUGLENA #5	CEL								0.5	35
EUGLENA ACUS	CEL									X
EUGLENA LIMNOPHILA										
V. LEMMERHANNII ?	CEL						X			
EUGLENA OXYURIS										
V. MINOR	CEL	5	1.1	31						
EUGLENA SPP.	CEL				4	4.0	119			
FLAGELLATE #2	CEL					4.0	119			
FLAGELLATES	CEL							110.8		726
GLENODINIUM OCULATUM	CEL					2.0	60			
GYMNODINIUM	CEL									X
LEPOCINCLIS	CEL						X			
LUNATE CELL	CEL								2.0	138
MELOSIRA DISTANS	CEL	2	12.9	368		18.2	536	2	18.4	1244
MELOSIRA GRANULATA	CEL						X			X
MELOSIRA GRANULATA V. ANGUSTISSIMA F. SPIRALIS	CEL			X				4	1.0	69
MELOSIRA VARIANS	CEL			X						X
MERISMOPEDIA TENUISSIMA	COL				2	19.2	566		3.6	242
MESOSTIGMA VIRIDIS	CEL								0.5	35
MICROCYSTIS INCERTA	CEL					2.0	60			
NITZSCHIA #1	CEL		1.1	31		6.1	179		3.1	227
NITZSCHIA #2	CEL									X
NITZSCHIA ACICULARIS	CEL						X			
OSCILLATORIA	FIL				5	7.1	239			
OSCILLATORIA #1	FIL			X						
PEDIASTRUM DUPLEX										
V. RETICULATUM	COL									X
PENNATE DIATOM	CEL			X						
PERIDINIUM	CEL								3.5	35
PERIDINIUM UMBONATUM	CEL						X			
PHACUS	CEL			X			X			X
PHACUS ACUMINATUS	CEL									
PHACUS MEGALOPSIS	CEL			X						
PTEROMONAS ACULEATA	CEL									X
RAPHIDIOPSIS ?	FIL			X						
RAPHIDIOPSIS CURVATA	FIL								4.1	277
SCENEDESMUS	COL								2.5	35
SCENEDESMUS DIMORPHUS	COL									X
SCENEDESMUS PROTUBERANS	COL			X						
SCHROEDERIA SETIGERA	CEL						X			X
SKELETONEMA POTAMOS	CEL								2.8	173
STEPHANODISCUS	CEL							5	110.8	726
STEPHANODISCUS ASTRAEA										
V. MINUTULA	CEL	1	66.6	1974						
SURIRELLA	CEL			X						
SYNEORA	CEL									X
SYNEORA #1	CEL								4.6	311
SYNEORA #2	CEL			X						
TETRAEDRON CAUDATUM										
V. LONGISPINUM	CEL									X
TETRAEDRON MINIMUM	CEL								0.5	35
TETRAEDRON MUTICUM	CEL			X						

LAKE NAME: LAKE CHICOT
 STORPEY NUMBER: 0506

CONTINUED

TAXA	03 26 74						06 05 74						10 16 74					
	FORM		ALGAL				ALGAL				ALGAL				ALGAL			
			IS	SC	PER	ML	IS	SC	PER	ML	IS	SC	PER	ML	IS	SC	PER	ML
TETRAEDRON TRIGONUM	CEL				X													
TETRASTRUM STAUROGENIAEFORME	COL				X												X	
TRACHELOMONAS	CEL						3.0		89								X	
TRACHELOMONAS SCABRA	CEL				X				X								X	
TRACHELOMONAS SCABRA																		
V. CORDATA	CEL								X									
TOTAL					2857				2950					6743				

LAKE NAME: DE GRAY LAKE
STORET NUMBER: 0507

NYGAARD TROPHIC STATE INDICES

DATE	03 25 74	06 05 74	10 16 74
MYXOPHYCEAN	03/1 E	0.75 E	2.50 F
CHLOROPHYCEAN	05/0 E	1.00 E	4.50 F
EUGLENOPHYTE	0.12 ?	0.14 ?	0.07 ?
DIATOM	0.30 ?	0.80 E	0.40 F
COMPOUND	12/0 E	3.00 E	8.50 F

PALMER'S ORGANIC POLLUTION INDICES

DATE	03 25 74	06 05 74	10 16 74
GENUS	06	06	11
SPECIES	03	00	04

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	03 25 74	06 05 74	10 16 74
AVERAGE DIVERSITY H	3.57	1.87	4.14
NUMBER OF TAXA S	26.00	28.00	33.00
NUMBER OF SAMPLES COMPOSITED M	6.00	5.00	6.00
MAXIMUM DIVERSITY MAXH	4.70	4.81	5.04
MINIMUM DIVERSITY MINH	0.19	0.04	0.20
TOTAL DIVERSITY D	5808.39	17196.52	8176.50
TOTAL NUMBER OF INDIVIDUALS/ML N	1627.00	9196.00	1975.00
EVENNESS COMPONENT J	0.76	0.39	0.82
RELATIVE EVENNESS RJ	0.75	0.39	0.82
MEAN NUMBER OF INDIVIDUALS/TAXA L	62.58	328.43	59.85
NUMBER/ML OF MOST ABUNDANT TAXON K	287.00	6083.00	214.00

LAKE NAME: DE GRAY LAKE
STORE NUMBER: 0507

CONTINUED

TAXA	FORM	03 25 74			06 05 74			10 16 74		
		IS	%C	ALGAL UNITS PER ML	IS	%C	ALGAL UNITS PER ML	IS	%C	ALGAL UNITS PER ML
ACHNANTHES LANCEOLATA	CEL			X						
ANKISTRODESMUS FALCATUS	CEL	12	17.6	287				3	17.8	214
ANKISTRODESMUS FALCATUS V. MIRABILIS	CEL						X			
APHANIZOMENON FLOS-AQUAE	FIL	15	2.0	32	13	3.4	317			
ASTERIONELLA FORMOSA	CEL		9.8	159		0.6	58			
CENTRITRACTUS	CEL									X
CERATIUM HIRUNDINELLA	CEL						X			
CERATIUM HIRUNDINELLA F. FURCIDES	CEL						X			
CHLAMYDOMONAS	CEL							15	6.0	119
CHROOMONAS ACUTA	CEL				51	6.9	634	11	10.8	214
CLOSTERIUM #1	CEL						X			
CLOSTERIUM #2	CEL						X			
COCCONEIS	CEL			X						
COELASTRUM MICROPORUM	COL						X			
CRUCIGENIA TETRAPELIA	COL			X						
CRYPTOMONAS	CEL							4	6.0	119
CRYPTOMONAS EROSA	CEL	14	5.9	96	14	3.1	288			
CRYPTOMONAS REFLEXA	CEL						X			
DINOBRYON RAVARTICUM	CEL	13	13.7	223						X
ELAKATOTHRIX GELATINOSA	CEL					0.9	86			
EUGLENA GRACILIS	CEL						X			
FLAGELLATE #2	CEL		3.9	64				3.6		71
FRAGILARIA CROTTONENSIS	CEL			X			X			
FRANCEIA	CEL		2.0	32						
GOLENKINIA	CEL		3.9	64						
GOLENKINIA RADIATA V. BREVISPIA	CFL									X
GOMPHONEMA TRUNCATUM V. CAPITATUM	CEL			X						
GYNMODINIUM ALBULUM	CEL					9.6	58			
GYNMODINIUM ORDINATUM	CEL		5.9	96						
KIRCHNERIELLA CONTORTA	CEL									X
LAGERHEIMIA QUADRISETA	CEL							1.2		24
LYNGBYA	FIL							4.8		95
MALLOMONAS	CEL									X
MELOSTRA	CEL						X			
MELOSTRA DISTANS	CEL		11.7	191	12	12.2	1124		3.6	71
MELOSTRA GRANULATA	CEL			X		0.9	86			
MELOSTRA GRANULATA V. ANGUSTISSIMA	CEL					0.6	58		3.6	71
MERISMOPELIA MINIMA	COL							2.4		48
MICTRACTINIUM	COL			X						
MICROCYSTIS INCERTA	COL		2.0	32		0.3	29		4.8	95
MOUGEOTIA	CEL						X	2	9.5	167
NAVICULA #1	CEL		3.9	64						
NAVICULA #2	CEL						X			
NITZSCHIA	CEL		2.0	32						
NITZSCHIA #1	CEL							7.2		142
NITZSCHIA #2	CEL									X
NITZSCHIA ACICULARIS	CEL							4.8		95
OSCILLATORIA	FIL			X		3.4	317			X
PERIDINIUM INCONSPICUUM	CEL							2.4		48
PAPHIDIOPSIS CURVATA	FIL							7.2		142
SCENEDESMUS BIJUGA	COL					0.3	29			
SCENEDESMUS QUADRICAUDA	COL							1.2		24
SCHROEDERIA SETIGERA	CEL							3.6		71
SFLENASTRUM MINUTUM	CEL									X
SKELETONEMA POTAMOS	CEL		5.9	96						
STAUASTRUM	CEL						X			
STAUASTRUM #1	CEL									X
STAUASTRUM CUSPIDATUM	CEL						X			
STAUASTRUM TETRACERUM	CEL									X
SYNEDRA ACUS	CEL			X						X
SYNEDRA ULNA	CEL			X		0.3	29			
TABELLARIA FENESTRATA	CEL	11	9.8	159	11	66.1	6283		4.8	95
TETRAEDRON MUTICUM	CEL							1.2		24
TRACHELOMONAS HISPIDA	CEL							1.2		24
TRACHELOMONAS LACUSTRIS	CEL			X						
TREUBARIA SETIGERUM	CEL									X
TOTAL				1627			9196			1975

LAKE NAME: LAKE ERLING
STORET NUMBER: 0508

NYGAARD TROPHIC STATE INDICES

DATE	03 25 74	06 03 74	10 17 74
MYXOPHYCEAN	2.00 E	2.50 E	1.00 E
CHLOROPHYCEAN	5.00 E	1.50 E	4.50 E
EUGLENOPHYTE	0.43 E	0.37 E	2.36 E
DIATOM	0.67 E	1.50 F	0.83 E
COMPOUND	12.0 E	7.00 E	10.0 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	03 25 74	06 03 74	10 17 74
GENUS	07	01	01
SPECIES	03	00	00

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	03 25 74	06 03 74	10 17 74
AVERAGE DIVERSITY H	2.10	2.05	2.20
NUMBER OF TAXA S	23.00	24.00	34.00
NUMBER OF SAMPLES COMPOSITED M	3.00	3.00	3.00
MAXIMUM DIVERSITY MAXH	4.52	4.58	5.09
MINIMUM DIVERSITY MINH	0.10	0.23	0.21
TOTAL DIVERSITY D	6079.50	2394.40	4353.80
TOTAL NUMBER OF INDIVIDUALS/ML N	2895.00	1168.00	1979.00
EVENESS COMPONENT J	0.46	0.45	0.43
RELATIVE EVENESS PJ	0.46	0.42	0.41
MEAN NUMBER OF INDIVIDUALS/TAXA L	125.87	48.67	58.21
NUMBER/ML OF MOST ABUNDANT TAXON K	1715.00	491.00	1104.00

LAKE NAME: LAKE ERLING
 STCPEY NUMBER: 3508

CONTINUED

		03 25 74			06 03 74			10 17 74		
TAXA	FORM	IS	SC	ALGAL UNITS PER ML	IS	SC	ALGAL UNITS PER ML	IS	SC	ALGAL UNITS PER ML
ACTINASTRUM HANTZSCHII	CEL									X
V. FLUVIATILE	CEL									X
ANABAENA	FTL						X			
ANKISTRODESMUS FALCATUS	CEL									
V. ACICULARIS	CEL		1.8	51						
APHANTZOMENON FLOS-AQUAE	FTL						X			
CEPATIUM HIRUNDINELLA	CEL						X			
CHLOROPHYTAN COCCOID CELLED COLONY	COL						X			
CHROOMONAS ACUTA	CEL	1	4.4	128	2	18.4	215			
CHRYSDOPHYTAN CELL	CEL		3.9	26						
CLOSTERIUM #1	CEL									X
CLOSTERIUM #2	CEL			X						
CLOSTERIUM #3	CEL						X			
CLOSTERIUM #4	CEL						X			
CRUCIGENIA FENESTRATA	COL		3.9	26						
CRUCIGENIA QUADRATA	COL									X
CRYPTOMONAS #1	CEL									X
CRYPTOMONAS EROSA	CEL	3	9.7	282	15	2.7	31	3	9.6	190
CRYPTOMONAS MARSSONII	CEL			X						
CYANOPHYTAN FILAMENT	FTL		0.9	26						
CYCLOTELLA MENECHINIANA	CEL									X
CYMBELLA	CEL						X			X
DACYLOCOCCOPSIS	CEL	5	5.3	154	13	28.9	338		3.8	76
DICTYOSPHAERIUM PULCHELLUM	COL								1.9	38
DINOBRYON BAVARICUM	CEL									X
DINOBRYON DIVERGENS	CEL			X			X			
DINOBRYON SOCIALE	CEL								1.9	38
EUDORINA ELEGANS	COL			X						
EUGLENA	CEL									X
EUGLENA ACUS	CEL						X			
EUNOTIA	CEL			X			X			
EUNOTIA PECTINALIS	CEL									
V. VENTRICOSA	CEL							2	1.9	38
GLENODINIUM OCULATUM	CEL						X			
KIRCHNERIELLA	CEL									X
LEPOCINCLIS	CEL						X			
MELOSIRA DISTANS	CEL	1	59.2	1715			X	4	13.5	267
MELOSIRA GRANULATA	CEL	2	13.3	384	1	42.0	491	1	55.8	1104
MELOSIRA GRANULATA	CEL									
V. ANGUSTISSIMA	CEL						X			X
MELOSIRA GRANULATA	CEL									
V. ANGUSTISSIMA F. SPIRALIS	CEL									X
MICROCYSTIS AERUGINOSA	COL						X			
MICROCYSTIS INCERTA	COL					2.7	31			
MOUGESOTIA	FTL									X
NAVICULA	CEL									X
ODCYSTIS	CEL							5	7.7	152
OSCILLATORIA	FTL									X
PEDIASTRUM DUPLEX	CEL									
V. ?	COL						X			
PEDIASTRUM TETRAS	COL									
V. TETRAODON	COL									X
PENNATE DIATOM	CEL								1.9	38
PHACUS	CEL									X
PHACUS CHLOROPLASTES	CEL						X			
PHACUS MEGALOPSIS	CEL									X
PHACUS PLEURONECTES ?	CEL			X						
PINNULARIA	CEL									X
SCENEDESMUS BIJUGA	COL			X		2.7	31			
SCENEDESMUS DENTICULATUS	COL									X
SCENEDESMUS INTERMEDIUS	COL		1.8	51						
SPERMATOOZOPSIS	CEL									X
STAUASTRUM	CEL									X
SYNEDRA #1	CEL									X
SYNEDRA #2	CEL		0.9	26						
SYNEDRA ULNA	CEL			X						
SYNURA UVELLA	CEL			X						
TETRAEDRON MINIMUM	CEL									
V. SCROBICULATUM	CEL									X
TETRAEDRON TRIGONUM	CEL									
V. GRACILE	CEL				14	2.7	31			X
TETRASTRUM STAUROGENIAEFORME	COL		0.9	26						
TRACHELOMONAS	CEL			X						
TRACHELOMONAS INTERMEDIA	CEL			X						
TRACHELOMONAS VOLVOICINA	CEL								1.9	38
TOTAL				2895			1168			1070

LAKE NAME: GRAND LAKE
STORET NUMBER: 3509

NYGAARD TROPHIC STATE INDICES

DATE	03 26 74	06 04 74	10 16 74
MYXOPHYCEAN	2.67 E	3.33 E	3.00 E
CHLOROPHYCEAN	7.67 E	5.33 E	7.67 F
EUGLENOPHYTE	0.16 ?	0.23 E	0.06 ?
DIATOM	0.67 E	1.00 E	1.50 E
COMPOUND	13.3 E	13.0 E	13.3 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	03 26 74	06 04 74	10 16 74
GENUS	24	18	13
SPECIES	07	07	04

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	03 26 74	06 04 74	10 16 74
AVERAGE DIVERSITY	H 4.18	3.28	3.15
NUMBER OF TAXA	S 59.00	57.00	50.00
NUMBER OF SAMPLES COMPOSITED	M 2.00	2.00	2.00
MAXIMUM DIVERSITY	MAXH 5.88	5.83	5.64
MINIMUM DIVERSITY	MINH 0.04	0.01	0.04
TOTAL DIVERSITY	D 96570.54	501157.76	54148.50
TOTAL NUMBER OF INDIVIDUALS/ML	N 23103.00	152792.00	17190.00
EVENESS COMPONENT	J 0.71	0.56	0.56
RELATIVE EVENESS	RJ 0.71	0.57	0.56
MEAN NUMBER OF INDIVIDUALS/TAXA	L 391.58	2680.56	343.80
NUMBER/ML OF MOST ABUNDANT TAXON	K 3813.00	52408.00	3523.00

LAKE NAME: GRAND LAKE
STORET NUMBER: 0509

CONTINUED

TAXA	FORM	03 26 74			06 04 74			10 16 74		
		S	%C	ALGAL UNITS PER ML	S	%C	ALGAL UNITS PER ML	S	%C	ALGAL UNITS PER ML
ACTINASTRUM GRACILIMUM	CEL			X						
ANABAFNA	FIL		3.6	822						
ANABAFNA PLANKTONICA	FIL					0.9	1304			
ANABAFNOPSIS CIRCULARIS	FIL					2.9	4433		2.0	352
ANKISTRODESMUS FALCATUS	CEL			X		0.2	261			X
ANKISTRODESMUS FALCATUS V. ACICULARIS	CEL		7.4	1719			X			
ANKISTRODESMUS FALCATUS V. MIRABILIS	CEL						X			X
CENTRIC DIATOM	CEL						X		17.0	2924
CHLAMYDOMONAS	CEL		9.1	2093						
CHLOROCOCCALEAN COLONY #9	COL						X			
CHLOROGONIUM	CEL		1.0	224						
CHROCOCCUS	COL									X
CHROCOCCUS DISPERSUS	COL				5	4.9	7561			
CHLAMYDOMONAS ACUTA	CEL			X			X			
CLOSTERIUM	CEL						X			X
COELASTRUM CAMBRICUM V. INTERMEDIUM	COL						X		0.2	35
COSMARUM #1	CEL			X			X			X
COSMARUM #2	CEL									X
COSMARUM #3	CEL			X						
CRUCIGENIA TETRAPEDIA	COL			X						
CRUCIGENIA TRUNCATA	COL						X		0.2	35
CRYPTOMONAS EROSA	CEL		4.5	1047		1.5	2347		0.4	70
CYANOPHYTAN COLONY	COL		1.6	374						
CYMATOPLFURA ELLIPTICA	CEL						X			
CYMATOPLFURA SOLEA	CEL			X			X			
CYMBELLA MINUTA	CEL			X						
DACTYLOCOCCOPSIS	CEL		7.1	1645	11	34.3	52408	12	70.5	3523
DACTYLOCOCCOPSIS IRREGULARIS	CEL						X			
DICTYOSPHAERIUM PULCHELLUM	COL		0.6	150			X			
ELAKATOTHRIX GELATINOSA	CEL					0.5	782			
EUGLENA	CEL		0.3	75						
EUGLENA #1	CEL			X						
EUGLENA #2	CEL									X
EUGLENA GRACILIS	CEL						X			
EUGLENA TRIPTERIS	CEL						X			
FLAGELLATE #4	CEL					0.2	261			
FLAGELLATES	CEL	5	10.7	2467						
FRANCEIA	CEL			X						
GLENODINIUM GYMNOINIUM	CEL						X			
V. BITSCUTELLIFORME	CEL						X			
GLENODINIUM OCULATUM	CEL									
GLENODINIUM PENARDIFORME	CEL			X						
GLENKINIA RADIATA ?	CEL									
V. BREVISPIA	CEL									X
GYMNOINIUM	CEL			X						
GYMNOINIUM ALBULUM	CEL					0.2	261			
GYPSISMA	CEL						X			
KIRCHNERIELLA CONTORTA	CEL									X
LAGERHEIMIA	CEL		0.3	75						
LUNATE CELL	CEL		1.0	224			X			
LYNGBYA	FIL		0.3	75						
LYNGBYA CONTORTA	FIL				3	6.8	10429		1.2	211
MELOSTIRA DISTANS	CEL					2.0	3129		0.4	70
MELOSTIRA GRANULATA	CEL	12	3.2	748		2.3	521		2.9	141
MELOSTIRA GRANULATA V. ANGUSTISSIMA	CEL		1.0	224		0.2	261			X
MELOSTIRA GRANULATA V. ANGUSTISSIMA F. SPIRALIS	CEL		3.6	922		0.3	521		2.0	352
MELOSTIRA VARIANS	CEL						X			
MERISMOEDIA GLAUCA	COL					2.4	3650		1.0	174
MERISMOEDIA TENUISSIMA	COL		1.3	299		9.2	12515		11.7	2008

LAKE NAME: GRAND LAKE
STORET NUMBER: 0509

CONTINUED

TAXA	FORM	03 26 74			06 04 74			10 16 74		
		IS	EC	ALGAL UNITS PER ML	IS	EC	ALGAL UNITS PER ML	IS	EC	ALGAL UNITS PER ML
NEOSOSTIGMA VIRIDIS	CEL								0.21	35
MICROCYSTIS INCERTA	COL			X	7.5	11472	3114.91			2577
NITZSCHIA	CEL				1.0	1564				
NITZSCHIA #1	CEL		7.4	1719						X
NITZSCHIA #2	CEL		3.6	922						
NITZSCHIA #3	CEL		0.3	75						
NITZSCHIA HOLSATICA	CEL		4.5	1047						
OOCYSTIS	CEL			X						X
OSCILLATORIA	FIL							1117.6		3030
OSCILLATORIA ?	FIL		2.9	673						
OSCILLATORIA LIMNETICA	FIL		0.3	75	3.4	5215				
PEDIASTRUM RORYANUM	COL			X		X				X
PEDIASTRUM DUPLEX										
V. ?	COL			X						
PEDIASTRUM SIMPLEX	COL			X		X				X
PEDIASTRUM TETRAS										
V. TETRAEDRON	COL		0.6	150				0.21		35
PENNATE DIATOM	CEL									X
PERIDINIUM	CEL									X
PERIDINIUM INCONSPICUUM	CEL				0.2	261				
PERIDINIUM UMNATUM	CEL			X						
PHACUS CAUDATUS	CFL			X						X
PHACUS MEGALOPSIS	CFL			X		X				
PHACUS PSEUDONORDSTEOTII	CEL					X				
PHACUS TORTUS	CEL					X				
RAPHIDIOPSIS CURVATA	FIL							0.6		106
SCENEDESMUS ARUNDANS	COL		0.3	75		X				X
SCENEDESMUS ACUMINATUS	COL		0.6	150						
SCENEDESMUS ARMATUS										
V. ?	COL									X
SCENEDESMUS BICAUDATUS	COL									X
SCENEDESMUS BIJUGA	COL					X		7.4		106
SCENEDESMUS BREVISPINA	COL									X
SCENEDESMUS DIMORPHUS	COL				0.2	261		0.2		35
SCENEDESMUS QUADRICAUDA	COL		1.3	299	0.7	1043		0.4		141
SCHROEDERIA SETIGERA	CEL			X						X
STAUASTRUM	CEL			X						
STAUASTRUM #1	CFL					X				
STEPHANODISCUS ASTRAEA										
V. MINUTULA	CEL	3	16.5	3813	2	15.2	23206			X
SURIPELLA	CEL									X
SURIPELLA TENERA	CEL					X				
SYNEOPA	CEL							5	7.0	1198
SYNEOPA ACUS	CEL				4	5.6	8674			
TABELLARIA FENESTRATA	CEL						X			
TETRAEDRON CAUDATUM										
V. LONGISPINUM	CEL		1.3	224						X
TETRAEDRON GRACILE	CEL				0.2	261				X
TETRAEDRON GRACILE ?	CEL			X						
TETRAEDRON MINIMUM	CEL		0.3	75	7.2	261		7.2		35
TETRAEDRON MUTICUM	CEL		0.3	75						
TETRASTRUM ELEGANS	COL			X						
TETRASTRUM HETERACANTHUM	COL			X				0.2		35
TETRASTRUM SPP.	COL		3.2	748						
TETRASTRUM STAUROGENIAFFORME	COL			X						X
TRACHELOMONAS	CFL			X						
TRACHELOMONAS SCABRA										
V. LONGICOLLIS	CEL					X				
TOTAL				23103			152792			17190

LAKE NAME: LAKE HAMILTON
 STORET NUMBER: 0510

NYGAARD TROPHIC STATE INDICES

DATE	03 27 74	06 05 74	10 15 74
MYXOPHYCEAN	01/0 E	9.00 E	2.00 E
CHLOROPHYCEAN	03/0 E	10.0 E	6.75 E
EUGLENOPHYTE	0/04 ?	0.05 ?	0.09 ?
DIATOM	0.67 E	0.50 E	1.25 E
COMPOUND	10/0 E	23.0 E	10.7 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	03 27 74	06 05 74	10 15 74
GENUS	06	08	12
SPECIES	03	00	03

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	03 27 74	06 05 74	10 15 74
AVERAGE DIVERSITY H	2.41	3.58	3.59
NUMBER OF TAXA S	24.00	37.00	62.00
NUMBER OF SAMPLES COMPOSITED M	6.00	6.00	6.00
MAXIMUM DIVERSITY MAXH	4.58	5.21	5.95
MINIMUM DIVERSITY MINH	0.07	0.22	0.15
TOTAL DIVERSITY D	11199.27	7296.04	20168.62
TOTAL NUMBER OF INDIVIDUALS/ML N	4647.00	2038.00	5618.00
EVENNESS COMPONENT J	0.53	0.69	0.60
RELATIVE EVENNESS RJ	0.52	0.68	0.60
MEAN NUMBER OF INDIVIDUALS/TAXA L	193.63	55.08	90.61
NUMBER/ML OF MOST ABUNDANT TAXON K	2543.00	528.00	1976.00

LAKE NAME: LAKE HAMILTON
STORET NUMBER: 0510

CONTINUED

TAXA	FORM	13 27 74				06 05 74				10 15 74			
		S		SC		S		SC		S		SC	
		ALGAL UNITS PER ML		ALGAL UNITS PER ML		ALGAL UNITS PER ML		ALGAL UNITS PER ML		ALGAL UNITS PER ML		ALGAL UNITS PER ML	
ANABAENA	FIL				5.5		113						X
ANABAENA #1	FIL								1.4				72
ANABAENA #2	FIL		1.1	49	3	3.7	75						X
ANKISTRODESMUS FALCATUS	CEL			X					3.5				198
ANKISTRODESMUS FALCATUS V. MIRABILIS	CEL		6.3	293			X						
APHANIZOEMON FLOS-AQUAE	FIL						X						
APHANOTHECE	COL						X						
ASTERIONELLA FORMOSA	CEL		1.1	49									
ATTHEYA	CEL												X
CENTRIC DIATOMS	CEL		54.7	2543									
CERATIUM HIRUNDINELLA													
F. BRACHYCERAS	CEL						X						X
CHLOROGONIUM	CEL												X
CHROMONAS ACUTA	CEL		1.1	49		3.7	75						X
CLOSTRIDIUM	CEL												X
COELASTRUM PROROSCIDUM	COL												X
COELASTRUM RETICULATUM													
V. POLYCHORDON	COL												X
COELASTRUM SPHAERICUM	COL					1.9	38						
COSMARIDIUM	CEL												
CRUCIGENIA APICULATA	COL								0.7				40
CRUCIGENIA CRUCIFERA	COL						X						
CRUCIGENIA FENESTRATA	COL												X
CRUCIGENIA TETRAPEDIA	COL		1.1	49									X
CRUCIGENIA TRUNCATA	COL												X
CRYPTOMONAS EROSA	CEL	14	5.3	245	15	3.7	75	2	7.7				435
CRYPTOMONAS MARSSONII	CEL			X									
CRYPTOMONAS REFLEXA	CEL					1.9	38						
CYCLOPHELLA STELLIGERA	CEL			X									
CYMBELLA	CEL			X		9.3	189						
DACTYLOCOCCOPSIS	CEL												
DACTYLOCOCCOPSIS IRREGULARIS	CEL								3135.2				1976
DICTYOSPHAERIUM PULCHELLUM	COL						X						X
DINOBRYON	CEL								0.7				40
DINOBRYON CYLINDRICUM	CEL			X									
EUASTRUM DENTICULATUM	CEL												X
EUGLENA	CEL												X
EUGLENA ACUS	CEL												X
FRAGILARIA CROTONENSIS	CEL		2.1	98									X
FRANCEIA	CEL												X
GOLENKINIA	CEL												X
GOMPHONEMA	CEL			X									
GONATODRYGON MONTANUM	CEL												X
GYMNODINUM ORDINATUM	CEL						X						X
KIRCHNERIELLA	CEL								2.9				158
LAGERHEIMIA SUBSALSA	CEL												X
LYNGBYA	FIL				12	25.9	528		4.2				237
MALLOMONAS	CEL						X						X
MELOSIRA DISTANS	CEL	11	1.6	518		3.7	75						X
MELOSIRA GRANULATA	CEL	21	6.3	293	11	7.4	151	14	3.5				199
V. ANGUSTISSIMA	CEL			X									
MERISMOPEDIA MINIMA	COL				14	14.8	302		3.5				199
MESOSTIGMA VIRIDIS	CEL					1.9	38						X
MICROCYSTIS AERUGINOSA	COL						X						
MOUGESOTIA	FIL												X
NAVICULA	CEL			X									
NITZSCHIA	CEL					7.4	151						
NITZSCHIA #1	CEL		5.3	245					3.5				198
NITZSCHIA #2	CEL		1.1	49			X						
NITZSCHIA #3	CEL						X						
OSCILLATORIA	FIL												X
PEDIASTRUM BIRADIATUM	COL						X						

LAKE NAME: LAKE HAMILTON
 STRET NUMBER: 0510

CONTINUED

TAXA	03 27 74				06 05 74				10 15 74			
	FORM	S	EC	ALGAL UNITS PER ML	S	EC	ALGAL UNITS PER ML	S	EC	ALGAL UNITS PER ML	S	EC
PECTIASTRUM BIRADIATUM	COL											
V. LONGECORNUTUM												X
PECTIASTRUM TETRAS	COL											X
V. TETRAEDRON	CEL											X
PERIDINIUM	CEL			X								X
PERIDINIUM INCONSPICUUM	CEL											X
PHACUS	CEL											X
RAPHIDIOPSIS ?	FIL					1.9	38					
RAPHIDIOPSIS CURVATA ?	FIL								4.9	777		
RHIZOSOLENIA	CEL	5	3.2	147					0.7	40		
SCENEDESMUS ABUNDANS	COL						X		0.7	40		
SCENEDESMUS DENTICULATUS	COL					1.9	38		2.1	110		
SCENEDESMUS DIMORPHUS	COL					1.9	38					X
SCENEDESMUS INTERMEDIUS	COL											X
SCENEDESMUS INTERMEDIUS	COL											
V. BICAUDATUS	COL								2.1	119		
SCENEDESMUS QUADRICAUDA	COL								7.7	47		
STAUASTRUM #1	CEL						X					
STAUASTRUM TETRACERUM	CEL											X
STEPHANODISCUS	CFL								9.8	552		
SYNEORA #1	CEL								4.2	237		
SYNEORA ACUS	CEL						X					
SYNEORA CAPITATA	CEL			X								
SYNEORA DELICATISSIMA	CEL							5	1.4	79		
SYNEORA ULNA	CFL						X					
TABELLARIA FENESTRATA	CEL			X		1.9	38					
TETRAEDRON CAUDATUM	CEL											
V. LONGISPINUM	CFL								7.7	47		
TETRAEDRON CONSTRICTUM	CEL						X					
TETRAEDRON LIMNETICUM	CEL											X
TETRAEDRON MINIMUM	CFL								3.5	198		
TETRAEDRON MINIMUM	CEL											X
V. SCROBICULATUM	CEL											X
TETRAEDRON TRIGONUM	CEL											
TETRAEDRON TRIGONUM	CEL											
V. GRACILE	CEL					1.9	38					
TETRASTRUM HETERACANTHUM	COL								7.7	47		
TRACHELOMONAS	CEL						X					
TRIFUBARIA SETIGERUM	CEL								1.4	79		
TOTAL				4647			2038			5618		

LAKE NAME: MILLWOOD LAKE
STORET NUMBER: 0511

NYGAARD TROPHIC STATE INDICES

DATE	03 25 74	06 03 74	10 17 74
MYXOPHYCEAN	03/0 E	06/0 E	2.00 F
CHLOROPHYCEAN	06/0 E	11/0 E	8.00 F
EUGLENOPHYTE	0/09 ?	0.06 ?	0.30 F
DIATOM	0.27 ?	0.44 E	0.67 E
COMPOUND	12/0 E	22/0 E	17.0 F

PALMER'S ORGANIC POLLUTION INDICES

DATE	03 25 74	06 03 74	10 17 74
GENUS	11	08	01
SPECIES	03	03	00

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	03 25 74	06 03 74	10 17 74
AVERAGE DIVERSITY H	3.33	3.84	2.73
NUMBER OF TAXA S	29.00	40.00	31.00
NUMBER OF SAMPLES COMPOSITED M	3.00	3.00	3.00
MAXIMUM DIVERSITY MAXH	4.86	5.32	4.95
MINIMUM DIVERSITY MINH	0.12	0.08	0.28
TOTAL DIVERSITY D	9780.21	27605.76	3458.91
TOTAL NUMBER OF INDIVIDUALS/ML N	2937.00	7189.00	1267.00
EVENESS COMPONENT J	0.69	0.72	0.55
RELATIVE EVENESS RJ	0.68	0.72	0.53
MEAN NUMBER OF INDIVIDUALS/TAXA L	101.28	179.73	40.87
NUMBER/ML OF MOST ABUNDANT TAXON K	698.00	2010.00	438.00

LAKE NAME: MILLWOOD LAKE
STORET NUMBER: 0511

CONTINUED

TAXA	FORM	03 25 74			06 03 74			10 17 74		
		S	XC	ALGAL UNITS PER ML	S	XC	ALGAL UNITS PER ML	S	XC	ALGAL UNITS PER ML
ACHNANTHES MICROCEPHALA	CEL						X			
ANABAENA	FIL		1.3	37		7.5	541			
ANKISTRODESMUS	CEL			X						
ANKISTRODESMUS FALCATUS	CEL		2.5	73		1.6	116			X
ANKISTRODESMUS FALCATUS V. ACICULARIS	CEL									X
APHANIZOMENON FLOS-AQUAE	FIL					1.1	77			
ASTERIONELLA FORMOSA	CEL		2.5	73			X			
ATTHEYA ?	CEL					0.5	39			
CAPTERIA KLEBSII	CEL	4	7.5	220						
CENTRIC DIATOMS	CEL							1134.6		438
CHROMONAS ACUTA	CEL	2	23.8	698				515.4		195
COCCONEIS	CEL			X						
COELASTRUM SPHAERICUM	COL					0.5	39			
CRUCIGENIA TETRAPEDIA	COL									X
CRYPTOMONAS	CEL							4	3.9	49
CRYPTOMONAS EROSA	CEL	3	7.5	220		1.6	116			
CRYPTOMONAS MARSSONII	COL			X			X			
CYCLOTELLA	CEL			X						
CYCLOTELLA MENEGHINIANA	CEL									X
CYMBELLA	CEL			X						X
CYMBELLA VENTRICOSA	CEL						X			
DACTYLOCOCCOPIS	CEL		2.5	73		5.9	425		7.7	97
DINOBRYON BAVARICUM	CEL				3	7.0	502			
DINOBRYON SOCIALE	CEL									X
EUASTRUM	CEL									X
EUDORINA ELEGANS	COL						X			
EUGLENA TRIPTERIS	CEL									X
EUNOTIA	CEL									X
EUNOTIA PECTINALIS										
V. MINOR F. IMPRESSA	CEL			X						
FLAGELLATE #2	CEL	5	7.5	220		5.9	425			
FLAGELLATE #4	CEL					0.5	39			
FRAGILARIA CROTONENSIS	CEL					2.7	193			
GOLENKINIA	CEL									X
GYNMODINIUM	CEL							3.9		49
KIRCHNERIELLA	CEL					1.6	116			
KIRCHNERIELLA CONTORTA	CEL						X			
LEPDOCINCLIS	CEL					1.1	77			
LYNGBYA	FIL					3.2	232			X
MALLOMONAS	CEL									X
MELOSIRA DISTANS	CEL	1	23.8	698	12	28.3	2013	3	15.4	195
MELOSIRA GRANULATA	CEL				4	5.9	425	2	11.5	146
MELOSIRA GRANULATA V. ANGUSTISSIMA	CEL			X		5.4	397			
MERISMOPEDIA MINIMA	COL					2.2	155			
MESOSTIGMA VIRIDIS	CEL				5	4.3	309			X
MICRACTINIUM	COL						X			
MICROCYSTIS INCERTA	COL					5.9	425			
MOUGEOTIA	FIL						X			
NAVICULA	CEL						X			
NAVICULA #1	CEL			X						
NAVICULA #2	CEL			X						X
NAVICULA VIRIDULA										
V. LINEARIS	CEL						X			
NEPHROCYTIUM	CEL		5.0	147						
NITZSCHIA	CEL					7.7	193			
NITZSCHIA #1	CEL		1.3	37						
NITZSCHIA #2	CEL			X						
NITZSCHIA #3	CEL			X						
NITZSCHIA #4	CEL		5.0	147						
NITZSCHIA ACICULARIS	CEL							3.9		49
OSCILLATORIA	FIL		3.7	110						
PEDIASTRUM DUPLEX	COL						X			
PEDIASTRUM DUPLEX V. ?	COL									X
PEDIASTRUM TETRAS										
V. TETRAODON	COL									X
PERIDINIUM	CEL					1.6	116			
PERIDINIUM UMBONATUM	CEL									X
PHACUS LONGICAUDA	CEL									X
PTEROMONAS ANGULOSA	CEL		3.7	110						
SCENEDESMUS ARCUATUS										
V. PLATYDISCA	COL							3.9		49
SCENEDESMUS BICAUDATUS	COL					0.5	39			
SCENEDESMUS DENTICULATUS	COL						X			
SCENEDESMUS DIMORPHUS	COL									X
SCENEDESMUS OVALTERNUS										
V. GRAEVENITZII	COL		1.3	37						

LAKE NAME: MILLWOOD LAKE
 STCPT NUMBER: 3511

CONTINUED

TAXA	03 25 74				06 03 74				10 17 74			
	FORM	IS	SC	ALGAL UNITS PER ML	IS	SC	ALGAL UNITS PER ML	IS	SC	ALGAL UNITS PER ML	IS	SC
SCHROEDERIA SETIGERA	CEL		1.31	37		2.71	193					
SURIRELLA	CEL			X								
SYNEDRA	CEL										X	
SYNEDRA ULNA	CEL						X					
TABELLARIA FENESTRATA	CEL						X				X	
TETRAEDRON MINIMUM	CEL						X					
V. SCROBICULATUM	CEL			X			X					
TETRAEDRON REGULARIS	CEL						X					
TRACHELOMONAS	CEL										X	
TOTAL				2937			7199				1267	

LAKE NAME: NIMROD LAKE
STORET NUMBER: 0512

NYGAARD TROPHIC STATE INDICES

DATE	03 27 74	06 07 74	10 18 74
MYXOPHYCEAN	02/0 E	04/0 E	04/0 E
CHLOROPHYCEAN	05/0 E	01/0 E	06/0 E
EUGLENOPHYTE	0.57 E	0.80 E	0/10 ?
DIATOM	1.00 E	0.80 E	0.57 E
COMPOUND	14/0 E	13/0 E	14/0 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	03 27 74	06 07 74	10 18 74
GENUS	09	01	10
SPECIES	03	00	04

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	03 27 74	06 07 74	10 18 74
AVERAGE DIVERSITY H	1.93	3.04	3.12
NUMBER OF TAXA S	26.00	22.00	27.00
NUMBER OF SAMPLES COMPOSITED M	2.00	2.00	2.00
MAXIMUM DIVERSITY MAXH	4.70	4.46	4.75
MINIMUM DIVERSITY MINH	0.10	0.25	0.10
TOTAL DIVERSITY D	6183.72	2927.52	11232.00
TOTAL NUMBER OF INDIVIDUALS/ML N	3204.00	961.00	3600.00
EVENESS COMPONENT J	0.41	0.68	0.66
RELATIVE EVENESS RJ	0.40	0.67	0.65
MEAN NUMBER OF INDIVIDUALS/TAXA L	123.23	43.77	133.33
NUMBER/ML OF MOST ABUNDANT TAXON K	1933.00	394.00	1296.00

LAKE NAME: NIMPOO LAKE
STORY NUMBER: 0512

CONTINUED

TAXA	FORM	03 27 74			06 07 74			10 19 74		
		IS	SC	ALGAL UNITS PER ML	IS	SC	ALGAL UNITS PER ML	IS	SC	ALGAL UNITS PER ML
ACHNANTHES MICROCEPHALA	CEL									X
ACTINASTRUM	CEL			X						
ANABAENA	FIL			X			X			
ANKISTRODESMUS FALCATUS	CEL	13	13.2	424						
ASTERIONELLA FORMOSA	CEL				2.6		25			
CARTERIA	CEL			X						
CENTRIC DIATOMS	CEL		2.9	94						
CERATIUM HIRUNDINELLA										
F. FURCIFORMIS	CEL			X	3	2.6	25			
CHARCOMONAS ACUTA	CEL			X	5	10.3	99	3.4		121
COFLASTRUM SPHAERICUM	COL							1.1		40
CRYPTOMONAS	CEL			X						
CRYPTOMONAS EROSA	CEL	2	13.2	424	4	5.1	49	3	6.7	242
CYCLOTELLA	CEL					5.1	49		4.5	162
DACTYLOCOCCOPSIS	FIL					5.1	49	5	12.4	645
DICTYOSPHAERIUM PULCHELLUM	COL			X						
EUGLENA	CEL				2.6		25			
EUGLENA #1	CEL			X						
EUGLENA OXYURIS										
V. MINOR	CEL						X			
FLAGELLATES	CEL	1	60.3	1933						
FRAGILARIA CROTONENSIS	CEL									X
GLENODINUM OCULATUM	CEL	5	1.5	47						
HANTZSCHIA	CEL									X
KIRCHNERIELLA	CEL							2.2		81
LEPOCINCLIS	CEL		1.5	47			X			
MALLOMONAS	CEL									X
MALLOMONAS PSEUDOCORONATA	CEL									X
MELOSIRA DISTANS	CEL			X	2	10.3	99	1	36.0	1296
MELOSIRA GRANULATA	CEL			X	1	40.9	394		3.4	121
MELOSIRA GRANULATA										
V. ANGUSTISSIMA	CEL						X			
MERISMOPEDIA GLAUCA	COL									X
MERISMOPEDIA TENUISSIMA	COL						X			
MESOSTIGMA VIRIDIS	CEL							3.4		121
MICRACTINIUM PUSILLUM	COL				2.6		25			
MICROCYSTIS INCERTA	COL							2	13.5	446
MOUGEOTIA	FIL			X						
NAVICULA	CEL							3.4		121
NITZSCHIA	CEL							1.1		40
NITZSCHIA #2	CEL									X
OSCILLATORIA	FIL	4	2.9	94		2.6	25			
PEDIASTRUM TETRAS										
V. TETRAEDRON	COL			X						
PENNATE DIATOM	CEL					2.6	25			
PERIDINIUM	CEL							4	4.5	162
PHACUS	CEL			X						
PHORMIDIUM MUCICOLA	FIL									X
PTEROMONAS	CEL			X						
RHIZOSOLENTA	CEL									X
SCENEDESMUS BICAUDATUS	COL									X
SCENEDESMUS DENTICULATUS	COL									X
SCENEDESMUS PROTUBERANS	COL							1.1		40
SCENEDESMUS QUADRICAUDA	COL			X				3.4		121
SURIELLA ANGUSTA	CEL									X
SYNEDRA ?	CEL		2.9	94			X			
SYNEDRA DELICATISSIMA	CEL						X			
SYNEDRA DELICATISSIMA										
V. ANGUSTISSIMA	CEL			X						
SYNURA ?	CEL				5.1		49			
TABELLARIA FENESTRATA	CEL			X			X			
TRACHELOMONAS INTERMEDIA	CEL		1.5	47		2.6	25			
TOTAL				3204			963			2400

LAKE NAME: NORFORK LAKE
STORET NUMBER: 0513

NYGAARD TROPHIC STATE INDICES

DATE	04 04 74	06 19 74	09 03 74	10 10 74
MYXOPHYCEAN	02/0 F	0/01 Q	5.00 F	06/0 F
CHLOROPHYCEAN	02/0 E	1.00 E	2.00 F	05/0 F
EUGLENOPHYTE	0/04 ?	0/01 ?	0.14 ?	0.09 ?
DIATOM	1.40 E	1.00 E	0.17 ?	0.75 E
COMPOUND	11/0 E	4.00 E	9.00 F	15/0 F

PALMER'S ORGANIC POLLUTION INDICES

DATE	04 04 74	06 19 74	09 03 74	10 10 74
GENUS	01	01	10	07
SPECIES	00	00	00	00

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	04 04 74	06 19 74	09 03 74	10 10 74
AVERAGE DIVERSITY H	2.28	2.45	3.24	3.55
NUMBER OF TAXA S	20.00	17.00	19.00	28.00
NUMBER OF SAMPLES COMPOSITED M	7.00	7.00	7.00	7.00
MAXIMUM DIVERSITY MAXH	4.32	4.09	4.25	4.81
MINIMUM DIVERSITY MINH	0.16	0.11	0.06	0.12
TOTAL DIVERSITY D	3210.24	4304.65	13588.56	10277.25
TOTAL NUMBER OF INDIVIDUALS/ML N	1408.00	1757.00	4194.00	2895.00
EVENESS COMPONENT J	0.53	0.60	0.76	0.74
RELATIVE EVENESS RJ	0.51	0.59	0.76	0.74
MEAN NUMBER OF INDIVIDUALS/TAXA L	70.40	103.35	220.74	103.39
NUMBER/ML OF MOST ABUNDANT TAXON K	556.00	645.00	805.00	603.00

LAKE NAME: NORFOLK LAKE
 STOR# NUMBER: 0513

CONTINUED

TAXA	FORM	06 06 74			06 19 74			09 11 74			11 11 74		
		S	%C	ALGAL UNITS PER ML	S	%C	ALGAL UNITS PER ML	S	%C	ALGAL UNITS PER ML	S	%C	ALGAL UNITS PER ML
ACHNANTHES MICROCEPHALA	CEL							51	9.6	402			Y
ANABAEANA	FIL			X									
ANKISTRODESMUS FALCATUS	CEL										1.4		40
APHANIZOMENON FLOS-AQUAE	FIL												X
ASTEPIONELLA FORMOSA	CEL			X	2.0	36							
CENTRIC DIATOM	CEL		5.3	74									
GERATIUM HIRUNDINELLA													
F. FURCIFORMES	CEL						X						
GERATIUM HIRUNDINELLA													
F. ROBUSTUM	CEL												
CHROODONAS ACUTA	CEL	21	39.5	556	21	4.1	72						
CHROODONAS ACUTA ?	CEL						X				4.2		121
CLOSTRIDIUM	CEL						X						
COSMARIDIUM	CEL									X			
CRUCIGENTIA TETRAPEDIA	CEL										1.4		40
CRYPTOMONAS	CEL							6.8		287			
CRYPTOMONAS EROSA	CEL	41	5.3	74	13	6.1	137			X	11.1		322
CRYPTOMONAS MARSSONII	CEL						72						
CYCLOTELLA	CEL						72				1.4		40
CYCLOTELLA COMTA	CEL			X									
CYCLOTELLA MICHIGANIANA	CEL			X									
CYCLOTELLA STELLIGERA	CEL			X									
CYMBELLA TUMIDULA	CEL			X									
DACTYLOCOCCOPSIS	CEL										9.3		241
DIATOMA VULGARE													
V. BREVE	CEL				2.0	36							
DINORRYON SOCIALE	CEL				41	34.7	609						X
ENTOMONEIS ORNATA	CEL			X									
EUGLENA	CEL												X
FLAGELLATE #2	CEL						X				12.5		362
FRAGILARIA CROTONENSIS	CEL	51	5.3	74	11	36.7	645	11	19.2	805	13	5.6	161
FRANCEIA OVALIS ?	CEL												X
LYNGBYA BIRGEI	FIL									X			
MALLOMONAS	CEL												X
MALLOMONAS PSEUDOCORONATA	CEL						X						
MFLOSTRA DISTANS	CEL												X
MFLOSTRA GRANULATA	CEL	11	29.0	408			X	41	8.2	745		4.2	121
MFLOSTRA VARIANS	CEL			X									
MERISMOPEdia MINIMA	CEL												X
MERISMOPEdia TENUISSIMA	CEL									X			
MICROCYSTIS INCERTA	CEL							31	15.1	632	15	20.8	603
MOUGEOTIA	CEL										14	6.9	201
NAVICULA	CEL			X									
NEPHROCYTIUM	CEL							1.4		57			
NITZSCHIA	CEL							15.1		632			X
NITZSCHIA #1	CEL									X			
NITZSCHIA #2	CEL							1.4		57			
NITZSCHIA VERNICULARIS	CEL			X									
OSCILLATORIA	FIL			X				9.2		745		5.6	161
PEDIASTRUM SIMPLEX	CEL												X
PEDIASTRUM SIMPLEX													
V. DUODENARIUM	CEL			X									
PERIDINIUM	CEL							1.4		57			
PERIDINIUM #2	CEL												X
PERIDINIUM MUNUSCULUM	CEL												X
PERIDINIUM QUADRIFENS	CEL				2.0	36							
PERIDINIUM SPP.	CEL										2.8		80
PHACUS MEGALOPSIS	CEL									X			
RAPHIDIOPSIS CURVATA	FIL							21	8.2	745	11	6.9	201
SCENEDESMUS QUADRICAUDA	CEL			X									
SCHROEDERIA SETIGERA	CEL				2.0	36							
STEPHANODISCUS NIAGARAE	CEL	31	5.3	74	15	2.0	36						
STIPITOCOCCLUS	CEL		10.5	148									
SYNEDRA ACUS	CEL									X			
TABELLARIA FENESTRATA	CEL												X
TETRAEDRON MINIMUM													
V. SCROBICULATUM	CEL							5.4		230		6.9	201
TOTAL				1408			1757			4194			2895

LAKE NAME: LAKE OUACHITA
STORET NUMBER: 0514

NYGAA3D TROPHIC STATE INDICES

	DATE	03 25 74	06 06 74	10 17 74
MYXOPHYCEAN	0/0	0	1.00 E	7.00 E
CHLOROPHYCEAN	03/0	E	0.67 ?	2.00 F
EUGLENOPHYTE	0/03	?	0.40 E	0/09 ?
DIATOM	2.00	E	0.50 E	0/03 ?
COMPOUND	07/0	E	3.00 E	9.00 F

PALMER'S ORGANIC POLLUTION INDICES

	DATE	03 25 74	06 06 74	10 17 74
GENUS		00	01	01
SPECIES		00	00	00

SPECIES DIVERSITY AND ABUNDANCE INDICES

	DATE	03 25 74	06 06 74	10 17 74
AVERAGE DIVERSITY	H	1.47	2.71	3.44
NUMBER OF TAXA	S	12.00	20.00	21.00
NUMBER OF SAMPLES COMPOSITED	M	6.00	6.00	6.00
MAXIMUM DIVERSITY	MAXH	3.58	4.32	4.39
MINIMUM DIVERSITY	MINH	0.46	0.08	0.14
TOTAL DIVERSITY	D	323.40	8176.07	5841.12
TOTAL NUMBER OF INDIVIDUALS/ML	N	220.00	3017.00	1698.00
EVENNESS COMPONENT	J	0.41	0.63	0.78
RELATIVE EVENNESS	RJ	0.33	0.63	0.78
MEAN NUMBER OF INDIVIDUALS/TAXA	L	18.33	150.85	80.86
NUMBER/ML OF MOST ABUNDANT TAXON	K	110.00	797.00	266.00

LAKE NAME: LAKE OUACHITA
 STOPT NUMBER: 1914

CONTINUED

TAXA	03 25 74				06 06 74				10 17 74			
	FORM	IS	XC	ALGAL UNITS PER ML	IS	XC	ALGAL UNITS PER ML	IS	XC	ALGAL UNITS PER ML	IS	XC
ANABAFNA PLANCTONICA	FIL						X			5.9		133
ANKISTRODES MUS FALCATUS	CEL			X								
ANKISTRODES MUS FALCATUS V. MIRABILIS	CEL			X								
APHANIZOMENON FLOS-AQUAE	FIL						X			11.8		200
ARTHRODES MUS MINOR ?	CEL					1.2	35					
ASTERIONELLA FORMOSA	CEL					3.4	134					X
CENTRIC DIATOM	CEL			16.8								
CEPATIUM HIPUNDINELLA F. FURCIFORMIS	CEL						1.2					
CHROMONAS ACUTA	CEL			33.2			23.0			13.7		233
CLOSTERIOPSIS	CEL			X								
CLOSTERIUM	CEL											X
CRYPTOMONAS EROSA	CEL			50.0			1.2			7.9		133
CRYPTOMONAS MARSSONII	CEL											X
DACTYLOCOCCOPSIS	CEL									11.4		200
DINOBRYON	CEL									3.9		67
EUBASTRUM DENTICULATUM	CEL											
FLAGELLATE #2	CEL									5.9		100
FRAGILARIA PROTONENSIS	CEL			X			26.4					X
GYMNODINIUM ALBULUM	CEL			X								
LYNGBYA	FIL									15.7		266
MALLOMONAS	CEL											X
MALLOMONAS PSEUDOCORNUTA	CEL											X
MELOSIRA DISTANS	CEL			X			13.8					
MELOSIRA GRANULATA	CEL			X			10.3					
MEIOSMOPEDIA TENUISSIMA	COL									1.9		33
MICROCYSTIS INCERTA	COL									9.9		167
MOUGHOTIA	FIL											
OSCILLATORIA	FIL											
OSCILLATORIA #1	FIL											X
PEDIATRUM BIRADIATUM V. LONGECORNUTUM	COL						1.2			35		
PEPTIDIUM QUADRIENS	CEL											
SCENEDESMUS QUADRICAUDA	CEL						1.2			35		
SKELTONEMA POTANOS	CEL			X								
STAUROSTRUM CUSPIDATUM ?	CEL											
SURIRELLA	CEL											X
SYNEDRA	CEL											
TABELLARIA FENESTRATA	CEL			X			17.2			520		
TETRAEDRON CAUDATUM	CEL									1.9		33
TETRAEDRON MINIMUM V. SCORBICULATUM	CEL									1.9		33
TRACHELOMONAS	CEL											
TRACHELOMONAS INTERMEDIA	CEL											
TOTAL				220			3317					1698

LAKE NAME: TABLE ROCK LAKE
STORET NUMBER: 0515

NYGAARD TROPHIC STATE INDICES

DATE	04 05 74	06 18 74	09 04 74	10 10 74
MYXOPHYCEAN	03/0 E	05/0 F	1.00 E	1.50 F
CHLOROPHYCEAN	01/0 E	06/0 F	2.67 E	1.00 F
EUGLENOPHYTE	0/04 ?	0/11 ?	0.09 ?	0.60 F
DIATOM	1.20 E	1.33 E	1.50 E	0.40 F
COMPOUND	10/0 E	15/0 F	5.00 F	5.00 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	04 05 74	06 18 74	09 04 74	10 10 74
GENUS	06	03	05	09
SPECIES	00	00	00	00

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	04 05 74	06 18 74	09 04 74	10 10 74
AVERAGE DIVERSITY H	2.89	3.49	1.29	1.01
NUMBER OF TAXA S	19.00	29.00	26.00	24.00
NUMBER OF SAMPLES COMPOSITED M	9.00	9.00	9.00	9.00
MAXIMUM DIVERSITY MAXH	4.25	4.86	4.70	4.58
MINIMUM DIVERSITY MINH	0.07	0.21	0.02	0.02
TOTAL DIVERSITY D	9554.34	5528.16	28796.67	16806.40
TOTAL NUMBER OF INDIVIDUALS/ML N	3306.00	1584.00	22323.00	16640.00
EVENNESS COMPONENT J	0.68	0.72	0.27	0.22
RELATIVE EVENNESS RJ	0.68	0.71	0.28	0.22
MEAN NUMBER OF INDIVIDUALS/TAXA L	174.00	54.62	858.58	693.33
NUMBER/ML OF MOST ABUNDANT TAXON K	882.00	264.00	17906.00	13893.00

LAKE NAME: TABLE ROCK LAKE
 STOPT NUMBER: 0514

CONTINUED

TAXA	FORM	34 35 74			36 18 74			39 74 74			10 10 74		
		IS	EC	ALGAL UNITS PER ML	IS	EC	ALGAL UNITS PER ML	IS	EC	ALGAL UNITS PER ML	IS	EC	ALGAL UNITS PER ML
ACHNANTHES MICROCEPHALA	CEL					2.1	33		0.2	1700A		2.5	1700A
AKABAEWA	FIL			X									
ANKISTRODESOMUS	CFL					8.3	132						
APHANIZOMENON	FIL					8.3	132						
ASTERIONELLA FORMOSA	CFL			X									
CENTRIC DIATOM	CFL		7.8	257					3.0	479			
CERATIUM HIRUNDINELLA	CEL						X						
CERATIUM HIRUNDINELLA													
F. BRACHYCERAS	CEL						X			X			X
CERATIUM HIRUNDINELLA													
F. FURCIDES	CEL						X						
CHROMONAS ACUTA	CEL		6.7	220		16.7	264		1.7	388		1.2	193
COELASTRUM SPHAERICUM	CFL						X		0.2	49			
COSMARIUM #1	CEL								2.4	97			
COSMARIUM #2	CEL									X			X
CRUIGENIA QUADRATA	CFL									X			
CRYPTOMONAS	CEL					112.5	198		0.7	146		1.4	237
CRYPTOMONAS EROSA	CEL		2.2	73									
CYCLOTELLA STELLIGERA	CEL						X						X
DACTYLOCOCCOPSIS	CEL											8.4	1303
DINOBRYON SOCCALE	CFL					2.1	33			X			
FRAGILARIA	CEL												
FRAGILARIA CROTONENSIS	CEL		23.3	771		4.2	66						X
GLENODINIUM	CEL									X			X
GLENODINIUM GYMNOINIUM	CEL						X						
GLENODINIUM QUADRIDENT	CEL					4.2	66			X			X
GYMNOINIUM	CEL		1.1	37									
KIRCHNERIELLA	CEL									X			
MALLOMONAS	CEL					2.1	33						
MELOSIRA	CEL			X									
MELOSIRA DISTANS	CEL		3.3	110		4.2	66			X			X
MELOSIRA GRANULATA	CEL		26.7	882									
MELOSIRA ITALICA	CEL					2.1	33						
MELOSIRA VARIANS	CEL			X									
MERISMOPEDIA MINIMA	CFL					2.1	33						
MERISMOPEDIA TENUISSIMA	CFL								0.4	97			
MESOSTIGMA VIRIDIS	CEL												X
MOUGEOTIA	FIL					14.6	231						X
NITZSCHIA	CEL		1.1	37								2.2	70
OSCILLATORIA LACUSTRIS	FIL			X									
OSCILLATORIA LIMNETICA	FIL		3.3	110			X		1.1	243		0.9	155
PEDIASTRUM SIMPLEX	CFL								2.2	49			
PEDIASTRUM SIMPLEX													
V. DUODENARIUM	CFL						X						
PENNATE DIATOM	CEL		1.1	37									
PENNATE DIATOM #1	CEL								2.6	582			
PERIDINIUM #1	CEL						X						
PERIDINIUM #2	CEL		1.1	37									
PERIDINIUM INCONSPICUUM	CEL												X
PHACUS	CEL									X			X
RAPHIDIOPSIS CURVATA	FIL						X		7.2	1601		0.9	155
SCENEDESMUS	CFL						X						
SCENEDESMUS ABUNDANS	CFL											2.5	77
SCENEDESMUS BICAUDATUS	CFL								0.2	49			
SCENEDESMUS QUADRICAUDA													
V. QUADRISPINA F. SPINOSUS	CFL		1.1	37									
SCHROEDERIA SETIGERA	CEL						X		0.2	49			
SCYTONEA	FIL						X						
STAUROSTRUM	CFL												X
STAUROSTRUM TETRACERUM	CEL									X			
STEPHANODISCUS	CEL					2.1	33			X			
STEPHANODISCUS NIAGARAE	CEL		20.0	661									
SYNEDRA	CFL												X
SYNEDRA DELICATISSIMA													
V. ANGUSTISSIMA	CEL		1.1	37			X						
TETRAEDRON MINIMUM													
V. SCROBICULATUM	CEL					14.6	231		1.7	388		3.0	403
TRACHELOMONAS #1	CEL												X
TRACHELOMONAS #2	CEL												X
TREUBARIA SETIGERUM	CEL									X			
TOTAL				3306			1584			22773			16640

LAKE NAME: GREER'S FERRY LAKE
STORET NUMBER: 0516

NYGAARD TROPHIC STATE INDICES

DATE	03 27 74	06 06 74	09 03 74	10 16 74
MYXOPHYCEAN	2.50 E	3.00 E	1.33 E	1.33 F
CHLOROPHYCEAN	2.50 E	3.00 E	1.00 E	1.33 F
EUGLENOPHYTE	0.20 ?	0/06 ?	0/07 ?	0.25 F
DIATOM	0.43 E	0.75 E	0/02 ?	1.00 F
COMPOUND	7.50 E	9.00 E	2.33 E	4.33 F

PALMER'S ORGANIC POLLUTION INDICES

DATE	03 27 74	06 06 74	09 03 74	10 16 74
GENUS	04	04	01	01
SPECIES	00	00	00	00

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	03 27 74	06 06 74	09 03 74	10 16 74
AVERAGE DIVERSITY H	3.35	2.29	1.80	2.37
NUMBER OF TAXA S	29.00	19.00	17.00	23.00
NUMBER OF SAMPLES COMPOSITED M	4.00	4.00	4.00	4.00
MAXIMUM DIVERSITY MAXH	4.86	4.25	4.09	4.52
MINIMUM DIVERSITY MINH	0.14	0.08	0.05	0.15
TOTAL DIVERSITY D	8291.25	6666.19	7941.60	4268.37
TOTAL NUMBER OF INDIVIDUALS/ML N	2475.00	2911.00	4412.00	1801.00
EVENESS COMPONENT J	0.69	0.54	0.44	0.52
RELATIVE EVENESS RJ	0.69	0.53	0.44	0.51
MEAN NUMBER OF INDIVIDUALS/TAXA L	85.34	153.21	259.53	78.30
NUMBER/ML OF MOST ABUNDANT TAXON K	500.00	1579.00	3098.00	678.00

LAKE NAME: GREER'S FERRY LAKE
 STOPT# NUMBER: 0514

CONTINUED

TAXA	FORM	03 27 74		06 06 74		09 03 74		10 16 74	
		ALGAL		ALGAL		ALGAL		ALGAL	
		IS	%C	UNITS PER ML	IS	%C	UNITS PER ML	IS	%C
ANABAFNA PLANCTONICA	FIL			X					
ANABAFNOPSIS	FIL								X
APHANIZOMENON	FIL			X					
APHANIZOMENON FLOS-AQUAE	FIL					1.4	63		X
ASTERIONELLA FORMOSA	CEL		3.2	75					
CENTRIC DIATOM	CEL							2.2	30
CERATUM HIRUNDINELLA	CEL								
CERATUM HIRUNDINELLA	CEL								
E. FURCOIDES	CEL				2	1.4	40		X
CHROOMONAS ACUTA	CEL	1	20.2	500		6.9	202	7	7.1
COELASTRUM MICROPORUM	COL					1.4	40		
COSMARTIUM	CEL								2.2
CRUCIGENIA TETRAPODIA	COL			X			X		
CRYPTOMONAS	CEL								X
CRYPTOMONAS EROSA	CEL	2	14.1	350	5	6.9	202	4	4.3
CYMBELLA	CEL			X					
DACTYLOCOCCOPSIS	CEL		2.0	50					1.2
DESMID	CEL			X					
EUGLENA	CEL			X					X
FLAGELLATE	CEL						2.9	125	
FLAGELLATE #2	CEL		9.1	225					
FRAGILARIA PROTONENSIS	CEL		2.0	50	3	4.2	121		X
FRANCEIA	CEL							X	
GLOEOCYSTIS	COL						X		
GOMPHONEMA GRACILE	CEL			X					
GYMNODINIUM ALBULUM	CEL		1.0	25					
LEPOCINCLIS	CEL								X
LYNGBYA	FIL						70.2	3099	4
LYNGBYA #1	FIL					1.4	40		37.6
LYNGBYA #2	FIL					1.4	40		678
MALLOMONAS	CEL							0.7	31
MALLOMONAS ACAROIDES	CEL								X
MELOSIRA DISTANS	CEL	3	18.2	450	4	16.7	486		6.4
MELOSIRA GRANULATA	CEL		2.0	50				2	9.7
MELOSIRA GRANULATA	CEL								174
V. ANGUSTISSIMA	CEL						X		
MERISMOPEDIA GLAUCA	COL		2.0	50					
MERISMOPEDIA PUNCTATA	COL			X					
MERISMOPEDIA TENUISSIMA	COL					1.4	40		
MICROCYSTIS INCERTA	COL						3	5.0	210
NEPHROCYTIUM	CEL		4.0	100				1.4	63
NITZSCHIA	CEL					2.8	81		X
NITZSCHIA #1	CEL		4.0	100					
NITZSCHIA #2	CEL			X					
OPCYSTIS	COL					1.4	40		
OSCILLATORIA	FIL							0.7	31
PEDIASTRUM BIRADIATUM	CEL								
V. LONGECORNUTUM	COL								X
PERIDINIUM ?	CEL								X
PERIDINIUM MUNUSCULUM ?	CEL						2.9	125	
PERIDINIUM UMBONATUM	CEL			X					
SCENEDESMUS DENTICULATUS	COL		1.0	25					
SCENEDESMUS DIMORPHUS	COL								X
SKELETONEMA POTAMOS	CEL	5	13.1	325			X		
STAUROSTRUM	CEL							3.7	31
STAUROSTRUM #1	CEL							X	
STAUROSTRUM #2	CEL			X					1.1
STAUROSTRUM #3	CEL						X		10
STAUROSTRUM TETRACERUM	CEL							X	30
SUPRIFELLA	CEL						X		
SYNEORA DELICATISSIMA	CEL								
V. ANGUSTISSIMA	CEL								X
TABELLARIA FENESTRATA	CEL	4	3.0	75	1	54.2	1579	5	2.9
TETRAEDRON	CEL		1.0	25					125
TETRAEDRON CAUDATUM	CEL								X
TETRAEDRON MINIMUM	CEL								1.1
TETRAEDRON MINIMUM	CEL								10
V. SCROBICULATUM	CEL			X					
TRACHELOMONAS HISPIDA	CEL			X					
TOTAL				2475			2911		4412
									1831