


United States
Environmental Protection
Agency

Air and Radiation
(NAREL)

402-R-92-012
October 1992



Environmental Radiation Data Report 65



ENVIRONMENTAL
RADIATION
DATA

REPORT 65

January - March 1991

United States Environmental Protection Agency
Office of Radiation and Indoor Air

Preface

Environmental Radiation Data (ERD) is compiled and distributed quarterly by the Office of Radiation and Indoor Air's National Air and Radiation Environmental Laboratory (NAREL) in Montgomery, Alabama, and contains data from the Environmental Radiation Ambient Monitoring System (ERAMS). Data from similar networks operated by contributing States, Canada, Mexico, and the Pan American Health Organization are reported in the ERD when available.

ERAMS was established in 1973 by the U. S. Environmental Protection Agency's Office of Radiation and Indoor Air (ORIA). It is comprised of a nationwide network of sampling stations that provide air, surface and drinking water, and milk samples from which environmental radiation levels are derived. The major emphasis for ERAMS is upon identifying trends in the accumulation of long-lived radionuclides in the environment.

Sampling locations are selected to provide optimal population coverage while functioning to monitor fallout from nuclear devices and other forms of radioactive contamination of the environment. The radiation analyses performed on these samples include gross alpha and gross beta levels, gamma analyses for fission products, and specific analyses for uranium, plutonium, strontium, iodine, radium, krypton, and tritium. This monitoring effort also provides ancillary information on natural background levels and on routine and accidental releases into the environment from stationary sources.

The radiochemical procedures used by NAREL to analyze the ERAMS samples are contained in *Eastern Environmental Radiation Facility Radiochemistry Procedures Manual* (EPA 520/5-84-006). Station operation and sample collection are in accordance with procedures contained in the *ERAMS Manual* (EPA 520/5-84-007, 008, 009).

Environmental Radiation Data

Contents

	<u>Page</u>
Data – Reporting Rationale and Procedures	ix
Data – ERAMS	1
Section I. Air Program	1
1. Airborne Particulates and Precipitation	1
2. Plutonium and Uranium in Airborne Particulates and Precipitation	12
3. Krypton-85	13
Section II. Water Program	14
1. Surface Water	14
2. Drinking Water	17
Section III. External Gamma Ambient Monitoring Program	22
Section IV. Milk Program	23
1. Pasteurized Milk	23
2. Strontium-90 in Milk	30
3. Carbon-14 in Milk	36

Environmental Radiation Data

List of Tables

<u>Table</u>		<u>Page</u>
1	ERAMS Reporting Increments and Minimum Detectable Levels for Radionuclide Analyses	xi
2	Gross Beta in Airborne Particulates: January 1991	2
3	Gross Beta in Airborne Particulates: February 1991	4
4	Gross Beta in Airborne Particulates: March 1991	6
5	Gross Beta and Specific Gamma in Precipitation: January 1991	8
6	Gross Beta and Specific Gamma in Precipitation: February 1991	9
7	Gross Beta and Specific Gamma in Precipitation: March 1991	10
8	Tritium in Precipitation: January - March 1991	11
9	Tritium in Surface Water: January - March 1991	15
10	Tritium in Drinking Water: January - March 1991	18
11	Iodine-131 in Drinking Water: January - December 1991	20
12	Radionuclides in Pasteurized Milk: January 1991	24
13	Radionuclides in Pasteurized Milk: February 1991	26
14	Radionuclides in Pasteurized Milk: March 1991	28
15	Strontium-90 in Pasteurized Milk: January - March 1990	30
16	Strontium-90 in Pasteurized Milk: April - June 1990	31
17	Strontium-90 in Pasteurized Milk: July September 1990	32
18	Strontium-90 in Pasteurized Milk: October December 1990	34
19	Strontium-90 in Pasteurized Milk: January March 1991	35

DATA Reporting Rationale and Procedures

In 1973, the U.S. Environmental Protection Agency's Office of Radiation and Indoor Air established the Environmental Radiation Ambient Monitoring System (ERAMS) to provide continuous, accurate, and usable environmental radiation data to the public. For completeness, ERAMS data for all specific radionuclide analyses are reported as the calculated results indicate, whether the numbers are negative, zero, or positive.

Reporting Rationale

Frequently, there is little or no radioactivity in environmental media. Thus, the results of laboratory analyses should statistically show a distribution of negative and positive numbers about zero. A negative value occurs when a previously determined background value is subtracted from a sample value that is less than that of the background. Prior to July 1975, ERAMS data were not reported numerically when the results were less than a specified reporting level or minimum detectable level. The present reporting procedure allows all the data to be reported and evaluated statistically without an arbitrary cutoff of small or negative numbers. This approach will facilitate estimates of bias in the nuclide analyses and will allow better evaluation of distributions and trends in environmental data.

When reviewing the data in this report, caution should be exercised in the interpretation of individual negative values. Obviously, a negative activity value has no physical significance. Such numbers, however, are significant when taken together with other observations that indicate that the true value of a distribution is near zero. When an average of many measurements produces a result significantly less than zero, this indicates a bias in the measurement procedure.

(1) *Reported Values*

Specific Analyses. All specific radionuclide analyses will be reported as the counting results indicate, whether the value is negative, zero, or positive. All reported values are corrected for radioactive decay to the collection date.

Gross Analyses. The actual value of gross radioactivity measurements will be reported, unless the value is below the minimum detectable level (MDL) at the 2σ confidence level, then < minimum detectable level will be reported.

MDL is defined as the 3σ error of the background. A tabulation of typical MDL's is given in the following table.

(2) *Reported Error Terms*

Each reported value for specific analyses will be accompanied by a counting error term at the 2σ (95%) confidence interval. Error terms are therefore reported as counting errors. At the very low levels characteristic of most ERAMS measurements, counting error is the greatest contributor to overall error.

(3) *Significant Figures*

No more than three significant figures will be reported. If a datum contains more than three figures, it will be rounded off to three figures.

(4) *Reporting Levels*

The reporting units, smallest increments for reporting, and typical minimum detectable levels for each isotope are shown in Table 1. Reporting increments are sometimes considerably smaller than minimum detectable amounts to avoid truncation errors in averaging.

(5) *Averages*

Averages will be calculated along with appropriate error terms in an annual summary and analysis of ERAMS data. In calculating these averages, all values of individual data including negative numbers will be utilized. Averages will not be included in ERD quarterly reports.

Table 1
ERAMS Reporting Increments and Minimum Detectable Levels
for Radionuclide Analyses

Radionuclide	Media	Reporting Units	Reporting Increments	Minimum Detectable Levels
Gross Alpha	Water	pCi/l	1 pCi/l	2 pCi/l
† Gross Beta	Air	pCi/m ³	0.01 pCi/m ³	0.01 pCi/m ³
	Water	pCi/l	1 pCi/l	1 pCi/l
	Precipitation	nCi/m ²	0.01 nCi/m ²	0.01 nCi/m ²
	(specific radiochemical analyses)			
Tritium	Water	nCi/l	0.1 nCi/l	0.2 nCi/l
	Milk	nCi/l	0.1 nCi/l	0.2 nCi/l
Carbon-14	Milk	pCi/l	1 pCi/l	15 pCi/l
Krypton-85	Ambient Air	pCi/m ³	0.1 pCi/m ³	2 pCi/m ³
†† Plutonium-238,239,240	Air	aCi/m ³	0.1 aCi/m ³	0.015 pCi
	Milk	pCi/l	0.001 pCi/l	0.015 pCi
	Water	pCi/l	0.001 pCi/l	0.015 pCi
	Air	aCi/m ³	0.1 aCi/m ³	0.015 pCi
‡ Uranium-234,235,238	Milk	pCi/l	0.001 pCi/l	0.015 pCi
	Water	pCi/l	0.001 pCi/l	0.015 pCi
	Water	pCi/l	0.1 pCi/l	0.1 pCi/l
Radium-226	Water	pCi/l	0.1 pCi/l	1 pCi/l
Strontium-90	Milk	pCi/l	0.1 pCi/l	1 pCi/l
	Water	pCi/l	0.1 pCi/l	1 pCi/l
‡‡ Strontium-89	Milk	pCi/l	1 pCi/l	5 pCi/l
‡‡ Iodine-131	Milk	pCi/l	1 pCi/l	10 pCi/l
	Water	pCi/l	1 pCi/l	10 pCi/l
	Water	pCi/l	0.1 pCi/l	0.4 pCi/l
Iodine-129	Milk	fCi/l	0.1 fCi/l	0.4 fCi/l
Cesium-137	Milk	pCi/l	1 pCi/l	10 pCi/l
	Water	pCi/l	1 pCi/l	10 pCi/l
‡‡ Barium-140	Milk	pCi/l	1 pCi/l	10 pCi/l
	Water	pCi/l	1 pCi/l	10 pCi/l
Potassium	Milk	g/l	0.1 g/l	0.12 g/l
	Water	g/l	0.1 g/l	0.12 g/l
Potassium-40	Water	pCi/l	1 pCi/l	100 pCi/l

† The value of MDL for precipitation in terms of nCi/m² would be dependent on precipitation (mm).

†† This value of MDL for air in terms of pCi/m³ would be dependent on the air volume. Measurement by alpha spectroscopy that includes contributions of plutonium-239 and plutonium-240. MDL for all media given per sample.

‡ This value of MDL for air in terms of pCi/m³ would be dependent on the air volume. MDL for all media given per sample.

‡‡ Activity as of the day of counting.

**ENVIRONMENTAL RADIATION
AMBIENT MONITORING SYSTEM (ERAMS)**

Section I. Air Program

Airborne Particulates and Precipitation

Gross beta radioactivity measurements and certain specific analyses are performed on air particulates and precipitation samples as indicator measurements in assessing the general (national) impact of all contributing sources on environmental levels of radiation.

Airborne particulates are collected continuously at field stations representing wide geographic coverage, including present and potential sources of environmental radioactivity. Sampling sites are located throughout the United States.

Filters (10-cm diameter synthetic fiber) from air samplers are changed twice weekly and field measurements are made with a G-M survey meter [†] at 5 hours and 29 hours after collection to allow for radon and thoron daughter product decay. Field estimates are reported to appropriate EPA officials by telephone or mail depending on the activity levels found.

The filters are sent to NAREL for more sensitive analyses in a low background beta counter. Gamma scans are performed on all filters showing gross beta counts greater than 1 pCi/m³. The laboratory obtained values are usually lower than the field estimates due to the decay of naturally occurring radionuclides between the times of the two measurements.

Precipitation samples are collected at those field stations collecting air filters. These samples are also sent to NAREL where they are composited monthly for gamma scans, tritium, and gross beta activity measurements. A composite of the March, April, and May precipitation samples is analyzed for plutonium-238, -239, -240, and uranium-234, -235, and -238.

A compilation of individual measurements is available from the National Air and Radiation Environmental Laboratory, 1504 Avenue A, Montgomery, AL 36115-2601.

Tables 2-4 contain the data in airborne particulate samples for January - March 1991. Tables 5-7 contain the data in precipitation samples for January - March 1991. Table 8 contains the data for tritium in precipitation samples for January - March 1991 at the selected sites.

[†] The counts at five hours for the Montgomery, Alabama, station are performed on a low background beta counter.

Table 2
Gross Beta in Airborne Particulates
January 1991

Location	Number of Samples	5-Hour Field Estimate			NAREL Lab Measurment		
		Max	Min	Avg (pCi/m ³)	Max	Min	Avg (pCi/m ³)
AL:MONTGOMERY	5	0.0	0.0	0.0	0.01	0.01	0.01
AR:LITTLE ROCK	9	0.2	0.1	0.1	0.03	0.00	0.02
AZ:PHOENIX	9	3.5	0.4	2.4	0.03	0.01	0.02
CA:BERKELEY	8	1.2	0.3	0.6	0.07	0.01	0.03
CA:LOS ANGELES	9	0.6	0.2	0.4	0.02	0.01	0.01
CO:DENVER	9	2.5	0.1	0.7	0.03	0.00	0.01
CT:HARTFORD	9	0.1	0.0	0.0	0.02	0.01	0.01
DE:WILMINGTON	8	0.2	0.1	0.1	0.03	0.01	0.01
FL:JACKSONVILLE	8	0.1	0.0	0.1	0.01	0.00	0.00
FL:MIAMI	4	0.2	0.1	0.1	0.02	0.01	0.01
HI:HONOLULU	7	0.8	0.3	0.4	0.01	0.00	0.00
IA:IAWA CITY	9	0.1	0.1	0.1	0.02	0.02	0.02
ID:BOISE	8	0.8	0.2	0.4	0.11	0.01	0.03
ID:IDAHO FALLS	8	0.0	0.0	0.0	0.03	0.01	0.02
IL:CHICAGO	8	0.2	0.0	0.1	0.04	0.01	0.02
IN:INDIANAPOLIS	8	0.2	0.1	0.1	0.02	0.01	0.02
KS:TOPEKA	2	0.3	0.2	0.3	0.02	0.02	0.02
LA:NEW ORLEANS	5	0.1	0.0	0.1	0.02	0.01	0.01
ME:AUGUSTA	8	0.1	0.0	0.1	0.02	0.01	0.01
MI:LANSING	10	0.1	0.0	0.1	0.03	0.01	0.02
MN:MINNEAPOLIS	9	0.3	0.0	0.1	0.05	0.02	0.03
MO:JEFFERSON CITY	9	0.6	0.1	0.2	0.03	0.01	0.02
MS:JACKSON	9	0.4	0.1	0.2	0.05	0.01	0.03
NC:CHARLOTTE	8	0.2	0.0	0.1	0.03	0.00	0.01
NC:WILMINGTON	8	0.0	0.0	0.0	0.01	0.00	0.01
ND:BISMARCK	8	1.0	0.2	0.6	0.05	0.01	0.03
NE:LINCOLN	7	0.4	0.1	0.3	0.03	0.01	0.02
NH:CONCORD	8	0.1	0.0	0.0	0.01	0.01	0.01
NJ:TRENTON	9	0.3	0.0	0.1	0.01	0.01	0.01
NM:SANTA FE	8	0.6	0.1	0.3	0.04	0.01	0.02
NV:LAS VEGAS	9	0.7	0.1	0.4	0.03	0.01	0.02
NY:ALBANY	5	0.1	0.0	0.0	0.02	0.01	0.02
NY:NEW YORK CITY	8	0.2	0.1	0.1	0.02	0.00	0.01
NY:NIAGARA FALLS	8	0.1	0.0	0.1	0.02	0.01	0.01
NY:SYRACUSE	3	0.1	0.1	0.1	0.06	0.02	0.03
NY:YAPHANK	8	0.6	0.0	0.2	0.01	0.01	0.01
OH:COLUMBUS	5	0.1	0.0	0.1	0.02	0.01	0.02

Table 2 (continued)
Gross Beta in Airborne Particulates
January 1991

Location	Number of Samples	5-Hour Field Estimate			NAREL Lab Measurment		
		Max	Min	Avg (pCi/m ³)	Max	Min	Avg (pCi/m ³)
OH:PAINESVILLE	8	0.1	0.0	0.0	0.02	0.01	0.01
OH:ROSS	7	0.0	0.0	0.0	0.03	0.01	0.02
OH:TOLEDO	9	0.1	0.1	0.1	0.02	0.01	0.01
OK:OKLAHOMA CITY	2	1.0	0.5	0.8	0.02	0.01	0.01
OR:PORTLAND	8	0.0	0.0	0.0	0.02	0.00	0.01
PA:HARRISBURG	8	0.2	0.0	0.1	0.02	0.00	0.01
PA:PITTSBURGH	10	0.1	0.0	0.1	0.01	0.00	0.01
RI:PROVIDENCE	8	0.4	0.0	0.1	0.01	0.01	0.01
SC:BARNWELL	2	0.0	0.0	0.0	0.02	0.02	0.02
SC:CHARLESTON	1	0.1	0.1	0.1	0.02	0.02	0.02
SC:COLUMBIA	7	0.7	0.1	0.3	0.05	0.01	0.02
SD:PIERRE	1	0.2	0.2	0.2	0.04	0.04	0.04
TN:KNOXVILLE	8	0.9	0.1	0.5	0.03	0.01	0.02
TN:NASHVILLE	8	0.2	0.1	0.2	0.03	0.01	0.02
TX:AUSTIN	9	0.1	0.0	0.1	0.02	0.00	0.01
TX:EL PASO	9	1.3	0.0	0.4	0.02	0.01	0.02
UT:SALT LAKE CITY	9	0.5	0.0	0.1	0.06	0.00	0.02
VA:LYNCHBURG	9	0.4	0.1	0.2	0.02	0.00	0.01
VA:VIRGINIA BEACH	4	0.1	0.1	0.1	0.01	0.00	0.00
WA:OLYMPIA	8	0.2	0.0	0.1	0.01	0.00	0.00
WA:SPOKANE	9	0.2	0.1	0.1	0.07	0.00	0.02
WI:MADISON	1	0.0	0.0	0.0	0.01	0.01	0.01
WV:CHARLESTON	5	0.1	0.0	0.1	0.01	0.00	0.01

Minimum Detectable Limit for field estimates - 0.1 pCi/m³.

Minimum Detectable Limit for laboratory measurement - 0.01 pCi/m³.

Table 3
Gross Beta in Airborne Particulates
February 1991

Location	Number of Samples	5-Hour Field Estimate			NAREL Lab Measurment		
		Max	Min	Avg (pCi/m ³)	Max	Min	Avg (pCi/m ³)
AL:MONTGOMERY	7	0.0	0.0	0.0	0.01	0.01	0.01
AR:LITTLE ROCK	9	0.4	0.1	0.2	0.02	0.01	0.01
AZ:PHOENIX	8	4.0	0.7	2.0	0.03	0.01	0.02
CA:BERKELEY	8	1.0	0.0	0.4	0.05	0.00	0.01
CA:LOS ANGELES	8	0.6	0.2	0.5	0.03	0.01	0.02
CO:DENVER	8	0.6	0.0	0.4	0.01	0.01	0.01
CT:HARTFORD	8	0.1	0.0	0.0	0.01	0.01	0.01
DE:WILMINGTON	8	0.3	0.0	0.1	0.01	0.01	0.01
FL:JACKSONVILLE	7	0.1	0.0	0.1	0.01	0.01	0.01
FL:MIAMI	7	0.3	0.0	0.1	0.03	0.01	0.01
HI:HONOLULU	5	0.4	0.1	0.2	0.01	0.00	0.01
IA:IAWA CITY	8	0.2	0.1	0.1	0.06	0.01	0.02
ID:BOISE	8	0.4	0.1	0.3	0.03	0.01	0.02
ID:IDAHO FALLS	8	0.0	0.0	0.0	0.02	0.01	0.01
IL:CHICAGO	8	0.2	0.0	0.1	0.02	0.01	0.01
IN:INDIANAPOLIS	8	0.1	0.0	0.1	0.02	0.01	0.01
KS:TOPEKA	8	1.4	0.5	0.9	0.01	0.01	0.01
LA:NEW ORLEANS	3	0.1	0.1	0.1	0.03	0.01	0.02
MA:LAWRENCE	4	0.0	0.0	0.0	0.01	0.01	0.01
ME:AUGUSTA	8	0.1	0.0	0.1	0.01	0.01	0.01
MI:LANSING	8	0.1	0.0	0.1	0.03	0.01	0.01
MN:MINNEAPOLIS	8	0.6	0.0	0.2	0.02	0.01	0.01
MO:JEFFERSON CITY	8	0.6	0.2	0.3	0.03	0.01	0.02
MS:JACKSON	8	0.6	0.2	0.3	0.03	0.01	0.02
NC:CHARLOTTE	8	0.2	0.0	0.1	0.01	0.01	0.01
NC:WILMINGTON	7	0.0	0.0	0.0	0.01	0.00	0.01
ND:BISMARCK	8	0.7	0.1	0.4	0.01	0.01	0.01
NE:LINCOLN	7	0.8	0.0	0.3	0.02	0.01	0.01
NH:CONCORD	8	0.1	0.0	0.0	0.01	0.01	0.01
NJ:TRENTON	8	0.2	0.2	0.2	0.01	0.01	0.01
NM:SANTA FE	8	0.5	0.2	0.3	0.01	0.00	0.01
NV:LAS VEGAS	8	0.5	0.1	0.3	0.03	0.01	0.02
NY:ALBANY	4	0.0	0.0	0.0	0.02	0.01	0.01
NY:NEW YORK CITY	8	0.3	0.1	0.2	0.02	0.01	0.01
NY:NIAGARA FALLS	8	0.1	0.0	0.1	0.02	0.01	0.01
NY:YAPHANK	7	0.1	0.0	0.1	0.01	0.01	0.01
OH:COLUMBUS	4	0.1	0.0	0.1	0.02	0.01	0.01

Table 3 (continued)
Gross Beta in Airborne Particulates
February 1991

Location	Number of Samples	5-Hour Field Estimate			NAREL Lab Measurment		
		Max	Min	Avg (pCi/m ³)	Max	Min	Avg (pCi/m ³)
OH: PAINESVILLE	8	0.2	0.0	0.1	0.03	0.01	0.02
OH: ROSS	7	0.0	0.0	0.0	0.03	0.02	0.02
OH: TOLEDO	8	0.1	0.1	0.1	0.02	0.01	0.01
OK: OKLAHOMA	1	0.7	0.7	0.7	0.01	0.01	0.01
OK: OKLAHOMA CITY	6	1.5	0.2	1.0	0.03	0.01	0.02
OR: PORTLAND	8	0.0	0.0	0.0	0.02	0.00	0.01
PA: HARRISBURG	9	0.4	0.1	0.2	0.02	0.01	0.01
PA: PITTSBURGH	7	0.1	0.1	0.1	0.02	0.01	0.01
RI: PROVIDENCE	8	0.0	0.0	0.0	0.01	0.00	0.01
SC: BARNWELL	2	0.1	0.0	0.1	0.02	0.02	0.02
SC: COLUMBIA	8	0.9	0.1	0.3	0.04	0.01	0.02
SD: PIERRE	4	0.4	0.1	0.2	0.02	0.01	0.01
TN: KNOXVILLE	8	1.0	0.2	0.6	0.05	0.01	0.02
TN: NASHVILLE	9	1.0	0.1	0.4	0.03	0.01	0.02
TX: AUSTIN	7	0.2	0.1	0.1	0.01	0.01	0.01
TX: EL PASO	8	0.9	0.2	0.4	0.02	0.01	0.02
UT: SALT LAKE CITY	8	0.4	0.1	0.2	0.04	0.01	0.02
VA: LYNCHBURG	8	0.6	0.2	0.3	0.01	0.01	0.01
VA: VIRGINIA BEACH	3	0.1	0.1	0.1	0.01	0.01	0.01
WA: OLYMPIA	8	0.3	0.0	0.1	0.01	0.00	0.00
WA: SPOKANE	8	0.4	0.0	0.2	0.01	0.00	0.01
WI: MADISON	7	0.3	0.0	0.1	0.03	0.01	0.02
WV: CHARLESTON	6	0.2	0.0	0.1	0.02	0.01	0.01

Minimum Detectable Limit for field estimates - 0.1 pCi/m³.

Minimum Detectable Limit for laboratory measurement - 0.01 pCi/m³.

Table 4
Gross Beta in Airborne Particulates
March 1991

Location	Number of Samples	5-Hour Field Estimate			NAREL Lab Measurment		
		Max	Min	Avg (pCi/m ³)	Max	Min	Avg (pCi/m ³)
AL:MONTGOMERY	7	0.0	0.0	0.0	0.01	0.01	0.01
AR:LITTLE ROCK	8	0.3	0.2	0.2	0.01	0.01	0.01
AZ:PHOENIX	7	2.0	0.1	0.9	0.02	0.00	0.01
CA:BERKELEY	9	0.1	0.0	0.0	0.01	0.00	0.00
CA:LOS ANGELES	9	0.9	0.0	0.2	0.01	0.00	0.00
CO:DENVER	8	1.3	0.2	0.7	0.01	0.00	0.01
CT:HARTFORD	8	0.1	0.0	0.0	0.01	0.01	0.01
DE:WILMINGTON	9	0.3	0.0	0.1	0.01	0.00	0.01
FL:JACKSONVILLE	7	0.1	0.0	0.1	0.01	0.00	0.01
FL:MIAMI	9	0.2	0.0	0.1	0.04	0.01	0.02
HI:HONOLULU	2	0.1	0.1	0.1	0.00	0.00	0.00
IA:IAWA CITY	8	0.2	0.0	0.1	0.02	0.01	0.01
ID:BOISE	8	0.7	0.1	0.3	0.01	0.00	0.00
ID:IDAHO FALLS	9	0.0	0.0	0.0	0.01	0.00	0.01
IL:CHICAGO	8	0.3	0.0	0.1	0.02	0.01	0.01
IN:INDIANAPOLIS	9	0.4	0.0	0.2	0.02	0.01	0.01
KS:TOPEKA	8	1.3	0.4	0.8	0.01	0.00	0.01
KY:FRANKFORT	2	0.2	0.1	0.2	0.01	0.01	0.01
LA:NEW ORLEANS	5	0.1	0.0	0.1	0.02	0.01	0.01
MA:LAWRENCE	8	0.1	0.0	0.1	0.02	0.00	0.01
ME:AUGUSTA	9	0.1	0.0	0.1	0.01	0.00	0.01
MI:LANSING	8	0.1	0.0	0.1	0.02	0.01	0.01
MN:MINNEAPOLIS	7	2.8	0.0	0.5	0.02	0.01	0.01
MO:JEFFERSON CITY	9	1.2	0.2	0.4	0.02	0.01	0.01
MS:JACKSON	9	0.4	0.1	0.2	0.04	0.01	0.01
NC:CHARLOTTE	9	0.2	0.0	0.1	0.02	0.00	0.01
NC:WILMINGTON	9	0.0	0.0	0.0	0.02	0.00	0.01
ND:BISMARCK	8	1.1	0.2	0.6	0.02	0.01	0.01
NE:LINCOLN	7	1.6	0.0	0.4	0.02	0.01	0.01
NH:CONCORD	9	0.1	0.0	0.0	0.01	0.00	0.01
NJ:TRENTON	8	0.3	0.1	0.1	0.01	0.00	0.01
NM:SANTA FE	8	0.4	0.2	0.3	0.01	0.00	0.01
NV:LAS VEGAS	8	0.2	0.0	0.1	0.01	0.00	0.00
NY:ALBANY	4	0.1	0.0	0.0	0.01	0.01	0.01
NY:NEW YORK CITY	9	0.2	0.1	0.1	0.02	0.01	0.01
NY:NIAGARA FALLS	9	0.1	0.0	0.1	0.02	0.01	0.01
NY:SYRACUSE	2	0.1	0.1	0.1	0.01	0.01	0.01

Table 4 (continued)
Gross Beta in Airborne Particulates
March 1991

Location	Number of Samples	5-Hour Field Estimate			NAREL Lab Measurment		
		Max	Min	Avg (pCi/m ³)	Max	Min	Avg (pCi/m ³)
NY:YAPHANK	9	0.1	0.0	0.1	0.01	0.00	0.01
OH:COLUMBUS	7	0.2	0.1	0.1	0.02	0.01	0.01
OH:PAINESVILLE	9	0.5	0.1	0.2	0.02	0.00	0.01
OH:ROSS	9	0.0	0.0	0.0	0.03	0.01	0.02
OH:TOLEDO	8	0.1	0.1	0.1	0.01	0.01	0.01
OK:OKLAHOMA	1	0.7	0.7	0.7	0.01	0.01	0.01
OK:OKLAHOMA CITY	4	0.6	0.1	0.3	0.01	0.01	0.01
OR:PORTLAND	8	0.0	0.0	0.0	0.01	0.00	0.00
PA:HARRISBURG	8	0.3	0.1	0.2	0.01	0.00	0.01
PA:PITTSBURGH	9	0.1	0.1	0.1	0.01	0.01	0.01
RI:PROVIDENCE	6	0.0	0.0	0.0	0.01	0.01	0.01
SC:BARNWELL	2	0.0	0.0	0.0	0.02	0.01	0.01
SC:COLUMBIA	9	1.2	0.1	0.5	0.06	0.01	0.03
SD:PIERRE	7	0.3	0.1	0.2	0.02	0.01	0.01
TN:KNOXVILLE	7	1.4	0.1	0.6	0.03	0.01	0.02
TN:NASHVILLE	7	0.5	0.2	0.3	0.03	0.01	0.02
TX:AUSTIN	9	1.7	0.1	0.4	0.01	0.00	0.01
TX:EL PASO	8	0.5	0.1	0.2	0.02	0.00	0.01
UT:SALT LAKE CITY	8	0.3	0.1	0.1	0.01	0.00	0.00
VA:LYNCHBURG	8	0.3	0.1	0.2	0.01	0.00	0.01
VA:VIRGINIA BEACH	2	0.1	0.1	0.1	0.01	0.01	0.01
WA:OLYMPIA	9	0.2	0.0	0.1	0.01	0.00	0.00
WA:SPOKANE	8	0.3	0.0	0.1	0.01	0.00	0.01
WI:MADISON	8	0.5	0.0	0.2	0.02	0.01	0.01
WV:CHARLESTON	4	0.1	0.1	0.1	0.01	0.01	0.01

Minimum Detectable Limit for field estimates - 0.1 pCi/m³.

Minimum Detectable Limit for laboratory measurement - 0.01 pCi/m³.

Table 5
Gross Beta and Specific Gamma in Precipitation
January 1991

Location	Depth (mm)	Act. $\pm 2\sigma$		Specific Gamma Activity (pCi/l)
		(nCi/m ²)		
AL:MONTGOMERY	156.0	0.15	0.06	ND
AZ:PHOENIX	19.0	0.01	0.01	ND
CA:BERKELEY	8.2	0.00	0.00	ND
CO:DENVER	8.0	0.03	0.00	ND
CT:HARTFORD	42.8	0.08	0.02	ND
FL:JACKSONVILLE	175.0	0.11	0.06	ND
FL:MIAMI	25.2	0.03	0.01	ND
HI:HONOLULU	7.0	0.01	0.00	ND
ID:BOISE	40.0	0.05	0.01	ND
ID:IDAHO FALLS	11.0	0.02	0.00	ND
IL:CHICAGO	29.0	0.06	0.01	ND
LA:NEW ORLEANS	86.0	0.04	0.03	ND
MN:MINNEAPOLIS	5.0	0.00	0.00	ND
MO:JEFFERSON CITY	16.0	0.10	0.01	ND
NC:CHARLOTTE	91.0	0.19	0.04	ND
NC:WILMINGTON	166.0	0.14	0.06	ND
NJ:TRENTON	96.8	0.12	0.04	ND
NV:LAS VEGAS	7.0	0.02	0.00	ND
NY:ALBANY	48.0	0.06	0.02	ND
NY:NEW YORK CITY	28.6	0.05	0.01	ND
NY:NIAGARA FALLS	28.0	0.10	0.01	ND
NY:YAPHANK	82.0	0.10	0.03	ND
OH:PAINESVILLE	19.8	0.11	0.01	ND
OH:TOLEDO	12.0	0.02	0.00	ND
OR:PORTLAND	79.6	0.19	0.03	ND
PA:HARRISBURG	86.0	0.11	0.03	ND
SC:BARNWELL	60.2	0.08	0.02	ND
SC:COLUMBIA	76.6	0.10	0.03	ND
TN:KNOXVILLE	34.0	0.05	0.01	ND
TN:NASHVILLE	66.8	0.11	0.03	ND
TX:AUSTIN	108.0	0.05	0.03	ND
TX:EL PASO	14.0	0.01	0.00	$^{214}\text{Pb}: 29.6 \pm 35\%$ $^{214}\text{Bi}: 43.3 \pm 31\%$
UT:SALT LAKE CITY	19.0	0.04	0.01	ND
VA:LYNCHBURG	54.8	0.06	0.02	ND
WA:OLYMPIA	164.0	0.10	0.05	ND
WI:MADISON	22.8	0.03	0.01	ND
WV:CHARLESTON	42.0	0.05	0.02	ND

σ = Counting Error.

ND = No Gamma Activity Detectable.

Table 6
Gross Beta and Specific Gamma in Precipitation
February 1991

Location	Depth (mm)	Act. (nCi/m ²)	$\pm 2\sigma$ (nCi/m ²)	Specific Gamma Activity (pCi/l)
AL:MONTGOMERY	81.0	0.09	0.03	ND
AR:LITTLE ROCK	59.0	0.05	0.02	ND
AZ:PHOENIX	8.0	0.02	0.00	ND
CA:BERKELEY	36.6	0.02	0.01	ND
CT:HARTFORD	22.0	0.08	0.01	ND
FL:JACKSONVILLE	32.6	0.03	0.01	ND
FL:MIAMI	36.6	0.01	0.01	ND
HI:HONOLULU	57.0	0.04	0.02	ND
ID:BOISE	8.0	0.01	0.00	ND
ID:IDAHO FALLS	116.0	0.21	0.04	ND
IL:CHICAGO	12.4	0.13	0.01	ND
LA:NEW ORLEANS	86.0	0.21	0.05	ND
MN:MINNEAPOLIS	8.0	0.02	0.00	ND
MO:JEFFERSON CITY	8.0	0.03	0.00	ND
MS:JACKSON	50.0	0.02	0.02	ND
NC:CHARLOTTE	61.0	0.13	0.03	ND
NC:WILMINGTON	31.0	0.06	0.01	ND
NJ:TRENTON	26.2	0.12	0.01	ND
NY:ALBANY	58.4	0.12	0.03	ND
NY:NEW YORK CITY	45.0	0.22	0.02	ND
NY:NIAGARA FALLS	36.0	0.08	0.02	ND
NY:YAPHANK	46.0	0.35	0.03	ND
OH:PAINESVILLE	28.0	0.15	0.02	ND
OH:TOLEDO	46.0	0.07	0.02	ND
OR:PORTLAND	113.8	0.10	0.04	ND
PA:HARRISBURG	33.2	0.15	0.02	ND
SC:BARNWELL	24.8	0.02	0.01	ND
SC:COLUMBIA	84.0	0.11	0.03	ND
TN:KNOXVILLE	152.0	0.15	0.05	ND
TN:NASHVILLE	20.0	0.04	0.01	ND
TX:AUSTIN	90.0	0.08	0.03	ND
TX:EL PASO	6.0	0.01	0.00	ND
UT:SALT LAKE CITY	12.0	0.04	0.01	ND
VA:LYNCHBURG	57.2	0.01	0.02	ND
WA:OLYMPIA	148.2	0.14	0.05	ND
WV:CHARLESTON	42.0	0.07	0.02	ND

σ = Counting Error.

ND = No Gamma Activity Detectable.

Table 7
Gross Beta and Specific Gamma in Precipitation
March 1991

Location	Depth (mm)	Act. (nCi/m ²)	$\pm 2\sigma$ (nCi/m ²)	Specific Gamma Activity (pCi/l)
AL:MONTGOMERY	79.0	0.02	0.03	ND
AR:LITTLE ROCK	74.0	0.08	0.03	ND
AZ:PHOENIX	32.0	0.04	0.01	ND
CA:BERKELEY	53.4	0.02	0.02	ND
CT:HARTFORD	90.0	0.17	0.04	ND
FL:JACKSONVILLE	87.2	0.08	0.03	ND
FL:MIAMI	64.8	0.11	0.03	ND
HI:HONOLULU	40.0	0.03	0.01	ND
ID:BOISE	11.0	0.01	0.00	ND
ID:IDAHO FALLS	39.8	0.28	0.03	ND
IL:CHICAGO	81.6	0.09	0.03	ND
LA:NEW ORLEANS	94.0	0.10	0.03	ND
MN:MINNEAPOLIS	18.0	0.07	0.01	ND
MO:JEFFERSON CITY	16.0	0.02	0.01	²¹⁴ Bi: 46.2 ±35 % ²¹⁴ Pb: 34.1 ±28 %
MS:JACKSON	84.0	0.06	0.03	ND
NC:CHARLOTTE	90.0	0.10	0.03	ND
NC:WILMINGTON	27.2	0.04	0.01	ND
ND:BISMARCK	10.0	0.03	0.00	ND
NJ:TRENTON	88.0	0.19	0.04	ND
NV:LAS VEGAS	32.0	0.09	0.02	ND
NY:ALBANY	652.0	2.31	0.31	ND
NY:NEW YORK CITY	50.8	0.09	0.02	ND
NY:NIAGARA FALLS	98.0	0.13	0.04	ND
NY:YAPHANK	134.0	0.22	0.06	ND
OH:PAINESVILLE	74.6	0.26	0.04	ND
OH:TOLEDO	26.0	0.02	0.01	ND
OR:PORTLAND	87.0	0.09	0.03	ND
PA:HARRISBURG	101.4	0.18	0.04	ND
RI:PROVIDENCE	42.0	0.11	0.02	ND
SC:BARNWELL	96.4	0.08	0.04	ND
SC:COLUMBIA	102.4	0.22	0.04	ND
TN:KNOXVILLE	106.0	0.07	0.03	ND
TN:NASHVILLE	67.8	0.09	0.03	ND
TX:AUSTIN	20.0	0.04	0.01	ND
TX:EL PASO	8.0	0.01	0.00	ND
UT:SALT LAKE CITY	23.4	0.03	0.01	ND
VA:LYNCHBURG	40.6	0.08	0.02	ND
WA:OLYMPIA	141.6	0.19	0.05	ND
WI:MADISON	79.4	0.09	0.03	ND
WV:CHARLESTON	84.0	0.10	0.03	ND

σ = Counting Error.

ND = No Gamma Activity Detectable.

Table 8
Tritium in Precipitation
January - March 1991

Location	January 1991		February 1991		March 1991	
	nCi/l	$\pm 2\sigma$	nCi/l	$\pm 2\sigma$	nCi/l	$\pm 2\sigma$
AL:MONTGOMERY	0.1	0.2	0.1	0.2	0.1	0.2
AR:LITTLE ROCK	NS		0.1	0.2	0.1	0.2
AZ:PHOENIX	0.2	0.2	0.1	0.2	0.2	0.2
CA:BERKELEY	0.2	0.2	0.2	0.2	0.2	0.2
CO:DENVER	0.1	0.2	NS		NS	
CT:HARTFORD	0.1	0.2	0.1	0.2	0.0	0.2
FL:JACKSONVILLE	0.1	0.2	0.1	0.2	0.1	0.2
FL:MIAMI	0.2	0.2	0.1	0.2	0.1	0.2
HI:HONOLULU	0.2	0.2	0.1	0.2	0.2	0.2
ID:BOISE	0.2	0.2	0.1	0.2	0.2	0.2
ID:IDAHO FALLS	0.2	0.2	0.1	0.2	0.2	0.2
IL:CHICAGO	0.1	0.2	0.1	0.2	0.2	0.2
LA:NEW ORLEANS	0.1	0.2	0.2	0.2	0.2	0.2
MN:MINNEAPOLIS	0.2	0.2	0.1	0.2	0.2	0.2
MO:JEFFERSON CITY	3.1	0.2	0.1	0.2	0.2	0.2
MS:JACKSON	NS		0.1	0.2	0.1	0.2
NC:CHARLOTTE	0.1	0.2	0.3	0.2	0.3	0.2
NC:WILMINGTON	0.1	0.2	0.1	0.2	0.2	0.2
ND:BISMARCK	NS		NS		0.2	0.2
NJ:TRENTON	0.2	0.2	0.2	0.2	0.2	0.2
NV:LAS VEGAS	0.2	0.2	NS		0.2	0.2
NY:ALBANY	0.2	0.2	0.1	0.2	0.3	0.2
NY:NEW YORK CITY	0.1	0.2	0.1	0.2	0.3	0.2
NY:NIAGARA FALLS	0.3	0.2	0.2	0.2	0.4	0.2
NY:YAPHANK	0.1	0.2	0.3	0.2	0.2	0.2
OH:PAINESVILLE	0.1	0.2	0.1	0.2	0.3	0.2
OH:TOLEDO	0.2	0.2	0.1	0.2	0.2	0.2
OR:PORTLAND	0.2	0.2	0.1	0.2	0.2	0.2
PA:HARRISBURG	0.1	0.2	0.2	0.2	0.2	0.2
RI:PROVIDENCE	NS		NS		0.2	0.2
SC:BARNWELL	0.5	0.2	0.4	0.2	0.4	0.2
SC:COLUMBIA	0.1	0.2	0.2	0.2	0.2	0.2
TN:KNOXVILLE	0.1	0.2	0.1	0.2	0.3	0.2
TN:NASHVILLE	0.2	0.2	0.1	0.2	0.1	0.2
TX:AUSTIN	0.1	0.2	0.1	0.2	0.2	0.2
TX:EL PASO	0.1	0.2	0.1	0.2	0.2	0.2
UT:SALT LAKE CITY	0.1	0.2	0.1	0.2	0.2	0.2
VA:LYNCHBURG	0.2	0.2	0.1	0.2	0.2	0.2
WA:OLYMPIA	0.3	0.2	0.1	0.2	0.2	0.2
WI:MADISON	0.0	0.0	NS		0.2	0.2
WV:CHARLESTON	0.2	0.2	0.2	0.2	0.2	0.2

σ = Counting Error.
 NS = No Sample.

Plutonium and Uranium in Airborne Particulates and Precipitation

Environmental radiation levels of plutonium and uranium are determined by the analysis of semi-annually composited samples (air filters) collected from the continuously operating airborne particulate samplers.

Concentration of the specific isotopes of plutonium-238, -239, and -240 and uranium-234, -235, and -238 are determined by alpha spectroscopy following chemical separation. The volume of air represented by the semiannual composite ranges from 25,000 to 40,000 cubic meters.

Plutonium and uranium results are published when they become available.

Krypton-85

Krypton-85 is a long-lived noble gas with a half-life of 10.8 years. It is released into the atmosphere by nuclear reactor operations, fuel reprocessing, weapons tests, and research and defense related activities. Krypton-85 also occurs naturally in minor quantities primarily from the neutron capture of stable krypton-84 as well as spontaneous fission and neutron-induced fission of uranium. Krypton-85 in the atmosphere has been monitored to identify and establish baseline levels and long-term trends.

Krypton-85 analysis began in January 1973 with sample collections and analyses being performed for 12 sampling locations. These locations were selected to provide atmospheric coverage of the United States with considerations being given to the proximity to fuel reprocessing plants, nuclear reactors, and wide geographic coverage.

Dry compressed air samples, collected at each location, are purchased from commercial air suppliers and shipped to the NAREL where the krypton-85 is cryogenically separated and counted in a liquid scintillation system.

The last Kr-85 results were for 1976, 1977, and 1979. They were published in *Environmental Radiation Data: Report 30*.

**ENVIRONMENTAL RADIATION
AMBIENT MONITORING SYSTEM (ERAMS)**

Section II. Water Program

The ERAMS water program provides data on ambient radiation levels in the nation's rivers, streams, and drinking water supplies.

Surface Water

Quarterly grab samples are taken downstream from operating or future nuclear facilities at 58 stations.

Surface water samples are analyzed for tritium quarterly and specific gamma activity annually. Tritium is a primary radioactive pollutant from nuclear power plants and weapons production activities.

Tritium concentrations are determined by liquid scintillation counting of distilled samples. Gamma scans are performed annually to determine levels of gamma emitting radionuclides.

Table 9 contains the data for tritium concentrations for January - March 1991.

Table 9
Tritium in Surface Water
January - March 1991

Location	Source	Date Collected	nCi/l	$\pm 2\sigma$
AL:DECATUR	TENNESSEE RIVER	01/04/91	0.2	0.2
AL:GORDON	CHATTahoochee RIVER	01/11/91	0.2	0.2
AL:SCOTTSBORO	TENNESSEE RIVER	01/04/91	0.2	0.2
AR:LITTLE ROCK	ARKANSAS RIVER	02/08/91	0.2	0.2
CA:CLAY STATION	FOLSOM S. CANAL	01/17/91	0.1	0.2
CA:DIABLO CANYON	PACIFIC OCEAN	01/09/91	0.1	0.2
CA:EUREKA	HUMBOLDT BAY	01/10/91	0.2	0.2
CA:SAN ONOFRE	PACIFIC OCEAN	02/20/91	0.1	0.2
CO:PLATTEVILLE	SOUTH PLATTE RIVER	01/02/91	0.2	0.2
CT:EAST HADDAM	CONNECTICUT RIVER	01/02/91	0.2	0.2
CT:WATERFORD	LONG ISLAND SOUND	01/02/91	0.1	0.2
FL:CRYSTAL RIVER	GULF OF MEXICO	01/07/91	0.1	0.2
FL:FT. PIERCE	ATLANTIC OCEAN	01/09/91	0.2	0.2
FL:HOMESTEAD	BISCAYNE BAY	01/09/91	0.2	0.2
IA:CEDAR RAPIDS	CEDAR RIVER	01/02/91	0.2	0.2
IL:ZION	LAKE MICHIGAN	03/31/91	0.1	0.2
KS:LEROY	NEOSHO RIVER	01/02/91	0.2	0.2
LA:NEW ORLEANS	MISSISSIPPI RIVER	01/14/91	0.1	0.2
MA:PLYMOUTH	CAPE COD BAY	01/03/91	0.1	0.2
MD:CONOWINGO	SUSQUEHANNA RIVER	01/02/91	0.1	0.2
MD:LUSBY	CHESAPEAKE BAY	01/07/91	0.2	0.2
ME:WISCASSET	MONTSEWAY BAY	01/08/91	0.4	0.2
MI:BRIDGMAN	LAKE MICHIGAN	01/09/91	0.5	0.2
MI:CHARLEVOIX	LAKE MICHIGAN	01/11/91	0.2	0.2
MI:MONROE	LAKE ERIE	01/07/91	0.3	0.2
MI:SOUTH HAVEN	LAKE MICHIGAN	01/09/91	0.3	0.2
MN:MONTICELLO	MISSISSIPPI RIVER	01/17/91	0.1	0.2
MN:RED WING	MISSISSIPPI RIVER	01/10/91	0.2	0.2
MS:PORT GIBSON	MISSISSIPPI RIVER	01/02/91	0.1	0.2
NC:CHARLOTTE	CATAWBA RIVER	01/02/91	0.3	0.2
NC:SOUTHPORT	ATLANTIC OCEAN	01/10/91	0.1	0.2
NE:RULO	MISSOURI RIVER	01/03/91	0.1	0.2
NJ:BAYSIDE	DELAWARE RIVER	01/23/91	0.2	0.2
NJ:OYSTER CREEK	OYSTER CREEK	01/16/91	0.1	0.2
NV:BOULDER CITY	COLORADO RIVER	01/03/91	0.1	0.2
NY:CHELSEA	HUDSON RIVER	01/07/91	0.2	0.2
NY:OSSINING	HUDSON RIVER	01/04/91	0.3	0.2

Table 9 (continued)
Tritium in Surface Water
January - March 1991

Location	Source	Date Collected	nCi/l	$\pm 2\sigma$
NY:OSWEGO	LAKE ONTARIO	02/08/91	0.4	0.2
OH:TOLEDO	LAKE ERIE	02/19/91	0.2	0.2
OR:BRADWOOD	COLUMBIA RIVER	01/29/91	0.1	0.2
PA:DANVILLE	SUSQUEHANNA RIVER	01/09/91	0.2	0.2
PA:PHILADELPHIA	SCHUYLKILL-BELMONT	01/15/91	0.1	0.2
PA:PHILADELPHIA	SCHUYLKILL-QUEEN	01/15/91	0.2	0.2
PA:PHILADELPHIA	DELAWARE-BAXTER	01/15/91	0.2	0.2
SC:ALLENDALE	SAVANNAH RIVER	01/04/91	3.1	0.2
SC:BROAD RIVER	BROAD RIVER	01/25/91	0.4	0.2
SC:HARTSVILLE	LAKE ROBINSON	01/15/91	0.3	0.2
TN:DAISY	TENNESSEE RIVER	01/28/91	0.2	0.2
TN:KINGSTON	CLINCH RIVER	01/07/91	1.6	0.2
TX:EL PASO	RIO GRANDE	02/01/91	0.1	0.2
TX:MATAGORDA	COLORADO RIVER	01/08/91	0.2	0.2
VA:DOSWELL	NORTH ANNA RIVER	01/03/91	3.9	0.2
VA:NEWPORT NEWS	JAMES RIVER	01/15/91	0.2	0.2
VT:VERNON	CONNECTICUT RIVER	01/17/91	0.2	0.2
WA:NORTHPORT	COLUMBIA RIVER	01/23/91	0.2	0.2
WA:RICHLAND	COLUMBIA RIVER	02/26/91	0.2	0.2
WI:TWO CREEKS	LAKE MICHIGAN	01/14/91	0.6	0.2
WI:VICTORY	MISSISSIPPI RIVER	01/14/91	0.2	0.2
WV:WHEELING	OHIO RIVER	01/08/91	0.1	0.2

σ = Counting Error.

Drinking Water

This program monitors ambient radiation levels in drinking water at 78 sites. These data serve to assess trends and anomalies in concentrations, and to compare with standards set forth in the EPA "National Interim Primary Drinking Water Regulations." These regulations provide for approval of supplies when the combined radium-226 and radium-228 levels do not exceed 5 pCi/l, when the gross alpha (excluding radon and uranium) levels do not exceed 15 pCi/l, when tritium levels do not exceed 20,000 pCi/l, when the strontium-90 levels do not exceed 8 pCi/l, and when the gross beta levels do not exceed 50 pCi/l.

Grab samples are taken at the 78 sites which are either major population centers or selected nuclear facility environs.

The analyses include (a) tritium on a quarterly basis; (b) gross alpha, gross beta, strontium-90, and gamma on annual composites; (c) radium-226 if the gross alpha exceeds 2 pCi/l and radium-228 if the radium-226 falls between 3 and 5 pCi/l; (d) specific iodine-131 on one quarterly sample per year for each station; and (e) an annual composite for plutonium-238, -239, and -240 and uranium-234, -235, and -238 for stations that demonstrate gross alpha levels greater than 2 pCi/l.

Tritium analyses are performed by scintillation counting of the distilled samples. Gross beta and alpha are determined by evaporating an aliquot on a stainless steel planchet for counting. Radium-226 is determined by the standard emanation technique. Strontium-90 is determined by beta counting a strontium carbonate precipitate isolated by ion exchange.

Table 10 contains the data in drinking water for January - March 1991. Table 11 contains the I-131 in drinking water results for January - December 1991.

Table 10
Tritium in Drinking Water
January - March 1991

Location	Date Collected	nCi/l	$\pm 2\sigma$
AK:FAIRBANKS	01/07/91	0.1	0.2
AL:DOTHAN	01/11/91	0.1	0.2
AL:MONTGOMERY	01/07/91	0.2	0.2
AL:MUSCLE SHOALS	01/04/91	0.2	0.2
AL:SCOTTSBORO	01/04/91	0.2	0.2
AR:LITTLE ROCK	02/08/91	0.1	0.2
CA:BERKELEY	01/02/91	0.2	0.2
CA:LOS ANGELES	01/03/91	0.2	0.2
CO:DENVER	01/07/91	0.1	0.2
CO:PLATTEVILLE	01/02/91	0.2	0.2
CT:HARTFORD	01/02/91	0.2	0.2
FL:MIAMI	01/08/91	0.1	0.2
FL:TAMPA	01/03/91	0.2	0.2
GA:SAVANNAH	02/28/91	0.1	0.2
HI:HONOLULU	01/03/91	0.3	0.2
IA:CEDAR RAPIDS	01/04/91	0.1	0.2
ID:BOISE	01/03/91	0.1	0.2
ID:IDAHO FALLS	01/06/91	0.2	0.2
IL:MORRIS	01/03/91	0.1	0.2
IL:W. CHICAGO	01/02/91	0.2	0.2
KS:TOPEKA	01/02/91	0.3	0.2
LA:NEW ORLEANS	01/02/91	0.1	0.2
MA:LAWRENCE	01/02/91	0.2	0.2
MD:BALTIMORE	01/02/91	0.1	0.2
MD:CONOWINGO	01/02/91	0.1	0.2
ME:AUGUSTA	01/08/91	0.2	0.2
MI:DETROIT	01/07/91	0.2	0.2
MI:GRAND RAPIDS	01/11/91	0.2	0.2
MN:MINNEAPOLIS	01/09/91	0.2	0.2
MN:RED WING	01/10/91	0.2	0.2
MS:JACKSON	01/02/91	0.2	0.2
MS:PORT GIBSON	01/02/91	0.2	0.2
MT:HELENA	01/02/91	0.1	0.2
NC:CHARLOTTE	01/02/91	0.3	0.2
NC:WILMINGTON	01/11/91	0.3	0.2
ND:BISMARCK	01/02/91	0.3	0.2
NE:LINCOLN	01/07/91	0.1	0.2
NH:CONCORD	01/04/91	0.2	0.2
NJ:TRENTON	01/16/91	0.1	0.1
NJ:WARETOWN	01/16/91	0.1	0.2
NV:LAS VEGAS	01/02/91	0.3	0.2

Table 10 (continued)
Tritium in Drinking Water
January - March 1991

Location	Date Collected	nCi/l	$\pm 2\sigma$
NY:ALBANY	01/02/91	0.2	0.2
NY:NEW YORK CITY	01/04/91	0.2	0.2
NY:NIAGARA FALLS	01/03/91	0.3	0.2
NY:SYRACUSE	01/29/91	0.2	0.2
OH:CINCINNATI	01/30/91	0.1	0.2
OH:COLUMBUS	01/22/91	0.2	0.2
OH:EAST LIVERPOOL	01/30/91	0.1	0.2
OH:PAINESVILLE	01/04/91	0.3	0.2
OH:TOLEDO	02/19/91	0.3	0.2
OK:OKLAHOMA CITY	01/10/91	0.1	0.2
OR:PORTLAND	01/08/91	0.1	0.2
PA:COLUMBIA	01/03/91	0.3	0.2
PA:COLUMBIA	01/03/91	0.3	0.2
PA:HARRISBURG	01/02/91	0.2	0.2
PA:PHILADELPHIA	01/15/91	0.1	0.2
PA:PHILADELPHIA	01/15/91	0.2	0.2
PA:PHILADELPHIA	01/15/91	0.1	0.2
PA:PITTSBURGH	01/30/91	0.2	0.2
PC:ANCON	01/03/91	0.1	0.2
RI:PROVIDENCE	01/16/91	0.1	0.2
SC:BARNWELL	01/14/91	0.2	0.2
SC:COLUMBIA	01/04/91	0.2	0.2
SC:HARTSVILLE	01/15/91	0.1	0.2
SC:JENKINSVILLE	01/25/91	0.2	0.2
SC:SENECA	01/10/91	0.2	0.2
TN:CHATTANOOGA	02/11/91	0.3	0.2
TN:KNOXVILLE	01/02/91	0.3	0.2
TX:AUSTIN	01/24/91	0.2	0.2
VA:LYNCHBURG	01/02/91	0.1	0.2
VA:VIRGINIA BEACH	01/03/91	0.3	0.2
WA:RICHLAND	02/26/91	0.2	0.2
WI:GENOA CITY	01/14/91	0.1	0.2
WI:MADISON	01/03/91	0.3	0.2

σ = Counting Error.

Table 11
Iodine-131 in Drinking Water
January December 1991

Location	Date Collected	pCi/l	$\pm 2\sigma$
AK:FAIRBANKS	01/07/91	0.0	0.0
AL:DO THAN	01/11/91	0.0	0.1
AL:MONTGOMERY	10/06/91	-0.1	0.1
AL: MUSCLE SHOALS	04/04/91	0.3	0.1
AL:SCOTTSBORO	04/05/91	0.0	0.0
AR:LITTLE ROCK	02/08/91	0.0	0.1
CA:BERKELEY	01/02/91	0.0	0.0
CA:LOS ANGELES	04/08/91	0.0	0.1
CO:DENVER	04/08/91	0.0	0.1
CO:PLATTEVILLE	04/08/91	0.0	0.1
CT:HARTFORD	10/07/91	0.1	0.1
CZ:ANCON	10/16/91	-0.1	0.1
DE:DOVER	04/05/91	0.0	0.1
FL:MIAMI	01/08/91	0.1	0.1
FL:TAMPA	01/03/91	0.0	0.1
GA:BAXLEY	10/11/91	0.0	0.1
GA:SAVANNAH	10/25/91	-0.2	0.1
HI:HONOLULU	04/25/91	0.0	0.0
IA:CEDAR RAPIDS	04/18/91	-0.1	0.1
ID:BOISE	04/08/91	0.0	0.1
ID:IDAHO FALLS	10/15/91	-0.1	0.1
IL:MORRIS	05/06/91	0.4	0.1
IL:W. CHICAGO	01/02/91	0.0	0.0
KS:TOPEKA	01/02/91	0.1	0.1
LA:NEW ORLEANS	04/09/91	-0.9	0.1
MA:LAWRENCE	01/02/91	0.0	0.1
MD:BALTIMORE	04/03/91	0.0	0.1
MD:CONOWINGO	01/02/91	0.0	0.1
ME:AUGUSTA	10/10/91	-0.1	0.1
MI:DETROIT	01/07/91	0.0	0.1
MI:GRAND RAPIDS	01/11/91	0.1	0.1
MN:MINNEAPOLIS	01/09/91	0.1	0.1
MN:RED WING	01/10/91	-0.1	0.1
MO:JEFFERSON CITY	04/02/91	0.0	0.1
MS:JACKSON	01/02/91	-0.1	0.1
MS:PORT GIBSON	10/08/91	-0.1	0.1
MT:HELENA	01/02/91	0.2	0.1
NC:CHARLOTTE	04/01/91	-0.1	0.1
NC:WILMINGTON	10/10/91	-0.2	0.2
NE:LINCOLN	04/08/91	0.0	0.1

Table 11 (continued)
Iodine-131 in Drinking Water
January - December 1991

Location	Date Collected	pCi/l	$\pm 2\sigma$
NH:CONCORD	10/07/91	0.0	0.0
NJ:TRENTON	04/16/91	0.1	0.1
NJ:WARETOWN	04/17/91	-0.2	0.1
NM:SANTA FE	10/21/91	-0.1	0.1
NV:LAS VEGAS	10/08/91	-0.1	0.1
NV:LAS VEGAS	04/04/91	0.0	0.1
NY:ALBANY	04/29/91	0.2	0.1
NY:NEW YORK CITY	04/03/91	0.0	0.1
NY:NIAGARA FALLS	04/04/91	0.1	0.1
OH:CINCINNATI	10/28/91	-0.2	0.1
OH:COLUMBUS	10/16/91	-0.1	0.1
OH:EAST LIVERPOOL	10/11/91	0.3	0.1
OH:PAINESVILLE	04/08/91	0.0	0.1
OH:TOLEDO	04/04/91	0.0	0.1
OK:OKLAHOMA CITY	01/10/91	0.0	0.1
OR:PORTLAND	01/08/91	-0.1	0.1
PA:COLUMBIA	04/17/91	-0.7	0.1
PA:HARRISBURG	01/02/91	0.0	0.1
PA:PHILADELPHIA	04/23/91	0.3	0.2
PA:PHILADELPHIA	04/23/91	0.2	0.1
PA:PHILADELPHIA	04/23/91	0.1	0.1
PA:PITTSBURGH	05/08/91	-0.1	0.1
RI:PROVIDENCE	04/05/91	0.0	0.1
SC:BARNWELL	04/11/91	0.0	0.1
SC:COLUMBIA	04/02/91	0.0	0.1
SC:HARTSVILLE	04/03/91	-0.1	0.1
SC:JENKINSVILLE	04/12/91	0.1	0.1
SC:SENECA	01/10/91	-0.1	0.1
TN:CHATTANOOGA	02/11/91	-0.1	0.1
TN:KNOXVILLE	04/03/91	0.0	0.1
TX:AUSTIN	04/05/91	0.0	0.1
VA:DOSWELL	05/03/91	0.2	0.1
VA:LYNCHBURG	04/04/91	0.0	0.1
VA:VIRGINIA BEACH	01/03/91	0.0	0.1
WA:SEATTLE	04/02/91	0.1	0.1
WI:GENOA CITY	10/08/91	0.0	0.1
WI:MADISON	04/03/91	-0.1	0.1

σ = Counting Error.

**ENVIRONMENTAL RADIATION
AMBIENT MONITORING SYSTEM (ERAMS)**

Section III. External Gamma Ambient Monitoring Program

The external gamma monitoring program, which began in October 1978, provides a continuous measurement of ambient gamma exposure rates, including cosmic, at selected sites throughout the continental United States. Data from this program are used to evaluate fluctuations in natural background due to variations in environmental conditions and to provide a means of monitoring any significant increases in ambient gamma levels. The program consists of approximately 22 sites representing wide geographic coverage throughout the country.[†] Although exposure measurements at these few sites are not totally representative of nationwide exposures, they do indicate national trends.

The monitoring program utilizes CaF₂:Mn thermoluminescent dosimeters (TLD's). These dosimeters are commercially available glass-bulb type dosimeters with energy compensating shields. A group of three TLD's is located at each station or site. Dosimeters are annealed by the station operator prior to positioning in the field. The dosimeters are returned to NAREL for readout approximately every three months. Several dosimeters are annealed by the station operator as controls and returned with the exposed field dosimeters to correct for any exposures accumulated during shipment.

Publication of EGAMP data has been temporarily suspended until problems with the data are resolved.

[†] Some of these sites may not return dosimeters each period and consequently the number of sites listed may vary slightly.

**ENVIRONMENTAL RADIATION
AMBIENT MONITORING SYSTEM (ERAMS)**

Section IV. Milk Program

Pasteurized Milk

This is a cooperative program with the Dairy and Lipid Products Branch, Milk Sanitation Section, Food and Drug Administration. Milk is a reliable indicator of the general population's intake of radionuclides since it is consumed fresh by a large segment of the population and can contain several of the biologically important radionuclides that result from environmental releases from nuclear activities. A primary function of this program is to obtain reliable monitoring data relative to current radionuclide concentrations and determine any long-term trends.

Monthly samples are collected at 65 sampling sites with one or more located in each state, Puerto Rico, and the Panama Canal Zone. The samples are composited, according to production, from the major milk suppliers representing more than 80 percent of the milk consumed in a given population center.

The samples are analyzed for gamma emitting nuclides, which include iodine-131, barium-140, cesium-137, and potassium. All samples collected in July are analyzed for strontium-90. Also, for the first month of the three quarters beginning January, April and October, 10 regional composite samples of milk made up from the states within each of EPA's 10 regions are analyzed for strontium-90.

Iodine-131, barium-140, cesium-137, and potassium are determined by gamma spectral analysis. Strontium-90 is determined by beta counting a total strontium precipitate that has been chemically separated by ion exchange.

Tables 12-14 contain the concentrations of radionuclides in pasteurized milk for January - March 1991. Tables 15 - 19 contain the concentrations of strontium-90 in pasteurized milk for January 1990 - March 1991.

Table 12
Radionuclides in Pasteurized Milk
January 1991

Location	Date Collected	K		^{137}Cs		^{140}Ba		^{131}I	
		g/l	$\pm 2\sigma$	pCi/l	$\pm 2\sigma$	pCi/l	$\pm 2\sigma$	pCi/l	$\pm 2\sigma$
AL:MONTGOMERY	01/11/91	1.09	0.07	ND		ND		ND	
AR:LITTLE ROCK	01/07/91	1.40	0.17	ND		ND		ND	
AZ:PHOENIX	01/11/91	1.62	0.28	ND		ND		ND	
CA:LOS ANGELES	01/08/91	1.23	0.06	ND		ND		ND	
CA:SACRAMENTO	01/02/91	1.17	0.07	ND		ND		ND	
CA:SAN FRANCISCO	01/04/91	1.10	0.11	ND		ND		ND	
DE:WILMINGTON	01/16/91	1.18	0.11	ND		ND		ND	
FL:TAMPA	01/14/91	1.41	0.05	3	0	ND		ND	
GA:ATLANTA	01/14/91	1.19	0.11	ND		ND		ND	
HI:HONOLULU	01/24/91	1.91	0.10	ND		ND		ND	
IA:DES MOINES	01/07/91	1.40	0.11	ND		ND		ND	
ID:IDAHO FALLS	01/21/91	1.00	0.13	ND		ND		ND	
IL:CHICAGO	01/10/91	1.07	0.06	ND		ND		ND	
IN:INDIANAPOLIS	01/07/91	1.53	0.24	ND		ND		ND	
KS:WICHITA	01/28/91	1.58	0.24	ND		ND		ND	
KY:LOUISVILLE	01/08/91	1.17	0.12	ND		ND		ND	
LA:NEW ORLEANS	01/15/91	1.20	0.06	ND		ND		ND	
MA:BOSTON	01/09/91	1.08	0.11	ND		ND		ND	
MD:BALTIMORE	01/10/91	1.70	0.17	ND		ND		ND	
ME:PORTLAND	01/02/91	1.23	0.06	ND		ND		ND	
MI:DETROIT	01/10/91	1.71	0.12	ND		ND		ND	
MI:GRAND RAPIDS	01/07/91	1.65	0.15	ND		ND		ND	
MN:ST. PAUL	01/02/91	1.10	0.07	ND		ND		ND	
MO:KANSAS CITY	01/30/91	1.68	0.08	ND		ND		ND	
MO:ST. LOUIS	01/09/91	1.23	0.11	ND		ND		ND	
MS:JACKSON	01/07/91	1.12	0.06	ND		ND		ND	
MT:HELENA	01/28/91	1.46	0.07	ND		ND		ND	
NC:CHARLOTTE	01/23/91	1.16	0.12	ND		ND		ND	
ND:MINOT	01/28/91	1.75	0.10	ND		ND		ND	
NE:OMAHA	01/11/91	0.86	0.10	ND		ND		ND	
NJ:TRENTON	01/09/91	1.17	0.07	ND		ND		ND	
NM:ALBUQUERQUE	01/01/91	1.51	0.15	ND		ND		ND	
NV:LAS VEGAS	01/28/91	1.88	0.17	ND		ND		ND	
NY:BUFFALO	01/08/91	1.11	0.06	ND		ND		ND	
NY:NEW YORK CITY	01/07/91	1.52	0.17	ND		ND		ND	
NY:SYRACUSE	01/07/91	1.17	0.09	ND		ND		ND	
OH:CINCINNATI	01/30/91	1.69	0.12	ND		ND		ND	

Table 12 (continued)
Radionuclides in Pasteurized Milk
January 1991

Location	Date Collected	K		^{137}Cs		^{140}Ba		^{131}I	
		g/l	$\pm 2\sigma$	pCi/l	$\pm 2\sigma$	pCi/l	$\pm 2\sigma$	pCi/l	$\pm 2\sigma$
OH:CLEVELAND	01/15/91	1.75	0.16	ND		ND		ND	
OK:OKLAHOMA CITY	01/23/91	1.04	0.09	ND		ND		ND	
OR:PORTLAND	01/02/91	1.54	0.09	ND		ND		ND	
PA:PHILADELPHIA	01/07/91	1.11	0.11	ND		ND		ND	
PA:PITTSBURGH	01/07/91	1.19	0.06	ND		ND		ND	
PC:CRISTOBAL	01/24/91	1.95	0.09	8	3	ND		ND	
PR:SAN JUAN	01/08/91	0.97	0.08	ND		ND		ND	
SC:CHARLESTON	01/14/91	1.21	0.10	ND		ND		ND	
SD:RAPID CITY	01/02/91	1.67	0.12	ND		ND		ND	
TN:CHATTANOOGA	01/07/91	1.11	0.07	ND		ND		ND	
TN:KNOXVILLE	01/07/91	1.61	0.11	ND		ND		ND	
TN:MEMPHIS	01/28/91	1.63	0.14	ND		ND		ND	
TX:AUSTIN	01/22/91	1.23	0.09	ND		ND		ND	
VA:NORFOLK	01/31/91	1.64	0.11	ND		ND		ND	
VT:BURLINGTON	01/07/91	1.34	0.10	ND		ND		ND	
WA:SEATTLE	01/03/91	1.04	0.07	ND		ND		ND	
WA:SPOKANE	01/07/91	1.64	0.11	ND		ND		ND	
WV:CHARLESTON	01/23/91	1.20	0.11	ND		ND		ND	

σ = Counting Error.

ND = No Gamma Activity Detectable. Germanium spectrometry used on these samples.

Table 13
Radionuclides in Pasteurized Milk
February 1991

Location	Date Collected	K		^{137}Cs		^{140}Ba		^{131}I	
		g/l	$\pm 2\sigma$	pCi/l	$\pm 2\sigma$	pCi/l	$\pm 2\sigma$	pCi/l	$\pm 2\sigma$
AL:MONTGOMERY	02/08/91	1.54	0.23	ND		ND		ND	
AR:LITTLE ROCK	02/11/91	1.50	0.30	ND		ND		ND	
AZ:PHOENIX	02/07/91	1.48	0.24	ND		ND		ND	
CA:LOS ANGELES	02/07/91	1.23	0.06	ND		ND		ND	
CA:SACRAMENTO	02/05/91	1.01	0.07	ND		ND		ND	
CA:SAN FRANCISCO	02/07/91	1.79	0.20	ND		ND		ND	
CO:DENVER	02/05/91	1.70	0.12	ND		ND		ND	
CT:HARTFORD	02/25/91	1.09	0.07	ND		ND		ND	
DE:WILMINGTON	02/05/91	1.12	0.06	ND		ND		ND	
FL:TAMPA	02/25/91	1.85	0.15	ND		ND		ND	
GA:ATLANTA	02/12/91	1.19	0.10	ND		ND		ND	
HI:HONOLULU	02/12/91	0.94	0.08	ND		ND		ND	
IA:DES MOINES	02/04/91	1.00	0.06	ND		ND		ND	
ID:IDAHO FALLS	02/03/91	1.72	0.17	ND		ND		ND	
IL:CHICAGO	02/07/91	0.96	0.07	ND		ND		ND	
IN:INDIANAPOLIS	02/04/91	1.62	0.11	ND		ND		ND	
KS:WICHITA	02/25/91	1.41	0.10	ND		ND		ND	
KY:LOUISVILLE	02/05/91	1.09	0.06	ND		ND		ND	
MA:BOSTON	02/06/91	1.14	0.07	ND		ND		ND	
MD:BALTIMORE	02/08/91	1.55	0.07	ND		ND		ND	
ME:PORTLAND	02/05/91	1.13	0.07	2	1	ND		ND	
MI:DETROIT	02/07/91	1.12	0.10	ND		ND		ND	
MI:GRAND RAPIDS	02/04/91	1.17	0.11	ND		ND		ND	
MN:ST. PAUL	02/06/91	1.23	0.05	ND		ND		ND	
MO:ST. LOUIS	02/06/91	1.17	0.12	ND		ND		ND	
MS:JACKSON	02/05/91	1.48	0.05	ND		ND		ND	
MT:HELENA	02/08/91	1.79	0.18	ND		ND		ND	
NC:CHARLOTTE	02/27/91	1.61	0.18	ND		ND		ND	
ND:MINOT	02/25/91	1.16	0.12	ND		ND		ND	
NE:OMAHA	02/07/91	1.17	0.20	ND		ND		ND	
NH:MANCHESTER	02/12/91	1.46	0.09	ND		ND		ND	
NJ:TRENTON	02/04/91	0.98	0.07	ND		ND		ND	
NM:ALBUQUERQUE	02/13/91	1.73	0.16	ND		ND		ND	
NY:BUFFALO	02/01/91	1.77	0.11	ND		ND		ND	
NY:NEW YORK CITY	02/04/91	1.50	0.28	ND		ND		ND	
NY:SYRACUSE	02/04/91	1.65	0.12	ND		ND		ND	
OH:CINCINNATI	02/27/91	0.94	0.11	ND		ND		ND	

Table 13 (continued)
Radionuclides in Pasteurized Milk
February 1991

Location	Date Collected	K g/l	$\pm 2\sigma$	^{137}Cs pCi/l	$\pm 2\sigma$	^{140}Ba pCi/l	$\pm 2\sigma$	^{131}I pCi/l	$\pm 2\sigma$
OH:CLEVELAND	02/12/91	1.60	0.24	ND		ND		ND	
OK:OKLAHOMA CITY	02/20/91	1.09	0.11	ND		ND		ND	
OR:PORTLAND	02/05/91	1.72	0.18	ND		ND		ND	
PA:PHILADELPHIA	02/04/91	1.64	0.16	ND		ND		ND	
PA:PITTSBURGH	02/04/91	1.80	0.09	ND		ND		ND	
PR:SAN JUAN	02/07/91	1.10	0.05	ND		ND		ND	
SC:CHARLESTON	02/20/91	1.19	0.12	ND		ND		ND	
SD:RAPID CITY	02/04/91	1.18	0.12	ND		ND		ND	
TN:CHATTANOOGA	02/04/91	1.70	0.19	ND		ND		ND	
TN:KNOXVILLE	02/04/91	0.86	0.12	ND		ND		ND	
TN:MEMPHIS	02/20/91	1.57	0.17	ND		ND		ND	
TX:AUSTIN	02/12/91	1.14	0.06	ND		ND		ND	
VT:BURLINGTON	02/13/91	1.34	0.09	ND		ND		ND	
WA:SEATTLE	02/04/91	1.14	0.11	ND		ND		ND	
WA:SPOKANE	02/04/91	1.45	0.12	ND		ND		ND	
WV:CHARLESTON	02/25/91	0.91	0.11	ND		ND		ND	

σ = Counting Error.

ND = No Gamma Activity Detectable. Germanium spectrometry used on these samples.

Table 14
Radionuclides in Pasteurized Milk
March 1991

Location	Date Collected	K	^{137}Cs	^{140}Ba	^{131}I
		g/l	$\pm 2\sigma$	pCi/l	$\pm 2\sigma$
AL:MONTGOMERY	03/06/91	1.58	0.07	ND	ND
AR:LITTLE ROCK	03/04/91	1.40	0.08	ND	ND
AZ:PHOENIX	03/07/91	1.71	0.14	ND	ND
CA:LOS ANGELES	03/06/91	1.68	0.10	ND	ND
CA:SACRAMENTO	03/12/91	1.96	0.13	ND	ND
CA:SAN FRANCISCO	03/06/91	1.93	0.15	ND	ND
CO:DENVER	03/25/91	1.63	0.12	ND	ND
CT:HARTFORD	03/11/91	1.34	0.15	ND	ND
DE:DOVER	03/13/91	1.68	0.13	ND	ND
FL:TAMPA	03/17/91	1.82	0.23	ND	ND
GA:ATLANTA	03/11/91	1.57	0.13	ND	ND
HI:HONOLULU	03/12/91	2.01	0.13	ND	ND
IA:DES MOINES	03/13/91	1.61	0.12	ND	ND
ID:IDAHO FALLS	03/19/91	1.64	0.08	ND	ND
IL:CHICAGO	03/07/91	1.67	0.12	ND	ND
IN:INDIANAPOLIS	03/04/91	1.79	0.14	ND	ND
KS:WICHITA	03/03/91	1.29	0.07	ND	ND
KY:LOUISVILLE	03/05/91	1.86	0.17	ND	ND
LA:NEW ORLEANS	03/04/91	1.38	0.10	ND	ND
MA:BOSTON	03/06/91	1.08	0.11	ND	ND
MD:BALTIMORE	03/08/91	1.64	0.13	ND	ND
ME:PORTLAND	03/05/91	1.59	0.10	ND	ND
MI:DETROIT	03/07/91	1.74	0.12	ND	ND
MI:GRAND RAPIDS	03/04/91	1.33	0.12	ND	ND
MN:ST. PAUL	03/06/91	1.71	0.13	ND	ND
MO:KANSAS CITY	03/20/91	1.65	0.14	ND	ND
MS:JACKSON	03/05/91	1.64	0.08	ND	ND
MT:HELENA	03/19/91	1.54	0.10	ND	ND
NC:CHARLOTTE	03/21/91	1.66	0.08	ND	ND
ND:MINOT	03/27/91	1.57	0.09	ND	ND
NE:OMAHA	03/28/91	1.24	0.12	ND	ND
NJ:TRENTON	03/07/91	1.61	0.14	ND	ND
NM:ALBUQUERQUE	03/14/91	1.57	0.16	ND	ND
NV:LAS VEGAS	03/19/91	1.66	0.08	ND	ND
NY:BUFFALO	03/18/91	1.60	0.13	ND	ND
NY:NEW YORK CITY	03/04/91	1.17	0.12	ND	ND
NY:SYRACUSE	03/04/91	1.20	0.11	ND	ND

Table 14 (continued)
Radionuclides in Pasteurized Milk
March 1991

Location	Date Collected	K		^{137}Cs		^{140}Ba		^{131}I	
		g/l	$\pm 2\sigma$	pCi/l	$\pm 2\sigma$	pCi/l	$\pm 2\sigma$	pCi/l	$\pm 2\sigma$
OH:CINCINNATI	03/25/91	1.55	0.09	ND		ND		ND	
OH:CLEVELAND	03/12/91	1.94	0.14	ND		ND		ND	
OK:OKLAHOMA CITY	03/29/91	1.32	0.09	ND		ND		ND	
OR:PORTLAND	03/05/91	1.62	0.10	ND		ND		ND	
PA:PHILADELPHIA	03/04/91	0.95	0.10	ND		ND		ND	
PA:PITTSBURGH	03/04/91	1.78	0.13	ND		ND		ND	
PC:ANCON	03/26/91	1.48	0.08	3	2	ND		ND	
PR:SAN JUAN	03/12/91	1.66	0.09	ND		ND		ND	
SC:CHARLESTON	03/12/91	1.74	0.19	ND		ND		ND	
SD:RAPID CITY	03/04/91	1.38	0.12	ND		ND		ND	
TN:CHATTANOOGA	03/11/91	1.60	0.12	ND		ND		ND	
TN:MEMPHIS	03/07/91	1.68	0.08	ND		ND		ND	
TX:AUSTIN	03/19/91	1.56	0.08	ND		ND		ND	
TX:FT. WORTH	03/06/91	1.62	0.13	ND		ND		ND	
VA:NORFOLK	03/28/91	1.28	0.07	ND		ND		ND	
VT:MONTPELIER	03/04/91	1.36	0.09	ND		ND		ND	
WA:SEATTLE	03/01/91	1.18	0.09	ND		ND		ND	
WA:SPOKANE	03/06/91	1.65	0.13	ND		ND		ND	
WV:CHARLESTON	03/20/91	1.62	0.14	ND		ND		ND	

σ = Counting Error.

ND = No Gamma Activity Detectable. Germanium spectrometry used on these samples.

Table 15
Strontium-90 in Pasteurized Milk
EPA Regional Composites
January - March 1990

EPA Region	Collection Date	^{90}Sr	
		pCi/l	$\pm 2\sigma$
I	02/15/90	1.5	0.3
II	02/15/90	1.3	0.4
III	02/15/90	1.3	0.5
IV	02/15/90	1.5	0.5
V	02/15/90	0.0	0.5
VI	02/15/90	2.1	0.7
VII	02/15/90	2.2	0.3
VIII	02/15/90	1.4	0.4
IX	02/15/90	0.5	0.8
X	02/15/90	1.1	0.1

σ = Counting Error.

NA = Not Analyzed.

Table 16
Strontium-90 in Pasteurized Milk
EPA Regional Composites
April - June 1990

EPA Region	Collection Date	^{90}Sr	
		pCi/l	$\pm 2\sigma$
I	06/15/90	1.1	0.3
II	06/15/90	1.6	0.3
III	06/15/90	1.3	0.5
IV	06/15/90	2.1	0.4
V	06/15/90	1.6	0.3
VI	06/15/90	1.7	1.1
VII	06/15/90	1.5	0.7
VIII	06/15/90	1.5	1.3
IX	06/15/90	0.2	0.2
X	06/15/90	0.9	0.6

σ = Counting Error.

NA = Not Analyzed.

Table 17
Strontium-90 in Pasteurized Milk
EPA Location Composites
July - September 1990

EPA Location	Collection Date	^{90}Sr pCi/l $\pm 2\sigma$	
AL:MONTGOMERY	07/05/90	1.7	0.0
AR:LITTLE ROCK	07/03/90	3.3	1.4
AZ:PHOENIX	07/05/90	0.3	0.8
CA:LOS ANGELES	07/18/90	0.2	0.8
CA:SACRAMENTO	07/03/90	0.1	0.7
CA:SAN FRANCISCO	07/05/90	1.2	0.2
CO:DENVER	07/01/90	0.6	0.3
CT:HARTFORD	07/02/90	1.6	0.9
DE:WILMINGTON	07/11/90	1.5	0.8
FL:TAMPA	07/11/90	1.0	0.0
GA:ATLANTA	07/16/90	0.5	0.6
HI:HONOLULU	07/02/90	0.8	0.0
IA:DES MOINES	07/09/90	0.8	1.2
ID:IDAHO FALLS	07/31/90	0.7	0.8
IL:CHICAGO	07/05/90	1.7	1.0
IN:INDIANAPOLIS	07/03/90	2.2	1.1
KS:WICHITA	07/15/90	2.0	0.6
KY:LOUISVILLE	07/03/90	2.0	0.3
LA:NEW ORLEANS	07/13/90	2.2	0.2
MA:BOSTON	07/07/90	2.6	0.1
MD:BALTIMORE	07/06/90	1.5	0.7
ME:PORTLAND	07/03/90	2.3	0.2
MI:DETROIT	07/05/90	1.5	1.8
MI:GRAND RAPIDS	07/03/90	1.8	0.1
MO:KANSAS CITY	07/12/90	1.9	0.8
MO:ST. LOUIS	07/11/90	1.3	0.8
MS:JACKSON	07/10/90	1.2	0.6
MT:HELENA	07/09/90	1.1	0.4
NC:CHARLOTTE	07/09/90	1.7	0.3
ND:MINOT	07/30/90	1.8	0.2
NE:OMAHA	07/03/90	0.8	0.3
NJ:TRENTON	07/03/90	2.1	0.1
NM:ALBUQUERQUE	07/03/90	0.2	0.4
NV:LAS VEGAS	07/13/90	-0.2	1.7
NY:BUFFALO	07/30/90	2.2	1.4
NY:NEW YORK CITY	07/02/90	2.1	1.0
NY:SYRACUSE	07/03/90	2.3	0.4

Table 17 (continued)
Strontium-90 in Pasteurized Milk
EPA Location Composites
July - September 1990

EPA Location	Collection Date	^{90}Sr	
		pCi/l	$\pm 2\sigma$
OH:CINCINNATI	07/31/90	NA	
OH:CLEVELAND	07/17/90	2.3	1.0
OK:OKLAHOMA CITY	07/02/90	0.8	0.8
OR:PORTLAND	07/03/90	1.0	0.5
PA:PHILADELPHIA	07/02/90	1.0	2.4
PA:PITTSBURGH	07/09/90	2.6	1.3
PC:CRISTOBAL	07/19/90	0.6	0.4
PR:SAN JUAN	07/09/90	1.2	0.9
SC:CHARLESTON	07/31/90	1.1	1.1
SD:RAPID CITY	07/02/90	1.4	0.1
TN:CHATTANOOGA	07/09/90	2.3	0.8
TN:KNOXVILLE	07/10/90	1.9	0.9
TN:MEMPHIS	07/17/90	1.7	0.6
TX:AUSTIN	07/23/90	1.0	0.5
TX:FT. WORTH	07/02/90	0.8	0.1
VA:NORFOLK	07/31/90	1.2	0.1
VT:BURLINGTON	07/05/90	2.8	0.5
WA:SEATTLE	07/03/90	0.6	0.4
WA:SPOKANE	07/10/90	1.5	2.3
WV:CHARLESTON	07/10/90	2.8	0.6

σ = Counting Error.

NA = Not Analyzed.

Table 18
Strontium-90 in Pasteurized Milk
EPA Regional Composites
October - December 1990

EPA Region	Collection Date	^{90}Sr	
		pCi/l	$\pm 2\sigma$
I	10/09/90	1.9	0.9
II	10/07/90	1.4	0.8
III	10/17/90	1.8	0.2
IV	10/10/90	1.6	0.2
V	10/13/90	1.5	0.3
VI	10/10/90	2.1	0.2
VII	10/06/90	1.6	0.4
VIII	10/18/90	1.4	0.3
IX	10/09/90	-0.1	0.2
X	10/06/90	1.0	0.4

σ = Counting Error.

NA = Not Analyzed.

Table 19
Strontium-90 in Pasteurized Milk
EPA Regional Composites
January - March 1991

EPA Region	Collection Date	^{90}Sr	
		pCi/l	$\pm 2\sigma$
I	01/07/91	1.5	0.9
II	01/07/91	1.7	0.4
III	01/15/91	1.6	0.4
IV	01/15/91	1.4	0.7
V	01/11/91	1.5	0.5
VI	01/13/91	1.6	0.4
VII	01/17/91	1.6	1.2
VIII	01/19/91	1.2	0.2
IX	01/12/91	0.3	0.3
X	01/08/91	1.0	0.4

σ = Counting Error.

NA = Not Analyzed.

Carbon-14 in Milk

Nine stations, chosen for wide geographical distribution, contribute milk samples for annual analysis of carbon-14. These samples are monitored for carbon-14 levels in the food chain resulting from nuclear testing. The pasteurized milk is freeze-dried and the resulting powder is pelletized for ease of combustion. Analysis consists of combusting the samples and converting the released carbon dioxide through a series of chemical conversions to benzene and finally measured by liquid scintillation.

The samples undergo three main steps in the chemical conversions to benzene prior to liquid scintillation counting. They include (1) combustion of the sample to carbon dioxide, (2) conversion of the carbon dioxide to acetylene, and (3) trimerizations of the acetylene to benzene. The last carbon-14 results were for samples collected during 1983-1986, 1982 and March-May 1987. They were published in *Environmental Radiation Data: Report 59*.

Environmental Radiation Data (ERD) is published quarterly (January, April, July, October) by the U.S. Environmental Protection Agency's Office of Radiation and Indoor Air.

Requests for information concerning publication and distribution of ERD should be directed to:

Charles M. Petko
Office of the Director
National Air and Radiation Environmental Laboratory
1504 Avenue A
Montgomery, Alabama 36115-2601

Requests for information concerning the operation of ERAMS should be directed to:

John G. Griggs, Chief
Monitoring and Analytical Services Branch
National Air and Radiation Environmental Laboratory
1504 Avenue A
Montgomery, Alabama 36115-2601

or to:

Robert S. Dyer, Chief
Environmental Studies and Statistics Branch
Analysis and Support Division (ANR-461)
U. S. Environmental Protection Agency
Waterside Mall East
401 M Street, S.W.
Washington, DC 20460
