

EPA-450/3-77-008d

October 1976

**PRELIMINARY SCORING
OF SELECTED ORGANIC
AIR POLLUTANTS
APPENDIX III -
CHEMISTRY, PRODUCTION,
AND TOXICITY
OF CHEMICALS
F THROUGH N**



**U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Air and Waste Management
Office of Air Quality Planning and Standards
Research Triangle Park, North Carolina 27711**

**PRELIMINARY SCORING
OF SELECTED ORGANIC AIR POLLUTANTS
APPENDIX III -
CHEMISTRY, PRODUCTION,
AND TOXICITY
OF CHEMICALS
F THROUGH N**

by

J. Dorigan, B. Fuller and R. Duffy

The Mitre Corporation
Metrek Division
Westgate Research Park
McLean, Virginia 22101

Contract No. 68-02-1495

Project No. 077L

EPA Project Officer: David R. Patrick

Prepared for

ENVIRONMENTAL PROTECTION AGENCY
Office of Air and Waste Management
Office of Air Quality Planning and Standards
Research Triangle Park, North Carolina 27711

October 1976

PREFACE

A program is being developed by the Emission Standards and Engineering Division of the U.S. Environmental Protection Agency to determine the extent and environmental effects of atmospheric industrial emissions of synthetic organic chemicals. As part of the initial effort, EPA requested that the MITRE Corporation, METREK Division, devise a system for identifying those chemicals that may be released to the atmosphere from chemical manufacturing plants and whose health effects have been documented. To address this need, three general categories of information for each compound to be evaluated were deemed directly relevant:

- (1) the quantity of the compound produced;
- (2) the potential for atmospheric release from chemical manufacturing plants, and
- (3) the toxicological effects of the compounds.

The results of this study are presented in the accompanying report "Preliminary Scoring of Organic Air Pollutants."

The following dossiers were prepared for each of the 637 compounds under consideration in an attempt to collate the pertinent data for subsequent evaluation.

TABLE OF CONTENTS

	<u>Page</u>
Ferbam	AIII-2
Ferrocene	AIII-4
Fluometuron	AIII-6
Folex	AIII-8
Folpet	AIII-10
Formaldehyde	AIII-12
Formamide	AIII-14
Formic acid	AIII-16
Fumaric acid	AIII-18
Furfural	AIII-20
Furfuryl alcohol	AIII-22
Glycerol	AIII-24
Glycerol monostearate	AIII-26
Glycidol	AIII-28
Glycine	AIII-30
Glyoxal	AIII-32
Guanidine	AIII-34
Guthion	AIII-36
Heptachlor	AIII-38
Heptene	AIII-40
Herban	AIII-42
Hexachloroethane	AIII-44
Hexachloronaphthalene	AIII-46
Hexalene glycol	AIII-48
Hexamethylenetetramine	AIII-50
Hexanediamine	AIII-52
Hydrogen cyanide	AIII-54
Hydroquinone	AIII-56
Indene	AIII-58
Isoamyl alcohol	AIII-60
Isobutyl acetate	AIII-62
Isobutyl alcohol	AIII-64
Isobutylaldehyde	AIII-66
Isobutylene	AIII-68
Isobutyric acid	AIII-70
Isodecyl alcohol	AIII-72
Isooctyl alcohol	AIII-74
Isooctylphenol, ethoxylated	AIII-76
Isophorone	AIII-78
Isophthalic acid	AIII-80
Isoprene	AIII-82
Isopropyl acetate	AIII-84
Isopropyl alcohol	AIII-86
Isopropylamine	AIII-88

TABLE OF CONTENTS (Continued)

	<u>Page</u>
Isopropyl chloride	AIII-90
Isopropyl ether	AIII-92
o-Isopropylphenol	AIII-94
p-Isopropylphenol	AIII-96
Ketene	AIII-98
Ligninsulfonic acid, ammonium salt	AIII-100
Ligninsulfonic acid, calcium salt	AIII-102
Ligninsulfonic acid, ferrochrome salt	AIII-104
Ligninsulfonic acid, sodium salt	AIII-106
Lindane	AIII-108
Linuron	AIII-110
Magenta	AIII-112
Malathion	AIII-114
Maleic acid	AIII-116
Maleic anhydride	AIII-118
Maleic hydrazide	AIII-120
Malic acid	AIII-122
Melamine	AIII-124
Mesitylene	AIII-126
Mesityl oxide	AIII-128
Methacrylic acid	AIII-130
Methacrylonitrile	AIII-132
Methallyl alcohol	AIII-134
Methallyl chloride	AIII-136
Methane	AIII-138
Methanearsonic acid	AIII-140
Methomyl	AIII-142
Methoxychlor	AIII-144
Methoxyethanol	AIII-146
Methyl acetate	AIII-148
Methyl acetoacetate	AIII-150
Methylal	AIII-152
Methyl alcohol	AIII-154
Methylamine	AIII-156
Methylamyl acetate	AIII-158
Methylamyl alcohol	AIII-160
Methylaniline	AIII-162
Methylbenzyl alcohol	AIII-164
Methyl bromide	AIII-166
Methyl butyl ketone	AIII-168
Methylbutynol	AIII-170
Methyl cellulose	AIII-172
Methyl chloride	AIII-174
Methylcholanthrene	AIII-176

TABLE OF CONTENTS (Continued)

	<u>Page</u>
Methylcyclohexane	AIII-178
Methylcyclohexanol	AIII-180
Methylcyclohexanone	AIII-182
4,4'-Methylenebis (2-chloroaniline)	AIII-184
Methylene chloride	AIII-186
Methylenedianiline	AIII-188
Methyldioxolane	AIII-190
Methyl ethyl ketone	AIII-192
Methyl formate	AIII-194
Methylhydrazine	AIII-196
Methyl iodide	AIII-198
Methyl isoamyl ketone	AIII-200
Methyl isobutyl ketone	AIII-202
Methyl isocyanate	AIII-204
Methyl mercaptan	AIII-206
Methyl methacrylate	AIII-208
Methylnaphthalene	AIII-210
N-Methyl-N'-nitro-N-nitrosoguaiidine	AIII-212
Methyl parathion	AIII-214
Methylpentanediol	AIII-216
Methylpentynol	AIII-218
Methylphenylcarbinol	AIII-220
α -Methylstyrene	AIII-222
Mevinphos	AIII-224
Mirex	AIII-226
Monosodium glutamate	AIII-228
Morpholine	AIII-230
MSMA	AIII-232
Nabam	AIII-234
Naled	AIII-236
Naphtha (solvent)	AIII-238
Naphthalene	AIII-240
α -Naphthalenesulfonic acid	AIII-242
β -Naphthalenesulfonic acid	AIII-244
α -Naphthol	AIII-246
β -Naphthol	AIII-248
1-Naphthylamine	AIII-250
2-Naphthylamine	AIII-252
Naptalam	AIII-254
Neopentanoic acid	AIII-256
Nitrilotriacetic acid, trisodium salt	AIII-258
p-Nitroaniline	AIII-260
Nitroanisole	AIII-262
Nitrobenzene	AIII-264

TABLE OF CONTENTS (Continued)

	<u>Page</u>
p-Nitrobenzoic acid	AIII-266
Nitrocellulose	AIII-268
Nitroethane	AIII-270
Nitroglycerine	AIII-272
Nitromethane	AIII-274
m-Nitrophenol	AIII-276
o-Nitrophenol	AIII-278
p-Nitrophenol	AIII-280
1-Nitropropane	AIII-282
2-Nitropropane	AIII-284
N-Nitrosodiethylamine	AIII-286
N-Nitrosodimethylamine	AIII-288
Nitrosoethylurea	AIII-290
Nitrosomethylurea	AIII-292
m-Nitrotoluene	AIII-294
o-Nitrotoluene	AIII-296
p-Nitrotoluene	AIII-298
Nonene	AIII-300
Nonyl phenol	AIII-302

APPENDIX III

CHEMISTRY, PRODUCTION AND TOXICITY OF SELECTED
SYNTHETIC ORGANIC CHEMICALS

Ferbam

CHEMICAL NAME


CAS Number: 301-05-3

Chemical Name: Ferbam

Synonyms: Dimethyldithiocarbamic acid
Ferric dimethyl dithiocarbamate
Tris (dimethyldithiocarbamato) iron

Molecular

Formula: $C_9H_{18}FeN_3S_6$



Chemical Properties

Molecular Weight: 416.5

Physical State: Solid

Vapor Pressure:

Vapor Density:

Boiling Point:

Melting Point: Decomposes $> 180^\circ\text{C}$

Density:

Solubility: Slightly (H_2O)

Octanol/Water Partition Coefficient:

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

PRODUCTION DATA**Annual U.S.****Production:** 2.3×10^6 lbs. (1967)**Consumption:****Fraction of
Dispersion:****Fraction of Pro-
duction Lost:** 0.015**Release Rate (million lbs/yr):****TOXICITY DATA****Acute Toxicity**LD₅₀**Dosage**
4000 mg/kg
2700 mg/kg**Animal**rat
rat**Route**

oral

LD_{Lo}63 mg/kg
2000 mg/kg
200 mg/kg
450 mg/kg
700 mg/kgmouse
rabbit
rabbit
guinea pig
guinea pigintraperitoneal
intraperitoneal
oral
intraperitoneal
oral
intraperitoneal**Non-lethal Acute Effects:**

Irritant to eyes and mucous membranes

Chronic Toxicity**U.S. Occupational Standard:** (air) TWA 15 mg/m³**Carcinogenicity:** Recognized carcinogen**Mutagenicity:****Teratogenicity:****TLV:** 15 mg/m³**Other Chronic Effects:**

Ferrocene

CHEMICAL NAME


CAS Number: 102-54-5

Chemical Name: Ferrocene

Synonyms: Dicyclopentadiene iron

**Molecular
Formula:** $C_{10}H_{10}Fe$

Structure:



Chemical Properties

Molecular Weight: 186.0

Physical State: Solid

Vapor Pressure:

Vapor Density:

Boiling Point: Sublimes

Melting Point: 173 to 174°C

Density:

Solubility: Insoluble (H_2O)

**Octanol/Water Parti-
tion Coefficient:**

Environmental Persistence

BOD:

Atmospheric Reactivity:

Resistant to ultraviolet light

Safety Hazard: Fire—moderate
Disaster hazard—dangerous—toxic fumes

Ferrocene

PRODUCTION DATA

Annual U.S.
Production:

Consumption:

Fraction of
Dispersion:

Fraction of Pro-
duction Lost:

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity
LD₅₀

Dosage
1320 mg/kg
500 mg/kg
1550 mg/kg
335 mg/kg

Animal
rat
rat
mouse
mouse

Route
oral
intraperitoneal
oral
intraperitoneal

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Fluometuron

CHEMICAL NAME


CAS Number: 2164-17-2

Chemical Name: 1,1-Dimethyl-3-(α,α,α -trifluoro-m-tolyl) urea

Synonyms: Fluometuron

**Molecular
Formula:** $C_{10}H_{11}F_3N_2O$

Structure:



Chemical Properties

Molecular Weight: 232.23

Physical State: Solid

Vapor Pressure:

Vapor Density:

Boiling Point:

Melting Point: 163 to 164.5°C

Density:

Solubility: 90 ppm (H_2O)

**Octanol/Water Parti-
tion Coefficient:**

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Fluometuron

PRODUCTION DATA

Annual U.S.
Production: 4×10^6 lbs. (1971)

Consumption:

Fraction of
Dispersion: 1.0

Fraction of Pro-
duction Lost: 0.015

Release Rate (million lbs/yr): 4

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
LD ₅₀	89 mg/kg	rat	oral
	900 mg/kg	mouse	oral

Non-lethal Acute Effects:

Emesis
Coma

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Depression

Folex

CHEMICAL NAME

CAS Number: 150-50-5

Chemical Name: Phosphorotrithious acid, tributyl ester

Synonyms: Folex
S,S,S-Tributyl phosphorotrithioite

**Molecular
Formula:** $C_{12}H_{27}PS_3$

Structure:

$$\begin{array}{c} CH_3(CH_2)_3-S \\ CH_3(CH_2)_3-S \end{array} \diagup \diagdown P-S(CH_2)CH_3$$

Chemical Properties

Molecular Weight: 298.54

Physical State: Liquid

Vapor Pressure:

Vapor Density:

Boiling Point: 115 to 134°C at 0.08 mm

Melting Point:

Density:

Solubility: Insoluble (H_2O)

**Octanol/Water Parti-
tion Coefficient:**

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

PRODUCTION DATA

**Annual U.S.
Production:** 3×10^6 lbs. (1971)

Consumption:

**Fraction of
Dispersion:** 1.0

**Fraction of Pro-
duction Lost:** 0.015

Release Rate (million lbs/yr): 3

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
LD ₅₀	910 mg/kg	rat	oral
	615 mg/kg	rat	skin
	76 mg/kg	rat	intraperitoneal
	350 mg/kg	rat	unreported

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Folpet


CHEMICAL NAME

CAS Number: 133-07-3

Chemical Name: Phthalimide-N[(trichloromethyl)thio]

Synonyms: Folpet
Phaltan

Molecular Formula: $C_9H_4Cl_3NO_2S$



Chemical Properties

Molecular Weight: 296.6

Physical State: Solid

Vapor Pressure:

Vapor Density:

Boiling Point:

Melting Point: 177°C

Density:

Solubility: Nearly insoluble (H_2O)

Octanol/Water Partition Coefficient: 2.85

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard: Disaster hazard—dangerous—emits highly toxic fumes of SO_x and NO_x

PRODUCTION DATA

**Annual U.S.
Production:** 2×10^6 lbs. (1971)

Consumption:

**Fraction of
Dispersion:** Estimated at 1.0

**Fraction of Pro-
duction Lost:** 0.015

Release Rate (million lbs/yr): 2.0

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
LD ₅₀	10,000 mg/kg	rat	oral

Non-lethal Acute Effects:			
TD _{Lo}	500 mg/kg (7 days)	pregnant hamster	oral

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity: Teratogenic

TLV:

Other Chronic Effects:

Formaldehyde

CHEMICAL NAME

CAS Number: 50-00-0

Chemical Name: Formaldehyde (Commercial solutions 37%-50%)

Synonyms: Methanal
Methyl aldehyde
Formalin

**Molecular
Formula:** CH₂O

Structure:
$$\begin{array}{c} \text{O} \\ || \\ \text{H} - \text{C} - \text{H} \end{array}$$

Chemical Properties

Molecular Weight: 30.03

Physical State: Gas or Liquid

Vapor Pressure: 1946.67 mm at 25°C

Vapor Density:

Boiling Point: -21°C at 760 mm

Melting Point: -92°C

Density: 0.815 at 20°C/4°C

Solubility: Soluble (H₂O)

**Octanol/Water Parti-
tion Coefficient:** -0.96

Environmental Persistence

BOD: 30% of theoretical after 5 days at 20°C at 10 mg/ml
Total theoretical oxygen demand -1.1 gm/gm

Atmospheric Reactivity:

Activity toward O₃: No data
RO₂: t_{1/2} = 10 days
OH: t_{1/2} = 1.2 hours

Safety Hazard: Fire--moderate
Explosion--moderate

Formaldehyde

PRODUCTION DATA

Annual U.S.
Production: 5651.8×10^6 lbs. **Consumption:** 5622.8×10^6 lbs.

Fraction of Dispersion: 0.01 **Fraction of Production Lost:** 0.015

Release Rate (million lbs/yr): 52.7

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
LD ₅₀	420 mg/kg	rat	subcutaneous
	300 mg/kg	mouse	subcutaneous
	260 mg/kg	guinea pig	oral
LD _{Lo}	16 mg/kg	mouse	intraperitoneal
	36 mg/kg	human	oral
	550 mg/kg	dog	subcutaneous
	240 mg/kg	rabbit	subcutaneous
LC _{Lo}	900 mg/kg (2 hours)	mouse	inhalation
	820 mg/kg (8 hours)	cat	inhalation

Non-lethal Acute Effects:

Irritant			
TC _{Lo}	13.8 ppm	human	inhalation
Conjunctivitis			
Dermatitis			

Chronic Toxicity

U.S. Occupational Standard: (air) TWA 3 ppm
 Ceiling limit 5 ppm
 Peak exposure 10 ppm (30 minutes once in 8 hours)

Carcinogenicity:

Spindle cell sarcomas		rats	injections
Neoplastic effects			
TD _{Lo}	1300 mg/kg (65 weeks)	rat	subcutaneous

Mutagenicity:

Teratogenicity: TLV: 3 ppm

Other Chronic Effects:

Irritates eyes, respiratory tract and skin as low as 0.3 ppm

Formamide

CHEMICAL NAME

CAS Number: 75-12-7

Chemical Name: Formamide

Synonyms: Methaneamide

Molecular
Formula: CH_3NO

Structure:
$$\begin{array}{c} \text{O} \\ || \\ \text{H} - \text{C} - \text{NH}_2 \end{array}$$

Chemical Properties

Molecular Weight: 45.04

Physical State: Liquid

Vapor Pressure: 1 mm at 70.5°C

Vapor Density:

Boiling Point: 210.7°C (decomposes starting at about 180°C)

Melting Point: 2.55°C

Density: 1.134 at 20°C/4°C

Solubility: Infinite (H_2O)

Octanol/Water Partition Coefficient: -1.67

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard: Fire—moderate
Disaster hazard—moderate—toxic fumes

Formamide

PRODUCTION DATA

Annual U.S.
Production:

Consumption:

Fraction of
Dispersion:

Fraction of Pro-
duction Lost:

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity
LD₅₀

Dosage
2539 mg/kg

Animal
guinea pig

Route
intramuscular

Non-lethal Acute Effects:
Local irritant

Chronic Toxicity

U.S. Occupational Standard: (air) TWA 20 ppm

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

TDLo 6 gm/kg pregnant rat intraperitoneal
Other Chronic Effects:

Formic acid

CHEMICAL NAME

CAS Number: 64-18-6

Chemical Name: Formic acid

Synonyms: Methanoic acid
Hydrogen carboxylic acid

**Molecular
Formula:** CH₂O₂

Structure:
$$\begin{array}{c} \text{O} \\ || \\ \text{H} - \text{C} - \text{OH} \end{array}$$

Chemical Properties

Molecular Weight: 46.3

Physical State: Liquid

Vapor Pressure: 42.38 mm at 25°C

Vapor Density: 1.59

Boiling Point: 100.8°C

Melting Point: 8.3°C

Density: 1.2201 at 20°C/4°C

Solubility: Soluble (H₂O)

**Octanol/Water Parti-
tion Coefficient:** -0.73

Environmental Persistence

BOD: 68% of theoretical after 20 days at 20°C at 10 mg/ml
Total theoretical oxygen demand = 0.35 gm/gm

Atmospheric Reactivity:

Safety Hazard: Fire-moderate

Formic acid

PRODUCTION DATA

**Annual U.S.
Production:** 46.9×10^6 lbs.

Consumption: 46.9×10^6 lbs.

**Fraction of
Dispersion:** 0.50

**Fraction of Pro-
duction Lost:** 0.015

Release Rate (million lbs/yr): 24.1

TOXICITY DATA

Acute Toxicity

LD₅₀

Dosage

1210 mg/kg

1100 mg/kg

145 mg/kg

Animal

rat

mouse

mouse

Route

oral

oral

intravenous

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV: 5 ppm

Other Chronic Effects:

Moderate effects as an irritant or upon inhalation

Severe effects following ingestion

Nausea—15 ppm

Fumaric acid


CHEMICAL NAME

CAS Number: 110-17-8

Chemical Name: Fumaric acid

Synonyms: trans-Butenedioic acid Allomaleic acid
Boletic acid
Lichenic acid

**Molecular
Formula:** $C_4H_4O_4$



Chemical Properties

Molecular Weight: 116.1

Physical State: Solid

Vapor Pressure:

Vapor Density:

Boiling Point: 165°C at 1.7 mm (sublimes)

Melting Point: 287°C

Density: 1.635 at 20°C/4°C

Solubility: Slightly (H_2O)

**Octanol/Water Parti-
tion Coefficient:** 0.56

Environmental Persistence

BOD: 82% of theoretical at 20° after 10 days
Total theoretical oxygen demand = 0.83 gm/gm

Atmospheric Reactivity:

Safety Hazard: Fire—slight

Fumaric acid

PRODUCTION DATA

**Annual U.S.
Production:** 42×10^6 lbs. (1974)

Consumption: 42×10^6 lbs.

**Fraction of
Dispersion:** 0.30

**Fraction of Pro-
duction Lost:** 0.015

Release Rate (million lbs/yr): 16.2

TOXICITY DATA

Acute Toxicity

Dosage

Animal

Route

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Furfural

CHEMICAL NAME


CAS Number: 98-01-1

Chemical Name: 2-Furaldehyde

Synonyms: 2-Furancarbal
Furfural
Fural

Molecular:
Formula: $C_5H_4O_2$

Structure:



Chemical Properties

Molecular Weight: 96.1

Vapor Pressure: 2.08 mm at 25°C

Boiling Point: 161.7°C at 764 mm

Density: 1.161 at 20°C/20°C

Octanol/Water Parti-
tion Coefficient:

Physical State: Liquid

Vapor Density: 3.31

Melting Point: -38.7°C

Solubility: Slightly (H_2O)

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard: Fire—moderate
Explosion—moderate

Furfural

PRODUCTION DATA

**Annual U.S.
Production:** 149.6×10^6 lbs. (1974)

Consumption: 153×10^6 lbs.

**Fraction of
Dispersion:** 0.01

**Fraction of Pro-
duction Lost:** 0.015

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
LD ₅₀	127 mg/kg	rat	oral
	425 mg/kg	mouse	oral
	2300 mg/kg	dog	oral
	928 mg/kg	rabbit	oral
	541 mg/kg	guinea pig	oral
LC _{Lo}	153 ppm (4 hours)	rat	inhalation

Non-lethal Acute Effects:

Irritation to eyes, nose and throat

TD_{Lo} 600 gm/m³ (eye)

Chronic Toxicity

U.S. Occupational Standard: (air) TWA 5 ppm (skin)

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Furfuryl alcohol

CHEMICAL NAME


CAS Number: 98-00-0

Chemical Name: Furfuryl alcohol

Synonyms: 2-Furyl carbinol
(2-Furyl) methanol

**Molecular
Formula:** C₅H₆O₂

Structure:



Chemical Properties

Molecular Weight: 98.1

Physical State: Liquid

Vapor Pressure: 1 mm at 31.8°C

Vapor Density: 3.37

Boiling Point: 171°C at 750 mm

Melting Point:

Density: 1.129 at 20°C/4°C

Solubility: Infinite (H₂O)

**Octanol/Water Parti-
tion Coefficient:**

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard: Fire—moderate
Explosion—moderate

Furfuryl alcohol

PRODUCTION DATA

Annual U.S.**Production:** Estimated as 70×10^6 lbs. (1974)**Consumption:** 4×10^6 lbs. (1964)**Fraction of
Dispersion:****Fraction of Pro-
duction Lost:****Release Rate (million lbs/yr):**

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
LD ₅₀	275 mg/kg	rat	oral
	40 mg/kg	mouse	oral
	650 mg/kg	rabbit	intravenous
LC ₅₀	233 ppm (4 hours)	rat	inhalation

Non-lethal Acute Effects:Irritation to eyes
Nausea**Chronic Toxicity****U.S. Occupational Standard:** (air) TWA 50 ppm**Carcinogenicity:****Mutagenicity:****Teratogenicity:****TLV:** 50 ppm**Other Chronic Effects:**

Glycerol


CHEMICAL NAME

CAS Number: 56-81-5

Chemical Name: Glycerol

Synonyms: 1,2,3-Propane triol
Glycerin
Glycyl alcohol

**Molecular
Formula:** $C_3H_8O_3$



Chemical Properties

Molecular Weight: 92.09

Physical State: Liquid

Vapor Pressure: 4.99×10^{-4} at 25°C

Vapor Density: 3.17

Boiling Point: 290°C (decomposes)

Melting Point: 20°C

Density: 1.2653 at $20^\circ\text{C}/4^\circ\text{C}$

Solubility: Soluble (H_2O)

**Octanol/Water Parti-
tion Coefficient:** -2.66

Environmental Persistence

BOD: 74% of theoretical for 10 days at 2 mg/l
Total theoretical oxygen demand = 1.37 gm/gm

Atmospheric Reactivity: Reacts with oxidizing materials

Safety Hazard: Fire-dangerous

Glycerol

PRODUCTION DATA

Annual U.S. Production: 199.2×10^6 lbs. **Consumption:** 144.1×10^6 lbs.
Fraction of Dispersion: 0.60 **Fraction of Production Lost:** 0.015
Release Rate (million lbs/yr): 89.4

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
LD ₅₀	7750 mg/kg	guinea pig	oral

Non-lethal Acute Effects:
Irritant to eyes and respiratory tract
Nausea and vomiting
Convulsions and paralysis

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Glycerol monostearate


CHEMICAL NAME

CAS Number: 1319-95-5

Chemical Name: Monostearin

Synonyms: Glyceryl monostearate
Glycerol monostearate
GMS

Molecular Formula: $C_{21}H_{42}O_4$



Chemical Properties

Molecular Weight: 358.63

Physical State: Solid

Vapor Pressure:

Vapor Density:

Boiling Point: 58 to 59°C

Melting Point: 74°C

Density: 0.97

Solubility: Insoluble (H₂O)

Octanol/Water Partition Coefficient:

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Glycerol monostearate

PRODUCTION DATA

**Annual U.S.
Production:** 27.2×10^6 lbs.

Consumption: 27.2×10^6 lbs.

**Fraction of
Dispersion:** 1.0

**Fraction of Pro-
duction Lost:** 0.03

Release Rate (million lbs/yr): 28.0

TOXICITY DATA

Acute Toxicity
LD₅₀

Dosage
200 mg/kg

Animal
mouse

Route
intraperitoneal

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Glycidol


CHEMICAL NAME

CAS Number: 556-52-5

Chemical Name: 2,3 - Epoxy - 1 - propanol

Synonyms: Glycide
Glycidol

**Molecular
Formula:** $C_3H_6O_2$



Chemical Properties

Molecular Weight: 74.09

Physical State: Liquid

Vapor Pressure:

Vapor Density:

Boiling Point: 167°C (decomposes)

Melting Point:

Density: 1.165 at 0°C/4°C

Solubility: Infinite (H_2O)

**Octanol/Water Parti-
tion Coefficient:**

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Glycidol

PRODUCTION DATA

Annual U.S.
Production:

Consumption:

Fraction of
Dispersion:

Fraction of Pro-
duction Lost:

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
LD ₅₀	850 mg/kg	rat	oral
	450 mg/kg	mouse	oral
	1980 mg/kg	rabbit	skin
LC ₅₀	580 ppm (8 hours)	rat	inhalation
	450 ppm (4 hours)	mouse	inhalation

Non-lethal Acute Effects:

Nervous excitation followed by depression
Irritant to eyes and respiratory tract

Chronic Toxicity

U.S. Occupational Standard: (air) TWA 50 ppm

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV: 50 ppm

Other Chronic Effects:

Glycine


CHEMICAL NAME

CAS Number: 56-40-6

Chemical Name: Glycine

Synonyms: Aminoacetic acid
Glycocoll

**Molecular
Formula:** $C_2H_5NO_2$



Chemical Properties

Molecular Weight: 75.07

Physical State: Solid

Vapor Pressure:

Vapor Density:

Boiling Point: (decomposes)

Melting Point: 232 to 236°C (decomposes)

Density: 1.1607

Solubility: Soluble (H_2O)

**Octanol/Water Parti-
tion Coefficient:** -3.03

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Glycine

PRODUCTION DATA

**Annual U.S.
Production:**

Consumption:

**Fraction of
Dispersion:**

**Fraction of Pro-
duction Lost:**

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity

Dosage

Animal

Route

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Glyoxal

CHEMICAL NAME


CAS Number: 107-22-2

Chemical Name: Glyoxal

Synonyms: Ethanedial
Oxalaldehyde
Biformyl

**Molecular
Formula:** $C_2H_2O_2$

Structure:



Chemical Properties

Molecular Weight: 58.02

Vapor Pressure: <10 mm at 25°C

Boiling Point: 50.4°C

Density: 1.26 at 20°C/4°C

**Octanol/Water Parti-
tion Coefficient:**

Physical State: Solid or Liquid

Vapor Density:

Melting Point: 15°C

Solubility: Very soluble (H_2O)

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard: Fire-slight

Glyoxal

PRODUCTION DATA

Annual U.S.
Production:

Consumption:

Fraction of
Dispersion:

Fraction of Pro-
duction Lost:

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity
LD₅₀

Dosage
200 mg/kg
760 mg/kg
100 mg/kg

Animal
mouse
guinea pig
rat

Route
intraperitoneal
oral
oral

Non-lethal Acute Effects:

Local irritant to skin and mucous membranes

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Guanidine

CHEMICAL NAME


CAS Number: 113-00-8

Chemical Name: Guanidine

Synonyms: Amino methanamine
Carbamidine

**Molecular
Formula:** CH_5N_3

Structure:



Chemical Properties

Molecular Weight: 59.07

Vapor Pressure:

Boiling Point: 160°C (decomposes)

Density:

Octanol/Water Partition Coefficient:

Physical State: Solid

Vapor Density:

Melting Point: ca. 50°C

Solubility: Very soluble (H_2O)

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Guanidine

PRODUCTION DATA

Annual U.S.
Production:

Consumption:

Fraction of
Dispersion:

Fraction of Pro-
duction Lost:

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity
LD_{Lo}

Dosage

Animal

Route

175 mg/kg
300 mg/kg
200 mg/kg
100 mg/kg
200 mg/kg
500 mg/kg
500 mg/kg
1500 mg/kg
100 mg/kg

rat
mouse
dog
cat
cat
rabbit
rabbit
guinea pig
guinea pig

intraperitoneal
subcutaneous
subcutaneous
intraperitoneal
subcutaneous
oral
subcutaneous
intraperitoneal
subcutaneous

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Guthion


CHEMICAL NAME

CAS Number: 86-50-0

Chemical Name: Phosphorodithioic acid, O-O, dimethyl ester, S-ester with 3-(mercaptomethyl)-1,2,3-benzotriazin-4(3H)-one

Synonyms: Guthion
O-O-Dimethyl-S-(4-oxo-1,2,3-benzotriazin-3-(4H)-ylmethyl)-phosphorodithioate
Benzotriazinedithiophosphoric acid, dimethoxy ester
N-Methylbenzamide, dimethyldiphosphoric acid ester

Molecular Formula: $C_{10}H_{12}N_3O_3PS_2$



Chemical Properties

Molecular Weight: 317.34

Physical State: Solid

Vapor Pressure:

Vapor Density:

Boiling Point: Decomposes at elevated temperatures

Melting Point: 74°C

Density: 1.44

Solubility: Slightly (H_2O)
(29 ppm at 25°C)

Octanol/Water Partition Coefficient:

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

PRODUCTION DATA

**Annual U.S.
Production:** 4.0×10^6 lbs.

Consumption:

**Fraction of
Dispersion:** 1.0

**Fraction of Pro-
duction Lost:** 0.015

Release Rate (million lbs/yr): 4.0

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
LD ₅₀	16 mg/kg	rat	oral
	300 mg/kg	rat	skin
	15 mg/kg	rat	unreported
	4 mg/kg	mouse	intraperitoneal
	80 mg/kg	guinea pig	oral
	277 mg/kg	chicken	oral
LD _{Lo}	8 mg/kg	wild bird	oral
	5 mg/kg	mouse	oral

Chronic Toxicity

U.S. Occupational Standard: (air) TWA 200 $\mu\text{g}/\text{m}^3$ (skin)
EPA—Farm worker field reentry standard

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects: Cholinesterase inhibition

Heptachlor

CHEMICAL NAME

CAS Number: 76-44-8


Chemical Name: 1,4,5,6,7,8',8-Heptachloro-3a,4,7,7a-tetrahydro-4,7-methanoindene

Synonyms: Heptachlor
3,4,5,6,7,8,9-Heptachlorodicyclopentadiene

Molecular

Formula: $C_{10}H_5Cl_7$

Structure:



Chemical Properties

Molecular Weight: 373.32

Physical State: Solid

Vapor Pressure:

Vapor Density:

Boiling Point:

Melting Point: 95 to 96°C

Density: 1.57 to 1.59

Solubility: Insoluble (H_2O)

Octanol/Water Partition Coefficient: 5.05

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard: Disaster hazard—dangerous, decomposition to toxic fumes

Heptachlor

PRODUCTION DATA

Annual U.S.
Production: 6×10^6 lbs.

Consumption:

Fraction of
Dispersion: 1.0

Fraction of Pro-
duction Lost: 0.01

Release Rate (million lbs/yr): 6.0

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
LD ₅₀	40 mg/kg	rat	oral
	195 mg/kg	rat	skin
	27 mg/kg	rat	intraperitoneal
	2000 mg/kg	rabbit	skin
	116 mg/kg	guinea pig	oral
Non-lethal Acute Effects:	62 mg/kg	chicken	oral
LD _{Lo}	25 mg/kg	mouse	oral
	40 mg/kg	mouse	intravenous
Convulsions			
Kidney damage			

Chronic Toxicity

U.S. Occupational Standard: (air) TWA $500 \mu\text{g}/\text{m}^3$ (skin)

Carcinogenicity:

Potential carcinogen according to EPA

Mutagenicity:

Teratogenicity:

TLV: $0.5 \text{ mg}/\text{m}^3$


Other Chronic Effects:

Heptene

CHEMICAL NAME

CAS Number: cis: 7642-10-6
trans: 14686-14-7
Chemical Name: cis: (Z)-3-Heptene
trans: (E)-3-Heptene
Synonyms: 1-Ethyl-2-propyl ethylene
3-Heptene
3-Heptylene

Molecular Formula: C_7H_{14}



Chemical Properties

Molecular Weight: 98.18

Physical State: Liquid

Vapor Pressure: 48.24 mm at 25°C

Vapor Density: 3.38

Boiling Point: 96°C at 760 mm (cis)
95.67°C at 760 mm (trans)

Melting Point: -136.63°C (trans)

Density: 0.7030 at 20°C/4°C (cis)
0.6981 at 20°C/4°C (trans)

Solubility: Insoluble (H_2O)

Octanol/Water Partition Coefficient:

Environmental Persistence

BOD:

Atmospheric Reactivity: Reacts vigorously with oxidizing materials

Safety Hazard: Fire—dangerous

Heptene

PRODUCTION DATA

Annual U.S.
Production: 114×10^6 lbs.

Consumption:

Fraction of
Dispersion:

Fraction of Pro-
duction Lost: 0.015

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity

Dosage

Animal

Route

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Potential carcinogen according to EPA (unspecified isomer)

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Minor irritant

Minor effects upon ingestion or inhalation

Herban


CHEMICAL NAME

CAS Number: 2163-79-3

Chemical Name: 3-(Hexahydro-4,7-methanoindan-5-yl)-1,1-dimethyl urea

Synonyms: Herban
Norea

Molecular Formula: $C_{13}H_{22}N_2O$



Chemical Properties

Molecular Weight: 222.3

Physical State: Solid

Vapor Pressure: Insignificant

Vapor Density:

Boiling Point: Decomposes

Melting Point: 168 to 169°C

Density: 1.162 at 25°C

Solubility: Very slightly soluble (H₂O)

Octanol/Water Partition Coefficient:

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

PRODUCTION DATA

**Annual U.S.
Production:** 2.0×10^6 lbs.

Consumption:

**Fraction of
Dispersion:** 1.0

**Fraction of Pro-
duction Lost:** 0.015

Release Rate (million lbs/yr): 2.0

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
LD ₅₀	1470 mg/kg	rat	oral
	2000 mg/kg	rat	not reported
	4600 mg/kg	mouse	oral
	3700 mg/kg	dog	oral

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Hexachloroethane

CHEMICAL NAME

CAS Number: 67-72-1

Chemical Name: Hexachloroethane

Synonyms: Carbon hexachloride
Perchloroethane

**Molecular
Formula:** C_2Cl_6

Structure: $Cl_3C - CCl_3$

Chemical Properties:

Molecular Weight: 236.76

Physical State: Solid

Vapor Pressure: 1 mm at 32.7°C

Vapor Density:

Boiling Point: 186.6°C (sublimes)

Melting Point: 185°C

Density: 2.091 at 20°C/4°C

Solubility: Insoluble (H_2O)

**Octanol/Water Parti-
tion Coefficient:**

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard: Explosion—slight
Disaster hazard—when heated to decomposition, emits phosgene

Hexachloroethane

PRODUCTION DATA

Annual U.S.
Production:

Consumption:

Fraction of
Dispersion:

Fraction of Pro-
duction Lost:

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity
LC_{Lo}

Dosage
325 mg/kg
4000 mg/kg

Animal
dog
rabbit

Route
intravenous
subcutaneous

Non-lethal Acute Effects:

Liver injury
Irritant to eyes
Mild narcosis

Chronic Toxicity

U.S. Occupational Standard: (air): TWA 1 ppm (skin)

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Hexachloronaphthalene

CHEMICAL NAME

CAS Number: 1335-87-1


Chemical Name: Hexachloronaphthalene

Synonyms: Chloronaphthalene

Molecular

Formula: $C_{10}H_2Cl_6$

Structure:



Chemical Properties

Molecular Weight: 334.9

Physical State: Solid

Vapor Pressure:

Vapor Density:

Boiling Point: $> 288^{\circ}C$

Melting Point: $> 88^{\circ}C$

Density: > 1.40 at $149^{\circ}C$

Solubility: Insoluble (H_2O)

Octanol/Water Partition Coefficient:

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Disaster hazard—dangerous—chlorides

Hexachloronaphthalene

PRODUCTION DATA

Annual U.S.
Production:

Consumption:

Fraction of
Dispersion:

Fraction of Pro-
duction Lost:

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity
LD_{Lo}

Dosage
11 mg/kg

Animal
cattle

Route
oral

Non-lethal Acute Effects:

Acneform eruptions
Toxic narcosis of the liver

Chronic Toxicity

U.S. Occupational Standard: (air) TWA 200 $\mu\text{g}/\text{m}^3$ (skin)

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Hexalene glycol

CHEMICAL NAME

CAS Number: 629-11-8

Chemical Name: 1,6-Hexanediol

Synonyms: Hexalene glycol
Hexamethylene glycol

**Molecular
Formula:** $C_6H_{14}O_2$

Structure: $HO - CH_2 - (CH_2)_4 - CH_2OH$

Chemical Properties

Molecular Weight: 118.18

Physical State: Liquid

Vapor Pressure: <10 mm at 25°C

Vapor Density: 4.07

Boiling Point: 250°C at 760 mm

Melting Point: 41 to 42°C

Density: 0.967 at 0°C/4°C

Solubility: Soluble (H₂O)

**Octanol/Water Parti-
tion Coefficient:**

Environmental Persistence

BOD:

Atmospheric Reactivity: Reacts with oxidizing materials

Safety Hazard:

Hexalene glycol

PRODUCTION DATA

Annual U.S.
Production:

Consumption:

Fraction of
Dispersion:

Fraction of Pro-
duction Lost:

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity
LD₅₀

Dosage
3730 mg/kg

Animal
rat

Route
oral

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Hexamethylenetetramine

CHEMICAL NAME

CAS Number: 100-97-0

Chemical Name: Hexamethylenetetramine


Synonyms: Methenamine
Formamine
Hexamine

Urotropin
Metramine
Hexaform

Ammonioformaldehyde
Formin
Hexamethyleneamine
1,3,5,7-Tetrazaadamantane

Molecular Formula: $C_6H_{12}N_4$

Structure:



Chemical Properties

Molecular Weight: 140.19

Physical State: Solid

Vapor Pressure:

Vapor Density:

Boiling Point: Sublimes

Melting Point: 285 to 295°C

Density: 1.331 at -5°C

Solubility: Very soluble (666 gm/l H_2O)

Octanol/Water Partition Coefficient: -2.34

Environmental Persistence

BOD: 2% of theoretical after 5 days at 20°C
Total theoretical oxygen demand = 3.19 gm/gm

Atmospheric Reactivity:

Activity: reacts slowly with RO_2 and O_3
will react with oxidizing materials
Activity toward OH: $t_{1/2} = 9.6$ hr.
Hydrolyzes rapidly at pH 3 or 7, $t_{1/2} = 1$ day

Safety Hazard: Fire-Moderate

Hexamethylenetetramine

PRODUCTION DATA

Annual U.S.
Production: 101×10^6 lbs.

Consumption: 101×10^6 lbs.

Fraction of
Dispersion: 0.62

Fraction of Pro-
duction Lost: 0.015

Release Rate (million lbs/yr): 63.6

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
LD ₅₀	9200 mg/kg	rat	intravenous
	200 mg/kg	rat	subcutaneous
LD _{Lo}	512 mg/kg	mouse	intraperitoneal

Non-lethal Toxic Effects:
Dermatitis
Vesicular lesions

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Neoplastic effects (sarcomas and adenomas):

TD _{Lo}	144 gm/kg (72 weeks)	rat	subcutaneous
Lymphomas		mouse	oral

Mutagenicity: Slight in mice, no details

Teratogenicity:

TLV:

Other Chronic Effects: Kidney damage

Hexanediamine

CHEMICAL NAME

CAS Number: 124-09-4

Chemical Name: 1,6-Hexanediamine

Synonyms: Hexamethylene diamine
HMDA

**Molecular
Formula:** $C_6H_{16}N_2$

Structure: $H_2N - CH_2CH_2CH_2CH_2CH_2CH_2 - NH_2$

Chemical Properties

Molecular Weight: 116.21

Physical State: Solid

Vapor Pressure:

Vapor Density:

Boiling Point: 205°C

Melting Point: 39-42°C

Density:

Solubility: Soluble (H_2O)

**Octanol/Water Parti-
tion Coefficient:**

Environmental Persistence

BOD:

Atmospheric Reactivity: Reacts with oxidizing materials

Safety Hazard: Fire--Slight

Hexanediamine

PRODUCTION DATA

Annual U.S.

Production: 613.4×10^6 lbs. (1970)

Consumption: 1224.4×10^6 lbs.

Fraction of

Dispersion: 0.01

Fraction of Pro-

duction Lost: 0.015

Release Rate (million lbs/yr): 12.8

TOXICITY DATA

Acute Toxicity

Dosage

Animal

Route

Irritation of eyes and mucous membranes
Hepatitis

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Hydrogen cyanide

CHEMICAL NAME

CAS Number: 74-90-8

Chemical Name: Hydrocyanic acid

Synonyms: Hydrogen cyanide
Prussic acid

**Molecular
Formula:** CHN

Structure: $\text{HC} \equiv \text{N}$

Chemical Properties

Molecular Weight: 27.03

Physical State: Liquid

Vapor Pressure: 739.36 mm at 25°C

Vapor Density: 0.932

Boiling Point: 25.7°C at 760 mm

Melting Point: -13.3°C

Density: 0.6876 at 20°C/4°C

Solubility: Infinite (H₂O)

**Octanol/Water Parti-
tion Coefficient:**

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Hydrogen cyanide

PRODUCTION DATA

Annual U.S.

Production: 141.6×10^6 lbs. (1976 capacity)

Consumption: 365×10^6 lbs.

**Fraction of
Dispersion:**

**Fraction of Pro-
duction Lost:** 0.015

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
LD ₅₀	3700 µg/kg	mouse	oral
	2990 µg/kg	mouse	intraperitoneal
	1100 µg/kg	mouse	intravenous
	2700 µg/kg	mouse	intramuscular
	1570 µg/kg	rabbit	intraperitoneal
	2500 µg/kg	rabbit	subcutaneous
	820 µg/kg	rabbit	intravenous
	1100 µg/kg	rabbit	intramuscular
	570 µg/kg	human	oral
	3 mg/kg	mouse	subcutaneous
LD _{Lo}	4 mg/kg	dog	oral
	1700 µg/kg	dog	subcutaneous
	2 mg/kg	cat	oral
	1100 µg/kg	cat	subcutaneous
	100 µg/kg	guinea pig	subcutaneous
LC ₅₀	544 ppm (5 months)	rat	inhalation
	169 ppm (30 months)	mouse	inhalation
	300 ppm (3 months)	dog	inhalation
LC _{Lo}	120 mg/m ³ (1 hours)	human	inhalation
	2500 mg/m ³	cat	inhalation
	600 mg/m ³ (2 months)	rabbit	inhalation

Protoplasmic poison—halts cellular oxidation

Chronic Toxicity

U.S. Occupational Standard: (air) TWA 10 ppm

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV: 10 ppm

Other Chronic Effects:

Hydroquinone


CHEMICAL NAME

CAS Number: 123-31-9

Chemical Name: Hydroquinone

Synonyms: p-Hydroquinone Hydroquinol
1,4-Benzenediol
Quinol

**Molecular
Formula:** C₆H₆O

Structure: HO  OH

Chemical Properties

Molecular Weight: 110.6

Physical State: Solid

Vapor Pressure: 1 mm at 132.4°C

Vapor Density: 3.81

Boiling Point: 286.2°C

Melting Point:

Density: 1.358 at 20°C/4°C

Solubility: Soluble (H₂O)

**Octanol/Water Parti-
tion Coefficient:**

Environmental Persistence

BOD: 53% of theoretical

Atmospheric Reactivity: Reacts with oxidizing materials

Safety Hazard:

Hydroquinone

PRODUCTION DATA

Annual U.S. Production: 29.7 x 10⁶ lbs. (1976 capacity)
Consumption:
Fraction of Dispersion:
Fraction of Production Lost: 0.015
Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
LD ₅₀	370 mg/kg	cat	oral
	170 mg/kg	rat	intraperitoneal
	320 mg/kg	rat	oral
	115 mg/kg	rat	intravenous
	400 mg/kg	mouse	oral
	190 mg/kg	mouse	subcutaneous
	200 mg/kg	dog	oral
	70 mg/kg	cat	oral
	125 mg/kg	rabbit	intraperitoneal
	550 mg/kg	guinea pig	oral
	300 mg/kg	pigeon	oral
LD _{Lo}	200 mg/kg	rat	subcutaneous
	100 mg/kg	mouse	intraperitoneal
	150 mg/kg	guinea pig	intraperitoneal
	190 mg/kg	frog	parenteral

Non-lethal Acute Effects:
 Dermatitis
 Neurological effects

Jaundice
 Nausea and vomiting

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Neoplastic:

TD_{Lo}

800 mg/kg

mouse

skin

Mutagenicity:

Teratogenicity:

TLV: 2 mg/m³

Other Chronic Effects:

Indene

CHEMICAL NAME


CAS Number: 95-13-6

Chemical Name: 1H-Indene

Synonyms: Indonaphthene
Indene
Inden

**Molecular
Formula:** C₉H₈

Structure:



Chemical Properties

Molecular Weight: 116.2

Vapor Pressure: 2.23 mm at 25°C

Boiling Point: 182.6°C at 760 mm

Density: 0.9968 at 20°C/4°C

**Octanol/Water Parti-
tion Coefficient:**

Physical State: Liquid

Vapor Density:

Melting Point: -1.8 to -1.5°C

Solubility: Insoluble (H₂O)

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Indene

PRODUCTION DATA

Annual U.S.
Production:

Consumption:

Fraction of
Dispersion:

Fraction of Pro-
duction Lost:

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity

Dosage

Animal

Route

Non-lethal Acute Effects:
Local irritant

Chronic Toxicity

U.S. Occupational Standard: (air) TWA 10 ppm

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Isoamyl alcohol

CHEMICAL NAME

CAS Number: 123-51-3


Chemical Name: Isopentyl alcohol

Synonyms: Isoamyl alcohol, primary
Fusel oil

Isobutyl carbinol
3,3-Dimethyl-1-propanol

Molecular

Formula: $C_5H_{12}O$



Chemical Properties

Molecular Weight: 88.15

Physical State: Liquid

Vapor Pressure: <10 mm at 25°C

Vapor Density: 3.04

Boiling Point: 132°C

Melting Point: -117.2°C

Density: 0.813 at 15°C/4°C

Solubility: Slightly (H_2O)

Octanol/Water Partition Coefficient:

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard: Fire—moderate
Explosion—slight

Isoamyl alcohol

PRODUCTION DATA

Annual U.S.
Production:

Consumption:

Fraction of
Dispersion:

Fraction of Pro-
duction Lost:

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
LD ₅₀	1300 mg/kg	rat	oral
	3970 mg/kg	rabbit	skin
LD _{Lo}	813 mg/kg	rat	intraperitoneal
	4250 mg/kg	rabbit	oral

Non-lethal Acute Effects:

Irritant to eyes and skin

Chronic Toxicity

U.S. Occupational Standard: (air) TWA 100 ppm

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Isobutyl acetate

CHEMICAL NAME


CAS Number: 110-19-0

Chemical Name: Acetic acid, isobutyl ester

Synonyms: Isobutyl acetate

Molecular

Formula: C₆H₁₂O₂



Chemical Properties

Molecular Weight: 116.2

Vapor Pressure: 19.61 mm at 25°C

Boiling Point: 118.0°C at 760 mm

Density: 0.8712 at 20°C/4°C

Octanol/Water Partition Coefficient:

Physical State: Liquid

Vapor Density: 4.0

Melting Point: -99°C

Solubility: Slightly soluble (H₂O)

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard: Fire—dangerous

Isobutyl acetate

PRODUCTION DATA

Annual U.S.
Production:

Consumption:

Fraction of
Dispersion:

Fraction of Pro-
duction Lost:

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity

LD₅₀

LC_{Lo}

Dosage

4760 mg/kg

8000 ppm (4 hours)

Animal

rabbit

rat

Route

oral

inhalation

Non-lethal Acute Effects:

Narcotic

Chronic Toxicity

U.S. Occupational Standard: (air) TWA 150 ppm

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV: 150 ppm

Other Chronic Effects:

Isobutyl alcohol

CHEMICAL NAME


CAS Number: 78-83-1

Chemical Name: Isobutyl alcohol

Synonyms: 2-Methylpropanol
Isopropyl carbinol

Molecular

Formula: C₄H₈O



Chemical Properties

Molecular Weight: 74.12

Physical State: Liquid

Vapor Pressure: 12.6 mm at 25°C

Vapor Density: 2.55

Boiling Point: 107.9

Melting Point: -108°C

Density: 0.805 at 20°C/4°C

Solubility: Soluble (40 gm/l H₂O)

Octanol/Water Partition Coefficient: 0.97

Environmental Persistence

BOD: 81% of theoretical after 20 days at 20°C
Total theoretical oxygen demand = 2.6 gm/gm

Atmospheric Reactivity:

Safety Hazard: Fire—moderate
Explosion—moderate
Disaster hazard—moderate—toxic fumes

Isobutyl alcohol

PRODUCTION DATA

**Annual U.S.
Production:** 96.4×10^6 lbs.

Consumption: 96.4×10^6 lbs.

**Fraction of
Dispersion:** 0.25

**Fraction of Pro-
duction Lost:** 0.015

Release Rate (million lbs/yr): 29.5

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
LD ₅₀	2460 mg/kg	rat	oral
	4240 mg/kg	rabbit	skin
LD _{Lo}	3750 mg/kg	rabbit	oral
LC _{Lo}	8000 ppm (4 hours)	rat	inhalation

Non-lethal Acute Effects:

Local irritant
Conjunctivitis
Dermatitis

Chronic Toxicity

U.S. Occupational Standard: (air) TWA 100 ppm

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV: 100 ppm

Other Chronic Effects:

Isobutylaldehyde


CHEMICAL NAME

CAS Number: 78-84-2

Chemical Name: Isobutyraldehyde

Synonyms: Isobutyl aldehyde
2-Methyl propaldehyde
Isobutanal

**Molecular
Formula:** C₄H₈O



Chemical Properties

Molecular Weight: 72.12

Physical State: Liquid

Vapor Pressure: 210 mm at 25°C

Vapor Density:

Boiling Point: 64°C

Melting Point: -66°C

Density: 0.794 at 20°C/4°C

Solubility: Insoluble (H₂O)

**Octanol/Water Parti-
tion Coefficient:**

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Isobutylaldehyde

PRODUCTION DATA

Annual U.S.
Production:

Consumption:

Fraction of
Dispersion:

Fraction of Pro-
duction Lost:

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity

LD₅₀
LC_{Lo}

Dosage

2810 mg/kg
8000 ppm (4 hours)

Animal

rat
rat

Route

oral
inhalation

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Isobutylene

CHEMICAL NAME

CAS Number: 115-11-7

Chemical Name: 2-Methyl-1-propene

Synonyms: Isobutylene
Isobutene
2-Methylpropene

**Molecular
Formula:** C₄H₈

Structure:
$$\begin{array}{c} \text{CH}_3 \\ | \\ \text{H}_3\text{C} - \text{C} = \text{CH}_2 \end{array}$$

Chemical Properties

Molecular Weight: 56.1

Physical State: Liquid/liquified gas

Vapor Pressure: 3290 mm at 40.5°C

Vapor Density: 1.94

Boiling Point: -6.9°C

Melting Point: -140.35°C

Density: 0.600 at 20°C/4°C (liquid)

Solubility: Insoluble (H₂O)

**Octanol/Water Parti-
tion Coefficient:**

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Fire—dangerous

Isobutylene

PRODUCTION DATA

Annual U.S.
Production:

Consumption:

Fraction of
Dispersion:

Fraction of Pro-
duction Lost:

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity

Dosage

Animal

Route

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Isobutyric acid

CHEMICAL NAME


CAS Number: 79-31-2

Chemical Name: Isobutyric acid

Synonyms: 2-Methylpropanoic acid

Molecular

Formula: $C_4H_8O_2$



Chemical Properties

Molecular Weight: 88.1

Physical State: Liquid

Vapor Pressure: 2.67 mm at 25°C

Vapor Density: 3.04

Boiling Point: 153.2°C at 760 mm

Melting Point: -46.1°C

Density: 0.949 at 20°C/4°C

Solubility: Very Soluble (H₂O)

Octanol/Water Partition Coefficient: 1.00

Environmental Persistence

BOD:

Atmospheric Reactivity: Reacts with oxidizing materials

Safety Hazard: Fire—moderate

Isobutyric acid

PRODUCTION DATA

Annual U.S.
Production:

Consumption:

Fraction of
Dispersion:

Fraction of Pro-
duction Lost:

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity
LD₅₀

Dosage
280 mg/kg
500 mg/kg

Animal
rat
rabbit

Route
oral
skin

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Isodecyl alcohol

CHEMICAL NAME

CAS Number: (Mixture)

Chemical Name:

Synonyms: Isodecyl alcohol
Isodecanol

**Molecular
Formula:** $C_{10}H_{22}O$

Structure: Mixture of C_{10} alcohols, predominantly trimethyl heptanols

Chemical Properties

Molecular Weight: 158.32

Physical State: Liquid

Vapor Pressure: <.01 mm at 20°C

Vapor Density: 5.5

Boiling Point: 220.1°C

Melting Point:

Density: 0.8395

Solubility: Insoluble (H_2O)

**Octanol/Water Parti-
tion Coefficient:**

Environmental Persistence

BOD: 32% of theoretical after 20 days at 20°C

Total theoretical oxygen demand = 3.03 gm/gm.

Atmospheric Reactivity:

Safety Hazard:

Fire—moderate

Isodecyl alcohol

PRODUCTION DATA

Annual U.S.
Production: 147×10^6 lbs.

Consumption: 147×10^6 lbs.

Fraction of
Dispersion: 0.5

Fraction of Pro-
duction Lost: 0.15

Release Rate (million lbs/yr): 75.7

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
----------------	--------	--------	-------

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Isooctyl alcohol

CHEMICAL NAME

CAS Number: 26952-21-6

Chemical Name: Isooctanol

Synonyms: Isooctanol (isomer mix)

**Molecular
Formula:** $C_8H_{18}O$

Structure: $(C_7H_{15})CH_2OH$

Chemical Properties

Molecular Weight: 130.26

Physical State: Liquid

Vapor Pressure:

Vapor Density:

Boiling Point: 182 to 195°C

Melting Point:

Density: 0.832 at 20°C/20°C

Solubility:

**Octanol/Water Parti-
tion Coefficient:**

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Isooctyl alcohol

PRODUCTION DATA

Annual U.S.
Production:

Consumption:

Fraction of
Dispersion:

Fraction of Pro-
duction Lost:

Release Rate (million lbs/yr): 15.8 (1972)

TOXICITY DATA

Acute Toxicity
LD₅₀

Dosage
1480 mg/kg

Animal
rat

Route
oral

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Isooctylphenol, ethoxylated


CHEMICAL NAME

CAS Number: 11059-29-3

Chemical Name: 26-(Isooctylphenoxy)-3,6,9,12,15,18,21,24-octaohexacosan-1-ol

Synonyms: Octylphenol polyglycol ether
Isooctylphenoxypolyoxyethylene ethanol

**Molecular
Formula:** $C_{32}H_{58}O_{10}$



Chemical Properties

Molecular Weight:

Physical State: Liquid

Vapor Pressure:

Vapor Density:

Boiling Point: 150°C at 1 mm

Melting Point: 2 to 5°C

Density: 1.06 at 20°C

Solubility:

**Octanol/Water Parti-
tion Coefficient:**

Environmental Persistence

BOD:

Atmospheric Reactivity: Reacts with oxidizing materials

Safety Hazard:

Fire—slight

Disaster hazard—dangerous—toxic fumes

Isooctylphenol, ethoxylated

PRODUCTION DATA

Annual U.S.
Production: 20×10^6 lbs.

Consumption: 20×10^6 lbs.

Fraction of
Dispersion: 1.0

Fraction of Pro-
duction Lost: 0.03

Release Rate (million lbs/yr): 20.6

TOXICITY DATA

Acute Toxicity LD ₅₀	Dosage	Animal	Route
for x = 3	4000 mg/kg	rat	oral
x = 5	3800 mg/kg	rat	oral
x = 8-10	1800 mg/kg	rat	oral
x = 12-131	900 mg/kg	rat	oral
x = 16	2800 mg/kg	rat	oral
x = 20	3600 mg/kg	rat	oral

where x denotes the number of ethoxy groups

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Isophorone

CHEMICAL NAME

CAS Number: 78-59-1


Chemical Name: 3,5,5-Trimethyl-2-cyclohexen-1-one

Synonyms: Isophorone

Molecular

Formula: C₉H₁₄O

Structure:



Chemical Properties

Molecular Weight: 138.1

Physical State: Liquid

Vapor Pressure: 1 mm at 38°C

Vapor Density: 4.77

Boiling Point: 215.2°C

Melting Point: -8.1°C

Density: 0.9229 at 20°C

Solubility: Insoluble (H₂O)

Octanol/Water Partition Coefficient:

Environmental Persistence

BOD:

Atmospheric Reactivity: Reacts with oxidizing materials

Safety Hazard: Fire--moderate

Isophorone

PRODUCTION DATA

Annual U.S.
Production:

Consumption:

Fraction of
Dispersion:

Fraction of Pro-
duction Lost:

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity
LD₅₀

Dosage
2330 mg/kg

Animal
rat

Route
oral

Non-lethal Acute Effects:

Local irritant
Lachrymation, opacity of cornea
Kidney poisoning

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV: 25 ppm

Other Chronic Effects:

Isophthalic acid

CHEMICAL NAME

CAS Number: 121-91-5


Chemical Name: Isophthalic acid

Synonyms: Benzenedicarboxylic acid
Isophthalic acid

Molecular

Formula: $C_8H_6O_4$

Structure:



Chemical Properties

Molecular Weight: 166.14

Vapor Pressure: <10 mm at 25°C

Boiling Point: Sublimes

Density: 1.593

Octanol/Water Partition Coefficient:

Physical State: Solid

Vapor Density:

Melting Point: 348°C

Solubility: Slightly soluble (H₂O)

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard: Fire—slight

Isophthalic acid

PRODUCTION DATA

Annual U.S.**Production:** 100×10^6 lbs. (1976 capacity)**Consumption:****Fraction of
Dispersion:****Fraction of Pro-
duction Lost:** 0.015**Release Rate (million lbs/yr):**

TOXICITY DATA

Acute ToxicityLD₅₀**Dosage**

4200 mg/kg

Animal

mouse

Route

intraperitoneal

Chronic Toxicity**U.S. Occupational Standard:****Carcinogenicity:****Mutagenicity:****Teratogenicity:****TLV:****Other Chronic Effects:**

Isoprene


CHEMICAL NAME

CAS Number: 78-79-5

Chemical Name: Isoprene

Synonyms: 2-Methyl-1,3-butadiene

**Molecular
Formula:** C₅H₈



Chemical Properties

Molecular Weight: 68.13

Physical State: Liquid

Vapor Pressure: 600.93 mm at 25°C

Vapor Density: 2.35

Boiling Point: 34°C at 760 mm

Melting Point: -146°C

Density: 0.6806 at 20°C/4°C

Solubility: Insoluble (H₂O)

**Octanol/Water Parti-
tion Coefficient:**

Environmental Persistence

BOD:

Atmospheric Reactivity: Reacts with oxidizing materials

Safety Hazard: Fire—very dangerous

Isoprene

PRODUCTION DATA

Annual U.S. Production: 467×10^6 lbs. (1976 capacity) **Consumption:**

Fraction of Dispersion: 0.01 **Fraction of Production Lost:** 0.015

Release Rate (million lbs/yr): 6

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
Concentrations of 5% are fatal to mice			
LC _{Lo}	144 mg/m ³	mouse	inhalation
	180 mg/m ³	rat	inhalation

Non-lethal Acute Effects:

Irritant to eyes and mucous membranes
Anaesthesia at high concentration

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Isopropyl acetate

CHEMICAL NAME


CAS Number: 108-21-4

Chemical Name: Acetic acid, 1-methyl ethyl ester

Synonyms: Isopropylacetate

Molecular

Formula: $C_5H_{10}O_2$



Chemical Properties

Molecular Weight: 102.13

Physical State: Liquid

Vapor Pressure: 58.8 mm at 25°C

Vapor Density: 3.52

Boiling Point: 90°C at 760 mm

Melting Point: -73.4°C

Density: 0.8718 at 20°C/4°C

Solubility: Soluble (H_2O)

Octanol/Water Partition Coefficient:

Environmental Persistence

BOD: 13% of theoretical

Atmospheric Reactivity: Reacts with oxidizing materials

Safety Hazard: Fire—dangerous
Explosion—moderate

Isopropyl acetate

PRODUCTION DATA

Annual U.S. Production: 41.9×10^6 lbs., 1967
(40×10^6 lbs., 1976 capacity)

Consumption:

Fraction of Dispersion: 0.01

Fraction of Production Lost: 0.015

Release Rate (million lbs/yr): 24.8

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
LC	3.2%	rat	---
TC _{Lo}	200 ppm	human	inhalation
LD ₅₀	3000 mg/kg	rat	oral

Non-lethal Acute Effects:

Irritant to eyes, skin, and mucous membranes
Narcotic

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV: 250 ppm

Other Chronic Effects: Liver damage

Isopropyl alcohol


CHEMICAL NAME

CAS Number: 67-63-0

Chemical Name: Isopropyl alcohol

Synonyms: 2-Propanol
sec-Propyl alcohol
Dimethylcarbinol

**Molecular
Formula:** C₃H₈O



Chemical Properties

Molecular Weight: 60.09

Physical State: Liquid

Vapor Pressure: 44.29 mm at 25°C

Vapor Density: 2.07

Boiling Point: 82.4°C at 760 mm

Melting Point: -89.5°C

Density: 0.7854 at 20°C/4°C

Solubility: Infinite (H₂O)

**Octanol/Water Parti-
tion Coefficient:**

Environmental Persistence

BOD: 78% of theoretical after 20 days at 20°C
Total theoretical = 2.4 gm/gm

Atmospheric Reactivity: Reacts with oxidizing materials

Safety Hazard: Fire--dangerous
Explosion--moderate

Isopropyl alcohol

PRODUCTION DATA

**Annual U.S.
Production:** 1790 x 10⁶ lbs.

Consumption: 1698.6 x 10⁶ lbs.

**Fraction of
Dispersion:** 0.50

**Fraction of Pro-
duction Lost:** 0.015

Release Rate (million lbs/yr): 876.2

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
LD ₁₀₀	5000 mg/kg	rabbit	oral
	6000 mg/kg	mouse	subcutaneous
LD ₅₀	933 mg/kg	mouse	intraperitoneal
	6000 mg/kg	dog	oral
	16 mg/kg	rabbit	skin
LD _{Lo}	2371 mg/kg	human	oral
	192 mg/kg	mouse	oral
	1963 mg/kg	cat	intravenous
	6 mg/kg	mammal	subcutaneous

Non-lethal Acute Effects:

Conjunctivitis
Anemia
Irritant

TC_{Lo} 400 ppm human inhalation

Chronic Toxicity

U.S. Occupational Standard: (air) TWA 400 ppm

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV: 400 ppm

Other Chronic Effects:

Isopropylamine


CHEMICAL NAME

CAS Number: 75-31-0

Chemical Name: Isopropylamine

Synonyms: 2-Aminopropane

**Molecular
Formula:** C₃H₉N



Chemical Properties

Molecular Weight: 59.11

Physical State: Liquid

Vapor Pressure: 321.2 mm at 25°C

Vapor Density: 2.03

Boiling Point: 32.4°C at 760 mm

Melting Point: -95.2°C

Density: 0.694 at 15°C/4°C

Solubility: Infinite (H₂O)

**Octanol/Water Parti-
tion Coefficient:** -0.13

Environmental Persistence

BOD: 34% of theoretical after 10 days at 20°C

Atmospheric Reactivity: Reacts with oxidizing materials

Safety Hazard: Fire-dangerous

Isopropylamine

PRODUCTION DATA

**Annual U.S.
Production:** 18×10^6 lbs.

Consumption:

**Fraction of
Dispersion:** 0.01

**Fraction of Pro-
duction Lost:** 0.015

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
LD ₅₀	820 mg/kg	rat	oral
	550 mg/kg	rabbit	skin
LC _{Lo}	800 ppm (8 hours)	rat	inhalation
	7000 ppm (40 months)	mouse	inhalation

Non-lethal Acute Effects:

Strong irritant causing sensitivity of skin and mucous membranes
Narcotic in high concentrations

Chronic Toxicity

U.S. Occupational Standard: (air) TWA 5 ppm

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV: 5 ppm

Other Chronic Effects:

Isopropyl chloride


CHEMICAL NAME

CAS Number: 75-29-6

Chemical Name: 2-Chloropropane

Synonyms: Isopropyl chloride
Isoprid

Molecular
Formula: C_3H_7Cl



Chemical Properties

Molecular Weight: 78.55

Physical State: Liquid

Vapor Pressure: 534.5 mm at 25°C

Vapor Density: 2.71

Boiling Point: 35.74°C at 760 mm

Melting Point: -117.6°C

Density: 0.8617 at 20°C/4°C

Solubility: Slightly soluble (H_2O)

Octanol/Water Parti-
tion Coefficient:

Environmental Persistence

BOD:

Atmospheric Reactivity: Reacts with oxidizing materials

Safety Hazard:

Fire—highly dangerous

Explosion—moderate

Disaster hazard—dangerous—toxic fumes—chlorides and phosgene

Isopropyl chloride

PRODUCTION DATA

Annual U.S.
Production:

Consumption:

Fraction of
Dispersion:

Fraction of Pro-
duction Lost:

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity

Dosage

Animal

Route

Non-lethal Acute Effects:
Anaesthetic

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Isopropyl ether


CHEMICAL NAME

CAS Number: 108-20-3

Chemical Name: Isopropyl ether

Synonyms: 2-Isopropoxypropane
Diisopropyl ether

**Molecular
Formula:** C₆H₁₄O



Chemical Properties

Molecular Weight: 102.17

Physical State: Liquid

Vapor Pressure: 150 mm at 25°C

Vapor Density: 3.52

Boiling Point: 68.5°C

Melting Point: -88°C

Density: 0.719 at 25°C

Solubility: Soluble (H₂O)

**Octanol/Water Parti-
tion Coefficient:**

Environmental Persistence

BOD:

Atmospheric Reactivity: Reacts with oxidizing materials

Safety Hazard: Fire—highly dangerous
Explosion—severe
Disaster hazard—dangerous—toxic fumes—peroxides

Isopropyl ether

PRODUCTION DATA

**Annual U.S.
Production:** 14×10^6 lbs.

Consumption: 14×10^6 lbs.

**Fraction of
Dispersion:** 1.0

**Fraction of Pro-
duction Lost:** 0.015

Release Rate (million lbs/yr): 14.2

TOXICITY DATA

Acute Toxicity
LD₅₀

Dosage
812 mg/kg

Animal
mouse

Route
intraperitoneal

Non-lethal Acute Effects:

Irritant
TD_{Lo}

800 ppm (5 minutes)

human

inhalation

Chronic Toxicity

U.S. Occupational Standard: (air) TWA 500 ppm

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects: Narcotic at high concentrations

o-Isopropylphenol


CHEMICAL NAME

CAS Number: 88-69-7

Chemical Name: o-Isopropylphenol

Synonyms: 1-Hydroxy-2-isopropyl benzene
o-Cumenol

**Molecular
Formula:** C₉H₁₂O



Chemical Properties

Molecular Weight: 136.20

Physical State: Liquid

Vapor Pressure: 1 mm at 56.6°C

Vapor Density:

Boiling Point: 213 to 214°C at 760 mm

Melting Point: 15 to 16°C

Density: 0.995 at 25°C/25°C

Solubility: Slightly soluble (H₂O)

**Octanol/Water Parti-
tion Coefficient:** 1.08

Environmental Persistence

BOD:

Atmospheric Reactivity: Reacts with oxidizing materials

Safety Hazard:

Fire—moderate

Disaster hazard—dangerous—toxic fumes—phenol

o-Isopropylphenol

PRODUCTION DATA

Annual U.S. Production: 2084×10^6 lbs. (1976 capacity) **Consumption:**

Fraction of Dispersion: **Fraction of Production Lost:** 0.015

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
-----------------------	---------------	---------------	--------------

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

p-Isopropylphenol


CHEMICAL NAME

CAS Number: 99-89-8

Chemical Name: p-Isopropyl phenol

Synonyms: p-Cuménol
1-Hydroxy-4-isopropylphenol

**Molecular
Formula:** C₉H₁₂O



Chemical Properties

Molecular Weight: 136.2

Physical State: Liquid

Vapor Pressure: 1 mm at 67°C

Vapor Density:

Boiling Point: 228°C at 745 mm

Melting Point: 63.2°C

Density: 0.983

Solubility: Slightly soluble (H₂O)

**Octanol/Water Parti-
tion Coefficient:**

Environmental Persistence

BOD:

Atmospheric Reactivity: Reacts with oxidizing materials

Safety Hazard:

Disaster hazard—dangerous—toxic fumes—phenol

p-Isopropylphenol

PRODUCTION DATA

**Annual U.S.
Production:**

Consumption:

**Fraction of
Dispersion:**

**Fraction of Pro-
duction Lost:**

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity

Dosage

Animal

Route

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Ketene

CHEMICAL NAME

CAS Number: 463-51-4

Chemical Name: Ketene

Synonyms: Ethenone
Carbomethane
Keten

**Molecular
Formula:** C_2H_2O

Structure: $CH_2 = C = O$

Chemical Properties

Molecular Weight: 42.04

Physical State: Gas

Vapor Pressure:

Vapor Density: 1.45

Boiling Point: $-56^{\circ}C$

Melting Point: $-151^{\circ}C$

Density:

Solubility: Decomposes (H_2O)

**Octanol/Water Parti-
tion Coefficient:**

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Ketene

PRODUCTION DATA

Annual U.S.
Production:

Consumption:

Fraction of
Dispersion:

Fraction of Pro-
duction Lost:

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity

LD₅₀

LC_{Lo}

Dosage

1300 mg/kg

23 ppm (30 minutes)

53 ppm (100 minutes)

53 ppm (4 hours)

Animal

rat

mouse

rat

guinea pig

Route

unreported

inhalation

inhalation

inhalation

Chronic Toxicity

U.S. Occupational Standard: (air) TWA 0.5 ppm

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Pulmonary edema

Ligninsulfonic acid, ammonium salt

CHEMICAL NAME

CAS Number: Not listed in 9th Chemical Index

Chemical Name: (Complex mixture)

Synonyms: Ligninsulfonic acid, ammonium salt

Molecular

Formula: (Complex mixture)

Structure: (Several structures are proposed)

Chemical Properties

Molecular Weight: 1,000 to 20,000

Physical State: Solid

Vapor Pressure: Negligible at 25°C

Vapor Density:

Boiling Point: Decomposes above 200°C

Melting Point:

Density: ca. 1.5

Solubility: Infinite (H₂O)

Octanol/Water Partition Coefficient:

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Ligninsulfonic acid, ammonium salt

PRODUCTION DATA

**Annual U.S.
Production:** 40×10^6 lbs.

Consumption: 40×10^6 lbs.

**Fraction of
Dispersion:** 0.98

**Fraction of Pro-
duction Lost:** 0.03

Release Rate (million lbs/yr): 40.4

TOXICITY DATA

Acute Toxicity

Dosage

Animal

Route

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Ligninsulfonic acid, calcium salt

CHEMICAL NAME

CAS Number: (Not listed in 9th Chemical Index)

Chemical Name: (Complex mixture)

Synonyms: Ligninsulfonic acid, calcium salt

Molecular

Formula: (Complex mixture)

Structure: (Several structures are proposed)

Chemical Properties

Molecular Weight: (Unknown)

Physical State:

Vapor Pressure: Negligible

Vapor Density:

Boiling Point: Decomposes

Melting Point:

Density:

Solubility: Infinite (H₂O)

Octanol/Water Partition Coefficient:

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Ligninsulfonic acid, calcium salt

PRODUCTION DATA

**Annual U.S.
Production:** 326.6×10^6 lbs.

Consumption: 326.6×10^6 lbs.

**Fraction of
Dispersion:** 0.98

**Fraction of Pro-
duction Lost:** 0.03

Release Rate (million lbs/yr): 329.9

TOXICITY DATA

Acute Toxicity

Dosage

Animal

Route

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Ligninsulfonic acid, ferrochrome salt

CHEMICAL NAME

CAS Number: (Not listed in 9th Chemical Index)

Chemical Name: (Complex mixture)

Synonyms: Ligninsulfonic acid, ferrochrome salt

Molecular

Formula: (Complex mixture)

Structure: (Several structures are proposed)

Chemical Properties

Molecular Weight: (Unknown)

Vapor Pressure: Negligible

Boiling Point: Decomposes

Density:

Octanol/Water Partition Coefficient:

Physical State:

Vapor Density:

Melting Point:

Solubility: Infinite

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Ligninsulfonic acid, ferrochrome salt

PRODUCTION DATA

**Annual U.S.
Production:** 60×10^6 lbs.

Consumption: 60×10^6 lbs.

**Fraction of
Dispersion:** 0.98

**Fraction of Pro-
duction Lost:** 0.03

Release Rate (million lbs/yr): 60.6

TOXICITY DATA

Acute Toxicity

Dosage

Animal

Route

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Ligninsulfonic acid, sodium salt

CHEMICAL NAME

CAS Number: Not listed in 9th Chemical Index

Chemical Name: (Complex mixture)

Synonyms: Ligninsulfonic acid, sodium salt

Molecular

Formula: (Complex mixture)

Structure: (Several structures are proposed)

Chemical Properties

Molecular Weight: (Unknown)

Physical State:

Vapor Pressure: Negligible at 25°C

Vapor Density:

Boiling Point: Decomposes

Melting Point:

Density:

Solubility: Infinite

Octanol/Water Partition Coefficient:

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Ligninsulfonic acid, sodium salt

PRODUCTION DATA

**Annual U.S.
Production:** 58.7×10^6 lbs.

Consumption: 58.7×10^6 lbs.

**Fraction of
Dispersion:** 0.98

**Fraction of Pro-
duction Lost:** 0.03

Release Rate (million lbs/yr): 59.3

TOXICITY DATA

Acute Toxicity

Dosage

Animal

Route

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Lindane


CHEMICAL NAME

CAS Number: 58-89-9

Chemical Name: 1,2,3,4,5,6-Hexachlorocyclohexane (gamma isomer)

Synonyms: Gamma-benzene hexachloride
Gammexane

**Molecular
Formula:** $C_6H_6Cl_6$



Chemical Properties

Molecular Weight: 290.82

Physical State: Solid

Vapor Pressure: 0.0317 mm at 20°C

Vapor Density:

Boiling Point: 323.4°C at 760 mm

Melting Point: 112.5°C

Density:

Solubility: Insoluble (H₂O)

**Octanol/Water Parti-
tion Coefficient:**

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:
Disaster hazard—dangerous—phosgene

Lindane

PRODUCTION DATA

Annual U.S. Production: $<1.0 \times 10^6$ lbs.

Consumption:

Fraction of Dispersion: Estimated as 1.0

Fraction of Production Lost: 0.015

Release Rate (million lbs/yr): <1.0

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
LD ₅₀	88 mg/lg	rat	oral
	500 mg/lg	rat	skin
	86 mg/lg	mouse	oral
	60 mg/lg	rabbit	oral
	50 mg/lg	rabbit	skin
	127 mg/lg	guinea pig	oral
	180 mg/lg	child	oral
	840 mg/lg	human	oral
	35 mg/lg	rat	intraperitoneal
	75 mg/lg	mouse	intraperitoneal
	50 mg/lg	dog	oral
	8 mg/lg	dog	intravenous
	4000 µg/kg	rabbit	intravenous
	100 mg/kg	wild bird	oral
	26 mg/kg	wild bird	intramuscular

Non-lethal Acute Effects:

Local irritant—dermatitis
CNS stimulation—convulsions
Necrosis of blood vessels in lungs, liver and kidney
Pulmonary edema

Chronic Toxicity

U.S. Occupational Standard: (air) 500 mg/m³ (skin)

Carcinogenicity:

Mutagenicity:

TD_{Lo} 29 gm/kg (52 weeks) mouse oral

Teratogenicity:

TLV:

Other Chronic Effects:

Linuron


CHEMICAL NAME

CAS Number: 330-55-2

Chemical Name: 3-(3,4-Dichlorophenyl)-1-methoxy-1-methyl urea

Synonyms: Methoxy-1-methyl-3(3,4-dichlorophenyl)urea

Molecular Formula: $C_9H_{10}Cl_2N_2O_2$



Chemical Properties

Molecular Weight: 249.11

Physical State: Solid

Vapor Pressure:

Vapor Density:

Boiling Point:

Melting Point: 93 to 94°C

Density:

Solubility: Slightly (H₂O) (75 ppm at 25°C)

Octanol/Water Partition Coefficient:

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Linuron

PRODUCTION DATA

**Annual U.S.
Production:** 2.0×10^6 lbs.

Consumption:

**Fraction of
Dispersion:** Estimated as 1.0

**Fraction of Pro-
duction Lost:** 0.015

Release Rate (million lbs/yr): 2.0

TOXICITY DATA

Acute Toxicity
LD₅₀

Dosage
1500 mg/kg
3300 mg/kg
500 mg/kg

Animal
rat
rat
dog

Route
unreported
oral
oral

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Irritant of nose, eyes, throat and skin

Magenta

CHEMICAL NAME


CAS Number: 3248-93-9

Chemical Name: 4-[(4-Aminophenyl)(4-imino-2,5-cyclohexadien-1-ylidene)methyl]-2-methyl benzenamine

Synonyms: Magenta
Magenta I
 α^4 -(p-Aminophenyl)- α^4 -(4-imino-2,5-cyclohexadien-ylidene)-2,4-xylylene
2-Methyl-4,4'[(4-imino-2,5-cyclohexadien-1-ylidene)methylene]dianiline monohydrochloride

Molecular Formula: $C_{20}H_{19}N_3$

Structure:



Chemical Properties

Molecular Weight: 337.8

Physical State: Solid

Vapor Pressure:

Vapor Density:

Boiling Point:

Melting Point: 186°C (decomposes)

Density:

Solubility: Slightly (H_2O)

Octanol/Water Partition Coefficient:

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

PRODUCTION DATA

Annual U.S.
Production: 0.116×10^6 lbs. (1964)

Consumption:

Fraction of
Dispersion:

Fraction of Pro-
duction Lost: 0.015

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity
 LD_{Lo}

Dosage
150 mg/kg

Animal
rabbit

Route
oral

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity: Recognized carcinogen

Neoplastic effects:

TD_{Lo}

Mutagenicity:

2500 mg/kg (52 weeks)

mouse

oral

Teratogenicity:

TLV:

Other Chronic Effects:

Malathion


CHEMICAL NAME

CAS Number: 121-75-5

Chemical Name: Mercapto-succinic acid, diethyl ester, S-ester with O,O-dimethyl phosphorodithioate

Synonyms: Malathion
O,O-Dimethyl-S-1,2-bis (ethoxy carbonyl) ethyl dithiophosphate

Molecular Formula: $C_{10}H_{19}O_6PS_2$



Chemical Properties

Molecular Weight: 330.96

Physical State: Liquid

Vapor Pressure: 4×10^{-5} mm at 30°C

Vapor Density:

Boiling Point: 156°C at 77 mm

Melting Point: 2.85°C

Density: 1.23 at 25°C/4°C

Solubility: Slightly (H_2O)

Octanol/Water Partition Coefficient:

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Malathion

PRODUCTION DATA

**Annual U.S.
Production:** 30×10^6 lbs. (1972)

Consumption: 30×10^6 lbs.

**Fraction of
Dispersion:** 1.0

**Fraction of Pro-
duction Lost:** 0.01

Release Rate (million lbs/yr): 30.3

TOXICITY DATA

Acute Toxicity
LD₅₀

Dosage
599 mg/kg
340 mg/kg
50 mg/kg
193 mg/kg
500 mg/kg

Animal
rat
rat
rat
mouse
mammal

Route
oral
intraperitoneal
intravenous
intraperitoneal
unreported

Chronic Toxicity

U.S. Occupational Standard: (air) TWA 15 mg/m³ (skin)

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV: 15 mg/m³

Other Chronic Effects: Allergic sensitization of skin

Maleic acid


CHEMICAL NAME

CAS Number: 110-16-7

Chemical Name: Maleic acid

Synonyms: Maleinic acid
Toxilic acid
cis-Butenedioic acid

**Molecular
Formula:** C₄H₄O₄



Chemical Properties

Molecular Weight: 116.07

Physical State: Solid

Vapor Pressure: Essentially 0

Vapor Density: 4.0

Boiling Point: 135°C—decomposes

Melting Point: 139 to 140°C

Density: 1.590 at 20°C/4°C

Solubility: Very soluble (H₂O)

**Octanol/Water Parti-
tion Coefficient:** -0.79

Environmental Persistence

BOD:

Atmospheric Reactivity:
Stable to ultraviolet irradiation

Safety Hazard: Fire—slight

Maleic acid

PRODUCTION DATA

Annual U.S. Production: 283.2×10^6 lbs. (1974) **Consumption:** ca. 283.2×10^6 lbs.
Fraction of Dispersion: **Fraction of Production Lost:** 0.015
Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
LD ₅₀	708 mg/kg	rat	oral
	1560 mg/kg	rabbit	skin

Non-lethal Acute Effects:

Irritant
Hypofunction of glycogen synthesis in liver
Conjunctivitis
Dermatitis

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Maleic anhydride

CHEMICAL NAME


CAS Number: 108-31-6

Chemical Name: Maleic anhydride

Synonyms: Toxilic anhydride
cis Butene dioicanhydride

**Molecular
Formula:** $C_4H_2O_3$

Structure:



Chemical Properties

Molecular Weight: 98.06

Physical State: Solid

Vapor Pressure: 1 mm at 44°C

Vapor Density: 3.4

Boiling Point: 197 to 199°C

Melting Point: 60°C

Density: 1.48 at 20°C/4°C

Solubility: Reacts with water; Soluble (H_2O)

**Octanol/Water Parti-
tion Coefficient:**

Environmental Persistence

BOD:

Atmospheric Reactivity: Reacts with oxidizing agents

Safety Hazard: Fire: moderate—toxic fumes

Maleic anhydride

PRODUCTION DATA

Annual U.S.**Production:** 211.8×10^6 lbs. (1975)**Consumption:** 230×10^6 lbs. (1975)**Fraction of****Dispersion:** 0.01**Fraction of Pro-****duction Lost:** 0.015**Release Rate (million lbs/yr):** 4.72

TOXICITY DATA

Acute ToxicityLD₅₀LD_{Lo}**Dosage**

60 mg/kg

850 mg/kg

Animal

mouse

rat

Route

oral

oral

Non-lethal Acute Effects:

Burns to eyes and skin

Pulmonary edema

Chronic Toxicity**U.S. Occupational Standard:** (air): TWA 0.25 ppm**Carcinogenicity:**TD_{Lo}

610 mg/kg (61 weeks)

rat

subcutaneous

Mutagenicity:**Teratogenicity:**

TLV: 0.25 ppm

Other Chronic Effects:

Maleic hydrazide

CHEMICAL NAME


CAS Number: 123-33-1

Chemical Name: 1,2-Dihydro-3,6-pyridazinedione

Synonyms: Maleic hydrazide
3,6-Dioxo-1,2,3,6-tetrahydropyridazine

Molecular Formula: $C_4H_4N_2O_2$

Structure:



Chemical Properties

Molecular Weight: 112.09

Physical State: Solid

Vapor Pressure:

Vapor Density:

Boiling Point:

Melting Point: $>300^{\circ}\text{C}$ decomposes

Density:

Solubility: Slightly soluble (H_2O)

Octanol/Water Partition Coefficient:

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard: Fire: Dangerous—toxic fumes

Maleic hydrazide

PRODUCTION DATA

Annual U.S.
Production: 3×10^6 lbs.

Consumption:

Fraction of
Dispersion: 1.0

Fraction of Pro-
duction Lost: 0.015

Release Rate (million lbs/yr): 3.0

TOXICITY DATA

Acute Toxicity

LD₅₀

Dosage

3800 mg/kg

Animal

rat

Route

oral

LD_{Lo}

8800 mg/kg

mouse

subcutaneous

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity: (suspected)

TD_{Lo}

1300 mg/kg (65 weeks)

rat

subcutaneous

8800 mg/kg (3 weeks)

mouse

subcutaneous

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Malic acid

CHEMICAL NAME

CAS Number: (dl): 617-48-1

(d): 636-61-3

(l): 97-67-6

Chemical Name: DL - Malic acid

L - Malic acid


D - Malic acid

Synonyms: Hydroxysuccinic acid

Apple acid

Molecular

Formula: $C_4H_6O_5$



Chemical Properties

Molecular Weight: 134.09

Physical State: Solid

Vapor Pressure:

150°C (dl) (decomposes)

Vapor Density:

Boiling Point: 140°C (d and l) (decomposes)

Melting Point: 128°C (dl)

100°C (d and l)

Density: 1.601 at 20°C/4°C (dl)

Solubility: Very soluble (H₂O)

1.595 at 20°C/4°C (d and l)

Octanol/Water Parti-

tion Coefficient: -1.53

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Malic acid

PRODUCTION DATA

Annual U.S.
Production:

Consumption:

Fraction of
Dispersion:

Fraction of Pro-
duction Lost:

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
Unspecified optical isomer			
LD _{Lo}	1600 mg/kg	rat	oral
L (+) isomer			
LD _{Lo}	5000 mg/kg	rat	oral

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Melamine

CHEMICAL NAME


CAS Number: 108-78-1

Chemical Name: Melamine

Synonyms: 2,4,6-Triamine-S-triazine
Cyanurotriarnide
2,4,6-Triamino-1,3,5-triazine

**Molecular
Formula:** $C_3H_6N_6$

Structure:



Chemical Properties

Molecular Weight: 126.13

Physical State: Solid

Vapor Pressure: 50 mm at 315°C

Vapor Density: 4.34

Boiling Point: Sublimes

Melting Point: 354°C (decomposes)

Density: 1.573 at 20°C/4°C

Solubility: Slightly soluble (H₂O)

**Octanol/Water Parti-
tion Coefficient:**

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard: Disaster Hazard: Dangerous--toxic fumes--cyanides

Melamine

PRODUCTION DATA

**Annual U.S.
Production:** 170×10^6 lbs (1973)

Consumption: 110×10^6 lbs. (1975)

**Fraction of
Dispersion:**

**Fraction of Pro-
duction Lost:** 0.015

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity
LD_{Lo}

Dosage
1600 mg/kg

Animal
mouse

Route
oral

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Mesitylene

CHEMICAL NAME

CAS Number: 95-63-6


Chemical Name: 1,3,4-Trimethyl benzene

Synonyms: Mesitylene

Molecular

Formula: C_9H_{12}

Structure:



Chemical Properties

Molecular Weight: 120.21

Vapor Pressure:

Boiling Point: 164.7°C at 760 mm

Density: 0.8637 at 20°C/4°C

Octanol/Water Partition Coefficient:

Physical State: Liquid

Vapor Density:

Melting Point: -44.7°C

Solubility: Insoluble (H₂O)

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Mesitylene

PRODUCTION DATA

Annual U.S.
Production:

Consumption:

Fraction of
Dispersion:

Fraction of Pro-
duction Lost:

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity

LC_{Lo}
LD_{Lo}

Dosage

2400 ppm (24 hours)
1500 mg/kg
1303 mg/kg

Animal

rat
rat
guinea pig

Route

inhalation
intraperitoneal
intraperitoneal

Non-lethal Acute Effects:

Narcotic leucopenia and thrombocytopenia
Dermatitis and conjunctivitis
Central nervous system:

TC_{Lo}

10 ppm

human

inhalation

Chronic Toxicity

U.S. Occupational Standard: (air) TWA 25 ppm

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Mesityl oxide


CHEMICAL NAME

CAS Number: 141-79-7

Chemical Name: 4-Methyl-3-penten-2 one

Synonyms: Mesityl oxide

**Molecular
Formula:** C₆H₁₀O



Chemical Properties

Molecular Weight: 98.14

Physical State: liquid

Vapor Pressure: 9.16 mm at 25°C

Vapor Density: 3.38

Boiling Point: 130°C at 760 mm

Melting Point: -52.85°C

Density: 0.8653 at 20°C/4°C

Solubility: Soluble (H₂O)

**Octanol/Water Parti-
tion Coefficient:** 1.24

Environmental Persistence

BOD:

Atmospheric Reactivity: Reacts with oxidizing material

Safety Hazard: Fire-Moderate

Mesityl oxide

PRODUCTION DATA

Annual U.S.
Production:

Consumption:

Fraction of
Dispersion:

Fraction of Pro-
duction Lost:

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
LD ₅₀	1120 mg/kg	rat	oral
	354 mg/kg	mouse	intraperitoneal
	1000 mg/kg	rabbit	oral
LC _{Lo}	1000 ppm (4 hours)	rat	inhalation
LD _{Lo}	1000 mg/kg	rat	intraperitoneal

Non-lethal Acute Effects:

Local irritant
Causes opaque cornea
Keratoconus
Extensive necrosis of the cornea
Liver and kidney effects
Damage to lungs

Chronic Toxicity

U.S. Occupational Standard: (air) TWA 25 ppm

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV: 25 ppm

Other Chronic Effects:

Methacrylic acid

CHEMICAL NAME


CAS Number: 79-41-4

Chemical Name: Methacrylic acid

Synonyms: α -Methyl acrylic acid
2-Methyl propenoic acid

Molecular

Formula: C₄H₆O₂



Chemical Properties

Molecular Weight: 86.1

Physical State: Liquid

Vapor Pressure: 1 mm at 25.5°C

Vapor Density:

Boiling Point: 162 to 163°C at 757 mm

Melting Point: 16°C

Density: 1.0153 at 20°C/4°C

Solubility: Soluble (H₂O)

Octanol/Water Partition Coefficient:

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard: Fire—moderate
Disaster Hazard: dangerous—toxic fumes

Methacrylic acid

PRODUCTION DATA

**Annual U.S.
Production:**

Consumption:

**Fraction of
Dispersion:**

**Fraction of Pro-
duction Lost:**

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity
LD₅₀

Dosage
49mg/kg

Animal
mouse

Route
intraperitoneal

Non-lethal Acute Effects:

Local irritant to eyes and trachea

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Methacrylonitrile

CHEMICAL NAME


CAS Number: 126-98-7

Chemical Name: Methacrylonitrile

Synonyms: 2-Methylpropenitrile
Isopropene cyanide

Molecular

Formula: C_4H_5N



Chemical Properties

Molecular Weight: 67.09

Vapor Pressure: 72.38 mm at 25°C

Boiling Point: 90.3°C at 760 mm

Density: 0.7998 at 20°C/4°C

Octanol/Water Partition Coefficient:

Physical State: Liquid

Vapor Density:

Melting Point: -35.8°C

Solubility: Insoluble (H_2O)

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Methacrylonitrile

PRODUCTION DATA

Annual U.S. Production: 10×10^6 lbs. (1967 capacity) **Consumption:**

Fraction of Dispersion: **Fraction of Production Lost:** 0.015

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
LD ₅₀	250 mg/kg	rat	oral
	320 mg/kg	rabbit	skin
LD _{Lo}	15 mg/kg	mouse	oral
	65 mg/kg	mouse	intraperitoneal
LC ₅₀	328 ppm (4 hours)	rat	inhalation
	36 ppm (4 hours)	mouse	inhalation
	37 ppm (4 hours)	rabbit	inhalation
	80 ppm (4 hours)	guinea pig	inhalation

Non-lethal Acute Effects:
Dermatitis
Lachrymation

Chronic Toxicity

U.S. Occupational Standard: (air) TWA 1 ppm

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects: Highly toxic following skin absorption or inhalation

Methallyl alcohol

CHEMICAL NAME

CAS Number: 513-42-8

Chemical Name: 2-Methyl-2-propen-1-ol

Synonyms: Methallyl alcohol
Methallyl hydroxide

**Molecular
Formula:** C₄H₈O

Structure:
$$\begin{array}{c} \text{HO} - \text{CH}_2 - \text{C} = \text{CH}_2 \\ | \\ \text{CH}_3 \end{array}$$

Chemical Properties

Molecular Weight: 72.12

Vapor Pressure:

Boiling Point: 114.49°C

Density: 0.8540 at 20°C

**Octanol/Water Parti-
tion Coefficient:**

Physical State: Liquid

Vapor Density:

Melting Point:

Solubility: Infinite (H₂O)

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Methallyl alcohol

PRODUCTION DATA

**Annual U.S.
Production:**

Consumption:

**Fraction of
Dispersion:**

**Fraction of Pro-
duction Lost:**

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity

LD_{Lo}

Dosage

500 mg/kg

2000 mg/kg

LC_{Lo}

2924 ppm (2 hours)

Animal

mouse

rabbit

mouse

Route

oral

skin

inhalation

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Methallyl chloride


CHEMICAL NAME

CAS Number: 563-47-3

Chemical Name: 3-Chloro-2-methyl propene

Synonyms: 2-Butene-1-chloride
1-Chloro-2-butene(cis)
 β -Methallyl chloride

Molecular Formula: C_4H_7Cl



Chemical Properties

Molecular Weight: 90.55

Physical State: Liquid

Vapor Pressure: 101.7 mm at 20°C

Vapor Density: 3.12

Boiling Point: 84.1°C at 758 mm

Melting Point:

Density: 0.9426 at 20°C/4°C

Solubility: Insoluble (H_2O)

Octanol/Water Partition Coefficient:

Environmental Persistence

BOD:

Atmospheric Reactivity: Reacts with oxidizing materials

Safety Hazard:

Fire—dangerous

Explosion—moderate

Disaster hazard—dangerous—toxic fumes—chlorides

Methallyl chloride

PRODUCTION DATA

**Annual U.S.
Production:**

Consumption:

**Fraction of
Dispersion:**

**Fraction of Pro-
duction Lost:**

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity
LC₅₀

Dosage
2000 mg/m³ (24 hours)

Animal
rat

Route
inhalation

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Methane


CHEMICAL NAME

CAS Number: 74-82-8

Chemical Name: Methane

Synonyms: Marsh gas
Methyl hydride

Molecular
Formula: CH₄



Chemical Properties

Molecular Weight: 16.04

Vapor Pressure:

Boiling Point: -164°C at 760 mm

Density: 0.415 at -165°C

Octanol/Water Partition Coefficient:

Physical State: Gas

Vapor Density: 0.6

Melting Point: -182.48°C

Solubility: Soluble (H₂O)

Environmental Persistence

BOD:

Atmospheric Reactivity:

Residence in atmosphere: 4 to 7 years

Safety Hazard:

Methane

PRODUCTION DATA

**Annual U.S.
Production:** $12,400 \times 10^6$ lbs (1964)

Consumption:

**Fraction of
Dispersion:**

**Fraction of Pro-
duction Lost:** 0.015

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity

Dosage

Animal

Route

LC₅₀

400 ppm

rat

inhalation

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Methanearsonic acid

CHEMICAL NAME


CAS Number: 124-58-3

Chemical Name: Methanearsonic acid

Synonyms: Methyl arsonic acid

Molecular

Formula: CH_3AsO_3



Chemical Properties

Molecular Weight: 139.97

Physical State: Solid

Vapor Pressure:

Vapor Density:

Boiling Point:

Melting Point: 160 to 161°C

Density:

Solubility: Soluble (H_2O)

Octanol/Water Partition Coefficient:

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Methanearsonic acid

PRODUCTION DATA

**Annual U.S.
Production:** 30.7×10^6 lbs.

Consumption: 30.7×10^6 lbs.

**Fraction of
Dispersion:** 1.0

**Fraction of Pro-
duction Lost:** 0.01

Release Rate (million lbs/yr): 31

TOXICITY DATA

Acute Toxicity
LD₅₀

Dosage
3350 mg/kg

Animal
mouse

Route
subcutaneous

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Methomyl


CHEMICAL NAME

CAS Number: 16752-77-5

Chemical Name: N-[(Methylamino)carbonyl]oxyethanimidothioic acid, methyl ester

Synonyms: S-Methyl-N-[(methylcarbamoyl)-oxy]-thioacetimidate

Molecular Formula: $C_5H_{10}N_2O_2S$



Chemical Properties

Molecular Weight: 162.23

Physical State: Solid

Vapor Pressure:

Vapor Density:

Boiling Point:

Melting Point: 78 to 79°C

Density:

Solubility:

Octanol/Water Partition Coefficient:

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Methomyl

PRODUCTION DATA

**Annual U.S.
Production:** 2.0×10^6 lbs.

Consumption:

**Fraction of
Dispersion:** Estimated as 1.0

**Fraction of Pro-
duction Lost:** 0.015

Release Rate (million lbs/yr): 2.0

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
LD ₅₀	17 mg/kg	rat (male)	oral
	24 mg/kg	rat (female)	oral
	15 mg/kg	duck	oral
	10 mg/kg	wild bird species	oral

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Methoxychlor


CHEMICAL NAME

CAS Number: 72-43-5

Chemical Name: 1,1,1-Trichloro-2,2-bis(p-methoxyphenyl) ethane

Synonyms: DMDT
2,2-bis(p-Methoxyphenyl)-1,1,1-trichloroethane
Methoxychlor

Molecular Formula: $C_{16}H_{15}Cl_3O_2$



Chemical Properties

Molecular Weight: 345.7

Physical State: Solid

Vapor Pressure:

Vapor Density: 12

Boiling Point:

Melting Point: 94°C

Density:

Solubility: Insoluble (H₂O)

Octanol/Water Partition Coefficient:

Environmental Persistence

BOD:

Atmospheric Reactivity:
Slight air contaminant

Safety Hazard: Disaster hazard: Dangerous—toxic fumes—chlorides

Methoxychlor

PRODUCTION DATA

Annual U.S.**Production:** : 10.0×10^6 lbs.**Consumption:****Fraction of****Dispersion:** 1.0**Fraction of Pro-****duction Lost:** 0.015**Release Rate (million lbs/yr):** 10.0

TOXICITY DATA

Acute ToxicityLD₅₀**Dosage**

5000 mg/kg

Animal

rat

Route

oral

6430 mg/kg

human

oral

LD_{Lo}

2414 mg/kg

human skin

unspecified toxic effects

Non-lethal Acute Effects:

Nausea and vomiting

Chronic Toxicity**U.S. Occupational Standard:** (air) TWA 15 mg/m³**Carcinogenicity:**

Neoplastic effects

1100 mg/kg (36 weeks)

rat

oral

Mutagenicity:**Teratogenicity:**TLV: 15 mg/m³**Other Chronic Effects:**

Kidney injury

Methoxyethanol

CHEMICAL NAME

CAS Number: 109-86-4

Chemical Name: 2-Methoxy ethanol

Synonyms: Methyl glycol
Methoxy hydroxy ethane
Methyl cellosolve

**Molecular
Formula:** $C_3H_8O_2$

Structure: $CH_3 - O - CH_2 - CH_2 - OH$

Chemical Properties

Molecular Weight: 76.09

Physical State: Liquid

Vapor Pressure: 6.2 mm at 20°C

Vapor Density: 2.62

Boiling Point: 124.6°C

Melting Point: -85.1°C

Density: 0.9660 at 20°C/4°C

Solubility: Infinite (H₂O)

**Octanol/Water Parti-
tion Coefficient:** -0.82

Environmental Persistence

BOD: 88% of theoretical after 20 days at 20°C
Total theoretical oxygen demand = 1.68 gm/gm

Atmospheric Reactivity:
Reacts with oxidizing materials

Safety Hazard: Fire-Moderate

Methoxyethanol

PRODUCTION DATA

Annual U.S.**Production:** 119.1×10^6 lbs.**Consumption:** 106.1×10^6 lbs.**Fraction of****Dispersion:** 0.26**Fraction of Pro-****duction Lost:** 0.015**Release Rate (million lbs/yr):** 29.4

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
LD ₅₀	2460 mg/kg	rat	oral
	2140 mg/kg	rat	intravenous
	890 mg/kg	rabbit	oral
	1340 mg/kg	rabbit	skin
	950 mg/kg	guinea pig	oral
LD _{Lo}	3570 mg/kg	human	oral
LC _{Lo}	2000 ppm (4 hours)	rat	inhalation
Non-lethal Acute Effects:			
Aplastic anemia			
TC _{Lo}	25 ppm	human (CNS)	inhalation

Chronic Toxicity**U.S. Occupational Standard:****Carcinogenicity:****Mutagenicity:****Teratogenicity:****TLV:****Other Chronic Effects:**

Methyl acetate

CHEMICAL NAME


CAS Number: 79-20-9

Chemical Name: Acetic acid, methyl ester

Synonyms: Methyl acetate

Molecular

Formula: $C_3H_6O_2$



Chemical Properties

Molecular Weight: 74.08

Physical State: Liquid

Vapor Pressure: 212.5 mm at 25°C

Vapor Density: 2.55

Boiling Point: 57.8°C

Melting Point: -98.1°C

Density: 0.9330 at 20°C/4°C

Solubility: Very soluble (H_2O)

Octanol/Water Partition Coefficient:

Environmental Persistence

BOD:

Atmospheric Reactivity: Reacts with oxidizing materials

Safety Hazard: Fire: dangerous
Explosion: moderate

Methyl acetate

PRODUCTION DATA

Annual U.S.**Production:** 8.8×10^6 lbs. (1966)**Consumption:****Fraction of
Dispersion:****Fraction of Pro-
duction Lost:** 0.015**Release Rate (million lbs/yr):**

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
LD ₅₀	3700 mg/kg	rabbit	oral
LD _{Lo}	4800 mg/kg	rat	oral
	3000 mg/kg	rat	subcutaneous
	3000 mg/kg	guinea pig	subcutaneous
LC _{Lo}	80 mg/m ³ (31 minutes)	mouse	inhalation
	67 mg/m ³ (56 minutes)	cat	inhalation

Non-lethal Acute Effects:

Narcotic

Irritant to eyes and mucous membranes (10,000 ppm)

Chronic Toxicity**U.S. Occupational Standard:** (air) TWA 200 ppm**Carcinogenicity:****Mutagenicity:****Teratogenicity:**

TLV: 200 ppm

Other Chronic Effects:

Methyl acetoacetate

CHEMICAL NAME


CAS Number: 105-45-3

Chemical Name: Acetoacetic acid, methyl ester

Synonyms: Methyl acetylacetonate

Molecular

Formula: $C_5H_8O_3$



Chemical Properties

Molecular Weight: 116.05

Physical State: Liquid

Vapor Pressure: 0.7 mm at 20°C

Vapor Density:

Boiling Point: 171.7°C

Melting Point: -31.9°C

Density: 1.0785 at 20°C/20°C

Solubility: Slightly (H_2O)

Octanol/Water Partition Coefficient:

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Methyl acetoacetate

PRODUCTION DATA

**Annual U.S.
Production:**

Consumption:

**Fraction of
Dispersion:**

**Fraction of Pro-
duction Lost:**

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity
LD₅₀

Dosage
3000 mg/kg

Animal
rat

Route
oral

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Methylal

CHEMICAL NAME


CAS Number: 109-87-5

Chemical Name: Dimethoxymethane

Synonyms: Formal
Methylene dimethyl ether

Methylal
Formaldehyde dimethyl acetal

**Molecular
Formula:** $C_3H_8O_2$



Chemical Properties

Molecular Weight: 76.1

Physical State: Liquid

Vapor Pressure: 330 mm at 20°C

Vapor Density: 2.63

Boiling Point: 45.5°C at 760 mm

Melting Point: -104.8°C

Density: 0.8593 at 20°C/4°C

Solubility: Soluble (H₂O)

**Octanol/Water Parti-
tion Coefficient:**

Environmental Persistence

BOD:

Atmospheric Reactivity: Reacts with oxidizing materials

Safety Hazard: Fire—dangerous
Explosion—moderate

Methylal

PRODUCTION DATA

Annual U.S.
Production:

Consumption:

Fraction of
Dispersion:

Fraction of Pro-
duction Lost:

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity
LD_{Lo}

Dosage
3013 mg/kg

Animal
guinea pig

Route
subcutaneous

Non-lethal Acute Effects:

Injury to lungs, kidney, liver and heart
Narcotic in high concentration

Chronic Toxicity

U.S. Occupational Standard: (air) TWA 1000 ppm

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV: 1000 ppm

Other Chronic Effects:

Methyl alcohol

CHEMICAL NAME

CAS Number: 67-56-1

Chemical Name: Methanol

Synonyms: Methyl alcohol
Carbinol
Methyl hydroxide

**Molecular
Formula:** CH₄O

Structure: CH₃OH

Chemical Properties

Molecular Weight: 32.04

Physical State: Liquid

Vapor Pressure: 127.9 mm at 25°C

Vapor Density: 1.11

Boiling Point: 64.8°C

Melting Point: -93.9°C

Density: 0.7913 at 20°C/4°C

Solubility: Infinite (H₂O)

**Octanol/Water Parti-
tion Coefficient:**

Environmental Persistence

BOD: 95% of theoretical at 20°C for 20 days
Total theoretical oxygen demand = 1.5 gm/gm

Atmospheric Reactivity:
Reacts with oxidizing materials

Safety Hazard: Fire—dangerous
Explosion—moderate

Methyl alcohol

PRODUCTION DATA

Annual U.S. Production: 5103.5 x 10⁶ lbs. (1975)

Consumption:

Fraction of Dispersion: 0.01

Fraction of Production Lost: 0.015

Release Rate (million lbs/yr): 987.7

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
LD ₅₀	9800 mg/kg	mouse	subcutaneous
LD _{Lo}	340 mg/kg	human	oral
	1800 mg/kg	rat	intraperitoneal
	420 mg/kg	mouse	oral
	6300 mg/kg	dog	oral
	7000 mg/kg	donkey	oral
	4750 mg/kg	rabbit	oral
LC ₅₀	1000 ppm	monkey	inhalation

Non-lethal Acute Effects:

Eye-irritant, blindness			
TD _{Lo}	100 mg/kg	human	oral
CNS narcotic			
TD _{Lo}	300 ppm	human	inhalation
Irritant to mucous membranes; drying of skin; dermatitis			

Chronic Toxicity

U.S. Occupational Standard: (air) TWA 200 ppm

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV: 200 ppm
Odor perception: 5,900 ppm

Other Chronic Effects:

- Conjunctivitis
- Headache
- Giddyness
- Insomnia
- Gastric disturbances
- Failure of vision-300 ppm

Methylamine


CHEMICAL NAME

CAS Number: 74-89-5

Chemical Name: Methylamine

Synonyms: Monomethylamine
Aminomethane

Molecular
Formula: CH_5N



Chemical Properties

Molecular Weight: 31.1

Physical State: Gas

Vapor Pressure: 2509 mm at 25°C

Vapor Density: 1.07

Boiling Point: -6.3°C at 760 mm

Melting Point: -93.5°C

Density: 0.662 at 20°C/4°C

Solubility: Very soluble (H_2O)

Octanol/Water Parti-
tion Coefficient: -1.00

Environmental Persistence

BOD:

Atmospheric Reactivity: Reacts with oxidizing materials

Safety Hazard: Fire—dangerous
Explosion—moderate

Methylamine

PRODUCTION DATA

Annual U.S.**Production:** 319×10^6 lbs (1976 capacity)**Consumption:** 185×10^6 lbs. (1975-all methyl amines)**Fraction of
Dispersion:****Fraction of Pro-
duction Lost:** 0.015**Release Rate (million lbs/yr):**

TOXICITY DATA

Acute Toxicity
LD₅₀**Dosage**
3000 mg/kg**Animal**
mouse**Route**
intraperitoneal**Non-lethal Acute Effects:**
Strong irritant**Chronic Toxicity****U.S. Occupational Standard:****Carcinogenicity:****Mutagenicity:****Teratogenicity:****TLV:****Other Chronic Effects:**

Methylamyl acetate

CHEMICAL NAME


CAS Number: 108-84-9

Chemical Name: 4-Methyl-2-pentanol, acetate

Synonyms: 4-Methyl-2-pentyl acetate
Acetic acid, 1,3-dimethylbutyl ester
Methylisobutylcarbinol acetate

Molecular

Formula: C₈H₁₆O₂



Chemical Properties

Molecular Weight: 144.21

Physical State: Liquid

Vapor Pressure: 3. mm at 20°C

Vapor Density: 4.97

Boiling Point: 147 to 148°C

Melting Point: -63.8°C

Density: 0.8805 at 0°C/0°C

Solubility: Insoluble (H₂O)

Octanol/Water Partition Coefficient:

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard: Fire-moderate

Methylamyl acetate

PRODUCTION DATA

Annual U.S.
Production:

Consumption:

Fraction of
Dispersion:

Fraction of Pro-
duction Lost:

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity
LD_{Lo}

Dosage
4000 ppm

Animal
rat

Route
inhalation

Non-lethal Acute Effects:

Eye irritation:
LC_{Lo}

100 ppm

human

inhalation

Chronic Toxicity

U.S. Occupational Standard: (air) TWA 50 ppm

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Methylamyl alcohol


CHEMICAL NAME

CAS Number: 108-11-2

Chemical Name: 4-Methyl-2-pentanol

Synonyms: Methyl isobutyl carbinol
Methyl amyl alcohol

Molecular Formula: $C_6H_{14}O$



Chemical Properties

Molecular Weight: 102.18

Physical State: Liquid

Vapor Pressure: 2.8 mm at 20°C

Vapor Density: 3.53

Boiling Point: 133°C at 760 mm

Melting Point: -90°C (sets)

Density: 0.8075 at 20°C/4°C

Solubility: Slightly (H_2O)

Octanol/Water Partition Coefficient:

Environmental Persistence

BOD:

Atmospheric Reactivity: Reacts with oxidizing materials

Safety Hazard: Fire-moderate

Methylamyl alcohol

PRODUCTION DATA

Annual U.S.**Production:** 50×10^6 lbs.**Consumption:** 50×10^6 lbs.**Fraction of****Dispersion:** 0.80**Fraction of Pro-****duction Lost:** 0.015**Release Rate (million lbs/yr):** 40.8

TOXICITY DATA

Acute Toxicity**LD₅₀****Dosage**

812 mg/kg

3560 mg/kg

2600 mg/kg

Animal

mouse

rabbit

rat

rat

Route

intraperitoneal

skin

oral

inhalation

LC_{Lo}

2000 ppm (4 hours)

Non-lethal Acute Effects:

Local irritant

Anesthetic in high concentrations

Chronic Toxicity**U.S. Occupational Standard:** (air) TWA 25 ppm (skin)**Carcinogenicity:****Mutagenicity:****Teratogenicity:****TLV:****Other Chronic Effects:**

Methylaniline


CHEMICAL NAME

CAS Number: 100-61-8

Chemical Name: N-Methyl aniline

Synonyms: Monomethyl aniline
Methyl phenylamine

**Molecular
Formula:** C_7H_9N



Chemical Properties

Molecular Weight: 107.15

Physical State: Liquid

Vapor Pressure: 1 mm at 36°C

Vapor Density: 3.70

Boiling Point: 196.25°C at 760 mm

Melting Point: -57°C

Density: 0.98912 at 20°C/4°C

Solubility: Insoluble (H₂O)

**Octanol/Water Parti-
tion Coefficient:** 1.82

Environmental Persistence

BOD:

Atmospheric Reactivity: Reacts with oxidizing materials

Safety Hazard: Disaster hazard—dangerous—toxic fumes—aniline

Methylaniline

PRODUCTION DATA

Annual U.S.
Production:

Consumption:

Fraction of
Dispersion:

Fraction of Pro-
duction Lost:

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity
LD₅₀

Dosage
24 mg/kg
280 mg/kg
24 mg/kg
1200 mg/kg
1200 mg/kg

Animal
cat
rabbit
rabbit
guinea pig
guinea pig

Route
intravenous
oral
intravenous
oral
subcutaneous

Non-lethal Acute Effects:

Allergen
Hemorrhage in bladder
Nervous disorders

Chronic Toxicity

U.S. Occupational Standard: (air) TWA 2 ppm

Carcinogenicity: Carcinogen

Neoplastic Effects:

TDLo

380 mg/kg (28 weeks)

mouse

oral

Mutagenicity:

Teratogenicity:

TLV: 2 ppm (skin)

Other Chronic Effects:

Methylbenzyl alcohol

CHEMICAL NAME

CAS Number: 98-85-1

Chemical Name: α -Methylbenzyl alcohol


Synonyms: Methyl phenyl carbinol
Phenyl methyl carbinol

Styralyl alcohol
1-Phenyl ethanol

Molecular

Formula: $C_8H_{10}O$

Structure:



Chemical Properties

Molecular Weight: 122.16

Physical State: Liquid

Vapor Pressure: 0.25 mm at 25°C

Vapor Density: 4.21

Boiling Point: 203°C at 760 mm

Melting Point: 20.7°C

Density: 1.0129 at 20°C/4°C

Solubility: Slightly soluble (H_2O)

Octanol/Water Partition Coefficient:

Environmental Persistence

BOD:

Atmospheric Reactivity: Reacts with oxidizing materials

Safety Hazard: Fire—moderate

Methylbenzyl alcohol

PRODUCTION DATA

**Annual U.S.
Production:**

Consumption:

**Fraction of
Dispersion:**

**Fraction of Pro-
duction Lost:**

Release Rate (million lbs/yr):

TOXICITY DATA

**Acute Toxicity
LD₅₀**

Dosage
400 mg/kg
2500 mg/kg

Animal
rat
rabbit

Route
oral
skin

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Methyl bromide

CHEMICAL NAME


CAS Number: 74-83-9

Chemical Name: Bromomethane

Synonyms: Methyl bromide

Molecular

Formula: CH_3Br



Chemical Properties

Molecular Weight: 94.95

Physical State: Volatile liquid or gas

Vapor Pressure: 1370 mm at 25°C

Vapor Density: 3.72

Boiling Point: 3.56°C at 760 mm

Melting Point: -93.6°C

Density: 1.6755 at 20°C/4°C

Solubility: Slightly (13.4 gm/l) (H_2O)

Octanol/Water Partition Coefficient:

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard: Fire—moderate
Explosion—moderate
Disaster hazard—dangerous—toxic fumes—bromides

Methyl bromide

PRODUCTION DATA

Annual U.S. Production: 24.6×10^6 lbs. (1972) **Consumption:** 24.6×10^6 lbs.

Fraction of Dispersion: 0.90 **Fraction of Production Lost:** 0.01

Release Rate (million lbs/yr): 22.4

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
LC ₅₀	21 mg/l	rat	inhalation
LC _{Lo}	514 ppm (6 hours)	rat	inhalation
	6425 ppm (1 hour)	rabbit	inhalation
	300 ppm (9 hours)	guinea pig	inhalation

Non-lethal Acute Effects:

Irritate of eyes, skin, and mucous membranes
Damage to liver and kidney

CNS effects

TC _{Lo}	35 ppm	human	inhalation
------------------	--------	-------	------------

Skin effects

TC _{Lo}	8000 ppm	human	skin
------------------	----------	-------	------

Chronic Toxicity

U.S. Occupational Standard: (air) Ceiling 20 ppm (skin)

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV: 20 ppm

Other Chronic Effects:

Nausea, vomiting, headache after 35 ppm for two weeks
Severe lung irritation

Methyl butyl ketone

CHEMICAL NAME

CAS Number: 591-78-6

Chemical Name: Methyl n-butyl ketone

Synonyms: 2-Hexanone
n-Butyl methyl ketone

**Molecular
Formula:** C₆H₁₂O

Structure:
$$\begin{array}{c} \text{O} \\ || \\ \text{CH}_3 - \text{C} - \text{CH}_2\text{CH}_2\text{CH}_2\text{CH}_3 \end{array}$$

Chemical Properties

Molecular Weight: 100.16

Physical State: Liquid

Vapor Pressure: 10 mm at 38.8°C

Vapor Density: 3.45

Boiling Point: 128°C at 760 mm

Melting Point: -57°C

Density: 0.81127 at 20°C/4°C

Solubility: Slightly (H₂O)

**Octanol/Water Parti-
tion Coefficient:** 1.38

Environmental Persistence

BOD:

Atmospheric Reactivity: Reacts with oxidizing materials

Safety Hazard: Fire—moderate
Explosion—moderate

Methyl butyl ketone

PRODUCTION DATA

Annual U.S.
Production:

Consumption:

Fraction of
Dispersion:

Fraction of Pro-
duction Lost:

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity

LD₅₀

Dosage
2590 mg/kg

Animal

rat

Route

oral

LD_{Lo}

914 mg/kg

rat

intraperitoneal

914 mg/kg

guinea pig

oral

LC_{Lo}

6000 ppm (7 hours)

guinea pig

inhalation

Non-lethal Acute Effects:

Irritant to eyes and respiratory tract
CNS depressant

Chronic Toxicity

U.S. Occupational Standard: (air) TWA 100 ppm

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Methylbutynol


CHEMICAL NAME

CAS Number: 115-19-5

Chemical Name: 2-Methyl-3-butyn-2-ol

Synonyms: Methyl butynol
1,1-Dimethyl-2-propynol
Ethynyldimethylcarbinol

**Molecular
Formula:** C₅H₈O



Chemical Properties

Molecular Weight: 84.13

Physical State: Liquid

Vapor Pressure:

Vapor Density:

Boiling Point: 104°C at 760 mm

Melting Point: 3.0°C

Density: 0.8618 at 20°C/4°C

Solubility: Soluble (H₂O)

**Octanol/Water Parti-
tion Coefficient:**

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard: Fire—moderate

Methylbutynol

PRODUCTION DATA

Annual U.S.
Production:

Consumption:

Fraction of
Dispersion:

Fraction of Pro-
duction Lost:

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity

Dosage

Animal

Route

LD₅₀

3600 mg/kg

mouse

intraperitoneal

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Methyl cellulose


CHEMICAL NAME

CAS Number: 9004-67-5

Chemical Name: Methyl ether cellulose

Synonyms: Methyl cellulose
Cellulose methyl ether
Methocel

Molecular Formula: $[C_9H_{16}O_5]_n$



Chemical Properties

Molecular Weight: 40,000-180,000

Physical State: Solid

Vapor Pressure:

Vapor Density:

Boiling Point:

Melting Point:

Density:

Solubility: Soluble (H₂O)

Octanol/Water Partition Coefficient:

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Methyl cellulose

PRODUCTION DATA

Annual U.S. Production:	20 x 10 ⁶ lbs.	Consumption:	13 x 10 ⁶ lbs.
Fraction of Dispersion:	1.0	Fraction of Pro- duction Lost:	0.03
Release Rate (million lbs/yr): 13.6			

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
----------------	--------	--------	-------

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Methyl chloride

CHEMICAL NAME


CAS Number: 74-87-3

Chemical Name: Chloromethane

Synonyms: Methyl chloride

Molecular

Formula: CH₃Cl



Chemical Properties

Molecular Weight: 50.49

Physical State: Gas

Vapor Pressure: 2.83 atm at 25°C

Vapor Density: 1.78

Boiling Point: -24.2°C at 760 mm

Melting Point: -97.73°C

Density: 0.9159 at 20°C/4°C

Solubility: Soluble (4.9 gm/1 H₂O)

Octanol/Water Partition Coefficient:

Environmental Persistence

BOD:

Atmospheric Reactivity:

Reacts with oxidizing materials

Reacts slowly with RO₂ and O₃

t_{1/2} with OH = 1 year

Safety Hazard: Fire—dangerous
Explosion—moderate
Disaster hazard—dangerous—toxic fumes—chlorides

Methyl chloride

PRODUCTION DATA

**Annual U.S.
Production:** 458×10^6 lbs. (1974)

Consumption: 312×10^6 lbs. (1975)

**Fraction of
Dispersion:** 0.03

**Fraction of Pro-
duction Lost:** 0.01

Release Rate (million lbs/yr): 18.1

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
LD ₅₀	1800 mg/kg	rat	oral
LC _{Lo}	3000 ppm (4 hours)	rat	inhalation
	3146 ppm (7 hours)	mouse	inhalation
	20,000 ppm (2 hours)	guinea pig	inhalation

Non-lethal Acute Effects:

Slight irritant
Narcotic
CNS damage
Damage to bone, liver, kidney, and cardiovascular system
Pulmonary edema
Conjunctivitis
Anemia

Chronic Toxicity

U.S. Occupational Standard: (air) TWA 100 ppm
Ceiling 200 ppm
Peak 300 ppm/5 min/3 hours

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV: 100 ppm

Other Chronic Effects:

Methylcholanthrene

CHEMICAL NAME


CAS Number: 56-49-5

Chemical Name: 3-Methyl cholanthrene

Synonyms: 20-Methylcholanthrene
1,2-Dihydro-3-methylbenz(j) aceanthrylene

**Molecular
Formula:** $C_{21}H_{16}$

Structure:



Chemical Properties

Molecular Weight: 268.3

Physical State: Solid

Vapor Pressure:

Vapor Density:

Boiling Point: 280°C at 80 mm

Melting Point:

Density: 1.28 at 20°C

Solubility:

**Octanol/Water Parti-
tion Coefficient:**

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Methylcholanthrene

PRODUCTION DATA

Annual U.S.
Production:

Consumption:

Fraction of
Dispersion:

Fraction of Pro-
duction Lost:

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity
LD_{Lo}

Dosage
100 mg/kg
11 mg/kg

Animal
mouse
frog

Route
intraperitoneal
intrarenal

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

TD_{Lo}

280 mg/kg
18 mg/kg
3 mg/kg
100 mg/kg (5 weeks)
800 µg/kg
13 mg/kg (42 weeks)
312 µg/kg
120 mg/kg
132 mg/kg (12 weeks)
4 mg/kg
40 mg/kg (15 days)
58 mg/kg
4500 mg/kg (8 weeks)
27 mg/kg

rat
rat
rat
rat
rat
mouse
mouse
mouse
rabbit
guinea pig
guinea pig
hamster
chicken
duck

oral
subcutaneous
parenteral
intratracheal
implant
skin
subcutaneous
intratracheal
intratracheal
intraperitoneal
subcutaneous
implant
intraperitoneal
intratracheal

Neoplasm TD_{Lo}

34 mg/kg (25 weeks)
39 mg/kg (6 days)
1600 mg/kg (20 weeks)
40 mg/kg
100 mg/kg (9 weeks)
3320 mg/kg (40 weeks)

rat
rat
mouse
dog
rabbit
hamster

skin
intravenous
intraperitoneal
implant
implant
skin

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Methylcyclohexane

CHEMICAL NAME

CAS Number: 108-87-2


Chemical Name: Methylcyclohexane

Synonyms: Hexahydrotoluene
Cyclohexylmethane

Molecular

Formula: C₇H₁₄

Structure:



Chemical Properties

Molecular Weight: 98.19

Physical State: Liquid

Vapor Pressure: 47.06 mm at 25°C

Vapor Density: 3.39

Boiling Point: 100.9°C at 760 mm

Melting Point: -126.59°C

Density: 0.7694 at 20°C/4°C

Solubility: Insoluble (H₂O)

Octanol/Water Partition Coefficient:

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard: Fire—dangerous
Explosion—moderate

Methylcyclohexane

PRODUCTION DATA

Annual U.S.
Production:

Consumption:

Fraction of
Dispersion:

Fraction of Pro-
duction Lost:

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity

LD_{Lo}
LC₅₀

Dosage
4000 mg/kg
7500 ppm (70 minutes)

Animal
rabbit
rabbit

Route
oral
inhalation

Non-lethal Acute Effects:

Irritates skin
Narcosis and anesthesia

Chronic Toxicity

U.S. Occupational Standard: (air) TWA 500 ppm

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV: 500 ppm

Other Chronic Effects:

Methylcyclohexanol


CHEMICAL NAME

CAS Number: 25639-42-3

Chemical Name: Methylcyclohexanol

Synonyms: 4-Methyl cyclohexanol
Hexahydromethyl phenol
Hexahydro cresol

**Molecular
Formula:** $C_7H_{14}O$



Chemical Properties

Molecular Weight: 114.19

Physical State: Liquid

Vapor Pressure: <10 mm at 25°C

Vapor Density: 3.93

Boiling Point: 173 to 174°C at 760 mm

Melting Point: -9.2°C

Density: 0.9170 at 20°C/4°C

Solubility: Slightly (H₂O)

**Octanol/Water Parti-
tion Coefficient:**

Environmental Persistence

BOD:

Atmospheric Reactivity: Reacts with oxidizing materials

Safety Hazard:

Fire—moderate

Disaster hazard—dangerous—toxic fumes

Methylcyclohexanol

PRODUCTION DATA

Annual U.S.
Production:

Consumption:

Fraction of
Dispersion:

Fraction of Pro-
duction Lost:

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity
LD_{Lo}

Dosage
1750 mg/kg

Animal
rabbit

Route
oral

Non-lethal Acute Effects:

Irritant to eyes and trachea
Leucopenia

Chronic Toxicity

U.S. Occupational Standard: (air) TWA 100 ppm

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV: 100 ppm

Other Chronic Effects:

Methylcyclohexanone

CHEMICAL NAME

CAS Number: 583-60-8


Chemical Name: 2-Methyl cyclohexanone

Synonyms:

Molecular

Formula: $C_7H_{12}O$

Structure:



Chemical Properties

Molecular Weight: 112.17

Vapor Pressure: <5 mm at 25°C

Boiling Point: 165°C at 757 mm

Density: 0.9250 at 20°C/4°C

Octanol/Water Partition Coefficient:

Physical State: Liquid

Vapor Density: 3.86

Melting Point: -13.9°C

Solubility: Insoluble (H₂O)

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Fire—moderate

Methylcyclohexanone

PRODUCTION DATA

Annual U.S.
Production:

Consumption:

Fraction of
Dispersion:

Fraction of Pro-
duction Lost:

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
LD ₅₀	2140 mg/kg	rat	oral
LD _{Lo}	1000 mg/kg	rabbit	oral

Non-lethal Acute Effects:

Local irritant
Damage to liver and kidney

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV: 100 ppm

Other Chronic Effects:

4, 4'-Methylenebis(2-chloroaniline)

CHEMICAL NAME


CAS Number: 101-14-4

Chemical Name: 4,4'-Methylenebis[2-chloro benzenamine]

Synonyms: 4,4'-Methylene-bis(2 chloroaniline)
Bisamine
Diamino-3-chlorophenyl-methane

Cyanaset
Dacpm
Curalin

**Molecular
Formula:** $C_{13}H_{12}Cl_2N_2$



Chemical Properties

Molecular Weight: 267.16

Physical State: Solid

Vapor Pressure: Negligible

Vapor Density:

Boiling Point:

Melting Point: 104 to 107°C

Density:

Solubility:

**Octanol/Water Parti-
tion Coefficient:**

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

4,4'-Methylenebis(2-chloroaniline)

PRODUCTION DATA

Annual U.S.
Production: 7.716×10^6 lbs. (1972)

Consumption:

Fraction of
Dispersion: 0.01

Fraction of Pro-
duction Lost: 0.015

Release Rate (million lbs/yr): 0.1

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
----------------	--------	--------	-------

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:
TD_{Lo}

420 gm/kg (80 weeks) rat
2500 mg/kg (88 weeks) rat

oral
subcutaneous

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Methylene chloride

CHEMICAL NAME


CAS Number: 75-09-2

Chemical Name: Dichloromethane

Synonyms: Methylene chloride
Methylene dichloride

Molecular

Formula: CH_2Cl_2



Chemical Properties

Molecular Weight: 84.93

Physical State: Liquid

Vapor Pressure: 435.8 mm at 25°C

Vapor Density: 2.93

Boiling Point: 40°C at 760 mm

Melting Point: -95.1°C

Density: 1.3266 at 20°C/4°C

Solubility: Slightly (H_2O)

Octanol/Water Partition Coefficient:

Environmental Persistence

BOD: Total theoretical oxygen demand—0.38 gm/gm

Atmospheric Reactivity:

Not very active towards O_3 and RO_3

$t_{1/2}$ = 1 year with OH

Safety Hazard: Explosion—minor

Disaster hazard—dangerous—toxic fumes—phosgene

Methylene chloride

PRODUCTION DATA

Annual U.S.**Production:** 591 x 10⁶ lbs. (1974)**Consumption:** Estimated as 110 to 120 x 10⁶ lbs.
(1975)**Fraction of****Dispersion:** 0.95**Fraction of Pro-****duction Lost:** 0.015**Release Rate (million lbs/yr):** 366.8

TOXICITY DATA

Acute ToxicityLD₅₀**Dosage**

2136 mg/kg

Animal

rat

Route

oral

1500 mg/kg

mouse

intraperitoneal

6460 mg/kg

mouse

subcutaneous

LD₁₀₀

950 mg/kg

dog

intraperitoneal

1900 mg/kg

rabbit

oral

LD_{Lo}

3000 mg/kg

dog

oral

2700 mg/kg

dog

subcutaneous

200 mg/kg

dog

intravenous

2700 mg/kg

rabbit

subcutaneous

5000 ppm (2 hours)

guinea pig

inhalation

Non-lethal Acute Effects:

Central nervous system effects: narcosis

TC_{Lo}

500 ppm (1 year) intermittent

Blood effects:

TC_{Lo}

500 ppm (8 hours)

Chronic Toxicity**U.S. Occupational Standard:** (air)

TWA

500 ppm

Ceiling

1000 ppm

Peak

2000 ppm/5 minutes/2 hours

Carcinogenicity:**Mutagenicity:****Teratogenicity:****TLV:** 500 ppm**Other Chronic Effects:**

Dermatitis

Liver damage

Reduced growth size

Methylenedianiline

CHEMICAL NAME

CAS Number: 101-77-9


Chemical Name: 4,4'-Methylenedianiline

Synonyms: Methylenedianiline

Molecular

Formula: $C_{13}H_{14}N_2$

Structure:



Chemical Properties

Molecular Weight: 198.3

Physical State: Solid

Vapor Pressure: <10 mm at 25°C

Vapor Density:

Boiling Point:

Melting Point: 90°C

Density:

Solubility:

Octanol/Water Partition Coefficient:

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard: Disaster hazard—dangerous—toxic fumes—aniline

Methylenedianiline

PRODUCTION DATA

Annual U.S.
Production: 2.205×10^6 lbs.

Consumption:

Fraction of
Dispersion:

Fraction of Pro-
duction Lost: 0.015

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity
LD₅₀

Dosage
347 mg/kg
280 mg/kg

Animal
rat
rat

Route
oral
subcutaneous

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Carcinogen:

TD_{Lo}

80 mg/kg

rat

oral

Neoplasm:

TD_{Lo}

1410 mg/kg

rat

subcutaneous

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Methyldioxolane


CHEMICAL NAME

CAS Number: 1331-09-5

Chemical Name: Methyl dioxolane

Synonyms: 2-Methyl-3-dioxolane

**Molecular
Formula:** $C_4H_8O_2$



Chemical Properties

Molecular Weight: 88.12

Physical State: Liquid

Vapor Pressure:

Vapor Density: 3.03

Boiling Point: 81 to 82°C at 760 mm

Melting Point:

Density: 0.9811 at 20°C/4°C

Solubility: Very soluble (H₂O)

**Octanol/Water Parti-
tion Coefficient:**

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Methyl dioxolane

PRODUCTION DATA

Annual U.S.
Production:

Consumption:

Fraction of
Dispersion:

Fraction of Pro-
duction Lost:

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity
LD₅₀

Dosage
3000 mg/kg

Animal
rat

Route
oral

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Methyl ethyl ketone

CHEMICAL NAME

CAS Number: 78-93-3

Chemical Name: 2-Butanone

Synonyms: Methyl ethyl ketone
Methyl acetone

**Molecular
Formula:** C₄H₈O

Structure:
$$\begin{array}{c} \text{O} \\ || \\ \text{CH}_3 - \text{C} - \text{CH}_2 - \text{CH}_3 \end{array}$$

Chemical Properties

Molecular Weight: 72.12

Physical State: Liquid

Vapor Pressure: 96.4 mm at 25°C

Vapor Density: 2.41

Boiling Point: 79.6°C at 760 mm

Melting Point: -86.35°C

Density: 0.8054 at 20°C/4°C

Solubility: Very soluble (H₂O)

**Octanol/Water Parti-
tion Coefficient:** 0.29

Environmental Persistence

BOD: 89% of theoretical after 20 days at 20°C
Total theoretical oxygen demand 2.44 gm/gm

Atmospheric Reactivity:
Reacts with oxidizing materials

Safety Hazard: Fire—dangerous
Explosion—moderate

Methyl ethyl ketone

PRODUCTION DATA

**Annual U.S.
Production:** 509 x 10⁶ lbs.

Consumption: 544.3 x 10⁶ lbs.

**Fraction of
Dispersion:** 0.95

**Fraction of Pro-
duction Lost:** 0.015

Release Rate (million lbs/yr): 524.7

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
LD ₅₀	3400 mg/kg	rat	oral
	616 mg/kg	mouse	intraperitoneal
LD _{Lo}	2000 mg/kg	rat	intraperitoneal
LC _{Lo}	2000 ppm (4 hours)	rat	inhalation

Non-lethal Acute Effects:

Local irritation and narcosis

Numbness of fingers and arms: 300 to 600 ppm

Chronic Toxicity

U.S. Occupational Standard: (air) TWA 200 ppm

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV: 200 ppm

Other Chronic Effects:

Odor perception: 25 ppm

Local irritation and narcosis

Methyl formate

CHEMICAL NAME

CAS Number: 107-31-3

Chemical Name: Formic acid, methyl ester

Synonyms: Methyl methanoate
Methyl formate

**Molecular
Formula:** $C_2H_4O_2$

Structure:
$$\begin{array}{c} O \\ || \\ H - C - O - CH_3 \end{array}$$

Chemical Properties

Molecular Weight: 60.05

Physical State: Liquid

Vapor Pressure: 602.5 mm at 25°C

Vapor Density: 2.07

Boiling Point: 32.0°C

Melting Point: -99°C

Density: 0.975 at 20°C/4°C

Solubility: Very soluble (H_2O)

**Octanol/Water Parti-
tion Coefficient:**

Environmental Persistence

BOD:

Atmospheric Reactivity: Reacts with oxidizing materials

Safety Hazard: Fire—dangerous
Explosion—moderate
Disaster hazard—dangerous—toxic fumes

Methyl formate

PRODUCTION DATA

Annual U.S.
Production:

Consumption:

Fraction of
Dispersion:

Fraction of Pro-
duction Lost:

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity

LD₅₀

LD_{Lo}

Dosage

1620 mg/kg

10,000 ppm

Animal

rabbit

guinea pig

Route

oral

inhalation

Non-lethal Acute Effects:

Irritation of conjunctiva and optic nerve

Chronic Toxicity

U.S. Occupational Standard: (air) TWA 100 ppm

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV: 100 ppm

Other Chronic Effects:

Methylhydrazine

CHEMICAL NAME

CAS Number: 60-34-4


Chemical Name: Methylhydrazine

Synonyms: Monomethylhydrazine

Molecular

Formula: CH₆N

Structure:



Chemical Properties

Molecular Weight: 46.07

Vapor Pressure: 49.6 mm at 25°C

Boiling Point: 87°C at 745 mm

Density: 0.874 at 20°C/4°C

Octanol/Water Partition Coefficient:

Physical State: Liquid

Vapor Density: 1.6

Melting Point: <-80°C

Solubility: Soluble (H₂O)

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Methylhydrazine

PRODUCTION DATA

Annual U.S.
Production:

Consumption:

Fraction of
Dispersion:

Fraction of Pro-
duction Lost:

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity

LD₅₀

Dosage	Animal	Route
183 mg/kg	rat	skin
21 mg/kg	rat	intraperitoneal
17 mg/kg	rat	intravenous
33 mg/kg	rat	oral
33 mg/kg	mouse	oral
96 mg/kg	rabbit	skin
12 mg/kg	rabbit	intravenous
49 mg/kg	guinea pig	skin
22 mg/kg	hamster	oral
239 mg/kg	hamster	skin
21 mg/kg	hamster	intraperitoneal
74 ppm (4 hours)	rat	inhalation
56 ppm (4 hours)	mouse	inhalation
96 ppm (1 hour)	dog	inhalation
82 ppm (1 hour)	monkey	inhalation
143 ppm (4 hours)	hamster	skin

LC₅₀

Chronic Toxicity

U.S. Occupational Standard: (air) 0.2 ppm
Ceiling 350 µg/m³ (skin)

Carcinogenicity:

3000 mg/kg (47 weeks) hamster oral

Mutagenicity:

Teratogenicity:

TD_{Lo}

100 mg/kg (8-12 days)
200 mg/kg (14 days)

TLV:

mouse oral
rabbit oral

Other Chronic Effects:

Methyl iodide

CHEMICAL NAME


CAS Number: 74-88-4

Chemical Name: Iodomethane

Synonyms: Methyl iodide

Molecular

Formula: CH₃I



Chemical Properties

Molecular Weight: 141.94

Physical State: Liquid

Vapor Pressure: 400 mm at 25.3°C

Vapor Density: 4.89

Boiling Point: 42.4°C at 760 mm

Melting Point: -66.45°C

Density: 2.279 at 20°C/4°C

Solubility: Slightly (H₂O)

Octanol/Water Partition Coefficient: 1.80

Environmental Persistence

BOD:

Atmospheric Reactivity:

Residence in atmosphere: 0.003 year

Safety Hazard: Disaster hazard—dangerous—toxic fumes—iodides

Methyl iodide

PRODUCTION DATA

Annual U.S.
Production:

Consumption:

Fraction of
Dispersion:

Fraction of Pro-
duction Lost:

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
LD ₅₀	220 mg/kg	rat	oral
	110 mg/kg	mouse	subcutaneous
LD _{Lo}	800 mg/kg	rat	skin
LC _{Lo}	426 mg/m ³ (24 hours)	mouse	inhalation

Non-lethal Acute Effects:

Strong narcotic and anaesthetic
Irritant
Nausea and vomiting

Chronic Toxicity

U.S. Occupational Standard: (air) TWA 5 ppm (skin)

Carcinogenicity:			
Neoplasm TD _{Lo}	50 mg/kg	rat	subcutaneous

Mutagenicity:

Teratogenicity: TLV:

Other Chronic Effects:

Methyl isoamyl ketone


CHEMICAL NAME

CAS Number: 110-12-3

Chemical Name: 5-Methyl-2-hexanone

Synonyms: Methyl iso-amyl ketone
MIAR

**Molecular
Formula:** C₇H₁₄O



Chemical Properties

Molecular Weight: 114.19

Physical State: Liquid

Vapor Pressure:

Vapor Density:

Boiling Point: 144°C at 760 mm

Melting Point:

Density: 0.888 at 20°C/4°C

Solubility: Slightly (H₂O)

**Octanol/Water Parti-
tion Coefficient:**

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Methyl isoamyl ketone

PRODUCTION DATA

**Annual U.S.
Production:**

Consumption:

**Fraction of
Dispersion:**

**Fraction of Pro-
duction Lost:**

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity

LD₅₀

Dosage
4760 mg/kg

Animal

rat

Route

oral

LD_{Lo}

3200 mg/kg

mouse

oral

LC_{Lo}

2000 ppm (4 hours)

rat

inhalation

Chronic Toxicity

U.S. Occupational Standard: (air) TWA 100 ppm

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Methyl isobutyl ketone

CHEMICAL NAME


CAS Number: 108-10-1

Chemical Name: 4-Methyl-2-pentanone

Synonyms: Methyl isobutyl ketone
Isobutyl methyl ketone
Hexone

Isopropylacetone
MIBK

**Molecular
Formula:** C₆H₁₂O



Chemical Properties

Molecular Weight: 100.16

Physical State: Liquid

Vapor Pressure: 7.1 mm at 25°C

Vapor Density: 3.45

Boiling Point: 116.85°C at 760 mm

Melting Point: -84.7°C

Density: 0.7978 at 20°C

Solubility: Slightly (H₂O)

**Octanol/Water Parti-
tion Coefficient:**

Environmental Persistence

BOD: 69% of theoretical after 20 days at 20°C
Total theoretical oxygen demand = 2.7 gm/gm

Atmospheric Reactivity:
Reacts vigorously with reducing materials

Safety Hazard: Fire—moderate

Methyl isobutyl ketone

PRODUCTION DATA

Annual U.S. Production: 208.3×10^6 lbs. **Consumption:** 208.3×10^6 lbs.
Fraction of Dispersion: 0.95 **Fraction of Production Lost:** 0.015
Release Rate (million lbs/yr): 201.0

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
LD ₅₀	268 mg/kg	mouse	intraperitoneal
	2080 mg/kg	rat	oral
LD _{Lo}	2850 mg/kg	mouse	oral
LC _{Lo}	4000 ppm (15 minutes)	rat	inhalation

Non-lethal Acute Effects:

Irritation effects			
TC _{Lo}	200 ppm	human	inhalation

Chronic Toxicity

U.S. Occupational Standard: (air) TWA 100 ppm

Carcinogenicity:

Mutagenicity:

Teratogenicity:

Other Chronic Effects:

TLV: 100 ppm
Odor perception: 8 ppm

Methyl isocyanate

CHEMICAL NAME

CAS Number: 624-83-9

Chemical Name: Isocyanic acid, methyl ester

Synonyms: Methyl isocyanate
Methyl carbamate

Molecular Formula: C_2H_3NO

Structure: $CH_3 - N = C = O$

Chemical Properties

Molecular Weight: 57.05

Physical State: Liquid

Vapor Pressure:

Vapor Density:

Boiling Point: $59.6^{\circ}C$

Melting Point: $-45^{\circ}C$

Density: 0.9230 at $27^{\circ}C/4^{\circ}C$

Solubility: Soluble (H_2O)
Reacts with H_2O

Octanol/Water Partition Coefficient:

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Methyl isocyanate

PRODUCTION DATA

Annual U.S.
Production:

Consumption:

Fraction of
Dispersion:

Fraction of Pro-
duction Lost:

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity
LC₅₀

Dosage
14 ppm (4 hours)
10 ppm (4 hours)
8 ppm (4 hours)
13 ppm (4 hours)

Animal
rat
mouse
rabbit
guinea pig

Route
inhalation
inhalation
inhalation
inhalation

Non-lethal Acute Effects:
Pulmonary edema
TC_{Lo}

0.5 ppm

human

inhalation

Chronic Toxicity

U.S. Occupational Standard: (air) TWA 0.02 ppm (skin)

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Methyl mercaptan

CHEMICAL NAME


CAS Number: 74-93-1

Chemical Name: Methanethiol

Synonyms: Methyl mercaptan

Molecular

Formula: CH₄S



Chemical Properties

Molecular Weight: 48.11

Physical State: Liquid or gas

Vapor Pressure: 760 mm at 6.8°C

Vapor Density: 1.66

Boiling Point: 6.2°C

Melting Point: -123°C

Density: 0.8665 at 20°C/4°C

Solubility: Slightly (H₂O)

Octanol/Water Partition Coefficient:

Environmental Persistence

BOD:

Atmospheric Reactivity: Reacts with oxidizing materials

Safety Hazard: Fire—dangerous
Disaster hazard—dangerous—toxic fumes—SO_x

Methyl mercaptan

PRODUCTION DATA

Annual U.S.
Production:

Consumption:

Fraction of
Dispersion:

Fraction of Pro-
duction Lost:

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity

LD₅₀

LC_{Lo}

Dosage

2.4 mg/kg

10,000 ppm

Animal

mouse

rat

Route

subcutaneous

inhalation

Non-lethal Acute Effects:

Irritant

Chronic Toxicity

U.S. Occupational Standard: (air) Ceiling 10 ppm

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV: 0.5 ppm

Other Chronic Effects:

Methyl methacrylate


CHEMICAL NAME

CAS Number: 80-62-6

Chemical Name: Methacrylic acid, methyl ester

Synonyms: Methyl methacrylate
2-Methyl propenoic acid, methyl ester

**Molecular
Formula:** C₅H₈O₂



Chemical Properties

Molecular Weight: 100.13

Physical State: Liquid

Vapor Pressure: 40 mm at 25.5°C

Vapor Density: 3.45

Boiling Point: 100 to 101°C at 760 mm

Melting Point: -48°C

Density: 0.9440 at 20°C/4°C

Solubility: Slightly (H₂O)

**Octanol/Water Parti-
tion Coefficient:**

Environmental Persistence

BOD:

Atmospheric Reactivity: Reacts with oxidizing materials

Safety Hazard: Fire—moderate
Explosion—moderate

Methyl methacrylate

PRODUCTION DATA

Annual U.S.
Production: 718.8×10^6 lbs. (1974) Consumption: 625×10^6 lbs.

Fraction of
Dispersion: Fraction of Pro-
duction Lost: 0.015

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
LD ₅₀	7500 mg/kg	rat	subcutaneous
	1000 mg/kg	mouse	intraperitoneal
	6300 mg/kg	mouse	subcutaneous
	4500 mg/kg	dog	subcutaneous
	6300 mg/kg	guinea pig	oral
	2000 mg/kg	guinea pig	intraperitoneal
	6300 mg/kg	guinea pig	subcutaneous
LD _{Lo}	1800 mg/kg	rat	intraperitoneal
	5000 mg/kg	dog	oral
	6550 mg/kg	rabbit	oral
LC ₅₀	3750 ppm	rat	inhalation

Non-lethal Acute Effects:

Irritant effect			
TC _{Lo}	125 ppm	human	inhalation
Central nervous system effects			
TC _{Lo}	150 mg/m ³	human	inhalation

Chronic Toxicity

U.S. Occupational Standard: (air) TWA 100 ppm

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV: 100 ppm

Other Chronic Effects:

Methylnaphthalene

CHEMICAL NAME


CAS Number: 1321-94-4

Chemical Name: Methylnaphthalene

Synonyms: 1-Methyl naphthalene

Molecular Formula: $C_{11}H_{10}$

Structure:



Chemical Properties

Molecular Weight: 142.21

Physical State: Liquid

Vapor Pressure: <10 mm at 25°C

Vapor Density:

Boiling Point: 244.64°C at 760 mm

Melting Point: -22°C

Density: 1.0202 at 20°C/4°C

Solubility: Insoluble (H₂O)

Octanol/Water Partition Coefficient:

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Methylnaphthalene

PRODUCTION DATA

Annual U.S.
Production:

Consumption:

Fraction of
Dispersion:

Fraction of Pro-
duction Lost:

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity
LD₅₀

Dosage
5000 mg/kg

Animal
rat

Route
oral

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

N-Methyl-N'-nitro-N-nitrosoguanidine


CHEMICAL NAME

CAS Number: 70-25-7

Chemical Name: 1-Methyl-3-nitro-1-nitrosoguanidine

Synonyms: N-Methyl-N'-nitro-nitrosoguanidine
N'-Nitro-N-nitroso-N-methylguanidine

**Molecular
Formula:** $C_2H_5N_5O_3$



Chemical Properties

Molecular Weight: 147.1

Physical State:

Vapor Pressure:

Vapor Density:

Boiling Point:

Melting Point:

Density:

Solubility:

**Octanol/Water Parti-
tion Coefficient:**

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

N-Methyl-N'-nitro-N-nitrosoguanidine

PRODUCTION DATA

Annual U.S.
Production:

Consumption:

Fraction of
Dispersion:

Fraction of Pro-
duction Lost:

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity
LD_{Lo}

Dosage
400 mg/kg

Animal
rat

Route
oral

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

TD_{Lo}

75 mg/kg (4 weeks)	rat	oral
40 mg/kg (4 weeks)	rat	intraperitoneal
40 mg/kg (10 weeks)	rat	subcutaneous
200 mg/kg (32 days)	rat	rectal
100 mg/kg	mouse	oral
200 mg/kg (22 weeks)	mouse	skin
48 mg/kg	mouse	subcutaneous
2457 mg/kg (66 weeks)	dog	oral
740 mg/kg (27 weeks)	hamster	oral

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Methyl parathion


CHEMICAL NAME

CAS Number: 298-00-0

Chemical Name: O,O-Dimethyl phosphorothioic acid O-(p-nitrophenyl) ester

Synonyms: Methyl parathion
O,O-Dimethyl-O-p-nitrophenyl phosphorothioate

Molecular Formula: $C_8H_{10}NO_5PS$



Chemical Properties

Molecular Weight: 263.20

Physical State: Solid

Vapor Pressure: 0.97 mm at 20°C

Vapor Density:

Boiling Point: Decomposes

Melting Point: 35-36°C

Density: 1.358 at 20°C/4°C

Solubility: Slightly soluble (55 to 60 ppm H_2O)

Octanol/Water Partition Coefficient: 1.44

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Explosion—commercial product decomposes at 120°C with violence

Methyl parathion

PRODUCTION DATA

Annual U.S.**Production:** 51.1×10^6 lbs.**Consumption:** 52.2×10^6 lbs.**Fraction of****Dispersion:** Estimated as 1.0**Fraction of Pro-****duction Lost:** 0.01**Release Rate (million lbs/yr):** 52.7

TOXICITY DATA

Acute ToxicityLD₅₀**Dosage**

9 mg/kg
67 mg/kg
3500 mg/kg
23 mg/kg
9300 mg/kg
30 mg/kg
300 mg/kg
7 mg/kg
25 mg/kg

Animal

rat
rat
rat
mouse
mouse
mouse
rabbit
wild bird
mammal

Route

oral
skin
intraperitoneal
intraperitoneal
intraperitoneal
subcutaneous
skin
oral
unreported

Chronic Toxicity**U.S. Occupational Standard:** (air) TWA $200 \mu\text{g}/\text{m}^3$ **Carcinogenicity:****Mutagenicity:****Teratogenicity:****TLV:****Other Chronic Effects:**

Methylpentanediol

CHEMICAL NAME


CAS Number: 107-41-5

Chemical Name: 2-Methyl-2,4-pentanediol

Synonyms: 2,4-Dihydroxy-2-methylpentane
 α,α,α' -Trimethyltrimethylene glycol

Molecular

Formula: $C_6H_{14}O_2$



Chemical Properties

Molecular Weight: 118.06

Physical State: Liquid

Vapor Pressure: <0.1 mm at 20°C

Vapor Density:

Boiling Point: 198°C

Melting Point: -50°C

Density:

Solubility: Infinite (H₂O)

Octanol/Water Partition Coefficient: -0.14

Environmental Persistence

BOD: 90% of theoretical after 20 days at 20°C
Total theoretical oxygen demand-2.3 (gm/gm)

Atmospheric Reactivity:

Safety Hazard:

Methylpentanediol

PRODUCTION DATA

Annual U.S.**Production:** 50×10^6 lbs.**Consumption:** 50×10^6 lbs.**Fraction of****Dispersion:** 1.0**Fraction of Pro-****duction Lost:** 0.015**Release Rate (million lbs/yr):** 50.8

TOXICITY DATA

Acute Toxicity
LD₅₀**Dosage**
3696 mg/kg
3860 mg/kg
1299 mg/kg**Animal**
rat
mouse
mouse**Route**
oral
oral
intraperitoneal**Chronic Toxicity****U.S. Occupational Standard:****Carcinogenicity:****Mutagenicity:****Teratogenicity:****TLV:****Other Chronic Effects:**

Methylpentynol


CHEMICAL NAME

CAS Number: 77-75-8

Chemical Name: 3-Methyl-1-pentyn-3-ol

Synonyms: Methyl pentynol
2-Ethynyl-2-butanol
Dormison

**Molecular
Formula:** C₆H₁₀O



Chemical Properties.

Molecular Weight: 98.15

Physical State: Liquid

Vapor Pressure:

Vapor Density: 3.38

Boiling Point: 120 to 121°C

Melting Point: 30 to 31°C

Density: 0.8688 at 20°C/4°C

Solubility: Soluble (H₂O)

**Octanol/Water Parti-
tion Coefficient:** 1.80

Environmental Persistence

BOD:

Atmospheric Reactivity: Reactive toward oxidizing materials

Safety Hazard: Fire--slight

Methylpentynol

PRODUCTION DATA

Annual U.S.
Production:

Consumption:

Fraction of
Dispersion:

Fraction of Pro-
duction Lost:

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity
LD₅₀

Dosage
300 mg/kg
698 mg/kg
750 mg/kg
534 mg/kg

Animal
rat
mouse
mouse
guinea pig

Route
oral
oral
subcutaneous
oral

Non-lethal Acute Effects:

Psychotropic effects:

TD_{Lo} 7 mg/kg

human

oral

Central nervous system effects:

TD_{Lo} 70 mg/kg

human

oral

Dermatitis

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Methylphenylcarbinol


CHEMICAL NAME

CAS Number: 98-85-1

Chemical Name: α -Methylbenzenemethanol

Synonyms: Styralyl alcohol
Phenylmethylcarbinol
l-Phenethyl alcohol
l-Phenylethanol
 α -Methylbenzyl alcohol

Molecular Formula: $C_8H_{10}O$



Chemical Properties

Molecular Weight: 122.17

Physical State: Liquid

Vapor Pressure:

Vapor Density:

Boiling Point: 204°C at 760 mm

Melting Point: 20.7°C

Density: 1.0135 at 20°C/4°C

Solubility: Insoluble (H_2O)

Octanol/Water Partition Coefficient:

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Methylphenylcarbinol

PRODUCTION DATA

**Annual U.S.
Production:**

Consumption:

**Fraction of
Dispersion:**

**Fraction of Pro-
duction Lost:**

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity

Dosage

Animal

Route

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

a - Methylstyrene


CHEMICAL NAME

CAS Number: 1319-73-9

Chemical Name: Methyl styrene

Synonyms: α -Methyl styrene
Isopropenyl benzene
 α -Phenyl propylene

**Molecular
Formula:** C_9H_{10}



Chemical Properties

Molecular Weight: 118.18

Physical State: Liquid

Vapor Pressure: 1 mm at 7.4°C

Vapor Density: 4.08

Boiling Point: 165.4°C at 760 mm

Melting Point: -23.21°C

Density: 0.9106 at 20°C/4°C

Solubility: Insoluble (H_2O)

**Octanol/Water Parti-
tion Coefficient:**

Environmental Persistence

BOD:

Atmospheric Reactivity: Reacts with oxidizing materials

Safety Hazard:

Fire—moderate

Explosion—moderate

a-Methylstyrene

PRODUCTION DATA

Annual U.S. Production:	65 x 10 ⁶ lbs. (1976 capacity)	Consumption:	50 x 10 ⁶ lbs.
Fraction of Dispersion:		Fraction of Production Lost:	0.015
Release Rate (million lbs/yr):			

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
LD ₅₀	4900 mg/kg	rat	oral
LC _{Lo}	3000 ppm	rat	inhalation
	3000 ppm	guinea pig	inhalation

Non-lethal Acute Effects:

Irritant			
TC _{Lo}	600 ppm	human	inhalation
Conjunctivitis			
Dermatitis			

Chronic Toxicity

U.S. Occupational Standard: (air) TWA: 100 ppm

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Mevinphos


CHEMICAL NAME

CAS Number: 298-01-1

Chemical Name: 3-[(Dimethoxyphosphinyl)oxy]-2-butenic acid, methyl ester, (E)

Synonyms: Mevinphos
2-Carbomethoxy-1-methyl-vinyldimethyl phosphate, α isomer
Phosdrin

Molecular Formula: $C_7H_{13}O_6P$



Chemical Properties

Molecular Weight: 224.17

Physical State: Liquid

Vapor Pressure: 0.0029 at 21°C

Vapor Density:

Boiling Point: 99 to 103°C at 0.03 mm

Melting Point:

Density: 1.25

Solubility: Infinite (H_2O)

Octanol/Water Partition Coefficient:

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Mevinphos

PRODUCTION DATA

Annual U.S.
Production: $<1 \times 10^6$ lbs.

Consumption:

Fraction of
Dispersion: Estimated as 1.0

Fraction of Pro-
duction Lost: 0.015

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
LD ₅₀	4 mg/kg	rat	oral
	4 mg/kg	rat	skin
	890 µg/kg	rat	intraperitoneal
	211 µg/kg	rat	subcutaneous
	4 mg/kg	mouse	oral
	3 mg/kg	mouse	intraperitoneal
	4700 µg/kg	rabbit	skin
	7520 µg/kg	chicken	oral
	3 mg/kg	wild bird	oral
LC ₅₀	14 ppm (1 hour)	rat	inhalation

Chronic Toxicity

U.S. Occupational Standard: (air) TWA 400 µg/m³

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Mirex

CHEMICAL NAME


CAS Number: 2385-85-5

Chemical Name: 1,1a,2,2,3,3a,4,5,5,5a,5b,6-Dodecachlorooctahydro-1,3,4-metheno-1 H-cyclobuta(cd) pentalene

Synonyms: Mirex
Dodecachloropentacyclo(3,3,2,0^{2,6},0^{3,9},0^{7,10}) decane

Molecular Formula: C₁₀Cl₁₂

Structure:



Chemical Properties

Molecular Weight: 545.6

Physical State: Solid

Vapor Pressure:

Vapor Density:

Boiling Point:

Melting Point: 485°C (decomposes)

Density:

Solubility: Insoluble (H₂O)

Octanol/Water Partition Coefficient:

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

PRODUCTION DATA

Annual U.S.
Production: $<1 \times 10^6$ lbs.

Consumption:

Fraction of
Dispersion: Estimated as 1.0

Fraction of Pro-
duction Lost: 0.015

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
LD ₅₀	300-600 mg/kg	rat	oral
LD _{Lo}	306 mg/kg	rat	oral

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:			
TD _{Lo}	2222 mg/kg (58 weeks)	mouse	oral

Mutagenicity:

Teratogenicity: TLV:

Other Chronic Effects:

Monosodium glutamate


CHEMICAL NAME

CAS Number: 142-47-2

Chemical Name: L - Glutamic acid, monosodium salt

Synonyms: Monosodium glutamate
MSG
Sodium-L-glutamate

Molecular Formula: $C_5H_9NO_4.Na$



Chemical Properties

Molecular Weight: 170.14

Physical State: Solid

Vapor Pressure: Negligible at 25°C

Vapor Density:

Boiling Point: Decomposes

Melting Point:

Density:

Solubility: Soluble (739 gm/l H₂O)

Octanol/Water Partition Coefficient:

Environmental Persistence

BOD: 65% of theoretical at 20°C for 5 days
Total theoretical oxygen demand = 1.42 gm/gm

Atmospheric Reactivity:

Safety Hazard:

Monosodium glutamate

PRODUCTION DATA

Annual U.S. Production:	47.3 x 10 ⁶ lbs.	Consumption:	49.9 x 10 ⁶
Fraction of Dispersion:	1.0	Fraction of Production Lost:	0.03
Release Rate (million lbs/yr): 51.4			

TOXICITY DATA

Acute Toxicity LD ₅₀	Dosage 4253 mg/kg 8000 mg/kg	Animal rat cat	Route intraperitoneal subcutaneous
---	---	-----------------------------	---

Non-lethal Acute Effects:

Systematic effects:

TD _{Lo}	43 mg/kg	human	oral
------------------	----------	-------	------

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TD_{Lo}

Other Chronic Effects:

5 mg/kg

TLV:

pregnant mouse
(17 or 18 days)

parenteral

Morpholine


CHEMICAL NAME

CAS Number: 110-91-8

Chemical Name: Morpholine

Synonyms: Tetrahydro-1,4- isoxazine
Diethethylenimide oxide

**Molecular
Formula:** C_4H_9NO



Chemical Properties

Molecular Weight: 87.12

Physical State: Liquid

Vapor Pressure: 10 mm at 23°C

Vapor Density: 3.00

Boiling Point: 128.3°C at 760 mm

Melting Point: -4.75°C

Density: 1.0005 at 20°C/4°C

Solubility: Infinite (H₂O)

**Octanol/Water Parti-
tion Coefficient:**

Environmental Persistence

BOD: 0.9% of theoretical

Atmospheric Reactivity: Reacts with oxidizing materials

Safety Hazard: Fire—moderate
Disaster hazard—dangerous—toxic fumes—NO_x

Morpholine

PRODUCTION DATA

Annual U.S. Production: 23.3×10^6 lbs. **Consumption:** 23.3×10^6 lbs.
Fraction of Dispersion: 0.50 **Fraction of Production Lost:** 0.03
Release Rate (million lbs/yr): 12.4

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
LD ₅₀	1050 mg/kg	rat	oral
	500 mg/kg	rabbit	skin

Non-lethal Acute Effects:
Local irritant
Kidney damage

Chronic Toxicity

U.S. Occupational Standard: (air) TWA 20 ppm (skin)

Carcinogenicity:
Neoplastic effects:

6330 mg/kg (28 weeks) mouse oral

Mutagenicity:

Teratogenicity:

TLV: 20 ppm

Other Chronic Effects:

MSMA

CHEMICAL NAME

CAS Number: 2163-80-6


Chemical Name: Methanearsonic acid, monosodium salt

Synonyms: MSMA

Monosodium acid methane arsonate

Molecular

Formula: $\text{CH}_3\text{AsO}_3 \cdot \text{Na}$



Chemical Properties

Molecular Weight: 162.97

Physical State: Solid

Vapor Pressure:

Vapor Density:

Boiling Point:

Melting Point: 161°C

Density:

Solubility: Very soluble (H_2O)

Octanol/Water Partition Coefficient:

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

PRODUCTION DATA

Annual U.S.
Production: 35.0×10^6 lbs.

Consumption:

Fraction of
Dispersion: Estimated as 1.0

Fraction of Pro-
duction Lost: 0.015

Release Rate (million lbs/yr): 35

TOXICITY DATA

Acute Toxicity
LD₅₀

Dosage
1800 mg/kg
50 mg/kg

Animal
rat
mammal

Route
oral
unreported

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Nabam


CHEMICAL NAME

CAS Number: 142-59-6

Chemical Name: Ethylenebis(dithiocarbamic acid), disodium salt

Synonyms: Disodium ethylene bisdithiocarbamate

Molecular Formula: $C_4H_6N_2S_4 \cdot Na$



Chemical Properties

Molecular Weight: 256.4

Physical State: Solid

Vapor Pressure:

Vapor Density:

Boiling Point:

Melting Point: 79 to 81°C

Density:

Solubility: Soluble (H₂O)

Octanol/Water Partition Coefficient:

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Disaster hazard—dangerous, toxic fumes

PRODUCTION DATA

**Annual U.S.
Production:** 1.4×10^6 lbs. (1967)

Consumption:

**Fraction of
Dispersion:**

**Fraction of Pro-
duction Lost:** 0.015

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
LD ₅₀	395 mg/kg	rat	oral
	580 mg/kg	mouse	oral

Non-lethal Acute Effects:

Irritant to skin and mucous membranes
Narcotic in high concentrations

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Potential carcinogen according to EPA

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Naled

CHEMICAL NAME


CAS Number: 300-76-5

Chemical Name: Phosphoric acid, 1,2-dibromo-2,2-dichloroethyl dimethyl ester

Synonyms: 1,2-Dibromo-2,2-dichloroethyl dimethylphosphate
Dimethyl-1,2-dibromo-2,2-dichloroethyl phosphate

Molecular

Formula: C₄H₇Br₂Cl₂O₄P



Chemical Properties

Molecular Weight: 380.7

Physical State: Solid

Vapor Pressure:

Vapor Density:

Boiling Point:

Melting Point: 270°C

Density:

Solubility: Insoluble (H₂O (hydrolyzes))

Octanol/Water Partition Coefficient:

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Naled

PRODUCTION DATA

**Annual U.S.
Production:** 2.0×10^6 lbs.

Consumption:

**Fraction of
Dispersion:** 1.0

**Fraction of Pro-
duction Lost:** 0.015

Release Rate (million lbs/yr): 2.0

TOXICITY DATA

Acute Toxicity
LD₅₀

Dosage
250 mg/kg
800 mg/kg

Animal
rat
rabbit

Route
oral
skin

Chronic Toxicity

U.S. Occupational Standard: (air) TWA 3 mg/m³

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Naphtha (solvent)

CHEMICAL NAME

CAS Number: MX 8030-31-7

Chemical Name: Coal tar naphtha

Synonyms: Solvent naphtha
Heavy naphtha
Hiflash naphtha

**Molecular
Formula:**

Structure: (Mixture of xylene and higher homologs)

Chemical Properties

Molecular Weight:

Physical State: Liquid

Vapor Pressure:

Vapor Density:

Boiling Point: 160 to 220°C

Melting Point:

Density: 0.885 to 0.970

Solubility:

**Octanol/Water Parti-
tion Coefficient:**

Environmental Persistence

BOD:

Atmospheric Reactivity:
Reacts with oxidizing materials
Common air contaminant

Safety Hazard:

Fire—dangerous
Explosion—slight

Naphtha (solvent)

PRODUCTION DATA

**Annual U.S.
Production:** 8288.4 x 10⁶ lbs.

Consumption: 8288.4 x 10⁶ lbs.

**Fraction of
Dispersion:** 1.0

**Fraction of Pro-
duction Lost:** 0.01

Release Rate (million lbs/yr): 8371.3

TOXICITY DATA

Acute Toxicity
LD_{Lo}

Dosage
1600 ppm

Animal
rat

Route
inhalation

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity: Recognized carcinogen

Mutagenicity:

Teratogenicity:

TLV: 100 ppm

Other Chronic Effects:

Naphthalene

CHEMICAL NAME


CAS Number: 91-20-3

Chemical Name: Naphthalene

Synonyms: Napthene

**Molecular
Formula:** $C_{10}H_8$

Structure:



Chemical Properties

Molecular Weight: 128.19

Physical State: Solid

Vapor Pressure: 0.2129 mm at 25°C

Vapor Density: 4.42

Boiling Point: 218°C

Melting Point: 80.55°C

Density: 1.0253 at 20°C/4°C

Solubility: Insoluble (H_2O)

**Octanol/Water Parti-
tion Coefficient:** 3.27

Environmental Persistence

BOD: Total theoretical oxygen demand: 3 gm/gm

Atmospheric Reactivity:

Reacts with oxidizing materials

Activity toward OH: $t_{1/2} = 2.5$ days

O_3 : $t_{1/2} = 1$ year

RO_2 : unreactive

Minor contaminant in air

Safety Hazard:

Fire—moderate

Explosion—moderate

Naphthalene

PRODUCTION DATA

Annual U.S. Production: 143×10^6 lbs. (1975) **Consumption:** 140×10^6 lbs. (1975)

Fraction of Dispersion: 0.02 **Fraction of Production Lost:** 0.01

Release Rate (million lbs/yr): 16.9 (unspecified year)

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
LD ₅₀	1780 mg/kg	rat	oral
LD _{Lo}	100 mg/kg	child	oral
	150 mg/kg	mouse	intraperitoneal

Non-lethal Acute Effects:

Nausea
Anemia
Liver damage
Convulsions
Coma

Chronic Toxicity

U.S. Occupational Standard: (air) TWA 10 ppm

Carcinogenicity:

Neoplasm

TD_{Lo}

3500 mg/kg (98 days intermittent)

Mutagenicity:

Teratogenicity:

TLV: 10 ppm

Other Chronic Effects:

a-Naphthalenesulfonic acid


CHEMICAL NAME

CAS Number: 85-47-2

Chemical Name: 1-Naphthalenesulfonic acid

Synonyms:

**Molecular
Formula:** $C_{10}H_8O_3S$



Chemical Properties

Molecular Weight: 208.25

Physical State: Solid

Vapor Pressure:

Vapor Density:

Boiling Point:

Melting Point: 139 to 140°C

Density:

Solubility: Soluble (H_2O)

**Octanol/Water Parti-
tion Coefficient:**

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Disaster hazard—dangerous, toxic fumes of SO_x

a-Naphthalenesulfonic acid

PRODUCTION DATA

**Annual U.S.
Production:**

Consumption:

**Fraction of
Dispersion:**

**Fraction of Pro-
duction Lost:**

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity

Dosage

Animal

Route

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

B-Naphthalenesulfonic acid


CHEMICAL NAME

CAS Number: 120-18-3

Chemical Name: 2-Naphthalenesulfonic acid

Synonyms: Naphthalene-2-sulfonic acid

**Molecular
Formula:** $C_{10}H_8O_3S$

Structure: 

Chemical Properties

Molecular Weight: 208.25

Physical State: Solid

Vapor Pressure:

Vapor Density:

Boiling Point: Decomposes

Melting Point: 124 to 125°C

Density: 1.441 at 25°C/4°C

Solubility: Very soluble (H_2O)

Octanol/Water Partition Coefficient:

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Disaster hazard—dangerous, toxic fumes of SO_x

B-Naphthalenesulfonic acid

PRODUCTION DATA

Annual U.S.

Production: 39.0×10^6 lbs. (1968)

Consumption:

**Fraction of
Dispersion:**

**Fraction of Pro-
duction Lost:** 0.015

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity
LD₅₀

Dosage
400 mg/kg

Animal
rat

Route
oral

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

a-Naphthol


CHEMICAL NAME

CAS Number: 90-15-3

Chemical Name: 1-Naphthol

Synonyms: 1-Hydroxynaphthalene

**Molecular
Formula:** $C_{10}H_8O$



Chemical Properties

Molecular Weight: 144.19

Physical State: Solid

Vapor Pressure: 1 mm at 94°C

Vapor Density:

Boiling Point: 288°C (sublimes) at 760 mm

Melting Point: 96°C

Density: 1.0989 at 99°C/4°C

Solubility: Insoluble (H_2O)
Slightly soluble (hot H_2O)

**Octanol/Water Parti-
tion Coefficient:** 2.98

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:
Fire—slight

a-Naphthol

PRODUCTION DATA

**Annual U.S.
Production:**

Consumption:

**Fraction of
Dispersion:**

**Fraction of Pro-
duction Lost:**

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity
LD₅₀

Dosage
2590 mg/kg
880 mg/kg

Animal
rat
rabbit

Route
oral
skin

Non-lethal Acute Effects:

Nephritis
Circulatory collapse
Anemia
Convulsions
Injury to cornea and lens of eye

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

B-Naphthol

CHEMICAL NAME


CAS Number: 135-19-3

Chemical Name: 2-Naphthol

Synonyms: 2-Hydroxynaphthalene
Naphthol B

**Molecular
Formula:** $C_{10}H_8O$

Structure:



Chemical Properties

Molecular Weight: 144.19

Physical State: Solid

Vapor Pressure: 15 mm at 128.6°C

Vapor Density: 4.97

Boiling Point: 295°C at 760 mm

Melting Point: 123 to 124°C

Density: 1.28 at 20°C

Solubility: Insoluble (H_2O)
Slightly soluble (hot H_2O)

**Octanol/Water Parti-
tion Coefficient:** 2.89

Environmental Persistence

BOD: 93% of theoretical after 12 days

Atmospheric Reactivity:

Safety Hazard:

Fire—slight

B-Naphthol

PRODUCTION DATA

Annual U.S. Production: (none in 1975 or 1976) **Consumption:** 0.1×10^6 lbs. (1975)

Fraction of Dispersion: **Fraction of Production Lost:**

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
LD ₅₀	2420 mg/kg	rat	oral
LD _{Lo}	2940 mg/kg	rat	subcutaneous
	100 mg/kg	mouse	subcutaneous
	3800 mg/kg	rabbit	oral
	2670 mg/kg	guinea pig	subcutaneous

Non-lethal Effects:
Nephritis
Circulatory collapse
Anemia
Convulsions
Damage to cornea and lens of eye

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

1-Naphthylamine

CHEMICAL NAME

CAS Number: 134-32-7


Chemical Name: 1-Naphthylamine

Synonyms: α -Naphthylamine

Molecular

Formula: $C_{10}H_9N$

Structure:



Chemical Properties

Molecular Weight: 143.20

Physical State: Solid

Vapor Pressure: 1 mm at 104.3°C

Vapor Density: 4.93

Boiling Point: 300.8°C at 760 mm

Melting Point: 50°C

Density: 1.1229 at 25°C/25°C

Solubility: Slightly (H_2O)

Octanol/Water Partition Coefficient: 2.22

Environmental Persistence

BOD:

Atmospheric Reactivity: Reacts with oxidizing materials

Safety Hazard:

Fire—slight—toxic fumes

1-Naphthylamine

PRODUCTION DATA

Annual U.S.
Production: 1.1×10^6 lbs. (1963)

Consumption:

Fraction of
Dispersion:

Fraction of Pro-
duction Lost: 0.015

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity
LD₅₀
LD_{Lo}

Dosage
779 mg/kg
300 mg/kg
4000 mg/kg

Animal
rat
rabbit
mammal

Route
oral
subcutaneous
oral

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Urinary bladder cancer

TD_{Lo} 400 mg/kg

dog

subcutaneous

Neoplastic effects:

TD_{Lo} 25 mg/kg

mouse

subcutaneous

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

2-Naphthylamine


CHEMICAL NAME

CAS Number: 91-59-8

Chemical Name: 2-Naphthylamine

Synonyms: β -Naphthylamine

**Molecular
Formula:** $C_{10}H_9N$



Chemical Properties

Molecular Weight: 143.20

Vapor Pressure: 1 mm at 108°C

Boiling Point: 306.1°C

Density: 1.0614 at 98°C/4°C

**Octanol/Water Parti-
tion Coefficient:** 2.25

Physical State: Solid

Vapor Density:

Melting Point: 113°C

Solubility: Soluble (H_2O)
(Very soluble in hot H_2O)

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:
Fire—moderate—toxic fumes

2-Naphthylamine

PRODUCTION DATA

Annual U.S. Production:	1.28 x 10 ⁶ lbs. (1955)	Consumption:	
Fraction of Dispersion:		Fraction of Pro- duction Lost:	0.015
Release Rate (million lbs/yr):			

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
LD ₅₀	727 mg/kg	rat	oral
LD _{Lo}	200 mg/kg	mouse	intraperitoneal
	500 mg/kg	dog	unknown

Chronic Toxicity

U.S. Occupational Standard: Carcinogen

Carcinogenicity:

TD _{Lo}	118 mg/kg (78 weeks)	rat	subcutaneous
	2120 mg/kg (52 weeks)	mouse	subcutaneous
	18 mg/kg	mouse	parenteral
	3900 mg/kg (2 years)	dog	oral
	14 mg/kg (240 weeks)	monkey	oral
	365 gm/kg (43 weeks)	hamster	oral

Neoplastic effects:

TD _{Lo}	31 gm/kg (1 year)	rat	oral
	42 mg/kg	mouse	subcutaneous
	260 mg/kg (43 weeks)	hamster	oral

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Naptalam

CHEMICAL NAME

CAS Number: 132-67-2


Chemical Name: 2-[(1-Naphthalenylamino)carbonyl] benzoic acid, monosodium salt

Synonyms: N-Naphthyl phthalamic acid, sodium salt

Molecular

Formula: $C_{18}H_{13}NO_3 \cdot Na$

Structure:



Chemical Properties

Molecular Weight: 291.3

Physical State: Solid

Vapor Pressure:

Vapor Density:

Boiling Point:

Melting Point: 185°C

Density: 1.40 at 20°C/4°C

Solubility: 0.2 gm/100 ml H₂O

Octanol/Water Partition Coefficient:

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Fire—moderate

Naptalam

PRODUCTION DATA

**Annual U.S.
Production:** 2.0×10^6 lbs.

Consumption:

**Fraction of
Dispersion:** Estimated as 1

**Fraction of Pro-
duction Lost:** 0.015

Release Rate (million lbs/yr): 2

TOXICITY DATA

Acute Toxicity
LD₅₀

Dosage
1770 mg/kg
> 5 mg/kg

Animal
rat
dog

Route
oral
oral

Non-lethal Acute Effects:

Relatively non-toxic to warm-blooded animals

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Neopentanoic acid


CHEMICAL NAME

CAS Number: 75-98-9

Chemical Name: Pivalic acid

Synonyms: Neopentanoic acid
2,2-Dimethyl propanoic acid
Trimethyl acetic acid

**Molecular
Formula:** C₅H₁₀O₂



Chemical Properties

Molecular Weight: 102.13

Physical State: Solid

Vapor Pressure:

Vapor Density:

Boiling Point: 163.7 to 163.8°C at 760 mm

Melting Point: 35.3 to 35.5°C

Density: 0.905 at 50°C

Solubility: Slightly (H₂O)

**Octanol/Water Parti-
tion Coefficient:** 1.60

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Neopentanoic acid

PRODUCTION DATA

Annual U.S. Production: 5×10^6 lbs. (1975 capacity for neo-acids)

Consumption:

Fraction of Dispersion:

Fraction of Production Lost: 0.015

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity
LD_{Lo}

Dosage
5000 mg/kg

Animal
rat

Route
oral

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Nitrilotriacetic acid, trisodium salt

CHEMICAL NAME


CAS Number: 5064-31-3

Chemical Name: N,N-bis(carboxymethyl)glycine, trisodium salt

Synonyms: NTA, trisodium salt TGA, trisodium salt
Triglycine, trisodium salt Triglycolamic acid, trisodium salt

Molecular

Formula: $C_6H_6NO_6 \cdot 3Na$



Chemical Properties

Molecular Weight: 260.13

Physical State: Solid

Vapor Pressure:

Vapor Density:

Boiling Point:

Melting Point: Acid form -240°C with decomposition

Density:

Solubility: Soluble (H_2O)

Octanol/Water Partition Coefficient:

Environmental Persistence

BOD: 76% of theoretical after 20 days at 20°C
Total theoretical oxygen demand = 0.93 gm/gm

Atmospheric Reactivity:

Safety Hazard:

Fire—combustible

Nitrilotriacetic acid, trisodium salt

PRODUCTION DATA

Annual U.S.
Production: 85×10^6 lbs.

Consumption: 13×10^6 lbs.

Fraction of
Dispersion: 1.0

Fraction of Pro-
duction Lost: 0.015

Release Rate (million lbs/yr): 14.3

TOXICITY DATA

Acute Toxicity LD ₅₀	Dosage	Animal	Route
	1100 mg/kg	rat	oral
	254 mg/kg	rat	intraperitoneal
	681 mg/kg	mouse	oral
	750 mg/kg	monkey	oral

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

(Nitrilotriacetic acid is a confirmed carcinogen, causing urinary tract cancers in rats and mice.)

Mutagenicity:

Teratogenicity: Birth abnormalities may result from ingestion TLV:

Other Chronic Effects:

p-Nitroaniline


CHEMICAL NAME

CAS Number: 100-01-6

Chemical Name: p-Nitroaniline

Synonyms: 1-Amino-4-nitrobenzene
Fast red 2G base

**Molecular
Formula:** $C_6H_6N_2O_2$



Chemical Properties

Molecular Weight: 138.13

Vapor Pressure: 1 mm at 142.4°C

Boiling Point: 331.73°C

Density: 1.424 at 20°C/4°C

**Octanol/Water Parti-
tion Coefficient:** 1.41

Physical State: Solid

Vapor Density:

Melting Point: 148.5 to 149.5°C

Solubility: Insoluble (H_2O)
(Slightly in hot H_2O)

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:
Fire—slight

p-Nitroaniline

PRODUCTION DATA

Annual U.S.
Production: 8.17×10^6 lbs. (1967)

Consumption:

Fraction of
Dispersion:

Fraction of Pro-
duction Lost: 0.015

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
LD ₅₀	3249 mg/kg	rat	oral
	812 mg/kg	mouse	oral
	250 mg/kg	mouse	intraperitoneal
	75 mg/kg	wild bird	oral
LD _{Lo}	40 mg/kg	mammal	intravenous

Non-lethal Acute Effects:

Cyanosis
Nausea and vomiting
Convulsions

Chronic Toxicity

U.S. Occupational Standard: (air) 1 ppm (skin)

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV: 1 ppm (skin)

Other Chronic Effects:

Liver damage

Nitroanisoie

CHEMICAL NAME

CAS Number: 100-17-4


Chemical Name: 1-Methoxy-4-nitrobenzene

Synonyms:

Molecular

Formula: $C_7H_7NO_3$

Structure:



Chemical Properties

Molecular Weight: 153.14

Physical State: Solid

Vapor Pressure:

Vapor Density:

Boiling Point: 276.8°C at 757 mm

Melting Point: 54°C

Density: 1.2192 at 60°C/4°C

Solubility: Insoluble (H₂O)

Octanol/Water Partition Coefficient: 2.03

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Nitroanisolet

PRODUCTION DATA

Annual U.S.
Production:

Consumption:

Fraction of
Dispersion:

Fraction of Pro-
duction Lost:

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity
LD₅₀

Dosage
4700 mg/kg
1400 mg/kg

Animal	Route
mammal (unspecified)	oral
mammal (unspecified)	intraperitoneal

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Nitrobenzene

CHEMICAL NAME

CAS Number: 98-95-3


Chemical Name: Nitrobenzene

Synonyms: Oil of mirbane
Nitrobenzol
Mononitrobenzene

Artificial oil of bitter almonds
Solvent black 5
Nigrosine spirit soluble B

**Molecular
Formula:** $C_6H_5NO_2$

Structure:



Chemical Properties

Molecular Weight: 123.06

Physical State: Solid/oily liquid

Vapor Pressure: 0.284 mm at 25°C

Vapor Density: 4.25

Boiling Point: 210.8°C at 760 mm

Melting Point: 5.7°C

Density: 1.2037 at 20°C/4°C

Solubility: Slightly (1 gm/100 ml H₂O at 20°C)

Octanol/Water Partition Coefficient: 1.88

Environmental Persistence

BOD: Total theoretical oxygen demand = 1.95 gm/gm

Atmospheric Reactivity:

Biodegradable

Unreactive to O₃ (t_{1/2} = 11 years) and RO₂ (t_{1/2} = 2000 years)

OH: t_{1/2} = 3 days

Safety Hazard:

Fire—moderate

Explosion—moderate

Disaster hazard—moderate—toxic fumes—NO_x

Nitrobenzene

PRODUCTION DATA

Annual U.S. Production: 551.2 x 10⁶ lbs. (1974)

Consumption: 551.2 x 10⁶ lbs.

Fraction of Dispersion: 0.03

Fraction of Production Lost: 0.012

Release Rate (million lbs/yr): 19.3

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
LD _{Lo}	800 mg/kg	rat	subcutaneous
	400 mg/kg	mouse	skin
	480 mg/kg	mouse	subcutaneous
	750 mg/kg	dog	oral
	150 mg/kg	dog	intravenous
	2000 mg/kg	cat	oral
	700 mg/kg	rabbit	oral
	600 mg/kg	rabbit	skin
	1000 mg/kg	mammal	oral
		(unspecified)	
	ca. 80 mg/kg	human	oral

Non-lethal Acute Effects:

Blood effects

TD_{Lo} 200 mg/kg human female oral

Cyanosis due to formation of methemoglobin

Chronic Toxicity

U.S. Occupational Standard: (air) TWA 1 ppm (skin)

Carcinogenicity:

Mutagenicity:

Teratogenicity: 125 mg/kg subcutaneous TLV: 5 mg/m³ (1 ppm)

In rat, caused delayed embryogenesis, embryo malformation and death

Other Chronic Effects:

Heart, liver and kidney damage

CNS effects

p-Nitrobenzoic acid

CHEMICAL NAME

CAS Number: 62-23-7


Chemical Name: p-Nitrobenzoic acid

Synonyms: 4-Nitrobenzoic acid

Molecular

Formula: $C_7H_5NO_4$

Structure:



Chemical Properties

Molecular Weight: 167.12

Physical State: Solid

Vapor Pressure: <10 mm at 25°C

Vapor Density:

Boiling Point: Sublimes

Melting Point: 242°C

Density: 1.610 at 20°C

Solubility: Insoluble (H_2O)

Octanol/Water Partition Coefficient: 2.03

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Disaster hazard—dangerous toxic fumes— NO_x

p-Nitrobenzoic acid

PRODUCTION DATA

**Annual U.S.
Production:**

Consumption:

**Fraction of
Dispersion:**

**Fraction of Pro-
duction Lost:**

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity
LD₅₀

Dosage
1960 mg/kg
1210 mg/kg
1960 mg/kg
880 mg/kg
770 mg/kg
1470 mg/kg

Animal
rat
rat
rat
mouse
mouse
mouse

Route
oral
intraperitoneal
parenteral
intraperitoneal
intravenous
parenteral

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Nitrocellulose

CHEMICAL NAME


CAS Number: 9004-70-0

Chemical Name: Nitrate cellulose

Synonyms: Nitrocellulose
Cellulose nitrate
Celloidin

Pyroxylin
Collodion

Molecular
Formula: $(C_6H_7N_3O_{11})_n$



Chemical Properties

Molecular Weight: $(297.13)_n$

Physical State: Solid

Vapor Pressure: Negligible at 25°C

Vapor Density:

Boiling Point:

Melting Point:

Density: 1.66

Solubility: Insoluble (H₂O)

Octanol/Water Partition Coefficient:

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Fire—highly dangerous

Explosion—moderately dangerous

Nitrocellulose

PRODUCTION DATA

Annual U.S.
Production: 50×10^6 lbs.

Consumption: 50×10^6 lbs.

Fraction of
Dispersion: 1.0

Fraction of Pro-
duction Lost: 0.03

Release Rate (million lbs/yr): 51.5

TOXICITY DATA

Acute Toxicity
Low toxicity

Dosage

Animal

Route

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Nitroethane

CHEMICAL NAME

CAS Number: 79-24-3

Chemical Name: Nitroethane

Synonyms:

Molecular
Formula: $C_2H_5NO_2$

Structure: $CH_3 - CH_2 - NO_2$

Chemical Properties

Molecular Weight: 75.08

Physical State: Liquid

Vapor Pressure: 20.3 mm at 25°C

Vapor Density: 2.58

Boiling Point: 115°C at 760 mm

Melting Point: -50°C

Density: 1.0448 at 25°C/4°C

Solubility: Slightly (H_2O)

Octanol/Water Parti-
tion Coefficient: 0.18

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Fire—moderate

Explosion—dangerous

Disaster hazard—dangerous—toxic fumes NO_x

Nitroethane

PRODUCTION DATA

Annual U.S.
Production:

Consumption:

Fraction of
Dispersion:

Fraction of Pro-
duction Lost:

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
LD ₅₀	1100 mg/kg	rat	oral
	860 mg/kg	mouse	oral
LD _{Lo}	500 mg/kg	rabbit	oral

Non-lethal Acute Effects:

Local irritant to eyes and respiratory tract
Dermatitis

Chronic Toxicity

U.S. Occupational Standard: (air) TWA 100 ppm

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV: 100 ppm

Other Chronic Effects:

Nitroglycerine


CHEMICAL NAME

CAS Number: 55-63-0

Chemical Name: Nitroglycerine

Synonyms: Ethylene glycol trinitrate GNT
Glycerol trinitrate NT
Trinitrin

Molecular Formula: $C_3H_5N_3O_9$



Chemical Properties

Molecular Weight: 227.09

Physical State: Liquid

Vapor Pressure: 1 mm at 127°C

Vapor Density: 7.84

Boiling Point: 256°C (explodes)

Melting Point: 13°C

Density: 1.5931 at 20°C/4°C

Solubility: Slightly (H_2O)

Octanol/Water Partition Coefficient: 0.35

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Fire—dangerous
Explosion—severe
Disaster hazard—very dangerous—toxic fumes

Nitroglycerine

PRODUCTION DATA

Annual U.S.
Production:

Consumption:

Fraction of
Dispersion:

Fraction of Pro-
duction Lost:

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity
LD₅₀

Dosage
80 mg/kg
40 mg/kg
275 mg/kg
150 mg/kg
400 mg/kg
450 mg/kg

Animal
rat
rabbit
rat
cat
rabbit
rabbit

Route
oral
intravenous
intramuscular
subcutaneous
subcutaneous
intramuscular

Non-lethal Acute Effects:
Respiratory paralysis
Skin irritation
Vomiting

Chronic Toxicity

U.S. Occupational Standard: (air) 2 mg/m³ (skin)

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV: 2 mg/m³

Other Chronic Effects:

Nitromethane

CHEMICAL NAME


CAS Number: 75-52-5

Chemical Name: Nitromethane

Synonyms: Nitrocarbol

Molecular

Formula: CH_3NO_2



Chemical Properties

Molecular Weight: 61.04

Physical State: Liquid

Vapor Pressure: 36.27 mm at 25°C

Vapor Density: 2.11

Boiling Point: 100.8°C at 760 mm

Melting Point: -17°C

Density: 1.1371 at 20°C/4°C

Solubility: Soluble (H_2O)

Octanol/Water Partition Coefficient: 0.17

Environmental Persistence

BOD:

Atmospheric Reactivity: Reacts with oxidizing materials

Safety Hazard:

Fire—dangerous

Explosion—moderate

Disaster hazard—dangerous—toxic fumes of NO_x

Nitromethane

PRODUCTION DATA

Annual U.S.
Production:

Consumption:

Fraction of
Dispersion:

Fraction of Pro-
duction Lost:

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
LD ₅₀	940 mg/kg	rat	oral
	950 mg/kg	mouse	oral
LD _{Lo}	125 mg/kg	dog	oral
	565 mg/kg	dog	subcutaneous
	800 mg/kg	dog	intravenous
	750 mg/kg	rabbit	oral
	750 mg/kg	rabbit	intravenous
LC _{Lo}	2446 mg/m ³	monkey	inhalation

Chronic Toxicity

U.S. Occupational Standard: (air) TWA 100 ppm

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV: 100 ppm

Other Chronic Effects:

Nausea
Vomiting
Kidney and liver damage
Irritates eyes

m-Nitrophenol

CHEMICAL NAME

CAS Number: 554-84-7


Chemical Name: 3-Nitrophenol

Synonyms:

Molecular

Formula: $C_6H_5NO_2$

Structure:



Chemical Properties

Molecular Weight: 139.11

Vapor Pressure: 10 mm at 25°C

Boiling Point: 194°C at 70 mm

Density: 1.2797 at 100°C/4°C

Octanol/Water Partition Coefficient: 2.05

Physical State: Solid

Vapor Density:

Melting Point: 97°C

Solubility: Slightly (H_2O)
(Very soluble in hot H_2O)

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Disaster hazard—dangerous—toxic fumes— NO_x

m-Nitrophenol

PRODUCTION DATA

**Annual U.S.
Production:** 14.8×10^6 lbs.
(1967 all nitrophenols)

Consumption:

**Fraction of
Dispersion:**

**Fraction of Pro-
duction Lost:** 0.015

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
LD ₅₀	447 mg/kg	rat	oral
	1414 mg/kg	mouse	oral
LD _{Lo}	83 mg/kg	dog	intravenous

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

o-Nitrophenol

CHEMICAL NAME

CAS Number: 88-75-5


Chemical Name: o-Nitrophenol

Synonyms: 2-Hydroxynitrobenzene

Molecular

Formula: $C_6H_5NO_3$

Structure:



Chemical Properties

Molecular Weight: 139.11

Physical State: Solid

Vapor Pressure: 1 mm at 49.3°

Vapor Density:

Boiling Point: 216°C at 760 mm

Melting Point: 45.3 to 45.7°C

Density: 1.485 at 14°C

Solubility: Slightly (H_2O)

Octanol/Water Partition Coefficient: 3.58

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Diaster hazard—dangerous—toxic fumes NO_x

o-Nitrophenol

PRODUCTION DATA

Annual U.S. Production:	14.8 x 10 ⁶ lbs. (1967 all nitrophenols)	Consumption:	
Fraction of Dispersion:		Fraction of Production Lost:	0.015
Release Rate (million lbs/yr):			

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
LD ₅₀	2828 mg/kg	rat	oral
	1297 mg/kg	rat	oral
LD _{Lo}	100 mg/kg	dog	intravenous

Non-lethal Acute Effects:
Liver and kidney damage

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

p-Nitrophenol

CHEMICAL NAME

CAS Number: 100-02-7


Chemical Name: p-Nitrophenol
4-Nitrophenol

Synonyms:

Molecular

Formula: $C_6H_5NO_3$

Structure:



Chemical Properties

Molecular Weight: 139.11

Physical State: Solid

Vapor Pressure:

Vapor Density:

Boiling Point: 279°C (decomposes)

Melting Point: 114.9 to 115.6°C

Density: 1.479 at 20°C

Solubility: Slightly (H₂O)

Octanol/Water Partition Coefficient: 1.97

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Disaster hazard—dangerous—toxic fumes—NO_x

p-Nitrophenol

PRODUCTION DATA

Annual U.S.**Production:** 52 x 10⁶ lbs. (1976 capacity)**Consumption:****Fraction of
Dispersion:****Fraction of Pro-
duction Lost:** 0.015**Release Rate (million lbs/yr):**

TOXICITY DATA

Acute Toxicity
LD₅₀Dosage
350 mg/kg
467 mg/kg
75 mg/kg
150 mg/kg
65 mg/kg
10 mg/kg
500 mg/kgAnimal
rat
mouse
mouse
cat
pigeon
dog
dogRoute
oral
oral
intraperitoneal
intraperitoneal
intramuscular
intravenous
intraperitonealLD_{Lo}**Non-lethal Acute Effects:**Hyperthermia
Methemoglobinemia
CNS depression**Chronic Toxicity****U.S. Occupational Standard:****Carcinogenicity:****Mutagenicity:****Teratogenicity:****TLV:****Other Chronic Effects:**

I-Nitropropane

CHEMICAL NAME

CAS Number: 108-03-2

Chemical Name: 1-Nitropropane

Synonyms:

Molecular

Formula: $C_3H_7NO_2$

Structure: $CH_3 - CH_2 - CH_2 - NO_2$

Chemical Properties

Molecular Weight: 81.11

Physical State: Liquid

Vapor Pressure: 9.87 mm at 25°C

Vapor Density: 3.06

Boiling Point: 130.5 to 131.5°C at 760 mm

Melting Point: -108°C

Density: 1.0081 at 24°C/4°C

Solubility: Slightly (H_2O)

Octanol/Water Partition Coefficient: 2.41

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Fire—moderate

Explosion—dangerous

Disaster hazard—dangerous—toxic fumes NO_x

I-Nitropropane

PRODUCTION DATA

Annual U.S.
Production:

Consumption:

Fraction of
Dispersion:

Fraction of Pro-
duction Lost:

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity

LD₅₀

Dosage
800 mg/kg

Animal
mouse

Route
oral

LD_{Lo}

250 mg/kg
1000 mg/kg

rabbit
rat

oral
oral

Non-lethal Acute Effects:

Irritation of eyes
Vomiting

Chronic Toxicity

U.S. Occupational Standard: (air) TWA 25 ppm

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV: 25 ppm

Other Chronic Effects:

2-Nitropropane

CHEMICAL NAME


CAS Number: 79-46-9

Chemical Name: 2-Nitropropane

Synonyms: Isonitropropane

Molecular

Formula: $C_3H_7NO_2$



Chemical Properties

Molecular Weight: 89.09

Physical State: Liquid

Vapor Pressure: 17.42 mm at 25°C

Vapor Density: 3.06

Boiling Point: 120°C at 760 mm

Melting Point: -93°C

Density: 0.9876 at 20°C/4°C

Solubility: Slightly (H₂O)

Octanol/Water Partition Coefficient:

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Fire—moderate

Explosion—dangerous

Disaster hazard—dangerous—toxic fumes—NO_x

2-Nitropropane

PRODUCTION DATA

Annual U.S.
Production:

Consumption:

Fraction of
Dispersion:

Fraction of Pro-
duction Lost:

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
LD _{Lo}	500 mg/kg	rat	oral
	75 mg/kg	mouse	intraperitoneal
	500 mg/kg	rabbit	oral
LC _{Lo}	1513 ppm (5 hours)	rat	inhalation
	714 ppm (5 hours)	cat	inhalation
	2381 ppm (5 hours)	rabbit	inhalation
	4622 ppm (5 hours)	guinea pig	inhalation

Non-lethal Acute Effects:

Central nervous system effects

TD_{Lo} 15 ppm

human

inhalation

Local irritant

Vomiting

Chronic Toxicity

U.S. Occupational Standard: (air) TWA 25 ppm

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV: 25 ppm

Other Chronic Effects:

N-Nitrosodiethylamine

CHEMICAL NAME

CAS Number: 55-18-5


Chemical Name: N-Nitrosodiethylamine

Synonyms:

Molecular

Formula: $C_4H_{10}N_2O$

Structure:



Chemical Properties

Molecular Weight: 102.14

Physical State: Liquid

Vapor Pressure:

Vapor Density:

Boiling Point: 176.9°C at 760 mm

Melting Point:

Density: 0.9422 at 20°C/4°C

Solubility: Soluble (H_2O)

Octanol/Water Partition Coefficient:

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

N-Nitrosodiethylamine

PRODUCTION DATA

Annual U.S.
Production:

Consumption:

Fraction of
Dispersion:

Fraction of Pro-
duction Lost:

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
LD ₅₀	216 mg/kg	rat	oral
	11 mg/kg	rat	intraperitoneal
	157 mg/kg	rat	intravenous
	246 mg/kg	hamster	unknown

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

TD _{Lo}	45 mg/kg (83 weeks)	rat	oral
	100 mg/kg	rat	intraperitoneal
	200 mg/kg (10-21 days pregnant)	rat	subcutaneous
	40 mg/kg	rat	intravenous
	57 mg/kg	mouse	oral
	560 mg/kg	dog	oral
	18 gm/kg	monkey	oral
	2 gm/kg	monkey	intraperitoneal
	960 mg/kg (28 weeks)	rabbit	oral
	750 mg/kg (2.2 years)	pig	oral

Mutagenicity:

Teratogenicity:

TD _{Lo}	150 mg/kg (22 days pregnant)	rat	intravenous
	19 gm/kg (15-20 days pregnant)	mouse	unknown
	17 mg/kg (pregnant)	hamster	subcutaneous

TLV:

Other Chronic Effects:

N-Nitrosodimethylamine


CHEMICAL NAME

CAS Number: 62-75-9

Chemical Name: N-Nitrosodimethylamine

Synonyms: Dimethylnitrosamine
Nitrous dimethyl amide

Molecular Formula: $C_2H_6N_2O$



Chemical Properties

Molecular Weight: 74.08

Physical State: Liquid

Vapor Pressure:

Vapor Density:

Boiling Point: 154°C at 760 mm

Melting Point:

Density: 1.0059 at 20°C/4°C

Solubility: Soluble (H₂O)

Octanol/Water Partition Coefficient:

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Disaster hazard—dangerous—toxic fumes

N-Nitrosodimethylamine

PRODUCTION DATA

Annual U.S.
Production:

Consumption:

Fraction of
Dispersion:

Fraction of Pro-
duction Lost:

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
LD ₅₀	26 mg/kg	rat	oral
	36 mg/kg	rat	intraperitoneal
	45 mg/kg	rat	subcutaneous
	40 mg/kg	rat	rectal
LC ₅₀	78 ppm (4 hours)	rat	inhalation
	57 ppm (4 hours)	mouse	inhalation

Non-lethal Acute Effects:

Irritant
Gastrointestinal hemorrhage
Liver damage

Chronic Toxicity

U.S. Occupational Standard: (air) Carcinogen

Carcinogenicity:

TD _{Lo}	248 mg/kg (31 weeks)	rat	oral
	37 mg/kg	rat	inhalation
	30 mg/kg (35 weeks)	rat	rectal
	370 mg/kg (56 weeks)	mouse	oral
	4375 µg/kg	mouse	subcutaneous
	202 mg/kg (23 weeks)	rabbit	oral

Neoplastic effects:

TD _{Lo}	30 mg/kg	rat	intraperitoneal
	18 mg/kg	rat	intramuscular
	18 mg/kg	rat	parenteral
	18 mg/kg	rat	intravenous
	7 mg/kg	mouse	intraperitoneal

Mutagenicity:

Teratogenicity:

TD _{Lo}	13 mg/kg	TLV: mouse	unknown
------------------	----------	---------------	---------

Other Chronic Effects:

Nitrosoethylurea

CHEMICAL NAME

CAS Number: 759-73-9


Chemical Name: N-Ethyl-N-nitrosourea

Synonyms: 1-Ethyl,1-nitrosourea

Molecular

Formula: $C_3H_7N_3O_2$

Structure:



Chemical Properties

Molecular Weight: 117.13

Physical State: Solid

Vapor Pressure:

Vapor Density:

Boiling Point:

Melting Point:

Density:

Solubility:

Octanol/Water Partition Coefficient:

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Fire—moderate

Nitrosoethylurea

PRODUCTION DATA

Annual U.S.
Production:

Consumption:

Fraction of
Dispersion:

Fraction of Pro-
duction Lost:

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity
LD₅₀

Dosage
300 mg/kg
240 mg/kg

Animal
rat
rat

Route
oral
intravenous

Non-lethal Acute Effects:
Dermatitis

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

TD_{Lo}

10 mg/kg
5 mg/kg
20 mg/kg
2200 mg/kg (9 weeks)

rat
rat
rat
mouse

oral
subcutaneous
intravenous
subcutaneous

Neoplasm

TD_{Lo}

60 mg/kg

mouse

intraperitoneal

Mutagenicity:

Teratogenicity:

TD_{Lo}

5 mg/kg (15 days
pregnant)
29 mg/kg (12-19 days
pregnant)
80 mg/kg (15 days
pregnant)
240 mg/kg (22-23 days
pregnant)

TLV:

rat
mouse
rat
pig

intravenous
intraperitoneal
parenteral
intravenous

Other Chronic Effects:

Nitrosomethylurea

CHEMICAL NAME


CAS Number: 684-93-5

Chemical Name: N-Methyl-N-nitrosourea

Synonyms: 1-Methyl,1-nitrosourea

Molecular

Formula: $C_2H_5N_3O_2$



Chemical Properties

Molecular Weight: 103.08

Physical State: Solid

Vapor Pressure:

Vapor Density:

Boiling Point:

Melting Point: 123 to 124°C (decomposes)

Density:

Solubility: Insoluble (H₂O)

Octanol/Water Partition Coefficient: -0.16

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Nitrosomethylurea

PRODUCTION DATA

Annual U.S.
Production:

Consumption:

Fraction of
Dispersion:

Fraction of Pro-
duction Lost:

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity LD ₅₀	Dosage	Animal	Route
	180 mg/kg	rat	oral
	110 mg/kg	rat	intraperitoneal
	144 mg/kg	mouse	intraperitoneal
	115 mg/kg	hamster	subcutaneous

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

TD _{Lo}	Dosage	Animal	Route
	230 mg/kg (24 weeks)	rat	intraperitoneal
	180 mg/kg (36 weeks)	rat	subcutaneous
	90 mg/kg	rat	oral
	202 mg/kg (30 weeks)	rat	skin
	70 mg/kg	rat	intravenous
	50 mg/kg	mouse	intraperitoneal

Mutagenicity:

Teratogenicity:

TLV:

TD _{Lo}	Dosage	Animal	Route
	10 mg/kg (13 days)	rat	intraperitoneal
	12 mg/kg (15-23 days)	pregnant rat	intravenous

Other Chronic Effects:

m-Nitrotoluene

CHEMICAL NAME

CAS Number: 99-08-1


Chemical Name: m-Nitrotoluene

Synonyms: 3-Methylnitrobenzene

Molecular

Formula: $C_7H_7NO_2$

Structure:



Chemical Properties

Molecular Weight: 137.14

Physical State: Liquid

Vapor Pressure: 1 mm at 50°C

Vapor Density: 4.72

Boiling Point: 232.6°C at 760 mm

Melting Point: 16°C

Density: 1.1571 at 20°C/4°C

Solubility: Insoluble (H₂O)

Octanol/Water Partition Coefficient: 2.45

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

Fire—moderate

m-Nitrotoluene

PRODUCTION DATA

Annual U.S.
Production:

Consumption:

Fraction of
Dispersion:

Fraction of Pro-
duction Lost:

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity
LD₅₀

Dosage
1072 mg/kg
330 mg/kg
2400 mg/kg
3600 mg/kg

Animal
rat
mouse
rabbit
guinea pig

Route
oral
oral
oral
oral

Chronic Toxicity

U.S. Occupational Standard: (air) TWA 5 ppm

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

o-Nitrotoluene


CHEMICAL NAME

CAS Number: 88-72-7

Chemical Name: o-Nitrotoluene

Synonyms: 2-Methylnitrobenzene
2-Nitrotoluene

**Molecular
Formula:** C₇H₇NO₂



Chemical Properties

Molecular Weight: 137.14

Physical State: Liquid

Vapor Pressure: 1 mm at 50°C

Vapor Density: 4.72

Boiling Point: 220.4°C at 760 mm

Melting Point: -9.55°C

Density: 1.1629 at 20°C

Solubility: Insoluble (H₂O)

**Octanol/Water Parti-
tion Coefficient:** 2.30

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:
Fire—moderate

o-Nitrotoluene

PRODUCTION DATA

**Annual U.S.
Production:**

Consumption:

**Fraction of
Dispersion:**

**Fraction of Pro-
duction Lost:**

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity
LD₅₀

Dosage
891 mg/kg
2462 mg/kg

Animal
rat
mouse

Route
oral
oral

Chronic Toxicity

U.S. Occupational Standard: (air) TWA 5 ppm

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

p-Nitrotoluene

CHEMICAL NAME

CAS Number: 99-99-0


Chemical Name: p-Nitrotoluene

Synonyms: 4-Methylnitrobenzene

Molecular

Formula: $C_7H_7NO_2$

Structure:



Chemical Properties

Molecular Weight: 137.14

Physical State: Solid

Vapor Pressure: 1 mm at 53.7°C

Vapor Density: 4.72

Boiling Point: 238.3°C at 760 mm

Melting Point: 54.5°C

Density: 1.1038 at 75°C/4°C

Solubility: Insoluble (H₂O)

Octanol/Water Partition Coefficient: 2.42

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:

p-Nitrotoluene

PRODUCTION DATA

**Annual U.S.
Production:**

Consumption:

**Fraction of
Dispersion:**

**Fraction of Pro-
duction Lost:**

Release Rate (million lbs/yr):

TOXICITY DATA

**Acute Toxicity
LD₅₀**

Dosage
2144 mg/kg
1231 mg/kg
940 mg/kg

Animal
rat
mouse
mammal
(unspecified)

Route
oral
oral
intraperitoneal

Chronic Toxicity

U.S. Occupational Standard: (air) TWA 5 ppm

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV: 5 ppm (skin)

Other Chronic Effects:

Nonene

CHEMICAL NAME

CAS Number: 27215-95-8

Chemical Name: Nonene

Synonyms: Nonene (mixed isomers)
Nonylene

**Molecular
Formula:** C₉H₁₈

Structure: CH₃ - (CH₂)₆ - CH = CH₂ (1 - Nonene)

Chemical Properties

Molecular Weight: 126.19

Physical State: Liquid

Vapor Pressure:

Vapor Density:

Boiling Point: 149.9°C (1-nonene)

Melting Point:

Density: 0.7433 (1-nonene)

Solubility: Insoluble (H₂O)

**Octanol/Water Parti-
tion Coefficient:**

Environmental Persistence

BOD:

Atmospheric Reactivity:

Safety Hazard:
Fire—combustible

Nonene

PRODUCTION DATA

**Annual U.S.
Production:**

Consumption:

**Fraction of
Dispersion:**

**Fraction of Pro-
duction Lost:**

Release Rate (million lbs/yr):

TOXICITY DATA

Acute Toxicity

Dosage

Animal

Route

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

Nonyl phenol

CHEMICAL NAME

CAS Number: 25154-52-3

Chemical Name: Nonylphenol

Synonyms: p-Nonylphenol
Hydroxyl No. 253

Molecular Formula: $C_{15}H_{24}O$

Structure: HO  C_9H_{19}

Chemical Properties

Molecular Weight: 220.34

Physical State: Liquid

Vapor Pressure: 10 mm at 25°C

Vapor Density: 7.59

Boiling Point: 290 to 302°C

Melting Point:

Density: 0.949 at 20°C/4°C

Solubility: Insoluble (H_2O)

Octanol/Water Partition Coefficient:

Environmental Persistence

BOD:

Atmospheric Reactivity:

Rapidly biodegraded

Not reactive to O_3 or RO_2

Reacts with oxidizing materials

$t_{1/2} OH = 2$ days

Safety Hazard:

Fire—slight

Nonyl phenol

PRODUCTION DATA

Annual U.S. Production: 191 x 10⁶ lbs. (1976 capacity) **Consumption:**

Fraction of Dispersion: **Fraction of Production Lost:** 0.007

Release Rate (million lbs/yr): 180.6 (ethoxylated compound)

TOXICITY DATA

Acute Toxicity	Dosage	Animal	Route
LD ₅₀	1620 mg/kg	rat	oral
	2140 mg/kg	rabbit	skin

Chronic Toxicity

U.S. Occupational Standard:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

TLV:

Other Chronic Effects:

TECHNICAL REPORT DATA <i>(Please read Instructions on the reverse before completing)</i>		
1. REPORT NO. EPA-450/3-77-008d	2.	3. RECIPIENT'S ACCESSION NO.
4. TITLE AND SUMMARY Preliminary Scoring of Organic Air Pollutants: Chemistry, Production and Toxicity of Selected Synthetic Organic Chemicals (Chemicals F-N) Appendix III		5. REPORT DATE October 1976
7. AUTHOR(S) J. Dorigan, B. Fuller, R. Duffy		6. PERFORMING ORGANIZATION CODE
9. PERFORMING ORGANIZATION NAME AND ADDRESS The Mitre Corporation Metrek Division Westgate Research Park McLean, Virginia 22101		8. PERFORMING ORGANIZATION REPORT NO.
12. SPONSORING AGENCY NAME AND ADDRESS EPA, Office of Air Quality Planning and Standards Strategies and Air Standards Division Research Triangle Park, N.C. 27711		10. PROGRAM ELEMENT NO.
		11. CONTRACT/GRANT NO. 68-02-1495
		13. TYPE OF REPORT AND PERIOD COVERED
		14. SPONSORING AGENCY CODE
15. SUPPLEMENTARY NOTES		
16. ABSTRACT This is the third of a series of four appendices to the report "Scoring of Organic Air Pollutants." The entire appendix contains a compilation of available data on chemical structure and properties, environmental persistence, production, and toxicity for 637 synthetic organic chemicals.		
17. KEY WORDS AND DOCUMENT ANALYSIS		
a. DESCRIPTORS	b. IDENTIFIERS/OPEN ENDED TERMS	c. COSATI Field/Group
organic chemical structure organic chemical properties organic chemical production organic chemical toxicity		
18. DISTRIBUTION STATEMENT unlimited	19. SECURITY CLASS (This Report) unclassified	21. NO. OF PAGES 310
	20. SECURITY CLASS (This page) unclassified	22. PRICE