

United States
Environmental Protection
Agency


Environmental Sciences Research
Laboratory
Research Triangle Park NC 27711

EPA 600 2-80-085
May 1980

Research and Development



Passenger Car Hydrocarbon Emissions Speciation



RESEARCH REPORTING SERIES

Research reports of the Office of Research and Development, U.S. Environmental Protection Agency, have been grouped into nine series. These nine broad categories were established to facilitate further development and application of environmental technology. Elimination of traditional grouping was consciously planned to foster technology transfer and a maximum interface in related fields. The nine series are:

- 1. Environmental Health Effects Research**
- 2. Environmental Protection Technology**
- 3. Ecological Research**
- 4. Environmental Monitoring**
- 5. Socioeconomic Environmental Studies**
- 6. Scientific and Technical Assessment Reports (STAR)**
- 7. Interagency Energy-Environment Research and Development**
- 8. "Special" Reports**
- 9. Miscellaneous Reports**

This report has been assigned to the ENVIRONMENTAL PROTECTION TECHNOLOGY series. This series describes research performed to develop and demonstrate instrumentation, equipment, and methodology to repair or prevent environmental degradation from point and non-point sources of pollution. This work provides the new or improved technology required for the control and treatment of pollution sources to meet environmental quality standards.

This document is available to the public through the National Technical Information Service, Springfield, Virginia 22161.

EPA-600/2-80-085
May 1980

PASSENGER CAR HYDROCARBON EMISSIONS SPECIATION

by

Frank Black and Larry High
Emission Measurement and Characterization Division
Environmental Sciences Research Laboratory
U.S. Environmental Protection Agency
Research Triangle Park, N.C. 27711

ENVIRONMENTAL SCIENCES RESEARCH LABORATORY
OFFICE OF RESEARCH AND DEVELOPMENT
U. S. ENVIRONMENTAL PROTECTION AGENCY
RESEARCH TRIANGLE PARK, NORTH CAROLINA 27711

DISCLAIMER

This report has been reviewed by the Environmental Sciences Research Laboratory, U.S. Environmental Protection Agency, and approved for publication. Approval does not signify that the contents necessarily reflect the views and policies of the U.S. Environmental Protection Agency, nor does mention of trade names or commercial products constitute endorsement or recommendation for use.

FORWARD

Air quality criteria exist for ozone and other photochemical oxidants. These compounds are formed by a complex chain of reactions in the atmosphere involving hydrocarbons and other source pollutants. The Environmental Sciences Research Laboratory contributes to the understanding of atmospheric photochemistry through programs engaged in

- examination of the time resolved, concentrations of the chemical reactants and products in the atmosphere, and
- definition of mathematical models permitting computer simulation of the photochemical system, and
- determination of source emission factors for the ozone and oxidant precursors.

This document reports individual hydrocarbon emission factors for passenger car tailpipe and evaporative sources. Reaction rates of the hydrocarbon compounds in the photochemical system vary with chemical structure. Specification data is thus necessary input to the mathematical models used to predict atmospheric ozone peak concentrations.

A. E. Ellison
Director
Environmental Sciences
Research Laboratory

PREFACE

Detailed hydrocarbon emissions inventories for passenger cars are not abundant in the literature, particularly so for evaporative sources. Care must be exercised when applying the available data. Speciation of hydrocarbon emissions is sensitive to many variables, e.g., fuel composition, emissions control configuration, driving patterns, and ambient temperature. The limited reported studies have examined limited ranges of these important variables. The data reported in this document describe hydrocarbon emissions from four passenger cars, for one driving pattern, under summer temperature conditions. Four fuels were used in the study. Extrapolation from a limited data base to vehicle fleet emissions character is difficult.

Evaporative and tailpipe hydrocarbon emissions have significantly different speciation. Further, they are emitted under different operating conditions. Evaporative emissions from recent generation passenger cars are inconsequential while the vehicle is being operated over the highway. Thus, evaporative speciation will be important to urban grid areas dominated by parking lots and tailpipe speciation to those dominated by moving vehicles on streets and highways. Fuel composition is very important to emissions speciation of hydrocarbons of the molecular weight of butane and higher. Typically, marketed gasolines will vary in aromatic hydrocarbon content from 20 to 50 percent. This is a primary source of variability between reported emissions factors for individual hydrocarbons and those in actual urban areas. Tailpipe hydrocarbon speciation also varies significantly with emissions control configuration.

When attempting to define the composition of hydrocarbon emissions from passenger cars in urban areas, extrapolation from the literature must consider fuel composition, vehicle configurations, driving patterns, and ambient conditions.

ABSTRACT

Emission factors for over 60 individual hydrocarbon compounds were determined for four passenger cars. The cars included a 1963 Chevrolet, 1977 Mustang, 1978 Monarch, and 1979 LTD-II. The speciation data is reported for both tailpipe and evaporative emissions. The tailpipe emissions were for the urban driving conditions of the Federal Test Procedure used in motor vehicle certification. The evaporative emissions were for both diurnal and hot soak conditions, also prescribed in the Federal Test Procedure for certification. The vehicle tests involved four gasoline fuels of varying composition.

CONTENTS

Forward	iii
Preface	iv
Abstract	v
Figures	viii
Tables	ix
1. Introduction	1
2. Results	4
References	14

FIGURES

TABLES

Note: In Tables 4 through 11, line 16 N-pentene should read N-pentane.

INTRODUCTION

Emission rates of over 60 individual hydrocarbon compounds have been determined for four passenger cars including a 1963 Chevrolet, 1977 Mustang, 1978 Monarch, and 1979 LTD-II. Vehicle specifications are given in TABLE 1. These vehicles are representative of a wide range of emissions control configurations. The rates were determined for both tailpipe and evaporative emissions. Four gasoline fuels were used, specifications for which are reported in TABLE 2. The vehicle test procedures were as required for emissions certification (1). Figure 1 presents a graphic flow diagram of the vehicle test sequence.

TABLE 1. TEST VEHICLE SPECIFICATIONS.

Vehicle	Engine	Mileage	Test inertia wt.	Emission control
1963 Chevrolet	283V8	66,500	3000	PCV
1977 Mustang	302V8	10,000	3000	EGR/CAT/PCV/fuel tank canister
1978 Monarch	302V8	10,000	3500	EGR/AIR/CAT/PCV/carb ^a & fuel tank canister
1979 LTD-II	351V8	10,000	4500	EGR/AIR/CAT/PCV/carb ^b & fuel tank canisters

^a A single canister used for control of both fuel tank and carburetor emissions.

^b Two canisters, one each for the fuel tank and carburetor, used for control of emissions.

This document is for the purpose of reporting individual hydrocarbon emission rates. The impact of the emission control devices used with the test vehicles on emission rates and patterns, and the sensitivity of emissions to fuel composition has been presented elsewhere (2).

TABLE 2. TEST FUEL SPECIFICATIONS.

FUEL	A	B	C	D ^a
RVP	8.4	9.8	12.3	12.8
API gravity	61.6	54.9	62.0	62.3
Distillation, °F				
10%	133	126	114	108
50%	207	219	219	217
90%	285	327	362	347
EP	376	369	410	418
Hydrocarbon, wt. %^b				
n-butane	3.73	3.48	9.94	9.85
i-pentane	6.94	11.19	7.85	8.15
n-pentane	5.48	3.40	4.13	4.08
benzene	0.28	1.52	1.95	1.83
toluene	17.55	27.91	6.30	6.01
paraffinic	65.4	49.0	67.0	69.0
olefinic	7.2	7.6	7.0	5.1
aromatic	27.4	43.4	25.7	25.9

^a Leaded gasoline 1.98 g/gal.

^b Analysis by gas chromatography.




Figure 1. Vehicle emissions test sequence.

RESULTS

The gram per mile emission rates for the tailpipe hydrocarbon compounds were for urban driving conditions as specified in the Federal Register for emissions certification. The evaporative test conditions were also as specified in the Federal Register. The evaporative hydrocarbon composition was determined under both diurnal and hot soak conditions. To permit direct comparison with tailpipe emissions, the diurnal and hot soak emissions were combined as in equation (1) to give equivalent "gram per mile" evaporative hydrocarbon rates (3).

$$\text{Evap} = \frac{\text{Di} + 3.3 \text{ trips/day (Hs)}}{29.4 \text{ miles/day}} \quad (1)$$

where:

Evap = Total evaporative emissions, grams/mile

Di = Diurnal evaporative emissions, grams/day

Hs = Hot soak evaporative emissions, grams/trip.

The fuels with which each vehicle was tested are presented in TABLE 3. TABLES 4 through 11 present the detailed hydrocarbon emissions speciation for each vehicle, with each fuel tested. Additionally, the percentage contribution, evaporative and tailpipe, of each compound to the vehicle aggregate is presented.

TABLE 3. VEHICLE-TEST FUEL COMBINATIONS.

Vehicle	FUEL			
	A	B	C	D
1963 Chevrolet				X
1977 Mustang		X		X
1978 Monarch	X		X	
1979 LTD-II		X		X

TABLE 4. HYDROCARBON EMISSION PATTERNS: 1963 CHEVROLET, FUEL D

Compound	Tailpipe g/mi	% of THC	Di,g	Evaporative HS,g	Total g/mi	% of THC
Methane	0.4103	4.27				
Ethylene	0.5424	5.65				
Ethane	0.0778	0.81				
Acetylene	0.3820	3.98				
Propylene; propane	0.2297	2.39				
Propadiene	0.0125	0.13				
Methyl acetylene acetylene	0.0290	0.30				
Isobutane	0.0197	0.21	3.3170	1.7502	0.3164	3.30
Butene 1; isobutylene	0.0935	0.97	0.3950	0.2299	0.0401	0.42
N-butane; 1, 3-butadiene	0.2023	2.11	18.6139	12.1127	2.0303	21.15
Trans-2-butene	0.0153	0.16	0.6710	0.4265	0.0719	0.75
Cis-2-butene	0.0169	0.18	0.4090	0.2759	0.0457	0.48
3-methyl-1-butene	0.0040	0.04	0.0676	0.0607	0.0089	0.09
Isopentane	0.1253	1.31	6.3254	6.3742	0.9424	9.82
Pentene-1	0.0089	0.09	0.1847	0.1944	0.0290	0.30
N-pentene; 2-methyl-1-butene	0.0758	0.79	2.3592	2.7232	0.3899	4.06
Trans-2-pentene	0.0129	0.13	0.3791	0.4472	0.0641	0.67
Cis-2-pentene	0.0181	0.19	0.4906	0.6072	0.0858	0.89
2,2 Dimethylbutane	0.0121	0.13	0.1120	0.1519	0.0212	0.22
Cyclopentene	0.0040	0.04	0.1231	0.1504	0.0217	0.23
Cyclopentane; 3-methyl-1-pentene	0.0093	0.10	0.1919	0.2570	0.0362	0.38
2,3-dimethylbutane	0.0214	0.22	0.3480	0.5436	0.0735	0.77
2-methylpentane; 2,3-dimethyl-1-butene	0.0613	0.64	0.9091	1.5220	0.2033	2.12
3-methylpentane	0.0359	0.37	0.4724	0.8265	0.1097	1.14
1-hexene; 2-ethyl-1-butene	0.0093	0.10	0.0761	0.1289	0.0173	0.18
N-hexane; Cis-3-hexene	0.0383	0.40	0.3980	0.7659	0.1003	1.04
2 methyl-2-pentene	0.0101	0.11	0.1038	0.1969	0.0262	0.27
Methylcyclopentane; 3-methyltrans-2-pentene	0.0282	0.29	0.2752	0.5369	0.0702	0.73
2,4-dimethylpentane	0.0250	0.26	0.1726	0.3788	0.0490	0.51
Methylcyclopentene	0.0004	0.00	0.0022	0.0045	0.0006	0.01
Benzene	0.1539	1.60	0.1334	0.2486	0.0329	0.34
Cyclohexene; 2,3-dimethylpentane; 2-methylhexane	0.0629	0.66	0.2968	0.7417	0.0941	0.98
3-methylhexane, cyclohexane	0.0399	0.42	0.2699	0.6457	0.0824	0.86
Isooctane	0.0887	0.92	0.3062	0.8333	0.1047	1.09
N-heptane	0.0270	0.28	0.1004	0.2869	0.0362	0.38
2,4,4 Trimethyl-1-pentene	0.0032	0.03	0.0138	0.0377	0.0050	0.05
Methylcyclohexane	0.0165	0.17	0.0575	0.1588	0.0201	0.21
1 Cis-4-dimethylcyclohexane	0.0024	0.03	0.0079	0.0220	0.0028	0.03
2,4 and 2,5-dimethylhexane	0.0306	0.32	0.0674	0.2126	0.0262	0.27
2,2,3,4-trimethylpentane	0.0294	0.31	0.0385	0.1258	0.0156	0.16
+2,3,3-trimethylpentane	0.0133	0.14	0.0663	0.2100	0.0262	0.27
Toluene; 2,3-dimethylhexane	0.2067	2.15	0.2510	0.7419	0.0925	0.96
2-methylheptane	0.0258	0.27	0.0430	0.1444	0.0178	0.19
3-methylheptane	0.0218	0.23	0.0365	0.1263	0.0156	0.16
2,2,5-trimethylhexane	0.0177	0.18	0.0325	0.1024	0.0128	0.13
N-octane	0.0185	0.19	0.0282	0.0765	0.0095	0.10
2,3,5-trimethylhexane	0.0032	0.03	0.0045	0.0158	0.0022	0.02
2,4-dimethylheptane	0.0028	0.03	0.0038	0.0147	0.0022	0.02
2,5 and 3,5-dimethylheptane	0.0069	0.07	0.0060	0.0239	0.0028	0.03
Ethylbenzene; 2,3-dimethylheptane	0.0488	0.51	0.0283	0.0990	0.0123	0.13
P-xylene; x-xylene; 4-methyloctane	0.1632	1.70	0.0973	0.3367	0.0418	0.44
3 methyl octane	--	--	--	--	--	--
O-xylene; unk C ₉ paraffin	0.0838	0.87	0.0368	0.1323	0.0167	0.17
Nonane	0.0125	0.13	0.0102	0.0285	0.0033	0.03
N-propylbenzene	0.0129	0.13	0.0068	0.0299	0.0039	0.04
1-methyl 3-ethyl-benzene; unk C ₁₀ paraffin	0.0774	0.81	0.0320	0.1254	0.0156	0.16
1-methyl 2-ethyl benzene	--	--	--	--	--	--
Mesitylene	0.0367	0.38	0.0210	0.0728	0.0089	0.09
2,6 dimethyl octane	0.0294	0.31	0.0152	0.0533	0.0067	0.07
1,2,4-trimethylbenzene	0.0923	0.96	0.0376	0.1291	0.0162	0.17
Secbutylbenzene; n-decane	0.0222	0.23	0.0093	0.0344	0.0045	0.05
Unknowns	0.1479	1.54	0.3448	0.4375	0.0941	0.98
TOTAL:	4.03	41.98	38.8	37.2	5.57	58.02

TABLE 5. HYDROCARBON EMISSION PATTERNS: 1977 FORD MUSTANG II, FUEL B

Compound	Tailpipe g/mi	% of THC	Di,g	Evaporative HS,g	Total g/mi	% of THC
Methane	0.2440	4.51				
Ethylene	0.2053	3.79				
Ethane	0.0489	0.90				
Acetylene	0.0041	0.06				
Propylene; propane	0.0720	1.33				
Propadiene	0.0006	0.01				
Methyl acetylene acetylene	0.0011	0.02				
Isobutane	0.0144	0.27	0.0032	0.5893	0.0663	1.23
Butene 1; isobutylene	0.0464	0.86	0.0020	0.1240	0.0138	0.26
N-butane; 1, 3-butadiene	0.0776	1.43	0.0378	2.8137	0.3169	5.86
Trans-2-butene	0.0149	0.26	0.0034	0.2147	0.0241	0.46
Cis-2-butene	0.0105	0.19	0.0025	0.1777	0.0201	0.37
3-methyl-1-butene	0.0019	0.04	0.0008	0.0613	0.0069	0.13
Isopentane	0.2018	3.73	0.0761	6.7182	0.7563	13.98
Pentene-1	0.0030	0.06	0.0010	0.1971	0.0223	0.41
N-pentene; 2-methyl-1-butene	0.0632	1.17	0.0247	1.8612	0.2096	3.87
Trans-2-pentene	0.0080	0.15	0.0074	0.4810	0.0543	1.00
Cis-2-pentene	0.0155	0.29	0.0109	0.7431	0.0837	1.55
2,2 Dimethylbutane	0.0047	0.09	0.0009	0.0824	0.0093	0.17
Cyclopentene	0.0028	0.05	0.0010	0.0782	0.0087	0.16
Cyclopentane; 3-methyl-1-pentene	0.0061	0.11	0.0040	0.5535	0.0623	1.15
2,3-dimethylbutane	0.0199	0.37	0.0087	0.4646	0.0525	0.97
2-methylpentane; 2,3-dimethyl-1-butene	0.0560	1.04	0.0166	1.1270	0.1272	2.35
3-methylpentane	0.0306	0.57	0.0074	0.5313	0.0599	1.11
1-hexene; 2-ethyl-1-butene	0.0039	0.07	0.0029	0.1568	0.0178	0.33
N-hexane; Cis-3-hexene	0.0130	0.24	0.0032	0.1886	0.0212	0.39
2 methyl-2-pentene	0.0102	0.19	0.0035	0.2557	0.0289	0.53
Methylcyclopentane; 3-methyltrans-2-pentene	0.0232	0.43	0.0073	0.4026	0.0453	0.84
2,4-dimethylpentane	0.0132	0.24	0.0028	0.1605	0.0183	0.34
Methylcyclopentene	--	--	--	0.0052	0.0005	0.01
Benzene	0.2887	5.34	0.0143	0.4122	0.0469	0.87
Cyclohexene; 2,3-dimethylpentane; 2-methylhexane	0.0279	0.52	0.0061	0.2689	0.0305	0.56
3-methylhexane, cyclohexane	0.0218	0.40	0.0041	0.1775	0.0201	0.37
Isooctane	0.0607	1.12	0.0087	0.3892	0.0440	0.81
N-heptane	0.0091	0.17	0.0041	0.1253	0.0143	0.26
2,4,4 Trimethyl-1-pentene	0.0008	0.01	0.0006	0.0336	0.0037	0.07
Methylcyclohexane	0.0102	0.19	0.0009	0.0780	0.0087	0.16
1 Cis-4-dimethylcyclohexane	0.0019	0.04	--	--	--	--
2,4 and 2,5-dimethylhexane	0.0257	0.48	0.0023	0.1360	0.0154	0.28
2,3,4-trimethylpentane	0.0560	1.04	0.0066	0.2762	0.0313	0.58
2,3,3-trimethylpentane	--	--	--	--	--	--
Toluene; 2,3-dimethylhexane	0.5727	10.59	0.1241	1.9266	0.2202	4.07
2-methylheptane	0.0105	0.19	0.0003	0.0520	0.0058	0.11
3-methylheptane	0.0086	0.16	0.0019	0.0280	0.0032	0.06
2,2,5-trimethylhexane	0.0279	0.52	0.0027	0.0408	0.0048	0.09
N-octane	0.0052	0.10	0.0013	0.1269	0.0143	0.26
2,3,5-trimethylhexane	0.0041	0.08	0.0008	0.0101	0.0011	0.02
2,4-dimethylheptane	0.0014	0.03	0.0004	0.0029	0.0003	0.01
2,5 and 3,5-dimethylheptane	0.0030	0.06	-0.0001	0.0065	0.0005	0.01
Ethylbenzene; 2,3-dimethylheptane	0.0317	0.59	0.0038	0.0439	0.0048	0.09
P-xylene; x-xylene; 4-methyloctane	0.0856	1.58	0.0143	0.1157	0.0135	0.25
3 methyl octane	--	--	--	--	--	--
O-xylene; unk C ₉ paraffin	0.0411	0.76	0.0026	0.0464	0.0053	0.10
Nonane	0.0044	0.08	-0.0011	0.0040	0.0005	0.01
N-propylbenzene	0.0094	0.17	0.0023	0.0184	0.0021	0.04
1-methyl 3-ethyl-benzene; unk C ₁₀ paraffin	0.0558	1.03	0.0121	0.3373	0.0384	0.71
1-methyl 2-ethyl benzene	0.0063	0.12	--	--	--	--
Mesitylene	0.0301	0.56	0.0025	0.1430	0.0162	0.30
2,6 dimethyl octane	0.0210	0.39	0.0006	0.1186	0.0133	0.25
1,2,4-trimethylbenzene	0.0751	1.39	0.0140	0.0638	0.0077	0.14
Secbutylbenzene; n-decane	0.0127	0.23	0.0015	0.0156	0.0016	0.03
Unknowns	0.0395	0.73	0.0145	0.04958	0.0562	1.04
TOTAL:	2.76	51.02	.48	23.48	2.65	48.98

TABLE 6. HYDROCARBON EMISSION PATTERNS: 1977 FORD MUSTANG II, FUEL C

Compound	Tailpipe g/mi	% of THC	Di,g	Evaporative HS,g	Total g/mi	% of THC
Methane	0.2730	4.26				
Ethylene	0.2957	4.61				
Ethane	0.0680	1.06				
Acetylene	0.0073	0.11				
Propylene; propane	0.1067	1.66	0.0112	0.0283		
Propadiene	0.0006	0.01				
Methyl acetylene acetylene	0.0011	0.02				
Isobutane	0.0227	0.35	0.0121	0.8552	0.0971	1.51
Butene 1; isobutylene	0.0490	0.76	0.0024	0.1697	0.0191	0.30
N-butane; 1, 3-butadiene	0.2069	3.23	0.0812	8.4647	0.9538	14.88
Trans-2-butene	0.0188	0.29	0.0037	0.4061	0.0448	0.70
Cis-2-butene	0.0132	0.21	0.0024	0.2539	0.0289	0.45
3-methyl-1-butene	0.0022	0.03	0.0009	0.0860	0.0097	0.15
Isopentane	0.1417	2.21	0.0457	5.4489	0.6169	9.62
Pentene-1	0.0056	0.09	0.0027	0.3216	0.0365	0.57
N-pentene; 2-methyl-1-butene	0.0776	1.27	0.0224	2.5851	0.2928	4.57
Trans-2-pentene	0.0090	0.14	0.0058	0.6698	0.0762	1.19
Cis-2-pentene	0.0098	0.15	0.0075	0.9011	0.1022	1.59
2,2 Dimethylbutane	0.0053	0.08	0.0014	0.1764	0.0199	0.31
Cyclopentene	0.0034	0.05	0.0010	0.0972	0.0112	0.17
Cyclopentane; 3-methyl-1-pentene	0.0154	0.24	0.0048	0.2205	0.0253	0.39
2,3-dimethylbutane	0.0244	0.38	0.0057	0.5763	0.0653	1.02
2-methylpentane; 2,3-dimethyl-1-butene	0.0638	1.00	0.0124	1.5090	0.1708	2.66
3-methylpentane	0.0414	0.66	0.0073	0.8133	0.0921	1.44
1-hexene; 2-ethyl-1-butene	0.0045	0.07	0.0025	0.1701	0.0195	0.30
N-hexane; Cis-3-hexene	0.0302	0.47	0.0047	0.5255	0.0563	0.88
2 methyl-2-pentene	0.0042	0.07	0.0054	0.2561	0.0292	0.46
Methylcyclopentane; 3-methyltrans-2-pentene	0.0358	0.56	0.0075	0.6801	0.0773	1.21
2,4-dimethylpentane	0.0286	0.45	0.0037	0.3695	0.0419	0.65
Methylcyclopentene	--	--	--	0.0024	0.0007	0.01
Benzene	0.1896	2.98	0.0093	0.5169	0.0588	0.92
Cyclohexene; 2,3-dimethylpentane; 2-methylhexane	0.0683	1.07	0.0089	0.7583	0.0859	1.34
3-methylhexane, cyclohexane	0.0482	0.75	0.0071	0.5069	0.0578	0.90
Isooctane	0.1179	1.84	0.0133	0.9802	0.1112	1.73
N-heptane	0.0168	0.26	0.0046	0.2653	0.0303	0.47
2,4,4 Trimethyl-1-pentene	0.0006	0.01	0.0005	0.0239	0.0054	0.08
Methylcyclohexane	0.0140	0.22	0.0030	0.1402	0.0159	0.25
1 Cis-4-dimethylcyclohexane	0.0034	0.05	--	0.0132	0.0029	0.05
2,4 and 2,5-dimethylhexane	0.0328	0.51	0.0050	0.2262	0.0256	0.40
2,3,4-trimethylpentane	0.0501	0.78	0.0095	0.3956	0.0451	0.70
2,3,3-trimethylpentane	0.0134	0.21	--	--	--	--
Toluene; 2,3-dimethylhexane	0.1688	2.63	0.0484	0.6770	0.0783	1.22
2-methylheptane	0.0235	0.37	0.0038	0.1175	0.0137	0.21
3-methylheptane	0.0213	0.33	0.0030	0.1141	0.0130	0.20
2,2,5-trimethylhexane	0.0210	0.33	0.0034	0.0880	0.0101	0.16
N-octane	0.0112	0.17	0.0026	0.0747	0.0087	0.14
2,3,5-trimethylhexane	0.0034	0.05	0.0004	0.0094	0.0011	0.02
2,4-dimethylheptane	0.0034	0.05	0.0003	0.0089	0.0007	0.01
2,5 and 3,5-dimethylheptane	0.0053	0.08	0.0008	0.0172	0.0022	0.03
Ethylbenzene; 2,3-dimethylheptane	0.0286	0.45	0.0037	0.0720	0.0083	0.13
P-xylene; x-xylene; 4-methyloctane	0.1159	1.81	0.0135	0.2661	0.0307	0.48
3 methyl octane	--	--	--	--	--	--
O-xylene; unk C ₉ paraffin	0.0540	0.84	0.0061	0.1015	0.0119	0.19
Nonane	0.0104	0.16	0.0018	0.0267	0.0032	0.05
N-propylbenzene	0.0073	0.11	0.0016	0.0284	0.0032	0.05
1-methyl 3-ethyl-benzene; unk C ₁₀ paraffin	0.0412	0.64	0.0088	0.0934	0.0108	0.17
1-methyl 2-ethyl benzene	--	--	--	--	--	--
Mesitylene	0.0297	0.46	0.0034	0.0611	0.0072	0.11
2,6 dimethyl octane	0.0235	0.36	0.0033	0.0518	0.0058	0.09
1,2,4-trimethylbenzene	0.0512	0.80	0.0089	0.0994	0.0116	0.18
Secbutylbenzene; n-decane	0.0123	0.19	0.0012	0.0164	0.0018	0.03
Unknowns	0.0532	0.83	0.0094	0.6731	0.0762	1.19
TOTAL:	2.80	43.68	.44	32.0	3.61	56.32

TABLE 7. HYDROCARBON EMISSION PATTERNS: 1978 MERCURY MONARCH, FUEL A

Compound	Tailpipe g/mi	% of THC	Di,g	Evaporative HS,g	Total g/mi	% of THC
Methane	0.1060	8.62	- 0.0001	0.0003		
ethylene	0.0490	3.98	- 0.0001	0.0001		
Ethane	0.0349	2.84	0.0000	0.0001		
Acetylene	0.0045	0.37	0.0004	0.0002		
Propylene; propane	0.0261	2.12	0.0001	- 0.0002		
Propadiene	0.0009	0.07	--	0.0004		
Methyl acetylene acetylene	0.0002	0.02	--	0.0003		
Isobutane	0.0020	0.16	0.0027	0.017	0.0021	0.17
Butene 1; isobutylene	0.0169	1.37	--	--	--	--
N-butane; 1, 3-butadiene	0.0570	4.63	0.1239	0.2099	0.0280	2.28
Trans-2-butene	0.0063	0.51	0.0051	0.0031	0.0011	0.09
Cis-2-butene	0.0027	0.22	0.0006	--	0.0000	--
3-methyl-1-butene	0.0005	0.04	0.0001	--	0.0000	--
Isopentane	0.0625	5.08	0.1114	0.2491	0.0316	2.57
Pentene-1	0.0009	0.07	0.0024	0.0022	0.0003	0.02
N-pentene; 2-methyl-1-butene	0.0536	4.36	0.0646	0.1831	0.0225	1.83
Trans-2-pentene	0.0020	0.16	0.0040	0.0083	0.0011	0.09
Cis-2-pentene	0.0075	0.61	0.0061	0.0121	0.0015	0.12
2,2 Dimethylbutane	0.0393	3.20	0.0191	0.0781	0.0093	0.76
Cyclopentene	0.0065	0.53	0.0006	0.0012	0.0002	0.02
Cyclopentane; 3-methyl-1-pentene	0.0712	5.79	0.0656	0.2733	1.0324	2.63
2,3-dimethylbutane	0.0031	0.25	0.0030	0.0178	0.0022	0.18
2-methylpentane; 2,3-dimethyl-1-butene	0.0056	0.46	0.0082	0.0210	0.0026	0.21
3-methylpentane	0.0023	0.19	0.0041	0.0089	0.0011	0.09
1-hexene; 2-ethyl-1-butene	0.0010	0.08	0.0010	0.0030	0.0004	0.03
N-hexane; Cis-3-hexene	0.0023	0.19	0.0035	0.0097	0.0012	0.10
2-methyl-2-pentene	0.0025	0.20	0.0026	0.0083	0.0010	0.08
Methylcyclopentane; 3-methyltrans-2-pentene	0.0028	0.23	0.0041	0.0082	0.0011	0.09
2,4-dimethylpentane	0.0026	0.21	0.0021	0.0056	0.0007	0.06
Methylcyclopentene	0.0001	0.01	0.0006	0.0033	0.0004	0.03
Benzene	0.0297	2.41	0.0037	0.0084	0.0011	0.09
Cyclohexene; 2,3-dimethylpentane; 2-methylhexane	0.0354	2.88	0.0015	0.0638	0.0074	0.60
3-methylhexane, cyclohexane	0.0070	0.57	0.0040	0.0144	0.0017	0.14
Isooctane	0.0824	6.70	0.0148	0.0946	0.0108	0.88
N-heptane	0.0084	0.68	0.0029	0.0136	0.0016	0.13
2,4,4 Trimethyl-1-pentene	0.0053	0.43	0.0019	0.0158	0.0018	0.15
Methylcyclohexane	0.0048	0.39	0.0022	0.0085	0.0010	0.08
1 Cis-4-dimethylcyclohexane	0.0023	0.19	0.0008	0.0043	0.0005	0.04
2,4 and 2,5-dimethylhexane	0.0110	0.89	0.0019	0.0123	0.0015	0.12
2,3,4-trimethylpentane	0.0084	0.68	0.0024	0.0135	0.0016	0.13
2,3,3-trimethylpentane	0.0034	0.28	--	--	--	--
Toluene; 2,3-dimethylhexane	0.1164	9.46	0.0212	0.1213	0.0140	1.14
2-methylheptane	0.0123	1.00	0.0047	0.0195	0.0023	0.19
3-methylheptane	0.0117	0.95	0.0040	0.0148	0.0018	0.15
2,2,5-trimethylhexane	0.0028	0.23	0.0005	0.0050	0.0006	0.05
N-octane	0.0088	0.72	0.0019	0.0092	0.0011	0.09
2,3,5-trimethylhexane	0.0011	0.09	--	- 0.0002	--	--
2,4-dimethylheptane	0.0024	0.20	0.0003	0.0016	0.0002	0.02
2,5 and 3,5-dimethylheptane	0.0035	0.28	0.0002	0.0013	0.0002	0.02
Ethylbenzene; 2,3-dimethylheptane	0.0102	0.83	0.0013	0.0059	0.0007	0.06
P-xylene; x-xylene; 4-methyloctane	0.0277	2.25	0.0056	0.0239	0.0028	0.23
3 methyl octane	0.0025	0.20	0.0010	0.0041	0.0005	0.04
O-xylene; unk C ₉ paraffin	0.0104	0.85	0.0016	0.0087	0.0010	0.08
Nonane	0.0037	0.30	0.0009	0.0033	0.0004	0.03
N-propylbenzene	0.0033	0.27	0.0006	0.0039	0.0005	0.04
1-methyl 3-ethyl-benzene; unk C ₁₀ paraffin	0.0068	0.55	0.0019	0.0057	0.0007	0.06
1-methyl 2-ethyl benzene	--	--	--	--	--	--
Mesitylene	0.0057	0.46	0.0013	0.0065	0.0008	0.06
2,6 dimethyl octane	0.0038	0.31	0.0009	0.0019	0.0002	0.02
1,2,4-trimethylbenzene	0.0184	1.50	0.0020	0.0071	0.0009	0.07
Secbutylbenzene; n-decane	0.0026	0.21	0.0007	0.0019	0.0003	0.02
Unknowns	0.0128	1.04	0.0059	0.0153	0.0019	0.15
TOTAL:	1.03	83.74	0.54	1.64	0.20	16.26

TABLE 8. HYDROCARBON EMISSIONS: 1978 MERCURY MONARCH, FUEL B

Compound	Tailpipe g/mi	% of THC	Di,g	Evaporative HS,g	Total g/mi	% of THC
Methane	0.0852	6.26	0.0062	- 0.0010		
Ethylene	0.0360	2.65	0.0006	0.0001		
Ethane	0.0308	2.26	--	--		
Acetylene	0.0126	0.93	--	--		
Propylene; propane	0.0195	1.43	0.0006	0.0001		
Propadiene	--	--	--	0.0010		
Methyl acetylene acetylene	--	--	--	--		
Isobutane	0.0101	0.74	0.0283	0.0436	0.0058	0.43
Butene 1; isobutylene	0.0107	0.79	--	0.0079	0.0015	0.11
N-butane; 1, 3-butadiene	0.0517	3.80	0.1122	0.2481	0.0311	2.29
Trans-2-butene	0.0040	0.29	0.0069	0.0171	0.0021	0.15
Cis-2-butene	0.0036	0.26	0.0088	0.0197	0.0025	0.18
3-methyl-1-butene	0.0011	0.08	0.0024	0.0086	0.0010	0.07
Isopentane	0.0961	7.07	0.2341	0.8035	0.0955	7.02
Pentene-1	0.0012	0.09	0.0063	0.0210	0.0025	0.18
N-pentene; 2-methyl-1-butene	0.0280	2.06	0.0661	0.2335	0.0277	2.04
Trans-2-pentene	0.0041	0.30	0.0166	0.0614	0.0072	0.53
Cis-2-pentene	0.0071	0.52	0.0270	0.0920	0.0110	0.81
2,2 Dimethylbutane	0.0028	0.21	0.0053	0.0168	0.0020	0.15
Cyclopentene	0.0016	0.12	0.0034	0.0103	0.0013	0.10
Cyclopentane; 3-methyl-1-pentene	0.0027	0.20	0.0086	0.0301	0.0036	0.27
2,3-dimethylbutane	0.0078	0.57	0.0176	0.0571	0.0068	0.50
2-methylpentane; 2,3-dimethyl-1-butene	0.0215	1.58	0.0536	0.1706	0.0204	1.50
3-methylpentane	0.0125	0.92	0.0276	0.0825	0.0100	0.74
1-hexene; 2-ethyl-1-butene	0.0018	0.13	0.0080	0.0219	0.0027	0.20
N-hexane; Cis-3-hexene	0.0051	0.38	0.0101	0.0333	0.0039	0.29
2 methyl-2-pentene	0.0048	0.35	0.0253	0.0596	0.0074	0.54
Methylcyclopentane; 3-methyltrans-2-pentene	0.0072	0.53	0.0195	0.0533	0.0065	0.48
2,4-dimethylpentane	0.0053	0.39	0.0166	0.0343	0.0043	0.32
Methylcyclopentene	0.0024	0.18	0.0108	0.0215	0.0027	0.20
Benzene	0.0303	2.23	0.0251	0.0700	0.0085	0.63
Cyclohexene; 2,3-dimethylpentane; 2-methylhexane	0.0105	0.77	0.0248	0.0554	0.0069	0.51
3-methylhexane, cyclohexane	0.0069	0.51	0.0180	0.0351	0.0045	0.33
Isooctane	0.0225	1.65	0.0433	0.0877	0.0111	0.82
N-heptane	0.0045	0.33	0.0138	0.0239	0.0031	0.23
2,4,4 Trimethyl-1-pentene	0.0013	0.10	0.0029	0.0080	0.0010	0.07
Methylcyclohexane	0.0036	0.26	0.0109	0.0193	0.0025	0.18
1 Cis-4-dimethylcyclohexane	0.0004	0.03	0.0016	0.0031	0.0004	0.03
2,4 and 2,5-dimethylhexane	0.0078	0.57	0.0181	0.0322	0.0042	0.31
2,3,4-trimethylpentane	0.0109	0.80	0.0208	0.0284	0.0038	0.28
2,3,3-trimethylpentane	0.0077	0.57	0.0181	0.0460	0.0057	0.41
Toluene; 2,3-dimethylhexane	0.1578	11.62	0.3999	0.7440	0.0954	7.01
2-methylheptane	0.0061	0.45	--	--	0.0032	0.24
3-methylheptane	0.0052	0.38	0.0145	0.0251	--	--
2,2,5-trimethylhexane	0.0139	1.02	0.0225	0.0374	0.0049	0.36
N-octane	0.0032	0.24	0.0055	0.0089	0.0012	0.09
2,3,5-trimethylhexane	0.0018	0.13	0.0035	0.0047	0.0007	0.05
2,4-dimethylheptane	0.0004	0.03	0.0009	0.0013	0.0002	0.01
2,5 and 3,5-dimethylheptane	0.0007	0.05	0.0015	0.0026	0.0003	0.02
Ethylbenzene; 2,3-dimethylheptane	0.0099	0.73	0.0152	0.0222	0.0030	0.22
P-xylene; x-xylene; 4-methyloctane	0.0194	1.43	0.0409	0.0605	0.0081	0.60
3 methyl octane	0.0012	0.09	0.0043	0.0058	0.0008	0.06
O-xylene; unk C ₉ paraffin	0.0095	0.70	0.0173	0.0271	0.0036	0.26
Nonane	0.0009	0.07	0.0025	0.0029	0.0004	0.03
N-propylbenzene	0.0041	0.30	0.0111	0.0123	0.0017	0.13
1-methyl-3-ethyl-benzene; unk C ₁₀ paraffin	0.0170	1.25	0.0359	0.0431	0.0060	0.44
1-methyl 2-ethyl benzene	--	--	--	--	--	--
Mesitylene	0.0080	0.59	0.0172	0.0215	0.0030	0.22
2,6 dimethyl octane	0.0081	0.60	0.0160	0.0197	0.0027	0.20
1,2,4-trimethylbenzene	0.0186	1.37	0.0329	0.0492	0.0066	0.49
Secbutylbenzene; n-decane	0.0028	0.21	0.0076	0.0100	0.0014	0.10
Unknowns	0.0180	1.32	0.0514	0.1342	0.0164	1.21
TOTAL:	0.89	65.44	1.62	3.79	0.47	34.56

TABLE 9. HYDROCARBON EMISSIONS: 1978 MERCURY MONARCH, FUEL C

Compound	Tailpipe g/mi	% of THC	Di,g	Evaporative HS,g	Total g/mi	% of THC
Methane	0.1110	5.50				
Ethylene	0.0693	3.43				
Ethane	0.0331	1.64				
Acetylene	0.0438	2.17				
Propylene; propane	0.0287	1.42				
Propadiene	0.0006	0.03				
Methyl acetylene acetylene	0.0011	0.05				
Isobutane	0.0267	1.32	1.8239	0.4460	0.1076	5.33
Butene 1; isobutylene	0.0170	0.84	0.1680	0.0373	0.0109	
N-butane; 1, 3-butadiene	0.2224	11.01	6.9267	1.1734	0.3746	18.54
Trans-2-butene	0.0103	0.51	0.1955	0.0354	0.0111	0.55
Cis-2-butene	0.0066	0.33	0.1156	0.0237	0.0069	0.34
3-methyl-1-butene	0.0017	0.08	0.0159	0.0071	0.0014	0.07
Isopentane	0.0886	4.39	0.7587	0.3946	0.0695	3.44
Pentene-1	0.0042	0.21	0.0288	0.0200	0.0032	0.16
N-pentene; 2-methyl-1-butene	0.0404	2.00	0.2437	0.1678	0.0267	1.32
Trans-2-pentene	0.0084	0.42	0.0459	0.0413	0.0062	0.31
Cis-2-pentene	0.0122	0.60	0.0478	0.0539	0.0077	0.38
2,2 Dimethylbutane	0.0037	0.18	0.0202	0.0083	0.0015	0.08
Cyclopentene	0.0019	0.09	0.0038	0.0060	0.0008	0.04
Cyclopentane; 3-methyl-1-pentene	0.0075	0.37	0.0233	0.0319	0.0044	0.21
2,3-dimethylbutane	0.0104	0.51	0.0207	0.0317	0.0043	0.22
2-methylpentane; 2,3-dimethyl-1-butene	0.0271	1.34	0.0470	0.0806	0.0107	0.53
3-methylpentane	0.0163	0.81	0.0235	0.0443	0.0059	0.29
1-hexene; 2-ethyl-1-butene	0.0025	0.12	0.0051	0.0094	0.0013	0.06
N-hexane; Cis-3-hexene	0.0114	0.56	0.0141	0.0313	0.0039	0.19
2 methyl-2-pentene	0.0043	0.21	0.0069	0.0141	0.0019	0.09
Methylcyclopentane; 3-methyltrans-2-pentene	0.0154	0.76	0.0185	0.0408	0.0053	0.26
2,4-dimethylpentane	0.0107	0.53	0.0104	0.0212	0.0028	0.14
Methylcyclopentene	--	--	0.0003	0.0007	0.0002	0.01
Benzene	0.0335	1.66	0.0142	0.0356	0.0045	0.22
Cyclohexene; 2,3-dimethylpentane; 2-methylhexane	0.0286	1.42	0.0242	0.0515	0.0068	0.34
3-methylhexane, cyclohexane	0.0187	0.93	0.0151	0.0321	0.0041	0.20
Isooctane	0.0488	2.42	0.0440	0.0690	0.0092	0.46
N-heptane	0.0097	0.48	0.0101	0.0179	0.0023	0.11
2,4,4 Trimethyl-1-pentene	0.0020	0.10	0.0031	0.0057	0.0008	0.04
Methylcyclohexane	0.0070	0.35	0.0054	0.0110	0.0014	0.07
1 Cis-4-dimethylcyclohexane	0.0014	0.07	0.0008	0.0027	0.0003	0.01
2,4 and 2,5-dimethylhexane	0.0140	0.69	0.0122	0.0196	0.0026	0.13
2,3,4-trimethylpentane	0.0234	1.16	0.0191	0.0219	0.0029	0.14
2,3,3-trimethylpentane	0.0119	0.59	--	0.0108	0.0029	0.14
Toluene; 2,3-dimethylhexane	0.0526	2.60	0.0377	0.1059	0.0126	0.62
2-methylheptane	0.0103	0.51	0.0076	0.0121	0.0016	0.08
3-methylheptane	0.0089	0.44	0.0067	0.0098	0.0014	0.07
2,2,5-trimethylhexane	0.0088	0.44	0.0062	0.0084	0.0011	0.05
N-octane	0.0067	0.33	0.0036	0.0040	0.0007	0.03
2,3,5-trimethylhexane	0.0014	0.07	0.0007	0.0015	0.0002	0.01
2,4-dimethylheptane	0.0017	0.08	0.0007	0.0015	0.0002	0.01
2,5 and 3,5-dimethylheptane	0.0023	0.11	0.0005	0.0017	0.0002	0.01
Ethylbenzene; 2,3-dimethylheptane	0.0109	0.54	0.0052	0.0145	0.0019	0.09
P-xylene; x-xylene; 4-methyloctane	0.0340	1.68	0.0195	0.0518	0.0065	0.32
3 methyl octane	0.0006	0.03	--	--	--	--
O-xylene; unk C ₉ paraffin	0.0149	0.74	0.0096	0.0195	0.0025	0.12
Nonane	0.0029	0.14	0.0030	0.0024	0.0004	0.02
N-propylbenzene	0.0048	0.24	0.0037	0.0040	0.0005	0.02
1-methyl 3-ethyl-benzene; unk C ₁₀ paraffin	0.0165	0.82	0.0108	0.0221	0.0029	0.14
1-methyl 2-ethyl benzene	--	--	--	--	--	--
Mesitylene	0.0090	0.45	0.0072	0.0122	0.0017	0.08
2,6 dimethyl octane	0.0084	0.42	0.0073	0.0110	0.0015	0.07
1,2,4-trimethylbenzene	0.0154	0.76	0.0128	0.0210	0.0029	0.14
Secbutylbenzene; n-decane	0.0024	0.12	0.0026	0.0046	0.0006	0.03
Unknowns	0.0293	1.45	0.0420	0.0535	0.0075	0.37
TOTAL:	1.27	62.87	10.93	3.36	0.75	37.13

TABLE 10. HYDROCARBON EMISSIONS: 1979 FORD LTD-II, FUEL B

Compound	Tailpipe g/mi.	% of THC	Di,g	Evaporative HS,g	Total g/mi	% of THC
Methane	0.1236	15.65				
Ethylene	0.0181	2.29				
Ethane	0.0142	1.80				
Acetylene	0.0040	0.51				
Propylene; propane	0.0076	0.96				
Propadiene	0.0004	0.05				
Methyl acetylene acetylene	0.0003	0.04				
Isobutane	0.0033	0.42	0.1038	0.0284	0.0073	0.92
Butene 1; isobutylene	0.0054	0.68	0.0410	0.0062	0.0023	0.29
N-butane; 1, 3-butadiene	0.0141	1.78	0.6244	0.1283	0.0389	4.92
Trans-2-butene	0.0016	0.20	0.0314	0.0110	0.0024	0.30
Cis-2-butene	0.0014	0.18	0.0217	0.0092	0.0019	0.24
3-methyl-1-butene	0.0004	0.05	0.0037	0.0030	0.0005	0.06
Isopentane	0.0276	3.49	0.3773	0.3028	0.0464	5.87
Pentene-1	0.0006	0.08	0.0106	0.0093	0.0014	0.18
N-pentene; 2-methyl-1-butene	0.0072	0.91	0.0906	0.0908	0.0131	1.66
Trans-2-pentene	0.0017	0.22	0.0249	0.0257	0.0036	0.46
Cis-2-pentene	0.0033	0.42	0.0378	0.0405	0.0057	0.72
2,2 Dimethylbutane	0.0008	0.10	0.0037	0.0038	0.0006	0.08
Cyclopentene	0.0005	0.06	0.0041	0.0050	0.0007	0.09
Cyclopentane; 3-methyl-1-pentene	0.0013	0.16	0.0114	0.0228	0.0029	0.37
2,3-dimethylbutane	0.0031	0.39	0.0263	0.0281	0.0039	0.49
2-methylpentane; 2,3-dimethyl-1-butene	0.0077	0.97	0.0562	0.0656	0.0090	1.14
3-methylpentane	0.0040	0.51	0.0256	0.0318	0.0043	0.54
1-hexene; 2-ethyl-1-butene	0.0009	0.11	0.0079	0.0106	0.0014	0.18
N-hexane; Cis-3-hexene	0.0019	0.24	0.0138	0.0118	0.0018	0.23
2 methyl-2-pentene	0.0016	0.20	0.0123	0.0189	0.0024	0.30
Methylcyclopentane; 3-methyltrans-2-pentene	0.0035	0.44	0.0196	0.0314	0.0041	0.52
2,4-dimethylpentane	0.0018	0.23	0.0115	0.0128	0.0018	0.23
Methylcyclopentene	--	--	--	--	--	--
Benzene	0.0244	3.09	0.0302	0.0539	0.0068	0.86
Cyclohexene; 2,3-dimethylpentane; 2-methylhexane	0.0045	0.57	0.0212	0.0271	0.0037	0.47
3-methylhexane, cyclohexane	0.0033	0.42	0.0112	0.0172	0.0023	0.29
Isooctane	0.0094	1.19	0.0227	0.0558	0.0068	0.86
N-heptane	0.0021	0.27	0.0045	0.0168	0.0021	0.27
2,4,4 Trimethyl-1-pentene	0.0005	0.06	0.0009	0.0049	0.0006	0.08
Methylcyclohexane	0.0017	0.22	0.0047	0.0109	0.0013	0.16
1 Cis-4-dimethylcyclohexane	0.0002	0.03	N/A	0.0016	0.0002	0.03
2,4 and 2,5-dimethylhexane	0.0038	0.48	0.0053	0.0204	0.0024	0.30
2,3,4-trimethylpentane	0.0111	1.41	0.0106	0.0496	0.0057	0.72
2,3,3-trimethylpentane	--	--	--	--	--	--
Toluene; 2,3-dimethylhexane	0.0763	9.66	0.1845	0.5711	0.0673	8.52
2-methylheptane	0.0018	0.23	0.0046	0.0148	0.0017	0.22
3-methylheptane	0.0011	0.14	0.0051	0.0091	0.0011	0.14
2,2,5-trimethylhexane	0.0054	0.68	0.0104	0.0211	0.0026	0.33
N-octane	0.0018	0.23	0.0060	0.0077	0.0010	0.13
2,3,5-trimethylhexane	0.0009	0.11	0.0019	0.0029	0.0004	0.05
2,4-dimethylheptane	0.0002	0.03	0.0013	0.0012	0.0002	0.03
2,5 and 3,5-dimethylheptane	0.0004	0.05	0.0006	0.0019	0.0002	0.03
Ethylbenzene; 2,3-dimethylheptane	0.0052	0.66	0.0053	0.0226	0.0026	0.33
P-xylene; x-xylene; 4-methyloctane	0.0119	1.51	0.0181	0.0676	0.0078	0.99
3 methyl octane	--	--	--	--	--	--
O-xylene; unk C ₉ paraffin	0.0058	0.73	0.0077	0.0296	0.0034	0.43
Nonane	0.0010	0.13	0.0026	0.0035	0.0005	0.06
N-propylbenzene	0.0023	0.29	0.0055	0.0136	0.0016	0.20
1-methyl 3-ethyl-benzene; unk C ₁₀ paraffin	0.0109	1.38	0.0163	0.0637	0.0074	0.94
1-methyl 2-ethyl benzene	--	--	--	--	--	--
Mesitylene	0.0043	0.54	0.0055	0.0253	0.0029	0.38
2,6 dimethyl octane	0.0036	0.46	0.0052	0.0210	0.0024	0.30
1,2,4-trimethylbenzene	0.0119	1.51	0.0165	0.0699	0.0081	1.03
Secbutylbenzene; n-decane	0.0024	0.30	0.0352	0.0155	0.0024	0.30
Unknowns	0.0099	1.25	0.0418	0.0617	0.0082	1.04
TOTAL:	.48	60.77	2.05	2.18	.31	39.30

TABLE 11. HYDROCARBON EMISSIONS: 1979 FORD LTD-II, FUEL C

Compound	Tailpipe g/mi	% of THC	Di, g	Evaporative HS, g	Total g/mi	% of THC
Methane	0.2081	7.18				
Ethylene	0.0245	0.84				
Ethane	0.0040	0.13				
Acetylene	0.0232	0.80				
Propylene; propane	0.0081	0.28				
Propadiene	0.0002	0.01				
Methyl acetylene acetylene	0.0003	0.01				
Isobutane	0.0036	0.12	3.0509	1.0894	0.2251	7.76
Butene 1; isobutylene	0.0041	0.14	0.4195	0.1388	0.0299	1.03
N-butane; 1, 3-butadiene	0.0336	1.16	17.6133	6.0904	1.284	44.29
Trans-2-butene	0.0013	0.05	0.5606	0.1819	0.0397	1.37
Cis-2-butene	0.0011	0.04	0.3476	0.1142	0.0249	0.85
3-methyl-1-butene	0.0003	0.01	0.0693	0.0246	0.0050	0.17
Isopentane	0.0201	0.69	3.6357	1.4473	0.2870	9.90
Pentene-1	0.0005	0.02	0.1455	0.0609	0.0117	0.40
N-pentene; 2-methyl-1-butene	0.0097	0.33	0.7477	0.5448	0.0882	3.04
Trans-2-pentene	0.0012	0.04	0.2470	0.1084	0.0206	0.71
Cis-2-pentene	0.0019	0.07	0.3102	0.1410	0.0263	0.91
2,2 Dimethylbutane	0.0015	0.05	0.0694	0.0328	0.0060	0.21
Cyclopentene	0.0003	0.01	0.0433	0.0165	0.0033	0.12
Cyclopentane; 3-methyl-1-pentene	0.0021	0.07	0.1383	0.0643	0.0117	0.40
2,3-dimethylbutane	0.0033	0.11	0.1995	0.0975	0.0177	0.61
2-methylpentane; 2,3-dimethyl-1-butene	0.0079	0.27	0.4942	0.2508	0.0449	1.55
3-methylpentane	0.0055	0.19	0.2415	0.1252	0.0222	0.77
1-hexene; 2-ethyl-1-butene	0.0006	0.02	0.0498	0.0264	0.0045	0.16
N-hexane; Cis-3-hexene	0.0037	0.12	0.1150	0.0659	0.0112	0.39
2 methyl-2-pentene	0.0014	0.05	0.0619	0.0355	0.0060	0.21
Methylcyclopentane; 3-methyltrans-2-pentene	0.0043	0.15	0.1227	0.0729	0.0122	0.42
2,4-dimethylpentane	0.0036	0.12	0.0954	0.0559	0.0096	0.33
Methylcyclopentene	--	--	--	--	--	--
Benzene	0.0142	0.49	0.1064	0.0787	0.0122	0.42
Cyclohexene; 2,3-dimethylpentane; 2-methylhexane	0.0084	0.29	0.2001	0.1264	0.0210	0.73
3-methylhexane, cyclohexane	0.0057	0.20	0.1057	0.0699	0.0115	0.40
Isooctane	0.0165	0.56	0.3534	0.1524	0.0368	1.27
N-heptane	0.0026	0.09	0.0644	0.0457	0.0074	0.26
2,4,4 Trimethyl-1-pentene	0.0004	0.01	0.0099	0.0080	0.0012	0.04
Methylcyclohexane	0.0019	0.07	0.0294	0.0220	0.0033	0.12
1 Cis-4-dimethylcyclohexane	0.0003	0.01	0.0033	0.0023	0.0005	0.02
2,4 and 2,5-dimethylhexane	0.0041	0.14	0.0626	0.0462	0.0074	0.26
2,3,4-trimethylpentane	0.0081	0.28	0.0329	0.0650	0.0084	0.29
2,3,3-trimethylpentane	--	--	0.0539	--	0.0041	0.14
Toluene; 2,3-dimethylhexane	0.0142	0.49	0.1145	0.1865	0.0241	0.83
2-methylheptane	0.0024	0.08	0.0177	0.0213	0.0031	0.11
3-methylheptane	0.0023	0.08	0.0131	0.0180	0.0024	0.08
2,2,5-trimethylhexane	0.0022	0.08	0.0191	0.0194	0.0029	0.10
N-octane	0.0026	0.09	0.0079	0.0122	0.0017	0.06
2,3,5-trimethylhexane	0.0004	0.01	0.0016	0.0024	0.0005	0.02
2,4-dimethylheptane	0.0004	0.01	0.0007	0.0023	0.0002	0.01
2,5 and 3,5-dimethylheptane	0.0011	0.04	0.0011	0.0028	0.0005	0.02
Ethylbenzene; 2,3-dimethylheptane	0.0028	0.10	0.0061	0.0140	0.0017	0.06
P-xylene; x-xylene; 4-methyloctane	0.0103	0.35	0.0214	0.0457	0.0057	0.20
3 methyl octane	--	--	--	--	--	--
O-xylene; unk C ₉ paraffin	0.0045	0.16	0.0084	0.0193	0.0024	0.08
Nonane	0.0016	0.06	0.0093	0.0050	0.0007	0.02
N-propylbenzene	0.0015	0.05	0.0049	0.0078	0.0010	0.03
1-methyl 3-ethyl-benzene; unk C ₁₀ paraffin	0.0048	0.17	0.0101	0.0305	0.0036	0.12
1-methyl 2-ethyl benzene	--	--	--	--	--	--
Mesitylene	0.0030	0.10	0.0065	0.0162	0.0019	0.07
2,6 dimethyl octane	0.0016	0.05	0.0058	0.0156	0.0019	0.07
1,2,4-trimethylbenzene	0.0042	0.15	0.0101	0.0319	0.0038	0.13
Secbutylbenzene; n-decane	0.0016	0.05	0.0042	0.0088	0.0012	0.04
Unknowns	0.0090	0.30	0.2373	0.1495	0.0249	0.86
TOTAL:	0.51	17.64	30.3	12.1	2.39	82.46

Ambient temperatures during the vehicle tests were typical of summer conditions (68°-86°F). A reasonable fuel vapor pressure for this temperature range would be 9.8 lb Reid Vapor Pressure (RVP)(4). Thus, fuel B would give evaporative emission rates typical for current summer fuels. The historical trend has been to increased fuel vapor pressure, however, and the other test fuels were included primarily to examine the sensitivity of evaporative emissions to fuel vapor pressure.

The 1963 Chevrolet evaporative emissions were examined only with 12.8 lb RVP gasoline. It has been estimated that evaporative emissions would decrease about 1/3 from this vehicle if fueled with 9.8lb RVP gasoline (2). It should also be noted that the 1977 Mustang-II was operating under richer fuel-air conditions than normal certification carburetor tune. This model year passenger car was certified at 1.5 grams/mile tailpipe hydrocarbon emissions, as compared to 2.8 grams/mile observed with this vehicle.

REFERENCES

1. Federal Register, Final evaporative emission regulations for light duty vehicles and trucks. 41(164): 35626, Aug. 23, 1976.
2. Black, F.M., High, L.E., and J.M. Lang. Composition of automobile evaporative and tailpipe hydrocarbon emissions. Publication preprint. U.S. Environmental Protection Agency, Research Triangle Park, North Carolina, 1980.
3. Compilation of air pollutant emission factors. AP-42, Supplement No. 5, Appendix D. U.S. Environmental Protection Agency, Research Triangle Park, North Carolina, 1975.
4. Bowden, J.N. Trends in properties of unleaded gasoline. U.S. Army Fuels and Lubricants Research Laboratory, Southwest Research Institute, San Antonio, Texas, 1975.

TECHNICAL REPORT DATA
(Please read Instructions on the reverse before completing)

1. REPORT NO. EPA-600/2-80-085	2.	3. RECIPIENT'S ACCESSION NO.
4. TITLE AND SUBTITLE PASSENGER CAR HYDROCARBON EMISSIONS SPECIATION		5. REPORT DATE May 1980
		6. PERFORMING ORGANIZATION CODE
7. AUTHOR(S) F. Black and L.High		8. PERFORMING ORGANIZATION REPORT NO.
9. PERFORMING ORGANIZATION NAME AND ADDRESS Environmental Sciences Research Laboratory--RTP, NC Office of Research and Development U.S. Environmental Protection Agency Research Triangle Park, N.C. 27711		10. PROGRAM ELEMENT NO. C07A1D 0028 (FY-80)
		11. CONTRACT/GRANT NO.
12. SPONSORING AGENCY NAME AND ADDRESS Environmental Sciences Research Laboratory--RTP, NC Office of Research and Development U.S. Environmental Protection Agency Research Triangle Park, N.C. 27711		13. TYPE OF REPORT AND PERIOD COVERED Final
		14. SPONSORING AGENCY CODE EPA/600/09
15. SUPPLEMENTARY NOTES		
16. ABSTRACT Emission factors for over 60 individual hydrocarbon compounds were determined for four passenger cars. The cars included a 1963 Chevrolet, a 1977 Mustang, a 1978 Monarch, and 1979 LTD II. The speciation data is reported for both tailpipe and evaporative emissions. The tailpipe emissions were for the urban driving conditions of the Federal Test Procedure used in motor vehicle certification. The evaporative emissions were for both diurnal and hot soak conditions, also prescribed in the Federal Test Procedure for certification. The vehicle tests involved four gasoline fuels of varying composition.		
17. KEY WORDS AND DOCUMENT ANALYSIS		
a. DESCRIPTORS <ul style="list-style-type: none"> * Air pollution Automobiles * Emission * Hydrocarbons * Chemical composition 	b. IDENTIFIERS/OPEN ENDED TERMS	c. COSATI Field/Group 13B 13F 07C 07D
18. DISTRIBUTION STATEMENT RELEASE TO PUBLIC		19. SECURITY CLASS (<i>This Report</i>) UNCLASSIFIED
		20. SECURITY CLASS (<i>This page</i>) UNCLASSIFIED
		21. NO. OF PAGES 25
		22. PRICE