EPIDEMIOLOGY STUDIES

ESTIMATION OF POPULATION RESIDING NEAR VINYLIDENE CHLORIDE PLANTS

August 1976

FINAL REPORT



U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF TOXIC SUBSTANCES WASHINGTON, D.C. 20460

EPIDEMIOLOGY STUDIES

TASK IV - VINYLIDENE CHLORIDE

Environmental Health Hazards Project American Public Health Association

EPA Contract No. 68-01-2490 EPA Project Officer: Joseph Seifter, M.D.

for

U.S. Environmental Protection Agency Office of Toxic Substances 4th and M Streets, S.W. Washington, D.C. 20460

August 1976

NOTICE

This report has been reviewed by the Office of Toxic Substances, Environmental Protection Agency, and approved for publication. Approval does not signify that the contents necessarily reflect the views and policies of the Environmental Protection Agency. Mention of trade names or commercial products is for purposes of clarity only and does not constitute endorsement or recommendation for use.

CONTENTS

SECTION	<u>ns</u>	Page
I. II. IV. V. VI.	Report with that for Vinyl Chloride Reliability of the Estimates	1 4 6 8 12 17 18 19
	APPENDIX	
I.	Plants Listed in the A.D. Little Report	20
II.	Plants Included in the Present Report and	
	their Addresses	25
III.	Structure of the Industry	27
IV.	Sample Page from "Census Tract Reports- Series PHC-1"	31
v.	Example of a Tracted Area	32
V. VI.	Sample Page from "General Population	32
Λ 1 •	Characteristics-Series PC-1B"	38
VII.	Estimated Population by Age, Sex and	30
VII.	Distance from each Plant	39
VIII.	Estimated Population by Direction and	
	Distance from each Plant	77
IX.	Population in Tracted Areas	115
х.	Population in Untracted Areas	116
XI.	Population by State	117
XII.	Population by Company	119
XIII.	Cumulative Population by Plant	121

Acknowledgements

The authors wish to thank Mr. Charles P. Brinkman, formerly Chief, Demographic Statistics Branch, Population Division, Bureau of the Census for his assistance. He reviewed the text for accuracy in describing the data available at the Bureau of the Census and the way it was used in this report.

I. SUMMARY

The Population

In 1970 an estimated 3.6 million persons were living within five miles of plants currently producing or processing vinylidene chloride. The estimated number of persons living at various distances from the plants are as follows:

Distance (miles)	Estimated number of persons
0-½	48,739
½-1	136,100
1-3	1,304,316
3-5	2,084,240
Total	3,573,395

If the 38 plants on which this report is based are classified according to the process stage in which vinylidene chloride is involved, the estimated population around these plants is as follows:

_	Estimated number
Process	of persons
Monomer synthesis	88,936
Polymer synthesis	604,718
Fabrication	2,879,741
Total	3,573,395

This report is based primarily on the plants engaged in producing or processing vinylidene chloride (VDC) as listed in the April 1976 report (1) of Arthur D. Little, Inc. which was produced under contract for the Environmental Protection Agency, Control Systems Laboratory, Durham, North Carolina. However, the original list of 40 plants was revised to 38 plants to reflect deletions due to discontinuation of production or processing of vinylidene chloride as well as the addition of new or omitted facilities. The geographic distribution of these plants is shown in Figure 1.

Methodology

The population in this report is underestimated slightly because we have undoubtedly missed some of the minor plants in the industry. However, every effort was made to include all the major plants and all the minor plants that we could identify.

The procedures selected for making the population estimates for this report were defined objectively. When a choice of procedures existed, preference was given to those methods that include a minimum of subjective judgment and which can be applied uniformly in all situations. It is felt that anyone who follows the procedures used in this report will arrive at approximately the same results.

Figure 1. Geographic Distribution of Plants That Process Vinylidene Chloride

II. SOURCE OF PLANTS SURVEYED

The Plants

The April 1976 report (1) of Arthur D. Little, Inc. produced under contract for the Environmental Protection Agency, Control Systems Laboratory, Durham, North Carolina, identifies the major plants in the vinylidene chloride monomer, polymer and polymer processing industries. Tables 1, 3, 6, 9, 13, and 17 in that report list plants that produce or use vinylidene chloride in various processes. These six tables are reproduced in Appendix I of this report. The 40 plants listed in these six tables form the base, with appropriate deletions and additions, for the 38 plants used in this report. It is these 38 plants, in 37 different locations, that we refer to in the tables and discussion about the population residing near all plants producing or processing vinylidene chloride.

Verification of Plants

Appendix II lists all the 38 plants included in the present report, giving the address for each one. Each address is that of the plant itself and not the front office. Unfortunately, in many cases, especially in the less populous areas, the address is not sufficiently descriptive to be of any significant help in locating the plant.

Each of the 40 plants listed in Appendix I was telephoned to check whether it is still in operation and producing or processing vinylidene chloride as indicated in these tables. Four plants that gave negative replies are not included in Appendix II. During these calls, the plants were asked if they knew of other plants that might be possibilities for inclusion. Two additional plants for which this information was confirmed to be correct are included in Appendix II.

Categories of Plants

In the Arthur D. Little report (1), it is estimated that "VDC emissions in the synthesis of the VDC monomer and in the synthesis of its polymers and their fabrication (coating and extrusion), totaled about four million pounds in 1974". An extimated 82.6 percent of these emissions resulted from the monomer synthesis, 16.7 percent from the polymer synthesis, and 0.7 percent from the fabrication and compounding processes.

The 38 plants included in this report can be categorized according to these three processes as follows:

		No. of Plants
1. 2. 3.	Synthesis of vinylidene chloride monomer Synthesis of vinylidene chloride polymers Fabrication using vinylidene chloride	3 16
J.	polymers	<u>19</u> 38

For each of the categories of plants, the A.D. Little report (1) contains a brief summary on the structure of the industry. These summaries are reproduced in Appendix III.

III. SOURCE OF POPULATION DATA

Location of Plants in Tracted Areas

The more densely populated areas of the country have been divided into "Census Tracts" by the Bureau of the Census. The census tracts have been formed so as to contain an average of 4,000 inhabitants each. Therefore, the tracts tend to be geographically smaller in the center of large cities and larger as one moves away from the center of the city.

The Bureau of the Census has published a report for each Standard Metropolitan Statistical Area that has been divided into census tracts. This series of publications, entitled "Census Tracts-Series PHC-1" (2), contain a variety of information by census tracts, including the population by age and sex. The population data from a sample page of this report are shown in Appendix IV.

Each of these reports also contains a map of the entire Standard Metropolitan Statistical Area showing the outline and identification number for each census tract. We used these publications to determine the population by age and sex residing within each of the following four zones around each individual plant: 0-1/2, 1/2-1, 1-3 and 3-5 miles.

The Bureau of the Census has also published a list of key persons who can be contacted for information concerning each of the tracted metropolitan areas. The name, title, office and address of the person for each of the tracted areas is in "Appendix C-List of Census Tract Key Persons" of the Bureau of Census Publication entitled, "Census Tract Manual" (3). The key person is most often the director of the city or county planning agency.

Location of Plants in Untracted Areas

For the less densely populated areas of the country, that have not been divided into census tracts, we used county subdivisions, which are political or administrative subdivisions of counties or subdivisions created by the Bureau of the Census and for which there are published data on population.

For each State, the Bureau of the Census has presented the population of the county subdivisions in their publication, "Number of Inhabitants-Series PC-1A (4). Each volume includes a map of the county subdivisions for that State, together with their designations. We used these publications to determine the population within a five mile radius of each plant.

For each plant that was located in an untracted area, its location was plotted on the appropriate map of county subdivisions. To locate the plant, a telephone call to the town where each plant was located, or the nearest town to it, would yield the distance and direction of the plant from the nearest town. In each case, the plant location was not used until it was independently obtained from two sources. The best sources for such information were:

- 1. The Chamber of Commerce
- 2. The public library
- 3. The plant itself

IV. ESTIMATE METHODOLOGY

Population Estimates for Tracted Areas

For each plant that was situated in a tracted area, the Census Tract key person was telephoned to obtain the identification number of the census tract in which the plant was located and the location of the plant within the census tract. For greater accuracy, we also asked in each case that the plant be plotted on a census tract map and that a portion of the may be photocopied and mailed to us. In a few cases, this request was refused or the map was never received.

With this information, we plotted the location of the plant on the census tract map published by the Bureau of the Census in their "Census Tracts-Series PHC-1" reports (2).

After a plant was located on the census tract map, we then defined the four zones by drawing four concentric circles around the plant with radii of 1/2, 1, 3 and 5 miles. then listed the identification numbers of the census tracts that were within 0-1/2, 1/2-1, 1-3 and 3-5 miles of the plant. A census tract was listed only once, in the zone which contained the greatest portion of its area. of the area lay outside the 5 mile circle, a census tract was not inclued at all. Using the census tract identification number, the population, by age and sex, was then obtained for each Census Tract from the "Census Tracts" report and totaled for each zone. These rules carry the implicit assumption that the population is evenly distributed within the area of a census tract. We assume that the errors caused by this procedure will even out in the total population for all plants, but not necessarily for each individual plant, and especially not for the individual plants in the less densely populated areas.

An exception to the above rule was made for census tracts that had any part of their area within 1/2 mile of the plant because there was less opportunity for errors to balance out due to the small number of census tracts involved. These census tracts were listed in each zone in which any portion of their area lay and the percent of their area in each zone was recorded to the nearest 10%. The population of each of these census tract was then multiplied by these percents to obtain the population estimate for each zone. This rule also contains the implicit assumption of an even distribution of the population within the census tract.

In a very few instances, a census tract has been split by the Bureau of the Census to reflect political boundaries and the population data for it is presented separately for each part and also together for the total of the two parts. In all such cases, we treated it as a whole census tract and ignored the split.

The age groups in the Census Bureau publications are more detailed than used in this report so that age groups were added together to obtain the data of this report. The reverse was true in one case. The Bureau of the Census population data is available for the age group "under 5" and for the age group 3-4. To obtain the population estimates for the age group "under 1", we subtracted the latter from the former and divided by 3. The population estimate for the age group 1-4 was then obtained by subtracting that for "under 1" from that for "under 5".

Appendix V. shows the mapping procedures for an example of a tracted area.

Population Estimates for Untracted Areas

After a plant was plotted on the appropriate map of county subdivisions, we drew a circle around it with a five-mile radius. Then we recorded the name and percentage of each county subdivision that lay partly or wholly within this circle. This again assumes an even geographic distribution of the population which results in a random error in the estimates which can be expected to even out in the total of all plants.

We estimate these percentages rather than use the "all or none" rule that we used for census tracts because the county subdivisions are usually much larger areas than the census tracts. This was an effort to reduce the amount of random error that results from these estimation procedures.

Nevertheless, the random error in the population estimates is undoubtedly larger for the untracted areas than it is for the tracted areas. However, random errors tend to average out for the total of all plants, and, more importantly, the population in the untracted areas is much smaller than in the tracted areas and therefore the errors for these areas have a much smaller influence on the total.

Since we took a portion of the total population for many of the county subdivisions, it was necessary to estimate an age-sex distribution for each of these portions. There were two choices of data on which to base these estimates. One choice was to use the population by age and sex for the county subdivisions which is unpublished but can be obtained from the Bureau of the Census. The other choice was to use the population by age and sex for counties which is published by the Bureau of the Census in "General Population Characteristics-Series PC-1B" (5). There is one such publication for each state. We chose the second method because it could be done faster. A typical page from this publication is reproduced in Appendix VI. The population for the desired age-sex groups in the whole county was obtained by addition of the more detailed age groups in the table. These populations were then converted to percents and these percents were applied to our estimate of the population in the 5-mile zone in each county.

The maps of county subdivisions do not show enough detail to try to estimate the population in each of the zones within the 5 mile circle around each plant. Therefore, the population for the 0-1/2, 1/2-1, 1-3 and 3-5 mile zones around the plant were estimated by multiplying the final estimate for each age-sex group by .011, .044, .346 and .599 respectively which are the ratios of the population estimates for the first group of plants in the tracted areas that were completed. These are very close to .010, .030, .320 and .640 which are the ratios of the areas defined by four concentric circles with radii of 1/2, 1, 3 and 5 miles.

Direction from plant

In the tracted areas, the area in the five mile circle around each plant was divided into the 16 compass directions by drawing a set of lines, all running through the location of the plant and 22-1/2 degrees apart, so as to determine the boundaries of the 16 compass directions. For each census tract, we estimated the percent of its area to the nearest 10% that lay in each of the directions. Then, by multiplying these percents by the total population in each census tract, we got an estimate of the population in each direction for each census tract. We then summed up the estimated population in each of the directions of all the census tracts in an entire zone to get the total estimated population for that direction in that zone. This procedure also assumes an even distribution of the population geographically.

In the cases where only a certain percentage of a census tract was taken to lie in a given zone, the estimates of percents for each of the directions were taken from only that portion of the tract that lay in that zone. In the cases where the entire census tract was taken to lie in one zone even though part of it lay in other zones, the percent for each direction were taken for the entire census tract.

In the untracted areas, the area in the five mile circle around each plant was divided into 16 compass directions the same as for the plants in the tracted areas. For each county subdivision, or part of one, that lay within the five mile circle, we estimated the percent of area, to the nearest 10%, that lay in each of the directions. Then, by multiplying the percents by the estimated population within the 5-mile circle we obtained the estimated population in each direction for each whole or partial county subdivision. We then summed up the estimated population in each of the directions for all county subdivisions to get the total estimated population for each direction.

The population for the 0-1/2, 1/2-1, 1-3 and 3-5 mile zones around the plant were estimated by multiplying the final estimate for each direction by .011, .044, .346 and .599 respectively.

V. RESULTS

Population by age, sex, direction, and distance from plant

Table 1 presents the estimated population by age, sex and distance from the plant for the total of all 38 plants included in this report. The estimated population by age, sex, and distance from each plant separately is presented in Appendix VII. Appendix VIII presents the estimated population by direction and distance from each plant separately.

Population by process stage

Of the 38 plants, 3 are engaged in the monomer synthesis process, 16 in polymer synthesis and 19 in fabrication. The population estimates for each of these processes separately are presented in Tables 2, 3, and 4.

Population in Tracted and Untracted Areas

Of the total population of 3.6 million, 3.3 million, or 92% reside in Standard Metropolitan Statistical Areas that have been divided into census tracts. The remaining 0.3 million or 8% reside in the less populous untracted areas. Appendix IX shows the population estimates for the 24 locations in untracted areas. Appendix X shows the population estimates for the 13 locations in untracted areas.

Population by State

The total population of 3.6 million is shown by state in Appendix XI.

Population by Company

The total population of 3.6 million is shown by company in Appendix XII.

Cumulative Population

Appendix XIII presents the cumulative population by plant. It is seen that 58% of the population resides near four plants.

TABLE 1.

Estimated Population Residing Near Plants Producing or Processing Vinylidene Chloride, by Age, Sex and Distance from Plant

		Total			_			AGE	(in years)					
	Zone	M+F	Und	er 1	1 t	o 4	5 t	o 14	15 t	o 44	45 t	o 64	65 an	d Over
-	(In miles)		М	F	М	F	М	F	М	F	М	F	М	F
1											į			
										!				
-	0 – 1/2	48,739	393	385	1,543	1,519	3,987	3,953	10,484	12,030	4,599	5,073	1,959	2,814
	½ — 1	136,100	1,155	1,133	4,629	4,507	12,915	12,705	28,406	30,497	12,385	14,347	5,382	8,039
	1 – 3	1,304,316	12,226	11,891	47,700	46,059	122,484	119,370	259,100	275,505	129,519	145,680	55,585	79,197
	3 – 5	2,084,240	19,289	18,713	76,669	74,274	203,666	197,914	432,547	445,044	200,062	217,815	81,578	116,669
Ļ			ļ											
	TOTAL	3,573,395	33,063	32,122	130,541	126,359	343,052	333,942	730,537	763,076	346,565	382,915	144,504	206,719

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

14

TABLE 2.

Estimated Population Residing Near Plants Engaged in the Synthesis of Vinylidene Chloride Monomer, by Age, Sex and Distance from Plant

	Total				_		AGE (in years)	•	-			
Zone	M+F	Unde	r 1	1 to	4	5 to	14	15 to	0 44	45 to	64	65 an	d Over
(In miles)		м	F	М	F	М	F	М	F	М	F	М	F
					;								
			_										
0 – ½	315	3	3	14	13	37	37	59	66	29	28	10	16
½ – 1	1,035	11	11	44	43	126	123	191	215	91	92	35	53
1 – 3	17,356	161	164	665	681	2,103	2,101	3,439	3,697	1,594	1,604	480	667
3 – 5	70,230	676	630	2,627	2,475	7,504	7,118	14,159	15,294	6,845	7,311	2,270	3,321
TOTAL	88,936	851	808	3,350	3,212	9,770	9,379	17,848	19,272	8,559	9,035	2,795	4,057

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

15

TABLE 3.

Estimated Population Residing Near Plants Engaged in the Synthesis of Vinylidene Chloride Polymers, by Age, Sex and Distance from Plant

	Total						AGE (in years)					
Zone	M+F	Under 1 1			to 4 5 to		o 14 15 t		to 44 45		64	65 an	d Over
(In miles)		М	F	М	F	М	F	М	F	М	F	M	F
								<u> </u>			:		
												;	
0 - 1/2	11,114	99	92	390	370	1,030	1,017	2,471	2,555	953	1,132	373	632
1/2 - 1	34,091	302	290	1,162	1,125	3,176	3,022	7,955	7,587	3,045	3,483	1,170	1,774
1 – 3	221,966	1,978	1,957	7,692	7,569	22,802	22,049	46,401	49,305	20,229	22,735	7,565	11,684
3 - 5	337,547	3,119	3,028	12,399	12,001	37,571	35,716	70,308	73,674	32,105	33,393	9,706	14,527
			··										
TOTAL	604,718	5,498	5,367	21,643	21,065	64,579	61,804	127,135	133,121	56,332	60,743	18,814	28,617

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

TABLE 4.

Estimated Population Residing Near Plants Engaged in Fabrication Using Vinylidene Chloride Polymers, by Age, Sex and Distance from Plant

	Total						AGE ((in years)					
Zone	M+F	Unde	er 1	1 to	o 4	5 t	o 14	15 t	o 44	45 t	o 64	65 an	d Over
(In miles)		М	F	M	F	М	F	М	F	М	F	М	F
0 - ½ ½ - 1 1 - 3 3 - 5	37,310 100,974 1,064,994 1,676,463	291 842 10,087 15,494	290 832 9,770 15,055	1,139 3,423 39,343 61,643	1,136 3,339 37,809 59,798	2,920 9,613 97,579 158,591	2,899 9,560 95,220 155,080	7,954 20,260 209,260 348,080	9,409 22,695 222,503 356,076	3,617 9,249 107,696 161,112	10,772 121,341	1,576 4,177 47,540 69,602	2,166 6,212 66,846 98,821
TOTAL	2,879,741	26,714	25,947	105,548	102,082	268,703	262,759	585,554	610,683	281,674	313,137	122,895	174,045

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

VI. COMPARISON OF METHODOLOGY IN THIS REPORT WITH THAT FOR VINYL CHLORIDE

The procedures followed in this report were those developed for a similar report (6) published in November 1975 wherein we estimated the population residing near plants tht produce vinyl chloride or vinyl chloride resins. In this section, we shall list only the changes in methodology.

In telephoning the census tract key person, for this report, we asked only for the identification number of the census tract in which the plant was located and the location of the plant within that tract. We did not ask them to list the identification numbers of the census tracts within 0-1/2, 1/2-1, 1-3, and 3-5 miles of the plant. This had several advantages:

- 1. The individuals were much more cooperative when we asked for less work from them.
- Our experience last time was that they often misunderstood our rules and sometimes did a careless job so that we had to re-do the job.
- 3. We could do just as good a job ourselves with maps.
- 4. Our rule this time was to select tracts by area alone and not use any subjective judgment about the distribution of the population within a tract. Therefore, with this rule, there was no gain in accuracy in asking them to do it.

We added an exception to the rule of allocating census tracts to zones for the tracted areas. The exception is that for all tracts that lie partly within the 0-1/2 mile zone, we designated that percent of their area which lay in each of the zones and allocated that percent of their population to each zone. For untracted areas, we also changed the rule of allocating entire county subdivisions to be in or out of the 5 mile circle around the plant. The new rule was to estimate the percent of each county subdivision that lay within the 5 mile circle and to take that percent of the population.

The above two changes in the rules means that the plants that appear in both reports, that is, this report and the 1975 vinyl chloride report(6), will show somewhat different populations. We believe that the present estimates, although not necessarily better for any individual plant, will be better for the total of all plants.

VII. RELIABILITY OF THE ESTIMATES

In arriving at the population estimates presented in this report there were some steps in the procedures where judgments had to be made. In every case, an effort was made to make the judgments on an objective basis so that any other person making the same estimates would arrive at approximately the same results.

These estimates were made using the best information currently available. The most accurate method of determining the population by distance would be a special enumeration of the population such as the Bureau of the Census conducts for governmental bodies. The resultant improvement in the estimates would not seem to justify the costs involved.

The greatest reliability in our estimates is in the population estimates for the 3-5 mile zone. The reliability of the estimates decreases with decreasing distance from the plant. This is because entire census tracts outside the 0-1/2 mile zone were assigned to one zone, and there are fewer census tracts for errors to balance out as one gets closer to the plant.

In the less densely populated areas where the Bureau of the Census county subdivisions were used because the smaller census tracts were not available, it is difficult to attribute direction to population groups with much precision. However, this is the best that can be done with the data that are readily available. To achieve greater precision, one would have to survey these areas. This would increase the precision of population estimates for individual locations but would have very little effect on national totals because these areas represent a very small percent of the total population living near such plants.

Each plant was plotted as a point on a Census Bureau map, either the map of census tracts or of the map of county subdivisions. Therefore, it was not possible to distinguish detail with respect to the area of the plant. This was, in most cases, quite adequate for estimating the population within 1/2, 1, 3, or 5 miles from a plant. However, for certain plants that cover a larger area, this method may be too crude for estimating the population within 1/2 or 1 mile from the plant. No effort was made to identify such plants.

VIII. REFERENCES

- "Vinylidene Chloride Monomer Emissions from the Monomer, Polymer, and Polymer Processing Industries," A.D. Little, Inc., EPA Contract No. 68-02-1332, Task Order No. 13, April 1976.
- "Census Tracts Series PHC-1", Bureau of the Census,
 U.S. Department of Commerce, 1970.
- 3. "Census Tract Manual", Bureau of the Census, U.S. Department of Commerce, 5th Edition, 1966.
- 4. "Number of Inhabitants Series PC-1A", Bureau of the Census, U.S. Department of Commerce, 1970.
- 5. "General Population Characteristics Series PC-1B", Bureau of the Census, U. S. Department of Commerce, 1970.
- 6. "Epidemiology Studies, Task III-Vinvl Chloride, "U. S. Environmental Protection Agency, Publication No. 560/6-75-002, November 1975.

Appendix I. Plants Listed in the A.D. Little Report (1)

Appendix Table I-a. Estimated Production of Vinylidene Chloride Monomer - 1974

Manufacturer	Plant Location	Production (MM lbs)				
PPG Industries	Lake Charles, LA.	170 - 175				
Dow Chemical U.S.A.	Freeport, TX Plaquemine, LA.	90 - 95				
	Total Production:	260 - 2 70				

Source: Industry and Arthur D. Little, Inc. estimates. Reference (1), Pg. 11

About 155 MM lb of VDC are used to manufacture 1,1,1-Trichloroethane.

Dow plans to expand their capacity plant during 1975.

Appendix Table I-b. Manufacturers of PVDC Latex for Barrier Coatings

Manufacturer Plant Location Dewey and Almy Chemical, (Div. of Grace) Owensboro, KY Morton Chemical Co., (Div. of Morton-Norwich Products, Inc.) Ringwood, IL S. Kearney, NJ BASF-Wyandotte Staley Chemical (Div. of A.E. Staley) Lemont, IL Midland, MI Dow Chemical 2 Circleville, OH DuPont 2 Olin Pisgah Forest, NC

1

Polymers contain about 90% VDC and at least two other monomers selected from acrylate esters, acrylic acid, acrylonitrile. One manufacturer uses vinyl chloride as the comonomer.

² Captive producers.

Appendix Table I-c. Manufacturers of PVDC Latex for Miscellaneous Applications

Manufacturer Plant Location

Dow Chemical Midland, MI

Allans Pt., CT

Dalton, GA

Freeport, TX

Goodrich Chemical Avon Lake, OH

Rohm and Haas Knoxville, TN

Bristol, PA

Standard Brands Chemical Industries Cheswold, DL

Kensington, GA

National Starch & Chemical Corp. Meredosia, IL

Source: Industry

Appendix Table I-d

Manufacturers of Synthetic Fibers Based on PVDC

Manufacturer	Plant Location
Tennessee Eastman	Kingsport, TN
Monsanto	Decatur, AL
American Cyanamid	Pensacola, FL

Appendix Table I-e
Manufacturers of PVDC-Coated Cellophane

Manufacturer	Plant Location	Age of Plant, Years
DuPont	Richmond, VA	45
	Clinton, IA	35
	Tecumseh, KS	17
FMC	Fredericksburg, VA	45
	Marcus Hooks, PA	17
Olin	Pisgah Forest, NC	24
	Covington, IN	19

Appendix Table I-f
Major Manufacturers of Extruded PVDC Products

Manufacturer	Plant Location	Resin Type
Cryovac	Simpsonville, SC	Emulsion and
(Div. of W.R. Grace and Co.)	Cedar Rapids, IA	Suspension
	Camarillo, CA	
	Iowa Park, TX	
Oscar Meyer	Madison, WI	Emulsion and Suspension
	Chicago, IL	suspension
	Davenport, IA	
	Philadelphia, PA	
	Nashville, TN	
	Vernon, CA	
Dow Chemical	Midland, MI	Suspension
American Can Co.	Cleveland, OH	Emulsion
Amtech, Inc.*	Odenton, MD	Suspension
Union Carbide Corp.	Centerville, IA	Suspension

Source: A.D. Little, Inc. and industry contacts.

^{*}Manufacture monofilament

Appendix II

Plants Included in the Present Report and Their Addresses

American Can Co. 5300 Dobeckmun Street Cleveland, OH

Amtech, Inc. 520 Telegraph Road Odenton, MD

Cryovac Division W.R. Grace and Co. North Maple Street Simpsonville, SC

Dewey & Almy Chemical Division W.R. Grace and Co. U.S. Route 60 East Owensboro, KY

Dow Chemical Co. Plaquemine, LA

Dow Chemical Co. Freeport, TX

DuPont Co. 6000 S.E. 2nd Street Tecumseh, KS

DuPont Co.
Jefferson Davis Highway
Richmond, VA

FMC Corp.
Post Road
Marcus Hook, PA

B.F. Goodrich Chemical Co. Moore and Walker Road Avon Lake, OH

Monsanto Co.
Courtland Highway West
Decatur, AL

American Cyanimid Co. Pace, FL

Cryovac Division
W.K. Grace and Co.
1125 Wilson Avenue, S.W.
Cedar Rapids, IA

Cryovac Division W.R. Grace and Co. West Magnolia Street Iowa Park, TX

Dow Chemical Co. 1468 Prosser Drive, S.E. Dalton, GA

Dow Chemical Co. Midland, MI

DuPont Co. Highway 67 Clinton, IA

DuPont Co.
DuPont Road
Circleville, OH

Eastman Chemical Products, Inc. Eastman Road Kingsport, TN

FMC Corp. Fredericksburg, VA

Minnesota Mining & Manufacturing Co. State Docks Road Decatur, AL

Morton Chemical Co. Barnard Mill Road Ringwood, IL National Starch and Chemical Corp. Olin Corp. Meredosia, IL Covington, IN

Olin Corp.
Pisgah Forest, NC

Oscar Meyer and Co. 3301 E. Vernon Avenue Vernon, CA

Oscar Meyer and Company 1241 N. Sedgewick Street Chicago, IL Oscar Meyer and Company 1337 West 2nd Street Davenport, IA

Oscar Meyer and Co. 3333 S. Front Street Philadelphia, PA Oscar Meyer and Co. 400 Cartwright Street Goodlettsville, TN

Oscar Meyer and Co.
Highway 75 South
Sherman, TX

Oscar Meyer and Co. 910 Mayer Avenue Madison, WI

PPG Industries, Inc. Columbia Southern Road Lake Charles, LA Reichhold Polymers, Inc. Cheswold, DE

Rohm and Haas, Inc. Route 413 Bristol, PA Rohm and Haas, Inc. 730 Dale Avenue Knoxville, TN

A.E. Staley Manufacturing Co. Old Joliet and Chicago Roads Lemont, IL Union Carbide Corp. 24th and O'Neal Streets Centerville, IA

Appendix III. Structure of the Industry

1. Monomer Synthesis

"Vinylidene chloride is produced commercially in the United States by Dow Chemical and PPG Industries. Vulcan Materials was formerly a producer, but halted production on January 1, 1974, after manufacturing vinylidene chloride for about three years.

"Three plants manufacture vinylidene chloride in the U.S.A. ---- Because vinylidene chloride manufacture is limited to only two producers, production statistics are not readily available. Consequently, our estimates were based on an analysis of the consumption of vinylidene chloride in various conversions, and an analysis of the consumption of chlorine in the manufacture of VDC. Although PPG Industries manufactures more vinylidene chloride than Dow Chemical, most of PPG's VDC is used captively to yield methychloroform (see Equation 1).

(1)
$$CH = CC1 + HC1 \longrightarrow CH CC1$$
2
2
3
3

"PPG Industries produces about 175 million lbs. of VDC annually, and 85% to 90% is used captively to manufacture methylchoroform. The remainder is sold into the merchant market, where it is used by ploymer producers.

"Dow Chemical also uses most of its VDC production captively. We estimate Dow's total production (captive and merchant) was about 90-95 million lbs. in 1974. Dow uses VDC to produce a variety of VDC copolymers ----- and sells about 20-25 million lbs. annually into the merchant market for polymer synthesis. PPG Industries probably also sells about 20-25 million lbs of VDC annually. Thus, the total merchant market for VDC monomer is about 40-50 million lbs. per year.

"----- the annual production of VDC in 1974 was 260-270 million lbs. According to information provided to us by the Louisiana Air Quality Commission, Dow Chemical plans to expand their VDC capacity facility sometime during 1975."

2. Polymerization process: PVDC Latex for Barrier Coatings

"In 1974, about 20-22 million pounds of PVDC (on a dry solids basis) were produced as barrier coating latices.

Dewey and Almy Chemical (Division of Grace) dominates this market. Alone, they account for 50-60% of the merchant market. Morton Chemical Co. (Division of Morton Norwich) is No. 2 in the industry. They account for 18-20% of the merchant market. The remaining merchant production is approximately equally divided between BASF-Wyandotte, Dow Chemical, and Staley Chemical. - - - - Recall that Dow was also cited as a monomer producer. These producers sell primarily to members of the packaging industry who manufacture PVDC-coated film (polyethylene polyester, polypropylene and nylon) and PVDC-coated glassine, paper and paperboard.

"In addition to these merchant producers, others manufacture and use the latex captively, as exemplified by DuPont and Olin. DuPont uses its latex to coat polyester (Mylar) film (they make several copolymer products), and Olin uses its latex to coat polyethylene, glassine, and other plastic films. These captive operations are small. In 1974, about 1-1.5 million pounds (dry basis) of PVDC barrier-coating latex was produced captively.

"Because the market for PVDC barrier-coating latex has shown little growth during the past several years, most of the producers have idle capacity. The plants vary in age, some are 20 years old, but most are about 10 years old. Dewey and Almy had manufactured PVDC latex in two locations--Acton, Mass. and Owensboro, Ky.; but the Acton plant, which was the older one, was closed three years ago. The Owensboro plant was expanded four years ago."

3. Polymerization process: PVDC Latex for Miscellaneous Applications

"Because some manufacturers may use very small amounts of VDC in a particular copolymer, any list of manufacturers who use VDC in this miscellaneous category could be incomplete. A number of companies have used VDC in the past but are currently non-users, e.g., Borden Chemical. Borden was a consumer of VDC about six years ago. Both Glidden-Durkee (Division of SCM Corporation) and GAF Corporation have considered the use of VDC in their copolymers but, at this time, they do not use this monomer.

"We have estimated that in 1974 about 15 million lbs. of VDC were used to manufacture latices for miscellaneous applications other than barrier coatings. We believe that Dow Chemical is the major manufacturer in this

category. They could account for about 50% of this market. Standard Brands is another major user, and Goodrich Chemical, Rohm and Haas, and National Starch are minor VDC consumers. - - - - -

"In 1974, Dow Chemical introduced three new latices, specifically for the carpet-backing market. They were designed for double jute lamination of tufted carpets. These latices contain at least 50% polymerized VDC and some contain more. The comonmers are butadiene and styrene. The latices have about 47-48% solids. These products are manufactured in four locations.

"Standard Brands makes a similar line of products. Standard Brands also manufactures latices containing PVDC for coating paper and textiles, and they sell a PVDC Latex for adhesive applications.

"Goodrich Chemical manufactures three types of PVDC latices. The comonomers are vinyl chloride and acrylates. One polymer series contains about 25% polymerized VDC and others contain 60% and 80% polymerized VDC. These latices have a solids content of about 45-50% and are used as flame-resistant coatings.

"Rohm and Haas makes products that are similar to those manufactured by Goodrich, but Rohm and Haas does not use vinyl chloride as the comonomer. In the past, Rohm and Haas manufactured only two types of PVDC polymers. One contains about 50% polymerized VDC and is used as a back coating for fabrics in automotive applications, and the other contains more than 50% polymerized VDC and is used primarily as a flame-resistant binder. Early in 1975, Rohm and Haas introduced a new latex, which contains more than 50% polymerized VDC. It is being sold for spray applications for non-wovens and fibers. These products have a solids content of about 45%.

"National Starch makes two latices that contain VDC. The comonomers are vinyl acetate and various acrylates. One latex contains 50% polymerized VDC and another 70% polymerized VDC. This manufacturer also sells a PVDC product in solution form, which contains about 10% polymerized VDC. These products, too, are used for flame-resistant coatings and saturants."

4. Polymerization Process: PVDC Synthetic Fibers

"About 16 million pounds of VDC were used to manufacture synthetic fibers in 1974. Only three companies are involved in this activity, - - - - -. Tennessee Eastman is by far the major producer, followed by Monsanto and American Cyanamid. The Tennessee Eastman product is called VEREL, and Monsanto's product is called ACRILAN. Monsanto's modacrylic fiber is based on a polymer that contains not only VDC to improve flame resistance but also vinyl bromide."

5. Fabrication: PVDC-Coated Cellophane

"Only three companies manufacture cellophane: DuPont, FMC, and Olin. Dupont accounts for about 50% of the market, FMC about 30%, and Olin about 20%. Each of these companies manufactures PVDC-coated cellophane, some more than others. ---- Note that most plants in this industry are relatively old. The two newest ones are operated by DuPont (Tecumseh, KS) and FMC (Marcus Hook, PA). The largest cellophane plants have a capacity of 200,000 lbs./day or 80 million lbs./year, and the small ones produce about half this amount."

6. Fabrication: Extruded PVDC Products

"For the most part, the thermoplastic PVDC resin is used in extrusion processes by six companies. Amtech is the only one that extrudes PVDC monofilament. The others manufacture a variety of PVDC film products. Cryovac is the major consumer of the extrusion resin (mostly the emulsion type) and Oscar Meyer is Number 2 (Mostly the suspension type). - - - - - -

"Cryovac uses PVDC in coextrusion and in laminate constructions. It is not only a PVDC fabricator but it converts the resulting film into bags and sheets, and prints. Most of Cryovac's output is sold to packagers. Oscar Meyer, on the other hand, is both fabricator—converter and packager, whereas American Can Co. and Union Carbide Corp. sell their product to packagers. Dow Chemical is a monomer and resin producer as well as fabricator—converter.

"We estimate that about 45 million pounds of PVDC resins was extruded in 1974, including a few million pounds that was supplied by a foreign resin supplier. We believe that only one fabricator uses this foreign source. Approximately equal volumes of the suspension and emulsion resins were used by the manufacturers - -

Table P-1. General Characteristics of the Population: 1970—Continued

[for minimum base for derived figures (percent median, etc.) and meaning of symbols, see text]


Census Tracts	Cleveland — Con														
	Tract 1042	Tract 1042 99	Tract 1043	Tract 1044	Tract 1045	Tract 1046	Trac1 1047	Tract 1047 99	Troct 1048	Tract 1049	Tract 1051	Tract 1052	Tract 1053	Tract 1054	Tract 1055
RACE															
All perses	1 600 1 560 1 0 1	31 31 -	2 822 2 674 119 4 2	1 105 1 083 2 0 2	1 728 1 715 - -	1 758 1 725 -	3 316 2 891 403 12 2	40 40 - -	2 819 2 793 7 0 2	5 000 4 972 2	3 782 3 773 -	1 395 1 392	4 243 4 230 1	\$ 131 5 115 -	2 803 2 782 1
AGE BY SEX															1
Male, all eges Under 5 years 3 and 4 years 5 to 9 years. 5 years 6 years. 10 to 14 years. 115 to 19 years. 15 years. 16 years. 17 years. 18 years. 19 years. 20 to 24 years. 21 years. 21 years. 21 years. 21 years. 21 years. 25 to 34 years. 35 to 44 years. 45 to 54 years. 55 to 59 years. 65 to 65 to 64 years.	781 77 31 79 10 24 58 67 15 16 66 15 67 11 11 10 89 47 36 51 36	21	1 404 206 711 175 45 35 179 33 109 27 20 23 22 17 98 22 19 153 127 161 57 54 50 35	548 53 258 15 11 59 7 35 6 11 8 8 5 5 12 6 68 57 79 22 15	835 102 40 94 21 24 90 16 73 10 19 16 19 55 11 7 85 83 93 35	829 96 380 14 21 67 10 73 14 13 17 15 14 90 94 96 100 92 93 34 46 25	1 597 204 86 199 45 31 216 36 162 33 33 34 27 35 129 25 21 162 88 88 54 48 53	40	1 393 138 58 145 29 137 16 127 28 25 26 17 31 131 18 28 172 140 167 191 53 50 42	2 391 213 83 222 39 33 265 44 190 41 927 42 31 176 27 39 303 249 274 162 163 163 164	1 806 207 80 151 36 30 144 30 134 27 26 37 20 24 151 25 26 264 167 171	649 62 25 66 16 13 57 12 51 15 15 15 4 4 5 94 - 4 66 81 37 25 38 83 25 38 38 38 38 38 38 38 38 38 38 38 38 38	1 996 192 68 216 44 40 198 34 166 39 29 28 154 22 28 244 220 231 119 80 107 69	2 456 253 115 272 59 67 242 37 192 44 30 39 36 188 35 34 249 282 211 105 143 83	1 354 105 39 133 27 25 151 29 102 21 22 22 22 22 15 19 16 16 16 16 17 9 141 185 17 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9
Femals, all ages Under 5 years 3 and 4 years 5 to 9 years. 5 years. 6 years. 10 to 14 years. 115 to 19 years. 15 years. 16 years. 17 years. 18 years. 19 years. 20 to 24 years. 20 to 24 years. 21 years. 21 years. 23 to 34 years. 25 to 34 years. 45 to 54 years. 55 to 59 years. 65 to 74 years. 65 to 74 years. 65 to 74 years. 65 to 75 years. 65 to 75 years. 65 to 75 years. 65 to 75 years.	819 711 725 725 726 83 83 17 50 10 11 11 92 82 82 82 88 83 98 98 47 39 39 34 34 34		1 418 1771 76 161 350 300 152 24 128 28 29 26 146 28 26 148 137 53 53 53 54 74	557 411 12 40 10 7 58 13 55 12 11 1 12 59 7 17 45 31 25 43 31 25 43 31 25 43 43 43 44 44 44 45 46 46 47 47 47 47 48 48 48 48 48 48 48 48 48 48 48 48 48	785 81 19 20 81 21 70 10 13 13 14 14 16 75 18 19 74 113 74 113 75 85 85 87	929 103 44 87 12 18 64 15 79 18 12 17 16 87 16 87 12 14 74 118 56 42 50 42	1 719 165 658 204 41 45 182 45 182 35 31 32 39 136 29 205 201 75 52 101 86		1 426 155 64 136 24 31 133 24 35 21 28 24 36 147 29 41 136 175 78 39 81 81 83 94	2 609 221 87 220 36 53 207 37 215 50 44 50 32 39 243 43 35 20 266 319 135 147 199	1 976 188 74 180 35 152 30 143 31 16 25 31 140 168 33 38 245 151 162 154 162 154 162	746 7 74 22 60 16 9 71 11 18 12 18 12 14 85 7 19 69 69 71 13 12 14 85 7 19 69 69 7 10 10 10 10 10 10 10 10 10 10	2 247 158 53 208 37 42 218 42 211 37 42 50 38 44 182 273 191 273 191 271 104 162 138	2 675 252 101 256 53 53 231 231 50 205 39 33 239 49 33 239 4 49 321 281 134 141 197 156	1 449 131 50 116 19 26 128 21 107 22 19 24 20 22 1355 21 137 138 173 77 68 113 86

Appendix IV
Sample of Page from "Census Tracts-Series PHC-1"


Appendix V. Example of a Tracted Area

A typical example of the mapping procedure followed is the case for Cleveland, Ohio. The plant is located in census tract 1052 and its exact location within the tract is indicated in Appendix Figure V-a, which is the map mailed to us by the Regional Planning Commission for Cuyahoga County, Ohio. The appropriate portions of the census tract maps for the Cleveland Standard Metropolitan Area are shown in Appendix Figures V-b, V-c, V-d and V-e.


The plant and the four concentric circles were plotted on the map shown in Appendix Figure V-b in order to see how many of the inset maps the area extends into. The plant, the four concentric circles, and the sixteen direction lines were then plotted on each of the inset maps as shown in Appendix Figures V-c, V-d, and V-e. It should be noted that the scale varies from map to map.




Appendix Figure V-a Location of Plant Indicated by Regional Planning Commission



Appendix Figure V-b Map of Census Tracts, Bureau of the Census




Appendix Figure V-C Inset A to Map of Census Tracts, Bureau of the Census



1 OF 2

Appendix Figure V-d Inset C to Map of Census Tracts, Bureau of the Census



INSET D - WESTERN CUYAHOGA COUNTY

Table 35. Age by Race and Sex, for Counties: 1970-Continued

(for minimum base for derived figures (percent, median etc.) and meaning of symbols see text)

ŗ			derived rig					01 37.110013	See lexij							
			1970) population	ı						1970) population				
Counties		All roces		W	ute	Ne	gro			All roces		Who	ie	Ne	gro	
	Total	Male	female	Male	Female	Male	Female	1960 popula- tion	Total	Male	Female	Male	Female	Male	Female	1960 papula tion
				JEFFER!	ON							LAMA	R			
All ages	644 991 10 398	303 637 5 349	341 334 5 049	207 906 3 490	229 527 3 222	95 233 1 853	111 231 1 815	634 864 14 767	14 335	6 922	7 413	5 963	6 403	953	1 002	14 271
1 year	10 317	5 223	5 094	3 428	3 269	1 788	1 816	15 213	274 244	144 115	130 129	107 89	101 104	37 26	28 25	287 284
2 years	9 708	4 919	4 789	3 178	3 018	1 732	1 764	14 902	197	111	86	88	74	23	12	281
3 years	10 035 10 627	5 108 5 359	4 927 5 268	3 240 3 318	3 091	1 858 2 038	1 829 2 017	14 821 14 844	259 248	131 133	128 115	109 111	107 94	22	21	260
5 years	11 466	5 837	5 629	3 760	3 502	2 070	2 119	14 B15	226	119	107	99	89	22 19	21 18	269 277
6 years	12 099	6 179	5 920	3 886	3 701	2 284	2 205	14 404	222	122	100	91	84	31	16	265
7 years	12 213	6 251	5 962	3 922	3 638	2 317	2 318	14 128	277	141	136	113	112	28	24	291
8 years 9 years	12 629 12 754	6 368 6 527	6 261 6 227	4 061 4 107	3 951 3 867	2 293 2 409	2 303 2 353	13 591 13 270	247	122	125	102	106	20	19	268
10 years	13 747	7 010	6 737	4 354	4 028	2 645	2 694	13 346	244 270	112 134	132 136	93 109	109 104	19 25	23 32	306 292
11 years	13 468	6 738	6 730	4 187	4 137	2 544	2 585	13 088	286	152	134	131	112	21	22	313
12 years	13 750	6 971	6 779	4 343	4 146	2 619	2 626	13 514	262	i 12	išõ	92	130	20	20	338
13 years	13 710	6 967	6 743	4 316	4 040	2 640	2 697	12 889	253	144	109	115	89	29	19	329
14 years	14 086 14 000	7 150 7 006	6 936 6 994	4 419 4 300	4 120 4 222	2 723 2 699	2 809 2 764	10 114 10 244	285 276	133 150	152 126	109 129	120 100	24 21	32 26	271 270
16 years	13 377	6 722	6 655	4 131	4 045	2 583	2 602	10 302	250	118	132	102	111	16	21	
17 years	12 935	6 420	6 515	4 021	3 935	2 393	2 569	10 333	304	165	139	135	iiid	30	23	285 300
18 years	11 712	5 723	5 989	3 595	3 627	2 119	2 353	8 479	246	108	138	83	105	25	33	204
19 years	10 351 10 008	4 817 4 299	5 534 5 709	3 050 2 777	3 428 3 701	1 758 1 516	2 098	7 709 7 612	219 191	105 89	114	82 77	90 85	23 12	24 17	180
21 years and over	391 601	176 714	214 887	128 023		48 352	62 896	372 479	9 055	4 262	4 793	3 797	4 261	460	526	171 8 530
Under 5 years	51 085	25 958	25 127	16 654	15 846	9 269	P 241	74 547	1 222	634	588	504	480	130	107	1 381
5 to 9 years	61 161	31 162	29 999	19 736	18 659	11 373	11 298	70 208	1 216	616	600	498	500	117	100	1 407
10 to 14 years	68 761 62 375	34 836 30 688	33 925 31 687	21 619 19 097	20 471 19 257	13 171 11 552	13 411	62 951 47 067	1 356 1 295	675	681	556	555	119	125	1 543
15 to 19 years	47 359	20 949	26 410	14 602	18 481	6 303	7 882	38 099	962	646 439	649 523	531 379	522 450	115 59	127 72	1 239 798
25 to 29 years	39 901	18 910	20 991	14 660	15 588	4 216	5 347	39 312	856	442	414	400	370	42	43	762
30 to 34 years	35 169	16 255	18 914	12 528	13 680	3 678	5 184	43 795	798	396	402	356	347	38	53	782
35 to 39 years	35 226 4D 3D1	16 181	19 045	12 210	13 493	3 933	5 519	43 767	764	376	388	341	352	35	36	806
40 to 44 years	39 815	18 581 18 602	21 720 21 213	14 017 14 034	15 256 15 131	4 538 4 537	6 417	40 403 38 750	774 780	360 348	414 432	318 315	362 387	42 33	52 45	845 884
50 to 54 years	35 979	16 832	19 147	12 308	13 523	4 504	5 600	34 098	802	387	415	346	376	40	38	896
55 to 59 years	33 428	15 469	17 959	10 696	12 268	4 753	5 671	30 028	78 9	382	407	336	364	46	43	767
60 to 64 years	29 480	13 230	16 250	8 941	11 048	4 274	5 187	23 090	839	394	445	350	388	43	56	597
65 to 69 years	24 716 17 447	10 602 7 123	14 114 10 324	6 768 4 589	9 307 7 075	3 818 2 518	4 777 3 233	19 509 13 801	673 513	301 239	372 274	267 213	333	34	39	558
75 to 79 years	11 439	4 297	7 142	2 853	5 155	1 434	1 973	8 779	362	143	219	130	243 202	26 13	31 17	454 308
80 to 84 years	6 697	2 364	4 333	1 576	3 183	775	1 141	4 119	206	95	111	80	101	15	10	146
85 years and over	4 652	1 618	3 034	1 018	2 106	587	917	2 541	128	49	79	43	71	6	8	98
Under 18 years	221 319	112 104	109 215	70 461		41 488	41 885	238 585	4 624	2 358	2 266	1 924	1 862	433	402	5 186
62 years and over	82 007 64 951	33 634 26 004	48 373 38 947	21 950 16 804	33 207 26 826	9 132	15 075 12 041	62 603 48 749	2 372 1 882	1 051 827	1 321	934 733	1 177 950	116 94	143	1 922
Median age	29 0	27 2	30 7	29 2	32 4	218	26 3	28 1	31 6	30 i	33 1	31 6	347	198	22 9	30 0
							1									—

Appendix VI Sample of Page from "General Population Characteristics-Series PC-1B"

Appendix VII

Plant location, company	Total						AGE	(in years)				-	
distance from plant	M+F	Und	ler 1	1 to	4	5 t	o 14	15 t	0 44	45 t	o 64	65 ar	nd Over
(In miles)		м	F	м	F	М	F	М	F	М	F	М	F
ALABAMA Decatur Monsanto Co. Minnesota Mining & Manufacturing Co. 0 - % % - 1 1 - 3 3 - 5	423 1,690 13,293 23,012	4 17 133 230	4 17 133 230	16 68 532 921	16 68 532 921	46 186 1,463 2,531	44 170 1,336 2,313	89 353 2,784 4,820	89 353 2,784 4,820	39 152 1,196 2,071	42 169 1,329 2,301	13 52 406 703	21 85 665 1,151
TOTAL	38,418	384	384	1,537	1,537	4,226	3,863	8,046	8,046	3,458	3,841	1,174	1,922

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

Disable services company	Total				•		AGE	(ın years)					
Plant location, company distance from plant	M+F	Unde	er 1	1 to	4	5 t	o 14	15 t	o 44	45 t	o 64	6 5 ar	nd Over
(In miles)		М	F	М	F	М	F	М	F	М	F	М	F
CALIFORNIA Vernon Oscar Meyer & Co.													
0 - ½ ½ - 1 1 - 3 3 - 5	53 209 149,329 349,739	1 3 1,787 3,906	1 3 1,774 3,863	3 13 6,772 15,319	2 10 6,467 15,241	4 18 14,614 34,844	4 14 14,702 34,758	16 63 29,097 71,670	9 37 30,810 70,395	4 15 12,517 32,654	4 16 15,202 34,352	2 6 6,107 14,556	3 11 9,480 18,181
TOTAL	499,330	5,697	5,641	22,107	21,720	49,480	49,478	100,846	101,251	45,190	49,574	20,671	27,675

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

Plant location, company	Total						AGE	(in years)					
distance from plant	M+F	Und	er 1	1 to	4	5 t	o 14	15 t	o 44	45 1	o 64	65 an	d Over
(In miles)	<u> </u>	М	F	м	F	М	F	М	F	М	F	М	F
DELAWARE Cheswold Reichhold Polymers, Inc													
0 - ½ ½ - 1 1 - 3 3 - 5	260 1,040 8,182 14,165	3 10 82 141	3 10 82 141	9 43 327 567	10 42 327 567	29 114 900 1,558	29 114 900 1,558	60 239 1,882 3,259	57 229 1,800 3,116	21 83 655 1,133	21 83 655 1,133	8 31 245 425	10 42 327 567
TOTAL	23,647	236	236	946	946	2,601	2,601	5,440	5,202	1,892	1,892	709	946

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

Plant Institute company	Total						AGE (ın years)					<u> </u>
Plant location, company distance from plant	M+F	Unde	er 1	1 to	4	5 to	14	15 to	44	45 to	64	65 an	d Over
(In miles)		М	F	М	F	М	F	М	F	М	F	М	F
FLORIDA													
Pace	1				1								
American Cyanimid Co													
0 - 1/2	0	-		-		-	-	-		-	•	-	
½ — 1	0		-	-	-	-	-	-	-	-	-	•	
1 – 3	2,121	21	17	79	75	247	234	463	483	167	184	69	8
3 – 5	2,828	28	22	105	100	330	312	617	644	222	246	92	11
										, '			
TOTAL	4,949	49	39	184	175	577	546	1,080	1,127	389	430	161	19

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

Plant leasting company	Total	1					AGE	in years)					
Plant location, company distance from plant	M+F	Und	er 1	1 to	4	5 to	o 14	15 to	o 44	45 t	o 6 4	65 an	d Over
(In miles)		М	F	М	F	М	F	M	F	М	F	М	F
GEORGIA Dalton Dow Chemical Co.													
0 - ½ ½ - 1 1 - 3 3 - 5	128 513 4,032 6,981	1 6 40 70	1 6 40 70	5 20 161 278	5 20 161 278	14 55 433 749	13 51 403 698	27 106 835 1,446	29 114 904 1,565	12 48 374 648	12 48 375 650	4 17 133 230	5 22 173 299
TOTAL	11,654	117	117	464	464	1,251	1,165	2,414	2,612	1,082	1,085	384	499

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

Plant location, company	Total						AGE	(ın years)					
distance from plant	M+F	Unde	er 1	1 to	o 4	5 t	o 14	15 to	44	45 to	64	65 an	d Over
(In miles)		М	F	М	F	М	F	М	F	М	F	М	F
ILLINOIS Chicago Oscar Meyer & Co.			;										
0 - ½ ½ - 1 1 - 3 3 - 5	17,937 39,348 132,512 312,409	111 280 1,123 3,011	107 299 1,008 3,015	426 1,186 4,048 12,161	422 1,226 3,781 11,711	1,130 3,777 8,731 30,562	1,186 3,842 8,478 30,075	4,239 8,000 29,232 63,863	5,332 9,915 28,823 67,018	1,612 3,004 15,872 28,744	1,668 3,785 14,676 31,473	735 1,579 7,565 12,876	969 2,455 9,175 17,900
TOTAL	502,206	4,525	4,429	17,821	17,140	44,200	43,581	105,334	111,088	49,232	51,602	22,755	30,499

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

Plant location, company	Total						AGE	ın years)					
distance from plant	M+F	Und	er 1	1 to	4	5 to	0 14	15 to	0 44	45 t	0 64	6 5 an	d Over
(in miles)		М	F	м	F	М	F	М	F	М	F	М	F
ILLINOIS Lemont A E. Staley Manufacturing Co													
0 - % % - 1 1 - 3 3 - 5	647 647 13,514 23,953	5 5 118 261	5 5 130 252	23 23 527 1,105	21 21 545 1,054	71 71 2,137 2,927	66 66 2,086 2,906	129 129 2,885 5,803	122 122 2,977 5,244	66 66 903 1,868	65 65 760 1,639	27 27 167 365	47 47 279 529
TOTAL	38,761	389	392	1,678	1,641	5,206	5,124	8,946	8,465	2,903	2,529	586	902

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

Plant location, company	Total						AGE (ın years)			,		-
distance from plant	M+F	Und	er 1	1 to	4	5 to	14	15 to	44	45 t	o 6 4	65 and	d Over
(In miles)		М	F	м	F	M	F	М	F	М	F	м	F
ILLINOIS Meredosia National Starch & Chemical Corp 0 - 1/4 1/4 - 1 1 - 3 3 - 5	34 134 1,057 1,829	1 11 18	- 1 11 18	1 4 31 54	1 4 31 54	3 12 99 171	3 12 99 171	6 24 186 322	7 25 198 342	4 14 112 193	4 15 115 200	2 9 69 120	3 13 95 166
TOTAL	3,054	30	30	90	90	285	285	538	572	323	334	200	277

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

Plant location, company	Total						AGE	(in years)			-		
distance from plant	M+F	Und	er 1	1 to	4	5 t	o 14	15 t	o 44	45 t	o 64	65 ar	nd Over
(In miles)		М	F	М	F	м	F	М	F	М	F	м	F
ILLINOIS Ringwood Morton Chemical Co.					•								
0 1/4 1/4 1 1 3 3 5	0 2,299 11,985 13,609	19 103 115	18 91 103	83 427 494	77 404 443	266 1,383 1,631	242 1,266 1,476	416 2,149 2,504	436 2,281 2,579	231 1,216 1,366	253 1,328 1,447	120 619 678	138 718 773
TOTAL	27,893	237	212	1,004	924	3,280	2,984	5,069	5,296	2,813	3,028	1,417	1,629

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

Γ	Plant location, company	Total						AGE (in years)					
l	distance from plant	M+F	Und	er 1	1 to	4	5 to	14	15 to	44	45 t	64	65 an	d Over
	(In miles)		М	F	М	F	М	F	м	F	М	F	М	F
	INDIANA Covington Olin Corp 0 - ½ ½ - 1 1 - 3 3 - 5	49 196 1,538 2,662	2 15 27	1 2 15 26	2 7 57 99	1 6 46 81	5 20 1 54 266	5 20 154 266	9 37 288 499	9 37 291 503	5 20 156 269	5 21 169 293	3 10 81 140	4 14 112 193
		2,002	2,	20	33	01	200	200	433	303	203	253	.40	133
	TOTAL	4,445	44	44	165	134	445	445	833	840	450	488	234	323

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

Plant location, company	Total						AGE	(in years)	-				-
distance from plant	M+F	Und	er 1	1 to	4	5 t	o 14	151	to 44	45	to 64	65 ar	nd Over
(In miles)		М	F	М	F	м	F	М	F	М	F	м	F
IOWA							ľ						
Cedar Rapids				1			1		İ			1	
Cryovac Division									1				
													i
0 — 1/2	2,766	27	24	106	97	275	255	536	569	287	324	107	159
½ — 1	5,270	51	48	196	185	542	486	1,035	1,088	563	616	186	274
1 – 3	40,651	379	359	1,468	1,405	3,677	3,624	8,007	8,968	3,805	4,085	1,822	3,052
3 – 5	56,854	537	531	2,216	2,119	6,231	6,038	11,311	12,798	5,017	5,404	1,731	2,921
											1		
										ĺ		·	
TOTAL	105,541	994	962	3,986	3.806	10,725	10,403	20,889	23,423	9,672	10.420	2.946	6.406
	,541	554	302	3,500	5,000	10,725	10,403	20,009	23,423	9,0/2	10,429	3,846	6,406

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

Plant location, company	Total						AGE	in years)					
distance from plant	M+F	Und	er 1	1 to	4	5 to	0 14	15 t	o 44	45 t	o 64	65 an	d Over
(In miles)		М	F	М	F	M	F	М	F	М	F	М	F
IOWA Centerville Union Carbide Corp.													
0 - ½ ½ - 1 1 - 3 3 - 5	91 364 2,866 4,962	1 4 29 49	1 4 29 49	3 11 86 148	3 11 86 148	8 33 258 446	7 29 229 398	15 58 459 794	15 58 458 794	10 40 315 546	11 47 373 646	7 29 229 398	10 40 315 546
TOTAL	8,283	83	83	248	248	745	663	1,326	1,325	911	1,077	663	911

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

Standard and a standard	Total						AGE (ın years)					
Plant location, company distance from plant	M+F	Und	er 1	1 to	4	5 to	14	15 to	44	45 t	o 64	65 an	d Over
(In miles)		М	F	М	F	M	F	М	F	M	F	М	F
IOWA Clinton DuPont									,				
0 - ½ ½ - 1 1 - 3 3 - 5	370 1,480 11,641 20,153	4 15 116 201	4 15 116 201	15 59 466 806	12 45 356 616	40 163 1,280 2,216	40 162 1,274 2,205	67 267 2,102 3,640	67 268 2,109 3,652	37 148 1,165 2,016	40 162 1,274 2,206	18 73 575 996	26 103 808 1,398
TOTAL	33,644	336	336	1,346	1,029	3,699	3,681	6,076	6,096	3,366	3,682	1,662	2,335

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

C

	T 1						AGE (in years)					
Plant location, company distance from plant	Total M+F	Und	er 1	1 to	4	5 to	o 14	15 t	o 44	45 t	o 64	6 5 an	d Over
(In miles)		М	F	М	F	М	F	М	F	М	F	М	F
IOWA Davenport Oscar Meyer & Co.													
0 - ½ ½ - 1 1 - 3 3 - 5	3,258 9,283 94,020 67,608	32 89 814 595	35 77 805 550	130 351 3,368 2,437	141 318 3,190 2,323	319 900 9,109 7,094	269 860 8,804 6,819	547 1,621 17,912 12,925	696 2,017 18,808 13,886	315 848 9,374 7,041	337 883 10,560 7,444	175 523 4,439 2,626	262 796 6,837 3,868
TOTAL	174,169	1,530	1,467	6,286	5,972	17,422	16,752	33,005	35,407	17,578	19,224	7,763	11,763

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

Disco Incomes and		Total						AGE (in years)					
Plant location, con distance from p	-	M+F	Und	er 1	1 to	4	5 to	14	15 to	44	45 t	o 64	65 an	d Over
(In miles)			М	F	М	F	М	F	М	F	М	F	М	F
KANSAS Tecumseh DuPont Co 0 - ½ ½ - 1 1 - 3 3 - 5		12 560 3,771 29,656	- 4 31 310	5 31 307	22 143 1,214	19 117 1,186	2 72 479 3,181	1 69 415 3,068	2 118 743 5,554	3 117 768 6,108	1 47 350 2,627	1 47 346 2,809	1 20 167 1,415	1 20 181 1,877
													· · · · · · · · · · · · · · · · · · ·	
TOTAL		33,999	345	343	1,379	1,322	3,734	3,553	6,417	6,996	3,025	3,203	1,603	2,079

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

Plant location, company	Total						AGE (in years)					
distance from plant	M+F	Und	er 1	1 to	4	5 to	14	15 to	o 44	45 t	o 64	65 an	d Over
(In miles)		М	F	М	F	М	F	М	F	м	F	M	F
KENTUCKY Owensboro Dewey & Almy Chemcial Division 0 - % % - 1 1 - 3 3 - 5	216 866 6,808 11,787	2 9 68 118	2 9 68 118	9 35 272 471	9 35 272 471	24 95 749 1,296	24 95 749 1,296	40 164 1,294 2,241	43 173 1,361 2,358	19 78 613 1,061	22 86 681 1,179	9 35 272 471	13 52 409 707
TOTAL	19,677	197	197	787	787	2,164	2,164	3,739	3,935	1,771	1,968	787	1,181

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

Plant location, company	Total						AGE	(in years)					
distance from plant	M+F	Und	er 1	1 to	4	5 to	o 14	15 t	o 44	45 t	o 64	65 an	d Over
(In miles)		М	F	м	F	М	F	м	F	М	F	м	F
LOUISIANA Lake Charles PPG Industries, Inc.													
0 1/2	51	1	1	3	2	5	6	10	11	5	4	1	2
% – 1	51	1	1	3	2	5	6	10	11	5	4	1	2
1 – 3	9,712	85	89	349	365	1,158	1,193	2,031	2,109	930	922	216	265
3 – 5	45,227	404	370	1,551	1,464	4,643	4,465	9,178	10,001	4,430	4,977	1,496	2,248
TOTAL	55,041	491	461	1,906	1,833	5,811	5,670	11,229	12,132	5,370	5,907	1,714	2,517

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

Plant location, company	Total						AGE (in years)					
distance from plant	M+F	Und	er 1	1 to	4	5 to	14	15 to	44	45 t	o 64	65 an	d Over
(In miles)		М	F	М	F	М	F	М	F	М	F	M	F
LOUISIANA Plaquemine Dow Chemical Co.													
0 - 1/4 1/4 - 1 1 - 3 3 - 5	240 960 7,548 13,068	2 10 75 131	2 10 75 131	10 40 313 542	10 40 313 542	30 119 938 1,624	29 115 902 1,560	44 176 1,386 2,398	50 199 1,569 2,717	21 83 652 1,129	21 85 668 1,156	8 33 259 448	13 50 398 690
TOTAL	21,816	218	218	905	905	2,711	2,606	4,004	4,535	1,885	1,930	748	1,151

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

œ

Total	<u></u>					AGE	(in years)					
M+F	Und	er 1	1 to	4	5 t	o 14	15 t	o 44	45 t	o 64	65 ar	nd Over
	М	F	М	F	M	F	М	F	М	F	М	F
	ŀ					1	l	1	Ì			ł
								ļ				
856	8	7	30	31	102	101	178	194	92	70	16	18
1,925	18	15					1			1 -	_	36
7,409	71	60									1	160
1 -	365		1			1	1 '	1 *		1		
		30 <u>2</u>	1,430	1,551	3,039	3,433	12,600	0,024	1,551	1,400	315	426
40.000												
43,982	462	414	1,864	1,774	4,866	4,754	14,763	9,152	2,530	2,294	469	640
	856	M+F Und M 856 8 1,925 18 7,409 71 33,792 365	M+F Under 1 M F 856 8 7 1,925 18 15 7,409 71 60 33,792 365 332	M+F Under 1 1 to M F M 856 8 7 30 1,925 18 15 71 7,409 71 60 307 33,792 365 332 1,456	M+F Under 1 1 to 4 M F M F 856 8 7 30 31 1,925 18 15 71 72 7,409 71 60 307 280 33,792 365 332 1,456 1,391	M+F Under 1 1 to 4 5 to 4 M F M F M 856 8 7 30 31 102 1,925 18 15 71 72 231 7,409 71 60 307 280 894 33,792 365 332 1,456 1,391 3,639	M+F Under 1 1 to 4 5 to 14 M F M F M F 856 8 7 30 31 102 101 1,925 18 15 71 72 231 239 7,409 71 60 307 280 894 921 33,792 365 332 1,456 1,391 3,639 3,493	M+F Under 1 1 to 4 5 to 14 15 to 15 to 14 15 to 14	M+F Under 1 1 to 4 5 to 14 15 to 44 M F M F M F M F M F 856 8 7 30 31 102 101 178 194 1,925 18 15 71 72 231 239 398 447 7,409 71 60 307 280 894 921 1,587 1,687 33,792 365 332 1,456 1,391 3,639 3,493 12,600 6,824	M+F Under 1 1 to 4 5 to 14 15 to 44 45 t M F M F M F M F M F M 856 8 7 30 31 102 101 178 194 92 1,925 18 15 71 72 231 239 398 447 199 7,409 71 60 307 280 894 921 1,587 1,687 688 33,792 365 332 1,456 1,391 3,639 3,493 12,600 6,824 1,551	M+F Under 1 1 to 4 5 to 14 15 to 44 45 to 64 M F M F M F M F M F M F M F M F M F M	M+F Under 1 1 to 4 5 to 14 15 to 44 45 to 64 65 at M F M F M F M F M F M F M F M F M F M

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

Plant location, company	Total				,		AGE (in years)					
distance from plant	M+F	Und	er 1	1 to	4	5 to	o 14	15 t	o 44	45 t	o 64	65 an	d Over
(In miles)		М	F	м	F	М	F	М	F	м	F	М	F
MICHIGAN Midland Dow Chemical Co.													
0 - 1/4 1/4 - 1 1 - 3 3 - 5	444 1,775 13,960 24,168	4 18 140 242	4 18 140 242	18 71 558 967	18 71 558 967	54 213 1,675 2,900	52 212 1,669 2,889	97 389 3,057 5,293	98 390 3,071 5,316	40 160 1,256 2,175	36 143 1,123 1,945	9 36 287 495	14 54 426 737
TOTAL	40,347	404	404	1,614	1,614	4,842	4,822	8,836	8,875	3,631	3,247	827	1,231

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

ſ	Bl I	Total	-	_				AGE (in years)					
1	Plant location, company distance from plant	M+F	Unde	er 1	1 to	4	5 to	14	15 to	44	45 to	o 64	65 an	d Over
	(In miles)		М	F	М	F	М	F	М	F	M	F	M	F
	NORTH CAROLINA Pisgah Forest Olin Corp. $0-\%$	72	1	1	3	2	7	7	16	16	7	7	2	3
	½ — 1 1 — 3 3 — 5	287 2,256 3,905	3 22 39	3 22 39	11 89 154	8 67 114	29 224 388	29 224 388	63 492 852	63 493 855	29 226 390	29 229 395	8 72 125	12 96 166
	TOTAL	6,520	65	65	257	191	648	648	1,423	1,427	652	660	207	277

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

Plant location, company	Total						AGE (in years)					
distance from plant	M+F	Und	er 1	1 to	4	5 to	14	15 to	o 44	45 t	o 64	65 an	d Over
(In miles)		M	F	М	F	М	F	М	F	М	F	M	F
OHIO Avon Lake B.F. Goodrich Chemical Co.													
0 - ½ ½ - 1 1 - 3 3 - 5	1,267 2,618 8,602 20,000	12 23 81 187	11 23 78 170	49 103 365 778	51 104 336 749	174 356 1,208 2,492	170 348 1,081 2,370	257 530 1,754 3,861	280 576 1,864 4,107	109 228 758 1,927	108 228 751 2,026	18 39 135 573	28 60 191 760
TOTAL	32,487	303	282	1,295	1,240	4,230	3,969	6,402	6,827	3,022	3,113	765	1,039

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

8 1	Total						AGE (ın years)					
Plant location, company distance from plant	Total M+F	Und	er 1	1 to	4	5 te	o 14	15 to	o 44	45 t	o 64	65 an	d Over
(In miles)		М	F	М	F	М	F	М	F	М	F	М	F
OHIO Circleville DuPont Co.													
0 – 1/4	305	3	2	12	11	38	36	58	65	28	28	13	11
½ — 1	305	3	2	12	11	38	36	58	65	28	28	13	11
1 – 3	914	9	7	37	33	112	109	175	195	83	83	38	33
3 – 5	8,704	86	78	345	310	844	844	1,661	1,894	755	881	415	591
	ļ												
TOTAL	10,228	101	89	406	365	1,032	1,025	1,952	2,219	894	1,020	479	646

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

ω

Plant location, company distance from plant	Total	Total AGE (in years)												
	M+F	Under 1		1 to 4		5 to 14		15 to 44		45 to 64		65 an	d Over	
(In miles)	·	М	F	М	F	М	F	М	F	М	F	м	F	
оніо]		1								
Cleveland		1		1 .		1								
American Can Co														
0 – 1/2	4,054	33	36	135	135	306	329	711	757	490	573	230	319	
½ − 1	15,004	133	131	552	510	1,338	1,356	2,728	2,903	1,622	1,897	738	1,096	
1 ~ 3	207,033	1,953	1,914	7,797	7,543	19,132	18,670	39,659	41,911	21,662	25,019	8,804	12,969	
3 – 5	216,840	1,856	1,725	7,211	6,918	19,179	18,348	39,953	42,953	24,338	28,074	10,280	16,005	
	<u> </u>						<u> </u>	ļ		ļ				
TOTAL	442,931	3,975	3,806	15,695	15,106	39,955	38,703	83,051	88,524	48,112	55,563	20,052	30,389	

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

Plant location, company distance from plant	Total M+F	AGE (in years)												
		Under 1		1 to 4		5 to 14		15 to 44		45 to 64		65 and Over		
(In miles)		M	F	М	F	М	F	М	F	М	F	М	F	
PENNSYLVANIA Bristol Rohm & Haas Co.														
0 - 1/4 1/4 - 1 1 - 3 3 - 5	2,624 8,018 49,351 79,000	26 79 482 731	21 65 494 727	102 307 1,883 3,081	86 271 1,843 3,038	242 771 5,299 9,931	234 735 5,155 9,405	490 1,497 9,938 16,582	522 1,602 10,690 17,842	291 880 4,948 7,538	331 999 5,129 6,878	111 336 1,457 1,279	168 476 2,033 1,968	
TOTAL	138,993	1,318	1,307	5,373	5,238	16,243	15,529	28,507	30,656	13,657	13,337	3,183	4,645	

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

Γ	Plant location, company distance from plant (In miles)	Total	AGE (in years)												
1		Total M+F	Under 1		1 to 4		5 to 14		15 to 44		45 to 64		65 and Over		
			М	F	М	F	M	F	М	F	М	F	М	F	
ŀ	PENNSYLVANIA Marcus Hook FMC Corp.														
u U	0 - % % - 1 1 - 3 3 - 5	1,379 10,213 58,872 80,022	12 89 633 653	10 75 634 627	50 359 2,459 2,796	44 316 2,463 2,658	121 999 6,236 8,609	129 1,003 6,262 8,373	255 1,868 11,399 15,830	269 2,025 13,096 16,296	163 1,132 5,421 8,628	179 1,309 6,120 8,959	67 432 1,852 2,700	80 606 2,297 3,893	
	TOTAL	150,486	1,387	1,346	5,664	5,481	15,965	15,767	29,352	31,686	15,344	16,567	5,051	6,876	

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

Plant location, company distance from plant (In miles)	Total M+F	AGE (in years)												
		Under 1		1 to 4		5 to 14		15 to 44		45 to 64		65 and Over		
		М	F	м	F	М	F	М	F	M	F	м	F	
PENNSYLVANIA Philadelphia Oscar Meyer & Co.														
0 - ½ ½ - 1 1 - 3 3 - 5	0 2,125 264,361 360,636	7 2,256 2,883	13 2,134 2,812	33 9,044 11,641	47 8,634 11,437	142 23,725 30,728	161 22,994 29,937	846 48,373 72,858	309 53,054 76,077	206 29,070 37,240	220 34,874 42,383	- 70 13,072 17,549	71 17,131 25,091	
TOTAL	627,122	5,146	4,959	20,718	20,118	54,595	53,092	122,077	129,440	66,516	77,477	30,691	42,293	

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

6/

Plant location, company distance from plant	Total	AGE (in years)												
	M+F	Under 1		1 to 4		5 to 14		15 to 44		45 to 64		65 and Over		
(In miles)	<u> </u>	М	F	М	F	М	F	М	F	М	F	М	F	
SOUTH CAROLINA Simpsonville Cryovac Division														
0 - ½ ½ - 1 1 - 3 3 - 5	0 767 3,070 9,354	8 30 88	6 22 83	29 117 355	27 108 356	88 351 1,153	78 314 1,153	165 660 2,082	171 682 2,140	67 270 709	- 73 292 771	22 90 193	33 134 271	
TOTAL	13,191	126	111	501	491	1,592	1,545	2,907	2,993	1,046	1,136	305	438	

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

œ

POPULATION RESIDING WITHIN SELECTED DISTANCES OF PLANTS PRODUCING VINYLIDENE CHLORIDE* BY AGE AND SEX

Di chandina annone	Total			-			AGE (ın years)				-	
Plant location, company distance from plant	M+F	Und	er 1	1 to	4	5 to	o 14	15 to	44	45 t	o 64	65 an	d Over
(In miles)		М	F	М	F	М	F	М	F	М	F	M	F
TENNESSEE Goodlettsville Oscar Meyer & Co.										,			
0 - ½ ½ - 1 1 - 3 3 - 5	617 1,850 11,116 11,715	6 19 116 86	5 16 102 82	23 67 434 379	23 69 425 357	71 213 1,269 1,269	66 198 1,210 1,315	137 409 2,456 2,397	138 413 2,586 2,565	53 160 888 1,202	59 176 954 1,235	15 46 282 367	21 64 394 461
TOTAL	25,298	227	205	903	874	2,822	2,789	5,399	5,702	2,303	2,424	710	940

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

POPULATION RESIDING WITHIN SELECTED DISTANCES OF PLANTS PRODUCING VINYLIDENE CHLORIDE* BY AGE AND SEX

Plant location, company	Total			_			AGE	(in years)	_				
distance from plant	M+F	Und	er 1	1 to	4	5 t	o 14	15 t	o 44	45 t	o 64	65 an	d Over
(In miles)		M	F	М	F	М	F	м	F	М	F	м	F
TENNESSEE Kingsport Eastman Chemical Products, Inc													
0 – ½ ½ – 1	665 2,661	7 27	7 27	20 80	20 80	67 266	60 239	138 558	153 612	67 266	73 293	20 80	33 133
1 - 3 3 - 5	20,922 36,219	209 362	209 362	628 1,086	628 1,086	2,092 3,622	1,883 3,260	4,393 7,608	4,813 8,330	2,092 3,622	2,301 3,984	628 1,086	1,046 1,811
TOTAL	60,467	605	605	1,814	1,814	6,047	5,442	12,697	13,908	6,047	6,651	1,814	3,023

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

POPULATION RESIDING WITHIN SELECTED DISTANCES OF PLANTS PRODUCING VINYLIDENE CHLORIDE* BY AGE AND SEX

Plant location, company	Total	L.					AGE	(in years)					
distance from plant	M+F	Und	ler 1	1 to	0 4	5 t	o 14	15 t	o 44	45 1	to 64	65 ar	nd Over
(In miles)		M	F	М	F	М	F	М	F	М	F	м	F
TENNESSEE Knoxville Rohm & Haas, Inc.				!									
0 - % % - 1 1 - 3 3 - 5	4,029 11,238 64,969 67,387	31 82 459 491	31 86 435 456	123 302 1,776 1,993	120 313 1,757 1,849	261 704 4,781 6,201	279 673 4,855 5,830	1,064 3,429 14,114 13,439	1,074 2,827 15,391 14,662	250 782 5,630 7,136	383 1,044 7,692 8,489	137 367 2,968 2,649	276 629 5,111 4,192
TOTAL	147,623	1,063	1,008	4,194	4,039	11,947	11,637	32,046	33,954	13,798	17,608	6,121	10,208

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

POPULATION RESIDING WITHIN SELECTED DISTANCES OF PLANTS PRODUCING VINYLIDENE CHLORIDE* BY AGE AND SEX

Plant location, company	Total						AGE (in years)					
distance from plant	M+F	Und	er 1	1 to	4	5 to	14	15 to	o 44	45 to	o 64	65 and	d Over
(in miles)		м	F	М	F	М	F	М	F	M	F	М	F
TEXAS Iowa Park Cryovac Division													
0 - ½ ½ - 1 1 - 3 3 - 5	1,159 1,159 3,644 166	8 8 26 1	10 10 30 1	41 41 125 3	38 38 117 3	152 152 474 17	138 138 432 17	249 249 777 30	258 258 803 30	81 81 266 22	91 91 295 22	39 39 126 10	54 54 173 10
TOTAL	6,128	43	51	210	196	795	725	1,305	1,349	450	499	214	291

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

POPULATION RESIDING WITHIN SELECTED DISTANCES OF PLANTS PRODUCING VINYLIDENE CHLORIDE* BY AGE AND SEX

Plant location, company	Total						AGE	(in years)				 -	
distance from plant	M+F	Und	ler 1	1 to	4	5 t	o 14	15 t	o 44	45 t	o 64	65 an	d Over
(In miles)		М	F	М	L.	М	F	М	F	М	F	М	F
TEXAS Freeport Dow Chemical Co. 0 - ½ ½ - 1 1 - 3 3 - 5	24 24 96 11,935	- - 1 141	129	1 1 3 534	1 1 3 469	2 2 7 1,237	2 2 6 1,093	5 5 22 2,583	5 5 19 2,576	3 3 12 1,286	3 3 14 1,178	1 1 5 326	1 1 4 383
TOTAL	12,079	142	129	539	474	1,248	1,103	2,615	2,605	1,304	1,198	333	389

Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

POPULATION RESIDING WITHIN SELECTED DISTANCES OF PLANTS PRODUCING VINYLIDENE CHLORIDE* BY AGE AND SEX

Plant location, company	Total	<u> </u>		<u> </u>		·	AGE (in years)					
distance from plant	M+F	Und	er 1	1 to	4	5 to	0 14	15 to	44	45 t	o 6 4	6 5 an	d Over
(In miles)		М	F	M	F	M	F	M	F	М	F	М	F
TEXAS Sherman Oscar Meyer & Co.													
0 - ½ ½ - 1 1 - 3 3 - 5	5 14 3,059 18,779	26 154	- 21 143	87 583	93 560	1 2 212 1,875	230 1,852	1 3 599 3,607	1 2 607 4,010	1 3 288 1,803	1 2 345 2,119	1 165 816	- 1 386 1,257
TOTAL	21,857	180	164	670	653	2,090	2,082	4,210	4,620	2,095	2,467	982	1,644

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

POPULATION RESIDING WITHIN SELECTED DISTANCES OF PLANTS PRODUCING VINYLIDENE CHLORIDE* BY AGE AND SEX

Plant location, company	Total						AGE	in years)					
distance from plant	M+F	Und	er 1	1 to	4	5 tı	o 14	15 to	o 44	45 t	o 64	65 ar	d Over
(In miles)		М	F	М	F	M	F	М	F	М	F	М	F
VIRGINIA Fredericksburg FMC Corp. 0 - 1/4 1/4 - 1 1 - 3 3 - 5	295 1,181 9,289 16,081	3 11 93 161	3 11 93 161	9 34 271 470	10 40 311 538	26 105 822 1,423	25 100 790 1,366	59 236 1,855 3,211	78 315 2,473 4,282	27 110 863 1,495	29 117 913 1,581	10 39 306 529	16 63 499 864
TOTAL	26,846	268	268	784	899	2,376	2,281	5,361	7,148	2,495	2,640	884	1,442

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

POPULATION RESIDING WITHIN SELECTED DISTANCES OF PLANTS PRODUCING VINYLIDENE CHLORIDE* BY AGE AND SEX

Plant location, company	Total						AGE (in years)					
distance from plant	M+F	Und	er 1	1 to	4	5 t	o 14	15 to	o 44	45 t	o 64	6 5 an	d Over
(In miles)		М	F	М	F	М	F	М	F	М	F	М	F
VIRGINIA Richmond DuPont Co.					i								
0 - ½ ½ - 1 1 - 3 3 - 5	856 1,998 14,371 11,553	12 29 163 139	10 23 171 140	46 107 603 524	44 102 675 490	71 165 1,433 983	79 184 1,311 936	207 484 3,667 2,644	230 536 3,781 2,741	67 158 1,076 1,136	67 158 1,044 1,205	10 22 176 270	13 30 271 345
TOTAL	28,778	343	344	1,280	1,311	2,652	2,510	7,002	7,288	2,437	2,474	478	659

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

POPULATION RESIDING WITHIN SELECTED DISTANCES OF PLANTS PRODUCING VINYLIDENE CHLORIDE* BY AGE AND SEX

Plant Inserting company	Total						AGE (ın years)					
Plant location, company distance from plant	M+F	Unde	er 1	1 to	4	5 te	14	15 t	o 44	45 t	o 64	65 an	d Over
(In miles)		М	F	М	F	М	F	М	F	м	F	М	F
WISCONSIN Madison Oscar Meyer & Co.				:									
0 ½ ½ 1 1 3 3 5	3,553 8,028 46,442 73,482	33 72 426 472	36 79 452 407	120 285 1,691 1,825	133 298 1,712 1,665	287 653 4,729 4,876	265 621 4,406 4,663	726 1,675 10,388 22,612	784 1,779 10,788 23,004	372 826 3,650 4,074	445 979 4,158 4,735	141 316 1,570 1,835	211 445 2,472 3,314
TOTAL	131,505	1,003	974	3,921	3,808	10,545	9,955	35,401	36,355	8,922	10,317	3,862	6,442

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

Appendix VIII

POPULATION RESIDING WITHIN VARIOUS DIRECTIONS OF PLANTS PRODUCING VINYLIDENE CHLORIDE

/

POPULATION RESIDING WITHIN VARIOUS DIRECTIONS OF PLANTS PRODUCING VINYLIDENE CHLORIDE*

ALABAMA

Decatur Monsanto Co. Minnesota Mining & Manufacturing Co.

DISTANCE FROM PLANT (in miles)								DIRECT	ION FROI	M PLANT							
	TOTAL	N	NNE	NE	ENE	E	ESE	SE	SSE	s	ssw	sw	wsw	w	WNW	NW	NNW
0 - ½ ½ - 1 1 - 3 3 - 5	423 1,690 13,293 23,012	6 22 173 300	5 22 173 300	6 22 173 300	67 268 2,106 3,646	134 536 4,212 7,292	134 536 4,212 7,292	-	-	6 22 173 300	5 22 173 300	10 39 303 525	12 46 370 640	11 47 369 639	10 40 320 550	12 46 363 628	5 22 173 300
TOTAL	38,418	501	500	501	6,087	12,174	12,174	0	0	501	500	877	1,068	1,066	920	1,049	500

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

CALIFORNIA

Vernon
Oscar Meyer & Co.

DISTANCE FROM PLANT (in miles)								DIRECT	ION FROI	M PLANT							
· · · · · · · · · · · · · · · · · · ·	TOTAL	N	NNE	NE	ENE	E	ESE	SE	SSE	s	ssw	sw	wsw	w	WNW	NW	NNW
0 - ¼ ½ - 1 1 - 3 3 - 5	53 209 149,329 349,739	6 21 16,614 32,749	- - 16,412 29,250	5 21 17,829 15,921	- 11,011 22,581	5 21 2,722 2,971	- 26 2,953	6 21 12,755 30,189	5 20 18,106 21,480	5 21 5,954 30,257	10,450 26,370	5 21 9,637 31,890	- 5,580 24,966	6 21 3,640 37,340	- - 3,589 17,212	5 21 556 9,932	5 21 14,448 13,678
TOTAL	499,330	49,390	45,662	33,776	33,592	5,719	2,979	42,971	39,611	36,237	36,820	41,553	30,546	41,007	20,801	10,514	28,152

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

α

POPULATION RESIDING WITHIN VARIOUS DIRECTIONS OF PLANTS PRODUCING VINYLIDENE CHLORIDE*

DELAWARE

Cheswold Reichhold Polymers, Inc.

DISTANCE FROM PLANT (in miles)								DIRECT	ION FROM	PLANT							
	TOTAL	N	NNE	NE	ENE	E	ESE	SE	SSE	s	ssw	sw	wsw	w	WNW	NW	NNW
0 – %	260	2	2	-	6	4	12	98	96	8	7	7	3	4	3	4	4
% - 1 1 - 3 3 - 5	1,040 8,182 14,1 6 5	8 63 108	62 108	-	28 220 381	17 134 232	47 372 644	393 3,088 5,346	385 3,025 5,238	35 275 476	26 206 357	26 206 356	11 87 150	16 122 211	12 98 170	14 112 194	14 112 194
TOTAL	23,647	181	180		635	387	1,075	8,925	8,744	794	596	595	251	353	283	324	324

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

FLORIDA

Pace American Cyanımıd Co.

DISTANCE FROM PLANT (in miles)					,			DIRECT	ION FROM	M PLANT	. =	—	<u> </u>				
	TOTAL	N	NNE	NE	ENE	E	ESE	SE	SSE	s	ssw	sw	wsw	w	wnw	NW	NNW
0 – ½ ½ – 1	0	-	-	-											-		
1 – 3 3 – 5	2,121 2,828	213 282	212 282	212 283	212 283	212 283	212 283	212 283	- 212 283	-	•	•	-	-	-	212 283	212 283
TOTAL	4,949	495	494	495	495	495	495	495	495		-	•	-			495	495

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

GEORGIA

Dalton
Dow Chemical Co.

DISTANCE FROM PLANT (in miles)								DIRECT	ION FROM	A PLANT							
	TOTAL	N	NNE	NE	ENE	E	ESE	SE	SSE	s	ssw	sw	wsw	w	WNW	NW	NNW
0 - ½ ½ - 1 1 - 3 3 - 5	128 513 4,032 6,981	18 73 573 993	18 73 573 993	18 74 583 1,009	- 2 12 22	1 1 9 16		8 30 235 407	9 34 269 465	7 30 236 408	6 23 183 317	4 17 134 231	- - -	1 3 24 40	1 4 31 54	19 76 597 1,033	18 73 573 993
TOTAL	11,654	1,657	1,657	1,684	36	27	-	680	777	681	529	386	-	68	90	1,725	1,657

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

œ

POPULATION RESIDING WITHIN VARIOUS DIRECTIONS OF PLANTS PRODUCING VINYLIDENE CHLORIDE*

ILLINOIS

Chicago Oscar Meyer & Co.

	DISTANCE FROM PLANT								DIRECTI	ON FROM	PLANT					r <u>-</u>		
	(in miles)	TOTAL	N	NNE	NE	ENE	E	ESE	SE	SSE	s	ssw	sw	wsw	w	WNW	NW	MNW
	0 - ½ ½ - 1 1 - 3 3 - 5	17,937 39,348 132,512 312,409	602 955 16,499 23,528	1,097 1,480 -	1,645 3,215	1,645 2,541	2,145 1,871	1,638 2,662 4,184	598 3,259 7,806	798 1,371 4,331 3,609	598 1,171 3,859 5,871	294 1,466 2,936 26,209	1,400 4,172 4,139 28,864	1,301 1,411 22,684 34,985	1,486 4,764 17,295 63,293	1,486 5,176 5,916 38,057	602 2,133 22,125 30,789	602 1,701 20,738 57,204
}	TOTAL	502,206	41,584	2,577	4,860	4,186	4,016	B,484	11,663	10,109	11,499	30,905	38,575	60,381	86,838	50,635	55,649	80,245

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

Lemont
A E, Staley Manufacturing Co.

	DISTANCE FROM PLANT (in miles)								DIRECT	ION FROM	1 PLANT							
İ		TOTAL	N	NNE	NE	ENE	E	ESE	SE	SSE	s	ssw	sw	wsw	w	WNW	NW	NNW
84	0 - % % - 1 1 - 3 3 - 5	647 647 13,514 23,953	64 64 - 3,814	65 65 - 5,084	65 65 517 3,814	65 517 1,034	65 65 518 1,034	65 517 518	65 65 517	- 65 -	65 64 -	65 64 2,596	65 1,092 3,463	2,186 2,596	64 - 2,186 -	2,186 -	64 - 2,186	1,092
	TOTAL	38,761	3,942	5,214	4,461	1,616	1,682	1,100	647	65	129	2,725	4,620	4,782	2,250	2,186	2,250	1,092

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

& 5

POPULATION RESIDING WITHIN VARIOUS DIRECTIONS OF PLANTS PRODUCING VINYLIDENE CHLORIDE*

ILLINOIS

Meredosia National Starch & Chemical Corp.

DISTANCE FROM PLANT (in miles)								DIRECT	ION FROM	I PLANT							;
	TOTAL	N	NNE	NE	ENE	E	ESE	SE	SSE	s	ssw	sw	wsw	w	wnw	NW	NNW
0 - ½ ½ - 1 1 - 3 3 - 5	34 134 1,057 1,829	8 32 248 429	3 12 96 166	2 14 25	1 4 28 49	1 4 32 55	1 5 40 71	3 13 103 177	6 23 182 315	2 12 91 159	1 5 43 72	1 2 19 33	1 2 19 32	1 2 19 33	1 3 22 38	1 2 16 27	3 11 85 148
TOTAL	3,054	717	277	41	82	92	117	296	526	264	121	55	54	55	64	46	247

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

POPULATION RESIDING WITHIN VARIOUS DIRECTIONS OF PLANTS PRODUCING VINYLIDENE CHLORIDE*

ILLINOIS

Ringwood Morton Chemical Co.

DISTANCE FROM PLANT (in miles)								DIRECTI	ON FROM	I PLANT		·····					
(III (IIII03)	TOTAL	N	NNE	NE	ENE	E	ESE	SE	SSE	s	ssw	sw	wsw	w	WNW	NW	NNW
0 - ½ ½ - 1 1 - 3 3 - 5	0 2,299 11,985 13,609	90 362 981	- 90 362 981	182 724 981	- 181 723 904	181 723 1,357	1,208 1,357	101 1,812 904	302 1,812 1,510	302 1,208 1,510	302 465 233	466 233	116 466 232	156 465 233	116 465 233	90 362 980	90 362 980
TOTAL	27,893	1,433	1,433	1,887	1,808	2,261	2,565	2,817	3,624	3,020	1,000	699	814	854	814	1,432	1,432

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

POPULATION RESIDING WITHIN VARIOUS DIRECTIONS OF PLANTS PRODUCING VINYLIDENE CHLORIDE*

INDIANA

Covington Olin Corp.

DISTANCE FROM PLANT (in miles)								DIRECT	ION FROM	#PLANT							
	TOTAL	N	NNE	NE	ENE	E	ESE	SE	SSE	s	ssw	sw	wsw	w	www	NW	NNW
0 - ½ ½ - 1 1 - 3 3 - 5	49 196 1,538 2,662	1 5 38 65		15 58 457 790	15 58 457 791	1 4 34 59	2 6 51 88	2 8 63 110	3 11 87 151	1 5 41 72	1 5 41 71	1 5 41 72	1 5 41 71	1 5 27 47	1 4 28 48	3 12 94 162	1 5 38 65
TOTAL	4,445	109	-	1,320	1,321	98	147	183	252	119	118	119	118	80	81	271	109

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

α

POPULATION RESIDING WITHIN VARIOUS DIRECTIONS OF PLANTS PRODUCING VINYLIDENE CHLORIDE*

IOWA

Cedar Rapids
Cryovac Division

	DISTANCE FROM PLANT (In miles)								DIRECT	ION FROM	A PLANT							
		TOTAL	N	NNE	NE	ENE	E	ESE	SE	SSE	s	ssw	sw	wsw	w	WNW	NW	NNW
3	0 - ½ ½ - 1 1 - 3 3 - 5	2,766 5,270 40,651 56,854	224 464 8,001 2,625	186 697 5,417 15,070	186 696 7,208 16,908	369 464 3,823 5,727	186 107 714 2,704	107 1,013 114	107 107 1,012 114	159 107 1,012 114	160 211 1,280 229	107 107 1,279 228	- 107 266 114	- 107 266 114	224 483 417 114	298 565 301 3,498	299 565 3,315 4,934	261 376 5,327 4,247
	TOTAL	105,541	11,314	21,370	24,998	10,383	3,711	1,234	1,340	1,392	1,880	1,721	487	487	1,238	4,662	9,113	10,211

^{*}Population figures are based on 1970 SMSA Census Tract Reports The location and number of plants producing or processing vinylidene chloride in August 1976.

POPULATION RESIDING WITHIN VARIOUS DIRECTIONS OF PLANTS PRODUCING VINYLIDENE CHLORIDE*

IOWA

Centerville Union Carbide Corp.

DISTANCE FROM PLANT (in miles)								DIRECT	ION FROM	M PLANT							
	TOTAL	N	NNE	NE	ENE	E	ESE	SE	SSE	s	ssw	sw	wsw	w	wnw	NW	NNW
0 - % % 1 1 - 3 3 5	91 364 2,866 4,962	15 59 462 800	- - 4 5	- 2 4		1 8 66 112		2 8 60 103	3 11 85 147	2 7 60 103	2 8 65 114	2 8 65 114	1 4 35 59	2 7 51 89	16 64 503 872	23 92 720 1,247	22 88 688 1,193
TOTAL	8,283	1,336	9	6	-	187	-	173	246	172	189	189	99	149	1,455	2,082	1,991

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

POPULATION RESIDING WITHIN VARIOUS DIRECTIONS OF PLANTS PRODUCING VINYLIDENE CHLORIDE*

IOWA

Clinton
DuPont Co.

	DISTANCE FROM PLANT (in miles)								DIRECT	ION FROM	/ PLANT							
		TOTAL	N	NNE	NE	ENE	E	ESE	SE	SSE	s	ssw	sw	wsw	w	WNW	NW	NNW
3	0 - ½ ½ - 1 1 - 3 3 - 5	370 1,480 11,641 20,153	153 611 4,805 8,319	153 611 4,805 8,318	1 4 28 48	1 9 15	4 14 115 198	4 14 114 198	11 44 344 596	1 3 27 46	1 4 32 56	1 4 32 56	1 8 14	38 153 1,201 2,078	- 1 8 15	1 4 31 55	1 6 44 76	1 5 38 65
	TOTAL	33,644	13,888	13,887	81	25	331	330	995	77	93	93	23	3,470	24	91	127	109

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

POPULATION RESIDING WITHIN VARIOUS DIRECTIONS OF PLANTS PRODUCING VINYLIDENE CHLORIDE*

IOWA

Davenport Oscar Meyer & Co.

DISTANCE FROM PLANT (in miles)								DIRECT	ION FROM	M PLANT							
	TOTAL	N	NNE	NE	ENE	E	ESE	SE	SSE	s	ssw	sw	wsw	w	www	NW	NNW
0 - ½ ½ - 1 1 - 3 3 - 5	3,258 9,283 94,020 67,608	449 731 7,905 5,127	183 1,482 9,164 2,512	175 1,732 11,354	164 1,244 8,865 13,090	175 492 312 9,461	9,148 18,084	176 - 8,159 9,188	175 11,052 4,443	175 - 6,390		261 428 606 539	128 642 5,325 718	304 642 1,122 539	86 428 1,344 1,808	358 731 6,495 1,808	449 731 6,779 291
TOTAL	174,169	14,212	13,341	13,261	23,363	10,440	27,232	17,523	15,670	6,565	-	1,834	6,813	2,607	3,666	9,392	8,250

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

POPULATION RESIDING WITHIN VARIOUS DIRECTIONS OF PLANTS PRODUCING VINYLIDENE CHLORIDE*

KANSAS

Tecumseh DuPont Co.

	DISTANCE FROM PLANT (in miles)								DIRECT	ION FROM	M PLANT				_			
		TOTAL	N	NNE	NE	ENE	E	ESE	SE	SSE	s	ssw	sw	wsw	w	WNW	NW	NNW
92	0 - ½ ½ - 1 1 - 3 3 - 5	12 560 3,771 29,656	1 4 32 55	2 8 63 109	2 9 73 126	2 10 76 131	2 9 73 126	2 7 52 91	1 54 224 36	153 611 255	153 612 2,039	- 153 612 255	1,168	134 5,741	- - 403 9,710	403 7,774	403 2,040	- - -
	TOTAL	33,999	92	182	210	219	210	152	315	1,019	2,804	1,020	1,168	5,875	10,113	8,177	2,443	-

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

POPULATION RESIDING WITHIN VARIOUS DIRECTIONS OF PLANTS PRODUCING VINYLIDENE CHLORIDE*

KENTUCKY

Owensboro Dewey & Almy Chemical Division

DISTANCE FROM PLANT (in miles)								DIRECT	ION FROM	A PLANT							
	TOTAL	N	NNE	NE	ENE	E	ESE	SE	SSE	S	ssw	sw	wsw	w	WNW	NW	NNW
0 - ½ ½ - 1 1 - 3 3 - 5	216 866 6,808 11,787	6 24 189 327	6 24 189 327	6 24 189 326	6 24 189 327	12 48 377 654	6 24 189 326	11 42 332 576	12 48 380 657	11 42 332 576			26 102 805 1,393	88 362 2,832 4,905	26 102 805 1,393		
TOTAL	19,677	546	546	545	546	1,091	545	961	1,097	961	-	•	2,326	8,187	2,326	•	-

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

LOUISIANA

Lake Charles
PPG Industries, Inc.

	DISTANCE FROM PLANT (in miles)					-			DIRECTI	ON FROM	1 PLANT						·	
		TOTAL	N	NNE	NE	ENE	E	ESE	SE	SSE	s	ssw	sw	wsw	w	WNW	NW	NNW
94	0 - ½ ½ - 1 1 - 3 3 - 5	51 51 9,712 45,227	5 5 - 408	5 5 2,545 817	- 2,544 1,762	- 15 3,988	- 5 - 11,147	- 6 - 14,056	- 6 16 3,713	- 16 3,050	5 1,026	5 5 16 31	6 5 15 20	5 5 15 31	5 - 465 3,111	5 5 1,815 2,067	5 - 1,800	5 5 450 -
ŀ	TOTAL	55,041	418	3,372	4,306	4,003	11,152	14,062	3,734	3,066	1,031	57	46	56	3,581	3,892	1,805	460

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

POPULATION RESIDING WITHIN VARIOUS DIRECTIONS OF PLANTS PRODUCING VINYLIDENE CHLORIDE*

LOUISIANA

Plaquemine Dow Chemical Co.

	DISTANCE FROM PLANT (in miles)								DIRECT	ION FROM	I PLANT				_			
		TOTAL	N	NNE	NE	ENE	E	ESE	SE	SSE	s	ssw	sw	wsw	w	www	NW	NNW
1	0 - 16 13 - 3 3 - 5	240 960 7,548 13,068	27 107 845 1,463	28 114 894 1,549	25 100 789 1,365	1 4 33 58	3 13 99 172	1 4 33 58	22 87 687 1,189	14 57 447 773	82 324 2,549 4,413	5 22 170 293	12 46 364 629	5 21 164 285	9 35 273 474	- - -	•	6 26 201 347
	TOTAL	21,816	2,442	2,585	2,279	96	287	96	1,985	1,291	7,368	490	1,051	475	791	-	-	580

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

MARYLAND

Odenton Amtech, Inc.

DISTANCE FROM PLANT (in miles)								DIRECT	ION FROM	M PLANT							
	TOTAL	N	NNE	NE	ENE	Ε	ESE	SE	SSE	s	ssw	sw	wsw	w	WNW	NW	NNW
0 - ½ ½ - 1 1 - 3	856 1,925 7,409	38 52 1,384	39 51 1,703	39 51 733	38 51 205	38 51 205	39 52 149	39 52 658	- 282 564	141 423 565	188 423 564	141 282 564	-	-	39 51 39	39 52 38	38 52 38
3 – 5	33,792	1,403	1,924	4,645	-		827	1,104	966	278	278	3,340	3,341	3,882	4,701	4,433	2,670
TOTAL	43,982	2,877	3,717	5,468	294	294	1,067	1,853	1,812	1,407	1,453	4,327	3,341	3,882	4,830	4,562	2,798

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

MICHIGAN

Midland
Dow Chemical Co.

DISTANCE FROM PLANT (in miles)								DIRECT	ION FROM	M PLANT							
	TOTAL	N	NNE	NE	ENE	E	ESE	SE	SSE	s	ssw	sw	WsW	w	wnw	NW	NNW
0 – ½	444	89		4	6	6	4	2	2	2	3	3	2	14	77	115	115
% — 1	1,775	363	-	15	23	23	15	6	6	8	12	12	8	55	307	461	461
1 – 3	13,960	2,853	-	119	178	178	119	47	47	63	95	95	63	436	2,417	3,625	3,625
3 – 5	24,168	4,940	-	206	308	308	206	81	82	110	164	164	110	755	4,183	6,276	6,275
TOTAL	40,347	8,245	-	344	515	515	344	136	137	183	274	274	183	1,260	6,984	10,477	10,476

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

NORTH CAROLINA

Pisgah Forest Olin Corp.

	DISTANCE FROM PLANT (in miles)								DIRECT	ION FROM	1 PLANT							
		TOTAL	N	NNE	NE	ENE	E	ESE	SE	SSE	s	ssw	sw	wsw	w	WNW	NW	NNW
αρ	0 - ½ ½ - 1 1 - 3 3 - 5	72 287 2,256 3,905	2 8 60 103	3 11 88 152	3 13 102 177	5 20 162 280	3 11 88 152	2 7 60 104	5 20 157 272	6 25 194 337	9 35 272 471	9 34 272 471	6 25 195 337	6 25 195 337	6 25 194 337	3 12 97 169	2 8 60 103	2 8 60 103
	TOTAL	6,520	173	254	295	467	254	173	454	562	787	786	563	563	562	281	173	173

^{*}Population figures are based on 1970 SMSA Census Tract Reports The location and number of plants producing or processing vinylidene chloride in August 1976.

POPULATION RESIDING WITHIN VARIOUS DIRECTIONS OF PLANTS PRODUCING VINYLIDENE CHLORIDE*

OHIO

Avon Lake B.F. Goodrich Chemical Co.

DISTANCE FROM PLANT (in miles)								DIRECT	ION FROM	/ PLANT							
	TOTAL	N	NNE	NE	ENE	E	ESE	SE	SSE	s	ssw	sw	wsw	w	www	NW	NNW
0 - ½ ½ - 1 1 - 3 3 - 5	1,267 2,618 8,602 20,000	- 441 441 -	331 441 441	440 440 440 -	331 441 2,174 1,214	- 441 1,597 1,214	17 42 25 1,674	16 41 25 1,068	17 41 25 1,897	- 41 24 1,818	17 42 25 1,882	16 41 25 692	16 42 676 4,531	17 - 2,609 4,010	16 41 25	17 41 25 -	16 42 25 -
TOTAL	32,487	882	1,213	1,320	4,160	3,252	1,758	1,150	1,980	1,883	1,966	774	5,265	6,636	82	83	83

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

ОНЮ

Circleville DuPont Co

DISTANCE FROM PLANT (in miles)								DIRECT	ION FROM	/ PLANT							
	TOTAL	N	NNE	NE	ENE	E	ESE	SE	SSE	s	ssw	sw	wsw	w	WNW	NW	NNW
0 - ½ ½ - 1 1 - 3 3 - 5	305 305 914 8,704	31 31 92 6,691	30 30 91 1,099	31 31 91	- - - 91	31 31 92 183	183	30 30 91 183	183	30 30 91 91		31 31 92	• • •	30 30 91		30 30 91	ł I
TOTAL	10,228	6,845	1,250	153	91	337	183	334	183	242	<u>.</u>	154	•	151	•	151	154

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

OHIO

Cleveland American Can Co.

DISTANCE FROM PLANT (in miles)								DIRECT	ION FROM	M PLANT							
	TOTAL	N	NNE	NE	ENE	E	ESE	SE	SSE	s	ssw	sw	wsw	w	WNW	NW	NNW
0 - ½ ½ - 1 1 - 3 3 - 5	4,054 15,004 207,033 216,840	337 321 19,812 1,562	445 1,385 20,171 8,451	112 2,149 11,992 18,095	112 3,442 7,661 19,869	112 2,593 5,184 17,193	180 270 13,936 2,393	360 541 11,110	361 541 10,714 12,652	361 541 18,484 11,858	361 541 8,175 21,758	180 270 2,629 4,583	114 265 4,843 17,052	227 529 17,161 23,419	452 1,058 13,053 33,791	114 265 21,403 24,164	226 293 20,705 -
TOTAL	442,931	22,032	30,452	32,348	31,084	25,082	16,779	12,011	24,268	31,244	30,835	7,662	22,274	41,336	48,354	45,946	21,224

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

PENNSYLVANIA

Bristol Rohm & Haas Co.

DISTANCE FROM PLANT (in miles)								DIRECT	ION FROM	M PLANT							
	TOTAL	N	NNE	NE	ENE	E	ESE	SE	SSE	s	ssw	sw	wsw	w	WNW	NW	NNW
0 - ½ ½ - 1 1 - 3 3 - 5	2,624 8,018 49,351 79,000	1,132 2,879 4,948 30,168	721 3,364 5,550 12,297	1,308 2,512	47 140 1,013 5,196	70 141 1,013 794	70 140 1,377 595	47 141 1,655 1,143	140 3,148 286	4,638 -	107 - 3,683	108 - 3,036 -	108 322 1,878 3,454	107 429 4,518 1,799	107 322 4,032 2,400	- 4,682 2,707	2,872 15,649
TOTAL	138,993	39,127	21,932	3,820	6,396	2,018	2,182	2,986	3,574	4,638	3,790	3,144	5,762	6,853	6,861	7,389	18,521

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

PENNSYLVANIA

Marcus Hook FMC Corp.

DISTANCE FROM PLANT (in miles)								DIRECT	ON FROM	1 PLANT		-					
	TOTAL	2	NNE	NE	ENE	E	ESE	SE	SSE	s	ssw	sw	wsw	w	wnw	NW	NNW
0 - ½ ½ - 1 1 - 3 3 - 5	1,379 10,213 58,872 80,022	187 3,223 1,574	2,247 4,916 13,937	2,247 19,444 18,193	140 1,848 11,823 10,021	187 374 - 368	140 186 - 368	91 152 - 368	182 304 - 368	183 304 61 368	183 304 61	182 304 4,045	91 152 4,362 17,691	- 481 2,579 8,005	482 3,155 1,627	- 481 2,920 917	160 2,283 6,217
TOTAL	150,486	4,984	21,100	39,884	23,832	929	694	611	854	916	548	4,531	22,296	11,065	5,264	4,318	8,660

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

10,

POPULATION RESIDING WITHIN VARIOUS DIRECTIONS OF PLANTS PRODUCING VINYLIDENE CHLORIDE*

PENNSYLVANIA

Philadelphia
Oscar Meyer & Co.

DISTANCE FROM PLANT								DIRECT	ION FROM	1 PLANT							
(in miles)	TOTAL	N	NNE	NE	ENE	E	ESE	SE	SSE	S	ssw	sw	wsw	w	WNW	NW	NNW
0 - ½ ½ - 1 1 - 3 3 - 5	0 2,125 264,361 360,636	711 60,430 46,020	1,045 14,716	- 12,314 28,727	6,366 22,692	16,758 25,969	9,179 18,221	2,932 11,784	5,346	211 176 15,162	211 2,040 8,264	281 2,040 2,754	176	3,129 6,660	7,427 35,103	66,780 63,179	711 68,223 61,385
TOTAL	627,122	107,161	15,761	41,041	29,058	42,727	27,400	14,716	5,346	15,549	10,515	5,075	176	9,789	42,530	129,959	130,319

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

TO

POPULATION RESIDING WITHIN VARIOUS DIRECTIONS OF PLANTS PRODUCING VINYLIDENE CHLORIDE*

SOUTH CAROLINA

Simpsonville Cryovac Division

DISTANCE FROM PLANT (in miles)								DIRECT	ION FROM	I PLANT							
	TOTAL	N	NNE	NE	ENE	E	ESE	SE	SSE	s	ssw	sw	wsw	w	WNW	NW	NNW
0 - 1/4 1/4 - 1 1 - 3 3 - 5	0 767 3,070 9,354	- 77 -	76	77 307 -	307 307	77 307 614	307 307	77 307	- - 307	77 307 307	307 614	76 307 614	76 307 307	77 - 1,885	- - - 2,514	1,885	77
TOTAL	13,191	77	76	384	614	998	614	384	307	691	921	997	690	1,962	2,514	1,885	77

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

∓0€

POPULATION RESIDING WITHIN VARIOUS DIRECTIONS OF PLANTS PRODUCING VINYLIDENE CHLORIDE*

TENNESSEE

Goodlettsville Oscar Meyer & Co.

DISTANCE FROM PLANT (in miles)								DIRECT	ION FROM	/ PLANT							
	TOTAL	N	NNE	NE	ENE	E	ESE	SE	SSE	s	ssw	sw	wsw	w	WNW	NW	NNW
0 – ½ ½ – 1	617 1,850		-			-	62 185	62 185	62 185	62 185	121 185	62 185	62 185	62 185	62 185	185	-
1 – 3 3 – 5	11,116 11,715	99 296	197 296	198 296	197 296	197 149	99 148	3,954 -	3,954 -	741 4,808	740 1,023	740 489	979	979	978	489	- 489
TOTAL	25,298	395	493	494	493	346	494	4,201	4,201	5,796	2,069	1,476	1,226	1,226	1,225	674	489

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

TENNESSEE

Kingsport Eastman Chemical Products, Inc

DISTANCE FROM PLANT (in miles)								DIRECT	ION FROM	M PLANT							
 	TOTAL	N	NNE	NE	ENE	E	ESE	SE	SSE	s	ssw	sw	wsw	w	WNW	NW	NNW
0 - ½ ½ - 1 1 - 3 3 - 5	665 2,660 20,922 36,220	44 174 1,370 2,373	41 165 1,301 2,251	22 86 679 1,175	18 73 572 991	15 60 468 810	11 45 351 609	7 27 209 362	34 136 1,071 1,854	25 102 799 1,384	22 88 690 1,195	11 42 330 572	8 32 248 429	15 59 468 810	104 419 3,291 5,698	140 560 4,404 7,624	148 592 4,671 8,083
TOTAL	60,467	3,961	3,758	1,962	1,654	1,353	1,016	605	3,095	2,310	1,995	955	717	1,352	9,512	12,728	13,494

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

TENNESSEE

Knoxville Rohm & Haas, Inc.

	DISTANCE FROM PLANT (in miles)								DIRECT	ION FROM	/ PLANT			_				
		TOTAL	N	NNE	NE	ENE	E	ESE	SE	SSE	s	SSW	sw	wsw	w	wnw	NW	NNW
108	0 - ½ ½ - 1 1 - 3 3 - 5	4,029 11,238 64,969 67,387	416 416 6,384 5,048	416 1,738 6,636 7,285	207 1,736 9,702 6,398	2,125 6,367 5,814	266 2,125 4,450 5,403	399 114 4,148 5,217	400 114 4,536 5,317	266 114 3,080 6	- - 784 7	124 186 1,859 6	124 280 4,093 4,612	124 279 4,291 2,478	124 484 1,083 2,610	331 398 928 5,250	416 713 2,798 5,562	
Ì	TOTAL	147,623	12,264	16,075	18,043	14,306	12,244	9,878	10,367	3,466	791	2,175	9,109	7,172	4,301	6,907	9,489	11,036

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

TEXAS

Iowa Park Cryovac Division

DISTANCE FROM PLANT (in miles)							11111	DIRECTI	ON FROM	1 PLANT							
	TOTAL	N	NNE	NE	ENE	E	ESE	SE	SSE	S	ssw	sw	wsw	w	WNW	NW	NNW
0 - ½ ½ - 1 1 - 3 3 - 5	1,159 1,159 3,644 166	116 17 17	116 17 17	116 16 16	232 116	348 116 1,043	347 116 1,392	232 116 1,043	116 - 16	- 115 - 17	- - 16 -	- 17 16	16	- 17 17	17 16	- 16 17	116 17 17
TOTAL	6,128	150	150	148	348	1,507	1,855	1,391	132	132	16	33	16	34	33	33	150

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

11

POPULATION RESIDING WITHIN VARIOUS DIRECTIONS OF PLANTS PRODUCING VINYLIDENE CHLORIDE*

TEXAS

Freeport

Dow Chemical Co.

DISTANCE FROM PLANT (in miles)							_	DIRECT	ION FROM	A PLANT							
	TOTAL	N	NNE	NE	ENE	E	ESE	SE	SSE	s	ssw	sw	wsw	w	WNW	NW	NNW
0 – ½ ½ – 1	24 24	2 2	2 2	3 2	2	3 2	. 2	2 2	. 2	3	•	2	-	2	•	3	. 3
1 — 3 3 — 5	96 11,935	19 -	19	19 -	-	•	•	-		1,476	- 1,476	2,216	1,476	- 738	911	19 2,731	20 911
TOTAL	12,079	23	23	24	4	5	2	4	2	1,482	1,476	2,218	1,476	740	911	2,755	934

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

LL

POPULATION RESIDING WITHIN VARIOUS DIRECTIONS OF PLANTS PRODUCING VINYLIDENE CHLORIDE*

TEXAS

Sherman Oscar Meyer & Co.

DISTANCE FROM PLANT (in miles)								DIRECT	ION FROM	M PLANT							
	TOTAL	N	NNE	NE	ENE	E	ESE	SE	SSE	s	ssw	sw	WSW	w	WNW	NW	NNW
0 - 1/4 1/4 - 1 1 - 3 3 - 5	5 14 3,059 18,779	1 - 1,213 7,094	1 4,355	1 2 - 3,437	. 1	1 .	1		- 2 6 -	1 8	- 1 8	2 6	1	1	2	- - 606 -	1 1,212 3,893
TOTAL	21,857	8,308	4,356	3,440	1	1	1	•	8	9	9	8	1	1	2	606	5,106

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

VIRGINIA

Fredericksburg FMC Corp.

DISTANCE FROM PLANT (in miles)								DIRECT	ION FROM	1 PLANT							
	TOTAL	N	NNE	NE	ENE	E	ESE	SE	SSE	s	ssw	sw	wsw	w	WNW	NW	NNW
0 - ½ ½ - 1 1 - 3 3 - 5	295 1,181 9,289 16,081	6 26 202 349	6 26 202 349	19 75 589 1,019	15 60 468 811	15 60 468 811	15 60 468 811		6 23 178 308	8 34 267 463	8 34 267 463	7 26 212 367	49 196 1,545 2,673	65 259 2,033 3,520	53 212 1,668 2,888	5 21 169 292	18 69 553 957
TOTAL	26,846	583	583	1,702	1,354	1,354	1,354	-	515	772	772	612	4,463	5,877	4,821	487	1,597

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

113

POPULATION RESIDING WITHIN VARIOUS DIRECTIONS OF PLANTS PRODUCING VINYLIDENE CHLORIDE*

VIRGINIA

Richmond DuPont Co.

	DISTANCE FROM PLANT (in miles)								DIRECT	ION FROM	M PLANT							
		TOTAL	N	NNE	NE	ENE	E	ESE	SE	SSE	s	ssw	sw	WSW	w	WNW	NW	NNW
, [[0 - ½ ½ - 1 1 - 3 3 - 5	856 1,998 14,371 11,553	86 200 717 4,281	86 200 359	85 200 - -	86 199 -	85 200 - -	86 200 - -	85 199 5,146	-		- - 743	2,230	2,229 -	- 2,230 -	85 200 -	86 200 - 3,449	86 200 717 3,823
	TOTAL	28,778	5,284	645	285	285	285	286	5,430	-	-	743	2,230	2,229	2,230	285	3,735	4,826

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

WISCONSIN

Madison Oscar Meyer & Co.

DISTANCE FROM PLANT (in miles)								DIRECT	ION FROM	A PLANT			-	_			
	TOTAL	N	NNE	NE	ENE	E	ESE	SE	SSE	s	ssw	sw	wsw	w	WNW	NW	NNW
0 - ½ ½ - 1 1 - 3 3 - 5	3,553 8,028 46,442 73,482	499 726 2,314 808	61 564 662	61 766 247	61 946 371	60 2,827 371	629 3,164 3,853	189 630 9,013 4,939	189 630 3,217 12,586	378 630 4,987 1,519	378 630 7,667 18,290	378 250 83 24,720	189 374 250 3,769	188 374 -	167 250 1,200	499 1,331 4,256 539	499 1,331 5,188 808
TOTAL	131,505	4,347	1,287	1,074	1,378	3,258	7,646	14,771	16,622	7,514	26,965	25,431	4,582	562	1,617	6,625	7,826

^{*}Population figures are based on 1970 SMSA Census Tract Reports. The location and number of plants producing or processing vinylidene chloride in August 1976.

Appendix IX. Population in Tracted Areas

				Distance from	m Plant(Miles)	
Town and State		Total	0-1/2	1/2-1	1-3	3-5
Vernon, CA		499,330	53	209	149,329	349,739
Pace, FL		4,949			2,121	2,828
Chicago, IL		502,206	17,937	39,348	132,512	312,409
Lemont, IL		38,761	647	647	13,514	23,953
Ringwood, IL		27,893		2,299	11,985	13,609
Cedar Rapids, IA		105,541	2,766	5,270	40,651	56,854
Davenport, IA		174,169	3,258	9,283	94,020	67,608
Tecumseh, KS		33,999	12	560	3,771	29,656
Lake Charles, LA		55,041	51	51	9,712	45,227
Odenton, MD		43,982	856	1,925	7,409	33,792
Avon Lake, OH		32,487	1,267	2,618	8,602	20,000
Circleville, OH		10,228	305	305	914	8,704
Cleveland, OH		442,931	4,054	15,004	207,033	216,840
Bristol, PA		138,993	2,624	8,018	49,351	79,000
Marcus Hook, PA		150,486	1,379	10,213	58,872	80,022
Philadelphia, PA		627,122		2,125	264,361	360,636
Simpsonville, SC		13,191		767	3,070	9,354
Goodlettsville, TN		25,298	617	1,850	11,116	11,715
Knoxville, TN		147,623	4,029	11,238	64,969	67,387
Freeport, TX		12,079	24	24	96	11,935
lowa Park, TX		6,128	1,159	1,159	3,644	166
Sherman, TX		21,857	5	14	3,059	18,779
Richmond, VA		28,778	856	1,998	14,371	11,553
Madison, WI		131,505	3,553	8,028	46,442	73,482
	TOTAL	3,274,577	45,452	122,953	1,200,924	1,905,248

Appendix X. Population in Untracted Areas

		(Distance from Plant(Miles)			
Town and State	<u>Total</u>	0-1/2	1/2-1	1-3	3-5
Decatur, AL	38,418	423	1,690	13,293	23,012
Cheswold, DE	23,647	260	1,040	8,182	14,165
Dalton, GA	11,654	128	513	4,032	6,981
Meredosia, IL	3,054	34	134	1,057	1,829
Covington, IN	4,445	49	196	1,538	2,662
Centerville, IA	8,283	91	364	2,866	4,962
Clinton, IA	33,644	370	1,480	11,641	20,153
Owensboro, KY	19,677	216	866	6,808	11,787
Plaquemine, LA	21,816	240	960	7,548	13,068
Midland, MI	40,347	444	1,775	13,960	24,168
Pisgah Forest, NC	6,520	72	287	2,256	3,905
Kingsport, TN	60,467	665	2,661	20,922	36,219
Fredericksburg, VA	26,846	295	1,181	9,289	16,081
TOTAL	298,818	3,287	13,147	103,392	178,992

Appendix XI. Population by State

Location	Population	Company
Alabama Decatur	38,418	Minnesota Mining & Manuf. Co. Monsanto Co.
California Vernon	499,330	Oscar Meyer & Co.
Delaware Cheswold	23,647	Reichhold Polymers, Inc.
Florida Pace	4,949	American Cyanimid Co.
Georgia Dalton	11,654	Dow Chemical Co.
Illinois Chicago Lemont Meredosia Ringwood	502,206 38,761 3,054 27,893	Oscar Meyer & Co. A.E. Staley Manuf. Co. National Starch & Chemical Corp. Morton Chemical Co.
Indiana Covington	4,445	Olin Corp.
Iowa Cedar Rapids Centerville Clinton Davenport	105,541 8,283 33,644 174,169	Cryovac Division Union Carbide Corp. DuPont Co. Oscar Meyer & Co.
Kansas Tecumseh	33,999	DuPont Co.
Kentucky Owensboro	19,677	Dewey & Almy Chemical Div.
Louisiana Lake Charles Plaquemine	55,041 21,816	PPG Industries, Inc. Dow Chemical Co.
Maryland Odenton	43,982	Amtech, Inc.
Michigan Midland	40,347	Dow Chemical Co.

North Carolina		
Pisgah Forest	6,520	Olin Corp.
Ohio		
Avon Lake	32,487	B.F. Goodrich Chemical Co.
Circleville	10,228	DuPont Co.
Cleveland	442,931	American Can Co.
Pennsylvania		
Brīstol	138,993	Rohm & Haas, Inc.
Marcus Hook	150,486	FMC Corp.
Philadelphia	627,122	Oscar Meyer & Co.
South Carolina		
Simpsonville	13,191	Cryovac Division
Tennessee		
Goodlettsville	25,298	Oscar Meyer & Co.
Kingsport	60,467	Eastman Chemical Products, Inc.
Knoxville	147,623	Rohm & Haas, Inc.
Texas		
Iowa Park	6,128	Cryovac Division
Freeport	12,079	Dow Chemical
Sherman	21,857	Oscar Meyer & Co.
Virginia		
Fredericksburg	26,846	FMC Corp.
Richmond	28,778	DuPont Co.
Wisconsin		
Madison	131,505	Oscar Meyer & Co.
TOTAL	3,573,395	

Appendix XII. Population by Company

Company	Population	Location
American Can Co.	442,931	Cleveland, OH
American Cyanimid Co.	4,949	Pace, FL
Amtech, Inc.	43,982	Odenton, MD
Cryovac Division	105,541 13,191 6,128	Cedar Rapids, IA Simpsonville, SC Iowa Park, TX
Dewey & Almy Chemical Di	v. 19,677	Owensboro, KY
Dow Chemical Co.	11,654 21,816 40,347 12,079	Dalton, GA Plaquemine, LA Midland, MI Freeport, TX
DuPont Co.	33,644 33,999 10,228 28,778	Clinton, IA Tecumseh, KS Circleville, OH Richmond, VA
Eastman Chemical Products, Inc.	60,467	Kingsport, TN
FMC Corp.	150,486 26,846	Marcus Hook, PA Fredericksburg, VA
B.F. Goodrich Chemical C	o. 32,487	Avon Lake, OH
Minnesota Mining and Manufacturing Co. Monsanto Co.	38,418	Decatur, AL Decatur, AL
Morton Chemical Co.	27,893	Ringwood, IL
National Starch and Chemical Corp.	3,054	Meredosia, IL
Olin Corp.	4,445 6,520	Covington, IN Pisgah Forest, NC

Oscar Meyer & Co.	499,330 502,206 174,169 627,122 25,298 21,857	Vernon, CA Chicago, IL Davenport, IA Philadelphia, PA Goodlettsville, TN Sherman, TX Madison, WI
PPG Industries, Inc.	55,041	Lake Charles, LA
Reichhold Ploymers, Inc.	23,647	Cheswold, DE
Rohm & Haas, Inc	138,993 147,623	Bristol, PA Knoxville, TN
A.E. Staley Manuf. Co.	38,761	Lemont, IL
Union Carbide Corp.	8,283	Centerville, IA
TOTAL	3,573,395	

Appendix XIII. Cumulative Population by Plant

Population	Percent	Cumulative Population	Cumulative Percent	Location
Topulation	recent	Topmation	Tercent	<u> </u>
627,122	17.5	627,122	17.5	Philadelphia, PA
502,206	14.0	1,129,328	31.5	Chicago, IL
499,330	14.0	1,628,658	45.5	Vernon, CA
442,931	12.4	2,071,589	57.9	Cleveland, OH
174,169	4.9	2,245,758	62.8	Davenport, IA
,		2,2 ,		
150,486	4.2	2,396,244	67.0	Marcus Hook, PA
147,623	4.1	2,543,867	71.1	Knoxville, TN
138,993	3.9	2,682,860	75.0	Bristol, TN
131,505	3.7	2,814,365	78.7	Madison, WI
105,541	3.0	2,919,906	81.7	Cedar Rapids, IA
60,467	1.7	2,980,373	83.4	Kingsport, TN
55,041	1.5	3,035,414	84.9	Lake Charles, LA
43,982	1.2	3,079,396	86.1	Odenton, MD
40,347	1.1	3,119,743	87.2	Mıdland, MI
38,761	1.1	3,158,504	88.3	Lemont, IL
38,418	1.1	3,196,922	89.4	Decatur, AL
33,999	1.0	3,230,921	90.4	Tecumseh, KS
33,644	.9	3,264,565	91.3	Clinton, IA
32,487	.9	3,297,052	92.2	Avon Lake, OH
28,778	.8	3,325,830	93.0	Richmond, VA
27,893	.8	3,353,723	93.8	Ringwood, IL
	.8 .8		93.6 94.6	Fredricksburg, VA
26,846	.o .7	3,380,569		
25,298		3,405,867	95.3	Goodlettsville, TN
23,647	.7	3,429,514	96.0	Cheswold, DE
21,857	.6	3,451,371	96.6	Sherman, TX
21,816	.6	3,473,187	97.2	Plaquemine, LA
19,677	.6	3,492,864	97.8	Owensboro, KY
13,191	.4	3,506,055	98.2	Simpsonville, SC
12,079	.3	3,518,134	98.5	Freeport, TX
11,654	.3	3,529,788	98.8	Dalton, GA
11,001		3,323,700	70.0	Durton, Ort
10,228	.3	3,540,016	99.1	Circleville, OH
8,283	.2	3,548,299	99.3	Centerville, IA
6,520	.2	3,554,819	99.5	Pisgah Forest, NC
6,128	.2	3,560,947	99.7	lowa Park, TX
4,949	.1	3,565,896	99.8	Pace, FL
4,445	.1	3,570,341	99.9	Covington, IN
3,054	.1	3,573,395	100.0	Meredosia, IL

TECHNICAL REPORT DATA (Please read Instructions on the reverse before completing)		
1. REPORT NO. 2. EPA 560/6/76-022		3. RECIPIENT'S ACCESSION NO.
4. TITLE AND SUBTITLE Epidemiology Studies Task IV Vinylidene (Chloride	5 REPORT DATE AUGUST 1976 6. PERFORMING ORGANIZATION CODE
7. AUTHOR(S) Emanuel Landau Nicholas E. Manos		8. PERFORMING ORGANIZATION REPORT NO.
B. PERFORMING ORGANIZATION NAME AND ADDRESS American Public Health Association 1015 Eighteenth St. N.W. Washington, D.C. 20036		19. PROGRAM ELEMENT NO. 11. CONTRACT/GRANT NO. 68-01-2490
Office of Toxic Subsus U.S. Environmental P. 401 M. St. S.W. Washington, D.C. 204	tances rotection Agency	13. TYPE OF REPORT AND PERIOD COVERED Final Report 14. SPONSORING AGENCY CODE

15. SUPPLEMENTARY NOTES

Estimation of population residing near plants producing or processing vinylidene chloride.

16. ABSTRACT

This report presents estimates of the population residing within five miles of plants currently producing or processing vinylidene chloride and the methodology used for estimation.

It is estimated that 3.6 million persons reside within five miles of the 38 plants that have been identified. These estimates are presented by age, sex, direction and distance from the plant for each of the 38 plants individually.

For the plants located in Standard Metropolitan Statistical Areas that have been divided into "census tracts", census tracts and the population was estimated from Bureau of the Census publications giving the 1970 population for census tracts. For plants located in untracted areas, the estimates were made using Bureau of the Census maps of county subdivisions and publications giving the 1970 population for county subdivisions.

7. KEY WORDS AND DOCUMENT ANALYSIS				
a. DESCRIPTORS	b.IDENTIFIERS/OPEN ENDED TERMS C. COSATI Field/Group			
Vinylidene Chloride Dichloroethylene 1,1 Dichloro-ethylene Population Exposure Census of Population	Census Tracts Toxic Substances Population Estimates			
18. DISTRIBUTION STATEMENT	19 SECURITY CLASS (This Report) Unclassified 20 SECURITY CLASS (This page) 21. NG. OF PAGES 121 22 PRICE			