

EFFECTS OF WEATHERING AND PHOTODECOMPOSITION ON PESTICIDES

Bibliography Number 71-12

Prepared by

Publications and Information Section
Technical Services Division
Office of Pesticides Programs
Environmental Protection Agency
4770 Buford Highway
Chamblee, Georgia 30341

September 23, 1971

Adair, H.M. et al.

Drift of methyl parathion aerially applied low volume and ultra low volume.

J. Econ. Entomol. 64(3):718-21, 1971.

[ABST.: HAPAB 4(9):491, (Abst. #71-1847), Sept. 1971]

Archer, T.F.

Ketone residues on almond hull meal exposed to ultraviolet light irradiation.

Bull. Environ. Contam. Toxicol. 5(3):247-50, 1970.

[ABST.: HAPAB 3:557, (Abst. #70-2132), 1970]

Barlow, F. and Hadaway, A.B.

Effect of changes in humidity on the toxicity and distribution of insecticides sorbed by some dried soils.

Nature 178(4545):1299-1300, 1956.

Barlow, F. and Hadaway, A.B.

Interactions between insecticides, cellulose and water, and their effects on insecticide toxicity and persistence.
SCI Monograph #29:3-17, 1968.

Barlow, F. and Hadaway, A.B.

Studies on aqueous suspensions of insecticides. Part VI.
Further notes on the sorption of insecticides by soils.
Bull. Entomol. Res. 49:315-31, 1958.

Barlow, F. and Hadaway, A.B.

Studies on aqueous suspensions of insecticides. Part V.
The sorption of insecticides by soils.
Bull. Entomol. Res. 46:547-9, 1955.

Benson, W.R.

Photolysis of solid and dissolved dieldrin.

J. Agr. Fd Chem. 19(1):66-72, 1971.

[ABST.: HAPAB 4(4):215, (Abst. #71-0781), Apr. 1970]

Bohn, W.R.
The disappearance of dimethoate from soil.
J. Econ. Entomol. 57(6):798-9, 1964.

Brown, V.K.H. and Richardson, A.
The acute and subacute toxicity of an ultra-violet
conversion product of dieldrin (UVCVD).
Unpublished report, Shell Res. Ltd., 1967.

Burt, P.E. et al.
The influence of volatility and water solubility of systemic
insecticides on their movement through soil and absorption
by plant roots.
Ann. Appl. Biol. 56:411-18, 1965.

Bush, B. and Robinson, J.
Residues of a photochemical conversion product of dieldrin
in edible oils and fats.
Tunstall Lab. Project #TC.5.2, 5 pp., 1965.

Bush, B. et al.
The physical and chemical properties of a photochemical
conversion product of dieldrin.
Tunstall Lab. Project #TG.1.1, 12 pp., 1965.

Casida, J.E. and Ahmed, M.K.
Mechanism of residue loss of Hercules AC-528 components
on plant foliage.
J. Econ. Entomol. 52:111-16, 1959.

Chang, T.P.
Why do some agricultural chemicals change during storage?
Nongye Jishu 11:24-6, 32, 1962.

Cook, J.W. and Pugh, N.D.
A quantitative study of cholinesterase-inhibition decomposition
products of parathion formed by ultraviolet light.
J.A.O.A.C. 40(1):277-81, 1957.

Cookson, R.C. and Crundwell, E.
Photochemical isomerization of isodrin.
Chem. Ind. No. 32:1004, Aug. 9, 1958.

Crosby, D.G.
Experimental approaches to pesticide photodecomposition.
Residue Reviews 25:1-12, 1969.

Crosby, D.G. and Leitis, E.
Photodecomposition of chlorobenzoic acids.
J. Agr. Fd Chem. 17(5):1033-5, 1969.
[ABST.: HAPAB 3:122, (Abst. #70-0391), 1970]

Crosby, D.G. and Leitis, E.
Photolysis of chlorophenylacetic acids.
J. Agr. Fd Chem. 17(5):1036-40, 1969.
[ABST.: HAPAB 3:122, (Abst. #70-0392), 1970]

Crosby, D.G. and Tang, C.S.
Photodecomposition of 3-(p-chlorophenyl)-1,1-dimethylurea
(monuron).
J. Agr. Fd Chem. 17(5):1041-4, 1969.
[ABST.: HAPAB 3:122, (Abst. #70-0393), 1970]

Crosby, D.G. and Tang, C.S.
Photodecomposition of 1-naphthaleneacetic acid.
J. Agr. Fd Chem. 17(6):1291-3, 1969.
[ABST.: HAPAB 3:292, (Abst. #70-0954), 1970]

Dahm, P.A.
Effects of weathering and commerical dehydration upon
residues of aldrin, chlordane, and toxaphene applied to alfalfa.
J. Econ. Entomol. 45(5):763-6, 1952.

Decker, G.C. et al.
The accumulation and dissipation of residues resulting
from the use of aldrin in soils.
J. Econ. Entomol. 58:266-71, 1965.

Frawley, J.P. et al.
Insecticide stability. Effect of light on chemical and
biological properties of parathion.
J. Agr. Fd Chem. 6(1):28-30, 1958.

Frost, K.R. and Ware, G.W.
Pesticide drift from aerial and ground applications.
Agr. Eng. 51(8):460-4, 1970.
[ABST.: HAPAB 4(8):431, (Abst. #71-1590), Aug. 1971]

Gerolt, P.
Investigation into the problem of insecticide sorption
by soils.
Bull. Wld Hlth Org. 24:577-92, 1961.

Gerolt, P.

Influence of relative humidity on the uptake of insecticides from residual films.
Nature 197:721, 1963.

Getzin, L.W.

Persistence of diazinon and zinophos in soil: Effects of autoclaving, temperature, moisture, and acidity.
J. Econ. Entomol. 61(6):1560-65, 1968.
[ABST.: HAPAB 2(3):73, (Abst. #69-0248), 1969]

Getzin, L.W. and Rosefield, I.

Organophosphorus insecticide degradation by heat-labile substances in soil.
J. Agr. Fd Chem. 16:598-601, 1968.

Guerrant, G.O. et al.

Pesticide residues in Hale County, Texas, before and after ultra-low volume aerial application of malathion.
Pest. Monitor. J. 4(1):14-20, 1970.
[ABST.: HAPAB 3:323, (Abst. #70-1048), 1970]

Hadaway, A.B. and Barlow, F.

The influence of temperature and humidity upon the action of insecticides. I. During the post-treatment period.
Ann. Trop. Med. Parasitol. 51(2):187-93, 1957.

Hadaway, A.B. and Barlow, F.

The influence of temperature and humidity upon the action of insecticides. II. Temperature during the pretreatment period.
Ann. Trop. Med. Parasitol. 51(2):194-200, 1957.

Hadaway, A.B. and Barlow, F.

The residual action of two organophosphorus compounds and a carbamate on dried muds.
Bull. Wld Hlth Org. 28:69-76, 1963.

Harris, C.R. and Lichtenstein, E.P.

Factors affecting the volatilization of insecticidal residues from soils.
J. Econ. Entomol. 54:1038-45, 1961.

Hartley, G.S.

Physico-chemical aspects of the availability of herbicides in soils.
In: Herbicides and the Soil, edited by L.K. Woodford, Blackwell Scientific Publ., Oxford, pp. 63-78, 1960.

Henderson, G.L. and Crosby, D.G.
Photodecomposition of dieldrin and aldrin.
J. Agr. Fd Chem. 15(5):888-93, 1967.
[ABST.: C.A. 67:99140p, 1967]

Hightower, B.G.
Bioassays of weathered residues of several organophosphorus insecticides.
J. Econ. Entomol. 52(5):840-2, 1959.

Hightower, B.G. and Martin, D.F.
Effects of certain climatic factors on the toxicities of several organic phosphorus insecticides.
J. Econ. Entomol. 51(5):669, 1958.

Hopkins, T.L.
Humidity effects on the persistence of malathion leaf surface residues.
J. Econ. Entomol. 60(4):1167-8, 1967.

Hoskins, W.M.
Mathematical treatment of the rate of loss of pesticide residues.
FAO Plant Protection Bull. 9(9):163-8, 1961.

Ivie, G.W. and Casida, J.E.
Enhancement of photoalteration of cyclodiene insecticide chemical residues by rotenone.
Science 167(3925):1620-2, 1970.
[ABST.: HAPAB 3:354, (Abst. #70-1191), 1970]

Ivie, G.W. and Casida, J.E.
Sensitized photodecomposition and photosensitizer activity of pesticide chemicals exposed to sunlight on silica gel chromatoplates.
J. Agr. Fd Chem. 19(3):405-9, 1971.
[ABST.: HAPAB 4(8):461, (Abst. #71-1711), 1971]

Ivie, G.W. and Casida, J.E.
Photosensitizers for the accelerated degradation of chlorinated cyclodienes and other insecticide chemicals exposed to sunlight on bean leaves.
J. Agr. Fd Chem. 19(3):410-6, 1971.
[ABST.: HAPAB 4(8):461, (Abst. #71-1712), 1971]

Jarboe, R.H.
Radio-labeled synthesis, purification, photodisintegration and biological fate studies of the agricultural chemicals 2,3,5-triiodobenzoic acid and 2-nitro-1,1-bis-p-chlorophenyl-propane.
Dissertation Abstr. Intern. 30(9):4073B-4B, 1970.
[ABST.: HAPAB 3:577, (Abst. #70-2210), 1970]

Jordan, L.S. et al.
Nonbiological detoxication of the s-triazine herbicides.
Residue Reviews 32:267-86, 1970.
[ABST.: HAPAB 4(5):295, (Abst. #71-1066), May 1971]

Kalkat, G.S. et al.
The effect of controlled temperature and humidity on
the residual life of certain insecticides.
J. Econ. Entomol. 54:1186-90, 1961.

Kearney, P.C.
"Decomposition of Pesticides"
McGraw-Hill Yearbook Sci. and Technol., 374-5, 1966.

Kearney, P.C. and Helling, C.S.
Reactions of pesticides in soils.
Residue Reviews 25:25-44, 1969.

Kuwahara, M. et al.
The photochemical reaction of pentachlorophenol. IV. Biological
activity of photodecomposition products and their derivatives.
Nippon Nogeikagaku Kaishi 44(4):169-74, 1970.
[ABST.: HAPAB 3:533, (Abst. #70-2015), 1970]

Lichtenstein, E.P.
Movement of insecticides in soils under leaching and
non-leaching conditions.
J. Econ. Entomol. 51:380-3, 1958.

Lichtenstein, E.P.
Persistence and behavior of pesticidal residues in soils.
Arch. Environ. Hlth 10:825-6, 1965.

Lichtenstein, E.P. and Schulz, K.R.
Persistence of some chlorinated hydrocarbon insecticides
as influenced by soil types, rate of application and temperature.
J. Econ. Entomol. 52:124-31, 1959.

Lichtenstein, E.P. and Schulz, K.R.
Effect of soil cultivation, soil surface and water on the
persistence of insecticidal residues in soils.
J. Econ. Entomol. 54:517-22, 1961.

Lichtenstein, E.P. and Schulz, K.R.
The effects of moisture and microorganisms on the persistence
and metabolism of some organophosphorus insecticides in
soils, with special emphasis on parathion.
J. Econ. Entomol. 57(5):618-27, 1964.

McGuire, R.R.

The photochemical reactions of heptachlor: Kinetics and mechanisms.

Dissertation Abstr. Intern. 31(3):1175B, 1970.

[ABST.: HAPAB 4(3):149, (Abst. #71-0544), Mar. 1971]

McGuire, R.R. et al.

Photochemistry of bioactive compounds. Photolysis of 1,4,5,6,7,8,8-heptachloro-3a-4,7,7a-tetrahydro-4,7-methanoindene (cage formation vs. photodechlorination).

J. Agr. Fd Chem. 18(2):319-21, 1970.

[ABST.: HAPAB 3:407, (Abst. #70-1426), 1970]

Malone, C.R. et al.

Insecticides-induced responses in an old field ecosystems.

Persistence of diazinon in the soil.

Bull. Environ. Contam. Toxicol. 2(2):83-9, 1967.

[ABST.: HAPAB 2:18, (Abst. #00617-67), 1967]

Matsuo, H. and Casida, J.E.

Photodegradation of two dinitrophenolic pesticide chemicals, dinobuton and dinoseb, applied to bean leaves.

Bull. Environ. Contam. Toxicol. 5(1):72-8, 1970.

[ABST.: HAPAB 3:517, (Abst. #70-1938), 1970]

Miller, L.L. and Narang, R.S.

Induced photolysis of DDT.

Science 169(3943):368-70, 1970.

[ABST.: HAPAB 3:483, (Abst. #70-1766), 1970]

Moubry, R.J. et al.

Dieldrin residue in an orchard-dairy area of Wisconsin.

Pest. Monitor. J. 2(1):51-4, 1968.

Munakata, K. and Kuwahara, M.

Photochemical degradation products of pentachlorophenol.

Residue Reviews 25:12-23, 1969.

Pape, B.E. and Zabik, M.J.

Photochemistry of bioactive compounds. Photochemistry of selected 2-chloro- and 2-methylthio-4,6-di-(alkylamino)-s-triazine herbicides.

J. Agr. Fd Chem. 18(2):202-7, 1970.

[ABST.: HAPAB 3:406, (Abst. #70-1424), 1970]

Pape, B.E. et al.

Photochemistry of bioactive compounds. Photodecomposition of 2-(1,3-dioxolane-2-yl)-phenyl-N-methyl carbamate.

J. Agr. Fd Chem. 18(3):490-3, 1970.

[ABST.: HAPAB 3:476, (Abst. #70-1741), 1970]

Payton, J.
Parathion and ultra-violet light.
Nature 171:355-6, 1953.

Plimmer, J.R. et al.
Photooxidation of DDT and DDE.
Science 167(3914):67-9, 1970.
[ABST.: HAPAB 3:250, (Abst. #70-0813), 1970]

Plimmer, J.R.
The photochemistry of halogenated herbicides.
Residue Reviews 33:47-74, 1970.
[ABST.: HAPAB 4(6):346, (Abst. #71-1272), June 1971]

Plimmer, J.R. et al.
Photochemical desulfurization of methylthio-s-triazines.
Tetrahedron Letters No. 44:3891-2, 1969.
[ABST.: HAPAB 3:483, (Abst. #70-1767), 1970]

Porter, L.K. and Beard, W.E.
Retention and volatilisation of lindane and DDT in the
presence of organic colloids isolated from soils and leonardite.
J. Agr. Fd Chem. 16(2):344-7, 1968.

Quinby, G.E.
Physiochemical changes in pesticides after formulation causing
health hazards.
Toxicol. Appl. Pharmacol. 10(2):390, 1967.

Robinson, J. et al.
A photoisomerisation product of dieldrin.
Bull. Environ. Contam. Toxicol. 1(4):127-32, 1966.

Roburn, J.
Effect of sunlight and ultraviolet radiation on chlorinated
pesticide residues.
Chem. Ind. No. 38:1555-6, 1963.

Rose, W.W. and Mercer, W.A.
Fate of insecticides in composted agricultural wastes.
Nat. Canners Assoc. Prog. Rep., Pt. 1, July 1968.

Rosen, J.D. and Siewierski, M.
Sensitized photolysis of heptachlor.
J. Agr. Fd Chem. 18(5):943, 1970.
[ABST.: HAPAB 3:530, (Abst. #70-2004), 1970]

Rosen, J.D. and Siewierski, M.
Synthesis and properties of 4-(3,4-dichloroanilino)-3,3'-
4'-trichloroazobenzene.
J. Agr. Fd Chem. 19(1):50-1, 1971.
[ABST.: HAPAB 4(4):214, (Abst. #71-0778), Apr. 1971]

Rosen, J.D. and Sutherland, D.J.
The nature and toxicity of the photoconversion products of
aldrin.
Unpublished manuscript.

Rosen, J.D. et al.
The photochemical isomerization of dieldrin and endrin
and effects on toxicity.
Bull. Environ. Contam. Toxicol. 1(4):133-40, 1966.

Rosen, J.D. et al.
FMN-sensitized photolyses of chloroanilines.
J. Agr. Fd Chem. 18(3):494-6, 1970.
[ABST.: HAPAB 3:476, (Abst. #70-1742), 1970]

Sandi, E.
Reduction of parathion induced by light.
Nature 181(4607):499, 1958.

Schaefer, C.H. and Dupras, E.
The effects of water quality, temperature, and light on the stability
of organophosphorus larvicides used for mosquito control.
Proc. Papers Ann. Conf. Calif. Mosquito Control Assoc. 37:67-75,
1969.
[ABST.: HAPAB 4(2):69, (Abst. #71-0259), Feb. 1971]

Society of Chemical Industry
Symposium on the physico-chemical and biophysical factors affecting
the activity of pesticides, 1967.
SCI Monograph #29, 1968.

Starr, R.I. and Johnsen, R.E.
Laboratory method for determining the rate of volatilization
of insecticides from plants.
J. Agr. Fd Chem. 16:411-14, 1968.

Thruston, A.D.
Preliminary studies on weathering of chlordane residues.
J.A.O.A.C. 48(5):952-4, 1965.

U.S. Department of Agriculture
Symposium--The nature and fate of chemicals applied to soils,
plants, and animals.
ARS 20-9, Sept. 1960.

Van der Zweep, W.

The persistence of some important herbicides in the soil.
In: *Herbicides and the Soil*, edited by L.K. Woodford,
Blackwell Scientific Publ., Oxford, pp. 79-88, 1960.

Willis, G.H. et al.

A system for monitoring atmospheric concentrations of
field-applied pesticides.
Pest. Monitor. J. 3(3):172-6, 1969.
[ABST.: HAPAB 3:182, (Abst. #70-0586), 1970]

Yates, W.E. et al.

Physical factors related to distribution patterns, and
drift hazards from aerial applications.
Proc. 3rd NE Aerial Appl. Conf., Mar. 8-9, pp. 46-80, 1967.

Zabik, M.J. et al.

Photochemistry of bioactive compounds. Studies of a
major photolytic product of endrin.
J. Agr. Fd Chem. 19(2):308-13, 1971.
[ABST.: HAPAB 4(6):339, (Abst. #71-1246), June 1971]