

**EPA-450/3-76-028a**

**October 1976**

**OPEN SPACE  
AS AN  
AIR RESOURCE  
MANAGEMENT MEASURE  
VOLUME I: SINK FACTORS**



**U.S. ENVIRONMENTAL PROTECTION AGENCY**

**Office of Air and Waste Management**

**Office of Air Quality Planning and Standards**

**Research Triangle Park, North Carolina 27711**

**EPA-450/3-76-028a**

**OPEN SPACE  
AS AN  
AIR RESOURCE  
MANAGEMENT MEASURE  
VOLUME I: SINK FACTORS**

**by**

**R.S. DeSanto, W.H. Smith, J.A. Miller,  
W.P. McMillen, and K.A. MacGregor**

**COMSIS Corporation  
972 New London Turnpike  
Glastonbury, Connecticut 06033**

**Contract No. 68-02-2350**

**EPA Project Officer: Thomas McCurdy**

**Prepared for**

**ENVIRONMENTAL PROTECTION AGENCY  
Office of Air and Waste Management  
Office of Air Quality Planning and Standards  
Research Triangle Park, North Carolina 27711**

**October 1976**

This report is issued by the Environmental Protection Agency to report technical data of interest to a limited number of readers. Copies are available free of charge to Federal employees, current contractors and grantees, and nonprofit organizations - in limited quantities - from the Library Services Office (MD35), Research Triangle Park, North Carolina 27711; or, for a fee, from the National Technical Information Service, 5285 Port Royal Road, Springfield, Virginia 22161.

This report was furnished to the Environmental Protection Agency by COMSIS Corporation, Glastonbury, Connecticut 06033, in fulfillment of Contract No. 68-02-2350. The contents of this report are reproduced herein as received from COMSIS Corporation. The opinions, findings, and conclusions expressed are those of the author and not necessarily those of the Environmental Protection Agency. Mention of company or product names is not to be considered as an endorsement by the Environmental Protection Agency.

Publication No. EPA-450/3-76-028a

ACKNOWLEDGEMENTS

We wish to thank Mr. Thomas McCurdy, the EPA project officer for this study, whose assistance and advice was most valuable and greatly appreciated.

In addition, we are happy to acknowledge the help of Dr. Leon S. Dochinger of the USDA Forest Service who made his extensive reprint files open to our use.

STAFFING

Dr. Robert DeSanto was project manager and principal investigator of this study at COMSIS CORPORATION - Environmental Services. Dr. William H. Smith of the Yale University School of Forestry and Environmental Studies participated by providing guidance in the collection and interpretation of data and preparation of the tables from which emission and sink rates were extracted. Dr. Joseph A. Miller, Head Librarian at the Yale University School of Forestry and Environmental Studies, executed all library services and guided the numerous processing operations required for document delivery. Mr. William P. McMillen and Mr. Kenneth A. MacGregor of COMSIS CORPORATION assisted in all aspects of this study providing engineering and planning overviews.

Much of the data collection was undertaken and coordinated by Mrs. Audrey Hoffer, who was assisted by Ms. Dana Pumphrey and Mr. John Ruckes, and others.

TABLE OF CONTENTS

<u>Chapter</u>	<u>Title</u>	<u>Page</u>
	LIST OF TABLES . . . . .	v
	ABBREVIATIONS AND SYMBOLS . . . . .	vii
I	INTRODUCTION, APPROACH AND SUMMARY OF RESULTS. . . . .	I-1
	A. Introduction and Organization of the report . . . . .	I-1
	B. Summary of the Results . . . . .	I-2
II	LITERATURE SEARCH STRATEGIES . . . . .	II-1
	A. Citation Sources . . . . .	II-1
	B. Document Delivery . . . . .	II-1
	C. The Used Literature . . . . .	II-2
III	SINK AND EMISSION FACTORS . . . . .	III-1
	Ammonia . . . . .	III-4
	Carbon Monoxide . . . . .	III-7
	Chlorine . . . . .	III-19
	Fluorine . . . . .	III-20
	Hydrocarbons . . . . .	III-22
	Nitrogen Oxides . . . . .	III-25
	Ozone . . . . .	III-27
	Peroxyacetyl Nitrate (PAN) . . . . .	III-31
	Particulates . . . . .	III-32
	Sulfur Dioxide . . . . .	III-34
IV	PLANT SPECIES SENSITIVITY LIST . . . . .	IV-1
V	BIBLIOGRAPHY . . . . .	V-1
	APPENDICES	
	A. Conversion Factors . . . . .	A-1
	B. Abstraction Guidelines . . . . .	B-1
	ADDENDUM - Water as a Sink/Source . . . . .	

LIST OF TABLES

<u>Table</u>	<u>Title</u>	<u>Page</u>
III-1	SINK AND EMISSION FACTORS FOR NATURAL ELEMENTS AMMONIA . . . . .	III-4
III-2	SINK AND EMISSION FACTORS FOR NATURAL ELEMENTS CARBON MONOXIDE . . . . .	III-7
III-3	SINK AND EMISSION FACTORS FOR NATURAL ELEMENTS CHLORINE . . . . .	III-19
III-4	SINK AND EMISSION FACTORS FOR NATURAL ELEMENTS FLUORINE . . . . .	III-20
III-5	SINK AND EMISSION FACTORS FOR NATURAL ELEMENTS HYDROCARBONS . . . . .	III-22
III-6	SINK AND EMISSION FACTORS FOR NATURAL ELEMENTS NITROGEN OXIDES . . . . .	III-25
III-7	SINK AND EMISSION FACTORS FOR NATURAL ELEMENTS OZONE . . . . .	III-27
III-8	SINK AND EMISSION FACTORS FOR NATURAL ELEMENTS PAN (Peroxyacetyl nitrate) . . . . .	III-31
III-9	SINK AND EMISSION FACTORS FOR NATURAL ELEMENTS PARTICULATES . . . . .	III-32
III-10	SINK AND EMISSION FACTORS FOR NATURAL ELEMENTS SULFUR DIOXIDE . . . . .	III-34
III-11	SUMMARY OF SINK AND EMISSION FACTORS FOR NATURAL ELEMENTS . . . . .	III-40

LIST OF TABLES (CONTINUED)

<u>Table</u>	<u>Title</u>	<u>Page</u>
	<u>COMMON NAME</u>	
IV- 1	PLANT SPECIES SENSITIVITY LISTS FLUORINE . . . . .	IV- 1
IV- 2	PLANT SPECIES SENSITIVITY LISTS GENERAL POLLUTION . . . . .	IV- 5
IV- 3	PLANT SPECIES SENSITIVITY LISTS HYDROGEN CHLORIDE . . . . .	IV- 12
IV- 4	PLANT SPECIES SENSITIVITY LISTS NITROGEN DIOXIDE . . . . .	IV- 14
IV- 5	PLANT SPECIES SENSITIVITY LISTS OZONE . . . . .	IV- 16
IV- 6	PLANT SPECIES SENSITIVITY LISTS PAN . . . . .	IV- 19
IV- 7	PLANT SPECIES SENSITIVITY LISTS PARTICULATES - SMOKE . . . . .	IV- 20
IV- 8	PLANT SPECIES SENSITIVITY LISTS SULFUR DIOXIDE . . . . .	IV- 21

## ABBREVIATIONS AND SYMBOLS

cm	= centimeter	µl	= microliter
	= 0.01 meter		= 0.000001 liters
	= $10^{-2}$ meter		= $10^{-6}$ liters
dm	= decimeter	m	= meter
	= 0.10 meter		
	= $10^{-1}$ meter	mg	= milligram
g	= gram		= 0.001 grams
			= $10^{-3}$ grams
ha	= hectare	mi	= mile
	= $100^2$ meters	min	= minute
hr	= hour	nl	= nanoliter
in	= inch		= 0.000000001 liters
			= $10^{-9}$ liters
kg	= kilogram	ppb	= parts per billion
	= 1000 grams	pphm	= parts per hundred million
	= $10^3$ grams	ppm	= parts per million
l	= liter	wk	= week
lbs	= pounds		
µg	= microgram		
	= 0.000001 grams		
	= $10^{-6}$ grams		

NOTE: Conversion tables are contained in Appendix A of this volume.

I. INTRODUCTION, APPROACH AND SUMMARY OF RESULTS

A. INTRODUCTION AND ORGANIZATION OF THE REPORT

The work undertaken in this project has resulted in the preparation of three separate volumes. Taken together, they cite and attempt to interpret all of the pertinent and accessible literature from the United States of America, and elsewhere, relating to the potential use of open space as a practical means to mitigate air pollution.

Volume I, this volume, is entitled Sink Factors, and presents the data collected from the manual and computerized literature searches which were conducted when the project was begun. Most of the information presented in the other volumes was derived from the data contained in Volume I. Therefore, much cross referencing is made. Volume I contains tables of sink and emission factors which were developed based on the collected data. It also contains tables of pollution sensitive and pollution resistant plant species also derived from the surveyed literature. Chapter V of this Volume contains the Bibliography of pertinent literature which was prepared for this project. The abstracts of this literature is available through the National Technical Information Service as "Open Space" as an Air Resource Management Measure - Volume I Sink Factors (Abstracts). We feel that the literature search is very comprehensive and, therefore, may be helpful to future searchers which may deal with interests peripheral to our specific study area.

Volume II is entitled Design Criteria and presents the essence of this study in the form of a workbook. It reviews the primary biological and design features which are crucial to the effective utilization of open space to mitigate air pollution. It presents generalized schemes for the design and location of buffer strips and other forms of open space and also illustrates air pollution mitigation by open space by identifying the mathematical procedures necessary in order to permit the incorporation of the appropriate sink factors into four generally used carbon monoxide diffusion models.

Volume III is entitled Demonstration Plan and applies our findings in a hypothetical manner to a test city, St. Louis, Missouri. This demonstration plan includes a cost/effectiveness analysis of the open space/AQMA plan inter-

digitation based on the best available data which we were able to secure. It provides the reader with a realistic application and evaluation of using open space as a practical part of the AQMA plan strategy.

#### B. SUMMARY OF THE RESULTS

Of approximately eight thousand references examined, about two thousand were used because they were directly or indirectly relevant to determining the sink and emission factors of those pollutants under study. Information was collected on: 1) Ammonia, 2) Carbon monoxide, 3) Chlorine, 4) Fluorine, 5) Hydrocarbons, 6) Nitrogen oxides, 7) Ozone, 8) Peroxyacetyl nitrate (PAN), 8) Particulates, and 9) Sulfur dioxide. Sink and emission factors are reported from the literature and, where possible, the average factor is calculated based on a subjective evaluation of the data.

As a result of this study, it is clear that there is very little data available which quantitatively evaluates the function of water bodies as a sink and/or source of air pollutants. Most of the data we reviewed dealt with soil and vegetation relative to sinks and emissions and therefore, the imbalance of data causes this report to make only very general statements concerning the importance of water as a factor in open space mitigation of air pollution. Future research should focus on this area for both qualitative and quantitative analyses.

## **II. LITERATURE SEARCH STRATEGIES**

### **A. CITATION SOURCES**

The initial guidelines which were used in the project for searching the technical literature are contained in Appendix B of this volume. Using these guidelines, the technical staff read and abstracted papers retrieved by manual or computerized literature searches, as outlined below. In those instances where an adequate abstract already existed, its contents were checked against our guidelines and the abstract was edited as needed for inclusion in our file. Approximately two thousand pertinent abstracts were collected in this manner within the first three months of this study. The balance of the project effort was directed at the document delivery of the most important, or apparently important, papers for further data extraction and interpretation.

### **B. DOCUMENT DELIVERY**

Simultaneously with the searching, those documents felt to be important for complete evaluations were sought. Often this meant going to libraries in search of the publication cited. In those cases, a photocopy of the paper was made and entered into our file which formed the basis for our final interpretations and data extraction.

The breakdown of secured documents includes approximately 80% as paper copies, 19% as microfiche copy and 1% as 35 mm microfilm. Of the untranslated foreign literature, we translated and evaluated pertinent sections of 136 papers, most of which were on microfiche. The national division of the selected papers was as follows:

63	German
49	Japanese
11	French
6	Russian
6	Eastern European
1	Scandinavian

In general, the foreign literature to which we had access was a poor source of information. This appears due to the unfortunate absence of good international communication which would disseminate the methodology of precise data recording from natural sinks and sources of air pollutants. Many of the papers examined neglected to describe experimental conditions and parameters such as the concentration of gases utilized in fumigation tests.

#### C. THE USED LITERATURE

The initial technical reviews of the selected literature resulted in constructing cross references to the various pertinent subjects in this study. They are listed here with reference to the indexing numbers which identify the specific references listed in Chapter V.

### III. SINK AND EMISSION FACTORS

After reviewing all of the pertinent references accumulated and digesting and evaluating the particularly useful publications, it must be concluded that the data available for designing, creating or justifying "natural areas" to act as sinks for air contaminants is very limited. In recent conversations with several researchers working in this area, we find rather general agreement that only limited information is available at this time.

Basically, the limitations are imposed by the following considerations (not necessarily in their order of importance):

- 1) There is considerable literature, much of it European, that suggests natural areas are effective "sinks" but fail to provide quantification of their observations, or data to specifically support their conclusions.
- 2) Much of the data that has been provided regarding plant uptake of pollutants has been concerned with species not traditionally employed in conventional industrial or roadside landscape designs. Some of the best plant information has been generated using agricultural species, such as alfalfa.
- 3) Plant studies examining particulate or gaseous uptake are usually done under controlled environmental conditions. This means that most data has stemmed from greenhouse or controlled growth chamber/room situations. Very few field studies have been reported. The reason for this situation is straight forward. Much evidence has been provided to show that plant uptake and response to air contaminants is extremely variable and particularly subject to alterations by the following:
  - a. temperature
  - b. light intensity and quality
  - c. humidity
  - d. wind velocity
  - e. age of tissue/organ
  - f. substrate (soil) conditions
  - g. health

Because of this multitude of variables, investigators have been forced to control as much variation as possible by utilizing environmentally controlled facilities.

It is clear that a plant's sink function in nature would be variable and complex as it would vary diurnally and seasonally. An accurate assessment of this variation, for any plant, is not available in the present literature.

- 4) Some evidence has been provided, some with woody plant species, that susceptibility to air contaminants is genetically controlled. This means that genetic considerations must be evaluated and generalizations cannot be made for entire species.
- 5) Investigations of pollutant uptake by plants and soils generally examines single contaminants. Much evidence recently provided suggests that the interactive nature of air contaminants is very important. Plant responses involving synergism, antagonism and simple add-on influence have been published.  
In the natural environment, plants may be exposed to numerous pollutants concurrently or within a relatively short period of time. This situation has not been adequately examined.
- 6) Most research has been done with small, frequently young individuals. Herbaceous species, including various agricultural species are particularly well suited for growth in cramped controlled environment facilities. Some work has been done with seedling woody plants. Research with sapling or mature woody species is almost non-existent. It is this latter kind of work, however, that would be most useful in landscape design efforts. Woody-plant physiological-research, for example, that dealing with photosynthesis or root metabolism, has indicated that there is considerable risk in extrapolating from the seedling to the mature situation.
- 7) Efforts to utilize literature data for extrapolation to field situations is frequently impossible because of the lack of simple, descriptive information concerning leaf biomass, leaf area indices, ground area coverage or similar information. For example, numerous papers record pollutant uptake on a per gram dry weight basis for some plant part. Unless you can

- provide the appropriate dry weight estimation for your field situations, the data cannot be extrapolated. Estimations provided on a ground area basis are most useful for planning, but frequently impossible to derive for published studies.
- 8) In numerous reports, including some of the most useful, e.g. some of the carbon monoxide-soil uptake studies, it is clear that only a limited number of samples were taken. Replication is not adequate or marginal for extrapolation of "general" values.
  - 9) Specific estimation of the importance to plants and soils as sources of air contaminants is deficient. Despite some excellent studies, for example, the release of hydrocarbons by trees, more must be done in this area so that accurate sink values can be presented.
  - 10) The information available on the ability of aquatic ecosystems to act as sources and sinks of air contaminants is particularly poor. (See ADDENDUM.)

Despite these ten limitations, some general guidelines for landscape design regarding natural resource-air pollutant removal can be provided. It must be realized by all, however, that these are very general estimations based on extremely limited information. Particularly useful data has been provided for soil uptake of carbon monoxide. Much of this data was generated under field conditions. A generalized range of soil uptake for this important pollutant would seem possible. In additional situations, similar ranges of plant uptake can be estimated.

The following tables present factors which are mainly based on the best data which we could retrieve in 1976. A utility factor of 1, 2, or 3 is associated with each datum given. If the research was undertaken to interpret field data and the methods were felt to be appropriate, we assigned a utility factor of 1 to the work. We feel that these results are most useful and applicable to our study. Less applicable results are assigned a utility factor of 2 and less useful or applicable data are assigned a utility factor of 3. When factors were converted to the metric system (SI), the original literature factor is given in parentheses immediately below the converted number.

In order to utilize the data more generally, a subjective evaluation of the tables was made by the project team and a summary table was developed. In general, that summary table is based on selective averaging of the sink and emission factors for each pollutant. It is meant as a first rough approximation of the broadest interpretation of the reviewed literature. This summary table is designated Table III-11 and is located on page III-40.

TABLE III-1  
SINK AND EMISSION FACTORS FOR NATURAL ELEMENTS

AMMONIA

<u>ecosystem element</u>	<u>removal rate</u>	<u>emission rate</u>	<u>ref</u>	<u>utility factor</u>
<u>VEGETATION</u>				
soybean	410 $\mu\text{g m}^{-2} \text{hr}^{-1}$ (4.1 $\mu\text{g dm}^{-2} \text{hr}^{-1}$ )		103	2
sunflower	490 $\mu\text{g m}^{-2} \text{hr}^{-1}$ (4.9 $\mu\text{g dm}^{-2} \text{hr}^{-1}$ )		103	2
corn	560 $\mu\text{g m}^{-2} \text{hr}^{-1}$ (5.6 $\mu\text{g dm}^{-2} \text{hr}^{-1}$ )		103	2
cotton	350 $\mu\text{g m}^{-2} \text{hr}^{-1}$ (3.5 $\mu\text{g dm}^{-2} \text{hr}^{-1}$ )		103	2

Comments: Absorption rates determined in vitro at 3 nitrogen fertility levels.

VEGETATION

Ammonia Nitrogen

corn	278.8 $\mu\text{g m}^{-2} \text{hr}^{-1}$ (0.669 $\mu\text{g cm}^{-2} \text{hr}^{-1}$ )	104	2
------	--	-----	---

Comments: The rate of uptake was variable with ambient  $\text{NH}_3$  levels and nitrogen fertilization. The maximum removal rate is presented here.

SOIL

Collington, New Jersey	12.42 $\mu\text{g 100 g}^{-1} \text{hr}^{-1}$ (1.18 mg $100\text{g}^{-1} 95^{-1} \text{hr}$ )	986	2
---------------------------	--	-----	---

Comments: Uptake varied with soil type and length of exposure. Maximum value is given.

AMMONIA

<u>ecosystem element</u>	<u>removal rate</u>	<u>emission rate</u>	<u>ref</u>	<u>utility factor</u>
<u>SOIL</u>				
Collington sandy loam	335.6 $\mu\text{g m}^{-2}\text{hr}^{-1}$ (32.6 g acre $^{-1}$ day $^{-1}$ )		973	2
Dutchess loam	570.4 $\mu\text{g m}^{-2}\text{hr}^{-1}$ (55.4 g acre $^{-1}$ day $^{-1}$ )		973	2
Lakewood sand	234.7 $\mu\text{g m}^{-2}\text{hr}^{-1}$ (22.8 g acre $^{-1}$ day $^{-1}$ )		973	2
Matapeake silt loam	940.0 $\mu\text{g m}^{-2}\text{hr}^{-1}$ (91.3 g acre $^{-1}$ day $^{-1}$ )		973	2
Dutchess shale loam	369.6 $\mu\text{g m}^{-2}\text{hr}^{-1}$ (35.9 g acre $^{-1}$ day $^{-1}$ )		973	2
Nixon loam	906.1 $\mu\text{g m}^{-2}\text{hr}^{-1}$ (88.0 g acre $^{-1}$ day $^{-1}$ )		973	2

Comments: Soil absorption of atmospheric NH<sub>3</sub> under field conditions .SOIL

Nebraska prairie sod	260.4 $\mu\text{g m}^{-2}\text{hr}^{-1}$ (1 kg ha $^{-1}$ 160 days $^{-1}$ )	280	3
----------------------	---	-----	---

Comments: Experiment designed to measure the influence of moisture and tillage on NH<sub>3</sub> volatilization. Rate was experimental maximum.SOIL

Under various vegetation types

pine	2030 $\mu\text{g m}^{-2}\text{hr}^{-1}$ (3.41 kg ha $^{-1}$ wk $^{-1}$ )	225	2
oak	1565 $\mu\text{g m}^{-2}\text{hr}^{-1}$ (2.63 kg ha $^{-1}$ wk $^{-1}$ )	225	2
sod	1095 $\mu\text{g m}^{-2}\text{hr}^{-1}$ (1.84 kg ha $^{-1}$ wk $^{-1}$ )	225	2

AMMONIA

ecosystem element	removal rate	emission rate	ref	utility factor
<u>SOIL</u>				

Ammonia Nitrogen

four flooded  
tropical soils

7.991-82.19  $\mu\text{g m}^{-2} \text{hr}^{-1}$  1946  
(0.7-7.2  $\text{kg ha}^{-1} \text{yr}^{-1}$ )

2

Comments: Laboratory study

SOILAmmonia Nitrogen

State of  
New Jersey

228.3-684.9  $\mu\text{g m}^{-2} \text{hr}^{-1}$   
(20 - 60  $\text{kg ha}^{-1} \text{yr}^{-1}$ )

1279

2

Comments: Results from controlled experiments. Rate conditioned by temperature and  $\text{NH}_3$  concentration.

VEGETATION, SOIL (Unspecified)Ammonia Nitrogen

plant leaves  
and soil

433.8-1290  $\mu\text{g m}^{-2} \text{hr}^{-1}$  225  
(38-113  $\text{kg ha}^{-1} \text{yr}^{-1}$ )

3

WATER

water surface

89.92-1667  $\mu\text{g m}^{-2} \text{hr}^{-1}$   
(0.15-2.8  $\text{kg ha}^{-1} \text{wk}^{-1}$ )

991

2

Comments: Range reflects field measurements taken at various distances from feedlots of various sizes. Lowest value represents a site with no feedlots or irrigated fields within 3 km and no large feedlots or cities within 15 km. Highest value is ~0.4 km west of 90,000 unit feedlot.

TABLE III-2  
SINK AND EMISSION FACTORS FOR NATURAL ELEMENTS

CARBON MONOXIDE

<u>ecosystem element</u>	<u>removal rate</u>	<u>emission rate</u>	<u>ref</u>	<u>utility factor</u>
<u>VEGETATION</u>				
algae	$292.2 \mu\text{g hr}^{-1}\text{gm}^{-1}$ ( $3.9 \text{ cu mm gm}^{-1} \text{ min}^{-1}$ )		1433	3
Comments: Assume fresh water algae dry wt basis. Experiment conducted at $26^\circ\text{C}$ and 1 atm.				
<u>VEGETATION</u>				
bush bean	$3.22 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $1.15 \mu\text{mole dm}^{-2} \text{ hr}^{-1}$ )		166	2
coleus	$0.70 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $0.25 \mu\text{mole}$ )		166	2
cabbage	$22.4 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $0.008 \mu\text{mole}$ )		166	2
grapefruit	$56.0 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $0.02 \mu\text{mole}$ )		166	2
phoenix palm	$98.0 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $0.035 \mu\text{mole}$ )		166	2
climbing fig	$56.0 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $0.02 \mu\text{mole dm}^{-2} \text{ hr}^{-1}$ )		166	2
cucumber	$84.0 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $0.03 \mu\text{mole dm}^{-2} \text{ hr}^{-1}$ )		166	2
Comments: Experiment based on <u>detached</u> exposed for periods of 5-15 min.				
<u>VEGETATION</u>				
sugar cane	$0.5-5 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $0.5-5 \text{ mg m}^{-2} \text{ hr}^{-1}$ )		209	3
Comments: Calculated using leaf area indices of 3 to 30, and a value of $0.17 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ for bean leaves. $(0.17 \text{ mg m}^{-2} \text{ hr}^{-1})$				

CARBON MONOXIDE

ecosystem element	removal rate	emission rate	ref	utility factor
<u>VEGETATION</u>				
(unspecified)	500-5,000 $\mu\text{g hr}^{-1} \text{m}^{-2}$ (12-120 $\text{kg km}^{-2} 24 \text{ hr}^{-1}$ )		166	2
Comments: Generalized fixation rate for vegetation of "intermediate" CO fixing capacity.				
<u>VEGETATION</u>				
(unspecified)	500-5,000 $\mu\text{g hr}^{-1} \text{m}^{-2}$ (12-120 $\text{kg km}^{-2} 24 \text{ hr}^{-1}$ )		746	3
Comments: Estimate based on a bean plant extrapolation. Ambient concentration 200-369 ppm CO.				
<u>SOIL</u>				
forest soil:				
Charlton Fine Sandy Loam	22 $\times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ (0.22 $\text{mg dm}^{-2} \text{ hr}^{-1}$ )		988; 76	2
Comments: This was maximum rate. Rate varied with moisture content and turbulence. Experiment conducted at ambient CO concentration of 28 ppm.				
<u>SOIL</u>				
forest/field soil				
(unspecified)	80 $\mu\text{g hr}^{-1} \text{m}^{-2}$ ( $8 \times 10^{-4} \text{ mg dm}^{-2} \text{ hr}^{-1}$ )		988	1
Comments: General estimate extrapolated from growth chamber data for ambient levels of CO averaging 40-65 ppm.				
<u>SOIL</u>				
potting soil	900 $\mu\text{g hr}^{-1} 2.8 \text{ kg}^{-1}$		10	3
Comments: Soil composed of 95% Sandy Loam & 5% Canadian peat moss.				
<u>SOIL</u>				
potting soil	8.44 $\times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $8.44 \text{ mg m}^{-2} \text{ hr}^{-1}$ )		82	2
Comments: Figure represents average sink capacity of soils tested.				

CARBON MONOXIDE

<u>ecosystem element</u>	<u>removal rate</u>	<u>emission rate</u>	<u>ref</u>	<u>utility factor</u>
<u>SOIL</u>				
total in temperate zone	191.1 metric tons sq mi <sup>-1</sup> yr <sup>-1</sup>		82	3
Comments: This represents a model estimate.				
<u>SOIL</u>				
along a 20-mile stretch of Bayshore Freeway (US 101)				
Embarcadero Road Interchange	$64.5 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ (64.5 mg hr <sup>-1</sup> m <sup>-2</sup> )		1275	2
San Antonio Road Interchange	$47.9 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ (47.9 mg hr <sup>-1</sup> m <sup>-2</sup> )		1275	2
Mathilda Avenue Interchange	$52.5 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ (52.5 mg hr <sup>-1</sup> m <sup>-2</sup> )		1275	2
W. Bayshore Rd. Interchange	$43.0 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ (43.0 mg hr <sup>-1</sup> m <sup>-2</sup> )		1275	2
Frontage Road Interchange	$63.4 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ (63.4 mg hr <sup>-1</sup> m <sup>-2</sup> )		1275	2
Dirt Road Interchange	$32.7 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ (32.7 mg hr <sup>-1</sup> m <sup>-2</sup> )		1275	2
San Tomas Expressway Interchange	$36.9 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ (36.9 mg hr <sup>-1</sup> m <sup>-2</sup> )		1275	2
Trimble Road Interchange	$17.8 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ (17.8 mg hr <sup>-1</sup> m <sup>-2</sup> )		1275	2
U.S. 85	$22.6 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ (22.6 mg hr <sup>-1</sup> m <sup>-2</sup> )		1275	2

CARBON MONOXIDE

<u>ecosystem element</u>	<u>removal rate</u>	<u>emission rate</u>	<u>ref</u>	<u>utility factor</u>
<u>SOIL</u>				
Mathilda Ave., Off Ramp	$16.2 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ (16.2 mg hr <sup>-1</sup> m <sup>-2</sup> )		1275	2
W. Bayshore Road	$23.1 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ (23.1 mg hr <sup>-1</sup> m <sup>-2</sup> )		1275	2
W. Bayshore Road	$15.0 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ (15.0 mg hr <sup>-1</sup> m <sup>-2</sup> )		1275	2
Comments: Under lab conditions these rates varied in the temperature range 71°F-95°F. They also vary with moisture and organic chemical treatment of the soil.				

SOIL

## selected sites throughout North America

Gila Bend, Ariz	$8.7 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ (8.7 mg hr <sup>-1</sup> m <sup>-2</sup> )	1275	1
El Paso, Texas	$9.6 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ (9.6 mg hr <sup>-1</sup> m <sup>-2</sup> )	1275	1
Chihuahua, Chi.	$24.6 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ (24.6 mg hr <sup>-1</sup> m <sup>-2</sup> )	1275	1
Durango, Dur.	$9.2 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ (9.2 mg hr <sup>-1</sup> m <sup>-2</sup> )	1275	1
Etla, Oax.	$24.1 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ (24.1 mg hr <sup>-1</sup> m <sup>-2</sup> )	1275	1
Santa Domingo, Oax.	$74.6 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ (74.6 mg hr <sup>-1</sup> m <sup>-2</sup> )	1275	1
Palenque, Chi.	$28.8 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ (28.8 mg hr <sup>-1</sup> m <sup>-2</sup> )	1275	1

CARBON MONOXIDE

ecosystem element	removal rate	emission rate	ref	utility factor
<u>SOIL</u>				
Palenque, Chi.	$14.0 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $14.0 \text{ mg hr}^{-1} \text{ m}^{-2}$ )		1275	1
Palenque, Chi.	$28.3 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $28.3 \text{ mg hr}^{-1} \text{ m}^{-2}$ )		1275	1
Champotoa, Camp.	$35.1 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $35.1 \text{ mg hr}^{-1} \text{ m}^{-2}$ )		1275	1
Nerida, Yuc.	$43.1 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $43.1 \text{ mg hr}^{-1} \text{ m}^{-2}$ )		1275	1
Minatitlan, V.C.	$58.0 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $58.0 \text{ mg hr}^{-1} \text{ m}^{-2}$ )		1275	1
Posa Rica, V.C.	$13.5 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $13.5 \text{ mg hr}^{-1} \text{ m}^{-2}$ )		1275	1
Tampico, V.C.	$83.5 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $83.5 \text{ mg hr}^{-1} \text{ m}^{-2}$ )		1275	1
Tampico, V.C.	$109.0 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $109.0 \text{ mg hr}^{-1} \text{ m}^{-2}$ )		1275	1
Monterrey, N.L.	$21.1 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $21.1 \text{ mg hr}^{-1} \text{ m}^{-2}$ )		1275	1
Fort Stockton, Tex.	$14.6 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $14.6 \text{ mg hr}^{-1} \text{ m}^{-2}$ )		1275	1
Winnemocca, Nev.	$7.5 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $7.5 \text{ mg hr}^{-1} \text{ m}^{-2}$ )		1275	1
Monticello, Utah	$15.6 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $15.6 \text{ mg hr}^{-1} \text{ m}^{-2}$ )		1275	1

CARBON MONOXIDE

ecosystem element	removal rate	emission rate	ref	utility factor
<u>SOIL</u>				
Douglas, Wyo.	$43.2 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ (43.2 mg hr <sup>-1</sup> m <sup>-2</sup> )		1275	1
Sabetha, Kansas	$30.4 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ (30.4 mg hr <sup>-1</sup> m <sup>-2</sup> )		1275	1
Columbia, Mo.	$38.2 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ (38.2 mg hr <sup>-1</sup> m <sup>-2</sup> )		1275	1
Athens, Ohio	$47.8 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ (47.8 mg hr <sup>-1</sup> m <sup>-2</sup> )		1275	1
Binghamton, N.Y.	$43.6 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ (43.6 mg hr <sup>-1</sup> m <sup>-2</sup> )		1275	1
Harrisburg, Pa.	$19.8 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ (19.8 mg hr <sup>-1</sup> m <sup>-2</sup> )		1275	1
Charlottesville, Va.	$20.6 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ (20.6 mg hr <sup>-1</sup> m <sup>-2</sup> )		1275	1
Columbus, Ga.	$13.6 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ (13.6 mg hr <sup>-1</sup> m <sup>-2</sup> )		1275	1
Shreveport, La.	$36.9 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ (36.9 mg hr <sup>-1</sup> m <sup>-2</sup> )		1275	1
Wichita Falls, Tex.	$41.3 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ (41.3 mg hr <sup>-1</sup> m <sup>-2</sup> )		1275	1
Albuquerque, N.M.	$15.4 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ (15.4 mg hr <sup>-1</sup> m <sup>-2</sup> )		1275	1
Donna Pass, Calif.	$17.6 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ (17.6 mg hr <sup>-1</sup> m <sup>-2</sup> )		1275	1

CARBON MONOXIDE

ecosystem element	removal rate	emission rate	ref	utility factor
<u>SOIL</u>				
Mt. Olive, Miss.	$15.2 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $15.2 \text{ mg hr}^{-1} \text{m}^{-2}$ )		1275	1
Stonelick, Pa.	$29.1 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $29.1 \text{ mg hr}^{-1} \text{m}^{-2}$ )		1275	1
Prairie View, Kans.	$24.3 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $24.3 \text{ mg hr}^{-1} \text{m}^{-2}$ )		1275	1
Egbert, Wyo.	$45.4 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $45.4 \text{ mg hr}^{-1} \text{m}^{-2}$ )		1275	1
Yellowstone Pk. Wyo.	$30.5 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $30.5 \text{ mg hr}^{-1} \text{m}^{-2}$ )		1275	1
Stockton, Calif.	$16.8 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $16.8 \text{ mg hr}^{-1} \text{m}^{-2}$ )		1275	1
Red Bluff, Calif.	$10.5 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $10.5 \text{ mg hr}^{-1} \text{m}^{-2}$ )		1275	1
Red Bluff, Calif.	$13.0 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $13.0 \text{ mg hr}^{-1} \text{m}^{-2}$ )		1275	1
Grants Pass, Oregon	$30.2 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $30.2 \text{ mg hr}^{-1} \text{m}^{-2}$ )		1275	1
Bellingham, Wash.	$51.8 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $51.8 \text{ mg hr}^{-1} \text{m}^{-2}$ )		1275	1
Bellingham, Wash.	$25.8 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $25.8 \text{ mg hr}^{-1} \text{m}^{-2}$ )		1275	1
Prince George, B.C.	$35.4 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $35.4 \text{ mg hr}^{-1} \text{m}^{-2}$ )		1275	1

CARBON MONOXIDE

<u>ecosystem element</u>	<u>removal rate</u>	<u>emission rate</u>	<u>ref</u>	<u>utility factor</u>
<u>SOIL</u>				
Prince George, B.C.	$26.0 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ (26.0 mg hr <sup>-1</sup> m <sup>-2</sup> )		1275	1
Watsons Lake, Yuk.	$28.0 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ (28.0 mg hr <sup>-1</sup> m <sup>-2</sup> )		1275	1
Haines Junction, Yuk.	$29.7 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ (29.7 mg hr <sup>-1</sup> m <sup>-2</sup> )		1275	1
Haines Junction, Yuk.	$22.0 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ (22.0 mg hr <sup>-1</sup> m <sup>-2</sup> )		1275	1
Haines Junction, Yuk.	$20.3 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ (20.3 mg hr <sup>-1</sup> m <sup>-2</sup> )		1275	1
Croward, Alb.	$30.6 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ (30.6 mg hr <sup>-1</sup> m <sup>-2</sup> )		1275	1
McMurray, Alb.	$44.6 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ (44.6 mg hr <sup>-1</sup> m <sup>-2</sup> )		1275	1
St. Walburg, Sask.	$32.0 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ (32.0 mg hr <sup>-1</sup> m <sup>-2</sup> )		1275	1
La Range, Sask.	$19.6 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ (19.6 mg hr <sup>-1</sup> m <sup>-2</sup> )		1275	1
La Range, Sask.	$20.6 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ (20.6 mg hr <sup>-1</sup> m <sup>-2</sup> )		1275	1
Hudson Bay, Man.	$17.3 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ (17.3 mg hr <sup>-1</sup> m <sup>-2</sup> )		1275	1
Moosejaw, Sask.	$39.2 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ (39.2 mg hr <sup>-1</sup> m <sup>-2</sup> )		1275	1

CARBON MONOXIDE

<u>ecosystem element</u>	<u>removal rate</u>	<u>emission rate</u>	<u>ref</u>	<u>utility factor</u>
<u>SOIL</u>				
Fort Benton, Mont.	$35.5 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $35.5 \text{ mg hr}^{-1} \text{m}^{-2}$ )		1275	1
Spokane, Wash.	$21.3 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $21.3 \text{ mg hr}^{-1} \text{m}^{-2}$ )		1275	1
Spokane, Wash.	$34.2 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $34.2 \text{ mg hr}^{-1} \text{m}^{-2}$ )		1275	1
Berns, Ore.	$12.8 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $12.8 \text{ mg hr}^{-1} \text{m}^{-2}$ )		1275	1
Prince Rupert, B.C.	$24.0 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $24.0 \text{ mg hr}^{-1} \text{m}^{-2}$ )		1275	1
Comments: Figures derived from soils under field conditions. Data on soil pH, soil moisture and air temperature are also available.				

SOIL

unspecified	$46 \mu\text{g hr}^{-1} \text{kg}^{-1}$	10	3
Comments: This rate was for an <u>autoclaved</u> soil sample, in light and at $40^\circ\text{C}$ .			

SOIL

unspecified			
El Paso	$5.52 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $5.52 \text{ mg hr}^{-1} \text{m}^{-2}$ )	1275	2
Chihuahua	$0.04 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $0.04 \text{ mg hr}^{-1} \text{m}^{-2}$ )	1275	2
Durango	$0.16 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $0.16 \text{ mg hr}^{-1} \text{m}^{-2}$ )	1275	2

CARBON MONOXIDE

<u>ecosystem element</u>	<u>removal rate</u>	<u>emission rate</u>	<u>ref</u>	<u>utility factor</u>
<u>SOIL</u>				
Daxaco (Etla)	$7.37 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $7.37 \text{ mg hr}^{-1} \text{m}^{-2}$ )		1275	2
Santa Domingo	$7.79 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $7.79 \text{ mg hr}^{-1} \text{m}^{-2}$ )		1275	2
Palenque (Tepa)	$4.29 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $4.29 \text{ mg hr}^{-1} \text{m}^{-2}$ )		1275	2
Palenque	$4.39 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $4.39 \text{ mg hr}^{-1} \text{m}^{-2}$ )		1275	2
Palenque	$15.36 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $15.36 \text{ mg hr}^{-1} \text{m}^{-2}$ )		1275	2
Champoton	$5.49 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $5.49 \text{ mg hr}^{-1} \text{m}^{-2}$ )		1275	2
Merida	$14.33 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $14.33 \text{ mg hr}^{-1} \text{m}^{-2}$ )		1275	2
Minatillan	$11.37 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $11.37 \text{ mg hr}^{-1} \text{m}^{-2}$ )		1275	2
Posa Rica	$9.02 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $9.02 \text{ mg hr}^{-1} \text{m}^{-2}$ )		1275	2
Tampico	$6.36 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $6.36 \text{ mg hr}^{-1} \text{m}^{-2}$ )		1275	2
Tampico	$1.13 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $1.13 \text{ mg hr}^{-1} \text{m}^{-2}$ )		1275	2
Monterrey	$7.99 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $7.99 \text{ mg hr}^{-1} \text{m}^{-2}$ )		1275	2

CARBON MONOXIDE

<u>ecosystem element</u>	<u>removal rate</u>	<u>emission rate</u>	<u>ref</u>	<u>utility factor</u>
<u>SOIL</u>				
Ft. Stockton	$1.60 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $1.60 \text{ mg hr}^{-1} \text{m}^{-2}$ )		1275	2
Ft. Stockton	$2.97 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $2.97 \text{ mg hr}^{-1} \text{m}^{-2}$ )		1275	2
Comments: The removal rates are temperature dependent. These figures, at $30^\circ\text{C}$ , are optimal. The experiment was conducted under lab conditions.				
<u>SOIL</u>				
unspecified - designated by location & vegetation type				
Eureka-Arcata, CA-coast redwoods	$16.99 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $16.99 \text{ mg hr}^{-1} \text{m}^{-2}$ )		10; 82	1
H. Cowell St. Pk., CA-oak	$15.92 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $15.92 \text{ mg hr}^{-1} \text{m}^{-2}$ )		10; 82	1
H. Cowell St. Pk., CA-coast redwoods	$14.39 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $14.39 \text{ mg hr}^{-1} \text{m}^{-2}$ )		10; 82	1
Lake Arrowhead, CA- Ponderosa Pine	$13.89 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $13.89 \text{ mg hr}^{-1} \text{m}^{-2}$ )		10; 82	1
Redding, CA-grass, legume pasture	$11.94 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $11.94 \text{ mg hr}^{-1} \text{m}^{-2}$ )		10; 82	1
Riverside, CA- grapefruit	$11.48 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $11.48 \text{ mg hr}^{-1} \text{m}^{-2}$ )		10; 82	1
Yosemite Valley, CA-grass meadow	$10.52 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $10.52 \text{ mg hr}^{-1} \text{m}^{-2}$ )		10; 82	1
Kauai, Hawaii - forest	$9.90 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $9.90 \text{ mg hr}^{-1} \text{m}^{-2}$ )		10; 82	1

CARBON MONOXIDE

ecosystem element	removal rate	emission rate	ref	utility factor
<u>SOIL</u>				
San Bernardino, CA-freeway, no vegetation	$6.89 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $6.89 \text{ mg hr}^{-1} \text{m}^{-2}$ )		10;82	1
Mojave Desert, CA-chaparral	$6.46 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $6.46 \text{ mg hr}^{-1} \text{m}^{-2}$ )		10;82	1
Woodland, CA-oak stubble	$6.23 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $6.23 \text{ mg hr}^{-1} \text{m}^{-2}$ )		10;82	1
Riverside, CA- chaparral	$4.31 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $4.31 \text{ mg hr}^{-1} \text{m}^{-2}$ )		10;82	1
Yosemite Wall, CA	$3.48 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $3.48 \text{ mg hr}^{-1} \text{m}^{-2}$ )		10;82	1
Corcoran, CA.-cotton (follow)	$3.48 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $3.48 \text{ mg hr}^{-1} \text{m}^{-2}$ )		10;82	1
Hanford, CA-almond	$2.82 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $2.82 \text{ mg hr}^{-1} \text{m}^{-2}$ )		10;82	1
Boynton Beach, FLA weeds (follow)	$2.65 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $2.65 \text{ mg hr}^{-1} \text{m}^{-2}$ )		10;82	1
Oahu, Hawaii	$2.16 \times 10^3 \mu\text{g hr}^{-1} \text{m}^{-2}$ ( $2.16 \text{ mg hr}^{-1} \text{m}^{-2}$ )		10;82	1
Comments: The pollutant removal mechanism was concluded to be biologic and aerobic. Soils with high organic matter and low pH were the most active.				

TABLE III-3  
SINK AND EMISSION FACTORS FOR NATURAL ELEMENTS

<u>CHLORINE</u>					<u>utility factor</u>
<u>ecosystem element</u>		<u>removal rate</u>	<u>emission rate</u>	<u>ref</u>	
<u>VEGETATION</u>					
alfalfa		2277.8 $\mu\text{g m}^{-2}\text{hr}^{-1}\text{pphm}^{-1}$ (12 $\mu\text{l m}^{-2} \text{min}^{-1}$ $\text{pphm}^{-1}$ )		523,88	2

TABLE III-4  
SINK AND EMISSION FACTORS FOR NATURAL ELEMENTS

<u>FLUORINE</u>					<u>utility factor</u>
<u>ecosystem element</u>	<u>removal rate</u>	<u>emission rate</u>	<u>ref</u>		
<u>VEGETATION</u>					
alfalfa	101.7 $\mu\text{g m}^{-2} \text{ hr}^{-1}$ pphm $^{-1}$ (22.5 $\mu\text{l m}^{-2} \text{ min}^{-1}$ pphm $^{-1}$ )		88,523		2
alfalfa	1896 $\mu\text{g m}^{-2} \text{ hr}^{-1}$ pphm $^{-1}$ (2.4 ppm $\text{hr}^{-1}$ pphm $^{-1}$ )		88		2
Comments: First figure represents ground area basis. Bottom figure is based on the rate of accumulation.					
<u>VEGETATION</u>					
alfalfa	$1.62 \times 10^6 \mu\text{g gm}^{-1} \text{ hr}^{-1}$ (39 mg gm $^{-1}$ day $^{-1}$ )		165		3
Comments: Experimental conditions involved 24 hr fumigation at 5.0 $\mu\text{g m}^{-3}$ . It is assumed rate is dry weight of alfalfa.					
<u>VEGETATION</u>					
clover (timothy and red)	$0.73 \times 10^3 \mu\text{g gm}^{-1} \text{ hr}^{-1}$ (17.5 mg gm $^{-1}$ day $^{-1}$ )		1533		3
Comments: It is assumed maximum value rate represents dry weight. Clover was continuously exposed to 2.3 $\mu\text{g Fm}^{-3}$ for 10 days.					

FLUORINE

<u>ecosystem element</u>	<u>removal rate</u>	<u>emission rate</u>	<u>ref</u>	<u>utility factor</u>
<u>VEGETATION</u>				
tomato	$2.00 \times 10^3 \text{ } \mu\text{g m}^{-3}\text{hr}^{-1}$ (60.85 ppm day <sup>-1</sup> )		136	2
tomato	$2.64 \times 10^3 \text{ } \mu\text{g m}^{-3}\text{hr}^{-1}$ (80.35 ppm day <sup>-1</sup> )		136	2
cotton	$1.25 \times 10^3 \text{ } \mu\text{g m}^{-3}\text{hr}^{-1}$ (38.07 ppm day <sup>-1</sup> )		136	2
cotton	$0.88 \times 10^3 \text{ } \mu\text{g m}^{-3}\text{hr}^{-1}$ (26.64 ppm day <sup>-1</sup> )		136	2
gladiolus	$0.132 \times 10^3 \text{ } \mu\text{g m}^{-3}\text{hr}^{-1}$ (4 ppm day <sup>-1</sup> )		136	2
gladiolus	$0.080 \times 10^3 \text{ } \mu\text{g m}^{-3}\text{hr}^{-1}$ (2.43 ppm day <sup>-1</sup> )		136	2
Comments: tomato removal at ambient conc. of $4 \text{ } \mu\text{g m}^{-3}\text{day}^{-1}$ for 14 days measured leaves				
tomato removal at ambient conc. of $7 \text{ } \mu\text{g m}^{-3}\text{day}^{-1}$ for 14 days measured leaves				
cotton removal at ambient conc. of $4 \text{ } \mu\text{g m}^{-3}\text{day}^{-1}$ for 14 days measured leaves				
cotton removal at ambient conc. of $5 \text{ } \mu\text{g m}^{-3}\text{day}^{-1}$ for 14 days measured leaves				
gladiolus removal at ambient conc. of $2 \text{ } \mu\text{g m}^{-3}\text{day}^{-1}$ for 9 days measured leaves				
gladiolus removal at ambient conc. of $2 \text{ } \mu\text{g m}^{-3}\text{day}^{-1}$ for 7 days measured leaves				

TABLE III-5  
SINK AND EMISSION FACTORS FOR NATURAL ELEMENTS

HYDROCARBONS

ecosystem element	removal rate	emission rate	ref	utility factor
<u>VEGETATION</u>				
		<u><math>\alpha</math> pinene</u>		
white pine		1.20 $\mu\text{g gm}^{-1}\text{hr}^{-1}$ (2.0 ppb $\text{gm}^{-1}\text{min}^{-1}$ )	95	2
ponderosa pine		0.72 $\mu\text{g gm}^{-1}\text{hr}^{-1}$ (1.2 ppb $\text{gm}^{-1}\text{min}^{-1}$ )	95	2
loblolly pine		2.1 $\mu\text{g gm}^{-1}\text{hr}^{-1}$ (3.5 ppb $\text{gm}^{-1}\text{min}^{-1}$ )	95	2
white fir		0.90 $\mu\text{g gm}^{-1}\text{hr}^{-1}$ (1.5 ppb $\text{gm}^{-1}\text{min}^{-1}$ )	95	2
<u>isoprene</u>				
oak		2232 $\mu\text{g m}^{-2}\text{hr}^{-1}$ (2.4 ppb $\text{in}^{-2}\text{min}^{-1}$ )	95	2
sweet-gum		1302 $\mu\text{g m}^{-2}\text{hr}^{-1}$ (1.4 ppb $\text{in}^{-2}\text{min}^{-1}$ )	95	2
eucalyptus		771.9 $\mu\text{g m}^{-2}\text{hr}^{-1}$ (.83 ppb $\text{in}^{-2}\text{min}^{-1}$ )	95	2
cottonwood		1116 $\mu\text{g m}^{-2}\text{hr}^{-1}$ (1.2 ppb $\text{in}^{-2}\text{min}^{-1}$ )	95	2
Comments:	Emission is dependent on rate of transpiration, structural integrity of the oil cells, resin glands, temperature of the foliage and intensity of light. Leaf dry wt and leaf area basis. Pollutants collected under growth chamber conditions: $\alpha$ pinene at 30-32°C, isoprene at 28°C. Emission rates are on a leaf dry wt and leaf area basis.			

HYDROCARBONS

ecosystem element	removal rate	emission rate	ref	utility factor
<u>VEGETATION</u>				
global	$1035.6 \times 10^{12} \mu\text{g hr}^{-1}$ (100 million tons year $^{-1}$ )		272	3
Comments: Emission of olefin-like substances, model estimate.				
<u>VEGETATION</u>				
coniferous forest	$5,178 \times 10^{12} \mu\text{g hr}^{-1}$ ( $50 \times 10^6$ tons yr $^{-1}$ )		293	3
hardwood forest) cultivated land) total steppes )	$5,178 \times 10^{12} \mu\text{g hr}^{-1}$ ( $50 \times 10^6$ tons yr $^{-1}$ )		293	3
microbial decomposition of organic matter	$7,249 \times 10^{12} \mu\text{g hr}^{-1}$ ( $70 \times 10^6$ tons yr $^{-1}$ )		293	3
Comments: Model estimates for terpene-like compounds.				
<u>VEGETATION</u>				
monterey pine	<u>Ethylene</u> $3,129 \times 10^{-3} \mu\text{g gm}^{-1} \text{hr}^{-1}$ ( $2.5 \times 10^{-9} \text{ l g}^{-1} \text{ wood hr}^{-1}$ )		80	2
Comments: Rate is for stem wood of dominant pines. Calculated on a dry wood basis.				
<u>VEGETATION</u>				
unspecified	<u>Ethylene</u> $0,6257 \times 10^{-3} \mu\text{g gm}^{-1} \text{hr}^{-1}$ ( $.5 \text{ nl gm}^{-1} \text{ hr}^{-1}$ )		79	3
Comments: Gross estimate based on tissue fresh weight.				
<u>VEGETATION</u>				
forests- unspecified	$1 \text{ ton C}^{-1} \text{ yr}^{-1}$		1127	3
Comments: Model estimate .				

HYDROCARBONS

ecosystem element	removal rate	emission rate	ref	utility factor
<u>VEGETATION</u>				
unspecified		$20,712 \times 10^{12} \text{ } \mu\text{g hr}^{-1}$	1594	3
		$(200 \times 10^6 \text{ ton yr}^{-1})$		
Comments: Terpene emission based on a model.				
<u>SOIL</u>				
microorganisms-				
unspecified		$724.9 \times 10^{12} \text{ } \mu\text{g hr}^{-1}$	370	3
		$(7 \times 10^6 \text{ tons yr}^{-1})$		
Comments: Model estimate of ethylene uptake for entire U.S.				

TABLE III-6  
SINK AND EMISSION FACTORS FOR NATURAL ELEMENTS

NITROGEN OXIDES

ecosystem element	removal rate	emission rate	ref	utility factor
<u>VEGETATION</u>				
alfalfa	$169.20 \times 10^5 \mu\text{g m}^{-2}\text{hr}^{-1}$ ( $150 \mu\text{l NO}_2 \text{ m}^{-2} \text{ min}^{-1}$ )		55	2
oats	$174.84 \times 10^5 \mu\text{g m}^{-2}\text{hr}^{-1}$ ( $155 \mu\text{l NO}_2 \text{ m}^{-2} \text{ min}^{-1}$ )		55	2
Comments: These uptake rates were calculated with 24 ppmm NO <sub>2</sub> in the atmosphere. Uptake rates declined or remained stable as a function of time. They also varied according to the ambient concentration of NO <sub>2</sub> and intensity of light.				
<u>VEGETATION</u>				
alfalfa	$4.43 \times 10^4 \mu\text{g m}^{-2}\text{hr}^{-1}$ ( $.6 \mu\text{l NO m}^{-2} \text{ min}^{-1}$ )		88	2
<u>VEGETATION</u>				
alfalfa	$7.31 \times 10^6 \mu\text{g m}^{-2}\text{hr}^{-1}\text{pphm}^{-1}$ ( $12 \mu\text{l NO}_2 \text{ m}^{-2}\text{min}^{-1}\text{pphm}^{-1}$ )		523	2
<u>VEGETATION</u>				
alfalfa	$3.63 \times 10^3 \mu\text{g m}^{-2}\text{hr}^{-1}$ ( $1/4 \text{ ton sq mile}^{-1}\text{day}^{-1}$ )		1413	3
Comments: Model estimates for air similar to Los Angeles at 6 ppmm.				
<u>VEGETATION</u>				
alfalfa	$4.08 \times 10^3 \mu\text{g m}^{-2}\text{hr}^{-1}$ ( $2.04 \times 10^5 \text{ lbs sq mi}^{-1}\text{yr}^{-1}$ )		86	3
Comments: Estimated from a model.				

NITROGEN OXIDES

ecosystem element	removal rate	emission rate	ref	utility factor
<u>VEGETATION</u>				
unspecified	$742 \mu\text{g m}^{-2}\text{hr}^{-1}$ ( $72 \text{ gm NO}_2 \text{ acre}^{-1} \text{ day}^{-1}$ )		200	2
Comments: This rate was determined at 2 pphm $\text{NO}_2$ concentration. It varied with different ambient $\text{NO}_2$ concentrations.				
<u>VEGETATION</u>				
unspecified	$4.09 \times 10^3 \mu\text{g m}^{-2}\text{hr}^{-1}$ ( $560 \text{ lbs NO}_2 \text{ mi}^{-2} \text{ day}^{-1}$ )		120	2
Comments: Rates determined at 6 pphm ambient $\text{NO}_2$ levels.				
<u>VEGETATION</u>				
unspecified	$742 \mu\text{g m}^{-2}\text{hr}^{-1}$ ( $72 \text{ gm acre}^{-1} \text{ day}^{-1}$ )		55;64	3
Comments: The removal rate is a model estimate calculated at an average 24 hr concentration of 2 pphm.				
<u>SOIL</u>				
sod-podzolic	$2.02 \times 10^2 \mu\text{g m}^{-2}\text{hr}^{-1}$ ( $2.02 \text{ NO}_2 \text{ g ha}^{-1}\text{hr}^{-1}$ )		974	2
Comments: This was the maximum rate recorded. Emission rates varied with experimental manipulation and fertilizer treatments.				
<u>SOIL</u>				
total in U.S.	$103.6 \times 10^6 \mu\text{g hr}^{-1}$ ( $6 \times 10^{10} \text{ tons year}^{-1}$ )		370	3
Comments: Estimated from a model.				
<u>SOIL</u>				
unspecified	$2.00 \times 10^2 \mu\text{g m}^{-2}\text{hr}^{-1}$ ( $2 \text{ g NO}_2 \text{ ha}^{-1}\text{hr}^{-1}$ )		56	2
Comments: The emission rate is dependent on soil nitrate and is zero during darkness. Nitrogen dioxide evolves from the soil as an eventual decomposition product of nitrate.				

TABLE III-7  
SINK AND EMISSION FACTORS FOR NATURAL ELEMENTS

<u>OZONE</u>					<u>utility factor</u>
<u>ecosystem element</u>	<u>removal rate</u>	<u>emission rate</u>	<u>ref</u>		
<u>VEGETATION</u>					
alfalfa	$2.80 \times 10^3 \mu\text{g hr}^{-1}\text{m}^{-2}\text{pphm}^{-1}$ ( $10 \mu\text{l m}^{-2}\text{min}^{-1}\text{pphm}^{-1}$ )		88		2
Comments: Ozone removal may deviate from linearity above 10 pphm. The uptake varied with velocity and $\text{O}_3$ concentration.					
<u>VEGETATION</u>					
alfalfa	$65.8 \times 10^4 \mu\text{g hr}^{-1}\text{m}^{-2}$ ( $900 \text{ lbs sq mile}^{-1} \text{ day}^{-1}$ )		64		2
snow white (South African shrub, scarcely cultivated)	$55.6 \times 10^4 \mu\text{g hr}^{-1}\text{m}^{-2}$ ( $760 \text{ lbs sq mile}^{-1} \text{ day}^{-1}$ )		64		2
<u>VEGETATION</u>					
forest	$1 \times 10^4 \mu\text{g hr}^{-1}\text{m}^{-2}$ of land ( $1 \mu\text{g cm}^{-2}$ (of land) $\text{hr}^{-1}$ )		1127		2
	$5 \times 10^4 \mu\text{g 8 hr}^{-1}\text{m}^{-2}$ of land ( $5 \mu\text{g cm}^{-2}$ (of land) $8 \text{ hr}^{-1}$ )				
Comments: Estimates of depletion of an ozone containing air over a hypothetical forest.					
<u>VEGETATION</u>					
tree - unspecified	$8.54 \times 10^4 \mu\text{g hr}^{-1} \text{ tree}^{-1}$ ( $0.0045 \text{ lbs tree}^{-1} 24 \text{ hr}^{-1}$ )		398		3
Comments: The following assumptions were made - leaf area of $4 \times 10^6 \text{ cm}^2$ (4300 sq. ft.), average $\text{O}_3$ concentration of 0.17 ppm per 8 hr day, $\text{O}_3$ diffusion resistance of $0.33 \text{ min cm}^{-1}$ .					

OZONE

<u>ecosystem element</u>	<u>removal rate</u>	<u>emission rate</u>	<u>ref</u>	<u>utility factor</u>
<b>VEGETATION</b>				
forest trees				
white oak	$63.5 \times 10^3 \text{ } \mu\text{g hr}^{-1}\text{m}^{-2}$ (0.635 mg dm <sup>-2</sup> hr <sup>-1</sup> )		379	2
	$131.8 \times 10^3 \text{ } \mu\text{g hr}^{-1}\text{g}^{-1}$ (1.318 mg g <sup>-1</sup> hr <sup>-1</sup> )		379	2
white birch	$53.6 \times 10^3 \text{ } \mu\text{g hr}^{-1}\text{m}^{-2}$ (0.536 mg dm <sup>-2</sup> hr <sup>-1</sup> )		379	2
	$234.7 \times 10^3 \text{ } \mu\text{g hr}^{-1}\text{g}^{-1}$ (2.347 mg g <sup>-1</sup> hr <sup>-1</sup> )		379	2
coliseum maple	$50.2 \times 10^3 \text{ } \mu\text{g hr}^{-1}\text{m}^{-2}$ (0.502 mg dm <sup>-2</sup> hr <sup>-1</sup> )		379	2
	$99.1 \times 10^3 \text{ } \mu\text{g hr}^{-1}\text{g}^{-1}$ (0.991 mg g <sup>-1</sup> hr <sup>-1</sup> )		379	2
sugar maple	$37.1 \times 10^3 \text{ } \mu\text{g hr}^{-1}\text{m}^{-2}$ (0.371 mg dm <sup>-2</sup> hr <sup>-1</sup> )		379	2
	$86.3 \times 10^3 \text{ } \mu\text{g hr}^{-1}\text{g}^{-1}$ (0.863 mg g <sup>-1</sup> hr <sup>-1</sup> )		379	2
Ohio buckeye	$36.2 \times 10^3 \text{ } \mu\text{g hr}^{-1}\text{m}^{-2}$ (0.362 mg dm <sup>-2</sup> hr <sup>-1</sup> )		379	2
	$92.7 \times 10^3 \text{ } \mu\text{g hr}^{-1}\text{g}^{-1}$ (0.927 mg g <sup>-1</sup> hr <sup>-1</sup> )		379	2
redvein maple	$28.5 \times 10^3 \text{ } \mu\text{g hr}^{-1}\text{m}^{-2}$ (0.285 mg dm <sup>-2</sup> hr <sup>-1</sup> )		379	2
	$91.1 \times 10^3 \text{ } \mu\text{g hr}^{-1}\text{g}^{-1}$ (0.911 mg g <sup>-1</sup> hr <sup>-1</sup> )		379	2

OZONE

<u>ecosystem element</u>	<u>removal rate</u>	<u>emission rate</u>	<u>ref</u>	<u>utility factor</u>
VEGETATION				
forest trees (Con't)				
sweetgum	$27.8 \times 10^3 \text{ } \mu\text{g hr}^{-1}\text{m}^{-2}$ (0.278 mg dm <sup>-2</sup> hr <sup>-1</sup> )		379	2
	$85.4 \times 10^3 \text{ } \mu\text{g hr}^{-1}\text{g}^{-1}$ (0.854 mg g <sup>-1</sup> hr <sup>-1</sup> )		379	2
red maple	$27.2 \times 10^3 \text{ } \mu\text{g hr}^{-1}\text{m}^{-2}$ (0.272 mg dm <sup>-2</sup> hr <sup>-1</sup> )		379	2
	$55.5 \times 10^3 \text{ } \mu\text{g hr}^{-1}\text{g}^{-1}$ (0.555 mg g <sup>-1</sup> hr <sup>-1</sup> )		379	2
white ash	$23.9 \times 10^3 \text{ } \mu\text{g hr}^{-1}\text{m}^{-2}$ (0.239 mg dm <sup>-2</sup> hr <sup>-1</sup> )		379	2
	$56.2 \times 10^3 \text{ } \mu\text{g hr}^{-1}\text{g}^{-1}$ (0.562 mg g <sup>-1</sup> hr <sup>-1</sup> )		379	2
Comments: All work was done with seedlings at ambient O <sub>3</sub> concentrations of 9.20 ppm. Area basis results are expressed as foliar surface (plane at top of canopy), as g <sup>-1</sup> , assumed to be a leaf dry weight basis.				

SOIL

uncropped- Connecticut	$31.7-49.0 \times 10^8 \text{ } \mu\text{g hr}^{-1}\text{m}^{-2}$ ( $11-17 \times 10^{11}$ molecules cm <sup>-2</sup> sec <sup>-1</sup> )		740	2
corn (on same soil, addi- tional removal over soil removal)	$0-66.2 \times 10^8 \text{ } \mu\text{g hr}^{-1}\text{m}^{-2}$ ( $0-23 \times 10^{11}$ molecules cm <sup>-2</sup> sec <sup>-1</sup> )		740	2
Comments: Results of field data.				

OZONE

ecosystem element	removal rate	emission rate	ref	utility factor
<u>SOIL</u>				
Connecticut	$86.4-345.6 \times 10^7 \text{ } \mu\text{g hr}^{-1}\text{m}^{-2}$		81	1
Cheshire fine sand loam	$(3-12 \times 10^{11} \text{molecules cm}^{-2}\text{sec}^{-1})$ $(1 \times 10^{11} \text{molecules cm}^{-3} = 4 \text{ ppb} = 8 \text{ } \mu\text{g m}^{-3})$			
Comments: Data obtained from field measurements. Uptake dependent on ventilation and generation of O <sub>3</sub> near the soil.				
Another rate referenced in this paper was given for an ozone concentration of $10 \times 10^{11} \text{molecules cm}^{-3}$ .				
sand or dry grass (in New Mexico)	$72.0 \times 10^7 \text{ } \mu\text{g hr}^{-1}\text{m}^{-2}$ $(2.5 \times 10^{11} \text{molecules cm}^{-2}\text{sec}^{-1})$			

TABLE III-8  
SINK AND EMISSION FACTORS FOR NATURAL ELEMENTS

PAN (Peroxyacetyl nitrate)

<u>ecosystem element</u>	<u>removal rate</u>	<u>emission rate</u>	<u>ref</u>	<u>utility factor</u>
<u>VEGETATION</u>				
alfalfa	1199 $\mu\text{g m}^{-2}\text{hr}^{-1}\text{pphm}^{-1}$ ( $3.7 \mu\text{l m}^{-2}\text{min}^{-1}\text{pphm}^{-1}$ )		523, 88	2
Comments: Determined under growth chamber conditions with varying ambient concentration of PAN. Uptake rate was constant between 5 and 10 pphm.				

TABLE III-9  
SINK AND EMISSION FACTORS FOR NATURAL ELEMENTS

<u>PARTICULATES</u>					<u>utility factor</u>
<u>ecosystem element</u>	<u>removal rate</u>	<u>emission rate</u>	<u>ref</u>		
<u>VEGETATION</u>					
bean	1.53 $\mu\text{g m}^{-2}\text{hr}^{-1}$ (.55 $\mu\text{g cm}^{-2}\text{sec}^{-1}$ )		1977		2
Comments: Rate reflects deposition rate of unspecified aerosols on bean leaves. Rate varied with duration of exposure.					
<u>VEGETATION</u>					
bean	0.56-1.70 $\mu\text{g m}^{-2}\text{hr}^{-1}$ (.200-.613 $\mu\text{g cm}^{-2}\text{sec}^{-1}$ )		1091		3
Comments: These unspecified aerosol particles varied in size from 0.443 - 1.999 $\mu\text{m}$ . The experiment was conducted in a windtunnel.					
<u>VEGETATION</u>					
mango	$34.7-41.7 \times 10^4 \mu\text{g m}^{-2}\text{hr}^{-1}$ (25-30 $\mu\text{g cm}^{-2}\text{month}^{-1}$ )		3		2
lemon	$12.5-16.7 \times 10^4 \mu\text{g m}^{-2}\text{hr}^{-1}$ (9-12 $\mu\text{g cm}^{-2}\text{month}^{-1}$ )		3		2
Comments: Coal dust settling <u>in vivo</u> found to be variable with maxima in April.					
<u>VEGETATION</u>					
sunflower	1500 $\mu\text{g m}^{-2}\text{hr}^{-1}$ (0.0025 $\mu\text{g cm}^{-2}\text{min}^{-1}$ )		143		3
tulip tree	300 $\mu\text{g m}^{-2}\text{hr}^{-1}$ (0.005 $\mu\text{g cm}^{-2}\text{min}^{-1}$ )		143		3
Comments: Uranine dye particles, 6.72 $\mu\text{m}$ . Controlled conditions assumed.					

PARTICULATES

<u>ecosystem element</u>	<u>removal rate</u>	<u>emission rate</u>	<u>ref</u>	<u>utility factor</u>
<u>VEGETATION</u>				
sunflower	$1800 \mu\text{g m}^{-2}\text{hr}^{-1}$ ( $0.003 \mu\text{g cm}^{-2}\text{min}^{-1}$ )		143	3
Comments: PbCl particles with $3.36 \mu\text{m}$ diameter. Controlled conditions assumed.				
<u>VEGETATION</u>				
hardwood canopy	$1.79 \times 10^3 \mu\text{g m}^{-2}\text{hr}^{-1}$ ( $30 \text{ ton sq mi}^{-1} 8 \text{ mon}^{-1}$ )		147	2
conifer canopy	$6.28 \times 10^3 \mu\text{g m}^{-2}\text{hr}^{-1}$ ( $105 \text{ ton sq mi}^{-1} 8 \text{ mon}^{-1}$ )		147	2
Comments: Rates of unspecified dustfall, March through October field study in Ohio. Areas are for ground surface.				
<u>VEGETATION</u>				
chestnut (unspecified)	$274.1 \mu\text{g m}^{-2}\text{hr}^{-1}$ ( $1 \text{ g m}^{-2} 5 \text{ mo}^{-1}$ )		425	3
Comments: Area equals leaf surface.				
<u>VEGETATION/SOIL</u>				
	$0.1142 \mu\text{g m}^{-2}\text{hr}^{-1}$ ( $1 \text{ mg Pb m}^{-2} \text{ yr}^{-1}$ )		1266	3
Comments: This is the current estimated Pb deposition due to car exhaust in the western hemisphere.				
<u>CADMIUM</u>				
<u>VEGETATION</u>				
urban sugar maple	$13.7 \mu\text{g tree}^{-1} \text{ hr}^{-1}$ ( $60 \text{ mg tree}^{-1} \text{ six months}^{-1}$ )		86	2
Comments: This rate reflects a removal estimate for leaves and twigs of a 30 cm diameter urban sugar maple for a single growing season.				
<u>LEAD</u>				
<u>VEGETATION</u>				
urban sugar maple	$1324 \mu\text{g tree}^{-1} \text{ hr}^{-1}$ ( $5800 \text{ mg Pb tree}^{-1} \text{ six months}^{-1}$ )		86	2
Comments: This rate reflects a removal estimate for leaves and twigs of a 30 cm diameter urban sugar maple for a single growing season.				

TABLE III-10  
SINK AND EMISSION FACTORS FOR NATURAL ELEMENTS

<u>SULFUR DIOXIDE</u>		<u>removal rate</u>	<u>emission rate</u>	<u>ref</u>	<u>utility factor</u>
<u>ecosystem element</u>					
<u>VEGETATION</u>					
alfalfa		$21.38 \times 10^5 \mu\text{g m}^{-2} \text{ hr}^{-1}$ $(13.6 \mu\text{l m}^{-2} \text{ min}^{-1} \text{ ppm}^{-1})$		88;523	1
Comments: Rate varied relative to ambient SO <sub>2</sub> concentration. Calculated under field conditions.					
<u>VEGETATION</u>					
alfalfa		$8202.9 \times 10^3 \mu\text{g m}^{-2} \text{ hr}^{-1}$ $(562 \text{ tons mi}^{-1} \text{ day}^{-1})$		64	3
Comments: Rate based on model.					
<u>VEGETATION</u>					
alfalfa		$3.649 \times 10^3 \mu\text{g m}^{-2} \text{ hr}^{-1}$ $(1/4 \text{ ton sq mile}^{-1} \text{ day}^{-1})$		1413	3
Comments: Rate based on model.					
<u>VEGETATION</u>					
alfalfa		$144.96 \times 10^3 \mu\text{g m}^{-2} \text{ hr}^{-1}$ $(7.25 \times 10^6 \text{ lbs sq mile}^{-1} \text{ yr}^{-1})$		86	3
Comments: Rate based on model.					
<u>VEGETATION</u>					
mustard		$669.6 \mu\text{g m}^{-2} \text{ hr}^{-1}$ $(18.6 \times 10^{-12} \text{ gm cm}^{-2} \text{ sec}^{-1})$		169	2
Comments: Absorption of atmospheric S performed under laboratory conditions. Vertical deposition velocity constant was $0.74 \text{ cm}_2 \text{ sec}^{-1}$ .					

SULFUR DIOXIDE

<u>ecosystem element</u>	<u>removal rate</u>	<u>emission rate</u>	<u>ref</u>	<u>utility factor</u>
<u>VEGETATION</u>				
forest trees and alfalfa				
red maple	88 $\mu\text{g m}^{-2} \text{ hr}^{-1} \text{ pphm}^{-1}$ ( $8.8 \times 10^{-4} \text{ SO}_2 \text{ kg ha}^{-1} \text{ hr}^{-1} \text{ pphm}^{-1}$ )		1970	2
white birch	86 $\mu\text{g m}^{-2} \text{ hr}^{-1} \text{ pphm}^{-1}$ ( $8.6 \times 10^{-4} \text{ SO}_2 \text{ kg ha}^{-1} \text{ hr}^{-1} \text{ pphm}^{-1}$ )		1970	2
sweet gum	74 $\mu\text{g m}^{-2} \text{ hr}^{-1} \text{ pphm}^{-1}$ ( $7.4 \times 10^{-4} \text{ SO}_2 \text{ kg ha}^{-1} \text{ hr}^{-1} \text{ pphm}^{-1}$ )		1970	2
white ash	46 $\mu\text{g m}^{-2} \text{ hr}^{-1} \text{ pphm}^{-1}$ ( $4.6 \times 10^{-4} \text{ SO}_2 \text{ kg ha}^{-1} \text{ hr}^{-1} \text{ pphm}^{-1}$ )		1970	2
alfalfa	2900 $\mu\text{g m}^{-2} \text{ hr}^{-1} \text{ pphm}^{-1}$ ( $2.9 \times 10^{-2} \text{ SO}_2 \text{ kg ha}^{-1} \text{ hr}^{-1} \text{ pphm}^{-1*}$ )		1970	2
alfalfa	620 $\mu\text{g m}^{-2} \text{ hr}^{-1} \text{ pphm}^{-1}$ ( $6.2 \times 10^{-3} \text{ SO}_2 \text{ kg ha}^{-1} \text{ hr}^{-1} \text{ pphm}^{-1}$ )		1970	2
loblolly pine	700 $\mu\text{g m}^{-2} \text{ hr}^{-1} \text{ pphm}^{-1}$ ( $7.0 \times 10^{-3} \text{ SO}_2 \text{ kg ha}^{-1} \text{ hr}^{-1} \text{ pphm}^{-1*+}$ )		1970	2
loblolly pine	120 $\mu\text{g m}^{-2} \text{ hr}^{-1} \text{ pphm}^{-1}$ ( $1.2 \times 10^{-3} \text{ SO}_2 \text{ kg ha}^{-1} \text{ hr}^{-1} \text{ pphm}^{-1+}$ )		1970	2
loblolly pine	980 $\mu\text{g m}^{-2} \text{ hr}^{-1} \text{ pphm}^{-1}$ ( $9.8 \times 10^{-3} \text{ SO}_2 \text{ kg ha}^{-1} \text{ hr}^{-1} \text{ pphm}^{-1*+}$ )		1970	2
loblolly pine	98 $\mu\text{g m}^{-2} \text{ hr}^{-1} \text{ pphm}^{-1}$ ( $9.8 \times 10^{-4} \text{ SO}_2 \text{ kg ha}^{-1} \text{ hr}^{-1} \text{ pphm}^{-1+}$ )		1970	2
Note: * Based on ground surface area, other values based on leaf surface areas.				
+ January simulation				
† July simulation				
Comments: Comparison of model and laboratory experiments, not field data. Seedling plants were employed.				

SULFUR DIOXIDE

<u>ecosystem element</u>	<u>removal rate</u>	<u>emission rate</u>	<u>ref</u>	<u>utility factor</u>
<u>VEGETATION</u>				
hawthorn hedge (4 m high, 3 m side)	157.2 $\mu\text{g hr}^{-1}$ (6 $\text{pphm hr}^{-1}$ )		130	3
Comments: Field study near a British power plant.				
<u>VEGETATION</u>				
rhododendron	$81 \times 10^2 \mu\text{g m}^{-2}\text{hr}^{-1}$ (.081 $\text{SO}_2 \text{ mg dm}^{-2}\text{hr}^{-1}$ )		1972	2
	$127 \mu\text{g g}^{-1}\text{hr}^{-1}$ (.127 $\text{SO}_2 \text{ mg g}^{-1}\text{hr}^{-1}$ )		1972	2
firethorn	$128 \times 10^2 \mu\text{g m}^{-2}\text{hr}^{-1}$ (.128 $\text{SO}_2 \text{ mg dm}^{-2}\text{hr}^{-1}$ )		1972	2
	$272 \mu\text{g g}^{-1}\text{hr}^{-1}$ (.272 $\text{SO}_2 \text{ mg g}^{-1}\text{hr}^{-1}$ )		1972	2
Comments: Uptake of ambient $\text{SO}_2$ in a closed fumigation system by seedlings (?) of rhododendron and firethorn. Second figure assumed based on leaf dry weight.				
<u>VEGETATION</u>				
birch	$268 \mu\text{g g}^{-1}\text{hr}^{-1}$ (.268 $\text{mg SO}_2 \text{ g}^{-1}\text{h}^{-1}$ )		127	2
ash	$115 \mu\text{g g}^{-1}\text{hr}^{-1}$ (.115 $\text{mg SO}_2 \text{ g}^{-1}\text{h}^{-1}$ )		127	2
firethorn	$222 \mu\text{g g}^{-1}\text{hr}^{-1}$ (.222 $\text{mg SO}_2 \text{ g}^{-1}\text{h}^{-1}$ )		127	2
azalea	$71 \mu\text{g g}^{-1}\text{hr}^{-1}$ (.071 $\text{mg SO}_2 \text{ g}^{-1}\text{h}^{-1}$ )		127	2
Comments: Foliar sorption of these species for 1 hour in an open system varied with the $\text{SO}_2$ concentration in the atmosphere.				

SULFUR DIOXIDE

ecosystem element	removal rate	emission rate	ref	utility factor
<u>VEGETATION</u>				
forest-unspecified	$3.33 \times 10^3 \mu\text{g m}^{-2} \text{ hr}^{-1}$ ( $80 \text{ mg m}^{-2} \text{ day}^{-1}$ )		64	3
Comments: Rate based on model. Dry leaves assumed equivalent to $1 \text{ kg m}^{-3}$ .				
<u>VEGETATION</u>				
unspecified	$14.65 \times 10^3 \mu\text{g m}^{-2} \text{ hr}^{-1}$ ( $830 \text{ lbs SO}_2 \text{ mile}^{-1} \text{ hr}^{-1}$ )		121	3
Comments: A gross calculation predicted at 50 pphm ambient $\text{SO}_2$ concentration.				
<u>VEGETATION</u>				
unspecified	$145.37 \times 10^3 \mu\text{g m}^{-2} \text{ hr}^{-1}$ ( $830 \text{ lbs sq mile}^{-1} \text{ hr}^{-1}$ )		523	3
Comments: Based on an ambient concentration of 50 pphm.				
<u>SOIL</u>				
oolitic limestone	$168 \times 10^3 \mu\text{g m}^{-2} \text{ hr}^{-1}$ ( $0.28 \mu\text{g SO}_2 \text{ cm}^{-2} \text{ min}^{-1}$ )		955	2
Comments: Maximum value obtained at 81% relative humidity at an ambient $\text{SO}_2$ concentration of $370 \mu\text{g m}^{-3}$ . Other values varied with relative humidity, concentration of $\text{SO}_2$ in the atmosphere, and time of exposure.				
<u>SOIL</u>				
total in U.S.	$41.42 \times 10^{15} \mu\text{g hr}^{-1}$ ( $4 \times 10^8 \text{ ton yr}^{-1}$ )		370	3
Comments: Rate based on model.				

SULFUR DIOXIDE

<u>ecosystem element</u>	<u>removal rate</u>	<u>emission rate</u>	<u>ref</u>	<u>utility factor</u>
<u>SOIL</u>				
European	<u>Deposition Velocity</u>			
Rendsina	.60 SO <sub>2</sub> cm 3200 cm <sup>-2</sup> sec <sup>-1</sup>		1254	2
alluvial clay	.56 SO <sub>2</sub> cm 3200 cm <sup>-2</sup> sec <sup>-1</sup>		1254	2
parabrown	.54 SO <sub>2</sub> cm 3200 cm <sup>-2</sup> sec <sup>-1</sup>		1254	2
podsol	.47 SO <sub>2</sub> cm 3200 cm <sup>-2</sup> sec <sup>-1</sup>		1254	2
terra fusca	.52 SO <sub>2</sub> cm 3200 cm <sup>-2</sup> sec <sup>-1</sup>		1254	2
pseudo clay	.42 SO <sub>2</sub> cm 3200 cm <sup>-2</sup> sec <sup>-1</sup>		1254	2
fen	.38 SO <sub>2</sub> cm 3200 cm <sup>-2</sup> sec <sup>-1</sup>		1254	2
Comments:	Rates obtained under growth chamber conditions. Rates varied with relative humidity and pH. 3200 cm <sup>-2</sup> is the tray area. Higher rates indicate relative effectiveness of SO <sub>2</sub> removal by that test soil.			
<u>SOIL</u>				
acid soil-unspecified	11520 x 10 <sup>3</sup> µg m <sup>-2</sup> hr <sup>-1</sup> (2 x 10 <sup>-7</sup> µl H <sub>2</sub> S cm <sup>-2</sup> min <sup>-1</sup> )		56	2
<u>WATER</u>				
lake surface	325 µg SO <sub>4</sub> m <sup>-2</sup> hr <sup>-1</sup> (234 kg SO <sub>4</sub> km <sup>-2</sup> mo <sup>-1</sup> )		1184	2
Comments:	Average dry deposition (input in precipitation excluded) during August and September in a German lake.			

**SUMMARY OF SINK AND EMISSION FACTORS FOR  
NATURAL ELEMENTS**

TABLE III - 11  
SUMMARY OF SINK AND EMISSION FACTORS FOR NATURAL ELEMENTS

<u>Pollutant</u>	<u>Ecosystem Element</u>	<u>Removal Rate</u>	<u>Emission Rate</u>
AMMONIA	Vegetation	400 $\mu\text{g m}^{-2} \text{ hr}^{-1}$	
	Soil	550 $\mu\text{g m}^{-2} \text{ hr}^{-1}$	
	Soil (dry)		1500 $\mu\text{g m}^{-2} \text{ hr}^{-1}$
	Soil (flooded)		50 $\mu\text{g m}^{-2} \text{ hr}^{-1}$
	Water	900 $\mu\text{g m}^{-2} \text{ hr}^{-1}$	
CARBON MONOXIDE	Vegetation	2500 $\mu\text{g m}^{-2} \text{ hr}^{-1}$	
	Soil	20,000 $\mu\text{g m}^{-2} \text{ hr}^{-1}$	
CHLORINE	Vegetation	2,000 $\mu\text{g m}^{-2} \text{ hr}^{-1}$	
FLUORINE	Vegetation	100 $\mu\text{g m}^{-2} \text{ hr}^{-1}$	
HYDROCARBONS	Vegetation		7.01 $\mu\text{g m}^{-2} \text{ hr}^{-1}$
	Soil	4.91 $\mu\text{g m}^{-2} \text{ hr}^{-1}$	
NITROGEN OXIDES	Vegetation	2,000 $\mu\text{g m}^{-2} \text{ hr}^{-1}$	
	Soil	200 $\mu\text{g m}^{-2} \text{ hr}^{-1}$	
OZONE	Vegetation	80,000 $\mu\text{g m}^{-2} \text{ hr}^{-1}$	
	Soil	1,000,000,000 $\mu\text{g m}^{-2} \text{ hr}^{-1}$	
PAN	Vegetation	1199 $\mu\text{g m}^{-2} \text{ hr}^{-1}$	
PARTICULATES	Vegetation	4,000 $\mu\text{g m}^{-2} \text{ hr}^{-1}$	
SULFUR DIOXIDE	Vegetation	500 $\mu\text{g m}^{-2} \text{ hr}^{-1}$	
	Soil	$11,500 \times 10^3 \mu\text{g m}^{-2} \text{ hr}^{-1}$	
	Water	300 $\mu\text{g SO}_4 \text{ m}^{-2} \text{ hr}^{-1}$	

#### **IV. PLANT SPECIES SENSITIVITY LISTS**

Based on the literature surveyed, a table has been constructed which lists plant species which are relatively tolerant or which are relatively sensitive to air pollutants. In some instances, scientific or common names as they appeared in the original literature were antiquated. Where that occurred, the names were appropriately changed to correspond with currently accepted botanical standards of nomenclature. The common name list follows.

TABLE IV- 1  
PLANT SPECIES SENSITIVITY LISTS

Fluorine

TOLERANT - Trees/Deciduous

	<u>Reference</u>
Apple <i>Malus</i> sp.	733
American elm <i>Ulmus americana</i>	1164, 536
American linden (Basswood) <i>Tilia americana</i>	1164, 536
American mountain ash <i>Sorbus domestica</i>	536
American sycamore <i>Platanus occidentalis</i>	733
Basswood (American linden) <i>Tilia americana</i>	1164, 536
Cornelian cherry <i>Cornus mas</i>	1164, 536
Cutleaf birch <i>Betula pendula</i> var. <i>gracilis</i>	536
European black alder <i>Alnus glutinosa</i>	536, 1164
European elder <i>Sambucus nigra</i>	536
European larch <i>Larix decidua</i>	1687
European mountain ash <i>Sorbus aucuparia</i>	1164, 536
European red elder <i>Sambucus racemosa</i>	536
Flowering dogwood <i>Cornus florida</i>	733
Flowering plum <i>Prunus cerasifera</i>	1164, 536
Hackberry <i>Celtis</i> sp.	733
Little leaf linden <i>Tilia cordata</i>	536
Modesto ash <i>Fraxinus velutina</i>	1164, 536
Norway maple <i>Acer platanoides</i>	733
Oleaster (Russian Olive) <i>Eleagnus angustifolia</i>	536
Oriental cherry <i>Prunus serrulata</i>	536
Pear <i>Pyrus communis</i>	1164
Russian olive (Oleaster) <i>Eleagnus angustifolia</i>	536
Sugar maple <i>Acer saccharum</i>	1164
Tree of heaven <i>Ailanthus altissima</i>	536
Willow <i>Salix</i> sp.	536, 1164
White birch <i>Betula alba</i>	733
White mulberry <i>Morus alba</i>	733

TOLERANT - Trees/ Coniferous

American holly <i>Ilex opaca</i>	733
Austrian pine <i>Pinus nigra</i>	1164
Canadian hemlock (Hemlock) <i>Tsuga canadensis</i>	733
Eastern red cedar <i>Juniperus virginiana</i>	525
Hemlock (Canadian hemlock) <i>Tsuga canadensis</i>	733
Juniper <i>Juniperus</i> sp.	1164, 536
Magnolia <i>Magnolia</i> sp.	733
Western hemlock <i>Tsuga heterophylla</i>	1687
White spruce <i>Picea glauca</i>	1164, 536

TOLERANT - Shrubs

Bridal wreath spirea <i>Spirea prunifolia</i>	1164
Currant <i>Ribes</i> sp.	1164
Firethorn <i>Pyracantha</i> sp.	1164

TOLERANT - Herbaceous

Alfalfa <i>Medicago Sativa</i>	16
--------------------------------	----

**Fluorine (Con't)**

**TOLERANT - Herbaceous**

	<u>Reference</u>
Apricot - vine <i>Passiflora</i> sp.	886C
Celery <i>Spermolepsis</i> sp.	16
Cotton <i>Gossypium</i> sp.	136, 16, 269
Cucumber <i>Sicyos</i> sp.	16
Eggplant <i>Solanum melongena</i>	16
Fescue <i>Festuca elatior</i>	890N
Geranium <i>Geranium</i> sp.	16
Gladiolus	886C
Grapevine <i>Vitis</i> sp.	886C
Kentucky bluegrass <i>Poa pratensis</i>	890N
Red Fescue <i>Festuca</i> sp.	890N
Sweet clover <i>Melilotus</i> sp.	16
Tobacco <i>Nicotiana</i> sp.	16

**INTERMEDIATE - Trees/Deciduous**

Apple <i>Malus</i> sp.	16
Black locust <i>Robinia pseudoacacia</i>	1164, 536
Black walnut <i>Juglans nigra</i>	536
Cutleaf birch <i>Betula pendula</i> var. <i>gracilis</i>	16
English oak <i>Quercus robur</i>	536
English walnut (Persian walnut) <i>Juglans regia</i>	1164, 536
Eugene poplar <i>Populus canadensis</i> var. <i>jugencii</i>	1164, 536
European ash <i>Fraxinus excelsior</i>	1164, 536
European beech <i>Fagus sylvatica</i>	536
European filbert <i>Corylus avellana</i>	536
European hornbeam <i>Carpinus betulus</i>	536
European white birch <i>Betula pendula</i>	536
Green ash <i>Fraxinus pennsylvanica lanceolata</i>	536, 1164
Hedge maple <i>Acer campestre</i>	536, 1164
Japanese larch <i>Larix leptolepis</i>	1074
Little leaf linden <i>Tilia cordata</i>	1164, 536
Lombardy poplar <i>Populus nigra</i> var. <i>italica</i>	1164, 536
Oriental cherry <i>Prunus serrulata</i>	1164
Oriental plane tree <i>Platanus orientalis</i>	536
Persian walnut (English walnut) <i>Juglans regia</i>	1164, 536
Quaking aspen <i>Populus tremuloides</i>	1164, 536
Red mulberry <i>Morus rubra</i>	536
Serviceberry <i>Amelanchier canadensis</i>	1164
Silver maple <i>Acer saccharinum</i>	1164, 536
Smooth sumac <i>Rhus glabra</i>	536
Spanish chestnut <i>Castanea sativa</i>	536

**INTERMEDIATE - Trees/ Coniferous**

Aborvitae <i>Thuja</i> sp.	536, 1164
Austrian pine <i>Pinus nigra</i>	525
Douglas fir <i>Pseudotsuga menziesii</i>	1074
English holly <i>Ilex aquifolium</i>	1164, 536
Lodgepole pine <i>Pinus contorta</i>	1074

**Fluorine (Con't)**

**INTERMEDIATE - Trees/ Coniferous**

**Reference**

Noble fir <i>Abies procera</i>	1074
Ponderosa pine <i>Pinus ponderosa</i>	1074
Spruce <i>Picea</i> sp.	1074
Western hemlock <i>Tsuga heterophylla</i>	1074
Western red cedar <i>Juniperus scopulorum</i>	1074
Western white pine <i>Pinus monticola</i>	1074
White fir <i>Abies concolor</i>	1074

**INTERMEDIATE - Shrubs**

Common lilac <i>Syringa vulgaris</i>	1164
Japanese yew <i>Taxus cuspidata</i>	1164, 536
Rhododendron <i>Rhododendron</i> sp.	1164
Rose <i>Rosa</i> sp.	1074, 1164, 16

**INTERMEDIATE - Herbaceous**

Buckwheat <i>Fagopyrum</i>	16
Iris <i>Iris</i> sp.	16

**SENSITIVE - Trees/Deciduous**

Apricot (Flowering apricot) <i>Prunus armeniaca</i>	536, 16, 460
Box elder <i>Acer negundo</i>	536, 1164
Bradshaw plum <i>Prunus domestica 'Bradshaw'</i>	536, 1164
Empress tree <i>Paulownia tomentosa</i>	536
Flowering apricot (Apricot) <i>Prunus armeniaca</i>	536, 16, 460
Hop hornbeam <i>Carpinus betulus</i>	765
Italian prunes <i>Prunus</i> sp.	269
Japanese apricot <i>Prunus mume</i>	363
Maple <i>Acer</i> sp.	765
Moorhead apricot	363
Paulownia (Empress tree) <i>Paulownia tomentosa</i>	536
Plum <i>Prunus</i> sp.	16
Western larch <i>Larix occidentalis</i>	536

**SENSITIVE - Trees/ Coniferous**

Cascades fir <i>Abies amabilis</i>	1074
Colorado spruce <i>Picea pungens</i>	536, 1164
Douglas fir <i>Pseudotsuga menziesii</i>	525, 536, 1074, 1164 1687
Eastern white pine <i>Pinus strobus</i>	536
Engelmann spruce <i>Picea engelmannii</i>	1687
Loblolly pine <i>Pinus taeda</i>	1164, 536
Lodgepole pine <i>Pinus contorta</i>	536, 525
Noble fir <i>Abies procera</i>	1687
Nordman's fir <i>Abies nordmanniana</i>	1074, 1687
Norway spruce <i>Picea abies</i>	1074, 1687
Ponderosa pine <i>Pinus ponderosa</i>	536
Scotch pine <i>Pinus sylvestris</i>	525, 1164, 536, 1074

Flourine (Con't)

SENSITIVE - Trees/Evergreen

	<u>Reference</u>
Serbian spruce <i>Picea omorika</i>	1074, 1687
Silver fir <i>Abies pectinata</i>	1687
White fir <i>Abies concolor</i>	1687

SENSITIVE - Shrubs

Blueberry <i>Vaccinium</i> sp.	1164
Common barberry <i>Berberis vulgaris</i>	765
Dwarf alps honeysuckle <i>Lonicera alpigena</i>	765
Dwarf mugo pine <i>Pinus mugo mughus</i>	536
St. Johnswort <i>Hypericum maculatum</i>	1010, 765
St. Johnswort <i>Jupericum perforatum</i>	765

SENSITIVE - Herbaceous

Amaranthus <i>Amaranthus retroflexus</i>	765
Annual blue grass <i>Poa annua</i>	765
Catchfly <i>Silene inflata</i>	765
Colchis (Fall crocus) <i>Colchicum autumnale</i>	765
Common chickweed <i>Stellaria media</i>	765
Corn <i>Zea mays</i>	16
Fall crocus (Colchis) <i>Colchicum autumnale</i>	765
Gladiolus	990, 363, 318, 886C, 16, 136, 269
Goosefoot <i>Chenopodium alba</i>	765
Goosefoot <i>Chenopodium murale</i>	765
Grape <i>Vitis vinifera</i>	765
Iris <i>Iris</i> sp.	990
Mustard <i>Sinapsis arvensis</i>	765
Oat grass <i>Arrhenatherum elatius</i>	765
Orchard grass <i>Dactylis glomerata</i>	765
Oregon grape <i>Vitis</i> sp.	363
Tulip	318

TABLE IV- 2  
PLANT SPECIES SENSITIVITY LISTS

General Pollution

**TOLERANT - Trees/Deciduous**

	<u>Reference</u>
Alder <i>Alnus</i> sp.	39, 1400
Almond tree <i>Prunus amygdalus</i>	407
American beech (Red beech) <i>Fagus grandifolia</i>	39
Apple <i>Malus</i> sp.	787
Ash <i>Fraxinus</i> sp.	890Q, 39
Balsam poplar <i>Populus balsamifera</i>	890J, 886K, 889A
Birch <i>Betula lenta</i>	889A, 886I, 8900, 1400
Box elder <i>Acer negundo</i>	886K, 890L, 890J, 890L, 886I
Canadian poplar (Carolina poplar) <i>Populus canadensis</i>	890L
Carolina poplar (Canadian poplar) <i>Populus canadensis</i>	890L
Cherry <i>Prunus</i> sp.	890Q, 1501, 407
Eastern poplar <i>Populus deltoides</i>	886N
Elder <i>Sambucus</i> sp.	890Q
Elm <i>Ulmus</i> sp.	886K, 889A, 890J, 890Q
European mountain ash <i>Sorbus aucuparia</i>	890Q
Flowering dogwood <i>Cornus florida</i>	890Q
Ginkgo (Maidenhair tree) <i>Gingko biloba</i>	1358
Goat willow <i>Salix caprea</i>	890L
Hawthorn <i>Crataegus</i> sp.	889B
Honey locust <i>Gleditsia triacanthos</i>	1976
Japanese larch <i>Larix leptolepis</i>	787
Japanese pagoda tree <i>Sophora japonica</i>	1976
Juneberry <i>Amelanchier</i> sp.	8900
Larch <i>Larix</i> sp.	1400
London plane tree <i>Platanus acerifolia</i>	1976
Maidenhair tree (Ginkgo) <i>Gingko biloba</i>	1358
Oak <i>Quercus</i> sp.	889A
Oleaster (Russian olive) <i>Elaeagnus angustifolia</i>	886K, 890J, 890, 889A
Ornamental apple <i>Malus floribunda</i>	890Q
Peach <i>Prunus persica</i>	407
Pear <i>Pyrus communis</i>	809Q
Plum <i>Prunus</i> sp.	407
Poplar <i>Populus</i> sp.	889A, 890Q
Red ash <i>Fraxinus pennsylvanica</i>	890
Red beech (American beech) <i>Fagus grandifolia</i>	39
Redhaw hawthorn <i>Crataegus mollis</i>	890Q
Russian olive (Oleaster) <i>Elaeagnus angustifolia</i>	886K, 890J, 890, 889A
Scarlet elder <i>Sambucus pubens</i>	889B, 890L
Silverberry <i>Elaeagnus commutata</i>	890L
Tree of heaven <i>Ailanthus altissima</i>	1358

**TOLERANT - Trees/ Coniferous**

Arborvitae <i>Thuja</i> sp.	886N
Austrian pine <i>Pinus nigra</i>	41, 787
Cedar (Eastern red cedar) <i>Juniperus virginiana</i>	890Q
Colorado spruce <i>Picea pungens</i>	886N, 787
Eastern red cedar (Cedar) <i>Juniperus virginiana</i>	890Q
Eastern white pine <i>Pinus strobus</i>	889A
Sitka spruce <i>Picea sitchensis</i>	787
Western red cedar <i>Thuja plicata</i>	787, 890Q

General Pollution (Con't)

**TOLERANT - Shrubs**

	<u>Reference</u>
Alder buckthorn <i>Rhamnus frangula</i>	886I
Alpine currant <i>Ribes sp.</i>	890Q
Blueberry <i>Vaccinium sp.</i>	407
Common lilac <i>Syringa vulgaris</i>	886K
Hedgerow rose <i>Rosa sp.</i>	890Q
Lilac <i>Syringa sp.</i>	890L, 890Q
Mentor barberry <i>Berberis mentorensis</i>	1501, 886I, 890Q
Spindletree <i>Euonymus sp.</i>	890L
Snowberry <i>Symporicarpos albus</i>	890L
Sweetbriar <i>Rosa eglantaria</i>	890Q
Tatarian honeysuckle <i>Lonicera tatarica</i>	890L
Viburnum <i>Viburnum sp.</i>	890Q

**TOLERANT - Herbaceous**

Annual bluegrass <i>Poa annua</i>	407
Barley <i>Hordeum sp.</i>	407
Bean <i>Phaseolus</i>	407
Benoite <i>Geum sp.</i>	407
Blanketflower <i>Gaillardia sp.</i>	1513
Cabbage <i>Brassica napolerassica</i>	407
Cauliflower	407
Chickweed <i>Cerastium triviale</i>	38
Chrysanthemum <i>Chrysanthemum</i>	407
Corn <i>Zea mays</i>	407
Dandelion <i>Taraxacum platicardum</i>	38
Day lily <i>Hemerocallis fulva</i>	38
Hawksbeard <i>Crepis japonica</i>	38
Onion <i>Allium japonica</i>	38
Peas <i>Vigna sp.</i>	407
Pepper	407
Pink satin petunia <i>Petunia sp.</i>	797
Potatoes <i>Solanum jamesii</i>	407
Radish <i>Raphanus sp.</i>	407
Rhubarb <i>Rheum rhabonticum</i>	407
Roth <i>Athyrium nipponicum</i>	38
Siberian pea shrub	886K, 890
Spurge <i>Euphorbia helioscopia</i>	38
Spurge <i>Euphorbia sieboldiana</i>	38
St. Johnswort <i>Hypericum sp.</i>	407
Starwort <i>Stellaria media</i>	38
Strawberry <i>Fragaria sp.</i>	407
Tickseed <i>Coreopsis tinctoria</i>	38
Wheat <i>Triticum aestivum</i>	407
Woodbine <i>Lonicera periclymenum</i>	890Q
Wormwood <i>Artemis vulgaris</i>	38

**INTERMEDIATE - Trees/Deciduous**

Alder <i>Alnus sp.</i>	886C, 889A
------------------------	------------

General Pollution (Con't)

INTERMEDIATE - Trees/Deciduous

Reference

American linden (Basswood) <i>Tilia americana</i>	886, 733
Apple <i>Malus</i> sp.	1332
Apricot <i>Prunus armeniaca</i>	407
Ash <i>Fraxinus bungeana</i>	38
Ash <i>Fraxinus longicuspis</i>	38
Aspen (Hybrid poplar) <i>Populus</i> sp.	886L, 890E, 886C
Balsam poplar <i>Populus balsamifera</i>	890E, 886L
Basswood (American linden) <i>Tilia americana</i>	886, 733
Black poplar <i>Populus nigra</i>	890E
Box elder <i>Acer negundo</i>	889A
Canoe birch (White birch) <i>Betula papyrifera</i>	886L, 890E
Chestnut oak <i>Quercus dentata</i>	38
Chokecherry <i>Prunus virginiana</i>	733
Elder <i>Sambucus</i>	886C
Elm <i>Ulmus</i> sp.	889A
English oak <i>Quercus robur</i>	886N
European larch <i>Larix decidua</i>	787, 886
Fig <i>Ficus carica</i>	733
Gladbearing oak <i>Quercus glandbearing</i>	38, 886C
Grapefruit <i>Citrus</i> sp.	407
Green ash <i>Fraxinus pennsylvanica</i> var. <i>lanceolata</i>	890E
Hawthorn <i>Crataegus</i>	886C, 733
Hornbeam <i>Carpinus</i> sp.	886C
Hybrid poplar (Aspen) <i>Populus</i> sp.	886L, 890E, 886C
Little leaf linden <i>Tilia cordata</i>	886N
Lombardy poplar <i>Populus nigra</i> var. <i>italica</i>	733
Maple <i>Acer</i> sp.	889A
Mountain ash <i>Sorbus americana</i>	890E
Mulberry <i>Morus</i> sp.	886C
Norway maple <i>Acer platanoides</i>	501
Pubescent birch <i>Betula</i> sp.	886N
Red ash <i>Fraxinus pennsylvanica</i>	886N, 501, 890L
Sawtooth oak <i>Quercus acuta</i>	38
Silver maple <i>Acer saccharinum</i>	501
Tulip poplar (Yellow poplar) <i>Liriodendron tulipifera</i>	501
Walnut <i>Juglans</i> sp.	407
White birch (Canoe birch) <i>Betula papyrifera</i>	886L, 890E
Willow <i>Salix</i> sp.	886C
Yellow poplar (Tulip poplar) <i>Liriodendron tulipifera</i>	501

INTERMEDIATE - Trees/Coniferous

Arborvitae <i>Thuja</i> sp.	889A
Canadian hemlock <i>Tsuga canadensis</i>	787
Colorado spruce <i>Picea pungens</i>	733
Eastern white pine <i>Pinus strobus</i>	886N, 787
Engelmann's spruce <i>Picea engelmanni</i>	889A
False cypress <i>Chamaecyparis</i> sp.	889A
Fir <i>Abies</i> sp.	787
Japanese red pine <i>Pinus densiflora</i>	38
Lodgepole pine <i>Pinus contorta</i>	889A

General Pollution (Con't)

INTERMEDIATE - Coniferous

	<u>Reference</u>
Norway pine (Red pine) <i>Pinus resinosa</i>	886N
Pitch pine <i>Pinus rigida</i>	733
Red pine (Norway pine) <i>Pinus resinosa</i>	886N
Serbian spruce <i>Picea omorika</i>	889A

INTERMEDIATE - Shrubs

Common lilac <i>Syringa vulgaris</i>	890J
Filbert <i>Corylus sp.</i>	890L
Forsythia <i>Forsythia intermedia</i>	733, 501
Hedgerow rose <i>Rosa sp.</i>	890E
Japanese barberry <i>Berberis thunbergii</i>	890L
Juniper <i>Juniperus sp.</i>	889A
Spirea <i>Spirea sp.</i>	733
Tatarian honeysuckle <i>Lonicera tatarica</i>	501, 890J
Weigela <i>Weigela florida</i>	501

INTERMEDIATE - Herbaceous

Ageratum <i>Eupatorium coelestinum</i>	407
Bean <i>Phaseolus sp.</i>	407
Bluegrass <i>Poa matsumural</i>	38
Carnation, <i>Dianthus sp.</i>	407
Celery <i>Spermolepsis sp.</i>	407
Chrysanthemum <i>Chrysanthemum sp.</i>	407
Common plantago <i>Plantago major</i>	38
Cudweed <i>Gnaphalium multiceps</i>	38
Daisy fleabane <i>Erigeron strigosus</i>	38
Endive <i>Cichorium endivia</i>	407
Grape <i>Vitis vinifera</i>	733
Groundsel <i>Senecio nikoensis</i>	38
Heat lettuce <i>Lactuca sp.</i>	407
Knotweed <i>Polygonum virginianum</i>	38
Lucerne <i>Medicago sativa</i>	407
Maidenhair <i>Adiantum pedatum</i>	38
Nasturtium (Yellow cress) <i>Nasturtium indicum</i>	38
Oat <i>Danthonia sp.</i>	407
Onion <i>Allium sp.</i>	407
Petunia <i>Petunia sp.</i>	407
Rape seed (Turnip) <i>Brassica rapa</i>	407
Siberian pea tree	889A, 890J, 890L
Sorrel <i>Rumex acetosa</i>	38
Sudan grasses	407
Sweet coltsfoot <i>Petasites japonica</i>	38
Turnip (Rape seed) <i>Brassica rapa</i>	407
Violet <i>Viola sp.</i>	38
Yellow cress (Nasturtium) <i>Nasturtium indicum</i>	38
Zinnias <i>Helianopsis elegans</i>	407

General Pollution (Con't)

SENSITIVE - Trees/Deciduous

Reference

Alder <i>Alnus multineervis</i>	38
Apple (Siberian crabapple) <i>Malus baccata</i>	886L, 311
Ash <i>Fraxinus sp.</i>	889A
Beech <i>Fagus sp.</i>	889A
Birch <i>Betula sp.</i>	886I, 311, 425
Black oak <i>Quercus velutina</i>	733
Box elder <i>Acer negundo</i>	890E
Buckeye <i>Aesculus turbinata</i>	38
Catalpa <i>Catalpa speciosa</i>	311, 425
Chestnut oak <i>Quercus prinus</i>	733
Chokecherry <i>Prunus virginiana</i>	733
Elm <i>Ulmus sp.</i>	811, 425, 1501
Japanese maple <i>Acer palmatum</i>	38, 425
Judas tree <i>Cercis siliquastrum</i>	1501
Larch <i>Larix sp.</i>	890K, 311, 38, 890E
Lichen	1490
Linden <i>Tilia sp.</i>	889A
Lombardy poplar <i>Populus nigra var. italica</i>	311, 425
Mahogany <i>Melia japonica</i>	38
Mulberry <i>Morus microphylla</i>	311
Oak <i>Quercus sp.</i>	425
Orange <i>Citrus sp.</i>	727
Peach <i>Prunus persica</i>	1332, 733
Pear <i>Pyrus communis</i>	311
Pumila Arborea (Turkestan elm) <i>Ulmus turkestanica</i>	890E
Siberian crabapple (Apple) <i>Malus baccata</i>	886L, 311
Tree of heaven <i>Ailanthus altissima</i>	1501
Turkestan elm (Pumila arborea) <i>Ulmus turkestanica</i>	890E
White oak <i>Quercus alba</i>	733
White poplar <i>Populus alba</i>	38
Wild black cherry <i>Prunus serotina</i>	1332

SENSITIVE - Trees/ Coniferous

Austrian pine <i>Pinus nigra</i>	733
Colorado spruce <i>Picea pungens</i>	733
Douglas fir <i>Pseudotsuga menziesii</i>	425, 733
Eastern white pine <i>Pinus strobus</i>	733, 311
Fir <i>Abies sp.</i>	890E, 886N, 886C, 889A
Norway spruce <i>Picea abies</i>	733
Ponderosa pine <i>Pinus ponderosa</i>	311
Scotch pine <i>Pinus sylvestris</i>	733, 886K, 890J, 787, 889A
Spruce <i>Picea sp.</i>	425, 889A, 886N, 39, 890E

General Pollution (Con't)

SENSITIVE - Shrubs

Reference

Common lilac <i>Syringa vulgaris</i>	733
Oregon holly-grape <i>Mahonia aquifolium</i>	733
Yew <i>Taxus</i> sp.	889A

SENSITIVE - Herbaceous

Aconite <i>Aconitum japonicum</i>	38
Agrimony <i>Agrimonia pilosa</i>	38
Alfalfa <i>Medicago sativa</i>	727, 311
Aster <i>Aster bigelobii</i>	311
Bachelor's button <i>Centaurea cyanus</i>	311
Barley <i>Hordeum vulgare</i>	311
Bean <i>Phaseolus vulgaris</i>	311
Bedstraw <i>Galium strigosum</i>	
Beet <i>Beta vulgaris</i>	311, 407
Bindweed <i>Convolvulus arvensis</i>	311
Bluegrass <i>Poa</i> sp.	886C
Broccoli <i>Brassica oleracea</i>	311
Brussel sprouts <i>Brassica aleracea</i> var. <i>gemmifera</i>	311
Buckwheat <i>Fagopyrum sagittatum</i>	311, 1332
Careless weed <i>Amaranthus palmeri</i>	311
Carrot <i>Daucus carota</i>	311
Catbriar <i>Smilax racemosa</i>	733
Chickweed <i>Stellaria media</i>	407
Cinquefoil <i>Potentilla chinensis</i>	38
Clover <i>Melilotus</i> sp.	311
Clover <i>Trifoeium</i> sp.	311
Corn <i>Zea mays</i>	1332
Cosmos <i>Cosmos bipinnatus</i>	311
Cotton <i>Gossypium</i> sp.	311
Curly clock <i>Rumex crispus</i>	311
Endive <i>Cichorium endivia</i>	311
Fleabane <i>Erigeron canadensis</i>	311
Four o'clock <i>Mirabilis jalapa</i>	311
Galinsoga <i>Galinsoga parvifolia</i>	407
Goosefoot <i>Chenopodium album</i>	407
Green beans <i>Phaseolus</i> sp.	727
Gypsy petunia <i>Petunia</i> sp.	797
horsetail <i>Equisetum arvense</i>	38
Huckleberry <i>Gaylussacia</i> sp.	733
Lettuce <i>Lactuca sativa</i>	311
Lettuce, prickly <i>Lactuca scariola</i>	311
Lima bean <i>Phaseolus limensis</i>	727
Mallow <i>Malva parvifolia</i>	311
Morning glory <i>Ipomoea</i>	311
Mosses <i>Commelinaceae</i> sp.	1490
Oat <i>Avena sativa</i>	311
Okra <i>Hibiscus esculentus</i>	311
Pea <i>Vigna sinensis</i>	890K
Peanut <i>Arachis</i> sp.	727

General Pollution (Con't)

SENSITIVE - Herbaceous

	<u>Reference</u>
Peat tree	889A
Pepper bell, chili <i>Capsicum prutescens</i>	311
Pinto beans	727
Plantain <i>Plantago major</i>	311
Pumpkin <i>Cucurbita pepo</i>	311
Radish <i>Raphanus sativus</i>	311, 407
Ragweed <i>Ambrosia artemisifolia</i>	311
Rape seed (Turnip) <i>Brassica rapa</i>	311
Rhubarb <i>Rheum Rhaboticum</i>	311
Rye <i>Secale cereale</i>	311
Solomon's seal <i>Polygonatum latifolium</i>	38
Sorrel <i>Rumex sp.</i>	407
Soybean <i>Glycine max.</i>	311, 727
Spinach <i>Spinacia oleracea</i>	727, 311, 407
Squash <i>Cucurbita maxima</i>	311
Sunflower <i>Helianthus</i>	311
Sweet corn	727
Sweet potato <i>Ipomoea batatas</i>	311
Swiss chard <i>Beta vulgaris</i> var. <i>cicla</i>	311, 407
Thistle <i>Cirsium inconspicuum</i>	38
Tomato <i>Lycopersicum esculentum</i>	1332, 727
Turnip (Rape seed) <i>Brassica rapa</i>	311
Velvet-weed <i>Gaura parvifolia</i>	311
Vervain <i>Verbena canadensis</i>	311
Violet <i>Viola sp.</i>	311
Wheat <i>Triticum sp.</i>	311
Wild potato <i>Solanum jamesii</i>	727
Wood nettle <i>Laportea bulbifera</i>	38
Zinnia <i>Zinnia elegans</i>	311

TABLE IV-3  
PLANT SPECIES SENSITIVITY LISTS

Hydrogen Chloride

TOLERANT - Trees/deciduous

	<u>Reference</u>
Birch <i>Betula</i> sp.	536
Black Cherry <i>Prunus serotina</i>	536
Cherry <i>Prunus</i> sp.	886C
English walnut (Persian walnut) <i>Juglans regia</i>	886C
Maple <i>Acer</i> sp.	536
Oak <i>Quercus</i> sp.	536
Oleaster (Russian olive) <i>Eleagnus angustifolia</i>	536
Pear <i>Pyrus communis</i>	536
Persian walnut (English walnut) <i>Juglans regia</i>	886C
Red oak <i>Quercus borealis</i>	536
Russian olive (Oleaster) <i>Eleagnus angustifolia</i>	536

TOLERANT - Trees/Coniferous

Arborvitae <i>Thuja</i> sp.	536
Austrian pine <i>Pinus nigra</i>	536, 1104
Balsam fir <i>Abies balsamea</i>	536
Canadian hemlock <i>Tsuga canadensis</i>	536
Eastern white pine <i>Pinus strobus</i>	536
Jack pine <i>Pinus banksiana</i>	536
Loblolly pine <i>Pinus taeda</i>	536
Norway spruce <i>Picea abies</i>	536
Short leaf pine <i>Pinus echinata</i>	536

TOLERANT - Shrub

Yew <i>Taxus</i> sp.	536
----------------------	-----

TOLERANT - Herbaceous

Carrot <i>Daucus carota</i>	187
Grapevine <i>Vitis</i> sp.	886C

INTERMEDIATE - Trees/Deciduous

Black Cherry <i>Prunus serotina</i>	536
Black gum <i>Nyssa sylvatica</i>	536

INTERMEDIATE - Trees/ Coniferous

Jack Pine <i>Pinus banksiana</i>	536
Short leaf pine <i>Pinus echinata</i>	536

SENSITIVE - Trees/Deciduous

Apple <i>Malus</i> sp.	536
Box Elder <i>Acer negundo</i>	536
Cherry <i>Prunus</i> sp.	536
Horsechestnut <i>Aesculus hippocastanum</i>	536
Larch <i>Larix</i> sp.	536

**Hydrogen Chloride (Con't)**

**SENSITIVE - Trees/Deciduous**

**Reference**

Pin oak <i>Quercus palustris</i>	536
Sassafras <i>Sassafras albidum</i>	536
Sugar maple <i>Acer saccharum</i>	536
Sweetgum <i>Liquidambar styraciflua</i>	536
Tree of heaven <i>Ailanthus altissima</i>	536

TABLE IV- 4  
PLANT SPECIES SENSITIVITY LISTS

Nitrogen Dioxide

	<u>Reference</u>
<b>TOLERANT - Trees/Deciduous</b>	
Beech <i>Fagus sp.</i>	16
Gingko (Maidenhair tree) <i>Gingko biloba</i>	16
Maidenhair tree (Gingko) <i>Gingko biloba</i>	16
Oak <i>Quercus sp.</i>	16
<b>TOLERANT - Trees/Evergreen</b>	
Austrian pine <i>Pinus nigra</i>	16
<b>TOLERANT - Herbaceous</b>	
Cabbage <i>Brassica sp.</i>	16
Gladiolus	16
Onion <i>Allium sp.</i>	16
<b>INTERMEDIATE - Trees/Evergreen</b>	
European larch <i>Larix decidua</i>	536
<b>SENSITIVE - Trees/Deciduous</b>	
Apple <i>Malus sp.</i>	536
Black locust <i>Robinia pseudoacacia</i>	536
European beech <i>Fagus sylvatica</i>	536
European hornbeam <i>Carpinus betulus</i>	536
European red elder <i>Sambucus racemosa</i>	536
Gingko (Maidenhair tree) <i>Gingko biloba</i>	536
Japanese maple <i>Acer palmatum</i>	536
Large leaf linden <i>Tilia grandiflora</i>	536
Little leaf linden <i>Tilia cordata</i>	536
Maidenhair tree (Gingko) <i>Gingko biloba</i>	536
Norway maple <i>Acer platanoides</i>	536
Pear <i>Pyrus communis</i>	536
<b>SENSITIVE - Trees/Evergreen</b>	
Austrian pine <i>Pinus nigra</i>	536
Colorado spruce <i>Picea pungens</i>	536
Eastern white pine <i>Pinus strobus</i>	536
White spruce <i>Picea glauca</i>	536
<b>SENSITIVE - Shrubs</b>	
Dwarf mugho pine <i>Pinus mugo mughus</i>	536
<b>SENSITIVE - Herbaceous</b>	
Barley <i>Hordeum sp.</i>	16
Begonia <i>Rumex sp.</i>	16
Carrot <i>Daucus carota</i>	16
Kidney beans <i>Phaseolus sp.</i>	16

Nitrogen Dioxide (Con't)

SENSITIVE - Herbaceous

	<u>Reference</u>
Lettuce <i>Lactuca</i> sp.	1849, 16
Red clover <i>Trifolium pratense</i>	16
Sweat peas <i>Lathyrus odoratus</i>	16
Tobacco <i>Nicotiana</i> sp.	16

TABLE IV- 5  
PLANT SPECIES SENSITIVITY LISTS

Ozone

**TOLERANT - Trees/ Coniferous**

	<u>Reference</u>
Acacia <i>Acacia</i> sp.	181
Alder <i>Alnus</i> sp.	1164
American sycamore <i>Platanus occidentalis</i>	1074, 1164, 990
Ash <i>Fraxinus</i> sp.	181
Basswood (Linden) <i>Tilia</i> sp.	1137
Black walnut <i>Juglans nigra</i>	1164, 536
English oak <i>Quercus robur</i>	536, 1164
European mountain ash <i>Sorbus aucuparia</i>	536
European white birch <i>Betula pendula</i>	536, 1164
Fig <i>Ficus carica</i>	181
Flowering dogwood <i>Cornus florida</i>	536, 1164
Giant sequoia <i>Sequoia gigantea</i>	536
Linden (Basswood) <i>Tilia</i> sp.	1137
Little leaf linden <i>Tilia cordata</i>	1164
Maidenhair tree <i>Ginkgo biloba</i>	181
Norway maple <i>Acer platanoides</i>	536, 1164
Plum <i>Prunus</i> sp.	181
Red maple <i>Acer rubrum</i>	536, 1164
Red oak <i>Quercus borealis</i>	1164
Redwood <i>Sequoia sempervirens</i>	536
Shingle oak <i>Quercus imbricaria</i>	536, 1164
Sugar maple <i>Acer saccharum</i>	536, 1137
Weeping willow <i>Salix babylonica</i>	1164
White birch <i>Betula papyrifera</i>	1137

**TOLERANT - Trees/Evergreen**

Arborvitae <i>Thuja</i> sp.	774, 1164, 536
Balsam fir <i>Abies balsamea</i>	1137, 536, 1164, 774
Black hills spruce <i>Picea glauca densata</i>	774, 1164, 536, 1137
Colorado spruce <i>Picea pungens</i>	1137, 536, 1164, 774
Digger pine <i>Pinus sabiniana</i>	536
Douglas fir <i>Pseudotsuga menziesii</i>	774, 1137, 536, 1164
Eastern red cedar <i>Juniperus virginiana</i>	181
Jack pine <i>Pinus banksiana</i>	1074
Norway pine (Red pine) <i>Pinus resinosa</i>	1137, 1164, 774, 536
Norway spruce <i>Picea abies</i>	1137, 774, 1164, 536
Red pine (Norway pine) <i>Pinus resinosa</i>	1137, 1164, 774, 536
Singleleaf pinyon pine <i>Pinus monophylla</i>	536
Sugar pine <i>Pinus lambertiana</i>	536
Torrey pine <i>Pinus torreyana</i>	536
Virginia pine <i>Pinus virginiana</i>	1074
White fir <i>Abies concolor</i>	774, 1164, 1137
White spruce <i>Picea glauca</i>	536, 1164

**TOLERANT - Shrubs**

Ivy <i>Hedera</i> sp.	181
-----------------------	-----

**TOLERANT - Herbaceous**

Bugleweed (Carpet bugle) <i>Ajuga</i> sp.	181
---	-----

Ozone (Con't)

TOLERANT - Herbaceous

Reference

California poppy <i>Eschscholtzia californica</i>	181
Carpet bugle (Bugleweed) <i>Ajuga</i> sp.	181
Lady's slipper <i>Cypripedium</i> sp.	181
Leadwort <i>Ceratostigma plumbaginoides</i>	181
Petunia <i>Petunia</i> sp.	1015, 1074

INTERMEDIATE - Trees/ Coniferous

Big cone Douglas fir <i>Pseudotsuga macrocarpa</i>	536
Coulter pine <i>Pinus coulteri</i>	536
California: Incense-cedar <i>Libocedrus decurrens</i>	536
White fir <i>Abies concolor</i>	536

SENSITIVE - Trees/Deciduous

Alder <i>Alnus</i> sp.	536
American elm <i>Ulmus americana</i>	1164
American sycamore <i>Platanus occidentalis</i>	1074
Black locust <i>Robinia pseudoacacia</i>	1164, 536
Boxelder <i>Acer negundo</i>	536, 1164
California sycamore <i>Platanus racemosa</i>	1074
Catalpa <i>Catalpa speciosa</i>	1164
European larch <i>Larix decidua</i>	990, 1164, 1137, 536
Gambel oak <i>Quercus gambelii</i>	1164, 536
Green ash <i>Fraxinus pennsylvanica lanceolata</i>	536, 1164
Honeylocust <i>Gleditsia triacanthos</i>	1164, 536
Hybrid poplar <i>Populus</i> sp.	--
Japanese larch <i>Larix leptolepis</i>	1164, 536, 77
Judas tree <i>Cercis siliquastrum</i>	536
Little leaf linden <i>Tilia cordata</i>	536
Mapleleaf mulberry (White mulberry) <i>Morus alba</i>	536
Pin oak <i>Quercus palustris</i>	536, 1164
Quaking aspen <i>Populus tremuloides</i>	536, 1164
Scarlet oak <i>Quercus coccinea</i>	1164, 536
Siberian crab apple <i>Malus baccata</i>	536, 1164
Silver maple <i>Acer saccharinum</i>	536, 1164
Sweetgum <i>Liquidambar styraciflua</i>	1164, 536
Thornless honeylocust <i>Gleditsia triacanthos inermis</i>	1074
Tulip poplar (Yellow poplar) <i>Liriodendron tulipifera</i>	990, 1164, 536, 1074, 1137
Weeping willow <i>Salix babylonica</i>	536
White ash <i>Fraxinus americana</i>	990, 1137, 1074, 536, 1164
White mulberry (Mapleleaf mulberry) <i>Morus alba</i>	536
White oak <i>Quercus alba</i>	1164, 536, 1137
Yellow poplar (Tulip poplar) <i>Liriodendron tulipifera</i>	990, 1164, 536, 1074, 1137

SENSITIVE - Trees/ Coniferous

Austrian pine <i>Pinus nigra</i>	1164, 536, 774, 1137
----------------------------------	----------------------

Ozone (Con't)

SENSITIVE - Trees/ Coniferous

	<u>Reference</u>
Canadian hemlock <i>Tsuga canadensis</i>	536, 1137
Eastern white pine <i>Pinus strobus</i>	536, 774, 1137, 532 990, 1164
Jack pine <i>Pinus banksiana</i>	774, 536, 1164
Jeffery pine <i>Pinus jeffreyi</i>	536
Monterey pine <i>Pinus radiata</i>	536
Pitch pine <i>Pinus rigida</i>	1164, 1135, 774, 536
Ponderosa pine <i>Pinus ponderosa</i>	536
Scotch pine <i>Pinus sylvestris</i>	774, 536, 990
Virginia pine <i>Pinus virginiana</i>	536, 774, 1137

SENSITIVE - Shrubs

Bridal wreath spirea <i>Spiraea prunifolia</i>	1164
Camellia <i>Camelia</i> sp.	2
Common lilac <i>Syringa vulgaris</i>	990, 1164
Common privet <i>Ligustrum vulgare</i>	1164
Snowberry <i>Symporicarpos albus</i>	536

SENSITIVE - Herbaceous

Aster <i>Aster</i> sp.	990
Sage <i>Salvia</i> sp.	990
Tobacco <i>Nicotiana</i> sp.	599

TABLE IV- 6  
PLANT SPECIES SENSITIVITY LISTS

Pan

TOLERANT - Trees/Deciduous

	<u>Reference</u>
European larch <i>Larix decidua</i>	536
Japanese larch <i>Larix leptolepis</i>	536
Sugar maple <i>Acer saccharum</i>	536

TOLERANT - Trees/Evergreen

Austrian pine <i>Pinus nigra</i>	536
Canadian hemlock <i>Tsuga canadensis</i>	536
Colorado spruce <i>Picea pungens</i>	536
Eastern white pine <i>Pinus strobus</i>	536
Jack pine <i>Pinus banksiana</i>	536
Pitch pine <i>Pinus rigida</i>	536
White spruce <i>Picea glauca</i>	536

SENSITIVE - Trees/Deciduous

Little leaf linden <i>Tilia cordata</i>	536
Tulip poplar (Yellow poplar) <i>Liriodendron tulipifera</i>	536
Yellow poplar (Tulip poplar) <i>Liriodendron tulipifera</i>	536

SENSITIVE - Herbaceous

Aster <i>Aster sp.</i>	990
Chrysanthemum <i>Chrysanthemum sp.</i>	990
Lettuce <i>Lactuca sp.</i>	1849
Petunia <i>Petunia sp.</i>	990
Primrose <i>Primula sp.</i>	990
Sage <i>Salvia sp.</i>	990
Snapdragon <i>Chaenorhinum sp.</i>	990

TABLE IV- 7  
PLANT SPECIES SENSITIVITY LISTS

Particulates - Smoke

TOLERANT - Trees/Deciduous

	<u>Reference</u>
American Elm <i>Ulmus americana</i>	547
European larch <i>Larix decidua</i>	1604
Scarlet elder <i>Sambucus pubens</i>	1390

TOLERANT - Shrub

Cranberry <i>Vaccinium sp.</i>	187
--------------------------------	-----

TOLERANT - Herbaceous

Knotweed <i>Polygonum cilinode</i>	1390
------------------------------------	------

INTERMEDIATE - Trees/Deciduous

Alder <i>Alnus sp.</i>	1604
American beech (Red beech) <i>Fagus grandifolia</i>	1604
American hornbeam <i>Carpinus caroliniana</i>	1604
Birch <i>Betula sp.</i>	1604
English oak <i>Quercus robur</i> (formerly called penduculata)	1604
Maple <i>Acer sp.</i>	1604
Poplar <i>Populus sp.</i>	1604
Raceme oak <i>Quercus racemosa</i>	1604
Red beech (American beech) <i>Fagus grandifolia</i>	1604
Red oak <i>Quercus borealis</i>	1604
White alder <i>Alnus rhombifolia</i>	1604

INTERMEDIATE - Trees/ Coniferous

Austrian Pine <i>Pinus nigra</i>	1604
Eastern white pine <i>Pinus strobus</i>	1604
Scotch pine <i>Pinus sylvestris</i>	1604

SENSITIVE -Trees/Deciduous

Quaking aspen <i>Populus tremuloides</i>	1390
Single-seeded hawthorne <i>Crataegus monogyna</i>	1675

SENSITIVE - Trees/Coniferous

Black Spruce <i>Picea mariana</i>	1390
Eastern white pine <i>Pinus strobus</i>	1390
Fir <i>Abies sp.</i>	1604
Norway spruce <i>Picea abies</i> ( <i>excelsa</i> )	1604
White spruce <i>Picea glauca</i>	1390

SENSITIVE - Herbaceous

Annual bluegrass <i>Poa annua</i>	269
-----------------------------------	-----

TABLE IV-8  
PLANT SPECIES SENSITIVITY LISTS

Sulfur Dioxide

**TOLERANT - Trees/Deciduous**

	<u>Reference</u>
American sycamore <i>Platanus occidentalis</i>	1164
Ash <i>Fraxinus sp.</i>	886C
Basswood (Linden) <i>Tilia sp.</i>	369
Beech <i>Fagus sp.</i>	1187, 886C
Birch <i>Betula sp.</i>	64, 523, 1187
Black gum <i>Nyssa sylvatica</i>	1169, 536
Black locust <i>Robinia pseudoacacia</i>	536
Cottonwood (Eastern poplar) <i>Populus deltoides</i>	1164, 536
Eastern poplar (Cottonwood) <i>Populus deltoides</i>	1164, 536
English oak <i>Quercus robur</i>	1164, 536
European ash <i>Fraxinus excelsior</i>	369
European beech <i>Fagus sylvatica</i>	536
European hornbeam <i>Carpinus betulus</i>	536
European mountain ash <i>Sorbus aucuparia</i>	369
Flowering dogwood <i>Cornus florida</i>	1164, 536
Ginkgo (Maidenhair tree) <i>Ginkgo biloba</i>	1164, 369
Green ash <i>Fraxinus pennsylvanica lanceolata</i>	536, 1164
Hedge maple <i>Acer campestre</i>	536, 1164
Hornbeam <i>Carpinus sp.</i>	1187
Larch <i>Larix sp.</i>	44
Linden (Basswood) <i>Tilia sp.</i>	369
Maidenhair tree (Ginkgo) <i>Ginkgo biloba</i>	1164, 369
Mountain maple <i>Acer spicatum</i>	1164
Oak <i>Quercus sp.</i>	44
Oriental plane tree <i>Platanus orientalis</i>	1164
Persian walnut <i>Juglans regia</i>	886C
Pin oak <i>Quercus palustris</i>	1164
Poplar <i>Populus sp.</i>	369
Red berried elder <i>Sambucus pubescens</i>	1074
Red maple <i>Acer rubrum</i>	536, 1164
Red oak <i>Quercus borealis</i>	1164, 44
Smooth elm <i>Ulmus glabra</i>	369
Sourwood <i>Oxydendrum arboreum</i>	369
Sugar maple <i>Acer saccharum</i>	1164
Tulip poplar (Yellow poplar) <i>Liriodendron tulipifera</i>	16, 1164, 369
White ash <i>Fraxinus americana</i>	138
Willow <i>Salix sp.</i>	369
Yellow poplar (Tulip poplar) <i>Liriodendron tulipifera</i>	16, 1164, 369

**TOLERANT - Trees/ Coniferous**

Arborvitae <i>Thuja occidentalis</i>	1164
Austrian pine <i>Pinus nigra</i>	525, 1164, 536
Canadian hemlock <i>Tsuga canadensis</i>	1074
English holly <i>Ilex aquifolium</i>	1164, 536
Lawson false cypress <i>Chamaecyparis lawsoniana</i>	536
Spruce <i>Picea sp.</i>	886C
Western red cedar <i>Thuja plicata</i>	1164
White spruce <i>Picea glauca</i>	1164

Sulfur Dioxide (Con't)

TOLERANT - Shrubs

	<u>Reference</u>
Dwarf mugo pine <i>Pinus mugo mughus</i>	536
Juniper <i>Juniperus sp.</i>	1164, 536

TOLERANT - Herbaceous

Alfalfa <i>Medicago sativa</i>	886C
Corn <i>Zea mays</i>	16
Fringed bindweed <i>Polygonum cilinode</i>	1074
Galleta <i>Hilaria jamesii</i>	1365
Grama grass <i>Bouteloua barbata</i>	1365
Heliotrope <i>Heliotropium sp.</i>	886C
Meadow fescue <i>Festuca elatior</i>	136
Oats <i>Avena sp.</i>	886C
Orchard grass <i>Dactylis glomerata</i>	136
Primrose <i>Primula sp.</i>	886C
Sweetpea <i>Lathyrus odoratus</i>	886C
Woodwaxen	886C

INTERMEDIATE - Trees/Deciduous

Apple <i>Malus sp.</i>	16
Apricot <i>Prunus armeniaca</i>	16
Balsam poplar <i>Populus balsamifera</i>	1164, 536
Bigtooth aspen <i>Populus grandidentata</i>	1164
Norway maple <i>Acer platanoides</i>	1164

INTERMEDIATE - Trees/ Coniferous

Balsam fir <i>Abies balsamea</i>	536, 1164, 525
Douglas fir <i>Pseudotsuga menziesii</i>	1164, 525, 536
Lodgepole pine <i>Pinus contorta</i>	536, 525
Scotch pine <i>Pinus sylvestris</i>	1164
Silver fir <i>Abies pectinata</i>	536

INTERMEDIATE - Shrubs

Rose <i>Rosa sp.</i>	16
----------------------	----

INTERMEDIATE - Herbaceous

Gladiolus	16
Cotton <i>Gossypium sp.</i>	16
Iris <i>Iris sp.</i>	16

SENSITIVE - Trees/Deciduous

Alder <i>Alnus</i>	119, 732
American elm <i>Ulmus americana</i>	1164
American sycamore <i>Platanus occidentalis</i>	1164
Apple <i>Malus sp.</i>	1164

Sulfur Dioxide (Con't)

SENSITIVE - Trees/Deciduous

	<u>Reference</u>
Aspen (Poplar) <i>Populus sp.</i>	732, 1187
Birch <i>Betula sp.</i>	1164, 1119
Blueberry elder <i>Sambucus coerulea</i>	732
Canoe birch (White birch) <i>Betula papyrifera</i>	732
Catalpa <i>Catalpa speciosa</i>	1164
Cherry <i>Prunus sp.</i>	732
Chokecherry <i>Prunus virginiana</i>	938
English walnut (Persian walnut) <i>Juglans regia</i>	1164
European mountain ash <i>Sorbus aucuparia</i>	732, 1187
Horse chestnut <i>Aesculus hippocastanum</i>	44
Hornbeam <i>Carpinus sp.</i>	44
Larch <i>Larix sp.</i>	732, 1164
Lombardy poplar <i>Populus nigra var. italica</i>	1164
Maple <i>Acer sp.</i>	1187
Mazzard cherry <i>Prunus avium</i>	886C
Mountain ash <i>Sorbus americana</i>	1164
Mountain maple <i>Acer spicatum</i>	44
Narrowleaf cottonwood <i>Populus angustifolia</i>	1365
Pear <i>Pyrus communis</i>	1164
Persian walnut (English walnut) <i>Juglans regia</i>	1164
Poplar (Aspen) <i>Populus sp.</i>	732, 1187
Quaking aspen <i>Populus tremuloides</i>	1164, 119
Scarlet hawthorn <i>Crataegus oxyacantha</i>	990
Serviceberry <i>Amelanchier sp.</i>	1164
Texas mulberry <i>Morus microphylla</i>	1164
Utah serviceberry <i>Amelanchier utahensis</i>	1164
White ash <i>Fraxinus americana</i>	773
White birch (Canoe birch) <i>Betula papyrifera</i>	732
Willow <i>Salix sp.</i>	1164, 732

SENSITIVE - Trees/Coniferous

Black spruce <i>Picea mariana</i>	1164
Canadian hemlock <i>Tsuga canadensis</i>	1164
Douglas fir <i>Pseudotsuga menziesii</i>	990
Eastern white pine <i>Pinus strobus</i>	990, 1164, 1074, 563, 732, 773, 119
Engelmann's spruce <i>Picea engelmannii</i>	1164
Fir <i>Abies sp.</i>	119
Jack pine <i>Pinus banksiana</i>	1164
Mountain hemlock <i>Tsuga mertensiana</i>	1164
Norway pine (Red pine) <i>Pinus resinosa</i>	16
Ponderosa pine <i>Pinus ponderosa</i>	1164, 1007
Red pine (Norway pine) <i>Pinus resinosa</i>	16
Scotch pine <i>Pinus sylvestris</i>	1074, 525
Sitka spruce <i>Picea sitchensis</i>	732
Virginia pine <i>Pinus virginiana</i>	773
Western red cedar <i>Thuja plicata</i>	1074
Western white pine <i>Pinus monticola</i>	1164

Sulfur Dioxide (Con't)

SENSITIVE - Shrubs

	<u>Reference</u>
Mountain laurel <i>Kalmia latifolia</i>	1164
Ninebark <i>Physocarpus capitatus</i>	1164
Snowberry <i>Symporicarpos aerophilus</i>	1365
Wild rose <i>Rosa woodsii</i>	1365

SENSITIVE - Herbaceous

Alfalfa <i>Medicago sativa</i>	938, 732
Begonia <i>Rumex venosus</i>	990, 1009
Buckwheat <i>Fagopyrum sp.</i>	16
Celery <i>Spermolepsis sp.</i>	16
Cotton <i>Gossypium sp.</i>	16
Cucumber <i>Sicyos angulatus</i>	16
Eggplant <i>Solanum melongena</i>	16
Evening primrose <i>Oenothera sp.</i>	1365
Geranium <i>Geranium</i>	16
Globe mallow <i>Sphaeralcea munroana</i>	1365
Goosefoot <i>Chenopodium obovatum</i>	1365
Grape <i>Vitis sp.</i>	938
Hound's tongue <i>Cynoglossum officinale</i>	1365
Hungarian brome <i>Bromus inermis</i>	136
Indian rice grass <i>Oryzopsis hymenoides</i>	1365
Lettuce <i>Lactuca sp.</i>	1844
Locoweed <i>Astragalus utahensis</i>	1365
Lucerne <i>Medicago sativa</i>	1007
Petunia <i>Petunia sp.</i>	1009
Potato <i>Solanum tuberosum</i>	1007
Red clover <i>Trifolium pratense</i>	136
Scarlet Gilia <i>Gilia aggregata</i>	1365
Squash <i>Cucurbita sp.</i>	938
Sunflower <i>Helianthus sp.</i>	886C
Sweet clover <i>Melilotus sp.</i>	732, 16
Tobacco <i>Nicotiana sp.</i>	16
Vervain <i>Verbena sp.</i>	990
Violet <i>Viola sp.</i>	990
Wheat <i>Triticum aestivum</i>	1007

V. BIBLIOGRAPHY

In Numerical Order by Reference Number

Both abstracts of articles and a bibliography were prepared. Because the abstracts were lengthy it was decided not to include them in this Volume but rather include them in a separate document. The full abstracts may be obtained from the National Technical Information Service by requesting Open Space as an Air Resource Management Measure: Volume I Sink Factors (Abstracts).

This section contains a bibliography in numerical order by reference number. Sequential numbers are occasionally missing from the bibliography as a result of duplication of abstracts. This usually occurred when a foreign literature article and an English translation of the same article were both uncovered in our search. Final editing removed one of the duplicated citations.

- #2 Chow, T. J. "Biogeochemical implications of lead in the hydrosphere." In: Project Clean Air. Scripps Institution of Oceanography, La Jolla, Calif., California Univ. Task Force Assessments, Vol. 2, App.-F, pp. 1-23 (1970).
- #3 Rao, D. N. "A study of the air pollution problem due to coal unloading in Varanasi, India." (Presented at the International Clean Air Congress, 2nd, Washington, D. C., December 6-11, 1970, Paper MB-33E.) Preprint, International Union of Air Pollution Associations, 12 p. (1970).
- #4 Ashby, W.C., and H. C. Fritts. "Tree growth, air pollution, and climate near LaPorte, Ind." Bull. Am. Meteorol. Soc., 53(3):246-251 (March 1972).
- #5 Ashton, W. M. "Nickel pollution." Nature (London), 237(5349):46-47 (May 5, 1972).
- #6 Howell, R. K. "Influence of air pollution on quantities of caffeic acid isolated from leaves of Phaseolus vulgaris." Phytopathology, 60(11): 1626-1629 (Nov. 1970).
- #7 Kloke, Adolf and Klaus Riebartsch. "Verunreinigung von Kulturpflanzen mit Blei aus Kraftfahrzeugabgasen." (Contamination of cultured plants by lead from automobile exhausts). Kurze Originalmitteilungen, 51(15):367-368 (1964).
- #8 Il 'kun , G. M., V. V. Pankrat'yev, S. A. Tarasenko, A. S. Meronova, and L. A. Mikhaylenko. "Ways of increasing the gas resistance of plants." Puti povysheniya internsionorti prod. fotoriorion, No. 2. pp. 124-233. (1967).
- #9 Environmental Protection Agency. "Effects of sulfur oxides in the atmosphere on vegetation." Nat'l Environmental Research Center, Research Triangle Park, N.C., Report No. EPA-R3-73-030 (September 1973).
- #10 Ingersoll, R. B. "Soil as a sink for atmospheric carbon monoxide." (Final report). Stanford Research Inst., Menlo Park. Coordinating Research Council Contract CAPA-4-68 (1-69), and SCU-8799, Environmental Protection Agency Rept. APTD-1307. 45 p. (October 1971).
- #11 Keller, T. "Lead as an indicator of the air-filtering effect of woods." 6 p. (No. publisher and no date)
- #12 Hirano, Hideo, Iyomaro Hanasawa, Touru Shigeta, Mitsuo Yano, Ichiro Fujinuma, and Bunsaku Wakai. "Taikiosen boshi taisaku ni kansuru kenkyu dai 1 ho. Dojo no gasu joka no ni kansuru kenkyu." (Study on preventive measures against air pollution. I. Study on purification ability of soil against gas). Nippon Koshu Eisei Zasshi (Japan J. Public Health), 18(10):442 (1971).

- #13  
Keller, T. "Effect of air pollution on plant life." Municipal Hygiene, 22(6): 1-22 (1971).
- #14  
Kadota, M. "Air pollution and trees: the creation of urban woods." J. Japan Soc. of Air Pollution, 1(6): 1-12 (1971).
- #15  
Mathe, P. "Die bedeutung von gruenraeumen und pflanzen in der stadt fuer die gesundheit des menschen." [The importance of green belts and plants in the city for the health of man]. Schriftenreihe Ver. Wasser, Boden-Lufthys, (Berlin), 38:285-298 (1972).
- #16  
Matsushima, Jiro. "Norin sakumotsu ni oyobosu taiki osen no eikyo." (Air pollution effect to the agriculture and forestry). Ryusan (J. Sulphuric Acid Assoc., Japan), 24(6):22-36 (June 1971).
- #17  
McCune, D. C., and A. E. Hitchcock. "Flouride in forage; factors determining its accumulation from the atmosphere and concentration in the plant." Second International Clean Air Congress Proceedings. 4 pp. (No date).
- #18  
Bennett, J. H., and A. C. Hill. "Interaction of gaseous air pollutants with canopies of vegetation." Agricultural Environmental Quality Institute, NE Region Agricultural Research Service, USDA, Md. 45p. (No date).
- #19  
Guderian, R., and H. Schoenbeck. "Recent results for recognition and monitoring of air pollutants with the aid of plants." Second International Clean Air Congress pp. 266-273. (No date).
- #20  
Bach W. "Planning and air pollution control." McGraw-Hill. Atmospheric Pollution, 7 pp. (1972).
- #21  
Barnes, R. L. "Effects of chronic exposure to ozone on soluble sugar and ascorbic acid contents of pine seedlings." Can. J. Botany, 50(1):215-219 (January 1972).
- #22  
Stewart, W. S. and D. F. Wilken. "Effect of shade on atmospheric oxidants (smog)." Environmental Protection Agency. 11 pp. (No date).
- #23  
Hanson, G. P., and L. Thorne. "A partial pollution solution: plant trees!" Fir, 19: 35-36 (June 1970).

- #24  
Fujiwara, T. "Sulfur accumulation form and development of injury symptom in plants which absorbed SO<sub>2</sub>." Ann. Phytopath. Soc. (Japan), 36: 127-131 (1970).
- #25  
Baker, J., D. Hocking, and M. Nyborg. "Effect of atmospheric sulfur dioxide on the pH of rain intercepted by forest trees." Environment Canada, Edmonton (Alberta), Canadian Forestry Service and Northern Forest Research Centre, and Alberta Environment, Research Secretariat, Proc. Workshop Sulphur Gas Res. Alberta, Edmonton, Alberta, pp. 98-102 (1973).
- #26  
Heck, W.W. "Discussion of a paper by E. A. Schuch and J. K. Locke entitled 'relationship of automotive lead particulates to certain consumer crops'." 6 pp. (1968). (No publisher).
- #27  
Vogl, M. "Physiological and biochemical contributions to smoke damage research." Deutschen Akademie der Landwirtschaftswissenschaften, Dept. of Forest Plant Physiology, Institute for Forest Plant Growth Groupa, Berlin, pp. 587-594 (1964).
- #28  
Faller, N., K. Herwig, and H. Kuhn. "Absorption of SO<sub>2</sub> from the air." Plant & Soil, 33: 283-295 (1970).
- #29  
Materna, J., and R. Kohout. "The absorption of sulphur dioxide by spruce and pine trees." Naturwissenschaften (Berlin), 50(11) :407 (1963).
- #30  
Mamayev, S. A., and V. S. Nikolaevskiy. "Some peculiarities of the susceptibility of scotch pine sprouts to SO<sub>2</sub> injury." 6 pp. (1970). (No publisher).
- #31  
Lampadius, F. "The air-hygiene significance of the forest and its dependence upon harmful air pollution effects upon the forest." Angewandte Meteorologie, 4 (8-10): 248-249 (1963).
- #32  
Faller, N. "Schwefeldioxid, Schwefelwasserstoff, nitrose Gase und Ammoniak als ausschliessliche S- bzw. N-Quellen der hoeheren Pflanze." (Sulfur dioxide, hydrogen sulfide, nitrous gases and ammonia as sole sources of sulfur and nitrogen for higher plants). Z. Pflanzenernaehr. Bodenk., 131(2) :120-130 (1972).
- #33  
Barnes, R. "Effects of chronic exposure to ozone on photosynthesis and respiration of pines." Environ. Pollut., 3(2) :133-138 (April 1972).

#34

Nikolayevskiy, V.S. and V.V. Suslova. "Gazoustoychivost i nekotoryye osobennosti pogloshcheniya S3502 gazonnymi travami." (Gas resistance and certain characteristics of absorption of S3502 by lawn grasses). Gorkiy (A.M.) State Univ. (USSR), Perm Order of the Red Banner of Labor, Uch.Zap. Perm. Ordena Trydovogo Krasnogo Znamenii Gos. Univ. im. A.M. Gorkogo, 277(5): 137-142 (1971).

#36

Guderian, R. "Einfluss der Naehrstoffversorgung auf die aufnahme von Schwefel-dioxid aus der Luft und auf die Pflanzanfaelligkeit." (Effect of nutrient supply on the absorption of sulfur dioxide from the air and on plant susceptibility). Landesanstalt fuer Immission und Bodennutzungsschutz des Landes Nordrhein-West falen, Essen (Germany), 1970 Annual Report, No. 23, p.51-57 (1971).

#37

Paluch, J. "Europaeischer Erfahrungsaustausch ueber Haldenbegruenung in Essen." (European conference on greening mining dumps in Essen - October 3-5, 1972). Forstarchiv, 1:12-14 (January 1973).

#38

Yonemaru, C. "On the injurious effects of sulphur dioxide upon plants." Noji Shikenjo Hokoku (Bull. Imp. Agr. Expt. Sta.), No. 47. Translated from Japanese. Mundus Systems, McGregor and Werner, Washington, D. C. 135 p. (March 1927).

#39

Blum, W. "Air pollution and filtering effectiveness of forests." Forester, 20(10):211-212, 214-5 (1965).

#40

Bernatzky, A. "Schutzpflanzungen zur Luftreinigung und Besserung der Umweltbedingungen." (Protection plantings for air purification and improvement of environmental conditions). Presented at the Council of Europe Symposium on Air Pollution, Wageningen, West Germany. Bam-Ztg., 2(3):37-42 (1968).

# 41

Brewer, A. W. and A. W. Wilson. "The regions of formation of atmospheric ozone." Quart. J. Roy. Meteorol. Soc., 94(401):249-265 (July 1968).

#42

Weigl, J., and H. Ziegler. "The spatial distribution of S<sup>35</sup> and the variety of the marked compounds in spinach leaves after gassing with S<sup>35</sup>O<sub>2</sub>." Planta, 58:435-447 (1962).

#43

Czaja, A. "On the problem of the effect of cement dust on plants." Staub (Dust), 22(6):228-232 (1962).

#44

Berge, Helmut. "Durch Schwefeldioxyd bedingte Immissionschaeden an Obst- und Waldbaeumen." (Injury to fruit and forest trees from sulfur dioxide emissions). Gartenbauwissenschaft, 24(2):220-228 (1959).

#45

Antipov, V. G. "The effect of industrial smokes and gases upon coniferous forests growing under conditions of increased humidity in the Moscow Region (Podmoskov'E)." In: American Institute of Crop Ecology Survey of USSR Air Pollution Literature. Vol.III. The Susceptibility or Resistance to Gas and Smoke of Various Arboreal Species Grown Under Diverse Environmental Conditions in a Number of Industrial Regions of the Soviet Union. M. Y. Nuttonson (ed.) Silver Spring. American Institute of Crop Ecology, p. 39-44, 1970. Translated from Russian. (Also Byull, Gl. Bot. Sada 46: 41-46 (1962)).

#47

Kloke, A. and H.O. Leh. "Verunreinigungen von Kulturpflanzen mit Blei aus Kraftfahrzeugabgasen." (Pollution of cultivated plants with lead from auto exhaust). Air Pollution Proc. First European Congr., Influence Air Pollution Plants Animals, Wageningen, Netherlands, p. 259-268 (1968).

#48

Smith, W. H. "Air pollution - effects on the structure and function of plant surface microbial - ecosystems." Presented at Advances in the Microbiology of the Aerial Surfaces of Plants. University of Leeds. Leeds, England. (September 1975).

#49

Westberg, H. H., and R. H. Rasmussen. "Atmopsheric photochemical reactivity of monoterpane hydrocarbons." Chemosphere 4:163-168 (1972).

#50

Pell, E.J., A. Rhoads, E. Brennan. "Assessment of symptomatic (direct) response of woody vegetation to air contaminants," IV part of the symposium Air Pollution and Woody Vegetation in the Metropolitan Northeast. A Problem Analysis prepared by the Consortium for Environmental Forest Studies. (No date).

#51

Habjorg, A. "Air pollution and vegetation." Meldinger fra norges Fandbrukshøgskole, 52(1):1-23 (1973).

#52

Faller, N. "Absorption of SO<sub>2</sub> by tobacco plants differently supplied with sulphate." pp. 51-57 IAEA-SM-151/39. (No date).

#53

Rameau, J. L. B. "Lead as an environmental pollutant." International Symposium Proceedings Environmental Health Aspects of Lead, October 2-6, 1972, Amsterdam Published by Commission of the European Communities, Luxembourg, pp. 189-197 (1973). (1973).

# 54  
de Cormis, L. "Quelques aspects de l'absorption du soufre par les plantes soumises à une atmosphère contenant du SO<sub>2</sub>." (Some aspects of sulphur absorption by plants subjected to an atmosphere containing SO<sub>2</sub>). Air Pollution Proc. First European Congr. Influence Air Pollution Plants Animals, Wageningen, Netherlands, p. 75-78 (1968).

#55

Tingey, D. T. "Foliar absorption of nitrogen dioxide." Master's Thesis, University of Utah. (June 1968).

#56

Bohn, H. "Soil absorption of air pollutants." J. Environ. Quality, 1(4): 372-376 (1972).

#57

Dedolph, R., G. TerHaar, R. Holtzman, and H. Lucas, Jr. "Sources of lead in perennial ryegrass and radishes." (Presented at the American Chemical Society of National Meeting, 157th, Division of Water, Air and Waste Chemistry, Symposium on Air Conservation and Lead, Minneapolis, April 1969). Environ. Sci. Technol., 4(3):217-223 (March 1970).

#58

Schuck, E. A., and J. K. Lock. "Relationship of automotive lead particulates to certain consumer crops." (Presented at the Symposium on Air Conservation and Lead, Division of Water, Air, and Waste Chemistry, 157th National Meeting, American Chemical Society, Minneapolis, April 1969.) Environ. Sci. Technol., 4(4):324-330 (April 1970).

#59

Motto, H. L., R. H. Daines, D. M. Chilko, and C. K. Motto. "Lead in soils and plants: its relationship to traffic volume and proximity to highways." (Presented at the American Chemical Society Annual Meeting, 157th, Division of Water, Air and Waste Chemistry, Symposium on Air Conservation and Lead, Minneapolis, April 1969.) Environ. Sci. Technol., 4(3):231-237 (March 1970).

#60

TerHaar, G. "Air as a source of lead in edible crops." Env. Sci. & Tech., 4(3): 226-229.

#61

Zimdahl, R. L., "Lead in soils and plants." In: Impact on Man of Environmental Contamination Caused by Lead. Interim Report. July 1, 1971 to June 30, 1972. Colorado State Univ., Fort Collins, National Science Foundation Grant IRRPOS GI-4, RANN GI-34813X, p. 98-123 (1972).

#62

Tingey, D. and C. Standley. "Factors influencing ethylene evolution from ozone stressed plants." EPA (1975).

#63

Neuberger, H., C.L. Hosler and W.C. Koemond. "Vegetation as aerosol filter." Biometeorology, 2(2):693-702 (1967).

#64

Davis, D. D. "A literature review regarding the ability of woody plants to remove SO<sub>2</sub> and photochemical oxidants from the atmosphere." Order #P5J10 397-J., Part II., EPA, 30 pp. (May 31 1975).

#65

Siegel, S. M. "Lead: aspects of its ecology and environmental toxicity." University of Hawaii. Botanical Science Paper, No. 32. Informal technical report, neither to be cited nor credited as a publication.

#66

Knabe, W. "Agriculture and forest measures to reduce damage from immission." Landwirtschaft Forschung Sonderh., 26(1):41-54 (1971).

#67

Bennett, J. H., A. C. Hill. "A model for gaseous pollutant sorption by leaves." (Presented at the 64th Annual Meeting of the Air Pollution Control Assoc., N. J., 1971.)

#69

Hill, A. C., and E. M. Chamberlain, Jr. "The removal of water soluble gases from the atmosphere by vegetation." Presented at the Atmospheric-Surface Exchange of Particulate and Gaseous Pollutants, Richland. (September 4-6 1974).

#70

Eschenroeder, A. Q. "Survey of the state of knowledge of sources of naturally emitted reactive hydrocarbons into the atmosphere." Pub. General Research Corp., CA. 27 p. (September 1974).

#73

Waggoner, P. E. "Role of plants in improving the environment." J. Environ. Quality, 1(2): 123-127 (1972).

#74

Bowne, N. E. "Diffusion Rates." Publ. by The Research Corporation of New England, Wethersfield, Connecticut. This paper presented as Paper 73-130 at the 66th Annual Meeting of the Air Pollution Control Association, 1973.

#76

Heichel, G. H. "Soil recycles carbon monoxide." Frontiers of Plant Science, 25(2):4-7 (Spring 1973).

#77:

Craker, L. E., and W. J. Manning. "SO<sub>2</sub> uptake by soil fungi." Environ. Pollut., 6:309-311 (1974).

- #78  
Went, F. W. "Blue hazes in the atmosphere." Nature, 187:641-643 (1960).
- #79  
Abeles, F.B., L.E. Craker, L.E. Forrence and G.R. Leather. "Fate of air pollutants: removal of ethylene, SO<sub>2</sub>, and NO<sub>2</sub> by soil." Science, 173: 914-916 (1971).
- #80  
Shain, L., and W. E. Hillis. "Ethylene production in Pinus radiata in response to Sirex-Amylostereum attack." Phytopathology, 62:1407-1409 (1972).
- #81  
Turner, N. C., I. Rich, and R. E. Waggoner. "Removal of ozone by soil." J. Environ. Quality, 2(2):259-264 (1973).
- #82  
Inman, R. E., R. B. Ingersoll, and E. A. Levy. "Soil: a natural sink for carbon monoxide." Science, 172:1229-1231 (1971).
- #83  
Smith, K.A., J.M. Bremner and M.A. Tabatabai. "Sorption of gaseous atmospheric pollutants by soils." Soil Science, 116(4):313-319 (1973).
- #85  
Warren, J. L. "Green space for air pollution control." School of Forest Resources, North Carolina State Univ., Raleigh, Tech. Report No. 50, July 1973.
- #86  
Smith, W. H., Dochinger, L. S. "Capability of metropolitan trees to reduce atmospheric contaminants." (Presented at Better Trees for Metropolitan Landscapes Symposium, U. S. National Arboretum, Washington, D. C., November 1975).
- #87  
Georgii, H. W., E. Busch, and E. Weber. "Investigation of the temporal and spatial distribution of the emission concentration of carbon monoxide in Frankfort/Main." Reports of the Institute for Meteorology and Geophysics of the University of Frankfurt/Main, 66 pp. (1967).
- #88  
Hill, A. C. "Vegetation: a sink for atmospheric pollutants." Preprint, Air Pollution Control Assoc., Pittsburgh, Pa. (Presented at the Air Pollution Control Association, Annual Meeting, 64th. Atlantic City. June 27-July 2, 1971. Paper 71-66 37 p.). Journal Air Pollut. Control Assoc., 21(6): 341-346 (1971).
- #89  
Heggestad, H. E. "Reciprocal effects of plants and pollutants." American Nurseryman, 13:92-102 (November 1972).

#90

Spedding, D.J. "Uptake of sulfur dioxide by barley leaves at low sulfur dioxide concentrations." Nature, 224:1229-1231 (1967).

#91

Witherspoon, J. P., and F. G. Taylor, Jr. "Retention of 1-44  $\mu$  simulated fallout particles by soybeans and sorghum plants." Health Physics, 21: 673-677 (1971).

#92

Lewis, J. A., and G. C. Papvitzas. "Effect of sulfur-containing volatile compounds and vapors from cabbage decomposition on *Aphanomyces euteiches*." Phytopathology 61:208-213 (1971).

#93

Kohout, R. and J. Materna. "Sorpce a sirení kyslicníku siricitého v asimilačních organech některých lesních dřevin." (Sorption and propagation of sulfur dioxide in the assimilation organs of some forest woody plants). Scientific and Technical Society, Prague (Czechoslovakia), Agriculture and Forestry Section, Proc. Conf. Effect Ind. Emissions Forestry, Janske Lazne, Czechoslovakia, p. XVII-1 to XVII-6 (1966).

#94

Rasmussen, R. A., R. S. Hutton, and R. J. Gaines. "Factors in establishing microbial populations on biologically inert surfaces." In: Biodegradation of Materials. Proceedings of the 1st International Biodegradation Symposium, Southampton, (1968). A. H. Walter & J. J. Eldrick (eds.). pp. 79-98. (1968).

#95

Rasmussen, R. A. "What do the hydrocarbons from trees contribute to air pollution." Journal of the Air Pollution Control Association, 22:537-543 (July 1972).

#96

Radwan, M.A. and W.D. Ellis. "Clonal variation in monoterpene hydrocarbons of vapors of Douglas-fir foliage." Forest Science, 21:63-67 (1975).

#97

Chadwick, R. C., and A. C. Chamberlain. "Field loss of radionuclides from grass." Atmospheric Environment, 4:51-56 (1970).

#98

Peters, L.N., and J.P. Witherspoon. "Retention of 44-88  $\mu$ -simulated fallout particles by grasses." Health Physics, 22:261-266 (1972).

#99

Dadlman, R. C., S. I. Auerbach, P. B. Dunaway. "Behavior of  $^{137}\text{Cs}$  - tagged particles in a fescue meadow." (Reprint from Environmental Contamination by Radioactive Materials, International Atomic Energy Agency, Vienna, 1969). Oak Ridge National Laboratory, Health Physics Division, Radiation Ecology Section, pp. 153-165. SM-117/72.

- #100  
Moorby, J., and H. M. Squire. "The loss of radioactive isotopes from the leaves of plants in dry conditions." Radiation Botany, 3:163-167 (1963).
- #101  
Rasmussen, R. A., and F. W. Went. "Volatile organic material of plant origin in the atmosphere." Nat. Acad. Sci. Proc., 53:215-220 (1965).
- #102  
Thorne, L., and G. P. Hanson. "Species differences in rates of vegetal ozone absorption." Environ. Pollut., 4(3):303-312 (October 1972).
- #103  
Hutchinson, G. L., R. J. Millington, and D. B. Peters. "Atmospheric ammonia: absorption by plant leaves." Science, 175(4023):771-772 (Feb. 18 1972).
- #104  
Porter, L.K., P.G. Viets, Jr., and G.L. Hutchinson. "Air containing nitrogen-15 ammonia: Foliar absorption by corn seedlings." Science, 175:759-761 (1972).
- #105  
Bennett, J. H., A. C. Hill. "Absorption of gaseous air pollutants by a standardized plant canopy." J. Air Pollut. Control Assoc., 23(3):203-206 (1973).
- #107  
Chillote, D. O. "The role of plants in removal of air pollutants." In: Plants in Environmental Purification. Environmental Health Science Center, Oregon State University, p. 23-29, 1975.
- #108  
Chamberlain, A.C. "Deposition of particles to natural surfaces." In: Air-borne Microbes, P.H. Gregory and J.L. Monteith (eds.), 17th Symp. Soc. Gen. Microbiol., Cambridge Univ. Press, London (No date).
- #109  
Rich, S. "Plants as air purifiers." Frontiers of Plant Science (Conn. Ag. Exp. Sta.), 21:6-7 (1968).
- #110  
Waggoner, P. E. "Plants and polluted air." Bioscience, 21:455-459 (1971).
- #111  
Lamanna, C. "Influence of vegetation in the urban environment on air pollution." Bioscience, 20:201-202 (1970).

#112

Menzel, R.G. "Airborne radionuclides and plants." In: Agriculture and the Quality of Our Environment, N.C. Brady (ed.), AAAS Publication #85, Washington, D.C., p. 57-75 (1967).

#113

Servant, J. "Le Bilan hydrometeorologique du plomb sur la France (1972-1973). Consideration sur le bilan et importance du depot sec." (The hydrometeorological balance of lead on France (1972-1973). Considerations on the balance and importance of the dry deposit). Conférence Internationale sur les Métaux Rourdo dans l'environement (Toronto), 10 pp. (1975).

#114

Servant, J. "Deposition of atmospheric lead particles to natural sources in field experiments." In: Symposium on Atmosphere-Surface Exchange of Particulate and Gaseous Pollutants. Richland. pp. 85-93 (1974).

#115

Middleton, J.T. "Air - An essential resource for agriculture." In: Agriculture and the Quality of Our Environment, N.C. Brady (ed.), AAAS Publication #85, Washington, D.C., p. 3-9 (1967).

#116

Chamberlain, A. C. "Interception and retention of radioactive aerosols by vegetation." Atmospheric Environment, 4:57-78 (1970).

#117

Bormann, F. H., P. R. Shafer, and D. Mulcahy. "Fallout on the vegetation of New England during the 1957 atom bomb test series." Ecology, 39:376-378 (1958).

#118

Walker, K.C. "Agricultural practices influencing air quality." In: Agriculture and the Quality of Our Environment, N.C. Brady (ed.), AAAS Publication #85, p. 105-111 (1967).

#119

Hansbrough, J.R. "Air quality and forestry." In: Agriculture and the Quality of Our Environment, N.C. Bradley (ed.). AAAS Publication #85, Washington, D.C., pp.45-55 (1967).

#120

Dochinger, L. S. "Atmospheric cleansing of gaseous and particulate pollutants by forest trees." 30 pp. (1974) (No publisher).

#121

Dochinger, L. S. "Improving city air quality with trees." U. S. D. A. Forest Service, N. E. Forest Expt. Station, Forest Insect & Disease Lab, Delaware, Ohio, 17 pp. (No date).

#122

Rich, S., and H. Tomlinson. "How plants trap ozone." Frontiers of Plant Science, 20(2):4-5 (May 1970).

#123

American Forest Institute. "Forests U. S. A." 1619 Massachusetts Avenue, N. W. Washington, D. C., p. 10 (July 1974).

#125

Raynor, G. S. "Effects of a forest on particulate dispersion." Proc. USAEC Meteorol. Info Meeting. pp. 581-586. (1967).

#126

Weisser, D. "Woods as natural barrier against air pollution in areas of concentrated industrialization and urbanization." Wasser Luft u. Betrieb, 5:96-8 (March 1961).

#127

Roberts, B. R. "Foliar sorption of atmospheric SO<sub>2</sub> by woody plants." Env. Pollut., 7(2):133-141 (1974).

#128

Jensen, K. F. "Sulfur content of hybrid poplar cuttings fumigated with SO<sub>2</sub>." USDA Forest Service Research. Upper Darby. Research Note NE-209. (1975).

#129

Roberts, B. R. "Absorption of gaseous pollutants by individual leaves: sulfur dioxide." Phytopathology, 64(5):585 (May 1974).

#130

Martin, A., and F. R. Barber. "Some measurements of loss of atmospheric SO<sub>2</sub> near foliage." Atmospheric Environment, 5:345-352 (1971).

#131

Turk, A., and C. J. D'Angio. "Composition of natural fresh air." J. Air Pollution Control Assoc., 12(1):29-33 (January 1962).

#132

Caborn, J.M. "Shelterbelts & microclimates." Forestry Commission, Bulletin No. 29, Dept. of Forestry, Edinburgh Univ., Scotland, 135 pp. (1957).

#133

Russell, R.S. "An introductory review - Interception and retention of airborne materials on plants." Health Physics, 11:1305-1315 (1965).

#134

Schlesinger, W. H., and W. A. Reiners. "Deposition of water and cations on artificial foliar collectors in fir krummholz of New England mountains." Ecology, 55:378-386 (1974).

#135

Ripperton, T. A. "The effect of water vapor on ozone synthesis in the photo-oxidation of alpha-pinene." J. Air Pollut. Control Assoc., 21(10):629-635 (1971).

#136

Jacobson, J.S., L.H. Weinstein, D.C. McCure and A.E. Hitchcock. "The accumulation of fluorine by plants." J. Air Pollution Control Assoc., 16(8):412-417 (1966).

#137

Rabinowitz, M. "Plant uptake of soil and atmospheric lead in Southern California." Chemosphere, 1(4):175-180 (1972).

#138

Jensen, K. F., and T. T. Kozlowski. "SO<sub>2</sub> absorption and translocation in forest tree seedlings." Am. J. Bot., 61(5):28 (1974).

#139

Edmonds, R. L., and C. H. Driver. "Dispersion and deposition of spores of Fomes annosus and fluorescent particles." Phytopathology, 64:1313-1321 (1974).

#140

Romney, E. M., R. G. Lindberg, H. A. Hawthorne, B. G. Bystrom and K. H. Larson. "Contamination of plant foliage with radioactive fallout." Ecology, 44:343-349 (1963).

#141

Cassidy, S.G. "The effect of cyclic salt in a maritime environment. II. The absorption by plants of colloidal atmospheric salt." Plant & Soil, 28: 390-406 (1968).

#142

Witherspoon, J. P., and F. G. Taylor, Jr. "Retention of a fallout simulant containing <sup>134</sup>Cs by pine and oak trees." Health Physics, 17:825-829 (1969).

#143

Wedding, J. B., R. W. Carlson, J. J. Stokel, and F. A. Bazzaz. "Aerosol deposition on plant leaves." Environmental Science & Technology, 9:151-153 (1975).

#144

White, E. J., and F. Turner. "A method of estimating income of nutrients in a catch of airborne particles by a woodland canopy." J. Applied Ecology, 7: 441-461 (1970).

#145

Bergen, J. D. "Air movement in a forest clearing as indicated by smoke drift." Agricultural Meteorology, 15:165-179 (1975).

#146

Raynor, G. S., M. E. Smith, I. A. Singer, L. A. Cohen, and J. V. Hayes.  
"The dispersion of ragweed pollen into a forest." 7th National Conf.  
Agric. Meteorology, Rutgers Univ., New Brunswick, pp. 1-11 (1966).

#147

Dochinger, L. S. "Can trees cleanse the air of particulate pollutants?" Int.  
Shade Tree Conf. Proc., 48:45-48 (1972).

#149

Heichel, G. H., and L. Hankin. "Particles containing lead, chlorine and bromine detected on trees with an electron microprobe." Environmental Science & Technology, 6:1121-1122 (1972).

#150

Smith, W. H. "Lead contamination of roadside white pine." Forest Science, 17: 195-198 (1971).

#151

Smith, W. H. "Metal contamination of urban woody plants." Environmental Science & Technology, 7:631-636 (1973).

#152

Little P., and M. H. Martin. "A survey of zinc, lead, and cadmium in soil and natural vegetation around a smelting complex." Environmental Pollution, 3: 241-54 (1972).

#153

Smith, W. H. "Salt contamination of white pine planted adjacent to an interstate highway." Plant Disease Reporter, 54:1021-1025 (1970).

#154

Bochauer, M. J. "Contamination of soil and vegetation near a zinc smelter by zinc, cadmium, copper and lead." Environmental Science & Technology, 7:131-135 (1973).

#155

Helvey, J. D. "A summary of rainfall interception by certain conifers in North America." Biological Effects in the Hydrological Cycle.. 3rd Int. Sem. Hydrology Prof. Proc., Purdue University, pp. 103-113 (1971).

#156

Gary, H. L. "Airflow patterns and snow accumulation in a forest clearing." West. Snow Conf. Proc., Coronado 43: 106-113 (1975).

#157

Zinke, P. J. "Forest interception studies in the United States. In: Int. Sym. on Forest Hydrology. W. E. Sopper & H. W. Cull, ed., Pergamon Press, Oxford, England, pp. 137-161 (1967).

#158

Stephens, E.R. & W.E. Scott. "Relative reactivity of various hydrocarbons in polluted atmospheres." Amer. Petroleum Inst. Proc., 42:665-670 (1962).

#159

Ekern, P.C. "Direct interception of cloud water on Lanaihale, Hawaii." Soil Sci. Soc. Amer. Proc., 28:419-421 (1964).

#160

Alexander, M. "Microorganisms and chemical pollution." BioScience, 23(9):509-515 (September 1973).

#161

Bartells, G.C., Jr. "Disappearance of sulphur dioxide from dilute mixtures of sulphur dioxide with air." Bull. Bureau Mines, 98:308-323, 503-520 (1915).

#162

Baumhardt, G. R., and L. F. Welch. "Lead uptake and corn growth with soil-applied lead." J. Environ. Quality, 1(1):91-94 (1972).

#163

Bennett, J. H., and A. C. Hill. "Inhibition of apparent photosynthesis by air pollutants." J. Environ. Qual., 2(4):526-530 (October-December 1973).

#164

Benedict, H. M., J. M. Ross, and R. W. Wade. "The disposition of atmospheric fluorides by vegetation (final report)." Standford Research Inst., South Pasadena, Southern California Labs., 28 pp. (April 1963).

#165

Benedict, H.M., J.M. Ross, and R.H. Wade. "Some response of vegetation to atmospheric fluorides (final rept.)." J. Air Pollution Control Assoc., 15(6): 253-255 (June 1975).

#166

Bidwell, R. G. S., and D. E. Fraser. "Carbon monoxide uptake and metabolism by leaves." Can. J. Botany, 50(7):1435-1439 (1972).

#167

Brandt, C. S. "Special jubilee symposium: air pollution with relation to agro-nomi crops." (Presented at the American Society of Agronomy, 50th Anniversary Meeting, Atlanta, Georgia, November 20, 1957). Agron. J., 56:544 (1958).

#168

Bredemann, G. and H. Radeloff. "Rauchschaden durch schwefligsaure Abgase und ihre Erkennung." (Flue-gas damage by waste gases containing sulfurous acid and its identification). Phytopathol. Z., 4(2):13, 180-194 (1933).

#169  
Bromfield, A. R. "Absorption of atmospheric sulphur by mustard (*Sinapis alba*) grown in a glasshouse." J. Agr. Sci., 78:343-344 (April 1972).

#170  
Broyer, T.C., C.M. Johnson and R.E. Paull. "Some aspects of lead in plant nutrition." Plant Soil, 36(2):301-313 (1972).

#171  
Belot, Y., J. Ridelle-Berger, and D. Gauthier. "La captation des particules atmosphériques par les feuilles des plantes. Essais en soufflerie." (The capture of atmospheric particles by the leaves of plants. Wind tunnel experiments). Commis. Energ. At. (Bull. Inf. Sci. Tech.), 151:9-14 (1970).

#172  
Buck, M. "Untersuchungen ueber die Wirkung von Luftverunreinigungen auf Pflanzen." (Experiments on the effect of air pollution on plants). Air Pollution Proc. First European Congr. Influence Air Pollution Plants Animals, Wageningen, Netherlands, 1968, p. 53-73. Translated from German. Belov and Associates, Denver, Colo., 28 p., Sept. 15, 1970.

#173  
Cannon, H.L. and J.M. Bowles. "Contamination of vegetation by tetraethyl lead." Science, 137:765-766 (Sept 7, 1962).

#174  
Cass, J. S. "Fluorides: A critical review. IV. Response of livestock and poultry to absorption of inorganic fluorides." J. Occupational Med., 3(10): 471-477 (October 1961).

#175  
Cox, W. J., and D. W. Rains. "Effect of lime on lead uptake by five plant species." J. Environ. Quality, 1(2):167-169 (1972).

#176  
Crecelius, E. A., and D. Z. Piper. "Particulate lead contamination recorded in sedimentary cores from Lake Washington, Seattle." Environ. Sci. Technol., 7(11):1053-1055 (November 1973).

#177  
Crocker, T. D. "In Polk and Hillsborough Counties, Florida." Bull. At. Sci., 1965:17-19 (June 1965).

#178  
Daines, R. H., I. Leone, and E. Brennan. "The effect of fluorine on plants as determined by soil nutrition and fumigation studies." Air Pollut., Proc. U. S. Tech. Conf., Washington, D. C., pp. 97-105 (May 3-5, 1950).

#179

Darley, E.F. "Studies on the effect of cement-kiln dust on vegetation." J. Air Pollution Control Assoc., 16(3):145-50 (March 1966)

#180

Dawson, Alden B. "The hemopoietic response in the catfish, Ameiurus nebulosus, to chronic lead poisoning." Biol. Bull., 68(3):335-346 (1935).

#181

Draznin, Y. "The lethal equation: smog plus trees equals damage and death." Amer. Forests, 78(2):48-51, 58-60 (February 1972).

#182

Drinker, P. "Air pollution and the public health. Pollution by fluorides." (Presented at the Royal Institute of Public Health and Hygiene.) Roy. Inst. Public Health Hyg. J. (London), 20:307-316 (Sept. 1957).

#183

Feder, W. A. "Modifying the environment." Hort. Science, 5(4):247-249 (August 1970).

#184

Franke, W. "Ueber die Beziehungen der Ektodesmen zur Stoffaufnahme durch Blaetter. III. Mitteilung, Nachweis der Beteiligung der Ektodesmen an der Stoffaufnahme durch Blaetter mittels Radioaktiver Stoffe." (Pertaining to the relationship of the ectodesmata to the uptake of nourishment through the leaves. III. Report. Proof of the participation of the ectodesmata on the uptake of nourishment through the leaves by means of radioactive substances). Translated from German. Belov and Associates, Denver, Colo., 20 p., Feb. 10, 1970. Planta, 61:1-16 (1964).

#185

Freebairn, Hugh T. "Reversal of inhibitory effects of ozone on oxygen uptake of mitochondria." Science, 126(3268):303-304 (Aug 16, 1957).

#186

Freebairn, H. T. "The prevention of air pollution damage to plants by the use of vitamin C sprays." (Presented at the 52nd Annual Meeting, Air Pollution Control Assoc., Los Angeles, California, June 21-26, 1959). J. Air Pollution Control Assoc., 10(4):314-317 (August 1960).

#187

Gableman, W. H. "Alleviating the effects of pollution by modifying the plant." Hort. Science, 5(4):250-252 (August 1970).

#188

Garber, K. "On the absorption of harmful substances through tree bark." Wiss. Z Tech. Univ. Dresden. Translated from German. Vol. 3 10 p. (November 14, 1961).

#189

Garber, K. "Stand und Leistung agrikulturchemischer und agrabiologischer Forschung." (State and attainment of agricultural chemical and agricultural biological research). Landwirtsch Forsch., 20:116-118 (1966).

#190

Gisiger, L. "Ueber den gehalt der boden an fluor und dessen aufnehmbarkeit durch pflanze und tier." [On the fluorine content of soils and its absorption by plants and animals]. Schwiez. Landwirt. Monatsh., 44(6): 221-230 (June 1966).

#191

Gonzalez, S. de Haro. "Humos fabriles e industriales y los danos que pueden causar a la vegetacion circundante." (Industrial fumes and the damage they can cause to the surrounding vegetation). Translated from Spanish. Ion (Madrid), 3(27):621-627 (Oct. 1943).

#192

Grennard, A. "Svaveldioxid - aktiv miljovard eller politisk taktik?" (Sulfur dioxide - Active environmental protection or political tactics?) Tek. Tidskr., 10:41-44 (1972).

#193

Grill, D. "Optische veraenderungen in homogenisaten SO<sub>2</sub> - geschaedigter fichtennadein." [Optic changes in homogenates of SO<sub>2</sub> - damages spruce needles]. Int. J. Environ. Anal. Chem., 1(4):293-300 (May 1972).

#194

Halbwachs, G. "Der Wasserhaushalt rauchgeschaedigter Holzgewaechse." (Water distribution in smoke-damaged woody plants). Translated from German. Translation Consultants, Inc., Arlington, Va., 6 p. Allgem. Forstztg., 78:196-197 (1967).

#195

Haneda, Mikiko and Fumio Tsunoda. "Fukkabutsu ni yoru taiki osen chosa no tame no shihyo shokubutsu ni tsuite." (Indicator plant in fluoride air pollution investigation). Nippon Koshu Eisei Zasshi (Japan. J. Public Health), 19(9): 449-456 (Sept 1972).

#196

Hansen, E.D., H.H. Wiebe and W. Thorne. "Air pollution with relation to agronomic crops: VII. Fluorides uptake from soils." Agron. J., 50: 565-568 (1958).

#197

Hasegawa, Toshio, Yoshiaki Yamazaki, Hideo Hayashi, and Masaaki Takahashi. "Fukkabutsu ni yoru taiki osen chosa. Dai-3-po." (On the atmospheric fluoride pollution. Part III.). Taiki Osen Kenkyu (J. Japan Soc. Air Pollution), 5(1):225 (1970).

#198

Haupt, R., and G. Flemming. "Sozialhygienische Probleme bei der Gestaltung von Erholungswaeldern." (Problems of social hygiene in the planning of recreational forests). Wissen. Z. Tech. Univ., (Dresden), 22(4):688-692 (1973).

#199

Heck, W.W. , M. E. Bloodworth, W. J. Clark, D.R. Darling, and W. Hoover. "Environmental pollution by missile propellants." Texas Agricultural and Mechanical Research Foundation, College Station. (Rept. No. AMRL-TDR-63-75.) 89 p. (August 1963).

#200

Heggestad, H. E. "How plants fight man-made pollution." Sci. Teach., 39(4) 21-24 (April 1972).

#201

Herath, H.M.W., and D.P. Ormrod. "Temperature and sulfur nutrition effects on CO<sub>2</sub> compensation values in barley, peas, and rape." Plant Physio., 49(3):443-444 (1972).

#202

Inoue, E. "On the CO<sub>2</sub>-Concentration profiles within crop canopies." J. Agr. Meteorol. (Tokyo), 20(4):137-140 (March 1965).

#203

John, M. K., C. J. VanLaerhoven, and H. H. Chuah. "Factors affecting plant uptake and phytotoxicity of cadmium added to soils." Environ. Sci. Technol., 6(12):1005-1009 (November 1972).

#204

John, M. K., and C. Van Laerhoven. "Lead uptake by lettuce and oats as affected by lime, nitrogen, and sources of lead." J. Environ. Quality, 1(2):169-171 (1972).

#205

Kamprath, E. J. "Possible benefits from sulfur in the atmosphere." Combustion, 44(4):16-17 (Oct. 1972).

#206

Kanagawa Prefectural General Agricultural Research Inst. "Baijinchu no kinzoku seibun no jumoku e no eikyo." (The effects of metal components in dusts on trees). In: The 1972 Investigation of Air and Water Pollution on Human Health by the Chiba Prefectural Government, Department of Hygiene, Rept. 15. 204-210 (Feb 1973).

#207

Kaudy, J. C., F. T. Bingham, R. C. McColloch, G. F. Liebig, and A. P. Vanselow. "Contamination of citrus foliage by fluorine from air pollution in major California citrus areas." Proc. Am. Soc. Hort. Sci., 65:121-127 (1954).

#208

Keller, T., and R. Zuber. "Ueber die Bleiaufnahme und die Bleiverteilung in jugen Fichten." (Lead uptake and lead distribution in young spruce plants). Forstwiss. Centralblatt, 89(1):20-26 (1970).

#209

Kortschak, H. P., and L. G. Nickell. "Photosynthetic carbon monoxide metabolism by sugarcane leaves." Plant Sci. Lett., 1:213-216 (1973).

#210

Kotaka S., A.P. Krueger, and P.C. Andriege. "Some observation on air-ion-enhanced iron chlorosis in barley (Hordeum vulgaris) seedlings." Plant Cell Physiol., (Tokyo), 6:233-245 (1965).

#211

Krall, A.R., and N. E. Tolbert. "A comparison of the light dependent metabolism of carbon monoxide by barley leaves with that of formaldehyde, formate and carbon dioxide." Plant Physiol., 32(4):321-326 (1957).

#212

Largent, E.J. "The Effects of Air-Borne Fluorides on Livestock." Louis C. McCabe (ed.). Interdepartmental Committee on Air Pollution, Washington, D.C., Air Pollut., Proc. U. S. Tech. Conf., Washington, D. C., p. 64-72 (May 3-5, 1950).

#213

Leh, H. O. "Verunreinigungen von kulturpflanzen mit blei von kraftfahrzeugabgasen." [Contamination of cultured plants by lead from automobile exhausts]. Gesunde Pflanz., 18(2):21-24 (Feb. 1966).

#214

Leone, I. A., E. Brennan, and R. H. Daines. "Atmospheric fluoride: its uptake and distribution in tomato and corn plants." Plant Physiol., 31(5):329-333 (1956).

#215

Levi, E. "Distribution du cesium ou d strontium, absorbes simultanement par voies racinaire et foliaire, dans une jeune plante de haricot (Phaseolus vulgaris var, Berna), manifestee par la repartition de deux de leurs isotopes radioactifs." [The distribution of cesium and of strontium absorbed simultaneously through the roots and leaves of a young bean plant (Phaseolus vulgaris var, Berna), as manifested by the distribution of two of their radioactive isotopes]. C. R. Acad. Sci. (Paris), 271:311-313 (July 20, 1970).

#216

Linzon, S.N. "Sulphur dioxide injury to trees in the vicinity of petroleum refineries." Forestry Chronicle, 245-50 (June 1965).

#217

MacDowall, F.D., E. I. Mukammal, and A. F.W. Cole. "Direct correlation of air polluting ozone and tobacco weather fleck." Can. J. Plant Sci. (Ottawa), 44: 410-7 (Sept. 1964).

#218

MacIntire, W.H., et al " Effects of fluorine in Tennessee soils and crops." Ind. Eng. Chem., 41(22):2466-2475 (Nov. 1949).

#219

MacIntire, W. H. "Air Versus Soil as Channels for Fluoric Contamination of Vegetation in Two Tennessee Locales." Louis C. McCabe,(ed.). Interdepartmental Committee on Air Pollution, Washington, D. C., Air Pollut., Proc. U. S. Tech. Conf., Washington, D. C., p. 53-58, May 3-5, 1950.

#220

Macris, B.J. "Transport and toxicity of sulfur dioxide in the yeast Saccharomyces cerevisiae var. ellipsoideus." Michigan State Univ., Dept. of Food Science and Human Nutrition, Thesis (Ph.D.), Ann Arbor, Mich., Univ. Microfilms, Inc., 104 p. (1972).

#221

Maeno, M. "Jumoku ni taisuru taiki osen no eikyo (dairoppo) Gairojuyo no jukinzoku. Tetsu oyobi mangan." (Effects of air pollution on trees (VI) Heavy metals in leaves of street tree and manganese). Taiki Osen Kenkyu (J. Japan Soc. Air Pollution), 5(1):155 (1970).

#222

Maeno, M. "Jumoku ni taisuru taiki osen no eikyo (dainanaho) Gairojuyo no jukinozoku. Aen oyobi do." (Effect of air pollution on trees (VII) Heavy metals in leaves of street tree). Taiki Osen Kenkyu (J. Japan Soc. Air Pollution), 5(1):156 (1970).

#223

Marten, G. C., and P. B. Hammond. "Lead uptake by bromegrass from contaminated soils." Agron. J., 58(5):553-554 (Sept-Oct 1966).

#224

Matshushima, J. and M. Harada. "Kaju no aryusangasu niyoru engai (dai 2 ho) Higai kankitsuju no jittai narabini sono eiyokakuteki kansatsu." (Sulfur dioxide gas injury to fruit trees. II: Actual conditions of suffered citrus trees and survey of their nutritional status). Engei Gakkai Zasshi (Tokyo), 34(3):169-176 (1965).

#225

Meyer, M.W. "Absorption and release of ammonia from and to the atmosphere by plants." Maryland Univ., College Park, Dept. of Agriculture, Thesis (Ph.D.), Ann Arbor, Mich., Univ. Microfilms, Inc., order no. 73-28, 881 60 pp. (1973).

#226

Mooi, J. "Onderzoek naar de gevoeligheid van houtige gewassen voor SO<sub>2</sub> en HF." (Investigation of the susceptibility of woody plants for SO<sub>2</sub> and HF). Text in Dutch. Groen, 1972:1-12 (Jan. 1972).

#227

Munshower, Frank Forrest. "Cadmium compartmentation and cycling in a grassland ecosystem in the Deer Lodge Valley, Montana." Montana Univ., Missoula, Thesis (Ph.D.), Ann Arbor, Mich., Univ. Microfilms, Inc., 114p. (June 1972).

#228

Mueller, P. K., and R. L. Stanley. "Origin of lead in surface vegetation." California State Dept. of Public Health, Berkeley. Air and Industrial Hygiene Lab., National Air Pollution Control Administration Contract 86-68-35, AIHL Rept., 87. 15 p. (July 1970).

#229 -

Nyborg, M., and McKinnon, Allen & Associates, Ltd. "Atmospheric sulphur dioxide: effects on the pH and sulphur content of rain and snow: addition of sulphur to surface waters, soil, and crops: and acidification of soils." Environment Canada, Edmonton (Alberta), Canadian Forestry Service and Northern Forest Research Centre, and Alberta Environment, Research Secretariat, Proc. Workshop Sulphur Gas Res. Alberta, Edmonton, Alberta, p. 79-97, 1973.

#230

Prince, R. and F.F. Ross. "Sulphur in air and soil." Water, Air, Soil Pollut. 1(3):286-302 (July 1972).

#231

Rasmussen, R.A. and R.S. Hutton. "Utilization of atmospheric organic volatiles as an energy source by microorganisms in the tropics." Chemosphere, 1(1): 47-50 (January 1972).

#232

Rentschler, I. "Die Bedeutung der Wachsstrukturauf den Blaettern fuer die Empfindlichkeit der Pflanzen gegenueber Luftverunreinigungen." (The significance of the wax structure on leaves concerning the susceptibility of the plants to air pollutants). Text in German. Proc. Int. Clean Air Congr., 3rd, Dusseldorf, West Germany, p. A139-A142 (1973).

#233

Richter, O. "Pflanzenwachstum und laboratoriumsluft." [Plant growth and laboratory atmosphere]. Ber. Deut. Botan. Ges., (Berlin), 21:180-194 (1903).

#234

Schucht, F., H. H. Baetge, and M. Dueker. "Ueber bodenkundliche aufnahmen im rauchschadengebiet der Unterharzer Huettenwerke Oker." [Soil analyses in the smoke damaged area of the metallurgical plant Oker in Unterharz]. Landwirt. Jahrb., 76:51-98 (1932).

#235

Shupe, J.L. "Diagnosis of fluorosis in cattle." Publication of the 4th International Meeting, World Society for Buiatrik, Zurich, Switzerland, 17 p. (Aug. 4-9, 1966.).

#236

Shibukawa, S., and Y. Ota. "Nosakubutsu no ozon shogai in taisuru kagaku yakuza ni koka ni tsuite." (Effect of chemical (benzimidazole, thiophanate methyl and potassium) in reducing ozone injury to vegetable crops). Text in Japanese. (Presented at the Japan. Society of Air Pollution, Annual Meeting, 14th, Fukushima, Japan, Paper 272, Nov. 6-8, 1973.) Taiki Osen Kenkyu (J. Japan. Soc. Air Pollution), 8(3):546 (Oct. 1973).

#237

Siegel, S. M. "Lead: aspects of its ecology and environmental toxicity (semi-annual report)." Hawaii Univ., Botany Dept., National Aeronautics and Space Administration Grant NGL 12-001-042, NASA-CR-138385, Hawaii Univ., Botanical Science Paper 32, 63 p., May 1973. NTIS: N74-22959

#238

Smith, D. W., C. B. Fliermans, and T. D. Brock. "Technique for measuring  $^{14}\text{CO}_2$  uptake by soil microorganisms in situ." Appl. Microbiol., 23(3):595-600 (March 1972).

#239

Suketa, Y., A. Endo, and T. Yamamoto. "Kichu fukkabutsu no kankyo nodo to nosakubutsu e no eikyo." (Effect to agricultural crops by ambient fluorides). Proceedings of the Japan Society of Air Pollution, Annual Meeting, 11th, Tokyo, Japan. Taiki Osen Kenkyu (J. Japan Soc. Air Pollution), 5(1):159 (1970).

#240

Swain, R.E., and A.B. Johnson. "Effect of sulfur dioxide on wheat development." (Presented at the American Chemical Society, Division of Biological Chemistry Meeting, 86th, Chicago, Illi., Sept. 10-15, 1935). Ind. Eng. Chem., 28(1): 42-47 (1936).

#241

Tanaka, H., T. Takanashi, and M. Yatazawa. "Aryusan gasu ni yoru shokubutsu higai no jikkenteki kenkyu (daiyonpo)." (Experimental studies on  $\text{SO}_2$  injuries in higher plants (Part 4). (Proceedings of the Japan. Society of Air Pollution, Annual Meeting, 11th, Tokyo, Japan, 1970.) Text in Japanese. Taiki Osen Kenkyu (J. JapanSoc. Air Pollution), 5(1):152 (1970).

#242

Thomas, B., J. A. Roughan, and E. D. Watters. "Lead and cadmium content of some vegetable foodstuffs." J. Sci. Food Agr., 23(12):1493-1498 (Dec. 1972).

#243

Thomas, M. D. "Gas damage to plants." Ann. Rev. Plant Physiol., 2:293-322 (1951).

#244

Wagner, K.-H. and I. Siddigi. "Abhaengigkeit des Bleigehaltes der Pflanzen von der Bleikonzentration im Boden." (Dependence of the lead concentration of plants on the lead concentration in the soil). Naturwissenschaften (Berlin), 60(4):200 (1973).

#245

Warren, H. V., and R. E. Delavault. "Observations on the biogeochemistry of lead in Canada." Trans. Roy. Soc. Can., Sect. IV, 54:11-20 (June 1960).

#246

Weigl, J., and H. Ziegler. "Die raumliche Verteilung von S und art der markierten Verbindungen in spinatblättern nach Begagung mit SO<sub>2</sub>." (The special distribution of 35S and the variety of the marked compounds in spinach leaves after gassing with 35SO<sub>2</sub>). Translated from German. Belov and Associates, Denver, Colo., 18 p., Feb. 17, 1970. Planta, 58:435-447 (1962).

#247

Weinstein, L.H., R.H. Mandl, D.C. McCune, J.S. Jacobson, and A.E. Hitchcock. "Semi-automated analysis of fluoride in biological materials." J. Air Pollution Control Assoc., 15(5):222-225 (May 1965).

#248

Wells, A. E. "Results of recent investigations of the smelter smoke problem." (Presented at the Symposium on the Chemistry and Metallurgy of Zinc, American Chemical Society Meeting, 54th, Kansas City, April 12, 1971.) J. Ind. Eng. Chem., 9(7):640-646 (July 1971).

#249

Wentzel, K. F. "Zur Bodenbeeinflussung durch industrielle Luftverunreinigungen und Düngung in Rauchschadenslagen, insbesondere mit Kalk." (The effects of industrial air pollutants and time fertilizers on smoke-exposed grounds). Text in German. (Presented at the Bezirksgruppentagung des Bundes Deutscher Forstmaenner, Muenster, West Germany, Jan. 22, 1959.) Forst-Holzwirtschaft, 14(8):178-182 (1951).

#250

Wislicenus, H. "Resistenz der fichte gegen saure rauchgase bei ruhender und bei thaeriger assimilation." [Resistance of spruce against acid smokes in periods of passive and active assimilation]. Tharandter Forstl. Jahrb., 48:152-172 (1898).

#251

Wislicenus, H. "Zur Beurtheilung und Abwehr von Rauchschaeden." (The assessment and control of smoke damage). Z. Angew. Chem. (Weinheim), 14(28): 689-716 (1901).

#252

Wolozin H., and E. Landau. "Crop damage from sulfur dioxide." (Presented at the Joint Meeting of the American Farm Economic Association and Econometric Society, New York City, Dec. 29, 1965.) J. Farm Economics, 48(2):394-405 (May 1966).

#253

Woltz, S. S. "Distinctive effects of root versus leaf acquired fluorides." (Meeting was held in Miami, Fla., Nov. 3-6, 1964.) Proc. Florida State Hort. Soc., 77:516-517 (1964).

#254

Yamaga, S., K. Ohmori, H. Saito, and A. Tanizaki. "Jidosha haiki gasuchu namari no kakusan ni tsuite." (The diffusion of lead in automobile exhaust gas). Taiki Osen Kenkyu (J. Japan Soc. Air Pollution), 5(1):256 (1970).

#255

Yamazoe, Fumio and Teruo Nakamura. "On nutritive changes of water field rice plant causes by hydrogen fluoride. Fundamental research concerning smoke pollution on plants." Report 3. Nippon Dojo-Hiryogaku Zasshi (J. Sci. Soil Manure Japan), 31:29-32 (1960).

#256

Yoshinaga, S., S. Iki, T. Nishimura, T. Nagaishi, and M. Matsumoto. "Kita-Kyushu ni okeru dojo to shorubutsu no jukinzoku siebun." (The contents of heavy metals in soil and plants). Proc. Symp. Japan Soc. Air Pollut., 13th, paper 48, p. 93 (1972).

#257

Zieger, Erich. "Rauchschaeden im Walde." (Smoke-induced damage to forests). Wiss. Z. Tech. Hochsch. Dresden, 3(2):271-280 (1953-1954).

#258

Zuber, R., P. Moeri and E. Bovay. "L assorbimento del piombo da parte della pianta tramite la radice. Con studio particolare sull attivita enzimatica." (Lead uptake by the roots of plant. Study of the action of lead on enzyme activity). Schweiz. Landwirt. Farschung, 12(4):291-306 (1973).

#259

Tazieff, H. "Volcanism and atmospheric conditions." Proc. Int. Symp. Environ. Meas., Geneva, Switzerland. 131-132 (Oct 2-4, 1973).

#260

Zimmerman, P. and R. Rasmussen. "Identification of soil denitrification peak as N<sub>2</sub>O." Environ. Sci & Tech., 9(12):1077-1079 (1975).

#261

Siegel, S.M., B.Z. Siegel, A.M. Eshleman, and K. Bachmann. "Geothermal sources and distribution of mercury in Hawaii." Environ. Biol. Med., 2:81-89 (1973).

#262

Bressan, D. J., R. A. Carr, and P. E. Wilkniss. "Geochemical aspects of inorganic aerosols near the ocean-atmosphere interface." (Presented at the American Chemical Society, Division of Water, Air, and Waste Chemistry Meeting 162nd, Washington, D. C., September 15, 1971.) Advan. Chem. Ser., 123: 17-30 (1973).

#263

Caldwell, R. L. "Mercury in the environment." Crops Soils Mag., 24(6):13-15 (March 1972).

#264

Lakin, H. W. "Selenium in our environment." (Presented at the American Chemical Society, Division of Water, Air, and Waste Chemistry Meeting 162nd, Washington, D. C., Sept. 15, 1971.) Advan. Chem. Ser., 123:96-111 (1973).

#265

Siegel, S. M. "Mercury: Aspects of its ecology and environmental toxicity (semi-annual report)." Hawaii Univ., Botany Dept., National Aeronautics and Space Administration Grant NGL 12-001-042, NASA-CR-13838, Hawaii Univ., Botanical Science Paper 33, 59 p., June 1973. NTIS: N74-22960

#266

Hankin, L. "Lead poisoning - A disease of our time." J. Milk Food Technol., 35(2):86-97 (Feb. 1972).

#267

Pady, S.M., C.L. Kramer, and R. Clary. "Periodicity in aeciospore release in Gymnosporangium juniperi-virginianae." Phytopathology, 58(3):329-331 (March 1968).

#268

Benedict, H.M. and J.P. Nielsen. "The markings produced by various air pollutants on leaves." Proc. Nat. Shade Tree Conf., 32:205-214 (1956).

#270

Hanover, J. W. "Factors affecting the release of volatile chemicals by forest trees." (Presented at the International Symposium of Forest Fume Damage Experts, Essen, West Germany, September 7-11, 1970). Mitt. Forst. Bundesvers., 97:625-644 (1972).

#271

Varhelyi, G. "Termesztes es mestergeges eredetu szennyezoanyagok a legkorben." [Atmospheric pollutants from natural and man-made sources]. Idojaras (Budapest), 76(5/6):341-350 (Sept.-Dec. 1972).

#272

Went, F.W. "Natural air pollution." Air Pollution, 28/29: (Suppl.) 19-20 (March 1972).

#273

Sehmel, G.A. and F. D. Lloyd. "Influence of soil resuspension on the airborne particle size distribution." In: Pacific Northwest Laboratory Annual Report for 1972 to USAEC Division of Biomedical and Environmental Research. Volume II: Physical Sciences, Part I. Atmospheric Northwest Labs., p. 1-5 (April, 1973).

#274

McCown, B., P. Coyne, J. Brown, and R.P. Murrmann. "Chemical indicators of Arctic biological and environmental activities." Army Cold Regions Research and Engineering Lab., Hanover, N. H., DA Task 4A061101A91D03, RR-301, 30 p. (April 1972).

#275

Davies, R., D. K. Werle, and W. J. Wnek. "Semimicron separation and data." IIT Research Inst., Chicago, Ill., Air Force Contract F33657-71-C-0859, Proj. VT/1414/RDE/ASD, ARPA Order 1702, Program Code 1F10, IITRI-C6239-A005-1, 363 p., Oct. 31, 1971.

#276

Junge, C. E. "The nature and residence times of tropospheric aerosols." In: Man's Impact on the Climate. William H. Matthews, William W. Kellogg, and G. D. Robinson (eds.), Cambridge, Mass., MIT Press, Chapt. 23, p. 302-309, (1971).

#277

Gilpin, A. "Air pollution: causes and effects." In: Air Pollution, St. Lucia, Australia, University of Queensland Press, 1971, Chapt. 2, p. 3-12.

#278

Abramov, R. V. "Pyl v atmosfere nad Atlanticheskim Okeane." [Dust in the atmosphere over the Atlantic Ocean]. Izd. Nauka Moskva, 1971:7-30 (1972).

#279

Weickmann, H.K. and R.F. Pueschel. "Atmospheric aerosols: Residence times, retainment factor and climatic effects." Beitr. Physik Atmosphaere, 46(2): 112-118 (1973).

#280

Hooker, M. L., G. A. Peterson, and D. H. Sander. "Ammonia nitrogen losses from simulated plowing of native sods." Soil Sci. Soc. Am. Proc., 37(2): 247-249 (March/April 1973).

#281

Hagen, L. J. and N. P. Woodruff. "Particulate loads caused by wind erosion in the Great Plains." (Presented at Air Pollution Control Association, Annual Meeting, 66th, Chicago, Ill., June 24-28, 1973, Paper 73-102.) Preprint, Air Pollution Control Assoc., Pittsburgh, PA., 24 p., 1973.

#282

Kratky, B.A., E.T. Fukunaga, J.W. Hylin, and R.T. Nakano. "Volcanic air pollution: deleterious effects on tomatoes." J. Environ. Quality, 3(2): 138-140 (April-June 1974).

#283

Ishizaka, Y. "On materials of solid particles contained in snow and rain water: Part I." J. Meteorol. Soc. Japan, 50(4):362-375 (Aug. 1972).

#284

Wilkniss, P.E., R.A. Lamontagne, R.E. Larson, J.W. Swinnerton, C.R. Dickson, and T. Thompson. "Atmospheric trace gases in southern hemisphere." Nature Phys. Sci., 235(142):45-47 (Sept. 17, 1973).

#285

Slinn, W. G. N. "Initial resuspension models." In: Pacific Northwest Laboratory Annual Report for 1972 to the USAEC Division of Biomedical and Environmental Research. Battelle Memorial Inst., Richland, Wash., Pacific Northwest Labs., p. 5-15, April 1973. Vol. II: Physical Sciences. Part 1. Atmospheric Sciences.

#286

Kneip, T. J., M. T. Kleinman, and M. Eisenbud. "Relative contribution of emission sources to the total airborne particulates in New York City." Proc. Int. Clean Air Congr., 3rd, Duesseldorf, West Germany, p. C96-C97 (1973).

#287

Goren, S. "Plants pollute air." J. Air Pollution Control Assoc., 9(2): 105-109 (August 1959).

#288

Neuberger, H. "Condensation nuclei - their significance in atmospheric pollution." (Presented at a Joint Fuels Conference of the American Inst. of Mining and Metallurgical Engineers and The American Society of Mechanical Engineers, Cincinnati, Ohio, Oct. 20-22, 1947.) Mech. Eng., 70:221-225 (March 1948).

#289

Brinkmann, W.L.F. and U.D.M. Santos. "The emission of biogenic hydrogen sulfide from amazonian floodplain lakes." Tellus (Uppsala), 26(1-2):261-267 (1974).

#290

Rehman, C. A., R. J. Schoepel, and J. H. Sherrard. "An impact analysis of natural and man-made factors affecting regional air quality in terms of costs-benefits." Louisville Univ., Speed Scientific School, Ky.; International Assoc. for Pollution Control; American Chemical Society, Washington, D. C.; American Inst. of Chemical Engineers, New York; American Inst. of Industrial Engineers, New York; American Society of Civil Engineers, New York; American Society of Mechanical Engineers, New York; American Water Works Assoc., New York; Inst. of Electrical and Electronic Engineers, New York; and Water Pollution Control Assoc., Environ. Eng. Sci. Conf., Annu. Meet., Louisville, Ky., p. 109-129 (March 4-5, 1974).

#291

Davies, C. N. "Particles in the atmosphere - natural and man-made." Atmos. Environ., 8(11):1069-1079 (November 1974).

#292

Madelaine, G., and A. Renoux. "L aerosol atmosphérique. Sa nature et sa mesure." (The nature and measurement of atmospheric aerosol). Text in French. Pollut. Atmos. (Paris), 64:389-397 (Oct.-Dec. 1974).

#293

Robinson, E., and R. C. Robbins. "Sources, abundance, and fate of gaseous atmospheric pollutants (final report)." Stanford Research Inst., Menlo Park, Calif., SRI-P 6755, 123 p., February 1968.

#294

Jaffe, L. S. "Ambient carbon monoxide and its fate in the atmosphere." L Air Pollution Control Assoc., 18(8):534-540 (August 1968).

#295

Posokhov, Y.V. "Factors forming the chemical composition of precipitation." Sev. Hydrology, Selected Papers, 6:640-652 (1968) and Gidrokhim. Materialy, 46:15-31 (1968).

#296

Miller, C. F. "The impaction of airborne particles on plate collectors." Stanford Research Inst., Menlo Park, Calif., Contract N0022867-C1143, Proj. SRI-MU-6358, 56 p. (April 1967).

#297

Miller, C.F. "The contamination behavior of fallout-like particles ejected by volcano Irazu." Stanford Research Inst., Menlo Park, Calif., 66 p. (April, 1966).

#298

Miller, C. F. "Operation Ceniza-Arena: The retention of fallout particles from volcano Irazu (Costa Rica) by plants and people." (Part III.) Stanford Research Inst., Menlo Park, Calif., Contract OCD-PS-64-127, Proj., MU-4890, TRC-68-17, 255 p., December 1967.

#299

Miller, C. F., and H. Lee. "Operation ceniza-arena: the retention of fallout particles from volcano Irazu (Costa Rica) by plant and people (part 1)." Stanford Research Inst., Menlo Park, California, 372 pp. (January 1966).

#300

Miller, C. F. "Operation ceniza: the retention of fallout particles from volcano Irazu (Costa Rica) by plants and people. Part two." Stanford Research Inst., Menlo Park, California, Contract OCD-PS-64-127, Proj. MU-4890, (283), December 1966. CFSTI, DDC: AD 659385

#301

Selezneva, Y. S. and V. M. Drozdova. "The natural background of atmosphere contamination and the composition of precipitation over the territory of the USSR." Sovremennyye Problemy Klimatologii, 1966:292-299 (1966).

#302

Selezneva, Y.S., and O.P. Petrenchuk. "On the Removal of Impurities from the Atmosphere by Clouds and Precipitation." In: American Institute of Crop Ecology Survey of USSR Air Pollution Literature. Technical Papers from the Leningrad International Symposium on the Meteorological Aspects of Atmospheric Pollution, Part III. M. Y. Nuttonson (ed.), Vo. 14, Silver Spring, Md., American Institute of Crop Ecology, 1972, p. 1-8. Translated from Russian. (Also: Meteorologicheskie Aspekty Zagryazneniya Atmosfery, Glavnoe Upravlenie Gidrometeorologicheskoy Sluzhby Pri Sovete Ministrov USSR, p. 253-259, 1971.)

#303

Blakeslee, W. H. and L. R. Reckner. "Air pollutants." In: Air Pollution and Industry, R. D. Ross (ed.), Van Nostrand Reinhold Co., New York, Chapt. 4, p. 228-247 (1972).

#304

Pueschel, R.F., H.T. Ellis, L. Machta, G.F. Cotton, E.C. Flowers, and J.T. Peterson. "Normal incidence solar radiation trends on Mauna Loa, Hawaii." National Oceanic and Atmospheric Administration, Silver Spring, Md., Air Resources Labs., Mauna Loa Observatory, Hilo, Hawaii, Environmental Protection Agency, Research Triangle Park, Div. of Meteorology, p. 164-168 (1972).

#305

Vitaliano, D.B. "Fluorine-bearing ash from the Hekla eruption, 1970: distribution, effect on environment, and implications for Mediterranean archeology and geomorphology." In: Boston College Environmental Center Summer Institute on Surtsey and Iceland. National Aeronautics and Space Administration; Moffett Field, Calif., Ames Research Center, NASA TM X-62,009, p. 65-68, Feb. 1971.

#306

Koide, Minoru, and E. D. Goldberg. "Atmospheric sulfur and fossil fuel combustion." J. Geophys. Res., 76(27):6589-6596 (Sept. 20, 1971).

#307  
Georgii, H. W. "Das natuerliche aerosol in reiner und verunreinigter luft." [Natural aerosol in clean and in polluted air]. Schriftenreihe Ver. Wasser Boden Lufthyg. (Berlin), 30:13-18 (1970).

#308  
Hidy, G. M., and J. R. Brock. "An assessment of the global sources of tropospheric aerosols." (Presented at the International Clean Air Congress, 2nd, Washington, D. C., Dec. 6-11, 1970, Paper ME-26A.) Preprint, International Union of Air Pollution Prevention Associations, 41 p., 1970.

#309  
Russell, V.S. "Pollution: Concept and definition." Biol. Conserv., 6(3):157-161 (July 1974).

#310  
Roosen, R.G., R.J. Angione and C.H. Klemcke. "Worldwide variations in atmospheric transmission: 1. Baseline results from Smithsonian observations." Bull. Am. Meterol. Soc., 54(4):307-316 (April 1973).

#311  
Barrett, T. W., and H. M. Benedict. "Sulfur Dioxide." In: Recognition of Air Pollution Injury to Vegetation: A Pictorial Atlas. Jay S. Jacobson and A. Clyde Hill (eds.), Pittsburgh, Pa. Air Pollution Control Assoc., p. Cl-C-17 (1970)..

#312  
Bolay, A., E. Bovay, J.P. Quinche, and R. Zuber. "Teneurs en fluor et en bore des feuilles et des fruits d arbres fruitiers et de vignes, fumes avec certains engrais composés, boriques fluores." (Amounts of fluorine and boron in the leaves and fruits of fruit trees and vineyards, fertilized by certain boron- and fluorine-containing fertilizers). Revue Suisse de Viticulture et Arboriculture (Lausanne), 3(3):54-61 (May-June 1971).

#313  
Brandt, C.S. "Discussion. Sources of lead in perennial ryegrass and radishes" Environ. Sci. Technol., 4(3):224 (March 1970).

#314  
Brandt, C. Stafford. "Ambient air quality criteria for hydrofluorine and fluorides." VDI (Ver. Duet. Ing.) Ber., 164:23-31 (1971).

#315  
Cheo, P.C. "Some common diseases of ornamental plants in the Los Angeles area." Lasca Leaves, 21(2):36-45 (June 1971).

#316  
Anon. "Taikiosen to shokubutsu higai-Chiba-ken Ichihara chiku no nashi no higai o chushin tosute." (Air pollution and plant damage with special reference to the damages of pear trees in Ichihara-District, Chiba Prefecture). 158 p. (March 1968).

#317  
deCormis, L. "Action compare de l'anhydride sulfureux et des derives fluoressantes sur quelques vegetaux." [Comparison of the effects of sulphur dioxide and of the derivatives of fluorine on a few plants]. Proc. Intern. Clean Air Cong., (London), 6(5):171-173 (1966).

#318  
deCormis, L. "Absorption of fluorine solutions and migration of fluorine in the tomato." Ann. Physiol. Veg., 10(3):155-169 (1968).

#319  
deCormis, L. "Absorption et accumulation du fluor atmospherique par les feuilles de certains vegetaux herbaces." [Absorption and accumulation of atmospheric fluorine by the leaves of certain herbaceous plants]. Ann. Physiol. Veg., 10(4):251-262 (1968).

#320  
deCormis, L., J. Cantuel, and J. Bonte. "Contribution a l'etude de l'absorption du soufre par les plantes soumises a une atmosphere contenant du dioxyde de soufre." (Contribution to the study of the absorption of sulphur by plants exposed to an atmosphere containing sulphur dioxide). Pollut. Atmos. (Paris), 44:195-202 (Oct-Dec 1969).

#321  
deCormis, Louis. "Degagement d'hydrogene sulfure par des plantes soumises a une atmosphere contenant de l'anhydride sulfureux." (Liberation of hydrogen sulfide by plants subjected to an atmosphere containing sulfur dioxide). Compt. Rend. (Paris), 266(7):683-685 (Feb 12, 1968).

#322  
Daessler, H.G. "The effect of hydrogen fluoride and cryolite dust upon plants and animals near a hydrogen fluoride factory." Fluoride, 4(1):21-24 (Jan 1971).

#323  
Desbaumes, P., and E. Bovay. "Determination des immissions fluoressantes au moyen d'appareils d'absorption statique, type Harding modifie." (Determination of fluorine-immissions by means of static absorption apparatus (modified Harding method). Text in French. Revue Suisse de Viticulture et Arboriculture (Lausanne), 3(3):75-77 (May-June 1971).

#324  
Djuric, D. and Z. Kerin. "Lead contamination of environment in Meza Valley, Yugoslavia: Some considerations on lead content in soil and plants." (Presented at the International Conf. on Chemical Pollution and Human Ecology, Prague (Oct. 1970).

#325  
Dochinger, L.S. "The impact of air pollution in eastern white pine: The chlorotic dwarf disease." J. Air Pollution Control Assoc., 18(12):814-816 (December 1968).

#326

Dost, Frank N., D.J. Reed, and C.H. Wang. "Studies on environmental pollution by missile propellants." Oregon State Univ., Corvallis Radiation Center, Air Force Systems Command/Aerospace Medical Research Lab. Contract AF33(615)-1767, Proj. 6302, Task 630204, Work Unit 630204001, AMRL-TR-68-85, 28 p. (Feb 1969).

#327

Endelman, F. J., M. L. Northup, D. R. Keeney, J. R. Boyle, and R. R. Hughes. "A systems approach to an analysis of the terrestrial nitrogen cycle." J. Environ. Syst., 2(1):3-19 (March 1972).

#328

Ender, F. "The effects of air pollution on animals." Air Pollution Proc. First European Congr. Influence Air Pollution Plants Animals, Wageningen, Netherlands, p. 245-254 (April 22-27, 1968).

#329

Ermakov, V.V., and V.V. Kovalskiy. "Biologicheskoye znacheniye selena: selennyie endemii." (The biological significance of selenium: selenium endemic diseases). Translated from Russian. Leo Kanner Assoc., Redwood City, Calif. 40 p., May 1971. Usp. Sovrem. Biol., 65(2):267-284 (1968).

#330

Garber, K. "Effects of fluorine. Pertaining to the fluorine content of plants (1)." (Fluor-Wirkungen). Federal Inst. of Applied Botany, Hamburg, West Germany, RR-14, p. 42-48 (1967). Also: Qualitas Plant. Mater. Vegetables, 15(1):29-36 (1967).

#331

Garber, K. "Ueber die Aufnahme von Schadstoffen durch die Rinde der Baeume." (A study of the intake of toxicants through the bark of trees). Wiss. Z. Tech. Univ., (Dresden), 11(3):549-552 (1962).

#332

Garber, K., R. Guderian, and H. Stratmann. "Untersuchungen ueber die Aufnahme von Fluor aus dem Boden Durch Pflanzen." (Investigations of the uptake of fluorine by plants from the soil). Qualitas Plant. Mater. Vegetables, 14:223-236 (1967).

#333

Guderian, R. "Untersuchungen ueber quantitative beziehungen zwischen dem schwefelgehalt von pflanzen und dem schwefeldioxidgehalt der luft." (The correlation between sulfur content in plants and sulfur dioxide content in the atmosphere). Part 1. Z. Pflanzenkrankh, Pflanzenschutz, 77(4/5): 200-220 (April-May 1970).

#334

Hasegawa, T., and H. Yoshikawa. "Fukkabutsu ni yoru taiki osen chosa (1)." (On the atmospheric fluoride pollution. Part I.). Text in Japanese. (Proceedings of the 10th Annual Meeting of the Japan Society of Air Pollution, 1969.) Taiki Osen Kenkyu (J. Japan Soc. Air Pollution), 4(1):147 (1969). Part II. Ibid., 4(1):148 (1969).

#335

Hasek, R. F., H. A. James, and R. H. Sciaroni. "Ethylene -- its effect on flower crops." Florist's Rev., 144(3722):16-17, 53-56 (April 3, 1969).

#336

Janczewski, H. "Wplyw gazu ziemnego na roslinnosc a zwlaszcza drzewa." [Influence of natural gas on vegetation, especially trees]. Gaz Woda Tech. Sanit. (Warsaw), 45(4):118-121 (1971).

#337

Anon. "Taikiosen no eikyo. Taikiosen to jyuyo no ioo ganryo tono kanrensei." (Influence of air pollution. 3. The relationship of the sulfur content of trees to air pollution). Kanagawa-Ken Taiki Osen Chosa Kenkyu Hokoku (Tech. Rept. Air Pollution Yokohama-Kawasaki Ind. Area), 12:72-78 (Nov. 1969).

#338

Kauranen, P., T. Jaakkola, and J. K. Miettinen. "Stable lead and radiolead (210PB) in the 'Artic' food chain." In: Radioactive Foodchains in the Subarctic Environment. (Annual Report). Helsinki Univ. (Finland), Dept. of Radiochemistry, AEC Grant AT (30-1) 3446, Paper 24, 6 p. August 1969. CFSTI: NYO-3446-13

#339

Kerin, Z. "Verunreinigungen von Gemuese aus Emissionen einer Bleihuette." (Contamination of vegetables by the emissions of a lead refining plant). Qualitas Plant. Mater. Vegetabilis, 15:372-379 (July 10, 1968).

#340

Knoesel, D. "Vegetation im Bereich von Aufbereitungs und Mischanlagen fuer den bituminoesen Strassenbaul." (The vegetation near asphalt processing and mixing plants). (Presented at the Hohenheim University Umweltforschung Seminar, 1971.) Text in German. Umweltforschung, 58:22-24 (1971).

#341

Kobak, K. I. "Issledovaniye potokov uglekisloty kak pokazateley rastitel'nogo soobshchestva." [Studying the carbon dioxide currents in the atmosphere as a parameter of vegetal growth]. Tr. Gl. Geofiz. Observ. (Leningrad), 263: 115-118 (1970).

#342

Lagerwerff, J.V. and A.W. Specht. "Occurrence of environmental cadmium and zinc, and their uptake by plants." Proc. Missouri Univ. Fourth Annual Conf. Trace Substances Environmental Health, Columbia, Mo., 85-93 (1970).

#343

Lagerwerff, J. V. "Discussion. Air as a source of lead in edible crops." Environ. Sci. Technol., 4(3):230 (March 1970).

- #344  
Lagerwerff, J. V. "Uptake of cadmium, lead and zinc by radish from soil and air." Soil Sci., 111(2):129-133 (Feb. 1971).
- #345  
MacLean, D. C., R. E. Schneider, and L. H. Weinstein. "Accumulation of fluoride by forage crops." Contrib. Boyce Thompson Inst., 24(7):165-166 (1969).
- #347  
Mukammal, E.I., C.S. Brandt, R. Neuwirth, D.H. Pack, and W.C. Swinbank. "Air pollutants, methodology, and plant injury." World Meteorological Organization, Geneva, Switzerland, Commission for Agricultural Meteorology, WMO-TN 96, WMO-No. 234.TP.127, 73 p. (1968).
- #348  
Roberts, B.R., and A.M. Townsend. "What role do trees play in cleansing the air?" Weeds, Trees, Turf, 14(7):38-39 (July 1975).
- #349  
Pdzorov, N.V. "The drainage of temporarily swamped soils in relation to pine plantings growing under conditions of industrial air pollution." In: American Institute of Crop Ecology Survey of USSR Air Pollution Literature. Vol III. The Susceptibility of Resistance to Gas and Smoke of Various Arborial Species Grown Under Diverse Environmental Conditions in a Number of Industrial Regions of the Soviet Union. M.Y. Nuttonson (ed.), Silver Springs, Md., American Institute of Crop Ecology, p.33-38 (1970). Also: Izv. Vyssh. Ucheb. Zaved. Les. Zh., 2:27-31 (1967).
- #350  
Peterson, P. J. "Unusual accumulations of elements by plants and animals." Sci. Prog., Oxf., 59(236):505-526 (Winter 1971).
- #351  
Pringle, B.H., D.E. Hissong, E.L. Katz and S.T. Mulawka. "Trace metal accumulation by estuarine mollusks." J. Sanit. Eng. Div. Proc. Am. Soc. Civil Engrs., 94(SA3):455-475 (June 1968).
- #352  
Quellmalz, E. "Problematik der Fluor-Immissionsmessung." (Problems of fluorine emission measurements). Text in German. VDI (Ver. Deut. Ingr.) Ber., 164:77-83 (1971).
- #353  
Reisch, K.W. and G.E. Hull. "The role of trees in the environment." Ohio Rep., 55:72-73 (1970).

#354  
Rippel, A. "Long term effect of fluoride emissions upon vegetation." Fluoride Quarterly, J. Intern. Soc. Fluoride Res., 3(1):18-21 (Jan. 1970).

#355  
Robinette, G. O. "Plants/people/and environmental quality." American Society of Landscape Architects Foundation, Washington, D. C. 152 p. 1972.

#356  
Ruhling, A., and G. Tyler. "Sorption and retention of heavy metals in the woodland moss Hylocomium splendens (hedw.) br. et sch." Oikos, 21(1); 92-97 (1970).

#357  
Ruhling, A., and G. Tyler. "An ecological approach to the lead problem." Botan. Notiser, 121:321-342 (1968).

#358  
Scholl, G. "Die Immissionsrate von fluor in Pflanzen als Maßstab fuer eine Immissionsbegrenzung." (Immission rate of fluorine in plants as a quantitative basis for an immission limitation). VDI (Ver. Deut. Ingr) Ber., 164:39-45 (1971).

#359  
Shcherbakov, A.P., and I.F. Cherednichenko. "Reaction of Trees and Shrubbery to Air Pollution in the Forest-Park Belt of Moscow and Measures for Extending the Lifespan of Plants." In: American Institute of Crop Ecology Survey of USSR Air Pollution Literature. Volume III. The Susceptibility or Resistance to Gas and Smoke of Various Arboreal Species Grown Under Diverse Environmental Conditions in a Number of Industrial Regions of the Soviet Union. M. Y. Nuttonson (ed.) Silver Spring, Md., American Institute of Crop Ecology, 1970, p. 13-22. (Also: Okhrana Priorodny na Urale, 4:151-162 (1964).

#360  
Taniyama, T., and H. Arikado. "Sakumotsu no gasu shogai ni kansuru kenkyu. Dai5ho: Suito no tansan doka sayo ni oyobosu SO<sub>2</sub> gasu no eikyo." (Studies on the mechanism of injurious effects of toxic gases on crop plants. V. Effects of sulfur dioxide on photosynthesis of rice plants). Text in Japanese. Nippon Sakumotsu Gakkai Kiji (Proc. Crop Sci. Soc. Japan), 38(4):598-602 (Dec. 1969).

#361  
Taniyama, T., and H. Arikado. "Sakumotsu no gasu shogai ni kansuru kenkyu. Dainiho: Hikari no yamu to natane oyobi hadakamugi no SO<sub>2</sub> gasu shogai to no kankei." (Studies on the mechanism of injurious effects of toxic gases on crop plants. II. Relation between injurious effects of sulfur dioxide and illumination in barley and rape). Text in Japanese. Nippon Sakumotsu Gakkai Kiji (Proc. Sci. Soc. Japan), 38(4):608-613 (Dec. 1968).

#362

Smith, William H. "Lead contamination of the roadside ecosystem." Journal of the Air Pollution Control Association, 26(8):753-766 (August 1976).

#363

Treshow, M. "Fluorides as air pollutants affecting plants." Ann. Rev. Phytopathol., 9:21-44 (1971).

#364

Warren, H.V., R.E. Delavault, and K.W. Fletcher. "Metal Pollution - a growing problem in industrial and urban areas." (Presented at the CIM, General Meeting, Annual 73rd, Quebec City, April, 1971.) Can. Mining Met. Bull. (Montreal), 64(711):34-45 (July 1971).

#365

Webster, B. D. "Effects of air pollution on the growth and development of beans." Dept. of Agriculture, Agricultural Research Service, Dry Bean Res. Conf., 10th, Davis, Calif., Paper ARS-74-56, p. 24-33, Aug. 12-14, 1970.

#366

Haworth, D.L. and F. Rose. "Qualitative scale for estimating sulfur dioxide air pollution in England and Wales using epiphytic lichens." Nature, 227: 145-148 (1970).

#367

French, R. C., and R. L. Weintraub. "Pelargonialdehyde as an endogenous germination stimulator of wheat rust spores." Arch. Biochem. Biophys. 72:235-37 (1957).

#368

Gilbert, O.L. "Lichens and air pollution." In: The Lichens, V. Ahmadjian and M.E. Hale (eds.), Academic Press, New York, 714 pp. (1973).

#369

Gilbert, O. L. "A biological scale for the estimation of sulphur dioxide pollution." New Phytol., 69:629-634 (1970).

#370

Babich, H., and G. Stotzky. "Air pollution and microbial ecology." Critical Rev. Environ. Control, 4(3):353-421 (1974).

#371

Heagle, A.S. & A. Strigland. "Reaction of Erysiphe graminis f. sp. hordei to low levels of ozone." Phytopathology 62:1144-1148 (1972).

#372

Heagle, A.S., and L.W. Key. "Effect of Puccinia graminis f. sp. tritici on ozone injury in wheat." Phytopathology, 63:609-613 (1973).

#373

Heagle, A.S., and L. W. Key. "Effect of ozone on the wheat stem rust fungus." Phytopathology, 63:397-400 (1973).

#374

Heagle, A.S. "Effect of low level ozone fumigations on crown rust of oats." Phytopathology 60:252-253 (1970).

#375

Heichel, G. H. and L. Hankin. "Roadside coniferous windbreaks as sinks for vehicular lead emissions." The Connecticut Agricultural Expt. Station, P. O. Box 1106, New Haven, CT. 06504. 1976.

#376

Zimdahl, R.L. and J.H. Arvik. "Leads in soils and plants: A literature review." CRC Critical Rev. Environ. Control, 3(2):213-224 (Feb. 1973).

#377

Yamazoe, Fumio. "Fukkabutsu ni yoru shokubutsu higai to sono jittai." (Injury to plants exposed to fluorides). Kogai to Taisaku (J. Pollution Control), 9(4):331-338 (April 1973).

#378

Will, J. B., and J. M. Skelly. "The use of fertilizer to alleviate air pollution damage to white pine (Pinus strobus) Christmas trees." Plant Disease Repr., 58(2):150-154 (Feb. 1974).

#379

Townsend, A. M. "Sorption of ozone by nine shade tree species." J. Am. Soc. Hort. Sci., 99(3):206-208 (May 1974).

#380

Saunders, P. J.W. "Effects of atmospheric pollution on leaf surface microflora." Pestic. Sci., 4(4):589-595 (1973).

#381

Rich, S., P. E. Waggoner, and H. Tomlinson. "Ozone uptake by bean leaves." Science, 169(3940):79-80 (July 3, 1970).

#382

Page, A.L., T.J. Ganje, and M.S. Joshi. "Lead quantities in plants, soil, and air near some major highways in Southern California." Hilgardia, 41(1):1-31 (July 1971).

#383

Numata, M. "Kankyo hozen eno seitai gakuteki sekkin-tokuni seibutsu shihyo no tsuite." (Ecological approach to environment preservation especially on the biological indicators). Text in Japanese. Chiba Daigaku Kankyo Kagaku Hoku-ku (Rep. Environ. Res. Organ., Chiba Univ.), 1(2):231-236 (Dec. 1973).

#384

Nikolayevskiy, V.S., V.V. Firger, and G.A. Vaseva. "Metabolism of Carbon-14 Compounds in Forage Grasses and the Effect of Sulfur Dioxide on it." In: American Institute of Crop Ecology Survey of USSR Air Pollution Literature. Gas Resistance of Plants with Special Reference to Plant Biochemistry and to the Effects of Mineral Nutrition. M. Y. Nuttonson (ed.), Vol. 9, Silver Spring, Md., American Institute of Crop Ecology, p. 82-91, 1971 Translated from Russian. (Also: Uch. Zap., 222:57-67 (1969)).

#385

Nikolayevskiy, V.S. "Nekotoryye zakonomernosti poglosheniya sernistogo gaza drevesnym rasteniyami." (Some regularities in absorption of sulfur dioxide by wood plants). Gorkiy (A.M.) State Univ. (USSR), Perm Order of the Red Banner of Labor, Uch. Zap. perm. Ordena Trydovogo Krasnogo Znamenii Gos. Univ. im. A.M. Gorkogo, 277(5):29-35 (1971).

#386

Martens, D.C., and C.O. Plank. "Basic soil benefits from ash utilization." (Presented at the International Ash Utilization Symposium, 3rd, Pittsburgh, Pa., March 13-14, 1973.) Bureau of Mines Information Circ., 8640: 269-279 (1974).

#387

Maeno, M. "Jumoku ni taisuru taiki osen no eikyo: dai-goho. Gairojuyo no jukinzoku. Genshikyukoho ni yoru namari no sokuteiho no kento to sokuteirei." (Effects of air pollution on trees. V. Heavy metals in leaf of street trees studies on determination of lead by atomic absorption spectroscopy and results of some measurements). Taiki Osen Kenkyu (J. Japan Soc. Air Pollution), 4(1):136 (1969).

#388

Maeno, M. "Jumoku ni taisuru taiki osen no eikyo. (4). Gairojuyo no iwokeitai no jikitek henka." [Effects of air pollution on trees. Part IV. Seasonal changes of sulfurous constituent in leaf of street trees]. Taiki Osen Kenkyu (J. Japan Soc. Air Pollution), 4(1):135 (1969).

#389

Lagerwerff, J. V., W. H. Armiger, and A. W. Specht. "Uptake of lead by alfalfa and corn from soil and air." Soil Sci., 115(6):455-460 (June 1973).

#390

Kushn, H. and N. Faller. "SO<sub>2</sub> in the atmosphere and its role in sulfur nutrition of plants." Proc. Int. Symp. Sulphur Agric., 1970, 265-273 (1972).

#391

Koehler, W. "Versuch einer quantifizierung der fuktionen der land- und forstwirtschaft die nicht im produktionsertrag zum ausdruck kommen." [Tentative quantification of agricultural and forestry functions not reflected by production figures]. Allgem. Forstztg., 28:75-76 (Jan. 1973).

#393

Keller, T. "Der jetzige Bleigehalt der Vegetation in der Nähe Schweizerischer Autostrassen." [The current lead content in vegetation growing in the vicinity of Swiss highways]. Z. Praeventivmed., 15:235-243 (1970).

#394

Inman, R. E., and R. B. Ingersoll. "Note on the uptake of carbon monoxide by soil fungi." J. Air Pollution Control Assoc. (Presented at the Air Pollution Control Association, Annual Meeting, 64th. Atlantic City. June 1971. Paper 71-65). 21(10):646-647 (October 1971)

#395

Il'kun, G. M., V. V. Pankrat'yev, S. A. Tarasenko, A. S. Mironova, and L. A. Mikhaylenko. "Puti povysheniya gazostoykosti rasteniy." [Means of increasing the resistance of plants to gases]. Puti Povysh. Intensiv. Prod. Fotosin., 2:124-133 (1967).

#396

Holobrady, K. and J. Toth. "The problem of cement factory dust from the agricultural standpoint." Contemp. Agr., (English translation from Serbo-Croatian of: Savremena Poljoprivreda, 17(7-8):87-96 (1969).

#397

Harvey, D.M., and C.L. Hedley. "Multichannel system for the study of net carbon dioxide photoassimilation by leaves." Lab. Pract., 23(10):567-568 (Oct. 1974).

#398

Hanson, G. P., and L. Thorne. "Vegetation to reduce air pollution." Lasca Leaves, 22(3):60-65 (September 1972).

#399

Haghiri, F. "Absorption and uptake of cadmium by plants." Ohio Rep., 68(3): 72-74 (May-June 1973).

#400

Ter Haar, G. L. "The effect of lead antiknocks on the lead content of crops." J. Wash. Acad. Sci., 61(2):114-120 (1971).

#401

Garber, K. "Fluoride in rainwater and vegetation." Fluroide Quarterly, J. Intern. Soc. Fluroide Res., 3(1):22-26 (Jan 1970).

#402

Garber, K. "Einführung und ueberblick." [Introduction and survey]. VDI (Ver. Deut. Ingr.) Berlin, 164:7-10 (1971).

#403

Burschel, P. "Waldbau zwischen oekologie und oekonomie." [Forestry between ecology and economy]. Allg. Forstz., 29(8):153-158 (Feb. 23, 1974).

#404  
Bohne, Helmut. "Kurzmitteilung: Wirkungen von Staubimmissionen auf Pflanzen." (Brief report: Effects of dust emissions on plants). Staub, Reinhaltung Luft, 33(12):489-491 (1973).

#405  
Berge, Helmut. "Emissionen und Immissionen in der Land- und Forstwirtschaft." (Vegetation and air pollution). PEP (Prod., Ertrag, Profit), 2:1-6 (1974).

#406  
Berge, H. "Immissionsempfindlichkeit der Laub- und Nadelhoeizer in Abhaengigkeit von Standortfaktoren." (Sensitivity of leafed trees and conifers to immissions in dependence of location factors). Text in German. Allg. Forstz., 6:90-91 (1969).

#407  
Blattny, C., and J. Brckak. "Die Bedrohung der Futterpflanzen durch Smog und Poa annua als Indikator dieser Schadquelle." (The threat to fodder plants by smog and poa annua as an indicator of this source of damage). Wiss Z. Karl-Marx Univ. Leipzig Math.-Natur. Reihe, 11(1):111-113 (1962).

#408  
Bleasdale, J. K.A. "Atmospheric pollution and plant growth." Nature (London), 169(4296):376-377 (March 1 1952).

#409  
Botkin, D.B., W.H. Smith, and R.W. Carlson. "Ozone suppression of white pine net photosynthesis." J. Air Pollution Control Assoc., 2(12):778-780 (Dec. 1971).

#410  
Bossavy, J. "Action des fluorures gazeux sur les especes forestieres." (The action of gaseous fluorine compounds on forest species). Itern. Clean Air Congr. Proc., London, England, Paper VI/13. 193-196 (Oct 4-7, 1966).

#411  
Bolay, A., E. Bovay, G. Neury, J. P. Quinche, and R. Zuber. "Degats causes aux abricots et a d autres fruits par les composes fluores." (Damage to apricots and other fruits caused by fluorine compounds). Text in French. Revue Suisse de Viticulture et Arboriculture (Lausanne), 3(3):82-92 (May-June 1971).

#412  
Bohne, H. "Ameny v drahine zpusobene emitovanymi kyselinami." (Changes of the landscape caused by industrial smoke acids). TERPLAN-Statni ustav pro uzemni planovani, Ustav krajinne ekologie CSAV, Bioindikatory Deteriorizace Krajiny, Sbornik Z. Mezinarodni Konference, Prague, Czechoslovakia, p. 14-17 (September 1971).

- #414  
Bleasdale, J.K.A. "Effects of coal-smoke pollution gases on the growth of ryegrass (*Lolium Perenne L.*)."Environ Pollt., 5(4):275-285 (December 1973).
- #415  
Aichi Prefectural Government (Japan). "Kogai no jokyo ni kansuru nenji hokoku kankyo hakusho, Showa 47 nendo." (Annual report on the state of environmental pollution - environmental white paper, 1972). Text in Japanese. 355 p. (October 1973).
- #416  
Anonymous. "Blei aus Kraftfahrzeugabgasen in Gruenkohl." (Lead from the exhaust gases of automobiles in green cabbage). Text in German. Deut Med. Wochenschr., 97(21):856 (May 1972).
- #417  
Arndt, U. "Konzentrationsanderungen bei Blattfarbstoffen unter dem Einfluss von Luftverunreinigungen. Ein Diskussionbeitrag zur Pigmentanalyse." (Air pollution induced leaf pigment concentration changes. A contribution to the discussion of pigment analysis). Text in German. Environ. Pollut., 2(1): 37-48 (July 1971).
- #418  
Bovay, E., and R. Zuber. "Necroses sur abricots: essais de gazage au moyen d'acide fluorhydrique" (Necroses on apricots: gassing experiments with hydro fluoric acid). Text in French. Revue Suisse de Viticulture et Arboriculture (Lausanne), 3(3):78-81 (May-June 1971).
- #419  
Brennan, E., and I. A. Leone. "Chrysanthemum response to sulfur dioxide and ozone." Plant Disease Reprtr., 56(1):85-87 (January 1972).
- #420  
Briggs, D. "Population differentiation in *Marchantia polymorpha* L. in various lead pollution levels." Nature (London), 238(5360):166-167 (July 21 1972).
- #421  
Brodo, I. M. "Lichen growth and cities: a study on Long Island, New York." Bryologist, 69:427-449 (1966).
- #422  
Bursche, Eva-Maria. "Vegetation damage by fluorine." Schaed reihe Ver. Wasser Boden Lufthyg. (Berlin), No. 10 (1955).
- #423  
Chang, C.W. "Effects of ozone on sulfhydryl groups of ribosomes in pinto bean leaves, relationship with ribosome dissociation." Biochem. Biophys. Res. Commun., 44(6):1429-1435 (September 17, 1971).

- #424  
Chapman, D.J., and R.D. Tocher. "Occurrence and production of carbon monoxide in some brown algae." Can. J. Botany, 44:1438-1442 (1966).
- #425  
Chasseraud, J. "Influences du milieu urbain sur les végétaux employés dans les espaces verts: Conclusions et techniques qui en découlent." [Influence of the urban atmosphere on plants used in parks and gardens: Forthcoming conclusions and techniques]. Proc. Intern. Congr. Horticulture, 15(3):60-74 (1958).
- #426  
Chisnall, K. T., and J. Markland. "The contamination of pasture land by lead." (Presented at the Association of Public Analysts, Annual Conference, Matlock, England, May 13-15, 1971). J. Ass. Pub. Anal., 9:116-118 (Dec. 1971).
- #427  
Comeau, G., and F. LeBlanc. "Influence de l'ozone et de l'anhydride sulfureux sur la régénération des feuilles de Funaria hygrometrica HEDW." (The influence of ozone and sulphur dioxide on the regeneration of Funaria hygrometrica HEDW leaves). Translated from French. Natur. Can., 98:347-358, (1971).
- #428  
Connor, J. J., J. D. Sims, and R. J. Ebens. "Roadside effects on trace element content of some rocks, soils, and plants of Missouri." Proc. Missouri Univ. Fourth Annu. Conf., Columbia, p 26-34. (June 23-25, 1970).
- #429  
deCormis, L. "Dix années d'étude des répercussions de la pollution de l'air sur les végétaux." (Ten years of a study on the effect of air pollution on plants). Text in French. Inst. National de la Recherche Agronomiques Paris (France), Lab d'étude de la Pollution Atmosphérique, 62 p. (1970).
- #430  
Costonis, A. C. "Effects of ambient sulfur dioxide and ozone on eastern white pine in a rural environment." Phytopathology, 61(6):717-720 (June 1971).
- #431  
Crudgington, D.R., J. Markland, and J. Vallance. "The Uptake of lead by vegetables from soil." J. Ass. Pub. Anal., 11:120-126 (Dec. 1973).
- #432  
Curtis, C.R., and R.K. Howell. "Increases in peroxidase isoenzyme activity in bean leaves exposed to low doses of ozone." Phytopathology, 61(10):1306-1307 (October 1971).
- #433  
Daessler, H.G., and S. Boertitz. "Zur Wirkungsweise von Luftverunreinigungen auf landwirtschaftliche Erzeugnisse." (Effects of air pollutants on agricultural products). Text in German. Biol. Zentralbl., 90(5):611-619 (September-October 1971).

#434

Daessler, H.G. "Die Wirkung der Exhalate von Grosskraftwerken auf die Vegetation." (The action of superpower station emissions on plants). Text in German. Luft. Kaeltetech, 6:250-252 (1967).

#435

Darley, E. F. "The role of photochemical air pollution on vegetation." Air Pollution Proc. First European Cong. Influence Air Pollution. Plants Animals, Wageningen Netherlands, Pg. 137-142 (April 22-27, 1968).

#436

Davidson, H. "Pine mortality along Michigan highways." HortScience, 5(1): 12-13 (February 1970).

#437

Davidsson, I. "Vaxandi fluormengun." (Increased fluorine pollution). Text in Icelandic. Freyr, 67(7/8):167-168 (April 1971).

#438

Davis, D.D., and F.A. Wood. "The relative susceptibility of eighteen coniferous species to ozone." Phytopathology, 62(1):14-19 (Jan. 1972).

#439

Dean, C.E., and D.R. Davis. "Ozone air pollution and weather fleck of tobacco." Florida Univ., Gainesville, Agricultural Experiment Station and Florida Univ., Gainesville, Dept. of Agronomy, Circ. S-218, 10 p. (May 1972).

#440

DeSloover, J. "Groupes ecologiques, combinaison d especes indicatrices et tolerance a l egard des pollutions chez les lichens pithytiques." (Ecologic groups, combinations of indicator species and tolerance for pollutants in epiphytic lichens). Text in French. TERPLAN-Statni ustav pro uzemni planovani, Ustav krajinne ekologie CSAV, Bioindikatory Deteriorizace Krajininy, Sbornik Z. Mezinarnodni Konference, Prague, Czechoslovakia, p. 18-24 (September 1971).

#441

Dobrovolskiy, I.A. "Vliyaniye dymo-gazovykh vydelniy promyshlennykh predpriyatiy krivorozhskogo zhelezorudnogo basseyna na rasteniya." (The effect of industrial smoke and gas emanations from the Krivoy Rog iron ore exploitation area on plant growth). Text in Russian. Polska Akademia Nauk, Zaklad Badan Naukowych Gornoslaskiego okregu Przemyslowego, Mater. Miedzynarodowej Konf., Wplyw zanieczyszczen Powietrza na lasy, 6th, Katowice, Poland, p. 257-260 (Sept. 9-14, 1968).

#442

Dobrzanski, B., J. Glinski, and M. Misztal. "Wplyw pylow z cementowni na niektore właściwości gleb." [Effect of cement plant dusts on some properties of soil]. Roczn. Glebozn., 21(2):409-420 (1970).

#443

Dochinger, L. S., A. M. Townsend, D. W. Seegrist, and F. W. Bender. "Responses of hybrid poplar trees to sulfur dioxide fumigation." Preprint, Air Pollution Control Assoc., Pittsburgh. (Presented at the Air Pollution Control Association Annual Meeting, 64th, Atlantic City, June 27-July 2, 1971, Paper 71-101). 29 p. (1971).

#444

Dopp, W. "Ueber die Wirkung der schwefligen saeure auf Bluetenorgane." (The actions of sulfurous acid on flowering organs). Translated from German. Ber Deut. Botan. Ges., 49:172-221 (1931).

#445

Dunning, J.A., and W.H. Heck. "Response of pinto bean and tobacco to ozone as conditioned by light intensity and/or humidity." Preprint, Air Pollution Control Office, Raleigh, N. C., Ecology Branch and Agricultural Research Service, Raleigh, N. C., Plant Science Research Div., 29 p. (1971).

#446

Dybczynska, K. "Luft fororening hot mot polska skogar." [Poland's forests hit by air pollution]. Tek Tidskr. 101(20):30-31 (Dec. 1971).

#447

Ebaugh, W.C. "Gases vs solids: An investigation of the injurious ingredients of smelter smoke." J. Am. Chem. Soc., 29(7):951-970 (July 1907).

#448

Engmann, F., H.G. Daessler, and S. Boertitz. "Untersuchungen ueber Huettenrauchschaeden an landwirtschaftlichen Pflanzen mit Hilfe von Feldversuchen." (Field experiments on the damage to agricultural crops caused by crystalline arsenic). Text in German. Arch Pflanzenschutz, 5(3):189-196 (1969).

#449

Eichorst, E., and K. Garber. "Mikroskopische und mikrochemische Untersuchungen im Rahmen der SO<sub>2</sub> Raushechachendiagnostik." (Microscopic and microchemical studies within the framework of SO<sub>2</sub> smoke damage diagnosis). Translated from German. Mikroskopie, 25:237-242 (1969).

#450

Evans, L.S., and I.P. Ting. "Ozone-induced membrane permeability changes." Am. J. Botany, 60(2):155-162 (1973).

#451

Evans, Lance S., and Paul R. Miller. "Ozone damage to ponderosa pine: A histological and histochemical appraisal." Am. J. Botany, 59(3):297-304 (1972).

#452

Faller, N. "Plant nutrient sulphur-SO<sub>2</sub> vs SO<sub>4</sub>." Sulphur Inst. J., 7(2):5-6 (Summer 1971).

#453

Fenton, A. F. "Atmospheric pollution of Belfast and its relationship to the lichen flora." Irish Nat. J. (Belfast). (April 1964).

#454

Fenton, A.F. "Lichens as indicators of atmospheric pollution." Irish Nat. J. (Belfast), 13(7):153-159 (July 1960).

#455

Fetner, R.H. "Chromosome breakage in Vicia faba by ozone." Nature (London), 181(4607):504-505 (Feb. 15, 1958).

#456

Ganje, T.J., and A.L. Page. "Lead concentrations of plants, soil and air near highways." Calif. Agr., 26(4):7-9 (April 1972).

#457

Gerlach-Tharandt, R. "Ueber forstliche versuche und erfahrungen. XI. Aufnahme- und aufspeicherungsfähigkeit von schwefeliger saeure ( $SO_2$ ) und schwefel-saeure ( $SO_3$ , Beziehentlich  $H_2SO_4$ ) in den nadeln unserer gemeinen fichte." [Tests and experience in forestry. XI. Absorption and accumulation of sulfurous ( $SO_2$ ) and sulfuric ( $SO_3$ ) acid in the needles of our ordinary spruce]. Tharandter Forstl. Jahrb., (Germany), 76:224-232 (1925).

#458

Gilbert, O. L. "New tasks for lowly plants." New Scientist, 46:288-289 (May 1970).

#459

Godzik, S. "Absorption of  $^{35}SO_2$  and its localization in the leaves of cer-tain trees." Polish Academy of Sciences, Zabrze, Research Inst. of Upper Silesian Industrial Region, Mater. Miedzynarodowej Konf., Wplyw Zanieczyszczen Powietrza na Lasy, 6th, Katowice, Poland. p.63-77 (Sept 9-14, 1968).

#460

Greszta, J., and J. Olszowksi. "The inflow of air pollution upon the growth of a common pine tree and a black pine tree." Polish Academy of Sciences, Zab-rze, Research Inst. of Upper Silesian Industrial Region, Mater. Miedynarodowej Konf Wplys Zanieczyszczen Powietrza na Lasy, 6th, Katowice, Poland, p. 337-352, Sept. 9-14, 1968.

#461

Grill, D., and O. Haertel. "Zellphysiologische und Biochemische Untersuchungen an  $SO_2$  Begasten Fichtennadeln Resistanz und Pufferkapazität." (Cell physio-logical and biochemical studies  $SO_2$  fumigated spruce needles. Resistance and buffer capacity). Text in German. (Presented at the International Symposium of Forest Fume Damage Experts, 7th, Essen, West Germany, Sept. 7-11, 1970.) Mitt Forst. Bundesvers., 97:367-386.(1972).

#462  
Grill, D., and H. Esterbauer. "Wasserloesliche Sulfhydrilverbindungen in gesunden und SO<sub>2</sub>-geschaedigten Fichtennadeln." (Water-soluble sulfhydryl compounds in intact and SO<sub>2</sub>-damaged pine needles). Society for Ecology, Proc. Conf. Load Loadability Ecosystems, Giessen, West Germany, 155-156 (1972).

#463  
Grosso, J.J., H.A. Menser, G.H. Hodges, and H.H. McKinney. "Effects of air pollutants on Nicotiana cultivars and species used for virus studies." Phytopathology, 61(8):945-950 (August 1971).

#464  
Grzywacz, A. "Wplyw przemyslowych zanieczyszczen powietrza na grzyby chorot-worcze drzew lesnych." (The influence of industrial air pollution on pathological fungi of forest trees). Translated from Polish. Scientific Translation Service, Inc., Santa Barbara, Calif. Sylwan, 15(6):55-62 (1971).

#465  
Guderian, R., H. van Haut, and H. Stratmann. "Pflanzenschaedigende Fluorwasser-stoff-konzentrationen." [Plant damaging hydrogen fluoride concentrations]. Umschau (Frankfurt), 71(21):777 (1971).

#466  
Gyoerkoes, T., and J. M. Baretincic. "Determination of F in vegetation with F selective ion electrode." (Presented at the American Institute of Mining, Metallurgical and Petroleum Engineers, Annual Meeting. New York. 7 p.) (Feb. 26 - March 4, 1971).

#467  
Hajduk, Juraj. "Verlaengerungs wachstum der Keimlinge als biologischer test von durch Fluorexhalate intoxizierten Boeden." (Extension growth in seedlings as a biological test of soils contaminated with fluorine exhalates). Biologia, 24(10):728-737 (1969).

#468  
Hammett, F. S. "Studies in the biology of metals, III. the localization of lead within the cell of the growing root." Protoplasma, 5:135-141 (1928).

#469  
Haut, H. van, and H. Stratmann. "Experiments Untersuchungen ueber die Wirkung von Schwefeldioxyd auf die Vegetation." (Experimental studies on the effects of sulfur dioxide upon vegetation). Forschungsber. (Landes Nordrhein-Westfalen), 884:1-63 (1960).

#470  
Haut, H. van. "Wirkungen von Luftverunreinigungen auf Pflanzen." (The action of air pollutants on plants). Text in German. In: Ullmanns Encyklopaedie der Technischen Chemie, Vol. 2/2, 3rd ed., Berlin, Urban and Schwarzenberg, p. 349-356 (1968).

#471

Haut, H. van, and H. Stratmann. "Farbtafelatlas ueber Schwefeldioxid-Wirkungen an Pflanzen." (Color plate atlas of the effects of sulfur dioxide on plants). Essen, West German, Verlag W. Girardet, 206 p., 1970.

#472

Haut, Hans van. "Nachweis mehrer Luftverunreinigungskomponenten mit Hilfe von Blaetterkohl (Brassica oleracea acephala als Indikatorpflanze)." Analysis of several air pollution components with kale (Brassica oleracea acephala) as indicator plant. Staub, Reinhaltung Luft, 32(3):109-111 (March 1972).

#473

Heller, R.C. "Large scale photo assessment of smog damaged pines." In: New Horizons in Color Aerial Photography, United Kingdom Scientific Mission (England), Rept. 69/51, p. 85-98 (August 1969).

#474

Hill, D.J. "Experimental study of the effect of sulphite on lichens with reference to atmospheric pollution." New Phyto., 70(5):831-836 (Sept. 1971).

#475

Hitchcock, A.E., D. C. McCune, L.H. Weinstein, D.C. MacLean, J.S. Jacobson, and R.H. Mandl. "Effects of hydrogen fluoride fumigation on alfalfa and orchard grass: a summary of experiments from 1952 through 1965." Contrib. Boyce Thompson Inst., 24(14):363-385 (Jan.-March 1971).

#476

Hoericht, W. "Waldverwuestung durch Rauch." (Forest devastation from smoke). Kranke Pflanze, 15:90-92 (1938).

#477

Hofstra, G., and R. Hall. "Injury on roadside trees. Leaf injury on pine and white cedar in relation to foliar levels of sodium and chloride. Can. J. Botany, 49(4):613-622 (April 1971).

#478

Holub, Zdenek and Olga Kontrisova. "Phytoindikation der Luftverunreinigung durch fluorimissionen." (Phytoindication of air pollution by fluorine emissions). Biologia, 28(10):827-836 (1973).

#479

Homma, S., K. Nakatani, R. Sato, and H. Kawanobe. "Akita-ken Kosaka-cho ni okeru jukinzoku-to no osen chosa hokokusho." [Report on the investigation of heavy metal pollution in Kosaka Township, Akita Prefecture]. Chu-tsu Byoin Iho (Bull. Chu-tsu Hosp.) (Akita), 14(7):56-72 (1973).

#480

Honma, Shin, Keitaro Nakatani, Ryoitsu Sato, and Hiroshi Yawata. "Kosakacho 47-nen san genmaichu no jukinzoku ganyuritsu sokutei kekka ni tsuite." (Measurements of heavy metal content in the 1972 crop of unpolished rice in the Kosaka township). Chu-tsu Byoin Iho (Bull. Chu-tsu Hosp.) (Akita), 14(7): 80-81 (1973).

#481

Houston, D.B. "Physiological and genetic response of Pinus strobus L. clones to sulfur dioxide and ozone exposures." Wisconsin Univ., Madison, Thesis, (Ph.D.), Ann Arbor, Mich., Univ. Microfilms, Inc., 87 p., 1971.

#482

Howell, R.K., and D.F. Kremer. "Ozone injury to soybean cotyledonary leaves." J. Environ. Quality, 1(1):94-97 (Jan.-March 1972).

#483

Howell, R.K., and C.A. Thomas. "Relative tolerances of twelve safflower cultivars to ozone." Plant Disease Repr., 56(3):195-197 (March 1972).

#484

Ionescu, A., V. Sanda, E. Grou, and I. Buiculescu. "Considerations of the effects of atmosphere impurification upon the flora and vegetation of the Copsa Mica region." Rev. Roum. Biol. Ser. Bot., 16(2):125-139 (1971).

#485

Ionescu, A., and E. Grou. "Aspects of the physiology and biochemistry of some plants existing under the influence of atmosphere pollution." Rev. Roum. Biol. Ser. Bot., 16(4):263-271 (1971).

#486

Jaeger, H. J., and E. Pahlich. "Einfluss von SO<sub>2</sub> auf den Aminosaeurestoffwechsel von Erbsenkeimlingen." (Influence of SO<sub>2</sub> on the amino acid metabolism of pea seedlings.) Text in German. Oecol., 9(2):135-140 (1972).

#487

Jakubczak, Z., and J. Pieta. "Some morphological variations of the needles and shoots of Scots pine/Pinus sylvestris L./ in the polluted surroundings of nitrogen plant at Pulawy." Polish Acad. of Sciences, Zabrze, Research Inst. of Upper Silesian Industrial Region, Mater. Miedzynarodowej Konf. Wplyw Zanieczyszczen Powietrza na Lasy, 6th Katowice, Poland, p. 327-335 (Sept. 9-14 1968).

#488

Jamrich, V. "Je stabilita chlorofylu faktorom odolnosti proti dymu?" [Is chlorophyll stability a factor in the power of resistance against fumes?]. Zbornik Vedeckych Prac Lesnickej Fakulty Vysokej Skoly Lexhickej a Drevarskij Vo Zvolene, 1:7-14 (Oct. 1968).

#489

Janson, A. "Ueber Rauchsaeureschaevms." (On flue gas damage). Angew. Botan., 7:46-52 (1925).

#490

Jensen, K. F. "Response of nine forest tree species to chronic ozone fumigation." Plant Disease Rept., 57(11):914-917 (November 1973).

#491

John, M.K., H.H. Chuah, and C.J. VanLaerhoven. "Cadmium contamination of soil and its uptake by oats." Environ. Sci. Technol., 6(6):555-557 (June, 1972).

#492

Kadota, M., H. Yamada, and K. Ohta. "Ozon sesshoku ukken kara mita sushu no shokubutsu no taisei no sai." (Ozone injury to some plants). Taiki Osen Kenkyu (J. Japan Soc. Air Pollution), 6(1):141 (1971).

#493

Kato, T., and S. Tanaka. "Sugikare gensho no geninkenkyu ni tsuite." (Studies on the causes for dying cryptomerias). Text in Japanese. (Presented at the Japan. Society for Safety Engineering, Seminar on Safety Engineering, 6th, Tokyo, Japan, Dec. 6-7, 1973) Preprint, Japan Society for Safety Engineering (1973).

#494

Kay, E. "An inquiry into the distribution of fluoride in the environment of Garrison, Montana." Fluoride, 7(1):7-31 (Jan. 1974).

#495

Keller, T. "Translocation of fluoride in woody plants." Fluoride, 7(1):31-35 (Jan. 1974).

#496

Keller, T. "Ueber verkehrsbedingte bleirueckstaende auf der forstlichen vegetation." [Lead residues in sylvan vegetation resulting from traffic]. Bull. Eidgenoess. Gesundheitsamtes, Beilage B. (Germany), 3:118-130 (March 1971).

#497

Keller, T., and E. Bovay. "Pflanzenschaedigungen durch Schwefeldioxyd Immissionen." (Plant damages due to sulfur dioxide immissions). Text in German. Bull. Eidgenoess. Gesundheitsamtes, Beilage B., 4:48-56 (1966).

#498

Kerin, D. "Delimitation of industrial emissions by means of plant analysis." Protectio Vitae, 16(5):201-202 (Oct. 1971).

#499

Kerr, Eric D., and John L. Weihing. "Effects of air pollution on vegetation in Nebraska." Nebraska Univ., Lincoln, Extension Service; Dept. of Agriculture, Washington, D.C.; and Nebr. Pollut. Probl., Lincoln, Nebr., p. F-1 - F-10 (April 22, 1971).

#500

Kirste, H. "Die Auswirkungen von Luftverunreinigungen auf den Landbau." (Effects of air pollution on agriculture). Text in German. Landwirt. Forsch. Sonderh., 17:1-12 (1963).

#501

Kisser J. "Forstliche Rauchschaeden aus der Sicht des Biologen." (Smoke damages of forest from the biologic standpoint). Text in German. (Presented at the Symposium on Smoke Damage to Forest in Austria, Vienna, Austria, Nov. 9-11 1965.) Mitt. Forst. Bundesvers., 73:7-48 (1966).

#502

Kleinman, A. "Investigation of lead residues on growing fruits and vegetables." Pesticides Monitoring J., 1(4):8-10 (March 1968).

#503

Knabe, W., and K.H. Guenther. "Forstwissenschaftliche Beitraege zum Umweltschutz in Nordrhein-Westfalen." (Contributions of forestry to the environmental protection in North Rhine Westphalia). Text in German. Allg. Forstz., 26(24):503-506, 513-514 (June 1971).

#504

Knabe, W. "Air pollution - forest site factor or evil which can be kept off? recommendations for the detection and control of fume damage in a forest-range." Translated from German. Forstarchiv., 42(8/9):172-179 (1971).

#505

Komai, Y. "Taiki osen ni yoru tojo oyobi shokubutsu no aen shuseki, ~ Osaka-fu ni okeru chosa." (Zinc accumulation in soils and plants due to air pollution in Osaka Prefecture). Taiki Osen Kenkyu (J. Japan Soc. Air Pollution), 6(1):158 (1971).

#507

Hettche, H.O. "Pflanzenwachse als Sammler fuer polzyklische Aromaten in der Luft von Wohngebieten." (Plant waxes as repositories of polycyclic aromatic hydrocarbons in the atmosphere of inhabited areas). Staub, Reinhaltung Luft, 31(2):72-76 (February 1971).

#510

Shriner, D.S., and N.L. Lacasse. "Rapid determination of chloride content of vegetation for assessment of air pollution injury from hydrogen chloride." Phytopathology, 62(4):427-429 (April 1972).

#511

Kramer, R. C. "Our trees are working too hard." Arborist's News, 37 (1):1-5 (January 1972).

#512

Atomic Energy Commission. "Nuclear power and the environment." U.S. Atomic Energy Commission, Division of Technical Information, Oak Ridge, Tenn. 30 p. (1969).

#514

Aylor, D.B. "Deposition of particles of ragweed pollen in a plant canopy." J. Appl. Meteorol., 14(1):52-57 (February 1975).

#515

Roberts, B. R. "Foliar absorption of gaseous air pollutants." Amer. Nurseryman, 133(10):9, 44 (May 15, 1971).

#516

Feder, W.A. "Plant response to chronic exposure of low levels of oxidant type air pollution." Environ. Pollut., 1(1):73-79 (July 1970).

#517

Haut, Van H., and H. Stratmann. "Experimentelle Untersuchungen ueber die Wirkung von Stickstoffdioxid auf Pflanzen." (Experimental study of the effect of nitrogen dioxide on plants). Text in German. Landesanstalt fuer Immissions und Bodennutzungsschutz des Landes Nordrhein-Westfalen, Essen (West Germany), Rept. 7, p.50-70 (1967).

#519

Zuber, P.R., B. Bovay, W. Tschannen, and J.P. Quinche. "Le plomb comme facteur de pollution atmospherique et son accumulation sur les plantes croissant en bordure des arteres a forte densite de circulation." (Lead as a factor of atmospheric pollution and its accumulation on the vegetation along the roads with high traffic density). Schweiz Landwirt Forsch, 9(1):83-96 (1970).

#520

Staxang, B. "Acidification of bark of some deciduous trees." Oikos, 20(2): 224-230 (1969).

#521

Braun, G. "Immissionen - Der Wald als Indikator und Schutzvegetation." (Air pollution - forests as indicators and protectors of vegetation). Forstwiss. Centralblatt, 93(2):91-98 (1974).

#523

Jensen, K. F. "Absorption, translocation, and soil deposition of aerial pollutants by vegetation." Proc. Soil Conserv. Soc. Am. 28:26-29 (1973).

#524

Honing, F. W. "Impact of air pollution on the forest resource." Proc. Soil Conserv. Soc. Am., 28:23-26 (1973).

#525

Dochinger, L. S. "Christmas trees and air pollution." Horticulture, 51(12): 40-42 (December 1973).

#527

Taoda, H. "Taiki Osen ga Shyokubutsu ni Ataeru Eikyō to sono Chōsa Höhō." (Effects of air pollution on plants and methods of investigation). Japanese Journal of Ecology, 23(2):81-89 (April 1973).

#528

Kira, T., M. Andō, and H. Sato. "Kōgai to Rikujuō Shyokubutsu." (Environmental disruption and terrestrial plants). Lecture given at the Symposium of the 18th meeting of the Environmental Problems Professional Committee, March 1971 (Reprinted from Japanese Journal of Ecology, 23(2):65-73 (April 1973)).

#529

Molenda, T. "Metodyczne założenia szacowania strat w zakresie poza gospodarczych funkcji lasu." (Procedural assumptions of the appraisal of losses in non-economic functions for forest. Damages, industrial air pollution). Sylwan, 117(9):12-19 (September 1973).

#531

Ormrod, D. P., and N. O. Adedipe. "Protecting horticultural plants from atmospheric pollutants: A review." Hortsci., 9(2):108-111 (April 1974).

#532

Rhoads, A.F., and E. Brennan. "Air pollution effects studies." Am. Christmas Tree J. 18(1):25-28 (Feb. 1974).

#533

Bennett, J. P., B. M. Resh, and V. C. Runeckles. "Apparent stimulations of plant growth by air pollutants." Can. J. Bot., 52(1):35-41 (January 1974).

#534

Johnsen, I., and D. Sochting. "Influence of air pollution on the epiphytic lichen vegetation and bark properties of deciduous trees in the Copenhagen area." Oikos, Acta Oecol Scand., 24(3):344-351 (1973).

#535

Reinert, R. A. "The use of plants for the detection of air pollution." In: Northwest Workshop Air Pollution and How It Affects Plants. p. 118-128 (1973).

#536  
U.S. Forest Service. "Trees for polluted air." U.S. Govt. Print. Off., 11 p.  
(1973).

#539  
Heck, W.W., O.C. Taylor, and H.E. Heggestad. "Air pollution research needs:  
Herbaceous and ornamental plants and agriculturally generated pollutants."  
J. Air Pollut. Control Assoc., 23(4):257-266 (April 1973).

#540  
Mudd, J. B. "Biochemical effects of some air pollutants on plants."  
Adv. Chem. Ser., 122:31-47 (1973).

#541  
Feder, W.A. "Cumulative effects of chronic exposure of plants to low levels  
of air pollutants." Adv. Chem. Ser., 122:21-30 (1973).

#543  
Wentzel, K.F. "Salzstaub- und Salzspritzwasserschaden an Strassenraendern."  
(Damage alongside highways caused by salt-dust and salt-water). Der Forst-  
und Holzwirt 28(22):445-449 (Nov. 25, 1973).

#544  
Abeles, F.B., and H.E. Heggestad. "Ethylene: An urban air pollutant." J. Air  
Pollut. Control Assoc., 23(6):517-521 (June 1973).

#547  
Braun, G. "Zur Verwendung von Tabakpflanzen als Bioindikatoren waldschadlicher  
photochemischer Immissionen." (The use of tobacco plants as biological  
indicators of photochemical air pollution affecting forest trees). Forstwiss.  
Centralbl., 93(4):221-230 (Aug 1974).

#548  
Brown, R.T. "Furnace fuel, air pollution accumulated in snow and lichen  
growth on trees." Mich. Acad., 7(2):149-156 (Fall 1974).

#549  
Cotrufo, C. "The sensitivity of a white pine clone to air pollution as af-  
fected by N, P, and K, nitrogen, phosphorus, potassium...Pinus strobus."  
Southern Forest Experiment Station. USDA For Serv. Res. Note SE (US Dept.  
Agric. For Serv. Southeast For Exp. Stn.) 198, 4 p., April 1974.

#550  
Craker, L.E., J.L. Berube, and P.B. Fredrickson. "Community monitoring of air  
pollution with plants." Atmos. Environ., 8(8):845-853 (August 1974).

#552  
Davison, A.W., A.W. Rand, and W.B. Betts. "Measurement of atmospheric fluoride  
concentrations in urban areas." Environ. Pollut., 5(1):23-33 (July 1973).

#553

Dochinger, L.S., and K.F. Jensen. "Air pollution." U.S. Dept. of Agriculture. Agric. Handb. U.S. Dept. Agric., 470:107-113 (March 1975).

#554

Williams, J.D., J.R. Farmer, and R.B. Stephenson. "Air pollutant emissions related to land area - a basis for a preventive air pollution control program." National Air Pollution Control Admin., Durham, N.C. 19 pp. (July, 1968)

#555

Gilbert, O.L. "Effects of air pollution on landscape and land-use around Norwegian aluminum smelters." Environ. Pollut., 8(2):113-121 (February 1975).

#556

Gordon, C.C. "Implications of air pollution in forest land planning." Proc. Soc. Am. For., 247-253 (1974).

#557

Grosser, K.H. "Beitrage zur Untersuchung des Stammraumklimas und der Luftverschmutzung verschiedener Wald-Bestandestypen in der Ummaebung von Berlin." (Investigations into the climate and the air pollution about the trunks of several forest stands in the Berlin area). Arch. Naturschutz Landschaftsforsch., 14(2):117-138 (1974).

#558

Harvard, M., and M. Treshow. "Impact of ozone on the growth and reproduction of understorey plants in the aspen zone of western U. S. A." Environ. Conserv., 2(1):17-23 (Spring 1975).

#561

Honda, H. "Fundamental study on the influence of plants on air pollution control in the city. III. Dust catching ability of plant foliage. Tech. Bull. Fac. Hortic. Chiba Univ., 22:81-88 (December 1974).

#562

Hurka, H., R. Fuchs, and A. Tress. "Quantitative analysis der flechtenvegetation entlang der geplanten Bodenseeautobahn bei Tubingen." (Qualitative analysis of the lichen vegetation on trees planted alongside the Lake Constance highway near Tubingen, Air Pollution). German. Bot. Jahrb. Syst. Pflanzengesch Pflanzengeogr., 94(3):413-436 (October 30, 1974).

#563

Hutchinson, T. C., and L. M. Whitby. "Heavy-metal pollution in the Sudbury mining and smelting region of Canada. I. Soil and vegetation contamination by nickel, copper, and other metals." Environ. Conserv., 1(2):123-132 (Summer 1974).

#564

Huttunen, S. "Effects of air pollution on forest vegetation under northern conditions." In: New Concepts in Air Pollution Research, J.O. Willums (ed). 43-53 (1974).

#565

Jacobson, J. S., and W. A. Feder. "A regional network for environmental monitoring: atmospheric oxidant concentrations and foliar injury to tobacco indicator plant in the eastern United States." Massachusetts Agricultural Experiment Station, Res Bull Univ Mass Amherst Coll Agric Agric Exp Sta 60 31 p., May 1974.

#566

Kazmierczakowa, R., and B. Rams. "Wplyw przenyslowych zanieczyszczen powietrza na zawartosc olowiu i cynku w wybranych roslinach leczniczych w rejonie olkuskim." (The effect of industrial air pollution on the content of lead and zinc in selected medicinal plants of the Olkusz region). Herba Pol., 20(4):373-378 (Dec. 1974).

#567

Kender, W. J., and F. H. F. C. Spierings. "Effects of sulfur dioxide, ozone, and their interactions on Golden Delicious apple trees. Air pollution injuries." Neth. J. Plant Pathol., 81(4):149-151 (1975).

#568

Kloke, A. "Beeinträchtigung der Qualität von Nahrungs- und Putterpflanzen durch Umweltchemikalien, insbesondere durch Schwermetalle." (Influence of environmental chemicals, especially of heavy metals, on the quality of food and forage plants). Qual. Plant Foods Human Nutr., 24(1/2):137-157 (December 20, 1974).

#570

Garber, K. "Status and results of research in agricultural chemistry and biology. XVIII. Air pollution by heavy metal containing dust -- effects on plants." Landwirtsch. Forsch., 21(1):59-68 (1968).

#571

Harward, Max R., and Michael Treshow. "The impact of ozone on understory plants of the aspen zone." Air Pollution Control Association, Annual Meeting, 64th, Atlantic City, N.J. 71-98 (June 27-July 2, 1971).

#572

Inman, R. E., and R. B. Ingersoll. "The soil as a natural sink for carbon monoxide." Preprint, Air Pollution Control Assoc., Pittsburgh, Pa. (Presented at the Air Pollution Control Association, Annual Meeting, 64th. Atlantic City. June 27-July 2, 1971. Paper 71-65). 5 p.

#573

Keller T. "Bericht ueber die VII. Internationale Arbeitstagung Forstlicher Rauchschadensachverstaendiger, 7. bis 11. Sept. 1970 in Essen." (Report on the VII International Conference of experts on smoke damage to forest, Sept. 7-11, 1970, in Essen). Text in German. Schweiz. S. Forstwesen, 121 (12):905-911 (Dec. 1970).

#574

Masui, K. "Hochi dekinu taikichu no sanso ketsuzo." (Lack of oxygen in the atmosphere becoming serious). In: Noyakugai to sono taisaku ni tsuite (Pollution Due to Agricultural Chemicals and its Countermeasure), Research Institute for Cooperative Management, Tokyo, pp. 124-128 (1971).

#575

Oelschlaeger, W. "Fluoride in food." Fluoride, 3(1):6-11 (Jan. 1970).

#576

Ordin, Lawrence, Morris J. Garber, Juanita I. Kindinger, Sherry A. Whitmore, L. Carl Greve, and O. Clifton Taylor. "Effect of peroxyacetyl nitrate (PAN) in vivo on tobacco leaf polysaccharide synthetic pathway enzymes." Environ. Sci. Technol., 5(7):621-626 (July 1971).

#577

Pack, Merrill R. "Effects of hydrogen fluoride on bean reproduction." Air Pollution Control Association, Annual Meeting, 63rd, St. Louis, Mo. 70-134 (June 14-18, 1970).

#578

Pack, Merrill R. "Response of strawberry fruiting hydrogen fluoride fumigation." Air Pollution Control Association, Annual Meeting, 64th, Atlantic City, N.J. 71-102 (June 27-July 2, 1971).

#579

Parish, S.B. "The effect of cement dust on citrus trees." Plant World, 13(12):288-291 (Dec 1910).

#580

Pesek , F. "The reduction of fruit quality by industrial aerosols." Rostlinna Vyroba (Czech), 11:837-852 (1965).

#581

Pyatt, F. Brian. "Lichens as indicators of air pollution in a steel producing town in South Wales." Environ. Pollut., 1(1):45-56 (July 1970).

#582

Rich, Saul, and Neil C. Turner. "Effect of ozone on stomatal behavior of water-stressed and unstressed plants." Presented at the Air Pollution Control Association, Annual Meeting, 64th, Atlantic City, N.J. 71-63 (June 27 - July 2, 1971).

#583

Suketa, Yasunobu, and Takeo Yamamoto. "Kichu fukkabutsu no shokubutsu daisha e no eikyo." (Effect of atmospheric fluoride on plant metabolism). Kogai to Taisaku (J. Pollution Control), 7(5):427-434 (May 1971).

- #584  
Taylor, O. Clifton, and David C. MacLean. "Nitrogen oxides and the peroxyacetyl nitrates." In: Recognition of Air Pollution Injury to Vegetation: A Pictorial Atlas, Jay S. Jacobson and A. Clyde Hill (eds.), Air Pollution Control Assoc., Pittsburgh, Pa., pp. E1-E14 (1970).
- #585  
Ting, I.P., and W.M. Dugger. "Ozone resistance in tobacco plants: a possible relationship to water balance." Atmos Environ., 5(3):147-150 (March 1971)
- #586  
Kurata, Masujiro and Akira Hashimoto. "Engaichi no soki fukkyu ni kansuru kenkyu. Ashio no engai hadakachi fukkyusaku ni tsuite." (Study of early recovery in smoke damaged areas. II. Policy in the smoke-denuded area in Ashio (Central Honshu)). Nihon Ringaku Taikai Koenshu (Proc. Japan. Forestry Soc.), 1956: 261-264 (1956).
- #587  
Langer, G. "Particle deposition and reentrainment from coniferous trees. Part II. Experiments with individual leaves." Kolloid Z. Z. Polym., 204:119-124 (1965).
- #588  
Leben, C. and H.B. Kriebel. "Air pollution damages Ohio pines." Ohio Rep., 55:66-68 (Aug 1970).
- #589  
LeBlanc, F., and D. N. Rao. "Effects of sulphur dioxide on lichen and moss transplants." Ecology, 54(3):612-617 (Late spring 1973).
- #590  
Lee, J. A. "Lead pollution from a factory manufacturing anti-knock compounds." Nature, 238(5360):165-166 (July 21, 1972).
- #591  
Leonard, C.D. and H.B. Graves, Jr. "Some effects of air-borne fluorine on growth and yield of six citrus varieties." Proc. Florida State Hort. Soc., 83:34-41 (1970).
- #592  
Leonard, C. D. and H. B. Graves, Jr. "Effect of fluoride air pollution on Florida citrus." Fluoride, 5(3): 145-163 (July, 1972).
- #593  
Liebenow, H. "Die Bedeutung der Immissionen fuer Pflanzen und Tierbestaende." (Bearings of emissions on plants and livestock). Monatsh. Veterinaermed., 26(3): 106-111, (Feb. 1, 1971).

#594

Lind, C.J. and P.W. Wilson. "Carbon monoxide inhibition of nitrogen fixation by Azotobacter." Arch. Biochem., 1:59-72 (1942-1943).

#595

Lind, C.J., and P.W. Wilson. "Mechanism of biological nitrogen fixation. VIII carbon monoxide as an inhibitor for nitrogen fixation by red clover." J. Am. Chem. Soc., 63:3511-3514 (Dec. 1941).

#596

Lipman, C.B., and F.H. Wilson. "Toxic inorganic salts and acids as affecting plant growth." Botan. Gaz., 55(6):409-420 (June 1913).

#597

Little, P. "A study of heavy metal contamination of leaf surfaces." Environ. Pollut., 5(3):159-172 (1973).

#598

Loomis, R. C. "Disease detection survey, air pollution, Arizona and New Mexico region 3." Forest Service, Albuquerque, N. Mex., Branch of Forest Insect and Disease Management, R-3 73-24, 128 p. (June 1973).

#599

Macdowall, F. D. H., and A. F. W. Cole. "Threshold and synergistic damage to tobacco by ozone and sulfur dioxide." Atmos. Environ., 5-553-559 (July 1971).

#600

McLay, C.L. Wind-blown dust as a source of nutrients for aquatic plants." Environ. Pollut., 5(3):173-180 (1973).

#602

Maeno, M. "Jumoku ni taisuru taiki osen no eikyo (Daikyoho) Gairo juyo no fusso kanryo." (Effects of air pollution on trees (IX) fluorine in leaves of street tree). Taiki Osen Kenkyu (J. Japan Soc. Air Pollution), 6(1):154 (1971).

#603

Maeno, M. "Baijinchu no kinzoku seibun no juinoku e no eikyo." [Effects of heavy metals in dust on trees]. Kogai to Taisaku (J. Pollution Control), 8(6):535-542 (June 1972).

#604

Mamayev, S. A. "Nekotoryye itogi issledovaniy, provodyashchikhsya na urale po probleme Rastitel nest i promyshlennyye zagryazneniya." (Some results obtained in Ural in the problem of vegetation and industrial pollution). Text in Russian. Polska Akademia Nauk, Zaklad Badan Naukowych Gornoslaskiego Okregu Przemyslowego, Mater. Miedzynarodowej konf. wpływ zanieczyszczeń powietrza na lasy, 6th, Katowice, Poland, p. 249-256 (Sept. 9-14, 1968).

#605

Manning, W.J., W.A. Feder, P.M. Papia, and I. Perkins. "Influence of foliar ozone injury on root development and root surface fungi of pinto bean plants." Environ. Pollut., 1:305-312 (April 1971).

#606

Marchesani, V.J. "A study of the effect of air pollution on fungus." Atmos. Environ., 3(6):685 (Nov. 1969).

#607

Markland, J. and J. Vallance. "Investigation of the uptake of lead by vegetables from composts containing lead." (Presented at the Association of Public Analysts, Annual Conf., Matlock, England, May 13-15, 1971). J. Ass. Pub. Anal., 9:119-121 (Dec. 1971).

#608

Masek, V. "Neue Erkenntnisse ueber die Eigenschaften des Flugstaubes aus der Kokerei. Einfluss auf biologische Prozesse der Pflanzen." (New findings covering the properties of fly dust from coking plants. Influence on the biological processes of the plant). Text in German. Wasser, Luft Betrieb, 15(11):417-421 (Nov. 1971).

#609

Masek, Vaclav. "Der Einfluss des Flugstaubes aus der Kikerei auf einige biologische Prozesse der Pflanzen." (The influence of fly dust from coking plants on some biological processes of plants). Gesundh. Ing., 93(3): 77-80 (March 1972).

#610

Massey, L.M. "Similarities between disease symptoms and chemically induced injury to plants." Air Pollution, Proc. U.S. Tech. Conf., Washington, D.C., p. 48-52 (May 3-5, 1950).

#611

Materna, Jan. "Prumyslove exhalace a lesni hospodarstvi." (Industrial air pollution and forestry). Les. Pr., 45(10):433-439 (1966).

#613

Matsuoka Y., T. Takasaki, and O. Udagawa. "Chiba ken ni okeru hosakubotai ijo to okishidanto rui no kankei no tsuite no suisoku." (Presumption of the relationship of crop plants injury to air-borne oxidants in Chiba Prefecture). Taiki Osen Kenkyu (J. Japan Soc. Air Pollution), 6(1):140 (1971).

#614

Matsuoka, Y. "Nosaku butsutai seibun kara mita taiki osen shitsu kakusan ni tsuite." (Polluted air diffusion by analogy with element concentration in plants). Text in Japanese. Kogai to Taisaku (J. Pollution Control) 7(10):21-35 (1971).

#615

Matsuoka, Yoshihiro, Hisami Yamada, Tsuyoshi Takasaki, Osamu Udagawa, and Toshiro Ono. "Nashi no jusei sayo ni oyobosu aryusan gasu no eikyo." (Effects of sulfur dioxide on pear pollination). Chiba-Ken Nogyo Shikenjo Kenkyu Hokoku (Bull. Chiba-Ken Agr. Exp. Sta.), 11:41-46 (March 1971).

#616

Matsuoka, Yoshihiro, Tsuyoshi Takasaki, and Osamu Udagawa. "Fussokei taiki osen ni yoru suitoyochu no fusso shuseki ni tsuite." (Fluorine accumulation in rice plant leaves with air-borne fluoride). Chiba-ken Nogyo Shikenjo Kenkyu Hokoku (Bull. Chiba-Ken Agr. Exp. Sta.), 12:57-62 (March 1972).

#617

Matsuoka, Y., T. Takasaki, and O. Udagawa. "Shokubatsu yochu ni shuseki suru io seibun to taikichu no aryusan gasu ni tsuite." [The relations between atmospheric sulfur dioxide and accumulated sulfur in foliage]. Taiki Osen Kenkyu (J. Japan. Soc. Air Pollution), 8(3):538 (Oct. 1973).

#618

Miller, V.L., R. K. Howell, and B.E. Caldwell. "Relative sensitivity of soybean genotypes to ozone and sulfur dioxide." J. Environ. Quality, 3(1):35-37 (Jan.-March 1974).

#619

Monden, Masaya, Yuzuru Yumiba, and Akira Tanaka. "Taiki osen ni yoru shokubutsu higai." (Plant damage by air pollution). Anzen Kogaku (J. Japan Soc. Safety Eng.), 10(4):189-196 (Aug 1971).

#620

Mumford, R.A., H. Lipke, D.A. Laufer, and W.A. Feder. "Ozone induced changes in corn pollen." Environ Sci. Technol., 6(5):427-430 (May 1972).

#621

Matsuura, Tsutomu. "Yokohama-shi ni okeru kokagaku sumoggu ni yoru shokubutsu nasakubustsu higai ni tsuite." (Injury by photochemical smog as observed and reflected on plants in Yokohoma City). Taiki Osen Kenkyu (J. Japan. Soc. Air Pollution), 8(3):544 (Oct 1973).

#622

Nakajima, Y., S. Hagiwara, and S. Ogawa. "Jumoku to jinai ni kansuru shiken." (Experimentation of relation between trees and dust). Text in Japanese. Ringyo Shikensho Jiho (Bull. Fukuoka-ken Forest Exp. Station), 22:31-35 (March 1972).

#623

Nakamura, H., and S. Matsunaka. "Taiki osen kanshi-yo shihyo shokubutsu ni kansuru kenkyu(I), Kokaguka okishidanto ni taisuru asago no shihyosei." (Studies on indicator plants for monitoring of air pollution (I). Morning glory as a photochemical oxidant indicator). Text in Japanese. (Presented at the Japan Society of Air Pollution, Annual Meeting, 14th, Fuku-shima, Japan, Paper 57, Nov. 6-8 1973.) Taiki Osen Kenkyu(J. Japan. Soc. Air Pollution), 8(3):307 (Oct. 1973).

#624

Nakamura, Akira, Shinichi Chiyo, and Makoto Yao. "Hokkaido Tomakomai chiku ni okeru io sankabutsu osen ni tsuite (daiippo)." (On sulfur oxides air pollution in Tomakomai, Kokkaido). Taiki Osen Kenkyu (J. Japan. Soc. Air Pollution), 8(3):494 (Oct. 1973).

#625

Nakashima, Y., Y. Hagihara, and S. Ogawa. "Jumoku to jinai ni kansuru shiken." (Notes on the dust damage of tree). Text in Japanese. Fukoka-ken Ringyo Shikenjo Jiho (Bull. Fukoka-Ken Forest Expt. Station), 22:31-35 (March 1972).

#626

Nakashima, Y., Y. Hagihara, and S. Ogawa. "Jumoku no engai ni kansuru Kenkyu (Dainihi) - SO<sub>2</sub> ni yoru kyusei higai shojo ni tsuite." (Studies on the smoke damage of tree (2). On the acute damage symptoms by the SO<sub>2</sub>). Text in Japanese. Fukoka-ken Ringyo Shikenjo Jiho (Bull. Fukuoka-ken Forest Exp. Station), 22:1-28 (March 1972).

#627

National Environmental Research Center, Research Triangle Park, N. C., Office of Research and Development. "Effects of sulfur oxides in the atmosphere on vegetation: revised chapter 5 for air quality criteria for sulfur oxides." ROAP No. 26AAA, Task 16, Program Element 1A1001, EPA-R3-73-030, 56 p. (Sept. 1973). NTIS:PB-226314/AS

#628

Neger, F.W. "Ein neues, untruegliches Merkmal fuer Rauchschaeden bei Laubhoelzern." (A new unfailing criterion for flue-gas damage on deciduous trees). Agnew. Botan., 1:129-138 (1919).

#629

Neustein, S.A., and N.P. Danby. "Potential atmospheric pollution from the Invergordon industrial complex." Sci. Forest., 24: 270-273 (Nov. 1971).

#630

Nikolayevskiy, V.S., and V.V. Firger. "Anatomomorfologicheskaya u biologicheskaya kharakteristika dekorativykh rasteniy v svyazi s ikh gazoustoychivostyu." (Characteristics of ornamental plants in relation to their gas tolerance). Translated from Russian. Uch. Zap., Perm. Gos. Univ., 206:135-147 (1970).

#632

Nikolayevskiy, V.S., and A.G. Miroshnikova. "Experience in the Use of the Biochemoluminescence Method for Diagnosing the Gas Resistance of Plants." In: American Institute of Crop Ecology Survey of USSR Air Pollution Literature. Gas Resistance of Plants with Special Reference to Plant Biochemistry and to the Effects of Mineral Nutrition. M.Y. Nuttonson (ed.), Vol. 9, Silver Spring, Md., American Institute of Crop Ecology, p. 50-53, 1971. Translated from Russian. (Also: Materialy Pervoy Ukrainskoy Konferentsii, Kiev, p. 115-120 (1968)).

#633

Nikolayevskiy, V.S. and V.V. Suslova. "Effect of sulfur dioxide on pigments of forage grass." In: American Institute of Crop Ecology Survey of USSR Air Pollution Literature, Vol 9, Gas Resistance of Plants with Special Reference to Plant Biochemistry and to the Effects of Mineral Nutrition, M.Y. Nuttonson (ed.), Silver Spring, Md., American Institute of Crop Ecology, p. 92-106 (1971).

#634

Nikolayevskiy, V.S., V.N. Tsodikova, V.V. Firger, A.T. Miroshnikova, V.V. Suslova, and V.P. Galeyeva. "Vliyaniye anatomo-morfologicheskogo stroyeniya list er i biologicheskikh osobennostey dekorativnykh rasteniy na pogoloshcheniye S3502 i gasoustoychivost." (Anatomical-morphological and physiological-biochemical principles of plant gas stability). Translated from Russian. Uch. Zap. Perm. Gos. Univ., 256:5-53 (1971).

#635

Nouchi, I., T. Odaira, and T. Sawada. "Taiki osenshitsu no shokubutsu shikiso e no eikyo." (Influence of air pollutants on plant pigments). Text in Japanese. (Presented at the Japan Society of Air Pollution, Annual Meeting, 14th, Fukushima, Japan, Paper 59, Nov. 6-8 1973). Taiki Osen Kenkyu (J. Japan. Soc. Air Pollution), 8(3):309 (Oct. 1973).

#636

Novakova, E. "Indicateurs biologiques et leur valeur dans le controle des deteriorations de l'environnement." (Bioindicators and their value in the control of environmental deterioration). Text in French. TERPLAN-Statni ustav pro uzemni planovani. Ustav krajinne ekologie CSAV, Bioindikatory Deteriorizace Krajiny, Shortnik Z. Mezinardni Konference, Prague, Czechoslovakia, p. 5-13 (1971).

#637

Oden, S. "Some effects of the acidity of air and precipitation." (Int. Air Pollut. Control Noise Abatement Exhib. Conf. Jonkoping. Sept. 1-6 1971). p. 1:85 to 1:94.

#638

Oelschlaeger, Walter. "Problematik der Immissionsmessungen von Fluor hinsichtlich der Wirkungen auf Pflanze und Tier." (The problems of emission measurements of fluorine concerning the effects on plant and animal). Staub, Reinhalzung Luft, 31(11):457-459 (Nov 1971).

#639  
Oelschlaeger, W. "Determination of fluoride standards for vegetation and animals." Fluoride, 5(3):111-114 (July 1972).

#640  
Oelschlaeger, W. and E. Schwarz. "Feblermoeglichkeiten und deren Eliminierung bei der Bestimmung von Blei mittels Dithizon in biologischen Substanzen." (Sources of error and their elimination in the determination of lead in biological substances by means of dithizone). Z. Anal. Chem., 258(3): 203-207 (1972).

#641  
Ordin, L., M.A. Hall, and J. I. Kindinger. "Oxidant-induced inhibition of enzymes involved in cell wall polysaccharide synthesis." (Presented at the American Medical Association, Air Pollution Medical Research Conference, Denver, Colo., July 24, 1968.) Arch. Environ. Health, 18:623-626 (April, 1969).

#642  
Ormrod, D.P., N.O. Adedipe, and G. Hofstra. "Ozone effects on growth of radish plants as influenced by nitrogen and phosphorus nutrition and by temperature." Plant Soil, 39(2):437-439 (Oct. 1973).

#643  
Oshina, T., R. Sugai, Y. Fujieda, T. Yanaka, and N. Shibuta. "Arumi seiren kojo shunhen ni okeru fukkabutsu ni yoru nosakubutsu osen." [Fluoride pollution on plants in area near an aluminum factory]. Taiki Osen Kenkyu (J. Japan Soc. Air Pollution), 8(3):543 (Oct. 1973).

#644  
Ota, Y., H. Nakamura, and S. Shibukawa. "Saitama-kenka no taiki osen ni yoru shokubutsu higai ni tsuite-toku ni PAN ni yoru to omowareru higai." (An investigation of injury to plants from PAN-like air pollution in Saitama Prefecture). Text in Japanese. (Presented at the Japan Society of Air Pollution, Annual Meeting, 14th, Fukushima, Japan, Paper 271, Nov. 6-8, 1973.) Taiki Osen Kenkyu (J. Japan Soc. Air Pollution), 8(3):545 (Oct. 1973).

#645  
Paluch, Jan and Irina Schalenkowa. "Die Luftverunreinigung durch Fluor in Polen und ihre toxische Wirkung auf Menschen, Tiere und Pflanzen." (Air pollution by fluorine in Poland and its toxic effect on humans, animals and plants). Wiss. Z. Humboldt Univ. Berlin Math. Naturw. Reihe, 19(5):489-492 (1970).

#646

Pelz, Eberhart. "Der Wald als Bioindikator einer Landschaftsdegeneration durch Luftverunreinigung." (Forest as a bioindicator of air pollution-generated landscape deterioration). TERPLAN-Statni ustav pro uzemni planovani, Ustav krajinne ekologie CSAV, Bioindikatory Deteriorizace Krajiny, Sbornik Mezinarodni Konference, Prague, Czechoslovakia, 111-118 (1971).

#647

Pelz, Eberhart. "Untersuchungen im Richtenbestaenden als Bioindikatoren fuer Luftverunreinigungen." (Studies on pines as bioindicators of air pollution). TERPLAN-Statni ustav pro uzemni planovani, Ustav krajinne ekologie CSAV, Bioindikatory Deteriorizace Krajiny, Sbornik Z Mezinarodni Konference, Prague, Czechoslovakia, 119-125 (Sept 1971).

#648

Feder, W.A., and P. Sullivan. "Ozone: depression of Frond multiplication and floral production in duckweed." Science, 165:1373-1374 (Sept. 26, 1969).

#649

Piskornik, Zdzislaw and Stefan Godzik. "Oddzialywanie zanieczyszczen powietrza na rosliny." (Effect of air pollution on plants). Wiad. Bot., 14(2): 91-102 (1970).

#650

Plagnat, Francois. "Gui, fumees industrielles et forets de Maurienne (Savoie)." (Mistletoe, industrial fumes and the Maurienne Forests (Savoie)). Rev. Geog. Alp., 59:326-342 (1971).

#651

Podzorov, N. V. "Fotosintez i dykhaniye sosny v zavisimosti ot stepeni zagryazneniya atmosfernogo vozdukh." [Photosynthesis and respiration of pine trees dependent on the degree of air pollution]. Tr. Gl. Geofiz. Observ. Im. A. I. Voikova, 238:232-235 (1969).

#652

Pollanschuetz, J. "Erfassung der als Folge von Immissionen eingetretenen Zuwachsverluste." (Determination of increment losses caused by emissions). Schweiz. Z. Forstwesen, 117:798-808 (1966).

#653

Przybylski, Z. "Wyniki kolejnej obserwacji nad dzialaniem gazow i par SO<sub>2</sub>, SO<sub>3</sub> i H<sub>2</sub>SO<sub>4</sub> na drzewa, krzewy i szkodliwa entomofauna sadow w rejone kopalni i zakladow przetwórtczych siarki w Machowie k/Tarnobrzega." (Results of consecutive observation of effect of SO<sub>2</sub>, SO<sub>3</sub> and H<sub>2</sub>SO<sub>4</sub> gases and vapors on trees, shrubs, and entomofauna of orchards in the vicinity of sulfur mines and sulfur processing plant in Machow). Postepy Nauk Roln. (Warsaw), 15(6): 131-138 (1968).

#654

Pollanschuetz, J. "Methodik der Rauchschadensfeststellung, wie sie gegenwaertig von der Forstlichen Bundesversuchsanstalt angewandt wird." (Method for smoke damage determination as it is presently applied by the Federal Forestry Research Institute). Mitt. Forst. Bundesvers., 73:81-89 (1966).

#655

Przybylski, Zdzislaw. "Wyniki obserwacji nad dazalaniem gazow i par SO<sub>2</sub>, SO<sub>3</sub> i H<sub>2</sub>SO<sub>4</sub> na Drzeiwa Owocowe i niektore szkodliwe owady w rejonie kopalni i zakładow przetworczych siarki w Machowie k/Tarnobrzega." (Results of observation of the effect of SO<sub>2</sub>, SO<sub>3</sub>, and H<sub>2</sub>SO<sub>4</sub> on fruit trees and some harmful insects near the sulfur mine and sulfur processing plant at Machow near Tarnobrzeg). Postepy Nauk Rolniczych, 2:111-118 (1967).

#656

Purves, D. "Consequences of trace-element contamination of soils." Environ. Pollut., 3(1):17-24 (Jan. 1972).

#657

Rancitelli, L. A. "Trace element content of Alaskan caribou and lichen." In: Pacific Northwest Laboratory Annual Report for 1971 to the USAEC Division of Biology and Medicine, Volume II: Physical Sciences, Part 2, Radiological Sciences. Battelle Northwest, Richland, Wash., Radiological Sciences Dept., Rept. BNWL-1651(PT2), UC-48, p. 15-17 (May 1972).

#658

Ranft, Horst. "Untersuchungen zur Rauchhaerte von Flechten und Moosen unter Schwefeldioxideinfluss." (Studies on the smoke resistance of lichens and mosses under the influence of sulfur dioxide). TERPLAN-Statni ustav pro uzemni planovani, Ustav krajinne ekologie CSAV, Bioindikatory Deteriorizace Krajiny, Sbornik Z Mezinardni Konference, Prague, Czechoslovakia, p. 25-29 (Sept 1971).

#659

Rains, D.W. "Lead accumulation by wild oats (Avena fatua) in a contaminated area." Nature (London), 233(5316):210-211 (Sept. 17, 1971).

#660

Reinert, Richard A., David T. Tingey, and Hershell B. Carter. "Sensitivity of tomato cultivars to ozone." J. Amer. Soc. Hort. Sci., 97(2):149-151 (March 1972).

#661

Reinert, Richard A., David T. Tingey, and Hershell B. Carter. "Sensitivity of tomato cultivars to ozone." Agricultural Research Service, Raleigh, N.C., Plant Science Research Div. and Environmental Protection Agency, Raleigh, N.C., Div. of Effects Research, 15 p. (1972).

- #662  
Rippel, A. "Fluoride intake from food." (Presented at the International Society for Fluoride Research, Annual Conference, 4th, the Hague, Netherlands, Oct. 24-27, 1971) Fluoride, 5(2):89-91 (April 28 1972).
- #663  
Rose, Francis. "Lichens as pollution indicators." Your Environ., 1(5):185-189 (1970).
- #664  
Robinson, J. W., C. M. Christian, J. D. Martinez, and M. Nathany. "Spanish moss as an indicator of lead in the atmosphere before the use of leaded gasoline." Environ. Letters, 4(2):87-93 (1973).
- #665  
Ruhling, A. and G. Tyler. "Heavy metal deposition in Scandinavia." Water, Air, Soil Pollut., 2(4):445-455 (Dec. 1973).
- #666  
Sawada, T., G. Mori, I. Nouchi, T. Odaira, and T. Komeiji. "Kokagaku sumogu no eikyo to omowareru shokubutsu no higai Tokyo ni tsuite." (Injury by photochemical smog, as observed and reflected on plants in Tokyo). Taiki Osen Kenkyu (J. Japan Soc. Air Pollution), 6(1):139 (1971).
- #667  
Sawada, Tadashi, Tetsuto Komeiji, Isamu Nouchi, Takeshi Ohashi, and Toshio Odaira. "Asagao no kishidanto (Ox) shikyosei ni tsuite." (Discussion of morning glory as oxidant index). Taiki Osen Kenkyu (J. Japan. Soc. Air Pollution), 8(3):541 (Oct. 1973).
- #668  
Schmitz, Dumont, W. "Versuche ueber die Einwirkung von Fluorwasserstoff in der Atmosphaere auf Pflanzen." (Tests on the effects of atmospheric hydrofluoric acid on plants). Tharandter Forstl. Jahr., 46:50-57 (1896).
- #669  
Schneider, R.E., and D.C. MacLean. "Relative susceptibility of seven grain sorghum hybrids to hydrogen fluoroide." Contrib. Boyce Thompson Inst., 24: 241-243 (1970).
- #670  
Schnetzer, H.L., and H. Wenger. "Vegetationsversuche und analytische Arbeit in den Laboratorien." (Vegetation tests and analytical work in the laboratories). Text in German. Chem. Rundschau (Soletburn), 25(15):425-427 (April 1972).

- #671  
Schoenbeck, H. and H. van Haut. "Messung von Luftverunreinigungen mit Hilfe pflanzlicher Organismen." (Measuring air pollutants by means of indicator plants). TERPLAN-Statni ustav prouzemni planovani, Ustav krajinne ekologie CSAV, Bioindikatory Deteriorizace Krajiny Sbornik Z Mezinarodni Konference, Prague, Czechoslovakia, p.30-38 (1971).
- #672  
Scholl, G. "Einfluss phytotoxischer Immissiones auf das Wachstum landwirtschaftlicher und gaertnerischen Kulturen." (Influence of phytotoxic emissions on the growth of horticultural and agricultural crops.). Text in German. Landwirt. Forsch. Sonder., 19:166-176 (1965).
- #673  
Sertz, H. "Ueber die Wirkung von Fluorwasserstoff und Fluorsilizium auf die lebende Pflanze." (On the effects of hydrofluoric acid and fluosilicate on living plants). Tharandter Forstl Jahrb., 72:1-13 (1921).
- #674  
Shacklette, H. T., and J. J. Connor. "Airborne chemical elements in Spanish moss. Statistical studies in the field geochemistry." Geol Survey. Prof. Paper, 574E:1-50 (1973).
- #675  
Sharma, G.K. and Joe Butler. "Leaf cuticular variations in Trifolium repens L. as indicators environmental pollution." Environ. Pollut., 5(4):287-293 (Dec 1973).
- #676  
Shaw, C. F., and F. E. Free. "Agronomic and soil conditions in the Selby smoke zone." Bull. Bureau Mines, 98:451-473, 503-520 (1915).
- #677  
Shibukawa, S., Z. Kawase, M. Arai, and Y. Yoshida. "Shihyo shokubutsu ni yoru taiki osen chosa (daiippo)." Survey of air pollution indicated by plants (I). Presented at the Japan Society of Air Pollution, Annual Meeting, 14th, Fukushima, Japan. Paper 268. Taiki Osen Kenkyu (J. Japan Soc. Air Pollution) 8(3):542 (October 1973).
- #678  
Simonsson, Lennart. "Skador och obehag orsakade av industriell fororening av atmosfaren." (Damages and discomforts caused by industrial pollution of the atmosphere). IVA (Ingenjörsvetenskapsakad) Tidstr., 26:141-163 (1955).
- #679  
Smith, W. H. "Lead and mercury burden of urban woody plants." Science, 176 (4040):1237-1239 (June 16 1972).

- #680  
Sokolowski, Aleksander W. "Wplyw na rosliinosc lesna zanieczyszczen powietrza emitowanych przez Zaklady Azotowe w Pulawach." (The impact of air pollutions emitted by the nitrogen plant at Pulawy on forest vegetation). Sylwan, 115(3):47-56 (1971).
- #681  
Spierings, F. "Method for determining the susceptibility of trees to air pollution by artificial fumigation." Atmos. Environ., 1(3):205-210 (May 1967).
- #682  
Stas, M.E. "Fluoor-vergiftiging door rook-gassen en stof van een superphosphatefabriek." (Fluorine poisoning from waste gases and dust emitted by a superphosphate plant: determination of F content from deposits in plants, drinking water, forage, and bones). Chem. Weekblad, 38:585-593 (1941).
- #683  
Stefan, K. "Der Wert von Luft- und Nadelanalysen fuer die Rauchschadensfeststellung." (The value of air and needle analyses for smoke damage determination). Presented at the Symposium on Smoke Damage to Forests in Austria, Vienna, Austria. Mitt. Forst. Bundesvers., 73:91-99 (1966).
- #684  
Stefan, K. and J. Pollanschuetz. "Entstehung und Entwicklung eines Rauchschadengebiets in der Umgebung eines Magnesitwerkes." (Formation and development of smoke damage in the neighborhood of magnesite factory). Allg. Forstz., 78:51-54 (1967).
- #685  
Stratmann, H. "Ermittlung vegetationsgefaehrlicher SO<sub>2</sub>-Immissionen." (Determination of atmospheric SO<sub>2</sub> concentrations that are dangerous to plant life). Landwirt. Forsch. Sonderh., 17:13-16 (1963).
- #686  
Street, O.E., C.H. Sung, and H.Y. Wu. "Studies on weather fleck of tobacco in Taiwan." In: Taiwan Yen-Chiu Chuan-mai-chii yen-tsao yen-chii-so nien pao, (Taiwan Tobacco-Wine Monopoly Bureau and Tobacco Research Institute Annual Report), Taiwan Tobacco-Wine Monopoly Bureau and Taiwan Tobacco Research Inst., Taichung, p. 67-74 (1970).
- #688  
Swain, R. E., and W. D. Harkins. "Papers on smelter smoke; arsenic in vegetation exposed to smelter smoke." (Presented at the American Chemical Society, Meeting, New York, Dec. 1906.) J. Am. Chem. Soc., 30(6):915-928 (June 1908).

- #689  
Svacha, Jaroslav. "Vliv elektrarenskych popilku na obsah prvku v nekterych polnich plodinach." (The effect of power plant fly ash on the contents of elements in some crops). TERPLAN-Statni ustav pro uzemni planovani, Ustav krajinne ekologie CSAV, Bioindikatory Deteriorizace Krajiny. Sbornik Z. Mezinarodni Konference, Prague, Czechoslovakia, p. 52-56 (Sept 1971).
- #690  
Tanaka, Hirofumi, Toshiharu Takanashi, and Michihiko Yatazawa. "Experimental studies on sulfur dioxide injuries in higher plants." Water, Air, Soil Pollut., 1(2):205-211 (April 1972).
- #691  
Graef, W. "3,4-Benzpyren als wachstrumsfaktor bei pflanzen." [The role of 3,4-benzopyrene in the growth of plants]. Arch. Hyg. Bakteriol. (Munich), 148:489-492 (1964).
- #692  
Tesar, Vladimir. "Hospodareni ve smrkovych porostech stredniho veku zasazenyh kyslicnikem siricitym." (Forestry applied to pine trees of medium age exposed to sulfur dioxide emissions). Les. Pr., 49(9): 392-397 (1970).
- #693  
Taniyama, Tetsuro and Hiroki Arikado. "Sakumotsu no gasu shogai ni kansuru kenkyu IV. Suito no kokyusayo ni oyobosu aryusan gasu no eikyo." (Studies of the mechanism of toxic gas injury to crop plants. IV. The effects of sulfur dioxide on the respiration of rice plants). Nippon Sakumotsu Gakkai Kiji (Proc. Crop Sci. Soc. Japan), 38(4):593-597 (1969).
- #694  
Taniyama, Tetsuro and Kazuo Sawanaka. "Yokkaichi ni okeru taiki osen ga suito no kanbutsu ni oyobusu eikyo." (Effect of the air pollution in Yokkaichi area on the dry matter and grain production of rice plant). Taiki Osen Kenkyu (J. Japan. Soc. Air Pollution), 8(3):306 (Oct 1973).
- #695  
Taoda, Hiroshi. "The effects of the urban environment on bryophytes and lichens." (Toshi Kankyo to sen-tai, chu-rui). Baioteku (Biotech), 3(1):13-17, (Jan. 1972).
- #696  
Thomas, Moyer D., Russel H. Hendricks, and George R. Hill. "Some impurities in the air and their effects of plants." Interdepartment Committee on Air Pollution, Washington, D.C., Air Pollut. Proc. U.S. Tech. Conf. , Washington, D.C., p. 41-47 (May 3-5, 1950).
- #697  
Thompson, C.R., O.C. Taylor, and B.L. Richards. "Effects of air pollutants on L. A. Basin citrus." Citrograph, 55(5):165-166, 190-192 (March 1970).

#698

Thomson, William W. and Swanson, Elizabeth S. "Some effects of oxidant air pollutants (ozone and peroxyacetyl nitrate) on the ultrastructure of leaf tissues." Electron Microscopy Society of America, Ithaca, N.Y., Proc. Electron Microsc. Soc. Am., Annu. Meet., 30th, Los Angeles, Calif., 2 p. (1972).

#700

Tingey, D.T., W.H. Heck, and R. A. Reinert. "Effect of low concentrations of ozone and sulfur dioxide on foliage, growth and yield of radish." J. Amer. Soc. Hort. Sci., 96(3):369-371 (May 1971).

#701

Tingey, D.T., R.A. Reinert, J. Dunning, and W.W. Heck. "Vegetation injury from the interaction of nitrogen dioxide and sulfur dioxide." Preprint, Air Pollution Control Office, Raleigh, N. C., Div. of Effects Research, 19 p. (1971).

#702

Tingey, D.T., R.A. Reinert, J.A. Dunning, and W.W. Heck. "Foliar injury responses of eleven plant species caused by ozone/sulfur dioxide interactions." Preprint, Environmental Protection Agency, Research Triangle Park, N. C., Div. of Ecological Research and Agricultural Research Service, Raleigh, N. C., Plant Science Research Div., 20 p. (1972).

#703

Tingey, D.T., R. A. Reinert, C. Wickliff, and W.W. Heck. "Chronic ozone or sulfur dioxide exposures, or both, affect the early vegetative growth of soybean." Can. J. Plant Sci., (Ottawa), 53(4):875-879 (Oct. 1973).

#704

Tollinger, V. "Waldzonen als Bioindikator der Wirkung von Industrieexhalationen." (Sylvan biocenoses as bioindicators of industrial emissions). Text in German. TERPLAN-Statni ustav pro uzemni planovani, Ustav krajinne ekologie CSAV, Bioindikatory Deteriorizace Krajiny, Shornik Z Mezinarodni konference, Prague, Czechoslovakia, p. 107-110, Sept. 1971.

{#705}

Tomatsuri, M. "Suito ni oyobosu fussoka suisou no eikyo." (Effect of hydrogen fluoride on paddy rice). Taiki Osen Kenkyu (J. Japan Soc. Air Pollution), 6(3):336-342 (Dec. 1971).

#706

Tomiyaga, Y., T. Nozaki, T. Miyamoto, E. Ebisawa, and K. Taguchi. "Kashima chiku ni okeru funjin no jumoku e no eikyo ni tsuite--matsuba no jukin-zoku ganyuryo." [Studies on heavy metals pollution of pine needles by dusts]. J. Japan. Soc. Air Pollution, 8(3):313 (Oct. 1973).

#707

Turner, N.C., S. Rich, and H. Tomlinson. "Stomatal conductance, fleck injury, and growth of tobacco cultivars varying in ozone tolerance." Phytopathology, 62(1):63-67 (1972).

#708

Ulrich, B. "Forstdüngung und Umweltschutz." (Forest fertilization and environmental protection). Alg. Forstz., 27 (9/10): 147-148 (March, 1972).

#709

Vanek, J. "Durch Industrieemissionen verursachte Veränderungen der Moos-milbenschaften." (Industrial emission-generated changes in moss associations). Text in German. TERPLAN-Statni ustav pro uzemni planovani, Ustav Krajinne ekologie CSAV, Bioindikatory Deteriorizace Krajinny, Shornik Z Mezinarnodni Konference, Prague, Czechoslovakia, p. 73-77, Sept. 1971.

#710

Vanin, A.F., A.A. Mutuskin, K. V. Pshenova, E.N. Frolov, D. S. Burbaev, and I. L. Lisovskaya. "Reaction of plant ferredoxin with nitric oxide." Mol. Biol. (English translation from Russian of: Molekulyarnaya Biologiya, 6(1):21-25 (1972).

#711

Warren, H.V., R.E. Delavault, K. Fletcher and E. Wilks. "Variations in the copper, zinc, lead, and molybdenum content of some British Columbia vegetables." Missouri Univ., Columbia, Proc. Missouri Univ. Fourth Annu. Conf. Trace Substances Environ. Health, Columbia, Missouri, 94-103 (1970).

#712

Wei, L., and G.W. Miller. "Effect of HF on the fine structure of mesophyll cells from glycine max, merr." (Presented at the International Society for Fluoride Research, Annual Conference, 4th, the Hague, Netherlands, Oct. 24-27, 1971.)

#713

Wellburn, A.R., O. Majernik, and F.A.M. Wellburn. "Effects of SO<sub>2</sub> and NO<sub>2</sub> polluted air upon the ultrastructure of chloroplasts." Environ. Pollut., 3(1):37-49 (Jan. 1972).

#714

Wells, A.E. "Fumigation experiments to determine the effect of highly diluted sulphur dioxide on a growing grain crop." Bull. Bureau Mines, 98:213-307, 503-520 (1915).

#715

Went, Frits, W. "Plants monitor air pollution." Sci. Citizen, 7(10):6-9 (Oct 1965).

#716

Westlake, D.W.S., J.M. Roxburgh and G. Talbot. "Microbial production of carbon monoxide from flavonoids." Nature(London), 189(4763):510-511 (February 11, 1961).

#717

Williams, C. "The accumulation of lead in soils and herbage at Rothamsted Experimental Station." J. Agr. Sci., 82(1):189-192 (Feb. 1974).

#718

Wilton, A.C., J.J. Murray, H.E. Heggestad, and F.V. Juska. "Tolerance and susceptibility of Kentucky bluegrass (Poa pratensis L.) cultivars to air pollution: In the field and in an ozone chamber." J. Environ. Quality, 1(1):112-114 (Jan - March 1972).

#719

Woltz, S.S., W.E. Waters, and D.C. Leonard. "Effects of fluorides on metabolism and visible injury in cut-flower crops and citrus." Fluoride, 4(1):30-36 (Jan. 1971).

#720

Wullstein, L.H. and Kristen Snyder. "Arsenic in the ecosystem." Presented at the International Air Pollution Conference, 4 p. (1970).

#721

Yoshida, Fukuko and Hajime Mori. "Fukushima shinai 4-go kokudo no kuki osen to gairoju no higai." (Air pollution and damages to trees planted along Route 4 in Fukushima City). Taiki Osen Kenkyu (J. Japan. Soc. Air Pollution), 8(3):597 (Oct. 1973).

#722

Zimmerman, Percy W. "Effects on plants of impurities associated with air pollution." Proc. U.S. Tech. Conf., Washington, D.C. 127-139 (May 3-5, 1950).

#727

Marx, J. L. "Air pollution: effects on plants." Science, 187(4178): 731-733 (February 28 1975).

#728

Mastalerz, J. W., and C. S. Oliver. "Microclimatic modification: development and application in the urban environment. The use of plants to modify temperatures, noise levels, and air pollutants." Hortsci., 9(6):560-563 (December 1974).

#731

Pasternak, K. "The influence of the pollution of a zinc plant at Miasteczko-Slaskie on the content of microelements in the environment of surface waters." Acta Hydrobiol., 16(3/4):273-297 (1974).

#732  
Ratsch, Hilman C. "Sulfur content of Douglas-fir foliage near a paper mill." U.S. Environmental Protection Agency, Office of Research and Development, Washington, U.S. Govt. Print. Off. iii, 13 p. illus (1974). EPA-660/3-74-018.

#733  
Rhoads, A.F., and E. Brennan. "Fluoride damage to woody vegetation in New Jersey in 1974. Plant Dis. Rep., 59(5):427-429 (May 1975).

#736  
Runeckles, V.C. "Dosage of air pollutants and damage to vegetation." Environ. Conserv., 1(4):305-308. (Winter 1974).

#740  
Turner, N.C., P.E. Waggoner and S. Rich. "Removal of ozone from the atmosphere by soil and vegetation." Nature, 250(5466):486-489 (Aug. 9, 1974)

#741  
Tyler, G. "Heavy metal pollution and mineralization of nitrogen in forest soils." Nature, 255(5511):701-702 (June 26 1975).

#743  
Waggoner, P.E. "How trees scrub the air." Conn. Woodlands, 37(4):14, 17, 18 (Winter 1972/73).

#746  
Ziegler, L. "The effect of air-polluting gases on plant metabolism." Environ. Qual. Saf., 2:182-208 (1973).

#747  
Adams, D. F. "The effects of air pollution on plant life." (Presented at the American Industrial Hygiene Association, Annual Meeting, 17th, Philadelphia, Pa., April 23-27, 1956.) A.M.A. Arch. Ind. Health, 14:229-245 (July-December 1956).

#748  
Adamowicz, S. "Waldumbau im oberschlesischen industriebezirk." (Change in afforestation of the Upper Silesian industrial basin). Polska Akademia Nauk, Zaklad Badan Naukowych Gornoslaskiego Okregu Przemyslowego, Mater. Miedzynarodowej Kof., Wplyw Zanieczyszczen Powietrza na Lay, 6th, Katowice, Poland, p. 389-406 (Sept. 9-14, 1968).

#749  
Anderson, P.J. "The effect of dust from cement mills on the setting of fruit." Plant World, 17(3):57-68 (1914).

#750

Antipov, V.G. "The influence of smoke and gas on the flowering and fruiting of some trees and shrubs." In: American Institute of Crop Ecology Survey of USSR Air Pollution Literature, Vol III. The Susceptibility or Resistance to Gas and Smoke of Various Arboreal Species Grown Under Diverse Environmental Conditions in a Number of Industrial Regions of the Soviet Union. M. Y. Nuttonson (ed.), Silver Spring, Md., American Inst. of Crop Ecology, p. 3-8 (1970). Also: Sb. Bot Rab., Beloruss, Otd. Vses. Bot Obshchest, 2:167-172 (1960).

#751

Anonymous. "Fluorschaeden bei Rheinfelden und Moehlin." (Damage caused by fluorine near Rheinfelden and Moehlin). Text in German. Leben und Umwelt (Aarau), 12(3):69-71 (December 1955).

#752

Anon. "Damage caused due to foundry smoke." Allg. Forst Jagdz., 67:220 (June 12, 1891).

#753

Anon. "New technique aids study of smog effects on citrus plants." Chem. Eng. News, 39(8):42-43 (Feb 20, 1961).

#754

Anonymous. "Einfluss des Leuchtgases auf die Baumvegetation." (The effect of coal gas on the vegetation of trees). Translated from German, Belov and Associates, Denver, Colo., 3 p., May 17, 1970. Jahresber. Agrikultur, 13:236-237 (1870-1872). (Also: Nachr. Botan. Z. 89 (50-51) 1871 and Der Naturforscher 1872).

#755

Anonymous. "The influence of air pollution, 3. 1. The influence of air pollution on trees. 2. The characteristics of insoluble substance, adhered to the leaves of roadside trees." (Jumoku ni taisuru taikosen no eikyo. Dai 2 ho. Gairoju no yomen no fuchaku shita fuyokaisei busshitsu no seijyo) Text in Japanese. Kanagawa-Ken Taiki Osen Chosa Kenkyu Hokoku (Tech. Rept. Air Pollution Yokohama-Kawasaki Ind. Area), 11:94-99 (February 1969).

#756

Anon. "Jumoku ni taisuru taikosen no eikyo. Dai 3 po, Gairo juyo no io ganryo to sono buntetsu." (Effect of air pollution on trees. 3. Analysis and fractionation of sulfur in the leaves of street trees). Kanagawa-Ken Taiki Osen Chosa Kenkyu Hokoku (Tech. Report Air Pollution Yokohama-Kawasaki Ind. Area), 11:100-113 (Feb 1969).

#757

Barkman, J.J. "The influence of air pollution on bryophytes and lichens." Council of Europe, Committee of Experts on Air Pollution, Air Pollution Proc. First European Congr. Influence Air Pollution Plants Animals, Wageningen, Netherlands, p.197-209, April 22-27, 1968.

- #758  
Berge H. "Hydrochloric acid, bromine, iodine, hydrogencyanide, ethylene, carbonmonoxide, mercaptans, coal gas, asphalt and tar vapors, saturated hydrocarbons, acetic acid, 2,4-dichloro-phenoxy-acetic acid, mercury, selenium, smoke and fog." In: Phytotescische Immissionen, Berlin, Parey. Translated from German. p. 51-71 (1963).
- #759  
Bortitz, S. and M. Vogl. "Zur Transfuration von Koniferennadeln bei Unterschiedlicher SO<sub>2</sub> Einwirkung." (On the transpiration of conifer needles with differing exposures to SO<sub>2</sub>). Arch. Forstwes., 11:663-? (1967).
- #760  
Bleasdale, J. K. A. "The effects of air pollution on plant growth." In: The Effects of Pollution on Living Material. Symp. Inst. Biol., 8:81-87 (1959).
- #762  
Bortitz, S. "Physiologische und biochemische Beitrage zur Rauchschadenforschung. II. Mitteilung: Analysen einiger Nadelinhaltstoffe and Fichten unterschiedlicher individueller Rauchharte aus einem Schadgebiet." (Physiological and biochemical contributions to the research of flue gas damage. Report II: Analyses of some contents of spruce needles having different individual flue-gas hardness originating from a damage zone). Translated from German. Arch. Fortswes., 18: 123-131 (1969).
- #763  
Bossavy, M.J. "Les necroses due au fluor." (Necrosis caused by fluorine). Translated from French. Belov and Associates, Denver, Colo., 9 p., Sept. 4, 1970. Pollut. Atmos., (Paris), 8(30):176-184 (June 1966). (Also: Revue Forestiere, No. 12, December 1965).
- #764  
Bossavy, J. "Informations sur les dommages causes par la pollution de Mair aux plantes et aux animaux dans les pays europeens." (Information on damage caused by air pollution to the plants and animals in European countries). Translated from French. Belov and Associates, Denver, Colo., Sept. 3, 1970. Air Pollution Proc. 1st European Congr. on the Influence of Air Pollution on Plants and Animals, Wageningen, The Netherlands, p. 15-26, 1968.
- #765  
Bovay, E. "Effets de l'anhydride sulfureux et des composés fluores sur la végétation." (Effects of sulfur dioxide and fluorine compounds on vegetation). Air Pollution Proceedings of the First European Congress on the Influence of Air Pollution on Plants and Animals, Wageningen, Netherlands, 111-135 (1968).
- #766  
Bredemann, G. and H. Radeloff. "Ueber Schädigung von Pflanzen durch Ammoniak-gase und ihren Nachweis." (On the damage to plants by ammonia gases and their identification). Z. Pflanzenkrankh. Pflanzenschutz, 42:457-465 (1932).

#767

Bredemann, G., and H. Radeloff. "Fluorine absorption through the bark of shoots and its effects." Translated from German. Angew. Botan., 19:172-181 (1937).

#768

Byrne, A. R. and L. Kosta. "Studies on the distribution and uptake of mercury in the area of the mercury mine at Idrija, Slovenia (Yugoslavia)." Vestn. Sloven. Kem. Drustva, 17(1/4):5-11 (1970).

#769

Coleman, C. H. "How Plants Test Air." Org. Gardening Farming, 1961:71-78 (March 1961).

#770

Costonis, Arthur C. "The relationships of ozone, Lophodermium pinastri and Pullularia pullulans to needle blight of eastern white pine." Cornell Univ., Ithaca, N.Y., Dept. of Plant Pathology, Thesis (Ph.D.), Ann Arbor, Mich., Univ. Microfilms, Inc., 176 p. (1968).

#771

Craker, L. E. "Ethylene production from ozone injured plants." Environ Pollut., 1(4):299-304 (April 1971).

#772

Crocker, W. "Physiological Effects of Ethylene and other Unsaturated Carbon-Containing Gases." In: Growth of Plants, New York, Reinhold Publishing Corp., Chapt. 4, p. 139-171, 1948.

#773

Davis, D. D. "Air pollution and southern forests." Forest Farmer, 29(10): 6-7 (October 18 1970).

#774

Davis, D. D. "The influence of ozone on conifers." Pennsylvania State Univ. Center for Air Environment Studies, University Park. Pub. 158-70. 95 p. (March 1970).

#776

DeMerre, Leon, J. "A study of reactions in Los Angeles smog (final report)." Stanford Research Inst. Calif., SRI Proj. C-1120, Rept. 3, 123 p., (August 1, 1955).

#777

Donaubauer, Edwin. "Sekundaerschaeden in Oesterreichischen Rauschschadensgebieten. Schwierigkeiten der Diagnose und Bewertung." (Secondary damage in regions of Austria exposed to pollution. Difficulties in diagnosis and assessment). Polska Akademia Nauk, Zaklad Badan Naukowych Gornoslaskiego Okregu Przemyslowego, Mater. Miedzynarodowej Konf., Wplyw Zanieczyszczen Powietrza na Lasy, 6th, Katowice, Poland. 277-284 (Sept. 9-14, 1968).

# 778

Dreisinger, B.R., and P.C. McGovern. "Monitoring atmospheric sulphur dioxide and correlating its effects on crops and forests in the Sudbury area." (Presented at the Impact of Air Pollution on Vegetation Conference, Toronto, Ontario, April 7-9, 1970.) Preprint, Air Pollution Control Assoc., Toronto, Ontario Section Air Pollution Control Assoc., Pittsburgh, Pa., TR-7 Agricultural Committee, and Ontario Dept. of Energy and Resources Management, Toronto, Air Management Branch, 23 p., 1970.

#779

Dugger, W.M., and I.P. Ting. "Air pollution oxidants - their effects on metabolic processes in plants." Ann. Rev. Plant Physiol., 21:215-234 (1970).

#780

Faller, N., K. Herwig, and H. Kuhn. "Die aufnahme von schwefeldioxyd (S3502) aus der Luft. I. Einfluss auf den Pflanzlichen ertrag." [Assimilation of sulfur dioxide (S3502) from the air. I. Influence on the plant yield]. Plant Soil, 33:177-191 (1970).

#781

Feliciano, A. "Survey and assessment of air pollution damage to vegetation in New Jersey 1971." Rutgers - The State Univ., New Brunswick, N. J., Dept. of Plant Biology, Environmental Protection Agency Contract 68-02-0078, Sept. EPA-R5-72-010, 53 p., Oct. 1972.

#782

Fujiwara, T., T. Umezawa, and H. Ishikawa. "Taiki osen fukugo no shokubutsu ni oyobosu eikyo ni kansuru kenkyu. 1: SO<sub>2</sub>, NO<sub>2</sub>, O<sub>3</sub> fukugo no eikyo." (Effects of mixed air pollutants on vegetation. Part I. Sulfur dioxide, nitrogen dioxide and ozone to injure peas and spinach). Text in Japanese. Noden Inst. (Japan), Central Institute of Electric Power, Rept. 72007, 12 p., August 1973.

#784

Ruhling, A. "Tungematalforeringar inom Vargon-Trollhattanområdet. II. Arsenik, Kvicksilver." [Heavy metals in the region of Vargon-Trollhattan. II. Arsenic and mercury]. Lund Univ., Inst. of Ecological Botany, Sweden. Rept. 15, 8 p. (May 1970).

#785

Garber, K. "Ueber den Fluorgehalt von Pflanzen." (The fluorine concentration of plants). Franklin Inst. Research Labs., Philadelphia, Pa., Science Info. Services, Contract No. CPA 22-69-30, Project No. C 2439, 10 p. (1968).

#786

Ryabinin, V. M. "The Effect of Industrial Gas on the Growth of Trees and Shrubs." In: American Institute of Crop Ecology Survey of USSR Air Pollution Literature. Effects and Symptoms of Air Pollutes on Vegetation. Resistance and Susceptibility of Different Plant Species in Various Habitats. In Relation to Plant Utilization for Shelter Belts and as Biological Indicators. M. Y. Nuttonson (ed.), Vo. 2, Silver Spring, Md., American Institute of Crop Ecology, 1969, p. 13-18. (Also: Nauk USSR Vsesoyuznoe botan. obschestvo. Zh. Botan., 47(3):412-416 (1962).

#787

Gerhold, H.D. and E.H. Palpant. "Prospects for breeding ornamental scotch pines resistant to air pollutants." Proc. Central States Forest Tree Improvement Conf. 6th, Carbondale, Ill. and St. Louis, Mo., 34-36 (1968).

#788

Gilbert, O.L. "The effect of airborne fluorides." In: Air Pollution and Lichens, B.W. Ferry, M.S. Baddeley, and D.L. Hawksworth (eds.), Toronto Univ. Press, Toronto, Chapt. 9, p. 176-191 (1973).

#789

Gilbert, O.L. "Further studies on the effect of sulphur dioxide on lichens and bryophytes." New Phytol., 69(3):605-627 (1970).

#790

Grill, D. "Elektronenmikroskopische Untersuchungen an SO<sub>2</sub> belasteten Fichtennadeln." (A study of SO<sub>2</sub> fumigated needles of spruce by scanning electron microscopy). Text in German. Phytopathol. Z., 78:75-80 (1973).

#791

Grill, D., and H. Esterbauer. "Cystein und Glutathion in gesunden und SO<sub>2</sub> geschaedigten Fichtennadeln." (Cysteine and glutathione in intact and SO<sub>2</sub> damaged spruce needles). Text in German. Eur. J. Forest Pathol., 3(2):65-71 (1973).

#792

Grouven, H. "Einfluss des Leuchtgases auf die Promenadenund Strassenbaume." (The influence of coal gas on trees on parkways and streets). Translated from German. Belov and Associates, Denver, Colo., 2 p. July 10, 1970. Z. Deut. Landwirthe, 1855:151; Ibid, 1859:360 (July 10, 1970).

#793

Guderian, R. "Ergebnisse aus Begasungsexperimenten zur Ermittlung pflanzenschaedigender HF-Konzentrationen." (Findings from gassing experiments for determination of plant - Damaging concentrations). VDI (Ver. Deut. Ingr.) Ber., 164:33-37 (1971).

#794

Guderian, R. "Untersuchungen ueber quantitative Beziehungen Zwischen dem Schwefelgehalt von Pflanzen und dem Schwefeldioxidgehalt der Luft. Teil 3. Schwefelgehalt geschaedigter und ungeschaedigter Blatteile." (Investigation of the quantitative relationship between sulfur in plants and the sulfur dioxide in the air. Part 3. Sulfur injured and uninjured leaves). Z. Pflanzenkrankh Pflanzenschultz, 77(7):387-399 (July 1970). Part I. Ibid., 77(4-5) (April-May, 1970). Part II. Ibid., 77(6) (June 1970).

#795

Guderian, R. "Investigation of the quantitative relationship between sulfur in plants and the sulfur dioxide in the air. Part 2. Diurnal variation in sulfur near unaffected and gas-attacked plants." (Untersuchungen ueber quantitative Beziehungen zwischen dem Schwefelgehalt von Pflanzen und dem Schwefeldioxidgehalt der Lüft. Teil 2. Tagesgang in Schwefelgehalt bei unbeeinflussten und begasten Pflanzen). Text in German. Z. Pflanzenkrankh Pflanzenschultz, 77(6):289-308. (June 1970). Part I. Ibid. 77(4-5) (April-May 1970). Part III. Ibid. 77(7) (July 1970).

#796

Guderian, R., and H. Stratmann. "Freilandversuche zur Ermittlung von Schwefeldioxydwirkungen auf die Vegetation, I. Teil: Uebersicht zur Versuchsmethodik und Versuchsauswertung." (Determination of the effect of sulfur dioxide on plant life by field experiments. Part I. Methodology and evaluation of results). Text in German. Forschungsber. Landes Nordrhein-Westfalen, 1118, 102 p. (1962).

#797

Hanson, G. P., L. Thorne, and C. D. Jativa. "Ozone tolerance of petunia leaves as related to their ascorbic acid concentration." Preprint. Los Angeles State and County Arboretum, Arcadia, Calif., 28 p. (1970).

#798

Hanson, George P. "Man and air -- Threats to prairie survival." Lasea Leaves, 20(4):78-81,92 (Dec 1970).

#800

Hawkesworth, D. L., F. Rose, and B.J. Coppins. "Changes in the lichen flora of England and Wales attributable to pollution of the air by sulphur dioxide." In: Air Pollution and Lichens. B. W. Ferry, M.S. Baddeley, and D.L. Hawkesworth (eds.), Toronto Univ. Press, Toronto , Chapt. 16, p. 330-367 (1973).

#801

Heck, W.W. and D.T. Tingey. "Ozone; Time-concentration model to predict acute foliar injury." Environmental Protection Agency, Raleigh, N.C., Air Pollution Control Office, 23 p. (1971).

#802  
Hindawi, I. J. "Air pollution injury to vegetation." Public Health Service, Raleigh, N. C., National Air Pollution Control Administration, 44 p., 1970.

#803  
Hluchan, E., J. Mayer, and E. Abel. "The influence of aluminum-works exhalations on the content of fluorides in soil and grass." Polnohospodarstvo, 10(4):257-262 (1964).

#804  
Haagen-Smit, A. J., E. F. Darley, M. Zaitlin, H. Hull, and W. Noble. "Investigation on injury to plants from air pollution in the Los Angeles area." Plant Physiol. 27:18-34 (1952).

#805  
Houten, J. G. ten. "Invloed van Luchtverontreiniging op Planten." (Influence of air pollution on plants). Text in Dutch. In: Milieubalans van Nederland. J. J. Mulckhuyse (ed.), Amsterdam/Brussels, Intermediair, p. 47-55 (1972).

#807  
Hutchinson, T. C., and L. M. Whitby. "A study of airborne contamination of vegetation and soils by heavy metals from the Sudbury copper-nickel smelters, Canada." Toronto Univ., Toronto (Canada), Dept. of Botany and the Inst. of Environmental Sciences and Engineering, Rept. EL-3, 17 p. (November 1973).

#808  
Ionescu, A., G. Serbanescu, and G. Pal. "Elements of the symptomatology of fluor polluted plants." Rev. Roum. Biol. Ser. Bot., 17(2):135-144 (1972).

#809  
Jacobson, J. S. "The plant-mediated consequences of air pollution." Colorado Univ., Boulder, Air Water Pollut. Proc. Summer Workshop, Boulder, Colo., 1970, p. 417-424 (August 3-15, 1972).

#810  
James, P. W. "The Effect of Air Pollutants Other Than Hydrogen Fluoride and Sulphur Dioxide on Lichens." In: Air Pollution and Lichens. B. W. Ferry, M. S. Baddeley, and D. L. Hawksworth (eds.), Toronto, Toronto Univ. Press 1973, Chapt. 8, p. 143-175.

#811  
Kadota, M., and H. Yamada. "Ozon no akamatsu oyobi kuromatsu ba ni oyobosu eikyo." (Effect of ozone on some pine needles). Text in Japanese. (Proceeding of the Japan Society of Air Pollution, Annual Meeting, 11th, Tokyo, Japan, 1970.) Taiki Osen Kenkyu (J. Japan Soc. Air Pollution), 5(1):158 (1970).

#812

Karpen, D. N. "Ozone and sulfur dioxide synergism: foliar injury to a ponderosa pine geographic race plantation in the Puget Sound region." Plant Disease Rept., 54(11):945-948 (November 1970).

#813

Katz, M., and A. W. McCallum. "The effect of sulfur dioxide on conifers." Proc. U. S. Tech. Conf. Air Pollution, Chapt. 8, p. 84-96, 1952.

#814

Kazantseva, E.N. "Assortments of gas-resistant lawn grasses." In: American Institute of Crop Ecology Survey of USSR Air Pollution Literature. Effects and Symptoms of Air Pollutes on Vegetation: Resistance and Susceptibility of Different Plant Species in Various Habitats, In Relation to Plant Utilization for Shelter Belts and as Biological Indicators, M.Y. Nuttonson (ed), Vol 2, Silver Springs, Md., American Institute of Crop Ecology, p. 50-55 (1969).

#815

Keller, T. "Auswirkungen der Luftverunreinigungen auf die Vegetation." (The effects of air pollution on vegetation). Text in German. Staedtehygiene (Uelzen/Hamburg), 22(6):130-136 (1971).

#817

Kobayashi, J., F. Morii, S. Muramoto, and S. Nakashima. "Guma-ken Annaka-shi no seirensho ni yoru nosakubutsu nado no juninsoku (Cd, Pb, Zn) osen ni tsuite." (Effect of air and water pollution on agricultural products by Cd, Pb, Zn attributed to mine refinery in Annaka City, Gunma Prefecture.) Text in Japanese. Nippon Eiseigaku Zasshi (Jap. J. Hyg.), 25(4):364-375 (Oct. 1970).

#818

Koeck. "Mildew on oak trees and flue-gas damage." (German). Z. Pflanzenkrankheiten Pflanzenschutz, 45:1-2 (1935).

#819

Kotte, W. "Rauchschaden an Steinobst-Freuchten." (Smoke damage to stone fruit). Translated from German. Belov and Associates, Denver, Colo., 4 p., Sept. 8, 1970. Nachrbl Deut. Pflanzenschutzdienst (Berlin), 9:91-92 (1929).

#820

Koukol, J., and W. M. Dugger, Jr. "Anthocyan formation as a response to ozone and smog treatment in Rumex crispus L." Plant Physiol., 42:1023-1024 (1967).

#821

Kucherov, F.V. and B.E. Fedorako. "Effect of industrial pollutants on the vegetation of Bashkir, USSR." In: American Institute of Crop Ecology Survey of USSR Air Pollution Literature. Effects and Symptoms of Air Pollutes on Vegetation: Resistance and Susceptibility of Different Plant Species in Various Habitats, In Relation to Plant Utilization for Shelter Belts and as Biological Indicators, M.Y. Nuttonson (ed.), Vol 2, Silver Spring, Md., American Institute of Crop Ecology, p. 19-23 (1969).

#822

Kulagin, Y.Z. "Gas Resistance of Pine and Birch." In: American Institute of Crop Ecology Survey of USSR Air Pollution Literature, Volume III. The Susceptibility or Resistance to Gas and Smoke of Various Arboreal Species Grown under Diverse Environmental Conditions in a Number of Industrial Regions of the Soviet Union. M. Y. Nuttonson (ed.), Silver Spring, Md., American Institute of Crop Ecology, p. 51-57, 1970. (Also: Okhrana Prirody na Urale, 4:115-112, 1964).

#823

Kulagin, Y.Z. "Smoke resistance of woody plants as an ecological problem." In: American Institute of Crop Ecology Survey of USSR Air Pollution Literature. Effects and Symptoms of Air Pollutes on Vegetation. Resistance and Susceptibility of Different Plant Species in Various Habitats. In Relation to Plant Utilization for Shelter Belts and as Biological Indicators. M. Y. Nuttonson (ed.), Vo. 2, Silver Spring, Md., American Institute of Crop Ecology, p. 32-34 (1969). (Also: Akad, Nauk SSSR Ural. Filial. Komis. po Okhrane Prirody. Rastitelnost ipromyshlennye zagryazneniya. Okhrana prirody na Urale. V. (Sverdlovsk, 1966), p. 25-27.)

#824

Kulagin, Y.Z. "Moisture Conditions and Gas Resistance of Woody Plants." In: American Institute of Crop Ecology Survey of USSR Air Pollution Literature. Effects and Symptoms of Air Pollutes on Vegetation. Resistance and Susceptibility of Different Plant Species in Various Habitats. In Relation to Plant Utilization for Shelter Belts and as Biological Indicators. M. Y. Nuttonson (ed.), Vol.2, Silver Spring, Md., American Institute of Crop Ecology, p.41-43 1969. (Also: Akad, Nauk SSSR Ural. Filial, Komis. po Okhrane Prirody. Rastitelnost ipromyshlennye zagryazneniya. Okhrana prirody na Urale, V. (Sverdlovsk, 1966), p. 49-51.

#825

Laundon, J. R. "Urban lichen studies." In: Air Pollution and Lichens. B.W Ferry, M.S. Baddeley, and D.L. Hawksworth (eds.), Toronto Univ. Press, Toronto , Chapter 6, p. 109-123 (1973).

#826

LeBlanc, F., and J. DeSloover. "Relation between industrialization and the distribution and growth of epiphytic lichens and mosses in Montreal." Can. J. Botany, 48(8):1485-1496 (August 1970).

#827

Lux, Herbert. "Ergebnisse einer Rauchschadendiagnose im Klosterborst Marienthal bei Ostritz (Neisse)." (Results of an air pollution diagnosis in the Klosterforst Marienthal near Ostritz (Neisse)). Arch. Forstw., 19(2):99-106 (1970).

#828

Maeno, M. "Taiki osen busshitsu ni yoru shokubutsu higai." (Damage to plants by air pollutants). Text in Japanese. (Presented at the Association of Safety Engineering Seminar, 17th, Yokohama, Japan, Feb. 1970.) Preprint, Association of Safety Engineering, Yokohama (Japan), 40 p. (1970).

#829

Mamayev, S.A. "Current conditions and scientific problems in studying the injurious effects of industrial pollutants on plants and in developing methods for controlling them in the Urals." In: American Institute of Crop Ecology Survey of USSR Air Pollution Literature, Vol. III. The Susceptibility or Resistance to Gas and Smoke of Various Arboreal Species Grown Under Diverse Environmental Conditions in a Number of Industrial Regions of the Soviet Union, M.Y. Nuttonson (ed.), Silver Spring, Md., American Inst. of Crop Ecology, p. 23-32 (1970).

#830

Mansfield, T. A., and O. Majernik. "Can stomata play a part in protecting plants against air pollutants." Environ Pollut., 1:149-154 (1970).

#831

Materna, Jan. "Nektere vysledky vyzkuma v krusnohorske kourove oblasti." (Partial results of research in the smoke region of the Krusne Hory mountain range). 19 p. (Jan 1970) (No publisher).

#832

Matsushima, Jiro. "Shokubutsu ni taisuru aryusangasu to okishidanto no fukugogai ni tsuite." (On composite harm to plants by sulfurous acid gas and oxidant). Sangyo Kogai (Ind. Public Nuisance), 7(5):218-224 (May 1971).

#833

McCune, Delbert C. and Leonard H. Weinstein. "Metabolic effects of atmospheric fluorides on plants." Environ. Pollut., 1:169-174 (1971).

#834

McCornack, A.A., L.C. Cochran, H. English, and C.L. Hemstree. "A black tip condition on peach fruits in California." Plant Disease Reptr., 36(3):99-100 (March 15, 1952).

#835

McKee, Herbert C. "Use of vegetation to measure air pollution." Presented at the Instituto Mexicano de Ingenieros Quimicos, Annual Technical Meeting, Mexico City, Mexico, 10 p. (Oct 19-21, 1961).

#836

Middleton, John T. "Biological systems for the identification and distribution of air pollutants." In: Problems and Control of Air Pollution, F.S. Mallette (ed.), Reinhold, New York, Chapt. 7, p. 64-68 (1955).

#837

Miller, V. L. "The Effect of Atmospheric Fluoride on Washington Agriculture." In: Air Pollution. Louis C. McCabe (ed.), New York, McGraw-Hill Book Co., Inc., Chapt. 11, p. 116-122 (1952).

#838

Mohamed, A.H. "Chromosomal changes in maize induced by hydrogen fluoride gas." Can. J. Genet. Cytol (Ottawa), 12(3):614-620 (Sept. 1970).

#839

Morgan-Huws, D.I., and F.N. Haynes. "Distribution of Some Epiphytic Lichens Around An Oil Refinery at Fawley, Hampshire." In: Air Pollution and Lichens. B.W. Ferry, M.S. Baddeley, and D.L. Hawksworth (eds.), Toronto, Toronto Univ. Press, Chapt. 5, p. 89-108, 1973.

#840

Nakagawa, Y., S. Matsuda, M. Hara, T. Koyama, and K. Takada. "Uwagusurigawara seizo kojo haigasu chu fukkabutsu ni yoru shokubutsu higai ni tsuite." (On damage to plants by fluorides in exhaust gas from tile manufacturing factory.). Text in Japanese. Hyogo Prefecture, Kobe (Japan), Environmental Sci. Inst., Rept. 2, p. 11-16 (Feb. 1971).

#841

Nakagawa, Y., S. Matsuda, M. Hara, T. Koyama, and N. Takada. "Yuyakugawara seizo kojo haigaschu fukkabutsu ni yoru shokubutsu higai ni tsuite." (Casualties in plants by fluorides in exhaustive gas of glazed tile manufacturing factory). Hyogo-ken Eisei Kenkyusho Kenkyu Hokoku (Rept. Environ. Sci. Inst. Hyogo Prefect.), 2:11-17 (March 1971).

#842

Nash, T.H., III. "The effect of air pollution on other plants, particularly vascular plants." In: Air Pollution and Lichens, B.W. Ferry, M.S. Baddeley, and D.L. Hawksworth (eds.), Toronto Univ. Press, Toronto, 192-223 (Chapt. 10) (1973).

#843

Navara, J. "Beitrag sur Kenntnis der Wasserhaushalt der Pflanzen bei Anwesenheit des Fluors im Substrat." (Some data on the water balance in plants in the presence of fluor in the substrate). Air Pollution Proc. First European Congr. Influence Air Pollution Plants Animals, Wageningen, Netherlands, 91-97 (1968).

#845

Nikolayevskiy, V. S. "Effect of Sulfur Dioxide on the Enzymatic Activity of Tree Leaves." In: American Institute of Crop Ecology. Survey of USSR Air Pollutant Literature. Vol. III. The Susceptibility or Resistance to Gas and Smoke of Various Arboreal Species Grown Under Diverse Environment Conditions in a Number of Industrial Regions of the Soviet Union. M. Y. Nuttonson (ed.), Silver Spring, Md., American Institute of Crop Ecology, p. 109-114, 1970. Translated from Russian. (Also: Okhrana Prirody na Urale, 5:19-23 (1966).

#847

Osterli, Victor P. "Effects of air pollutants on agriculture and forestry: Plants." In: Project Clean Air, California Univ., Berkeley, Task Force No. 5, Section 2, 23 p. (Sept 1, 1970).

#848

Palm, Einar W. "What air pollution does to your plants." Crop Soils Mag., 24(3):14-17 (Jan 1971).

#849

Pearson, Lorentz and Erik Skye. "Air pollution affects pattern of photosynthesis in Parmelia sulcata, a corticolous lichen." Science, 148:1600-1602 (June 18, 1965).

#850

Peirce, George J. "An effect of cement dust on orange trees." Plant World, 13(12):283-288 (Dec 1910).

#851

Pelz, Eberhart, Horst Beyer, and Gerhard Bleyer. "Untersuchungen zur Diagnose und Wirkung von Rauchschaden in der Umgebung einer Bleihuette." (The diagnosis and effects of smoke damage in the vicinity of a lead smeltery). Wiss. Z. Tech. Univ. Dresden, 12(1):209-216 (1963).

#852

Pelz, Eberhart and Jan Materna. "Beitraege zum Problem der individuellen Rauchhaerte von Fichte." (Studies of the problem of individual smoke resistance of spruces). Arch. Forstw., 13(2):177-210 (1964).

#853

Pesek, F. "Biochemische Phenomene in Boden Exhalationsgebiete." (Biochemical phenomena in the soil in exhalation areas). Air Pollution Proc., First European Congr. Influence Air Pollution Plants Animals, Wageningen, 33-39 (1968).

#854

Pogrebnyak, P.S. "The effect of industrial gases and industrial smoke on various forest species." In: American Institute of Crop Ecology Survey of USSR Pollution Literature. Vol III. The Susceptibility or Resistance to Gas and Smoke of Various Arboreal Species Grown Under Diverse Environmental Conditions in a Number of Industrial Regions of the Soviet Union. M.Y. Nuttonson (ed.), Silver Springs, Md., American Inst. of Crop Ecology, p.1-2 (1970). Also: Obshchee lesovedstvo, Vtoroe isdanie (General Forestry, Second Edition), Moscow (USSR), Kilos, p.215-217 (1968).

#855

Poovaiah, B.W. and H.H. Wiebe. "Tylosis formation in response to fluoride fumigation of leaves." Phytopathology, 59:518-519 (April 1969).

#856

Quellmalz, Eberhard and Walter Oelschlaeger. "Fluorgehalte von Luft und Pflanzen in der Umgebung einer Ziegelei." (Fluorine concentration of the air and plants in the vicinity of a brick kiln). Staub, Reinhaltung Luft, 31(5):206-208 (May 1971).

#858

Reinhard, H. "Die Fluorschaden im unteren Frichtal." (Fluorine damage in the lower Frick Valley). Schweiz Arch. Tierheilk, 101(1):1-4, (1959).

#859

Richardson, D.H.S., and K.J. Puckett. "Sulphur Dioxide and Photosynthesis in Lichens." In: Air Pollution and Lichens. B.W. Ferry, M.S. Baddeley, and D.L. Hawksworth (eds.), Toronto, Toronto Univ Press., Chapt. 13, p. 283-298 (1973).

#860

Rippel, A. and J. Janovicova. "Der Einfluss von Fluorexhalaten auf die Pflanzenwelt in der Umgebung eines Aluminumwerkes." (The influence of fluorine exhalation on the flora in the surroundings of an aluminum plant). Air Pollution Proc., First European Congr. Influence Air Pollution Plants Animals, Wageningen, 173-178 (1968).

#861

Rohmeder, Ernest and Alexander von Schonborn. "The breeding of spruce with increased resistance to exhaust gas." Proc. Congr. Intern. Union Forest Research Organizations, 14th, Munich, West Germany, 5(Sect. 24):556-566 (1967).

#862

Ruhling, A. "Tungmetallfororingar inom Vargon-Trollhattanomradet." [Heavy metals within the region of Vargo-Trollhattan]. Lund Univ., Inst. of Ecological Botany, Sweden. Rept. 14. 22 p. (April 1970).

#863

Scholl, G. "Ein Beitrag zum Problem der Erkennung von immissionsbedingten Pflanzenschädigungen." (A contribution to the recognition problem of plant damage induced by immissions). Schriftenreihe Landesanstalt Immissions- und Bodennutzungsschutz Lands Nordrhein-Westfalen (Essen), 73-79 (1969).

#864

Schonbach, H., H.G. Dassler, H. Enderlein, E. Bellmann, and W. Kastner. "Ueber den unterschiedlichen Einfluss von Schwefeldioxid auf die Nadeln verschiedener Zjähriger Larchenkreuzungen. 10. Veröffentlichung der Arbeitsgemeinschaft fuer forstliche Rauchschadenforschung Tharandt." (On the different influences of sulfur dioxide on the needles of various two year old larch hybrids. 10. Publication of the study committee for flue gas research in forestry, Tharandt). Study Committee for Flue Gas Research in Forestry, Tharandt (West Germany), Publ 10, p. 312-316 (1964).

#865

Shinohara, Toshiyuki, Yoshitada Yamamoto, Hiroshi Kitano, and Michio Fukuda. "Effects of temperature on ozone injury to tobacco." Nippon Sakumotsu Gakkai Kiji (Proc. Crop Sci. Soc. Japan), 42(4):418-421 (Dec 1973).

#866

Shinohara, Toshiyuki, Yoshitada Yamamoto, Hiroshi Kitano, and Michio Fukuda. "The relation between ozone treatment and the injury in tobacco." Nippon Sakumotsu Gakkai Kiji (Proc. Crop Sci. Soc. Japan), 42(4):412-417 (Dec 1973).

#867

Singer, Maximilian. "Ueber den Einfluss der Laboratoriumsluft auf das Wachstum Kartoffelsprosse." (On the effect of a laboratory atmosphere on the growth of potato sprouts). Ber. Duet. Botan. Ges., 21:175-180 (1903).

#868

Smith, C.W. "Lichens as an indicator of air pollution." Hawaii Univ., Honolulu. 6 p. (1968).

#869

Solberg, Richard A. and Donald F. Adams. "Histological responses of some plant leaves to hydrogen fluoride and sulfur dioxide." Am. J. Botany, 43:755-760 (Dec 1956).

#870

Spaeth and Meyer. "Beobachtungen ueber den Einfluss des Leuchtgases auf die Vegetation von Baumen." (Observations of the effect of coal gas on the vegetation of trees). Landwirt., Ver. Sta., 1872(16):336-341 (1970).

#871

Stefan, K. "Die Beeinflussung des Gesamtschwefelgehaltes von Fichtennadeln durch Dungung." (The influence of fertilization on the total sulfur content of spruce (fir) needles). Air Pollution Proc. First European Congr., Influence Air Pollution Plants Animals, Wageningen, Netherlands, (1968).

#872

Spierings, F.H. and H.G. Wolting. "Der Einfluss sehr niedriger HF-Konzentrationen auf die Laenge der Blattspitzen-Schaedigung und den Zwiebelertrag bei der Tulpenvarietae Paris." (Influence of very low HF concentrations of the length of the damaged blade-tip region and on the bulb yield with the tulip variety Paris). VDI (Ver. Deut. Ingr.) Ber., 164:19-21 (1971).

#873

Takahashi, R., Y. Suketa, and T. Yamamoto. "Kichu fukkabutsu ni yoru shokubutsu taisha e no eikyo." (Effect of atmospheric fluoroide on plant metabolism). Taiki Osen Kenkyu (J. Japan Soc. Air Pollution), 5(1):160 (1970).

#874

Taniyama, Tetsuro and Hiroki Arikado. "Sakumotsu no gasu shogai ni kansuru kenkyu. 1. Su-shu sakumotsu no aryusan gasu nodo to yomen hakai teido tono kankei." (Studies on the mechanism of toxic gas injury to crop plants. 1. The relationship of sulfur dioxide concentration to the extent of leaf injury in several crops). Nippon Sakumotsu Gakkai Kiji (Proc. Crop Sci. Soc. Japan), 37:366-371 (1968).

#876

Taylor, O. Clifton. "Agriculture and air pollution." California Air Environ., 1(6):1-3 (April-June 1970).

#877

Houten, J.G. ten and F. Spierings. "Air pollution and its influence on vegetation." World Health Organization, Copenhagen, Denmark. Proc. Conf. Public Health Aspects Air Pollution Europe, Milan, Italy, 70-75 (Nov 6-14, 1957).

#878

Thomas, M. D. "The invisible injury theory of plant damage." J. Air Pollution Control Assoc., 5(4):205-208 (Feb. 1956).

#879

Thompson, C. Ray, Gerrit Kats, and Earl G. Hensel. "Effects of ambient levels of NO<sub>2</sub> on naval oranges." California Univ., Riverside Statewide Air Pollution Research Center, 16 p. (1971).

#880

Thompson, C.R., E.G. Hensel, G. Kats and O.C. Taylor. "Effects of continuous exposure of naval oranges to nitrogen dioxide." California Univ., Riverside, Statewide Air Pollution Research Center, 16 p. (1970).

#882

Wander, I.W. "Effects of pollutants on vegetation (with special reference to the effect of fluorine on citrus)" Fla. Eng. Ind. Expt. Sta. Bull., Eng. Progr. Univ. Florida Bull. Ser., 10(9):14-16 (Sept. 1956).

#883

Zahn, R. "The limits of sulfur dioxide effects upon plants." Staub, Reinhaltung Luft (German), 29(9):36-38 (Sept. 1969).

#884

Zahn, R. "The effect of plants of a combination of subacute and toxic sulfur dioxide doses." Staub (English translation from German of: Staub, Reinhaltung Luft), 30(4):20-23 (April 1970).

#885

Zimmerman, P.W. and William Crocker. "Plant injury caused by vapors of mercury and compounds of mercury." Contrib. Boyce Thompson Inst., 6(1):167-187 (Jan-March 1934).

#886

Zuber, R., E. Bovay, M. Roulet, and W. Tschannen. "Die Verunreinigung der Atmosphaere und ihr Einfluss auf die Pflanze." (Atmospheric pollution and its effect on the plant). Schweizerische Gaertnerzeitung (Zurich), 73(19): 233-236 (May 1970).

#887

Grodzinska, K. "Acidification of tree bark as a measure of air pollution in southern Poland." Bulletin de L'academie Polonaise des Sciences, 19(3): 189-195 (April 1971).

#888

Blom, B.E. "Sorption of cadmium by soils." Cold Regions Research and Engineering Lab, Hanover, New Hampshire. Report No. CRREL-RR-320, Project DA-4-A-162121-A-89-1. 38 pp. (June, 1974).

#889

Nuttonson, M.Y. (ed.). "The susceptibility or resistance to gas and smoke of various arboreal species grown under diverse environmental conditions in a number of industrial regions of the Soviet Union." In: AICE Survey of USSR Air Pollution Literature, Vol III (1970).

#890

Nuttonson, M.Y. (ed.). "Effects & symptoms of air pollutes on vegetation; resistance and susceptibility of different plant species in various habitats, in relation to plant utilization for shelter belts and as biological indicators." In: AICE Survey of USSR Air Pollution Literature, Vol II (1969).

#891

Meetham, A. R. "Natural removal of atmospheric pollution during fog." Quart. J. Roy. Meteorol. Soc., 80:96-99 (1954)

#892

Meetham, A.R. "Natural removal of pollution from the atmosphere." Quart. J. Roy. Meteorol. Soc., 76:359-371 (1950).

#893

Smith, W. H. "Lead contamination of the roadside ecosystem." J. Air Pollut. Contr. Assoc. (In press).

#894

Keller, T. "The importance of the forest for the protection of the environment." Schweizerische Zeitschrift fur Forstwesen, 122(12):600-613 (1971).

#895

Jacobson, J.S. and A.C. Hill (eds.). Recognition of Air Pollution Injury To Vegetation: A Pictorial Atlas, Air Pollution Control Association, Pittsburgh, Pa., (1970).

#896

Druilhet, A., A. Perrier, J. Fontan, and J.L. Laurent. "Analysis of turbulent transfers in vegetation: use of thoron for measuring the diffusivity profiles." Boundary-Layer Meteorol., 2(2):173-187 (Dec 1971).

#897

Knabe, W. "Luftverunreinigung und Forstpflanzen. VIII. Internationale Arbeitstagung forstlicher Rauchsachdenschadiger 1972 in Ungarn." (Air pollution and forest plants 8th international conference of forest smoke damage experts, held in Hungary, 1972). Text in German. Allgem. Forstzg., 10: 196, 198, 200 (1973).

#899

Baum, F. "Ermittlung von Fluorschaeden an einer Lindenalle in unmittelbarer Naehe einer Ziegelei bei Ismaning durch Blattanalysen und Luftaufnahmen in Falschfarbentechnik." (Determination of fluorine injuries on an alley of linden trees in the immediate proximity of a brick kiln near Ismaning by leaf analyses and aerial infrared photography). Gesundh.-Ingr., 95(9): 259-263 (1974).

#900

Baumeister, W. and H. Burghardt. "Untersuchungen ueber die physiologische Wirkung von Fluorid bei Tomaten und Spinat." (The physiological effect of fluoride on tomatoes and spinach). Flora (Jena), 144:213-228 (1956).

#901

Bazzaz, M.B. and G. Bazzaz. "Effects of lead chloride on chloroplast reactions." Environ. Letters, 6(3):175-191 (1974).

#902

Bazzaz, F. A., G. L. Rolfe, and P. Windle. "Differing sensitivity of corn and soybean photosynthesis and transpiration to lead contamination." J. Environ. Quality, 3(2):156-158 (April-June 1974).

- #903  
Bell, J.N.B., and W.S. Clough. "Depression of yield in ryegrass exposed to sulfur dioxide." Nature, (London), 241(5384):47-49 (January 5, 1973).
- #904  
Benedict, H. M., D. D. Davis, and A. S. Heagle. "Dose responses of vegetation to minor air pollutants." (Presented at the Air Pollution Control Association Annual Meeting, 67th, Denver, Colorado, June 9-13, 1974, Paper 74-229.) Preprint, Air Pollution Control Assoc., Pittsburgh. 20 p. (1974).
- #905  
Bennett, J. H. "Effects of ozone on leaf metabolism." Utah Univ., Salt Lake City, Dept. of Biological Sciences, Thesis (Ph.D.), Ann Arbor, Mich., Univ. Microfilms, Inc., 106 p., August 1969.
- #906  
Berry, C. R. "Eastern white pine, a tool to detect air pollution." Southern Lumberman, 209(2609):164, 166 (1964).
- #907  
Berry, C. R. "White pine emergence tipburn, a physiogenic disturbance." Southeastern Forest Experiment Station, Asheville, N. C., Div. of Forest Disease Research, Station Paper 130, 8 p. (September, 1961).
- #908  
Berry, C. R. "Relative sensitivity of red, jack, and white pine seedlings to ozone and sulfur dioxide." Phytopathology, 61(2):231-232 (1971).
- #909  
Bolter, E., D. Hemphill, B. Wixson, D. Butherus, and R. Chen. "Geochemical and vegetation studies of trace substances from lead smelting." Missouri Univ., Columbia, Environmental Trace Substances Center and Extension Div., Trace Subst. Environ. Health, Proc. Univ. Mo. Annu. Conf., 6th, Columbia Mo., p. 79-85 (June 13-15 1972).
- #910  
Boussingault, M. "Sur l'action deletere que la vapeur emanant du mercure exerce sur les plantes." (Plant physiology on the deleterious action that the vapor emanating from mercury exercises on plants). Translated from French, Belov and Associates, Colo., 9 p., March 12, 1970. Compt. Rend., 64:924-92 (1867).
- #911  
Boray, E. "Les emissions fluorees industrielles: leurs effets sur les plantes et les animaux." (Industrial fluorine emissions: their effects on plants and animals). Proc. Int. Congr. Pro Aqua-Pro Vita, Basel, Switzerland, 163-184 (1972).
- #912  
Bradshaw, A. D. "The ecological effects of pollutants." Inst. of Fuel, London, (England), Fuel Environ. Proc. Conf., Eastbourne, England, p. 129-134, 1973. (Nov. 26-29, Paper 10).

- #913  
Brandt, C. J., and R. W. Rhoades. "Effects of limestone dust accumulation on lateral growth of forest trees." Environ. Pollut., 4(3):207-213 (April 1973).
- #914  
Bravo A. H. "The use of color infrared photography in the detection of non-visible injury to vegetation by ozone." Clean Air Society of Australia and New Zealand, Proc. Int. Clean Air Conf., Melbourne, Australia, p. 268-273, May 15-18, 1972.
- #915  
Brewer, R.F., and G. Ferry. "Effects of air pollution on cotton in the San Joaquin Valley." Calif. Agr., 28(6):6-7 (June, 1974).
- #916  
Brodo, I. M. "Lichens and cities." Proc. Int. Symp. Ident. Meas. Environ. Pollut., Ottawa, Ontario, p. 325-328, 1972.
- #917  
Beitz, L. "Analyses von Schadstoffen in Pflanzen mit dem Roentgenfluoreszenzverfahren." (Analysis of pollutants in plants with X-ray fluorescence). Chemiker-Ztg. (Heidelberg), 97(8):424-426 (Aug. 1973).
- #918  
Belot, Y. and D. Gauthier. "Mecanismes de transfert des particules microniques entre l'atmosphère et les plantes." (Mechanisms of the transfer of particles in the micron range between the atmosphere and plants). Bull. Inform. Sci. Tech. Commis. Energ. At. (Fr.), 191:67-73 (April 1974).
- #919  
Berge, H. "Beziehungen zwischen Baumschädlingen und Immissionen." (Relationship between tree pests and immissions). Text in German. Anz. Schaedlingskunde, 46:155-156 (1973).
- #920  
Berge, H. "Differentiation and evaluation of air pollution from a botanical point of view." Environ. Pollut., 1(2):141-147 (1970).
- #921  
Berge, H. "Plants as indicators of air pollution." Toxicology (Netherlands) 1(1):79-89 (March 1973).
- #922  
Berge, Helmut. "Immissionsschäden an landwirtschaftlichen und gärtnerischen Kulturen." (Emission damages on agricultural and garden plants). Immissionsschäden (Berlin), 1-23 (1958).
- #923  
Boertitz, Siegfried and Horst Ranft. "Die SO<sub>2</sub> und HF-Empfindlichkeiten von Flechten und Moosen." (On the susceptibility of lichens and mosses to SO<sub>2</sub> and HF). Biol. Zentralbl., 91(5):613-623 (1972).

#924

Boertitz, S. "Bedeutung unsichtbarer Einfluesse industrieller Immissionen auf die Vegetation." (The importance of invisible influences of industrial immissions on the vegetation). Text in German. Biol. Zentralbl., 93(3): 341-349 (1974).

#925

Boertitz, S., and H.G. Daessler. "PVC-Muell als Asugangspunkt fuer Pflanzen- beschaeidungen." (PVC trash as a source of plant damage). Translated from German. Nachrichtenbl. Pflanzenschutzdienst, D.D.R., 25(2):34-36 (1971).

#926

Rasmussen, K. H., M. Taheri, and R. L. Kabel. "Sources & natural removal processes for some atmospheric pollutants." Center for Air Environmental Studies. Penn St. U., Univ. Pk., Penn. 16802. EPA 650/4-74-032 (June 1974).

#927

Bohne, H. "Klarung eines Rauchschadensfalles bei Kiefernbestanden im Ruhrgebiet." (Explanation of a case of fume damage in scotch pine stands in the Ruhr). Mitt. Forst. Bundesvers., 97:141-150 (1972).

#928

Bolay, A., E. Bovay, C. Nuery, and R. Zuber. "Interaction entre la fumure et la causticite des immissions fluorees." (Relationship between fertilization and the burning effect of factory emissions containing fluorides). Air Pollution Proc. First European Congr., Influence of Air Pollution on Plants and Animals, Wageningen, Netherlands, p. 143-160 (1968).

#929

Bovay, E., A. Bolay, R. Zuber, P. Desbaumes, G. Collet, J. P. Quinche, G. Neury, and B. Jacot. "Influence de certains engrais combines boriques sur l'accumulation du fluor dans les vegetaux." [The effect of certain combined boron fertilizers on the accumulation of fluorine in vegetables]. Revue Suisse de Viticulture et Arboriculture (Lausanne), 1(2):30-33 (March-April 1969).

#930

Bovay, E. "Effets de la pollution de l'air sur les plantes." (The effects of air pollution on plants). Text in French. In: Probleme der Luftverunreinigung durch die Industrie, Switzerland. Vogt-Schild S. A., p. 1-19 (1969).

#931

Brandt, C. J., and R. W. Rhoades. "Effects of Limestone dust accumulation on composition of a forest community." Environ. Pollut., 3:217-225 (July 1972).

#932

Brennan, E. and I.A. Leone. "The response of plants to sulfur dioxide or ozone-polluted air supplied at varying flow rates." Phytopathology, 58: 1661-1664 (Dec. 1968).

#933  
Brennan, E., I. A. Leone, and P. M. Halisky. "Response of forage legumes to ozone fumigations." Phytopathology, 59:1458-1459 (October 1969).

#934  
Brunold, C. and K.H. Erismann. "H<sub>2</sub>S als Schwefelquelle bei Lemna minor L.: Einfluss auf das Wachstum, den Schwefelgehalt und die Sulfataufnahme." (Hydrogen sulfide as a source of sulfur in Lemna minor L.: Its influence on growth, sulfur content and sulfate uptake). Experientia, 30(5):465-467 (1974).

#935  
Anonymous. "Chlor und Salzaeure." (Chlorine and hydrochloric acid). In: Die Beschaedigung der Vegetation durch Rauch. Handbuch zur Erkennung und Beurteilung von Rauchschaeden, Chapt. 2, p. 230-256. (Damage to vegetation by fumes. Handbook for the identification and assessment of fume damage). Translated from German. Leo Kanner Associates, Redwood City, Calif., 38 p. March 1973.

#936  
Cameron, J. W., H. Johnson, Jr., O. C. Taylor, and H. W. Otto. "Differential susceptibility of sweet corn hybrids to field injury by air pollution." Hort-Science, 5(4):217-219 (August 1970).

#937  
Cameron, J. W., and O.C. Taylor. "Injury to sweet corn inbreds and hybrids by air pollutants in the field and by ozone treatments in the greenhouse. J. Environ. Quality, 2(3):387-389 (1973).

#938  
Cantwell, A. M. "Air pollution in Delaware and its effect on plants under ambient and controlled environmental conditions." Delaware Univ., Newark, Dept. of Plant Pathology, Thesis (M.S.), June 1969. 92 p.

#939  
Carlson, C.E. "Fluoride in vegetation near a phosphorous manufacturing plant in the vicinity of Butte, Montana." Insect Dis. Rep., 70(3):1-5 (February 1973).

#940  
Carlson, C.E. "Fluoride pollution in Montana." Fluoride, 6(3):127-137 (July 1973).

#941  
Carlson, C. E. "Sulfur damage to Douglas-fir near a pulp and paper mill in Western Montana." U.S. Dept. of Agriculture, Missoula, Montana, Division of State and Private Forestry, Report 74-13, 5200, 42 p., April 1974.

#942  
Carney, A.W., G.R. Stephenson, D.P. Ormrod, and G.C. Ashton. "Ozone-herbicide interactions in crop plants." Weed Sci., 21(6):508-511 (November 1973).

#943  
Case, J. W. "The use of lichens as bio-indicators of sulphur dioxide." Environment Canada, Edmonton (Alberta), Canadian Forestry Service and Northern Forest Research Centre, and Alberta Environment, Research Secretariat, Proc. Workshop Sulphur Gas Res. Alberta, Edmonton, Alberta, p. 120-128 (November 1-2, 1973).

#944  
Chang,C.W., and H.E. Heggestad. "Effect of ozone on photosystem II in Spinacia oleracea chloroplasts." Phytochemistry, 13(6):871-873 (1974).

#945  
Chrosziel, S., J. Juda, and J. Palluch. "Methodik der Beurteilung des Gefährdungsgrades von Waldkomplexen durch Bestimmte Emissionsquellen." (Methods of evaluating the degree of danger to forest associations by certain sources of air pollution). (Presented at the International Symposium of Forest Fume Damage Experts, 7th Essen, West Germany, Sept. 7-11, 1970). Text in German Mitt Forst. Bundesvers, 97:473-479 (1972).

#946  
Cobb, F.W. Jr., E. Zavarin and J. Bergot. "Effect of air pollution on the volatile oil from leaves of Pinus ponderosa." Phytochemistry, 11(5): 1815-1818 (1972).

#947  
Weinstock, B. and K. Niki. "Carbon monoxide balance in nature." Science, 176:290 (1972).

#948  
Weinstock, B. "Carbon monoxide: Residence time in the atmosphere." Science, 166:224-225 (1969).

#949  
Terraglio, F. P., and R. M. Manganelli. "The absorption of atmospheric sulfur dioxide by water solutions." J. Air Poll. Control Assoc., 17:403-406 (1967).

#950  
Terraglio, F. P., and R. M. Manganelli. "The influence of moisture on the adsorption of atmospheric SO<sub>2</sub> by soil." Int. J. Air & Water Poll., 783-791 (Nov.-Dec. 1966).

#951  
Miyoshi, T., Y. Jinzo, Y. Kanashima, J. Machida, and F. Shimomura. "Annaka chiku soyochu no jukinzoku no yurai keiro--dojo kara to taiki kara to no kaiseki." [The sources of heavy metals in mulberry leaves in Annaka—analysis of the sources from soil and air]. Proc. Symp. Japan Soc. Air Pollut., 13th, p. 226 (Nov. 7-9, 1972).

#952  
Sundaresen, B.B., C.I. Harding, F.P. May and E.R. Henrickson. "Adsorption of nitrogen oxides from waste gas." Environ. Sci. Technol., 1:151-156 (1967).

#953

Stoiber, R.E. and A. Jepsen. "Sulfur dioxide contributions to the atmosphere by volcanoes." Science, 182:577-578 (1973).

#954

Anon. "Air pollution on the farm." (No publisher and no date).

#955

Spedding, D.J. "SO<sub>2</sub> uptake by limestone." Atmos. Environ., 3:683 (1969).

#956

Shir, C.C. and L.J. Sheih. "A generalized urban air pollution model and its application to the study of SO<sub>2</sub> distributions in the St. Louis metropolitan area." IBM Research, RJ 12 27, Yorktown Heights, New York, 75 pp. (1973).

#957

Shepherd, J.G. "Measurements of the direct deposition of sulfur dioxide onto grass and water by the profile method." Atmos. Environ., 8(1):69-74 (1974).

#958

Seim, E. C. "Sulfur dioxide adsorption by soil." Univ. of Minnesota, Ph.D Thesis, 1970.

#959

Seiler, W. and C. Junge. "Carbon monoxide in the atmosphere." J. Geophys. Res., 75:2217-2226 (1970).

#961

Robinson, E., and R. C. Robbins. "Gaseous nitrogen compound pollutants from urban and natural sources." J. Air Poll. Control Assoc., 20:303-306 (1970).

#962

Robinson, E. and C.E. Moser. "Global gaseous pollutant emissions and removal mechanisms." Proceedings of the Second International Clean Air Congress. H.M. Englund & W.T. Barry (eds.), Academic Press, New York, 1097-1101 (1971).

#963

Robert, J.J., E.S. Croke and A.S. Kennedy. "An urban atmospheric dispersion model." Proc. Symp. on Multi-Source Urban Diffusion Models. EPA. EP4.9:86, (1970).

#964

Renzetti, N. A., and G. J. Doyle. "Photochemical aerosol formation in sulfur dioxide - hydrocarbon systems." Int. J. Air Water Poll., 2:327-345 (1960).

#965

Pressman, J., and P. Warneck. "The stratosphere as a chemical sink for urban monoxide." J. Atmos. Sci., 27(1):155-163 (1970).

#966

Owers, M. J., and A. W. Powell. "Deposition velocity of SO<sub>2</sub> on land and water surfaces using a <sup>35</sup>S tracer method." Atmos. Environ., 8(1):63-67 (1974).

#967

Nelson, D. W., and J. M. Bremner. "Gaseous products of nitrite decomposition in soils." Soil Biol. Biochem., 2:203-215 (1970).

#968

Mortland, M.M. "Nitric oxide adsorption by clay minerals." Soil Sci. Soc. Amer. Proc., 29:514-519 (1965).

#969

Miller, J. M., and R. DePena. "Contribution of scavenged sulfur dioxide to the sulfate content of rain water." J. Geophys. Res., 77(30):5905-5916 (1972).

#970

McElroy, M. B., and J. C. McConnell. "Nitrous oxide: a natural source of stratospheric NO<sub>2</sub>." J. Atmos. Sci., 28(6):1095-1098 (1971).

#971

Jones, L. H. P. "Form and availability of mineral nutrients in the soil." In: Grassland Research Inst. Annual Report 1971. Grassland Research Inst., Maidenhead (England), p. 17-21, 1971.

#972

Marchesani, V. J., T. Towers, and H. C. Wahlers. "Minor sources of air pollutant emissions." J. Air Poll. Control Assoc., 20:19-22 (1970).

#973

Malo, B.A. and E.R. Purvis. "Soil absorption of atmospheric ammonia." Soil Sci., 97:242-247 (1964).

#974

Makarov, B. N., and V. V. Dokuchayev. "Liberation of NO<sub>2</sub> from soils." Soviet Soil Sci., 1:20-25 (1970).

#975

Jones, L.H.P., and D.W. Cowling. "Effects of air pollution on plants." (Presented at the National Society for Clean Air, Annual Conference, 39th, Scarborough, England, Oct. 16-20, 1972.) Preprint, National Society for Clean Air, Brighton (England), Part 1, p. 1-13, Part 2, p. 71-79, 1972.

#976

Linnenborn, V. J., J. W. Swinnerton, and R. A. Lamontagne. "The ocean as a source for atmospheric carbon monoxide." J. Geophys. Res., 78(24):5333-5340 (1973).

#977

Evans, L.S. "Bean leaf growth response to moderate ozone levels." Environ. Pollut., 4(1):17-26 (January 1973).

#978

Johnstone, H.F. and P.W. Leppla. "The solubility of SO<sub>2</sub> at low partial pressures." J. Am. Chem. Soc., 56:2233-2238 (1934).

#979

Dimitriades, B., and M. Whisman. "Carbon monoxide in lower atmosphere reactions." Environ. Sci. Technology, 5:219-222 (1971).

#980

Endow, N., G.J. Doyle and J.L. Jones. "The nature of some model photochemical aerosols." J. Air Poll. Control Assoc., 13:141-147 (1963).

#981

Engelmann, R. J. "The Calculation of Precipitation Scavenging." Meteorology and Atomic Energy. D. H. Slade, editor, U.S.A.E.C. 68-60097. (1968).

#982

Friend, J. P., R. Leifer, and M. Trichon. "On the formation of stratosphere aerosols." J. Atmos. Sci., 30:465-479 (1973).

#983

Barry, P. J., and A. C. Chamberlain. "Deposition of iodine onto plant leaves from air." Health Phys. 9:1149-1159 (1963).

#984

Jordan, C. F. "Terrestrial ecology: introduction." In: Radiological and Environmental Research Division Annual Report. Ecology, January through December 1973. Argonne National Lab, Ill., p. 160-164, 1973.

#985

Hales, J. M., M. A. Wolf, and M. T. Dana. "A linear model for predicting the washout of pollutant gases from industrial plumes." AIChE Journal, 19(2): 292-297 (March 1973).

#986

Hanawalt, R.B. "Environmental factors influencing the sorption of atmospheric ammonia by soils." Soil Sci. Soc. Amer. Proc., 33:231-234 (1969).

#987

Jordan, C.F., and M.J. Koziol. "Energy allocation in beans (*Phaseolus vulgaris* L.) following sulfur dioxide exposure." In: Radiological and Environmental Research, Division Annual Report. Ecology. January through December 1973. Argonne National Lab., Ill., p. 165-176 (1973).

#988

Heichel, G. H. "Removal of carbon monoxide by field and forest soils." J. Environ. Qual., 2(4):419-423 (1973).

#989

Hidy, G.M. "Removal processes of gaseous and particulate pollutants." Chem. of the Lower Atmosphere, S.I. Rasoal (ed.). Plenum Press, New York (1973).

#990

Lanphear, F.O. "Urban vegetation: values & stresses." Hort. Sci., 6(4): 332-334 (1971).

#991

Hutchinson, G.L. and F.G. Viets, Jr. "Nitrogen enrichment of surface water By absorption of ammonia volatilized from cattle feedlots." Science, 166(3904): 514-515 (1969).

#992

Evans, L.S., and I.P. Ting. "Effect of ozone on 86 RB-labeled potassium transport in leaves of *Phaseolus vulgaris* L." Atmos. Environ., 8(8):855-861 (Aug. 1974).

#993

Juhren, M., W. Noble, and F. W. West. "The standarization of *Poa Annua* as an indicator of smog concentrations. I. Effects of temperature, photoperiod, and light intensity during growth of the test-plants . Plant Physiol., 32 (6):576-586 (1957).

#996

Stewart, W. S., and D. H. Wilken. "A report on the effect of shade trees on 'smog'." Lasca Leaves, 16:84-86 (1966).

#998

Brunig, E.F. "Die Sauerstofflieferung aus den Waldern der Erde und ihre Bedeutung fur die Reinhaltung der Luft." (The world's oxygen production from forests and its significance for keeping the air pollution-free). Forstarchiv., 42(2):21-23 (Feb 1971).

#999

Godzik, S. "Verlerchende untersuchungen über die Aufnahme von Schwefeldinoxid aus der Atmosphäre durch einige Arten der Baltung pinus." (Comparative investigations on the uptake of SO<sub>2</sub> from the atmosphere by certain species of genus *Pinus*.) Witt forstl Bundes - Versuchsanstalt Wien 97:319-334. Also English summary for London. Res. & Dev. Pap. #82-25 (1971).

- #1000  
Keller, T. "Die Bedeutung des Waldes fuer den Umweltschutz." (Significance of forests for the environment). Symposium - Bern, Switzerland, Schweizerische Zeitschrift für Forstwesen, 122(12):600-613 (1971).
- #1001  
Knabe, W. "Zur auswerisung von Immissionsschutz Waldungen." (On establishment of protective forests for air pollution control). Forstarchiv, 44(2):21-27 (1973).
- #1002  
Lampadius, F. "Die Bedeutung der SO<sub>2</sub>-Filterung des Waldes im Blickfeld der forstlichen Rauchschadentherapie." (Significance of SO<sub>2</sub> removal by forests and smoke damage mitigation). Wiss. Z. Techn. Univers. Dresden (Herausgeber: Dresden), 17(2):503-511 (1968).
- #1003  
Prey, A.J. "Pines monitor air pollution." Wisc. Cons. Bull., 33(4):24-25 (1968).
- #1004  
Johnstone, H. F., and D. R. Coughanowr. "Absorption of SO<sub>2</sub> from air oxidation in drops containing dissolved catalysts." Ind. Eng. Chem., 50(8): 1169-1172 (1958).
- #1005  
Ryder, E.J. "Selecting and breeding plants for increased resistance to air pollutants." Adv. Chem. Ser., 122:75-84 (1973).
- #1006  
Arndt, U. "Konzentrationsaenderungen bei freien Adminosaeuren in Pflanzen unter dem Einfluss von Fluorwasserstoff und Schwefeldioxid." (Changes of concentration of free amino acids in plants under the influence of hydrogen fluoride and sulfur dioxide). Text in German. Staub, Reinhaltung Luft, 30(6):256-259 (June 1970).
- #1007  
Parbery, D. G. "The effects of common air pollutants on plants." Clean Air 8(2):44-47 (May 1974).
- #1008  
Adedipe, N.O., R.A. Fletcher, and D.P. Ormrod. "Ozone lesions in relation to senescence of attached and detached leaves of tobacco." Atmos. Environ., 7(3):357-361 (March 1973).
- #1009  
Adedipe, N. O., R. E. Barrett, and D. P. Ormrod. "Phytotoxicity and growth responses of ornamental bedding plants to ozone and sulfur dioxide." J. Amer. Soc. Hort. Sci., 97(3):341-345 (1972).

#1010

Akaiwa, K and M. Shinozaki. "Yugai gasu ni yoru shokubutsu higai no kaiseki (I) -f. jumoku no taisuru ozon. aryusan gasu no eikyo shiken." (Analyses of plant injuries due to harmful gases: Part I. Sec. F. Experiments on the effects of ozone and sulfur dioxide on several trees). Kanagawa-ken Nogyo Sogo Kenkyujo Gyomu Nenpo (Ann. Rep. Kanagawa Prefect. Agr. Integr. Inst.), 1973:73 (June 1974).

#1011

Amirev, R. O., and A. R. Ismaylov. "Industrial wastes of the cities of Baku and Sumgait and their effect on green plantings." In: American Institute of Crop Ecology Survey of USSR Air Pollution Literature, Effects and Symptoms of Air Pollutes on Vegetation; Resistance and Susceptibility of Different Plant Species in Various Habitats, In Relation to Plant Utilization for Shelter Belts and as Biological Indicators. M. Y. Nuttonson (ed.). Vol. 2, Silver Spring, Md. American Institute of Crop Ecology, 1969, p. 6-7. (Also: Akad. Nauk SSSR Ural. Filial. Komis. po Okhrane Prirody. Rastitel'nost'i promyshlennye zagryazneniya. Okhrana prirody na Urale, V (Sverdlovsk), p.37-38 (1966)).

#1012

Anderson, W. C., and O.C. Taylor. "Ozone induced carbon dioxide evolution in tobacco callus cultures." Physiol. Plantarum., 28:419-423 (1973).

#1013

Levitt, J. (ed.). "Miscellaneous stresses." In: Responses of Plants to Environmental Stresses, Academic Press, Chapt. 20:531-543 (1972).

#1014

Anon. "Taiki osen ni yoru norin sakumotsu higai no sokutei hoho ni kansuru kenkyu." (Studies on the measurement methods of damage to agricultural produce by air pollution). Nogyo Gijutsu Kenkyusho Hokoku A, 1972:56-60 (Sept 1972).

#1015

Anon. "Saving the green." Agri. Res., 21(4):3-5 (October 1972).

#1016

Anonymous. "Auswirkungen auf die Pflanzen." (Impacts on plants). Text in German. Bull. Eidgenoess. Gesundheitsamtes, Beilage B, 6:324 (December 1973).

#1018

Antipov, V. G., and I. I. Chekalinskaya. "Variation in the oxidizability of the cell content as one of the indicators of gas resistance plants." In: American Institute of Crop Ecology Survey of USSR Air Pollution Literature, Vol. III. The Susceptibility or Resistance to Gas and Smoke of Various Arboreal Species Grown Under Diverse Environmental Conditions in a Number of Industrial Regions of the Soviet Union, M. Y. Nuttonson (ed), Silver Spring, Md. American Institute of Crop Ecology. Translated from Russian (Also: Okhrana prirody na Urale, Vol. 5:29-35, 1966)) p. 100-108 (1970).

#1019

Arai, M. "Tokyo-to ni okeru roju meiboku no katsuryoku hyoka ni tsuite." (Evaluation of old and famous trees in the metropolitan Tokyo area). In: Study on Animals and Plants as Human Environmental Indices under Urban Environment. Japan Environmental Agency. 15 p. (March 1973).

#1020

Arikado, H., T. Taniyama, T. Watanabe, and S. Sano. "Norin suisan seitaikei ni okeru osen busshitsu no junkan to shihyo seibusu ni kansuru sogo kenkyu. II. Norin suisan kankyo ni okeru shihyo seibusu no taisei genkai to sono ryo." (General studies on the circulation of pollutants in ecological systems of agriculture, forestry, and fisheries. The index organisms (Part II): The limit of tolerance of index organisms in the environment of agriculture, forestry and fisheries, and their utilization). Text in Japanese. Mie Univ. (Jap) Res. Inst. of Crops, 17 p., March 1974.

#1021

Arikado, H., T. Taniyama, and K. Sawanaka. "Shihyo seibusu no kanjusei oyobi teikosei kiko no kaimei." (On the susceptibility of index organisms and the mechanism of their resistance to air pollutants). Mie Univ. (Japan), Research Inst. of Crops, 17 p. (March 1973).

#1022

Arndt, U. "The Kautsky-effect: a method for the investigation of the actions of air pollutants in chloroplasts." Environ. Pollut., 6(3):181-194 (April 1974).

#1023

Auersch, O. "Wissenschaftliche Ergebnisse aus der Feldversuchsstation fuer Immissions-kunde im Kombinat VEB Chemische Werke Buna, Schkopau." (Scientific results from the field experiment station testing the effects of immission in the combine VEB chemical plants Buna, Schkopau). Text in German. In: Technik und Umweltschutz Luft - Wasser - Boden - Laerm, Luftverunreinigung bestimmter Gebiete und technologische Verfahren zur Emissionsverminderung. Leipzig, VEB Deutscher Verlag fuer Grundstoffindustrie, 5:79-91 (1974).

#1024

Baddeley, M.S., and B. W. Ferry. Summary: Scope and Direction of Future Work. In: Air Pollution and Lichens. B. W. Ferry, M. S. Baddeley, and D. L. Hawksworth (eds.), Toronto, Toronto Univ. Press, Chapt. 17, p. 368-377, 1973.

#1025

Baddeley, M. S., B. W. Ferry, and E. J. Finegan. "Sulphur Dioxide and Respiration in Lichens." In: Air Pollution and Lichens. B. W. Ferry, M. S. Baddeley, and D. L. Hawksworth (eds.), Toronto, Toronto Univ. Press, Chapt. 14, p. 299-313, 1973.

#1026

Barber, J., W. Beauford, and Y. J. Shieh. "Some aspects of mercury uptake by plant, algal and bacterial systems in relation to its biotransformation and volatilization." In: Mercury, Mercurials and Mercaptans. Morton W. Miller and Thomas W. Clarkson (eds.). Charles C. Thomas, Springfield. Chapt. 19, p. 325-345 (June 1971).

- #1027  
Cocking, W. D. "Plant community damage and repairability following sulfur dioxide stress on an old field ecosystem." Rutgers Univ., New Brunswick, N.J., Dept. of Botany, Thesis (Ph.D.), Ann Arbor, Mich., Univ. Microfilms, Inc., order no. 74-8769, 144 p., 1974.
- #1028  
Compton, O.C., F.W. Adams, S. Elliott, J.H. Wood, D.W. Claypool, and R.K. Marsh. "Fluorine levels in plants of the Warrenton Area, 1968-1970: Cultivated and native woody and herbaceous plants prior to aluminum factory operations." Oregon Agricultural Experiment Station, Corvallis, Rept. 335, 30 pp. (July 1971).
- #1029  
Coppins, B. J. "The Drought Hypothesis." In: Air Pollution and Lichens. B.W. Ferry, M.S. Baddeley, and D.L. Hawksworth (eds.), Toronto, Toronto Univ Press, Chapt. 7, p. 124-142 (1973).
- #1030  
deCormis, L. "Zanieczyszczenie atmosfery a roslinnosc." (Atmospheric pollution and vegetation). (Presented at the French-Polish Symposium on Air Pollution Control, Paris, France, Nov. 17-21, 1969.) Air Conserv., (English translation from Polish of: Ochrona Powietrza), 4(5):22-31 (1970).
- #1031  
deCormis, L. & J. Bonte. "Etude due degagement d'hydrogene sulfure par des feuilles ayant recu du dioxyde de soufre." (Study of the release of hydrogen sulfide by leaves of plants which were exposed to sulfur dioxide). C.R. Acad. Sci. Paris, Ser. D, 270:2078-2080 (April 27, 1970).
- #1032  
Costonis, A.C. and W.A. Sinclair. "Ozone injury to Pinus strobus." J. Air Pollution Control Assoc., 19(11):867-872 (Nov. 1969).
- #1033  
Costonis, A. C. "Acute foliar injury of eastern white pine induced by sulfur dioxide and ozone." Phytopathology, 60:994-999 (1970).
- #1034  
Costonis, A.C. "Injury to eastern white pine by sulfur dioxide and ozone alone and in mixtures." Eur. J. Forest Pathol., 3(1):50-55 (1973).
- #1035  
Craker, L. E., and J.S. Starbuck. "Leaf age and air pollutant susceptibility uptake of ozone and sulfur dioxide." Environ. Res. 6(1):91-94 (March 1973).
- #1036  
Craker, L.E. "Decline and recovery of petunia flower development from ozone stress." HortScience, 7(5):484 (October 1972).

- #1037  
Craker, L.E., and J.S. Starbuck. "Metabolic changes associated with ozone injury of bean leaves." Can. J. Plant Sci. (Ottawa), 52:589-597 (July 1972).
- #1038  
Crecelius, E. A., C. J. Johnson, and G. C. Hofer. "Contamination of soils near a copper smelter by arsenic, antimony and lead." Water, Air, Soil Pollut., 3(3):337-342 (Sept. 1974).
- #1039  
Daessler, H. G. "Vegetationsschaeden als Folge der Luftverschmutzung." (Plant damage from air pollution). Text in German. Wiss. Z. Tech.Univ. Dresden, 20(4):1171-1173 (1971).
- #1040  
Daessler, H.G. "Vegetationsschaeden als Folge der Luftverschmutzung." (Vegetation damage as consequence of air pollution). Text in German. Wiss. Z. Tech. Univ. Dresden, 20(4):1171-1173 (1972).
- #1041  
Daessler, H.G. "Zur Toxizitaet von Fluorverbindungen. Fluorschaeden in der Land und Forstwirtschaft." (The toxicity of fluorine compounds, fluorine injuries in agriculture and forestry). Text in German. In: Technik und Umweltschutz Luft - Wasser - Boden - Laerm, Luftverunreinigung bestimmter Gebiete und technologische Verfahren zur Emissionsverminderung. Leipzig, VEB Deutscher Verlag fuer Grundstoffindustrie, 5:52-57 (1974).
- #1042  
Daessler, H.G., H. Ranft, and K.H. Rehn. "Zur Widerstandsfaehigkeit von Gehoelzen gegenueber Fluorverbindungen und Schwefeldioxid." (The susceptibility of woody plants exposed to fluorine compounds and SO<sub>2</sub>). Flora (Jena), 161(3):289-302 (1972).
- #1043  
Darley, E. F. Vegetation Damage From Air Pollution. In: Combustion-Generated Air Pollution. A Short Course on Combustion-Generated Air Pollution held at the University of California, Berkeley, September 22-26, 1969. Ernest S. Starkman (ed.), New York-London, Plenum Press, p. 245-255, 1971.
- #1044  
Das, G., and V. C. Runeckles. "Effect of bisulfite on metabolic development in synchronous chlorella pyrenoidosa." Environ. Res., 7(3):353-362 (June 1974).
- #1045  
Date, N., T. Sawada, T. Yoneyama, and S. Motohashi. "Tonai koen jumoku no okishidanto higai to dojo no rikagakuteki tokuchō." (Oxidant damage of trees in metropolitan parks and the physiochemical properties of soil therein). In: Studies on Tokyo Smog, Tokyo Metropolitan Research Inst. for Environmental Protection (Japan), Rept. 3, 562-572 (March 1974).

#1046

Davies, B. E. "Occurrence and distribution of lead and other metals in two areas of unusual disease incidence in Britain." Commission of the European Communities, Luxembourg, and Environmental Protection Agency, Washington, D. C. Proc. Int. Symp. Environ Health Aspects Lead, Amsterdam, Netherlands, 1972, EUR 5004 d-e-f, p. 125-134, May 1973. (October 2-6).

#1047

Davis, D. R., and C.E. Dean. "Low-level tropospheric ozone." Monthly Weather Rev., 94(3):179-182 (March 1966).

# 1048

Davis, C. R. "Sulfur dioxide fumigation of soybeans: effect on yield." J. Air Pollution Control Assoc., 22(12):964-966 (December 1972).

#1050

Davis, D.R., and C.E. Dean. "Agricultural requirements for atmospheric ozone measurements." Preprint, (Presented at the Technical Conference on Observations and Measurements of Atmospheric Pollution, Helsinki, Finland, July 30-August 4, 1973.) 9 p., 1973.

#1051

DeKoning, W.H., and Z. Jegier. "Effects of sulfur dioxide and ozone on Euglena gracilis." Atmos. Environ. (London), 4(4):357-361 (1970).

#1052

Dept. of Agriculture, Forest Service. "Our Air: Unfit for trees." NE-INF-14-72. 23 p. (1972).

#1053

Dept. of Trade and Industry, Great Britain, Programmes Analysis Unit. Section IV(F): The damage to agriculture." In: An economic and technical appraisal of air pollution in the United Kingdom, London, H. M. Stationery Office, p. 140-149, 1972.

#1054

Didier, B. "Le fluor, oligo element dynamique pour le maïs." (Fluorine, a dynamic trace element for corn). Text in French. C. R. Acad. Sci. Paris, Ser D., 269:1767-1769 (November 3, 1969).

#1055

Dinh, D.L., and G. Buchloh. "Wirkung von Fluor-Emissionen auf Pollenkeimung und Fruchtwachstum." (The effect of fluorine emissions of pollen germination and fruit growth). Text in German. (Presented at the Hohenheim University Umweltforschung Seminar, 1971.) Umweltforschung, 58:24-25 (1971).

#1056

Dochinger, L.S., and C.E. Seliskar. "Air pollution and the chlorotic dwarf disease of eastern white pine." Forest Sci., 16(1):46-55 (March 1970).

#1057

Domroes, M. "Luftverunreinigung und Stadtklima im Rheinisch-Westfaelischen Industriegebiet und ihre Auswirkung auf den Flechtenbewuchs der Baume." (Air pollution and urban climate in the Rhine-Westphalian industrial area and their influence on lichen growth on trees). Text in German. Arb. Rheinischen Landeskunde, 23:1-133 (1966).

- #1058  
Hosker, R. P., Jr. "Estimates of dry deposition and plume depletion over forests and grassland." (Presented at IAEA symposium on the Physical Behavior of Radioactive Contaminants in the Atmosphere, held in Vienna, Austria, November 12-16, 1973).
- #1059  
Doorn, Wouter G., van. "Bioelectric response and photoresponse changes after sublethal applications of sulfur dioxide to Zinnia elegans." Iowa State Univ. of Science and Technology, Ames, Dept. of Horticulture, 54 p. (1974).
- #1060  
Doorn, W.G. van. "Influence of environmental factors on plant bioelectrical potential difference. Literature review." Preprint, Iowa State Univ. of Science and Technology, Ames, Dept. of Horticulture, 33 p. (1974).
- #1061  
Dorn, C. R., J. O. Pierce, II, G. R. Chase, and P. E. Phillips. "Study of lead, copper, zinc and cadmium contamination of food chains of man." (Final Report) Missouri Univ., Columbia, Mo. Environmental Protection Agency Contract 68-02-0092, EPA-R3-73-034, 118 p., December 1972.
- #1062  
Dunning, J.A., D.T. Tingey, and W.W. Heck. "Foliar sensitivity of legumes to ozone as affected by temperature, potassium nutrition and dose." Preprint, Environmental Protection Agency, Research Triangle Park, N.C., Div. of Ecological Research and Environmental Protection Agency, Research Triangle Park, N. C., Plant Science Research Div., 22 p., 1972. (North Carolina Univ. Agricultural Experiment Station Journal Series, Paper 3931).
- #1063  
Dunning, J.A., W.W. Heck and D.T. Tingey. "Foliar sensitivity of pinto bean and soybean to ozone as affected by temperature, potassium nutrition and ozone dose." Water, Air, Soil Pollut., 3(3):305-313 (Sept 1974).
- #1064  
Eda, Shizuo, Hiroshi Hikichi, Hiroshi Itoh and Yoshiichi Funayama. "Sanmai no jukinzoku osen to dojo oyobi osengen to no sokansei ni tsuite." (Heavy metal pollution of rice and vegetables in relation to the soil and the pollution source). Fukushima Kogyo Koto Senmon Gakko Kiyo (Mem. Fukushima Tech. Coll.), 8(1):90-97 (1972).
- #1065  
Edmunds, G.F., Jr., and R.K. Allen. "Comparison of black pine leaf scale population-density on normal ponderosa pine and those weakened by other agents." Proc. Int. Congr. Entomol., 10th, Montreal, Canada, 1956, Vol. 4, 1956 (1958).
- #1066  
Eller, B.M. "Strassenstaub heizt Pflanzen auf." (Street dust heats up plants). Umschau Wiss. Tech., 74(9):283-284 (1974).

#1067

Engelbrecht, Abraham H.P. and C. Wynand Louw. "Hydrogen fluroide injury in sugar-cane: some ultrastructural changes." Proc. Int. Clean Air Congr., 3rd, Duesseldorf, West Germany, A157-A159 (1973).

#1068

Engle, R.L., and W.H. Gabelman. "The effects of low levels of ozone on pinto beans, Phaseolus vulgaris L." J. Am. Soc. Hort. Sci., 91:304-309 (1966).

#1069

Ernst, Wilfried. "Zink- und Cadmium-Immissionen auf Boeden und Pflanzen in der Umgebung einer Zinkhuette." (Zinc and cadmium pollution of soils and plants in the vicinity of a zinc smelting plant). Ber. Deut. Bot. Ges., 85(7-9):295-300 (1972).

#1070

Eshleman, A. and S.M. Siegel. "Metals in the ecosystem, leaded grass and other abominations." Hawaii Univ., Dept. of Botany, Honolulu, 10 pp. (1970).

#1071

Davies, C.N. "Deposition from moving aerosols." In: Aerosol Sci., C.N. Davies (ed). Academic Press, New York, pp. 393-446 (1966).

#1072

Stephens, G. R., et al. "Lead emissions from incinerated sewage sludge detected on tree foliage." J. Air Pollut. Control Assoc., 22:799 (1972).

#1073

Hitchcock, D. R. "Atmospheric SO<sub>4</sub> from biological sources." J. Air Pollut. Control Assoc., 21:210-220 (1976).

#1075

Okoneu, H., and K. Takala. "Total S content of an epiphytic lichen as an index of air pollut. and the usefulness of the xray fluorescence method in S determinations." Annals Botanici Fennici, 12(4):131 (1975).

#1076

American Soc. of Mech. Eng. Recommended guide for prediction of dispersion of airborne effluents. Amer. Soc. Mech. Eng., United Eng. Cntr., New York, 85 p. (1968).

- #1077  
Jung, E. "Bestandesumwandlungen um Rauchschadensgebiete von Ranshofen." (Changes in afforestation of the polluted region of Raushofen). Text in German. Polska Akademia Nauk, Zaklad Badan Naukowych Gornoslaskiego Okregu Przemyslowego, Mater. Miedzynarodowej Konf., Wplyw Zanieczyszczen Powietrza na Lasy 6th, Katowice, Poland, p. 407-413, Sept. 9-14, 1968.
- #1078  
Wood, F. A. "Air pollution and shade trees." Proc. 43rd Int. Shade Tree Conf., August-September 1967. p. 66-83.
- #1081  
Hagevik, George (ed.) The Relationship of Land Use and Transportation Planning to Air Quality Management. New Brunswick, University Extension Division, Rutgers University (May 1972).
- #1082  
Kadota, Masaya. "Ozone ni yoru shokubutsu no higai." (Damage to plants by ozone). Shokubutsu Boeki (Plant Prot.), 27(6):229-232 (June, 1973).
- #1083  
Anonymous. "Air pollution and Ankara's meteorological aspect." Transl. for APTIC by Belov & Assoc., Denver, Colorado, 1970. Meteorol. Noleri Genel Mudurhugu Yainlari, p. 1-16 (1969).
- #1086  
Bernatsky, A. "The importance of protective plantings vs air pollutants." (German, English, French summaries) In: Air Pollut. Proc. 1st Eur. Congr. on Influence of Air Pollution on Plants & Atmos., Wageningen, April 22-27, 1968. Center for Agr. Publ. & Doc., Wageningen, The Netherlands. Translated from German for APTIC by Belov & Assoc., Denver, Co. 415 p.
- #1087  
John, M.K., et. al. "Mercury in soils of British Columbia." Water, Air & Soil Pollution, 5(2):213 (1975).
- #1089  
Rowland, et al. "Natural halocarbons in air and sea." Nature, 258(5537):775 (1975).
- #1090  
Wilson, L. "Application of the wind erosion equation in air pollution surveys." J. of Soil and Water Conserv., 30(5):215 (1975).
- #1091  
Craig, D. K., and B. L. Klepper. "Design and calibration of a low speed wind tunnel for studying of foliar deposition and uptake of aerosols." Am. Ind. Hyg. Assoc. J., 36:692 (September 1975).

- #1092  
Raynor, S. C., and K. P. MacKay. "Bacterial air pollution from an activated sludge tank." Water Air, Soil Poll., 5:47 (1975).
- #1093  
Beavington, F. "Heavy metal contamination of vegetables & soil in domestic gardens around a smelting complex." Environ. Pollut., 9:211 (1975).
- #1096  
Kadota, M., and K. Ohta. "Honpo-san shokubutsu no kaki ni okeru ozon higai no kyojaku toku ni ozon-gai ni kansuru yagai chosa no hojo to shite no zanteiteki higaido risuto." (Ozone sensitivity of Japanese plant species in summer, with special reference to a tentative sensitivity grade list for applying to field survey on ozone injury). Text in Japanese. Taiki Osen Kenkyu (J. Jpn Soc. Air Pollution), 7(1):19-26 (1972).
- #1097  
Berindan, Cornelia. "Interrelation pollution atmospherique et espaces verts en tant que principe protecteur des villes industrielles." (Inter-relation between air pollution and open spaces, as a principle for the protection of industrial urban centres). Pollut. Atmos. (Paris), 11(43):143-153 (July-Sept 1969).
- #1098  
Lebenidze, G. "Which trees purify air?" Current Digest of the Soviet Press, 23(5):26 (March 2, 1971).
- #1099  
Weeb, W. L. "Effectiveness of plants as buffers against pollution." Oregon State University. Corvallis. Forest Research Laboratory. (No date).
- #1100  
Berve, Raghilt. "Air purification, objective pursued by physical planning in relation to urban agglomerations - example: the Ruhr." In: Second Int. Clean Air Congr. Proc. Held at Washington, D.C., 1970, H.M. Englund and W.T. Berry (eds.), Academic Press, New York, p. 95-99 (1971).
- #1102  
Kadota, M. "Taiki osen to toshi-rin - Shokuba no mawari no mini ryokuchi." [Air pollution and urban woods - Miniature green areas around working places]. Rodo no Kagaku (Dig. Sci. Labor), 27(23):77-81 (Feb.-March 1972).
- #1103  
Croke, E.J., and J.J. Roberts. "Land use as an organizational basis for regional air resource management." In: Second Int. Clean Air Congr. Proc. held at Washington, D.C., 1970, H.M. Englund and W.T. Berry (eds.), Academic Press, New York, p.1247-1255 (1971).

#1106

Kahn, H. L., F. J. Fernandez, and S. Slavin. "The determination of lead and cadmium in soils and leaves by atomic absorption spectroscopy." (Presented at the Meeting on Agronomy and Environmental Quality, New York, August 1971). At. Absorption Newslett., 11(2):42-45 (March-April 1972).

#1108

Frenkiel, F. N. "Atmospheric pollution and zoning in an urban area." Sci. Mon. 82(4):194-203 (1956).

#1109

Geisenderfer, R.D. "Filtering effect of vegetation on aerosol." (Unpublished M.S. thesis). Pennsylvania State College, 29 pp.

#1112

Sherman, J.J. Open Land For Urban America, John Hopkins Press, Baltimore, 32 pp. (1972).

#1113

Hiechel, G. H. "Plants, oxygen, and people." Front. Plant Sci., 24(1):6-7 (1971).

#1114

Hill, A.C. and N. Littlefield. "Ozone: Effect on apparent photosynthesis, rate of transpiration, and stomatal closure in plants." Environ. Sci. Technol., 3(1):52-56 (1969).

#1117

Robinette, G. "Plants as air conditioners." Horticulture, 46(3):26-29 (March 1968).

#1119

Wainwright, C.W.K. and M.J.G. Wilson. "Atmospheric pollution in a London park." International J. of Air and Water Pollution, 6 (1962).

#1120

Woodruff, N.P. and A.Q. Zingg. "Wind tunnel studies of shelterbelt models." Journ. of Forestry, 51(3): 173-178 (1953).

#1122

Kamada, S., M. Yanai, and H. Yunomura. "Dai I poh Alyusan gas sesshokoo johken oyobii goosa no seiikoo jiki ni yolo higai shohjoh no sai." (Studies on the injury of rush plant by sulfur dioxide gas). Text in Japanese. (Proceedings of the Japan Society of Air Pollution Annual Meeting, 10th, 1969.) Taiki Osen Kenkyu (J. Japan Soc. Air Pollution), 4(1): 131 (1969).

#1124

Odum, E. P. "Ecological principles and the urban forest." p. 78-81 In: Symposium on the Role of Trees in the South's Urban Environment, January 31-February 3, 1971, Athens, Ga. University of Georgia. Center for Continuing Educ., 105 p. (1971).

#1125

Podgorow, H. W. "Plantings as dust filters." (Translated from German for APTIC by Belov and Assoc., Denver, Colorado) les Khoz. 20:39-40 (1967).

#1126

Yamate, G. "Development of emission factors for estimating atmospheric emissions from forest fires." U. S. Environmental Protection Agency, Office of Air and Water Programs, Office of Air Quality and Standards, Research Triangle Park, N. C., 27711, October 1973. EPA-450/3-73-009.

#1127

Rich, S. "Effects of trees and forests in reducing air pollution." University of Mass., Amherst. In: Trees and Forests in an Urbanizing Environment, Coop. Ext. Serv. Plan. Resour. Dev. Ser. No. 17. p. 29-33 (1970).

#1128

Rosinski, J., and C. T. Nagamoto. "Particle deposition on and reentrainment from coniferous trees. Part I: Experiments with trees." Kolloid Z. Z. Polym. 204(1/2):111-119 (July/August 1965).

#1129

Steubing, L. and R. Klee. "Comparative investigations into the dust filtering effects of broad leaved and coniferous woody vegetation." (German). Agnew. Bot., 44(1/2):73-85 (1970).

#1130

Flemming, G. "Under what circumstances can forest belts reduce the concentration of waste gases." Luft & Kältetechnik, 6:255-258 (1967).

#1131

Tankel, Stanley B. "The importance of open space in the urban pattern." In: Cities and Space, Lowdon Wingo, Jr. (ed.). John Hopkins Press, Baltimore, pp. 57-71 (1963).

#1132

Taylor, J. R., and A. Hasegawa. "Control of Air Pollution by Site Selection and Zoning." p. 293-306. In: E. C. Halliday (ed.). Air Pollution. World Health Organization. 442 p., 1961.

#1133

Kamieniecki, F. "Z. badan nad zasięgiem wpływu przemysłowego zanieczyszczenia powietrza na lasy." (The range of the influence of the industrial air pollution on forests). (Presented at the French Polish Symposium on Air Pollution Control, Paris, France, Nov. 1969) English translation from Polish of: Ochrona Powietrza, 4(4(18):37-42 (1970).

#1134  
Wallace, D. A. (ed.) Metropolitan Open Space and Natural Process. Univ. of Penn., Philadelphia. 199 p. (1970).

#1135  
Mizuno, Akira adn Hidehiko Midorikawa. "Taiki osen no jumoku ni oyobosu eikyo narabini ryekkaboku ikusei ni kansuru kenkyu." (Study on the effects of air pollution on trees and the growth of trees). Atahi Prefecture (Japan), Forest Experiment Station, 70 p. (Jan. 1973).

#1136  
Pelz, E. "Untersuchungen über die individuelle Rauchhärte von Fichten." (Pine tree resistance to smoke damage). Wiss. Z. Techn. Univers. Dresden (Herausgeber: Der Rektor), 11(3):595-600 (1962).

#1137  
Wood, F. A. "Air pollution and the roadside." Horticulture, 46(2):36-37, 45 (1968).

#1138  
Burns, L. S. Urban Planning Aspects of Air Pollution Abatement. In: Paul B. Downing (ed.). The Contribution of the Social Sciences to the Sol'n. of the Air Pollut. Prob.: Task Force Assessment. Project Clean Air, Task Force #3, Sect. 7, Univ. of Calif., Berkeley, 1970.

#1139  
Forsdyke, A. G. "Meteorological factors in air pollution." WMO Tech. Note No. 114. Geneva. 32 p. (1970).

#1141  
Kanagawa Prefecture Agricultural Experiment Station (Japan). "Taiki osen busshitsu ga engei sakumotsu nado ni kansuru seisekisho (I)." (Cooperative studies on the effects of air pollutants on garden plants (I)). Text in Japanese, 136 p. (Feb. 1972).

#1142  
Kanagawa Prefecture Agriculture Experiment Station (Japan). "Jumoku ni taisuru taiki osen no eikyo - Gairoju-yo no jukinzoku." (The effect of air pollution on plants - heavy metal contained in street trees). Kanagawa-ken Taiki osen Chosa Kenkyu Hokoku (Tech. Rept. Air Pollution Yokohama-Kawasaki Ind. Area), 14: 75-86 (Feb. 1972).

#1143  
Lieth, H. "The role of vegetation in the carbon dioxide content of the atmosphere." J. Geophys. Res., 68(13):3887-3898 (1963).

#1144  
Marshall, L. "Tree canopy values in a resort community." Landscape Archit., 62 (2):144-145 (1972).

#1145

Yamate, G. "Emissions inventory from forest wildfires, forest managed burns, and agricultural burns." U. S. Environmental Protection Agency, Office of Air and Waste Management, Office of Air Quality Planning and Standards, Research Triangle Park, N. C. 27711, EPA-450/3-7-062 (November 1974).

#1146

World Meteorological Organization. Windbreaks and Shelterbelts, Tech. Note No. 59, Geneva, Switzerland, 188 p. (1964).

#1147

McCune, D. C., A. E. Hitchcock, J. S. Jacobson, and L. H. Weinstein. "Fluoride accumulation and growth of plants exposed to particulate cryolite in the atmosphere." Contrib. Boyce Thompson Inst., 23:1-11 (1965).

#1148

Solberg, R. A., D. F. Adams, and H. A. Ferchau. "Some effects of hydrogen fluoride on the internal structures of Pinus ponderosa needles." Proc. Nat. Air Pollut. Symp. 3rd., Pasadena. pp. 164-176 (1955).

#1149

Pasquill, F. "The estimation of the dispersion of windborne material." Meteorol Mag., 90(1063):33-49 (1961).

#1150

Aldaz, L. "Flux measurements of atmospheric ozone over land and water." J. Geophys. Res., 74(28):6943-6946 (1969).

#1151

Arnold, P.W. "Losses of nitrous oxide from soil." J. Soil Sci., 5:116-128 (1954).

#1152

Calder, K. L. "Absorption of ammonia from atmospheric plumes by natural water surfaces." Water, Air and Soil Pollution, 1(4):375-380 (1972).

#1153

Cox, R. A., and S. A. Penkett. "Oxidation of atmospheric SO<sub>2</sub> by products of the ozone-olefin reaction." Nature, 230:321-322 (1971).

#1154

Craig, H., and L. I. Gordon. "Nitrous oxide in the ocean and marine atmosphere." Geochem. Cosmochim Actu, 27:949-955 (1963).

#1155

Beale, J. A. "Forestry in the environmental decade." Adapted from a speech delivered at the Northeastern Area State Foresters Meeting, July 13-16, 1970, St. Paul, MN.

#1156

Bernatzky, A. "Climatic influences of the greens and city planning." (Garden & Landscape Architect). pp. 29-33. (No additional info).

#1157

Brennan, E., I.A. Leone and R.H. Daints. "Investigation of SO<sub>2</sub> effects on rubber trees as a means of forstalling injury to Malayan plantations from refinery emissions." J. APCA, 14:229-233 (1964).

#1158

Brewer, R.F., F.H. Sutherland and F.B. Guillemet. "Sorption of fluorine by citrus foliage from equivalent solutions of HF, NaF, NH<sub>4</sub>F and H<sub>2</sub>SiF<sub>6</sub>." Proc. Amer. Soc. hort. Sci., 76:215-219 (1960).

#1159

Cappellini, R. A., and Z. Eyal. "Sorption of SO<sub>2</sub> by Latham red raspberries and their containers." Plant Disease Reporter, 48(11):879-880 (November 15, 1964).

#1160

Chamberlain, A.C., and R. C. Chadwick. "Deposition of spores and other particles on vegetation and soil." Am. Appl. Biol., 71:141-158 (1972).

#1161

Coale, A. J. "Man and his environment - economic factors are more important than population growth in threatening the quality of American life." Presented at Chapel Hill, N. C. at a symposium on Man and His Environment. (March 19, 1970).

#1162

Cox, R. A., and S. A. Penkett. "Effect of relative humidity on the disappearance of ozone and SO<sub>2</sub> in contained systems." Atmospheric Environment, 6: 365-368 (1972).

#1163

Kanagawa Prefecture Agriculture Experiment Station (Japan). "Jumoku ni taisuru taiki osen no eiyko - Gairoju-yo no fusso ganryo." (The effect of air pollution on plants-the fluorine content in street trees). Kanagawa-ken Taiki Osen Chosa Kenkyu Hokoku (Tech. Rept. Air Pollution Yokohama-Kawasaki Ind. Area), 14:87-92 (Feb 1972).

#1164

Dochinger, L. S. "Air pollution problems in nurseries." Reprinted from New Horizon's Day. p. 1-5 (1974).

#1165

Dochinger, L. S., and T. A. Seliga. "Acid precipitation and the forest ecosystem." APCA Journal, 25(11):1103-1105 (November 1975).

- #1166  
Dochinger, L.S. and K.F. Jensen. "Effects of chronic and acute exposure to sulfur dioxide on the growth of hybrid poplar cuttings." Environmental Pollution, 9:219-229 (1975).
- #1167  
Fried, M. "The absorption of sulfur dioxide by plants as shown by use of radioactive sulfur." Soil Sci. Soc. Amer. Proc., 13:135-138 (1948).
- #1168  
Furrer, O.J. "The amount of SO<sub>2</sub> absorbed by plants from the atmosphere." In: Isotopes in Plant Nutrition & Physiology, 403-407 (1967).
- #1169  
Garland, J. A., D. H. F. Atkins, C. J. Readings, S. J. Caughey. "Deposition of gaseous SO<sub>2</sub> to the ground." Atmospheric Environment, 8:75-79 (1974).
- #1170  
Gifford, F.A. Jr., and D.H. Peck. "Surface deposition of airborne material." Nuclear Safety, 3:76-80 (1962).
- #1171  
Heisler, G. M. "Trees and human concept in urban areas." Journal of Forestry 72(8) (August 1974).
- #1172  
Jensen, J. "Some investigations on plant uptake of sulfur." Soil Science, 95:63-68 (1963).
- #1173  
Jensen, K. F., and R. C. Masters. "Growth of six woody species fumigated with ozone." Plant Disease Reporter, 59(9):760-762 (September 1975).
- #1174  
Jensen, K.F., F.W. Bender, and R. G. Masters. "A two-cell chamber for measuring gas exchange in tree seedlings." USDA Forest Service Research. Research Note NE-178. (1973).
- #1175  
Jensen, K.F., and L.S. Dochinger. "Responses of hybrid poplar cuttings to chronic and acute levels of ozone." Environmental Pollut., (6):289-294 (1974).
- #1176  
Jensen, K. F., and T. T. Kozlowski. "Absorption and translocation of sulfur dioxide by seedlings of four forest tree species." J. Environ. Qual., 4(3):379-382 (1975).

#1177

John, M. K. "Cadmium uptake by eight food crops as influenced by various soil levels of cadmium." Environmental Pollution, (4):7-15 (1973).

#1178

Knabe, W. "Natural loss of fluorine from needles of Norway Spruce (*Picea Abies Karat*)."  
Reprint from Staub, English Edition, 30(9):29-32  
(September 1970).

# 1179

Lihnell, D. "Sulphate contents of tree leaves as an indicator of SO<sub>2</sub> air pollution in industrial areas." National Inst. for Plant Protection. Solnof, Sweden. pp. 341-352. (No date).

#1180

Materna, J., and R. Kohout. "Uptake of SO<sub>2</sub> into the leaves of some tree species."  
Communicationes Instituti Forest alsi Cechosloveniae, 6:39-47 (1969).

#1181

Kanagawa Prefecture Office (Japan). "Seibutsu shihyo ni yoru taiki osen eikyo no chiakai najoka M kan suru chosa kenkyu - chukan dai 1 po." (Studies on the local evaluation of the effects of air pollution by biological index. Interim Report I. On the evaluation of air pollution by remote sensing). 10 p. (Dec 1973).

#1182

Ohman, J. H. "Forests and air pollution." (No publisher and date).

#1183

Olsen, Ralph A. "Absorption of SO<sub>2</sub> from the atmosphere by cotton plants."  
Soil Science, 84:107-111 (1957).

#1184

Ronicke, Dr. G., and R. Graul. "The deposition of air pollutants on water surfaces." Staub-Reinhalt Luft, 30(9):21-24 (1970).

#1185

Pinkard, J. J., "Trees - regulators of the environment." Soil Conservation, pp. 56-57. (No date).

#1186

Pittman, S. "Pollution, parks and plane trees." A Paper read at the Public Works and Municipal Service Congress during the Session Under the Auspices of the Inst. of Park Admin., pp. 22-26 (January 1961).

#1187

Roberts, B. R. "Trees as air purifiers." Plant Science Research Division, Agric. Research Service, U. S. D. A., Delaware, Ohio. Proc. 47th Int. Shade Tree Conf., pp. 23a-25a, 1971.

#1188

Roberts, B. R. "The influence of SO<sub>2</sub> concentration on growth of potted white birch and pin oak seedlings in the field." Jour. Amer. Soc. Hort. Sci., 100(6):640-642 (1975).

#1189

Roberts B.R. "Environmental stresses on urban trees." Arborist's, 35(4): 33-37 (April 1970).

#1190

Robinette, G. "Trees --- green air conditioners." (journal unknown) pp.16-18, 22.

#1191

Ross, J.M., R.H. Wade and H.M. Benedict. "Rapid field method for determination of fluoride in plants." Journal of the A.O.A.C., 46(5):907-908 (1963).

#1193

Kanagawa Prefectural Agricultural Experimental Test Station (Japan). "Taiki osen no jumoku ni oyobosu eikyo narabi ni ryokka jumoku ikusei ni kansury kenkyu." (Studies of the effects of air pollution on trees and on green tree growth). In: The 1972 Investigation of Air and Water Pollution on the Human Health by the Chiba Prefectural Government Dept. of Hygiene, Report 15. 182-196 (Feb 1973).

#1194

Smith, W. H. "Trees in the City." AIP Journal, 429-436 (November 1970).

#1195

Kanagawa Prefecture (Japan), Secretariat of Countermeasures to Environmental Pollution. "Konchu seitaikei ni oyobosu taiki osen eikyo ni kansuro chosa kenkyu (chukan hokoku)." (An interim report on the investigation of the effects of air pollution on the ecological system of insects). Text in Japanese, 4 p., Dec. 1973.

#1197

U.S.D.A. "Urban plants vs. pollution." Agricultural Research, 23(2):3-6 (August 1974).

#1199

Reimschussel, E. F. "A pollution solution - plant trees." Brigham Young Univ., Provo, Utah. Western Chapter. Int'l. Shade Tree Conference. Pasadena. (May 12, 1970).

#1200

Weidensaul, T.C. "The importance of trees in oxygen production and air purification." (Non-published article from the Ohio Agricultural Research & Development Center, Wooster, Ohio). 11 pp. (1972).

#1201

Moura, J. de, D. le Tourneau, and A.C. Wiese. "The response of potato (*Solanum tuberosum*) Tuber phosphoglucomutase to fluoride." Biochem. Physiol. Pflanzen, 164(3):228-233 (1973).

#1202

Wentzel, K. F. "Methods in treating forest immission damages in Germany." Mitteilungen der Forstlichen Bundes-Versuchsanstalt Marienbrunn 73:237-247 (1966).

#1203

Wentzel, K. F. "Are there immission-proof or smoke resistant trees." Forestry Archivs, 35(3):49-51 (1964).

#1204

Wentzel, K. F. "Landscape protection against immissions." A lecture at the Botanists' Convention in Bonn, September 9, 1965. Applied Bot., 40(1):1-11 (1966).

#1205

Kanagawa Prefectural General Agricultural Research Inst. "Taiki osen busshitsu ga engei sakubutsu ni oyobosu eikyo." (The effects of air pollutants on horticultural and agricultural produce). In: The 1972 Investigation of Air and Water Pollution on Human Health by the Chiba Prefectural Government Department of Hygiene, Report 15, 197-203 (Feb 1973).

#1206

Matsuoka, Y., T. Takasaki, M. Morikawa, K. Shiratori, and S. Omiehi. "Kuki joka-ho ni yoru shokubutsu no taiki osen higai no kensaku." (Investigation of photochemical air pollution damage to plants using filtered air chamber). Text in Japanese. (Presented at the Japan. Society of Air Pollution, Annual Meeting, 14th, Fukushima, Japan, Paper 265, Nov. 6-8 1973.) Taiki Osen Kenkyu (J. Japan. Soc. Air Pollution), 8(3):539 (Oct. 1973).

#1207

Stepan, Jan. "Bioindikatoren in der Landschaftsoekologie (im Rahmen der Gebietsplanungspraxis)." (Bioindicators in landscape ecology (within the framework of territorial planning)). TERPLAN-Statni ustav pro uzemni plánovani, Ustav krajinne ekologie CSAV, Bioindikatory Deteriorizace Krajiny, Sbornik Z Mezinárodní Konference, Prague, Czechoslovakia, p. 126-133.

#1208

Kanagawa Prefecture General Agriculture Research Lab., (Japan). "Kokagaku kogai no yoru nosakumotsu higai." Text in Japanese. Kanagawa-ken Taiki Osen Chosa Kenkyu Hokoku (Tech. Rept. Air Pollution Yohohama-Kawaski Ind. Area), 15:255-258 (February 1973).

#1209

Garber, K. "Literatur über Wirkungen der Luftverunreinigung." In: Luftverunreinigung und ihre Wirkungen (Literature on effects of air pollution). Gebrueder Borntraeger, Berlin-Nikolassee, West Germany, pp. 223-236 (1967).

#1210

Materna, J., R. Kohout, and L. Ryska. "Absorption of SO<sub>2</sub> by spruce needles." Lesnictvi, 17:1065-1073 (1971)

#1211

Zahn, R. "Über den Einfluß verschiedener Umweltfaktoren auf die Pflanzenempfindlichkeit gegenüber Schwefeldioxyd." (The influence of various environmental factors on the sensitivity of plants to sulfur dioxide). Zeitschrift für Pflanzenkrankheiten und Pflanzenschutz, LXX: 81-95 (1963).

#1212

Materna , J. "Auswertung von Düngungsversuchen in rauchgeschädigten Fichtenbeständen." (Fertilizer effects on smoke damaged pine trees). Wiss. Z. Techn. Univers. Dresden (Herausgeber: Der Rektor), 11(3):589-593 (1962).

#1213

Haut, Van Hans. "Die Analyse von Schwefeldioxydwirkungen auf Pflanzen in Laboratorium sversuch." (Determination of the effect of sulfur dioxide on plants through laboratory experiments). Staub, (Duesseldorf) 21(2):52-56 (Feb, 1961).

#1214

Rohmeder, E. "Die Wirkung von Staub und RuB auf den Zuwachs der Fichte." (Effects of dust and soot on pine tree growth). University of Munich, 4 pp., (1959).

#1215

Flemming, G. "Metecrologische Überlegungen zum forstlichen Rauchschadengebiet am Erzgebirgskamm." (The air pollution affected forests in the 'Erzgebirge' mountain range relative to meteorology). Wiss. Z. Techn. Univers. Dresden (Herausbeger: Der Rektor), 13(5):1531-1538 (1964).

#1216

Baumgartner, A. "Sauerstoffumsätze von Baeumen und Waeldern." (Oxygen budget of trees and forests). Allgemeine Forst Zeitschrift (AFZ-Frageforum), 482-483. (No date).

#1217

Berge, H. "Auch vos Rauch und Gasen schützt der Wald." (The forest protects against smoke and gases - The relationship between forest and air pollution). Agrikulturchemisches Institut (Dusseldorf), 3 pp. (No date).

#1218

Nowak, G. and J. Czapla. "Badania nad pobieraniem i przemieszczaniem siarki znakowanej izotopem  $^{35}\text{S}$  w siewkach sosny pospolitej (*Pinus silvestris*)."  
(Investigations on absorption and translocation of sulphur marked with isotope  $^{35}\text{S}$  in seedlings of Scotch Pine (*Pinus silvestris*)). Sylwan, 10: 43-49 (1971).

#1219

Neuwirth, R. "Der Wald als Aerosolfilter." (The forest as an aerosol filter). Wetter und Leben, 8:133-147 (1956).

#1220

Stamatow, St. N. "Zu einigen bioklimatischen Fragen im Zusammenhang mit Luftverunreinigungen." (Some bio-climatic topics related to air pollution). Angewandte Meteorologie, 4:247 (November 1963).

#1221

Kaneda, K., R. Sugai, Y. Fujieda, and E. Abe. "Fukkabutsu ni yoru taikiosen to shokubutsu eikyo." (Atmospheric pollution by fluoride and its influence on plants). Text in Japanese. (Presented at the Japan Society of Public Health, General Meeting, 31st, Sapporo, Japan, Oct. 25-27, 1972.) Nippon Keshu Eisei Zasshi (Jpn. J. Public Health), 19(10):423 (Oct. 1972).

#1223

Knabe, W. "Rauchschadensforschung in Nordamerika - Neue Erkenntnisse und Folgerungen fuer deutsche Verhaeltnisse." (Research on smoke damage in North America - New results and their application for German circumstances). Forstarchiv, 37(5):109-119 (May 1966).

#1224

Knabe, W. "Kiefernwaldverbreitung und Schwefeldioxid - Immissionen im Ruhrgebiet." (Pine stands and sulfur dioxide emissions in the Ruhr Valley). Staub-Reinhaltung der Luft, 30(1):32-35 (1970).

#1225

Wentzel, K.F. "Rauchschadenkundliche Lehren der Untersuchung von Wirkungen eines Ausfallen von Filter-und Absorptionsanlagen einer Bleihütte." (Smoke damage to forests resulting from the breakdown of filtering and absorption devices on a lead smeltery). Wiss. Z. Techn. Univers. Dresden (Herausgeber: Der Rektor), 11(3):581-588 (1962).

#1226

Kauf, H. "Ueber Luftverunreinigungen bedingt durch die Lebenstaetigkeit von Mikroorganismen." (Air pollution caused by microorganisms). Angewandte Meteorologie, 4(8-10):250 (November 1963).

#1227

Keller, T. "Der Einfluss der Luftverunreinigungen auf den Wald im Lichte der neuesten Literatur." (Influence of air pollution on forests as described in recent literature). Schweizerischen Zeitschrift fuer Forstwesen, 4/5: 335-352 (April/May 1968). (Reprinted in Eidgenoessische Anstalt fuer das Forstliche Versuchswesen, 8:11-21 (May 1968).

#1228

Krebs, E. "Wald und Luft." (Forest and air). Essay - Zurich, Switzerland. Series of newspaper articles, Neue Zuercher Zeitung (August 13, 16, and 17 1965).

#1229

Wentzel, K.F. "Waldbauliche Massnahmen gegen Immissionen." (Forestation measures to counteract the effects of emissions). Allgemeine Forstzeitschrift, 7(18): 101-106 (1963).

#1230

Wentzel, K.F. and B. Ohnesorge. 'Zum Auftreten von Schadinsekten bei Luftverunreinigung.' (The proliferations of a harmful insect resulting from air pollution). Forstarchiv (Druck: Gebr. Gerstenberg, Hildesheim), 32(9):177-186 (Sept. 15, 1961).

#1231

Wentzel, K.F. "Erfahrungen bei der Bearbeitung Forstlicher Immissionsschaeden in Deutschland." (Experiences in dealing with smoke damage of forests in Germany). Mitteilungen der Forstlichen Bundes-Versuchsanstalt Mariabrunn, 73:237-247 (1965).

#1232

Shabad, L. M., Y. L. Cohan, A. P. Il'niksky, A. Y. Khesina, N. P. Shcherbak, and G. A. Smirnov. "The carcinogenic hydrocarbon benzo(a)pyrene in the soil." J. Nat. Cancer Inst., 47(6):1179-1191 (Dec. 1971).

#1233

Kano, F. "Nenkin no seiri kino ni oyobosu okishidanto no eikyo." (The effects of oxidants on the physiological function of the slime mold). Text in Japanese. Japan Society of Air Pollution, Proc. Symp. Japan Soc. Air. Pollut., 13th, p. 226, Nov. 7-9, 1972, Paper 174.

#1234

Kano, F. "Nenkin no seiri kino ni oyobosu okishidanto no eikyo -dai 2 ho." (Effects of oxidants on physiological function of a slime mold, Part II). Text in Japanese. (Presented at the Japan Society for Air Pollution, Annual Meeting, 14th, Fukushima, Japan, Nov. 6-8, 1973.) Taiki Osen Kenkyu (J. Japan. Soc. Air Pollution), 8(3):431 (Oct. 1973).

#1235

Lampadius, F. and D. Bochmann. "Erfahrungen zur Abwehr von Chronischen Rauchschaedemit Waldbaulichen Mitteln im Westsaechsischen Huegelland." (Results of forestal measures to counteract smoke damage in West Saxony). Abhandlungen der Saechsischen Akademie der Wissenschaften (Leipzig), Mathematisch-naturwissenschaftliche Klasse, 49(4):5-19 (1967).

#1236

Lampadius, F. "Problematik und Methodik groBräumiger Luftuntersuchungen." (Problems and methods in the mesoscale examination of the atmosphere). Wiss. Z. Techn. Univers. Dresden (Herausgeber: Der Rektor), 11(3):609-616 (1962).

#1237

Lampadius, F. and D. Häubler. "Therapie gegen Rauchschäden durch Düngung." (The effects of fertilizing smoke damaged pines). Wiss. Z. Techn. Univers. Dresden (Herausgeber: Der Rektor), 11(6):1417-1424 (1962).

#1238

Lampadius, F. "Ergebnisse von Bestimmungen des Schwefeldioxydgehaltes der atmosphärischen Luft mit einem auf der Pararosanilinmethode basierenden MeBkoffer." (The sulfur dioxide contents of the atmosphere measured by the pararosaniline method). Wiss. Z. Techn. Univers. Dresden (Herausgeber: Der Rektor), 12(5):1585-1594 (1963).

#1239

Lampadius, F. "Der Burkhardtswald bei Aue als Klassisches Beispiel Waldbaulicher Rauchschadenabwehr." (The Burkhardt Forest near Aue as a classical example of forestal smoke damage prevention). Abhandlungen der Saechsischen Akademie der Wissenschaften (Leipzig), Mathematisch-naturwissenschaftliche Klasse, 50(3):5-22 (1969).

#1240

Oak Ridge National Lab., Tenn., Environmental Sciences Div. "Heavy metals in a forest impacted by a lead mining-smelting industry." In: Environmental Sciences Division Annual Progress Report. Rept. 653, UC-48, p. 94-100, March 1975. NTIS: ORNL-5016.

#1241

Zdravil, J. and F. Picha. "The occurrence of the carcinogenic compounds 3,4-Benzpyrene and arsenic in the soil." Neoplasma, 13(1):49-55 (1966).

#1242

Yoshinaga, S. and S. Iki. "Kitakyushu ni okeru dojochu no kinzoku seibun." [Soil contamination by heavy metals in atmospheric deposit in Kitakyushu City]. Taiki Osen Kenkyu (J. Japan Soc. Air Pollution), 6(1):212 (1971).

#1243

Warrick, A. W. and S. Miyamoto. "Land disposal of waste gases: II. Gas flow from buried pipes." J. Environ. Quality, 3(1):55-60 (Jan.-March 1974).

#1244

Swaine, D. J., and R. L. Mitchell. "Trace-element distribution in soil profiles." J. Soil Sci., 11(2):347-368 (1960).

#1245

Sugiura, K. "Jidosha ni yoru kankyo osen sono 2. Taiya to shado waki dojo-chu no jukinzoku bunseki." (Environmental pollution by automobiles, II. Analysis of heavy metals in tires and soils along the roads). Presented at the Preparatory Meeting of the Society for General Research on Environmental Science, Lecture Meeting, 1st, Tokyo, Japan. 140-141 (June 6-8, 1975).

#1246

Spangler, C., and N. de Nevers. "Benzo(a)pyrene and trace metals in Charleston, South Carolina (Final Report)." Environmental Protection Agency Rept., EPA-450/2-75-004, 57 p., June 1975.

#1247

Smika, D.E. "Dust in the air from soil." Proc. Explor. Nebr. Pollut. Probl., Lincoln, Nebraska, pp. D-1 - D-7 (1971).

#1248

Singer, M. J., and L. Hanson. "Lead accumulation in soils near highways in the twin cities metropolitan area." Soil Sci. Soc. Am. Proc., 33(1):152-153 (1969).

#1249

Shabad, L. M. "Studies in the U.S.S.R. on the distribution, circulation and fate of carcinogenic hydrocarbons in the human environment and the role of their deposition in tissues in carcinogenesis: a review." (Presented in Part at the 9th Int. Cancer Congr., Tokyo, Japan, October, 1966.) Cancer Res. 27(6):1132-1137 (June 1967).

#1250

Shabad, L.M., A.P. Alnitskiy, Yu.L. Kogan, G.A. Smirnov, and N.P. Shcherbak. "O kantserogennykh uglevodorodakh v pochvakh Sovetskogo Soyuza." (On the presence of carcinogenic hydrocarbons in soils of the USSR). Kazan. Med. Zh., 5:6-11 (1971).

#1251

Seki, T., K. Abe, H. Hoshikawa, Y. Inoue, N. Kaitani, and S. Kondo. "Jidosha haikigasu ni yoru gairodojo no jukinzokuosen ni tsuite." [On pollution of street soils with heavy metals from automotive exhaust gas]. Koshu Eisei (Public Health), 37(8):561-563 (Aug. 1973).

#1252

Poglavova, M.N., G.E. Fedoseeva, A.J. Khesina, M.N. Meissel, and L.M. Shabad. "Destruction of benzo(a)pyrene by soil bacteria." Life Sci., 6(10):1053-1062 (1967).

#1253  
Poglavova, M. N., G. E. Fedoseeva, A. Ya. Khesina, M. N. Meisel, and L. M. Shabad. "The oxidation of benz(a)pyrene by microorganisms in relation to its concentration in the medium.." Dokl. Biol. Sci. (English translation from Russian of: Dokl. Akad. Nauk SSSR), 179(2):199-201 (March/April 1968).

#1254  
Payrissat, M. and S. Beilke. "Laboratory measurement of the uptake of sulphur dioxide by different soils." Atmos. Environ., 9(2):211-217 (Feb. 1975).

#1255  
Oden, S., and R. Anderson. "The longterm changes in the chemistry of soils in Scandinavia due to acid precipitation." Preprint, Agricultural College, Uppsala, (Sweden), Dept. of Soil Science, 20 p., 1973.

#1256  
Nicolet, M. "La biosphère au service de l'atmosphère." [The biosphere in the service of the atmosphere]. Bull. Cl. Sci. Acad. Roy. (Belgium), 58(5): 1431-1437 (1972).

#1257  
Miyamoto, S., A. W. Warrick, and R. J. Prather. "Land disposal of waste gases, III: sorption patterns from buried gas injection pipes." J. Environ. Quality, 3(2): 161-166 (April-June 1974).

#1258  
Miyamoto, S., A. W. Warrick, and H. L. Bohn. "Land disposal of waste gases: I. Flow analysis of gas injection systems." J. Environ. Quality, 3(1): 49-55 (Jan. - March 1974).

#1259  
Miyamoto, S., R. J. Prather, and H. L. Bohn. "Nitric oxide sorption by calcareous soils: II. effect of moisture on capacity, rate, and sorption products." Soil Sci. Soc. Am. Proc., 38(1):71-74 (January-February 1974).

#1260  
Mitsuse, T. and Y. Yamada. "Tsuchi ni yoru taikichu issanka tanso no joka sayo ni tsuite." Report II. (Purification of carbon monoxide in atmosphere by soils). Report II. Japan Society of Civil Engineers, Tokyo, 4:274-275 (1974).

#1261  
McConnell, J. C., M. B. McElroy, and S.C. Wofsy. "Natural sources of atmospheric CO." Nature (London), 233(5316):187-188 (Sept 17, 1971).

#1262  
McConnell, J. C. "Atmospheric ammonia." J. Geophys. Res., 78(33):7812-7821 (November 20, 1973).

#1263

Matthess, G. "Bleigehalte in Gestein, Boden und Grundwasser." [Lead concentrations in rocks, soil, and groundwater]. In: Blei und Umwelt, Kommission fuer Umweltgefahren des Bundesgesundheitsamtes (West Germany), Arbeitsgruppe Blei, p. 21-27 (1972).

#1264

Matsushita, S., K. Arashidani, and M. Koyano. "Tsuchi ni fukumareru hatsugan-sei tanka suisō no sokutei." [Determination of carcinogenic hydrocarbons in soil]. Taiki Osen Kenkyū (J. Japan. Soc. Air Pollution), 8(3):452 (Oct. 1973).

#1265

Manganelli, R. M., and F. P. Terraglio. "Absorption of atmospheric sulfur dioxide by water solutions, protein solutions, and soils." (Terminal Progress Rept. May 1, 1962-April 30, 1966). Rutgers Univs., New Brunswick, N.J., Dept. of Environmental Sciences, 158 pp., 1966.

#1266

Lagerwerff, J.V. "Heavy-metal contamination of soils." American Assoc. for the Advancement of Science, Washington, D.C., Agr. Qual. Environ., 343-364 (1966).

#1267

Lagerwerff, J. V. "Current research in heavy metals in soil, sediment and water: January 1973-October 1974." California Univ., Berkeley, Lawrence Berkeley Lab. and National Science Foundation Research Applied to National Needs, Trace Contam. Conf. Proc., Annu., 2nd, Pacific Grove, Calif., p. 16-47, August 29-31, 1974.

#1268

Kunte, Helga. "Kanzero anzerogene Substanzen in Wasser und Boden. XVIII. Die mittels Misch Dunnschichtchromatographie und Fluoreszensmessung." (Carcinogenic substances in water and soil. XVIII. The determination of polycyclic aromatic hydrocarbons using combined thin-layer chromatography and fluorescence measurement). Arch. Hyg. Bakteriol. (Munich), 151(3-4):193-201 (August 1967).

#1269

Kloke, A. "Cadmium in the environment." Report on Third Technical Meeting on Occurrence and Significance of Chemicals in the Environment, Berlin (West) (Jan. 1972. Organization for Economic Cooperation and Development, Paris, pp. 25-31 (1972).

#1270

Klein, D. H. "Mercury and other metals in urban soils." Environ. Sci. Tech., 6(6):560-562 (June 1972).

#1271

Khesina, A.Y., N.P. Shcherbak, L.M. Shabad, and I.S. Vostrov. "Benzopyrene breakdown by the soil microflora." (Russian). Byul, Eksperim. Biol. i Med., 68(10):1139-1141 (Oct. 1969).

#1272  
Khan, M. A. Q., W. F. Coello, and Z. A. Saleem. "Lead content of soils along Chicago's Eisenhower and Loop-Terminal Expressways." Arch. Env. Contam. Toxicol., 1(3):209-223 (October 1973).

#1273  
Junge, C. "The cycle of atmospheric gases -- natural and man made." Quart. J. Roy. Meteorol. Soc. (London). 98(418):711-729 (October 1972).

#1274  
Johnson, N. M., R. C. Reynolds, and G. E. Likens. "Atmospheric sulfur: its effect on the chemical weathering of New England." Science, 177(4048): 514-516 (August 11, 1972).

#1275  
Ingersoll, R. B. "The capacity of the soil as a natural sink for carbon monoxide." (Final Report) Stanford Research Inst. Menlo Park. Coordinating Research Council Contract CAPA-4-68 (1-71). Environmental Protection Agency Contract 68-02-0307, SRI Proj. LSU-1380, Rept. EPA-650/2-73-043. 41 p. (December 1972).

#1276  
Hosokawa, Y., S. Izumi, M. Chinda, H. Uchiyama, M. Ito, K. Negishi, and K. Takahashi. "Hachinohe chiku no okeru dojo no jukinzoku osen." (On the heavy metal pollution in the soil at Hachinohe area). Aomori-ken Kogai Senta Shoho (Rept. Environ. Pollut. Control Center, Aomori Prefect.), 1: 72-81 (Feb. 1975).

#1277  
Hirano, Hideo, Shigeki Kobayashi, Kiyofumi Ishikawa, and Jin Tanaka. "Dojo biseibutsu no CO sesshu sayo ni tsuite." (On actions observed in ingestion of carbon monoxide by microorganism in soils). Chiba Daigaku Kankyo Kagaku Kenkyu Hokoku (Environ. Sci. Rep. Chiba Univ.), 1(1):69-72 (July 1973).

#1278  
Hemphill, D. D., C. J. Marienfeld, R. S. Reddy, and J. O. Pierce. "Roadside lead contamination in the Missouri lead belt." Arch. Environ. Health, 28:190-194 (April 1974).

#1279  
Hanawalt, R. B. "Soil properties affecting the sorption of atmospheric ammonia." (Presented at the Western Society of Soil Science, Los Angeles, June 1967.) Soil Sci. Soc. Am. Proc., 33(5):725-729 (Sept.-Oct. 1969).

#1280  
Goody, R.M. and C.D. Walshaw. "The origin of atmospheric nitrous oxide." Quart. J. Roy. Meteorol. Soc., 79(342):496-500 (Oct. 1953).

#1281

Goodman, G. T., and T. M. Roberts. "Plants and soils as indicators of metals in the air." Nature, 231(5301):287-292 (June 4 1971).

#1282

Gillette, D. A., I. H. Blifford, Jr., and C. R. Fenster. "Measurements of aerosol size distributions and vertical fluxes of aerosols on land subject to wind erosion." J. Appl. Meteorol., 11(6):977-987 (September 1972).

#1283

Gillette, Dale A. "On the production of soil wind erosion aerosols having the potential for long range transport." J. Rech. Atmosphériques, 8(3-4):735-744 (July-Dec. 1974). International Symposium on the Chemistry of Sea/Air Particulate Exchange Processes, Nice, France, Oct. 4-10, 1973.

#1284

Fatiadi, A. J. "Effects of temperature and of ultraviolet radiation on pyrene absorbed on garden soil." Environ. Sci. Technol., 1(7):570-2 (July 1967).

#1285

Hirano, H. "Shigaichi taiki osen busshitsu ni kansuru kenkyo." [Studies on air pollutants in city streets]. In: Taiki osen oyobi suishitsu odaku no jintai ni ataeeru eikyo chosa kenkyu. (Investigation and research on the effect of air and water pollution on the human body). 2 p. (1971).

#1286

Junge, C. "Basic considerations about trace constituents in the atmosphere as related to the fate of global pollutants." Preprint, American Chemical Society, Washington, D. C. (Presented at the American Chemical Society Meeting, Chicago, Ill., April 1975.) 22 p. (1975).

#1288

Anon. "Where does it all go." Stanford Res. Inst. J., 23:4-8 (Dec. 1968).

#1289

Botkin, D. B. "Natural ecosystems and the industrial production of carbon dioxide." In: Mineral Resources and the Environment. Appendix to Section III. Report of Panel on the Implications of Mineral Production for Health and the Environment. National Academy of Sciences. Washington. D. C.. Committee on Mineral Resources and the Environment, Department of the Interior and National Science Foundation Contract S0122128, D73, 123C, C310-285-000, p. D.1-D.24 (February 1975). NTIS: PB 239582.

#1290

Bromley, L. A., and S. M. Read. "Removal of sulfur dioxide from stack gases by sea water." In: Project Clean Air., Vol. 1 California Univ., Berkeley, Dept. of Chemical Engineering and California Univ., Berkeley, Bodega Marine Lab., California Univ., Research Proj., 5-15, 41 p., Sept. 1, 1970..

- #1291  
Evans, L.S., and P.R. Miller. "Comparative needle anatomy and relative ozone sensitivity of four pine species." Can. J. Botany, 50:1067-1071 (1972).
- #1292  
Ewert, E. "Die Einwirkung von Chlorwasserstoff auf Pflanzen im Experiment." (The effect of hydrochloric acid on plants in experiments). Polska Adademia Nauk, Zaklad Badan Naukowych Gornoslaskiego Okregu Przemyslowego, Mater. Miedzynarodowej Konf., Wplyw Zanieczyszczen Powietrza na Lasy, 6th, Katowice, Poland. 197-208 (Sept. 9-14, 1968).
- #1293  
Farrar, J. F. "Lichen Physiology: Progress and Pitfalls." In: Air Pollution and Lichens. B. W. Ferry, M. S. Baddeley, and D. L. Hawksworth (eds.), Toronto, Toronto Univ. Press, Chapt. 12, p. 238-282, 1973.
- #1294  
Farrier, P. M., and D. R. Pullen. "Survey of fluoride levels in the area around the bluff smelter." Proc. Pollut. Res. Conf., Wairakei, New Zealand, p.341-356 (June 20-21, 1973).
- #1295  
Fleischer, R. L., and F. P. Parungo. "Aerosol particles on tobacco trichomes." Nature (London), 250(5462):158-159 (July 12 1974).
- #1296  
Fourcy, A., and M. Neuburger. "Contribution de l'analyse par activation à l'étude fine de la composition minérale des matières végétales. Applications à la physiologie des éléments traces, au contrôle des traitements, aux pollutions et à la radio-écologie." (Study of the inorganic components of plants by radioactivation analysis. Application to the physiology of trace elements to treatment control, to pollution, and to radio-ecology). Text in French. Bull. Soc. Chemi. France, 11:4681-4686 (1968).
- #1297  
Fowler, D., and M. H. Unsworth. "Dry deposition of sulphur dioxide on wheat." Nature (London), 249(5455):389-390 (May 24 1974).
- #1298  
Frey, John E. "The effects of ozone on the synthesis and storage of nutrients in soybean seeds." Northern Colorado Univ., Greeley Biology Dept., Thesis (D.A.), Ann Arbor, Mich., Univ. Microfilms, Inc., 110 p. (1972).
- #1299  
Fujii, S. "Okayama-ken ni okeru taiki osen ni yoru shokubutsu higai no genjo." (The status quo of plant damage by air pollution in Okayama prefecture). Text in Japanese. Shokubutsu Boeki (Plant Prot.), 27(6):249-252 (1973).

#1300  
Fujita, N., and A. Kawamoto. "Tokyo tonai toritsu koen nadono jumoku no sei shogai ni tsuite." (On the growth disturbance of trees in Tokyo metropolitan public parks) . Text in Japanese. In: Studies on Tokyo Smog. Tokyo Metropolitan Research Inst. for Environmental Protection (Japan), Rept. 3, p. 542-555 (March 1974).

#1301

Fujiwara, Takashi. "Taiki no fukugo oxen ni yoru shokubutsu no higai." (Damage to plants by complex pollution of the atmosphere). Shokubutsu Boeki (Plant Prot.), 27(6):233-236 (June 1973).

#1302

Fujiwara, T., and H. Ishikawa. "Taiku-chu no SO<sub>2</sub> ga sotsai-rui no gōjō hatsugai ni oyobosu eikyo." (Effects of atmospheric sulfur dioxide on the incidence of injury symptoms in vegetable crops and on their growth). Translated from Japanese. Leo Kanner Assoc., Redwood City, Calif., 16 p., December 1972. Noden Kenkyusho shoho (Agr. Lab. Cent. Res. Inst. Elec. Power Ind.), 11:87-96 (May 1971).

#1303

Fujiwara, Takashi. "Chisso sankabutsu no shokubutsu ni oyobosu eikyo ni tsuite." (Effects of nitrogen oxides in the atmosphere on vegetation). Kogai to Taisaku (J. Pollution Control), 9(3):253-257 (March 1973).

#1304

Fujiwara, Takashi and Haruhiko Ishikawa. "Chisso sankabutsu no ni, san shokubutsu ni oyobosu eikyo." (The effects of nitrogen oxides on various plants). Proc. Symp. Japan Soc. Air Pollut., 13th, p. 234. (Nov. 7-9, 1972).

#1305

Fukuda, H. and K. Terakado. "Kokagaku sumoggu ni yoru asagao higai no tokacho." (Specific features of the damage of morning glory due to photochemical smog). In: Tokyo Nogyo Shikenjo Sokuho, 33-34 (Feb 1974).

#1306

Fukuda, H. and K. Terakado. "PAN ni yoru shokubutsu higai ni tsuite." (On the damage of plants due to peroxyacetyl nitrates (PAN)). In: Tokyo Nogyo Shikenjo Sokuho, 35-36 (Feb 1974).

#1307

Fukushima, K. "Cadmium in various food products." (Japan). Proc. Sci. Res. Meet. Itai-Itai Dis. Cadmium Poisoning, Tokyo, Japan (Aug. 28-29, 1971).

#1308

Garber, K. "Untersuchungen über Frage der schädigung von Waldbeständen in der Nähe eines Kaliberges." [Study of damage to forest stands in the vicinity of a potash plant]. Polska Akad. Nauk. Zakład Badan Naukowych Górnospiskiego Okręgu Przemysłowego, Mater. Miedzynarodowej Konf., Wpływ Zanieczyszczeń Powietrza na Lasy, 6th, Katowice, Poland, 429-438 (Sept. 9-14, 1968).

#1309

Garber, K. "The differential diagnosis of fluoride damage to plants." (Presented at the International Society for Fluoride Research, Annual Conference, 4th, Hague, Netherlands, Oct. 24-27, 1971.) Fluoride Quarterly J. Intern. Soc. Fluoride Res., 6(1):33-40 (January 1973).

#1310

Garber, K. "Erfahrungen mit der Blattanalyse bei Rauchschadenuntersuchungen." [Experience with leaf analysis in smoke damage tests]. Angew. Botan., 34:33-37 (1960).

#1311

Garber, Kurt. "Schwermetalle als Luftverunreinigung - Blei, Zink, Cadmium - Beeinflussung der Vegetation." (Heavy metals as air pollutants - lead, zinc, cadmium - Influence on the vegetation). Staub, Reinhaltung Luft 34(1):1-7 (Jan. 1974).

#1312

Garber, Kurt. "Neuere Literatur ueber Rauch-, Staub- und Abgasschaeden II." (Recent studies on smoke-, dust-, and waste gas-induced damages. Part 2). Angew. Botan., 36:127-184 (1962).

#1313

Gardner, W.S. "Ozone injury to tobacco plants in South Dakota." Plant Disease Rept., 57(2):106-110 (1973).

#1314

Garrec, J.P., R. Bligny, A. Bisch, and A. Fourcy. "Accurate fluoride determinations throughout polluted fir needles." Fluoride, 6(2):73-78 (April 1973).

#1315

Garrec, J.P., J.C. Oberlin, E. Ligeon, A.M. Bisch, and A. Fourcy. "Fluoride calcium interaction in polluted fir needles." Fluoride, 7(2):78-84 (April 1974).

#1316

Garrec, J. P., E. Ligeon, A. Bontemps, R. Bligny, and A. Fourcy. "Exact localisation of fluorine along polluted needles of *Abies alba* by proton micro-analysis." (Localisation exacte du fluor le long d'aiguilles polluees d'*Abies alba* par microanalyse au moyen de protons). Text in French. J. Radioanal. Chem., 19(2):359-365 (1974).

#1317

Gehu, J.M., M. Bon, C. Delzenne, and F. Rose. "Essai de cartographie de la pollution atmospherique acide dans le Nord de la France en relation avec la toxicite des lichens epiphytes." (Cartography of acid atmospheric pollution in North of France in relation to toxic sensitivity of epiphytic lichens). Text in French. C. R. Acad. Sci. Paris, Ser. D. 276(5):729-732 (January 1973).

#1318  
Genderen, J. L. van. "Remote sensing of environmental pollution on Teesside." Environ. Pollut., 6(3):221-234 (April 1974).

#1319  
Gentile, A.G., W.A. Feder, R.F. Young, and Z. Santner. "Susceptibility of *Lycopersicon* ssp. to ozone injury." J. Am. Soc. Hort. Sci., 96(1):94-96 (1971).

#1320  
Gerdes, R.A. "Effect of atmospheric hydrogen fluoride upon *Drosophila melanogaster*." Texas Agricultural and Mechanical Univ., College Station, Dept. of Genetics, Thesis (Ph.D.), Ann Arbor, Mich., Univ. Microfilms, 57 p. (Aug. 1967).

#1321  
Gilbert, O.L. "The effect of SO<sub>2</sub> on lichens and bryophytes around Newcastle upon Tyne." Council of Europe, Committee of Experts on Air Pollution, Air Pollution Proc. First European Congr., Influence Air Pollution Plants Animals, Wageningen, Netherlands, p. 223-235 (April 22-27, 1968).

#1322  
Gilbert, O.L. "An air pollution survey by school children." Environ. Pollut., 6(3):175-180 (April 1974).

#1323  
Gish, C. D., and R. E. Christensen. "Cadmium, nickel, lead and zinc in earthworms from roadside soil." Environ. Sci. Technol., 7(11):1060-1062 (Nov. 1973).

#1324  
Gisiger, L. "Versuche zur experimentellen Abklaerung der Fluroschaeden auf Pflanzen." (Experimental study of fluorine damages in plants). In: Toxicologie des Fluors, T. Gordonoff (ed.), Verlag Schwabe and Co., Basel/Stuttgart, p.164-178 (1964).

#1325  
Glater, Ruth Ann Bobrov. "Smog damage to ferns in the Los Angeles area." Phytopathology, 46(56):696-698 (Dec. 1956).

#1326  
Anon. "Erzeugung von Aerosolen durch die Vegetation." (The production of aerosols by vegetation). Naturw. Rundschau, 26(1):31-32 (1973).

#1327  
Godzik, S. and Z. Harabin. "Waldbestaende im Raume Katowice und Myslowice zu Ende des XIX Jahrhunderts und gegenwaertig." (Forests in the Katowice-Myslowice area at the end of the 19th century and today). Text in German. Polska Akademia Nauk, Zaklad Badan Naukowych Gornoslaskiego Okregu Przemyslowego, Mater. Miedzynarodowej Kof., Wplyw Zanieczyszczen Powietrza na Lasy, 6th, Katowice, Poland, p. 355-370 (Sept. 9-14, 1968).

#1328

Godzik, S., and Z. Piskornik. "Oddzialywanie zanieczyszczen powietrza na rosliny." (The effect of air pollution on plants). Translated from Polish. Leo Kanner Assoc., Redwood City, Calif., 16 p., Nov. 1972. Wiad. Bot., 13(4):239-248 (1969).

#1329

Godzik, S. and H. F. Linskens. "Concentration changes of free amino acids in primary bean leaves after continuous and interrupted SO<sub>2</sub> fumigation and recovery." Environ. Pollut. 1(7):25-38 (July 1974).

#1330

Gorham, E., and A. G. Gordon. "Some effects of smelter pollution upon aquatic vegetation near Sudbury, Ontario." Can. J. Botany, 41:371-378 (1963).

#1331

Granger, J.M. "Computer mapping as an aid in air pollution studies: Montreal region study." Sarracenia, 15:43-83 (Jan. 1972).

#1332

Griffin, S. W. and B. B. Bayles. "Some effects of fluorine fumes on vegetation." In: Air Pollution, U. S. Tech. Conf. on Air Pollution, L. C. McCabe, ed., McGraw-Hill, New York. Chap. 10. p. 106-115 (1952).

#1333

Grill, D., and H. Esterbauer. "Quantitative Bestimmung wasserloeslicher Sulfhydrylverbindungen in gesunden und SO<sub>2</sub>-geschaedigten Nadeln von Picea abies." (Quantitative determination of water soluble sulfhydryl compounds in healthy and sulfur dioxide-damaged needles of Picea abies). Phyton (Austria), 15(1-2):87-101 (Aug 30, 1973).

#1334

Guderian, R. "Effects of air pollutants on plants." (Wirkungen von Luftverunreinigungen auf Pflanzen). Text in German. Umwelt, 1972:206-211 (1972).

#1335

Harger, J.R.E. "Damage to vegetation by chlorine gas." Int. J. Environ. Studies, 1:93-108 (1972).

#1336

Guderian, R. "Schaeden an Vegetation und Nahrung durch Immissionen aus konventionellen Kraftwerken." (Damages caused by emissions from conventional power plants in vegetation and food). Text in German. (Presented at the Association of German Radiation Protection Physicians and the Association for Radiation and Environmental Research, 12th Conference, Munich and Nueherberg, West Germany, Oct. 8-9, 1971.) Strahlenschutz Forsch. Prax., 12:81-97 (1973).

#1337

Habjorg, A. "Luftforurensning og vegetasjon. II. Virkninger av gjodsling og kalkring på vekst og utvikling av 20 lignoseslag dyrket på sterkt SO<sub>2</sub> eksponert sted i Sarpsborg." (Air pollution and vegetation. II. Effects of fertilization on growth and development of twenty woody plants grown in industrial areas). Translated from Norwegian. Meld. Nor. Landbrukshogsk., 52(2):1-14 (1973).

#1338

Hademenos, Demetrios George. "Production of air ions and ozone by barley tips under electric fields." Syracuse Univ., N.Y., Dept. of Physics, Thesis, (Ph.D.), Ann Arbor, Mich., Univ. Microfilms, Inc., 137 p. (Jan 1970).

#1339

Haedicke, E. "Zur vorselektion auf relative Rauchhaerte bei Laerche mit Hilfe eines morphologischen Merkmals." [On preselection of larches for relative fume hardness by means of a morphological characteristic]. Nachrbl. Deut. Pflanzenschutzdienst (Berlin), 23(8):173-174 (1969).

#1340

Haertel, O. "Oekophysiologie und anthropogene Umweltveränderungen." (Eco-physiology and anthropogenic environmental changes). Translated from German. (Presented at the Botanists Convention, Innsbruck, Austria, Aug. 31, 1971) Ber. Deut. Bot. Ges., 84(9):497-506 (1971).

#1341

Haisman, D. R. "The effect of sulphur dioxide on oxidising enzyme systems in plant tissues." J. Sci. Food Agr., 25(7):803-810 (July 1974).

#1342

Halbwachs, G. "Physiologische Probleme der Vegetationsschädigung durch gasförmige Immissionen." (Physiological problems of vegetation damage by gaseous immissions). Translated from German. Leo Kanner Assoc., Redwood City, Calif. 15 p., Nov. 1972. Ber. Deut. Bot. Ges., 84(9):507-514 (1971).

#1343

Halbwachs, G. "Untersuchungen ueber den Wasserhaushalt Rauchgeschädigter Forstgehoelze." (The water balance in forest trees damaged by pollution). Text in German. Polska Akademia Nauk, Zaklad Badan Naukowych Gornoslaskiego Okregu Przemyslowego, Mater. Miedzynaradowej Konf. Zanieczyszczen Powietrza na Lasy, 6th, Katowice, Poland, p. 209-218, Sept. 9-14, 1968.

#1344

Halbwachs, G. "Zur Aufklärung der Schädigungen von Pflanzen durch Teerdampfe." (For the clarification of tar vapor damage to plants). Translated from German. Data Methods Corp., Denver, Colo., 6 p., Oct. 12, 1970. Air Pollution Proc. First European Congr. Influence Air Pollution Plants Animals, Wageningen, Netherlands, p. 167-172, 1969.

#1345  
Hall, M.A. and L. Ordin. "Subcellular location of phosphoglucomutase and UDP glucose pyrophosphorylase in *Avens* coleptiles." Physiol. Plantarum, 20: 624-633 (1967).

#1346  
Hampp, R., H. Ziegler, and I. Ziegler. "Die Wirkung von Bleiionen auf die  $^{14}\text{CO}_2$ -Fixierung und die ATP-Bildung von Spinatchloroplasten." (The effect of lead-ions on the  $^{14}\text{CO}_2$ -Fixation and on the ATP-synthesis by spinach). Biochem. Physiol. Pflanzen, 164(2):126-134 (1973).

#1347  
Hampp, R., and K. Lendzian. "Effect of lead ions on chlorophyll synthesis." Naturwissenschaften (Berlin), 61(5):218-219 (1974).

#1348  
Hampp, R., and H. Ziegler. "Anreicherung von Blei in Schleisszellen." (Enrichment of lead in stomata). Text in German Naturwissenschaften (Berlin), 61(7):326-327 (1974).

#1349  
Hampp, R., and W. Hoell. "Radial and axial gradients of lead concentration in bark and xylem of hardwoods." Arch. Environ. Contam. Toxicol., 2(2): 143-151 (May 1974).

#1350  
Hanson, G.P. "Relative air pollution sensitivity of some Los Angeles arboreum plants." Lasca Leaves, 22(4):86-89 (Dec. 1972).

#1351  
Hasegawa, T., Y. Yamada, M. Yoshida, and H. Yoshikawa. "Shokubutsu no iobun no sokutei. Dai-1-po." (Determination of sulfur contents in plants, Part I). Proceedings of the Japan Society of Air Pollution, Annual Meeting, 11th, 1970, Taiki Osen Kenkyu(J. Japan Soc. Air Pollution), 5(1):37 (1970).

#1352  
Hayakawa, K., and T. Kubo. "Taiki osen no kankyo yoryo ni kansuru kisoteki kankyu Sono (1)Kankyo shihyo to shite no shokubutsu katsuryoku." (Fundamental studies of air pollution effects on environmental capacity. (1) Plant vitality as an environmental index). Text in Japanese. (Presented at the Japan Society of Architecture, Tokyo, Hokuriku District, Scientific Lectures, Japan, Oct. 1-3 1974, Paper 4085.) Preprint, Japan Society of Architecture, Tokyo, p. 169-170 (1974).

#1353  
Hirai, A. and F. Tsuda. "Taiki osen ni yoru shokubutsu yo no yoryokusou ganryo no henka." (The change of the amount of chlorophyll contained in plant leaves caused by air pollution). Kinki Daigaku kogai kenkyusho, Kenkyu Hokoku (Kinki Univ. Pollut. Res. Inst. Rep.), 1:175-180 (June 1973).

#1354

Haywood, J.K. "Injury to vegetation and animal life by smelter wastes." Dept. of Agriculture, Washington, D. C., Bureau of Chemistry, Bull. 113 (Rev.) 63 p. (July 7, 1910).

#1355

Heaney, R.J., J.R. Fletcher, and A.W. Huffaker. "Evaluation of sulfur dioxide injury to economic crops." (Presented at the Air Pollution Control Association, Annual Meeting, 63rd, St. Louis, Mo., June 14-18, 1970, Paper 70-131.) Preprint, Air Pollution Control Assoc., Pittsburgh, Pa., 21 p. (1970).

#1356

Heath, R.L., P. Chimiklis, and P. Frederick. "The role of potassium and lipids in ozone injury to plant membranes." In: Air Pollution Related to Plant Growth. American Chemical Society Symposium Series, Environmental Protection Agency Grant 801311, 29 p. (1974).

#1357

Heck, Walter W. "Air pollution and the future of agricultural production." Advan. Chem. Ser., 122:118-129 (1973).

#1358

Heggestad, H.E., F.S. Santamour, Jr., and L. Bernstein. "Plants that will withstand pollution and reduce it." In: Landscape For Living, Government Printing Office, Washington, D.C., pp. 16-22 (1972).

#1359

Heggestad, H.E. and W.W. Heck. "Nature, extent, and variation of plant response to air pollutants." Advan. Agronomy, 23:111-145 (1971).

#1360

Heggestad, H.E., and E.F. Darley. "Plants as indicators of the air pollutants ozone and PAN." Council of Europe, Committee of Experts on Air Pollution, Air Pollution Proc. First European Congr. Influence Air Pollution Plants Animals, Wageningen, Netherlands, p. 329-335 (April 22-27, 1968).

#1361

Heggestad, Howard E., Kenneth L. Tuthill, and Robert N. Stewart. "Differences among poinsettias in tolerance to sulfur dioxide." HortScience, 8(4): 337-338 (August 1973).

#1362

Heggestad, H. E., C. E. Anderson and W. A. Feder. "Determining acceptable limits for air pollution dosages and vegetation effects: ozone." (Presented at the Air Pollution Control Association Annual Meeting, 67th, Denver, Colo., June 9-13, 1974, Paper 74-224.) Preprint, Air Pollution Control Assoc., Pittsburgh, Pa., 32 p., 1974.

#1363

Hemphill, D. D., C. J. Marienfeld, R. S. Reddy, W. D. Heidtage, and J. O. Pierce. "Toxic heavy metals in vegetables and forage grasses in Missouri's lead belt." J. Assoc. Offic. Anal. Chemists, 56(4):994-998 (1973).

#1365

Hill, A.C. , T. W. Barrett, S. Hill, and C. Lamb. "Sensitivity of native desert vegetation to SO<sub>2</sub> and SO<sub>2</sub> plus NO<sub>2</sub>." (Presented at Air Pollution Control Association, Annual Meeting, 66th. Chicago. 21 p.) (June 24-28, 1973).

#1366

Hill, A. C., and J. H. Bennett. "Inhibition of apparent photosynthesis by nitrogen oxides." Atmos. Environ. (London). 4(4):341-348 (1970).

#1367

Hillimann, R.C. "Biological effects of air pollution on insects, emphasizing the reactions of the honey bee (*Apis mellifera* L.) to sulfur dioxide." Pennsylvania State Univ., University Park, Dept. of Entomology, Thesis (Ph.D.), Ann Arbor, Mich., Univ. Microfilms, Inc., 170 p. (March 1972).

#1368

Hindawi, I.J., and H.C. Ratsch. "Growth abnormalities of Christmas trees attributed to sulfur dioxide and particulate acid serosol." (Presented at the Air Pollution Control Association Annual Meeting, 67th, Denver, Colo., June 9-13, 1974, Paper 74-252.) Preprint, Air Pollution Control Assoc., Pittsburgh, Pa., 21 p., 1974.

#1369

Hindawi, I. J. "Injury by sulfur dioxide, hydrogen fluoride, and chlorine as observed and reflected on vegetation in the field." J. Air Pollution Control Assoc., 18(5):307-312 (May 1968).

#1370

Hinners, T. A., J. E. Bumgarner, and W. S. Simmons. "Extraction of cadmium from rice." Preprint. Environmental Protection Agency, Research Triangle Park, N. C., Bienviornmental Lab. Branch. 4 p. (1974).

#1371

Hirao, Y., and C.C. Patterson. "Lead aerosol pollution in the High Sierra overrides. Natural mechanisms which exclude lead from a food chain." Science, 184(4140):989-992 (May 31, 1974).

#1372

Biratsuka, N., and M. Shinozaki. "Yugai gasu ni yoru shokubutsu higai no kaiseki (1)-e. kuwa ni taisuru ozon, aryusan gasu no eikyo shiken." (Analyses of plant injuries due to harmful gases: Part I. Sec. E. Experiments on the effects of ozone and sulfur dioxide on mulberry trees.) Text in Japanese. Kanagawa-ken Nogyo Sogo Kenkyujo Gyomu Nenpo (Ann. Rep. Kanagawa Prefect. Agr. Inst.), 1973:73 (June 1974).

#1373

Hiratsuka, N., M. Ito, M. Shinozaki, and M. Mako. "Taiki osen busshitsu ga engei sakumotsu to ni oyobosu eikyo ni kansuru shiken (1)-c. shihyo shokubutsu ni yoru higai jittai chosaho." (Experiments on the effects of air pollutants on horticultural crops: Part I. Investigation of local damage of horticultural crops. Sec. A. Investigation of the actual damage by air pollution using indicator plants). Text in Japanese. Kanagawa-ken Nogyo Sogo Kenkyujo Gyomu Nenpo (Ann. Rep. Kanagawa Prefect Agric. Integr. Inst.), 1973:74 (June 1974).

#1374

Hodges, G.H., H.A. Menser, Jr., and W.B. Ogden. "Susceptibility of Wisconsin Havana tobacco cultivars to air pollutants." Agron. J., 63(1):107-111 (Jan/Feb 1971).

#1375

Hodgson, R.H., D. S. Frear, H.R. Swanson, and L.A. Regan. "Alteration of di-phenamid metabolism in tomato by ozone." Weed Sci., 21(6):542-549 (Nov. 1973).

#1376

Suzuki, N. A. Kurosawa and C. Wada. "Kakushu sakubutsu ni tasisuru aryusan gasu no eikyo (daiippo), yobun kyushu ni oyobosu aryusan gasu no eikyo." (Studies of the influence of sulfur dioxide on various crops (I)). Proc. Symp. Japan Soc. Air Pollut., 13th, Paper 182, p. 228 (Nov 7-9, 1972).

#1377

Hoeft, R. G. and L. M. Walsh. "Effect of carrier, rate, and time of application of S on the yield, and S and N content on alfalfa." Wisconsin Univ., Dept. of Soils. Madison. 16 p. (1971).

#1378

Holden, H. "Measurements of air pollution in Prescot." (Presented at the National Society for Clean Air Conference. Folkestone, England. 4 p.) (Nov. 2-5, 1971).

#1379  
Holobrady, K., and J. Toth. "Beitrag zu den Einwirkungen von festen aus Zementiabriken emittierten Partikelu auf die Vegetation." (The effect of particulate emissions from cement plants on vegetation). Text in German. Polska Akademia Nauk, Zaklad Badan Naukowych Gornoslaskiego Okregu Przemyslowego, Mater. Miedzynarodowej Konf., Wplyw Zanieczyszczen Powietrza na Lasy, 6th, Katowice, Poland, p. 139-161, 1968.

#1380  
Honda, H. "Shokubutsu ni yoru taiki osen shihyo ni tsuite." (Air pollution plant indicators). Text in Japanese. In: Investigation of Air and Water Pollution on Human Health. Chiba Prefectural Government (Japan), Dept. of Hygiene, p. 53-65 (May 1973).

#1381  
Honda, Hitoshi. "Jumoku no kogai teiko ni kansuru kenkyu. III. Dojo hihai to SO<sub>2</sub> teikosei." (Studies on the resistance of trees towards public nuisance. III. The relation between the fertility of soil and resistance for sulfur dioxide gas). Chiba Daigaku Engei Gakubu Gakujutsu Hokoku (Tech. Bull. Fac. Horticulture, Chiba Univ.), 21:91-98 (Dec 1973).

#1382  
Hopkinson, J. M., R. H. Wilson, and B. N. Smith. "Lead levels in plants." Naturwissenschaften (Berlin), 59(9):421-422 (1972).

#1383  
Hopp, H. H. "Experimentelle Untersuchungen ueber Rauchsehaeden an Reben." (Experimental studies on smoke damages in vineyards). Text in German. Die Wein Wiss., 19(5):201-209 (May 1964).

#1384  
Horak, O. and I. Huber. "Verunreinigung von Pflanzen und Boeden durch Bleirueckstaende aus Benzinemotoren." (Plant and soil pollution by lead residues of petrol engines). Bodenkultur, 25(1):34-47 (Feb 1974).

#1385  
Horita, Y. "Kogai seibutsugaku nyumon." (An introduction to pollution and biology. (No. 2)). Text in Japanese. Kagaku to Yakugaku no Kyoshitsu (Chem. Pharm., Quart. J.), 35:21-30 (1972).

#1386  
Hoshino, Tsuneo. "SO<sub>2</sub> nodo bunpu kara mita nosakubutsu no damage no suitei." (An estimation of damage by SO<sub>2</sub> on crops). Proc. Symp. Japan Soc. Air Pollut., 13th, Paper 189, p. 235 (Nov 7-9, 1972).

#1387  
Houten, J.G. ten. "Biologische aspecten van de luchtverontreiniging." (Biological aspects of air pollution). Dutch. Chem. Weekblad, 69(26):11-12 (June 1973).

#1388

Hsieh, S.T., and K. H. Kwan. "Kon chi wu zan twei yen tsau lin tang gi tan suei hua wu tai hsieh yin hsian chi yen chin." (Effects of the air pollution on the metabolism of the sugar phosphates and carbohydrates of tobacco). Text in Chinese. Taiwan Tob. Wine Monop. Bur. Tob. Res. Inst. Ann. Report, 1971: 130-138 (1971).

#1389

Huckabee, J.W. "Mosses: sensitive indicators of airborne mercury pollution." Atmos. Environ., 7(7):749-754 (July 1973).

#1390

Hutchinson, T. C. "The impact of pollution of the Canadian flora." Toronto Univ., Toronto (Canada), Dept. of Botany and the Inst. of Environmental Sciences and Engineering, Rept. EL-1. (Presented at the Canadian Botanical Association Symposium on the Impact of Man on the Canadian Flora, Western Ontario Univ., June 1973.) 10 p. (October 1973).

#1391

Hutchinson, T. C. "The occurrence of lead, cadmium, nickel, vanadium, and chloride in soils and vegetation of Toronto in relation to traffic density." (Presented at the Canadian Botanical Association and the American Institute of Biological Sciences, Joint Meeting, Alberta, June 20-24, 1971.) Preprint, Canadian Botanical Assoc. and American Inst. of Biological Sciences, 27 p., 1971.

#1392

Hutchinson, T. C. "The occurrence of lead, cadmium, nickel, vanadium, and chloride in soils and vegetation of Toronto in relation to traffic density." (Presented at the Ontario Association of Professional Engineers, International Automobile Pollution Conference, Toronto, Ontario, June 1972.) Toronto Univ. (Ontario), Dept. of Botany and Toronto Univ. (Ontario) Inst. for Environmental Studies, Pub-EH-2, 28 p. (June 1972).

#1393

Hyogo Prefecture Agricultural Experimental Test Station. "Ozon no tomato ni oyobosu eikyo." (The effects of ozone on tomatoes). Text in Japanese. Hyogo Kenritsu Nogyo Shikejo Gyomu Kotei, 1972 (Annu. Rep. Hyogo Prefect. Agri. Exp. Stn.), 1973:34-37 (1973).

#1394

Iijima, T. "Sushu nosakumotsu no kokagaku okishidanto shihyosei." (Suitability of several agricultural plants as indices of photochemical oxidants). In: Tokyo Nogyo Shikenjo Sakuho, p. 28-29 (Feb 1974).

#1395

Iijima, T., S. Sugata, and T. Ohira. "Kokagaku sumoggu ni yoru higai shokubutsu no soshikigakuteki kento." (Histological examination of plant damage by photochemical smog). Text in Japanese. Tokyo-to Kogai Kenkyusho Nenpo (Annu. Rept. Tokyo Met. Res. Inst. Environ. Prot.), 4:105-107 (March 31, 1973).

#1396

Iijima, T. "Kokagaku sumoggu ni yoru nosakumotsu no higai." (Crop injuries due to photochemical smog). Text in Japanese. Kongetsu no Noyaku (Agri. Chem. Mon.), 18(6):35-39 (June 1974).

#1397

Iijima, T., S. Sugata, and S. Motohashi. Kokagaku okishidanto ni yoru higai shokubutsu no kogaky kenbikyo ni yoru kansatsu." (Photo-microscopic observation of damaged plants by photochemical oxidants). Text in Japanese. In: Studies on Tokyo Smog, Tokyo Metropolitan Research Inst. for Environmental Protection (Japan), Rept. 3, p. 634-639 (March 1974).

#1398

Iijima, T., and S. Motohashi. "Sushu nosakumotsu no okishi-danto shihyosei." (Oxidant indicatory properties of several agricultural crops). Text in Japanese. In: Studies on Tokyo Smog. Tokyo Metropolitan Research Inst. for Environmental Protection (Japan), Rept. 3, p. 695-702 (March 1974).

#1399

Illinois Univ. at Urbana-Champaign, Urbana, Environmental Studies Program. "Environmental pollution by lead and other metals (progress report)." National Science Foundation IRRPOS Grant GI-26, RANN Grant GI-31605, Rept. NSF/RA/E-72-001, 462 p. (May 1972). NTIS:PB-222824.

#1401

Imaizumi, S. "Tabako no ha no ozon shogai to kiko to no kankei ni tsuite." (Relation between ozone injury and stomatal behavior of tobacco leaves). Text in Japanese. Hatano Tabako Shikenjo Hokoku (Bull. Hatano Tob. Exp. Stn.), 73(3):17-22 (March 1973).

#1402

Impens, R. "Effets des Polluants Gazeux sur les Vegetaux: L. aphydride Sulfureux." (Effects of gaseous pollutants on plants: sulfur dioxide). Translated from French. Scientific Translation Service, Santa Barbara, Calif., 19 p. Ann. Gembloux, 77:147-161 (1971).

#1403

Impens, R. "Effet sur la vegetation d une pollution accidentelle dan la region d Engis." (The effect of an accidental pollution episode on the vegetation in the engis region). Ann. Mines Belg., 10:1157-1165 (October 1973).

#1404

Impens, R.Z., M. Vunzu, and P. Nangniot. "Determination du plomb sur les vegetaux croissant en bordure des autoroutes." (Determination of lead on plants growing alongside highways). Proc. Int. Symp., Environ. Health Aspects Lead, Amsterdam, Netherlands, 135-143 (May 1973).

#1405

Inoue, Takao. "Aryusan-gasu ni yoru junioku no higai." (Damage to trees by SO<sub>2</sub> gas). Shokubutsu Poeki (Plant Prot.), 27(6):224-228 (June 1973).

#1406

Inst. for Policy Sciences (Japan). "Sangyo katsudo to shizen to no chowa no tame no ekoroji shisutemu e no sekkin." (Progress toward an ecology system designed to harmonize industrial activities and nature). Text in Japanese. 509 p. (March 1972).

#1407

Institut National de la Recherche Agronomique Paris, Bordeaux (Paris), Lab for the Study of Atmospheric Pollution. "Effect of SO<sub>2</sub> on Wheat." Sulphur Inst. J., 8(3):8 (1972).

#1408

Ishikawa, Haruhiko. "Taiki osen busshitsu ga shokubutsu ni oyobosu eikyo." (The effects of air pollutants on plants). Denryoku Chuo Kenkyusho-ho (Central Res. Inst. Elec. Power Ind.), 21:6-10 (1972).

#1409

Iwamura, Y. "Jumoku-so no kogai gensho to taiki osen tono kanren ni tsuiteno kenkyu." (A study on the relationship between plant damage and air pollution). Aomori-ken Ringo Shikenjo Hokoku (Amori Apple Exp. Stn.), 1973:89-91 (Sept 1973).

#1410

Izumida, S., and M. Saeki. "Sendai-shi shuhens ni okeru chii-rui to taiki osen tono kanren ni tsuite." (On the relationship between lichens and air pollution in and around Sendai City). Text in Japanese. (Presented at the Japanese Society of Public Health Annual Meeting, 33rd, Fukushima, Japan, Oct. 16-18, 1974, Paper 544.) Nippon Koshu Eisei Zasshi (Japan J. Public Health), 21(10):414 (October 1974).

#1411

Jaeger, H. J., E. Pahlich, and L. Steubing. "Die Wirkung von Schwefeldioxid auf den Aminosacure und Proteingehalt von Erbsenkeimlingen." (The effect of sulfur dioxide on the content of amino acids and protein in pea seedlings). Translated from German. Angew. Botan., 46:199-211 (1972).

#1412

James, H. A. "Survey of arsenic and fluorine levels in vegetation in the Rodeo-Crockett areas, 1963-1964." Preprint, Bay Area Air Pollution Control District, San Francisco, Calif., 11 p. (April 1965).

#1413

Bennett, J. H., and A. C. Hill. "Interactions of air pollutants with canopies of vegetation." Chapter 12, Response of Plants to Air Pollution, J. B. Mudd/T. T. Kozlowski (ed.), Academic Press, New York (1975).

- #1414  
Japan Public Health Assoc. "Sholuhinchu no kadomyumu ni kansuru kenkyu. Kome no kadomyumu nodo o shihyo to suru kankyo osen no handan shakudo. Koseisho kogai chosa kenkyuhi ni yoru." (Study on cadmium content in food: Criterion for environmental pollution based on Cd content in rice, supported by survey and research fund on public pollution from the ministry of health and welfare). Rept. AOKI-21, 110 p. (March 31, 1969).
- #1415  
Japan Society of Air Pollution, Research Committee. "Taiki osen shokubutsu higai shashin-shu." (Photographs of plants damaged by air pollution). 239 p. (March 1973).
- #1416  
Jenkins, D. W. "Global biological monitoring." In: Man's Impact on Terrestrial and Oceanic Ecosystems. William Henry Matthews (comp.). Cambridge, MIT Press, Chapt. 22, p. 351-370, (1971).
- #1417  
Jiracek, V., I. Machackova, and J. Kostir. "Nachweis der Bisulfit-Addukte (alpha-Oxsulfonsaeuren) von Carbonylverbindungen in den mit SO<sub>2</sub> behandelten Erbsenkeimlingen." (Detection of bisulfite adducts (alpha-oxysulfonic acids) of carbonyl compounds in SO<sub>2</sub>-treated young pea plants). Text in German. Experientia, 28(9):1007-1009 (Sept. 15, 1972).
- #1418  
John, M. K. "Lead availability related to soil properties and extractable lead." J. Environ. Quality, 1(3):295-298 (July-September 1972).
- #1419  
Jonas, H. "Action of air pollutants on the biosynthesis of secondary plant products." Econ. Bot., 69(3):210-214 (1969).
- #1420  
Jones, H. C., D. Weber, and D. Balsillie. "Acceptable limits for air pollution dosages and vegetation effects: sulfur dioxide." Preprint, Air Pollution Control Assoc., Denver, Colo. (Presented at the Air Pollution Control Association Annual Meeting, 67th, Denver, Colo., June 9-13, 1974, Paper 74-225.) 31 p., 1974.
- #1421  
Jones, H. C., J.R. Cunningham, S.B. McLaughlin, N.T. Lee, and S. S. Ray. "Investigation of alleged air pollution effects on yield of soybeans in the vicinity of the Shawnee Steam Plant." Tennessee Valley Authority, Chattanooga, Tenn., Div. of Environmental Planning, Rept. E-EB-73-3, 210 p., August 1973.
- #1422  
Jones, L. H. P., D. W. Cowling, and D. R. Lockyer. "Plant-available and extractable sulfur in some soils of England and Wales." Soil Sci., 114(2): 104-114 (1972).

- #1423  
Huntzicker, J. J., S. K. Friedlander, and C. I. Davidson. "Environmental Pathways for automobile emitted lead. Lead from automobile exhaust is traced through the Los Angeles environment." Preprint, California Inst. of Tech., Pasadena, Environmental Engineering Science, 31 p. (1974).
- #1424  
Jaffe, L. S. "Carbon monoxide in the biosphere; sources, distribution, and concentrations." J. Geophys. Res., 78(24):5293-5305 (August 20 1973).
- #1425  
Jaffe, Louis S. "The global balance of carbon monoxide." American Assoc. for the Advancement of Science, Washington, D.C., Global Eff. Environ. Pollut., Symp., Dallas, Texas, 34-49 (1968).
- #1426  
Junge, C., B. Bockholt, K. Schuetz, and R. Back. "Nitrous oxide measurements in air and seawater over the Atlantic." Meteor Forschungsergeb., Reihe B, 6:1-11 (June 1971).
- #1427  
Junge, C. E. "Sulfur in the atmosphere." J. Geophys. Res., 65(1):227-237 (January 1960).
- #1428  
Junge, C., W. Seiler and J. Hahn. "CO- und N<sub>2</sub>O-Kreislauf in der Atmosphaere." (CO and N<sub>2</sub>O circulation in the atmosphere). Umschau (Frankfurt), 71(14): 528 (July 1971).
- #1429  
Kellogg, W. W., R. D. Cadle, E. R. Allen, A. L. Lazarus, and E. A. Martell. "The sulfur cycle." Science, 175(4022):587-596 (February 11, 1972).
- #1430  
Klein, D. H. "Fluxes, residence times, and sources of some elements to Lake Michigan." Water, Air, Soil Pollut., 4(1):3-8 (March 1975).
- #1431  
Klein, D. H. "Mercury in the environment." Hope College, Holland, Michigan, Chemistry Dept., Environmental Protection Agency Proj. 16040 FRL, Program Element 1BA027, Rept. EPA-660/2-73-008, 28 p. (December 1973).
- #1432  
Lahmann, E. "CO-Konzentrationen im Berliner Stadtgebiet (Strassen, Tunnels, Wohngebiete und Gewaesser)." (Co concentrations in the city of Berlin (In streets, tunnels, residential areas). Staub, Reinhaltung Luft, 32(2):74-77 (Feb. 1972).

#1433

Levy, E. A. "The biosphere as a possible sink for carbon monoxide emitted to the atmosphere. Final report." Stanford Research Inst., Irvine, Calif. SRI Project PSU-7888, 31 p. (May 1970).

#1434

Liss, P. S. "Exchange of SO<sub>2</sub> between the atmosphere and natural waters." Nature (London) 233(5318):327-329 (October 1 1971).

#1435

Matsui, Koyo. "Kankyo hozen to shinrin shigyo." (Environmental protection and forest administration). Shigen (Resources), 188:71-76 (March 1974).

#1436

Huckabee, J. W., and B. G. Blaylock. "Micrcosm studies on the transfer of HG, CD, SE from terrestrial to aquatic ecosystems." Missouri Univ., Columbia, Environmental Trace Substances Center and National Science Foundation, Washington, D. C., RANN Program, Trace Subst. Environ. Health Proc., Annu. Conf., 8th, Columbia, Mo., p. 219-222 (1974).

#1437

Kanto Regional Environmental Protection Headquarters (Japan), Air Pollution Section. "Kokagaku sumoggu ni yoru shoku butsu eikyo chsa." (Investigation of plant influence by photochemical smog). Text in Japanese. In: Report of the 1973 Joint Survey on Photochemical Smog in Tokyo and Three Neighboring Prefectures, p. 105-175 (April 1974).

#1438

Kanto Regional Environmental Protection Headquarters (Japan), Air Pollution Section. "Showa 48 nendo itto sanken kokagaku sumoggu kyodo chosa hokokusho no gaikyo." (Outline of the report of cooperative investigation of photochemical smog in the metropolis and three prefectures in 1973). Text in Japanese. Preprint, 4 p. (April 1974).

#1439

Kanto Regional Environmental Protection Headquarters (Japan), Air Pollution Section. "Showa 49 nendo kokagaku sumoggu kyodo chosa oyobi kokagaku sumoggu ni yoru shokubutsu eikyo chosa ni tsuite." (The plan of a cooperative investigation of effects of photochemical smog on plants in 1974). Text in Japanese. Preprint, 5 p. (April 1974).

#1440

Kawamata, E. and K. Ashikawa. "Tokyo kokagaku sumoggu no shokubutsu higai ni kansuru chosa kenkyu; 4. kaju ni taisuru taiki osen no eikyo." (Investigation and studies on plant damage due to Tokyo photochemical smog. Part IV: Effects of air pollution of fruit trees). Tokyo-To Nogyo Shikenjo Kenkyu Nenpo (Annu. Rep. Tokyo Met. Agr. Exp. Sta.), 1972:4 (Oct 1973).

#1441

Keller, T. "Zum Problem der verkehrsbedingten Bleirueckstaende in der Vegetation." (The problem of traffic-induced residues of lead in vegetation). Strasse Verkehr., 1 (1970).

#1442

Keller, Theodor. "Zur phytotoxizitaet staubfoermiger Fluor-Verbindungen." (On the phytotoxicity of particulate fluorine compounds). Staub, Reinhalzung Luft, 33(10):395-397 (Oct 1973).

#1443

Keller, T., and H. Schwager. "Der Nachweis unsichtbarer (physiologischer) Fluor-Immissions-schaedigungen an Waldbaeumen durch eine einfache kolorimetrische Bestimmung der Peroxidase-Aktivitaet." (The detection of hidden F injury of forest trees by a simple colorimetric determination of peroxidase activity). Text in German, Eur. J. Forest Pathol., 1(1):6-18 (1971).

#1444

Keller, T. "Ueber die ueberwachung der immissionen von kehrriechverbrennungsanstalten mit hilfe von nadelanalyses auf chloride." [Monitoring the emissions of municipal garbage incinerators by means of foliar analyses for chlorides]. Mitt. Forst. Bundesvers., 97:271-279 (1972).

#1446

Kelley, J.J. and P.L. Johnson. "Observations of carbon dioxide and plant growth in an Arctic ecosystem." (Final Report). Washington Univ., Seattle, Dept. of Atmospheric Sciences, and Army Cold Regions Research and Engineering Lab., Hanover, N.H., ONR Contract N00014-67-A-0103-0007 Proj. NR 307-242, Rept. 8, 120 pp. (Oct. 1970).

#1447

Kerin, D. "Die Bewertung des Spurengehaltes der Pflanzen auf dem Gebief des Umweltschutzes." (Analysis of the concentration of trace substances in plants in the field of environmental pollution). Proc. Simp. Int. Agrochim Fitonutriz. Oligominerale, Punta Ala, Italy. 283-288 (Oct 2-6, 1972).

#1448

Cole, A. L., and J. B. Harrison, Jr. "Air pollution by ragweed pollen. III. atmospheric dispersion of ragweed pollen." J. Air Pollution Control Assoc., 17(10):654-656 (October 1967).

#1449

Kershaw, K. A. "Lichens." Endeavor, 22:65-69 (1963).

#1450

Kirschbaum, A. and R. Klee. "Flechtenexplantate und natuerliche Flechtenvorkommen." (Lichen explants and natural occurrence of lichens). Untermain, 4th, Frankfurt am Main (West Germany), Lufthyg.-Meteorol. Modelluntersuch Reg. 64-66 (Nov. 4-5, 1971).

#1451

Kirschbaum, U., R. Klee, and L. Steubing. "Air quality measurements on account of immission influences on lichens - lichens as bio-indicators." In: Air Hygienic Meteorological Model Studies of the Lower Main Region, Report 5. Regional Planning Assoc., Lower Main Region, Frankfurt am Main (West Germany), p. 116-127 (June 1974).

#1452

Kisser, J. "Physiologische probleme der Einwirkung von Luftverunreinigungen auf die Vegetation." (The physiologic effect of pollution on vegetation). Text in German. Polska Akademia Nauk, Zaklad Badan Naukowych Gorno-slaskiego Okregu Przemyslowego, Mater. Miedzynarodowej Konf., Wplw Zanieczyszczen Powietrza na Lasy, 6th, Katowice, Poland, p. 27-43 (Sept. 9-14, 1968).

#1453

Kisser, J. "Probleme der Zuechtung rauchresistenter Holzarten." [Problems of the cultivation of smoke-resistant tree varieties]. Proc. Congr. Intern. Union Forest Research Organizations (Munich), 5(24):510-517 (1967).

#1454

Kitamura, F., K. Takahashi, and Y. Kawajiri. Taiki osen ni yoru zoen jumoku no yoshoku henka ni kansuru kenkyu. (Studies on the leaf-color changes of garden trees and shrubs by air pollution) Text in Japanese. Tokyo Daigaku Nogakubu Engei Jikkensho Kenkyu Hokoku. (Bull. Demigaro Arbor. Fac. Agric. Univ. Tokyo), 6:16-12 (October 1973).

#1455

Klee, R. and A. Warns. "Aussagewert von Flechtenexplantaten fuer eine Immisionbelastung." [Evidence reliability of lichen explants for an incidence of immission]. Ber. Deut. Bot. Ges., 84(9):515-522 (1971).

#1456

Klein, D.H. and P. Russell. "Heavy metals: Fallout around a power plant." Environ. Sci. Technol., 7(4):357-358 (April 1973).

#1457

Klemm, W. "Contribution concerning the relationship between water balance and fume damage to pines." Translated from German. McGregor and Werner, Inc., Washington, D.C., Mundas Systems. Biol. Zentral, 85(6): 781-783. (1966).

#1458

Kloke, A. "Schwermetalle in Nahrungs- und Futterpflanzen." (Heavy metals in food and fodder plants). Deut. Lebensm. Rundsch., 69(1):45-49 (1973).

#1459

Knabe, W. "Experimentelle Pruefung der Fluoranreicherung in Nadeln und Blaettern von Pflanzen in Abhaengigkeit von deren Expositionshoehe ueber Grund." (Experimental testing of fluorine accumulation in needles and leaves of plants in relation to their exposure height above ground). Polska Akademia Nauk, Zaklad Badan Naukowych Gornoslaskiego Okregu Przemyslowego, Mater. Miedzynarodowej Konf., Wplyw Zanieczyszczen Powietrza na Lasy, 6th, Katowice, Poland, p. 101-116 (Sept 9-14, 1968).

#1460

Knabe, W. "Immissionsbelastung und Immissionsgefährdung der Walder im Ruhrgebiet." (Pollution and its threat to forests in the Ruhr). Mitt. Forst. Bundesvers., 97:53-87 (1972).

#1461

Knabe, W. "Natuerliche abnahme des aus immissionen aufgenommenen fluors in fichtennadeln." [Natural decrease of pine needle fluorine from atmospheric immissions]. Staub-Reinhaltung Luft, 30(9):384-385 (Sept. 1970).

#1462

Knipling, E. B. "Ultraviolet radiation and photosynthesis." Dept. of Transportation, Cambridge, Mass., Transportation Systems Center, Proc. Conf. Clim. Impact Assess. Program, 2nd, Cambridge, Mass., DOT-TSC-OST-73-4. (Available from the National Technical Information Service). p. 379-385. (1972).

#1463

Kodama, Takenori, Haruhisa Ogita, and Kiyokazu Mizoguchi. "Jidosha haiki gasu ni yoru namari osen." (Lead pollution by auto exhaust gas). Aichiken Kogai Chosa Senta Shoho (Rept. Environ. Pollut. Res. Cent., Aichi Pref.), 1:28-33 (March 1973).

#1464

Koiwai, A., and T. Kisaki. "Mixed function oxidase inhibitors protect plants from ozone injury." Agr. Biol. Chem., 37(10):2449-2550 (1973).

#1465

Komai, K. and S. Sato. "Shokubutsu ni taisuru aryusan gasu to noyaku no fukugo osen." (Complex pollutions on plants caused by sulfur dioxide and pesticides). Kinki Daigaku kogai kenkyusho, kenkyu Hokoku (Kinki Univ. Pollut. Res. Inst. Rep.), 1:9-15 (June 1973).

#1466

Komeiji, T., T. Sawada, I. Nouchi, and T. Odaira. "Taiki Osen ni yoru toshi jumoku no suitai ni kansuru chosa." (Survey on the decline of urban trees by air pollution) In: Studies on Tokyo Smog. Tokyo Metropolitan Research Inst. for Environmental Protection (Japan), Rept. 3, 521-541 (March 1974).

#1467

Kotaka, S., A. P. Krueger, and P. C. Andriese. "Catalase activity of a crude enzyme preparation from iron-chlorotic barley (*Hordeum vulgare*) seedlings." Nature (London), 204(4964):1198-1199 (December 19, 1964).

#1468

Koto, M. and M. Shinozaki. "Yugai gasu ni yoru shokubutsu higai no kaiseki (1) -c. rakuyo kaju ni taisuru ozon, aryusan gasu no eikyo shiken." (Analyses of plant injuries due to harmful gases: Part I. Sec. C. Experiments on the effect of ozone and sulfur dioxide on deciduous fruit trees). Kanagawa-ken Nogyo Sogo Kenkyujo Gyomu Nenpo (Ann. Rep. Kanagawa Prefect. Agr. Integr. Inst.), 1973:72 (June 1974).

#1469

Koukol, J., W. M. Dugger, Jr., and R. L. Palmer. "Inhibitory effect of peroxyacetyl nitrate on cyclic photophosphorylation by chloroplasts from black valentine bean leaves." Plant Physio., 42(10):1419-1422 (1967).

#1470

Krutikow, A. "Zmiany w biocenozie lasow Krakowskiego okregu przemyslowego." [Changes in the biocenosis of forests in the Cracow industrial area]. Las Polski, 13/14:23-24 (1969).

#1471

Kuehl, U. and H. M. Wagner. "Untersuchungen ueber die wirkung von photooxidantien auf Petunia Hybrida." [The effect of photooxidants on Petunia Hybrida]. Staub-Reinhaltung Luft, 30(9):382-383 (Sept. 1970).

#1472

Kuribayashi, Shigeharu. "Fukkabutsu ni yoru taiki osen no yosan ni oyobosu eikyo." (Influence of air pollution with fluoride on sericulture). Nihon Sanshigaku Zasshi (J. Sericult. Sci. Japan), 41(4):316-322 (Aug 1972).

#1473

Kusaka, S., T. Imai, and F. Asakawa. "The inland sea coast of on-site investigations of vegetable damages by complex pollution of oxidants and sulfur dioxide (Part III). Text in Japanese. Hyogo Kenritsu Nogyo Shikenjo Gyomu Kotei, 1972 Annu. Rep. (Hyogo Prefect. Agric Exp. Stn.), 1973:18-12 (1973).

#1474

Kusaka, Shoji, Tamao Imai, and Fumiuki Asakawa. "Setouchi engan ni okeru okishidanto aryusan gasuto fukugo osen ni yoru sasairui no genchi higai jittai chosa (1)." (The inland sea coast on-site investigations of vegetable damages by complex pollution of oxidants and sulfur dioxide (Part I)). Hyogo Kenritsu Nogyo Shikenjo Gyomu Kotei. 1972 (Annu. Rep. Hyogo Prefect. Stn.), 1973:1-8 (1973).

#1475

Kusaka, Shoji, Tamao Imai, and Fumiuki Asakawa. "Setouchi engan ni okeru okishidanto, aryusan gasuto fukugo osen ni yoru yasairui no genchi higai jittai chosa (2)." (The inland sea coast on-site investigations of vegetable damages by complex pollution of oxidants and sulfur dioxide gases (Part II)). Hyogo Kenritsu Nogyo Shikenjo Gyomu Kotei (Ann. Rep. Hyogo Prefect. Agr. Exp. Stn.), 1973:11-16 (1973).

#1476

Galbally, I. E. "Production of carbon monoxide in rain water." J. Geophys. Res., 77(36):7129-7132 (Dec. 20 1972).

#1477

Holdgate, M.W., and L.E. Reed. "The fate of pollutants." Inst. of Fuel, London (England), Fuel Environ. Proc. Conf., Eastbourne, England, Paper 8., p.113-122 (1973).

#1478

Hill, Frank B. "Atmospheric sulfur and its links to the biota." Brookhaven National Lab., Upton, N.Y., Carbon Biosphere, Proc. Brookhaven Symp. Biol., 24th, Upton, N.Y., p. 159-181 (Aug 1973).

#1479

Heines, T. S., and L. K. Peters. "The effect of ground level absorption on the dispersion of pollutants in the atmosphere." Atmos. Environ., 8(11):1143-1153 (November 1974).

#1480

Cionco, R. M. "A mathematical model for air flow in vegetative canopy." J. Appl. Meteorol., 4:571-522 (1965).

#1481

Committee on Chemistry and Public Affairs. "Cleaning our environment: the chemical basis for action." Amer. Chem. Soc., Washington, D. C. 20p. (1971).

#1482

Gorham, E., and A. G. Gordon. "The influence of smelter fumes upon the chemical composition of lake water near Sudbury, Ontario and upon the surrounding vegetation." Can. J. Botany, 38:477-487 (1960).

#1483

Georgii, H.W. "Contribution to the atmospheric sulfur budget." J. Geophys. Res., 75(12):2365-2371 (April 20 1970).

#1484

Garratt, J. R., and G. I. Pearman. "CO<sub>2</sub> concentration in the atmospheric boundary-layer over southeast Australia." Atmos. Environ., 7(12):1257-1266 (1973).

#1485

Garratt, J.R. and G.I. Pearman. "Atmospheric carbon dioxide." Proc. Int. Clean Air Conf., Melbourne, Australia, 17-22 (1972).

#1486

Eriksson, E. "The yearly circulation of chloride and sulfur in nature: Meteorological, geochemical and pedological implications. Part I." Tellus (Uppsala), 2(4):375-403 (Nov. 1959).

#1487

Eriksson, E. "The yearly circulation of sulfur in nature." J. Geophys. Res., 68(13):4001-4008 (July 1 1963).

#1488

Commoner, B. "Threats to the integrity of the nitrogen cycle: Nitrogen compounds in soil, water, atmosphere and precipitation." Global Eff. Environ. Pollut., Symp., Dallas. p. 70-95. (1968).

#1489

Georgii, H.W. and W. Vitze. "Global and regional distribution of sulfur components in the atmosphere." Idojaras (Budapest), 75(5/6):294-299 (Sept./Dec. 1971).

#1490

Heck, W. W., J. H. Dunning, and I. J. Hindawi. "Interactions of environmental factors on the sensitivity of plants to air pollution." J. Air. Pollution Cont. Assoc., 15:511-515 (1965).

#1491

Hill, A. C. "Air quality criteria for fluoride vegetation effects." J. Air Pollut. Contr. Assoc., 19:331-336 (1969).

#1492

Inoue, E. "On the turbulent structure of airflow within plant canopies." J. Meteorol. Soc. (Japan), 41:317-378 (1963).

#1493

Laamanen, A. and R. Lahdes. "Observations on the sulphur content of pine needles from the environment of point and area sources." Work-Environ-Health, 6(1):41-43 (1969).

#1494

Laboratory for Analyzing Fertilizer, Chemical Div., Institute for Agricultural Sciences, Ministry of Agriculture and Forestry (Japan) Fertilizer Analysis Lab. "Aryusan gasu o kyushu shita shokubutsu- chu no io no bunpu to keitai." (Distribution of sulfur and its morphology in plants which have absorbed aerial SO<sub>2</sub> gas). Norinsho Nogyo Gijutsu Kenkyusho Nenpo (Ann. Report Inst. Agric. Sci., Minist. Agric., For.), Fiscal 1971:15-20 (Dec 1972).

#1495

Lacasse, Norman L. and T. Craig Weidensaul. "A cooperative extension-based system of assessing air pollution damage to vegetation: organization, results, and recommendations for future studies." International Union of Air Pollution Prevention Associations, 17 p. (1970). Presented at the International Clean Air Congress, 2nd, Washington, D.C., Paper SU-30G (Dec 6-11, 1970).

#1496

Lagerwerff, J. V., D. L. Brower, and G. T. Biersdorf. "Accumulation of cadmium, copper, lead and zinc in soil and vegetation in the proximity of a smelter." Missouri Univ., Columbia, Environmental Trace Substances Center and Extension Div., Trace Subst. Environ. Health, Proc. Univ. Mo., Annu. Conf. 6th, Columbia, Mo., p. 71-78 (June 13-15, 1972).

#1497

Lampadius, Felix. "Schaedigung des Waldes durch Waschmittelstaub." (Damage to forest by detergent dust (W-Dust)). Mitt. Forst. Bundesvers., 97: 451-471 (1972).

#1498

Lampadius, F. "Vorbeugung gegen Rauschschaeden im Walde durch forstliche Massnahmen (dargestellt am Beispiel des Rauchschadengebietes St. Egidien am Fusse des Erzgebirges)." (Prevention of smoke damage in the forest by forest measures (based on the example of the smoke damage area of St. Egidien at the foot of the Erz Mountains)). Forst Holzwirtschaft, 13:255-259 (July 1, 1960).

#1499

Landau, Emanuel. "The public control of air pollution: A case study in agriculture." American Univ., Washington, D.C., Thesis(Ph.D.), Ann Arbor, Mich., Univ. Microfilms, Inc., 325 p. (June 1966).

#1500

Langkramer. Otakar. "Vliv prumyslovych exhalaci na mikrofloru pud smrkovych prorstu v Krusnych Horach." (Effect of industrial exhalations on the microflora of spruce growth soil in the Krusna Mountains). Imise a Le ni Cenoxy (Emissions and Forest Coenosis) (Prague), 53-62 (1968).

#1501

Lanphear, F. O. "Air pollution injury to plants in St. Louis." (Presented at the Air Pollution Control Association, Annual Meeting, 63rd, St. Louis. 14 p.) (June 14-18, 1970).

#1502

Lanphear, F.O. and Oscar H. Soule. "Injury to city plants from industrial emissions of herbicides." HortScience, 5(4):215-217 (Aug 1970).

#1503

LeBlanc, F. "Epiphytes and air pollution." Council of Europe Committee of Experts on Air Pollution, Air Pollution Proc. First European Congr. Influence Air Pollution Plants Animals, Wageningen, Netherlands, p. 211-221 (April 22-27, 1968).

#1504

LeBlanc, F., D.N. Rao, an G. Comeau. "Indices of atmospheric purity and fluoride pollution pattern in Arvida, Quebec." Can. J. Botany, 50(5): 991-998 (1972).

#1505

LeBlanc, Fabius. "Influence de l'atmosphère polluée des grandes agglomérations urbaines sur les épiphytes celticoles." (The influence of polluted air in large urban agglomerations on the corticolous epiphytes). Rev. Can. Biol., 20(4):823-827 (1961).

#1506

LeBlanc, F., D.N. Rao, and G. Comeau. "The epiphytic vegetation of Populus balsamifera and its significance as an air pollution indicator in Sudbury, Ontario." Can. J. Botany, 50:519-528 (1972).

#1507

Lee, J. A., and J. H. Tallis. "Regional and historical aspects of lead pollution in Britain." Nature (London), 245(5422):216-218 (September 28, 1973).

#1508

Lee, T.T. "Chemical regulation of ozone susceptibility in Nicotiana tabacum." Can. J. Botany, 44:487-496 (1966).

#1509

Lee, T., and D. H. Vitt. "A preliminary study of the effects of air pollution on lichen and bryophyte vegetation near Edmonton, Alberta." Environment Canada, Edmonton (Alberta), Canadian Forestry Service and Northern Forest Research Centre, and Alberta environment. Research Secretariat, Proc. Workshop Sulphur Gas Res. Alberta, Edmonton, Alberta, p. 129-141 (Nov. 1-2, 1973).

#1510

Legge, A.H. "Design of a gas exchange system for the study of the effects of sulphur dioxide on vegetation." Environment Canada, Edmonton (Alberta), Canadian Forestry Service and Northern Forest Research Centre and Alberta Environment, Research Secretariat, Proc. Workshop Sulphur Gas Res., Alberta, Edmonton, Alberta, p. 115-120 (Nov. 1-2, 1973).

#1511

Legouet, F., J. Delmas, and A. Grauby. "Méthode expérimentale d'étude des effets de la pollution atmosphérique sur les cultures." (Experimental method for the study of the effects of air pollutants on plants). Text in French. Bull. Inform. Sci. Tech. Commis. Energ. At. (Fr.), 191:75-80 (April 1974).

#1512

Leh, H. O. "Verunreinigung von Pflanzen durch Blei aus Kraftfahzeugabgasen." [Pollution of plants by lead from automobile exhaust gases]. In: Blei und Umwelt. Kommission für Umweltgefahren des Bundesgesundheitsamtes, West Germany. 11 p. (1972).

#1514

Lerche, H. and S.-W. Breckle. "Blei im Ökosystem Autobahnrand." (Lead in the ecosystem bordering highways). Naturwissenschaften (Berlin), 61(5):218 (1974).

#1515

Lesley, J.W. and O. Clifton Taylor. "Temperature and air pollution effects on early fruit production of F1 tomato hybrids." Calif. Agr., 27(7):13-14 (Feb. 1973).

#1516

Liang, T. "Semi-annual status report of the remote sensing program. Appendix D. Plant sensitivity to atmospheric pollution." Cornell Univ., Ithaca, N.Y., Remote Sensing Program, National Aeronautics and Space Administration Grant NGL 33-010-171, 33 p. (Dec. 27, 1973).

# 1517

Linzon, S.N. "Ozone damage and semimature-tissue needle blight of eastern white pine." Can.J. Botany, 45:2047-2061 (1967).

#1518

Linzon, S. N. "Fluoride effects on vegetation in Ontario." Preprint, International Union of Air Pollution Prevention Associations. (Presented at the International Clean Air Congress, 2nd, Washington, D. C., Dec 6-11, 1970, Paper MB-40A.) 56 p. (1970).

#1519

Linzon, S.N. "Effects of sulphur oxides on vegetation." Forestry Chronicle, 48(4):182-186 (Aug 1972). Presented at the Air Pollution Control Association, Pacific Northwest International Section, Annual Meeting, Calgary, Alberta, 1971.

#1520

Linzon, S.N. "Effects of Air Pollutants on Vegetation." In: Introduction to the Scientific Study of Atmospheric Pollution. B. M. McCormac (ed.), Dordrecht, Holland, D. Reidel Publishing, p. 131-151 (1971).

#1521

Little, P., and M. H. Martin. "Biological monitoring of heavy metal pollution." Environ. Pollut., 6(1):1-19 (Jan. 1974).

#1522

Loetschert, W. and H. J. Koehm. "Baumborke als anzeiger von luftverschmutzungen." [Tree bark as indicator of air pollutants]. Umschau (Frankfurt), 73(13):403-404 (1973).

#1524

Lundstrom, H. "Luftfororeningars inverkan pa epifytfloran hos barrträd i Stockholmsområdet." (The effect of air pollution on the epiphytic flora of conifers in the Stockholm region). Text in Swedish. Stud. Forest Suec., 56:1-55 (1968).

#1525

Lux, Herbert. "Studien ueber die kombinierten Einfluesse von basischen Staeben und Schwerlf dioxid auf Kiefern und die Ausbildung von Humusfeldmen." (The combined effect on basic dusts and of sulfur dioxide on pine trees and the formation of humus forms). Polska Adama Nauk, Zaklad Badan Naukowych Gornoslaskiego Okregu Przemyslowego, Mater. Miedzynarodowej Konf., Wplyw Zanieczyszczen Powietrza na Lasy, 6th, Katowice, Poland, 79-98 (Sept 9-14 1968).

#1526

Lux, Herbert. "Immissionsschaeden in der Forstwirtschaft des Bezirkes Cottbus." (Emission injuries in forests of the District Cottbus). In: Technik und Umweltschutz Luftwasser - Boden - Laerm, Luftverunreinigung bestimmter Gebiete und technologische Verfahren zur Emissionsverminderung, Vol 5, Leipzig, VEB Deutscher Verlag fuer Grundstoffindustrie, p. 58-62 (1974).

#1527

Lux, H. "Beitrag zur Trennung des Schadanteils Gleichzeig auf die Waldvegetation einwirkender Abgasquellen." (Distinction between the respective shares of several, simultaneously acting gas emission sources in damages to sylvan vegetation). Text in German. Wiss. Z. Tech., Univ. Dresden, 15(6): 1533-1535 (1966).

#1528

Lvov, Y.A., N.V. Vasil ev, and G.M. Ivanova. "Metod issledovaniya dinamiki vypadeniy promyshlennoy pyli na boil shikh ploshchadyakh." (Study of the dynamics of industrial dust fallout over large areas). Text in Russian. Gigiena i Sanit., 8:97-98 (1974).

#1529

Ma, Te-Hsiu, Djoko Isbandi, Shaukat H. Khan, and Ya-Shiu Tseng. "Low level of SO<sub>2</sub> enhanced chromatid aberrations in Tradescantia pollen tubes and seasonal variation of the aberration rates." Mutat. Res., 21(2):93-100 (April 1973).

#1530

MacDonald, D.W., M.A. Lamoureux, M. Van den Brink, C.R. Whigham, and W.P. Brisbane. "Chlorine gas poisoning in farm livestock: Case report and review." Can. Vet. J., 12(2):33-40 (Feb 1971).

#1531

MacDowall, F.D.H. "Importance of soil in the absorption of ozone by a crop." Can. J. Soil Sci., 54(2):239-240 (May 1974).

#1532

Mack, D. and H. Berg. "Bestimmung von Blei in Gemuese und Obst, einschliesslich Weintrauben, durch Atomabsorptionspektrophotometrie." (Determination of lead in vegetable and fruit including grapes by atomic absorption spectrophotometry). Deut. Lebensm. Rundsch., 68(8):262-263 (1972).

#1533  
MacLean, D. C., and R. E. Schneider. "Fluoride accumulation by forage: continuous vs. intermittent exposures to hydrogen fluoride." J. Environ. Quality, 2(4):501-503 (October-December 1973).

#1535  
Majorus, P. and S. Denaeyer. "Contribution a l etude de la pollution de l ecosysteme urbain Bruxellois par les metaux lourds." [Contribution to the study of the pollution of the Brussels urban ecosystem by heavy metals]. Commission of the European Communities, Luxembourg, and Environmental Protection Agency, Washington, D. C., Proc., Int. Symp., Environ. Health Aspects Lead, Amsterdam, Netherlands. EUR-5004, 7 p. (May 1973).

#1536  
Mako, M. and M. Shinozaki. "Yugai gasu ni yoru shokubutsu higai no kaiseki (1)-d. mikan ni taisuru ozon, aryusan gasu no eikyo shiken." (Analyses of plant injuries due to harmful gases: Part I. Sec. D. Experiments on the effect of ozone and sulfur dioxide on Citrus unshu). Kanagawa-ken Nogyo Sogo Kenkyujo Gyomu Nenpo (Ann. Rep. Kanagawa Prefect. Agr. Integr. Inst.), 1973:72 (June 1974).

#1537  
Mamayev, S.A., and O.D. Shkarlet. "Effects of air and soil pollution by industrial waste on the fructification of scotch pine in the Urals." (Presented at the International Symposium of Forest Fume Damage Experts, Essen, West Germany, Sept. 7-11, 1970.) Mitt Forst. Bundesvers, 97:443-450 (1972).

#1538  
Mann, C.W. "Plants contaminated by timber treatment." Environ. Health, 80(10): 360 (Oct 1972).

#1539  
Manning, W.J., W.A. Feder, and P.M. Vardaro. "Reduction of chronic ozone injury on poinsettia by benomyl." Can. J. Plant Sci. (Ottawa). 53:833-835 (Oct. 1973).

#1540  
Manning, W. J. "Effects of limestone dust on leaf condition, foliar disease incidence, and leaf surface microflora of native plants." Environ. Pollut., 2(4):69-76 (July 1971).

#1541  
Marletta, G.P., L.F. Gabrielli, and L. Favretto. "Lead in grapes exposed to automobile exhaust gases." J. Sci. Food Agr., 24(2):249-252 (Feb. 1973).

#1542  
Martin. W., and T. Keller. "Ueber den Einfluss verunreinigter Stadtluft auf die Vegetation." (On the influence of polluted city air on the vegetation). Text in German. Umwelthygiene, 25(10):221-227 (1974).

#1543

Masuch, G., H. Weinert, and R. Guderian. "Wirkungen von Chlorwasserstoff und Schwefeldioxid auf die Ultrastruktur der Chloroplasten und Schwefeldioxid auf die Ultrastruktur der Chloroplasten von Spinacia oleracea L." (Effects of hydrochloric and sulfur dioxide on the fine structure of the chloroplasts in Spinacia oleracea L.). Text in German. Proc. Int. Clean Air Congr., 3rd Dusseldorf, West Germany, p. A160-A163 (1973).

#1544

Materna, J. "Einfluss des Schwefeldioxyds auf die mineralische Zusammensetzung der Fichtennadeln. (The influence of sulfur dioxide on the mineral composition of needles from spruces). Translated from German. Franklin Inst. Research Labs., Philadelphia, Pa., Science Info. Services, 3 p., Oct. 22, 1969. Naturwissenschaften (Berlin), 48(23):723-724 (1961).

#1545

Materna, J. "Moznosti prukazu skod pushobenych prumyslovymi exhalaty v lesnich porotesch." (Ways of determining damages to forest stands caused by industrial air pollution). Text in Czech. Les. Pr., 43(5):212-216 (May 1964).

#1546

Materna, Jan. "Einfluss niedriger Schwefeldioxydkonzentrationen auf die Fichte." (Effect of low sulfur dioxide concentrations on the fir). Mitt. Forst. Bundesvers., 97:219-232 (1972).

#1547

Matsushima, J. "Shokubutsu o shihyo to shita taiki osen no kanshi." (Monitoring of air pollution using plants as monitors). Text in Japanese. Shokubutsu Boeki (Plant Prot.), 27(6):259-260 (1973).

#1548

Nouchi, I., T. Ohashi, and T. Odaira. "Taiki osen no shokubutsu ni oyobosu eikyo; kakusan, tanpakushitsu e no ozon no eikyo." (The effects of air pollutants on vegetation - the effects of ozone on nucleic acid and protein). Text in Japanese. (Presented at the Japan. Society of Air Pollution, Annual Meeting, 14th, Fukushima, Japan, Paper 58, Nov. 6-8 1973). Taiki Osen Kenkyu (J. Japan. Soc. Air Pollution), 8(3):307 (Oct. 1973).

#1549

Matsumoto, Hiromi, Takashi Sumimoto, Shigehiko Matsumoto, and Nobuaki Izumo. "Kagoshima-ken no jidosha haikigasu ni yoru dojo no enosen chosa ni tsuite." (An investigation of lead-pollution of soil by automobile exhaust gases in Kagoshima-Prefecture). Kagoshima-ken Kogai Eisei Kenkyusoho (Rep. Kagoshima Prefect. Inst. Pollut. Pub. Health), 9:104-106 (Aug 1973).

#1550

Matsunaka, S. "Kokagakuteki taiki osen busshitsu no shokubutsu e no eikyo." (The effect of photchemical air pollutants on plants). Text in Japanese. Seikatsu to Kankyo (Life Environ.), 18(8):17-21 (1973).

#1551

Matsuoka, Y. "Taiki osen ni yoru shokubutsu higai (7) fukka suisō ni yoru no-sakumotsu no higai." (Plant damages due to air pollution, Part VII: damages of agricultural crops due to hydrogen fluoride.) Text in Japanese. Nogyo Oyobi Engei (Agr. Hort.), 49(7):1-2 (July 1974).

#1552

Matsuoka, Y. "Taikiosen no yoru shokubutsu no higai hatsugen ni oyobosu Kakushu yoin." (Several factors on the appearance of plant damage by air pollution). Text in Japanese. Shokubutsu Boeki (Plant Prot.), 27(6):234-240 (June 1973).

#1553

Matsushima, J. "Nisanka io oyobi nisanka chisso ga natsudaidai jissei no aminosan, yukisan oyobi torui no doka ni oyobosu eikyo." (Influence of sulfur dioxide and nitrogen dioxide on assimilation of amino acids, organic acids, and saccharoid in Citrus natsudaidai seedlings). Text in Japanese. Mie Daigaku Hogakubu Gakujutsu Hokoku (Bull. Faculty Agric. Mie Univ.), 44: 131-139 (Nov. 1972).

#1554

Matsushima, J. "Ozon ni yoru kaju no higai shojo." (Symptoms of fruit tree injuries by ozone). Text in Japanese. Nogyo oyobi Engei (Agri. Hort.), 49(6):1-2 (June 1974).

#1555

Matsushima, J. "Taiki osen ni yoru shokubutsu higai (5) nisanka io ni yoru kaju no higai." (Plant damages due to air pollution, Part V: Damage of fruit trees due to exposure to SO<sub>2</sub>). Text in Japanese. Nogyo Oyobi Engei (Agr. Hort.), 49(5):1-2 (May 1974).

#1556

Matsushima, J. "Kokagaku sumoggu no shokubutsu ni taisuru eikyo." (Effects of photochemical smog on plants). Text in Japanese. Kankyo Gijutsu (Environ. Conserv. Eng.), 3(7):513-518 (July 1974).

#1557

Matsushima, J., T. Odaira, and T. Sawada. "Kokagaku hanno busshitsu ni yoru yo-saibo no bisai kozo no henka ozon oyobi nisanka chisso ni yoru keyaki, popura oyobi asagao no denshi kenbikyoteki kansatsu." (Change of micro-structure of leaf cells by photochemical reaction products - electron microscopic observation of zelkova, poplar, and morning glory affected by ozone and sulfur dioxide). Text in Japanese. In: Studies in Tokyo Smog, Tokyo Metropolitan Research Inst. for Environmental Protection (Japan), Rept. 3, p. 626-633 (March 1974).

#1558

Matsushima, Jiro and Manabu Harada. "Kaju no aryusangasu niyori engai. Dai 1 po. Kaju no teikosei narabini kankitsurui no rakujo oyobi seiiku niyobosu eikyo nitsuite." (Sulfur dioxide gas injury to fruit trees. I. Comparisons of resistance of fruit trees and effects on leaf fall and growth of citrus species). Mie Daigaku hogakubu Gakujutsu Hokoku (Bull. of Faculty of Agriculture, Mie Univ.), p. 11-32 (Sept 25, 1964).

#1559

Nakagawa, Y., H. Mitsugi, N. Takata, and H. Watanabe. "Jukinzoku-to no shokubutsu e no torikomi ni tsuite." [On the accumulation of heavy metals in plants]. Taiki Osen Kenkyu (J. Japan. Soc. Air Pollution), 8(3):314 (Oct. 1973).

#1560

Matsushima, Jiro. "Kokagaku hanno busshitsu no shokubutsu no oyobosu eikyo." (The effects of photochemical reaction substances on plants). Japan Society of Air Pollution, Proc. Japan Soc. Air Pollut. Meet. Air Pollut. Caused Photo-chem. Reaction, p. 171-181 (1972).

#1561

Matsushima, Jiro and R.F. Brewer. "Influence of sulfur dioxide and hydrogen fluroide as a mix or reciprocal exposure on citrus growth and development." J. Air Pollution Control Assoc., 22(9):710-713 (Sept 1972).

#1562

Matsushima, Jiro. "Chisso sankabutsu no shokubutsu ni oyobosu eikyo." (Effects of nitrogen oxides on plants). Taiki Osen Kenkyu (J. Japan. Soc. Air Pollution), 8(3):234-242 (Oct 1973).

#1563

Matsushima, J. "Onshu mikan no aryusan gasu shogai ni taisuru kakushu yakuzai no eikyo to sono sayo kisaku ni tsuite." (Influence of various chemicals on sulfur dioxide gas injuries and its mechanism in Satsuma orange). Text in Japanese. Taiki Osen Kenkyu (J. Japan. Soc. Air Pollution), 2(2):160-167 (June 1973).

#1564

McCune, D.C., P.J. Temple, and A.M. Witherspoon. "Acceptable limits for air pollution dosages and vegetation effects: Fluoride." Presented at the Air Pollution Control Association Annual Meeting, 67th, Denver, Color., Paper 74-226, 12 p. (June 9-13, 1974).

#1565

McCune, D. C., D. H. Silberman, R. H. Mandl, L. H. Weinstein, P. C. Freudenthal, and P. A. Giardina. "Studies on the effects of saline aerosols of cooling tower origin on plants." (Presented at the Air Pollution Control Association Annual Meeting, 67th, Denver, Colo., June 9-13, 1974, Paper 74-251.) Preprint, Air Pollution Control Assoc., Pittsburgh, Pa., 20 p., 1974.

#1566

McGovern, P.C. and D. Balsillie. "How sulphur dioxide affects vegetation in the Sudbury area." Water Pollution Control (Toronto), 111(3):70, 73-74, 76-79 (April 1973).

#1567

McMurchie, E.J., W.B. McGlasson, and I.L. Eaks. "Treatment of fruit with propylene gives information about the biogenesis of ethylene." Nature (London), 237(53,52):235-236 (May 1972).

#1568

Menlove, H. O. "Determination of NaCl contamination in pine trees by neutron activation techniques." Los Alamos Scientific Lab., N. Mex. In: Environmental Monitoring in the Vicinity of the Los Alamos Scientific Laboratory. Calendar Year 1972, p. 52-53 (March 1973). NTIS:LA-5184.

#1569

Menser, Harry A., Jr. "The effects of ozone and controlled-environment factors on four varieties of tobacco, Nicotiana tabacum L." Maryland Univ., College Park Dept. of Agronomy, Thesis (Ph.D.), Ann Arbor, Mich., Univ. Microfilms, Inc., 145 p. (1962).

#1570

Menser, H.A., H.E. Heggestad, O.E. Street, and R.N. Jeffrey. "Response of plants to air pollutants. I. Effects of ozone on tobacco plants preconditioned by light and temperature." Plant Physiol., 38:605-609 (1963).

#1571

Michels, S., G. Croessmann, and Gerhard Scholl. "Ueber die Kontamination von Nahrungsmitteln mit Schwermetallen." (The contamination of food with heavy metals). Staub, Reinhaltung Luft, 34(1):23-26 (Jan 1974).

#1572

Michler, R. "Pflanzliche Indikatoren der Umweltverschmutzung." (Plants as indicators of the environmental pollution). Text in German. (Presented at the Hohenheim University Umweltforschung Seminar, 1971.) Umweltforschung, 58:19-22 (1971).

#1573

Mihailovic, L. "Dejstvo sumpordicksida na vegetaciju." (Effect of sulphur dioxide on vegetation). Text in Serbo-Croatian. Hemisika Ind., 7:1381-1386 (1972).

#1574

Miles, C.D., J.R. Brandle, D.J. Daniel, O. Chu-Der, P.D. Schnare, and D.J. Uhlik. "Inhibition of photosystem II in isolated chloroplasts by lead." Plant Physiol., 49(5):820-825 (1972).

#1575

Miller, Paul Robert and Arthur A. Millecan. "Extent of oxidant air pollution damage to some pines and other conifers in California." Plant Disease Repr., 55(6):555-559 (June 1971).

# 1576

Ministry of Health & Welfare (Japan), Environmental Pollution Control Dept. "Yamagata-ken yoshinogawa ryuiki ni okeru kadomyumu kankyo osen ni kansuru koseisho no kenkai to kongo no taisaku." (Opinion of the welfare ministry with regard to environmental pollution by cadmium in the basin of the Yoshino River in Yamagata Prefecture and countermeasures to be taken). Translated from Japanese by Seizaburo Aoki, Japanese Language Translation Service, Funsawa, 15 p. In: Kadomyumu Kankyo Osen Taisaku (Countermeasures Against Environmental Pollution by Cadmium), 219-231 (March 1972).

#1577

Miroshnikova, A.T. and V.S. Nikolayevskiy. "Novyye biofizicheskiye metody diagnostiki gazoustoychivosti rasteniy." (New biophysical methods for determining the gas tolerance of plants). Uch. Zap., Perm. Gos. Univ., 256:197-210 (1971).

#1578

Mitsudera, M. "Kankyo no kanshi." (Monitoring of environment). Text in Japanese. Kankyo Sozo (Environ. Creation), 4(9):68-74 (Sept. 1974).

#1579

Miyake, Y. and Y. Uno. "Tabako no seiriteki hanten shogai ni kansuru kenkyu (dai 6 ppo) Bel W3 no ozon ni yoru seiri shogai to kiko kaido tono kanren." (Studies on physiological tobacco leaf spots Part VI: Relationship between the physiological damage due to ozone and the stomatal aperture of the leaves of Bel-W3 strain). Utsunomiya Tabako Shikenjo Hokoku (Bull. Utsunomiya Tob. Exp. Stn.), 12:61-66 (Oct 1973).

#1580

Miyake, Y., and Y. Uno. "Tabako no seiriteki hanten shogai ni kansuru denkyu (Daisanpo). Tabako Tainai no gurutachion nodo to ozon ni yoru seiri shogai hasseido to no kanrensei ni tsuite." (Studies on physiological tobacco leaf spot (III). Relationship between content of glutathione in tobacco leaf and ozone leaf damage). Text in Japanese. Utsunomiya Tabako Shikenjo Hokoku (Bull. Utsunomiya Tob. Exp. Stn.), 11:15-22 (Nov. 1972).

#1581

Daines, R. H. "Sulfur dioxide and plant response." (Presented at the Symposium on Air Quality Criteria, June 5, 1968.) J. Occupational Med., 10(9):516-534 (September 1968).

#1582

Furukawa, A. and M. Kadota. "Effect of ozone on photosynthesis and respiration in poplar leaves." Environ. Control Biol., 13(1):1-7 (March 1975).

1583

Godzik, S. "Vergleichende untersuchungen ueber die aufnahme von schwefel-dioxyd aus der atmosphaere durch einige arten der gattung pinus." [Comparative investigations on uptake of sulfur dioxide from the atmosphere by certain species of the genus Pinus]. Mitt. Forst. Bundesvers., 97: 319-334 (1972).

#1584

Bonte, J., and L. DeCormis. "Effets du dioxyde de soufre sur les mouvements stomatiques des plantes." (Effects of sulfur dioxide on the stomatic motion of plants). Proc. Int. Clean Air Congr., 3rd, Duesseldorf, West Germany, p. A134 - A138 (1973).

#1585

Olson, J. S. "Linking atmospheric and ecosystem models for carbon budgets." In: Ecological Sciences Division Annual Progress Report. Oak Ridge National Laboratory, Ecological Sciences Div., Tenn. Pub. 385. 3 p. (Feb. 1971).

#1586

Olsson, L. E. "Lake effects on air pollution dispersion." Michigan Univ., Ann Arbor, Dept. of Meteorology and Oceanography, Grants AP-00380-03, AP-00893-01, and NIH-AP-00007, Proj. 02621, Rept. 02621-1-T, 216 p. (April 1969).

#1587

Payrissat, M. "The cycle of sulphur dioxide in the atmosphere." Eurospectra, 13(1):16-22 (March 1974).

#1588

Peyton, T., A. McIntosh, and V. Anderson. "A field study of the distribution of aerially deposited trace elements in an aquatic ecosystem. 1. Sediment component." Missouri Univ., Columbia, Environmental Trace Substances Center and National Science Foundation, Washington, D. C., RANN Program, Trace Subst. Environ. Health Proc., Annu. Conf., 8th, Columbia, Mo., p. 193-201 (June 11-13, 1974).

#1589

Pickwell, G. V. "The physiology of carbon monoxide production by deep-sea coelenterates: Causes and consequences." Ann. N.Y. Acad. Sci., 174(1): 102-115 (Oct. 5, 1970).

#1590

Robinson, E. and R. C. Robbins. "Gaseous atmospheric pollutants from urban and natural sources." Global Eff. Environ. Pollut.. Symp., Dallas. 15 p. (1968).

#1591

Spedding, D. J. "Sulphur dioxide absorption by sea water." Atmos Environ., 6(8):583-586 (August 1972).

#1592

Pressman, J., L. M. Arin, and P. Warneck. "Mechanisms for removal of carbon monoxide from the atmosphere." (Final Report). GCA Corp., Bedford, Mass., NAPCA Contract CPA 22-69-36, GCA-TR-70-6-G, 42 p. (April 1970). CFSTI: PB 192188.

#1593

Rasmussen, R.A. "Emission of biogenic hydrogen sulfide." Tellus (Uppsala), 26(1-2): 254-260 (1974).

#1594

Robinson, E., and Robert C. Robbins. "Atmospheric carbon monoxide in the north and south Pacific Ocean areas." Preprint. Stanford Research Inst. Menlo Park, California, 25 p. (1971).

#1595

Roenicke, G. and R. Graul. "Die ablagerungen von luftverunreinigungen an wasseroberflaechen." [Deposition of air pollutants on surface water]. Staub, Reinhaltung Luft, 30(9):378-379 (Sept. 1970).

#1596

Yabuki, Kazutoshi and Masatoshi Aoki. "Sekigai kara koku shashin ni yoru shokubutsu kassei no seitai chosa." (On the ecological survey of plant activity by infra-red color aerial photography). Taiki Osen Kenkyu (J. Japan. Soc. Air Pollution), 8(3):596 (Oct. 1973).

#1597

Thomas, M.D., R.H. Hendricks and G.R. Hill. "The action of sulphur dioxide on vegetation." Proc. Natl. Air Pollution Symp., 1st, Pasadena, Calif., 142-7 (1949).

#1598

Whelpdale, D.M. "The contribution made by air-borne pollutants to the pollution of large bodies of water." Atmosphere, 10(1):18-22 (1972).

#1599

Woodwell, G.M. and W.R. Dykeman. "Respiration of a forest measured by carbon dioxide accumulation during temperature inversions." Science, 154(3752): 1031-4 (Nov. 25, 1966).

#1600

Swinnerton, J. W., V. J. Linnenbom, and R. A. Lamontagne. "Distribution of carbon monoxide between the atmosphere and the ocean." Ann. N.Y. Acad. Sci., 174:96-101 (1970).

#1601

Swinnerton, J. W., R. A. Lamontagne, and V. J. Linnenbom. "Carbon monoxide in rainwater." Science, 172(3986):943-945 (May 28, 1971).

#1602

Swinnerton, J. W., V. J. Linnenbom, and R. A. Lamontagne. "The ocean: a natural source of carbon monoxide." Science, 167(3920):984-986 (February 1970).

#1603

Weidensaul, T. C. "Are trees efficient air purifiers?" Ohio Rep., 57(4):57-60 (July-August 1972).

#1604

Weisser. Forests as natural protection barriers against air pollution between adjacent industrial and residential areas. Preprint. Translated from German by Edith R. Johnson, 9 p., 1961.

#1605

Unsworth, M.H., P.V. Biscoe, and H.R. Pinckney. "Stomatal responses to sulphur dioxide." Nature (London), 239(5373):458-459 (Oct. 20, 1972).

#1606

Whelpdale, D.M. "Particulate residence times." Water, Air, Soil Pollut., 3(3):293-300 (Sept. 1974).

#1608

Miyake, Y., and Y. Uno. "Tabako no seiriteki hanten shogai ni kansuru kenkyu (dainiho). Oshokushu tabako no ozon shogai to tainai chisso kagobutsu to no kanren ni tsuite." (Studies on physiological tobacco leaf spot (KK). Relationship between ozone leaf damage and nitrogenous compounds in flue cured tobacco leaf). Text in Japanese. Utsunomiya Tabako Shikenjo Hokoku (Bull. Utsunomiya Tob. Exp. Sta.), 11:7-13 (Nov. 1972).

#1609

Miyake, Y. "Tabako no seiriteki hanten shogai ni kansuru kenkyu (dai 5 ho) ozon kanjusei to yochu asukorubinsan, gurutachion ganryo to no kanren." (Studies on physiological tobacco leaf spot (Part V). Relation between sensibility of tobacco leaf to ozone and its contents of ascorbic acid and glutathione). Utsunomiya Tabako Shikenjo Hokoku (Bull. Utsunomiya Tobacco Exp. Sta.), 23: 55-59 (Oct 1973).

#1610

Miyamoto, S., J. Ryan and J.L. Stroehlein. "Effects of SO<sub>2</sub> on calcereous soils." Sulphur Inst. J., 10(2):14-15 (Summer 1974).

#1611

Lynam, D. R., Ph.D. "The atmospheric diffusion of carbon monoxide and lead from an expressway." University of Cincinnati (1972).

#1612

Sandberg, D.V., and R.E. Martin, "Measurement of particulate emissions from forest residues in open burning experiments." University of Washington (1974).

#1613

Mudd, J.B., T.T. McManus, and Alpaslan Ongun. "Inhibition of lipid metabolism in chloroplasts by ozone." International Union of Air Pollution Prevention Assoc., 25 p. (1970). Presented at the International Clean Air Congress, 2nd, Washington, D.C., Paper MB-33B (Dec 6-11, 1970).

#1614

Mudd, J.B. "Biochemical effects of peroxyacetyl nitrate and ozone." Council of Europe, Committee of Experts on Air Pollution, Air Pollution Proc. First European Congr. Influence Air Pollution Plants Animals, Wageningen, Netherlands, p. 161-166 (April 22-27, 1968).

#1615

Munshower, Frank F. "Biotic monitoring of the effect of power plant stack emissions on the range resource in southeastern Montana." Presented at the Air Pollution Control Association, Annual Meeting, 67th, Denver, Colorado, paper 74-5 (June 9-13, 1974). Preprint, Air Pollution Control Assoc., 14p. (1974).

#1616

Musche, R. "Bleigehalte in Lebensmitteln." [The lead concentration in food]. In: Blei und Umwelt. Kommission fuer Umweltgefahren des Bundesgesundheitsamtes (West Germany), Arbeitsgruppe Blei. p. 58-61 (1972).

#1617

Nakagawa, Yoshihiro, Hidekatsu Mitsugi, and Kokei Takata. "Komugi saibai shiken kara mita shushi e no jukinzoku no chikuseki ni tsuite." (Accumulation of heavy metals in wheat exposed to the emission particulates of a zinc refinery). Japan Society of Air Pollution, Proc. Symp. Japan. Soc. Air Pollut., 13th, paper 179 225 (1972).

#1618

Brennan, E., and P. M. Halisky. "Response of turfgrass cultivars to ozone and sulfur dioxide in the atmosphere." Phytopathology, 60:1544-1546 (November 1970).

#1619

Nakamura, Katsuya. "Toshi kankyo no seibusu shihyo to shiteno Tokyo-to no mokusei no kaika gensho." (The blooming condition of fragrant olives in Tokyo metropolis as an index for urban environment). In: Study on Animals and Plants as Human Environmental Indices Under Urban Environment, Japan Environmental Agency, p. 81-88 (March 1973).

#1620

Nakamura, Katsuya. "Toshi kankyo to niwaki no susubyo no hassei ni tsuite." (Urban environment and proliferation of tree perisporia). In: Study on Animals and Plants as Human Environmental Indices under Urban Environment, Japan Environmental Agency, pp. 89-100 (March, 1973).

#1621

Nash, T. H., III. "Lichen sensitivity to hydrogen fluoride." Bull. Torrey Botan. Club, 98(2):103-106 (March-April 1971).

#1622

Nash, T. H., III. "Simplification of the Blue Mountain lichen communities near a zinc factory." Bryologist, 75(3):315-324 (1972).

#1623

Nast, T. A., and A. G. Hassouna. "Tolerance of bananas to fluorides and sulphur dioxide." Alex J. Agr. Res., 18(1):115-118 (1970).

#1624

National Research Council, Ottawa (Canada), Associate Committee on Scientific Criteria for Environment Quality. "Lead in the Canadian environment (final report)." Pub.BY73-7(ES), 117 p. (December 1973).

#1625

Navara, J. "Prispevok k ucinku fluoru na knicenie semien vo vztahu k prirodzenemu obsahu populovin a niekterych biogennych prvkov." (A contribution concerning effect of fluorine on seed germination in relation to the natural content of ash and some biogenic ends). Translated from Russian, Belov and Associates, Denver, Colo., 11 p., Jan. 2, 1971. Biologia, 19(8):589-596 (1964).

#1626

Navara, Jan. "Zmeny v intenzite transpiracie a poskodenie rastlin pri psosbeni fluoru z ovzdusia." (Variations in the intensity of transpiration and damage to plants caused by fluorine present in the atmosphere). Biologia (Bratislava), 27(7):545-559 (1972).

#1627

Nieboer, E., H.M. Ahmed, K.J. Puckett, and D.H.S. Richardson. "Heavy metal content of lichens in relation to distance from a nickel smelter in Sudbury, Ontario." Lichenologist, 5:292-304 (1972).

#1628

Nikolayevskiy, V.S., V.V. Firger, and L.M. Belokrylova. "Svetovoy metabolizm ugleroda-14 u dekorativnykh rasteniy i ego rol v gazoustoychivosti." (Light metabolism of carbon-14 in ornamental plants and its role in gas tolerance). Translated from Russian. Uch. Zap., Perm Gos Univ., 256:55-92 (1971).

#1629

Nikolayevskiy, V.S. and A.T. Miroshnikova. "Dopustimyye normy zagryazneniya vozdikha dlya rasteniy." (The air pollution levels permissible for plants). Gigiena i Sanit., 4:16-18 (1974).

#1630

Nikolaevskiy, V.S. "The activity of certain enzymes and gas resistance of woody plants." In: American Institute of Crop Ecology Survey of USSR Air Pollution Literature. Vol. III. The Susceptibility or Resistance to Gas and Smoke of Various Arboreal Species Grown under Diverse Environmental Conditions of the Soviet Union, M.Y. Nuttonson (ed.), Silver Spring, Md., American Institute of Crop Ecology, p.95-99 (1970).

#1631

Nikolayevskiy, V.S. "The Effect of Sulfur Dioxide on Woody Plants Under the Environmental Conditions Prevailing in the Sverdlovsky Region." In: American Institute of Crop Ecology Survey of USSR Air Pollution Literature. Vol. III. The Susceptibility or Resistance to Gas and Smoke of Various Arboreal Species Grown under Diverse Environmental Conditions in a Number of Industrial Regions of the Soviet Union. M. Y. Nuttonson (ed.), Silver Spring, Md., American Institute of Crop Ecology, p. 58-67 (1970). Translated from Russian. (Also: Okhrana Priorody na Urale, 4: 123-132 (1964)).

#1632

Nikolaevskiy. "Indicators of gas resistance of arboreal plants(according to investigations conducted in the city of Krasnoural'sk)." In: American Institute of Crop Ecology Survey of USSR Air Pollution Literature, Vol 3., Silver Spring, Md., American Inst. of Crop Ecology (1970) p. 70-94. Also: Tr. Inst. Bid. Ural. Filial Akad, Nauk USSR, 31:59-79 (1963).

#1633

Nishino, O., M. Arai, I. Senda, and K. Kubota. "Kankyo osen no suzume ni oyobosu eikyo." (Influence of environmental pollution on the sparrow). Nippon Koshu Eisei Zasshi (Japan J. Public Health), 20(10), 1 p. (Oct 1973).

#1634

Nobel, P.S. and C.T. Wang. "Ozone increases the permeability of isolated pea chloroplasts." Arch. Biochem. Biophys., 157(2):388-394 (1973).

#1635

Noller, B.N. and L.E. Smythe. "Distribution of lead in vegetation bordering roads in the Sydney metropolitan area." Search, 5(3):108-110 (March 1974).

#1636

Nouchi, I., T. Sawada, K. Kan, T. Ohashi, T. Odaira, T. Iijima, K. Terakado, M. Hikima, M. Iwanami, and S. Sugata. "Ozon ni taisuru shokubutsu no sotai-teki tekiosei." (Relative resistibility of plant to ozone). Text in Japanese. In: Studies on Tokyo Smog. Tokyo Metropolitan Research Inst. for Environmental Protection (Japan), Rept. 3, p. 585-593 (March 1974).

#1637

Nouchi, I., T. Ohashi, T. Sawada, T. Odaira, M. Hikima, and M. Iwanami. "Jumoku ni taisuru ozon to nisanka io no fukugo gasu no eikyo." (Effects of combined gas composing of ozone and sulfur dioxide on trees). In: Studies on Tokyo Smog, Tokyo Metropolitan Research Inst. for Environmental Protection (Japan), Rept. 3, p. 594-598 (March 1974).

#1638

Nouchi, I. and T. Odaira. "PAN no shokubutsu higai shojo." (Symptoms to be observed in plants damaged by peroxyacetyl nitrate). In: Studies on Tokyo Smog, Tokyo Metropolitan Research Inst. for Environmental Protection (Japan), Rept. 3, p. 599-606 (March 1974).

#1639

Nouchi, I., and T. Odaira. "Ozon ni yoru shokubutsu shikiso eno eikyo." (The effect of ozone on plant pigments). Text in Japanese. Tokyo-to Kogai Kenkyusho Nenpo (Annu. Rept. Tokyo Met. Res. Inst. Environ. Prot.), 5:56-51 (March 1974).

#1640

Nouchi, I., and T. Odaira. "Effects of ozone on plant pigments." In: Annual Report of the Tokyo Metropolitan Research Institute for Environmental Protection, Tokyo Metropolitan Research Inst. for Environmental Protection (Japan), p. 23-32 (1974).

#1641

Nouchi, Isamu, Toshio Odaira, Tadashi Sawada, Kuniko Oguchi and Tetuhito Komeiji. "Ozon ni yoru shokubutsu higai shojo." (Plant ozone injury symptoms). Taiki Osen Kenkyu (J. Japan Soc. Air Pollution), 8(2):113-119 (Aug. 2, 1973).

#1642

Nouchi, I., and T. Odaira. "Taiki osen-shitsu no shokubutsu yoshikiso eno eikyo." (Influence of air pollutants on pigments in plant leaves). Text in Japanese. In: Studies on Tokyo Smog. Tokyo Metropolitan Research Inst. for Environmental Protection (Japan), Rept. 3, p. 573-584 (March 1974).

#1643

Nouchi, I., and T. Odaira. "Ozone no shokubutsu shikiso ono eikyo." (Influence of ozone on plant pigments). Text in Japanese. Taiki Osen Kenkyu (J. Japan. Soc. Air Pollution), 8(2):120-25 (August 1973).

#1644

O'Connor, J.A., D.G. Parbery, and W. Strauss. "The effects of phytotoxic gases on native Australian plant species: Part 1. Acute effects of sulphur dioxide." Environ. Pollut., 7(1):7-23 (1974).

#1645

Odaira, T., T. Sawada, T. Komeiji, I. Nouchi, K. Oguchi, K. Negishi, M. Iwanami and T. Asaka. "Damage to vegetation when exposed to ozone and high oxidant concentrations." Tokyo-To Kogai Kenkyusho-ho (Ann. Rept. Tokyo Metropol. Res. Inst. Environ. Protection), p. 25-35 (1973).

#1646

Odaira, T., T. Sawada, T. Komeiji, I. Nouchi, T. Ohashi, N. Date, T. Iijima, and K. Terakado. "Asagao ni yoru kokagaku sumoggu eikyo chosa." (Investigation of influence of photochemical smog by damage on morning glory). In: Studies on Tokyo Smog, Tokyo Metropolitan Research Inst. for Environmental Protection (Japan), Rept. 3, p. 655-672 (March 1974).

#1647

Odaira, T., K. Shiratroi, and T. Sawada. "Nosakubutsu o chushin to shita okishidanto shokubutsu higai no yagi chosa hoho ni tsuite." (On a method of field investigation in oxidant damage to vegetation, particularly to the crops.) Text in Japanese. Taiki Osen Nyusu (Air Pollution News), 76(5): 1-6 (May 1973).

#1648

Oelschlaeger, W. "Fluorschadenswirkungen." (Harmful effects of fluoride). Text in German. Ziegelind (Wiesbaden), 4:169-174 (1974).

#1649

Oelschlaeger, W. "Die Problematik bei der Probeentnahme von Futtermittein in und ausserhalb von Emissionsgebieten." (The problems involved in sampling within and outside zones of emission). Landwirt. Forsch. Sonderh., 26(1): 89-99 (1973).

#1650

Ohara, A. "Jumoku no kogai boshi shiken. 2. Ryokuchi jushu no seiiku shiken." (Experiments for protecting trees from environmental pollution. Part II: Growth test of tree species). Text in Japanese. Fukuiken Ringyo Shikenjo Hokoku (Annu. Rep. Fukui Prefect. For. Exp. Stn.), 11:190 (1973).

#1651

Ohara, A. "Jumoku no kogai boshi shiken 1. Taiki osen no jumoku ni oyobosu eikyo." (Experiments on protecting trees from environmental pollution. Part I: The influence of air pollution on trees). Text in Japanese. Fukuiken Ringyo Shikenjo Hokoku (Annu. Rep. Fukui Prefect. For. Exp. Stn.), 11:185-189 (1973).

#1652

Ohira, Toshio, Tadashi Sawada, Tetsuto Komeiji, Isamu Nouchi, Kuniko Oguchi, Hou Negishi, Motoki Iwanami, and Toshio Asaka. "Shokubutsu no O<sub>3</sub> bakuro to konodo okishidanto hasseiiji ni mirareru higai jokyo." (Plant damages by O<sub>3</sub> exposure and by high concentration oxidants). Tokyo-to Kogai Kenkyusho Nenpo (Annu. Rept. Tokyo Met. Res. Inst. Environ. Prot.), 4:99-106.

#1653

Oshima, R., O.C. Taylor, and E.A. Cardiff. "Severe air pollution episode in south coast basin." Calif. Agr., 28(2):12-13 (Feb 1974).

#1654

Oshima, R. J. "A viable system of biological indicators for monitoring air pollutants." (Presented at the International Congress of Plant Pathology, 2nd, Minneapolis, Minn., Paper 0996, Sept. 1973.) J. Air Pollution Control Assoc., 24(6):576-578 (June 1974).

#1655

Ota, Yasuo, Saburo Shibukawa, and Renpei Kamino. "Saitama-ken ni okeru kokogaku sumogga ni yoru saki motsu higai no hassei jokyo to sushu yakuza ni koka tsuite." (Crop damage by air pollution in Saitama prefecture and chemical preventives). Japan Society of Air Pollution, Proc. Symp. Japan Soc. Air Pollut., 13th, p. 25, Paper 185 (Nov. 7-9, 1972).

#1656

Pack, M.R. "Effects of hydrogen fluoride on production and food reserve content of bean seed." Washington State Univ., Pullman, Air Pollution Research Section, 7 p. (1969).

#1657

Page, A. L., and T. J. Ganhe. "Accumulations of lead in soils for regions of high and low motor vehicle traffic density." Environ Sci. Technol., 4(2): 140-142 (February 1970).

#1658

Pahlisch, E., H.-J. Jaeger, and L. Steubing. "Beeinflussung der Aktivitaeten von Glutamatdehydrogenase und Glutaninsynthetase aus Erbsenkeimlingen durch SO<sub>2</sub>." (The effect of SO<sub>2</sub> on the activities of glutamate dehydrogenase and glutamine synthetase from pea seedlings). Angew. Botan., 46:183-197 (1972).

#1659

Paluch, J., and S. Karweta. "Zinc and lead immission in the surroundings of a metallurgical combine and its effect of plants and soil." Air Conserv. (English translation from Polish of: Ochrona Powietrza), 4(6)(20):5-14 (1970).

#1660

Paluch, J. and S. Karweta. "Die Akkumulierung von Zink und Blei im Boden und in Pflanzen." [Accumulation of zinc and of lead in the soil and in plants]. Polska Akademia Nauk. Zaklad Badan Naukowych Gornoslaskiego Okregu Przemyslowego. Mater. Miedzynarodowej Konf., Wplyw Zanieczyszczen Powietrza na Lasy, 6th. Katowice, Poland. p. 127-138 (Sept. 9-14, 1968).

#1661

Paluch, Jan. "Die Moeglichkeiten der Anwendung von Pflanzentesten zur Beurteilung des Luftverunreinigungsgrades." (The application of plant tests in the assessment of the degree of air pollution). Polska Akademia Nauk, Zaklad Badan Naukowych Gornoslaskiego Okregu Przemyslowego, Mater. Miedzynarodowej Konf., Wplyw Zanieczyszczen Powietrza na Lasy, 6th, Katowice, Poland, p. 219-234 (Sept 9-14, 1968).

#1662

Pell, Eva Lindauer. "The adenosine triphosphate to total adenylyate status of ozonated pinto bean foliage and its relation to photosynthesis and respiration." Rutgers-The State Univ., New Brunswick, N.J., Dept. of Biology, Thesis (Ph.D.), Ann Arbor, Mich., Univ. Microfilms, Inc., 114 p. (Jan 1972).

#1663

Pellissier, Marc. "La pollution atmospherique et ses effets sur la vegetation." (Atmospheric pollution and its effects on vegetation). Ministere de la Protection de la Nature et de l'Environnement (Quebec) and Quebec Univ., Trois-Riveres (Quebec), Joint Pub., 51 p. (1972).

#1664

Pelz, E. "Die Bestimmung des Grades der Rauchschaedigung in Fichtenbestaenden." (Determination of smoke damage degree in spruce stands). Soz. Forstwirtsch., 16(6):239-242 (1966).

#1665

Peukert, Volkmar. "Untersuchungen des Einflusses atmosphaerischer Verunreinigungen auf die Wasserbeschaffenheit der Gewaesser." (Study of the influence of atmospheric pollutants on the water composition of water bodies). Wasserwirt.-Wassertech., 24(5):158-161 (1974).

#1666

Pilet, P.-E. "Action du fluor et de l'acide beta-indolylacetique sur la respiration des tissus radiculaires." (The effect of fluorine and of beta-indolacetic acid on the respiration of root tissue). Rev. Gen. Bot., 71(836):12-21 (1964).

#1667

Pisut, Ivan. "Bemerkungen zur Wirkung der Exhalationsprodukte auf die Flechtenvegetation in der Umgebung von Rudnany (Nordostslowakei)." (Comments on the action of emissions on the lichen vegetation around Rudnany (North-east Slovakia)). Biologia, 17(7):481-494 (1962).

#1668

Poovaiah, B.W. and H.H. Wiebe. "Effects of gaseous hydrogen fluoride on oxidative enzymes of Pelargonium zonale leaves." Phytopathology, 61:1277-1279 (1971).

#1669

Prica, Vladimir. "Dinamika nagomilavanja ukupnog sumpora u listu nekih vocaka u uslovima aerozagadenja kao pokazatelja zagadenosti vazduha." (Accumulation dynamics of total sulfur in leaves of some fruit trees in the conditions of aerial pollution). Savremena Poljopr., 21(11-12):83-94 (1973).

#1670

Price, Harvey and Michael Treshow. "Effects of ozone on the growth and reproduction of grasses." Proc. Int. Clean Air Conf., Melbourne, Australia, 275-280 (May 15-18, 1972).

#1671

Przybylski, Zdzislaw. "Resultats d observations relatives a l influence des gaz et vapeurs de soufre sur les arbres fruitiers, arbustes et arthropodes aux alentours des usines et mines de soufre dans la region de Tarnobrzeg." (Results of observation on the influence of sulfurous gas and vapors on fruit trees, shrubs, and arthropods around the sulfur mines and processing plants in the Tarnobrzeg Region). Environ. Pollut., 6(1):67-74 (Jan 1974).

#1672

Purves, D. "Trace-element contamination of soils in urban areas." Trans. Int. Congr. Soil Sci., 2:351-355 (1968).

#1673

Purves, D., and E. J. MacKenzie. "Trace-element contamination of parklands in urban areas." J. Soil Sci., 20(2):288-290 (1969).

#1674

Putth, G., and U. Luettge. "Sulfitwirkung die Membranpermeabilitaet von Pflanzenzellen: SO<sub>3</sub> Hemmung des n-Butanol induzierten Betacyaninefflux dem Gewebe roter Rueben." (The effect of sulfite on membrane permeability in plant cells: SO<sub>3</sub>(--) inhibition of the betacyanin efflux from red beet tissue induced by N-Butanol.). Text in German. Biochem. Physiol. Pflanzen., 164(2): 195-198 (1973).

#1675

Pyatt, F.B. "Some aspects of plant contamination by airborne particulate pollutants." Int. J. Environ. Studies, 5:215-220 (1973).

#1676

Pyatt, F. Brian. "Plant sulfur content as an air pollution gauge in the vicinity of a steelworks." Environ. Pollut., 5(2):103-115 (Sept. 1973).

#1677

Raay, A. van. "The use of indicator plants to estimate air pollution by SO<sub>2</sub> and HF." Air Pollution Proc. First European Congr. Influence Air Pollution Plants Animals, Wageningen, Netherlands, p. 319-328 (April 22-27, 1968).

#1678

Rabotnova, I.L., V.S. Somov, T.S. Bobkova, I.V. Zlochevskaya, L.N. Chekunova, I.F. Knyazeva, and S.I. Belen kiy. "O zavisimosti toksicheskogo deystviya ozona na drozhzhi ot nekotorykh komponentov i pH sredy." (The relationship between the toxic action of ozone on yeast and certain components and medium pH). Vestn Mosk, Univ., 5:47-51 (1971).

#1679

Rancitelli, L. A., K. H. Abel, and W. C. Weimer. "Elemental content of trace elements in vegetation collected at Centralia, Washington." In: Pacific Northwest Laboratory Annual Report for 1973 to the USAEC Division of Biomedical and Environmental Research, Part 3. Atmospheric Sciences. Battelle Memorial Inst., Richland, Wash., Pacific Northwest Labs., Atomic Energy Commission Contract AT(45-1):1830, p. 1690170 (April 1974).

#1680

Rand, W.E. and H.J. Schmidt. "The effect upon cattle of Arizona waters of high fluoride content." Am. J. Vet. Res., 8(46):50-61 (Jan 1952).

#1681

Ranft, H. and H.G. Daessler. "Rauchhaertetest an Gehoelzen im SO-2 Kabinenversuch." (Smoke-hardness test carried out on woods in an SO-2 chamber test). Flora (Jena), 159:573-588 (1970).

#1682

Reinert, R.A., A.S. Heagle, J.R. Miller, and W.R. Geckeler. "Field studies of air pollution injury to vegetation in Cincinnati, Ohio." Plant Disease Repr., 54(1):8-11 (Jan 1970).

#1683

Reinert, Richard A. and Harvey W. Spurr, Jr. "Differential effect on fungicides on ozone injury and brown spot disease of tobacco." J. Environ. Quality, 1(4):450-452 (Oct-Dec 1972).

#1684

Reusmann, G. and J. Westphalen. "Automatische Bestimmung von Blei, Zink, Cadmium und Kupfer in Pflanzenmaterial durch Inversvoltammetrie." (Automatic determination of lead, zinc, cadmium and copper in plant materials by stripping voltammetry). Z. Anal. Chem., 264(2):165-167 (1973).

#1685

Ricks, G. R and R.J.H. Williams. "Effects of atmospheric pollution on deciduous woodland. Part 2: Effects of particulate matter upon stomatal diffusion resistance in leaves of Quercus petraea (mattuschka) leibl." Environ Pollut., 6(2):87-109 (Feb. 1974).

#1686

Robak, Hakon. "Probleme und Aufgaben der Diagnostik der durch Luftversreinigung verursachten Waldschaeden." (Problems and tasks of diagnosis of forest injuries caused by air pollution). Presented at the International Union Forest Research Organization Congress, Sopron, Hungary (Oct. 9-14, 1972).

#1687

Robak, H. "Aluminum plants and conifers in Norway." Council of Europe, Committee of Experts on Air Pollution, Air Pollution Proc. First European Congr. Influence Air Pollution Plants Animals, Wageningen, Netherlands, 27-31 (1968).

#1688

Rogalinski, K. and Z. Muszynski. "Lasy znajdujace sie w strefie szkodliwego oddzialywania gazow i pylow przemyslowych okolic brynicy i zyglincek." (Forests situated in the zone of the noxious action of industrial gases and dusts in the area of Brynica and Zyglincek). Ministry of Forestry and Timber Industry, Cracow, Poland, Commission for Forest Administration and Replanting in Industrial Districts. 4(23) 36 pp. (1971).

#1689

Rohmeder, Von E. and E. Weber. "Vergiftung von Fichten durch Flugzeugabgase." (Poisoning of spruce by aircraft exhaust gases). Forstwiss. Zentralbl., 89: 335-339 (1970).

#1690

Taniyama, Tetsuro, Hiroki Arikado, and Yukihiko Iwata. "Sakubutsu no gasu shogai ni kansuru kenkyu. Daikyuhu Aryusan gasu (SO<sub>2</sub>) no chokikan sesshoku ga suito no kanbutsu seisan ni oyobosu eikyo." (Studies on the mechanism of injurious effects of toxic gases on crop plants. IX. Effect of sulfur dioxide treatment for long period on dry matter production in rice plants). Nippon Sakumotsu Gakkai Kiji (Proc. Crop Sci. Soc. Japan), 40(4):455-461 (1971).

#1691

Tarabrin, V.P. and L.V. Chernyshova. "Narusheniye sernogo obmena v rasteniyakh pod vliyanym zagryazneniya atmosfernogo vozdukha." (Disruption of sulfur metabolism in plants affected by air pollution). Byull. Gi. Bot. Sada, 83:96-100 (1972).

#1692

Tashio, K., K. Tanabe, I. Kawasaki, S. Nakagawa, K. Namic, and K. Takemoto. "Dobutsu ni okeru shiiku kankyo no kokyuki-kei ni oyobosu eikyo (1) osen hai no keitaigakuteki bunrui ni tsuite." (Influences of breeding environment on respiratory system of animals. Part I: On the morphological classification of lung pollution). Dobutsuen Suizokukan Zasshi (J. Japan Assoc. Zool. Gard. Aquariums), 15(1):6-10 (1973).

#1693

Tate, Albert L. "Local environmental effects of a natural draft cooling tower plume." Emory Univ., Atlanta, Ga., Dept. of Biology, Thesis (M.S.), 110 p. (1973).

#1694

Tatekawa, H., T. Kanno, S. Saito, and H. Tachiya. "Suito ni taisuru taiki-gata osen no kadomiumu osen yosokuho ni tsuite." [Forecasting of cadmium in rice plant by air pollution]. Taiki Osen Kenkyu (J. Japan Soc. Air Pollution), 8(3):315 (Oct. 1973).

#1695

Tatsumi, Shuzo. "Jukinzoku to jumoku." (Heavy metals and trees). Kogai to Taisaku (J. Pollution Control), 9(9):881 - 892 (Sept 1973).

#1696

Taylor, O.C. "Air pollutant effects influenced by plant-environmental interaction." Preprint, 3 p. (1974).

#1697

Stefan, K. "Nadelanalytische Ergebnisse von Einem Duengungsversuch in Einem Rauchgeschaedigten Fichtenbestand." (Results of needle analyses from a fertilizer trial in a smoke-damaged Norway spruce stand). Presented at the International Symposium of Forest Dume Damage Experts, 7th, Essen, West Germany, Sept. 1970. Mitt Forst. Bundesvers., 97:521-534 (1972).

#1698

Steenken, Folkhard. "Begasung von Nutzpflanzen mit bleihaltigen und bleifreien Autoabgasen." (Fumigation of cultivated plants with lead-containing and lead-free automobile exhaust gases). Z. Pflanzenkrankh. Pflanzenschutz, 80(9/10):513-527 (1973).

#1699

Steenken, Folkhard. "Benelungsversuche von Nutzpflanzen mit Bleisalzen aus Autoabgasen." (Fogging experiments on cultivated plants with lead salts from automobile exhaust gas). Z. Pflanzenkrankh. Pflanzenschutz, 80(6): 346-358 (1973).

#1700

Stefan, K. "Ueber den natuerlichen schwefelgehalt von fichtennadeln und seine bedeutung fuer die rauchschadensdiagnose." [The natural sulfur content of pine needles and its significance for pollution damage assessment]. Polska Akademia Nauk. Zaklad Badan Naukowych Gornoslaskiego Okregu Przemyslowego. Mater. Miedzynarodowej Konf., Wplyw Zanieczyszczen Powietrza na Lasy, 6th, Katowice, Poland, 297-312 (Sept. 9-14, 1968).

#1701

Stefanson, R.C. "Evolution patterns of nitrous oxide and nitrogen in sealed soil-plant systems." Soil Biol. Biochem., 5(1):167-169 (Jan 1973).

#1702

Stein, G. "Der Einfluss von industrieabgasen aus dem Boehmischen Becken auf die Waldgebiete im oberen Erzgebirge." (The influence of industrial waste gases from the Bohemian basin on wooded areas in the Upper Erzgebirge.) Text in German. Meteorol., 20(1-6):106-108 (1968).

#1703

Steinhuebel, Gejza. "Die Beeinflussung der Translokationen organischer Stoffe in den Wachsenden trieb durch feste Immissionen bei Koniferen." (The effect of solid pollutants on the translocation of organic substances in the growing shoots of conifers). Mitt. Forst. Bundesvers., 97:419-430 (1972).

#1704

Steinhuebel, Gejza. "Zur Dynamik der Resistenz und einer Herabsetzung der Versorgungs möglichkeiten der wachsenden Triebe infolge Bestaubung bei Immergruenen." (The dynamics of resistance and the decline in nutrient supply of growing shoots resulting from a dust cover of evergreens). Polska Akademia Nauk, Zaklad Badan Naukowych Gornoslaskiego Okregu Przemyslowego, Mater. Miedzynarodowej Konf., Wplyw Zanieczyszczen Powietrza na Lasy, 6th, Katowice, Poland, p. 163-171 (Sept 9-14, 1968).

#1705

Stephens, G. R., L. Hankin, and W. D. Glover, Jr., "Note on lead emissions from incinerated sewage sludge detected on tree foliage." J. Air Pollution Control Assoc., 22(10):799-800 (October 1972).

#1706

Stephens, G.R. and P.E. Waggoner. "Carbon dioxide exchange of a tropical rain forest. Part I." BioScience, 20(19):1050-1053 (Oct. 1, 1970).

#1707

Steubing, Lore. "Plants as indicators of air pollution." Provincia de Buenos Aires (Argentina), Comision de Investigaciones Cientificas, Reunion Probl. Efluentes Ind. Contam. Ambiental, La Plata, Argentina. p.27-33 (July 12-17, 1971).

#1708

Steubing, Lore, Rainer Klee, and Ulrich Kirschbaum. "Beurteilung der Lufthygienischen Bedingungen in der Region Untermain mittels niederer und hoherer Pflanzen." (Evaluation of air hygienic conditions in the Lower Main Region by means of lower and higher plants). Staub, Reinhalung Luft, 34(6):206-209 (June 1974).

#1709

Stewart, Joseph K. and Frank Matoba. "Some factors influencing the susceptibility of lettuce to CO<sub>2</sub> injury." Plant Disease Rept., 56(12):1051-1054 (Dec 1972).

#1710

Stewart, W.D.P. "Algal metabolism and water pollution in the Tay Region. XVI." Proc. Royal Soc., Edinburgh, Sect. B, 71(2/4):209-224 (1971/1972).

#1711

Stoeckhardt, A. "Untersuchungen ueber die schaedliche Einwirkung des Huetten- und Steinkohlenrauches auf das Wachsthum der Pflanzen, insbesondere der Fichte und Tanne." (Studies on the harmful effect of smoke emissions from metallurgical plants and coal firings on the growth of plants, especially of pine and fir). Tharandter Forstl. Jahrb., 21:218-254 (1871).

#1712

Subido, P.S., P.A. Santamaria, E.N. Alqueza, and A.C. Pizarro. "Plants injured by air pollutants." Philippine J. Sci. (Manila), 98(3/4):323-328 (Sept/Dec 1969).

#1713

Sugi, Y., A. Masuda, A. Murata, and H. Yamamoto. "Kankyo osen no shokubutsu eikyo - Omuta-shi ni okeru chakusei shokubutsu no bunpu." (Effects of environment pollution on plants: Distribution of epiphytes in Omuta City). Nippon Koshu Eisei Zasshi (Japan J. Public Health), 21(10):415 (Oct 1974).

#1714

Sugiyama, K. "Kato shokubutsu tokuni chii-rui no taiki osen shihyosei no kento to sono riyo." (Examination and utilization of the susceptibility of lower plants, especially lichens as indices of air pollution). Shizuoka Univ., (Japan), Dept. of Biology, 16 p. (March 1974).

#1715

Sundstrom, K. R., and J. E. Hallgren. "Using lichens as physiological indicators of sulfurous pollutants." Ambio, 1973:13-21 (1973).

#1716

Suslova, V.V. and V.S. Nikoloyevskiy. "Vliyaniye kislykh gazov na pigmentnyy sostav yev drevesnykh i gazonykh rasteniy." (Effect of acid gases on three pigment composition of the leaves of trees and lawn plants). Uch. Zap., Perm. Gos. Univ., 256:93-132 (1971).

#1717

Swanson, E.S., W.W. Thomson and J. B. Mudd. "The effect of ozone on leaf cell membranes." Can. J. Botany, 51(6):1213-1219 (1973).

#1718

Switoniak, Teresa, Jadwiga Salmowa, and Henryk Rafalski. "Biologiczna jakosc bialek zbox pochodzacych z dwuch stref roznego oddzialywania obiektow przemyslowych." (Biological quality of proteins of corn from two areas of different exposure to pollution by industrial plants). Rocz. Pzh., 24(1):73-79 (1973).

#1719

Syratt, W.J. and P.J. Wanstall. "The effect of sulphur dioxide on epiphytic bryophytes." Air Pollution Proc. First European Congr. Influence Air Pollution Plants Animals, Wageningen, Netherlands, p.79-85 (April 22-27, 1968).

#1720

Szalonek, Irena. "Die durch Fluor hervorgerufene Luftverunreinigung und die Pflanzenbeschädigung in der Nähe eines Emailleurwerkes." (Fluorine-induced pollution and plant damage in the vicinity of a metal enameling plant). Polska Akademia Nauk, Zakład Badan Naukowych Górnospiskiego Okręgu Przemysłowego, Mater. Miedzynarodowej Konf., Wpływ Zanieczyszczeń Powietrza na Lasy, 6th, (Katowice, Poland), 117-125 (Sept 9-14, 1968).

#1721

Takasaki, Tsuyoshi, Yoshihiro Matsuoka, Masaki Morikawa, and Koji Shiratori. "Yobunsekiho ni yoru taiki osen jokyo no suisoku." (The estimates of air pollution by the leaf analysis method). Chiba-ken Nogyo Shikenjo Kenkyu Hokoku (Bull. Chiba-ken. Agr. Exp. Sta.), 14:119-124 (1974).

#1722

Tanaka, Hirofumi, Toshiharu Takanashi, and Michihiko Yatazawa. "Experimental studies on SO<sub>2</sub> injuries in higher plants. III. Inhibitory effect of sulfite ion on <sup>14</sup>CO<sub>2</sub> fixation." Water, Air, Soil Pollut., 3(1):11-16 (March 1974).

#1723

Taniyama, T. "Taiki osen--tokuni iou sankabutsu ni yoru norinshokubutsu higai." (Air pollution--agriculture and forestry plants damaged by sulfur dioxides). Kogai to Nihon no Kagaku (Pollut. Jap. Sci.), 6:19-29 (Sept 1973).

#1724

Taniyama, T. and K. Sawanaka. "Yokkaichi ni okeru suito no seiku nu tsuite." (On the growth of lowland rice plants in Yokkaichi). Nissaku Tokai Shibu Kenkyu Kogai (Outline Stud. Tokai Branch Jap. Soc. Agric. Crops), 66: 25-28 (1973).

#1725

Horvath, I. "Einfluss von Fluorverbindungen auf die Trockensubstanzproduktion von Buchweizen." (Effect of fluorine compounds on the dry matter production of buckwheat). Text in German. (Presented at the International Symposium of Forest Fume Damage Experts, 7th, Essen, West Germany, Sept. 7-11 1970.) Mitt Forst. Bundesver., 97:335-351 (1972).

#1726

Taniyama, Tetsuro and Kazuo Sawanaka. "Suito no shijitsu seisan ni oyobosu aryusan gasu (SO<sub>2</sub>) no eikyo." (The effect of sulfur dioxide on the grain production of rice plants). Proc. Symp. Japan Soc. Air Pollut., 13th, p. 227 (Nov. 7-9, 1972).

#1727

Taniyama, Tetsuro and Hiroki Arikado. "Sakumotsu no gasu shogai ni kansuru kenkyu. Dai 3po: Aryusansui no yomen sanpu ni yoru suto no shokai to shogai teido ni tsuite." (Studies on the mechanism of injurious effects of toxic gases on crop plants. III On the degree of injuries and a kind of typical symptom of injuries caused by H<sub>2</sub>SO<sub>3</sub> solution spray to rice plants). Nippon Sakumotsu Gakkai Kiji (Proc. Crop Sci. Soc. Japan), 38(2):222-228 (June 1969).

#1728

Taniyama, Tetsuro, Hiroki Arikado, Yukihiko Iwata, and Kazuo Sawanaka. "Sakumotsu no gasu shogai ni kansuru kenkyu: Dailoppo: Aryusan gasu ni chokikan sesshoku shita suto no kogosei ankokyu ni tsuite." (Studies on the mechanism of injurious effects of toxic gases on crop plants. X. On photosynthesis and dark respiration of the rice plant fumigated with sulfur dioxide for long period). Nippon Sakumotsu Gakkai Kiji (Proc. Crop Sci. Soc. Japan), 41(2):120-125 (June 1972).

#1729

Taniyama, T. and K. Sawanaka. "Yokkaichi chiiki no okeru nosakumotsu kogai no genkyo." (Damage of crops by environmental air pollution in Yokkaichi area). Nissaku Tokai Shibu Kenkyu Kogai (Outline Stud. Tokai Branch Jap. Soc. Agric. Crops), 63:29-31 (1972).

#1730

Taniyama, Tetsuro and Hiroki Arikado. "Sakumotsu no gasu shogai ni kansuru kenkyu. Dai 6po: Hadakamugi oyobi natane no kogosei ni oyobosu SO<sub>2</sub> gasu no eikyo." (Studies on the mechanism of injurious effects of toxic gases on crop plants. VI. Effects of sulfur dioxide on the photosynthesis of rape and barley). Nippon Sakumotsu Gakkai Kiji (Proc. Crop Sci. Japan), 39(1): 111-116 (March 1970).

#1731

Munshower, F. "Distribution and compartmentation of cadmium in an arid grass-land ecosystem." (Presented at the American Institute of Biological Sciences Meeting. Minneapolis. 20 p.) (Aug. 29, 1972).

#1732

Taniyama, Tetsuro, Toru Watanabe and Seiji Sano. "Sakubutsu no gasu shogai ni kansuru kenkyu. Dai 18 po Kakushu taiki osen busshitsu ga suto oyobi toumorokosha hikari gosei no oyobosu eikyo." (Studies of gas damages on produce; No. 18 - the effects of various air pollutants on photosynthesis on rice plants and corn). Crop Science Society of Japan Lecture, Meeting 15, 83-84 (April 3-4, 1974).

#1733

Taniyama, Tetsuro. "Sakumotsu no aryusan gasu shogai no jittai to sono kiko ni kansuru kenkyu." (Studies on the development of symptoms and the mechanism of injury caused by sulfur dioxide in crop plants). Mie Daigaku Hogakubu Gakujutsu Hokoku (Bull. Faculty Agric., Mie Univ.), 44:11-130 (Nov 1972).

#1734

Taniyama, Tetsuro, Hiroki Arikado, and Hisamitsu Suzuki. "SO<sub>2</sub> ni yoru hadakamugi no kogosei to yomen josan tono kankei narabi ni kogosei kara mita SO<sub>2</sub> teinodo genkaichi." (Relation between photosynthesis and evaporation of rye leaf by SO<sub>2</sub>). Taiki Osen Kenkyu (J. Japan. Soc. Air Pollution), 5(1):154 (1970).

#1735

Paukert, Jindrich. "Mozne vyuziti hliz bramboru (*solanum tuberosum*) jako indikatora nekterych prvků pritomnych v prumyslovych imisich." (Possible use of potato tubers (*Solanum tuberosum*) for the indication of some elements present in industrial immissions). TERPLAN-Statni ustav pro uzemni plánovani. Ustav Krajinne ekologie CSAV, Bioindikatory Deteriorizace Krajiny, Sbornik Z Mezinarodni Konference, Prague, Czechoslovakia, 48-52 (1971).

#1736

Saitama Prefectural Government (Japan), Bureau of Education, Horticultural Experiment Station, and Pollution Control Center. "Shokubutsu ni yoru taiki osen chosa hokokusho." (An investigation of air pollution by a plant survey). 16 p. (1974).

#1737

Sarosiek, J.B., Twarda, B. Bury-Burzymyska, and D. Kowaliszyn. "Uszkodzenie roslin wywolane dymami po floatacyjnymi Kombinatu Miedziowego w Lubinie." (Damage to plants caused by post floatation smokes from the copper combine of Lubin). Ochrona Powietrza, 6(3):17-23 (1972).

#1738

Sato, A., and H. Yamamoto. "Iwateken no kogai ni kansuru kenkyu dai-15-ho: Miyako-shi no genmai, yasai, oyobi, dojo nado no jukinzoku chosa ni tsuite." (Study on environmental pollution in Iwate Prefecture -- 15th report: Survey of heavy metals contained in unhulled rice, vegetables, and soil in Miyako City). Iwate-ken Eisei Kenkyusho Nenpo (Ann. Rept. Iwate Inst. Public Health), 14(1970):57-77 (December 1971).

#1739

Sato, Haruo. "Cultivation of Lemna paucicostata Hegelm with polluted rainwater in Osaka." Japan Society of Air Pollution, Proc. Symp. Japan Soc. Air Pollut., 13th, p. 223, Paper 177 (Nov 9, 1972).

#1740

Saeki, M. K. Kunii, S. Izumida, and T. Kumagaya. "Chii-rui o shihyo to suru taiki osen no sokutei ni kansuru kenkyu- Sendashi oyobi shuhens no hakaishi ni chaku-sei suru chiirui ni tsuite (dai 1 ppo)." (Studies on the determination of air pollution utilizing lichens as index. Part I: on the lichens growing on tombstones in Sendai City and its surroundings). Sendai-shi Koshu Eisei Kenkyu Gyosekishu, pp. 139-141. (March, 1974).

#1741

Sato, T. "Taiki osendo to jumoku no yochu ioganyruyo no kankei." (Relation between air pollution and sulfur content in tree leaves). Taiki Osen Kenkyu (J. Japan Soc. Air Pollution), 5(1):153 (1970).

#1742

Sawada, M. and H. Akiyama. "Asagao de kokagaku sumoggu o chosa - ha no henka de osen nodo o sokutei." (Investigation of photochemical smog by morning glory: Determination of pollutant concentration by observing the change of leaves). PPM (Japan), 5(7):74-81 (July 1974).

#1743

Sawada, T., T. Ohashi, I. Nouchi, and T. Odaira. "Asagao no okishidanto shihyo-sei no tsuite-A." (On morning glory as an oxidant indicator (A)). In: Studies on Tokyo Smog, Tokyo Metropolitan Research Inst. for Environmental Protection (Japan), Rept. 3, 640-645 (March 1974).

#1744

Sakamoto, Clarence M. and Ray E. Jensen. "Quarterly report on effect of climatic change on non-domestic wheat production." National Oceanic and Atmospheric Administration, Auburn, Ala., Environmental Study Service Center, Department of Transportation Climatic Impact Assessment Program Proj. DOT-AS-400006, 89 p. (1974).

#1745

Sawada, T., T. Ohashi, I. Nouchi, and T. Odaira. "Asagao no okishidanto shihyo-sei ni tsuite-B." (On morning glory as an oxidant indicator (B)). In: Studies on Tokyo Smog, Tokyo Metropolitan Research Inst. for Environmental Protection (Japan), Rept. 3, 645-654 (March 1974).

#1746

Sawada, T., T. Komeiji, I. Nouchi, T. Ohashi, T. Odaira, N. Date, T. Iijima, K. Terakado, M. Iwanami, T. Yoneyama, and H. Fukuda. "Itto sanken shokubutsu higai koiki chosa kekka ni tsuite." (On the result of wide-area investigation of plant damage in Tokyo and the three neighboring prefectures). In: Studies on Tokyo Smog, Tokyo Metropolitan Research Inst. for Environmental Protection (Japan), Rept. 3, p. 673-694 (March 1974).

#1747

Sawada, Tadashi, Tetsuto Komeiji, Isamu Nouchi, Kuniko Oguchi, and Toshio Odaira. "Kokagaku sumoggu no eikyo to omowareru shokubutsu no higai jokyo ni tsuite (dainiho)." (Injury by photochemical smog as observed and reflected on plants in Tokyo (2)). Proc. Symp. Japan Soc. Air Pollut., 13th, Paper 186, p. 232 (Nov 7-9, 1972).

#1748

Sawada, Tadashi and Toshio Odaira. "Tokyo-to ni okeru taikiosen ni yoru shokubutsu higai no genjo." (The present state of plant damage in Tokyo by air pollution). Shokubutsu Boeki (Plant Prot.), 27(6):241-244 (June 1973).

#1749

Sawamura, S., and S. Kobori. "Aryusan gasu no seitai shokubutsu saibo ni oyobosu sayo (1)." (Effects of sulfurous acid gases on plant cells *in vivo* (I)). Text in Japanese. Utsunomiya Daigaku Kyoikugakubu Kiyo (Dainibu) (Bull. Utsunomiya Univ. (Sect.2)), 22:31-36 (1972).

#1750

Scheffer, Fritz, Eberhard Przemeck, and Werner Wilms. "Untersuchungen über den Einfluss von Zementofen-Flugstaub auf Boden und Pflanze." (Investigations pertaining to the influence of airborne dust coming from cement furnaces on soil and plants). Staub (Duesseldorf), 21(6):251-254 (1961).

#1751

Schmidt, H. "Beobachtung über Gasschaden an Obstbaumen." (Observation of coal gas damage to fruit trees). Deut. Baumschule, 3:10-12 (1951).

#1753

Schnaider, Zbigniew. "Podatnosc na zery owadow poszczegolnych gatunkow drzew i ich przydatnosci do przebudowy drzewostanow w rejonach przemyslowych." (Susceptibility of certain tree genera to being devoured by insects and their usefulness for reconstruction of forest areas in industrial regions). Ministry of Forestry and Timber, Cracow (Poland), Commission for Economic Forestry and Recultivation Affairs in Industrial Regions, 4(25):105-121 (1971).

#1755

Schoenbeck, H. "Nachweis schwermetallhaltiger Immissionen durch ausgewählte pflanzliche Indikatoren." (Detection of heavy metal containing immissions through selected plant indicators). Staub, Reinhaltung Luft, 34(6):214-224 (June 1974).

#1756

Schoenbeck, H. and H. vanHaut. "Exposure of lichens for the recognition and the evaluation of air pollutants." Assoc. of Official Analytical Chemists; International Union of Pure and Applied Chemistry; the Chemical Inst. of Canada; The Agricultural Inst. of Canada; and the National Research Council of Canada, Int. Symp. Ident. Meas. Environ. Pollut., Ottawa, Ontario, 329-334 (June 14-17, 1971).

#1757

Schoenbeck, Helfried. "Untersuchungen ueber Vegetationsschaeden in der Umgebung einer Stueckfaerberei." (Studies on vegetation damages around a textile dyeing plant). Berichte aus der Landesanstalt fuer Immissions- und Bodennutzungsschutz des Landes Nordrhein-Westfalen, Rept. 4, 33-78 (1963).

#1758

Schoenbeck, Helfried. "Die Anwendung der Testpflanzenmethode. Eine Modifikation des Saurerschen Fangpflanzenverfahrens zum Nachweis von Pflanzenschädigenden Immissionen." (The application of the test plant method. A modification of saurer's plant indicator method for the detection of plant-damaging emissions). Polska Akademia Nauki Zaklad Badan Naukowych Gornoslaskiego Okregu Przemyslowego, Mater. Miedzynarodowej Konf., Wplyw Zanieczyszczen Powietrza na Lasy, 6th, Katowice, Poland. 313-325 (Sept 1968).

#1759

Schofield, Edmund. "Some considerations on the possible effects of local and global sources of air pollution on lichens grazed by reindeer and caribou." Alaska Univ., Fairbanks, p. 90-94 (1972).

#1760

Schofield, Edmund and Wayne L. Hamilton. "Probable damage to tundra biota through sulphur dioxide destruction of lichens." Biol. Conserv., 2(4): 278-280 (July 1970).

#1761

Scholl, G. "Ein Biologisches Verfahren zum Nachweis von Fluorverbindungen in Immissionen." [Biological method of determining fluorine compounds in atmospheric pollution]. Mitt. Forst. Bundesvers., (Essen), 97:255-269 (1972).

#1762

Scholl, G. "Ermittlung ueber die belastung der vegetation durch schwemtalle in verschiedenen immissionsgebieten." [Determination of the pollution of the vegetation by heavy metals in various emission areas]. Staub, Reinhalzung Luft, (Germany), 34(3):89-92 (March 1974).

#1763

Seaward, M.R.D. "Lichen ecology of the Scunthorpe Heathlands. I. Mineral accumulation." Lichenologist, 5:423-433 (1973).

#1764

The Section for Environmental Protection, Ota Ward, Tokyo. "Ota-ku Shokubutsu Eikyo Chosa Hokokusho -Chukan Hokoku." (Interim report of the survey on the effects on plants (of air pollution)). 101 p. (March 1974).

#1765

Seibel, W., H. D. Ocker, and W. Nierle. "Heavy metals in grains and grain products." (Schwermetalle in Getreide und Getreideprodukten). Text in German. Deut. Lebensm. Rundsch., 70(9):315-318 (1974).

#1766

Seki, T., Y. Inoue, K. Abe, H. Hoshikawa, and N. Meguriya. "Taiki osen no shokubutsu ni taisuru eikyo (dai-2-ho), Sendai shinai ni okeru gairojuyo no taiki osen ni yoru eikyo ni tsuite, sono 2 (gairo jujo no io ganryo)." (The effects of air pollution on plants (Part II): The effect of air pollution on leaves of roadside trees in Sendai- No. 2: The sulfur content in leaves). Sendai-shi Eisei Shikenho-ho (Sendai Munic. Rep. Inst. Pub. Health), 4: 86-93 (October 1974).

#1767

Seki, T., Y. Inoue, S. Abe, H. Hoshikawa, N. Mawariya, and S. Kondo. "Taiki osen no shokubutsu ni taisuru eikyo (dai 2 ho) Sendai shinai ni okeru gairoju- yo no io ganryoni tsuite." [Effects of air pollution on plants Part 2, on the sulfur content of leaves of roadside trees in Sendai City]. Koshu Eisei (Public Health), 38(1):50-52 (Jan. 1974).

#1768

Severne, B.C. "Nickel accumulation by Hybanthus floribundus." Nature (London), 248(5451):807-808 (April 26, 1974).

#1769

Shabad, L.M. and Y.L. Cohan. "The contents of benzo(a)pyrene in some crops." Arch. Geschwulstforsch., 40(3):237-243 (1972).

#1770

Shannon, J.G. and C.L. Muichi. "Ozone damage to wheat varieties at anthesis." Crop Sci., 14: 335-337 (March-April 1974).

#1771

Shaulis, N.J., W.J. Kender, Charlotte Pratt, and W.A. Sinclair. "Evidence for injury by ozone in New York vineyards." HortScience, 7(6):570-572 (Dec 1972).

#1772

Shaw, W.C., W.W. Hech, and H.E. Heggestad. "Role of agriculture in air pollution and control." Options Mediterr., 9:63-69 (Oct. 1971).

#1774

Shinozaki, M. and M. Maeno. "Yuga gasu ni yoru shokubutsu higai no kaiseki (1) yuga gasu ni yoru shokubutsu higai no kaiseki ni kansuru shiken: a. horenso no ozon shogai keigen ni kansuru piperoniru butokisaido no koka." (Analyses of plant injuries due to harmful gases: Part I. Experiments on the analyses of plant injuries due to harmful gases: Sec. A., Effect of reducing ozone injuries on spinach of Piperonyl Butoxide). Kanagawa-ken Nohyo Sogo Kenkyujo Gyomu Nenpo (Ann. Rep. Kanagawa Prefect. Agr. Integr. Inst.), 1973:71 (June 1974).

#1775

Shinozaki, M., M. Maeno, Y. Mizusawa, N. Hiratsuka, and K. Dohi. "Taiki osen busshitsu ga engei sakumotsu to ni oyobosu eikyo ni kansuru shiken (2) osen busshitsu no engei sakumotsu to ni oyobosu eikyo shiken, a. kuki joka ga yasai to no seiiku no oyobosu eikyo shiken." (Experiments on the effects of air pollutants to horticultural crops: Part II. Experiments. Sec. A. Experiments on the effects of cleaned air to the growth of vegetables). Kanagawa-ken Nogyo Sogo Kenkyujo Gyomu Nenpo (Ann. Rep. Kanagawa Prefect. Agr. Integr. Inst.), 1973:74-75 (June 1974).

#1776

Shinozaki, Mitsuo. "Kawasaki shinai no jumoku yomen fuchaku busshitsu oyobi yochu no ju kinzoku nado ni tsuite." (An investigation of heavy metals on and in the tree leaves in Kawasaki). Proc. Symp. Japan Soc. Air Pollut., 13th, p. 224. (Nov. 7-9, 1972).

#1777

Shinozaki, Mitsuo. "Kanagawaken ni okeru taiki osen ni yoru shokubutsu higai no genjo." (The status quo of plant damage by air pollution in Kanagawa Prefecture). Shokubutsu Boeki (Plant Prot.), 27(6):245-248 (1973).

#1778

Showman, Ray E. "Residual effects of sulfur dioxide on the net photosynthetic and respiratory rates of lichen thalli and cultured lichen symbionts." Bryologist, 75(3):335-341 (Fall 1972).

#1779

Siegel, S.M. "Protection of plants against airborne oxidants: Cucumber seedlings at extreme ozone levels." Plant Physiol., 37:261-266 (1962).

#1780

Sierpinski, Z. "Die Bedeutung der sekundaeren Kiefernschaedlinge in Gebieten chronischer Einwirkung industrieller Luftverunreinigungen." (The significance of secondary pine parasites in areas of chronic exposure to industrial pollution). Mitt. Forst. Bundesvers., 97:609-615 (1972).

#1781

Sierpinski, Zbigniew. "Szkodniki wtorne sosny w drzewostanach znajdujacych sie w zasiegu dzialania emisji przemyslowych zawierajacych zwiazki azotowe." (Secondary noxious insects of pine in stands growing in areas with industrial air pollution containing nitrogen compounds). Sylwan, 115(10):11-18 (Oct 1971).

#1782

Sinclair, Michael Gervase. "The effects of ozone on two varieties of tobacco pollen and on the conidia of the fungus Monilinia fructicola." Delaware Univ., Dept. of Plant Pathology, Thesis (M.S.), 64 p. (June 1969).

#1783

Sivtsev, M.V. and S.A. Ponomareva. "Anatomiceskaya struktura ovodnennost' list yev tomatov i aktvnost' v nikh khlorofillazy pri khloridnom zasolenii." (Anatomical structure, water-storage capacity of tomato leaves, and chlorophyllase activity in them upon chloride salinization). Biol. nauki, 3: 84-87 (1973).

#1784

Skye, Erik and Ingemar Hallberg. "Changes in the lichen flora following air pollution." Oikos, 20(2):547-552 (1969).

#1785

Skye, Eric. "Rekommendationer rorande riktvarden for svaveldioxidhalt i utomhusluft." (Effects of sulfur dioxide on plants and animals). In: Recommendations relating to norms for sulfur dioxide content in open air. Swedish Government Air Pollution Board, (Stockholm), Communication 6601 (1965)-(?).

#1786

Smith, Dixie R. "Pollution and range ecosystems." In: Man's Impact on Terrestrial and Oceanic Ecosystems, William Henry Matthews (comp.), MIT Press, Cambridge, Mass., 130-143 (Chapt. 8) (1971).

#1787

Sobotka, Alois. "Koreny Picea Excelsa L. pod vlivem prumyslovych exhalatu v oblasti krusnych hor." (Roots of Picea excelsa L. under the influence of industrial emissions in the FRZ Mountains region). In: Imise a Lesni Cenosy (Immissions and Forest Coenoses), Prague, Czechoslovak. Academy of Sciences, 45-52 (1968).

#1788

Spedding, D.J. and W.J. Thomas. "Effect of sulphur dioxide on the metabolism of glycollic acid by barley (Hordeum vulgare) leaves." Aust. J. Biol. Sci., 26: 281-286 (1973).

#1789

Spierings, F.H.F.G. "Influence of fumigations with NO<sub>2</sub> on growth and yield of tomato plants." Neth. J. Plant Pathol., 77:194-200 (1971).

#1790

Spierings, F.H.F.G. "A special type of leaf injury caused by hydrogen fluoride fumigation of narcissus and nerine." Air Pollution Proc. First European Congr. Influence Air Pollution Plants Animals, Wageningen, Netherlands, 87-89 (April 22-27, 1968).

#1791

Spierings, F. "Untersuchungen von Raucheinwirkungen durch Begasungsversuche." (Study of the effects of fumes through fumigation experiments). Forschung und Beratung, Reihe C, Wiss. Ber. u. Diskussionsbeitr. (Muenster), 5: 56-63 (1963).

#1793

Zimmerman, P.W., William Crocker, and A.E. Hitchcock. "The effect of carbon monoxide on plants." Contrib. Boyce Thompson Inst., 5:195-211 (1933).

# 1795

Young, Michael John. "The effects of gaseous fluoride on delicious and golden delicious apples." Washington State Univ., Pullman, Dept. of Horticulture, Thesis (Ph.D.), Ann Arbor, Univ. Microfilms, Inc., Order No. 73, p.29,311 (1973).

#1796

Yoshiike, A. "Dojo osen kara mita kankyo shindan-Jukinzoku, noyaku ni yoru osen no jokyo." (Environmental diagnosis by soil pollution-state of pollution by heavy metals and pesticides). Kankyo Sozo (Environ. Creation), 4(1):84-89 (January 1974).

#1797

Heichel, Gary H. and Lester Hankin. "Roadside coniferous windbreaks as sinks for vehicular lead emissions." Journal of the Air Pollution Control Association, 26(8):767-770 (August 1976).

#1798

Yoneyama, T., N. Date, and S. Kurihara. "Nanjaku yasai-to no taiki osen higai." (Damages of soft vegetables due to air pollution). In: Tokyo Nogyo Shikenjo Sokuho, 30-32 (Feb 1974).

#1799

Yoneyama, T., S. Kurihara, N. Date, and S. Motohashi. "Nanjaku yasai no okishidanto shihyosei." (Oxidant indicatory properties of soft and weak vegetables). In: Studies on Tokyo Smog, Tokyo Metropolitan Research Inst. for Environmental Protection (Japan), Rept. 3, p. 703-708 (March 1974).

#1800

Yoneyama, T., T. Ohashi, T. Sawada, N. Date, and S. Motohashi. "Shokubutsu no okishidanto higai ni oyobosu dojo pH no eikyo." (Effects of pH of the soil on oxidant damage of plants). In: Studies on Tokyo Smog, Tokyo Metropolitan Research Inst. for Environmental Protection (Japan), Rept. 3, 709-724 (March 1974).

#1801

Yokohama Center for Public Nuisance (Japan) and Yokohama Municipal Univ. (Japan) Dept. of Hygiene. "Jidosha haikigasu no eikyo ni tsuite--Namari kagobutsu ni tsuite dainiho." (Study on the effects of automotive exhaust gas: second report on lead compounds). Yokohama Public Nuisance Center Data 26, 24 p. (Sept. 1970).

#1802

Yermakov, Y.G. "Bioindikatornyye metody opredeleniya zagryazneniya vozdukha." (Bioindicator methods for the determination of air pollution). Gigiena i Sanit., 8:68-70 (1974).

#1803

Yavonenki, O.F. and M.V. Shevryakov. "The effect of bivalent metal ions and air upon the intensity of reductive amination of alpha-ketoglutaric acid in the epithelium of cattle rumen walls." Ukr. Biokem. Zh., 43:526-628 (Sept/Oct 1971).

#1804

Yatsenko, V.M., V.S. Nikolayevskiy, and T.N. Kuznetsova. "Vliyaniye mineral nogo i nekornevogo pitaniya na nekotoryye fiziologo-biokhimicheskiye osobennosti i gazoustocychivost gazonnykh trav." (Effect of mineral and extraroot nutrition on some physiological- biochemical characteristics and gas tolerance of lawn grasses). Uch. Zap., Perm. Gos. Univ., 256:159-176 (1971).

#1805

Yatazawa, M., M. Kadota, and S. Ono. "Kokaku hanno-ho ni yoru kankyo shiryo-chu no fussoryo." (Fluorine concentration in environmental samples measured by irradiation system). Kankyo Hoken Reporto (Environ. Health Rept), 8:29-30 (1972).

#1806

Yatazawa, M., K. Furuhashi, and S. Tanaka. "Aryusan gasu ni yoru shokubutsu higai no jikkenteki kenkyu (dairopo), Tansan kotei koso no aryusan ni yoru sogai ycshiki ni tsuite." (Experimental studies on the plant damage by sulfur dioxide (Report No. 6), the reduction mechanism of photosynthetic activities in plants exposed to sulfur dioxide). Text in Japanese. Japan Society of Air Pollution, Proc. Symp., Japan Soc. Air, 13th, Paper 183, p.229 (Nov. 7-9, 1972).

#1807

Yang, Shang Fa and Mahmoud A. Saleh. "Destruction of indole-3-acetic acid during the aerobic oxidation of sulfite." Phytochemistry, 12:1463-1466 (1973).

#1808

Yamazoe, Fumio. "Taiki osen ni yoru norin kogai." (The effect of air pollution on agriculture and forestry). Nogyo Oyobi Engei (Agr. Hort.), 48(1): 133-138 (1973).

#1809

Yamazoe, Fumio. "Shokubutsu higai no genin to naru taiki osen busshitsu." (The air pollutants which cause plant damage). Shokubutsu Boeki (Plant Prot.), 27(6):220-223 (June 1973).

#1810

Yamatomo, Takeo. "Kogai to sono shugen 4, Seibutsu ryo to kankyo chosa." (Pollution and its circumference (IV): Biological use and environmental investigation). Kagaku to Yakugaku no Kyoshitsu (Chem. Pharm., Quart. J.), 40:6-11 (1973).

#1811

Yoneyama, T. and N. Date. "Tokyo kokagaku sumoggu no shokubutsu higai ni kansuru chosa kenkyu; 3. engei shokubutsu no taiki osen-gai ni kansuru kenkyu (2) dojo joken ga nanjaku yasai no okishidanto higai ni oyobosu eikyo ni kansuru shiken." (Investigation and studies on plant damage due to Tokyo photochemical smog. Part III: Studies on the damage of horticultural plants, (2) Experiments on the effects of soil condition to the damage of soft vegetables caused by oxidants). Tokyo-to Nogyo Shikenjo Kenkyu Nenpo Annu. Rep. Tokyo Met. Agr. Exp. Sta., 1972:3-4 (Oct 1973).

#1812

Yamamoto, Y. "Present status of cadmium environmental pollution." (Japan). Proc. Sci. Res. Meet. Itai-Itai Dis. Cadmium Poisoning, Tokyo, Japan (Aug. 28-29 1971).

#1813

Yamagata, Noboru. "Environmental sampling and measurement methods." Japan Public Health Assoc., Proc. Sci. Res. Meet. Itai-Itai Dis. Cadmium Poisoning, Tokyo, Japan, (Aug 28-29, 1971).

#1814

Yamaga, Mineo, Kaoru Omori, Kazunori Abe, and Takashi Tozawa. "Taiki osen no shokubutsu ni oyobosu eikyo - tosuikai koso e no ozon no eikyo." (The effects of air pollutants on vegetation - The effects of ozone on carbohydase). Proc. Symp. Japan Soc. Air Pollut., 13th, Paper 184, p. 230 (Nov 7-9, 1972).

#1815

Wylie, P.B., and L.C. Bell. "The effect of automobile emissions on the lead content of soils and plants in the Brisbane area." Search, 4(5):161-162 (May 1973).

#1816

Wood, Francis A. and John B. Coppolino. "The influence of ozone on deciduous forest tree species." Mitt. Forst. Bundesvers., 97:233-253 (1972).

#1817

Woltz, S.S. "Fluoride toxicity in gladiolus and methods of amelioration." Proc. Florida State Hort. Soc., 75:469-471 (1962).

#1818

Wolff, G. "Die Interpretation falschfarbiger Luftbilder im Dienste der Rausch-schadendiagnose." (The interpretation of miscolored aerial photographs in the service of pollution damage assessment). Polska Akademia Nauk, Zaklad Badan Naukowych Gornoslaskiego Okregu Przemyslowego, Mater. Miedzynarodowej Konf., Wplyw Zanieczyszczen Powietrza na Lasy, 6th, Katowice, Poland, p.285-295 (Sept 9-14, 1968).

#1819

Wolfe, R.R., D.P. Anderson, F.L. Cherms, Jr., and W.E. Roper. "Effect of dust and ammonia air contamination of turkey response." Trans. ASAE (Am. Soc. Agr. Engrs.), 11(4):515-518, 522 (1968). Presented at the American Society of Agricultural Engineers, Annual Meeting, Saskatoon, Sask., Canada. Paper 67-424 (June 1967).

#1820

Williams, R. J. H., M. M. Lloyd, and G. R. Ricks. "Effects of atmospheric pollution on deciduous woodland. I: some effects on leaves of Quercus petraea (Mattuschka) leibl." Environ. Pollut., 2(1):57-68 (July 1971).

#1821

Wilhour, Raymond G. "The influence of ozone on white ash (Fraxinus americana L.)." Pennsylvania State Univ., University Park, Dept. of Plant Pathology, Thesis (Ph.D.), 86 p. (Dec 1970).

#1822

Wettig, K. L., M. Schabad, and A. J. Chesina. "Bestimmung von 3,4-Benzopyren in Pflanzensamen vor und nach Keimung." [Determination of 3,4-Benzopyrene in plant seeds before and after germination]. Z. Ges. Hyg. Ihre Grenzgebiete (Berlin), 18(12):933-934 (1972).

#1823

Wentzel, K.F. "Empfindlichkeit und Resistenzunterschiede der Pflanzen gegenueber Luftverunreinigung." (Sensitivity and differences in resistance of plants to pollution). Forstarchiv, 39(9):189-194 (Sept 1968).

#1824

Wentzel, K.F. "Bedeutung, Aussichten und Grenzen der Zuechtung relativ rauch-harter Baumsorten im Lichte immissionsoekologischer Erfahrungen in Mittel-europa." (Significance, prospects and limits of breeding smoke-resistant tree species in the light of central European studies on the ecological effects of fumes). Proc. Congr. Intern. Union Forest Research Organizations, 14th, Munich, West Germany, 5(24):536-555 (1967).

#1825

Wentzel, K.F. "Gibt es immissionsfeste oder rauchharte Baeume." (Are there immission-proof or smoke resistant trees?). Forstarchiv, 35(3):49-51 (1964).

#1826  
Wentzel, K. F. "Die Immissionresistenz der Pflanzen." (The pollution resistance of plants.). Translated from German. Translation Consultants, Inc., Arlington, Va. Baum-Ztg., 2(3):42 (1968).

#1827  
Wentzel, K. F. "Habitus-Aenderung der Waldbaeum durch Luftverunreinigung." (Habit Changes in forest trees due to air pollution). Translated from German. (Presented at the IUFRO Congress, 15th, Gainesville, Fla., March 1971.) Forstarch IV, 42(8-9):165-172 (1971).

#1828  
Weintraub, R.L., and L. Price. "Inhibition of plant growth by emanations from oils, varnishes, and woods." Srithson. Misc. Collect., 107(17):1-13 (1948).

#1829  
Weinstein, Leonard H., Jay S. Jacobson, and Richard H. Mandl. "Fluorine-Semi-automated method." J. Assoc. Offic. Anal. Chemists, 55(5): 998-1003 (Sept 1972).

#1830  
Weinstein, Leonard H. and Delbert C. McCune. "Implications of air pollution for plant life." Proc. Am. Phil. Soc., 114(1):18-21 (Feb 1970).

#1831  
Weinstein, L.H., D.C. McCune, J. F. Mancini, and P. van Leuken. "Effects of hydrogen fluoride fumigation of bean plants on the growth, development, and reproduction of the Mexican bean beetle." Proc. Int. Clean Air Congr., 3rd, Duesseldorf, West Germany, p.A150-A153 (1973).

#1832  
Weinstein, L.H., and D. C. McCune. "Effects of fluorine on agriculture." Preprint, Air Pollution Control Assoc., Pittsburgh, Pa., 14 p., 1970. (Presented at the Air Pollution Control Association, Annual Meeting, 63rd, St. Louis, Mo., Paper 70-154 (June 14-18 1970 ).

#1833  
Weiler, A. "Durch Saeuren und teerige Stoffe hervorgerufene Aetzschaeden an Blattorganen." (Corrosive damage on foliage organs caused by acids and tarry substances). Translated from German. Photopathol. Z., 7:121-144 (1934).

#1834  
Webster, C. C. "The effects of air pollution on plants and soil." London, Agricultural Research Council, 53 p. (1967).

#1835

Warteresiewicz, Maria. "Einfluss der Luftcrunreinigangen auf Pflanzen in der Naehe einiger Zinkhuetten." (The influence of air pollution on plants in the vicinity of some zinc works). Polska Akademia Nauk, Zaklad Badan Naukowych Gornoslaskiego Okregu Przemyslowego, Mater. Miedzynarodowej Konf., Wplyw Zanieczyszczen Powietrza na Lasy, 6th, Katowice, Poland. 185-195 (1968).

#1836

Watanabe, J., and S. Amano. "Arumina seiren kojo kinsetu onshu mikanen ni okeru kakushu enrui yoeki no yomen sanpu ga higaiju no rakuyoritsu ha no ku rotoshisu kaifuku narabi ni kekkaritsu ni oyobosu eikyo." (Effects on foliar spray of mineral solutions on the leaf fall, recovery from foliar chlorosis, and fruit set of contaminated Satsuma mandarins grown in the vicinity of an alumina-refining factory.). Text in Japanese. Ehime Daigaku Noagakbu Kiyo (Mem. Coll. Agric., Ehime Univ.) 18(1):143-155 (Aug. 1973).

#1837

Warteresiewicz, M., and I. Szalonek. "Untersuchungen ueber die Schaden an Kulturpflanzen in der Naehe eines Metallurgischen Kombinates." (Investigations on the damage to crop plants near a metallurgical combine). Text in German. (Presented at the International Symposium of Forest Fume Damage Experts, 7th, Essen, West Germany, Sept. 7-11, 1970.) Mitt Forst. Bundesvers, 97:209-217 (1972).

#1838

Warren, H. V., R. E. Delavault, K. Fletcher, and E. Wilks. "A study in lead pollution." West. Miner., 1971:1-4 (Feb. 1971).

#1839

Warmbt, W. "Die Abhaengigkeit der SO<sub>2</sub>-Konzentration on meteorologischen Einflussgroessen im Rauchschadengebiet des Erzgebirges." (Dependence of the sulfur dioxide concentration of meteorological influences in the smoke-damaged area of Erzgebirge). Text in German. Erfassung Auswirkungen, Luftverunreinigungen, Vortr Lufthyg. Kolloq, 3rd, p. 167-184(1972).

#1840

Ward, N. I., R. R. Brooks, and R. D. Reeves. "Effect of lead from motor-vehicle exhausts on trees along a major thoroughfare in Palmerston, North, New Zealand." Environ. Pollut. 6(2):149-158 (February 1974).

#1841

Carlson, R. W., F. A. Bazzaz, J. J. Stukel. "Physiological effects, wind re-entrainment, and rainwash of Pb aerosol particulates deposited on plant leaves." Depts. of Botany, C. E., M. E., Univ. of Illinois. Urbana. No date.

#1842

Heilbronn, Alfred. "Ueber die physiologische Wirkung der Industriegase auf Pflanzen." (Industrial waste gases: Physiological action on plants). Forsch Fortschr., 6(30):392-393 (Oct 1930).

#1843

Croessman, G. "Untersuchungen ueber Anreicherungen von Schwermetallen in Boeden mit und ohne Bearbeitung." (Studies concerning the enrichment of heavy metals in tilled and untilled soils). Staub, Reinhaltung Luft, 34(1): 22-23 (January 1974).

#1844

Beytia, E., P. Valenzuela, and O. Cori. "Terpene biosynthesis: formation of nerol, geraniol, and other prenols by an enzyme system from *Pinus radiata* seedlings." Arch. Biochem. Biophys., 129(1):346-356 (January 1969).

#1845

Kerin, Danimir. "Wal drauchschaeden der Blei- und Stahlindustrie im Voralpengebiet Jugoslawiens." (Fume damage to forests by the lead and steel industry in the Fore-Alps region of Yugoslavia). Mitt. Forst. Bundesvers., 97:129-139 (1972).

#1846

Rohmeder, E., W. Merz, and A.V. Schoenborn. "Zuchtung von gegen Industrieabgase relativ resistenten Fichten- und Kiefernsorten." (The breeding of spruce and pine species which are relatively resistant against industrial waste gases). Forstwiss. Zentr., 81 (1962).

#1847

Delzenne and van Haluwyn. "Contribution a l'étude de la distribution des lichens epiphytes dans le nord de la France. Application au probleme de la pollution atmospherique." [Contribution to the study of the distribution of epiphytic lichens in northern France. Application to the problem of air pollution]. Pollut. Atmos. (Paris), 15(60):415-420 (Oct.-Dec. 1973).

#1848

Kloke, Adolf. "Blei-Zink-Cadmium, Anreicherung i Boeden und Pflanzen." (Lead, zinc, cadmium, enrichment in soils and plants). Staub, Reinhaltung Luft 34(1):18-21 (Jan. 1974).

#1849

Ryder, E.J. "Selection and breeding of plants for increased resistance to air pollutants." American Chemical Society, Washington, D.C. (1971). (Presented at the American Chemical Society, National Meeting, 161st Los Angeles, Cal. (March 28 - April 2, 1971).

#1850

Wheeler, G. L. "The effects of fluorine on the cycling of calcium, magnesium, and potassium in pine plantations of eastern North Carolina." North Carolina State Univ., Raleigh, Dept. of Botany. Ann Arbor, Mich. Univ. Microfilms, Inc. 72 p. (1972).

#1851

Seki, T., S. Abe, H. Hoshikawa, Y. Inoue, N. Mawariya, and M. Kondo. "Taiki osen no shokubutsu ni taisuru eikyo (dai 1 po) Sendai shinai ni okeru gairojuyo no jukinzoku ganryo ni tsuite." (Influence of air pollution on plants, Part I. The content of heavy metals in the leaves of roadside trees in Sendai City). Koshy Eisei (Public Health), 37(9):643-647 (Sept 1973).

- #1852  
Fukuoka, Y. "Azuma sukai rain ni okeru taiki osen to shokubutsu higai." [Air pollution and plant damages along the Azuma skyline]. Japan Soc. of Air Pollution, Proc. Symp., 13th, p. 233 (Nov. 7-9, 1972).
- #1853  
Honma, S. "Kosaka seirensho shuhens no dojo narabi ni shokubutsu-taichu no kadomiamu ganyuryo ni tsuite." [Cadmium content in the soil and plants in the vicinity of Kosaka Refinery]. Chu-tsu Byoin Iho (Bull. Chu-tsu Hosp.)(Akita), 14(7):73-74 (1973).
- #1854  
Huffman, W.T. "Effects on livestock of air contamination caused by fluoride fumes." Proc. U.S. Tech. Conf., Washington, D.C. 59-63 (May 3-5, 1950).
- #1855  
Tallis, J.H. Lichens and atmospheric pollution." Advan. Sci., 21(91):250-252 (Sept 1964).
- #1856  
Dziubek, T. "O ujemnych skutkach pylow fabrycznych na rosliosc i organizmy zwierzece." (Harmful influence of industrial dusts upon plants and animal organisms.) Text in Polish. Zesz. Probl. Postepow Nauk Rolniczych (Warsaw), 74:195-197 (1967).
- #1857  
Anonymous. "Effect of air pollution on vegetation." In: Air Pollution Manual, Part I, Evaluation, Detroit. American Industrial Hygiene Assoc., 5:49-61 (1960).
- #1858  
Garber, K. "Untersuchung und Begutachtung von Rauchschaeden." (Studies and evaluation of smoke damages). Translated from German. 12 p. Jahresber. Staatinst. Angew. Bot., Hamburg, 76/78:119-127 (1961).
- #1859  
Heck, W.W., O.C. Taylor, and H.E. Heggestad. "Air pollution research needs for herbaceous and ornamental plants and for agriculturally generated pollutants." (Presented at the Air Pollution Control Association, Annual Meeting, 65th, Miami Beach, Fla., June 18-22, 1972, Paper 72-154.) Pre-print, Air Pollution Control Assoc., Pittsburgh, Pa., 34 p. (1972).
- #1860  
Knabe, Wilhelm. "Air pollution and forestry: Effect upon forestry research." State Institute for Immission Control & Soil Conservation, Essen, Germany, 37 pp. (1971).
- #1861  
Ninova, Dafina. "Vurkhu anatomichnite pokazateli za dimoustoychivost pri nyakoi durvesni rasteniya." (Anatomical characteristics of smoke resistance in some woody plants). Gorskostop. Nauka, 12(4):9-18 (1970).

#1862

Dybezynska, K. "En godselmedelsindustris kvæveforureningar." (Effects of nitrogen compound emissions from a nitrogen fertilizer manufacturing plant in the environment." Text in Swedish. Kem. Tidskr., 3:30-32 (1972).

#1863

Gusev, M. I. "Dust-retaining properties of leaves of some tree species." In: Survey of U.S.S.R. Literature on Air Pollution and Related Occupational Diseases. Translated from Russian by B. S. Levine. National Bureau of Standards, Washington, D. C., Inst. for Applied Tech., Vol. 3, p. 243-245 (May 1960). CFSTI: TT 60-21475

#1864

Horntvedt, R. "Virkninger av luftforurensninger pa skog." (Effect of air pollution on forests). Text in Norwegian. Norsk Skogbruk, 17(1):3-4 (1971).

#1865

Temple, P. J. "Dose-response of urban trees to sulfur dioxide." (Presented at the Air Pollution Control Association, Annual Meeting, 63rd, St. Louis, Mo., June 1970, Paper 70-145). J. Air Pollution Control Assoc., 22(4):271-274 (April 1972)

#1867

Wieler. "Die Grenzkonzentration fuer die Schaedigung der Vegetation durch schwefelige saeure." (Threshold concentrations of sulfurous acid for plant damage). Z. Pflanzenkrankh. Pflanzenschutz, 28:97-105 (1918).

#1869

Thomas, M. D., and G. P. Hill, Jr., "Absorption of sulphur dioxide by alfalfa and its relation to leaf injury." Plant Physiol., 10:291-307 (1935).

#1870

Menser, H.A. and G.H. Hodges. "Oxidant injury to shade tobacco cultivars developed in Connecticut for weather fleck resistance." Agron. J., 64(2):189-192 (March-April, 1972).

#1871

Hill, A. C., H. E. Heggestad, and S. N. Linzon. "Ozone." In: Recognition of Air Pollution Injury to Vegetation: A Pictorial Atlas. Jay S. Jacobson and A. Clyde Hill (eds.), Pittsburgh. Air Pollution Control Assoc. p. B1-B22 (1970).

#1872

Wander, I.W. and J.J. McBride, Jr. "Chlorosis produced by fluorine on citrus in Florida. Science, 123:933-934 (May 25, 1956).

#1873

Wallis, W.J., G.W. Miller, M. Psenak, and J. Shieh. "Fluoride effects on chlorophyll biosynthesis in Nicotiana tabacum." Fluor., 7(2):69-77 (April 1974).

#1874

Vogl, Michael. "Untersuchungen ueber Unterschiede in der relativen SO<sub>2</sub>-Resistenz bei Kiefern- Nachkommenschaften." (Relative SO<sub>2</sub> resistance of pine progeny). Arch. Forstw., 19(1):3-12 (1970).

#1875

Violet, P. "Generalites sur la pollution atmospheric. Mesures des niveaux de pollution dans l'agglomeration Lyonnaise." (Determination of the pollution levels in the Greater Lyon area). Text in French. Poumon Coeur (Paris) 26(6):1970.

#1876

Vins, B. "Pouziti letokruhovych analyz k prukazu kourovych skod. II. Prispevek k hodnoceni letokruhovych analyz." (Application of annual ring analyses to the determination of smoke damage. II. Contribution to the evaluation of annual ring analyses). Text in Czech. Ustav Vedeckotechnickych Informaci MZLVH, 35(4):263-280 (1962).

#1877

Vins, B. "Pouziti letokruhovych analyz k prukazu kourovych skod. Cast I. Metodicky prispevek k zpracovani letokruhovych analyz." (The application of annual ring analyses to the detection of smoke damage. I. A methodical contribution to the treatment of annual ring analyses). Text in Czech. Shornik Ceskoslovenske Akademie Zemedelskych Ved (Prague), 7(8):753-770 (1961).

#1878

Vins, B., and R. Mrkva. "Zuwachsuntersuchungen in Kiefernbestanden in der Umgebung einer Duengerfabrik." (Increment studies in scotch pine stands in the vicinity of a fertilizer factory). Text in German. (Presented at the International Symposium of Forest Fume Damage Experts, 7th, Essen, West Germany, Sept. 7-11, 1970.) Mitt Forst. Bundesvers, 97:173-194 (1972).

#1879

Viel, M. G. and M. L. de Cormis. "Action de l'anhydride sulfureux et des composés fluores sur la végétation." (The effects of sulfur dioxide and of fluorine compounds on vegetation). Poll. Atmos. (Paris), 7: 381-391 (1965).

#1880

Vetter, H. "Belastungen und Schaden durch Schwermetalle in der Nähe einer Blei- und Zinkhütte in Niedersachsen." Pollution and injuries by heavy metals in the vicinity of a lead and zinc plant in Lower Saxony). Staub, Reinhalung Luft, 34(1):10-11 (Jan 1974).

#1881

Veres, Imre, Janos Czibulya, Tibor Ravasz, Zoltanne Bozormenyi, and Andras Ochenyi. "Olajuzelesbol szarmazo pernyek fizikai, kemial es mezogazdasagi vizsgalata, kulonos tekintettel a kotnyezetkarosito hatastra."(Physical chemical and agricultural investigations of fly ash originating from oil fired equipment, with special regard to the damaging effect on the environment). Energia Atomtech (Budapest), 25(7) : 318-321 (1972).

#1882

Monteith, J. L. (ed.) Vegetation and the Atmosphere, Volume 1, Principles. New York, Academic Press, 278 p., 1975.

#1883

Ure, A.M. and C.A. Shand. "The determination of mercury in soils and related materials by cold-vapour atomic absorption spectrometry." Anal. Chim. Acta, 72(1):63-77 (Sept. 1974).

#1884

Urabe, Takeyuki, Kaoru Kayama, Toru Tadamasa, Etsuho Inoue, and Shunsaku Hirayama. "Taiki osen no jumoku no oyobosu cikyo narabi ni ryokka jumoku ikusei ni kansuru kenkyu (II)." (Studies on the effect of air pollution on trees and on the growth of green trees (II)). Okayama-ken Ringyo Shikenjo Hokoku (Bull. Okayama Prefect For. Exp. Stn.), 13:202-222 (Oct 1973).

#1885

Toyama, S., T. Odaira, and T. Sawada. "Asagao no kururupurasuto ni oyobosu ozon no eikyo." (Effects of ozone on the chloroplasts in leaves of morning glory). In: Studies on Tokyo Smog, Tokyo Metropolitan Research Inst. for Environmental Protection (Japan), Rept. 3, p. 607-625 (March 1974).

#1886

Uno, Yoshio and Yoshiyuki Miyake. "Tabako no seiriteki hanten shogai ni kansuru denkyu (Daiyonho). Hanten shogai to echiren no seisei." (Studies on physiological tobacco leaf spot (IV). Ethylene production on physiological tobacco leaf spot). Utsunomiya Tabako Shikenjo Hokoku (Bull. Utsunomiya Tob. Exp. Stn.), 11:23-27 (Nov 1972).

#1887

Umemoto, K., and K. Hozumi. "Correlation between the degree of air pollution and the distribution of calcium oxalate crystals in the gingko leaf." Microchem. J., 17(6):689-702 (December 1972).

#1888

Ueno, E. "Mangan ni yoru kankyo osen no hyoka ni kansuru kenkyu: suginae shiken shokuju ni yoro shokubutsutai kakubu no Mn ryo." (Studies on environmental contamination by manganese - experimental planting of young Japan cedar). Shikoku Igaku Zasshi (Shikoku Acta Medica), 30(1):10-18 (Feb. 25, 1974).

#1889

Tzschaucksch, O. "Die haeufigkeitsverteilung der individuellen SO<sub>2</sub>-Resistenz in Populationen und ihre Bedeutung fuer die Forstpflanzenzuechtung." (Frequency Distribution of Individual SO<sub>2</sub> Resistance of Populations and their Significance for Forest Breeding). Beitr. Forstwirtsch., 6(3): 17-20 (1972).

#1890

Turunen, J. and A. Visapaa. "Sulphur in pine needles and birch leaves. Part I. Determination of the sulphur content by X-ray fluorescence." Puu. 2:59-67 (1972).

#1892

Turrell, F. M. and F. M. Scott. "Effect of elemental sulfur dust on growth of citrus leaves, and its relation to the buffer capacity of the leaf-tissue fluid." Am. J. Botany, 38: 560-566 (July, 1951).

#1893

Turenkov, N.I. and P.F. Zhigarev. "Zagryazneniye okruzhayushchey sredy otkhodami kaliynogo proizvodstva." (Contamination of the environment with potassium industry wastes). Pochvovedenie, 9:70-75 (Sept. 1972).

#1894

Tsunoda, F. and H. Kunita "Doshokubutsu-chu no fusso ni tsuite-shizen to osen." [Fluorine content of plants and animals]. Kogai to Taisaku (J. Pollution Control), 9(6):613-619 (June 1973).

#1895

Tsunoda, Fumio, Hiroko Kunida, Yoshiza Sato, Kazuo Sasaki, Yuzo Kawarada, Isao Kimura, Morio Murakami, Hifumi Shioi, and Takenori Yoshida. "Fukkabutsu ni yoru taiki osen kankyoka ni sanjikkagetsu shiku shita ushi no bokenrei." (Case study of the dissection of a cattle raised in fluoride pollution for 30 months). Proc Symp. Japan Soc. Air Pollut., 13th, Paper 155, p. 200 (Nov 7-9, 1972).

#1896

Tsunoda, F., E. Aizawa, and S. Sakurai. "Fukkabutsu ni yoru taiki osen ni kansuru kenkyu - dai 11-po-osengen betsu ni mita sanmai chu no fusso ganyuryo ni tsuite." (Studies on air pollution due to fluorides, Part II: on the fluorine content of rice seen from the respective source of pollution). Presented at the Japan Society of Public Health, Annual Meeting, 32nd, Hiroshima, Japan, October 1973, Paper 560. Nippon Koshu Eisei Zasshi (Japan J. Public Health), 20(10 Special Suppl): 1 p. (October 1973).

#1897

Treshow, Michael, Gerald Dean, and Frances M. Harner. "Stimulation of tobacco mosaic virus-induced lesions on bean by fluoride." Phytopathology. 56:756-758 (1967).

#1898

Treshow, M., and D. Stewart. "Ozone sensitivity of plants in natural communities." Biol. Conserv., 5(3):209-214 (July 1973).

# 1899

Treshow, Michael. "Ozone damage to plants." Environ. Pollut., 1(2):155-161 (1970).

#1900

Treshow, Michael. "Air pollution as an ecological factor." (Presented at the International Clean Air Conference, 1972). Clean Air, 6(3):41-43 (Aug. 1972).

#1901

Gerhold, H. D., and G. H. Plank. "Monoterpene variations in vapors from white pines and hybrids." Phytochemistry, 9:1393-1398 (July 1970).

#1902

Townsend, Alden M. and Leon S. Dochinger. "Relationship of seed source and developmental stage to the ozone tolerance of Acer rubrum seedlings." Atmos. Environ., 8(9):957-964 (Sept. 1974).

#1903

Toshkov, A.S., M.M. Shabanov, and N.I. Ibrishimov. "Attempts to use bees to prove impurities in the environment." Dokl. Bolg. Akad. Nauk, 27(5):699-702 (1974).

#1904

Tomson, N.M. "Soderzhaniye metallov v atmosfernoy pyli i vliyaniye ikh na zhivyye organizmy." (Content of metals in atmospheric dust and their effect on living organisms). Gigiena i Sanit., 10:11-13 (1948).

#1905

Tollinger, V. "Beitrag zur grossraeumigen Diagnose der Rauchschaeden Die potentielle Gefahr einer Beschaeidigung der Waldbestaende durch Immissionen und die Gefahr einer sekundaeren suk zessiven Zerstoerung der Landschaft." (Assessment of damage from pollution on large areas. The potential danger of damage to forests caused by emissions and the danger of subsequent secondary deterioration of the countryside). Polska Akademia Nauk, Zaklad, Badan Naukowych Gornoslaskiego Okregu Przemyslowego, Mater. Miedzynarodowej Konf., Wplyw Zanieczyszczen Powietrza na Lasy, 6th, Katowice, Poland. 261-275 (Sept. 9-14, 1968).

#1906

Tokyo Metropolitan Environmental Protection Research Inst. (Japan). "Tokyo su-moggu seisei kijo shokubutsu higai ni kansuru chosa kenkyu no gaiyo." (The mechanism of formation of the Tokyo smog-a study on damaged plants). Text in Japanese, 52 p. (April 1973).

#1907

Stamatovic, S. and D. Milic. "Problems of air pollution in Yugoslavia." Air Pollution Proc. First European Congr., Influence Air Pollution Plants Animals, Wageningen, Netherlands, p. 255-258 (April 22-27, 1968).

#1908

Tokyo Metropolitan Research Inst. for Environment Protection (Japan). "Asagao ni yoru kakagaku sumoggu eikyo chosa ni kansuru kenkyu hokoku no gaiyo." (The outline of reports on studies of photochemical smog effects utilizing a plant, morning glory). 18 p. (March 1974).

#1909

Tingey, David T., Roger C. Fites, and Carlos Wickliff. "Foliar sensitivity of soybeans to ozone as related to several leaf parameters." Environmental Protection Agency, Research Triangle Park, N.C., Div. of Ecological Research and North Carolina State Univ., Raleigh, Botany Dept., 21 p. (1972).

#1910

Tingey, D.T., R.A. Reinert, C.Wickliff, and W.W. Heck. "Chronic ozone and/or sulfur dioxide exposures affect the vegetative growth of soybean." Pre-print, Environmental Protection Agency, Research Triangle Park, N. C., 14 p. (1972).

#1911

Thompson, C.R. and Gerrit Kats. "Antioxidants reduce grape yield reductions from photochemical smog." Calif. Agr., 24(9):12-13 (Sept 1970).

#1912

Thompson, C. Ray and Gerritt Kats. "Effects of ambient concentrations of peroxyacetyl nitrate on navel orange trees." Environ. Sci. Technol., 9(1): 35-38 (Jan 1975).

#1913

Thompson, C.R., D.T. Tingey, and R.A. Reinert. "Acceptable limits for air pollution dosages and vegetation effects: Nitrogen dioxide." Presented at the Air Pollution Control Association Annual Meeting, 67th, Denver. Color., Paper 74-227 (June 9-13, 1974).

#1914

Anon. "Waste problems of agriculture and forestry." Environ. Sci. Technol., 2(7):498-503 (July 1968).

#1915

Thellier, Michel, Abdelkader Ayadi, and Claude Tromeur. "Contribution a l'etude d'interactions ioniques chlorureborate et iodure-borate lors de l'absorption par la Lemna minor L." (The effect of ionic interaction of chloride-borate and of iodide- borate on their absorption by Lemna minor L.). C.R. Acad. Sci. Paris, Ser. D, 265:1687-1690 (Nov 27, 1967).

#1916

Teulon, Francoise. "Utilisation des vegetaux pour detecter la pollution fluoree autour d une usine susceptible d emettre des effluents gazeus fluores." (Examination of vegetation around a nuclear plant emitting gaseous fluorides in order to detect fluorine pollution). Commissariat a l Energie Atomique (France), Rept. CEA-R-4207, 30 p. (1971).

#1917

Tesar, Vladimir and Bozena Temmlova. "Baumarbsterben in mittelalten durch Schwefeldioxyd geschaedigten Fichtenbestaenden und Moeglichkeiten seiner Prognose nach dem bestabdeszustande." (Tree mortality of median-aged pine trees damaged by sulfur dioxide and possibilities of its prediction from the condition of the stands). Polska Akademia Nauk, Zaklad Badan Naukowych Gornoslaskiego Okregu Przemyslowego, Mater. Miedzynarodowej Konf., Wplyw Zanieczyszczen Powietrza na Lasy, 6th, Katowice, Poland, 371-388 (Sept 9-14, 1968).

#1918

Yamasaki, Morimasa and Kiichi Nishiyama. "Jumokurui no aryusan gasu teikosei to ensosan kari teikosei tono kankei ni tsuite." (On the relationship between the tolerance to SO<sub>2</sub> gas and toxicity to KCLO<sub>3</sub> of many kinds of trees). Tokyo Nogyo Daigaku Nogaku Shuho (J. Agric. Sci., Tokyo Univ. Agric.), 18(2):117-122 (1973).

#1919

Taylor, O.C., D.B. Drummond, and P.R. Miller. "Acceptable limits for air pollution dosages and vegetation effects: Peroxyacetyl nitrates." Presented at the Air Pollution Control Association, Annual Meeting, 67th, Denver, Colorado. 74-228 (June 9-13, 1974).

#1920

Templin, Eugen. "Zur Populationskynamik einiger Kiefernschadinsekt en in rauchgeschaedigten Bestaenden." (On the population dynamics of several pine pests in smoke-damaged forest stands). Wiss. Z. Tech. Univ. Dresden, 11(3): 631-637 (1962).

#1921

Houten, J.G. ten. "De invloed van iuchverontreiniging op planten." (Influence of air pollution on plants). Neth. J. Plants Pathol., 73(4):129 (1967).

#1922

Tennessee Valley Authority, Muscle Shoals, Ala, Technical Library. "Effects of atmospheric fluorides on plants and animals (1950-1974)." TVA Bibliography 1061, 11p. (1974).

#1923

Tennessee Valley Authority, Muscle Sheals, Ala., Technical Library. "Effects of air pollution on lichens and bryophytes (1940-1974)." TVA Bibliography 1294, 3 p. (June 11, 1974).

#1924

Tennessee Valley Authority, Muscle Shoals, Ala., Technical Library. "Sulfur dioxide effects on plants and animals (1967-1974)." TVA Bibliography 1416, 13 p. (June 14, 1974).

#1925

Terakado K. and H. Fukuda. "Kankyo bakuroshitsu no kino." (On the function of the controlled-condition room where plants are exposed to several conditions of air pollution (environment simulation room)). Tokyo Metropolitan Agricultural Experiment Station, p. 24-26 (Feb. 1974).

# 1926

Terakado, K. "Tokyo kokagaku sumoggu no shokubutsu higai ni kansuru chosa kenkyu. 2. PAN (Paokishiashiru naitoreto) shojo ni nita Pechunia no higai ni tsuite." (Investigation and studies on plant damage due to Tokyo photochemical smog. Part II: On the damage of petunia which showed the symptoms like injuries by PAN (Peroxyacetyl nitrate)). Tokyo-to Nogyo Shikenjo Kenkyu Nenpo (Annu. Rep. Tokyo Met. Agr. Exp. Sta.), 1972:2-3 (Oct 1973).

#1927

deCormis, L. "Effet sur les vegetaux de la pollution de l'air d'origine industrielle." (Effect of industrial air pollution on vegetation). Text in French. Ann. Mines (Paris), 11:15-20 (November 1970).

#1928

Sitnikova, A.S. "Characteristics of photosynthesis and of some other processes in connection with smoke and gas resistance of trees and shrubs." In: American Institute of Crop Ecology Survey of USSR Air Pollution Literature. Vol III. The Susceptibility of Resistance to Gas and Smoke of Various Arboreal Species Grown Under Diverse Environmental Conditions in a Number of Industrial Regions of the Soviet Union, M.Y. Nuttonson (ed.), Silver Spring, Md., American Institute of Crop Ecology, p. 68-69 (1970).

#1929

Heck, W.W. "The role and activities of the Agricultural Branch of the National Air Pollution Control Administration." (Presented at the Impact of Air Pollution on Vegetation Conference, Toronto, Ontario, April 7-9, 1970.) Preprint, Air Pollution Control Assoc., Toronto, Ontario Section, Air Pollution Control Assoc., Pittsburgh, Pa., TR-7 Agricultural Committee and Ontario Dept. of Energy and Resources Management, Toronto, Air Management Branch, 6 p. (1970).

#1930

Inoue, T., H. Ohno, and Y. Doi. "Taiki osen ni yoru jumoku higajidosha haiki gasu no higai." (Responses of trees to air pollution). Text in Japanese. (Proceedings of the Japan Society of Air Pollution, Annual Meeting, 11th, Tokyo, Japan, 1970) Taiki Osen Kenkyu (J. Japan Soc. Air Pollution), 5(1): 157 (1970).

#1931

Pearson, L.C. "Air pollution and lichen physiology: Progress and problems." In: Air Pollution and Lichens, B.W. Ferry, M.S. Baddeley, and D.L. Hawksworth (eds.), Toronto Univ. Press, Toronto, 225-237 (Chapt. 11) (1973).

#1932

Margot, J. "Experimental Study of the Effects of Sulphur Dioxide on the Sordia of Hypogymnia Physodea." In: Air Pollution and Lichens, B.W. Ferry, M.S. Baddeley, and D.L. Hawksworth (eds.), Toronto Univ. Press, Toronto , Chapt. 15, p. 314-329 (1973).

#1933

Skelly, J.M., L.D. Moore, and L.L. Stone. "Symptom expression of Eastern White Pine located near a source of oxides of nitrogen and sulfur dioxide." Plant Disease Rept., 56(1):3-6 (Jan 1972).

#1934

Skowina, Tadeusz, Irena Szalonek, Maria Warteresiewicz, and Tadeusz Wachalewski. "Zastosowanie testu roslinnego do oceny stopnia zanieczyszczenia powietrza atmosferycznego dwutlenkiem siarki." (Application of a plant test for the evaluation of air pollution by sulfur dioxide). Postepy nauk roln (Warsaw), 3(87):17-31 (1964).

#1935

Houston, D.B. and G.R. Stairs. "Genetic control of sulfur dioxide and ozone tolerance in Eastern White Pine." Forest Sci., 19(4):267-271 (Dec 1973).

#1936

Glater, R. A. B., and L. Hernandez, Jr. "Lead detection in living plant tissue using a new histochemical method." J. Air Pollution Control Assoc., 22(6):463-467 (June 1972).

# 1937

Majernik, O., and T. A. Mansfield. "Stomatal responses to raised atmospheric CO<sub>2</sub> concentrations during exposure of plants to SO<sub>2</sub> pollution." Environ. Pollut., 3(1):1-4 (Jan. 1972).

#1938

Loewus, M.W., and C.C. Delwiche. "Carbon monoxide production by algae." Plant Physiol., 38:371-374 (1963).

#1939

Allen, L. H., et al. "Plant responses to CO<sub>2</sub> enrichment under field conditions -A simulation." Science, 173(3993):256-258 (July 16 1971)

#1940

Loman, A. A., R. A. Blavel, and D. Hocking. "Sulfur dioxide and forest vegetation." Northern Forest Research Centre (Edmonton). (December 1972).

#1941

Rutsch, H. C. "Heavy metal accumulation in soil and vegetation from smelter emission." Environmental Protection Agency. National Environ. Research Center. EPA-660/3-74-012. Office of Research and Development, U.S.EPA Corvallis, Oregon. August 1974.

#1942

Frizzola, J.A. and J.H. Baler. "Contaminants in rainwater and their relation to water quality." Water and Sewage Works, pp. 95-96 (Sept. 1975).

#1943

Lance, J.C. "Nitrogen removal by soil mechanisms." Journal WPCF, 44(7): 1352-1361 (1972).

#1944

Bouldin, D.R., R.L. Johnson, C. Burda and Chun-Wei Koo. "Losses of inorganic nitrogen from aquatic systems." J. Environ. Qual., 3(2):107-114 (1974).

#1945

Massey, A., and J. Robinson. "A review of the factors limiting the growth of nuisance algae." Water and Sewage Works, pp. 352-355. (No date).

#1946

Macrae, I.C. and R. Ancajas. "Volatilization of ammonia from submerged tropical soils." Plant and Soil, 33:97-103 (1970).

#1947

Hoigné, J. and H. Bader. "Ozonation of water: Role of hydroxyl radicals as oxidizing intermediates." Science, 190:782-784 (1975).

#1948

Foster, N.W. and I.K. Morrison. "Distribution and cycling of nutrients in a natural Pinus banksiana ecosystem." Ecology, 57:110-120 (1976).

#1949

Rasmussen , R. A. "Isoprene: identified as a forest-type emission to the atmosphere." Enviro. Sci. & Tech., 4(8):667-671 (August 1970).

#1950

Herbst, W. "Filter- und Schutzwirkung des Waldes gegen radioaktive und andere Beimengungen der Atmosphaere." (Filtering and protective effect of forests against radioactive and other impurities of the atmosphere). Forst. Holzwirt Schaft, 20(10):216-220 (1965).

#1951

Cowherd, C., Jr., K. Axetell, Jr., C. M. Guenther, and G. A. Jutze. "Development of emission factors for fugitive dust sources." U. S. Environmental Protection Agency, Office of Air and Waste Management, Office of Air Quality Planning and Standards, Research Triangle Park, N. C. 27711 (June 1974). EPA-450/3-74-037.

#1952

Yagovoi, P.N., V.I. Shendevitskii, and N.N. Ivchik. "K voprosu o zaderzhke radioaktivnoi pyli zelenymi nasazhdenniyami." (Trapping of radioactive dust by green plantations). Hyg. Sanit. 31(7):106-10 (July, 1966).

#1953

LeBlanc, F., and D.N. Rao. "Evaluation of the pollution and drought hypotheses in relation to lichens and bryophytes in urban environments." Bryologist, 76(1):1-19 (Spring 1973).

#1954

Wentzel, K.F. "Prestebni zmirnujici prostedy proti imism." (Sylvicultural measures for reducing the effects of emissions). Scientific and Technical Society, Prague (Czechoslovakia), Agricultural and Forestry Section, Proc. Conf. Effect Ind. Emissions Forestry, Janske Lazne, Czechoslovakia, p.XII-1 to XII-13 (Oct 11-14, 1966).

: 1955

Froiep. S. "Die Bedeutung der Gruenflaechen im Immissionsbelasteten Ruhrgebiet und Folgerungen fuer die Landesplanung." (The importance of open (green) spaces in the polluted Ruhr and the resultant consequences for land-use planning in the Ruhr). Presented at the International Symposium of Forest Fume Damage Experts, 7th, Essen, West Germany. Mitt. Forst. Bundesvers., 97: 107-116 (1972).

#1956

Fisher, H. L. "Deposition velocities of aerosols and vapors on pasture grass." California Univ., Livermore, Lawrence Radiation Lab., (TID-4500) (UX-48 (UCRL-14702) 20 pp. (March 14, 1966). CFSTI: UCRL-14702

#1957

Abramashvili, G. G. "The effect of atmospheric air pollution on coniferous plantings." Translated from Russian. U.S.S.R. Literature on Air Pollution and Related Occupational Diseases, 1: 75-78 (January 1960). (Also published in Gigiena i Sanit., No. 67-69, 1957.)

#1959

Berindan, Cornelia. "Oeffentliche Gruenflaechen in Staedten mit Luftverunreinigung Augenblicker und Zukentiger Stand." (Public open spaces in polluted cities). Mitt. Forst. Bundesvers., 97:541-567 (1972).

#1960

Anon. "Chlorine and air pollution: an annotated bibliography." Office of Air Programs, Research Triangle Park, N. C. Air Pollution Technical Information Center, Pub. AP-99, 113 p (July 1971).

#1961

Darley, E. F., H. H. Biswell, G. Miller, and J. Goss. "Air pollution from forest and agricultural burning." Preprint, Combustion Institute, Western States Section, 10 p. 1972. (Presented at the Combustion Institute, Western States Section, Spring Meeting, Seattle, Wash., April 24-25, 1972, Paper WSC1 72-11.)

#1962

Babich, H. and G. Stotzky. "Ecologic ramifications of air pollution." Society of Automotive Engineers, Inc., New York, Environmental Protection Agency, and Dept. of Transportation, Soc. Automotive Engrs. Int. Conf. Transp. Environ., Proc., Washington, D. C., Part I, Paper 720630, p. 198-214 (May 31-June 2, 1972).

#1963

Berindan, C. "Interrelation pollution atmosphérique et espaces verts en tant que principe protecteur des villes industrielles." (Atmospheric pollution interrelation and green spaces as a protective principle of industrial towns). Tribune CEBEDEAU (Centre Belge Etude Doc. Ezux), 301:143-153 (July-Sept. 1969).

#1964

Bernatzky, A. "Die Bedeutung von Schutzpflanzungen gegen Luftverunreinigungen." (The importance of protective plantings against air pollutants). Proc. First European Congr. Influence Air Pollution Plants Animals, Wageningen, Netherlands, p. 383-395 (1968).

#1965

Bernatzky, A. "Gruenflaechen und Stadtclima." (Green areas and urban climate). Staedtehygiene (Uelzen/Hamburg), 21(6):131-135 (June 1970).

#1966

Boyer, J., and M. Bousquet. "Les nuisances II. La penurie d espaces verts." (Pollutants II. The scarcity of green belts). Concours Med. (Paris), 93(12):2089-90, 2093, 2095-2096 (Nov. 20, 1971).

#1967

Collins-Williams, C., H. K. Kuo, E. A. Varga, S. Davison, D. Collins-Williams, and M. Fitch. "Atmospheric pollen counts in Toronto, Canada, 1971." Ann. Allergy, 31(2):65-68 (Feb. 1973).

#1968

Goddard, A.J.H., R.E. Holmes, and H. Apsimon. "Computation and mapping of the dispersion and herbage uptake of gaseous effluents from industrial plants." Society of Engineering Science, Pollut. Eng. Sci. Solutions, Proc. Int. Meet. Soc. Eng. Sci., 1st, Tel Aviv, Israel, 1972 p. 548-563, June 12-17, 1973.

#1970

Murphy, C. E. Jr., T. R. Sinclair, and K. R. Knoerr. "A model for estimating air pollutant uptake by forests: calculation of forest absorption of SO<sub>2</sub> from dispersed sources." (Presented at Conference on Metropolitan Physical Environment, Syracuse, New York, August 25-29, 1975).

#1971

Auerbach, S.I. "Progress report in postattack ecology." Interim Progress Report. Office of Civil Defense, Washington, D.C. (No date).

#1972

Roberts, B. R., and C. R. Krause. "Changes in ambient SO<sub>2</sub> by rhododendron and Pyracantha." Hortscience, 11(2):111-112 (April 1976).

#1973

Anonymous. "LeVaudreuil: French experiment in urbanism without tears." Science, 173: 39-41 (1971).

#1974

Middleton, J. T. "Planning against air pollution." American Scientist, 59: 188-194 (1971)

<sup>1975</sup>

Everett, M. D. "Roadside air pollution hazards in recreational land use planning." Air Journal (1974).

#1976

Flemer, W. "Trees in towns." Journal of the Royal Horticultural Society, 100: 22-35 (1975).

#1977

Klepper, Betty and D.K. Craig. "Deposition of airborne particulates onto plant leaves." J. Environmental Quality, 4(4): 495-499 (1975).

#1978

Kerfoot, O. "Mist precipitation on vegetation." Forestry Abstracts, 29(1): 8-20 (January 1968).

#1979

Larsen, R.I. and W.W. Heck. "An air quality data analysis system for inter-relating effects, standards, and needed source reductions: Part 3, vegetable injury." J. Air Pollution Control Assoc., 26(4): 325-333 (1976).

#1980

Davis, D.D., and J.B. Coppolino. "Relationship between age and ozone sensitivity of current needles of ponderosa pine." Plant Disease Repr., 58(7): 660-663 (July 1974).

#1981

Shibutani, S. and Y. Yasunobu. "Taiki osen busshitsu ga engei sakumotsu to ni oyobosu eikyo ni kansuru shiken (1) engei sakumotsu to no chiiki betsu higai jittai chosa, b. kaju (nashi) no shokusai shiken." (Experiments on the effects of air pollutant on horticultural crops: Part I. Investigation of local damage of horticultural crops. Sec. B. Effects of air pollutants on pear). Kanagawaken Nogyo Sogo Kenkyujo Gyomu Nenpo (Ann. Rep. Kanagawa Prefect. Agr, Integr. Inst.), 1973: 74 (June 1973).

**APPENDICES - A. Conversion Factors**

TABLE A-1

General SI (System Internationale) Conversion Tables

## SI BASE UNITS

Quantity	Name of unit	Unit symbol	Quantity	Name of unit	Unit symbol
length	metre	m	electric current	ampere	A
			thermodynamic temperature	kelvin	K
mass	kilogram	kg	luminous intensity	candela	cd
time	second	s	amount of	mole	mol

TABLE A-2

APPROVED NUMERICAL PREFIXES				
Exponential Expression	Decimal Equivalent	Prefix	Phonic	Symbol
$10^{12}$	1 000 000 000 000	tera	ter' a	T
$10^9$	1 000 000 000	giga	ji' ga	G
$10^6$	1 000 000	mega	meg' a	M*
$10^3$	1 000	kilo	kil' o	k*
$10^2$	100	hecto	hek' to	n
10	10	deka	dek' a	da
$10^{-1}$	0.1	deci	des i	d
$10^{-2}$	0.01	centi	sen' ti	c*
$10^{-3}$	0.001	milli	mil' i	m*
$10^{-6}$	0.000 001	micro	mi' kro	u*
$10^{-9}$	0.000 000 001	nano	nan' o	n
$10^{-12}$	0.000 000 000 001	pico	pe' ko	p
$10^{-15}$	0.000 000 000 000 001	femto	fem' to	f
$10^{-18}$	0.000 000 000 000 000 001	atto	at' to	a

\* most commonly used units

TABLE A-3

Common Metric Conversions  
For Consideration of Air Pollution

AIR QUALITY DATA (25°C; 760 mm Hg)			
ppm SO <sub>2</sub>	x 2620	=	µg/m <sup>3</sup> SO <sub>2</sub> (Sulfur Dioxide)
ppm CO	x 1150	=	µg/m <sup>3</sup> CO (Carbon Monoxide)
ppm CO <sub>x</sub>	x 1.15	=	mg/m <sup>3</sup> CO (Carbon Monoxide)
ppm CO <sub>2</sub>	x 1800	=	µg/m <sup>3</sup> CO <sub>2</sub> (Carbon Dioxide)
ppm CO <sub>2</sub>	x 1.8	=	mg/m <sup>3</sup> CO <sub>2</sub> (Carbon Dioxide)
ppm NO	x 1230	=	µg/m <sup>3</sup> NO (Nitrogen Oxide)
ppm NO <sub>2</sub>	x 1880	=	µg/m <sup>3</sup> NO <sub>2</sub> (Nitrogen Dioxide)
ppm O <sub>3</sub>	x 1960	=	µg/m <sup>3</sup> O <sub>3</sub> (Ozone)
ppm CH <sub>4</sub>	x 655	=	µg/m <sup>3</sup> CH <sub>4</sub> (Methane)
ppm CH <sub>4</sub>	x .655	=	mg/m <sup>3</sup> CH <sub>4</sub> (Methane)
ppm CH <sub>3</sub> SH	x 2000	=	µg/m <sup>3</sup> CH <sub>3</sub> SH (Methyl Mercaptan)
ppm C <sub>3</sub> H <sub>8</sub>	x 1800	=	µg/m <sup>3</sup> C <sub>3</sub> H <sub>8</sub> (Propane)
ppm C <sub>3</sub> H <sub>8</sub>	x 1.8	=	mg/m <sup>3</sup> C <sub>3</sub> H <sub>8</sub> (Propane)
ppm F <sup>-</sup>	x 790	=	µg/m <sup>3</sup> F <sup>-</sup> (Fluoride)
ppm H <sub>2</sub> S	x 1400	=	µg/m <sup>3</sup> H <sub>2</sub> S (Hydrogen Sulfide)
ppm NH <sub>3</sub>	x 696	=	µg/m <sup>3</sup> NH <sub>3</sub> (Ammonia)
ppm HCHO	x 1230	=	µg/m <sup>3</sup> HCHO (Formaldehyde)

TABLE A-4

To convert from	To	Multiply by
Ppm by volume (20°C)	Milligrams/cu m	$\frac{M^*}{24.04}$
	Micrograms/cu m	$\frac{M^*}{0.02404}$
	Micrograms/liter	$\frac{M^*}{24.04}$
Ppm by weight		$\frac{M^*}{28.8}$
	Pounds/cu ft	$\frac{M^*}{385.1 \times 10^6}$
Ppm by weight	Milligrams/cu m	1.198
	Micrograms/cu m	$1.198 \times 10^3$
	Micrograms/liter	1.198
Ppm by volume (20°C)		$\frac{28.8}{M^*}$
Pounds/cu ft		$7.48 \times 10^{-6}$
Pounds/cu ft	Milligrams/cu m	$16.018 \times 10^6$
	Micrograms/cu m	$16.018 \times 10^9$
	Micrograms/liter	$16.018 \times 10^6$
Ppm by volume (20°C)		$\frac{385.1 \times 10^6}{M^*}$
Ppm by weight		$133.7 \times 10^3$

\* M = Molecular Weight

## PARTICLE COUNT

No./cu m	No./liter	0.001
	No./cu cm	$1.0 \times 10^{-6}$
	No./cu ft	$28.317 \times 10^{-3}$
No./liter	No./cu m	1000.0
	No./cu cm	0.001
	No./cu ft	28.316
No./cu cm	No./cu m	$1.0 \times 10^6$
	No./liter	1000.0
	No./cu ft	$28.316 \times 10^3$
No./cu ft	No./cu m	35.314
	No./liter	$35.315 \times 10^{-3}$
	No./cu cm	$35.314 \times 10^{-6}$

TABLE A-4 (Con't)

To convert from	To	Multiply by
DUSTFALL		
Tons/sq mile	Pounds/acre	3.125
	Pounds/1000 sq ft	0.07174
	Grams/sq m	0.3503
	Kilograms/sq km	350.3
	Milligrams/sq m	350.3
	Milligrams/sq cm	0.03503
	Grams/sq ft	0.03254
Pounds/acre	Tons/sq mile	0.32
	Pounds/1000 sq ft	0.023
	Grams/sq m	0.1121
	Kilograms/sq km	112.1
	Milligrams/sq m	112.1
	Milligrams/sq cm	0.01121
	Grams/sq ft	0.0104
Pounds/1000 sq ft	Tons/sq mile	13.94
	Pounds/acre	43.56
	Grams/sq m	4.882
	Kilograms/sq km	4882.4
	Milligrams/sq m	4882.4
	Milligrams/sq cm	0.4882
	Grams/sq ft	0.4536
Grams/sq m	Tons/sq mile	2.855
	Pounds/acre	8.921
	Pounds/1000 sq ft	0.2048
	Kilograms/sq km	1000.
	Milligrams/sq m	1000.
	Milligrams/sq cm	0.1
	Grams/sq ft	0.0929
Grams/cu m	Milligrams/cu m	1000.0
	Grams/cu ft	0.02832
	Micrograms/cu m	$1.0 \times 10^6$
	Micrograms/cu ft	$28.317 \times 10^3$
	Pounds/1000 cu ft	0.06243
Micrograms/cu m	Milligrams/cu m	0.001
	Grams/cu ft	$28.317 \times 10^{-9}$
	Grams/cu m	$1.0 \times 10^{-6}$
	Micrograms/cu ft	0.02832
	Pounds/1000 cu ft	$62.43 \times 10^{-9}$
Micrograms/cu ft	Milligrams/cu m	$35.314 \times 10^{-3}$
	Grams/cu ft	$1.0 \times 10^{-6}$
	Grams/cu m	$35.314 \times 10^{-6}$
	Micrograms/cu m	35.314
	Pounds/1000 cu ft	$2.2046 \times 10^{-6}$

TABLE A-4 (Con't)

To convert from	To	Multiply by
Pounds/1000 cu ft	Milligrams/cu m	$16.018 \times 10^3$
	Grams/cu ft	0.35314
	Micrograms/cu m	$16.018 \times 10^5$
	Grams/ cu m	16.018
	Micrograms/cu ft	$353.14 \times 10^3$
ATMOSPHERIC GASES		
Milligrams/cu m	Micrograms/cu m	1000.0
	Micrograms/liter	1.0
	Ppm by volume (20°C)	<u>24.04</u> M
	Ppm by weight	0.8347
	Pounds/cu ft	$62.43 \times 10^{-9}$
Micrograms/cu m	Milligrams/cu m	0.001
	Micrograms/liter	0.001
	Ppm by volume (20°C)	<u>0.02404</u> M
	Ppm by weight	$834.7 \times 10^{-6}$
	Pounds/cu ft	$62.43 \times 10^{-12}$
Micrograms/liter	Milligrams/cu m	1.0
	Micrograms/cu m	1000.0
	Ppm by volume (20°C)	<u>24.04</u> M
	Ppm by weight	0.8347
	Pounds/cu ft	$62.43 \times 10^{-9}$
Kilograms/sq km	Tons/sq mile	$2.855 \times 10^{-3}$
	Pounds/acre	$8.921 \times 10^{-3}$
	Pounds/1000 sq ft	$204.8 \times 10^{-6}$
	Grams/sq m	0.001
	Milligrams/sq m	1.0
	Milligrams/sq cm	0.0001
	Grams/sq ft	$92.9 \times 10^{-6}$
Milligrams/sq m	Tons/sq mile	$2.855 \times 10^{-3}$
	Pounds/acre	$8.921 \times 10^{-3}$
	Pounds/1000 sq ft	$204.8 \times 10^{-6}$
	Grams/sq m	0.001
	Kilograms/sq km	1.0
	Milligrams/sq cm	0.0001
	Grams/sq ft	$92.9 \times 10^{-6}$

TABLE A-4 (Con't)

To convert from	To	Multiply by
<b>Milligrams/sq cm</b>	Tons/sq mile	28.55
	Pounds/acre	89.21
	Pounds/1000 sq ft	2.048
	Grams/sq m	10.0
	Kilograms/sq km	$10.0 \times 10^3$
	Milligrams/sq m	$10.0 \times 10^3$
	Grams/sq ft	0.929
<b>Grams/sq ft</b>	Tons/sq mile	30.73
	Pounds/acre	96.154
	Pounds/1000 sq ft	2.204
	Grams/sq m	10.764
	Kilograms/sq km	$10.764 \times 10^3$
	Milligrams/sq m	$10.764 \times 10^3$
	Milligrams/sq cm	1.0764
<b>AIRBORNE PARTICULATE MATTER</b>		
<b>Milligrams/cu m</b>	Grams/cu ft	$283.2 \times 10^{-6}$
	Grams/cu m	0.001
	Micrograms/cu m	1000.0
	Micrograms/cu ft	28.52
	Pounds/1000 cu ft	$62.43 \times 10^{-6}$
<b>Grams/cu ft</b>	Milligrams/cu m	$35.3145 \times 10^3$
	Grams/cu m	35.314
	Micrograms/cu m	$35.314 \times 10^6$
	Micrograms/cu ft	$1.0 \times 10^6$
	Pounds/1000 cu ft	2.2046

TABLE A-5

LENGTH

UNITS	SYMBOL	METERS
Angstrom	A	$1 \times 10^{-10}$
Millimicron	$\text{m}\mu$	$1 \times 10^{-9}$
Micron	$\mu$	.000001
Millimeter	mm	.001
Centimeter	cm	.01
Decimeter	dm	.10
Meter	m	1.0
Dekameter	dkm	10.
Hectometer	hm	100.
Kilometer	km	1000.

WEIGHT

UNITS	SYMBOL	GRAMS
Microgram	$\mu\text{g}.$	.000001
Milligram	mg.	.001
Centigram	cg.	.01
Decigram	dg.	.10
Gram	g.	1.0
Dekagram	dkg.	10.
Hectogram	hg.	100.
Kilogram	kg.	1000.

VOLUME

UNITS	SYMBOL	LITERS
Microliter	$\mu\text{l}.$	.000001
Milliliter	ml.	.001
Centiliter	cl.	.01
Deciliter	dl.	.10
Liter	l.	1.0
Dekaliter	dkl.	10.0
Hectoliter	hl.	100.0
Kiloliter	kl.	1000.0

**TABLE A-6**  
**CONVERSION TABLES**

**LENGTH**

UNITS	CENTIMETERS	METERS	KILOMETERS	INCHES	FEET
Centimeter	1.00	.01	.00001	.39370	.032808
Meter	100.00	1.00	.001	39.370	3.2808
Kilometer	100000.	1000.00	1.00	39370.	3280.8
Inch	2.54	.02540	.000025	1.00	.08333
Foot	30.4801	.304801	.000305	12.00	1.00

1 Angstrom = .0001 Microns =  $1 \times 10^{-8}$  Centimeters =  $3.937 \times 10^{-9}$  Inches

1 Micron =  $1 \times 10^4$  Angstroms =  $1 \times 10^{-4}$  Centimeters =  $3.397 \times 10^{-5}$  Inches

1 Kilometer = .62137 Mile

1 Mile (U.S.) = 1.60935 Kilometers

**MASS & WEIGHT**

UNITS	GRAMS	GRAINS	DRAMS	OUNCES	OUNCES
		AVOIR.	AVOIR.	AVOIR.	TROY
Milligram	.001	.015432	.000564	.0000353	.0000322
Gram	1.00	15.43236	.564383	.0352740	.0321507
Kilogram	1000.	15432.36	564.383	35.2740	32.1507
Dram (Av.)	1.771845	27.34375	1.00	.0625	.056966
Ounce (Av.)	28.3495	437.5	16.00	1.00	.911458
Pound (Av.)	453.5924	7000.	256.00	16.00	14.5833
Ounce (Tr.)	31.1035	480.00	17.55428	1.09714	1.00

1 Cu. Ft. Water at 60°F = 62.37 Lbs. Av. / 1 Gal.(U.S.) Water at 62°F = 8.337 Lbs. Av.

**VOLUME & CAPACITY**

UNITS	LITERS	FL.OUNCE (U.S.)	LIQ. PINTS (U.S.)	CUBIC CENTIMETERS	CUBIC INCHES
Milliliter	.001	.0338147	.002113	1.00003	.061025
Liter	1.00	33.8147	2.1134	1000.03	61.025
Cu. Cm.(cc)	.001	.0338147	.002113	1.00	.061023
Cu. Inch	.0163867	.554113	.034632	16.3872	1.00
F1. Dram(U.S.)	.003696	.125	.007813	3.6967	.225586
F1. Oz.(U.S.)	.0295729	1.00	.0625	29.5737	1.80469
Liq. Pint(U.S.)	.473167	16.00	1.00	473.179	28.875
Liq. Gal.(U.S.)	3.7853	128.00	8.00	3785.43	231.00

1 Gal. (U.S.) = .83268 Gals.(British) / 1 Gal. (British) = 1.20094 Gals. (U.S.)

1 Minim = .0020833 Oz.(U.S.F1.) = .016667 Dram (U.S.F1.) = .061610 Ml. = .061612 cc.

**AREA**

UNITS	SQUARE CENTIMETERS	SQUARE INCHES
Sq. Cm.	1.00	.1550
Sq. Meter	10000.00	1550.00
Sq. Inch	6.451626	1.00
Sq. Foot	929.0341	144.00

**PRESSURE**

1 Atmosphere = 14.696 lbs./sq.in.

1 Atmosphere =  $1.01325 \times 10^6$  dynes/sq.cm.

1 Atmosphere = 760.00 mm. of mercury at 0°C

1 Cm. of Mercury at 0°C = .013158 atmospheres

**APPENDICES - B. Abstraction Guidelines**

COMSIS CORPORATION - OPEN SPACE STUDY

ABSTRACT INVENTORY NO. \_\_\_\_\_

CITATION

---

---

---

---

<u>POLLUTANT(S)</u>	<u>LOCATION</u>	<u>VEGETATION</u>	<u>SOIL TYPE</u>	<u>MISCELLANEOUS INFORMATION</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

<u>EMISSION</u>	<u>SINK</u>	<u>LANGUAGE</u>	<u>NOS.</u>	<u>TABLES</u>	<u>FIGURES</u>
---	---	---	---	---	---

ABSTRACT NO. \_\_\_\_\_

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

<u>SOURCE(S)</u>	<u>LOCATION OF DOCUMENT</u>	<u>NAME</u>
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____

COMSIS CORPORATION - OPEN SPACE STUDY

INVENTORY CATEGORIES

Pollutants

Location

Vegetation

Soil Type

POLLUTANTS

I. Particulates (aerosols)

A. Solid

1. nonviable

trace metals: aluminum (Al), calcium (Ca), silicon (Si), cadmium (Cd), magnesium (Mg), chromium (Cr), cobalt (Co), copper (Cu), iron (Fe), lead (Pb), manganese (Mn), nickel (Ni), sodium (Na), tin (Sn), zinc (Zn), vanadium (V), beryllium (Be); asbestos, carbon, flyash, dust, soot.

2. viable

pollen, bacterial cells, bacterial spores, fungal spores, virus particles

B. Liquid

sulfate, sulfite, nitrate, nitrite, organic [hydrocarbons(HC), acids, bases, phenols].

II. Gases

A. Primary (released directly into atmosphere)

1. inorganic

a. oxides

1). nitrogen[(NO<sub>x</sub>),nitrogen dioxide (NO<sub>2</sub>), nitric oxide (NO), nitrous oxide (N<sub>2</sub>O)]

2). sulfur [sulfur dioxide (SO<sub>2</sub>)]

3). carbon [carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>)]

b. halogens

1). fluorine (F<sub>2</sub>), fluoride (F)

2). chlorine (Cl<sub>2</sub>), chloride (Cl)

II. A. 1. (Con't)

c. other

1). hydrogen sulfide ( $H_2S$ )

2). ammonia ( $NH_3$ )

2. organic

a. hydrocarbons (HC)

e.g. alkanes, alkenes, acetylenes, aliphatic, alicyclic, aromatic,  
methane, terpenes, ethylene, polynuclear hydrocarbons, benzo (a)  
pyrene, olefins

b. aldehydes and ketones

e.g. formaldehyde

c. halocarbons (chlorofluorocarbons)

1). fluorocarbons

2). chlorocarbons

d. mercaptans

B. Secondary (synthesized in the atmosphere)

1. ozone ( $O_3$ )

2. peroxyacetyl nitrates

a. peroxyacetyl nitrate (PAN)

b. peroxypropionyl nitrate (PPN)

c. peroxybutyryl nitrate (PBN)

d. peroxyisobutyrylnitrate (Piso BN)

LOCATION

1. Urban
2. Rural (farm, forest, wetlands, field, etc.)
3. Controlled Environment (greenhouse, growth chamber, etc.)
4. Other

VEGETATION

1. Agriculture
2. Tree
3. Shrub
4. Herb
5. Other

SOIL TYPE

1. Natural (forest, field, etc.)
2. Disturbed (fertilized, top soil removed, sand & gravel, roadside, synthetic, city street, etc.)
3. Other

## Strategies

Computerized literature searches were conducted in six separate federal agency files. This source of information consists of computerized bibliographic files of the cataloging and indexing records of various library or private bibliographic sources. Such records contain abstracts as well. In the case of this project, the following files were searched by developing a specific program compatible with each file.

APTIC - The Air Pollution Technical Information Center (Environmental Protection Agency)

CAIN - The National Agricultural Library Data Base (Department of Agriculture)

DATRIX - The University Microfilm System

DDC - The Defense Document Center (Department of Defense)

NTIS - The National Technical Information Service

HRB - The Highway Research Board (National Academy of Sciences)

In addition, manual searches were undertaken of two files created by Dr. Leon S. Dochinger and his colleagues at the U.S. Forest Service, Northeastern Forest Experiment Station, and Dr. William H. Smith of the Yale University School of Forestry and Environmental Sciences.

Although each computerized search in the different files requires a customized search strategy, a generalized program may be used as an example of the logic which we utilized in attempting to insure that we consider all of the pertinent and important literature. Therefore, as an example, the following search strategy is given using the CAIN file as a base.

The search strategy to enter CAIN is diagrammed on the next page. Prior to initiating a search on a computer typewriter, the searcher will have to analyze the search topic, in this case "the ability of vegetation, soil and water to remove pollutants from the atmosphere". The study involves becoming thoroughly acquainted with the vocabulary used in the literature of this subject matter. This is necessary because entering a computerized file (data base) of tens of thousands of citations requires asking the computer for information on as specific questions as possible.


Therefore, at the time the computer is activated and given the command BEGIN (1), the searcher must be familiar with the specific subject matter to be received from the search strategy. Initially, the computer asks if the searcher knows the vocabulary which describes the sought category of information. (DO I KNOW TERM EXISTS?) (2) In our diagram, all questions the computer asks of its users are presented in diamond shaped enclosures. This is the standard notation for questions in diagrams of computer strategies. Familiarity with the pertinent vocabulary allows the searcher to answer YES (3) and proceed along that path to the next command SELECT (4).

However, in order to verify that the particular selection of search words is correct, the path of both YES and NO should be followed. The command EXPAND (5) refers to opening the data base. The computer is given an index term, in this case "pollute", and in response, the computer T.V. screen displays words arranged in alphabetical order above and below "pollute" in the computer dictionary. It also shows the number of citations in the file which contain these key words as shown below.

0.	pollumene	- - - - -	1
1.	pollut	- - - - -	0
2.	pollutans	- - - - -	1
3.	pollutant	- - - - -	61
4.	pollutants	- - - - -	276
5.	pollutantsemitted	-	1
6.	pollute	- - - - -	5
7.	polluted	- - - - -	122
8.	polluter	- - - - -	7
9.	polluters	- - - - -	4
10.	pollution	- - - - -	1
11.	pollutin	- - - - -	1
12.	polluting	- - - - -	30
13.	pollutio	- - - - -	2
14.	pollution	- - - - -	4407

It is evident from this expansion that the computer dictionary contains additional words dealing with pollution. Since the search strategy is to focus on all of them, it accordingly asks

**FIGURE B-1**  
**CAIN Search Strategy For**  
**Bibliography Retrieval**



the computer to continue the expansion until the root "pollute" is outside the group of relevant words. For example:

.  
32. pollution1 - - - - 1  
33. pollutions - - - - 22  
. .  
36. polmass - - - - - 1  
37. polmat - - - - - 1

From this list, the searcher will SELECT (6) the term "pollution" because it has the most citations associated with it and therefore offers the greatest potential of obtaining the largest number of relevant articles. The second EXPAND (7) and SELECT (8) commands refer to the same process for another word such as AIR. The aim of this search is to retrieve word combinations such as AIR POLLUTION. For the latter, 5 citations were indicated, for the former, 3131. The word AIR was SELECT(ed) (8).

In following the YES path, the searcher SELECT(ed) (4) words which were relevant based on the studies prior to sitting at the computer terminal (i.e. soil, water, environment, atmosphere, sink, aerosol, etc.). The computer was asked how many citations the file contained relative to these words. A sample of the response follows:

soil	21350
soils	12758
atmosphere	972
sinks	41
flora	2887
green belt	5
forest	21022

In addition, words may be SELECT(ed) (9) in what is known as a "right hand truncation" search and a "field search". In the first case, the computer is given the root of a word followed by a question mark (?). The computer then prints out the total number of citations containing the root of that word with any suffix.

i.e. environment ? - - - - - 7818 (includes -ments,  
-mental, -mentalist)

In a field search all the words both in the title and abstract, are searched.


i.e. mathematical (F) models - - - - 418

These two aspects of the CAIN search strategy classify it as a broad search and distinguish it from the narrower and exclusive title search of the DATRIX system (to be discussed subsequently).

The COMBINE (10) command refers to formulation of one search statement that combines all the previous words asked for and provides the total number of citations containing all these words. The number obtained was 57137. At this point in the computer search, the searcher has the number of papers listed in the CAIN bibliography having at least one word that is in the subject of interest. This number, therefore, represents the potential number of useful articles we could conceivably retrieve. However, the above words have not been linked with the word "pollution" and as a result many of the numbers refer to articles dealing with subjects such as:

The best soil in which to grow white pine seedlings  
Layers of the atmosphere  
Kitchen sinks in home economics departments  
The flora of Kentucky

We are only interested in the articles containing these words as they relate to pollution. So our search strategy calls for a step to COMBINE (10) which connects the descriptive words to the word pollution by the word "and". The resulting effect is illustrated in a Venn diagram.



The search requests only the articles containing combinations of both words

The number of such combinations was given as 424.

All that remains is to request the computer to print one or more of these 424 citations and/or to ask for a listing of all of them. If the searcher wishes to VIEW ABSTRACT(s) (11) of the citations, the searcher may request the computer to DISPLAY (12) the first six citations and abstracts in the file that met the above criteria

(i.e., contained a combination of words such as "soil pollution"). These samples are then followed by the computer question ANOTHER PAGE (13) which asks whether the searcher would like to see another set of sample citations and abstracts. Subsequent to this review the computer asks if it is RELEVANT (14). If it is NO(t) (15), it means the searcher does not wish to obtain the citations in the file presumably because they do not contain the information initially sought. In this case, the searcher would END (16) access to the computer. But these sample citations were RELEVANT and the searcher was then asked if a listing of all 424 was required. If all are not required, a request may be made to receive (JUST CERTAIN (ones)) (17). For example, just the first, fifth and seventh citations could be kept by entering those numbers following the KEEP (18) command. (The LIMIT (19) command allows one to pick only those articles written in a particular language or year.) The PRINT COMMAND (20) asks the computer to immediately print out a list of all or whichever citations wanted on the computer typewriter. This is more expensive than receiving a printout of the citations by mail approximately a week later. The TYPE (2) command allows for this option. Terminating access to the computer is called for by the END (16) command.

**ADDENDUM – Water as a Sink/Source**

Based on the present literature search, very limited material was found. However, all these articles found supported the importance of water as a sink for pollutants. Those which we felt were of any relevance are presented here.

Air contaminants significantly effect water quality. Studies conducted by Bachmann and Lokey (1976)\* on the trace element balances in Lake Michigan indicate that the atmosphere contributes over half of the total input (of copper, manganese and lead) to the lake. The data obtained in that study on the lead input in the southern portion of the lake, showed that more than 90% is from the atmosphere.

Air contaminants in addition to trace metals such as airborne acids, nutrients, and toxic organics (including industrial chemicals and pesticides) can be transported to lakes, streams, and marine environments. For example, Bachmann and Lokey estimated that 50% of the total input of polychlorinated biphenyls (PCB) to Lake Michigan was introduced by the atmosphere.

The amount of atmospheric inputs varies according to anthropogenic conditions and natural elements. For instance, the sources of atmospheric nutrients have not been completely identified. However, these nutrients may be introduced into the air by windblown agricultural fertilizers or from industrial activities and fuel combustion processes.

One mechanism for the transfer of airborne particulates into aquatic habitats is by precipitation. According to Bachmann and Lokey, the trace metal concentrations in rainfall generally equal or exceed the concentrations in surface waters of the United States.

A second mechanism for delivering substances to an aquatic environment is storm-water runoff of contaminants deposited from the air on to the land adjacent to the body of water.

Dry deposition is another mechanism for the transport of air contaminants to water. Freudenthal (1970) set up a model to measure dry deposition onto the surfaces of salt water under spray and non-spray conditions. He demonstrated that the scavenging fallout by a factor of two. However, since the percentage of surface that is actively producing spray is relatively minimal, according to Volchok (1972), the input of contaminants by this means is negligible relative to the total world ocean fallout.

Liss (1975) and Volchak (1975) have presented work relevant to the functioning of water bodies as sinks of various air pollutants as has Hutchinson and Viets (1969). Studies relating to emissions from water bodies (e.g. Bouldin et al. 1974) clearly indicate that water bodies are important but we were unable to gather sufficient relevant literature upon which to draw general conclusions. The literature seems fragmented and not sufficiently practical to be used to generate sink or emission factors in which we can have confidence.

\* The following bibliography pertains to this Addendum.

Bachmann, John D., and Don Lokey. (1972) "Effect of air contaminants on water quality." Research Triangle Park, Pollutant Strategies Sec., North Carolina, 4p.

Bouldin, D.R., R.L. Johnson. C. Burda, and C.W. Kao. "Losses of inorganic nitrogen from aquatic systems." J. Environmental Quality, 3 (2): 107-114 (1974).

Freudenthal, P.C. "Aerosol scavenging by ocean spray." USAEC, Report HASL-223 (1970).

Hutchinson, G.L., and F.G. Viets, Jr. "Nitrogen enrichment of surface water by absorption of ammonia volatilized from cattle feedlots." Science, 166 (3904): 514-515 (1969).

Liss, P.S. "Gas transfer across natural air-water interfaces, with special reference to lake surfaces." Proceedings of the Second Federal Conference on the Great Lakes. (Prepared by Argonne National Lab. for the Interagency Committee on Marine Science and Engineering of the Federal Council for Science and Technology). Argonne, Illinois, pp. 248-254 (March 25-27) (1975).

Volchok, Herbert L. "Fallout upon open waters." Proceeding of the Second Federal Conference on the Great Lakes (Prepared by Argonne National Lab. for the Interagency Committee on Marine Science and Engineering of the Federal Council for Science and Technology) Argonne, Illinois, pp. 255-258 (March 25-27) (1975).

TECHNICAL REPORT DATA <i>(Please read Instructions on the reverse before completing)</i>		
1 REPORT NO EPA-450/ 3-76-028a	2.	3 RECIPIENT'S ACCESSION NO
4 TITLE AND SUBTITLE Open Space as an Air Resource Management Measure - Sink Factors - Volume I		5 REPORT DATE October 1976
		6 PERFORMING ORGANIZATION CODE
7 AUTHOR(S) Robert S. DeSanto, William H. Smith, Joseph A. Miller, William P. McMillen and Kenneth A. MacGregor		8 PERFORMING ORGANIZATION REPORT NO H800-I
9 PERFORMING ORGANIZATION NAME AND ADDRESS COMSIS CORPORATION - Environmental Services 972 New London Turnpike Glastonbury, Connecticut 06033		10. PROGRAM ELEMENT NO.
		11 CONTRACT/GRANT NO 68-02-2350
12 SPONSORING AGENCY NAME AND ADDRESS Strategies and Air Standards Division Office of Air Quality Planning and Standards Environmental Protection Agency Research Triangle Park, North Carolina 27711		13 TYPE OF REPORT AND PERIOD COVERED
		14 SPONSORING AGENCY CODE
15 SUPPLEMENTARY NOTES		
16 ABSTRACT Sink and emission factors, standardized where possible, into SI units of micrograms per square meter of surface area per hour ( $\mu\text{g m}^{-2}\text{hr}^{-1}$ ) are reported based on an extensive English and foreign language literature search. Approximately 2,000 English abstracts are listed derived from English, German, Russian, Japanese and other source literature. Data is reported relative to the removal of ammonia, carbon monoxide, chlorine, fluorine, hydrocarbons, nitrogen oxides, peroxyacetyl nitrate (PAN) particulates, and sulfur dioxide, by vegetation, soil and water. Emission of ammonia, carbon monoxide, hydrocarbons and nitrogen oxides are also reported to the extent that they are found in the literature.  The level of confidence placed on the data is briefly described and the overall conclusions, which can be made based on these data, are presented. Volume I is a complement to Volumes II and III which form part of this project.		
17. KEY WORDS AND DOCUMENT ANALYSIS		
a DESCRIPTORS	b IDENTIFIERS/OPEN ENDED TERMS	c. COSATI Field/Group
Plants Trees Recreation Areas Forests Soils Natural Emission Sources	Urban Areas Residential Areas Air Pollutant Removal Natural Soil/Vegetation Emissions Ammonia Carbon Monoxide Chlorine	Hydrocarbons Natural Sinks Sulfur Dioxide Vegetation Emissions Nitrogen Oxides PAN Fluorine
18 DISTRIBUTION STATEMENT Unlimited	19 SECURITY CLASS <i>(This Report)</i> Unclassified	21 NO OF PAGES 298
	20 SECURITY CLASS <i>(This page)</i> Unclassified	22 PRICE