

RADIUM-226, URANIUM, AND OTHER RADIOLOGICAL  
DATA COLLECTED FROM WATER QUALITY  
SURVEILLANCE STATIONS LOCATED IN THE  
COLORADO RIVER BASIN OF COLORADO, UTAH,  
NEW MEXICO, AND ARIZONA -  
JANUARY, 1961 THROUGH JUNE, 1972



TECHNICAL INVESTIGATIONS BRANCH  
AND SURVEILLANCE BRANCH  
SURVEILLANCE AND ANALYSIS DIVISION  
U.S. ENVIRONMENTAL PROTECTION AGENCY  
REGION VIII

JULY, 1973

RADIUM-226, URANIUM AND OTHER RADIOLOGICAL DATA  
FROM WATER QUALITY SURVEILLANCE STATIONS LOCATED  
IN THE COLORADO RIVER BASIN OF COLORADO, UTAH,  
NEW MEXICO AND ARIZONA -- JANUARY, 1961 THROUGH  
JUNE, 1972

A COMPREHENSIVE RELEASE OF DATA FROM THE RMN  
(RADIUM MONITORING NETWORK) SYSTEM

TECHNICAL INVESTIGATION BRANCH AND SURVEILLANCE BRANCH  
SURVEILLANCE AND ANALYSIS DIVISION

U. S. ENVIRONMENTAL PROTECTION AGENCY  
REGION VIII

1860 Lincoln Street  
Denver, Colorado 80203

July, 1973

## ABSTRACT

The RMN ("Radiological" or "Radium Monitoring Network") System was established in 1961 at the direction of the "Conference on the Matter of Interstate Pollution of the Colorado River and its Tributaries" and has continued to produce measurements of radium-226, total uranium, and other surface water parameters affected by the occurrence, extraction, and refining of uranium ore in the Colorado River Basin. This report presents all of the available data supplied by the RMN System to date. The report also examines certain of these data in terms of their long- and short-term trends. In excess of 3000 measurements of radium-226 and uranium in the dissolved state are presented as are many measurements of other radioactivity parameters.

The report concentrates on total uranium and radium-226 data for surface waters and compares the mean "background" concentration of 0.08 pci Ra226/l and 2.1  $\mu$ g Utot/l with concentrations downstream of uranium mills and uranium tailings piles which have been as high as 26 pci Ra226/l and 260  $\mu$ g Utot/l. Due in part to a decrease in the number of uranium mills and in part to an improvement in the caretaking of uranium tailings piles, concentrations of radium-226 and uranium total have generally decreased throughout the Basin with the notable exceptions being within the Dolores-San Miguel Rivers System.

Statistical analysis of radium-226 concentrations in the Dolores-San Miguel Rivers System clearly show the water quality degradation caused by uranium extraction activities. This straight forward statistical analysis also serves a basis for evaluating the radium content of other river systems.

The RMN sampling and analysis system has operated for about ten years and despite recent reductions in stations, sampling frequencies, and radioassay capability, continues to provide the essential element of water quality analyses-long-term measurements of ambient and "contaminated" conditions.

## TABLE OF CONTENTS

	Page
I. Abstract . . . . .	i
II. Introduction . . . . .	1
III. The Monitoring Network . . . . .	2
IV. Methods of Radiochemical Analysis for Radium and Uranium. . . . .	14
V. Results of Radioassay At Long-Term Network Stations . . . . .	15
A. Background Concentrations of Radium and Uranium. . . . .	15
B. Radium and Uranium Concentrations Near Uranium Mill Sites . . . . .	15
C. Thorium, Lead-210, and Polonium-210 Data Collected Near Uranium Mill Sites . . . . .	19
VI. Graphic Representation of Radium-226 Concentrations (Dissolved) and Flow at RMN Stations . . . . .	39
VII. Summary and Conclusions. . . . .	69
VIII. Recommendations. . . . .	71
IX. Appendix . . . . .	A-1

## LIST OF FIGURES

Number		Page
1.	Location of Radiological Monitoring Network (RMN) Stations and Uranium Tailings Piles - Colorado, Utah, New Mexico, and Arizona	In Rear Pocket
1A.	Summary Map of RMN Stations	9
1B.	Summary Map of Uranium Mills	10
2.	Radium-226 Concentrations (Dissolved) and Average Monthly Flows for Station RMN-1 (Colorado River at Silt, Colorado) Nov 61-May 72	41
3.	Radium-226 Concentrations (Dissolved) and Average Monthly Flows for Station RMN-4 (Colorado River Upstream of De Beque, Colorado) Nov 61-Jun 72	42
4.	Radium-226 Concentrations (Dissolved) and Average Monthly Flows for Station RMN-5 (Gunnison River at Grand Junction, Colorado) Apr 61-May 72	43
5.	Radium-226 Concentrations (Dissolved) and Average Monthly Flows for Station RMN-6 (Colorado River Near Fruita, Colorado) Apr 61-May 72	44
6.	Radium-226 Concentrations (Dissolved) and Average Monthly Flows for Station RMN-9 (Colorado River North of Moab, Utah) Dec 61-Jun 72	45
7.	Radium-226 Concentrations (Dissolved) and Average Monthly Flows for Station RMN-10 (Colorado River Near Moab, Utah) Dec 61-Jun 72	46
8.	Radium-226 Concentrations (Dissolved) and Average Monthly Flows for Station RMN-11 (Animas River at Durango, Colorado) Jul 61-Jul 72	47
9.	Radium-226 Concentrations (Dissolved) and Average Monthly Flows for Station RMN-12 (Animas River Near Cedar Hill, New Mexico) Jan 61-Aug 71	48
10.	Radium-226 Concentrations (Dissolved) and Average Monthly Flows for Station RMN-13 (San Juan River Upstream of Farmington, New Mexico) Jul 62-Apr 64	49

Number		Page
11.	Radium-226 Concentrations (Dissolved) and Average Monthly Flows for Station RMN-14 (San Juan River Near Fruitland, New Mexico) Aug 62-Sep 69	50
12.	Radium-226 Concentrations (Dissolved) and Average Monthly Flows for Station RMN-14S (San Juan River Downstream of Shiprock, New Mexico) Jul 62-Jul 71	51
13.	Radium-226 Concentrations (Dissolved) and Average Monthly Flows for Station RMN-15 (San Juan River Upstream of Mexican Hat, Utah) Dec 61-Apr 72	52
14.	Radium-226 Concentrations (Dissolved) and Average Monthly Flows for Station RMN-16 (San Juan River Downstream of Mexican Hat, Utah) Dec 61-Oct 70	53
15.	Radium-226 Concentrations (Dissolved) and Average Monthly Flows for Station RMN-17 (San Miguel River at Naturita, Colorado) Oct 61-Jul 72	54
16.	Radium-226 Concentrations (Dissolved) and Average Monthly Flows for Station RMN-18 (San Miguel River Upstream of Uravan, Colorado) Oct 61-Jun 72	55
17.	Radium-226 Concentrations (Dissolved) and Average Monthly Flows for Station RMN-20 (San Miguel River Downstream of Uravan, Colorado) Oct 61-Jun 72	56
18.	Radium-226 Concentrations (Dissolved) and Average Monthly Flows for Station RMN-21 (Dolores River at Bedrock, Colorado) Oct 61-Jun 72	57
19.	Radium-226 Concentrations (Dissolved) and Average Monthly Flows for Station RMN-22 (Tomichi Creek Near Gunnison, Colorado) Dec 61-Jun 62	58
20.	Radium-226 Concentrations (Dissolved) and Average Monthly Flows for Station RMN-24 (Gunnison River Upstream of Gunnison, Colorado) Dec 61-Jun 65	59
21.	Radium-226 Concentrations (Dissolved) and Average Monthly Flows for Station RMN-25 (Gunnison River Downstream of Gunnison, Colorado) Dec 61-Jun 65	60
22.	Radium-226 Concentrations (Dissolved) and Average Monthly Flows for Station RMN-26 (Dolores River at Gateway, Colorado) Oct 61-Jul 72	61

Number		Page
23.	Radium-226 Concentrations (Dissolved) and Average Monthly Flows for Station RMN-28 (YAMPA River Downstream of Maybell, Colorado) Oct 61-Jun 72	62
24.	Radium-226 Concentrations (Dissolved) and Average Monthly Flows for Station RMN-29 (Green River Downstream of Green River, Utah) Jul 62-Oct 64	63
25.	Radium-226 Concentrations (Dissolved) and Average Monthly Flows for Station RMN-30 (Colorado River at Northerly US-Mexico Boundary) Jul 62-Apr 72	64
26.	Radium-226 Concentrations (Dissolved) and Average Monthly Flows for Station RMN-31 (Colorado River at Page, Arizona) May 63-Jun 72	65
27.	Radium-226 Concentrations (Dissolved) and Average Monthly Flows for Station RMN-32 (Colorado River at Hoover Dam Near Boulder City, Nevada) Mar 63-Apr 72	66
28.	Radium-226 Concentrations (Dissolved) and Average Monthly Flows for Station RMN-33 (Colorado River at MWD Intake Near Parker Dam, California) Jan 63-Oct 68	67
29.	Comparison of Distributions of Radium-226 Concentrations (Dissolved) at Five RMN Stations Located in the Dolores River-San Miguel River System, Western Colorado Oct 61-Jun 72	68

#### LIST OF TABLES

1.	Assignments Relating to the Radiological Monitoring Network Made at the Various Sessions of the Conference on the Matter of Pollution in the Colorado River and Its Tributaries	3
2.	Colorado River Basin Uranium Mills and RMN Stations	6
3.	Uranium-Radium Family, MPC <sub>W</sub> Valves	12
4.	Mean Annual Concentration of Radium-226 at Surface Water Monitoring Network Stations	16
5.	Mean Annual Concentration of Uranium (Total) at Surface Water Monitoring Network Stations	17

Number	Page
6A. Average Concentrations of "Special" Radioisotopes Measured at RMN Stations	20
6B. Gross Alpha, Gross Beta, Thorium Alpha, Lead-210, Strontium-90, and Polonium-210 In Colorado River Basin Surface Waters	22

## INTRODUCTION

This is a summary transmittal of radiological data collected through June, 1972 from the Radium Monitoring Network ("RMN"). The Network is designed to collect radium-226 and uranium (total) data from selected surface waters of the Colorado River Basin, especially in the areas of uranium deposits and uranium extraction. The Network was instituted under the U.S. Public Health Service and was maintained by the Colorado River-Bonneville Basins Office of the Federal Water Quality Administration (also the Federal Water Pollution Control Administration) in the Department of the Interior. Responsibilities for the Network were assumed by the U.S. Environmental Protection Agency in December, 1970. The majority of the RMN (Colorado and Utah) is located within Region VIII of EPA (Colorado, Montana, North Dakota, South Dakota, Wyoming, and Utah) and this summary report has been prepared by the Region VIII office.

The purpose of this report is to both supplement and summarize radiological data presented in the sixteen previous releases<sup>1</sup> of RMN data issued between October, 1962 and January, 1970. Selected summaries of the data were also published in Radiological Health Data and Reports in November 1964, November 1965, May 1968, and December 1968.

This report is intended to provide interested parties with a convenient summary of previously reported water quality data and to bring the data releases up to date through June, 1972. The report further describes the current (July, 1973) RMN system though no data from the past year's sampling are provided. Since agency names and interests may have changed since the last data release, this report is also a convenient vehicle to introduce the Radium Monitoring Network to the uninitiated.

- 
1. Radium Monitoring Network Data Release #1 - Oct 62; #2 - Jan 63; #3 - Jul 63; #4 - Jan 64; #5 - Jul 64; #6 - Jan 65; #7 - Jul 65; #8 - Jan 66; #9 - Jul 66; #10 - Jan 67; #11 - Jul 67; #12 - Jan 68; #13 - Jul 68; #14 - Jan 69; #15 - Jul 69; #16 - Jan 70

## THE MONITORING NETWORK

The RMN system is variously termed the Radium Monitoring Network and the Radiological Monitoring Network. Since the system monitors more than radium, the latter terminology is now preferred. The RMN is a surface water quality surveillance system consisting currently (July, 1973) of fifteen sampling stations located throughout the Colorado River Basin. The RMN system was established in response to recommendations of the "Conference on the matter of Interstate Pollution of the Colorado River and its Tributaries" to measure radium-226 and other radioactive elements associated with uranium mill wastes, both liquid and solid. The conference was called under the provisions of the Federal Water Pollution Control Act as amended in 1956. The specific recommendations or assignments made regarding a radiological monitoring network were those listed in Table 1. This program for identifying the impact of uranium extraction on the Basin included the water quality stations herein described, sediment analysis, irrigated crop studies, tailings pile stabilization, evaluation of wind-blown tailings, and other factors. This report is limited to presenting the result of radioassay of surface water samples.

Investigations of radiological contaminants associated with uranium mills in the Colorado River Basin began in October of 1950 and proceeded through 1960 on a case-by-case basis. The results of these investigations called attention to the fact that aquatic biota collected from locations downstream of certain uranium mills contained radium in concentrations two orders of magnitude greater than that measured in samples collected upstream of the same mills. More specifically, radium-226 concentrations in algae downstream of Durango, Colorado and the tailings pile in Vancorum, Colorado were 660 and 560 picocuries <sup>2</sup> per gram (dry, ashed) respectively while upstream samples were 6 and 5 pCi/gm. More intensive investigations near the uranium mill at Durango in 1958 and 1959 showed radioactive contaminants in downstream water supplies and in irrigated crops; contaminants which could be traced to the mill effluents. In excess of eighty percent of the increase was shown to be caused by the liquid discharge from the mill. However, a significant portion of the radium content of surface waters in the Colorado River Basin continues to be derived from tailings material (seepage through and erosion therefrom).

---

2. picocurie =  $10^{-12}$  curies.

TABLE 1

ASSIGNMENTS RELATING TO THE RADIOPHYSICAL MONITORING  
NETWORK MADE AT THE VARIOUS SESSIONS OF THE CONFERENCE  
ON THE MATTER OF POLLUTION OF THE COLORADO RIVER  
AND ITS TRIBUTARIES

1st Session (13 Jan 60)

- "That such investigations and study should cover (g) pollution caused by radioactive wastes."
- "That such study should include the determination of specific pollutants and their concentration and include radioactive, ... studies..."

2nd Session (11 May 61)

- "1. Further general reduction in radioactive pollution..."
- "2. Specific reduction in radioactive contamination of [certain] waters..."
- "3. Continuing monitoring of the radioactive content of river sediments..."
- "5. Provisions for a safety factor to prevent accidental spills from uranium mills through the following steps:
  - ....c. Development and initiation of an adequate alerting system to provide immediate notice to State and Federal agencies of accidental spills."
  - Report on ... "3. Extent of hazards from radioactive contamination of crops in the upper basin attributable to radioactive contamination of irrigation waters,..."
  - Report on ... "4. Extent of hazards from radioactive contamination of the dry washes at Maybell, Colorado, and Mexican Hat, Utah, and of South Creek, near Monticello, Utah,..."
  - Report on ... "6. Proposed methods for evaluating long-range effects of radioactive content of basin deposits."
  - Report on ... "13. Operational status of radioactivity water monitoring network."

3rd Session (9-10 May 62)

- "4. Conduct limited investigations into radium uptake by stream biota including fish."
- "7. Conduct limited sampling of uranium mill effluents and environmental media to ascertain levels of lead-210 in view of its possible importance as a water contaminant..."
- "3. Complete development of an alerting system for accidental spills from uranium mills..."

TABLE 1 (Cont.)

- "4. Investigate the Monticello, Utah area/or hazards from radioactive contamination."
- "5. Investigate further the radiological and toxic chemical conditions of waters at Uravan, Colorado."
- "6. Complete the radium monitoring network and continue radium monitoring."
- "7. Continue on a limited basis monitoring of radiological content of sediments."

4th Session (27-28 May 63)

"B. Continuation of the Radium Monitoring Network for detection of accidental spills and evaluation of average radioactivity levels throughout the Basin... [including] (1) Extension of the analyses... to include other significant radioisotopes associated with uranium, lead-210, and thorium. (2) Evaluation of radioactive fallout in Basin waters by analysis [for] Strontium-90, gross beta activity, and a gamma scan..." "(2)(C) Sediment monitoring for gross alpha activity and radium-226 at a reduced number of sampling points", (2)(D) Studies of residual radium-226 contamination at selected farms...", (2)(F) Sampling of all uranium mill effluents for lead-210 and thorium..."

5th Session (26 May 64)

"7. The Project will study and evaluate the effects of uranium on fish."

6th Session (26 Jul 67)

"7. The surveillance activities performed by State and Federal agencies shall be continued for the purpose of providing a continuing evaluation of the adequacy of control measures in terms of the short-range and long-range environmental radioactivity levels."

7th Session (15-17 Feb 72)

No recommendations addressing radiological considerations.

Two objectives for the RMN system can be derived from the Conference assignments and the work leading up to the Network. First the Network is to quantify the fate of uranium mill wastes in the streams of the Colorado River Basin and second, to provide a warning system for spills of potentially toxic materials. To be able to achieve these objectives, the Network must distinguish between "background" or natural concentrations and man-caused concentration and the system must provide fast analyses. The long period of record available for some stations provides for the identification of background levels so long as a significant rise in concentration is affected by artificial discharges. The ability to warn of spills has never been fully realized and must be considered inoperative at present due to a lack of radioassay capability.

The first RMN station was established in January, 1961 (RMN-12; Animas River downstream of Durango, Colorado). The Network grew to twenty-seven in the early sixties and has now declined to fifteen stations, twelve of which are sampled by the U.S. Geological Survey for the Region VIII offices of the Environmental Protection Agency. The decline in number of sampling locations has followed the decline in active uranium mills. Eighteen major mill sites (Table 2) have been identified in the Colorado River drainage -- only four of these sites have what can be considered "active" mills at this time (Rifle, Colorado; Uravan, Colorado; Moab, Utah; and LaSal, Utah). However, some upswing in uranium extraction activity is expected <sup>3</sup>. An overview of sampling locations and mills, indicating whether or not they are operating, is given in Figures 1A and 1B. Figure 1, which may be found in the rear pocket, locates the sampling sites and mills more accurately.

Sample collection frequencies have ranged from hourly to quarterly (4 times per year). Hourly samples are collected at two sites (RMN 18 and 20, upstream and downstream of Uravan, Colorado) when the automatic samplers are operating. The remaining thirteen stations have grab samples collected at frequencies varying from once per week, once per month, and once every three months. Sampling frequencies for each site are presented along with the data tables in the Appendix. The samples receive no treatment in the field prior to radioassay.

Radioactivity in uranium milling wastes results from its presence in raw uranium ore. Uranium-bearing ores normally have a uranium content of from 0.1 to 2.0 percent of  $U_3O_8$  (uranium oxide) and generally

---

3. "Leasing of AEC Controlled Uranium Bearing Lands -- Colorado, Utah, New Mexico", Draft Environmental Statement, USAEC, March, 1972, WASH-1523.

TABLE 2

COLORADO RIVER BASIN URANIUM MILLS AND RMN STATIONS

<u>Mill Location</u>	<u>Period of Operation</u>	
	<u>Began</u>	<u>Ended</u>
Rifle, Colorado (old mill)	1947	1958
Rifle, Colorado (new mill)	1958	Operating c
Uravan, Colorado	1949	Operating
Naturita, Colorado a	1947	1958
Slick Rock, Colorado b	1958	1962
"Government Pile" at Slick Rock	unknown	(abandoned)
Maybell, Colorado	1957	1964
Gunnison, Colorado	1958	1962
Durango, Colorado	1949	1963
Grand Junction, Colorado	1951	1970
Moab, Utah	1956	Operating
Mexican Hat, Utah	1957	1965
Monticello, Utah	1949	1959
Hite, Utah b	1949	1953
Green River, Utah b	1958	1961
Monument Valley, Arizona	1955	1966
Shiprock, New Mexico	1954	1966
Tuba City, Arizona	1956	1965
Rio Algom (LaSal, Utah) b	1972	Operating

a. Operated as a concentrator from 1961 to 1963

b. Concentrator mill

c. Currently (1973) in "mothballs"

TABLE 2 (Continued)

RMN STATIONS AND PERIOD OF RECORD

<u>Number (RMN-)</u>	<u>Station Location</u>	<u>Period of Record</u>
1	Colorado River at Silt, Colorado	11/25/61 - Present
4	Colorado River at DeBeque, Colorado	11/12/61 - Present
5	Gunnison River at Grand Junction, Colorado	04/16/62 - 05/19/72
6	Colorado River near Fruita, Colorado	04/16/62 - Present
9	Colorado River north of Moab, Utah	12/11/61 - Present
10	Colorado River south of Moab, Utah	12/11/61 - Present
11	Animas River at Durango, Colorado	07/17/61 - Present
12	Animas River near Cedar Hill, New Mexico (Colorado)	01/19/61 - 08/17/71
13	San Juan River upstream of Farmington, New Mexico	07/09/62 - 04/27/64
14	San Juan River near Fruitland, New Mexico	08/01/62 - 09/03/69
14S	San Juan River downstream of Shiprock, New Mexico	07/09/62 - 07/19/71 *
15	San Juan River upstream of Mexican Hat, Utah	12/11/61 - Present
16	San Juan River downstream of Mexican Hat, Utah	12/11/61 - 10/21/70
17	San Miguel River at Naturita, Colorado	10/28/61 - Present
18	San Miguel River at Uravan, Colorado	10/27/61 - Present
20	San Miguel River downstream of Uravan, Colorado	10/27/61 - Present
21	Dolores River near Bedrock, Colorado	10/30/61 - Present
22	Tomichi Creek near Gunnison, Colorado	11/12/61 - 06/30/62


\* Sampling resumed recently by New Mexico and EPA Region VI.

TABLE 2 (Continued)

<u>Number (RMN-)</u>	<u>Station Location</u>	<u>Period of Record</u>
24	Gunnison River upstream of Gunnison, Colorado	12/11/61 - 06/30/65
25	Gunnison River downstream of Gunnison, Colorado	12/11/61 - 06/30/65
26	Dolores River near Gateway, Colorado	10/30/61 - Present
28	Yampa River downstream of Maybell, Colorado	07/02/62 - 05/16/72
29	Green River downstream of Green River, Utah	07/16/62 - 10/28/64
30	Colorado River at Northerly US-Mexico Boundary, Arizona	07/30/62 - 07/04/72
31	Colorado River at Page, Arizona (Lake Powell)	05/06/63 - Present **
32	Colorado River near Boulder City, Nevada (Lake Mead)	03/11/63 - Present **
33	Colorado River at Metropolitan Water District Intake near Parker Dam, California (Lake Havasu)	01/07/63 - 10/01/68

\*\* Presently sampled by EPA Region IX.

**Figure 1A**  
**SUMMARY MAP OF**  
**RMN STATIONS**




**Figure 1B**  
**SUMMARY MAP OF URANIUM MILLS**



**EXPLANATION**

- Operating Mill
- Abandoned Mill



average about 0.25 percent. The uranium is present as uranium-238, uranium-235, and uranium-234. About 99 percent (by weight) of the natural uranium is U-238. Hence, in addition to uranium, the decay products of U-238 are of primary concern in uranium milling wastes. The radioactive decay products of U-238 are shown in Table 3. It is estimated that about 85 percent of the total radioactivity entering a mill as raw uranium ore becomes waste (assumes uranium in secular equilibrium with its 13 daughter products). Thus about  $1950 \times 10^6$  picocuries of combined alpha and beta activity are released per pound of uranium recovered<sup>4</sup>. The bulk of this waste radioactivity (97 to 99 percent) goes to tailings piles as suspended solids.

Uranium is hazardous in large quantities by virtue of its chemical toxicity rather than its radioactivity. At times, as much as 99 percent of the uranium is recovered and only one percent goes to waste. Radium has the lowest Maximum Permissible Concentration in Water ( $MPC_W$ ) and generally travels through the milling process quite freely, with as much as 98 percent going to the tailings as suspended solids and two percent being dissolved in the aqueous effluents. However, the fate depends upon the leaching process used.

Of the two thorium isotopes in the U-238 chain, thorium-230 is of most concern by virtue of its alpha emission and its long half life. Under alkaline conditions, dissolved thorium should precipitate such that in alkaline uranium leach processes the thorium should go with the solid tailings and in acid leach processes the thorium may remain dissolved in the milling process and then precipitate upon entering surface waters (since surface waters of the Colorado River Basin are generally alkaline).<sup>5</sup>

Strontium-90 measurements are utilized to evaluate the contribution of atmospheric fallout to the surface waters. Strontium-90 is not produced in the natural uranium decay chain. However, strontium-90 is ranked high as a hazard to human health. Strontium-90 and radium-226 are considered additive. Of course there are other products of certain nuclear reactions that enter the atmosphere and pose a possible hazard to health.

The RMN system continues to provide an unusually valuable measurement of natural radium-226 and uranium concentrations (dissolved) since sufficient samples are being collected to provide statistically valid data. Unfortunately, it is rare when unusual and, perhaps, benign elements or compounds are measured over long periods of time

- 
4. 1 pound of uranium has an activity of about 150  $\mu$ ci and there are 13 radioactive daughter products, which, if they are in secular equilibrium have the same activity. Thus, if uranium is removed,  $13 \times 150 \mu\text{ci} = 1950 \mu\text{ci}$  or  $1950 \times 10^6$  pci are released. This assumes that radon-222 (gas) remains with the ore until the ore is crushed.
  5. National Lead Co., 1960, "An AEC Research and Development Report From Winchester Laboratory." Topical Report WIN 112, Winchester, Mass. (Feb 60)

TABLE 3

URANIUM-RADIUM FAMILY, MPC<sub>W</sub> VALUES <sup>a</sup>

<u>Nuclide</u>	<u>MPC<sub>W</sub><sup>a</sup> pci/liter</u>	<u>Critical Organ</u>	<u>Half-life</u>	<u>Emission</u>
Ra <sup>226</sup> <sup>b</sup>	3.3	Bone	1,602 yr	Alpha
Pb <sup>210</sup>	33	Kidney	20.4 yr	Beta
Po <sup>210</sup>	233	Spleen	138.4 days	Alpha
Th <sup>230</sup>	667	Bone	8 x 10 <sup>4</sup> yr	Alpha
Th <sup>234</sup>	6,667	GI Tract	24.1 days	Beta
U <sup>234</sup>	10,000	GI Tract	2.47 x 10 <sup>5</sup> yr	Alpha
U <sup>238</sup>	13,300	GI Tract	4.51 x 10 <sup>9</sup> yr	Alpha
Bi <sup>210</sup>	13,300	GI Tract	5 days	Beta
Pa <sup>234</sup>	c	--	1.1 min	Beta
Po <sup>218</sup>	c	--	3.05 min	Alpha
Po <sup>214</sup>	c	--	1.64 x 10 <sup>-4</sup> sec	Alpha
Bi <sup>214</sup>	c	--	19.7 min	Beta
Pb <sup>214</sup>	c	--	26.8 min	Beta
Rn <sup>222</sup>	N/A (gas)	Lung (daughter-products)	3.82 min	Alpha
U <sup>nat</sup> <sup>d</sup>	6,667	GI Tract	4.51 x 10 <sup>9</sup> yr	Alpha
Th <sup>nat</sup> <sup>e</sup>	333	Bone	1.41 x 10 <sup>10</sup> yr	Alpha

- a. MPC<sub>W</sub> value is the Maximum Permissible Concentration in water for an average member of the general population (1/30th HB 69 value for continuous occupational exposure), NCRP, 1959.
- b. The U.S. Public Health Service (1962) recommended that water supplies be subject to "approval" if Ra<sup>226</sup> concentrations exceed 3 pci/l. The Federal Radiation Council has further stated that the daily consumption of 2 liters (in liquids and "solid" foods) of water containing 10 pci Ra<sup>226</sup>/l would produce a dose equal to the recommended upper limit dose for the general population.
- c. No value given for these short-lived materials.
- d. Since the specific activity of U<sup>nat</sup> (U<sup>238</sup> + U<sup>234</sup> + U<sup>235</sup>; 99% U<sup>238</sup> by weight) is 3.34 x 10<sup>-7</sup> curies per gram, the MPC<sub>W</sub> may also be expressed as 2 x 10<sup>4</sup> ug/l.
- e. Comprised of Th<sup>232</sup> and Th<sup>228</sup>.

Note: The MPC<sub>W</sub> for Sr-90 from HB69 is 33 pci/l. The Public Health Service has recommended that water supplies be subject to "approval" if Sr-90 concentrations exceed 10 pci/l. The Federal Radiation Council has further stated that the daily consumption of 2 liters (in liquids and "solid" foods) of water containing 100 pci Sr<sup>90</sup>/l would produce a dose equal to 1/3 of the recommended upper limit dose for the general population.

such that the true aspects of discharges can be calculated. More frequently, we do not measure the parameters of water quality until we are in the midst of anomalous concentrations that are causing water quality problems. We believe that the value of such a long-term sampling network will be shown in the subsequent sections on "Results of Radioassay at Long-term Stations" and "Detailed Analysis of Radium-226 Concentrations and Mean Monthly Flows". Time-dependent and statistical analysis of these data provide unique information concerning the background concentrations and the impact of man-caused alterations in the content of uranium decay chain isotopes in the waters of the Colorado River Basin.

Reductions in the Network over the last two years have severely impaired the usefulness of the Network as far as the spill-detection and monitoring of abandon piles functions. If the AEC-leasing program should occur, it is probable that the Network will have to be reestablished. It is currently Region VIII's objective to expand the Network into Wyoming to provide adequate surveillance of the Shirley Basin Area, the Gas Hills area, and areas near Douglas and Buffalo, Wyoming.

## METHODS OF RADIOCHEMICAL ANALYSIS FOR RADIUM AND URANIUM

### 1. Radium-226

All current assays for radium-226 and most of the previous assays follow the method outlined in Standard Methods for the Examination of Water and Wastewater, (American Public Health Association, 1015 18th Street, N.W., Washington, D. C. 20036). The method consists of precipitation of radium and subsequent measurement of the alpha activity of daughter products, primarily radon-222. At levels in excess of 1 picocurie /l (pc/l) the error at the 95 percent confidence level is on the order of  $\pm$  5 percent. At levels less than 0.25 pc/l, the equivalent error is on the order of  $\pm$  10 percent.

### 2. Uranium

A modified fluorophotometric method has been used for uranium determinations. Chemical separation is used to remove interfering elements such as iron. The method measures the presence of all isotopes of uranium. The resulting concentration is expressed in terms of "Uranium-natural" or "total uranium".

## RESULTS OF RADIOASSAY AT LONG TERM NETWORK STATIONS

This section presents a summary, in terms of yearly averages, for some 3,451 measurements of radium-226 and 3,126 measurements of total or natural uranium. The section describes the average concentrations in terms of their geographical relationship to uranium-extraction activities. As noted previously, Figure 1 (in the rear pocket) graphically portrays the RMN sampling stations and uranium mill sites.

Table 4 lists radium-226 data for the twenty-seven Network Stations. Mean annual averages have ranged from 0.02 pci/l at RMN 22 (Tomichi Creek upstream of the "Gunnison Pile") to 3.33 pci/l at RMN 20 (San Miguel River downstream of the Uravan Mill). Table 5 lists total uranium concentrations. (Mean annual averages of uranium have ranged from 0.80  $\mu\text{gm}/\text{l}$  to 33.52  $\mu\text{gm}/\text{l}$ ).

### Background Concentrations of Radium and Uranium

Six of the RMN stations may be considered as collecting surface water with background concentrations of uranium and uranium decay products. These stations represent the Colorado River (RMN 1), the Animas River (RMN 11), the San Juan River (RMN 13), the San Miguel River (RMN 17), Tomichi Creek in the Gunnison drainage (RMN 22) and the Gunnison River (RMN 24). The mean dissolved radium concentration for these six stations is 0.08 pci Ra<sup>226</sup>/l. The mean dissolved uranium concentration for five of the stations (no measurements at RMN 22) is 2.1  $\mu\text{g U}/\text{l}$ . The ranges in mean concentrations is wide for radium-226 (0.02 to 0.19 pci/l; mean 0.08 pci/l) and narrower for uranium (1.21 to 2.91  $\mu\text{gm}/\text{l}$ ; mean 2.1  $\mu\text{g}/\text{l}$ ).

The uranium to radium-226 concentration ratio (both elements in their dissolved form) ranges from 15.3 to 40.4 and averages 28.6  $\mu\text{gm}/\text{pci}$  at "background stations". Uranium in secular equilibrium with radium-226 in rocks or ore may be about 3.0  $\mu\text{gm U}_{\text{tot}}$ , or relatively smaller. The

higher ratio in surface water may be caused by a higher degree of mobility for the uranium. The reach from station RMN 25 to 5 is one in which no uranium milling is known to have taken place and here the uranium-radium ratio increases downstream from 56 to 95  $\mu\text{gm}/\text{pci}$ .

### Radium and Uranium Concentrations Near Uranium Mill Sites 6

#### Rifle, Colorado Mill

The Rifle Mill, which has been in "mothballs" during the recent past, lays between RMN stations 1 and 4. Radium concentrations remain equal (within a counting error of, perhaps, 0.05 pci/l) between the stations,

- 
6. The "operating" mills at Rifle, Uravan, and Moab have "treated" discharges to the rivers on which RMN stations are located.

**TABLE - 4**  
**MEAN ANNUAL CONCENTRATION OF RADIUM-226**  
**AT SURFACE WATER MONITORING NETWORK STATIONS**  
**January 1961 - June 1972**  
**(Values in Picocuries per Liter)**

No.	RMN STATION	YEAR										Avg. Concentration for Period of Record	
		1961	1962	1963	1964	1965	1966	1967	1968	1969	1970	1971	
1	Colorado River at Silt, Colorado	0.20	0.16	0.24	0.23	0.16	0.20	0.18	0.19	0.17	0.17	0.17	0.16
4	Colorado River at DeBeque, Colorado	0.20	0.18	0.21	0.21	0.17	0.18	0.19	0.17	0.14	0.12	0.15	0.18
5	Gunnison River UPS Grand Junction, Colo.	--	0.07	0.11	0.12	0.07	0.09	0.08	0.08	0.07	0.05	0.13	0.10
6	Colorado River near Fruita, Colorado	--	0.17	0.21	0.18	0.17	0.16	0.17	0.14	0.11	0.18	0.12	0.15
9	Colorado River UPS Moab, Utah	0.34	0.24	0.29	0.24	0.19	0.25	0.27	0.24	0.17	0.15	0.26	0.17
10	Colorado River DWS Moab, Utah	0.40	0.33	0.55	0.31	0.27	0.38	0.91	0.37	0.20	0.18	0.22	0.26
11	Animas River at Durango, Colorado	0.06	0.05	0.06	0.05	0.04	0.05	0.05	0.05	0.05	0.07	0.07	0.10
12	Animas River near Cedar Hill, N.M.	0.37	0.39	0.18	0.13	0.08	0.09	0.09	0.07	0.05	0.05	0.06	--
13	San Juan River UPS Farmington, N.M.	--	0.09	0.06	0.05	--	--	--	--	--	--	--	0.07
14	San Juan River near Fruitland, N.M.	--	0.11	0.11	0.07	0.06	0.05	0.06	0.06	0.06	--	--	0.07
14S	San Juan River DWS Shiprock, N.M.	--	0.10	0.13	0.09	0.06	0.05	--	--	0.06	0.06	0.08	--
15	San Juan River UPS Mexican Hat, Utah	0.18	0.11	0.13	0.15	0.07	0.08	0.08	0.09	0.08	0.05	0.37	0.15
16	San Juan River DWS Mexican Hat, Utah	0.33	0.24	0.15	0.09	0.06	0.07	0.08	0.07	0.08	0.04	--	0.17
17	San Miguel River at Naturita, Colorado	0.02	0.04	0.05	0.07	0.05	0.05	0.04	0.03	0.04	0.04	0.09	0.10
18	San Miguel River at Uravan, Colorado	0.14	0.22	0.33	0.13	0.15	0.13	0.12	0.10	0.07	0.09	0.11	0.14
20	San Miguel River DWS Uravan, Colorado	0.96	0.83	1.33	0.84	0.47	1.89	1.54	3.33	1.67	0.40	0.36	0.39
21	Dolores River near Bedrock, Colorado	0.85	0.39	0.46	0.60	0.27	0.32	0.49	0.29	0.28	0.35	1.17	0.25
22	Tomichi Creek near Gunnison, Colorado	0.02	0.02	--	--	--	--	--	--	--	--	--	0.02
24	Gunnison River UPS Gunnison, Colorado	0.03	0.09	0.05	0.06	0.04	--	--	--	--	--	--	0.06
25	Gunnison River DWS Gunnison, Colorado	0.04	0.05	0.04	0.04	0.03	--	--	--	--	--	--	0.04
26	Dolores River near Gateway, Colorado	0.46	1.35	1.02	1.10	0.66	1.17	1.16	1.78	0.84	0.58	0.58	0.41
28	Yampa River DWS of Maybell, Colorado	--	0.09	0.09	0.09	0.06	--	--	0.06	0.05	0.06	0.10	0.08
29	Green River DWS of Green River, Utah	--	0.07	0.10	0.09	--	--	--	--	--	--	--	0.09
30	Colorado River at North U.S.-Mex. Border	--	0.14	0.18	0.18	0.16	0.16	0.17	0.14	0.14	0.11	0.11	0.10
31	Colorado River at Page, Arizona	--	--	0.25	0.24	0.17	0.15	0.14	0.16	0.15	0.13	0.16	0.20
32	Colorado River near Boulder City, Nevada	--	--	0.33	0.32	0.40	0.40	0.31	0.22	0.19	0.16	0.19	0.10
33	Colorado River at Metropolitan Water District Intake, Lake Havasu, Cal.-Ariz.	--	--	0.35	0.35	0.35	0.38	0.33	0.25	--	--	--	0.34

\* Through June, 1972

TABLE - 5

MEAN ANNUAL CONCENTRATION OF URANIUM (TOTAL)  
AT SURFACE WATER MONITORING NETWORK STATIONS

September 1962 - June 1972

(Values in Micrograms per Liter)

No.	R M N S T A T I O N	Y E A R										Avg. Concentration for Period of Record
		1962	1963	1964	1965	1966	1967	1968	1969	1970	1971	
1	Colorado River at Silt, Colorado	3.30	2.80	2.87	3.09	2.12	2.82	3.21	3.39	2.80	3.17	2.54
4	Colorado River at DeBeque, Colorado	4.87	3.47	3.84	3.28	2.98	4.18	3.94	4.26	3.82	2.56	2.90
5	Gunnison River UPS Grand Junction, Colorado	12.75	10.44	10.71	8.65	10.81	10.07	9.43	8.57	6.25	5.77	6.55
6	Colorado River near Fruita, Colorado	9.22	9.87	9.67	6.99	7.66	8.44	7.76	7.62	6.29	3.50	4.75
9	Colorado River UPS Moab, Utah	9.97	10.94	10.48	7.83	8.46	9.61	8.45	7.83	6.12	6.64	6.00
10	Colorado River DWS Moab, Utah	12.30	11.85	11.74	9.46	10.22	12.12	10.43	9.80	9.47	8.90	8.19
11	Animas River at Durango, Colorado	1.15	1.20	1.06	1.46	1.13	1.44	1.60	2.30	1.82	0.80	0.85
12	Animas River near Cedar Hill, N.M.	6.69	3.45	2.76	2.29	1.74	2.42	2.01	2.35	2.49	1.13	--
13	San Juan River UPS Farmington, N.M.	5.50	2.26	1.57	--	--	--	--	--	--	--	--
14	San Juan River near Fruitland, N.M.	6.37	3.77	2.64	1.75	1.98	3.37	2.87	2.75	--	--	--
14S	San Juan River DWS Shiprock, N.M.	11.07	15.52	13.89	3.75	2.14	--	--	2.90	3.76	2.00	--
15	San Juan River UPS Mexican Hat, Utah	10.12	7.57	7.85	3.63	3.86	6.09	4.12	3.73	2.63	3.10	1.70
16	San Juan River DWS Mexican Hat, Utah	10.50	9.26	10.99	5.73	3.88	6.19	4.38	4.07	3.10	--	--
17	San Miguel River at Naturita, Colorado	1.05	1.36	1.54	2.13	2.63	3.05	3.47	3.00	2.66	2.47	2.01
18	San Miguel River at Uravan, Colorado	6.95	8.08	3.36	4.19	3.88	4.14	4.50	5.41	3.41	3.46	3.51
20	San Miguel River DWS Uravan, Colorado	29.86	22.38	33.52	17.43	22.45	15.27	24.50	20.41	12.75	10.24	11.83
21	Dolores River near Bedrock, Colorado	10.72	15.11	14.17	5.90	7.22	9.02	7.71	7.26	6.66	10.19	4.05
22	Tomichi Creek near Gunnison, Colorado	--	--	--	--	--	--	--	--	--	--	--
24	Gunnison River UPS Gunnison, Colorado	1.75	0.87	1.28	1.37	--	--	--	--	--	--	1.21
25	Gunnison River DWS Gunnison, Colorado	2.77	1.62	2.48	2.78	--	--	--	--	--	--	2.26
26	Dolores River near Gateway, Colorado	6.09	11.28	26.50	13.94	23.35	20.79	21.84	17.25	9.59	10.45	8.63
28	Yampa River DWS of Maybell, Colorado	2.37	2.75	2.79	2.74	--	--	--	3.10	1.75	1.35	1.85
29	Green River DWS of Green River, Utah	6.52	4.97	4.41	--	--	--	--	--	--	--	5.01
30	Colorado River at North U.S.-Mex. Border	8.85	8.11	8.37	8.54	6.60	6.05	7.19	7.16	6.53	6.02	5.45
31	Colorado River at Page, Arizona	--	9.09	8.76	5.48	4.55	5.69	6.72	6.41	6.17	4.53	8.22
32	Colorado River near Boulder City, Nevada	--	7.87	9.06	9.25	6.92	6.89	7.37	7.61	6.96	6.72	6.40
33	Colorado River at Metropolitan Water District Intake, Lake Havasu, Cal.-Ariz.	--	8.35	8.32	8.30	7.31	7.26	7.11	--	--	--	7.79

\* Through June, 1972

while an increase in uranium as the order of 30 percent has always been noted between the stations. Thus, the U/Ra<sup>226</sup> ratio increases in the downstream direction from 15 to 21  $\mu\text{gm}/\text{pci}$ .

#### Gunnison, Colorado Mill

This mill site, comprised now of a graded tailings pile, lays between RMN stations 22 and 24 upstream and station 25 downstream. As in the case of the Rifle Mill, radium concentrations appear to remain equal at the Gunnison stations while uranium concentrations increase (there are no uranium data for station RMN 22). Uranium to radium ratios increase between RMN stations 24 and 25 (20 to 56  $\mu\text{gm}/\text{pci}$ ).

#### Grand Junction, Colorado Mill

This mill was closed and the tailings pile graded a few years ago. The mill site lies between RMN stations 4 and 5 (upstream) and 6. Again, radium concentrations do not appreciably increase through the reach but uranium does increase by about 20 percent. But the uranium/radium ratio remains constant (50  $\mu\text{gm}/\text{pci}$ ) due to the slight increase (which is not statistically significant) in radium.

#### Moab, Utah Mill

This operating mill lies between RMN stations 9 and 10. Radium-226 concentrations usually increase from station 9 to 10 by about 60 percent (0.23 to 0.37  $\text{pci/l}$ ). Uranium concentrations also increase by about 20 percent. The relatively smaller increase in uranium causes the uranium/radium ratio to decrease in the downstream direction (37 to 28  $\mu\text{gm}/\text{pci}$ ).

#### Naturita, Colorado Mill

This site is abandoned and the tailings pile has been graded and planted. There is an increase in both radium (180 percent) and uranium (100 percent) from the upstream to the downstream station. The uranium/radium ratio decreases from 39 to 29  $\mu\text{gm}/\text{pci}$ .

#### Uravan, Colorado Mill

The mill at Uravan is operating and lays between RMN stations 18 and 20. Comparison of the stations shows a consistent increase in radium of 60 percent and an increase in uranium of about 300 percent. The uranium/radium ratio therefore decreases from 29 to 16  $\mu\text{gm}/\text{pci}$ .

#### Durango, Colorado Mill

The mill at Durango is closed and the tailings piles exist between RMN stations 11 and 12. Radium concentrations increased some 300 percent on the average, but were relatively constant during the last four years of measurement (1968-1971). The uranium/radium ratio decreases from 28  $\mu\text{gm}/\text{pci}$  upstream to 14  $\mu\text{gm}/\text{pci}$  downstream.

### Shiprock, New Mexico Mill

This mill has generally been abandoned, however, some activity was taking place there in the early seventies. The site lays between RMN stations 14 and 14S. Radium concentrations have been essentially equal through the period of record while uranium concentrations appeared to increase through at least 1970. Thus the uranium ratio increases in the downstream direction from 41 to 106  $\mu\text{gm}/\text{pci}$ .

### Mexican Hat, Utah Mill

The Mexican Hat site has been abandoned for some time. Drainage from the site enters the San Juan River between RMN stations 15 and 16. With the exception of an increase in radium past the drainage in the early sixties and a possible high measurement in 1971, radium concentrations have been constant. Uranium concentrations generally increase by about 50 percent. The uranium/radium ratio increases slightly from 42 to 48  $\mu\text{gm}/\text{pci}$  in the downstream direction.

## Thorium, Lead-210 and Polonium-210 Data Collected Near Uranium Mill Sites

Table 6B presents some limited thorium, lead, and polonium data that were collected sporadically through 1971. Gross alpha, gross beta, and strontium-90 data are also presented. These data are summarized as averages for the varying periods of record in Table 6A.

Gross alpha concentrations ranged from a high of 68  $\text{ pci/l}$  (RMN 20) to 1  $\text{ pci/l}$  (RMN 4, 11, 17, 18, 29). Gross beta concentrations ranged from a high of 50  $\text{ pci/l}$  (RMN 20) to a low of 1 ( $\pm 2$ )  $\text{ pci/l}$  (RMN 11). The highest thorium-alpha concentration measured was 8.0  $\text{ pci/l}$  at station RMN 20 while the lowest was  $\leq 0.05 \text{ pci/l}$  at RMN 16. Lead-210 concentrations ranged from 0.6  $\text{ pci/l}$  (RMN 20, 33) to 0.00  $\text{ pci/l}$  (RMN 4, 9). Strontium-90 concentrations ranged from 9.6  $\text{ pci/l}$  at RMN 29 to 0.0 ( $\pm 0.6$ ) at RMN 11. And polonium-210 concentrations ranged from 0.30  $\text{ pci/l}$  at RMN 20 to 0.00 ( $\pm 0.00$ )  $\text{ pci/l}$  at RMN 4, 16, 20.

It must be recognized that the infrequent nature of these measurements make speculative any conclusions that may be drawn from the majority of the data. The averages in Table 7 suggest some general increase in total alpha activity as one progresses downstream along the Colorado River in Colorado and Utah. The increase does not hold for the San Juan River and yet it does hold for the San Miguel River in Colorado. Total beta activity remains at about twice the total alpha activity. Insufficient data are present for thorium, lead and polonium to make any similar conclusions. Strontium-90 data suggest an increase in the Colorado River as it progresses downstream and also suggest that concentrations (of Sr-90) may have been higher in the San Juan watershed than in the upper Colorado River watershed. It should be noted that in the majority of cases, the highest strontium-90 concentration occurs during the third quarter of the year (Jul - Sep -- See table 6).

TABLE 6A  
AVERAGE CONCENTRATIONS OF SPECIAL RADIOISOTOPES MEASURED AT RMN STATIONS

<u>RMN Station</u>	<u>Representativeness<sup>a)</sup></u>	<u><math>\alpha</math></u>	<u><math>\beta</math></u>	<u><math>\beta/\alpha</math></u>	<u>Th-<math>\alpha</math></u>	<u>Pb-210</u>	<u>Sr-90</u>	<u>Po-210</u>
1 (Silt)	D	3.5	9.6	3	0.3	<0.1	-(.4)	<0.1)
4 (Debeque)	WD	4.1 g	8.6 g	2	<0.1	<0.1	0.8 g	<0.1
6 (Fruita)	E	7.1	15.4	2	0.1	0.1	-	<0.1
9 (Upstream Moab)	WD	8.9 g	15.6 g	2	1.0	<0.1	1.6 g	<0.1
10 (Downstream Moab)	VWD	10.1 g	14.8 g	1	0.1 g	0.1 g	-(0.5)	0.1 g
11 (Upstream Durango)	D	1.1	6.6	6	-	-	0.6	-
14S (Downstream Shiprock)	E	6.4	13.8	2	<0.1	<0.1	-	-(<0.1)
15 (Upstream Mexican Hat)	VWD	5.1 g	12.0 g	2	-(0.1)	<0.1	1.9 g	-(<0.1)
16 (Downstream Mexican Hat)	VWD	5.2 g	11.5 g	2	0.1 g	0.1 g	-(0.8)	<0.1 g
17 (Naturita)	D	2.5	6.3	2	0.1	<0.1	-(0.5)	-(<0.1)
18 (Upstream Uravan)	D	4.4	9.6	2	<0.1	<0.1	-(0.3)	-(<0.1)
20 (Downstream Uravan)	VWD	21.6 g	21.7 g	1	0.7 g	<0.1 g	-	<0.1 g

TABLE 6A (Cont.)

<u>RMN Station</u>	<u>Representativeness</u>	<u>a)</u>	<u><math>\alpha</math></u>	<u><math>\beta</math></u>	<u><math>\beta/\alpha</math></u>	<u>Th-<math>\alpha</math></u>	<u>Pb-210</u>	<u>Sr-90</u>	<u>Po-210</u>
29 (Downstream Green River)	E		2.6	15.6	6	-	-	4.5	-
30 (NIB Border)	E		6.6	7.8	1	-	-	1.4	-
32 (Lake Meade)	E		6.8	11.3	2	-	-	1.5	-
33 (Lake Havasu)	VE		4.6	12.6	3	0.1	0.2	-	-

<sup>a)</sup> Distribution Code: VWD: Very Well Distributed; WD: Well Distributed; D: Distributed; E: Early in period of measurements ( $\approx$ 1963-1965). Refers to distribution of measurements with time through measurement period (1963 - 1971).

Parentheses indicate average based upon fewer than 4 measurements.

Dashes indicate no measurements.

g. Sufficient data to serve as basis for comparison of long-term averages.

TABLE 6R

GROSS ALPHA, GROSS BETA, THORIUM ALPHA, LEAD-210, STRONTIUM-90 AND POLONIUM-210  
IN COLORADO RIVER BASIN SURFACE WATERS

Station No.: RMN-1  
 Location: COLORADO RIVER AT SILT, COLORADO

\*Quarters:  
 1 - Jan-Mar  
 2 - Apr-Jun  
 3 - Jul-Sep  
 4 - Oct-Dec

Year	Quarter*	Gross Alpha Pc/L	Gross Beta Pc/L	Th-Alpha Pc/L	Pb-210 Pc/L	Sr-90 Pc/L	Po-210 Pc/L
1963	3	2	10	--	--	--	--
1964	4	2	18	--	0.4	--	--
	1	2	8	0.4	0.0	--	--
	2	3	20	0.1	0.0	--	--
	3	5	8	0.2	0.1	--	--
1965	4	11	9	0.2	0.0	--	--
	1	2	8	0.1	0.0	--	--
	2	2	8	0.5	0.1	--	--
	3	1.2	6.2	1.2	0.1	--	0.04
1966	4	--	--	--	--	--	--
	1						
	2						
	3						
1967	4						
	1						
	2						
	3						
1968	4	--	--	$0.03 \pm 0.04$	$0.08 \pm 0.10$	--	$0.01 \pm 0.02$
	1	--	--	$0.05 \pm 0.04$	$0.1 \pm 0.09$	--	$0.01 \pm 0.02$
	2	--	--	--	--	--	--
	3	--	--	--	--	--	--
1969	4	--	--	--	--	--	--
	1	--	--	--	--	--	--
	2	--	--	--	--	--	--
	3	--	--	--	--	--	--
1970	4	$5 \pm 1$	$5 \pm 3$	--	--	$0.4 \pm 0.5$	--
	1	$4 \pm 1$	$10 \pm 3.7$	--	--	--	--
	2	$4 \pm 1$	$13.7 \pm 3.3$	--	--	--	--
	3	$2.7 \pm 1$	$7.7 \pm 3.3$	--	--	--	--
1971	4	$3.3 \pm 1$	$4.7 \pm 3.3$	--	--	--	--
	1	$4 \pm 1$	$9 \pm 3$	--	--	--	--
	2	--	--	--	--	--	--
	3	--	--	--	--	--	--
1972	4	--	--	--	--	--	--
	1						
2	2						

TABLE 6B(Cont.)

GROSS ALPHA, GROSS BETA, THORIUM ALPHA, LEAD-210, STRONTIUM-90 AND POLONIUM-210  
IN COLORADO RIVER BASIN SURFACE WATERS

\*Quarters:  
 1 - Jan-Mar  
 2 - Apr-Jun  
 3 - Jul-Sep  
 4 - Oct-Dec

Station No.: RMN-4  
 Location: COLORADO RIVER AT  
 DEBEQUE, COLORADO

Year	Quarter*	Gross Alpha Pc/L	Gross Beta Pc/L	Th-Alpha Pc/L	Pb-210 Pc/L	Sr-90 Pc/L	Po-210 Pc/L
1963	3	3	11	--	--	2.8	--
	4	3	22	--	--	0.9	--
1964	1	3	9	--	--	0.9	--
	2	1	23	--	--	1.8	--
	3	2	13	--	--	1.1	--
	4	8	13	--	--	0.7	--
1965	1	9	8	--	--	1.1	--
	2	2	8	--	--	1.2	--
	3	2.9	7.0	--	--	1.2	--
	4	5.3	9.1	--	--	0.7	--
1966	1	3.7	8.2	--	--	0.8	--
	2	3.3	4.5	--	--	0.6	--
	3	3.3	9.0	--	--	0.8	--
	4	4.6	8.4	--	--	0.4	--
1967	1	6.1	7.6	--	--	0.5	--
	2	5.1	6.6	--	--	0.5 ± 0.1	--
	3	3.9 ± 0.4	9.0 ± 1.4	--	--	0.9 ± 0.1	--
	4	6.0 ± 0.6	9.2 ± 2.0	--	--	0.8 ± 0.1	--
1968	1	5.8 ± 1.1	6.3 ± 1.6	0.03 ± 0.04	0.1 ± 0.1	1.8 ± 0.2	0.0 ± 0.02
	2	3.2 ± 0.8	3.8 ± 1.5	0.05 ± 0.04	0.01 ± 0.1	0.5 ± 0.1	0.03 ± 0.03
	3	3.9 ± 0.8	5.6 ± 2.0	0.05 ± 0.04	0.00 ± 0.00	0.1 ± 0.1	0.00 ± 0.00
	4	3.4 ± 0.8	7.0 ± 2.0	--	0.00	0.1 ± 0.5	--
1969	1	4.4 ± 1.0	5.6 ± 1.1	--	0.00	0.3 ± 0.1	--
	2	2.0 ± 0.4	7.1 ± 1.5	--	0.00	0.5 ± 0.1	--
	3	2.6 ± 0.7	5.0 ± 0.9	--	0.00	0.4 ± 0.1	--
	4	5 ± 1	3 ± 3	--	--	0.5 ± 0.5	--
1970	1	4.7 ± 1	6.7 ± 3.7	--	--	--	--
	2	2.7 ± 1	11 ± 3.3	--	--	--	--
	3	5 ± 1	9 ± 3.3	--	--	--	--
	4	4.3 ± 1	5.2 ± 3.2	--	--	--	--
1971	1	6 ± 1	8 ± 3	--	--	--	--
	2						
	3						
	4						
1972	1						
	2						

TABLE 6B (Cont.)

GROSS ALPHA, GROSS BETA, THORIUM ALPHA, LEAD-210, STRONTIUM-90 AND POLONIUM-210  
IN COLORADO RIVER BASIN SURFACE WATERS

Station No.: RMN-6  
Location: COLORADO RIVER NEAR  
 FRUITA, COLORADO

\*Quarters:  
 1 - Jan-Mar  
 2 - Apr-Jun  
 3 - Jul-Sep  
 4 - Oct-Dec

Year	Quarter*	Gross Alpha Pc/L	Gross Beta Pc/L	Th-Alpha Pc/L	Pb-210 Pc/L	Sr-90 Pc/L	Po-210 Pc/L
1963	3	7	41	0.1	0.1	--	--
	4	5	11	0.0	0.3	--	--
1964	1	7	22	0.5	0.1	--	--
	2	2	14	0.1	0.0	--	--
	3	9	18	0.1	0.1	--	--
	4	14	10	0.3	0.1	--	--
1965	1	10	10	0.1	0.1	--	--
	2	3	7	0.1	0.1	--	--
	3	7.2	6.3	0.2	0.3	--	0.04
	4	--	--	--	--	--	--
1966	1						
	2						
	3						
	4						
1967	1						
	2						
	3						
	4						
1968	1	--	--	$0.02 \pm 0.04$	$0.02 \pm 0.06$	--	$0.04 \pm 0.02$
	2	--	--	$0.05 \pm 0.03$	$0.17 \pm 0.01$	--	$0.06 \pm 0.02$
	3	--	--	--	--	--	--
	4	--	--	--	--	--	--
1969	1						
	2						
	3						
	4						
1970	1						
	2						
	3						
	4						
1971	1						
	2						
	3						
	4						
1972	1						
	2						

TABLE 6B (Cont.)

GROSS ALPHA, GROSS BETA, THORIUM ALPHA, LEAD-210, STRONTIUM-90 AND POLONIUM-210  
IN COLORADO RIVER BASIN SURFACE WATERS

\*Quarters:  
 1 - Jan-Mar  
 2 - Apr-Jun  
 3 - Jul-Sep  
 4 - Oct-Dec

Station No.: RMN-9  
 Location: COLORADO RIVER UPS  
 MOAB, UTAH

Year	Quarter*	Gross Alpha Pc/L	Gross Beta Pc/L	Th-Alpha Pc/L	Pb-210 Pc/L	Sr-90 Pc/L	Po-210 Pc/L
1963	3	8	33	--	--	8.4	--
	4	12	20	--	--	1.6	--
1964	1	5	12	--	--	1.2	--
	2	2	16	--	--	2.2	--
	3	10	21	--	--	4.8	--
	4	10	14	--	--	0.9	--
1965	1	9	14	--	--	1.0	--
	2	2	8	--	--	1.4	--
	3	3.9	12	--	--	3.2	--
	4	10	13	--	--	1.0	--
1966	1	11	15	--	--	1.1	--
	2	6.7	7.0	--	--	0.9	--
	3	10	18	--	--	1.6	--
	4	10	15	--	--	0.9	--
1967	1	13	15	--	--	0.6	--
	2	6.5	9.5	--	--	0.8 ± 0.1	--
	3	10 ± 1	21 ± 2	--	--	3.6 ± 0.3	--
	4	11 ± 1	7.9 ± 2.5	--	--	2.6 ± 0.2	--
1968	1	11 ± 2	5.6 ± 1.4	0.10 ± 0.04	0.0 ± 0.09	0.9 ± 0.1	0.08 ± 0.02
	2	5.3 ± 0.8	7.4 ± 1.5	3 ± 0.13	0.1 ± 0.9	0.8 ± 0.1	0.04 ± 0.00
	3	7.3 ± 1.1	15 ± 2	0.13 ± 0.04	0.00	1.6 ± 0.1	--
	4	8.6 ± 1.5	20 ± 4	--	0.00	0.1 ± 0.6	--
1969	1	8.4 ± 1.7	11 ± 3	--	0.00	0.4 ± 0.1	--
	2	4.9 ± 0.7	5.9 ± 3.6	--	0.00	0.7 ± 0.1	--
	3	16 ± 2	18 ± 4	--	0.00	1.3 ± 0.1	--
	4	14.7 ± 1.7	25.3 ± 3.3	--	--	0.8 ± 0.6	--
1970	1	8.5 ± 1	10.5 ± 4.5	--	--	0.5 ± 0.3	--
	2	11 ± 1	19 ± 4.5	--	--	--	--
	3	6 ± 1	16 ± 4	--	--	--	--
	4	18 ± 1.7	46 ± 4.7	--	--	--	--
1971	1	7 ± 1	14 ± 3	--	--	--	--
	2						
	3						
	4						
1972	1						
	2						

TABLE 6B (Cont.)

GROSS ALPHA, GROSS BETA, THORIUM ALPHA, LEAD-210, STRONTIUM-90 AND POLONIUM-210  
IN COLORADO RIVER BASIN SURFACE WATERS

\*Quarters:  
 1 - Jan-Mar  
 2 - Apr-Jun  
 3 - Jul-Sep  
 4 - Oct-Dec

Station No.: RMN-10  
 Location: COLORADO RIVER DWS  
 MOAB, UTAH

Year	Quarter*	Gross Alpha Pc/L	Gross Beta Pc/L	Th-Alpha Pc/L	Pb-210 Pc/L	Sr-90 Pc/L	Po-210 Pc/L
1963	3	9	31	0.1	0.0	--	--
	4	4	8	0.2	0.1	--	--
	1	6	16	0.0	0.1	--	--
1964	2	3	14	0.0	0.0	--	--
	3	8	22	0.4	0.2	--	--
	4	13	13	0.2	0.4	--	--
1965	1	8	9	0.1	0.3	--	--
	2	4	8	0.0	0.1	--	--
	3	5	13	0.5	0.0	--	0.05
	4	12	13	0.0	0.1	--	0.12
1966	1	12	12	0.0	0.3	--	0.05
	2	7.6	9.1	0.0	0.3	--	0.09
	3	13	18	0.1	0.1	--	0.10
	4	17	14	0.1	0.1	--	0.27
1967	1	22	19	0.1	0.3	--	0.44
	2	8.1	13	0.09	0.0	--	0.61
	3	13 ± 1	15 ± 2	0.09 ± 0.02	0.0 ± 0.1	--	0.04 ± 0.01
	4	14 ± 1	12 ± 4	0.32 ± 0.03	0.0 ± 0.1	--	0.09 ± 0.01
1968	1	11 ± 1	10 ± 1	0.09 ± 0.04	0.08 ± 0.09	--	0.02 ± 0.03
	2	6.9 ± 0.8	8.6 ± 1.6	0.14 ± 0.04	0.0 ± 0.1	--	0.06 ± 0.03
	3	7.5 ± 1.1	19 ± 2	0.17 ± 0.05	0.5 ± 0.1	--	0.21 ± 0.05
	4	8.5 ± 1.5	17 ± 4	0.02 ± 0.05	0.2 ± 0.1	--	0.00 ± 0.04
1969	1	8.0 ± 0.8	6.8 ± 2.8	0.00 ± 0.05	0.1 ± 0.1	--	0.00 ± 0.04
	2	4.4 ± 1.1	5.7 ± 2.9	0.01 ± 0.05	0.0 ± 0.1	--	0.01 ± 0.04
	3	14 ± 2	13 ± 3	0.01 ± 0.05	0.2 ± 0.2	--	0.08 ± 0.06
	4	19 ± 2.7	26 ± 7	0.02 ± 0.05	--	0.6 ± 0.6	--
1970	1	14 ± 2	11.3 ± 4	--	--	0.5 ± 0.3	--
	2	10 ± 1	23.5 ± 3.8	--	--	--	--
	3	18 ± 1.3	29 ± 4.5	--	--	--	--
	4	9.3 ± 1	12 ± 3.3	--	--	--	--
1971	1	15 ± 2	19 ± 3	--	--	--	--
	2						
	3						
	4						
1972	1						
	2						

TABLE 6B (Cont.)

GROSS ALPHA, GROSS BETA, THORIUM ALPHA, LEAD-210, STRONTIUM-90 AND POLONIUM-210  
IN COLORADO RIVER BASIN SURFACE WATERS

\*Quarters:  
 1 - Jan-Mar  
 2 - Apr-Jun  
 3 - Jul-Sep  
 4 - Oct-Dec

Station No.: RMN-11  
 Location: ANIMAS RIVER AT  
 DURANGO, COLORADO

Year	Quarter*	Gross Alpha Pc/L	Gross Beta Pc/L	Th-Alpha Pc/L	Pb-210 Pc/L	Sr-90 Pc/L	Po-210 Pc/L
1963	3	1	5	--	--	0.9	--
	4	1	5	--	--	0.7	--
	1	1	9	--	--	0.9	--
	2	1	8	--	--	1.5	--
	3	2	7	--	--	0.8	--
	4	2	9	--	--	0.7	--
1964	1	2	7	--	--	1.2	--
	2	0	5	--	--	0.9	--
	3	0.6	3.7	--	--	0.7	--
	4	--	--	--	--	--	--
1965	1						
	2						
	3						
	4						
1966	1						
	2						
	3						
	4						
1967	1						
	2						
	3						
	4						
1968	1						
	2						
	3						
	4						
1969	1						
	2						
	3						
	4	1 ± 1	1 ± 2	--	--	0.0 ± 0.6	--
1970	1	1 ± 1	6 ± 2	--	--	0.4 ± 0.3	--
	2	1 ± 1	13 ± 2	--	--	0.5 ± 0.4	--
	3	2 ± 0.5	7 ± 2	--	--	--	--
	4	1 ± 1	8 ± 2	--	--	--	--
1971	1						
	2						
	3						
	4						
1972	1						
	2						

TABLE 6B(Cont.)

GROSS ALPHA, GROSS BETA, THORIUM ALPHA, LEAD-210, STRONTIUM-90 AND POLONIUM-210  
IN COLORADO RIVER BASIN SURFACE WATERS

\*Quarters:  
 1 - Jan-Mar  
 2 - Apr-Jun  
 3 - Jul-Sep  
 4 - Oct-Dec

Station No.: RMN-14S  
 Location: SAN JUAN RIVER DWS  
 SHIPROCK, N. M.

Year	Quarter*	Gross Alpha Pc/L	Gross Beta Pc/L	Th-Alpha Pc/L	Pb-210 Pc/L	Sr-90 Pc/L	Po-210 Pc/L
1963	3	12	16	0.0	0.1	--	--
	4	7	14	0.1	0.0	--	--
"	1	3	9	0.0	0.0	--	--
1964	2	8	14	0.2	0.0	--	--
	3	6	17	0.2	0.1	--	--
	4	14	19	0.2	0.4	--	--
"	1	3	11	0.1	0.1	--	--
1965	2	2	7	0.0	0.0	--	--
	3	2.5	9.0	0.0	0.2	--	0.0
	4	--	--	--	--	--	--
1966	1						
	2						
	3						
	4						
1967	1						
	2						
	3						
	4						
1968	1						
	2						
	3						
	4	$7 \pm 1$	$24 \pm 5$	--	--	--	--
1969	1	$6 \pm 1$	$14 \pm 2$	--	--	--	--
	2						
	3						
	4						
1970	1						
	2						
	3						
	4						
1971	1						
	2						
	3						
	4						
1972	1						
	2						

TABLE 6B (Cont.)

GROSS ALPHA, GROSS BETA, THORIUM ALPHA, LEAD-210, STRONTIUM-90 AND POLONIUM-210  
IN COLORADO RIVER BASIN SURFACE WATERS

\*Quarters:  
 1 - Jan-Mar  
 2 - Apr-Jun  
 3 - Jul-Sep  
 4 - Oct-Dec

Station No.: RMN-15  
Location: SAN JUAN RIVER UPS  
 MEXICAN HAT, UTAH

Year	Quarter*	Gross Alpha Pc/L	Gross Beta Pc/L	Th-Alpha Pc/L	Pb-210 Pc/L	Sr-90 Pc/L	Po-210 Pc/L
1963	3	6	29	--	--	6.0	--
	4	4	14	--	--	3.2	--
1964	1	4	10	--	--	2.0	--
	2	3	14	--	--	2.9	--
	3	6	21	--	--	4.4	--
	4	11	10	--	--	1.9	--
1965	1	3	13	--	--	2.7	--
	2	--	--	--	--	--	--
	3	--	--	--	--	--	--
	4	3.8	7.8	--	--	1.4	--
1966	1	3.4	6.8	--	--	1.2	--
	2	2.6	5.0	--	--	0.9	--
	3	7.0	17	--	--	3.1	--
	4	5.5	9.7	--	--	1.3	--
1967	1	6.4	7.2	--	--	1.0	--
	2	7.1	9.9	--	--	1.3 ± 0.1	--
	3	7.4 ± 0.6	19 ± 2	--	--	3.1 ± 0.2	--
	4	5.4 ± 0.4	14 ± 3	--	--	2.0 ± 0.2	--
1968	1	5.2 ± 0.8	6.3 ± 1.1	0.15 ± 0.04	--	1.2 ± 0.2	--
	2	3.4 ± 0.5	5.3 ± 1.2	0.08 ± 0.02	0.05 ± 0.09	0.8 ± 0.1	0.04 ± 0.03
	3	--	--	--	--	--	--
	4	--	--	--	--	--	--
1969	1	4.2 ± 0.5	1.8 ± 1.9	--	0.0	1.1 ± 0.1	--
	2	1.9 ± 0.6	3.4 ± 2.1	--	0.0	0.7 ± 0.1	--
	3	3.1 ± 0.7	9.7 ± 1.7	--	0.0	2.1 ± 0.1	--
	4	15 ± 1	33 ± 3	--	--	1 ± 0.7	--
1970	1	5 ± 1	13 ± 2	--	--	0.9 ± 0.4	--
	2	5 ± 1	8 ± 2	--	--	0.7 ± 0.4	--
	3	--	--	--	--	--	--
	4	3 ± 1	8 ± 3	--	--	--	--
1971	1	3 ± 1	17 ± 2	--	--	--	--
	2	--	--	--	--	--	--
	3	--	--	--	--	--	--
	4	--	--	--	--	--	--
1972	1	--	--	--	--	--	--
	2	--	--	--	--	--	--

TABLE 6B (Cont.)

GROSS ALPHA, GROSS BETA, THORIUM ALPHA, LEAD-210, STRONTIUM-90 AND POLONIUM-210  
IN COLORADO RIVER BASIN SURFACE WATERS

\*Quarters:  
 1 - Jan-Mar  
 2 - Apr-Jun  
 3 - Jul-Sep  
 4 - Oct-Dec

Station No.: RMN-16  
 Location: SAN JUAN RIVER DWS  
 MEXICAN HAT, UTAH

Year	Quarter*	Gross Alpha Pc/L	Gross Beta Pc/L	Th-Alpha Pc/L	Pb-210 Pc/L	Sr-90 Pc/L	Po-210 Pc/L
1963	3	8	30	0.4	0.2	--	--
	4	5	13	0.3	0.1	--	--
1964	1	4	13	0.2	0.1	--	--
	2	4	10	0.3	0.2	--	--
	3	6	24	0.6	0.2	--	--
	4	14	14	1.7	0.5	--	--
1965	1	8	13	0.1	0.0	--	--
	2	--	--	--	--	--	--
	3	--	--	--	--	--	--
	4	3.2	7.3	0.0	0.2	--	0.01
1966	1	4.4	7.2	0.0	0.1	--	0.00
	2	3.3	5.1	0.0	0.2	--	0.14
	3	5.3	17	0.1	0.1	--	0.03
	4	4.7	6.8	0.1	0.2	--	0.01
1967	1	6.2	7.7	0.0	0.0	--	0.03
	2	6.1	11	0.0	0.2	--	0.01
	3	6.2 ± 0.5	14 ± 2	0.03 ± 0.02	0.1 ± 0.1	--	0.02 ± 0.01
	4	4.3 ± 0.5	18 ± 3	0.11 ± 0.02	0.0 ± 0.1	--	0.00 ± 0.01
1968	1	7.4 ± 0.9	6.0 ± 0.8	0.02 ± 0.07	0.04 ± 0.09	--	0.0 ± 1.0
	2	3.1 ± 0.5	7.6 ± 1.2	0.07 ± 0.03	0.02 ± 0.09	--	0.01 ± 0.03
	3	--	--	--	--	--	--
	4	--	--	--	--	--	--
1969	1	3.5 ± 0.5	8.0 ± 2.0	0.00 ± 0.05	0.0 ± 0.1	--	0.00 ± 0.05
	2	2.2 ± 0.7	4.1 ± 2.1	0.00 ± 0.05	0.0 ± 0.1	--	0.02 ± 0.04
	3	3.1 ± 0.7	9.8 ± 1.7	0.00 ± 0.05	0.1 ± 0.1	--	0.01 ± 0.04
	4	--	--	--	--	--	--
1970	1	4 ± 1	10 ± 2	--	--	0.7 ± 0.3	--
	2	5 ± 1	11 ± 3	--	--	1.0 ± 0.4	--
	3	4 ± 1	10 ± 3	--	--	--	--
	4	--	--	--	--	--	--
1971	1						
	2						
	3						
	4						
1972	1						
	2						

TABLE 6B (Cont.)

GROSS ALPHA, GROSS BETA, THORIUM ALPHA, LEAD-210, STRONTIUM-90 AND POLONIUM-210  
IN COLORADO RIVER BASIN SURFACE WATERS

Station No.: RMN-17  
Location: SAN MIGUEL RIVER AT  
 NATURITA, COLORADO

\*Quarters:  
 1 - Jan-Mar  
 2 - Apr-Jun  
 3 - Jul-Sep  
 4 - Oct-Dec

Year	Quarter*	Gross Alpha Pc/L	Gross Beta Pc/L	Th-Alpha Pc/L	Pb-210 Pc/L	Sr-90 Pc/L	Po-210 Pc/L
1963	3	2	7	0.1	0.0	--	--
	4	2	7	0.1	0.0	--	--
1964	1	2	7	0.1	0.1	--	--
	2	1	10	0.0	0.0	--	--
	3	2	7	0.2	0.2	--	--
	4	2	5	0.1	0.0	--	--
1965	1	3	3	0.0	0.1	--	--
	2	1	6	0.1	0.1	--	--
	3	1.3	5.4	0.6	0.0	--	0.01
	4	--	--	--	--	--	--
1966	1						
	2						
	3						
	4						
1967	1						
	2						
	3						
	4	4	--	--	--	--	--
1968	1						
	2						
	3						
	4						
1969	1						
	2						
	3						
	4	--	4 ± 2	--	--	0.5 ± 0.5	--
1970	1	3.7 ± 1	3.7 ± 2.7	--	--	--	--
	2	3.7 ± 0.83	10.7 ± 2	--	--	--	--
	3	3 ± 0.83	7 ± 2	--	--	--	--
	4	3 ± 1	5 ± 3	--	--	--	--
1971	1	4 ± 1	7 ± 2	--	--	--	--
	2						
	3						
	4						
1972	1						
	2						

TABLE 6B (Cont.)

GROSS ALPHA, GROSS BETA, THORIUM ALPHA, LEAD-210, STRONTIUM-90 AND POLONIUM-210  
IN COLORADO RIVER BASIN SURFACE WATERS

\*Quarters:  
 1 - Jan-Mar  
 2 - Apr-Jun  
 3 - Jul-Sep  
 4 - Oct-Dec

Station No.: RMN-18  
 Location: SAN MIGUEL RIVER AT  
 URAVAN, COLORADO

Year	Quarter*	Gross Alpha Pc/L	Gross Beta Pc/L	Th-Alpha Pc/L	Pb-210 Pc/L	Sr-90 Pc/L	Po-210 Pc/L
1963	3	--	--	--	--	--	--
	4	--	--	--	--	--	--
1964	1	--	--	--	--	--	--
	2	--	--	--	--	--	--
	3	--	--	--	--	--	--
	4	--	--	--	--	--	--
1965	1	5	6	0.0	0.0	--	--
	2	1	7	0.0	0.1	--	--
	3	2.7	8.6	0.0	0.1	--	0.01
	4	--	--	--	--	--	--
1966	1						
	2						
	3						
	4						
1967	1						
	2						
	3						
	4						
1968	1	--	--	0.1 ± 0.04	0.02 ± 0.09	--	0.04 ± 0.02
	2	--	--	0.08 ± 0.02	0.12 ± 0.09	--	0.01 ± 0.03
	3						
	4						
1969	1						
	2						
	3						
	4	4 ± 1	9 ± 3	--	--	0.5 ± 0.6	--
1970	1	4.3 ± 1	10.3 ± 3.3	--	--	0.2 ± 0.3	--
	2	4.7 ± 1	15 ± 3.7	--	--	--	--
	3	10 ± 1.4	19 ± 4	--	--	--	--
	4	4.5 ± 1	4 ± 3.5	--	--	--	--
1971	1	4 ± 1	8 ± 3	--	--	--	--
	2						
	3						
	4						
1972	1						
	2						

TABLE 6B (Cont.)

GROSS ALPHA, GROSS BETA, THORIUM ALPHA, LEAD-210, STRONTIUM-90 AND POLONIUM-210  
IN COLORADO RIVER BASIN SURFACE WATERS

\*Quarters:  
 1 - Jan-Mar  
 2 - Apr-Jun  
 3 - Jul-Sep  
 4 - Oct-Dec

Station No.: RMN-20  
 Location: SAN MIGUEL RIVER DWS  
 URAVAN, COLORADO

Year	Quarter*	Gross Alpha Pc/L	Gross Beta Pc/L	Th-Alpha Pc/L	Pb-210 Pc/L	Sr-90 Pc/L	Po-210 Pc/L
1963	3	13	23	1.1	0.6	--	--
	4	19	43	8.0	0.4	--	--
1964	1	20	26	0.8	0.7	--	--
	2	12	33	1.0	0.1	--	--
	3	16	23	0.1	0.3	--	--
	4	27	20	0.1	0.3	--	--
1965	1	16	17	0.4	0.0	--	--
	2	4	10	0.2	0.1	--	--
	3	5.1	11	0.1	0.1	--	0.11
	4	17	12	0.1	0.2	--	0.21
1966	1	20	14	0.2	0.3	--	0.00
	2	5.5	5.9	0.4	0.1	--	0.01
	3	30	35	1.5	0.1	--	0.06
	4	40	24	1.0	0.0	--	0.18
1967	1	23	16	0.3	0.2	--	0.06
	2	8.1	11	0.18	0.0	--	0.18
	3	12 $\pm$ 1	18 $\pm$ 2	0.41 $\pm$ 0.02	0.0 $\pm$ 0.1	--	0.03 $\pm$ 0.01
	4	23 $\pm$ 1	19 $\pm$ 3	0.53 $\pm$ 0.03	0.0 $\pm$ 0.0	--	0.09 $\pm$ 0.02
1968	1	48 $\pm$ 2	34 $\pm$ 2	1.3 $\pm$ 0.1	0.19 $\pm$ 0.01	--	0.17 $\pm$ 0.03
	2	6.3 $\pm$ 0.7	8.6 $\pm$ 2.0	0.41 $\pm$ 0.03	0.11 $\pm$ 0.09	--	0.06 $\pm$ 0.03
	3	20 $\pm$ 2	19 $\pm$ 2	0.56 $\pm$ 0.06	0.1 $\pm$ 0.1	--	0.00 $\pm$ 0.05
	4	68 $\pm$ 3	47 $\pm$ 7	0.61 $\pm$ 0.07	0.5 $\pm$ 0.1	--	0.30 $\pm$ 0.05
1969	1	52 $\pm$ 3	50 $\pm$ 5	0.34 $\pm$ 0.06	0.3 $\pm$ 0.1	--	0.12 $\pm$ 0.05
	2	7.9 $\pm$ 1.3	9.6 $\pm$ 2.8	0.04 $\pm$ 0.05	0.0 $\pm$ 0.1	--	0.05 $\pm$ 0.04
	3	14 $\pm$ 1	9.1 $\pm$ 2.8	0.15 $\pm$ 0.05	0.0 $\pm$ 0.1	--	0.02 $\pm$ 0.04
	4	24.7 $\pm$ 1.7	21.8 $\pm$ 3.3	--	--	--	--
1970	1	32 $\pm$ 2.8	27.5 $\pm$ 3.8	--	--	--	--
	2						
	3						
	4						
1971	1						
	2						
	3						
	4						
1972	1						
	2						

TABLE 6B (Cont.)

GROSS ALPHA, GROSS BETA, THORIUM ALPHA, LEAD-210, STRONTIUM-90 AND POLONIUM-210  
IN COLORADO RIVER BASIN SURFACE WATERS

\*Quarters:  
 1 - Jan-Mar  
 2 - Apr-Jun  
 3 - Jul-Sep  
 4 - Oct-Dec

Station No.: RMN-29  
 Location: GREEN RIVER DWS OF  
 GREEN RIVER, UTAH

Year	Quarter*	Gross Alpha Pc/L	Gross Beta Pc/L	Th-Alpha Pc/L	Pb-210 Pc/L	Sr-90 Pc/L	Po-210 Pc/L
1963	3	3	26	--	--	9.6	--
	4	3	14	--	--	3.3	--
1964	1	1	10	--	--	2.5	--
	2	3	12	--	--	3.2	--
	3	3	16	--	--	4.0	--
	4	-	--	--	--	--	--
1965	1						
	2						
	3						
	4						
1966	1						
	2						
	3						
	4						
1967	1						
	2						
	3						
	4						
1968	1						
	2						
	3						
	4						
1969	1						
	2						
	3						
	4						
1970	1						
	2						
	3						
	4						
1971	1						
	2						
	3						
	4						
1972	1						
	2						

TABLE 6B (Cont.)

GROSS ALPHA, GROSS BETA, THORIUM ALPHA, LEAD-210, STRONTIUM-90 AND POLONIUM-210  
IN COLORADO RIVER BASIN SURFACE WATERS

\*Quarters:  
 1 - Jan-Mar  
 2 - Apr-Jun  
 3 - Jul-Sep  
 4 - Oct-Dec

Station No.: RMN-30  
 Location: COLORADO RIVER AT  
 NORTH U.S.-MEX. BORDER

Year	Quarter*	Gross Alpha Pc/L	Gross Beta Pc/L	Th-Alpha Pc/L	Pb-210 Pc/L	Sr-90 Pc/L	Po-210 Pc/L
1963	3	6	9	--	--	1.2	--
	4	4	10	--	--	1.5	--
	1	3	11	--	--	1.3	--
1964	2	4	10	--	--	1.5	--
	3	11	10	--	--	1.2	--
	4	18	22	--	--	0.7	--
1965	1	8	10	--	--	1.2	--
	2	4	14	--	--	1.4	--
	3	4.6	13	--	--	1.6	--
	4	--	--	--	--	--	--
1966	1						
	2						
	3						
	4						
1967	1						
	2						
	3						
	4						
1968	1						
	2						
	3						
	4						
1969	1						
	2						
	3						
	4						
1970	1						
	2						
	3	$8 \pm 1$	$13 \pm 4$	--	--	--	--
	4	$3 \pm 1$	$10 \pm 4$	--	--	--	--
1971	1						
	2						
	3						
	4						
1972	1						
	2						

TABLE 6B (Cont.)

GROSS ALPHA, GROSS BETA, THORIUM ALPHA, LEAD-210, STRONTIUM-90 AND POLONIUM-210  
IN COLORADO RIVER BASIN SURFACE WATERS

\*Quarters:  
 1 - Jan-Mar  
 2 - Apr-Jun  
 3 - Jul-Sep  
 4 - Oct-Dec

Station No.: RMN-32  
 Location: COLORADO RIVER NEAR  
 BOULDER CITY, NEV.

Year	Quarter*	Gross Alpha Pc/L	Gross Beta Pc/L	Th-Alpha Pc/L	Pb-210 Pc/L	Sr-90 Pc/L	Po-210 Pc/L
1963	3	3	5	--	--	1.1	--
	4	3	10	--	--	1.2	--
1964	1	4	4	--	--	1.2	--
	2	5	9	--	--	1.4	--
	3	8	12	--	--	1.4	--
	4	19	16	--	--	1.6	--
1965	1	6	11	--	--	2.0	--
	2	7	12	--	--	2.0	--
	3	5.9	12	--	--	2.0	--
	4	--	--	--	--	--	--
1966	1						
	2						
	3						
	4						
1967	1						
	2						
	3						
	4						
1968	1						
	2						
	3						
	4	7 ± 1	18 ± 5	--	--	--	--
1969	1	7 ± 1	16 ± 3	--	--	--	--
	2						
	3						
	4						
1970	1						
	2						
	3						
	4						
1971	1						
	2						
	3						
	4						
1972	1						
	2						

TABLE 6B (Cont.)

GROSS ALPHA, GROSS BETA, THORIUM ALPHA, LEAD-210, STRONTIUM-90 AND POLONIUM-210  
IN COLORADO RIVER BASIN SURFACE WATERS

\*Quarters:  
 1 - Jan-Mar  
 2 - Apr-Jun  
 3 - Jul-Sep  
 4 - Oct-Dec

Station No.: RMN-33

Location: COLORADO RIVER AT  
METROPOLITAN WATER DISTRICT INTAKE,  
LAKE HAVASU, CAL.-ARIZ.

Year	Quarter*	Gross Alpha Pc/L	Gross Beta Pc/L	Th-Alpha Pc/L	Pb-210 Pc/L	Sr-90 Pc/L	Po-210 Pc/L
1963	3	5	9	0.0	0.2	--	--
	4	3	22	0.0	0.2	--	--
1964	1	4	9	0.1	0.1	--	--
	2	4	11	0.2	0.0	--	--
	3	8	10	0.1	0.6	--	--
	4	4	15	0.2	0.3	--	--
1965	1	5	12	0.0	0.0	--	--
	2	4	13	0.2	0.1	--	--
	3	--	--	--	--	--	--
	4	--	--	--	--	--	--
1966	1						
	2						
	3						
	4						
1967	1						
	2						
	3						
	4						
1968	1						
	2						
	3						
	4						
1969	1						
	2						
	3						
	4						
1970	1						
	2						
	3						
	4						
1971	1						
	2						
	3						
	4						
1972	1						
	2						

Often the highest concentrations of these isotopes were measured at station RMN-20, located downstream of Uravan, Colorado. Samples from this station generally showed a significant increase in  $\alpha$ ,  $\beta$ , and thorium- $\alpha$  activity over the upstream station (RMN 18), though the upstream station was infrequently analyzed. A similar, though smaller increase was measured between stations RMN 17 and 18 (Naturita to upstream of Uravan). Measurements at stations RMN 1 and 4 suggested an increase in alpha activity, but a decrease in beta activity. Station pairs 9-10 and 15-16 appear to have shown the same "inconsistency".

The ratio of total beta activity to total alpha activity remains at about 2 throughout the Network. Significant exceptions are at stations RMN 11 (Durango) and RMN 29 (Green River) where the alpha activity is low and the ratios are about 6.

None of the radio-isotopes listed in Tables 6 and 7 was found to exceed the recommended limit concentrations in water.

## GRAPHIC REPRESENTATIONS OF RADIUM-226 CONCENTRATIONS (DISSOLVED) AND FLOW AT RMN STATIONS

This section consists primarily of plots of radium-226 concentrations (dissolved) and mean monthly flows of the streams sampled. The radium data have been plotted as monthly averages wherever samples were collected more frequently. The flow data were obtained from U.S. Geological Survey long-term stations and do not necessarily coincide with the location of the Radiological Monitoring Network Stations other than as the flow records portray high and low flows, and any long-term trends in flows.

The purpose of the comparison between radium-226 concentrations and flow is to show a generally inverse relationship that has been found in the course of the measurements. Figure 2, for station RMN 1, serves to show the inverse relationship between radium-226 concentrations (dissolved) and flow. The relationships are evident at many of the other Network stations also.

Figure 29 presents a simple statistical analysis of the radium-226 data obtained from five surface water locations in western Colorado. The data are presented to show the changes in distribution of radium-226 concentrations as one progresses downstream from the headwaters of the San Miguel River near Naturita, Colorado, through areas of uranium deposits and uranium mill sites to Gateway, Colorado on the Dolores River. The bottom family of lines represent percentages (of the total number of measurements at a station) of measurements falling within the specific concentration range. The upper family of lines represent the cumulative percentage of measurements at each station. The Naturita station (RMN 17) may be considered to measure "background" concentrations and it is obvious that the vast majority of determinations showed less than 0.1 pCi/l Ra-226.

The next station (RMN 18) is located upstream of Uravan, Colorado and many miles downstream of the Naturita station. An abandoned mill site and tailings pile is located at Vancorum between RMN 17 and 18. The data shows a shift of the median radium content of the San Miguel to in excess of 0.1 pCi/l.

The third station (RMN 20) is downstream of the Union Carbide Uranium Mill at Uravan and a significant upward shift in the median value is noted as the cumulative percentage line is moved to the right and the slope of that line is decreased.

Station RMN 21 is located on the Dolores River upstream of the San Miguel River. Two abandoned uranium mill sites and some uranium mines are located upstream of the station. Note that the distribution of concentrations is considerably "degraded" from that of the Naturita station and that a configuration is somewhat similar to that obtained from the "upstream-of-Uravan" station

Station RMN 26 reflects the addition of the San Miguel River to the Dolores River and shows the effects of dilution of San Miguel water as well as contamination by the San Miguel. Drainage from a few uranium mines does exist between stations RMN 21 and RMN 26, but the mine drainage has usually been of sufficiently low volume so as to be "lost" in the Dolores River.

Figure 29 essentially portrays degradation of a river system caused, undoubtedly, by the presence of uranium mineralization or concentration as well as by man's refining of uranium.

**PAGE NOT  
AVAILABLE  
DIGITALLY**

## SUMMARY AND CONCLUSIONS

The Radiological Monitoring Network has collected radium-226 and total uranium (both as "dissolved solids") data along with less frequent measurements of lead-210, polonium-210, thorium, strontium, total alpha, and total beta, from 1961 to the present. The report covers over 3,000 measurements of radium-226 and total uranium from surface waters of the Colorado River Basin (watershed). As many as twenty-seven stations have operated with most of the locations placed upstream and downstream of the majority of the eighteen uranium mill sites that exist in the Basin. A recent decline in the number of active stations (to 15), the frequency of sample collection, and the rapidity of radioassay has diminished the worth of the network, but nonetheless the Network has accomplished its objectives to date.

The Network serves as a spill detection and warning system downstream of the operating mills, especially the mill at Uravan, Colorado. The Network has quantified the impacts of uranium mills and tailings piles. The mean background concentration of radium-226 (dissolved) in the upper Basin is calculated to be 0.08 pCi/l. The mean background concentration of total uranium (also dissolved) in the upper Basin is about 2.1 µg/l. Concentrations of radium as high as 26 pCi/l and of uranium as high as 260 µg/l have been measured in single samples from major surface waters. Mean annual concentrations of 3.3 pCi/l Ra<sup>226</sup> and 33.5 µg/l were the highest noted during the decade of sampling.

Average (monthly and annual) concentrations have decreased from the inception of the Network (1961) to July of 1972 in a somewhat inconsistent (nonlinear) fashion. Noteable decreases in annual averages have occurred for uranium on the Gunnison River (RMN 5) the Colorado River (RMN 6, 9, 10, 30 and 31), the Animas River (RMN 12), and the San Juan River (RMN 14, 14S and 16). Similar long-term decreases in radium-226 are noteable only in the Colorado River near Moab, Utah (RMN 9 and 10) and the Animas River (RMN 12). Conversely, stations RMN 20 and 26 showed higher radium and uranium concentrations in 1968.

Average concentrations for the periods of record at each station ranged from 0.02 pCi/l Ra<sup>226</sup> to 1.22 pCi/l Ra<sup>226</sup> and 1.21 µg/l Utot to 19.71 µg/l Utot. The high concentrations occurred downstream of an operating uranium mill.

The elevated radium and uranium concentrations persist from the headwaters of the Colorado River system through Arizona. Combined measurements at Page, Arizona (Lake Powell), Boulder City, Nevada (Lake Mead), Lake Havasu, and the Northerly International Boundary (Mexico)

show mean concentrations of 0.23 pCi/l Ra<sup>226</sup> and 7.3 µg/l Utot. Both values are about three times the average background concentration found in the headwaters of the Colorado River system. Some decreases in these downstream values over the long term are indicated, however. Of course some "natural" increase in concentrations is to be expected in areas of uranium deposits.

The decrease in radioactivity in the surface waters of the Colorado River Basin is attributed to removal of uranium tailings from water courses, better effluent treatment by the few mills operating, and, not the least, the decline of uranium milling activities. Increased leasing of uranium reserves and a larger role for nuclear reactors in the energy supply situation could reverse the decreasing trend. A new uranium mill has been situated in Utah and there is some increase in nuclear fuel preparation activities in Wyoming (but not in the Colorado River Basin).

The long-term measurements reveal an inverse relationship between radium-226 concentrations in surface waters and flow at many RMN stations. That is, high concentrations of radium-226 generally occur during periods of low flow. The mechanism controlling the high concentrations of dissolved radium is not understood but may involve erosion from the bed load of streams and recharge by ground water containing a higher radium-226 content.

Quarterly measurements of gross alpha, gross beta, thorium- $\alpha$ , lead-210, and polonium-210 concentrations in surface waters indicated that the uranium extraction facilities have caused elevated concentrations in the vicinity of the facilities but there have been insufficient data collected to allow speculation on the fate of these radioisotopes.

Quarterly measurements of strontium-90 have indicated that significantly high (up to 9.6 pCi/l Sr-90) concentrations existed in the Basin prior to 1970 but that the strontium-90 content of the waters may have decreased since then. Again, limited measurements of strontium-90 since 1970 make this conclusion tentative. Strontium-90 is not associated with the uranium or uranium milling, but is derived from nuclear detonations and is transported by air until it is "scrubbed" to be precipitated as "fallout". The Network did detect higher strontium-90 concentration in the San Juan River ("upstream of Mexican Hat, Utah") than were generally found in the upper Colorado River Basin ("upstream of Moab, Utah").

## RECOMMENDATIONS

Since the RMN system has been the recent subject of discussions regarding the amount of surface water quality monitoring that the Environmental Protection Agency should perform or support, the following recommendations pertaining to the future role of the Network are offered.

1. The RMN system in the Colorado River should be maintained to include a minimum of seventeen stations with approximately five stations added for about one year to monitor changes in concentrations and any increase in uranium extraction activity. Stations upstream of Bedrock on the Dolores River and possibly in the vicinity of the new mill at LaSal may be needed. Stations may include ground water sampling.
2. The RMN system should be expanded to include areas of uranium extraction, milling, and refining in Wyoming and to include uranium milling in South Dakota.
3. The RMN system should collect composite samples (over varying frequencies) whenever possible so as to provide true average concentrations.
4. Radioassay of samples collected downstream of operating mills and mines must be as fast as possible to provide detection of spills. In situ methods of measurement must be further evaluated.
5. In addition to radium and uranium analysis, selected samples should be routinely analyzed for ammonia, "trace" elements, and solids. These analyses should continue until correlations have either been derived or are not apparent.
6. An intensive effort to characterize the chemical and physical forms of effluents from uranium mills should be initiated to provide quantitative data on the fate of contaminants.
7. Shallow wells should be installed down-gradient of selected uranium tailings piles and along gaining reaches of streams to evaluate the contribution of radium-226 from these sources.

]

APPENDIX

RADIOLOGICAL MONITORING NETWORK STATION  
DESCRIPTIONS, LOCATIONS (MAPS), AND  
RESULTS OF RADIUM-226 (DISSOLVED) AND  
TOTAL URANIUM (DISSOLVED) RADIOASSAY.

## APPENDIX INDEX

<u>RMN Station</u>	<u>(Table)</u>	<u>Page</u>
1 . . . . .	A-1 . . . . .	A-4
4 . . . . .	A-2 . . . . .	A-9
5 . . . . .	A-3 . . . . .	A-14
6 . . . . .	A-4 . . . . .	A-19
9 . . . . .	A-5 . . . . .	A-25
10 . . . . .	A-6 . . . . .	A-33
11 . . . . .	A-7 . . . . .	A-40
12 . . . . .	A-8 . . . . .	A-45
13 . . . . .	A-9 . . . . .	A-52
14 . . . . .	A-10. . . . .	A-55
14S . . . . .	A-11. . . . .	A-60
15 . . . . .	A-12. . . . .	A-66
16 . . . . .	A-13. . . . .	A-71
17 . . . . .	A-14. . . . .	A-78
18 . . . . .	A-15. . . . .	A-84
20 . . . . .	A-16. . . . .	A-92
21 . . . . .	A-17. . . . .	A-106
22 . . . . .	A-18. . . . .	A-112
24 . . . . .	A-19. . . . .	A-115
25 . . . . .	A-20. . . . .	A-119
26 . . . . .	A-21. . . . .	A-123
28 . . . . .	A-22. . . . .	A-130
29 . . . . .	A-23. . . . .	A-134
30 . . . . .	A-24. . . . .	A-137
31 . . . . .	A-25. . . . .	A-142
32 . . . . .	A-26. . . . .	A-147
33 . . . . .	A-27. . . . .	A-152

## EXPLANATION OF MATERIAL CONTAINED IN APPENDIX

The data tables for each RMN station are preceded by a description of the station location and the sampling history, and a map showing the sampling location(s). The two map symbols used are:



Present or most recent sampling location



Previous sampling location

The format on each data table is as follows:

	070022 39 32 30.0 107 38 40.0 Colorado River at Silt Colorado .....	(STORET number) (lat., long.) } (site description)			
Date From To	Time of Day	Depth Feet	09503 Ra-226 DISSOLVED PC/L	09504 Ra-226-D ERROR PC/L	22703 U-NAD DISSOLVED $\mu$ G/L

61/11/25

(begin)

CP(T)-02 (composite in time with 2 samples composited)

61/12/02 (end)	COMP (composite)	0.270 (10-12ci/l)	0.020 ( $\pm$ 10-12ci/l)	3,500 ( $10^{-6}$ gm/l)
-------------------	---------------------	----------------------	-----------------------------	----------------------------

STATION DESCRIPTION  
(RMN-1)

070022

39 32 30.0 107 38 40.0

COLORADO RIVER AT SILT

08 COLORADO

COLORADO RIVER BASIN

UPPER COLORADO RIVER SUB BASIN

1118C030

2111204

2 0000 FEET DEPTH

RIVER  
SYSTEM  
INDEX 1101001  
MILES 1179.30

II

III

IV

V

VI

VII

VIII

IX

X

XI

XII

DESCRIPTION

CRRP NO. RMN-1, UMS-6, BWS-9  
SE1/4, NE1/4, SEC 11, TGS, R92W

SAMPLE COLLECTED IN MAIN CHANNEL 1/2 MILE SOUTHEAST OF SILT COLO., IN  
GARFIELD COUNTY. JUST UPSTREAM OF BRIDGE ON STATE ROUTE 330.

TYPE DATA-RAD, SAL, BACT.

TYPE FLOW MEAS-WIK STG AT 09087600 PLUS WEST DIVIDE CREEK

SAMPLING STARTED 11/25/61 AND IS ONGOING.

A-4  
REMARKS: RADON BEARING MINERAL SPRINGS ENTER THE RIVER ABOUT 20 MI. UPS  
AT GLENWOOD SPRINGS, COLO. THIS STATION PROVIDES BACKGROUND RADIACTIVITY  
DATA ABOVE URANIUM MILL 8 MILES DOWNSTREAM AT RIFLE, COLORADO

Number of Samples assayed for Ra-226 through period of record (1961-1972): 130  
Mean Ra-226 concentration for period of record and  $2\sigma$  deviation :  $0.19 \pm 0.16$

Number of Samples assayed for U(total) through period of record (1962-1972): 116  
Mean U(total) concentration for period of record and  $2\sigma$  deviation :  $2.91 \pm 3.00$

STATION LOCATION  
(RMN-1)

A-5




TABLE A-1

(RMN-1)

	DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT UG/L
A-6	61/11/25			0.190		
	61/12/02	COMP		0.170		
	61/12/02					
	61/12/09	COMP		0.180		
	61/12/09					
	61/12/16	COMP		0.150		
	61/12/16					
	61/12/23	COMP		0.310		
	61/12/23					
	61/12/30	COMP		0.150		
	62/02/18					
	62/02/24	COMP		0.160		
	62/02/24					
	62/03/03	COMP		0.140		
	62/03/03					
	62/03/31	COMP		0.130		
	62/03/31					
	62/04/28	COMP		0.040		
	62/04/28					
	62/06/03	COMP		0.050		
	62/06/03					
	62/06/30	COMP		0.110		
	62/06/30					
	62/07/28	COMP		0.170		
	62/07/28					
	62/09/01	COMP		0.200		
	62/09/01					
	62/09/29	COMP		0.180	3.300	
	62/09/29					
	62/11/03	COMP		0.190	3.200	
	62/11/03					
	62/12/01	COMP		0.250	3.600	
	62/12/01					
	62/12/29	COMP		0.260	3.100	
	62/12/29					
	63/02/02	COMP		0.280	3.000	
	63/02/02					
	63/03/02	COMP		0.230	3.900	
	63/03/02					
	63/03/30	COMP				

070022  
 39 32 30.0 107 38 40.0  
 COLORADO RIVER AT SILT  
 08 COLORADO  
 COLORADO RIVER BASIN  
 UPPER COLORADO RIVER SUB BASIN  
 1118C030 2111204  
 2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	RA-226 DISOLVED PC/L	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT UG/L
63/03/30			0.230			2.600
63/04/27	COMP			0.100		0.100
63/04/27						
63/06/01	COMP			0.130		0.800
63/06/01						
63/06/29	COMP			0.200		2.300
63/06/29						
63/08/03	COMP			0.200		3.900
63/08/03						
63/08/31	COMP			0.290		2.900
63/08/31						
63/09/28	COMP			0.250		3.000
63/09/28						
63/11/02	COMP			0.290		3.400
63/11/02						
63/12/07	COMP			0.340		4.400
63/12/07						
63/12/28	COMP			0.350		3.400
63/12/28						
64/02/01	COMP			0.390		2.700
64/02/01						
64/02/29	COMP			0.340		3.200
64/02/29						
64/03/28	COMP			0.180		3.500
64/03/28						
64/05/02	COMP			0.110		1.500
64/05/02						
64/05/30	COMP			0.080		1.200
64/05/30						
64/06/27	COMP			0.150		2.700
64/06/27						
64/08/01	COMP			0.190		2.200
64/08/01						
64/08/29	COMP			0.240		2.900
64/08/29						
64/10/03	COMP			0.270		3.500
64/10/03						
64/10/31	COMP			0.330		3.900
64/10/31						
64/11/28	COMP					

TABLE A-1(Cont.)  
(RMN-1)

070022  
39 32 30.0 107 38 40.0  
COLORADO RIVER AT SILT  
08 COLORADO  
COLORADO RIVER BASIN  
UPPER COLORADO RIVER SUB BASIN  
1118C030 2111204  
2 0000 FEET DEPTH

DATE FROM	TIME OF	DEPTH FEET	09503 RA-226 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L	DATE FROM	TIME OF	DEPTH FEET	09503 RA-226 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L
TO	DAY					TO	DAY				
64/11/28			0.270		4.300	66/07/30			0.240		2.600
65/01/02		COMP	0.270		3.700	66/08/26			COMP		2.700
65/01/02		COMP	0.270		3.600	66/09/03			COMP		2.900
65/01/30		COMP	0.290		3.500	66/10/01			COMP		2.900
65/01/30		COMP	0.290		3.200	66/10/01			COMP		3.200
65/02/27		COMP	0.250		1.900	66/10/29			COMP		3.200
65/02/28		COMP	0.140		2.200	66/12/03			COMP		3.100
65/04/03		COMP	0.080		2.800	66/12/03			COMP		4.000
65/05/01		COMP	0.090		2.800	66/12/30			COMP		2.200
65/05/01		COMP	0.060		1.500	67/01/28			COMP		1.500
65/05/29		COMP	0.130		3.900	67/02/04			COMP		2.100
65/05/29		COMP	0.110		4.200	67/02/25			COMP		2.900
65/07/03		COMP	0.180		3.600	67/04/01			COMP		3.700
65/07/30		COMP	0.180		3.000	67/04/01			COMP		3.400
65/07/30		COMP	0.180		2.100	67/04/29			COMP		3.500
65/08/27		COMP	0.150		0.000	67/04/29			COMP		3.200
65/08/27		COMP	0.140		1.900	67/05/27			COMP		3.200
65/10/02		COMP	0.080		0.700	67/05/27			COMP		2.300
65/10/02		COMP	0.110		1.200	67/07/01			COMP		2.000
65/10/29		COMP	0.180		2.300	67/07/01			COMP		2.000
65/10/29		COMP	0.180		2.300	67/07/29			COMP		2.000
65/11/27		COMP	0.180		2.300	67/07/29			COMP		2.000
65/11/27		COMP	0.180		2.300	67/09/02			COMP		2.000
66/01/02		COMP	0.210		2.300	67/09/02			COMP		2.000
66/01/02		COMP	0.210		2.300	67/09/30			COMP		2.000
66/01/29		COMP	0.180		2.300	67/09/30			COMP		2.000
66/01/29		COMP	0.180		2.300	67/10/28			COMP		2.000
66/02/27		COMP	0.150		2.300	67/10/28			COMP		2.000
66/02/27		COMP	0.150		2.300	67/12/02			COMP		2.000
66/04/02		COMP	0.140		2.300	67/12/02			COMP		2.000
66/04/02		COMP	0.140		2.300	67/12/23			COMP		2.000
66/04/30		COMP	0.080		2.300	68/01/06			COMP		2.000
66/04/30		COMP	0.080		2.300	68/02/03			COMP		2.000
66/05/27		COMP	0.110		2.300	68/02/03			COMP		2.000
66/05/27		COMP	0.110		2.300	68/03/02			COMP		2.000
66/07/02		COMP	0.180		2.300	68/03/02			COMP		2.000
66/07/02		COMP	0.180		2.300	68/03/23			COMP		2.000
66/07/30		COMP	0.180		2.300						

TABLE A-1(Cont.)

(RMN-1)

070022

39 32 30.0 107 38 40.0

COLORADO RIVER AT SILT

08 COLORADO

COLORADO RIVER BASIN

UPPER COLORADO RIVER SUB BASIN

1118C030

2111204

2

0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT UG/L
68/03/30			0.220		2.700
68/04/27		COMP		0.080	0.800
68/04/27				0.010	
68/06/01		COMP		0.050	1.900
68/06/01				0.010	
68/06/29		COMP			
68/07/01			0.130	0.020	2.700
68/07/29		COMP			
68/08/05	10 00			0.100	1.600
CP(T)-02				0.010	
68/08/19	10 00				
68/09/03			0.220	0.020	3.700
68/09/16		COMP			
68/09/30			0.230	0.020	4.900
68/10/28		COMP			
FR/11/13			0.210	0.020	5.000
68/11/25		COMP			
68/12/09			0.260	0.020	5.300
69/01/13			0.270	0.030	4.300
69/02/10			0.230	- 0.020	3.200
69/03/10			0.260	0.020	3.400
69/04/07			0.140	0.020	4.200
69/05/05			0.060	0.010	2.400
69/06/09			0.060	0.010	1.300
69/07/07			0.100	0.010	2.600
69/08/27			0.190	0.020	3.400
69/09/25			0.200	0.020	4.000
69/10/28			0.160	0.020	3.300
69/11/21			0.210	0.020	3.900
69/12/23			0.150	0.020	4.700
70/01/27			0.450	0.040	4.400
70/02/25			0.150	0.020	3.400
70/03/24			0.210	0.020	3.600
70/04/22			0.140	0.020	3.100
70/05/22			0.060	0.010	1.400
70/06/24			0.020	0.010	1.000
70/07/28			0.120	0.020	4.200
70/08/26			0.150	0.020	2.000
70/09/23			0.150	0.020	2.800

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT UG/L
70/10/21			0.180	0.020	3.200
70/11/24			0.160	0.020	2.600
70/12/15			0.200	0.020	1.900
71/01/25			0.220	0.030	2.700
71/02/22			0.210	0.020	1.800
71/03/23			0.120	0.020	2.400
71/04/20			0.070	0.010	3.900
71/05/20			0.050	0.010	1.000
71/06/15			0.040	0.010	0.800
71/07/26			0.180		1.200
71/08/23			0.200		1.100
71/09/27			0.300		2.200
71/10/18			0.200		2.400
71/11/29			0.200		4.600
71/12/13			0.300		14.000
72/01/29			0.200		1.900
72/02/22			0.100		2.800
72/03/20			0.200		1.900
72/05/15			0.200		3.300
72/06/19			0.100K		2.800

A-8

## STATION DESCRIPTION

(RMN-4)

070023  
 39 21 45.0 108 08 50.0  
 COLORADO RIVER AT DEBEQUE  
 08 COLORADO  
 COLORADO RIVER BASIN  
 UPPER COLORADO RIVER SUB BASIN  
 1118C030 2111204  
 2 0000 FEET--DEPTH

RIVER  
 SYSTEM  
 INDEX 1101001  
 MILES 1138.95

II III IV V VI VII VIII IX X XI XII

## DESCRIPTION

CRRP NO. RMN-4, BWS-12, UMS-7  
 SE1/4, NW1/4, SEC 7, TBS, R96W

SAMPLED AT DE BEQUE MUNICIPAL WATER SUPPLY INFILLTRATION GALLERY IN  
 MESA COUNTY UNTIL 07/69; NOW SAMPLED 3.8MI NORTHEAST. UPS. OF DE BEQUE  
 TYPE DATA-RAD. SAL

TYPE FLOW MEAS-WTH STG REC AT 09093700

\*SAMPLING STARTED 11/12/61 AND IS ONGOING.

REMARKS: THE UNION CARBIDE CORP. MILL AT RIFLE RELEASES LIQUID WASTES  
 FROM ITS SEEPAGE EVAPORATION LAGOONS TO RIVER 30MI. UPSTREAM. A SECOND  
 URANIUM MILL AT RIFLE, CLOSED 1948, CONTRIBUTES LITTLE RADIOACTIVITY.

A  
9

Number of Samples assayed for Ra-226 through period of record (1961-1972): 130  
 Mean Ra-226 concentration for period of record and 2σ deviation : 0.17 ± 0.12

Number of Samples assayed for U(total) through period of record (1962-1972): 115  
 Mean U(total) concentration for period of record and 2σ deviation : 3.60 ± 2.92

STATION LOCATION  
(RMN-4)

A-10




TABLE A-2  
(RMN-4)

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT UG/L
61/11/12			0.230		
61/11/18	COMP				
61/11/18			0.190		
61/11/25	COMP				
61/11/25			0.170		
61/12/02	COMP				
62/02/04			0.150		
62/03/03	COMP				
62/02/18			0.150		
62/02/24	COMP				
62/03/03			0.140		
62/03/31	COMP				
62/03/31			0.100		
62/04/28	COMP				
62/04/28			0.090		
62/06/03	COMP				
62/06/03			0.050		
62/06/30	COMP				
62/06/30			0.090		
62/07/28	COMP				
62/07/28			0.170		
62/09/01	COMP				
62/09/01			0.180		
62/09/08	COMP				
62/09/08			0.240		
62/09/15	COMP				
62/09/15			0.190		
62/09/22	COMP				
62/09/22			0.230		
62/09/29	COMP				
62/09/29			0.150		
62/11/03	COMP			6.500	
62/11/03			0.190		
62/12/01	COMP			4.500	
62/12/01			0.260		
62/12/29	COMP			4.200	
62/12/29			0.440		
63/02/02	COMP			4.300	
63/02/02			0.240		
63/03/02	COMP			4.400	

070023  
 39 21 45.0 108 08 50.0  
 COLORADO RIVER AT DEBEQUE  
 08 COLORADO  
 COLORADO RIVER BASIN  
 UPPER COLORADO RIVER SUB BASIN  
 1118C030 2111204  
 2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT UG/L
63/03/03			0.240		
63/03/30	COMP				
63/03/30			0.200		
63/04/27	COMP				
63/04/27			0.160		
63/06/01	COMP				
63/06/01			0.150		
63/06/29	COMP				
63/06/29			0.240		
63/08/03	COMP				
63/08/03			0.160		
63/08/31	COMP				
63/08/31			0.150		
63/09/28	COMP				
63/09/28			0.210		
63/11/02	COMP				
63/11/02			0.240		
63/12/07	COMP				
63/12/07			0.300		
63/12/28	COMP				
63/12/28			0.260		
64/02/01	COMP				
64/02/01			0.310		
64/02/29	COMP				
64/02/29			0.290		
64/02/29			0.290		
64/03/28	COMP				
64/03/28			0.240		
64/05/02	COMP				
64/05/02			0.150		
64/05/02			0.150		
64/05/30	COMP				
64/05/30			0.080		
64/06/27	COMP				
64/06/27			0.140		
64/06/27			2.900		
64/08/01	COMP				
64/08/01			0.150		
64/08/29	COMP				
64/08/29			0.200		
64/10/03	COMP				
64/10/03			0.250		
64/10/31	COMP				

TABLE A-2(Cont.)  
(RMN-4)

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 RA-226 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L
64/10/31			0.250		7.200
64/11/28	COMP		0.280		5.800
64/11/28	COMP		0.250		5.300
65/01/02	COMP		0.250		4.900
65/02/27	COMP		0.240		3.500
65/04/03	COMP		0.160		2.900
65/04/03	COMP		0.090		1.900
65/05/01	COMP		0.130		2.200
65/07/03	COMP		0.060		3.000
65/07/30	COMP		0.140		2.300
65/08/28	COMP		0.150		4.600
65/10/02	COMP		0.130		4.000
65/10/30	COMP		0.200		2.300
65/11/27	COMP		0.190		2.500
66/01/02	COMP		0.200		4.700
66/01/29	COMP		0.200		2.900
66/02/27	COMP		0.140		0.600
66/04/02	COMP		0.140		2.600
66/04/30	COMP		0.090		0.700
66/05/27	COMP		0.120		2.000
66/07/02	COMP				

070023  
 39 21 45.0 108 08 50.0  
 COLORADO RIVER AT DEBEQUE  
 08 COLORADO  
 COLORADO RIVER BASIN  
 UPPER COLORADO RIVER SUB BASIN  
 1118C030 2111204  
 2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 RA-226 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L
66/07/01			0.160		4.000
66/07/30	COMP		0.200		3.400
66/09/03	COMP		0.220		2.600
66/10/01	COMP		0.210		3.300
66/10/29	COMP		0.230		3.300
66/12/03	COMP		0.230		4.300
66/12/03	COMP		0.250		4.400
67/01/28	COMP		0.210		5.900
67/02/04	COMP		0.230		4.000
67/02/25	COMP		0.180		2.600
67/04/01	COMP		0.130		1.900
67/04/01	COMP		0.080		1.400
67/07/01	COMP		0.140		2.200
67/07/29	COMP		0.200		4.100
67/09/02	COMP		0.210		5.000
67/09/30	COMP		0.210		5.800
67/10/28	COMP		0.220		5.800
67/12/02	COMP		0.240		6.000
67/12/30	COMP		0.250		5.500
68/02/03	COMP		0.230		4.600
68/03/02	COMP				

TABLE A-2(Cont.)

(RMN-4)

A-13

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D PC/L	22703 U-NAT UG/L
68/03/02		0.220			4.700
69/03/23	COMP		0.190		3.700
68/03/30					
68/04/27	COMP		0.120		1.500
68/04/27					
68/06/01	COMP		0.060	0.010	2.500
68/06/28	COMP		0.120	0.020	2.900
68/07/01					
68/07/29	COMP		0.120	0.010	1.700
68/08/05					
68/08/19	COMP		0.190	0.020	3.700
68/09/03					
68/09/16	COMP		0.220	0.020	5.400
68/09/30					
68/10/28	COMP		0.210	0.020	6.600
69/11/13					
68/11/25	COMP		0.170	0.020	6.100
68/12/09					
69/01/13			0.180	0.020	5.000
69/02/10			0.170	0.020	4.300
69/03/10			0.170	0.020	4.800
69/04/07			0.160	0.020	5.300
69/05/05			0.090	0.010	2.400
69/06/09			0.060	0.010	2.000
69/07/07			0.080	0.010	4.300
69/08/27			0.150	0.020	4.100
69/09/25			0.130	0.020	5.000
69/10/28			0.140	0.020	3.900
69/11/21			0.170	0.020	5.000
69/12/23			0.140	0.020	5.000
70/01/27			0.120	0.020	4.900
70/02/11			0.140	0.020	5.400
70/03/24			0.140	0.020	4.200
70/04/22			0.130	0.020	3.900
70/06/04			0.040	0.010	2.100
70/07/28			0.120	0.020	4.700
70/09/11			0.130	0.020	4.300
70/10/06			0.100	0.020	3.200

070023  
 39 21 45.0 108 08 50.0  
 COLORADO RIVER AT DEBEQUE  
 08 COLORADO  
 COLORADO RIVER BASIN  
 UPPER COLORADO RIVER SUB BASIN  
 1118C030 2111204  
 2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D PC/L	22703 U-NAT UG/L
70/10/23			0.110	0.020	4.200
70/11/24			0.120	0.020	2.600
70/12/18			0.120	0.020	2.500
71/01/29			0.140	0.020	3.500
71/02/24			0.110	0.020	2.900
71/03/23			0.120	0.020	3.000
71/04/20			0.210	0.020	1.800
71/05/17			0.080	0.010	1.000
71/06/17			0.050	0.010	0.100
71/07/30			0.160		2.000
71/08/25			0.200		2.100
71/09/30			0.200		2.900
71/10/20			0.200		4.100
71/12/15			0.200		4.800
72/01/27			0.200		3.300
72/02/16			0.200		2.200
72/03/22			0.200		3.500
72/04/17			0.200		1.800
72/05/17			0.200		3.300
72/06/21			0.100K		3.300

STATION DESCRIPTION  
(RMN-5)

070002  
39 02 45.0 108 34 30.0  
GUNNISON RIVER AT GRAND JUNCTION  
08 COLORADO  
COLORADO RIVER BASIN  
UPPER COLORADO RIVER SUB BASIN  
1118C030 2111204  
2 0000 FEET DEPTH

RIVER  
SYSTEM II III IV V VI VII VIII IX X XI XII  
INDEX 1101001 012680 . . . . . . . . . .  
MILES 1101.80 0001.20 . . . . . . . . . .

DESCRIPTION  
CRBP NO. RMN-5, USGS-09-152500, BWS-14  
NW1/4, NE1/4, SEC 27, T1S, R1W

A-14  
SAMPLED AT COUNTY ROAD BRIDGE 1.2 MILES UPSTREAM FROM THE MOUTH OF  
THE GUNNISON RIVER IN MESA COUNTY.

TYPE DATA-RAD, BACT.; GRAB, 3 PINTS/WEEK  
TYPE FLOW MEAS-WTR STG REC AT 09152500

SAMPLING STARTED 4/16/62 AND DISCONTINUED 05/19/72  
REMARKS: A URANIUM MILL, CLOSED IN 1962, IS LOCATED 150MI. UPSTREAM BUT  
DOES NOT CONTRIBUTE ANY RADIOACTIVITY. THE MILL HAD NO DIRECT WASTE  
DISCHARGES DURING OPERATION. NATURAL PICK-UP FROM GUNNISON TO STATION

Number of Samples assayed for Ra-226 through period of record (1961-1972): 103  
Mean Ra-226 concentration for period of record and 2o- deviation : 0.09 ± 0.10

Number of Samples assayed for U(total) through period of record (1962-1972): 94  
Mean U(total) concentration for period of record and 2o- deviation : 9.57 ± 8.49

STATION LOCATION  
(RMN-5)




TABLE A-3  
(RMN-5)

070002  
39 02 45.0 108 34 30.0  
GUNNISON RIVER AT GRAND JUNCTION  
08 COLORADO  
COLORADO RIVER BASIN  
UPPER COLORADO RIVER SUB BASIN  
1118C030 2111204  
2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT UG/L
62/04/16			0.040		
62/04/28	COMP				
62/04/30			0.070		
62/06/02	COMP				
62/06/04			0.040		
62/06/30	COMP				
62/07/02			0.040		
62/07/28	COMP				
62/07/30			0.090		
62/09/01	COMP				
62/09/03			0.100		
62/09/08	COMP				
62/09/10			0.100		
62/09/15	COMP				
62/09/17			0.100		
62/09/22	COMP				
62/09/24			0.080		
62/09/29	COMP				
62/10/01			0.050		12.000
62/11/03	COMP				
62/11/05			0.040		13.000
62/12/01	COMP				
62/12/03			0.070		13.000
62/12/29	COMP				
62/12/31			0.040		13.000
63/02/02	COMP				
63/02/04			0.010		10.000
63/03/02	COMP				
63/03/30			0.080		10.000
63/03/30	COMP				
63/04/01			0.090		4.700
63/04/27	COMP				
63/04/29			0.060		2.900
63/06/01	COMP				
63/06/01			0.080		0.700
63/06/29	COMP				
63/07/01			0.290		12.000
63/08/02	COMP				
63/08/05			0.190		14.000
63/08/30	COMP				

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT UG/L
63/09/02			0.190		17.000
63/09/27	COMP				
63/09/30			0.120		15.000
63/11/01	COMP				
63/11/04			0.040		13.000
63/11/29	COMP				
63/12/02			0.100		14.000
63/12/27	COMP				
63/12/30			0.080		12.000
64/01/31	COMP				
64/02/03			0.080		11.000
64/02/28	COMP				
64/03/02			0.080		12.000
64/03/27	COMP				
64/03/30			0.100		4.400
64/05/01	COMP				
64/05/04			0.090		
64/05/29	COMP				
64/06/01			0.290		4.000
64/06/26	COMP				
64/06/29			0.160		8.900
64/07/31	COMP				
64/08/03			0.150		10.000
64/08/28	COMP				
64/08/31			0.10		14.000
64/10/02	COMP				
64/10/04			0.110		0.00
64/10/30	COMP				
64/11/02			0.090		17.000
64/11/27	COMP				
64/11/30			0.100		14.000
65/01/01	COMP				
65/01/04			0.110		13.000
65/01/29	COMP				
65/02/01			0.090		11.000
65/02/26	COMP				
65/03/01			0.060		9.400
65/04/02	COMP				
65/04/05			0.090		4.000
65/04/30	COMP				

TABLE A-3 (Cont)  
(RMN-5)

070002  
39 02 45.0 108 34 30.0  
GUNNISON RIVER AT GRAND JUNCTION  
08 COLORADO  
COLORADO RIVER BASIN  
UPPER COLORADO RIVER SUB BASIN  
1118C030 2111204  
2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226 ERROR PC/L	22703 U-NAT UG/L	DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L
65/05/03			0.060		2.600	67/01/02			0.040		15.000
65/05/28		COMP			4.600	67/01/27					
65/05/31		COMP	0.080		3.600	67/01/30			0.090		11.000
65/07/02		COMP	0.090		6.900	67/02/24					
65/07/05		COMP	0.040		9.700	67/02/27			0.060		9.100
65/07/30		COMP	0.030		12.000	67/03/31			0.080		5.400
65/08/02		COMP	0.040		15.000	67/04/03			0.060		4.800
65/08/27		COMP	0.090		12.000	67/04/28			0.120		14.000
65/08/30		COMP	0.050		9.000	67/05/01			0.150		13.000
65/10/01		COMP	0.080		4.400	67/05/29			0.090		13.000
65/10/04		COMP	0.050		5.300	67/06/30					
65/10/29		COMP	0.100		7.600	67/07/03					
65/11/01		COMP	0.100		12.000	67/07/28					
65/11/26		COMP	0.110		14.000	67/09/01					
65/11/29		COMP	0.120		14.000	67/09/04 10 00					
65/12/31		COMP	0.120		14.000	CP(T)-12			0.070	0.010	15.000
66/01/03		COMP	0.120		14.000	67/09/29 10 00					
66/01/28		COMP	0.120		14.000	67/10/02 10 00					
66/01/31		COMP	0.120		14.000	CP(T)-12			0.080	0.010	7.900
66/02/25		COMP	0.120		14.000	67/10/27 10 00					
66/02/28		COMP	0.120		14.000	67/10/30 10 00					
66/04/01		COMP	0.120		14.000	CP(T)-12					
66/04/04		COMP	0.120		14.000	67/12/01 10 00					
66/04/29		COMP	0.120		14.000	67/12/04 10 00					
66/05/02		COMP	0.120		14.000	CP(T)-12					
66/05/27		COMP	0.120		14.000	68/01/01 10 00					
66/05/30		COMP	0.120		14.000	CP(T)-12					
66/07/01		COMP	0.120		14.000	68/01/04 10 00					
66/07/04		COMP	0.120		14.000	CP(T)-04					
66/07/29		COMP	0.120		14.000	68/02/01 10 00					
66/08/01		COMP	0.120		14.000	68/02/04 10 00					
66/09/12		COMP	0.120		14.000	CP(T)-04					
66/09/05		COMP	0.120		14.000	68/03/01 10 00					
66/09/30		COMP	0.120		14.000	68/03/04 10 00					
66/10/03		COMP	0.120		14.000	CP(T)-04					
66/10/28		COMP	0.120		14.000	68/03/29 10 00					
66/10/31		COMP	0.120		14.000	68/04/01 10 00					
66/12/02		COMP	0.120		14.000	CP(T)-04					
66/12/05		COMP	0.120		14.000	68/04/26 10 00					
66/12/30		COMP	0.120		14.000						

TABLE A-3 (Cont.)  
(RMN-5)

070002  
 39 02 45.0 108 34 30.0  
 GUNNISON RIVER AT GRAND JUNCTION  
 08 COLORADO  
 COLORADO RIVER BASIN  
 UPPER COLORADO RIVER SUB BASIN  
 1118C030 2111204  
 2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L
68/04/29	10 00				
CP(T)-			0.050	0.010	3.400
68/05/31	10 00				
68/06/03	10 00				
CP(T)-12			0.040	0.010	5.100
68/06/28	10 00				
68/07/03			0.160	0.020	14.000
68/07/31	COMP				
68/08/07	10 00				
CP(T)-03			0.170	0.030	10.000
68/08/21	10 00				
68/09/05			0.090	0.010	15.000
68/09/18	COMP				
68/10/02			0.100	0.100	14.000
68/10/16			COMP		
68/11/15			0.090	0.010	8.900
A-18 68/11/27			COMP		
68/12/13			0.080	0.010	7.300
69/01/16			0.060	0.010	8.100
69/02/13			0.040	0.010	15.000
69/03/13			0.040	0.010	6.200
69/04/10			0.070	0.010	4.900
69/05/08			0.070	0.010	4.300
69/06/12			0.050	0.010	7.200
69/07/22			0.150	0.020	9.800
69/08/29			0.080	0.010	13.000
69/11/25			0.040	0.010	8.600
70/02/09			0.040	0.010	6.600
70/05/18			0.050	0.010	2.800
70/08/24			0.070	0.010	9.500
70/11/25			0.040	0.010	6.100
71/02/26			0.040	0.010	3.600
71/05/17			0.070	0.010	3.900
71/08/27			0.200		12.000
71/12/03			0.200		3.600
72/02/16			0.100K		7.200
72/05/19			0.100		5.900

## STATION DESCRIPTION

(RMN-6)

070038  
 39 10 00.0 108 57 25.0  
 COLORADO RIVER NEAR FRUITA  
 08 COLORADO  
 COLORADO RIVER BASIN  
 UPPER COLORADO RIVER SUB BASIN  
 1118C030 2111204  
 2 0000 FEET DEPTH

RIVER  
 SYSTEM INDEX 1101001  
 MILES 1091.10

II III IV V VI VII VIII IX X XI XII

## DESCRIPTION

CPAP NO. RMN-6, UMS-22  
 SE1/4, SE1/4, SEC 23, T10S, R104W

SAMPLED 1MI SOUTH OF FRUITA AT COLO. HWY 340 BRIDGE UNTIL 07/69; NOW  
 SAMPLED 7.2 MILES UPSTREAM FROM COLORADO-UTAH STATE LINE AT 09163500

TYPE DATA-RAD, SAL; GRAB, 3 PINTS/WEEK

TYPE FLOW MEAS-WTR STG REC AT 09163500

SAMPLING STARTED 4/16/62 AND IS ONGOING

REMARKS: THE CLIMAX URANIUM MILL AT GRAND JUNCTION, CLOSED IN 1970,  
 RELEASED SMALL AMOUNTS OF RADIOACTIVITY IN A MIXED LABORATORY-VANADIUM  
 PROCESS LIQUID WASTE EFFLUENT. THE MILL WAS UPSTREAM OF SAMPLING SITES


A-19


Number of Samples assayed for Ra-226 through period of record (1961-1972): 111  
 Mean Ra-226 concentration for period of record and  $2\sigma$  deviation :  $0.16 \pm 0.14$

Number of Samples assayed for U(total) through period of record (1962-1972): 102  
 Mean U(total) concentration for period of record and  $2\sigma$  deviation :  $7.88 \pm 6.00$

(RMN-6)

#### FORMER STATION LOCATION





STATION LOCATION

(RMN-6)

TABLE A-4  
(RMN-6)

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L
62/04/16			0.120		
62/04/28	COMP				
62/04/30			0.130		
62/06/02	COMP				
62/06/04			0.090		
62/06/30	COMP				
62/07/02			0.200		
62/07/28	COMP				
62/07/30			0.210		
62/09/01	COMP				
62/09/03			0.260		
62/09/08	COMP				
62/09/10			0.190		
62/09/15	COMP				
62/09/17			0.210		
62/09/22	COMP				
62/09/24			0.180		
62/09/29	COMP				
62/10/01			0.140	8.500	
62/11/03	COMP				
62/11/05			0.180	8.500	
62/12/01	COMP				
62/12/03			0.180	10.000	
62/12/29	COMP				
62/12/31			0.180	9.900	
63/02/02	COMP				
63/02/04			0.130	9.500	
63/03/02	COMP				
63/03/05			0.180	8.100	
63/03/30	COMP				
63/04/01			0.140	6.200	
63/04/27	COMP				
63/04/29			0.110	4.000	
63/06/01	COMP				
63/06/03			0.140	4.700	
63/06/29	COMP				
63/07/01			0.300	12.000	
63/08/02	COMP				
63/08/05			0.240	12.000	
63/08/30	COMP				

070038  
39 10 00.0 108 57 25.0  
COLORADO RIVER NEAR FRUITA  
08 COLORADO  
COLORADO RIVER BASIN  
UPPER COLORADO RIVER SUB BASIN  
1118C030 2111204  
2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L
63/09/02			0.360		14.000
63/09/27	COMP				
63/09/30			0.330		14.000
63/11/01	COMP				
63/11/04			0.180		11.000
63/11/29	COMP				
63/12/02			0.210		13.000
63/12/27	COMP				
63/12/30			0.180		10.000
64/01/31	COMP				
64/02/03			0.190		9.200
64/02/28	COMP				
64/03/02			0.200		7.600
64/03/27	COMP				
64/03/30			0.100		10.000
64/05/01	COMP				
64/05/04			0.200		5.700
64/05/29	COMP				
64/06/01			0.160		3.200
64/06/26	COMP				
64/06/29			0.180		8.900
64/07/31	COMP				
64/08/03			0.150		8.800
64/08/28	COMP				
64/09/31			0.190		13.000
64/10/02	COMP				
64/10/05			0.180		14.000
64/10/30	COMP				
64/11/02			0.230		12.000
64/11/27	COMP				
64/11/30			0.180		14.000
65/01/01	COMP				
65/01/04			0.230		11.000
65/01/29	COMP				
65/02/01			0.210		9.100
65/02/26	COMP				
65/03/01			0.230		9.400
65/04/02	COMP				
65/04/05			0.150		4.600
65/04/30	COMP				

TABLE A-4 (Cont.)

(RMN-6)

A-23

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503	09504	22703	070038 39 10 00.0 108 57 25.0 COLORADO RIVER NEAR FRUITA 08 COLORADO COLORADO RIVER BASIN UPPER COLORADO RIVER SUB BASIN 1118C030 2111204 2 0000 FEET DEPTH	DATE FROM TO	TIME OF DAY	DEPTH FEET	09503	09504	22703
			DISOLVED PC/L	RA-226 D ERROR PC/L	U-NAT UG/L				DISOLVED PC/L	RA-226 D ERROR PC/L	U-NAT UG/L	
65/05/03			0.090		2.000		67/01/02		0.160		9.500	
65/05/28	COMP		0.110		3.300		67/01/27				9.000	
65/05/31	COMP		0.090		3.000		67/01/30				8.000	
65/07/02	COMP		0.130		6.400		67/02/24				6.200	
65/07/05	COMP		0.130		9.300		67/02/27				5.200	
65/07/30	COMP		0.140		10.000		67/03/31				3.900	
65/08/02	COMP		0.120		7.800		67/04/03				7.100	
65/08/27	COMP		0.390		8.100		67/04/28				11.000	
65/08/30	COMP		0.150		5.600		67/05/01				11.000	
65/10/01	COMP		0.110		4.700		67/05/26				14.000	
65/10/04	COMP		0.120		3.900		67/05/29				7.500	
65/10/29	COMP		0.150		5.000		67/06/30				8.100	
65/11/01	COMP		0.190		7.400		67/07/03				6.600	
65/11/26	COMP		0.160		9.800		67/07/28				4.300	
65/11/29	COMP		0.160		11.000		67/07/31				3.900	
65/12/31	COMP		0.160		12.000		67/09/01				7.300	
66/01/03	COMP		0.160		10.000		67/09/04				7.200	
66/01/28	COMP		0.160		9.400		67/09/29				5.800	
66/02/02	COMP		0.160		10.000		67/10/02				10.00	
66/02/25	COMP		0.160		10.000		67/10/27				CP(T)-03	
66/02/28	COMP		0.160		10.000		68/04/29				0.020	
66/04/01	COMP		0.160		10.000		68/05/31				0.020	
66/04/04	COMP		0.160		10.000		68/06/03				0.010	
66/04/30	COMP		0.160		10.000		68/06/28				0.010	
66/05/02	COMP		0.160		10.000		68/07/03				0.020	
66/05/27	COMP		0.160		10.000		68/07/31				0.020	
66/05/30	COMP		0.160		10.000		68/08/07	10 00			0.020	
66/07/01	COMP		0.160		10.000		68/08/21	10 00			0.020	
66/07/04	COMP		0.160		10.000							
66/07/29	COMP		0.160		10.000							
66/08/01	COMP		0.160		10.000							
66/09/02	COMP		0.160		10.000							
66/09/05	COMP		0.160		10.000							
66/09/30	COMP		0.160		10.000							
66/10/03	COMP		0.160		10.000							
66/10/28	COMP		0.160		10.000							
66/10/31	COMP		0.160		10.000							
66/12/02	COMP		0.160		10.000							
66/12/05	COMP		0.160		10.000							
66/12/30	COMP		0.160		10.000							

TABLE A-4 (Cont.)  
(RMN-6)

070038  
 39 10 00.0 108 57 25.0  
 COLORADO RIVER NEAR FRUITA  
 08 COLORADO  
 COLORADO RIVER BASIN  
 UPPER COLORADO RIVER SUB BASIN  
 1118C030 2111204  
 2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	RA-226 DISOLVED PC/L	09504 ERROR PC/L	22703 U-NAT UG/L
68/09/05			0.130		0.020	11.000
68/09/18		COMP				
68/10/02			0.140	0.020		13.000
68/10/16		COMP				
68/11/15			0.130	0.020		9.100
68/11/27		COMP				
69/12/13			0.140	0.020		8.700
69/01/16			0.130	0.020		7.600
69/02/13			0.160	0.020		8.800
69/03/13			0.090	0.010		6.900
69/04/10			0.080	0.010		6.500
69/05/08			0.080	0.010		3.700
69/06/12			0.090	0.010		4.600
69/07/10			0.100	0.010		6.300
69/08/13			0.130	0.020		10.000
69/09/10			0.110	0.020		12.000
69/10/07			0.090	0.010		9.200
69/11/19			0.090	0.010		7.700
69/12/29			0.150	0.020		8.200
70/01/20			0.090	0.020		7.800
70/02/10			0.100	0.020		7.700
70/03/11			0.110	0.020		6.200
70/04/09			0.110	0.020		6.300
70/05/05			0.110	0.020		5.700
70/08/14			0.090	0.010		8.200
70/11/11			0.090	0.020		6.100
70/11/17			0.500	0.040		3.000
70/11/18			0.450	0.040		5.600
71/02/10			0.070	0.010		4.000
71/06/02			0.090	0.020		2.200
71/09/13			0.200			6.100
71/11/16			0.100K			1.700
72/02/15			0.100			4.100
72/05/30			0.200			5.400

## STATION DESCRIPTION

(RMN-9)

490010  
38 36 30.0 109 34 45.0  
COLO R AT HIWY 160 NORTH OF MOAB  
49 UTAH  
COLORADO RIVER BASIN  
UPPER COLORADO RIVER SUB BASIN  
1118C030 2111204  
2 0000 FEET DEPTH

RIVER  
SYSTEM INDEX 1101001  
MILES 0995.10

II III IV V VI VII VIII IX X XI XII

DESCRIPTION  
CRAP NO. RMN-9, UMSE-43, HWS-23  
NW1/4, SFC 26, T25S, R21E

SAMPLED COLLECTED IN MAIN CHANNEL 1/2 MILE UPSTREAM FROM ATLAS  
MINERALS URANIUM MILL AT HWY 160 BRIDGE IN GRAND COUNTY.

TYPE DATA-RAU, SAL, BACT; GRAB, 3 PINTS/WEEK

SAMPLING STARTED 12/11/61 AND IS ONGOING


REMARKS: THIS STATION PROVIDES BACKGROUND DATA FOR THE COLO. RIVER  
UPSTREAM FROM THE OPERATING URANIUM MILL NEAR MOAB, UTAH. STREAM FLOW  
MUST BE COMPUTED FOR THIS STATION.

TYPE FLOW MEAS-WTR STG REC AT 09180500 NEAR CISCO, UTAH

A-25

Number of Samples assayed for Ra-226 through period of record (1961-1972): 187  
Mean Ra-226 concentration for period of record and  $2\sigma$  deviation :  $0.23 \pm 0.26$

Number of Samples assayed for U(total) through period of record (1962-1972): 171  
Mean U(total) concentration for period of record and  $2\sigma$  deviation :  $8.47 \pm 7.47$



STATION LOCATIONS

(RMN-9;RMN-10)

A-26



FORMER STATION LOCATION

(RMN-10)

TABLE A-5  
(RMN-9)

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L
61/12/11			0.340		
61/12/30	COMP				
62/01/01			0.380		
62/01/27	COMP				
62/01/29			0.300		
62/03/03	COMP				
62/03/05			0.280		
62/03/31	COMP				
62/04/02			0.250		
62/04/28	COMP				
62/04/30			0.160		
62/06/02	COMP				
62/06/04			0.200		
62/06/30	COMP				
62/07/02			0.260		
62/07/28	COMP				
62/07/31			0.360		
62/09/01	COMP				
62/09/03			0.430		
62/09/08	COMP				
62/09/10			0.310		
62/09/15	COMP				
62/09/17			0.160		
62/09/22	COMP				
62/09/24			0.340		
62/09/29	COMP				
62/10/01			0.190		10.000
62/10/06	COMP				
62/10/08			0.160		9.500
62/10/13	COMP				
62/10/15			0.250		9.000
62/10/20	COMP				
62/10/22			0.280		8.700
62/10/27	COMP				
62/10/29			0.200		9.200
62/11/03	COMP				
62/11/05			0.130		8.900
62/11/10	COMP				
62/11/12			0.100		11.000
62/11/17	COMP				

490010  
38 36 30.0 109 34 45.0  
COLO R AT HIWY 160 NORTH OF MOAB  
49 UTAH  
COLORADO RIVER BASIN  
UPPER COLORADO RIVER SUB BASIN  
1118C030 2111204  
2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L
62/11/19			0.190		
62/11/24	COMP				
62/11/26			0.160		11.000
62/12/01	COMP				
62/12/03			0.200		9.800
62/12/08	COMP				
62/12/10			0.190		11.000
62/12/15	COMP				
62/12/17			0.180		10.000
62/12/22	COMP				
62/12/24			0.290		12.000
62/12/29	COMP				
62/12/31			0.290		10.000
63/01/05	COMP				
63/01/07			0.210		10.000
63/01/12	COMP				
63/01/14			0.380		14.000
63/01/19	COMP				
63/01/21			0.380		14.000
63/01/26	COMP				
63/01/28			0.500		31.000
63/02/02	COMP				
63/02/04			0.200		11.000
63/02/09	COMP				
63/02/11			0.240		11.000
62/02/16	COMP				
63/02/18			0.230		12.000
63/02/23	COMP				
63/02/25			0.200		11.000
63/03/02	COMP				
63/03/04			0.240		11.000
63/03/09	COMP				
63/03/11			0.210		10.000
63/03/16	COMP				
63/03/18			0.300		15.000
63/03/23	COMP				
63/03/25			0.340		13.000
63/03/30	COMP				
63/04/01			0.310		5.300
63/04/06	COMP				

TABLE A-5 (Cont.)  
(RMN-9)

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT UG/L
63/04/08			0.250		6.400
63/04/13	COMP		0.260		6.200
63/04/15			0.350		8.100
63/04/20	COMP		0.340		14.000
63/04/22			0.260		8.200
63/04/27	COMP		0.210		7.000
63/04/29			0.200		7.400
63/05/04	COMP		0.230		7.500
63/05/06			0.240		4.100
63/05/11	COMP		0.260		4.700
63/05/13			0.210		4.700
63/05/18	COMP		0.260		5.400
63/05/20			0.480		14.000
63/05/25	COMP		0.400		17.000
63/05/27			0.250		14.000
63/06/01	COMP		0.330		14.000
63/06/03			0.280		11.000
63/06/08	COMP		0.290		16.000
63/06/10			0.500		12.000
63/06/15	COMP		0.350		11.000
63/06/17					
63/06/22	COMP				
63/06/24					
63/06/29	COMP				
63/07/01					
63/08/03	COMP				
63/08/05					
63/08/30	COMP				
63/09/02					
63/09/27	COMP				
63/09/30					
63/11/01	COMP				
63/11/04					
63/11/29	COMP				
63/12/02					
63/12/27	COMP				
63/12/30					
64/01/31	COMP				
64/02/03					
64/02/28	COMP				

490010  
38 36 30.0 109 34 45.0  
COLO R AT HIWY 160 NORTH OF MOAB  
49 UTAH  
COLORADO RIVER BASIN  
UPPER COLORADO RIVER SUB BASIN  
1118C030 2111204  
2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT UG/L
64/03/02			0.240		13.000
64/03/27	COMP		0.300		9.700
64/03/30			0.240		5.600
64/05/01	COMP		0.190		3.600
64/05/04			0.240		7.800
64/05/29	COMP		0.270		12.000
64/06/01			0.230		9.600
64/06/26	COMP		0.200		14.000
64/06/29			0.180		15.000
64/07/31	COMP		0.240		14.000
64/08/03			0.190		11.000
64/08/28	COMP		0.250		11.000
64/08/31			0.210		11.000
64/10/02	COMP		0.200		7.200
64/10/05			0.200		2.600
64/10/30	COMP		0.130		3.600
64/11/02			0.160		3.600
64/11/27	COMP		0.140		6.400
64/11/30			0.200		9.700
65/01/01	COMP		0.140		11.000
65/01/04			0.140		11.000
65/01/29	COMP		0.140		11.000
65/02/01			0.140		11.000
65/02/26	COMP		0.140		11.000
65/03/01			0.140		11.000
65/04/02	COMP		0.140		11.000
65/04/05			0.140		11.000
65/04/30	COMP		0.140		11.000
65/05/03			0.140		11.000
65/05/28	COMP		0.140		11.000
65/05/31			0.140		11.000
65/07/02	COMP		0.140		11.000
65/07/05			0.140		11.000
65/07/30	COMP		0.140		11.000
65/08/02			0.140		11.000
65/08/27	COMP		0.140		11.000
65/08/30			0.140		11.000
65/10/01	COMP		0.140		11.000
65/10/04			0.140		11.000
65/10/29	COMP				

TABLE A-5 (Cont.)  
(RMN-9)

490010  
38 36 30.0 109 34 45.0  
COLO R AT HIWY 160 NORTH OF MOAB  
49 UTAH  
COLORADO RIVER BASIN  
UPPER COLORADO RIVER SUB BASIN  
1118C030 2111204  
2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D PC/L	22703 U-NAT UG/L
65/11/01			0.200		8.900
65/11/26	COMP				
65/11/29	COMP	0.300		8.000	
65/12/31	COMP	0.360		8.500	
66/01/03	COMP	0.240		6.200	
66/01/28	COMP	0.240		4.800	
66/02/25	COMP	0.190		4.500	
66/02/28	COMP	0.190		2.400	
66/04/01	COMP	0.220		5.100	
66/04/04	COMP	0.330		11.000	
66/04/29	COMP	0.370		13.000	
66/05/02	COMP	0.240		12.000	
66/05/27	COMP	0.250		12.000	
66/05/30	COMP	0.210		11.000	
66/07/01	COMP	0.210		11.000	
66/07/04	COMP	0.300		11.000	
66/07/29	COMP	0.250		11.000	
66/08/01	COMP	0.230		9.000	
66/09/02	COMP	0.200		6.400	
66/09/05	COMP	0.250		6.900	
66/09/30	COMP	0.170		3.800	

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D PC/L	22703 U-NAT UG/L
67/07/03	67/07/29	COMP	0.510		8.500
67/07/31			0.290		12.000
67/09/01			0.200		13.000
67/09/04			0.170		14.000
67/09/29			0.400		11.000
67/10/02			0.320		8.700
67/10/27			0.310		9.300
67/10/30			0.250		9.100
67/12/01			0.240		10.000
67/12/04			0.420		8.800
67/12/29			0.210		4.900
68/01/01			0.200	0.020	2.000
68/02/02			0.260	0.030	6.000
68/02/05			0.280	0.030	8.000
68/03/01			0.220	0.020	14.000
68/03/04			0.160	0.020	12.000
68/03/29			0.160	0.020	7.900
68/04/01			0.190	0.020	9.600
68/04/04			0.160	0.020	8.300
68/04/26			0.170	0.020	9.300
68/04/29					
68/05/31					
68/06/03					
68/06/28					
68/07/01	10 00				
CP(T)-06					
68/08/02	10 00				
68/08/05					
68/08/30					
68/09/02					
68/09/27					
68/09/30					
68/11/01					
68/11/04					
68/11/29					
68/12/02					
68/12/27					
68/12/30					
69/01/31					
69/02/03					
69/02/28					

TABLE A-5 (Cont.)  
(RMN-9)

490010  
38 36 30.0 109 34 45.0  
COLO R AT HIWY 160 NORTH OF MOAB  
49 UTAH  
COLORADO RIVER BASIN  
UPPER COLORADO RIVER SUB BASIN  
1118C030 2111204  
2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 RA-226 DISOLVED .PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L
69/03/03			0.190	0.020	7.400
69/03/28	COMP				
69/03/31			0.190	0.020	5.600
69/05/02	COMP				
69/05/05			0.110	0.010	4.300
69/05/30	COMP				
69/06/02			0.130	0.020	4.800
69/06/27	COMP				
69/09/22			0.340	0.030	16.000
69/10/09			0.140	0.020	
69/10/27	COMP				
69/10/14			0.130	0.020	8.000
69/10/28	COMP				
69/11/04			0.150	0.020	7.400
69/11/20	COMP				
69/12/12			0.150	0.020	7.700
70/01/02	COMP				
70/01/22			0.200	0.020	7.400
70/02/02			0.150	0.020	8.600
70/03/20			0.090	0.020	6.400
70/04/22			0.260	0.030	6.000
70/04/27	COMP				
70/05/07			0.170	0.020	4.900
70/05/25	COMP				
70/06/03			0.090	0.010	2.400
70/06/18	COMP				
70/07/02			0.110	0.020	5.000
70/07/23	COMP				
70/08/07			0.220	0.020	7.100
70/08/27	COMP				
70/09/03			0.150	0.020	6.500
70/10/02	COMP				
70/10/09			0.130	0.020	7.300
70/10/27	COMP				
70/11/02			0.100	0.020	6.300
70/11/24	COMP				
70/12/02			0.110	0.020	5.600
70/12/29	COMP				
71/01/04			0.160	0.020	5.100
71/01/25	COMP				

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 RA-226 DISOLVED .PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L
71/02/02			0.090	0.020	3.800
71/02/24	COMP				
71/03/01			0.170	0.020	4.500
71/03/29	COMP				
71/04/05			0.100	0.020	4.900
71/04/30	COMP				
71/05/07			0.100	0.020	3.200
71/05/24	COMP				
71/06/01			0.090	0.020	1.900
71/06/29	COMP				
71/07/09			0.190		4.000
71/07/30	COMP				
71/08/02			0.100K		4.600
71/08/16	COMP				
71/09/07			0.100K		9.300
71/10/01	COMP				
71/10/08			0.200		6.900
71/10/13			1.300		5.900
71/10/21			0.200		7.500
71/11/02			0.200		12.000
71/11/09			0.200		10.000
71/11/12			0.600		6.900
71/11/17			0.100		5.900
71/11/19			0.100		7.200
71/11/24			0.100		9.300
71/12/08			1.000		8.900
71/12/15			0.200		8.200
71/12/20			0.200		7.200
71/12/28			0.300		8.900
72/01/06			0.200		4.600
72/01/14			0.200		9.300
72/01/17			0.100		9.700
72/01/27			0.200		4.300
72/02/01			0.100		5.900
72/02/07			0.100		4.100
72/02/17			0.200		5.900
72/02/25			0.200		10.000
72/02/28			0.100		2.100
72/03/09			0.200		6.600

TABLE A-5 (Cont.)  
(RMN-9)

490010  
 38 36 30.0 109 34 45.0  
 COLO R AT HIWY 160 NORTH OF MOAB  
 49 UTAH  
 COLORADO RIVER BASIN  
 UPPER COLORADO RIVER SUB BASIN  
 1118C030 2111204  
 2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 RA-226 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L
72/03/16		0.100			3.900
72/03/22		0.200			5.000
72/03/29		0.100			9.700
72/04/03		0.100K			5.200
72/04/13		0.200			7.200
72/04/20		0.100			1.900
72/04/28		0.200			6.400
72/05/05		0.200			7.500
72/05/12		0.100K			5.900
72/05/16		0.300			6.400
72/06/09		0.200			
72/06/16		0.300			4.400
72/06/20		0.200			
72/06/30		0.200			6.100

STATION DESCRIPTION  
(RMN-10)

490004  
38 34 45.0 109 34 50.0  
COLORADO RIVER DWS OF MOAB  
49 UTAH  
COLORADO RIVER BASIN  
UPPER COLORADO SUB BASIN  
1118C030 2111204  
2 0000 FEET DEPTH

RIVER  
SYSTEM INDEX 1101001  
MILES 0990.60

II III IV V VI VII VIII IX X XI XII

DESCRIPTION  
CRHP NO. RMN-10, BW5-24  
NE1/4, NE1/4, SEC 3, T26S, R21E

SAMPLED 6MI. DOWNSTREAM FROM HWY 160 BRIDGE NW OF MOAB UNTIL 07/69.  
NOW SAMPLED 1000FT UPSTREAM OF MILL CREEK, SAMPLE TAKEN FROM WEST BANK

TYPE DATA-RAD; GRAB, 3 PINTS/WEEK

SAMPLING BEGAN 12/11/61 AND IS ONGOING

REMARKS: THE ATLAS MINERAL URANIUM MILL'S 1/2 MILES UPSTREAM DISCHARGES  
LIQUID EFFLUENT AFTER TREATING IT WITH BARIUM CHLORIDE TO REMOVE RADIUM  
226.

TYPE FLOW MEAS-WTR STG REC AT 09180500 NEAR CISCO, UTAH

A-33

Number of Samples assayed for Ra-226 through period of record (1961-1972); 189  
Mean Ra-226 concentration for period of record and 2σ deviation : 0.37 ± 1.14

Number of Samples assayed for U(total) through period of record (1962-1972); 175  
Mean U(total) concentration for period of record and 2σ deviation : 10.32 ± 7.78

**SEE PREVIOUS FIGURE FOR  
SAMPLING LOCATION**

**RMN-10**

TABLE A-6

(RMN-10)

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503	09504	22703
			RA-226 DISOLVED PC/L	RA-226-D ERROR PC/L	U-NAT DISOLVED UG/L
61/12/11			0.400		
61/12/30	COMP		0.470		
62/01/01					
62/01/27	COMP		0.350		
62/01/29					
62/03/03	COMP		0.330		
62/03/05					
62/03/31	COMP		0.290		
62/04/02					
62/04/28	COMP		0.240		
62/04/30					
62/06/02	COMP		0.180		
62/06/04					
62/06/30	COMP		0.340		
63/07/02					
62/07/28	COMP		0.490		
62/07/30					
62/09/01	COMP		0.310		
62/09/03					
62/09/08	COMP		0.430		
62/09/10					
62/09/15	COMP		0.330		
62/09/17					
62/09/22	COMP		0.210		
62/09/24					
62/09/29	COMP		0.210	9.000	
62/10/01					
62/11/03	COMP		0.330	11.000	
62/11/05					
62/11/10	COMP		0.300	11.000	
62/11/12					
62/11/17	COMP		0.300	12.000	
62/11/19					
62/11/24	COMP		0.280	12.000	
62/11/26					
62/12/01	COMP		0.280	10.000	
62/12/03					
62/12/08	COMP		0.300	12.000	
62/12/10					
62/12/15	COMP		0.380		

490009  
 38 34 45.0 109 34 50.0  
 COLORADO RIVER DWS OF MOAB  
 49 UTAH  
 COLORADO RIVER BASIN  
 UPPER COLORADO SUB BASIN  
 1118C030 2111204  
 2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503	09504	22703
			RA-226 DISOLVED PC/L	RA-226-D ERROR PC/L	U-NAT DISOLVED UG/L
62/12/17			0.360		12.000
62/12/22	COMP		0.450		18.000
62/12/24					
62/12/29	COMP		0.400		16.000
62/12/31					
63/01/05	COMP		0.330		16.000
63/01/07					
63/01/12	COMP		0.400		14.000
63/01/14					
63/01/19	COMP		0.400		12.000
63/01/21					
63/01/26	COMP		0.380		22.000
63/01/28					
63/02/02	COMP		0.360		12.000
63/02/04					
63/02/09	COMP		0.280		12.000
63/02/11					
63/02/16	COMP		0.180		13.000
63/02/18					
63/02/23	COMP		0.300		13.000
63/02/25					
63/03/02	COMP		0.210		15.000
63/03/04					
63/03/09	COMP		0.290		14.000
63/03/11					
63/03/16	COMP		0.330		15.000
63/03/18					
63/03/23	COMP		0.380		12.000
63/03/25					
63/03/30	COMP		0.290		5.400
63/04/01					
63/04/06	COMP		0.340		7.000
63/04/08					
63/04/13	COMP		0.780		8.900
63/04/15					
63/04/20	COMP		7.210		20.000
63/04/22					
63/04/27	COMP		0.380		13.000
63/04/29					
63/05/04	COMP				

TABLE A-6 (Cont.)  
(RMN\_10)

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L
63/05/06			0.300		12.000
63/05/11	COMP		0.190		7.800
63/05/13			0.230		6.900
63/05/18	COMP		0.240		7.300
63/05/20			0.230		3.900
63/05/25	COMP		0.300		5.400
63/05/27			0.300		5.700
63/06/01	COMP		0.310		6.800
63/06/03			0.510		12.000
63/06/08	COMP		0.360		17.000
63/06/10			0.260		14.000
63/06/15	COMP		0.290		16.000
63/06/17			0.240		12.000
63/06/22	COMP		0.280		16.000
63/06/24			0.340		13.000
63/06/29	COMP		0.280		13.000
63/07/01			0.280		9.700
63/08/03	COMP		0.230		5.600
63/08/05			0.230		3.700
63/08/30	COMP		0.230		
63/09/02			0.230		
63/09/27	COMP		0.230		
63/09/30			0.230		
63/11/01	COMP		0.230		
63/11/04			0.230		
63/11/29	COMP		0.230		
63/12/02			0.230		
63/12/27	COMP		0.230		
63/12/30			0.230		
64/01/31	COMP		0.230		
64/02/03			0.230		
64/02/28	COMP		0.230		
64/03/02			0.230		
64/03/27	COMP		0.230		
64/03/30			0.230		
64/05/01	COMP		0.230		
64/05/04			0.230		
64/05/29	COMP		0.230		
64/06/01			0.230		
64/06/26	COMP		0.230		

490009 38 34 45.0 109 34 50.0 COLORADO RIVER DWS OF MOAB 49 UTAH COLORADO RIVER BASIN UPPER COLORADO SUB BASIN 1118C030 2111204 2 0000 FEET DEPTH	DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L
	64/06/29			0.270		8.500
	64/07/31	COMP		0.270		8.600
	64/08/03			0.280		16.000
	64/08/28	COMP		0.290		18.000
	64/08/31			0.330		17.000
	64/10/01	COMP		0.270		16.000
	64/10/05			0.290		14.000
	64/10/30	COMP		0.320		13.000
	64/11/02			0.290		8.100
	64/11/27	COMP		0.320		3.000
	64/11/30			0.290		3.400
	65/01/01	COMP		0.160		4.700
	65/01/04			0.220		7.200
	65/01/29	COMP		0.230		12.000
	65/02/01			0.160		11.000
	65/02/26	COMP		0.230		14.000
	65/03/01			0.270		11.000
	65/04/02	COMP		0.330		11.000
	65/04/05			0.270		12.000
	65/04/30	COMP		0.310		12.000
	65/05/03			0.270		11.000
	65/05/28	COMP		0.310		11.000
	65/05/31			0.270		11.000
	65/07/02	COMP		0.310		11.000
	65/07/05			0.270		11.000
	65/07/30	COMP		0.310		11.000
	65/08/02			0.270		11.000
	65/08/27	COMP		0.310		11.000
	65/08/30			0.270		11.000
	65/10/01	COMP		0.310		11.000
	65/10/04			0.270		11.000
	65/10/29	COMP		0.310		11.000
	65/11/01			0.330		11.000
	65/11/26	COMP		0.410		9.100
	65/11/29			0.270		11.000
	65/12/31	COMP		0.310		12.000
	66/01/03			0.270		
	66/01/28	COMP		0.310		
	66/01/31			0.310		
	66/02/25	COMP				

TABLE A-6 (Cont.)

(RMN-10)

<b>490009</b> <b>38 34 45.0 109 34 50.0</b> <b>COLORADO RIVER DWS OF MOAB</b> <b>49 UTAH</b> <b>COLORADO RIVER BASIN</b> <b>UPPER COLORADO SUB BASIN</b> <b>1118C030 2111204</b> <b>2 0000 FEET DEPTH</b>											
DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L	DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L
66/02/28			0.220		5.500	67/10/30			0.970		14.000
66/04/01	COMP		0.220		6.300	67/12/01					11.000
66/04/04						67/12/04					10.000
66/04/29	COMP		0.180		3.100	67/12/29					
66/05/02						68/01/01					
66/05/27	COMP		0.200		4.800	68/02/02					
66/05/30						68/02/05					
66/07/01	COMP		0.200		12.000	68/03/01					
66/07/04						68/03/04					
66/07/29	COMP		0.290		13.000	68/03/29					
66/08/01						68/04/01					
66/09/02	COMP		0.640		12.000	68/04/26					
66/09/05						68/04/29					
66/09/30	COMP		0.270		15.000	68/05/31					
66/10/03						68/06/03					
66/10/28	COMP		0.270		13.000	68/06/28					
66/10/31						68/07/01 10 00					
66/12/02	COMP		0.230			CP(T)-06					
66/12/05						68/08/02 10 00					
66/12/29	COMP		1.470		15.000	68/08/05					
67/01/02						68/08/30					
67/01/27	COMP		2.940		16.000	68/09/02					
67/01/30						68/09/27					
67/02/24	COMP		1.180		14.000	68/09/30					
67/02/27						68/11/01					
67/03/31	COMP		0.970		12.000	68/11/04					
67/04/03						68/11/29					
67/04/28	COMP		0.470		8.500	68/11/18					
67/05/01						68/11/20					
67/05/26	COMP		0.390		8.400	68/11/22					
67/05/28						68/11/24					
67/06/30	COMP		0.250		4.300	68/11/27					
67/07/03						68/11/29					
67/07/28	COMP		0.320		7.200	68/12/02					
67/07/31						68/12/23					
67/09/01	COMP		0.310		14.000	68/12/25					
67/09/04						68/12/27					
67/09/29	COMP		1.090		18.000	68/12/30					
67/10/02						69/01/31					
67/10/27	COMP		0.940		18.000	69/02/03					
						69/02/28					

TABLE A-6 (Cont.)  
(RMN-10)

490009  
38 34 45.0 109 34 50.0  
COLORADO RIVER DWS OF MOAB  
49 UTAH  
COLORADO RIVER BASIN  
UPPER COLORADO SUB BASIN  
1118C030 2111204  
2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 RA-226 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L		DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 RA-226 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L	
69/03/03			0.240	0.030	8.100		71/03/01			0.200	0.020	6.100	
69/03/28		COMP	0.200	0.020	5.800		71/03/29			COMP	0.120	0.020	7.000
69/03/31		COMP	0.130	0.020	4.200		71/04/05			COMP	0.120	0.020	4.300
69/05/02		COMP	0.140	0.020	5.600		71/04/30			COMP	0.100	0.020	3.300
69/05/05		COMP	0.290	0.030	17.000		71/05/07			COMP	0.330		4.000
69/05/30		COMP	0.210	0.020	10.000		71/05/24			COMP	0.300		4.600
69/06/02		COMP	0.150	0.020	12.000		71/06/01			COMP	0.300		9.300
69/06/27		COMP	0.210	0.030	16.000		71/06/29			COMP	0.500		8.500
69/09/22		COMP	0.220	0.020	11.000		71/07/09			COMP	0.100		13.000
69/10/14		COMP	0.230	0.030	12.000		71/07/30			COMP	0.300		14.000
69/10/28		COMP	0.160	0.020	6.900		71/08/02			COMP	0.200		12.000
69/11/04		COMP	0.120	0.020	9.300		71/08/16			COMP	0.200		10.000
69/11/20		COMP	0.150	0.020	6.400		71/09/07			COMP	0.100K		11.000
69/12/12		COMP	0.270	0.030	11.000		71/10/08			COMP	0.200		11.000
70/01/02		COMP	0.200	0.020	7.500		71/10/13			COMP	0.100		13.000
70/01/22		COMP	0.230	0.030	11.000		71/10/21			COMP	0.300		14.000
70/02/02		COMP	0.160	0.020	6.900		71/11/02			COMP	0.200		12.000
70/03/20		COMP	0.120	0.020	9.300		71/11/09			COMP	0.200		10.000
70/04/22		COMP	0.150	0.020	6.400		71/11/17			COMP	0.100K		11.000
70/04/27		COMP	0.220	0.030	11.000		71/11/30			COMP	0.200		11.000
70/05/07		COMP	0.230	0.020	12.000		71/12/08			COMP	0.100		13.000
70/05/25		COMP	0.140	0.020	6.900		71/12/15			COMP	0.300		15.000
70/06/03		COMP	0.120	0.020	9.300		71/12/20			COMP	0.200		10.000
70/06/18		COMP	0.190	0.030	7.900		71/12/28			COMP	0.200		2.200
70/07/02		COMP	0.270	0.030	11.000		72/01/06			COMP	0.300		12.000
70/07/23		COMP	0.200	0.020	11.000		72/01/14			COMP	0.300		5.900
70/08/07		COMP	0.200	0.020	9.700		72/01/17			COMP	0.200		6.900
70/08/27		COMP	0.160	0.020	11.000		72/01/27			COMP	0.100K		8.500
70/09/03		COMP	0.120	0.020	6.400		72/02/01			COMP	0.200		13.000
70/10/02		COMP	0.190	0.020	9.300		72/02/07			COMP	0.200		9.300
70/10/09		COMP	0.160	0.020	11.000		72/02/17			COMP	0.200		8.500
70/10/27		COMP	0.120	0.020	6.400		72/02/25			COMP	0.300		10.000
70/11/02		COMP	0.190	0.020	11.000		72/02/28			COMP	0.300		6.600
70/11/24		COMP	0.160	0.020	10.000		72/03/09			COMP	0.200		4.500
70/12/02		COMP	0.120	0.020	12.000		72/03/16			COMP	0.300		6.100
70/12/29		COMP	0.190	0.020	7.800		72/03/22			COMP	0.300		10.200
71/01/04		COMP	0.160	0.020	11.000		72/03/29			COMP	0.400		10.200
71/01/25		COMP	0.120	0.020	6.400		72/04/03			COMP	0.300		8.200
71/02/02		COMP	0.190	0.020	9.300								
71/02/24		COMP	0.160	0.020	11.000								

TABLE A-6 (Cont.)  
 (RMN-10)

490009  
 38 34 45.0 109 34 50.0  
 COLORADO RIVER DWS OF MOAB  
 49 UTAH  
 COLORADO RIVER BASIN  
 UPPER COLORADO SUB BASIN  
 1118C030 2111204  
 2 0000 FEET DEPTH

DATE	TIME	DEPTH	09503 RA-226	09504 RA-226-D	22703 U-NAT
FROM OF		DISOLVED		ERROR PC/L	DISOLVED UG/L
TO	DAY	FEET	PC/L	PC/L	
72/04/13			0.200		9.300
72/04/20			0.200		11.000
72/04/28			0.300		7.500
72/05/05			0.300		11.000
72/05/12			0.300		9.300
72/05/16			0.300		7.500
72/05/22			0.300		3.300
72/06/09			0.200		4.600
72/06/16			0.200		6.100
72/06/20			0.200		6.400
72/06/30			0.300		9.100

STATION DESCRIPTION

(RMN-11)

070004  
37 16 45.0 107 52 47.0  
ANIMAS RIVER AT DURANGO  
08 COLORADO  
COLORADO RIVER BASIN  
MIDDLE COLORADO-SAN JUAN SUB BASIN  
1118C030 2111204  
2 0000 FEET DEPTH

RIVER

SYSTEM	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
INDEX	1101001	009420	02370								
MILES	0789.60	0249.00	058.20	.	.	.	.	.	.	.	.

DESCRIPTION

CRBP NO. RMN-11, BWS-57, USGS-09-361500  
SW1/4, SW1/4, SEC 20, T35N, R9W

(1) SAMPLED UPSTREAM HWY 789 BRIDGE IN DURANGO UNTIL 09/69 THEN SAMPLED  
DWS (2) 1/4 MI., 09/69-07/72. (3) SAMPLED DWS STP 1/2MI. 07/72-  
SAMPLED AT SITE (2)&(3) 03/73

TYPE DATA-RAD; GRAB, 1 GAL/WEEK

TYPE FLOW MEAS-WTR STG REC AT 09361500


SAMPLING STARTED 7/17/61 AND IS ONGOING

REMARKS: THIS STATION PROVIDES BACKGROUND RADIOACTIVITY DATA FOR THE  
ANIMAS RIVER. PRIOR TO 7/1/64 THE SAMPLE WAS GRAB, 3 PINTS/WEEK

A-40

Number of Samples assayed for Ra-226 through period of record (1961-1972): 104  
Mean Ra-226 concentration for period of record and  $2\sigma$ - deviation :  $0.05 \pm 0.04$

Number of Samples assayed for U(total) through period of record (1962-1972): 98  
Mean U(total) concentration for period of record and  $2\sigma$ - deviation :  $1.39 \pm 1.54$



STATION LOCATION

(RMN-11)

A-41

TABLE A-7  
(RMN-11)

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT UG/L
61/07/17			0.060		
61/07/22			COMP		
61/07/24			0.060		
61/07/31			COMP		
61/07/31			0.050		
61/08/05			COMP		
61/08/21			COMP		
61/08/28			COMP		
61/08/28			0.050		
61/09/04			COMP		
61/09/02			COMP		
61/09/09			COMP		
62/10/01			COMP		
62/10/30			0.060		
62/11/05			COMP		
62/11/30			0.030		
62/12/03			COMP		
62/12/28			0.060		
62/12/31			COMP		
63/02/01			0.050		
63/02/04			COMP		
63/02/27			0.080		
63/03/06			COMP		
63/03/29			0.080		
63/04/01			COMP		
63/04/26			0.060		
63/04/29			COMP		
63/05/31			0.040		
63/06/03			COMP		
63/06/28			0.060		
63/07/01			COMP		
63/08/03			0.110		
63/08/05			COMP		
63/08/30			0.060		
63/09/04			COMP		
63/09/27			0.040		
63/09/30			COMP		
63/11/01			0.050		
63/11/04			COMP		
63/11/27			0.040		

070004  
37 16 45.0 107 52 47.0  
ANIMAS RIVER AT DURANGO  
08 COLORADO  
COLORADO RIVER BASIN  
MIDDLE COLORADO-SAN JUAN SUB BASIN  
1118C030 2111204  
2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT UG/L
63/12/02			COMP	0.040	1.500
63/12/27			0.060		1.000
64/01/03			COMP	0.060	1.300
64/01/31			COMP	0.040	1.000
64/02/03			COMP	0.070	0.900
64/02/07			COMP	0.030	0.100
64/02/14			COMP	0.050	0.700
64/02/21			COMP	0.050	0.900
64/02/24			COMP	0.040	0.600
64/02/28			COMP	0.050	0.700
64/03/09			COMP	0.040	0.700
64/03/13			COMP	0.040	0.700
64/03/16			COMP	0.050	0.900
64/03/27			COMP	0.040	0.700
64/03/30			COMP	0.050	0.900
64/05/01			COMP	0.040	0.700
64/05/04			COMP	0.050	0.900
64/05/29			COMP	0.040	0.700
64/06/13			COMP	0.050	0.900
64/06/26			COMP	0.040	0.700
64/06/28			COMP	0.050	0.900
64/07/30			COMP	0.040	0.700
64/08/03			COMP	0.050	0.900
64/08/28			COMP	0.040	0.700
64/08/31			COMP	0.050	1.400
64/10/02			COMP	0.000	1.900
64/10/09			COMP	0.060	1.900
64/10/30			COMP	0.060	1.900
64/11/06			COMP	0.060	1.900
64/11/25			COMP	0.060	1.900
64/12/04			COMP	0.060	1.900
64/12/31			COMP	0.040	1.200
65/01/08			COMP	0.040	1.000
65/01/29			COMP	0.040	1.400
65/02/05			COMP	0.050	1.400
65/02/26			COMP	0.050	1.400
65/03/05			COMP	0.040	1.400
65/04/06			COMP	0.060	1.400
65/04/09			COMP	0.060	1.400
65/04/30			COMP		

TABLE A-7 (Cont.)

(RMN-11)

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED	09504 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L
			0.040	0.900	
65/05/07					
65/05/28		COMP	0.080		1.500
65/06/04		COMP	0.010		2.000
65/07/02		COMP	0.030		1.400
65/07/09		COMP	0.050		2.200
65/07/30		COMP	0.050		2.100
65/08/06		COMP	0.040		0.600
65/08/20		COMP	0.040		1.800
65/09/03		COMP	0.030		1.100
65/10/01		COMP	0.040		1.000
65/10/08		COMP	0.040		1.300
65/10/29		COMP	0.030		0.600
65/11/05		COMP	0.030		1.100
65/11/26		COMP	0.040		1.000
65/12/03		COMP	0.040		1.300
65/12/31		COMP	0.040		0.600
66/01/07		COMP	0.050		1.400
66/01/28		COMP	0.050		0.300
66/02/04		COMP	0.050		1.400
66/02/25		COMP	0.050		1.200
66/03/04		COMP	0.050		0.800
66/04/01		COMP	0.050		2.900
66/04/08		COMP	0.050		1.100
66/04/29		COMP	0.050		0.700
66/05/06		COMP	0.050		1.400
66/05/27		COMP	0.050		1.200
66/06/03		COMP	0.050		0.800
66/07/01		COMP	0.050		2.000
66/07/01			0.050		1.000
66/08/05		COMP	0.050		1.400
66/09/02		COMP	0.050		1.200
66/09/01			0.050		0.800
66/10/01		COMP	0.050		2.900
66/11/01			0.050		1.100
66/12/01		COMP	0.050		0.700
67/01/01			0.050		1.400
67/02/06		COMP	0.050		1.200
67/02/24			0.040		2.000
67/03/03		COMP	0.040		
67/03/31			0.040		

070004  
 37 16 45.0 107 52 47.0  
 ANIMAS RIVER AT DURANGO  
 08 COLORADO  
 COLORADO RIVER BASIN  
 MIDDLE COLORADO-SAN JUAN SUB BASIN  
 1118C030 2111204  
 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED	09504 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L
67/04/07			0.050		1.500
67/05/03		COMP	0.030		0.700
67/05/08		COMP	0.040		0.600
67/05/26		COMP	0.030		0.800
67/06/02		COMP	0.050		1.600
67/06/30		COMP	0.060		1.400
67/07/07		COMP	0.060		2.100
67/07/28		COMP	0.040		2.300
67/08/04		COMP	0.050		1.700
67/09/01		COMP	0.050		1.200
67/09/01	10 00	CP(T)-04	0.060	0.010	0.300
67/09/30	10 00	CP(T)-03	0.060	0.010	0.800
67/10/23	10 00	CP(T)-04	0.040	0.010	1.100
67/11/13	10 00	CP(T)-05	0.050	0.010	1.200
67/11/20	10 00	CP(T)-06	0.040	0.010	0.800
67/12/04	10 00	CP(T)-07	0.050	0.010	1.400
67/12/08	10 00	CP(T)-08	0.050	0.010	1.100
67/12/23	10 00	CP(T)-09	0.050	0.010	0.700
68/01/05	10 00	CP(T)-10	0.050	0.010	1.200
68/02/02	10 00	CP(T)-11	0.050	0.010	0.800
68/02/16	10 00	CP(T)-12	0.050	0.010	1.400
68/03/01	10 00	CP(T)-13	0.050	0.010	1.100
68/03/08	10 00	CP(T)-14	0.050	0.010	0.700
68/03/29	10 00	CP(T)-15	0.050	0.010	1.200
68/04/01	10 00	CP(T)-16	0.050	0.010	0.800
68/04/30	10 00	CP(T)-17	0.040	0.010	1.100
68/05/10	10 00	CP(T)-18	0.070	0.010	1.400
68/05/17	10 00	CP(T)-19	0.060	0.010	0.300
68/06/07	10 00	CP(T)-20	0.030	0.010	
68/06/21	10 00	CP(T)-21			

TABLE A-7 (Cont.)  
(RMN-11)

070004  
37 16 45.0 107 52 47.0  
ANIMAS RIVER AT DURANGO  
08 COLORADO  
COLORADO RIVER BASIN  
MIDDLE COLORADO-SAN JUAN SUB BASIN  
1118C030 2111204  
2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D PC/L	22703 U-NAT UG/L
68/07/05			0.060	0.010	1.500
68/08/02		COMP			
68/08/09	10 00				
CP(T)-04			0.050	0.010	0.600
68/08/30	10 00				
68/09/05			0.030	0.010	2.000
68/09/27		COMP			
68/10/04			0.040	0.010	3.100
68/11/01		COMP			
68/11/08			0.040	0.010	3.200
68/11/27		COMP			
68/12/06			0.040	0.010	2.200
68/12/13		COMP			
69/01/03			0.080	0.010	2.800
69/01/31		COMP			
69/02/14			0.040	0.010	2.200
69/02/28		COMP			
69/03/07			0.080	0.010	3.400
69/03/28		COMP			
69/04/04			0.040	0.010	2.300
69/04/24		COMP			
69/05/30			0.030	0.010	1.900
69/06/13			0.020	0.000	1.200
69/06/27		COMP			
69/07/11			0.050	0.010	3.100
69/08/01		COMP			
69/08/08			0.050	0.010	1.100
69/08/28		COMP			
69/09/04			0.050	0.010	2.000
69/09/26		COMP			
69/12/18			0.050	0.010	3.000
70/01/01			0.060	0.010	4.200
70/03/31		COMP			
70/03/30			0.050	0.010	1.700
70/05/12		COMP			
70/09/10			0.140	0.020	0.800
70/12/07			0.050	0.010	0.600
71/03/04			0.040	0.010	0.600
71/05/14			0.040	0.010	0.700

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D PC/L	22703 U-NAT UG/L
71/09/01			0.100K	0.100	0.700
71/12/07				0.100	1.200
72/03/03				0.100K	1.300
72/06/02				0.100	0.400

STATION DESCRIPTION  
(RMN-12)

340000  
37 02 17.0 107 52 25.0  
ANIMAS RIVER NEAR CEDAR HILL  
08 COLORADO  
COLORADO RIVER BASIN  
MIDDLE COLORADO-SAN JUAN SUB BASIN  
1118C030 2111204  
2 0000 FEET DEPTH

RIVER  
SYSTEM II III IV V VI VII VIII IX X XI XII  
INDEX 1101001 009420 02370 . . . . . . . .  
MILES 0789.60 0249.00 034.40 . . . . . . . .


DESCRIPTION  
CRBP NO. RMN-12, BWS-55, USGS-09-363500  
NW1/4, NW1/4, SEC 7, T32N, R9W

SAMPLED AT US 550 BRIDGE NEAR CEDAR HILL, N. MEX. UNTIL 07/69, THEN  
SAMPLED 2.5MI. FROM COLO-N.MEX. STATE LINE, 8.5MILES NORTH OF CEDAR HILL  
IN COLORADO. TYPE DATA-RAD, BACT; GRAB, 3 PINTS/WEEK.  
TYPE FLOW MEAS-WTR STG REC AT 09363500  
SAMPLING STARTED 1/19/61 AND ENDED 8/17/71.  
REMARKS: THE VANADIUM CORP OF AMERICA URANIUM MILL, 14MI. UPSTREAM AT  
DURANGO, COLO, RELEASED RADIOACTIVITY BEARING WASTES INTO RIVER UNTIL  
CLOSING IN 1963. PRIOR TO 7/1/64 SAMPLE WAS AUTOMATIC 1 GAL/WEEK.

A-45

Number of Samples assayed for Ra-226 through period of record (1961-1972): 145  
Mean Ra-226 concentration for period of record and  $2\sigma$  deviation :  $0.21 \pm 0.43$


Number of Samples assayed for U(total) through period of record (1962-1972): 103  
Mean U(total) concentration for period of record and  $2\sigma$  deviation :  $2.99 \pm 5.01$



FORMER STATION LOCATION

(RMN-12)

A-46



STATION LOCATION

(RMN-12)

TABLE A-8

(RMN-12)

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503	09504	22703
			RA-226 DISOLVED PC/L	RA-226-D ERROR PC/L	U-NAT DISOLVED UG/L
61/01/19			0.730		
61/01/25	COMP				
61/01/25			0.990		
61/01/31	COMP				
61/01/31			0.800		
61/02/07	COMP				
61/02/07			0.760		
61/02/14	COMP				
61/02/14			0.490		
61/02/21	COMP				
61/07/24			0.240		
61/07/31	COMP				
61/09/11			0.190		
61/09/18	COMP				
61/09/18			0.120		
61/09/25	COMP				
61/09/25			0.130		
61/10/02	COMP				
61/10/02			0.160		
61/10/09	COMP				
61/10/09			0.170		
61/10/16	COMP				
61/10/16			0.190		
61/10/23	COMP				
61/10/23			0.240		
61/10/30	COMP				
61/10/30			0.210		
61/11/06	COMP				
61/11/06			0.230		
61/11/13	COMP				
61/11/13			0.260		
61/11/20	COMP				
61/11/20			0.250		
61/11/27	COMP				
61/11/27			0.250		
61/12/04	COMP				
61/12/04			0.390		
61/12/13	COMP				
61/12/13			0.420		
61/12/18	COMP				

340000	DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 RA-226 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L
37 02 17.0 107 52 25.0	61/12/18				0.420	
ANIMAS RIVER NEAR CEDAR HILL	61/12/26				0.450	
35 NEW MEXICO	61/12/26				0.370	
COLORADO RIVER BASIN	62/01/02				0.320	
MIDDLE COLORADO-SAN JUAN SUB BASIN	62/01/08				0.450	
1118C030	62/01/15				0.420	
2111204	62/01/15				0.320	
2	62/01/22				0.330	
0000 FEET DEPTH	62/01/22				0.350	
A-48	62/01/29				0.500	
	62/01/29				0.110	
	62/02/05				0.380	
	62/02/05				0.330	
	62/02/12				0.240	
	62/02/12				0.140	
	62/02/19				0.190	
	62/02/26				0.340	
	62/02/26				0.350	
	62/03/05				0.350	
	62/03/12				0.240	
	62/03/17				0.140	
	62/03/26				0.350	
	62/04/02				0.350	
	62/04/02				0.410	
	62/04/28				0.410	
	62/04/30				0.410	
	62/06/02				0.410	
	62/06/04				0.410	
	62/07/02				0.410	
	62/07/02				0.410	
	62/07/30				0.410	
	62/07/30				0.410	
	62/09/03				0.410	
	62/09/03				0.410	
	62/09/10				0.410	
	62/09/10				0.410	
	62/09/17				0.410	

TABLE A-8 (Cont.)

(RMN-12)

340000  
 37 02 17.0 107 52 25.0  
 ANIMAS RIVER NEAR CEDAR HILL  
 35 NEW MEXICO  
 COLORADO RIVER BASIN  
 MIDDLE COLORADO-SAN JUAN SUB BASIN  
 1118C030 2111204  
 2 0000 FEET DEPTH

A-49

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L
62/09/17			0.350		
62/09/24			COMP		
62/09/24				0.290	
62/10/01			COMP		
62/10/01				0.240	8.500
62/10/08			COMP		
62/10/08				0.330	8.900
62/10/15			COMP		
62/10/15				0.140	6.000
62/10/22			COMP		
62/10/22				0.140	6.100
62/10/29			COMP		
62/10/29				0.180	8.300
62/11/05			COMP		
62/11/05				0.250	9.100
62/11/12			COMP		
62/12/03				0.680	7.100
62/12/10			COMP		
62/12/10				0.340	8.800
62/12/17			COMP		
62/12/17				0.460	5.600
62/12/24			COMP		
62/12/24				1.510	2.300
62/12/31			COMP		
62/12/31				1.290	2.900
63/01/07			COMP		
63/02/25				0.190	18.000
63/02/27				0.290	7.800
63/03/04			COMP		
63/03/18				0.340	10.000
63/03/25				0.340	2.800
63/04/01				0.230	1.900
63/04/08				0.210	1.600
63/04/15				0.230	1.500
63/04/22				0.200	1.800
63/04/29				0.210	3.400
63/05/06				0.200	3.200
63/05/13				0.150	2.700
63/05/20				0.100	1.800

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L
63/05/27			0.090		2.000
63/06/03			0.130		1.600
63/06/10			0.110		2.300
63/06/17			0.160		0.400
63/06/23			0.190		0.500
63/07/09			0.230		2.300
63/07/29			COMP		
63/08/05			0.150		2.200
63/09/03			COMP		
63/09/03			0.110		1.800
63/09/23			COMP		
63/09/30			0.100		2.400
63/10/28			COMP		
63/11/04			0.130		4.000
63/11/26			COMP		
63/12/02			0.140		4.400
63/12/23			COMP		
63/12/27			0.110		2.400
64/02/01			COMP		
64/02/01			0.160		2.500
64/02/05			COMP		
64/02/21			0.160		2.500
64/02/28			COMP		
64/05/05			0.140		1.300
64/05/30			COMP		
64/06/02			0.190		0.700
64/06/27			COMP		
64/07/02			0.140		1.400
64/07/30			COMP		
64/08/05			0.030		2.300
64/08/29			COMP		
64/09/01			0.160		3.700
64/10/04			COMP		
64/10/06			0.140		6.000
64/10/31			COMP		
64/11/03			0.110		3.700
64/11/28			COMP		
64/12/02			0.100		3.500
65/01/02			COMP		
65/01/05			0.090		2.700
65/01/30			COMP		

TABLE A-8 (Cont.)  
(RMN-12)

340000  
37 02 17.0 107 52 25.0  
ANIMAS RIVER NEAR CEDAR HILL  
35 NEW MEXICO  
COLORADO RIVER BASIN  
MIDDLE COLORADO-SAN JUAN SUB BASIN  
1118C030 2111204  
2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT UG/L
65/02/02			0.090		2.700
65/02/27	COMP				
65/03/02			0.080		3.200
65/04/03	COMP		0.080		2.400
65/04/06					
65/05/02	COMP				
65/05/05			0.140		1.700
65/05/30	COMP		0.080		2.300
65/06/02					
65/07/02	COMP				
65/07/04			0.050		1.800
65/07/31	COMP		0.090		2.200
65/08/04					
65/08/29	COMP				
65/08/31			0.090		2.800
65/09/30	COMP		0.060		1.200
65/10/02					
65/10/29	COMP				
65/10/31			0.090		2.200
65/11/27	COMP				
65/11/28			0.080		2.300
65/12/31	COMP				
66/01/03			0.050		1.900
66/01/29	COMP				
66/01/31			0.060		2.200
66/02/26	COMP				
66/02/28			0.050		0.000
66/04/02	COMP				
66/04/04			0.050		1.400
66/04/30	COMP				
66/05/02			0.080		0.800
66/05/27	COMP				
66/05/29			0.080		0.900
66/06/29	COMP				
66/07/01			0.110		1.400
66/07/28	COMP				
66/07/30			0.190		3.300
66/09/01	COMP				
66/09/03			0.140		1.800
66/09/28	COMP				

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT UG/L
66/09/30			0.100		3.600
66/10/31	COMP				
66/11/02			0.080		1.400
66/12/02	COMP				
66/12/05			0.060		2.200
66/12/31	COMP				
67/01/03			0.090		2.500
67/01/27	COMP				
67/01/31			0.080		1.900
67/02/25	COMP				
67/02/26			0.050		3.100
67/03/29	COMP				
67/03/31			0.090		2.200
67/04/26	COMP				
67/04/28			0.110		1.100
67/05/26	COMP				
67/05/29			0.100		1.100
67/06/28	COMP				
67/07/03			0.130		3.000
67/07/29	COMP				
67/08/01			0.090		1.900
67/09/01	COMP				
67/09/04	10 00				
CP(T)-12			0.120	0.020	2.200
67/09/30	10 00				
67/10/01	10 00				
CP(T)-09			0.110	0.010	3.600
67/10/22	10 00				
67/10/26	10 00				
CP(T)-12			0.080	0.010	3.500
67/11/30	10 00				
67/12/02	10 00				
CP(T)-12			0.080	0.010	2.900
67/12/30	10 00				
68/01/02	10 00				
CP(T)-12			0.090	0.010	2.500
68/01/31	10 00				
68/02/08	10 00				
CP(T)-04			0.070	0.010	2.600
68/03/02	10 00				

TABLE A-8 (Cont.)  
(RMN-12)

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	RA-226 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L
68/03/06	10 00					
CP(T)-12			0.100		0.010	2.400
68/03/30	10 00					
68/04/02	10 00					
CP(T)-12			0.050		0.010	1.800
68/04/26	10 00					
68/04/30			0.060		0.010	1.200
68/05/31	COMP					
68/06/03			0.060		0.020	0.800
68/06/29	COMP					
68/07/03			0.040		0.010	2.800
68/07/16	COMP					
69/07/24			0.040		0.010	1.400
69/09/03			0.080		0.010	2.300
69/10/16			0.050		0.010	2.400
69/12/10			0.040		0.010	3.300
70/01/14			0.040		0.010	2.500
70/02/10			0.050		0.010	3.700
70/03/11			0.070		0.010	3.500
70/04/14			0.050		0.010	2.600
70/05/12			0.050		0.010	1.900
70/06/09			0.020		0.010	1.900
70/07/14			0.040		0.010	2.000
70/10/13			0.050		0.010	1.800
71/01/21			0.050		0.010	1.400
71/04/20			0.030		0.010	0.500
71/08/17			0.100K			1.500

340000  
 37 02 17.0 107 52 25.0  
 ANIMAS RIVER NEAR CEDAR HILL  
 35 NEW MEXICO  
 COLORADO RIVER BASIN  
 MIDDLE COLORADO-SAN JUAN SUB BASIN  
 1118C030 2111204  
 2 0000 FEET DEPTH

STATION DESCRIPTION

(RMN-13)

340001  
36 42 30.0 108 08 30.0  
SAN JUAN RIVER UPS OF FARMINGTON  
35 NEW MEXICO  
COLORADO RIVER BASIN  
MIDDLE COLORADO-SAN JUAN SUB BASIN  
1118C030 2111204  
2 0000 FEET DEPTH

RIVER  
SYSTEM II III IV V VI VII VIII IX X XI XII  
INDEX 1101001 009420 . . . . . . . . . . .  
MILES 0789.60 0254.10 . . . . . . . . . . .

DESCRIPTION

CRHP NO. RMN-13, BW5-52  
SW1/4, SW1/4, SEC 14, T29N, R12W

SAMPLED AT NORTH BANK, 5 MILES UPSTREAM FROM THE MOUTH OF THE ANIMAS  
RIVER IN SAN JUAN COUNTY.

TYPE DATA-RAU1 GRAB, 1 GAL/WEEK

TYPE FLOW MEAS-WTR STG REC AT 09365000 MINUS ANIMAS R. 09364500

\*SAMPLING STARTED 7/9/62 AND ENDED 4/27/64

REMARKS: THIS STATION PROVIDES BACKGROUND RADIOACTIVITY FOR THE SAN JUAN  
RIVER

A-52

Number of Samples assayed for Ra-226 through period of record (1961-1972): 20  
Mean Ra-226 concentration for period of record and  $2\sigma$  deviation :  $0.07 \pm 0.08$

Number of Samples assayed for U(total) through period of record (1962-1972): 19  
Mean U(total) concentration for period of record and  $2\sigma$  deviation :  $2.83 \pm 4.14$

STATION LOCATION  
(RMN-13)




TABLE A-9

(RMN-13)

340001  
 36 42 30.0 108 08 30.0  
 SAN JUAN RIVER UPS OF FARMINGTON  
 35 NEW MEXICO  
 COLORADO RIVER BASIN  
 MIDDLE COLORADO-SAN JUAN SUB BASIN  
 1118C030 2111204  
 2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT UG/L
62/07/09		0.030			
62/07/23		COMP			
62/10/15			0.160		8.300
62/11/02		COMP			
62/11/05			0.030		5.400
62/12/03		COMP			
62/12/05				0.080	4.300
62/12/28		COMP			
62/12/31			0.140		4.000
63/01/28		COMP			
63/02/04			0.130		5.500
63/03/01		COMP			
63/03/04			0.050		1.900
63/03/29		COMP			
63/04/01			0.060		0.800
63/04/26		COMP			
63/04/29			0.050		3.600
63/05/31		COMP			
63/06/03			0.060		1.900
63/06/23		COMP			
63/07/01			0.110		1.700
63/07/29		COMP			
63/08/05			0.080		4.500
63/08/12		COMP			
63/09/03			0.060		2.300
63/09/23		COMP			
63/09/23			0.040		1.100
63/10/28		COMP			
63/11/04			0.060		0.000
63/11/26		COMP			
63/12/02			0.030		2.600
63/12/23		COMP			
63/12/30			0.030		1.200
64/01/27		COMP			
64/02/03			0.030		1.300
64/02/24		COMP			
64/03/02			0.030		1.200
64/03/23		COMP			
64/03/30			0.080		2.200
64/04/27		COMP			

## STATION DESCRIPTION

(RMN-14)

340002  
 36 44 15.0 108 24 15.0  
 SAN JUAN RIVER NEAR FRUITLAND  
 35 NEW MEXICO  
 COLORADO RIVER BASIN  
 MIDDLE COLORADO-SAN JUAN SUB BASIN  
 1118C030 2111204  
 2 0000 FEET DEPTH

## RIVER

SYSTEM	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
INDEX	1101001	009420	.	.	.	.	.	.	.	.	.
MILES	0789.60	0235.40	.	.	.	.	.	.	.	.	.

## DESCRIPTION

CRHP NO. RMN-14, BWS-51  
 NW1/4, SE1/4, SEC 10, T29N, R15W

SAMPLED AT COUNTY ROAD BRIDGE NEAR FRUITLAND IN SAN JUAN COUNTY.  
 BRIDGE IS ON ROAD TO 4 CORNERS POWER PLANT.

TYPE DATA-RAD: GRAB, 1 GAL/WEEK.

TYPE FLOW MEAS-WTH STG REC AT 09365000


SAMPLING STARTED 8/1/62 AND ENDED 9/3/69

REMARKS: THIS STATION PROVIDES BACKGROUND RADIOACTIVITY DATA UPSTREAM  
 FROM THE VANADIUM CORPORATION OF AMERICA URANIUM MILL AT SHIPROCK, NEW  
 MEXICO.

A-55

Number of Samples assayed for Ra-226 through period of record (1961-1972): 85  
 Mean Ra-226 concentration for period of record and  $2\sigma$  deviation :  $0.07 \pm 0.07$

Number of Samples assayed for U(total) through period of record (1962-1972): 84  
 Mean U(total) concentration for period of record and  $2\sigma$  deviation :  $2.90 \pm 3.23$



STATION LOCATION

(RMN-14)

A-56

TABLE A-10  
(RMN-14)

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226 PC/L	RA-226-D	22703 U-NAT UG/L
62/08/01			0.150			
62/08/06				COMP		
62/10/08					0.090	5.100
62/11/02				COMP		
62/11/05					0.150	7.000
62/12/01				COMP		
62/12/05					0.090	6.800
62/12/28				COMP		
62/12/31					0.080	6.600
63/01/07				COMP		
63/02/04					0.160	7.700
63/03/01				COMP		
63/03/04					0.210	9.000
63/03/29				COMP		
63/04/01					0.160	1.900
63/04/26				COMP		
63/04/29					0.130	3.200
63/05/31				COMP		
63/06/03					0.140	2.800
63/06/23				COMP		
63/07/01					0.150	2.700
63/07/22				COMP		
63/08/05					0.110	4.200
63/08/26				COMP		
63/09/03					0.090	2.600
63/09/23				COMP		
63/09/30					0.060	2.900
63/10/28				COMP		
63/10/28					0.040	2.200
63/11/26				COMP		
63/12/02					0.050	3.600
63/12/23				COMP		
63/12/30					0.050	2.500
64/01/27				COMP		
64/02/03					0.050	3.000
64/02/24				COMP		
64/03/02					0.050	2.000
64/03/23				COMP		
64/03/30					0.090	2.400
64/04/27				COMP		

340002  
36 44 15.0 108 24 15.0  
SAN JUAN RIVER NEAR FRUITLAND  
35 NEW MEXICO  
COLORADO RIVER BASIN  
MIDDLE COLORADO-SAN JUAN SUB BASIN  
1118C030 2111204  
2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226 PC/L	RA-226-D	22703 U-NAT UG/L
64/05/03					0.090	
64/05/26				COMP		
64/06/02					0.100	
64/06/23				COMP		
64/06/30					0.060	
64/07/28				COMP		
64/08/04					0.130	
64/08/25				COMP		
64/09/01					0.060	
64/09/29				COMP		
64/10/05					0.060	
64/10/26				COMP		
64/11/02					0.060	
64/11/23				COMP		
64/11/30					0.060	
64/12/28				COMP		
65/01/04					0.110	
65/01/25				COMP		
65/02/01					0.030	
65/02/22				COMP		
65/03/01					0.050	
65/03/29				COMP		
65/04/05					0.080	
65/04/26				COMP		
65/05/03					0.080	
65/05/24				COMP		
65/05/31					0.080	
65/06/28				COMP		
65/07/05					0.060	
65/07/26				COMP		
65/08/02					0.040	
65/08/23				COMP		
65/08/30					0.030	
65/09/27				COMP		
65/10/04					0.050	
65/10/25				COMP		
65/11/01					0.040	
65/11/22				COMP		
65/11/29					0.030	
65/12/27				COMP		

TABLE A-10 (Cont.)  
(RMN-14)

340002  
36 44 15.0 108 24 15.0  
SAN JUAN RIVER NEAR FRUITLAND  
35 NEW MEXICO  
COLORADO RIVER BASIN  
MIDDLE COLORADO-SAN JUAN SUB BASIN  
1118E030 2111204  
2 0000 FEET DEPTH

A-58	DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT UG/L
	66/01/03					
	66/01/24	COMP		0.030		0.800
	66/01/31	COMP		0.040		1.500
	66/02/20	COMP		0.040		0.300
	66/02/28	COMP		0.040		1.200
	66/03/28	COMP		0.060		1.300
	66/04/04	COMP		0.050		0.800
	66/04/25	COMP		0.060		2.800
	66/05/02	COMP		0.050		3.000
	66/05/23	COMP		0.060		1.500
	66/05/30	COMP		0.040		1.600
	66/06/27	COMP		0.040		2.300
	66/07/04	COMP		0.040		2.600
	66/07/25	COMP		0.050		6.100
	66/08/01	COMP		0.040		2.100
	66/08/29	COMP		0.040		3.100
	66/09/05	COMP		0.050		2.300
	66/09/26	COMP		0.040		3.200
	66/10/03	COMP		0.050		2.600
	66/10/24	COMP		0.040		6.100
	66/10/31	COMP		0.050		2.100
	66/11/14	COMP		0.040		3.100
	66/12/05	COMP		0.040		2.300
	66/12/19	COMP		0.050		3.200
	66/12/26	COMP		0.040		2.600
	67/01/02	COMP		0.050		6.100
	67/01/23	COMP		0.040		2.100
	67/01/30	COMP		0.040		3.100
	67/02/20	COMP		0.040		2.300
	67/02/27	COMP		0.040		3.200
	67/03/27	COMP		0.050		2.600
	67/04/10	COMP		0.040		6.100
	67/04/24	COMP		0.050		2.100
	67/05/01	COMP		0.060		3.100
	67/05/22	COMP		0.040		2.300
	67/05/29	COMP		0.050		3.200
	67/06/26	COMP		0.040		2.600
	67/07/03	COMP		0.090		6.100
	67/07/24	COMP		0.090		2.100
	67/07/31	COMP		0.090		3.100
	67/08/28	COMP		0.090		2.300

	DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT UG/L
	67/09/04					
	67/09/25	COMP		0.070		3.700
	67/10/02	10 00				
	CP(T)-03			0.050		4.300
	67/10/23	10 00				
	67/10/30	10 00		0.110		4.100
	CP(T)-04					
	67/11/27	10 00		0.070		3.400
	67/12/04	10 00				
	CP(T)-04			0.080		3.700
	68/01/01	10 00				
	CP(T)-04			0.050		2.700
	68/01/29	10 00				
	68/02/05	10 00		0.060		3.200
	CP(T)-03					
	68/02/26	10 00		0.070		1.700
	68/03/04	10 00				
	CP(T)-04			0.070		2.900
	68/03/25	10 00				
	68/04/01	10 00		0.080		4.100
	CP(T)-04					
	68/04/22	10 00		0.050		4.500
	68/04/21	10 00				
	CP(T)-04			0.060		0.800
	68/05/27	10 00				
	68/06/03	10 00		0.070		2.900
	CP(T)-03					
	68/06/24	10 00		0.080		4.500
	68/07/03					
	68/08/01			0.050		0.800
	68/08/13	10 00				
	CP(T)-02			0.060		
	68/08/27	10 00				
	68/09/11			0.050		
	68/09/24			0.060		
	68/10/08					
	68/10/19			0.050		
	68/11/04					
	68/11/20			0.050		

TABLE A-10 (Cont.)  
 (RMN-14)

340002  
 36 44 15.0 108 24 15.0  
 SAN JUAN RIVER NEAR FRUITLAND  
 35 NEW MEXICO  
 COLORADO RIVER BASIN  
 MIDDLE COLORADO-SAN JUAN SUB BASIN  
 1118C030 2111204  
 2 0000 FEET DEPTH

DATE	TIME	DEPTH	09503 RA-226	09504 RA-226-D	22703 U-NAT
FROM	OF		DISOLVED	ERROR	DISOLVED
TO	DAY	FEET	PC/L	PC/L	UG/L
68/12/18			0.030	0.010	2.700
69/01/21			0.040	0.010	2.400
69/02/26			0.060	0.010	3.000
69/03/26			0.080	0.010	4.200
69/04/23			0.040	0.010	3.100
69/05/29			0.050	0.010	2.300
69/06/24			0.050	0.010	1.500
69/07/27			0.060	0.010	2.500
69/09/03			0.070	0.010	3.000

STATION DESCRIPTION

(RMN-14S)

340003  
36 47 52.0 108 43 52.0  
SAN JUAN RIVER DWS OF SHIPROCK  
35 NEW MEXICO  
COLORADO RIVER BASIN  
MIDDLE COLORADO-SAN JUAN SUB BASIN  
1118C030 2111204  
2 0000 FEET DEPTH

RIVER  
SYSTEM II III IV V VI VII VIII IX X XI XII  
INDEX 1101001 009420 . . . . . . . . . . .  
MILES 0789.60 0216.20

DESCRIPTION  
CRAP NO. RMN-14S. USGS-09-368000  
NE1/4, SW1/4, SEC 22, T30N, R18W

SAMPLED 500FT DOWNSTREAM OF HWY 666 BRIDGE UNTIL 08/66. THEN SAMPLED  
DWS OF VANADIUM CORP OF AMERICA MILL 3.5MI., 3MI. WEST OF SHIPROCK 10/69  
TILL 07/71


TYPE DATA-RAD.BACT; GRAB, 1 GAL/WEEK. PRIOR TO 7/1/64, 1 GAL/WEEK AUT  
TYPE FLOW MEAS-WTR STG REC AT 09368000

SAMPLING STARTED 7/09/62 AND ENDED 7/19/71. SAMPLING RESUMED BY EPA &  
N-MEXICO. REMARKS: THERE WERE NO DIRECT WASTE DISCHARGES FROM THE MILL,  
BUT 4SEEPS CARRIED WASTE, HOLDING POND LIQUIDS TO THE RIVER. NO NEW DATA

A-60

Number of Samples assayed for Ra-226 through period of record (1961-1972): 179  
Mean Ra-226 concentration for period of record and  $2\sigma$  deviation :  $0.08 \pm 0.10$

Number of Samples assayed for U(total) through period of record (1962-1972): 175  
Mean U(total) concentration for period of record and  $2\sigma$  deviation :  $8.49 \pm 21.72$



STATION LOCATION  
(RMN-14S)

TABLE A-11  
(RMN-14S)

A-62

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226 PC/L	RA-226-D ERROR PC/L	22703 U-NAT UG/L
62/07/09			0.160			
62/07/30			COMP			
62/08/07			0.150			
62/08/20			COMP			
62/09/14			0.130			
62/09/21			COMP			
62/09/24			0.150			
62/10/01			COMP			
62/10/01			0.090			8.300
62/11/02			COMP			
62/11/05			0.080			11.000
62/12/03			COMP			
62/12/05			0.040			13.000
62/12/26			COMP			
62/12/31			0.060			12.000
63/01/07			COMP			
63/02/04			0.110			16.000
63/03/01			COMP			
63/03/04			0.200			14.000
63/03/29			COMP			
63/04/01			0.160			2.300
63/04/26			COMP			
63/04/29			0.140			11.000
63/05/31			COMP			
63/06/03			0.160			7.500
63/06/23			COMP			
63/07/02			0.260			17.000
63/07/08			COMP			
63/07/08			0.280			26.000
63/07/10			COMP			
63/07/10			0.180			22.000
63/07/15			COMP			
63/07/15			0.200			15.000
63/07/22			COMP			
63/07/29			0.280			28.000
63/08/05			COMP			
63/08/05			0.190			16.000
63/08/12			COMP			
63/08/12			0.250			13.000
63/08/19			COMP			

340003	36 47 52.0 108 43 52.0	SAN JUAN RIVER DWS OF SHIPROCK	35 NEW MEXICO	COLORADO RIVER BASIN	MIDDLE COLORADO-SAN JUAN SUB BASIN	1118C030 2111204	0000 FEET DEPTH
2							
DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226 PC/L	RA-226-D ERROR PC/L	22703 U-NAT UG/L	
63/08/26			0.110			9.900	
63/08/30			COMP			8.800	
63/09/03							
63/09/06			COMP			16.000	
63/09/09							
63/09/13			COMP			28.000	
63/09/16							
63/09/20			COMP				
63/09/23							
63/09/27			COMP				
63/09/30							
63/10/04			COMP				
63/10/07							
63/10/11			COMP				
63/10/14							
63/10/18			COMP				
63/10/21							
63/10/25			COMP				
63/10/28							
63/11/01			COMP				
63/11/04							
63/11/08			COMP				
63/11/12							
63/11/16			COMP				
63/11/18							
63/11/22			COMP				
63/11/22							
63/12/02			COMP				
63/12/02							
63/12/09			COMP				
63/12/11							
63/12/16			COMP				
63/12/18							
63/12/20			COMP				
63/12/23							
63/12/30			COMP				
63/12/30							
64/01/16			COMP				
64/01/16							
64/01/20			COMP				

TABLE A-11 (Cont.)  
(RMN-14S)

A-63	DATE FROM TO	TIME OF DAY	DEPTH FEET	09503	09504	22703
				RA-226 DISOLVED PC/L	RA-226-D ERROR PC/L	U-NAT DISOLVED UG/L
	64/01/20			0.080		13.000
	64/01/24	COMP		0.050		12.000
	64/01/27			0.210		3.400
	64/01/31	COMP		0.050		3.500
	64/02/03			0.060		2.900
	64/02/05	COMP		0.040		2.900
	64/02/10			0.050		2.700
	64/02/12	COMP		0.050		2.200
	64/02/24			0.060		1.800
	64/02/28	COMP		0.050		40.000
	64/03/02			0.110		36.000
	64/03/06	COMP		0.110		93.000
	64/03/09			0.130		67.000
	64/03/11	COMP		0.100		16.000
	64/03/16			0.110		3.800
	64/03/18	COMP		0.080		2.100
	64/03/23			0.130		8.800
	64/03/27	COMP		0.110		13.000
	64/04/01			0.110		2.300
	64/04/15			0.110		3.500
	64/04/22			0.110		8.400
	64/04/29			0.060		5.600
	64/05/11			0.100		6.800
	64/05/14			0.080		5.000
	64/05/20			0.110		5.500
	64/05/27			0.100		3.000
	64/06/03			0.080		5.500
	64/06/10			0.110		7.600
	64/06/18			0.110		14.000
	64/06/24			0.110		
	64/07/08			0.110		
	64/07/15			0.060		
	64/07/22			0.100		
	64/07/29			0.080		
	64/08/06			0.060		
	64/08/12			0.100		
	64/08/19			0.080		
	64/08/26			0.100		
	64/09/02			0.110		
	64/09/06	COMP				

340003  
 36 47 52.0 108 43 52.0  
 SAN JUAN RIVER DWS OF SHIPROCK  
 35 NEW MEXICO  
 COLORADO RIVER BASIN  
 MIDDLE COLORADO-SAN JUAN SUB BASIN  
 1118C030 2111204  
 2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	RA-226 DISOLVED PC/L	09503 DISOLVED PC/L	09504 DISOLVED PC/L	22703 U-NAT DISOLVED UG/L
64/09/09			0.100			16.000
64/09/13			COMP			9.100
64/09/15				0.060		7.800
64/09/19				0.100		7.500
64/09/22				0.060		11.000
64/09/26				0.060		16.000
64/09/30				0.080		22.000
64/10/04				0.080		21.000
64/10/07				0.080		28.000
64/10/11				0.080		32.000
64/10/14				0.080		8.900
64/10/18				0.080		13.000
64/10/21				0.080		12.000
64/10/25				0.080		15.000
64/10/28				0.080		14.000
64/11/01				0.080		13.000
64/11/05				0.080		5.000
64/11/09				0.080		6.300
64/11/10				0.060		7.900
64/11/14				0.080		3.500
64/11/19				0.080		2.600
64/11/23				0.070		2.000
64/11/25				0.140		3.500
64/11/29				0.060		3.300
64/12/02				0.050		2.900
64/12/09				0.050		4.600
64/12/16				0.050		4.000
64/12/23				0.050		
64/12/29				0.030		
64/12/30				0.080		
65/01/06				0.080		
65/01/12				0.060		
65/01/20				0.080		
65/01/27				0.080		
65/02/03				0.070		
65/02/10				0.140		
65/02/17				0.060		
65/02/24				0.050		
65/03/03				0.050		
65/03/10				0.060		

TABLE A-11 (Cont.)  
(RMN-14S)

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D PC/L	22703 U-NAT UG/L
65/03/17		0.140			8.400
65/03/24		0.080			7.900
65/03/31		0.060			5.800
65/04/07		0.060			5.000
65/04/14		0.090			5.300
65/04/21		0.050			3.200
65/04/28		0.050			2.600
65/05/05		0.090			4.300
65/05/13		0.090			2.400
65/05/20		0.110			1.900
65/06/02		0.040			2.700
65/06/09		0.080			2.000
65/06/16		0.050			1.800
65/06/23		0.080			2.900
65/06/30		0.050			2.800
65/07/07		0.040			1.400
65/07/13	COMP				1.300
65/07/14		0.080			
65/07/20	COMP				4.300
65/07/21		0.060			
65/07/27	COMP				3.800
65/07/28		0.050			
65/08/01	COMP				1.800
65/08/02		0.080			
65/08/08	COMP				3.200
65/08/09		0.040			
65/08/15	COMP				3.000
65/08/16		0.040			
65/08/23	COMP				5.000
65/08/24		0.050			
65/08/29	COMP				8.100
65/08/30		0.050			
65/09/06	COMP				6.100
65/09/07		0.050			
65/09/12	COMP				4.400
65/09/13		0.080			
65/09/16	COMP				4.400
65/09/17		0.050			
65/09/26	COMP				4.200
65/09/27		0.050			
65/10/03	COMP				

340003  
 36 47 52.0 108 43 52.0  
 SAN JUAN RIVER DWS OF SHIROCK  
 35 NEW MEXICO  
 COLORADO RIVER BASIN  
 MIDDLE COLORADO-SAN JUAN SUB BASIN  
 1118C030 2111204  
 2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D PC/L	22703 U-NAT UG/L
65/10/04			0.040		5.600
65/10/10			COMP		7.200
65/10/11				0.030	
65/10/17			COMP		4.300
65/10/18				0.090	
65/10/24			COMP		4.200
65/10/25				0.040	
65/10/31			COMP		2.600
65/11/01				0.060	
65/11/07			COMP		1.600
65/11/08				0.040	
65/11/14			COMP		1.800
65/11/15				0.050	
65/11/21			COMP		0.700
65/11/22				0.050	
65/11/28			COMP		2.900
65/11/29				0.060	
65/12/05			COMP		2.900
65/12/06				0.060	
65/12/12			COMP		2.000
65/12/13				0.050	
65/12/19			COMP		2.000
65/12/20				0.040	
65/12/26			COMP		2.000
65/12/27				0.050	
66/01/02			COMP		3.000
66/01/03				0.030	
66/01/09			COMP		1.300
66/01/10				0.090	
66/01/16			COMP		2.200
66/01/17				0.030	
66/01/24			COMP		2.800
66/01/25				0.030	
66/01/30			COMP		3.500
66/01/31				0.050	
66/02/06			COMP		2.900
66/02/07				0.030	
66/02/13			COMP		6.400
66/02/14				0.040	
66/02/20			COMP		4.700

TABLE A-11 (Cont.)

(RMN-14S)

A-65

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT UG/L
66/02/21			0.030		1.200
66/02/27	COMP				
66/02/28			0.040		0.100
66/03/06	COMP				
66/03/07			0.040		0.300
66/03/14	COMP				
66/03/15			0.060		0.100
66/03/20	COMP				
66/03/21			0.060		0.400
66/03/27	COMP				
66/03/28			0.040		2.200
66/04/03	COMP				
66/04/04			0.040		2.400
66/04/10	COMP				
66/04/11			0.040		2.300
66/04/17	COMP				
66/05/02			0.030J		1.400
66/05/09			0.080		0.600
66/05/16			0.060J		1.300
66/05/23			0.060		1.100
66/05/31			0.050		1.500
66/06/06			0.060		1.400
66/06/14			0.080		2.200
66/06/20			0.050		2.100
66/06/27			0.080		2.400
66/07/11			0.060		3.500
66/07/25	COMP				
66/08/15			0.100		4.600
66/08/22			0.050		3.000
69/10/15			0.060	0.010	2.100
69/11/19			0.100	0.020	3.200
69/12/10			0.030	0.010	3.400
70/01/13			0.040	0.010	4.500
70/02/10			0.040	0.010	6.200
70/03/10			0.030	0.010	2.200
70/04/14			0.150	0.020	5.000
70/05/12			0.050	0.010	3.400
70/06/09			0.060	0.010	4.200
70/07/14			0.090	0.020	3.600

340003  
 36 47 52.0 108 43 52.0  
 SAN JUAN RIVER DWS OF SHIPROCK  
 35 NEW MEXICO  
 COLORADO RIVER BASIN  
 MIDDLE COLORADO-SAN JUAN SUB BASIN  
 1118C030 2111204  
 2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT UG/L
70/10/14			0.040	0.010	1.000
71/01/21			0.040	0.010	1.100
71/04/20				0.050	0.010
71/07/19				0.140	3.200

STATION DESCRIPTION  
(RMN-15)

490002  
37 08 49.0 109 51 51.0  
SAN JUAN RIVER UPS MEXICAN HAT  
49 UTAH  
COLORADO RIVER BASIN  
MIDDLE COLORADO-SAN JUAN SUB BASIN  
1118C030 2111204  
2 0000 FEET DEPTH

RIVER  
SYSTEM II III IV V VI VII VIII IX X XI XII  
INDEX 1101001 009420  
MILES 0789.60 0114.00


DESCRIPTION  
CRBP NO. RMN-15-BWS-30, USGS-09-379500  
NE1/4, SW1/4, SEC 7, T42S, R19E

SAMPLED 1/2 MI. UPS HWY 47 BRIDGE, UPS MOUTH GYPSUM WASH TILL 07/69,  
NOW SAMPLED 1800FT UPS FROM HWY 47 BRIDGE AT 09379500  
TYPE DATA-RAD: GRAH, 3 PINTS/WEEK  
TYPE FLOW MEAS-WTR STG REC AT 09379500  
SAMPLING STARTED 12/11/61 AND IS ONGUING  
REMARKS: THIS STATION PROVIDED RADACTIVITY DATA UPSTREAM FROM THE AZ  
MINERALS MILL NEAR MEXICAN HAT.

A  
996

Number of Samples assayed for Ra-226 through period of record (1961-1972): 87  
Mean Ra-226 concentration for period of record and  $2\sigma$  deviation :  $0.13 \pm 0.43$

Number of Samples assayed for U(total) through period of record (1962-1972): 80  
Mean U(total) concentration for period of record and  $2\sigma$  deviation :  $5.44 \pm 6.63$



STATION LOCATIONS  
(RMN-15;RMN-16)

TABLE A-12  
(RMN-15)

490002  
37 08 49.0 109 51 51.0  
SAN JUAN RIVER UPS MEXICAN HAT  
49 UTAH  
COLORADO RIVER BASIN  
MIDDLE COLORADO-SAN JUAN SUB BASIN  
1118C030 2111204  
2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 RA-226 DISOLVED	09504 RA-226-D PC/L	22703 U-NAT DISOLVED UG/L
61/12/11		1.800			
61/12/30	COMP				
62/01/01		0.160			
62/01/27	COMP				
62/03/05		0.140			
62/03/31	COMP				
62/04/02		0.080			
62/04/28	COMP				
62/04/30		0.100			
62/06/02	COMP				
62/06/04		0.100			
62/06/30	COMP				
62/07/02		0.150			
62/07/28	COMP				
62/10/01		0.140	8.700		
62/11/03	COMP				
62/11/05		0.100	9.000		
62/12/01	COMP				
62/12/03		0.090	9.800		
62/12/29	COMP				
62/12/31		0.080	13.000		
63/02/02	COMP				
63/02/04		0.100	8.900		
63/03/02	COMP				
63/03/04		0.150	11.000		
63/03/30	COMP				
63/04/01		0.140	5.700		
63/04/27	COMP				
63/04/29		0.100	5.900		
63/06/01	COMP				
63/06/03		0.110	5.700		
63/06/29	COMP				
63/07/01		0.200	11.000		
63/08/03	COMP				
63/08/05		0.260	12.000		
63/08/31	COMP				
63/09/02		0.130	6.300		
63/09/28	COMP				
63/09/30		0.130	7.600		
63/11/02	COMP				

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 RA-226 DISOLVED	09504 RA-226-D PC/L	22703 U-NAT DISOLVED UG/L
63/11/04			0.060		4.500
63/11/30	COMP				
63/12/02			0.080		6.800
63/12/27	COMP				
63/12/30			0.060		5.500
64/02/01	COMP				
64/02/03			0.060		6.200
64/02/29	COMP				
64/03/02			0.090		5.900
64/03/28	COMP				
64/03/30			0.090		7.900
64/05/02	COMP				
64/05/04			0.130		5.900
64/05/30	COMP				
64/06/01			0.110		2.600
64/06/27	COMP				
64/06/29			0.110		3.000
64/08/01	COMP				
64/08/03			0.130		5.800
64/08/29	COMP				
64/08/31			0.130		9.500
64/10/03	COMP				
64/10/05			0.650		23.000
64/10/31	COMP				
64/11/02			0.100		8.800
64/11/28	COMP				
64/11/30			0.060		7.800
64/01/02	COMP				
65/01/04			0.040		4.800
65/01/30	COMP				
65/02/01			0.060		3.700
65/02/27	COMP				
65/03/01			0.090		5.800
65/04/03	COMP				
65/04/05			0.050		4.000
65/05/01	COMP				
65/10/19			0.080		2.800
65/10/29	COMP				
65/11/02			0.080		2.100
65/11/27	COMP				

TABLE A-12 (Cont.)

(RMN-15)

490002 37 08 49.0 109 51 51.0 SAN JUAN RIVER UPS MEXICAN HAT 49 UTAH COLORADO RIVER BASIN MIDDLE COLORADO-SAN JUAN SUB BASIN 1118C030 2111204 2 0000 FEET DEPTH											
DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 RA-226 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L	DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 RA-226 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L
A-69	65/12/01	COMP	0.090		2.200	67/07/30			0.080		6.100
	66/01/01					67/09/01	COMP				
	66/01/04		0.050		2.600	67/09/03	10 00				
	66/01/29		0.060		2.500	CP(T)-12			0.100	0.010	5.200
	66/02/03		0.060		3.300	67/09/30	10 00				
	66/02/27		0.080		2.300	67/10/04	10 00				
	66/03/01		0.060		1.400	CP(T)-12			0.090	0.010	8.500
	66/03/31		0.040		2.700	67/10/29	10 00				
	66/04/03		0.060		2.700	67/11/01	10 00				
	66/04/28		0.060		2.900	CP(T)-12			0.060	0.010	6.600
	66/04/30		0.090		5.000	67/12/03	10 00				
	66/05/27		0.110		5.700	67/12/06	10 00				
	66/05/29		0.110		6.700	CP(T)-12			0.080	0.010	6.200
	66/06/30		0.100		6.700	67/12/29	10 00				
	66/07/02		0.100		3.000	68/02/06	10 00				
	66/07/29		0.090		2.900	CP(T)-12			0.090	0.010	6.000
	66/07/31		0.090		2.900	68/03/01	10 00				
	66/09/02		0.050		6.600	68/03/04	10 00				
	66/09/04		0.050		6.600	CP(T)-04			0.080	0.010	6.900
	66/09/29		0.050		6.600	68/03/29	10 00				
	66/10/02		0.050		6.600	68/03/31	10 00				
	66/10/27		0.050		6.600	CP(T)-04			0.070	0.010	4.300
	66/10/30		0.050		6.600	68/04/26	10 00				
	66/12/01		0.050		6.600	68/04/28	10 00				
	66/12/04		0.050		6.600	CP(T)-18			0.150	0.020	2.400
	66/12/31		0.050		6.600	68/05/31	10 00				
	66/12/29		0.050		6.600	68/06/02	10 00				
	67/01/03		0.050		6.600	CP(T)-12			0.050	0.010	1.000
	67/02/01		0.050		6.600	68/06/28	10 00				
	67/02/26		0.050		6.600	69/01/20			0.090	0.010	5.600
	67/03/01		0.050		6.600	69/02/25			0.060	0.010	4.300
	67/03/30		0.050		6.600	69/03/25			0.070	0.010	5.700
	67/04/02		0.050		6.600	69/04/22			0.090	0.010	2.900
	67/04/28		0.050		6.600	69/05/28			0.080	0.010	1.900
	67/04/30		0.050		6.600	69/06/23			0.070	0.010	2.100
	67/05/25		0.050		6.600	69/07/23			0.110	0.020	3.100
	67/05/28		0.050		6.600	69/09/02			0.080	0.010	5.000
	67/06/30		0.050		6.600	69/10/16			0.080	0.010	3.000
	67/07/02		0.050		6.600	70/01/01			0.040	0.010	2.700
	67/07/28		0.050		6.600	70/03/31	COMP				

TABLE A-12 (Cont.)

(RMN-15)

490002  
 37 08 49.0 109 51 51.0  
 SAN JUAN RIVER UPS MEXICAN HAT  
 49 UTAH  
 COLORADO RIVER BASIN  
 MIDDLE COLORADO-SAN JUAN SUB BASIN  
 1118C030 2111204  
 2 0000 FEET DEPTH

DATE	TIME	DEPTH	09503	09504	22703
FROM	OF		RA-226	RA-226-D	U-NAT
TO	DAY	FEET	DISOLVED	ERROR	DISOLVED
			PC/L	PC/L	UG/L
70/04/16			0.050	0.010	3.900
70/10/21			0.050	0.010	1.300
71/01/18			0.040	0.010	1.500
71/04/20			0.060	0.010	4.000
71/10/06			1.000		3.800
72/01/13			0.100K		2.000
72/04/03			0.200		1.400

STATION DESCRIPTION

(RMN-16)

490003

37 09 00.0 109 52 45.0

SAN JUAN RIVER DWS MEXICAN HAT

49 UTAH

COLORADO RIVER BASIN

MIDDLE COLORADO-SAN JUAN SUB BASIN

111HC030 2111204

2 0000 FEET DEPTH

RIVER

SYSTEM

II

III

IV

V

VI

VII

VIII

IX

X

XI

XII

INDEX 1101001 009420

MILES 0789.60 0111.00

DESCRIPTION

CRPP NO. RMN-16, BWS-31, USGS-09-379600  
SE1/4, NW1/4, SEC 12, T42S, R18E

SAMPLED 1/2 MILE DOWNSTREAM FROM THE AZ MINERALS URANIUM MILL  
EFFLUENT DISCHARGE IN SAN JUAN COUNTY

TYPE DATA-RAD, BACT: GRAB, 3 PINTS/WEEK

TYPE FLOW MEAS-WTR STG REC AT 09379500


\*SAMPLING STARTED 12/11/61 AND ENDED 10/21/70

REMARKS: PRIOR TO 6/1/65 SAMPLE WAS A GRAB OF 6 PINTS/WEEK

A-71

Number of Samples assayed for Ra-226 through period of record (1961-1972): 166  
Mean Ra-226 concentration for period of record and  $2\sigma$  deviation :  $0.17 \pm 1.39$

Number of Samples assayed for U(total) through period of record (1962-1972): 146  
Mean U(total) concentration for period of record and  $2\sigma$  deviation :  $8.07 \pm 11.89$



**STATION LOCATIONS  
(RMN-15; RMN-16)**

**TABLE A-13**

(RMN-16)

490003

37 09 00.0 109 52 45.0

SAN JUAN RIVER DWS MEXICAN HAT

49 UTAH

## **COLORADO RIVER BASIN**

## **MIDDLE COLORADO-SAN JUAN SUB BASIN**

1118C030

2 0000 F

[WWW.FEET.COM](http://WWW.FEET.COM)

0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	RA-226 DISOLVED PC/L	09503 RA-226-D ERROR PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L
61/12/11			0.330			
61/12/30			COMP			
62/01/01				0.140		
62/01/27			COMP			
62/01/29				0.120		
62/03/03			COMP			
62/03/05				0.090		
62/03/31			COMP			
62/04/02				0.100		
62/04/28			COMP			
62/04/30				0.060		
62/06/02			COMP			
62/06/04				0.090		
62/06/30			COMP			
62/07/02				0.290		
62/07/28			COMP			
62/07/30				0.460		
62/08/11			COMP			
62/08/13				0.280		
62/08/14			COMP			
62/08/15				0.390		
62/08/16				0.360		
62/08/17				0.260		
62/08/18				0.180		
62/08/20				0.280		
62/08/21				0.540		
62/09/01			COMP			
62/09/03				0.210		
62/09/08			COMP			
62/09/10				0.210		
62/09/15			COMP			
62/09/17				0.240		
62/09/22			COMP			
62/09/24				0.350		
62/09/29			COMP			
62/10/01				0.190		10.000
62/11/03			COMP			
62/11/05				0.150		11.000
62/12/01			COMP			
63/02/04				0.120		15.000
63/03/02			COMP			

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L
63/03/04			0.280		12.000
63/03/30		COMP	9.000		14.000
63/04/01		COMP	0.100		6.200
63/04/27		COMP	0.110		6.000
63/04/29		COMP	0.250		11.000
63/06/01		COMP	0.260		7.600
63/06/03		COMP	0.110		14.000
63/06/29		COMP	0.840		0.800
63/07/01		COMP	0.400		13.000
63/07/06		COMP	0.210		11.000
63/07/08		COMP	0.190		7.600
63/07/13		COMP	0.180		14.000
63/07/15		COMP	0.200		6.200
63/07/20		COMP	0.160		8.700
63/07/22		COMP	0.120		8.000
63/07/27		COMP	0.140		17.000
63/07/29		COMP	0.140		13.000
63/08/03		COMP	0.080		12.000
63/08/05		COMP	0.060		14.000
63/08/10		COMP	0.130		9.100
63/08/12		COMP			
63/08/17		COMP			
63/08/19		COMP			
63/08/24		COMP			
63/08/26		COMP			
63/08/31		COMP			
63/09/02		COMP			
63/09/07		COMP			
63/09/09		COMP			
63/09/14		COMP			
63/09/16		COMP			
63/09/21		COMP			
63/09/23		COMP			
63/09/28		COMP			
63/09/30		COMP			
63/10/05		COMP			
63/10/07		COMP			
63/10/12		COMP			
63/10/14		COMP			
63/10/20		COMP			

TABLE A-13 (Cont.)

(RMN-16)

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT UG/L
63/10/21			0.110		7.900
63/10/26	COMP		0.090		6.600
63/10/28	COMP		0.060		4.400
63/11/02	COMP		0.040		8.100
63/11/04	COMP		0.050		5.200
63/11/09	COMP		0.030		9.300
63/11/11	COMP		0.090		7.400
63/11/16	COMP		0.060		7.800
63/11/18	COMP		0.100		5.900
63/11/23	COMP		0.040		5.500
63/11/24	COMP		0.040		4.900
63/11/30	COMP		0.080		11.000
63/12/02	COMP		0.060		7.900
63/12/07	COMP		0.060		8.400
63/12/09	COMP		0.160		14.000
63/12/14	COMP		0.080		6.700
63/12/16	COMP		0.130		11.000
63/12/21	COMP		0.160		15.000
63/12/23	COMP		0.060		9.400
63/12/28	COMP				
63/12/30	COMP				
64/01/04	COMP				
64/01/06	COMP				
64/01/11	COMP				
64/01/13	COMP				
64/01/18	COMP				
64/01/20	COMP				
64/01/25	COMP				
64/01/27	COMP				
64/02/01	COMP				
64/02/03	COMP				
64/02/08	COMP				
64/02/10	COMP				
64/02/15	COMP				
64/02/17	COMP				
64/02/22	COMP				
64/02/24	COMP				
64/02/27	COMP				
64/03/02	COMP				
64/03/07	COMP				

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT UG/L
64/03/09			0.050		8.700
64/03/14	COMP		0.050		8.700
64/03/16	COMP		0.080		8.400
64/03/21	COMP		0.050		8.100
64/03/23	COMP		0.090		9.600
64/03/28	COMP		0.090		8.200
64/03/30	COMP		0.110		8.100
64/04/03	COMP		0.090		8.500
64/04/06	COMP		0.150		7.600
64/04/11	COMP		0.100		4.500
64/04/13	COMP		0.090		3.200
64/04/18	COMP		0.080		2.000
64/04/20	COMP		0.080		3.900
64/04/25	COMP		0.110		3.000
64/04/27	COMP		0.180		3.600
64/05/02	COMP		0.090		2.900
64/05/04	COMP		0.090		3.200
64/05/09	COMP		0.100		3.000
64/05/18	COMP		0.100		2.000
64/05/23	COMP		0.090		3.600
64/05/25	COMP		0.080		3.900
64/05/30	COMP		0.080		2.900
64/06/01	COMP		0.090		3.200
64/06/06	COMP		0.090		3.000
64/06/08	COMP		0.090		2.000
64/06/13	COMP		0.080		3.600
64/06/15	COMP		0.080		3.900
64/06/20	COMP		0.090		2.900
64/06/22	COMP		0.090		3.200
64/06/27	COMP		0.110		3.000
64/06/29	COMP		0.100		2.000
64/07/04	COMP		0.180		3.600
64/07/06	COMP		0.180		3.900
64/07/11	COMP		0.100		2.900
64/07/13	COMP		0.100		3.200
64/07/18	COMP		0.090		3.000
64/07/20	COMP		0.090		2.000
64/07/25	COMP		0.080		3.600
64/07/27	COMP		0.080		3.900
64/08/01	COMP				

TABLE A-13 (Cont.)

(RMN-16)

A-75

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D PC/L	22703 U-NAT UG/L
64/08/03			0.080		4.900
64/08/08	COMP		0.090		6.000
64/08/10					
64/08/15	COMP		0.110		6.200
64/08/17					
64/08/22	COMP		0.180		6.200
64/08/24					
64/08/29	COMP		0.100		9.200
64/08/31					
64/09/05	COMP		0.010		35.000
64/09/07					
64/09/12	COMP		0.140		10.000
64/09/14					
64/09/19	COMP		0.140		14.000
64/09/21					
64/09/26	COMP		0.130		13.000
64/09/28					
64/10/03	COMP		0.030		20.000
64/10/05					
64/10/10	COMP		0.060		33.000
64/10/12					
64/10/17	COMP		0.060		15.000
64/10/19					
64/10/24	COMP		0.340		27.000
64/10/26					
64/10/31	COMP		0.030		24.000
64/11/02					
64/11/07	COMP		0.050		21.000
64/11/09					
64/11/14	COMP		0.090		14.000
64/11/16					
64/11/21	COMP		0.050		17.000
64/11/23					
64/11/28	COMP		0.040		16.000
64/11/30					
64/12/05	COMP		0.030		30.000
64/12/07					
64/12/12	COMP		0.160		7.000
64/12/14					
64/12/19	COMP				

490003  
37 09 00.0 109 52 45.0  
SAN JUAN RIVER DWS MEXICAN HAT  
49 UTAH  
COLORADO RIVER BASIN  
MIDDLE COLORADO-SAN JUAN SUB BASIN  
1118C030 2111204  
2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D PC/L	22703 U-NAT UG/L
64/12/21			0.080		8.500
64/12/26	COMP		0.050		10.000
64/12/28					
65/01/02	COMP		0.060		6.900
65/01/04					
65/01/09	COMP		0.050		5.200
65/01/11					
65/01/16	COMP		0.050		4.800
65/01/18					
65/01/23	COMP		0.030		4.300
65/01/25					
65/01/30	COMP		0.040		4.300
65/02/01					
65/02/06	COMP		0.060		3.500
65/02/08					
65/02/13	COMP		0.080		5.900
65/02/15					
65/02/20	COMP		0.060		4.500
65/02/22					
65/02/27	COMP		0.090		4.600
65/03/01					
65/03/06	COMP		0.060		8.800
65/03/08					
65/03/13	COMP		0.100		26.000
65/03/15					
65/03/20	COMP		0.090		7.500
65/03/22					
65/03/27	COMP		0.080		5.500
65/03/29					
65/04/03	COMP		0.060		4.200
65/04/05					
65/04/10	COMP		0.060		4.000
65/04/12					
65/04/17	COMP		0.060		2.300
65/04/19					
65/04/24	COMP		0.060		3.600
65/04/26					
65/05/01	COMP		0.060		
65/10/19					
65/10/29	COMP				

TABLE A-13 (Cont.)

(RMN-16)

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503	09504	22703
			DISOLVED PC/L	RA-226 PC/L	RA-226-D PC/L
65/11/02			0.060		2.200
65/11/27		COMP	0.090		2.500
65/12/01		COMP	0.080		2.800
66/01/01		COMP	0.060		2.800
66/01/04		COMP	0.080		3.300
66/01/29		COMP	0.060		2.200
66/02/01		COMP	0.040		1.500
66/02/27		COMP	0.050		3.300
66/03/01		COMP	0.090		5.000
66/03/31		COMP	0.140		6.500
66/04/03		COMP	0.090		5.100
66/04/28		COMP	0.090		3.500
66/04/30		COMP	0.060		3.500
66/05/27		COMP	0.060		3.500
66/05/29		COMP	0.050		5.700
66/06/30		COMP	0.050		5.200
66/07/02		COMP	0.060		4.400
66/07/29		COMP	0.060		4.100
66/07/31		COMP	0.080		7.000
66/09/02		COMP	0.050		6.600
66/09/04		COMP	0.060		6.600
66/09/29		COMP	0.060		6.300
66/10/02		COMP	0.060		6.300
66/10/27		COMP	0.060		6.300
66/10/30		COMP	0.060		6.300
66/12/01		COMP	0.050		6.300
66/12/04		COMP	0.050		6.300
66/12/31		COMP	0.060		6.300
66/12/29		COMP	0.060		6.300
67/01/22		COMP	0.050		6.300
67/02/01		COMP	0.050		6.300
67/02/26		COMP	0.060		6.300
67/03/01		COMP	0.060		6.300
67/03/30		COMP	0.080		6.300
67/04/02		COMP	0.060		6.300
67/04/28		COMP	0.090		6.300
67/04/30		COMP	0.060		6.300
67/05/25		COMP	0.060		6.300
67/05/28		COMP	0.060		6.300
67/06/30		COMP	0.060		6.300

490003	37 09 00.0 109 52 45.0	SAN JUAN RIVER DWS MEXICAN HAT	49 UTAH	COLORADO RIVER BASIN	MIDDLE COLORADO-SAN JUAN SUB BASIN
1118C030	2111204	0000 FEET	2	DEPTH	U-NAT
DATE FROM TO	TIME OF DAY	DEPTH FEET	DISOLVED PC/L	RA-226 PC/L	RA-226-D PC/L
67/07/02			0.120		7.000
67/07/28		COMP	0.100		5.900
67/07/30		COMP	0.100		5.800
67/09/01		CP(T)-12	0.100	0.010	9.000
67/09/03	10 00	CP(T)-12	0.100	0.010	8.300
67/09/30	10 00	CP(T)-12	0.070	0.010	5.800
67/10/04	10 00	CP(T)-12	0.060	0.010	6.600
67/10/29	10 00	CP(T)-12	0.060	0.010	6.300
67/11/01	10 00	CP(T)-12	0.060	0.010	6.300
67/12/03	10 00	CP(T)-12	0.060	0.010	6.300
67/12/06	10 00	CP(T)-12	0.060	0.010	6.300
67/12/29	10 00	CP(T)-12	0.060	0.010	6.300
68/02/06	10 00	CP(T)-12	0.060	0.010	6.300
68/03/01	10 00	CP(T)-12	0.060	0.010	6.300
68/03/04	10 00	CP(T)-04	0.060	0.010	6.300
68/03/29	10 00	CP(T)-04	0.060	0.010	6.300
68/03/31	10 00	CP(T)-04	0.060	0.010	6.300
68/04/26	10 00	CP(T)-12	0.060	0.010	6.300
68/04/28	10 00	CP(T)-12	0.060	0.010	6.300
68/05/31	10 00	CP(T)-12	0.060	0.010	6.300
68/06/02	10 00	CP(T)-12	0.060	0.010	6.300
68/06/28	10 00	CP(T)-12	0.060	0.010	6.300
69/01/20			0.100		5.800
69/02/25			0.050		3.600
69/03/25			0.070		6.100
69/04/22			0.090		3.600
69/06/23			0.060		2.100
69/07/23			0.130		3.200
69/09/02			0.100		5.000
69/10/16			0.050		3.200

A-76

TABLE A-13 (Cont.)  
 (RMN-16)

490003  
 37 09 00.0 109 52 45.0  
 SAN JUAN RIVER DWS MEXICAN HAT  
 49 UTAH  
 COLORADO RIVER BASIN  
 MIDDLE COLORADO-SAN JUAN SUB BASIN  
 1118C030 2111204  
 2 0000 FEET DEPTH

DATE	TIME	DEPTH	09503 RA-226 DISOLVED	09504 RA-226-D ERROR	22703 U-NAT DISOLVED
FROM	OF		PC/L	PC/L	UG/L
TO	DAY	FEET			
70/01/01			0.050	0.010	3.600
70/03/31		COMP			
70/04/16			0.040	0.010	2.900
70/06/03			0.010	0.010	4.600
70/10/21			0.050	0.010	1.300

STATION DESCRIPTION  
(RMN-17)

070044  
38 13 00.0 108 33 45.0  
SAN MIGUEL RIVER AT NATURITA  
08 COLORADO  
COLORADO RIVER BASIN  
UPPER COLORADO RIVER SUB BASIN  
1118C030 2111204  
2 0000 FEET DEPTH

RIVER SYSTEM	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
INDEX 1101001	011940	01090									
MILES 1027.10	0066.60	021.50	.	.	.	.	.	.	.	.	.

DESCRIPTION  
CRAP NO. RMN-17, USGS-09-175500  
NE1/4, NW1/4, SEC 30, T46N, R15W

SAMPLED AT HWY 97 BRIDGE AT NATURITA IN MONTROSE COUNTY  
TYPE DATA-RAD; GRAB, 1 GAL/WEEK  
TYPE FLOW MEAS-WTR STG REC AT 09175500  
SAMPLING STARTED 10/28/61 AND IS ONGOING  
REMARKS: THIS STATION PROVIDES BACKGROUND RADIOACTIVITY DATA FOR THE SAN  
MIGUEL RIVER UPSTREAM OF THE URANIUM MILLS AT NATURITA AND URAVAN. PRIOR  
TO 5/1/65 THIS STATION WAS 3.8 MILES UPSTREAM OF PRESENT LOCATION AND  
WAS SAMPLED AUTOMATICALLY 1 GAL/WEEK.

A-78

Number of Samples assayed for Ra-226 through period of record (1961-1972): 175  
Mean Ra-226 concentration for period of record and  $2\sigma$  deviation :  $0.06 \pm 0.07$

Number of Samples assayed for U(total) through period of record (1962-1972): 147  
Mean U(total) concentration for period of record and  $2\sigma$  deviation :  $2.37 \pm 3.07$

STATION LOCATION  
(RMN-17)




TABLE A-14  
(RMN-17)

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT UG/L
61/10/28		0.000			
61/11/04	COMP				
61/11/04		0.040			
61/11/11	COMP				
61/11/11		0.050			
61/11/17	COMP				
61/11/17		0.020			
61/11/25	COMP				
61/11/25		0.020			
61/12/02	COMP				
61/12/02		0.040			
61/12/09	COMP				
61/12/07		0.010			
61/12/17	COMP				
61/12/17		0.030			
61/12/24	COMP				
61/12/24		0.010			
61/12/31	COMP				
61/12/31		0.000			
62/01/05	COMP				
62/01/05		0.030			
62/01/13	COMP				
62/01/13		0.010			
62/01/21	COMP				
62/01/21		0.040			
62/01/28	COMP				
62/01/28		0.040			
62/02/03	COMP				
62/02/03		0.030			
62/02/10	COMP				
62/02/10		0.040			
62/02/18	COMP				
62/02/18		0.060			
62/02/25	COMP				
62/02/25		0.060			
62/03/02	COMP				
62/03/02		0.040			
62/03/11	COMP				
62/03/11		0.050			
62/03/18	COMP				

070044  
 38 13 00.0 108 33 45.0  
 SAN MIGUEL RIVER AT NATURITA  
 08 COLORADO  
 COLORADO RIVER BASIN  
 UPPER COLORADO RIVER SUB BASIN  
 1118C030 2111204  
 2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT UG/L
62/03/18					
62/03/24	COMP				
62/03/24					
62/04/01	COMP				
62/04/01					
62/04/29	COMP				
62/04/30					
62/06/03	COMP				
62/06/03					
62/07/01	COMP				
62/07/01					
62/07/28	COMP				
62/07/28					
62/09/03	COMP				
62/09/03					
62/09/29	COMP				
62/09/29					
62/11/04	COMP				1.200
62/11/04					
62/12/02	COMP				
62/12/02					
62/12/30	COMP				
62/12/30					
63/02/03	COMP				
63/02/03					
63/03/03	COMP				
63/03/03					
63/03/30	COMP				
63/03/30					
63/04/27	COMP				
63/04/27					
63/06/02	COMP				
63/06/02					
63/06/30	COMP				
63/06/30					
63/08/04	COMP				
63/08/04					
63/08/31	COMP				
63/08/31					
63/09/29	COMP				

TABLE A-14 (Cont.)

(RMN-17)

070044  
 38 13 00.0 108 33 45.0  
 SAN MIGUEL RIVER AT NATURITA  
 08 COLORADO  
 COLORADO RIVER BASIN  
 UPPER COLORADO RIVER SUB BASIN  
 1118C030 2111204  
 2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D RA-226 ERROR PC/L	22703 U-NAT UG/L
63/09/29			0.040		3.900
63/11/03	COMP		0.030		0.600
63/11/03	COMP		0.030		2.000
63/11/30	COMP		0.040		1.200
64/02/02	COMP		0.040		1.000
64/02/02	COMP		0.040		0.100
64/02/28	COMP		0.190		3.200
64/03/29	COMP		0.100		0.900
64/03/29	COMP		0.100		0.000
64/05/03	COMP		0.010		1.000
64/05/03	COMP		0.080		1.200
64/08/29	COMP		0.060		2.700
64/10/03	COMP		0.030		2.300
64/11/01	COMP		0.050		2.400
64/11/29	COMP		0.040		2.200
65/01/03	COMP		0.140		1.700
65/01/03	COMP		0.040		1.400
65/02/28	COMP		0.040		1.400
65/04/04	COMP		0.040		1.000
65/04/04	COMP		0.040		1.200
65/05/01	COMP		0.040		1.200
65/05/01	COMP		0.040		1.200
65/05/31	COMP				

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D RA-226 ERROR PC/L	22703 U-NAT UG/L
65/05/31			0.080		1.800
65/07/05	COMP		0.040		1.700
65/07/05	COMP		0.050		1.500
65/08/01	COMP		0.030		3.300
65/08/09	COMP		0.030		5.000
65/08/31	COMP		0.040		2.700
65/10/04	COMP		0.040		2.900
65/10/11	COMP		0.040		3.000
65/11/02	COMP		0.040		3.500
65/11/08	COMP		0.040		1.000
65/11/29	COMP		0.050		1.400
65/12/06	COMP		0.040		6.500
66/01/03	COMP		0.040		0.400
66/01/10	COMP		0.060		1.000
66/01/31	COMP		0.050		2.700
66/02/07	COMP		0.040		2.400
66/02/28	COMP		0.040		5.100
66/03/07	COMP		0.060		6.500
66/03/28	COMP		0.080		1.700
66/04/04	COMP		0.040		2.900
66/04/25	COMP		0.030		2.400
66/05/02	COMP		0.040		1.200
66/05/23	COMP		0.060		1.000
66/05/30	COMP		0.050		2.700
66/06/27	COMP		0.050		2.400
66/07/05	COMP		0.060		5.100
66/07/23	COMP		0.060		6.500
66/07/31	COMP		0.080		1.700
66/08/29	COMP		0.080		2.900
66/09/05	COMP		0.040		2.400
66/09/26	COMP		0.060		1.000
66/10/03	COMP		0.060		2.700
66/10/24	COMP		0.040		2.400
66/10/31	COMP		0.040		1.200
66/11/28	COMP		0.030		1.000
66/12/05	COMP		0.030		2.400
66/12/26	COMP		0.040		2.700
67/01/02	COMP		0.040		
67/01/23	COMP				

A-81

TABLE A-14 (Cont.)

(RMN-17)

070044  
 38 13 00.0 108 33 45.0  
 SAN MIGUEL RIVER AT NATURITA  
 08 COLORADO  
 COLORADO RIVER BASIN  
 UPPER COLORADO RIVER SUB BASIN  
 1118C030 2111204  
 2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	RA-226 0.060	09504 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L
67/01/30						5.000
67/02/20			COMP			
67/02/27			COMP	0.050		2.400
67/03/27			COMP	0.040		3.000
67/04/23			COMP	0.030		1.500
67/04/30			COMP	0.020		1.700
67/05/28			COMP	0.040		2.500
67/06/05			COMP	0.060		2.000
67/06/26			COMP	0.050		4.100
67/07/02			COMP	0.040		3.100
67/07/24			COMP	0.030		3.800
67/11/26			COMP	0.040		5.100
67/12/03			COMP	0.040		2.800
67/12/24			COMP	0.020		3.300
68/01/28			COMP	0.030		3.300
68/02/04			COMP	0.050		1.600
68/02/25			COMP	0.040		1.600
68/03/03			COMP	0.020	0.000	0.800
68/03/24			COMP	0.040	0.010	0.700
68/03/31			COMP	0.030	0.010	0.600
68/04/21			COMP	0.060	0.010	6.900
68/04/28			COMP	0.040	0.010	
68/05/26			COMP	0.020	0.010	
68/06/02			COMP	0.040	0.010	
68/06/23			COMP	0.050	0.010	
68/06/30			COMP	0.040	0.010	
68/07/28			COMP	0.030	0.010	
68/08/04	10 00		COMP	0.040	0.010	
CP(T)-04			COMP	0.030	0.010	
68/08/25	10 00		COMP	0.060	0.010	
68/09/01			COMP	0.040	0.010	
68/09/22			COMP	0.040	0.010	

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	RA-226 0.040	09504 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L
68/09/29			COMP	0.010	0.000	4.400
68/10/27			COMP	0.040	0.000	4.300
68/11/03			COMP	0.020	0.000	6.000
68/11/24			COMP	0.050	0.010	3.300
68/12/01			COMP	0.040	0.010	1.600
68/12/22			COMP	0.030	0.010	2.200
68/12/29			COMP	0.050	0.010	3.600
69/01/26			COMP	0.080	0.010	5.000
69/02/03			COMP	0.040	0.010	3.000
69/02/23			COMP	0.030	0.010	3.200
69/03/02			COMP	0.040	0.010	3.900
69/03/23			COMP	0.050	0.010	2.600
69/03/30			COMP	0.040	0.010	2.400
69/04/27			COMP	0.030	0.010	2.400
69/05/11			COMP	0.040	0.010	2.400
69/05/25			COMP	0.050	0.010	2.400
69/06/01			COMP	0.040	0.010	2.400
69/06/22			COMP	0.050	0.010	2.400
69/06/29			COMP	0.040	0.010	2.400
69/08/28			COMP	0.050	0.010	2.400
69/09/04			COMP	0.060	0.010	2.400
69/09/25			COMP	0.040	0.010	2.400
69/10/02			COMP	0.050	0.010	2.400
69/10/30			COMP	0.040	0.010	2.400
69/11/06			COMP	0.050	0.010	2.400
69/11/26			COMP	0.060	0.010	2.400
69/12/04			COMP	0.040	0.010	2.400
70/01/02			COMP	0.050	0.010	2.400
70/01/09			COMP	0.030	0.010	2.400
70/01/29			COMP	0.020	0.010	2.400
70/02/05			COMP	0.040	0.010	2.400
70/02/26			COMP	0.030	0.010	2.400
70/03/05			COMP	0.050	0.010	2.400
70/03/26			COMP	0.040	0.010	2.400
70/04/02			COMP	0.050	0.010	2.400
70/05/01			COMP	0.040	0.010	2.400
70/05/08			COMP	0.050	0.010	2.400
70/05/28			COMP	0.040	0.010	2.400
70/06/04			COMP	0.040	0.010	2.400
70/06/25			COMP	0.040	0.010	2.400

TABLE A-14 (Cont.)  
(RMN-17)

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D PC/L	22703 U-NAT UG/L
70/07/02			0.030	0.010	3.000
70/07/24	COMP				
70/07/30			0.040	0.010	0.900
70/08/27	COMP				
70/09/03			0.050	0.010	0.700
70/10/01	COMP				
70/10/07			0.050	0.010	2.600
70/10/29	COMP				
70/11/05			0.010	0.030	2.300
70/11/25	COMP				
70/12/03			0.040	0.010	2.100
70/12/31	COMP				
71/01/07			0.040	0.010	4.500
71/01/28	COMP				
71/02/03			0.030	0.010	2.500
71/02/25	COMP				
71/03/04			0.040	0.010	2.000
71/04/01	COMP				
71/04/18			0.040	0.010	4.200
71/04/28	COMP				
71/05/06			0.040	0.010	1.000
71/05/27	COMP				
71/06/03			0.030	0.010	0.400
71/07/01	COMP				
71/07/08			0.008		0.900
71/07/29	COMP				
71/08/05			0.100K		1.300
71/08/26	COMP				
71/09/02			0.100K		3.200
71/09/30	COMP				
71/10/07			0.100K		1.900
71/10/14			0.100K		2.200
71/10/21			0.100K		1.300
71/10/28			0.200		1.600
71/11/04			0.200		2.000
71/11/10			0.100K		1.800
71/11/19			0.100K		3.500
71/11/24			0.100K		2.500
71/12/02			0.100K		2.600

070044  
38 13 00.0 108 33 45.0  
SAN MIGUEL RIVER AT NATURITA  
08 COLORADO  
COLORADO RIVER BASIN  
UPPER COLORADO RIVER SUB BASIN  
1118C030 2111204  
2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D PC/L	22703 U-NAT UG/L
71/12/09			0.100K		2.500
71/12/16			0.100		3.800
71/12/22			0.100		3.500
71/12/29			0.100K		5.200
72/01/06			0.100K		2.200
72/01/13			0.100K		2.200
72/01/21			0.100K		2.600
72/01/27			0.100K		2.600
72/02/03			0.100K		2.900
72/02/11			0.100K		1.800
72/02/17			0.100K		1.800
72/02/24			0.100K		3.600
72/03/02			0.100K		8.200
72/03/09			0.100K		2.400
72/03/16			0.100K		1.800
72/03/23			0.100K		1.300
72/03/31			0.100K		1.300
72/04/06			0.100K		1.400
72/04/13			0.100K		1.500
72/04/21			0.100K		1.800
72/04/26			0.100K		1.300
72/05/04			0.100		1.300
72/05/11			0.100		2.000
72/05/16			0.100		3.100
72/05/25			0.100		1.000
72/06/01			0.100K		0.600
72/06/08			0.100K		1.200
72/06/15			0.100K		0.700
72/06/22			0.200		1.000
72/06/29			0.100K		0.900

A  
83

## STATION DESCRIPTION

(RMN-18)

070045  
 38 22 00.0 108 44 00.0  
 SAN MIGUEL RIVER AT URAVAN  
 08 COLORADO  
 COLORADO RIVER BASIN  
 UPPER COLORADO SUB BASIN  
 1118C030 2111204  
 2 0000 FEET DEPTH

## RIVER

SYSTEM	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
INDEX	1101001	011940	01090								
MILES	1027.10	0066.60	006.70								

## DESCRIPTION

CRHP NO. RMN-18, BWS-64  
 NE1/4, SW1/4, SEC 34, T48N, R17W

TYPE FLOW MEAS-WIRE WEIGHT INSTANT AT STATE 141 BRIDGE UPSTREAM  
 SAMPLED AT COUNTY HWY BRIDGE UPSTREAM OF OLD MILL AT URAVAN IN  
 MONTROSE COUNTY, UPSTREAM OF DIVERSION TO URAVAN MILL.

TYPE DATA-RAD, AUTO, 1 GAL/WEEK

SAMPLING STARTED AT OLD LOCATION (SEE REMARKS) 10/27/61 AND ENDED  
 11/10/71. SAMPLING STARTED AT NEW LOCATION 11/19/71 AND IS ONGOING

REMARKS: OLD LOCATION 1MI. UPSTREAM URAVAN AND DOWNSTREAM OF HWY 141 AT  
 BALL PARK. INCREASED LEVELS OF RADIOACTIVITY FROM RESIDUAL AND ERODED  
 TAILINGS MATERIALS FROM VAN CORP OF AMER OLD MILL 11MI UPS AT NATURITA

Number of Samples assayed for Ra-226 through period of record (1961-1972): 211  
 Mean Ra-226 concentration for period of record and  $2\sigma$  deviation :  $0.17 \pm 0.28$

Number of Samples assayed for U(total) through period of record (1962-1972): 179  
 Mean U(total) concentration for period of record and  $2\sigma$  deviation :  $4.90 \pm 11.00$

STATION LOCATIONS

(RMN-18; RMN-20)

A-85




TABLE A-15  
(RMN-18)

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT UG/L
61/10/27			0.160		
61/11/04	COMP				
61/11/04			0.120		
61/11/11	COMP				
61/11/11			0.090		
61/11/17	COMP				
61/11/17			0.110		
61/11/25	COMP				
61/11/25			0.110		
61/12/02	COMP				
61/12/02			0.150		
61/12/09	COMP				
61/12/09			0.140		
61/12/17	COMP				
61/12/17			0.180		
61/12/23	COMP				
61/12/23			0.200		
61/12/30	COMP				
61/12/30			0.150		
62/01/05	COMP				
62/01/05			0.270		
62/01/13	COMP				
62/01/13			0.250		
62/01/21	COMP				
62/01/21			0.270		
62/01/28	COMP				
62/01/28			0.220		
62/02/03	COMP				
62/02/03			0.250		
62/02/10	COMP				
62/02/10			0.170		
62/02/18	COMP				
62/02/18			0.240		
62/02/25	COMP				
62/02/25			0.180		
62/03/02	COMP				
62/03/02			0.290		
62/03/11	COMP				
62/03/11			0.240		
62/03/18	COMP				

070045  
 38 22 00.0 108 44 00.0  
 SAN MIGUEL RIVER AT URAVAN  
 08 COLORADO  
 COLORADO RIVER BASIN  
 UPPER COLORADO SUB BASIN  
 1118C030 2111204  
 2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT UG/L
62/03/13			0.180		
62/03/24	COMP				
62/03/14			0.160		
62/04/01	COMP				
62/03/25			0.230		
62/04/01	COMP				
62/04/01			0.230		
62/04/28	COMP				
62/05/07			0.280		
62/05/13	COMP				
62/06/03			0.380		
62/07/01	COMP				
62/07/01			0.240		
62/07/28	COMP				
62/07/28			0.360		
62/09/03	COMP				
62/09/03			0.490		
62/09/09	COMP				
62/09/09			0.510		
62/09/16	COMP				
62/09/16			0.260		
62/09/23	COMP				
62/09/23			0.130		
62/09/29	COMP				
62/09/29			0.210		5.600
62/10/07	COMP				
62/10/07			0.160		5.500
62/10/13	COMP				
62/10/13			0.080		5.800
62/10/19	COMP				
62/10/19			0.060		3.000
62/10/19	COMP				
62/10/27			0.110		4.700
62/10/27	COMP				
62/11/04			0.110		6.100
62/11/04	COMP				
62/11/12			0.340		6.700
62/11/12	COMP				
62/11/19			0.050		5.900
62/11/19	COMP				
62/11/25					

TABLE A-15 (Cont.)  
(RMN-18)

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L
62/11/25			0.130		9.100
62/12/02	COMP		0.030		5.500
62/12/02					
62/12/09	COMP		0.100		6.300
62/12/09					
62/12/16	COMP		0.060		6.800
62/12/16					
62/12/22	COMP		0.150		9.400
62/12/22					
62/12/30	COMP		0.350		17.000
62/12/30					
63/01/06	COMP		0.400		24.000
63/01/06					
63/01/13	COMP		0.880		63.000
63/01/13					
63/01/20	COMP		1.240		19.000
63/01/20					
63/01/27	COMP		0.590		17.000
63/01/27					
63/02/03	COMP		0.330		7.700
63/02/03					
63/02/10	COMP		0.480		12.000
63/02/10					
63/02/17	COMP		0.090		9.400
63/02/17					
63/02/24	COMP		0.300		8.700
63/02/24					
63/03/03	COMP		0.310		16.000
63/03/03					
63/03/09	COMP		0.780		12.000
63/03/09					
63/03/18	COMP		0.210		4.800
63/03/18					
63/03/23	COMP		0.230		2.700
63/03/23					
63/03/30	COMP		0.400		1.200
63/03/30					
63/04/07	COMP		0.190		1.600
63/04/07					
63/04/13	COMP				

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L
63/04/13			0.210		4.000
63/04/21	COMP		0.200		5.900
63/04/21					
63/04/27	COMP		0.280		2.000
63/04/27					
63/05/05	COMP		0.330		2.600
63/05/05					
63/05/11	COMP		0.340		0.800
63/05/11					
63/05/19	COMP		0.260		2.500
63/05/19					
63/05/26	COMP		0.250		1.900
63/05/26					
63/06/02	COMP		0.280		3.200
63/06/02					
63/06/09	COMP		0.240		0.900
63/06/09					
63/06/16	COMP		0.280		1.600
63/06/16					
63/06/23	COMP		0.360		2.700
63/06/23					
63/06/30	COMP		0.110		7.700
63/06/30					
63/08/04	COMP		0.160		3.800
63/08/04					
63/08/31	COMP		0.140		3.100
63/08/31					
63/09/29	COMP		0.190		6.000
63/09/29					
63/11/03	COMP		0.100		1.900
63/11/03					
63/11/30	COMP		0.130		5.700
63/11/30					
63/12/29	COMP		0.110		3.200
63/12/29					
64/02/02	COMP		0.090		3.900
64/02/02					
64/02/28	COMP		0.110		2.500
64/02/28					
64/02/29	COMP		0.110		
64/03/29					

TABLE A-15 (Cont.)  
(RMN-18)

070045  
38 22 00.0 108 44 00.0  
SAN MIGUEL RIVER AT URAVAN  
08 COLORADO  
COLORADO RIVER BASIN  
UPPER COLORADO SUB BASIN  
1118C030 2111204  
2 0000 FEET DEPTH

A-88	DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D PC/L	22703 U-NAT UG/L	DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D PC/L	22703 U-NAT UG/L
	64/03/29			0.190		3.200				65/11/29	0.340	8.300
	64/05/03	COMP		0.200		1.800				66/01/03		5.100
	64/05/03									66/01/31		
	64/05/30	COMP		0.180		0.900				66/01/31		6.700
	64/05/30									66/02/28		
	64/06/28	COMP		0.150		3.700				66/02/28		
	64/06/28									66/04/04		2.100
	64/08/01	COMP		0.080		1.200				66/04/04		1.700
	64/08/01									66/05/02		
	64/08/29	COMP		0.150		6.300				66/05/02		1.000
	64/08/29									66/05/30		
	64/10/03	COMP		0.110		3.500				66/05/30		
	64/10/03									66/05/30		2.200
	64/11/01	COMP		0.100		5.000				66/07/05		
	64/11/01									66/07/05		3.600
	64/11/29	COMP		0.090		5.000				66/07/31		
	64/11/29									66/07/31		6.000
	65/01/03	COMP		0.130		4.900				66/09/05		5.700
	65/01/03									66/09/05		
	65/01/31	COMP		0.100		4.900				66/10/03		3.700
	65/01/31									66/10/03		
	65/02/28	COMP		0.130		5.000				66/10/31		2.900
	65/02/28									66/10/31		
	65/04/04	COMP		0.400		2.600				66/12/05		5.900
	65/04/05									66/12/05		
	65/05/01	COMP		0.400		2.600				67/01/02		
	65/05/01									67/01/02		4.700
	65/05/31	COMP		0.160		1.300				67/01/30		
	65/05/31									67/01/30		5.000
	65/07/05	COMP		0.090		2.000				67/02/27		
	65/07/05									67/02/27		3.700
	65/08/01	COMP		0.080		2.800				67/03/27		
	65/08/01									67/03/27		3.500
	65/08/31	COMP		0.150		3.600				67/04/23		
	65/08/31									67/04/23		2.800
	65/09/31	COMP		0.100		5.000				67/05/28		
	65/10/04									67/05/28		2.700
	65/10/04	COMP		0.080		5.600				67/07/03		
	65/11/02									67/07/03		2.700
	65/11/02	COMP		0.090		4.400				67/07/31		
	65/11/29									67/07/31		

TABLE A-15 (Cont.)

(RMN-18)

A-89

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT UG/L
67/07/31			0.250		4.500
67/09/04				COMP	0.130
67/09/04					5.100
67/10/02				COMP	0.110
67/09/30					3.700
67/10/30				COMP	0.080
67/10/30					5.000
67/12/03				COMP	0.060
67/12/03					5.200
67/12/31				COMP	0.090
67/12/31					5.200
68/02/04				COMP	0.090
68/02/04					5.000
68/03/03				COMP	0.110
68/03/03					4.400
68/03/31				COMP	0.160
68/03/31					3.400
68/04/28				COMP	0.090
68/04/28					1.400
68/06/02				COMP	0.110
68/06/02			0.010		0.900
68/06/30	10 00				
CP(T)-06			0.110	0.020	1.500
68/08/04	10 00				
68/08/04			0.100	0.010	1.500
68/09/01				COMP	0.100
68/09/01					0.010
68/09/29				COMP	0.130
68/09/30					0.020
68/11/03				COMP	0.090
68/11/03					0.010
68/12/01				COMP	0.120
68/12/01					7.100
68/12/29				COMP	0.060
68/12/29					5.700
69/01/31				COMP	0.060
69/02/01					7.200
69/02/23				COMP	0.100
69/03/02					7.500
69/03/30				COMP	0.080

070045	38 22 00.0	108 44 00.0	09503	09504	22703
SAN MIGUEL RIVER AT URAVAN			RA-226	RA-226-D	U-NAT
08 COLORADO			DISOLVED	DISOLVED	UG/L
COLORADO RIVER BASIN			DATE	DATE	
UPPER COLORADO SUB BASIN			FROM	FROM	
1118C030	2111204	0000 FEET DEPTH	TO	TO	
2			DAY	DAY	
			FEET	FEET	
			PC/L	PC/L	UG/L
			COMP	COMP	COMP
			0.130	0.020	17.000
			0.060	0.010	6.100
			0.060	0.010	6.500
			0.100	0.010	3.000
			COMP	COMP	COMP
			0.070	0.010	2.200
			COMP	COMP	COMP
			0.050	0.010	2.900
			COMP	COMP	COMP
			0.050	0.010	1.600
			0.100	0.010	5.100
			0.090	0.010	5.000
			COMP	COMP	COMP
			0.060	0.010	3.700
			COMP	COMP	COMP
			0.040	0.010	3.900
			COMP	COMP	COMP
			0.060	0.010	4.200
			COMP	COMP	COMP
			0.060	0.010	6.300
			COMP	COMP	COMP
			0.100	0.020	5.500
			COMP	COMP	COMP
			0.050	0.010	5.200
			COMP	COMP	COMP
			0.080	0.010	3.700
			COMP	COMP	COMP
			-	0.090	0.010
			COMP	COMP	COMP
			0.090	0.020	1.100
			COMP	COMP	COMP
			0.070	0.010	3.500
			COMP	COMP	COMP
			0.070	0.020	1.400
			COMP	COMP	COMP
			0.100	0.020	1.700
			COMP	COMP	COMP
			0.180	0.020	4.600
			COMP	COMP	COMP

TABLE A-15 (Cont.)  
(RMN-18)

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 RA-226 DISOLVED	09504 RA-226-D PC/L	22703 U-NAT DISOLVED
70/11/17			0.100	0.020	2.400
70/11/19			0.070	0.010	3.000
70/12/03			0.060	0.010	3.900
70/12/31	COMP				
71/01/07			0.090	0.010	3.500
71/01/28	COMP				
71/02/03			0.070	0.010	3.300
71/02/25	COMP				
71/03/04			0.100	0.020	3.000
71/04/01	COMP				
71/04/05			0.090	0.010	2.200
71/04/28	COMP				
71/05/05			0.050	0.010	1.500
71/05/27	COMP				
71/06/03			0.050	0.010	1.300
71/07/01	COMP				
71/07/08			0.150		1.700
71/07/29	COMP				
71/08/05			0.100		3.400
71/08/26	COMP				
71/09/02			0.100K		2.200
71/09/30	COMP				
71/10/07			0.100K		3.900
71/10/14			0.100K		4.300
71/10/22			0.100K		3.100
71/10/28			0.100K		4.300
71/11/04			0.100		3.500
71/11/10			0.100		4.400
71/11/19			0.100K		3.300
71/11/24			0.100K		2.900
71/11/24			0.200		3.600
71/12/02	COMP				
71/12/02			0.100K		3.600
71/12/09	COMP				
71/12/09			0.100		4.300
71/12/16	COMP				
71/12/22			0.200		3.300
71/12/22			0.200		6.400
71/12/29	COMP				
71/12/29			0.100K		6.600
72/01/06	COMP				

070045  
 38 22 00.0 108 44 00.0  
 SAN MIGUEL RIVER AT URAVAN  
 08 COLORADO  
 COLORADO RIVER BASIN  
 UPPER COLORADO SUB BASIN  
 1118C030 2111204  
 2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 RA-226 DISOLVED	09504 RA-226-D PC/L	22703 U-NAT DISOLVED
72/01/06					0.100K
72/01/13					0.100K
72/01/13					0.100K
72/01/21					0.100K
72/01/21					0.100K
72/01/27					0.200
72/02/03					0.100
72/02/03					0.100K
72/02/11					0.100K
72/02/11					0.100K
72/02/17					0.100K
72/02/17					0.100K
72/02/24					0.300
72/02/24					0.100
72/03/02					0.100
72/03/02					0.100K
72/03/09					0.100K
72/03/16					0.100K
72/03/16					0.100
72/03/23					0.100K
72/03/23					0.100K
72/03/31					0.100K
72/03/31					0.100K
72/04/06					0.100K
72/04/06					0.100K
72/04/13					0.100K
72/04/13					0.200
72/04/26					0.200
72/04/26					0.400
72/05/04					0.100K
72/05/04					0.100K
72/05/11					0.100
72/05/11					0.100
72/05/18					0.200
72/05/18					0.200
72/05/25					0.200
72/05/25					0.200
72/06/01					0.200

TABLE A-15 (Cont.)

(RMN-18)

070045  
 38 22 00.0 108 44 00.0  
 SAN MIGUEL RIVER AT URAVAN  
 08 COLORADO  
 COLORADO RIVER BASIN  
 UPPER COLORADO SUB BASIN  
 1118C030 2111204  
 2 0000 FEET DEPTH

DATE	TIME	DEPTH	09503 RA-226 DISOLVED	09504 RA-226-D ERROR	22703 U-NAT DISOLVED
FROM OF		FEET	PC/L	PC/L	UG/L
TO	DAY				
72/06/01			0.100		1.000
72/06/08			COMP		
72/06/15				0.000	1.600
72/06/22			COMP		

STATION DESCRIPTION

(RMN-20)

070046  
3H 23 15.0 108 45 30.0  
SAN MIGUEL RIVER DWS OF URAVAN  
08 COLORADO  
COLORADO RIVER BASIN  
UPPER COLORADO SUB BASIN  
1118C030 2111204  
2 0000 FEET DEPTH

RIVER  
SYSTEM II III IV V VI VII VIII IX X XI XII  
INDEX 1101001 011940 01090 . . . . . . . .  
MILES 1027.10 0066.60 002.70 . . . . . . . .

DESCRIPTION

CRAP NO. RMN-20

SE1/4, NE1/4, SEC 29, T48N, R17W

TYPE FLOW MEAS-WIRE WEIGHT INSTANT AT STAFF 141 BRIDGE UPSTREAM  
SAMPLED 2 MILES UWST SCHOOL BUILDINGS AND 1.8 MILES DOWNSTRE OF MILL

TYPE DATA-RAD, BACT; AUTO. 1 GAL/WEEK

SAMPLING STARTED AT OLD LOCATION (SEE REMARKS) 10/27/61 AND ENDED  
11/10/71. SAMPLING STARTED AT NEW LOCATION 11/18/71 AND IS ONGOING

REMARKS: OLD LOCATION 1.7 DWS OF SCHOOL AND 1.5 DWS OF UNION CAR CORP  
URANIUM MILL, 0.1MI UPS MOUTH ATKINSON CREEK.

THE UNION CARBIDE MILL AT URAVAN DISCHARGES LIQUID WASTE EFFLUENT TO  
THE RIVER

A-92

Number of Samples assayed for Ra-226 through period of record (1961-1972): 531  
Mean Ra-226 concentration for period of record and  $2\sigma$  deviation :  $1.22 \pm 2.2$

Number of Samples assayed for U(total) through period of record (1962-1972): 502  
Mean U(total) concentration for period of record and  $2\sigma$  deviation :  $19.71 \pm 21.94$

**SEE PREVIOUS FIGURE FOR**

**SAMPLING LOCATION**

**RMN-20**

TABLE A-16

(RMN-20)

070046

38 23 15.0 108 45 30.0  
 SAN MIGUEL RIVER DWS OF URAVAN  
 08 COLORADO  
 COLORADO RIVER BASIN  
 UPPER COLORADO SUB BASIN  
 1118C030 2111204  
 2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L
61/10/27			1.080		
61/11/04	COMP				
61/11/04			1.270		
61/11/11	COMP				
61/11/11			1.270		
61/11/17	COMP				
61/11/17			0.740		
61/11/25	COMP				
61/11/22			0.830		
61/12/02	COMP				
61/12/02			0.660		
61/12/09	COMP				
61/12/09			0.980		
61/12/17	COMP				
61/12/17			0.980		
61/12/23	COMP				
61/12/23			0.840		
61/12/30	COMP				
62/01/28			2.650		
62/02/03	COMP				
62/02/03			0.280		
62/02/10	COMP				
62/02/10			0.450		
62/02/18	COMP				
62/02/18			0.930		
62/02/25	COMP				
62/02/25			0.550		
62/03/02	COMP				
62/03/02			0.360		
62/04/01	COMP				
62/04/01			1.000		
62/04/15	COMP				
62/04/23			0.260		
62/04/28	COMP				
62/04/28			1.180		
62/06/03	COMP				
62/06/03			1.080		
62/07/01	COMP				
62/07/01			1.080		
62/07/28	COMP				

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 PA-226 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L
62/07/28			0.440		
62/08/06	COMP				
62/08/06			0.590		
62/08/12	COMP				
62/08/12			0.780		
62/08/19	COMP				
62/08/19			0.890		
62/08/26	COMP				
62/08/26			0.810		
62/09/03	COMP				
62/09/03			0.790		
62/09/09	COMP				
62/09/09			0.990		
62/09/16	COMP				
62/09/16			0.390		
62/09/23	COMP				
62/09/23			2.500		
62/09/29	COMP				
62/09/29			0.500		
62/10/07	COMP				
62/10/07			0.200		
62/10/13	COMP				
62/10/13			0.290		
62/10/19	COMP				
62/10/19			0.200		
62/10/27	COMP				
62/10/27			0.290		
62/11/04	COMP				
62/11/04			0.600		
62/11/12	COMP				
62/11/12			0.510		
62/11/19	COMP				
62/11/19			1.100		
62/11/25	COMP				
62/11/25			0.380		
62/11/25	COMP				
62/11/25			0.340		
62/12/02	COMP				
62/12/02			0.110		
62/12/09	COMP				
62/12/09			48.000		
62/12/16	COMP				

TABLE A-16 (Cont.)  
(RMN-20)

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT UG/L
62/12/16			4.840		62.000
62/12/22			COMP		
62/12/22				0.240	84.000
62/12/30			COMP		
62/12/30				0.680	54.000
63/01/06			COMP		
63/01/06				0.740	1.500
63/01/13			COMP		
63/01/13				0.590	67.000
63/01/20			COMP		
63/01/20				0.850	2.500
63/01/27			COMP		
63/01/27				0.480	24.000
63/02/03			COMP		
63/02/03				1.130	4.400
63/02/10			COMP		
63/02/10				2.500	52.000
63/02/17			COMP		
63/02/17				1.540	24.000
63/02/24			COMP		
63/02/24				0.810	29.000
63/03/03			COMP		
63/03/03				0.940	57.000
63/03/09			COMP		
63/03/09				2.330	33.000
63/03/18			COMP		
63/03/18				0.240	6.600
63/03/23			COMP		
63/03/23				0.400	9.700
63/03/30			COMP		
63/03/30				1.250	41.000
63/04/07			COMP		
63/04/07				1.060	19.000
63/04/13			COMP		
63/04/13				1.060	1.300
63/04/21			COMP		
63/04/21				1.190	0.700
63/04/27			COMP		
63/04/27				0.810	0.200
63/05/05			COMP		

070046  
38 23 15.0 108 45 30.0  
SAN MIGUEL RIVER DWS OF URAVAN  
OB COLORADO  
COLORADO RIVER BASIN  
UPPER COLORADO SUB BASIN  
1118C030 2111204  
2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT UG/L
63/05/05			1.340		2.500
63/05/11			COMP		
63/05/11				2.800	29.000
63/05/19			COMP		
63/05/19				1.480	15.000
63/05/26			COMP		
63/05/26				0.850	4.900
63/06/02			COMP		
63/06/02				1.460	5.100
63/06/09			COMP		
63/06/09				0.260	0.000
63/06/16			COMP		
63/06/16				0.630	0.000
63/06/23			COMP		
63/06/23				0.440	2.000
63/06/30			COMP		
63/06/30				1.800	22.000
63/07/07			COMP		
63/07/07				0.440	8.200
63/07/12			COMP		
63/07/12				1.260	30.000
63/07/21			COMP		
63/07/21				0.280	1.600
63/07/27			COMP		
63/07/27				0.310	22.000
63/08/04			COMP		
63/08/04				0.200	17.000
63/08/11			COMP		
63/08/11				1.200	42.000
63/08/18			COMP		
63/08/18				1.290	57.000
63/08/25			COMP		
63/08/25				0.830	59.000
63/08/31			COMP		
63/08/31				1.460	27.000
63/09/08			COMP		
63/09/08				0.900	26.000
63/09/14			COMP		
63/09/14				0.380	23.000
63/09/22			COMP		

TABLE A-16 (Cont.)  
(RMN-20)

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D PC/L	22703 U-NAT UG/L
63/09/22			2.160		34.000
63/09/29			COMP	2.150	78.000
63/09/29					56.000
63/10/06			COMP	1.360	31.000
63/10/06					6.400
63/10/13			COMP	1.950	2.500
63/10/13					29.000
63/10/20			COMP	1.880	3.700
63/10/20					62.000
63/10/27			COMP	2.080	18.000
63/10/27					24.000
63/11/03			COMP	1.750	19.000
63/11/03					20.000
63/11/10			COMP	2.210	37.000
63/11/10					41.000
63/11/17			COMP	1.590	32.000
63/11/17					32.000
63/11/24			COMP	0.940	
63/11/24					
63/11/30			COMP	0.580	
63/11/30					
63/12/08			COMP	5.580	
63/12/08					
63/12/15			COMP	3.240	
63/12/15					
63/12/22			COMP	3.380	
63/12/22					
63/12/24			COMP	3.280	
63/12/28			COMP	1.760	
64/01/05			COMP	1.760	
64/01/05					
64/01/12			COMP	0.940	
64/01/12					
64/01/19			COMP	1.310	
64/01/19					
64/01/26			COMP	1.550	
64/01/26					
64/02/02			COMP	0.800	
64/02/02					
64/02/09			COMP	0.800	

070046  
38 23 15.0 108 45 30.0  
SAN MIGUEL RIVER DWS OF URAVAN  
08 COLORADO  
COLORADO RIVER BASIN  
UPPER COLORADO SUB BASIN  
1118C030 2111204  
2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D PC/L	22703 U-NAT UG/L
64/02/09			0.810		46.000
64/02/16			COMP	0.800	60.000
64/02/16					
64/02/22			COMP	2.010	82.000
64/02/22					
64/02/28			COMP	1.740	27.000
64/02/29					
64/03/08			COMP	5.060	54.000
64/03/08					
64/03/14			COMP	1.370	58.000
64/03/14					
64/03/22			COMP	1.530	58.000
64/03/22					
64/03/29			COMP	0.640	110.000
64/03/29					
64/04/05			COMP	1.870	84.000
64/04/05					
64/04/12			COMP	0.250	5.900
64/04/12					
64/04/19			COMP	0.350	5.300
64/04/19					
64/04/26			COMP	0.340	4.100
64/04/26					
64/05/03			COMP	0.210	3.700
64/05/03					
64/05/10			COMP	0.390	2.900
64/05/10					
64/05/17			COMP	0.060	0.300
64/05/17					
64/05/24			COMP	0.200	2.100
64/05/24					
64/05/31			COMP	0.240	5.200
64/05/31					
64/06/06			COMP	0.340	4.600
64/06/06					
64/06/13			COMP	0.300	5.500
64/06/13					
64/06/21			COMP	0.240	4.500
64/06/21					
64/06/28			COMP		

TABLE A-16 (Cont.)  
(RMN-20)

070046  
38 23 15.0 108 45 30.0  
SAN MIGUEL RIVER DWS OF URAVAN  
08 COLORADO  
COLORADO RIVER BASIN  
UPPER COLORADO SUB BASIN  
1118C030 2111204  
2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D PC/L	22703 U-NAT UG/L
64/06/28					
64/07/05	COMP		0.390		10.000
64/07/05			0.320		12.000
64/07/12	COMP		0.330		14.000
64/07/12			0.540		16.000
64/07/19	COMP		1.060		44.000
64/07/19			0.300		14.000
64/08/01	COMP		0.200		20.000
64/08/01			0.150		14.000
64/08/08	COMP		0.210		31.000
64/08/08			0.580		40.000
64/08/16	COMP		1.860		62.000
64/08/16			0.800		37.000
64/09/06	COMP		0.520		29.000
64/09/06			0.680		35.000
64/09/14	COMP		0.340		40.000
64/09/14			0.480		26.000
64/09/21	COMP		0.230		35.000
64/09/21			0.200		37.000
64/09/27	COMP		0.450		95.000
64/09/27			0.780		34.000
64/10/03	COMP		0.780		
64/10/03			COMP		
64/10/11	COMP		COMP		
64/10/11			COMP		
64/10/18	COMP		COMP		
64/10/18			COMP		
64/10/25	COMP		COMP		
64/10/25			COMP		
64/11/01	COMP		COMP		
64/11/01			COMP		
64/11/08	COMP		COMP		
64/11/08			COMP		
64/11/15	COMP		COMP		

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D PC/L	22703 U-NAT UG/L
64/11/15			1.760		47.000
64/11/22	COMP			1.370	61.000
64/11/29	COMP			0.480	32.000
64/12/06	COMP			0.740	36.000
64/12/06	COMP			0.420	46.000
64/12/20	COMP			0.390	39.000
64/12/26	COMP			0.600	65.000
65/01/03	COMP			0.730	44.000
65/01/10	COMP			0.730	91.000
65/01/17	COMP			0.740	44.000
65/01/24	COMP			1.270	48.000
65/01/24	COMP			0.470	27.000
65/01/31	COMP			0.490	41.000
65/01/31	COMP			3.140	39.000
65/02/07	COMP			0.380	41.000
65/02/07	COMP			0.210	36.000
65/02/14	COMP			0.190	12.000
65/02/14	COMP			0.190	11.000
65/02/20	COMP			0.620	16.000
65/02/20	COMP			0.380	28.000
65/02/28	COMP			COMP	
65/02/28	COMP			COMP	
65/03/07	COMP			COMP	
65/03/07	COMP			COMP	
65/03/13	COMP			COMP	
65/03/14	COMP			COMP	
65/03/21	COMP			COMP	
65/03/21	COMP			COMP	
65/03/28	COMP			COMP	
65/03/28	COMP			COMP	
65/04/04	COMP			COMP	

A-07

TABLE A-16 (Cont.)

(RMN-20)

070046

38 23 15.0 108 45 30.0  
 SAN MIGUEL RIVER DWS OF URAVAN  
 08 COLORADO  
 COLORADO RIVER BASIN  
 UPPER COLORADO SUB BASIN  
 1118C030 2111204  
 2 0000 FEET DEPTH

A-98	DATE FROM	TIME OF	DEPTH	09503	09504	22703
	TO	DAY	FEET	RA-226 DISOLVED	RA-226-D ERROR	U-NAT
	65/04/04					
	65/04/11			1.670		19.000
	65/04/11			COMP	0.400	25.000
	65/04/18			COMP	0.310	2.400
	65/04/25			COMP	0.240	2.300
	65/05/01			COMP	0.180	3.000
	65/05/09			COMP	0.330	4.300
	65/05/16			COMP	0.110	1.700
	65/05/23			COMP	0.140	2.900
	65/05/31			COMP	0.140	4.300
	65/06/07			COMP	0.180	4.200
	65/06/07			COMP	0.100	3.800
	65/06/14			COMP	0.190	5.100
	65/06/21			COMP	0.300	2.200
	65/06/21			COMP	0.110	3.600
	65/06/28			COMP	0.200	5.300
	65/07/26			COMP	0.090	4.200
	65/08/01			COMP	0.100	4.400
	65/08/09			COMP	0.100	5.200
	65/08/09			COMP	0.130	7.800
	65/08/16			COMP	0.290	6.900
	65/08/23			COMP		
	65/08/23			COMP		
	65/08/31			COMP		

DATE FROM	TIME OF	DEPTH	09503	09504	22703
TO	DAY	FEET	RA-226 DISOLVED	RA-226-D ERROR	U-NAT
65/08/31					
65/09/06			0.590		14.000
65/09/06			COMP	0.400	14.000
65/09/13			0.920		26.000
65/09/13			COMP	0.330	12.000
65/09/20			0.500		12.000
65/09/20			COMP	0.380	16.000
65/09/27			0.190		16.000
65/09/27			COMP	0.230	11.000
65/10/04			0.690		23.000
65/10/04			COMP	0.270	9.600
65/10/10			0.150		14.000
65/10/11			COMP	0.190	8.500
65/10/20			1.270		15.000
65/10/20			COMP	0.250	12.000
65/10/26			0.250		1.080
65/11/02			1.080		24.000
65/11/02			COMP	0.540	29.000
65/11/08			0.120		5.200
65/11/08			COMP	1.470	32.000
65/11/15			0.470		20.000
65/11/15			COMP	0.350	36.000
65/11/22			COMP		
65/11/22			COMP		
65/11/29			COMP		
65/11/29			COMP		
65/12/06			COMP		
65/12/06			COMP		
65/12/13			COMP		
65/12/13			COMP		
65/12/19			COMP		
65/12/20			COMP		
65/12/27			COMP		
65/12/27			COMP		
66/01/03			COMP		
66/01/03			COMP		
66/01/10			COMP		
66/01/10			COMP		
66/01/17			COMP		

TABLE A-16 (Cont.)  
(RMN-20)

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226 PC/L	RA-226-D ERROR PC/L	22703 U-NAT UG/L
66/01/17			0.530			20.000
66/01/24			COMP			
66/01/24			0.530			21.000
66/01/31			COMP			
66/01/31			0.930			24.000
66/02/07			COMP			
66/02/07			0.750			26.000
66/02/14			COMP			
66/02/14			1.180			40.000
66/02/21			COMP			
66/02/21			0.570			20.000
66/02/28			COMP			
66/02/28			0.600			18.000
66/03/07			COMP			
66/03/07			0.200			8.900
66/03/14			COMP			
66/03/14			0.220			3.800
66/03/21			COMP			
66/03/21			0.470			10.000
66/03/28			COMP			
66/03/28			0.160			3.400
66/04/04			COMP			
66/04/04			0.220			3.000
66/04/11			COMP			
66/04/11			0.320			1.100
66/04/18			COMP			
66/04/18			0.250			3.700
66/04/25			COMP			
66/04/25			0.200			3.000
66/05/02			COMP			
66/05/02			0.210			0.800
66/05/09			COMP			
66/05/09			0.310			2.200
66/05/16			COMP			
66/05/16			0.220			0.800
66/05/24			COMP			
66/05/24			0.840			1.700
66/05/30			COMP			
66/06/06			0.300			3.700
66/05/13			COMP			

070046 38 23 15.0 108 45 30.0 SAN MIGUEL RIVER DWS OF URAVAN 08 COLORADO COLORADO RIVER BASIN UPPER COLORADO SUB BASIN 1118C030 2111204 2	DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226 PC/L	RA-226-D ERROR PC/L	22703 U-NAT UG/L
	66/06/13			0.250			5.400
	66/06/20			COMP			
	66/06/20			0.780			8.400
	66/06/27			COMP			
	66/06/27			0.820			9.400
	66/07/05			COMP			
	66/07/05			2.350			18.000
	66/07/11			COMP			
	66/07/11			1.860			16.000
	66/07/18			COMP			
	66/07/18			0.940			24.000
	66/07/25			COMP			
	66/07/25			0.690			27.000
	66/07/31			COMP			
	66/07/31			0.310			19.000
	66/08/08			COMP			
	66/08/08			0.960			33.000
	66/08/15			COMP			
	66/08/15			0.350			46.000
	66/08/22			COMP			
	66/08/22			2.450			76.000
	66/08/29			COMP			
	66/08/29			2.550			42.000
	66/09/05			COMP			
	66/09/05			1.570			29.000
	66/09/12			COMP			
	66/09/12			2.750			51.000
	66/09/19			COMP			
	66/09/19			3.630			66.000
	66/09/26			COMP			
	66/09/26			6.370			77.000
	66/10/03			COMP			
	66/10/03			1.670			8.400
	66/10/10			COMP			
	66/10/10			1.470			6.700
	66/10/17			COMP			
	66/10/17			4.310			3.600
	66/10/24			COMP			
	66/10/24			2.060			2.700
	66/10/31			COMP			

TABLE A-16 (Cont.)

(RMN-20)

070046  
 38 23 15.0 108 45 30.0  
 SAN MIGUEL RIVER DWS OF URAVAN  
 08 COLORADO  
 COLORADO RIVER BASIN  
 UPPER COLORADO SUB BASIN  
 1118C030 2111204  
 2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT UG/L
66/10/31			1.180		0.700
66/11/07	COMP		9.800		32.000
66/11/14	COMP		3.230		27.000
66/11/14					5.400
66/11/21	COMP		0.980		24.500
66/11/21					60.000
66/12/05	COMP		3.340		28.000
66/12/05					57.000
66/12/12	COMP		2.550		2.060
66/12/12					91.000
66/12/19	COMP		2.250		4.000
66/12/19					5.400
66/12/26	COMP		1.270		3.700
66/12/26					8.100
67/01/02	COMP		1.960		17.000
67/01/02					16.000
67/01/09	COMP		2.060		6.000
67/01/09					3.000
67/01/19	COMP		4.120		8.400
67/01/19					17.000
67/01/26	COMP		4.120		4.000
67/01/26					21.000
67/02/06	COMP		1.270		
67/02/06					
67/02/13	COMP		0.670		
67/02/13					
67/02/20	COMP		1.180		
67/02/20					
67/02/27	COMP		1.270		
67/02/27					
67/03/06	COMP		0.670		
67/03/06					
67/03/13	COMP		1.270		
67/03/13					
67/03/20	COMP		1.270		
A-100					

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT UG/L
67/03/20	COMP		1.080		17.000
67/03/27	COMP		1.180		4.800
67/03/27					10.000
67/04/03	COMP		0.490		4.000
67/04/02	COMP		1.370		7.200
67/04/09	COMP		1.270		1.600
67/04/09					7.400
67/04/16	COMP		0.540		2.000
67/04/16					1.000
67/04/23	COMP		0.530		9.200
67/04/23					6.800
67/04/30	COMP		0.310		12.000
67/04/30					11.000
67/05/06	COMP		0.570		26.000
67/05/06					6.500
67/05/13	COMP		0.570		3.900
67/05/14	COMP		0.570		11.000
67/05/21	COMP		0.570		15.000
67/05/21					21.000
67/05/28	COMP		0.520		
67/05/28					
67/06/05	COMP		0.240		
67/06/05					
67/06/12	COMP		0.330		
67/06/12					
67/06/19	COMP		0.400		
67/06/19					
67/06/26	COMP				
67/06/26					
67/07/03	COMP				
67/07/03					
67/07/10	COMP				
67/07/10					
67/07/17	COMP				
67/07/17					
67/07/24	COMP				
67/07/24					
67/07/31	COMP				
67/07/31					
67/08/07	COMP				

TABLE A-16 (Cont.)

(RMN-20)

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED	09504 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L
67/08/07				0.350	31.000
67/08/14	COMP			0.400	5.300
67/08/14					53.000
67/08/21	COMP			0.790	4.200
67/08/21					12.000
67/08/28	COMP			0.870	38.000
67/09/04	COMP			0.240	6.900
67/09/04					12.000
67/09/11	COMP			0.580	9.800
67/09/11					14.000
67/09/18	COMP			0.620	3.500
67/09/18					45.000
67/09/25	COMP			0.820	45.000
67/10/02	COMP			0.460	28.000
67/10/02					11.000
67/10/09	COMP			0.520	11.000
67/10/07					16.000
67/10/14	COMP			0.470	11.000
67/10/16					16.000
67/10/23	COMP			1.270	11.000
67/10/23					16.000
67/10/30	COMP			0.980	11.000
67/10/30					16.000
67/11/06	COMP			1.760	11.000
67/11/06					16.000
67/11/13	COMP			2.650	11.000
67/11/13					16.000
67/11/20	COMP			4.710	11.000
67/11/20					16.000
67/11/26	COMP			1.760	28.000
67/11/26					55.000
67/12/03	COMP			1.570	45.000
67/12/03					55.000
67/12/10	COMP			5.060	37.000
67/12/10					45.000
67/12/17	COMP			5.100	37.000
67/12/17					45.000
67/12/24	COMP				

070046  
 38 23 15.0 108 45 30.0  
 SAN MIGUEL RIVER DWS OF URAVAN  
 08 COLORADO  
 COLORADO RIVER BASIN  
 UPPER COLORADO SUB BASIN  
 1118C030 2111204  
 2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED	09504 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L
67/12/24				4.610	36.000
67/12/31	COMP			7.060	51.000
67/12/31					94.000
68/01/07	COMP			19.600	9.800
68/01/07					32.000
68/01/14	COMP			3.530	17.000
68/01/14					11.000
68/01/21	COMP			2.550	11.000
68/01/21					16.000
68/01/28	COMP			5.000	1.860
68/01/28					5.700
68/02/04	COMP			1.670	4.600
68/02/04					13.000
68/02/11	COMP			12.740	12.000
68/02/11					13.000
68/02/18	COMP			5.390	3.500
68/02/18					12.000
68/02/25	COMP			2.450	1.600
68/02/25					13.000
68/03/03	COMP			2.160	1.600
68/03/03					16.000
68/03/10	COMP			3.140	1.370
68/03/10					1.700
68/03/17	COMP			1.860	1.600
68/03/17					7.200
68/03/24	COMP			1.080	0.390
68/03/24					0.800
68/03/31	COMP				

TABLE A-16 (Cont.)

(RMN-20)

A-102

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT UG/L
68/05/12			0.350		1.400
68/05/19					
68/05/19	COMP		0.710		2.000
68/05/26	COMP		0.370		5.400
68/06/02	COMP				
68/06/02	COMP		0.630	0.050	0.800
68/06/09	COMP		0.360	0.030	1.000
68/06/16	COMP		0.740	0.050	1.100
68/06/23	COMP		2.030	0.090	1.000
68/06/30	COMP	10 00			
CP(T)-01			2.000	0.100	3.300
68/07/07	10 00				
68/07/07	10 00				
CP(T)-01			1.000	0.000	2.200
68/07/14	10 00				
68/07/14	10 00				
CP(T)-01			0.600	0.040	3.000
68/07/21	10 00				
68/07/21	10 00				
CP(T)-01			0.300	0.040	35.000
68/07/28	10 00				
68/07/28			0.130	0.020	8.700
68/08/04	COMP				
68/08/04			0.700	0.040	64.000
68/08/11	COMP				
68/08/11			0.690	0.040	36.000
68/08/18	COMP				
68/08/18			0.720	0.040	4.100
68/08/25	COMP				
68/08/25			4.300	0.200	21.000
68/09/01	COMP				
68/09/01			5.700	0.200	32.000
68/09/08	COMP				
68/09/08			2.800	0.100	32.000
68/09/15	COMP				

070046  
 38 23 15.0 108 45 30.0  
 SAN MIGUEL RIVER DWS OF URAVAN  
 08 COLORADO  
 COLORADO RIVER BASIN  
 UPPER COLORADO SUB BASIN  
 1118C030 2111204  
 2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT UG/L
68/09/15			1.600	0.100	13.000
68/09/22					
68/09/22	COMP		1.000	0.100	33.000
68/09/29	COMP		0.940	0.070	26.000
68/10/06	COMP		0.870	0.070	18.000
68/10/13	COMP		1.200	0.100	29.000
68/10/13					
68/10/20	COMP		0.710	0.030	26.000
68/10/20					
68/10/27	COMP		2.400	0.100	48.000
68/11/03	COMP		4.600	0.200	100.000
68/11/03					
68/11/10	COMP		4.400	0.200	25.000
68/11/10					
68/11/17	COMP		1.900	0.100	28.000
68/11/17					
68/11/24	COMP		2.000	0.100	40.000
68/11/24					
68/12/01	COMP		26.000	1.000	260.000
68/12/01					
68/12/08	COMP		2.800	0.100	24.000
68/12/08					
68/12/15	COMP		2.800	0.100	29.000
68/12/15					
68/12/22	COMP		6.400		32.000
68/12/22					
68/12/29	COMP		6.900	0.200	23.000
68/12/29					
69/01/05	COMP		3.500	0.200	48.000
69/01/05					
69/01/12	COMP		1.400	0.100	35.000
69/01/12					
69/01/19	COMP		1.400	0.100	31.000
69/01/19					
69/01/26	COMP		1.500	0.100	46.000
69/01/26					
69/01/31	COMP				

TABLE A-16 (Cont.)  
(RMN-20)

070046  
38 23 15.0 108 45 30.0  
SAN MIGUEL RIVER DWS OF URAVAN  
08 COLORADO  
COLORADO RIVER BASIN  
UPPER COLORADO SUB BASIN  
1118C030 2111204  
2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D PC/L	22703 U-NAT UG/L
69/02/01			8.900	0.300	26.000
69/02/09	COMP		8.200	0.300	25.000
69/02/09					
69/02/16	COMP		2.800	0.100	43.000
69/02/16					
69/02/23	COMP		3.800	0.100	85.000
69/03/02	COMP		4.000	0.100	83.000
69/03/02					
69/03/09	COMP		0.500	0.000	17.000
69/03/09					
69/03/16	COMP		0.240	0.020	21.000
69/03/18			0.280	0.030	13.000
69/03/19			0.240	0.020	13.000
69/03/20			3.300	0.100	37.000
69/03/30	COMP		0.330	0.030	3.600
69/04/06	COMP		0.310	0.030	4.700
69/04/06					
69/04/13	COMP		0.140	0.020	4.000
69/04/13					
69/04/20	COMP		0.160	0.020	3.900
69/04/20					
69/04/27	COMP		1.510	0.070	11.000
69/04/27					
69/05/04	COMP		0.130	0.020	2.100
69/05/04					
69/05/11	COMP		0.120	0.010	2.200
69/05/11					
69/05/18	COMP		0.140	0.020	3.000
69/05/18					
69/05/25	COMP		0.320	0.030	5.000
69/06/01	COMP		1.120	0.100	12.000
69/06/08	COMP		0.190	0.020	23.000
69/06/15	COMP		0.890	0.050	19.000
69/06/22	COMP				
69/06/29	COMP				

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D PC/L	22703 U-NAT UG/L
69/07/16			0.310	0.030	3.700
69/08/20			0.830	0.050	7.800
69/08/28			0.880	0.050	18.000
69/09/04			0.470	0.040	20.000
69/09/11			0.220	0.020	10.000
69/09/18			0.470	0.040	26.000
69/09/25			3.520	0.130	67.000
69/10/02			0.820	0.050	7.600
69/10/09			0.730	0.050	7.900
69/10/16			0.870	0.050	7.900
69/10/23			0.730	0.050	7.200
69/10/30			0.860	0.050	8.300
69/11/06			0.450	0.040	7.000
69/11/13			1.300	0.100	15.000
69/11/20			1.500	0.100	16.000
69/11/26			0.830	0.050	19.000
69/12/04			4.000	0.200	16.000
69/12/11			0.330	0.030	19.000
69/12/18			0.870	0.050	20.000
69/12/26			1.000	0.100	19.000
70/01/09			0.400	0.030	23.000
70/01/15			0.620	0.040	42.000
70/01/22			0.740	0.050	19.000
70/01/29			0.250	0.030	15.000
70/02/05			0.220	0.020	12.000
70/02/12			0.370	0.030	17.000
70/02/19			0.810	0.050	14.000
70/02/26			0.710	0.050	17.000
70/03/05			0.930	0.050	30.000
70/03/12			1.000	0.060	14.000
70/03/19			0.890	0.050	16.000
70/03/26			0.790	0.050	14.000
70/04/02			0.640	0.040	18.000
70/04/09			1.450	0.070	9.400
70/04/16			1.330	0.070	34.000
70/04/24			0.580	0.040	6.400
70/05/01			0.210	0.020	3.600
70/05/08			0.910	0.050	17.000
70/05/15			0.150	0.020	1.900

TABLE A-16 (Cont.)  
(RMN-20)

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503	09504	22703
			DISOLVED PC/L	RA-226-D PC/L	U-NAT UG/L
70/05/22			0.140	0.020	2.800
70/05/28			0.140	0.020	2.600
70/06/04			0.170	0.020	2.400
70/06/11			0.550	0.040	15.000
70/06/18			0.240	0.030	2.300
70/06/25			0.190	0.020	2.000
70/07/02			0.200	0.030	4.200
70/07/09			0.490	0.050	16.000
70/07/16			0.220	0.030	6.800
70/07/24			0.290	0.040	7.700
70/07/30			0.340	0.030	6.300
70/08/06			0.210	0.020	8.500
70/08/13			0.670	0.050	9.400
70/08/20			0.170	0.020	6.700
70/08/27			0.620	0.040	7.800
70/09/03			0.200	0.020	10.000
70/09/10			0.220	0.020	7.500
70/09/17			0.350	0.030	9.400
70/09/24			0.200	0.020	5.100
70/10/01			0.180	0.020	6.100
70/10/07			0.220	0.020	13.000
70/10/14			0.160	0.020	24.000
70/10/22			0.110	0.020	9.700
70/10/29			0.130	0.020	15.000
70/11/05			0.100	0.020	14.000
70/11/13			0.110	0.020	8.700
70/11/17			0.070	0.010	9.500
70/11/20			0.140	0.020	16.000
70/11/25			0.200	0.020	21.000
70/12/03			0.100	0.020	11.000
70/12/10			0.150	0.020	12.000
70/12/17			0.220	0.020	17.000
70/12/22			0.170	0.020	23.000
70/12/31			0.350	0.030	20.000
71/01/07			0.410	0.030	13.000
71/01/14			0.830	0.050	18.000
71/01/21			1.100	0.100	19.000
71/01/28			0.200	0.020	16.000
71/02/03			0.540	0.040	3.900

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503	09504	22703
			DISOLVED PC/L	RA-226-D PC/L	U-NAT UG/L
71/02/11			0.210	0.020	17.000
71/02/18			0.250	0.020	16.000
71/02/25			0.260	0.030	16.000
71/03/03			0.280	0.030	18.000
71/03/11			0.170	0.020	16.000
71/03/18			0.330	0.030	23.000
71/03/25			0.330	0.030	2.800
71/04/01			0.140	0.020	1.800
71/04/08			0.100	0.020	2.800
71/04/14			0.250	0.030	2.500
71/04/21			0.900	0.020	6.300
71/04/28			0.100	0.020	2.900
71/05/06			0.100	0.020	3.000
71/05/13			0.100	0.020	3.000
71/05/21			0.160	0.020	4.800
71/05/27			0.120	0.020	4.200
71/06/03			1.130	0.060	5.600
71/06/10			0.120	0.020	3.100
71/06/16			0.170	0.020	2.000
71/06/25			0.120	0.020	1.400
71/07/01			0.130	0.020	2.500
71/07/08			0.500		3.200
71/07/29			COMP		
71/07/15			0.220		4.100
71/07/22			0.180		2.700
71/07/29			0.280		7.200
71/08/05			0.400		32.000
71/08/13			0.400		14.000
71/08/19			0.500		14.000
71/08/26			0.300		5.000
71/09/02			0.200		11.000
71/09/09			0.100		13.000
71/09/16			0.300		22.000
71/09/23			0.600		18.000
71/09/30			2.400		12.000
71/10/07			0.500		3.500
71/10/14			0.200		4.800
71/10/21			0.200		7.500
71/10/28			0.100K		5.000

TABLE A-16 (Cont.)  
(RMN-20)

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED	09504 PC/L	RA-226-D ERROR PC/L	22703 U-NAT UG/L
71/11/04			0.200			8.500
71/11/10			0.400			12.000
71/11/18			0.200			7.500
71/11/24			0.200			14.000
71/11/24			0.700			23.000
71/12/02	COMP					
71/12/02			0.100			12.000
71/12/09	COMP					
71/12/09			0.300			21.000
71/12/16	COMP					
71/12/22			0.500			16.000
71/12/22			0.300			12.000
71/12/29	COMP					
71/12/29			0.300			13.000
72/01/06	COMP					
72/01/06			0.300			26.000
72/01/13	COMP					
72/01/13			0.200			28.000
72/01/21	COMP					
72/01/21			0.300			16.000
72/01/27	COMP					
72/01/27			0.200			6.400
72/02/03	COMP					
72/02/03			0.300			12.000
72/02/11	COMP					
72/02/11			1.000			20.000
72/02/17	COMP					
72/02/17			0.700			5.400
72/02/24	COMP					
72/02/24			0.800			8.900
72/03/02	COMP					
72/03/02			0.700			10.600
72/03/09	COMP					
72/03/09			0.400			11.700
72/03/16	COMP					
72/03/16			0.300			8.500
72/03/23	COMP					
72/03/23			0.300			10.200
72/03/31	COMP					
72/03/31			0.800			31.000
72/04/06	COMP					

070046  
38 23 15.0 108 45 30.0  
SAN MIGUEL RIVER DWS OF URAVAN  
08 COLORADO  
COLORADO RIVER BASIN  
UPPER COLORADO SUB BASIN  
1118C030 2111204  
2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	RA-226-D DISOLVED	09503 PC/L	09504 PC/L	22703 U-NAT UG/L
72/04/06	72/04/13					13.000
72/04/13			COMP			8.500
72/04/21				COMP		12.000
72/04/21				COMP		10.000
72/04/26				COMP		11.000
72/04/26				COMP		17.000
72/05/04				COMP		6.600
72/05/04				COMP		4.600
72/05/11				COMP		2.900
72/05/11				COMP		3.600
72/05/18				COMP		5.000
72/05/18				COMP		6.900
72/05/25				COMP		
72/05/25				COMP		
72/06/01				COMP		
72/06/01				COMP		
72/06/08				COMP		
72/06/08				COMP		
72/06/15				COMP		
72/06/15				COMP		
72/06/22				COMP		
72/06/22				COMP		
72/06/29				COMP		

## STATION DESCRIPTION

(RMN-21)

070041  
 38 18 30.0 108 53 00.0  
 DOLORES RIVER NEAR BEDROCK  
 08 COLORADO  
 COLORADO RIVER BASIN  
 UPPER COLORADO SUB BASIN  
 111HC030 2111204  
 2 0000 FEET DEPTH

RIVER  
 SYSTEM II III IV V VI VII VIII IX X XI XII  
 INDEX 1101001 011940  
 MILES 1027.10 0077.55

## DESCRIPTION

CRHP NO. RMN-21, BWS-60, UMS-25  
 SW1/4, SEC 20, T47N, R18W

SAMPLED AT COLO HWY 90 BRIDGE NEAR BEDROCK, COLO. IN MONTROSE COUNTY

TYPE DATA-KADI GRAB, 3 PINTS/WEEK

TYPE FLOW MEAS-DIRE WEIGHT INSTANT


SAMPLING STARTED 10/30/61 AND IS ONGOING

REMARKS: THE UNION CARBIDE CORPORATION URANIUM MILL 50MI. UPSTREAM AT  
 SLICK ROCK DISCONTINUED OPERATION IN 1962. THE RIVER PICKS UP  
 RADIOACTIVITY FROM NATURAL SOURCES BETWEEN GYPSUM VALLEY AND BEDROCK

A-106

Number of Samples assayed for Ra-226 through period of record (1961-1972): 156  
 Mean Ra-226 concentration for period of record and  $2\sigma$  deviation :  $0.48 \pm 2.23$

Number of Samples assayed for U(total) through period of record (1962-1972): 143  
 Mean U(total) concentration for period of record and  $2\sigma$  deviation :  $8.46 \pm 13.75$



STATION LOCATION

(RMN-21)

A-107

TABLE A-17

(RMN-21)

070041  
 38 18 30.0 108 53 00.0  
 DOLORES RIVER NEAR BEDROCK  
 08 COLORADO  
 COLORADO RIVER BASIN  
 UPPER COLORADO SUB BASIN  
 1118C030 2111204  
 2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED	09504 RA-226-D PC/L	22703 U-NAT UG/L
61/10/30			0.980		
61/11/04	COMP				
61/11/06			1.000		
61/11/11	COMP				
61/11/13			0.640		
61/12/02	COMP				
61/12/04			0.790		
61/12/30	COMP				
62/01/01			0.510		
62/01/27	COMP				
62/01/29			0.410		
62/03/03	COMP				
62/03/05			0.630		
62/03/31	COMP				
62/04/02			0.210		
62/04/28	COMP				
62/04/30			0.120		
62/06/02	COMP				
62/06/04			0.080		
62/06/30	COMP				
62/07/02			0.290		
62/07/28	COMP				
62/07/30			0.480		
62/09/01	COMP				
62/09/03			0.560		
62/09/29	COMP				
62/10/01			0.340	11.000	
62/11/03	COMP				
62/11/05			0.510	12.000	
62/12/01	COMP				
62/12/03			0.490	11.000	
62/12/29	COMP				
62/12/31			0.480	8.900	
63/02/02	COMP				
63/02/04			0.190	7.400	
63/03/02	COMP				
63/03/03			0.590	9.800	
63/03/30	COMP				
63/04/01			0.150	2.900	
63/04/27	COMP				

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED	09504 RA-226-D PC/L	22703 U-NAT UG/L
63/04/29			0.030		
63/06/01	COMP				
63/06/03			0.500		
63/06/29	COMP				
63/07/01			0.480		
63/08/02	COMP				
63/08/06			0.930		
63/08/30	COMP				
63/09/02			0.580		
63/09/28	COMP				
63/09/30			0.490		
63/11/01	COMP				
63/11/04			0.410		
63/11/30	COMP				
63/12/02			0.550		
63/12/27	COMP				
63/12/30			0.640		
64/01/31	COMP				
64/02/03			1.400		
64/02/28	COMP				
64/03/02			0.520		
64/03/27	COMP				
64/03/30			0.260		
64/05/01	COMP				
64/05/04			0.190		
64/05/29	COMP				
64/06/01			0.200		
64/06/26	COMP				
64/06/29			0.580		
64/07/31	COMP				
64/08/03			0.330		
64/08/28	COMP				
64/08/31			0.690		
64/10/02	COMP				
64/10/05			0.980		
64/10/30	COMP				
64/11/02			1.080		
64/11/27	COMP				
64/11/30			0.410		
65/01/02	COMP				

TABLE A-17 (Cont.)

(RMN-21)

070041  
 38 18 30.0 108 53 00.0  
 DOLORES RIVER NEAR BEDROCK  
 08 COLORADO  
 COLORADO RIVER BASIN  
 UPPER COLORADO SUB BASIN  
 1118C030 2111204  
 2 0000 FEET DEPTH

A-109

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226 RA-226-D ERROR PC/L	22703 U-NAT UG/L
65/01/04			0.370		11.000
65/01/29	COMP				
65/02/01	COMP		0.390		11.000
65/02/26	COMP		0.430		11.000
65/03/01	COMP		0.140		2.600
65/04/02	COMP		0.160		0.600
65/04/05	COMP		0.090		1.500
65/04/30	COMP		0.160		2.500
65/05/03	COMP		0.250		5.300
65/05/28	COMP		0.580		8.300
65/05/31	COMP		0.250		5.800
65/07/02	COMP		0.250		7.000
65/07/05	COMP		0.210		4.200
65/07/30	COMP		0.160		5.000
65/08/02	COMP		0.210		4.800
65/08/27	COMP		0.140		1.800
65/08/30	COMP		0.110		1.800
65/10/01	COMP		0.080		0.100
65/10/04	COMP		0.210		3.500
65/10/29	COMP		0.760		12.000
65/11/01	COMP		0.480		8.600
65/11/26					
65/11/29					
65/12/31					
66/01/03					
66/01/28					
66/01/31					
66/02/25					
66/02/28					
66/04/01					
66/04/04					
66/04/29					
66/05/02					
66/05/27					
66/05/30					
66/07/01					
66/07/05					
66/07/29					
66/08/01					
66/09/02					

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226 RA-226-D ERROR PC/L	22703 U-NAT UG/L
66/09/05	COMP		0.540		12.000
66/09/30	COMP		0.440		12.000
66/10/03	COMP		0.350		13.000
66/10/28	COMP		0.400		12.000
66/10/31	COMP		0.530		7.000
66/12/02	COMP		0.200		6.000
66/12/05	COMP		0.250		6.400
66/12/30	COMP		0.250		6.000
67/01/02	COMP		0.250		6.000
67/01/28	COMP		0.160		2.700
67/01/30	COMP		0.350		4.100
67/02/24	COMP		0.980		12.000
67/02/27	COMP		0.450		11.000
67/03/31	COMP		0.610		10.000
67/04/03	COMP		0.820		14.000
67/04/28	COMP		0.760		15.000
67/05/01	COMP		0.530		14.000
67/05/24	COMP		0.320		7.400
67/05/27	COMP		0.160		7.000
67/10/02	COMP		0.380		8.500
67/10/27	COMP		0.160		3.800
67/10/30	COMP		0.440		
67/12/01	COMP		0.440		
67/12/04	COMP		0.440		
67/12/29	COMP		0.440		
68/01/01	COMP		0.440		
68/02/02	COMP		0.440		
68/02/05	COMP		0.440		
68/03/01	COMP		0.440		
68/03/04	COMP		0.440		
68/03/29	COMP		0.440		
68/04/01	COMP		0.440		
68/04/26	COMP		0.440		

TABLE A-17 (Cont.)

(RMN-21)

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 RA-226 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L
68/04/29			0.140	0.020	1.600
68/05/31	COMP				
68/06/03	COMP	0.110	0.020	0.800	
68/06/28	COMP				
68/07/01	COMP	0.230	0.020	6.200	
68/08/02	COMP				
68/08/05	10 00				
CP(T)-05		0.380	0.030	3.900	
68/08/30	10 00				
68/09/02	COMP	0.400	0.000	11.000	
68/09/28	COMP				
68/09/30	COMP	0.540	0.030	18.000	
68/11/01	COMP				
68/11/04	COMP	0.430	0.030	13.000	
68/11/25	COMP				
68/12/02	COMP	0.300	0.030	12.000	
68/12/27	COMP				
68/12/30	COMP	0.260	0.090	7.100	
69/01/31	COMP				
69/02/03	-	0.220	0.020	6.800	
69/02/28	COMP				
69/03/03	COMP	0.200	0.000	6.700	
69/03/28	COMP				
69/03/31	COMP	0.150	0.020	3.900	
69/05/02	COMP				
69/05/05	COMP	0.070	0.010	0.800	
69/05/30	COMP				
69/06/02	COMP	0.080	0.010	0.700	
69/06/27	COMP				
69/08/28		0.290	0.030	9.500	
69/09/04		0.500	0.040	17.000	
69/09/25	COMP				
69/10/02	COMP	0.790	0.050	17.000	
69/10/30	COMP				
69/11/06	COMP	0.300	0.030	5.700	
69/11/26	COMP				
69/12/04	COMP	0.230	0.020	4.500	
70/01/02	COMP				
70/01/09	COMP	0.320	0.030	8.500	
70/01/29	COMP				

070041  
 38 18 30.0 108 53 00.0  
 DOLORES RIVER NEAR BEDROCK  
 08 COLORADO  
 COLORADO RIVER BASIN  
 UPPER COLORADO SUB BASIN  
 1118C030 2111204  
 2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 RA-226 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L
70/02/05					
70/02/26	COMP				
70/03/05	COMP	0.780	0.050	10.000	
70/03/26	COMP	0.220	0.020	5.300	
70/04/02	COMP	0.100	0.020	2.000	
70/05/01	COMP	0.120	0.020	0.800	
70/05/08	COMP	0.560	0.050	12.000	
70/05/28	COMP	0.750	0.050	8.800	
70/06/04	COMP	0.280	0.030	2.900	
70/06/25	COMP	0.350	0.030	9.900	
70/07/02	COMP	0.270	0.030	7.000	
70/07/24	COMP	0.090	0.020	6.100	
70/07/30	COMP	0.240	0.030	6.500	
70/08/27	COMP	0.160	0.020	3.200	
70/09/03	COMP	0.170	0.020	2.900	
70/10/01	COMP	0.090	0.020	2.200	
70/10/06	COMP	0.080	0.010	0.700	
70/10/29	COMP	1.200		9.500	
70/11/05	COMP	0.080	0.010	21.000	
70/11/25	COMP	1.500		15.000	
70/12/03	COMP	0.900		21.000	
70/12/31	COMP	0.080	0.010	21.000	
71/01/07	COMP	1.200		9.500	
71/01/28	COMP	0.080	0.010	21.000	
71/02/03	COMP	1.500		21.000	
71/02/25	COMP	0.900		21.000	
71/03/04	COMP	0.080	0.010	21.000	
71/04/01	COMP	1.200		9.500	
71/04/08	COMP	0.080	0.010	21.000	
71/04/28	COMP	1.500		21.000	
71/05/06	COMP	0.900		21.000	
71/05/27	COMP	0.080	0.010	21.000	
71/06/03	COMP	1.200		9.500	
71/07/01	COMP	0.080	0.010	21.000	
71/07/08	COMP	1.500		21.000	
71/07/29	COMP	0.900		21.000	
71/08/05	COMP	1.500		21.000	
71/08/26	COMP	0.900		21.000	
71/09/02	COMP	1.200		9.500	
71/09/30	COMP	0.080	0.010	21.000	

TABLE A-17 (Cont.)  
(RMN-21)

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 RA-226 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT UG/L
71/10/07			1.700		15.000
71/10/14			1.400		26.000
71/10/21			0.100K		7.500
71/10/28			13.800		16.000
71/11/04			0.600		14.000
71/11/10			0.700		14.000
71/11/18			0.500		12.000
71/11/24			0.500		26.000
71/12/09			0.200		4.100
71/12/16			0.300		4.300
71/12/22			0.300		8.500
71/12/29			0.200		4.800
72/01/06			0.200		4.600
72/01/13			0.100K		3.300
72/01/21			0.200		4.300
72/01/27			0.300		5.900
72/02/03			0.200		7.800
72/02/17			0.300		5.900
72/02/24			1.100		19.000
72/03/02			0.200		4.100
72/03/09			0.300		1.900
72/03/16			0.200		1.800
72/03/23			0.200		2.600
72/03/31			0.200		2.600
72/04/06			0.200		4.300
72/04/13			0.200		3.300
72/04/21			0.200		2.200
72/04/26			0.200		2.900
72/05/04			0.200		1.600
72/05/11			0.200		3.300
72/05/18			0.200		3.200
72/05/25			0.100		1.700
72/06/01			0.100		1.200
72/06/08			0.100		1.300
72/06/15			0.200		1.900
72/06/22			0.500		6.400

070041  
38 18 30.0 108 53 00.0  
DOLORES RIVER NEAR BEDROCK  
08 COLORADO  
COLORADO RIVER BASIN  
UPPER COLORADO SUB BASIN  
1118C030 2111204  
2 0000 FEET DEPTH

STATION DESCRIPTION

(RMN-22)

070010  
38 31 45.0 106 56 30.0  
TOMICHI CREEK NEAR GUNNISON  
08 COLORADO  
COLORADO RIVER BASIN  
UPPER COLORADO RIVER SUB BASIN  
1118C030 2111204  
2 0000 FEET DEPTH

RIVER  
SYSTEM II III IV V VI VII VIII IX X XI XII  
INDEX 1101001 012680 01540 . . . . . . . .  
MILES 1101.80 0145.50 002.30 . . . . . . . .

DESCRIPTION

RMN NO. 22  
NE1/4, SW1/4, SEC 11, T49N, RIW

SAMPLED AT COUNTY BRIDGE 1.8 MILES SOUTHWEST OF POST OFFICE IN  
GUNNISON AND 2 MILES UPSTREAM OF ITS MOUTH

TYPE DATA-RAD, SAL: GRAB

SAMPLING STARTED 11/12/61 AND ENDED 6/30/62


REMARKS: TYPE FLOW MEAS-WTR STG REC AT 09119000. STATION  
PROVIDES BACKGROUND UPSTREAM OF GUNNISON URANIUM MILL WHICH CLOSED IN  
1962.

A-112

Number of Samples assayed for Ra-226 through period of record (1961-1972): 7  
Mean Ra-226 concentration for period of record and  $2\sigma$  deviation :  $0.02 \pm 0.02$

Number of Samples assayed for U(total) through period of record (1962-1972): --  
Mean U(total) concentration for period of record and  $2\sigma$  deviation : ---

No U(total) samples taken



STATION LOCATION

(RMN-22)

TABLE A-18

(RMN-22)

070010  
 38 31 45.0 106 56 30.0  
 TOMICHI CREEK NEAR GUNNISON  
 08 COLORADO  
 COLORADO RIVER BASIN  
 UPPER COLORADO RIVER SUB BASIN  
 1118C030 2111204  
 2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D PC/L	22703 U-NAT UG/L
61/12/11		0.020			
61/12/31		COMP			
62/01/02			0.020		
62/01/27		COMP			
62/01/29			0.010		
62/03/03		COMP			
62/03/05			0.020		
62/03/31		COMP			
62/04/02			0.040		
62/04/28		COMP			
62/04/30			0.030		
62/06/02		COMP			
62/06/04			0.020		
62/06/30		COMP			

STATION DESCRIPTION

(RMN-24)

070011

38 34 45.0 106 55 20.0

GUNNISON RIVER UPS OF GUNNISON

08 COLORADO

COLORADO RIVER BASIN

UPPER COLORADO SUB BASIN

1118C030

2111204

2

0000 FEET DEPTH

RIVER

SYSTEM

II

III

IV

V

VI

VII

VIII

IX

X

XI

XII

INDEX 1101001 012680

MILES 1101.80 0151.50

DESCRIPTION

CRRP NO. RMN-24, BWS-71  
CENTER SEC 24, TSON. R1W

SAMPLED 3 MILES NORTH OF GUNNISON AT HWY 135 BRIDGE, 6 MILES UPSTREAM  
OF CONFLUENCE WITH TOMICHI CREEK IN GUNNISON COUNTY

TYPE DATA-RAD: GRAB, 3 PINTS/WEEK

SAMPLING STARTED 12/11/61 AND ENDED 6/30/65


REMARKS: THIS STATION PROVIDES BACKGROUND RADIOACTIVITY DATA FOR THE  
GUNNISON RIVER UPSTREAM FROM THE GUNNISON MINING COMPANY URANIUM MILL  
WHICH CLOSED IN 1962

TYPE FLOW MEAS-WTR STG REC AT 09114500

A-115

Number of Samples assayed for Ra-226 through period of record (1961-1972): 43  
Mean Ra-226 concentration for period of record and  $2\sigma$  deviation :  $0.06 \pm 0.20$

Number of Samples assayed for U(total) through period of record (1962-1972): 33  
Mean U(total) concentration for period of record and  $2\sigma$  deviation :  $1.21 \pm 1.27$



STATION LOCATION

(RMN-24)

TABLE A-19

(RMN-24)

070011  
 38 34 45.0 106 55 20.0  
 GUNNISON RIVER UPS OF GUNNISON  
 08 COLORADO  
 COLORADO RIVER BASIN  
 UPPER COLORADO SUB BASIN  
 1118C030 2111204  
 2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L
61/12/11			0.030		
61/12/31	COMP				
62/01/02			0.050		
62/01/27	COMP				
62/01/29			0.070		
62/03/03	COMP				
62/03/05			0.060		
62/03/31	COMP				
62/04/02			0.040		
62/04/28	COMP				
62/04/30			0.040		
62/06/02	COMP				
62/06/04			0.040		
62/06/30	COMP				
62/07/02			0.020		
62/07/28	COMP				
62/07/30			0.030		
62/09/01	COMP				
62/09/03			0.680		
62/09/29	COMP				
62/10/01			0.050		1.300
62/11/03	COMP				
62/11/09			0.040		1.200
62/12/01	COMP				
62/12/03			0.060		1.900
62/12/29	COMP				
62/12/31			0.050		2.600
63/02/02	COMP				
63/02/04			0.040		1.200
63/03/02	COMP				
63/03/04			0.080		0.700
63/03/30	COMP				
63/04/01			0.030		0.500
63/04/27	COMP				
63/04/29			0.030		0.900
63/06/01	COMP				
63/06/03			0.040		0.600
63/06/29	COMP				
63/07/01			0.050		1.000
63/08/02	COMP				

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L
63/08/06			0.050		0.000
63/08/30	COMP				
63/09/03			0.040		0.600
63/09/27	COMP				
63/09/30			0.030		1.100
63/11/01	COMP				
63/11/04			0.060		0.100
63/11/30	COMP				
63/12/02			0.060		2.500
63/12/28	COMP				
63/12/30			* 0.050		1.300
64/01/31	COMP				
64/02/03			0.110		1.300
64/02/28	COMP				
64/03/02			0.050		0.700
64/03/27	COMP				
64/03/30			0.010		1.500
64/05/01	COMP				
64/05/04			0.030		1.500
64/05/29	COMP				
64/06/01			0.050		0.600
64/06/26	COMP				
64/05/29			0.080		1.000
64/07/31	COMP				
64/08/03			0.040		1.400
64/08/28	COMP				
64/08/31			0.050		1.200
64/10/02	COMP				
64/10/05			0.060		1.700
64/10/30	COMP				
64/11/02			0.060		1.300
64/11/27	COMP				
64/11/30			0.080		1.900
65/01/02	COMP				
65/01/04			0.030		1.700
65/01/29	COMP				
65/02/01			0.050		1.400
65/02/26	COMP				
65/03/01			0.050		1.400
65/04/02	COMP				

TABLE A-19 (Cont.)

(RMN-24)

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 RA-226 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L
65/04/05			0.010		0.900
65/04/30		COMP			
65/05/03			0.050		0.300
65/05/28		COMP			
65/05/31			0.040		2.500
65/06/30		COMP			

070011  
 38 34 45.0 106 55 20.0  
 GUNNISON RIVER UPS OF GUNNISON  
 08 COLORADO  
 COLORADO RIVER BASIN  
 UPPER COLORADO SUB BASIN  
 1118C030 2111204  
 2 0000 FEET DEPTH

STATION DESCRIPTION

(RMN-25)

070012  
3H 31 15.0 106 59 30.0  
GUNNISON RIVER DWS OF GUNNISON  
08 COLORADO  
COLORADO RIVER BASIN  
UPPER COLORADO SUB BASIN  
111HC030 2111204  
2 0000 FEET, DEPTH

RIVFR  
SYSTEM II III . IV V VI VII VIII IX X XI XII  
INDEX 1101001 012680 . . . . . . . . . . . .  
MILES 1101.80 0144.50 . . . . . . . . . . . .

DESCRIPTION


CRPP NO. RMN-25, BWS-70  
SW1/4, SW1/4, SEC 8, T49N, R1W

SAMPLED SOUTHWEST OF GUNNISON AT COUNTY ROAD BRIDGE, 1 1/2 MILES FROM  
THE CONFLUENCE WITH TOMICHI CREEK IN GUNNISON  
TYPE DATA-RAD; GRAB, 3 PINTS/WEEK  
SAMPLING STARTED 12/11/61 AND ENDED 6/30/65  
TYPE FLOW MEAS-WTR STG'REC, 09119000 PLUS 09114500

A-119

Number of Samples assayed for Ra-226 through period of record (1961-1972): 46  
Mean Ra-226 concentration for period of record and  $2\sigma$  deviation :  $0.04 \pm 0.06$

Number of Samples assayed for U(total) through period of record (1962-1972): 33  
Mean U(total) concentration for period of record and  $2\sigma$  deviation :  $2.26 \pm 2.10$



STATION LOCATION

(RMN-25)

A-120

TABLE A-20

(RMN-25)

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT UG/L
61/12/11			0.040		
61/12/31	COMP				
62/01/02			0.030		
62/01/27	COMP				
62/01/29			0.060		
62/03/03	COMP				
62/03/05			0.030		
62/03/31	COMP				
62/04/02			0.020		
62/04/28	COMP				
62/04/30			0.010		
62/05/02	COMP				
62/05/04			0.040		
62/06/30	COMP				
62/07/02			0.020		
62/07/28	COMP				
62/07/30			0.040		
62/09/01	COMP				
62/09/03			0.030		
62/09/08	COMP				
62/09/10			0.040		
62/09/15	COMP				
62/09/17			0.210		
62/09/22	COMP				
62/09/24			0.040		
62/09/29	COMP				
62/10/01			0.040		3.000
62/11/03	COMP				
62/11/05			0.050		2.300
62/12/01	COMP				
62/12/03			0.060		2.600
62/12/29	COMP				
62/12/31			0.090		3.200
63/02/02	COMP				
63/02/04			0.030		3.200
63/03/02	COMP				
63/03/04			0.060		2.000
63/03/30	COMP				
63/04/01			0.040		0.900
63/04/27	COMP				

070012  
 38 31 15.0 106 59 30.0  
 GUNNISON RIVER DWS OF GUNNISON  
 08 COLORADO  
 COLORADO RIVER BASIN  
 UPPER COLORADO SUB BASIN  
 1118C030 2111204  
 2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT UG/L
63/04/29			0.060		0.400
63/06/01	COMP				
63/06/03			0.060		1.000
63/06/29	COMP				
63/07/01			0.050		0.600
63/08/02	COMP				
63/08/06			0.040		0.700
63/08/30	COMP				
63/09/03			0.030		1.500
63/09/27	COMP				
63/09/30			0.030		1.600
63/11/01	COMP				
63/11/04			0.050		1.300
63/11/29	COMP				
63/12/02			0.040		3.600
63/12/28	COMP				
63/12/31			0.030		2.700
64/01/31	COMP				
64/02/03			0.030		2.900
64/02/28	COMP				
64/03/02			0.030		1.800
64/03/27	COMP				
64/03/30			0.080		2.900
64/05/01	COMP				
64/05/04			0.030		2.200
64/05/29	COMP				
64/06/01			0.060		1.000
64/06/26	COMP				
64/06/29			0.060		1.900
64/07/31	COMP				
64/08/03			0.040		1.600
64/08/28	COMP				
64/08/31			0.040		2.000
64/10/02	COMP				
64/10/05			0.050		2.400
64/10/30	COMP				
64/11/02			0.030		4.300
64/11/27	COMP				
64/11/30			0.040		4.300
65/01/02	COMP				

TABLE A-20 (Cont.)  
 (RMN-25)

070012  
 38 31 15.0 106 59 30.0  
 GUNNISON RIVER DWS OF GUNNISON  
 08 COLORADO  
 COLORADO RIVER BASIN  
 UPPER COLORADO SUB BASIN  
 1118C030 2111204  
 2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT UG/L
65/01/04			0.050		3.600
65/01/29	COMP				
65/02/01			0.030		3.700
65/02/26	COMP				
65/03/01			0.030		3.200
65/04/01	COMP				
65/04/05			0.030		2.200
65/04/30	COMP				
65/05/03			0.030		1.600
65/05/28	COMP				
65/05/31			0.030		2.400
65/06/30	COMP				

STATION DESCRIPTION

(RMN-26)

070013

38 41 00.0 108 58 45.0

DOLORES RIVER NEAR GATEWAY

08 COLORADO

COLORADO RIVER BASIN

UPPER COLORADO SUB BASIN

1118C030 2111204

2 0000 FEET DEPTH

RIVER

SYSTEM II III IV V VI VII VIII IX X XI XII

INDEX 1101001 011940

MILES 1027.10 0031.70

DESCRIPTION  
CRAP NO. RMN-26, BWS-67, USGS-09-179500  
SW1/4, SW1/4, SEC 15, T51N, R19W

SAMPLED AT HWY 141 BRIDGE NEAR GATEWAY, COLORADO IN MESA COUNTY

TYPE DATA-RAD, BACT; GRAB, 3 PINTS/WEEK

SAMPLING STARTED 10/30/61 AND IS ONGOING


REMARKS: THIS STATION PROVIDES RADIOACTIVITY DATA FOR THE DOLORES RIVER  
DOWNSTREAM FROM THE URANIUM MILLS LOCATED AT URAVAN, NATURITA AND SLICK  
ROCK, COLORADO

TYPE FLOW MEAS-WTR STG REC AT 09180500 NEAR CISCO, UTAH

A-123

Number of Samples assayed for Ra-226 through period of record (1961-1972): 200  
Mean Ra-226 concentration for period of record and  $2\sigma$  deviation :  $0.95 \pm 1.42$

Number of Samples assayed for U(total) through period of record (1962-1972): 176  
Mean U(total) concentration for period of record and  $2\sigma$  deviation :  $13.89 \pm 21.88$



STATION LOCATION

(RMN-26)

A-124

TABLE A-21

(RMN-26)

070013  
 38 41 00.0 108 58 45.0  
 DOLORES RIVER NEAR GATEWAY  
 08 COLORADO  
 COLORADO RIVER BASIN  
 UPPER COLORADO SUB BASIN  
 1118C030 2111204  
 2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L	DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L
61/10/30			0.040			62/09/26			0.730		
61/12/02	COMP					62/09/27			COMP		
61/12/04			0.890			62/09/28				0.650	
61/12/30	COMP					62/09/29			COMP		
62/01/01			1.300			62/10/01				0.600	
62/01/27	COMP					62/10/06			COMP		
62/01/29			1.000			62/10/08				0.810	
62/03/03	COMP					62/10/15			COMP		
62/03/05			0.790			62/10/15				0.710	
62/03/31	COMP					62/10/20			COMP		
62/04/02			0.540			62/10/22				0.480	
62/04/28	COMP					62/10/27			COMP		
62/04/30			0.710			62/10/29				0.600	
62/06/02	COMP					62/11/03			COMP		
62/06/04			0.810			62/11/05				0.790	
62/06/30	COMP					62/11/10			COMP		
62/07/02			1.400			62/11/12				0.750	
62/07/28	COMP					62/11/17			COMP		
62/07/30			2.000			62/11/19				0.790	
62/09/01	COMP					62/11/24			COMP		
62/09/03			0.050			62/11/26				0.800	
62/09/04	COMP					62/12/01			COMP		
62/09/05			2.800			62/12/03				0.730	
62/09/06	COMP					62/12/08			COMP		
62/09/07			2.700			62/12/10				0.790	
62/09/08	COMP					62/12/15			COMP		
62/09/10			3.300			62/12/17				1.900	
62/09/11	COMP					62/12/22			COMP		
62/09/12			3.000			62/12/24				1.460	
62/09/13	COMP					62/12/29			COMP		
62/09/14			3.300			62/12/31				1.050	
62/09/15	COMP					63/01/05			COMP		
62/09/17			2.800			63/01/07				1.240	
62/09/18	COMP					63/01/13			COMP		
62/09/19			2.900			63/01/14				1.540	
62/09/20	COMP					63/01/19			COMP		
62/09/21			2.200			63/01/21				1.160	
62/09/22	COMP					63/01/26			COMP		
62/09/24			0.740			63/01/28				1.630	
62/09/25	COMP					63/02/02			COMP		

A-125

TABLE A-21 (Cont.)  
(RMN-26)

070013  
38 41 00.0 108 58 45.0  
DOLORES RIVER NEAR GATEWAY  
08 COLORADO  
COLORADO RIVER BASIN  
UPPER COLORADO SUB BASIN  
1118C030 2111204  
2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503	09504	22703
			RA-226 DISOLVED PC/L	RA-226-D ERROR PC/L	U-NAT UG/L
63/02/04			0.610		20.000
63/02/09		COMP			
63/02/11		COMP	0.960		24.000
63/02/16		COMP	1.000		9.900
63/02/18		COMP			
63/02/23		COMP	1.040		3.500
63/02/25		COMP	1.080		
63/03/02		COMP	1.510		0.800
63/03/04		COMP	1.290		0.100
63/03/10		COMP	0.510		1.300
63/03/11		COMP	0.430		5.500
63/03/16		COMP	0.500		
63/03/18		COMP	0.380		11.000
63/03/24		COMP	0.990		12.000
63/03/25		COMP	0.790		
63/03/30		COMP	0.640		12.000
63/04/01		COMP	0.490		3.000
63/04/06		COMP	0.610		2.900
63/04/08		COMP	0.790		
63/04/14		COMP	0.610		7.000
63/04/15		COMP	0.960		
63/04/20		COMP	0.930		4.700
63/04/22		COMP	0.790		2.600
63/04/28		COMP	0.960		
63/04/29		COMP	0.930		1.400
63/05/04		COMP	0.960		3.500
63/05/06		COMP	0.960		4.400
63/05/11		COMP			
63/05/13		COMP			
63/05/18		COMP			
63/05/20		COMP			
63/05/25		COMP			
63/05/27		COMP			
63/06/01		COMP			
63/06/02		COMP			
63/06/08		COMP			
63/06/10		COMP			
63/06/15		COMP			
63/06/17		COMP			
63/06/22		COMP			

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503	09504	22703
			RA-226 DISOLVED PC/L	RA-226-D ERROR PC/L	U-NAT DISOLVED UG/L
63/06/24			0.910		3.200
63/06/29		COMP			
63/07/02					15.000
63/08/02		COMP	1.160		
63/08/05					25.000
63/08/30		COMP	0.510		
63/09/02					29.000
63/09/27		COMP	1.340		
63/09/30					16.000
63/11/02		COMP	1.750		
63/11/05					22.000
63/11/29		COMP	2.230		
63/12/02					35.000
63/12/26		COMP	1.700		
63/12/30					28.000
64/02/01		COMP	2.200		
64/02/04					51.000
64/02/28		COMP	1.800		
64/03/02					34.000
64/03/28		COMP	1.650		
64/03/30					6.800
64/05/01		COMP	0.810		
64/05/04					4.000
64/05/28		COMP	0.950		
64/06/01					13.000
64/06/26		COMP	0.510		
64/06/29					9.200
64/08/01		COMP	0.400		
64/08/03					33.000
64/08/29		COMP	1.300		
64/08/31					31.000
64/10/02		COMP	0.750		
64/10/05					50.000
64/10/31		COMP	0.850		
64/11/02					33.000
64/11/27		COMP	0.840		
64/11/30					32.000
65/01/01		COMP			
65/01/04					
65/01/29					

TABLE A-21 (Cont.)

(RMN-26)

070013

38 41 00.0 108 58 45.0  
 DOLORES RIVER NEAR GATEWAY  
 08 COLORADO  
 COLORADO RIVER BASIN  
 UPPER COLORADO SUB BASIN  
 1118C030 2111204  
 2 0000 FEET DEPTH

A-127

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L
65/02/01			1.100		29.000
65/02/26	COMP		0.820		22.000
65/03/02	COMP		0.470		10.000
65/04/03	COMP		0.370		2.900
65/04/05	COMP		0.370		4.400
65/05/01	COMP		0.370		6.500
65/05/03	COMP		0.470		9.500
65/05/29	COMP		0.650		12.000
65/05/31	COMP		0.530		14.000
65/07/02	COMP		0.720		12.000
65/07/05	COMP		0.740		13.000
65/07/31	COMP		0.840		19.000
65/08/02	COMP		0.980		17.000
65/08/27	COMP		0.440		10.000
65/08/30	COMP		0.330		6.300
65/10/01	COMP		0.350		5.900
65/11/01	COMP		0.760		8.000
65/11/27	COMP		1.760		20.000
65/11/29	COMP		1.080		31.000
66/01/02	COMP		1.860		43.000
66/01/04	COMP				
66/01/29	COMP				
66/01/31	COMP				
66/02/25	COMP				
66/02/28	COMP				
66/04/01	COMP				
66/04/04	COMP				
66/04/30	COMP				
66/05/02	COMP				
66/05/27	COMP				
66/05/31	COMP				
66/07/01	COMP				
66/07/05	COMP				
66/07/29	COMP				
66/08/01	COMP				
66/09/03	COMP				
66/09/05	COMP				
66/09/30	COMP				

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L
66/10/03			2.350		41.000
66/10/28	COMP		1.960		45.000
66/10/31	COMP		1.370		34.000
66/12/02	COMP		1.670		28.000
66/12/05	COMP		2.250		29.000
66/12/30	COMP		0.990		17.000
67/01/02	COMP		0.990		14.000
67/01/28	COMP		0.990		10.000
67/01/30	COMP		0.990		9.500
67/02/24	COMP		0.990		11.000
67/02/27	COMP		0.990		14.000
67/03/29	COMP		0.830		36.000
67/04/01	COMP		1.370		30.000
67/04/28	COMP		1.270		32.000
67/05/01	COMP		2.650		25.000
67/05/26	COMP		3.720		31.000
67/05/29	COMP				
67/06/30	COMP				
67/07/03	COMP				
67/07/29	COMP				
67/07/31	COMP				
67/09/01	COMP				
67/09/05	10 00				
CP(T)-12			0.800	0.050	19.000
67/09/30	10 00				
67/10/02	10 00				
CP(T)-12			0.830	0.050	36.000
67/10/27	10 00				
67/10/31	10 00				
CP(T)-12			1.270	0.070	32.000
67/12/04	10 00				
67/12/06	10 00				
CP(T)-12			1.270	0.070	32.000
67/12/30	10 00				
68/01/01	10 00				
CP(T)-12			2.650	0.100	25.000
68/02/02	10 00				
68/02/05	10 00				
CP(T)-12			3.720	0.200	31.000
68/03/01	10 00				

TABLE A-21 (Cont.)  
(RMN-26)

A-128

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 ERROR PC/L	22703 U-NAT UG/L
68/03/05	10 00				
CP(T)-04			2.840	0.100	23.000
68/03/30	10 00				
68/04/01	10 00				
CP(T)-12			0.760	0.030	15.000
68/04/27	10 00				
68/04/29	10 00				
CP(T)-18			0.210	0.030	5.700
68/05/31	10 00				
68/06/04			0.420	0.030	6.000
68/06/29	COMP				
68/07/01	10 00				
CP(T)-06			0.840	0.050	8.200
68/08/02	10 00				
68/08/05			0.900	0.050	15.000
68/08/30	COMP				
68/09/02			3.500	0.100	32.000
68/09/28					
68/09/30			2.100	0.100	36.000
68/11/02					
68/11/04	COMP		1.500	0.100	24.000
68/11/30					
68/12/02			1.700	0.100	40.000
68/12/28	COMP				
68/12/30			2.000	0.100	23.000
69/02/01					
69/02/03	COMP		1.700	0.100	30.000
69/03/01					
69/03/03	COMP		1.100	0.100	22.000
69/03/29					
69/03/31			0.430	0.030	6.900
69/05/03	COMP				
69/05/05			0.300	0.030	4.200
69/05/31	COMP				
69/06/03			0.860	5.000	8.400
69/06/27	COMP				
69/08/28			0.690	0.050	37.000
69/09/04			0.730	0.050	18.000
69/09/25	COMP				
69/10/02			9.600	0.300	22.000
69/10/30	COMP				

070013  
38 41 00.0 108 58 45.0  
DOLORES RIVER NEAR GATEWAY  
08 COLORADO  
COLORADO RIVER BASIN  
UPPER COLORADO SUB BASIN  
1118C030 2111204  
2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 ERROR PC/L	22703 U-NAT UG/L
69/11/06					
69/11/26	COMP		0.730	0.050	11.000
69/12/04					
69/12/26	COMP		0.700	0.050	13.000
70/01/09					
70/01/29	COMP		1.020	0.060	16.000
70/02/05					
70/02/26	COMP		0.610	0.040	12.000
70/03/05					
70/03/26	COMP		0.890	0.050	16.000
70/04/02					
70/05/01	COMP		0.860	0.060	10.000
70/05/08					
70/05/28	COMP		0.170	0.020	2.700
70/06/04					
70/06/25	COMP		0.340	0.030	3.600
70/07/02					
70/07/24	COMP		0.690	0.050	7.500
70/07/30					
70/08/27	COMP		0.510	0.040	8.800
70/09/03					
70/10/01	COMP		0.510	0.040	7.600
70/10/07					
70/10/29	COMP		0.550	0.040	13.000
70/11/05					
70/11/25	COMP		0.410	0.030	16.000
70/11/17					
70/11/18	COMP		0.520	0.040	2.200
70/12/03					
70/12/31	COMP		0.510	0.040	5.800
71/01/07					
71/01/28	COMP		0.520	0.040	13.000
71/02/03					
71/02/25	COMP		0.680	0.050	10.000
71/03/04					
71/04/01	COMP		0.510	0.040	10.000
71/04/08					
71/04/28	COMP		0.690	0.050	11.000
71/05/06					
71/05/27	COMP		0.230	0.020	4.200

TABLE A-21 (Cont.)

(RMN-26)

070013  
 38 41 00.0 108 58 45.0  
 DOLORES RIVER NEAR GATEWAY  
 08 COLORADO  
 COLORADO RIVER BASIN  
 UPPER COLORADO SUB BASIN  
 1118C030 2111204  
 2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED	RA-226 PC/L	09504 RA-226-D ERROR	22703 U-NAT UG/L
71/06/03			0.170	0.020		1.900
71/07/01	COMP		0.220			8.500
71/07/08						
71/07/29	COMP		0.100K			16.000
71/08/05						
71/09/26	COMP		0.700			11.000
71/09/02						
71/09/30	COMP					
71/10/07			1.300			10.000
71/10/14			0.800			11.000
71/10/21			0.400			11.000
71/10/28			0.400			5.000
71/11/04			0.600			15.000
71/11/10			0.500			12.000
71/11/18			2.000			19.000
71/11/24			0.600			13.000
71/12/02			0.500			11.000
71/12/09			0.600			8.900
71/12/16			0.600			8.500
71/12/22			0.700			23.000
71/12/29			0.300			6.900
72/01/06			0.700			16.000
72/01/13			0.600			5.900
72/01/21			0.500			12.000
72/01/27			0.500			8.200
72/02/03			0.700			20.000
72/02/11			0.600			12.000
72/02/17			0.400			23.000
72/02/28			0.700			18.000
72/03/02			0.500			8.200
72/03/09			0.200			1.100
72/03/16			0.200			2.700
72/03/23			0.100			2.700
72/03/31			0.200			5.400
72/04/06			0.300			11.000
72/04/13			0.200			11.000
72/04/21			0.300			5.400
72/04/26			0.400			6.600
72/05/04			0.400			5.900

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED	RA-226 PC/L	09504 RA-226-D ERROR	22703 U-NAT DISOLVED
72/05/11						0.400 6.900
72/05/18						0.600 9.700
72/05/25						0.400 4.100
72/06/01						0.300 4.300
72/06/08						0.300 5.600
72/06/15						0.400 4.600
72/06/22						0.500 5.400
72/06/29						0.300

## STATION DESCRIPTION

(RMN-28)

070014  
 40 32 55.0 108 11 15.0  
 YAMPA RIVER DWS OF MAYBELL  
 08 COLORADO  
 COLORADO RIVER BASIN  
 GREEN RIVER SUB BASIN  
 1118C030 2111204  
 2 0000 FEET DEPTH

RIVER SYSTEM	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
INDEX	1101001	010670	02380								
MILES	0929.90	0342.20	068.00	.	.	.	.	.	.	.	.

## DESCRIPTION

CRBP NO. RMN-28, BWS-4

NW1/4, NW1/4, SEC 21, T7N, R96W


TYPE FLOW MEAS-WTR STG REC AT 09251000 NEAR MAYBELL, COLORADO  
SAMPLED AT HWY 318 BRIDGE 7 MILES NORTHWEST OF MAYBELL, COLORADO

TYPE DATA-RAD: GRAB, 3 PINTS/WEEK

SAMPLING STARTED 12/10/61 AND WAS SAMPLED 3 TIMES/MONTH UNTIL 9/8/65  
WHEN QUARTERLY SAMPLING STARTED 69/09/08 AND ENDED 05/16/72REMARKS: THE UNION CARBIDE CORP URANIUM MILL NEAR MAYBELL CLOSED IN 1964  
ITS LOCATION IS 25 MILES UPSTREAM ON-A DRY WASH TRIBUTARY TO LAY CREEK  
WHICH JOINS THE YAMPA R 18 MILES UPSTREAM. DURING OPERATION THE MILL  
PERIODICALLY RELEASED SMALL AMOUNTS OF EFFLUENT

A-130

Number of Samples assayed for Ra-226 through period of record (1961-1972): 47Mean Ra-226 concentration for period of record and  $2\sigma$  deviation :  $0.08 \pm 0.06$ Number of Samples assayed for U(total) through period of record (1962-1972): 44Mean U(total) concentration for period of record and  $2\sigma$  deviation :  $2.48 \pm 3.25$



STATION LOCATION

(RMN-28)

A-131

TABLE A-22  
(RMN-28)

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L
62/07/02			0.030		
62/07/28	COMP				
62/07/30			0.100		
62/08/25	COMP				
62/08/27			0.150		
62/09/29	COMP				
62/10/01			0.060		
62/11/02	COMP				2.400
62/11/05			0.100		
62/11/30	COMP				2.300
62/12/03			0.100		
62/12/28	COMP				2.000
62/12/31			0.100		
63/02/01	COMP				2.800
63/02/04			0.080		
63/03/02	COMP				4.900
63/03/04			0.060		
63/03/29	COMP				8.000
63/04/01			0.060		
63/04/26	COMP				1.500
63/04/29			0.080		
63/05/31	COMP				1.800
63/06/03			0.050		
63/06/28	COMP				1.200
63/07/01			0.140		
63/08/02	COMP				4.000
63/08/05			0.130		
63/08/30	COMP				3.100
63/09/02			0.080		
63/09/21	COMP				1.800
63/09/30			0.080		
63/11/01	COMP				2.500
63/11/04			0.090		
63/11/29	COMP				0.600
63/12/02			0.100		
63/12/27	COMP				2.800
63/12/30			0.090		
64/01/31	COMP				0.800
64/02/03			0.080		
64/02/28	COMP				1.900

070014  
40 32 55.0 108 11 15.0  
YAMPA RIVER DWS OF MAYBELL  
08 COLORADO  
COLORADO RIVER BASIN  
GREEN RIVER SUB BASIN  
1118C030 2111204  
2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L
64/03/02			0.100		
64/03/27	COMP				
64/03/30			0.090		
64/05/01	COMP				
64/05/04			0.060		
64/05/29	COMP				
64/06/01			0.050		
64/06/26	COMP				
64/06/29			0.060		
64/07/31	COMP				
64/08/03			0.080		
64/08/28	COMP				
64/08/31			0.140		
64/10/02	COMP				
64/10/05			0.100		
64/10/30	COMP				
64/11/02			0.130		
64/11/27	COMP				
64/11/30			0.090		
65/01/01	COMP				
65/01/04			0.080		
65/01/29	COMP				
65/02/01			0.060		
65/02/26	COMP				
65/03/01			0.090		
65/04/02	COMP				
65/04/05			0.060		
65/04/30	COMP				
65/05/03			0.030		
65/05/24	COMP				
69/09/08			0.060		
69/12/02	COMP				
70/02/03			0.050		
70/05/12	COMP				
70/08/04			0.040		
70/11/23	COMP				
71/02/23			0.050		
71/05/19	COMP				
71/08/24			0.100K		

TABLE A-22 (Cont.)

(RMN-28)

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	RA-226 RA-226-D PC/L	09504 ERROR PC/L	22703 DISOLVED UG/L
71/11/30			0.100K			1.300
72/02/23			0.100K			3.100
72/05/16			0.100K			0.600

070014  
 40 32 55.0 108 11 15.0  
 YAMPA RIVER DWS OF MAYBELL  
 08 COLORADO  
 COLORADO RIVER BASIN  
 GREEN RIVER SUB BASIN  
 1118C030 2111204  
 2 0000 FEET DEPTH

STATION DESCRIPTION

(RMN-29)

490004  
38 54 30.0 110 10 50.0  
GREEN RIVER DWS OF GREEN RIVER  
49 UTAH  
COLORADO RIVER BASIN  
GRFEN RIVER SUB BASIN  
1118C030 2111204  
2 0000 FEET DEPTH

RIVER  
SYSTEM II III IV V VI VII VIII IX X XI XII  
INDEX 1101001 010670 . . . . . . . . . .  
MILES 0929.90 0114.20 . . . . . . . . . .

DESCRIPTION

CRHP NO. RMN-29  
SE1/4, SEC 8, T22S, R16E

SAMPLED 9 MILES DOWNSTREAM FROM THE HWY 6 BRIDGE AT GREEN RIVER, UTAH  
AT END OF DIRT ROAD ON THE WEST SIDE, IN EMERY COUNTY

TYPE DATA-RAD; GRAB, 1GAL/WEEK; PRIOR TO 4/1/64. GRAB, 3 PINTS/WEEK

SAMPLING STARTED 7/16/62 AND ENDED 10/28/64


REMARKS: THE UNION CARBIDE CORP URANIUM MILL AT GREEN RIVER WAS CLOSED  
IN 1961 AND IS LOCATED SEVERAL THOUSAND FEET FROM THE RIVER ON A DRY  
WASH ENTERING THE RIVER 8 MILES UPSTREAM FROM THIS STATION

TYPE FLOW MEAS-WTR STG REC AT 09315000 AT GREEN RIVER, UTAH

A-134

Number of Samples assayed for Ra-226 through period of record (1961-1972): 29  
Mean Ra-226 concentration for period of record and  $2\sigma$  deviation :  $0.09 \pm 0.05$

Number of Samples assayed for U(total) through period of record (1962-1972): 26  
Mean U(total) concentration for period of record and  $2\sigma$  deviation :  $5.01 \pm 3.01$



STATION LOCATION

(RMN-29)

A-135

TABLE A-23  
(RMN-29)

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT UG/L
62/07/16			0.080		
62/07/27	COMP				
62/07/31	COMP	0.080			
62/08/31	COMP				
62/09/03		0.050			
62/09/29	COMP				
62/10/01	COMP	0.060		6.000	
62/11/02	COMP				
62/11/04	COMP	0.050		7.300	
62/11/30	COMP				
62/12/03	COMP	0.060		6.200	
62/12/29	COMP				
62/12/31	COMP	0.100		6.600	
63/01/04	COMP				
63/01/09	COMP	0.100		5.300	
63/02/02	COMP				
63/02/08	COMP	0.090		5.100	
63/02/27	COMP				
63/03/04	COMP	0.090		7.600	
63/03/29	COMP				
63/04/01	COMP	0.080		3.200	
63/04/26	COMP				
63/04/29	COMP	0.080		1.600	
63/05/31	COMP				
63/06/03	COMP	0.100		2.600	
63/06/30	COMP				
63/07/01	COMP	0.110		4.800	
63/08/02	COMP				
63/08/05	COMP	0.110		5.500	
63/08/30	COMP				
63/09/02	COMP	0.150		6.100	
63/09/27	COMP				
63/09/30	COMP	0.130		7.400	
63/11/01	COMP				
63/11/04	COMP	0.090		5.400	
63/11/27	COMP				
63/12/02	COMP	0.060		5.000	
63/12/27	COMP				
63/12/30	COMP	0.060		5.000	
64/01/31	COMP				

490004  
38 54 30.0 110 10 50.0  
GREEN RIVER DWS OF GREEN RIVER  
49 UTAH  
COLORADO RIVER BASIN  
GREEN RIVER SUB BASIN  
1118C030 2111204  
2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT UG/L
64/02/03			0.090		
64/02/28	COMP				
64/03/02		0.090			
64/03/27	COMP				
64/03/30	COMP	0.090			
64/05/01	COMP				
64/05/04	COMP	0.090			
64/05/29	COMP				
64/06/01	COMP	0.090			
64/06/26	COMP				
64/06/29	COMP	0.100			
64/07/30	COMP				
64/08/03	COMP	0.140			
64/08/24	COMP				
64/09/07	COMP	0.080			
64/09/28	COMP				
64/10/05	COMP	0.060			
64/10/28	COMP				

STATION DESCRIPTION

(RMN-30)

030020  
32 43 00.0 114 43 00.0  
COLO R AT NRTHRLY US-MEX BOUNDARY  
04 ARIZONA  
COLORADO RIVER  
LOWER COLORADO RIVER  
1118C030 6111204  
2 0000 FEET DEPTH

RIVER  
SYSTEM II III IV V VI VII VIII IX X XI XII  
INDEX 1101001  
MILES 0022.60 • • • • • • • • • • •

DESCRIPTION

RMN-30  
NE1/4, NE1/4, SEC 21, T8S, R24W

SAMPLED AT GILA AND SALT RIVER MERIDIAN, IN ARIZONA, YUMA COUNTY AT NORTHERLY INTERNATIONAL BOUNDARY, 0.5 MILE EAST OF ANDRADE, 1.1MILES UPSTREAM FROM MORELOS DAM, 1.1MILES DOWNSTREAM FROM ROCKWOOD GATE, AND 6.4MILES DOWNSTREAM FROM GAGING STATION ON COLORADO RIVER BELOW YUMA CANAL WASTEWAY ON EAST BANK


SAMPLING STARTED 7/30/62 AND ENDED 7/04/72

SAMPLING STARTED 7/30/62 AND IS ONGOING

TYPE FLOW MEAS-WTR STG REC AT 09522000 AT INTERNATIONAL BOUNDARY

Number of Samples assayed for Ra-226 through period of record (1961-1972): 104  
Mean Ra-226 concentration for period of record and  $2\sigma$  deviation :  $0.15 \pm 0.10$

Number of Samples assayed for U(total) through period of record (1962-1972): 99  
Mean U(total) concentration for period of record and  $2\sigma$  deviation :  $7.32 \pm 3.23$



STATION LOCATION

(RMN-30)

A-138

TABLE A-24  
(RMN-30)

030020  
32 43 00.0 114 43 00.0  
COLO R AT NRTHRLY US-MEX BOUNDARY  
04 ARIZONA  
COLORADO RIVER  
LOWER COLORADO RIVER

1118C030 6111204  
2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT UG/L
62/07/30			0.160		
62/08/31	COMP				
62/09/04			0.160		
62/09/07	COMP				
62/09/10			0.160		
62/09/14	COMP				
62/09/17			0.160		
62/09/21	COMP				
62/09/24			0.160		
62/09/28	COMP				
62/10/02			0.210		9.600
62/11/02	COMP				
62/11/05			0.080		8.300
62/11/30	COMP				
62/12/03			0.140		8.000
62/12/28	COMP				
62/12/31			0.060		9.500
63/02/01	COMP				
63/02/04			0.130		11.000
63/03/01	COMP				
63/03/04			0.200		8.800
63/03/29	COMP				
63/04/01			0.210		9.200
63/04/26	COMP				
63/04/29			0.120		9.600
63/05/31	COMP				
63/06/03			0.320		9.200
63/06/28	COMP				
63/07/02			0.230		7.200
63/08/02	COMP				
63/08/05			0.250		7.900
63/08/30	COMP				
63/09/02			0.200		7.600
63/09/27	COMP				
63/09/30			0.140		6.700
63/11/01	COMP				
63/11/04			0.110		5.900
63/11/29	COMP				
63/12/02			0.110		7.100
63/12/27	COMP				

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT UG/L
63/12/30			0.130		7.100
64/01/31	COMP				
64/02/03			0.110		7.300
64/02/28	COMP				
64/03/02			0.240		9.000
64/03/27	COMP				
64/03/30			0.190		8.200
64/05/01	COMP				
64/05/04			0.110		7.900
64/05/29	COMP				
64/06/01			0.160		7.500
64/06/25	COMP				
64/06/29			0.250		8.800
64/07/31	COMP				
64/08/03			0.250		8.100
64/08/28	COMP				
64/08/31			0.320		8.100
64/10/02	COMP				
64/10/05			0.110		9.200
64/10/30	COMP				
64/11/02			0.130		9.200
64/11/27	COMP				
64/11/30			0.110		8.800
64/12/31	COMP				
65/01/04			0.180		7.800
65/01/29	COMP				
65/02/01			0.130		8.400
65/02/26	COMP				
65/03/02			0.240		9.800
65/04/02	COMP				
65/04/05			0.150		8.200
65/04/30	COMP				
65/05/03			0.080		6.500
65/05/27	COMP				
65/06/01			0.180		8.600
65/07/02	COMP				
65/07/06			0.230		10.000
65/07/30	COMP				
65/08/02			0.250		10.000
65/08/27	COMP				

A-139

TABLE A-24 (Cont.)  
(RMN-30)

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 RA-226 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L
65/08/30			0.190		9.500
65/10/01	COMP				
65/10/04			0.090		11.000
65/10/29	COMP				
65/11/01			0.100		6.300
65/11/26	COMP				
65/11/29			0.150		6.400
65/12/30	COMP				
66/01/03			0.110		4.900
66/01/28	COMP				
66/01/31			0.110		6.400
66/02/25	COMP				
66/02/28			0.110		6.600
66/04/01	COMP				
66/04/04			0.180		8.700
66/04/29	COMP				
66/05/02			0.120		9.500
66/05/27	COMP				
66/05/31			0.180		7.000
66/07/01	COMP				
66/07/05			0.220		9.200
66/07/29	COMP				
66/08/01			0.220		7.400
66/09/02	COMP				
66/09/06			0.200		6.700
66/09/30	COMP				
66/10/03			0.140		4.300
66/10/28	COMP				
66/10/31			0.130		3.500
66/12/02	COMP				
66/12/05			0.140		5.000
66/12/30	COMP				
67/01/03			0.160		2.000
67/01/27	COMP				
67/01/30			0.150		5.900
67/02/24	COMP				
67/02/27			0.180		7.400
67/03/31	COMP				
67/04/03			0.190		7.400
67/04/28	COMP				

030020  
 32 43 00.0 114 43 00.0  
 COLO R AT NRTHRLY US-MEX BOUNDARY  
 04 ARIZONA  
 COLORADO RIVER  
 LOWER COLORADO RIVER  
 1118C030 6111204  
 2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 RA-226 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L
67/05/02			0.130		6.800
67/05/26	COMP				
67/05/29			0.200		6.500
67/06/30	COMP				
67/07/03			0.220		6.500
67/07/28	COMP				
67/07/31			0.200		7.600
67/09/01	COMP				
67/09/04			0.120		5.100
67/09/29	COMP				
67/10/02			0.150		5.800
67/10/27	COMP				
67/10/30			0.120		6.000
67/12/01	COMP				
67/12/04			0.200		5.600
67/12/29	COMP				
68/01/01			0.170		7.200
68/02/02	COMP				
68/02/12			0.120		7.400
68/03/01	COMP				
68/03/04			0.150		7.500
68/03/29	COMP				
68/04/01			0.200		7.900
68/04/26	COMP				
68/04/29			0.100		6.400
68/05/29	COMP				
68/06/07			0.130	0.020	7.700
68/06/28	COMP				
68/07/02			0.180	0.020	7.600
68/08/02	COMP				
68/08/05	10 00				
CP(T)-06					
68/08/30	10 00				
68/09/03	COMP				
68/09/27			0.130	0.010	6.600
68/10/04	COMP				
68/11/04			0.090	0.010	6.800
68/11/04	COMP				
68/11/29			0.100	0.010	7.300
68/12/02	COMP				
68/12/27	COMP		0.110	0.010	7.500

TABLE A-24 (Cont.)  
(RMN-30)

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED	RA-226 PC/L	09504 RA-226-D ERROR	22703 U-NAT UG/L
68/12/30				0.110	0.020	7.900
69/01/31			COMP			
69/02/03				0.090	0.010	6.800
59/02/28			COMP			
69/03/03				0.150	0.020	8.800
69/03/28			COMP			
69/04/01				0.170	0.020	7.700
69/05/04			COMP			
69/05/05				0.100	0.010	8.400
69/05/29			COMP			
69/06/02				0.150	0.010	6.400
69/06/27			COMP			
69/06/30				0.150	0.020	8.000
69/08/01			COMP			
69/08/04				0.190	0.020	7.000
69/08/29			COMP			
69/09/23				0.120	0.020	7.000
69/10/21				0.130	0.020	6.000
69/11/20				0.110	0.020	5.500
70/01/23				0.090	0.020	5.700
70/02/19				0.140	0.020	6.300
70/03/19				0.130	0.020	6.600
70/04/24				0.110	0.020	7.400
70/06/19				0.110	0.020	7.500
70/07/24				0.130	0.020	8.400
70/10/22				0.080	0.010	3.800
71/01/14				0.030	0.010	6.100
71/04/21				0.150	0.020	8.800
71/07/22				0.170		4.200
71/10/15				0.100		5.000
72/01/21				0.100		4.800
72/04/20				0.100K		6.100

030020  
 32 43 00.0 114 43 00.0  
 COLO R AT NORTHERLY US-MEX BOUNDARY  
 04 ARIZONA  
 COLORADO RIVER  
 LOWER COLORADO RIVER  
 1118C030 6111204  
 2 0000 FEET DEPTH

STATION DESCRIPTION

(RMN-31)

030000  
36 51 53.0 111 35 15.0  
COLORADO RIVER AT PAGE  
04 ARIZONA  
COLORADO RIVER BASIN  
MIDDLE COLORADO-SAN JUAN SUB BASIN  
1114C030 2111204  
2 0000 FEET DEPTH

RIVER  
SYSTEM  
INDEX 1101001  
MILES 0727.10

II III IV V VI VII VIII IX X XI XII

DESCRIPTION

CRHP NO. 3797.0, RMN-31, USGS-09-380000  
NE1/4, SW1/4, SEC 24, T41N, R8E

SAMPLED AT PAGE MUNICIPAL WATER INTAKE UNTIL 09/22/69. NOW SAMPLED AT  
LEES FERRY, 09380000

TYPE DATA-RAD, BACT; 300CC COMP/WEEK

TYPE FLOW MEAS-WTH STG REC AT 09350000 AT LEES FERRY, ARIZONA


SAMPLING STARTED 5/06/63 AND IS ONGOING

REMARKS: BACTERIOLOGICAL SAMPLING STARTED FEB. 1968

A-142

Number of Samples assayed for Ra-226 through period of record (1961-1972): 100  
Mean Ra-226 concentration for period of record and  $2\sigma$  deviation :  $0.17 \pm 0.13$

Number of Samples assayed for U(total) through period of record (1962-1972): 100  
Mean U(total) concentration for period of record and  $2\sigma$  deviation :  $6.46 \pm 4.47$



SATION LOCATION  
(RMN-31)

A-143

TABLE A-25  
(RMN-31)

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226 PC/L	RA-226-D ERROR PC/L	22703 U-NAT UG/L
63/05/06			0.360			13.000
63/05/27			COMP			
63/06/01				0.290		11.000
63/06/30			COMP			9.200
63/07/01				0.290		
63/07/31			COMP			7.400
63/08/01				0.250		
63/08/31			COMP			7.100
63/09/01				0.160		
63/09/30			COMP			7.900
63/10/07				0.190		
63/10/28			COMP			8.600
63/11/04				0.180		
63/11/25			COMP			8.600
63/12/02				0.250		
63/12/30			COMP			8.400
64/01/01				0.250		
64/01/31			COMP			10.000
64/02/03				0.340		
64/02/24			COMP			7.500
64/03/02				0.300		
64/03/30			COMP			11.000
64/04/01				0.280		
64/04/30			COMP			9.100
64/05/04				0.290		
64/05/25			COMP			9.200
64/06/01				0.250		
64/06/29			COMP			11.000
64/07/06				0.290		
64/07/26			COMP			10.000
64/08/03				0.250		
64/08/31			COMP			6.900
64/09/14				0.200		
64/09/21			COMP			6.500
64/10/05				0.150		
64/10/26			COMP			7.800
64/11/02				0.200		
64/11/30			COMP			7.800
64/12/07				0.080		
64/12/28			COMP			

030000  
36 51 53.0 111 35 15.0  
COLORADO RIVER AT PAGE  
04 ARIZONA  
COLORADO RIVER BASIN  
MIDDLE COLORADO-SAN JUAN SUB BASIN  
1118C030 2111204  
2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226 PC/L	RA-226-D ERROR PC/L	22703 U-NAT UG/L
65/01/04					0.050	9.400
65/01/25			COMP			
65/02/01				0.210		7.200
65/02/15			COMP			
65/03/08				0.210		7.600
65/03/22			COMP			
65/04/05				0.220		6.800
65/04/26			COMP			
65/05/03				0.250		7.500
65/05/24			COMP			
65/06/01				0.220		7.000
65/06/30			COMP			
65/07/05				0.120		3.600
65/07/26			COMP			
65/08/02				0.160		3.100
65/08/30			COMP			
65/09/20				0.200		2.800
65/09/27			COMP			
65/10/04				0.100		3.500
65/10/25			COMP			
65/11/01				0.130		3.200
65/11/29			COMP			
65/12/06				0.160		4.100
65/12/27			COMP			
66/01/03				0.150		4.900
66/01/31			COMP			
66/02/07				0.140		5.100
66/02/28			COMP			
66/03/07				0.190		5.200
66/03/28			COMP			
66/04/04				0.190		5.800
66/04/25			COMP			
66/05/02				0.180		3.700
66/05/16			COMP			
66/06/01				0.120		4.800
66/07/01				0.120		3.900
66/09/26				0.140		3.900
66/10/03				0.130		3.700
66/10/10			COMP			
66/12/02						4.500

TABLE A-25 (Cont.)  
(RMN-31)

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503	09504	22703
			RA-226 DISOLVED PC/L	RA-226-D ERROR PC/L	U-NAT UG/L
67/01/13			0.100		5.200
67/03/01			0.040		6.400
67/06/01			0.070		5.100
67/07/01			0.200		6.600
67/08/01			0.190		6.900
67/09/01	10 00				
CP(T)-04			0.200	0.030	4.400
67/09/30	10 00				
67/10/01	10 00				
CP(T)-04			0.180	0.030	5.500
67/10/31	10 00				
67/11/01	10 00				
CP(T)-04			0.170	0.030	5.600
67/11/30	10 00				
67/12/01	10 00				
CP(T)-04			0.150	0.020	5.600
67/12/31	10 00				
68/01/01	10 00				
CP(T)-04			0.130	0.030	6.800
68/01/31	10 00				
68/02/01	10 00				
CP(T)-04			0.160	0.020	7.400
68/02/28	10 00				
68/03/01	10 00				
CP(T)-04			0.150	0.030	7.400
68/03/31	10 00				
68/04/01	10 00				
CP(T)-04			0.200	0.020	7.000
68/04/30	10 00				
68/04/29	10 00				
CP(T)-05			0.170	0.020	7.900
68/05/27	10 00				
68/06/03	10 00				
CP(T)-03			0.160	0.020	8.300
68/06/24	10 00				
68/07/01			0.150	0.020	6.100
68/07/29		COMP			
68/08/05	10 00				
CP(T)-04			0.230	0.020	3.700
68/08/26	10 00				

030000  
36 51 53.0 111 35 15.0  
COLORADO RIVER AT PAGE  
04 ARIZONA  
COLORADO RIVER BASIN  
MIDDLE COLORADO-SAN JUAN SUB BASIN  
1118C030 2111204  
2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 RA-226 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L
68/09/03			0.180	0.020	5.600
68/09/23					
68/09/30					
68/10/28					
68/11/04					
68/11/26					
68/12/03					
68/12/30					
69/01/06					
69/01/29					
69/02/03					
69/02/24					
69/03/03					
69/03/24					
69/04/01					
69/04/28					
69/05/05					
69/05/26					
69/06/02					
69/06/23					
69/07/07					
69/07/28					
69/08/04					
69/08/25					
69/09/01					
69/09/22					
69/10/21					
69/11/20					
69/12/15					
70/01/20					
70/02/15					
70/03/18					
70/04/20					
70/05/19					
70/06/16					
70/07/17					
70/08/18					
70/09/29					
70/10/19					

TABLE A-25 (Cont.)  
(RMN-31)

030000  
 36 51 53.0 111 35 15.0  
 COLORADO RIVER AT PAGE  
 04 ARIZONA  
 COLORADO RIVER BASIN  
 MIDDLE COLORADO-SAN JUAN SUB BASIN  
 1118C030 2111204  
 2 0000 FEET DEPTH

DATE	TIME	DEPTH	09503 RA-226 FROM OF TO DAY	DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L
70/11/16				0.120	0.020	4.400
70/12/29						3.600
71/01/11				0.100	0.020	4.100
71/02/22				0.110	0.020	5.000
71/03/15				0.130	0.020	5.100
71/04/28				0.150	0.020	7.500
71/05/21				0.140	0.020	5.200
71/06/25				0.150	0.020	4.500
71/07/30				0.190		3.900
71/08/30				0.200		
71/09/30				0.200		2.900
71/12/27				0.200		2.600
72/01/04				0.100		4.600
72/03/20				0.100		6.400
72/04/20				0.200		5.900
72/05/12				0.400		16.000
72/06/27				0.200		

STATION DESCRIPTION

(RMN-32)

310000  
36 00 40.0 114 44 40.0  
COLORADO RIVER NR BOULDER CITY  
32 30NEVADA  
COLORADO RIVER  
LOWER MAIN STEM  
1118C030 77777777  
2 0000 FEET DEPTH

RIVER  
SYSTEM II III IV V VI VII VIII IX X XI XII  
INDEX 1101001 . . . . . . . . . . .  
MILES 0356.10 . . . . . . . . . . .

DESCRIPTION

RMN-32, USGS-09-421500  
SW1/4, SW1/4, SEC 3, T30N, R23W


SAMPLED 0.3MILE DOWNSTREAM OF HOOVER DAM POWERHOUSE ON THE WEST BANK  
TYPE DATA-RAD

SAMPLING STARTED 3/11/63 AND IS ONGOING BY REGION IX  
TYPE FLOW MEAS-WTR STG REC 0.8MI. DOWNSTREAM OF 09421500, HOOVER DAM

A-147

Number of Samples assayed for Ra-226 through period of record (1961-1972): 96  
Mean Ra-226 concentration for period of record and  $2\sigma$  deviation :  $0.29 \pm 0.21$

Number of Samples assayed for U(total) through period of record (1962-1972): 96  
Mean U(total) concentration for period of record and  $2\sigma$  deviation :  $7.69 \pm 2.66$



STATION LOCATION

(RMN-32)

A-148

TABLE A-26  
(RMN-32)

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT UG/L
63/03/11			0.380		10.000
63/03/29			COMP		
63/04/01			0.380		8.800
63/04/26			COMP		
63/04/29			0.360		8.000
63/05/31			COMP		
63/06/03			0.400		7.800
63/06/28			COMP		
63/07/01			0.310		7.400
63/08/02			COMP		
63/08/05			0.310		7.000
63/08/30			COMP		
63/09/02			0.310		7.900
63/09/27			COMP		
63/09/30			0.340		8.600
63/11/01			COMP		
63/11/04			0.300		5.600
63/11/29			COMP		
63/12/04			0.280		8.100
63/12/27			COMP		
63/12/30			0.310		7.400
64/01/31			COMP		
64/02/03			0.500		8.600
64/02/28			COMP		
64/03/02			0.330		9.000
64/03/27			COMP		
64/03/30			0.300		9.600
64/04/29			COMP		
64/05/04			0.300		7.900
64/05/29			COMP		
64/06/01			0.250		6.900
64/06/26			COMP		
64/06/29			0.270		8.900
64/07/31			COMP		
64/08/03			0.330		9.200
64/08/28			COMP		
64/08/31			0.210		8.800
64/10/02			COMP		
64/10/05			0.330		11.000
64/10/30			COMP		

310000  
36 00 40.0 114 44 40.0  
COLORADO RIVER NR BOULDER CITY  
32 30NEVADA  
COLORADO RIVER  
LOWER MAIN STEM  
1118C030  
2 77777777  
0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT UG/L
64/11/02					0.330
64/11/27			COMP		
64/11/30					0.350
65/01/01			COMP		
65/01/04					0.340
65/01/29			COMP		
65/02/02					0.300
65/02/26			COMP		
65/03/01					0.380
65/04/02			COMP		
65/04/05					0.390
65/04/30			COMP		
65/05/03					0.350
65/05/28			COMP		
65/06/01					0.300
65/07/02			COMP		
65/07/06					0.380
65/07/26			COMP		
65/08/02					0.440
65/08/23			COMP		
65/08/30					0.410
65/09/27			COMP		
65/10/04					0.500
65/10/18			COMP		
65/11/01					0.530
65/11/22			COMP		
65/11/29					0.510
66/01/03			COMP		
66/01/07					0.590
66/01/24			COMP		
66/02/14					0.390
66/02/28			COMP		
66/02/28					0.410
66/03/28			COMP		
66/04/04					0.400
66/04/25			COMP		
66/05/02					0.430
66/05/23			COMP		
66/05/31					0.440
66/06/27			COMP		

A-140

TABLE A-26 (Cont.)  
(RMN-32)

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 ERROR PC/L	22703 U-NAT UG/L
66/07/05			0.380		7.500
66/07/25	COMP				
66/08/01	COMP	0.400		7.000	
66/08/29	COMP	0.400		7.300	
66/09/06	COMP	0.400		7.300	
66/09/26	COMP	0.400		6.000	
66/10/03	COMP	0.350		5.000	
66/10/24	COMP	0.250		5.000	
66/11/28	COMP	0.250		6.700	
66/12/05	COMP	0.340		7.100	
66/12/27	COMP	0.360		7.000	
67/01/03	COMP	0.290		7.200	
67/01/23	COMP	0.300		6.400	
67/01/30	COMP	0.310		6.500	
67/02/20	COMP	0.300		6.600	
67/02/27	COMP	0.270		6.900	
67/03/27	COMP	0.260		7.100	
67/04/03	COMP	0.260		7.300	
67/04/24	COMP	0.260		6.800	
67/05/01	COMP	0.260		7.100	
67/05/22	COMP	0.260		7.100	
67/05/29	COMP	0.260		7.100	
67/06/26	COMP	0.260		7.100	
67/07/03	COMP	0.260		7.100	
67/07/24	COMP	0.260		7.100	
67/07/31	COMP	0.260		7.100	
67/08/28	COMP	0.260		7.100	
67/09/05	COMP	0.260		7.100	
67/09/25	COMP	0.260		7.100	
67/10/02	COMP	0.260		7.100	
67/10/24	COMP	0.260		7.100	
67/11/27	COMP	0.260		7.100	
67/12/04	COMP	0.260		7.100	
67/12/26	COMP	0.260		7.100	
68/01/02	COMP	0.260		7.100	
68/01/29	COMP	0.260		7.100	
68/02/05	COMP	0.260		7.100	
68/03/18	COMP	0.260		7.100	

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 ERROR PC/L	22703 U-NAT UG/L
68/03/04			0.230		6.800
68/03/25	COMP				
68/04/01	COMP	0.250		7.200	
68/04/22	COMP	0.190		6.500	
68/04/29	COMP	0.200	0.020	7.100	
68/05/27	COMP	0.230	0.020	6.100	
68/06/03	COMP	0.260	0.020	5.500	
68/06/24	COMP	0.250	0.020	7.500	
68/07/01	COMP	0.170	0.020	8.600	
68/07/29	COMP	0.200	0.020	8.900	
68/08/05	COMP	0.210	0.020	8.300	
68/08/26	COMP	0.180	0.020	8.500	
68/09/03	COMP	0.180	0.020	7.600	
68/09/22	COMP	0.230	0.020	7.400	
68/09/30	COMP	0.180	0.020	7.600	
68/10/28	COMP	0.180	0.020	8.100	
68/11/04	COMP	0.190	0.020	6.400	
68/11/25	COMP	0.190	0.020	6.500	
68/12/02	COMP	0.190	0.020	10.000	
68/12/23	COMP	0.190	0.020	8.100	
68/12/30	COMP	0.190	0.020	8.100	
69/01/27	COMP	0.220	0.020	6.400	
69/02/03	COMP	0.220	0.020	6.500	
69/02/24	COMP	0.220	0.020	7.400	
69/03/03	COMP	0.220	0.020	7.600	
69/03/24	COMP	0.220	0.020	8.100	
69/04/01	COMP	0.220	0.020	6.400	
69/04/28	COMP	0.220	0.020	6.500	
69/05/05	COMP	0.220	0.020	7.400	
69/05/26	COMP	0.220	0.020	7.600	
69/06/02	COMP	0.220	0.020	8.100	
69/06/23	COMP	0.220	0.020	6.400	
69/06/30	COMP	0.220	0.020	6.500	
69/07/28	COMP	0.220	0.020	7.400	
69/08/04	COMP	0.220	0.020	7.600	
69/08/25	COMP	0.220	0.020	8.100	
69/09/16	COMP	0.170	0.020	6.400	
69/10/23	COMP	0.190	0.020	6.500	
69/11/17	COMP	0.140	0.020	7.400	

TABLE A-26 (Cont.)  
(RMN-32)

310000  
 36 00 40.0 114 44 40.0  
 COLORADO RIVER NR BOULDER CITY  
 32 30NEVADA  
 COLORADO RIVER  
 LOWER MAIN STEM  
 1118C030 7777777  
 2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L
69/12/08		0.140	0.020	8.200	
70/01/20		0.170	0.020	7.800	
70/02/16		0.190	0.020	7.400	
70/03/16		0.160	0.020	6.500	
70/04/21		0.150	0.020	6.400	
70/05/01		0.180	0.020	6.800	
70/06/16		0.170	0.030	7.600	
70/07/21		0.130	0.020	7.600	
70/10/19		0.160	0.020	5.600	
71/01/12		0.150	0.020	6.900	
71/04/19		0.170	0.020	8.400	
71/07/20		0.340		4.100	
71/10/13		0.100		7.500	
72/01/18		0.100		5.900	
72/04/18		0.100		6.900	

STATION DESCRIPTION

(RMN-33)

050501  
34 19 00.0 114 09 00.0  
COLO R MWD INTAKE NR PARKER DAM  
06 CALIFORNIA  
COLORADO RIVER BASIN  
LOWER COLORADO SUB BASIN  
1118C030 2111204  
2 0000 FEET DEPTH

RIVER SYSTEM	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
INDEX 1101001	.	.	.	.	.	.	.	.	.	.	.
MILES 0200.60	.	.	.	.	.	.	.	.	.	.	.

DESCRIPTION

CRBP NO. LMS-44, RMN-33  
NW1/4, SW1/4, SEC 28, T3N, R27E

SAMPLED 2 MILES UPSTREAM OF PARKER DAM AT WHITSET INTAKE ON THE WEST BANK

TYPE DATA-SAL, PEST, RAD


TYPE FLOW MEAS-WTR STG REC AT 09427500 LAKE HAVASU, ARIZ-CALIF.

SAMPLING STARTED 1/7/63 AND ENDED 10/1/68

REMARKS: MWD=METROPOLITAN WATER DISTRICT

Number of Samples assayed for Ra-226 through period of record (1961-1972): 70  
Mean Ra-226 concentration for period of record and  $2\sigma$  deviation :  $0.34 \pm 0.10$

Number of Samples assayed for U(total) through period of record (1962-1972): 70  
Mean U(total) concentration for period of record and  $2\sigma$  deviation :  $7.79 \pm 2.43$



STATION LOCATION  
(RMN-33)

**TABLE A-27**  
**(RMN-33)**

050501  
34 19 00.0 114 09 00.0  
COLO R MWD INTAKE NR PARKER DAM  
06 CALIFORNIA  
COLORADO RIVER BASIN  
LOWER COLORADO SUB BASIN  
1118C030 2111204  
2 0000 FEET

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 RA-226 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L
63/01/07			0.260		9.900
63/02/01		COMP			
63/02/04			0.400		11.000
63/02/20		COMP			
63/03/03			0.380		11.000
63/03/28		COMP			
63/04/01			0.380		9.900
63/04/26		COMP			
63/04/29			0.360		8.100
63/05/24		COMP			
63/06/03			0.360		8.200
63/06/29		COMP			
63/07/01			0.340		8.800
63/08/01		COMP			
63/08/05			0.340		6.600
63/08/30		COMP			
63/09/02			0.310		7.200
63/09/27		COMP			
63/10/01			0.340		6.200
63/10/30		COMP			
63/11/04			0.360		5.900
63/11/29		COMP			
63/12/02			0.390		7.400
63/12/27		COMP			
64/01/03			0.330		7.700
64/01/31		COMP			
64/02/02			0.310		8.700
64/02/29		COMP			
64/03/02			0.340		7.900
64/03/27		COMP			
64/03/29			0.350		8.100
64/05/02		COMP			
64/05/05			0.320		8.800
64/05/29		COMP			
64/05/31			0.280		7.200
64/06/25		COMP			
64/06/28			0.380		7.900
64/07/31		COMP			
64/08/04			0.350		8.100
64/08/25		COMP			

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L
64/03/30			0.400		9.400
64/10/02		COMP			
64/10/05			0.380		8.600
64/10/28		COMP			
64/11/01			0.370		8.900
64/11/27		COMP			
64/12/02			0.370		8.500
64/12/28		COMP			
65/01/04			0.320		9.200
65/01/29		COMP			
65/02/01			0.320		8.400
65/02/26		COMP			
65/03/03			0.290		10.000
65/03/29		COMP			
65/04/05			0.330		9.100
65/04/30		COMP			
65/05/03			0.370		8.400
65/05/28		COMP			
65/06/02			0.350		8.000
65/06/28		COMP			
65/07/01			0.370		11.000
65/07/31		COMP			
65/08/11			0.300		5.700
65/08/31		COMP			
65/09/01			0.400		6.900
65/09/30		COMP			
65/10/01			0.380		6.700
65/10/31		COMP			
65/11/01			0.380		8.400
65/11/30		COMP			
65/12/01			0.390		7.800
65/12/31		COMP			
66/01/01			0.290		7.500
66/01/31		COMP			
66/02/02			0.430		7.500
66/02/21		COMP			
66/02/26			0.400		7.800
66/03/28		COMP			
66/04/04			0.380		7.600
66/04/25		COMP			

A-154

TABLE A-27 (Cont.)

(RMN-33)

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 RA-226 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L
66/05/02			0.400		7.700
66/05/23			COMP		
66/05/30			0.400		7.100
66/06/27			COMP		
66/07/04			0.430		8.000
66/07/25			COMP		
66/08/01			0.390		8.100
66/08/29			COMP		
66/09/05			0.380		6.800
66/09/26			COMP		
66/10/03			0.390		6.600
66/10/17			COMP		
66/11/07			0.330		5.400
66/11/29			COMP		
66/12/05			0.350		7.600
66/12/19			COMP		
67/01/16			0.280		7.500
67/02/06			0.390		7.200
67/02/27			COMP		
67/03/06			0.370		8.000
67/03/27			COMP		
67/04/03			0.330		8.300
67/04/24			COMP		
67/05/01			0.330		7.300
67/05/22			COMP		
67/05/29			0.340		7.400
67/06/26			COMP		
67/07/03			0.360		6.200
67/07/24			COMP		
67/08/01			0.310		7.100
67/08/28			COMP		
67/09/04			0.320		6.900
67/09/25			COMP		
67/10/02	10 00				
CP(T)-04			0.310	0.030	6.800
67/10/23	10 00				
67/10/30	10 00				
CP(T)-04			0.300	0.030	7.400
67/11/27	10 00				
67/12/11	10 00				
CP(T)-02			0.270	0.030	7.100
67/12/25	10 00				

050501  
 34 19 00.0 114 09 00.0  
 COLO R MWD INTAKE NR PARKER DAM  
 06 CALIFORNIA  
 COLORADO RIVER BASIN  
 LOWER COLORADO SUB BASIN  
 1118C030 2111204  
 2 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	09503 RA-226 DISOLVED PC/L	09504 RA-226-D ERROR PC/L	22703 U-NAT DISOLVED UG/L
68/01/01	10 00				
CP(T)-04				0.270	0.030
68/01/29	10 00				
68/02/10	10 00				
CP(T)-02				0.270	0.030
68/02/26	10 00				
68/03/01	10 00				
CP(T)-05				0.270	0.030
68/03/31	10 00				
68/04/01	10 00				
CP(T)-04				0.250	0.030
68/04/30	10 00				
68/05/01	10 00				
CP(T)-05				0.250	0.030
68/05/31	10 00				
68/06/01	10 00				
CP(T)-04				0.180	0.020
68/06/30	10 00				
68/07/01	10 00				
CP(T)-04				0.250	0.030
68/07/31	10 00				
68/08/01	10 00				
CP(T)-04				0.240	0.010
68/08/31	10 00				
68/09/01				0.300	0.030
68/10/31				0.240	0.020
68/10/01			COMP		9.300

**PAGE NOT  
AVAILABLE  
DIGITALLY**