


**U.S. ENVIRONMENTAL PROTECTION AGENCY  
NATIONAL EUTROPHICATION SURVEY  
WORKING PAPER SERIES**



REPORT  
ON  
LAKE LOU YAEGER  
MONTGOMERY COUNTY  
ILLINOIS  
EPA REGION V  
WORKING PAPER No. 310

**CORVALLIS ENVIRONMENTAL RESEARCH LABORATORY - CORVALLIS, OREGON  
and  
ENVIRONMENTAL MONITORING & SUPPORT LABORATORY - LAS VEGAS, NEVADA**

REPORT  
ON  
LAKE LOU YAEGER  
MONTGOMERY COUNTY  
ILLINOIS  
EPA REGION V  
WORKING PAPER No. 310

WITH THE COOPERATION OF THE  
ILLINOIS ENVIRONMENTAL PROTECTION AGENCY  
AND THE  
ILLINOIS NATIONAL GUARD  
JUNE, 1975

## CONTENTS

	<u>Page</u>
Foreword	ii
List of Illinois Study Lakes	iv
Lake and Drainage Area Map	v
 <u>Sections</u>	
I. Conclusions	1
II. Lake and Drainage Basin Characteristics	3
III. Lake Water Quality Summary	4
IV. Nutrient Loadings	8
V. Literature Reviewed	13
VI. Appendices	14

## FOR E W O R D

The National Eutrophication Survey was initiated in 1972 in response to an Administration commitment to investigate the nationwide threat of accelerated eutrophication to fresh water lakes and reservoirs.

### OBJECTIVES

The Survey was designed to develop, in conjunction with state environmental agencies, information on nutrient sources, concentrations, and impact on selected freshwater lakes as a basis for formulating comprehensive and coordinated national, regional, and state management practices relating to point-source discharge reduction and non-point source pollution abatement in lake watersheds.

### ANALYTIC APPROACH

The mathematical and statistical procedures selected for the Survey's eutrophication analysis are based on related concepts that:

- a. A generalized representation or model relating sources, concentrations, and impacts can be constructed.
- b. By applying measurements of relevant parameters associated with lake degradation, the generalized model can be transformed into an operational representation of a lake, its drainage basin, and related nutrients.
- c. With such a transformation, an assessment of the potential for eutrophication control can be made.

### LAKE ANALYSIS

In this report, the first stage of evaluation of lake and watershed data collected from the study lake and its drainage basin is documented. The report is formatted to provide state environmental agencies with specific information for basin planning [§303(e)], water quality criteria/standards review [§303(c)], clean lakes [§314(a,b)], and water quality monitoring [§106 and §305(b)] activities mandated by the Federal Water Pollution Control Act Amendments of 1972.

Beyond the single lake analysis, broader based correlations between nutrient concentrations (and loading) and trophic condition are being made to advance the rationale and data base for refinement of nutrient water quality criteria for the Nation's fresh water lakes. Likewise, multivariate evaluations for the relationships between land use, nutrient export, and trophic condition, by lake class or use, are being developed to assist in the formulation of planning guidelines and policies by EPA and to augment plans implementation by the states.

ACKNOWLEDGMENT

The staff of the National Eutrophication Survey (Office of Research & Development, U. S. Environmental Protection Agency) expresses sincere appreciation to the Illinois Environmental Protection Agency for professional involvement and to the Illinois National Guard for conducting the tributary sampling phase of the Survey.

Dr. Richard H. Briceland, Director of the Illinois Environmental Protection Agency; and Ronald M. Barganz, State Survey Coordinator, and John J. Forneris, Manager of Region III, Field Operations Section of the Division of Water Pollution Control, provided invaluable lake documentation and counsel during the Survey, reviewed the preliminary reports, and provided critiques most useful in the preparation of this Working Paper series.


Major General Harold R. Patton, the Adjutant General of Illinois, and Project Officer Colonel Daniel L. Fane, who directed the volunteer efforts of the Illinois National Guardsmen, are also gratefully acknowledged for their assistance to the Survey.

## NATIONAL EUTROPHICATION SURVEY

## STUDY LAKES

STATE OF ILLINOIS

<u>LAKE NAME</u>	<u>COUNTY</u>
Baldwin	Randolph
Bloomington	McLean
Carlyle	Bond, Clinton, Fayette
Cedar	Lake
Charleston	Coles
Coffeen	Montgomery
Crab Orchard	Jackson, Williamson
Decatur	Macon
DePue	Bureau
East Loon	Lake
Fox	Lake
Grass	Lake
Highland Silver	Madison
Holiday	LaSalle
Horseshoe	Madison
Long	Lake
Lou Yaeger	Montgomery
Marie	Lake
Old Ben Mine	Franklin
Pistakee	Lake, McHenry
Raccoon	Marion
Rend	Franklin, Jefferson
Sangchris	Christian
Shelbyville	Moultrie, Shelby
Slocum	Lake
Springfield	Sangamon
Storey	Knox
Vandalia	Fayette
Vermilion	Vermilion
Wee Ma Tuk	Fulton
Wonder	McHenry



LAKE LOU YAEGER

STORET NO. 1726

I. CONCLUSIONS

A. Trophic Condition:

Survey data indicate that Lake Lou Yaeger is eutrophic. It ranked 21st when the 31 Illinois lakes sampled in 1973 were compared using a combination of six parameters\*. Twenty-one lakes had less median total phosphorus, 23 had less median dissolved phosphorus, 19 had less median inorganic nitrogen, but only four had less mean chlorophyll a. The relatively low mean chlorophyll a and the high nutrient levels indicate primary productivity probably was light-limited. Twenty-eight of the lakes had greater mean Secchi disc transparency, and Survey limnologists noted that the lake was very turbid at all sampling times.

B. Rate-Limiting Nutrient:

The algal assay results are not considered representative of conditions in the lake because of a significant change in nutrient concentrations in the sample between the time of collection and the beginning of the assay.

However, the lake data indicate phosphorus was the limiting nutrient at all sampling times.

---

\* See Appendix A.

### C. Nutrient Controllability:

1. Point sources--The phosphorus load from the only known point source, the Village of Raymond, amounted to 5.5% of the total reaching the lake during the sampling year. The present phosphorus loading rate of  $3.15 \text{ g/m}^2/\text{yr}$  is a little over five times that proposed by Vollenweider (Vollenweider and Dillon, 1974) as a eutrophic rate (see page 12). Even complete removal of phosphorus at Raymond would still leave a loading rate nearly five times the eutrophic rate, and it appears that point-source phosphorus control would not appreciably improve the trophic condition of Lake Lou Yaeger.

2. Non-point sources--The three gaged tributaries, Three Mile Creek (37.6%), West Fork, Shoal Creek (29.9%), and Blue Grass Creek (10.7%), contributed a total of 78.2% of the annual non-point phosphorus load. The ungaged drainage areas were estimated to have contributed 15.8%.

The phosphorus export rates of the three tributaries ranged from 39 to  $73 \text{ kg/km}^2/\text{yr}$  with a mean of  $61 \text{ kg/km}^2/\text{yr}$  (see page 12). Two of the three tributaries have export rates that appear to be somewhat high compared to the rates of four unimpacted tributaries of nearby Lake Vandalia\* (mean =  $42 \text{ kg/km}^2/\text{yr}$ ; range of 34 to  $58 \text{ kg/km}^2/\text{yr}$ ), but this may be due to differences in land-use practices in the two lake drainages.

---

\* Working Paper No. 319.

## II. LAKE AND DRAINAGE BASIN CHARACTERISTICS<sup>†</sup>

### A. Lake Morphometry<sup>††</sup>:

1. Surface area: 5.72 kilometers<sup>2</sup>.
2. Mean depth: 3.3 meters.
3. Maximum depth: >6.7 meters.
4. Volume:  $18.876 \times 10^6$  m<sup>3</sup>.
5. Mean hydraulic retention time: 121 days.

### B. Tributary and Outlet:

(See Appendix C for flow data)

#### 1. Tributaries -

<u>Name</u>	<u>Drainage area (km<sup>2</sup>)*</u>	<u>Mean flow (m<sup>3</sup>/sec)*</u>
Three Mile Branch	97.4	0.6
West Fk., Shoal Creek	74.3	0.5
Blue Grass Creek	50.0	0.3
Minor tributaries & immediate drainage -	<u>52.3</u>	<u>0.4</u>
Totals	274.0	1.8

#### 2. Outlet -

West Fk., Shoal Creek	279.7**	1.8
-----------------------	---------	-----

### C. Precipitation\*\*\*:

1. Year of sampling: 127.8 centimeters.
2. Mean annual: 94.8 centimeters.

<sup>†</sup> Table of metric conversions--Appendix B.

<sup>††</sup> Forneris, 1973.

<sup>\*</sup> For limits of accuracy, see Working Paper No. 175, "...Survey Methods, 1973-1976".

<sup>\*\*</sup> Includes area of lake.

<sup>\*\*\*</sup> See Working Paper No. 175.

### III. LAKE WATER QUALITY SUMMARY

Lake Lou Yaeger was sampled three times during the open-water season of 1973 by means of a pontoon-equipped Huey helicopter. Each time, samples for physical and chemical parameters were collected from four stations on the lake and from a number of depths at each station (see map, page v). During each visit, a single depth-integrated (4.6 m or near bottom to surface) sample was composited from the stations for phytoplankton identification and enumeration; and during the first visit, a single 18.9-liter depth-integrated sample was composited for algal assays. Also each time, a depth-integrated sample was collected from each of the stations for chlorophyll a analysis. The maximum depths sampled were 6.7 meters at station 1, 6.7 meters at station 2, 3.0 meters at station 3, and 2.4 meters at station 4.

The lake sampling results are presented in full in Appendix D and are summarized in the following table.

A. SUMMARY OF PHYSICAL AND CHEMICAL CHARACTERISTICS FOR LAKE LOU YAEGER  
STORET CODE 1726

PARAMETER	1ST SAMPLING ( 5/12/73)				2ND SAMPLING ( 8/10/73)				3RD SAMPLING (10/18/73)			
	4 SITES				4 SITES				4 SITES			
	RANGE	MEAN	MEDIAN	RANGE	MEAN	MEDIAN	RANGE	MEAN	MEDIAN	RANGE	MEAN	MEDIAN
TEMP (C)	16.5 - 19.1	18.0	18.0	20.4 - 28.6	26.1	26.7	15.8 - 18.7	17.6	18.1			
DISS OXY (MG/L)	5.8 - 9.6	7.5	7.6	3.6 - 6.2	5.1	5.0	7.0 - 8.0	7.4	7.3			
CNDCTVY (MCROMO)	170. - 340.	212.	180.	194. - 238.	209.	203.	166. - 310.	200.	174.			
PH (STAND UNITS)	7.6 - 7.8	7.7	7.7	6.9 - 8.2	7.3	7.3	7.4 - 7.9	7.6	7.6			
TOT ALK (MG/L)	39. - 88.	55.	46.	62. - 81.	68.	64.	61. - 121.	73.	65.			
TOT P (MG/L)	0.252 - 0.334	0.291	0.288	0.166 - 0.230	0.195	0.184	0.124 - 0.172	0.150	0.150			
ORTHO P (MG/L)	0.089 - 0.139	0.106	0.097	0.035 - 0.088	0.069	0.074	0.055 - 0.077	0.067	0.067			
N02+N03 (MG/L)	1.230 - 3.600	1.961	1.565	0.840 - 1.760	1.498	1.640	0.830 - 1.920	1.029	0.840			
AMMONIA (MG/L)	0.110 - 0.330	0.182	0.140	0.060 - 0.330	0.132	0.080	0.050 - 0.080	0.058	0.050			
KJEL N (MG/L)	0.600 - 1.300	0.767	0.700	0.700 - 1.200	0.927	0.900	0.600 - 0.900	0.709	0.700			
INORG N (MG/L)	1.380 - 3.910	2.142	1.685	1.170 - 1.840	1.630	1.740	0.880 - 2.000	1.087	0.900			
TOTAL N (MG/L)	1.830 - 4.900	2.727	2.265	2.040 - 2.760	2.425	2.380	1.430 - 2.820	1.738	1.530			
CHLRPHYL A (UG/L)	***** - *****			0.8 - 46.7	12.7	1.7	4.2 - 16.2	8.6	6.9			
SECCHI (METERS)	0.1 - 0.2	0.1	0.2	0.2 - 0.3	0.2	0.2	0.4 - 0.5	0.4	0.4			

## B. Biological characteristics:

## 1. Phytoplankton -

<u>Sampling Date</u>	<u>Dominant Genera</u>	<u>Algal Units per ml</u>
05/13/73	1. <u>Cryptomonas sp.</u> 2. <u>Synedra sp.</u> 3. <u>Nitzschia sp.</u> 4. Flagellates 5. Pennate diatoms	20 20 20 20 <u>20</u>
	Total	100
08/10/73	1. <u>Stephanodiscus sp.</u> 2. Pennate diatoms 3. <u>Cyclotella sp.</u> 4. <u>Trachelomonas sp.</u> 5. <u>Melosira sp.</u> Other genera	94 78 47 16 16 <u>15</u>
	Total	266
10/18/73	1. <u>Melosira sp.</u> 2. <u>Cyclotella sp.</u> 3. <u>Stephanodiscus sp.</u> 4. <u>Coelastrum sp.</u> 5. <u>Euglena sp.</u> Other genera	706 196 144 13 13 <u>118</u>
	Total	1,190

## 2. Chlorophyll a -

<u>Sampling Date</u>	<u>Station Number</u>	<u>Chlorophyll a (<math>\mu\text{g/l}</math>)</u>
05/12/73*		
08/10/73	01	0.8
	02	1.1
	03	2.4
	04	46.7
10/18/73	01	4.2
	02	5.1
	03	8.8
	04	16.2

## C. Limiting Nutrient Study:

There was more than a 30% change in nutrient levels in the assay sample from the time of collection to the beginning of the assay, and the results are not representative of conditions in the lake at the time the sample was collected.

The lake data indicate phosphorus limitation at all sampling times, i.e., the mean inorganic nitrogen/orthophosphorus ratios were 16/1 or greater, and phosphorus limitation would be expected.

\* Samples lost in shipment.

IV. NUTRIENT LOADINGS  
(See Appendix E for data)

For the determination of nutrient loadings, the Illinois National Guard collected monthly near-surface grab samples from each of the tributary sites indicated on the map (page v), except for the high runoff month of March when two samples were collected. Sampling was begun in June, 1973, and was completed in May, 1974.

Through an interagency agreement, stream flow estimates for the year of sampling and a "normalized" or average year were provided by the Illinois District Office of the U.S. Geological Survey for the tributary sites nearest the lake.

In this report, nutrient loads for sampled tributaries were determined by using a modification of a U.S. Geological Survey computer program for calculating stream loadings\*. Nutrient loads shown are those measured minus point-source loads, if any.

Nutrient loads for unsampled "minor tributaries and immediate drainage" ("ZZ" of U.S.G.S.) were estimated using the means of the nutrient loads, in kg/km<sup>2</sup>/year, at stations B-1 and C-1 and multiplying the means by the ZZ area in km<sup>2</sup>.

The Village of Raymond did not participate in the Survey, and nutrient loads were estimated at 1.134 kg P and 3.401 kg N/capita/year.

---

\* See Working Paper No. 175.

## A. Waste Sources:

## 1. Known municipal\* -

<u>Name</u>	<u>Pop. Served</u>	<u>Treatment</u>	<u>Mean Flow (m<sup>3</sup>/d)</u>	<u>Receiving Water</u>
Raymond	870	trickling filter	329.3**	Shoal Creek

## 2. Known industrial - None

\* Anonymous, 1972.

\*\* Estimated at 0.3785 m<sup>3</sup>/capita/day.

## B. Annual Total Phosphorus Loading - Average Year:

## 1. Inputs -

<u>Source</u>	<u>kg P/ yr</u>	<u>% of total</u>
a. Tributaries (non-point load) -		
Three Mile Branch	6,775	37.6
West Fk., Shoal Creek	5,395	29.9
Blue Grass Creek	1,930	10.7
b. Minor tributaries & immediate drainage (non-point load) -	2,850	15.8
c. Known municipal STP's -		
Raymond	985	5.5
d. Septic tanks - Unknown	-	-
e. Known industrial - None	-	-
f. Direct precipitation* -	<u>100</u>	<u>0.5</u>
Total	18,035	100.0

## 2. Outputs -

Lake outlet - West Fk., Shoal Creek                    16,025

## 3. Net annual P accumulation - 2,010 kg.

\* See Working Paper No. 175.

## C. Annual Total Nitrogen Loading - Average Year:

## 1. Inputs -

<u>Source</u>	<u>kg N/ yr</u>	<u>% of total</u>
a. Tributaries (non-point load) -		
Three Mile Branch	63,955	24.0
W. Fk., Shoal Creek	77,920	29.2
Blue Grass Creek	64,640	24.3
b. Minor tributaries & immediate drainage (non-point load) -	50,990	19.1
c. Known municipal STP's -		
Raymond	2,960	1.1
d. Septic tanks - Unknown	-	-
e. Known industrial - None	-	-
f. Direct precipitation* -	<u>6,165</u>	<u>2.3</u>
Total	266,630	100.0

## 2. Outputs -

Lake outlet - West Fk., Shoal Creek                    173,835

3. Net annual N accumulation - 92,795 kg.

\* See Working Paper No. 175.

## D. Mean Annual Non-point Nutrient Export by Subdrainage Area:

<u>Tributary</u>	<u>kg P/km<sup>2</sup>/yr</u>	<u>kg N/km<sup>2</sup>/yr</u>
Three Mile Branch	70	657
West Fk., Shoal Creek	73	1,049
Blue Grass Creek	39	1,293

## E. Yearly Loading Rates:

In the following table, the existing phosphorus loading rates are compared to those proposed by Vollenweider (Vollenweider and Dillon, 1974). Essentially, his "dangerous" rate is the rate at which the receiving water would become eutrophic or remain eutrophic; his "permissible" rate is that which would result in the receiving water remaining oligotrophic or becoming oligotrophic if morphometry permitted. A mesotrophic rate would be considered one between "dangerous" and "permissible".

Note that Vollenweider's model may not be applicable to water bodies with short hydraulic retention times.

	Total	Phosphorus	Total Nitrogen	
	Total	Accumulated	Total	Accumulated
grams/m <sup>2</sup> /yr	3.15	0.35	46.6	16.2

Vollenweider loading rates for phosphorus (g/m<sup>2</sup>/yr) based on mean depth and mean hydraulic retention time of Lake Lou Yaeger:

"Dangerous" (eutrophic rate) 0.62  
 "Permissible" (oligotrophic rate) 0.31

V. LITERATURE REVIEWED

Anonymous, 1972. Wastewater treatment work data book. IL Env. Prot. Agency, Springfield.

Forneris, John J., 1973. Personal communication (lake morphometry). IL Env. Prot. Agency, Springfield.

Vollenweider, R. A., and P. J. Dillon, 1974. The application of the phosphorus loading concept to eutrophication research. Natl. Res. Council of Canada Publ. No. 13690, Canada Centre for Inland Waters, Burlington, Ontario.

## VI. APPENDICES

### APPENDIX A

#### LAKE RANKINGS

## LAKE DATA TO BE USED IN RANKINGS

LAKE CODE	LAKE NAME	MEDIAN TOTAL P	MEDIAN INORG N	500- MEAN SEC	MEAN CHLORA	15- MIN DO	MEDIAN DISS ORTHO P
1703	LAKE BLOOMINGTON	0.050	5.730	464.667	26.200	14.800	0.020
1706	LAKE CARLYLE	0.084	1.270	477.889	17.367	11.000	0.032
1708	LAKE CHARLESTON	0.160	4.680	490.667	12.000	8.400	0.065
1711	COFFEEN LAKE	0.032	0.260	456.222	7.700	14.900	0.012
1712	CRAZ ORCHARD LAKE	0.082	0.200	482.222	59.867	13.800	0.013
1714	LAKE DECATUR	0.129	3.750	479.571	43.000	14.500	0.062
1725	LONG LAKE	0.704	1.190	482.667	49.333	8.800	0.398
1726	LAKE LOU YAEGER	0.186	1.600	489.583	10.662	11.400	0.076
1727	LAKE MARIE	0.098	0.370	467.667	39.533	14.700	0.057
1733	PISTAKEE LAKE	0.203	0.370	485.667	75.867	7.000	0.062
1735	REND LAKE	0.071	0.210	471.500	23.533	12.700	0.012
1739	LAKE SHELBYVILLE	0.062	3.290	461.333	17.161	14.800	0.019
1740	SILVER LAKE (HIGHLAND)	0.226	0.970	489.500	5.822	14.800	0.057
1742	LAKE SPRINGFIELD	0.108	3.265	483.385	13.013	10.800	0.059
1748	VERMILION LAKE	0.109	4.695	481.500	31.150	14.200	0.050
1750	WONDER LAKE	0.426	0.890	486.000	98.533	7.800	0.132
1751	LAKE STORY	0.072	2.510	459.333	17.250	14.800	0.021
1752	DEPUE LAKE	0.438	4.050	490.000	58.833	7.600	0.276
1753	LAKE SANGCHRIS	0.050	1.970	475.417	19.292	14.500	0.009
1754	LAKE HOLIDAY	0.167	3.135	485.167	51.217	7.200	0.046
1755	FOX LAKE	0.219	0.375	486.167	63.850	8.800	0.083
1756	GRASS LAKE	0.301	0.820	481.000	83.500	5.900	0.093
1757	EAST LOON LAKE	0.076	0.120	450.000	22.300	14.900	0.018
1758	SLOCUM LAKE	0.865	0.200	487.333	221.100	5.800	0.362
1759	CEDAR LAKE	0.029	0.170	400.333	5.767	12.800	0.013
1761	LAKE WEMATUK	0.069	1.770	466.333	7.967	14.500	0.031
1762	RACCOON LAKE	0.105	0.310	484.333	19.217	13.800	0.020
1763	BALUWIN LAKE	0.044	0.140	461.167	11.333	13.200	0.007

LAKE DATA TO BE USED IN RANKINGS

LAKE CODE	LAKE NAME	MEDIAN TOTAL P	MEDIAN INORG N	500- MEAN SEC	MEAN CHLORA	15- MIN DO	MEDIAN DISS ORTHO P
1764	LAKE VANDALIA	0.116	0.480	478.111	11.276	14.800	0.023
1765	OLD BEN MINE RESERVOIR	0.930	0.205	478.333	31.433	11.200	0.575
1766	HORSESHOE LAKE	0.127	0.705	482.833	182.250	6.800	0.018

## LAKE DATA TO BE USED IN RANKINGS

LAKE CODE	LAKE NAME	MEDIAN TOTAL P	MEDIAN INORG N	500- MEAN SEC	MEAN CHLORA	15- MIN DO	MEDIAN DISS ORTHO P
1703	LAKE BLOOMINGTON	0.050	5.730	464.667	26.200	14.800	0.020
1706	LAKE CARLYLE	0.084	1.270	477.889	17.367	11.000	0.032
1708	LAKE CHARLESTON	0.160	4.680	490.667	12.000	8.400	0.065
1711	COFFEEN LAKE	0.032	0.260	456.222	7.700	14.900	0.012
1712	CRAB ORCHARD LAKE	0.082	0.200	482.222	59.867	13.800	0.013
1714	LAKE DECATUR	0.129	3.750	479.571	43.000	14.500	0.062
1725	LONG LAKE	0.704	1.190	482.667	49.333	8.800	0.398
1726	LAKE LOU YAEGER	0.186	1.600	489.583	10.662	11.400	0.076
1727	LAKE MARIE	0.098	0.370	467.667	39.533	14.700	0.057
1733	PISTAKEE LAKE	0.203	0.370	485.667	75.867	7.000	0.062
1735	REND LAKE	0.071	0.210	471.500	23.533	12.700	0.012
1739	LAKE SHELBYVILLE	0.062	3.290	461.333	17.161	14.800	0.019
1740	SILVER LAKE (HIGHLAND)	0.226	0.970	489.500	5.822	14.800	0.057
1742	LAKE SPRINGFIELD	0.108	3.265	483.385	13.013	10.800	0.059
1748	VERMILION LAKE	0.109	4.695	481.500	31.150	14.200	0.050
1750	WONDER LAKE	0.426	0.890	486.000	98.533	7.800	0.132
1751	LAKE STORY	0.072	2.510	459.333	17.250	14.800	0.021
1752	DEPUE LAKE	0.438	4.050	490.000	58.833	7.600	0.276
1753	LAKE SANGCHRIS	0.050	1.970	475.417	19.292	14.500	0.009
1754	LAKE HOLIDAY	0.167	3.135	485.167	51.217	7.200	0.046
1755	FOX LAKE	0.219	0.375	486.167	63.850	8.800	0.083
1756	GRASS LAKE	0.301	0.820	481.000	83.500	5.900	0.093
1757	EAST LOON LAKE	0.076	0.120	450.000	22.300	14.900	0.018
1758	SLOCUM LAKE	0.865	0.200	487.333	221.100	5.800	0.362
1759	CEDAR LAKE	0.029	0.170	400.333	5.767	12.800	0.013
1761	LAKE WEMATUK	0.069	1.770	466.333	7.967	14.500	0.031
1762	RACCOON LAKE	0.106	0.310	484.333	19.217	13.800	0.020
1763	BALUWIN LAKE	0.044	0.140	461.167	11.333	13.200	0.007

## PERCENT OF LAKES WITH HIGHER VALUES (NUMBER OF LAKES WITH HIGHER VALUES)

LAKE CODE	LAKE NAME	MEDIAN TOTAL P	MEDIAN INORG N	500- MEAN SEC	MEAN CHLORA	15- MIN DO	MEDIAN DISS ORTHO P	INDEX NU
1764	LAKE VANDALIA	47 ( 14)	60 ( 18)	60 ( 18)	83 ( 25)	13 ( 2)	60 ( 18)	323
1765	OLD BEN MINE RESERVOIR	0 ( 0)	83 ( 25)	57 ( 17)	40 ( 12)	60 ( 18)	0 ( 0)	240
1766	HORSESHOE LAKE	43 ( 13)	57 ( 17)	37 ( 11)	3 ( 1)	93 ( 28)	80 ( 24)	313

## LAKES RANKED BY INDEX NOS.

RANK	LAKE CODE	LAKE NAME	INDEX NO
1	1759	CEDAR LAKE	528
2	1763	BALDWIN LAKE	504
3	1711	COFFEEN LAKE	454
4	1735	REND LAKE	422
5	1757	EAST LOON LAKE	399
6	1753	LAKE SANGCHRIS	369
7	1761	LAKE WEMATUK	367
8	1712	CRAB ORCHARD LAKE	347
9	1706	LAKE CARLYLE	345
10	1739	LAKE SHELBYVILLE	339
11	1751	LAKE STORY	333
12	1762	RACCOON LAKE	330
13	1764	LAKE VANDALIA	323
14	1766	HORSESHOE LAKE	313
15	1727	LAKE MARIE	303
16	1703	LAKE BLOOMINGTON	296
17	1742	LAKE SPRINGFIELD	283
18	1733	PISTAKEE LAKE	253
19	1754	LAKE HOLIDAY	247
20	1756	GRASS LAKE	244
21	1726	LAKE LOU YAEGER	241
22	1765	OLD BEN MINE RESERVOIR	240
23	1740	SILVER LAKE (HIGHLAND)	229
24	1748	VERMILION LAKE	227
25	1708	LAKE CHARLESTON	225
26	1755	FOX LAKE	212
27	1758	SLOCUM LAKE	210
28	1714	LAKE DECATUR	201

LAKES RANKED BY INDEX NOS.

RANK	LAKE CODE	LAKE NAME	INDEX NO
29	1725	LONG LAKE	195
30	1750	WONDER LAKE	183
31	1752	DEPUE LAKE	139

## APPENDIX B

### CONVERSIONS FACTORS

## CONVERSION FACTORS

Hectares x 2.471 = acres

Kilometers x 0.6214 = miles

Meters x 3.281 = feet

Cubic meters x  $8.107 \times 10^{-4}$  = acre/feet

Square kilometers x 0.3861 = square miles

Cubic meters/sec x 35.315 = cubic feet/sec

Centimeters x 0.3937 = inches

Kilograms x 2.205 = pounds

Kilograms/square kilometer x 5.711 = lbs/square mile

## APPENDIX C

### TRIBUTARY FLOW DATA

## TRIBUTARY FLOW INFORMATION FOR ILLINOIS

10/23/75

LAKE CODE 1726 LAKE LOU YEAGER

TOTAL DRAINAGE AREA OF LAKE(SQ KM) 279.7

TRIBUTARY	SUB-DRAINAGE AREA(SQ KM)	NORMALIZED FLOWS(CMS)												MEAN
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1726A1	279.7	1.87	2.71	3.43	3.54	2.78	2.30	1.41	0.74	0.53	0.60	0.86	1.02	1.81
1726A2	74.3	0.47	0.72	0.88	0.91	0.71	0.60	0.36	0.19	0.13	0.14	0.21	0.25	0.46
1726B1	97.4	0.62	0.94	1.16	1.20	0.94	0.79	0.48	0.25	0.17	0.19	0.28	0.33	0.61
1726C1	50.0	0.31	0.48	0.59	0.61	0.47	0.40	0.24	0.12	0.08	0.09	0.14	0.16	0.31
1726ZZ	58.0	0.47	0.57	0.79	0.83	0.65	0.50	0.34	0.18	0.15	0.19	0.24	0.28	0.43

## SUMMARY

TOTAL DRAINAGE AREA OF LAKE =	279.7	TOTAL FLOW IN =	21.78
SUM OF SUB-DRAINAGE AREAS =	279.7	TOTAL FLOW OUT =	21.78

## MEAN MONTHLY FLOWS AND DAILY FLOWS(CMS)

TRIBUTARY	MONTH	YEAR	MEAN FLOW	DAY	FLOW	DAY	FLOW	DAY	FLOW
1726A1	6	73	9.32	2	0.85				
	7	73	3.37	8	1.27				
	8	73	4.16	4	0.15				
	9	73	0.42	8	0.34				
	10	73	0.57	13	0.34				
	11	73	2.41	4	0.65				
	12	73	9.00	2	1.95				
	1	74	17.19	5	1.44				
	2	74	7.31	17	0.82				
	3	74	10.34	2	4.05	16	4.22		
	4	74	4.81	6	2.24				
	5	74	6.77	5	0.54				
	6	73	2.44	2	0.22				
	7	73	0.85	8	0.34				
	8	73	1.05	4	0.04				
1726A2	9	73	0.10	8	0.08				
	10	73	0.13	13	0.08				
	11	73	0.59	4	0.16				
	12	73	2.21	2	0.48				
	1	74	4.30	5	0.37				
	2	74	1.93	17	0.22				
	3	74	2.66	2	1.05	16	1.08		
	4	74	1.25	6	0.57				
	5	74	1.76	5	0.14				

## TRIBUTARY FLOW INFORMATION FOR ILLINOIS

10/23/75

LAKE CODE 1726 LAKE LOU YEAGER

## MEAN MONTHLY FLOWS AND DAILY FLOWS(CMS)

TRIBUTARY	MONTH	YEAR	MEAN FLOW	DAY	FLOW	DAY	FLOW	DAY	FLOW
1726B1	6	73	3.23	2	0.28				
	7	73	1.13	8	0.42				
	8	73	1.39	4	0.05				
	9	73	0.14	8	0.11				
	10	73	0.18	13	0.10				
	11	73	0.79	4	0.21				
	12	73	2.97	2	0.65				
	1	74	5.72	5	0.48				
	2	74	2.55	17	0.28				
	3	74	3.51	2	1.36	16	1.44		
	4	74	1.64	6	0.76				
	5	74	2.29	5	0.18				
1726C1	6	73	1.64	2	0.15				
	7	73	0.57	8	0.22				
	8	73	0.68	4	0.03				
	9	73	0.07	8	0.05				
	10	73	0.08	13	0.05				
	11	73	0.37	4	0.10				
	12	73	1.47	2	0.31				
	1	74	2.83	5	0.24				
	2	74	1.30	17	0.14				
	3	74	1.78	2	0.71	16	0.74		
	4	74	0.82	6	0.37				
	5	74	1.16	5	0.09				
1726ZZ	6	73	2.01	2	1.93				
	7	73	0.82	8	0.28				
	8	73	1.05	4	0.04				
	9	73	0.12	8	0.09				
	10	73	0.28	13	0.11				
	11	73	0.65	4	0.18				
	12	73	2.35	2	0.51				
	1	74	4.33	5	0.34				
	2	74	1.53	17	0.18				
	3	74	2.38	2	0.93	16	0.96		
	4	74	1.10	6	0.54				
	5	74	1.56	5	0.13				

## APPENDIX D

### PYHSICAL and CHEMICAL DATA

STOKET RETRIEVAL DATE 75/10/23

172601  
39 11 15.0 089 35 58.0  
LAKE LOU YAEGER  
17135 ILLINOIS

DATE FROM TO	TIME OF DAY	DEPTH FEET	00010 WATER TEMP CENT	00300 DO	00077 TRANSP SECCHI	00094 CNDUCTVY FIELD MICROMHO	00400 PH	00410 TALK CACO3	11EPALES		2111202		00671 PHOS-DIS ORTHO
									3		0025 FEET	DEPTH	
73/05/12	09 55 0000	18.1			4	175	7.70	40	0.130	0.800	1.480	0.101	
	09 55 0006	18.0		8.0		170	7.70	40	0.130	0.700	1.370	0.096	
	09 55 0015	17.9		7.7		170	7.60	39	0.140	0.700	1.450	0.096	
	09 55 0021	16.5		6.8		180	7.60	39	0.130	0.700	1.820	0.089	
73/08/10	13 45 0000	27.2			10	203	7.30	64	0.080	1.000	1.760	0.084	
	13 45 0005	25.8		5.0		199	7.30	63	0.060	0.900	1.740	0.088	
	13 45 0015	25.4		4.6		198	7.00	70	0.220	0.900	1.390	0.067	
	13 45 0020	20.4		5.0		194	6.90	81	0.330	1.200	0.840	0.058	
73/10/18	10 33 0000	18.6			15	168	7.60	63	0.050	0.600	0.830	0.062	
	10 33 0015	18.4		7.0		166	7.60	64	0.050	0.600	0.830	0.064	
	10 33 0022	18.3		7.0		167	7.50	67	0.060	0.700	0.830	0.067	

DATE FROM TO	TIME OF DAY	DEPTH FEET	00665 PHOS-TOT MG/L P	32217	
				A	UG/L
73/05/12	09 55 0000	0.300			
	09 55 0006	0.281			
	09 55 0015	0.295			
	09 55 0021	0.278			
73/08/10	13 45 0000	0.211	0.8		
	13 45 0005	0.189			
	13 45 0015	0.184			
	13 45 0020	0.230			
73/10/18	10 33 0000	0.137	4.2		
	10 33 0015	0.124			
	10 33 0022	0.144			

STORET RETRIEVAL DATE 75/10/23

172602  
 39 12 45.0 089 36 28.0  
 LAKE LOU YAEGER  
 17135 ILLINOIS

11EPALES  
 3 2111202  
 0019 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	00010 WATER TEMP CENT	00300 DO MG/L	00077 TRANSP SECCHI INCHES	00094 CNDUCTVY FIELD MICROMHO	00400 PH SU	00410 TALK CACO3 MG/L	00610 NH3-N TOTAL MG/L	00625 TOT KJEL N MG/L	00630 NO2&NO3 N-TOTAL MG/L	00671 PHOS-DIS ORTHO MG/L P
73/05/12	10 15	0000	17.8		6	180	7.70	45	0.140	0.800	1.390	0.100
	10 15	0006	17.5	7.5		180	7.70	46	0.110	0.600	1.650	0.098
	10 15	0015	16.7	6.9		180	7.70	45	0.130	0.600	1.250	0.094
73/08/10	13 25	0000	27.3		10	205	7.40	62	0.060	0.700	1.760	0.083
	13 25	0005	26.5	6.0		203	7.30	63	0.060	0.700	1.640	0.080
	13 25	0012	25.7	3.6		201	7.10	65	0.070	0.900	1.740	0.074
73/10/18	10 15	0000	18.7		16	171	7.50	61	0.050	0.700	0.830	0.065
	10 15	0015	18.1	7.3		171	7.50	61	0.050	0.600	0.830	0.063
	10 15	0022	18.1	7.0		174	7.40	64	0.060	0.600	0.840	0.069

DATE FROM TO	TIME OF DAY	DEPTH FEET	00665 PHOS-TOT MG/L P	32217 CHLRPHYL A UG/L
73/05/12	10 15	0000	0.286	
	10 15	0006	0.291	
	10 15	0015	0.326	
73/08/10	13 25	0000	0.184	1.1
	13 25	0005	0.182	
	13 25	0012	0.184	
73/10/18	10 15	0000	0.146	5.1
	10 15	0015	0.150	
	10 15	0022	0.150	

STORET RETRIEVAL DATE 75/10/23

172603  
 39 14 02.0 089 35 55.0  
 LAKE LOU YAEGER  
 17135 ILLINOIS

DATE FROM TO	TIME OF DAY	DEPTH FEET	00010 WATER TEMP CENT	00300 DO	00077 TRANSP SECCHI INCHES	00094 CNDUCTVY FIELD MICROMHO	00400 PH	00410 TALK CACO3 MG/L	00610 NH3-N	00625 TOT KJEL N MG/L	00630 NO2&NO3 N-TOTAL MG/L	00671 PHOS-DIS ORTHO MG/L P
			3	11EPALES	2111202 0009 FEET DEPTH							
73/05/12	10 35	0000	18.5		6	235	7.80	62	0.140	0.600	2.220	0.093
	10 35	0005	18.5	9.6		200	7.70	60	0.160	0.600	1.230	0.092
73/08/10	13 05	0000	28.6	6.2	8	215	7.40	64	0.100	0.900	1.640	0.076
	13 05	0005	26.7	6.0		207	7.40	63	0.080	0.700	1.660	0.072
73/10/18	09 50	0000	17.2		18	198	7.60	67	0.080	0.700	0.920	0.075
	09 50	0005	17.2	7.8		199	7.60	65	0.050	0.800	0.900	0.072
	09 50	0010	17.2	8.0		181	7.50	65	0.050	0.800	0.900	0.077

DATE FRJM TO	TIME OF DAY	DEPTH FEET	00665 PHOS-TOT MG/L P	32217 CHLRPHYL UG/L
			A	
73/05/12	10 35	0000	0.252	
	10 35	0005	0.256	
73/08/10	13 05	0000	0.209	2.4
	13 05	0005	0.166	
73/10/18	09 50	0000	0.158	8.8
	09 50	0005	0.149	
	09 50	0010	0.158	

STORRET RETRIEVAL DATE 75/10/23

172604  
 39 15 30.0 089 35 20.0  
 LAKE LOU YAEGER  
 17135 ILLINOIS

DATE FROM TO	TIME OF DAY	DEPTH FEET	00010 WATER TEMP CENT	00300 DO	00077 TRANSP SECCHI INCHES	00094 CNDUCTVY FIELD MICRUMHO	00400 PH SU	00410 TALK CACO3 MG/L	00610 NH3-N TOTAL MG/L	00625 TOT KJEL N MG/L	00630 NO2&NO3 N-TOTAL MG/L	00671 PHOS-DIS ORTHO MG/L P
73/05/12	10 55	0000	19.1		6	340	7.60	88	0.310	1.300	3.600	0.138
	10 55	0004	18.5		5.8	300	7.60	78	0.330	0.900	3.240	0.139
	10 55	0008	18.4		7.8	235	7.80	79	0.330	0.900	2.830	0.135
73/08/10	12 50	0000	27.0		5.2	238	7.40	77	0.180	1.200	1.180	0.046
	12 50	0007	26.7		4.6	237	8.20	76	0.210	1.100	1.130	0.035
73/10/18	09 33	0000	16.0			290	7.90	109	0.060	0.800	1.690	0.055
	09 33	0006	15.8		8.0	310	7.80	121	0.080	0.900	1.920	0.067

DATE FROM TO	TIME OF DAY	DEPTH FEET	00665 PHOS-TOL MG/L P	32217 CHLRPHYL A UG/L
73/05/12	10 55	0000	0.278	
	10 55	0004	0.334	
	10 55	0008	0.317	
73/08/10	12 50	0000	0.226	46.7
	12 50	0007	0.181	
73/10/18	09 33	0000	0.157	16.2
	09 33	0006	0.172	

## **APPENDIX E**

### **TRIBUTARY DATA**

STORET RETRIEVAL DATE 75/10/23

1726A1

39 11 15.0 089 36 15.0

W FORK SHOAL CR

17097 MONTGOMERY CO MA

U/LAKE LUU YAEGER

SEC RD BRDG JUST DOWNSTREAM OF DAM

11EPALES 2111204

4 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 NO2&NO3 N-TOTAL MG/L	00625 TUT KJEL N MG/L	00610 NH3-N TOTAL MG/L	00671 PHOS-DIS URTHO MG/L P	00665 PHOS-TOT MG/L P
73/06/02	09 40		1.580	3.360	0.120	0.140	0.300
73/07/08	09 30		1.200	2.700	0.046	0.105	0.290
73/08/04	13 20		1.380	1.890	0.120	0.110	0.210
73/09/08	11 30		0.850	0.780	0.110	0.090	0.165
73/10/13	13 00		0.760	0.750	0.092	0.069	0.163
73/11/04	11 20		0.850	0.900	0.013	0.058	0.155
73/12/02	08 00		0.750	0.800	0.040	0.040	0.085
74/01/05	09 25		1.520	1.000	0.092	0.092	0.130
74/02/17	09 00		2.640	1.100	0.140	0.190	0.220
74/03/02	09 50		2.600	1.800	0.210	0.160	0.380
74/03/16	19 15		2.800	2.200	0.180	0.145	0.405
74/04/06	07 15		2.300	3.700		0.150	0.420
74/05/05	10 30		2.100	1.100	0.130	0.085	0.300

STORED RETRIEVAL DATE 75/10/23

1726A2  
 39 17 10.0 089 34 15.0  
 W FURK SHOAL CR  
 17 MONTGOMERY CO MA  
 T/LAKE LOU YAEGER  
 SEC RD BRDG 2 MI S OF RAYMOND  
 11EPALES 2111204  
 4 0000 FEET DEPTH

DATE FRM TU	TIME OF DAY	DEPTH FEET	00630 N26N03	00625 TOT KJEL	00610 NH3-N	00671 PHOS-DIS	00665 PHOS-TOT
			N-TOTAL MG/L	N MG/L	TOTAL MG/L	ORTHO MG/L P	MG/L P
73/06/02	10 50		6.300	3.570	0.176	0.260	0.420
73/07/08	10 50		3.600	1.600	0.072	0.190	0.270
73/08/04	13 40		3.400	1.600	0.198	0.231	0.342
73/09/08	12 45		0.640	3.600	0.260	0.580	1.500
73/10/13	13 30		2.700	2.100	0.285	0.390	0.660
73/11/04	12 20		4.000	0.850	0.252	0.336	0.480
73/12/02	08 27		5.000	1.200	0.252	0.148	0.230
74/01/05	10 07		6.300	0.500	0.116	0.086	0.175
74/02/17	09 30		5.880	1.200	0.230	0.130	0.135
74/03/02	10 15		5.000	1.100	0.105	0.080	0.190
74/03/16	20 15		6.700	0.700	0.065	0.085	0.175
74/04/06	08 15		4.300	0.600	0.040	0.080	0.135
74/05/05	11 15		5.400	0.900	0.210	0.210	0.330

STORET RETRIEVAL DATE 75/10/23

1726B1  
39 16 10.0 089 36 15.0  
THREE MILE BRANCH  
17 MONTGOMERY CO MA  
T/LAKE LOU YAEGER  
SEC RD BRDG 1 MI DOWNSTREAM FIVE MILE DA  
11EPALES 2111204  
4 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 NU2&N03 N-TOTAL MG/L	00625 TUT KJEL N MG/L	00610 NH3-N TOTAL MG/L	00671 PHOS-DIS ORTHO MG/L P	00665 PHOS-TOT MG/L P
73/06/02	10 45		1.000	4.450	0.081	0.017	0.115
73/07/08	10 00		1.700	2.800	0.080	0.080	0.220
73/08/04	13 35		0.720	1.540	0.105	0.089	0.200
73/09/08	12 30		0.132	1.680	0.315	0.069	0.220
73/10/13	13 15		1.020	2.100	0.210	0.078	0.180
73/11/04	12 50		0.570	1.100	0.021	0.021	0.130
73/12/02	08 15		2.800	1.300	0.184	0.240	0.400
74/01/05	10 00		3.520	0.900	0.176	0.100	0.170
74/02/17	09 15		2.520	1.100	0.210	0.065	0.070
74/03/02	10 00		1.120	2.000	0.220	0.135	0.345
74/03/16	20 00		1.400	3.500	0.110	0.120	0.910
74/04/06	08 00		1.280	4.000	0.120	0.120	0.945
74/05/05	11 00		1.850	1.100	0.120	0.032	0.145

STORET RETRIEVAL DATE 75/10/23

1726C1  
39 16 20.0 089 33 00.0  
BLUE GRASS CR  
17 MONTGOMERY CO MA  
T/LAKE LOU YAEGER  
HWY 127 BRDG 2.8 MI SSE OF RAYMOND  
11EPALES 2111204  
4 0000 FEET DEPTH

DATE FROM TU	TIME OF DAY	DEPTH FEET	00630 N02&N03 N-TOTAL MG/L	00625 TOT KJEL N MG/L	00610 NH3-N TOTAL MG/L	00671 PHOS-DIS OKTHO MG/L P	00665 PHOS-TOT MG/L P
73/06/02	11	10	7.400	2.000	0.120	0.066	0.170
73/07/08	11	00	9.300	1.800	0.105	0.072	0.145
73/08/04	13	50	4.300	3.400	0.120	0.097	0.155
73/09/08	13	00	1.180	2.500	0.273	0.270	0.560
73/10/13	13	45	5.100	1.470	0.105	0.132	0.260
73/11/04	13	00	5.800	0.100K	0.030	0.085	0.135
73/12/02	08	44	6.300	0.500	0.044	0.076	0.120
74/01/05	10	20	6.900	0.500	0.200	0.052	0.070
74/02/17	09	45	6.300	1.300	0.090	0.050	0.050
74/03/02	10	30	6.300	1.100	0.110	0.075	0.170
74/03/16	20	30	6.800	0.900	0.045	0.075	0.200
74/04/06	08	30	6.200	0.800	0.045	0.075	0.150
74/05/05	11	30	5.600	0.600	0.085	0.051	0.115

N VALUE KNOWN TO BE  
LESS THAN INDICATED