

**EPA 904/9-78-023
DECEMBER 1978**

**VOLATILE ORGANIC COMPOUND
EMISSION INVENTORY FOR
TENNESSEE EASTMAN COMPANY**



**U.S. ENVIRONMENTAL PROTECTION AGENCY
REGION 4
AIR AND HAZARDOUS MATERIALS DIVISION
ATLANTA, GEORGIA 30308**

This document is available to the public through the
National Technical Information Service, Springfield,
Virginia 22151.

EPA-904/9-78-023

VOLATILE ORGANIC COMPOUND EMISSION INVENTORY
FOR TENNESSEE EASTMAN COMPANY

by
Arthur B. Nunn III

TRW Environmental Engineering Division
201 N. Roxboro St., Suite 200, Durham, North Carolina 27701

Contract No. 68-02-2541
Task No. 3

Winston Smith, Project Officer
Air Programs Branch
U. S. Environmental Protection Agency, Region 4
345 Courtland Street, N. E.
Atlanta, Georgia 30308

Library/Region IV
U.S. Environmental Protection Agency
345 Courtland Street, N.E.
Atlanta, Georgia 30308

This report was furnished to the Environmental Protection Agency by the TRW Environmental Engineering Division in fulfillment of EPA Contract No. 68-02-2541, Task No. 3. This report has been reviewed by the Air Programs Branch, Region 4, EPA, and approved for publication. Approval does not signify that the contents necessarily reflect the views and policies of the Environmental Protection Agency, nor does mention of trade names or commercial products constitute endorsement or recommendation for use.

ACKNOWLEDGEMENT

This study was performed for the Air Programs Branch, Region 4 of the U. S. Environmental Protection Agency. The technical direction and assistance of Mr. Archie Lee and Mr. Winston Smith of the Air Programs Branch in the execution of the task is gratefully acknowledged. The successful completion of the study is due in large part to the excellent cooperation extended by the staff of the Tennessee Division of Air Pollution Control, particularly Mr. Doug Kemper. In addition, the outstanding cooperation of Mr. Ron Lewis and numerous other members of the Clean Environment Branch of Tennessee Eastman Company is greatly appreciated. The assistance of Mr. Radford C. Adams, Mr. John Dadiani, Mr. Stephen W. Mulligan, and Mr. Conrad W. Petersen of the TRW Environmental Engineering Division in the data collection and report preparation of this project is gratefully acknowledged.

THIS PAGE INTENTIONALLY LEFT BLANK

TABLE OF CONTENTS

Acknowledgement	iii
1. Introduction	1-1
2. Background	2-1
References for Section 2	2-2
3. Methodology	3-1
References for Section 3	3-4
4. Results	4-1
Appendix A VOC Emission Sources	A-1
Appendix B Pilot Plant and Laboratory emissions	B-1
Appendix C Compound Specific Emissions	C-1

THIS PAGE INTENTIONALLY LEFT BLANK

SECTION 1

INTRODUCTION

An emission inventory of volatile organic compounds (VOC) has been compiled for the Tennessee Eastman Company complex in Kingsport, Tennessee. This facility is located in an area which is not attaining the National Ambient Air Quality Standard for photochemical oxidants and has therefore been designated a non-attainment area by the Environmental Protection Agency. Under the requirements of the 1977 Clean Air Act Amendments a revised State Implementation Plan (SIP) is required for all such areas and must contain a current emission inventory. The SIP must be submitted to the EPA no later than January 1, 1979 and must be approved by July 1, 1979. This emission inventory is designed to aid the Air Pollution Control Division of the State of Tennessee in the preparation of the required implementation plan.

THIS PAGE INTENTIONALLY LEFT BLANK

SECTION 2

BACKGROUND

Under the mandate of the 1970 Clean Air Act, the U. S. Environmental Protection Agency (EPA) promulgated primary and secondary National Ambient Air Quality Standards (NAAQS) for six criteria air pollutants.⁽¹⁾ Each state and territory was then required to submit to the Administrator of the EPA a plan for implementation, maintenance and enforcement of the air quality standards for each air quality control region (AQCR) within the state. Also included in the plans were attainment dates for the air quality standards in each AQCR. In those states that did not meet their attainment date a revised State Implementation Plan (SIP) was required which demonstrated attainment of the standards. The Clean Air Act Amendments of 1977 retain the fundamental approach to air pollution control and also retain the SIP as the mechanism for instituting this approach. Under the 1977 amendments, each state is required to submit to the EPA Administrator a list of air quality control regions which have attained the standard, those which have not, and those for which there are insufficient data for classification.

For the air quality control regions not attaining the standards, the respective states must submit a revised SIP by January 1, 1979 which demonstrates attainment of the standards as soon as possible but not later than December 31, 1982. For photochemical oxidants an extension to 1987 is available if the state demonstrates that attainment by 1982 is not possible utilizing reasonably available control technology. The 1977 Amendments specify that the revised SIP include a comprehensive, accurate, and current inventory of actual emissions from all sources. Toward satisfying this requirement, an inventory of volatile organic compound (VOC) emissions has been compiled for the Tennessee Eastman Company in Kingsport, Tennessee.

REFERENCES

1. Clean Air Act, 42 U.S.C. 7401 et. seq., as amended by the Air Quality Act of 1967; Clean Air Amendments of 1970, PL 91-604; Clean Air Act Amendments of 1977, PL 95-95, August 7, 1977.

SECTION 3

METHODOLOGY

This section describes the general approach and methodology that was utilized in compiling the volatile organic compound emission inventory for the Tennessee Eastman Company Plant.

3.1 GENERAL APPROACH

The data presented in this document are the result of the collection and analysis of information dealing with the operation of known sources of VOC emissions within the Tennessee Eastman Company complex. The study was conducted in two phases, the first being a review of current permit applications and the second being a plant survey.

3.2 PERMIT REVIEW

All current permit applications submitted by Tennessee Eastman were reviewed at the Office of the Tennessee Air Pollution Control Division. Emissions were recorded for each permit unit which corresponds to each building number within the plant. Emissions of only those compounds which are photochemically reactive were recorded. In order to distinguish reactive from non-reactive substances the EPA guidelines, as published in the Federal Register of July 8, 1977 were followed.⁽¹⁾ The compounds listed in table 3-1 were not included in the inventory and are therefore exempt from regulation. The compounds listed in Table 3-2 are of low photochemical reactivity but do contribute to oxidant formation during periods of multiday stagnations. They are, therefore, included in the inventory.

TABLE 3-1 VOLATILE ORGANIC COMPOUNDS EXEMPT FROM REGULATION
UNDER STATE IMPLEMENTATION PLANS

METHANE
ETHANE
1, 1, 1 - TRICHLOROETHANE (METHYL CHLOROFORM)
TRICHLOROTRIFLUOROETHANE (FREON 113)

TABLE 3-2 VOLATILE ORGANIC COMPOUNDS OF LOW REACTIVITY

PROPANE	TERTIARY ALKYL ALCOHOLS
ACETONE	METHYL ACETATE
METHYL ETHYL KETONE	PHENYL ACETATE
METHANOL	ETHYL AMINES
ISOPROPANOL	ACETYLENE
METHYL BENZOATE	N, N-DIMETHYL FORMAMIDE

All permits were reviewed with the following information recorded:

PERMIT NUMBER
BUILDING NUMBER
PROCESS DESCRIPTION
SOURCES WITHIN EACH BUILDING
EMISSION RATES (TONS/YEAR)
POLLUTANT(S)
TYPE OF CONTROL EQUIPMENT
CONTROL EFFICIENCY

The information was then placed in order by building numbers and emissions were rounded to the nearest tenth of a ton. All points with emissions of less than 0.05 tons/year were considered negligible and were not reported.

3.3 PLANT SURVEY

The second phase of the study involved a visit to the plant itself. The purpose of this was to verify the accuracy of all of the data collected from the permit applications. Specific areas of interest include:

- (1) Verification that all sources were covered by permits.
- (2) Partial operation of any sources during 1977.
- (3) Method of measurement or estimation of emissions.
- (4) Method of measurement or estimation of control equipment efficiencies.

Meetings were held with representatives of each plant area within the Tennessee Eastman Complex. The meetings were followed by a tour of each section of the facility with the appropriate representatives. Within each area several representative sources were studied in depth in order to determine the validity of the data reported in the permit applications. TRW personnel were not granted entry into the VEREL Polymer section of the plant. This included buildings 102 and 194. The method of emission estimation for these buildings was discussed with the plant area representatives.

For instances where the data were obtained by measurement, the method of sample collection and analysis was investigated for applicability and accuracy. For cases where the emissions were estimated, the method of estimation was investigated for accuracy. This procedure was also carried out to determine the validity of reported control equipment efficiencies.

The results of both phases of this study are presented in the following section with a detailed listing in Appendix A. In Appendix C is a listing, by compound, for those compounds emitted in excess of 50 tons per year.

3.4 LABORATORY AND PILOT PLANT FACILITIES

A listing of laboratory and pilot plant facilities by building number was obtained from the Tennessee Eastman Company. These buildings were then checked in the permit files of the Tennessee Division of Air Pollution Control and the reported emissions were recorded. These emissions are listed in Appendix B. Tennessee Eastman Company is in the process of reviewing and updating the emission estimates from all laboratories and pilot plants. The method of estimation for each building is the material balance method as previously described.

REFERENCES

1. "Recommended Policy on Control of Volatile Organic Compounds,"
Federal Register, Vol. 42, No. 131, July 8, 1977. pp. 35314-35316.

THIS PAGE INTENTIONALLY LEFT BLANK

SECTION 4

RESULTS

A listing of emissions from each source within the Tennessee Eastman Complex is presented in Appendix A. The total emissions for the plant are 12,390.5 tons per year for 1977. This figure and the listing in Appendix A include all sources within the Tennessee Eastman Plant which were in operation during 1977. All figures are based on a 100% production rate for the entire year. Meetings with plant area representatives revealed that all operations within the plant operated at virtually full capacity during 1977. Any less than full capacity operations were not reported in the permit applications therefore the reported figures may be slightly higher than actual. No new operation came on line during 1977 for which there was no permit application on file with the State of Tennessee.

Less than half of the sources within the plant have been tested for VOC emissions. The procedure consists of sample collection in an evacuated chamber for subsequent laboratory analysis. Analysis is usually carried out using gas chromatography. In the case of acetic acid emissions, however, analysis is performed by a pH titration with standardized NaOH. In many cases the stack flow is measured continuously. In other cases it is measured at the same time the gas sample is collected.

Measurements to determine control equipment efficiencies are made in a similar manner with samples being collected at the inlet and outlet of the unit. This type of process is used to determine the efficiencies of all carbon adsorbers in the plant.

For sources where there were no physical measurements made, emissions were estimated by material balance calculations. The quantity of raw materials used is, of course, known as is the quantity of products yielded. Also known, by measurement, is the quantity of materials lost to the waste water. For uncontrolled sources, it is assumed that all compounds not accounted for by these three variables are lost to the atmosphere through the vent. As previously mentioned, these calculations are based on full scale production.

In the case of sources with some type of control equipment installed, a fourth variable is involved in the material balance calculation. This is the amount of materials recovered from the control equipment.

Control equipment efficiency calculations are based also on a material balance. A balance is calculated on the process with the assumption that all materials not accounted for by the three aforementioned variables enter the scrubber. The amount of material recovered from the scrubber is a known quantity. The ratio of the quantity recovered over the quantity entering the scrubber yields the scrubber efficiency.

Storage tank emissions are calculated on the basis of the physical properties of the compounds stored, the tank dimensions, and climate conditions. All necessary variables are considered in the calculations and all tanks are done on an individual basis by computer.

Methods of measurement and estimation were discussed with representatives from all plant areas. It is apparent that the methods utilized are appropriate and complete.

APPENDIX A
VOC EMISSION SOURCES

TABLE A-1. VOC EMISSION SOURCES

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
A-2	B-3-1 7760P Dye Manufacturing Plant	Vent B	Wet Scrubber/95%	Isopropanol	0.2
				Furan	0.1
				Methanol	0.1
		Vent C	Wet Scrubber/98%	Isopropanol	0.1
				Methanol	0.1
		Vent D	Wet Scrubber/98%	Ethanol	0.1
				Acetic Acid	0.1
	B-3TF-1 8435P			<u>PERMIT TOTAL</u>	0.8
	Building 3 Storage Tanks	Tank 3Y-7	None	Ethyl Acetate	0.1
		Tank 3Y-8	None	Acetone	0.1
		Tank 19	None	Methanol	0.1
	B-3Y-1 8436P			<u>PERMIT TOTAL</u>	0.3
	Building 3 Waste Solvent Dumpster	Tank Vent	None	Mixture:	0.1
				Toluene	
				Isopropanol	
				o-Nitro Toluene	
				<u>PERMIT TOTAL</u>	0.1

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
B-5R-1	5945P	Vent A	Condenser/99%	Acetic Acid	19.4
				Isobutanol	7.4
				Isopropanol	6.3
				Sec-butanol	2.4
		Vent B	Condenser/99%	Isobutyl Acetate	3.0
				Isopropyl Acetate	2.5
				Sec-butyl Acetate	0.9
PERMIT TOTAL				41.9	
B-5R-2	5946P	Vent A	Condenser/99%	2-Ethyl Hexanol	3.7
				Acetic Acid	20.9
				Ethanol	13.9
				Ektasolve	16.7
				Ethylene Glycol	4.3
		Vent B	Condenser/99%	Ectasolve Acetate	5.2
				2-Ethylhexyl Acetate	1.1
				Ethylene Glycol Diacetate	1.7
				Ethyl Pivalate	1.1
		PERMIT TOTAL			

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
B-5R-3 Solvent Manufacture	5947P	Vent A	Condenser/99%	Acetic Acid	30.9
		Vent B	Condenser/99%	n-Propanol	30.8
				n-Propyl Acetate	3.4
				<u>PERMIT TOTAL</u>	64.1
B-6C-27 & 28	7561P	Vent A	Wet Scrubber/99%	Propane	0.6
				Ethylene	1.1
				<u>PERMIT TOTAL</u>	1.7
B-7R-3 Acetic Anhydride Mfg.	7828P	Vent J	None	Propane	67.0
		Vent K	None	Ethylene	114.0
				Propane	27.0
				Ethylene	46.0
		Vent L	None	Propane	3.0
				Ethylene	4.0
		Vent R	None	Propane	11.0
				Ethylene	1.2

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
B-7R-3 Continued	7828P	Vent S	None	Propane Ethylene Other Unsaturates	18.7 2.0 7.7
		Vent T	None	Propane Ethylene Other Unsaturates	18.7 2.0 7.7
		Vent U	None	Propane Ethylene Other Unsaturates	18.7 1.9 7.7
		Vent V	None	Propane Ethylene Other Unsaturates	33.5 3.5 13.9
		Vent W	None	Propane Ethylene Other Unsaturates	18.7 1.9 7.7
		Tank 36	None	Acetic Acid	0.1
		Vent Y	None	Propane Ethylene Other Unsaturates	45.6 4.8 18.9
		Vent Z	None	Propane Ethylene Other Unsaturates	4.4 0.5 1.8

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
B-7R-3 Continued	7828P	Tank 40	None	Mixture: Acetic Acid Acetic Anhydride	0.1
		Tank 41	None	Mixture: Acetic Acid Acetic Anhydride	0.1
				<u>PERMIT TOTAL</u>	513.8
B-10-1 Special Acids and Alcohol Manufacturing	7766	Vent A	Condenser	Heptane Crotonaldehyde	0.1 0.6
		Vent D	None	Crotonaldehyde	1.1
				Crotonic Acid	0.2
				Mixture: Propionic Acid Butyric Acid Formic Acid Acetic Acid	0.1
		Vent E	None	Crotonic Acid	0.8
		Reactor B	Condenser	2-Methyl-1,3-Pentadiene	0.2
		Reactor C	Condenser	2-Methyl-1,3-Pentadiene	0.2

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
B-10-1 Continued	7766	Refining E	Condenser	2-Methyl-1,3-Pentadiene	0.4
		Refining F	Condenser	2-Methyl-1,3-Pentadiene	0.1
				<u>PERMIT TOTAL</u>	3.8
B-10-2 Acid and Alcohol Manufacture	5949P	Oxidier Vent	None	2-Ethylhexaldehyde	5.0
				<u>PERMIT TOTAL</u>	5.0
B-10-4	7443P	Vent A	Vapor Recovery/99%	2-Ethyl-Hexene 2-Ethyl-Hexanol Methanol	2.0 3.0 6.0
		Vent B	Vapor Recovery/99%	2 Ethyl-Hexene 2 Ethyl-Hexanol Methanol	1.8 4.5 4.5
		Vent C	Vapor Recovery/99%	2-Ethyl-Hexanol Methanol	0.1 0.1
		Vent D	Vapor Recovery/99%	2-Ethyl-Hexanol Methanol	0.1 0.1
		Vent E	None	2-Ethyl-Hexene	0.1
		Vent F	None	2-Ethyl-Hexene	0.1

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
Di-2-Ethyl-hexylphthalate Production		Vent A	Vapor Recovery/99%	2-Ethyl-Hexanol 2-Ethyl-Hexene	1.3 0.9
		Vent B	Vapor Recovery/99%	2-Ethyl-Hexanol 2-Ethyl-Hexene	5.5 2.1
		Vent C	Vapor Recovery/99%	2-Ethyl-Hexanol	0.1
		Vent D	Vapor Recovery/39%	2-Ethyl-Hexanol	0.1
		Vent E	None	2-Ethyl-Hexanol	0.2
		Vent F	None	2-Ethyl-Hexanol	0.1
		Vent M	None	2-Ethyl-Hexanol	0.1
				<u>PERMIT TOTAL</u>	32.8
B-10-5 Ester Production	7444P	Vent 3A	None	Acetic Acid Acetic Anhydride	0.1 0.1
				<u>PERMIT TOTAL</u>	0.2
B-10-6 Plasticizer Production	7445P	Process 1	None	Methanol	0.1
		Process 3	None	Mixture: Acetic Acid Acetic Anhydride	0.2

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
B-10-6	7445P				
Continued				<u>PERMIT TOTAL</u>	0.3
B-10-7	7447P	Process Vents	None	Mixture: 2-Ethyl-Hexanol n-Butanol Ektasolve 2-Ethyl-Hexanoic Acid n-Hexanol Pelargonic Acid	0.1
Plasticizer Production				<u>PERMIT TOTAL</u>	0.1
B-10-8	7446P	Process Vents	None	Mixture: n-Butanol Ektasolve 2-Ethyl-Hexanol	0.1
Plasticizer Production				<u>PERMIT TOTAL</u>	0.1
B-10-9	7448P	Process Vents	None	Mixture: Acetic Anhydride Isobutyric Anhydride Acetic Acid Isobutyric Acid Butanol	0.1
Plasticizer Production				<u>PERMIT TOTAL</u>	0.1

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
B-10-10	7449P Plasticizer Production	Vent 3C	None	Diethyl Ether	0.1
		Vent 3K	None	Ethyl Alcohol	0.1
				Diethyl Ether	56.5
				<u>PERMIT TOTAL</u>	56.7
B-10-11	7411P	Vent 1A	None	Trimethylpentanediol	0.3
				<u>PERMIT TOTAL</u>	0.3
B-13-12	7328P Cyclic Intermediats Production	Vent A	None	Mixed Organic Solvents	33.5
				<u>PERMIT TOTAL</u>	33.5
B-13-13	8141P Cyclic Intermediate Production	Vent H	None	Toluene	0.3
		Vent Q	None	Toluene	0.4
		Vent T	None	Toluene	0.1
		Vent LL	None	Acetone	0.1
		Vent NN	None	Acetone	0.2
		Vent PP	None	Toluene	0.3

A-10

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
B-13-13 Continued	8141P	Vent RR	None	Toluene	0.4
		Vent SS	None	Toluene	0.4
				Isopropanol	0.1
				<u>PERMIT TOTAL</u>	2.3
B-134-1 Waste Solvent Trailers and Dumpsters	8013P	Dumpsters 1 and 2	None	Mixture: Toluene Acetone Isopropanol Methanol 2-Ethoxyethanol	0.1
		Trailers 451 & 492	None	Mixture: Toluene Acetone Isopropanol Methanol 2-Ethoxyethanol	0.7
				<u>PERMIT TOTAL</u>	0.8
B-29-2 Adhesive Production	8392P	Vents A and B	None	Benzene	0.1
		Vent G	None	Heptene	0.1
				<u>PERMIT TOTAL</u>	0.2

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
B-34-TF	6333P	Vent A	None	Mixture: Acetic Anhydride Acetic Acid	0.6
Building 34 Storage Tank				<u>PERMIT TOTAL</u>	0.6
B-51-20	8134	Tank Vent	None	Isobutylene	2.4
Isobutylene Storage				<u>PERMIT TOTAL</u>	2.4
B-55-TF	6334P	9 Tanks through Common Vent	Wet Scrubber/95%	Acetic Acid Propionic Acid Butyric Acid	7.4 0.7 1.1
Chemical Storage		Tanks 11 and 12	None	Butyric Anhdride	3.0
				<u>PERMIT TOTAL</u>	12.2
B-57-4	7786	#1 Jet	None	Quinone	0.8
Hydroquinone Production		#2 Jet	None	Quimome	0.7
				<u>PERMIT TOTAL</u>	1.5
B-57A-3	7789P	Vent B	None	Heptane	0.3
Cyclic Intermediate					

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
B-57A-3 Continued	7789P	Vent E	None	Mixture: Methanol Acetone Toluene Heptane Isopropanol Acetic Acid	0.4
		Vent F	None	Mixture: Methanol Acetone Toluene Heptane Acetic Acid	0.2
		Vent G	None	Isopropanol	0.1
		Vent H	None	Mixture: Methanol Acetone Toluene Heptane Acetic Acid	0.4
		Vent I	None	Isopropanol	2.1
				<u>PERMIT TOTAL</u>	3.5

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
B-57B-1 Color Developers Production	7412P	Vent A	None	Isopropanol	4.2
				Methanol	0.2
		Vent C	None	Ethanol	1.4
				Isopropanol	0.2
		Vent D	None	Ethanol	0.5
				Methanol	0.3
		Vent E	None	Ethanol	1.3
				Benzene	0.4
B-57B-2 Cyclic Intermediate Production	7788P	Vent F	None	Isopropanol	3.6
		Vent G	None	Isopropanol	3.3
		Vent H	None	Acetone	2.9
				<u>PERMIT TOTAL</u>	18.3
B-57BTF-1 Building 57 Tank Yard	8368P	Vent C	None	Acetone	0.2
		Vent D	None	Acetone	0.5
				<u>PERMIT TOTAL</u>	0.7
B-57BTF-1 Building 57 Tank Yard	8368P	Tank 52-4	None	Toluene	0.1
		Tank 52-S	None	Acetone	0.1

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
B-57BFT-1	8368P Continued	Tank 52-11	None	Isopropanol	0.2
		Tank 52-13	None	Ethanol	0.1
		Tank 52-14	None	Ethanol	0.1
		Tank 52-32	None	Formaldehyde	0.2
				<u>PERMIT TOTAL</u>	0.8
B-57TF-1	8360P	Tank 51-14	None	Isopropanol	0.1
				<u>PERMIT TOTAL</u>	0.1
B-67-1	6492P Conveyor and Dryer Exhaust	Vent A	Wet Scrubber/95%	Acetic Acid	1.8
				Propionic Acid	0.4
				Butyric Acid	0.9
		Vent B.	Wet Scrubber/95%	Acetic Acid	7.5
				Propionic Acid	0.4
				Butyric Acid	1.3
		Vent C	Wet Scrubber/95%	Acetic Acid	8.5
				Propionic Acid	0.9
				Butyric Acid	2.2
		Vent D	Wet Scrubber/95%	Acetic Acid	21.0
				Propionic Acid	1.3
				Butyric Acid	3.1

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
B-67-1 Continued	6492P	Vent E	Wet Scrubber/95%	Acetic Acid Propionic Acid Butyric Acid <u>PERMIT TOTAL</u>	20.5 0.9 2.2 72.9
B-80-2 Large Storage Tanks	8328P	Crude Tank Tank 3	None None	Acetone Acetone <u>PERMIT TOTAL</u>	0.1 0.7 0.8
B-81-1 Dryer Exhaust	7451P	Vent A Vent B Vent C Vent D Vent E Vent F Vent G	Wet Scrubber/95% Wet Scrubber/95% Wet Scrubber/95% Wet Scrubber/95% Wet Scrubber/95% Wet Scrubber/95% Wet Scrubber/95%	Acetic Acid Acetic Acid Acetic Acid Acetic Acid Acetic Acid Acetic Acid Acetic Acid	29.8 162.0 11.7 19.8 21.0 5.5 11.0

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
B-81-1 Continued	7451P	Vent GG	Wet Scrubber/95%	Acetic Acid	11.0
				<u>PERMIT TOTAL</u>	271.8
B-82TF Building 82 Tank Farm	6491P	Common Vent	Wet Scrubber/95%	Acetic Acid Propionic Acid Butyric Acid	6.3 0.6 0.9
				<u>PERMIT TOTAL</u>	7.8
B-82-1 Pnumatic Unloading Station	6001P	Fume Vent	Wet Scrubber/95%	Acetic Acid	5.8
				<u>PERMIT TOTAL</u>	5.8
B-85-1 Carbon Bed Exhaust	7416P	Vent A	Carbon Beds/98%	Acetone	133.0
				<u>PERMIT TOTAL</u>	133.0
B-86-101 Fuel Stoage Tanks		Gasoline Tank	Underground	Gasoline Vapors	3.1
				<u>PERMIT TOTAL</u>	3.1
B-90B-1 Hydroxyanisole Production	7775	Vent A	None	Mixture: n-Propanol Cyclohexane Heptane Toluene Dimethylsulfate	1.0

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
B-90B-1 Continued	7775	Vent H	None	Cyclohexane	0.1
		Vent I	None	Acetone	3.9
		Vent K	None	Heptane	0.1
				PERMIT TOTAL	5.1
B-99-1 Acetaldehyde Manufacture	7417P	Vent B	Wet Scrubber/99%	Ethyl Acetate	0.1
				Ethyl Formate	0.1
		Vent C	Wet Scrubber/93%	Ethyl Acetate	0.3
				PERMIT TOTAL	0.5
B-99-2 Acetic Acid Production	7761P	Vent A	Wet Scrubber/99%	Acetaldehyde	0.1
				Ethanol	0.1
				Ethyl Acetate	0.2
				Ethyl Formate	2.5
		Vent E	Condenser/99%	n-Propyl Acetate	3.4
		Tank 21	None	n-Propyl Acetate	0.1
				PERMIT TOTAL	6.4
B-99-3 Inert Gas Purification	6615P	Vent A	Carbon Bed/95%	Acetaldehyde	0.3
				Acetic Acid	0.1
				Methyl Acetate	0.1

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
B-99-3 Continued	6615P	Vent B	None	Acetaldehyde Acetic Acid Ethanol Methyl Acetate <u>PERMIT TOTAL</u>	16.6 4.4 2.7 1.8 26.0
B-99-4 Ethyl Acetate Production	7419P	Vent A	None	Isopropyl Acetate Ethanol <u>PERMIT TOTAL</u>	1.3 0.5 1.8
B-99A-1 N-Butyric Acid Production	7762P	Vent A	Wet Scrubber/99%	Butyraldehyde <u>PERMIT TOTAL</u>	1.1 1.1
B-99A-2 Propionic Acid Manufacture	7763P	Vent A	Wet Scrubber/99%	Propionaldehyde <u>PERMIT TOTAL</u>	305.7 305.7
B-99A-3 Butyric Acid Production	7420P	Vent A	Wet Scrubber/99%	Butyraldehyde <u>PERMIT TOTAL</u>	1.1 1.1
B-99A-6 Aliphatic ester production	7327P	Vent A	Condenser/99%	Mixture: Isobutyl Acetate Isobutyl Alcohol Isopropyl Acetate Isopropyl Alcohol	0.1

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
B-99A-6	7327P			<u>PERMIT TOTAL</u>	0.1
Continued					
B-99A-8	7421P	Vent A	None	Acetaldehyde	1.8
Crotonaldehyde Production				Crotonaldehyde	0.1
				<u>PERMIT TOTAL</u>	1.9
B-99A-11	8114P	Tank 29	None	n-Propyl Acetate	0.1
Acetic Acid Distillation				<u>PERMIT TOTAL</u>	0.1
B-100TF	6352P	Tank 33	None	Crotonaldehyde	0.2
n-Butyric Acid Production				<u>PERMIT TOTAL</u>	0.2
Storage Facilities					
B-102A-1	5657P	Vent A	Carbon Bed/98%	Acetone	60.0
VEREL Fiber Production		Room Exhaust	None	Acetone	1,200.0
				<u>PERMIT TOTAL</u>	1,260.0
B-102C-1	8370P	Room Exhaust	None	Acetone	1,400.0
VEREL Fiber Processing				<u>PERMIT TOTAL</u>	1,400.0

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
B-118-2 Acetone Manufacture	8104P	Vent A	Plate Column Scrubbers/ 99%	Acetone Isopropanol	8.4 0.4
		Vent B	Ammonia Condenser/99%	Acetone	75.0
		Vent C	None	Acetaldehyde	45.6
				<u>PERMIT TOTAL</u>	129.4
B-120-1 Acetate Production	7425P	Vent A	Wet Scrubber/95%	Various Hydrocarbons	61.5
		Vent B	Wet Scrubber/95%	Various Hydrocarbons	65.5
		Vent C	Wet Scrubber/95%	Various Hydrocarbons	84.0
		Vent D	Wet Scrubbers/95%	Various Hydrocarbons	97.0
				<u>PERMIT TOTAL</u>	308.0
B-120TF Building 120 Tank Farm	7424P	Tank 14	None	Acetic Anhydride	1.1
		Tank 51	None	Propionic Acid	0.6
				<u>PERMIT TOTAL</u>	1.7
B-120TF Building 120 Storage	6540P	Tank 1	None	Mixture: Acetic Anhydride Butyric Anhydride	0.6

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
B-120TF Continued	6540P	Tank 4	None	Mixture: Acetic Acid Propionic Acid	0.3
		Tank 5	None	Mixture: Acetic Acid Butyric Acid	0.1
		Tank 9	None	Butyric Acid	0.6
		Tank 10	None	Mixture: Acetic Acid Butyric Acid	1.9
				<u>PERMIT TOTAL</u>	3.5
B-122-3A Tecmangam Production	7781P	Tank 1	None	Quione	0.6
		Tank 2	None	Quione	0.7
		Tank 3	None	Quione	0.6
		Tank 7	None	Quione	0.7
				<u>PERMIT TOTAL</u>	2.6

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
B-122-4 Acid Sludge Neutralization	7792P	Tanks 1-3	None	Acetic Acid	0.1
				<u>PERMIT TOTAL</u>	0.1
B-123-1 Triethyl Phosphate Production	6715P	Ether	Condenser/50%	Mixture: Diethyl ether Ethylene	350.0
				<u>PERMIT TOTAL</u>	350.0
B-125-1 Filter Tow Dryers	8097P	Vent A	None	Acetone	57.0
				<u>PERMIT TOTAL</u>	57.0
B-125A-3 Second Stage Filter Tow Dryers	8098P	Vent A	None	Acetone	54.0
				<u>PERMIT TOTAL</u>	54.0
B-127-1 Filter Products	7770P	Vent A	Carbon Bed/92%	Acetone	340.0
				<u>PERMIT TOTAL</u>	340.0
B-127-2 Filter Products	7764P	Vent A	Carbon Bed/90%	Acetone	288.0
				<u>PERMIT TOTAL</u>	288.0

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
B-137TF	6493P	Tank 352	None	Acetic Anhydride	0.3
Building 137 Tank Farm		Tank 356	None	Acetic Anhydride	0.8
				<u>PERMIT TOTAL</u>	1.1
B-174B-1	614DP	Vent A	None	Various Solvents	31.2
Laboratory Pellet Coating				<u>PERMIT TOTAL</u>	31.2
B-174B-2	7438P	Vent A	None	Various Solvents	1.1
Polymer Production				Various Hydrocarbons	0.2
				<u>PERMIT TOTAL</u>	1.3
B-176-1	7440P	Vent A	None	Acetone	3.8
Cleaning Vats				<u>PERMIT TOTAL</u>	3.8
B-190C-4	6125P	Vent A	None	Saturated Hydrocarbons	0.7
Plastic Pellet Production				<u>PERMIT TOTAL</u>	0.7
B-190C-6	6356P	Vent A	None	Saturated Hydrocarbons	1.2
Plastic Pellet Production				<u>PERMIT TOTAL</u>	1.2

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
B-190C-7	6357P	Vent A	None	Saturated Hydrocarbons	0.1
Banbury Mixer				<u>PERMIT TOTAL</u>	0.1
B-190E-3	6330P	Vent A	None	Saturated Hydrocarbons	0.8
Plastic Processing				<u>PERMIT TOTAL</u>	0.8
B-194-1	6000P	Vent C	None	Xylene	0.1
VEREL Polymer Manufacturing		Vents D-G	None	Xylene	0.1
				Isopropanol	0.1
				Acrylonitrile	0.1
		Vents I-K	None	Vinylidenechloride	0.3
				Acrylonitrile	1.3
		Vents L&M	None	Vinylidenechloride	0.3
				Acrylonitrile	1.1
		Vent V	None	Vinylidenechloride	1.1
				Acrylonitrile	1.9
		Vent W	None	Vinylidenechloride	8.0
				Acrylonitrile	4.0
		Vent X	None	Vinylidenechloride	8.2
				Acrylonitrile	6.2

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
B-194-1 Continued	6000P			<u>PERMIT TOTAL</u>	32.8
B-200TF	6331P	Tank 40-75	None	Propionaldehyde	15.1
Long Island Tank Farm		Tank 90-54	None	2-Butyraldehyde	1.7
		Tank 43-51	None	2-Ethylhexaldehyde	0.1
		Tank 43-55	None	2-Ethylhexaldehyde	0.1
		Tank 40-61	None	n-Butyraldehyde	1.1
		Tank 40-74	None	Propionaldehyde	15.1
				<u>PERMIT TOTAL</u>	33.4
B-212TF	7452P	Various Tanks	None	Mixture: Acetic Acid Acetic Anhydride Crotonaldehyde	0.2
Building 212 Tank Farm				<u>PERMIT TOTAL</u>	0.2
B-218TF-1	8140P	Tank 83	None	Mixture: Toluene Acetone Isopropanol Methanol	0.1
Building B-13 Tanks					

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
B-218TF-1	8140P			2-Ethoxyethanol	
	Continued			<u>PERMIT TOTAL</u>	0.1
B-220-1	6327P	Storage Tank	None	Methanol	26.7
	Dimethyl Terephthalate Production	Hold Tank	None	Methanol	47.2
				<u>PERMIT TOTAL</u>	73.9
B-221-2	8383P	Letdown Tank	None	Methanol	8.4
	No.1 CHDM Plant			<u>PERMIT TOTAL</u>	8.4
B-221A-1	8385P	Letdown Tank	None	Methanol	8.4
	No. 2 CHDM Plant			<u>PERMIT TOTAL</u>	8.4
B-221B-1	8384P	Letdown Tank	None	Methanol	8.4
	No.3 CHDM Plant			<u>PERMIT TOTAL</u>	8.4
B-225-1	7768P	Vent A	None	Various Hydrocarbons	0.1
	No. 1 Hydrogen Plant	Vent B	None	Methylethylamine	0.1

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
B-225-1	7768P			<u>PERMIT TOTAL</u>	0.2
	Continued				
B-225A-1	7793P	Vent A	None	Various Hydrocarbons	0.1
	Inert Gas Plant			<u>PERMIT TOTAL</u>	0.1
B-226P-1	6799P	Vents 1H-1K	None	Methanol	0.3
	Polyester Polymer Production	Vent 1L	None	Methanol	0.6
		Vent 1M	None	Methanol	0.1
		Vent 1N	None	Methanol	1.1
		Vent 2A	None	Methanol	2.1
		Vent 2B	None	Methanol	0.9
		Vents 4A-4R	None	Methanol	128.0
				<u>PERMIT TOTAL</u>	133.1
B-232-1	7777P	Vents A&B	Plate Column Scrubber/46%	Methyl Acetate	91.0
	Terephthalic Acid Manufacture			Xylene	6.0
				Acetic Acid	2.0
				Acetaldehyde	23.0

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
B-232-1 Continued	7777P	Vent C	Plate Column Scrubber/82%	Methyl Acetate	252.0
				Acetaldehyde	33.0
				p-Xylene	32.0
				Acetic Acid	143.0
		Vents D & E	Plate Column Scrubber/46%	Methyl Acetate	82.0
				Acetic Acid	8.0
				p-Xylene	5.0
				Acetaldehyde	24.0
		Vent F	Inert Gas Scrubber/76%	Methyl Acetate	27.0
				Acetic Acid	0.5
				p-Xylene	5.0
				Acetaldehyde	0.6
		Vent G	None	Methyl Acetate	9.0
				Acetic Acid	0.2
				p-Xylene	2.0
				Acetaldehyde	0.2
		Vent H	None	Methyl Acetate	9.0
				Acetic Acid	0.2
				p-Xylene	2.0
				Acetaldehyde	0.2
		Vent I	Condenser/90%	Acetic Acid	63.0
				Methyl Acetate	4.6
				p-Xylene	0.2

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
B-232-1 Continued	7777P	Vent K	Condensor/85%	Acetaldehyde	2.0
				Methyl Acetate	0.8
				n-Propyl Acetate	0.2
		Vent L	None	Acetaldehyde	76.0
				Methyl Acetate	21.0
				n-Propyl Acetate	5.0
		Vent T	None	Acetic Acid	3.2
		Vent U	Plate Column Scrubber/66%	Methyl Acetate	272.0
				p-Xylene	47.0
				Acetic Acid	72.0
				Acetaldehyde	118.0
		Vent V	Condenser/50%	Methyl Acetate	5.0
				Acetaldehyde	0.4
				n-Propyl Acetate	0.7
				Ethyl Acetate	0.3
		Vent W	Wet Scrubber/50%	Methyl Acetate	4.0
				Acetaldehyde	0.2
				p-Xylene	2.0
		Vent X	None	Acetic Acid	1.5
		Vent Z	Wet Scrubber/60%	Methyl Acetate	8.0
				Acetaldehyde	0.2
				p-Xylene	4.0

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
B-232-1	7777P Continued	Vent AA	None	Acetaldehyde Methyl Acetate p-Xylene	0.2 0.1 0.4
		Tanks 29, 38 & 42	None	Mixture: Acetaldehyde Acetic Acid Ethyl Acetate Methyl Acetate Xylene Methanol	1.1
		Tank 03	None	p-Xylene	0.5
		Tank 09	Underground	Mixture: Acetaldehyde Ethyl Acetate Methyl Acetate Methanol N-Propyl Acetate	2.0
		Tanks 36 and 43	None	Mixture: Acetic Acid Cobalt Acetate Terephthalic Acid Xylene	12.1
		Tanks 34, 37 & 44	None	Acetic Acid	3.1

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
B-233-1 Continued	7777P	Vent AC	None	Acetaldehyde	6.9
				Methyl Acetate	17.3
				Methanol	0.1
				n-Propyl Acetate	0.2
				<u>PERMIT TOTAL</u>	1,512.3
B-236TF-1 Storage and Feed Tanks	6325P	Tank HB-01	None	Methanol	2.6
		Tank HC-01 and HD-01	None	Methanol	0.2
		Tank HC-01	None	Methanol	2.2
		Tank HH-01	None	Methanol	6.4
		Tanks HI-01 and HJ-01	None	O-Xylene	0.2
		Tank HL-01	None	Methanol	9.1
				<u>PERMIT TOTAL</u>	20.7
B-237-1 Dimethyl Terphthalate Plant No. 1	6326P	Tank QB-52	None	Mixture: Dimethyl Terephthalate Methyl Paratoluate Methyl benzoate Methylparformyl benzoate	0.1

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
B-237-1	6326P	Tank OC-51	None	Dimethyl Terephthalate	36.0
Continued				<u>PERMIT TOTAL</u>	36.1
B-237A-1	8361P	Vent D	None	Methanol	1.8
Dimethyl Terephthalate Plant No. 2		Vent E	None	Xylene	0.1
		Vent F	None	Mixture: Methyl-p-Toluate Dimethyl Terephthalate Methyl Benzoate Methyl-p-Formyl Benzoate	0.2
		Tank TD-51	None	Mixture: Methyl-p-Formyl Benzoate Methyl-p-Toluate Dimethyl Terphthalate Methyl Benzoate	0.4
		Vent J	Baffle Tray Scrubber	Methanol	39.5
		Vent K	None	Acetaldehyde Dimethyl Ether Methyl Acetate Methanol	232.0 1,830.0 452.0 127.0
		Tank TB-50	Pressure Tank	o-Xylene	0.1

TABLE A-1 (CONTINUED)

[illegible]

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
B-244-1	8143P	Jet Pot	Condenser/62%	Ethylene	0.9
Diketene Refining				Propane	2.1
				1, 3-Butadiene	0.7
				<u>PERMIT TOTAL</u>	3.7
B-244-2	8363P	Jet Pot	Condenser/92%	Methanol	7.4
Acetoacetic Esters Production				Ethanol	0.3
				<u>PERMIT TOTAL</u>	7.7
B-244A	7765P	Vent A	Wet Scrubber/90%	Acetone	4.3
Ketone Production				Methylpropylketone	0.3
		Tanks 83 and 84	None	Various Ketones	0.5
		Tanks 64 and 65	None	Various Ketones	0.4
		Tanks 70 and 63	None	Various Ketones	0.1
		Tank 92	None	Isobutyraldehyde	5.9

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
B-244A Continued	7765P	Tank 93	None	Acetone	7.3
		Tank 201	None	Various Ketones	0.4
				<u>PERMIT TOTAL</u>	19.2
B-244B-1 Ketone Production	8372P	Vent A	Wet Scrubber/88%	Acetone	32.2
				Isopropanol	0.2
				Methyl Isobutyl Ketone	3.4
		Tank 243	None	Mixture: N-Butyraldehyde Propionaldehyde	0.2
		Tanks 272, 264,265,283 269,273,201, 271,270,263, 284	None	Various Ketones	2.1
		Tank 292	None	Acetone	8.1
				<u>PERMIT TOTAL</u>	46.2
B-244D-2	8336P	Tanks 109 and 110	None	Mixture: Dimethyl Acetoacetimide Monomethyl Acetoacetimide	0.7

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
B-244D-2 Production Continued	8336P			<u>PERMIT TOTAL</u>	0.7
B-244E-2	999696P	Vents F, G and H	None	Acetic Acid	0.1
Acetoacetarylides Reaction Facility		Vent J	None	Acetone	0.1
				<u>PERMIT TOTAL</u>	0.2
B-246-2	8337P	Vent A	Wet Scrubber/95%	Ethylene	0.8
Cyclic Intermediates Production		Vent H	None	Isopropanol	0.1
				Methanol	0.1
				Ethanol	0.1
		Vents I, J K, M, N, O, T	None	Isopropanol	1.0
				Methanol	1.0
				Ethanol	1.0
		Vents P, A, R	None	Isopropanol	0.2
				Methanol	0.2
				Ethanol	0.2
				<u>PERMIT TOTAL</u>	4.7

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
B-254-1	7428P	Vent A	Wet Scrubber/92%	Acetone	152.4
Filter Products				<u>PERMIT TOTAL</u>	152.4
B-255-1	7530P	Vents 1A and 1B	None	Methanol	35.0
Polyester Polymer Manufacture		Vents 1C And 1D	None	Ethylene Glycol	4.4
		Vent 2C	None	Methanol	4.4
		Vent 2D	None	Ethylene Glycol	0.9
		Vents 5A- 5G	None	Ethylene Glycol	3.4
				<u>PERMIT TOTAL</u>	48.1
B-261-1	8362P	Vent C	None	Methanol	1.8
Dimethyl Terephthalate Plant No. 3		Tank DA-53	None	Dimethyl Terephthalate	0.6
				o-Xylene	0.2
		Tank CS-50	None	Mixture: o-Xylene Dimethyl Terephthalate	0.1

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
B-261-1 Continued	8362P	Tank DB-52	None	Mixture: Dimethyl Terephthalate Methyl-p-Toluate Methyl Benzoate Methyl-p-Formyl Benzoate	0.2
		Tanks DD-51 and 628	None	Mixture: Methyl-p-Toluate Benzoate Methyl-p-Formyl Benzoate Dimethyl Terephthalate Methyl Benzoate	1.1
		Vent L	None	Methanol	41.2
		Vent M	None	Dimethyl Terephthalate	8.8
		Tank DB-50	None	o-Xylene	0.1
		Tank 431	None	Mixture: n-Butanol Ethylene Glycol Methanol 2-Ethoxyethanol	0.3
				<u>PERMIT TOTAL</u>	54.4
B-261A-1	6440P	Tank FA-53	None	Mixture: Dimethyl Terephthalate	8.2

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
B-261A-1 Dimethyl Terephthalate Plant No. 4 Continued	6440P	Tank FB-52	None	Xylene	
				Mixture: Dimethyl Terephthalate Methyl paratoluete Methyl Benzoate	0.2
		Tank FD-51	None	Mixture: Methyl-p-Formyl Benzoate Methyl Paratoluete Methyl Benzoate Dimethyl Terephthalate	0.6
		Vent E	None	Methyl Paratoluete Methyl Benzoate Xylene	49.0 56.0 28.0
		Vent F	None	Methanol	79.0
				<u>PERMIT TOTAL</u>	221.0
B-262-1 Raw Material Storage	7827P	Tanks AA-01 Through AE-01	None	Methanol	5.8
		Vents H, I and J		Methyl Acetate Acetaldehyde p-Xylene	34.6 0.8

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
B-262-1	7827P			Acetic Acid	0.6
Continued				<u>PERMIT TOTAL</u>	43.3
B-263-4	8354P	Tank MF55	None	Fuel Oil Vapors	0.1
Fuel Storage				<u>PERMIT TOTAL</u>	0.1
B-265B-2	7429P	Vent D	None	Methanol	4.3
Specialty Polymer Plant		Vent E	None	p-Dioxane	0.2
		Vents G, H and I	None	Methanol	0.3
				Methanol	0.1
				<u>PERMIT TOTAL</u>	4.9
B-267-1	7430P	Vents A, B and C	Wet Scrubbers/50%	Mixed Solvents	132.0
Organic Chemical Production		Vent D	Wet Scrubber/90%	Mixed Solvents	8.8
		Vents E, F and G	Wet Scrubbers/50%	Mixed Solvents	132.0
				<u>PERMIT TOTAL</u>	272.8

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
B-267-2 Organic Chemical Production	6495P	Vent C	None	Mixed Solvents	43.8
		Vent D	Wet Scrubber/50%	Mixed Solvents	22.0
		Vent E	Wet Scrubber/50%	Mixed Solvents	4.4
				<u>PERMIT TOTAL</u>	70.2
B-267-4 Drum Melters	7453P	Vent A	Wet Scrubber/70%	Mixture: Acetone Methanol Isopropanol Heptane Toluene	0.1
				<u>PERMIT TOTAL</u>	0.1
B-267-5 Organic Chemical Production	7457P	Vents A, B and C	None	Mixture: Acetone Methanol Isopropanol Heptane Toluene	1.8
				<u>PERMIT TOTAL</u>	1.8
B-267A-1 Organic Chemical Production	7324P	Vents A Through E	Wet Scrubber/50%	Mixed Solvents	220.00

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
B-267A-1	7324P				
	Continued			<u>PERMIT TOTAL</u>	220.0
B-267A-2	6633P	Vents A And B	Wet Scrubber/50%	Mixed Solvents	4.4
	Organic Chemical Drying			<u>PERMIT TOTAL</u>	4.4
B-267A-3	6634P	Vent A	Wet Scrubber/50%	Xylene	1.1
	Organic Chemical Production	Vent B	Wet Scrubber/50%	Xylene	2.0
				<u>PERMIT TOTAL</u>	3.1
B-267D-1	6635P	Vents A through F	Wet Scrubber/50%	Mixed Solvents	264.0
	Organic Chemical Production			<u>PERMIT TOTAL</u>	264.0
B-267D-2	6636P	Vent A	Wet Scrubber/50%	Mixed Solvents	44.0
	Organic Chemical Production	Vent B	Wet Scrubber/50%	Mixed Solvents	43.8
				<u>PERMIT TOTAL</u>	87.8

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
B-267D-3	7323P	Vent A	Wet Scrubber/90%	Mixed Solvents	8.8
Organic Chemical Production				<u>PERMIT TOTAL</u>	8.8
B-267D-4		Vents A And B	None	Mixture: Acetone Methanol Isopropanol Heptane Toluene	3.2
Organic Chemical Production		Vents C and D	None	Mixture: Acetone Methanol Isopropanol Heptane Toluene	0.2
				<u>PERMIT TOTAL</u>	3.4
B-267TF-2	8132P	Tanks 3002 and 3003	None	Isopropanol	0.3
Building 267 Storage Tanks		Tank 3007	None	Heptane	0.9
		Tank 3008	None	Toluene	0.1

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
B-267TF-2	8132P Continued	Tank 3009	None	Methanol	1.5
		Tank 3010	None	Isopropanol	0.7
		Tanks 3052 and 3053	None	Methanol	0.5
		Tanks 3054 and 3060	None	Mixture: Isopropanol Methanol Acetone Toluene Heptane	0.7
		Tank 3039	None	Acetic Acid	0.1
		Tank 3012	None	Acetone	2.3
		Tank 3018	None	Heptane	0.1
		Tank 3020	None	Mixture: Acetone Methanol	0.3
		Tank 3021	None	Acetone	0.4
		Tank 3022	None	Heptane	0.3

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
B-267TF-2	8132P Continued	Tank 3023	None	Toluene	0.1
		Tank 3024	None	Mixture: Acetone Isopropanol Methanol	0.1
		Tank 3025	None	Toluene	0.1
		Tank 3061	None	Acetone	0.1
		Tank 3062	None	Mixture: Methanol Toluene	0.1
		Tank 3063	None	Heptane	0.3
		Tank 3064	None	Toluene	0.1
		Tank 3068	None	Mixture: Isopropanol Methanol Acetone	0.1
				<u>PERMIT TOTAL</u>	9.2

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
B-267Y-1 Waste Stripping	6956P	Vents B c and D	None	Methanol	0.9
				Acetone	0.9
				Heptane	0.9
				Toluene	0.9
				Isopropanol	0.9
				<u>PERMIT TOTAL</u>	4.5
B-267Y-2 Isopropanol Refinery	6800P	Vent A	None	Isopropanol	1.1
				<u>PERMIT TOTAL</u>	1.1
B-267Y-3 Toluene Refinery	6801P	Vent A	None	Toluene	1.1
		Vent B	None	Toluene	1.1
				<u>PERMIT TOTAL</u>	2.2
B-267Y-4	7018P	Vent SC-01	None	Heptane	0.9
				Toluene	0.9
		Vent SC-02	None	Heptane	1.3
				Toluene	0.5
		Vent SC-03	None	Heptane	0.4
				Toluene	0.9
				<u>PERMIT TOTAL</u>	4.9

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
B-267Y-5	7435P	Tank Vent	None	Methanol Acetone Heptane Toluene Isopropanol	0.1 0.1 0.1 0.1 0.1
Filtrate Neutralization				<u>PERMIT TOTAL</u>	0.5
B-267Y-6	7322P	Vent 1B	None	Acetone Methanol	0.3 0.2
Solvent Separation		Vent 2B	None	Acetone Methanol	0.3 0.2
				<u>PERMIT TOTAL</u>	1.0
B-267Y-7	7436P	Vent A	None	Isopropanol	0.1
Solvent Separation		Vent B	None	Isopropanol	0.1
				<u>PERMIT TOTAL</u>	0.2
B-267Y-8	999689P	Vent A	None	Ethylene Glycol	0.8
Ethylene Glycol Recovery				<u>PERMIT TOTAL</u>	0.8
B-267Y-9	8366P	Dumpsters 651, 652, 653 & 654	None	Mixture: Acetone	0.5
Organic Waste Disposal					

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
B-267Y-9 Continued	8366P			Methanol Isopropanol Heptane Toluene	
		Dumpsters 662, 663 664, 670 671, 672	None	Mixture: Acetone Methanol Isopropanol Heptane Toluene	1.7
		Trailers 294, 443, 455, 283,		Mixture: Acetone Methanol Isopropanol Heptane Toluene	5.3
				<u>PERMIT TOTAL</u>	7.5
B-270-1	999902P	Vents 1A and 11B	None	Dioxolane Methanol	30.0 28.0
Polyester Polymer Manufacture		Vents 1C and 10	None	Ethylene Glycol	2.1

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
B-270-1	999902P Continued	Vents 1E and 1N	None	Ethylene Glycol	28.0
		Vents 1F and 1O	None	Triethylene Glycol	0.2
		Vents 1G and 1S	None	Mixture: Dioxolane Methanol	5.9
		Vents 1 H	None	Diethylene Glycol	0.1
		Vent 1 J	None	Ethylene Glycol	2.2
		Vents 1 L and 1 M	None	Ethylene Glycol	5.3
		Vent 1 P	None	n-Butanol	0.4
		Vent 1Q	None	Dowtherm A	1.1
		Vents 2A Through 2T	None	Ethylene Glycol	0.2
		Vents 3A Through 3T	None	Various Hydrocarbons	2.9

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
B-270-1 Continued	999902P	Vents 4A Through 4D, 4I and 4J	None	Methanol	79.8
		Vents 4E Through 4H, 4K and 4L	None	Methanol	0.2
				<u>PERMIT TOTAL</u>	186.4
B-270-1-IV	999759P	Tank SA-01	None	Monomer	0.5
Polymer Sludge Storage				<u>PERMIT TOTAL</u>	0.5
B-270-1-IX	999758P	Tank Car	None	Mixture: Monomer Ethylene Glycol	0.9
Rail Car Storage				<u>PERMIT TOTAL</u>	0.9
B-270-2		Vent 1B	None	Acetaldehyde Ethylene Glycol	0.2 5.0
Drying System Vent				<u>PERMIT TOTAL</u>	5.2
B-271TF-1	8456P	Tanks 83-3 and 83-4	None	Ethylene Glycol	0.1
Polymer Division Tank Farm					

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
B-271TF-1 Continued	8456P	Tank 83-6	None	Ethylene Glycol	0.1
		Tanks 54-4, 54-5, 54-6	None	Mixture: Acrylonitrile Isopropanol	1.3
		Rail Car	None	Dimethyl Terephthalate	0.3
				<u>PERMIT TOTAL</u>	1.8
B-273-1	5980P	Vent A	None	Acetic Acid	0.9
Dye Manufacturing				<u>PERMIT TOTAL</u>	0.9
B-273TF-1	8365P	Tank YF-6	None	Acetone	0.2
Building 273 Tank Farm		Tanks YF-3 and YF-5	None	Toluene	0.1
				<u>PERMIT TOTAL</u>	0.3

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
B-274-101 Fuel Storage		Gasoline Tanks	Underground	Gasoline Vapors	4.3
				<u>PERMIT TOTAL</u>	4.3
B-290-1 Filtering Process	999747P	Vent A	None	Acetic Acid	14.7
				<u>PERMIT TOTAL</u>	14.7
B-294-1 No. 3 Hydrogen Plant	7153P	Vent D	None	Various Hydrocarbons	0.3
		Vent E	None	Various Hydrocarbons	0.3
				<u>PERMIT TOTAL</u>	0.6
B-303A-1 Predryer Exhaust	6798P	Vent F	Wet Scrubber/95%	Various Hydrocarbons	4.4
				<u>PERMIT TOTAL</u>	4.4
B-303A-2 Predryer Exhaust	5220P	Vent C	Wet Scrubber/95%	Various Hydrocarbons	3.6
				<u>PERMIT TOTAL</u>	3.6
B-319-1 Cobalt Recovering Facility	999729	Vent A	Condensor/99%	o-Xylene	4.8
				<u>PERMIT TOTAL</u>	4.8

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
ETR-55A-1 Tank Farm	8009P	Tanks 68 and 69	None	Propionic Anhydride	0.2
				<u>PERMIT TOTAL</u>	0.2
T-10-1	8119P	Tank 1	None	Mixture: Crotonaldehyde Heptane Crotonic Acid	0.1
		Tank 2	None	2-Ethylhexaldehyde	0.1
		Tank 12	None	Mixture: Crotonic Acid Heptone Crotonaldehyde Acetic Acid Propionic Acid Formic Acid	0.2
		Tank 15	None	Crotonaldehyde	0.1
		Tank 19	None	Methanol	0.4
		Tank 20	None	Methanol	0.4
		Tank 530	None	Mixture: 2-Ethylhexanoic Acid Crotonic Acid	0.1

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
				Propionic Acid Formic Acid Butyric Acid <u>PERMIT TOTAL</u>	 1.4
T-12-1	8131P	Tank 525	None	Sucrose Acetate	0.4
Tank Farm		Tank 526	None	Isobutyrate	0.4
				<u>PERMIT TOTAL</u>	0.8
T-18-1	8133P	Tank 125	None	Di-2-Ethylhexylazelaate	0.1
Tank Farm		Tank 126	None	Di-2-Ethylhexylazelaate	0.1
		Tank 127	None	Di-2-Ethylhexylazelaate	0.1
		Tanks 128 and 129	None	Di-2-Ethylhexyl terephthalate	0.2
		Tank 131	None	Di-2-Ethylhexylazelaate	0.1
				<u>PERMIT TOTAL</u>	0.6
T-18-2	8375P	Tank 141	None	Mixture: Methyl Benzoate Methyl p-toluate o-Xylene	1.0
Tank Farm					

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
				<u>PERMIT TOTAL</u>	1.0
T-21-1	8142P	Tanks 17 and 18	None	Isopropyl Acetate	2.8
Tank Farm		Tanks 25 and 26	None	Isopropyl Acetate	3.6
		Tanks 29 and 30	None	Isobutyl Acetate	1.6
		Tanks 33 and 34	None	Mixture: n-Butyl Acetate n-Propyl Acetate	1.6
		Tank 37	None	Mixture: 2-Ethylhexanol Methanol	0.1
		Tanks 38 and 39	None	Heptane	0.2
		Tank 62	None	Ethanol	0.8
		Tank 65	None	Isopropanol	0.4
		Tank 66	None	Mixture: s-Butyl Alcohol Ethyl Acetate	1.9

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
				<u>PERMIT TOTAL</u>	13.0
T-21-2	8096P	Tank 41	None	n-Propyl Alcohol	0.4
Tank Farm		Tank 43	None	Methanol	1.4
		Tank 48	None	Isopropanol	0.2
		Tank 50	None	n-Propyl Acetate	0.8
				<u>PERMIT TOTAL</u>	2.8
T-22-1	8369P	Tanks 65 and 66	None	Glyceryl Triacetate	0.2
Tank Farm					
T-57-PS-1	8494P	Waste Tank	None	Mixture: Isopropanol Methanol	0.3
Waste Chemical Storage				<u>PERMIT TOTAL</u>	0.3
T-57-PS-1	8494P	Waste Tank	None	Mixture: Isopropanol Acetone Toluene Heptane	1.6
Waste Chemical Storage				<u>PERMIT TOTAL</u>	1.6

A-57

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
T-83-PS-4 Building 83 Tank Farm	8338P	Tank 49-1	None	Ethylene Glycol- monomethyl ether	0.1
		Tank 49-2	None	n-Butyl Alcohol	0.2
		Tank 49-3	None	Isobutyl Alcohol	0.3
		Tank 49-4	None	Ethanol	0.2
				<u>PERMIT TOTAL</u>	0.8
T-100-A-2 Tank Farm	8109P	Tanks 44 and 49	None	Mixture: i-Butyl Acetate n-Butyl Acetate	0.8
		Tanks 45 and 46	None	n-Butyraldehyde	0.2
				<u>PERMIT TOTAL</u>	1.0
T-100-A-4 Tank Farm	8107P	Tank 5	None	Isopropanol	1.7
		Tank 7	None	Ethanol	2.1
		Tank 8	None	Isopropanol	1.8
		Tank 9	None	Isopropanol <u>PERMIT TOTAL</u>	0.9 6.5

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
T-119-1 Chemical Storage	8118P	Tank 79	None	Mixture: Acetone Isopropanol <u>PERMIT TOTAL</u>	0.1 0.1
T-161-1 Tank Farm	8110P	Tanks 38 and 39	None	Ethylene Glycol- monomethyl ether	0.2
		Tanks 38- 57 and 38- 58	None	Acetic Acid <u>PERMIT TOTAL</u>	11.2 11.4
T-161-A-1 Tank Farm	8111P	Tank 16	None	Various Acetates	2.2
		Tank 30	None	n-Propyl Acetate	0.2
		Tanks 40- 36 and 40- 37	None	Mixture: Isopropyl Acetate Isobutyl Acetate <u>PERMIT TOTAL</u>	3.8 6.2
T-161-A-2	7773P	Tank 43	None	Ethylene Glycol- monomethyl ether Acetate <u>PERMIT TOTAL</u>	0.1 0.1

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
T-200-1 to T-200-8	8010P	Tanks 49-178 and 49-179	None	2-Ethylhexanol	0.2
Tank Farm		Tanks 35-67 and 35-68	None	Mixture: n-Propyl Alcohol n-Propyl Acetate	0.9
		Tanks 38-70 and 38-71	None	Acetic Acid	12.7
		Tanks 35-101 and 35-103	None	Ethylene Glycol- monoethyl ether Acetate	0.2
		Tank 89-116	None	Diethylene Glycol	0.2
				<u>PERMIT TOTAL</u>	14.2
T-218-1	8112P	Tanks 1 through 4	None	Mixture: Acetic Acid Butyric Acid Propionic Acid	5.0
Tank Farm				<u>PERMIT TOTAL</u>	5.0
T-212-39-48	6332P	Tank 39-48	None	Acetic Anhydride	0.1
Tank Farm				<u>PERMIT TOTAL</u>	0.1

A-60

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
T-220-TF-1 Tank Farm	8394P	Tanks CH-100, CH-101, XH-50, XH-51, UH-50, WH-50, ZH-50	None	Methanol	6.6
				<u>PERMIT TOTAL</u>	6.6
T-221-TF-1 Tank Farm	8434P	Tanks CG-101, XG-50, XG-51	None	Mixture: Methyl Formcel Ethanol Crude Tocopherol Methanol	2.1
T-221-TF-1 Continued		Dumpster 627	None	Mixture: Ethanol Crude Tocophenol	0.9
				<u>PERMIT TOTAL</u>	3.0
T-244-1 Tank Farm	8012P	Tank 4	None	Mixture: Methanol Ethanol	0.2
				<u>PERMIT TOTAL</u>	0.2
T-248-PS-3	8395P	Tanks A, B, C, P	None	Various Hydrocarbons	1.5

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
T-248-PS-4 Tank Farm		Tank D		Various Hydrocarbons	0.1
				<u>PERMIT TOTAL</u>	1.6
T-272-PS-4 Fuel Storage	8135P	Fuel Oil Storage	None	Fuel Oil Vapors	0.1
		Dowthern Storage	None	Dowthern Vapors	0.1
				<u>PERMIT TOTAL</u>	0.2
T-291-1 Tank Farm	8386P	Tank 046	None	Mixture: Acetic Acid Cobalt Acetate Terephthalic Acid	0.9
				<u>PERMIT TOTAL</u>	0.9
TF-120-1 Tank Farm	8330P	Tank 30	None	Mixture: Acetic Acid Butyric Acid	0.1
		Tanks 31 and 36	None	Mixture: Acetic Acid Butyric Acid Propionic Acid	0.4

TABLE A-1 (CONTINUED)

BUILDING	PERMIT	SOURCE	CONTROL EQUIPMENT/ EFFICIENCY	POLLUTANT	EMISSIONS (TONS/YEAR)
				<u>PERMIT TOTAL</u>	0.5
TR-73-1 Tank Farm	8432P	Common Vent for Tanks 131 through 1616	Wet Scrubber	Various Hydrocarbons	12.2
				<u>PERMIT TOTAL</u>	12.2
WTF-55-1 Tank Farm	8331P	Tanks 13, 14 and 15	None	Mixture: Acetic Anhydride Butyric Anhydride	0.7
		Tank 30	None	Propionic Acid	0.1
		Tanks 96 and 97	None	Mixture: Acetic Acid Butyric Acid Propionic Acid	0.2
		Tanks 102, 109 and 110	None	Acetic Acid	0.5
				<u>PERMIT TOTAL</u>	1.5
				<u>PLANT TOTAL</u>	12,390.5

THIS PAGE INTENTIONALLY LEFT BLANK

APPENDIX B

PILOT PLANT AND LABORATORY EMISSIONS

TABLE B-1

PILOT PLANT AND LABORATORY EMISSIONS

<u>BUILDING</u>	<u>PERMIT</u>	<u>POLLUTANT</u>	<u>EMISSIONS (TONS/YEAR)</u>
B-96-1 Spray Drying of Aqueous Polymer Slurries	7126 P	None	0
B-104A-1 Laboratory Extruder	7129 P	Polymer Decomposition Product	0.6
B-104A-2 Oxidation Unit	5402 P	None	0
B-152-1 Polymer Pilot Plant	8460 P	None	0
B-159-1 Organic Chemical Pilot Plant	8459 P	None	0
B-167-1 Fiber Spinning Pilot Plant	8438 P	None	0
TOTAL			0.6

APPENDIX C

COMPOUND SPECIFIC EMISSIONS

TABLE C-1

ACETALDEHYDE EMISSIONS

Page 1

<u>BUILDING</u>	<u>PERMIT</u>	<u>SOURCE</u>	<u>EMISSION</u>
B-99-2	7761 P	VENT A	0.1
B-99-3	6615 P	VENT A	0.3
		VENT B	<u>16.6</u>
		<u>PERMIT TOTAL</u>	16.9
B-99A-8	7421 P	VENT A	1.8
B-118-2	8104 P	VENT C	45.6
B-232-1	7777 P	VENTS A&B	23.0
		VENT C	33.0
		VENTS D&E	24.0
		VENT F	0.6
		VENT G	0.2
		VENT H	0.2
		VENT K	2.0
		VENT L	76.0
		VENT U	118.0
		VENT V	0.4
		VENT W	0.2
		VENT Z	0.2
		VENT AA	0.2
		VENT AC	<u>6.9</u>
		<u>PERMIT TOTAL</u>	284.9
B-237A-1	8361 P	VENT K	232.0
B-262-1	7827 P	VENTS H,I,J	0.8
B-270-2	999758P	VENT 1B	0.2
		<u>TOTAL ACETALDEHYDE</u>	<u>582.3</u>

TABLE C-2

ACETIC ACID EMISSIONS

Page 1

<u>BUILDING</u>	<u>PERMIT</u>	<u>SOURCE</u>	<u>EMISSIONS</u>
B-3-1	7760 P	VENT D	0.1
B-5R-1	5945 P	VENT A	19.4
B-5R-2	5946 P	VENT A	20.9
B-5R-3	5947 P	VENT A	30.9
B-7R-3	7828 P	TANK 36	0.1
B-10-5	7444 P	VENT 3A	0.1
B-55-TF	6334 P	9 TANKS THROUGH COMMON HEAT	7.4
B-67-1	6492 P	VENT A	1.8
		VENT B	7.5
		VENT C	8.5
		VENT D	21.0
		VENT E	20.5
		<u>PERMIT TOTAL</u>	59.3
B-81-1	7451 P	VENT A	29.8
		VENT B	162.0
		VENT C	11.7
		VENT D	19.8
		VENT E	21.0
		VENT F	5.5
		VENT G	11.0
		VENT GG	11.0
		<u>PERMIT TOTAL</u>	271.8
B-82TF	6491 P	COMMON VENT	6.3
B-82-1	6001 P	FUME VENT	5.8
B-99-3	6615 P	VENT A	0.1
		VENT B	4.4
		<u>PERMIT TOTAL</u>	4.5

<u>BUILDING</u>	<u>PERMIT</u>	<u>SOURCE</u>	<u>EMISSION</u>
B-122-Y	7792 P	TANKS 1-3	0.1
B-232-1	7777 P	VENTS A&B	2.0
		VENT C	143.0
		VENTS D&E	8.0
		VENT F	0.5
		VENT G	0.2
		VENT H	0.2
		VENT I	63.0
		VENT T	3.2
		VENT U	72.0
		VENT X	1.5
		TANKS 34,27,44	3.1
		<u>PERMIT TOTAL</u>	296.8
B-244E-2	999696P	VENTS F,G,H	0.1
B-262-1	7827 P		0.6
B-267TF-2	8132 P	TANK 3039	0.1
B-273-1	5980 P	VENT A	0.9
B-290-1	999747P	VENT A	14.7
T-161-1	8110 P	TANKS 38-57, 38-58	11.2
T-200-8	8010 P	TANKS 38-70, 38-71	12.7
WTF-55-1	8331 P	TANKS 102, 109,110	0.5
		<u>TOTAL ACETIC ACID</u>	<u>764.3</u>

TABLE C-3

ACETONE EMISSIONS

Page 1

<u>BUILDING</u>	<u>PERMIT</u>	<u>SOURCE</u>	<u>EMISSION</u>
B-3TF-1	8435 P	TANK 3Y-8	0.1
B-13-13	8141 P	VENT LL	0.1
		VENT NN	<u>0.2</u>
		<u>PERMIT TOTAL</u>	0.3
B-57B-1	7412 P	VENT H	2.9
B-57B-2	7788 P	VENT C	0.2
		VENT D	<u>0.5</u>
		<u>PERMIT TOTAL</u>	0.7
B-57BTF-1	8368 P	TANK 52-S	0.1
B-80-2	8328 P	CRUDE TANK	0.1
		TANK 3	<u>0.7</u>
		<u>PERMIT TOTAL</u>	0.8
B-85-1	7416 P	VENT A	133.0
B-90B-1	7775	VENT I	3.9
B-102A-1	5657 P	VENT A	60.0
		ROOM EXHAUST	<u>1200.0</u>
		<u>PERMIT TOTAL</u>	1260.0
B-102C-1	8370 P	ROOM EXHAUST	1400.0
B-118-2	8104 P	VENT A	8.4
		VENT B	<u>75.0</u>
		<u>PERMIT TOTAL</u>	83.4
B-125-1	8097 P	VENT A	57.0
B-125A-3	8098 P	VENT A	54.0
B-127-1	7770 P	VENT A	340.0
B-127-2	7764 P	VENT A	288.0

<u>BUILDING</u>	<u>PERMIT</u>	<u>SOURCE</u>	<u>EMISSION</u>
B-176-1	7440 P	VENT A	3.8
B-244A	7765 P	VENT A TANK 93	4.3 <u>7.3</u>
		<u>PERMIT TOTAL</u>	11.6
B-244B-1	8372 P	VENT A TANK 292	32.2 <u>8.1</u>
		<u>PERMIT TOTAL</u>	40.3
B-244E-2	999696 P	VENT J	0.1
B-254-1	7428 P	VENT A	152.4
B-267TF-2	8132 P	TANK 3012 TANK 3021 TANK 3061	2.3 0.4 <u>0.1</u>
		<u>PERMIT TOTAL</u>	3.8
B-267Y-1	6956 P	VENTS B,C,D	0.9
B-267Y-5	7435 P	TANK VENT	0.1
B-267Y-6	7322 P	VENT 1B VENT 2B	0.3 <u>0.3</u>
		<u>PERMIT TOTAL</u>	0.6
B-273TF-1	8365 P	TANK YF-6	0.2
		<u>ACETONE TOTAL</u>	3838.0

DIETHYL ETHER EMISSIONS

<u>BUILDING</u>	<u>PERMIT</u>	<u>SOURCE</u>	<u>EMISSION</u>
B-10-10	7449 P	VENT 3C	0.1
		VENT 3K	<u>56.5</u>
		<u>PERMIT TOTAL</u>	56.6
<hr/>			
		<u>TOTAL DIETHYL ETHER</u>	<u>56.6</u>

DIMETHYL ETHER EMISSIONS

<u>BUILDING</u>	<u>PERMIT</u>	<u>SOURCE</u>	<u>EMISSION</u>
B-237A-1	8361 P	VENT K	1,830.0
<u>TOTAL DIMETHYL ETHER</u>			<u>1,830.0</u>

ETHYLENE EMISSIONS

<u>BUILDING</u>	<u>PERMIT</u>	<u>SOURCE</u>	<u>EMISSION</u>
B-6C-27&28	7561 P	VENT A	1.1
B-7R-3	7828 P	VENT J	114.0
		VENT K	46.0
		VENT L	4.0
		VENT R	1.2
		VENT S	2.0
		VENT T	2.0
		VENT U	1.9
		VENT V	3.5
		VENT W	1.9
		VENT Y	4.8
		VENT Z	0.5
		<u>PERMIT TOTAL</u>	181.8
B-244-1	8143 P	JET POT	0.9
B-246-2	8337 P	VENT A	0.8
		<u>TOTAL ETHYLENE</u>	184.6

ETHYLENE GLYCOL EMISSIONS

<u>BUILDING</u>	<u>PERMIT</u>	<u>SOURCE</u>	<u>EMISSION</u>
B-5R-2	5946 P	VENT A	4.3
B-255-1	7530 P	VENTS 1C & 1D	4.4
		VENT 2D	0.9
		VENTS 5A-5G	<u>3.4</u>
		<u>PERMIT TOTAL</u>	8.7
B-267Y-8	999689 P	VENT A	0.8
B-270-1	999902 P	VENTS 1C & 1O	2.1
		VENTS 1E & 1N	28.0
		VENT 1J	2.2
		VENTS 1L & 1M	5.3
		VENTS 2A-2T	<u>0.2</u>
		<u>PERMIT TOTAL</u>	37.8
B-270-2	999758 P	VENT 1B	5.0
B-271TF-1	8456 P	TANKS 83-3 & 83-4	0.1
		TANK 83-6	<u>0.1</u>
		<u>PERMIT TOTAL</u>	0.2
<u>TOTAL ETHYLENE GLYCOL</u>			<u>56.8</u>

METHANOL EMISSIONS

<u>BUILDING</u>	<u>PERMIT</u>	<u>SOURCE</u>	<u>EMISSION</u>
B-3-1	7760 P	VENT B	0.1
		VENT C	<u>0.1</u>
		<u>PERMIT TOTAL</u>	0.2
B-3TF-1	8435 P	TANK 19	0.1
B-10-4	7443 P	VENT A	6.0
		VENT B	4.5
		VENT C	0.1
		VENT D	<u>0.1</u>
		<u>PERMIT TOTAL</u>	10.7
B-57B-1	7412 P	VENT A	0.2
		VENT D	<u>0.3</u>
		<u>PERMIT TOTAL</u>	0.5
B-220-1	6327 P	STORAGE TANK	26.7
		HOLD TANK	<u>47.2</u>
		<u>PERMIT TOTAL</u>	73.9
B-221-2	8383 P	LET DOWN TANK	8.4
B-221A-1	8385 P	LET DOWN TANK	8.4
B-221B-1	8384 P	LET DOWN TANK	8.4
B-226P-1	6799 P	VENTS 1H-1K	0.3
		VENT 1L	0.6
		VENT 1M	0.1
		VENT 1N	1.1
		VENT 2A	2.1
		VENT 2B	0.9
		VENT 4A-4R	<u>128.0</u>
		<u>PERMIT TOTAL</u>	133.1
B-236TF-1	6325 P	TANK HB-01	2.6
		TANK HC-01	0.2
		& HD-01	
		TANK HC-01	2.2
		TANK HH-01	6.4
		TANK HL-01	<u>9.1</u>
		<u>PERMIT TOTAL</u>	20.5

<u>BUILDING</u>	<u>PERMIT</u>	<u>SOURCE</u>	<u>EMISSION</u>
B-237A-1	8361 P	VENT D VENT J VENT K	1.8 39.5 <u>127.0</u>
		<u>PERMIT TOTAL</u>	168.3
B-244-2	8363 P	JET POT	7.4
B-246-2	8337 P	VENT H VENTS I,J,K, M,N,O VENTS P,A,R	0.1 1.0 <u>0.2</u>
		<u>PERMIT TOTAL</u>	1.3
B-255-1	7530 P	VENTS 1A & 1B VENT 2C	35.0 <u>4.4</u>
		<u>PERMIT TOTAL</u>	39.4
B-261-1	8362 P	VENT C VENT L	1.8 <u>41.2</u>
		<u>PERMIT TOTAL</u>	43.0
B-261A-1	6440 P	VENT F	79.0
B-262-1	7827 P	TANKS AA-01 through AE-01	5.8
B-265B-2	7429 P	VENT D VENT E VENTS G,H,I	4.3 0.3 <u>0.1</u>
		<u>PERMIT TOTAL</u>	4.7
B-267TF-2	8132 P	TANK 3009 TANKS 3052 & 3053	1.5 0.5 <u>—</u>
		<u>PERMIT TOTAL</u>	2.0
B-267Y-1	6956 P	VENTS B,C,D	0.9
B-267Y-5	7435 P	TANK VENT	0.1
B-267Y-6	7322 P	VENT 1B VENT 2B	0.2 <u>0.2</u>
		<u>PERMIT TOTAL</u>	0.4

<u>BUILDING</u>	<u>PERMIT</u>	<u>SOURCE</u>	<u>EMISSION</u>
B-270-1	999902 P	VENTS 1A,11B	28.0
		VENTS 4A	79.9
		through 4D, 4I & 4J	
		VENTS 4E	0.2
		through 4H, 4K & 4L	
		<u>PERMIT TOTAL</u>	<u>108.0</u>
T-10-1	8119 P	TANK 19	0.4
		TANK 20	<u>0.4</u>
		<u>PERMIT TOTAL</u>	<u>0.8</u>
T-21-2	8096 P	TANK 43	1.4
T220-TF-1	8394 P	TANKS CH-100, CH-101, XH-50,	6.6
		XH-51, UH-50, WH-50, ZH-50	
		<u>TOTAL METHANOL</u>	<u>733.3</u>

METHYL ACETATE EMISSIONS

<u>BUILDING</u>	<u>PERMIT</u>	<u>SOURCE</u>	<u>EMISSION</u>
B-99-3	6615 P	VENT A	0.1
		VENT B	<u>1.8</u>
		<u>PERMIT TOTAL</u>	1.9
B-232-1	7777 P	VENTS A&B	91.0
		VENT C	252.0
		VENTS D&E	82.0
		VENT F	27.0
		VENT G	9.0
		VENT H	9.0
		VENT I	4.6
		VENT K	0.8
		VENT L	21.0
		VENT U	272.0
		VENT V	5.0
		VENT W	4.0
		VENT Z	8.0
		VENT AA	0.1
		VENT AC	<u>17.3</u>
		<u>PERMIT TOTAL</u>	802.8
B-237A-1	8361 P	VENT K	452.0
B-262-1	7827 P	VENTS H,I,J	34.6
		<u>TOTAL METHYL ACETATE</u>	<u>1291.3</u>

METHYL BENZOATE EMISSIONS

<u>BUILDING</u>	<u>PERMIT</u>	<u>SOURCE</u>	<u>EMISSION</u>
B-261A-1	6440 P	VENT E	56.0
<u>TOTAL METHYL BENZOATE</u>			<u>56.0</u>

PROPANE EMISSIONS

<u>BUILDING</u>	<u>PERMIT</u>	<u>SOURCE</u>	<u>EMISSION</u>
B-6C-27&28	7561 P	VENT A	0.6
B-7R-3	7828 P	VENT J	67.0
		VENT K	27.0
		VENT L	3.0
		VENT R	11.0
		VENT S	18.7
		VENT T	18.7
		VENT U	18.7
		VENT V	33.5
		VENT W	18.7
		VENT Y	45.6
		VENT Z	4.4
		<u>PERMIT TOTAL</u>	266.3
B-244-1	8143 P	JET POT	2.1
		<u>TOTAL PROPANE</u>	269.0

PROPIONALDEHYDE EMISSIONS

<u>BUILDING</u>	<u>PERMIT</u>	<u>SOURCE</u>	<u>EMISSION</u>
B-99A-2	7763 P	VENT A	305.7
B-200TF	6331 P	TANK 40-75	15.1
		TANK 40-74	15.1
		<u>PERMIT TOTAL</u>	30.2
<u>TOTAL PROPIONALDEHYDE</u>			335.9

P-XYLENE EMISSIONS

<u>BUILDING</u>	<u>PERMIT</u>	<u>SOURCE</u>	<u>EMISSION</u>
B-232-1	7777 P	VENT C	32.0
		VENTS D&E	5.0
		VENT F	5.0
		VENT G	2.0
		VENT H	2.0
		VENT I	0.2
		VENT U	47.0
		VENT W	2.0
		VENT Z	4.0
		VENT AA	0.4
		TANK 03	0.5
		<u>PERMIT TOTAL</u>	100.1
		<u>TOTAL P-XYLENE</u>	100.1

TECHNICAL REPORT DATA

(Please read Instructions on the reverse before completing)

1. REPORT NO. EPA-904/9-78-023	2.	3. RECIPIENT'S ACCESSION NO.
4. TITLE AND SUBTITLE Volatile Organic Compound Emission Inventory For Tennessee Eastman Company	5. REPORT DATE December 1978	6. PERFORMING ORGANIZATION CODE
	8. PERFORMING ORGANIZATION REPORT NO.	
7. AUTHOR(S) Arthur B. Nunn, III	10. PROGRAM ELEMENT NO.	
9. PERFORMING ORGANIZATION NAME AND ADDRESS TRW Environmental Engineering Division 201 N. Roxboro St., Suite 200 Durham, N. C. 27701	11. CONTRACT/GRANT NO. EPA 68-02-2541 Task #3	
	13. TYPE OF REPORT AND PERIOD COVERED	
12. SPONSORING AGENCY NAME AND ADDRESS U. S. Environmental Protection Agency Region IV, Air Programs Branch 345 Courtland St. Atlanta, Ga. 30308	14. SPONSORING AGENCY CODE	

15. SUPPLEMENTARY NOTES

16. ABSTRACT

This document is an emission inventory of volatile organic compounds (VOC) for the Tennessee Eastman Company complex in Kingsport, Tennessee. A listing of emissions, VOC compound, and level of control is listed for each emission source based on data in the State's permit files and plant inspection.

17. KEY WORDS AND DOCUMENT ANALYSIS		
a. DESCRIPTORS	b. IDENTIFIERS/OPEN ENDED TERMS	c. COSATI Field/Group
Air Pollution Emission Inventory Volatile Organics Control Equipment Kingsport, Tennessee		
18. DISTRIBUTION STATEMENT Release unlimited	19. SECURITY CLASS (This Report) Unclassified	21. NO. OF PAGES 102
	20. SECURITY CLASS (This page) Unclassified	22. PRICE