

TOXICOLOGY AND PHARMACOLOGY OF 2,4,5-T (INCLUDES DIOXINS)

Bibliography Number 73-04

Prepared by

Publications and Information Section
Technical Services Division
Office of Pesticides Programs
Environmental Protection Agency
4770 Buford Highway
Chamblee, Georgia 30341

September 1973

Aaronson, T.

A tour of Vietnam.

Environment 13(2):34-43, 1971.

[ABST.: HAPAB 4:71-1570, 1971.]

Abelson, P.H.

Pollution by organic chemicals.

Science 170(3957):495, 1970.

[ABST.: HAPAB 4:71-0651, 1971.]

Anonymous

Dermatitis and kidney damage ascribed to the weedkiller 2,4,5-T.

A case report.

Bull. Suppl. Mater., Clin. Toxicol. Commer. Products III(2):10, 1959.

Anonymous

The strange case of the U.S. government vs. 2,4,5-T.

Farm Chem. 132(12):25, 1969.

[ABST.: HAPAB 3:70-0571, 1970.]

Anonymous

2,4,5-T.

Lancet 1(7652):885, 1970.

[ABST.: HAPAB 3:70-1286, 1970.]

Anonymous

Another herbicide on the blacklist.

Nature 226(5243):309-11, 1970.

[ABST.: HAPAB 3:70-1564, 1970.]

Anonymous

The debate on 2,4,5-T.

Chem. Ind. No. 18:576-7, 1970.

[ABST.: HAPAB 4:71-0006, 1971.]

Anonymous

Defoliants, deformities: What risk?

Med. Wld News 11(9):15-17, 1970.

[ABST.: HAPAB 3:70-0850, 1970.]

Anonymous

Government steps up pressure on pesticides; recent joint action restricting use of 2,4,5-T herbicide portends changes in pesticide regulations and testing.

Chem. Eng. News 48(18):60-1, 1970.

[ABST.: HAPAB 3:70-0847, 1970.]

Anonymous

HEW, USDA hold firm, 2,4,5-T ruling postponed.

Chem. Eng. News 48(7):11-12, 1970.

[ABST.: HAPAB 3:70-0691, 1970.]

Anonymous

Pesticides: Still a burning issue.

Med. Wld News 11(30):5, 1970.

[ABST.: HAPAB 3:70-1560, 1970.]

Anonymous

PSAC hiccoughs over 2,4,5-T.

Nature 231(5300):210-1, 1971.

[ABST.: HAPAB 4:71-1827, 1971.]

Anonymous

The strange case of the government vs. 2,4,5-T. II.

Farm Chem. 133(3):26, 1970.

[ABST.: HAPAB 4:71-0436, 1971.]

Anonymous

The tangled tale of 2,4,5-T.

PANS 16(3):421-2, 1970.

[ABST.: HAPAB 4:71-0021, 1971.]

Anonymous

Viet deformities: Will we ever know?

Med. Wld News 12(4):4-5, 1971.

[ABST.: HAPAB 4:71-0901, 1971.]

Anonymous

No herbicide residues in meat.

Agr. Res. 20(12):6, 1972.

[ABST.: HAPAB 5:Abst. #72-2373, 1972.]

Anonymous

Fetotoxicity.

N.Z. Med. J. 75(480):304-5, 1972.

[ABST.: HAPAB 6:Abst. #73-0017, 1973.]

Binns, W. and Balls, L.

Nonteratogenic effects of 2,4,5-trichlorophenoxyacetic acid and 2,4,5-T propylene glycol butal esters [sic] herbicides in sheep.

Teratology 4(2):245, 1971.

[ABST.: HAPAB 4:71-2000, 1971.]

Bjoerklund, N.E. and Erne, K.

Phenoxy-acid-induced renal changes in the chicken. I. Ultrastructure.
Acta Vet. Scand. 12(2):243-56, 1971.
[ABST.: HAPAB 5:72-1292, 1972.]

Bonderman, D.P. et al.

Occupation exposed to aldrin, 2,4-D, 2,4,5-T and its relationship to esterases.
Ind. Med. Surg. 40(6):23-7, 1971.
[ABST.: HAPAB 5:72-0083, 1972.]

Bovey, R.W. and Scifres, C.J.

Residual characteristics of picloram in grassland ecosystems.
Texas Agr. Exp. Station Bull. 1111, July 1971, 24 pp.
[ABST.: HAPAB 5:72-0285, 1972.]

Brady, H.A.

Light intensity and the absorption and translocation of 2,4,5-T by woody plants.
Weed Sci. 17(3):320-2, 1969.
[ABST.: HAPAB 3:70-0052, 1970.]

Buu-Hoi, N.P. et al.

Canceromimetic properties of tetrachloro-2,3,7,8 dibenzo-p-dioxin ("dioxin").
Compt. Rend. Ser. D. 272(10):1447-50, 1971.
[ABST.: HAPAB 4:71-2465, 1971.]

Buu-Hoi, et al.

Enzymatic functions as targets of the toxicity of "dioxin" (2,3,7,8-tetrachloro-dibenzo-p-dioxin).
Naturwissenschaften 59(4):173-4, 1972.
[ABST.: HAPAB 5:72-1535, 1972.]

Buu-Hoi, N.P. et al.

Organs as targets of "dioxin" (2,3,7,8-tetrachlorodibenzo-p-dioxin) intoxication.
Naturwissenschaften 59(4):174-5, 1972.
[ABST.: HAPAB 5:72-1536, 1972.]

Cherry, J.H.

Effect of auxin-herbicides on plant and animal biochemistry.
HortScience 5(4):205-7, 1970.
[ABST.: HAPAB 4:71-1704, 1971.]

Clark, D.E. and Palmer, J.S.

Residual aspects of 2,4,5-T and an ester in sheep and cattle with observations on concomitant toxicological effects.
J. Agr. Fd Chem. 19(4):761-4, 1971.
[ABST.: HAPAB 4:71-2201, 1971.]

Clegg, D.J.

Embryotoxicity of chemical contaminants of foods.
Fd Cosmet. Toxicol. 9(2):195-205, 1971.
[ABST.: HAPAB 4:71-2697, 1971.]

Coaldrake, J.E.

Preferential accumulation of radioactivity in root nodules of a legume after dosage with 2,4,5-T-14-C.
Weed Res. 10(3):293-5, 1970.
[ABST.: HAPAB 4:71-1862, 1971.]

Collins, T.F.X. and Williams, C.H.

Teratogenic studies with 2,4,5-T and 2,4-D in the hamster.
Bull. Environ. Contam. Toxicol. 6(6):559-67, 1971.
[ABST.: HAPAB 5:72-0345, 1972.]

Courtney, K.D.

Effect of pesticide administration on the metabolism of 2,4-D and 2,4,5-T.
Ind. Med. Surg. 39(7):327, 1970.
[ABST.: HAPAB 3:70-1987, 1970.]

Courtney, C.D. and Moore, J.A.

Teratology studies with 2,4,5-trichlorophenoxyacetic acid and 2,3,7,8-tetrachlorodibenzo-p-dioxin.
Toxicol. Appl. Pharmacol. 20(3):396-403, 1971.
[ABST.: HAPAB 5:72-0787, 1972.]

Courtney, K.D. et al.

Teratogenic evaluation of 2,4,5-T.
Science 168(3933):864-6, 1970.
[ABST.: HAPAB 3:70-1468, 1970.]

Crosby, D.G. et al.

Photodecomposition of chlorinated dibenzo-p-dioxins.
Science 173(3998):748-9, 1971.
[ABST.: HAPAB 4:71-2534, 1971.]

Cunningham, H.M. and Williams, D.T.

Effect of tetrachlorodibenzo-p-dioxin on growth rate and the synthesis of lipids and proteins in rats.
Bull. Environ. Contam. Toxicol. 7(1):45-51, 1972.
[ABST.: HAPAB 5:72-1260, 1972.]

Daevring, L. and Sunner, M.

Cytogenic effects of 2,4,5-trichlorophenoxyacetic acid on oogenesis and early embryogenesis in DROSOPHILIA MELANOGASTER.
Hereditas 68(1):115-22, 1971.
[ABST.: HAPAB 5:72-0130, 1972.]

Davis, P.W. et al.

Organochlorine Insecticide, Herbicide, and Polychlorinated Biphenyl (PCB) Inhibition of NaK-ATPase in Rainbow Trout.
Bull. Environ. Contam. Toxicol. 8(2):69-72, 1972.
[ABST.: HAPAB 6:Abst. #73-1410, 1973.]

Day, B.E.

2,4,5-T and government decisions.
Proc. West. Soc. Weed Sci. No. 23:4-6, 1970.
[ABST.: HAPAB 4:71-2341, 1971.]

Drill, V.A. and Hiratzka, T.

Toxicity of 2,4-dichlorophenoxyacetic acid and 2,4,5-trichlorophenoxyacetic acid.
A.M.A. Arch. Ind. Hyg. Occup. Med. 7:61-7, 1953.

Ehrenberg, L.

On the Mutagenic Action of Phenoxy Acid Preparations.
Newslett. Environ. Mutagen Soc. 6:27, 1972.
[ABST.: HAPAB 6:Abst. #73-2214, 1973.]

Emerson, J.L. et al.

Teratogenic study of 2,4,5-trichlorophenoxyacetic acid in the rat.
Toxicol. Appl. Pharmacol. 17(1):317, 1970.
[ABST.: HAPAB 4:71-2059, 1971.]

Emerson, J.L. et al.

Teratogenic studies of 2,4,5-trichlorophenoxyacetic acid in the rat and rabbit.
Fd Cosmet. Toxicol. 9(3):395-404, 1971.
[ABST.: HAPAB 4:71-2698, 1971.]

Epstein, S.S.

A family likeness.
Environment 12(6):16-25, 1970.
[ABST.: HAPAB 4:71-0894, 1971.]

Fang, S.C. et al.

The Metabolism and Distribution of 2,4,5-Trichlorophenoxyacetic Acid in Female Rats.
Toxicol. Appl. Pharmacol. 22(2):317-18, 1972.
[ABST.: HAPAB 6:Abst. #73-1214, 1973.]

Fang, S.C. et al.

The Metabolism and Distribution of 2,4,5-Trichlorophenoxyacetic Acid in Female Rats.
Toxicol. Appl. Pharmacol. 24(4):555-63, 1973.

Foldesy, R.G. et al.

The Effect of 2,4,5-Trichlorophenoxyacetic Acid on Two Nitrogen
Fixing Bacteria
Penn. Acad. Sci. Proc. 46:23-4, 1972.

Foster, R.K. and McKercher, R.B.

Laboratory Incubation Studies of Chlorophenoxyacetic Acids in
Chernozemic Soils.

Soil Biol. Biochem. 5(3):333-7, 1973.

[ABST.: HAPAB 6:Abst. #73-2239, 1973]

Funazaki, Z.

Herbicides and deformities in Vietnam.

Hokenfu Zasshi 27(1):54-5, 1971.

[ABST.: HAPAB 4:71-2598, 1971.]

Funazaki, Z.

Teratogenicity of 2,4,5-T.

Baioteku (Biotech) 3(6):464-70, 1972.

[ABST.: HAPAB 5:72-1678, 1972.]

Fytizas Danielidou, R.

Action of the Herbicide 2,4,5-T (Trichlorophenoxyacetic Acid)
on White Rats During the Gestation Period.

Ann. Inst. Phytopathol Benaki 10(2):148-54, 1971. (French)

Galston, A.W.

Herbicide usage.

Science 168(3939):1607, 1970.

[ABST.: HAPAB 3:70-1568, 1970.]

Galston, A.W.

Herbicides: No margin of safety.

Science 167(3916):237, 1970.

[ABST.: HAPAB 3:70-0708, 1970.]

Greig, J.B.

Effect of 2,3,7,8-Tetrachlorodibenzo-1,4-Dioxin on Drug
Metabolism in the Rat.

Biochem. Pharmacol. 21(23):3196-8, 1972.

Grunow, W. et al.

Renal excretion of 2,4,5-T in the rat.

Fd Cosmet. Toxicol. 9(5):667-70, 1971.

[ABST.: HAPAB 5:72-0582, 1972.]

Hall, S.M.

Effects on pregnant rats and their progeny of adequate or low protein diets containing 2,4,5-trichlorophenoxyacetic acid (2,4,5-T) or p,p'-DDT.

Fed. Proc. 31(2):726, 1972.

[ABST.: HAPAB 5:72-1086, 1972.]

Hall, S.M.

Effects on Pregnant Rats and Their Progeny of Adequate or Low Protein Diets Containing 2,4,5-Trichlorophenoxyacetic Acid (2,4,5-T) or p,p'-DDT.

Diss. Abstr. Int. 33(8):3744B, 1973.

[ABST.: HAPAB 6:Abst. #73-1910, 1973.]

Hamilton, R.H. et al.

Metabolism of phenoxyacetic acids. Metabolism of 2,4-dichlorophenoxyacetic acid and 2,4,5-trichlorophenoxyacetic acid by bean plants.

J. Agr. Fd Chem. 19(3):480-3, 1971.

[ABST.: HAPAB 4:71-1718, 1971.]

Hart, R.E. and Valerio, M.G.

Teratogenic Effects of 2,4,5-T in Mice.

Toxicol. Appl. Pharmacol. 22(?):317, 1972.

[ABST.: HAPAB 6: Abst. #73-1213, 1973.]

Hiltibran, R.C.

The Hydrolysis of Adenosine Triphosphate by Bluegill Liver Mitochondria in the Presence of 2,4,5-T and Silvex Derivatives.

Trans. Ill. State Acad. Sci. 65(1/2):51-7, 1972.

[ABST.: HAPAB 6:Abst. #73-0959, 1973.]

Hussain, S. et al.

Mutagenic Effects of TCDD on Bacterial Systems.

Ambio 1(1):32-3, 1972.

[ABST.: HAPAB 6:Abst. #73-0094, 1973.]

Jackson, W.T.

Regulation of Mitosis. III. Cytological Effects of 2,4,5-Trichlorophenoxyacetic Acid and of Dioxin Contaminants in 2,4,5-T Formulations.

J. Cell Sci. 10(1):15-25, 1972.

[ABST.: HAPAB 6:Abst. #73-0918, 1973.]

Johnson, J.E.

The public health implications of widespread use of the phenoxy herbicides and picloram.

BioScience 21(17):899-905, 1971.

[ABST.: HAPAB 5:72-0092, 1972.]

Johnson, J.E.

Safety in the development of herbicides.

Down to Earth 27(1):1-7, 1971.

[ABST.: HAPAB 4:71-2405, 1971.]

Kearney, P.C. et al.

Persistence and Metabolism of Chlorodioxins in Soils.

Environ. Sci. Technol. 6(12):1017-19, 1972.

[ABST.: HAPAB 6:Abst. #73-0293, 1973.]

Kennedy, M.V. et al.

Chemical and thermal aspects of pesticide disposal.

J. Environ. Quality 1(1):63-5, 1972.

[ABST.: HAPAB 5:72-0333, 1972.]

Khera, K.S. and McKinley, W.P.

Pre- and Postnatal Studies on 2,4,5-Trichlorophenoxyacetic Acid, 2,4-Dichlorophenoxyacetic Acid and Their Derivatives in Rats.

Toxicol. Appl. Pharmacol. 22(1):14-28, 1972.

[ABST.: HAPAB 5:Abst. #72-1995, 1972.]

Khera, K.S. et al.

Pre- and postnatal studies on 2,4,5-T, 2,4-D and derivatives in Wistar rats.

Toxicol. Appl. Pharmacol. 19(2):369-70, 1971.

[ABST.: HAPAB 4:71-2230, 1971.]

Kimbrough, R.D.

Toxicity of Chlorinated Hydrocarbons and Related Compounds. A

Review Including Chlorinated Dibenzodioxins and Chlorinated Dibenzofurans.

Arch. Environ. Health 25(2):125-31, 1972.

[ABST.: HAPAB 5:Abst. #72-2165, 1972.]

King, C.T.G. et al.

Screening of the herbicides 2,4,5-T and 2,4,D [sic] for cleft palate production.

Teratology 4(2):233, 1971.

[ABST.: HAPAB 4:71-1997, 1971.]

Kinmig, J. and Schulz, K.H.

2,4,5-T causing "occupational chloracne".

Dermatologica 115:540-6, 1957.

Kutches, A.J. et al.

Toxicological effects of pesticides on rumen function IN VITRO.
J. Agr. Fd Chem. 18(3):430-3, 1970.
[ABST.: HAPAB 3:70-1730, 1970.]

Leng, M.L.

DDT and 2,4,5-T.
Chem. Eng. News 49(12):12, 78, 1971.
[ABST.: HAPAB 4:71-1339, 1971.]

Leyland, A.

A Case of 2,4,5-T Poisoning in the Dog.
Vet. Rec. 92(6):149, 1973.

Libke, K.G. et al.

Effects of a brushwood killer mixture on cattle.
Mod. Vet. Pract. 52(7):37-40, 1971.
[ABST.: HAPAB 5:72-0602, 1972.]

Lindquist, N.G. and Ullberg, S.

Distribution of the herbicides 2,4,5-T and 2,4-D in pregnant mice.
Accumulation in yolk sac epithelium.
Experientia 27(12):1439-41, 1971.
[ABST.: HAPAB 5:72-0779, 1972.]

Lloyd, J.W. et al.

2,4,5-T and the Metabolism of Testosterone-1,2-³H₂ by Mouse Prostate Glands.
Arch. Environ. Health 26(4):217-20, 1973.
[ABST.: HAPAB 6:Abst. #73-1620, 1973.]

Lutz-Ostertag, Y. and Didier, R.

2,4,5-T and Embryonal Sterility.
C.R. Soc. Biol. 165(12):2364-6, 1971. (French)
[ABST.: HAPAB 6:Abst. #73-0119, 1973.]

Maier-Bode, H.

The 2,4,5-T question.
Anz. Schaedlingsk. Pflanzenschutz 45(1):2-6, 1972.
[ABST.: HAPAB 5:72-1150, 1972.]

Martin, R.P.

Effects of the herbicide 2,4,5-T on breeding bird populations.
Okla. Acad. Sci. Proc. 46:235-7, 1966.

Mason, R.W.

The Binding of Some Chlorophenoxy Acids to Bovine Serum Albumin
In Vitro.

Proc. Univ. Otago Med. School 50(3):61-3, 1972.

[ABST.: HAPAB 6:Abst. #73-1969, 1973.]

Millard, S.A. et al.

Enzymes Controlling Cerebral DNA Synthesis: Response to
2,4,5-Trichlorophenoxyacetic Acid and Hexachlorophene.

Biochim. Biophys. Acta 308(2):230-3, 1973.

[ABST.: HAPAB 6:Abst. #73-1888, 1973.]

Moore, J.A. and Courtney, K.D.

Teratology studies with the trichlorophenoxyacid [sic] herbicides,
2,4,5-T and silvex.

Teratology 4(2):236, 1971.

[ABST.: HAPAB 4:71-1998, 1971.]

Nakajima, S. et al.

Microbial Transformation of 2,4-D and Its Analogues.

Chem. Pharm. Bull. 21(3):671-3, 1973.

[ABST.: HAPAB 6:Abst. #73-2159, 1973.]

Nelson, B.

Herbicides: Order on 2,4,5-T issued at unusually high level.

Science 166(3908):977-9, 1969.

[ABST.: HAPAB 3:70-0438, 1970.]

Neubert, D. and Dillmann, I.

Embryotoxic Effects in Mice Treated with 2,4,5-Trichlorophenoxyacetic
Acid and 2,3,7,8-Tetrachlorodibenzo-p-Dioxin.

Naunyn-Schmiedebergs Arch. Pharmacol. 272(3):243-64, 1972.

[ABST.: HAPAB 5:Abst. #72-1745, 1972.]

Nishimura, H.

Teratogenic substances.

Iden (Heredity) 26(5):19-22, 1972.

[ABST.: HAPAB 5:72-1679, 1972.]

Norback, D.H. and Allen, J.R.

Chlorinated aromatic hydrocarbon induced modifications of the
hepatic endoplasmic reticulum: concentric membrane arrays.

Environ Health Perspect. 1:137-43, 1972.

[ABST.: HAPAB 5:Abst. #72-2201, 1972.]

Norback, D.H. and Engblom, J.F.

Chlorinated Dibenzo-p-Dioxin Distribution with Rat Tissues and Subfractions of the Liver.

Fed. Proc. Fed. Amer. Soc. Exp. Biol. 32(3):236, 1973.

[ABST.: HAPAB 6:Abst. #73-1684, 1973.]

Patrashku, F.I.

Results of Studies on the Volatility and Rate of Hydrolysis of Fenitrothion, Metathion, and Sumithion in Different Media.

Khim. Sel. Khoz. 10(2):119-22, 1972. (Russian)

[ABST.: HAPAB 6:Abst. #73-0045, 1973.]

Pinsent, P.J.N. and Lane, J.G.

A case of possible 2,4-D and 2,4,5-T poisoning in the horse.

Vet. Rec. 87(8):247, 1970.

[ABST.: HAPAB 4:71-0709, 1971.]

Piper, W.N. et al.

Metabolism of 2,4,5-Trichlorophenoxyacetic Acid (2,4,5-T) in Rats.

Toxicol. Appl. Pharmacol. 22(2):317, 1972.

[ABST.: HAPAB 6:Abst. #73-1212, 1973.]

Poland, A. and Glover, E.

2,3,7,8-Tetrachlorodibenzo-p-Dioxin: A Potent Inducer of δ -Aminolevulinic Acid Synthetase.

Science 179(4072):476-7, 1973.

Poland, A.P. et al.

A health survey of workers in a 2,4,D and 2,4,5-T plant, with special attention to chloracne, porphyria catanea tarda and psychologic parameters.

Arch. Environ. Hlth 22(3):316-27, 1971.

[ABST.: HAPAB 4:71-0945, 1971.]

Reid, C.P.P. and Hurtt, W.

Root exudation of herbicides by woody plants: Allelopathic implications.

Nature 225(5229):291, 1970.

[ABST.: HAPAB 3:70-1333, 1970.]

Robson, J.M.

Testing drugs for teratogenicity and their effects on fertility: The present position.

Brit. Med. Bull. 26(3):212-6, 1970.

[ABST.: HAPAB 4:71-0739, 1971.]

Roll, R.

Studies of the teratogenic effect of 2,4,5-T in mice.

Fd Cosmet. Toxicol. 9(5):671-6, 1971.

[ABST.: HAPAB 5:72-0617, 1972.]

Sare, W.M. and Forbes, P.I.

Possible dysmorphogenic effects of an agricultural chemical:
2,4,5-T.

N.Z. Med. J. 75(476):37-8, 1972.

[ABST.: HAPAB 6:Abst. #73-0085, 1973.]

Shafik, M.T. et al.

A method for determination of low levels of exposure to 2,4-D
and 2,4,5-T.

Int. J. Environ. Anal. Chem. 1:23-33, 1971.

[ABST.: HAPAB 5:72-0845, 1972.]

Sjoeden, P.O. and Soederberg, U.

Sex-Dependent Effects of Prenatal 2,4,5-Trichlorophenoxy-Acetic
Acid on Rats' Open-Field Behavior.

Physiol. Behav. 9(3):357-60, 1972.

[ABST.: HAPAB 6:Abst. #73-1959, 1973.]

Sparschu, G.L. et al.

Teratogenic study of 2,3,7,8-tetrachlorodibenzo-p-dioxin in the rat.
Toxicol. Appl. Pharmacol. 17(1):317-18, 1970.

[ABST.: HAPAB 3:70-2060, 1970.]

Sparschu, G.L. et al.

Study of the teratogenicity of 2,3,7,8-tetrachlorodibenzo-p-dioxin
in the rat.

Fd Cosmet. Toxicol. 9(3):405-12, 1971.

[ABST.: HAPAB 4:71-2699, 1971.]

Sterling, T.D.

Difficulty of evaluating the toxicity and teratogenicity of 2,4,5-T
from existing animal experiments.

Science 174(4016):1358-9, 1971.

[ABST.: HAPAB 5:72-0431, 1972.]

Stokinger, H.E.

Sanity in research and evaluation of environmental health.

Science 174(4010):662-5, 1971.

[ABST.: HAPAB 5:72-0252, 1972.]

Thomas, J.A. et al.

Actions of dieldrin on the Uptake of Testosterone-1,2-H³ by Prostate Glands
of the Male Mouse.

Toxicol. Appl. Pharmacol. 22(2):326-7, 1972.

[ABST.: HAPAB 6:Abst. #73-1217, 1973.]

Thompson, D.J. et al.

Study of the effects of 2,4,5-trichlorophenoxyacetic acid (2,4,5-T) on rat and rabbit fetal development.

Teratology 4(2):243, 1971.

[ABST.: HAPAB 4:71-1999, 1971.]

Walker, E.M. et al.

Some effects of 2,4,-D and 2,4,5-T on Ehrlich ascites tumor cells IN VIVO and IN VITRO.

Ind. Med. Surg. 41(1):22-7, 1972.

[ABST.: HAPAB 5:72-1048, 1972.]

Williams, C.S.

The current status of phenoxy herbicides.

Down to Earth 27(4):20-4, 1972.

[ABST.: HAPAB 5:72-1130, 1972.]

Williams, D.T. et al.

Distribution and excretion studies of octachlorodibenzo-p-dioxin in the rat.

Bull. Environ. Contam. Toxicol. 7(1):57-62, 1972.

[ABST.: HAPAB 5:72-1262, 1972.]