



RCRA, Superfund & EPCRA Hotline Training Module

Introduction to:

Closure/Post-Closure
(40 CFR Parts 264/265, Subpart G)

Updated July 1996

DISCLAIMER

This document was developed by Booz-Allen & Hamilton Inc. under contract 68-W6-0016 to EPA. It is intended to be used as a training tool for Hotline specialists and does not represent a statement of EPA policy.

The information in this document is not by any means a complete representation of EPA's regulations or policies. This document is used only in the capacity of the Hotline training and is not used as a reference tool on Hotline calls. The Hotline revises and updates this document as regulatory program areas change.

The information in this document may not necessarily reflect the current position of the Agency. This document is not intended and cannot be relied upon to create any rights, substantive or procedural, enforceable by any party in litigation with the United States.

RCRA, Superfund & EPCRA Hotline Phone Numbers:

National toll-free (outside of DC area)	(800) 424-9346
Local number (within DC area)	(703) 412-9810
National toll-free for the hearing impaired (TDD)	(800) 553-7672

The Hotline is open from 9 am to 6 pm Eastern Standard Time,
Monday through Friday, except for federal holidays.

CLOSURE AND POST-CLOSURE

CONTENTS

1. Introduction	1
2. Regulatory Summary	3
2.1 Closure Performance Standards	3
2.2 Closure Phases	3
2.3 Closure Plan	3
2.4 Closure Timetable	5
2.5 Disposal or Decontamination of Equipment, Structures, and Soils	7
2.6 Certification of Closure	7
2.7 Survey Plat	8
2.8 Post-Closure	8
2.9 Post-Closure Care	9
2.10 Post-Closure Plan.....	9
2.11 Post-Closure Notices	10
2.12 Certification of Completion of Post-Closure Care	10
3. Special Issues	11
4. Regulatory Developments	13

1. INTRODUCTION

All hazardous waste management facilities must eventually cease their treatment, storage, or disposal activities. When these facilities cease operation, the owner/operator must maintain them in a way that ensures that they do not pose a future threat to human health and the environment. The Resource Conservation and Recovery Act (RCRA) closure and post-closure regulations in 40 CFR Parts 264 and 265, Subpart G are designed to achieve this goal. Closure is the period following active management during which hazardous wastes are no longer accepted and owners/operators of treatment, storage, and disposal facilities (TSDFs) complete treatment, storage, and disposal operations; apply final covers to or cap landfills; and dispose of or decontaminate equipment, structures, and soils. Post-closure, which applies only to land disposal facilities and facilities that cannot decontaminate all equipment, structures, and soils ("clean close"), is normally a 30-year period after closure during which owners/operators conduct monitoring and maintenance activities to preserve the integrity of the disposal system and continue to prevent or control releases of contaminants from the disposal units.

When you have completed this training module you will know the difference between closure and post-closure and how to apply the appropriate regulations when assisting Hotline callers. Specifically, you will be able to:

- List the types of facilities that are subject to closure/post-closure
- Define the difference between partial and final closure
- Specify who submits a closure plan and when a closure plan must be submitted, list the steps in the process, and state the time frame for submittal
- Identify when a closure plan must be amended and how closure plans are amended
- Explain the time frame for notification of closure, and the deadlines for beginning and completing closure
- Specify which facilities need contingent post-closure plans
- List the elements of post-closure and cite the requirements
- Specify the conditions and timing for amending a post-closure plan
- State who must certify closure/post-closure.

Use this list of objectives to check your knowledge of this topic after you complete the training session.

2. REGULATORY SUMMARY

The closure and post-closure regulations can be divided into two parts: (1) general standards in Parts 264/265, Subpart G, and (2) technical standards for specific types of hazardous waste management units found in Parts 264/265, Subparts I through X. These combined requirements ensure that a specific unit or facility will not pose a future threat to human health or the environment after a TSDF closes.

2.1 CLOSURE PERFORMANCE STANDARDS

Owners/operators must close each facility in a manner that minimizes the need for care after closure; controls, minimizes, or eliminates the escape of hazardous waste, hazardous leachate, or hazardous waste decomposition by-products; and meets the closure requirements for each type of unit (§§264/265.111). For example, permitted containers must be closed according to §264.178.

2.2 CLOSURE PHASES

RCRA facilities often have several different hazardous waste management units that close at different times. The regulations account for this possibility by differentiating between partial closure and final closure. Partial closure means closure of one or more hazardous waste management units at a facility where other hazardous waste management units remain active. The closed portion (also "inactive portion") of a facility is defined as that portion of a facility that has been closed in accordance with an approved closure plan and applicable regulatory requirements, while the active portion of the facility is that portion where treatment, storage, or disposal operations are being conducted and which is not closed. Final closure of a facility occurs when all hazardous waste management units at a facility are closed according to closure regulations so that waste management activities under Parts 264/265 are no longer conducted at the facility (§260.10).

2.3 CLOSURE PLAN

All TSDFs must submit closure plans for both partial and final closure in accordance with §§264/265.112. These plans explain in detail how the owner or operator will achieve the closure performance standard under §§264/265.111. Permitted facilities are required to submit a closure plan with the Part B permit application; the approved closure plan then becomes an enforceable component of the facility permit. Interim status facilities must have a written closure plan on the premises six months after the facility becomes subject to §265.112.

CONTENTS

The closure regulations do not mandate any specific format for the closure plan. Nor do the regulations mandate any particular level of detail, length, or supporting documentation. Rather, the regulations provide general guidelines on the type of information that the closure plan must include. By requiring these specific elements, EPA hopes to force owners/operators to consider their future closure responsibilities and consequently realize the impact of their current operating practices on closure. According to §§264/265.112(b), the closure plan must contain:

- A description of how each hazardous waste management unit will be closed
- A description of how final closure of the facility will be achieved
- An estimate of the maximum inventory of hazardous waste ever on-site during the facility's active life
- A detailed description of closure methods, including actions necessary to remove waste and decontaminate the site, and manage removed waste
- A description of any other steps that may be necessary in order to comply with the closure standards, such as groundwater monitoring or leachate collection
- A schedule of closure dates for each unit and for final closure, including the amount of time that closure of each unit and related activities will take
- The expected year of final closure for facilities that use trust funds for financial assurance, and for facilities without approved closure plans.

AMENDING THE PLAN

The closure plan may be amended by either the facility owner/operator or the Regional Administrator (RA) by following the steps in §§264/265.112(c) when there is a change in the design or operation of the facility, a change in the expected closure date, or an unexpected event. An example of an unexpected event is the discovery of more contamination than anticipated, resulting in the need to close a storage unit (e.g., a tank) as a disposal unit.

Sixty days prior to a planned change, the owner/operator of a permitted facility or an interim status facility with an approved closure plan must submit a written request to the RA, along with a copy of the amended plan. If the change is a result of an unexpected event, the amended closure plan must be submitted no more than 60 days after the unexpected event if it occurs before closure, and no more than 30 days after an unexpected event if it occurs during closure. Permitted facilities must submit a permit modification per §270.42, in addition to the written request to amend the plan. Owners or operators of interim status facilities without approved

closure plans may amend the closure plan at any time prior to notification of partial or final closure.

2.4 CLOSURE TIMETABLE


The closure regulations establish specific timetables for the initiation and completion of closure activities. One element of this timetable is prior notification to the RA of the commencement of closure. For permitted units the owner/operator must notify the RA at least 60 days prior to the date on which he/she "expects to begin closure" of a surface impoundment, waste pile, land treatment or landfill unit, or final closure of a facility with such a unit (§264.112(d)). The date when the owner/operator "expects to begin closure" must be no later than 30 days after the date on which the unit accepts the known final volume of hazardous waste (§264.112(d)(2)(i)). For facilities with only tanks, containers, or incinerators, notification must occur at least 45 days prior to the date he/she expects to begin final closure. For hazardous waste boilers or industrial furnaces, notification must occur at least 45 days prior to partial or final closure.

Interim status units have similar notification requirements. The additional stipulation is that closure plans must be submitted according to the dates found in §265.112(d) of the regulations (closure plans for permitted units are submitted in the Part B application process).

Sections 264/265.113 establish deadlines for initiating and completing closure activities. Within 90 days of receipt of the final volume of hazardous waste at a permitted facility, the owner/operator must treat, remove from the site, or dispose of all hazardous waste on-site. For interim status facilities, this deadline, as well as the deadlines for all subsequent closure activities, is based on the timing of the latter of two events: receipt of the final volume of hazardous waste at the unit, or approval of the closure plan (§§265.113(a) and (b)). For example, the owner/operator of an interim status facility must treat, remove from the site, or dispose of all hazardous waste on-site within 90 days of receipt of the final volume of hazardous waste, or within 90 days of the approval of the closure plan, whichever is later. Figures 1 and 2 illustrate the closure timelines for permitted and interim status facilities (with approved plans), respectively. You will see significant time differences in requirements for land-based units and facilities with only tanks, containers, and incinerators.


Once partial or final closure is initiated, closure activities must be completed within 180 days of receiving the final volume of hazardous waste (§§264/265.113(b)). For interim status facilities, closure activities must be completed within 180 days of approval of the closure plan, or within 180 days of receiving the final volume of hazardous waste, whichever is later.

Figure 1
CLOSURE TIMETABLE FOR PERMITTED FACILITIES and INTERIM STATUS FACILITIES WITH APPROVED CLOSURE PLANS*



- * This figure does not take into account Delay of Closure Rules
- ** If the unit has the capacity to receive additional wastes, begin closure no later than one year after receiving final volume of waste

Figure 2
CLOSURE TIMETABLE FOR INTERIM STATUS FACILITIES WITHOUT APPROVED CLOSURE PLANS*



- * This figure does not take into account Delay of Closure Rules
- ** If the unit has the capacity to receive additional wastes, begin closure no later than one year after receiving final volume of waste

EXTENSIONS

When the closure activities will take longer than 90 (or 180) days to complete, the RA may grant extensions to the 90- and 180-day deadlines, provided the facility or unit has the capacity to accept hazardous or nonhazardous waste (§§264/265.113(a) and (b)).

DELAY OF CLOSURE

A facility meeting specific eligibility criteria under §§264/265.113(d) and (e) may delay closure of its units to receive nonhazardous waste following the final receipt of hazardous waste. This provision is only available to certain landfills, surface impoundments, and land treatment units. It is not available to units such as storage or treatment tanks, container storage areas, waste piles, incinerators, land treatment units, or units that have lost interim status.

In addition, all owners/operators of units that choose to delay closure will continue to be subject to all applicable Subtitle C requirements and must ensure that the co-disposal of nonhazardous waste with hazardous waste will in no way endanger human health and the environment.

2.5 DISPOSAL OR DECONTAMINATION OF EQUIPMENT, STRUCTURES, AND SOILS

During partial and final closure periods all contaminated equipment, structures, and soils must be properly disposed of or decontaminated unless otherwise specified in the unit-specific closure requirements (§§264/265.114). During this process an owner/operator may become a generator of hazardous waste and therefore become subject to the requirements of Part 262. Furthermore, hazardous waste management units built as part of the closure process must be permitted or comply with the generator accumulation unit provisions of §262.34.

2.6 CERTIFICATION OF CLOSURE

According to §§264/265.115, the owner/operator must submit to the RA (by registered mail) a certification that the hazardous waste management unit or facility has closed in accordance with the specifications in the approved closure plan. This submittal must take place within 60 days of completion of closure of each regulated unit and within 60 days of the completion of final closure. The certification must be signed by the owner/operator and by an independent, registered, professional engineer. The RA may request supporting documentation to verify the validity of the engineer's certification.

2.7 SURVEY PLAT

The owner/operator must submit to the RA or local zoning authority a survey plat indicating the location and dimensions of the hazardous waste units (§§264/265.116). The survey plat must be submitted no later than the submission of certification of closure of each hazardous waste disposal unit. The survey plat provides important information on closed units in the event that the facility is sold or abandoned.

2.8 CLEAN CLOSURE

If all hazardous waste and contaminants, including contaminated soils and equipment, can be removed from the site or unit at closure, the site or unit can be clean closed and post-closure care is not required. In order to demonstrate clean closure (or closure by removal), an owner/operator must show that levels of hazardous contaminants do not exceed EPA-recommended exposure levels, or clean closure levels. An owner/operator who cannot clean close must close as a landfill and obtain a permit for the post-closure period (§270.1(c)).

2.9 POST-CLOSURE

EPA developed the post-closure standards for land disposal units that leave hazardous waste in place at closure. These include landfills, land treatment units, surface impoundments, and other units where equipment, structures, and soils cannot be fully decontaminated (clean closed). Facilities where waste remains in place after the completion of closure must conduct monitoring and maintenance activities to ensure the integrity of the liners and leak detection systems and prevent or control releases to the environment. Owners/operators of facilities that require post-closure care must comply with both the general post-closure regulations in §§264/265.117 through §§264/265.120, and the unit-specific post-closure requirements in Parts 264/265, Subparts K, L, M, N, and X. These facilities also must obtain permits for the post-closure period and comply with the groundwater monitoring requirements of Parts 264/265, Subpart F.

POST-CLOSURE PERMITS

Owners/operators of certain land disposal units and units that cannot clean close must obtain a permit for the post-closure period, thus ensuring that appropriate monitoring and maintenance activities will be conducted. Known as a post-closure permit, this requirement applies to owners/operators of surface impoundments, landfills, land treatment units, and waste piles that received waste after July 26, 1982, or that certified closure (according to §265.115) after January 26, 1983, unless they demonstrate closure by removal pursuant to §§270.1(c)(5) and (6). The denial of a permit for the active life of a hazardous waste management facility (i.e., the period

from first receipt of hazardous waste until certification of final closure), does not affect the requirement to obtain a post-closure permit under this section.

2.10 POST-CLOSURE CARE

Post-closure care consists of two primary responsibilities: groundwater monitoring and maintaining waste containment systems (§§264/265.117). The post-closure period normally lasts for 30 years after the date closure is completed, but may be amended (either extended or shortened) by the RA. Groundwater monitoring and reporting must be conducted in accordance with Parts 264/265, Subparts F, K, L, M, and N.

Waste containment systems must be monitored and maintained in accordance with the applicable regulatory requirements of Parts 264/265, Subparts K, L, M, N, and X. Post-closure use of the property may not disturb the final cover, liners, or other containment or monitoring systems unless such disturbance is necessary for the proposed use or to protect human health and the environment (see unit-specific closure requirements in Parts 264/265, Subparts I through O).

2.11 POST-CLOSURE PLAN

The post-closure plan under §§264/265.118 must include:

- A description of planned groundwater monitoring activities
- A description of planned maintenance activities
- The name, address, and telephone numbers of the person or office to contact during the post-closure period.

Post-closure maintenance activities include ensuring the integrity of the cap or final cover and ensuring that monitoring equipment functions during the post-closure period.

Permitted facilities must submit the post-closure care plan as part of the post-closure permit application. An amendment to the plan requires a permit modification. An owner/operator of an interim status facility must submit a post-closure plan to the RA at least 180 days before the date he/she expects to begin partial or final closure of the first hazardous waste disposal unit. If a facility has its interim status terminated, or receives a judicial decree or order under RCRA §3008 to cease receiving wastes or close, the owner/operator must submit the post-closure plan to the RA within 15 days (§§265.118(e)(1) and (2)).

2.12 POST-CLOSURE NOTICES

Within 60 days after closure certification (by a registered engineer or qualified soil scientist), the local zoning or land use authority and the RA must receive a record of the type, location, and quantity of hazardous wastes in each disposal unit (§§264/265.119). For wastes disposed of prior to January 12, 1981, the owner/operator must provide a "best estimate" for the quantity of waste in each unit.

Also within 60 days of closure certification of each hazardous waste disposal unit, a notice must be placed in the property deed and recorded. This notice must state that the land was used for hazardous waste management; that the use of the land is restricted per Parts 264/265, Subpart G; and that the survey plat and record of closure were submitted to the local zoning authority and the RA.

2.13 CERTIFICATION OF COMPLETION OF POST-CLOSURE CARE

No later than 60 days after completion of the established post-closure care period for each hazardous waste disposal unit, the owner/operator must submit to the RA (by registered mail) a certification that the post-closure care period was performed in accordance with the specifications established in the approved closure plan (§§264/265.120).

3. SPECIAL ISSUES

Interim status terminates for facilities that fail to comply with the applicable provisions of §§270.73(a)-(g), which establish deadlines for the submission of permit applications. For example, an incinerator that received interim status prior to November 8, 1984, had its interim status terminated on November 8, 1989, unless the owner/operator of the facility submitted a Part B application for a RCRA permit by November 8, 1986. An interim status facility that fails to meet any applicable portion of §270.73 falls into the loss of interim status (LOIS) category. The owner or operator of the facility must then submit a closure plan in accordance with §265.112(d) and initiate final closure activities.

4. REGULATORY DEVELOPMENTS

The closure regulatory scheme mandates post-closure care and a post-closure permit when the owner/operator closes a disposal unit or leaves hazardous waste in place after the facility closes. Frequently, a closing unit has caused unconfined contamination of groundwater and soils, necessitating extensive remediation activities during the post-closure period. Obtaining a post-closure permit and implementing corrective action through that permit (see the module entitled RCRA Corrective Action) is not the most appropriate remedy in all situations. In some circumstances, the facility's post-closure needs have already been met through some other cleanup authority. In other circumstances, the facility is legally unable to meet the requirements to obtain a post-closure permit (see RCRA §3005(c)). EPA has proposed a rule to remove the requirement to address post-closure care requirements through a post-closure permit in all instances, thereby giving the Agency the ability to use the most appropriate and efficient remedial authorities available at a closing facility (59 FR 55778; November 8, 1994). The proposed rule requires any alternative authority used in lieu of a post-closure permit to provide the same level of protection and public participation as does a post-closure permit.

REPORT DOCUMENTATION PAGE	1. REPORT NO. EPA530-R-96-023	2.	
4. Title and Subtitle RCRA, SUPERFUND, AND EPCRA HOTLINE TRAINING MODULE: INTRODUCTION TO CLOSURE/POST-CLOSURE (40 CFR PARTS 264/265, SUBPART G)		5. Report Date JULY 1996	
7. Author(s)		6.	
9. Performing Organization Name and Address U.S. EPA OFFICE OF SOLID WASTE 401 M STREET, SW WASHINGTON, DC 20460		8. Performing Organization Rept. No.	
12. Sponsoring Organization Name and Address		10. Project/Task/Work Unit No.	
		11. Contract(C) or Grant(G) No. (C) (G)	
		13. Type of Report & Period Covered TRAINING - UPDATED 7/96	
15. Supplementary Notes		14.	
16. Abstract (Limit: 200 words)			
<p>ONE OF A SERIES OF MODULES DEVELOPED AS A TRAINING TOOL FOR HOTLINE SPECIALISTS. EXPLAINS THE DIFFERENCE BETWEEN CLOSURE AND POST-CLOSURE. LISTS THE TYPES OF FACILITIES THAT ARE SUBJECT TO CLOSURE/POST-CLOSURE. DEFINES THE DIFFERENCE BETWEEN PARTIAL AND FINAL CLOSURE. SPECIFIES WHO SUBMITS A CLOSURE PLAN AND WHEN A CLOSURE PLAN MUST BE SUBMITTED, LISTS THE STEPS IN THE PROCESS, AND STATES THE TIME FRAME FOR SUBMITTAL. IDENTIFIES WHEN AND HOW A CLOSURE MUST BE AMENDED. EXPLAINS THE TIME FRAME FOR NOTIFICATION OF CLOSURE AND THE DEADLINES FOR BEGINNING AND COMPLETING CLOSURE. SPECIFIES WHICH FACILITIES NEED CONTINGENT POST-CLOSURE PLANS. LISTS THE ELEMENTS OF POST-CLOSURE AND CITES THE REQUIREMENTS. SPECIFIES THE CONDITIONS AND TIMING FOR AMENDING A POST-CLOSURE PLAN, STATES WHO MUST CERTIFY CLOSURE/POST-CLOSURE. THE INFORMATION IN THIS DOCUMENT IS NOT A COMPLETE REPRESENTATION OF EPA'S REGULATIONS OR POLICIES, BUT IS AN INTRODUCTION USED FOR HOTLINE TRAINING PURPOSES.</p>			
17. Document Analysis			
a. Descriptors			
b. Identifiers/Open-Ended Terms			
c. COSATI Field/Group			
18. Availability Statement RELEASE UNLIMITED	19. Security Class (This Report) UNCLASSIFIED	21. No. of Pages 13	
	20. Security Class (This Page) UNCLASSIFIED	22. Price 0.00	